

The electronic version of this file/report should have the file name:


report.hw902014.2006-01-01.SampleData2006.pdf



Access to Clark Rd..JPG



Acess to BB-T1.JPG



ATV Trail 1.JPG



ATV Trail 2.JPG



BB-T1 North.JPG



BB-T1 South.JPG



BB-T1 to Gate.JPG



BB-T2 North.JPG



BB-T2 South.JPG



Campfire Debris.JPG



Gate Cond.JPG



Site East.JPG



Site North 1.JPG



Site North 2.JPG



Site South.JPG



Site West.JPG

**TABLE IV-1 MONITORING WELLS
VOLATILE ORGANIC COMPOUNDS (ug/l)**

Parameter (Std/guidance)	MW-101D 10/04/06	MW-101I 10/04/06	MW-102D 10/04/06	MW-103D 10/04/06	MW-103I 10/04/06
Chloromethane	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromomethane (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Vinyl chloride (2.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloroethane (5.0)	0.47 J	1.0 U	1.0 U	1.0 U	1.0 U'
Methylene chloride (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Acetone (50 guidance)	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Carbon Disulfide	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethene (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethane (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloroform (7.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethane (0.6)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Butanone	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
1,1,1-Trichloroethane (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbon tetrachloride (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromodichloromethane (50 guidance)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloropropane (1.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
*cis-1,3-Dichloropropene (0.4)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Trichloroethene (5.0)	1.0 U	1.0 U	1.0 U	5.9	7.5
Dibromochloromethane (50 guidance)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2-Trichloroethane (1.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Benzene (1.0)	1.2	1.0 U	1.0 U	1.0 U	1.0 U
*trans-1,3-Dichloropropene (0.4)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromoform (50 guidance)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
4-Methyl-2-pentanone	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
2-Hexanone (50 guidance)	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Tetrachloroethene (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Toluene (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2,2-Tetrachloroethane (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chlorobenzene (5.0)	6.3	1.0 U	1.0 U	1.0 U	1.0 U
Ethylbenzene (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Styrene (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Xylene, total (5.0)	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U
Dichlorodifluoromethane (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Trichlorofluoromethane (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2-Trichloro-1,2,2-Trifluoroethane	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
trans -1,2-Dichloroethene (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U

**TABLE IV-1 (cont.) MONITORING WELLS
VOLATILE ORGANIC COMPOUNDS (ug/l)**

Parameter (Std/guidance)	MW-101D 10/04/06	MW-101I 10/04/06	MW-102D 10/04/06	MW-103D 10/04/06	MW-103I 10/04/06
Methyl tert-butyl ether	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
cis-1,2-Dichloroethene (5.0)	1.0 U	1.0 U	1.0 U	5.4	6.4
Cyclohexane	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Methylcyclohexane	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dibromoethane (Ethylene	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Isopropyl benzene (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,3-Dichlorobenzene (3.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,4-Dichlorobenzene (3.0)	1.1 1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichlorobenzene (3.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dibromo-3-chloropropane (0.04)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2,4-Trichlorobenzene (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Methyl acetate	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U

NS - No sample collected

U- compound not detected at indicated detection limit

J - compound detected below sample quantitation limit

Shaded areas indicate exceedence of NYSDEC groundwater standards

italics indicates guidance value

* cis-1,3-dichloropropene and trans-1,3-dichloropropene total not to exceed 0.40 ug/l

TABLE IV-1 (cont.) MONITORING WELLS
VOLATILE ORGANIC COMPOUNDS
(ug/l)

Parameter (Std/guidance)	MW-104D 10/04/06	MW-104I 10/04/06	MW-107IR 10/04/06	MW-107SR 10/04/06	MW-108D 10/04/06
Chloromethane	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromomethane (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Vinyl chloride (2.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloroethane (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Methylene chloride (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Acetone (50 guidance)	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Carbon disulfide	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethene (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethane (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chloroform (7.0)	1.0 U	1.1	1.0 U	1.0 U	1.0 U
1,2-Dichloroethane (0.6)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Butanone	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
1,1,1-Trichloroethane (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Carbon tetrachloride (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromodichloromethane (50)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloropropane (1.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
*cis-1,3-Dichloropropene (0.4)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Trichloroethene (5.0)	1.0 U	3.6	1.0 U	1.0 U	1.0 U
Dibromochloromethane (50)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2-Trichloroethane (1.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Benzene (1.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
*trans-1,3-Dichloropropene (0.4)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Bromoform (50 guidance)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
4-Methyl-2-pentanone	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
2-Hexanone (50 guidance)	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Tetrachloroethene (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Toluene (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2,2-Tetrachloroethane (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chlorobenzene (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Ethylbenzene (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Styrene (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Xylene, total (5.0)	3.0 U	3.0 U	3.0 U	3.0 U	3.0 U
Dichlorodifluoromethane (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Trichlorofluoromethane (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2-Trichloro-1,2,2-	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
trans -1,2-Dichloroethene (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U

TABLE IV-1 (cont.) MONITORING WELLS
VOLATILE ORGANIC COMPOUNDS
(ug/l)

Parameter (Std/guidance)	MW-104D 10/04/06	MW-104I 10/04/06	MW-107IR 10/04/06	MW-107SR 10/04/06	MW-108D 10/26/05
Methyl tert-butyl ether	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
cis-1,2-Dichloroethene (5.0)	1.0 U	2.2	1.0 U	1.0 U	1.0 U
Cyclohexane	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Methylcyclohexane	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dibromoethane (Ethylene	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Isopropylbenzene (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,3-Dichlorobenzene (3.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,4-Dichlorobenzene (3.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichlorobenzene (3.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dibromo-3-chloropropane	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,2,4-Trichlorobenzene (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Methyl acetate	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U

NS - No sample collected

U- compound not detected

J - compound detected below sample quantitation limit

Shaded areas indicate exceedence of NYSDEC groundwater standards

italics indicates guidance value

* cis-1,3-dichloropropene and trans-1,3-dichloropropene total not to exceed 0.40 ug/l

**TABLE IV-1 MONITORING WELLS
VOLATILE ORGANIC COMPOUNDS**

(ug/l)

Parameter (Std/guidance)	MW-108I 10/04/06	MW-109 10/04/06	MW-113 10/04/06	MW-113 (DUP) 10/04/06	
Chloromethane	1.0 U	1.0 U	1.0 U	1.0 U	
Bromomethane (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	
Vinyl chloride (2.0)	1.0 U	1.0 U	1.0 U	1.0 U	
Chloroethane (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	
Methylene chloride (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	
Acetone (50 guidance)	5.0 U	2.6 J	5.0 U	5.0 U	
Carbon disulfide	1.0 U	1.0 U	1.0 U	1.0 U	
1,1-Dichloroethene (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	
1,1-Dichloroethane (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	
Chloroform (7.0)	1.0 U	1.0 U	1.0 U	1.0 U	
1,2-Dichloroethane (0.6)	1.0 U	1.0 U	1.0 U	1.0 U	
2-Butanone	5.0 U	5.0 U	5.0 U	5.0 U	
1,1,1-Trichloroethane (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	
Carbon tetrachloride (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	
Bromodichloromethane (50 guidance)	1.0 U	1.0 U	1.0 U	1.0 U	
1,2-Dichloropropane (1.0)	1.0 U	1.0 U	1.0 U	1.0 U	
*cis-1,3-Dichloropropene (0.4)	1.0 U	1.0 U	1.0 U	1.0 U	
Trichloroethene (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	
Dibromochloromethane (50 guidance)	1.0 U	1.0 U	1.0 U	1.0 U	
1,1,2-Trichloroethane (1.0)	1.0 U	1.0 U	1.0 U	1.0 U	
Benzene (1.0)	1.0 U	1.0 U	1.0 U	1.0 U	
*trans-1,3-Dichloropropene (0.4)	1.0 U	1.0 U	1.0 U	1.0 U	
Bromoform (50 guidance)	1.0 U	1.0 U	1.0 U	1.0 U	
4-Methyl-2-pentanone	5.0 U	5.0 U	5.0 U	5.0 U	
2-Hexanone (50 guidance)	5.0 U	5.0 U	5.0 U	5.0 U	
Tetrachloroethene (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	
Toluene (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	
1,1,2,2-Tetrachloroethane (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	
Chlorobenzene (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	
Ethylbenzene (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	
Styrene (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	
Xylene, total (5.0)	3.0 U	3.0 U	3.0 U	3.0 U	
Dichlorodifluoromethane (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	
Trichlorofluoromethane (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	
1,1,2-Trichloro-1,2,2-Trifluoroethane	1.0 U	1.0 U	1.0 U	1.0 U	
trans -1,2-Dichloroethene (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	

**TABLE IV-1 (cont.) MONITORING WELLS
VOLATILE ORGANIC COMPOUNDS
(ug/l)**

Parameter (Std/guidance)	MW-108I 10/04/06	MW-109 10/04/06	MW-113 10/04/06	MW-113 (DUP) 10/04/06	
Methyl tert-butyl ether	1.0 U	1.0 U	1.0 U	1.0 U	
cis-1,2-Dichloroethene (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	
Cyclohexane	1.0 U	1.0 U	1.0 U	1.0 U	
Methylcyclohexane	1.0 U	1.0 U	1.0 U	1.0 U	
1,2-Dibromoethane (Ethylene	1.0 U	1.0 U	1.0 U	1.0 U	
Isopropylbenzene (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	
1,3-Dichlorobenzene (3.0)	1.0 U	1.0 U	1.0 U	1.0 U	
1,4-Dichlorobenzene (3.0)	1.0 U	1.0 U	1.0 U	1.0 U	
1,2-Dichlorobenzene (3.0)	1.0 U	1.0 U	1.0 U	1.0 U	
1,2-Dibromo-3-chloropropane (0.04)	1.0 U	1.0 U	1.0 U	1.0 U	
1,2,4-Trichlorobenzene (5.0)	1.0 U	1.0 U	1.0 U	1.0 U	
Methyl acetate	1.0 U	1.0 U	1.0 U	1.0 U	

U- compound not detected

J - compound detected below sample quantitation limit

Shaded areas indicate exceedence of NYSDEC groundwater standards

italics indicates guidance value

* cis-1,3-dichloropropene and trans-1,3-dichloropropene total not to exceed 0.40 ug/l

**Table IV-2 MONITORING WELLS
INORGANIC COMPOUNDS
(ug/l)**

Parameter (std/guidance)	MW-101D 10/04/06	MW-101I 10/04/06	MW-102D 10/04/06	MW-103D 10/04/06	MW-103I 10/04/06
Aluminum	200U	23,900	200U	200U	200U
Antimony (3)	20U	20U	20U	20U	20U
Arsenic (25)	10U	16	10U	10U	10U
Barium (1000)	750	290	84	57	55
Beryllium (3)	2U	2U	2U	2U	2U
Cadmium (5)	1U	1.0	1.2	1U	1U
Calcium	129,000	89,400	45,400	23,200	22,800
Chromium (50)	4U	27	4U	4U	4U
Cobalt	4U	20	4U	4U	4U
Copper (200)	10U	38	10U	10U	10U
Iron (300)	810	39,700	110	86	140
Lead (25)	5U	15	5U	5U	5U
Magnesium (35,000 guidance)	79,100	45,600	16,100	9,000	8,300
Manganese (300)	7,400	750	4.8	5.5	13
Mercury (0.7)	0.2U	0.2U	0.2U	0.2U	0.2U
Nickel (100)	10U	40	10U	10U	10U
Potassium	11,400	12,800	2,900	2,400	1,700
Selenium (10)	15U	15U	15U	15U	15U
Silver (50)	3U	3U	3U	3U	3U
Sodium (20000)	45,500	6,600	4,100	3,900	4,000
Thallium (0.5 guidance)	20U	20U	20U	20U	20U
Vanadium	5U	31	5U	5U	5U
Zinc (2000 guidance)	10	99	10U	10U	10U

U- not detected at or above detection limit

B - detected below contract required detection limit

N - Spiked sample recovery not within control limits

Shaded Area indicates exceedence of NYSDEC Ground Water Standards

NS - No sample collected; insufficient volume

Table IV-2 (cont) MONITORING WELLS
INORGANIC COMPOUNDS
(ug/l)

Parameter (std/guidance)	MW-104D 10/04/06	MW-104I 10/04/06	MW-107IR 10/04/06	MW-107SR 10/04/06	MW-108D 10/04/06
Aluminum	200U	330	8,700	1,400	600
Antimony (3)	20U	20U	20U	20U	20U
Arsenic (25)	10U	10U	10U	10U	10U
Barium (1000)	50	26	160	43	130
Beryllium (3)	2U	2U	2U	2U	2U
Cadmium (5)	2.2	1.4	1U	1.1	1U
Calcium	49,900	7,500	61,900	20,500	28,300
Chromium (50)	4U	4U	13	4U	4U
Cobalt	4U	4U	7.1	4U	4U
Copper (200)	4U	10U	10U	10U	10U
Iron (300)	88	410	12,800	1,700	1,900
Lead (25)	5U	5U	14	5U	5U
Magnesium (35,000 guidance)	25,000	2,400	14,800	5,800	12,100
Manganese (300)	3.2	12	310	560	300
Mercury (0.7)	0.2U	0.2U	0.2U	0.2U	0.2U
Nickel (100)	10U	10U	15	10U	10U
Potassium	3,000	1,000	6,100	1,600	2,500
Selenium (10)	15U	15U	15U	15U	15U
Silver (50)	3U	3U	3U	3U	3U
Sodium (20000)	5,300	6,500	7,200	9,000	3,800
Thallium (0.5 guidance)	20U	20U	20U	20U	20U
Vanadium	5U	5U	12	5U	5U
Zinc (2000 guidance)	18	10U	33	10U	25

U- not detected at or above detection limit

B - detected below contract required detection limit

N - Spiked sample recovery not within control limits

Shaded Area indicates exceedence of NYSDEC Ground Water Standards

NS - No sample collected

**Table IV-2 (cont) MONITORING WELLS
INORGANIC COMPOUNDS
(ug/l)**

Parameter (std/guidance)	MW-108I 10/04/06	MW-109 10/04/06	MW-113 10/04/06	MW-113 (DUP) 10/04/06	
Aluminum	920	3,200	7,700	11,400	
Antimony (3)	20U	20U	20U	20U	
Arsenic (25)	10U	10U	10U	12	
Barium (1000)	68	220	79	92	
Beryllium (3)	2U	2U	2U	2U	
Cadmium (5)	1U	2	1U	1.5	
Calcium	38,500	52,900	55,300	55,000	
Chromium (50)	4U	11	11	16	
Cobalt	4U	4U	7.5	12	
Copper (200)	10U	130	12	18	
Iron (300)	1,200	23,600	13,500	20,200	
Lead (25)	5U	5U	8.6	13	
Magnesium (35,000 guidance)	22,600	13,500	24,700	25,100	
Manganese (300)	27	750	410	570	
Mercury (0.7)	0.2U	0.2U	0.2U	0.2U	
Nickel (100)	10U	11	14	20	
Potassium	3,600	8,800	5,400	6,600	
Selenium (10)	15U	15U	15U	15U	
Silver (50)	3U	3U	3U	3U	
Sodium (20000)	3,600	4,400	4,400	4,200	
Thallium (0.5 guidance)	20U	20U	20U	20U	
Vanadium	5U	5U	96	14	
Zinc (2000 guidance)	10U	48	31	46	

U- not detected at or above detection limit

B - detected below contract required detection limit

N - Spiked sample recovery not within control limits

Shaded Area indicates exceedence of NYSDEC Ground Water Standards

NS - No sample collected

Table D-1
MW-101D Historic Data
Volatile Organic Compounds
(ug/l)

Parameter (GW Std/guidance)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006				
Chloromethane	NS	NS	10U	1.0U	10 U	10 U	1.0U	10 U	NS	1.0 U				
Bromomethane (5.0)	NS	NS	10U	1.0U	10 U	10 U	1.0U	10 U	NS	1.0 U				
Vinyl chloride (2.0)	NS	NS	10U	1.0U	10 U	10 U	1.0U	10 U	NS	1.0U				
Chloroethane (5.0)	NS	NS	10U	1.0U	10 U	10 U	1.0U	10 U	NS	0.47 J				
Methylene chloride (5.0)	NS	NS	10U	0.2U	10 U	10 U	2.0U	10 U	NS	1.0 U				
Acetone (50 guidance)	NS	NS	10U	NA	3 J	10U	5.0U	10U	NS	5.0 U				
Carbon disulfide	NS	NS	10U	NA	10 U	10 U	1.0U	10 U	NS	1.0 U				
1,1-Dichloroethene (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	NS	1.0 U				
1,1-Dichloroethane (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	NS	1.0 U				
Chloroform (7.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	NS	1.0 U				
1,2-Dichloroethane (0.6)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	NS	1.0 U				
2-Butanone	NS	NS	10U	NA	1 J	10U	5.0U	10U	NS	5.0 U				
1,1,1-Trichloroethane (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	NS	1.0 U				
Carbon tetrachloride (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	NS	1.0 U				
Bromodichloromethane (50 guidance)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	NS	1.0 U				
1,2-Dichloropropane (1.0)	NS	NS	10U	1.0U	10 U	10 U	1.0U	10 U	NS	1.0 U				
*cis-1,3-Dichloropropene (0.4)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	NS	1.0 U				
Trichloroethene (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	NS	1.0 U				
Dibromochloromethane (50 guidance)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	NS	1.0 U				
1,1,2-Trichloroethane (1.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	NS	1.0 U				
Benzene (1.0)	NS	NS	10U	NA	1 J	1 J	1.0	10 U	NS	1.2				
*trans-1,3-Dichloropropene (0.4)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	NS	1.0 U				
Bromoform (50 guidance)	NS	NS	10U	1.0U	10 U	10 U	1.0U	10 U	NS	1.0 U				
4-Methyl-2-pentanone	NS	NS	10U	NA	10 U	10 U	5.0U	10 U	NS	5.0 U				
2-Hexanone (50 guidance)	NS	NS	10U	NA	10 U	10 U	5.0U	10 U	NS	5.0 U				
Tetrachloroethene (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	NS	1.0 U				
Toluene (5.0)	NS	NS	10U	NA	10 U	10 U	1.0U	10 U	NS	1.0 U				
1,1,2,2-Tetrachloroethane (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	NS	1.0 U				
Chlorobenzene (5.0)	NS	NS	4J	6.6	3 J	4J	6.0	6.0	NS	6.3				
Ethylbenzene (5.0)	NS	NS	10U	NA	10 U	10 U	1.0U	10 U	NS	1.0 U				
Styrene (5.0)	NS	NS	10U	NA	10 U	10 U	1.0U	10 U	NS	1.0 U				

Table D -1 - continued

Parameter (GW Std/guidance)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006				
Xylene, total (5.0)	NS	NS	10U	NA	10 U	10 U	1.0U	10 U	NS	3.0 U				
Dichlorodifluoromethane (5.0)	NS	NS	NA	13	10 U	10 U	1.0U	10 U	NS	1.0 U				
Trichlorofluoromethane (5.0)	NS	NS	NA	1.0U	10 U	10 U	1.0U	10 U	NS	1.0 U				
1,1,2-Trichloro-1,2,2-Trifluoroethane (5.0)	NS	NS	NA	NA	10 U	10 U	10U	10 U	NS	1.0 U				
trans -1,2-Dichloroethene (5.0)	NS	NS	10U	0.2U	10 U	10U	1.0U	10U	NS	1.0 U				
Methyl tert-butyl ether	NS	NS	NA	NA	10 U	10 U	10U	10 U	NS	1.0 U				
cis-1,2-Dichloroethene (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	NS	1.0 U				
Cyclohexane	NS	NS	NA	NA	10 U	10 U	10U	10 U	NS	1.0 U				
Methylcyclohexane	NS	NS	NA	NA	10 U	10 U	10U	10 U	NS	1.0 U				
1,2-Dibromoethane (0.0006)	NS	NS	NA	1.0U	10 U	10 U	1.0U	10 U	NS	1.0 U				
Isopropyl benzene (5.0)	NS	NS	NA	NA	10 U	10 U	1.0U	10 U	NS	1.0 U				
1,3-Dichlorobenzene (3.0)	NS	NS	NA	0.4U	10 U	10 U	1.0U	10 U	NS	1.0 U				
1,4-Dichlorobenzene (3.0)	NS	NS	NA	0.90	10 U	10 U	0.9J	10 U	NS	1.0 U				
1,2-Dichlorobenzene (3.0)	NS	NS	NA	0.4U	10 U	10 U	1.0U	10 U	NS	1.0 U				
1,2-Dibromo-3-chloropropane (0.04)	NS	NS	NA	1.0U	10 U	10 U	1.0U	100U	NS	1.0 U				
1,2,4-Trichlorobenzene (5.0)	NS	NS	NA	NA	10 U	10 U	1.0U	10 U	NS	1.0 U				
Methyl acetate	NS	NS	NA	NA	10 U	10 U	10U	10 U	NS	1.0 U				
Bromochloromethane (5.0)	NS	NS	NA	0.2U	NA	NA	NA	NA	NS	NA				
Dibromomethane (5.0)	NS	NS	NA	0.2U	NA	NA	NA	NA	NS	NA				
1,3-Dichloropropane (5.0)	NS	NS	NA	0.2U	NA	NA	NA	NA	NS	NA				
2,2-Dichloropropane (5.0)	NS	NS	NA	0.2U	NA	NA	NA	NA	NS	NA				
1,1-Dichloropropene (5.0)	NS	NS	NA	0.2U	NA	NA	NA	NA	NS	NA				
Hexachlorobutadiene (0.50)	NS	NS	NA	0.4U	NA	NA	NA	NA	NS	NA				
1,1,1,2-Tetrachloroethane (5.0)	NS	NS	NA	0.2U	NA	NA	NA	NA	NS	NA				
1,2,3-Trichloropropane (0.04)	NS	NS	NA	1.0U	NA	NA	NA	NA	NS	NA				

U- compound not detected at indicated detection limit

J - compound detected below sample quantitation limit

Shaded areas indicate exceedence of NYSDEC groundwater standards

italics indicates guidance value

* cis-1,3-dichloropropene and trans-1,3-dichloropropene total not to exceed 0.40 ug/l

NS - No sample collected

NA- Not Analyzed

Table D -1A
MW - 101D Historic Data
Inorganic Compounds
(ug/l)

Parameter (std/guidance)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006				
Aluminum	NS	NS	424E*	43.6 B	213	32.5U	129B	18.4U	NS	200U				
Antimony (3)	NS	NS	8U	5.0 U	3.0 U	5.4U	4.1U	5.0U	NS	20U				
Arsenic (25)	NS	NS	6U	11.9	9.6 B	4.0B	11.5	4.9B	NS	10U				
Barium (1000)	NS	NS	513	623 E	523	611	675	676	NS	750				
Beryllium (3)	NS	NS	0.4U	0.50 U	1.0 U	0.20U	0.21B	0.19U	NS	2U				
Cadmium (5)	NS	NS	0.7U	0.60 U	1.1 BN	0.33B	0.53B	0.34U	NS	1U				
Calcium	NS	NS	120,000	135,000	122,000	124,000	128,000	120,000	NS	129,000				
Chromium (50)	NS	NS	2U	2.0 B	1.0 U	0.60U	0.90U	1.0B	NS	4U				
Cobalt	NS	NS	2.6B	5.4 B	5.0 B	4.8B	4.0U	3.4B	NS	4U				
Copper (200)	NS	NS	7.9B	1.7 B	14.9 B	6.3B	6.6B	3.8B	NS	10U				
Iron (300)	NS	NS	384*	1,270	891	270	809N	443	NS	810				
Lead (25)	NS	NS	4.8	2.6 U	2.0 U	7.3	13.1	4.9	NS	5U				
Magnesium (35,000 guidance)	NS	NS	70,600*	82,000 E	69,300	78,700	77,800	72,500	NS	79,100				
Manganese (300)	NS	NS	5,090	7,200 E	4,290	5,900	5,970	6,980	NS	7,400				
Mercury (0.7)	NS	NS	0.2U	0.15 U	0.072 U	0.115B	0.055U	0.087U	NS	0.2U				
Nickel (100)	NS	NS	10B	9.1 B	9.8 B	9.0B	8.9B	7.2B	NS	10U				
Potassium	NS	NS	10,900	11,900	12,400	11,400E	11,300	10,100	NS	11,400				
Selenium (10)	NS	NS	5U	7.3	5.0 U	4.0U	4.4B	5.0U	NS	15U				
Silver (50)	NS	NS	1U	1.5 U	2.0 U	0.50U	0.70U	0.69U	NS	3U				
Sodium (20000)	NS	NS	56,600	57,900	51,200	49,000	44,900	42,700	NS	45,500				
Thallium (0.5 guidance)	NS	NS	11.3	5.0 U	4.0 U	3.9U	3.8U	5.1U	NS	20U				
Vanadium	NS	NS	1U	1.0 U	1.0 U	0.70U	0.91B	0.58U	NS	5U				
Zinc (2000 guidance)	NS	NS	13.7B	8.0 B	16.3 B	4.5B	4.7B	1.9B	NS	10				

U- not detected at or above detection limit
B - detected below contract required detection limit
E - value estimated due to interference
* - indicates duplicate analysis not within control limits
N - Spike sample recovery not within quality control limits
Shaded Area indicates exceedence of NYSDEC Ground Water Standards
NS - No Sample Collected

Table D - 2
MW - 1011 Historic Data
Volatile Organic Compounds
(ug/l)

Parameter (GW Std/guidance)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006				
Chloromethane	NS	NS	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Bromomethane (5.0)	NS	NS	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Vinyl chloride (2.0)	NS	NS	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Chloroethane (5.0)	NS	NS	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Methylene chloride (5.0)	NS	NS	10U	0.2U	10 U	10 U	2.0U	10 U	1.0U	1.0 U				
Acetone (50 guidance)	NS	NS	10U	NA	2 J	1 J	5.0U	10 U	5.0U	5.0 U				
Carbon disulfide	NS	NS	10U	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,1-Dichloroethene (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,1-Dichloroethane (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Chloroform (7.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,2-Dichloroethane (0.6)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
2-Butanone	NS	NS	10U	NA	10 U	10 U	5.0U	10 U	5.0U	5.0 U				
1,1,1-Trichloroethane (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Carbon tetrachloride (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Bromodichloromethane (50 guidance)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,2-Dichloropropane (1.0)	NS	NS	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
*cis-1,3-Dichloropropene (0.4)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Trichloroethene (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Dibromochloromethane (50 guidance)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,1,2-Trichloroethane (1.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Benzene (1.0)	NS	NS	10U	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
*trans-1,3-Dichloropropene (0.4)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Bromoform (50 guidance)	NS	NS	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
4-Methyl-2-pentanone	NS	NS	10U	NA	10 U	10 U	5.0U	10 U	5.0U	5.0 U				
2-Hexanone (50 guidance)	NS	NS	10U	NA	10 U	10 U	5.0U	10 U	5.0U	5.0 U				
Tetrachloroethene (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Toluene (5.0)	NS	NS	10U	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,1,2,2-Tetrachloroethane (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Chlorobenzene (5.0)	NS	NS	10U	0.4U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Ethylbenzene (5.0)	NS	NS	10U	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Styrene (5.0)	NS	NS	10U	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				

Table D - 2 - continued

Parameter (GW Std/guidance)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006				
Xylene, total (5.0)	NS	NS	10U	NA	10 U	10 U	1.0U	10 U	3.0U	3.0 U				
Dichlorodifluoromethane (5.0)	NS	NS	NA	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Trichlorofluoromethane (5.0)	NS	NS	NA	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,1,2-Trichloro-1,2,2-Trifluoroethane (5.0)	NS	NS	NA	NA	10 U	10 U	10U	10 U	1.0U	1.0 U				
trans -1,2-Dichloroethene (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Methyl tert-butyl ether	NS	NS	NA	NA	10 U	10 U	10U	10 U	1.0U	1.0 U				
cis-1,2-Dichloroethene (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Cyclohexane	NS	NS	NA	NA	10 U	10 U	10U	10 U	1.0U	1.0 U				
Methylcyclohexane	NS	NS	NA	NA	10 U	10 U	10U	10 U	1.0U	1.0 U				
1,2-Dibromoethane (0.0006)	NS	NS	NA	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Isopropyl benzene (5.0)	NS	NS	NA	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,3-Dichlorobenzene (3.0)	NS	NS	NA	0.4U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,4-Dichlorobenzene (3.0)	NS	NS	NA	0.4U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,2-Dichlorobenzene (3.0)	NS	NS	NA	0.4U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,2-Dibromo-3-chloropropane (0.04)	NS	NS	NA	1.0U	10 U	10 U	1.0U	100U	1.0U	1.0 U				
1,2,4-Trichlorobenzene (5.0)	NS	NS	NA	NA	10 U	10 U	1.0U	3 10 U	1.0U	1.0 U				
Methyl acetate	NS	NS	NA	NA	10 U	10 U	10U	10 U	1.0U	1.0 U				
Bromochloromethane (5.0)	NS	NS	NA	0.2U	NA	NA	NA	NA	1.0U	NA				
Dibromomethane (5.0)	NS	NS	NA	0.20U	NA	NA	NA	NA	NA	NA				
1,3-Dichloropropane (5.0)	NS	NS	NA	0.2U	NA	NA	NA	NA	NA	NA				
2,2-Dichloropropane (5.0)	NS	NS	NA	0.2U	NA	NA	NA	NA	NA	NA				
1,1-Dichloropropene (5.0)	NS	NS	NA	0.2U	NA	NA	NA	NA	NA	NA				
Hexachlorobutadiene (0.50)	NS	NS	NA	0.4U	NA	NA	NA	NA	NA	NA				
1,1,1,2-Tetrachloroethane (5.0)	NS	NS	NA	0.2U	NA	NA	NA	NA	NA	NA				
1,2,3-Trichloropropane (0.04)	NS	NS	NA	1.0U	NA	NA	NA	NA	NA	NA				

U- compound not detected at indicated detection limit

J - compound detected below sample quantitation limit

Shaded areas indicate exceedence of NYSDEC groundwater standards

italics indicates guidance value

* cis-1,3-dichloropropene and trans-1,3-dichloropropene total not to exceed 0.40 ug/l

NS - No sample collected

NA- Not Analyzed

Table D -2A
MW - 101I Historic Data
Inorganic Compounds
(ug/l)

Parameter (std/guidance)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006				
Aluminum	NS	NS	NS	8500	61,300	NS	21,200	8730	22,200	23,900				
Antimony (3)	NS	NS	NS	5.0 U	3.0 U	NS	4.1U	5.0U	20U	20U				
Arsenic (25)	NS	NS	NS	6.9 B	54.5	NS	22.2	5.5B	12	16				
Barium (1000)	NS	NS	NS	175 BE	694	NS	273	173B	290	290				
Beryllium (3)	NS	NS	NS	0.57 B	4.3 B	NS	1.5B	0.19U	2U	2U				
Cadmium (5)	NS	NS	NS	0.60 U	1.0 UN	NS	0.30U	0.42B	2.7	1.0				
Calcium	NS	NS	NS	81,300 E	88,600	NS	82,300	81100	92300	89,400				
Chromium (50)	NS	NS	NS	9.0 B	74.3	NS	23.2	7.5B	27	27				
Cobalt	NS	NS	NS	6.9 B	69.2	NS	21.7	6.8B	17	20				
Copper (200)	NS	NS	NS	13.8 B	175	NS	38.0	14.7B	90	38				
Iron (300)	NS	NS	NS	9,190	131,000	NS	41,500N	12,300	34,800	39,700				
Lead (25)	NS	NS	NS	4.9	48.1	NS	14.3	4.7	18	15				
Magnesium (35,000 guidance)	NS	NS	NS	35,400 E	55,200	NS	41,800	36,200	44,200	45,600				
Manganese (300)	NS	NS	NS	564 E	2850	NS	920	486	790	750				
Mercury (0.7)	NS	NS	NS	0.15 U	0.072 U	NS	0.055U	0.087U	0.2U	0.2U				
Nickel (100)	NS	NS	NS	9.6 B	136	NS	42.3	11.8B	40	40				
Potassium	NS	NS	NS	7,810	17,500	NS	10600	7720	13000	12,800				
Selenium (10)	NS	NS	NS	5.0 U	9.7	NS	4.1B	5.0U	15U	15U				
Silver (50)	NS	NS	NS	1.5 U	2.0 U	NS	0.70U	0.69U	3U	3U				
Sodium (20000)	NS	NS	NS	6,700	7400	NS	6590	5880	7,200	6,600				
Thallium	NS	NS	NS	5.0 U	4.0 U	NS	5.0B	5.1U	20U	20U				
Vanadium	NS	NS	NS	13.5 B	78.2	NS	26.8B	12.1B	31	31				
Zinc (2000 guidance)	NS	NS	NS	47.4	364	NS	100	27.9	160	99				

U- not detected at or above detection limit

B - detected below contract required detection limit

E - value estimated due to interference

* - indicates duplicate analysis not within control limits

N - Spike sample recovery not within quality control limits

Shaded Area indicates exceedence of NYSDEC Ground Water Standards

NS - No Sample Collected or insufficient volume

**TABLE V-1 Leachate Collection Tank
Volatile Organic Compounds
(ug/l)**

Parameter	BBT2S 10/26/05
Chloromethane	20U
Bromomethane	20U
Vinyl chloride	20U
Chloroethane	20U
Methylene chloride	19J
Acetone	63J
Carbon disulfide	20U
1,1-Dichloroethene	20U
1,1-Dichloroethane	20U
Chloroform	20U
1,2-Dichloroethane	20U
2-Butanone	100U
1,1,1-Trichloroethane	20U
Carbon tetrachloride	20U
Bromodichloromethane	20U
1,2-Dichloropropane	20U
*cis-1,3-Dichloropropene	20U
Trichloroethene	20U
Dibromochloromethane	20U
1,1,2-Trichloroethane	20U
Benzene	20U
*trans-1,3-Dichloropropene	20U
Bromoform	20U
4-Methyl-2-pentanone	100U
2-Hexanone	100U
Tetrachloroethene	20U
Toluene	20U
1,1,2,2-Tetrachloroethane	20U
Chlorobenzene	20U
Ethylbenzene	20U
Styrene	20U
Xylene, total	20U
Dichlorodifluoromethane	20U
Trichlorofluoromethane	20U
1,1,2-Trichloro-1,2,2-Trifluoroethane	20U

**TABLE V-1 (con't) Leachate Collection Tank
Volatile Organic Compounds
(ug/l)**

Parameter	BBT2S 10/26/05
trans -1,2-Dichloroethene	20U
Methyl tert-butyl ether	20U
cis-1,2-Dichloroethene	20U
Cyclohexane	20U
Methylcyclohexane	20U
1,2-Dibromoethane (Ethylene dibromide)	20U
Isopropyl benzene	20U
1,3-Dichlorobenzene	20U
1,4-Dichlorobenzene	20U
1,2-Dichlorobenzene	20U
1,2-Dibromo-3-chloropropane	20U
1,2,4-Trichlorobenzene	20U
Methyl acetate	20U

U- compound not detected
J - indicates an estimated value

**TABLE V-2 Leachate Collection Tank
Semi-volatile Organic Compounds
(ug/l)**

Parameter	BB-T2S 10/26/05
Acenaphthene	10U
Acenaphthylene	10U
Anthracene	10U
Benzo (a) anthracene	10U
Benzo (g,h,i) perylene	10U
Benzo (a) pyrene	10U
Benzoic acid	NA
Benzyl alcohol	NA
bis (2-Chloroethoxy) methane	10U
bis (2-chloroethyl) ether	10U
bis (2-chloroisopropyl) ether	NA
bis (2-ethylhexyl)phthalate	10U
4-Bromophenylphenylether	10U
Butylbenzylphthalate	10U
4-Chloroaniline	10U
4-Chloro-3-methylphenol	10U
2-Chloronaphthalene	10U
2-Chlorophenol	10U
4-Chlorophenylphenylether	10U
Chrysene	10U
Dibenzo (a,h) anthracene	10U
Dibenzofuran	10U
di-n-Butylphthalate	10U
3,3'-Dichlorobenzidine	20U
2,4-Dichlorophenol	10U
Diethylphthalate	10U
2,4-Dimethylphenol	10U
Diethylphthalate	10U
2,4-Dimethylphenol	10U
Dimethylphthalate	10U
2-Methyl-4,6-dinitrophenol	NA
2,4-Dinitrophenol	10U
2,4-Dinitrotoluene	10U
2,6-Dinitrotoluene	10U

**TABLE V-2 (cont) Leachate Collection Tank
Semi-volatile Organic Compounds
(ug/l)**

Parameter	BB-T2S 10/26/05
di-n-Octylphthalate	10U
Fluoranthene	10U
Fluorene	10U
Hexachlorobenzene	10U
Hexachlorobutadiene	44U
Hexachlorocyclopentadiene	10U
Hexachloroethane	10U
Ideno (1,2,3-c,d) pyrene	10U
Isophorone	10U
2-Methylnaphthalene	10U
2-Methylphenol	10U
4-Methylphenol	10U
Naphthalene	10U
2-Nitroaniline	49U
3-Nitroaniline	49U
4-Nitroaniline	49U
Nitrobenzene	10U
2-Nitrophenol	10U
4-Nitrophenol	49U
N-Nitrosodiphenylamine	10U
N-Nitroso-di-N-propylamine	10U
Pentachlorophenol	49U
Phenanthrene	10U
Phenol	10U
Pyrene	10U
2,4,5-Trichlorophenol	10U
2,4,6-Trichlorophenol	10U
Acetophenone	NA
Atrazine	NA
Benzaldehyde	NA
Biphenyl	NA
Caprolactam	NA

U - Compound not detected

NA - Not analyzed

**TABLE V-3 Leachate Collection Tank
Inorganic Compounds
(ug/l)**

Parameter	BB-T2S 10/26/05
Aluminum	56,700
Antimony	20U
Arsenic	96
Barium	2600
Beryllium	3.3
Cadmium	15
Calcium	76,700
Chromium	170
Cobalt	59
Copper	400
Iron	262,000
Lead	550
Magnesium	39,200
Manganese	4,600
Mercury	0.89
Nickel	540
Potassium	39,800
Selenium	15U
Silver	3U
Sodium	530,000
Thallium	20U
Vanadium	80
Zinc	1,900

U- Not detected at or above detection limit

B - Detected below contract required detection limit

E -Indicates an estimated value due to the presence of interference

N - Spiked sample recovery not within control limits

NA- Not analyzed

**TABLE V-4 Leachate Collection Tank
Pesticides Analysis
(ug/l)**

Parameter	BBT2S 10/26/05
alpha-BHC	0.048U
beta-BHC	0.048U
delta-BHC	0.048U
gamma-BHC (Lindane)	0.048U
Heptachlor	0.048U
Aldrin	0.048U
Heptachlor epoxide	0.048U
Endosulfan	0.048U
Dieldrin	0.048U
4,4'-DDE	0.048U
Endrin	0.048U
Endosulfan II (Beta)	0.048U
4,4'-DDD	0.048U
Endosulfan sulfate	0.048U
4,4'-DDT	0.048U
Methoxychlor	0.048U
Endrin ketone	0.048U
Endrin aldehyde	0.048U
Chlordane (alpha & gamma)	0.048U
Chlordane (alpha & gamma)	0.039J
Toxaphene	0.096U

U- Not detected at or above detection limit
J - indicates an estimated value

Table D-1
MW-101D Historic Data
Volatile Organic Compounds
(ug/l)

Parameter (GW Std/guidance)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006				
Chloromethane	NS	NS	10U	1.0U	10 U	10 U	1.0U	10 U	NS	1.0 U				
Bromomethane (5.0)	NS	NS	10U	1.0U	10 U	10 U	1.0U	10 U	NS	1.0 U				
Vinyl chloride (2.0)	NS	NS	10U	1.0U	10 U	10 U	1.0U	10 U	NS	1.0 U				
Chloroethane (5.0)	NS	NS	10U	1.0U	10 U	10 U	1.0U	10 U	NS	0.47 J				
Methylene chloride (5.0)	NS	NS	10U	0.2U	10 U	10 U	2.0U	10 U	NS	1.0 U				
Acetone (50 guidance)	NS	NS	10U	NA	3 J	10U	5.0U	10U	NS	5.0 U				
Carbon disulfide	NS	NS	10U	NA	10 U	10 U	1.0U	10 U	NS	1.0 U				
1,1-Dichloroethene (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	NS	1.0 U				
1,1-Dichloroethane (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	NS	1.0 U				
Chloroform (7.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	NS	1.0 U				
1,2-Dichloroethane (0.6)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	NS	1.0 U				
2-Butanone	NS	NS	10U	NA	1 J	10U	5.0U	10U	NS	5.0 U				
1,1,1-Trichloroethane (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	NS	1.0 U				
Carbon tetrachloride (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	NS	1.0 U				
Bromodichloromethane (50 guidance)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	NS	1.0 U				
1,2-Dichloropropane (1.0)	NS	NS	10U	1.0U	10 U	10 U	1.0U	10 U	NS	1.0 U				
*cis-1,3-Dichloropropene (0.4)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	NS	1.0 U				
Trichloroethene (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	NS	1.0 U				
Dibromochloromethane (50 guidance)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	NS	1.0 U				
1,1,2-Trichloroethane (1.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	NS	1.0 U				
Benzene (1.0)	NS	NS	10U	NA	1 J	1 J	1.0	10 U	NS	1.2				
*trans-1,3-Dichloropropene (0.4)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	NS	1.0 U				
Bromoform (50 guidance)	NS	NS	10U	1.0U	10 U	10 U	1.0U	10 U	NS	1.0 U				
4-Methyl-2-pentanone	NS	NS	10U	NA	10 U	10 U	5.0U	10 U	NS	5.0 U				
2-Hexanone (50 guidance)	NS	NS	10U	NA	10 U	10 U	5.0U	10 U	NS	5.0 U				
Tetrachloroethene (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	NS	1.0 U				
Toluene (5.0)	NS	NS	10U	NA	10 U	10 U	1.0U	10 U	NS	1.0 U				
1,1,2,2-Tetrachloroethane (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	NS	1.0 U				
Chlorobenzene (5.0)	NS	NS	4J	6.6	3 J	4J	6.0	6.0	NS	6.3				
Ethylbenzene (5.0)	NS	NS	10U	NA	10 U	10 U	1.0U	10 U	NS	1.0 U				
Styrene (5.0)	NS	NS	10U	NA	10 U	10 U	1.0U	10 U	NS	1.0 U				

Table D -1 - continued

Parameter (GW Std/guidance)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006				
Xylene, total (5.0)	NS	NS	10U	NA	10 U	10 U	1.0U	10 U	NS	3.0 U				
Dichlorodifluoromethane (5.0)	NS	NS	NA	13	10 U	10 U	1.0U	10 U	NS	1.0 U				
Trichlorofluoromethane (5.0)	NS	NS	NA	1.0U	10 U	10 U	1.0U	10 U	NS	1.0 U				
1,1,2-Trichloro-1,2,2-Trifluoroethane (5.0)	NS	NS	NA	NA	10 U	10 U	10U	10 U	NS	1.0 U				
trans -1,2-Dichloroethene (5.0)	NS	NS	10U	0.2U	10 U	10U	1.0U	10U	NS	1.0 U				
Methyl tert-butyl ether	NS	NS	NA	NA	10 U	10 U	10U	10 U	NS	1.0 U				
cis-1,2-Dichloroethene (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	NS	1.0 U				
Cyclohexane	NS	NS	NA	NA	10 U	10 U	10U	10 U	NS	1.0 U				
Methylcyclohexane	NS	NS	NA	NA	10 U	10 U	10U	10 U	NS	1.0 U				
1,2-Dibromoethane (0.0006)	NS	NS	NA	1.0U	10 U	10 U	1.0U	10 U	NS	1.0 U				
Isopropyl benzene (5.0)	NS	NS	NA	NA	10 U	10 U	1.0U	10 U	NS	1.0 U				
1,3-Dichlorobenzene (3.0)	NS	NS	NA	0.4U	10 U	10 U	1.0U	10 U	NS	1.0 U				
1,4-Dichlorobenzene (3.0)	NS	NS	NA	0.90	10 U	10 U	0.9J	10 U	NS	1.0 U				
1,2-Dichlorobenzene (3.0)	NS	NS	NA	0.4U	10 U	10 U	1.0U	10 U	NS	1.0 U				
1,2-Dibromo-3-chloropropane (0.04)	NS	NS	NA	1.0U	10 U	10 U	1.0U	100U	NS	1.0 U				
1,2,4-Trichlorobenzene (5.0)	NS	NS	NA	NA	10 U	10 U	1.0U	10 U	NS	1.0 U				
Methyl acetate	NS	NS	NA	NA	10 U	10 U	10U	10 U	NS	1.0 U				
Bromochloromethane (5.0)	NS	NS	NA	0.2U	NA	NA	NA	NA	NS	NA				
Dibromomethane (5.0)	NS	NS	NA	0.2U	NA	NA	NA	NA	NS	NA				
1,3-Dichloropropane (5.0)	NS	NS	NA	0.2U	NA	NA	NA	NA	NS	NA				
2,2-Dichloropropane (5.0)	NS	NS	NA	0.2U	NA	NA	NA	NA	NS	NA				
1,1-Dichloropropene (5.0)	NS	NS	NA	0.2U	NA	NA	NA	NA	NS	NA				
Hexachlorobutadiene (0.50)	NS	NS	NA	0.4U	NA	NA	NA	NA	NS	NA				
1,1,1,2-Tetrachloroethane (5.0)	NS	NS	NA	0.2U	NA	NA	NA	NA	NS	NA				
1,2,3-Trichloropropane (0.04)	NS	NS	NA	1.0U	NA	NA	NA	NA	NS	NA				

U- compound not detected at indicated detection limit

J - compound detected below sample quantitation limit

Shaded areas indicate exceedence of NYSDEC groundwater standards

italics indicates guidance value

* cis-1,3-dichloropropene and trans-1,3-dichloropropene total not to exceed 0.40 ug/l

NS - No sample collected

NA- Not Analyzed

Table D -1A
MW - 101D Historic Data
Inorganic Compounds
(ug/l)

Parameter (std/guidance)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006				
Aluminum	NS	NS	424E*	43.6 B	213	32.5U	129B	18.4U	NS	200U				
Antimony (3)	NS	NS	8U	5.0 U	3.0 U	5.4U	4.1U	5.0U	NS	20U				
Arsenic (25)	NS	NS	6U	11.9	9.6 B	4.0B	11.5	4.9B	NS	10U				
Barium (1000)	NS	NS	513	623 E	523	611	675	676	NS	750				
Beryllium (3)	NS	NS	0.4U	0.50 U	1.0 U	0.20U	0.21B	0.19U	NS	2U				
Cadmium (5)	NS	NS	0.7U	0.60 U	1.1 BN	0.33B	0.53B	0.34U	NS	1U				
Calcium	NS	NS	120,000	135,000	122,000	124,000	128,000	120,000	NS	129,000				
Chromium (50)	NS	NS	2U	2.0 B	1.0 U	0.60U	0.90U	1.0B	NS	4U				
Cobalt	NS	NS	2.6B	5.4 B	5.0 B	4.8B	4.0U	3.4B	NS	4U				
Copper (200)	NS	NS	7.9B	1.7 B	14.9 B	6.3B	6.6B	3.8B	NS	10U				
Iron (300)	NS	NS	384*	1,270	891	270	809N	443	NS	810				
Lead (25)	NS	NS	4.8	2.6 U	2.0 U	7.3	13.1	4.9	NS	5U				
Magnesium (35,000 guidance)	NS	NS	70,600*	82,000 E	69,300	78,700	77,800	72,500	NS	79,100				
Manganese (300)	NS	NS	5,090	7,200 E	4,290	5,900	5,970	6,980	NS	7,400				
Mercury (0.7)	NS	NS	0.2U	0.15 U	0.072 U	0.115B	0.055U	0.087U	NS	0.2U				
Nickel (100)	NS	NS	10B	9.1 B	9.8 B	9.0B	8.9B	7.2B	NS	10U				
Potassium	NS	NS	10,900	11,900	12,400	11,400E	11,300	10,100	NS	11,400				
Selenium (10)	NS	NS	5U	7.3	5.0 U	4.0U	4.4B	5.0U	NS	15U				
Silver (50)	NS	NS	1U	1.5 U	2.0 U	0.50U	0.70U	0.69U	NS	3U				
Sodium (20000)	NS	NS	56,600	57,900	51,200	49,000	44,900	42,700	NS	45,500				
Thallium (0.5 guidance)	NS	NS	11.3	5.0 U	4.0 U	3.9U	3.8U	5.1U	NS	20U				
Vanadium	NS	NS	1U	1.0 U	1.0 U	0.70U	0.91B	0.58U	NS	5U				
Zinc (2000 guidance)	NS	NS	13.7B	8.0 B	16.3 B	4.5B	4.7B	1.9B	NS	10				

U- not detected at or above detection limit

B - detected below contract required detection limit

E - value estimated due to interference

* - indicates duplicate analysis not within control limits

N - Spike sample recovery not within quality control limits

Shaded Area indicates exceedence of NYSDEC Ground Water Standards

NS - No Sample Collected

Table D - 2
MW - 101I Historic Data
Volatile Organic Compounds
(ug/l)

Parameter (GW Std/guidance)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006				
Chloromethane	NS	NS	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Bromomethane (5.0)	NS	NS	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Vinyl chloride (2.0)	NS	NS	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Chloroethane (5.0)	NS	NS	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Methylene chloride (5.0)	NS	NS	10U	0.2U	10 U	10 U	2.0U	10 U	1.0U	1.0 U				
Acetone (50 guidance)	NS	NS	10U	NA	2 J	1 J	5.0U	10 U	5.0U	5.0 U				
Carbon disulfide	NS	NS	10U	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,1-Dichloroethene (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,1-Dichloroethane (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Chloroform (7.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,2-Dichloroethane (0.6)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
2-Butanone	NS	NS	10U	NA	10 U	10 U	5.0U	10 U	5.0U	5.0 U				
1,1,1-Trichloroethane (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Carbon tetrachloride (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Bromodichloromethane (50 guidance)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,2-Dichloropropane (1.0)	NS	NS	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
*cis-1,3-Dichloropropene (0.4)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Trichloroethene (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Dibromochloromethane (50 guidance)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,1,2-Trichloroethane (1.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Benzene (1.0)	NS	NS	10U	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
*trans-1,3-Dichloropropene (0.4)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Bromoform (50 guidance)	NS	NS	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
4-Methyl-2-pentanone	NS	NS	10U	NA	10 U	10 U	5.0U	10 U	5.0U	5.0 U				
2-Hexanone (50 guidance)	NS	NS	10U	NA	10 U	10 U	5.0U	10 U	5.0U	5.0 U				
Tetrachloroethene (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Toluene (5.0)	NS	NS	10U	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,1,2,2-Tetrachloroethane (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Chlorobenzene (5.0)	NS	NS	10U	0.4U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Ethylbenzene (5.0)	NS	NS	10U	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Styrene (5.0)	NS	NS	10U	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				

Table D - 2 - continued

Parameter (GW Std/guidance)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006				
Xylene, total (5.0)	NS	NS	10U	NA	10 U	10 U	1.0U	10 U	3.0U	3.0 U				
Dichlorodifluoromethane (5.0)	NS	NS	NA	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Trichlorofluoromethane (5.0)	NS	NS	NA	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,1,2-Trichloro-1,2,2-Trifluoroethane (5.0)	NS	NS	NA	NA	10 U	10 U	10U	10 U	1.0U	1.0 U				
trans -1,2-Dichloroethene (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Methyl tert-butyl ether	NS	NS	NA	NA	10 U	10 U	10U	10 U	1.0U	1.0 U				
cis-1,2-Dichloroethene (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Cyclohexane	NS	NS	NA	NA	10 U	10 U	10U	10 U	1.0U	1.0 U				
Methylcyclohexane	NS	NS	NA	NA	10 U	10 U	10U	10 U	1.0U	1.0 U				
1,2-Dibromoethane (0.0006)	NS	NS	NA	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Isopropyl benzene (5.0)	NS	NS	NA	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,3-Dichlorobenzene (3.0)	NS	NS	NA	0.4U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,4-Dichlorobenzene (3.0)	NS	NS	NA	0.4U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,2-Dichlorobenzene (3.0)	NS	NS	NA	0.4U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,2-Dibromo-3-chloropropane (0.04)	NS	NS	NA	1.0U	10 U	10 U	1.0U	100U	1.0U	1.0 U				
1,2,4-Trichlorobenzene (5.0)	NS	NS	NA	NA	10 U	10 U	1.0U	3 10 U	1.0U	1.0 U				
Methyl acetate	NS	NS	NA	NA	10 U	10 U	10U	10 U	1.0U	1.0 U				
Bromochloromethane (5.0)	NS	NS	NA	0.2U	NA	NA	NA	NA	1.0U	NA				
Dibromomethane (5.0)	NS	NS	NA	0.20U	NA	NA	NA	NA	NA	NA				
1,3-Dichloropropane (5.0)	NS	NS	NA	0.2U	NA	NA	NA	NA	NA	NA				
2,2-Dichloropropane (5.0)	NS	NS	NA	0.2U	NA	NA	NA	NA	NA	NA				
1,1-Dichloropropene (5.0)	NS	NS	NA	0.2U	NA	NA	NA	NA	NA	NA				
Hexachlorobutadiene (0.50)	NS	NS	NA	0.4U	NA	NA	NA	NA	NA	NA				
1,1,1,2-Tetrachloroethane (5.0)	NS	NS	NA	0.2U	NA	NA	NA	NA	NA	NA				
1,2,3-Trichloropropane (0.04)	NS	NS	NA	1.0U	NA	NA	NA	NA	NA	NA				

U- compound not detected at indicated detection limit

J - compound detected below sample quantitation limit

Shaded areas indicate exceedence of NYSDEC groundwater standards

italics indicates guidance value

* cis-1,3-dichloropropene and trans-1,3-dichloropropene total not to exceed 0.40 ug/l

NS - No sample collected

NA- Not Analyzed

Table D -2A
MW - 101I Historic Data
Inorganic Compounds
(ug/l)

Parameter (std/guidance)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006				
Aluminum	NS	NS	NS	8500	61,300	NS	21,200	8730	22,200	23,900				
Antimony (3)	NS	NS	NS	5.0 U	3.0 U	NS	4.1U	5.0U	20U	20U				
Arsenic (25)	NS	NS	NS	6.9 B	54.5	NS	22.2	5.5B	12	16				
Barium (1000)	NS	NS	NS	175 BE	694	NS	273	173B	290	290				
Beryllium (3)	NS	NS	NS	0.57 B	4.3 B	NS	1.5B	0.19U	2U	2U				
Cadmium (5)	NS	NS	NS	0.60 U	1.0 UN	NS	0.30U	0.42B	2.7	1.0				
Calcium	NS	NS	NS	81,300 E	88,600	NS	82,300	81100	92300	89,400				
Chromium (50)	NS	NS	NS	9.0 B	74.3	NS	23.2	7.5B	27	27				
Cobalt	NS	NS	NS	6.9 B	69.2	NS	21.7	6.8B	17	20				
Copper (200)	NS	NS	NS	13.8 B	175	NS	38.0	14.7B	90	38				
Iron (300)	NS	NS	NS	9,190	131,000	NS	41,500N	12,300	34,800	39,700				
Lead (25)	NS	NS	NS	4.9	48.1	NS	14.3	4.7	18	15				
Magnesium (35,000 guidance)	NS	NS	NS	35,400 E	55,200	NS	41,800	36,200	44,200	45,600				
Manganese (300)	NS	NS	NS	564 E	2850	NS	920	486	790	750				
Mercury (0.7)	NS	NS	NS	0.15 U	0.072 U	NS	0.055U	0.087U	0.2U	0.2U				
Nickel (100)	NS	NS	NS	9.6 B	136	NS	42.3	11.8B	40	40				
Potassium	NS	NS	NS	7,810	17,500	NS	10600	7720	13000	12,800				
Selenium (10)	NS	NS	NS	5.0 U	9.7	NS	4.1B	5.0U	15U	15U				
Silver (50)	NS	NS	NS	1.5 U	2.0 U	NS	0.70U	0.69U	3U	3U				
Sodium (20000)	NS	NS	NS	6,700	7400	NS	6590	5880	7,200	6,600				
Thallium - (0.5 guidance)	NS	NS	NS	5.0 U	4.0 U	NS	5.0B	5.1U	20U	20U				
Vanadium	NS	NS	NS	13.5 B	78.2	NS	26.8B	12.1B	31	31				
Zinc (2000 guidance)	NS	NS	NS	47.4	364	NS	100	27.9	160	99				

U- not detected at or above detection limit

B - detected below contract required detection limit

E - value estimated due to interference

* - indicates duplicate analysis not within control limits

N - Spike sample recovery not within quality control limits

Shaded Area indicates exceedence of NYSDEC Ground Water Standards

NS - No Sample Collected or insufficient volume

2

[illegible]

Table D - 3 - continued

Parameter (GW Std/guidance)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006				
Xylene, total (5.0)	1.0U	10U	10U	NA	10 U	10 U	1.0U	10 U	10 U	3.0 U				
Dichlorodifluoromethane (5.0)	2.0U	NA	NA	1.0U	10 U	10 U	1.0U	10 U	10 U	1.0 U				
Trichlorofluoromethane (5.0)	2.0U	NA	NA	1.0U	10 U	10 U	1.0U	10 U	10 U	1.0 U				
1,1,2-Trichloro-1,2,2-Trifluoroethane (5.0)	NA	NA	NA	NA	10 U	10 U	10U	10 U	10 U	1.0 U				
trans-1,2-Dichloroethene (5.0)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	10 U	1.0 U				
Methyl tert-butyl ether	NA	NA	NA	NA	10 U	10 U	10U	10 U	10 U	1.0 U				
cis-1,2-Dichloroethene (5.0)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	10 U	1.0 U				
Cyclohexane	NA	NA	NA	NA	10 U	10 U	10U	10 U	10 U	1.0 U				
Methylcyclohexane	NA	NA	NA	NA	10 U	10 U	10U	10 U	10 U	1.0 U				
1,2-Dibromoethane (0.0006)	NA	NA	NA	1.0U	10 U	10 U	1.0U	10 U	10 U	1.0 U				
Isopropyl benzene (5.0)	NA	NA	NA	NA	10 U	10 U	1.0U	10 U	10 U	1.0 U				
1,3-Dichlorobenzene (3.0)	1.0U	NA	NA	0.4U	10 U	10 U	1.0U	10 U	10 U	1.0 U				
1,4-Dichlorobenzene (3.0)	1.0U	NA	NA	0.4U	10 U	10 U	1.0U	10 U	10 U	1.0 U				
1,2-Dichlorobenzene (3.0)	1.0U	NA	NA	0.4U	10 U	10 U	1.0U	10 U	10 U	1.0 U				
1,2-Dibromo-3-chloropropane (0.04)	NA	NA	NA	1.0U	10 U	10 U	1.0U	10 U	10 U	1.0 U				
1,2,4-Trichlorobenzene (5.0)	NA	NA	NA	NA	10 U	10 U	1.0U	10 U	10 U	1.0 U				
Methyl acetate	NA	NA	NA	NA	10 U	10 U	10U	10 U	10 U	1.0 U				
Bromochloromethane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
Dibromomethane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
1,3-Dichloropropane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
2,2-Dichloropropane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
1,1-Dichloropropene (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
Hexachlorobutadiene (0.50)	NA	NA	NA	0.4U	NA	NA	NA	NA	NA	NA				
1,1,1,2-Tetrachloroethane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
1,2,3-Trichloropropane (0.04)	NA	NA	NA	1.0U	NA	NA	NA	NA	NA	NA				

U - compound not detected at indicated detection limit

J - compound detected below sample quantitation limit

Shaded areas indicate exceedence of NYSDEC groundwater standards

italics indicates guidance value

* cis-1,3-dichloropropene and trans-1,3-dichloropropene total not to exceed 0.40 ug/l

NS - No sample collected

NA - Not Analyzed

Table D -3A
MW - 102D Historic Data
Inorganic Compounds
(ug/l)

Parameter (std/guidance)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006				
Aluminum	1,600*	360	745E*	292	118	32.5U	358	104B	980	200U				
Antimony (3)	30.0U	39.4B	8U	5.0 B	3.0 U	5.4U	4.1U	5.0U	20U	20U				
Arsenic (25)	30.6U	14.4	6U	3.4 U	4.0 U	4.0U	3.8B	2.6U	1U	10U				
Barium (1000)	110	86.7B	88.3B	81.0 BE	86.7 B	88.1B	95.1	72.5B	98	84				
Beryllium (3)	0.30U	0.25B	0.4U	0.50 U	1.0 U	0.20U	0.18B	0.19U	2U	2U				
Cadmium (5)	3.8U*	0.86B	3.2B	4.5 B	1.7 BN	1.8B	3.5B	7.5	6.8	1.2				
Calcium	44,700	38,400	44,000*	43,200 E	47,000	43,000E	45,900	41,400	47,800	45,400				
Chromium (50)	3.1U	1.0B	2U	1.2 U	1.0 U	0.60U	0.90U	0.65U	10	4U				
Cobalt	4.1U	2.9B	2U	1.0 U	1.0 U	0.50U	0.70U	0.86U	4U	4U				
Copper (200)	9.2	12.0B	6.9B	5.8 B	1.1 B	2.4B	5.0B	3.2B	10U	10U				
Iron (300)	1,900N	313	939*	249	72.1	150	614N	121	2,000	110				
Lead (25)	22.7U	1.7U	6.4	2.6 U	2.0 U	2.3U	1.6U	1.3U	5U	5U				
Magnesium (35,000 guidance)	14,700	15,000	14,000*	14,500 E	15,100	14,200	15,500	14,000	15,700	16,100				
Manganese (300)	37.2	8.5B	18.7	8.9 BE	2.8 B	7.0B	15.6	4.3B	45	4.8				
Mercury (0.7)	0.10U	0.10U	0.2U	0.15 U	0.072 U	0.110B	0.055U	0.087U	0.2U	0.2U				
Nickel (100)	10.5U	2.8B	3.3B	1.5 U	1.5 U	1.0U	2.2B	2.0B	10U	10U				
Potassium	2,620	2,390B	2,290	2,620 B	2,330 B	2,680BE	3,010B	2,700B	3,100	2,900				
Selenium (10)	42.6U	1.5U	5U	5.0 U	5.0 U	4.0B	5.5B	5.0U	15U	15U				
Silver (50)	5.0U	1.8B	1U	1.5 U	2.0 U	0.50U	0.70U	0.69U	3U	3U				
Sodium (20000)	3,940	3,180B	5,570	3,960 B	3,780 B	3,970B	4,410B	3,360B	4,000	4,100				
Thallium (0.5 guidance)	34.4	8.8B	9.9B	5.0 U	4.0 U	3.9U	3.8U	5.1U	20U	20U				
Vanadium	4.6U*	3.3B	1U	1.0 U	1.0 U	0.70U	0.80U	0.58U	5U	5U				
Zinc (2000 guidance)	11.0*	12.9B	27.4	12.6 B	2.0 U	9.8B	7.9B	2.6B	20U	10U				

U - not detected at or above detection limit
B - detected below contract required detection limit
E - value estimated due to interference
* - indicates duplicate analysis not within control limits
N - Spike sample recovery not within quality control limits
Shaded Area indicates exceedence of NYSDEC Ground Water Standards

Table D - 4
MW - 103D Historic Data
Volatile Organic Compounds
(ug/l)

Parameter (GW Std/guidance)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006				
Chloromethane	2.0U	10U	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Bromomethane (5.0)	2.0U	10U	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Vinyl chloride (2.0)	2.0U	10U	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Chloroethane (5.0)	2.0U	10U	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Methylene chloride (5.0)	4.0U	10U	10U	0.2U	10 U	10 U	2.0U	10 U	2.0U	1.0 U				
Acetone (50 guidance)	NA	10U	10U	NA	10 U	10 U	5.0U	10 U	5.0U	5.0 U				
Carbon disulfide	NA	10U	10U	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,1-Dichloroethene (5.0)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,1-Dichloroethane (5.0)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Chloroform (7.0)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,2-Dichloroethane (0.6)	1.0U	10U	10U	0.20U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
2-Butanone	NA	10U	10U	NA	10 U	10 U	5.0U	10 U	5.0U	5.0 U				
1,1,1-Trichloroethane (5.0)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Carbon tetrachloride (5.0)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Bromodichloromethane (50 guidance)	1.0U	10U	10U	0.20U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,2-Dichloropropane (1.0)	1.0U	10U	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
*cis-1,3-Dichloropropene (0.4)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Trichloroethene (5.0)	4.2	6J	5J	6.6	4J	5J	7.0	4J	2.2	5.9	BSE 5% lighter			
Dibromochloromethane (50 guidance)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	1.0U	1.0U	1.0 U				
1,1,2-Trichloroethane (1.0)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	1.0U	1.0U	1.0 U				
Benzene (1.0)	1.0U	10U	10U	NA	10 U	10 U	1.0U	1.0U	1.0U	1.0 U				
*trans-1,3-Dichloropropene (0.4)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	1.0U	1.0U	1.0 U				
Bromoform (50 guidance)	1.0U	10U	10U	1.0U	10 U	10 U	1.0U	1.0U	1.0U	1.0 U				
4-Methyl-2-pentanone	NA	10U	10U	NA	10 U	10 U	5.0U	5.0U	5.0U	5.0 U				
2-Hexanone (50 guidance)	NA	10U	10U	NA	10 U	10 U	5.0U	5.0U	5.0U	5.0 U				
Tetrachloroethene (5.0)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	1.0U	1.0U	1.0 U				
Toluene (5.0)	1.0U	10U	10U	NA	10 U	10 U	1.0U	1.0U	1.0U	1.0 U				
1,1,2,2-Tetrachloroethane (5.0)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	1.0U	1.0U	1.0 U				
Chlorobenzene (5.0)	1.0U	10U	10U	0.4U	10 U	10 U	1.0U	1.0U	1.0U	1.0 U				
Ethylbenzene (5.0)	1.0U	10U	10U	NA	10 U	10 U	1.0U	1.0U	1.0U	1.0 U				
Styrene (5.0)	NA	10U	10U	NA	10 U	10 U	1.0U	1.0U	1.0U	1.0 U				

Table D - 4 - continued

Parameter (GW Std/guidance)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006				
Xylene, total (5.0)	1.0U	10U	10U	NA	10 U	10 U	1.0U	1.0U	3.0	3.0 U				
Dichlorodifluoromethane (5.0)	2.0U	NA	NA	1.0U	10 U	10 U	1.0U	1.0U	1.0U	1.0 U				
Trichlorofluoromethane (5.0)	2.0U	NA	NA	1.0U	10 U	10 U	1.0U	1.0U	1.0U	1.0 U				
1,1,2-Trichloro-1,2,2-Trifluoroethane (5.0)	NA	NA	NA	NA	10 U	10 U	1.0U	10U	1.0U	1.0 U				
trans-1,2-Dichloroethene (5.0)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	1.0U	1.0U	1.0 U				
Methyl tert-butyl ether	NA	NA	NA	NA	10 U	10 U	10U	10U	1.0U	1.0 U				
cis-1,2-Dichloroethene (5.0)	12	15	16	20	8 J	14	9.0	6J	3.7	5.4				
Cyclohexane	NA	NA	NA	NA	10 U	10 U	10U	10 U	1.0U	1.0 U				
Methylcyclohexane	NA	NA	NA	NA	10 U	10 U	10U	10 U	1.0U	1.0 U				
1,2-Dibromoethane (0.0006)	NA	NA	NA	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Isopropyl benzene (5.0)	NA	NA	NA	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,3-Dichlorobenzene (3.0)	1.0U	NA	NA	0.4U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,4-Dichlorobenzene (3.0)	1.0U	NA	NA	0.4U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,2-Dichlorobenzene (3.0)	1.0U	NA	NA	0.4U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,2-Dibromo-3-chloropropane (0.04)	NA	NA	NA	1.0U	10 U	10 U	1.0U	100U	1.0U	1.0 U				
1,2,4-Trichlorobenzene (5.0)	NA	NA	NA	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Methyl acetate	NA	NA	NA	NA	10 U	10 U	10U	10 U	1.0U	1.0 U				
Bromochloromethane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
Dibromomethane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
1,3-Dichloropropane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
2,2-Dichloropropane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
1,1-Dichloropropene (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
Hexachlorobutadiene (0.50)	NA	NA	NA	0.4U	NA	NA	NA	NA	NA	NA				
1,1,1,2-Tetrachloroethane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
1,2,3-Trichloropropane (0.04)	NA	NA	NA	1.0U	NA	NA	NA	NA	NA	NA				

U- compound not detected at indicated detection limit

J - compound detected below sample quantitation limit

Shaded areas indicate exceedence of NYSDEC groundwater standards

italics indicates guidance value

* cis-1,3-dichloropropene and trans-1,3-dichloropropene total not to exceed 0.40 ug/l

NS - No sample collected

NA- Not Analyzed

Table D -4A
MW - 103D Historic Data
Inorganic Compounds
(ug/l)

Heavy

Parameter (std/guidance)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006				
Aluminum	10,500*	220	791E*	2470	293	32.5U	151B	37.1B	1700	200U				
Antimony (3)	30.0U	35.9U	8U	5.0 U	3.0 U	5.4U	4.1U	5.0U	20U	20U				
Arsenic (25)	30.6U	13.1	6U	3.4 U	4.0 U	4.0U	5.2B	2.6U	10U	10U				
Barium (1000)	109	65.3B	49.9B	72.8 BE	59.1 B	67.9B	69.0	59.9B	42	57				
Beryllium (3)	0.30U	0.20B	0.4U	0.50 U	1.0 U	0.20U	0.10U	0.19U	20U	2U				
Cadmium (5)	3.8U*	0.70U	0.7U	2.5 B	1.7 BN	0.44B	0.30U	0.34U	1.1	1U				
Calcium	20,800	24,400	17,700*	20,900 E	25,400	23,100E	24,100	29200	13200	23,200				
Chromium (50)	11.6	0.83B	2U	1.8 B	1.0 U	0.60U	0.90U	0.65U	4.1	4U				
Cobalt	8.2	2.3B	2U	1.5 B	1.0 U	0.50U	0.70U	0.86U	4U	4U				
Copper (200)	22.1	5.5B	3.1B	4.0 B	1.0 U	0.82B	1.7U	1.3U	10	10U				
Iron (300)	13,200N	316	507*	2,600	368	400	191N	36.8B	1800	86				
Lead (25)	22.7U	1.7U	3U	4.5	2.0 U	2.3U	1.6U	1.3U	5U	5U				
Magnesium (35,000 guidance)	10,100	10,600	6,170*	7,550 E	9,080	8,540	8,790	11,300	5000	9,000				
Manganese (300)	509	14.5B	8.9B	94.9 E	19.4	26.6	5.4B	3.2B	45	5.5				
Mercury (0.7)	0.10U	0.10U	0.2U	0.15 U	0.072 U	0.078B	0.055U	0.087U	0.2U	0.2U				
Nickel (100)	22.9	2.8U	3.1B	2.8 B	1.5 U	1.0U	1.5B	1.2U	10U	10U				
Potassium	5,180	1,920B	1,630B	2,590 B	1,970 B	1,930BE	1,980B	1820B	3600	2,400				
Selenium (10)	46.4	1.5U	5U	5.0 U	5.0 U	4.0U	2.8U	5.0U	15U	15U				
Silver (50)	5.0U	0.92B	1U	1.5 U	2.0 U	0.67B	0.70U	0.69U	3U	3U				
Sodium (20000)	4,370	3,510B	4,480B	4,140 B	4,160 B	3,930B	4,260B	3620B	2800	3,900				
Thallium (0.5 guidance)	34.4U	5.0B	9U	5.0 U	4.0 U	3.9U	3.8U	5.1U	20U	20U				
Vanadium	19.2*	2.3U	1U	3.8 B	1.0 U	0.70U	0.80U	0.58U	5U	5U				
Zinc (2000 guidance)	38.7*	13.4BE	2U	13.2 B	2.6 B	4.1U	6.9B	0.81U	20U	10U				

U - not detected at or above detection limit
 B - detected below contract required detection limit
 E - value estimated due to interference
 * - indicates duplicate analysis not within control limits
 N - Spike sample recovery not within quality control limits
 Shaded Area indicates exceedence of NYSDEC Ground Water Standards

Table D - 5
MW - 103I Historic Data
Volatile Organic Compounds
(ug/l)

Parameter (GW Std/guidance)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006				
Chloromethane	2.0U	10U	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Bromomethane (5.0)	2.0U	10U	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Vinyl chloride (2.0)	2.0U	10U	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Chloroethane (5.0)	2.0U	10U	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Methylene chloride (5.0)	4.0U	10U	10U	0.2U	10 U	10 U	2.0U	10 U	2.0U	1.0 U				
Acetone (50 guidance)	NA	10U	10U	NA	10 U	10 U	5.0U	10 U	5.0U	5.0 U				
Carbon disulfide	NA	10U	10U	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,1-Dichloroethene (5.0)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,1-Dichloroethane (5.0)	1.0U	10U	10U	0.23	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Chloroform (7.0)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,2-Dichloroethane (0.6)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
2-Butanone	NA	10U	10U	NA	10 U	10 U	5.0U	10 U	5.0U	5.0 U				
1,1,1-Trichloroethane (5.0)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Carbon tetrachloride (5.0)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Bromodichloromethane (50 guidance)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,2-Dichloropropane (1.0)	1.0U	10U	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
*cis-1,3-Dichloropropene (0.4)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Trichloroethene (5.0)	9.1	8J	4J	9.2	7 J	4 J	9.0	6J	1.0U	7.5				
Dibromochloromethane (50 guidance)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,1,2-Trichloroethane (1.0)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Benzene (1.0)	1.0U	10U	10U	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
*trans-1,3-Dichloropropene (0.4)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Bromoform (50 guidance)	1.0U	10U	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
4-Methyl-2-pentanone	NA	10U	10U	NA	10 U	10 U	5.0U	10 U	5.0U	5.0 U				
2-Hexanone (50 guidance)	NA	10U	10U	NA	10 U	10 U	5.0U	10 U	5.0U	5.0 U				
Tetrachloroethene (5.0)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Toluene (5.0)	1.0U	10U	10U	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,1,2,2-Tetrachloroethane (5.0)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Chlorobenzene (5.0)	1.0U	10U	10U	0.4U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Ethylbenzene (5.0)	1.0U	10U	10U	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Styrene (5.0)	NA	10U	10U	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				

10/0 lighter

Table D - 5 - continued

Parameter (GW Std/guidance)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006				
Xylene, total (5.0)	1.0U	10U	10U	NA	10 U	10 U	1.0U	10 U	1.0U	3.0 U				
Dichlorodifluoromethane (5.0)	2.0U	NA	NA	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Trichlorofluoromethane (5.0)	2.0U	NA	NA	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,1,2-Trichloro-1,2,2-Trifluoroethane (5.0)	NA	NA	NA	NA	10 U	10 U	10U	10 U	10U	1.0U				
trans -1,2-Dichloroethene (5.0)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Methyl tert-butyl ether	NA	NA	NA	NA	10 U	10 U	10U	10 U	1.0U	1.0 U				
cis-1,2-Dichloroethene (5.0)	18	22	15	28	15	12	11.0	8J	1.0U	6.4				
Cyclohexane	NA	NA	NA	NA	10 U	10 U	10U	10U	1.0U	1.0 U				
Methylcyclohexane	NA	NA	NA	NA	10 U	10 U	10U	10U	1.0U	1.0 U				
1,2-Dibromoethane (0.0006)	NA	NA	NA	1.0U	10 U	10 U	1.0U	10U	1.0U	1.0 U				
Isopropyl benzene (5.0)	NA	NA	NA	NA	10 U	10 U	1.0U	10U	1.0U	1.0 U				
1,3-Dichlorobenzene (3.0)	1.0U	NA	NA	0.4U	10 U	10 U	1.0U	10U	1.0U	1.0 U				
1,4-Dichlorobenzene (3.0)	1.0U	NA	NA	0.4U	10 U	10 U	1.0U	10U	1.0U	1.0 U				
1,2-Dichlorobenzene (3.0)	1.0U	NA	NA	0.4U	10 U	10 U	1.0U	10U	1.0U	1.0 U				
1,2-Dibromo-3-chloropropane (0.04)	NA	NA	NA	1.0U	10 U	10 U	1.0U	100	1.0U	1.0 U				
1,2,4-Trichlorobenzene (5.0)	NA	NA	NA	NA	10 U	10 U	1.0U	10U	1.0U	1.0 U				
Methyl acetate	NA	NA	NA	NA	10 U	10 U	10U	10U	1.0U	1.0 U				
Bromochloromethane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
Dibromomethane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
1,3-Dichloropropane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
2,2-Dichloropropane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
1,1-Dichloropropene (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
Hexachlorobutadiene (0.50)	NA	NA	NA	0.4U	NA	NA	NA	NA	NA	NA				
1,1,1,2-Tetrachloroethane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
1,2,3-Trichloropropane (0.04)	NA	NA	NA	1.0U	NA	NA	NA	NA	NA	NA				

U- compound not detected at indicated detection limit

J - compound detected below sample quantitation limit

Shaded areas indicate exceedence of NYSDEC groundwater standards

italics indicates guidance value

* cis-1,3-dichloropropene and trans-1,3-dichloropropene total not to exceed 0.40 ug/l

NS - No sample collected

NA- Not Analyzed

Table D -5A
MW - 103I Historic Data
Inorganic Compounds
(ug/l)

Parameter (std/guidance)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006				
Aluminum	2,860*	424	3,640E*	780	620	1890	646	323	2000	200U				
Antimony (3)	30.0U	40.8B	8U	5.0 U	3.0 U	5.4U	4.1U	5.0U	20U	20U				
Arsenic (25)	30.6U	9.2B	6U	3.4 U	4.2 B	4.1B	3.3U	2.6U	10U	10U				
Barium (1000)	63	73.7B	67.1B	59.6 BE	65.1 B	98.9B	71.9B	83.2B	43	55				
Beryllium (3)	0.30U	0.28B	0.4U	0.50 U	1.0 U	0.20U	0.10U	0.19U	2U	2U				
Cadmium (5)	3.8U*	4.0B	1.1B	2.0 B	2.4 BN	0.30U	3.3B	0.36B	1U	1U				
Calcium	13,800	24,900	14,100*	19,400 E	22,300	25,600E	23,200	30000	5400	22,800				
Chromium (50)	3.1U	0.89B	3B	1.2 U	1.0 U	0.60U	0.90U	0.65U	10	4U				
Cobalt	4.1U	2.1B	2U	1.0 U	1.0 B	0.96B	0.70U	0.86U	4U	4U				
Copper (200)	8.7	8.0B	5.8B	1.3 B	6.1 B	1.9B	1.8B	1.7B	10U	10U				
Iron (300)	3,240N	934	3,910*	869	817	2,920	1,030N	258	2,300	140				
Lead (25)	22.7U	1.7U	3U	4.7	2.0 U	2.3U	1.6U	1.3U	5U	5U				
Magnesium (35,000 guidance)	4,280	9,980	4,440B*	5,970 E	6,710	8,250	7820	11300	1600	8,300				
Manganese (300)	111	30.1	85.5	37.1 E	28.2	61	28.9	27.0	68	13				
Mercury (0.7)	0.10U	0.10U	0.2U	0.15 U	0.072 U	0.122B	0.055U	0.087U	0.2U	0.2U				
Nickel (100)	10.5U	2.8B	4.1B	1.5 U	1.8 B	2.0B	2.7B	1.2U	10U	10U				
Potassium	2,380	2,110B	2,430B	1,910 B	2,040 B	2,820BE	2,150B	1850B	2000	1,700				
Selenium (10)	42.6U	1.5U	5U	5.0 U	5.0 U	4.0U	2.8U	5.0U	15U	15U				
Silver (50)	5.0U	0.83B	1U	1.5 U	2.0 U	0.50U	0.70U	0.69U	3U	3U				
Sodium (20000)	4,360	2,760B	5,570	4,290 B	4,490 B	3,910B	4,320B	3580B	1300	4,000				
Thallium (0.5 guidance)	34.4U	7.2B	9U	5.0 U	4.0 U	3.0U	3.8U	5.1U	20U	20U				
Vanadium	6.4*	2.3U	5.4B	1.1 B	1.0 U	2.8B	1.1B	0.58U	5U	5U				
Zinc (2000 guidance)	14.0*	21.1	9.4B	9.8 B	8.3 B	8.6B	3.6B	2.4B	20U	10U				

U- not detected at or above detection limit
 B - detected below contract required detection limit
 E - value estimated due to interference
 * - indicates duplicate analysis not within control limits
 N - Spike sample recovery not within quality control limits
 Shaded Area indicates exceedence of NYSDEC Ground Water Standards

*Lives
Lighter*

Table D - 6
MW - 104D Historic Data
Volatile Organic Compounds
(ug/l)

Parameter (GW Std/guidance)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006				
Chloromethane	NS	NS	NS	1.0U	NS	10 U	1.0U	10 U	NS	1.0 U				
Bromomethane (5.0)	NS	NS	NS	1.0U	NS	10 U	1.0U	10 U	NS	1.0 U				
Vinyl chloride (2.0)	NS	NS	NS	1.0U	NS	10 U	1.0U	10 U	NS	1.0 U				
Chloroethane (5.0)	NS	NS	NS	1.0U	NS	10 U	1.0U	10 U	NS	1.0 U				
Methylene chloride (5.0)	NS	NS	NS	0.2U	NS	10 U	2.0U	10 U	NS	1.0 U				
Acetone (50 guidance)	NS	NS	NS	NA	NS	10 U	5.0U	10 U	NS	5.0 U				
Carbon disulfide	NS	NS	NS	NA	NS	10 U	1.0U	10 U	NS	1.0 U				
1,1-Dichloroethene (5.0)	NS	NS	NS	0.2U	NS	10 U	1.0U	10 U	NS	1.0 U				
1,1-Dichloroethane (5.0)	NS	NS	NS	0.2U	NS	10 U	1.0U	10 U	NS	1.0 U				
Chloroform (7.0)	NS	NS	NS	0.2U	NS	10 U	1.0U	10 U	NS	1.0 U				
1,2-Dichloroethane (0.6)	NS	NS	NS	0.2U	NS	10 U	1.0U	10 U	NS	1.0 U				
2-Butanone	NS	NS	NS	NA	NS	10 U	5.0U	10 U	NS	5.0 U				
1,1,1-Trichloroethane (5.0)	NS	NS	NS	0.2U	NS	10 U	1.0U	10 U	NS	1.0 U				
Carbon tetrachloride (5.0)	NS	NS	NS	0.2U	NS	10 U	1.0U	10 U	NS	1.0 U				
Bromodichloromethane (50 guidance)	NS	NS	NS	0.2U	NS	10 U	1.0U	10 U	NS	1.0 U				
1,2-Dichloropropane (1.0)	NS	NS	NS	1.0U	NS	10 U	1.0U	10 U	NS	1.0 U				
*cis-1,3-Dichloropropene (0.4)	NS	NS	NS	0.2U	NS	10 U	1.0U	10 U	NS	1.0 U				
Trichloroethene (5.0)	NS	NS	NS	0.2U	NS	10U	0.5J	10U	NS	1.0 U				
Dibromochloromethane (50 guidance)	NS	NS	NS	0.2U	NS	10 U	1.0U	10 U	NS	1.0 U				
1,1,2-Trichloroethane (1.0)	NS	NS	NS	0.2U	NS	10 U	1.0U	10 U	NS	1.0 U				
Benzene (1.0)	NS	NS	NS	NA	NS	10 U	1.0U	10 U	NS	1.0 U				
*trans-1,3-Dichloropropene (0.4)	NS	NS	NS	0.2U	NS	10 U	1.0U	10 U	NS	1.0 U				
Bromoform (50 guidance)	NS	NS	NS	1.0U	NS	10 U	1.0U	10 U	NS	1.0 U				
4-Methyl-2-pentanone	NS	NS	NS	NA	NS	10 U	5.0U	10 U	NS	1.0 U				
2-Hexanone (50 guidance)	NS	NS	NS	NA	NS	10 U	5.0U	10 U	NS	5.0 U				
Tetrachloroethene (5.0)	NS	NS	NS	0.2U	NS	10 U	1.0U	10 U	NS	1.0 U				
Toluene (5.0)	NS	NS	NS	NA	NS	10 U	1.0U	10 U	NS	1.0 U				
1,1,2,2-Tetrachloroethane (5.0)	NS	NS	NS	0.2U	NS	10 U	1.0U	10 U	NS	1.0 U				
Chlorobenzene (5.0)	NS	NS	NS	0.4U	NS	10 U	1.0U	10 U	NS	1.0 U				
Ethylbenzene (5.0)	NS	NS	NS	NA	NS	10 U	1.0U	10 U	NS	1.0 U				
Styrene (5.0)	NS	NS	NS	NA	NS	10 U	1.0U	10 U	NS	1.0 U				

Table D - 6 - continued

Parameter (GW Std/guidance)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006				
Xylene, total (5.0)	NS	NS	NS	NA	NS	10 U	1.0U	10 U	NS	3.0 U				
Dichlorodifluoromethane (5.0)	NS	NS	NS	1.0U	NS	10 U	1.0U	10 U	NS	1.0 U				
Trichlorofluoromethane (5.0)	NS	NS	NS	1.0U	NS	10 U	1.0U	10 U	NS	1.0 U				
1,1,2-Trichloro-1,2,2-Trifluoroethane (5.0)	NS	NS	NS	NA	NS	10 U	10U	10 U	NS	1.0 U				
trans -1,2-Dichloroethene (5.0)	NS	NS	NS	0.2U	NS	10 U	1.0U	10 U	NS	1.0 U				
Methyl tert-butyl ether	NS	NS	NS	NA	NS	10 U	10U	10 U	NS	1.0 U				
cis-1,2-Dichloroethene (5.0)	NS	NS	NS	0.57	NS	1J	2.0	2J	NS	1.0 U				
Cyclohexane	NS	NS	NS	NA	NS	10 U	10U	10 U	NS	1.0 U				
Methylcyclohexane	NS	NS	NS	NA	NS	10 U	10U	10 U	NS	1.0 U				
1,2-Dibromoethane (0.0006)	NS	NS	NS	1.0U	NS	10 U	1.0U	10 U	NS	1.0 U				
Isopropyl benzene (5.0)	NS	NS	NS	NA	NS	10 U	1.0U	10 U	NS	1.0 U				
1,3-Dichlorobenzene (3.0)	NS	NS	NS	0.4U	NS	10 U	1.0U	10 U	NS	1.0 U				
1,4-Dichlorobenzene (3.0)	NS	NS	NS	0.4U	NS	10 U	1.0U	10 U	NS	1.0 U				
1,2-Dichlorobenzene (3.0)	NS	NS	NS	0.4U	NS	10 U	1.0U	10 U	NS	1.0 U				
1,2-Dibromo-3-chloropropane (0.04)	NS	NS	NS	1.0U	NS	10 U	1.0U	100U	NS	1.0 U				
1,2,4-Trichlorobenzene (5.0)	NS	NS	NS	NA	NS	10 U	1.0U	10 U	NS	1.0 U				
Methyl acetate	NS	NS	NS	NA	NS	10 U	10U	10 U	NS	1.0 U				
Bromochloromethane (5.0)	NS	NS	NS	0.2U	NS	NA	NA	NA	NS	NA				
Dibromomethane (5.0)	NS	NS	NS	0.2U	NS	NA	NA	NA	NS	NA				
1,3-Dichloropropane (5.0)	NS	NS	NS	0.2U	NS	NA	NA	NA	NS	NA				
2,2-Dichloropropane (5.0)	NS	NS	NS	0.2U	NS	NA	NA	NA	NS	NA				
1,1-Dichloropropene (5.0)	NS	NS	NS	0.2U	NS	NA	NA	NA	NS	NA				
Hexachlorobutadiene (0.50)	NS	NS	NS	0.4U	NS	NA	NA	NA	NS	NA				
1,1,1,2-Tetrachloroethane (5.0)	NS	NS	NS	0.2U	NS	NA	NA	NA	NS	NA				
1,2,3-Trichloropropane (0.04)	NS	NS	NS	1.0U	NS	NA	NA	NA	NS	NA				

U- compound not detected at indicated detection limit

J - compound detected below sample quantitation limit

Shaded areas indicate exceedence of NYSDEC groundwater standards

italics indicates guidance value

* cis-1,3-dichloropropene and trans-1,3-dichloropropene total not to exceed 0.40 ug/l

NS - No sample collected

NA- Not Analyzed

Table D -6A
MW - 104D Historic Data
Inorganic Compounds
(ug/l)

Parameter (std/guidance)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006				
Aluminum	NS	NS	NS	35.300	NS	32.5U	187B	114B	NS	200U				
Antimony (3)	NS	NS	NS	8.0 B	NS	5.4U	4.1U	5.0B	NS	20U				
Arsenic (25)	NS	NS	NS	32.7	NS	4.0U	3.3U	2.6U	NS	10U				
Barium (1000)	NS	NS	NS	334 E	NS	76.9B	67.8B	49.4B	NS	50				
Beryllium (3)	NS	NS	NS	2.3 B	NS	0.20U	0.13B	0.19U	NS	2U				
Cadmium (5)	NS	NS	NS	0.60 U	NS	0.30U	0.77B	1.3B	NS	2.2				
Calcium	NS	NS	NS	53,900 E	NS	51,300E	52,800	46600	NS	49,900				
Chromium (50)	NS	NS	NS	41.1	NS	0.60U	0.90U	0.65U	NS	4U				
Cobalt	NS	NS	NS	36.8 B	NS	0.50U	0.70U	0.86U	NS	4U				
Copper (200)	NS	NS	NS	57.1	NS	2.9B	5.7B	5.3B	NS	4U				
Iron (300)	NS	NS	NS	62,000	NS	146	175	147	NS	88				
Lead (25)	NS	NS	NS	59.7	NS	2.3U	1.6U	1.3U	NS	5U				
Magnesium (35,000 guidance)	NS	NS	NS	38,900 E	NS	31,100	25,300	21,800	NS	25,000				
Manganese (300)	NS	NS	NS	1,090 E	NS	4.4B	3.7B	8.8B	NS	3.2				
Mercury (0.7)	NS	NS	NS	0.15 U	NS	0.065U	0.055U	0.087U	NS	0.2U				
Nickel (100)	NS	NS	NS	57.7	NS	1.0U	1.3B	1.2U	NS	10U				
Potassium	NS	NS	NS	14,000	NS	3,640BE	3,300B	2610B	NS	3,000				
Selenium (10)	NS	NS	NS	9.1	NS	4.0U	3.3B	5.0U	NS	15U				
Silver (50)	NS	NS	NS	1.5 U	NS	0.50U	0.70U	0.69U	NS	3U				
Sodium (20000)	NS	NS	NS	5,480	NS	4,950	5,300	4510B	NS	5,300				
Thallium (0.5 guidance)	NS	NS	NS	5.0 U	NS	3.9U	3.8U	5.1U	NS	20U				
Vanadium	NS	NS	NS	47.6 B	NS	0.70U	0.80U	0.58U	NS	5U				
Zinc (2000 guidance)	NS	NS	NS	145	NS	5.5B	2.0B	1.6B	NS	18				

U- not detected at or above detection limit
B - detected below contract required detection limit
E - value estimated due to interference
* - indicates duplicate analysis not within control limits
Shaded Area indicates exceedence of NYSDEC Ground Water Standards
NS - No Sample Collected or insufficient volume

Table D - 7
MW - 104I Historic Data
Volatile Organic Compounds
(ug/l)

Parameter (GW Std/guidance)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006				
Chloromethane	NS	NS	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Bromomethane (5.0)	NS	NS	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Vinyl chloride (2.0)	NS	NS	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Chloroethane (5.0)	NS	NS	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Methylene chloride (5.0)	NS	NS	10U	0.2U	10 U	10 U	2.0U	10 U	2.0U	1.0 U				
Acetone (50 guidance)	NS	NS	10U	NA	10 U	10 U	5.0U	10 U	5.0U	5.0 U				
Carbon disulfide	NS	NS	10U	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,1-Dichloroethene (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,1-Dichloroethane (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Chloroform (7.0)	NS	NS	10U	0.64	10 U	10 U	1.0U	10 U	1.3	1.1	Bald			
1,2-Dichloroethane (0.6)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
2-Butanone	NS	NS	10U	NA	10 U	10 U	5.0U	10 U	5.0U	5.0 U				
1,1,1-Trichloroethane (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Carbon tetrachloride (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Bromodichloromethane (50 guidance)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,2-Dichloropropane (1.0)	NS	NS	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
*cis-1,3-Dichloropropene (0.4)	NS	NS	10U	0.20U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Trichloroethene (5.0)	NS	NS	4J	5.0	3 J	4 J	4.0	7J	3.4	3.6	Bald			
Dibromochloromethane (50 guidance)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,1,2-Trichloroethane (1.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Benzene (1.0)	NS	NS	10U	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
*trans-1,3-Dichloropropene (0.4)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Bromoform (50 guidance)	NS	NS	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
4-Methyl-2-pentanone	NS	NS	10U	NA	10 U	10 U	5.0U	10 U	5.0U	1.0 U				
2-Hexanone (50 guidance)	NS	NS	10U	NA	10 U	10 U	5.0U	10 U	5.0U	5.0 U				
Tetrachloroethene (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Toluene (5.0)	NS	NS	10U	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,1,2,2-Tetrachloroethane (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Chlorobenzene (5.0)	NS	NS	10U	0.4U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Ethylbenzene (5.0)	NS	NS	10U	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Styrene (5.0)	NS	NS	10U	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				

Table D - 7 - continued

Parameter (GW Std/guidance)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006				
Xylene, total (5.0)	NS	NS	10U	NA	10 U	10 U	1.0U	10 U	1.0U	3.0 U				
Dichlorodifluoromethane (5.0)	NS	NS	NA	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Trichlorofluoromethane (5.0)	NS	NS	NA	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,1,2-Trichloro-1,2,2-Trifluoroethane (5.0)	NS	NS	NA	NA	10 U	10 U	10U	10 U	10U	1.0 U				
trans -1,2-Dichloroethene (5.0)	NS	NS	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Methyl tert-butyl ether	NS	NS	NA	NA	10 U	10U	10U	10U	1.0U	1.0 U				
cis-1,2-Dichloroethene (5.0)	NS	NS	5J	15	10	15	2.0	10	2.9	2.2				
Cyclohexane	NS	NS	NA	NA	10 U	10 U	10U	10 U	1.0U	1.0 U				
Methylcyclohexane	NS	NS	NA	NA	10 U	10 U	10U	10 U	1.0U	1.0 U				
1,2-Dibromoethane (0.0006)	NS	NS	NA	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Isopropyl benzene (5.0)	NS	NS	NA	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,3-Dichlorobenzene (3.0)	NS	NS	NA	0.4U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,4-Dichlorobenzene (3.0)	NS	NS	NA	0.4U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,2-Dichlorobenzene (3.0)	NS	NS	NA	0.4U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,2-Dibromo-3-chloropropane (0.04)	NS	NS	NA	1.0U	10 U	10 U	1.0U	10U	1.0U	1.0 U				
1,2,4-Trichlorobenzene (5.0)	NS	NS	NA	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Methyl acetate	NS	NS	NA	NA	10 U	10 U	10U	10 U	1.0U	1.0 U				
Bromochloromethane (5.0)	NS	NS	NA	0.2U	NA	NA	NA	NA	1.0U	NA				
Dibromomethane (5.0)	NS	NS	NA	0.2U	NA	NA	NA	NA	NA	NA				
1,3-Dichloropropane (5.0)	NS	NS	NA	0.2U	NA	NA	NA	NA	NA	NA				
2,2-Dichloropropane (5.0)	NS	NS	NA	0.2U	NA	NA	NA	NA	NA	NA				
1,1-Dichloropropene (5.0)	NS	NS	NA	0.2U	NA	NA	NA	NA	NA	NA				
Hexachlorobutadiene (0.50)	NS	NS	NA	0.4U	NA	NA	NA	NA	NA	NA				
1,1,1,2-Tetrachloroethane (5.0)	NS	NS	NA	0.2U	NA	NA	NA	NA	NA	NA				
1,2,3-Trichloropropane (0.04)	NS	NS	NA	1.0U	NA	NA	NA	NA	NA	NA				

U- compound not detected at indicated detection limit

J - compound detected below sample quantitation limit

Shaded areas indicate exceedence of NYSDEC groundwater standards

italics indicates guidance value

* cis-1,3-dichloropropene and trans-1,3-dichloropropene total not to exceed 0.40 ug/l

NS - No sample collected

NA- Not Analyzed

Table D -7A
MW - 104I Historic Data
Inorganic Compounds
(ug/l)

Parameter (std/guidance)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006				
Aluminum	NS	NS	531E*	3,960	572	2610	1,620	133B	900	330				
Antimony (3)	NS	NS	8U	5.0 U	3.0 U	5.4U	4.1U	5.0U	20U	20U				
Arsenic (25)	NS	NS	6U	3.4 U	4.0 U	11.2	6.3B	2.6U	10U	10U				
Barium (1000)	NS	NS	40.4B	109 BE	65.9 B	112B	51.2	60.7B	36	26				
Beryllium (3)	NS	NS	0.4U	0.50 U	1.0 U	0.27B	0.19B	0.19U	2U	2U				
Cadmium (5)	NS	NS	0.7U	0.60 U	1.4 BN	0.30B	0.59B	0.37B	1.9	1.4				
Calcium	NS	NS	14,800*	35,300 E	46,400	48,100E	9,530	23700	9400	7,500				
Chromium (50)	NS	NS	2U	3.8 B	1.0 U	1.8B	1.6B	0.65U	4U	4U				
Cobalt	NS	NS	2U	2.3 B	1.0 U	2.9B	1.7B	0.86U	4U	4U				
Copper (200)	NS	NS	2.8B	6.7 B	6.2 B	4.2B	2.9B	1.5B	10U	10U				
Iron (300)	NS	NS	452*	3,790	812	4,990	2,820N	136	1200	410				
Lead (25)	NS	NS	3U	6.7	2.0 U	2.3U	1.6U	1.3U	5U	5U				
Magnesium (35,000 guidance)	NS	NS	3,730B*	8,910 E	12,400	12,200	3,040B	5470	2600	2,400				
Manganese (300)	NS	NS	9.1B	98.6 E	15.3	114	54.0	7.8B	27	12				
Mercury (0.7)	NS	NS	0.2U	0.15 U	0.072 U	0.065U	0.055U	0.087U	0.2U	0.2U				
Nickel (100)	NS	NS	2U	4.2 B	1.6 B	5.1B	4.4B	1.2U	10U	10U				
Potassium	NS	NS	1,340B	3,260 B	2,220	3,000BE	1,860B	1370B	1400	1,000				
Selenium (10)	NS	NS	5U	5.0 U	5.0 U	4.0U	2.8U	5.0U	15U	15U				
Silver (50)	NS	NS	1U	1.5 U	2.0 U	0.50U	0.70U	0.69U	3U	3U				
Sodium (20000)	NS	NS	9,070	8,690	7,070	7,610	7,690	6940	6400	6,500				
Thallium (0.5 guidance)	NS	NS	9U	5.0 U	4.0 U	5.7B	3.8U	5.1U	20U	20U				
Vanadium	NS	NS	1U	6.6 B	1.1 B	4.4B	2.2B	0.58U	5U	5U				
Zinc (2000 guidance)	NS	NS	13.2B	71.1	9.9 B	16.7B	8.5B	1.6B	20	10U				

U- not detected at or above detection limit
B - detected below contract required detection limit
E - value estimated due to interference
* - indicates duplicate analysis not within control limits
Shaded Area indicates exceedence of NYSDEC Ground Water Standards
NS - No Sample Collected

(ug/l)

[illegible]

Table D - 8 - continued

Parameter (GW Std/guidance)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006				
Xylene, total (5.0)	1.0U	10U	10U	NA	10 U	10 U	1.0U	10 U	3.0U	3.0 U				
Dichlorodifluoromethane (5.0)	2.0U	NA	NA	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Trichlorofluoromethane (5.0)	2.0U	NA	NA	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,1,2-Trichloro-1,2,2-Trifluoroethane (5.0)	NA	NA	NA	NA	10 U	10 U	10U	10 U	10U	1.0 U				
trans-1,2-Dichloroethene (5.0)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Methyl tert-butyl ether	NA	NA	NA	NA	10 U	10 U	10U	10 U	10U	1.0 U				
cis-1,2-Dichloroethene (5.0)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Cyclohexane	NA	NA	NA	NA	10 U	10 U	10U	10 U	10U	1.0 U				
Methylcyclohexane	NA	NA	NA	NA	10 U	10 U	10U	10 U	10U	1.0 U				
1,2-Dibromoethane (0.0006)	NA	NA	NA	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Isopropyl benzene (5.0)	NA	NA	NA	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,3-Dichlorobenzene (3.0)	1.0U	NA	NA	0.4U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,4-Dichlorobenzene (3.0)	1.0U	NA	NA	0.4U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,2-Dichlorobenzene (3.0)	1.0U	NA	NA	0.4U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,2-Dibromo-3-chloropropane (0.04)	NA	NA	NA	1.0U	10 U	10 U	1.0U	100U	1.0U	1.0 U				
1,2,4-Trichlorobenzene (5.0)	NA	NA	NA	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Methyl acetate	NA	NA	NA	NA	10 U	10 U	10U	10 U	10U	1.0 U				
Bromochloromethane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
Dibromomethane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
1,3-Dichloropropane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
2,2-Dichloropropane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
1,1-Dichloropropene (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
Hexachlorobutadiene (0.50)	NA	NA	NA	0.4U	NA	NA	NA	NA	NA	NA				
1,1,1,2-Tetrachloroethane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
1,2,3-Trichloropropane (0.04)	NA	NA	NA	1.0U	NA	NA	NA	NA	NA	NA				

U- compound not detected at indicated detection limit

J - compound detected below sample quantitation limit

Shaded areas indicate exceedence of NYSDEC groundwater standards

italics indicates guidance value

* cis-1,3-dichloropropene and trans-1,3-dichloropropene total not to exceed 0.40 ug/l

NS - No sample collected

NA- Not Analyzed

Table D -8A
MW - 107IR Historic Data
Inorganic Compounds
(ug/l)

Parameter (std/guidance)	1997	1998 10/1 12/29	1999	2000	2001	2002	2003	2004	2005	2006				
Aluminum	6,740*	25,200	21,600	2,730	352,000	164,000	135,000	20,500	2430	28400	8,700			
Antimony (3)	30.0U	43.5B	60U	6UN	36.2 B	3.0 U	15.0B	4.1U	5.0U	20U	20U			
Arsenic (25)	30.6U	110	46	4UN	207	95.3	78.2	17.2	4.1B	16	10U			
Barium (1000)	139	567	544	108B	2,750 E	1450	1240	265	241	320	160			
Beryllium (3)	0.30U	1.3B	5U	1U	19.6	7.8	6.2	1.2B	0.19U	2U	2U			
Cadmium (5)	3.8U	0.70U	5.0U	1U	2.2 B	1.0 UN	0.30U	0.30U	0.66B	4.5	1U			
Calcium	51,400	41,300	40,400	62,800	112,000	101,000	84,800E	59,400	62100	68200	61,900			
Chromium (50)	29.0	49	42.7	14.7	534	279	215	32.4	2.7B	42	13			
Cobalt	8.2	63.8	50.5	16.8B	312	153	128	17.5B	16.7B	23	7.1			
Copper (200)	15.1	55.3	51	6.1B	421	219	160	19.9B	17.8B	81	10U			
Iron (300)	10,700N	62,600	51,300	6,370	791,000	344,000	284,000	37,600N	6000	45600	12,800			
Lead (25)	22.7U	60.6	62.9	3U	319	144	146	28.6	34.4	52	14			
Magnesium (35,000)	12,400	21,500	20,700	15,800	157,000	84,400	72,800	21,400	16700	25800	14,800			
Manganese (300)	2,930	6,030	7,390	1,220	9,770 E	4,570	3,700	533	840	790	310			
Mercury (0.7)	0.10U	0.10U	0.30U	0.1U	0.23 B	0.072 U	0.242B	0.055U	0.087U	0.2U	0.2U			
Nickel (100)	30.2	83	68.8	135	706	360	300	41.4	10.1B	54	15			
Potassium	4,270	5,400	6,390	10,400	55,200	30,400	22,600E	9,170	3870B	12200	6,100			
Selenium (10)	46.9	1.5UW	5U	5UN	28.7	17.6	6.0	4.3B	5.0U	15U	15U			
Silver (50)	5.0U	2.6B	10U	1U	1.5 U	2.0 U	0.50B	0.70U	0.69U	3U	3U			
Sodium (20000)	6,080	6,720	10,100	19,200	12,700	11,900	8,430	7,310	6260	7800	7,200			
Thallium (0.5 guidance)	34.4U	5.3B	10U	10U	36.0	5.0 B	3.9U	4.6B	5.1U	20U	20U			
Vanadium	11.3*	30.5B	50U	2U	411	187	156	26.5	4.6B	38	12			
Zinc (2000 guidance)	33.0*	189	254	28.4	1,470	777	631	83.9	17.6B	290	33			

U- not detected at or above detection limit
B - detected below contract required detection limit
E - value estimated due to interference
* - indicates duplicate analysis not within control limits
N - Spike sample recovery not within quality control limits
Shaded Area indicates exceedence of NYSDEC Ground Water Standards

Table D - 9
MW - 107SR Historic Data
Volatile Organic Compounds
(ug/l)

Parameter (GW Std/guidance)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006				
Chloromethane	2.0U	5U	2J	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Bromomethane (5.0)	2.0U	5U	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Vinyl chloride (2.0)	2.0U	5U	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Chloroethane (5.0)	2.0U	5U	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Methylene chloride (5.0)	4.0U	5U	10U	0.2U	10 U	10 U	2.0U	10 U	2.0U	1.0 U				
Acetone (50 guidance)	NA	8.2J	6J	NA	4 J	10U	5.0U	10U	5.0U	5.0 U				
Carbon disulfide	NA	10U	10U	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,1-Dichloroethene (5.0)	1.0U	5U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,1-Dichloroethane (5.0)	1.0U	5U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Chloroform (7.0)	1.0U	5U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,2-Dichloroethane (0.6)	1.0U	5U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
2-Butanone	NA	10U	10U	NA	10 U	10 U	5.0U	10 U	5.0U	5.0 U				
1,1,1-Trichloroethane (5.0)	1.0U	5U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Carbon tetrachloride (5.0)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Bromodichloromethane (50 guidance)	1.0U	5U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,2-Dichloropropane (1.0)	1.0U	5U	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
*cis-1,3-Dichloropropene (0.4)	1.0U	5U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Trichloroethene (5.0)	1.0U	5U	4J	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Dibromochloromethane (50 guidance)	1.0U	5U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,1,2-Trichloroethane (1.0)	1.0U	5U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Benzene (1.0)	NR	5U	10U	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
*trans-1,3-Dichloropropene (0.4)	1.0U	5U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Bromoform (50 guidance)	1.0U	5U	10U	1.0U	10 U	10 U	1.0U	10U	1.0U	1.0 U				
4-Methyl-2-pentanone	NA	5U	10U	NA	10 U	10 U	5.0U	2J	5.0U	1.0 U				
2-Hexanone (50 guidance)	NA	5U	10U	NA	10 U	10 U	5.0U	10 U	5.0U	5.0 U				
Tetrachloroethene (5.0)	1.0U	5U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Toluene (5.0)	NR	5U	2J	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,1,2,2-Tetrachloroethane (5.0)	1.0U	5U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Chlorobenzene (5.0)	1.0U	5U	10U	0.4U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Ethylbenzene (5.0)	NR	5U	10U	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Styrene (5.0)	NA	5U	10U	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				

Table D - 9 - continued

Parameter (GW Std/guidance)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006				
Xylene, total (5.0)	NR	5U	10U	NA	10 U	10 U	1.0U	10 U	3.0U	3.0 U				
Dichlorodifluoromethane (5.0)	1.1	NA	NA	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Trichlorofluoromethane (5.0)	2.0U	NA	NA	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,1,2-Trichloro-1,2,2-Trifluoroethane (5.0)	NA	NA	NA	NA	10 U	10 U	10U	10 U	10U	1.0 U				
trans-1,2-Dichloroethene (5.0)	1.0U	5U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Methyl tert-butyl ether	NA	NA	NA	NA	10 U	10 U	10U	10 U	1.0U	1.0 U				
cis-1,2-Dichloroethene (5.0)	1.0U	5U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Cyclohexane	NA	NA	NA	NA	10 U	10 U	10U	10 U	1.0U	1.0 U				
Methylcyclohexane	NA	NA	NA	NA	10 U	10 U	10U	10 U	1.0U	1.0 U				
1,2-Dibromoethane (0.0006)	NA	NA	NA	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Isopropyl benzene (5.0)	NA	NA	NA	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,3-Dichlorobenzene (3.0)	1.0U	NA	NA	0.4U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,4-Dichlorobenzene (3.0)	1.0U	NA	NA	0.4U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,2-Dichlorobenzene (3.0)	1.0U	NA	NA	0.4U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,2-Dibromo-3-chloropropane (0.04)	NA	NA	NA	1.0U	10 U	10 U	1.0U	100U	1.0U	1.0 U				
1,2,4-Trichlorobenzene (5.0)	NA	NA	NA	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Methyl acetate	NA	NA	NA	NA	10 U	10 U	10U	10 U	10U	1.0 U				
Bromochloromethane (5.0)	NA	NA	NA	0.20U	NA	NA	NA	NA	NA	NA				
Dibromomethane (5.0)	NA	NA	NA	0.20U	NA	NA	NA	NA	NA	NA				
1,3-Dichloropropane (5.0)	NA	NA	NA	0.20U	NA	NA	NA	NA	NA	NA				
2,2-Dichloropropane (5.0)	NA	NA	NA	0.20U	NA	NA	NA	NA	NA	NA				
1,1-Dichloropropene (5.0)	NA	NA	NA	0.20U	NA	NA	NA	NA	NA	NA				
Hexachlorobutadiene (0.50)	NA	NA	NA	0.40U	NA	NA	NA	NA	NA	NA				
1,1,1,2-Tetrachloroethane (5.0)	NA	NA	NA	0.20U	NA	NA	NA	NA	NA	NA				
1,2,3-Trichloropropane (0.04)	NA	NA	NA	1.0U	NA	NA	NA	NA	NA	NA				

U- compound not detected at indicated detection limit

J - compound detected below sample quantitation limit

Shaded areas indicate exceedence of NYSDEC groundwater standards

italics indicates guidance value

* cis-1,3-dichloropropene and trans-1,3-dichloropropene total not to exceed 0.40 ug/l

X - Questionable, not confirmed by second column analysis

NS - No sample collected

NA- Not Analyzed

Table D -9A
MW - 107SR Historic Data
Inorganic Compounds
(ug/l)

Parameter (std/guidance)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006				
Aluminum	NS	NR	15,900	41,900	116,000	58,900	881	113B	200U	1,400				
Antimony (3)	NS	NR	6UN	5.8 B	3.0U	8.6B	4.1U	5.0U	20U	20U				
Arsenic (25)	NS	10.8	9.9BN	34.2	110	36.5	3.3U	2.6U	10U	10U				
Barium (1000)	NS	NR	326	410 E	1230	408	38.9B	41.3B	40	43.				
Beryllium (3)	NS	NR	1U	2.8 B	6.3	2.8B	0.14B	0.19U	2U	2U				
Cadmium (5)	NS	NR	1U	0.60 U	1.0 UN	11.9	0.72B	0.34U	1U	1.1				
Calcium	NS	NR	69,400	54,100 E	190,000	274,000	20,500	33400	29000	20,500				
Chromium (50)	NS	NR	83.1	45.7	133	71.9	0.90U	0.65U	4U	4U				
Cobalt	NS	NR	18.9B	26.4 B	93.3	32.6B	0.88B	0.86U	4U	4U				
Copper (200)	NS	NR	25.4	48.2	222	97.7	2.9B	2.3B	10U	10U				
Iron (300)	NS	NR	31,400	64,000	216,000	76,000	1,220N	171	98	1,700				
Lead (25)	NS	NR	12.3	20.3	80.5	42.2	1.6U	1.3U	5U	5U				
Magnesium (35,000)	NS	NR	12,900	18,000 E	50,900	31,100	5,060	7590	7200	5,800				
Manganese (300)	NS	NR	1,300	1,270 E	6,050	2,340	211	681	230	560				
Mercury (0.7)	NS	NR	0.1U	0.15 U	0.072 U	0.087B	0.055U	0.087U	0.2U	0.2U				
Nickel (100)	NS	NR	33.3B	52.2	187	67.9	4.2B	3.8B	10U	10U				
Potassium	NS	NR	9,940	14,200	17,400	7,670E	1,530B	1280B	1300	1,600				
Selenium (10)	NS	NR	6N	5.0 U	13.5	4.0U	2.8U	5.0U	15U	15U				
Silver (50)	NS	NR	1U	1.5 U	2.0 U	0.50U	0.70U	0.69U	3U	3U				
Sodium (20000)	NS	NR	10,600	5,430	5,690	5,250	5,660	8860	10,100	9,000				
Thallium (0.5 guidance)	NS	NR	10U	5.0 U	4.0 U	3.9U	3.8U	5.1U	20U	20U				
Vanadium	NS	NR	17.8	60.1	144	75.8	1.4B	0.71B	5U	5U				
Zinc (2000 guidance)	NS	NR	127	142	743	443	6.2B	1.8B	20U	10U				

U - not detected at or above detection limit
 B - detected below contract required detection limit
 E - value estimated due to interference
 * - indicates duplicate analysis not within control limits
 N - Spike sample recovery not within quality control limits
 Shaded Area indicates exceedence of NYSDEC Ground Water Standards
 NS - No Sample Collected
 NR - Result not reported

Table D - 10
MW - 108D Historic Data
Volatile Organic Compounds
(ug/l)

[illegible]

Table D - 10 - continued

Parameter (GW Std/guidance)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006				
Xylene, total (5.0)	10U	10U	10U	NA	10 U	10 U	1.0U	10 U	1.0U	3.0 U				
Dichlorodifluoromethane (5.0)	2.0U	NA	NA	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Trichlorofluoromethane (5.0)	2.0U	NA	NA	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,1,2-Trichloro-1,2,2-Trifluoroethane (5.0)	NA	NA	NA	NA	10 U	10 U	10U	10 U	10U	1.0 U				
trans -1,2-Dichloroethene (5.0)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Methyl tert-butyl ether	NA	NA	NA	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
cis-1,2-Dichloroethene (5.0)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Cyclohexane	NA	NA	NA	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Methylcyclohexane	NA	NA	NA	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,2-Dibromoethane (0.0006)	NA	NA	NA	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Isopropyl benzene (5.0)	NA	NA	NA	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,3-Dichlorobenzene (3.0)	1.0U	NA	NA	0.4U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,4-Dichlorobenzene (3.0)	1.0U	NA	NA	0.4U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,2-Dichlorobenzene (3.0)	1.0U	NA	NA	0.4U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,2-Dibromo-3-chloropropane (0.04)	NA	NA	NA	1.0U	10 U	10 U	1.0U	100U	1.0U	1.0 U				
1,2,4-Trichlorobenzene (5.0)	NA	NA	NA	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Methyl acetate	NA	NA	NA	NA	10 U	10 U	10U	10 U	10U	1.0 U				
Bromochloromethane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
Dibromomethane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
1,3-Dichloropropane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
2,2-Dichloropropane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
1,1-Dichloropropene (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
Hexachlorobutadiene (0.50)	NA	NA	NA	0.4U	NA	NA	NA	NA	NA	NA				
1,1,1,2-Tetrachloroethane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
1,2,3-Trichloropropane (0.04)	NA	NA	NA	1.0U	NA	NA	NA	NA	NA	NA				

U- compound not detected at indicated detection limit

J - compound detected below sample quantitation limit

Shaded areas indicate exceedence of NYSDEC groundwater standards

italics indicates guidance value

* cis-1,3-dichloropropene and trans-1,3-dichloropropene total not to exceed 0.40 ug/l

NS - No sample collected

NA- Not Analyzed

Table D -10A
MW - 108D Historic Data
Inorganic Compounds
(ug/l)

Parameter (std/guidance)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006				
Aluminum	2,230*	13,700	1,070E*	303	407	32.5U	757	111B	1000	600				
Antimony (3)	30.0U	35.9U	8U	5.0 U	3.0 U	5.4U	4.1U	5.0U	20U	20U				
Arsenic (25)	30.6U	53	6U	3.4 U	4.0 U	4.0U	6.0B	2.6U	10U	10U				
Barium (1000)	175	284	118B	102 BE	92.2	138B	154B	121B	140	130				
Beryllium (3)	0.30U	0.86B	0.63B	0.50 U	1.0 U	0.20U	0.21B	0.19U	2U	2U				
Cadmium (5)	3.8U*	0.70U	1.1B	0.76 B	1.0 UN	0.30U	0.68B	0.79U	4.9	1U				
Calcium	28,600	31,000	25,700*	20,900 E	17,200	32,000E	32,500	30200	40,700	28,300				
Chromium (50)	7.2	19.7	2B	1.2 U	1.0 U	0.60U	1.5B	0.65U	13	4U				
Cobalt	4.1U	16.1B	2U	1.0 U	1.0 U	0.50U	0.98B	0.86U	4U	4U				
Copper (200)	11.0	25.5	6.1B	2.9 B	4.2 B	0.97B	5.1B	2.1B	42	10U				
Iron (300)	5,560N	35,000	2,030*	915	1,530	510	2780N	660	4,800	1,900				
Lead (25)	22.7U	11.5	3.4	2.6 U	2.4 B	2.3U	1.6U	1.3U	6.8	5U				
Magnesium (35,000)	10,500	15,700	11,200*	12,000 E	13,300	14,700	13,200	12700	18,200	12,100				
Manganese (300)	345	790	211	164 E	96.9	239	336	291	380	300				
Mercury (0.7)	0.10U	0.10U	0.2U	0.15 U	0.072 U	0.065U	0.055U	0.087U	0.2U	0.2U				
Nickel (100)	10.5U	31.0B	2.8B	1.5 U	3.2 B	1.0U	3.0B	1.4B	10U	10U				
Potassium	3,150	4,960B	2,540B	2,660 B	2,950 B	2,610BE	2,660B	2,200B	5,900	2,500				
Selenium (10)	42.6U	1.5U	5U	5.0 U	5.0 U	4.0U	2.8U	5.0U	15U	15U				
Silver (50)	5.0U	0.89B	1U	1.5 U	2.0 U	0.58B	0.70U	0.69U	3U	3U				
Sodium (20000)	4,890	5,180	5,770	3,910 B	4,320 B	3,760B	4,010B	3400B	4100	3,800				
Thallium (0.5 guidance)	34.4U	18.5	9U	5.0 U	4.0 U	3.9U	3.8U	5.1U	20U	20U				
Vanadium	4.7*	17.0B	2.8B	1.0 U	1.0 U	0.70U	1.3B	0.58U	5U	5U				
Zinc (2000 guidance)	38.7*	85.5	10B	15.8 B	17.8 B	7.3B	10.1B	6.0U	42	25				

U- not detected at or above detection limit
B - detected below contract required detection limit
E - value estimated due to interference
* - indicates duplicate analysis not within control limits
N - Spike sample recovery not within quality control limits
Shaded Area indicates exceedence of NYSDEC Ground Water Standards

(ug/l)

[illegible]

Table D - 11 - continued

Parameter (GW Std/guidance)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006				
Xylene, total (5.0)	10U	10U	10U	NA	10 U	10 U	1.0U	10 U	1.0U	3.0 U				
Dichlorodifluoromethane (5.0)	2.0U	NA	NA	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Trichlorofluoromethane (5.0)	2.0U	NA	NA	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,1,2-Trichloro-1,2,2-Trifluoroethane (5.0)	NA	NA	NA	NA	10 U	10 U	10U	10 U	10U	1.0 U				
trans -1,2-Dichloroethene (5.0)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Methyl tert-butyl ether	NA	NA	NA	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
cis-1,2-Dichloroethene (5.0)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Cyclohexane	NA	NA	NA	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Methylcyclohexane	NA	NA	NA	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,2-Dibromoethane (0.0006)	NA	NA	NA	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Isopropyl benzene (5.0)	NA	NA	NA	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,3-Dichlorobenzene (3.0)	1.0U	NA	NA	0.4U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,4-Dichlorobenzene (3.0)	1.0U	NA	NA	0.4U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,2-Dichlorobenzene (3.0)	1.0U	NA	NA	0.4U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,2-Dibromo-3-chloropropane (0.04)	NA	NA	NA	1.0U	10 U	10 U	1.0U	100U	1.0U	1.0 U				
1,2,4-Trichlorobenzene (5.0)	NA	NA	NA	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Methyl acetate	NA	NA	NA	NA	10 U	10 U	10U	10 U	10U	1.0 U				
Bromochloromethane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
Dibromomethane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
1,3-Dichloropropane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
2,2-Dichloropropane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
1,1-Dichloropropene (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
Hexachlorobutadiene (0.50)	NA	NA	NA	0.4U	NA	NA	NA	NA	NA	NA				
1,1,1,2-Tetrachloroethane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
1,2,3-Trichloropropane (0.04)	NA	NA	NA	1.0U	NA	NA	NA	NA	NA	NA				

U- compound not detected at indicated detection limit

J - compound detected below sample quantitation limit

Shaded areas indicate exceedence of NYSDEC groundwater standards

italics indicates guidance value

* cis-1,3-dichloropropene and trans-1,3-dichloropropene total not to exceed 0.40 ug/l

NS - No sample collected

NA- Compound not analyzed for

Table D -11A
MW - 108I Historic Data
Inorganic Compounds
(ug/l)

Parameter (std/guidance)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006				
Aluminum	10,300*	2,880E*	3,160E*	382	1290	2750	1,470	462	2000	920				
Antimony (3)	30.0U	49.1BN	8U	5.0 U	3.0 U	7.7B	4.1U	5.0U	20U	20U				
Arsenic (25)	30.6U	72.6	6U	3.4 U	5.3 B	4.0U	4.7B	2.6U	10U	10U				
Barium (1000)	134	197B	73.5B	60.8 BE	75.7 B	89.7B	104B	69.4B	81	68				
Beryllium (3)	0.55	1.2B	0.4U	0.50 U	1.0 U	0.32B	0.21B	0.19U	2U	2U				
Cadmium (5)	3.8U*	1.0B	4.2B	0.60 U	1.0 UN	0.40B	1.0B	0.49B	1U	1U				
Calcium	48,500	27,800	34700*	33,300 E	35,100	37,700E	30,200	29400	37,600	38,500				
Chromium (50)	41.0	8.9B	3B	1.2 U	3.0 B	3.2B	2.2B	0.65U	4U	4U				
Cobalt	5.7	4.8B	2U	1.0 U	1.6 B	2.4B	1.4B	0.86U	4U	4U				
Copper (200)	17.2	12.3B	5.9B	2.3 B	5.2 B	4.0B	2.1B	1.9B	10U	10U				
Iron (300)	15,400N	32,600	2,850*	408	2,860	5,280	2,600N	509	1900	1,200				
Lead (25)	22.7U	10.0	3U	2.6 U	2.0 U	2.3U	1.6U	1.3U	5U	5U				
Magnesium (35,000)	21,200	21,800	16800*	17,600 E	17,600	17,800	12,100	13900	19,600	22,600				
Manganese (300)	374	243	127	8.8 BE	60.4	88.1	51.7	13.7B	34	27				
Mercury (0.7)	0.10U	0.10U	0.2U	0.15 U	0.072 U	0.078B	0.055U	0.087U	0.2U	0.2U				
Nickel (100)	37.7	9.7B	4.9B	1.5 U	5.9 B	5.0B	3.8B	1.2U	10U	10U				
Potassium	7,180	8,610	4,450B	3,290 B	3,840 B	4,350BE	3,270B	2830B	410	3,600				
Selenium (10)	42.6U	1.5U	5U	5.0 U	5.0 U	4.0U	2.8U	5.0U	15U	15U				
Silver (50)	5.0U	2.6B	1U	1.5 U	2.0 U	0.50U	0.70U	0.69U	3U	3U				
Sodium (20000)	3,930	3,820B	4,320B	3,300 B	3,670 B	3,430B	3,470B	3150B	3500	3,600				
Thallium (0.5 guidance)	38.4	29.7	9U	5.0 U	4.0 U	3.9U	3.8U	5.1U	20U	20U				
Vanadium	17.4*	3.9B	3.1B	1.0 U	1.9 B	3.9B	1.9B	0.67B	5U	5U				
Zinc (2000 guidance)	74.6*	126E	13.5B	11.3 B	17.1 B	13.4B	8.3B	2.8B	20	10U				

U- not detected at or above detection limit
B - detected below contract required detection limit
E - value estimated due to interference
* - indicates duplicate analysis not within control limits
N - Spike sample recovery not within quality control limits
Shaded Area indicates exceedence of NYSDEC Ground Water Standards

(ug/l)

Parameter (GW Std/ <i>guidance</i>)	1997	1998	1999	2000	2001	2002	20032	2004	2005	2006				
Chloromethane	2.0U	10U	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Bromomethane (5.0)	2.0U	10U	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Vinyl chloride (2.0)	2.0U	10U	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Chloroethane (5.0)	2.0U	10U	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Methylene chloride (5.0)	4.0U	10U	10U	0.2U	10 U	10 U	2.0U	10 U	1.0U	1.0 U				
Acetone (50 <i>guidance</i>)	NA	10U	10U	NA	10 U	2J	7.0	10 U	5.0U	5.0 U				
Carbon disulfide	NA	10U	10U	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,1-Dichloroethene (5.0)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,1-Dichloroethane (5.0)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Chloroform (7.0)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,2-Dichloroethane (0.6)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
2-Butanone	NA	10U	10U	NA	10 U	10 U	5.0U	10 U	5.0U	5.0 U				
1,1,1-Trichloroethane (5.0)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Carbon tetrachloride (5.0)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Bromodichloromethane (50 <i>guidance</i>)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,2-Dichloropropane (1.0)	1.0U	10U	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
*cis-1,3-Dichloropropene (0.4)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Trichloroethene (5.0)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Dibromochloromethane (50 <i>guidance</i>)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,1,2-Trichloroethane (1.0)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Benzene (1.0)	10U	10U	10U	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
*trans-1,3-Dichloropropene (0.4)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Bromoform (50 <i>guidance</i>)	1.0U	10U	10U	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
4-Methyl-2-pentanone	NA	10U	10U	NA	10 U	10 U	5.0U	10 U	5.0U	1.0 U				
2-Hexanone (50 <i>guidance</i>)	NA	10U	10U	NA	10 U	10 U	5.0U	10 U	5.0U	5.0 U				
Tetrachloroethene (5.0)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Toluene (5.0)	10U	10U	10U	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,1,2,2-Tetrachloroethane (5.0)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Chlorobenzene (5.0)	1.0U	10U	10U	0.4U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Ethylbenzene (5.0)	10U	10U	10U	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Styrene (5.0)	NA	10U	10U	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				

Table D - 12 - continued

Parameter (GW Std/guidance)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006				
Xylene, total (5.0)	10U	10U	10U	NA	10 U	10 U	1.0U	10 U	3.0U	3.0 U				
Dichlorodifluoromethane (5.0)	2.0U	NA	NA	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Trichlorofluoromethane (5.0)	2.0U	NA	NA	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,1,2-Trichloro-1,2,2-Trifluoroethane (5.0)	NA	NA	NA	NA	10 U	10 U	10U	10 U	10U	1.0 U				
trans-1,2-Dichloroethene (5.0)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Methyl tert-butyl ether	NA	NA	NA	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
cis-1,2-Dichloroethene (5.0)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Cyclohexane	NA	NA	NA	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Methylcyclohexane	NA	NA	NA	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,2-Dibromoethane (0.0006)	NA	NA	NA	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Isopropyl benzene (5.0)	NA	NA	NA	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,3-Dichlorobenzene (3.0)	1.0U	NA	NA	0.4U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,4-Dichlorobenzene (3.0)	1.0U	NA	NA	0.4U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,2-Dichlorobenzene (3.0)	1.0U	NA	NA	0.4U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,2-Dibromo-3-chloropropane (0.04)	NA	NA	NA	1.0U	10 U	10 U	1.0U	100U	1.0U	1.0 U				
1,2,4-Trichlorobenzene (5.0)	NA	NA	NA	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Methyl acetate	NA	NA	NA	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Bromochloromethane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
Dibromomethane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
1,3-Dichloropropane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
2,2-Dichloropropane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
1,1-Dichloropropene (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
Hexachlorobutadiene (0.50)	NA	NA	NA	0.4U	NA	NA	NA	NA	NA	NA				
1,1,1,2-Tetrachloroethane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
1,2,3-Trichloropropane (0.04)	NA	NA	NA	1.0U	NA	NA	NA	NA	NA	NA				

U- compound not detected at indicated detection limit

J - compound detected below sample quantitation limit

Shaded areas indicate exceedence of NYSDEC groundwater standards

italics indicates guidance value

* cis-1,3-dichloropropene and trans-1,3-dichloropropene total not to exceed 0.40 ug/l

NS - No sample collected

NA- Compound not analyzed for

Table D -12A
MW - 109 Historic Data
Inorganic Compounds
(ug/l)

Parameter (std/guidance)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006				
Aluminum	314*	383	136BE*	119 B	151	32.5U	205	18.4U	1300	3,200				
Antimony (3)	30.0U	35.9U	8U	5.0 U	3.0 U	5.4U	4.1U	5.0U	20U	20U				
Arsenic (25)	30.6U	6.6B	6U	3.4 U	4.0 U	4.0U	3.9B	2.6U	10U	10U				
Barium (1000)	116	124B	59.1B	81.2 BE	65.6 B	150B	107B	86.2B	180	220				
Beryllium (3)	0.30U	0.76B	0.4U	0.50 U	1.0 U	0.20U	0.12B	0.19U	2U	2U				
Cadmium (5)	3.8U*	0.70U	0.7U	0.60 U	1.0 UN	0.30U	1.3B	0.34U	1U	2				
Calcium	32,900	33,200	16,800*	23,900 E	19,100	34,000E	27,600	22100	31800	52,900				
Chromium (50)	3.1U	9.2B	2.6B	1.2 U	1.0 U	0.60U	1.9B	0.65U	4.1	11				
Cobalt	4.1U	4.1B	2U	1.0 U	1.0 U	0.76B	1.8B	0.86U	4U	4U				
Copper (200)	8.5	5.3B	2.7B	3.2 B	1.0 U	2.6B	14.4B	6.3B	10U	130				
Iron (300)	8,640N	4,120	1,630*	1,110	2,570	2,920	2,290N	513	11,900	23,600				
Lead (25)	22.7U	1.7U	3U	2.6 U	2.0 U	2.3U	1.6U	1.3U	5U	5U				
Magnesium (35,000)	8,720	10,300	6,400*	9,090 E	9,340	12,100	11,700	10,100	12,900	13,500				
Manganese (300)	290	344	81.6	98.5 E	82.9	271	167	146	350	750				
Mercury (0.7)	0.10U	0.10U	0.2U	0.15 U	0.072 U	0.080B	0.055U	0.087U	0.2U	0.2U				
Nickel (100)	10.5U	9.3B	2U	1.6 B	1.5 U	1.0U	4.9B	1.4B	10U	11				
Potassium	2,150	2,410B	2,110B	2,560 B	2,780 B	3,180BE	3,200B	2230B	3200	8,800				
Selenium (10)	42.6U	1.5U	5U	5.0 U	5.0 U	4.0U	2.8U	5.0U	15U	15U				
Silver (50)	5.0U	1.9B	1U	1.5 U	2.0 U	0.54B	0.70U	0.69U	3U	3U				
Sodium (20000)	4,390	3,280B	4,490B	3,900 B	4,120 B	3,810B	4,070B	3340B	3600	4,400				
Thallium (0.5 guidance)	34.4U	5.4B	9U	5.0 U	4.0 U	3.9U	3.8U	5.1U	20U	20U				
Vanadium	4.6U*	2.3U	1U	1.0 U	1.0 U	0.70U	0.80U	0.58U	5U	5U				
Zinc (2000 guidance)	12.4*	159	8.9B	12.2 B	4.4 B	4.1B	13.3B	3.1B	20U	48				

U - not detected at or above detection limit
B - detected below contract required detection limit
E - value estimated due to interference
* - indicates duplicate analysis not within control limits
N - Spike sample recovery not within quality control limits
Shaded Area indicates exceedence of NYSDEC Ground Water Standards

Table D - 13
MW - 113 Historic Data
Volatile Organic Compounds
(ug/l)

[illegible]

Table D - 13 - continued

Parameter (GW Std/guidance)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006				
Xylene, total (5.0)	10U	10U	10U	NA	10 U	10 U	1.0U	10 U	3.0U	3.0 U				
Dichlorodifluoromethane (5.0)	2.0U	NA	NA	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Trichlorofluoromethane (5.0)	2.0U	NA	NA	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,1,2-Trichloro-1,2,2-Trifluoroethane (5.0)	NA	NA	NA	NA	10 U	10 U	10U	10 U	10U	1.0 U				
trans -1,2-Dichloroethene (5.0)	1.0U	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Methyl tert-butyl ether	NA	NA	NA	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
cis-1,2-Dichloroethene (5.0)	NR	10U	10U	0.2U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Cyclohexane	NA	NA	NA	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Methylcyclohexane	NA	NA	NA	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,2-Dibromoethane (0.0006)	NA	NA	NA	1.0U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Isopropyl benzene (5.0)	NA	NA	NA	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,3-Dichlorobenzene (3.0)	NR	NA	NA	0.4U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,4-Dichlorobenzene (3.0)	NR	NA	NA	0.4U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,2-Dichlorobenzene (3.0)	NR	NA	NA	0.4U	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
1,2-Dibromo-3-chloropropane (0.04)	NA	NA	NA	1.0U	10 U	10 U	1.0U	10U	1.0U	1.0 U				
1,2,4-Trichlorobenzene (5.0)	NA	NA	NA	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Methyl acetate	NA	NA	NA	NA	10 U	10 U	1.0U	10 U	1.0U	1.0 U				
Bromochloromethane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
Dibromomethane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
1,3-Dichloropropane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
2,2-Dichloropropane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
1,1-Dichloropropene (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
Hexachlorobutadiene (0.50)	NA	NA	NA	0.4U	NA	NA	NA	NA	NA	NA				
1,1,1,2-Tetrachloroethane (5.0)	NA	NA	NA	0.2U	NA	NA	NA	NA	NA	NA				
1,2,3-Trichloropropane (0.04)	NA	NA	NA	1.0U	NA	NA	NA	NA	NA	NA				

U- compound not detected at indicated detection limit

J - compound detected below sample quantitation limit

Shaded areas indicate exceedence of NYSDEC groundwater standards

italics indicates guidance value

* cis-1,3-dichloropropene and trans-1,3-dichloropropene total not to exceed 0.40 ug/l

NS - No sample collected


NA- Not Analyzed

NR - Result not reported

Table D -13A
MW - 113 Historic Data
Inorganic Compounds
(ug/l)

Parameter (std/guidance)	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006				
Aluminum	NS	23,600	11,600E	19,400	3,520	17,000	13,900	3280	27,900	7,700				
Antimony (3)	NS	35.9U	8U	5.2 B	3.0 U	6.5B	4.1U	5.0U	20U	20U				
Arsenic (25)	NS	75.0	6.8B	17.3	8.4 B	29.5	23.6	4.4B	30	10U				
Barium (1000)	NS	115B	104B	166 BE	56.3	214	151B	77.5B	250	79				
Beryllium (3)	NS	1.3B	0.4U	1.2 B	1.0 U	0.95B	0.87B	0.19U	2U	2U				
Cadmium (5)	NS	0.70U	0.73B	2.5 B	1.0 UN	0.30U	0.30U	0.34U	2.1	1U				
Calcium	NS	54,300	52,600*	67,100 E	62,000	61,000E	60,200	55,500	66,600	55,300				
Chromium (50)	NS	38.5	14.1	28.0	3.4 B	26.9	17.6	2.7B	49	11				
Cobalt	NS	36.2	6.7B	19.2 B	7.4 B	17.8B	14.7	8.7B	23	7.5				
Copper (200)	NS	79.8	41.8	109	14.9 B	45.4	28.9	14.5B	100	12				
Iron (300)	NS	54,700	19,600*	43,700	9,140	40,800	29,000N	6070	49,200	13,500				
Lead (25)	NS	34.7	8.6	31.0	8.1	25.3	15.9	11.0	30	8.6				
Magnesium (35,000)	NS	28,600	20,400*	26,600 E	25,200	25,300	26,100	22,500	29,200	24,700				
Manganese (300)	NS	986	479	1210 E	325	910	702	499	1400	410				
Mercury (0.7)	NS	0.10U	0.2U	0.15 U	0.072 U	0.187B	0.055U	0.087U	0.2	0.2U				
Nickel (100)	NS	59.5	20.6B	42.3	15.0 B	45.5	30.7B	6.4B	57	14				
Potassium	NS	5,430	7,620	12,900	7,690	9,110E	7,260	3900B	12,500	5,400				
Selenium (10)	NS	1.5UW	5U	5.0 U	5.0 U	4.0B	2.8U	5.0U	15U	15U				
Silver (50)	NS	1.4B	1U	1.5 U	2.0 U	0.50U	0.70U	0.69U	3U	3U				
Sodium (20000)	NS	6,350	7,500	5,550	5,200	4,660B	4,500B	3880B	7300	4,400				
Thallium (0.5 guidance)	NS	18.3	9U	5.0 U	4.0 U	3.9U	3.8U	5.1U	20U	20U				
Vanadium	NS	28.1B	15.1B	26.7 B	4.7 B	21.2B	17.4B	4.2B	36	96				
Zinc (2000 guidance)	NS	173	62.9	248	31.7	91	62.0	12.7B	200	31				

U- not detected at or above detection limit
B - detected below contract required detection limit
E - value estimated due to interference
* - indicates duplicate analysis not within control limits
N - Spike sample recovery not within quality control limits
W - Post digestion spike for Furnace AA analysis is out of quality control limits
Shaded Area indicates exceedence of NYSDEC Ground Water Standards
NS - No Sample Collected



**SEVERN
TRENT****STL****STL Buffalo**10 Hazelwood Drive, Suite 106
Amherst, NY 14228Tel: 716 691 2600 Fax: 716 691 7991
www.stl-inc.com


ANALYTICAL REPORT

Job#: A06-B582

STL Project#: NY5A946109

Site Name: NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACTTask: NYSDEC Spills - Patton's Busy Bee: Site #902014Mr. Brian Sadowski
NYSDEC - Region 9
270 Michigan Ave
Buffalo, NY 14203

STL Buffalo



Brian J. Fischer
Project Manager

10/28/2006

STL Buffalo Current Certifications

As of 9/28/2006

STATE	Program	Cert # / Lab ID
AFCEE	AFCEE	
Arkansas	SDWA, CWA, RCRA, SOIL	88-0686
California	NELAP CWA, RCRA	01169CA
Connecticut	SDWA, CWA, RCRA, SOIL	PH-0568
Florida	NELAP CWA, RCRA	E87672
Georgia	SDWA, NELAP CWA, RCRA	956
Illinois	NELAP SDWA, CWA, RCRA	200003
Iowa	SW/CS	374
Kansas	NELAP SDWA, CWA, RCRA	E-10187
Kentucky	SDWA	90029
Kentucky UST	UST	30
Louisiana	NELAP CWA, RCRA	2031
Maine	SDWA, CWA	NY044
Maryland	SDWA	294
Massachusetts	SDWA, CWA	M-NY044
Michigan	SDWA	9937
Minnesota	SDWA, CWA, RCRA	036-999-337
New Hampshire	NELAP SDWA, CWA	233701
New Jersey	SDWA, CWA, RCRA, CLP	NY455
New York	NELAP, AIR, SDWA, CWA, RCRA, ASP	10026
Oklahoma	CWA, RCRA	9421
Pennsylvania	NELAP CWA, RCRA	68-00281
South Carolina	RCRA	91013
Tennessee	SDWA	02970
USDA	FOREIGN SOIL PERMIT	S-41579
USDOE	Department of Energy	DOECAP-STB
Virginia	SDWA	278
Washington	CWA, RCRA	C1677
West Virginia	CWA, RCRA	252
Wisconsin	CWA, RCRA	998310390

SAMPLE SUMMARY

<u>LAB SAMPLE ID</u>	<u>CLIENT SAMPLE ID</u>	<u>MATRIX</u>	<u>SAMPLED</u>		<u>RECEIVED</u>	
			<u>DATE</u>	<u>TIME</u>	<u>DATE</u>	<u>TIME</u>
A6B58214	BBTI-S	WATER	10/04/2006	14:20	10/05/2006	10:45
A6B58209	MW-101D	WATER	10/04/2006	12:55	10/05/2006	10:45
A6B58208	MW-101I	WATER	10/04/2006	12:45	10/05/2006	10:45
A6B58205	MW-102	WATER	10/04/2006	11:45	10/05/2006	10:45
A6B58204	MW-103D	WATER	10/04/2006	11:15	10/05/2006	10:45
A6B58203	MW-103I	WATER	10/04/2006	11:20	10/05/2006	10:45
A6B58202	MW-104D	WATER	10/04/2006	11:05	10/05/2006	10:45
A6B58201	MW-104I	WATER	10/04/2006	11:00	10/05/2006	10:45
A6B58211	MW-107I	WATER	10/04/2006	13:45	10/05/2006	10:45
A6B58210	MW-107S	WATER	10/04/2006	13:30	10/05/2006	10:45
A6B58210MS	MW-107S	WATER	10/04/2006	13:30	10/05/2006	10:45
A6B58210SD	MW-107S	WATER	10/04/2006	13:30	10/05/2006	10:45
A6B58215	MW-108D	WATER	10/04/2006	12:20	10/05/2006	10:45
A6B58207	MW-108I	WATER	10/04/2006	12:15	10/05/2006	10:45
A6B58206	MW-109	WATER	10/04/2006	12:00	10/05/2006	10:45
A6B58213	MW-110	WATER	10/04/2006	14:00	10/05/2006	10:45
A6B58212	MW-113	WATER	10/04/2006	14:00	10/05/2006	10:45

METHODS SUMMARY

Job#: A06-B582STL Project#: NY5A946109Site Name: NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

<u>PARAMETER</u>	<u>ANALYTICAL METHOD</u>
NYSDEC - AQUEOUS-SW8463 TCL 8260	SW8463 8260
NYDEC AQ- 8270 TCL SEMI-VOLATILE ORGANIC	SW8463 8270
METHOD 8081 - TCL PESTICIDES	SW8463 8081
Aluminum - Total	SW8463 6010
Antimony - Total	SW8463 6010
Arsenic - Total	SW8463 6010
Barium - Total	SW8463 6010
Beryllium - Total	SW8463 6010
Cadmium - Total	SW8463 6010
Calcium - Total	SW8463 6010
Chromium - Total	SW8463 6010
Cobalt - Total	SW8463 6010
Copper - Total	SW8463 6010
Iron - Total	SW8463 6010
Lead - Total	SW8463 6010
Magnesium - Total	SW8463 6010
Manganese - Total	SW8463 6010
Mercury - Total	SW8463 7470
Nickel - Total	SW8463 6010
Potassium - Total	SW8463 6010
Selenium - Total	SW8463 6010
Silver - Total	SW8463 6010
Sodium - Total	SW8463 6010
Thallium - Total	SW8463 6010
Vanadium - Total	SW8463 6010
Zinc - Total	SW8463 6010

References:

SW8463 "Test Methods for Evaluating Solid Waste Physical/Chemical Methods (SW846), Third Edition, 9/86; Update I, 7/92; Update IIA, 8/93; Update II, 9/94; Update IIB, 1/95; Update III, 12/96.

NON-CONFORMANCE SUMMARY

Job#: A06-B582STL Project#: NY5A946109Site Name: NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACTGeneral Comments

The enclosed data may or may not have been reported utilizing data qualifiers (Q) as defined on the Data Comment Page.

Soil, sediment and sludge sample results are reported on "dry weight" basis unless otherwise noted in this data package.

According to 40CFR Part 136.3, pH, Chlorine Residual, Dissolved Oxygen, Sulfite, and Temperature analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field (e.g. pH-Field), they were not analyzed immediately, but as soon as possible after laboratory receipt.

Sample dilutions were performed as indicated on the attached Dilution Log. The rationale for dilution is specified by the 3-digit code and definition.

Sample Receipt Comments

A06-B582

Sample Cooler(s) were received at the following temperature(s); 6.0 °C
All samples were received in good condition.

GC/MS Volatile Data

No deviations from protocol were encountered during the analytical procedures.

GC/MS Semivolatile Data

No deviations from protocol were encountered during the analytical procedures.

GC Extractable Data

For method 8081, the sample extract and associated quality control required treatment with Copper prior to analysis due to the presence of elemental Sulfur.

Metals Data

No deviations from protocol were encountered during the analytical procedures.

The results presented in this report relate only to the analytical testing and condition of the sample at receipt. This report pertains to only those samples actually tested. All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.

"I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory Manager or his designee, as verified by the following signature."



Brian J. Fischer
Project Manager

11-2-86

Date

Date: 10/28/2006

Time: 08:56:39

Dilution Log w/Code Information

For Job A06-B582

7/44 Page: 1
Rept: AN1266R

<u>Client Sample ID</u>	<u>Lab Sample ID</u>	<u>Parameter (Inorganic)/Method (Organic)</u>	<u>Dilution</u>	<u>Code</u>
BBTI-S	A6B58214	8260	20.00	003

Dilution Code Definition:

- 002 - sample matrix effects
- 003 - excessive foaming
- 004 - high levels of non-target compounds
- 005 - sample matrix resulted in method non-compliance for an Internal Standard
- 006 - sample matrix resulted in method non-compliance for Surrogate
- 007 - nature of the TCLP matrix
- 008 - high concentration of target analyte(s)
- 009 - sample turbidity
- 010 - sample color
- 011 - insufficient volume for lower dilution
- 012 - sample viscosity
- 013 - other

DATA QUALIFIER PAGE

These definitions are provided in the event the data in this report requires the use of one or more of the qualifiers. Not all qualifiers defined below are necessarily used in the accompanying data package.

ORGANIC DATA QUALIFIERS

ND or U Indicates compound was analyzed for, but not detected.

J Indicates an estimated value. This flag is used either when estimating a concentration for tentatively identified compounds where a 1:1 response is assumed, or when the data indicates the presence of a compound that meets the identification criteria but the result is less than the sample quantitation limit but greater than zero.

C This flag applies to pesticide results where the identification has been confirmed by GC/MS.

B This flag is used when the analyte is found in the associated blank, as well as in the sample.

E This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis.

D This flag identifies all compounds identified in an analysis at the secondary dilution factor.

N Indicates presumptive evidence of a compound. This flag is used only for tentatively identified compounds, where the identification is based on the Mass Spectral library search. It is applied to all TIC results.

P This flag is used for CLP methodology only. For Pesticide/Aroclor target analytes, when a difference for detected concentrations between the two GC columns is greater than 25%, the lower of the two values is reported on the data page and flagged with a "P".

A This flag indicates that a TIC is a suspected aldol-condensation product.

1 Indicates coelution.

* Indicates analysis is not within the quality control limits.

INORGANIC DATA QUALIFIERS

ND or U Indicates element was analyzed for, but not detected. Report with the detection limit value.

J or B Indicates a value greater than or equal to the instrument detection limit, but less than the quantitation limit.

N Indicates spike sample recovery is not within the quality control limits.

S Indicates value determined by the Method of Standard Addition.

E Indicates a value estimated or not reported due to the presence of interferences.

H Indicates analytical holding time exceedance. The value obtained should be considered an estimate.

* Indicates the spike or duplicate analysis is not within the quality control limits.

+ Indicates the correlation coefficient for the Method of Standard Addition is less than 0.995.

Date: 10/28/2006

NYSDEC

9/44 Page: 1

Time: 08:57:03

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRA

Rept: AN1178

NYSDEC Spills - Patton's Busy Bee: Site #902014

Sample ID: BBT1-S

Date Received: 10/05/2006

Lab Sample ID: A6B58214

Project No: NY5A946109

Date Collected: 10/04/2006

Client No: L10190

Time Collected: 14:20

Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
NYSDEC - AQUEOUS-SW8463 TCL 8260								
1,1,1-Trichloroethane	ND		20	UG/L	8260	10/17/2006 14:08		JMB
1,1,2,2-Tetrachloroethane	ND		20	UG/L	8260	10/17/2006 14:08		JMB
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		20	UG/L	8260	10/17/2006 14:08		JMB
1,1,2-Trichloroethane	ND		20	UG/L	8260	10/17/2006 14:08		JMB
1,1-Dichloroethane	ND		20	UG/L	8260	10/17/2006 14:08		JMB
1,1-Dichloroethene	ND		20	UG/L	8260	10/17/2006 14:08		JMB
1,2,4-Trichlorobenzene	ND		20	UG/L	8260	10/17/2006 14:08		JMB
1,2-Dibromo-3-chloropropane	ND		20	UG/L	8260	10/17/2006 14:08		JMB
1,2-Dibromoethane	ND ✓		20	UG/L	8260	10/17/2006 14:08		JMB
1,2-Dichlorobenzene	ND		20	UG/L	8260	10/17/2006 14:08		JMB
1,2-Dichloroethane	ND		20	UG/L	8260	10/17/2006 14:08		JMB
1,2-Dichloropropane	ND		20	UG/L	8260	10/17/2006 14:08		JMB
1,3-Dichlorobenzene	ND <u>✓</u>		20	UG/L	8260	10/17/2006 14:08		JMB
1,4-Dichlorobenzene	ND		20	UG/L	8260	10/17/2006 14:08		JMB
2-Butanone	ND		100	UG/L	8260	10/17/2006 14:08		JMB
2-Hexanone	ND		100	UG/L	8260	10/17/2006 14:08		JMB
4-Methyl-2-pentanone	ND		100	UG/L	8260	10/17/2006 14:08		JMB
Acetone	63	J	100	UG/L	8260	10/17/2006 14:08		JMB
Benzene	ND		20	UG/L	8260	10/17/2006 14:08		JMB
Bromodichloromethane	ND		20	UG/L	8260	10/17/2006 14:08		JMB
Bromoform	ND		20	UG/L	8260	10/17/2006 14:08		JMB
Bromomethane	ND		20	UG/L	8260	10/17/2006 14:08		JMB
Carbon Disulfide	ND		20	UG/L	8260	10/17/2006 14:08		JMB
Carbon Tetrachloride	ND <u>✓</u>		20	UG/L	8260	10/17/2006 14:08		JMB
Chlorobenzene	ND		20	UG/L	8260	10/17/2006 14:08		JMB
Chloroethane	ND		20	UG/L	8260	10/17/2006 14:08		JMB
Chloroform	ND		20	UG/L	8260	10/17/2006 14:08		JMB
Chloromethane	ND		20	UG/L	8260	10/17/2006 14:08		JMB
cis-1,2-Dichloroethene	ND		20	UG/L	8260	10/17/2006 14:08		JMB
cis-1,3-Dichloropropene	ND		20	UG/L	8260	10/17/2006 14:08		JMB
Cyclohexane	ND		20	UG/L	8260	10/17/2006 14:08		JMB
Dibromochloromethane	ND		20	UG/L	8260	10/17/2006 14:08		JMB
Dichlorodifluoromethane	ND		20	UG/L	8260	10/17/2006 14:08		JMB
Ethylbenzene	ND		20	UG/L	8260	10/17/2006 14:08		JMB
Isopropylbenzene	ND		20	UG/L	8260	10/17/2006 14:08		JMB
Methyl acetate	ND		20	UG/L	8260	10/17/2006 14:08		JMB
Methyl-t-Butyl Ether (MTBE)	ND		20	UG/L	8260	10/17/2006 14:08		JMB
Methylcyclohexane	ND		20	UG/L	8260	10/17/2006 14:08		JMB
Methylene chloride	19	J	20	UG/L	8260	10/17/2006 14:08		JMB
Styrene	ND		20	UG/L	8260	10/17/2006 14:08		JMB
Tetrachloroethene	ND		20	UG/L	8260	10/17/2006 14:08		JMB
Toluene	ND		20	UG/L	8260	10/17/2006 14:08		JMB
Total Xylenes	ND		60	UG/L	8260	10/17/2006 14:08		JMB
trans-1,2-Dichloroethene	ND		20	UG/L	8260	10/17/2006 14:08		JMB
trans-1,3-Dichloropropene	ND ✓		20	UG/L	8260	10/17/2006 14:08		JMB
Trichloroethene	ND		20	UG/L	8260	10/17/2006 14:08		JMB
Trichlorofluoromethane	ND		20	UG/L	8260	10/17/2006 14:08		JMB
Vinyl chloride	ND		20	UG/L	8260	10/17/2006 14:08		JMB

Sample ID: 8BTI-S
 Lab Sample ID: A6B58214
 Date Collected: 10/04/2006
 Time Collected: 14:20

Date Received: 10/05/2006
 Project No: NY5A946109
 Client No: L10190
 Site No:

Parameter	Result	Flag	Detection Limit	Units	Method	Date/Time Analyzed	Analyst
NYDEC AQ- SW8463 8270 - TCL SVOA ORGANIC							
1,2,4-Trichlorobenzene	ND	} VOA Sum	10	UG/L	8270	10/12/2006 16:33	PM
1,2-Dichlorobenzene	ND		10	UG/L	8270	10/12/2006 16:33	PM
1,3-Dichlorobenzene	ND		10	UG/L	8270	10/12/2006 16:33	PM
1,4-Dichlorobenzene	ND		10	UG/L	8270	10/12/2006 16:33	PM
2,2'-Oxybis(1-Chloropropane)	ND		10	UG/L	8270	10/12/2006 16:33	PM
2,4,5-Trichlorophenol	ND		10	UG/L	8270	10/12/2006 16:33	PM
2,4,6-Trichlorophenol	ND		10	UG/L	8270	10/12/2006 16:33	PM
2,4-Dichlorophenol	ND		10	UG/L	8270	10/12/2006 16:33	PM
2,4-Dimethylphenol	ND		10	UG/L	8270	10/12/2006 16:33	PM
2,4-Dinitrophenol	ND		49	UG/L	8270	10/12/2006 16:33	PM
2,4-Dinitrotoluene	ND		10	UG/L	8270	10/12/2006 16:33	PM
2,6-Dinitrotoluene	ND		10	UG/L	8270	10/12/2006 16:33	PM
2-Chloronaphthalene	ND		10	UG/L	8270	10/12/2006 16:33	PM
2-Chlorophenol	ND		10	UG/L	8270	10/12/2006 16:33	PM
2-Methylnaphthalene	ND		10	UG/L	8270	10/12/2006 16:33	PM
2-Methylphenol	ND		10	UG/L	8270	10/12/2006 16:33	PM
2-Nitroaniline	ND		49	UG/L	8270	10/12/2006 16:33	PM
2-Nitrophenol	ND		10	UG/L	8270	10/12/2006 16:33	PM
3,3'-Dichlorobenzidine	ND		20	UG/L	8270	10/12/2006 16:33	PM
3-Nitroaniline	ND		49	UG/L	8270	10/12/2006 16:33	PM
4,6-Dinitro-2-methylphenol	ND		49	UG/L	8270	10/12/2006 16:33	PM
4-Bromophenyl phenyl ether	ND		10	UG/L	8270	10/12/2006 16:33	PM
4-Chloro-3-methylphenol	ND		10	UG/L	8270	10/12/2006 16:33	PM
4-Chloroaniline	ND		10	UG/L	8270	10/12/2006 16:33	PM
4-Chlorophenyl phenyl ether	ND		10	UG/L	8270	10/12/2006 16:33	PM
4-Methylphenol	ND		10	UG/L	8270	10/12/2006 16:33	PM
4-Nitroaniline	ND		49	UG/L	8270	10/12/2006 16:33	PM
4-Nitrophenol	ND		49	UG/L	8270	10/12/2006 16:33	PM
Acenaphthene	ND		10	UG/L	8270	10/12/2006 16:33	PM
Acenaphthylene	ND		10	UG/L	8270	10/12/2006 16:33	PM
Anthracene	ND		10	UG/L	8270	10/12/2006 16:33	PM
Benzo(a)anthracene	ND		10	UG/L	8270	10/12/2006 16:33	PM
Benzo(a)pyrene	ND		10	UG/L	8270	10/12/2006 16:33	PM
Benzo(b)fluoranthene	ND		10	UG/L	8270	10/12/2006 16:33	PM
Benzo(ghi)perylene	ND		10	UG/L	8270	10/12/2006 16:33	PM
Benzo(k)fluoranthene	ND		10	UG/L	8270	10/12/2006 16:33	PM
Bis(2-chloroethoxy) methane	ND		10	UG/L	8270	10/12/2006 16:33	PM
Bis(2-chloroethyl) ether	ND		10	UG/L	8270	10/12/2006 16:33	PM
Bis(2-ethylhexyl) phthalate	ND		10	UG/L	8270	10/12/2006 16:33	PM
Butyl benzyl phthalate	ND		10	UG/L	8270	10/12/2006 16:33	PM
Carbazole	ND		10	UG/L	8270	10/12/2006 16:33	PM
Chrysene	ND		10	UG/L	8270	10/12/2006 16:33	PM
Di-n-butyl phthalate	ND		10	UG/L	8270	10/12/2006 16:33	PM
Di-n-octyl phthalate	ND		10	UG/L	8270	10/12/2006 16:33	PM
Dibenzo(a,h)anthracene	ND		10	UG/L	8270	10/12/2006 16:33	PM
Dibenzofuran	ND		10	UG/L	8270	10/12/2006 16:33	PM
Diethyl phthalate	ND		10	UG/L	8270	10/12/2006 16:33	PM
Dimethyl phthalate	ND		10	UG/L	8270	10/12/2006 16:33	PM
Fluoranthene	ND		10	UG/L	8270	10/12/2006 16:33	PM

Date: 10/28/2006

NYSDEC

11/44 Page: 3

Time: 08:57:03

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRA

Rept: AN1178

NYSDEC Spills - Patton's Busy Bee: Site #902014

Sample ID: BBT1-S

Date Received: 10/05/2006

Lab Sample ID: A6858214

Project No: NY5A946109

Date Collected: 10/04/2006

Client No: L10190

Time Collected: 14:20

Site No:

Parameter	Result	Flag	Detection Limit	Units	Method	Date/Time Analyzed	Analyst
NYSDEC AQ- SW8463 8270 - TCL SVOA ORGANIC							
Fluorene	ND		10	UG/L	8270	10/12/2006 16:33	PM
Hexachlorobenzene	ND		10	UG/L	8270	10/12/2006 16:33	PM
Hexachlorobutadiene	ND		10	UG/L	8270	10/12/2006 16:33	PM
Hexachlorocyclopentadiene	ND		44	UG/L	8270	10/12/2006 16:33	PM
Hexachloroethane	ND		10	UG/L	8270	10/12/2006 16:33	PM
Indeno(1,2,3-cd)pyrene	ND		10	UG/L	8270	10/12/2006 16:33	PM
Isophorone	ND		10	UG/L	8270	10/12/2006 16:33	PM
N-Nitroso-Di-n-propylamine	ND		10	UG/L	8270	10/12/2006 16:33	PM
N-nitrosodiphenylamine	ND		10	UG/L	8270	10/12/2006 16:33	PM
Naphthalene	ND		10	UG/L	8270	10/12/2006 16:33	PM
Nitrobenzene	ND		10	UG/L	8270	10/12/2006 16:33	PM
Pentachlorophenol	ND		49	UG/L	8270	10/12/2006 16:33	PM
Phenanthrene	ND		10	UG/L	8270	10/12/2006 16:33	PM
Phenol	ND		10	UG/L	8270	10/12/2006 16:33	PM
Pyrene	ND		10	UG/L	8270	10/12/2006 16:33	PM
NYSDEC - AQUEOUS-SW8463 8081 - TCL PESTICIDES							
4,4'-DDD	ND		0.048	UG/L	8081	10/12/2006 12:27	TCH
4,4'-DDE	ND		0.048	UG/L	8081	10/12/2006 12:27	TCH
4,4'-DDT	ND		0.048	UG/L	8081	10/12/2006 12:27	TCH
Aldrin	ND		0.048	UG/L	8081	10/12/2006 12:27	TCH
alpha-BHC	ND		0.048	UG/L	8081	10/12/2006 12:27	TCH
alpha-Chlordane	ND		0.048	UG/L	8081	10/12/2006 12:27	TCH
beta-BHC	ND		0.048	UG/L	8081	10/12/2006 12:27	TCH
delta-BHC	ND		0.048	UG/L	8081	10/12/2006 12:27	TCH
Dieldrin	ND		0.048	UG/L	8081	10/12/2006 12:27	TCH
Endosulfan I	ND		0.048	UG/L	8081	10/12/2006 12:27	TCH
Endosulfan II	ND		0.048	UG/L	8081	10/12/2006 12:27	TCH
Endosulfan Sulfate	ND		0.048	UG/L	8081	10/12/2006 12:27	TCH
Endrin	ND		0.048	UG/L	8081	10/12/2006 12:27	TCH
Endrin aldehyde	ND		0.048	UG/L	8081	10/12/2006 12:27	TCH
Endrin ketone	ND		0.048	UG/L	8081	10/12/2006 12:27	TCH
gamma-BHC (Lindane)	ND		0.048	UG/L	8081	10/12/2006 12:27	TCH
gamma-Chlordane	0.039	J	0.048	UG/L	8081	10/12/2006 12:27	TCH
Heptachlor	ND		0.048	UG/L	8081	10/12/2006 12:27	TCH
Heptachlor epoxide	ND		0.048	UG/L	8081	10/12/2006 12:27	TCH
Methoxychlor	ND		0.048	UG/L	8081	10/12/2006 12:27	TCH
Toxaphene	ND		0.96	UG/L	8081	10/12/2006 12:27	TCH
Metals Analysis							
Aluminum - Total	56.7		0.20	MG/L	6010	10/11/2006 20:57	AK
Antimony - Total	ND		0.020	MG/L	6010	10/11/2006 20:57	AK
Arsenic - Total	0.096		0.010	MG/L	6010	10/11/2006 20:57	AK
Barium - Total	2.6		0.0020	MG/L	6010	10/11/2006 20:57	AK
Beryllium - Total	0.0033		0.0020	MG/L	6010	10/11/2006 20:57	AK
Cadmium - Total	0.015		0.0010	MG/L	6010	10/11/2006 20:57	AK
Calcium - Total	76.7		0.50	MG/L	6010	10/11/2006 20:57	AK
Chromium - Total	0.17		0.0040	MG/L	6010	10/11/2006 20:57	AK
Cobalt - Total	0.059		0.0040	MG/L	6010	10/11/2006 20:57	AK

Date: 10/28/2006

NYSDEC

12/44

Page: 4

Time: 08:57:03

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRA

Rept: AN1178

NYSDEC Spills - Patton's Busy Bee: Site #902014

Sample ID: BBTI-S

Date Received: 10/05/2006

Lab Sample ID: A6858214

Project No: NY5A946109

Date Collected: 10/04/2006

Client No: L10190

Time Collected: 14:20

Site No:

Parameter	Result	Flag	Detection		Units	Method	Date/Time		Analyst
			Limit				Analyzed		
Metals Analysis									
Copper - Total	0.40		0.010		MG/L	6010	10/11/2006 20:57		AK
Iron - Total	262		0.050		MG/L	6010	10/11/2006 20:57		AK
Lead - Total	0.55		0.0050		MG/L	6010	10/11/2006 20:57		AK
Magnesium - Total	39.2		0.20		MG/L	6010	10/11/2006 20:57		AK
Manganese - Total	4.6		0.0030		MG/L	6010	10/11/2006 20:57		AK
Mercury - Total	0.00089		0.00020		MG/L	7470	10/07/2006 12:31		MM
Nickel - Total	0.54		0.010		MG/L	6010	10/11/2006 20:57		AK
Potassium - Total	39.8		0.50		MG/L	6010	10/11/2006 20:57		AK
Selenium - Total	ND		0.015		MG/L	6010	10/11/2006 20:57		AK
Silver - Total	ND		0.0030		MG/L	6010	10/11/2006 20:57		AK
Sodium - Total	530		1.0		MG/L	6010	10/12/2006 19:59		AK
Thallium - Total	ND		0.020		MG/L	6010	10/11/2006 20:57		AK
Vanadium - Total	0.080		0.0050		MG/L	6010	10/11/2006 20:57		AK
Zinc - Total	1.9		0.010		MG/L	6010	10/11/2006 20:57		AK

Sample ID: MW-101D

Date Received: 10/05/2006

Lab Sample ID: A6B58209

Project No: NY5A946109

Date Collected: 10/04/2006

Client No: L10190

Time Collected: 12:55

Site No:

Parameter	Result	Flag	Detection Limit	Units	Method	Date/Time Analyzed	Analyst
NYSDEC - AQUEOUS-SW8463 TCL 8260							
✓ 1,1,1-Trichloroethane	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB
✓ 1,1,2,2-Tetrachloroethane	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB
1,1,2-Trichloroethane	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB
1,1-Dichloroethane	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB
1,1-Dichloroethene	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB
1,2,4-Trichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB
1,2-Dibromo-3-chloropropane	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB
1,2-Dibromoethane	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB
1,2-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB
1,2-Dichloroethane	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB
1,2-Dichloropropane	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB
1,3-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB
1,4-Dichlorobenzene	1.1		1.0	UG/L	8260	10/17/2006 06:15	JMB
2-Butanone	ND		5.0	UG/L	8260	10/17/2006 06:15	JMB
2-Hexanone	ND		5.0	UG/L	8260	10/17/2006 06:15	JMB
4-Methyl-2-pentanone	ND		5.0	UG/L	8260	10/17/2006 06:15	JMB
Acetone	ND		5.0	UG/L	8260	10/17/2006 06:15	JMB
Benzene	1.2		1.0	UG/L	8260	10/17/2006 06:15	JMB
Bromodichloromethane	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB
Bromoform	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB
Bromomethane	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB
Carbon Disulfide	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB
Carbon Tetrachloride	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB
Chlorobenzene	6.3		1.0	UG/L	8260	10/17/2006 06:15	JMB
Chloroethane	0.47	J	1.0	UG/L	8260	10/17/2006 06:15	JMB
Chloroform	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB
* Chloromethane	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB
cis-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB
* cis-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB
Cyclohexane	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB
Dibromochloromethane	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB
Dichlorodifluoromethane	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB
Ethylbenzene	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB
Isopropylbenzene	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB
Methyl acetate	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB
Methyl-t-Butyl Ether (MTBE)	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB
Methylcyclohexane	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB
Methylene chloride	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB
Styrene	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB
Tetrachloroethene	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB
Toluene	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB
Total Xylenes	ND		3.0	UG/L	8260	10/17/2006 06:15	JMB
trans-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB
trans-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB
Trichloroethene	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB
Trichlorofluoromethane	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB
vinyl chloride	ND		1.0	UG/L	8260	10/17/2006 06:15	JMB

Date: 10/28/2006

NYSDEC

14/44

Page: 6

Time: 08:57:03

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRA

Rept: AN1178

NYSDEC Spills - Patton's Busy Bee: Site #902014

Date Received: 10/05/2006

Project No: NY5A946109

Client No: L10190

Site No:

Sample ID: MW-1010

Lab Sample ID: A6B58209

Date Collected: 10/04/2006

Time Collected: 12:55

Parameter	Result	Flag	Detection Limit	Units	Method	Date/Time Analyzed	Analyst
Metals Analysis							
Aluminum - Total	ND		0.20	MG/L	6010	10/11/2006 20:02	AK
Antimony - Total	ND		0.020	MG/L	6010	10/11/2006 20:02	AK
Arsenic - Total	ND		0.010	MG/L	6010	10/11/2006 20:02	AK
Barium - Total	0.75		0.0020	MG/L	6010	10/11/2006 20:02	AK
Beryllium - Total	ND		0.0020	MG/L	6010	10/11/2006 20:02	AK
Cadmium - Total	ND		0.0010	MG/L	6010	10/11/2006 20:02	AK
Calcium - Total	129		0.50	MG/L	6010	10/11/2006 20:02	AK
Chromium - Total	ND		0.0040	MG/L	6010	10/11/2006 20:02	AK
Cobalt - Total	ND		0.0040	MG/L	6010	10/11/2006 20:02	AK
Copper - Total	ND		0.010	MG/L	6010	10/11/2006 20:02	AK
Iron - Total	0.81		0.050	MG/L	6010	10/11/2006 20:02	AK
Lead - Total	ND		0.0050	MG/L	6010	10/11/2006 20:02	AK
Magnesium - Total	79.1		0.20	MG/L	6010	10/11/2006 20:02	AK
Manganese - Total	7.4		0.0030	MG/L	6010	10/11/2006 20:02	AK
Mercury - Total	ND		0.00020	MG/L	7470	10/07/2006 12:18	MM
Nickel - Total	ND		0.010	MG/L	6010	10/11/2006 20:02	AK
Potassium - Total	11.4		0.50	MG/L	6010	10/11/2006 20:02	AK
Selenium - Total	ND		0.015	MG/L	6010	10/11/2006 20:02	AK
Silver - Total	ND		0.0030	MG/L	6010	10/11/2006 20:02	AK
Sodium - Total	45.5		1.0	MG/L	6010	10/12/2006 19:15	AK
Thallium - Total	ND		0.020	MG/L	6010	10/11/2006 20:02	AK
Vanadium - Total	ND		0.0050	MG/L	6010	10/11/2006 20:02	AK
Zinc - Total	0.010		0.010	MG/L	6010	10/11/2006 20:02	AK

Sample ID: MW-1011

Date Received: 10/05/2006

Lab Sample ID: A6B58208

Project No: NY5A946109

Date Collected: 10/04/2006

Client No: L10190

Time Collected: 12:45

Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
NYSDEC - AQUEOUS-SW8463 TCL 8260								
1,1,1-Trichloroethane	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
1,1,2,2-Tetrachloroethane	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
1,1,2-Trichloroethane	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
1,1-Dichloroethane	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
1,1-Dichloroethene	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
1,2,4-Trichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
1,2-Dibromo-3-chloropropane	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
1,2-Dibromoethane	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
1,2-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
1,2-Dichloroethane	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
1,2-Dichloropropane	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
1,3-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
1,4-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
2-Butanone	ND		5.0	UG/L	8260	10/17/2006 05:46		JMB
2-Hexanone	ND		5.0	UG/L	8260	10/17/2006 05:46		JMB
4-Methyl-2-pentanone	ND		5.0	UG/L	8260	10/17/2006 05:46		JMB
Acetone	ND		5.0	UG/L	8260	10/17/2006 05:46		JMB
Benzene	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
Bromodichloromethane	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
Bromoform	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
Bromomethane	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
Carbon Disulfide	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
Carbon Tetrachloride	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
Chlorobenzene	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
Chloroethane	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
Chloroform	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
Chloromethane	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
cis-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
cis-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
Cyclohexane	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
Dibromochloromethane	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
Dichlorodifluoromethane	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
Ethylbenzene	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
Isopropylbenzene	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
Methyl acetate	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
Methyl-t-Butyl Ether (MTBE)	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
Methylcyclohexane	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
Methylene chloride	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
Styrene	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
Tetrachloroethene	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
Toluene	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
Total Xylenes	ND		3.0	UG/L	8260	10/17/2006 05:46		JMB
trans-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
trans-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
Trichloroethene	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
Trichlorofluoromethane	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB
Vinyl chloride	ND		1.0	UG/L	8260	10/17/2006 05:46		JMB

Date: 10/28/2006

NYSDEC

16/44

Page: 8

Time: 08:57:03

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRA

Rept: AN1178

NYSDEC Spills - Patton's Busy Bee: Site #902014

Sample ID: MW-1011

Lab Sample ID: A6858208

Date Collected: 10/04/2006

Time Collected: 12:45

Date Received: 10/05/2006

Project No: NY5A946109

Client No: L10190

Site No:

Parameter	Result	Flag	Detection Limit	Units	Method	Date/Time Analyzed	Analyst
Metals Analysis							
Aluminum - Total	23.9		0.20	MG/L	6010	10/11/2006 19:57	AK
Antimony - Total	ND		0.020	MG/L	6010	10/11/2006 19:57	AK
Arsenic - Total	0.016		0.010	MG/L	6010	10/11/2006 19:57	AK
Barium - Total	0.29		0.0020	MG/L	6010	10/11/2006 19:57	AK
Beryllium - Total	ND		0.0020	MG/L	6010	10/11/2006 19:57	AK
Cadmium - Total	0.0010		0.0010	MG/L	6010	10/11/2006 19:57	AK
Calcium - Total	89.4		0.50	MG/L	6010	10/11/2006 19:57	AK
Chromium - Total	0.027		0.0040	MG/L	6010	10/11/2006 19:57	AK
Cobalt - Total	0.020		0.0040	MG/L	6010	10/11/2006 19:57	AK
Copper - Total	0.038		0.010	MG/L	6010	10/11/2006 19:57	AK
Iron - Total	39.7		0.050	MG/L	6010	10/11/2006 19:57	AK
Lead - Total	0.015		0.0050	MG/L	6010	10/11/2006 19:57	AK
Magnesium - Total	45.6		0.20	MG/L	6010	10/11/2006 19:57	AK
Manganese - Total	0.75		0.0030	MG/L	6010	10/11/2006 19:57	AK
Mercury - Total	ND		0.00020	MG/L	7470	10/07/2006 12:17	MM
Nickel - Total	0.040		0.010	MG/L	6010	10/11/2006 19:57	AK
Potassium - Total	12.8		0.50	MG/L	6010	10/11/2006 19:57	AK
Selenium - Total	ND		0.015	MG/L	6010	10/11/2006 19:57	AK
Silver - Total	ND		0.0030	MG/L	6010	10/11/2006 19:57	AK
Sodium - Total	6.6		1.0	MG/L	6010	10/12/2006 18:59	AK
Thallium - Total	ND		0.020	MG/L	6010	10/11/2006 19:57	AK
Vanadium - Total	0.031		0.0050	MG/L	6010	10/11/2006 19:57	AK
Zinc - Total	0.099		0.010	MG/L	6010	10/11/2006 19:57	AK

Sample ID: MW-102

Date Received: 10/05/2006

Lab Sample ID: A6B58205

Project No: NY5A946109

Date Collected: 10/04/2006

Client No: L10190

Time Collected: 11:45

Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
NYSDEC - AQUEOUS-SW8463 TCL 8260								
1,1,1-Trichloroethane	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
1,1,2,2-Tetrachloroethane	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
1,1,2-Trichloroethane	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
1,1-Dichloroethane	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
1,1-Dichloroethene	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
1,2,4-Trichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
1,2-Dibromo-3-chloropropane	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
1,2-Dibromoethane	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
1,2-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
1,2-Dichloroethane	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
1,2-Dichloropropane	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
1,3-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
1,4-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
2-Butanone	ND		5.0	UG/L	8260	10/17/2006 04:21		JMB
2-Hexanone	ND		5.0	UG/L	8260	10/17/2006 04:21		JMB
4-Methyl-2-pentanone	ND		5.0	UG/L	8260	10/17/2006 04:21		JMB
Acetone	ND		5.0	UG/L	8260	10/17/2006 04:21		JMB
Benzene	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
Bromodichloromethane	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
Bromoform	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
Bromomethane	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
Carbon Disulfide	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
Carbon Tetrachloride	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
Chlorobenzene	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
Chloroethane	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
Chloroform	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
Chloromethane	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
cis-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
cis-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
Cyclohexane	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
Dibromochloromethane	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
Dichlorodifluoromethane	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
Ethylbenzene	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
Isopropylbenzene	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
Methyl acetate	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
Methyl-t-Butyl Ether (MTBE)	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
Methylcyclohexane	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
Methylene chloride	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
Styrene	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
Tetrachloroethene	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
Toluene	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
Total Xylenes	ND		3.0	UG/L	8260	10/17/2006 04:21		JMB
trans-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
trans-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
Trichloroethene	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
Trichlorofluoromethane	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB
Vinyl chloride	ND		1.0	UG/L	8260	10/17/2006 04:21		JMB

Date: 10/28/2006

NYSDEC

18/44 Page: 10

Time: 08:57:03

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRA

Rept: AN1178

NYSDEC Spills - Patton's Busy Bee: Site #902014

Sample ID: MW-102

Date Received: 10/05/2006

Lab Sample ID: A6858205

Project No: NY5A946109

Date Collected: 10/04/2006

Client No: L10190

Time Collected: 11:45

Site No:

Parameter	Result	Flag	Detection		Units	Method	Date/Time		Analyst
			Limit				Analyzed		
Metals Analysis									
Aluminum - Total	ND		0.20		MG/L	6010	10/11/2006 19:43		AK
Antimony - Total	ND		0.020		MG/L	6010	10/11/2006 19:43		AK
Arsenic - Total	ND		0.010		MG/L	6010	10/11/2006 19:43		AK
Barium - Total	0.084		0.0020		MG/L	6010	10/11/2006 19:43		AK
Beryllium - Total	ND		0.0020		MG/L	6010	10/11/2006 19:43		AK
Cadmium - Total	0.0012		0.0010		MG/L	6010	10/11/2006 19:43		AK
Calcium - Total	45.4		0.50		MG/L	6010	10/11/2006 19:43		AK
Chromium - Total	ND		0.0040		MG/L	6010	10/11/2006 19:43		AK
Cobalt - Total	ND		0.0040		MG/L	6010	10/11/2006 19:43		AK
Copper - Total	ND		0.010		MG/L	6010	10/11/2006 19:43		AK
Iron - Total	0.11		0.050		MG/L	6010	10/11/2006 19:43		AK
Lead - Total	ND		0.0050		MG/L	6010	10/11/2006 19:43		AK
Magnesium - Total	16.1		0.20		MG/L	6010	10/11/2006 19:43		AK
Manganese - Total	0.0048		0.0030		MG/L	6010	10/11/2006 19:43		AK
Mercury - Total	ND		0.00020		MG/L	7470	10/07/2006 12:13		MM
Nickel - Total	ND		0.010		MG/L	6010	10/11/2006 19:43		AK
Potassium - Total	2.9		0.50		MG/L	6010	10/11/2006 19:43		AK
Selenium - Total	ND		0.015		MG/L	6010	10/11/2006 19:43		AK
Silver - Total	ND		0.0030		MG/L	6010	10/11/2006 19:43		AK
Sodium - Total	4.1		1.0		MG/L	6010	10/12/2006 18:45		AK
Thallium - Total	ND		0.020		MG/L	6010	10/11/2006 19:43		AK
Vanadium - Total	ND		0.0050		MG/L	6010	10/11/2006 19:43		AK
Zinc - Total	ND		0.010		MG/L	6010	10/11/2006 19:43		AK

Date: 10/28/2006

NYSDEC

19/44

Page: 11

Time: 08:57:03

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRA

Rept: AN1178

NYSDEC Spills - Patton's Busy Bee: Site #902014

Sample ID: MW-103D

Date Received: 10/05/2006

Lab Sample ID: A6B58204

Project No: NY5A946109

Date Collected: 10/04/2006

Client No: L10190

Time Collected: 11:15

Site No:

Parameter	Result	Flag	Detection Limit	Units	Method	Date/Time Analyzed	Analyst
NYSDEC - AQUEOUS-SW8463 TCL 8260							
1,1,1-Trichloroethane	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
1,1,2,2-Tetrachloroethane	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
1,1,2-Trichloroethane	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
1,1-Dichloroethane	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
1,1-Dichloroethene	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
1,2,4-Trichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
1,2-Dibromo-3-chloropropane	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
1,2-Dibromoethane	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
1,2-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
1,2-Dichloroethane	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
1,2-Dichloropropane	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
1,3-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
1,4-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
2-Butanone	ND		5.0	UG/L	8260	10/17/2006 03:52	JMB
2-Hexanone	ND		5.0	UG/L	8260	10/17/2006 03:52	JMB
4-Methyl-2-pentanone	ND		5.0	UG/L	8260	10/17/2006 03:52	JMB
Acetone	ND		5.0	UG/L	8260	10/17/2006 03:52	JMB
Benzene	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
Bromodichloromethane	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
Bromoform	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
Bromomethane	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
Carbon Disulfide	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
Carbon Tetrachloride	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
Chlorobenzene	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
Chloroethane	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
Chloroform	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
Chloromethane	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
cis-1,2-Dichloroethene	5.4	—	1.0	UG/L	8260	10/17/2006 03:52	JMB
cis-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
Cyclohexane	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
Dibromochloromethane	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
Dichlorodifluoromethane	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
Ethylbenzene	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
Isopropylbenzene	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
Methyl acetate	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
Methyl-t-Butyl Ether (MTBE)	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
Methylcyclohexane	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
Methylene chloride	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
Styrene	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
Tetrachloroethene	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
Toluene	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
Total Xylenes	ND		3.0	UG/L	8260	10/17/2006 03:52	JMB
trans-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
trans-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
Trichloroethene	5.9	—	1.0	UG/L	8260	10/17/2006 03:52	JMB
Trichlorofluoromethane	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB
Vinyl chloride	ND		1.0	UG/L	8260	10/17/2006 03:52	JMB

Date: 10/28/2006

NYSDEC

20/44

Page: 12

Time: 08:57:03

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRA

Rept: AN1178

NYSDEC Spills - Patton's Busy Bee: Site #902014

Sample ID: MW-103D

Date Received: 10/05/2006

Lab Sample ID: A6B58204

Project No: NY5A946109

Date Collected: 10/04/2006

Client No: L10190

Time Collected: 11:15

Site No:

Parameter	Result	Flag	Detection		Units	Method	Date/Time		Analyst
			Limit				Analyzed		
Metals Analysis									
Aluminum - Total	ND		0.20		MG/L	6010	10/11/2006 19:38		AK
Antimony - Total	ND		0.020		MG/L	6010	10/11/2006 19:38		AK
Arsenic - Total	ND		0.010		MG/L	6010	10/11/2006 19:38		AK
Barium - Total	0.057		0.0020		MG/L	6010	10/11/2006 19:38		AK
Beryllium - Total	ND		0.0020		MG/L	6010	10/11/2006 19:38		AK
Cadmium - Total	ND		0.0010		MG/L	6010	10/11/2006 19:38		AK
Calcium - Total	23.2		0.50		MG/L	6010	10/11/2006 19:38		AK
Chromium - Total	ND		0.0040		MG/L	6010	10/11/2006 19:38		AK
Cobalt - Total	ND		0.0040		MG/L	6010	10/11/2006 19:38		AK
Copper - Total	ND		0.010		MG/L	6010	10/11/2006 19:38		AK
Iron - Total	0.086		0.050		MG/L	6010	10/11/2006 19:38		AK
Lead - Total	ND		0.0050		MG/L	6010	10/11/2006 19:38		AK
Magnesium - Total	9.0		0.20		MG/L	6010	10/11/2006 19:38		AK
Manganese - Total	0.0055		0.0030		MG/L	6010	10/11/2006 19:38		AK
Mercury - Total	ND		0.00020		MG/L	7470	10/07/2006 12:12		MM
Nickel - Total	ND		0.010		MG/L	6010	10/11/2006 19:38		AK
Potassium - Total	2.4		0.50		MG/L	6010	10/11/2006 19:38		AK
Selenium - Total	ND		0.015		MG/L	6010	10/11/2006 19:38		AK
Silver - Total	ND		0.0030		MG/L	6010	10/11/2006 19:38		AK
Sodium - Total	3.9		1.0		MG/L	6010	10/12/2006 18:40		AK
Thallium - Total	ND		0.020		MG/L	6010	10/11/2006 19:38		AK
Vanadium - Total	ND		0.0050		MG/L	6010	10/11/2006 19:38		AK
Zinc - Total	ND		0.010		MG/L	6010	10/11/2006 19:38		AK

Date: 10/28/2006

NYSDEC

21/44

Page: 13

Time: 08:57:03

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRA

Rept: AN1178

NYSDEC Spills - Patton's Busy Bee: Site #902014

Sample ID: MW-1031

Date Received: 10/05/2006

Lab Sample ID: A6B58203

Project No: NY5A946109

Date Collected: 10/04/2006

Client No: L10190

Time Collected: 11:20

Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
NYSDEC - AQUEOUS-SW8463 TCL 8260								
1,1,1-Trichloroethane	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
1,1,2,2-Tetrachloroethane	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
1,1,2-Trichloroethane	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
1,1-Dichloroethane	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
1,1-Dichloroethene	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
1,2,4-Trichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
1,2-Dibromo-3-chloropropane	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
1,2-Dibromoethane	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
1,2-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
1,2-Dichloroethane	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
1,2-Dichloropropane	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
1,3-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
1,4-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
2-Butanone	ND		5.0	UG/L	8260	10/17/2006 03:24		JMB
2-Hexanone	ND		5.0	UG/L	8260	10/17/2006 03:24		JMB
4-Methyl-2-pentanone	ND		5.0	UG/L	8260	10/17/2006 03:24		JMB
Acetone	ND		5.0	UG/L	8260	10/17/2006 03:24		JMB
Benzene	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
Bromodichloromethane	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
Bromoform	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
Bromomethane	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
Carbon Disulfide	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
Carbon Tetrachloride	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
Chlorobenzene	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
Chloroethane	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
Chloroform	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
Chloromethane	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
cis-1,2-Dichloroethene	6.4		1.0	UG/L	8260	10/17/2006 03:24		JMB
cis-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
Cyclohexane	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
Dibromochloromethane	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
Dichlorodifluoromethane	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
Ethylbenzene	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
Isopropylbenzene	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
Methyl acetate	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
Methyl-t-Butyl Ether (MTBE)	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
Methylcyclohexane	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
Methylene chloride	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
Styrene	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
Tetrachloroethene	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
Toluene	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
Total Xylenes	ND		3.0	UG/L	8260	10/17/2006 03:24		JMB
trans-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
trans-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
Trichloroethene	7.5		1.0	UG/L	8260	10/17/2006 03:24		JMB
Trichlorofluoromethane	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB
Vinyl chloride	ND		1.0	UG/L	8260	10/17/2006 03:24		JMB

Date: 10/28/2006

NYSDEC

22/44 Page: 14

Time: 08:57:03

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRA

Rept: AN1178

NYSDEC Spills - Patton's Busy Bee: Site #902014

Sample ID: MW-1031

Date Received: 10/05/2006

Lab Sample ID: A6B58203

Project No: NY5A946109

Date Collected: 10/04/2006

Client No: L10190

Time Collected: 11:20

Site No:

Parameter	Result	Flag	Detection		Units	Method	Date/Time		Analyst
			Limit				Analyzed		
Metals Analysis									
Aluminum - Total	ND		0.20		MG/L	6010	10/11/2006 19:33		AK
Antimony - Total	ND		0.020		MG/L	6010	10/11/2006 19:33		AK
Arsenic - Total	ND		0.010		MG/L	6010	10/11/2006 19:33		AK
Barium - Total	0.055		0.0020		MG/L	6010	10/11/2006 19:33		AK
Beryllium - Total	ND		0.0020		MG/L	6010	10/11/2006 19:33		AK
Cadmium - Total	ND		0.0010		MG/L	6010	10/11/2006 19:33		AK
Calcium - Total	22.8		0.50		MG/L	6010	10/11/2006 19:33		AK
Chromium - Total	ND		0.0040		MG/L	6010	10/11/2006 19:33		AK
Cobalt - Total	ND		0.0040		MG/L	6010	10/11/2006 19:33		AK
Copper - Total	ND		0.010		MG/L	6010	10/11/2006 19:33		AK
Iron - Total	0.14		0.050		MG/L	6010	10/11/2006 19:33		AK
Lead - Total	ND		0.0050		MG/L	6010	10/11/2006 19:33		AK
Magnesium - Total	8.3		0.20		MG/L	6010	10/11/2006 19:33		AK
Manganese - Total	0.013		0.0030		MG/L	6010	10/11/2006 19:33		AK
Mercury - Total	ND		0.00020		MG/L	7470	10/07/2006 12:11		MM
Nickel - Total	ND		0.010		MG/L	6010	10/11/2006 19:33		AK
Potassium - Total	1.7		0.50		MG/L	6010	10/11/2006 19:33		AK
Selenium - Total	ND		0.015		MG/L	6010	10/11/2006 19:33		AK
Silver - Total	ND		0.0030		MG/L	6010	10/11/2006 19:33		AK
Sodium - Total	4.0		1.0		MG/L	6010	10/12/2006 18:35		AK
Thallium - Total	ND		0.020		MG/L	6010	10/11/2006 19:33		AK
Vanadium - Total	ND		0.0050		MG/L	6010	10/11/2006 19:33		AK
Zinc - Total	ND		0.010		MG/L	6010	10/11/2006 19:33		AK

Date: 10/28/2006

NYSDEC

23/44

Page: 15

Time: 08:57:03

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRA

Rpt: AN1178

NYSDEC Spills - Patton's Busy Bee: Site #902014

Sample ID: MW-104D

Date Received: 10/05/2006

Lab Sample ID: A6B58202

Project No: NY5A946109

Date Collected: 10/04/2006

Client No: L10190

Time Collected: 11:05

Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
NYSDEC - AQUEOUS-SW8463 TCL 8260								
1,1,1-Trichloroethane	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
1,1,2,2-Tetrachloroethane	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
1,1,2-Trichloroethane	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
1,1-Dichloroethane	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
1,1-Dichloroethene	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
1,2,4-Trichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
1,2-Dibromo-3-chloropropane	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
1,2-Dibromoethane	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
1,2-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
1,2-Dichloroethane	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
1,2-Dichloropropane	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
1,3-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
1,4-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
2-Butanone	ND		5.0	UG/L	8260	10/17/2006 02:55		JMB
2-Hexanone	ND		5.0	UG/L	8260	10/17/2006 02:55		JMB
4-Methyl-2-pentanone	ND		5.0	UG/L	8260	10/17/2006 02:55		JMB
Acetone	ND		5.0	UG/L	8260	10/17/2006 02:55		JMB
Benzene	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
Bromodichloromethane	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
Bromoform	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
Bromomethane	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
Carbon Disulfide	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
Carbon Tetrachloride	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
Chlorobenzene	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
Chloroethane	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
Chloroform	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
Chloromethane	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
cis-1,2-Dichloroethene	0.69	J	1.0	UG/L	8260	10/17/2006 02:55		JMB
cis-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
Cyclohexane	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
Dibromochloromethane	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
Dichlorodifluoromethane	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
Ethylbenzene	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
Isopropylbenzene	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
Methyl acetate	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
Methyl-t-Butyl Ether (MTBE)	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
Methylcyclohexane	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
Methylene chloride	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
Styrene	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
Tetrachloroethene	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
Toluene	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
Total Xylenes	ND		3.0	UG/L	8260	10/17/2006 02:55		JMB
trans-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
trans-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
Trichloroethene	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
Trichlorofluoromethane	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB
Vinyl chloride	ND		1.0	UG/L	8260	10/17/2006 02:55		JMB

STL Buffalo

Date: 10/28/2006

NYSDEC

24/44

Page: 16

Time: 08:57:03

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

Rept: AN1178

NYSDEC Spills - Patton's Busy Bee: Site #902014

Sample ID: MW-1040

Date Received: 10/05/2006

Lab Sample ID: A6B58202

Project No: NY5A946109

Date Collected: 10/04/2006

Client No: L10190

Time Collected: 11:05

Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
Metals Analysis								
Aluminum - Total	ND	0	0.20	MG/L	6010	10/11/2006 19:28		AK
Antimony - Total	ND		0.020	MG/L	6010	10/11/2006 19:28		AK
Arsenic - Total	ND		0.010	MG/L	6010	10/11/2006 19:28		AK
Barium - Total	0.050		0.0020	MG/L	6010	10/11/2006 19:28		AK
Beryllium - Total	ND		0.0020	MG/L	6010	10/11/2006 19:28		AK
Cadmium - Total	0.0022		0.0010	MG/L	6010	10/11/2006 19:28		AK
Calcium - Total	49.9		0.50	MG/L	6010	10/11/2006 19:28		AK
Chromium - Total	ND		0.0040	MG/L	6010	10/11/2006 19:28		AK
Cobalt - Total	ND		0.0040	MG/L	6010	10/11/2006 19:28		AK
Copper - Total	ND		0.010	MG/L	6010	10/11/2006 19:28		AK
Iron - Total	0.088		0.050	MG/L	6010	10/11/2006 19:28		AK
Lead - Total	ND		0.0050	MG/L	6010	10/11/2006 19:28		AK
Magnesium - Total	25.0		0.20	MG/L	6010	10/11/2006 19:28		AK
Manganese - Total	0.0032		0.0030	MG/L	6010	10/11/2006 19:28		AK
Mercury - Total	ND		0.00020	MG/L	7470	10/07/2006 12:10		MM
Nickel - Total	ND		0.010	MG/L	6010	10/11/2006 19:28		AK
Potassium - Total	3.0		0.50	MG/L	6010	10/11/2006 19:28		AK
Selenium - Total	ND		0.015	MG/L	6010	10/11/2006 19:28		AK
Silver - Total	ND		0.0030	MG/L	6010	10/11/2006 19:28		AK
Sodium - Total	5.3		1.0	MG/L	6010	10/12/2006 18:30		AK
Thallium - Total	ND		0.020	MG/L	6010	10/11/2006 19:28		AK
Vanadium - Total	ND		0.0050	MG/L	6010	10/11/2006 19:28		AK
Zinc - Total	0.018		0.010	MG/L	6010	10/11/2006 19:28		AK

✓

Sample ID: MW-1041

Date Received: 10/05/2006

Lab Sample ID: A6B58201

Project No: NY5A946109

Date Collected: 10/04/2006

Client No: L10190

Time Collected: 11:00

Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
NYSDEC - AQUEOUS-SW8463 TCL 8260								
1,1,1-Trichloroethane	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB
1,1,2,2-Tetrachloroethane	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB
1,1,2-Trichloroethane	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB
1,1-Dichloroethane	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB
1,1-Dichloroethene	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB
1,2,4-Trichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB
1,2-Dibromo-3-chloropropane	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB
1,2-Dibromoethane	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB
1,2-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB
1,2-Dichloroethane	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB
1,2-Dichloropropane	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB
1,3-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB
1,4-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB
2-Butanone	ND		5.0	UG/L	8260	10/17/2006 02:27		JMB
2-Hexanone	ND		5.0	UG/L	8260	10/17/2006 02:27		JMB
4-Methyl-2-pentanone	ND		5.0	UG/L	8260	10/17/2006 02:27		JMB
Acetone	ND		5.0	UG/L	8260	10/17/2006 02:27		JMB
Benzene	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB
Bromodichloromethane	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB
Bromoform	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB
Bromomethane	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB
Carbon Disulfide	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB
Carbon Tetrachloride	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB
Chlorobenzene	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB
Chloroethane	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB
Chloroform	1.1	✓	1.0	UG/L	8260	10/17/2006 02:27		JMB
Chloromethane	ND	✓	1.0	UG/L	8260	10/17/2006 02:27		JMB
cis-1,2-Dichloroethene	2.2		1.0	UG/L	8260	10/17/2006 02:27		JMB
cis-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB
Cyclohexane	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB
Dibromochloromethane	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB
Dichlorodifluoromethane	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB
Ethylbenzene	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB
Isopropylbenzene	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB
Methyl acetate	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB
Methyl-t-Butyl Ether (MTBE)	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB
Methylcyclohexane	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB
Methylene chloride	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB
Styrene	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB
Tetrachloroethene	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB
Toluene	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB
Total Xylenes	ND		3.0	UG/L	8260	10/17/2006 02:27		JMB
trans-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB
trans-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB
Trichloroethene	3.6	✓	1.0	UG/L	8260	10/17/2006 02:27		JMB
Trichlorofluoromethane	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB
Vinyl chloride	ND		1.0	UG/L	8260	10/17/2006 02:27		JMB

Date: 10/28/2006

NYSDEC

26/44

Page: 18

Time: 08:57:03

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRA

Rept: AN1178

NYSDEC Spills - Patton's Busy Bee: Site #902014

Sample ID: MW-1041

Date Received: 10/05/2006

Lab Sample ID: A6B58201

Project No: NY5A946109

Date Collected: 10/04/2006

Client No: L10190

Time Collected: 11:00

Site No:

Parameter	Result	Flag	Detection Limit	Units	Method	Date/Time Analyzed	Analyst
Metals Analysis							
Aluminum - Total	0.33		0.20	MG/L	6010	10/11/2006 19:23	AK
Antimony - Total	ND		0.020	MG/L	6010	10/11/2006 19:23	AK
Arsenic - Total	ND		0.010	MG/L	6010	10/11/2006 19:23	AK
Barium - Total	0.026		0.0020	MG/L	6010	10/11/2006 19:23	AK
Beryllium - Total	ND		0.0020	MG/L	6010	10/11/2006 19:23	AK
Cadmium - Total	0.0014		0.0010	MG/L	6010	10/11/2006 19:23	AK
Calcium - Total	7.5		0.50	MG/L	6010	10/11/2006 19:23	AK
Chromium - Total	ND		0.0040	MG/L	6010	10/11/2006 19:23	AK
Cobalt - Total	ND		0.0040	MG/L	6010	10/11/2006 19:23	AK
Copper - Total	ND		0.010	MG/L	6010	10/11/2006 19:23	AK
Iron - Total	0.41		0.050	MG/L	6010	10/11/2006 19:23	AK
Lead - Total	ND		0.0050	MG/L	6010	10/11/2006 19:23	AK
Magnesium - Total	2.4		0.20	MG/L	6010	10/11/2006 19:23	AK
Manganese - Total	0.012		0.0030	MG/L	6010	10/11/2006 19:23	AK
Mercury - Total	ND		0.00020	MG/L	7470	10/07/2006 12:09	MM
Nickel - Total	ND		0.010	MG/L	6010	10/11/2006 19:23	AK
Potassium - Total	1.0		0.50	MG/L	6010	10/11/2006 19:23	AK
Selenium - Total	ND		0.015	MG/L	6010	10/11/2006 19:23	AK
Silver - Total	ND		0.0030	MG/L	6010	10/11/2006 19:23	AK
Sodium - Total	6.5		1.0	MG/L	6010	10/12/2006 18:25	AK
Thallium - Total	ND		0.020	MG/L	6010	10/11/2006 19:23	AK
Vanadium - Total	ND		0.0050	MG/L	6010	10/11/2006 19:23	AK
Zinc - Total	ND		0.010	MG/L	6010	10/11/2006 19:23	AK

Sample ID: MW-107I
 Lab Sample ID: A6B58211
 Date Collected: 10/04/2006
 Time Collected: 13:45

Date Received: 10/05/2006
 Project No: NY5A946109
 Client No: L10190
 Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
NYSDEC - AQUEOUS-SW8463 TCL 8260								
1,1,1-Trichloroethane	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
1,1,2,2-Tetrachloroethane	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
1,1,2-Trichloroethane	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
1,1-Dichloroethane	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
1,1-Dichloroethene	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
1,2,4-Trichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
1,2-Dibromo-3-chloropropane	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
1,2-Dibromoethane	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
1,2-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
1,2-Dichloroethane	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
1,2-Dichloropropane	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
1,3-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
1,4-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
2-Butanone	ND		5.0	UG/L	8260	10/17/2006 12:42		JMB
2-Hexanone	ND		5.0	UG/L	8260	10/17/2006 12:42		JMB
4-Methyl-2-pentanone	ND		5.0	UG/L	8260	10/17/2006 12:42		JMB
Acetone	ND		5.0	UG/L	8260	10/17/2006 12:42		JMB
Benzene	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
Bromodichloromethane	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
Bromoform	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
Bromomethane	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
Carbon Disulfide	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
Carbon Tetrachloride	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
Chlorobenzene	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
Chloroethane	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
Chloroform	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
Chloromethane	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
cis-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
cis-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
Cyclohexane	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
Dibromochloromethane	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
Dichlorodifluoromethane	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
Ethylbenzene	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
Isopropylbenzene	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
Methyl acetate	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
Methyl-t-Butyl Ether (MTBE)	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
Methylcyclohexane	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
Methylene chloride	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
Styrene	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
Tetrachloroethene	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
Toluene	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
Total Xylenes	ND		3.0	UG/L	8260	10/17/2006 12:42		JMB
trans-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
trans-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
Trichloroethene	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
Trichlorofluoromethane	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB
Vinyl chloride	ND		1.0	UG/L	8260	10/17/2006 12:42		JMB

Date: 10/28/2006

NYSDEC

28/44

Page: 20

Time: 08:57:03

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRA

Rept: AN1178

NYSDEC Spills - Patton's Busy Bee: Site #902014

Sample ID: MW-107I

Date Received: 10/05/2006

Lab Sample ID: A6B58211

Project No: NY5A946109

Date Collected: 10/04/2006

Client No: L10190

Time Collected: 13:45

Site No:

Parameter	Result	Flag	Detection Limit	Units	Method	Date/Time Analyzed	Analyst
Metals Analysis							
Aluminum - Total	8.7		0.20	MG/L	6010	10/11/2006 20:43	AK
Antimony - Total	ND		0.020	MG/L	6010	10/11/2006 20:43	AK
Arsenic - Total	ND		0.010	MG/L	6010	10/11/2006 20:43	AK
Barium - Total	0.16		0.0020	MG/L	6010	10/11/2006 20:43	AK
Beryllium - Total	ND		0.0020	MG/L	6010	10/11/2006 20:43	AK
Cadmium - Total	ND		0.0010	MG/L	6010	10/11/2006 20:43	AK
Calcium - Total	61.9		0.50	MG/L	6010	10/11/2006 20:43	AK
Chromium - Total	0.013		0.0040	MG/L	6010	10/11/2006 20:43	AK
Cobalt - Total	0.0071		0.0040	MG/L	6010	10/11/2006 20:43	AK
Copper - Total	ND		0.010	MG/L	6010	10/11/2006 20:43	AK
Iron - Total	12.8		0.050	MG/L	6010	10/11/2006 20:43	AK
Lead - Total	0.014		0.0050	MG/L	6010	10/11/2006 20:43	AK
Magnesium - Total	19.8		0.20	MG/L	6010	10/11/2006 20:43	AK
Manganese - Total	0.31		0.0030	MG/L	6010	10/11/2006 20:43	AK
Mercury - Total	ND		0.00020	MG/L	7470	10/07/2006 12:27	MM
Nickel - Total	0.015		0.010	MG/L	6010	10/11/2006 20:43	AK
Potassium - Total	6.1		0.50	MG/L	6010	10/11/2006 20:43	AK
Selenium - Total	ND		0.015	MG/L	6010	10/11/2006 20:43	AK
Silver - Total	ND		0.0030	MG/L	6010	10/11/2006 20:43	AK
Sodium - Total	7.2		1.0	MG/L	6010	10/12/2006 19:45	AK
Thallium - Total	ND		0.020	MG/L	6010	10/11/2006 20:43	AK
Vanadium - Total	0.012		0.0050	MG/L	6010	10/11/2006 20:43	AK
Zinc - Total	0.033		0.010	MG/L	6010	10/11/2006 20:43	AK

Sample ID: MW-107S
 Lab Sample ID: A6B58210
 Date Collected: 10/04/2006
 Time Collected: 13:30

Date Received: 10/05/2006
 Project No: NY5A946109
 Client No: L10190
 Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
NYSDEC - AQUEOUS-SW8463 TCL 8260								
1,1,1-Trichloroethane	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
1,1,2,2-Tetrachloroethane	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
1,1,2-Trichloroethane	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
1,1-Dichloroethane	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
1,1-Dichloroethene	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
1,2,4-Trichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
1,2-Dibromo-3-chloropropane	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
1,2-Dibromoethane	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
1,2-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
1,2-Dichloroethane	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
1,2-Dichloropropane	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
1,3-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
1,4-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
2-Butanone	ND		5.0	UG/L	8260	10/17/2006 06:43		JMB
2-Hexanone	ND		5.0	UG/L	8260	10/17/2006 06:43		JMB
4-Methyl-2-pentanone	ND		5.0	UG/L	8260	10/17/2006 06:43		JMB
Acetone	ND		5.0	UG/L	8260	10/17/2006 06:43		JMB
Benzene	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
Bromodichloromethane	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
Bromoform	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
Bromomethane	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
Carbon Disulfide	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
Carbon Tetrachloride	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
Chlorobenzene	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
Chloroethane	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
Chloroform	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
Chloromethane	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
cis-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
cis-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
Cyclohexane	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
Dibromochloromethane	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
Dichlorodifluoromethane	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
Ethylbenzene	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
Isopropylbenzene	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
Methyl acetate	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
Methyl-t-Butyl Ether (MTBE)	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
Methylcyclohexane	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
Methylene chloride	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
Styrene	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
Tetrachloroethene	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
Toluene	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
Total Xylenes	ND		3.0	UG/L	8260	10/17/2006 06:43		JMB
trans-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
trans-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
Trichloroethene	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
Trichlorofluoromethane	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB
Vinyl chloride	ND		1.0	UG/L	8260	10/17/2006 06:43		JMB

Date: 10/28/2006

NYSDEC

30/44 Page: 22

Time: 08:57:03

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

Rept: AN1178

NYSDEC Spills - Patton's Busy Bee: Site #902014

Sample ID: MW-107S

Date Received: 10/05/2006

Lab Sample ID: A6B58210

Project No: NY5A946109

Date Collected: 10/04/2006

Client No: L10190

Time Collected: 13:30

Site No:

Parameter	Result	Flag	Detection		Units	Method	Date/Time		Analyst
			Limit				Analyzed		
Metals Analysis									
Aluminum - Total	1.4		0.20		MG/L	6010	10/11/2006 20:18		AK
Antimony - Total	ND		0.020		MG/L	6010	10/11/2006 20:18		AK
Arsenic - Total	ND		0.010		MG/L	6010	10/11/2006 20:18		AK
Barium - Total	0.043		0.0020		MG/L	6010	10/11/2006 20:18		AK
Beryllium - Total	ND		0.0020		MG/L	6010	10/11/2006 20:18		AK
Cadmium - Total	0.0011		0.0010		MG/L	6010	10/11/2006 20:18		AK
Calcium - Total	20.5		0.50		MG/L	6010	10/11/2006 20:18		AK
Chromium - Total	ND		0.0040		MG/L	6010	10/11/2006 20:18		AK
Cobalt - Total	ND		0.0040		MG/L	6010	10/11/2006 20:18		AK
Copper - Total	ND		0.010		MG/L	6010	10/11/2006 20:18		AK
Iron - Total	1.7		0.050		MG/L	6010	10/11/2006 20:18		AK
Lead - Total	ND		0.0050		MG/L	6010	10/11/2006 20:18		AK
Magnesium - Total	5.8		0.20		MG/L	6010	10/11/2006 20:18		AK
Manganese - Total	0.56		0.0030		MG/L	6010	10/11/2006 20:18		AK
Mercury - Total	ND		0.00020		MG/L	7470	10/07/2006 12:19		MM
Nickel - Total	ND		0.010		MG/L	6010	10/11/2006 20:18		AK
Potassium - Total	1.6		0.50		MG/L	6010	10/11/2006 20:18		AK
Selenium - Total	ND		0.015		MG/L	6010	10/11/2006 20:18		AK
Silver - Total	ND		0.0030		MG/L	6010	10/11/2006 20:18		AK
Sodium - Total	9.0		1.0		MG/L	6010	10/12/2006 19:20		AK
Thallium - Total	ND		0.020		MG/L	6010	10/11/2006 20:18		AK
Vanadium - Total	ND		0.0050		MG/L	6010	10/11/2006 20:18		AK
Zinc - Total	ND		0.010		MG/L	6010	10/11/2006 20:18		AK

Date: 10/28/2006

NYSDEC

31/44 Page: 23

Time: 08:57:03

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

Rpt: AN1178

NYSDEC Spills - Patton's Busy Bee: Site #902014

Sample ID: MW-1080

Date Received: 10/05/2006

Lab Sample ID: A6B58215

Project No: NY5A946109

Date Collected: 10/04/2006

Client No: L10190

Time Collected: 12:20

Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
NYSDEC - AQUEOUS-SW8463 TCL 8260								
1,1,1-Trichloroethane	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
1,1,2,2-Tetrachloroethane	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
1,1,2-Trichloroethane	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
1,1-Dichloroethane	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
1,1-Dichloroethene	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
1,2,4-Trichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
1,2-Dibromo-3-chloropropane	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
1,2-Dibromoethane	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
1,2-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
1,2-Dichloroethane	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
1,2-Dichloropropane	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
1,3-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
1,4-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
2-Butanone	ND		5.0	UG/L	8260	10/17/2006 14:36		JMS
2-Hexanone	ND		5.0	UG/L	8260	10/17/2006 14:36		JMB
4-Methyl-2-pentanone	ND		5.0	UG/L	8260	10/17/2006 14:36		JMS
Acetone	ND		5.0	UG/L	8260	10/17/2006 14:36		JMB
Benzene	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
Bromodichloromethane	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
Bromoform	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
Bromomethane	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
Carbon Disulfide	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
Carbon Tetrachloride	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
Chlorobenzene	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
Chloroethane	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
Chloroform	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
Chloromethane	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
cis-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
cis-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
Cyclohexane	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
Dibromochloromethane	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
Dichlorodifluoromethane	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
Ethylbenzene	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
Isopropylbenzene	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
Methyl acetate	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
Methyl-t-Butyl Ether (MTBE)	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
Methylcyclohexane	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
Methylene chloride	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
Styrene	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
Tetrachloroethene	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
Toluene	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
Total Xylenes	ND		3.0	UG/L	8260	10/17/2006 14:36		JMB
trans-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
trans-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
Trichloroethene	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
Trichlorofluoromethane	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB
Vinyl chloride	ND		1.0	UG/L	8260	10/17/2006 14:36		JMB

STL Buffalo

Date: 10/28/2006

NYSDEC

32/44 Page: 24

Time: 08:57:03

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

Rept: AN1178

NYSDEC Spills - Patton's Busy Bee: Site #902014

Sample ID: MW-108D

Date Received: 10/05/2006

Lab Sample ID: A6858215

Project No: NY5A946109

Date Collected: 10/04/2006

Client No: L10190

Time Collected: 12:20

Site No:

Parameter	Result	Flag	Detection Limit	Units	Method	Date/Time Analyzed	Analyst
Metals Analysis							
Aluminum - Total	0.60		0.20	MG/L	6010	10/11/2006 21:02	AK
Antimony - Total	ND		0.020	MG/L	6010	10/11/2006 21:02	AK
Arsenic - Total	ND		0.010	MG/L	6010	10/11/2006 21:02	AK
Barium - Total	0.13		0.0020	MG/L	6010	10/11/2006 21:02	AK
Beryllium - Total	ND		0.0020	MG/L	6010	10/11/2006 21:02	AK
Cadmium - Total	ND		0.0010	MG/L	6010	10/11/2006 21:02	AK
Calcium - Total	28.3		0.50	MG/L	6010	10/11/2006 21:02	AK
Chromium - Total	ND		0.0040	MG/L	6010	10/11/2006 21:02	AK
Cobalt - Total	ND		0.0040	MG/L	6010	10/11/2006 21:02	AK
Copper - Total	ND		0.010	MG/L	6010	10/11/2006 21:02	AK
Iron - Total	1.9		0.050	MG/L	6010	10/11/2006 21:02	AK
Lead - Total	ND		0.0050	MG/L	6010	10/11/2006 21:02	AK
Magnesium - Total	12.1		0.20	MG/L	6010	10/11/2006 21:02	AK
Manganese - Total	0.30		0.0030	MG/L	6010	10/11/2006 21:02	AK
Mercury - Total	ND		0.00020	MG/L	7470	10/07/2006 12:32	MM
Nickel - Total	ND		0.010	MG/L	6010	10/11/2006 21:02	AK
Potassium - Total	2.5		0.50	MG/L	6010	10/11/2006 21:02	AK
Selenium - Total	ND		0.015	MG/L	6010	10/11/2006 21:02	AK
Silver - Total	ND		0.0030	MG/L	6010	10/11/2006 21:02	AK
Sodium - Total	3.8		1.0	MG/L	6010	10/16/2006 16:21	AK
Thallium - Total	ND		0.020	MG/L	6010	10/11/2006 21:02	AK
Vanadium - Total	ND		0.0050	MG/L	6010	10/11/2006 21:02	AK
Zinc - Total	0.025		0.010	MG/L	6010	10/11/2006 21:02	AK

Time: 08:57:03

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

Rpt: AN1178

NYSDEC Spills - Patton's Busy Bee: Site #902014

Sample ID: MW-108I
 Lab Sample ID: A6B58207
 Date Collected: 10/04/2006
 Time Collected: 12:15

Date Received: 10/05/2006
 Project No: NY5A946109
 Client No: L10190
 Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
NYSDEC - AQUEOUS-SW8463 TCL 8260								
1,1,1-Trichloroethane	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
1,1,2,2-Tetrachloroethane	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
1,1,2-Trichloroethane	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
1,1-Dichloroethane	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
1,1-Dichloroethene	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
1,2,4-Trichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
1,2-Dibromo-3-chloropropane	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
1,2-Dibromoethane	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
1,2-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
1,2-Dichloroethane	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
1,2-Dichloropropane	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
1,3-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
1,4-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
2-Butanone	ND		5.0	UG/L	8260	10/17/2006 05:18		JMB
2-Hexanone	ND		5.0	UG/L	8260	10/17/2006 05:18		JMB
4-Methyl-2-pentanone	ND		5.0	UG/L	8260	10/17/2006 05:18		JMB
Acetone	ND		5.0	UG/L	8260	10/17/2006 05:18		JMB
Benzene	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
Bromodichloromethane	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
Bromoform	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
Bromomethane	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
Carbon Disulfide	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
Carbon Tetrachloride	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
Chlorobenzene	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
Chloroethane	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
Chloroform	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
Chloromethane	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
cis-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
cis-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
Cyclohexane	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
Dibromochloromethane	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
Dichlorodifluoromethane	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
Ethylbenzene	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
Isopropylbenzene	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
Methyl acetate	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
Methyl-t-Butyl Ether (MTBE)	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
Methylcyclohexane	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
Methylene chloride	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
Styrene	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
Tetrachloroethene	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
Toluene	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
Total Xylenes	ND		3.0	UG/L	8260	10/17/2006 05:18		JMB
trans-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
trans-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
Trichloroethene	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
Trichlorofluoromethane	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB
Vinyl chloride	ND		1.0	UG/L	8260	10/17/2006 05:18		JMB

Date: 10/28/2006

NYSDEC

34/44

Page: 26

Time: 08:57:03

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRA

Rept: AN1178

NYSDEC Spills - Patton's Busy Bee: Site #902014

Sample ID: MW-1081

Date Received: 10/05/2006

Lab Sample ID: A6858207

Project No: NY5A946109

Date Collected: 10/04/2006

Client No: L10190

Time Collected: 12:15

Site No:

Parameter	Result	Flag	Detection		Units	Method	Date/Time		Analyst
			Limit				Analyzed		
Metals Analysis									
Aluminum - Total	0.92		0.20		MG/L	6010	10/11/2006 19:53		AK
Antimony - Total	ND		0.020		MG/L	6010	10/11/2006 19:53		AK
Arsenic - Total	ND		0.010		MG/L	6010	10/11/2006 19:53		AK
Barium - Total	0.068		0.0020		MG/L	6010	10/11/2006 19:53		AK
Beryllium - Total	ND		0.0020		MG/L	6010	10/11/2006 19:53		AK
Cadmium - Total	ND		0.0010		MG/L	6010	10/11/2006 19:53		AK
Calcium - Total	38.5		0.50		MG/L	6010	10/11/2006 19:53		AK
Chromium - Total	ND		0.0040		MG/L	6010	10/11/2006 19:53		AK
Cobalt - Total	ND		0.0040		MG/L	6010	10/11/2006 19:53		AK
Copper - Total	ND		0.010		MG/L	6010	10/11/2006 19:53		AK
Iron - Total	1.2		0.050		MG/L	6010	10/11/2006 19:53		AK
Lead - Total	ND		0.0050		MG/L	6010	10/11/2006 19:53		AK
Magnesium - Total	22.6		0.20		MG/L	6010	10/11/2006 19:53		AK
Manganese - Total	0.027		0.0030		MG/L	6010	10/11/2006 19:53		AK
Mercury - Total	ND		0.00020		MG/L	7470	10/07/2006 12:16		MM
Nickel - Total	ND		0.010		MG/L	6010	10/11/2006 19:53		AK
Potassium - Total	3.6		0.50		MG/L	6010	10/11/2006 19:53		AK
Selenium - Total	ND		0.015		MG/L	6010	10/11/2006 19:53		AK
Silver - Total	ND		0.0030		MG/L	6010	10/11/2006 19:53		AK
Sodium - Total	3.6		1.0		MG/L	6010	10/12/2006 18:55		AK
Thallium - Total	ND		0.020		MG/L	6010	10/11/2006 19:53		AK
Vanadium - Total	ND		0.0050		MG/L	6010	10/11/2006 19:53		AK
Zinc - Total	ND		0.010		MG/L	6010	10/11/2006 19:53		AK

Date: 10/28/2006

NYSDEC

35/44

Page: 27

Time: 08:57:03

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

Rept: AN1178

NYSDEC Spills - Patton's Busy Bee: Site #902014

Sample ID: MW-109

Date Received: 10/05/2006

Lab Sample ID: A6B58206

Project No: NY5A946109

Date Collected: 10/04/2006

Client No: L10190

Time Collected: 12:00

Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
NYSDEC - AQUEOUS-SW8463 TCL 8260								
1,1,1-Trichloroethane	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
1,1,2,2-Tetrachloroethane	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
1,1,2-Trichloroethane	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
1,1-Dichloroethane	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
1,1-Dichloroethene	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
1,2,4-Trichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
1,2-Dibromo-3-chloropropane	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
1,2-Dibromoethane	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
1,2-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
1,2-Dichloroethane	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
1,2-Dichloropropane	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
1,3-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
1,4-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
2-Butanone	ND		5.0	UG/L	8260	10/17/2006 04:49		JMB
2-Hexanone	ND		5.0	UG/L	8260	10/17/2006 04:49		JMB
4-Methyl-2-pentanone	ND		5.0	UG/L	8260	10/17/2006 04:49		JMB
Acetone	2.6	J	5.0	UG/L	8260	10/17/2006 04:49		JMB
Benzene	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
Bromodichloromethane	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
Bromoform	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
Bromomethane	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
Carbon Disulfide	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
Carbon Tetrachloride	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
Chlorobenzene	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
Chloroethane	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
Chloroform	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
Chloromethane	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
cis-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
cis-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
Cyclohexane	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
Dibromochloromethane	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
Dichlorodifluoromethane	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
Ethylbenzene	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
Isopropylbenzene	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
Methyl acetate	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
Methyl-t-Butyl Ether (MTBE)	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
Methylcyclohexane	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
Methylene chloride	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
Styrene	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
Tetrachloroethene	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
Toluene	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
Total Xylenes	ND		3.0	UG/L	8260	10/17/2006 04:49		JMB
trans-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
trans-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
Trichloroethene	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
Trichlorofluoromethane	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB
Vinyl chloride	ND		1.0	UG/L	8260	10/17/2006 04:49		JMB

STL Buffalo

Date: 10/28/2006

NYSDEC

36/44 Page: 28

Time: 08:57:03

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

Rept: AN1178

NYSDEC Spills - Patton's Busy Bee: Site #902014

Sample ID: MW-109

Date Received: 10/05/2006

Lab Sample ID: A6B58206

Project No: NY5A946109

Date Collected: 10/04/2006

Client No: L10190

Time Collected: 12:00

Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
Metals Analysis								
Aluminum - Total	3.2		0.20	MG/L	6010	10/11/2006	19:48	AK
Antimony - Total	ND		0.020	MG/L	6010	10/11/2006	19:48	AK
Arsenic - Total	ND		0.010	MG/L	6010	10/11/2006	19:48	AK
Barium - Total	0.22		0.0020	MG/L	6010	10/11/2006	19:48	AK
Beryllium - Total	ND		0.0020	MG/L	6010	10/11/2006	19:48	AK
Cadmium - Total	0.0020		0.0010	MG/L	6010	10/11/2006	19:48	AK
Calcium - Total	52.9		0.50	MG/L	6010	10/11/2006	19:48	AK
Chromium - Total	0.011		0.0040	MG/L	6010	10/11/2006	19:48	AK
Cobalt - Total	ND		0.0040	MG/L	6010	10/11/2006	19:48	AK
Copper - Total	0.13		0.010	MG/L	6010	10/11/2006	19:48	AK
Iron - Total	23.6		0.050	MG/L	6010	10/11/2006	19:48	AK
Lead - Total	ND		0.0050	MG/L	6010	10/11/2006	19:48	AK
Magnesium - Total	13.5		0.20	MG/L	6010	10/11/2006	19:48	AK
Manganese - Total	0.75		0.0030	MG/L	6010	10/11/2006	19:48	AK
Mercury - Total	ND		0.00020	MG/L	7470	10/07/2006	12:15	MM
Nickel - Total	0.011		0.010	MG/L	6010	10/11/2006	19:48	AK
Potassium - Total	8.8		0.50	MG/L	6010	10/11/2006	19:48	AK
Selenium - Total	ND		0.015	MG/L	6010	10/11/2006	19:48	AK
Silver - Total	ND		0.0030	MG/L	6010	10/11/2006	19:48	AK
Sodium - Total	4.4		1.0	MG/L	6010	10/12/2006	18:50	AK
Thallium - Total	ND		0.020	MG/L	6010	10/11/2006	19:48	AK
Vanadium - Total	ND		0.0050	MG/L	6010	10/11/2006	19:48	AK
Zinc - Total	0.048		0.010	MG/L	6010	10/11/2006	19:48	AK



Date: 10/28/2006

NYSDEC

37/44

Page: 29

Time: 08:57:03

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

Rept: AN1178

NYSDEC Spills - Patton's Busy Bee: Site #902014

Sample ID: MW-110

Date Received: 10/05/2006

Lab Sample ID: A6B58213

Project No: NY5A946109

Date Collected: 10/04/2006

Client No: L10190

Time Collected: 14:00

Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
NYSDEC - AQUEOUS-SW8463 TCL 8260								
1,1,1-Trichloroethane	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
1,1,2,2-Tetrachloroethane	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
1,1,2-Trichloroethane	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
1,1-Dichloroethane	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
1,1-Dichloroethene	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
1,2,4-Trichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
1,2-Dibromo-3-chloropropane	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
1,2-Dibromoethane	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
1,2-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
1,2-Dichloroethane	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
1,2-Dichloropropane	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
1,3-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
1,4-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
2-Butanone	ND		5.0	UG/L	8260	10/17/2006 13:40		JMB
2-Hexanone	ND		5.0	UG/L	8260	10/17/2006 13:40		JMB
4-Methyl-2-pentanone	ND		5.0	UG/L	8260	10/17/2006 13:40		JMB
Acetone	ND		5.0	UG/L	8260	10/17/2006 13:40		JMB
Benzene	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
Bromodichloromethane	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
Bromoform	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
Bromomethane	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
Carbon Disulfide	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
Carbon Tetrachloride	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
Chlorobenzene	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
Chloroethane	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
Chloroform	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
Chloromethane	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
cis-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
cis-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
Cyclohexane	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
Dibromochloromethane	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
Dichlorodifluoromethane	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
Ethylbenzene	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
Isopropylbenzene	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
Methyl acetate	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
Methyl-t-Butyl Ether (MTBE)	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
Methylcyclohexane	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
Methylene chloride	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
Styrene	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
Tetrachloroethene	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
Toluene	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
Total Xylenes	ND		3.0	UG/L	8260	10/17/2006 13:40		JMB
trans-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
trans-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
Trichloroethene	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
Trichlorofluoromethane	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB
Vinyl chloride	ND		1.0	UG/L	8260	10/17/2006 13:40		JMB

STL Buffalo

Date: 10/28/2006

NYSDEC

38/44

Page: 30

Time: 08:57:03

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

Rept: AN1178

NYSDEC Spills - Patton's Busy Bee: Site #902014

Sample ID: MW-110

Date Received: 10/05/2006

Lab Sample ID: A6858213

Project No: NY5A946109

Date Collected: 10/04/2006

Client No: L10190

Time Collected: 14:00

Site No:

Parameter	Result	Flag	Detection		Units	Method	Date/Time		Analyst
			Limit				Analyzed		
Metals Analysis									
Aluminum - Total	11.4		0.20		MG/L	6010	10/11/2006 20:52		AK
Antimony - Total	ND		0.020		MG/L	6010	10/11/2006 20:52		AK
Arsenic - Total	0.012		0.010		MG/L	6010	10/11/2006 20:52		AK
Barium - Total	0.092		0.0020		MG/L	6010	10/11/2006 20:52		AK
Beryllium - Total	ND		0.0020		MG/L	6010	10/11/2006 20:52		AK
Cadmium - Total	0.0015		0.0010		MG/L	6010	10/11/2006 20:52		AK
Calcium - Total	55.0		0.50		MG/L	6010	10/11/2006 20:52		AK
Chromium - Total	0.016		0.0040		MG/L	6010	10/11/2006 20:52		AK
Cobalt - Total	0.012		0.0040		MG/L	6010	10/11/2006 20:52		AK
Copper - Total	0.018		0.010		MG/L	6010	10/11/2006 20:52		AK
Iron - Total	20.2		0.050		MG/L	6010	10/11/2006 20:52		AK
Lead - Total	0.013		0.0050		MG/L	6010	10/11/2006 20:52		AK
Magnesium - Total	25.1		0.20		MG/L	6010	10/11/2006 20:52		AK
Manganese - Total	0.57		0.0030		MG/L	6010	10/11/2006 20:52		AK
Mercury - Total	ND		0.00020		MG/L	7470	10/07/2006 12:30		MM
Nickel - Total	0.020		0.010		MG/L	6010	10/11/2006 20:52		AK
Potassium - Total	6.6		0.50		MG/L	6010	10/11/2006 20:52		AK
Selenium - Total	ND		0.015		MG/L	6010	10/11/2006 20:52		AK
Silver - Total	ND		0.0030		MG/L	6010	10/11/2006 20:52		AK
Sodium - Total	4.2		1.0		MG/L	6010	10/12/2006 19:54		AK
Thallium - Total	ND		0.020		MG/L	6010	10/11/2006 20:52		AK
Vanadium - Total	0.014		0.0050		MG/L	6010	10/11/2006 20:52		AK
Zinc - Total	0.046		0.010		MG/L	6010	10/11/2006 20:52		AK

Dup of MW 113

Date: 10/28/2006

NYSDEC

39/44

Page: 31

Time: 08:57:03

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

Rept: AN1178

NYSDEC Spills - Patton's Busy Bee: Site #902014

Sample ID: MW-113

Date Received: 10/05/2006

Lab Sample ID: A6B58212

Project No: NY5A946109

Date Collected: 10/04/2006

Client No: L10190

Time Collected: 14:00

Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
NYSDEC - AQUEOUS-SW8463 TCL 8260								
1,1,1-Trichloroethane	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
1,1,2,2-Tetrachloroethane	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
1,1,2-Trichloroethane	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
1,1-Dichloroethane	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
1,1-Dichloroethene	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
1,2,4-Trichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
1,2-Dibromo-3-chloropropane	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
1,2-Dibromoethane	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
1,2-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
1,2-Dichloroethane	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
1,2-Dichloropropane	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
1,3-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
1,4-Dichlorobenzene	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
2-Butanone	ND		5.0	UG/L	8260	10/17/2006 13:11		JMB
2-Hexanone	ND		5.0	UG/L	8260	10/17/2006 13:11		JMB
4-Methyl-2-pentanone	ND		5.0	UG/L	8260	10/17/2006 13:11		JMB
Acetone	ND		5.0	UG/L	8260	10/17/2006 13:11		JMB
Benzene	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
Bromodichloromethane	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
Bromoform	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
Bromomethane	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
Carbon Disulfide	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
Carbon Tetrachloride	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
Chlorobenzene	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
Chloroethane	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
Chloroform	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
Chloromethane	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
cis-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
cis-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
Cyclohexane	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
Dibromochloromethane	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
Dichlorodifluoromethane	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
Ethylbenzene	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
Isopropylbenzene	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
Methyl acetate	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
Methyl-t-Butyl Ether (MTBE)	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
Methylcyclohexane	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
Methylene chloride	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
Styrene	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
Tetrachloroethene	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
Toluene	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
Total Xylenes	ND		3.0	UG/L	8260	10/17/2006 13:11		JMB
trans-1,2-Dichloroethene	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
trans-1,3-Dichloropropene	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
Trichloroethene	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
Trichlorofluoromethane	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB
Vinyl chloride	ND		1.0	UG/L	8260	10/17/2006 13:11		JMB

STL Buffalo

Date: 10/28/2006

NYSDEC

40/44

Page: 32

Time: 08:57:03

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRA

Rept: AN1178

NYSDEC Spills - Patton's Busy Bee: Site #902014

Sample ID: MW-113

Date Received: 10/05/2006

Lab Sample ID: A6B58212

Project No: NY5A946109

Date Collected: 10/04/2006

Client No: L10190

Time Collected: 14:00

Site No:

Parameter	Result	Flag	Detection Limit	Units	Method	Date/Time Analyzed	Analyst
Metals Analysis							
Aluminum - Total	7.7		0.20	MG/L	6010	10/11/2006 20:48	AK
Antimony - Total	ND		0.020	MG/L	6010	10/11/2006 20:48	AK
Arsenic - Total	ND		0.010	MG/L	6010	10/11/2006 20:48	AK
Barium - Total	0.079		0.0020	MG/L	6010	10/11/2006 20:48	AK
Beryllium - Total	ND		0.0020	MG/L	6010	10/11/2006 20:48	AK
Cadmium - Total	ND		0.0010	MG/L	6010	10/11/2006 20:48	AK
Calcium - Total	55.3		0.50	MG/L	6010	10/11/2006 20:48	AK
Chromium - Total	0.011		0.0040	MG/L	6010	10/11/2006 20:48	AK
Cobalt - Total	0.0075		0.0040	MG/L	6010	10/11/2006 20:48	AK
Copper - Total	0.012		0.010	MG/L	6010	10/11/2006 20:48	AK
Iron - Total	13.5		0.050	MG/L	6010	10/11/2006 20:48	AK
Lead - Total	0.0086		0.0050	MG/L	6010	10/11/2006 20:48	AK
Magnesium - Total	24.7		0.20	MG/L	6010	10/11/2006 20:48	AK
Manganese - Total	0.41		0.0030	MG/L	6010	10/11/2006 20:48	AK
Mercury - Total	ND		0.00020	MG/L	7470	10/07/2006 12:28	MM
Nickel - Total	0.014		0.010	MG/L	6010	10/11/2006 20:48	AK
Potassium - Total	5.4		0.50	MG/L	6010	10/11/2006 20:48	AK
Selenium - Total	ND		0.015	MG/L	6010	10/11/2006 20:48	AK
Silver - Total	ND		0.0030	MG/L	6010	10/11/2006 20:48	AK
Sodium - Total	4.4		1.0	MG/L	6010	10/12/2006 19:50	AK
Thallium - Total	ND		0.020	MG/L	6010	10/11/2006 20:48	AK
Vanadium - Total	0.0095		0.0050	MG/L	6010	10/11/2006 20:48	AK
Zinc - Total	0.031		0.010	MG/L	6010	10/11/2006 20:48	AK

Date : 11/02/2006 11:23:06
Job No: A06-B582

NYSDEC
REGION 9 NYSDEC
SAMPLE DATE 10/04/2006

Rept: AN0364

Client Sample ID: MW-107S
Lab Sample ID: A6B58210

MW-107S
A6B58210MS

MW-107S
A6B58210SD

Analyte	Units of Measure	Sample	Concentration		Spike Amount		% Recovery			% RPD	QC LIMITS	
			Matrix Spike	Spike Duplicate	MS	MSD	MS	MSD	Avg		RPD	REC.
NYSDEC - AQUEOUS-SW8463 TCL 8260												
1,1-Dichloroethene	UG/L	0	31.1	32.4	25.0	25.0	125	130	128	4	16.0	65-142
Trichloroethene	UG/L	0	27.7	27.4	25.0	25.0	111	110	111	0.	16.0	71-120
Benzene	UG/L	0	26.5	26.6	25.0	25.0	106	106	106	0	13.0	67-126
Toluene	UG/L	0	25.9	26.4	25.0	25.0	104	106	105	2	18.0	69-120
Chlorobenzene	UG/L	0	25.6	26.1	25.0	25.0	103	104	104	1	19.0	73-120

* Indicates Result is outside QC Limits
NC = Not Calculated ND = Not Detected

STL Buffalo

41/44

Date : 11/02/2006 12:22:05
Job No: A06-0582

NYSDEC
REGION 9 NYSDEC
SAMPLE DATE 10/04/2006

Rept: AN0364

Client Sample ID: MW-107S
Lab Sample ID: A6B58210

MW-107S
A6B58210MS

MW-107S
A6B58210SD

Analyte	Units of Measure	Concentration			Spike Amount		% Recovery			% RPD	QC LIMITS	
		Sample	Matrix Spike	Spike Duplicate	MS	MSD	MS	MSD	Avg		RPD	REC.
NYSDEC-AQ-SW8463 TAL(23) METALS - 6010/7												
NYSDEC SPILLS - CHROMIUM - TOTAL - W -	MG/L	0.00250	0.197	0.204	0.200	0.200	97	101	99	4	20.0	75-125
TOTAL ALUMINUM - METHOD 6010	MG/L	1.36	10.09	11.17	10.0	10.0	87	98	93	12	20.0	75-125
TOTAL ANTIMONY - METHOD 6010	MG/L	0	0.194	0.203	0.200	0.200	97	102	100	5	20.0	75-125
TOTAL ARSENIC - METHOD 6010	MG/L	0.00060	0.193	0.200	0.200	0.200	97	100	99	3	20.0	75-125
TOTAL BARIUM - METHOD 6010	MG/L	0.0427	0.228	0.250	0.200	0.200	93	104	99	11	20.0	75-125
TOTAL BERYLLIUM - METHOD 6010	MG/L	0.00010	0.195	0.202	0.200	0.200	98	101	100	3	20.0	75-125
TOTAL CADMIUM - METHOD 6010	MG/L	0.00110	0.194	0.201	0.200	0.200	96	100	98	4	20.0	75-125
TOTAL CALCIUM - METHOD 6010	MG/L	20.54	28.75	29.67	10.0	10.0	82	91	87	10	20.0	75-125
TOTAL COBALT - METHOD 6010	MG/L	0.00080	0.192	0.199	0.200	0.200	96	99	98	3	20.0	75-125
TOTAL COPPER - METHOD 6010	MG/L	0.00230	0.194	0.204	0.200	0.200	96	101	99	5	20.0	75-125
TOTAL IRON - METHOD 6010	MG/L	1.70	10.18	11.55	10.0	10.0	85	98	92	14	20.0	75-125
TOTAL LEAD - METHOD 6010	MG/L	0.00050	0.193	0.201	0.200	0.200	96	100	98	4	20.0	75-125
TOTAL MAGNESIUM - METHOD 6010	MG/L	5.75	14.92	15.53	10.0	10.0	92	98	95	6	20.0	75-125
TOTAL MANGANESE - METHOD 6010	MG/L	0.560	0.729	0.758	0.200	0.200	84	99	92	16	20.0	75-125
TOTAL MERCURY	MG/L	0	0.00682	0.00688	0.00666	0.00666	102	103	103	1	20.0	80-120
TOTAL NICKEL - METHOD 6010	MG/L	0.00510	0.203	0.212	0.200	0.200	99	104	102	5	20.0	75-125
TOTAL POTASSIUM - METHOD 6010	MG/L	1.59	11.20	12.11	10.0	10.0	96	105	101	9	20.0	75-125
TOTAL SELENIUM - METHOD 6010	MG/L	0.00040	0.194	0.200	0.200	0.200	97	100	99	3	20.0	75-125
TOTAL SILVER - METHOD 6010	MG/L	0	0.0503	0.0499	0.0500	0.0500	101	100	101	1	20.0	75-125
TOTAL SODIUM - METHOD 6010	MG/L	9.05	19.18	20.51	10.0	10.0	101	115	108	13	20.0	75-125
TOTAL THALLIUM - METHOD 6010	MG/L	0	0.193	0.199	0.200	0.200	96	100	98	4	20.0	75-125
TOTAL VANADIUM - METHOD 6010	MG/L	0.00210	0.214	0.222	0.200	0.200	106	110	108	4	20.0	75-125
TOTAL ZINC - METHOD 6010	MG/L	0.00780	0.199	0.212	0.200	0.200	96	102	99	6	20.0	75-125

* Indicates Result is outside QC Limits
NC = Not Calculated ND = Not Detected

STL Buffalo

42/44

Chain of Custody Record

**SEVERN
TRENT** **STL**[®]
Severn Trent Laboratories, Inc.

STL-4124 (0901)

Client 14/SBC		Project Manager BRIAN SANDWISKI		Date 10/5/06	Chain of Custody Number 285191
Address 270 MICHIGAN AVE		Telephone Number (Area Code)/Fax Number 716-851-7220		Lab Number	Page 1 of 2
City BUFFALO	State NY	Zip Code 14203	Site Contact _____	Lab Contact BRIAN FISCHER	Analysis (Attach list if more space is needed)
Project Name and Location (State) PATTON'S BUSY BEE			Carrier/Waybill Number		
Contract/Purchase Order/Quote No.					

Contract/Purchase Order/Quote No.			Matrix				Containers & Preservatives						Special Instructions/Conditions of Receipt												
Sample I.D. No. and Description (Containers for each sample may be combined on one line)	Date	Time	Air	Aqueous	Sed.	Soil	Unpres	H2SO4	HNO3	HCl	NaOH	ZnAc	NaOH	VIA	MUTAS										
MW-104 I	10/4/06	1100		✓										2	1										
104 D	"	1105		✓										2	1										
103 I	"	1120		✓										2	1										
103 D	"	1115		✓										2	1										
102	"	1145		✓										2	1										
109	"	1200		✓										2	1										
108 I	"	1215		✓										2	1										
101 I	"	1245		✓										2	1										
101 D	"	1255		✓										2	1										
107 S	"	1330		✓										6	3	MS/MSD									
107 I	"	1345		✓										2	1										
113	"	1400		✓										2	1										

Possible Hazard Identification	Sample Disposal	(A fee may be assessed if samples are retained longer than 1 month)
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown	☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months	

Turn Around Time Required	QC Requirements (Specify)
☐ 24 Hours ☐ 48 Hours ☐ 7 Days ☐ 14 Days ☐ 21 Days ☒ Other PER CONTRACT	

1. Relinquished By Brian Sandwiski	Date 10/5/06	Time 1045	1. Received By [Signature]	Date 10/5/06	Time 1045
2. Relinquished By	Date	Time	2. Received By	Date	Time
3. Relinquished By	Date	Time	3. Received By 6.0°C	Date	Time

Comments

