  
The electronic version of this file/report should have the file name:

Type of document . Site Number . Year-Month . File Year-Year or Report name . pdf

\_\_\_\_\_ .pdf

example: letter . Year-Month . File Year-Year . pdf

Report.HW.905004.1993.01.01.pdf

\_\_\_\_\_ .pdf

example: report . Site Number . Year-Month . Report Name . pdf

Project Site numbers will be proceeded by the following:

Municipal Brownfields - B

Superfund - HW

Spills - SP

ERP - E

VCP - V

BCP - C

**MALCOLM  
PIRNIE**

FINAL

---

**PALMER STREET LANDFILL  
POST CLOSURE PLAN  
(EPA ID NYD002126910)**

---

**BROWN GROUP, INC.  
GOWANDA, NEW YORK**

**JULY 1993  
REVISED MARCH 1994**

**MALCOLM PIRNIE, INC.**

**S-3515 Abbott Road  
P. O. Box 1938  
Buffalo, New York 14219**

0605-237-200

**MALCOLM  
PIRNIE**

---

**PALMER STREET LANDFILL  
POST CLOSURE PLAN  
(EPA ID NYD002126910)**

---

**BROWN GROUP, INC.  
GOWANDA, NEW YORK**

**JULY 1993  
REVISED MARCH 1994**

**MALCOLM PIRNIE, INC.**

**S-3515 Abbott Road  
P. O. Box 1938  
Buffalo, New York 14219**

0605-237-200

**BROWN GROUP, INC.  
PALMER STREET POST-CLOSURE PLAN****TABLE OF CONTENTS**

	<b>Page</b>
<b>1.0 FACILITY DESCRIPTION</b> .....	<b>1-1</b>
1.1 General Description .....	1-1
1.1.1 Products Produced .....	1-1
1.1.2 Site Description .....	1-1
1.2 Waste Generation .....	1-2
1.3 Landfill Operation .....	1-2
1.4 Topographic Map .....	1-2
<b>2.0 POST-CLOSURE CARE AND MONITORING</b> .....	<b>2-1</b>
2.1 Post-Closure Period .....	2-1
2.2 Inspection and Maintenance .....	2-1
2.2.1 Site Inspections .....	2-1
2.2.2 Cover Maintenance .....	2-2
2.2.3 Maintenance of Site Structures .....	2-3
2.2.4 Contingency Plans .....	2-3
2.2.4.1 Leachate Breakout Repair Procedure .....	2-4
2.2.4.2 Fire .....	2-5
2.2.4.3 Vandalism .....	2-5
2.2.4.4 Air Contamination .....	2-5
2.2.4.5 Unauthorized Dumping or Disposal .....	2-5
2.2.4.6 Quality Assurance/Quality Control .....	2-6
2.3 Need For Corrective Action .....	2-6
2.4 Detection Monitoring Program .....	2-6
2.4.1 General .....	2-6
2.4.2 Phase I: Continued Routine Monitoring .....	2-8
2.4.3 Phase I: Supplemental Site Assessment .....	2-9
2.4.3.1 Objectives .....	2-9
2.4.4 Phase II: Post Closure Detection Monitoring .....	2-11
2.4.4.1 Monitoring Locations .....	2-12
2.4.4.2 Monitoring Frequency .....	2-14
2.4.5 Monitoring Parameters .....	2-15
2.5 Maintenance of Benchmarks .....	2-16
2.6 Site Security .....	2-16
<b>3.0 POST-CLOSURE COST AND FINANCIAL ASSURANCE</b> .....	<b>3-1</b>
3.1 Post-Closure Cost Estimates .....	3-1
3.2 Financial Assurance and Liability Coverage .....	3-1

**REFERENCES**



**BROWN GROUP, INC.  
PALMER STREET POST-CLOSURE PLAN****TABLE OF CONTENTS (continued)****LIST OF TABLES**

<b>Table No.</b>	<b>Description</b>	<b>Following Page</b>
2-1	Seed Mixture .....	2-2
2-2	Routine Groundwater Quality Monitoring Parameters .....	2-15
3-1	Post-Closure Costs .....	3-1

**LIST OF FIGURES**

<b>Figure No.</b>	<b>Description</b>	<b>Following Page</b>
2-1	Groundwater Elevations vs. Time/Becrock Wells and Piezometers .....	2-11
2-2	Isopotential Map for January 27, 1992 .....	2-11
2-3	Isopotential Map for May 4, 1993 .....	2-11

**LIST OF APPENDICES**

<b>Appendix</b>	<b>Description</b>
1	Site Inspection Checklist and Maintenance Schedule
2	Sampling and Analysis Plan

## **1.0 FACILITY DESCRIPTION**

The following information is submitted in accordance with the requirements for a general description of the facility as contained in 40 CFR 270.14(b)(1) and 6 NYCRR 373-1.5(a)(2)(1) and related Subparts. All information presented herein is submitted for use in evaluating the proposed post-closure plan for the Palmer Street Landfill.

### **1.1 GENERAL DESCRIPTION**

---

The Moench Tanning Company, a division of Brown Group, Inc. has been closed and all waste generating operations have ended. The site is located near the southeast corner of the Village of Gowanda, Cattaraugus County, New York.

The site address is:

The Brown Group  
265 Palmer St.  
Gowanda, New York 14070

The contact and party responsible for previous hazardous waste management activities at Brown Group is:

Jeff Smith  
Plant Engineer  
(716) 532-2201

#### **1.1.1 Products Produced**

Moench Tanning Company was a leather tanning facility that was in operation for approximately 120 years. A brief discussion of leather tanning processes and a summary of Moench Tanning's company history has been presented in the Closure Plan for the Palmer Street Landfill (Reference 7).

#### **1.1.2 Site Description**

The Palmer Street Landfill was operated by Moench Tanning from 1900 through July 1983. (See Figure 1-1 for Location Map). The site occupies approximately 25 acres in size and is bound on the west and south by a steeply-sloped wooded area, on the

northwest by a swampy area and on the east by Cattaraugus Creek. The former Tannery site serves as the northeast boundary of the site.

## **1.2 WASTE GENERATION**

---

A variety of wastes generated at Moench Tanning were disposed of at the landfill site. The landfill was not used for disposal of wastes generated from outside sources. Brief descriptions of the types of wastes known to have disposed of at the landfill site are presented in the Palmer Street Landfill Closure Plan (revised August 1989). The waste types include sole leather extract, rendering waste, spray booth clean-up waste, wastewater treatment plant sludge, and construction debris.

Spray Booth Clean-up waste is the only potentially hazardous material landfilled at the Palmer Street site since the effective date of the Resource Conservation and Recovery Act (RCRA). The Brown Group maintains that these wastes were not hazardous when disposed of at the landfill. Following the end of landfill disposal operations these wastes were classified as a nonhazardous industrial waste and disposed of at a permitted disposal facility.

## **1.3 LANDFILL OPERATION**


---

There is virtually no documented information on the operation of Palmer Street Landfill because records/logs were not maintained. All available information regarding operational practices and the location of wastes is based on interviews with plant personnel actually involved in the landfill operation. This information is summarized in the Palmer Street Landfill Closure Plan (Reference 7).

## **1.4 TOPOGRAPHIC MAP**

---

Plate 1 is a topographic map with existing contours, site property lines and drainage. Figure 1-1 is a location map showing topography in the vicinity of the landfill site. Plate 1 also shows site property lines, site drainage control and the 100-year floodplain.



NOTE:  
TOPOGRAPHY TAKEN FROM 1963 GOWANDA, N.Y.  
U.S. G. S. QUADRANGLE 7.5 MIN. SERIES  
SCALE: 1" = 2000'

MALCOLM  
PIRNIE

SITE LOCATION MAP  
PALMER STREET LANDFILL  
GOWANDA, N.Y.

MOENCH TANNING, CO.



QUADRANGLE LOCATION

## **2.0 POST-CLOSURE CARE AND MONITORING**

This information is submitted to comply with 40 CFR 270.14(b)(13) and 6 NYCRR 373-1.5(a)(2)(xiii) and related Subparts.

### **2.1 POST-CLOSURE PERIOD**

---

Post-closure activities for the Palmer Street Landfill will extend over a 30-year period.

### **2.2 INSPECTION AND MAINTENANCE**

---

#### **2.2.1 Site Inspections**

The Brown Group will be responsible for site inspection and maintenance. The site will be inspected on a quarterly basis throughout the entire post-closure period. The landfill site will be inspected for:

- Integrity of structures.
- Visible debris, litter and waste.
- Loss of vegetative cover or growth of undesirable species.
- Integrity of drainage ditches including:
  - Sediment buildup.
  - Pooling or ponding.
  - Slope integrity, and
  - Overall adequacy of surface runoff collection system.
- Integrity of gas venting system.
- Integrity of access roads, gates and fences.
- Integrity of groundwater monitoring system.
- Integrity of landfill cap including:
  - Erosion or settling of cap material.
  - Leachate breakthroughs.

- Maintenance of existing benchmarks.

All records on frequency of inspection, maintenance, detection monitoring and maintenance of bench marks will be submitted to the NYSDEC Region 9 Office, Attention: Regional Solid and Hazardous Waste Engineer, on an annual basis.

### **2.2.2 Cover Maintenance**

Cover maintenance will be performed as necessary over the entire post-closure care period. Any signs of erosion, settling, cracking or other site maintenance problems detected during routine site inspections will be corrected as soon as possible. All eroded areas will be brought back to original grade according to the procedures described for constructing the final cover. Settling which results in ponding of water will be regraded and revegetated as necessary to eliminate the ponding. All bare spots in the final cover will be reseeded and fertilized as necessary, but no less than once every year. Seed and fertilizer will be of the same type and quality as specified in Table 2-1. "First-mowing will be done with light equipment so as not to impart excessive wheel-injury to seedlings. Successive mowing will be undertaken with a frequency to minimize the accumulation of clippings that would smother grass. Six months after seeding, the cover will be fertilized with 400 lb/acre of 10-10-10 fertilizer. The same fertilizer mix will be applied each fall to assure maintenance of a good grass cover. Any undesirable species (i.e., large tree growth) will be removed if their presence is suspected to have the potential to deteriorate the integrity of the final cover.

The need for cover repairs due to subsidence and/or settling will be determined based on an evaluation of whether the functions of the final cover in the affected area has been impaired. Those areas where the function has been impaired or will be impaired will be repaired to ensure that the integrity of the final cover is maintained. These repair actions may include, but will not be limited to:

- Strip and stockpile topsoil from the affected area.
- Regrade the affected area in accordance with the grading plan.
- Using clay or a bentonite-soil admixture, fill cracks and re-establish the recompacted low permeability soil layer to a depth of twenty-four inches at a maximum permeability of  $1 \times 10^{-7}$  cm/s.

TABLE 2-1	
PALMER STREET LANDFILL	
Seed Mixture <sup>(1)</sup>	
Perennial Ryegrass	10 lbs/acre
Kentucky Bluegrass	20 lbs/acre
Strong Creeping Red Fescue	20 lbs/acre
Chewings Fescue	20 lbs/acre
Hard Fescue	20 lbs/acre
White Clover	10 lbs/acre
(1) Areas requiring vegetation will be seeded with 100 lbs/acre of seed conforming to this mix.	

- Replace topsoil and revegetate affected area in accordance with Table 2-1.

### **2.2.3 Maintenance of Site Structures**

Maintenance of structures for surface water control and groundwater monitoring will be performed by Brown Group as necessary during the post-closure period.

All eroded areas in the drainage ditches will be repaired and regraded. Reseeding will be carried out using the recommended seed mixture given in Table 2-1. Sediment build-up in the ditches will be removed if it restricts flow in the ditches. Any other areas in the ditches where the cross-section or slope has been altered to the extent that flow does not occur as desired will be reworked and regraded as necessary.

Gas vents will be repaired or rebuilt to restore them to the original design configuration. Monitoring wells which sustain damage or cannot provide representable groundwater samples will be examined to determine whether the problem can be corrected. In particular, attention will be given to:

- Signs of encrustation and corrosion.
- An exceptional increase in solids content (due to the breakdown of the screening arrangement).
- An appreciable decrease in groundwater elevation.

Remedial actions will be determined by the expected impact of the loss of data on the overall monitoring program.

The access road to the landfill site will be maintained in good condition so that routine inspections and required maintenance activities can be carried out. Gates will be kept in good repair to prevent unauthorized access onto the landfill site.

### **2.2.4 Contingency Plans**

The objective of the contingency plan is to address events which occur outside the scope of the routine maintenance program. The contingency plan will be implemented following the discovery of a condition at the landfill which is not covered by the routine maintenance plan.

Natural occurrences such as storms, drought and subsidence should be considered as "expected occurrences" and are addressed in the maintenance program and are not



addressed in this contingency plan. Certain problems which cannot be reasonably expected to occur, such as earthquakes or war, are also not addressed in this contingency plan.

The following problems may not be reasonably expected to occur, yet may be discovered during a routine post-closure inspection and monitoring program:

- Leachate significantly impacting groundwater or surface water quality.
- Failure of the final cover integrity which may be a result of, or indicated by:
  - Waste protruding through the final cover.
  - Soil erosion or other drainage problems.
  - Uncontrolled burrowing by pests.
- Vegetative cover missing despite repeated efforts at revegetation.

The following guidelines are offered to determine when the contingency plan should be implemented and to determine possible corrective actions when responding to a contingency. All corrective actions, where appropriate, will be executed in a timely fashion after notifying the appropriate regulatory agencies.

#### **2.2.4.1 Leachate Breakout Repair Procedure**

Leachate breakouts through the landfill cover system will be discovered during regularly scheduled site inspections. Should such a breakout occur, the damage will be repaired as quickly as possible. Repairs will be made with materials and methods as specified in previous sections of the closure plan. Areas where leachate breakouts have occurred will receive additional cover material which shall be compacted and overlaid with topsoil for vegetative growth.

If the Brown Group or the NYSDEC believes a substantial threat of water pollution exists as a result of leachate draining from the site, the Brown Group will prepare a work plan to determine appropriate response efforts including:

- Whether leachate should be contained and treated on-site.
- Whether leachate should be collected and transported to an off-site treatment facility.
- Actions to control, minimize or eliminate the conditions which are contributing to leachate production.

#### **2.2.4.2 Fire**

A fire at the landfill will be immediately reported to the local fire department. Appropriate response measures, including personnel safety, will be the responsibility of the fire department. Underground fires will be controlled as necessary. Aboveground fires will be quenched according to approved fire department protocol. Damage to the surface drainage system or final cover will be repaired where these systems have been compromised.

#### **2.2.4.3 Vandalism**

Vandalism will be reported to the local enforcement authorities. If vandals have gained entry to the landfill, appropriate measures will be taken to eliminate or restrict future access. Vandalism to monitoring wells will be repaired as appropriate. Damage caused by off-road vehicles will be repaired, where the damage is determined to have compromised the integrity of the final cover or the functions of the gas vents or surface drainage system.

#### **2.2.4.4 Air Contamination**

Methane gas venting to the atmosphere should not present a risk to human health due to the rural nature of the landfill and the relative lack of human population adjacent to the landfill. It is conceivable although highly unlikely that a build-up of gas within the landfill may occur.

Should it be suspected that methane gas generation may be presenting an explosion or other hazard, the Brown Group will notify the NYSDEC and New York State Department of Health (NYSDOH). If it is determined that such a hazard is present, a work plan will be developed to determine if the venting system is functioning properly and to determine the appropriate response actions. Possible response actions include replacing portions of the venting system, adding new vents, or installing an active gas withdrawal system. Any proposed remedial actions would be approved through the NYSDEC prior to implementation.

#### **2.2.4.5 Unauthorized Dumping or Disposal**

Unauthorized dumping or waste disposal by other parties will be reported to the NYSDEC, and local enforcement officials. In the event that such disposal occurs, efforts

will be taken to eliminate further dumping and to restrict subsequent entry to the site. The Brown Group will assist the NYSDEC and/or USEPA in the prosecution of persons found in the act of illegal dumping and in seeking reimbursement from the responsible party for all costs incurred in the removal and disposal of the waste.

#### **2.2.4.6 Quality Assurance/Quality Control**

To assure the performance of site inspection and maintenance, a reporting procedure has been established. A site inspection checklist and maintenance schedule is provided in Appendix 1. The site inspection checklist was developed in accordance with the parameters identified in Section 2.2. The maintenance schedule will be completed after regularly scheduled site inspections and will be submitted to the NYSDEC on an annual basis.

Brown Group will hire personnel (fully qualified to perform the work) or a licensed consulting engineering firm to perform site inspections and supervise maintenance operations. The site inspection checklist and maintenance schedule will be signed by authorized personnel. Maintenance and repair work shall conform to the requirements set forth in Section 2.0 of this report.

### **2.3 NEED FOR CORRECTIVE ACTION**

---

Ground and surface water quality data collected to date indicates that the Palmer Street Landfill is not having a significant impact on the ground and surface water quality in the vicinity of the site (Reference 5). No corrective actions beyond those already implemented are considered necessary at this time.

### **2.4 DETECTION MONITORING PROGRAM**

---

#### **2.4.1 GENERAL**

The principal purpose of any landfill monitoring system is to provide a mechanism for initiating corrective actions if the impairment of groundwater or surface water is apparent. Remediation is triggered by comparison of water quality at pre-established points of monitoring/compliance with appropriate and applicable standards. The monitoring system should be site specific; in other words, the system design should be capable of

detecting landfill derived contaminants along the principal pathways of contaminant movement. Hydrogeologic conditions at the Palmer Street Landfill have been described in a series of site investigation reports that were completed between 1983 and 1991 (see References 1 through 6).

It has been determined that much of the leachate produced at the landfill is currently moving with the shallow groundwater either towards the east with discharge to Cattaraugus Creek or northwards across the landfill boundary. A lesser volume of leachate is moving to depth through the lower overburden (overburden aquitard) to the regional groundwater flow system. The historical water quality data have been obtained from the existing monitoring well system, which includes a total of seven shallow wells (viz. MW-1, MW-2, MW-3, MW-4, MW-5, MW-6 and MW-7S), three wells completed in the lower overburden (viz. MW-7, MW-3D and MW-8), and three bedrock wells (viz. MW-7D, MW-3DR, and MW-8D). A new bedrock well, MW-4D, was installed in September 1993. This distribution of wells is considered adequate for monitoring existing shallow leachate and groundwater flow.

Construction of the landfill cover system will influence the existing pattern of groundwater flow with flow reversal anticipated along the northern landfill boundary (inflow as opposed to outflow). This is likely due to reduced infiltration. These changes are likely to take place over several years and will be difficult to monitor until such time as steady state flow conditions and chemical equilibrium are re-established. This necessitated specifying a "grace" period of sufficient duration until sufficient water quality data are collected to redefine the site's baseline geochemistry.

Future monitoring at the Palmer Street Landfill must be cognizant of anticipated changes to the groundwater flow pattern. The following have been factored into the detection monitoring program.

- With reversal of shallow groundwater movement along the northern boundary, well MW-7S will be physically upgradient of the landfill. Any improvement in water quality monitored at this location, however, will be gradual because it will likely take some time for the contaminant plume, if any, in this area to disperse.
- Monitoring wells MW-4, MW-5 and MW-6, although hydraulically downgradient from the landfill, are screened within waste fill. Because of their physical position within the waste, water samples from these wells are

representative of leachate quality rather than true downgradient groundwater quality. It is conceivable that once the landfill is covered, the observed water quality in these wells will deteriorate further as infiltration through the landfill is reduced. Although these wells will not be suitable for monitoring groundwater quality improvement, they can be used to monitor contaminant loadings to Cattaraugus Creek. Contaminant loadings will decrease proportional to the decline in water levels as measured in these wells.

- The bedrock wells can continue to be used to monitor water quality changes attributable to the landfill in the regional groundwater flow system. Lower overburden wells can provide a measure of early detection of water quality changes in the lower overburden prior to detection in the regional aquifer. It should, however, be recognized that because groundwater flow and any contaminant movement through the confining aquitard is slow, it may take several years for an existing contaminant plume, if any, to disperse. Therefore, it is possible monitoring could indicate some impairment of water quality even after the landfill cover system is in place and loadings are reduced.
- Based on the hydrogeologic information available on the aquitard which separates the shallow overburden and deep regional groundwater flow systems, it is reasonable to assume that leachate contaminants have penetrated some undefined distance into the aquitard. The extent of contaminant penetration would be a function of the hydraulic gradient, porosity, and hydraulic conductivity of the aquitard material.

A two-phased detection monitoring program was initiated based on the premise that it would be premature to attempt to evaluate the impacts of the cover system construction until such time as steady-state flow conditions and chemical equilibrium are re-established.

#### **2.4.2 Phase I: Continued Routine Monitoring**

Phase I of the detection monitoring program involved continued routine monitoring of selected existing monitoring wells in accordance with requirements of 40 CFR Part 265.93 and 6NYCRR Part 373-3.6. Monitoring wells MW-1, MW-3, MW-4, MW-5, MW-6, MW-7S, MW-3DR, MW-7D and MW-8D plus two bank seeps were monitored for the contaminants-of-interest (viz. arsenic, barium, chromium, lead and volatile organics) on a quarterly basis. All remaining monitoring wells were monitored annually for the contaminants-of-interest. All monitoring wells were monitored quarterly for pH, conductivity, turbidity as well as elevation data. Quarterly and annual reports summarizing the routine monitoring data were submitted to the NYSDEC.

Phase I routine monitoring was initiated in March 1989 and continued on a quarterly basis through July 1993.

#### **2.4.3 Phase I: Supplemental Site Assessment**

A supplemental site assessment was conducted in response to NYSDEC comments on previous investigation reports prepared for the Palmer Street Landfill. A complete description of the investigative methodology and results of the supplemental site assessment is provided in the report entitled "Post-Closure Investigation Report - Palmer Street Landfill" (July 1991) prepared by Malcolm Pirnie, Inc. This section presents a summary of the assessment objectives, and findings.

##### **2.4.3.1 Objectives**

The objectives of the program were developed in response to NYSDEC comments to previous investigation reports which have been prepared for the Palmer Street Landfill. These objectives were as follows:

- Install a bedrock monitoring well fully downgradient of the waste/fill and replace a damaged existing well.
- Assess the potential for hydraulic connections between on-site wells, off-site wells, and Cattaraugus Creek.
- Assess the need for long-term groundwater monitoring in bedrock in the northeast corner of the site.
- Assess the integrity of existing deep overburden and bedrock monitoring wells (MW-3D and MW-8D).
- Recommend a detection monitoring strategy for the lower overburden which underlies the site.
- Recommend detection monitoring parameters.

##### **2.4.3.2 Summary and Conclusions**

The results and conclusions of the supplemental site assessment are presented below:

- Overburden geologic formations in the southwestern corner of the site toward MW-1D consist of a thickening wedge of low permeability glaciolacustrine sediments and till.
- The potential for hydraulic connections between on-site wells, Cattaraugus Creek and the deep production wells in Gowanda was assessed as follows:
  - MW-1D, and to a lesser degree, MW-8D and MW-3DR, were shown to be influenced by pumping of the Moench Tanning production wells. The Village of Gowanda wells, if used on a regular basis, would also influence the on-site bedrock wells.
  - Bedrock water levels exhibited a long term rise which is attributed to the reduced use (pumping) of the Village of Gowanda water supply wells.
  - MW-3D and MW-3DR show no response to transient fluctuations in the stage levels in Cattaraugus Creek. Therefore, there is no direct hydraulic connection between the Creek and these wells. Tritium sampling results also suggest that no direct connection is present.
  - MW-6D shows a weak response to transient fluctuations in Cattaraugus Creek stage levels. The response is probably lessened by the low hydraulic conductivity of the upper bedrock at MW-6D.
- Long-term detection monitoring should be conducted in the northeast corner of the site at MW-6D based on the following.
  - A groundwater high has been identified in the upper bedrock zone between MW-7D and P-6D. Groundwater flows away from the high to the northeast toward Cattaraugus Creek.
  - The upper bedrock zone at MW-6D discharges to Cattaraugus Creek. This conclusion is based on the relative elevations of the Creek bed and groundwater in MW-6; and the tritium content in groundwater at MW-6D, which is much lower in comparison to the Creek.
- Deep overburden wells MW-3D and MW-8 exhibit elevated pH and specific conductivity, which may be attributable to grout contamination. Redevelopment has not mitigated the elevated pH. However, neither well is applicable to detection monitoring, since the monitored intervals are probably of limited extent. Tritium levels in each well are equal to or less than tritium levels in the upper bedrock zone, indicating that the monitoring intervals are not recharged at a rate equal to or less than the upper bedrock.

Upper bedrock wells MW-7D, MW-8D, and P-6D all exhibit turbid samples, which are a result of weathered shale layers in the monitored intervals. Groundwater samples collected from the upper bedrock zone for the analysis

of metals should be filtered to eliminate the interference of metal bearing sediment on the samples.

The long-term rise in bedrock water levels observed during the supplemental site assessment was accelerated during 1992 due to the cessation of pumping at the Moench Tanning Company production wells. Figure 2-1 is a hydrograph showing the changing bedrock water levels over time. The effect of the changing water levels on bedrock groundwater flow is illustrated on two bedrock groundwater isopotential maps presented as Figures 2-2 and 2-3.

Bedrock groundwater now flows from a groundwater potentiometric high situated within the buried bedrock valley (underlying Gowanda) toward Cattaraugus Creek. Under present conditions leachate that migrates downward through the aquitard underlying the site would ultimately discharge to Cattaraugus Creek.

As shown on Figure 2-1, groundwater levels were still rising during May 1993 and the final configuration of the bedrock isopotential lines is not certain. However, the general configuration of the isopotential lines (e.g., with flow toward the Creek) appears to be well established.

All bedrock wells located between the landfill and Cattaraugus Creek are and are likely to remain, in the absence of pumping, downgradient of the waste/fill. Bedrock wells located west and north of the site are upgradient wells.

The results of the supplemental site assessment and the reversal of bedrock groundwater flow were utilized in the development of the detection monitoring program described below.

#### **2.4.4 Phase II: Post-Closure Detection Monitoring**


This section outlines the monitoring locations, monitoring frequency, and monitoring parameters to be utilized in the post-closure detection monitoring program for the Palmer Street Landfill, which was initiated in November 1993. Detailed monitoring requirements, such as sampling and analytical procedures, are presented in a Post-Closure Sampling and Analysis Plan presented as Appendix 2.

The long-term post-closure detection monitoring program at the Palmer Street Landfill consists of three (3) principle elements, which are as follows:




# GROUND WATER ELEVATIONS vs TIME

## BEDROCK WELLS AND PIEZOMETERS



+ MW-3DR    □ MW-7D    + MW-8D    □ MW-1D    × MW-6D    ◆ P-6D

Water levels in feet above MSL.



**MALCOLM  
PIRRIE**


MTC-23-B05

PALMER STREET LANDFILL  
BEDROCK ISOPOTENTIAL MAP FOR  
JANUARY 27, 1992

MOENCH TANNING COMPANY

JANUARY 1993

FIGURE



**MALCOLM  
PIRNIE**

MTC-23-BIM

PALMER STREET LANDFILL  
BEDROCK ISOPOTENTIAL MAP FOR  
MAY 4, 1993

MOENCH TANNING COMPANY

JULY 1993

FIGURE 2

- Detection monitoring of the regional bedrock groundwater flow system at upgradient and downgradient locations in accordance with 6NYCRR Part 360 or 40 CFR Part 264.98 and 6NYCRR Part 373-2.6(i);
- Early warning detection monitoring of the regional bedrock aquifer at a central location within the boundaries of the landfill to provide an early warning of contaminant release to the regional aquifer;
- Performance monitoring of the shallow overburden groundwater/leachate flow system for periodic evaluation of landfill cover system impact performance and to determine when steady state flow conditions and chemical equilibrium have been established.

#### **2.4.4.1 Monitoring Locations**

##### **Detection Monitoring Locations**

Detection monitoring will be performed in the upper bedrock zone of the regional bedrock aquifer. The detection monitoring well network will be comprised of five monitoring wells as follows:

- Upgradient Wells: MW-7D and MW-1D.
- Downgradient Wells: MW-3DR, MW-6D, and MW-4D.

##### **Early Warning Detection Monitoring Location**

Monitoring of the upper bedrock at P-6D and the lower overburden at P-6B will provide an early warning of contaminant release to the upper bedrock. The rationale for the selection of these wells is as follows:

- P-6D is upgradient of all downgradient monitoring wells;
- Based on vertical hydraulic gradients, leachate has the potential to move downward through the lower overburden and be detected at P-6D;
- Monitoring of the upper bedrock at an interior location will provide an adequate warning or lead time to develop and implement a corrective action program. This conclusion is based on estimates of contaminant migration rates based on calculations using Darcy's Law and on the interpretation of tritium concentrations in bedrock wells.
- The groundwater quality data indicate that P-6D does not currently exhibit elevated levels of contaminants.

- Monitoring of the lower overburden (at P6-B) will be performed as an additional monitoring point to detect contaminant releases to the upper bedrock.

#### Performance Monitoring Locations

The landfill cover system at the Palmer Street Landfill is comprised of 24-inches of a barrier layer and a 12-inches topsoil layer. A previous investigation (Reference 8) concluded that the cover system will provide equivalent performance to a "RCRA Cap". A performance evaluation of the landfill cover system will be conducted to determine the actual impact of the cover system on the site water balance and contaminant loadings to Cattaraugus Creek.

The upper overburden zone is currently recharged primarily by precipitation/infiltration and secondarily by upgradient groundwater flow. Both sources of recharge generate leachate at the Palmer Street Landfill. Construction of the landfill cover system will reduce the generation of leachate due to infiltration of precipitation.

It is conceivable that the leachate quality in the downgradient overburden monitoring wells will deteriorate further as infiltration through the cover system is reduced, although water levels will fall and loading will decrease. Therefore, the performance of the landfill cover system will be evaluated by assessing the reduction in mass loading to Cattaraugus Creek from the upper overburden.

A mathematical model was developed during a previous investigation (Reference 5) that calculated a mass balance for the site. The same model or modifications thereof will be used during the post-closure period. The model uses observed concentration data and a calculated water balance to predict the mass load to Cattaraugus Creek. The calculated impact to Cattaraugus Creek is determined under average flow and low flow conditions.

The cover system performance evaluation will be based on water quality data from the following on-site monitoring locations:

#### **Groundwater:**

Upgradient - MW-1 and MW-2A

#### **Groundwater/Leachate:**

Area 1- P-1, P-2, P-6C

Area 2- P-3B, P-7A, P-8

Downgradient- MW-3, MW-4S, MW-5, MW-6, MW-7S

**Waste/Fill Pore Water:**

Area 1 - LYS-P2, LYS-MW4, LYS-MW6T

Area 2 - LYS-P7B, LYS-P8

**2.4.4.2 Monitoring Frequency**

The monitoring frequency for each monitoring objective is described below.

Detection Monitoring

Initially, the detection monitoring wells will be sampled quarterly. Semi-annual monitoring should be considered because the groundwater migrates so slowly to the bedrock. This conclusion is based on the results of tritium sampling in the upper bedrock zone, which indicates that the water currently present in the bedrock at MW-3DR, MW-8D, and P-6D entered the groundwater system 30 to 40 years ago. A decision to implement semi-annual monitoring should be based on the performance monitoring results and a review of quarterly monitoring data.

Early Warning Detection Monitoring

The proposed early warning monitoring location at P-6D will be sampled at the same frequency as the detection monitoring wells.

Performance Monitoring

Construction of the landfill cover system will likely influence the existing pattern of overburden groundwater/leachate flow. It is also likely to result in measurable changes in overburden groundwater/leachate quality. The rates at which steady state flow conditions and chemical equilibrium will be re-established are uncertain, but are likely to take place over several years. The cover system performance evaluation will be conducted three years (Fall 1994) and five years (Fall 1996) after completion of construction of the final cover system, and at the end of each five-year period thereafter. Each performance monitoring event will be comprised of two rounds of sampling.

#### **2.4.5 Monitoring Parameters**

The recommended monitoring parameters are listed in Table 2-2. These parameters are the same as the interim monitoring parameters being analyzed during the closure period, except that barium and total metals have been deleted from the monitoring program.

Detection monitoring samples that will be analyzed for metals will be filtered to eliminate the interference from metal bearing sediments on the analytical results. To mitigate the potential effects of the filtering process on the samples, filtration will be performed with an in-line filter and under pressure, rather than a vacuum.

Total barium occurs in the waste/fill at concentrations of up to 2060 mg/kg. Soluble barium occurs in the leachate at concentrations that range from 1 to 4 times the 6 NYCRR Part 703 groundwater quality standard of 1.0 mg/l. However, the natural background concentrations of barium in the regional bedrock aquifer have been shown to equal and/or exceed barium concentrations in the leachate.

Moore and Staubitz (1984) have documented barium concentrations in 21 wells on the Cattaraugus Indian Reservation (north of Gowanda) which exceed the groundwater quality standard. Water supply wells for Moench Tanning and the Village of Gowanda have exhibited barium concentrations of 2.4 and 1.7 mg/l, respectively.

On-site wells MW-1D and MW-3DR have exhibited total barium concentrations of 5.5 and 1.7 mg/l, respectively. Neither MW-3DR nor MW-1D exhibit elevated concentrations of other constituents on the interim monitoring parameter list and neither well appears to be influenced by landfill derived leachate. Furthermore, barium in the more shallow bedrock wells, MW-6D and P-6D, which are well situated to intercept leachate contaminated groundwater, do not exhibit elevated barium.

In this context, it is difficult to distinguish between naturally occurring barium and landfill derived barium in the regional bedrock aquifer. Therefore, barium has been deleted from the monitoring program.

**TABLE 2-2**

**MOENCH TANNING COMPANY  
PALMER STREET LANDFILL**

**ROUTINE GROUNDWATER QUALITY MONITORING PARAMETERS**

Soluble Arsenic  
Soluble Chromium  
Soluble Lead

Volatile Organics<sup>(2)(3)</sup>

pH<sup>(1)</sup>

Conductivity<sup>(1)</sup>  
Turbidity<sup>(1)</sup>  
Groundwater Elevation<sup>(1)</sup>  
Temperature<sup>(1)</sup>

All samples collected for analysis of soluble metals will be pressure-filtered in the field immediately upon sample collection.

**NOTES:**

1. All field parameters (i.e., pH, specific conductance, temperature and turbidity) will be measured in the field. No analysis of these parameters will be required by the laboratory.
2. Volatile organic compounds will be those compounds determined by SW-846, Method 8260.



## **2.5 MAINTENANCE OF BENCHMARKS**

---

A benchmark is located on the headwall for the stormwater discharge located between disposal areas 1 and 2. This benchmark will be maintained throughout the post-closure period.

## **2.6 SITE SECURITY**

---

Following site closure, the property will not be used for any purpose that may jeopardize the integrity of the cover system, venting system or monitoring system. Site access will be restricted except for those vehicles and personnel necessary to provide routine inspection and maintenance as described in Sections 2.1 and 2.2 of this Closure plan. Unauthorized access to the site will be discouraged by virtue of the existing fence on the north, south and west boundaries. The natural boundary of the steep creek bank on the east should be sufficient to restrict unauthorized access which might lead to potential damage of the closure appurtenances of the site from this direction.

### **3.0 POST-CLOSURE COST AND FINANCIAL ASSURANCE**

#### **3.1 POST CLOSURE COST ESTIMATES**

---

Preliminary post-closure costs associated with groundwater monitoring and site maintenance as described in Section 2 of the Post-Closure Plan are present in Table 3-1. The post-closure cost estimate will be adjusted annually for inflation and will be revised whenever a change in the plans increase costs.

#### **3.2 FINANCIAL ASSURANCE AND LIABILITY COVERAGE**

---

As required by 40CFR 264.143(f) and 264.147(f) and 6NYCRR 373-2.8(g)(h), documentation that the Brown Group Inc. meets the requirements for financial assurance and liability coverage for the post-closure period will be provided under separate cover.

TABLE 3-1

PALMER STREET LANDFILL  
POST-CLOSURE PLAN

Post-Closure Costs				
Item	Unit of Measure	Quantity	Unit Cost (\$)*	Estimated Cost (\$)
1. Laboratory Test (Detection Sampling)	Sample Occasion	120	2,200	264,000
2. Laboratory Test (Performance Sampling)	Sample Occasion	7	8,000	56,000
3. Sample Collection	Manhours	3,840	50	192,000
	Manhours	896	50	44,800
4. Annual Detection Report	Manhours	1,200	60	72,000
5. Performance Monitoring Report	Manhours	1,470	70	102,900
6. Site Inspection	Manhours	240	50	12,000
7. Site Maintenance	Years	30	2,500	<u>75,000</u>
Sub-total				\$818,700
Contingencies @ 10%				<u>81,870</u>
TOTAL Post-Closure Cost				\$900,570
Average Annual Cost for 30 Years				\$30,020
<b>Notes:</b> (1) Laboratory testing based on 30-year post-closure period. (2) Detection Sampling: 2 people for 8 days per year = 128 manhours per year x 30 years = 3,840 manhours. Performance Sampling: 2 people for 8 days per year = 128 hours per year for seven years = 896 hours. (3) Quarterly reports by The Brown Group; annual reports by Licensed Professional Engineer. Annual report based on 40 manhours per year for 30 years = 1,200 manhours. Performance Monitoring Report by Licensed Professional Engineer. Estimate based on 210 manhours per event. (4) Quarterly inspections by The Brown Group; Annual inspections by Licensed Professional Engineer. Site inspection based on one person for one day per year = 8 manhours per year times 30 years = 240 manhours. (5) Costs are based on 1993 dollars; actual costs may vary depending on cost inflation. (6) Performance sampling assumes 18 locations and two QA/QC samples will be analyzed for a total of seven performance monitoring events at two rounds per event will be conducted throughout the post-closure period, at a cost of \$200 per sample. Soluble arsenic chromium, lead and volatile organics. (7) Detection sampling assumes that 7 monitoring wells plus two bank seeps plus two QA/QC samples = 11 samples per sample occasion will be analyzed for soluble arsenic, chromium, lead, volatile organics, pH, conductivity, Eh, and turbidity at a laboratory cost of \$200 per sample. Sampling will occur quarterly. (8) We have assumed a lump sum unit cost for site maintenance because the scope of work is not yet known.				

TABLE 3-2

PALMER STREET LANDFILL  
MOENCH TANNING COMPANY

## ANALYTICAL PARAMETERS/METHODS/PROTOCOL

Parameter	Method	Method Ref.	Maximum Detection Limits (mg/L) (Note 1)	Holding Time	Preservation (Note 2)	Container (Note 3)
Soluble Arsenic	3020/7060	1	0.010	Note 4	HNO <sub>3</sub> to pH <2	500 ml plastic or glass
Soluble Chromium	3020/7191	1	0.010	Note 4	HNO <sub>3</sub> to pH <2	500 ml plastic or glass
Soluble Lead	3020/7421	1	0.010	Note 4	HNO <sub>3</sub> to pH <2	500 ml plastic or glass
Purgeable Halocarbons/ Volatile Aromatics	5030/8260	1		Note 5	Cool to 4°C	40 ml glass VOA vial with Teflon septum
	5030/8260	1		Note 5	Cool to 4°C	40 ml glass VOA vial with Teflon septum
Methyl Ethyl Ketone	5030/8260	1		Note 5	Cool to 4°C	40 ml glass VOA vial with Teflon septum

**References:**

1. Test Methods for Evaluation of Solid Wastes. USEPA SW-846, 3rd Edition. 11/86.
2. Methods for Chemical Analysis of Water and Wastes. USEPA, Cincinnati, Ohio. EPA 6W/4-79-020. Revised March 1983.

**Notes:**

1. The laboratory shall make every reasonable effort to achieve analytical detection limits that are less than or equal to those cited above.
2. Preservations will be added to the sample bottles in the field immediately after sample has been collected. Ice will be used to cool samples in the field and in transit to the laboratory.
3. Containers shown are those necessary to satisfy volume requirements for water analysis.
4. Analysis of water for all metals must be completed within 180 days of the VTSR (Validated Time of Sample Receipt). The VTSR shall be the date on which a sample is received at the laboratory, as recorded on the chain-of-custody form and the lab's central sample log.
5. All field samples will be delivered to the lab within one (1) day of their collection. VOA analysis of water samples must be completed within seven days of VTSR.

## REFERENCES

1. **Malcolm Pirnie, Inc., November 1987.** Palmer Street Landfill, Supplemental Hydrogeologic Investigation.
2. **Malcolm Pirnie, Inc., August 1985.** Groundwater Quality Assessment Program, Palmer Street Landfill.
3. **Malcolm Pirnie, Inc., 1983.** Site Investigation. Palmer Street Landfill.
4. **Malcolm Pirnie, Inc., March 1986.** Groundwater Quality Assessment Report, Palmer Street Landfill.
5. **Malcolm Pirnie, Inc., January 1989.** Palmer Street Landfill, Evaluation Alternative Cover Systems, Volumes 1, 2 & 3 Reports.
6. **Malcolm Pirnie, Inc., July 1991.** Post-Closure Investigation Report - Palmer Street Landfill.
7. **Malcolm Pirnie, Inc., 1985, revised August 1989.** Palmer Street Landfill Closure/Post-Closure Plan.
8. **Moore R. B. and Staubitz, W. E., 1984,** "Distribution and Source of Barium in Groundwater at Cattaraugus Indian Reservation, Southwestern, New York", U. S. Geological Survey, Water Resources Inv. Report, 84-4129.
9. **U. S. D. A. Soil Conservation Service, 1977.** Conservation Plantings on Critical Erosion Areas, Syracuse, NY, Pg. 2.

**MALCOLM  
PIRNIE**

**APPENDIX 1**

**SITE INSPECTION CHECKLIST AND MAINTENANCE SCHEDULE**

SITE INSPECTION CHECKLIST

Date:

Inspected By:

CONDITION: (Check)

	<u>Acceptable</u>	<u>Not Acceptable</u>	<u>Present</u>	<u>Not Present</u>	<u>REMARKS</u>
1) Vegetative Cover					
a) Landfill Site	—	—			
b) Mining Area	—	—			
c) Drainage Ditches	—	—			
d) Leachate Collection System	—	—			
2) Integrity of Drainage Ditches					
a) sediment build-up	—	—			
b) pooling or ponding	—	—			
c) slope integrity	—	—			
d) overall adequacy	—	—			
e) anti-erosion matting	—	—			
f) lining	—	—			
3) Integrity of Gas Vents	—	—			
4) Condition of Access Road					
a) road condition	—	—			
b) gates/locks	—	—			
5) Integrity of Groundwater Monitoring Wells	—	—			
6) Integrity of Landfill Cap					
a) erosion damage			—	—	
b) leachate breakthrough			—	—	
c) settlement			—	—	
d) cracking			—	—	

SITE INSPECTION CHECKLIST - continued

Date:

Inspected By:

CONDITION: (Check)

	<u>Acceptable</u>	<u>Not Acceptable</u>	<u>Present</u>	<u>Not Present</u>	<u>REMARKS</u>
7) Leachate Collection System					
a) flow in pipe	—	—			
b) sediment in pipe					
c) storage tank -			—	—	
structural integrity	—	—			
d) high water level in					
leachate storage tank			—	—	
8) Other (e.g. litter, unauthorized dumping, etc.					



# MAINTENANCE SCHEDULE

Date:

## MAINTENANCE

### PERFORMED

(check)

### ITEM

### REMARKS

- |   |                                |
|---|--------------------------------|
| — | 1) Vegetative Cover:           |
| — | a) seeding                     |
| — | b) fertilizing                 |
| — | c) topsoil replaced            |
| — | d) removal of                  |
| — | undesirable vegetation         |
| — | 2) Drainage Ditches:           |
| — | a) excavation                  |
| — | b) landfill cap replacement    |
| — | c) fill                        |
| — | d) regrading                   |
| — | e) vegetative cover placement  |
| — | f) stone lining replacement    |
| — | g) anti-erosion matting        |
| — | replacement                    |
| — | 3) Leachate Collection System: |
| — | a) collection pipe flushing    |
| — | b) sediment removal            |
| — | c) repair/replacement:         |
| — | i) collection piping           |
| — | ii) excavation                 |
| — | iii) gravel backfill           |
| — | iv) non-woven filter fabric    |
| — | v) fill/cover                  |
| — | vi) vegetative cover           |
| — | vii) storage tank              |
| — | 4) Access Road                 |
| — | a) fill                        |
| — | b) grading                     |
| — | c) Repair/Replacement:         |
| — | i) gate                        |
| — | ii) locks                      |
| — | iii) signs                     |

MAINTENANCE SCHEDULE - continued

Date:

MAINTENANCE

PERFORMED

(check)

ITEM

REMARKS

5) Repair/Replacement:

a) Gas Vents

- i) excavation
- ii) gravel fill
- iii) vent pipe
- iv) screen
- v) cover
- vi) vegetative cover

b) Landfill Cap

- i) excavation
- ii) cover
- iii) compaction
- iv) testing
- v) grading
- vi) vegetative cover

c) Groundwater Monitoring Wells

- i) drilling
- ii) screening
- iii) casing
- iv) pipe
- v) fill/grout
- vi) cap

**MALCOLM  
PIRNIE**

**APPENDIX 2**  
**SAMPLING AND ANALYSIS PLAN**

0605-237-200

**MALCOLM  
PIRNIE**

---

**SAMPLING PLAN AND QUALITY ASSURANCE PLAN  
FOR MONITORING ACTIVITIES  
AT THE PALMER STREET LANDFILL**

---

**MOENCH TANNING COMPANY  
DIVISION OF BROWN GROUP, INC.  
GOWANDA, NEW YORK**

**JULY 1993  
REVISED MARCH 1994**

**MALCOLM PIRNIE, INC.**

**S-3515 Abbott Road  
P. O. Box 1938  
Buffalo, New York 14219**

0605-237-200

**APPENDIX 2  
POST-CLOSURE PLAN**

**THE BROWN GROUP  
PALMER STREET**

**TABLE OF CONTENTS**

	Page
1.0 INTRODUCTION .....	1-1
1.1 Background .....	1-1
1.2 Site Description .....	1-2
1.3 Purpose and Objectives .....	1-2
1.4 Hydrogeologic Information .....	1-2
1.5 Summary of Detection Monitoring Program .....	1-3
1.5.1 Performance Monitoring .....	1-4
1.5.2 Infiltrometer Monitoring .....	1-5
1.6 Project Organization .....	1-5
2.0 MONITORING NETWORK .....	2-1
2.1 Detection Monitoring Locations .....	2-1
2.2 Early Warning Detection Monitoring Location .....	2-1
2.3 Performance Monitoring Locations .....	2-1
2.4 Monitor Construction Details .....	2-2
2.5 Hydraulic Monitoring Locations .....	2-2
3.0 SAMPLING PLAN .....	3-1
3.1 Notification .....	3-1
3.2 Sampling Frequency .....	3-1
3.2.1 Detection Monitoring .....	3-1
3.2.2 Hydraulic Monitoring .....	3-1
3.2.3 Performance Monitoring .....	3-1
3.2.4 Modifications .....	3-2
3.3 Sampling and Field Documentation Methods .....	3-2
3.4 Field Measurements .....	3-4
3.5 Field Equipment Cleaning/Decontamination .....	3-5
3.6 Report .....	3-5
4.0 LABORATORY ANALYSIS PROGRAM .....	4-1
4.1 Parameters for Physical/Chemical Analysis .....	4-1
4.2 Analytical Methodology/Protocol .....	4-1
4.3 Laboratory QC/Reporting Requirements .....	4-1
4.3.1 Quality Control Requirements .....	4-1
4.3.2 Reporting and Deliverable Requirements .....	4-1
5.0 QUALITY ASSURANCE PLAN .....	5-1
5.1 Quality Assurance Objectives .....	5-1
5.1.1 Accuracy and Precision .....	5-1

**APPENDIX 2**

**THE BROWN GROUP  
PALMER STREET**

**TABLE OF CONTENTS (Continued)**

5.1.2	Completeness .....	5-1
5.1.3	Representativeness .....	5-2
5.1.4	Comparability .....	5-2
5.2	Sampling Procedures .....	5-2
5.3	Sample Custody .....	5-2
5.4	Calibration Procedures and Frequency .....	5-3
5.5	Analytical Procedures .....	5-3
5.6	Data Reduction/Validation and Reporting .....	5-4
5.6.1	Field Activities .....	5-4
5.6.2	Laboratory Analysis .....	5-4
5.7	Internal Quality Control Checks and Frequency .....	5-5
5.8	Performance and System Audits .....	5-5
5.9	Preventive Maintenance Procedures & Schedules .....	5-5
5.9.1	Field Equipment .....	5-5
5.9.2	Laboratory Equipment .....	5-5
5.10	Quality Control of Data .....	5-6
5.11	Corrective Action .....	5-6
5.12	Quality Assurance Reports to Management .....	5-6
6.0	HEALTH & SAFETY CONSIDERATIONS .....	6-1
6.1	Health & Safety Training Requirements .....	6-1
6.2	Health & Safety Plan .....	6-1

**LIST OF TABLES**

<b>Table No.</b>	<b>Description</b>	<b>Following Page</b>
1-1	Correlation of Geologic & Hydrogeologic Units .....	1-3
2-1	Monitoring Well Construction Summary .....	2-2
2-2	Piezometer/Well Point Construction Summary .....	2-2
3-1	Monitoring Parameters .....	3-4
3-2	Analytical Parameter Methods/Protocol Surface & Groundwater Samples .....	3-4

**APPENDIX 2**

**THE BROWN GROUP  
PALMER STREET**

**TABLE OF CONTENTS (Continued)**

**LIST OF TABLES (Continued)**

<b>Table No.</b>	<b>Description</b>	<b>Following Page</b>
4-1	Summary of Sample Collection, Analytical Program and Well Monitoring .....	4-1
4-2	Summary of Sample Collection, Analytical Program for Performance Monitoring .....	4-1

**LIST OF FIGURES**

<b>Figure No.</b>	<b>Description</b>	<b>Following Page</b>
1-1	Site Location Map .....	1-1
2-1	Monitoring Locations .....	2-2
4-1	Water Sampling Field Data Sheet .....	3-4
5-1	Chain-of-Custody Record .....	5-3

**LIST OF ATTACHMENTS**

<b>Attachment</b>	<b>Description</b>
A	Geologic Logs & Well Completion Reports
B	Purging and Sample Collection Procedures
C	Calibration of Field Equipment
D	Sampling Equipment Decontamination Procedures

## APPROVALS

This Sampling and Quality Assurance Plan has been reviewed and approved by the following individuals.

BROWN GROUP, INC.

---

---

Date

---

---

Date

MALCOLM PIRNIE, INC.

---

Project Officer

---

Date

---

Project Manager

---

Date

---

---

Date



## **1.0 INTRODUCTION**

### **1.1 BACKGROUND**


---

Moench Tanning Company (Moench Tanning) operated the Palmer Street Landfill (the site) contiguous to its tannery in Gowanda, New York from the late 1800s through July 1983 (Figure 1-1). The site occupies approximately 25 acres and is bound on the west and south by a steeply-sloped wooded area, on the northwest by a swampy area and on the east by Cattaraugus Creek. The former Tannery complex (now closed) serves as the northeast boundary of the site.

A plan for closure of the landfill in accordance with the requirements of 6NYCRR Part 373 and 40 CFR Part 265 (viz. RCRA) was approved by the New York State Department of Environmental Conservation in September 1989. Closure, which consists of grading and placement of a cover system (viz. 2-feet of low permeability soil and 12-inches of topsoil), was initiated in the Spring of 1990 and was completed in the Fall of 1991. Although the site has been closed as a RCRA hazardous waste site, Moench Tanning and its parent company, The Brown Group, Inc. has maintained and continues to maintain that no RCRA hazardous waste were disposed of at the site. Moench Tanning is now closed, and The Brown Group is continuing to pursue reclassification of the site as a 6NYCRR Part 360 landfill site.

A post-closure, water quality monitoring program has been developed for the Site. Post-closure water quality will be monitored in accordance with 6NYCRR Part 360 or in accordance with a post-closure permit issued under 40 CFR 264.98 and 6NYCRR Part 373.2.6. As discussed in the Palmer Street Landfill Closure/Post-Closure Plan, February 1989, the post-closure monitoring program has been developed in two phases. Phase I involved continued routine monitoring of the existing monitoring system; and further site assessment. A site assessment report entitled "Post-Closure Investigation Report - Palmer Street Landfill" was completed in July 1991 and approved by the NYSDEC in March 1993. The basis for the long term post-closure detection monitoring program (viz. Phase II) described herein has been presented as follows:

FIGURE I  
I N



NOTE:  
TOPOGRAPHY TAKEN FROM 1963 GOWANDA, N.Y.  
U.S. G.S. QUADRANGLE 7.5 MIN. SERIES  
SCALE: 1" = 2000'

MALCOLM  
PIRNIE

SITE LOCATION MAP  
PALMER STREET LANDFILL  
GOWANDA, N.Y.

MOENCH TANNING, CO.



- Monitoring recommendations in the Post-Closure Investigation Report;
- Comments on the Report by the NYSDEC dated March 9, 1993; and
- Quarterly and annual monitoring reports which document changes to the regional bedrock flow pattern described previously in the Post-Closure Investigation Report.

## **1.2 SITE DESCRIPTION**

---

The landfill site is located within the Erie-Niagara Drainage Basin where Cattaraugus Creek flows out of the Appalachian Uplands and into Lake Erie Lowland. The site is situated adjacent to steep hillsides to the south and west. The north boundary is adjacent, in part, to a wetland area which discharges to Cattaraugus Creek via a sewer line passing through the former Tannery Site. Cattaraugus Creek bounds the site on the east. A final landfill cover system has been constructed and vegetative growth established.

## **1.3 PURPOSE AND OBJECTIVES**

---

The purpose of this Sampling Plan and Quality Assurance Plan is to identify and document sample locations, sample collection procedures, analytical parameters, and analytical methods to be employed to meet monitoring requirements for the landfill. The quality assurance measures to be taken to ensure acceptable monitoring results are detailed in this plan.

## **1.4 HYDROGEOLOGIC INFORMATION**

---

Geologic units occurring beneath the site can be divided into three major groups as follows:

- Upper overburden deposits - comprised of:
  - waste/fill
  - alluvial silt, sand, and gravel
  - glaciolacustrine silt and sand
- Lower overburden deposits comprised of:

- glaciolacustrine silt and clay
  - glacial till
  - glaciofluvial sand and gravel
- Bedrock deposits comprised of siltstone and shale.

A correlation of geologic units and hydrogeologic units is presented in Table 1-1. Detailed geologic logs from on-site monitoring wells are presented in Attachment A.

A full thickness of the saturated overburden has been defined as the uppermost aquifer (see NYSDEC comments, dated August 15, 1989, on the February 1989 Closure/Post-Closure plan for the Palmer Street Landfill). This definition recognized that the entire thickness between the waste/fill and bedrock is hydraulically connected. Also granular deposits in the lower overburden do not appear to be continuous beneath the landfill and, in some cases may be isolated from one another by a substantial thickness of low permeability till. The term aquifer is used in the sense that the unit will yield water in quantities that are sufficient for monitoring purposes, and is the primary potential contaminant migration pathway to a regional bedrock aquifer.

## **1.5 SUMMARY OF DETECTION MONITORING PROGRAM**

---

The long-term post-closure detection monitoring program at the Palmer Street Landfill will consist of three (3) principle elements, which are as follows:

- Detection monitoring of the regional bedrock groundwater flow system at upgradient and downgradient locations in accordance with 6NYCRR Part 360 or 40 CFR Part 264.98 and 6NYCRR Part 373-2.6(i);
- Early warning detection monitoring of the regional bedrock aquifer at a central location within the boundaries of the landfill to provide an early warning of contaminant release to the regional aquifer;
- Performance monitoring of the shallow overburden groundwater/leachate flow system for periodic evaluation of landfill cover system performance and to determine when steady state flow conditions and chemical equilibrium have been established. The performance monitoring program is discussed further below.

TABLE 1-1  
MOENCH TANNING COMPANY  
PALMER STREET LANDFILL  
SAMPLING PLAN & QUALITY ASSURANCE PLAN  
CORRELATION OF GEOLOGIC AND HYDROGEOLOGIC UNITS

GEOLOGIC UNITS	HYDROGEOLOGIC UNITS
<b>Uppermost Aquifer</b>	
Waste/Fill Alluvial Silt, Sand & Gravel Glaciolacustrine Silt & Sand	Upper Overburden Unconfined Water/Leachate Bearing Zone
Glaciolacustrine Silt & Clay Glacial Till Glaciofluvial Sand & Gravel	Lower Overburden Confining Water Bearing Zone
<b>Regional Aquifer</b>	
Bedrock Deposits	Regional Confined Water Bearing Zone

### **1.5.1 Performance Monitoring**

The landfill cover system is comprised of 24-inches of clay and 12-inches of topsoil layer. A previous study (Malcolm Pirnie, 1989) concluded that the cover system will provide equivalent performance to a "RCRA Cap". Performance evaluations of the landfill cover system will be conducted to determine the actual impact of the cover system on the site water balance and contaminant loadings to Cattaraugus Creek.

The upper overburden zone is currently recharged primarily by precipitation/filtration and secondarily by upgradient ground water flow. Both sources of recharge generate leachate at the Palmer Street Landfill. Construction of the landfill cover system will reduce the generation of leachate due to infiltration of precipitation.

It is conceivable that the leachate quality in the downgradient overburden monitoring wells will deteriorate further as infiltration through the cover system is reduced, although water levels will fall and loading will decrease. Therefore, the performance of the landfill cover system will be evaluated by assessing the reduction in mass loading to Cattaraugus Creek from the upper overburden.

A mathematical model was developed during a previous investigation (see Malcolm Pirnie, 1989) that calculated a mass balance from the load inputs and load outputs at the site. The same model or modifications thereof will be used during the post-closure period. The model uses observed concentration data and a calculated water balance to predict the mass load to Cattaraugus Creek. The calculated impact to Cattaraugus Creek is determined under average flow and low flow conditions.

### **1.5.2 Infiltrometer Monitoring**

Five infiltrometers have been installed beneath the landfill cap to be used in the assessment of the permeability of the cap. During each quarterly event water levels in the infiltrometers are measured and the amount of water infiltrating the cap is calculated.

## **1.6 PROJECT ORGANIZATION**

---

The project will be managed over the course of the post closure monitoring period by The Brown Group, Inc. and its designated subcontractors.

## **2.0 MONITORING NETWORK**

### **2.1 DETECTION MONITORING LOCATIONS**

---

Detection monitoring will be performed in the upper bedrock zone of the regional bedrock aquifer. The detection monitoring well network is comprised of four monitoring wells as follows:

- Upgradient Wells:            MW 1D  
                                     MW-7D
- Downgradient Wells:        MW - 3DR  
                                     MW - 4D  
                                     MW - 6D
- Upgradient Well MW-8D is to be sampled one quarter per year for three years. After reviewing three years of data, Moench Tanning may petition the Department to discontinue sampling of MW-8D.

In addition, two bank seeps located along Cattaraugus Creek are to be sampled. These are designated as follows:

- Area 1: BS-1, located southeast of MW-6.
- Area 2: BS-3, located southeast of MW-3

### **2.2 EARLY WARNING DETECTION MONITORING LOCATION**

---

Monitoring of the upper bedrock and lower overburden will be performed to provide an early warning of contaminant release to the regional bedrock aquifer. The P-6 piezometer cluster is to be sampled as follows:

- Upper bedrock piezometer: P-6D
- Lower Overburden piezometer: P-6B

## **2.3 PERFORMANCE MONITORING LOCATIONS**

---

The cover system performance evaluation will be based on water quality data from the following on-site monitoring locations:

**Groundwater:**

Upgradient - MW-1 and MW-2A

**Groundwater/Leachate:**

Area 1 - P-1, P-2, P-6C

Area 2 - P-3B, P-7A, P-8

Downgradient - MW-3, MW-4S, MW-5, MW-6, MW-7S

**Waste/Fill Pore Water**

Area 1 - LYS-P2, LYS-MW4, LYS-MW6T

Area 2 - LYS-P7B, LYS-P8

**Infiltrimeters (hydraulic monitoring only):**

Area 1 - I3, I4, I5

Area 2 - I1, I2

## **2.4 MONITOR CONSTRUCTION DETAILS**

---

Construction details and survey information for on-site wells, well points, and piezometers is presented in Table 2-1 and Table 2-2. Detailed well completion reports and the infiltrimeter design are presented in Attachment A. All monitoring locations are shown of Figure 2-1.

## **2.5 HYDRAULIC MONITORING LOCATIONS**

---

The groundwater level will be measured in each of the existing monitoring locations listed on Tables 2-1 and 2-2. In addition water levels in the five infiltrimeters will be measured.



TABLE 2-1

MOENCH TANNING COMPANY

PALMER STREET LANDFILL

POST CLOSURE INVESTIGATION

MONITORING WELL CONSTRUCTION SUMMARY

WELL NO.	ELEVATIONS		DEPTHS				DIMENSIONS				NOTES
	GROUND SURFACE	WELL RISER ELEVATION	TOP OF SAND PACK	TOP OF SCREEN	BASE OF WELL	BASE OF SAND PACK	BOREHOLE DIAMETER	WELL DIAMETER	TYPE OF SAND PACK	SCREEN LENGTH X SLOT SIZE	
MW-1-83	822.00	825.00 826.05 (1)	8.0	9.0	29.5	29.5	7 in.	2"	#4	20' x .010"	
MW-1D-90	821.56	822.70 827.81 (1)	172.4	174.3	184.3	186.1	6 in.	2"	#4	10' x .010"	6" Overburden casing SCH 80 PVC
MW-2-83	808.00	811.42	9.0	10.0	30.0	30.0	7 in.	2"	#4	20' x .010"	Replaced
MW-2A-90	808.22	810.62	7.0	9.0	14.0	14.0	10.5 in.	2"	#1	5' x .006"	
MW-3-83	804.20	807.21 810.81 (2)	3.0	3.5	13.5	13.5	7 in.	2"	#4	10' x .010"	
MW-3D-87	804.49	807.22 810.73 (2)	51.0	56.5	61.5	66.5	4.5 in.	2"	#2	5' x .010"	
MW-3DR-88	804.79	806.96 810.47 (2)	86.0	87.0	97.0	100.0	6 in.	2"	#4	10' x .010"	
MW-4-83	800.50	803.85 806.75 (2)	6.5	7.0	17.0	17.5	7 in.	2"	#4	10' x .010"	Abandoned
MW-4B-93	802.95	805.22	11.0	13.0	23.0	23.3	10.5 in.	2"	#1	10' x .006"	
MW-4D-93	803.47	805.93	60.5	62.5	72.5	72.9	4.0 in.	2"	#2	10' x .010"	
MW-5-83	795.60	796.91 805.35 (2)	6.0	6.5	16.5	17.0	7 in.	2"	#4	10' x .010"	
MW-6-83	795.60	798.65 800.48 (2)	4.0	4.0	14.0	14.6	7 in.	2"	#4	10' x .010"	
MW-6D-90	795.78	796.15 800.63 (2)	20.5	22.5	32.5	33.8	4 in.	2"	#2	10' x .010"	6" overburden casing SCH 80 PVC

TABLE 2-1 CONT'D.  
MOENCH TANNING COMPANY  
PALMER STREET LANDFILL  
POST CLOSURE MONITORING  
MONITORING WELL CONSTRUCTION SUMMARY

WELL NO.	ELEVATIONS		DEPTHS				DIMENSIONS				NOTES
	GROUND SURFACE	WELL RISER ELEVATION	TOP OF SAND PACK	TOP OF SCREEN	BASE OF WELL	BASE OF SAND PACK	BOREHOLE DIAMETER	WELL DIAMETER	TYPE OF SAND PACK	SCREEN LENGTH X SLOT SIZE	
MW-7-87	797.60	800.50	20.7	22.5	27.5	28.0	7.5 in.	2"	#2	5' x .010"	
MW-78-87	797.60	800.38	4.5	7.0	12.0	13.0	7.5 in.	2"	#2	5' x .010"	
MW-7D-87	797.60	800.40	32.0	34.0	39.0	39.5	4 in.	2"	#2	5' x .010"	
MW-8-87	816.00	818.31 821.82 (1)	97.0	100.5	105.5	105.5	3 in.	2"	*	5' x .010"	*collapsed sand/gravel
MW-8D-87	816.00	818.45 821.89 (1)	114.5	117.0	122.0	123.0	4 in.	2"	#2	5' x .010"	

Notes: All elevations are in feet above mean sea level.

All depths are in feet below ground surface.

(1) Well casings raised August 16-18, 1990

Resurveyed on September 13, 1990.

(2) Well casings raised June 1991.

Resurveyed 09/11/91 by Hayes Enterprises

TABLE 2-2  
MOENCH TANNING COMPANY  
PALMER STREET LANDFILL  
POST CLOSURE INVESTIGATION  
PIEZOMETER/WELL POINT CONSTRUCTION SUMMARY


PIEZOMETER NUMBER	ELEVATIONS		DEPTHS (below original grade)				DIMENSIONS				NOTES
	ORIGINAL GRADE (4)	WELL RISER	TOP OF SAND PACK	TOP OF SCREEN	BASE OF WELL	BASE OF SAND PACK	BOREHOLE DIAMETER	WELL DIAMETER	TYPE OF SAND PACK	SCREEN LENGTH x SLOT SIZE	
P-1-88	801.28	803.88 811.85 (2)	5.0	7.0	18.0	18.0	10.5 in.	2"	#2	10' x .010"	
P-1A-88	801.53	804.00 811.91 (2)	4.0	5.0	7.5	7.5	10.5 in.	2"	#2	2' x .010"	
P-2-88	802.63	804.99 811.94 (2)	4.5	5.5	11.0	11.0	10.5 in.	2"	#2	5' x .010"	
P-3B-88	814.97	817.68 822.07 (1)	4.0	5.0	10.5	12	10.5 in.	2"	#2	5' x .010"	
P-4-88	808.53	808.38 813.54 (1)	5.0	8.0	14.0	14.0	10.5 in.	2"	#2	5' x .010"	Screen plug dislodged
P-5A-88	802.99	805.89	5.0	6.7	13.0	13.0	10.5 in.	2"	#2	5' x .010"	Destroyed
P-6-88	800.12	801.77	6.0	8.0	14.0	14.0	10.5 in.	2"	#2	5' x .010"	Destroyed
P-8A-90	804.34	805.56 810.37 (2)	17.4	18.4	20.8	20.8	7.25 in.	1"	#1	2' x .008"	1" Riser/10" Surface Casing
P-6B-90	804.08	808.56 810.35 (2)	32.0	33.0	35.0	35.0	7.25 in.	1"	#1	2' x .008"	1" Riser/10" Surface Casing
P-6C-90	803.89	805.86 810.36 (2)	9.0	11.0	16.0	16.0	7.5 in.	2"	#1	5' x .008"	
P-6D-90	804.40	806.59 810.30 (2)	48.1	50.4	55.4	55.4	7.25 in.	2"	#1	5' x .008"	10" Surface Casing
P-7A-88	809.45	811.55 816.92 (1)	9.5	11.7	16.7	16.7	7.5 in.	2"	#2	5' x .010"	
P-8A-88	805.29	806.66 809.0 (1,3)	6.7	8.5	13.5	14.2	7.5 in.	2"	#2	5' x .010"	
WP-1-88	-	816.29 822.16 (2)	-	-	-	-	-	-	-	-	Steel Well Point
WP-4-88	-	800.34 806.31 (4)	-	-	-	-	-	-	-	-	Steel Well Point

Notes: All elevations are in feet above mean sea level.  
All depths are in feet below ground surface.

(1) Well casings raised August 16-18, 1990  
Resurveyed Sept. 13, 1990

(2) Well casings raised June 1991.  
Resurveyed 09/11/91  
(3) Estimated from well depths.

(4) Original grade elevations  
changed due to regrading



**MALCOLM  
PIRNIE**

MOE - 23

**PALMER STREET LANDFILL  
MONITORING LOCATIONS**

MOENCH TANNING COMPANY

JULY 1992

## **3.0 SAMPLING PLAN**

### **3.1 NOTIFICATION**

---

The NYSDEC (Region 9) will be given verbal notice by the owner at least seven days prior to any sampling event.

### **3.2 SAMPLING FREQUENCY**

---

The frequency of sampling for each of the three elements of the monitoring program are provided below.

#### **3.2.1 Detection Monitoring**

Groundwater samples will be collected from the five detection monitoring bedrock wells and two bank seeps described in Section 2.1 on a quarterly basis (i.e., once every three months).

In addition, the early warning detection monitoring piezometers described in Section 2.2 will be sampled on a quarterly basis.

#### **3.2.2 Hydraulic Monitoring**

The water levels will be measured in each of the existing groundwater monitoring points listed in Tables 2-1 and 2-2. In addition, water levels in the five infiltrometers and any newly installed wells will be measured. The depth to water will be measured to the nearest hundredth (0.01) foot using an electronic liquid level sensor. Groundwater level measurements will be made on a quarterly basis.

#### **3.2.3 Performance Monitoring**

A cap performance evaluation as described in Section 1.5 is scheduled to be performed as follows:

- Three years after completion of the landfill cap (e.g., Fall 1994);

- Five years after the completion of the landfill cap (Fall, 1996); and
- At the end of each successive five year period thereafter to the end of the post-closure monitoring period.

Infiltrometer hydraulic monitoring will be performed quarterly or in conjunction with the detection monitoring program. Each performance monitoring event will be comprised of two rounds of sampling.

#### **3.2.4 Modifications**

Modifications to the sampling program will be assessed after the initial cap performance evaluation and a review of the first three years of monitoring data.

### **3.3 SAMPLING AND FIELD DOCUMENTATION METHODS**

---

Collection of representative groundwater samples will require that the monitoring wells be adequately purged prior to sampling.

Wells that recover continuously and exhibit water levels of less than 25 feet below top of casing (TOC) (maximum lift capacity of a peristaltic pump) will be purged by slowly pumping with a peristaltic pump to remove any stagnant water within the casing. The minimum anticipated pumping rate is 0.2 liters/minute for each well. Field parameters of pH, specific conductivity, temperature, and turbidity will be monitored periodically during purging. Purging will be complete when:

- 1) Field parameters have stabilized (i.e., when field parameters have changed less than 10 percent over a 10- to 15-minute period); or
- 2) Three (3) well volumes have been withdrawn.

Wells that do not recover continuously at the rate of pumping by the peristaltic pump, or which have a water level greater than 25 feet below TOC will be purged by bailing. These wells will be purged dry and allowed to recover for a maximum period of 24 hours before sampling. However, all wells will be sampled within three hours of purging, if possible.

Piezometers P-6B (early warning detection location) can not be completely purged and sampled within a 24 hour period. If bailed dry P-6B remains dry for period of 24 to 48

hours. Complete recovery requires several weeks. This behavior is the result of the short monitoring interval and the low hydraulic conductivity of the formation. Therefore, in order to sample within a 24 hour period, P-6B will be purged only to the top of the screened interval and samples will be collected from within the screened interval.

Groundwater samples will be collected by methods described below:

#### **Soluble Metals**

For wells which exhibit water levels of less than 25 feet below grade (after purging) groundwater samples for soluble metals analyses will be collected via a peristaltic pump. The peristaltic pump will be equipped with an in-line .45 micron disposable filter. The groundwater sample will be pressure filtered directly from the well via the peristaltic pump and collected in appropriate sample containers.

If a peristaltic pump is not available, and for wells with water levels greater than 25 feet below grade, groundwater samples will be collected by a dedicated teflon bailer. An air pump will then be used to "push" the groundwater sample from the bailer through a disposable .45 micron filter and into the laboratory supplied sample container. Alternatively, some samples will be pumped directly from the dedicated bailer (using a peristaltic pump and disposable tubing) through an in-line disposable 0.45 micron filter, and to the laboratory supplied sample container.

#### **Volatiles**

All groundwater samples for volatile organic analyses will be obtained by use of a dedicated teflon bailer and prior to the collection of soluble metals samples. All wells will be sampled with dedicated or disposable sampling equipment, including bailers, filters, and tubing for use with the peristaltic pump. Decontamination of groundwater sampling equipment will not be required due to the dedicated or disposable nature of this equipment.

#### **Bank Seeps**

Bank seep samples will be collected using the following procedures:

1. Using a small precleaned trowel and shovel, carefully dig a shallow depression in the immediate area of seep discharge.
2. Allow a minimum of 30 minutes for groundwater to accumulate in depression prior to sampling.
3. Obtain a representative groundwater sample, without disturbing bottom sediments, by carefully submersing each appropriate precleaned sample container. Samples for volatile organic parameters will be collected first.

Groundwater samples will be slowly transferred to the appropriate precleaned sample containers. Groundwater samples will be analyzed for the parameters listed in Tables 3-1 and 3-2, as appropriate. Pore water will not be sampled for analysis of volatile organics during performance monitoring events due to likely volatilization during sample collection.

The specific procedures and methodologies to be employed for collecting representative groundwater samples from the monitoring wells listed in Section 2.1 are presented in Attachment B.

Observations and measurements made in the field will be documented in a permanent field logbook and on the field data sheets. Other data and information recorded will include the sampling date, sample description and identification code, sample preservation methods, the sampling conditions (e.g., weather, etc.) and water level measurements for each well. Documentation procedures are presented in Section 5.6.1.

### **3.4 FIELD MEASUREMENTS**

---

Measurements of pH, Eh, temperature, turbidity, and specific conductivity will be made in the field immediately upon sample collection using calibrated instrumentation. Field methods and calibration of field equipment is specified in Attachment C. Stabilized field parameter readings and the volume purged will be recorded on field data sheets. Field-measured turbidities should be less than approximately 50 NTUs before collecting samples for metals analysis if possible.



**TABLE 3-1**

**THE BROWN GROUP  
PALMER STREET LANDFILL**

**MONITORING PARAMETERS**

Soluble Arsenic  
Soluble Chromium  
Soluble Lead

Volatile Organics<sup>(2)(3)</sup>

pH<sup>(1)</sup>

Specific Conductance<sup>(1)</sup>

Turbidity<sup>(1)</sup>

Groundwater Elevation<sup>(1)</sup>

Temperature<sup>(1)</sup>

Odor

Sample Appearance

All samples collected for analysis of soluble metals will be pressure-filtered in the field immediately upon sample collection.

**NOTES:**

1. All field parameters (i.e., pH, specific conductance, temperature and turbidity) will be measured in the field by sampling personnel. No analysis of these parameters will be required by the laboratory.
2. Volatile organic compounds will be those compounds determined by SW-846, Method 8260.
3. Volatile organics will not be analyzed on pore water samples during performance monitoring events.

TABLE 3-2

**PALMER STREET LANDFILL**  
**Moench Tanning Company**  
**Analytical Parameters/Methods/Protocol**

Parameter	Method	Method Ref.	Maximum Detection Limits (mg/L) (Note 1)	Holding Time	Preservation (Note 2)	Container (Note 3)
Soluble Arsenic	3020/7060	1	0.010	Note 4	HNO <sub>3</sub> to pH < 2	500 ml plastic or glass
Soluble Chromium	3020/7191	1	0.010	Note 4	HNO <sub>3</sub> to pH < 2	500 ml plastic or glass
Soluble Lead	3020/7421	1	0.010	Note 4	HNO <sub>3</sub> to pH < 2	500 ml plastic or glass
Purgeable Halocarbons	5030/8260	1		Note 5	Cool to 4 deg.C	40ml glass VOA vial with Teflon septum
Volatile Aromatics	5030/8260	1		Note 5	Cool to 4 deg.C	40ml glass VOA vial with Teflon septum
Methyl Ethyl Ketone	5030/8260	1		Note 5	Cool to 4 deg.C	40ml glass VOA vial with Teflon septum

## References

1. Test Methods For Evaluation of Solid Wastes. USEPA SW-846, 3rd Edition. 11/86
2. Methods For Chemical Analysis of Water and Wastes. USEPA, Cincinnati, Ohio. EPA 6W/4-79-020. Revised March 1983.

## NOTES:

1. The laboratory shall make every reasonable effort to achieve analytical detection limits that are less than or equal to those cited above.
2. Preservations will be added to the sample bottles in the field bottles in the field immediately after sample has been collected.  
Ice will be used to cool samples in the field and in transit to the laboratory.
3. Containers shown are those necessary to satisfy volume requirements for water analysis.
4. Analysis of water for all metals must be completed within 180 days of the VTSR (Validated Time of Sample Receipt). The VTSR shall be the date on which a sample is received at the laboratory, as recorded on the chain-of-custody form and the lab's central sample log.
5. All field samples will be delivered to the lab within one (1) day of their collection. VOA analysis of water samples must completed within seven days of VTSR.

### **3.5 FIELD EQUIPMENT CLEANING/DECONTAMINATION**

---

All non-dedicated sampling devices (trowels, shovels, etc.) will be cleaned in accordance with the cleaning procedures presented in Attachment D.

### **3.6 REPORT**

---

Following each sampling event, a report summarizing the monitoring data will be submitted to the NYSDEC. The report will include groundwater elevation data, a summary of methods and procedures used, analytical data, and a comparison of the analytical data to NYSDEC Class "GA" groundwater quality standards and Class "D" surface water standards, as appropriate. Groundwater elevation data will be used to document upgradient and downgradient groundwater flow directions at the site. The appendices to the report will include field data sheets and a signed laboratory report which will include the quality control data and chain-of-custody documentation.

## **4.0 LABORATORY ANALYSIS PROGRAM**

### **4.1 PARAMETERS FOR PHYSICAL/CHEMICAL ANALYSIS**

---

A summary of the environmental samples collected during the detection monitoring program and the analyses performed is presented in Table 4-1. A summary of environmental samples collected during the performance monitoring program and the analyses performed is presented in Table 4-2.

### **4.2 ANALYTICAL METHODOLOGY/PROTOCOL**

---

The methods that will be used for chemical analysis of all groundwater samples collected during this monitoring program are presented in Table 3-2. The sampling holding times, preservation, and container requirements are also presented.

### **4.3 LABORATORY QC/REPORTING REQUIREMENTS**

---

Laboratory quality control and reporting requirements will be as identified below.

#### **4.3.1 Quality Control Requirements**

- A subcontract laboratory will perform all standard in-house QA/QC necessary to control the introduction of contamination in the laboratory and to insure the accuracy and precision of the data.
- The laboratory will strictly adhere to the quality control requirements specified in the analytical method references given in Table 3-2.
- The laboratory will provide trip blanks for aqueous volatile organic compounds analyses.

#### **4.3.2 Reporting and Deliverable Requirements**

- The contract laboratory will submit two (2) copies of a final complete analytical report to the owner or its representative within 20 business days of receipt of the samples.

- The analytical report submitted by the laboratory will conform to all reporting and deliverable requirements specified below. The analytical report will include for each sample:
  - Date collected
  - Date extracted or digested
  - Date analyzed
  - Analytical methodology
  - Method detection limits
  - Sample dilution factor
  - A case narrative including a discussion of all QC problems and corrective actions taken
  - Chain-of-custody record
- QC data that will be submitted with each report will include:
  - Field Duplicates
  - Method blank
  - Trip blank
  - Reference standard sample recoveries
- The analytical report prepared by the laboratory will describe, in lay terms, any and all QA/QC problems encountered during analysis of the samples.
- The owner or its representative will incorporate the analytical results into a comprehensive sampling report that will be submitted to NYSDEC within ten (10) weeks of completion of the sampling event.

**TABLE 4-1**

**PALMER STREET LANDFILL**

**Summary of Sample Collection, Analytical Program for Detection Monitoring**

**1. GROUNDWATER**

**A. Summary of Samples**

1. Seven (7) wells will be sampled quarterly (i.e. approximately every three (3) months) each calendar year.
2. Well MW-8D will be sampled during one quarter per year. After 3 years of sampling, Moench Tanning may petition the Department to discontinue sampling Well MW-8D.

**B. Analytical Parameters/Methods**

1. The samples collected at all wells during each sampling event will be analyzed for the parameters listed in Table 3-1 using the methods identified in Table 3-2.
2. Field measurements of pH, specific conductivity, temperature and turbidity will be taken at all wells during each quarterly monitoring event.

**2. BANK GROUNDWATER SEEP SAMPLES**

**A. Summary of Samples**

1. One (1) bank seep sample will be collected as a grab from a drainage ditch located along the north landfill boundary near MW-6.
2. One (1) bank seep sample will be collected as a grab along the bank of the Cattaraugus Creek at a point south of monitoring well MW-3.
3. Sampling frequency will be the same as given in item 1.A.1.

**B. Analytical Parameters/Methods**

1. Same as item 1.B.1.

**3. QUALITY CONTROL SAMPLES**

**A. Summary of Samples**

1. One (1) equipment blank will be prepared during each quarterly sampling event in which sampling equipment is required to be cleaned between sampling locations (a maximum of 4 equipment blanks). One (1) trip blank will be prepared and accompany the samples collected each day.
2. One (1) duplication sample will be analyzed each quarterly sampling event.

**B. Analytical Parameters/Methods**

1. Equipment blanks
  - a. Same as Item 1.B.1.
2. Trip blanks
  - b. Only the volatile organic parameters will be analyzed using the methods identified in Table 3.

**TABLE 4-2**

**PALMER STREET LANDFILL**

**Summary of Sample Collection, Analytical Program for Performance Monitoring**

**1. GROUNDWATER**

**A. Summary of Samples**

1. Thirteen (13) wells will be sampled three years after completion of the cover system; five years after completion of the cover system; and each five years thereafter. Two rounds of sampling will be conducted for a total of 26 groundwater samples per performance monitoring event.

**B. Analytical Parameters/Methods**

1. The samples collected at all wells during each sampling event will be analyzed for the parameters listed in Table 3-1 using the methods identified in Table 3-2.
2. Field measurements of pH, specific conductivity, temperature and turbidity will be taken at all wells during each quarterly monitoring event.

**2. PORE WATER SAMPLES**

**A. Summary of Samples**

1. Five (5) pore water samples will be collected as grab samples from the lysimeter installations. Two rounds of sampling will be performed for a total of 10 pore water samples per performance monitoring event.
2. Sampling frequency will be the same as given in item 1.A.1.

**B. Analytical Parameters/Methods**

1. Same as item 1.B.1, excluding volatile organics.

**3. QUALITY CONTROL SAMPLES**

**A. Summary of Samples**

1. One (1) equipment blank will be prepared during each round of sampling (2 QC samples per performance monitoring event). One (1) trip blank will be prepared and accompany the samples collected each day.
2. Two (2) duplicate samples will be analyzed each monitoring event (one duplicate per round).

**B. Analytical Parameters/Methods**

1. Equipment blanks
  - a. Same as Item 1.B.1.
2. Trip blanks
  - b. Only the volatile organic parameters will be analyzed using the methods identified in Table 3-2.

## **5.0 QUALITY ASSURANCE PLAN**

This Quality Assurance (QA) Plan presents, in specific terms, the policies, organizations, objectives, functional activities, and specific QA and quality control (QC) activities designed to achieve the data quality goals of the Palmer Street Landfill monitoring program. This plan describes the elements that are considered to be an essential part of a QA Plan as defined by the USEPA Office of Research and Development.

The QA applicable to both the field sampling activities and the laboratory analysis of these samples is addressed in this document. The QA/QC that will be employed during the acquisition of field samples is based on the use of accepted sampling procedures as specified in Appendices B, C and D. The laboratory analyses and QA/QC procedures will be in accordance with the requirements of 40 CFR Part 136. Analytical services will be performed by a contract laboratory that has written QA/QC standard operating procedures (SOPs) that describe the in-house procedures employed to guarantee, to the extent possible, the quality of all analytical data. The contract laboratory will be a NYS Department of Health ELAP-approved laboratory.

### **5.1 QUALITY ASSURANCE OBJECTIVES**

---

The QA sample collection and analysis objectives are stated in terms of accuracy, precision, completeness, representativeness and comparability.

#### **5.1.1 Accuracy and Precision**

Accuracy will be determined on the basis of analyte recoveries from spiked samples. Precision will be determined in terms of the coefficient of variance based on duplicate sample analysis.

#### **5.1.2 Completeness**

The QA objective for completeness is to collect and analyze all environmental samples in a manner such that valid data is obtained from 100% of the samples. Achievement of this objective will rely on the use of strict sample identification and custody procedures, analysis of samples within required holding times, use of standard reference



materials, proper instrument calibration and maintenance, analysis of quality control samples, performance audits, and corrective action anytime QC acceptance criteria are exceeded.

#### **5.1.3 Representativeness**

An objective of the sampling is the collection of samples that are representative of the matrix (i.e., ground water, surface water, leachate, etc.) from which they were collected. Achievement of this objective will rely on the use of sampling procedures, as described in Section 3.3 and Appendix A, that have been designed with the goal of obtaining representative samples.

#### **5.1.4 Comparability**

The QA objective for comparability is the generation of data that can be used to make valid comparisons with other data that may be generated in the future at this or other sites. The objective also involves the analysis of the samples in a manner that produces results comparable to the results that would be obtained by another laboratory using the same analytical procedure. This objective is achieved by the use of standard materials traceable to the National Bureau of Standards; the use of accepted procedures for sample collection and analysis; and analysis of quality control samples to validate the analytical results.

### **5.2 SAMPLING PROCEDURES**

---

The procedures that will be used for the collection, handling, preservation and analysis of samples are presented in Attachment B.

### **5.3 SAMPLE CUSTODY**

---

Immediately following sample collection, each sample container will be marked with the following information:

- Sample Code
- Project Number
- Date/Time of Collection

- **Sampler's Initials**

The sample code will indicate the site location, media sampled, and sample station. All samples will be recorded and tracked under strict chain-of-custody protocols. In the field, each sample will be checked for proper labeling. The samples will then be packed into coolers with ice and transported to the laboratory. A chain-of-custody form (Figure 5-1) will be completed for each cooler. The form will be signed and dated by the person who collected the samples, the person to whom the samples were relinquished for transport to the laboratory, and the laboratory sample controller/custodian who receives the samples. The sample chain-of-custody procedures that will be followed once the samples are at the laboratory are described in the laboratory's QA/QC Plan.

#### **5.4 CALIBRATION PROCEDURES AND FREQUENCY**

---

The field instruments that will be used to make measurements in the field during the Project are the following:

- Turbidity Meter
- pH/Eh Meter
- Conductivity Meter
- Dissolved Oxygen Meter

The procedures that will be used to calibrate and maintain these instruments are in accordance with the manufacturer's instructions. Calibration of laboratory analytical instruments will be as specified by 40 CFR, Part 136 for the appropriate methods.

#### **5.5 ANALYTICAL PROCEDURES**

---

Analytical procedures that will be used for chemical analysis of the environmental samples collected during this project are presented on Table 3-2.

### CHAIN OF CUSTODY RECORD

Distribution Original accompanies shipment, copy to coordinator field files

FIGURE 5-1

# WATER SAMPLING FIELD DATA SHEET

PROJECT: \_\_\_\_\_  
 CLIENT: \_\_\_\_\_  
 JOB NO.: \_\_\_\_\_

TYPE OF SAMPLE: \_\_\_\_\_  
 LOCATION NO.: \_\_\_\_\_  
 LAB SAMPLE NO.: \_\_\_\_\_

WELL DATA: DATE: \_\_\_\_\_  
 Casing Diameter (inches): \_\_\_\_\_  
 Screened Interval (ft BGS): \_\_\_\_\_  
 Static Water Level Below TOR (ft): \_\_\_\_\_  
 Elevation Top of Well Riser: \_\_\_\_\_

TIME: \_\_\_\_\_  
 Casing Material: \_\_\_\_\_  
 Screen Material: \_\_\_\_\_  
 Bottom Depth (ft): \_\_\_\_\_  
 Datum Ground Surface: \_\_\_\_\_

PURGING DATA: DATE: \_\_\_\_\_  
 Method: \_\_\_\_\_  
 Well Volumes Purged ( $V = \pi R^2 H / 231$ ): \_\_\_\_\_  
 Standing Volume (gal): \_\_\_\_\_  
 Volume Purged (gal): \_\_\_\_\_  
 Is purging equipment dedicated to sample location?  
 Yes \_\_\_\_\_ No \_\_\_\_\_  
 Field Personnel: \_\_\_\_\_

TIME: Start: \_\_\_\_\_ Finish: \_\_\_\_\_  
 Pumping Rate (gal/min): \_\_\_\_\_  
 Was well purged dry? Yes \_\_\_\_\_ No \_\_\_\_\_  
 Was well purged below sand pack? Yes \_\_\_\_\_ No \_\_\_\_\_

Well I.D. (inches)	Volume (gal/ft)
2	0.17
4	0.66
6	1.50

SAMPLING DATA: DATE: \_\_\_\_\_  
 Method: \_\_\_\_\_  
 Present Water Level (ft): \_\_\_\_\_  
 Depth of Sample (ft): \_\_\_\_\_  
 Is sampling equipment dedicated to sample location?

TIME: Start: \_\_\_\_\_ Finish: \_\_\_\_\_  
 Sampler: \_\_\_\_\_  
 Air Temperature (°F): \_\_\_\_\_  
 Weather Conditions: \_\_\_\_\_  
 Yes \_\_\_\_\_ No \_\_\_\_\_

PRESERVATION DATA: DATE: \_\_\_\_\_  
 Filtered: Yes \_\_\_\_\_ No \_\_\_\_\_  
 Preservative: \_\_\_\_\_  $H_2SO_4$  \_\_\_\_\_  $HNO_3$  \_\_\_\_\_ NaOH \_\_\_\_\_ Other \_\_\_\_\_

TIME: Start: \_\_\_\_\_ Finish: \_\_\_\_\_  
 Cool to 4°C: \_\_\_\_\_

PHYSICAL AND CHEMICAL DATA:

Appearance: Clear: \_\_\_\_\_ Turbid: \_\_\_\_\_ Color: \_\_\_\_\_  
 Contains Sediment: \_\_\_\_\_ Odor: \_\_\_\_\_ Other: \_\_\_\_\_  
 Temperature (°C): \_\_\_\_\_ pH: \_\_\_\_\_ Specific Conductivity ( $\mu mhos/cm$ ): \_\_\_\_\_  
 Turbidity (NTU): \_\_\_\_\_ Other: \_\_\_\_\_

REMARKS:

**MALCOLM  
PIRNIE**

**5.6 DATA REDUCTION, VALIDATION AND REPORTING**

---

**5.6.1 Field Activities**

The results of all field measurements and associated calculations will be recorded on standard forms (Figure 5-2). During all activities, the following general information will be recorded in the log book:

1. Date
2. Sampling Team
3. Meteorological conditions
4. Location where work is performed
5. Problems encountered and corrective actions taken
6. Field measurements or descriptions made
7. Any modifications made to work plan to obtain representative samples

The following information will be recorded by the sampling team leader and/or field technicians during the collection of field samples:

1. Sample locations and summary of samples collected
2. Completeness of the sampling effort (e.g., were all the samples collected that were intended to be collected and if not, what were the reasons?)
3. Chain-of-custody information
4. Results of field measurements
5. Results of field instrument calibrations

Original forms and field notebooks will be placed in the project record file that will be maintained by the owner or its representative. Records will be initially audited by the owner or its representative. Records will be available for QC audits by NYSDEC.

Data validation will be facilitated by adherence to Standard Operating Procedures (SOPs) identified for the performance of all field activities, calibration checks on all field instruments at the beginning and end of each day of use, and manual checks of field calculations.

**5.6.2 Laboratory Analysis**

The laboratory procedures for data reduction, validation and reporting for all chemical parameters analyzed during this project will be in accordance with the requirements of 40 CFR Part 136 and the procedures presented in the laboratory's QA/QC Plan. The laboratory report will include a discussion of the validity of the data which is consistent with the level of Quality Control required for the project.

## **5.7 INTERNAL QUALITY CONTROL CHECKS AND FREQUENCY**

---

Quality control sample analyses that will be performed during this project to document the acceptability of the data will include method blank, trip blank, and reference standard sample analyses.

Quality control sample analytical results will be reported on standard forms in conjunction with data acceptance criteria. The acceptance criteria applicable to this project will be those specified in 40 CFR Part 136.

## **5.8 PERFORMANCE AND SYSTEM AUDITS**

---

Performance and system audits routinely conducted at the laboratory to ascertain the potential of all analytical measurements systems to generate data that are representative, valid, and meet completeness requirements are described in the laboratory's QA/QC Plan.

## **5.9 PREVENTATIVE MAINTENANCE PROCEDURES AND SCHEDULES**

---

### **5.9.1 Field Equipment**

Maintenance procedures that will be employed to assure the proper operation of all field equipment are presented in Attachment C.

### **5.9.2 Laboratory Equipment**

Preventative maintenance will be performed on critical laboratory instruments as described in the laboratory's QA/QC Plan.

## **5.10 QUALITY CONTROL OF DATA**

---

A number of general and specific measures will be employed to ensure that the analytical data produced during this project are generated within known and acceptable limits of accuracy and precision. General control measures will include the following:

- Proper cleaning of sample containers
- Use of formal written sample labeling, logging and chain-of-custody

- Use of USEPA-accepted methods for sample preservation
- Use of laboratory reagents that meet or exceed American Chemical Society "Analytical Reagent Grade" quality standards
- Use of laboratory water that meets or exceeds quality standards for Type I water
- Proper cleaning of laboratory glassware

These measures are addressed in the laboratory's QA/QC Plan.

Field quality control samples will include one equipment blank per sampling event in which sampling equipment is required to be field cleaned between sample locations.

#### **5.11 CORRECTIVE ACTION**

---

Whenever calibration checks of field or laboratory instruments fail to compare with initial calibrations and/or laboratory data precision and/or accuracy acceptance limits are exceeded, corrective actions will be implemented. These actions will include:

- Recalibration or standardization of instruments
- Acquiring new standards
- Repairing instrumentation
- Replacing instruments that cannot be repaired
- Reanalyzing samples for which unacceptable or suspect analytical results were obtained

If problems are encountered which require corrective action, these problems will be addressed and resolved before additional samples are analyzed in order to minimize the quantity of re-analyses required. Specific corrective actions that will be implemented, if needed, and the individuals assigned the responsibility for initiating and approving such corrective actions are identified in the laboratory's QA/QC Plan.

#### **5.12 QUALITY ASSURANCE REPORTS TO MANAGEMENT**

---

Periodically during the performance of this investigation, field and laboratory personnel will be required to report the performance of measurement systems to

management. Field personnel will report to the Monitoring Program Manager. Laboratory personnel reporting requirements are defined in the laboratory's QA/QC Plan.

The frequency of reporting will be as appropriate during the period of time that measurements are being made in the field and/or laboratory. Reporting of measurement system performance generally will be verbal. However, if a problem requiring corrective action is encountered, a formal written report will be prepared. If a QC problem arises in the laboratory, the laboratory operation manager will immediately contact the owner or its representative to discuss an appropriate corrective action. Final approval of the corrective action to be implemented will be made by the laboratory operation manager.



## **6.0 HEALTH AND SAFETY CONSIDERATIONS**

### **6.1 HEALTH AND SAFETY TRAINING REQUIREMENTS**

---

Prior to any site activities, the field investigation team will participate in formal health and safety training. At a minimum, the training will cover:

- First aid (recognition of conditions requiring emergency or medical care and simple steps to take until help arrives).
- Emergency and routine communications.
- Decontamination procedures.
- Personnel protective equipment use, maintenance, and limitations.

### **6.2 HEALTH AND SAFETY PLAN**

---

Monitoring activities at the Palmer Street Landfill shall be performed in strict conformance with the site-specific Health and Safety Plan. All field personnel will be familiar with the requirements of the Health and Safety Plan prior to beginning any field work.

**MALCOLM  
PIRNIE**

**ATTACHMENT A**

**GEOLOGIC LOGS, WELL COMPLETION REPORTS  
AND  
INFILTRMETER DESIGN**

0605-237-200

PROJECT: MOENCH TANNING				PROJECT NO: 605-03-9			
DATE: 9-20-83				LOCATION: GOWANDA, N.Y.			
DRILLING CONTRACTOR: EARTH DIMENSIONS				INSPECTOR: K. McMANUS			
DRILLING METHOD: 3 1/2" HOLLOW STEM AUGERS				SAMPLING METHOD: 2-INCH SPLIT SPOON STANDARD PENETRATION TEST			
ELEVATION:				DATUM:			

SAMPLE			DEPTH	STRATA	SOIL DESCRIPTION density, color, SOIL, admixtures, moisture, other notes, ORIGIN	WELL CONST	REMARKS
no.	depth	blows per 6"					
S-1	0-2'	3 9	5		6" TOPSOIL, LEAVES, ROOTS		PROTECTIVE STEEL SLEEVE
		17 17			MEDIUM DENSE, BROWN SAND, WITH SOME SILT & GRAVEL, MOIST & ROOTS, NON PLASTIC		
S-2	4.5-6.5'	8 13	5		(1" SAND & FINE GRAVEL LENS WITH RED TINT)		CEMENT BENTONITE SLURRY
		9 7			MEDIUM DENSE, BROWN, SILT WITH SOME SAND, LITTLE GRAVEL, MOIST NON-PLASTIC		
S-3	9.5-11.5'	1 1	10		(AUGER CHANGE AT 8.5', NO RECOVERY UNTIL 11', POSSIBLE FINE SAND LENS)		
		4 10			MEDIUM DENSE, GRAY, SILT WITH SOME GRAVEL, MOIST, NON-PLASTIC		
S-4	14.5-16.5'	7 17	15		GRADING TO TRACE CLAY, SLIGHTLY PLASTIC		#4 SAND
		19 19			VERY STIFF, GRAY, CLAY, TRACE GRAVEL, MOIST, PLASTIC		
S-5	19.5-21.5'	9 15	20		(OCCASIONAL FINE SAND LENS 1/4")		2-INCH MACHINE SLOTTED PVC WELL SCREEN
		24 26			GRADING TO SILT & CLAY, TRACE GRAVEL, SLIGHTLY PLASTIC.		
S-6	24.5-26.5'	8 32	25		VERY DENSE, GRAY, FINE SAND AND SILT, MOIST, NON PLASTIC		
		41 36					
S-7	29.5-31.5'	4	30		BOTTOM OF BORING AT 29.5'		
		12 13					
			35				

NOTES: MONITORING WELL INSTALLED. 20 FEET OF 2-INCH DIAMETER PVC WELL SCREEN BACKFILLED WITH #4 SAND TO 8 FEET. THERE IS A PROTECTIVE STEEL SLEEVE WITH LOCKING CAP OVER THE STICK-UP.



# MONITORING WELL CONSTRUCTION LOG

PROJECT: PALMER ST. LF

LOCATION: GOWANDA

DRILLER: BUFF. DRUG - D.

ALTRIDGE

PROJECT NO.: 0605-17-1

BORING: MW-1D (A)

DRILLING

GROUND ELEV.: 820.75

DATE: 5-24-90

METHOD: 5 7/8 ROLLER BIT

FIELD GEOLOGIST: JPH / RHO

DEVELOPMENT

METHOD:

ELEV. OF TOP OF PROTECTIVE CASING: \_\_\_\_\_ ft. AMSL

ELEV. OF TOP OF RISER PIPE: 827.81 ft. AMSL

STICK-UP TOP OF PROTECTIVE CASING: \_\_\_\_\_ ft.

STICK-UP RISER PIPE: \_\_\_\_\_ ft.

GROUND SURFACE ELEV. \_\_\_\_\_

DEPTH BOTTOM OF SURFACE CASING: 169.5 ft.

\* Centralizers installed @  
20', 65', 168' depth from grade

DEPTH TOP OF GROUT INVASION BARRIER: N/A ft.

DEPTH TOP OF SEAL: N/A ft.

DEPTH TOP OF SECONDARY SAND PACK: 171.9 ft.

DEPTH TOP OF PRIMARY SAND PACK: 172.4 ft.

DEPTH TOP OF SCREEN: 174.3 ft.

DEPTH BOTTOM OF SCREEN: 184.3 ft.

DEPTH BOTTOM OF SCREEN CAP: 184.3 ft.

DEPTH BOTTOM OF SAND PACK: 186.1 ft.

DEPTH OF HOLE: 191 ft.

LOCKING COVER

WELL CAP

I.D. x LENGTH OF PROTECTIVE CASING: 6" x 169.5 ft.

1/4" WEEP HOLE

TYPE OF SURFACE SEAL: BENTONITE

I.D. OF SURFACE CASING: 0.5 ft.

TYPE OF SURFACE CASING: 6" STEEL

RISER PIPE I.D. 2" (0.17) ft.

TYPE OF RISER PIPE: SCH 80 PVC

BOREHOLE DIA.: (0.54) ft.

TYPE OF BACKFILL: BENT. SLURRY

TYPE OF BARRIER: N/A

TYPE OF SEAL: BENTONITE SLURRY

TYPE OF SAND PACK: #1 SILICA SAND

TYPE OF SCREEN: SLOTTED PVC

SLOT SIZE x LENGTH: 10 x 10 ft.

I.D. OF SCREEN: 2" (0.17) ft.

BOREHOLE DIA.: 5 7/8" (0.49) ft.

TYPE OF SAND PACK: #4 CR-ROK

TYPE OF BACKFILL BELOW OBSERVATION WELL: CUTTINGS  
187.6 - 191 ; BENTONITE  
PELLETS 186.1 - 187.6

**MALCOLM  
PIRNIE**

# MONITORING WELL CONSTRUCTION LOG

PROJECT: Palmer St Landfill LOCATION: Pecan, NY  
 PROJECT NO.: 0605-17-1 BORING: MW-2A  
 GROUND ELEV.: 808.22 DATE: 4/19/90  
 FIELD GEOLOGIST: J.P. Hilton

DRILLER: T.W. Hammer  
 DRILLING METHOD: 6 1/4" HSA  
 DEVELOPMENT METHOD: \_\_\_\_\_

ELEV. OF TOP OF PROTECTIVE CASING: 810.72 ft. AMSL

ELEV. OF TOP OF RISER PIPE: 810.62 ft. AMSL

STICK-UP TOP OF PROTECTIVE CASING: 2.6 ft.

STICK-UP RISER PIPE: 2.5 ft.

GROUND SURFACE ELEV. \_\_\_\_\_

DEPTH BOTTOM OF SURFACE CASING: 2.4 ft.

DEPTH TOP OF GROUT INVASION BARRIER: NA ft.

DEPTH TOP OF SEAL: 4.0' ft.

DEPTH TOP OF SECONDARY SAND PACK: NA ft.

DEPTH TOP OF PRIMARY SAND PACK: 7.0' ft.

DEPTH TOP OF SCREEN: 9.0' ft.

DEPTH BOTTOM OF SCREEN: 14.0 ft.

DEPTH BOTTOM OF SCREEN CAP: 14.0 ft.

DEPTH BOTTOM OF SAND PACK: 14.0 ft.

DEPTH OF HOLE: 14.0 ft.

LOCKING COVER

WELL CAP

I.D. x LENGTH OF PROTECTIVE CASING: 4" x 5.0' ft.

1/4" WEEP HOLE

TYPE OF SURFACE SEAL: Bentonite / Cement Grout

I.D. OF SURFACE CASING: 4" ft.  
 TYPE OF SURFACE CASING: Steel

RISER PIPE I.D.: 2" ft.  
 TYPE OF RISER PIPE: Sch 40 PVC

BOREHOLE DIA.: 10 1/4" ft.

TYPE OF BACKFILL: Cement Grout

TYPE OF BARRIER: NA

TYPE OF SEAL: Granular Bentonite

TYPE OF SAND PACK: NA

TYPE OF SCREEN: Sch 40 PVC

SLOT SIZE x LENGTH: .006 x 5.0' ft.

I.D. OF SCREEN: 2" ft.

BOREHOLE DIA.: 10 1/4" ft.

TYPE OF SAND PACK: #1 Silica Sand

TYPE OF BACKFILL BELOW OBSERVATION WELL: NA

**MALCOLM  
PIRNIE**

PROJECT: MOENCH TANNING				PROJECT NO: 605-03-9			
DATE: 9-13-83				LOCATION: GOWANDA, N.Y.			
DRILLING CONTRACTOR: EARTH DIMENSIONS				INSPECTOR: C. KRAEMER / K. McMANUS			
DRILLING METHOD: 3 1/2-INCH HOLLOW				SAMPLING METHOD: 2-INCH SPLIT SPOON			
STEM AUGERS				STANDARD PENETRATION TEST			
ELEVATION:				DATUM:			

SAMPLE			DEPTH	STRATA	SOIL DESCRIPTION density, color, SOIL, admixtures, moisture, other notes, ORIGIN	WELL CONST	REMARKS
no.	depth	blows per 6"					
S-1	0-2'	3 2			SOFT, GRAY, CLAY AND SILT WITH A TRACE GRAVEL, MOIST PLASTIC		PROTECTIVE STEEL SLEEVE
		2 2					
S-2	2-4'	2 1					
		2 8	5		DENSE, GRAY, SILT, LITTLE GRAVEL MOIST, NON PLASTIC		CEMENT BENTONITE SLURRY
S-3	4-6'	9 14					
		11 14					
S-4	6-8'	6 17	10		GRADING TO TRACE CLAY, VERY SLIGHTLY PLASTIC		#4 SAND
		17 19					
S-5	8-10'	6 12					
		14 15	15				
S-6	10-12'	6 10					
		14 17					
S-7	12-14'	8 11	20		GRADING TO HARD, OCCASIONAL SILT TO FINE SAND LENSES (1/64")		2-INCH MACHINE SLOTTED PVC WELL SCREEN
		12 20					
S-8	14-16'	7 13					
		19 23	25		VERY STIFF, GRAY, CLAY, MOIST PLASTIC (OCCASIONAL FINE SAND LENSES 1/64")		
S-9	16-18'	4 10					
		18 27					
S-10	18-20'	9 20	30		GRADING TO HARD, TRACE GRAVEL AND SAND		BENTONITE PELLET SEAL
		29 36					
S-11	20-22'	6 16					
		28 36	35		VERY DENSE, GRAY, FINE SAND + SILT, SOME GRAVEL, MOIST, GLACIAL TILL.		BACKFILL TO 31.0'
S-12	22-24'	5 8					
		12 19					
S-13	24-26'	5 10					
		16 23					
S-14	26-28'	11 14					
		44 56					
S-15	28-29.2'	11 53					
		100					
S-16	30-30.7'	50 100					
S-17	32-32.8'	60 100					
S-18	35-35.3'	100					

NOTES: MONITORING WELL INSTALLED. 20' OF 2" DIAMETER PVC WELL SCREEN  
BACKFILLED WITH #4 SAND TO 8 FEET. THERE IS A PROTECTIVE STEEL SLEEVE  
WITH LOCKING CAP OVER THE STICK-UP. THE BORING WAS ALLOWED TO  
BACKFILL UP TO 31 FEET AND A 1 FOOT BENTONITE PLUG WAS  
INSTALLED TO SEAL THE HOLE AT 30 FEET.



[illegible]





OVERBURDEN  
MONITORING WELL SHEETPROJECT PALMER ST LF  
PROJECT NO. 0605-10-1  
ELEVATION 804.2 ft.  
FIELD GEOLOGIST RHOLOCATION GOWANDA NY  
BORING 3D  
DATE 8/3/87DRILLER BUFFALO DRILLING  
DRILLING 4 1/4" HS / 3 7/8"  
METHOD AUGER / MUD ROTARY  
DEVELOPMENT  
METHOD AIR

GROUND ELEVATION

4 1/4" H.O.I. STEM AUGER

22'

4" I.D. CASING DRIVEN TO 62' FOR WELL CONSTRUCTION

62'

3 7/8" Roller Bit To 90'

ELEVATION OF TOP OF SURFACE CASING: 807.38'  
ELEVATION OF TOP OF RISER PIPE: 807.22'

STICK - UP TOP OF SURFACE CASING: \_\_\_\_\_  
STICK - UP RISER PIPE: \_\_\_\_\_

TYPE OF SURFACE SEAL: CEMENT

I.D. OF SURFACE CASING: 4"  
TYPE OF SURFACE CASING: STEEL

RISER PIPE I.D.: 2"  
TYPE OF RISER PIPE: PVC SCH 40

BOREHOLE DIAMETER: 8" to 22' and 4 1/2" to 62'

TYPE OF BACKFILL: CEMENT/BENTONITE GROUT

ELEVATION / DEPTH TOP OF SEAL: 757' / 49'  
TYPE OF SEAL: BENTONITE PELLETS

DEPTH TOP OF SAND PACK: 753 / 51'

ELEVATION / DEPTH TOP OF SCREEN: 747.5 / 56.2'  
TYPE OF SCREEN: PVC  
SLOT SIZE x LENGTH: .010 / 5 FT  
I.D. OF SCREEN: 2"

TYPE OF SAND PACK: #2 G-ROC

ELEVATION / DEPTH BOTTOM OF SCREEN: 742.5 / 61.2'  
ELEVATION / DEPTH BOTTOM OF SAND PACK: 734.5 / 69.2'  
TYPE OF BACKFILL BELOW OBSERVATION WELL: CEMENT BENTONITE GROUT

ELEVATION / DEPTH OF HOLE: 722 / 90'

## MONITORING WELL SHEET

PROJECT March Tanning  
Palmer St.  
PROJECT NO. 0605-12-1  
ELEVATION 804.79  
FIELD GEOLOGIST D. Aloysius

LOCATION Gowanda, NY  
BORING 3DR  
DATE 8/11/88

DRILLER Buffalo Drilling  
DRILLING 6" casing to top of  
METHOD rock, then 6" roller  
DEVELOPMENT bit  
METHOD Surge/bail

GROUND ELEVATION

ELEVATION OF TOP OF SURFACE CASING : \_\_\_\_\_  
ELEVATION OF TOP OF RISER PIPE : \_\_\_\_\_

STICK - UP TOP OF SURFACE CASING : \_\_\_\_\_  
STICK - UP RISER PIPE : \_\_\_\_\_

TYPE OF SURFACE SEAL: cement/bentonite  
grout

I.D. OF SURFACE CASING: 4"  
TYPE OF SURFACE CASING: steel

RISER PIPE I.D. 2"  
TYPE OF RISER PIPE: Sch 40 PVC

BOREHOLE DIAMETER: 10" above 84'; 6" below 84'

TYPE OF BACKFILL: cement/bentonite  
grout

DEPTH TOP OF SEAL: 82.0'

TYPE OF SEAL: bentonite pellet

DEPTH TOP OF SAND PACK: 86.0'

DEPTH TOP OF SCREEN: 87.0'

TYPE OF SCREEN: Sch 40 PVC

SLOT SIZE x LENGTH: 10 Slot

I.D. OF SCREEN: 2"

TYPE OF SAND PACK: #4 G-ROK

DEPTH BOTTOM OF SCREEN: 97.0'

DEPTH BOTTOM OF SAND PACK: 100'

TYPE OF BACKFILL BELOW OBSERVATION WELL: #4 G-ROK Sand

DEPTH OF HOLE: 100'

PROJECT: MOENCH TANNING				PROJECT NO: 605-03-9			
DATE: 9-16-83				LOCATION: GOWANDA, N.Y.			
DRILLING CONTRACTOR: EARTH DIMENSIONS				INSPECTOR: K. McMANUS			
DRILLING METHOD: 3 1/2 - INCH HOLLOW				SAMPLING METHOD: 2 - INCH SPLIT SPOON			
STEM AUGER				STANDARD PENETRATION TEST			
ELEVATION:				DATUM:			

SAMPLE			DEPTH	STRATA	SOIL DESCRIPTION density, color, SOIL, admixtures, moisture, other notes, ORIGIN	WELL CONST	REMARKS
no.	depth	blows per 6"					
S-1	0-2'	4 11			FILL, BROWN, LOAMY TOP SOIL		PROTECTIVE STEEL SLEEVE
		11 10			FILL, BLACK, CINDERS		CEMENT/BENTONITE SLURRY
S-2	5-7'	2 3	5		FILL, YELLOW (PAINT BOOTH SLUDGE), ODOROUS		BENTONITE PELLET SEAL
		1 11			ODOROUS		*4 SAND
S-3	10-12'	1 1	10		GRADING TO BROWN, FIBROUS.		2-INCH MACHINE SLOTTED PVC WELL SCREEN
		1 4			FILL, BLACK, CINDERS WITH BRICK FRAGMENTS, ODOROUS (WATER AT 11.5')		
S-4	15-17'	4 10	15		VERY STIFF, GRAY, SILT & CLAY WITH TRACE SAND AND GRAVEL, MOIST, SLIGHTLY PLASTIC		BENTONITE PELLET SEAL
		9 1					BACKFILL TO 18.5'
S-5	20-22'	1 4	20		LOOSE, GRAY, SAND WITH SOME GRAVEL AND LITTLE SILT, MOIST NON-PLASTIC		
		6 100					
S-6	25-26'	6 100	25		GRADING TO VERY DENSE, FINE SAND AND SILT, SOME GRAVEL, MOIST, GLACIAL TILL		
S-7	30-30.95	100	30		BOTTOM OF BORING AT 30'		
			35				

NOTES: MONITORING WELL INSTALLED. 10 FEET OF 2-INCH DIAMETER PVC WELL SCREEN BACKFILLED WITH #4 SAND TO 6.5 FEET. THERE IS A PROTECTIVE STEEL SLEEVE WITH LOCKING CAP OVER THE STICK-UP. THE BORING WAS ALLOWED TO BACKFILL UP TO 18.5 FEET AND A 1 FOOT BENTONITE PLUG WAS INSTALLED TO SEAL THE HOLE AT 17.5 FEET.



PROJECT: MOENCH TANNING				PROJECT NO: 605-03-9			
DATE: 9-14-83				LOCATION: GOWANDA, N.Y.			
DRILLING CONTRACTOR: EARTH DIMENSIONS				INSPECTOR: C. KRAEMER / K. McMANUS			
DRILLING METHOD: 3 1/2 - INCH HOLLOW STEM				SAMPLING METHOD: 2 - INCH SPLIT SPOON			
AUGERS				STANDARD PENETRATION TEST			
ELEVATION:				DATUM:			


  


SAMPLE			DEPTH	STRATA	SOIL DESCRIPTION density, color, SOIL, admixtures, moisture, other notes, ORIGIN	WELL CONST.	REMARKS
no.	depth	blows per 6"					
S-1	0-2'	9 48 23 29			FILL, COBBLES AND GRAVEL WITH SAND AND SOME LEATHER SCRAPS		PROTECTIVE STEEL SLEEVE
S-2	4.5-6.5'	5 9 6 8	5		NO RECOVERY, MOSTLY LEATHER SCRAPS		CEMENT/ BENTONITE SLURRY
S-3	6.5-8.5'	6 6 5 6			NO RECOVERY, MOSTLY LEATHER SCRAPS		BENTONITE PELLET SEAL
S-4	9.5-11.5'	3 6 34 36	10				#4 SAND
S-5	14.5-16.5'	14 29 35 21	15		VERY DENSE, BROWN, GRAVEL WITH LITTLE SILT AND LITTLE SAND, MOST, NON PLASTIC (WATER AT 13.5')		2-INCH MACHINE SLOTTED PVC WELL SCREEN
S-6	17.5-19.5'	13 26 44 74	20		HARD, GRAY, SILT AND CLAY, TRACE GRAVEL, TRACE SAND, MOST, PLASTIC		BENTONITE PELLET SEAL
S-7	19.5-21.5'	32 74 70 64			GRADING TO LITTLE GRAVEL & SAND		BACKFILL TO 18'
S-8	24.5-25.3'	35 100	25		VERY DENSE, GRAY, SAND WITH SOME GRAVEL AND LITTLE SILT, MOST, NON PLASTIC		
S-9	29.5-30.3'	35 100	30		GRADING TO FINE SAND & SILT, SOME GRAVEL, MOST, GLACIAL TILL BOTTOM OF BORING AT 29.5'		
			35				

NOTES: MONITORING WELL INSTALLED. 10 FEET OF 2-INCH DIAMETER PVC WELL  
SCREEN BACKFILLED WITH #4 SAND TO 6 FEET. THERE IS A PROTECTIVE STEEL  
SLEEVE WITH LOCKING CAP OVER THE STICK-UP. THE BORING WAS ALLOWED  
TO BACKFILL UP TO 18 FEET AND A 1 FOOT BENTONITE PLUG WAS INSTALLED  
TO SEAL THE HOLE AT 17 FEET.



NOTES: MONITORING WELL INSTALLED. 10 FEET OF 2-INCH DIAMETER PVC WELL SCREEN WITH #4 SAND TO 4 FEET. THERE IS A PROTECTIVE STEEL SLEEVE WITH LOCKING CAP OVER THE STICK-UP.



PROJECT Well Replacement START DATE 9/16/93 END DATE 9/16/93PROJECT NO. D605-23-8 FIELD GEOLOGIST J.P. HuttonLOCATION Maerch Tanning Palmer St. LFDRILLING CO. Buffalo Dels  
DRILLER(S) R. Kephart  
DRILLING METHOD(S) 6 1/4" HSA 0-22'  
DEVELOPMENT METHOD(S) \_\_\_\_\_

# MONITORING WELL CONSTRUCTION LOG

PROJECT: Deep Gradient Well Installation

PROJECT NO.: 0605-23-8

GROUND ELEV.: \_\_\_\_\_

FIELD GEOLOGIST: J. P. Hilton

LOCATION: Palmer St LF

BORING: MW-4D-93

DATE: 9/13 - 9/15/93


DRILLER: R. Kephart

DRILLING: 8 1/4" HSA 0-24'  
4 1/4" HSA 24-58'

METHOD: NX 6cc 58-73

DEVELOPMENT

METHOD: \_\_\_\_\_




**MALCOLM  
PIRNIE**

# MONITORING WELL CONSTRUCTION LOG

PROJECT: Palmer Street Landfill LOCATION: Persia NY  
 PROJECT NO.: 0605-17-1 BORING: MW-6D  
 GROUND ELEV.: 795.78 DATE: 4/16/90  
 FIELD GEOLOGIST: J.P. Hilton

DRILLER: S. Gingrich  
 DRILLING: 8 1/4" HSA to 19'  
 METHOD: HQ core to 34'  
 DEVELOPMENT  
 METHOD: \_\_\_\_\_



**MALCOLM  
PIRNIE**



OVERBURDEN  
MONITORING WELL SHEETPROJECT PALMER ST. LF.  
PROJECT NO. 0665-10-1  
ELEVATION 795.5 ft.  
FIELD GEOLOGIST R. O'LASKEYLOCATION GOWANDA, NY  
BORING 7  
DATE 8/10/87DRILLER D. ALTROGGIE  
DRILLING 3 7/8" Rotary Bit  
METHOD 4 1/4" HS. AUGER  
DEVELOPMENT  
METHOD AIR

GROUND ELEVATION

8" Borehole w/ 4 1/4" Hollow Stem Auger

14

Drilled w/ 3 7/8" Bit w/ water

28

ELEVATION OF TOP OF SURFACE CASING: 800.67'  
ELEVATION OF TOP OF RISER PIPE: 800.50'

STICK - UP TOP OF SURFACE CASING: \_\_\_\_\_  
STICK - UP RISER PIPE: \_\_\_\_\_

TYPE OF SURFACE SEAL: CEMENT

I.D. OF SURFACE CASING: 4"  
TYPE OF SURFACE CASING: STEEL

RISER PIPE I.D. 2"  
TYPE OF RISER PIPE: SCH 40 PVC

BOREHOLE DIAMETER: 8" to 14' and 4" to 28'

TYPE OF BACKFILL: CEMENT / BENTONITE

ELEVATION / DEPTH TOP OF SEAL: 780.5 / 17'  
TYPE OF SEAL: BENTONITE PELLETS


DEPTH TOP OF SAND PACK: 776.8 / 20.7'

ELEVATION / DEPTH TOP OF SCREEN: 775.0 / 22.5'  
TYPE OF SCREEN: PVC  
SLOT SIZE x LENGTH: .010" / 5 FT  
I.D. OF SCREEN: 2"

TYPE OF SAND PACK: #2 G-ROC

ELEVATION / DEPTH BOTTOM OF SCREEN: 770.0 / 27.5'  
ELEVATION / DEPTH BOTTOM OF SAND PACK: 769.0 / 28'  
TYPE OF BACKFILL BELOW OBSERVATION WELL: N/A


ELEVATION / DEPTH OF HOLE: 769.0 / 28'

OVERBURDEN  
MONITORING WELL SHEETPROJECT PALMERST LF  
PROJECT NO. 0605-10-1  
ELEVATION 792.5'  
FIELD GEOLOGIST R O'ASKEYLOCATION GOWANDA, NY  
BORING 7S  
DATE 8/7/87DRILLER D. ALTROGGIE  
DRILLING  
METHOD 4 1/4" HS. AUGER  
DEVELOPMENT  
METHOD AIR

OVERBURDEN  
MONITORING WELL SHEETPROJECT PALMER ST. LFLOCATION GOWANDA, NYPROJECT NO. 0605-10-1BORING 7DELEVATION 797.5'DATE 8/6/87FIELD GEOLOGIST R. O'LaskeyDRILLER D. AltroggeDRILLING NX COREMETHOD 4 1/4" HS AUGER

DEVELOPMENT

METHOD



OVERBURDEN  
MONITORING WELL SHEETPROJECT PALMER ST. LF.  
PROJECT NO. 0605-10-1  
ELEVATION 997.5  
FIELD GEOLOGIST R. O'LASKEYLOCATION GOWANDA, NY  
BORING 8  
DATE 8/27/87DRILLER D. ALTROGGIE  
DRILLING  
METHOD as below  
DEVELOPMENT  
METHOD AIR

GROUND ELEVATION

4 1/4" ID HOLLOW STEM AUGER

DRIVE & WASH 3" CASING

105 1/2'

ELEVATION OF TOP OF SURFACE CASING: 818.53  
ELEVATION OF TOP OF RISER PIPE: 818.31

STICK - UP TOP OF SURFACE CASING: \_\_\_\_\_  
STICK - UP RISER PIPE: \_\_\_\_\_

TYPE OF SURFACE SEAL: CEMENT

I.D. OF SURFACE CASING: 4"  
TYPE OF SURFACE CASING: STEEL

RISER PIPE I.D. 2"  
TYPE OF RISER PIPE: SCH 40 PUC

BOREHOLE DIAMETER: 8" to 10 1/2'

TYPE OF BACKFILL: CEMENT/BENTONITE

ELEVATION / DEPTH TOP OF SEAL: 717.5 / 80'  
TYPE OF SEAL: BENTONITE SLURRY


DEPTH TOP OF SAND PACK: 700.5 / 97'


ELEVATION / DEPTH TOP OF SCREEN: 697.0 / 100.5'  
TYPE OF SCREEN: PUC  
SLOT SIZE x LENGTH: .010" / 5 FT  
I.D. OF SCREEN: 2"

TYPE OF SAND PACK: COLLAPSED FORMATION  
(SAND AND GRAVEL)

ELEVATION / DEPTH BOTTOM OF SCREEN: 692.0 / 105.5'  
ELEVATION / DEPTH BOTTOM OF SAND PACK: 692.0 / 105.5'  
TYPE OF BACKFILL BELOW OBSERVATION WELL: Collapsed Sand and Gravel





ELEVATION / DEPTH OF HOLE: 692.0 / 105.5'

OVERBURDEN  
MONITORING WELL SHEETPROJECT PALMER ST. LE  
PROJECT NO. 0605-10-1  
ELEVATION 816.0'  
FIELD GEOLOGIST R. O'LASKEYLOCATION GOWANDA, NY  
BORING BD  
DATE 8/21/87DRILLER D. MITROGGIE  
DRILLING Hollow Stem Auger  
METHOD mucl Rotary  
DEVELOPMENT Drive & Wash  
METHOD AIR



NOTE: \* SAMPLE SPOON ENCOUNTERED MIXED SLUDGE AND FINE SAND AT 6 FT. IN BORING P-1A, LEATHER SCRAP LAYER WAS ABSENT.


## LEGEND

-  WATER LEVEL ON 8/2/88
-  BENTONITE PELLETS
-  SCREENED SOIL/CUTTINGS
-  SILICA FLOUR
-  POROUS CUP
-  CEMENT BENTONITE GROUT
-  SAND PACK









VERT. SCALE: 1" = 4'-0"

**MALCOLM  
PIRNIE**

MOENCH TANNING COMPANY  
PALMER STREET LANDFILL  
**PIEZOMETER CONSTRUCTION DIAGRAM  
NOVEMBER 1988**




## LEGEND

-  BENTONITE SLURRY
-  WATER LEVEL ON 8/2/88
-  BENTONITE PELLETS
-  SCREENED SOIL/CUTTINGS
-  SILICA FLOUR
-  POROUS CUP
-  CEMENT BENTONITE GROUT
-  SAND PACK

VERT. SCALE : 1" = 4'-0"

MALCOLM  
PIRNIEMOENCH TANNING COMPANY  
PALMER STREET LANDFILL  
PIEZOMETER CONSTRUCTION DIAGRAM  
NOVEMBER 1988



## LEGEND


- COLLAPSED FORMATION
- WATER LEVEL ON 8/2/88
- BENTONITE PELLETS
- SCREENED SOIL/CUTTINGS
- SILICA FLOUR
- POROUS CUP
- CEMENT BENTONITE GROUT
- SAND PACK

VERT. SCALE : 1" = 4'-0"








**MALCOLM  
PIRNIE**

MOENCH TANNING COMPANY  
PALMER STREET LANDFILL  
PIEZOMETER CONSTRUCTION DIAGRAM  
NOVEMBER 1988






### LEGEND

-  WATER LEVEL ON 8/2/88
-  BENTONITE PELLETS
-  SCREENED SOIL/CUTTINGS
-  SILICA FLOUR
-  POROUS CUP
-  CEMENT BENTONITE GROUT
-  SAND PACK









VERT. SCALE : 1" = 4'-0"

MALCOLM  
PIRNIE

MOENCH TANNING COMPANY  
PALMER STREET LANDFILL  
PIEZOMETER CONSTRUCTION DIAGRAM  
NOVEMBER 1988




## LEGEND









-  BENTONITE SLURRY
-  COLLAPSED FORMATION
-  WATER LEVEL ON 8/2/88
-  BENTONITE PELLETS
-  SCREENED SOIL/CUTTINGS
-  SILICA FLOUR
-  POROUS CUP
-  CEMENT BENTONITE GROUT
-  SAND PACK

VERT. SCALE: 1" = 4'-0"

MALCOLM  
PIRNIEMOENCH TANNING COMPANY  
PALMER STREET LANDFILLPIEZOMETER CONSTRUCTION DIAGRAM  
NOVEMBER 1988




## LEGEND

-  BENTONITE SLURRY
-  WATER LEVEL ON 8/2/88
-  BENTONITE PELLETS
-  SCREENED SOIL/CUTTINGS
-  SILICA FLOUR
-  POROUS CUP
-  CEMENT BENTONITE GROUT
-  SAND PACK

VERT. SCALE: 1" = 4'-0"

MALCOLM  
PIRNIÉMOENCH TANNING COMPANY  
PALMER STREET LANDFILLPIEZOMETER CONSTRUCTION DIAGRAM  
NOVEMBER 1988




\* 3" SHELBY TUBE TO 11.4"

VERT. SCALE: 1" = 4'-0"

**MALCOLM  
PIRNIE**

MOENCH TANNING COMPANY  
PALMER STREET LANDFILL

PIEZOMETER CONSTRUCTION DIAGRAM  
NOVEMBER 1988




## LEGEND

- COLLAPSED FORMATION
- BENTONITE SLURRY
- WATER LEVEL ON 9/13/88
- BENTONITE PELLETS
- SCREENED SOIL/CUTTINGS
- SILICA FLOUR
- POROUS CUP
- CEMENT BENTONITE GROUT
- SAND PACK

VERT. SCALE : 1" = 4'-0"

MALCOLM  
PIRNIE


MOENCH TANNING COMPANY  
PALMER STREET LANDFILL  
PIEZOMETER/LYSIMETER  
CONSTRUCTION DIAGRAM  
NOVEMBER 1988



VERT. SCALE: 1" = 4'-0"

**MALCOLM  
PIRNIE**

MOENCH TANNING COMPANY  
PALMER STREET LANDFILL  
PIEZOMETER/LYSIMETER  
CONSTRUCTION DIAGRAM  
NOVEMBER 1988




\* SCREENED WITH SIEVE TO  $\leq 3/8"$

VERT. SCALE : 1" = 4'-0"

**MALCOLM  
PIRNIE**

MOENCH TANNING COMPANY  
PALMER STREET LANDFILL  
LYSIMETER CONSTRUCTION DIAGRAM  
NOVEMBER 1988



### LEGEND

- BACKFILL
- WATER LEVEL ON 8/2/88
- BENTONITE PELLETS
- SCREENED SOIL/CUTTINGS
- SILICA FLOUR
- POROUS CUP
- CEMENT BENTONITE GROUT
- SAND PACK

\* BORING LOG INCLUDED IN APPENDIX.

VERT. SCALE : 1" = 4'-0"

**MALCOLM  
PIRNIE**

MOENCH TANNING COMPANY  
 PALMER STREET LANDFILL  
 LYSIMETER CONSTRUCTION DIAGRAM  
 NOVEMBER 1988




# MONITORING WELL CONSTRUCTION LOG

PROJECT: Palmer St. Landfill  
 PROJECT NO.: 0605 17 1  
 GROUND ELEV.: 804.34  
 FIELD GEOLOGIST: J.P. Hilton

LOCATION: Persia NY  
 BORING: P-6A  
 DATE: 4/18/90

DRILLER: T. W. Hammer  
 DRILLING: 8 1/4" HSA to 16.0'  
 METHOD: 4 1/4" HSA to 20.8'  
 DEVELOPMENT  
 METHOD:



**MALCOLM  
 PIRNIE**

# MONITORING WELL CONSTRUCTION LOG

PROJECT: Palmer St lowkill LOCATION: Persin NY  
 PROJECT NO.: 0605 17 1 BORING: P-6B  
 GROUND ELEV.: 804.08 DATE: 4/17/90  
 FIELD GEOLOGIST: J.P. Hilton

DRILLER: T. Wittmeyer  
 DRILLING 8 1/4" HSA to 170'  
 METHOD: 4 1/4" HSA to 35'  
 DEVELOPMENT  
 METHOD: \_\_\_\_\_

ELEV. OF TOP OF  
 PROTECTIVE CASING: \_\_\_\_\_ ft. AMSL  
 ELEV. OF TOP OF  
 RISER PIPE: 808.56 ft. AMSL  
 STICK-UP TOP OF  
 PROTECTIVE CASING: 4.47 ft.  
 STICK-UP RISER PIPE: 4.46 ft.

GROUND SURFACE ELEV. \_\_\_\_\_

DEPTH BOTTOM OF  
 SURFACE CASING: 17.0 ft.

DEPTH TOP OF GROUT  
 INVASION BARRIER: NA ft.  
 DEPTH TOP OF SEAL: Grade Elevation ft.

DEPTH TOP OF  
 SECONDARY SAND PACK: NA ft.  
 DEPTH TOP OF  
 PRIMARY SAND PACK: 32.0 ft.  
 DEPTH TOP OF SCREEN 33.0 ft.

DEPTH BOTTOM  
 OF SCREEN: 35.0 ft.  
 DEPTH BOTTOM  
 OF SCREEN CAP: 35.0 ft.  
 DEPTH BOTTOM  
 OF SAND PACK: 35.0 ft.  
 DEPTH OF HOLE: 35.0 ft.

LOCKING COVER  
 WELL CAP  
 I.D. x LENGTH OF PROTECTIVE  
 CASING: 10" x ft.  
 1/4" WEEP HOLE  
 TYPE OF SURFACE SEAL: Cement/Bentonite Grout  
 I.D. OF SURFACE CASING: 10" ft.  
 TYPE OF SURFACE CASING: Steel

RISER PIPE I.D.: 1" ft.  
 TYPE OF RISER PIPE: Sch 40 PVC

BOREHOLE DIA.: 12" ft.  
 TYPE OF BACKFILL: Bentonite Slurry

TYPE OF BARRIER: NA  
 TYPE OF SEAL: Bentonite Slurry

TYPE OF SAND PACK: NA


TYPE OF SCREEN: Sch 40 PVC  
 SLOT SIZE x LENGTH: 0.06 x 2.0 ft.

I.D. OF SCREEN: 1" ft.  
 BOREHOLE DIA.: 6 1/4" ft.

TYPE OF SAND PACK: #1 Silica Sand

TYPE OF BACKFILL BELOW  
 OBSERVATION WELL: NA


**MALCOLM  
 PIRNIE**



# MONITORING WELL CONSTRUCTION LOG

PROJECT: Palmer Street LOCATION: Pesin, NY  
 PROJECT NO.: 0605-17-1 BORING: PMW-60  
 GROUND ELEV.: 803.39 DATE: Wed 5/9/90  
 FIELD GEOLOGIST: J.P. Hill

DRILLER: Keith Dwyer  
 DRILLING: BUFFALO DRILLING  
 METHOD: 4 1/4" HSA  
 DEVELOPMENT  
 METHOD: \_\_\_\_\_




**MALCOLM  
PIRNIE**


# MONITORING WELL CONSTRUCTION LOG

PROJECT: Palmer Street Landfill LOCATION: Persin, NY  
 PROJECT NO.: 0605-17-1 BORING: P-60  
 GROUND ELEV.: 804.40 DATE: Thur 4/12/90  
 FIELD GEOLOGIST: J.P. Hill

DRILLER: S. Gingrich  
 DRILLING: 8 1/4" HSA to 16.5'  
 METHOD: 4 1/4" HSA thru 10" casing  
 DEVELOPMENT: to 55.4'  
 METHOD: \_\_\_\_\_




**MALCOLM  
PIRNIE**




PLAN

SECTION B-B



SECTION A-A



TYPICAL INFILTRATOR BY HEY'S ENTERPRISES  
AS INSTALLED AT PALMER STREET LANDFILL

INFILTRATOR

MOENCH TANNING COMPANY

3/20 93

**MALCOLM  
PIRNIE**

**ATTACHMENT B**  
**PURGING & SAMPLE COLLECTION PROCEDURES**

0605-237-200

---

Appendix \_\_\_\_: Item \_\_\_\_\_ - WELL PURGING PRIOR TO SAMPLING

---

Applicability: GENERAL Revision No.: 1 Date: 2/7/91

Prepared By: MKR Date: 11/28/89 Approved By: RHO Date: 2/7/91

---

## 1.0 INTRODUCTION

This guideline presents methods for well purging prior to ground water sample collection in order to collect representative ground water samples. Purging involves the removal of at least three to five volumes of water in wells with moderate yields and at least one volume from wells with low yields (slow water level recovery). Sampling should commence as soon as the well has adequately recharged.

## 2.0 WELL PURGING METHODOLOGY

1. Place plastic on the ground around the well to prevent equipment from touching the ground. Unlock and carefully remove the well cover to avoid introducing foreign material into the well. Monitor the top of the well casing for organic vapors using a photoionization detector (HNU), if applicable. If a reading of greater than 5 ppm is recorded, the well should be allowed to vent until levels drop below 5 ppm before proceeding with purging.
2. Measure the depth to water and total well depth prior to purging the well. Calculate the volume of water in the well based on the water level below top of casing and the total depth of well using the following equation:  
$$V = 5.825 I^2 (D-W)$$

V = one well volume (gallon)  
I = inside diameter of well casing (feet)  
D = Well Depth (feet)  
W = Depth to Water from Top of Casing (feet)
3. For wells where the water level is 20 feet or less below the top of casing, use a suction-lift pump to purge the well. Measure the purged volume using a calibrated container and record measurements in a field notebook. Use dedicated new low density polyethylene tubing for each well. During this evacuation of shallow wells, the intake opening of the pump tubing should be positioned just below the surface of the

---

Appendix \_\_\_\_: Item \_\_\_\_\_ - WELL PURGING PRIOR TO SAMPLING

---

Applicability: GENERAL Revision No.: 1 Date: 2/7/91

Prepared By: MKR Date: 11/28/89 Approved By: RHO Date: 2/7/91

---

water. As the water level drops, lower the tubing as needed to maintain flow. The intake level should not be lowered past the top of the screen. Pumping from the top of the water column will ensure proper flushing of the well. Continue pumping until the required volumes are removed. Adjust the purging rate to maintain the water level above the screen.

For wells that exhibit an elevated turbidity (values greater than 50 NTU), maintain a purging rate which limits drawdown of the water level in the well. This procedure will reduce the hydraulic gradient in the well vicinity and limit piping of sediment particles through the sand pack and into the well. Use a peristaltic pump to achieve purging rates below the minimum rate of a suction lift pump.

For wells where the screen straddles the water table, maintain purging at a rate which matches the rate of recovery of the well (well yield). If the well purges to dryness and is slow to recharge (greater than 15 minutes), terminate evacuation.

4. For wells where the water level is initially below about 20 feet, or draw down to this level because of a slow recharge rate, conduct purging using one of three (3) devices:

- Bailer - A bottom filling bailer with a leader made of teflon stainless steel wire or single strand polypropylene monofilament of at least 10-feet long which is attached to a dedicated 1/4-inch nylon rope, should be used.
- Well Wizard Purge Pump - This is a pneumatic pump that uses compressed air to push water to the surface. Ground water is in contact with the drive air during the pumping process, therefore the pump is not used for sampling. Drive air is fully contained within the pump apparatus.
- Waterra<sup>TM</sup> pump - This is a manually operated pump which uses dedicated polyethylene tubing and a check valve, and can be used as an optional method for purging deeper.



---

Appendix \_\_\_\_: Item \_\_\_\_\_ - WELL PURGING PRIOR TO SAMPLING

---

Applicability: GENERAL Revision No.: 1 Date: 2/7/91

Prepared By: MKR Date: 11/28/89 Approved By: RHO Date: 2/7/91

---

wells. The pump and tubing should be removed prior to sampling.

Prior to use in a well, the bailer, exterior pump bodies, and pump tubing should be cleaned using decontamination protocols specified for the program.

5. Purging will continue until a predetermined volume of water has been removed. Record measurements for pH, temperature, conductivity and turbidity during purging. The stability of these measurements with time can be used to guide the decision to discontinue purging.
6. Record well purging data in the Project Field Book or on the attached "Well Development/Purging Log" form.

034.1

# WELL DEVELOPMENT/PURGING LOG

PROJECT TITLE: \_\_\_\_\_  
 PROJECT NO.: \_\_\_\_\_  
 STAFF: \_\_\_\_\_  
 DATE: \_\_\_\_\_

WELL NO.: \_\_\_\_\_

WELL I.D.

VOL.  
GAL./FT

① TOTAL CASING AND SCREEN LENGTH (FT.): \_\_\_\_\_

1" 0.04

② CASING INTERNAL DIAMETER (in.): \_\_\_\_\_

2" 0.17

③ WATER LEVEL BELOW TOP OF CASING (FT.) \_\_\_\_\_

3" 0.38

④ VOLUME OF WATER IN CASING (GAL.) \_\_\_\_\_

4" 0.66

5" 1.04

6" 1.50

8" 2.60

$$V = 0.0408 (2)^2 \times (1 - 3) = \text{_____ GAL.}$$

PARAMETERS	ACCUMULATED VOLUME PURGED (GALLONS)										

COMMENTS:

**MALCOLM  
PIRNIE**

---

Appendix \_\_\_\_: Item \_\_\_\_\_ - GROUND WATER SAMPLING USING POLYETHYLENE  
BAILERS

---

Applicability: GENERAL Revision No.: \_\_\_\_ Date: 4/24/92  
Prepared By: DMH Date: 4/24/92 Approved By: DMH Date: 4/24/92

---

## 1.0 INTRODUCTION

This guideline presents a method for collecting a ground water sample after the monitoring well has been purged and has sufficiently recovered. Sampling should be carried out according to the following protocol:

## 2.0 METHODOLOGY

1. Perform sampling within three hours after purging if the well has recovered sufficiently to sample, or within 24 hours after evacuation, if the well recharges slowly. If the well does not yield sufficient volume for all required laboratory analytical testing (including quality control), a decision should be made to prioritize analyses based on contaminants of concern at the site. Analyses will be prioritized in the order of the parameters volatilization sensitivity. After volatile organics have been collected, field parameters must be measured from the next sample collected. If a well takes longer than 24 hours to recharge, the Project Manager should be consulted.
2. Following purging and recharging the well, collect samples into appropriate containers using a stainless steel or polytetrafluoroethylene bailer. The bailer should be equipped with a leader made of Teflon, stainless steel wires or single strand polypropylene monofilament of at least ten feet long which is attached to a new, dedicated 1/4-inch nylon rope. The bailer should be lowered slowly below the surface of the water so as to allow the water to touch only the "leader" and not the nylon rope. Prior to its use in the field, the stainless steel bailer and "leader" should be cleaned according to decontamination protocols specified for the program.
3. For wells that are known to produce turbid samples (values greater than 50 NTU), the bailer should be lowered and retrieved at a rate that limits surging of the well.

---

Appendix \_\_\_\_: Item \_\_\_\_\_ - GROUND WATER SAMPLING

---

Applicability: GENERAL Revision No.: 1 Date: 2/7/91

Prepared By: MKR Date: 11/27/89 Approved By: RHO Date: 2/7/91

---

4. Prelabel all sample bottles in the field using a waterproof permanent marker. The following information should be included on the label:
  - Site name
  - Sample identification code
  - Project number
  - Date/time of sample collection (month, day, year)
  - Sampler's initials
  - Preservation added (if any)
  - Analysis to be performed
5. Collect samples into pre-cleaned bottles provided by the analytical laboratory with the appropriate preservative(s) added, and the samples placed in coolers for shipment to the designated laboratory. Chain of custody procedures should be adhered to upon sample collection.

All samples will be total (unfiltered) unless the project specific work plan states otherwise. Should sample filtration be required, ground water samples will be pressure-filtered through 0.45  $\mu$ m filters in the field using air.
6. Collect a separate sample of approximately 200 mls into an appropriate container to measure pH, conductivity, temperature and turbidity in the field.
7. Record well sampling data in the Project Field Book or on the attached "Water Sampling Field Data Sheet."

Appendix \_\_\_\_: Item \_\_\_\_\_ - GROUND WATER SAMPLING

Applicability: GENERAL Revision No.: 1 Date: 2/7/91

Prepared By: MKR Date: 11/27/89 Approved By: RHO Date: 2/7/91

### 3.0 REFERENCES

- (a) USEPA, September 1986, RCRA Groundwater Monitoring Technical Enforcement Guidance Document.

035.1

# WATER SAMPLING FIELD DATA SHEET

PROJECT: \_\_\_\_\_  
 CLIENT: \_\_\_\_\_  
 JOB NO.: \_\_\_\_\_

TYPE OF SAMPLE: \_\_\_\_\_  
 LOCATION NO.: \_\_\_\_\_  
 LAB SAMPLE NO.: \_\_\_\_\_

WELL DATA: DATE: \_\_\_\_\_  
 Casing Diameter (inches): \_\_\_\_\_  
 Screened Interval (ft BGS): \_\_\_\_\_  
 Static Water Level Below TOR (ft): \_\_\_\_\_  
 Elevation Top of Well Riser: \_\_\_\_\_

TIME: \_\_\_\_\_  
 Casing Material: \_\_\_\_\_  
 Screen Material: \_\_\_\_\_  
 Bottom Depth (ft): \_\_\_\_\_  
 Datum Ground Surface: \_\_\_\_\_

PURGING DATA: DATE: \_\_\_\_\_  
 Method: \_\_\_\_\_  
 Well Volumes Purged ( $V = \pi R^2 H / 231$ ): \_\_\_\_\_  
 Standing Volume (gal): \_\_\_\_\_  
 Volume Purged (gal): \_\_\_\_\_  
 Is purging equipment dedicated to sample location?  
 Yes \_\_\_\_\_ No \_\_\_\_\_  
 Field Personnel: \_\_\_\_\_

TIME: Start: \_\_\_\_\_ Finish: \_\_\_\_\_  
 Pumping Rate (gal/min): \_\_\_\_\_  
 Was well purged dry? \_\_\_\_\_ Yes \_\_\_\_\_ No  
 Was well purged below sand pack? \_\_\_\_\_ Yes \_\_\_\_\_ No

Well I.D. (inches)	Volume (gal/ft)
2	0.17
4	0.66
6	1.50

SAMPLING DATA: DATE: \_\_\_\_\_  
 Method: \_\_\_\_\_  
 Present Water Level (ft): \_\_\_\_\_  
 Depth of Sample (ft): \_\_\_\_\_  
 Is sampling equipment dedicated to sample location?

TIME: Start: \_\_\_\_\_ Finish: \_\_\_\_\_  
 Sampler: \_\_\_\_\_  
 Air Temperature (°F): \_\_\_\_\_  
 Weather Conditions: \_\_\_\_\_  
 Yes \_\_\_\_\_ No \_\_\_\_\_

PRESERVATION DATA: DATE: \_\_\_\_\_  
 Filtered: \_\_\_\_\_ Yes \_\_\_\_\_ No  
 Preservative: \_\_\_\_\_  $H_2SO_4$  \_\_\_\_\_  $HNO_3$  \_\_\_\_\_ NaOH \_\_\_\_\_ Other

TIME: Start: \_\_\_\_\_ Finish: \_\_\_\_\_  
 Cool to 4°C: \_\_\_\_\_

PHYSICAL AND CHEMICAL DATA:

Appearance: Clear: \_\_\_\_\_ Turbid: \_\_\_\_\_ Color: \_\_\_\_\_  
 Contains Sediment: \_\_\_\_\_ Odor: \_\_\_\_\_ Other: \_\_\_\_\_  
 Temperature (°C): \_\_\_\_\_ pH: \_\_\_\_\_ Specific Conductivity ( $\mu mhos/cm$ ): \_\_\_\_\_  
 Turbidity (NTU): \_\_\_\_\_ Other: \_\_\_\_\_

REMARKS:

**MALCOLM  
PIRNIE**

---

Appendix \_\_\_\_: Item \_\_\_\_\_ - SURFACE WATER SAMPLING

---

Applicability: GENERAL Revision No.: \_\_\_\_ Date: \_\_\_\_

Prepared By: MKR Date: 1/18/90 Approved By: KLB Date: 2/2/90

---

## 1.0 INTRODUCTION

This guideline presents a method for the collection of surface water samples. The most widely used method for collection involves a sampler consisting of an adjustable clamp attached to the end of a two or three piece telescoping aluminum tube that serves as the handle. The clamp is used to secure a precleaned laboratory sample bottle. Using the sample bottle for actual sampling eliminates the need for other equipment. This method also reduces the risk of introducing other variables into a sampling event.

## 2.0 METHODOLOGY

1. Assemble the sampler. Make sure that the sample bottle and the bolts and nuts that secure the clamp to the pole are tightened properly.
2. With proper protective garment and gear, take a grab sample by slowly submerging the sample bottle with minimal surface disturbance.
3. Collect samples from near shore unless boats are feasible and permitted.
4. Retrieve the sampler from the surface water with minimal disturbance. (If sample bottles were not used for sample collection, carefully transfer the water samples to appropriate precleaned sample bottles).
5. Cap the sample bottle and remove from the sampler. Follow procedures for preservation, if required, and sample handling.

---

Appendix \_\_\_\_: Item \_\_\_\_\_ - SURFACE WATER SAMPLING

---

Applicability: GENERAL Revision No.: \_\_\_\_ Date: \_\_\_\_

Prepared By: MKR Date: 1/18/90 Approved By: KLB Date: 2/2/90

---

6. Dismantle the sampler and store in plastic bags for subsequent decontamination.
7. Record available information for the pond, stream or other body of water that was sampled, such as its size, location and depth in the Project Field Book. Approximate sampling points should be identified on a sketch of the water body.

### 3.0 REFERENCES

New Jersey Department of Environmental Protection, 1988, Field Sampling Procedures Manual: Bureau of Environmental Measurements and Quality Assurance CN 028, 414 p.

042



---

Appendix \_\_\_\_: Item \_\_\_\_\_ - WATER LEVEL MONITORING

---

Applicability: GENERAL Revision No.: \_\_\_\_ Date: \_\_\_\_\_

Prepared By: MKR Date: 11/20/89 Approved By: GHF Date: 11/22/89

---

## 1.0 INTRODUCTION

This guideline presents a method for obtaining water levels from monitoring wells/piezometers. The groundwater levels measured in the monitoring wells can be used to determine groundwater flow directions and when combined with hydraulic conductivity data, flow rates.

Water levels in monitoring wells should be measured using an electronic water level indicator which has been checked to ensure it is operational, prior to mobilizing to the field.

## 2.0 METHODOLOGY

1. Pre-clean water level probe and lower portion of cable with DI water and dry with a clean tissue. A solvent wash and acid wash are not required for cleaning of the water level meter.
2. Lower probe slowly into the monitoring well until the audible alarm, which indicates water, sounds.
3. Read depth from the graduated cable to the nearest 100th (0.01) of a foot using either the v-notched reference point on the well riser or the highest point on the well riser as a reference. Repeat the measurement for confirmation and record the water level in the Project Field Book or on a "Groundwater Levels" form (attached).
4. Remove the probe from the well slowly, drying the cable and probe with a clean tissue.
5. Replace well cap and lock protective cap in place. Repeat decontamination procedures if additional measurements are to be taken.

Revised 3/94

Appendix \_\_\_\_: Item \_\_\_\_ - WATER LEVEL MONITORING

Applicability: GENERAL Revision No.: \_\_\_\_ Date: \_\_\_\_

Prepared By: MKR Date: 11/20/89 Approved By: GHE Date: 11/22/89

### 3.0 EQUIPMENT REQUIREMENTS

- personal protective garment and gear (if applicable)
- water level indicator
- tissues
- Project Field Book

### 4.0 REFERENCES

USEPA, September 1986, RCRA Ground Water Monitoring Technical Enforcement Guidance Document, 9950.1

033

[illegible]

**MALCOLM  
PIRNIE**

**MALCOLM  
PIRNIE**

**ATTACHMENT C**  
**CALIBRATION OF FIELD EQUIPMENT**

0605-237-200

Printed on Recycled Paper

---

Appendix 5: Item \_\_\_\_\_ - CALIBRATION AND MAINTENANCE OF PORTABLE  
FIELD pH/Eh METER

---

Applicability: GENERAL Revision No.: \_\_\_\_\_ Date: \_\_\_\_\_

Prepared By: THF Date: 12/22/89 Approved By: KLB Date: 12/22/89

---

### 1.0 INTRODUCTION

This guideline presents a method for calibration of a portable pH/Eh meter. The pH/Eh meter measures and provides a log scale reading of the hydrogen ion concentration of a water sample (pH function) or of the oxidation/reduction potential of a water sample (Eh function). In order to ensure an accurate reading, the pH/Eh meter must be calibrated prior to use in the field.

### 2.0 ACCURACY

The calibrated accuracy of the pH/Eh meter will be:

pH - 0.1 pH unit, over the temperature range of -2°C to 40°C.

Eh - -1 to +1 millivolts over the range of -700 to +700 millivolts.

### 3.0 CALIBRATION

Calibrate all field test equipment at the beginning of each sampling day and check and recalibrate according to the manufacturer's specifications. Calibrate the pH/Eh meter by immersing the sensing probe in a container of certified pH buffer solution traceable to the National Bureau of Standards, and compare the meter reading to the known value of the buffer solution, which is stirred. If the reading obtained by the meter does not agree with the known value of the buffer solution, adjust the "standardize" control until the desired reading is obtained. In addition,

---

Appendix \_\_\_\_: Item \_\_\_\_\_ - CALIBRATION AND MAINTENANCE OF PORTABLE  
FIELD pH/Eh METER

---

Applicability: GENERAL Revision No.: \_\_\_\_ Date: \_\_\_\_

Prepared By: THF Date: 12/22/89 Approved By: KLB Date: 12/22/89

---

measure the temperature of the buffer solutions, and adjust the temperature setting of the meter accordingly. Typically, pH 4.0, 7.0 and 10.0 buffers will be used for calibration purposes. Two-point calibrate the meter in the field at the beginning and end of each group of measurements. Select the two points to bracket the range of expected field measurements. The narrowest range possible is desired to maximize accuracy. This procedure will apply to both the pH and Eh functions of the meter, since there is no need to standardize the Eh function to any additional buffer or to compensate for solution temperature.

#### 4.0 MAINTENANCE

1. When not in use or between measurements, keep the pH/Eh probe immersed in or moist with buffer solution.
2. Check the meter batteries at the end of each day and recharge when needed.
3. Replace the pH/Eh probe any time that the meter response time becomes greater than two minutes or the metering system consistently fails to retain its calibrated accuracy for a minimum of ten sample measurements.
4. If a replacement of the pH/Eh probe fails to resolve instrument response time and stability problems, the equipment officer will send the instrument to its manufacturer for maintenance and repair.
5. Maintain a log for each monitoring instrument. Record all maintenance performed on the instrument on this log with date and name of the organization performing the maintenance.

---

Appendix \_\_\_\_: Item \_\_\_\_\_ - CALIBRATION AND MAINTENANCE OF PORTABLE  
FIELD pH/Eh METER

---

Applicability: GENERAL Revision No.: \_\_\_\_ Date: \_\_\_\_

Prepared By: IHF Date: 12/22/89 Approved By: KLB Date: 12/22/89

---

#### 5.0 DATA VALIDATION

Document all instrument calibrations in the field notebook, indicating the meter readings before and after the meter has been adjusted. Also document the pH buffers used to calibrate the meter. This is important, not only for data validation, but also to establish maintenance schedules and component replacement.

047

---

Appendix \_\_\_\_: Item \_\_\_\_\_ - CALIBRATION AND MAINTENANCE OF  
PORTABLE CONDUCTIVITY METER

---

Applicability: GENERAL Revision No.: 1 Date: 12/29/89  
Prepared By: IHF Date: 12/29/89 Approved By: KLB Date: 12/29/89

---

### 1.0 INTRODUCTION

This guideline presents a method for checking the calibration of a portable field conductivity meter. The conductivity meter is factory calibrated and measures and provides a direct reading of the conductivity of a water sample. In order to ensure an accurate reading, the calibration of the conductivity meter must be checked prior to use in the field.

### 2.0 ACCURACY

The calibrated accuracy of the specific-conductance meter is within three percent of full-scale over the temperature range of -2°C to 40°C.

### 3.0 CALIBRATION

The instrument has been calibrated by the manufacturer according to factory specifications. All test equipment must be field checked at the beginning of each sampling day [6NYCRR 360-2-11(a)(12)(v)(a)] using a calibration solution having a known specific conductivity and salinity. Check the factory calibration by immersing the sensor probe in a container of manufacturer-prepared standard solution of known specific conductivity. Turn the meter on and allow approximately 30 seconds for response. If the reading obtained does not agree with the known specific conductivity of the solution, proceed as follows:

- Turn the instrument off, and mechanically zero the meter in accordance with the instruction manual (if possible).



---

Appendix \_\_\_\_: Item \_\_\_\_\_ - CALIBRATION AND MAINTENANCE OF  
PORTABLE CONDUCTIVITY METER

---

Applicability: GENERAL Revision No.: 1 Date: 12/29/89

Prepared By: THF Date: 12/29/89 Approved By: KLB Date: 12/29/89

---

- Turn the instrument on and check the battery power. If necessary, place the meter on charge for several hours.
- Clean and dry the probe thoroughly. With the probe not in the solution, turn the meter on and adjust the range selector to the lowest range available. The meter reading should be within two minor divisions of zero. If the response is outside this range, return the meter to the manufacturer for repair.
- Place the electrode in the manufacturer-prepared solution of known salinity. Adjust the "salinity" control to match that of the standard solution.
- If the above steps fail to adequately calibrate the meter, consult the manufacturer.

#### 4.0 MAINTENANCE

1. Check the meter batteries at the end of each day and recharge when needed.
2. Track the meter response time and stability to determine the need for instrument maintenance. When response time becomes greater than two minutes and the meter must be recalibrated more than once per day, send the instrument to the manufacturer for maintenance and repair.
3. Maintain a log for each specific-conductance meter. Record all maintenance performed on the instrument on this log with date and name of organization performing the maintenance.

Appendix \_\_\_\_: Item \_\_\_\_ - CALIBRATION AND MAINTENANCE OF  
PORTABLE CONDUCTIVITY METER

Applicability: GENERAL Revision No.: 1 Date: 12/29/89

Prepared By: THE Date: 12/29/89 Approved By: KLB Date: 12/29/89

#### 5.0 DATA VALIDATION

Document all instrument calibration checks, indicating the meter readings before and after the meter has been adjusted. The standard solution used to calibrate the meter will also be documented.

048

---

Appendix \_\_\_\_: Item \_\_\_\_\_ - CALIBRATION AND MAINTENANCE OF PORTABLE  
FIELD TURBIDITY METER

---

Applicability: GENERAL Revision No.: \_\_\_\_ Date: \_\_\_\_

Prepared By: THE Date: 2/9/90 Approved By: KLB Date: 2/9/90

---

### 1.0 INTRODUCTION

This procedure presents a method for calibration of the HACH Model 16800 portable field turbidity meter. The turbidity meter is used to measure and provide a direct reading of the cloudiness or clarity of water samples. The turbidity meter is factory calibrated. In order to ensure an accurate reading, the factory calibration must be checked prior to using the meter in the field.

### 2.0 ACCURACY

The calibrated accuracy of the turbidity meter will be within one percent of full-scale on all scale ranges.

### 3.0 CALIBRATION

All factory calibrated field test equipment must be checked at the beginning of each sampling day and recalibrated (if necessary) according to the manufacturer's specifications (Ref. 1). Check the factory calibration of the turbidity meter as follows:

1. With the instrument turned off, check the mechanical zero adjustment on the meter face. Adjust for a zero reading if necessary.
2. Turn the meter on and perform a battery check. Charge the batter pack if the meter indicates low battery charge.

---

Appendix \_\_\_\_: Item \_\_\_\_\_ - CALIBRATION AND MAINTENANCE OF PORTABLE  
FIELD TURBIDITY METER

---

Applicability: GENERAL Revision No.: \_\_\_\_ Date: \_\_\_\_

Prepared By: THE Date: 2/9/90 Approved By: KLB Date: 2/9/90

---

3. Place the focusing template into the cell holder, press the 1.0 range switch, and adjust the ZERO control to obtain a zero NTU reading.
4. Remove the focusing template and insert a 0.9 NTU turbidity standard. Adjust the SPAN control for a corrected 0.9 NTU reading, if necessary.
5. Remove the 0.75 NTU standard and replace it with a 9 NTU standard. Press the 10 range switch. The meter should indicate 9 ( $\pm 0.02$ ) NTU. If it does not, the 10 range potentiometer must be adjusted in accordance with the manufacturer's instructions. Adjust the SPAN control for a reading of exactly 9 NTU.
6. Remove the 9 NTU standard and replace it with the cell riser and 90 NTU standard. Press the 100 range switch. The meter should indicate 90 ( $\pm 2$ ) NTU.
7. Remove the 90 NTU standard and cell riser and insert the 9 NTU standard. Press the 10 NTU range switch. Adjust the SPAN control for a reading of exactly 9 NTU.
8. Remove the 9 NTU standard and replace it with a 0.9 NTU standard. Press the 1.0 range switch. The meter should indicate the correct value for the 0.9 NTU standard ( $\pm 0.2$ ). If it does not, the 1.0 range potentiometer must be adjusted in accordance with the manufacturer's instructions.

#### 4.0 MAINTENANCE

1. Check the meter battery pack at the end of each day and recharge when needed.
2. When not in use, store the meter in a clean, dry area with the protective cover shut.
3. Clean the lens periodically with a dry cloth or tissue.

---

Appendix \_\_\_\_: Item \_\_\_\_\_ - CALIBRATION AND MAINTENANCE OF PORTABLE  
FIELD TURBIDITY METER

---

Applicability: GENERAL Revision No.: \_\_\_\_ Date: \_\_\_\_

Prepared By: THE Date: 2/9/90 Approved By: KLB Date: 2/9/90

---

4. Maintain a log for each turbidity meter. All maintenance performed on the instrument will be recorded on this log with date and name of organization performing the maintenance.

#### 5.0 DATA VALIDATION

Document all instrument calibrations, indicating the meter readings before and after adjustment. The calibration standard manufacturer and type will also be documented. Record any problems or malfunctions occurring during field use and present them with the instrument readings obtained.

#### 6.0 REFERENCES

1. New York State Code of Rules and Regulations, 6NYCRR Part 360, Section 2.11(a)(12)(v)(a).

007

---

Appendix \_\_\_\_: Item \_\_\_\_\_ - CALIBRATION AND MAINTENANCE OF  
PORTABLE DISSOLVED OXYGEN METER

---

Applicability: GENERAL Revision No.: \_\_\_\_ Date: \_\_\_\_  
Prepared By: EWM Date: 04/16/90 Approved By: KLB Date: 04/24/90

---

## 1.0 INTRODUCTION

This guideline presents a method for checking the calibration of a portable dissolved oxygen meter. The dissolved oxygen meter is to measure the dissolved oxygen content of surface water samples. In order to ensure an accurate reading, the calibration must be checked prior to using the meter in the field.

## 2.0 ACCURACY

The calibrated accuracy of the dissolved oxygen meter will be within  $\pm$  one percent of full-scale over the temperature range of  $-5^{\circ}\text{C}$  to  $+45^{\circ}\text{C}$ .

## 3.0 CALIBRATION

The dissolved oxygen meter will be air calibrated based on probe temperature and true local atmospheric pressure conditions (or feet above sea level). Refer to the operation manual for detailed calibration procedures.

## 4.0 MAINTENANCE

1. When not in use or between measurements, the dissolved oxygen probe will be kept immersed in or moist with deionized water.

---

Appendix \_\_\_\_: Item \_\_\_\_\_ - CALIBRATION AND MAINTENANCE OF  
PORTABLE DISSOLVED OXYGEN METER

---

Applicability: GENERAL Revision No.: \_\_\_\_ Date: \_\_\_\_  
Prepared By: EWM Date: 04/16/90 Approved By: KLB Date: 04/24/90

---

2. The meter batteries will be checked prior to each meter's use and will be replaced when the meter cannot be red-line adjusted.
3. The meter response time and stability will be tracked to determine the need for instrument maintenance. When response time becomes greater than two minutes, probe service is indicated. The probe will be cleaned, refilled with new KCL solution, and fitted with a new membrane. If the meter response and stability is not in accordance to manufacturer's specifications, the meter will be sent to the manufacturer for maintenance and repair.
4. A maintenance log will be kept for each dissolved oxygen meter. All maintenance performed on the instrument will be recorded on this log with date and name of the organization performing the maintenance.

#### 5.0 DATA VALIDATION

All instrument calibrations will be documented, indicating the meter readings before and after the meter has been adjusted. Each preparation of probe and method of calibration will also be documented. This is important, not only for data validation, but also to establish maintenance schedules and component replacement.

052

**MALCOLM  
PIRNIE**

**ATTACHMENT D**

**SAMPLING EQUIPMENT DECONTAMINATION  
PROCEDURE**

0605-237-200



---

Appendix \_\_\_\_: Item \_\_\_\_\_ - SAMPLING EQUIPMENT DECONTAMINATION  
PROTOCOLS

---

Applicability: NYSDEC-SPECIFICATION Revision No.: 2 Date: 12/5/89

Prepared By: AJM Date: 10/31/89 Approved By: KLB Date: 12/12/89

---

## 1.0 INTRODUCTION

This guideline presents a method for the decontamination of sampling equipment used in the collection of environmental samples.

## 2.0 HEALTH AND SAFETY

Nitric acid is a strong oxidizing agent as well as being extremely corrosive to the skin and eyes. Solvents such as acetone, methanol, hexane, and isopropanol are flammable liquids. Limited contact with skin can cause irritation, while prolonged contact may result in dermatitis. Eye contact with the solvents may cause irritation or temporary corneal damage. Safety glasses with protective side shields, neoprene or nitrile gloves, and long-sleeve protective clothing must be worn whenever acids and solvents are being used.

## 3.0 METHODOLOGY

1. All equipment used in sampling must be clean and free from residue of any previous samples. To accomplish this, the following procedures are to be followed:
  - a. wash equipment thoroughly with non-phosphate detergent and tap water<sup>(1)</sup> using a brush to remove any particulate matter or surface film;
  - b. rinse with tap water<sup>(1)</sup>;
  - c. rinse with a 10% HNO<sub>3</sub> solution<sup>(2)</sup>;

Appendix \_\_\_\_: Item \_\_\_\_\_ - SAMPLING EQUIPMENT DECONTAMINATION  
PROTOCOLS

Applicability: NYSDEC-SPECIFICATION Revision No.: 2 Date: 12/5/89

Prepared By: AJM Date: 10/31/89 Approved By: KLB Date: 12/12/89

- d. rinse with tap water<sup>(1)</sup>;
  - e. rinse with pesticide grade acetone<sup>(3)</sup> or methanol<sup>(3)</sup>;
  - f. rinse with pesticide grade-hexane<sup>(3)</sup>;
  - g. rinse with deionized water (demonstrated-analyte-free)<sup>(4)</sup>;
  - h. air dry; and
  - i. wrap in aluminum foil (shiny side out)
2. Well excavation equipment, such as submersible pumps and bailers, which are put into the borehole must be decontaminated following the procedures listed above. All excavation tubing must be dedicated to individual wells, (i.e., tubing cannot be reused).
  3. Bailer cord must be cleaned with non-phosphate detergent and demonstrated analyte-free deionized water before use. Cord can be reused; it is not necessary to dedicate it to individual wells. If a ten (10) foot or greater length leader is being used, only the leader need be cleaned (assumes bailer cord is not allowed to contact water).
  4. All unused sample bottles and sampling equipment must be maintained in such a manner that there is no possibility of casual contamination.

---

Appendix \_\_\_\_: Item \_\_\_\_\_ - SAMPLING EQUIPMENT DECONTAMINATION  
PROTOCOLS

---

Applicability: NYSDEC-SPECIFICATION Revision No.: 2 Date: 12/5/89  
Prepared By: AJM Date: 10/31/89 Approved By: KLB Date: 12/12/89

---

#### 4.0 EQUIPMENT REQUIREMENTS

- personal protective garment and gear
- brush, buckets, and wash basins
- squirt bottles
- supply of solvents and water
- aluminum foil

#### 5.0 REFERENCES

New York State Department of Environmental Conservation, Division of Hazardous Substances Regulation, August 1989, RCRA Quality Assurance Project Plan Guidance.

Engineering Support Branch Standard Operating Procedures and Quality Assurance Manual, April 1, 1986. USEPA Region IV.

#### NOTES

- (1) Tap water may be used from any municipal water treatment system. The use of an untreated potable water supply is not an acceptable substitute.
- (2) Omit this step if metals are not being analyzed. For carbon steel split spoon samplers, a 1% rather than 10% HNO<sub>3</sub> solution should be used.

---

Appendix \_\_\_\_: Item \_\_\_\_\_ - SAMPLING EQUIPMENT DECONTAMINATION  
PROTOCOLS

---

Applicability: NYSDEC-SPECIFICATION Revision No.: 2 Date: 12/5/89  
Prepared By: AJM Date: 10/31/89 Approved By: KLB Date: 12/12/89

---

(3) This solvent rinse can be omitted if organics are not being analyzed. Alternatively, if approval from NYSDEC has been granted, use pesticide grade isopropanol as the cleaning solvent. Isopropanol is better suited as a cleaning solvent than acetone, methanol and hexane for the following reasons:

- Acetone is a parameter analyzed for on the Target Compound List (TCL); therefore the detection of acetone in samples collected using acetone rinsed equipment is suspect;
- Almost all grades of methanol contain 2-butanone (MEK) contamination. As for acetone, 2-butanone is a TCL compound. Thus, the detection of 2-butanone in samples collected using methanol rinsed equipment is suspect. In addition, methanol is much more hazardous than either isopropanol or acetone.
- Hexane is not miscible with water (hydrophobic) and therefore, is not an effective rinsing agent unless the sampling equipment is dry. Isopropanol is extremely miscible in water (ampho-  
teric), making it an effective rinsing agent on either wet or dry equipment.

(4) Deionized water must be demonstrated to be analyte-free water. The criteria for analyte-free water are the Method Detection Limits (MDLs) for the analytes. Specifically for the common laboratory contaminants listed below, the allowable limits are set at three times the respective MDLs determined by the most sensitive analytical method:

1. Methylene Chloride
2. Acetone
3. Toluene
4. 2-Butanone
5. Phthalates

054

Moench Company

Division of Caleres\*5\*

465 Palmer Street

Gowanda, NY 14070

Phone: 716-532-2201

RECEIVED

JUN 14 2018

NYS DEC  
REGION 9

Mr. Stanley F. Radon; CHMM,CPG

NY State Dept. of Environmental Conservation

Division of solid and Hazardous Waste

270 Michigan Ave.

Buffalo, NY 14203-2999

RE: Palmer St. Landfill Groundwater Quality Report

April 2018 sample event.

Mr. Radon

Enclosed is the Groundwater Quality Report for our Palmer Street Landfill. Sampling was done on April 30<sup>th</sup> and May 1<sup>st</sup> 2018. A PDF file of the report was e-mailed to you on June 11,2018. GEI Consultants will submit the electronic (EDD).

The results were pretty normal with small detections of Arsenic, Chromium and Acetone in a few locations. Even after a snowy winter and wet spring MW-3 and MW-5 continued to be dry. There was no bank seep in BS-1 and 2 and had to take BS-3 sample in a small pool.

Please call if you have any questions or stop by. School is out on the 20<sup>th</sup> and I will be down here longer hours.

Sincerely,



CC David Rodgers ,Emily Shultz— Caleres; St Louis

Rick Frappa-GEI consultants

Michael Best

Site Manager

**Moench Company**  
**Division of Caleres\*5\***  
**465 Palmer Street**  
**Gowanda, NY 14070**  
**Phone 713-532-2201**

**RECEIVED**


JUN 14 2018

NYS DEC  
REGION 9

Palmer Street Landfill                      June 2018  
Groundwater Quality Monitoring Report  
April 30<sup>th</sup> and May 1<sup>st</sup> Monitoring Event  
First of two sampling events for 2018

Michael Best

Site Manager

A handwritten signature in black ink that reads "Michael Best". The signature is written in a cursive style with a long horizontal line extending from the end of the name.

**PALMER STREET LANDFILL - MOENCH COMPANY. Division of Caleres\*5\***  
GROUNDWATER MONITORING REPORT FOR APRIL and May 2018, SAMPLING EVENT.

TABLE OF CONTENTS:

	<u>PAGE</u>
1.0 INTRODUCTION	1
1.1 BACKGROUND-LANDFILL	1
1.2 PURPOSE AND SCOPE	1
2.0 MONITORING SYSTEM -LANDFILL	2
3.0 MONITORING METHODS-LANDFILL	3
3.1 GROUNDWATER MONITORING	3
3.2 INFILTROMETER MONITORING	3
4.0 GROUNDWATER QUALITY MONITORING SUMMARY	4
4.1 EVALATION GROUNDWATER QUALITY	4
SUMMARY OF SAMPLING RESULTS	4B
5.0 GROUNDWATER FLOW	5
6.0 REFERENCES	6

LIST OF TABLES

<u>TABLE NO.</u>	<u>DESCRIPTION</u>	<u>FOLLOWING PAGE</u>
1	MONITORING PARAMETERS	3
2	GROUNDWATER ELEVATIONS	3
3	SUMMARY OF FIELD MEASUREMENTS	3
4	INFILTROMETER MEASUREMENTS	3
5	SUMMARY OF ANALYTICAL RESULTS-LANDFILL	4
7	INVENTORY OF SAMPLING EQUIPMENT/MATERIAL	6
8	CALIBRATION LOG	6

FIGURES--

<u>FIGURE NO.</u>	<u>DESCRIPTION</u>	<u>FOLLOWING PAGE</u>
1	SITE LOCATION	1
2	MONITORING LOCATIONS	2
3	WATER TABLE ISOPOTENTIAL MAP	5
4	BEDROCK ISOPOTENTIAL MAP	5
5	WATER LEVEL HYDROGRAPHICS	5

TABLE OF CONTENTS (CONTINUED)

LIST OF APPENDICES

APPENDIX

A FIELD DATA SHEETS FOR April 30<sup>th</sup> and May 1<sup>st</sup> 2018 MONITORING  
EVENT..

B INFILTRMETER DESIGN

C LAB ANALYTICAL REPORT FOR APRIL 30<sup>TH</sup> AND May 1<sup>st</sup> 2018  
M MONITORING EVENT. (ALPHA ANALYTICAL)



## 1.0 INTRODUCTION

### 1.1 BACKGROUND-LANDFILL.

THE MOENCH COMPANY, A DIVISION OF BROWN SHOE CO., NOW KNOWN AS CALERES, IS LOCATED NEAR THE SOUTHEAST CORNER OF THE VILLAGE OF GOWANDA, CATTARAUGUS COUNTY, NEW YORK. (FIGURE 1). THE PALMER STREET LANDFILL, WHICH WAS OPERATED BY MOENCH TANNING FROM 1900 (APPROX), THROUGH JULY 1983, LIES IMMEDIATELY SOUTHWEST OF THE (FORMER) TANNERY COMPLEX ON AN APPROXIMATELY 25-ACRE, PARCEL OF LAND. A VARIETY OF WASTE GENERATED BY MOENCH TANNING WERE DISPOSED OF AT THE PALMER STREET LANDFILL SITE. THESE WASTES INCLUDED SOLE LEATHER EXTRACT, RENDERING WASTE, SPRAY BOOTH CLEAN UP WASTE, WASTE FINISH, WASTE HAIR/LEATHER SCRAPS, WASTEWATER TREATMENT PLANT SLUDGE, AND OCCASIONAL CONSTRUCTION DEBRIS.

MOENCH CO. HAS CLOSED THE PALMER STREET LANDFILL. ACCORDINGLY, THE CLOSURE/POST CLOSURE PLAN (REFERENCE 1), IS BEING PERFORMED. THE LONG-TERM POST CLOSURE MONITORING PROGRAM HAS BEEN APPROVED & IMPLEMENTED. (JULY 1993, REVISED MARCH 1994, MARCH 2001 & DECEMBER 2006).

IN JULY OF 2006, A PROPOSAL WAS MADE TO THE NEW YORK STATE DEPT. OF ENVIRONMENT CONSERV. (NYSDEC), TO RECONFIGURE THE GROUNDWATER MONITORING SYSTEM (REF#7).


THIS WAS AGREED UPON IN EXCHANGE FOR THE ELIMINATION OF THE FIVE YEAR "COVER SYSTEM EVALUATION". THE NEW MONITORING SYSTEM IS DESCRIBED IN SECTION 2.0

### 1.2 PURPOSE AND SCOPE

SAMPLES ASSOCIATED WITH THE SECOND EVENT OF TWO, WATER QUALITY MONITORS, FOR 2018 YEAR, WERE COLLECTED ON April 30<sup>th</sup> and May 1<sup>st</sup>.

EVEN THOUGH WE HAD A VERY SNOWY AND WET SPRING ONLY THERE WAS NO BANK SEEP ON BS-1 AND BS-2. A SAMPLE WAS OBTAINED FROM A POOL ADJACENT TO THE SPLINTER CREEK NEAR BS-3.

SITES MW-3 AND MW-5 WERE DRY; NO SAMPLE OBTAINED.



{ FIGURE 1 }

Lat. 42° 27' 0"  
Long. 78° 55' 30"

NOTE:  
TOPOGRAPHY TAKEN FROM 1963 GOWANDA, N.Y.  
U.S.G.S. QUADRANGLE 7.5 MIN. SERIES  
SCALE: 1" = 2000'

SITE LOCATION MAP  
PALMER STREET LANDFILL  
GOWANDA, N.Y.

6-94

MOENCH Co.



QUADRANGLE LOCATION

## 2.0 MONITORING SYSTEM(RECONFIGURED 7/06)

THE RECONFIGURED GROUNDWATER MONITORING SYSTEM FOR THE PALMER STREET LANDFILL(FIG. 2), CONTAINS NINE(9) MONITORING WELLS AND THREE(3) BANK SEEPS. A REVISED POST CLOSURE PLAN, DESCRIBING THE DETAILS, WAS SUBMITTED TO THE NYSDEC 9, IN JANUARY 2007.

<u>UPGRADIANT WELLS</u>	<u>OVERBURDEN/WASTE WELLS</u>	<u>BEDROCK WELLS</u>
	MW-3	MW-3D
MW-7D	MW-4SR	MW-4D
MW-8D	MW-5	MW-6D
	MW-6	

IN ADDITION TO THE WELLS, NYSDEC ALSO REQUIRES THE MONITORING OF THREE (3) BANK SEEPS DESIGNATED AS BS-1, BS-2 AND BS-3, RESPECTIVELY. THE ABILITY TO OBTAIN SAMPLES FROM THESE BANK SEEPS IS SPORADIC DUE TO VARYING WEATHER/MOISTURE CONDITIONS.

MW-8D IS DOWN GRADIENT FROM GERNATT'S GRAVEL WASHING OPERATION, SETTLING PONDS. IT MAY BE AFFECTED FROM THESE.

TO AID IN THE EVALUATION OF COVER PERFORMANCE, WATER LEVELS FROM FIVE (5) INFILTRMETERS ARE ALSO MONITORED. LOCATIONS OF MONITORING POINTS ARE SHOWN ON FIGURE 2. THE RESULTS CONTINUE TO INDICATE THAT THE COVER SYSTEM IS PERFORMING AS PLANNED. THESE SHOWED NO/NEGATIVE INFILTRATION FOR THIS SAMPLING EVENT; TABLE #4.

THE VILLAGE HAS USED THE DEEP AQUIFER OFF AND ON THE PAST YEARS WHICH RESULTS IN FLUCTUATIONS ON WATER LEVEL IN THE MW-1D WELL

TABLE . 1

MOENCH TANNING COMPANY  
PALMER STREET LANDFILL

MONITORING PARAMETERS \*Twice/year

Soluble Arsenic<sup>(1)</sup>  
Soluble Chromium<sup>(1)</sup>  
Soluble Lead<sup>(1)</sup>

Volatile Organics<sup>(2)(3)</sup>

pH<sup>(4)</sup>  
Specific Conductance<sup>(4)</sup>  
Turbidity<sup>(4)</sup> - VISUAL  
Groundwater Elevation<sup>(4)</sup>  
Temperature<sup>(4)</sup>  
Odor<sup>(4)</sup>  
Sample Appearance<sup>(4)</sup>

**Notes:**

1. All samples collected for analysis of soluble metals are pressure-filtered in the field immediately upon sample collection.
2. The list of VOC analytes are those compounds included in SW-846, Method 8260.
3. Analysis for VOCs are not performed on pore water samples during performance monitoring events.
4. Field parameters (i.e., pH, specific conductance, temperature and turbidity) are measured in the field by sampling personnel. Laboratory analysis of these parameters will not be required.




Fig. #2

SCALE IN FEET

April '18 SAMPLE EVENT:



GEI Consultants, Inc.  
Williamsville, NY

PALMER STREET LANDFILL  
SITE PLAN

DATE DEC 11	PROJ. NO. 8104
FILE NO. N/A	DWG. NO. FIGURE 1.2

### 3.0 MONITORING METHODS

#### 3.1 GROUNDWATER MONITORING -LANDFILL

SAMPLES COLLECTED DURING THE APRIL 30<sup>TH</sup> AND MAY 1<sup>ST</sup> 2018, MONITORING EVENT WERE COLLECTED BY MOENCH COMPANY PERSONNEL, AND ANALYZED BY ALPHA ANALYTICAL, TONAWANDA, NEW YORK. THE ANALYSIS IS PERFORMED IN ACCORDANCE WITH THE SAMPLING PLAN/QUALITY ASSURANCE PLAN FOR THE PALMER STREET LANDFILL (REFERENCE 3). LABORATORY ANALYSIS WERE PERFORMED IN ACCORDANCE WITH THE USEPA 200.7 FOR METALS & VOC 8260. THE MONITORING PARAMETERS ARE LISTED IN TABLE 1. SAMPLES WERE NOT AVAILABLE FROM ONE WELLS AND THREE BANK SEEPS, IDENTIFIED IN SECTION 2.0.

PRIOR TO SAMPLING, STATIC WATER LEVEL ELEVATIONS WERE MEASURED IN THE MONITORING WELLS AND THE WELLS WERE PURGED (SEE TABLE 2. GROUNDWATER ELEVATIONS WERE ALSO MEASURED IN THE PIEZOMETERS, INFILTROMETERS, AND WELLS ON-SITE.

FIELD SAMPLES WERE COLLECTED AND MEASURED FOR THE FIELD PARAMETERS IDENTIFIED IN TABLE 1. THE FIELD MEASUREMENTS ARE SUMMARIZED IN TABLE #3.....

#### 3.2 INFILTROMETER MONITORING

FIVE INFILTROMETERS HAVE BEEN INSTALLED BENEATH THE LAND-FILL CAP TO AID IN THE ASSESSMENT OF PERFORMANCE OF THE CAP. DURING EACH SAMPLING EVENT, WATER LEVELS IN THE INFILTROMETER ARE MEASURED AND THE AMOUNT OF WATER INFILTRATING CALCULATED.

NOTE: IT IS BELIEVED THAT INFILTROMETER #1, IS OFTEN FLOODED DUE TO NEIGHBORING SPRINGS AND GRAVEL SETTLING PONDS. THIS CREATES A HIGH WATER TABLE, IN THE SOUTH END OF AREA #2.

A SCHEMATIC SHOWING THE DESIGN AND DIMENSIONS OF THE INFILTROMETERS IS PRESENTED IN APPENDIX "B".

MOENCH COMPANY  
465 PALMER ST.  
GOWANDA, NY 14070

SAMPLERS

Mike Best

PALMER STREET LANDFILL :

DATE

4/23/18

GROUNDWATER ELEVATIONS: (TABLE #2)

WP - WHALE PUMP - DEBRIS

WELL #	ELEVATION TOP OF PVC(FT)	TOTAL DEPTH FROM TOP OF PVC(FT)	WATER DEPTH(FT) FROM TOP OF PVC	WATER(FT) ELEVATION
MW-1	826.05 ASL	31.90 (8-12)	3.70	822.35
MW-1D	827.82	188.20 "	17.10	809.52
MW-2A	810.62	16.15 "	3.05	807.57
MW-3	810.81	17.10 "	15.65	795.16
MW-3D	810.73	67.70 "	14.65	796.08
MW-3DR	810.47	102.30 "	11.85	798.62
MW-4 SR	806.75 WP	24.92 "	12.10	794.90
MW-4D	805.93	74.94 "	13.35	792.58
MW-5	805.35	18.15 "	DRY	—
MW-6	800.48 WP	18.78 "	15.55	786.58
MW-6D	800.63	37.03 "	17.60	783.58
MW-7	800.50	30.60 (8-12)	7.25	793.25
MW-7D	800.39	41.90 "	5.70	794.89
MW-8	821.82	15.96 "	DRY	—
MW-8D	821.89 WP	126.80 (7/15)	20.20	801.69

INFILTROMETERS:

#1	9.00	4.20	—
#2	8.80	7.20	—
#3	9.00	6.80	—
#4	8.92	6.70	—
#5	9.00	7.25	—

Palmer st. Landfill

(TABLE #2) continued

smpl date\_\_

GROUNDWATER ELEVATIONS:

WELL #	ELEVATION TOP OF PVC(FT)	TOTAL DEPTH FROM TOP OF PVC(FT)	WATER DEPTH(FT) FROM TOP OF PVC	WATER (FT) ELEVATION
P-1	811.85 ASL	18.30 (8/12)	16.60	795.25
P-4	813.54 "	19.70 "	15.40	798.14
P-6D	810.30 "	61.25 "	20.00	790.30
P-7A	816.92 "	23.90 "	19.25	797.67
WP-1	822.16 "	11.71 by W 8	8.15	814.01

NOTE:

Aug 2012 ALL WELLS "DEVELOPED"

REV'd 9/12

Rev'd 7/12



#### 4.0 GROUNDWATER QUALITY MONITORING RESULTS:

##### 4.1 EVALUATION OF GROUNDWATER ELEVATION DATA:

GROUNDWATER ELEVATION MEASUREMENTS WERE TAKEN AT EACH OF THE ACCESSIBLE ON-SITE MONITORING WELLS, PIEZOMETERS, AND WELL POINTS, DURING THE APRIL 30<sup>TH</sup> AND MAY 1<sup>ST</sup> 2018, MONITORING EVENT. THE DATA ARE SUMMARIZED IN TABLE 2/3.

PLOTS OF THE GROUNDWATER ELEVATIONS MEASURED IN THE MONITORING WELLS WITH RESPECT TO TIME ARE PRESENTED IN FIGURE 3, 4, AND 5, FOR THE SHALLOW OVERBURDEN, DEEP OVERBURDEN AND BEDROCK WELLS, ON THE LANDFILL, RESPECTIVELY. AS SHOWN IN FIGURES 3 AND 4, OVERBURDEN GROUNDWATER ELEVATIONS WERE GENERALLY CONSISTENT, THROUGHOUT THE MONITORING PERIOD. WATER LEVELS HAVE STABILIZED, AFTER THREE YEARS OF INCREASES. ('92-'94). THIS OCCURRED DUE TO CESSATION OF VILLAGE AND TANNERY PUMPING OF THE DEEP AQUIFERS. SOME SLIGHT SEASONAL FLUCTUATION DOES OCCUR. IN AUGUST, 2009, A DRAMATIC FLOOD OCCURRED IN THE GOWANDA AREA, THAT DISABLED THE VILLAGE RESERVIOR. BUT, NOW AFTER 7 YEARS, THE VILAGE IS CONSISTENTLY USING NATURAL SPRINGS. WATER LEVELS HAVE RISEN AGAIN TO EXPECTED LEVELS.

4.2 THE GROUNDWATER AND SURFACE WATER QUALITY RESULTS FOR THE APRIL 30<sup>TH</sup> AND MAY 1<sup>ST</sup> 2018 MONITORING EVENTS, AT THE PALMER STREET LANDFILL, ARE PRESENTED IN TABLES #3 THROUGH #5.

"GA" STANDARDS & GUIDANCE VALUES ARE ALSO PRESENTED.

BOTH THE SOIL AND WASTE AT THE PALMER STREET LANDFILL CONTAIN METALS-OF-INTEREST AS A COMPONENT OF THE SOIL OR WASTE PARTICLES (REFERENCE 5). THEREFORE, THE SEDIMENT (OR TURBIDITY) CONTENT OF ANY GROUNDWATER OR SURFACE WATER QUALITY SAMPLES WILL DIRECTLY IMPACT THE TOTAL METAL CONCENTRATION OF THE SAMPLES. THE TURBIDITY CONTENT OF THE GROUNDWATER SAMPLES COLLECTED AT THE SITE IS EXTREMELY VARIABLE AND RELATIVELY HIGH BECAUSE THE SOIL AND WASTE FILL BOTH CONTAIN HIGH PERCENTAGES OF FINE-GRAINED PARTICLES. AS NYSDEC HAS PREVIOUSLY AGREED, IN ORDER TO AVOID MIS-INTERPRETATION OF WATER QUALITY DATA, TOTAL METALS WILL NO LONGER SAMPLED FOR GROUNDWATER QUALITY STANDARDS OR EVALUATIONS, OF GROUNDWATER QUALITY IMPACTS WILL BE BASED ON SOLUBLE METAL CONCENTRATIONS.

I SHOULD BE NOTED THAT SEVERAL ON THE "ADDED" MONITORING WELL, ARE SCREENED IN THE WASTE. SUMMARY OF THE SAMPLING RESULTS IS AS FOLLOWS:

## Summary Palmer Street April 30<sup>th</sup> and May 1<sup>st</sup> 2018 sampling event

- Very snowy and wet early spring
- MW-3 did not have enough water to sample
- MW-5 continued to be dry
- Small detection of Arsenic was found in monitoring wells MW-3D, MW-6, MW-6D, Blind duplicate (6D) and BS-3 all well below "GA" standard.
- A small detection of Chromium was found in monitoring wells MW-4SR, MW-6 and BS-3 all well below "GA" standards
- Acetone was detected in monitoring wells MW-4SR, MW-6, MW-6D, Blind Duplicate (6D) and BS-3. All were well below guidance levels.
- PH continued to be below neutral in monitoring wells MW-4SR and MW-6
- Even with very wet spring, still had to take sample of BS-3 in small pools all of which had a lot of natural iron deposits.

TABLE 3

MOENCH COMPANY  
 4/30 - 5/1/2018 PALMER STREET LANDFILL MONITORING EVENT

## SUMMARY OF FIELD MEASUREMENTS

Location	Sampling Date	Sampling Time	Temp. (°C)	pH (units)	Conductance <sup>(1)</sup> (umhos/cm)	Turbidity	Sample Appearance	Sample Odor
MW-3	4/30/18	NO Sample	—	—	—	NA	—	—
*** MW-3D	4/30/18	11:45	13.1	8.2	380	NA	—	—
* MW-4SR	11	10:35	10.9	6.6	620	"	Clear	Slight
*** MW-4D	11	11:05	13.0	8.1	710	"	Turbid	finish
* MW-5	11	—	—	—	—	"	Clear	NO
* MW-6	4/30/18	10:00	13.6	6.9	1300	"	—	—
-MW-6D	11	9:25	14.3	8.1	1050	"	Lt. Orange	Slight
*** MW-7D	5/1/18	10:00	12.0	8.1	680	"	Slight Turbid	NO
MW-8D	5/1/18	10:35	13.1	7.9	440	"	Slight Turbid	NO
BS-1	NO Sample	—	—	—	—	"	Clear	NO
BS-2	NO Sample	—	—	—	—	"	—	—
Ⓐ BS-3	4/30/18	12:25	23.1	7.5	820	"	Red-Iron	NO

## NOTES:

6.5-8.5 (std)

- (1) Conductivity readings corrected to 25°C.
- (2) Blind Duplicate MW-6D
- (3) MW-7D is apparent hydraulically upgradient bedrock well.

- \* Shallow Overburden Well
- \*\*\* Bedrock Well

\*\* Upgradient  
 BS Bank Seep

Ⓐ no bank seep - had to get sample in small pool by creek

NO Sample Available MW-5  
 MW-3 - BS1 - BS-2

Moench Tanning Company  
Palmer Street landfill Monitoring Event  
Gowanda, New York

Geosyntec Consultants  
May 2018

Infiltrometer	Static Water Level (ft)	Static Water Level (ft)	Change in Depth (ft)	Change in Volume (gallons)	# Days Between Readings (#)	Infiltration Rate		Approx. Total rainfall This Period (ft)	Infiltration (%)
	7/6/2017	4/23/2018				(gal/day.ft^2)	(cm/sec)		
I-1	4.95	4.20	0.75	1.78	290	0.000	1.63E-08	4.47	1.44
I-2	7.20	7.20	0.00	0.00	290	0.000	0.00E+00	0.00	0.00
I-3	7.20	6.80	0.40	0.95	290	0.000	8.69E-09	4.47	0.77
I-4	6.70	6.70	0.00	0.00	290	0.000	0.00E+00	0.00	0.00
I-5	7.20	7.25	0.00	0.00	290	0.000	0.00E+00	0.00	0.00

Notes and assumptions. See attached infiltrometer layout figures.

ft - feet

gal - gallons

cm - centimeters

sec - second

1 cubic foot = 7.481 gallons

1ft = 30.48 cm

1 gallon per day per square foot =  $1 \text{ gal}/(\text{day} \cdot \text{ft}^2) \cdot (1 \text{ ft}^3/7.481 \text{ gal}) \cdot 1 \text{ day}/(24 \cdot 60 \cdot 60 \text{ sec}) \cdot 30.48 \text{ cm}/\text{ft} = 4.72\text{E}-5 \text{ cm}/\text{sec}$  ✓

Maximum area of infiltrometer (at top - Section A-B) = length \* length =  $4.20833 \text{ ft} \cdot 4.20833 \text{ ft} = 17.71 \text{ square feet}$  ✓

Area (Section A-A) = Area of trapezoid + area of bottom trench =  $[1/2 \cdot (a+b) \cdot h] + [b \cdot h] = [1/2 \cdot (4.208+4) \cdot 2] + [1 \cdot 2/3] = 8.875 \text{ ft}^2$  ✓

Maximum Infiltrometer volume = Area (Section A-A) \* infiltrometer length =  $8.875 \text{ ft}^2 \cdot 4.208 \text{ ft} = 37.349 \text{ ft}^3$  ✓

Estimated porosity at 90.5% compaction = 44.1%. See layout Section A-A.

Total infiltration rate assuming 44.1% porosity = Total infiltrometer volume \*  $0.441 = 37.349 \text{ ft}^3 \cdot 7.481 \text{ gal}/\text{ft}^3 \cdot 0.441 = 123.2129 \text{ gallons}$  ✓

Approximate total rainfall and water level measurements identified by local resources.

Negative change in depth precludes calculation of infiltration rate.

① I-1 often flooded by natural springs + wash ponds upgradient

TABLE 5

MOENCH COMPANY  
PALMER STREET LANDFILL  
4/30-5/1/2018 MONITORING EVENT<sup>(1)</sup>

## SUMMARY OF ANALYTICAL RESULTS

	Quantitation Limit	** MW-3	MW-3D	** MW-4SR	MW4D	** MW-5	** MW-6	MW-6D	Glass "GA" Std.
Metals (mg/l):									
Arsenic - Soluble	0.005		.00139	ND	ND	D	.03588	.00061	.025mg/l
Chromium - Soluble	0.005	D	ND	.00525	ND	R	.00194	ND	.05
Lead - Soluble	0.005	R	ND	ND	ND		ND	ND	.025
		Y				Y			

Volatiles mg/L									
ACETONE			ND	.0057	ND		.00069	.0044	GUID-VALUE = .05mg/L

\*\* Screened in Waste/Overburden.

Blind Duplicate MW-6D

MOENCH COMPANY  
PALMER STREET LANDFILL  
4/30-5/1/18 MONITORING EVENT<sup>(1)</sup>

	Quantitation Limit	MW-7D	MW-8D	BS-1	BS-2	BS-3	Blind Duplic	Class "GA" Std.	
Metals (mg/l):									
Arsenic - Soluble	0.005	ND	ND	N	N	.00458	.00050	ND	.025mg/l
Chromium - Soluble	0.005	ND	ND	O	O	.00275	ND	ND	.05
Lead - Soluble	0.005	ND	ND	S	S	ND	ND	ND	.025
				a	a				


[illegible]

#### 5.0 GROUNDWATER FLOW

A WATER TABLE ISOPOTENTIAL MAP, BEDROCK ISOPOTENTIAL MAP AND A BEDROCK WATER LEVEL HYDROGRAPH HAVE BEEN PREPARED FOR THE PALMER STREET LANDFILL AND ARE PRESENTED IN FIGURES 3,4 AND 5, RESPECTIVELY. GROUNDWATER ELEVATIONS MEASURED ON APRIL 23,2018 WERE USED IN PREPARING THE WATER TABLE AND BEDROCK ISO-POTENTIAL MAP. THEY INDICATE THAT THE SHALLOW GROUNDWATER, AND BEDROCK FLOW IS PRIMARILY TO THE EAST.

THE VILLAGE IS ONCE AGAIN USING THE SURFACE RUNOFF FOR A WATER SOURCE INSTEAD OF THE DEEP AQUIFER WHICH IN TURN BROUGHT WATER LEVELS IN MW-1D BACK TO NORMAL. THIS HAS RESULTED IN A SUBSTANTIAL RISE IN WATER LEVELS, BACK TO THE PRE 2009 LEVELS.

Palmer L/F




LAT. 42° 27' 0"  
LONG. 78° 55' 30"

LEGEND

- 800 ISOPOTENTIAL, DOTTED WHERE INFERRED
- GROUNDWATER FLOW DIRECTION
- LANDFILL BOUNDARY AND AREA BOUNDARY DIVIDER
- BANK SEEP
- UPPER OVERBURDEN MONITORING WELL
- LOWER OVERBURDEN MONITORING WELL
- BEDROCK MONITORING WELL
- PIEZOMETER
- INFILTRATOR
- WELL POINT
- LYSIMETER

Fig. 8



April '18 SAMPLE EVENT:




GEI Consultants, Inc.  
Williamsville, NY

PALMER STREET LANDFILL  
SITE PLAN

WATERTABLE  
ISOPOTENTIAL  
MAP.




Palmer 4/F



LAT. 42° 27' 0"  
Long. 78° 55' 30"

LEGEND

- 800 ISOPOTENTIAL, DOTTED WHERE INFERRED
- GROUNDWATER FLOW DIRECTION
- LANDFILL BOUNDARY AND AREA BOUNDARY DIVIDER
- BACK SEEP
- UPPER OVERBURDEN MONITORING WELL
- LOWER OVERBURDEN MONITORING WELL
- BEDROCK MONITORING WELL
- PIEZOMETER
- INFILTRATOR
- WELL POINT
- LYSIMETER



April 18 SAMPLE EVENT:



GEI Consultants, Inc.  
Williamsville, NY

PALMER STREET LANDFILL  
SITE PLAN

BEDROCK  
ISOPOTENTIAL  
MAP.

	June '18															Fig. #5															June, 18														
	(FIG #5)																																												
	Aug-06	Nov-06	Apr-07	Aug-07	Nov-07	Apr-08	Aug-08	Nov-08	Apr-09	Aug-09	Nov-09	Apr-00	Sep-00	Mar-01	Aug-01	Apr-02	Aug-02	Mar-03	Aug-03	MAR-04	AUG-04	Apr-05	Aug-05	APR-06	Aug-06																				
MW-3DR	809	801	801	802	802	803	799	799	801	801	801	802	803	803	800	803	803	802	803	804	803	809	803	804	803																				
MW-7D	794	794	795	795	798	798	795	795	795	795	785	785	795	787	796	796	798	798	796	797	798	798	796	798	785																				
MW-8D	805	805	806	807	808	809	800	803	805	807	808	808	808	809	808	808	809	808	809	809	809	809	809	810	810																				
MW-1D	813	814	815	816	816	818	795	806	813	818	814	816	816	818	817	819	819	817	818	818	819	818	819	819	818																				
MW-6D	782	783	782	782	783	782	781	782	783	781	781	783	783	783	782	783	782	784	782	783	780	784	782	783	782																				
P-6D	790	791	791	791	791	792	792	790	791	791	791	792	792	792	792	793	793	793	792	793	792	792	792	792	791																				

PALMER STREET LANDFILL																									
MOENCH COMPANY																									
GROUNDWATER ELEVATION vs TIME																									
(FIG.#5)													FIG. #6												
BEDROCK MONITOR WELLS & PIEZOMETERS																									
	Jan-90	Apr-90	Jul-90	Oct-90	Jan-91	May-91	Jul-91	Oct-91	Jan-92	May-92	Jul-92	Oct-92	Feb-93	May-93	Jul-93	Oct-93	Mar-94	Jun-94	Sep-94	Dec-94	Mar-95	Jun-95	Sep-95	Dec-95	Apr-96
MW-3DR	773	773	773	773	772	775	787	775	777	777	778	783	788	789	782	784	797	797	799	799	800	800	799	788	801
MW-7D	795	794	794	795	795	794	794	785	793	792	792	793	793	792	790	793	792	791	793	794	794	793	794	795	795
MW-8D	798	798	797	797	793	770	773	771	773	772	776	788	790	794	796	798	802	803	804	804	805	805	804	805	805
MW-1D					743	762	765	752	756	758	778	795	798	801	802	807	811	810	810	813	814	809	810	812	813
MW-6D					783	781	787	781	781	781	782	782	781	781	781	782	784	780	782	782	784	781	781	779	782
P-6D					790	790	790	790	790	790	790	789	789	789	789	789	789	785	789	789	789	780	780	788	790

[illegible]


# Palmer Street Landfill Bedrock Elevation/Water

Water level, ASL


840  
820  
800  
780  
760  
740  
720  
700

Jan-90 Jul-90 Jan-91 Jul-91 Jan-92 Jul-92 Feb-93 Jul-93 Mar-94 Sep-94 Mar-95 Sep-95 Apr-96 Nov-96 Aug-97 Apr-98 Nov-98 Aug-99 Apr-00 Mar-01 Apr-02 Mar-03 MAR-04 Apr-05 APR-06 Mar-07 Mar-08 Mar-09 Mar-10 Apr-11 Apr-12 Apr-13 Apr-14 Apr-15 Mar-16 Apr-17 April-18

MW-3DR MW-7D MW-8D MW-1D MW-6D P-6D







465 PALMER STREET  
GOWANDA, NEW YORK 14070

TEL. 716-532-2201

FAX 716-532-5518

PALMER STREET LANDFILL  
GROUNDWATER MONITORING

TABLE #8

April 18

calibrated by: Mike Best

RECORD OF CALIBRATION:

Instrument:

date      reading  
b/4 - after

Test

Slope-Water Level  
Indicator


Probe response to  
water.

Grace-Conductivity meter

4/23	1147 - 1100

Read standardize  
liquid & calibrate.  
zero calibrate.

Cole-Parmer(multi meter)

Ph---


4/23	7 - 7.01
4/23	7 - 4.01

Calibrate to buffer(s)  
solutions.

ph- 4 ph- 7

Temperature


Calibrate to stand-  
ard thermometer.



465 PALMER STREET  
GOWANDA, NEW YORK 14070

TEL. 716-532-2201

FAX 716-532-5518  
revised 8/06

TABLE # 7

April '18

PALMER STREET LANDFILL  
GROUNDWATER MONITORING


EQUIPMENT INVENTORY:

- ✓ (A) Slope Indicator Co. - Model 51453, water level indicator
- ✓ (B) W.R. Grace (Dearborn) - Model EP-10, Micromhos meter  
(conductivity)
- ✓ (C) Cole-Parmer Instrumentation Co. - Model 5985-80, Ph, temperature °C,  
with probes.
- ✓ ~~(D) Grundfos Purging System.~~  
~~-Hose, VFD, Generator.~~
- ✓ (E) Norton Company - Part #865-3170, Posi-Filter for filtering  
dissolved metals with filters. And vacuum pump/flask.
- ✓ (F) Wash bucket ( 5 gallon) with Alconox soap.
- ✓ (G) Rinse bucket with D.I. water. -buy 10 gal. distilled at store.  
-get 2 gal. lab certified, eqpt. blank.
- ✓ (H) Rinse bottle with 10% Nitric Acid and water.
- ✓ (I) five gallon bucket to measure volume purged.
- ✓ (J) Latex gloves
- ✓ (K) Required bottles and coolers and ice.
- ✓ (L) Required field data forms.
- ✓ (M) Cell Phone
- ✓ (N) Watch
- ✓ (O) Head Radio
- ✓ (P) Board to hold Meters & equipment
- (Q) Liquid soap/water spray-bees.
- (R) Benedryl-bee sting.

## 6.0 REFERENCES


1. PALMER STREET LANDFILL CLOSURE/POST CLOSURE PLAN (EPA ID. NYDOO2126910), PREPARED BY MALCOLM PIRNIE, INC. REVISED FEBRUARY 1989. REVISED DECEMBER 2006.
2. PALMER STREET LANDFILL, SUPPLEMENTAL HYDROGEOLOGIC INVESTIGATION, PREPARED BY MALCOLM PIRNIE, INC. JANUARY 1989.
3. SAMPLING PLAN/QUALITY ASSURANCE PLAN FOR GROUNDWATER MONITORING - PALMER STREET LANDFILL. PREPARED BY MALCOLM PIRNIE, INC., AUGUST 1989. REVISED 12/2006.
4. TEST METHODS FOR EVALUATING SOLID WASTE, PHYSICAL/CHEMICAL METHODS, THIRD EDITION, USEPA OFFICE OF SOLID WASTE AND EMERGENCY RESPONSE, NOVEMBER 1986.
5. PALMER STREET LANDFILL, EVALUATION OF ALTERNATIVE COVER SYSTEMS, PREPARED BY MALCOLM PIRNIE, INC., JANUARY 1989.
6. COVER SYSTEM PERFORMANCE EVALUATION, PALMER STREET LANDFILL; PREPARED BY MALCOLM PIRNIE, INC. OCTOBER 1995. Second "Evaluation"; 3/99. THIRD EVALUATION; 8/03.(LAST)
7. JULY 27<sup>TH</sup>, 2006 LETTER FROM GEOMATRIX TO STAN RADON (NYSDEC) DOCUMENTING A JULY 19<sup>TH</sup> MEETING IN WHICH REVISIONS TO THE GROUNDWATER MONITORING SYSTEM, WERE AGREED UPON.
8. SEPTEMBER 7, 2006 LETTER FROM STAN RADON(NYSDEC) TO JEFFREY SMITH(MOENCH) CONFIRMING AGREEMENT OF REVISED GROUNDWATER MONITORING SYSTEM, AND COVER SYSTEM EVALUATION ELIMINATION.

**APPENDIX B**  
**INFILTROMETER DESIGN**




PLAN

SECTION B-B



SECTION A-A



TYPICAL INFILTRATOR BY HEY'S ENTERPRISES  
AS INSTALLED AT PALMER STREET LANDFILL

INFILTRATOR

MOENCH TANNING COMPANY

3/20 93





465 PALMER STREET  
GOWANDA, NEW YORK 14070

TEL. 716-532-2201

FAX 716-532-5518

APPENDIX

B

FOR April, May 2018

MONITORING EVENT....

PALMER STREET LANDFILL

*Field  
Data  
sheets*

# WELL DEVELOPMENT/PURGING LOG

MOENCH CO.

PROJECT TITLE: PALMER ST. LANDFILL - GWM

PROJECT NO.: 1<sup>ST</sup> OF 2 ANNUAL EVENTS.

STAFF: Michael Best

DATE: 7/30/18 11:45

WELL NO.: MW-3D (6)

WELL I.D.

VOL.  
GAL./FT.

- 1 TOTAL CASING AND SCREEN LENGTH (ft.) 67.70
- 2 CASING INTERNAL DIAMETER (in.) 2"
- 3 WATER LEVEL BELOW TOP OF CASING (ft.) 14.65
- 4 VOLUME OF WATER IN CASING (gal.)

1"	0.04
2"	0.17
3"	0.38
4"	0.66
5"	1.04
6"	1.50
8"	2.60

$$V = 0.0408 (2^2 \times (1 - 3)) = 9.0 \text{ gal.}$$

PARAMETERS	ACCUMULATED VOLUME PURGED (GALLONS)									
	I N: T.	2nd								
PH	8.1	8.2								
VISUAL-INITIAL TURBIDITY	clear	Turbid								
CONDUCTIVITY	400	380								
TEMP °C	11.4	13.1								

COMMENTS:

# WATER SAMPLING FIELD DATA SHEET

PROJECT: PALMER ST. L/FILL-GW TYPE OF SAMPLE: GROUNDWATER - GRAB  
 CLIENT: MOENCH CO. LOCATION NO.: MW-3D  
 DATE: 1ST OF 2 EVENTS 2018 LAB SAMPLE NO.: \_\_\_\_\_

WELL DATA: DATE: 4/30/18  
 Casing Diameter (inches): 2"  
 Screened Interval (ft BGS): \_\_\_\_\_  
 Static Water Level Below TOR (ft): \_\_\_\_\_  
 Elevation Top of Well Riser: 810.73

TIME: 11:45  
 Casing Material: PVC  
 Screen Material: PVC  
 Bottom Depth (ft): 67.70  
 Datum Ground Surface: \_\_\_\_\_

PURGING DATA: DATE: 4/30/18  
 Method: SUPER NOVA - Pump 12V.  
 Well Volumes Purged ( $V = \pi R^2 H / 231$ ): \_\_\_\_\_  
 Standing Volume (gal): 9.0  
 Volume Purged (gal): 12  
 Is purging equipment dedicated to sample location?  
 Yes \_\_\_\_\_ No X  
 Field Personnel: Mike Best

TIME: Start: 11:45 Finish: 12:05  
 Pumping Rate (gal/min): 0.5 gpm  
 Was well purged dry? \_\_\_\_\_ Yes X No  
 Was well purged below sand pack? \_\_\_\_\_ Yes X No  

Well I.D. (inches)	Volume (gal/ft)
<u>2</u>	<u>0.17</u>
4	0.66
6	1.50

SAMPLING DATA: DATE: 4/30/18  
 Method: TEFLON BAILER  
 Present Water Level (ft): \_\_\_\_\_  
 Depth of Sample (ft): \_\_\_\_\_  
 Is sampling equipment dedicated to sample location?

TIME: Start: 12:05 Finish: 12:15  
 Sampler: MB  
 Air Temperature (°F): 55°  
 Weather Conditions: clear sunny  
 Yes X No \_\_\_\_\_

PRESERVATION DATA: DATE: 4/2/18 ALPHA  
 Filtered: \* Yes \_\_\_\_\_ No \_\_\_\_\_  
 Preservative: \_\_\_\_\_  $H_2SO_4$  \*  $HNO_3$  \_\_\_\_\_  $NaOH$  HCl Other \_\_\_\_\_

TIME: Start: \_\_\_\_\_ Finish: \_\_\_\_\_  
 Cool to 4°C: \*

## PHYSICAL AND CHEMICAL DATA:

Appearance: Clear: \_\_\_\_\_ Turbid: X Color: slight grey  
 Contains Sediment: \_\_\_\_\_ Odor: slight Other: \_\_\_\_\_  
 Temperature (°C): \_\_\_\_\_ pH: \_\_\_\_\_ Specific Conductivity (µmhos/cm): \_\_\_\_\_  
 Turbidity (NTU): \_\_\_\_\_ Other: \_\_\_\_\_

REMARKS: SAMPLE/FILTER EQUIPMENT: WASH'd w/ SOAP + WATER (3X)  
RINSED IN DISTILL'D WATER. RINSE WITH 10% NITRIC  
ACID WASH. FINAL RINSE w/ DISTILL'D WATER.

## WELL DEVELOPMENT/PURGING LOG

MOENCH CO.

PROJECT TITLE: PALMER ST. LANDFILL - GWM

PROJECT NO.: 1<sup>ST</sup> OF 2 ANNUAL EVENTS.

STAFF:

Mike Best

DATE:

4/30/18

10:35

WELL NO.:

MW-4 SR (4)

WELL I.D.

VOL.  
GAL./FT.

- 1 TOTAL CASING AND SCREEN LENGTH (ft.) 24.92
- 2 CASING INTERNAL DIAMETER (in.) 2"
- 3 WATER LEVEL BELOW TOP OF CASING (ft.) 12.10
- 4 VOLUME OF WATER IN CASING (gal.)

1"	0.04
2"	0.17
3"	0.38
4"	0.66
5"	1.04
6"	1.50
8"	2.60

$$V = 0.0408 (2^2 \times (1 - 3)) = 2.2 \text{ gal.}$$

PARAMETERS	ACCUMULATED VOLUME PURGED (GALLONS)									
	1 <sup>st</sup> N. i.T.	2 <sup>nd</sup>	3 <sup>rd</sup>							
'PH'	6.7	6.7	6.6							
TURB.-INITIAL APPEARANCE	clear	Turbid	Little Turbid	orange Particles						
CONDUCTIVITY	540	600	620							
Temp °C	10.5	10.9	11.0							

COMMENTS:

# WATER SAMPLING FIELD DATA SHEET

PROJECT: PALMER ST. LANDFILL-GWM TYPE OF SAMPLE: GROUNDEWATER-GRAB  
 CLIENT: MOENCH CO. LOCATION NO.: MW-4SR  
 DATE: 1ST of 2 events 2018 LAB NUMBER: \_\_\_\_\_

WELL DATA: DATE: 4/30/18 TIME: 10:35  
 Casing Diameter (inches): 2" Casing Material: PVC  
 Screened Interval (ft BGS): \_\_\_\_\_ Screen Material: PVC  
 Static Water Level Below TOR (ft): \_\_\_\_\_ Bottom Depth (ft): 24.92  
 Elevation Top of Well Riser: 806.75 AGL Datum Ground Surface: \_\_\_\_\_

PURGING DATA: DATE: 4/30/18 TIME: Start: 10:35 Finish: 10:50  
 Method: DEDICATED BAILER Pumping Rate (gal/min): 1.0  
 Well Volumes Purged ( $V_{pur} = R^2H/231$ ): \_\_\_\_\_ Was well purged dry? \_\_\_\_\_ Yes X No  
 Standing Volume (gal): 2.2 Was well purged below sand pack? \_\_\_\_\_ Yes X No  
 Volume Purged (gal): 4.0  
 Is purging equipment dedicated to sample location? \_\_\_\_\_  
 Yes \* No \_\_\_\_\_  
 Field Personnel: MIKE GAST

Well I.D. (inches)	Volume (gal/ft)
2	0.17
4	0.66
6	1.50

SAMPLING DATA: DATE: 4/30/18 TIME: Start: 10:50 Finish: 11:00  
 Method: DEDICATED BAILER Sampler: T.M.B.  
 Present Water Level (ft): \_\_\_\_\_ Air Temperature (°F): 55°  
 Depth of Sample (ft): \_\_\_\_\_ Weather Conditions: Clear Sunny  
 Is sampling equipment dedicated to sample location? \_\_\_\_\_ Yes \* No \_\_\_\_\_

PRESERVATION DATA: DATE: 4/2/18 ALPHA TIME: Start: \_\_\_\_\_ Finish: \_\_\_\_\_  
 Filtered: \* Yes \_\_\_\_\_ No \_\_\_\_\_ Cool to 4°C: \*  
 Preservatives: \_\_\_\_\_  $H_2SO_4$  \*  $HNO_3$  \_\_\_\_\_  $NaOH$  HCl Other \_\_\_\_\_

PHYSICAL AND CHEMICAL DATA:  
 Appearance: Clear: \_\_\_\_\_ Turbid: \* Color: Orange  
 Contains Sediment: \_\_\_\_\_ Odor: Finish Other: \_\_\_\_\_  
 Temperature (°C): \_\_\_\_\_ pH: \_\_\_\_\_ Specific Conductivity (µmhos/cm): \_\_\_\_\_  
 Turbidity (NTU): \_\_\_\_\_ Other: \_\_\_\_\_

REMARKS: SAMPLE/FILTER EQUIPMENT: WASH w/ SOAP + WATER (3X).  
RINSED WITH DISTILL'D WATER. RINSED WITH 10% NITRIC ACID WASH. FINAL RINSE w/ DISTILL'D WATER.

# WELL DEVELOPMENT/PURGING LOG

MOENCH CO.

PROJECT TITLE: PALMER ST. LANDFILL - G.W.M.

PROJECT NO.: 1<sup>ST</sup> OF 2 ANNUAL EVENTS

STAFF: Mike Best

DATE: 4/30/18 11:05

WELL NO.: MW-4D (5)

WELL I.D.

VOL.  
GAL./FT.

- |   |                                       |              |
|---|---------------------------------------|--------------|
| 1 | TOTAL CASING AND SCREEN LENGTH (ft.)  | <u>74.94</u> |
| 2 | CASING INTERNAL DIAMETER (in.)        | <u>2"</u>    |
| 3 | WATER LEVEL BELOW TOP OF CASING (ft.) | <u>13.35</u> |
| 4 | VOLUME OF WATER IN CASING (gal.)      |              |

- |    |      |
|----|------|
| 1" | 0.04 |
| 2" | 0.17 |
| 3" | 0.38 |
| 4" | 0.66 |
| 5" | 1.04 |
| 6" | 1.50 |
| 8" | 2.60 |

$$V = 0.0408 (2 \times (1 - 3)) = \underline{10.5} \text{ gal.}$$

PARAMETERS	ACCUMULATED VOLUME PURGED (GALLONS)									
	1st	2nd								
PH	8.1	8.1								
VISUAL-INITIAL TURBIDITY	clear	clear								
CONDUCTIVITY	680	710								
TEMP. °C	11.5	13.0								
COMMENTS:										

# WATER SAMPLING FIELD DATA SHEETS

PROJECT: PALMER ST. L/F - G.W.M.  
MOENCH CO.  
1ST OF 2 ANNUAL EVENTS

TYPE OF SAMPLE: GROUND WATER  
 LOCATION NO.: MW-4D

WELL DATA: DATE: 4/30/18  
 Casing Diameter (Inches): 2"  
 Screened Interval (ft BGS):         
 Static Water Level Below TOR (ft.):         
 Elevation Top of Well Riser: 805.93  
 Elevation Top of Screen: 72.9

TIME: 11:05  
 Casing Material: PVC  
 Screen Material: PVC  
 Bottom Depth (ft.): 74.94  
 Datum Ground Surface:       

PURGING DATA: DATE: 4/30/18  
 Method: ELECTRIC PUMP - NOT DEDICATED  
 Well Volumes Purged (in H<sub>2</sub>O): (SUPERNOVA)  
 Standing Volume (GAL.): 10.5  
 Volume Purged (GAL.): 16  
 Is purging equipment dedicated to sample location? Yes        No \*  
 Field Personnel: Michael Best

TIME: Start: 11:05 Finish: 11:25  
 Pumping Rate (gal/min): 1-2 gpm  
 Was well purged dry? Yes        No X  
 Was Well purged below sand pack? Yes        No X

Well I.D. (Inches)	Volume (gal/(ft))
<u>2</u>	<u>0.17</u>
<u>4</u>	<u>0.66</u>
<u>6</u>	<u>1.50</u>

SAMPLING DATA: DATE: 4/30/18  
 Method: DEDICATED BAILER  
 Present Water Level (ft.):         
 Depth of Sample (ft.):         
 Is sampling equipment dedicated to sample location? Yes \*  
 Source and type of water used in field for QC purposes:       

TIME: Start: 11:25 Finish: 11:35  
 Sampler: MB  
 Air Temperature (F°): 55°  
 Weather Conditions: Sunny clear  
 No ALPHA LAB

PRESERVATION DATA: DATE: 4/2/18 ALPHA  
 Filtered: Yes \* No         
 Preservatives: H<sub>2</sub>SO<sub>4</sub>        HNO<sub>3</sub> \* NaOH        Other HCl

TIME: Start:        Finish:         
 Cool to 4°C: \*

PHYSICAL AND CHEMICAL  
 Appearance: Clear X Turbid: NO  
 Contains Sediment:         
 Temperature (°C):        pH:         
 Turbidity (NTU):       

Color:         
 Odor: NO Others:         
 Specific Conductivity (µmhos/cm):         
 Other:       

REMARKS: NA - NOT APPLICABLE. TEFLON BAILER USED FOR SAMPLE  
WAS WASHED WITH SOAP, RINSED WITH LABORATORY WATER/  
RINSED WITH 10% NITRIC ACID WASH, THEN FINAL RINSE  
WITH LAB. GRADE WATER PRIOR TO USE.

# WELL DEVELOPMENT/PURGING LOG

MOENCH CO.

PROJECT TITLE: PALMER ST. LANDFILL - GWM

PROJECT NO.: 1<sup>ST</sup> OF 2 ANNUAL EVENTS.

STAFF: Mike Best

DATE: 4/30/18 10:00

WELL NO.: MW-6 (3)

WELL I.D.

VOL.  
GAL./FT.

- |   |                                       |              |
|---|---------------------------------------|--------------|
| 1 | TOTAL CASING AND SCREEN LENGTH (ft.)  | <u>18.78</u> |
| 2 | CASING INTERNAL DIAMETER (in.)        | <u>2"</u>    |
| 3 | WATER LEVEL BELOW TOP OF CASING (ft.) | <u>14.55</u> |
| 4 | VOLUME OF WATER IN CASING (gal.)      |              |

- |                 |      |
|-----------------|------|
| 1 <sup>st</sup> | 0.04 |
| 2 <sup>nd</sup> | 0.17 |
| 3 <sup>rd</sup> | 0.38 |
| 4 <sup>th</sup> | 0.66 |
| 5 <sup>th</sup> | 1.04 |
| 6 <sup>th</sup> | 1.50 |
| 8 <sup>th</sup> | 2.60 |

$$V = 0.0408 (2 \times (1 - 3)) = \underline{.7} \text{ gal.}$$

PARAMETERS	ACCUMULATED VOLUME PURGED (GALLONS)									
	I N: T.	2nd								
PH	6.8	6.9								
TURBIDITY APPEAR=INITIAL	clear	cloudy								
CONDUCTIVITY	11400	1300								
TEMP °C	12.3	13.6								

**COMMENTS:**



# WATER SAMPLING FIELD DATA SHEET

PROJECT: PALMER ST. LANDFILL  
 CLIENT: MOENCH CO.  
 JOB NO.: 1ST OF 2 ANNUAL EV.

TYPE OF SAMPLE: GROUNDWATER  
 LOCATION NO.: MW-6  
 LAB SAMPLE NO.: 2018

WELL DATA: DATE: 4/30/18  
 Casing Diameter (inches): 2"  
 Screened Interval (ft BGS): \_\_\_\_\_  
 Static Water Level Below TOR (ft): \_\_\_\_\_  
 Elevation Top of Well Riser: 800.48 ASL

TIME: 10:00  
 Casing Material: PVC  
 Screen Material: PVC  
 Bottom Depth (ft): 18.78  
 Datum Ground Surface: \_\_\_\_\_

PURGING DATA: DATE: 4/30/18  
 Method: DEDICATED BAILER  
 Well Volumes Purged ( $V_{mR^2H/231}$ ): \_\_\_\_\_  
 Standing Volume (gal): 7  
 Volume Purged (gal): 7

TIME: Start: 10:00 Finish: 10:20  
 Pumping Rate (gal/min): 1.0  
 Was well purged dry? \_\_\_\_\_ Yes X No  
 Was well purged below sand pack? X Yes \_\_\_\_\_ No

Is purging equipment dedicated to sample location?  
 Yes X No \_\_\_\_\_  
 Field Personnel: MIKE BEST

Well I.D. (inches)	Volume (gal/ft)
2	0.17
4	0.66
6	1.50

SAMPLING DATA: DATE: 4/30/18  
 Method: DEDICATED BAILER  
 Present Water Level (ft): \_\_\_\_\_  
 Depth of Sample (ft): \_\_\_\_\_  
 Is sampling equipment dedicated to sample location?

TIME: Start: 10:20 Finish: 10:30  
 Sampler: MB  
 Air Temperature (°F): 48  
 Weather Conditions: Sunny clear  
 Yes X No \_\_\_\_\_

PRESERVATION DATA: DATE: 4/18/18 ALPHA  
 Filtered: \* Yes \_\_\_\_\_ No \_\_\_\_\_  
 Preservative: \_\_\_\_\_  $H_2SO_4$  \*  $HNO_3$  \_\_\_\_\_  $NaOH$  HCl Other \_\_\_\_\_

TIME: Start: \_\_\_\_\_ Finish: \_\_\_\_\_  
 Cool to 4°C: \*

## PHYSICAL AND CHEMICAL DATA:

Appearance: Clear: \_\_\_\_\_ Turbid: X Color: Light orange  
 Contains Sediment: \_\_\_\_\_ Odor: X Other: \_\_\_\_\_  
 Temperature (°C): \_\_\_\_\_ pH: \_\_\_\_\_ Specific Conductivity ( $\mu$ mhos/cm): \_\_\_\_\_  
 Turbidity (NTU): \_\_\_\_\_ Other: \_\_\_\_\_

REMARKS: DEDICATED BAILER FOR SAMPLE, & FILTER EQUIPMENT. WASHED (3X), RINSED WITH LAB GRADE WATER. RINSED w/ 10% NITRIC ACID WASH. FINAL RINSE D.I. WATER.

# WELL DEVELOPMENT/PURGING LOG

MOENCH CO.

PROJECT TITLE: PALMER ST. LANDFILL - G.W.M.

PROJECT NO.: 1<sup>ST</sup> OF 2 ANNUAL EVENTS

STAFF:

Mike Best

DATE:

4/30/18

9:25

Blind Dup

WELL NO.: MW - GD ① + ② Blind Dup

WELL I.D.

VOL. GAL./FT.

- 1 TOTAL CASING AND SCREEN LENGTH (ft.) 37.03
- 2 CASING INTERNAL DIAMETER (in.) 2"
- 3 WATER LEVEL BELOW TOP OF CASING (ft.) 17.60
- 4 VOLUME OF WATER IN CASING (gal.)

1"	0.04
2"	0.17
3"	0.38
4"	0.66
5"	1.04
6"	1.50
8"	2.60

$$V = 0.0408 (2^2 \times (1 - 3)) = 3.3 \text{ gal.}$$

PARAMETERS	ACCUMULATED VOLUME PURGED (GALLONS)									
	1 <sup>st</sup>	2 <sup>nd</sup>								
PH	8.1	8.1								
VISUAL-INITIAL TURBIDITY	clear	Little turbid								
CONDUCTIVITY	1200	1050								
TEMP. °C	14.3	14.3								

COMMENTS:

# WATER SAMPLING FIELD DATA SHEETS

PROJECT: PALMER ST. LANDFILL  
MOENCH CO.  
1ST OF 2 ANNUAL EVENTS.  
2018

TYPE OF SAMPLE: GROUNDWATER  
 LOCATION NO.: MW-6D

WELL DATA: DATE: 4/30/18  
 Casing Diameter (Inches): 2  
 Screened Interval (ft BGS): NA  
 Static Water Level Below TOR (ft.):  
 Elevation Top of Well Risers: 800.63  
 Elevation Top of Screen: NA

TIME: 9:25  
 Casing Material: PVC  
 Screen Material: PVC  
 Bottom Depth (ft.): 37.03  
 Datum Ground Surface:

PUMPING DATA: DEDICATED DATE: 4/30/18  
 Method: TEFLON BAILER - HAND  
 Well Volumes Purged (18" N/251):  
 Standing Volume (GAL.) 3.3  
 Volume Purged (GAL.) 5.2  
 Is pumping equipment dedicated to sample location?  
 Yes \* No  
 Field Personnel: Mike Best

TIME: Start: 9:25 Finish: 9:50  
 Pumping Rate (gal/min): 5 gpm  
 Was well purged dry? Yes No X  
 Was Well purged below sand pack? Yes No X

Well I.D. (Inches)	Volume (gal/ft)
2	0.17
4	0.66
6	1.50

SAMPLING DATA: DATE: 4/30/18  
 Method: DEDIC. TEFLON BAILER - HAND  
 Present Water Level (ft.):  
 Depth of Sample (ft.):  
 Is sampling equipment dedicated to sample location? Yes \* No  
 Source and type of water used in field for QC purposes:

TIME: Start: 9:50 Finish: 10:00  
 Samplers: MD  
 Air Temperature (F°): 75°  
 Weather Conditions: Clear sunny  
 No ALPHA LAB

PRESERVATION DATA: DATE: 4/2/18 ALPHA  
 Filtered: Yes \* No  
 Preservatives: H<sub>2</sub>SO<sub>4</sub> HNO<sub>3</sub> \* NaOH Other HCl

TIME: Start: Finish:  
 Cool to 4°C: \*

PHYSICAL AND CHEMICAL  
 Appearance: Clear Turbidity: X  
 Contains Sediment  
 Temperature (°C): pH  
 Turbidity (NTU):

Colors: slight grey  
 Odors: NO Others:  
 Specific Conductivity (µmhos/cm):  
 Other:

REMARKS: E. FLASK +/OR  
TEFLON BAILER USED FOR SAMPLING WAS WASHED WITH  
SOAP, RINSED WITH LABORATORY WATER / RINSED WITH 10% NITRIC WASH THEN FINAL RINSE WITH LAB. GRADE WATER  
Prior TO USE.

# WELL DEVELOPMENT/PURGING LOG

MOENCH CO.

PROJECT TITLE: PALMER ST. LANDFILL - G.W.M.

PROJECT NO.: 1ST OF 2 ANNUAL EVENTS

STAFF: Mike Best

DATE: 5/1/18 10:00

WELL NO.: MW-1D (9)

- 1 TOTAL CASING AND SCREEN LENGTH (ft.) 41.90
- 2 CASING INTERNAL DIAMETER (in.) 2"
- 3 WATER LEVEL BELOW TOP OF CASING (ft.) 5.70
- 4 VOLUME OF WATER IN CASING (gal.)

WELL I.D.	VOL. GAL./FT.
1"	0.04
2"	0.17
3"	0.38
4"	0.56
5"	1.04
6"	1.50
8"	2.60

$$V = 0.0408 (2^2 \times (1 - 3)) = 6.2 \text{ gal.}$$

PARAMETERS	ACCUMULATED VOLUME PURGED (GALLONS)									
	I.N.	I.T.								
"PH"	8.1	8.1								
VISUAL-INITIAL TURBIDITY	clear	slight turbid	slight	green					bug parts	
CONDUCTIVITY	600	680								
TEMP. °C	9.5	12.0								

COMMENTS:



# WELL DEVELOPMENT/PURGING LOG

MOENCH CO.

YEAR - 2018

PROJECT TITLE: PALMER ST. LANDFILL - G.W.M.

PROJECT NO.: 1ST OF 2 ANNUAL EVENTS

**STAFF:**

Mike Best

**DATE:**

5/1/18

10:35

WELL NO.: MW-8D (8)

WELL I.D.

VOL.  
GAL./FT.

- |   |                                       |               |
|---|---------------------------------------|---------------|
| 1 | TOTAL CASING AND SCREEN LENGTH (ft.)  | <u>127.70</u> |
| 2 | CASING INTERNAL DIAMETER (in.)        | <u>2"</u>     |
| 3 | WATER LEVEL BELOW TOP OF CASING (ft.) | <u>20.20</u>  |
| 4 | VOLUME OF WATER IN CASING (gal.)      |               |

11

24

3.

44

54

5.

64

8<sup>th</sup>

004

004  
17

0.17

0.38

**0.66**

1.04

150

1.50  
2.50

$$V = 0.0408 \text{ (}^2 \times (1 - 3) = \underline{18.3} \text{ gal.}$$

PARAMETERS	ACCUMULATED VOLUME PURGED (GALLONS)									
	I <sub>Ni</sub> T.	2.1	4.2	6.3	8.4	10.5	12.6	14.7	16.8	18.9
"PH"	8.1	7.9								
VISUAL-INITIAL TURBIDITY	clear	clear								
CONDUCTIV.	420	440								
TEMP. °C	12.7	13.1								
COMMENTS:										

# WATER SAMPLING FIELD DATA SHEETS

PROJECT: PALMER ST. LANDFILL  
MOENCH COMPANY  
1ST OF 2 ANNUAL EVENTS

TYPE OF SAMPLE: GROUND WATER - GRAB  
 LOCATION NO.: MW-8D

## WELL DATA:

DATE: 5/1/18

TIME: 10:35

Casing Diameter (Inches): 2"  
 Screened Interval (ft BGS): NA  
 Static Water Level Below TOR (ft.):  
 Elevation Top of Well Riser: 821.89  
 Elevation Top of Screens: NA

Casing Material: PVC  
 Screen Material: PVC  
 Bottom Depth (ft.): 127.70  
 Datum Ground Surface: -

## PURGING DATA: DEDICATED DATE: 5/1/18

Method: ELECTRIC Pump - SUPER NOVA

Well Volumes Purged (at 1/231):

Standing Volume (GAL.)

Volume Purged (GAL.)

Is purging equipment dedicated to sample location?  
 Yes \* No

Field Personnel: Mike + Best

TIME: Start: 10:35 Finish: 10:55

Pumping Rate (gal/min): 1-2 gpm

Was well purged dry? Yes No X

Was well purged below sand pack? Yes No X

Well I.D. (Inches)	Volume (gal/ft)
2	0.17
4	0.66
6	1.50

## SAMPLING DATA:

DATE: 5/1/18

TIME: Start: 10:55 Finish: 11:05

Method: DEDICATE PUMP

Sampler: M.B.

Present Water Level (ft.):

Air Temperature (F°): 67°

Depth of Sample (ft.):

Weather Conditions: clear sunny

Is sampling equipment dedicated to sample location? Yes \* No

Source and type of water used in field for QC purposes:

ALPHA LAB

## PRESERVATION DATA:

DATE: 5/2/18 ALPHA

TIME: Start: 11:05 Finish: 11:15

Filtered: Yes \* No

Cool to 4°C: \*

Preservatives: H<sub>2</sub>SO<sub>4</sub> HNO<sub>3</sub> \* NaOH other HCl

## PHYSICAL AND CHEMICAL

Appearance: Clear X Turbid: -

Color: None

Contains Sediment: -

Odor: NO Others: -

Temperature (°C): - pH: -

Specific Conductivity (µmhos/cm): -

Turbidity (NTU): -

Other: -

E. FLASK +/or

REMARKS: TEFLON BAILER USED FOR SAMPLING WAS WASHED WITH

SOAP, RINSED WITH LAB. WATER / RINSED WITH 10%

NITRIC WASH THEN FINAL RINSE WITH LAB. GRADE

WATER PRIOR TO USE.

4/30/18

## WATER SAMPLING FIELD DATA SHEETS

BS-3 (7)

PROJECT: PALMER ST. LANDFILL  
MOENCH CO.  
1<sup>ST</sup> OF 2 ANNUAL EVENTS

TYPE OF SAMPLE: SURFACE/GROUND WATER  
LOCATION NO.: BS-3 (BANK SEEP  
SOUTH OF MW-3)

WELL DATA: DATE: 4/30/18  
Casing Diameter (Inches): NA  
Screened Interval (ft BGS): S  
Static Water Level Below TOR (ft.): S  
Elevation Top of Well Riser: S  
Elevation Top of Screen: V

TIME: 12:20  
Casing Material: N/A  
Screen Material: N/A  
Bottom Depth (ft.): S  
Datum Ground Surface: V

PURGING DATA: DATE: \_\_\_\_\_  
Method: NA  
Well Volumes Purged (RT/M/231): NA  
Standing Volume (GAL.): NA  
Volume Purged (GAL.): NA  
Is purging equipment dedicated to sample location? Yes X No \_\_\_\_\_

TIME: Start: \_\_\_\_\_ Finish: \_\_\_\_\_  
Pumping Rate (gal/min): N/A  
Was well purged dry? Yes \_\_\_\_\_ No \_\_\_\_\_  
Was well purged below sand pack? Yes \_\_\_\_\_ No \_\_\_\_\_

Well I.D. (Inches)	Volume (gal/ft)
2	0.17
4	0.66
6	1.50

Field Personnel: Mike Best

SAMPLING DATA: DATE: 4/30/18  
Method: SURFACE WATER GRAB  
Present Water Level (ft.): NA  
Depth of Sample (ft.): NA  
Is sampling equipment dedicated to sample location? Yes \* No \_\_\_\_\_  
Source and type of water used in field for QC purposes: ALPHA LAB

TIME: Start: 12:25 Finish: 12:40  
Sampler: MB  
Air Temperature (F°): 55  
Weather Conditions: Sunny/Clear  
No ALPHA LAB

PRESERVATION DATA: DATE: 4/2/18 - ALPHA  
Filtered: Yes \* No \_\_\_\_\_  
Preservatives: H<sub>2</sub>O<sub>2</sub> NO<sub>2</sub> \* NaOH Other \* HCl

TIME: Start: \_\_\_\_\_ Finish: \_\_\_\_\_  
Cool to 4°C: \*

PHYSICAL AND CHEMICAL:  
Appearance: Clear Turbidity: X  
Contains Sediment: \_\_\_\_\_  
Temperature (°C): 23.1 pH: 7.5  
Turbidity (NTU): Yes

Color: orange/iron  
Odor: NO Others: \_\_\_\_\_  
Specific Conductivity (umhos/cm): 820  
Other: \_\_\_\_\_

REMARKS: N/A - NOT APPLICABLE. FLASK +/OR TEFLON BAILER USED  
FOR SAMPLING/FILTERING, WAS WASHED WITH ALCONOX SOAP,  
RINSED W/ LAB GRADE WATER, RINSED W/ 10% NITRIC WASH,  
FINAL RINSE WITH LAB GRADE WATER PRIOR TO USE.



## WELL DEVELOPMENT/PURGING LOG

(10)

MOENCH COMPANY

PROJECT TITLE: PALMER ST. LANDFILL - G.W.M.

PROJECT NO.: OF 2 ANNUAL EVENTS

STAFF:

Mike Best

DATE:

5/1/18

11:10

WELL NO.: Equipment BLANK

1 TOTAL CASING AND SCREEN LENGTH (ft.)

NA

2 CASING INTERNAL DIAMETER (in.)

3 WATER LEVEL BELOW TOP OF CASING (ft.)

4 VOLUME OF WATER IN CASING (gal.)

WELL I.D.

VOL.  
GAL./FT.

1"	0.04
2"	0.17
3"	0.38
4"	0.66
5"	1.04
6"	1.50
8"	2.60

$$V = 0.0408 (2 \times (1 - 3)) = \underline{NA} \text{ gal.}$$

PARAMETERS	ACCUMULATED VOLUME PURGED (GALLONS)									
	ONLY									
PH	9.1									
VISUAL TURBIDITY	ALWAYS CLEAR									
CONDUCTIVITY	12									
TEMP. °C	21.7									

COMMENTS:

D.I. WATER (Q.C) FROM: ALPHA LAB



# NEW YORK CHAIN OF CUSTODY

Westborough, MA 01581  
8 Walkup Dr.  
TEL: 508-898-9220  
FAX: 508-898-9193

Mansfield, MA 02048  
320 Forbes Blvd  
TEL: 508-822-9300  
FAX: 508-822-3288

## Service Centers

Mahwah, NJ 07430: 35 Whitney Rd, Suite 5  
Albany, NY 12205: 14 Walker Way  
Tonawanda, NY 14150: 275 Cooper Ave, Suite 105

Page 1

of

1

Date Rec'd  
In Lab

ALPHA Job #

## Project Information

Project Name: Palmer Street Landfill Routine Parameter List

Project Location: Gowanda, NY

Project #

(Use Project name as Project #) ☐

Project Manager Mike Best

ALPHAQuote #:

Turn-Around Time

Standard ☒

Due Date:

Rush (only if pre approved) ☐

# of Days:

These samples have been previously analyzed by Alpha ☒

Other project specific requirements/comments: Samples done on 2 days 4/30 - 5/1/18

Metals samples are filtered by the client in the field.

Please specify Metals or TAL.

## Deliverables

☐ ASP-A

☐ ASP-B

☐ EQUIS (1 File)

☐ EQUIS (4 File)

☐ Other:

## Billing Information

☒ Same as Client Info

PO #

## Regulatory Requirement

☐ NY TOGS

☐ NY Part 375

☐ AWQ Standards

☐ NY CP-51

☐ NY Restricted Use

☐ Other

☐ NY Unrestricted Use

☐ NYC Sewer Discharge

## Disposal Site Information

Please identify below location of applicable disposal facilities.

Disposal Facility:

☐ NJ

☐ NY

☐ Other:

## ANALYSIS

TCL 8260

D-Metals (As, Cr, Pb)

## Sample Filtration

☐ Done

☐ Lab to do

Preservation

☐ Lab to do

(Please Specify below)

## Sample Specific Comments

ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials										
		Date	Time												
	Site 1 MW-6D	4/30/18	9:25	GW	MB	X	X								
	Site 2 Blind Dup	11	9:50	GW	MB	X	X								
	Site 3 MW-6	11	10:00	GW	MB	X	X								
	Site 4 MW-7SR	11	10:35	GW	MB	X	X								
	Site 5 MW-4D	11	11:05	GW	MB	X	X								
	Site 6 MW-3D	11	11:45	GW	MB	X	X								
	Site 7 BS-3	11	12:20	GW	MB	X	X								
	Site 8 MW-8D	5/1/18	10:35	GW	MB	X	X								
	Site 9 MW-7D	11	10:00	GW	MB	X	X								
	Site 10 Equipment Blank	11	11:10	GW	MB	X	X								

Preservative Code:

A = None

B = HCl

C = HNO<sub>3</sub>

D = H<sub>2</sub>SO<sub>4</sub>

E = NaOH

F = MeOH

G = NaHSO<sub>4</sub>

H = Na<sub>2</sub>S<sub>2</sub>O<sub>3</sub>

K/E = Zn Ac/NaOH

O = Other

Container Code

P = Plastic

A = Amber Glass

V = Vial

G = Glass

B = Bacteria Cup

C = Cube

O = Other

E = Encore

D = BOD Bottle

Westboro: Certification No: MA935

Mansfield: Certification No: MA015

Container Type

V

P

Preservative

B

C

Relinquished By:

Michael Best

Date/Time

5/1/18 1:50

Received By:

Date/Time

Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHA'S TERMS & CONDITIONS.



465 PALMER STREET  
GOWANDA, NEW YORK 14070

TEL. 716-532-2201

FAX 716-532-5518

APPENDIX "C"

ALpha Lab

ANALYTICAL REPORT FROM LABORATORY:

FOR April, May 2018

MONITORING EVENT....

PALMER STREET LANDFILL



## ANALYTICAL REPORT

Lab Number:	L1815445
Client:	Moerch Company 465 Palmer Street Gowanda, NY 14070
ATTN:	Michael Best
Phone:	(716) 532-2201
Project Name:	PALMER ST. LF ROUTINE LIST
Project Number:	Not Specified
Report Date:	05/09/18

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-17-00196).

---

Eight Walkup Drive, Westborough, MA 01581-1019  
508-898-9220 (Fax) 508-898-9193 800-624-9220 - [www.alphalab.com](http://www.alphalab.com)



Project Name: PALMER ST. LF ROUTINE LIST

Lab Number: L1815445

Project Number: Not Specified

Report Date: 05/09/18

## SAMPLE RESULTS

Lab ID: L1815445-01

Date Collected: 04/30/18 09:25

Client ID: SITE 1 MW-6D\_04302018

Date Received: 05/01/18

Sample Location: GOWANDA, NY

Field Prep: Field Filtered (Dissolved Metals)

Sample Depth:

Matrix: Water

Analytical Method: 1,8260C

Analytical Date: 05/04/18 18:47

Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	--	1
1,1-Dichloroethane	ND		ug/l	2.5	--	1
Chloroform	ND		ug/l	2.5	--	1
2-Chloroethylvinyl ether	ND		ug/l	10	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.0	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	1.5	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	2.5	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	2.5	--	1
Ethylbenzene	ND		ug/l	2.5	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	2.5	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	2.5	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	--	1
Trichloroethene	ND		ug/l	0.50	--	1
p/m-Xylene	ND		ug/l	2.5	--	1



Project Name: PALMER ST. LF ROUTINE LIST

Lab Number: L1815445

Project Number: Not Specified

Report Date: 05/09/18

## SAMPLE RESULTS

Lab ID: L1815445-01

Date Collected: 04/30/18 09:25

Client ID: SITE 1 MW-6D\_04302018

Date Received: 05/01/18

Sample Location: GOWANDA, NY

Field Prep: Field Filtered (Dissolved Metals)

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
o-Xylene	ND		ug/l	2.5	--	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	--	1
Styrene	ND		ug/l	2.5	--	1
Acetone	44		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	89		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	101		70-130
Dibromofluoromethane	92		70-130



Project Name: PALMER ST. LF ROUTINE LIST  
 Project Number: Not Specified

Lab Number: L1815445  
 Report Date: 05/09/18

## SAMPLE RESULTS

Lab ID: L1815445-02  
 Client ID: SITE 2 BLIND DUP\_04302018  
 Sample Location: GOWANDA, NY

Date Collected: 04/30/18 09:50  
 Date Received: 05/01/18  
 Field Prep: Field Filtered (Dissolved Metals)

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 05/04/18 19:15  
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS Westborough Lab						
Methylene chloride	ND		ug/l	2.5	--	1
1,1-Dichloroethane	ND		ug/l	2.5	--	1
Chloroform	ND		ug/l	2.5	--	1
2-Chloroethylvinyl ether	ND		ug/l	10	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.0	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	1.5	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	2.5	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	2.5	--	1
Ethylbenzene	ND		ug/l	2.5	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	2.5	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	2.5	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	--	1
Trichloroethene	ND		ug/l	0.50	--	1
p/m-Xylene	ND		ug/l	2.5	--	1



Project Name: PALMER ST. LF ROUTINE LIST  
 Project Number: Not Specified

Lab Number: L1815445  
 Report Date: 05/09/18

## SAMPLE RESULTS

Lab ID: L1815445-02  
 Client ID: SITE 2 BLIND DUP\_04302018  
 Sample Location: GOWANDA, NY

Date Collected: 04/30/18 09:50  
 Date Received: 05/01/18  
 Field Prep: Field Filtered (Dissolved Metals)

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
o-Xylene	ND		ug/l	2.5	--	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	--	1
Styrene	ND		ug/l	2.5	--	1
Acetone	72		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	90		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	100		70-130
Dibromofluoromethane	92		70-130





Project Name: PALMER ST. LF ROUTINE LIST

Lab Number: L1815445

Project Number: Not Specified

Report Date: 05/09/18

## SAMPLE RESULTS

Lab ID: L1815445-03  
 Client ID: SITE 3 MW-6\_04302018  
 Sample Location: GOWANDA, NY

Date Collected: 04/30/18 10:00  
 Date Received: 05/01/18  
 Field Prep: Field Filtered (Dissolved Metals)

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 05/04/18 19:42  
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	--	1
1,1-Dichloroethane	ND		ug/l	2.5	--	1
Chloroform	ND		ug/l	2.5	--	1
2-Chloroethylvinyl ether	ND		ug/l	10	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.0	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	1.5	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	2.5	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	2.5	--	1
Ethylbenzene	ND		ug/l	2.5	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	2.5	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	2.5	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	--	1
Trichloroethene	ND		ug/l	0.50	--	1
p/m-Xylene	ND		ug/l	2.5	--	1



Project Name: PALMER ST. LF ROUTINE LIST

Lab Number: L1815445

Project Number: Not Specified

Report Date: 05/09/18

## SAMPLE RESULTS

Lab ID: L1815445-03  
 Client ID: SITE 3 MW-6\_04302018  
 Sample Location: GOWANDA, NY

Date Collected: 04/30/18 10:00  
 Date Received: 05/01/18  
 Field Prep: Field Filtered (Dissolved Metals)

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
o-Xylene	ND		ug/l	2.5	--	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	--	1
Styrene	ND		ug/l	2.5	--	1
Acetone	6.9		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	92		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	102		70-130
Dibromofluoromethane	92		70-130



Project Name: PALMER ST. LF ROUTINE LIST

Lab Number: L1815445

Project Number: Not Specified

Report Date: 05/09/18

## SAMPLE RESULTS

Lab ID: L1815445-04

Date Collected: 04/30/18 10:35

Client ID: SITE 4 MW-4SR\_04302018

Date Received: 05/01/18

Sample Location: GOWANDA, NY

Field Prep: Field Filtered (Dissolved Metals)

Sample Depth:

Matrix: Water

Analytical Method: 1,8260C

Analytical Date: 05/04/18 20:10

Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	--	1
1,1-Dichloroethane	ND		ug/l	2.5	--	1
Chloroform	ND		ug/l	2.5	--	1
2-Chloroethylvinyl ether	ND		ug/l	10	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.0	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	1.5	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	2.5	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	2.5	--	1
Ethylbenzene	ND		ug/l	2.5	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	2.5	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	2.5	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	--	1
Trichloroethene	ND		ug/l	0.50	--	1
p/m-Xylene	ND		ug/l	2.5	--	1



Project Name: PALMER ST. LF ROUTINE LIST

Lab Number: L1815445

Project Number: Not Specified

Report Date: 05/09/18

## SAMPLE RESULTS

Lab ID: L1815445-04

Date Collected: 04/30/18 10:35

Client ID: SITE 4 MW-4SR\_04302018

Date Received: 05/01/18

Sample Location: GOWANDA, NY

Field Prep: Field Filtered (Dissolved Metals)

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
o-Xylene	ND		ug/l	2.5	--	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	--	1
Styrene	ND		ug/l	2.5	--	1
Acetone	57		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	93		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	101		70-130
Dibromofluoromethane	93		70-130

Project Name: PALMER ST. LF ROUTINE LIST

Lab Number: L1815445

Project Number: Not Specified

Report Date: 05/09/18

## SAMPLE RESULTS

Lab ID: L1815445-05  
 Client ID: SITE 5 MW-4D\_04302018  
 Sample Location: GOWANDA, NY

Date Collected: 04/30/18 11:05  
 Date Received: 05/01/18  
 Field Prep: Field Filtered (Dissolved Metals)

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 05/04/18 21:06  
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS Westborough Lab						
Methylene chloride	ND		ug/l	2.5	--	1
1,1-Dichloroethane	ND		ug/l	2.5	--	1
Chloroform	ND		ug/l	2.5	--	1
2-Chloroethylvinyl ether	ND		ug/l	10	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.0	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	1.5	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	2.5	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	2.5	--	1
Ethylbenzene	ND		ug/l	2.5	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	2.5	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	2.5	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	--	1
Trichloroethene	ND		ug/l	0.50	--	1
p/m-Xylene	ND		ug/l	2.5	--	1



Project Name: PALMER ST. LF ROUTINE LIST

Lab Number: L1815445

Project Number: Not Specified

Report Date: 05/09/18

## SAMPLE RESULTS

Lab ID: L1815445-05  
 Client ID: SITE 5 MW-4D\_04302018  
 Sample Location: GOWANDA, NY

Date Collected: 04/30/18 11:05  
 Date Received: 05/01/18  
 Field Prep: Field Filtered (Dissolved Metals)

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

## Volatile Organics by GC/MS Westborough Lab

o-Xylene	ND		ug/l	2.5	--	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	--	1
Styrene	ND		ug/l	2.5	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	92		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	102		70-130
Dibromofluoromethane	94		70-130



Project Name: PALMER ST. LF ROUTINE LIST

Lab Number: L1815445

Project Number: Not Specified

Report Date: 05/09/18

## SAMPLE RESULTS

Lab ID: L1815445-06  
 Client ID: SITE 6 MW-3D\_04302018  
 Sample Location: GOWANDA, NY

Date Collected: 04/30/18 11:45  
 Date Received: 05/01/18  
 Field Prep: Field Filtered (Dissolved Metals)

Sample Depth:  
 Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 05/04/18 21:34  
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS Westborough Lab						
Methylene chloride	ND		ug/l	2.5	--	1
1,1-Dichloroethane	ND		ug/l	2.5	--	1
Chloroform	ND		ug/l	2.5	--	1
2-Chloroethylvinyl ether	ND		ug/l	10	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.0	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	1.5	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	2.5	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	2.5	--	1
Ethylbenzene	ND		ug/l	2.5	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	2.5	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	2.5	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	--	1
Trichloroethene	ND		ug/l	0.50	--	1
p/m-Xylene	ND		ug/l	2.5	--	1



Project Name: PALMER ST. LF ROUTINE LIST  
Project Number: Not Specified

Serial No: 05091819:40  
Lab Number: L1815445  
Report Date: 05/09/18

### SAMPLE RESULTS

Lab ID: L1815445-06  
Client ID: SITE 6 MW-3D\_04302018  
Sample Location: GOWANDA, NY

Date Collected: 04/30/18 11:45  
Date Received: 05/01/18  
Field Prep: Field Filtered (Dissolved Metals)

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
o-Xylene	ND		ug/l	2.5	--	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	--	1
Styrene	ND		ug/l	2.5	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	94		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	99		70-130
Dibromofluoromethane	93		70-130





Project Name: PALMER ST. LF ROUTINE LIST

Lab Number: L1815445

Project Number: Not Specified

Report Date: 05/09/18

## SAMPLE RESULTS

Lab ID: L1815445-07  
 Client ID: SITE 7 BS-3\_04302018  
 Sample Location: GOWANDA, NY

Date Collected: 04/30/18 12:20  
 Date Received: 05/01/18  
 Field Prep: Field Filtered (Dissolved Metals)

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 05/04/18 22:02  
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	--	1
1,1-Dichloroethane	ND		ug/l	2.5	--	1
Chloroform	ND		ug/l	2.5	--	1
2-Chloroethylvinyl ether	ND		ug/l	10	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.0	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	1.5	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	2.5	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	2.5	--	1
Ethylbenzene	ND		ug/l	2.5	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	2.5	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	2.5	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	--	1
Trichloroethene	ND		ug/l	0.50	--	1
p/m-Xylene	ND		ug/l	2.5	--	1



Project Name: PALMER ST. LF ROUTINE LIST

Lab Number: L1815445

Project Number: Not Specified

Report Date: 05/09/18

## SAMPLE RESULTS

Lab ID: L1815445-07

Date Collected: 04/30/18 12:20

Client ID: SITE 7 BS-3\_04302018

Date Received: 05/01/18

Sample Location: GOWANDA, NY

Field Prep: Field Filtered (Dissolved Metals)

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
o-Xylene	ND		ug/l	2.5	--	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	--	1
Styrene	ND		ug/l	2.5	--	1
Acetone	61		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	93		70-130
Toluene-d8	98		70-130
4-Bromofluorobenzene	100		70-130
Dibromofluoromethane	93		70-130

Project Name: PALMER ST. LF ROUTINE LIST

Lab Number: L1815445

Project Number: Not Specified

Report Date: 05/09/18

## SAMPLE RESULTS

Lab ID: L1815445-08  
 Client ID: SITE 8 MW-8D\_05012018  
 Sample Location: GOWANDA, NY

Date Collected: 05/01/18 10:35  
 Date Received: 05/01/18  
 Field Prep: Field Filtered (Dissolved Metals)

Sample Depth:

Matrix: Water

Analytical Method: 1,8260C

Analytical Date: 05/04/18 22:30

Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	--	1
1,1-Dichloroethane	ND		ug/l	2.5	--	1
Chloroform	ND		ug/l	2.5	--	1
2-Chloroethylvinyl ether	ND		ug/l	10	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.0	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	1.5	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	2.5	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	2.5	--	1
Ethylbenzene	ND		ug/l	2.5	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	2.5	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	2.5	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	--	1
Trichloroethene	ND		ug/l	0.50	--	1
p/m-Xylene	ND		ug/l	2.5	--	1



Project Name: PALMER ST. LF ROUTINE LIST

Lab Number: L1815445

Project Number: Not Specified

Report Date: 05/09/18

## SAMPLE RESULTS

Lab ID: L1815445-08

Date Collected: 05/01/18 10:35

Client ID: SITE 8 MW-8D\_05012018

Date Received: 05/01/18

Sample Location: GOWANDA, NY

Field Prep: Field Filtered (Dissolved Metals)

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
o-Xylene	ND		ug/l	2.5	--	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	--	1
Styrene	ND		ug/l	2.5	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	93		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	101		70-130
Dibromofluoromethane	94		70-130

Project Name: PALMER ST. LF ROUTINE LIST

Lab Number: L1815445

Project Number: Not Specified

Report Date: 05/09/18

## SAMPLE RESULTS

Lab ID: L1815445-09

Date Collected: 05/01/18 10:00

Client ID: SITE 9 MW-7D\_05012018

Date Received: 05/01/18

Sample Location: GOWANDA, NY

Field Prep: Field Filtered (Dissolved Metals)

Sample Depth:

Matrix: Water

Analytical Method: 1,8260C

Analytical Date: 05/04/18 22:57

Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	--	1
1,1-Dichloroethane	ND		ug/l	2.5	--	1
Chloroform	ND		ug/l	2.5	--	1
2-Chloroethylvinyl ether	ND		ug/l	10	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.0	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	1.5	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	2.5	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	2.5	--	1
Ethylbenzene	ND		ug/l	2.5	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	2.5	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	2.5	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	--	1
Trichloroethene	ND		ug/l	0.50	--	1
p/m-Xylene	ND		ug/l	2.5	--	1

Project Name: PALMER ST. LF ROUTINE LIST

Lab Number: L1815445

Project Number: Not Specified

Report Date: 05/09/18

## SAMPLE RESULTS

Lab ID: L1815445-09  
 Client ID: SITE 9 MW-7D\_05012018  
 Sample Location: GOWANDA, NY

Date Collected: 05/01/18 10:00  
 Date Received: 05/01/18  
 Field Prep: Field Filtered (Dissolved Metals)

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
o-Xylene	ND		ug/l	2.5	--	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	--	1
Styrene	ND		ug/l	2.5	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	93		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	101		70-130
Dibromofluoromethane	94		70-130



Project Name: PALMER ST. LF ROUTINE LIST

Lab Number: L1815445

Project Number: Not Specified

Report Date: 05/09/18

## SAMPLE RESULTS

Lab ID: L1815445-10  
 Client ID: SITE 10 EQUIPMENT BLANK\_05012018  
 Sample Location: GOWANDA, NY

Date Collected: 05/01/18 11:10  
 Date Received: 05/01/18  
 Field Prep: Field Filtered (Dissolved Metals)

Sample Depth:

Matrix: Water  
 Analytical Method: 1,8260C  
 Analytical Date: 05/04/18 23:25  
 Analyst: MKS

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
-----------	--------	-----------	-------	----	-----	-----------------

## Volatile Organics by GC/MS - Westborough Lab

Methylene chloride	ND		ug/l	2.5	--	1
1,1-Dichloroethane	ND		ug/l	2.5	--	1
Chloroform	ND		ug/l	2.5	--	1
2-Chloroethylvinyl ether	ND		ug/l	10	--	1
Carbon tetrachloride	ND		ug/l	0.50	--	1
1,2-Dichloropropane	ND		ug/l	1.0	--	1
Dibromochloromethane	ND		ug/l	0.50	--	1
1,1,2-Trichloroethane	ND		ug/l	1.5	--	1
Tetrachloroethene	ND		ug/l	0.50	--	1
Chlorobenzene	ND		ug/l	2.5	--	1
1,2-Dichloroethane	ND		ug/l	0.50	--	1
1,1,1-Trichloroethane	ND		ug/l	2.5	--	1
Bromodichloromethane	ND		ug/l	0.50	--	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	--	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	--	1
Bromoform	ND		ug/l	2.0	--	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	--	1
Benzene	ND		ug/l	0.50	--	1
Toluene	ND		ug/l	2.5	--	1
Ethylbenzene	ND		ug/l	2.5	--	1
Chloromethane	ND		ug/l	2.5	--	1
Bromomethane	ND		ug/l	2.5	--	1
Vinyl chloride	ND		ug/l	1.0	--	1
Chloroethane	ND		ug/l	2.5	--	1
1,1-Dichloroethene	ND		ug/l	0.50	--	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	--	1
Trichloroethene	ND		ug/l	0.50	--	1
p/m-Xylene	ND		ug/l	2.5	--	1



Project Name: PALMER ST. LF ROUTINE LIST

Lab Number: L1815445

Project Number: Not Specified

Report Date: 05/09/18

## SAMPLE RESULTS

Lab ID: L1815445-10

Date Collected: 05/01/18 11:10

Client ID: SITE 10 EQUIPMENT BLANK\_05012018

Date Received: 05/01/18

Sample Location: GOWANDA, NY

Field Prep: Field Filtered (Dissolved Metals)

Sample Depth:

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
o-Xylene	ND		ug/l	2.5	--	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	--	1
Styrene	ND		ug/l	2.5	--	1
Acetone	ND		ug/l	5.0	--	1
Carbon disulfide	ND		ug/l	5.0	--	1
2-Butanone	ND		ug/l	5.0	--	1
Vinyl acetate	ND		ug/l	5.0	--	1
4-Methyl-2-pentanone	ND		ug/l	5.0	--	1
2-Hexanone	ND		ug/l	5.0	--	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	94		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	101		70-130
Dibromofluoromethane	94		70-130



## METALS



Project Name: PALMER ST. LF ROUTINE LIST

Lab Number: L1815445

Project Number: Not Specified

Report Date: 05/09/18

## SAMPLE RESULTS

Lab ID: L1815445-01

Date Collected: 04/30/18 09:25

Client ID: SITE 1 MW-6D\_04302018

Date Received: 05/01/18

Sample Location: GOWANDA, NY

Field Prep: Field Filtered (Dissolved Metals)

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Dissolved Metals - Mansfield Lab											
Arsenic, Dissolved	0.00061		mg/l	0.00050	--	1	05/03/18 11:00	05/04/18 15:58	EPA 3005A	1,6020A	AM
Chromium, Dissolved	ND		mg/l	0.00100	--	1	05/03/18 11:00	05/04/18 15:58	EPA 3005A	1,6020A	AM
Lead, Dissolved	ND		mg/l	0.00100	--	1	05/03/18 11:00	05/04/18 15:58	EPA 3005A	1,6020A	AM



Project Name: PALMER ST. LF ROUTINE LIST

Lab Number: L1815445

Project Number: Not Specified

Report Date: 05/09/18

## SAMPLE RESULTS

Lab ID: L1815445-02

Date Collected: 04/30/18 09:50

Client ID: SITE 2 BLIND DUP\_04302018

Date Received: 05/01/18

Sample Location: GOWANDA, NY

Field Prep: Field Filtered (Dissolved Metals)

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Dissolved Metals - Mansfield Lab											
Arsenic, Dissolved	0.00050		mg/l	0.00050	--	1	05/03/18 11:00	05/04/18 16:47	EPA 3005A	1,6020A	AM
Chromium, Dissolved	ND		mg/l	0.00100	--	1	05/03/18 11:00	05/04/18 16:47	EPA 3005A	1,6020A	AM
Lead, Dissolved	ND		mg/l	0.00100	--	1	05/03/18 11:00	05/04/18 16:47	EPA 3005A	1,6020A	AM



Project Name: PALMER ST. LF ROUTINE LIST

Lab Number: L1815445

Project Number: Not Specified

Report Date: 05/09/18

## SAMPLE RESULTS

Lab ID: L1815445-03

Date Collected: 04/30/18 10:00

Client ID: SITE 3 MW-6\_04302018

Date Received: 05/01/18

Sample Location: GOWANDA, NY

Field Prep: Field Filtered (Dissolved Metals)

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Dissolved Metals - Mansfield Lab											
Arsenic, Dissolved	0.03588		mg/l	0.00050	--	1	05/03/18 11:00	05/04/18 16:51	EPA 3005A	1,6020A	AM
Chromium, Dissolved	0.00494		mg/l	0.00100	--	1	05/03/18 11:00	05/04/18 16:51	EPA 3005A	1,6020A	AM
Lead, Dissolved	ND		mg/l	0.00100	--	1	05/03/18 11:00	05/04/18 16:51	EPA 3005A	1,6020A	AM



Project Name: PALMER ST. LF ROUTINE LIST

Lab Number: L1815445

Project Number: Not Specified

Report Date: 05/09/18

## SAMPLE RESULTS

Lab ID: L1815445-04

Date Collected: 04/30/18 10:35

Client ID: SITE 4 MW-4SR\_04302018

Date Received: 05/01/18

Sample Location: GOWANDA, NY

Field Prep: Field Filtered (Dissolved Metals)

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Dissolved Metals - Mansfield Lab											
Arsenic, Dissolved	ND		mg/l	0.00050	--	1	05/03/18 11:00	05/04/18 16:55	EPA 3005A	1,6020A	AM
Chromium, Dissolved	0.00525		mg/l	0.00100	--	1	05/03/18 11:00	05/04/18 16:55	EPA 3005A	1,6020A	AM
Lead, Dissolved	ND		mg/l	0.00100	--	1	05/03/18 11:00	05/04/18 16:55	EPA 3005A	1,6020A	AM



Project Name: PALMER ST. LF ROUTINE LIST

Lab Number: L1815445

Project Number: Not Specified

Report Date: 05/09/18

## SAMPLE RESULTS

Lab ID: L1815445-05

Date Collected: 04/30/18 11:05

Client ID: SITE 5 MW-4D\_04302018

Date Received: 05/01/18

Sample Location: GOWANDA, NY

Field Prep: Field Filtered (Dissolved Metals)

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Dissolved Metals - Mansfield Lab											
Arsenic, Dissolved	ND		mg/l	0.00050	--	1	05/03/18 11:00	05/04/18 16:59	EPA 3005A	1,6020A	AM
Chromium, Dissolved	ND		mg/l	0.00100	--	1	05/03/18 11:00	05/04/18 16:59	EPA 3005A	1,6020A	AM
Lead, Dissolved	ND		mg/l	0.00100	--	1	05/03/18 11:00	05/04/18 16:59	EPA 3005A	1,6020A	AM



Project Name: PALMER ST. LF ROUTINE LIST  
 Project Number: Not Specified

Lab Number: L1815445  
 Report Date: 05/09/18

**SAMPLE RESULTS**

Lab ID: L1815445-06  
 Client ID: SITE 6 MW-3D\_04302018  
 Sample Location: GOWANDA, NY

Date Collected: 04/30/18 11:45  
 Date Received: 05/01/18  
 Field Prep: Field Filtered (Dissolved Metals)

Sample Depth:  
 Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Dissolved Metals - Mansfield Lab											
Arsenic, Dissolved	0.00139		mg/l	0.00050	--	1	05/03/18 11:00	05/04/18 17:03	EPA 3005A	1,6020A	AM
Chromium, Dissolved	ND		mg/l	0.00100	--	1	05/03/18 11:00	05/04/18 17:03	EPA 3005A	1,6020A	AM
Lead, Dissolved	ND		mg/l	0.00100	--	1	05/03/18 11:00	05/04/18 17:03	EPA 3005A	1,6020A	AM



Project Name: PALMER ST. LF ROUTINE LIST

Lab Number: L1815445

Project Number: Not Specified

Report Date: 05/09/18

## SAMPLE RESULTS

Lab ID: L1815445-07

Date Collected: 04/30/18 12:20

Client ID: SITE 7 BS-3\_04302018

Date Received: 05/01/18

Sample Location: GOWANDA, NY

Field Prep: Field Filtered (Dissolved Metals)

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Dissolved Metals - Mansfield Lab											
Arsenic, Dissolved	0.00458		mg/l	0.00050	--	1	05/03/18 11:00	05/04/18 17:07	EPA 3005A	1,6020A	AM
Chromium, Dissolved	0.00275		mg/l	0.00100	--	1	05/03/18 11:00	05/04/18 17:07	EPA 3005A	1,6020A	AM
Lead, Dissolved	ND		mg/l	0.00100	--	1	05/03/18 11:00	05/04/18 17:07	EPA 3005A	1,6020A	AM





Project Name: PALMER ST. LF ROUTINE LIST

Lab Number: L1815445

Project Number: Not Specified

Report Date: 05/09/18

## SAMPLE RESULTS

Lab ID: L1815445-08

Date Collected: 05/01/18 10:35

Client ID: SITE 8 MW-8D\_05012018

Date Received: 05/01/18

Sample Location: GOWANDA, NY

Field Prep: Field Filtered (Dissolved Metals)

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Dissolved Metals - Mansfield Lab											
Arsenic, Dissolved	ND		mg/l	0.00050	--	1	05/03/18 11:00	05/04/18 17:11	EPA 3005A	1,6020A	AM
Chromium, Dissolved	ND		mg/l	0.00100	--	1	05/03/18 11:00	05/04/18 17:11	EPA 3005A	1,6020A	AM
Lead, Dissolved	ND		mg/l	0.00100	--	1	05/03/18 11:00	05/04/18 17:11	EPA 3005A	1,6020A	AM



Project Name: PALMER ST. LF ROUTINE LIST

Lab Number: L1815445

Project Number: Not Specified

Report Date: 05/09/18

## SAMPLE RESULTS

Lab ID: L1815445-09

Date Collected: 05/01/18 10:00

Client ID: SITE 9 MW-7D\_05012018

Date Received: 05/01/18

Sample Location: GOWANDA, NY

Field Prep: Field Filtered (Dissolved Metals)

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Dissolved Metals - Mansfield Lab											
Arsenic, Dissolved	ND		mg/l	0.00050	--	1	05/03/18 11:00	05/04/18 17:15	EPA 3005A	1,6020A	AM
Chromium, Dissolved	ND		mg/l	0.00100	--	1	05/03/18 11:00	05/04/18 17:15	EPA 3005A	1,6020A	AM
Lead, Dissolved	ND		mg/l	0.00100	--	1	05/03/18 11:00	05/04/18 17:15	EPA 3005A	1,6020A	AM



Project Name: PALMER ST. LF ROUTINE LIST

Lab Number: L1815445

Project Number: Not Specified

Report Date: 05/09/18

## SAMPLE RESULTS

Lab ID: L1815445-10

Date Collected: 05/01/18 11:10

Client ID: SITE 10 EQUIPMENT BLANK\_05012018

Date Received: 05/01/18

Sample Location: GOWANDA, NY

Field Prep: Field Filtered (Dissolved Metals)

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Dissolved Metals - Mansfield Lab											
Arsenic, Dissolved	ND		mg/l	0.00050	--	1	05/03/18 11:00	05/04/18 17:19	EPA 3005A	1,6020A	AM
Chromium, Dissolved	ND		mg/l	0.00100	--	1	05/03/18 11:00	05/04/18 17:19	EPA 3005A	1,6020A	AM
Lead, Dissolved	ND		mg/l	0.00100	--	1	05/03/18 11:00	05/04/18 17:19	EPA 3005A	1,6020A	AM

