



Spring 2019 Baseline Semi-Annual Monitoring Event Water Quality Monitoring Report

Location:

Ischua Landfill
Olean, New York
(NYSDEC Facility ID #05S20)

Prepared for:

City of Olean
101 East State Street
P.O. Box 668
Olean, New York 14760

LaBella Project No. 2191208
June 2019

Ischua Landfill
Olean, New York
(NYSDEC Facility ID #05S20)

Spring 2019
Semi-Annual Monitoring Baseline Event
Water Quality Monitoring Report

TABLE OF CONTENTS

1.0	INTRODUCTION	1
2.0	BACKGROUND INFORMATION	1
3.0	SAMPLE COLLECTION PROCEDURES	2
3.1	General Discussion	2
3.2	Groundwater Sample Collection Procedures	2
3.3	Surface Water Sample Collection Procedures	3
3.4	Field Parameter Measurements	3
3.5	Quality Assurance/Quality Control	3
3.6	Shipping and Chain-of-Custody	3
3.7	Health and Safety	3
4.0	DATA VALIDATION	3
4.1	Data Validation	3
4.2	Quality Assurance/Quality Control	4
4.2.1	Duplicate	4
5.0	ANALYTICAL RESULTS	4
5.1	General Discussion	4
5.2	Summary of Results	4
5.2.1	Volatile Organic Compound Results	4
5.2.2	Inorganic Parameters	5
5.2.3	Leachate Indicator Parameters	5
5.2.4	Comparison of Sampling Results	6
6.0	SUMMARY AND CONCLUSIONS	6

Figures
Tables
Appendices



1.0 INTRODUCTION

LaBella Associates, D.P.C (LaBella) was retained by the City of Olean to provide sampling, analysis, and reporting services associated with water quality monitoring at the closed Ischua Landfill (site). Groundwater monitoring is conducted at the site in accordance with Order on Consent 89-92 issued by the New York State Department of Environmental Conservation (NYSDEC) and the December 1990 Sampling and Analysis Plan (SAP) with subsequent modifications in 1991 and 1995. These modifications, as well as other modifications to the SAP, are discussed in detail in Section 2.0.

This report presents the results of the Spring 2019 Baseline Semi-Annual Monitoring Event conducted for twelve monitoring wells and two surface water points at the site. This report provides a brief discussion of the relevant background information, describes the sample collection procedures, presents the analytical results, and provides a summary and conclusions for the work conducted.

2.0 BACKGROUND INFORMATION

The Ischua Landfill is located near the Olean municipal airport in the Town of Ischua, New York, as shown on Figure 1. The landfill consists of three parallel trenches approximately 15 feet deep and 50 feet wide that range from 800 feet to 1,300 feet in length (see Figure 2). The landfill operated from 1972 to 1975. When the landfill was closed, the landfill cover consisted of approximately six inches of topsoil. In an effort to control seeps, the landfill cover was improved with 18 inches of compacted clay and six inches of topsoil, as reported in January 1986. The improved cover reduced the seepage volume but did not completely eliminate the seeps.

In response to renewed concerns by the NYSDEC regarding the seeps, a hydrogeologic investigation program was performed at the site from November 1989 through March 1990. Subsequently, the City developed an appropriate course of action for controlling the seepage breakouts. As required by the NYSDEC, the City also initiated a program of quarterly monitoring at the site in September 1990. The samples were analyzed for the Title 6 New York Codes, Rules and Regulations (6NYCRR) Part 360-2.11(d)(6) Baseline Parameters plus volatile organic compounds (VOCs). Following submission of the Baseline Sampling Report, a SAP dated December 4, 1990 was issued for the continued quarterly groundwater monitoring at the landfill site. The SAP was approved by the NYSDEC in a letter dated December 12, 1990. The quarterly sampling at the site continued in accordance with the approved SAP from September 1990 to September 1991.

In the September 1991 Baseline Sampling Report, several modifications to the approved SAP were recommended. These proposed modifications were as follows:

- a. The site's contingency water quality monitoring requirements of quarterly analysis for VOCs was proposed to be removed from the SAP and replaced by the standard routine and baseline analysis program which would have required VOC analysis only during the annual baseline sampling event.
- b. Six sampling points were proposed to be removed from the SAP. These sampling points had primarily been either dry during previous sampling events or had not resulted in elevated levels of analytes of concern. These points were: MW-6B, MW-7C, MW-8A, MW-9A, MW-10A, and MW-11A.
- c. The tabular listing of current and past sampling results in the quarterly and the annual reports was proposed to be replaced with time/concentration plots of selected parameters.



Items b and c of the proposed modifications were later approved by the NYSDEC. With respect to Item a, the NYSDEC did not agree with elimination of the site's contingency water quality requirements but approved a reduction in the frequency of sampling for VOCs from quarterly to semi-annually.

After the submittal of the June 1994 Quarterly Report, it was requested that the current time/concentration plots of selected parameters be replaced with tabular historical data tables from each monitoring point. This request was approved by the NYSDEC.

Furthermore, it was requested in November 1995 that the sampling frequency for all parameters at the site be reduced from quarterly to semi-annually, based upon a statistical evaluation of the previous five years of groundwater monitoring data. The statistical evaluation of the site data revealed that total VOC concentrations for all sampling points had remained constant or decreased with time. The NYSDEC agreed with the request in 1996.

3.0 SAMPLE COLLECTION PROCEDURES

3.1 General Discussion

LaBella performed the Spring 2019 Monitoring Event sampling activities on April 23 and 34, 2019. All sampling activities were completed in general accordance with the approved SAP dated December 4, 1990 and subsequent NYSDEC-approved modifications. All samples collected from the site were analyzed for the 6NYCRR Part 360-2.11(d)(6) Baseline Parameters. However, MW-6A was dry, precluding sample collection from this location. Additionally, MW-9B contained insufficient water volume for the full parameter list, thus the parameters analyzed were limited to the following:

- MW-9B: All parameters except biochemical oxygen demand (BOD), color, hexavalent chromium, alkalinity, chloride, sulfate, and total dissolved solids (TDS)

The sample locations for the monitoring wells and the surface water samples are shown on Figure 2. The following paragraphs describe the sample collection procedures and field documentation protocols that were followed.

3.2 Groundwater Sample Collection Procedures

Purging and sampling of the monitoring wells was performed utilizing dedicated disposable polyethylene bailers, and non-absorbent nylon rope was used to lower the bailers into the wells.

Prior to purging, the depth to water in the well was measured to the nearest 1/100th of a foot using an electronic water level indicator. As detailed in the approved SAP, purging is performed in an attempt to obtain a turbidity value of under 50 nephelometric turbidity units (NTUs) prior to sampling. If the turbidity value is greater than 50 NTUs, a filtered metals sample must be collected. The turbidity values recorded during this monitoring event were below 50 NTUs at the time of sample collection.

The monitoring wells were purged a minimum of three well volumes or until dry. In general, purging was intended to be performed such that the water level in the well would not fall below the top of the sand pack. However, because the static water level in some of the wells was below the top of the sand pack, this criterion was not always achieved. Table 1 lists the depth of each monitoring well in addition to the elevation of groundwater in each well. Field Sampling Logs are presented in Appendix A.

After purging, groundwater samples were collected from each well (with the exception of the wells that were dry, as identified in Section 3.4) at the site and placed in laboratory-prepared sample



containers. The sample containers were then placed in insulated coolers filled with ice and transported under proper chain-of-custody procedures by courier directly to the analytical laboratory, Pace Analytical Services (Pace), in Melville, New York.

3.3 Surface Water Sample Collection Procedures

Two surface water samples (STREAM and SEEP), are typically collected during each semi-annual sampling event. These sample locations are shown on Figure 2. The SEEP and STREAM samples were collected by direct submersion of a dedicated unpreserved sample bottle into the surface water. A dedicated, unpreserved sampling bottle was used to collect the surface water samples from these locations in order to fill sample bottles containing preservatives. Care was taken to not disturb the sediment during sample collection. The filled sample bottles were transported to the laboratory under chain-of-custody using the procedures described in Section 3.6.

3.4 Field Parameter Measurements

Field parameters including pH, specific conductance, oxidation reduction potential (ORP), temperature, and turbidity were measured for each sample point and the results were recorded on the field sampling logs presented in Appendix A. Due to insufficient water volume, field parameters were not measured for MW-6A (this location was ultimately dry). A summary of the field parameters by sample point is included in Table 2.

3.5 Quality Assurance/Quality Control

For quality assurance/quality control purposes, a blind field duplicate sample was collected and analyzed. The blind field duplicate was collected from MW-8B and analyzed for Baseline Parameters. The blind field duplicate sample was designated as “DUP” on the chain-of-custody form and in the laboratory report from Pace.

3.6 Shipping and Chain-of-Custody

Sample containers were labeled in the field, placed on ice, and shipped by FedEx using properly signed seals to Pace under chain-of-custody protocols. The samples were relinquished to FedEx on April 24, 2019 and received by Pace April 25, 2019. Appendix B presents the completed chain-of-custody records for this semi-annual monitoring event.

3.7 Health and Safety

Sampling personnel wore Level D personal protective equipment including nitrile gloves during well purging and sampling activities. No health and safety concerns were noted during sampling.

4.0 DATA VALIDATION

4.1 Data Validation

Data validation consisted of an internal validation by Pace. The internal data validation performed by Pace focused on holding times, calibration criteria, method blanks, reference samples, matrix spike/matrix spike duplicate (MS/MSD) samples, and surrogate recoveries. The results of these efforts are presented in the Pace Analytical Report included in Appendix C. The internal validation showed that the analytical results generated during this semi-annual monitoring event are generally usable in all cases. Only minor QA/QC issues were identified and do not impact the usability of the data for the Spring 2019 Monitoring Event.



4.2 Quality Assurance/Quality Control

4.2.1 Duplicate

The sample designated “DUP” is a duplicate of the MW-8B sample. The duplicate results are generally consistent (within 1.5 times) with the sample results with the following exceptions.

- Aluminum was detected in the DUP but was not detected in MW-8B.
- Potassium was detected in the DUP but was not detected in MW-8B.
- Mercury was detected in the DUP but was not detected in MW-8B.
- Silver was detected in MW-8B but was not detected in the DUP
- Chemical oxygen demand (COD) was detected in MW-8B but was not detected in the DUP
- Nickel was detected in the DUP at a concentration 3 times greater than in the MW-8B.
- Color was detected in the DUP at a concentration 3 times greater than in the MW-8B.
- Phenols was detected in the DUP at a concentration 2 times greater than in the MW-8B.
- TDS was detected in MW-8B at a concentration 2 times greater than the DUP.
- Cyanide was detected in MW-8B but was not detected in the DUP

4.2.2 Trip Blank

The laboratory analytical results for the TRIP BLANK sample were non-detect for all VOC parameters.

5.0 ANALYTICAL RESULTS

5.1 General Discussion

Table 3 summarizes the results for each of the groundwater samples collected from the site. Results that are shaded in Table 3 are reported at or above regulatory levels for groundwater established in 6NYCRR Part 703.5 Water Quality Regulations for Groundwater (6NYCRR standards) as amended in April 1999. For parameters for which a standard was not adopted, the guidance values presented in the NYSDEC June 1998 Technical and Operations Guidance Series (TOGS) 1.1.1 were utilized. The following sections briefly describe this event’s analytical results with respect to the above-mentioned water quality standards.

Additionally, although the SEEP and STREAM data have also been compared to the 6NYCRR groundwater standards, the comparison was made for purpose of continuity only; the 6NYCRR groundwater standards are not technically applicable to these data. In addition, the duplicate sample is not discussed in the following section. Refer to Section 4.2.

5.2 Summary of Results

5.2.1 Volatile Organic Compound Results

The analytical results for the Spring 2019 Monitoring Event are summarized in Table 3. No VOCs were detected above the applicable water quality standards in the samples collected from MW-6D, MW-7A, MW-7C, MW-8B, MW-9B, MW-13, MW-14, and STREAM. The VOC concentrations that exceeded the applicable water quality standards are summarized below:

- Benzene was reported above the 6NYCRR standard of 1.0 µg/L in one sample (MW-12B) at a concentration of 6.0 µg/L.
- Chlorobenzene was reported above the 6NYCRR standard of 5.0 µg/L in two samples (MW-11B and MW-12B) at concentrations of 5.8 µg/L.
- 1,1-Dichloroethane was reported above the 6NYCRR standard of 5.0 µg/L in two samples (MW-10B and MW-11B) at concentrations of 14.2 µg/L and 7.7 µg/L, respectively.



- *cis-1,2-Dichloroethene* was reported above the 6NYCRR standard of 5.0 µg/L in three samples (MW-10B, MW-11B, and SEEP) at concentrations of 54.9 µg/L, 14.7 µg/L, and 7.5 µg/L, respectively.
- *Vinyl Chloride* was reported above the 6NYCRR standard of 2.0 µg/L in two samples (MW-10B and MW-11B) concentrations of 12.9 µg/L and 8.2 µg/L, respectively.

The concentrations of these analytes detected in these locations were within historical ranges.

5.2.2 Inorganic Parameters

The concentrations of inorganic analytes were reported below applicable regulatory values, with the exception of the results discussed below.

- *Arsenic* was reported above the 6NYCRR standard of 0.025 mg/L in four samples (MW-7A, MW-11B, MW-12A, and SEEP): exceedances ranged in concentration from 0.0261 mg/L to 0.0526 mg/L.
- *Barium* was reported above the 6NYCRR standard of 1 mg/L in the sample collected from MW-12A at a concentration of 1.64 mg/L.
- *Iron* was reported above the 6NYCRR standard of 0.3 mg/L in eleven samples (MW-6D, MW-7A, MW-8B, MW-9B, MW-10B, MW-11B, MW-12A, MW-12B, MW-13, SEEP, and STREAM): exceedances ranged in concentration from 0.34 mg/L to 36.8 mg/L.
- *Manganese* was reported above the 6NYCRR standard of 0.3 mg/L in eleven samples (MW-7A, MW-7C, MW-8B, MW-9B, MW-10B, MW-11B, MW-12A, MW-12B, MW-13, SEEP, and STREAM): exceedances ranged in concentration from 0.375 mg/L to 14.5 mg/L.
- *Thallium* was reported above the 6NYCRR standard of 0.0005 mg/L in four samples (MW-7A, MW-10B, MW-11B, and MW-12A): exceedances ranged in concentration from 0.0086 mg/L to 0.017 mg/L.
- *Zinc* was reported above the 6NYCRR standard of 2 mg/L in the sample collected from MW-11B at a concentration of 2.76 mg/L.

The concentrations of these analytes detected in these locations were within historical ranges with the exception of arsenic in MW-11B, thallium in MW-10B and MW-11B, and zinc in MW-11B. Arsenic in MW-11B was detected at a concentration only slightly (less than 1.5 times) greater than the previous historical maximum concentration detected in the Fall of 1991. Thallium in MW-10B was detected at a concentration only slightly greater than the previous historical maximum concentration. The detection of thallium in MW-11B represents the first detection of thallium at this location. Zinc in MW-11B was detected at concentration 2.82 times the previous historical maximum concentration detected in Spring of 2017. LaBella will continue to evaluate these locations during future sampling events for indications of trends for these parameters.

5.2.3 Leachate Indicator Parameters

Leachate indicator parameters were reported below applicable 6NYCRR standards with the exception of the results discussed below.

- *Color* was reported above the 6NYCRR standard of 15 units in six samples (MW-6D, MW-7A, MW-11B, MW-12A, MW-12B, and SEEP): exceedances ranged in concentration from 15 units to 200 units.
- *Ammonia-Nitrogen* was reported above the 6NYCRR standard of 2.0 mg/L in five samples (MW-7A, MW-11B, MW-12A, MW-12B, and SEEP): exceedances ranged in concentration from 2.4 mg/L to 6.0 mg/L.
- *TDS* was reported above the 6NYCRR standard of 500 mg/L in the sample collected from MW-12B at a concentration of 602 mg/L.



- *Total Phenols* was reported above the 6NYCRR standard of 0.001 mg/L in ten samples (MW-6D, MW-7A, MW-7C, MW-8B, MW-9B, MW-10B, MW-11B, MW-12A, MW-12B, and SEEP): exceedances ranged in concentration from 0.0018 mg/L to 0.0351 mg/L.

The concentrations of these analytes detected in these locations were within historical ranges with the exception of ammonia-nitrogen in MW-11B. Ammonia-nitrogen in MW-11B was detected at a concentration only slightly greater than the previous historical maximum concentration detected in the Spring of 2002. LaBella will continue to evaluate this location during future sampling events.


5.2.4 Comparison of Sampling Results

A tabular listing of the historical data associated with the permanent monitoring network is presented in Appendix D and includes historical data from September 1990 to the present for all monitoring points at the site. Included on each table is a mean concentration and current 6NYCRR groundwater standard for all analytes (both organic and inorganic) at each monitoring point. Historic exceedances of the water quality standards identified in the tables in Appendix D are related to the 6NYCRR standards in effect at the time of sampling, which may not be the standards currently in effect.


6.0 SUMMARY AND CONCLUSIONS

The results of the Spring 2019 Monitoring Event appear generally consistent with the results from the previous sampling events at the site. The next semi-annual sampling event is scheduled for the Fall of 2019.

FIGURES




USGS QUADRANGLES – CUBA, FRANKLINVILLE,
HINSDALE AND RAWSON, NEW YORK



LaBella
Powered by partnership.

300 Pearl Street, Suite 130
Buffalo, NY 14202
716-551-6281


labellapc.com




ISCHUA LANDFILL

FIGURE 1

SITE LOCATION MAP



- LEGEND**
- MONITORING WELL (URS)
 - MONITORING WELL (EIL)
 - SEEP
 - GAS WELL
 - CLAY CAP (APPROXIMATE)
 - TRENCH (APPROXIMATE)
 - SHELBY TUBE SOIL SAMPLE LOCATION
 - WEIR



LaBella
Powered by partnership.
300 Pearl Street, Suite 130
Buffalo, NY 14202
716-551-6281
labellapc.com

ISCHUA LANDFILL
FIGURE 2
SITE BASE MAP AND
ENVIRONMENTAL MONITORING LOCATIONS

TABLES

Ischua Landfill
Spring 2019
Summary of Monitoring Well and
Groundwater Depths

TABLE 1

Monitoring Well No.	Top of Casing Elevation	Depth to Well Bottom	Historical Elevations	Historical Elevations	Depth to Water	Elevation of Water	Compared to Last Event	Compared to Last Year
			May-18	Sep-18	Apr-19	Apr-19		
MW-6A	2173.1	17.19	NA	NA	17.19	NA	NA	NA
MW-6D	2173.7	103.14	2082.7	2072.7	91.70	2082.0	9.3	-0.70
MW-7A	2109.3	11.64	2104.3	2101.4	4.00	2105.3	3.9	1.00
MW-7C	2109.3	40.3	2081.30	2075.60	26.7	2082.60	7	1.30
MW-8B	2089.6	25.65	2076.1	2075.3	14.05	2075.55	0.25	-0.55
MW-9B	2081.1	32.43	2049.10	2049.60	31.00	2050.10	0.5	1.00
MW-10B	2066.2	33.69	2046.70	2043.90	19.10	2047.10	3.2	0.40
MW-11B	2115.1	18.07	2102.8	2099.1	12.20	2102.9	3.8	0.10
MW-12A	2108.3	12.68	2099.2	2097.4	9.20	2099.1	1.7	-0.10
MW-12B	2107.5	20.9	2096.3	2094.4	10.90	2096.6	2.2	0.30
MW-13	2058.7	11.44	2054.5	2054.8	4.00	2054.7	-0.1	0.20
MW-14	2060.9	23.45	2044.9	2043.9	15.20	2045.7	1.8	0.80

Notes:

1. All measurements are in feet and the elevations are referenced to NAVD88 based on USGS "Ischua 1964".
2. The depth to the bottom of the monitoring well as well as the depth to water is measure from the from top of the riser pipe prior to purging the wells.



**Ischua Landfill
Spring 2019
Summary of Field Parameters**

TABLE 2

DOWN - GRADIENT MONITORING LOCATIONS																	
	Units	MW 6A	MW 6D	MW 7A	MW 7C	MW 8B	MW 9B	MW 10B	MW 11B	MW 12A	MW 12B	MW 13	MW 14	SEEP	STREAM	NYSDEC Part 703 Surface water and Groundwater Quality Standards	Units
Field Eh	mV	**	113.0	11.0	54.0	71.0	11.0	55.0	64.0	64.0	56.0	27.0	12.0	32.0	-10.0	NA mV	
Field pH	SU	**	5.27	7.67	6.80	6.44	7.69	6.70	6.53	6.59	6.77	7.57	8.23	7.11	8.23	6.5-8.5 SU	
Field Specific Conductivity	mS/cm	**	0.438	0.284	0.438	0.389	0.411	0.530	0.582	0.616	0.764	0.272	0.365	0.390	0.200	NA mS/cm	
Field Turbidity	NTU	**	20.5	3.50	13.50	10.90	26.5	1.50	27.5	22.4	8.6	13.0	8.10	12.3	19.7	5 NTU	
Temperature	degC	**	7.81	6.9	6.72	8.75	8.66	9.28	7.56	6.86	7.37	9.0	8.27	12.4	11.64	NA degC	
Dissolved Oxygen	mg/L	-	-	-	-	-	-	-	-	-	-	-	-	14.71	18.03	NA mg/L	

"-" = Indicates the parameter was not analyzed

* = Indicates field parameter measurements were collected during purging due to insufficient water during sample collection

** = Indicates field parameter measurements not collected due to insufficient water during sample collection

1.00 Value exceeds regulatory standard



Ischua Landfill
Spring 2019
Groundwater and Surface Water Analysis Summary

TABLE 3
Page 1 of 2

MONITORING LOCATIONS																			
CAS # Units			MW 6A	MW 6D	MW 7A	MW 7C	MW 8B	MW 9B	MW 10B	MW 11B	MW 12A	MW 12B	MW 13	MW 14	SEEP ¹	STREAM ¹	Duplicate	NYSDEC Part 703 Surfacewater and Groundwater Quality Standards	Units
Collection Date			4/24/2019	4/24/2019	4/24/2019	4/24/2019	4/24/2019	4/24/2019	4/24/2019	4/24/2019	4/24/2019	4/24/2019	4/24/2019	4/24/2019	4/24/2019	4/24/2019	4/24/2019	4/24/2019	
BOD5	18540-29-9	mg/l	-	1.0	10.1	1.0	1.8	-	2.8	3.7	4.5	3.9	1.0	1.0	6.2	1.0	1.9	NA mg/l	BOD5
Color		Units	-	25	100	10	5	-	ND	150	200	100	5	5	100	5	15	15 Units	Color
Hexavalent Chromium		mg/l	-	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.05 mg/l	Hexavalent Chromium
Nitrate-Nitrogen		mg/l	-	0.045	ND	ND	ND	0.078	ND	ND	ND	ND	ND	ND	ND	ND	ND	10 mg/l	Nitrate-Nitrogen
Alkalinity		mg/l/CaCO3	-	344	221	327	238	-	324	324	339	478	162	213	221	109	236	NA mg/l/CaCO3	Alkalinity
Chloride		mg/l	-	2.7	2.7	5.7	2.6	-	7.1	12.8	4.6	8	4.3	2.2	4.2	1.7	2.3	250 mg/l	Chloride
COD		mg/l	-	12.4	43.3	ND	10.2	12.4	16.8	38.9	49.9	34.5	ND	ND	32.2	10.2	ND	NA mg/l	COD
Ammonia-Nitrogen		mg/l	-	0.032	2.40	0.066	0.86	0.033	0.900	4.40	6.00	4.90	0.180	0.039	2.90	0.150	1.00	2 mg/l	Ammonia-Nitrogen
Sulfate		mg/l	-	18.5	5.1	6.8	6.6	-	5.2	ND	ND	ND	3.4	12.5	4.7	8.6	6.3	250 mg/l	Sulfate
Total Cyanide		mg/l	-	0.0024	ND	0.0024	0.0024	ND	ND	0.002	ND	ND	ND	ND	0.002	ND	ND	0.2 mg/l	Total Cyanide
Total Dissolved Solids	mg/l	-	454	254	310	410	-	306	354	340	602	222	224	318	153	196	500 mg/l	Total Dissolved Solids	
Total Kjeldahl Nitrogen	mg/l	-	ND	2.20	ND	1.2	0.49	1.10	5.3	6.5	5.4	0.4	ND	3	0.38	1.10	NA mg/l	Total Kjeldahl Nitrogen	
TOC	mg/l	-	1.0	6.4	1.6	2.2	2.5	2.7	8.7	9.7	8.9	2.1	0.82	6	3.3	2.4	NA mg/l	TOC	
Total Phenols	mg/l	-	0.0043	0.0095	0.0054	0.0069	0.0033	0.0018	0.0105	0.0136	0.0351	ND	ND	0.0105	ND	0.0141	0.001 mg/l	Total Phenols	
Aluminum	mg/l	-	3.15	0.295	ND	ND	0.251	ND	0.181	ND	ND	0.0679	ND	0.652	0.208	0.067	NA mg/l	Aluminum	
Antimony by furnace method	mg/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003 mg/l	Antimony by furnace method	
Arsenic by furnace method	mg/l	-	0.0059	0.0461	ND	0.017	ND	0.0066	0.0526	0.0263	0.0164	ND	ND	0.0261	ND	0.0141	0.025 mg/l	Arsenic by furnace method	
Barium	mg/l	-	0.0736	0.588	0.0741	0.125	0.0314	0.0712	0.557	1.64	0.293	0.0239	0.0362	0.168	0.013	0.12	1 mg/l	Barium	
Beryllium	mg/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.003 mg/l	Beryllium	
Boron	mg/l	-	0.0286	0.0457	ND	0.0386	ND	0.0458	0.0775	0.0792	0.0919	0.0385	0.0207	0.0575	0.0353	0.039	1 mg/l	Boron	
Cadmium	mg/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005 mg/l	Cadmium	
Calcium	mg/l	-	116	53.3	115	79.1	78.4	88.8	64.0	96.1	124	38.9	57.3	49	31.2	69.7	NA mg/l	Calcium	
Chromium	mg/l	-	0.0088	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.05 mg/l	Chromium	
Copper	mg/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.2 mg/l	Copper	
Iron	mg/l	-	6.11	27.7	0.039	3.97	1.44	1.9	36.8	35.1	13.8	0.617	0.0298	21.9	0.34	3.66	0.3 mg/l	Iron	
Lead by furnace method	mg/l	-	0.0139	ND	ND	ND	ND	ND	0.0043	0.003	ND	ND	ND	ND	ND	ND	0.025 mg/l	Lead by furnace method	
Magnesium	mg/l	-	31	10.6	18.4	11.4	10.4	28	23.6	14.1	23.6	11.4	14.0	15.1	9.16	10.3	35 mg/l	Magnesium	
Manganese	mg/l	-	0.233	14.1	0.48	6.8	1.53	8.69	19.6	14.5	10.2	1.29	0.0674	10.60	0.375	6.39	0.3 mg/l	Manganese	
Mercury	mg/l	-	ND	ND	0.00012	ND	ND	ND	ND	ND	ND	ND	0.00015	ND	ND	0.00025	0.0007 mg/l	Mercury	
Nickel	mg/l	-	0.0092	0.0056	ND	0.0047	0.0054	0.0048	0.017	0.004	0.0176	0.0112	0.009	0.0145	0.0059	0.0144	0.1 mg/l	Nickel	
Potassium	mg/l	-	ND	12.2	ND	ND	ND	ND	4.56	4.39	4.46	ND	1.85	3.81	2.49	2.39	NA mg/l	Potassium	
Selenium by furnace method	mg/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01 mg/l	Selenium by furnace method	
Silver	mg/l	-	ND	0.0023	ND	0.0021	ND	ND	0.0026	0.0021	ND	ND	ND	ND	ND	ND	0.05 mg/l	Silver	
Sodium	mg/l	-	4.99	3.39	7.14	5.5	4.62	8.7	9.31	6.56	12.6	8.65	9.11	5.95	2.89	6	20 mg/l	Sodium	
Thallium by furnace method	mg/l	-	ND	0.0097	ND	ND	ND	0.0086	0.017	0.0114	ND	ND	ND	ND	ND	ND	0.0005 mg/l	Thallium by furnace method	
Zinc	mg/l	-	0.0209	ND	0.0227	ND	0.306	ND	2.76	ND	0.0054	0.0267	ND	0.0059	0.0054	ND	2 mg/l	Zinc	
Calculated Hardness	mg/l CaCO3	-	320	170	280	180	180	280	250	300	400	140	160	180	90	200	NA mg/l CaCO3	Calculated Hardness	
"-" - Indicates the parameter was not analyzed																		1.00	Value exceeds regulatory standard
ND - Indicates the value is less than the method detection limit																			

1. Regulatory values are from the 6NYCRR PART 703.5 Water Quality Regulations for Groundwater as amended in April 1999. For parameters for which a standard is not adopted, the guidance values presented in the NYSDEC June 1998 Technical and Operational Guidance Series (TOGS) 1.1.1 were utilized.

**Ischua Landfill
Spring 2019
Groundwater and Surface Water Analysis Summary**

TABLE 3

Page 2 of 2

MONITORING LOCATIONS																			
		Units	MW 6A	MW 6D	MW 7A	MW 7C	MW 8B	MW 9B	MW 10B	MW 11B	MW 12A	MW 12B	MW 13	MW 14	SEEP ¹	STREAM ¹	Duplicate	NYSDEC Part 703 Surfacewater and Groundwater Quality Standards	Units
Acetone	67-64-1	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	50.0 ug/l	Acetone
Acrylonitrile	107-13-1	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	Acrylonitrile
Benzene	71-43-2	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	6.0	ND	ND	ND	ND	ND	1.0 ug/l	Benzene
Bromobenzene	74-97-5	ug/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0 ug/l	Bromobenzene
Bromochloromethane	75-27-4	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	Bromochloromethane
Bromodichloromethane	75-25-2	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	50.0 ug/l	Bromodichloromethane
Bromoform	75-15-0	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	50.0 ug/l	Bromoform
Bromomethane	56-23-5	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	Bromomethane
2-Butanone	108-90-7	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	50.0 ug/l	2-Butanone
n-Butylbenzene	75-00-3	ug/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0 ug/l	n-Butylbenzene
sec-Butylbenzene	67-66-3	ug/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0 ug/l	sec-Butylbenzene
tert-Butylbenzene	124-48-1	ug/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0 ug/l	tert-Butylbenzene
Carbon disulfide	96-12-8	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	60.0 ug/l	Carbon disulfide
Carbon tetrachloride	106-96-4	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	Carbon tetrachloride
Chlorobenzene	95-50-1	ug/l	-	ND	ND	ND	ND	ND	ND	5.8	ND	5.8	ND	ND	ND	ND	ND	5.0 ug/l	Chlorobenzene
Chloroethane	106-45-	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	Chloroethane
Chloroform		ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.0 ug/l	Chloroform
Chloromethane		ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	Chloromethane
2-Chlorotoluene		ug/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0 ug/l	2-Chlorotoluene
4-Chlorotoluene		ug/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0 ug/l	4-Chlorotoluene
Dibromochloromethane		ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	50.0 ug/l	Dibromochloromethane
1,2-Dibromo-3-chloropropane		ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.04 ug/l	1,2-Dibromo-3-chloropropane
1,2-Dibromoethane		ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	1,2-Dibromoethane
Dibromomethane		ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	Dibromomethane
1,2-Dichlorobenzene		ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.0 ug/l	1,2-Dichlorobenzene
1,3-Dichlorobenzene		ug/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.0 ug/l	1,3-Dichlorobenzene
1,4-Dichlorobenzene		ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.0 ug/l	1,4-Dichlorobenzene
trans-1,4-Dichloro-2-butene		ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	trans-1,4-Dichloro-2-butene
Dichlorodifluoromethane		ug/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0 ug/l	Dichlorodifluoromethane
1,1-Dichloroethane	110-57-6	ug/l	-	ND	ND	ND	ND	ND	14.2	7.7	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	1,1-Dichloroethane
1,2-Dichloroethane	107-06-2	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.6 ug/l	1,2-Dichloroethane
1,1-Dichloroethene		ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	1,1-Dichloroethene
cis-1,2-Dichloroethene		ug/l	-	ND	ND	ND	ND	ND	54.9	14.7	ND	ND	ND	ND	7.5	ND	ND	5.0 ug/l	cis-1,2-Dichloroethene
trans-1,2-Dichloroethene		ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	trans-1,2-Dichloroethene
1,2-Dichloropropane		ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.0 ug/l	1,2-Dichloropropane
1,3-Dichloropropane		ug/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0 ug/l	1,3-Dichloropropane
2,2-Dichloropropane		ug/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0 ug/l	2,2-Dichloropropane
1,1-Dichloropropene		ug/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0 ug/l	1,1-Dichloropropene
cis-1,3-Dichloropropene		ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.4 ug/l	cis-1,3-Dichloropropene
trans-1,3-Dichloropropene	1006-01-5	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.4 ug/l	trans-1,3-Dichloropropene
Ethylbenzene	100-41-4	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	Ethylbenzene
2-Hexanone	591-78-6	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	50.0 ug/l	2-Hexanone
Hexachlorobutadiene	74-83-9	ug/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.5 ug/l	Hexachlorobutadiene
Iodomethane	74-87-3	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	Iodomethane
Isopropylbenzene	74-95-3	ug/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0 ug/l	Isopropylbenzene
p-Isopropyltoluene	75-09-02	ug/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0 ug/l	p-Isopropyltoluene
Methylene chloride	78-93-3	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	Methylene chloride
4-Methyl-2-pentanone	108-10-1	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA ug/l	4-Methyl-2-pentanone
Naphthalene		ug/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10.0 ug/l	Naphthalene
n-Propylbenzene		ug/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0 ug/l	n-Propylbenzene
Styrene	100-42-5	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	Styrene
1,1,1,2-Tetrachloroethane	630-20-6	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	1,1,1,2-Tetrachloroethane
1,1,2,2-Tetrachloroethane	79-34-5	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	1,1,2,2-Tetrachloroethane
Tetrachloroethene	127-18-4	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	Tetrachloroethene
Toluene	108-88-3	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	Toluene
1,2,3-Trichlorobenzene	96-18-4	ug/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0 ug/l	1,2,3-Trichlorobenzene
1,2,4-Trichlorobenzene		ug/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0 ug/l	1,2,4-Trichlorobenzene
1,1,1-Trichloroethane		ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	1,1,1-Trichloroethane
1,1,2-Trichloroethane		ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.0 ug/l	1,1,2-Trichloroethane
Trichloroethene		ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	Trichloroethene
Trichlorofluoromethane		ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	Trichlorofluoromethane
1,2,3-Trichloropropane	96-18-4	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.04 ug/l	1,2,3-Trichloropropane
1,2,4-Trimethylbenzene		ug/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0 ug/l	1,2,4-Trimethylbenzene
1,3,5-Trimethylbenzene		ug/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0 ug/l	1,3,5-Trimethylbenzene
Vinyl acetate	108-05-4	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA ug/l	Vinyl acetate
Vinyl chloride	75-01-4	ug/l	-	ND	ND	ND	ND	ND	12.9	8.2	ND	ND	ND	ND	ND	ND	ND	2.0 ug/l	Vinyl chloride
Total-Xylene	1330-20-7	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	p-Xylene & m-Xylene

NA - Indicates the parameter was not analyzed

ND - Indicates the value is less than the method detection limit

1.00 Value exceeds regulatory standard

APPENDIX A

Field Sampling Logs



WELL DEVELOPMENT/ PURGE & SAMPLING LOG

WELL ID: **MW-6D**

Project Name: Ischua Landfill [City of Olean]
Project Location: Airport Road, Town of Ischua, New York

Project No: 2191208
Sampling Event: Spring 2019 - Baseline
Date: 4/23/2019

Development / Purge Information: [All measurements to Top of Well Riser; Riser I.D. (in): 2 [Volume Conversion = 0.16]

Visible Well Damage/Comments: NONE

(Note: water measuring tape only goes to 101.2 feet)

Well Depth (ft): **103.14** Water Level (ft): **91.7** Height of Water Column (ft):

1 Well Volume [WV] (gal): **1.83** 3 WV (gal): **5.49** 5 WV (gal): [Not Applicable]

Method of Purging: **Dedicated Bailer X** / Other:

Purge X Field Parameters Start Time: **9:30**

Vol (gal)/WV	Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	[Totalizer Start=_____gal] Characteristics
Initial / 0	51	6.90	12.37	0.579	2.0	
/ 1	69	6.51	13.47	0.423	4.59	
/ 2	20	7.49	15.4	0.512	5.42	
/ 3						

Total Volume Purged (gal): Complete Time: Water Level (ft):

Sampling Information: Date: **4/24** /2019

Sample Time: **8:30** Water Level(ft): Sample Analysis: Baseline **Event/No. of Bottles:**

Sampling Method : **Dedicated Bailer- All** / **Manual grab w/-** Sample Containers **X** ; S/S Pitcher

Sample Field Parameters

Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	Characteristics
113	5.27	18.1	0.438	20.5	

Other Comments:

Dry at 4 gallons

Clear

X Purger's / **X** Sampler's Name(s) and Initials: SD & LC



LaBella
Powered by partnership

WELL DEVELOPMENT/ PURGE & SAMPLING LOG

WELL ID: MW-6A

Project Name: Ischua Landfill [City of Olean]
Project Location: Airport Road, Town of Ischua, New York

Project No: 2191208
Sampling Event: Spring 2019- Baseline
Date: 4/ 23/2019

Development / Purge Information: [All measurements to Top of Well Riser; Riser I.D. (in): 2 [Volume Conversion = 0.16]

Visible Well Damage/Comments: NONE

Well Depth (ft): **17.19** Water Level (ft): **17.19** Height of Water Column (ft):

1 Well Volume [WV] (gal): 3 WV (gal): 5 WV (gal): [Not Applicable]

Method of Purging: **Dedicated Bailer X** / Other:

Purge X Field Parameters Start Time: **920**

Vol (gal)/WV	Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	[Totalizer Start= gal] Characteristics
Initial / 0						
/ 1						
/ 2						
/ 3						

Total Volume Purged (gal): Complete Time: Water Level (ft):

Sampling Information: Date: 4/ /2019

Sample Time: Water Level(ft): Sample Analysis: Baseline **Event / No. of Bottles:**

Sampling Method : **Dedicated Bailer- All** / **Manual grab w/-** Sample Containers **X** ; S/S Pitcher

Sample Field Parameters

Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	Characteristics

Other Comments: This well typically does not contain much water and may not be enough for a full bottle set.

Dry

☒ Purger's / ☒ Sampler's Name(s) and Initials SD & LC



WELL DEVELOPMENT/ PURGE & SAMPLING LOG

WELL ID: **MW-7C**

Project Name: Ischua Landfill [City of Olean]
Project Location: Airport Road, Town of Ischua, New York

Project No: 2191208
Sampling Event: Spring Baseline
Date: 4/23/2019

Development / Purge Information: [All measurements to Top of Well Riser; Riser I.D. (in): 2 [Volume Conversion = 0.16]

Visible Well Damage/Comments: NONE

Well Depth (ft): **40.30** Water Level (ft): **26.7** Height of Water Column (ft):

1 Well Volume [WV] (gal): **2.176** 3 WV (gal): **6.528** 5 WV (gal): [Not Applicable]

Method of Purging: Dedicated Bailer ☒ / Other:

Purge ☒ **Field Parameters** **Start Time:** **9:55**

Vol (gal)/WV	Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	[Totalizer Start= gal] Characteristics
Initial / 0	15	7.56	15.56	0.422	4.0	
/ 1	28	7.33	13.71	0.484	14.9	
/ 2						
/ 3						

Total Volume Purged (gal): Complete Time: Water Level (ft):

Sampling Information: Date: 4/24/2019

Sample Time: **9:00** Water Level(ft): Sample Analysis: Baseline **Event/No. of Bottles:**

Sampling Method : **Dedicated Bailer-** ☒ **All** / **Manual grab w/-** Sample Containers ☒ ; S/S Pitcher

Sample Field Parameters

Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	Characteristics
54	6.80	6.72	0.438	13.5	

Other Comments:

Must be given time to recover. Wait well

Dry at 3.3 gal

☒ Purger's / ☒ Sampler's Name(s) and Initials: SD & LC

WELL DEVELOPMENT/ PURGE & SAMPLING LOG

WELL ID: **MW-9B**

Project Name: Ischua Landfill [City of Olean]
Project Location: Airport Road, Town of Ischua, New York

Project No: 2191208
Sampling Event: Spring - Baseline
Date: 4/23/2019

Development / Purge Information: [All measurements to Top of Well Riser; Riser I.D. (in): 2 [Volume Conversion = 0.16]

Visible Well Damage/Comments: NONE

Well Depth (ft): **32.43** Water Level (ft): **31.0** Height of Water Column (ft):

1 Well Volume [WV] (gal): **0.0572** 3 WV (gal): **0.17** 5 WV (gal): [Not Applicable]

Method of Purging: **Dedicated Bailer X** / Other:

Purge X Field Parameters Start Time: **11:05**

Vol (gal)/WV	Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	[Totalizer Start= gal] Characteristics
Initial / 0	22	7.5	12.47	0.382	122	
/ 1	33	7.2	11.84	0.385	58.2	clear
/ 2						
/ 3						

Total Volume Purged (gal): Complete Time: Water Level (ft):

Sampling Information: Date: 4/24/2019

Sample Time: **10:15** Water Level(ft): Sample Analysis: **Routine Event/No. of Bottles:**
Baseline

Sampling Method : **Dedicated Bailer- All** / **Manual grab w/-** Sample Containers **X** ; S/S Pitcher

Sample Field Parameters

Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	Characteristics
11	7.69	8.66	0.411	26.5	

Other Comments:

Dry after two well volumes **clear**
Sampled for TOC, TAL metals, VOCs, COA, NH3, NO3, Phos, etc.
only

X Purger's / **X** Sampler's Name(s) and Initials: SD & LC



LaBella
powered by partnership

WELL DEVELOPMENT/ PURGE & SAMPLING LOG

WELL ID: MW-10B

Project Name: Ischua Landfill [City of Olean]
Project Location: Airport Road, Town of Ischua, New York

Project No: 2191208
Sampling Event: Spring - Baseline
Date: 4/ 23 /2019

Development / Purge Information: [All measurements to Top of Well Riser; Riser I.D. (in): 2 [Volume Conversion = 0.16]

Visible Well Damage/Comments: NONE

Well Depth (ft): 33.69 Water Level (ft): 19.1 Height of Water Column (ft): _____

1 Well Volume [WV] (gal): 2.33 3 WV (gal): 6.99 5 WV (gal): [Not Applicable]

Method of Purging: **Dedicated Bailer** X / Other: _____

Purge X **Field Parameters** **Start Time:** 11.25

Vol (gal)/WV	Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	[Totalizer Start= _____ gal] Characteristics
Initial / 0	<u>60</u>	<u>6.67</u>	<u>13.82</u>	<u>0.264</u>	<u>6.8</u>	
/ 1	<u>21</u>	<u>7.23</u>	<u>13.34</u>	<u>0.048</u>	<u>8.1</u>	
/ 2	<u>62</u>	<u>6.73</u>	<u>10.72</u>	<u>0.520</u>	<u>7.9</u>	
/ 3	<u>97</u>	<u>5.90</u>	<u>12.3</u>	<u>0.499</u>	<u>2.8</u>	

Total Volume Purged (gal): _____ Complete Time: _____ Water Level (ft): _____

Sampling Information: Date: 4/ 24 /2019

Sample Time: 11 10 Water Level(ft): _____ Sample Analysis: Baseline **Event/No. of Bottles:**

Sampling Method : **Dedicated Bailer-** All / **Manual grab w/-** Sample Containers X ; S/S Pitcher _____

Sample Field Parameters

Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	Characteristics
<u>55</u>	<u>6.76</u>	<u>9.28</u>	<u>0.530</u>	<u>1.5</u>	

Other Comments:

clear

ms/msd here

X Purger's / X Sampler's Name(s) and Initials: SD & LC



WELL DEVELOPMENT/ PURGE & SAMPLING LOG

WELL ID: **MW-13**

Project Name: Ischua Landfill [City of Olean]
Project Location: Airport Road, Town of Ischua, New York

Project No: 2191208
Sampling Event: F - Baseline
Date: **4/23/2019**

Development / Purge Information: [All measurements to Top of Well Riser; Riser I.D. (in): 2 [Volume Conversion = 0.16]

Visible Well Damage/Comments: NONE

Well Depth (ft): **11.44** Water Level (ft): **4.00** Height of Water Column (ft):

1 Well Volume [WV] (gal): **1.19** 3 WV (gal): **3.57** 5 WV (gal): [Not Applicable]

Method of Purging: Dedicated Bailer X / Other:

Purge X **Field Parameters** **Start Time:**

Vol (gal)/WV	Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	[Totalizer Start= gal] Characteristics
Initial / 0	59	6.73	13.73	0.001	144	
/ 1	58	6.74	13.01	0.207	14.4	
/ 2	35	7.2	11.9	0.277	79.9	
/ 3						

Total Volume Purged (gal): Complete Time: Water Level (ft):

Sampling Information: Date: **4/24/2019**

Sample Time: **1140** Water Level(ft): Sample Analysis: Baseline **Event/No. of Bottles:**

Sampling Method : **Dedicated Bailer-** All / **Manual grab w/-** Sample Containers X ; S/S Pitcher

Sample Field Parameters

Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	Characteristics
27	1.87	9.00	0.272	13	

Other Comments:

Requires some wait time after purging.

Dry after two volumes. clear

X Purger's / X Sampler's Name(s) and Initials: SD & LC



WELL DEVELOPMENT/ PURGE & SAMPLING LOG

WELL ID: **MW-8B**

Project Name: Ischua Landfill [City of Olean]
Project Location: Airport Road, Town of Ischua, New York

Project No: 2191208
Sampling Event: Spring 2019 - Baseline
Date: 4/23/2019

Development / Purge Information: [All measurements to Top of Well Riser; Riser I.D. (in): 2 [Volume Conversion = 0.16]

Visible Well Damage/Comments: NONE

Well Depth (ft): **25.65** Water Level (ft): **14.05** Height of Water Column (ft):

1 Well Volume [WV] (gal): **2.248** 3 WV (gal): **6.744** 5 WV (gal): [Not Applicable]

Method of Purging: **Dedicated Bailer X** / Other:

Purge X Field Parameters Start Time:

Vol (gal)/WV	Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	[Totalizer Start= gal] Characteristics
Initial / 0	71	6.65	11.9	0.348	289	Orange in color
1	54	6.86	11.35	0.389	99.8	
2	83	6.2	12.9	0.352	18.9	
3	83	6.19	12.13	0.358	6.7	

Total Volume Purged (gal): Complete Time: Water Level (ft):

Sampling Information: Date: 4/24/2019

Sample Time: **1230** Water Level(ft): Sample Analysis: Baseline **Event/No. of Bottles:**

Sampling Method : **Dedicated Bailer- All** / **Manual grab w/-** Sample Containers **X** ; S/S Pitcher

Sample Field Parameters

Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	Characteristics
71	6.44	8.75	0.389	10.1	

Other Comments:

clean

DUP here

X Purger's / **X** Sampler's Name(s) and Initials: SD & LC



WELL DEVELOPMENT/ PURGE & SAMPLING LOG

WELL ID: **MW-7A**

Project Name: Ischua Landfill [City of Olean]
Project Location: Airport Road, Town of Ischua, New York

Project No: 2191208
Sampling Event: Spring 2019 - Baseline
Date: 4/23/2019

Development / Purge Information: [All measurements to Top of Well Riser; Riser I.D. (in): 2 [Volume Conversion = 0.16]

Visible Well Damage/Comments: NONE

Well Depth (ft): **11.64** Water Level (ft): **4.0** Height of Water Column (ft):

1 Well Volume [WV] (gal): **1.22** 3 WV (gal): **3.66** 5 WV (gal): [Not Applicable]

Method of Purging: **Dedicated Bailer X** / Other:

Purge X Field Parameters Start Time: **940**

Vol (gal)/WV	Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	[Totalizer Start= gal] Characteristics
Initial / 0	30	7.34	12.78	0.29	67.9	
/ 1	47	6.9	13.24	0.35	78.9	
/ 2	43	6.97	12.57	0.37	32.2	
/ 3	63	6.58	12.46	0.35	26.8	

Total Volume Purged (gal): Complete Time: Water Level (ft):

Sampling Information: Date: 4/24/2019

Sample Time: **845** Water Level(ft): Sample Analysis: Baseline **Event/No. of Bottles:**

Sampling Method : **Dedicated Bailer- All** / **Manual grab w/-** Sample Containers **X** ; S/S Pitcher

Sample Field Parameters

Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	Characteristics
11	7.67	6.94	0.284	3.5	

Other Comments:

clear

X Purger's / **X** Sampler's Name(s) and Initials: **SD & LC**



WELL DEVELOPMENT/ PURGE & SAMPLING LOG

WELL ID: **MW-11B**

Project Name: Ischua Landfill [City of Olean]
Project Location: Airport Road, Town of Ischua, New York

Project No: 2191208
Sampling Event: F - Baseline
Date: 4/13/2019

Development / Purge Information: [All measurements to Top of Well Riser; Riser I.D. (in): 2 [Volume Conversion = 0.16]

Visible Well Damage/Comments: NONE

Well Depth (ft): **18.07** Water Level (ft): **12.2** Height of Water Column (ft):

1 Well Volume [WV] (gal): **0.939** 3 WV (gal): **2.817** 5 WV (gal): [Not Applicable]

Method of Purging: **Dedicated Bailer X** / Other:

Purge X Field Parameters Start Time: **10.30**

Vol (gal)/WV	Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	[Totalizer Start= gal] Characteristics
Initial / 0	67	6.48	14.26	0.164	98.5	
/ 1	54	6.84	12.6	0.26	306	
/ 2						
/ 3						

Total Volume Purged (gal): Complete Time: Water Level (ft):

Sampling Information: Date: 4/24/2019

Sample Time: **9:15** Water Level(ft): Sample Analysis: Baseline **Event/No. of Bottles:**

Sampling Method : **Dedicated Bailer- All** / **Manual grab w/-** Sample Containers **X** ; S/S Pitcher

Sample Field Parameters

Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	Characteristics
64	6.53	7.56	0.582	27.5	

Other Comments:

Wait well. Should be Purged well before sampling.

Orange in color
Dry after 1 gal

clear @ metals sample

X Purger's / **X** Sampler's Name(s) and Initials: SD & LC



WELL DEVELOPMENT/ PURGE & SAMPLING LOG

WELL ID: **MW-12A**

Project Name: Ischua Landfill [City of Olean]
Project Location: Airport Road, Town of Ischua, New York

Project No: 2191208
Sampling Event: Spring Baseline
Date: 4/23/2019

Development / Purge Information: [All measurements to Top of Well Riser; Riser I.D. (in): 2 [Volume Conversion = 0.16]

Visible Well Damage/Comments: NONE

Well Depth (ft): **12.68** Water Level (ft): **9.2** Height of Water Column (ft):

1 Well Volume [WV] (gal): **0.568** 3 WV (gal): **1.7** 5 WV (gal): [Not Applicable]

Method of Purging: **Dedicated Bailer X** / Other:

Purge X Field Parameters Start Time: **1100**

Vol (gal)/WV	Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	[Totalizer Start= gal] Characteristics
Initial / 0	61	6.57	9.68	0.666	0.8	
1	44	6.91	10.42	0.002	252	
2						
3						

Total Volume Purged (gal): Complete Time: Water Level (ft):

Sampling Information: Date: 4/24/2019

Sample Time: **950** Water Level(ft): Sample Analysis: Baseline Event/No. of Bottles:

Sampling Method: **Dedicated Bailer- All** / **Manual grab w/-** Sample Containers **X**; S/S Pitcher

Sample Field Parameters

Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	Characteristics
64	6.59	6.86	0.616	22.4	

Other Comments:

Wait well due to turbidity

clear @ samples

Try after 1.5 gal

X Purger's / **X** Sampler's Name(s) and Initials: SD & LC



WELL DEVELOPMENT/ PURGE & SAMPLING LOG

WELL ID: **MW-12B**

Project Name: Ischua Landfill [City of Olean]
Project Location: Airport Road, Town of Ischua, New York

Project No: 2191208
Sampling Event: Spring Baseline
Date: 4/ **23** /2019

Development / Purge Information: [All measurements to Top of Well Riser; Riser I.D. (in): 2 [Volume Conversion = 0.16]

Visible Well Damage/Comments: NONE

Well Depth (ft): **20.90** Water Level (ft): **10.9** Height of Water Column (ft):

1 Well Volume [WV] (gal): **1.6** 3 WV (gal): **4.8** 5 WV (gal): [Not Applicable]

Method of Purging: Dedicated Bailer X / Other:

Purge X Field Parameters Start Time: **10:45**

Vol (gal)/WV	Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	[Totalizer Start= gal] Characteristics
Initial / 0	56	6.73	9.74	0.73	35.1	
1 / 1	58	6.69	12.6	0.74	139	
2 / 2	64	6.6	11.4	0.76	0	
3 / 3	60	6.84	13.7	0.694	21.0	

Total Volume Purged (gal): Complete Time: Water Level (ft):

Sampling Information: Date: 4/ **24** /2019

Sample Time: **940** Water Level(ft): Sample Analysis: Baseline **Event/No. of Bottles:**

Sampling Method : **Dedicated Bailer-** All / **Manual grab w/-** Sample Containers X ; S/S Pitcher

Sample Field Parameters

Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	Characteristics
56	6.77	7.37	0.764	8.6	

Other Comments:

clear

X Purger's / X Sampler's Name(s) and Initials: SD & LC



WELL DEVELOPMENT/ PURGE & SAMPLING LOG

WELL ID: **MW-14**

Project Name: Ischua Landfill [City of Olean]
Project Location: Airport Road, Town of Ischua, New York

Project No: 2191208
Sampling Event: Spring Baseline
Date: 4/23/2019

Development / Purge Information: [All measurements to Top of Well Riser; Riser I.D. (in): 2 [Volume Conversion = 0.16]

Visible Well Damage/Comments: NONE

Well Depth (ft): **23.45** Water Level (ft): **15.2** Height of Water Column (ft):

1 Well Volume [WV] (gal): **1.32** 3 WV (gal): **3.96** 5 WV (gal): [Not Applicable]

Method of Purging: Dedicated Bailer X / Other:

Purge X Field Parameters Start Time: **11:15**

Vol (gal)/WV	Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	[Totalizer Start= gal] Characteristics
Initial / 0	20	8.10	10.05	0.344	410	
/ 1	18	8.28	11.77	0.33	26.8	
/ 2						
/ 3						

Total Volume Purged (gal): Complete Time: Water Level (ft):

Sampling Information: Date: **4/29/2019**

Sample Time: **1050** Water Level(ft): Sample Analysis: Baseline **Event/No. of Bottles:**

Sampling Method : **Dedicated Bailer- All** / **Manual grab w/-** Sample Containers X ; S/S Pitcher

Sample Field Parameters

Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	Characteristics
12	8.23	8.27	0.365	6.1	

Other Comments:

Wait well- very slow recharge rate. Must come back several times to obtain samples. Well casing is often full of bees.

Dry after 1.5 gal. clear

X Purger's / X Sampler's Name(s) and Initials: SD & LC



WELL DEVELOPMENT/ PURGE & SAMPLING LOG

WELL ID: **SEEP**

Project Name: Ischua Landfill [City of Olean]
Project Location: Airport Road, Town of Ischua, New York

Project No: 2191208
Sampling Event: Spring Baseline
Date: **4/24/2019**

Purge not required on this sample- Surface water

Sampling Information: Date: **4/24/2019**

Sample Time: 120 Water Level(ft): _____ Sample Analysis: **Baseline Event/No. of Bottles:**

Sampling Method : **Dedicated Bailer-** All / **Manual grab w/-** Sample Containers X ; S/S Pitcher _____

Sample Field Parameters

Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	Characteristics [For SW & SEEP Only: D.O. = <u>14.71</u> mg/L]
32	7.11	12.40	0.39	12.3	

Other Comments: Orange in color

X Purger's / X Sampler's Name(s) and Initials: 9



WELL DEVELOPMENT/ PURGE & SAMPLING LOG

WELL ID: **STREAM**

Project Name: Ischua Landfill [City of Olean]
Project Location: Airport Road, Town of Ischua, New York

Project No: 2191208
Sampling Event: Spring Baseline
Date: 4/27/2019

Purge not required on this sample- Surface water

Sampling Information: Date: 4/27/2019

Sample Time: 12:15 Water Level(ft): Sample Analysis: Baseline Event/No. of Bottles:

Sampling Method : **Dedicated Bailer-** All / **Manual grab w/-** Sample Containers X ; S/S Pitcher

Sample Field Parameters

Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	Characteristics [For SW & SEEP Only: D.O. = 18.03 mg/L]
10	8.23	11.64	0.200	19.7	

Other Comments:

clear

X Purger's / X Sampler's Name(s) and Initials: SD & LC

APPENDIX B

Chain-of-Custody



The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section C

Invoice Information:

Page : 1 Of 1

Company: LaBella Associates		Report To: Andrew Benkleman	Attention:	Page: 1 Of 1
Address: 300 Pearl Street Buffalo, NY 14201		Copy To:	Company Name:	
Email: abenkleman@labellapc.com		Purchase Order #:	Address:	Regulatory Agency
Phone: (716) 551-6281	Fax:	Project Name: Ischua Landfill	Pace Quote:	State / Location
Requested Due Date:		Project # 2191208	Pace Project Manager: jennifer.araci@pacelabs.com	
			Pace Profile #: 5498 Line 3 & 4	NY

[illegible]



CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Section A

Required Client Information:

Company: LaBella Associates
Address: 300 Pearl Street
Buffalo, NY 14201
Email: abenkleman@labellapc.com
Phone: (716) 551-6281 Fax:
Requested Due Date:

Section B

Required Project Information:

Report To: Andrew Benkleman
Copy To:
Purchase Order #:
Project Name: Ischua Landfill
Project #: 2191208

Section C

Invoice Information:

Attention:
Company Name:
Address:
Pace Quote:
Pace Project Manager: jennifer.aracri@pacelabs.com,
Pace Profile #: 5498 Line 3 & 4

Page : 2 Of 2

Regulatory Agency

State / Location

NY

ITEM #	SAMPLE ID One Character per box. (A-Z, 0-9 / , -) Sample Ids must be unique	MATRIX Drinking Water Water Waste Water Product Soil/Solid Oil Wipe Air Other Tissue	CODE DW WT WW P SL OL WP AR OT TS	MATRIX CODE (see valid codes to left)	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED				SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives								Analyses Test	Requested Analysis Filtered (Y/N)															Residual Chlorine (Y/N)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
						START		END				Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other		Y/N	BOD, BR, Cl, SO4, NO2, TDS	Alkalinity, Color, CR+6	COD, NH3, NO3, Phenols, TK	TOC	TAL Metals +B +Hardness	Cyanide	Dissolved Metals by 200.7 (L)	Volatiles																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	</

ADDITIONAL COMMENTS		RELINQUISHED BY / AFFILIATION		DATE	TIME	ACCEPTED BY / AFFILIATION		DATE	TIME	SAMPLE CONDITIONS	
Part 360 Baseline 8		Shawn Dalton		4/24/19	1310	Dakota PACE		4/25/19	1030	2.1 P	104

SAMPLER NAME AND SIGNATURE

PRINT Name of SAMPLER:

SIGNATURE of SAMPLER:

DATE Signed:

TEMP in C

Received on
ice
(Y/N)

Custody
Sealed
(Y/N)

Cooler
(Y/N)

Samples
Intact
(Y/N)

APPENDIX C

Analytical Laboratory Report

May 09, 2019

Andrew Benkleman
LaBella Associates
300 Pearl Street
Suite 130
Buffalo, NY 14201

RE: Project: ISCHUA LANDFILL BASLINE
Pace Project No.: 7087153

Dear Andrew Benkleman:

Enclosed are the analytical results for sample(s) received by the laboratory on April 25, 2019. The results relate only to the samples included in this report. Results reported herein conform to the most current, applicable TNI/NELAC standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Jennifer Aracri
jennifer.aracri@pacelabs.com
(631)694-3040
Project Manager

Enclosures

cc: Shannon Dalton, LaBella Associates



REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

CERTIFICATIONS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Long Island Certification IDs

575 Broad Hollow Rd, Melville, NY 11747

New York Certification #: 10478 Primary Accrediting Body

New Jersey Certification #: NY158

Pennsylvania Certification #: 68-00350

Connecticut Certification #: PH-0435

Maryland Certification #: 208

Rhode Island Certification #: LAO00340

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Method: EPA 6010C

Description: 6010 MET ICP

Client: LaBella Associates

Date: May 09, 2019

General Information:

14 samples were analyzed for EPA 6010C. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 3005A with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 111469

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 7087153006

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 522326)
 - Calcium
 - Manganese

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Method: EPA 7470A

Description: 7470 Mercury

Client: LaBella Associates

Date: May 09, 2019

General Information:

14 samples were analyzed for EPA 7470A. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 7470A with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Method: EPA 8260C/5030C

Description: 8260C Volatile Organics

Client: LaBella Associates

Date: May 09, 2019

General Information:

15 samples were analyzed for EPA 8260C/5030C. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

QC Batch: 111150

IL: This analyte exceeded secondary source verification criteria low for the initial calibration. The reported results should be considered an estimated value.

- BLANK (Lab ID: 520736)
 - 2-Butanone (MEK)
- DUP (Lab ID: 7087153014)
 - 2-Butanone (MEK)
- LCS (Lab ID: 520737)
 - 2-Butanone (MEK)
- MS (Lab ID: 520795)
 - 2-Butanone (MEK)
- MSD (Lab ID: 520796)
 - 2-Butanone (MEK)
- MW-10B (Lab ID: 7087153006)
 - 2-Butanone (MEK)
- MW-11B (Lab ID: 7087153007)
 - 2-Butanone (MEK)
- MW-12A (Lab ID: 7087153008)
 - 2-Butanone (MEK)
- MW-12B (Lab ID: 7087153009)
 - 2-Butanone (MEK)
- MW-13 (Lab ID: 7087153010)
 - 2-Butanone (MEK)
- MW-14 (Lab ID: 7087153011)
 - 2-Butanone (MEK)
- MW-6D (Lab ID: 7087153001)
 - 2-Butanone (MEK)
- MW-7A (Lab ID: 7087153002)
 - 2-Butanone (MEK)
- MW-7C (Lab ID: 7087153003)
 - 2-Butanone (MEK)
- MW-8B (Lab ID: 7087153004)
 - 2-Butanone (MEK)
- MW-9B (Lab ID: 7087153005)
 - 2-Butanone (MEK)
- SEEP (Lab ID: 7087153012)

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Method: EPA 8260C/5030C

Description: 8260C Volatile Organics

Client: LaBella Associates

Date: May 09, 2019

QC Batch: 111150

IL: This analyte exceeded secondary source verification criteria low for the initial calibration. The reported results should be considered an estimated value.

- 2-Butanone (MEK)
- STREAM (Lab ID: 7087153013)
 - 2-Butanone (MEK)
- TRIP BLANK (Lab ID: 7087153015)
 - 2-Butanone (MEK)

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

QC Batch: 111150

CH: The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.

- LCS (Lab ID: 520737)
 - 1,2-Dichloroethane
 - 2-Butanone (MEK)
 - Acetone
 - Vinyl acetate
 - trans-1,4-Dichloro-2-butene
- MS (Lab ID: 520795)
 - 1,2-Dichloroethane
 - 2-Butanone (MEK)
 - Acetone
 - Vinyl acetate
 - trans-1,4-Dichloro-2-butene
- MSD (Lab ID: 520796)
 - 1,2-Dichloroethane
 - 2-Butanone (MEK)
 - Acetone
 - Vinyl acetate
 - trans-1,4-Dichloro-2-butene
- MW-11B (Lab ID: 7087153007)
 - 1,2-Dichloroethane
- MW-12A (Lab ID: 7087153008)
 - Acetone
- MW-12B (Lab ID: 7087153009)
 - 1,2-Dichloroethane

CL: The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased low.

- BLANK (Lab ID: 520736)
 - Bromomethane
 - Iodomethane
- DUP (Lab ID: 7087153014)
 - Bromomethane
 - Iodomethane
- LCS (Lab ID: 520737)

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Method: EPA 8260C/5030C

Description: 8260C Volatile Organics

Client: LaBella Associates

Date: May 09, 2019

QC Batch: 111150

CL: The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased low.

- Bromomethane
- Iodomethane
- MS (Lab ID: 520795)
 - Bromomethane
 - Iodomethane
- MSD (Lab ID: 520796)
 - Bromomethane
 - Iodomethane
- MW-10B (Lab ID: 7087153006)
 - Bromomethane
 - Iodomethane
- MW-11B (Lab ID: 7087153007)
 - Bromomethane
 - Iodomethane
- MW-12A (Lab ID: 7087153008)
 - Bromomethane
 - Iodomethane
- MW-12B (Lab ID: 7087153009)
 - Bromomethane
 - Iodomethane
- MW-13 (Lab ID: 7087153010)
 - Bromomethane
 - Iodomethane
- MW-14 (Lab ID: 7087153011)
 - Bromomethane
 - Iodomethane
- MW-6D (Lab ID: 7087153001)
 - Bromomethane
 - Iodomethane
- MW-7A (Lab ID: 7087153002)
 - Bromomethane
 - Iodomethane
- MW-7C (Lab ID: 7087153003)
 - Bromomethane
 - Iodomethane
- MW-8B (Lab ID: 7087153004)
 - Bromomethane
 - Iodomethane
- MW-9B (Lab ID: 7087153005)
 - Bromomethane
 - Iodomethane
- SEEP (Lab ID: 7087153012)
 - Bromomethane
 - Iodomethane

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Method: EPA 8260C/5030C

Description: 8260C Volatile Organics

Client: LaBella Associates

Date: May 09, 2019

QC Batch: 111150

CL: The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased low.

- STREAM (Lab ID: 7087153013)
 - Bromomethane
 - Iodomethane
- TRIP BLANK (Lab ID: 7087153015)
 - Bromomethane
 - Iodomethane

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

QC Batch: 111150

L2: Analyte recovery in the laboratory control sample (LCS) was below QC limits. Results for this analyte in associated samples may be biased low.

- LCS (Lab ID: 520737)
 - Chlorobenzene
 - Iodomethane

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 111150

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 7087153006

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 520795)
 - 1,2-Dichloroethane
 - Bromomethane
 - trans-1,4-Dichloro-2-butene
- MSD (Lab ID: 520796)
 - 1,2-Dichloroethane
 - Bromodichloromethane
 - Chloroform
 - trans-1,3-Dichloropropene
 - trans-1,4-Dichloro-2-butene

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Method: EPA 8260C/5030C

Description: 8260C Volatile Organics

Client: LaBella Associates

Date: May 09, 2019

QC Batch: 111150

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 7087153006

R1: RPD value was outside control limits.

- MSD (Lab ID: 520796)
- Bromomethane

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Method: EPA 8260

Description: TIC MSV Water

Client: LaBella Associates

Date: May 09, 2019

General Information:

10 samples were analyzed for EPA 8260. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

Surrogates:

All surrogates were within QC limits with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Method: SM22 2120B

Description: 2120B W Apparent Color

Client: LaBella Associates

Date: May 09, 2019

General Information:

13 samples were analyzed for SM22 2120B. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Method: SM22 2320B

Description: 2320B Alkalinity

Client: LaBella Associates

Date: May 09, 2019

General Information:

13 samples were analyzed for SM22 2320B. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 112570

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 7087153006

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 528215)
- Alkalinity, Total as CaCO₃

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Method: SM22 2340C

Description: 2340C Hardness, Total

Client: LaBella Associates

Date: May 09, 2019

General Information:

14 samples were analyzed for SM22 2340C. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Method: SM22 2540C

Description: 2540C Total Dissolved Solids

Client: LaBella Associates

Date: May 09, 2019

General Information:

13 samples were analyzed for SM22 2540C. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 111518

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 7087153001,7087153006

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 522573)
- Total Dissolved Solids

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

QC Batch: 111518

D6: The precision between the sample and sample duplicate exceeded laboratory control limits.

- DUP (Lab ID: 522567)
 - Total Dissolved Solids
- DUP (Lab ID: 522572)
 - Total Dissolved Solids

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Method: SM22 3500-Cr B

Description: Chromium, Hexavalent

Client: LaBella Associates

Date: May 09, 2019

General Information:

13 samples were analyzed for SM22 3500-Cr B. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

H1: Analysis conducted outside the EPA method holding time.

- MW-10B (Lab ID: 7087153006)
- MW-13 (Lab ID: 7087153010)
- MW-14 (Lab ID: 7087153011)
- SEEP (Lab ID: 7087153012)

H3: Sample was received or analysis requested beyond the recognized method holding time.

- DUP (Lab ID: 7087153014)
- MW-11B (Lab ID: 7087153007)
- MW-12A (Lab ID: 7087153008)
- MW-12B (Lab ID: 7087153009)
- MW-6D (Lab ID: 7087153001)
- MW-7A (Lab ID: 7087153002)
- MW-7C (Lab ID: 7087153003)

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Method: EPA 410.4

Description: 410.4 COD

Client: LaBella Associates

Date: May 09, 2019

General Information:

14 samples were analyzed for EPA 410.4. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 410.4 with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

QC Batch: 111636

D6: The precision between the sample and sample duplicate exceeded laboratory control limits.

- DUP (Lab ID: 523331)
- Chemical Oxygen Demand

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Method: SM22 5210B

Description: 5210B BOD, 5 day

Client: LaBella Associates

Date: May 09, 2019

General Information:

13 samples were analyzed for SM22 5210B. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with SM22 5210B with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Method: EPA 300.0

Description: 300.0 IC Anions 28 Days

Client: LaBella Associates

Date: May 09, 2019

General Information:

13 samples were analyzed for EPA 300.0. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Method: EPA 351.2

Description: 351.2 Total Kjeldahl Nitrogen

Client: LaBella Associates

Date: May 09, 2019

General Information:

14 samples were analyzed for EPA 351.2. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 351.2 with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 112619

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 7087153006,7088259001

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 528760)
- Nitrogen, Kjeldahl, Total

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Method: EPA 353.2

Description: 353.2 Nitrogen, NO₂/NO₃ pres.

Client: LaBella Associates

Date: May 09, 2019

General Information:

14 samples were analyzed for EPA 353.2. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Method: EPA 353.2

Description: 353.2 Nitrogen, NO₂

Client: LaBella Associates

Date: May 09, 2019

General Information:

13 samples were analyzed for EPA 353.2. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 110976

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 7087153006, 7087245001

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 519171)
- Nitrite as N

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Method: EPA 420.1

Description: Phenolics, Total Recoverable

Client: LaBella Associates

Date: May 09, 2019

General Information:

14 samples were analyzed for EPA 420.1. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 420.1 with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 112367

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 7087153005, 7087153006

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 527296)
 - Phenolics, Total Recoverable
- MS (Lab ID: 527298)
 - Phenolics, Total Recoverable

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Method: SM22 4500 NH3 H

Description: 4500 Ammonia Water

Client: LaBella Associates

Date: May 09, 2019

General Information:

14 samples were analyzed for SM22 4500 NH3 H. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

QC Batch: 112457

B: Analyte was detected in the associated method blank.

- BLANK for HBN 112457 [WETA/180 (Lab ID: 527734)
- Nitrogen, Ammonia

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Method: EPA 9014 Total Cyanide

Description: 9014 Cyanide, Total

Client: LaBella Associates

Date: May 09, 2019

General Information:

14 samples were analyzed for EPA 9014 Total Cyanide. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Sample Preparation:

The samples were prepared in accordance with EPA 9010C with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

PROJECT NARRATIVE

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Method: EPA 9060A

Description: 9060A TOC as NPOC

Client: LaBella Associates

Date: May 09, 2019

General Information:

14 samples were analyzed for EPA 9060A. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: MW-6D		Lab ID: 7087153001	Collected: 04/24/19 08:30	Received: 04/25/19 10:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP		Analytical Method: EPA 6010C Preparation Method: EPA 3005A						
Aluminum	3150	ug/L	200	1	04/30/19 09:22	05/01/19 02:27	7429-90-5	
Antimony	<60.0	ug/L	60.0	1	04/30/19 09:22	05/01/19 02:27	7440-36-0	
Arsenic	5.9J	ug/L	10.0	1	04/30/19 09:22	05/01/19 02:27	7440-38-2	
Barium	73.6J	ug/L	200	1	04/30/19 09:22	05/01/19 02:27	7440-39-3	
Beryllium	<5.0	ug/L	5.0	1	04/30/19 09:22	05/01/19 02:27	7440-41-7	
Boron	28.6J	ug/L	50.0	1	04/30/19 09:22	05/01/19 02:27	7440-42-8	
Cadmium	<2.5	ug/L	2.5	1	04/30/19 09:22	05/01/19 02:27	7440-43-9	
Calcium	116000	ug/L	200	1	04/30/19 09:22	05/01/19 02:27	7440-70-2	
Chromium	8.8J	ug/L	10.0	1	04/30/19 09:22	05/01/19 02:27	7440-47-3	
Cobalt	<50.0	ug/L	50.0	1	04/30/19 09:22	05/01/19 02:27	7440-48-4	
Copper	<25.0	ug/L	25.0	1	04/30/19 09:22	05/01/19 02:27	7440-50-8	
Iron	6110	ug/L	20.0	1	04/30/19 09:22	05/01/19 02:27	7439-89-6	
Lead	13.9	ug/L	5.0	1	04/30/19 09:22	05/01/19 02:27	7439-92-1	
Magnesium	31000	ug/L	200	1	04/30/19 09:22	05/01/19 02:27	7439-95-4	
Manganese	233	ug/L	10.0	1	04/30/19 09:22	05/01/19 02:27	7439-96-5	
Nickel	9.2J	ug/L	40.0	1	04/30/19 09:22	05/01/19 02:27	7440-02-0	
Potassium	<5000	ug/L	5000	1	04/30/19 09:22	05/01/19 02:27	7440-09-7	
Selenium	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 02:27	7782-49-2	
Silver	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 02:27	7440-22-4	
Sodium	4990J	ug/L	5000	1	04/30/19 09:22	05/01/19 02:27	7440-23-5	
Thallium	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 02:27	7440-28-0	
Vanadium	<50.0	ug/L	50.0	1	04/30/19 09:22	05/01/19 02:27	7440-62-2	
Zinc	20.9	ug/L	20.0	1	04/30/19 09:22	05/01/19 02:27	7440-66-6	
7470 Mercury		Analytical Method: EPA 7470A Preparation Method: EPA 7470A						
Mercury	<0.20	ug/L	0.20	1	04/30/19 10:57	05/02/19 15:34	7439-97-6	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C						
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/26/19 21:38	630-20-6	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/26/19 21:38	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/26/19 21:38	79-34-5	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/26/19 21:38	79-00-5	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/26/19 21:38	75-34-3	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/26/19 21:38	75-35-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/26/19 21:38	96-18-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1		04/26/19 21:38	96-12-8	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/26/19 21:38	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/26/19 21:38	95-50-1	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/26/19 21:38	107-06-2	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/26/19 21:38	78-87-5	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/26/19 21:38	106-46-7	
2-Butanone (MEK)	ND	ug/L	5.0	1		04/26/19 21:38	78-93-3	IL
2-Hexanone	ND	ug/L	5.0	1		04/26/19 21:38	591-78-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		04/26/19 21:38	108-10-1	
Acetone	ND	ug/L	5.0	1		04/26/19 21:38	67-64-1	
Acrylonitrile	ND	ug/L	5.0	1		04/26/19 21:38	107-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: MW-6D		Lab ID: 7087153001		Collected: 04/24/19 08:30		Received: 04/25/19 10:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C							
Benzene	ND	ug/L	5.0	1		04/26/19 21:38	71-43-2		
Bromochloromethane	ND	ug/L	5.0	1		04/26/19 21:38	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	1		04/26/19 21:38	75-27-4		
Bromoform	ND	ug/L	5.0	1		04/26/19 21:38	75-25-2		
Bromomethane	ND	ug/L	5.0	1		04/26/19 21:38	74-83-9	CL	
Carbon disulfide	ND	ug/L	5.0	1		04/26/19 21:38	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		04/26/19 21:38	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		04/26/19 21:38	108-90-7	L2	
Chloroethane	ND	ug/L	5.0	1		04/26/19 21:38	75-00-3		
Chloroform	ND	ug/L	5.0	1		04/26/19 21:38	67-66-3		
Chloromethane	ND	ug/L	5.0	1		04/26/19 21:38	74-87-3		
Dibromochloromethane	ND	ug/L	5.0	1		04/26/19 21:38	124-48-1		
Dibromomethane	ND	ug/L	5.0	1		04/26/19 21:38	74-95-3		
Ethylbenzene	ND	ug/L	5.0	1		04/26/19 21:38	100-41-4		
Iodomethane	ND	ug/L	5.0	1		04/26/19 21:38	74-88-4	CL,L2	
Methylene Chloride	ND	ug/L	5.0	1		04/26/19 21:38	75-09-2		
Styrene	ND	ug/L	5.0	1		04/26/19 21:38	100-42-5		
Tetrachloroethene	ND	ug/L	5.0	1		04/26/19 21:38	127-18-4		
Toluene	ND	ug/L	5.0	1		04/26/19 21:38	108-88-3		
Trichloroethene	ND	ug/L	5.0	1		04/26/19 21:38	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		04/26/19 21:38	75-69-4		
Vinyl acetate	ND	ug/L	5.0	1		04/26/19 21:38	108-05-4		
Vinyl chloride	ND	ug/L	5.0	1		04/26/19 21:38	75-01-4		
Xylene (Total)	ND	ug/L	5.0	1		04/26/19 21:38	1330-20-7		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/26/19 21:38	156-59-2		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/26/19 21:38	10061-01-5		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/26/19 21:38	156-60-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/26/19 21:38	10061-02-6		
trans-1,4-Dichloro-2-butene	ND	ug/L	5.0	1		04/26/19 21:38	110-57-6		
Surrogates									
1,2-Dichloroethane-d4 (S)	116	%	68-153	1		04/26/19 21:38	17060-07-0		
4-Bromofluorobenzene (S)	111	%	79-124	1		04/26/19 21:38	460-00-4		
Toluene-d8 (S)	83	%	69-124	1		04/26/19 21:38	2037-26-5		
TIC MSV Water		Analytical Method: EPA 8260							
TIC Search	No TIC's Found			1		04/29/19 15:08			
2120B W Apparent Color		Analytical Method: SM22 2120B							
Apparent Color	25.0	units	5.0	1		04/26/19 07:27			
pH	7.0	Std. Units	0.10	1		04/26/19 07:27			
2320B Alkalinity		Analytical Method: SM22 2320B							
Alkalinity, Total as CaCO3	344	mg/L	1.0	1		05/07/19 17:30			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: MW-6D		Lab ID: 7087153001		Collected: 04/24/19 08:30		Received: 04/25/19 10:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
2340C Hardness, Total		Analytical Method: SM22 2340C							
Tot Hardness asCaCO3 (SM 2340B	320	mg/L	5.0	1		05/03/19 21:42			
2540C Total Dissolved Solids		Analytical Method: SM22 2540C							
Total Dissolved Solids	454	mg/L	20.0	1		04/30/19 16:18		D6,M1	
Chromium, Hexavalent		Analytical Method: SM22 3500-Cr B							
Chromium, Hexavalent	<0.020	mg/L	0.020	1		04/25/19 11:59	18540-29-9	H3	
410.4 COD		Analytical Method: EPA 410.4 Preparation Method: EPA 410.4							
Chemical Oxygen Demand	12.4	mg/L	10.0	1	05/01/19 09:52	05/01/19 12:30			
5210B BOD, 5 day		Analytical Method: SM22 5210B Preparation Method: SM22 5210B							
BOD, 5 day	1.0J	mg/L	2.0	1	04/25/19 17:05	04/30/19 11:22			
300.0 IC Anions 28 Days		Analytical Method: EPA 300.0							
Bromide	0.064J	mg/L	0.50	1		05/07/19 01:31	24959-67-9		
Chloride	2.7	mg/L	2.0	1		05/07/19 01:31	16887-00-6		
Sulfate	18.5	mg/L	5.0	1		05/07/19 01:31	14808-79-8		
351.2 Total Kjeldahl Nitrogen		Analytical Method: EPA 351.2 Preparation Method: EPA 351.2							
Nitrogen, Kjeldahl, Total	<0.10	mg/L	0.10	1	05/08/19 07:00	05/08/19 12:35	7727-37-9		
353.2 Nitrogen, NO2/NO3 pres.		Analytical Method: EPA 353.2							
Nitrate-Nitrite (as N)	0.045J	mg/L	0.050	1		04/26/19 00:18	7727-37-9		
353.2 Nitrogen, NO2		Analytical Method: EPA 353.2							
Nitrite as N	<0.050	mg/L	0.050	1		04/25/19 22:04	14797-65-0		
Phenolics, Total Recoverable		Analytical Method: EPA 420.1 Preparation Method: EPA 420.1							
Phenolics, Total Recoverable	4.3J	ug/L	5.0	1	05/03/19 22:28	05/03/19 23:21			
4500 Ammonia Water		Analytical Method: SM22 4500 NH3 H							
Nitrogen, Ammonia	0.032J	mg/L	0.10	1		05/07/19 12:05	7664-41-7	B	
9014 Cyanide, Total		Analytical Method: EPA 9014 Total Cyanide Preparation Method: EPA 9010C							
Cyanide	2.4J	ug/L	10.0	1	05/06/19 07:42	05/06/19 14:41	57-12-5		
9060A TOC as NPOC		Analytical Method: EPA 9060A							
Total Organic Carbon	0.91J	mg/L	1.0	1		05/06/19 14:10	7440-44-0		
Total Organic Carbon	1.5	mg/L	1.0	1		05/06/19 14:10	7440-44-0		
Total Organic Carbon	0.91J	mg/L	1.0	1		05/06/19 14:10	7440-44-0		
Total Organic Carbon	0.86J	mg/L	1.0	1		05/06/19 14:10	7440-44-0		
Mean Total Organic Carbon	1.0	mg/L	1.0	1		05/06/19 14:10	7440-44-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: MW-7A		Lab ID: 7087153002	Collected: 04/24/19 08:45	Received: 04/25/19 10:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP		Analytical Method: EPA 6010C Preparation Method: EPA 3005A						
Aluminum	295	ug/L	200	1	04/30/19 09:22	05/01/19 02:33	7429-90-5	
Antimony	<60.0	ug/L	60.0	1	04/30/19 09:22	05/01/19 02:33	7440-36-0	
Arsenic	46.1	ug/L	10.0	1	04/30/19 09:22	05/01/19 02:33	7440-38-2	
Barium	588	ug/L	200	1	04/30/19 09:22	05/01/19 02:33	7440-39-3	
Beryllium	<5.0	ug/L	5.0	1	04/30/19 09:22	05/01/19 02:33	7440-41-7	
Boron	45.7J	ug/L	50.0	1	04/30/19 09:22	05/01/19 02:33	7440-42-8	
Cadmium	<2.5	ug/L	2.5	1	04/30/19 09:22	05/01/19 02:33	7440-43-9	
Calcium	53300	ug/L	200	1	04/30/19 09:22	05/01/19 02:33	7440-70-2	
Chromium	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 02:33	7440-47-3	
Cobalt	12.6J	ug/L	50.0	1	04/30/19 09:22	05/01/19 02:33	7440-48-4	
Copper	<25.0	ug/L	25.0	1	04/30/19 09:22	05/01/19 02:33	7440-50-8	
Iron	27700	ug/L	20.0	1	04/30/19 09:22	05/01/19 02:33	7439-89-6	
Lead	<5.0	ug/L	5.0	1	04/30/19 09:22	05/01/19 02:33	7439-92-1	
Magnesium	10600	ug/L	200	1	04/30/19 09:22	05/01/19 02:33	7439-95-4	
Manganese	14100	ug/L	10.0	1	04/30/19 09:22	05/01/19 02:33	7439-96-5	
Nickel	5.6J	ug/L	40.0	1	04/30/19 09:22	05/01/19 02:33	7440-02-0	
Potassium	12200	ug/L	5000	1	04/30/19 09:22	05/01/19 02:33	7440-09-7	
Selenium	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 02:33	7782-49-2	
Silver	2.3J	ug/L	10.0	1	04/30/19 09:22	05/01/19 02:33	7440-22-4	
Sodium	3390J	ug/L	5000	1	04/30/19 09:22	05/01/19 02:33	7440-23-5	
Thallium	9.7J	ug/L	10.0	1	04/30/19 09:22	05/01/19 02:33	7440-28-0	
Vanadium	<50.0	ug/L	50.0	1	04/30/19 09:22	05/01/19 02:33	7440-62-2	
Zinc	<20.0	ug/L	20.0	1	04/30/19 09:22	05/01/19 02:33	7440-66-6	
7470 Mercury		Analytical Method: EPA 7470A Preparation Method: EPA 7470A						
Mercury	<0.20	ug/L	0.20	1	04/30/19 10:57	05/02/19 15:35	7439-97-6	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C						
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/26/19 21:57	630-20-6	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/26/19 21:57	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/26/19 21:57	79-34-5	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/26/19 21:57	79-00-5	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/26/19 21:57	75-34-3	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/26/19 21:57	75-35-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/26/19 21:57	96-18-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1		04/26/19 21:57	96-12-8	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/26/19 21:57	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/26/19 21:57	95-50-1	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/26/19 21:57	107-06-2	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/26/19 21:57	78-87-5	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/26/19 21:57	106-46-7	
2-Butanone (MEK)	ND	ug/L	5.0	1		04/26/19 21:57	78-93-3	IL
2-Hexanone	ND	ug/L	5.0	1		04/26/19 21:57	591-78-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		04/26/19 21:57	108-10-1	
Acetone	ND	ug/L	5.0	1		04/26/19 21:57	67-64-1	
Acrylonitrile	ND	ug/L	5.0	1		04/26/19 21:57	107-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: MW-7A		Lab ID: 7087153002		Collected: 04/24/19 08:45		Received: 04/25/19 10:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C							
Benzene	ND	ug/L	5.0	1		04/26/19 21:57	71-43-2		
Bromochloromethane	ND	ug/L	5.0	1		04/26/19 21:57	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	1		04/26/19 21:57	75-27-4		
Bromoform	ND	ug/L	5.0	1		04/26/19 21:57	75-25-2		
Bromomethane	ND	ug/L	5.0	1		04/26/19 21:57	74-83-9	CL	
Carbon disulfide	ND	ug/L	5.0	1		04/26/19 21:57	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		04/26/19 21:57	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		04/26/19 21:57	108-90-7	L2	
Chloroethane	ND	ug/L	5.0	1		04/26/19 21:57	75-00-3		
Chloroform	ND	ug/L	5.0	1		04/26/19 21:57	67-66-3		
Chloromethane	ND	ug/L	5.0	1		04/26/19 21:57	74-87-3		
Dibromochloromethane	ND	ug/L	5.0	1		04/26/19 21:57	124-48-1		
Dibromomethane	ND	ug/L	5.0	1		04/26/19 21:57	74-95-3		
Ethylbenzene	ND	ug/L	5.0	1		04/26/19 21:57	100-41-4		
Iodomethane	ND	ug/L	5.0	1		04/26/19 21:57	74-88-4	CL,L2	
Methylene Chloride	ND	ug/L	5.0	1		04/26/19 21:57	75-09-2		
Styrene	ND	ug/L	5.0	1		04/26/19 21:57	100-42-5		
Tetrachloroethene	ND	ug/L	5.0	1		04/26/19 21:57	127-18-4		
Toluene	ND	ug/L	5.0	1		04/26/19 21:57	108-88-3		
Trichloroethene	ND	ug/L	5.0	1		04/26/19 21:57	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		04/26/19 21:57	75-69-4		
Vinyl acetate	ND	ug/L	5.0	1		04/26/19 21:57	108-05-4		
Vinyl chloride	ND	ug/L	5.0	1		04/26/19 21:57	75-01-4		
Xylene (Total)	ND	ug/L	5.0	1		04/26/19 21:57	1330-20-7		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/26/19 21:57	156-59-2		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/26/19 21:57	10061-01-5		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/26/19 21:57	156-60-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/26/19 21:57	10061-02-6		
trans-1,4-Dichloro-2-butene	ND	ug/L	5.0	1		04/26/19 21:57	110-57-6		
Surrogates									
1,2-Dichloroethane-d4 (S)	117	%	68-153	1		04/26/19 21:57	17060-07-0		
4-Bromofluorobenzene (S)	110	%	79-124	1		04/26/19 21:57	460-00-4		
Toluene-d8 (S)	82	%	69-124	1		04/26/19 21:57	2037-26-5		
Tentatively Identified Compounds									
Difluorochloromethane	8.2J	ug/L		1		04/26/19 21:57	75-45-6	N	
2120B W Apparent Color									
Analytical Method: SM22 2120B									
Apparent Color	100	units	50.0	10		04/26/19 07:27			
pH	6.5	Std. Units	0.10	10		04/26/19 07:27			
2320B Alkalinity									
Analytical Method: SM22 2320B									
Alkalinity, Total as CaCO3	221	mg/L	1.0	1		05/07/19 17:42			
2340C Hardness, Total									
Analytical Method: SM22 2340C									
Tot Hardness asCaCO3 (SM 2340B	170	mg/L	5.0	1		05/03/19 21:44			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: MW-7A		Lab ID: 7087153002		Collected: 04/24/19 08:45		Received: 04/25/19 10:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
2540C Total Dissolved Solids		Analytical Method: SM22 2540C							
Total Dissolved Solids	254	mg/L	20.0	1		04/30/19 16:18			
Chromium, Hexavalent		Analytical Method: SM22 3500-Cr B							
Chromium, Hexavalent	<0.020	mg/L	0.020	1		04/25/19 11:59	18540-29-9	H3	
410.4 COD		Analytical Method: EPA 410.4 Preparation Method: EPA 410.4							
Chemical Oxygen Demand	43.3	mg/L	10.0	1	05/01/19 09:52	05/01/19 12:31			
5210B BOD, 5 day		Analytical Method: SM22 5210B Preparation Method: SM22 5210B							
BOD, 5 day	10.1	mg/L	2.0	1	04/25/19 17:05	04/30/19 11:24			
300.0 IC Anions 28 Days		Analytical Method: EPA 300.0							
Bromide	0.19J	mg/L	0.50	1		05/07/19 01:48	24959-67-9		
Chloride	2.7	mg/L	2.0	1		05/07/19 01:48	16887-00-6		
Sulfate	5.1	mg/L	5.0	1		05/07/19 01:48	14808-79-8		
351.2 Total Kjeldahl Nitrogen		Analytical Method: EPA 351.2 Preparation Method: EPA 351.2							
Nitrogen, Kjeldahl, Total	2.2	mg/L	0.50	5	05/08/19 07:00	05/08/19 12:36	7727-37-9		
353.2 Nitrogen, NO2/NO3 pres.		Analytical Method: EPA 353.2							
Nitrate-Nitrite (as N)	<0.050	mg/L	0.050	1		04/26/19 00:19	7727-37-9		
353.2 Nitrogen, NO2		Analytical Method: EPA 353.2							
Nitrite as N	<0.050	mg/L	0.050	1		04/25/19 22:05	14797-65-0		
Phenolics, Total Recoverable		Analytical Method: EPA 420.1 Preparation Method: EPA 420.1							
Phenolics, Total Recoverable	9.5	ug/L	5.0	1	05/03/19 22:28	05/03/19 23:21			
4500 Ammonia Water		Analytical Method: SM22 4500 NH3 H							
Nitrogen, Ammonia	2.4	mg/L	0.10	1		05/07/19 12:06	7664-41-7		
9014 Cyanide, Total		Analytical Method: EPA 9014 Total Cyanide Preparation Method: EPA 9010C							
Cyanide	<10.0	ug/L	10.0	1	05/06/19 07:42	05/06/19 14:42	57-12-5		
9060A TOC as NPOC		Analytical Method: EPA 9060A							
Total Organic Carbon	6.4	mg/L	1.0	1		05/06/19 14:23	7440-44-0		
Total Organic Carbon	6.3	mg/L	1.0	1		05/06/19 14:23	7440-44-0		
Total Organic Carbon	6.4	mg/L	1.0	1		05/06/19 14:23	7440-44-0		
Total Organic Carbon	6.4	mg/L	1.0	1		05/06/19 14:23	7440-44-0		
Mean Total Organic Carbon	6.4	mg/L	1.0	1		05/06/19 14:23	7440-44-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: MW-7C		Lab ID: 7087153003	Collected: 04/24/19 09:00	Received: 04/25/19 10:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP		Analytical Method: EPA 6010C Preparation Method: EPA 3005A						
Aluminum	<200	ug/L	200	1	04/30/19 09:22	05/01/19 02:49	7429-90-5	
Antimony	<60.0	ug/L	60.0	1	04/30/19 09:22	05/01/19 02:49	7440-36-0	
Arsenic	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 02:49	7440-38-2	
Barium	74.1J	ug/L	200	1	04/30/19 09:22	05/01/19 02:49	7440-39-3	
Beryllium	<5.0	ug/L	5.0	1	04/30/19 09:22	05/01/19 02:49	7440-41-7	
Boron	<50.0	ug/L	50.0	1	04/30/19 09:22	05/01/19 02:49	7440-42-8	
Cadmium	<2.5	ug/L	2.5	1	04/30/19 09:22	05/01/19 02:49	7440-43-9	
Calcium	115000	ug/L	200	1	04/30/19 09:22	05/01/19 02:49	7440-70-2	
Chromium	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 02:49	7440-47-3	
Cobalt	<50.0	ug/L	50.0	1	04/30/19 09:22	05/01/19 02:49	7440-48-4	
Copper	<25.0	ug/L	25.0	1	04/30/19 09:22	05/01/19 02:49	7440-50-8	
Iron	39.2	ug/L	20.0	1	04/30/19 09:22	05/01/19 02:49	7439-89-6	
Lead	<5.0	ug/L	5.0	1	04/30/19 09:22	05/01/19 02:49	7439-92-1	
Magnesium	18400	ug/L	200	1	04/30/19 09:22	05/01/19 02:49	7439-95-4	
Manganese	475	ug/L	10.0	1	04/30/19 09:22	05/01/19 02:49	7439-96-5	
Nickel	<40.0	ug/L	40.0	1	04/30/19 09:22	05/01/19 02:49	7440-02-0	
Potassium	<5000	ug/L	5000	1	04/30/19 09:22	05/01/19 02:49	7440-09-7	
Selenium	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 02:49	7782-49-2	
Silver	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 02:49	7440-22-4	
Sodium	7140	ug/L	5000	1	04/30/19 09:22	05/01/19 02:49	7440-23-5	
Thallium	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 02:49	7440-28-0	
Vanadium	<50.0	ug/L	50.0	1	04/30/19 09:22	05/01/19 02:49	7440-62-2	
Zinc	22.7	ug/L	20.0	1	04/30/19 09:22	05/01/19 02:49	7440-66-6	
7470 Mercury		Analytical Method: EPA 7470A Preparation Method: EPA 7470A						
Mercury	0.12J	ug/L	0.20	1	04/30/19 10:57	05/02/19 15:37	7439-97-6	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C						
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/26/19 22:17	630-20-6	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/26/19 22:17	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/26/19 22:17	79-34-5	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/26/19 22:17	79-00-5	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/26/19 22:17	75-34-3	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/26/19 22:17	75-35-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/26/19 22:17	96-18-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1		04/26/19 22:17	96-12-8	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/26/19 22:17	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/26/19 22:17	95-50-1	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/26/19 22:17	107-06-2	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/26/19 22:17	78-87-5	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/26/19 22:17	106-46-7	
2-Butanone (MEK)	ND	ug/L	5.0	1		04/26/19 22:17	78-93-3	IL
2-Hexanone	ND	ug/L	5.0	1		04/26/19 22:17	591-78-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		04/26/19 22:17	108-10-1	
Acetone	ND	ug/L	5.0	1		04/26/19 22:17	67-64-1	
Acrylonitrile	ND	ug/L	5.0	1		04/26/19 22:17	107-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: MW-7C		Lab ID: 7087153003		Collected: 04/24/19 09:00		Received: 04/25/19 10:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C							
Benzene	ND	ug/L	5.0	1		04/26/19 22:17	71-43-2		
Bromochloromethane	ND	ug/L	5.0	1		04/26/19 22:17	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	1		04/26/19 22:17	75-27-4		
Bromoform	ND	ug/L	5.0	1		04/26/19 22:17	75-25-2		
Bromomethane	ND	ug/L	5.0	1		04/26/19 22:17	74-83-9	CL	
Carbon disulfide	ND	ug/L	5.0	1		04/26/19 22:17	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		04/26/19 22:17	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		04/26/19 22:17	108-90-7	L2	
Chloroethane	ND	ug/L	5.0	1		04/26/19 22:17	75-00-3		
Chloroform	ND	ug/L	5.0	1		04/26/19 22:17	67-66-3		
Chloromethane	ND	ug/L	5.0	1		04/26/19 22:17	74-87-3		
Dibromochloromethane	ND	ug/L	5.0	1		04/26/19 22:17	124-48-1		
Dibromomethane	ND	ug/L	5.0	1		04/26/19 22:17	74-95-3		
Ethylbenzene	ND	ug/L	5.0	1		04/26/19 22:17	100-41-4		
Iodomethane	ND	ug/L	5.0	1		04/26/19 22:17	74-88-4	CL,L2	
Methylene Chloride	ND	ug/L	5.0	1		04/26/19 22:17	75-09-2		
Styrene	ND	ug/L	5.0	1		04/26/19 22:17	100-42-5		
Tetrachloroethene	ND	ug/L	5.0	1		04/26/19 22:17	127-18-4		
Toluene	ND	ug/L	5.0	1		04/26/19 22:17	108-88-3		
Trichloroethene	ND	ug/L	5.0	1		04/26/19 22:17	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		04/26/19 22:17	75-69-4		
Vinyl acetate	ND	ug/L	5.0	1		04/26/19 22:17	108-05-4		
Vinyl chloride	ND	ug/L	5.0	1		04/26/19 22:17	75-01-4		
Xylene (Total)	ND	ug/L	5.0	1		04/26/19 22:17	1330-20-7		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/26/19 22:17	156-59-2		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/26/19 22:17	10061-01-5		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/26/19 22:17	156-60-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/26/19 22:17	10061-02-6		
trans-1,4-Dichloro-2-butene	ND	ug/L	5.0	1		04/26/19 22:17	110-57-6		
Surrogates									
1,2-Dichloroethane-d4 (S)	117	%	68-153	1		04/26/19 22:17	17060-07-0		
4-Bromofluorobenzene (S)	111	%	79-124	1		04/26/19 22:17	460-00-4		
Toluene-d8 (S)	81	%	69-124	1		04/26/19 22:17	2037-26-5		
TIC MSV Water		Analytical Method: EPA 8260							
TIC Search	No TIC's Found			1		04/29/19 15:09			
2120B W Apparent Color		Analytical Method: SM22 2120B							
Apparent Color	10.0	units	5.0	1		04/26/19 07:27			
pH	7.5	Std. Units	0.10	1		04/26/19 07:27			
2320B Alkalinity		Analytical Method: SM22 2320B							
Alkalinity, Total as CaCO3	327	mg/L	1.0	1		05/07/19 17:57			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: MW-7C		Lab ID: 7087153003		Collected: 04/24/19 09:00		Received: 04/25/19 10:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
2340C Hardness, Total		Analytical Method: SM22 2340C							
Tot Hardness asCaCO3 (SM 2340B	280	mg/L	5.0	1		05/03/19 21:46			
2540C Total Dissolved Solids		Analytical Method: SM22 2540C							
Total Dissolved Solids	310	mg/L	20.0	1		04/30/19 16:18			
Chromium, Hexavalent		Analytical Method: SM22 3500-Cr B							
Chromium, Hexavalent	<0.020	mg/L	0.020	1		04/25/19 11:59	18540-29-9	H3	
410.4 COD		Analytical Method: EPA 410.4 Preparation Method: EPA 410.4							
Chemical Oxygen Demand	<10.0	mg/L	10.0	1	05/02/19 10:05	05/02/19 12:15			
5210B BOD, 5 day		Analytical Method: SM22 5210B Preparation Method: SM22 5210B							
BOD, 5 day	1.0J	mg/L	2.0	1	04/25/19 17:05	04/30/19 11:28			
300.0 IC Anions 28 Days		Analytical Method: EPA 300.0							
Bromide	0.24J	mg/L	0.50	1		05/07/19 02:05	24959-67-9		
Chloride	5.7	mg/L	2.0	1		05/07/19 02:05	16887-00-6		
Sulfate	6.8	mg/L	5.0	1		05/07/19 02:05	14808-79-8		
351.2 Total Kjeldahl Nitrogen		Analytical Method: EPA 351.2 Preparation Method: EPA 351.2							
Nitrogen, Kjeldahl, Total	<0.10	mg/L	0.10	1	05/08/19 07:00	05/08/19 12:36	7727-37-9		
353.2 Nitrogen, NO2/NO3 pres.		Analytical Method: EPA 353.2							
Nitrate-Nitrite (as N)	<0.050	mg/L	0.050	1		04/26/19 00:23	7727-37-9		
353.2 Nitrogen, NO2		Analytical Method: EPA 353.2							
Nitrite as N	<0.050	mg/L	0.050	1		04/25/19 22:06	14797-65-0		
Phenolics, Total Recoverable		Analytical Method: EPA 420.1 Preparation Method: EPA 420.1							
Phenolics, Total Recoverable	5.4	ug/L	5.0	1	05/03/19 22:28	05/03/19 23:22			
4500 Ammonia Water		Analytical Method: SM22 4500 NH3 H							
Nitrogen, Ammonia	0.066J	mg/L	0.10	1		05/07/19 12:08	7664-41-7	B	
9014 Cyanide, Total		Analytical Method: EPA 9014 Total Cyanide Preparation Method: EPA 9010C							
Cyanide	2.4J	ug/L	10.0	1	05/06/19 07:42	05/06/19 14:45	57-12-5		
9060A TOC as NPOC		Analytical Method: EPA 9060A							
Total Organic Carbon	1.6	mg/L	1.0	1		05/06/19 14:36	7440-44-0		
Total Organic Carbon	1.7	mg/L	1.0	1		05/06/19 14:36	7440-44-0		
Total Organic Carbon	1.6	mg/L	1.0	1		05/06/19 14:36	7440-44-0		
Total Organic Carbon	1.6	mg/L	1.0	1		05/06/19 14:36	7440-44-0		
Mean Total Organic Carbon	1.6	mg/L	1.0	1		05/06/19 14:36	7440-44-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: MW-8B		Lab ID: 7087153004		Collected: 04/24/19 12:30		Received: 04/25/19 10:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
6010 MET ICP		Analytical Method: EPA 6010C Preparation Method: EPA 3005A							
Aluminum	<200	ug/L	200	1	04/30/19 09:22	05/01/19 02:55	7429-90-5		
Antimony	<60.0	ug/L	60.0	1	04/30/19 09:22	05/01/19 02:55	7440-36-0		
Arsenic	17.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 02:55	7440-38-2		
Barium	125J	ug/L	200	1	04/30/19 09:22	05/01/19 02:55	7440-39-3		
Beryllium	<5.0	ug/L	5.0	1	04/30/19 09:22	05/01/19 02:55	7440-41-7		
Boron	38.6J	ug/L	50.0	1	04/30/19 09:22	05/01/19 02:55	7440-42-8		
Cadmium	<2.5	ug/L	2.5	1	04/30/19 09:22	05/01/19 02:55	7440-43-9		
Calcium	79100	ug/L	200	1	04/30/19 09:22	05/01/19 02:55	7440-70-2		
Chromium	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 02:55	7440-47-3		
Cobalt	9.8J	ug/L	50.0	1	04/30/19 09:22	05/01/19 02:55	7440-48-4		
Copper	<25.0	ug/L	25.0	1	04/30/19 09:22	05/01/19 02:55	7440-50-8		
Iron	3970	ug/L	20.0	1	04/30/19 09:22	05/01/19 02:55	7439-89-6		
Lead	<5.0	ug/L	5.0	1	04/30/19 09:22	05/01/19 02:55	7439-92-1		
Magnesium	11400	ug/L	200	1	04/30/19 09:22	05/01/19 02:55	7439-95-4		
Manganese	6800	ug/L	10.0	1	04/30/19 09:22	05/01/19 02:55	7439-96-5		
Nickel	4.7J	ug/L	40.0	1	04/30/19 09:22	05/01/19 02:55	7440-02-0		
Potassium	<5000	ug/L	5000	1	04/30/19 09:22	05/01/19 02:55	7440-09-7		
Selenium	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 02:55	7782-49-2		
Silver	2.1J	ug/L	10.0	1	04/30/19 09:22	05/01/19 02:55	7440-22-4		
Sodium	5520	ug/L	5000	1	04/30/19 09:22	05/01/19 02:55	7440-23-5		
Thallium	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 02:55	7440-28-0		
Vanadium	<50.0	ug/L	50.0	1	04/30/19 09:22	05/01/19 02:55	7440-62-2		
Zinc	<20.0	ug/L	20.0	1	04/30/19 09:22	05/01/19 02:55	7440-66-6		
7470 Mercury		Analytical Method: EPA 7470A Preparation Method: EPA 7470A							
Mercury	<0.20	ug/L	0.20	1	04/30/19 10:57	05/02/19 15:39	7439-97-6		
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C							
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/26/19 22:36	630-20-6		
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/26/19 22:36	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/26/19 22:36	79-34-5		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/26/19 22:36	79-00-5		
1,1-Dichloroethane	ND	ug/L	5.0	1		04/26/19 22:36	75-34-3		
1,1-Dichloroethene	ND	ug/L	5.0	1		04/26/19 22:36	75-35-4		
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/26/19 22:36	96-18-4		
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1		04/26/19 22:36	96-12-8		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/26/19 22:36	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/26/19 22:36	95-50-1		
1,2-Dichloroethane	ND	ug/L	5.0	1		04/26/19 22:36	107-06-2		
1,2-Dichloropropane	ND	ug/L	5.0	1		04/26/19 22:36	78-87-5		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/26/19 22:36	106-46-7		
2-Butanone (MEK)	ND	ug/L	5.0	1		04/26/19 22:36	78-93-3	IL	
2-Hexanone	ND	ug/L	5.0	1		04/26/19 22:36	591-78-6		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		04/26/19 22:36	108-10-1		
Acetone	ND	ug/L	5.0	1		04/26/19 22:36	67-64-1		
Acrylonitrile	ND	ug/L	5.0	1		04/26/19 22:36	107-13-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: MW-8B		Lab ID: 7087153004		Collected: 04/24/19 12:30		Received: 04/25/19 10:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C							
Benzene	ND	ug/L	5.0	1		04/26/19 22:36	71-43-2		
Bromochloromethane	ND	ug/L	5.0	1		04/26/19 22:36	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	1		04/26/19 22:36	75-27-4		
Bromoform	ND	ug/L	5.0	1		04/26/19 22:36	75-25-2		
Bromomethane	ND	ug/L	5.0	1		04/26/19 22:36	74-83-9	CL	
Carbon disulfide	ND	ug/L	5.0	1		04/26/19 22:36	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		04/26/19 22:36	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		04/26/19 22:36	108-90-7	L2	
Chloroethane	ND	ug/L	5.0	1		04/26/19 22:36	75-00-3		
Chloroform	ND	ug/L	5.0	1		04/26/19 22:36	67-66-3		
Chloromethane	ND	ug/L	5.0	1		04/26/19 22:36	74-87-3		
Dibromochloromethane	ND	ug/L	5.0	1		04/26/19 22:36	124-48-1		
Dibromomethane	ND	ug/L	5.0	1		04/26/19 22:36	74-95-3		
Ethylbenzene	ND	ug/L	5.0	1		04/26/19 22:36	100-41-4		
Iodomethane	ND	ug/L	5.0	1		04/26/19 22:36	74-88-4	CL,L2	
Methylene Chloride	ND	ug/L	5.0	1		04/26/19 22:36	75-09-2		
Styrene	ND	ug/L	5.0	1		04/26/19 22:36	100-42-5		
Tetrachloroethene	ND	ug/L	5.0	1		04/26/19 22:36	127-18-4		
Toluene	ND	ug/L	5.0	1		04/26/19 22:36	108-88-3		
Trichloroethene	ND	ug/L	5.0	1		04/26/19 22:36	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		04/26/19 22:36	75-69-4		
Vinyl acetate	ND	ug/L	5.0	1		04/26/19 22:36	108-05-4		
Vinyl chloride	ND	ug/L	5.0	1		04/26/19 22:36	75-01-4		
Xylene (Total)	ND	ug/L	5.0	1		04/26/19 22:36	1330-20-7		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/26/19 22:36	156-59-2		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/26/19 22:36	10061-01-5		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/26/19 22:36	156-60-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/26/19 22:36	10061-02-6		
trans-1,4-Dichloro-2-butene	ND	ug/L	5.0	1		04/26/19 22:36	110-57-6		
Surrogates									
1,2-Dichloroethane-d4 (S)	118	%	68-153	1		04/26/19 22:36	17060-07-0		
4-Bromofluorobenzene (S)	111	%	79-124	1		04/26/19 22:36	460-00-4		
Toluene-d8 (S)	82	%	69-124	1		04/26/19 22:36	2037-26-5		
TIC MSV Water		Analytical Method: EPA 8260							
TIC Search	No TIC's Found			1		04/29/19 15:10			
2120B W Apparent Color		Analytical Method: SM22 2120B							
Apparent Color	5.0	units	5.0	1		04/26/19 07:27			
pH	6.5	Std. Units	0.10	1		04/26/19 07:27			
2320B Alkalinity		Analytical Method: SM22 2320B							
Alkalinity, Total as CaCO3	238	mg/L	1.0	1		05/07/19 18:10			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: MW-8B		Lab ID: 7087153004		Collected: 04/24/19 12:30		Received: 04/25/19 10:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
2340C Hardness, Total		Analytical Method: SM22 2340C							
Tot Hardness asCaCO3 (SM 2340B	180	mg/L	5.0	1		05/03/19 22:00			
2540C Total Dissolved Solids		Analytical Method: SM22 2540C							
Total Dissolved Solids	410	mg/L	20.0	1		04/30/19 16:18			
Chromium, Hexavalent		Analytical Method: SM22 3500-Cr B							
Chromium, Hexavalent	<0.020	mg/L	0.020	1		04/25/19 11:59	18540-29-9		
410.4 COD		Analytical Method: EPA 410.4 Preparation Method: EPA 410.4							
Chemical Oxygen Demand	10.2	mg/L	10.0	1	05/02/19 10:05	05/02/19 12:15			
5210B BOD, 5 day		Analytical Method: SM22 5210B Preparation Method: SM22 5210B							
BOD, 5 day	1.8J	mg/L	2.0	1	04/25/19 17:05	04/30/19 11:30			
300.0 IC Anions 28 Days		Analytical Method: EPA 300.0							
Bromide	0.16J	mg/L	0.50	1		05/07/19 02:21	24959-67-9		
Chloride	2.6	mg/L	2.0	1		05/07/19 02:21	16887-00-6		
Sulfate	6.6	mg/L	5.0	1		05/07/19 02:21	14808-79-8		
351.2 Total Kjeldahl Nitrogen		Analytical Method: EPA 351.2 Preparation Method: EPA 351.2							
Nitrogen, Kjeldahl, Total	1.2	mg/L	0.10	1	05/08/19 07:00	05/08/19 12:37	7727-37-9		
353.2 Nitrogen, NO2/NO3 pres.		Analytical Method: EPA 353.2							
Nitrate-Nitrite (as N)	<0.050	mg/L	0.050	1		04/26/19 00:24	7727-37-9		
353.2 Nitrogen, NO2		Analytical Method: EPA 353.2							
Nitrite as N	<0.050	mg/L	0.050	1		04/25/19 22:08	14797-65-0		
Phenolics, Total Recoverable		Analytical Method: EPA 420.1 Preparation Method: EPA 420.1							
Phenolics, Total Recoverable	6.9	ug/L	5.0	1	05/03/19 22:28	05/03/19 23:22			
4500 Ammonia Water		Analytical Method: SM22 4500 NH3 H							
Nitrogen, Ammonia	0.86	mg/L	0.10	1		05/07/19 12:11	7664-41-7		
9014 Cyanide, Total		Analytical Method: EPA 9014 Total Cyanide Preparation Method: EPA 9010C							
Cyanide	2.4J	ug/L	10.0	1	05/06/19 07:42	05/06/19 14:46	57-12-5		
9060A TOC as NPOC		Analytical Method: EPA 9060A							
Total Organic Carbon	2.1	mg/L	1.0	1		05/06/19 14:48	7440-44-0		
Total Organic Carbon	2.2	mg/L	1.0	1		05/06/19 14:48	7440-44-0		
Total Organic Carbon	2.2	mg/L	1.0	1		05/06/19 14:48	7440-44-0		
Total Organic Carbon	2.3	mg/L	1.0	1		05/06/19 14:48	7440-44-0		
Mean Total Organic Carbon	2.2	mg/L	1.0	1		05/06/19 14:48	7440-44-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: MW-9B		Lab ID: 7087153005		Collected: 04/24/19 10:15		Received: 04/25/19 10:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
6010 MET ICP		Analytical Method: EPA 6010C Preparation Method: EPA 3005A							
Aluminum	251	ug/L	200	1	04/30/19 09:22	05/01/19 03:00	7429-90-5		
Antimony	<60.0	ug/L	60.0	1	04/30/19 09:22	05/01/19 03:00	7440-36-0		
Arsenic	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 03:00	7440-38-2		
Barium	31.4J	ug/L	200	1	04/30/19 09:22	05/01/19 03:00	7440-39-3		
Beryllium	<5.0	ug/L	5.0	1	04/30/19 09:22	05/01/19 03:00	7440-41-7		
Boron	<50.0	ug/L	50.0	1	04/30/19 09:22	05/01/19 03:00	7440-42-8		
Cadmium	<2.5	ug/L	2.5	1	04/30/19 09:22	05/01/19 03:00	7440-43-9		
Calcium	78400	ug/L	200	1	04/30/19 09:22	05/01/19 03:00	7440-70-2		
Chromium	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 03:00	7440-47-3		
Cobalt	<50.0	ug/L	50.0	1	04/30/19 09:22	05/01/19 03:00	7440-48-4		
Copper	<25.0	ug/L	25.0	1	04/30/19 09:22	05/01/19 03:00	7440-50-8		
Iron	1440	ug/L	20.0	1	04/30/19 09:22	05/01/19 03:00	7439-89-6		
Lead	<5.0	ug/L	5.0	1	04/30/19 09:22	05/01/19 03:00	7439-92-1		
Magnesium	10400	ug/L	200	1	04/30/19 09:22	05/01/19 03:00	7439-95-4		
Manganese	1530	ug/L	10.0	1	04/30/19 09:22	05/01/19 03:00	7439-96-5		
Nickel	5.4J	ug/L	40.0	1	04/30/19 09:22	05/01/19 03:00	7440-02-0		
Potassium	<5000	ug/L	5000	1	04/30/19 09:22	05/01/19 03:00	7440-09-7		
Selenium	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 03:00	7782-49-2		
Silver	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 03:00	7440-22-4		
Sodium	4620J	ug/L	5000	1	04/30/19 09:22	05/01/19 03:00	7440-23-5		
Thallium	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 03:00	7440-28-0		
Vanadium	<50.0	ug/L	50.0	1	04/30/19 09:22	05/01/19 03:00	7440-62-2		
Zinc	306	ug/L	20.0	1	04/30/19 09:22	05/01/19 03:00	7440-66-6		
7470 Mercury		Analytical Method: EPA 7470A Preparation Method: EPA 7470A							
Mercury	<0.20	ug/L	0.20	1	04/30/19 10:57	05/02/19 15:44	7439-97-6		
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C							
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/26/19 22:55	630-20-6		
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/26/19 22:55	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/26/19 22:55	79-34-5		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/26/19 22:55	79-00-5		
1,1-Dichloroethane	ND	ug/L	5.0	1		04/26/19 22:55	75-34-3		
1,1-Dichloroethene	ND	ug/L	5.0	1		04/26/19 22:55	75-35-4		
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/26/19 22:55	96-18-4		
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1		04/26/19 22:55	96-12-8		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/26/19 22:55	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/26/19 22:55	95-50-1		
1,2-Dichloroethane	ND	ug/L	5.0	1		04/26/19 22:55	107-06-2		
1,2-Dichloropropane	ND	ug/L	5.0	1		04/26/19 22:55	78-87-5		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/26/19 22:55	106-46-7		
2-Butanone (MEK)	ND	ug/L	5.0	1		04/26/19 22:55	78-93-3	IL	
2-Hexanone	ND	ug/L	5.0	1		04/26/19 22:55	591-78-6		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		04/26/19 22:55	108-10-1		
Acetone	ND	ug/L	5.0	1		04/26/19 22:55	67-64-1		
Acrylonitrile	ND	ug/L	5.0	1		04/26/19 22:55	107-13-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: MW-9B		Lab ID: 7087153005		Collected: 04/24/19 10:15		Received: 04/25/19 10:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C							
Benzene	ND	ug/L	5.0	1		04/26/19 22:55	71-43-2		
Bromochloromethane	ND	ug/L	5.0	1		04/26/19 22:55	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	1		04/26/19 22:55	75-27-4		
Bromoform	ND	ug/L	5.0	1		04/26/19 22:55	75-25-2		
Bromomethane	ND	ug/L	5.0	1		04/26/19 22:55	74-83-9	CL	
Carbon disulfide	ND	ug/L	5.0	1		04/26/19 22:55	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		04/26/19 22:55	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		04/26/19 22:55	108-90-7	L2	
Chloroethane	ND	ug/L	5.0	1		04/26/19 22:55	75-00-3		
Chloroform	ND	ug/L	5.0	1		04/26/19 22:55	67-66-3		
Chloromethane	ND	ug/L	5.0	1		04/26/19 22:55	74-87-3		
Dibromochloromethane	ND	ug/L	5.0	1		04/26/19 22:55	124-48-1		
Dibromomethane	ND	ug/L	5.0	1		04/26/19 22:55	74-95-3		
Ethylbenzene	ND	ug/L	5.0	1		04/26/19 22:55	100-41-4		
Iodomethane	ND	ug/L	5.0	1		04/26/19 22:55	74-88-4	CL,L2	
Methylene Chloride	ND	ug/L	5.0	1		04/26/19 22:55	75-09-2		
Styrene	ND	ug/L	5.0	1		04/26/19 22:55	100-42-5		
Tetrachloroethene	ND	ug/L	5.0	1		04/26/19 22:55	127-18-4		
Toluene	ND	ug/L	5.0	1		04/26/19 22:55	108-88-3		
Trichloroethene	ND	ug/L	5.0	1		04/26/19 22:55	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		04/26/19 22:55	75-69-4		
Vinyl acetate	ND	ug/L	5.0	1		04/26/19 22:55	108-05-4		
Vinyl chloride	ND	ug/L	5.0	1		04/26/19 22:55	75-01-4		
Xylene (Total)	ND	ug/L	5.0	1		04/26/19 22:55	1330-20-7		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/26/19 22:55	156-59-2		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/26/19 22:55	10061-01-5		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/26/19 22:55	156-60-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/26/19 22:55	10061-02-6		
trans-1,4-Dichloro-2-butene	ND	ug/L	5.0	1		04/26/19 22:55	110-57-6		
Surrogates									
1,2-Dichloroethane-d4 (S)	116	%	68-153	1		04/26/19 22:55	17060-07-0		
4-Bromofluorobenzene (S)	111	%	79-124	1		04/26/19 22:55	460-00-4		
Toluene-d8 (S)	83	%	69-124	1		04/26/19 22:55	2037-26-5		
TIC MSV Water		Analytical Method: EPA 8260							
TIC Search	No TIC's Found			1		04/29/19 15:11			
2340C Hardness, Total		Analytical Method: SM22 2340C							
Tot Hardness asCaCO3 (SM 2340B	180	mg/L	5.0	1		05/03/19 22:02			
410.4 COD		Analytical Method: EPA 410.4 Preparation Method: EPA 410.4							
Chemical Oxygen Demand	12.4	mg/L	10.0	1	05/02/19 10:05	05/02/19 12:16			
351.2 Total Kjeldahl Nitrogen		Analytical Method: EPA 351.2 Preparation Method: EPA 351.2							
Nitrogen, Kjeldahl, Total	0.49	mg/L	0.10	1	05/08/19 07:00	05/08/19 12:38	7727-37-9		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: MW-9B	Lab ID: 7087153005	Collected: 04/24/19 10:15	Received: 04/25/19 10:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
353.2 Nitrogen, NO2/NO3 pres.	Analytical Method: EPA 353.2							
Nitrate-Nitrite (as N)	0.078	mg/L	0.050	1		04/26/19 00:25	7727-37-9	
Phenolics, Total Recoverable	Analytical Method: EPA 420.1 Preparation Method: EPA 420.1							
Phenolics, Total Recoverable	3.3J	ug/L	5.0	1	05/06/19 19:54	05/06/19 21:30		M1
4500 Ammonia Water	Analytical Method: SM22 4500 NH3 H							
Nitrogen, Ammonia	0.033J	mg/L	0.10	1		05/07/19 12:12	7664-41-7	B
9014 Cyanide, Total	Analytical Method: EPA 9014 Total Cyanide Preparation Method: EPA 9010C							
Cyanide	<10.0	ug/L	10.0	1	05/06/19 07:42	05/06/19 14:46	57-12-5	
9060A TOC as NPOC	Analytical Method: EPA 9060A							
Total Organic Carbon	2.7	mg/L	1.0	1		05/06/19 15:01	7440-44-0	
Total Organic Carbon	2.6	mg/L	1.0	1		05/06/19 15:01	7440-44-0	
Total Organic Carbon	2.5	mg/L	1.0	1		05/06/19 15:01	7440-44-0	
Total Organic Carbon	2.4	mg/L	1.0	1		05/06/19 15:01	7440-44-0	
Mean Total Organic Carbon	2.5	mg/L	1.0	1		05/06/19 15:01	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: MW-10B		Lab ID: 7087153006		Collected: 04/24/19 11:10		Received: 04/25/19 10:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
6010 MET ICP		Analytical Method: EPA 6010C Preparation Method: EPA 3005A							
Aluminum	<200	ug/L	200	1	04/30/19 09:22	05/01/19 03:05	7429-90-5		
Antimony	<60.0	ug/L	60.0	1	04/30/19 09:22	05/01/19 03:05	7440-36-0		
Arsenic	6.6J	ug/L	10.0	1	04/30/19 09:22	05/01/19 03:05	7440-38-2		
Barium	71.2J	ug/L	200	1	04/30/19 09:22	05/01/19 03:05	7440-39-3		
Beryllium	<5.0	ug/L	5.0	1	04/30/19 09:22	05/01/19 03:05	7440-41-7		
Boron	45.8J	ug/L	50.0	1	04/30/19 09:22	05/01/19 03:05	7440-42-8		
Cadmium	<2.5	ug/L	2.5	1	04/30/19 09:22	05/01/19 03:05	7440-43-9		
Calcium	88800	ug/L	200	1	04/30/19 09:22	05/01/19 03:05	7440-70-2	M1	
Chromium	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 03:05	7440-47-3		
Cobalt	4.8J	ug/L	50.0	1	04/30/19 09:22	05/01/19 03:05	7440-48-4		
Copper	<25.0	ug/L	25.0	1	04/30/19 09:22	05/01/19 03:05	7440-50-8		
Iron	1900	ug/L	20.0	1	04/30/19 09:22	05/01/19 03:05	7439-89-6		
Lead	<5.0	ug/L	5.0	1	04/30/19 09:22	05/01/19 03:05	7439-92-1		
Magnesium	28000	ug/L	200	1	04/30/19 09:22	05/01/19 03:05	7439-95-4		
Manganese	8690	ug/L	10.0	1	04/30/19 09:22	05/01/19 03:05	7439-96-5	M1	
Nickel	4.8J	ug/L	40.0	1	04/30/19 09:22	05/01/19 03:05	7440-02-0		
Potassium	<5000	ug/L	5000	1	04/30/19 09:22	05/01/19 03:05	7440-09-7		
Selenium	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 03:05	7782-49-2		
Silver	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 03:05	7440-22-4		
Sodium	8700	ug/L	5000	1	04/30/19 09:22	05/01/19 03:05	7440-23-5		
Thallium	8.6J	ug/L	10.0	1	04/30/19 09:22	05/01/19 03:05	7440-28-0		
Vanadium	<50.0	ug/L	50.0	1	04/30/19 09:22	05/01/19 03:05	7440-62-2		
Zinc	<20.0	ug/L	20.0	1	04/30/19 09:22	05/01/19 03:05	7440-66-6		
7470 Mercury		Analytical Method: EPA 7470A Preparation Method: EPA 7470A							
Mercury	<0.20	ug/L	0.20	1	04/30/19 10:57	05/02/19 15:46	7439-97-6		
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C							
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/26/19 20:40	630-20-6		
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/26/19 20:40	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/26/19 20:40	79-34-5		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/26/19 20:40	79-00-5		
1,1-Dichloroethane	14.2	ug/L	5.0	1		04/26/19 20:40	75-34-3		
1,1-Dichloroethene	ND	ug/L	5.0	1		04/26/19 20:40	75-35-4		
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/26/19 20:40	96-18-4		
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1		04/26/19 20:40	96-12-8		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/26/19 20:40	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/26/19 20:40	95-50-1		
1,2-Dichloroethane	ND	ug/L	5.0	1		04/26/19 20:40	107-06-2	M1	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/26/19 20:40	78-87-5		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/26/19 20:40	106-46-7		
2-Butanone (MEK)	ND	ug/L	5.0	1		04/26/19 20:40	78-93-3	IL	
2-Hexanone	ND	ug/L	5.0	1		04/26/19 20:40	591-78-6		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		04/26/19 20:40	108-10-1		
Acetone	ND	ug/L	5.0	1		04/26/19 20:40	67-64-1		
Acrylonitrile	ND	ug/L	5.0	1		04/26/19 20:40	107-13-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: MW-10B		Lab ID: 7087153006		Collected: 04/24/19 11:10		Received: 04/25/19 10:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C							
Benzene	ND	ug/L	5.0	1		04/26/19 20:40	71-43-2		
Bromochloromethane	ND	ug/L	5.0	1		04/26/19 20:40	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	1		04/26/19 20:40	75-27-4	M1	
Bromoform	ND	ug/L	5.0	1		04/26/19 20:40	75-25-2		
Bromomethane	ND	ug/L	5.0	1		04/26/19 20:40	74-83-9	CL,M1, R1	
Carbon disulfide	ND	ug/L	5.0	1		04/26/19 20:40	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		04/26/19 20:40	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		04/26/19 20:40	108-90-7	L2	
Chloroethane	ND	ug/L	5.0	1		04/26/19 20:40	75-00-3		
Chloroform	ND	ug/L	5.0	1		04/26/19 20:40	67-66-3	M1	
Chloromethane	ND	ug/L	5.0	1		04/26/19 20:40	74-87-3		
Dibromochloromethane	ND	ug/L	5.0	1		04/26/19 20:40	124-48-1		
Dibromomethane	ND	ug/L	5.0	1		04/26/19 20:40	74-95-3		
Ethylbenzene	ND	ug/L	5.0	1		04/26/19 20:40	100-41-4		
Iodomethane	ND	ug/L	5.0	1		04/26/19 20:40	74-88-4	CL,L2	
Methylene Chloride	ND	ug/L	5.0	1		04/26/19 20:40	75-09-2		
Styrene	ND	ug/L	5.0	1		04/26/19 20:40	100-42-5		
Tetrachloroethene	ND	ug/L	5.0	1		04/26/19 20:40	127-18-4		
Toluene	ND	ug/L	5.0	1		04/26/19 20:40	108-88-3		
Trichloroethene	ND	ug/L	5.0	1		04/26/19 20:40	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		04/26/19 20:40	75-69-4		
Vinyl acetate	ND	ug/L	5.0	1		04/26/19 20:40	108-05-4		
Vinyl chloride	12.9	ug/L	5.0	1		04/26/19 20:40	75-01-4		
Xylene (Total)	ND	ug/L	5.0	1		04/26/19 20:40	1330-20-7		
cis-1,2-Dichloroethene	54.9	ug/L	5.0	1		04/26/19 20:40	156-59-2		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/26/19 20:40	10061-01-5		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/26/19 20:40	156-60-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/26/19 20:40	10061-02-6	M1	
trans-1,4-Dichloro-2-butene	ND	ug/L	5.0	1		04/26/19 20:40	110-57-6	M1	
Surrogates									
1,2-Dichloroethane-d4 (S)	118	%	68-153	1		04/26/19 20:40	17060-07-0		
4-Bromofluorobenzene (S)	111	%	79-124	1		04/26/19 20:40	460-00-4		
Toluene-d8 (S)	83	%	69-124	1		04/26/19 20:40	2037-26-5		
Tentatively Identified Compounds									
Difluorochloromethane	9.6J	ug/L		1		04/26/19 20:40	75-45-6	N	
2120B W Apparent Color									
Analytical Method: SM22 2120B									
Apparent Color	<5.0	units	5.0	1		04/26/19 07:27			
pH	7.5	Std. Units	0.10	1		04/26/19 07:27			
2320B Alkalinity									
Analytical Method: SM22 2320B									
Alkalinity, Total as CaCO3	324	mg/L	1.0	1		05/07/19 18:25		M1	
2340C Hardness, Total									
Analytical Method: SM22 2340C									
Tot Hardness asCaCO3 (SM 2340B	280	mg/L	5.0	1		05/03/19 22:04			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: MW-10B		Lab ID: 7087153006		Collected: 04/24/19 11:10		Received: 04/25/19 10:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
2540C Total Dissolved Solids	Analytical Method: SM22 2540C								
Total Dissolved Solids	306	mg/L	20.0	1		04/30/19 16:18		D6	
Chromium, Hexavalent	Analytical Method: SM22 3500-Cr B								
Chromium, Hexavalent	<0.020	mg/L	0.020	1		04/25/19 11:59	18540-29-9	H1	
410.4 COD	Analytical Method: EPA 410.4 Preparation Method: EPA 410.4								
Chemical Oxygen Demand	16.8	mg/L	10.0	1	05/02/19 10:05	05/02/19 12:16			
5210B BOD, 5 day	Analytical Method: SM22 5210B Preparation Method: SM22 5210B								
BOD, 5 day	2.8	mg/L	2.0	1	04/25/19 17:06	04/30/19 11:32			
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0								
Bromide	0.27J	mg/L	0.50	1		05/07/19 02:38	24959-67-9		
Chloride	7.1	mg/L	2.0	1		05/07/19 02:38	16887-00-6		
Sulfate	5.2	mg/L	5.0	1		05/07/19 02:38	14808-79-8		
351.2 Total Kjeldahl Nitrogen	Analytical Method: EPA 351.2 Preparation Method: EPA 351.2								
Nitrogen, Kjeldahl, Total	1.1	mg/L	0.10	1	05/08/19 07:00	05/08/19 12:39	7727-37-9		
353.2 Nitrogen, NO2/NO3 pres.	Analytical Method: EPA 353.2								
Nitrate-Nitrite (as N)	<0.050	mg/L	0.050	1		04/26/19 00:26	7727-37-9		
353.2 Nitrogen, NO2	Analytical Method: EPA 353.2								
Nitrite as N	<0.050	mg/L	0.050	1		04/25/19 22:09	14797-65-0	M1	
Phenolics, Total Recoverable	Analytical Method: EPA 420.1 Preparation Method: EPA 420.1								
Phenolics, Total Recoverable	1.8J	ug/L	5.0	1	05/06/19 19:54	05/06/19 21:33		M1	
4500 Ammonia Water	Analytical Method: SM22 4500 NH3 H								
Nitrogen, Ammonia	0.90	mg/L	0.10	1		05/07/19 12:14	7664-41-7		
9014 Cyanide, Total	Analytical Method: EPA 9014 Total Cyanide Preparation Method: EPA 9010C								
Cyanide	<10.0	ug/L	10.0	1	05/06/19 07:42	05/06/19 14:48	57-12-5		
9060A TOC as NPOC	Analytical Method: EPA 9060A								
Total Organic Carbon	2.5	mg/L	1.0	1		05/06/19 15:14	7440-44-0		
Total Organic Carbon	2.5	mg/L	1.0	1		05/06/19 15:14	7440-44-0		
Total Organic Carbon	2.7	mg/L	1.0	1		05/06/19 15:14	7440-44-0		
Total Organic Carbon	2.5	mg/L	1.0	1		05/06/19 15:14	7440-44-0		
Mean Total Organic Carbon	2.6	mg/L	1.0	1		05/06/19 15:14	7440-44-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: MW-11B		Lab ID: 7087153007		Collected: 04/24/19 09:15		Received: 04/25/19 10:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
6010 MET ICP		Analytical Method: EPA 6010C Preparation Method: EPA 3005A							
Aluminum	181J	ug/L	200	1	04/30/19 09:22	05/01/19 03:32	7429-90-5		
Antimony	<60.0	ug/L	60.0	1	04/30/19 09:22	05/01/19 03:32	7440-36-0		
Arsenic	52.6	ug/L	10.0	1	04/30/19 09:22	05/01/19 03:32	7440-38-2		
Barium	557	ug/L	200	1	04/30/19 09:22	05/01/19 03:32	7440-39-3		
Beryllium	<5.0	ug/L	5.0	1	04/30/19 09:22	05/01/19 03:32	7440-41-7		
Boron	77.5	ug/L	50.0	1	04/30/19 09:22	05/01/19 03:32	7440-42-8		
Cadmium	<2.5	ug/L	2.5	1	04/30/19 09:22	05/01/19 03:32	7440-43-9		
Calcium	64000	ug/L	200	1	04/30/19 09:22	05/01/19 03:32	7440-70-2		
Chromium	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 03:32	7440-47-3		
Cobalt	33.4J	ug/L	50.0	1	04/30/19 09:22	05/01/19 03:32	7440-48-4		
Copper	<25.0	ug/L	25.0	1	04/30/19 09:22	05/01/19 03:32	7440-50-8		
Iron	36800	ug/L	20.0	1	04/30/19 09:22	05/01/19 03:32	7439-89-6		
Lead	4.3J	ug/L	5.0	1	04/30/19 09:22	05/01/19 03:32	7439-92-1		
Magnesium	23600	ug/L	200	1	04/30/19 09:22	05/01/19 03:32	7439-95-4		
Manganese	19600	ug/L	10.0	1	04/30/19 09:22	05/01/19 03:32	7439-96-5		
Nickel	17.0J	ug/L	40.0	1	04/30/19 09:22	05/01/19 03:32	7440-02-0		
Potassium	4560J	ug/L	5000	1	04/30/19 09:22	05/01/19 03:32	7440-09-7		
Selenium	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 03:32	7782-49-2		
Silver	2.6J	ug/L	10.0	1	04/30/19 09:22	05/01/19 03:32	7440-22-4		
Sodium	9310	ug/L	5000	1	04/30/19 09:22	05/01/19 03:32	7440-23-5		
Thallium	17.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 03:32	7440-28-0		
Vanadium	<50.0	ug/L	50.0	1	04/30/19 09:22	05/01/19 03:32	7440-62-2		
Zinc	2760	ug/L	20.0	1	04/30/19 09:22	05/01/19 03:32	7440-66-6		
7470 Mercury		Analytical Method: EPA 7470A Preparation Method: EPA 7470A							
Mercury	<0.20	ug/L	0.20	1	04/30/19 10:57	05/02/19 15:51	7439-97-6		
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C							
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/26/19 23:15	630-20-6		
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/26/19 23:15	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/26/19 23:15	79-34-5		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/26/19 23:15	79-00-5		
1,1-Dichloroethane	7.7	ug/L	5.0	1		04/26/19 23:15	75-34-3		
1,1-Dichloroethene	ND	ug/L	5.0	1		04/26/19 23:15	75-35-4		
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/26/19 23:15	96-18-4		
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1		04/26/19 23:15	96-12-8		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/26/19 23:15	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/26/19 23:15	95-50-1		
1,2-Dichloroethane	ND	ug/L	5.0	1		04/26/19 23:15	107-06-2	CH	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/26/19 23:15	78-87-5		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/26/19 23:15	106-46-7		
2-Butanone (MEK)	ND	ug/L	5.0	1		04/26/19 23:15	78-93-3	IL	
2-Hexanone	ND	ug/L	5.0	1		04/26/19 23:15	591-78-6		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		04/26/19 23:15	108-10-1		
Acetone	ND	ug/L	5.0	1		04/26/19 23:15	67-64-1		
Acrylonitrile	ND	ug/L	5.0	1		04/26/19 23:15	107-13-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: MW-11B		Lab ID: 7087153007		Collected: 04/24/19 09:15		Received: 04/25/19 10:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C							
Benzene	ND	ug/L	5.0	1		04/26/19 23:15	71-43-2		
Bromochloromethane	ND	ug/L	5.0	1		04/26/19 23:15	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	1		04/26/19 23:15	75-27-4		
Bromoform	ND	ug/L	5.0	1		04/26/19 23:15	75-25-2		
Bromomethane	ND	ug/L	5.0	1		04/26/19 23:15	74-83-9	CL	
Carbon disulfide	ND	ug/L	5.0	1		04/26/19 23:15	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		04/26/19 23:15	56-23-5		
Chlorobenzene	5.8	ug/L	5.0	1		04/26/19 23:15	108-90-7	L2	
Chloroethane	ND	ug/L	5.0	1		04/26/19 23:15	75-00-3		
Chloroform	ND	ug/L	5.0	1		04/26/19 23:15	67-66-3		
Chloromethane	ND	ug/L	5.0	1		04/26/19 23:15	74-87-3		
Dibromochloromethane	ND	ug/L	5.0	1		04/26/19 23:15	124-48-1		
Dibromomethane	ND	ug/L	5.0	1		04/26/19 23:15	74-95-3		
Ethylbenzene	ND	ug/L	5.0	1		04/26/19 23:15	100-41-4		
Iodomethane	ND	ug/L	5.0	1		04/26/19 23:15	74-88-4	CL,L2	
Methylene Chloride	ND	ug/L	5.0	1		04/26/19 23:15	75-09-2		
Styrene	ND	ug/L	5.0	1		04/26/19 23:15	100-42-5		
Tetrachloroethene	ND	ug/L	5.0	1		04/26/19 23:15	127-18-4		
Toluene	ND	ug/L	5.0	1		04/26/19 23:15	108-88-3		
Trichloroethene	ND	ug/L	5.0	1		04/26/19 23:15	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		04/26/19 23:15	75-69-4		
Vinyl acetate	ND	ug/L	5.0	1		04/26/19 23:15	108-05-4		
Vinyl chloride	8.2	ug/L	5.0	1		04/26/19 23:15	75-01-4		
Xylene (Total)	ND	ug/L	5.0	1		04/26/19 23:15	1330-20-7		
cis-1,2-Dichloroethene	14.7	ug/L	5.0	1		04/26/19 23:15	156-59-2		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/26/19 23:15	10061-01-5		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/26/19 23:15	156-60-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/26/19 23:15	10061-02-6		
trans-1,4-Dichloro-2-butene	ND	ug/L	5.0	1		04/26/19 23:15	110-57-6		
Surrogates									
1,2-Dichloroethane-d4 (S)	116	%	68-153	1		04/26/19 23:15	17060-07-0		
4-Bromofluorobenzene (S)	111	%	79-124	1		04/26/19 23:15	460-00-4		
Toluene-d8 (S)	82	%	69-124	1		04/26/19 23:15	2037-26-5		
Tentatively Identified Compounds									
Ethyl ether	9.2J	ug/L		1		04/26/19 23:15	60-29-7	N	
2120B W Apparent Color		Analytical Method: SM22 2120B							
Apparent Color	150	units	50.0	10		04/26/19 07:27			
pH	7.0	Std. Units	0.10	10		04/26/19 07:27			
2320B Alkalinity		Analytical Method: SM22 2320B							
Alkalinity, Total as CaCO3	324	mg/L	1.0	1		05/07/19 19:23			
2340C Hardness, Total		Analytical Method: SM22 2340C							
Tot Hardness asCaCO3 (SM 2340B	250	mg/L	5.0	1		05/03/19 22:17			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: MW-11B		Lab ID: 7087153007		Collected: 04/24/19 09:15		Received: 04/25/19 10:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
2540C Total Dissolved Solids		Analytical Method: SM22 2540C							
Total Dissolved Solids	354	mg/L	20.0	1		04/30/19 16:18			
Chromium, Hexavalent		Analytical Method: SM22 3500-Cr B							
Chromium, Hexavalent	<0.020	mg/L	0.020	1		04/25/19 11:59	18540-29-9	H3	
410.4 COD		Analytical Method: EPA 410.4 Preparation Method: EPA 410.4							
Chemical Oxygen Demand	38.9	mg/L	10.0	1	05/02/19 10:05	05/02/19 12:17			
5210B BOD, 5 day		Analytical Method: SM22 5210B Preparation Method: SM22 5210B							
BOD, 5 day	3.7	mg/L	2.0	1	04/25/19 17:06	04/30/19 11:37			
300.0 IC Anions 28 Days		Analytical Method: EPA 300.0							
Bromide	0.44J	mg/L	0.50	1		05/07/19 03:28	24959-67-9		
Chloride	12.8	mg/L	2.0	1		05/07/19 03:28	16887-00-6		
Sulfate	<5.0	mg/L	5.0	1		05/07/19 03:28	14808-79-8		
351.2 Total Kjeldahl Nitrogen		Analytical Method: EPA 351.2 Preparation Method: EPA 351.2							
Nitrogen, Kjeldahl, Total	5.3	mg/L	0.50	5	05/08/19 07:00	05/08/19 12:43	7727-37-9		
353.2 Nitrogen, NO2/NO3 pres.		Analytical Method: EPA 353.2							
Nitrate-Nitrite (as N)	<0.050	mg/L	0.050	1		04/26/19 00:30	7727-37-9		
353.2 Nitrogen, NO2		Analytical Method: EPA 353.2							
Nitrite as N	<0.050	mg/L	0.050	1		04/25/19 22:12	14797-65-0		
Phenolics, Total Recoverable		Analytical Method: EPA 420.1 Preparation Method: EPA 420.1							
Phenolics, Total Recoverable	10.5	ug/L	5.0	1	05/06/19 19:54	05/06/19 20:45			
4500 Ammonia Water		Analytical Method: SM22 4500 NH3 H							
Nitrogen, Ammonia	4.4	mg/L	0.10	1		05/07/19 12:17	7664-41-7		
9014 Cyanide, Total		Analytical Method: EPA 9014 Total Cyanide Preparation Method: EPA 9010C							
Cyanide	2.0J	ug/L	10.0	1	05/07/19 07:48	05/07/19 13:38	57-12-5		
9060A TOC as NPOC		Analytical Method: EPA 9060A							
Total Organic Carbon	8.9	mg/L	1.0	1		05/06/19 16:05	7440-44-0		
Total Organic Carbon	8.7	mg/L	1.0	1		05/06/19 16:05	7440-44-0		
Total Organic Carbon	8.7	mg/L	1.0	1		05/06/19 16:05	7440-44-0		
Total Organic Carbon	8.5	mg/L	1.0	1		05/06/19 16:05	7440-44-0		
Mean Total Organic Carbon	8.7	mg/L	1.0	1		05/06/19 16:05	7440-44-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: MW-12A		Lab ID: 7087153008	Collected: 04/24/19 09:50	Received: 04/25/19 10:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP		Analytical Method: EPA 6010C Preparation Method: EPA 3005A						
Aluminum	<200	ug/L	200	1	04/30/19 09:22	05/01/19 03:38	7429-90-5	
Antimony	<60.0	ug/L	60.0	1	04/30/19 09:22	05/01/19 03:38	7440-36-0	
Arsenic	26.3	ug/L	10.0	1	04/30/19 09:22	05/01/19 03:38	7440-38-2	
Barium	1640	ug/L	200	1	04/30/19 09:22	05/01/19 03:38	7440-39-3	
Beryllium	<5.0	ug/L	5.0	1	04/30/19 09:22	05/01/19 03:38	7440-41-7	
Boron	79.2	ug/L	50.0	1	04/30/19 09:22	05/01/19 03:38	7440-42-8	
Cadmium	<2.5	ug/L	2.5	1	04/30/19 09:22	05/01/19 03:38	7440-43-9	
Calcium	96100	ug/L	200	1	04/30/19 09:22	05/01/19 03:38	7440-70-2	
Chromium	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 03:38	7440-47-3	
Cobalt	7.9J	ug/L	50.0	1	04/30/19 09:22	05/01/19 03:38	7440-48-4	
Copper	<25.0	ug/L	25.0	1	04/30/19 09:22	05/01/19 03:38	7440-50-8	
Iron	35100	ug/L	20.0	1	04/30/19 09:22	05/01/19 03:38	7439-89-6	
Lead	3.0J	ug/L	5.0	1	04/30/19 09:22	05/01/19 03:38	7439-92-1	
Magnesium	14100	ug/L	200	1	04/30/19 09:22	05/01/19 03:38	7439-95-4	
Manganese	14500	ug/L	10.0	1	04/30/19 09:22	05/01/19 03:38	7439-96-5	
Nickel	4.0J	ug/L	40.0	1	04/30/19 09:22	05/01/19 03:38	7440-02-0	
Potassium	4390J	ug/L	5000	1	04/30/19 09:22	05/01/19 03:38	7440-09-7	
Selenium	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 03:38	7782-49-2	
Silver	2.1J	ug/L	10.0	1	04/30/19 09:22	05/01/19 03:38	7440-22-4	
Sodium	6560	ug/L	5000	1	04/30/19 09:22	05/01/19 03:38	7440-23-5	
Thallium	11.4	ug/L	10.0	1	04/30/19 09:22	05/01/19 03:38	7440-28-0	
Vanadium	<50.0	ug/L	50.0	1	04/30/19 09:22	05/01/19 03:38	7440-62-2	
Zinc	<20.0	ug/L	20.0	1	04/30/19 09:22	05/01/19 03:38	7440-66-6	
7470 Mercury		Analytical Method: EPA 7470A Preparation Method: EPA 7470A						
Mercury	<0.20	ug/L	0.20	1	04/30/19 10:57	05/02/19 15:53	7439-97-6	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C						
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/26/19 23:34	630-20-6	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/26/19 23:34	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/26/19 23:34	79-34-5	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/26/19 23:34	79-00-5	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/26/19 23:34	75-34-3	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/26/19 23:34	75-35-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/26/19 23:34	96-18-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1		04/26/19 23:34	96-12-8	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/26/19 23:34	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/26/19 23:34	95-50-1	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/26/19 23:34	107-06-2	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/26/19 23:34	78-87-5	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/26/19 23:34	106-46-7	
2-Butanone (MEK)	ND	ug/L	5.0	1		04/26/19 23:34	78-93-3	IL
2-Hexanone	ND	ug/L	5.0	1		04/26/19 23:34	591-78-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		04/26/19 23:34	108-10-1	
Acetone	ND	ug/L	5.0	1		04/26/19 23:34	67-64-1	CH
Acrylonitrile	ND	ug/L	5.0	1		04/26/19 23:34	107-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: MW-12A		Lab ID: 7087153008		Collected: 04/24/19 09:50		Received: 04/25/19 10:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C							
Benzene	ND	ug/L	5.0	1		04/26/19 23:34	71-43-2		
Bromochloromethane	ND	ug/L	5.0	1		04/26/19 23:34	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	1		04/26/19 23:34	75-27-4		
Bromoform	ND	ug/L	5.0	1		04/26/19 23:34	75-25-2		
Bromomethane	ND	ug/L	5.0	1		04/26/19 23:34	74-83-9	CL	
Carbon disulfide	ND	ug/L	5.0	1		04/26/19 23:34	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		04/26/19 23:34	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		04/26/19 23:34	108-90-7	L2	
Chloroethane	ND	ug/L	5.0	1		04/26/19 23:34	75-00-3		
Chloroform	ND	ug/L	5.0	1		04/26/19 23:34	67-66-3		
Chloromethane	ND	ug/L	5.0	1		04/26/19 23:34	74-87-3		
Dibromochloromethane	ND	ug/L	5.0	1		04/26/19 23:34	124-48-1		
Dibromomethane	ND	ug/L	5.0	1		04/26/19 23:34	74-95-3		
Ethylbenzene	ND	ug/L	5.0	1		04/26/19 23:34	100-41-4		
Iodomethane	ND	ug/L	5.0	1		04/26/19 23:34	74-88-4	CL,L2	
Methylene Chloride	ND	ug/L	5.0	1		04/26/19 23:34	75-09-2		
Styrene	ND	ug/L	5.0	1		04/26/19 23:34	100-42-5		
Tetrachloroethene	ND	ug/L	5.0	1		04/26/19 23:34	127-18-4		
Toluene	ND	ug/L	5.0	1		04/26/19 23:34	108-88-3		
Trichloroethene	ND	ug/L	5.0	1		04/26/19 23:34	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		04/26/19 23:34	75-69-4		
Vinyl acetate	ND	ug/L	5.0	1		04/26/19 23:34	108-05-4		
Vinyl chloride	ND	ug/L	5.0	1		04/26/19 23:34	75-01-4		
Xylene (Total)	ND	ug/L	5.0	1		04/26/19 23:34	1330-20-7		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/26/19 23:34	156-59-2		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/26/19 23:34	10061-01-5		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/26/19 23:34	156-60-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/26/19 23:34	10061-02-6		
trans-1,4-Dichloro-2-butene	ND	ug/L	5.0	1		04/26/19 23:34	110-57-6		
Surrogates									
1,2-Dichloroethane-d4 (S)	116	%	68-153	1		04/26/19 23:34	17060-07-0		
4-Bromofluorobenzene (S)	112	%	79-124	1		04/26/19 23:34	460-00-4		
Toluene-d8 (S)	81	%	69-124	1		04/26/19 23:34	2037-26-5		
Tentatively Identified Compounds									
Fluorodichloromethane	12.1J	ug/L		1		04/26/19 23:34	75-43-4	N	
2120B W Apparent Color									
Analytical Method: SM22 2120B									
Apparent Color	200	units	50.0	10		04/26/19 07:27			
pH	7.0	Std. Units	0.10	10		04/26/19 07:27			
2320B Alkalinity									
Analytical Method: SM22 2320B									
Alkalinity, Total as CaCO3	339	mg/L	1.0	1		05/07/19 19:39			
2340C Hardness, Total									
Analytical Method: SM22 2340C									
Tot Hardness asCaCO3 (SM 2340B	300	mg/L	5.0	1		05/03/19 22:26			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: MW-12A	Lab ID: 7087153008	Collected: 04/24/19 09:50	Received: 04/25/19 10:30	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
2540C Total Dissolved Solids	Analytical Method: SM22 2540C							
Total Dissolved Solids	340	mg/L	20.0	1		04/30/19 16:18		
Chromium, Hexavalent	Analytical Method: SM22 3500-Cr B							
Chromium, Hexavalent	<0.020	mg/L	0.020	1		04/25/19 11:59	18540-29-9	H3
410.4 COD	Analytical Method: EPA 410.4 Preparation Method: EPA 410.4							
Chemical Oxygen Demand	49.9	mg/L	10.0	1	05/02/19 10:05	05/02/19 12:17		
5210B BOD, 5 day	Analytical Method: SM22 5210B Preparation Method: SM22 5210B							
BOD, 5 day	4.5	mg/L	2.0	1	04/25/19 17:06	04/30/19 11:39		
300.0 IC Anions 28 Days	Analytical Method: EPA 300.0							
Bromide	0.20J	mg/L	0.50	1		05/07/19 04:18	24959-67-9	
Chloride	4.6	mg/L	2.0	1		05/07/19 04:18	16887-00-6	
Sulfate	<5.0	mg/L	5.0	1		05/07/19 04:18	14808-79-8	
351.2 Total Kjeldahl Nitrogen	Analytical Method: EPA 351.2 Preparation Method: EPA 351.2							
Nitrogen, Kjeldahl, Total	6.5	mg/L	0.50	5	05/08/19 07:00	05/08/19 13:15	7727-37-9	
353.2 Nitrogen, NO2/NO3 pres.	Analytical Method: EPA 353.2							
Nitrate-Nitrite (as N)	<0.050	mg/L	0.050	1		04/26/19 00:31	7727-37-9	
353.2 Nitrogen, NO2	Analytical Method: EPA 353.2							
Nitrite as N	<0.050	mg/L	0.050	1		04/25/19 22:14	14797-65-0	
Phenolics, Total Recoverable	Analytical Method: EPA 420.1 Preparation Method: EPA 420.1							
Phenolics, Total Recoverable	13.6	ug/L	5.0	1	05/06/19 19:54	05/06/19 21:03		
4500 Ammonia Water	Analytical Method: SM22 4500 NH3 H							
Nitrogen, Ammonia	6.0	mg/L	1.0	10		05/07/19 13:36	7664-41-7	
9014 Cyanide, Total	Analytical Method: EPA 9014 Total Cyanide Preparation Method: EPA 9010C							
Cyanide	<10.0	ug/L	10.0	1	05/07/19 07:48	05/07/19 13:40	57-12-5	
9060A TOC as NPOC	Analytical Method: EPA 9060A							
Total Organic Carbon	9.8	mg/L	1.0	1		05/06/19 16:19	7440-44-0	
Total Organic Carbon	9.8	mg/L	1.0	1		05/06/19 16:19	7440-44-0	
Total Organic Carbon	9.6	mg/L	1.0	1		05/06/19 16:19	7440-44-0	
Total Organic Carbon	9.5	mg/L	1.0	1		05/06/19 16:19	7440-44-0	
Mean Total Organic Carbon	9.7	mg/L	1.0	1		05/06/19 16:19	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: MW-12B		Lab ID: 7087153009	Collected: 04/24/19 09:40	Received: 04/25/19 10:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP		Analytical Method: EPA 6010C Preparation Method: EPA 3005A						
Aluminum	<200	ug/L	200	1	04/30/19 09:22	05/01/19 14:32	7429-90-5	
Antimony	<60.0	ug/L	60.0	1	04/30/19 09:22	05/01/19 14:32	7440-36-0	
Arsenic	16.4	ug/L	10.0	1	04/30/19 09:22	05/01/19 14:32	7440-38-2	
Barium	293	ug/L	200	1	04/30/19 09:22	05/01/19 14:32	7440-39-3	
Beryllium	<5.0	ug/L	5.0	1	04/30/19 09:22	05/01/19 14:32	7440-41-7	
Boron	91.9	ug/L	50.0	1	04/30/19 09:22	05/01/19 14:32	7440-42-8	
Cadmium	<2.5	ug/L	2.5	1	04/30/19 09:22	05/01/19 14:32	7440-43-9	
Calcium	124000	ug/L	200	1	04/30/19 09:22	05/01/19 14:32	7440-70-2	
Chromium	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 14:32	7440-47-3	
Cobalt	9.1J	ug/L	50.0	1	04/30/19 09:22	05/01/19 14:32	7440-48-4	
Copper	<25.0	ug/L	25.0	1	04/30/19 09:22	05/01/19 14:32	7440-50-8	
Iron	13800	ug/L	20.0	1	04/30/19 09:22	05/01/19 14:32	7439-89-6	
Lead	<5.0	ug/L	5.0	1	04/30/19 09:22	05/01/19 14:32	7439-92-1	
Magnesium	23600	ug/L	200	1	04/30/19 09:22	05/01/19 14:32	7439-95-4	
Manganese	10200	ug/L	10.0	1	04/30/19 09:22	05/01/19 14:32	7439-96-5	
Nickel	17.6J	ug/L	40.0	1	04/30/19 09:22	05/01/19 14:32	7440-02-0	
Potassium	4460J	ug/L	5000	1	04/30/19 09:22	05/01/19 14:32	7440-09-7	
Selenium	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 14:32	7782-49-2	
Silver	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 14:32	7440-22-4	
Sodium	12600	ug/L	5000	1	04/30/19 09:22	05/01/19 14:32	7440-23-5	
Thallium	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 14:32	7440-28-0	
Vanadium	<50.0	ug/L	50.0	1	04/30/19 09:22	05/01/19 14:32	7440-62-2	
Zinc	5.4J	ug/L	20.0	1	04/30/19 09:22	05/01/19 14:32	7440-66-6	
7470 Mercury		Analytical Method: EPA 7470A Preparation Method: EPA 7470A						
Mercury	<0.20	ug/L	0.20	1	04/30/19 10:57	05/02/19 15:55	7439-97-6	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C						
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/26/19 23:53	630-20-6	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/26/19 23:53	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/26/19 23:53	79-34-5	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/26/19 23:53	79-00-5	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/26/19 23:53	75-34-3	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/26/19 23:53	75-35-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/26/19 23:53	96-18-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1		04/26/19 23:53	96-12-8	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/26/19 23:53	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/26/19 23:53	95-50-1	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/26/19 23:53	107-06-2	CH
1,2-Dichloropropane	ND	ug/L	5.0	1		04/26/19 23:53	78-87-5	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/26/19 23:53	106-46-7	
2-Butanone (MEK)	ND	ug/L	5.0	1		04/26/19 23:53	78-93-3	IL
2-Hexanone	ND	ug/L	5.0	1		04/26/19 23:53	591-78-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		04/26/19 23:53	108-10-1	
Acetone	ND	ug/L	5.0	1		04/26/19 23:53	67-64-1	
Acrylonitrile	ND	ug/L	5.0	1		04/26/19 23:53	107-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: MW-12B		Lab ID: 7087153009		Collected: 04/24/19 09:40		Received: 04/25/19 10:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C							
Benzene	6.0	ug/L	5.0	1		04/26/19 23:53	71-43-2		
Bromochloromethane	ND	ug/L	5.0	1		04/26/19 23:53	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	1		04/26/19 23:53	75-27-4		
Bromoform	ND	ug/L	5.0	1		04/26/19 23:53	75-25-2		
Bromomethane	ND	ug/L	5.0	1		04/26/19 23:53	74-83-9	CL	
Carbon disulfide	ND	ug/L	5.0	1		04/26/19 23:53	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		04/26/19 23:53	56-23-5		
Chlorobenzene	5.8	ug/L	5.0	1		04/26/19 23:53	108-90-7	L2	
Chloroethane	ND	ug/L	5.0	1		04/26/19 23:53	75-00-3		
Chloroform	ND	ug/L	5.0	1		04/26/19 23:53	67-66-3		
Chloromethane	ND	ug/L	5.0	1		04/26/19 23:53	74-87-3		
Dibromochloromethane	ND	ug/L	5.0	1		04/26/19 23:53	124-48-1		
Dibromomethane	ND	ug/L	5.0	1		04/26/19 23:53	74-95-3		
Ethylbenzene	ND	ug/L	5.0	1		04/26/19 23:53	100-41-4		
Iodomethane	ND	ug/L	5.0	1		04/26/19 23:53	74-88-4	CL,L2	
Methylene Chloride	ND	ug/L	5.0	1		04/26/19 23:53	75-09-2		
Styrene	ND	ug/L	5.0	1		04/26/19 23:53	100-42-5		
Tetrachloroethene	ND	ug/L	5.0	1		04/26/19 23:53	127-18-4		
Toluene	ND	ug/L	5.0	1		04/26/19 23:53	108-88-3		
Trichloroethene	ND	ug/L	5.0	1		04/26/19 23:53	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		04/26/19 23:53	75-69-4		
Vinyl acetate	ND	ug/L	5.0	1		04/26/19 23:53	108-05-4		
Vinyl chloride	ND	ug/L	5.0	1		04/26/19 23:53	75-01-4		
Xylene (Total)	ND	ug/L	5.0	1		04/26/19 23:53	1330-20-7		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/26/19 23:53	156-59-2		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/26/19 23:53	10061-01-5		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/26/19 23:53	156-60-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/26/19 23:53	10061-02-6		
trans-1,4-Dichloro-2-butene	ND	ug/L	5.0	1		04/26/19 23:53	110-57-6		
Surrogates									
1,2-Dichloroethane-d4 (S)	116	%	68-153	1		04/26/19 23:53	17060-07-0		
4-Bromofluorobenzene (S)	113	%	79-124	1		04/26/19 23:53	460-00-4		
Toluene-d8 (S)	82	%	69-124	1		04/26/19 23:53	2037-26-5		
Tentatively Identified Compounds									
Difluorochloromethane	16.4J	ug/L		1		04/26/19 23:53	75-45-6	N	
Fluorodichloromethane	0.0J	ug/L		1		04/26/19 23:53	75-43-4	N	
2120B W Apparent Color		Analytical Method: SM22 2120B							
Apparent Color	100	units	50.0	10		04/26/19 07:27			
pH	7.5	Std. Units	0.10	10		04/26/19 07:27			
2320B Alkalinity		Analytical Method: SM22 2320B							
Alkalinity, Total as CaCO3	478	mg/L	1.0	1		05/07/19 19:59			
2340C Hardness, Total		Analytical Method: SM22 2340C							
Tot Hardness asCaCO3 (SM 2340B	400	mg/L	5.0	1		05/03/19 22:28			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: MW-12B		Lab ID: 7087153009	Collected: 04/24/19 09:40	Received: 04/25/19 10:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
2540C Total Dissolved Solids		Analytical Method: SM22 2540C						
Total Dissolved Solids	602	mg/L	20.0	1		04/30/19 16:18		
Chromium, Hexavalent		Analytical Method: SM22 3500-Cr B						
Chromium, Hexavalent	<0.020	mg/L	0.020	1		04/25/19 12:00	18540-29-9	H3
410.4 COD		Analytical Method: EPA 410.4 Preparation Method: EPA 410.4						
Chemical Oxygen Demand	34.5	mg/L	10.0	1	05/02/19 10:05	05/02/19 12:17		
5210B BOD, 5 day		Analytical Method: SM22 5210B Preparation Method: SM22 5210B						
BOD, 5 day	3.9	mg/L	2.0	1	04/25/19 17:06	04/30/19 11:41		
300.0 IC Anions 28 Days		Analytical Method: EPA 300.0						
Bromide	0.39J	mg/L	0.50	1		05/07/19 04:35	24959-67-9	
Chloride	8.0	mg/L	2.0	1		05/07/19 04:35	16887-00-6	
Sulfate	<5.0	mg/L	5.0	1		05/07/19 04:35	14808-79-8	
351.2 Total Kjeldahl Nitrogen		Analytical Method: EPA 351.2 Preparation Method: EPA 351.2						
Nitrogen, Kjeldahl, Total	5.4	mg/L	0.50	5	05/08/19 07:00	05/08/19 12:45	7727-37-9	
353.2 Nitrogen, NO2/NO3 pres.		Analytical Method: EPA 353.2						
Nitrate-Nitrite (as N)	<0.050	mg/L	0.050	1		04/26/19 00:32	7727-37-9	
353.2 Nitrogen, NO2		Analytical Method: EPA 353.2						
Nitrite as N	<0.050	mg/L	0.050	1		04/25/19 22:17	14797-65-0	
Phenolics, Total Recoverable		Analytical Method: EPA 420.1 Preparation Method: EPA 420.1						
Phenolics, Total Recoverable	35.1	ug/L	5.0	1	05/06/19 19:54	05/06/19 21:04		
4500 Ammonia Water		Analytical Method: SM22 4500 NH3 H						
Nitrogen, Ammonia	4.9	mg/L	0.10	1		05/07/19 12:20	7664-41-7	
9014 Cyanide, Total		Analytical Method: EPA 9014 Total Cyanide Preparation Method: EPA 9010C						
Cyanide	<10.0	ug/L	10.0	1	05/07/19 07:48	05/07/19 13:41	57-12-5	
9060A TOC as NPOC		Analytical Method: EPA 9060A						
Total Organic Carbon	9.3	mg/L	1.0	1		05/06/19 16:58	7440-44-0	
Total Organic Carbon	8.8	mg/L	1.0	1		05/06/19 16:58	7440-44-0	
Total Organic Carbon	8.8	mg/L	1.0	1		05/06/19 16:58	7440-44-0	
Total Organic Carbon	8.6	mg/L	1.0	1		05/06/19 16:58	7440-44-0	
Mean Total Organic Carbon	8.9	mg/L	1.0	1		05/06/19 16:58	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: MW-13		Lab ID: 7087153010		Collected: 04/24/19 11:40		Received: 04/25/19 10:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
6010 MET ICP		Analytical Method: EPA 6010C Preparation Method: EPA 3005A							
Aluminum	67.9J	ug/L	200	1	04/30/19 09:22	05/01/19 14:35	7429-90-5		
Antimony	<60.0	ug/L	60.0	1	04/30/19 09:22	05/01/19 14:35	7440-36-0		
Arsenic	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 14:35	7440-38-2		
Barium	23.9J	ug/L	200	1	04/30/19 09:22	05/01/19 14:35	7440-39-3		
Beryllium	<5.0	ug/L	5.0	1	04/30/19 09:22	05/01/19 14:35	7440-41-7		
Boron	38.5J	ug/L	50.0	1	04/30/19 09:22	05/01/19 14:35	7440-42-8		
Cadmium	<2.5	ug/L	2.5	1	04/30/19 09:22	05/01/19 14:35	7440-43-9		
Calcium	38900	ug/L	200	1	04/30/19 09:22	05/01/19 14:35	7440-70-2		
Chromium	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 14:35	7440-47-3		
Cobalt	<50.0	ug/L	50.0	1	04/30/19 09:22	05/01/19 14:35	7440-48-4		
Copper	<25.0	ug/L	25.0	1	04/30/19 09:22	05/01/19 14:35	7440-50-8		
Iron	617	ug/L	20.0	1	04/30/19 09:22	05/01/19 14:35	7439-89-6		
Lead	<5.0	ug/L	5.0	1	04/30/19 09:22	05/01/19 14:35	7439-92-1		
Magnesium	11400	ug/L	200	1	04/30/19 09:22	05/01/19 14:35	7439-95-4		
Manganese	1290	ug/L	10.0	1	04/30/19 09:22	05/01/19 14:35	7439-96-5		
Nickel	11.2J	ug/L	40.0	1	04/30/19 09:22	05/01/19 14:35	7440-02-0		
Potassium	<5000	ug/L	5000	1	04/30/19 09:22	05/01/19 14:35	7440-09-7		
Selenium	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 14:35	7782-49-2		
Silver	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 14:35	7440-22-4		
Sodium	8650	ug/L	5000	1	04/30/19 09:22	05/01/19 14:35	7440-23-5		
Thallium	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 14:35	7440-28-0		
Vanadium	<50.0	ug/L	50.0	1	04/30/19 09:22	05/01/19 14:35	7440-62-2		
Zinc	26.7	ug/L	20.0	1	04/30/19 09:22	05/01/19 14:35	7440-66-6		
7470 Mercury		Analytical Method: EPA 7470A Preparation Method: EPA 7470A							
Mercury	<0.20	ug/L	0.20	1	04/30/19 10:57	05/02/19 15:56	7439-97-6		
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C							
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/27/19 00:12	630-20-6		
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/27/19 00:12	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/27/19 00:12	79-34-5		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/27/19 00:12	79-00-5		
1,1-Dichloroethane	ND	ug/L	5.0	1		04/27/19 00:12	75-34-3		
1,1-Dichloroethene	ND	ug/L	5.0	1		04/27/19 00:12	75-35-4		
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/27/19 00:12	96-18-4		
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1		04/27/19 00:12	96-12-8		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/27/19 00:12	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/27/19 00:12	95-50-1		
1,2-Dichloroethane	ND	ug/L	5.0	1		04/27/19 00:12	107-06-2		
1,2-Dichloropropane	ND	ug/L	5.0	1		04/27/19 00:12	78-87-5		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/27/19 00:12	106-46-7		
2-Butanone (MEK)	ND	ug/L	5.0	1		04/27/19 00:12	78-93-3	IL	
2-Hexanone	ND	ug/L	5.0	1		04/27/19 00:12	591-78-6		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		04/27/19 00:12	108-10-1		
Acetone	ND	ug/L	5.0	1		04/27/19 00:12	67-64-1		
Acrylonitrile	ND	ug/L	5.0	1		04/27/19 00:12	107-13-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: MW-13		Lab ID: 7087153010		Collected: 04/24/19 11:40		Received: 04/25/19 10:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C							
Benzene	ND	ug/L	5.0	1		04/27/19 00:12	71-43-2		
Bromochloromethane	ND	ug/L	5.0	1		04/27/19 00:12	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	1		04/27/19 00:12	75-27-4		
Bromoform	ND	ug/L	5.0	1		04/27/19 00:12	75-25-2		
Bromomethane	ND	ug/L	5.0	1		04/27/19 00:12	74-83-9	CL	
Carbon disulfide	ND	ug/L	5.0	1		04/27/19 00:12	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		04/27/19 00:12	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		04/27/19 00:12	108-90-7	L2	
Chloroethane	ND	ug/L	5.0	1		04/27/19 00:12	75-00-3		
Chloroform	ND	ug/L	5.0	1		04/27/19 00:12	67-66-3		
Chloromethane	ND	ug/L	5.0	1		04/27/19 00:12	74-87-3		
Dibromochloromethane	ND	ug/L	5.0	1		04/27/19 00:12	124-48-1		
Dibromomethane	ND	ug/L	5.0	1		04/27/19 00:12	74-95-3		
Ethylbenzene	ND	ug/L	5.0	1		04/27/19 00:12	100-41-4		
Iodomethane	ND	ug/L	5.0	1		04/27/19 00:12	74-88-4	CL,L2	
Methylene Chloride	ND	ug/L	5.0	1		04/27/19 00:12	75-09-2		
Styrene	ND	ug/L	5.0	1		04/27/19 00:12	100-42-5		
Tetrachloroethene	ND	ug/L	5.0	1		04/27/19 00:12	127-18-4		
Toluene	ND	ug/L	5.0	1		04/27/19 00:12	108-88-3		
Trichloroethene	ND	ug/L	5.0	1		04/27/19 00:12	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		04/27/19 00:12	75-69-4		
Vinyl acetate	ND	ug/L	5.0	1		04/27/19 00:12	108-05-4		
Vinyl chloride	ND	ug/L	5.0	1		04/27/19 00:12	75-01-4		
Xylene (Total)	ND	ug/L	5.0	1		04/27/19 00:12	1330-20-7		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/27/19 00:12	156-59-2		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/27/19 00:12	10061-01-5		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/27/19 00:12	156-60-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/27/19 00:12	10061-02-6		
trans-1,4-Dichloro-2-butene	ND	ug/L	5.0	1		04/27/19 00:12	110-57-6		
Surrogates									
1,2-Dichloroethane-d4 (S)	116	%	68-153	1		04/27/19 00:12	17060-07-0		
4-Bromofluorobenzene (S)	107	%	79-124	1		04/27/19 00:12	460-00-4		
Toluene-d8 (S)	82	%	69-124	1		04/27/19 00:12	2037-26-5		
TIC MSV Water		Analytical Method: EPA 8260							
TIC Search	No TIC's Found			1		04/29/19 15:15			
2120B W Apparent Color		Analytical Method: SM22 2120B							
Apparent Color	5.0	units	5.0	1		04/26/19 07:27			
pH	7.0	Std. Units	0.10	1		04/26/19 07:27			
2320B Alkalinity		Analytical Method: SM22 2320B							
Alkalinity, Total as CaCO3	162	mg/L	1.0	1		05/07/19 20:09			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: MW-13		Lab ID: 7087153010		Collected: 04/24/19 11:40		Received: 04/25/19 10:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
2340C Hardness, Total		Analytical Method: SM22 2340C							
Tot Hardness asCaCO3 (SM 2340B	140	mg/L	5.0	1		05/03/19 22:30			
2540C Total Dissolved Solids		Analytical Method: SM22 2540C							
Total Dissolved Solids	222	mg/L	20.0	1		04/30/19 16:18			
Chromium, Hexavalent		Analytical Method: SM22 3500-Cr B							
Chromium, Hexavalent	<0.020	mg/L	0.020	1		04/25/19 12:00	18540-29-9	H1	
410.4 COD		Analytical Method: EPA 410.4 Preparation Method: EPA 410.4							
Chemical Oxygen Demand	<10.0	mg/L	10.0	1	05/02/19 10:05	05/02/19 12:18			
5210B BOD, 5 day		Analytical Method: SM22 5210B Preparation Method: SM22 5210B							
BOD, 5 day	1.0J	mg/L	2.0	1	04/25/19 17:06	04/30/19 11:44			
300.0 IC Anions 28 Days		Analytical Method: EPA 300.0							
Bromide	0.26J	mg/L	0.50	1		05/07/19 04:52	24959-67-9		
Chloride	4.3	mg/L	2.0	1		05/07/19 04:52	16887-00-6		
Sulfate	3.4J	mg/L	5.0	1		05/07/19 04:52	14808-79-8		
351.2 Total Kjeldahl Nitrogen		Analytical Method: EPA 351.2 Preparation Method: EPA 351.2							
Nitrogen, Kjeldahl, Total	0.40	mg/L	0.10	1	05/08/19 07:00	05/08/19 12:46	7727-37-9		
353.2 Nitrogen, NO2/NO3 pres.		Analytical Method: EPA 353.2							
Nitrate-Nitrite (as N)	<0.050	mg/L	0.050	1		04/26/19 00:34	7727-37-9		
353.2 Nitrogen, NO2		Analytical Method: EPA 353.2							
Nitrite as N	<0.050	mg/L	0.050	1		04/25/19 22:18	14797-65-0		
Phenolics, Total Recoverable		Analytical Method: EPA 420.1 Preparation Method: EPA 420.1							
Phenolics, Total Recoverable	<5.0	ug/L	5.0	1	05/06/19 19:54	05/06/19 21:04			
4500 Ammonia Water		Analytical Method: SM22 4500 NH3 H							
Nitrogen, Ammonia	0.18	mg/L	0.10	1		05/07/19 12:21	7664-41-7	B	
9014 Cyanide, Total		Analytical Method: EPA 9014 Total Cyanide Preparation Method: EPA 9010C							
Cyanide	<10.0	ug/L	10.0	1	05/07/19 07:48	05/07/19 13:41	57-12-5		
9060A TOC as NPOC		Analytical Method: EPA 9060A							
Total Organic Carbon	2.1	mg/L	1.0	1		05/06/19 17:10	7440-44-0		
Total Organic Carbon	2.1	mg/L	1.0	1		05/06/19 17:10	7440-44-0		
Total Organic Carbon	2.1	mg/L	1.0	1		05/06/19 17:10	7440-44-0		
Total Organic Carbon	2.0	mg/L	1.0	1		05/06/19 17:10	7440-44-0		
Mean Total Organic Carbon	2.1	mg/L	1.0	1		05/06/19 17:10	7440-44-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: MW-14		Lab ID: 7087153011	Collected: 04/24/19 10:50	Received: 04/25/19 10:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP		Analytical Method: EPA 6010C Preparation Method: EPA 3005A						
Aluminum	<200	ug/L	200	1	04/30/19 09:22	05/01/19 14:37	7429-90-5	
Antimony	<60.0	ug/L	60.0	1	04/30/19 09:22	05/01/19 14:37	7440-36-0	
Arsenic	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 14:37	7440-38-2	
Barium	36.2J	ug/L	200	1	04/30/19 09:22	05/01/19 14:37	7440-39-3	
Beryllium	<5.0	ug/L	5.0	1	04/30/19 09:22	05/01/19 14:37	7440-41-7	
Boron	20.7J	ug/L	50.0	1	04/30/19 09:22	05/01/19 14:37	7440-42-8	
Cadmium	<2.5	ug/L	2.5	1	04/30/19 09:22	05/01/19 14:37	7440-43-9	
Calcium	57300	ug/L	200	1	04/30/19 09:22	05/01/19 14:37	7440-70-2	
Chromium	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 14:37	7440-47-3	
Cobalt	<50.0	ug/L	50.0	1	04/30/19 09:22	05/01/19 14:37	7440-48-4	
Copper	<25.0	ug/L	25.0	1	04/30/19 09:22	05/01/19 14:37	7440-50-8	
Iron	29.8	ug/L	20.0	1	04/30/19 09:22	05/01/19 14:37	7439-89-6	
Lead	<5.0	ug/L	5.0	1	04/30/19 09:22	05/01/19 14:37	7439-92-1	
Magnesium	14000	ug/L	200	1	04/30/19 09:22	05/01/19 14:37	7439-95-4	
Manganese	67.4	ug/L	10.0	1	04/30/19 09:22	05/01/19 14:37	7439-96-5	
Nickel	9.0J	ug/L	40.0	1	04/30/19 09:22	05/01/19 14:37	7440-02-0	
Potassium	1850J	ug/L	5000	1	04/30/19 09:22	05/01/19 14:37	7440-09-7	
Selenium	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 14:37	7782-49-2	
Silver	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 14:37	7440-22-4	
Sodium	9110	ug/L	5000	1	04/30/19 09:22	05/01/19 14:37	7440-23-5	
Thallium	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 14:37	7440-28-0	
Vanadium	<50.0	ug/L	50.0	1	04/30/19 09:22	05/01/19 14:37	7440-62-2	
Zinc	<20.0	ug/L	20.0	1	04/30/19 09:22	05/01/19 14:37	7440-66-6	
7470 Mercury		Analytical Method: EPA 7470A Preparation Method: EPA 7470A						
Mercury	0.15J	ug/L	0.20	1	04/30/19 10:57	05/02/19 15:58	7439-97-6	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C						
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/27/19 00:32	630-20-6	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/27/19 00:32	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/27/19 00:32	79-34-5	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/27/19 00:32	79-00-5	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/27/19 00:32	75-34-3	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/27/19 00:32	75-35-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/27/19 00:32	96-18-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1		04/27/19 00:32	96-12-8	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/27/19 00:32	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/27/19 00:32	95-50-1	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/27/19 00:32	107-06-2	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/27/19 00:32	78-87-5	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/27/19 00:32	106-46-7	
2-Butanone (MEK)	ND	ug/L	5.0	1		04/27/19 00:32	78-93-3	IL
2-Hexanone	ND	ug/L	5.0	1		04/27/19 00:32	591-78-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		04/27/19 00:32	108-10-1	
Acetone	ND	ug/L	5.0	1		04/27/19 00:32	67-64-1	
Acrylonitrile	ND	ug/L	5.0	1		04/27/19 00:32	107-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: MW-14		Lab ID: 7087153011		Collected: 04/24/19 10:50		Received: 04/25/19 10:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C							
Benzene	ND	ug/L	5.0	1		04/27/19 00:32	71-43-2		
Bromochloromethane	ND	ug/L	5.0	1		04/27/19 00:32	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	1		04/27/19 00:32	75-27-4		
Bromoform	ND	ug/L	5.0	1		04/27/19 00:32	75-25-2		
Bromomethane	ND	ug/L	5.0	1		04/27/19 00:32	74-83-9	CL	
Carbon disulfide	ND	ug/L	5.0	1		04/27/19 00:32	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		04/27/19 00:32	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		04/27/19 00:32	108-90-7	L2	
Chloroethane	ND	ug/L	5.0	1		04/27/19 00:32	75-00-3		
Chloroform	ND	ug/L	5.0	1		04/27/19 00:32	67-66-3		
Chloromethane	ND	ug/L	5.0	1		04/27/19 00:32	74-87-3		
Dibromochloromethane	ND	ug/L	5.0	1		04/27/19 00:32	124-48-1		
Dibromomethane	ND	ug/L	5.0	1		04/27/19 00:32	74-95-3		
Ethylbenzene	ND	ug/L	5.0	1		04/27/19 00:32	100-41-4		
Iodomethane	ND	ug/L	5.0	1		04/27/19 00:32	74-88-4	CL,L2	
Methylene Chloride	ND	ug/L	5.0	1		04/27/19 00:32	75-09-2		
Styrene	ND	ug/L	5.0	1		04/27/19 00:32	100-42-5		
Tetrachloroethene	ND	ug/L	5.0	1		04/27/19 00:32	127-18-4		
Toluene	ND	ug/L	5.0	1		04/27/19 00:32	108-88-3		
Trichloroethene	ND	ug/L	5.0	1		04/27/19 00:32	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		04/27/19 00:32	75-69-4		
Vinyl acetate	ND	ug/L	5.0	1		04/27/19 00:32	108-05-4		
Vinyl chloride	ND	ug/L	5.0	1		04/27/19 00:32	75-01-4		
Xylene (Total)	ND	ug/L	5.0	1		04/27/19 00:32	1330-20-7		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/27/19 00:32	156-59-2		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/27/19 00:32	10061-01-5		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/27/19 00:32	156-60-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/27/19 00:32	10061-02-6		
trans-1,4-Dichloro-2-butene	ND	ug/L	5.0	1		04/27/19 00:32	110-57-6		
Surrogates									
1,2-Dichloroethane-d4 (S)	118	%	68-153	1		04/27/19 00:32	17060-07-0		
4-Bromofluorobenzene (S)	109	%	79-124	1		04/27/19 00:32	460-00-4		
Toluene-d8 (S)	81	%	69-124	1		04/27/19 00:32	2037-26-5		
TIC MSV Water		Analytical Method: EPA 8260							
TIC Search	No TIC's Found			1		04/29/19 15:16			
2120B W Apparent Color		Analytical Method: SM22 2120B							
Apparent Color	5.0	units	5.0	1		04/26/19 07:27			
pH	7.5	Std. Units	0.10	1		04/26/19 07:27			
2320B Alkalinity		Analytical Method: SM22 2320B							
Alkalinity, Total as CaCO3	213	mg/L	1.0	1		05/07/19 20:21			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: MW-14		Lab ID: 7087153011	Collected: 04/24/19 10:50	Received: 04/25/19 10:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
2340C Hardness, Total		Analytical Method: SM22 2340C						
Tot Hardness asCaCO3 (SM 2340B	160	mg/L	5.0	1		05/03/19 22:39		
2540C Total Dissolved Solids		Analytical Method: SM22 2540C						
Total Dissolved Solids	224	mg/L	20.0	1		04/30/19 16:18		
Chromium, Hexavalent		Analytical Method: SM22 3500-Cr B						
Chromium, Hexavalent	<0.020	mg/L	0.020	1		04/25/19 12:00	18540-29-9	H1
410.4 COD		Analytical Method: EPA 410.4 Preparation Method: EPA 410.4						
Chemical Oxygen Demand	<10.0	mg/L	10.0	1	05/02/19 10:05	05/02/19 12:18		
5210B BOD, 5 day		Analytical Method: SM22 5210B Preparation Method: SM22 5210B						
BOD, 5 day	1.0J	mg/L	2.0	1	04/25/19 17:06	04/30/19 13:19		
300.0 IC Anions 28 Days		Analytical Method: EPA 300.0						
Bromide	0.034J	mg/L	0.50	1		05/07/19 05:09	24959-67-9	
Chloride	2.2	mg/L	2.0	1		05/07/19 05:09	16887-00-6	
Sulfate	12.5	mg/L	5.0	1		05/07/19 05:09	14808-79-8	
351.2 Total Kjeldahl Nitrogen		Analytical Method: EPA 351.2 Preparation Method: EPA 351.2						
Nitrogen, Kjeldahl, Total	<0.10	mg/L	0.10	1	05/08/19 07:00	05/08/19 12:47	7727-37-9	
353.2 Nitrogen, NO2/NO3 pres.		Analytical Method: EPA 353.2						
Nitrate-Nitrite (as N)	0.058	mg/L	0.050	1		04/26/19 00:37	7727-37-9	
353.2 Nitrogen, NO2		Analytical Method: EPA 353.2						
Nitrite as N	<0.050	mg/L	0.050	1		04/25/19 22:20	14797-65-0	
Phenolics, Total Recoverable		Analytical Method: EPA 420.1 Preparation Method: EPA 420.1						
Phenolics, Total Recoverable	<5.0	ug/L	5.0	1	05/06/19 19:54	05/06/19 21:05		
4500 Ammonia Water		Analytical Method: SM22 4500 NH3 H						
Nitrogen, Ammonia	0.039J	mg/L	0.10	1		05/07/19 12:22	7664-41-7	B
9014 Cyanide, Total		Analytical Method: EPA 9014 Total Cyanide Preparation Method: EPA 9010C						
Cyanide	2.0J	ug/L	10.0	1	05/07/19 07:48	05/07/19 13:42	57-12-5	
9060A TOC as NPOC		Analytical Method: EPA 9060A						
Total Organic Carbon	0.86J	mg/L	1.0	1		05/06/19 17:59	7440-44-0	
Total Organic Carbon	0.89J	mg/L	1.0	1		05/06/19 17:59	7440-44-0	
Total Organic Carbon	0.79J	mg/L	1.0	1		05/06/19 17:59	7440-44-0	
Total Organic Carbon	0.76J	mg/L	1.0	1		05/06/19 17:59	7440-44-0	
Mean Total Organic Carbon	0.82J	mg/L	1.0	1		05/06/19 17:59	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: SEEP		Lab ID: 7087153012	Collected: 04/24/19 12:00	Received: 04/25/19 10:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP		Analytical Method: EPA 6010C Preparation Method: EPA 3005A						
Aluminum	652	ug/L	200	1	04/30/19 09:22	05/01/19 14:39	7429-90-5	
Antimony	<60.0	ug/L	60.0	1	04/30/19 09:22	05/01/19 14:39	7440-36-0	
Arsenic	26.1	ug/L	10.0	1	04/30/19 09:22	05/01/19 14:39	7440-38-2	
Barium	168J	ug/L	200	1	04/30/19 09:22	05/01/19 14:39	7440-39-3	
Beryllium	<5.0	ug/L	5.0	1	04/30/19 09:22	05/01/19 14:39	7440-41-7	
Boron	57.5	ug/L	50.0	1	04/30/19 09:22	05/01/19 14:39	7440-42-8	
Cadmium	<2.5	ug/L	2.5	1	04/30/19 09:22	05/01/19 14:39	7440-43-9	
Calcium	49000	ug/L	200	1	04/30/19 09:22	05/01/19 14:39	7440-70-2	
Chromium	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 14:39	7440-47-3	
Cobalt	10.3J	ug/L	50.0	1	04/30/19 09:22	05/01/19 14:39	7440-48-4	
Copper	<25.0	ug/L	25.0	1	04/30/19 09:22	05/01/19 14:39	7440-50-8	
Iron	21900	ug/L	20.0	1	04/30/19 09:22	05/01/19 14:39	7439-89-6	
Lead	<5.0	ug/L	5.0	1	04/30/19 09:22	05/01/19 14:39	7439-92-1	
Magnesium	15100	ug/L	200	1	04/30/19 09:22	05/01/19 14:39	7439-95-4	
Manganese	10600	ug/L	10.0	1	04/30/19 09:22	05/01/19 14:39	7439-96-5	
Nickel	14.5J	ug/L	40.0	1	04/30/19 09:22	05/01/19 14:39	7440-02-0	
Potassium	3810J	ug/L	5000	1	04/30/19 09:22	05/01/19 14:39	7440-09-7	
Selenium	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 14:39	7782-49-2	
Silver	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 14:39	7440-22-4	
Sodium	5950	ug/L	5000	1	04/30/19 09:22	05/01/19 14:39	7440-23-5	
Thallium	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 14:39	7440-28-0	
Vanadium	<50.0	ug/L	50.0	1	04/30/19 09:22	05/01/19 14:39	7440-62-2	
Zinc	5.9J	ug/L	20.0	1	04/30/19 09:22	05/01/19 14:39	7440-66-6	
7470 Mercury		Analytical Method: EPA 7470A Preparation Method: EPA 7470A						
Mercury	<0.20	ug/L	0.20	1	04/30/19 10:57	05/02/19 16:00	7439-97-6	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C						
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/27/19 00:51	630-20-6	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/27/19 00:51	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/27/19 00:51	79-34-5	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/27/19 00:51	79-00-5	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/27/19 00:51	75-34-3	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/27/19 00:51	75-35-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/27/19 00:51	96-18-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1		04/27/19 00:51	96-12-8	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/27/19 00:51	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/27/19 00:51	95-50-1	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/27/19 00:51	107-06-2	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/27/19 00:51	78-87-5	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/27/19 00:51	106-46-7	
2-Butanone (MEK)	ND	ug/L	5.0	1		04/27/19 00:51	78-93-3	IL
2-Hexanone	ND	ug/L	5.0	1		04/27/19 00:51	591-78-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		04/27/19 00:51	108-10-1	
Acetone	ND	ug/L	5.0	1		04/27/19 00:51	67-64-1	
Acrylonitrile	ND	ug/L	5.0	1		04/27/19 00:51	107-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: SEEP		Lab ID: 7087153012		Collected: 04/24/19 12:00		Received: 04/25/19 10:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C							
Benzene	ND	ug/L	5.0	1		04/27/19 00:51	71-43-2		
Bromochloromethane	ND	ug/L	5.0	1		04/27/19 00:51	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	1		04/27/19 00:51	75-27-4		
Bromoform	ND	ug/L	5.0	1		04/27/19 00:51	75-25-2		
Bromomethane	ND	ug/L	5.0	1		04/27/19 00:51	74-83-9	CL	
Carbon disulfide	ND	ug/L	5.0	1		04/27/19 00:51	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		04/27/19 00:51	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		04/27/19 00:51	108-90-7	L2	
Chloroethane	ND	ug/L	5.0	1		04/27/19 00:51	75-00-3		
Chloroform	ND	ug/L	5.0	1		04/27/19 00:51	67-66-3		
Chloromethane	ND	ug/L	5.0	1		04/27/19 00:51	74-87-3		
Dibromochloromethane	ND	ug/L	5.0	1		04/27/19 00:51	124-48-1		
Dibromomethane	ND	ug/L	5.0	1		04/27/19 00:51	74-95-3		
Ethylbenzene	ND	ug/L	5.0	1		04/27/19 00:51	100-41-4		
Iodomethane	ND	ug/L	5.0	1		04/27/19 00:51	74-88-4	CL,L2	
Methylene Chloride	ND	ug/L	5.0	1		04/27/19 00:51	75-09-2		
Styrene	ND	ug/L	5.0	1		04/27/19 00:51	100-42-5		
Tetrachloroethene	ND	ug/L	5.0	1		04/27/19 00:51	127-18-4		
Toluene	ND	ug/L	5.0	1		04/27/19 00:51	108-88-3		
Trichloroethene	ND	ug/L	5.0	1		04/27/19 00:51	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		04/27/19 00:51	75-69-4		
Vinyl acetate	ND	ug/L	5.0	1		04/27/19 00:51	108-05-4		
Vinyl chloride	ND	ug/L	5.0	1		04/27/19 00:51	75-01-4		
Xylene (Total)	ND	ug/L	5.0	1		04/27/19 00:51	1330-20-7		
cis-1,2-Dichloroethene	7.5	ug/L	5.0	1		04/27/19 00:51	156-59-2		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/27/19 00:51	10061-01-5		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/27/19 00:51	156-60-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/27/19 00:51	10061-02-6		
trans-1,4-Dichloro-2-butene	ND	ug/L	5.0	1		04/27/19 00:51	110-57-6		
Surrogates									
1,2-Dichloroethane-d4 (S)	117	%	68-153	1		04/27/19 00:51	17060-07-0		
4-Bromofluorobenzene (S)	112	%	79-124	1		04/27/19 00:51	460-00-4		
Toluene-d8 (S)	82	%	69-124	1		04/27/19 00:51	2037-26-5		
TIC MSV Water		Analytical Method: EPA 8260							
TIC Search	No TIC's Found			1		04/29/19 15:18			
2120B W Apparent Color		Analytical Method: SM22 2120B							
Apparent Color	100	units	50.0	10		04/26/19 07:27			
pH	7.0	Std. Units	0.10	10		04/26/19 07:27			
2320B Alkalinity		Analytical Method: SM22 2320B							
Alkalinity, Total as CaCO3	221	mg/L	1.0	1		05/07/19 20:33			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: SEEP		Lab ID: 7087153012	Collected: 04/24/19 12:00	Received: 04/25/19 10:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
2340C Hardness, Total		Analytical Method: SM22 2340C						
Tot Hardness asCaCO3 (SM 2340B	180	mg/L	5.0	1		05/03/19 22:41		
2540C Total Dissolved Solids		Analytical Method: SM22 2540C						
Total Dissolved Solids	318	mg/L	20.0	1		04/30/19 16:18		
Chromium, Hexavalent		Analytical Method: SM22 3500-Cr B						
Chromium, Hexavalent	<0.020	mg/L	0.020	1		04/25/19 12:00	18540-29-9	H1
410.4 COD		Analytical Method: EPA 410.4 Preparation Method: EPA 410.4						
Chemical Oxygen Demand	32.2	mg/L	10.0	1	05/02/19 10:05	05/02/19 12:18		
5210B BOD, 5 day		Analytical Method: SM22 5210B Preparation Method: SM22 5210B						
BOD, 5 day	6.2	mg/L	4.0	2	04/25/19 17:06	04/30/19 13:22		
300.0 IC Anions 28 Days		Analytical Method: EPA 300.0						
Bromide	0.26J	mg/L	0.50	1		05/07/19 05:25	24959-67-9	
Chloride	4.2	mg/L	2.0	1		05/07/19 05:25	16887-00-6	
Sulfate	4.7J	mg/L	5.0	1		05/07/19 05:25	14808-79-8	
351.2 Total Kjeldahl Nitrogen		Analytical Method: EPA 351.2 Preparation Method: EPA 351.2						
Nitrogen, Kjeldahl, Total	3.0	mg/L	0.50	5	05/08/19 07:00	05/08/19 12:49	7727-37-9	
353.2 Nitrogen, NO2/NO3 pres.		Analytical Method: EPA 353.2						
Nitrate-Nitrite (as N)	<0.050	mg/L	0.050	1		04/26/19 00:38	7727-37-9	
353.2 Nitrogen, NO2		Analytical Method: EPA 353.2						
Nitrite as N	<0.050	mg/L	0.050	1		04/25/19 22:21	14797-65-0	
Phenolics, Total Recoverable		Analytical Method: EPA 420.1 Preparation Method: EPA 420.1						
Phenolics, Total Recoverable	10.5	ug/L	5.0	1	05/06/19 19:54	05/06/19 21:06		
4500 Ammonia Water		Analytical Method: SM22 4500 NH3 H						
Nitrogen, Ammonia	2.9	mg/L	0.10	1		05/07/19 12:26	7664-41-7	
9014 Cyanide, Total		Analytical Method: EPA 9014 Total Cyanide Preparation Method: EPA 9010C						
Cyanide	2.0J	ug/L	10.0	1	05/07/19 07:48	05/07/19 13:42	57-12-5	
9060A TOC as NPOC		Analytical Method: EPA 9060A						
Total Organic Carbon	6.0	mg/L	1.0	1		05/06/19 18:50	7440-44-0	
Total Organic Carbon	6.0	mg/L	1.0	1		05/06/19 18:50	7440-44-0	
Total Organic Carbon	6.0	mg/L	1.0	1		05/06/19 18:50	7440-44-0	
Total Organic Carbon	6.0	mg/L	1.0	1		05/06/19 18:50	7440-44-0	
Mean Total Organic Carbon	6.0	mg/L	1.0	1		05/06/19 18:50	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: STREAM		Lab ID: 7087153013	Collected: 04/24/19 12:10		Received: 04/25/19 10:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
6010 MET ICP		Analytical Method: EPA 6010C Preparation Method: EPA 3005A						
Aluminum	208	ug/L	200	1	04/30/19 09:22	05/01/19 14:42	7429-90-5	
Antimony	<60.0	ug/L	60.0	1	04/30/19 09:22	05/01/19 14:42	7440-36-0	
Arsenic	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 14:42	7440-38-2	
Barium	13.0J	ug/L	200	1	04/30/19 09:22	05/01/19 14:42	7440-39-3	
Beryllium	<5.0	ug/L	5.0	1	04/30/19 09:22	05/01/19 14:42	7440-41-7	
Boron	35.3J	ug/L	50.0	1	04/30/19 09:22	05/01/19 14:42	7440-42-8	
Cadmium	<2.5	ug/L	2.5	1	04/30/19 09:22	05/01/19 14:42	7440-43-9	
Calcium	31200	ug/L	200	1	04/30/19 09:22	05/01/19 14:42	7440-70-2	
Chromium	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 14:42	7440-47-3	
Cobalt	<50.0	ug/L	50.0	1	04/30/19 09:22	05/01/19 14:42	7440-48-4	
Copper	<25.0	ug/L	25.0	1	04/30/19 09:22	05/01/19 14:42	7440-50-8	
Iron	340	ug/L	20.0	1	04/30/19 09:22	05/01/19 14:42	7439-89-6	
Lead	<5.0	ug/L	5.0	1	04/30/19 09:22	05/01/19 14:42	7439-92-1	
Magnesium	9160	ug/L	200	1	04/30/19 09:22	05/01/19 14:42	7439-95-4	
Manganese	375	ug/L	10.0	1	04/30/19 09:22	05/01/19 14:42	7439-96-5	
Nickel	5.9J	ug/L	40.0	1	04/30/19 09:22	05/01/19 14:42	7440-02-0	
Potassium	2490J	ug/L	5000	1	04/30/19 09:22	05/01/19 14:42	7440-09-7	
Selenium	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 14:42	7782-49-2	
Silver	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 14:42	7440-22-4	
Sodium	2890J	ug/L	5000	1	04/30/19 09:22	05/01/19 14:42	7440-23-5	
Thallium	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 14:42	7440-28-0	
Vanadium	<50.0	ug/L	50.0	1	04/30/19 09:22	05/01/19 14:42	7440-62-2	
Zinc	5.4J	ug/L	20.0	1	04/30/19 09:22	05/01/19 14:42	7440-66-6	
7470 Mercury		Analytical Method: EPA 7470A Preparation Method: EPA 7470A						
Mercury	<0.20	ug/L	0.20	1	04/30/19 10:57	05/02/19 16:06	7439-97-6	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C						
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/27/19 01:10	630-20-6	
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/27/19 01:10	71-55-6	
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/27/19 01:10	79-34-5	
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/27/19 01:10	79-00-5	
1,1-Dichloroethane	ND	ug/L	5.0	1		04/27/19 01:10	75-34-3	
1,1-Dichloroethene	ND	ug/L	5.0	1		04/27/19 01:10	75-35-4	
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/27/19 01:10	96-18-4	
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1		04/27/19 01:10	96-12-8	
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/27/19 01:10	106-93-4	
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/27/19 01:10	95-50-1	
1,2-Dichloroethane	ND	ug/L	5.0	1		04/27/19 01:10	107-06-2	
1,2-Dichloropropane	ND	ug/L	5.0	1		04/27/19 01:10	78-87-5	
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/27/19 01:10	106-46-7	
2-Butanone (MEK)	ND	ug/L	5.0	1		04/27/19 01:10	78-93-3	IL
2-Hexanone	ND	ug/L	5.0	1		04/27/19 01:10	591-78-6	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		04/27/19 01:10	108-10-1	
Acetone	ND	ug/L	5.0	1		04/27/19 01:10	67-64-1	
Acrylonitrile	ND	ug/L	5.0	1		04/27/19 01:10	107-13-1	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: STREAM		Lab ID: 7087153013		Collected: 04/24/19 12:10		Received: 04/25/19 10:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C							
Benzene	ND	ug/L	5.0	1		04/27/19 01:10	71-43-2		
Bromochloromethane	ND	ug/L	5.0	1		04/27/19 01:10	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	1		04/27/19 01:10	75-27-4		
Bromoform	ND	ug/L	5.0	1		04/27/19 01:10	75-25-2		
Bromomethane	ND	ug/L	5.0	1		04/27/19 01:10	74-83-9	CL	
Carbon disulfide	ND	ug/L	5.0	1		04/27/19 01:10	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		04/27/19 01:10	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		04/27/19 01:10	108-90-7	L2	
Chloroethane	ND	ug/L	5.0	1		04/27/19 01:10	75-00-3		
Chloroform	ND	ug/L	5.0	1		04/27/19 01:10	67-66-3		
Chloromethane	ND	ug/L	5.0	1		04/27/19 01:10	74-87-3		
Dibromochloromethane	ND	ug/L	5.0	1		04/27/19 01:10	124-48-1		
Dibromomethane	ND	ug/L	5.0	1		04/27/19 01:10	74-95-3		
Ethylbenzene	ND	ug/L	5.0	1		04/27/19 01:10	100-41-4		
Iodomethane	ND	ug/L	5.0	1		04/27/19 01:10	74-88-4	CL,L2	
Methylene Chloride	ND	ug/L	5.0	1		04/27/19 01:10	75-09-2		
Styrene	ND	ug/L	5.0	1		04/27/19 01:10	100-42-5		
Tetrachloroethene	ND	ug/L	5.0	1		04/27/19 01:10	127-18-4		
Toluene	ND	ug/L	5.0	1		04/27/19 01:10	108-88-3		
Trichloroethene	ND	ug/L	5.0	1		04/27/19 01:10	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		04/27/19 01:10	75-69-4		
Vinyl acetate	ND	ug/L	5.0	1		04/27/19 01:10	108-05-4		
Vinyl chloride	ND	ug/L	5.0	1		04/27/19 01:10	75-01-4		
Xylene (Total)	ND	ug/L	5.0	1		04/27/19 01:10	1330-20-7		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/27/19 01:10	156-59-2		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/27/19 01:10	10061-01-5		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/27/19 01:10	156-60-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/27/19 01:10	10061-02-6		
trans-1,4-Dichloro-2-butene	ND	ug/L	5.0	1		04/27/19 01:10	110-57-6		
Surrogates									
1,2-Dichloroethane-d4 (S)	115	%	68-153	1		04/27/19 01:10	17060-07-0		
4-Bromofluorobenzene (S)	109	%	79-124	1		04/27/19 01:10	460-00-4		
Toluene-d8 (S)	82	%	69-124	1		04/27/19 01:10	2037-26-5		
TIC MSV Water		Analytical Method: EPA 8260							
TIC Search	No TIC's Found			1		04/29/19 15:19			
2120B W Apparent Color		Analytical Method: SM22 2120B							
Apparent Color	5.0	units	5.0	1		04/26/19 07:27			
pH	7.0	Std. Units	0.10	1		04/26/19 07:27			
2320B Alkalinity		Analytical Method: SM22 2320B							
Alkalinity, Total as CaCO3	109	mg/L	1.0	1		05/07/19 20:41			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: STREAM		Lab ID: 7087153013	Collected: 04/24/19 12:10	Received: 04/25/19 10:30	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
2340C Hardness, Total		Analytical Method: SM22 2340C						
Tot Hardness asCaCO3 (SM 2340B	90.0	mg/L	5.0	1		05/03/19 22:43		
2540C Total Dissolved Solids		Analytical Method: SM22 2540C						
Total Dissolved Solids	153	mg/L	10.0	1		04/30/19 16:18		
Chromium, Hexavalent		Analytical Method: SM22 3500-Cr B						
Chromium, Hexavalent	<0.020	mg/L	0.020	1		04/25/19 12:00	18540-29-9	
410.4 COD		Analytical Method: EPA 410.4 Preparation Method: EPA 410.4						
Chemical Oxygen Demand	10.2	mg/L	10.0	1	05/02/19 10:05	05/02/19 12:18		
5210B BOD, 5 day		Analytical Method: SM22 5210B Preparation Method: SM22 5210B						
BOD, 5 day	1.0J	mg/L	2.0	1	04/25/19 17:06	04/30/19 13:24		
300.0 IC Anions 28 Days		Analytical Method: EPA 300.0						
Bromide	0.12J	mg/L	0.50	1		05/07/19 05:42	24959-67-9	
Chloride	1.7J	mg/L	2.0	1		05/07/19 05:42	16887-00-6	
Sulfate	8.6	mg/L	5.0	1		05/07/19 05:42	14808-79-8	
351.2 Total Kjeldahl Nitrogen		Analytical Method: EPA 351.2 Preparation Method: EPA 351.2						
Nitrogen, Kjeldahl, Total	0.38	mg/L	0.10	1	05/08/19 07:00	05/08/19 12:50	7727-37-9	
353.2 Nitrogen, NO2/NO3 pres.		Analytical Method: EPA 353.2						
Nitrate-Nitrite (as N)	0.22	mg/L	0.050	1		04/26/19 00:40	7727-37-9	
353.2 Nitrogen, NO2		Analytical Method: EPA 353.2						
Nitrite as N	<0.050	mg/L	0.050	1		04/25/19 22:22	14797-65-0	
Phenolics, Total Recoverable		Analytical Method: EPA 420.1 Preparation Method: EPA 420.1						
Phenolics, Total Recoverable	<5.0	ug/L	5.0	1	05/06/19 19:54	05/06/19 21:07		
4500 Ammonia Water		Analytical Method: SM22 4500 NH3 H						
Nitrogen, Ammonia	0.15	mg/L	0.10	1		05/07/19 12:27	7664-41-7	B
9014 Cyanide, Total		Analytical Method: EPA 9014 Total Cyanide Preparation Method: EPA 9010C						
Cyanide	<10.0	ug/L	10.0	1	05/07/19 07:48	05/07/19 13:44	57-12-5	
9060A TOC as NPOC		Analytical Method: EPA 9060A						
Total Organic Carbon	3.3	mg/L	1.0	1		05/06/19 19:03	7440-44-0	
Total Organic Carbon	3.4	mg/L	1.0	1		05/06/19 19:03	7440-44-0	
Total Organic Carbon	3.4	mg/L	1.0	1		05/06/19 19:03	7440-44-0	
Total Organic Carbon	3.3	mg/L	1.0	1		05/06/19 19:03	7440-44-0	
Mean Total Organic Carbon	3.3	mg/L	1.0	1		05/06/19 19:03	7440-44-0	

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: DUP		Lab ID: 7087153014		Collected: 04/24/19 00:00		Received: 04/25/19 10:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
6010 MET ICP		Analytical Method: EPA 6010C Preparation Method: EPA 3005A							
Aluminum	67.0J	ug/L	200	1	04/30/19 09:22	05/01/19 14:44	7429-90-5		
Antimony	<60.0	ug/L	60.0	1	04/30/19 09:22	05/01/19 14:44	7440-36-0		
Arsenic	14.1	ug/L	10.0	1	04/30/19 09:22	05/01/19 14:44	7440-38-2		
Barium	120J	ug/L	200	1	04/30/19 09:22	05/01/19 14:44	7440-39-3		
Beryllium	<5.0	ug/L	5.0	1	04/30/19 09:22	05/01/19 14:44	7440-41-7		
Boron	39.0J	ug/L	50.0	1	04/30/19 09:22	05/01/19 14:44	7440-42-8		
Cadmium	<2.5	ug/L	2.5	1	04/30/19 09:22	05/01/19 14:44	7440-43-9		
Calcium	69700	ug/L	200	1	04/30/19 09:22	05/01/19 14:44	7440-70-2		
Chromium	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 14:44	7440-47-3		
Cobalt	9.2J	ug/L	50.0	1	04/30/19 09:22	05/01/19 14:44	7440-48-4		
Copper	<25.0	ug/L	25.0	1	04/30/19 09:22	05/01/19 14:44	7440-50-8		
Iron	3660	ug/L	20.0	1	04/30/19 09:22	05/01/19 14:44	7439-89-6		
Lead	<5.0	ug/L	5.0	1	04/30/19 09:22	05/01/19 14:44	7439-92-1		
Magnesium	10300	ug/L	200	1	04/30/19 09:22	05/01/19 14:44	7439-95-4		
Manganese	6390	ug/L	10.0	1	04/30/19 09:22	05/01/19 14:44	7439-96-5		
Nickel	14.4J	ug/L	40.0	1	04/30/19 09:22	05/01/19 14:44	7440-02-0		
Potassium	2390J	ug/L	5000	1	04/30/19 09:22	05/01/19 14:44	7440-09-7		
Selenium	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 14:44	7782-49-2		
Silver	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 14:44	7440-22-4		
Sodium	6000	ug/L	5000	1	04/30/19 09:22	05/01/19 14:44	7440-23-5		
Thallium	<10.0	ug/L	10.0	1	04/30/19 09:22	05/01/19 14:44	7440-28-0		
Vanadium	<50.0	ug/L	50.0	1	04/30/19 09:22	05/01/19 14:44	7440-62-2		
Zinc	<20.0	ug/L	20.0	1	04/30/19 09:22	05/01/19 14:44	7440-66-6		
7470 Mercury		Analytical Method: EPA 7470A Preparation Method: EPA 7470A							
Mercury	0.25	ug/L	0.20	1	04/30/19 10:57	05/02/19 16:07	7439-97-6		
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C							
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/27/19 01:29	630-20-6		
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/27/19 01:29	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/27/19 01:29	79-34-5		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/27/19 01:29	79-00-5		
1,1-Dichloroethane	ND	ug/L	5.0	1		04/27/19 01:29	75-34-3		
1,1-Dichloroethene	ND	ug/L	5.0	1		04/27/19 01:29	75-35-4		
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/27/19 01:29	96-18-4		
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1		04/27/19 01:29	96-12-8		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/27/19 01:29	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/27/19 01:29	95-50-1		
1,2-Dichloroethane	ND	ug/L	5.0	1		04/27/19 01:29	107-06-2		
1,2-Dichloropropane	ND	ug/L	5.0	1		04/27/19 01:29	78-87-5		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/27/19 01:29	106-46-7		
2-Butanone (MEK)	ND	ug/L	5.0	1		04/27/19 01:29	78-93-3	IL	
2-Hexanone	ND	ug/L	5.0	1		04/27/19 01:29	591-78-6		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		04/27/19 01:29	108-10-1		
Acetone	ND	ug/L	5.0	1		04/27/19 01:29	67-64-1		
Acrylonitrile	ND	ug/L	5.0	1		04/27/19 01:29	107-13-1		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: DUP		Lab ID: 7087153014		Collected: 04/24/19 00:00		Received: 04/25/19 10:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C							
Benzene	ND	ug/L	5.0	1		04/27/19 01:29	71-43-2		
Bromochloromethane	ND	ug/L	5.0	1		04/27/19 01:29	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	1		04/27/19 01:29	75-27-4		
Bromoform	ND	ug/L	5.0	1		04/27/19 01:29	75-25-2		
Bromomethane	ND	ug/L	5.0	1		04/27/19 01:29	74-83-9	CL	
Carbon disulfide	ND	ug/L	5.0	1		04/27/19 01:29	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		04/27/19 01:29	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		04/27/19 01:29	108-90-7	L2	
Chloroethane	ND	ug/L	5.0	1		04/27/19 01:29	75-00-3		
Chloroform	ND	ug/L	5.0	1		04/27/19 01:29	67-66-3		
Chloromethane	ND	ug/L	5.0	1		04/27/19 01:29	74-87-3		
Dibromochloromethane	ND	ug/L	5.0	1		04/27/19 01:29	124-48-1		
Dibromomethane	ND	ug/L	5.0	1		04/27/19 01:29	74-95-3		
Ethylbenzene	ND	ug/L	5.0	1		04/27/19 01:29	100-41-4		
Iodomethane	ND	ug/L	5.0	1		04/27/19 01:29	74-88-4	CL,L2	
Methylene Chloride	ND	ug/L	5.0	1		04/27/19 01:29	75-09-2		
Styrene	ND	ug/L	5.0	1		04/27/19 01:29	100-42-5		
Tetrachloroethene	ND	ug/L	5.0	1		04/27/19 01:29	127-18-4		
Toluene	ND	ug/L	5.0	1		04/27/19 01:29	108-88-3		
Trichloroethene	ND	ug/L	5.0	1		04/27/19 01:29	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		04/27/19 01:29	75-69-4		
Vinyl acetate	ND	ug/L	5.0	1		04/27/19 01:29	108-05-4		
Vinyl chloride	ND	ug/L	5.0	1		04/27/19 01:29	75-01-4		
Xylene (Total)	ND	ug/L	5.0	1		04/27/19 01:29	1330-20-7		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/27/19 01:29	156-59-2		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/27/19 01:29	10061-01-5		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/27/19 01:29	156-60-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/27/19 01:29	10061-02-6		
trans-1,4-Dichloro-2-butene	ND	ug/L	5.0	1		04/27/19 01:29	110-57-6		
Surrogates									
1,2-Dichloroethane-d4 (S)	117	%	68-153	1		04/27/19 01:29	17060-07-0		
4-Bromofluorobenzene (S)	107	%	79-124	1		04/27/19 01:29	460-00-4		
Toluene-d8 (S)	81	%	69-124	1		04/27/19 01:29	2037-26-5		
TIC MSV Water		Analytical Method: EPA 8260							
TIC Search	No TIC's Found			1		04/29/19 15:20			
2120B W Apparent Color		Analytical Method: SM22 2120B							
Apparent Color	15.0	units	5.0	1		04/25/19 23:57			
pH	7.0	Std. Units	0.10	1		04/25/19 23:57			
2320B Alkalinity		Analytical Method: SM22 2320B							
Alkalinity, Total as CaCO3	236	mg/L	1.0	1		05/07/19 20:54			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: DUP		Lab ID: 7087153014		Collected: 04/24/19 00:00		Received: 04/25/19 10:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
2340C Hardness, Total		Analytical Method: SM22 2340C							
Tot Hardness asCaCO3 (SM 2340B	200	mg/L	5.0	1		05/03/19 22:52			
2540C Total Dissolved Solids		Analytical Method: SM22 2540C							
Total Dissolved Solids	196	mg/L	20.0	1		04/30/19 16:18			
Chromium, Hexavalent		Analytical Method: SM22 3500-Cr B							
Chromium, Hexavalent	<0.020	mg/L	0.020	1		04/25/19 11:59	18540-29-9	H3	
410.4 COD		Analytical Method: EPA 410.4 Preparation Method: EPA 410.4							
Chemical Oxygen Demand	<10.0	mg/L	10.0	1	05/02/19 10:05	05/02/19 12:19			
5210B BOD, 5 day		Analytical Method: SM22 5210B Preparation Method: SM22 5210B							
BOD, 5 day	1.9J	mg/L	2.0	1	04/25/19 17:06	04/30/19 13:26			
300.0 IC Anions 28 Days		Analytical Method: EPA 300.0							
Bromide	0.16J	mg/L	0.50	1		05/07/19 05:59	24959-67-9		
Chloride	2.3	mg/L	2.0	1		05/07/19 05:59	16887-00-6		
Sulfate	6.3	mg/L	5.0	1		05/07/19 05:59	14808-79-8		
351.2 Total Kjeldahl Nitrogen		Analytical Method: EPA 351.2 Preparation Method: EPA 351.2							
Nitrogen, Kjeldahl, Total	1.1	mg/L	0.10	1	05/08/19 07:00	05/08/19 12:51	7727-37-9		
353.2 Nitrogen, NO2/NO3 pres.		Analytical Method: EPA 353.2							
Nitrate-Nitrite (as N)	<0.050	mg/L	0.050	1		04/26/19 00:41	7727-37-9		
353.2 Nitrogen, NO2		Analytical Method: EPA 353.2							
Nitrite as N	<0.050	mg/L	0.050	1		04/25/19 22:23	14797-65-0		
Phenolics, Total Recoverable		Analytical Method: EPA 420.1 Preparation Method: EPA 420.1							
Phenolics, Total Recoverable	14.1	ug/L	5.0	1	05/06/19 19:54	05/06/19 21:28			
4500 Ammonia Water		Analytical Method: SM22 4500 NH3 H							
Nitrogen, Ammonia	1.0	mg/L	0.10	1		05/07/19 12:28	7664-41-7		
9014 Cyanide, Total		Analytical Method: EPA 9014 Total Cyanide Preparation Method: EPA 9010C							
Cyanide	<10.0	ug/L	10.0	1	05/07/19 07:48	05/07/19 13:45	57-12-5		
9060A TOC as NPOC		Analytical Method: EPA 9060A							
Total Organic Carbon	2.1	mg/L	1.0	1		05/06/19 19:16	7440-44-0		
Total Organic Carbon	2.4	mg/L	1.0	1		05/06/19 19:16	7440-44-0		
Total Organic Carbon	2.2	mg/L	1.0	1		05/06/19 19:16	7440-44-0		
Total Organic Carbon	2.1	mg/L	1.0	1		05/06/19 19:16	7440-44-0		
Mean Total Organic Carbon	2.2	mg/L	1.0	1		05/06/19 19:16	7440-44-0		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: TRIP BLANK		Lab ID: 7087153015		Collected: 04/24/19 00:00		Received: 04/25/19 10:30		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C							
1,1,1,2-Tetrachloroethane	ND	ug/L	5.0	1		04/26/19 19:40	630-20-6		
1,1,1-Trichloroethane	ND	ug/L	5.0	1		04/26/19 19:40	71-55-6		
1,1,2,2-Tetrachloroethane	ND	ug/L	5.0	1		04/26/19 19:40	79-34-5		
1,1,2-Trichloroethane	ND	ug/L	5.0	1		04/26/19 19:40	79-00-5		
1,1-Dichloroethane	ND	ug/L	5.0	1		04/26/19 19:40	75-34-3		
1,1-Dichloroethene	ND	ug/L	5.0	1		04/26/19 19:40	75-35-4		
1,2,3-Trichloropropane	ND	ug/L	5.0	1		04/26/19 19:40	96-18-4		
1,2-Dibromo-3-chloropropane	ND	ug/L	5.0	1		04/26/19 19:40	96-12-8		
1,2-Dibromoethane (EDB)	ND	ug/L	5.0	1		04/26/19 19:40	106-93-4		
1,2-Dichlorobenzene	ND	ug/L	5.0	1		04/26/19 19:40	95-50-1		
1,2-Dichloroethane	ND	ug/L	5.0	1		04/26/19 19:40	107-06-2		
1,2-Dichloropropane	ND	ug/L	5.0	1		04/26/19 19:40	78-87-5		
1,4-Dichlorobenzene	ND	ug/L	5.0	1		04/26/19 19:40	106-46-7		
2-Butanone (MEK)	ND	ug/L	5.0	1		04/26/19 19:40	78-93-3	IL	
2-Hexanone	ND	ug/L	5.0	1		04/26/19 19:40	591-78-6		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	5.0	1		04/26/19 19:40	108-10-1		
Acetone	ND	ug/L	5.0	1		04/26/19 19:40	67-64-1		
Acrylonitrile	ND	ug/L	5.0	1		04/26/19 19:40	107-13-1		
Benzene	ND	ug/L	5.0	1		04/26/19 19:40	71-43-2		
Bromochloromethane	ND	ug/L	5.0	1		04/26/19 19:40	74-97-5		
Bromodichloromethane	ND	ug/L	5.0	1		04/26/19 19:40	75-27-4		
Bromoform	ND	ug/L	5.0	1		04/26/19 19:40	75-25-2		
Bromomethane	ND	ug/L	5.0	1		04/26/19 19:40	74-83-9	CL	
Carbon disulfide	ND	ug/L	5.0	1		04/26/19 19:40	75-15-0		
Carbon tetrachloride	ND	ug/L	5.0	1		04/26/19 19:40	56-23-5		
Chlorobenzene	ND	ug/L	5.0	1		04/26/19 19:40	108-90-7	L2	
Chloroethane	ND	ug/L	5.0	1		04/26/19 19:40	75-00-3		
Chloroform	ND	ug/L	5.0	1		04/26/19 19:40	67-66-3		
Chloromethane	ND	ug/L	5.0	1		04/26/19 19:40	74-87-3		
Dibromochloromethane	ND	ug/L	5.0	1		04/26/19 19:40	124-48-1		
Dibromomethane	ND	ug/L	5.0	1		04/26/19 19:40	74-95-3		
Ethylbenzene	ND	ug/L	5.0	1		04/26/19 19:40	100-41-4		
Iodomethane	ND	ug/L	5.0	1		04/26/19 19:40	74-88-4	CL,L2	
Methylene Chloride	ND	ug/L	5.0	1		04/26/19 19:40	75-09-2		
Styrene	ND	ug/L	5.0	1		04/26/19 19:40	100-42-5		
Tetrachloroethene	ND	ug/L	5.0	1		04/26/19 19:40	127-18-4		
Toluene	ND	ug/L	5.0	1		04/26/19 19:40	108-88-3		
Trichloroethene	ND	ug/L	5.0	1		04/26/19 19:40	79-01-6		
Trichlorofluoromethane	ND	ug/L	5.0	1		04/26/19 19:40	75-69-4		
Vinyl acetate	ND	ug/L	5.0	1		04/26/19 19:40	108-05-4		
Vinyl chloride	ND	ug/L	5.0	1		04/26/19 19:40	75-01-4		
Xylene (Total)	ND	ug/L	5.0	1		04/26/19 19:40	1330-20-7		
cis-1,2-Dichloroethene	ND	ug/L	5.0	1		04/26/19 19:40	156-59-2		
cis-1,3-Dichloropropene	ND	ug/L	5.0	1		04/26/19 19:40	10061-01-5		
trans-1,2-Dichloroethene	ND	ug/L	5.0	1		04/26/19 19:40	156-60-5		
trans-1,3-Dichloropropene	ND	ug/L	5.0	1		04/26/19 19:40	10061-02-6		
trans-1,4-Dichloro-2-butene	ND	ug/L	5.0	1		04/26/19 19:40	110-57-6		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

ANALYTICAL RESULTS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Sample: TRIP BLANK		Lab ID: 7087153015		Collected: 04/24/19 00:00		Received: 04/25/19 10:30		Matrix: Water	
Parameters		Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C							
Surrogates									
1,2-Dichloroethane-d4 (S)		114	%	68-153	1		04/26/19 19:40	17060-07-0	
4-Bromofluorobenzene (S)		110	%	79-124	1		04/26/19 19:40	460-00-4	
Toluene-d8 (S)		84	%	69-124	1		04/26/19 19:40	2037-26-5	
TIC MSV Water		Analytical Method: EPA 8260							
TIC Search		No TIC's Found			1		04/29/19 15:20		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

QC Batch:	111472	Analysis Method:	EPA 7470A
QC Batch Method:	EPA 7470A	Analysis Description:	7470 Mercury
Associated Lab Samples:	7087153001, 7087153002, 7087153003, 7087153004, 7087153005, 7087153006, 7087153007, 7087153008, 7087153009, 7087153010, 7087153011, 7087153012, 7087153013, 7087153014		

METHOD BLANK:	522337	Matrix:	Water
Associated Lab Samples:	7087153001, 7087153002, 7087153003, 7087153004, 7087153005, 7087153006, 7087153007, 7087153008, 7087153009, 7087153010, 7087153011, 7087153012, 7087153013, 7087153014		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mercury	ug/L	<0.20	0.20	05/02/19 15:28	

LABORATORY CONTROL SAMPLE: 522338						
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mercury	ug/L	1	0.99	99	80-120	

MATRIX SPIKE SAMPLE:		522339					
		7087153006	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Mercury	ug/L	<0.20	1	1.0	102	75-125	

SAMPLE DUPLICATE: 522340					
Parameter	Units	7087153006 Result	Dup Result	RPD	Qualifiers
Mercury	ug/L	<0.20	0.19J		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

QC Batch:	111469	Analysis Method:	EPA 6010C
QC Batch Method:	EPA 3005A	Analysis Description:	6010 MET Water
Associated Lab Samples:	7087153001, 7087153002, 7087153003, 7087153004, 7087153005, 7087153006, 7087153007, 7087153008, 7087153009, 7087153010, 7087153011, 7087153012, 7087153013, 7087153014		

METHOD BLANK: 522323

Matrix: Water

Associated Lab Samples: 7087153001, 7087153002, 7087153003, 7087153004, 7087153005, 7087153006, 7087153007, 7087153008, 7087153009, 7087153010, 7087153011, 7087153012, 7087153013, 7087153014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Aluminum	ug/L	<200	200	05/01/19 01:43	
Antimony	ug/L	<60.0	60.0	05/01/19 01:43	
Arsenic	ug/L	<10.0	10.0	05/01/19 01:43	
Barium	ug/L	<200	200	05/01/19 01:43	
Beryllium	ug/L	<5.0	5.0	05/01/19 01:43	
Boron	ug/L	<50.0	50.0	05/01/19 01:43	
Cadmium	ug/L	<2.5	2.5	05/01/19 01:43	
Calcium	ug/L	<200	200	05/01/19 01:43	
Chromium	ug/L	<10.0	10.0	05/01/19 01:43	
Cobalt	ug/L	<50.0	50.0	05/01/19 01:43	
Copper	ug/L	<25.0	25.0	05/01/19 01:43	
Iron	ug/L	<20.0	20.0	05/01/19 01:43	
Lead	ug/L	<5.0	5.0	05/01/19 01:43	
Magnesium	ug/L	<200	200	05/01/19 01:43	
Manganese	ug/L	<10.0	10.0	05/01/19 01:43	
Nickel	ug/L	<40.0	40.0	05/01/19 01:43	
Potassium	ug/L	<5000	5000	05/01/19 01:43	
Selenium	ug/L	<10.0	10.0	05/01/19 01:43	
Silver	ug/L	<10.0	10.0	05/01/19 01:43	
Sodium	ug/L	<5000	5000	05/01/19 01:43	
Thallium	ug/L	<10.0	10.0	05/01/19 01:43	
Vanadium	ug/L	<50.0	50.0	05/01/19 01:43	
Zinc	ug/L	<20.0	20.0	05/01/19 01:43	

LABORATORY CONTROL SAMPLE: 522324

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Aluminum	ug/L	5000	4860	97	80-120	
Antimony	ug/L	750	757	101	80-120	
Arsenic	ug/L	500	497	99	80-120	
Barium	ug/L	500	506	101	80-120	
Beryllium	ug/L	50	53.8	108	80-120	
Boron	ug/L	2500	2460	98	80-120	
Cadmium	ug/L	50	52.0	104	80-120	
Calcium	ug/L	25000	26700	107	80-120	
Chromium	ug/L	250	253	101	80-120	
Cobalt	ug/L	500	514	103	80-120	
Copper	ug/L	250	260	104	80-120	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

LABORATORY CONTROL SAMPLE: 522324

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Iron	ug/L	2000	2090	105	80-120	
Lead	ug/L	500	528	106	80-120	
Magnesium	ug/L	25000	26100	104	80-120	
Manganese	ug/L	250	263	105	80-120	
Nickel	ug/L	250	259	103	80-120	
Potassium	ug/L	50000	52900	106	80-120	
Selenium	ug/L	750	750	100	80-120	
Silver	ug/L	250	245	98	80-120	
Sodium	ug/L	50000	49100	98	80-120	
Thallium	ug/L	750	750	100	80-120	
Vanadium	ug/L	500	513	103	80-120	
Zinc	ug/L	1000	1010	101	80-120	

MATRIX SPIKE SAMPLE: 522326

Parameter	Units	7087153006 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Aluminum	ug/L	<200	5000	4700	94	75-125	
Antimony	ug/L	<60.0	750	680	91	75-125	
Arsenic	ug/L	6.6J	500	475	94	75-125	
Barium	ug/L	71.2J	500	537	93	75-125	
Beryllium	ug/L	<5.0	50	49.4	99	75-125	
Boron	ug/L	45.8J	2500	2400	94	75-125	
Cadmium	ug/L	<2.5	50	47.8	95	75-125	
Calcium	ug/L	88800	25000	102000	51	75-125	M1
Chromium	ug/L	<10.0	250	238	95	75-125	
Cobalt	ug/L	4.8J	500	477	95	75-125	
Copper	ug/L	<25.0	250	245	98	75-125	
Iron	ug/L	1900	2000	3590	85	75-125	
Lead	ug/L	<5.0	500	489	97	75-125	
Magnesium	ug/L	28000	25000	48500	82	75-125	
Manganese	ug/L	8690	250	8130	-226	75-125	M1
Nickel	ug/L	4.8J	250	245	96	75-125	
Potassium	ug/L	<5000	50000	49000	95	75-125	
Selenium	ug/L	<10.0	750	704	94	75-125	
Silver	ug/L	<10.0	250	189	75	75-125	
Sodium	ug/L	8700	50000	56000	95	75-125	
Thallium	ug/L	8.6J	750	708	93	75-125	
Vanadium	ug/L	<50.0	500	489	98	75-125	
Zinc	ug/L	<20.0	1000	952	95	75-125	

SAMPLE DUPLICATE: 522325

Parameter	Units	7087153006 Result	Dup Result	RPD	Qualifiers
Aluminum	ug/L	<200	<200		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

SAMPLE DUPLICATE: 522325

Parameter	Units	7087153006 Result	Dup Result	RPD	Qualifiers
Antimony	ug/L	<60.0	<60.0		
Arsenic	ug/L	6.6J	<10.0		
Barium	ug/L	71.2J	69.2J		
Beryllium	ug/L	<5.0	<5.0		
Boron	ug/L	45.8J	45.1J		
Cadmium	ug/L	<2.5	<2.5		
Calcium	ug/L	88800	85800	3	
Chromium	ug/L	<10.0	<10.0		
Cobalt	ug/L	4.8J	4.6J		
Copper	ug/L	<25.0	<25.0		
Iron	ug/L	1900	1840	3	
Lead	ug/L	<5.0	<5.0		
Magnesium	ug/L	28000	27000	4	
Manganese	ug/L	8690	8460	3	
Nickel	ug/L	4.8J	4.9J		
Potassium	ug/L	<5000	<5000		
Selenium	ug/L	<10.0	<10.0		
Silver	ug/L	<10.0	<10.0		
Sodium	ug/L	8700	8480	3	
Thallium	ug/L	8.6J	7.8J		
Vanadium	ug/L	<50.0	<50.0		
Zinc	ug/L	<20.0	<20.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

QC Batch:	111150	Analysis Method:	EPA 8260C/5030C
QC Batch Method:	EPA 8260C/5030C	Analysis Description:	8260 MSV
Associated Lab Samples:	7087153001, 7087153002, 7087153003, 7087153004, 7087153005, 7087153006, 7087153007, 7087153008, 7087153009, 7087153010, 7087153011, 7087153012, 7087153013, 7087153014, 7087153015		

METHOD BLANK: 520736

Matrix: Water

Associated Lab Samples: 7087153001, 7087153002, 7087153003, 7087153004, 7087153005, 7087153006, 7087153007, 7087153008, 7087153009, 7087153010, 7087153011, 7087153012, 7087153013, 7087153014, 7087153015

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	ND	5.0	04/26/19 16:29	
1,1,1-Trichloroethane	ug/L	ND	5.0	04/26/19 16:29	
1,1,2,2-Tetrachloroethane	ug/L	ND	5.0	04/26/19 16:29	
1,1,2-Trichloroethane	ug/L	ND	5.0	04/26/19 16:29	
1,1-Dichloroethane	ug/L	ND	5.0	04/26/19 16:29	
1,1-Dichloroethene	ug/L	ND	5.0	04/26/19 16:29	
1,2,3-Trichloropropane	ug/L	ND	5.0	04/26/19 16:29	
1,2-Dibromo-3-chloropropane	ug/L	ND	5.0	04/26/19 16:29	
1,2-Dibromoethane (EDB)	ug/L	ND	5.0	04/26/19 16:29	
1,2-Dichlorobenzene	ug/L	ND	5.0	04/26/19 16:29	
1,2-Dichloroethane	ug/L	ND	5.0	04/26/19 16:29	
1,2-Dichloropropane	ug/L	ND	5.0	04/26/19 16:29	
1,4-Dichlorobenzene	ug/L	ND	5.0	04/26/19 16:29	
2-Butanone (MEK)	ug/L	ND	5.0	04/26/19 16:29	IL
2-Hexanone	ug/L	ND	5.0	04/26/19 16:29	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	5.0	04/26/19 16:29	
Acetone	ug/L	ND	5.0	04/26/19 16:29	
Acrylonitrile	ug/L	ND	5.0	04/26/19 16:29	
Benzene	ug/L	ND	5.0	04/26/19 16:29	
Bromochloromethane	ug/L	ND	5.0	04/26/19 16:29	
Bromodichloromethane	ug/L	ND	5.0	04/26/19 16:29	
Bromoform	ug/L	ND	5.0	04/26/19 16:29	
Bromomethane	ug/L	ND	5.0	04/26/19 16:29	CL
Carbon disulfide	ug/L	ND	5.0	04/26/19 16:29	
Carbon tetrachloride	ug/L	ND	5.0	04/26/19 16:29	
Chlorobenzene	ug/L	ND	5.0	04/26/19 16:29	
Chloroethane	ug/L	ND	5.0	04/26/19 16:29	
Chloroform	ug/L	ND	5.0	04/26/19 16:29	
Chloromethane	ug/L	ND	5.0	04/26/19 16:29	
cis-1,2-Dichloroethene	ug/L	ND	5.0	04/26/19 16:29	
cis-1,3-Dichloropropene	ug/L	ND	5.0	04/26/19 16:29	
Dibromochloromethane	ug/L	ND	5.0	04/26/19 16:29	
Dibromomethane	ug/L	ND	5.0	04/26/19 16:29	
Ethylbenzene	ug/L	ND	5.0	04/26/19 16:29	
Iodomethane	ug/L	ND	5.0	04/26/19 16:29	CL
Methylene Chloride	ug/L	ND	5.0	04/26/19 16:29	
Styrene	ug/L	ND	5.0	04/26/19 16:29	
Tetrachloroethene	ug/L	ND	5.0	04/26/19 16:29	
Toluene	ug/L	ND	5.0	04/26/19 16:29	
trans-1,2-Dichloroethene	ug/L	ND	5.0	04/26/19 16:29	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

METHOD BLANK: 520736

Matrix: Water

Associated Lab Samples: 7087153001, 7087153002, 7087153003, 7087153004, 7087153005, 7087153006, 7087153007, 7087153008, 7087153009, 7087153010, 7087153011, 7087153012, 7087153013, 7087153014, 7087153015

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
trans-1,3-Dichloropropene	ug/L	ND	5.0	04/26/19 16:29	
trans-1,4-Dichloro-2-butene	ug/L	ND	5.0	04/26/19 16:29	
Trichloroethene	ug/L	ND	5.0	04/26/19 16:29	
Trichlorofluoromethane	ug/L	ND	5.0	04/26/19 16:29	
Vinyl acetate	ug/L	ND	5.0	04/26/19 16:29	
Vinyl chloride	ug/L	ND	5.0	04/26/19 16:29	
Xylene (Total)	ug/L	ND	5.0	04/26/19 16:29	
1,2-Dichloroethane-d4 (S)	%	117	68-153	04/26/19 16:29	
4-Bromofluorobenzene (S)	%	111	79-124	04/26/19 16:29	
Toluene-d8 (S)	%	86	69-124	04/26/19 16:29	

LABORATORY CONTROL SAMPLE: 520737

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	41.9	84	74-113	
1,1,1-Trichloroethane	ug/L	50	46.8	94	65-118	
1,1,2,2-Tetrachloroethane	ug/L	50	41.1	82	74-121	
1,1,2-Trichloroethane	ug/L	50	45.2	90	80-117	
1,1-Dichloroethane	ug/L	50	49.7	99	83-151	
1,1-Dichloroethene	ug/L	50	40.6	81	45-146	
1,2,3-Trichloropropane	ug/L	50	44.4	89	71-123	
1,2-Dibromo-3-chloropropane	ug/L	50	44.7	89	74-119	
1,2-Dibromoethane (EDB)	ug/L	50	43.4	87	83-115	
1,2-Dichlorobenzene	ug/L	50	37.9	76	74-113	
1,2-Dichloroethane	ug/L	50	59.8	120	74-129	CH
1,2-Dichloropropane	ug/L	50	43.3	87	75-117	
1,4-Dichlorobenzene	ug/L	50	39.6	79	71-113	
2-Butanone (MEK)	ug/L	50	52.6	105	44-162	CH,IL
2-Hexanone	ug/L	50	40.6	81	32-183	
4-Methyl-2-pentanone (MIBK)	ug/L	50	47.0	94	69-132	
Acetone	ug/L	50	60.1	120	23-188	CH
Acrylonitrile	ug/L	50	47.5	95	59-148	
Benzene	ug/L	50	43.4	87	73-119	
Bromochloromethane	ug/L	50	48.0	96	81-116	
Bromodichloromethane	ug/L	50	50.1	100	78-117	
Bromoform	ug/L	50	41.7	83	65-122	
Bromomethane	ug/L	50	33.6	67	52-147	CL
Carbon disulfide	ug/L	50	45.8	92	41-144	
Carbon tetrachloride	ug/L	50	42.9	86	59-120	
Chlorobenzene	ug/L	50	36.8	74	75-113	L2
Chloroethane	ug/L	50	49.6	99	49-151	
Chloroform	ug/L	50	54.3	109	72-122	
Chloromethane	ug/L	50	35.5	71	46-144	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

LABORATORY CONTROL SAMPLE: 520737

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
cis-1,2-Dichloroethene	ug/L	50	47.8	96	72-121	
cis-1,3-Dichloropropene	ug/L	50	47.5	95	78-116	
Dibromochloromethane	ug/L	50	42.2	84	70-120	
Dibromomethane	ug/L	50	46.3	93	75-125	
Ethylbenzene	ug/L	50	38.4	77	70-113	
Iodomethane	ug/L	50	30.1	60	61-144	CL,L2
Methylene Chloride	ug/L	50	49.0	98	61-142	
Styrene	ug/L	50	42.4	85	72-118	
Tetrachloroethene	ug/L	50	35.1	70	60-128	
Toluene	ug/L	50	41.6	83	72-119	
trans-1,2-Dichloroethene	ug/L	50	46.2	92	56-142	
trans-1,3-Dichloropropene	ug/L	50	51.1	102	79-116	
trans-1,4-Dichloro-2-butene	ug/L	50	53.7	107	71-121	CH
Trichloroethene	ug/L	50	46.2	92	69-117	
Trichlorofluoromethane	ug/L	50	41.2	82	27-173	
Vinyl acetate	ug/L	50	59.6	119	20-158	CH
Vinyl chloride	ug/L	50	43.9	88	43-143	
Xylene (Total)	ug/L	150	118	79	71-109	
1,2-Dichloroethane-d4 (S)	%			110	68-153	
4-Bromofluorobenzene (S)	%			115	79-124	
Toluene-d8 (S)	%			85	69-124	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 520795

520796

Parameter	Units	7087153006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
1,1,1,2-Tetrachloroethane	ug/L	ND	50	50	42.4	49.4	85	99	74-113	15	
1,1,1-Trichloroethane	ug/L	ND	50	50	49.7	57.6	99	115	65-118	15	
1,1,2,2-Tetrachloroethane	ug/L	ND	50	50	45.6	50.0	91	100	74-121	9	
1,1,2-Trichloroethane	ug/L	ND	50	50	51.4	57.6	103	115	80-117	12	
1,1-Dichloroethane	ug/L	14.2	50	50	65.9	73.6	103	119	83-151	11	
1,1-Dichloroethene	ug/L	ND	50	50	45.3	50.4	91	101	45-146	11	
1,2,3-Trichloropropane	ug/L	ND	50	50	49.0	54.4	98	109	71-123	10	
1,2-Dibromo-3-chloropropane	ug/L	ND	50	50	46.2	53.5	92	107	74-119	14	
1,2-Dibromoethane (EDB)	ug/L	ND	50	50	48.7	54.1	97	108	83-115	11	
1,2-Dichlorobenzene	ug/L	ND	50	50	40.4	44.9	81	90	74-113	10	
1,2-Dichloroethane	ug/L	ND	50	50	67.4	73.3	135	147	74-129	8	CH,M1
1,2-Dichloropropane	ug/L	ND	50	50	47.1	53.6	94	107	75-117	13	
1,4-Dichlorobenzene	ug/L	ND	50	50	41.7	46.9	83	94	71-113	12	
2-Butanone (MEK)	ug/L	ND	50	50	61.3	66.0	123	132	44-162	8	CH,IL
2-Hexanone	ug/L	ND	50	50	45.2	51.1	90	102	32-183	12	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	50	50	55.8	65.0	112	130	69-132	15	
Acetone	ug/L	ND	50	50	77.9	78.7	156	157	23-188	1	CH
Acrylonitrile	ug/L	ND	50	50	59.2	65.6	118	131	59-148	10	
Benzene	ug/L	ND	50	50	47.9	54.9	92	106	73-119	13	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 520795 520796											
Parameter	Units	7087153006 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Bromochloromethane	ug/L	ND	50	50	51.8	56.6	104	113	81-116	9	
Bromodichloromethane	ug/L	ND	50	50	54.1	60.8	108	122	78-117	12	M1
Bromoform	ug/L	ND	50	50	42.9	48.4	86	97	65-122	12	
Bromomethane	ug/L	ND	50	50	22.9	29.1	46	58	52-147	24	CL,M1,R1
Carbon disulfide	ug/L	ND	50	50	51.9	59.1	104	118	41-144	13	
Carbon tetrachloride	ug/L	ND	50	50	43.9	51.7	88	103	59-120	16	
Chlorobenzene	ug/L	ND	50	50	40.2	44.6	78	86	75-113	10	
Chloroethane	ug/L	ND	50	50	53.6	58.8	105	115	49-151	9	
Chloroform	ug/L	ND	50	50	58.7	65.8	117	132	72-122	11	M1
Chloromethane	ug/L	ND	50	50	35.0	39.4	70	79	46-144	12	
cis-1,2-Dichloroethene	ug/L	54.9	50	50	101	112	93	114	72-121	10	
cis-1,3-Dichloropropene	ug/L	ND	50	50	49.5	55.7	99	111	78-116	12	
Dibromochloromethane	ug/L	ND	50	50	44.2	48.8	88	98	70-120	10	
Dibromomethane	ug/L	ND	50	50	51.4	57.3	103	115	75-125	11	
Ethylbenzene	ug/L	ND	50	50	39.5	45.3	79	91	70-113	14	
Iodomethane	ug/L	ND	50	50	34.1	41.8	68	84	61-144	20	CL
Methylene Chloride	ug/L	ND	50	50	51.1	56.1	102	112	61-142	9	
Styrene	ug/L	ND	50	50	44.7	50.5	89	101	72-118	12	
Tetrachloroethene	ug/L	ND	50	50	36.8	42.6	74	85	60-128	15	
Toluene	ug/L	ND	50	50	44.1	50.4	88	101	72-119	13	
trans-1,2-Dichloroethene	ug/L	ND	50	50	49.8	57.1	97	112	56-142	14	
trans-1,3-Dichloropropene	ug/L	ND	50	50	54.5	60.9	109	122	79-116	11	M1
trans-1,4-Dichloro-2-butene	ug/L	ND	50	50	14.9	12.4	30	25	71-121	19	CH,M1
Trichloroethene	ug/L	ND	50	50	51.3	58.3	98	112	69-117	13	
Trichlorofluoromethane	ug/L	ND	50	50	44.7	50.8	89	102	27-173	13	
Vinyl acetate	ug/L	ND	50	50	60.5	67.7	121	135	20-158	11	CH
Vinyl chloride	ug/L	12.9	50	50	58.9	65.8	92	106	43-143	11	
Xylene (Total)	ug/L	ND	150	150	124	141	82	94	71-109	13	
1,2-Dichloroethane-d4 (S)	%						117	116	68-153		
4-Bromofluorobenzene (S)	%						118	117	79-124		
Toluene-d8 (S)	%						83	83	69-124		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

QC Batch:	110986	Analysis Method:	SM22 2120B
QC Batch Method:	SM22 2120B	Analysis Description:	2120B Color
Associated Lab Samples:	7087153014		

METHOD BLANK: 519258 Matrix: Water

Associated Lab Samples: 7087153014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Apparent Color	units	<5.0	5.0	04/25/19 23:56	

LABORATORY CONTROL SAMPLE: 519259

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Apparent Color	units	40	40.0	100	90-110	

SAMPLE DUPLICATE: 519260

Parameter	Units	7087153014 Result	Dup Result	RPD	Qualifiers
Apparent Color	units	15.0	15.0	0	
pH	Std. Units	7.0	7.0	0	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

QC Batch:	110998	Analysis Method:	SM22 2120B
QC Batch Method:	SM22 2120B	Analysis Description:	2120B Color
Associated Lab Samples:	7087153001, 7087153002, 7087153003, 7087153004, 7087153006, 7087153007, 7087153008, 7087153009, 7087153010, 7087153011, 7087153012, 7087153013		

METHOD BLANK:	519284	Matrix:	Water
Associated Lab Samples:	7087153001, 7087153002, 7087153003, 7087153004, 7087153006, 7087153007, 7087153008, 7087153009, 7087153010, 7087153011, 7087153012, 7087153013		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Apparent Color	units	<5.0	5.0	04/26/19 07:27	

LABORATORY CONTROL SAMPLE: 519285

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Apparent Color	units	40	40.0	100	90-110	

SAMPLE DUPLICATE: 519286

Parameter	Units	7087153006 Result	Dup Result	RPD	Qualifiers
Apparent Color	units	<5.0	<5.0		
pH	Std. Units	7.5	7.5	0	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

QC Batch:	112570	Analysis Method:	SM22 2320B
QC Batch Method:	SM22 2320B	Analysis Description:	2320B Alkalinity
Associated Lab Samples:	7087153001, 7087153002, 7087153003, 7087153004, 7087153006, 7087153007, 7087153008, 7087153009, 7087153010, 7087153011, 7087153012, 7087153013, 7087153014		

METHOD BLANK: 528212 Matrix: Water
Associated Lab Samples: 7087153001, 7087153002, 7087153003, 7087153004, 7087153006, 7087153007, 7087153008, 7087153009, 7087153010, 7087153011, 7087153012, 7087153013, 7087153014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Alkalinity, Total as CaCO ₃	mg/L	<1.0	1.0	05/07/19 16:39	

LABORATORY CONTROL SAMPLE: 528213

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Alkalinity, Total as CaCO ₃	mg/L	25	25.0	100	85-115	

MATRIX SPIKE SAMPLE: 528215

Parameter	Units	7087153006 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Alkalinity, Total as CaCO ₃	mg/L	324	25	356	128	75-125	M1

SAMPLE DUPLICATE: 528214

Parameter	Units	7087153006 Result	Dup Result	RPD	Qualifiers
Alkalinity, Total as CaCO ₃	mg/L	324	328	1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

QC Batch:	112211	Analysis Method:	SM22 2340C
QC Batch Method:	SM22 2340C	Analysis Description:	2340C Hardness, Total
Associated Lab Samples:	7087153001, 7087153002, 7087153003, 7087153004, 7087153005, 7087153006, 7087153007, 7087153008, 7087153009, 7087153010, 7087153011, 7087153012, 7087153013, 7087153014		

METHOD BLANK: 526409 Matrix: Water
Associated Lab Samples: 7087153001, 7087153002, 7087153003, 7087153004, 7087153005, 7087153006, 7087153007, 7087153008, 7087153009, 7087153010, 7087153011, 7087153012, 7087153013, 7087153014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Tot Hardness asCaCO3 (SM 2340B)	mg/L	<5.0	5.0	05/03/19 21:22	

LABORATORY CONTROL SAMPLE: 526410

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Tot Hardness asCaCO3 (SM 2340B)	mg/L	100	99.0	99	90-110	

MATRIX SPIKE SAMPLE: 526411

Parameter	Units	7087153006 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Tot Hardness asCaCO3 (SM 2340B)	mg/L	280	2000	2280	100	75-125	

SAMPLE DUPLICATE: 526412

Parameter	Units	7087153006 Result	Dup Result	RPD	Qualifiers
Tot Hardness asCaCO3 (SM 2340B)	mg/L	280	280	0	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

QC Batch:	111518	Analysis Method:	SM22 2540C
QC Batch Method:	SM22 2540C	Analysis Description:	2540C Total Dissolved Solids
Associated Lab Samples:	7087153001, 7087153002, 7087153003, 7087153004, 7087153006, 7087153007, 7087153008, 7087153009, 7087153010, 7087153011, 7087153012, 7087153013, 7087153014		

METHOD BLANK: 522563 Matrix: Water
Associated Lab Samples: 7087153001, 7087153002, 7087153003, 7087153004, 7087153006, 7087153007, 7087153008, 7087153009, 7087153010, 7087153011, 7087153012, 7087153013, 7087153014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Total Dissolved Solids	mg/L	<1.0	1.0	04/30/19 16:18	

LABORATORY CONTROL SAMPLE: 522564

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Dissolved Solids	mg/L	500	504	101	85-115	

MATRIX SPIKE SAMPLE: 522568

Parameter	Units	7087153006 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Total Dissolved Solids	mg/L	306	600	1060	125	75-125	

MATRIX SPIKE SAMPLE: 522573

Parameter	Units	7087153001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Total Dissolved Solids	mg/L	454	600	872	70	75-125	M1

SAMPLE DUPLICATE: 522567

Parameter	Units	7087153006 Result	Dup Result	RPD	Qualifiers
Total Dissolved Solids	mg/L	306	346	12	D6

SAMPLE DUPLICATE: 522572

Parameter	Units	7087153001 Result	Dup Result	RPD	Qualifiers
Total Dissolved Solids	mg/L	454	386	16	D6

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

QC Batch:	110931	Analysis Method:	SM22 3500-Cr B
QC Batch Method:	SM22 3500-Cr B	Analysis Description:	Chromium, Hexavalent by 3500
Associated Lab Samples:	7087153001, 7087153002, 7087153003, 7087153004, 7087153006, 7087153007, 7087153008, 7087153009, 7087153010, 7087153011, 7087153012, 7087153013, 7087153014		

METHOD BLANK: 518669 Matrix: Water
Associated Lab Samples: 7087153001, 7087153002, 7087153003, 7087153004, 7087153006, 7087153007, 7087153008, 7087153009, 7087153010, 7087153011, 7087153012, 7087153013, 7087153014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chromium, Hexavalent	mg/L	<0.020	0.020	04/25/19 11:59	

LABORATORY CONTROL SAMPLE: 518670

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chromium, Hexavalent	mg/L	0.2	0.20	100	85-115	

MATRIX SPIKE SAMPLE: 518671

Parameter	Units	7087153006 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Chromium, Hexavalent	mg/L	<0.020	0.2	0.20	102	75-125	H1

SAMPLE DUPLICATE: 518672

Parameter	Units	7087153006 Result	Dup Result	RPD	Qualifiers
Chromium, Hexavalent	mg/L	<0.020	<0.020		H1

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

QC Batch: 111636

Analysis Method: EPA 410.4

QC Batch Method: EPA 410.4

Analysis Description: 410.4 COD

Associated Lab Samples: 7087153001, 7087153002

METHOD BLANK: 523326

Matrix: Water

Associated Lab Samples: 7087153001, 7087153002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chemical Oxygen Demand	mg/L	<10.0	10.0	05/01/19 12:27	

LABORATORY CONTROL SAMPLE: 523327

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chemical Oxygen Demand	mg/L	500	509	102	90-110	

MATRIX SPIKE SAMPLE: 523328

Parameter	Units	7086910001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Chemical Oxygen Demand	mg/L	38.9	1000	1050	101	90-110	

MATRIX SPIKE SAMPLE: 523330

Parameter	Units	7087457001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Chemical Oxygen Demand	mg/L	23.4	1000	974	95	90-110	

SAMPLE DUPLICATE: 523329

Parameter	Units	7086910001 Result	Dup Result	RPD	Qualifiers
Chemical Oxygen Demand	mg/L	38.9	43.3	11	

SAMPLE DUPLICATE: 523331

Parameter	Units	7087457001 Result	Dup Result	RPD	Qualifiers
Chemical Oxygen Demand	mg/L	23.4	19.0	21 D6	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

QC Batch:	111861	Analysis Method:	EPA 410.4
QC Batch Method:	EPA 410.4	Analysis Description:	410.4 COD
Associated Lab Samples:	7087153003, 7087153004, 7087153005, 7087153006, 7087153007, 7087153008, 7087153009, 7087153010, 7087153011, 7087153012, 7087153013, 7087153014		

METHOD BLANK: 524381 Matrix: Water
Associated Lab Samples: 7087153003, 7087153004, 7087153005, 7087153006, 7087153007, 7087153008, 7087153009, 7087153010, 7087153011, 7087153012, 7087153013, 7087153014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chemical Oxygen Demand	mg/L	<10.0	10.0	05/02/19 12:14	

LABORATORY CONTROL SAMPLE: 524382

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chemical Oxygen Demand	mg/L	500	513	103	90-110	

MATRIX SPIKE SAMPLE: 524383

Parameter	Units	7087153006 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Chemical Oxygen Demand	mg/L	16.8	1000	1020	100	90-110	

MATRIX SPIKE SAMPLE: 524385

Parameter	Units	7087153013 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Chemical Oxygen Demand	mg/L	10.2	1000	991	98	90-110	

SAMPLE DUPLICATE: 524384

Parameter	Units	7087153006 Result	Dup Result	RPD	Qualifiers
Chemical Oxygen Demand	mg/L	16.8	19.0	12	

SAMPLE DUPLICATE: 524386

Parameter	Units	7087153013 Result	Dup Result	RPD	Qualifiers
Chemical Oxygen Demand	mg/L	10.2	12.4	20	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

QC Batch:	110960	Analysis Method:	SM22 5210B
QC Batch Method:	SM22 5210B	Analysis Description:	5210B BOD, 5 day
Associated Lab Samples:	7087153001, 7087153002, 7087153003, 7087153004, 7087153006, 7087153007, 7087153008, 7087153009, 7087153010, 7087153011, 7087153012, 7087153013, 7087153014		

METHOD BLANK:	518915	Matrix:	Water
Associated Lab Samples:	7087153001, 7087153002, 7087153003, 7087153004, 7087153006, 7087153007, 7087153008, 7087153009, 7087153010, 7087153011, 7087153012, 7087153013, 7087153014		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
BOD, 5 day	mg/L	<2.0	2.0	04/30/19 11:17	

LABORATORY CONTROL SAMPLE: 518916

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
BOD, 5 day	mg/L	198	176	89	84.5-115.4	

SAMPLE DUPLICATE: 518917

Parameter	Units	7087153006 Result	Dup Result	RPD	Qualifiers
BOD, 5 day	mg/L	2.8	2.6	6	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

QC Batch:	112358	Analysis Method:	EPA 300.0
QC Batch Method:	EPA 300.0	Analysis Description:	300.0 IC Anions
Associated Lab Samples:	7087153001, 7087153002, 7087153003, 7087153004, 7087153006, 7087153007, 7087153008, 7087153009, 7087153010, 7087153011, 7087153012, 7087153013		

METHOD BLANK: 527209 Matrix: Water
Associated Lab Samples: 7087153001, 7087153002, 7087153003, 7087153004, 7087153006, 7087153007, 7087153008, 7087153009, 7087153010, 7087153011, 7087153012, 7087153013

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Bromide	mg/L	<0.50	0.50	05/06/19 19:40	
Chloride	mg/L	<2.0	2.0	05/06/19 19:40	
Sulfate	mg/L	<5.0	5.0	05/06/19 19:40	

LABORATORY CONTROL SAMPLE: 527210

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromide	mg/L	1	1.0	105	90-110	
Chloride	mg/L	10	10.5	105	90-110	
Sulfate	mg/L	10	10.3	103	90-110	

MATRIX SPIKE SAMPLE: 527211

Parameter	Units	7087508001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Bromide	mg/L	<0.50	1	1.1	102	80-120	
Chloride	mg/L	14.9	10	24.9	100	80-120	
Sulfate	mg/L	5.7	10	16.5	107	80-120	

MATRIX SPIKE SAMPLE: 527213

Parameter	Units	7087153006 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Bromide	mg/L	0.27J	1	1.3	105	80-120	
Chloride	mg/L	7.1	10	18.3	112	80-120	
Sulfate	mg/L	5.2	10	15.5	103	80-120	

SAMPLE DUPLICATE: 527212

Parameter	Units	7087508001 Result	Dup Result	RPD	Qualifiers
Bromide	mg/L	<0.50	0.052J		
Chloride	mg/L	14.9	15.3	2	
Sulfate	mg/L	5.7	6.1	6	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

SAMPLE DUPLICATE: 527214

Parameter	Units	7087153006 Result	Dup Result	RPD	Qualifiers
Bromide	mg/L	0.27J	0.27J		
Chloride	mg/L	7.1	7.2	1	
Sulfate	mg/L	5.2	5.2	0	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

QC Batch: 112399

Analysis Method: EPA 300.0

QC Batch Method: EPA 300.0

Analysis Description: 300.0 IC Anions

Associated Lab Samples: 7087153014

METHOD BLANK: 527451

Matrix: Water

Associated Lab Samples: 7087153014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Bromide	mg/L	<0.50	0.50	05/07/19 06:15	
Chloride	mg/L	<2.0	2.0	05/07/19 06:15	
Sulfate	mg/L	<5.0	5.0	05/07/19 06:15	

LABORATORY CONTROL SAMPLE: 527452

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromide	mg/L	1	1.1	108	90-110	
Chloride	mg/L	10	10.8	108	90-110	
Sulfate	mg/L	10	9.5	95	90-110	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 527453 527454

Parameter	Units	7085477001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
Bromide	mg/L	0.025	1	1	1.1	1.1	104	104	80-120	0	
Chloride	mg/L	84.3	10	10	95.5	95.5	112	112	80-120	0	
Sulfate	mg/L	20.1	10	10	31.3	31.3	112	112	80-120	0	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

QC Batch:	112619	Analysis Method:	EPA 351.2
QC Batch Method:	EPA 351.2	Analysis Description:	351.2 TKN
Associated Lab Samples:	7087153001, 7087153002, 7087153003, 7087153004, 7087153005, 7087153006, 7087153007, 7087153008, 7087153009, 7087153010, 7087153011		

METHOD BLANK: 528758 Matrix: Water
Associated Lab Samples: 7087153001, 7087153002, 7087153003, 7087153004, 7087153005, 7087153006, 7087153007, 7087153008, 7087153009, 7087153010, 7087153011

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Nitrogen, Kjeldahl, Total	mg/L	<0.10	0.10	05/08/19 12:21	

LABORATORY CONTROL SAMPLE: 528759

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, Kjeldahl, Total	mg/L	4	4.0	101	90-110	

MATRIX SPIKE SAMPLE: 528760

Parameter	Units	7088259001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Nitrogen, Kjeldahl, Total	mg/L	<0.10	4	3.4	85	90-110	M1

MATRIX SPIKE SAMPLE: 528762

Parameter	Units	7087153006 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Nitrogen, Kjeldahl, Total	mg/L	1.1	4	5.2	103	90-110	

SAMPLE DUPLICATE: 528761

Parameter	Units	7088259001 Result	Dup Result	RPD	Qualifiers
Nitrogen, Kjeldahl, Total	mg/L	<0.10	<0.10		

SAMPLE DUPLICATE: 528763

Parameter	Units	7087153006 Result	Dup Result	RPD	Qualifiers
Nitrogen, Kjeldahl, Total	mg/L	1.1	1.2	9	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

QC Batch: 112620 Analysis Method: EPA 351.2
QC Batch Method: EPA 351.2 Analysis Description: 351.2 TKN
Associated Lab Samples: 7087153012, 7087153013, 7087153014

METHOD BLANK: 528764 Matrix: Water

Associated Lab Samples: 7087153012, 7087153013, 7087153014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Nitrogen, Kjeldahl, Total	mg/L	<0.10	0.10	05/08/19 12:48	

LABORATORY CONTROL SAMPLE: 528765

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, Kjeldahl, Total	mg/L	4	4.1	101	90-110	

MATRIX SPIKE SAMPLE: 528766

Parameter	Units	7087663002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Nitrogen, Kjeldahl, Total	mg/L	0.86	4	4.6	94	90-110	

MATRIX SPIKE SAMPLE: 528768

Parameter	Units	7088003002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Nitrogen, Kjeldahl, Total	mg/L	0.57	4	4.5	99	90-110	

SAMPLE DUPLICATE: 528767

Parameter	Units	7087663002 Result	Dup Result	RPD	Qualifiers
Nitrogen, Kjeldahl, Total	mg/L	0.86	0.89	4	

SAMPLE DUPLICATE: 528769

Parameter	Units	7088003002 Result	Dup Result	RPD	Qualifiers
Nitrogen, Kjeldahl, Total	mg/L	0.57	0.61	6	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

QC Batch:	110976	Analysis Method:	EPA 353.2
QC Batch Method:	EPA 353.2	Analysis Description:	353.2 Nitrite, Unpres.
Associated Lab Samples:	7087153001, 7087153002, 7087153003, 7087153004, 7087153006, 7087153007, 7087153008, 7087153009, 7087153010, 7087153011, 7087153012, 7087153013, 7087153014		

METHOD BLANK: 519169 Matrix: Water
Associated Lab Samples: 7087153001, 7087153002, 7087153003, 7087153004, 7087153006, 7087153007, 7087153008, 7087153009, 7087153010, 7087153011, 7087153012, 7087153013, 7087153014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Nitrite as N	mg/L	<0.050	0.050	04/25/19 21:53	

LABORATORY CONTROL SAMPLE: 519170

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrite as N	mg/L	1	1.1	106	90-110	

MATRIX SPIKE SAMPLE: 519171

Parameter	Units	7087153006 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Nitrite as N	mg/L	<0.050	0.5	0.57	113	90-110	M1

MATRIX SPIKE SAMPLE: 519173

Parameter	Units	7087245001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Nitrite as N	mg/L	<0.050	0.5	0.53	106	90-110	

SAMPLE DUPLICATE: 519172

Parameter	Units	7087153006 Result	Dup Result	RPD	Qualifiers
Nitrite as N	mg/L	<0.050	<0.050		

SAMPLE DUPLICATE: 519174

Parameter	Units	7087245001 Result	Dup Result	RPD	Qualifiers
Nitrite as N	mg/L	<0.050	<0.050		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

QC Batch:	110984	Analysis Method:	EPA 353.2
QC Batch Method:	EPA 353.2	Analysis Description:	353.2 Nitrate + Nitrite, preserved
Associated Lab Samples:	7087153001, 7087153002, 7087153003, 7087153004, 7087153005, 7087153006, 7087153007, 7087153008, 7087153009, 7087153010, 7087153011, 7087153012, 7087153013, 7087153014		

METHOD BLANK: 519247 Matrix: Water
Associated Lab Samples: 7087153001, 7087153002, 7087153003, 7087153004, 7087153005, 7087153006, 7087153007, 7087153008, 7087153009, 7087153010, 7087153011, 7087153012, 7087153013, 7087153014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Nitrate-Nitrite (as N)	mg/L	<0.050	0.050	04/26/19 00:11	

LABORATORY CONTROL SAMPLE: 519248

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrate-Nitrite (as N)	mg/L	1	0.98	98	90-110	

MATRIX SPIKE SAMPLE: 519249

Parameter	Units	7087259001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Nitrate-Nitrite (as N)	mg/L	2.2	5	7.1	97	90-110	

MATRIX SPIKE SAMPLE: 519251

Parameter	Units	7087153006 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Nitrate-Nitrite (as N)	mg/L	<0.050	0.5	0.50	100	90-110	

SAMPLE DUPLICATE: 519250

Parameter	Units	7087259001 Result	Dup Result	RPD	Qualifiers
Nitrate-Nitrite (as N)	mg/L	2.2	2.2	0	

SAMPLE DUPLICATE: 519252

Parameter	Units	7087153006 Result	Dup Result	RPD	Qualifiers
Nitrate-Nitrite (as N)	mg/L	<0.050	<0.050		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

QC Batch: 112188 Analysis Method: EPA 420.1
QC Batch Method: EPA 420.1 Analysis Description: 420.1 Phenolics Macro
Associated Lab Samples: 7087153001, 7087153002, 7087153003, 7087153004

METHOD BLANK: 526196 Matrix: Water
Associated Lab Samples: 7087153001, 7087153002, 7087153003, 7087153004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Phenolics, Total Recoverable	ug/L	<5.0	5.0	05/03/19 23:01	

LABORATORY CONTROL SAMPLE: 526197

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Phenolics, Total Recoverable	ug/L	30	28.4	95	90-110	

MATRIX SPIKE SAMPLE: 526233

Parameter	Units	7087912001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Phenolics, Total Recoverable	ug/L	<5.0	20	25.9	113	75-125	

SAMPLE DUPLICATE: 526234

Parameter	Units	7087912001 Result	Dup Result	RPD	Qualifiers
Phenolics, Total Recoverable	ug/L	<5.0	1.2J		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

QC Batch:	112367	Analysis Method:	EPA 420.1
QC Batch Method:	EPA 420.1	Analysis Description:	420.1 Phenolics Macro
Associated Lab Samples:	7087153005, 7087153006, 7087153007, 7087153008, 7087153009, 7087153010, 7087153011, 7087153012, 7087153013, 7087153014		

METHOD BLANK: 527290 Matrix: Water
Associated Lab Samples: 7087153005, 7087153006, 7087153007, 7087153008, 7087153009, 7087153010, 7087153011, 7087153012, 7087153013, 7087153014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Phenolics, Total Recoverable	ug/L	<5.0	5.0	05/06/19 20:43	

LABORATORY CONTROL SAMPLE: 527291

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Phenolics, Total Recoverable	ug/L	30	29.5	98	90-110	

MATRIX SPIKE SAMPLE: 527296

Parameter	Units	7087153005 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Phenolics, Total Recoverable	ug/L	3.3J	20	17.7	72	75-125	M1

MATRIX SPIKE SAMPLE: 527298

Parameter	Units	7087153006 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Phenolics, Total Recoverable	ug/L	1.8J	20	26.9	126	75-125	M1

SAMPLE DUPLICATE: 527297

Parameter	Units	7087153005 Result	Dup Result	RPD	Qualifiers
Phenolics, Total Recoverable	ug/L	3.3J	3.8J		

SAMPLE DUPLICATE: 527299

Parameter	Units	7087153006 Result	Dup Result	RPD	Qualifiers
Phenolics, Total Recoverable	ug/L	1.8J	7.9		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

QC Batch:	112457	Analysis Method:	SM22 4500 NH3 H
QC Batch Method:	SM22 4500 NH3 H	Analysis Description:	4500 Ammonia
Associated Lab Samples:	7087153001, 7087153002, 7087153003, 7087153004, 7087153005, 7087153006, 7087153007, 7087153008, 7087153009, 7087153010, 7087153011, 7087153012, 7087153013, 7087153014		

METHOD BLANK: 527734 Matrix: Water
Associated Lab Samples: 7087153001, 7087153002, 7087153003, 7087153004, 7087153005, 7087153006, 7087153007, 7087153008, 7087153009, 7087153010, 7087153011, 7087153012, 7087153013, 7087153014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Nitrogen, Ammonia	mg/L	0.022J	0.10	05/07/19 11:59	

LABORATORY CONTROL SAMPLE: 527735

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, Ammonia	mg/L	1	0.98	98	90-110	

MATRIX SPIKE SAMPLE: 527736

Parameter	Units	7087153006 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Nitrogen, Ammonia	mg/L	0.90	1	2.0	113	75-125	

SAMPLE DUPLICATE: 527737

Parameter	Units	7087153006 Result	Dup Result	RPD	Qualifiers
Nitrogen, Ammonia	mg/L	0.90	0.87	3	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

QC Batch: 112256 Analysis Method: EPA 9014 Total Cyanide
QC Batch Method: EPA 9010C Analysis Description: 9014 Cyanide, Total
Associated Lab Samples: 7087153001, 7087153002, 7087153003, 7087153004, 7087153005, 7087153006

METHOD BLANK: 526694 Matrix: Water
Associated Lab Samples: 7087153001, 7087153002, 7087153003, 7087153004, 7087153005, 7087153006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Cyanide	ug/L	<10.0	10.0	05/06/19 14:38	

LABORATORY CONTROL SAMPLE: 526695

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Cyanide	ug/L	75	69.6	93	85-115	

MATRIX SPIKE SAMPLE: 526696

Parameter	Units	7087153006 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Cyanide	ug/L	<10.0	100	103	101	75-125	

SAMPLE DUPLICATE: 526697

Parameter	Units	7087153006 Result	Dup Result	RPD	Qualifiers
Cyanide	ug/L	<10.0	2.4J		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

QC Batch: 112428 Analysis Method: EPA 9014 Total Cyanide
QC Batch Method: EPA 9010C Analysis Description: 9014 Cyanide, Total
Associated Lab Samples: 7087153007, 7087153008, 7087153009, 7087153010, 7087153011, 7087153012, 7087153013, 7087153014

METHOD BLANK: 527682 Matrix: Water
Associated Lab Samples: 7087153007, 7087153008, 7087153009, 7087153010, 7087153011, 7087153012, 7087153013, 7087153014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Cyanide	ug/L	<10.0	10.0	05/07/19 13:37	

LABORATORY CONTROL SAMPLE: 527683

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Cyanide	ug/L	75	70.3	94	85-115	

MATRIX SPIKE SAMPLE: 527684

Parameter	Units	7087153007 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Cyanide	ug/L	2.0J	100	97.7	96	75-125	

SAMPLE DUPLICATE: 527685

Parameter	Units	7087153007 Result	Dup Result	RPD	Qualifiers
Cyanide	ug/L	2.0J	<10.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

QC Batch:	112265	Analysis Method:	EPA 9060A
QC Batch Method:	EPA 9060A	Analysis Description:	9060 TOC
Associated Lab Samples:	7087153001, 7087153002, 7087153003, 7087153004, 7087153005, 7087153006, 7087153007, 7087153008, 7087153009, 7087153010		

METHOD BLANK: 526715 Matrix: Water
Associated Lab Samples: 7087153001, 7087153002, 7087153003, 7087153004, 7087153005, 7087153006, 7087153007, 7087153008, 7087153009, 7087153010

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mean Total Organic Carbon	mg/L	<1.0	1.0	05/06/19 13:43	
Total Organic Carbon	mg/L	<1.0	1.0	05/06/19 13:43	
Total Organic Carbon	mg/L	<1.0	1.0	05/06/19 13:43	
Total Organic Carbon	mg/L	<1.0	1.0	05/06/19 13:43	
Total Organic Carbon	mg/L	<1.0	1.0	05/06/19 13:43	

LABORATORY CONTROL SAMPLE: 526716

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mean Total Organic Carbon	mg/L	10	9.1	91	85-115	
Total Organic Carbon	mg/L	10	9.1	91	85-115	
Total Organic Carbon	mg/L	10	9.1	91	85-115	
Total Organic Carbon	mg/L	10	9.0	90	85-115	
Total Organic Carbon	mg/L	10	9.3	93	85-115	

MATRIX SPIKE SAMPLE: 526718

Parameter	Units	7087153006 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Mean Total Organic Carbon	mg/L	2.6	10	11.0	85	75-125	
Total Organic Carbon	mg/L	2.5	10	10.8	83	75-125	
Total Organic Carbon	mg/L	2.7	10	11.0	83	75-125	
Total Organic Carbon	mg/L	2.5	10	11.2	86	75-125	
Total Organic Carbon	mg/L	2.5	10	11.2	86	75-125	

SAMPLE DUPLICATE: 526717

Parameter	Units	7087153006 Result	Dup Result	RPD	Qualifiers
Mean Total Organic Carbon	mg/L	2.6	2.2	14	
Total Organic Carbon	mg/L	2.5	2.3	10	
Total Organic Carbon	mg/L	2.5	2.2	13	
Total Organic Carbon	mg/L	2.7	2.2	20	
Total Organic Carbon	mg/L	2.5	2.2	13	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

QC Batch: 112266 Analysis Method: EPA 9060A
QC Batch Method: EPA 9060A Analysis Description: 9060 TOC
Associated Lab Samples: 7087153011, 7087153012, 7087153013, 7087153014

METHOD BLANK: 526719 Matrix: Water
Associated Lab Samples: 7087153011, 7087153012, 7087153013, 7087153014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Mean Total Organic Carbon	mg/L	<1.0	1.0	05/06/19 17:33	
Total Organic Carbon	mg/L	<1.0	1.0	05/06/19 17:33	
Total Organic Carbon	mg/L	<1.0	1.0	05/06/19 17:33	
Total Organic Carbon	mg/L	<1.0	1.0	05/06/19 17:33	
Total Organic Carbon	mg/L	<1.0	1.0	05/06/19 17:33	

LABORATORY CONTROL SAMPLE: 526720

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Mean Total Organic Carbon	mg/L	10	9.1	91	85-115	
Total Organic Carbon	mg/L	10	9.1	91	85-115	
Total Organic Carbon	mg/L	10	9.1	91	85-115	
Total Organic Carbon	mg/L	10	9.2	92	85-115	
Total Organic Carbon	mg/L	10	9.1	91	85-115	

MATRIX SPIKE SAMPLE: 526724

Parameter	Units	7087153011 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Mean Total Organic Carbon	mg/L	0.82J	10	10.2	94	75-125	
Total Organic Carbon	mg/L	0.76J	10	9.7	89	75-125	
Total Organic Carbon	mg/L	0.86J	10	11.3	104	75-125	
Total Organic Carbon	mg/L	0.79J	10	10	92	75-125	
Total Organic Carbon	mg/L	0.89J	10	10.1	92	75-125	

SAMPLE DUPLICATE: 526723

Parameter	Units	7087153011 Result	Dup Result	RPD	Qualifiers
Mean Total Organic Carbon	mg/L	0.82J	0.89J		
Total Organic Carbon	mg/L	0.86J	0.68J		
Total Organic Carbon	mg/L	0.89J	0.82J		
Total Organic Carbon	mg/L	0.79J	0.63J		
Total Organic Carbon	mg/L	0.76J	1.4		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALIFIERS

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

ANALYTE QUALIFIERS

B	Analyte was detected in the associated method blank.
CH	The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.
CL	The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased low.
D6	The precision between the sample and sample duplicate exceeded laboratory control limits.
H1	Analysis conducted outside the EPA method holding time.
H3	Sample was received or analysis requested beyond the recognized method holding time.
IL	This analyte exceeded secondary source verification criteria low for the initial calibration. The reported results should be considered an estimated value.
L2	Analyte recovery in the laboratory control sample (LCS) was below QC limits. Results for this analyte in associated samples may be biased low.
M1	Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
N	The reported TIC has an 85% or higher match on a mass spectral library search.
R1	RPD value was outside control limits.

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
7087153001	MW-6D	EPA 3005A	111469	EPA 6010C	111485
7087153002	MW-7A	EPA 3005A	111469	EPA 6010C	111485
7087153003	MW-7C	EPA 3005A	111469	EPA 6010C	111485
7087153004	MW-8B	EPA 3005A	111469	EPA 6010C	111485
7087153005	MW-9B	EPA 3005A	111469	EPA 6010C	111485
7087153006	MW-10B	EPA 3005A	111469	EPA 6010C	111485
7087153007	MW-11B	EPA 3005A	111469	EPA 6010C	111485
7087153008	MW-12A	EPA 3005A	111469	EPA 6010C	111485
7087153009	MW-12B	EPA 3005A	111469	EPA 6010C	111485
7087153010	MW-13	EPA 3005A	111469	EPA 6010C	111485
7087153011	MW-14	EPA 3005A	111469	EPA 6010C	111485
7087153012	SEEP	EPA 3005A	111469	EPA 6010C	111485
7087153013	STREAM	EPA 3005A	111469	EPA 6010C	111485
7087153014	DUP	EPA 3005A	111469	EPA 6010C	111485
7087153001	MW-6D	EPA 7470A	111472	EPA 7470A	111489
7087153002	MW-7A	EPA 7470A	111472	EPA 7470A	111489
7087153003	MW-7C	EPA 7470A	111472	EPA 7470A	111489
7087153004	MW-8B	EPA 7470A	111472	EPA 7470A	111489
7087153005	MW-9B	EPA 7470A	111472	EPA 7470A	111489
7087153006	MW-10B	EPA 7470A	111472	EPA 7470A	111489
7087153007	MW-11B	EPA 7470A	111472	EPA 7470A	111489
7087153008	MW-12A	EPA 7470A	111472	EPA 7470A	111489
7087153009	MW-12B	EPA 7470A	111472	EPA 7470A	111489
7087153010	MW-13	EPA 7470A	111472	EPA 7470A	111489
7087153011	MW-14	EPA 7470A	111472	EPA 7470A	111489
7087153012	SEEP	EPA 7470A	111472	EPA 7470A	111489
7087153013	STREAM	EPA 7470A	111472	EPA 7470A	111489
7087153014	DUP	EPA 7470A	111472	EPA 7470A	111489
7087153001	MW-6D	EPA 8260C/5030C	111150		
7087153002	MW-7A	EPA 8260C/5030C	111150		
7087153003	MW-7C	EPA 8260C/5030C	111150		
7087153004	MW-8B	EPA 8260C/5030C	111150		
7087153005	MW-9B	EPA 8260C/5030C	111150		
7087153006	MW-10B	EPA 8260C/5030C	111150		
7087153007	MW-11B	EPA 8260C/5030C	111150		
7087153008	MW-12A	EPA 8260C/5030C	111150		
7087153009	MW-12B	EPA 8260C/5030C	111150		
7087153010	MW-13	EPA 8260C/5030C	111150		
7087153011	MW-14	EPA 8260C/5030C	111150		
7087153012	SEEP	EPA 8260C/5030C	111150		
7087153013	STREAM	EPA 8260C/5030C	111150		
7087153014	DUP	EPA 8260C/5030C	111150		
7087153015	TRIP BLANK	EPA 8260C/5030C	111150		
7087153001	MW-6D	EPA 8260			
7087153003	MW-7C	EPA 8260			
7087153004	MW-8B	EPA 8260			
7087153005	MW-9B	EPA 8260			

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
7087153010	MW-13	EPA 8260			
7087153011	MW-14	EPA 8260			
7087153012	SEEP	EPA 8260			
7087153013	STREAM	EPA 8260			
7087153014	DUP	EPA 8260			
7087153015	TRIP BLANK	EPA 8260			
7087153001	MW-6D	SM22 2120B	110998		
7087153002	MW-7A	SM22 2120B	110998		
7087153003	MW-7C	SM22 2120B	110998		
7087153004	MW-8B	SM22 2120B	110998		
7087153006	MW-10B	SM22 2120B	110998		
7087153007	MW-11B	SM22 2120B	110998		
7087153008	MW-12A	SM22 2120B	110998		
7087153009	MW-12B	SM22 2120B	110998		
7087153010	MW-13	SM22 2120B	110998		
7087153011	MW-14	SM22 2120B	110998		
7087153012	SEEP	SM22 2120B	110998		
7087153013	STREAM	SM22 2120B	110998		
7087153014	DUP	SM22 2120B	110986		
7087153001	MW-6D	SM22 2320B	112570		
7087153002	MW-7A	SM22 2320B	112570		
7087153003	MW-7C	SM22 2320B	112570		
7087153004	MW-8B	SM22 2320B	112570		
7087153006	MW-10B	SM22 2320B	112570		
7087153007	MW-11B	SM22 2320B	112570		
7087153008	MW-12A	SM22 2320B	112570		
7087153009	MW-12B	SM22 2320B	112570		
7087153010	MW-13	SM22 2320B	112570		
7087153011	MW-14	SM22 2320B	112570		
7087153012	SEEP	SM22 2320B	112570		
7087153013	STREAM	SM22 2320B	112570		
7087153014	DUP	SM22 2320B	112570		
7087153001	MW-6D	SM22 2340C	112211		
7087153002	MW-7A	SM22 2340C	112211		
7087153003	MW-7C	SM22 2340C	112211		
7087153004	MW-8B	SM22 2340C	112211		
7087153005	MW-9B	SM22 2340C	112211		
7087153006	MW-10B	SM22 2340C	112211		
7087153007	MW-11B	SM22 2340C	112211		
7087153008	MW-12A	SM22 2340C	112211		
7087153009	MW-12B	SM22 2340C	112211		
7087153010	MW-13	SM22 2340C	112211		
7087153011	MW-14	SM22 2340C	112211		
7087153012	SEEP	SM22 2340C	112211		
7087153013	STREAM	SM22 2340C	112211		
7087153014	DUP	SM22 2340C	112211		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
7087153001	MW-6D	SM22 2540C	111518		
7087153002	MW-7A	SM22 2540C	111518		
7087153003	MW-7C	SM22 2540C	111518		
7087153004	MW-8B	SM22 2540C	111518		
7087153006	MW-10B	SM22 2540C	111518		
7087153007	MW-11B	SM22 2540C	111518		
7087153008	MW-12A	SM22 2540C	111518		
7087153009	MW-12B	SM22 2540C	111518		
7087153010	MW-13	SM22 2540C	111518		
7087153011	MW-14	SM22 2540C	111518		
7087153012	SEEP	SM22 2540C	111518		
7087153013	STREAM	SM22 2540C	111518		
7087153014	DUP	SM22 2540C	111518		
7087153001	MW-6D	SM22 3500-Cr B	110931		
7087153002	MW-7A	SM22 3500-Cr B	110931		
7087153003	MW-7C	SM22 3500-Cr B	110931		
7087153004	MW-8B	SM22 3500-Cr B	110931		
7087153006	MW-10B	SM22 3500-Cr B	110931		
7087153007	MW-11B	SM22 3500-Cr B	110931		
7087153008	MW-12A	SM22 3500-Cr B	110931		
7087153009	MW-12B	SM22 3500-Cr B	110931		
7087153010	MW-13	SM22 3500-Cr B	110931		
7087153011	MW-14	SM22 3500-Cr B	110931		
7087153012	SEEP	SM22 3500-Cr B	110931		
7087153013	STREAM	SM22 3500-Cr B	110931		
7087153014	DUP	SM22 3500-Cr B	110931		
7087153001	MW-6D	EPA 410.4	111636	EPA 410.4	111659
7087153002	MW-7A	EPA 410.4	111636	EPA 410.4	111659
7087153003	MW-7C	EPA 410.4	111861	EPA 410.4	111949
7087153004	MW-8B	EPA 410.4	111861	EPA 410.4	111949
7087153005	MW-9B	EPA 410.4	111861	EPA 410.4	111949
7087153006	MW-10B	EPA 410.4	111861	EPA 410.4	111949
7087153007	MW-11B	EPA 410.4	111861	EPA 410.4	111949
7087153008	MW-12A	EPA 410.4	111861	EPA 410.4	111949
7087153009	MW-12B	EPA 410.4	111861	EPA 410.4	111949
7087153010	MW-13	EPA 410.4	111861	EPA 410.4	111949
7087153011	MW-14	EPA 410.4	111861	EPA 410.4	111949
7087153012	SEEP	EPA 410.4	111861	EPA 410.4	111949
7087153013	STREAM	EPA 410.4	111861	EPA 410.4	111949
7087153014	DUP	EPA 410.4	111861	EPA 410.4	111949
7087153001	MW-6D	SM22 5210B	110960	SM22 5210B	111666
7087153002	MW-7A	SM22 5210B	110960	SM22 5210B	111666
7087153003	MW-7C	SM22 5210B	110960	SM22 5210B	111666
7087153004	MW-8B	SM22 5210B	110960	SM22 5210B	111666
7087153006	MW-10B	SM22 5210B	110960	SM22 5210B	111666
7087153007	MW-11B	SM22 5210B	110960	SM22 5210B	111666
7087153008	MW-12A	SM22 5210B	110960	SM22 5210B	111666

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
7087153009	MW-12B	SM22 5210B	110960	SM22 5210B	111666
7087153010	MW-13	SM22 5210B	110960	SM22 5210B	111666
7087153011	MW-14	SM22 5210B	110960	SM22 5210B	111666
7087153012	SEEP	SM22 5210B	110960	SM22 5210B	111666
7087153013	STREAM	SM22 5210B	110960	SM22 5210B	111666
7087153014	DUP	SM22 5210B	110960	SM22 5210B	111666
7087153001	MW-6D	EPA 300.0	112358		
7087153002	MW-7A	EPA 300.0	112358		
7087153003	MW-7C	EPA 300.0	112358		
7087153004	MW-8B	EPA 300.0	112358		
7087153006	MW-10B	EPA 300.0	112358		
7087153007	MW-11B	EPA 300.0	112358		
7087153008	MW-12A	EPA 300.0	112358		
7087153009	MW-12B	EPA 300.0	112358		
7087153010	MW-13	EPA 300.0	112358		
7087153011	MW-14	EPA 300.0	112358		
7087153012	SEEP	EPA 300.0	112358		
7087153013	STREAM	EPA 300.0	112358		
7087153014	DUP	EPA 300.0	112399		
7087153001	MW-6D	EPA 351.2	112619	EPA 351.2	112631
7087153002	MW-7A	EPA 351.2	112619	EPA 351.2	112631
7087153003	MW-7C	EPA 351.2	112619	EPA 351.2	112631
7087153004	MW-8B	EPA 351.2	112619	EPA 351.2	112631
7087153005	MW-9B	EPA 351.2	112619	EPA 351.2	112631
7087153006	MW-10B	EPA 351.2	112619	EPA 351.2	112631
7087153007	MW-11B	EPA 351.2	112619	EPA 351.2	112631
7087153008	MW-12A	EPA 351.2	112619	EPA 351.2	112631
7087153009	MW-12B	EPA 351.2	112619	EPA 351.2	112631
7087153010	MW-13	EPA 351.2	112619	EPA 351.2	112631
7087153011	MW-14	EPA 351.2	112619	EPA 351.2	112631
7087153012	SEEP	EPA 351.2	112620	EPA 351.2	112632
7087153013	STREAM	EPA 351.2	112620	EPA 351.2	112632
7087153014	DUP	EPA 351.2	112620	EPA 351.2	112632
7087153001	MW-6D	EPA 353.2	110984		
7087153002	MW-7A	EPA 353.2	110984		
7087153003	MW-7C	EPA 353.2	110984		
7087153004	MW-8B	EPA 353.2	110984		
7087153005	MW-9B	EPA 353.2	110984		
7087153006	MW-10B	EPA 353.2	110984		
7087153007	MW-11B	EPA 353.2	110984		
7087153008	MW-12A	EPA 353.2	110984		
7087153009	MW-12B	EPA 353.2	110984		
7087153010	MW-13	EPA 353.2	110984		
7087153011	MW-14	EPA 353.2	110984		
7087153012	SEEP	EPA 353.2	110984		
7087153013	STREAM	EPA 353.2	110984		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
7087153014	DUP	EPA 353.2	110984		
7087153001	MW-6D	EPA 353.2	110976		
7087153002	MW-7A	EPA 353.2	110976		
7087153003	MW-7C	EPA 353.2	110976		
7087153004	MW-8B	EPA 353.2	110976		
7087153006	MW-10B	EPA 353.2	110976		
7087153007	MW-11B	EPA 353.2	110976		
7087153008	MW-12A	EPA 353.2	110976		
7087153009	MW-12B	EPA 353.2	110976		
7087153010	MW-13	EPA 353.2	110976		
7087153011	MW-14	EPA 353.2	110976		
7087153012	SEEP	EPA 353.2	110976		
7087153013	STREAM	EPA 353.2	110976		
7087153014	DUP	EPA 353.2	110976		
7087153001	MW-6D	EPA 420.1	112188	EPA 420.1	112216
7087153002	MW-7A	EPA 420.1	112188	EPA 420.1	112216
7087153003	MW-7C	EPA 420.1	112188	EPA 420.1	112216
7087153004	MW-8B	EPA 420.1	112188	EPA 420.1	112216
7087153005	MW-9B	EPA 420.1	112367	EPA 420.1	112405
7087153006	MW-10B	EPA 420.1	112367	EPA 420.1	112405
7087153007	MW-11B	EPA 420.1	112367	EPA 420.1	112405
7087153008	MW-12A	EPA 420.1	112367	EPA 420.1	112405
7087153009	MW-12B	EPA 420.1	112367	EPA 420.1	112405
7087153010	MW-13	EPA 420.1	112367	EPA 420.1	112405
7087153011	MW-14	EPA 420.1	112367	EPA 420.1	112405
7087153012	SEEP	EPA 420.1	112367	EPA 420.1	112405
7087153013	STREAM	EPA 420.1	112367	EPA 420.1	112405
7087153014	DUP	EPA 420.1	112367	EPA 420.1	112405
7087153001	MW-6D	SM22 4500 NH3 H	112457		
7087153002	MW-7A	SM22 4500 NH3 H	112457		
7087153003	MW-7C	SM22 4500 NH3 H	112457		
7087153004	MW-8B	SM22 4500 NH3 H	112457		
7087153005	MW-9B	SM22 4500 NH3 H	112457		
7087153006	MW-10B	SM22 4500 NH3 H	112457		
7087153007	MW-11B	SM22 4500 NH3 H	112457		
7087153008	MW-12A	SM22 4500 NH3 H	112457		
7087153009	MW-12B	SM22 4500 NH3 H	112457		
7087153010	MW-13	SM22 4500 NH3 H	112457		
7087153011	MW-14	SM22 4500 NH3 H	112457		
7087153012	SEEP	SM22 4500 NH3 H	112457		
7087153013	STREAM	SM22 4500 NH3 H	112457		
7087153014	DUP	SM22 4500 NH3 H	112457		
7087153001	MW-6D	EPA 9010C	112256	EPA 9014 Total Cyanide	112337
7087153002	MW-7A	EPA 9010C	112256	EPA 9014 Total Cyanide	112337
7087153003	MW-7C	EPA 9010C	112256	EPA 9014 Total Cyanide	112337
7087153004	MW-8B	EPA 9010C	112256	EPA 9014 Total Cyanide	112337

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.

QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: ISCHUA LANDFILL BASLINE

Pace Project No.: 7087153

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
7087153005	MW-9B	EPA 9010C	112256	EPA 9014 Total Cyanide	112337
7087153006	MW-10B	EPA 9010C	112256	EPA 9014 Total Cyanide	112337
7087153007	MW-11B	EPA 9010C	112428	EPA 9014 Total Cyanide	112460
7087153008	MW-12A	EPA 9010C	112428	EPA 9014 Total Cyanide	112460
7087153009	MW-12B	EPA 9010C	112428	EPA 9014 Total Cyanide	112460
7087153010	MW-13	EPA 9010C	112428	EPA 9014 Total Cyanide	112460
7087153011	MW-14	EPA 9010C	112428	EPA 9014 Total Cyanide	112460
7087153012	SEEP	EPA 9010C	112428	EPA 9014 Total Cyanide	112460
7087153013	STREAM	EPA 9010C	112428	EPA 9014 Total Cyanide	112460
7087153014	DUP	EPA 9010C	112428	EPA 9014 Total Cyanide	112460
7087153001	MW-6D	EPA 9060A	112265		
7087153002	MW-7A	EPA 9060A	112265		
7087153003	MW-7C	EPA 9060A	112265		
7087153004	MW-8B	EPA 9060A	112265		
7087153005	MW-9B	EPA 9060A	112265		
7087153006	MW-10B	EPA 9060A	112265		
7087153007	MW-11B	EPA 9060A	112265		
7087153008	MW-12A	EPA 9060A	112265		
7087153009	MW-12B	EPA 9060A	112265		
7087153010	MW-13	EPA 9060A	112265		
7087153011	MW-14	EPA 9060A	112266		
7087153012	SEEP	EPA 9060A	112266		
7087153013	STREAM	EPA 9060A	112266		
7087153014	DUP	EPA 9060A	112266		

REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,
without the written consent of Pace Analytical Services, LLC.



Sample Condition Upon Receipt

Client Name:

LaBella

Project

WO#: 7087153

PM: JSA Due Date: 05/09/19

CLIENT: LBA-B

Courier: ☒ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☐ Pace ☐ Other

Tracking #:

4936 7264 3080

Custody Seal on Cooler/Box Present: ☐ Yes ☒ No

Seals intact: ☐ Yes ☒ No

Packing Material: ☐ Bubble Wrap ☒ Bubble Bags ☐ Ziploc ☐ None ☐ Other

Thermometer Used: TH091

Correction Factor:

0.0

Cooler Temperature (°C):

2.1

Cooler Temperature Corrected (°C):

2.1

Temp should be above freezing to 6.0°C

USDA Regulated Soil (☐ N/A, water sample)

Date and Initials of person examining contents:

MD 4/25/19

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)? ☐ YES ☒ NO

Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? ☐ Yes ☒ No

If Yes to either question, fill out a Regulated Soil Checklist (F-LI-C-010) and include with SCUR/COC paperwork.

		COMMENTS:
Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input checked="" type="checkbox"/> No	5. CRG arrived out of hold
Short Hold Time Analysis (<72hr):	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume: (Triple volume provided for MS/MSD)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11. Note if sediment is visible in the dissolved container.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	12.
-Includes date/time/ID/Analysis Matrix SL WT OIL		
All containers needing preservation have been checked:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	13. <input type="checkbox"/> HNO ₃ <input type="checkbox"/> H ₂ SO ₄ <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
pH paper Lot # H0863463		Sample #
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO ₃ , H ₂ SO ₄ , HCl, NaOH>9 Sulfide, NaOH>12 Cyanide)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water).		
Per Method, VOA pH is checked after analysis		
Samples checked for dechlorination:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
KI starch test strips Lot #		
Residual chlorine strips Lot #		Positive for Res. Chlorine? Y N
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	15.
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	16.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if applicable):		

Client Notification/ Resolution:

Field Data Required?

Y / N

Person Contacted:

Date/Time:

Comments/ Resolution:

APPENDIX D

Historical Analytical Results Tables

MW-6A
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

PARAMETER VOLATILES (ug/L)	9/90	12/90	3/91	6/91	9/91	12/91	3/92	6/92	9/92	12/92	3/93	6/93	9/93	12/93	3/94	6/94	9/94	12/94	3/95	6/95	9/95	12/95	4/96	9/96	3/97	9/97	3/98	9/98	3/99	9/99	3/00	9/00	3/01	9/01	3/02	
Acetone																																				
Acrylonitrile																																				
Benzene	ND	ND	ND																																	ND
Bromobenzene	ND	ND	ND																																	ND
Bromochloromethane	ND	ND	ND																																	ND
Bromodichloromethane	ND	ND	ND																																	
Bromoform	ND	ND	ND																																	
Bromomethane	ND	ND	ND																																	ND
2-Butanone																																				
n-Butylbenzene	ND	ND	ND																																	ND
sec-Butylbenzene	ND	ND	ND																																	ND
tert-Butylbenzene	ND	ND	ND																																	ND
Carbon disulfide																																				
Carbon tetrachloride	ND	ND	ND																																	ND
Chlorobenzene	ND	ND	ND																																	ND
Chloroethane	ND	ND	ND																																	ND
Chloroform	<DL	ND	ND																																	
Chloromethane	ND	ND	ND																																	ND
2-Chlorotoluene	ND	ND	ND																																	ND
4-Chlorotoluene	ND	ND	ND																																	ND
Dibromochloromethane	ND	ND	ND																																	
1,2-Dibromo-3-chloropropane	ND	ND	ND																																	
1,2-Dibromoethane	ND	ND	ND																																	
Dibromomethane	ND	ND	ND																																	ND
1,2-Dichlorobenzene	ND	ND	ND																																	ND
1,3-Dichlorobenzene	ND	ND	ND																																	ND
1,4-Dichlorobenzene	ND	ND	ND																																	ND
trans-1,4-Dichloro-2-butene																																				
Dichlorodifluoromethane	ND	ND	ND																																	ND
1,1-Dichloroethane	ND	ND	ND																																	ND
1,2-Dichloroethane	ND	ND	ND																																	ND
1,1-Dichloroethene	ND	ND	ND																																	ND
cis-1,2-Dichloroethene	ND	ND	ND																																	ND
trans-1,2-Dichloroethene	ND	ND	ND																																	ND
1,2-Dichloropropane	ND	ND	ND																																	ND
1,3-Dichloropropane	ND	ND	ND																																	ND
2,2-Dichloropropane	ND	ND	ND																																	ND
1,1-Dichloropropene	ND	ND	ND																																	ND
cis-1,3-Dichloropropene	ND	ND	ND																																	ND
trans-1,3-Dichloropropene	ND	ND	ND																																	ND
Ethylbenzene	ND	ND	ND																																	ND
2-Hexanone																																				
Hexachlorobutadiene	ND	ND	ND																																	ND
Iodomethane																																				
Isopropylbenzene	ND	ND	ND																																	ND
p-Isopropyltoluene	ND	ND	ND																																	ND
Methylene chloride	ND	ND	ND																																	ND
4-Methyl-2-pentanone																																				
Naphthalene	ND	ND	ND																																	ND
n-Propylbenzene	ND	ND	ND																																	ND
Styrene	ND	ND	ND																																	ND
1,1,1,2-Tetrachloroethane	ND	ND	ND																																	ND
1,1,1,2,2-Tetrachloroethane	ND	ND	ND																																	ND
Tetrachloroethene	ND	ND	ND																																	ND
Toluene	ND	ND	ND																																	ND
1,2,3-Trichlorobenzene	ND	ND	ND																																	ND
1,2,4-Trichlorobenzene	ND	ND	ND																																	ND
1,1,1-Trichloroethane	ND	ND	ND																																	ND
1,1,2-Trichloroethane	ND	ND	ND																																	ND
Trichloroethene	ND	ND	ND																																	ND
Trichlorofluoromethane	ND	ND	ND																																	ND
1,2,3-Trichloropropane	ND	ND	ND																																	ND
1,2,4-Trimethylbenzene	ND	ND	ND																																	ND
1,3,5-Trimethylbenzene																																				ND
Vinyl acetate																																				
Vinyl chloride	ND	ND	ND																																	ND
o-Xylene	ND	ND	ND																																	ND
p-Xylene & m-Xylene																																				ND

MW-6A
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

	9/90	12/90	3/91	6/91	9/91	12/91	3/92	6/92	9/92	12/92	3/93	6/93	9/93	12/93	3/94	6/94	9/94	12/94	3/95	6/95	9/95	12/95	4/96	9/96	3/97	9/97	3/98	9/98	3/99	9/99	3/00	9/00	3/01	9/01	3/02	
PARAMETER METALS (mg/L)																																				
Aluminum																																				
Calcium																																				
Iron																																				
Magnesium																																				
Manganese																																				
Potassium																																				
Sodium																																				
PARAMETER (mg/l) TOXIC METALS																																				
Antimony																																				
Arsenic																																				
Barium																																				
Beryllium																																				
Cadmium																																				
Chromium (Total)																																				
Copper																																				
Lead																																				
Mercury																																				
Nickel																																				
Selenium																																				
Silver																																				
Thallium																																				
Zinc																																				
PARAMETER (mg/l) LEACHATE INDICATORS																																				
Alkalinity																																				
Biochemical Oxygen Demand																																				
Boron																																				
Chemical Oxygen Demand																																				
Chromium (Hexavalent)																																				
Chloride																																				
Color (PCU units)																																				
Nitrate-Nitrite																																				
Nitrogen-Ammonia																																				
Phenols																																				
Sulfate																																				
Total Organic Carbon (TOC)																																				
Total Dissolved Solids (TDS)																																				5.2
Total Hardness																																				
Total Kjeldahl Nitrogen (TKN)																																				
Turbidity (NTU units)																																				

MW-6A
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
CLEAN, NEW YORK

PARAMETER VOLATILES (ug/L)	9/02	3/03	9/03	3/04	9/04	3/05	9/05	3/06	11/06	4/07	10/07	4/08	10/08	6/09	9/09	4/10	9/10	5/11	10/11	5/12	10/12	6/13	10/13	6/14	10/14	6/15	11/15	5/16	10/16	3/17	10/17	5/18	9/18	4/19	MEAN	NYS STD
Acetone							ND	ND	ND	ND		2.4						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0.126	50.0
Acrylonitrile							ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
Benzene		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	1.0
Bromobenzene		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
Bromochloromethane		ND					ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
Bromodichloromethane							ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	50.0
Bromoform				ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	50.0
Bromomethane		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
2-Butanone							ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	50.0
n-Butylbenzene		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
sec-Butylbenzene		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
tert-Butylbenzene		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	0
Carbon disulfide							ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	60.0
Carbon tetrachloride		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
Chlorobenzene		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
Chloroethane		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
Chloroform				ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	7.0
Chloromethane		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
2-Chlorotoluene		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
4-Chlorotoluene		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
Dibromochloromethane				ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	50.0
1,2-Dibromo-3-chloropropane				ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	0.04
1,2-Dibromoethane				ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
Dibromomethane		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
1,2-Dichlorobenzene		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	3.0
1,3-Dichlorobenzene		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	3.0
1,4-Dichlorobenzene		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	3.0
trans-1,4-Dichloro-2-butene							ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
Dichlorodifluoromethane		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
1,1-Dichloroethane		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
1,2-Dichloroethane		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	0.6
1,1-Dichloroethene		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
cis-1,2-Dichloroethene		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
trans-1,2-Dichloroethene		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
1,2-Dichloropropane		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	1.0
1,3-Dichloropropane		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
2,2-Dichloropropane		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
1,1-Dichloropropene		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
cis-1,3-Dichloropropene		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	0.4*
trans-1,3-Dichloropropene		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	0.4*
Ethylbenzene		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
2-Hexanone							ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	50.0
Hexachlorobutadiene		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	0.5
Iodomethane							ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
Isopropylbenzene		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
p-Isopropyltoluene		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
Methylene chloride		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
4-Methyl-2-pentanone							ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	
Naphthalene		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	10.0**
n-Propylbenzene		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
Styrene		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
1,1,1,2-Tetrachloroethane		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
1,1,2,2-Tetrachloroethane		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
Tetrachloroethene		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
Toluene		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
1,2,3-Trichlorobenzene		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
1,2,4-Trichlorobenzene		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
1,1,1-Trichloroethane		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
1,1,2-Trichloroethane		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	1.0
Trichloroethene		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
Trichlorofluoromethane		ND		ND			ND	ND	ND	ND		ND						ND				-	-	-	-	-	-	-	-	-	-	-	-	-	0	5.0
1,2,3-Trichloropropane																																				

MW-6A
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
CLEAN, NEW YORK

	9/02	3/03	9/03	3/04	9/04	3/05	9/05	3/06	11/06	4/07	10/07	4/08	10/08	6/09	9/09	4/10	9/10	5/11	10/11	5/12	10/12	6/13	10/13	6/14	10/14	6/15	11/15	5/16	10/16	3/17	10/17	5/18	9/18	4/19	MEAN	NYS STD
PARAMETER METALS (mg/L)																																				
Aluminum																		0					-	-	-	-	-	-	-	-	-	-	-	-	0	
Calcium										78.6								0					-	-	-	-	-	-	-	-	-	-	-	-	5.24	
Iron										11								0					-	-	-	-	-	-	-	-	-	-	-	-	0.733	0.3
Magnesium										23.3								0					-	-	-	-	-	-	-	-	-	-	-	-	1.553	35.0
Manganese										0.36								0					-	-	-	-	-	-	-	-	-	-	-	-	0.024	0.3
Potassium										4.6								0					-	-	-	-	-	-	-	-	-	-	-	-	0.307	
Sodium										4.9								0					-	-	-	-	-	-	-	-	-	-	-	-	0.327	20.0
PARAMETER (mg/l) TOXIC METALS																																				
Antimony																		0					-	-	-	-	-	-	-	-	-	-	-	-	0	0.003
Arsenic																		0					-	-	-	-	-	-	-	-	-	-	-	-	0	0.025
Barium																		0					-	-	-	-	-	-	-	-	-	-	-	-	0	1.0
Beryllium																		0					-	-	-	-	-	-	-	-	-	-	-	-	0	
Cadmium										ND								0					-	-	-	-	-	-	-	-	-	-	-	-	0	0.005
Chromium (Total)																		0					-	-	-	-	-	-	-	-	-	-	-	-	0	0.05
Copper																		0					-	-	-	-	-	-	-	-	-	-	-	-	0	0.2
Lead										0.015								0					-	-	-	-	-	-	-	-	-	-	-	-	0.001	0.025
Mercury																		0					-	-	-	-	-	-	-	-	-	-	-	-	0	0.0007
Nickel																		0					-	-	-	-	-	-	-	-	-	-	-	-	0	0.1
Selenium																		0					-	-	-	-	-	-	-	-	-	-	-	-	0	0.0
Silver																		0					-	-	-	-	-	-	-	-	-	-	-	-	0	0.05
Thallium																		0					-	-	-	-	-	-	-	-	-	-	-	-	0	0.0005
Zinc																		0					-	-	-	-	-	-	-	-	-	-	-	-	0	2.0
PARAMETER (mg/l) LEACHATE INDICATORS																																				
Alkalinity																		0					-	-	-	-	-	-	-	-	-	-	-	-	0	
Biochemical Oxygen Demand																		0					-	-	-	-	-	-	-	-	-	-	-	-	0	
Boron																		0					-	-	-	-	-	-	-	-	-	-	-	-	0	1.0
Chemical Oxygen Demand																		0					-	-	-	-	-	-	-	-	-	-	-	-	0	
Chromium (Hexavalent)																		0					-	-	-	-	-	-	-	-	-	-	-	-	0	0.05
Chloride																		0					-	-	-	-	-	-	-	-	-	-	-	-	0	250.0
Color (PCU units)																		0					-	-	-	-	-	-	-	-	-	-	-	-	0	15.0
Nitrate-Nitrite																		0					-	-	-	-	-	-	-	-	-	-	-	-	0	10.0
Nitrogen-Ammonia																		0					-	-	-	-	-	-	-	-	-	-	-	-	0	2.0
Phenols																		0					-	-	-	-	-	-	-	-	-	-	-	-	0	0.001
Sulfate																		0					-	-	-	-	-	-	-	-	-	-	-	-	0	250.0
Total Organic Carbon (TOC)																		0					-	-	-	-	-	-	-	-	-	-	-	-	0	
Total Dissolved Solids (TDS)																		0					-	-	-	-	-	-	-	-	-	-	-	-	0	500.0
Total Hardness																		0					-	-	-	-	-	-	-	-	-	-	-	-	0	
Total Kjeldahl Nitrogen (TKN)																		0					-	-	-	-	-	-	-	-	-	-	-	-	0	
Turbidity (NTU units)																		0					-	-	-	-	-	-	-	-	-	-	-	0	5.0	
Cyanide																		0					-	-	-	-	-	-	-	-	-	-	-	-	0	0.2
(Shade) = Analyte reported at or above New York State standards (amended March and June 1998). These standards were used beginning with the 9/98 sampling event. Exceedances noted prior to this event reflect prior standards. * = Applies to the sum of cis and trans-1,3-dichloropropene. ** = Guidance Value. ND values are included in calculation of Mean and are considered equal to zero. (Blank) or "-" = Not Analyzed. ND = Not Detected. J = Estimated. <DL = Detected below method detection limit. B = Analyte was detected in method blank.																																				

MW-6D
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

PARAMETER VOLATILES (ug/L)	9/90	12/90	3/91	6/91	9/91	12/91	3/92	6/92	9/92	12/92	3/93	6/93	9/93	12/93	3/94	6/94	9/94	12/94	3/95	6/95	9/95	12/95	4/96	9/96	3/97	9/97	3/98	9/98	3/99	9/99	3/00	9/00	3/01	9/01	3/02	
Acetone																																				
Acrylonitrile																																				
Benzene	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
Bromobenzene	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
Bromochloromethane	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
Bromodichloromethane	ND	ND	ND	ND			ND		ND		ND																									
Bromoform	ND	ND	ND	ND			ND		ND		ND																									
Bromomethane	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
2-Butanone																																				
n-Butylbenzene	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
sec-Butylbenzene	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
tert-Butylbenzene	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
Carbon disulfide																																				
Carbon tetrachloride	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
Chlorobenzene	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
Chloroethane	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
Chloroform	0.36	ND	ND	ND			ND		ND		ND																									
Chloromethane	ND	ND	ND	8.0			ND		ND		ND				ND				ND					ND		ND					ND					ND
2-Chlorotoluene	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
4-Chlorotoluene	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
Dibromochloromethane	ND	ND	ND	ND			ND		ND		ND																									
1,2-Dibromo-3-chloropropane	ND	ND	ND	ND			ND		ND		ND																									
1,2-Dibromoethane	ND	ND	ND	ND			ND		ND		ND																									
Dibromomethane	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
1,2-Dichlorobenzene	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
1,3-Dichlorobenzene	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
1,4-Dichlorobenzene	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
trans-1,4-Dichloro-2-butene	ND	ND	ND	4.0			5.0		3.0		ND				ND				0.90					0.9 J		ND					ND					ND
Dichlorodifluoromethane																																				
1,1-Dichloroethane	0.51	0.69	<DL	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
1,2-Dichloroethane	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
1,1-Dichloroethene	ND	ND	<DL	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
cis-1,2-Dichloroethene	ND	0.40	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
trans-1,2-Dichloroethene	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
1,2-Dichloropropane	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
1,3-Dichloropropane	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
2,2-Dichloropropane	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
1,1-Dichloropropene	ND	ND	<DL	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
cis-1,3-Dichloropropene	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
trans-1,3-Dichloropropene	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
Ethylbenzene	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
2-Hexanone																																				
Hexachlorobutadiene	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
Iodomethane																																				
Isopropylbenzene	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
p-Isopropyltoluene	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
Methylene chloride	<DL	<DL	<DL	1.0			2.0		ND		ND								ND					ND		ND					ND					ND
4-Methyl-2-pentanone																																				
Naphthalene	ND	ND	<DL	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
n-Propylbenzene	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
Styrene	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
1,1,1,2-Tetrachloroethane	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
Tetrachloroethene	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
Toluene	ND	ND	ND	ND			ND		ND		0.9				ND				ND					7.00		ND					ND					ND
1,2,3-Trichlorobenzene	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
1,2,4-Trichlorobenzene	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
1,1,1-Trichloroethane	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
1,1,2-Trichloroethane	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
Trichloroethene	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
Trichlorofluoromethane	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
1,2,3-Trichloropropane	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
1,2,4-Trimethylbenzene	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
1,3,5-Trimethylbenzene	ND	ND	ND	ND			ND		ND		ND				ND				ND					ND		ND					ND					ND
Vinyl acetate																																				
Vinyl chloride	ND	ND	<DL	ND																																

MW-6D
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
CLEAN, NEW YORK

	9/90	12/90	3/91	6/91	9/91	12/91	3/92	6/92	9/92	12/92	3/93	6/93	9/93	12/93	3/94	6/94	9/94	12/94	3/95	6/95	9/95	12/95	4/96	9/96	3/97	9/97	3/98	9/98	3/99	9/99	3/00	9/00	3/01	9/01	3/02																										
PARAMETER METALS (mg/L)																																																													
Aluminum	5.7								34.30																											90.9																									
Calcium	86.5	88.5	65.7	102			66.40	70.20	99.00	75.40	78.80	72.6		119	128	69.4																88.1																													
Iron	21	13.1	0.4	44.8			0.70	1.50	62.80	10.40	26.20	17.2		187	152	0.92				9.23											10.3					24.7																									
Magnesium	7.8	19.1	17.7	27.5			17.70	19.40	28.60	20.80	22.10	19.9		49.7	48.5	19.4				19.30											23.7					25.6																									
Manganese	0.32	0.32	0.2	0.73			0.03	0.08	1.23	0.23	0.459	0.361		3.34	3.11	0.03			0.19											0.288	0.359	0.976	0.235			0.689																									
Potassium	5.4	4.8	2	9.7			2.80	8.00	11.30	4.48	8.78	5.22		21.8	17.9	3.96			4.28											7.12					6.46																										
Sodium	8.7	4.7	7.1	7.5			5.10	6.20	4.87	4.98	16.16	8.23		6.24	8.57	5.62			4.65											5.77					5.24																										
PARAMETER (mg/l) TOXIC METALS																																																													
Antimony	<DL								0.028																																																				
Arsenic	ND								0.029																																																				
Barium	0.12	0.1	ND	0.23			0.06	0.07	0.296	0.100	0.17	0.124		0.661	0.565	0.05			0.09												0.092				0.162																										
Beryllium									0.003																																																				
Cadmium		0	ND	ND			ND	ND	ND	ND	ND	ND								0.008	ND									ND					ND																										
Chromium (Total)	<DL	0.01	<DL	0.04			ND	0.01	0.062		0.054	0.023		0.174	0.159	ND			0.03											0.016	0.020	0.062	0.038		0.02																										
Copper	<DL								ND																																																				
Lead	0.011	0.010	0.002	0.022			ND	0.009	0.043	0.006	0.013	0.017		0.280	0.140	0.006			0.006											0.006	0.005	0.050	0.008		0.035																										
Mercury	ND	<DL	ND	ND			ND	ND	ND	ND	ND	ND		ND	ND	ND			ND											ND					ND																										
Nickel	0.25								0.040																											ND																									
Selenium	0.028	<DL	<DL	ND			ND	ND	ND	ND	ND	ND		ND	ND	ND			ND											ND					ND																										
Silver	ND	ND	ND	ND			ND	ND	ND	ND	ND	ND		ND	ND	ND			ND											ND					ND																										
Thallium	0.04								ND																											ND																									
Zinc	0.04								0.182																																																				
PARAMETER (mg/l) LEACHATE INDICATORS																																																													
Alkalinity	531	237	243	241			286.0	268.0	278.0	240.0	252	239		239	250	255			246												318					266																									
Biochemical Oxygen Demand	20								12.0																																																				
Boron	ND								ND																																																				
Chemical Oxygen Demand	190	24	<DL	ND			ND	31.0	124.0	126.0	84.6	47.3		101	21.6	24.1			ND												73.9					ND																									
Chromium (Hexavalent)	<DL								ND																																																				
Chloride	6	12	12	4			7.0	15.0	ND	6.4	7.26	9.72		7.1	6.5	8.43			6.10												6.91				4.28																										
Color (PCU units)	15								10.0																																																				
Nitrate-Nitrite	<DL	<DL	<DL	0.68			ND	0.3	0.14	ND	0.277	0.087		0.331	ND	ND			ND												ND				ND																										
Nitrogen-Ammonia	<DL	<DL	1.3	0.3			ND	0.2	0.08	0.01	0.176	0.055		0.52	0.086	0.01			0.072												0.103	0.110	ND		ND																										
Phenols	0.003	ND	ND	0.811			ND	ND	ND	ND	ND	0.003	0.007	ND	0.008	ND			0.012	ND										0.002			0.014		0.0118																										
Sulfate	29	39.8	25.4	32			29.0	36.0	17.0	42.0	37	39		37	35	34			30											32	ND	31	40		30.1																										
Total Organic Carbon (TOC)	25	24	2.7	1			ND	45.0	6.5	16.0	14.8	6.8		8.7	3	4			5.4											9.7	6.0	4.4		12.0																											
Total Dissolved Solids (TDS)	324	351	294	366			281.0	336.0	290.0	305.0	318	331		361	282	296			266											283	318	284		336																											
Total Hardness	248	304	237	368			238.0	255.0	1070	308.0	981	360		840	654	310			262											288	326	360		318																											
Total Kjeldahl Nitrogen (TKN)	7.7								ND																											332																									
Turbidity (NTU units)	0.5	3150	195	910			83.0	400	650	1600	2000	1600		340	30	110			340												330	85		34		61																									
Cyanide	0.004								ND																											220																									

MW-6D
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
CLEAN, NEW YORK

	9/02	3/03	9/03	3/04	9/04	3/05	9/05	3/06	11/06	4/07	10/07	4/08	10/08	4/09	9/09	4/10	9/10	5/11	10/11	5/12	10/12	6/13	10/13	6/14	10/14	6/15	11/15	5/16	10/16	3/17	10/17	5/18	9/18	4/19	MEAN	NYS STD	
PARAMETER VOLATILES (ug/L)																																					
Acetone								ND	ND	2.3		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	0.10	50.0	
Acrylonitrile								ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	0.00	5.0	
Benzene		ND	ND	ND	ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	0.00	1.0	
Bromobenzene		ND	ND	ND	ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	-	0.00	5.0
Bromochloromethane		ND	ND	ND	ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	-	0.00	5.0
Bromodichloromethane			ND	ND	ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	-	0.00	50.0
Bromoform			ND	ND	ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	-	0.00	50.0
Bromomethane		ND	ND	ND	ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		0.45	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	-	0.01	5.0
2-Butanone								ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	-	0.00	50.0
n-Butylbenzene		ND	ND	ND	ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	-	-	-	-	-	-	0.00	5.0
sec-Butylbenzene		ND	ND	ND	ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	-	-	-	-	-	-	0.00	5.0
tert-Butylbenzene		ND	ND	ND	ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	-	-	-	-	-	-	0.00	5.0
Carbon disulfide								ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	-	0.00	60.0
Carbon tetrachloride		ND	ND	ND	ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	-	0.00	5.0
Chlorobenzene		ND	ND	ND	ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	-	0.00	5.0
Chloroethane		ND	ND	ND	ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	-	0.00	5.0
Chloroform			ND	ND	ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	-	0.01	7.0
Chloromethane		ND	ND	ND	ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	-	0.20	5.0
2-Chlorotoluene		ND	ND	ND	ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	-	-	-	-	-	-	0.00	5.0
4-Chlorotoluene		ND	ND	ND	ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	-	-	-	-	-	-	0.00	5.0
Dibromochloromethane			ND	ND	ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	-	0.00	50.0
1,2-Dibromo-3-chloropropane			ND	ND	ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	-	0.00	0.04
1,2-Dibromoethane			ND	ND	ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	-	0.00	5.0
Dibromomethane		ND	ND	ND	ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	-	0.00	5.0
1,2-Dichlorobenzene		ND	ND	ND	ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	-	0.00	3.0
1,3-Dichlorobenzene		ND	ND	ND	ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	-	-	-	-	-	-	0.00	3.0
1,4-Dichlorobenzene		ND	ND	ND	ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	-	0.00	3.0
trans-1,4-Dichloro-2-butene								ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	-	0.00	5.0
Dichlorodifluoromethane		ND	ND	ND	0.34	ND		ND	ND	ND		0.37		0.4	0.38	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	-	0.35	5.0
1,1-Dichloroethane		ND	ND	ND	0.39	0.4		0.43	0.43	0.36		0.48		0.43	0.55	0.45		0.41	ND	ND		0.33	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	-	0.14	5.0
1,2-Dichloroethane		ND	ND	ND	ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	-	0.00	0.6
1,1-Dichloroethene		ND	ND	ND	ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	-	0.00	5.0
cis-1,2-Dichloroethene		ND	ND	ND	ND	ND		ND	0.39	ND		0.3		0.27	0.46	ND		ND	ND	ND		0.3	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	-	0.05	5.0
trans-1,2-Dichloroethene		ND	ND	ND	ND	ND		ND	ND	ND		ND		ND	ND	0.35		ND	ND	ND		ND	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	-	0.01	5.0
1,2-Dichloropropane		ND	ND	ND	ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	-	0.00	1.0
1,3-Dichloropropane		ND	ND	ND	ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	-	ND	-	-	-	-	0.00	5.0
2,2-Dichloropropane		ND	ND	ND	ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	-	ND	-	-	-	-	0.00	5.0
1,1-Dichloropropene		ND	ND	ND	ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	-	ND	-	-	-	-	0.00	5.0
cis-1,3-Dichloropropene		ND	ND	ND	ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	-	0.00	0.4
trans-1,3-Dichloropropene		ND	ND	ND	ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	0.34	-	-	-	-	ND	-	ND	ND	ND	-	0.01	0.4
Ethylbenzene		ND	ND	ND	ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	-	0.00	5.0
2-Hexanone								ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	-	0.00	50.0
Hexachlorobutadiene		ND	ND		ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	-	-	-	-	-	-	0.00	0.5
Iodomethane								ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	-	0.00	5.0
Isopropylbenzene		ND	ND		ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	-	-	-	-	-	-	0.00	5.0
p-Isopropyltoluene		ND	ND		ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	-	-	-	-	-	-	0.00	5.0
Methylene chloride		ND	ND		ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	-	0.07	5.0
4-Methyl-2-pentanone								ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	-	0.00	
Naphthalene		ND	ND		ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	-	-	-	-	-	-	0.00	10.0
n-Propylbenzene		ND	ND		ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	-	-	-	-	-	-	0.00	5.0
Styrene		ND	ND		ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	-	0.00	5.0
1,1,1,2-Tetrachloroethane		ND	ND		ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	-	0.00	5.0
1,1,2,2-Tetrachloroethane		ND	ND		ND	ND		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	-	0.00	5.0
Tetrachloroethene		ND	ND		ND																																

MW-6D
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
CLEAN, NEW YORK

	9/02	3/03	9/03	3/04	9/04	3/05	9/05	3/06	11/06	4/07	10/07	4/08	10/08	4/09	9/09	4/10	9/10	5/11	10/11	5/12	10/12	6/13	10/13	6/14	10/14	6/15	11/15	5/16	10/16	3/17	10/17	5/18	9/18	4/19	MEAN	NYS STD	
PARAMETER METALS (mg/L)																																					
Aluminum			16.3		2.4				0.45			1.6		0.49				0.42				0.31	-	-	ND	-	-	-	-	0.367	-	-	27.3	3.15	4.42		
Calcium			98.8	95.6	118	139		90.9	87.3			95.6		101	92.9	94		101				82.9	-	-	87.8	ND	-	-	-	90.7	-	96	120	116	78.28		
Iron			31.6	0.35	3.9	4.1		0.49	0.56			1.7		0.403	0.128	0.178		0.29		0.57		0.34	-	-	0.39	ND	-	-	-	0.723	-	1.32	63.4	6.11	17.25	0.3	
Magnesium			27.8	23.6	24.5	26		23.9	23.6			25.1		26.5	24.5	24.8		26.8				22.9	-	-	24.6	ND	-	-	-	24.7	-	25.9	35.1	31	21.11	35.0	
Manganese			0.9	0.03	1.4	1.7		0.02	0.04			0.05		ND	ND	ND		ND				0.02	-	-	0.02	ND	-	-	-	0.0242	-	0.059	1.78	0.233	0.44	0.3	
Potassium			6.58	2.72	3.4	3.2		2.7	2.6			2.8		3.04	2.71	2.29		2.4				2.4	-	-	2.3	ND	-	-	-	2.71	-	2.68	7.39	ND	4.52		
Sodium			6.21	6.85	7.6	5.7		5.5	5.9			4.9		6	4.5	4.7		4.9				4.6	-	-	4.6	ND	-	-	-	3.81	-	4.94	6.62	4.99	5.11	20.0	
PARAMETER (mg/l) TOXIC METALS																																					
Antimony			ND		ND				ND			ND		ND				ND				ND	-	-	ND	-	-	-	-	ND	-	-	ND	ND	0.00	0.003	
Arsenic			ND		ND				ND			ND		ND				ND				ND	-	-	ND	-	-	-	-	ND	-	-	0.0626	0.0059	0.00	0.025	
Barium			0.23	0.07	0.16	0.26		0.06	0.06			0.06		0.055	0.047			0.051				0.05	-	-	0.061	ND	-	-	-	0.0513	-	-	0.205	0.0736	0.11	1.0	
Beryllium			ND		ND				ND			ND		ND				ND				0.0002	-	-	ND	-	-	-	-	ND	-	-	0.0014	ND	0.00		
Cadmium			ND	ND	ND	ND		ND	ND			ND		ND	ND	ND		ND				ND	-	-	ND	-	-	-	-	ND	-	ND	ND	ND	0.00	0.005	
Chromium (Total)			0.02	ND	ND	ND		ND	ND			ND		ND	ND	ND		ND				ND	-	-	0.001	-	-	-	-	ND	-	-	0.0504	0.0088	0.02	0.05	
Copper			0.02		0.02				ND			ND		ND	ND			ND				0.005	-	-	ND	-	-	-	-	0.003	-	-	0.0533	ND	0.00	0.2	
Lead			0.01	ND	0.03	0.03		ND	ND			ND		ND	ND	ND		ND		0.002		ND	-	-	ND	0.005	-	-	-	-	0.0027	-	0.0048	0.126	0.0139	0.02	0.025
Mercury			ND	ND	ND	ND		ND	ND	ND		ND		ND	ND	ND		ND				ND	-	-	ND	-	-	-	-	ND	-	-	0.0002	ND	0.00	0.0007	
Nickel			ND		ND				ND			ND		ND				ND				ND	-	-	0.004	-	-	-	-	0.0021	-	-	0.0616	0.0092	0.02	0.1	
Selenium			ND	ND	ND	ND		ND	ND	ND		ND		ND				ND				ND	-	-	ND	-	-	-	-	ND	-	-	ND	ND	0.00	0.01	
Silver			ND	ND	ND	ND		ND	ND	ND		ND		ND	ND	ND		ND				ND	-	-	ND	-	-	-	-	ND	-	-	ND	ND	0.00	0.05	
Thallium			ND		ND				ND			ND		ND				ND				ND	-	-	ND	-	-	-	-	ND	-	-	0.005	ND	0.00	0.0005	
Zinc			0.08		0.03				ND			ND		0.038				ND				0.047	-	-	0.069	-	-	-	-	0.0084	-	-	0.178	0.0209	0.03	2.0	
PARAMETER (mg/l) LEACHATE INDICATORS																																					
Alkalinity			340	330	289	268		496	175	275		250		337	298	329		382	378	310		319	-	-	329	-	-	-	-	294	-	311	-	344	245		
Biochemical Oxygen Demand			ND		6.6				ND			ND		ND				ND		ND		ND	-	-	-	-	-	-	-	1	-	ND	-	1	2		
Boron			ND		ND				ND			0.03		0.028				0.03		ND		0.06	-	-	0.06	-	-	-	-	0.0303	-	-	0.0382	0.0286	0	1.0	
Chemical Oxygen Demand			ND	ND	92.1	ND		ND	ND	ND		ND		ND	ND	ND		ND		ND		ND	-	-	ND	-	-	-	-	50.5	-	21.6	-	12.4	30		
Chromium (Hexavalent)			ND		ND			ND	ND			ND		ND				ND		ND		ND	-	-	0.013	-	-	-	-	ND	-	-	-	ND	0	0.05	
Chloride			3.8	3.7	3.3	3.1		3.2	3	3.2		2.3		2.2	2.79	2.5		2.7	2.2	2.26		3	-	2.5	2.1	-	-	-	-	4.1	-	2.4	-	2.7	4.4	250.0	
Color (PCU units)			5		160				20			15		ND				50				12	-	-	17	-	-	-	-	5	-	-	-	25	16	15.0	
Nitrate-Nitrite			0.07	0.03	ND	ND		ND	ND	ND		ND		0.088	0.58			ND	0.05	0.534		ND	-	-	ND	-	-	-	-	0.09	-	ND	-	0.045	0	10.0	
Nitrogen-Ammonia			ND	0.1	ND	0.14		ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	-	ND	-	-	-	-	0.026	-	0.022	-	0.032	0	2.0	
Phenols			ND		0.02	ND		ND	0.01	ND		ND		ND	ND	ND		ND		ND		ND	-	-	ND	-	-	-	-	0.0041	-	0.0056	-	0.0043	0	0.001	
Sulfate			28	31	27.3	25.3		23.2	22.4	23.7		20.6		21	22.4	20.9		20.6	19.5	21		20.4	-	-	20.65	24.5	-	-	-	25.2	-	20.6	-	18.5	22.9	250	
Total Organic Carbon (TOC)		ND	1.2	1.3	28.4	ND		ND	ND	ND		ND		ND	1.5	ND		ND	ND	ND		ND	-	-	ND	-	-	-	-	ND	-	13.6	2.1	1	5		
Total Dissolved Solids (TDS)			358		377	332		359	394	435		363		365	354	331		351		420		738	-	-	359	381	-	-	-	349	-	381	-	454	297	500	
Total Hardness			361	336	395	454		325	315	288		342		360	330	340		363		350		301	-	-	321	342	-	-	-	310	-	330	347	320	331		
Total Kjeldahl Nitrogen (TKN)			1.7		2.1				ND			ND		ND				ND		ND		ND	-	-	0.28	-	-	-	-	0.35	-	ND	-	ND	1		
Turbidity (NTU units)			750	920	2390	3460		272	95	202		16.9		16	30	5		-		18.02		19.6	-	-	17.8	24.2	18.8	17.4	-	11.7	-	15.8	365.6	20.5	463	5.0	
Cyanide			ND		ND				ND			ND		ND				ND				ND	-	-	-	-	-	-	-	ND	-	-	-	0.0024	0	0.2	
(Shade) = Analyte reported at or above New York State standards (amended March and June 1998). These standards were used beginning with the 9/98 sampling event. Exceedances noted prior to this event reflect prior standards. * = Applies to the sum of cis and trans-1,3-dichloropropene. ** = Guidance Value. ND values are included in calculation of Mean and are considered equal to zero. (Blank) or "-" = Not Analyzed. ND = Not Detected. J = Estimated. B = Analyte was detected in method blank. <DL = Detected below method detection limit.																																					

MW-7A
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

	9/90	12/90	3/91	6/91	9/91	12/91	3/92	6/92	9/92	12/92	3/93	6/93	9/93	12/93	3/94	6/94	9/94	12/94	3/95	6/95	9/95	12/95	4/96	9/96	3/97	9/97	3/98	9/98	3/99	9/99	3/00	9/00	3/01	9/01	3/02		
PARAMETER VOLATILES (ug/L)																																					
Acetone																																					
Acrylonitrile																																					
Benzene	0.37	2.24	0.94	2.0	3.0	ND	2.0		33.0		ND		1		ND		1		0.8						1	0.8	0.5	0.6	1		0.9	1	1	0.7	1.0		2.08
Bromobenzene	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND	ND	ND	ND	ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
Bromochloromethane	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND	ND	ND	ND	ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
Bromodichloromethane	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND	ND	ND	ND	ND																		
Bromoform	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND	ND	ND	ND	ND																		
Bromomethane	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND	ND	ND	ND	ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
2-Butanone																																					
n-Butylbenzene	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND	ND	ND	ND	ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
sec-Butylbenzene	0.22	ND	<DL	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND	ND	ND	ND	ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
tert-Butylbenzene	ND	0.50	ND	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND	ND	ND	ND	ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
Carbon disulfide																																					
Carbon tetrachloride	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND	ND	ND	ND	ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
Chlorobenzene	0.37	0.52	0.27	ND	ND	ND	ND		0.7	ND	ND		ND	ND	ND	ND	ND	ND	ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
Chloroethane	ND	ND	1.52	ND	5.0	ND	2.0		ND	ND	ND		ND	ND	ND	0.5	ND	ND	ND					1	0.6	ND	ND	ND		ND	ND	0.9	ND	ND		ND	
Chloroform	ND	0.29	ND	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND	ND	ND	ND	ND																		
Chloromethane	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND	ND	ND	ND	ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND</			

MW-7A
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

	9/90	12/90	3/91	6/91	9/91	12/91	3/92	6/92	9/92	12/92	3/93	6/93	9/93	12/93	3/94	6/94	9/94	12/94	3/95	6/95	9/95	12/95	4/96	9/96	3/97	9/97	3/98	9/98	3/99	9/99	3/00	9/00	3/01	9/01	3/02	
PARAMETER METALS (mg/L)																																				
Aluminum	11.2				30.4				0.21				51.8				14.4							14.9		3.74				0.21						
Calcium	32.7	55.4	41.4	50.7	57.6	30.8	53.1	45.0	47.3	59.7	26.5	42.1	47.5	38.5	31.3	47.6	41.8	36.4	39.5	29.5		52.2	48.0	38.5	40.7	41	46.3		42.6	43.1	60.7		41.4		53.7	
Iron	50.8	79	9.9	19.2	62.6	6.19	33.6	36.7	24.0	68.7	68.3	49.3	104	21.6	15.3	52.5	40.6	19.5	27.9	16.1		15.9	22.0	32.6	19.9	7.98	20.6	4.9	8.38	20.2	9.86				10.5	
Magnesium	4.5	13.9	12.3	10.4	18.1	6.3	12.5	12.3	9.99	17.6	10.5	12.6	20.6	8.5	7.13	13.9	11.1	7.66	9.32	6.55		10.8	10.2	10.8	8.46	9.16	9.54		8.8	8.55	12.3	8.26			11.3	
Manganese	9.75	14.2	9.53	12.1	16.4	13.4	15.2	12.6	12.5	15.1	7.8	11.4	12.5	10.4	7.73	12.1	24.4	8.64	8.99	7.20		15.1	11.6	9.28	9.99	7.53	10.5	9.62	9.56	14	9.58			14		
Potassium	20.8	23.8	18.9	25.8	36.3	14.3	21.5	21.6	27.0	29.6	17.8	26.8	33.4	17.4	13.2	27.7	7	17.7	16.3	20.5		19.3	18.8	29.8	17.3	25.4	16.1		17.8	23	19.4	16			22.6	
Sodium	7.2	10.2	7.2	9.1	11.9	7.2	10.6	9.2	8.97	10.2	3.5	7.92	7.92	7.73	6.01	7.5	ND	7.59	6.07	5.16		8.56	6.86	8.40	6.32	9.11	6.22		6.76	7.1	9.05	6.49			8.85	
PARAMETER (mg/l) TOXIC METALS																																				
Antimony	0.008				0.060				0.028				ND				ND							ND		ND				ND						
Arsenic	0.010				0.060				0.045				0.094				0.061							0.046		0.01				0.02						
Barium	0.97				1.53				0.79				1.47				0.81							0.860		0.78				0.72						
Beryllium					ND				ND				0				ND							ND		ND				ND						
Cadmium		<DL	<DL		0.08	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	ND		ND	0.010	ND	ND	ND	ND		ND	ND	ND		ND	ND		ND
Chromium (Total)	<DL				0.08				0.01				0.15				0.07							0.051		0.02				0.02						
Copper	<DL				0.03				ND				0.06				0.02							ND	ND					ND						
Lead	0.221	<DL	0.010	ND	0.014	ND	0.007	0.021	ND	0.012	0.009	0.015	0.032	0.008	0.002	0.004	0.010	ND	ND	0.001		ND	0.004	0.014	0.002	0	0	0	0	ND	ND		ND		0.001	
Mercury	ND				0.080				ND				ND				ND							ND	ND					ND						
Nickel					0.08				0.02				0.18				0.01							0.070		0.05				0.05						
Selenium	0.05	0.05	0.07	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND		ND	ND	ND		ND	ND		ND
Silver	0.29	<DL	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND		ND	ND	ND		ND	ND		ND
Thallium	<DL				0.12				ND				ND				ND							ND						ND						
Zinc	0.09				0.12				0.01				0.24				0.08							0.100		0.03				0.02						
PARAMETER (mg/l) LEACHATE INDICATORS																																				
Alkalinity	207	562	195	276	296	187	287.0	299.0	221	206.0	119.0	197.0		192	154	210	194	180	172	168		251	199		191	132	233		199	226	265	164	196		245	
Biochemical Oxygen Demand	25				4.0				12								11												ND							
Boron	0.05				0.17				0.01				ND				ND							0.136					0.1							
Chemical Oxygen Demand	39	26	18	17	ND	5.0	56.0	ND	32.2	59.7	54.8	49.0	31.9	33.8	10.9	12.3	74.5	16.4	20.6	43.4		63.2	72.7		ND	53.1	18.4		32.9	22.5	36.6	ND	32.5		16	
Chromium (Hexavalent)	<DL				16				ND				ND				ND								ND				ND							
Chloride	9.4	12	11.7	13	16	8.0	14.0	16.0	11.5	7.1	4.73	8.41		6.03	4.82	5.02	7.97	8.4	5.81	ND		7.4	6.22		3.73	4.8	4.37		5.46	6.97	6.88		3.85		6.19	
Color (PCU units)	40				ND				125								10									30				200						
Nitrate-Nitrite	<DL	<DL	<DL	ND	3.5	ND	ND	0.1	1.74	0.7	ND	1.35	ND	0.31	ND	ND	ND	0.09	ND	0.275		ND	ND		ND	1.41	ND		ND	ND	ND		ND	ND		ND
Nitrogen-Ammonia	3.3	1.1	0.6	0.2	3.5	1.1	2.7	9.9	3.23	0.9	1.52	2.0	0.57	2.2	1.83	2.41	2.96	2.23	1.84	ND		2.02	1.69		1.05	1.36	2.15		1.45	2.44	1.91	1.83	1.92		2.26	
Phenols	<DL	0.049	ND	ND	0.030	ND	ND	ND	0.015	ND	0.006	0.016	0.012	ND	0.017	ND	0.004	ND	ND	0.015		0.006	0.004		0.006	ND	ND		0.02	0.01	0.01		0.02		0.0147	
Sulfate	23	<DL	8.6	15	12	38.0	10.0	ND	19.0	24.0	13.0	27.0		18	17	16	15	16	15	24		17	15		14	16	12		30	14	11		20		8.74	
Total Organic Carbon (TOC)	12	16	7.8	11	12	3.0	9.0	28.0	25.4	12.3	5.5	9.2	36	10.8	5.7	6.8	7	6.2	8.6	7.8		9.8	8.8		4.8	6.1	5.3		4.7	7	6.9	4.4	ND		6.5	
Total Dissolved Solids (TDS)	276	266	237	304	369	291.0	305.0	448.0	279.0	203.0	142.0	272.0		234	181	192	274	214	196	216		280	212		205	215	227		227	257	327		228		303	
Total Hardness	100	195	154	169	219	103.0	183.0	163.0	226.0	157.0	231.0	177.0		188	169	169	274	122	137	101		175	162		136	140	155		146	143	202		137		181	
Total Kjeldahl Nitrogen (TKN)	4.6				4.6				3.67				4.12				11.3								ND				15.4							
Turbidity (NTU units)	20	400	803	810	1850	9.0	123.0	302.0	145.0	250.0	725.0	130.0		220	56	56	100	30	110	195		120	140		58	11	60		30	0.95	44		27		16	
Cyanide	0.13				ND				ND				ND				ND									ND				ND						

MW-7A
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

	9/02	3/03	9/03	3/04	9/04	3/05	9/05	3/06	11/06	4/07	10/07	4/08	10/08	4/09	9/09	4/10	9/10	5/11	10/11	5/12	10/12	6/13	10/13	6/14	10/14	6/15	11/15	5/16	10/16	3/17	10/17	5/18	9/18	4/19	MEAN	NYS STD	
PARAMETER VOLATILES (ug/L)																																					
Acetone							ND	2.3	2.8	2.8		1.9	3.2	ND	ND	ND	ND	ND	ND	ND	ND	1.4	-	ND	ND	ND	ND	ND	-	ND	ND	1.7	ND	ND	0.62	5.0	
Acrylonitrile							ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	-	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	0.00	5.0	
Benzene	ND	1.0	1.3	0.7	0.84	ND	1.0	1.1	1.1	0.75		0.8	0.3	0.35	0.8	0.35	ND	0.83	ND	ND	0.74	-	ND	-	ND	1.1	0.37	ND	ND	-	ND	ND	1.3	ND	ND	1.28	1.0
Bromobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	-	-	-	-	-	-	-	-	0.00	5.0	
Bromochloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	ND	ND	0.00	5.0
Bromodichloromethane				ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	ND	ND	0.00	50.0
Bromoform				ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	ND	ND	0.00	50.0
Bromomethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	ND	ND	0.00	5.0
2-Butanone							ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	-	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	ND	0.00	50.0
n-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	0.00	5.0
sec-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	0.00	5.0
tert-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	0.01	5.0
Carbon disulfide							ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	-	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	ND	0.00	60.0
Carbon tetrachloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	-	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	ND	0.00	5.0
Chlorobenzene	ND	ND	ND	ND	0.36	ND	ND	ND	0.33	0.26		0.29	ND	ND	0.37	ND	ND	ND	ND	ND	ND	0.31	-	ND	0.55	ND	ND	ND	-	ND	ND	ND	ND	ND	ND	0.08	5.0
Chloroethane	ND	ND	ND	ND	0.38	ND	0.44	0.58	0.																												

MW-7A
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

	9/02	3/03	9/03	3/04	9/04	3/05	9/05	3/06	11/06	4/07	10/07	4/08	10/08	4/09	9/09	4/10	9/10	5/11	10/11	5/12	10/12	6/13	10/13	6/14	10/14	6/15	11/15	5/16	10/16	3/17	10/17	5/18	9/18	4/19	MEAN	NYS STD	
PARAMETER METALS (mg/L)																																					
Aluminum			0.14		1.1		ND		ND			ND		0.251					ND				0.04	-	-	ND	ND	-	ND	-	0.03	0.853	-	0.104	0.295	4.47	
Calcium		48.6	43.7	34.8	34.8	26.3	45.3	52.4	55.9	36.3		46		33.5	44	32.5		53.5	94.2	60		40.8	-	54.6	53.4	25.3	70.9	42.3	-	58.2	30.7	57.8	48.2	53.3	44.00		
Iron		27	16.4	16.6	17.2	6.8	1.1	20.8	25.7	21.8		3.8		10	16.8	8.98		7.8	0.12	28		8.15	-	10.1	20.2	11.8	4.68	18.4	-	11.9	2.31	32.8	25.2	27.7	23.01	0.3	
Magnesium		10.2	8.23	6.52	6.8	5.1	9.1	10.5	11.3	7.5		9.4		6.67	8.78	6.5		10.9	15.3	12		8.8	-	11.7	11.1	5.2	12.6	7.48	-	11.7	6.07	11.6	9.51	10.6	9.75	35.0	
Manganese		11.7	9.91	8.31	8.9	6	7.2	12.8	14.3	9.6		13.5		8.55	11.3	7.84		13.7	2	16		15.7	-	16.1	16.3	6.89	9.5	10.7	-	16.4	2.16	11.6	12.7	14.1	10.94	0.3	
Potassium		18.3	20.3	15.7	21.8	14.1	23.9	19.7	23.8	18		20.6		19.1	22	15.7		18.4	1.8	18		19	-	19.8	16.6	11.6	13.3	17	-	21.6	21.6	18.1	17.9	12.2	19.05		
Sodium		6.68	8.28	5.35	5.9	3.6	6.5	5.3	5.9	3.9		5.1		4.4	4.6	3.8		5	6.4	5.3		4.3	-	4.7	4.8	2.6	5.9	ND	-	4.71	4.74	4.28	4.42	3.39	6.08	20.0	
PARAMETER (mg/l) TOXIC METALS																																					
Antimony			ND		ND		ND		ND			ND		ND				ND				0	-	-	ND	ND	-	ND	-	ND	ND	-	ND	ND	0.00	0.003	
Arsenic			ND		0.04		ND		0.043			ND		ND				ND				0.007	-	-	0.026	0.026	-	0.026	-	0.01	0.01	-	0.0413	0.0461	0.02	0.025	
Barium			0.61		0.5		0.59		0.76			0.65		0.016				0.65				0.661	-	-	0.681	0.36	-	0.499	-	0.76	0.614	-	0.617	0.588	0.58	1.0	
Beryllium			ND		ND		ND		ND			ND		ND				ND				2E-04	-	-	ND	ND	-	ND	-	ND	ND	-	ND	ND	0.00		
Cadmium		ND	ND	ND	ND	ND	ND	ND	ND	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	ND	ND	ND	ND	-	8E-05	ND	ND	ND	ND	0.00	0.005		
Chromium (Total)					0.01		ND		ND			ND		ND				ND				0.003	-	-	0.003	0.001	-	0.011	-	0.006	ND	-	ND	ND	0.01	0.05	
Copper			ND		ND		ND		ND			ND		ND				ND				ND	-	-	ND	ND	-	ND	-	0.003	ND	-	ND	ND	0.00	0.2	
Lead		0.005	ND	ND	ND	ND	ND	ND	ND	ND		ND		ND	ND	ND		ND	ND	0.001		0.002	-	ND	0.002	ND	ND	0.003	-	0.003	0.003	0.0025	0.0021	ND	0.01	0.025	
Mercury			ND		ND		ND		ND			ND		ND				ND				ND	-	-	ND	ND	-	ND	-	ND	2E-04	-	0.0001	ND	0.00	0.0007	
Nickel					ND		ND		ND			ND		ND				ND				0.012	-	-	0.011	0.005	-	ND	-	0.013	0.005	-	0.0048	0.0056	0.02	0.1	
Selenium		ND	ND	ND	ND	ND	ND	ND	ND	ND		ND		ND	ND			ND				0.007	-	-	0.006	0.008	-	ND	-	ND	ND	-	ND	ND	0.00	0.01	
Silver		ND	ND	ND	ND	ND	ND	ND	ND	ND		ND		ND	ND	ND		ND				ND	-	-	0.003	0.002	-	ND	-	ND	ND	-	ND	0.0023	0.01	0.05	
Thallium			ND		ND		ND		ND			ND		ND				ND				ND	-	-	ND	ND	-	0.014	-	ND	ND	-	0.0145	0.0097	0.01	0.0005	
Zinc					ND		ND		0.039			0.02		0.032				0.038				0.063	-	-	0.036	0.015	-	ND	-	0.01	0.008	-	0.0078	ND	0.03	2.0	
PARAMETER (mg/l) LEACHATE INDICATORS																																					
Alkalinity		238	225	180	144	101	203	218	263	96.7		121		145	188	128		252	328	240		209	-	250	265	120	160	193	-	287	243	206	249	221	205.0		
Biochemical Oxygen Demand			8		ND		ND		2.8			4.4		3.2				5.7		12		5	-	-	10.4	2.1	4.9	6	-	7.3	ND	8.5	8.3	10.1	5.9		
Boron			ND		0.07		0.08		0.073			0.05		0.057				0.057				0.08	-	-	0.06	0.07	-	ND	-	0.061	0.082	-	0.0865	0.0457	0.0	1.0	
Chemical Oxygen Demand		18.1	13	13	26.2	ND	18.8	17.9	20.1	16.6		19.2		ND	19.9	13.9		ND	10.5	24		14.8	-	18.1	20.8	10.3	19.1	-	50.5	111	54.3	50.2	43.3	26.2			
Chromium (Hexavalent)			ND		ND		ND		ND			ND		ND				ND				ND	-	-	ND	ND	-	-	-	ND	ND	-	ND	ND	0.6	0.05	
Chloride		4.17	4.6	3.7	2.7	1.4	5	3.5	3.8	3.3		2.7		2	2.39	1.83		4.3	9.1	4.26		2.9	-	3.1	3	ND	2.8	2.28	-	5	4.6	3.5	4.6	2.7	5.5	250.0	
Color (PCU units)			20		50		100		250			25		60				200				130	-	-	280	120	-	10	-	15	-	-	75	100	68.1	15.0	
Nitrate-Nitrite		ND	0.03	0.03	ND	0.47	ND	ND	ND	ND		ND		ND	ND			ND	ND	ND		ND	-	ND	ND	ND	ND	-	0.044	0.58	0.073	0.07	ND	0.2	10.0		
Nitrogen-Ammonia		2.21	2.8	2.1	1.1	0.91	1.7	1.2	1.3	1.6		1.5		1.54	1.72			1.3	ND	2.38		1.49	-	1.3	2.11	1.72	1.86	2.22	-	1.8	1.6	2.1	1.2	2.4	1.8	2.0	
Phenols		0.0116	0.0002	ND	ND	ND	ND	ND	0.0007	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	0.0005	0.011	ND	ND	0.006	-	0.007	0.014	0.0146	0.0095	0.0095	0.0	0.001	
Sulfate		8.71	12	11	12	12.8	11	8.8	6.2	10		8.5		12	9.37	11.5		8	6.8	ND		6.9	-	6.6	5.9	7.7	7.7	6.37	-	5.9	5.2	4.6	24.6	5.1	12.1	250	
Total Organic Carbon (TOC)	3.6	4.2	6.1	4	7.1	1.5	4.6	5	5.4	5.5		4.4	11.9	3.7	4.2	1.7		4.8	ND	7		5.4	-	6.3	7.2	4.6	5.4	4.8	-	7	5.5	18.9	5.7	6.4	7.5		
Total Dissolved Solids (TDS)		283	255	208	213	107	248	336	231	351		244		184	221	178		265	309	350		242	-	291	293	141	259	207	-	272	448	296	246	254	246.8	500	
Total Hardness		163	143	114	115	86.7	150	174	186	122		154		110	150	110		179	298	200		138	-	185	179	84.6	235	140	-	220	96	200	187	170	157.0		
Total Kjeldahl Nitrogen (TKN)			3.6		2.9		2		1.8			1.7		1.76				2.2		2.23		2.1	-	-	2.51	1.81	-	2.27	-	2.4	6	2.7	0.43	2.2	2.9		
Turbidity (NTU units)		84	64	81	63.4	118	44.6	40.3	87	33.2		5.9		23	4	0	308	3	6.9	11		9.6	-	12.5	13.8	15.2	21.2	15.4	-	3	41	3.5	10.5	3.5	135.0	5.0	
Cyanide			ND		ND		ND		ND			ND		ND				ND				ND	-	-	ND	ND	-	-	-	ND	-	-	ND	ND	0.0	0.2	
(Shade) = Analyte reported at or above New York State standards (amended March and June 1998). These standards were used beginning with the 9/98 sampling event. Exceedances noted prior to this event reflect prior standards. * = Applies to the sum of cis and trans-1,3-dichloropropene. ** = Guidance Value. ND values are included in calculation of Mean and are considered equal to zero. (Blank) or "-" = Not Analyzed. ND = Not Detected. J = Estimated. B = Analyte was detected in method blank. <DL = Detected below method detection limit.																																					

MW-7C
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

	9/90	12/90	3/91	6/91	9/91	12/91	3/92	6/92	9/92	12/92	3/93	6/93	9/93	12/93	3/94	6/94	9/94	12/94	3/95	6/95	9/95	12/95	4/96	9/96	3/97	9/97	3/98	9/98	3/99	9/99	3/00	9/00	3/01	9/01	3/02
PARAMETER VOLATILES (ug/L)																																			
Acetone																																			
Acrylonitrile																																			
Benzene	ND			ND	ND																														
Bromobenzene	ND			ND	ND																														
Bromochloromethane	ND			ND	ND																														
Bromodichloromethane	0.40			ND	ND																														
Bromoform	ND			ND	ND																														
Bromomethane	ND			ND	ND																														
2-Butanone																																			
n-Butylbenzene	ND			ND	ND																														
sec-Butylbenzene	ND			ND	ND																														
tert-Butylbenzene	ND			ND	ND																														
Carbon disulfide																																			
Carbon tetrachloride	ND			ND	ND																														
Chlorobenzene	ND			ND	ND																														
Chloroethane	ND			ND	ND																														
Chloroform	0.91			ND	ND																														
Chloromethane	ND			ND	ND																														
2-Chlorotoluene	ND			ND	ND																														
4-Chlorotoluene	ND			ND	ND																														
Dibromochloromethane	ND			ND	ND																														
1,2-Dibromo-3-chloropropane	ND			ND	ND																														
1,2-Dibromoethane	ND			ND	ND																														

MW-7C
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

	9/90	12/90	3/91	6/91	9/91	12/91	3/92	6/92	9/92	12/92	3/93	6/93	9/93	12/93	3/94	6/94	9/94	12/94	3/95	6/95	9/95	12/95	4/96	9/96	3/97	9/97	3/98	9/98	3/99	9/99	3/00	9/00	3/01	9/01	3/02	
PARAMETER METALS (mg/L)																																				
Aluminum	16.8				1.9																															
Calcium	139	117	102	109	93.8	88.2																														
Iron	34.6	0.66	0.32	0.47	2.8	0.68																														
Magnesium	23.7	16.4	17.4	17	15.6	14.2																														
Manganese	0.47	0.18	0.35	0.37	0.27	0.29																														
Potassium	5.3	1.7	3.4	1.5	2.2	1.6																														
Sodium	14.8	4	4.8	5.2	4.7	4.5																														
PARAMETER (mg/l) TOXIC METALS																																				
Antimony	ND				ND																															
Arsenic	ND				ND																															
Barium	0.21				0.1																															
Beryllium					ND																															
Cadmium		ND	<DL	ND	ND	ND																														
Chromium (Total)	<DL				ND																															
Copper	0.03				ND																															
Lead	0.06	ND	0.01	ND	ND	0.01																														
Mercury	0.01	<DL	ND	ND	ND																															
Nickel	0.39				ND																															
Selenium	0.05	ND	0.01	ND	ND	ND																														
Silver	ND				ND																															
Thallium	ND				ND																															
Zinc	0.08				0.1																															
PARAMETER (mg/l) LEACHATE INDICATORS																																				
Alkalinity	299	300	284	295	315	356																														
Biochemical Oxygen Demand	<DL				2.0																															
Boron	ND				ND																															
Chemical Oxygen Demand	15	20	<DL	ND	ND	ND																														
Chromium (Hexavalent)	<DL				ND																															
Chloride	42.3	40	39.1	30	21.0	30																														
Color (PCU units)	5				ND																															
Nitrate-Nitrite	<DL	<DL	<DL	ND	ND	ND																														
Nitrogen-Ammonia	<DL	<DL	<DL	0.2	0.2	0.1																														
Phenols	0.002	ND	ND	ND	0.01	ND																														
Sulfate	14	22	15.4	7	ND	21																														
Total Organic Carbon (TOC)	4.1	11	4	1	2.0	2																														
Total Dissolved Solids (TDS)	456	418	394	388	413	381																														
Total Hardness	444	357	326	342	298	279																														
Total Kjeldahl Nitrogen (TKN)	34				0.9																															
Turbidity (NTU units)	65	126	83	200	111	33																														
Cyanide	<DL				ND																															

MW-7C
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

[illegible]

MW-7C
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

	9/02	3/03	9/03	3/04	9/04	3/05	9/05	3/06	11/06	4/07	10/07	4/08	10/08	4/09	9/09	4/10	9/10	5/11	10/11	5/12	10/12	6/13	10/13	6/14	10/14	6/15	11/15	5/16	10/16	3/17	10/17	5/18	9/18	4/19	MEAN	NYS STD	
PARAMETER METALS (mg/L)																																					
Aluminum							ND		ND		ND	ND		ND			ND	ND			ND	ND	0	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	0.81		
Calcium							103.0	91.0	97.3	96.5	98.2	94.7	97.9	97.3	96.3	97	100	90.9	52.3	98	96	84.2	94.6	91.6	92.4	102	95.8	102	105	96.6	96.6	105	97.8	115	98.06		
Iron							ND	0.063	ND	ND	0.092	ND	0.081	0.177	ND	ND	0.184	ND	2.3	ND	ND	0.03	ND	0.17	0.08	ND	ND	ND	0.0147	0.07	0.0643	0.147	0.0392	1.27	0.3		
Magnesium							16.4	14.9	15.7	15.5	15.4	14.9	15.3	15.5	15.3	15.3	15.4	14.8	10.9	16	16	14	15.9	15.5	16.4	16.7	15.8	15	16.9	15.4	15.3	16.7	15.7	18.4	15.86	35.0	
Manganese							0.2	1.5	1.6	1.5	2.2	1.7	0.9	2.65	1.01	1.21	0.633	1.2	9.3	0.89	0.44	1.1	2.04	2.83	1.35	0.945	0.571	0.928	0.464	0.32	6.75	1.20	2.95	0.48	1.49	0.3	
Potassium							1.6	1.5	1.5	1.6	1.6	1.4	1.5	1.57	1.39	1.48	1.83	1.5	24.3	1.5	1.5	1.4	ND	ND	1.4	1.6	ND	ND	ND	2.04	2.57	1.73	1.79	ND	2.18		
Sodium							6.7	6.3	6.9	7.7	6.4	6.1	6.3	6.5	6.1	6	6.8	6	5.9	6.6	ND	5.8	6.4	6.5	6.3	6.4	6.9	6.62	7.44	8.48	6.53	6.74	6.24	7.14	6.35	20.0	
PARAMETER (mg/l) TOXIC METALS																																					
Antimony							ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	0.00	0.003	
Arsenic							ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	0.00	0.025	
Barium							0.12		0.1		0.16	0.14		0.186			0.101	0.11			ND	0.104	-	-	0.132	0.128	-	ND	ND	0.0904	0.239	-	0.14	0.0741	0.09	1.0	
Beryllium							ND		ND		ND	ND		ND			ND	ND			ND	0.0002	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	0.00		
Cadmium							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	0.005	
Chromium (Total)							ND		ND		ND	ND		0.006			0.005	ND			ND	0.0001	-	-	0.001	ND	-	ND	ND	ND	ND	-	ND	ND	0.00	0.05	
Copper							ND		ND		ND	ND		ND			ND	ND			ND	0.003	-	-	ND	ND	-	ND	ND	0.0026	ND	-	ND	ND	0.00	0.2	
Lead							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.009	ND	ND	0.002	ND	ND	ND	ND	0.005	0.003	ND	0.0039	ND	0.0021	0.0036	0.0025	ND	ND	0.00	0.025	
Mercury							ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	ND	0.0001	-	0.0001	0.0001	0.00	0.0007	
Nickel							ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	0.0016	0.0015	-	0.0011	ND	0.02	0.1	
Selenium							ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	0.003	0.003	-	ND	ND	ND	ND	-	ND	ND	0.00	0.0	
Silver							ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	0.00	0.05	
Thallium							ND		ND		ND	ND		ND			ND	ND			ND	ND	0	-	ND	ND	-	ND	ND	ND	ND	0.0052	-	ND	ND	0.00	0.0005
Zinc							ND		0.015		0.028	0.011		0.012			0.034	ND			0.012	0.011	-	-	0.011	ND	-	0.0276	ND	0.0237	0.0495	-	0.0292	0.0227	0.00	2.0	
PARAMETER (mg/l) LEACHATE INDICATORS																																					
Alkalinity							282.0	484	264	311	401	279	246	294	293	350	307	323	252	270	300	299	320	302	320	321	320	307	310	314	292	286	314	327	309.9		
Biochemical Oxygen Demand							ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	ND	ND	ND	1	1	ND	ND	1	0.2		
Boron							ND		ND		ND	ND		ND			0.02	0.021			ND	ND	-	-	0.03	0.05	-	ND	ND	0.0166	0.0187	-	0.0136	ND	0.0	1.0	
Chemical Oxygen Demand							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	18.7	ND	ND	11.4	6.3	ND	11.1	12.8	9.1	-	ND	15.1	18.2	25.7	15.5	ND	5.3		
Chromium (Hexavalent)							ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	0.0033	-	-	ND	ND	0.0	0.05		
Chloride							14.7	14.3	13.2	12.2	12.3	10.5	11.9	12	12	10.2	9.72	10.3	4	9.18	7.69	7.9	7.6	6.8	6.3	7.7	6.1	5.82	7.1	7.5	5.7	5.4	6.3	5.7	13.3	250	
Color (PCU units)							13.0		15.0		50	5		ND			0	17.5			ND	8	-	-	12	8	-	5	5	5	-	-	15	10	7.5	15.0	
Nitrate-Nitrite							ND	ND	ND	0.092	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.023	0.044	ND	ND	ND	0.0	10.0	
Nitrogen-Ammonia							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.028	0.038	0.03	0.089	0.066	0.1	2.0		
Phenols							ND	ND	ND	0.01	ND	0.0098	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.252	ND	ND	0.0031	0.0011	0.0034	ND	0.0054	0.0086	0.001
Sulfate							8.0	7.3	6	8	8.2	5.5	6.7	6.8	6.82	7.41	6.1	7.9	7.9	6.2	ND	6.6	6.4	7.2	6.3	7.8	7.4	6.86	8.3	8.7	6.5	6.8	9.3	6.8	8.1	250	
Total Organic Carbon (TOC)							1.1	ND	ND	2	1.1	1.3	1.6	ND	2.3	ND	1.4	1.3	1.8	ND	ND	1.4	1.5	1.3	1.4	1.4	577	1.35	2.7	ND	1.6	13.5	1.7	1.6	18.9		
Total Dissolved Solids (TDS)							341.0	344	325	326	299	327	326	319	321	319	259	287	254	340	370	340	329	290	330	308	325	334	338	349	342	354	323	310	337.6	500	
Total Hardness							ND	288	308	305	308	298	307	310	300	310	310	288	176	310	300	268	302	293	298	324	318	340	310	280	310	340	273	280	297.1		
Total Kjeldahl Nitrogen (TKN)							ND		ND		ND	ND		ND			ND	ND	ND	ND	ND	ND	-	-	0.24	0.28	-	0.13	ND	0.21	0.15	ND	2.8	ND	1.6		
Turbidity (NTU units)							62.2	4.2	5	11.3	15.5	2.4	4.9	1	0	1	12	1	8.2	3.4	15.3	2.2	1.8	10	3.9	17.2	8.1	3.8	5.8	24.7	5.86	16.7	25.1	13.5	26.6	5.0	
Cyanide							ND		ND		ND	ND		ND			ND	ND	ND	ND	ND	-	-	ND	ND	-	-	ND	ND	-	-	-	-	ND	0.0024	0.0	0.2

(Shade) = Analyte reported at or above New York State standards (amended March and June 1998). These standards were used beginning with the 9/98 sampling event. Exceedances noted prior to this event reflect prior standards.

* = Applies to the sum of cis and trans-1,3-dichloropropene.

** = Guidance Value.

ND values are included in calculation of Mean and are considered equal to zero.

(Blank) or "-" = Not Analyzed.

ND = Not Detected.

<DL = Detected below method detection limit.

J = Estimated.

B = Analyte was detected in method blank.

MW-8B
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

[illegible]

MW-8B
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
CLEAN, NEW YORK

	9/90	12/90	3/91	6/91	9/91	12/91	3/92	6/92	9/92	12/92	3/93	6/93	9/93	12/93	3/94	6/94	9/94	12/94	3/95	6/95	9/95	12/95	4/96	9/96	3/97	9/97	3/98	9/98	3/99	9/99	3/00	9/00	3/01	9/01	3/02	
PARAMETER METALS (mg/L)																																				
Aluminum	1.5				0.5				1.03				1.59				0.47				3.7			0.095		4.4	0.18		0.09		0.23		0.39			
Calcium	75.4	81.2	67.7	86.8	65.7	55.7	69.6	67.0	70.8	77	74.8	69.9	69.4	73.2	75.5	74.8	69.5	67.2	64.9	64.2	80.3	76.4	88.5	66.8	69.9	64.6	72.4	86.8	67.2	70.4	77.8	71.5	71.3	78.8	72.1	
Iron	16.1	14.1	8.8	7.3	10.0	7.56	14.6	7.9	16	20.5	17.9	13.1	23.3	13.4	18.9	18.8	13.8	11.4	10.0	9.99	64.9	15.1	20.3	8.11	11.1	14.4	11.9	57.2	5.96	31.2	15.8	11.7	10.2	46.4	9.15	
Magnesium	5.8	11.4	12.2	13.2	9.9	8.5	10.8	11.0	11.5	13.3	11.9	11.1	11.1	11.4	12.9	12.2	10.6	10.3	9.8	10.2	12.5	11.9	14.0	10.3	11.2	10.8	11.1	11.6	10.4	10.9	12.3	11.2	11	11.5	11.2	
Manganese	10.9	10.8	8.39	9.17	6.13	7.97	10	9.6	10.6	10.5	10.7	9.94	10.3	9.8	11.1	11.1	9.85	8.94	8.1	8.53	8.53	11	12.3	7.95	9.37	9	9.67	8.06	7.75	10.6	10.9	9.51	9.66	7.24	9.8	
Potassium	3.4	2.4	3.3	2.8	2.0	2.5	3.7	3.1	4.9	4.5	3.3	2.56	3.62	3.64	4.1	3.76	3.31	3.56	2.7	2.91	2.85	4.18	3.77	2.88	3.39	4.68	3.07	2.7	2.81	4.33	3.87	4.35	3.11	2.28	2.86	
Sodium	8.2	6.8	6.6	13.5	8.8	8.3	9.2	10.5	11.1	10.2	7.4	7.79	9.72	9.09	8.86	9.06	8.14	8.18	6.3	9.23	9.23	8.28	7.85	9.69	7.27	9.5	6.86	10.5	7.08	7.88	7.38	8.79	6.58	8.99	6.83	
PARAMETER (mg/l) TOXIC METALS																																				
Antimony	0.01				ND				0.04				ND				ND				ND			ND		ND		ND		ND		ND		ND		
Arsenic	0.020				0.024				0.028				0.046				0.023				0.17			0.018		0.02	0.04		0.07		0.03		0.16			
Barium	0.04				0.35				0.23				0.27				0.21				0.712			0.211		0.22		0.77		0.25		0.2		0.47		
Beryllium					ND				ND				ND				ND				ND			ND		ND		ND		ND		ND		ND		
Cadmium		ND	<DL	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.004	0.01	ND	ND	ND	0.005	ND	ND	0.01	ND	ND	ND	ND	ND	ND	ND	
Chromium (Total)	<DL				ND				0				0.01				ND				0.046			ND		ND		ND		ND		ND		ND	ND	
Copper	<DL				ND				ND				0.01				0.01				0.025			ND		ND		ND		ND		ND		ND	ND	
Lead	0.583	ND	0.009	ND	ND	ND	0.060	ND	0.005	0.026	0.008	0.004	0.033	0.005	0.013	0.004	0.004	ND	ND	ND	0.036	ND	0.012	0.010	0.004	0.02	0.01	0.03	0.003	0.01	0.01	0.01	0.002	0.02	0.002	
Mercury	ND				ND				ND				ND				ND				0.0003			ND		ND		ND		ND		ND		ND	ND	
Nickel	ND				ND				0.02				0.05				0.06				0.066			0.033		0.05		0.03		0.05		0.04		0.04		
Selenium	0.03	<DL	0.07	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Silver	0.03				ND				ND				ND				ND				ND			ND		ND		ND		ND		ND		ND	ND	
Thallium	0.01				ND				ND				ND				ND				ND			ND		ND		ND		ND		ND		ND	ND	
Zinc	0.03				0.01				0.02				0.07				0.03				0.129			ND		0.06		0.06		0.03		ND		0.03		
PARAMETER (mg/l) LEACHATE INDICATORS																																				
Alkalinity	275	281	258	228	244	251	296	226.0	243	262	256	264	246	261	294	271	267	275	258	258	260	258	282	271	278	244	293	261	281	287	283	261	276	350	250	
Biochemical Oxygen Demand	28				ND				13				3				ND				17			4			16		ND		5		18			
Boron	<DL				0.04				ND				ND				ND				ND			0.072		0.07		0.08		0.11		0.08		ND		
Chemical Oxygen Demand	30	33	20	ND	11.0	28.0	66.0	ND	51.9	51.3	79.6	37.1	28.5	28.1	26.4	61	27	13.1	16.5	69.4	57.3	37.6	36.3	16.0	18.2	16.2	28.9	205	23.1	31.1	37.3	19.2	24.4	33.3	ND	
Chromium (Hexavalent)	ND				ND				ND				ND				ND				ND			ND		ND		ND		ND		ND		ND		
Chloride	18.5	18	17.6	29	22.0	15.0	22.0	80.0	18.2	17.7	14.5	18	19	15.7	15.8	15.2	17.1	12	11.4	18.3	20.7	13.6	12.5	17.8	9.18	13.8	8.56	20	12	12.9	9.57	14.2	9.45		9.27	
Color (PCU units)	45				ND				60.0				36				35				25			200		30		500		250		45		750		
Nitrate-Nitrite	2.1	<DL	<DL	ND	ND	0.04	ND	ND	1.97	1.08	ND	ND	0.4	0.37	ND	ND	ND	ND	ND	ND	ND	0.107	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.05	ND	ND	ND	
Nitrogen-Ammonia	2.2	<DL	0.7	ND	1.3	0.6	2.3	2.7	2.58	2.3	2.64	2.31	2.17	1.8	3.13	3.31	2.91	1.52	2.04	1.75	1.5	2.74	3.26	1.42	2.49	2.19	2.72	0.9	1.46	3.08	2.77	1.85	2.09	1.05	1.61	
Phenols	<DL	ND	<DL	ND	0.020	ND	ND	ND	0.035	0.029	0.046	0.042	0.038	ND	0.050	0.037	0.043	0.025	0.019	0.071	0.067	0.031	0.046	0.023	0.030	0.02	0.02	0.01	0.03	0.04	0.03	0.02	0.03	0.01	0.02	
Sulfate	16	4.9	9	16	9.0	17.0	6.0	ND	30.0	21.0	7.8	ND	13	18	6.6	6.6	5	9.1	9.1	9.3	12	9.4	15	8.2	7.2	7.4	8.1	14	13	7.8	9.2	8.2	13		9.84	
Total Organic Carbon (TOC)	13	14	9.3	6	4.0	8.0	9.0	5.6	17.6	13.9	6.2	8	12	8	8.7	7.8	7	7.3	10.9	5.1	5.9	10.3	9.8	6.2	9.5	1.7	6.9	21	5.7	9.4	8.7	8.2	5.5	2.9	5.8	
Total Dissolved Solids (TDS)	330	330	303	329	329	269	323	283	282	335	316	359	120	311	334	311	320	307	278	312	301	290	325	287	288	276	277	316	300	289	317	278	306	304	294	
Total Hardness	212	249	219	271	205	174	219	213	262	270	266	243	267	301	356	271	327	210	202	252	240	279	209	221	206	226	265	211	187	245	225	223	244	226		
Total Kjeldahl Nitrogen (TKN)	2.8				1.6				1.91				3.56				5.88				3.7			3.55		2.48		10.5		9.47		2.36				
Turbidity (NTU units)	46	207	80	12	147	24	30.0	8.3	38.0	46.0	26	20	24	40	19	26	28	20	22	14	130	26	27	39	19	12	29	16	7.5	210	15	27	11	63	4.7	
Cyanide	ND				ND				ND				ND				ND				ND			ND		ND		ND		ND		ND		ND		

MW-8B
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

	9/02	3/03	9/03	3/04	9/04	3/05	9/05	3/06	11/06	4/07	10/07	4/08	10/08	4/09	9/09	4/10	9/10	3/11	10/11	5/12	10/12	6/13	10/13	6/14	10/14	6/15	11/15	5/16	10/16	3/17	10/17	5/18	9/18	4/19	MEAN	NYS STD		
PARAMETER VOLATILES (ug/L)																																						
Acetone							ND	ND	5.6	2.4	3.2	2	4.9	ND	ND	ND	ND	ND	ND	ND	ND	1.8	ND	ND	ND	ND	ND	ND	ND	1.4	ND	ND	ND	ND	0.76	5.0		
Acrylonitrile							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0	
Benzene	1.6	2	2.5	3.7	3	2.2	5.5	3.2	2.3	1.9	1.1	1.8	3.7	2.3	3.4	2	2.1	1.4	4.1	ND	ND	1.8	ND	ND	3.1	1.3	ND	ND	ND	1.6	ND	1.0	ND	ND	2.23	1.0		
Bromobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	0.00	5.0	
Bromochloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0	
Bromodichloromethane							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	50.0	
Bromoform							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	50.0	
Bromomethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.09	5.0	
2-Butanone							ND	ND	1.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.04	50.0	
n-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	0.00	5.0	
sec-Butylbenzene	ND	ND	ND	ND	ND	ND	0.49	0.36	ND	ND	ND	0.35	ND	0.33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	0.05	5.0	
tert-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	0.00	5.0	
Carbon disulfide							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	60.0	
Carbon tetrachloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0	
Chlorobenzene	0.84	1.5	2.4	3.8	2.8	2	5.2	3.8	2.8	1.9	1.2	2.1	5.2	2.9	5	2.4	2.4	1.7	6.4	ND	3.2	3.2	ND	ND	6.7	2.1	ND	ND	ND	ND	2.8	8.9	1.7	6.6	ND	2.07	5.0	
Chloroethane	1	0.96	ND	ND	1.3	1.1	1.4	1.1	1	0.9	0.67	0.87	1.1	0.89	1	0.95	0.98	0.68	0.69	ND	0.78	ND	ND	0.45	0.67	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.58	5.0		
Chloroform							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	7.0
Chloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0	
2-Chlorotoluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	0.00	5.0	
4-Chlorotoluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	0.00	5.0	
Dibromochloromethane							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0
1,2-Dibromo-3-chloropropane							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	50.0
1,2-Dibromoethane							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0
Dibromomethane							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.3	ND	0.31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.41	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	3.0	
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	0.04	3.0	
1,4-Dichlorobenzene	0.69	0.89	1.6	2.3	1.6	1.1	2.8	1.9	1.5	0.88	0.81	0.95	2.3	1.3	2.4	1	1	0.71	2.6	ND	1.3	ND	ND	2.8	0.66	ND	ND	ND	1.1	ND	ND	ND	ND	ND	1.12	3.0		
trans-1,4-Dichloro-2-butene							ND	ND	ND	ND	ND	ND	ND	ND	0.35	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	5.0	
Dichlorodifluoromethane	ND	ND	ND	ND	0.74	0.52	0.76	0.61	ND	0.44	0.49	0.43	0.87	0.46	0.38	1.4	0.64	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	9.1	-	ND	-	-	-	0.50	5.0	
1,1-Dichloroethane	2.4	1.9	1.6	1	1.7	1.7	1.5	1.4	1.6	1.6	2	2	1.8	1.4	1.4	ND	2.7	1.4	0.76	ND	1.1	ND	ND	0.47	1.1	ND	ND	ND	1.1	ND	1.6	ND	ND	1.92	5.0			
1,2-Dichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	0.6		
1,1-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.05	5.0	
cis-1,2-Dichloroethene	2.6	2.8	2.4	4	3.8	5	6.4	5.2	4.4	4.3	4	4.2	11	7.8	10	7.3	11	4.6	9.4	3.2	9	6.4	11	5.4	12	6.6	6.9	5.4	9.6	5.8	17.3	5.3	6.7	ND	6.38	5.0		
trans-1,2-Dichloroethene	ND	ND	ND	0.8	0.58	0.5	0.86	0.42	0.4	0.37	0.3	0.34	0.68	0.37	0.52	0.4	0.45	ND	ND	ND	ND	ND	ND	ND	0.34	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.40	5.0	
1,2-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	1.0	
1,3-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	0.00	5.0	
2,2-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	0.00	5.0	
1,1-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	0.00	5.0	
cis-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	4.0	
trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	0.4*	
Ethylbenzene	ND	ND	ND	ND	ND	0.47	1.2	1	ND	ND	ND	ND	0.61	ND	0.31	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.40	5.0	
2-Hexanone							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	50.0	
Hexachlorobutadiene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	0.00	0.5
Iodomethane							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0
Isopropylbenzene	ND	ND	ND	ND	0.4	0.32	0.95	0.65	0.28	ND	ND	0.56	0.34	0.52	ND	ND	ND	0.72	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	0.29	5.0	
p-Isopropyltoluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	0.02	5.0	
Methylene chloride	ND	ND	ND	ND	ND	ND	0.27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.13	5.0	
4-Methyl-2-pentanone							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	ND	
Naphthalene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND																								

MW-8B
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

	9/02	3/03	9/03	3/04	9/04	3/05	9/05	3/06	11/06	4/07	10/07	4/08	10/08	4/09	9/09	4/10	9/10	5/11	10/11	5/12	10/12	6/13	10/13	6/14	10/14	6/15	11/15	5/16	10/16	3/17	10/17	5/18	9/18	4/19	MEAN	NYS STD		
PARAMETER METALS (mg/L)																																						
Aluminum	ND		0.22		ND		ND		ND		ND	ND		ND		ND	ND				ND	ND	-	-	ND	ND	-	ND	ND	ND	0.0473	-	0.0416	ND	0.40			
Calcium	65.5	65.4	65.3	62.5	69.7	80.1	77.2	73.4	74.6	75.5	73.8	81.5	79.6	78.4	72.5	76.5	86.9	80	74.1	76	87	69.5	78.1	72.3	69	72.5	81.2	78.7	95.8	76.8	66.6	75.7	74.4	79.1	73.92			
Iron	7.05	6.61	8.1	8.49	6.9	6.2	21	9.5	7.9	7.7	0.86	6.4	12.4	9.23	9.06	5.09	5.5	4.8	11.4	4.4	6.3	3.49	7.45	3.44	11.5	3.39	4.52	4.19	3	4.17	11	3.5	7.15	3.97	12.21	0.3		
Magnesium	9.83	10.3	9.54	9.24	10.4	11.6	12.5	11.6	11.5	11.4	10.4	12.2	12.2	12.2	11.2	11.6	13	11.9	11.8	12	14	11.1	12.6	11.4	10.8	11.6	12.1	11.5	14	11.2	9.89	11	10.7	11.4	11.31	35.0		
Manganese	7.43	7.62	8.05	9.91	7.9	7.9	12	9.1	9	8.7	6.8	7.7	9.8	8.51	9.39	7.71	7.98	7	10.8	6.9	9.5	5.73	8.77	6.28	11.7	5.9	7.74	7.05	7.26	7.02	9.06	5.32	8.25	6.8	8.85	0.3		
Potassium	3.01	2.7	3.16	3.36	3.1	2.5	5.8	3.1	3.2	2.6	2.7	2.3	3.7	2.89	3.2	2.24	2.8	2.2	4.3	1.9	2.9	1.7	3.1	ND	3.5	1.9	2.7	ND	ND	3.51	5.7	2.13	3.05	ND	3.02			
Sodium	7.18	6.69	5.48	5.67	6.5	6.4	6.8	6.6	7.1	5.9	9.5	7.1	7.8	7.1	6.3	6.2	11	6.6	6.2	6.7	ND	6.4	7.0	5.8	4.7	6.5	7.5	6.68	10.7	7.13	4.71	6.0	5.1	5.52	7.57	20.0		
PARAMETER (mg/l) TOXIC METALS																																						
Antimony	ND		ND		ND		ND		ND		ND	ND		ND			ND	ND				ND	ND	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	0.00	0.003	
Arsenic	0.02		ND		0.01		0.03		0.02		ND	0.02		0.021			0.02	0.017				ND	0.012	-	-	0.025	0.014	-	0.0174	0.0114	0.0144	0.0283	-	0.0228	0.017	0.03	0.025	
Barium	0.19		0.17		0.17		0.14		0.14		0.23	0.16		0.161			0.184	0.14				ND	0.137	-	-	0.116	0.137	-	ND	ND	0.124	0.111	-	0.126	0.125	0.18	1.0	
Beryllium	ND		ND		ND		ND		ND		ND	ND		ND			ND	ND				ND	0.0002	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	0.00		
Cadmium	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	0.005	
Chromium (Total)	ND		ND		ND		ND		ND		ND	ND		ND			ND	ND				ND	ND	-	-	0.002	ND	-	ND	ND	0.0017	0.004	-	ND	ND	0.00	0.05	
Copper	ND		ND		ND		ND		ND		ND	ND		ND			ND	ND				ND	ND	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	0.00	0.2	
Lead	0.004	0.01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.001	ND	0.0008	ND	ND	0.002	0.002	ND	0.0064	ND	0.0017	0.0033	0.0041	0.0013	ND	0.01	0.025	
Mercury	ND		ND		ND		ND		ND		ND	ND		ND			ND	ND				ND	ND	-	-	ND	ND	-	ND	ND	ND	7E-05	-	0.0001	ND	0.00007		
Nickel	0.04		ND		ND		ND		ND		ND	ND		ND			ND	ND				ND	0.0006	-	-	0.007	0.005	-	ND	ND	0.0052	0.0057	-	0.0048	0.0047	0.01	0.1	
Selenium	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND				ND	ND	-	-	0.004	0.005	-	ND	ND	ND	ND	-	ND	ND	0.00	0.0	
Silver	ND		ND		ND		ND		ND		ND	ND		ND			ND	ND				ND	ND	-	-	0.002	0.002	-	ND	ND	ND	ND	-	ND	0.0021	0.00	0.05	
Thallium	ND		ND		ND		ND		ND		ND	ND		ND			ND	ND				ND	ND	-	-	ND	ND	-	0.0128	ND	ND	ND	-	0.0103	ND	0.00	0.0005	
Zinc	ND		ND		ND		ND		0.01		ND	0.02		0.013			0.01	0.015				0.023	0.11	-	-	0.002	0.009	-	ND	0.0209	ND	ND	0.021	-	0.0099	ND	0.02	2.0
PARAMETER (mg/l) LEACHATE INDICATORS																																						
Alkalinity	219	270	250	210	205	225	254	248	269	249	274	178	256	281	247	292	272	296	268	250	280	270	310	270	272	255	270	248	287	266	241	207	278	238	261.65			
Biochemical Oxygen Demand	ND		4		15.6		ND		ND		2.9	2.8		3.9			ND	ND		ND	ND	3.6	-	-	7	3.2	2.7	ND	ND	1.2	3.5	ND	ND	1.8	4.22			
Boron	0.08		0.05		0.06		0.1		0.07		0.054	0.047		0.059			0.052	0.052		ND	0.05	-	-	0.06	0.05	-	ND	ND	0.0428	0.0676	-	0.0565	0.0386	0.04	1.0			
Chemical Oxygen Demand	33.6	32.1	42	ND	50.2	10.1	21.6	23.3	16.8	18.2	26.3	13.8	18.4	ND	20.3	18.2	11.2	ND	20.3	ND	89	ND	16.9	7.3	9	ND	12.8	-	19.2	23.4	39.4	27.7	46.1	10.2	28.10			
Chromium (Hexavalent)	ND		ND		ND		ND		ND		ND	ND		ND			ND	ND		ND	ND	-	-	ND	ND	-	-	ND	ND	-	-	ND	ND	0.00	0.05			
Chloride	12.8	7.79	6.7	5.2	6	5.4	9.6	5.5	5.3	19.6	6.4	7.6	7.5	4.71	4.17	23.5	4	4.4	3.34	9.9	3.3	6.4	3.1	2.8	3.2	4.3	2.71	4.1	4.7	3.6	2.8	4.9	2.6	11.94	250.0			
Color (PCU units)			10		12		18		70		30	20		7.5		0	7.5		ND	170		-	-	27	38	-	5	20	10	-	-	15	5	67.64	15.0			
Nitrate-Nitrite	0.13	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.24	ND	0.077	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.68	0.032	0.062	ND	ND	ND	0.11	10.0	
Nitrogen-Ammonia	1.87	1.45	2.4	2.7	0.81	0.83	2.6	1.1	1.1	0.96	0.87	0.99	1.9	1.9	1.54	0.797	0.812	0.73	2.8	1.08	ND	0.804	1.3	0.595	2.46	1.03	1.23	1.22	1.1	0.86	2.4	0.62	0.99	0.86	1.65	2.0		
Phenols	0.01	0.01	ND	ND	0.01	ND	ND	ND	0.01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0163	ND	0.0272	ND	ND	ND	0.0148	0.0078	0.0021	0.0325	0.0096	0.0274	0.0069	0.02	0.001	
Sulfate	8.76	8.22	8.2	7.6	8.8	8.4	7.7	7.3	6.9	8.8	10.6	6.2	5.1	6.9	6.24	7.91	7.69	8.8	5.6	ND	6.9	6.8	6.7	4.8	6.1	6.9	6.36	8.5	7.9	4.2	6.6	5.7	6.6	8.61	250.0			
Total Organic Carbon (TOC)	2.9	2.5	10	4.4	20.8	3.6	8.2	3.5	5.6	3.5	3.8	4.0	7.4	5.4	4.4	2.2	5.3	2.8	2.6	ND	ND	3.2	4.0	2.9	6.2	3.8	3.5	2.59	4.6	4.8	5.9	15	6.2	2.2	6.76			
Total Dissolved Solids (TDS)		311	285	268	297	276	311	294	280	271	272	304	330	319	297	314	319	283	299	260	250	292	320	283	274	276	291	269	329	290	248	279	279	410	297.19	500.0		
Total Hardness	204	206	202	194	217	248	244	231	234	235	227	254	249	250	230	240	270	249	234	240	270	219	247	228	217	229	261	212	400	228	250	220	173	180	237.54			
Total Kjeldahl Nitrogen (TKN)	1.81		4.5		2.7		3.2		1.5		1.7	1.1		2.31			1.47	1.2		0.508	1.3	0.98	-	-	ND	1.14	-	1.23	0.88	1.6	3.4	0.79	2.4	1.2	2.35			
Turbidity (NTU units)		8	19	9	41.2	24.4	10.7	3.6	14	27.2	15.1	3.3	4.2	20	16	0	3	6	7	3.9	2.2	18.1	1.6	0	7.3	18.5	9.9	2	3.6	0.3	35	9.8	20.1	10.9	27.77	5.0		
Cyanide	ND		ND		ND		ND		ND		ND	ND		ND			ND	ND				ND	ND	-	-	ND	ND	-	-	ND	ND	-	-	ND	0.0024	0.00	0.2	

(Shade) = Analyte reported at or above New York State standards (amended March and June 1998). These standards were used beginning with the 9/98 sampling event. Exceedances noted prior to this event reflect prior standards.

* = Applies to the sum of cis and trans-1,3-dichloropropene.

** = Guidance Value.

ND values are included in calculation of Mean and are considered equal to zero.

(Blank) or "-" = Not Analyzed.

ND = Not Detected.

J = Estimated.

<DL = Detected below method detection limit. B = Analyte was detected in method blank.

MW-9B
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

PARAMETER VOLATILES (ug/L)	9/90	12/90	3/91	6/91	9/91	12/91	3/92	6/92	9/92	12/92	3/93	6/93	9/93	12/93	3/94	6/94	9/94	12/94	3/95	6/95	9/95	12/95	4/96	9/96	3/97	9/97	3/98	9/98	3/99	9/99	3/00	9/00	3/01	9/01	3/02	
Acetone																																				
Acrylonitrile																																				
Benzene	ND	0.12	ND	ND	ND	ND	ND										ND		ND					ND											ND	
Bromobenzene	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
Bromochloromethane	ND	ND	ND	ND	ND	ND	ND												ND					ND											ND	
Bromodichloromethane	ND	ND	ND	ND	ND	ND	ND																													
Bromoform	ND	ND	ND	ND	ND	ND	ND																													
Bromomethane	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
2-Butanone																																				
n-Butylbenzene	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
sec-Butylbenzene	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
tert-Butylbenzene	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
Carbon disulfide																																				
Carbon tetrachloride	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
Chlorobenzene	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
Chloroethane	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
Chloroform	0.86	1.44	ND	ND	ND	ND	ND																													
Chloromethane	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
2-Chlorotoluene	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
4-Chlorotoluene	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
Dibromochloromethane	ND	ND	ND	ND	ND	ND	ND																													
1,2-Dibromo-3-chloropropane	ND	ND	ND	ND	ND	ND	ND																													
1,2-Dibromoethane	ND	ND	ND	ND	ND	ND	ND																													
Dibromomethane	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
trans-1,4-Dichloro-2-Butene	ND	ND	ND	ND	ND	ND	ND																													
Dichlorodifluoromethane	ND	ND	ND	ND	ND	ND	ND										ND		0.6				0.6											ND		
1,1-Dichloroethane	5.73	5.65	7.73	4.0	3.0	4.0	2.0										3.0		ND				3.0											3.05		
1,2-Dichloroethane	0.17	0.24	ND	ND	ND	ND	ND										ND		ND					ND												
1,1-Dichloroethene	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND												
cis-1,2-Dichloroethene	ND	1.12	0.97	ND	ND	ND	ND										ND		ND					ND												
trans-1,2-Dichloroethene	1.39	ND	ND	ND	ND	ND	ND										ND		ND					ND												
1,2-Dichloropropane	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND												
1,3-Dichloropropane	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
2,2-Dichloropropane	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
1,1-Dichloropropene	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
cis-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
Ethylbenzene	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
2-Hexanone																																				
Hexachlorobutadiene	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
Iodomethane																																				
Isopropylbenzene	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
p-Isopropyltoluene	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
Methylene chloride	5.95	1.55	0.43	3.0	1.0	1.0	6.0										ND		4.0					ND											ND	
4-Methyl-2-pentanone																																				
Naphthalene	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
n-Propylbenzene	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
Styrene	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
1,1,1,2-Tetrachloroethane	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
Tetrachloroethene	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
Toluene	<DL	<DL	ND	ND	ND	ND	ND										ND		ND					2.0												
1,2,3-Trichlorobenzene	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
1,2,4-Trichlorobenzene	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
1,1,1-Trichloroethane	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
Trichloroethene	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
Trichlorofluoromethane	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
1,2,3-Trichloropropane	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
1,2,4-Trimethylbenzene	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
1,3,5-Trimethylbenzene	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
Vinyl acetate																																				
Vinyl chloride	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
o-Xylene	ND	ND	ND	ND	ND	ND	ND										ND		ND					ND											ND	
p-Xylene & m-Xylene			ND	ND	ND	ND	ND										ND		ND				</													

MW-9B
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

	9/90	12/90	3/91	6/91	9/91	12/91	3/92	6/92	9/92	12/92	3/93	6/93	9/93	12/93	3/94	6/94	9/94	12/94	3/95	6/95	9/95	12/95	4/96	9/96	3/97	9/97	3/98	9/98	3/99	9/99	3/00	9/00	3/01	9/01	3/02	
PARAMETER METALS (mg/L)																																				
Aluminum	61.8				21.6												35.0																			
Calcium	82.6	103	47	49.1	51.9	41.9	37.6	79.3						44.7		48.2	55.6						53.1													
Iron	110	90.3	0.6	72.3	40.6	25.6	37.5	36.2						73.1		68.1	77.2						70.1													
Magnesium	14.4	19.5	13.3	16.3	11.9	8.6	10.2	15.3						16.4		16.2	16.9																			
Manganese	1.24	1.48	0.66	0.95	0.7	0.33	1.07	0.48						0.84		1.03	1.6																			
Potassium	10.5	8.7	5.8	12.8	6.9	5.7	6.1	8.1						11.9		10.5	8.9																			
Sodium	3.4	2.2	3	4.5	4.1	3.3	3.7	6.3						3.7		3.24	4.0																			
PARAMETER (mg/l) TOXIC METALS																																				
Antimony	<DL				ND												ND																			
Arsenic	ND				0.015												0.028																			
Barium	0.21				0.12												0.208																			
Beryllium					ND												0.002																			
Cadmium		ND	0	ND	ND	ND	ND	ND						ND		ND	ND						0.013													
Chromium (Total)	0.06	0.03	0.02	0.08	0.07	0.05	0.04	0.06						0.11			0.076						0.215													
Copper	0.12				0.05												0.065																			
Lead	0.015	<DL	0.010	0.013	0.008	0.007	0.014	0.015						0.031		0.026	0.018						0.014													
Mercury	<DL				ND												ND																			
Nickel	0.82				0.07												0.087																			
Selenium	0.08	0.03	0.01	ND	ND	ND	ND	ND						0		ND	ND						ND													
Silver	ND				ND												ND																			
Thallium	ND				ND												ND																			
Zinc	0.32				0.16												0.28																			
PARAMETER (mg/l) LEACHATE INDICATORS																																				
Alkalinity			402	140		158	143	147.0																												
Biochemical Oxygen Demand					0.06												ND																			
Boron																																				
Chemical Oxygen Demand		<DL	<DL	ND		ND	ND	ND						78.3																						
Chromium (Hexavalent)	<DL				ND												ND																			
Chloride			11	12		10.0	15.0	8.0																												
Color (PCU units)																																				
Nitrate-Nitrite		<DL	<DL	0.27		ND	ND	0.2																												
Nitrogen-Ammonia		<DL	<DL	0.4	0.2	ND	0.1	0.2						ND																						
Phenols	ND	0.078	ND			ND	ND	ND						0.031																						
Sulfate		22.3	11			42.0	15.0	7.0																												
Total Organic Carbon (TOC)		14	2	3	2.0	2.0	1.0	5.2						2.8																					32.7	
Total Dissolved Solids (TDS)			180	858		140	163.0	176.0																												
Total Hardness	265	340	172			156	135.0	261.0																												
Total Kjeldahl Nitrogen (TKN)					1.3												3.3																			
Turbidity (NTU units)			182	1110		130	4.0	1840																												
Cyanide																	ND																			

MW-9B
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

[illegible]

MW-9B
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

	9/02	3/03	9/03	3/04	9/04	3/05	9/05	3/06	11/06	4/07	10/07	4/08	10/08	4/09	9/09	4/10	9/10	5/11	10/11	5/12	10/12	6/13	10/13	6/14	10/14	6/15	11/15	5/16	10/16	3/17	10/17	5/18	9/18	4/19	MEAN	NYS STD		
PARAMETER METALS (mg/L)																																						
Aluminum									2.3			ND		0.238			ND	0.59	61.8	57	63	54.7	-	-	-	ND	-	ND	-	0.056	-	-	0.43	0.251	5.56			
Calcium									60.7	52.6		68	72.1	62	61.9	60.5	54.9	65.4	61.8	0.33	1.3	0.3	-	61.2	-	63.8	75.6	70.7	-	75.6	-	-	76.4	78.4	53.79			
Iron									2.8	0.31		0.28	2	1.11	0.451	0.46	0.472	1.2	0.86	0.33	1.3	0.3	-	1.44	-	0.65	1.22	0.462	-	0.135	-	-	1.78	1.44	19.48	0.3		
Magnesium									8.2	6.9		8.5	9.1	8.44	8.26	8.98	8.74	9.5	9.8	9.2	10	8.8	-	9.9	-	9.5	10.1	9.52	-	10.6	-	-	10.1	10.4	9.74	35.0		
Manganese									0.14	0.032		0.05	0.03	ND	ND	0.07	0.035	0.12	0.055	0.029	0.053	0.021	-	0.066	-	0.969	0.428	0.779	-	0.118	-	-	0.658	1.53	0.45	0.3		
Potassium									1.9	1		1.4	5	1.61	1.18	1.17	1.7	1.8	1.7	1	2.3	1.2	-	2.1	-	1.4	3.3	ND	-	2.04	-	-	1.83	ND	3.76			
Sodium									4.2	3.5		4.9	5.7	4.8	4.3	4.1	4.7	4.6	4.7	4.1	ND	4.1	-	4.3	-	4.4	5.5	ND	-	5.89	-	-	5.33	4.62	3.48	20.0		
PARAMETER (mg/l) TOXIC METALS																																						
Antimony									ND			ND		ND			ND	ND			ND	ND	-	-	-	ND	-	ND	-	ND	-	-	ND	ND	0.00	0.003		
Arsenic									ND			ND		ND			ND	ND			ND	ND	-	-	-	ND	-	ND	-	ND	-	-	ND	ND	0.00	0.025		
Barium									0.04			0.02		0.019			0.019	0.029			ND	0.016	-	-	-	0.021	-	ND	-	0.02	-	-	0.0377	0.0314	0.04	1.0		
Beryllium									ND			ND		ND			ND	ND			ND	2E-04	-	-	-	ND	-	ND	-	ND	-	-	ND	ND	0.00			
Cadmium									ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	-	ND	ND	ND	-	ND	-	-	ND	ND	0.00	0.005		
Chromium (Total)									0.01			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	-	ND	ND	ND	-	ND	-	-	0.0069	ND	0.03	0.05		
Copper									ND			ND		ND			ND	ND			ND	ND	-	-	-	ND	-	ND	-	ND	-	-	0.0044	ND	0.01	0.2		
Lead									0.01	ND		ND	ND	ND	ND	ND	ND	0.006	ND	0.001	ND	0.001	-	ND	-	0.002	ND	0.005	-	ND	-	-	ND	ND	0.01	0.025		
Mercury									ND			ND		ND			ND	ND			ND	ND	-	-	-	ND	-	ND	-	ND	-	-	-	ND	0.00	0.0007		
Nickel									ND			ND		ND			ND	ND			ND	ND	-	-	-	0.002	-	ND	-	ND	-	0.001	-	-	0.0042	0.0054	0.04	0.1
Selenium									ND	ND		ND	ND	ND	ND		ND	ND			ND	ND	-	-	-	0.004	-	ND	-	ND	-	-	ND	ND	0.00	0.0		
Silver									ND			ND		ND			ND	ND			ND	ND	-	-	-	ND	-	ND	-	ND	-	-	ND	ND	0.00	0.05		
Thallium									ND			ND		ND			ND	ND			ND	ND	-	-	-	ND	-	ND	-	ND	-	-	ND	ND	0.00	0.0005		
Zinc									0.03			0.15		0.054			0.143	0.15			0.17	0.059	-	-	-	0.255	-	0.204	-	0.006	-	-	0.323	0.306	0.12	2.0		
PARAMETER (mg/l) LEACHATE INDICATORS																																						
Alkalinity									158	155							1.860			226	220		180	-	-	-	-	-	-	-	200	-	-	-	92.6			
Biochemical Oxygen Demand									-											ND			-	-	-	-	-	-	-	1.2	-	-	-	0.1				
Boron									ND			ND		ND			ND	ND			ND	ND	-	-	-	-	-	ND	-	0.01	-	-	0.0115	ND	0.0	1.0		
Chemical Oxygen Demand									14.9	23.4		19.2					ND	ND	ND	107	ND		6	-	30.3	-	-	-	ND	17.2	-	-	44.1	12.4	12.6			
Chromium (Hexavalent)									ND													ND	-	-	-	-	-	-	-	0.01	-	-	-	-	0.05			
Chloride									5.4	4.2							5.86	6.59		5.5	60.7		12	-	4.3	-	-	-	-	5.9	-	-	-	6.6	250.0			
Color (PCU units)									-																				5	10	-	-	-	1.9	15.0			
Nitrate-Nitrite									0.05	0.15									ND	0.069	ND		ND	-	ND	-	-	-	0.055	0.035	-	-	ND	0.078	0.0	10.0		
Nitrogen-Ammonia									ND	ND		ND					ND	ND	ND	ND	ND		ND	-	ND	-	-	-	ND	0.026	-	-	0.091	0.033	0.0	2.0		
Phenols									ND	0.0081			ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	-	-	-	-	-	0.003	-	-	-	0.0161	0.0033	0.0	0.001		
Sulfate									8.2	10.1							9.52	8.13		8.8	8.5		8.3	-	7.9	-	-	-	-	9.6	-	-	-	7.3	250.0			
Total Organic Carbon (TOC)									-	1.5	5	2.4	2.3		ND	8D	ND	2.5	ND	ND	ND		1.5	-	-	-	-	-	2.6	ND	5.8	15.8	3.8	2.5	3.3			
Total Dissolved Solids (TDS)									244	177											240		215	-	228	-	-	-	-	225	-	-	-	-	135.5	500.0		
Total Hardness									185	160		205			190	190	170			195		200	173	-	194	-	-	-	170	-	200	-	-	200	180	146.0		
Total Kjeldahl Nitrogen (TKN)									ND								ND	ND			ND		ND	-	-	-	-	-	0.11	0.27	-	-	0.35	0.49	0.3			
Turbidity (NTU units)									-	5.2		18.5	19.1	48	3	12	14	4	22.8	11.4	27.5	17	-	9.2	28.3	31	23.8	14.4	3.5	14.8	229	38.3	28.8	26.5	130.5	5.0		
Cyanide									-														-	-	-	-	-	-	-	ND	-	-	-	ND	0.0	0.2		

(Shade) = Analyte reported at or above New York State standards (amended March and June 1998). These standards were used beginning with the 9/98 sampling event. Exceedances noted prior to this event reflect prior standards.

* = Applies to the sum of cis and trans-1,3-dichloropropene.

** = Guidance Value.

ND values are included in calculation of Mean and are considered equal to zero.

(Blank) or "-" = Not Analyzed.

ND = Not Detected.

J = Estimated.

<DL = Detected below method detection limit. B = Analyte was detected in method blank.

MW-10B
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

[illegible]

MW-10B
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

	9/90	12/90	3/91	6/91	9/91	12/91	3/92	6/92	9/92	12/92	3/93	6/93	9/93	12/93	3/94	6/94	9/94	12/94	3/95	6/95	9/95	12/95	4/96	9/96	3/97	9/97	3/98	9/98	3/99	9/99	3/00	9/00	3/01	9/01	3/02	
PARAMETER METALS (mg/L)																																				
Aluminum					12.6				6.27				1.33				ND				1.44			1.80		2.43		0.13		0.1		0.146		ND		
Calcium	72.2	59.4	64.6	65.0	51.8	58	62.8	73.5	66.7			61.6	62.1	55.6	57.5	66.2	ND	55	52.6	61.1	65.8	64.7	64.4	61.7	59.3	63.9	62.7	68.6	55.9	66.8	68.1	66.9	59.4	62.7	62.3	
Iron	16.8	12.4	8.96	23.9	0.73	11.8	7.1	21.3	22			12.1	7.31	5.55	8.9	38.8	ND	10.7	43.5	10.6	11.3	15.3	11.1	7.90	14.6	5.48	6.26	4.13	1.01	1.1	5.45	3.72	1.46	5	2.8	
Magnesium	22.7	21.4	20.1	22.7	15.6	19.4	20.6	25.6	24.1			20.1	20	19.2	20.5	27.3	0.13	18.2	22.1	19.7	21	21.9	21.4	20.2	20.4	20.8	19.8	20.3	18.9	20.3	22.3	21.4	18.7	21.1	20.2	
Manganese	12.8	11.9	12	13.1	9.75	11.6	12	14.7	12.5			11.9	11.9	10.9	10.3	12.5	ND	9.22	10.0	11.0	12.7	11.9	11.7	11.4	10.7	10.7	10.2	11.3	7.94	10.9	9.91	11.3	7.97	11.4	6.93	
Potassium	2.7	2.3	2.4	5.0	3.3	3.3	3.8	3.58	3.9			3.4	2.34	2.88	3.18	5.24	ND	3.56	5.9	3.12	2.49	3.49	2.89	3.00	3.18	3.84	4.28	3.24	2.97	2.58	5.54	3.46	2.77	2.54	4.53	
Sodium	9.9	11.6	10.2	11.3	10.1	10.7	10.7	12.2	10			8.86	10.6	10	10.7	3.02	11	10.5	7.6	10.7	10.3	10.7	9.45	10.9	9.83	10.6	9.76	8.96	9.39	9.86	10.4	9.82	9.62	9.84	10.3	
PARAMETER (mg/l) TOXIC METALS																																				
Antimony					ND				ND				ND				ND				ND			ND		ND		ND		0.05		ND		ND		
Arsenic					0.021				0.028				0.016				0.013				0.02			0.030		0.01		0.01		0.01		0.013		0.03		
Barium					0.17				0.25				0.1								0.13			0.124		0.13		0.09		0.09		0.105		0.11		
Beryllium					ND				ND				ND				ND							ND		ND		ND		ND		ND		ND		
Cadmium	<DL	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	0	ND	ND	ND	0.002	ND	0	ND	0.01	ND	ND	ND	ND	0.01	ND	ND	ND	ND	ND	ND	ND	
Chromium (Total)					0.03				0.02				0.02				ND		ND		0.35			0.026		0.03		ND		0.01		0.013		ND		
Copper					0.02				ND				ND				ND		ND					ND		ND		ND		ND		ND		ND		
Lead	0.020	<DL	0.022	0.029	ND	0.018	0.023	0.010	0.034	0.021	0.009	0.007	0.012	0.005	0.026	0.004	0.013	0.009	0.006	0.02	0.003	0.010	0.042	0.010	0.01	0	0.01	0	0	0	0.014	0	0.01	0.003		
Mercury					ND				ND				ND				ND						ND		ND		ND		ND		ND		ND			
Nickel					ND				0.04				0.06				ND				0.15			0.055		0.07		0.04		0.05		0.048		0.06		
Selenium	<DL				ND				ND				ND			ND							ND		ND		ND		ND		ND		ND			
Silver					ND				ND				0.01			ND							ND		ND		ND		ND		ND		ND			
Thallium									ND							ND							ND		ND		ND		ND		ND		ND			
Zinc					0.08				0.04				0.03			ND							ND		ND		0.03		ND		ND		ND		0.03	
PARAMETER (mg/l) LEACHATE INDICATORS																																				
Alkalinity	278	271	247	296	306	321	294.0	282	259	278	257	275	238	262	264	291	261	247	288	265	256		246	310	260	281	317	288	268	310	285	281	251	282	257	
Biochemical Oxygen Demand				3				ND					7				8				15			9		13		17		ND		9		14		
Boron				0.1				ND					0.02				ND				0.07			0.112		0.06		0.08		0.07		0.081		0.08		
Chemical Oxygen Demand	16	17	ND	8	6.0	ND	15.0	45.4	29.9	18.1	16.4	23.4	45.3	27.7	20.4	25.3	ND	25.1	45.4	36.6	ND		29.5	19.0	ND	22.4	39.1	26.3	25.4	ND	38.3	ND	23.2	ND	24.3	
Chromium (Hexavalent)				ND				ND					ND				ND							ND		ND		ND		ND		ND		ND		
Chloride	21	20.3	23	22	26.0	18.0	43.0	20.7	16.4	23.2	23	25.6	16.5	19.9	17.8	23.3	18.4	15	21.1	24.4	18.9		15.0	24.0	13.2	20.6	12.8	20.3	16.3	20.8	13.7	18	14.5	18.5	15.3	
Color (PCU units)				30				30					20				40				30			60		20		35		50		20		15		
Nitrate-Nitrite	<DL	<DL	ND	ND	ND	ND	0.1	1.63	1.1	ND	ND	0.86	ND	ND	0.48	0.76	ND	0.096	0.78	ND		ND	1.56	ND	0.58	ND	0.61	0.62	0.71	ND	1.12	0.1	0.21	ND		
Nitrogen-Ammonia	<DL	<DL	ND	0.3	0.8	1.2	4.6	1.76	1.9	1.99	1.2	2.05	0.51	1.3	3.74	1.39	1.3	2.02	2.92	1.5	1.7	0.890	1.24	1.54	1.26	1.45	1.66	0.88	1.14	1.32	1.52	0.76	1.68	0.684		
Phenols	ND	ND	ND	0.010	ND	ND	ND	0.010	ND	0.018	0.013	ND	0.020	0.015	ND	0.020	0.015	0.017	0.008	0.010	0.040	0.05	0.013	0.01	0.014	0.005	0.01	0.01	0.01	0.02	0.01	0.020	0.0112	0.02	0.0129	
Sulfate	0.5	4.5	ND	ND	ND	ND	ND	14	11	ND	ND	5	5.7	6.7	6.7	6.7	ND	ND	ND	ND	8.7	6.4	ND	ND	ND	12	7.1	ND	14	7.4	106	ND	11	6.37	7.15	
Total Organic Carbon (TOC)	13	5.4	6	6	6	5.0	14.0	8.9	6.3	7.2	5.6	7.8	4.7	7	4.9	8.9	4.8	9.5	8.9	6.4	6.1	7.0	6.4	4.6	ND	4.5	6.2	4.5	6	5.3	7	4.8	4.8	4.3		
Total Dissolved Solids (TDS)	290	311	336	360	149	306	332.0	228	376	347	338	305	283	284	288	336	282	269	330	319	290		282	326	290	319	271	368	292	306	308	290	305	336	297	
Total Hardness	272	237	294	256	194	225	242.0	320	304	368	277	299	295	422	284	352	212	222	234	251	252	249	237	232	245	199	255	217	250	262	255	225	243	239		
Total Kjeldahl Nitrogen (TKN)				1.9				1.62					2.88			3.28				2.35			5.01		ND		3.03		2.52		3.24		4.71			
Turbidity (NTU units)	3200	496	280	386	24.0	214	138.0	220	160	240	75	24	150	88	66	23	9	130	19	27	46	70	29	36	14	43	18	23	700	18	22	9	6.1	2.4		
Cyanide				ND				ND				ND				ND				ND			ND		ND		ND		ND		ND		ND			

MW-10B
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
CLEAN, NEW YORK

	9/02	3/03	9/03	3/04	9/04	3/05	9/05	3/06	11/06	4/07	10/07	4/08	10/08	4/09	9/09	4/10	9/10	5/11	10/11	5/12	10/12	6/13	10/13	6/14	10/14	6/15	11/15	5/16	10/16	3/17	10/17	5/18	9/18	4/19	MEAN	NYS STD	
PARAMETER VOLATILES (ug/L)																																					
Acetone							ND	ND	ND	2.8	14	ND	2	ND	1.2	ND	1.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.2	ND	ND	0.81	50.0
Acrylonitrile							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0	
Benzene	1.5	2.2	2.1	2.3	2.2	2.3	1.8	1.6	2	1.6	1.6	1.4	1.7	ND	0.59	0.85	1.8	1.4	0.82	ND	ND	ND	ND	ND	ND	1.6	1.3	ND	ND	1.4	ND	ND	1.8	ND	ND	1.88	1.0
Bromobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	0.00	5.0	
Bromochloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	0.00	5.0	
Bromodichloromethane				ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	50.0	
Bromoform				ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	50.0	
Bromomethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	50.0	
2-Butanone							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	50.0	
n-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	0.00	5.0
sec-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	0.00	5.0	
tert-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	0.03	5.0	
Carbon disulfide							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	60.0	
Carbon tetrachloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0	
Chlorobenzene	0.58	1.5	1.4	1.5	1.4	1.5	0.87	1	1.2	0.95	0.88	1.2	1	ND	0.36	0.52	1.4	0.98	ND	ND	ND	1.7	ND	ND	1.2	0.93	ND	ND	ND	ND	ND	1.3	ND	ND	0.79	5.0	
Chloroethane	ND	ND	ND	0.4	0.55	0.33	0.4	ND	0.37	0.5	ND	0.52	ND	ND	0.26	0.59	0.55	ND	ND	ND	0.67	ND	ND	ND	0.75	0.57	ND	ND	ND	ND	ND	ND	ND	0.18	5.0		
Chloroform				ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.04	7.0	
Chloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0	
2-Chlorotoluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	0.00	5.0	
4-Chlorotoluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	0.00	5.0	
Dibromochloromethane				ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	50.0	
1,2-Dibromo-3-chloropropane				ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	0.04	
1,2-Dibromomethane				ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0	
Dibromomethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0	
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	3.0	
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	0.00	3.0	
1,4-Dichlorobenzene	ND	0.55	ND	ND	0.53	0.57	ND	ND	ND	0.31	0.3	ND	0.34	ND	ND	ND	0.41	ND	ND	ND	ND	0.53	ND	ND	0.37	0.29	ND	ND	ND	ND	ND	ND	ND	ND	0.25	3.0	
trans-1,4-Dichloro-2-butene							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0	
Dichlorodifluoromethane	ND	ND	ND	ND	1.3	0.95	0.58	0.85	ND	0.85	0.64	ND	ND	0.33	0.42	0.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	8.4	-	ND	-	0.89	5.0
1,1-Dichloroethane	17	15	16.1	17.6	18	16	21	18	19	17	19	12	18	13	11	14	18	14	12	12	15	12	13	21	11	15	11	11	16	11.5	18.1	15.5	9.5	14.2	18.11	5.0	
1,2-Dichloroethane	ND	ND	ND	0.5	ND	ND	0.4	ND	0.33	ND	0.39	ND	ND	ND	0.43	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.12	0.6	
1,1-Dichloroethene	ND	ND	ND	ND	ND	0.4	ND	ND	0.31	0.35	ND	0.37	ND	ND	0.24	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.04	5.0	
cis-1,2-Dichloroethene	17	20	26.1	31.5	35	39	23	28	36	35	31	27	28	15	19	31	35	26	19	36	37	40	38	49	41	54	30	38	43	35.2	62.3	54.4	38.2	54.9	26.09	5.0	
trans-1,2-Dichloroethene	0.53	0.67	1.1	1.1	0.96	1.1	0.69	0.61	0.87	0.88	0.64	ND	1.1	ND	0.34	0.52	0.97	0.58	ND	ND	ND	ND	ND	ND	0.64	1.1	ND	ND	ND	ND	ND	ND	1.2	ND	ND	6.2	5.0
1,2-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	1.0	
1,3-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	0.00	5.0	
2,2-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	0.00	5.0	
1,1-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	0.00	5.0	
cis-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	0.4	
trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	0.4	
Ethylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.55	5.0	
2-Hexanone							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	50.0	
Hexachlorobutadiene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	0.00	0.5	
Iodomethane							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0	
Isopropylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	0.02	5.0	
p-Isopropyltoluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	0.03	5.0	
Methylene chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.27	5.0	
4-Methyl-2-pentanone							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	0.01	
Naphthalene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	0.01	10.0	
n-Propylbenzene	ND	ND	ND																																		

MW-10B
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

	9/02	3/03	9/03	3/04	9/04	3/05	9/05	3/06	11/06	4/07	10/07	4/08	10/08	4/09	9/09	4/10	9/10	5/11	10/11	5/12	10/12	6/13	10/13	6/14	10/14	6/15	11/15	5/16	10/16	3/17	10/17	5/18	9/18	4/19	MEAN	NYS STD	
PARAMETER METALS (mg/L)																																					
Aluminum	ND		0.71		3.4		ND		ND		ND	ND		ND			ND	ND			ND	0.03	0	-	ND	ND	-	ND	ND	0.03	ND	-	0.068	ND	0.85		
Calcium	69.3	57.4	61.2	71.6	66.7	73.1	66.8	64.2	68.9	63.7	74.9	67.7	69.1	63	71.1	67.5	75.5	75.1	70.7	72	79	66.8	74.7	74	70	74.5	66.4	72.9	83	72.4	77.1	76.4	76.6	88.8	65.99		
Iron	4.89	4.25	8.82	1.63	6.1	4	ND	0.44	0.61	1.7	0.48	0.24	0.52	0.337	0.268	0.599	3.48	0.5	0.54	2.6	1.6	1.8	1.62	1.04	0.66	1.42	ND	0.294	1.26	0.137	2.43	0.782	0.865	1.9	6.22	0.3	
Magnesium	21.6	19.2	21.3	21.4	21.3	22.6	20.6	19.4	22	20.6	23.1	21.8	21.8	19.9	22.6	21.6	24.5	24.1	23	25	26	23.3	25.4	24.9	23.8	24.4	20.9	20.7	26	22.4	23.9	24.3	23.8	28	21.54	35.0	
Manganese	11.2	8.8	10.1	8.81	9.5	9.7	2.3	4.3	5.4	6.6	10.6	5.7	8.3	5.02	3.06	4.38	11.3	5.9	6.1	9.7	11	9.02	10.5	5.78	6.57	7.54	2.74	3.71	10.8	2.16	9.29	5.87	5.59	8.69	8.97	0.3	
Potassium	3.02	2.87	2.71	2.65	3.4	2.6	2.3	2.2	2.5	2.3	2.4	2.5	2.5	1.76	2.08	2.07	2.42	2.4	2.2	2.3	2.3	2.2	2.5	2.4	2	2.4	2.2	ND	ND	2.59	3.56	2.42	2.41	ND	2.79		
Sodium	9.64	8.99	9.91	10.6	8.8	9.2	9.7	8.8	9.3	8.6	9.4	9.9	9.5	9.2	9.8		9	8.9	9.5	8.7	ND	8.7	9.2	8.3	9.1	9.1	9.3	9.29	9.86	8.22	8.83	8.99	9.64	8.7	9.45	20.0	
PARAMETER (mg/L) TOXIC METALS																																					
Antimony	ND		ND		ND		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	0.00	0.003	
Arsenic	0.016		ND		ND		ND		ND		ND	ND		ND			0.013	ND			ND	0.005	-	-	ND	0.005	-	ND	ND	ND	0.012	-	ND	0.007	0.01	0.025	
Barium	0.105		0.1		0.16		0.14		0.08		0.093	0.08		0.085			0.094	0.074			ND	0.092	-	-	0.071	0.073	-	ND	ND	0.055	0.087	-	0.066	0.071	0.08	1.0	
Beryllium	ND		ND		ND		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	0.00		
Cadmium	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	0.005	
Chromium (Total)	ND		0.01		0.01		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	0.01	0.05	
Copper	ND		ND		0.01		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	0.00	0.2	
Lead	0.007	0	ND	ND	0.01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.001	ND	0.002	ND	ND	ND	ND	0.004	ND	0.002	0.004	0.004	ND	ND	0.01	0.025		
Mercury	ND		ND		ND		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	ND	6E-05	-	1E-04	ND	0.00	0.0007	
Nickel	0.046		ND		ND		ND		ND		ND	ND		ND			ND	ND			ND	0.005	-	-	0.005	0.005	-	ND	ND	0.004	0.004	-	0.004	0.005	0.02	0.1	
Selenium	ND		ND		ND		ND		ND		ND	ND		ND			ND	ND			ND	0.006	-	-	ND	0.006	-	ND	ND	ND	ND	-	ND	ND	0.00	0.0	
Silver	ND		ND		ND		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	0.001	-	ND	ND	ND	ND	-	ND	ND	0.00	0.05	
Thallium	ND		ND		ND		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	ND	0.005	-	0.0066	0.0086	0.00	0.0005	
Zinc	0.029		0.01		ND		ND		ND		ND	0.01		ND			0.01	0.014			ND	0.004	-	-	0.014	ND	-	ND	ND	0.004	0.007	-	0.009	ND	0.01	2.0	
PARAMETER (mg/l) LEACHATE INDICATORS																																					
Alkalinity	286	276	335	270	274	267	272	280	242	268	349	134	321	314	261	257	340	331	325	290	330	310	330	311	319	303	260	268	315	267	392	269	307	324	284.8		
Biochemical Oxygen Demand	4		7		ND		ND		ND		4.4	2.7		ND			ND	2.6		5	ND	4.4	-	-	3.5	2.2	2.4	ND	ND	1.2	2.4	ND	7	2.8	4.0		
Boron	0.073		0.05		0.07		ND		0.06		0.052	0.07		0.04			0.059	0.057			ND	0.07	-	-	0.05	0.06	-	ND	ND	0.045	0.053	-	0.047	0.046	0.0	1.0	
Chemical Oxygen Demand	38.8	12.8	38	18	19.9	14.1	10.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	15.9	ND	23	11.4	9.7	ND	ND	11.3	8.4	-	21.3	13	35.2	31.8	29.8	16.8	15.4		
Chromium (hexavalent)	ND		ND		ND		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	-	ND	0.003	-	-	ND	ND	0.0	0.05	
Chloride	19.9	12.8	12	14	12.3	11	16.8	11.7	9.2	10.9	14	10.1	13.9	13	12.6	11.5	11.5	8	11.3	8.75	10.4	8.9	11.5	6.4	8.4	11.2	9.1	8.71	11.7	12.5	10.2	8.0	10.9	7.1	15.6	250.0	
Color (PCU units)	50		ND		100		15		5		40		10				0	12.5			5	39	-	-	8	22	-	ND	15	10	-	5	ND	18.2	15.0		
Nitrate-Nitrite	0.217	ND	ND	ND	0.18	ND	1.2	ND	ND	ND	0.12	ND	1.3	ND	ND		ND	1.6	0.056	0.305	ND	ND	ND	ND	ND	1.5	ND	0.054	ND	0.042	ND	ND	ND	0.3	10.0		
Nitrogen-Ammonia	1.79	1.17	1.8	1.1	0.4	1.2	0.86	0.37	0.26	0.65	1	0.52	0.88	0.655	0.235	0.212	0.823	0.44	0.29	1.2	1.64	0.796	0.852	0.357	0.496	0.709	0.2	0.44	1.2	0.19	0.96	0.68	0.32	0.9	1.1	2.0	
Phenols	0.0074	0.009	ND	0.004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	ND	0.004	0.007	0.0096	0.0110	0.0018	0.0	0.001	
Sulfate	5.52	7.27	7.2	6.1	7.3	6.9	6.1	7.1	7.1	6.6	6.8	4.3	5.4	6.7	7.2	6.91	5.16	7.7	5.8	ND	ND	5.3	5.4	6.2	5.4	5.4	6.2	5.65	6.1	6.2	4.4	5.0	6.1	5.2	6.4	250.0	
Total Organic Carbon (TOC)	3.1	2.4	4.2	3.2	4.4	3.6	3	2.4	3	3.1	2.7	4.4	5.3	2.7	1.6	1.5	3.6	3.0	1.4	3.9	3.6	4.0	3.6	3.4	3.9	3.0	3.1	1.65	5.2	ND	3.9	12.8	2.9	2.7	4.9		
Total Dissolved Solids (TDS)	320	309	322	312	331	287	307	282	404	378	325	308	318	286	294	290	308	295	296	410	370	339	332	326	324	311	278	300	342	279	337	335	308	306	312.0	500.0	
Total Hardness	262	222	241	267	254	276	252	240	262	244	282	259	262	240	270	260	290	287	271	280	310	263	291	287	273	286	257	250	350	250	300	300	227	280	265.7		
Total Kjeldahl Nitrogen (TKN)	2.19		3.1		1.4		1.3		ND		1.6	ND		ND			1.6	1.4			0.839	1.55	1.25	-	-	0.78	0.88	-	0.32	1	0.36	1.4	0.88	0.53	1.10	1.5	
Turbidity (NTU units)	36	8.9	140	23	75.7	109	1.9	1.7	3	6.2	6.9	1.9	4.5	37	8	0	4	0	4.1	3.1	0.1	0.3	3	0	9.4	25.4	3.3	0.8	1.7	1.4	15.6	0.60	2.40	1.50	111.0	5.0	
Cyanide			ND		ND		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	-	ND	ND	-	-	ND	ND	0.0	0.2	

(Shade) = Analyte reported at or above New York State standards (amended March and June 1998). These standards were used beginning with the 9/98 sampling event. Exceedances noted prior to this event reflect prior standards.

* = Applies to the sum of cis and trans-1,3-dichloropropene.

** = Guidance Value.

ND values are included in calculation of Mean and are considered equal to zero.

(Blank) or "-" = Not Analyzed.

ND = Not Detected.

<DL = Detected below method detection limit.

J = Estimated.

B = Analyte was detected in method blank.

MW-11B
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

PARAMETER VOLATILES (ug/L)	9/90	12/90	3/91	6/91	9/91	12/91	3/92	6/92	9/92	12/92	3/93	6/93	9/93	12/93	3/94	6/94	9/94	12/94	3/95	6/95	9/95	12/95	4/96	9/96	3/97	9/97	3/98	9/98	3/99	9/99	3/00	9/00	3/01	9/01	3/02	
Acetone																																				
Acrylonitrile																																				
Benzene	1.45	8.87	0.38		6.0	3.0	2.0								2				3.0				2		3						2		1		2.45	
Bromobenzene	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	
Bromochloromethane	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	
Bromodichloromethane	ND	ND	ND		ND	ND	ND																													
Bromoform	ND	ND	ND		ND	ND	ND																													
Bromomethane	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	
2-Butanone																																				
n-Butylbenzene	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	
sec-Butylbenzene	0.16	0.23	<DL		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	
tert-Butylbenzene	ND	0.20	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	
Carbon disulfide																																				
Carbon tetrachloride	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	
Chlorobenzene	0.14	0.20	<DL		ND	ND	1.0								ND				0.6				ND		ND						1		ND		1.26	
Chloroethane	ND	ND	ND		6.0	ND	ND								3				1.0				1		0.9						ND		ND		ND	
Chloroform	ND	<DL	ND		ND	ND	ND																													
Chloromethane	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	
2-Chlorotoluene	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	
4-Chlorotoluene	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	
Dibromochloromethane	ND	ND	ND		ND	ND	ND																													
1,2-Dibromo-3-chloropropane	ND	ND	ND		ND	ND	ND																													
1,2-Dibromoethane	ND	ND	ND		ND	ND	ND																													
Dibromomethane	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	
1,2-Dichlorobenzene	ND	<DL	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	
1,3-Dichlorobenzene	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	
1,4-Dichlorobenzene	ND	0.23	ND		ND	ND	ND								ND				1.0				ND		ND						ND		ND		ND	
trans-1,4-Dichloro-2-butene	ND	ND	ND		ND	ND	ND								ND				2.0				0.7		1						ND		0.7		ND	
Dichlorodifluoromethane															ND				4.0				3		2						ND		2		2.18	
1,1-Dichloroethane	6.25	7.33	5.16		16.0	2.0	5.0								2				ND				ND		ND						ND		ND		ND	
1,2-Dichloroethane	0.16	<DL	ND		1.0	ND	ND								ND				ND				ND		ND						ND		ND		ND	
1,1-Dichloroethene	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	
cis-1,2-Dichloroethene	ND	19.7	10.6		30.0	8.0	12.0								7				12.0				8		6						9		5		5.9	
trans-1,2-Dichloroethene	14.3	0.74	0.41		28.0	ND	ND								ND				ND				ND		ND						ND		ND		ND	
1,2-Dichloropropane	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	
1,3-Dichloropropane	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	
2,2-Dichloropropane	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	
1,1-Dichloropropene	ND	ND	<DL		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	
cis-1,3-Dichloropropene	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	
trans-1,3-Dichloropropene	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	
Ethylbenzene	0.16	0.25	0.13		ND	ND	2.0								ND				1.0				ND		ND						ND		ND		1.06	
2-Hexanone																																				
Hexachlorobutadiene	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	
Iodomethane																																				
Isopropylbenzene	0.52	0.99	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		1.02	
p-Isopropyltoluene	ND	0.20	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	
Methylene chloride	1.76	6.00	ND		3.0	3.0	ND								ND				ND				ND		ND						ND		ND		ND	
4-Methyl-2-pentanone																																				
Naphthalene	0.52	0.17	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	
n-Propylbenzene	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	
Styrene	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	
1,1,1,2-Tetrachloroethane	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	
1,1,2,2-Tetrachloroethane	ND	1.90	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	
Tetrachloroethene	1.48	ND	0.79		ND	ND	ND								0.6				ND				ND		ND						ND		ND		ND	
Toluene	<DL	0.35	ND		ND	ND	ND								ND				ND				0.8		ND						ND		ND		ND	
1,2,3-Trichlorobenzene	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	
1,2,4-Trichlorobenzene	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	
1,1,1-Trichloroethane	ND	1.22	0.43		ND	ND	ND								ND				ND				ND		ND						1		ND		ND	
1,1,2-Trichloroethane	ND	ND	<DL		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	
Trichloroethene	3.53	4.75	2.0		2.0	2.0	4.0								2				4.0				3		3						3		2		2.85	
Trichlorofluoromethane	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	
1,2,3-Trichloropropane	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	
1,2,4-Trimethylbenzene	0.20	ND	ND		ND	ND	2.0								ND				ND				ND		ND						ND		ND		ND	
1,3,5-Trimethylbenzene	0.120	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	
Vinyl acetate																																				
Vinyl chloride	ND	ND																																		

MW-11B
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

	9/90	12/90	3/91	6/91	9/91	12/91	3/92	6/92	9/92	12/92	3/93	6/93	9/93	12/93	3/94	6/94	9/94	12/94	3/95	6/95	9/95	12/95	4/96	9/96	3/97	9/97	3/98	9/98	3/99	9/99	3/00	9/00	3/01	9/01	3/02
PARAMETER METALS (mg/L)																																			
Aluminum	4.3				3.1																														
Calcium	23.4	16.5	25.1		48.2	13.9	25.4			12.3				28.2	11.6	14							31.5		19.7						29.7				36.7
Iron	26.9	11.7	26.5		25.1	13.1	18.2			13.1				22.7	12.7	39.3							47.6		17.2		17.2				26.5				19.3
Magnesium	7.6	4.5	8.1		14.8	4	9.8			4.61				9.5	3.87	8.09							7.93		5.45						9.34			14	
Manganese	6.99	6.5	7.71		17.1	5.42	7.44			4.56				8.5	4.45	5.27							8.69		7.80						11.9			10.8	
Potassium	3.3	1.1	4		4.1	1.6	3.1			3.46				4.04	2.04	9.5							4.62		1.84						3.19			3.08	
Sodium	1.3	1.4	3.3		8.8	3.3	7.5			1.58				6.38	1.67	3.02							3.59		2.05						3.99			7.24	
PARAMETER (mg/l) TOXIC METALS																																			
Antimony	ND				ND																														
Arsenic	ND				0.041																														
Barium	0.23				0.52																														
Beryllium					ND																														
Cadmium		<DL	<DL		ND	ND	ND			ND				ND	ND	ND							ND		ND					ND				ND	
Chromium (Total)	<DL				0.04																														
Copper	<DL				0.01																														
Lead	<DL	<DL	0.008		ND	ND	0.020			0.005				0.006	0.004	0.024						0.009		0.003		0.001				ND				0.001	
Mercury	ND				ND																														
Nickel	0.62				0.05																														
Selenium	0.021	ND	0.08		ND	ND	ND			ND				0.01	ND	ND							ND		ND					ND				ND	
Silver	ND				ND																														
Thallium	ND				ND																														
Zinc	0.04				0.12																														
PARAMETER (mg/l) LEACHATE INDICATORS																																			
Alkalinity	95	95	117			84.0	135.0			44.4				128	45.4										78.8						145			192	
Biochemical Oxygen Demand	19.0																																		
Boron	ND				0.06																														
Chemical Oxygen Demand	21.0	15.0	12			5.0	ND			ND				43.9	17.5										ND						48.4			33.2	
Chromium (Hexavalent)	<DL				ND																														
Chloride	<DL	6	7		ND	ND	4.0			ND				10.1	ND										ND						3.92			10.3	
Color (PCU units)	55.0																																		
Nitrate-Nitrite	<DL	<DL	<DL		ND	ND	ND			1.3				0.34	ND											ND					ND			0.176	
Nitrogen-Ammonia	1.0	<DL	<DL		1.6	0.6	2.2			0.4				1.01	ND										0.390					0.56			4.12		
Phenols	0.002	ND	<DL			ND	ND			0.010				0.019	0.013										0.001					0.0138			0.0225		
Sulfate	11	16.3	19.9			21.0	12.0			12.0				8.7	8										6.1					12			8.77		
Total Organic Carbon (TOC)	8	8	5		10.0	3.0	6.0			5.0				6.7	5.4										5.8					6.6			4.3		
Total Dissolved Solids (TDS)	132.0	110	118			139	153.0			60.0				183	85										75					153			216		
Total Hardness	89.5	60.7	96			51.0	104.0			54.0				187	99										71.6					113			149		
Total Kjeldahl Nitrogen (TKN)	1.9				2.1																														
Turbidity (NTU units)	55	243	182			32.0	94.0			76.0				100	500										45					33				9.7	
Cyanide	<DL																																		

MW-11B
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

	9/02	3/03	9/03	3/04	9/04	3/05	9/05	3/06	11/06	4/07	10/07	4/08	10/08	4/09	9/09	4/10	9/10	5/11	10/11	5/12	10/12	6/13	10/13	6/14	10/14	6/15	11/15	5/16	10/16	3/17	10/17	5/18	9/18	4/19	MEAN	NYS STD	
PARAMETER VOLATILES (ug/L)																																					
Acetone							11	5	6	ND	16	4	14			5.5	5.5	3.4	ND	ND		2.3	ND	ND	1.7	ND	ND	ND	ND	ND	-	3.8	ND	ND	3.13	5.0	
Acrylonitrile							ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	0.00	5.0		
Benzene	2.1	3.6	2.5	2	3	2.2	2.6	3.8	3.8	2.5	1.6	2.2	0.4			1.4	0.79	3.6	1.2	ND		1.1	ND	ND	1.4	0.67	ND	ND	ND	ND	-	4.4	ND	ND	1.91	1.0	
Bromobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	0.00	5.0	
Bromochloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	0.00	5.0		
Bromodichloromethane				ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	0.00	50.0		
Bromoform				ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	0.00	50.0		
Bromomethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	0.00	5.0		
2-Butanone							ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	0.00	50.0		
n-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	0.00	5.0	
sec-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.28	ND	0.32	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	0.02	5.0	
tert-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	0.00	5.0	
Carbon disulfide							ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	0.00	-	-	
Carbon tetrachloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	0.00	5.0		
Chlorobenzene	ND	5.4	2.4	ND	2.7	0.67	0.59	6.4	5.1	2.1	0.46	0.81	ND			1.6	0.34	5.8	0.58	ND		0.71	ND	6.6	1.4	0.53	ND	ND	ND	ND	-	10.9	ND	5.8	1.48	5.0	
Chloroethane	ND	0.74	ND	ND	1	0.95	0.8	0.94	0.86	0.64	0.36	0.45	0.44			0.5	0.27	1.1	ND	ND		0.5	ND	ND	0.34	ND	ND	ND	ND	-	ND	ND	ND	0.50	5.0		
Chloroform				ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	0.00	7.0		
Chloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	0.00	5.0		
2-Chlorotoluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	0.00	5.0	
4-Chlorotoluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	0.00	5.0	
Dibromochloromethane				ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	0.00	50.0		
1,2-Dibromo-3-chloropropane				ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	0.00	0.04		
1,2-Dibromoethane				ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	0.00	5.0		
Dibromomethane				ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	0.00	5.0		
1,2-Dichlorobenzene	ND	0.88	ND	ND	0.43	ND	1.5	0.94	0.36	ND	ND	ND	ND			0.29	ND	0.99	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	-	1.6	ND	ND	0.16	3.0		
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	0.00	3.0	
1,4-Dichlorobenzene	ND	1.7	ND	ND	1	ND	ND	2.2	1.5	0.71	ND	ND	ND			0.55	ND	1.6	ND	ND		0.25	ND	ND	0.26	ND	ND	ND	ND	-	2.4	ND	ND	0.30	3.0		
trans-1,4-Dichloro-2-butene							ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	0.00	5.0		
Dichlorodifluoromethane	ND	ND	ND	ND	1.5	0.71	0.72	0.8	ND	0.84	0.5	0.65	ND			0.55	0.6	ND	ND	ND		ND	ND	ND	ND	ND	-	-	-	8.6	ND	-	-	0.44	5.0		
1,1-Dichloroethane	2.1	6.2	4.4	1.5	5.4	1.2	2.9	5.9	5.3	3.1	0.97	1	1			4	1.5	16	0.41	ND		3.1	ND	15	0.57	0.67	ND	ND	ND	-	8.4	ND	7.7	3.55	5.0		
1,2-Dichloroethane	ND	ND	ND	ND	ND	ND	0.58	0.5	ND	ND	ND	ND	ND			ND	ND	0.64	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	0.07	0.6		
1,1-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	0.00	5.0		
cis-1,2-Dichloroethene	3.8	9.9	9.7	4.1	14	3.8	8.4	8.7	8.7	6.2	2.9	2.9	1.3			5.5	2.6	16	1.4	ND		2.8	ND	ND	2.1	1.8	ND	ND	6.4	ND	-	14	ND	14.7	6.48	5.0	
trans-1,2-Dichloroethene	ND	0.55	ND	ND	0.54	ND	0.51	0.45	0.35	ND	ND	ND	ND			0.22	ND	0.83	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	1.07	5.0		
1,2-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	0.00	1.0		
1,3-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	0.00	5.0	
2,2-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	0.00	5.0	
1,1-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	0.00	5.0	
cis-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	0.00	0.4		
trans-1,3-Dichloropropene	ND	2.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	0.00	0.4		
Ethylbenzene	ND	1.2	ND	ND	0.6	ND	1.9	0.95	0.44	ND	ND	ND	ND			ND	ND	1.3	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	0.25	5.0		
2-Hexanone							ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	0.00	50.0		
Hexachlorobutadiene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	0.00	0.5	
Iodomethane							ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	0.00	5.0		
Isopropylbenzene	ND	0.5	ND	ND	0.48	0.43	0.42	0.62	0.53	0.4	0.35	0.48	ND			ND	ND	0.48	ND	ND		ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	0.16	5.0	
p-Isopropyltoluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	0.00	5.0	
Methylene chloride	ND	ND	ND	ND	ND	ND	0.21	ND	ND	ND	ND	ND	ND			ND	ND	0.77	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	0.34	5.0		
4-Methyl-2-pentanone							ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	0.00	-		
Naphthalene	ND	1.2	ND	ND	0.42	ND	1	0.5	ND	ND	ND	ND	ND			ND	ND	0.41	ND	ND		ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	0.10	10.0	
n-Propylbenzene	ND	ND	ND	ND	ND	ND	ND	0.46	0.24	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	0.02	5.0	
Styrene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	0.00	5.0		
1,1,1,2-Tetrachloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND					

MW-11B
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

	9/02	3/03	9/03	3/04	9/04	3/05	9/05	3/06	11/06	4/07	10/07	4/08	10/08	4/09	9/09	4/10	9/10	5/11	10/11	5/12	10/12	6/13	10/13	6/14	10/14	6/15	11/15	5/16	10/16	3/17	10/17	5/18	9/18	4/19	MEAN	NYS STD	
PARAMETER METALS (mg/L)																																					
Aluminum					3.2				ND			ND						ND				0.06	0	-	0.07	-	-	-	-	0.0369	-	-	-	-	0.181	0.58	
Calcium		40.8		21.5	46.2	23.2		57.6	55.5	34.4		26.9						70.2	15.6	45		18.5	14.9	55.6	13.6	-	18.8	-	-	19	-	62.4	-	64	26.59		
Iron		28.1		16.3	23.6	9.6		26	22.4	13.1		12.6						23.8	4.5	18		9.5	11.5	20.2	8.52	-	8.73	-	-	5.9	-	2.98	-	36.8	15.83	0.3	
Magnesium		15.9		6.58	16.2	6.8		20.7	23.6	12.4		7.8						32.6	4.8	16		5.9	4.9	21.5	4.3	-	5.2	-	-	5.69	-	24.4	-	23.6	9.42	35.0	
Manganese		11.2		9.41	14.8	9.4		12.9	13.9	10.7		11.9						16.6	7.5	16		9.31	8.09	20	7.69	-	8.89	-	-	8.89	-	ND	-	19.6	8.44	0.3	
Potassium		4.1		2.21	4.3	1.7		4.2	4.6	2.6		1.6						4.8	1.6	2.3		1.3	ND	3	1.1	-	ND	-	-	2.12	-	2.82	-	4.56	2.53		
Sodium		8.7		1.31	7.4	2.1		10.5	11.7	4.9		2.1						13.3	1.1	6.2		1.2	ND	7.5	0.8	-	1.3	-	-	3.11	-	11.2	-	9.31	4.04	20.0	
PARAMETER (mg/l) TOXIC METALS																																					
Antimony					ND				ND			ND						ND				ND	-	-	ND	-	-	-	-	ND	-	-	-	ND	0.00	0.003	
Arsenic					0.02				0.02			0.02						ND				0.01	-	-	0.014	-	-	-	-	0.0069	-	-	-	0.0526	0.01	0.025	
Barium					0.37				0.4			0.18						0.48				0.206	-	-	0.149	-	-	-	-	0.158	-	-	-	0.557	0.17	1.0	
Beryllium					ND				ND			ND						ND				0.0003	-	-	ND	-	-	-	-	ND	-	-	-	ND	0.00		
Cadmium		ND		ND	ND	ND		ND	ND	ND		ND						ND	ND	ND		ND	ND	ND	ND	-	ND	-	-	ND	-	ND	-	ND	0.00	0.005	
Chromium (Total)					0.01				ND			ND						ND				0.002	-	-	0.003	-	-	-	-	0.003	-	-	-	ND	0.00	0.05	
Copper					ND				ND			ND						ND				ND	-	-	ND	-	-	-	-	ND	-	-	-	ND	0.00	0.2	
Lead		0.003		ND	ND	ND		ND	ND	ND		ND						0.006	ND	0.001		0.001	ND	ND	ND	-	ND	-	-	0.0017	-	0.0034	-	0.0043	0.00	0.025	
Mercury					ND				ND			ND						ND				ND	-	-	ND	-	-	-	-	ND	-	-	-	ND	0.00	0.0007	
Nickel					0.03				ND			ND						ND				0.013	-	-	0.013	-	-	-	-	0.0106	-	-	-	0.017	0.04	0.1	
Selenium		ND		ND	ND	ND		ND	ND	ND		ND						ND				0.007	-	-	ND	-	-	-	-	ND	-	-	-	ND	0.00	0.0	
Silver					ND				ND			ND						ND				ND	-	-	0.001	-	-	-	-	ND	-	-	-	0.0026	0.00	0.05	
Thallium					ND				ND			ND						ND				ND	-	-	ND	-	-	-	-	ND	-	-	-	0.017	0.00	0.0005	
Zinc					0.02				0.03			0.07						0.02				0.035	-	-	0.046	-	-	-	-	0.977	-	-	-	2.76	0.22	2.0	
PARAMETER (mg/l) LEACHATE INDICATORS																																					
Alkalinity		205		90	175	67.1		229	218	150		62.5						374		210		-	-	299	-	-	80.8	-	-	179	-	264	-	324	116.1		
Biochemical Oxygen Demand					ND				4.9			4.5						12.2		11		-	-	-	-	-	4.1	-	-	9.6	-	7.6	ND	3.7	4.0		
Boron					0.07				0.09			0.02						0.1				ND	-	-	-	-	-	-	-	0.0125	-	-	-	0.0775	0.0	1.0	
Chemical Oxygen Demand		28.8	298	18	54.8	18.5		29.8	28	23.4		16						19.4	23.8	32		12.6	-	27.6	-	-	22.8	-	58.8	62.9	-	84.9	-	38.9	29.4		
Chromium (Hexavalent)					ND				ND			ND						ND				ND	-	-	-	-	-	-	-	ND	-	-	-	ND	0.0	0.05	
Chloride		12.7		2.2	12.2	1.8		14.1	17.8	5.3		3.8				4.88		16.8	ND	9.48		ND	-	-	-	-	-	-	6.4	-	10.8	48.8	12.8	6.2	250.0		
Color (PCU units)					60				80			60						200				-	-	-	-	-	-	-	-	10	-	-	-	150	34.2	15.0	
Nitrate-Nitrite		ND	0.04	ND	ND	ND		ND	ND	ND		ND						ND		ND		ND	-	-	-	-	-	-	ND	0.046	-	ND	-	ND	0.1	10.0	
Nitrogen-Ammonia		3.55	0.8	0.5	1.1	0.56		2.8	2.6	1.6		0.71						4	0.36	2.1		0.369	-	1.87	-	-	0.482	-	0.78	2.1	-	3.1	-	4.4	1.2	2.0	
Phenols		0.0157		ND	0.028	ND		0.01	0.01	ND		ND						ND				ND	-	0.0073	-	-	ND	-	0.0099	-	0.0172	-	0.0105	0.0	0.001		
Sulfate		5.9		5.8	4.6	5.9		4.1	3.2	5.1		5.2				5.15		6.7	4.1	ND		2.5	-	4.3	-	-	3.3	-	-	3.3	-	2.5	2.5	ND	5.7	250.0	
Total Organic Carbon (TOC)		6.1	17	4	62.9	5	4.1	6.2	6.8	4.6	10.8	3				3.4		9	1.4			7.1	-	8.9	-	-	4.6	-	5.7	3.1	14.6	20	5	8.7	7.4		
Total Dissolved Solids (TDS)		262		125	283	99		304	402	174		190						388		280		115	-	320	-	-	96	-	-	170	-	315	87	354	152.8	500.0	
Total Hardness		167		81	182	85.9		229	236	137		99.3						310	58.6	180		70.6	57.1	227	-	-	68.5	-	-	88	-	290	-	250	107.5		
Total Kjeldahl Nitrogen (TKN)			14		4.3				3.9			1.1						2.2		2.09		0.85	-	-	-	-	-	-	1.1	3.8	-	5.7	-	5.3	2.3		
Turbidity (NTU units)		24		61	49.1	89.4		36.9	56	21.3		28		5	7	267	6	5	36.1	29	12.8	16.1	-	-	19.5	27.6	35.7	11.3	41.2	15	6.2	107	62.3	32.5	27.5	61.3	5.0
Cyanide					ND				ND			ND						ND				-	-	-	-	-	-	-	-	ND	-	-	-	0.002	0.0	0.2	

(Shade) = Analyte reported at or above New York State standards (amended March and June 1998). These standards were used beginning with the 9/98 sampling event. Exceedances noted prior to this event reflect prior standards.

* = Applies to the sum of cis and trans-1,3-dichloropropene.

** = Guidance Value.

ND values are included in calculation of Mean and are considered equal to zero.

(Blank) or "-" = Not Analyzed.

ND = Not Detected.

<DL = Detected below method detection limit.

J = Estimated.

B = Analyte was detected in method blank.

MW-12A
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

	9/90	12/90	3/91	6/91	9/91	12/91	3/92	6/92	9/92	12/92	3/93	6/93	9/93	12/93	3/94	6/94	9/94	12/94	3/95	6/95	9/95	12/95	4/96	9/96	3/97	9/97	3/98	9/98	3/99	9/99	3/00	9/00	3/01	9/01	3/02		
PARAMETER VOLATILES (ug/L)																																					
Acetone																																					
Acrylonitrile																																					
Benzene	0.21	2.14	1.59	5.0	2.0	4.0	2.0		19.0		0.8		4		0.8		2		2				1		2				2	1	2		1		4.76		
Bromobenzene	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND		ND		ND				ND	ND					ND	ND	ND		ND		ND		
Bromochloromethane	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND		ND		ND				ND	ND					ND	ND	ND		ND		ND		
Bromodichloromethane	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND																						
Bromoform	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND																										
Bromomethane	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND		ND		ND				ND		ND					ND	ND	ND		ND		ND	
2-Butanone																																					
n-Butylbenzene	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND		ND		ND				ND	ND						ND	ND	ND		ND		ND	
sec-Butylbenzene	0.17	0.10	0.23	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND		ND		ND				ND	ND	ND					ND	ND	ND		ND		ND	
tert-Butylbenzene	ND	0.29	ND	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND		ND		ND				ND		ND					ND	ND	ND		ND		ND	
Carbon disulfide																																					
Carbon tetrachloride	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND		ND		ND				ND	ND						ND	ND	ND		ND		ND	
Chlorobenzene	0.14	0.51	0.29	ND	ND	ND	ND		0.8	ND	0.7		ND	ND	ND		ND		ND				ND	ND	ND					ND	ND	ND		ND		2.05	
Chloroethane	ND	ND	3.41	5.0	2.0	5.0	ND		ND	ND	2		ND		1		ND		ND				ND		ND					ND	ND	ND		ND		ND	
Chloroform	ND	1.34	ND	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND																						
Chloromethane	ND	ND	ND	ND	ND	ND	ND		8.0	ND	ND		ND	ND	ND		ND		ND				ND	ND		ND				ND	ND	ND		ND		ND	
2-Chlorotoluene	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND		ND		ND				ND	ND	ND					ND	ND	ND		ND		ND	
4-Chlorotoluene	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND		ND		ND				ND	ND	ND					ND	ND	ND		ND		ND	
Dibromochloromethane	ND	ND	ND	ND	ND	ND	ND		ND	ND			ND	ND																							
1,2-Dibromo-3-chloropropane	ND	ND	ND	ND	ND	ND	ND		ND																												
1,2-Dibromoethane	ND	ND	ND	ND	ND	ND	ND		ND																												
Dibromomethane	ND	ND	ND	ND	ND	ND	ND		ND	ND			ND		ND		ND		ND				ND		ND					ND	ND	ND		ND		ND	
1,2-Dichlorobenzene	ND	<DL	ND	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND		ND		1				ND	ND						ND	ND	ND		ND		ND	
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	ND	ND		ND	ND	4		ND	ND	ND		ND		ND				ND	ND	ND					ND	ND	ND		ND		ND	
1,4-Dichlorobenzene	4.99	7.20	2.59	5.0	4.0	3.0	1.0		2.0	0.7	ND		ND	0.8		3		5					0.9		0.6					1	2	1		0.8		1.94	
trans-1,4-Dichloro-2-butene																																					
Dichlorodifluoromethane	ND	ND	ND	ND	ND	ND	ND		2.0	ND	ND		ND	ND	ND		ND		1				ND	ND						ND	ND	ND		0.6		ND	
1,1-Dichloroethane	2.13	1.85	1.75	2.0	ND	3.0	2.0		5.0		2.0		2		1		5		ND				2		2					2	2	2		1		1.69	
1,2-Dichloroethane	0.33	0.31	0.12	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND		ND		ND				ND	ND						ND	ND	ND		ND		ND	
1,1-Dichloroethene	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND		ND		3				ND	ND						ND	ND	ND		ND		ND	
cis-1,2-Dichloroethene	<DL	9.28	3.51	4.0	3.0	4.0	1.0		16.0	0.9	2		0.7		8		6		ND				2		3					6	4	4		3		4.91	
trans-1,2-Dichloroethene	6.88	0.51	0.86	1.0	ND	ND	ND		1.0	ND	ND		0.8	0.51	0.6		ND		ND				ND	0.5						ND	ND	ND		ND		ND	
1,2-Dichloropropane	ND	ND	<DL	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND		ND		ND				ND	ND						ND	ND	ND		ND		ND	
1,3-Dichloropropane	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND		ND		ND				ND	ND						ND	ND	ND		ND		ND	
2,2-Dichloropropane	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND		ND		ND				ND	ND						ND	ND	ND		ND		ND	
1,1-Dichloropropene	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND		ND		ND				ND	ND						ND	ND	ND		ND		ND	
cis-1,3-Dichloropropene	ND	ND	<DL	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND		ND		ND				ND	ND						ND	ND	ND		ND		ND	
trans-1,3-Dichloropropene	ND	ND	<DL	ND	ND	ND	ND		ND	ND	3.0		ND	ND	ND		ND		ND				ND	ND						ND	ND	ND		ND		ND	
Ethylbenzene	0.27	0.90	0.24	2.0	ND	2.0	ND		1.0	ND			1		ND		0.6		0.5				ND		0.8					ND	ND	ND		ND		1.92	
2-Hexanone																																					
Hexachlorobutadiene	ND	ND	ND	ND	ND	ND	ND		ND				ND	ND	ND		ND		ND				ND	ND							ND	ND	ND		ND		ND
Iodomethane																																					
Isopropylbenzene	<DL	4.52	ND	ND	ND	ND	ND		ND	ND			ND	ND	ND		ND		ND				ND		ND					ND	ND	ND		ND		1.04	
p-Isopropyltoluene	ND	0.34	ND	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND		ND		2				ND	ND						ND	ND	ND		ND		ND	
Methylene chloride	<DL	0.12	ND	3.0	2.0	2.0	2.0		1.0	ND	ND		ND	ND	ND		ND		ND				ND	ND						ND	ND	ND		ND		ND	
4-Methyl-2-pentanone																																					
Napththalene	0.06	ND	ND	ND	ND	ND	ND		1.0	ND	ND		ND	ND	ND		ND		7				ND		ND					ND	ND	ND		ND		ND	
n-Propylbenzene	ND	0.10	ND	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND		ND		ND				ND	ND						ND	ND	ND		ND		ND	
Styrene	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND		ND		ND				ND	ND						ND	ND	ND		ND		ND	
1,1,1,2-Tetrachloroethane	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND		ND		ND				ND	ND						ND	ND	ND		ND		ND	
1,1,2,2-Tetrachloroethane	ND	<DL	0.15	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND		ND		ND				ND	ND						ND	ND	ND		ND		ND	
Tetrachloroethene	0.35	ND	ND	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND		ND		ND				ND	ND						ND	ND	ND		ND		ND	
Toluene	ND	<DL	ND	ND	ND	1.0	ND		0.8	ND	1*				0.9		ND						3		ND					ND	ND	ND		ND		1.73	
1,2,3-Trichlorobenzene	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND		ND		ND				ND	ND						ND	ND	ND		ND		ND	
1,2,4-Trichlorobenzene	ND	ND	<DL	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND		ND		ND				ND	ND						ND	ND	ND		ND		ND	
1,1,1-Trichloroethane	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND		ND		ND				ND	ND						ND	ND	ND		ND		ND	
1,1,2-Trichloroethane	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND		ND	ND	ND		ND		ND				ND	ND						ND	ND	ND		ND		ND	
Trichloroethene	0.81	<DL	ND	1.0	ND	ND	ND		1.0	ND	ND		ND	ND	ND		ND	</																			

MW-12A
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

	9/90	12/90	3/91	6/91	9/91	12/91	3/92	6/92	9/92	12/92	3/93	6/93	9/93	12/93	3/94	6/94	9/94	12/94	3/95	6/95	9/95	12/95	4/96	9/96	3/97	9/97	3/98	9/98	3/99	9/99	3/00	9/00	3/01	9/01	3/02
PARAMETER METALS (mg/L)																																			
Aluminum	0.15				0.3				0.09				1.39				1.84																		
Calcium	78.3	55.9	70.3	67.5	88.9	56.3	71.4	85.2	113	97.3	80.3		77	109	87.5	92.6	97.2	103	81.5	92			112	104		96.0				107		122		96.5	104
Iron	49.4	34.2	9.2	21.8	37.4	16.0	9.0	13.3	24.3	24.5	7.99		13.4	26.1	4.83	14.8	28.1	25.9	11.5	16.1			55.7	10.9	12.2				47.4	27	25.9		37.8		
Magnesium	7.9	7	9.5	10.4	11.6	8.0	8.3	12.2	13.3	11.8	10.3		10.7	11.6	10.8	11.8	11.4	10.5	8.39	12.4			10.3	13.7		11.6			10.9	11.8	10.7		11.9		
Manganese	11.3	10.9	8.87	8.78	9.62	7.43	6.23	7.64	9.53	7.79	5.38		6.51	9.18	5.39	7.84	7.71	7.88	7.01	7.39			8.34	6.58		7.58			7.32	8.46	7.24		9.31		
Potassium	2.6	2.9	3.3	3	3.5	2.8	2.8	3.0	8.52	3.22	1.6		2.38	3.25	2.51	2.43	2.88	2.7	2.2	2.54			3.61	2.07		3.27			3.49	3.33	2.27		3.22		
Sodium	11.2	6.9	12.7	18.1	17.9	15.2	12.4	18.7	19.2	17.0	15.4		17.9	10	13.3	14	0.82	10.4	8.09	14.1			7.86	12.6		10.9			5.82	6.27		6.4	6.88		
PARAMETER (mg/l) TOXIC METALS																																			
Antimony	ND				ND				0.05				ND				0.04																		
Arsenic	<DL				0.050				0.031				0.042				0.038																		
Barium	1.44	1.59	1.37	1.53	1.39	1.28	1.12	1.58	1.63	1.41	1.4		1.47	1.45	1.22	1.52	1.58	1.23	1.08	1.57			1.82	1.72		1.31			1.49	1.6	1.57		1.75		
Beryllium					ND				ND				ND				ND																		
Cadmium		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND			ND	ND		ND			ND	ND		ND		ND	
Chromium (Total)	<DL				0.01				ND				0.02				0.02																		
Copper	ND				ND				ND				ND				0.01																		
Lead	ND	ND	ND	ND	ND	ND	0.010	0.007	ND	0.001	0.004		0.019	0.003	0.002	0.003	0.011	ND	0.020	0.003			ND	ND		0.001			0.002	ND		0		ND	
Mercury	ND				ND				ND				ND				ND																		
Nickel	0.05				ND				ND				0.04				0.64																		
Selenium	0.014	<DL	0.01	ND	ND		ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND			ND	ND		ND			ND	ND		ND		ND	
Silver	0.08	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND			0.007	ND		ND			ND	ND		ND		ND	
Thallium	0.1				ND				ND				ND				ND																		
Zinc	<DL				0.05				0.06				0.06				0.08																		
PARAMETER (mg/l) LEACHATE INDICATORS																																			
Alkalinity	309	259	278	299	420	326	449	236	366	316	297			357	332	344		424	321			384	322		355				423		400		355		353
Biochemical Oxygen Demand	55.0				4				15.0																										
Boron	ND				0.12				0.02				0.08				ND																		
Chemical Oxygen Demand	29.1	20	15	ND	ND	16.0	ND	31.0	19.8	77.2	19.1		13.2	33.8	18.5	ND		12.4	12			51.8	ND		29.4				40.6		43.4			37.4	
Chromium (Hexavalent)	<DL				ND				ND								ND																		
Chloride	4.1	7	10.8	5	3	7.0	ND	13.0	6.13	3.9	3.76			2.98	2.97	136		ND	ND			4.66	3.70		1.84				2.42		ND			8.42	
Color (PCU units)	55.0				ND				1.25																										
Nitrate-Nitrite	0.1	20.1	<DL	ND	ND	ND	ND	ND	0.2	1.63	1.8	ND		ND	ND	ND		ND	ND			ND	ND		ND				ND	ND		ND		ND	
Nitrogen-Ammonia	2.9	<DL	0.9	ND	3.4	1.3	2.6	7.0	2.6	2.5	3.07		2.79	1.8	2.4	2.54		2.19	7.02			3.96	1.26		1.51			0.715		ND			4.47		
Phenols	0.003	ND	0.014	ND	ND	ND	ND	ND	ND	ND	ND		0.008	0.005	0.009	ND		0.070	ND			0.025	0.007		0.013			0.001	0.01				0.0203		
Sulfate	5.5	6.7	2.6	ND	ND	12.0	ND	ND	16.0	18.0	ND						ND	ND				ND	ND		ND				ND	ND		11		ND	
Total Organic Carbon (TOC)	11.3	8	8.5	4	5	6.0	4.0	16.0	6.5	14.6	3.4			5.5	6.3	4.3		4.3	6.2			7.8	6.6		4.9			9.9	13				8.8		
Total Dissolved Solids (TDS)	312	598	316	286	448	314	335	262	375	337	293			356	218	353		377	311			360	360		383			406		410		380		405	
Total Hardness	242	168	215	211	270	174	212	263	336	267	316			510	374	328		300	238			322	316		287			312		353		285		309	
Total Kjeldahl Nitrogen (TKN)	3.2				4.1				2.14				4.2																						
Turbidity (NTU units)	36	900	270	340	231	17.0	45	182	110	40	140			110	15	21		78	78			200	90		30			60		32				46	
Cyanide	<DL				ND				ND																										

MW-12A
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

	9/02	3/03	9/03	3/04	9/04	3/05	9/05	3/06	11/06	4/07	10/07	4/08	10/08	4/09	9/09	4/10	9/10	5/11	10/11	5/12	10/12	6/13	10/13	6/14	10/14	6/15	11/15	5/16	10/16	3/17	10/17	5/18	9/18	4/19	MEAN	NYS STD										
PARAMETER VOLATILES (ug/L)																																														
Acetone							18	19	8.4	12	13	5.9	29	21	11	20			6.4	32	19		6.4	-	ND	11	-	ND	-	-	-	12.8	48.3	20.2	7.6	ND	12.35	5.0								
Acrylonitrile							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND		ND	-	ND	ND	-	ND	-	-	-	ND	ND	ND	ND	0.00	5.0									
Benzene		2.1	5	2.6	7	4.6	7.1	6.3	13	6.3	4	7	4.1	1.6	1.5	4.5			7.7	7.8	6.2		6.3	-	7.1	5.1	-	6.6	-	-	7.2	ND	5.7	5.2	ND	3.94	1.0									
Bromobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND		ND	-	ND	ND	-	-	-	-	-	-	-	-	-	0.00	5.0									
Bromochloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND		ND	-	ND	ND	-	ND	-	-	-	-	-	-	-	ND	0.00	5.0								
Bromodichloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND		ND	-	ND	ND	-	ND	-	-	-	-	-	-	-	ND	0.00	50.0								
Bromoform	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND		ND	-	ND	ND	-	ND	-	-	-	-	-	-	-	ND	0.00	50.0								
Bromomethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND		ND	-	ND	ND	-	ND	-	-	-	-	-	-	-	ND	0.00	5.0								
2-Butanone							ND	ND	1.2	ND	1.4	ND	3.6	1.2	ND	ND			ND	ND	ND		ND	-	ND	ND	-	ND	-	-	-	-	-	-	-	-	ND	0.28	50.0							
n-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	0.22	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND		ND	-	ND	ND	-	-	-	-	-	-	-	-	-	-	0.00	5.0								
sec-Butylbenzene	ND	ND	ND		0.37	ND	ND	ND	0.54	ND	ND	0.28	ND	ND	ND	ND			ND	ND	ND		ND	-	ND	ND	-	-	-	-	-	-	-	-	-	-	0.03	5.0								
tert-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND		ND	-	ND	ND	-	-	-	-	-	-	-	-	-	-	0.01	5.0								
Carbon disulfide							ND	ND	ND	ND	0.49	ND	0.28	0.66	ND	ND			ND	ND	ND		ND	-	ND	ND	-	ND	-	-	-	-	-	-	-	-	0.06	60.0								
Carbon tetrachloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND		ND	-	ND	ND	-	-	-	-	-	-	-	-	-	ND	0.00	5.0								
Chlorobenzene	0.57	1.7	0.8	2.5	1.4	3.8	1	ND	13	3.9	2.5	6.4	3	1.1	1.1	2.8			7.4	6.7	5.1		5.6	-	6.2	4.3	-	8.7	-	-	-	-	-	-	-	1.12	ND	6.1	8.1	ND	2.40	5.0				
Chloroethane	0.54	ND	ND	2.3	1.2	1	0.94	1.1	0.66	0.4	0.65	0.41	0.53	0.33	0.55	0.4			0.74	0.4	ND		0.74	-	ND	ND	-	-	-	-	-	-	-	-	-	-	ND	0.00	5.0							
Chloroform	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND		ND	-	ND	ND	-	ND	-	-	-	-	-	-	-	-	ND	0.03	5.0							
Chloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND		ND	-	ND	ND	-	ND	-	-	-	-	-	-	-	-	ND	0.16	5.0							
2-Chlorotoluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND		ND	-	ND	ND	-	ND	-	-	-	-	-	-	-	-	-	0.00	5.0							
4-Chlorotoluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND		ND	-	ND	ND	-	ND	-	-	-	-	-	-	-	-	-	0.00	5.0							
Dibromochloromethane							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND		ND	-	ND	ND	-	ND	-	-	-	-	-	-	-	-	ND	0.00	50.0							
1,2-Dibromo-3-chloropropane							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND		ND	-	ND	ND	-	ND	-	-	-	-	-	-	-	-	ND	0.00	0.04							
1,2-Dibromomethane							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND		ND	-	ND	ND	-	ND	-	-	-	-	-	-	-	-	ND	0.00	5.0							
Dibromomethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND		ND	-	ND	ND	-	ND	-	-	-	-	-	-	-	-	ND	0.00	5.0							
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	ND	ND	0.57	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND		0.29	-	ND	0.21	-	ND	-	-	-	-	-	-	-	-	ND	0.04	3.0							
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND		ND	-	ND	ND	-	-	-	-	-	-	-	-	-	-	-	0.08	3.0							
1,4-Dichlorobenzene	0.77	1.5	ND	2	0.9	1.9	2.1	5.1	1.8	2.9	3.3	4.4	3.1	0.88	2.3			2.4	2.9	ND		2.3	-	ND	ND	-	ND	-	-	-	-	-	-	-	-	-	ND	1.78	3.0							
trans-1,4-Dichloro-2-butene							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND		ND	-	ND	ND	-	ND	-	-	-	-	-	-	-	-	ND	0.00	5.0							
Dichlorodifluoromethane	ND	ND	ND	1.2	1	1	1.1	ND	0.98	0.98	1.2	ND	0.86	ND	0.82	ND			ND	ND	ND		ND	-	ND	ND	-	-	-	-	-	-	-	-	-	-	1.86	-	0.61	5.0						
1,1-Dichloroethane	ND	0.8	0.9	0.86	1.1	1.4	1.2	0.98	1.1	2.6	0.95	1.8	0.47	ND	0.84			1	0.68	ND		0.8	-	ND	0.52	-	ND	-	-	-	-	-	-	-	-	-	ND	ND	ND	ND	1.15	5.0				
1,2-Dichloroethane	ND	ND	ND	ND	ND	ND	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND		ND	-	ND	ND	-	ND	-	-	-	-	-	-	-	-	-	ND	0.02	0.6						
1,1-Dichloroethene	1.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND		ND	-	ND	ND	-	ND	-	-	-	-	-	-	-	-	-	ND	0.08	5.0						
cis-1,2-Dichloroethene	3.1	5.2	3.3	7.2	4.3	5	4.6	5.4	4.5	3.1	4.4	3.6	1.9	1	4			4.3	3.7	ND		4	-	ND	3.2	-	ND	-	-	-	-	-	-	-	-	-	-	ND	3.6	ND	3.23	5.0				
trans-1,2-Dichloroethene	ND	ND	0.46	0.46	0.46	0.59	0.44	0.43	0.54	0.92	0.37	0.7	ND	ND	0.33			ND	ND	ND		0.4	-	ND	ND	-	ND	-	-	-	-	-	-	-	-	-	-	ND	ND	ND	ND	3.35	5.0			
1,2-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND		ND	-	ND	ND	-	ND	-	-	-	-	-	-	-	-	-	ND	ND	ND	ND	0.00	1.0			
1,3-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND		ND	-	ND	ND	-	ND	-	-	-	-	-	-	-	-	-	-	ND	-	-	0.00	5.0			
2,3-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND		ND	-	ND	ND	-	ND	-	-	-	-	-	-	-	-	-	-	ND	-	-	0.00	5.0			
1,1-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND		ND	-	ND	ND	-	ND	-	-	-	-	-	-	-	-	-	-	-	ND	-	-	0.00	5.0		
cis-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND		ND	-	ND	ND	-	ND	-	-	-	-	-	-	-	-	-	-	ND	ND	ND	ND	0.00	0.4		
trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND		ND	-	ND	ND	-	ND	-	-	-	-	-	-	-	-	-	-	-	ND	ND	ND	ND	0.06	0.4	
Ethylbenzene	ND	ND	ND	0.57	ND	1.2	3	10	1.3	0.67	4.4	0.28	ND	ND	ND	ND			5.1	ND	ND		ND	-	ND	ND	-	ND	-	-	-	-	-	-	-	-	-	-	ND	ND	ND	ND	0.74	5.0		
2-Hexanone							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND		ND	-	ND	ND	-	ND	-	-	-	-	-	-	-	-	-	-	-	ND	ND	ND	ND	0.00	50.0	
Hexachlorobutadiene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND		ND	-	ND	ND	-	ND	-	-	-	-	-	-	-	-	-	-	-	-	-	0.00	0.5			
Iodomethane							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND		ND	-	ND	ND	-	ND	-	-	-	-	-	-	-	-	-	-	-	ND	ND	ND	ND	0.00	5.0	
Isopropylbenzene	ND	ND	ND	1.3	0.47	0.79	0.48	1.6	0.61	0.51	0.76	0.42	ND	ND	0.54			0.82	0.86	ND		ND	-	ND	ND	-	ND	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.29	5.0			
p-Isopropyltoluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND		ND	-	ND	ND	-	ND	-	-	-	-	-	-	-	-	-	-	-	-	-	0.05	5.0			
Methylene chloride	ND	ND	ND	ND	ND	0.37	0.28	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND		ND	-	ND	ND	-	ND	-	-	-	-	-	-	-	-	-	-	-	-	ND	ND	ND	ND	0.21	5.0
4-Methyl-2-pentanone</																																														

MW-12A
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

	9/02	3/03	9/03	3/04	9/04	3/05	9/05	3/06	11/06	4/07	10/07	4/08	10/08	4/09	9/09	4/10	9/10	5/11	10/11	5/12	10/12	6/13	10/13	6/14	10/14	6/15	11/15	5/16	10/16	3/17	10/17	5/18	9/18	4/19	MEAN	NYS STD	
PARAMETER METALS (mg/L)																																					
Aluminum			0.11		ND		ND		ND			ND						ND				ND	-	-	ND	-	-	-	-	0.016	-	-	-	-	ND	0.16	
Calcium		86.4	70.4	114	108	94.8	88	114	91	89.2		106						109	72.9			80.1	-	90.3	102	-	77.9	-	-	112	-	118	-	-	96.1	81.68	
Iron		26.3	30.9	21.5	45.6	30.9	33.5	33.9	40.6	33.8		33.3						30.4	29.7			30.9	-	32	29.8	-	33.8	-	-	42.4	-	35	-	35.1	24.20	0.3	
Magnesium		10.7	9.32	13.5	11.9	12.4	11.7	14.1	23.6	12.6		15.3						17.4	11.3			13.3	-	14.7	14.6	-	12.7	-	-	14.3	-	14.5	-	14.1	10.60	35.0	
Manganese		8.21	9.49	8.31	9.5	10.6	1.1	10.3	13.9	12.9		15.3						17	12			17.1	-	16.1	11.5	-	17.4	-	-	12.4	-	7.92	-	14.5	8.49	0.3	
Potassium		2.54	3.53	2.18	4.3	2.6	3.5	2.9	4.6	3.5		4.1						3.8	4.5			3.8	-	3.8	3.9	-	4.7	-	-	6.74	-	3.35	-	4.39	2.98		
Sodium		5.7	5.85	7.68	6.2	6.8	7	8.1	11.7	7.6		8.8						9.5	7.2			7.8	-	6.8	7.2	-	6.5	-	-	10.4	-	6.92	-	6.56	8.91	20.0	
PARAMETER (mg/l) TOXIC METALS																																					
Antimony			ND		ND		ND		ND			ND						ND				ND	-	-	ND	-	-	-	-	ND	-	-	-	-	ND	0.00	0.003
Arsenic					0.06		0.07		0.06			0.03						0.047				0.042	-	-	0.068	-	-	-	-	0.056	-	-	-	0.0263	0.03	0.025	
Barium		1.52	1.92		2	1.8	1.9	1.7	2.2			1.9						1.9				1.77	-	-	1.59	-	-	-	-	1.78	-	-	-	-	1.64	1.29	1.0
Beryllium			ND		ND		ND		ND			ND						ND				ND	-	-	ND	-	-	-	-	ND	-	-	-	-	ND	0.00	
Cadmium		ND	ND	ND	ND	ND	ND	ND	ND	ND		ND						ND	ND			ND	-	ND	ND	-	ND	-	-	6E-04	-	ND	-	-	ND	0.00	0.005
Chromium (Total)		ND	ND	ND	ND	ND	ND	ND	ND	ND		ND						ND				0.003	-	-	0.003	-	-	-	-	0.022	-	-	-	-	ND	0.00	0.05
Copper		ND	ND	ND	ND	ND	ND	ND	ND	ND		ND						ND				ND	-	ND	ND	-	ND	-	-	0.004	-	-	-	-	ND	0.00	0.2
Lead		ND	ND	ND	ND	ND	ND	ND	ND	ND		ND						ND	ND			0.001	-	ND	ND	-	ND	-	-	0.003	-	0.003	-	0.003	0.00	0.0025	
Mercury		ND	ND	ND	ND	ND	ND	ND	ND	ND		ND						ND				ND	-	-	ND	-	-	-	-	ND	-	-	-	-	ND	0.00	0.0007
Nickel		ND	ND	ND	ND	ND	ND	ND	ND	ND		ND						ND				0.007	-	-	0.003	-	-	-	-	0.006	-	-	-	-	0.004	0.03	0.1
Selenium		ND	ND	ND	ND	ND	ND	ND	ND	ND		ND						ND				0.009	-	-	0.004	-	-	-	-	ND	-	-	-	-	ND	0.00	0.0
Silver		ND	ND	ND	ND	ND	ND	ND	ND	ND		ND						ND				0.003	-	-	0.003	-	-	-	-	ND	-	-	-	-	0.002	0.00	0.05
Thallium		ND	ND	ND	ND	ND	ND	ND	ND	ND		ND						ND				ND	-	-	ND	-	-	-	-	ND	-	-	-	-	0.0114	0.00	0.0005
Zinc		ND	ND	ND	ND	ND	ND	ND	ND	ND		0.2						0.012				0.004	-	-	0.01	-	-	-	-	0.024	-	-	-	-	ND	0.02	2.0
PARAMETER (mg/l) LEACHATE INDICATORS																																					
Alkalinity		319	410	350	42.9	211	430	407	242	206		191						467	252	320		349	-	377	-	-	315	-	-	380	-	-	-	339	274.4		
Biochemical Oxygen Demand					15.9		4.7		8.9			4.5						8.6		16		-	-	-	-	-	7.9	-	-	9.6	-	8.1	14.4	4.5	8.2		
Chloride		ND	ND	ND	0.09		0.12		0.11			0.1						0.11	-	0.0		0.11	-	-	0.07	-	-	-	-	0.118	-	-	-	0.079	0.0	1.0	
Chemical Oxygen Demand		26.5	38	34	61	31.6	55.9	48.6	61.3	46.7		33.6						36.4	50.6	41		22.1	-	38.8	36.2	-	52.9	-	-	75.4	-	101	-	49.9	29.2		
Chromium (Hexavalent)		ND	ND	ND	ND	ND	ND	ND	ND	ND		ND						ND				ND	-	-	ND	-	-	-	-	ND	-	-	-	-	ND	0.0	0.05
Color (PCU units)		4.41	5.1	2.5	3	2.2	8.2	6.6	8.7	5.5		6.6			3.48			8.2	3.8	5.97		4.9	-	4.4	3.4	-	4.4	-	-	10.5	-	6.1	7.1	4.6	6.9	250.0	
			20		140		140		200			120						200				-	-	-	-	-	-	-	-	25	-	-	-	200	55.7	15.0	
Nitrate-Nitrite		ND	ND	ND	ND	ND	0.07	ND	ND	ND		ND						ND	ND	ND		ND	-	ND	ND	-	ND	-	-	0.065	-	0.097	-	ND	0.5	10.0	
Nitrogen-Ammonia		2.54	4.1	2	1.3	1.4	4.3	1.8	4.5	3.2		3.8						5.9	7.7	5.26		5.57	-	4.45	5.8	-	6.1	-	-	7.0	-	5.7	-	6.0	2.9	2.0	
Phenols		0.004	ND	ND	0.02	ND	ND	ND	ND	ND	0.01	ND						ND	0.014	ND		0.015	-	-	-	-	0.036	-	-	0.042	-	0.0253	-	0.0136	0.0	0.001	
Sulfate		5.8	ND	2.9	ND	4.4	ND	3.1	ND	4.2		ND				4.87		3.4	ND	ND		2.5	-	4.7	ND	-	2	-	2.9	-	2.3	7.4	ND	2.5	250.0		
Total Organic Carbon (TOC)		3.4	7.8	8.2	29.5	6.1	12.1	6.3	11.7	8.8	35.4	8.8	23.2		13	6.1		8.8	9.5	13		11.7	-	-	16.2	-	12.6	-	-	7.5	24.9	25	11.7	9.7	9.4		
Total Dissolved Solids (TDS)		383	298	402	330	345	413	446	484	378		390						449	344	440		395	-	375	392	-	349	-	-	426	-	436	394	340	334.8	500.0	
Total Hardness		260	214	341	319	288	268	343	277	274		328						345	228			255	-	286	314	-	259	-	-	340	-	410	-	300	255.4		
Total Kjeldahl Nitrogen (TKN)			8.4		5		6.3		6.5			5.2						2.4		3.52		7.11	-	-	6.91	-	-	-	-	8.2	-	8.9	-	6.5	3.5		
Turbidity (NTU units)		53	38	48	56.4	22	30.2	45.2	75	64.4		13.9			19	150	12	4	29.5	79.7	54.4	31.5	-	36.3	22	66.8	26.6	-	-	12.4	219	41.4	154	22.4	84.9	5.0	
Cyanide			ND		ND		ND		ND			ND						ND				-	-	-	-	-	-	-	-	ND	-	-	-	-	ND	0.0	0.2

(Shade) = Analyte reported at or above New York State standards (amended March and June 1998). These standards were used beginning with the 9/98 sampling event. Exceedances noted prior to this event reflect prior standards.

* = Applies to the sum of cis and trans-1,3-dichloropropene.

** = Guidance Value.

ND values are included in calculation of Mean and are considered equal to zero.

(Blank) or "-" = Not Analyzed.

ND = Not Detected.

<DL = Detected below method detection limit.

J = Estimated.

B = Analyte was detected in method blank.

MW-12B
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
CLEAN, NEW YORK

PARAMETER VOLATILES (ug/L)	9/90	12/90	3/91	6/91	9/91	12/91	3/92	6/92	9/92	12/92	3/93	6/93	9/93	12/93	3/94	6/94	9/94	12/94	3/95	6/95	9/95	12/95	4/96	9/96	3/97	9/97	3/98	9/98	3/99	9/99	3/00	9/00	3/01	9/01	3/02	
Acetone																																				
Acrylonitrile																																				
Benzene	11.6	19.6	23.8	28.0	5.0	14.0	18.0	64.0	13.0	25	18	16	20	20	22	15	11	18	20	16	19	13	19	11	13	14.8										
Bromobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Bromochloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Bromodichloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Bromoform	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Bromomethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
2-Butanone	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
n-Butylbenzene	ND	ND	1.98	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	0.8	ND	1	ND	0.5	ND	ND		
sec-Butylbenzene	8.4	20.9	16.2	ND	3.0	ND	ND	0.6	ND	ND	ND	ND	ND	ND	0.6	0.8	8	ND	0.6	0.8	0.7	1	ND	1	ND	0.6	ND	ND	ND	ND	ND	ND	ND	ND		
tert-Butylbenzene	ND	34.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
Carbon disulfide	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Carbon tetrachloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Chlorobenzene	6.8	11.7	10.0	11.0	2.0	ND	10.0	12.0	6.0	12	9	10	11	12	13	11	7	12	12	12	17	8	18	9	10	17.2										
Chloroethane	ND	ND	2.0	2.0	9.0	3.0	2.0	3.0	4	4	2	ND	2	4	1	4	3	ND	2	2	ND	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Chloroform	ND	1.33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Chloromethane	ND	ND	0.17	ND	ND	ND	ND	13.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
2-Chlorotoluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
4-Chlorotoluene	ND	ND	<DL	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Dibromochloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
1,2-Dibromo-3-chloropropane	ND	ND	ND	ND	ND	6.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
1,2-Dibromoethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Dibromomethane	ND	ND	ND	ND	ND	ND	ND	ND	2.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
1,2-Dichlorobenzene	4.19	5.52	7.20	4.0	ND	ND	2.0	3.0	ND	3	2	1	ND	2	1	1	0.6	1	0.9	1	1	ND	1	ND	1	ND	0.7	ND	ND	ND	ND	ND	ND	ND	ND	
1,3-Dichlorobenzene	ND	0.21	ND	ND	ND	ND	ND	ND	3.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
1,4-Dichlorobenzene	1.23	8.28	ND	ND	1.0	4.0	7.0	6.0	ND	4	4	4	ND	4	6	4	3	5	4	4	6	2	8	3	4	8.12										
trans-1,4-Dichloro-2-butene	ND	ND	ND	ND	ND	ND	ND	5.0	0.7	ND	ND	ND	ND	1	ND	2.1	ND	0.7	0.9	0.8	ND	ND	ND	ND	0.9	ND	0.9	ND	ND	ND	ND	ND	ND	ND	ND	
Dichlorodifluoromethane	8.09	8.10	8.29	12.0	7.0	13.0	6.0	8.0	7.0	11	6	7	8	7	6	6	6	9	7	10	6	7	5	8	7	4.83										
1,1-Dichloroethane	1.05	1.02	1.13	2.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.6	0.7	0.7	0.9	ND	ND	ND	0.6	1	ND	ND	ND	ND	ND	ND	ND	ND		
1,1-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
cis-1,2-Dichloroethene	ND	19.70	4.02	3.0	1.0	52.0	2.0	10.0	ND	4	4	3	5	3	4	6	2	12	3	15	3	3	2	6	4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
trans-1,2-Dichloroethene	18.5	0.89	0.67	ND	ND	ND	ND	1.0	ND	0.5	0.8	ND	ND	ND	0.7	ND	0.7	0.8	0.6	0.8	0.6	ND	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
1,2-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
1,3-Dichloropropane	ND	ND	<DL	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
2,2-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
1,1-Dichloropropene	ND	ND	1.01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
cis-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Ethylbenzene	12.2	28.2	21.4	26.0	4.0	13.0	24.0	34.0	15.0	26	26	23	39	27	43	16	18	31	36	19	34	13	43	9	17	31.4										
2-Hexanone	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Hexachlorobutadiene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Iodomethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Isopropylbenzene	1.32	2.68	3.07	2.0	ND	ND	2.0	2.0	1.0	2	2	1	3	2	3	1	1	2	2	2	2	0.6	3	1	2	3.21										
p-Isopropyltoluene	2.31	3.530	2.44	2.0	ND	3.0	2.0	3.0	ND	4	2	2	ND	2	0.8	1	0.8	1	2	1	2	ND	ND	0.8	1	ND										
Methylene chloride	2.62	ND	ND	1.0	ND	5.0	ND	1.0	0.6	0.6	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
4-Methyl-2-pentanone	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Naphthalene	6.13	5.53	5.47	7.0	ND	ND	5.0	7.0	3.0	5	6	4	ND	6.8	6.8	4	3	5.8	5	4	5	ND	6	2.8	4	10.6										
n-Propylbenzene	1.51	10.9	9.73	2.0	ND	ND	2.0	2.0	1.0	2	2	1	2	2	3	1	1	2	3	2	3	0.5	4	1	2	3.79										
Styrene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
1,1,1,2-Tetrachloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
1,1,2,2-Tetrachloroethane	ND	0.32	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Tetrachloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Toluene	32.9	1.64	ND	2.0	ND	46.0	21.0	8.0	5.0	9	6	6	2																							

MW-12B
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

	9/90	12/90	3/91	6/91	9/91	12/91	3/92	6/92	9/92	12/92	3/93	6/93	9/93	12/93	3/94	6/94	9/94	12/94	3/95	6/95	9/95	12/95	4/96	9/96	3/97	9/97	3/98	9/98	3/99	9/99	3/00	9/00	3/01	9/01	3/02	
PARAMETER METALS (mg/L)																																				
Aluminum	1.7				0.1					0.61				5.07					6.38			2.34			0.248		0.2		ND		ND		ND			
Calcium	96.6	138	167	123	98.4	117	12.3	123	109	95.5	89.2	109	108	137	90.1	82.1	49.2	89.8	99.6	103	120	123	117	95.6	110	121	107	129	104	112	116	114	109		104	
Iron	45.7	63.8	57.6	52.6	23.9	28.6	57.3	62.8	63.5	57.2	53.9	54.9	47.8	65	13.8	35.9	11.5	19.3	40.2	44.2	48.6	63.7	55.5	26.2	50.6	40.9	38.9	25.7	43.2	23.1	50.4	14.4	30.5		53.7	
Magnesium	8.7	20.4	20.5	26.3	21.9	22.7	25.2	28.2	22.7	19.8	21.6	24.1	24.2	26.5	17.2	16.9	11.8	16	18.8	23.0	25.2	24.4	22.8	19.5	22.2	23.3	20.3	23.3	21.3	21.7	23.1	22.4	21	21.8		
Manganese	19	23.1	23.9	13.1	16.4	15.6	23.9	22.1	19.5	16.4	10.7	16.1	16	20.9	9.03	12.2	2.72	9.34	13.7	12.0	15.4	20.2	17.3	11.3	15.4	14.7	12.9	12.8	15.9	11.2	16.1	12.3	12.2		16	
Potassium	8.9	12.1	11.8	11	7.6	6.0	11.0	12.7	12.9	11.3	6.87	9.29	9.61	12.4	4.87	9.46	3.14	6.76	7.99	12.4	11.7	12.4	9.54	12.8	10.1	11.2	8.91	8.66	10	8.18	10.7	10	8.78		11.1	
Sodium	18.9	27.7	30.4	34.9	27.3	25.2	34.0	38.0	32.2	26.0	19.3	27.9	30.8	33.8	22.8	22.8	31	20.6	21.8	27.6	31.9	30.8	24.7	31.0	24.3	27.8	20.9	23.8	24.6	23.4	23.2	21.2	19.3		24.1	
PARAMETER (mg/l) TOXIC METALS																																				
Antimony	ND				ND				0.05				ND				ND				ND			0.055		ND		ND		ND		ND				
Arsenic	ND				0.032				0.010				0.020				0.019				0.02			0.010		0.02		0.03		0.01		0.01				
Barium	0.53				0.36				0.8				0.66				0.15				0.73			0.581		0.73		0.58		0.43		0.5				
Beryllium					ND				ND				ND				ND				ND			ND		ND		ND		ND		ND				
Cadmium		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	ND	ND	ND	ND	0.01	ND	ND	ND	ND	ND	ND		ND
Chromium (Total)	<DL				0.01				0.02				0.03				0.04				0.04			0.028		0.02		ND		0.02		0.02				
Copper	ND				ND				ND				0.01				0.02				0.02			ND		ND		ND		ND		ND				
Lead	<DL	ND	ND	ND	ND	ND	0.070	0.009	0.003	0.004	0.023	0.012	0.009	0.005	ND	0.005	0.017	0.002	0.001	0.003	0.01	ND	0	0.011	0.005	0	0	0	0	0	0	0.01	0	0		
Mercury	ND				ND				ND				ND				ND				ND			ND		ND		ND		ND		ND				
Nickel	0.64				ND				0.05				0.09				0.04				0.1			0.058		0.08		0.06		0.06		0.05				
Selenium	0.04	0.03	0.05	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Silver	ND				ND				ND				0.02				ND				0.01			ND		ND		ND		ND		ND				
Thallium	ND				ND				ND								ND				ND			ND		ND		ND		ND		ND				
Zinc	0.03				0.01				0.02				0.06				0.06				0.08			0.095		0.05		0.07		0.03		ND				
PARAMETER (mg/l) LEACHATE INDICATORS																																				
Alkalinity	411	461	523	522	468	522	653	562	489	507	394	446	523	656	475	386	656	253	516	587	583	530	470		499	412	543		587	571	521	500	487		603	
Biochemical Oxygen Demand	45				6.0	ND			24.0				11				13				ND			29		26				10						
Boron	0.11				0.21	ND			0.25				0.02				ND				0.29			0.249		0.28		0.24		0.23		0.18				
Chemical Oxygen Demand	100	20	98	90	50	259	158.0	106	85.1	107	82.4	84.7	89.8	228	92.1	50.9	131	84	69.3	127	325	139	88.3		27.4	85.5	44.8		93.9	77.2	94	32.1	71.5		76.7	
Chromium (Hexavalent)	<DL				ND				ND				ND				ND				ND			0.010		ND		ND		0						
Chloride	42.5	46	64	7	71	36.0	70.0	75.0	32.4	37.4	29.8	56.3	72.6	61.6	27	15.5	69.9	38.6	38	55.2	79.1	43.8	29.2		30.9	35.6	29.8		36.4	34.9	32.8	40.1	27		42	
Color (PCU units)	51				ND				250				400				175				600								450							
Nitrate-Nitrite	<DL	<DL	<DL	ND	ND	ND	ND	ND	1.99	1.2	0.23	ND	ND	0.18	ND	ND	ND	0.1	ND	0.110	ND	ND	ND			ND	ND	ND		ND	ND	ND	1.28	ND		ND
Nitrogen-Ammonia	16.3	8.7	7.5	0.5	17.5	2.8	20.8	38.0	20.5	19.7	11.8	12.6	19.1	22.9	27.1	6.31	2.6	20.8	20.3	13.8	24	13.4	8.66		11.2	13.7	15		20.4	16.9	18.1		12.5		25.3	
Phenols	0.005	0.084	ND	0.010	0.020	0.100	ND	ND	0.096	0.100	0.049	0.087	0.147	0.011	0.060	0.032	0.235	0.046	0.063	0.118	0.25	0.145	0.11		0.06	0.08	0.07		0.13	0.07	0.12		0.06		0.11	
Sulfate	14	1.8	16.8	ND	ND	ND	ND	ND	20.0	8.4	ND	ND	11		ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	6.4		11	ND	ND	ND	18	ND		
Total Organic Carbon (TOC)	30.4	29	36	27	24	172	35.0	58.0	21.8	29.0	19.2	22.9	30	44.2	30.8	13	372	25.6	24.3	24.3	50.9	32.7	25.6		19	19	18		28	44	33	17	19		27.2	
Total Dissolved Solids (TDS)	436	580	546	685	584	454	639.0	588	474	556	430	602	380	688	426	367	658	530	461	568	670	565	470		544	438	468		543	480	558	503	514		509	
Total Hardness	277	427	721	415	336	386	134.0	422	376	404	361	386	521	595	554	320	589	290	326	352	446	408	386		366	398	351		347	301	385	377	359		349	
Total Kjeldahl Nitrogen (TKN)	11.2				15.8				21.9				22				30				19.5			24.3		12.8				17.5						
Turbidity (NTU units)	44	1440	370	570	179	62.0	173.0	240	80.0	58.0	120	130	200	140	64	40	155	88	98	150	190	100	125		75	43	48		23	600	51		48		140	
Cyanide	<DL				ND				ND				ND				ND				ND			ND		ND				ND						

MW-12B
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

	9/02	3/03	9/03	3/04	9/04	5/05	9/05	3/06	11/06	4/07	10/07	4/08	10/08	4/09	9/09	4/10	9/10	5/11	10/11	5/12	10/12	6/13	10/13	6/14	10/14	6/15	11/15	5/16	10/16	3/17	10/17	5/18	9/18	4/19	MEAN	NYS STD		
PARAMETER VOLATILES (ug/L)																																						
Acetone							1.9	2.2	4.5	7.1	12	3	4.5	3.3	ND	ND	1.6	2.6	4.2	ND	ND	3.3	ND	ND	2.5	ND	ND	ND	ND	ND	ND	2.2	ND	ND	1.96	50.0		
Acrylonitrile							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0		
Benzene	13	13	17.9	12.5	14	9.2	13	12	15	12	10	11	9.6	5.5	5.4	8.6	6.8	8.8	9.7	6.6	7.4	7.0	8.3	8.5	5.8	3.7	7.0	5.5	6.0	6.7	10.5	7.8	5.8	6.0	13.29	1.0		
Bromobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	0.00	5.0		
Bromochloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0		
Bromodichloromethane							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	50.0	
Bromoform							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	50.0	
Bromomethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0	
2-Butanone							ND	ND	1.4	ND	1.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.11	50.0	
n-Butylbenzene	ND	ND	ND	ND	0.52	ND	ND	0.36	0.48	0.44	ND	0.48	ND	ND	ND	0.35	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	0.14	5.0	
sec-Butylbenzene	ND	0.61	0.7	0.5	0.62	0.38	0.47	0.58	0.78	0.68	0.25	0.68	0.32	0.25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	1.17	5.0	
tert-Butylbenzene	ND	ND	1.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	0.59	5.0	
Carbon disulfide	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.63	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.03	60.0	
Carbon tetrachloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0	
Chlorobenzene	11	13	17.1	11.2	14	7.7	13	12	18	15	13	15	11	6.7	5.0	10	6.1	12	13	8.7	8.8	9.9	13	10	7.6	3.6	10	11	6.9	9.7	16.9	9.4	7	5.8	10.45	5.0		
Chloroethane	1.8	2.3	ND	2.9	2.6	3.5	2.1	2.2	1.2	1.2	1.5	1.5	0.1	1.1	0.3	ND	ND	ND	ND	ND	ND	ND	ND	0.99	1.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.39	5.0	
Chloroform							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.03	5.0	
Chloromethane	ND	ND	ND	ND	ND	0.31	ND	0.21	ND	0.63	0.25	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.39	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.25	5.0	
2-Chlorotoluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	0.00	5.0	
4-Chlorotoluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	0.00	5.0	
Dibromochloromethane							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	50.0	
1,2-Dibromo-3-chloropropane							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.15	0.04	
1,2-Dibromomethane							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0	
Dibromomethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.03	5.0	
1,2-Dichlorobenzene	0.65	0.67	ND	0.6	0.79	0.37	0.58	0.6	0.8	0.61	0.35	0.63	0.48	0.3	0.24	0.39	0.23	ND	ND	ND	ND	0.45	ND	ND	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.85	3.0	
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND	0.26	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	ND	-	-	-	0.06	3.0	
1,4-Dichlorobenzene	3.6	5.1	6.3	3.5	4.5	2.9	3.8	4.1	5.7	5.5	2.3	5.1	3.6	2.4	1.7	3.2	1.7	4.1	4.2	ND	ND	3.2	ND	ND	2.3	0.96	ND	ND	ND	ND	ND	5.5	3.7	ND	ND	3.16	3.0	
trans-1,4-Dichloro-2-butene							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0	
Dichlorodifluoromethane	0.5	ND	ND	ND	1.2	1.2	1	1.4	ND	0.96	1.3	ND	0.81	0.76	1.3	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	22.7	-	ND	-	0.75	5.0		
1,1-Dichloroethane	9.1	4.5	5.1	6.7	5.6	5	6	5.2	4.7	4.1	7.9	4.4	7.0	5.6	11	3.6	7.9	3.6	3.5	ND	6.8	4.1	ND	ND	4.7	9.1	ND	ND	8.1	ND	5.1	4.3	ND	ND	5.85	5.0		
1,2-Dichloroethane	1.5	ND	ND	ND	ND	0.38	ND	ND	ND	ND	1.2	ND	0.87	0.52	0.58	ND	ND	ND	ND	ND	ND	ND	ND	0.36	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.26	0.6	
1,1-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0	
cis-1,2-Dichloroethene	3.3	2.3	2.4	4.2	3	3.2	4	4.6	3.5	2.6	2.5	3.2	1.1	0.82	2.3	1.9	1.3	2.1	1.7	ND	ND	1.9	ND	ND	1.8	2.1	ND	ND	ND	ND	ND	2.5	ND	ND	3.82	5.0		
trans-1,2-Dichloroethene	ND	ND	ND	0.5	0.48	0.48	0.65	0.52	0.51	0.48	0.46	0.41	0.36	0.26	0.34	0.41	0.29	ND	ND	ND	ND	0.35	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.56	5.0	
1,2-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	1.0	
1,3-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	ND	-	-	-	0.00	5.0	
2,3-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	ND	-	-	-	0.00	5.0	
1,1-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	ND	-	-	-	0.02	5.0	
cis-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	0.4	
trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	0.4	
Ethylbenzene	6.3	21	ND	15.1	16	9.5	10	14	18	15	0.38	16	1.8	ND	0.51	6.1	ND	8.7	2.1	ND	ND	2.4	ND	ND	0.57	ND	ND	ND	ND	ND	ND	1.6	ND	ND	13.24	5.0		
2-Hexanone							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	50.0	
Hexachlorobutadiene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	0.00	0.5	
Iodomethane							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0	
Isopropylbenzene	1	1.9	2.3	1.5	1.8	1.1	1.3	1.5	2.1	2	0.77	1.8	0.98	0.58	0.46	1.7	0.36	1.6	1.5	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	1.22	5.0	
p-Isopropyltoluene	0.57	ND	1.4	0.7	ND	0.52	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	0.70	5.0	
Methylene chloride	ND	ND	ND	ND	ND	ND	0.83	0.35	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.22	5.0
4-Methyl-2-pentanone							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND															

MW-12B
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
CLEAN, NEW YORK

	9/02	3/03	9/03	3/04	9/04	3/05	9/05	3/06	11/06	4/07	10/07	4/08	10/08	4/09	9/09	4/10	9/10	5/11	10/11	5/12	10/12	6/13	10/13	6/14	10/14	6/15	11/15	5/16	10/16	3/17	10/17	5/18	9/18	4/19	MEAN	NYS STD	
PARAMETER METALS (mg/L)																																					
Aluminum	0.1		0.18		0.21		ND		ND		ND	ND		ND			ND	ND			0.053	0.001	-	-	ND	ND	-	ND	ND	0.0157	0.0282	-	0.096	ND	0.48		
Calcium	126	95.7	96.1	110	99.9	119	119	115	106	113	124	113	118	122	126	117	130	117	105	130	130	107	111	120	126	148	104	133	135	121	106	119	127	124	112.22		
Iron	26.8	29.3	24.6	18.4	21.6	29.9	13.3	20.6	19.6	29.8	14.6	22.8	17.7	26.6	13.2	22.4	19.2	19.7	15.1	27	15	14.5	26.8	8.94	14.5	6.01	10.2	17.3	13.2	12.3	14.4	17.5	11	13.8	30.77	0.3	
Magnesium	24.7	19.6	17.8	20.9	19	22.6	22.7	20.7	19.8	22.9	24.3	22.8	24.1	25.6	24.9	23.2	26.2	23.5	20.9	27	28	22.2	23.7	23.3	24.5	29.3	19.1	24.4	27.3	22.8	20.8	22.0	23.8	23.6	22.31	35.0	
Manganese	13.2	11.4	10.8	9.84	10.6	12.7	12.2	11.4	13.1	12.4	11.2	12.5	10.7	11.9	9.03	11.5	11.2	11.1	10.6	12	11	9.61	11.7	11.2	9.39	8.04	13.4	10.8	10.5	10.7	9.04	7.62	9.54	10.2	13.11	0.3	
Potassium	7.87	6.84	8	5.81	6.6	6.9	6.9	5.1	6.2	7.2	7.4	6.9	8.1	7.35	5.17	5.97	6.44	5.7	7.1	6.4	7.5	4.8	7.4	3.8	4.6	3.3	4.6	ND	7.67	6.3	7.42	3.97	5.52	4.46	7.90		
Sodium	22.3	16.5	16.1	15.6	14.9	16.7	19.9	14.2	15.5	17.2	21	16.6	19.4	20.2	14.9	15.8	20	14.5	15.5	16	ND	13.3	17.1	12.2	14	13	11.2	16.1	17.4	11.8	14.5	11.2	15	12.6	20.97	20.0	
PARAMETER (mg/l) TOXIC METALS																																					
Antimony	ND		ND		ND		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	0.00	0.003	
Arsenic	0.01		ND		0.01		ND		0.01		0.012	0.01		0.013				0.012	0.011			ND	0.007	-	-	0.013	0.014	-	ND	ND	0.0108	0.0095	-	0.0085	0.0164	0.01	0.025
Barium	0.56		0.52		0.43		0.43		0.44		0.6	0.53		0.555			0.516	0.45			0.53	0.334	-	-	0.303	0.271	-	0.394	0.414	0.304	0.439	-	0.325	0.293	0.41	1.0	
Beryllium	ND		ND		ND		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	0.00		
Cadmium	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	0.005
Chromium (Total)	ND		ND		0.01		ND		0.01		ND	ND		ND			ND	ND			ND	0.001	-	-	0.0009	ND	-	0.0175	ND	0.006	0.0069	-	0.0107	ND	0.01	0.05	
Copper	ND		ND		ND		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	0.00	0.2	
Lead	0	0.003	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	ND	ND	0.003	0.002	ND	0.0046	ND	0.0015	0.0035	0.0021	0.0016	ND	0.00	0.025		
Mercury	ND		ND		ND		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	ND	6E-05	-	0.0001	ND	0.00	0.0007	
Nickel	0.05		ND		ND		ND		ND		ND	ND		ND			ND	ND			ND	0.006	-	-	0.005	0.004	-	ND	ND	0.0058	0.0063	-	0.0046	0.0176	0.04	0.1	
Selenium	0	0.001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	0.005	-	-	0.006	0.006	-	ND	ND	ND	ND	-	ND	ND	0.00	0.0	
Silver	ND		ND		ND		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	0.001	0.002	-	ND	ND	ND	ND	-	ND	ND	0.00	0.005	
Thallium	ND		ND		ND		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	0.0127	ND	ND	0.0044	-	ND	ND	0.00	0.0005	
Zinc	0.04		ND		ND		ND		0.03		0.03	0.018		ND			ND	0.014			0.014	0.014	-	-	0.01	ND	-	ND	ND	0.0028	0.0087	-	0.0045	0.0054	0.02	2.0	
PARAMETER (mg/l) LEACHATE INDICATORS																																					
Alkalinity	469	363	480	440	167	371	449	383	373	ND	476	267	457	482	410	413	490	482	407	440	480	460	485	461	487	530	388	468	484	539	483	378	496	478	465.9		
Biochemical Oxygen Demand	8		9		ND		6.3		3.5		6.3	4.7		11.9			ND	5		11	7	10.1	-	-	11.1	6.7	3.7	9	ND	9.9	6	13	7.6	3.9	8.8		
Boron	0.18		0.11		0.14		0.19		0.17		0.18	0.16		0.163			0.151	0.15			ND	0.14	-	-	0.1	0.08	-	0.119	0.107	0.11	0.165	-	0.125	0.0919	0.1	1.0	
Chemical Oxygen Demand	80.2	54.1	45	42	83	44.6	71.3	23.7	50.5	43	46.5	41.2	42.9	45	38	41.6	36.3	31	48.8	38	45	37.4	56.7	26.6	42.8	24.5	30	-	46.3	48.4	73.3	64.5	74.7	34.5	73.0		
Chromium (Hexavalent)	ND		ND		ND		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	-	ND	ND	-	-	0.0061	ND	0.0	0.05	
Chloride	45.5	23.8		17	24.8	18.3	38.6	17.4	16	21.4	27.7	15.7	27.3	25	21.7	16	25	14	14.5	13.6	22.7	12.8	19.1	8.1	10.2	9.6	7.9	12.6	18.2	11.4	16.3	9.1	10.8	8	30.9	250.0	
Color (PCU units)	500		30		120		60		160		300	80		30		0	320		5	280		-	-	340	90	-	20	5	15	-	-	75	100	138.7	15.0		
Nitrate-Nitrite	0.72	ND	ND	ND	ND	ND	ND	ND	ND	ND	4	ND	0.4	0.144	ND		0.104	ND	ND	0.055	0.182	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.052	1.4	ND	0.052	ND	0.2	10.0
Nitrogen-Ammonia	14.2	14	12.2	10.4	2.3	8	17.1	5	4.3	8.8	6.3	8.3	9.2	13.2	7.36		9.36	8.9	11	7.82	9.24	6.63	12.5	3.7	7.03	5.29	5.1	6.87	9.3	6.7	12.9	5.1	2.2	4.9	11.9	2.0	
Phenols	0.06	0.0661	0.002	0.002	0.017	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.09	ND	ND	0.031	0.087	0.026	0.0412	0.0057	ND	0.0406	0.0318	0.047	0.0578	0.0437	0.049	0.0351	0.0	0.001	
Sulfate	ND	ND	2.2	2.2	ND	2.2	ND	2.6	ND	2.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.9	ND	3.2	3	ND	ND	2.6	1.3	1.9	2.5	ND	2.1	250.0		
Total Organic Carbon (TOC)	15.1	11	14	13	23.5	13.7	14.9	10	13.2	16.2	13.3	14.4	17.9	14.9	9.6	9.1	11.4	11.2	8.7	10.9	11.5	12.7	17.2	8.7	14.1	9.3	11.6	9.52	9.8	3.2	19.5	20.8	9	8.9	27.8		
Total Dissolved Solids (TDS)	560	500	445	478	478	449	515	464	587	312	502	468	467	508	482	503	510	468	430	610	600	482	511	479	488	523	407	487	516	459	201	457	458	602	504.8	500.0	
Total Hardness	416	320	313	361	328	390	390	372	346	376	410	376	394	410	420	390	430	389	349		450	359	376	396	415	490	352	390	450	410	520	450	340	400	394.5		
Total Kjeldahl Nitrogen (TKN)	16.2		14		12.9		19.4		6		9.4	ND		13.1			9.95	9.5			5.2	9.26	7.89	-	-	7.59	5.25	-	7.53	7.7	6.4	14.3	6.7	4.7	5.4	11.0	
Turbidity (NTU units)	200	42	100	53	41.6	25.8	12.7	22.6	40	47.8	33.8	10.8	15.1	12	4	5	6	10	0.8	6.4	26.8	14.4	10.4	2.3	7.1	23.4	7.84	6.3	10.9	6.6	87.2	43.8	16.2	8.6	104.7	5.0	
Cyanide			ND		ND		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	-	ND	ND	-	-	ND	ND	0.0	0.2	

(Shade) = Analyte reported at or above New York State standards (amended March and June 1998). These standards were used beginning with the 9/98 sampling event. Exceedances noted prior to this event reflect prior standards.
* = Applies to the sum of cis and trans-1,3-dichloropropene.

** = Guidance Value.

ND values are included in calculation of Mean and are considered equal to zero.

(Blank) or "-" = Not Analyzed.

ND = Not Detected.

<DL = Detected below method detection limit.

J = Estimated.

B = Analyte was detected in method blank.

MW-13
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

	9/90	12/90	3/91	6/91	9/91	12/91	3/92	6/92	9/92	12/92	3/93	6/93	9/93	12/93	3/94	6/94	9/94	12/94	3/95	6/95	9/95	12/95	4/96	9/96	3/97	9/97	3/98	9/98	3/99	9/99	3/00	9/00	3/01	9/01	3/02		
PARAMETER VOLATILES (ug/L)																																					
Acetone																																					
Acrylonitrile																																					
Benzene	<DL			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Bromobenzene	ND			ND	ND	ND			ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Bromochloromethane	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Bromodichloromethane	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Bromoform	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Bromomethane	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
2-Butanone																																					
n-Butylbenzene	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
sec-Butylbenzene	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
tert-Butylbenzene	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Carbon disulfide																																					
Carbon tetrachloride	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Chlorobenzene	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Chloroethane	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Chloroform	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Chloromethane	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
2-Chlorotoluene	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
4-Chlorotoluene	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Dibromochloromethane	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
1,2-Dibromo-3-chloropropane	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
1,2-Dibromomethane	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Dibromomethane	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
1,2-Dichlorobenzene	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
1,3-Dichlorobenzene	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
1,4-Dichlorobenzene	0.06			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
trans-1,4-Dichloro-2-butene																																					
Dichlorodifluoromethane	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
1,1-Dichloroethane	2.2			3.0	2.0				2.0		2.0		2		1		1		ND		2		2	2	2	2	2	2	2	1		1	0.9	0.8	1	2.29	ND
1,2-Dichloroethane	<DL			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
1,1-Dichloroethene	ND			ND	ND				ND		ND		ND		ND		ND		2		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
cis-1,2-Dichloroethene	ND			2.0	ND				1.0		0.9		0.8		0.6		0.6		0.8		0.8		0.8	1	0.8	0.9	ND	0.9	ND	ND	ND	ND	ND	0.9	ND	ND	
trans-1,2-Dichloroethene	0.81			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
1,2-Dichloropropane	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
1,3-Dichloropropane	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
2,2-Dichloropropane	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
1,1-Dichloropropene	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
cis-1,3-Dichloropropene	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
trans-1,3-Dichloropropene	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Ethylbenzene	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
2-Hexanone																																					
Hexachlorobutadiene				ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Iodomethane																																					
Isopropylbenzene	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
p-Isopropyltoluene	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Methylene chloride	ND			2.0	1.0				ND		ND		ND		ND		0.7		ND		0.7		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
4-Methyl-2-pentanone																																					
Naphthalene	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
n-Propylbenzene	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Styrene	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
1,1,1,2-Tetrachloroethane	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
1,1,2,2-Tetrachloroethane	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Tetrachloroethene	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Toluene	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
1,2,3-Trichlorobenzene	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
1,2,4-Trichlorobenzene	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
1,1,1-Trichloroethane	ND			ND	ND				0.5		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	0.8	ND	ND	ND	ND	
1,1,2-Trichloroethane	ND			ND	ND				ND		ND		ND		ND		ND		ND		ND		ND	ND	ND												

MW-13
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

	9/90	12/90	3/91	6/91	9/91	12/91	3/92	6/92	9/92	12/92	3/93	6/93	9/93	12/93	3/94	6/94	9/94	12/94	3/95	6/95	9/95	12/95	4/96	9/96	3/97	9/97	3/98	9/98	3/99	9/99	3/00	9/00	3/01	9/01	3/02	
PARAMETER METALS (mg/L)																																				
Aluminum	5.04				12.6					7.85				8.91				1.17				15.2			1.54		10.4		2.14		0.78		0.85		1.48	
Calcium	53.1	48.8	54.7	52.8	65.9	62.6	53.7	56.2	55.2	56.4	48.7	51.2	51	41.3	41	45.4	50.9	45.2	36.5	38.2	50.8	48.6	51.9	44.5	42.5	44.8	37.1	45.3	40.4	41.2	34.4	40.8	35.5	44.9	38.3	
Iron	9.75	0.8	2	0.28	22.0	4.03	0.2	8.6	14.4	52.1	10.2	45.5	13.4	2.08	7.39	52.3	59.6	17.2	7.75	10.6	36.9	23.1	30.8	2.56	3.13	10.2	1.91	2.94	10.7	1.19	2.92	0.8	4.95	2.57	2.52	
Magnesium	11	9.9	13.2	11.3	15.1	11.9	10.8	12.6	13.7	17.8	11.8	16.6	13	9.91	11.3	17.4	15.7	12.2	9.82	10.9	15.6	14	15.0	10.6	10.9	11.8	9.16	9.98	11.1	9.36	8.79	9.79	9.72	10.1	9.58	
Manganese	3.33	1.94	2.02	1.06	0.83	0.82	0.18	0.71	2.85	1.98	1.94	2.82	2.37	1	2.29	2.95	11	2.08	1.94	1.39	3.79	3.11	1.79	2.58	1.44	4.79	2.03	1.38	2.35	2.18	2.6	1.54	1.15	2.99	1.87	
Potassium	2.6	1.5	3.1	1.1	5.1	2.1	1.3	3.8	4.22	7.24	2.85	6.79	4.88	2.21	2.67	8.74	3.26	4.41	1.91	2.36	3.9	4.47	4.70	2.22	1.78	4.49	1.53	3.16	3.85	1.55	2.64	2.91	3.06	1.42	1.15	
Sodium	6.6	8.6	9	8.4	8.0	7.5	7.5	7.8	8.76	7.75	6.29	5.92	8.38	6.22	7.8	7.64	0.04	7.65	6.57	8.01	8.69	7.71	7.03	8.45	7.17	7.95	6.95	7.75	6.99	7.38	7.36	7.43	7.01	6.59	8.25	
PARAMETER (mg/l) TOXIC METALS																																				
Antimony	ND				ND				0.03				ND				ND				ND			ND		ND		ND		ND		ND		ND		
Arsenic	<DL				0.006				0.005				0.004				0.004				0.01			ND		0		0		ND		ND		ND		
Barium	0.1				0.18				0.17				0.15				0.29				0.19			0.060		0.12		0.13		0.05		0.08		0.03		
Beryllium					ND				ND				ND				ND				ND			ND		ND		ND		ND		ND		ND		
Cadmium		<DL	<DL	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.004	0.01	ND	ND	ND	ND	ND	0.01	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chromium (Total)	<DL				0.03				0.02				0.03				ND				0.66			ND		0.02		ND		0.02		ND		ND		
Copper	ND				0.02				ND				0.02				ND				0.03			ND		ND		ND		ND		ND		ND		
Lead	0.004	ND	0.005	ND	0.009	0.007	ND	0.007	0.003	0.013	0.002	0.014	0.011	0.003	0.001	0.018	0.007	0.010	0.007	0.005	0.01	0.004	0.010	0.005	0.008	0.01	ND	0	0.01	0	0	0.01	0	0.02	0	
Mercury	ND				ND				ND				ND				ND				ND			ND		ND		ND		ND		ND		ND		
Nickel	0.1			ND	ND				ND				0.03				0.06				0.47			0.017		0.04		ND		ND		ND		ND	0.03	
Selenium	0.01	ND			ND	ND			ND				ND				ND				ND			ND		ND		ND		ND		ND		ND		
Silver	ND				ND				ND				ND				ND				ND			ND		ND		ND		ND		ND		ND		
Thallium	0.2				ND				ND				ND				ND				ND			ND		ND		ND		ND		ND		ND		
Zinc	0.05				0.07				0.05				0.05				0.04				0.14			ND		0.04		0.03		0.02		0.02		0.02		
PARAMETER (mg/l) LEACHATE INDICATORS																																				
Alkalinity	203	209	182	190	208	242	204	173	188	178	152	170	215	141	148	144	178	153	144	184	203	140	136	183	141	161	190	167	123	168	116	114	124	169	114	
Biochemical Oxygen Demand	<DL				ND	ND			7				14				10				9			12		22		9		ND		ND		ND		
Boron	ND				0.08	ND			ND				0.03				ND				0.07			0.087		0.08		0.09		0.09		0.09		0.07		
Chemical Oxygen Demand	8.4	20	11	ND	7.0	5.0	ND	17.0	20.2	30.7	46	57.2	11.1	27.7	27.1	30.6	36.2	11.7	11.6	60.0	18.9	90.5	126	ND	ND	25.3	ND	ND	10.3	32.3	31.4	37.1	ND	10.4		
Chromium (Hexavalent)	<DL				ND				ND				ND				ND				ND			ND		ND		ND		ND		ND		ND		
Chloride	16.9	18	16.6	12	11	14.0	16.0	14.0	15.9	10.8	ND	12.6	11.9	11.7	12.5	11.7	13	11.4	10.3	10.1	9.66	9.82	9.05	11.5	ND	10.6	8.33	8.17	10.3	10.6	10.2	9.22	9.24	8.19	11.3	
Color (PCU units)	9				ND				20				15				ND				25			30		20		300		1250		300		250		
Nitrate-Nitrite	<DL	<DL	0.2	ND	0.04	0.4	0.18	0.28	0.67	0.22	0.22	0.21	0.22	0.39	0.11	0.16	0.15	0.12	0.06	0.552	0.08	0.206	ND	0.080	0.068	ND	ND	0.13	0.14	0.17	0.09	0.1	0.11	0.13	0.42	
Nitrogen-Ammonia	<DL	<DL	<DL	0.1	0.2	ND	0.4	0.1	0.19	0.07	0.17	0.23	0.35	0.59	0.13	0.06	0.13	0.1	0.05	0.102	0.22	0.172	0.16	0.117	0.316	0.22	0.2	0.47	0.11	0.17	0.17	0.13	0.14	0.12	ND	
Phenols	0.002	ND	ND	ND	0.020	ND	ND	ND	ND	ND	ND	ND	0.015	0.013	0.100	0.002	ND	0.004	ND	ND	0.039	0.01	ND	0.020	0.004	0.007	0.002	ND	ND	0.01	0.01	ND	ND	ND	ND	
Sulfate	8	1	23	ND	26	47.0	58.0	26.0	22	21.0	20	16	12	17	11	12	12	11	ND	6.3	6.5	26	17	18	11	12	8.4	108	26	ND	19	14	14	8.62	15.2	
Total Organic Carbon (TOC)	6.2	9	4.8	4	3.0	3.0	19.0	18	8.3	7.8	5.7	11.4	11	5.6	8.8	5.4	4.9	9.1	10.1	23.7	18.8	16.9	6.7	8.7	4.8	6	4.1	4.8	2.9	5.2	5.9	7.6	2.7	3.2		
Total Dissolved Solids (TDS)	212	222	225	236	291	309	260	221	238	209	201	218	212	211	171	192	215	205	169	187	252	199	221	206	169	213	161	211	215	183	162	170	156	199	175	
Total Hardness	178	163	191	178	203	205	178	192	241	175	259	189	201	218	211	180	257	163	132	140	191	179	191	155	151	160	130	154	111	112	122	142	129	154	135	
Total Kjeldahl Nitrogen (TKN)	0.9				1.1				2.19				3.36				ND				ND			3.10		ND		1.6		3.26		ND		1.18		
Turbidity (NTU units)	75	320	128	175	308	79.0	44.0	107	600	52.0	170	31	31	60	100	40	270	17	69	19	280	43	80	33	24	70	19	66	54	700	37	77	23	168	6.8	
Cyanide	<DL				ND				ND				ND				ND				ND			ND		ND		ND		ND		ND		ND		

MW-13
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

[illegible]

MW-13
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
CLEAN, NEW YORK

	9/02	3/03	9/03	3/04	9/04	3/05	9/05	3/06	11/06	4/07	10/07	4/08	10/08	4/09	9/09	4/10	9/10	5/11	10/11	5/12	10/12	6/13	10/13	6/14	10/14	6/15	11/15	5/16	10/16	3/17	10/17	5/18	9/18	4/19	MEAN	NYS STD			
PARAMETER METALS (mg/L)																																							
Aluminum	5.93		2.52		9.4		0.27		ND		ND	0.22		ND			0.296	ND			ND	0.02	0	-	0.08	ND	-	ND	0.238	0.026	ND	-	0.0697	0.0679	2.35				
Calcium	52.3	32.5	45.1	46.5	46.9	42.3	48.7	43.7	44.5	37.3	40.1	33.7	41.7	39.3	41.6	37.7	41.6	37.3	46.2	38	47	31.7	14.1	33.4	39.5	36.6	44.3	38.4	44	46.8	43.9	42.7	50.3	38.9	44.03				
Iron	10.8	6.82	4.89	1.26	12.8	0.74	0.33	0.07	0.12	0.1	0.16	0.36	0.21	0.133	0.103	0.223	0.409	0.14	0.21	0.039	0.19	0.1	0.34	1.0	0.19	0.08	0.42	0.101	0.459	0.0907	0.106	0.357	0.0952	0.617	7.56	0.3			
Magnesium	13.8	9.53	10.9	10.7	12.9	10.7	12	11	11.6	10.2	10.4	9.2	10.8	10.5	11.1	10.5	10.8	10.4	12.6	11	13	9.6	5.3	10.6	10.3	10.6	11.3	9.95	11.9	13	11.9	12.1	13.8	11.4	11.55	35.0			
Manganese	4.84	1.45	5.57	0.76	4.2	0.83	0.48	0.1	7.5	0.53	0.08	0.42	0.24	0.167	0.08	0.28	0.365	0.34	0.49	0.12	0.55	0.219	2.09	0.562	0.145	0.294	0.136	0.641	0.94	0.171	0.0609	1.12	0.17	1.29	1.71	0.3			
Potassium	2.68	2.61	1.97	1.06	4.2	1.1	1.3	0.87	2.1	0.84	1.1	0.78	0.94	0.874	0.825	0.696	1.05	0.7	1.1	0.64	0.91	0.6	ND	ND	0.7	1.7	ND	ND	ND	ND	1.04	1.09	1.58	ND	2.17				
Sodium	8.68	7.51	8	7.54	8.6	7.5	11.2	7.9	8.1	7.6	11	8.8	9.9	11.5	11.7	9.8	11.8	9.2	12.2	11	ND	11.5	1.9	10.8	10.1	11.3	10.4	11.2	12.4	10.7	10.2	8.94	11.6	8.65	8.35	20.0			
PARAMETER (mg/l) TOXIC METALS																																							
Antimony	ND		ND		ND		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	ND	ND	-	0.0035	ND	0.00	0.003			
Arsenic	0		ND		ND		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	0.00	0.025			
Barium	0.11		0.1		0.13		0.01		0.03		0.013	0.018		0.015			0.021	0.019			ND	0.016	-	-	0.019	0.022	-	ND	ND	0.017	0.0166	-	0.0194	0.0239	0.06	1.0			
Beryllium	ND		ND		ND		ND		ND		ND	ND		ND			ND	ND			ND	0.0002	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	0.00	0.02			
Cadmium	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005			
Chromium (Total)	0.02		ND		0.03		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	ND	ND	-	0.0044	ND	0.02	0.05			
Copper	ND		0.01		0.01		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	0.00	0.2			
Lead	0.01	0.01	ND	ND	ND	ND	0.01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.001	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	0.025			
Mercury	ND		ND		ND		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	ND	6E-05	-	ND	ND	0.0007				
Nickel	0.04		ND		0.02		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	0.002	-	ND	ND	0.0021	0.0012	-	0.0017	0.0112	0.02	0.1			
Selenium	ND		ND		ND		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	0.0	0.0			
Silver	ND		ND		ND		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	0.00	0.05			
Thallium	ND		ND		ND		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	0.01	0.0005			
Zinc	0.05		0.02		0.04		ND		0.02		0.054	0.019		0.033			0.098	0.031			0.074	0.041	-	-	0.03	0.015	-	0.0206	0.0267	0.0143	0.0225	-	0.0295	0.0267	0.03	2.0			
PARAMETER (mg/l) LEACHATE INDICATORS																																							
Alkalinity	175	111	165	150	181	129	132	148	160	155	202	79.8	147	132	156	165	186	156	189	140	180	147	164	147	158	154	168	145	169	170	191	144	53.6	162	160.4				
Biochemical Oxygen Demand	ND		ND		2.5		ND		ND		ND	ND		ND			ND	ND		ND	ND	ND	-	-	ND	ND	ND	ND	ND	1	1	ND	ND	1.0	2.3				
Boron	0.09		0.06		0.08		0.07		0.06		0.073	0.045		0.058			0.068	0.045		ND	ND	0.07	-	-	0.06	0.06	-	ND	0.0569	0.0434	0.06	-	0.0734	0.0385	0.0	1.0			
Chemical Oxygen Demand	33.6	ND	ND	9	54.1	ND	12	ND	ND	12.9	ND	ND	ND	ND	ND	ND	ND	ND	11.4	ND	ND	6	ND	30.3	ND	9.7	9.7	-	ND	17.2	11.9	17.5	21.6	ND	15.6				
Chromium (Hexavalent)	ND		ND		ND		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	0.0059	-	-	ND	ND	0.0	0.05				
Chloride	11.2	8.78	8.4	7.5	5.7	6.6	10.2	8.1	6.5	6.5	6.2	6	7.4	6.9	5.43	5.94	5.66	6.7	7.1	5.52	4.96	6	5.7	5.3	4.4	6.3	5.3	4.82	4	6.3	4.4	5.1	4.0	4.3	8.7	250.0			
Color (PCU units)	100		5		200		25		15		60	18		5			60	80			ND	12	-	-	14	16	-	10	5	5	-	10	5	79.6	15.0				
Nitrate-Nitrite	0.13	0.14	0.2	0.07	0.1	ND	0.1	0.09	ND	ND	0.18	0.19	0.16	0.098	0.113	ND	0.086	0.068	ND	0.055	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.066	0.067	ND	0.062	ND	0.1	10.0
Nitrogen-Ammonia	0.14	ND	0.2	0.2	0.14	0.2	ND	ND	0.21	0.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.084	ND	0.17	0.1	0.032	0.1	0.07	0.14	0.18	0.1	2.0		
Phenols	ND	ND	ND	0	0.02	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.247	ND	0.0099	0.0015	0.0016	0.0034	0.0043	ND	0.0	0.001		
Sulfate	10.4	9.97	8.8	9.2	6.9	8	14.2	9.8	6.4	9.5	10.6	8.3	6.8	6.7	6.11	6.19	6.7	6.6	4.1	ND	ND	3.9	3.5	3.6	3.5	3.2	3.6	ND	8.5	9	5.8	5.1	4.7	3.4	12.6	250.0			
Total Organic Carbon (TOC)	2.8	1.7	5	2.4	15.8	1.9	3	2.3	2.8	2.7	2.3	2.2	3.2	2.1	1.4	1	2.2	2	ND	ND	ND	2.4	2.4	2.2	2.2	2.2	543	2.21	3.5	ND	3.4	14.7	2.9	2.1	13.3				
Total Dissolved Solids (TDS)	197	149	190	192	220	163	255	220	334	157	148	179	163	193	144	193	188	178	175	260	190	161	167	164	172	168	183	163	204	197	195	157	181	222	198.8	500.0			
Total Hardness	187	120	157	161	170	150	171	154	159	135	143	122	394	140	150	140	150	136	167	140	170	119	56.8	127	141	135	157	108	170	150	150	150	113	140	162.4				
Total Kjeldahl Nitrogen (TKN)	ND		ND		1.9		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	0.29	0.21	-	ND	0.16	0.17	0.42	0.14	0.23	0.4	0.6				
Turbidity (NTU units)	140	53	190	110	149	246	21.2	40.6	21	10.3	9.2	4.6	8	30	1	8	32	5	8.1	12.3	10.1	13	5.1	21.7	5.4	23	14.3	5.3	11.7	6.3	17.7	10.2	5.5	13	81.7	5.0			
Cyanide			ND		ND		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	-	ND	ND	-	-	ND	ND	0.0	0.2			

(Shade) = Analyte reported at or above New York State standards (amended March and June 1998). These standards were used beginning with the 9/98 sampling event. Exceedances noted prior to this event reflect prior standards.
* = Applies to the sum of cis and trans-1,3-dichloropropene.

** = Guidance Value.

ND values are included in calculation of Mean and are considered equal to zero.

(Blank) or "-" = Not Analyzed.

ND = Not Detected.

<DL = Detected below method detection limit.

J = Estimated.

B = Analyte was detected in method blank.

MW-14
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

	9/90	12/90	3/91	6/91	9/91	12/91	3/92	6/92	9/92	12/92	3/93	6/93	9/93	12/93	3/94	6/94	9/94	12/94	3/95	6/95	9/95	12/95	4/96	9/96	3/97	9/97	3/98	9/98	3/99	9/99	3/00	9/00	3/01	9/01	3/02	
PARAMETER VOLATILES (ug/L)																																				
Acetone																																				
Acrylonitrile																																				
Benzene	ND	0.44	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromobenzene	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromochloromethane	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromodichloromethane	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromoform	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromomethane	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Butanone	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
n-Butylbenzene	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
sec-Butylbenzene	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
tert-Butylbenzene	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon disulfide																																				
Carbon tetrachloride	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chlorobenzene	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroethane	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloroform	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chloromethane	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Chlorotoluene	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4-Chlorotoluene	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromochloromethane	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dibromo-3-chloropropane	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dibromoethane	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromomethane	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,4-Dichloro-2-butene																																				
Dichlorodifluoromethane	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethane	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloroethane	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloroethene	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
cis-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-Dichloropropane	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2,2-Dichloropropane	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1-Dichloropropene	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
cis-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Ethylbenzene	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Hexanone																																				
Hexachlorobutadiene	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Iodomethane																																				
Isopropylbenzene	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
p-Isopropyltoluene	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Methylene chloride	ND	ND	ND	2.0	1.0	1.0	3.0		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
4-Methyl-2-pentanone																																				
Naphthalene	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
n-Propylbenzene	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Styrene	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,1,2-Tetrachloroethane	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Tetrachloroethene	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Toluene	ND	<DL	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,3-Trichlorobenzene	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND		ND		ND		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2,4-Trichlorobenzene	ND	ND	ND	ND	ND	ND	ND		ND		ND		ND		ND</																					

MW-14
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
CLEAN, NEW YORK

	9/90	12/90	3/91	6/91	9/91	12/91	3/92	6/92	9/92	12/92	3/93	6/93	9/93	12/93	3/94	6/94	9/94	12/94	3/95	6/95	9/95	12/95	4/96	9/96	3/97	9/97	3/98	9/98	3/99	9/99	3/00	9/00	3/01	9/01	3/02		
PARAMETER METALS (mg/L)																																					
Aluminum	22				7.7				3.42				6.45				13.4				7.68			4.10		7.33		1.28		1.66		0.34		0.83			
Calcium	50.7	65.1	58.2	69.6	80.5	82.8	79.9	70.7	84.3	82.6	80.9	73.7	78.4	84.2	75.4	73.1	83.7	72.8	69.6	67.8	80.6			79.1	66.4	80.7	81.1	71.5	48.8	79.1	62.4	49.6	47.8	54.8	44.4	65.1	
Iron	49.5	4.6	0.55	1.24	13.6	2.15	1.6	1.2	6.8	9.02	9.63	5.92	11.5	14	6.26	16	22.1	15.6	16.9	20.2	15.6			3.88	7.79	6.49	8.5	6.74	1.72	5.24	3.11	0.73	0.77	0.53	1.59	1.68	
Magnesium	17.7	15.9	17.2	19.5	22.6	19.5	19.1	19.3	21.7	21.5	21	19.1	20.6	22	19.9	20.7	21.4	19.1	19	19.4	21.8			19.1	17.5	20.8	20.5	19.7	17.6	17.8	13.8	13.1	11.2	14.2	14.4	15.9	
Manganese	2.28	0.9	0.58	0.32	0.54	0.39	0.08	0.05	0.39	0.03	0.35	0.23	0.5	0.66	0.37	0.76	0.79	0.64	0.598	0.870	0.85			0.21	0.447	0.258	0.43	0.46	0.12	0.37	0.33	0.07	0.22	0.06	0.06	0.096	
Potassium	7.3	3.9	7.5	6.8	6.5	3.4	7.2	6.3	5.12	5.4	9.59	5.27	4.34	8.58	4.04	7.26	6.86	5.83	6.45	5.82	3.97			3.53	3.62	5.01	5.69	4.5	5.92	5.45	3.16	9.09	3.5	2.51	2.83	2.59	
Sodium	8.9	10.2	14.5	20.4	18.3	12.9	27.3	20.5	17.5	16.5	20.9	18.7	15.9	15.7	14.2	18.3	18	15	14.7	15.5	15.7			12.3	14.9	16.2	16	15.4	18.5	15.2	16.9	18.9	17.4	15.5	17.3	16.4	
PARAMETER (mg/l) TOXIC METALS																																					
Antimony	0.01				ND				ND				ND				ND				ND			0.028		ND		ND		ND		ND		ND		ND	
Arsenic	ND				ND				0.003				0.004				ND				0.01			0.004		ND		ND		0		ND		ND		ND	
Barium	0.15				0.08				0.08				0.1				0.14				0.12			0.087		0.13		0.12		0.1		0.1		0.15			
Beryllium					ND				ND				ND				ND				ND			ND		ND		ND		ND		ND		ND		ND	
Cadmium		<DL	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	ND	0.01		ND	ND	ND	ND	ND	ND	0.01	ND	ND	ND	ND	ND	ND	ND	ND
Chromium (Total)	0.02	0	0	ND	0.02	ND	ND	ND	0.02	0.03	0.03	0.02	0.03	0.03	0.02	0.06	0.05	0.07	0.05	0.034	0.03		ND	0.024	0.044	0.34	0.03	ND	0.02	0.02	0.02	0.02	0.02	ND	ND	ND	0.003
Copper	ND				0.01				ND				0.01				0.03				0.02			ND		0.02		ND		ND		ND		ND		ND	
Lead	0.013	<DL	<DL	ND	0.005	ND	0.070	0.010	0.001	0.005	0.003	0.005	0.007	0.006	0.005	0.010	0.011	0.007	0.006	0.007	0.01		0	0.024	0.005	0.01	0	0	0	0	0	ND	0	ND	0.01	0.001	
Mercury					ND				ND				ND				ND				ND			ND		ND		ND		ND		ND		ND		ND	
Nickel	0.14				ND				ND				0.03				0.05				0.03			0.020		0.15		ND		ND		ND		ND		ND	
Selenium	0.03	<DL	<DL	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Silver					ND				ND				ND				ND				ND			ND		ND		ND		ND		ND		ND		ND	
Thallium	0.2				ND				ND				ND				ND				ND			ND		ND		ND		ND		ND		ND		ND	
Zinc	0.11				0.06				0.03				0.05				0.09				0.07			0.054		0.07		0.03		0.03		0.03		0.03		0.03	
PARAMETER (mg/l) LEACHATE INDICATORS																																					
Alkalinity	207	224	226	209	244	233	299	236	237	221	236	231	189	227	221	244	235	225	232	237			224		234	235	171	189				139	136	187	139	165	
Biochemical Oxygen Demand	8				ND				6				ND				ND				19			3		8		3									
Boron	ND				0.04								ND				ND				ND			ND		ND		ND		0.06		ND		ND		ND	
Chemical Oxygen Demand	15.9	<DL	<DL	ND	ND	ND	ND	ND	12.2	ND	1.75	17.1	ND	ND	ND	ND	ND	30.9	ND	14.3			ND		ND	21.4	ND	ND			15.9	ND	ND	ND	ND	ND	
Chromium (Hexavalent)	<DL				ND				ND				ND				ND				ND			ND		ND		ND							ND	ND	
Chloride	2.4	8	7.8	3	9	ND	ND	4.0	ND	ND	1.9	ND	2.5	ND	2.08	1.87	2.15	2.69	2.07	2	ND			ND		1.94	1.74	2.01	1.35			ND	1.58	1.68		1.52	
Color (PCU units)	25				ND				20				5														30		250						75		
Nitrate-Nitrite	<DL	<DL	<DL	ND	0.05	ND	ND	0.1	0.19	1.3	0.14	6.89	0.13	0.43	0.09	0.08	0.49	0.2	0.09	0.252			ND		0.19	0.15	0.14	0.46			0.31	0.53	0.21	0.4	0.363		
Nitrogen-Ammonia	<DL	<DL	<DL	ND	0.1	ND	0.3	ND	0.21	0.1	0.05	0.08	0.1	0.67	0.17	0.2	0.07	0.06	0.1	0.021			0.140		0.012	ND	ND	0.49			ND		ND	ND	ND	ND	
Phenols	0.002	ND	<DL	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.004	0.001	ND	ND	ND	ND	0.054	0.03		0.01		ND	ND	ND	ND			ND		ND	ND	0.0042	
Sulfate	63.3	47.3	59.8	68	81	173	64.0	109	90	100	75	93	94	82	68	100	80	100	80	69			77		75	69	79	54			66	99	75		82.1		
Total Organic Carbon (TOC)	5.2	4	2.3	2	1	1.0	1.0	3.5	4.8	4.0	1.2	2.0	1.2	3	1.2	5.8	ND	1.1	2.7	14.5			2.4		1.9	1.2	1.4	2.5			1.2	1.6	1.7	1.3	1.1		
Total Dissolved Solids (TDS)	305	310	316	331	373	375	429	369	395	348	371	377		383	319	306	317	344	340	327			326		331	338	288	282			270	238	281	241	285		
Total Hardness	199	228	216	254	294	287	278	256	346	315	315	287		378	355	293	387	260	252	249			276		287	287	260	194			178	165	195	170	228		
Total Kjeldahl Nitrogen (TKN)	<DL				0.9				ND				2.42			1.39				ND				2.98		ND		ND									
Turbidity (NTU units)	70	905	225	230	242	171	304	456	320	320	240	240	170	200	480	58	200	97	110	270			360		225	280	85	57			19		15	87	78		
Cyanide	0.01				ND				ND				ND				ND				ND			ND		ND		ND				ND					

MW-14
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

[illegible]

MW-14
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

	9/02	3/03	9/03	3/04	9/04	3/05	9/05	3/06	11/06	4/07	10/07	4/08	10/08	4/09	9/09	4/10	9/10	5/11	10/11	5/12	10/12	6/13	10/13	6/14	10/14	6/15	11/15	5/16	10/16	3/17	10/17	5/18	9/18	4/19	MEAN	NYS STD	
PARAMETER METALS (mg/L)																																					
Aluminum	0.4		4.33		1.1		ND		ND		0.24	ND		ND			ND	ND				ND	-	-	ND	ND	-	ND	ND	ND	ND	-	0.0766	ND	2.35		
Calcium	35.5	40.3	96.8	67.5	52.7	68.3	34.6	23.5	55.6	33	57.1	37.2	31	26.1	56.5	43.2	49.1	61.7	53.9	32		41.5	50	54.9	59.1	45.8	55.1	50.6	59.9	60.1	52.8	59.4	66.1	57.3	60.65		
Iron	0.84	1.77	9.15	0.54	1.5	0.64	0.07	0.06	0.16	0.07	0.74	0.11	0.22	0.089	0.165	0.06	0.05	ND	0.13	0.049		0.03	ND	ND	0.13	0.05	ND	ND	0.162	ND	0.106	0.0518	0.0552	0.0298	4.62	0.3	
Magnesium	10.3	12.4	14.4	8.7	15.5	15.8	25.4	16.6	19.1	17.1	19.1	18.1	21.3	14.8	17	17.9	17.8	16.9	16.4	19		14	15.1	15.3	15	14.6	14.7	13.4	15.2	15	13	14.3	15.9	14	17.26	35.0	
Manganese	0.04	0.06	0.31	0.06	0.08	0.06	ND	ND	0.11	ND	0.024	0.027	0.033	ND	0.215	ND	ND	0.12	0.12	ND		0.008	0.035	0.015	0.246	0.013	0.208	0.0524	0.126	0.0682	0.0486	0.05	0.183	0.0674	0.26	0.3	
Potassium	3.2	3.71	4.33	5.48	3.7	3.8	2.7	3.6	2.5	3	3.3	2.6	3.9	3.72	2.09	2.24	2.45	2	2.4	2.2		1.8	2	ND	1.7	2.1	ND	ND	ND	1.92	2.18	1.78	2.32	1.85	3.96		
Sodium	14.9	15.6	13.4	18	17	17.2	17.8	18.3	15.9	15.2	15.9	16.2	15.8	16.7	14.2	13.5	14.1	13.1	11.4	10		9.9	9.3	9.5	9.4	10.5	10	10.6	10.4	9.93	8.54	9.46	11.1	9.11	14.81	20.0	
PARAMETER (mg/l) TOXIC METALS																																					
Antimony	ND		ND		ND		ND		ND		ND	ND		ND			ND	ND				ND	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	0.00	0.003	
Arsenic	0		ND		ND		ND		ND		ND	ND		ND			ND	ND				ND	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	0.00	0.025	
Barium	0.12		0.3		0.22		0.1		0.08		0.15	0.064		0.138			0.06	0.068				0.071	-	-	0.054	0.065	-	ND	ND	0.0415	0.0403	-	0.0405	0.0362	0.09	1.0	
Beryllium	ND		ND		ND		ND		ND		ND	ND		ND			ND	ND				0.0002	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	0.00		
Cadmium	ND	0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	0.005	
Chromium (Total)	ND	0.01	0.02	ND	0.02	0.01	ND	ND	ND		0.006	ND	ND	ND	ND	ND	ND	ND				ND	-	-	ND	ND	-	ND	ND	ND	ND	-	0.0032	ND	0.02	0.05	
Copper	ND		0.01		ND		ND		ND		ND	ND		ND			ND	ND				ND	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	0.00	0.2	
Lead	0	0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.001		0.0009	ND	ND	ND	ND	ND	0.0039	ND	ND	0.0013	ND	ND	ND	0.00	0.025	
Mercury	ND		ND	ND	ND		0.01		ND		ND	ND		ND			ND	ND				ND	-	-	ND	ND	-	ND	ND	ND	7E-05	-	ND	0.00015	0.00	0.0007	
Nickel	ND		ND		ND		ND		ND		ND	ND		ND			ND	ND				ND	-	-	ND	ND	-	ND	ND	ND	0.0012	-	ND	0.009	0.01	0.1	
Selenium	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND				ND	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	0.00	0.0	
Silver	ND		ND		ND		ND		ND		ND	ND	ND	ND	ND		ND	ND				ND	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	0.00	0.05	
Thallium	ND		ND		ND		ND		ND		ND	ND	ND	ND	ND		ND	ND				ND	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	0.01	0.0005	
Zinc	0.02		0.03		ND		ND		ND		0.015	0.016		0.01			0.015	ND				0.007	-	-	0.007	ND	-	ND	0.028	0.0016	0.0075	-	0.0051	ND	0.02	2.0	
PARAMETER (mg/l) LEACHATE INDICATORS																																					
Alkalinity			145	34	146	139		355	ND	158		181			159	179		257	218	190	ND	210	205	216	216	205	210	187	-	243	282	207	232	213	196.8		
Biochemical Oxygen Demand			ND															0.033	0.031		ND	ND	ND	-	-	ND	ND	ND	ND	ND	0.0215	0.0195	-	ND	1	1.9	
Chemical Oxygen Demand			ND	13	92.1	ND	ND	ND	ND	ND	0.03	0.03		0.027			ND	ND		ND	20	ND	ND	ND	ND	ND	5.2	-	ND	13	24.6	17.5	27.7	ND	5.8		
Chromium (Hexavalent)			ND		ND		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	-	-	-	0.0086	-	-	ND	ND	0.0	0.05
Chloride			1.5	ND	1.5	1.6		1.4	1.6	1.4					1.42	1.94	1.62	1.7	1.7	1.91	15.1	ND	2.7	2	2.1	2.2	2.3	2.04	-	2.7	2.2	2.0	2.3	2.2	2.2	250.0	
Color (PCU units)			5		120												ND				ND	7	-	-	13	14	-	5	20	10	-	-	5	5	25.4	15.0	
Nitrate-Nitrite			0.09	0.05	0.05	ND			ND	ND	ND				0.285		0.106	ND	ND	0.095	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.086	0.55	ND	ND	ND	0.3	10.0
Nitrogen-Ammonia			ND	ND	ND	0.13	ND	ND	ND	ND		ND			0.116		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.11	0.12	0.024	0.051	0.02	0.047	0.039	0.1	2.0	
Phenols			ND		0.02	ND	ND	ND	ND	0.01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0065	0.0043	0.0074	ND	0.0	0.001
Sulfate			49	48.4	55.4		53.8	50.7	44.7						37.9	33.3	33.6	30.4	22	19	16.9	17	16.1	15.6	13.6	15.1	14.4	12.4	-	18.2	13.4	12.8	14.6	12.5	55.3	250.0	
Total Organic Carbon (TOC)	ND	ND	1.3	20	ND	ND		ND	1.9	11.1	ND	4.9	1.3	1.3	ND	1	ND	ND	ND	ND	ND	1.1	ND	ND	ND	1.2	ND	ND	2.3	0.085	4.5	10.7	0.81	0.82	2.3		
Total Dissolved Solids (TDS)			305		259	215		229	278	232					255	245		238	215	350	240	215	223	229	228	211	231	209	-	249	225	202	216	224	282.2	500.0	
Total Hardness			301	205	195	236	191	127	217	153		167			210	180	200	224	202	160		161	187	200	209	175	206	132	200	240	190	190	187	160	229.7		
Total Kjeldahl Nitrogen (TKN)			ND		1.8		ND		ND			ND					ND	ND			ND	0.597	ND	-	-	ND	ND	-	ND	0.98	0.14	0.59	ND	ND	ND	0.4	
Turbidity (NTU units)			74	67	129	415		21.7		24.1		6.3	16.7	22	3	2	42	6	5	6.2	50.1	3.2	3	0	4.4	ND	5.3	3.3	9.9	1.8	25	6.3	5.5	8.1	129.0	5.0	
Cyanide					ND		ND		ND			ND		ND			ND	0.16				ND	-	-	ND	ND	-	-	ND	ND	-	-	ND	ND	0.0	0.2	

(Shade) = Analyte reported at or above New York State standards (amended March and June 1998). These standards were used beginning with the 9/98 sampling event. Exceedances noted prior to this event reflect prior standards.

* = Applies to the sum of cis and trans-1,3-dichloropropene.

** = Guidance Value.

ND values are included in calculation of Mean and are considered equal to zero.

(Blank) or "-" = Not Analyzed.

ND = Not Detected.

<DL = Detected below method detection limit.

J = Estimated.

B = Analyte was detected in method blank.

SEEP
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

PARAMETER VOLATILES (ug/L)	9/90	12/90	3/91	6/91	9/91	12/91	3/92	6/92	9/92	12/92	3/93	6/93	9/93	12/93	3/94	6/94	9/94	12/94	3/95	6/95	9/95	12/95	4/96	9/96	3/97	9/97	3/98	9/98	3/99	9/99	3/00	9/00	3/01	9/01	3/02		
Acetone																																					
Acrylonitrile																																					
Benzene	ND	3.02	2.66	3.0		2.0	2.0		1.0		2.0		2		1		3		2					1	1	1	1	2		2	3	2	2	2		2.59	
Bromobenzene	ND	ND	ND	ND		ND	ND		ND		ND		ND		ND		ND		ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
Bromochloromethane	ND	ND	ND	ND		ND	ND		ND		ND		ND		ND		ND		ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
Bromodichloromethane	ND	ND	<DL	ND		ND	ND		ND		ND		ND		ND		ND		ND																		
Bromoform	ND	ND	ND	ND		ND	ND		ND		ND		ND		ND		ND		ND																		
Bromomethane	ND	ND	ND	ND		ND	ND		ND		ND		ND		ND		ND		ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
2-Butanone																																					
n-Butylbenzene	ND	ND	ND	ND		ND	ND		0.6						ND		ND		ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
sec-Butylbenzene	ND	ND	ND	ND		ND	ND		ND		ND		ND		ND		ND		ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
tert-Butylbenzene	ND	0.32	<DL	ND		ND	ND		ND		ND		ND		ND		ND		ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
Carbon disulfide																																					
Carbon tetrachloride	ND	ND	ND	ND		ND	ND		ND		ND		ND		ND		ND		ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
Chlorobenzene	ND	1.08	0.91	ND		1.0	1.0		1.0		0.9		0.8		0.6		2		0.9					0.9	0.7	0.8	1	1		1	2	1	1	1		2.71	
Chloroethane	ND	ND	<DL	ND		1.0	2.0		ND		ND		ND		ND		ND		ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
Chloroform	ND	2.06	<DL	ND		ND	ND		ND		ND		ND		ND		ND		ND																		
Chloromethane	ND	ND	ND	ND		ND	ND		ND		ND		ND		ND		ND		ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
2-Chlorotoluene	ND	ND	ND	ND		ND	ND		ND		ND		ND		ND		ND		ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
4-Chlorotoluene	ND	ND	ND	ND		ND	ND		ND		ND		ND		ND		ND		ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
Dibromochloromethane	ND	ND	ND	ND		ND	ND		ND		ND		ND		ND		ND		ND																		
1,2-Dibromo-3-chloropropane	ND	ND	ND	ND		ND	ND		ND																												
1,2-Dibromoethane	ND	ND	ND	ND		ND	ND		ND																												
Dibromomethane	ND	ND	ND	ND		ND	ND		ND		ND		ND		ND		ND		ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
1,2-Dichlorobenzene	ND	0.31	0.21	ND		ND	ND		0.6		ND		ND		ND		ND		ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
1,3-Dichlorobenzene	ND	<DL	<DL	ND		ND	ND		0.6		ND		ND		ND		ND		ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
1,4-Dichlorobenzene	0.35	1.72	1.08	ND		1.0	2.0		1.0		0.9		0.7		0.6		1		0.7					0.7	0.6	0.6	0.8	0.7		0.8	1	0.8	0.7	0.7		1.96	
trans-1,4-Dichloro-2-butene																																					
Dichlorodifluoromethane	ND	ND	ND	2.0		ND	ND		3.0		0.5		ND		ND		1		0.7					0.9	J	ND	ND	ND	ND		ND	ND	ND	ND	0.7		ND
1,1-Dichloroethane	2.29	16.6	8.77	16.0		9.0	16.0		3.0		6.0		6		3		9		ND					4	5	4	5	6		5	7	6	6	7		5.26	
1,2-Dichloroethane	ND	0.51	0.29	ND		ND	ND		ND		ND		ND		ND		ND		ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
1,1-Dichloroethene	ND	ND	<DL	ND		ND	ND		ND		ND		ND		ND		ND		ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
cis-1,2-Dichloroethene	ND	32.3	23.3	9.0		11.0	15.0		5.0		7.0		5		5		11		11					6	4	6	5	8		6	10	9	11	10		7.19	
trans-1,2-Dichloroethene	3.03	1.66	0.80	ND		ND	ND		ND		ND		ND		ND		ND		ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
1,2-Dichloropropane	ND	ND	ND	ND		ND	ND		ND		ND		ND		ND		ND		ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
1,3-Dichloropropane	ND	ND	ND	ND		ND	ND		ND		ND		ND		ND		ND		ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
2,2-Dichloropropane	ND	ND	ND	ND		ND	ND		ND		ND		ND		ND		ND		ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
1,1-Dichloropropene	ND	ND	<DL	ND		ND	ND		ND		ND		ND		ND		ND		ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
cis-1,3-Dichloropropene	ND	ND	ND	ND		ND	ND		ND		ND		ND		ND		ND		ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
trans-1,3-Dichloropropene	ND	ND	ND	ND		ND	ND		ND		ND		ND		ND		ND		ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
Ethylbenzene	ND	0.53	0.14	3.0		2.0	ND		1.0		1.0		2		ND		2		0.6					ND	0.7	ND	ND	ND		ND	ND	ND	ND	ND		1.11	
2-Hexanone																																					
Hexachlorobutadiene	ND	ND	ND	ND		ND	ND		0.6		ND		ND		ND		ND		ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
Iodomethane																																					
Isopropylbenzene	ND	<DL	0.33	ND		ND	ND		0.5		ND		ND		ND		0.5		ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		1.17	
p-Isopropyltoluene	ND	2.03	ND	ND		ND	ND		ND		ND		ND		ND		ND		ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
Methylene chloride	ND	<DL	<DL	1.0		2.0	25.0		0.6		ND		ND		ND		ND		ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
4-Methyl-2-pentanone																																					
Naphthalene	ND	0.91	0.20	ND		ND	ND		0.5		ND		ND		ND		ND		ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
n-Propylbenzene	ND	0.22	0.19	ND		ND	ND		0.5		ND		ND		ND		ND		ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
Styrene	ND	ND	ND	ND		ND	ND		ND		ND		ND		ND		ND		ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
1,1,1,2-Tetrachloroethane	ND	ND	ND	ND		ND	ND		ND		ND		ND		ND		ND		ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND		ND	ND		ND		ND		ND		ND		ND		ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
Tetrachloroethene	ND	ND	<DL	ND		ND	ND		ND		ND		ND		ND		ND		ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
Toluene	ND	0.76	0.35	ND		2.0	ND		ND		ND		ND		ND		ND		ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
1,2,3-Trichlorobenzene	ND	ND	ND	ND		ND	ND		ND		ND		ND		ND		ND		ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
1,2,4-Trichlorobenzene	ND	ND	ND	ND		ND	ND		0.6		ND		ND		ND		ND		ND					ND	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	
1,1,1-Trichloroethane	ND	4.47	3.19	ND		1.0	1.0		0.5		ND		ND		ND		ND		1					0.6	ND	0.7	ND	ND		ND	ND	ND	ND	ND		ND	
1,1,2-Trichloroethane	ND	ND	ND	ND		ND	ND		ND		ND		ND		ND		ND		ND					ND	ND	ND	ND	ND									

SEEP
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
CLEAN, NEW YORK

	9/90	12/90	3/91	6/91	9/91	12/91	3/92	6/92	9/92	12/92	3/93	6/93	9/93	12/93	3/94	6/94	9/94	12/94	3/95	6/95	9/95	12/95	4/96	9/96	3/97	9/97	3/98	9/98	3/99	9/99	3/00	9/00	3/01	9/01	3/02
PARAMETER METALS (mg/L)																																			
Aluminum	ND								0.06				0.2				0.87							ND		0.23				0.09		ND			
Calcium	12.8	40	32.8	41.6		29.0	35.3	42.1	26.7	33.8	33.2	39.3	38.2	35.7	28	28.1	40.6	29	29.9	39.5		45.8	29.6	32.4	27.6	32.2	37.3		40.4	49.2	39.2	41.6	38		54.2
Iron	3.62	17.1	9.6	24.7		8.94	8.2	57.7	5.53	8.32	16.1	14.0	22.1	9.8	6.49	8.4	47.9	10.5	9.41	16.7		16.4	7.44	8.89	23.8	11.1	18.7		12.1	11.8	6.2	17.7	19.1		121
Magnesium	4	9	10.3	13.6		9.0	10.9	14.3	8.26	10.1	10.7	12.9	12.8	11.6	9.09	8.86	12.6	8.86	9.17	13.5		14.4	8.82	10.9	8.98	10.7	11.2		12.8	16.2	12.7	14.3	12.5		14.6
Manganese	3.85	11.3	9.2	9.65		6.3	9.48	10.8	5.52	8.82	8.02	9.59	8.5	8.4	5.74	6.53	8.82	6.89	6.97	8.63		10.8	6.39	6.59	6.23	6.24	8.21		6.68	9.27	7.13	8.03	7.73		11.3
Potassium	2	3.2	2.4	3.3		3.2	4.5	4.2	3.34	3.78	2.22	2.92	2.63	3.23	3.04	2.53	2.94	2.9	2.6	3.20		3.89	2.39	2.85	2.56	2.94	2.76		3.4	3.94	3.23	3.39	2.93		4.3
Sodium	4	10.3	7.1	8.2		8.3	8.8	10.1	7.22	7.23	6.31	6.64	7.92	6.71	6.43	6.12	9	6.11	5.25	7.41		8.17	4.80	6.69	5.12	6.37	5.46		7.08	9.23	6.51	7.54	6.08		8.06
PARAMETER (mg/l) TOXIC METALS																																			
Antimony	ND								ND				ND				0.03							0.028		ND				ND		ND			
Arsenic	<DL								0.005				0.019				0.040						0.009		0.02					0.01		0.027			
Barium	0.05								0.11				0.18				0.22						0.131		0.14					0.21		0.172			
Beryllium		ND							ND				ND				ND						ND		ND	ND	ND			ND		ND			
Cadmium		<DL	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND
Chromium (Total)	ND								ND				0				0.02						ND		ND	ND	ND			ND		ND			
Copper	ND								ND				ND				ND						ND		ND	ND	ND			ND		ND			
Lead	ND		0.003	ND		ND	0.030	0.014	ND	ND	0.002	0.001	0	0.007	0.002	0.002	0.005	0.001	ND	0.007		0.002	0.001	0.006	0.005	0	ND		0	0	ND	0.005	0		0.004
Mercury	ND								ND				ND				ND						ND		ND	ND	ND			ND		ND			
Nickel	0.11								ND				0.03				0.05						0.023		0.03				0.04		0.032				
Selenium	ND	<DL							ND				ND				ND						ND		ND	ND	ND			ND		ND			
Silver	ND								ND				ND				0.01						ND		ND	ND	ND			ND		ND			
Thallium	<DL								ND				ND				ND						ND		ND	ND	ND			ND		ND			
Zinc	ND								0.003				0.02				0.02						ND		0.02					0.03	ND				
PARAMETER (mg/l) LEACHATE INDICATORS																																			
Alkalinity	102	190	167	176		168	204	194	112	143	86.4	224	169	173	124	125	213	166	155	211		204	80.0	160	104	139	169		190	227	177	160	182		192
Biochemical Oxygen Demand	3								ND				ND				4						ND	ND	ND	ND	ND		ND		ND				
Boron	ND								ND				ND				ND						0.074	0.04	0.07				0.11		0.113				
Chemical Oxygen Demand	4.5	18	20	9		24.0	22.0	22.0	27.1	16.2	21.8	14.4	ND	21	14.4	ND	46.1	ND	ND	15.3		18.4	ND	ND	ND	ND	ND		17.4	ND	23.6	ND	15.8		23.6
Chromium (Hexavalent)	ND								ND				ND				ND						ND		ND	ND	ND			ND		ND			
Chloride	6.1	13	15	15		13.0	20.0	17.0	7.14	8.5	11	12.8	12.8	10.4	7.34	7.71	16.8	7.71	7.69	11.6		14	7.72	10.4	5.54	8.17	7.24		12.2	14.9	7.56	9.45	6.97		10.9
Color (PCU units)	45								65.0				75				60						150		40				25		300				
Nitrate-Nitrite	0.1	<DL	<DL	ND		0.22	ND	ND	0.52	1.3	1.52	0.18	ND	0.63	ND	0.11	ND	ND	ND	ND		1.9	ND	ND	ND	1.47	ND		0.11	3.06	0.09	0.191	ND		0.289
Nitrogen-Ammonia	1.5	<DL	<DL	0.3		1.5	3.1	7.4	2.93	3.5	3.07	3.55	3.61	2.87	1.21	2.44	3.74	2.76	2.93	3.02		2.61	2.24	2.59	2.31	2.18	3.06		1.86	3.11	2.25	2.63	2.48		2.82
Phenols	0.003	<DL	ND	0.006		ND	ND	ND	0.009	0.026	0.010	0.017	0.023	0.001	0.006	0.003	0.015	0.012	0.006	0.021		0.035	0.012	0.012	0.006	0.01	0.01		0.01	0.03	0.01	0.0099	0.02		0.0199
Sulfate	<DL	5.1	8	8		14.0	18.0	ND	16.0	15.0	45	7.6	15	11	9	14	15	17	8.3	12		40	16	13	8.5	25	10		13	11	7.9	25	11		14.7
Total Organic Carbon (TOC)	3.7	8	8.1	6		9.0	7.0	16.0	6.0	11.4	5.2	7	8.5	11.5	3.6	4.8	8.8	4.1	4.4	6.6		9.1	4.3	4.2	6.0	4.5	5.8		5.7	9.5	4.6	4.5	5.1		6.9
Total Dissolved Solids (TDS)	132	200	211	231		165	200	195	129	172	189	230	178	224	128	148	262	179	171	220		262	161	1700	150	185	179		206	247	207	200	224		240
Total Hardness	48.5	137	124	160		110	133	164	111	144	142	168	186	198	164	123	261	109	112	154		174	110	126	106	124	139		154	190	150	163	146		195
Total Kjeldahl Nitrogen (TKN)	1.8								2.14				4.17				5.91						2.89		2.54				3.83		5.31				
Turbidity (NTU units)	5	122	40.2	120		15.5	5.0	345	8.9	3.1	320	18	21	30	5.1	7.5	170	7	11	14		18	7	27	21	11	16		26	2.6	5.4	35	7		23
Cyanide	<DL								ND				ND				ND						ND		ND	ND	ND			ND		ND			

SEEP
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
CLEAN, NEW YORK

PARAMETER VOLATILES (ug/L)	9/02	3/03	9/03	3/04	9/04	3/05	9/05	3/06	11/06	4/07	10/07	4/08	10/08	4/09	9/09	4/10	9/10	5/11	10/11	5/12	10/12	6/13	10/13	6/14	10/14	6/15	11/15	5/16	10/16	3/17	10/17	5/18	9/18	4/19	MEAN	NYS STD	
Acetone							ND	1.7	2.8	3.4	4.8	2	3.9	2.6	ND	2.9	1.1	ND	ND	ND	ND	1.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.4	ND	ND	1.05	50.0
Acrylonitrile							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0
Benzene		0.58	2	1.4	1.7	0.35	3.9	2	2.6	1.4	1.5	1.7	1.3	1.4	2.6	2	1.2	0.72	2.1	ND	ND	1.4	ND	ND	1.4	1.9	ND	ND	ND	ND	ND	2.2	ND	ND	1.44	1.0	
Bromobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0	
Bromochloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0	
Bromodichloromethane							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0
Bromoform							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	50.0
Bromomethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0
2-Butanone							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	50.0
n-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	0.01	5.0
sec-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	0.21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	0.00	5.0
tert-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	0.01	5.0
Carbon disulfide							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	60.0
Carbon tetrachloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0
Chlorobenzene	0.58	1.9	1.6	1.8	0.43	4.6	2.5	3	1.6	1.5	2.6	1.9	1.9	3.4	2.2	1.6	1.0	3.2	ND	ND	2.2	ND	ND	2.2	3.0	ND	ND	ND	ND	ND	3.0	ND	ND	1.27	5.0		
Chloroethane	ND	ND	0.68	ND	0.25	ND	0.39	0.46	0.26	ND	0.35	0.27	0.28	0.5	0.43	0.22	ND	ND	ND	ND	0.55	ND	ND	0.36	0.43	ND	ND	ND	ND	ND	ND	ND	ND	0.15	5.0		
Chloroform							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.05	7.0	
Chloromethane	ND	ND	ND	ND	ND	ND	ND	0.22	ND	ND	ND	ND	ND	ND	ND	0.32	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	5.0	
2-Chlorotoluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	0.00	5.0	
4-Chlorotoluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	0.00	5.0	
Dibromochloromethane							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	50.0
1,2-Dibromo-3-chloropropane							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	0.04
1,2-Dibromomethane							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0
Dibromomethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	0.7	ND	0.23	ND	ND	0.32	0.26	0.28	0.33	0.21	0.22	ND	ND	ND	ND	0.24	ND	ND	0.22	0.25	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.08	3.0	
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	0.01	3.0
1,4-Dichlorobenzene	ND	ND	0.9	1	ND	2	1.3	1.5	0.85	0.71	1.2	0.89	0.8	1.4	1	0.83	0.53	1.4	ND	ND	1	ND	ND	1.1	1.1	ND	ND	ND	ND	ND	ND	1.3	ND	ND	0.74	3.0	
trans-1,4-Dichloro-2-butene							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0	
Dichlorodifluoromethane	ND	ND	ND	1.1	ND	0.89	0.55	ND	0.38	0.53	0.4	0.67	0.37	0.7	0.48	0.65	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.2	ND	ND	4.7	0.34	5.0	
1,1-Dichloroethane	2.5	6.4	4.9	5.2	1.2	8.8	5.5	5.4	4.4	5.8	4.5	5	5.6	8.8	6.1	7.5	1.8	3.6	5.2	4.1	3.9	ND	5.4	3.6	4.7	ND	ND	ND	ND	ND	ND	ND	ND	4.90	5.0		
1,2-Dichloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.27	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	0.6	
1,1-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.11	5.0	
cis-1,2-Dichloroethene	3.1	10.6	7.1	8.3	1.8	19	10	11	8.6	11	8.1	22	12	25	16	19	2.4	9.4	9.1	8.6	8.7	11	9	9.7	16	ND	15	21.5	6.3	11.7	10.3	9.6	7.5	10.27	5.0		
trans-1,2-Dichloroethene	ND	0.6	ND	ND	ND	0.79	0.4	0.43	0.39	0.44	0.34	0.91	0.64	0.81	0.55	0.47	ND	ND	ND	ND	0.41	ND	ND	ND	0.55	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.24	5.0	
1,2-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	1.0	
1,3-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	0.00	5.0	
2,2-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	0.00	5.0	
1,1-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	0.00	5.0	
cis-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	0.4	
trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	0.4	
Ethylbenzene	ND	ND	ND	ND	ND	0.9	ND	0.61	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.28	5.0	
2-Hexanone							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	50.0	
Hexachlorobutadiene	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	0.01	0.5	
Iodomethane							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0
Isopropylbenzene	ND	ND	ND	ND	ND	0.61	0.38	0.61	ND	ND	0.26	ND	ND	0.4	0.3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	0.09	5.0
p-Isopropyltoluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	0.04	5.0	
Methylene chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.51	5.0
4-Methyl-2-pentanone							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	
Naphthalene	ND	ND	ND	ND	ND	0.38	ND	0.39	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	0.04	10.0
n-Propylbenzene	ND	ND	ND																																		

SEEP
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

	9/02	3/03	9/03	3/04	9/04	3/05	9/05	3/06	11/06	4/07	10/07	4/08	10/08	4/09	9/09	4/10	9/10	5/11	10/11	5/12	10/12	6/13	10/13	6/14	10/14	6/15	11/15	5/16	10/16	3/17	10/17	5/18	9/18	4/19	MEAN	NYS STD				
PARAMETER METALS (mg/L)																																								
Aluminum			ND		ND		ND		0.44		ND	ND		ND			ND	0.32			0.19	ND	-	-	ND	ND	-	ND	ND	0.101	0.056	-	0.0779	0.652	0.09					
Calcium		21.9	41.2	33.3	35.4	14.8	68	45.4	46.8	38.6	48.9	41.8	46.8	55	53.9	51.9	53.6	22.3	47.7	48	49	39	46.8	47	49.8	50.3	28.5	54.5	54.4	47.3	48.8	57.5	52.4	49	40.51					
Iron		79.6	10.8	7.87	12.1	3.1	17.1	14.1	47.1	9.4	1.8	11.4	8.7	14	24.3	15.7	18.2	6.2	10.6	15	25	12.1	7.69	14.1	13.8	20.7	0.14	15.7	10.1	13.4	9.27	15.9	14.3	21.9	17.20	0.3				
Magnesium		6.67	11.8	9.8	10.6	4.1	23.1	13.5	14.2	12.4	16.2	13.2	15.4	18.9	17.5	17	18	6.6	15.9	16	17	13.8	17.1	16.4	15.4	17	8.6	16.8	17.5	13.9	14.7	17.8	16.6	15.1	12.91	35.0				
Manganese		4.28	7.93	6.03	7.4	2	12.6	8.5	9.7	7.6	7.2	8.7	8.4	10.7	11.5	10.8	8.7	3.6	9.5	10	8.7	8.59	8.93	10.3	9.3	10.5	0.125	11	9.12	10.9	9.25	9.69	10.6	10.6	8.29	0.3				
Potassium		2.65	3.34	2.53	3.4	2	4.7	3.5	3.8	3	3.5	3.1	3.2	3.6	3.46	3.29	3.19	2.3	3.6	2.9	2.6	2.8	3.1	3.2	2.8	3.3	ND	ND	ND	5	4.39	3.77	4.24	3.81	3.07					
Sodium		3.89	5.93	4.99	5	2	10.5	6.2	6.4	5.4	7.2	6	6.8	8	6.6	5.8	7	2.8	7.1	5.5	ND	5.3	6.5	5	5.6	6.3	1.5	6.19	ND	6.59	6.04	6.16	6.64	5.95	6.27	20.0				
PARAMETER (mg/l) TOXIC METALS																																								
Antimony			ND		ND		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	0.00	0.003				
Arsenic			ND		0.02		0.01		0.06		ND	0.012		0.017			0.022	ND			ND	0.015	-	-	0.021	0.039	-	0.0177	0.0188	0.0164	0.02	-	0.0288	0.0261	0.01	0.025				
Barium			0.16		0.13		0.25		0.2		0.18	0.15		0.2			0.19	0.075			ND	0.157	-	-	0.185	0.21	-	ND	ND	0.15	0.182	-	0.177	0.168	0.11	1.0				
Beryllium			ND		ND		ND		ND	ND	ND	ND		ND			ND	ND			ND	0.0003	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	0.00					
Cadmium		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	0.005			
Chromium (Total)			ND		ND		ND		ND	ND	ND	ND		ND			ND	ND			ND	0.001	-	-	0.001	0.002	-	ND	ND	0.0066	0.0036	-	0.0107	ND	0.00	0.05				
Copper			ND		ND		ND		ND	ND	ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	0.00	0.2				
Lead		0.005	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	ND	ND	ND	ND	ND	ND	ND	0.0015	ND	0.0024	ND	ND	ND	0.00	0.025			
Mercury			ND		ND		ND		ND	ND	ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	ND	0.0033	-	ND	ND	0.00	0.0007				
Nickel			ND		ND		ND		ND	ND	ND	ND		ND			ND	ND			ND	0.004	-	-	0.004	0.004	-	ND	ND	0.0059	6E-05	-	0.0031	0.0145	0.01	0.1				
Selenium			ND		ND		ND		ND	ND	ND	ND		ND			ND	ND			ND	0.006	-	-	0.005	0.008	-	ND	ND	ND	ND	-	ND	ND	0.00	0.01				
Silver			ND		ND		ND		ND	ND	ND	ND		ND			ND	ND			ND	ND	-	-	0.002	0.004	-	ND	ND	ND	ND	-	ND	ND	0.00	0.05				
Thallium			ND		ND		ND		ND	ND	ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	0.0141	ND	ND	0.0042	-	ND	ND	0.00	0.0005				
Zinc			ND		ND		ND		ND	ND	ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	ND	0.0028	-	ND	ND	0.0059	0.00	2.0			
PARAMETER (mg/l) LEACHATE INDICATORS																																								
Alkalinity		85.7	180	150	132	46	261	178	174	172	232	128	245	245	181	207	218	144	228	210	210	ND	225	223	227	225	92.7	236	223	217	231	201	231	221	176.0					
Biochemical Oxygen Demand					4.4		2.8		ND		3.4	3.2		4.6			ND	ND		7	ND	6.8	-	-	7.9	5.1	ND	ND	ND	6.1	15.1	3.5	ND	6.2	2.3					
Boron			0.06		0.07		0.11		0.08		0.07	0.067		0.072			0.059	0.044			ND	0.07	-	-	0.05	0.07	-	ND	ND	0.0687	0.0811	-	0.0852	0.0575	0.0	1.0				
Chemical Oxygen Demand		11.5	9	ND	17.1	11.4	16.2	23.3	23.4	ND	ND	13.8	10	ND	16.9	ND	15.8	ND	16.8	ND	62	24.4	11.2	6.7	ND	17.3	7.5	-	35.9	46.3	33	58.4	44.1	32.2	15.0					
Chromium (Hexavalent)			ND		ND		ND		ND	ND	ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	-	ND	0.0099	-	-	ND	ND	0.0	0.05				
Chloride		3.26	7.9	5	4.8	1.5	15.9	6.5	8.8	5.6	8.9	4.8	7.4	8.1	7.02	6.4	7.28	4	6.6	6.41	5.59	4.6	6	4.9	3.8	6.3	ND	4.81	6.1	7.9	4.8	6.1	4.7	4.2	8.3	250.0				
Color (PCU units)			10		10		100		80		50	50		25			30	80		5	110	-	-	34	38	-	5	10	10		-	125	100	52.6	15.0					
Nitrate-Nitrite		0.21	ND	0.09	ND	0.19	ND	ND	ND	0.08	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.11	ND	ND	ND	ND	ND	0.2	10.0			
Nitrogen-Ammonia		1.47	2.8	2.3	1.4	0.76	3.4	1.9	1.6	2.1	1.9	2.4	2.3	2.71	2.68	1.96	1.9	0.92	3.5	2.84	1.98	2.61	2.68	2.32	2.65	2.98	ND	3.16	2.4	2.7	3.3	3.1	3	2.9	2.4	2.0				
Phenols		0.0052	0.002	ND	ND	0.02	ND	ND	0.01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0134	0.0089	0.0128	0.0094	0.0151	0.0172	0.0172	0.0079	0.0105	0.0	0.001		
Sulfate		7.44	7.9	8.5	9.2	5.9	7	7.2	6.3	7.7	10.9	5.2	8	7.5	7.25	7.66	8.08	4.8	6.3	ND	ND	5.8	7	5.2	5.8	5.5	22.6	5.44	8.3	3.9	5.2	3.7	5.6	4.7	10.2	250.0				
Total Organic Carbon (TOC)		2.8	6.9	3	3	2.6	8	3.9	6.2	4.2	3.9	4.6	4.9	5.2	3.6	2.9	4.1	4.8	4.5	ND	3.9	4.4	4.7	5	4.5	6.3	2.1	3.95	7.9	6.3	5.9	18.5	5.4	6.0	5.8					
Total Dissolved Solids (TDS)		126	208	180	194	67	331	208	129	191	215	195	235	271	246	256	257	94	211	230	290	220	227	250	236	232	128	263	238	213	237	262	217	318	229.7	500.0				
Total Hardness		82.2	151	123	132	53.8	265	169	175	147	189	159	180	220	210	200	210	82.9	184	190	190	154	187	185	188	196	107	220	240	180	250	250	200	180	162.1					
Total Kjeldahl Nitrogen (TKN)			3.6		2.8		4.2		2		3.3	2.8		3.11			2.57	1.4			2.52	2.9	3.04	-	-	2.78	3.23	-	3.02	2.2	3.3	3.9	3.9	2.9	3	2.5				
Turbidity (NTU units)		4.7	15	10	25.9	7.6	21	26.3	156	9.7	8.2	3.6	4.5	10	31	3	1	4	5.7	0.1	26.5	0.9	14	0	4.2	19.2	2.2	1.9	8.9	3.5	28.5	15.3	17.7	12.3	30.8	5.0				
Cyanide			ND		ND		ND		ND	ND	ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	-	ND	ND	-	-	ND	0.002	0.0	0.2				

(Shade) = Analyte reported at or above New York State standards (amended March and June 1998). These standards were used beginning with the 9/98 sampling event. Exceedances noted prior to this event reflect prior standards.

* = Applies to the sum of cis and trans-1,3-dichloropropene.

** = Guidance Value.

ND values are included in calculation of Mean and are considered equal to zero.

(Blank) or "-" = Not Analyzed.

ND = Not Detected.

<DL = Detected below method detection limit.

J = Estimated.

B = Analyte was detected in method blank.

STREAM
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

	9/90	12/90	3/91	6/91	9/91	12/91	3/92	6/92	9/92	12/92	3/93	6/93	9/93	12/93	3/94	6/94	9/94	12/94	3/95	6/95	9/95	12/95	4/96	9/96	3/97	9/97	3/98	9/98	3/99	9/99	3/00	9/00	3/01	9/01	3/02			
PARAMETER VOLATILES (ug/L)																																						
Acetone																																						
Acrylonitrile																																						
Benzene	<DL	ND	<DL		ND	ND			ND		ND				ND				ND				ND		ND	ND	ND		ND	ND	ND	ND	ND		ND			
Bromobenzene	ND	ND	ND			ND	ND		ND		ND				ND				ND				ND		ND	ND	ND		ND	ND	ND	ND	ND		ND			
Bromochloromethane	ND	ND	ND			ND	ND				ND				ND				ND				ND		ND	ND	ND		ND	ND	ND	ND	ND		ND			
Bromodichloromethane	ND	ND	ND			ND	ND				ND																											
Bromoform	ND	ND	ND			ND	ND				ND																											
Bromomethane	ND	ND	ND			ND	ND				ND				ND								ND		ND	ND	ND		ND	ND	ND	ND	ND		ND			
2-Butanone																																						
n-Butylbenzene	ND	ND	ND			ND	ND			ND					ND					ND				ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
sec-Butylbenzene	ND	ND	ND			ND	ND			ND					ND					ND				ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
tert-Butylbenzene	ND	ND	ND			ND	ND			ND					ND					ND				ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
Carbon disulfide																																						
Carbon tetrachloride	ND	ND	ND			ND	ND			ND					ND					ND				ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
Chlorobenzene	ND	ND	<DL			ND	ND			ND					ND				ND				ND		ND	ND	ND		ND	ND	ND	ND	ND		ND			
Chloroethane	ND	ND	<DL			ND	ND			ND					ND					ND				ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
Chloroform	ND	ND	<DL			ND	ND			ND																												
Chloromethane	ND	ND	ND			ND	ND								ND					ND				ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
2-Chlorotoluene	ND	ND	ND			ND	ND								ND					ND				ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
4-Chlorotoluene	ND	ND	ND			ND	ND								ND					ND				ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
Dibromochloromethane	ND	ND	ND			ND	ND																															
1,2-Dibromo-3-chloropropane	ND	ND	ND			ND	ND																															
1,2-Dibromoethane	ND	ND	ND			ND	ND																															
Dibromomethane	ND	ND	ND			ND	ND				ND													ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
1,2-Dichlorobenzene	ND	ND	ND			ND	ND				ND													ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
1,3-Dichlorobenzene	ND	ND	ND			ND	ND				ND													ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
1,4-Dichlorobenzene	ND	ND	ND			ND	ND								ND									ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
trans-1,4-Dichloro-2-butene																																						
Dichlorodifluoromethane	ND	ND	ND			ND	ND				ND													ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
1,1-Dichloroethane	ND	0.45	0.54			ND	ND				1.0													ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
1,2-Dichloroethane	ND	ND	<DL			ND	ND				ND													ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
1,1-Dichloroethene	ND	ND	<DL			ND	ND				ND													ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
cis-1,2-Dichloroethene	ND	0.68	1.63			ND	ND				1.0				ND									ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
trans-1,2-Dichloroethene	ND	ND	ND			ND	ND								ND									ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
1,2-Dichloropropane	ND	ND	ND			ND	ND				ND													ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
1,3-Dichloropropane	ND	ND	0.10			ND	ND				ND				ND									ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
2,2-Dichloropropane	ND	ND	ND			ND	ND				ND				ND									ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
1,1-Dichloropropene	ND	ND	ND			ND	ND								ND									ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
cis-1,3-Dichloropropene	ND	ND	ND			ND	ND								ND									ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
trans-1,3-Dichloropropene	ND	ND	ND			ND	ND								ND									ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
Ethylbenzene	ND	ND	ND			ND	ND				ND				ND									ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
2-Hexanone																																						
Hexachlorobutadiene	ND	ND	ND			ND	ND				ND													ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
Iodomethane																																						
Isopropylbenzene	ND	ND	ND			ND	ND				ND													ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
p-Isopropyltoluene	ND	ND	ND			ND	ND								ND									ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
Methylene chloride	3.62	ND	<DL			1.0	3.0				ND													ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
4-Methyl-2-pentanone																																						
Naphthalene	ND	ND	<DL			ND	ND				ND													ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
n-Propylbenzene	ND	ND	ND			ND	ND				ND													ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
Styrene	ND	ND	ND			ND	ND				ND													ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
1,1,1,2-Tetrachloroethane	ND	ND	ND			ND	ND				ND													ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
1,1,2,2-Tetrachloroethane	ND	ND	ND			ND	ND								ND									ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
Tetrachloroethene	ND	ND	ND			ND	ND								ND									ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
Toluene	ND	ND	<DL			ND	ND				1.0				ND									ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
1,2,3-Trichlorobenzene	ND	ND	ND			ND	ND				ND													ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
1,2,4-Trichlorobenzene	ND	ND	ND				ND																	ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
1,1,1-Trichloroethane	ND	ND	<DL			ND	ND				ND													ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
1,1,2-Trichloroethane	ND	ND	<DL			ND	ND																	ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
Trichloroethene	ND	ND	0.73			ND	ND																	ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
Trichlorofluoromethane	ND	ND	ND			ND	ND								ND									ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
1,2,3-Trichloropropane	ND	ND	ND			ND	ND								ND									ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
1,2,4-Trimethylbenzene	ND	ND	ND			ND	ND								ND									ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
1,3,5-Trimethylbenzene	ND	ND	ND			ND	ND								ND									ND		ND	ND	ND		ND	ND	ND	ND	ND		ND		
Vinyl acetate																			</																			

STREAM
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

	9/90	12/90	3/91	6/91	9/91	12/91	3/92	6/92	9/92	12/92	3/93	6/93	9/93	12/93	3/94	6/94	9/94	12/94	3/95	6/95	9/95	12/95	4/96	9/96	3/97	9/97	3/98	9/98	3/99	9/99	3/00	9/00	3/01	9/01	3/02
PARAMETER METALS (mg/L)																																			
Aluminum	ND								31.1	14.2	ND			19.9	9.94	26.6		20	18.3				16.3		14.6	13.6	21.5		13.4	25.1	17.4	33.4	22.3		17.3
Calcium	6.1	13.4	21.7			14.4	13.5		28.8		ND			0.03	0.2	0.79		2.03	0.15				0.05		0.19	0.44	0.32		0.29	0.65	0.14	0.67	0.89		0.15
Iron	0.06	0.8	2.4			0.07	ND		51	0.54	71			5.8	2.64	7.07		5.83	5.04				4.26		3.98	3.02	6.02		3.43	6.52	4.65	9.26	6.8		4.78
Magnesium	2	2.7	6.8			3.7	3.9		11.6	3.79	132			0.35	0.06	0.25		0.94	0.28				0.01		0.05	0.06	0.83		0.1	1.11	0.08	0.95	0.59		0.02
Manganese	0.26	0.33	2			ND	0.01		23.2	0.72	31.5			1.59	1.26	1.43		1.85	1.47				1.47		1.26	1.71	1.71		1.41	1.86	1.5	2.21	1.64		1.26
Potassium	1.1	0.9	1.7			1.6	1.5		5.45	1.71	5.86			2.62	1.14	4.04		3.6	2.78				2.15		1.93	0.97	2.95		1.31	2.98	1.99	5.2	3.37		2.39
Sodium	ND	1.5	5.4			2.9	2.6		5.5	1.94	4.83																								
PARAMETER (mg/l) TOXIC METALS																																			
Antimony	ND								0.03																	ND			ND		ND				
Arsenic	<DL								0.024																	ND			ND		ND				
Barium	ND								0.37																	ND			0.03		0.04				
Beryllium	ND								0																	ND			ND		ND				
Cadmium	ND	ND	ND			ND	ND		ND	ND	ND			ND	ND	ND		ND	ND				ND		ND	ND	ND		ND	ND	ND	ND	ND		ND
Chromium (Total)	ND								0.04																	ND			ND		ND				
Copper	ND								ND																	ND			ND		ND				
Lead	ND	<DL	<DL			ND	0.040		0.018	ND	0.007			0.002	ND	0.002		0.006	ND				ND		0.002	ND	ND		ND	0	ND	0.01	0		ND
Mercury	ND								ND																	ND			ND		ND				
Nickel	0.15								0.097																	ND			ND		ND				
Selenium	ND	ND				ND			ND																	ND			ND		ND				
Silver	ND								ND																	ND			ND		ND				
Thallium	<DL								ND																	ND			ND		ND				
Zinc	ND								0.13																	ND			ND		ND				
PARAMETER (mg/l) LEACHATE INDICATORS																																			
Alkalinity	64	57	85			28	38		106	44.3	97.6			55	30.2	96.3		63.6	63.9				39.8		44.9	31.9	93		24.6	157	50.7	117	70		49.3
Biochemical Oxygen Demand	4								ND																	ND									
Boron	ND								0.07																	ND				0.06		0.09			
Chemical Oxygen Demand	10.1	11	11.4			ND	ND		46	ND	8.7			ND	ND	ND		ND	ND				ND		ND	34.6	ND		10.6	ND	ND	10.7	ND		ND
Chromium (Hexavalent)	ND								ND																	ND			ND		ND				
Chloride	ND								ND																	ND			ND		ND				
Color (PCU units)	19								50														ND		1.97	ND	3.76		2.44	5.85	2.06	10.3	4.02		2.74
Nitrate-Nitrite	0.3	<DL	<DL			ND	0.19		1.8	0.13	0.72			0.52	0.13	0.1		2.28	0.31				0.500		0.442	ND	0.41		1.86	ND	0.25	0.86	0.58		0.34
Nitrogen-Ammonia	<DL	<DL	<DL			0.2	0.1		0.04	0.54	1.02			0.54	0.15	0.53		0.32	0.32				0.06		0.1	0.03	0.51		ND	0.13	0.12	ND	0.3		0.29
Phenols	0.001	ND	<DL			ND	ND		ND	ND	ND			ND	0.007	0.006		ND	ND				ND		0.005	0.02	ND		ND	ND	ND	ND	ND		ND
Sulfate	22.1	5.2	16.2			40	15.0		13	15	23			19	8	13		68	7.1				13		14	16	8.1		21	30	18	23	13		14.8
Total Organic Carbon (TOC)	5.6	5	4			3	2.0		8.9	5.1	4.6			4	3.8	5.2		3.4	3.0				3.9		2.9	2.4	3.6		3.8	4.3	2.9	4.9	3		3.2
Total Dissolved Solids (TDS)	110	254	144			110	89.0		76	48	128			123	24	126		140	82				86		58	100	110		81	103	87	151	118		96
Total Hardness	23	44.6	82			51	51.0		101	55	127			116	64	112		73.9	66.4				58.2		52.8	46.4	78.5		47.6	89.5	62.6	122	83.7		62.9
Total Kjeldahl Nitrogen (TKN)	0.4								1.5																	1.55					3.42				
Turbidity (NTU units)	<DL	18	9			0.4	1.0		340	7.9	175			5	2.6	0.52		12	2.8				1		0.56	3.4	4.3		5.5	0.59	0.81	2.7	2.3		0.38
Cyanide	0.013								ND																	ND				ND		ND			

STREAM
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

	09/02	3/03	9/03	3/04	9/04	3/05	9/05	3/06	11/06	4/07	10/07	4/08	10/08	4/09	9/09	4/10	9/10	5/11	10/11	5/12	10/12	6/13	10/13	6/14	10/14	6/15	11/15	5/16	10/16	3/17	10/17	5/18	9/18	4/19	MEAN	NYS STD			
PARAMETER VOLATILES (ug/L)																																							
Acetone							ND	ND	ND	3.1	4.9	2.0	ND	ND	ND	1.6		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.50	50	
Acrylonitrile							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5	
Benzene		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	1.0	
Bromobenzene		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	0.00	5.0	
Bromochloromethane			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0
Bromodichloromethane			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	50.0
Bromoform			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	50.0
Bromomethane		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	0.34	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	5.0
2-Butanone							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	50.0
n-Butylbenzene		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	0.00	5.0
sec-Butylbenzene			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	0.00	5.0
tert-Butylbenzene			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	0.00	5.0
Carbon disulfide							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	0.33	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	60.0
Carbon tetrachloride		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0
Chlorobenzene			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0
Chloroethane		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0
Chloroform			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	7.0
Chloromethane		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0
2-Chlorotoluene			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	0.00	5.0
4-Chlorotoluene			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	0.00	5.0
Dibromochloromethane			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	50.0
1,2-Dibromo-3-chloropropane			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	0.04
1,2-Dibromoethane			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0
Dibromomethane		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0
1,2-Dichlorobenzene		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	3.0
1,3-Dichlorobenzene		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	0.00	3.0
1,4-Dichlorobenzene		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	3.0
trans-1,4-Dichloro-2-butene							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0
Dichlorodifluoromethane		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	ND	-	-	0.00	5.0	
1,1-Dichloroethane			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.04	5.0
1,2-Dichloroethane		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	0.6
1,1-Dichloroethene			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0
cis-1,2-Dichloroethene		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.07	5.0
trans-1,2-Dichloroethene		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0
1,2-Dichloropropane		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	1.0
1,3-Dichloropropane		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	ND	-	-	-	0.00	5.0	
2,2-Dichloropropane			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	ND	-	-	-	0.00	5.0	
1,1-Dichloropropene		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	ND	-	-	-	0.00	5.0	
cis-1,3-Dichloropropene		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	0.4
trans-1,3-Dichloropropene		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	0.4
Ethylbenzene			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0
2-Hexanone							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	50.0
Hexachlorobutadiene		ND		ND	ND	ND			ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	0.00	0.5
Iodomethane							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0
Isopropylbenzene		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	0.00	5.0
p-Isopropyltoluene		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	0.00	5.0
Methylene chloride			ND	ND	ND	ND			ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.15	5.0
4-Methyl-2-pentanone							ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	10
Naphthalene		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND													

STREAM
HISTORICAL ANALYTICAL RESULTS
ISCHUA LANDFILL
OLEAN, NEW YORK

	09/02	3/03	9/03	3/04	9/04	3/05	9/05	3/06	11/06	4/07	10/07	4/08	10/08	4/09	9/09	4/10	9/10	5/11	10/11	5/12	10/12	6/13	10/13	6/14	10/14	6/15	11/15	5/16	10/16	3/17	10/17	5/18	9/18	4/19	MEAN	NYS STD		
PARAMETER METALS (mg/L)																																						
Aluminum					ND		ND		2.3		1	0.48		0.439				1.3				0.31	1.64	-	-	0.15	0.15	-	0.398	ND	0.533	0.233	-	0.139	0.208	1.31		
Calcium		8.01		21.2	29.6	7.5	29.9	22.8	25.2	17.1	21.2	18	34.5	40.4	43.1	35.9		10.7	22.1	36	42	34	29.4	33	24.2	25.8	27.9	41.3	33.7	19.3	32.4	33.8	28.6	31.2	23.36			
Iron		0.46		0.74	0.05	0.66	0.06	0.18	2.5	1.2	1	0.42	0.06	0.405	0.407	0.787		1	0.22	0.52	0.47	1.74	0.24	0.18	0.28	0.47	ND	0.524	ND	0.963	0.319	0.655	0.224	0.34	2.78	0.3		
Magnesium		2.12		5.68	8	1.8	8.6	6.2	7.5	4.7	5.7	5.2	10.3	12	13.1	11.4		2.7	6.6	12	12	11.1	9.7	11.1	6.9	7.5	8.8	10.3	9.52	5.46	9.45	9.63	7.74	9.16	9.21	35		
Manganese		0.04		0.45	0.33	0.13	0.08	0.05	0.54	0.34	0.15	0.06	0.03	0.116	0.222	0.506		0.1	0.075	0.27	0.13	0.497	0.111	0.101	0.108	0.192	0.012	0.554	ND	0.198	0.082	0.378	0.242	0.375	1.30	0.3		
Potassium		1.86		1.51	2.4	1.4	2	1.7	2.2	1.4	2.1	1.6	1.8	2.55	2.38	2.58		1.4	1.6	2	1.7	2.2	ND	ND	1.5	1.8	ND	ND	ND	1.9	2.47	2.95	2.45	2.49	1.77			
Sodium		1.36		2.01	3.4	ND	5.2	2.5	3	1.6	2.3	1.8	5	6	5	4.3		ND	1.9	4.6	ND	4.2	3.2	3.2	1.6	1.7	3	ND	ND	3.18	3.52	3.61	2.29	2.89	2.71	20.0		
PARAMETER (mg/l) TOXIC METALS																																						
Antimony					ND		ND		ND		ND	ND		ND				ND				ND	ND	-	-	ND	ND	-	ND	ND	ND	-	ND	ND	0.00	0.003		
Arsenic					ND		ND		ND		ND	ND		ND				ND				ND	ND	-	-	ND	ND	-	ND	ND	ND	-	ND	ND	0.00	0.025		
Barium					ND		0.02		0.02		0.019	0.01		0.027				0.012				ND	0.027	-	-	0.01	0.011	-	ND	ND	0.011	0.015	-	0.01	0.013	0.02	1.0	
Beryllium					ND		ND		ND		ND	ND		ND				ND				ND	4E-04	-	-	ND	ND	-	ND	ND	ND	-	ND	ND	0.00	0.005		
Cadmium		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005		
Chromium (Total)					ND		ND		ND		ND	ND		ND				ND				ND	0.001	-	-	ND	ND	-	ND	ND	ND	-	0.0031	ND	0.00	0.05		
Copper					ND		ND		ND		ND	ND		ND				ND				ND	ND	-	-	ND	ND	-	ND	ND	ND	-	0.0046	ND	0.00	0.2		
Lead		ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	0.001	ND	0.002	ND	ND	ND	ND	ND	ND	ND	ND	0.001	ND	ND	ND	0.00	0.025		
Mercury					ND		ND		ND		ND	ND		ND				ND				ND	ND	-	-	ND	ND	-	ND	ND	ND	7E-05	-	ND	ND	0.0007		
Nickel					ND		ND		ND		ND	ND		ND				ND				ND	ND	-	-	ND	ND	-	ND	ND	0.001	ND	-	0.0013	0.0059	0.01	0.1	
Selenium					ND		ND		ND		ND	ND		ND				ND				ND	ND	-	-	ND	0.003	-	ND	ND	ND	ND	-	ND	ND	0.00	0.01	
Silver					ND		ND		ND		ND	ND		ND				ND				ND	ND	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	0.00	0.05	
Thallium					ND		ND		ND		ND	ND		ND				ND				ND	ND	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	0.00	0.0005	
Zinc					ND		ND		ND		ND	ND		ND				ND				ND	0.005	-	-	ND	ND	-	ND	ND	0.001	0.003	-	ND	ND	0.0054	0.00	2.0
PARAMETER (mg/l) LEACHATE INDICATORS																																						
Alkalinity		21.2		65	111	12.2	85.1	69.2	55.1	48.3	67.8	59	132	160	172	145		40.7	71.5	130	150	144	114	141	86.8	90.9	100	136	96	60.2	134	98.6	103	109	83.6			
Biochemical Oxygen Demand					ND		ND		ND		ND	ND		ND				ND		ND	6	ND	-	-	ND	ND	ND	ND	ND	1.2	1	7.7	ND	1	0.6			
Boron					ND		0.06		ND		0.035	ND		0.069				ND		ND	0.07	-	-	ND	ND	0.04	-	ND	ND	0.018	0.041	-	0.0288	0.0353	0.0	1.0		
Chemical Oxygen Demand		ND		9	ND	ND	ND	ND	ND	15.4	ND	ND	ND	ND	ND	12.6		14.6	16.5	ND	ND	9.5	8.1	14.3	9	28.6	11.3	-	ND	23.4	14	21.6	0.0441	10.2	6.7			
Chromium (Hexavalent)					ND		ND		ND		ND	ND		ND				ND		ND	ND	-	-	ND	ND	-	-	ND	0.007	-	-	ND	ND	0.0	0.05			
Chloride		ND		1.9	3.2	ND	10.7	2.3	3.3	1.1	2	1.5	7.6	4.7	6.24	4.38		ND	1.3	2.61	4.26	2.8	3.8	2.5	ND	ND	2.9	2.47	ND	2.7	3.3	2.9	1.3	1.7	2.8	250		
Color (PCU units)				5			10		25		30	20		ND				80			5	12	-	-	34	105	-	15	10	15	-	-	30	5	19.8	15.0		
Nitrate-Nitrite		0.22		0.58	0.17	0.21	ND	0.17	0.26		0.23	0.24	ND	0.107				ND	ND	0.228	0.098	ND	ND	ND	ND	ND	ND	ND	0.23	ND	0.28	0.2	0.39	ND	0.3	10.0		
Nitrogen-Ammonia		ND		0.1	ND	0.13	ND	ND	ND	0.13	ND	0.12	ND	ND	ND	0.28		ND	ND	ND	ND	ND	ND	ND	ND	ND	0.051	ND	ND	0.1	0.084	0.028	0.058	0.15	0.1	2.0		
Phenols		ND		0.002	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	0.007	ND	0.006	0.009	0.002	0.006	0.0051	0.0089	ND	0.0	0.001	
Sulfate		6.41		15	8.8	3.8	20	12.8	9.1	8.6	17.6	8.3	5.6	4.9	4.65	8.21		4.5	10.1	ND	ND	5.2	11.6	7.4	7.5	5.5	10.1	6.65	41.2	5.9	8.7	7.0	6.9	8.6	13.3	250		
Total Organic Carbon (TOC)		2.3		2.8	2.3	2.6	2.7	2.6	2.7	3.6	3.2	2.7	3.4	3.1	1.9	1.4		6.1	2.4	ND	4	3.5	3.6	3	6.1	10.3	3	3.32	4	ND	4.9	15.5	7.5	3.3	3.9			
Total Dissolved Solids (TDS)		62		115	160	41	167	108	72	164	104	90	195	168	166	144		43	80	160	170	154	134	152	112	120	128	150	148	98	148	143	113	153	118.6	500		
Total Hardness		28.7		76	ND	26.1	110	82.4	93.8	62	76.4	66.3	ND	150	160	140		37.7	82.2	140	150	131	114	128	88.7	95.3	106	104	140	60	116	120	80	90	83.8			
Total Kjeldahl Nitrogen (TKN)					ND		ND		ND		ND	ND		ND				ND		ND	ND	ND	-	-	0.49	0.86	-	0.17	0.18	0.48	0.15	0.21	0.31	0.38	0.3			
Turbidity (NTU units)		8.8		15	2	41.7	1.3	9.2	23	17.1	7.5	3	3.9	21	0	6		9	4.3	10.2	6.9	38.4	1.7	0	7	-	0.76	17.2	2	13.6	46	40.3	1.3	19.7	18.0	5.0		
Cyanide					ND		ND		ND		ND	ND		0.027				ND				ND	ND	-	-	ND	ND	-	-	ND	ND	-	-	ND	ND	0.0	0.2	

(Shade) = Analyte reported at or above New York State standards (amended March and June 1998). These standards were used beginning with the 9/98 sampling event. Exceedances noted prior to this event reflect prior standards.

* = Applies to the sum of cis and trans-1,3-dichloropropene.

** = Guidance Value.

ND values are included in calculation of Mean and are considered equal to zero.

(Blank) or "-" = Not Analyzed.

ND = Not Detected.

<DL = Detected below method detection limit.

J = Estimated.

B = Analyte was detected in method blank.