

# Spring 2020 Routine Semi-Annual Monitoring Event Water Quality Monitoring Report

Location:

Ischua Landfill  
Olean, New York  
(NYSDEC Facility ID #05S20)

Prepared for:

City of Olean  
101 East State Street  
P.O. Box 668  
Olean, New York 14760

June 2020  
LaBella Project No. 220134

Ischua Landfill  
Olean, New York  
(NYSDEC Facility ID #05S20)

Spring 2020  
Semi-Annual Monitoring Routine Event  
Water Quality Monitoring Report

TABLE OF CONTENTS

1.0	INTRODUCTION .....	1
2.0	BACKGROUND INFORMATION .....	1
3.0	SAMPLE COLLECTION PROCEDURES .....	2
3.1	General Discussion .....	2
3.2	Groundwater Sample Collection Procedures .....	2
3.3	Surface Water Sample Collection Procedures .....	3
3.4	Field Parameter Measurements .....	3
3.5	Quality Assurance/Quality Control .....	3
3.6	Shipping and Chain-of-Custody .....	3
3.7	Health and Safety .....	3
4.0	DATA VALIDATION .....	3
4.1	Data Validation .....	3
4.2	Quality Assurance/Quality Control .....	4
4.2.1	Duplicate .....	4
4.2.2	Trip Blank .....	4
5.0	ANALYTICAL RESULTS .....	4
5.1	General Discussion .....	4
5.2	Summary of Results .....	4
5.2.1	Volatile Organic Compound Results .....	4
5.2.2	Inorganic Parameters .....	5
5.2.3	Leachate Indicator Parameters .....	5
5.2.4	Comparison of Sampling Results .....	5
6.0	SUMMARY AND CONCLUSIONS .....	6

Figures  
Tables  
Appendices



## 1.0 INTRODUCTION

---

LaBella Associates, D.P.C (LaBella) was retained by the City of Olean to provide sampling, analysis, and reporting services associated with water quality monitoring at the closed Ischua Landfill (site). Groundwater monitoring is conducted at the site in accordance with Order on Consent 89-92 issued by the New York State Department of Environmental Conservation (NYSDEC) and the December 1990 Sampling and Analysis Plan (SAP) with subsequent modifications in 1991 and 1995. These modifications, as well as other modifications to the SAP, are discussed in detail in Section 2.0.

This report presents the results of the Spring 2020 Routine Semi-Annual Monitoring Event conducted for twelve monitoring wells and two surface water points at the site. This report provides a brief discussion of the relevant background information, describes the sample collection procedures, presents the analytical results, and provides a summary and conclusions for the work conducted.

## 2.0 BACKGROUND INFORMATION

---

The Ischua Landfill is located near the Olean municipal airport in the Town of Ischua, New York, as shown on Figure 1. The landfill consists of three parallel trenches approximately 15 feet deep and 50 feet wide that range from 800 feet to 1,300 feet in length (see Figure 2). The landfill operated from 1972 to 1975. When the landfill was closed, the landfill cover consisted of approximately six inches of topsoil. In an effort to control seeps, the landfill cover was improved with 18 inches of compacted clay and six inches of topsoil, as reported in January 1986. The improved cover reduced the seepage volume but did not completely eliminate the seeps.

In response to renewed concerns by the NYSDEC regarding the seeps, a hydrogeologic investigation program was performed at the site from November 1989 through March 1990. Subsequently, the City developed an appropriate course of action for controlling the seepage breakouts. As required by the NYSDEC, the City also initiated a program of quarterly monitoring at the site in September 1990. The samples were analyzed for the Title 6 New York Codes, Rules and Regulations (6NYCRR) Part 360-2.11(d)(6) Baseline Parameters plus volatile organic compounds (VOCs). Following submission of the Baseline Sampling Report, a SAP dated December 4, 1990 was issued for the continued quarterly groundwater monitoring at the landfill site. The SAP was approved by the NYSDEC in a letter dated December 12, 1990. The quarterly sampling at the site continued in accordance with the approved SAP from September 1990 to September 1991.

In the September 1991 Baseline Sampling Report, several modifications to the approved SAP were recommended. These proposed modifications were as follows:

- a. The site's contingency water quality monitoring requirements of quarterly analysis for VOCs was proposed to be removed from the SAP and replaced by the standard routine and baseline analysis program which would have required VOC analysis only during the annual baseline sampling event.
- b. Six sampling points were proposed to be removed from the SAP. These sampling points had primarily been either dry during previous sampling events or had not resulted in elevated levels of analytes of concern. These points were: MW-6B, MW-7C, MW-8A, MW-9A, MW-10A, and MW-11A.
- c. The tabular listing of current and past sampling results in the quarterly and the annual reports was proposed to be replaced with time/concentration plots of selected parameters.



Items b and c of the proposed modifications were later approved by the NYSDEC. With respect to Item a, the NYSDEC did not agree with elimination of the site's contingency water quality requirements but approved a reduction in the frequency of sampling for VOCs from quarterly to semi-annually.

After the submittal of the June 1994 Quarterly Report, it was requested that the current time/concentration plots of selected parameters be replaced with tabular historical data tables from each monitoring point. This request was approved by the NYSDEC.

Furthermore, it was requested in November 1995 that the sampling frequency for all parameters at the site be reduced from quarterly to semi-annually, based upon a statistical evaluation of the previous five years of groundwater monitoring data. The statistical evaluation of the site data revealed that total VOC concentrations for all sampling points had remained constant or decreased with time. The NYSDEC agreed with the request in 1996.

### 3.0 SAMPLE COLLECTION PROCEDURES

---

#### 3.1 General Discussion

LaBella performed the Spring 2020 Monitoring Event sampling activities on March 31 and April 1, 2020. All sampling activities were completed in general accordance with the approved SAP dated December 4, 1990 and subsequent NYSDEC-approved modifications. All samples collected from the site were analyzed for the 6NYCRR Part 360-2.11(d)(6) Routine Parameters plus Baseline VOCs. However, insufficient well volume precluding sample collection from MW-6A. Additionally, MW-9B contained insufficient water volumes for the full parameter list, thus the parameters analyzed included VOCs, total organic carbon (TOC), chemical oxygen demand (COD), total kjeldahl nitrogen (TKN), ammonia-nitrogen, nitrate-nitrogen, phenols, metals, and calculate hardness.

The sample locations for the monitoring wells and the surface water samples are shown on Figure 2. The following paragraphs describe the sample collection procedures and field documentation protocols that were followed.

#### 3.2 Groundwater Sample Collection Procedures

Purging and sampling of the monitoring wells was performed utilizing dedicated disposable polyethylene bailers, and non-absorbent nylon rope was used to lower the bailers into the wells.

Prior to purging, the depth to water in the well was measured to the nearest 1/100<sup>th</sup> of a foot using an electronic water level indicator. As detailed in the approved SAP, purging is performed in an attempt to obtain a turbidity value of under 50 nephelometric turbidity units (NTUs) prior to sampling. If the turbidity value is greater than 50 NTUs, a filtered metals sample must be collected. The turbidity values recorded during this monitoring event were below 50 NTUs at the time of sample collection.

The monitoring wells were purged a minimum of three well volumes or until dry. In general, purging was intended to be performed such that the water level in the well would not fall below the top of the sand pack. However, because the static water level in some of the wells was below the top of the sand pack, this criterion was not always achieved. Table 1 lists the depth of each monitoring well in addition to the elevation of groundwater in each well. Field Sampling Logs are presented in Appendix A.

After purging, groundwater samples were collected from each well (with the exception of the wells that were dry, as identified in Section 3.4) at the site and placed in laboratory-prepared sample containers. The sample containers were then placed in insulated coolers filled with ice and



transported under proper chain-of-custody procedures by courier directly to the analytical laboratory, Pace Analytical Services (Pace), in Melville, New York.

### **3.3 Surface Water Sample Collection Procedures**

Two surface water samples (STREAM and SEEP), are typically collected during each semi-annual sampling event. These sample locations are shown on Figure 2. The SEEP and STREAM samples were collected by direct submersion of a dedicated unpreserved sample bottle into the surface water. A dedicated, unpreserved sampling bottle was used to collect the surface water samples from these locations in order to fill sample bottles containing preservatives. Care was taken to not disturb the sediment during sample collection. The filled sample bottles were transported to the laboratory under chain-of-custody using the procedures described in Section 3.6.

### **3.4 Field Parameter Measurements**

Field parameters including pH, specific conductance, oxidation reduction potential (ORP), temperature, and turbidity were measured for each sample point and the results were recorded on the field sampling logs presented in Appendix A. Due to insufficient water volume, field parameters were not measured for MW-6A. A summary of the field parameters by sample point is included in Table 2.

### **3.5 Quality Assurance/Quality Control**

For quality assurance/quality control purposes, a blind field duplicate sample was collected and analyzed. The blind field duplicate was collected from MW-10B and analyzed for Routine Parameters plus Baseline VOCs. The blind field duplicate sample was designated as “DUP” on the chain-of-custody form and in the laboratory report from Pace. Additionally, a trip blank was submitted and analyzed.

### **3.6 Shipping and Chain-of-Custody**

Sample containers were labeled in the field, placed on ice, and shipped by FedEx using properly signed seals to Pace under chain-of-custody protocols. The samples were relinquished to FedEx on April 1, 2020 and received by Pace April 2, 2020. Appendix B presents the completed chain-of-custody records for this semi-annual monitoring event.

### **3.7 Health and Safety**

Sampling personnel wore Level D personal protective equipment including nitrile gloves during well purging and sampling activities. No health and safety concerns were noted during sampling.

## **4.0 DATA VALIDATION**

---

### **4.1 Data Validation**

Data validation consisted of an internal validation by Pace. The internal data validation performed by Pace focused on holding times, calibration criteria, method blanks, reference samples, matrix spike/matrix spike duplicate (MS/MSD) samples, and surrogate recoveries. The results of these efforts are presented in the Pace Analytical Report included in Appendix C. The internal validation showed that the analytical results generated during this semi-annual monitoring event are generally usable in all cases. Only minor QA/QC issues were identified and do not impact the usability of the data for the Spring 2020 Monitoring Event.



## 4.2 Quality Assurance/Quality Control

### 4.2.1 Duplicate

The sample designated “DUP” is a duplicate of the MW-10B sample. The duplicate results are generally consistent (within 1.5 times) with the sample results with the exception of TOC which was detected in MW-10B at a concentration two times the concentration detected in the DUP.

### 4.2.2 Trip Blank

The laboratory analytical results for the TRIP BLANK sample were non-detect for all VOC parameters.

## 5.0 ANALYTICAL RESULTS

---

### 5.1 General Discussion

Table 3 summarizes the results for each of the groundwater samples collected from the site. Results that are shaded in Table 3 are reported at or above regulatory levels for groundwater established in 6NYCRR Part 703.5 Water Quality Regulations for Groundwater (6NYCRR standards) as amended in April 1999. For parameters for which a standard was not adopted, the guidance values presented in the NYSDEC June 1998 Technical and Operations Guidance Series (TOGS) 1.1.1 were utilized. The following sections briefly describe this event’s analytical results with respect to the above-mentioned water quality standards.

Additionally, although the SEEP and STREAM data have also been compared to the 6NYCRR groundwater standards, the comparison was made for purpose of continuity only; the 6NYCRR groundwater standards are not technically applicable to these data. In addition, the duplicate sample is not discussed in the following section. Refer to Section 4.2.

### 5.2 Summary of Results

#### 5.2.1 Volatile Organic Compound Results

The analytical results for the Spring 2020 Monitoring Event are summarized in Table 3. No VOCs were detected above the applicable water quality standards in the samples collected from MW-6D, MW-7A, MW-7C, MW-8B, MW-9B, MW-13, MW-14, and STREAM. The VOC concentrations that exceeded the applicable water quality standards are summarized below:

- *Benzene* was reported above the 6NYCRR standard of 1.0 µg/L in five sample (MW-10B, MW-11B, MW-12A, MW-12B, and the Seep) at concentrations of 1.7 µg/L, 3.8 µg/L, 5.4 µg/L, 6.2 µg/L, and 1.7 µg/L, respectively.
- *Chlorobenzene* was reported above the 6NYCRR standard of 5.0 µg/L in three samples (MW-11B, MW-12A, and MW-12B) a concentrations of 11 µg/L, 7.8 µg/L, and 9.3 µg/L, respectively.
- *1,4-Dichlorobenzene* was reported above the 6NYCRR standard of 3.0 µg/L in two samples (MW-12A and MW-12B) at concentrations of 3.5 µg/L and 3.6 µg/L, respectively.
- *1,1-Dichloroethane* was reported above the 6NYCRR standard of 5.0 µg/L in two samples (MW-10B, and MW-11B) at concentrations of 13.0 µg/L and 6.9 µg/L, respectively.
- *cis-1,2-Dichloroethene* was reported above the 6NYCRR standard of 5.0 µg/L in three samples (MW-10B, MW-11B, and the SEEP) at concentrations of 46.6 µg/L, 16.8 µg/L, and 7.5 µg/L respectively.
- *trans-1,3-Dichloropropene* was reported above the 6NYCRR standard of 0.4 µg/L in one sample (MW-11B) at a concentration of 1.1 µg/L.
- *Vinyl Chloride* was reported above the 6NYCRR standard of 2.0 µg/L in three samples (MW-10B, MW-11B, and SEEP) at concentrations of 8.4 µg/L, 7.0 µg/L, and 3.0 µg/L, respectively.



The concentrations of these analytes detected in these locations were within historical ranges with the exception of chlorobenzene and trans-1,3-Dichloropropene in MW-11B. Chlorobenzene in MW-11B was detected at a historical maximum concentration of 11.0 µg/L exceeding the previous historical maximum concentration of 10.9 µg/L detected in the Spring of 2018. The detection of trans-1,3-Dichloropropene represents the first detection of this parameter at this location. No apparent trends were observed for chlorobenzene or trans-1,3-Dichloropropene and the remaining VOCs in MW-11B were detected at concentrations within historical ranges. LaBella will continue to evaluate these parameters during future sampling events for any indications of trends.

### 5.2.2 Inorganic Parameters

The concentrations of inorganic analytes were reported below applicable regulatory values, with the exception of the results discussed below.

- *Iron* was reported above the 6NYCRR standard of 0.3 mg/L in eight samples (MW-7A, MW-8B, MW-9B, MW-10B, MW-11B, MW-12A, MW-12B, and SEEP): exceedances ranged in concentration from 0.335 mg/L to 33.1 mg/L.
- *Manganese* was reported above the 6NYCRR standard of 0.3 mg/L in nine samples (MW-7A, MW-7C, MW-8B, MW-9B, MW-10B, MW-11B, MW-12A, MW-12B, and SEEP): exceedances ranged in concentration from 0.884 mg/L to 16.1 mg/L.

The concentrations of these analytes detected in these locations were within historical ranges.

### 5.2.3 Leachate Indicator Parameters

Leachate indicator parameters were reported below applicable 6NYCRR standards with the exception of the results discussed below.

- *Ammonia-Nitrogen* was reported above the 6NYCRR standard of 2.0 mg/L in five samples (MW-7A, MW-11B, MW-12A, MW-12B, and SEEP): at concentrations of 2.0 mg/L, 4.1 mg/L, 6.1 mg/L, 6.2 mg/L and 2.7 mg/L, respectively.
- *Total Phenols* was reported above the 6NYCRR standard of 0.001 mg/L in three samples (MW-6D, MW-7A, and MW-12B at concentrations of 0.0025 mg/L, 0.0031 mg/L, and 0.0027mg/L.

The concentrations of these analytes detected in these locations were within historical ranges.

### 5.2.4 Comparison of Sampling Results

A tabular listing of the historical data associated with the permanent monitoring network is presented in Appendix D and includes historical data from September 1990 to the present for all monitoring points at the site. Included on each table is a mean concentration and current 6NYCRR groundwater standard for all analytes (both organic and inorganic) at each monitoring point. Historic exceedances of the water quality standards identified in the tables in Appendix D are related to the 6NYCRR standards in effect at the time of sampling, which may not be the standards currently in effect.



## 6.0 SUMMARY AND CONCLUSIONS


---

The results of the Spring 2020 Monitoring Event appear generally consistent with the results from the previous sampling events at the site. The next semi-annual sampling event is scheduled for the Fall of 2020.


J:\OLEAN, CITY OF\2201342 - 2020 ISCHUA LANDFILL MONITOR\REPORTS\SPRING 2020\ISCHUA SPRING 2020 WATER QUALITY MONITORING REPORT.DOCX



## FIGURES




USGS QUADRANGLES – CUBA, FRANKLINVILLE,  
HINSDALE AND RAWSON, NEW YORK



**LaBella**  
Powered by partnership.

300 Pearl Street, Suite 130  
Buffalo, NY 14202  
716-551-6281

labellapc.com




ISCHUA LANDFILL


**FIGURE 1**

SITE LOCATION MAP





- LEGEND**
- MONITORING WELL (URS)
  - MONITORING WELL (EIL)
  - SEEP
  - GAS WELL
  - CLAY CAP (APPROXIMATE)
  - TRENCH (APPROXIMATE)
  - SHELBY TUBE SOIL SAMPLE LOCATION
  - WEIR



**LaBella**  
Powered by partnership.

300 Pearl Street, Suite 130  
Buffalo, NY 14202  
716-551-6281  
labellapc.com

ISCHUA LANDFILL

**FIGURE 2**  
SITE BASE MAP AND  
ENVIRONMENTAL MONITORING LOCATIONS

## TABLES

Ischua Landfill  
Spring 2020  
Summary of Monitoring Well and  
Groundwater Depths

**TABLE 1**

Monitoring Well No.	Top of Casing Elevation	Depth to Well Bottom	Historical Elevations		Depth to Water	Elevation of Water	Compared to Last Event	Compared to Last Year
			Apr-19	Sep-19	Apr-20	Apr-20		
MW-6A	2173.1	17.19	2155.91	NA	17.1	2156.0	NA	NA
MW-6D	2173.7	103.14	2082	2073.5	89.78	2083.9	10.4	1.92
MW-7A	2109.3	11.64	2105.3	2098.1	3.86	2105.44	7.3	0.14
MW-7C	2109.3	40.3	2082.60	2076.20	26.8	2082.50	6.3	-0.10
MW-8B	2089.6	25.65	2075.55	2072.1	12.45	2077.15	5.1	1.60
MW-9B	2081.1	32.43	2050.10	NA	31.08	2050.02	NA	-0.08
MW-10B	2066.2	33.69	2047.10	2041.70	18.20	2048.00	6.3	0.90
MW-11B	2115.1	18.07	2102.9	2097.8	11.80	2103.3	5.5	0.40
MW-12A	2108.3	12.68	2099.1	NA	8.67	2099.63	NA	0.53
MW-12B	2107.5	20.9	2096.6	2089.9	10.26	2097.24	7.3	0.64
MW-13	2058.7	11.44	2054.7	2055	3.32	2055.38	0.4	0.68
MW-14	2060.9	23.45	2045.7	2043	14.64	2046.26	3.3	0.56

Notes:

1. All measurements are in feet and the elevations are referenced to NAVD88 based on USGS "Ischua 1964".
2. The depth to the bottom of the monitoring well as well as the depth to water is measure from the from top of the riser pipe prior to purging the wells.



**Ischua Landfill  
Spring 2020  
Summary of Field Parameters**

**TABLE 2**

DOWN - GRADIENT MONITORING LOCATIONS																	
	Units	MW 6A	MW 6D	MW 7A	MW 7C	MW 8B	MW 9B*	MW 10B	MW 11B	MW 12A	MW 12B	MW 13	MW 14	SEEP	STREAM	NYSDEC Part 703 Surface water and Groundwater Quality Standards	Units
Field Eh	mV	**	172.7	21.10	237.9	31.9	131	83.9	10.8	-27.7	20.9	-40.7	79.8	-31.5	51.9	NA mV	
Field pH	SU	**	7.65	6.13	7.65	6.30	7.02	6.39	6.13	6.19	6.30	7.02	7.58	6.38	7.47	6.5-8.5 SU	
Field Specific Conductivity	mS/cm	**	0.578	0.494	0.238	0.443	0.477	0.576	0.564	0.702	0.797	0.292	0.390	0.427	0.163	NA mS/cm	
Field Turbidity	NTU	**	12.10	5.30	6.10	1.50	67.30	0.70	5.70	9.70	5.70	1.00	4.50	1.5	0.00	5 NTU	
Temperature	degC	**	8.1	5.3	7.4	8.9	8.7	10.2	7.4	6.0	7.4	6.1	7.9	8.0	8.0	NA degC	
Dissolved Oxygen	mg/L	-	-	-	-	-	-	-	-	-	-	-	-	8.44	11.30	NA mg/L	

"-" = Indicates the parameter was not analyzed

\* = Indicates field parameter measurements were collected during purging due to insufficient water during sample collection

\*\* = Indicates field parameter measurements not collected due to insufficient water during sample collection

**1.00** Value exceeds regulatory standard



Ischua Landfill  
Spring 2020  
Groundwater and Surface Water Analysis Summary

TABLE 3  
Page 1 of 2

MONITORING LOCATIONS																				
CAS #      Units			MW 6A	MW 6D	MW 7A	MW 7C	MW 8B	MW 9B	MW 10B	MW 11B	MW 12A	MW 12B	MW 13	MW 14	SEEP <sup>1</sup>	STREAM <sup>1</sup>	Duplicate	NYSDEC Part 703 Surfacewater and Groundwater Quality Standards	Units	
Collection Date			4/1/2020	4/1/2020	4/1/2020	4/1/2020	4/1/2020	4/1/2020	4/1/2020	4/1/2020	4/1/2020	4/1/2020	4/1/2020	4/1/2020	4/1/2020	4/1/2020	4/1/2020	4/1/2020		
BOD5 Color Hexavalent Chromium Nitrate-Nitrogen Alkalinity Chloride COD Ammonia-Nitrogen Sulfate Total Cyanide Total Dissolved Solids Total Kjeldahl Nitrogen TOC Total Phenols Aluminum Antimony by furnace method Arsenic by furnace method	18540-29-9	mg/l	-	1.0	8.8	1.0	1.0	-	1.2	6.1	5.2	3.3	1.0	1.0	4.2	1.0	1.1	NA mg/l	BOD5	
		Units	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	15 Units	Color
		mg/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.05 mg/l	Hexavalent Chromium
		mg/l	-	0.052	0.085	0.055	0.05	0.95	ND	0.065	0.075	0.05	0.04	0.043	0.061	0.300	ND	10 mg/l	Nitrate-Nitrogen	
		mg/l/CaCO3	-	336	245	344	247	-	347	340	400	455	161	209	216	79.9	352	NA mg/l/CaCO3	Alkalinity	
		mg/l	-	2.6	2.0	6.8	2.0	-	5.6	10.6	4.1	7.2	4.1	1.5	3.4	0.98	5.7	250 mg/l	Chloride	
		mg/l	-	ND	39.9	ND	10.4	160	20.9	48.4	50.5	54.7	ND	ND	37.8	10.4	18.8	NA mg/l	COD	
		mg/l	-	ND	2.00	ND	0.64	ND	0.510	4.10	6.10	6.20	ND	ND	2.70	ND	0.52	2 mg/l	Ammonia-Nitrogen	
		mg/l	-	17.1	4.6	6.5	6.4	-	4.7	2.7	1.6	1.5	2.9	11.4	3.3	6.8	4.8	250 mg/l	Sulfate	
		mg/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2 mg/l	Total Cyanide
Total Dissolved Solids Total Kjeldahl Nitrogen TOC Total Phenols Aluminum Antimony by furnace method Arsenic by furnace method Barium Beryllium Boron Cadmium Calcium Chromium Copper Iron Lead by furnace method Magnesium Manganese Mercury Nickel Potassium Selenium by furnace method Silver Sodium Thallium by furnace method Zinc Calculated Hardness	7664-41-7	mg/l	-	330	247	335	337	-	318	323	363	432	157	228	222	101	334	500 mg/l	Total Dissolved Solids	
		mg/l	-	0.45	3.30	0.38	1.5	2.2	1.40	8.3	10.3	9.6	0.43	0.65	4.6	0.65	1.10	NA mg/l	Total Kjeldahl Nitrogen	
		mg/l	-	1.0	6.3	1.0	2.3	50.7	4.8	7.4	6.8	8.3	1.9	0.56	4.8	3.2	2.4	NA mg/l	TOC	
		mg/l	-	0.0025	0.0031	ND	ND	ND	ND	ND	ND	0.0027	ND	ND	ND	ND	ND	0.001 mg/l	Total Phenols	
		mg/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	NA mg/l	Aluminum	
		mg/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.003 mg/l	Antimony by furnace method	
		mg/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.025 mg/l	Arsenic by furnace method	
		mg/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1 mg/l	Barium	
		mg/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.003 mg/l	Beryllium	
		mg/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1 mg/l	Boron	
		mg/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005 mg/l	Cadmium	
		mg/l	-	95.2	51.8	93.7	70	79	79.7	54.8	102	115	37.6	58.6	44.8	20.6	72.7	NA mg/l	Calcium	
		mg/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.05 mg/l	Chromium	
		mg/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2 mg/l	Copper	
		mg/l	-	0.123	25.0	0.0604	3.15	2.64	0.335	21.8	33.1	16.3	0.0895	0.156	14.9	0.09	0.299	0.3 mg/l	Iron	
		mg/l	-	ND	ND	ND	ND	0.0038	ND	0.0031	ND	ND	ND	ND	ND	ND	ND	0.025 mg/l	Lead by furnace method	
		mg/l	-	26.4	10.4	15.2	10.1	10.4	25.4	22.6	13.0	22.0	11.1	13.8	13.8	5.91	23.1	35 mg/l	Magnesium	
		mg/l	-	0.0266	14.7	1.05	5.41	0.884	7.26	16.1	12.3	10.1	0.291	0.0638	9.94	0.0273	6.66	0.3 mg/l	Manganese	
		mg/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0007 mg/l	Mercury	
		mg/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1 mg/l	Nickel	
		mg/l	-	2.8	13.9	2.08	2.3	5.5	2.79	3.94	4.22	4.89	ND	2.02	3.35	2.13	2.4	NA mg/l	Potassium	
		mg/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.01 mg/l	Selenium by furnace method	
		mg/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.05 mg/l	Silver	
		mg/l	-	5.5	4.08	9.04	6.6	7.62	9.82	10.3	6.66	12.2	9.57	9.98	5.34	2.33	8.96	20 mg/l	Sodium	
		mg/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0005 mg/l	Thallium by furnace method	
		mg/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2 mg/l	Zinc	
Calculated Hardness		mg/l CaCO3	-	300	480	300	260	240	340	180	300	400	140	220	140	90	400	NA mg/l CaCO3	Calculated Hardness	
"-" - Indicates the parameter was not analyzed																		1.00	Value exceeds regulatory standard	

1. Regulatory values are from the 6NYCRR PART 703.5 Water Quality Regulations for Groundwater as amended in April 1999. For parameters for which a standard is not adopted, the guidance values presented in the NYSDEC June 1998 Technical and Operational Guidance Series (TOGS) 1.1.1 were utilized.

Ischua Landfill  
Spring 2020  
Groundwater and Surface Water Analysis Summary

TABLE 3

Page 2 of 2

MONITORING LOCATIONS																			
		Units	MW 6A	MW 6D	MW 7A	MW 7C	MW 8B	MW 9B	MW 10B	MW 11B	MW 12A	MW 12B	MW 13	MW 14	SEEP <sup>1</sup>	STREAM <sup>1</sup>	Duplicate	NYSDEC Part 703 Surfacewater and Groundwater Quality Standards	Units
Acetone	67-64-1	ug/l	-	ND	ND	ND	ND	ND	ND	ND	2.8	ND	ND	ND	ND	ND	ND	50.0 ug/l	Acetone
Acrylonitrile	107-13-1	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	Acrylonitrile
Benzene	71-43-2	ug/l	-	ND	0.91	ND	0.7	ND	1.7	3.8	5.4	6.2	ND	ND	1.7	ND	1.5	1.0 ug/l	Benzene
Bromobenzene	74-97-5	ug/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0 ug/l	Bromobenzene
Bromochloromethane	75-27-4	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	Bromochloromethane
Bromodichloromethane	75-25-2	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	50.0 ug/l	Bromodichloromethane
Bromoform	75-15-0	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	50.0 ug/l	Bromoform
Bromomethane	56-23-5	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	Bromomethane
2-Butanone	108-90-7	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	50.0 ug/l	2-Butanone
n-Butylbenzene	75-00-3	ug/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0 ug/l	n-Butylbenzene
sec-Butylbenzene	67-66-3	ug/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0 ug/l	sec-Butylbenzene
tert-Butylbenzene	124-48-1	ug/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0 ug/l	tert-Butylbenzene
Carbon disulfide	96-12-8	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	60.0 ug/l	Carbon disulfide
Carbon tetrachloride	106-96-4	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	Carbon tetrachloride
Chlorobenzene	95-50-1	ug/l	-	ND	ND	ND	1.6	ND	1.5	11	7.8	9.3	ND	ND	3.2	ND	1.3	5.0 ug/l	Chlorobenzene
Chloroethane	106-45-	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	Chloroethane
Chloroform		ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	7.0 ug/l	Chloroform
Chloromethane		ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	Chloromethane
2-Chlorotoluene		ug/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0 ug/l	2-Chlorotoluene
4-Chlorotoluene		ug/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0 ug/l	4-Chlorotoluene
Dibromochloromethane		ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	50.0 ug/l	Dibromochloromethane
1,2-Dibromo-3-chloropropane		ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.04 ug/l	1,2-Dibromo-3-chloropropane
1,2-Dibromoethane		ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	1,2-Dibromoethane
Dibromomethane		ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	Dibromomethane
1,2-Dichlorobenzene		ug/l	-	ND	ND	ND	ND	ND	ND	1.4	ND	ND	ND	ND	ND	ND	ND	3.0 ug/l	1,2-Dichlorobenzene
1,3-Dichlorobenzene		ug/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3.0 ug/l	1,3-Dichlorobenzene
1,4-Dichlorobenzene		ug/l	-	ND	ND	ND	ND	ND	ND	2.4	3.5	3.6	ND	ND	1.3	ND	ND	3.0 ug/l	1,4-Dichlorobenzene
trans-1,4-Dichloro-2-butene		ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	trans-1,4-Dichloro-2-butene
Dichlorodifluoromethane		ug/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0 ug/l	Dichlorodifluoromethane
1,1-Dichloroethane	110-57-6	ug/l	-	ND	ND	ND	1.1	1.8	13.0	6.9	ND	2.7	ND	ND	3.3	ND	11	5.0 ug/l	1,1-Dichloroethane
1,2-Dichloroethane	107-06-2	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.6 ug/l	1,2-Dichloroethane
1,1-Dichloroethene		ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	1,1-Dichloroethene
cis-1,2-Dichloroethene		ug/l	-	ND	2.0	ND	3.7	ND	46.6	16.8	2.4	1.9	ND	ND	7.5	ND	40.3	5.0 ug/l	cis-1,2-Dichloroethene
trans-1,2-Dichloroethene		ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	trans-1,2-Dichloroethene
1,2-Dichloropropane		ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.0 ug/l	1,2-Dichloropropane
1,3-Dichloropropane		ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	1,3-Dichloropropane
2,2-Dichloropropane		ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	2,2-Dichloropropane
1,1-Dichloropropene		ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	1,1-Dichloropropene
cis-1,3-Dichloropropene		ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.4 ug/l	cis-1,3-Dichloropropene
trans-1,3-Dichloropropene	1006-01-5	ug/l	-	ND	ND	ND	ND	ND	ND	1.1	ND	ND	ND	ND	ND	ND	ND	0.4 ug/l	trans-1,3-Dichloropropene
Ethylbenzene	100-41-4	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	1.2	ND	ND	ND	ND	ND	5.0 ug/l	Ethylbenzene
2-Hexanone	591-78-6	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	50.0 ug/l	2-Hexanone
Hexachlorobutadiene	74-83-9	ug/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.5 ug/l	Hexachlorobutadiene
Iodomethane	74-87-3	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	Iodomethane
Isopropylbenzene	74-95-3	ug/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0 ug/l	Isopropylbenzene
p-Isopropyltoluene	75-09-02	ug/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0 ug/l	p-Isopropyltoluene
Methylene chloride	78-93-3	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	Methylene chloride
4-Methyl-2-pentanone	108-10-1	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA ug/l	4-Methyl-2-pentanone
Naphthalene		ug/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10.0 ug/l	Naphthalene
n-Propylbenzene		ug/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0 ug/l	n-Propylbenzene
Styrene	100-42-5	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	Styrene
1,1,1,2-Tetrachloroethane	630-20-6	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	1,1,1,2-Tetrachloroethane
1,1,2,2-Tetrachloroethane	79-34-5	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	1,1,2,2-Tetrachloroethane
Tetrachloroethene	127-18-4	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	Tetrachloroethene
Toluene	108-88-3	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	Toluene
1,2,3-Trichlorobenzene	96-18-4	ug/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0 ug/l	1,2,3-Trichlorobenzene
1,2,4-Trichlorobenzene		ug/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0 ug/l	1,2,4-Trichlorobenzene
1,1,1-Trichloroethane		ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	1,1,1-Trichloroethane
1,1,2-Trichloroethane		ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.0 ug/l	1,1,2-Trichloroethane
Trichloroethene		ug/l	-	ND	ND	ND	ND	ND	2.2	1.9	ND	ND	ND	ND	ND	ND	1.8	5.0 ug/l	Trichloroethene
Trichlorofluoromethane		ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	5.0 ug/l	Trichlorofluoromethane
1,2,3-Trichloropropane	96-18-4	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.04 ug/l	1,2,3-Trichloropropane
1,2,4-Trimethylbenzene		ug/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0 ug/l	1,2,4-Trimethylbenzene
1,3,5-Trimethylbenzene		ug/l	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.0 ug/l	1,3,5-Trimethylbenzene
Vinyl acetate	108-05-4	ug/l	-	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	NA ug/l	Vinyl acetate
Vinyl chloride	75-01-4	ug/l	-	ND	ND	ND	1.1	ND	8.4	7.0	ND	1.2	ND	ND	3.0	ND	7.6	2.0 ug/l	Vinyl chloride
Total-Xylene	1330-20-7	ug/l	-	ND	ND	ND	ND	ND	ND	ND	1.4	2.8	ND	ND	ND	ND	ND	5.0 ug/l	p-Xylene & m-Xylene
"-" - Indicates the parameter was not analyzed																		1.00	Value exceeds regulatory standard
ND - Indicates the value is less than the method detection limit																			



# APPENDIX A

## Field Sampling Logs



# WELL DEVELOPMENT/ PURGE & SAMPLING LOG

WELL ID: **MW-6A**

Project Name: Ischua Landfill [City of Olean]  
Project Location: Airport Road, Town of Ischua, New York

Project No:  
Sampling Event: Spring 2020- Routine  
Date: **4/ /2020**

**Development / Purge Information:** [All measurements to Top of Well Riser; Riser I.D. (in): 2 [Volume Conversion = 0.16]

Visible Well Damage/Comments: NONE

Well Depth (ft): **17.19** Water Level (ft): **17.11** Height of Water Column (ft):

1 Well Volume [WV] (gal): 3 WV (gal): 5 WV (gal): [Not Applicable]

Method of Purging: **Dedicated Bailer** X / Other:

**Purge** X **Field Parameters** **Start Time:**

Vol (gal)/WV	Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	[Totalizer Start= gal] Characteristics
Initial / 0						
/ 1						
/ 2						
/ 3						

Total Volume Purged (gal): Complete Time: **900** Water Level (ft):

**Sampling Information:** Date: **4/ /2020**

Sample Time: Water Level(ft): Sample Analysis: **Routine Event / No. of Bottles:**

Sampling Method : **Dedicated Bailer-** All / **Manual grab w/-** Sample Containers X ; S/S Pitcher

## Sample Field Parameters

Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	Characteristics

Other Comments: This well typically does not contain much water and may not be enough for a full bottle set.

*Dry*

X Purger's / X Sampler's Name(s) and Initials



# WELL DEVELOPMENT/ PURGE & SAMPLING LOG

WELL ID: **MW-6D**

Project Name: Ischua Landfill [City of Olean]  
Project Location: Airport Road, Town of Ischua, New York

Project No:  
Sampling Event: Spring 2020- Routine  
Date: 3/13/2020

**Development / Purge Information:** [All measurements to Top of Well Riser; Riser I.D. (in): 2 [Volume Conversion = 0.16]

Visible Well Damage/Comments: NONE \_\_\_\_\_ (Note: water measuring tape only goes to 101.2 feet)

Well Depth (ft): 103.14 Water Level (ft): 89.78 Height of Water Column (ft): \_\_\_\_\_

1 Well Volume [WV] (gal): 2.1 3 WV (gal): 6.4 5 WV (gal): [Not Applicable]

Method of Purging: **Dedicated Bailer** X / Other: \_\_\_\_\_

**Purge** X **Field Parameters** **Start Time:** \_\_\_\_\_

Vol (gal)/WV	Eh (mV)	pH (SU)	Temp. (°C)	SC Cond. (mS/cm)	Turb. (NTU)	[Totalizer Start= _____ gal] Characteristics
Initial / 0	271.7	7.29	8.6	0.617	1.3	
2.1 / 11	261.7	7.35	8.6	0.634	47.3	
4.2 / 22	253.6	7.55	8.2	0.590	77.7	
6.4 / 33	221.7	7.69	9.0	0.595	43.8	

Total Volume Purged (gal): 6.4 Complete Time: 1000 Water Level (ft): \_\_\_\_\_

**Sampling Information:** Date: 4/1/2020

Sample Time: 8:50 Water Level(ft): \_\_\_\_\_ Sample Analysis: **Routine Event/No. of Bottles:** 8

Sampling Method: **Dedicated Bailer** - (All) / **Manual grab w/-** Sample Containers 1; S/S Pitcher \_\_\_\_\_

## Sample Field Parameters

Eh (mV)	pH (SU)	Temp. (°C)	SC Cond. (mS/cm)	Turb. (NTU)	Characteristics
<u>170.7</u> <del>0.579</del>	<u>7.65</u>	<u>8.1</u>	<u>0.579</u> <del>1.672</del>	<u>12.1</u>	

Other Comments:

X Purger's / X Sampler's Name(s) and Initials:



# WELL DEVELOPMENT/ PURGE & SAMPLING LOG

WELL ID: **MW-7A**

Project Name: Ischua Landfill [City of Olean]  
Project Location: Airport Road, Town of Ischua, New York

Project No:  
Sampling Event: Spring 2020- Routine  
Date: 4/1/2020

**Development / Purge Information:** [All measurements to Top of Well Riser; Riser I.D. (in): 2 [Volume Conversion = 0.16]

Visible Well Damage/Comments: NONE

Well Depth (ft): **11.64** Water Level (ft): **3.86** Height of Water Column (ft): **7.78**

1 Well Volume [WV] (gal): **1.24** 3 WV (gal): **3.73** 5 WV (gal): [Not Applicable]

Method of Purging: **Dedicated Bailer X** / Other:

**Purge X** Field Parameters Start Time:

Vol (gal)/WV	Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	[Totalizer Start= gal] Characteristics
Initial / 0	118.5	7.93	5.4	171.0	1.6	
11	7.2	6.22	5.4	0.498	13.4	
12	3.0	6.18	4.9	0.494	9.4	
13	8.4	6.15	4.8	0.498	7.6	

Total Volume Purged (gal): Complete Time: **1030** Water Level (ft):

**Sampling Information:** Date: 4/1/2020

Sample Time: **930** Water Level(ft): Sample Analysis: **Routine Event/No. of Bottles: 8**

Sampling Method: **Dedicated Bailer- (All)** / **Manual grab w/-** Sample Containers ~~1~~; S/S Pitcher

## Sample Field Parameters

Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	Characteristics
0.494	6.13	5.3	21.1	5.3	

Other Comments:

☒ Purger's / ☒ Sampler's Name(s) and Initials:



# WELL DEVELOPMENT/ PURGE & SAMPLING LOG

WELL ID: **MW-7C**

Project Name: Ischua Landfill [City of Olean]  
Project Location: Airport Road, Town of Ischua, New York

Project No:  
Sampling Event: Spring 2020- Routine  
Date: 4/ /2020

**Development / Purge Information:** [All measurements to Top of Well Riser; Riser I.D. (in): 2 [Volume Conversion = 0.16]

Visible Well Damage/Comments: NONE

Well Depth (ft): **40.30** Water Level (ft): **26.8** Height of Water Column (ft):

1 Well Volume [WV] (gal): **2.10** 3 WV (gal): **6.48** 5 WV (gal): [Not Applicable]

Method of Purging: Dedicated Bailer ☒ / Other:

**Purge ☒ Field Parameters Start Time:**

Vol (gal)/WV	Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	[Totalizer Start= gal] Characteristics
Initial / 0	2034	7.20	8.7	0.592	3.3	
11	199.7	7.16	8.2	0.552	34.6	
12				DRY @ 3.16		
13						

Total Volume Purged (gal): Complete Time: **1030** Water Level (ft):

**Sampling Information:** Date: 4/ /2020

Sample Time: **900** Water Level(ft): Sample Analysis: **Routine Event/No. of Bottles: 8**

Sampling Method: **Dedicated Bailer- ☒ All** / **Manual grab w/-** Sample Containers ~~1~~; S/S Pitcher

**Sample Field Parameters**

Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	Characteristics
237.9	7.65	7.4	238.2	6.1	

Other Comments:

Must be given time to recover. Wait well

☒ Purger's / ☒ Sampler's Name(s) and Initials:



# WELL DEVELOPMENT/ PURGE & SAMPLING LOG

WELL ID: **MW-8B**

Project Name: Ischua Landfill [City of Olean]  
Project Location: Airport Road, Town of Ischua, New York

Project No:  
Sampling Event: Spring 2020- Routine  
Date: 4/ /2020

**Development / Purge Information:** [All measurements to Top of Well Riser; Riser I.D. (in): 2 [Volume Conversion = 0.16]

Visible Well Damage/Comments: NONE

Well Depth (ft): **25.65** Water Level (ft): **12.45** Height of Water Column (ft): **13.2**

1 Well Volume [WV] (gal): **2.27** 3 WV (gal): **6.8** 5 WV (gal): [Not Applicable]

Method of Purging: **Dedicated Bailer X** / Other:

**Purge X** Field Parameters Start Time: **1440**

Vol (gal)/WV	Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	[Totalizer Start= _____ gal] Characteristics
Initial / 0	0.427	6.38	6.6	58.9	130.9	
11	0.426	6.47	8.1	26.8	33.4	
12	0.431	6.44	8.2	19.9	19.3	
13	0.435	6.37	8.0	20.2	4.8	

Total Volume Purged (gal): \_\_\_\_\_ Complete Time: **1453** Water Level (ft): \_\_\_\_\_

**Sampling Information:** Date: 4/ /2020

Sample Time: **1345** Water Level(ft): \_\_\_\_\_ Sample Analysis: **Routine Event/No. of Bottles:**

Sampling Method : **Dedicated Bailer- All** / **Manual grab w/-** Sample Containers **X** ; S/S Pitcher \_\_\_\_\_

## Sample Field Parameters

Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	Characteristics
<b>0.443</b>	<b>6.30</b>	<b>8.9</b>	<b>31.9</b>	<b>1.5</b>	

Other Comments:

**X** Purger's / **X** Sampler's Name(s) and Initials:



**LaBella**  
Powered by partnership

## WELL DEVELOPMENT/ PURGE & SAMPLING LOG

WELL ID: **MW-9B**

Project Name: Ischua Landfill [City of Olean]  
Project Location: Airport Road, Town of Ischua, New York

Project No:  
Sampling Event: Spring 2020- Routine  
Date: 4/1/2020

**Development / Purge Information:** [All measurements to Top of Well Riser; Riser I.D. (in): 2 [Volume Conversion = 0.16]

Visible Well Damage/Comments: NONE

Well Depth (ft): **32.43** Water Level (ft): **31.08** Height of Water Column (ft): **1.35**

1 Well Volume [WV] (gal): **0.06** 3 WV (gal): **0.17** 5 WV (gal): [Not Applicable] **0.42**

Method of Purging: **Dedicated Bailer X** / Other: \_\_\_\_\_

**Purge X** Field Parameters Start Time: **1150**

Vol (gal)/WV	Eh <sup>SPV</sup> (mV)	pH (SU)	Temp. (°C)	Cond. <sup>ORP</sup> (mS/cm)	Turb. (NTU)	[Totalizer Start= _____ gal] Characteristics
Initial / 0	0.477	7.02	8.7	131.1	17.3	
/ 1						
/ 2						
/ 3						

Total Volume Purged (gal): \_\_\_\_\_ Complete Time: **12:30** Water Level (ft): \_\_\_\_\_

**Sampling Information:** Date: 4/1/2020

Sample Time: **1050** Water Level(ft): \_\_\_\_\_ Sample Analysis: **Routine Event/No. of Bottles: 5**

Sampling Method: **Dedicated Bailer- All** / **Manual grab w/-** Sample Containers ~~1~~; S/S Pitcher \_\_\_\_\_

### Sample Field Parameters

Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	Characteristics
					INSUFFICIENT VOLUME

Other Comments:

INSUFFICIENT VOLUME FOR FULL SAMPLE SET  
COLLECTED VOCs, TOC, (COD, TKN, NH4, ANMM, PHENOLS)

☒ Purger's / ☒ Sampler's Name(s) and Initials:



9:45



# WELL DEVELOPMENT/ PURGE & SAMPLING LOG

WELL ID: **MW-10B**

Project Name: Ischua Landfill [City of Olean]  
Project Location: Airport Road, Town of Ischua, New York

Project No: \_\_\_\_\_  
Sampling Event: Spring 2020- Routine  
Date: 4/ 1/2020

**Development / Purge Information:** [All measurements to Top of Well Riser; Riser I.D. (in): 2 [Volume Conversion = 0.16]

Visible Well Damage/Comments: NONE \_\_\_\_\_

Well Depth (ft): 33.69 Water Level (ft): 18.20 Height of Water Column (ft): 15.49

1 Well Volume [WV] (gal): 2.5 3 WV (gal): 7.4 5 WV (gal): [Not Applicable]

Method of Purging: **Dedicated Bailer** X / Other: \_\_\_\_\_

**Purge** X **Field Parameters** **Start Time:** 13.19

Vol (gal)/WV	Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	[Totalizer Start= _____ gal] Characteristics
Initial / 0	0.461	6.84	8.4	150.4	4.8	
1	0.517	6.41	8.5	148.2	1.0	
2	0.570	6.38	8.4	112.7	0.3	
3	0.571	6.40	8.7	76.9	1.0	

Total Volume Purged (gal): \_\_\_\_\_ Complete Time: 1330 Water Level (ft): \_\_\_\_\_

**Sampling Information:** Date: 4/ 1 /2020

Sample Time: 1250 Water Level(ft): \_\_\_\_\_ Sample Analysis: **Routine Event/No. of Bottles:** 8

Sampling Method : **Dedicated Bailer-** (All) **Manual grab w/-** Sample Containers X ; S/S Pitcher \_\_\_\_\_

## Sample Field Parameters

Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	Characteristics
0.570	6.39	10.2	83.9	0.7	

Other Comments:

DUP

X Purger's / X Sampler's Name(s) and Initials:





# WELL DEVELOPMENT/ PURGE & SAMPLING LOG

WELL ID: **MW-11B**

Project Name: Ischua Landfill [City of Olean]  
Project Location: Airport Road, Town of Ischua, New York

Project No:  
Sampling Event: Spring 2020- Routine  
Date: 4/ 1 /2020

**Development / Purge Information:** [All measurements to Top of Well Riser; Riser I.D. (in): 2 [Volume Conversion = 0.16]

Visible Well Damage/Comments: NONE

Well Depth (ft): **18.07** Water Level (ft): **11.8** Height of Water Column (ft): **6.27**

1 Well Volume [WV] (gal): **1.0** 3 WV (gal): **3.0** 5 WV (gal): [Not Applicable]

Method of Purging: **Dedicated Bailer X** / Other:

**Purge X** Field Parameters Start Time:

Vol (gal)/WV	Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	[Totalizer Start= gal] Characteristics
Initial / 0	0.246	5.81	7.4	61.6	76.8	
/ 1	0.249	5.84	7.8	48.4	113.2	
/ 2						
/ 3						

Total Volume Purged (gal): Complete Time: **11:00** Water Level (ft):

**Sampling Information:** Date: 4/ 1 /2020

Sample Time: **1000** Water Level(ft): Sample Analysis: **Routine Event/No. of Bottles: 8**

Sampling Method: **Dedicated Bailer** - **All** / **Manual grab w/-** Sample Containers ~~1~~; S/S Pitcher

## Sample Field Parameters

Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	Characteristics
<b>0.564</b>	<b>6.13</b>	<b>7.4</b>	<b>10.8</b>	<b>5.7</b>	

Other Comments:  
Wait well. Should be Purged well before sampling.

  X   Purger's /   X   Sampler's Name(s) and Initials:



# WELL DEVELOPMENT/ PURGE & SAMPLING LOG

WELL ID: **MW-12A**

Project Name: Ischua Landfill [City of Olean]  
Project Location: Airport Road, Town of Ischua, New York

Project No:  
Sampling Event: Spring 2020- Routine  
Date: **4/ 1 /2020**

**Development / Purge Information:** [All measurements to Top of Well Riser; Riser I.D. (in): 2 [Volume Conversion = 0.16]

Visible Well Damage/Comments: NONE

Well Depth (ft): **12.68** Water Level (ft): **8.67** Height of Water Column (ft): **4.01**

1 Well Volume [WV] (gal): **0.64** 3 WV (gal): **1.9** 5 WV (gal): [Not Applicable]

Method of Purging: **Dedicated Bailer X** / Other: **1120**

**Purge X** Field Parameters Start Time: \_\_\_\_\_

Vol (gal)/WV	Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	[Totalizer Start= _____ gal] Characteristics
Initial / 0	<b>0.662</b>	<b>4.9</b>	<b>6.7</b>	<b>-3.4</b>	<b>390.5</b>	
/ 1	<b>0.672</b>	<b>3.9</b>	<b>6.7</b>	<b>-10.2</b>	<b>190.3</b>	
/ 2						
/ 3						

Total Volume Purged (gal): \_\_\_\_\_ Complete Time: **1129** Water Level (ft): \_\_\_\_\_

**Sampling Information:** Date: **4/ 1 /2020**

Sample Time: **1015** Water Level(ft): \_\_\_\_\_ Sample Analysis: **Routine Event/No. of Bottles: 8**

Sampling Method: **Dedicated Bailer- All** / **Manual grab w/-** Sample Containers **4**; S/S Pitcher \_\_\_\_\_

## Sample Field Parameters

Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	Characteristics
<b>0.700</b>	<b>6.19</b>	<b>6.0</b>	<b>-07.7</b>	<b>9.7</b>	

Other Comments:  
Wait well due to turbidity

☒ Purger's / ☒ Sampler's Name(s) and Initials:



# WELL DEVELOPMENT/ PURGE & SAMPLING LOG

WELL ID: **MW-12B**

Project Name: Ischua Landfill [City of Olean]  
Project Location: Airport Road, Town of Ischua, New York

Project No:  
Sampling Event: Spring 2020- Routine  
Date: **4/ /2020**

**Development / Purge Information:** [All measurements to Top of Well Riser; Riser I.D. (in): 2 [Volume Conversion = 0.16]

Visible Well Damage/Comments: NONE

Well Depth (ft): **20.90** Water Level (ft): **10.26** Height of Water Column (ft): **10.64**

1 Well Volume [WV] (gal): **1.7** 3 WV (gal): **5.1** 5 WV (gal): [Not Applicable]

Method of Purging: Dedicated Bailer ☒ / Other: **1120**

**Purge ☒ Field Parameters Start Time:** \_\_\_\_\_

Vol (gal)/WV	Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	[Totalizer Start= _____ gal] Characteristics
Initial / 0	0.751	6.25	7.4	21.1	14.6	
1	0.787	6.27	7.8	- 3.3	28.0	
2	0.809	6.21	8.3	- 1.0	13.3	
3	0.815	6.24	8.6	- 5.7	9.8	

Total Volume Purged (gal): \_\_\_\_\_ Complete Time: **1143** Water Level (ft): \_\_\_\_\_

**Sampling Information:** Date: **4/ /2020**

Sample Time: **1020** Water Level(ft): \_\_\_\_\_ Sample Analysis: **Routine Event/No. of Bottles:**

Sampling Method : **Dedicated Bailer- All** / **Manual grab w/-** Sample Containers ☒ ; S/S Pitcher \_\_\_\_\_

## Sample Field Parameters

Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	Characteristics
<b>0.796</b>	<b>6.3</b>	<b>7.4</b>	<b>20.9</b>	<b>5.7</b>	

Other Comments:

☒ Purger's / ☒ Sampler's Name(s) and Initials:



# WELL DEVELOPMENT/ PURGE & SAMPLING LOG

WELL ID: **MW-13**

Project Name: Ischua Landfill [City of Olean]  
Project Location: Airport Road, Town of Ischua, New York

Project No:  
Sampling Event: Spring 2020- Routine  
Date: **4/ /2020**

**Development / Purge Information:** [All measurements to Top of Well Riser; Riser I.D. (in): 2 [Volume Conversion = 0.16]

Visible Well Damage/Comments: NONE

Well Depth (ft): **11.44** Water Level (ft): **3.30** Height of Water Column (ft): **8.22**

1 Well Volume [WV] (gal): **1.3** 3 WV (gal): **4.0** 5 WV (gal): [Not Applicable]

Method of Purging: Dedicated Bailer ☒ / Other:

**Purge ☒ Field Parameters Start Time:** **1415**

Vol (gal)/WV	Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	[Totalizer Start= gal] Characteristics
Initial / 0	.302	7.07	5.5	81.7	5.4	
/ 1	.298	6.78	5.5	95.7	10.3	
/ 2	.324	6.82	5.7	117.6	111.4	
/ 3						

Total Volume Purged (gal): Complete Time: **1430** Water Level (ft):

**Sampling Information:** Date: **4/ 1 /2020**

Sample Time: **1300** Water Level(ft): Sample Analysis: **Routine Event/No. of Bottles:**


Sampling Method : **Dedicated Bailer- All** / **Manual grab w/-** Sample Containers ☒ ; S/S Pitcher

## Sample Field Parameters

Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	Characteristics
<b>-40.7</b>	<b>7.02</b>	<b>6.1</b>	<b>0.292</b>	<b>1.0</b>	

Other Comments:  
Requires some wait time after purging.

☒ Purger's / ☒ Sampler's Name(s) and Initials:

 <b>LaBella</b> <small>Powered by partnership</small>	<h2 style="margin: 0;">WELL DEVELOPMENT/ PURGE &amp; SAMPLING LOG</h2>	<b>WELL ID: MW-14</b>				
Project Name: Ischua Landfill [City of Olean] Project Location: Airport Road, Town of Ischua, New York		Project No: Sampling Event: Spring 2020- Routine Date: 4/ 1 /2020				
<b>Development / Purge Information:</b> [All measurements to Top of Well Riser; Riser I.D. (in): 2 [Volume Conversion = 0.16]						
Visible Well Damage/Comments: NONE						
Well Depth (ft): <u>23.45</u> Water Level (ft): <u>14.64</u> Height of Water Column (ft): <u>8.81</u>						
1 Well Volume [WV] (gal): <u>1.4</u> 3 WV (gal): <u>4.21</u> 5 WV (gal): [Not Applicable]						
Method of Purging: Dedicated Bailer <u>X</u> / Other:						
<b>Purge <u>X</u> Field Parameters    Start Time: <u>1351</u></b>						
Vol (gal)/WV	Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	[Totalizer Start= _____ gal] Characteristics
Initial / 0	0.388	8.0	7.9	100.5	2.5	
/ 1	0.393	8.06	8.3	112.8	6.4	DRY
/ 2						
/ 3						
Total Volume Purged (gal): <u>6.4</u> Complete Time: <u>1400</u> Water Level (ft):						
<b>Sampling Information:</b> Date: 4/ 1 /2020						
Sample Time: <u>1130</u> Water Level(ft):    Sample Analysis: <b>Routine Event/No. of Bottles:</b>						
Sampling Method : <b>Dedicated Bailer-</b> <u>All</u> / <b>Manual grab w/-</b> Sample Containers <u>X</u> ; S/S Pitcher						
<b>Sample Field Parameters</b>						
Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	Characteristics	
79.8	7.58	7.9	0.390	4.5		
Other Comments: Wait well- very slow recharge rate. Must come back several times to obtain samples. Well casing is often full of bees.						
<u>X</u> Purger's / <u>X</u> Sampler's Name(s) and Initials:						



# WELL DEVELOPMENT/ PURGE & SAMPLING LOG

WELL ID: **SEEP**

Project Name: Ischua Landfill [City of Olean]  
Project Location: Airport Road, Town of Ischua, New York

Project No:  
Sampling Event: Spring 2020- Routine  
Date: **4/ 1/2020**

Purge not required on this sample- Surface water

**Sampling Information:** Date: **4/ 1/2020**

Sample Time: **1250** Water Level(ft): \_\_\_\_\_ Sample Analysis: **Baseline Event/No. of Bottles:**

Sampling Method : **Dedicated Bailer- All / Manual grab w/-** Sample Containers **X** ; S/S Pitcher \_\_\_\_\_

## Sample Field Parameters

Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	Characteristics [For SW & SEEP Only: D.O. = <b>8.44</b> mg/L]
<b>-31.5</b>	<b>6.38</b>	<b>8.0</b>	<b>0.427</b>	<b>1.5</b>	

Other Comments:

☒ Purger's / ☒ Sampler's Name(s) and Initials:



## WELL DEVELOPMENT/ PURGE & SAMPLING LOG

WELL ID: **STREAM**

Project Name: Ischua Landfill [City of Olean]  
Project Location: Airport Road, Town of Ischua, New York

Project No: \_\_\_\_\_  
Sampling Event: Spring 2020- Routine  
Date: **4/ /2020**

Purge not required on this sample- Surface water

**Sampling Information:** Date: **4/1 /2020**

Sample Time: **1315** Water Level(ft): \_\_\_\_\_ Sample Analysis: **Routine Event/No. of Bottles:**

Sampling Method : **Dedicated Bailer- (All) / Manual grab w/-** Sample Containers **X** ; S/S Pitcher \_\_\_\_\_

### Sample Field Parameters

Eh (mV)	pH (SU)	Temp. (°C)	Cond. (mS/cm)	Turb. (NTU)	Characteristics [For SW & SEEP Only: D.O. = <b>11.30</b> mg/L]
<b>51.9</b>	<b>7.47</b>	<b>8.0</b>	<b>0.163</b>	<b>0</b>	

Other Comments:

**X** Purger's **/** **X** Sampler's Name(s) and Initials:

## APPENDIX B

### Chain-of-Custody



# WO#: 70126818



## CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Se 70126818

Re:

Information:

Section C

Invoice Information:

Page : 1 Of 2

Company: LaBella Associates	Copy To: Andrew Benkeman	Attention: ACCOUNTS PAYABLE
Address: 300 Pearl Street		Company Name:
Buffalo, NY 14201		Address:
Email: abenkeman@labellapc.com	Purchase Order #:	Pace Quote:
Phone: (716) 551-6281 Fax	Project Name: Ischua Landfill	Pace Project Manager: jennifer.aracri@pacelabs.com,
Requested Due Date:	Project #: 2201342	Pace Profile #: 5498 Line 1 & 4

ITEM #		SAMPLE ID One Character per box. (A-Z, 0-9 / , -) Sample Ids must be unique	MATRIX CODE (see valid codes to left) SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED				SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives								Y/N	Requested Analysis Filtered (Y/N)												Residual Chlorine (Y/N)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
				START		END				Unpreserved	H2SO4	HNO3	HCl	NaOH	Na2S2O3	Methanol	Other		BOD, BR, Cl, SO4, NO2, TDS	Alkalinity	COD, NH3, NO3, Phenols, TK	TOC	Metals +Hardness	Dissolved Metals by 200 7 (L)	Volatiles																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								</

ADDITIONAL COMMENTS	RELINQUISHED BY / AFFILIATION	DATE	TIME	ACCEPTED BY / AFFILIATION	DATE	TIME	SAMPLE CONDITIONS			
Part 360 Routine +Baseline VOCs	LABELLA	4/1/20	1600	FEDEx	4/1/20	1600				
				Labella	4/2/20	940	25	40	N	4

SAMPLER NAME AND SIGNATURE		TEMP in C	Received on Ice (Y/N)	Custody Sealed (Y/N)	Cooler (Y/N)	Samples Intact (Y/N)
PRINT Name of SAMPLER: ANDREW BENKLEMAN						
SIGNATURE of SAMPLER:	DATE Signed: 4/1/20					



# APPENDIX C

## Analytical Laboratory Report

April 20, 2020

Andrew Benkleman  
LaBella Associates  
300 Pearl Street  
Suite 130  
Buffalo, NY 14201

RE: Project: ISCHUA LANDFILL  
Pace Project No.: 70126818

Dear Andrew Benkleman:

Enclosed are the analytical results for sample(s) received by the laboratory on April 02, 2020. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Melville

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Jennifer Aracri  
jennifer.aracri@pacelabs.com  
(631)694-3040  
Project Manager

Enclosures

cc: Shannon Dalton, LaBella Associates



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## CERTIFICATIONS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

---

### **Pace Analytical Services Long Island**

575 Broad Hollow Rd, Melville, NY 11747

New York Certification #: 10478 Primary Accrediting Body

New Jersey Certification #: NY158

Pennsylvania Certification #: 68-00350

Connecticut Certification #: PH-0435

Maryland Certification #: 208

Rhode Island Certification #: LAO00340

Massachusetts Certification #: M-NY026

New Hampshire Certification #: 2987

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

---

**Method:** EPA 6010C

**Description:** 6010 MET ICP

**Client:** LaBella Associates

**Date:** April 20, 2020

### General Information:

14 samples were analyzed for EPA 6010C by Pace Analytical Services Melville. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

### Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

### Sample Preparation:

The samples were prepared in accordance with EPA 3005A with any exceptions noted below.

### Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

### Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

### Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

### Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

### Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 156048

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 70126818004

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 751335)
- Manganese

### Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

### Additional Comments:

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

**Method:** EPA 8260C/5030C

**Description:** 8260C Volatile Organics

**Client:** LaBella Associates

**Date:** April 20, 2020

### General Information:

16 samples were analyzed for EPA 8260C/5030C by Pace Analytical Services Melville. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

### Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

### Initial Calibrations (including MS Tune as applicable):

All criteria were within method requirements with any exceptions noted below.

QC Batch: 155840

IC: The initial calibration for this compound was outside of method control limits. The result is estimated.

- BLANK (Lab ID: 749997)
  - Acetone
- DUP (Lab ID: 70126818014)
  - Acetone
- LCS (Lab ID: 749998)
  - Acetone
- MS (Lab ID: 750715)
  - Acetone
- MSD (Lab ID: 750716)
  - Acetone
- MW-10B (Lab ID: 70126818006)
  - Acetone
- MW-11B (Lab ID: 70126818007)
  - Acetone
- MW-12A (Lab ID: 70126818008)
  - Acetone
- MW-12B (Lab ID: 70126818009)
  - Acetone
- MW-13 (Lab ID: 70126818010)
  - Acetone
- MW-14 (Lab ID: 70126818011)
  - Acetone
- MW-6D (Lab ID: 70126818001)
  - Acetone
- MW-7A (Lab ID: 70126818002)
  - Acetone
- MW-7C (Lab ID: 70126818003)
  - Acetone
- MW-8B (Lab ID: 70126818004)
  - Acetone
- MW-9B (Lab ID: 70126818005)
  - Acetone
- SEEP (Lab ID: 70126818013)

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

**Method:** EPA 8260C/5030C

**Description:** 8260C Volatile Organics

**Client:** LaBella Associates

**Date:** April 20, 2020

QC Batch: 155840

IC: The initial calibration for this compound was outside of method control limits. The result is estimated.

- Acetone
- STORAGE BLANK (Lab ID: 70126818016)
  - Acetone
- STREAM (Lab ID: 70126818012)
  - Acetone
- TRIP BLANK (Lab ID: 70126818015)
  - Acetone

IH: This analyte exceeded secondary source verification criteria high for the initial calibration. The reported results should be considered an estimated value.

- LCS (Lab ID: 749998)
  - Acrolein
- MS (Lab ID: 750715)
  - Acrolein
- MSD (Lab ID: 750716)
  - Acrolein

### Continuing Calibration:

All criteria were within method requirements with any exceptions noted below.

QC Batch: 155840

CH: The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.

- LCS (Lab ID: 749998)
  - 2-Hexanone
  - Acetone
- MS (Lab ID: 750715)
  - 2-Hexanone
  - Acetone
- MSD (Lab ID: 750716)
  - 2-Hexanone
  - Acetone
- MW-11B (Lab ID: 70126818007)
  - Acetone
- MW-12A (Lab ID: 70126818008)
  - Acetone
- MW-9B (Lab ID: 70126818005)
  - Acetone

CL: The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased low.

- BLANK (Lab ID: 749997)
  - Acetonitrile
  - Bromomethane
  - Chloroethane
  - Iodomethane
- DUP (Lab ID: 70126818014)
  - Acetonitrile

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## PROJECT NARRATIVE

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

---

**Method:** EPA 8260C/5030C

**Description:** 8260C Volatile Organics

**Client:** LaBella Associates

**Date:** April 20, 2020

QC Batch: 155840

CL: The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased low.

- Bromomethane
- Chloroethane
- Iodomethane
- LCS (Lab ID: 749998)
  - Acetonitrile
  - Bromomethane
  - Chloroethane
  - Iodomethane
- MS (Lab ID: 750715)
  - Acetonitrile
  - Bromomethane
  - Chloroethane
  - Iodomethane
- MSD (Lab ID: 750716)
  - Acetonitrile
  - Bromomethane
  - Chloroethane
  - Iodomethane
- MW-10B (Lab ID: 70126818006)
  - Acetonitrile
  - Bromomethane
  - Chloroethane
  - Iodomethane
- MW-11B (Lab ID: 70126818007)
  - Acetonitrile
  - Bromomethane
  - Chloroethane
  - Iodomethane
- MW-12A (Lab ID: 70126818008)
  - Acetonitrile
  - Bromomethane
  - Chloroethane
  - Iodomethane
- MW-12B (Lab ID: 70126818009)
  - Acetonitrile
  - Bromomethane
  - Chloroethane
  - Iodomethane
- MW-13 (Lab ID: 70126818010)
  - Acetonitrile
  - Bromomethane
  - Chloroethane
  - Iodomethane
- MW-14 (Lab ID: 70126818011)

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

**Method:** EPA 8260C/5030C

**Description:** 8260C Volatile Organics

**Client:** LaBella Associates

**Date:** April 20, 2020

QC Batch: 155840

CL: The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased low.

- Acetonitrile
- Bromomethane
- Chloroethane
- Iodomethane
- MW-6D (Lab ID: 70126818001)
  - Acetonitrile
  - Bromomethane
  - Chloroethane
  - Iodomethane
- MW-7A (Lab ID: 70126818002)
  - Acetonitrile
  - Bromomethane
  - Chloroethane
  - Iodomethane
- MW-7C (Lab ID: 70126818003)
  - Acetonitrile
  - Bromomethane
  - Chloroethane
  - Iodomethane
- MW-8B (Lab ID: 70126818004)
  - Acetonitrile
  - Bromomethane
  - Chloroethane
  - Iodomethane
- MW-9B (Lab ID: 70126818005)
  - Acetonitrile
  - Bromomethane
  - Chloroethane
  - Iodomethane
- SEEP (Lab ID: 70126818013)
  - Acetonitrile
  - Bromomethane
  - Chloroethane
  - Iodomethane
- STORAGE BLANK (Lab ID: 70126818016)
  - Acetonitrile
  - Bromomethane
  - Chloroethane
  - Iodomethane
- STREAM (Lab ID: 70126818012)
  - Acetonitrile
  - Bromomethane
  - Chloroethane
  - Iodomethane

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

**Method:** EPA 8260C/5030C

**Description:** 8260C Volatile Organics

**Client:** LaBella Associates

**Date:** April 20, 2020

QC Batch: 155840

CL: The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased low.

- TRIP BLANK (Lab ID: 70126818015)
  - Acetonitrile
  - Bromomethane
  - Chloroethane
  - Iodomethane

### Internal Standards:

All internal standards were within QC limits with any exceptions noted below.

### Surrogates:

All surrogates were within QC limits with any exceptions noted below.

### Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

### Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

### Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 155840

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 70126818004

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 750715)
  - Bromochloromethane
- MSD (Lab ID: 750716)
  - Acrolein

R1: RPD value was outside control limits.

- MSD (Lab ID: 750716)
  - Acetonitrile
  - Bromomethane

### Additional Comments:

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

---

**Method:** EPA 8260

**Description:** TIC MSV Water

**Client:** LaBella Associates

**Date:** April 20, 2020

**General Information:**

15 samples were analyzed for EPA 8260 by Pace Analytical Services Melville. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

**Hold Time:**

The samples were analyzed within the method required hold times with any exceptions noted below.

**Initial Calibrations (including MS Tune as applicable):**

All criteria were within method requirements with any exceptions noted below.

**Continuing Calibration:**

All criteria were within method requirements with any exceptions noted below.

**Internal Standards:**

All internal standards were within QC limits with any exceptions noted below.

**Surrogates:**

All surrogates were within QC limits with any exceptions noted below.

**Method Blank:**

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

**Laboratory Control Spike:**

All laboratory control spike compounds were within QC limits with any exceptions noted below.

**Matrix Spikes:**

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

**Additional Comments:**

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

---

**Method:** SM22 2320B

**Description:** 2320B Alkalinity

**Client:** LaBella Associates

**Date:** April 20, 2020

### General Information:

13 samples were analyzed for SM22 2320B by Pace Analytical Services Melville. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

### Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

### Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

### Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

### Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 156328

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 70126818004

M1: Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

- MS (Lab ID: 752809)
- Alkalinity, Total as CaCO<sub>3</sub>

### Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

### Additional Comments:

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

---

**Method:** SM22 2340C

**Description:** 2340C Hardness, Total

**Client:** LaBella Associates

**Date:** April 20, 2020

**General Information:**

14 samples were analyzed for SM22 2340C by Pace Analytical Services Melville. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

**Hold Time:**

The samples were analyzed within the method required hold times with any exceptions noted below.

**Method Blank:**

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

**Laboratory Control Spike:**

All laboratory control spike compounds were within QC limits with any exceptions noted below.

**Matrix Spikes:**

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

**Duplicate Sample:**

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

**Additional Comments:**

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

---

**Method:** SM22 2540C

**Description:** 2540C Total Dissolved Solids

**Client:** LaBella Associates

**Date:** April 20, 2020

**General Information:**

13 samples were analyzed for SM22 2540C by Pace Analytical Services Melville. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

**Hold Time:**

The samples were analyzed within the method required hold times with any exceptions noted below.

**Method Blank:**

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

**Laboratory Control Spike:**

All laboratory control spike compounds were within QC limits with any exceptions noted below.

**Matrix Spikes:**

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

**Duplicate Sample:**

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

**Additional Comments:**

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## PROJECT NARRATIVE

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

---

**Method:** EPA 410.4

**Description:** 410.4 COD

**Client:** LaBella Associates

**Date:** April 20, 2020

### General Information:

14 samples were analyzed for EPA 410.4 by Pace Analytical Services Melville. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

### Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

### Sample Preparation:

The samples were prepared in accordance with EPA 410.4 with any exceptions noted below.

### Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

### Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

### Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

### Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

### Additional Comments:

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

---

**Method:** SM22 5210B

**Description:** 5210B BOD, 5 day

**Client:** LaBella Associates

**Date:** April 20, 2020

### General Information:

13 samples were analyzed for SM22 5210B by Pace Analytical Services Melville. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

### Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

H2: Extraction or preparation conducted outside EPA method holding time.

- DUP (Lab ID: 70126818014)

### Sample Preparation:

The samples were prepared in accordance with SM22 5210B with any exceptions noted below.

### Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

### Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

### Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

### Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

### Additional Comments:

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

---

**Method:** EPA 300.0

**Description:** 300.0 IC Anions 28 Days

**Client:** LaBella Associates

**Date:** April 20, 2020

**General Information:**

13 samples were analyzed for EPA 300.0 by Pace Analytical Services Melville. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

**Hold Time:**

The samples were analyzed within the method required hold times with any exceptions noted below.

**Method Blank:**

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

**Laboratory Control Spike:**

All laboratory control spike compounds were within QC limits with any exceptions noted below.

**Matrix Spikes:**

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

**Duplicate Sample:**

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

**Additional Comments:**

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

---

**Method:** EPA 351.2

**Description:** 351.2 Total Kjeldahl Nitrogen

**Client:** LaBella Associates

**Date:** April 20, 2020

### General Information:

14 samples were analyzed for EPA 351.2 by Pace Analytical Services Melville. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

### Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

### Sample Preparation:

The samples were prepared in accordance with EPA 351.2 with any exceptions noted below.

### Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

### Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

### Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 156664

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 70126818004,70127493002

M6: Matrix spike and Matrix spike duplicate recovery not evaluated against control limits due to sample dilution.

- MS (Lab ID: 754875)
  - Nitrogen, Kjeldahl, Total
- MS (Lab ID: 754877)
  - Nitrogen, Kjeldahl, Total

### Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

### Additional Comments:

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

---

**Method:** EPA 353.2

**Description:** 353.2 Nitrogen, NO<sub>2</sub>/NO<sub>3</sub> unpres

**Client:** LaBella Associates

**Date:** April 20, 2020

### General Information:

14 samples were analyzed for EPA 353.2 by Pace Analytical Services Melville. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

### Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

H1: Analysis conducted outside the EPA method holding time.

- DUP (Lab ID: 70126818014)
- MW-9B (Lab ID: 70126818005)

### Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

### Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

### Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

QC Batch: 155726

A matrix spike and/or matrix spike duplicate (MS/MSD) were performed on the following sample(s): 70126818004,70126855001

M6: Matrix spike and Matrix spike duplicate recovery not evaluated against control limits due to sample dilution.

- MS (Lab ID: 749510)
- Nitrate-Nitrite (as N)

### Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

### Additional Comments:

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

---

**Method:** EPA 353.2

**Description:** 353.2 Nitrogen, NO<sub>2</sub>

**Client:** LaBella Associates

**Date:** April 20, 2020

### General Information:

13 samples were analyzed for EPA 353.2 by Pace Analytical Services Melville. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

### Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

H1: Analysis conducted outside the EPA method holding time.

- DUP (Lab ID: 70126818014)

### Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

### Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

### Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

### Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

### Additional Comments:

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

---

**Method:** EPA 420.1

**Description:** Phenolics, Total Recoverable

**Client:** LaBella Associates

**Date:** April 20, 2020

**General Information:**

14 samples were analyzed for EPA 420.1 by Pace Analytical Services Melville. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

**Hold Time:**

The samples were analyzed within the method required hold times with any exceptions noted below.

**Sample Preparation:**

The samples were prepared in accordance with EPA 420.1 with any exceptions noted below.

**Method Blank:**

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

**Laboratory Control Spike:**

All laboratory control spike compounds were within QC limits with any exceptions noted below.

**Matrix Spikes:**

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

**Duplicate Sample:**

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

**Additional Comments:**

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## PROJECT NARRATIVE

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

---

**Method:** SM22 4500 NH3 H

**Description:** 4500 Ammonia Water

**Client:** LaBella Associates

**Date:** April 20, 2020

**General Information:**

14 samples were analyzed for SM22 4500 NH3 H by Pace Analytical Services Melville. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

**Hold Time:**

The samples were analyzed within the method required hold times with any exceptions noted below.

**Method Blank:**

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

**Laboratory Control Spike:**

All laboratory control spike compounds were within QC limits with any exceptions noted below.

**Matrix Spikes:**

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

**Duplicate Sample:**

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

**Additional Comments:**

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## PROJECT NARRATIVE

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

---

**Method:** SM22 5310B

**Description:** 5310B TOC as NPOC

**Client:** LaBella Associates

**Date:** April 20, 2020

### General Information:

14 samples were analyzed for SM22 5310B by Pace Analytical Services Melville. All samples were received in acceptable condition with any exceptions noted below or on the chain-of custody and/or the sample condition upon receipt form (SCUR) attached at the end of this report.

### Hold Time:

The samples were analyzed within the method required hold times with any exceptions noted below.

### Method Blank:

All analytes were below the report limit in the method blank, where applicable, with any exceptions noted below.

QC Batch: 156156

B: Analyte was detected in the associated method blank.

- BLANK for HBN 156156 [WETA/253 (Lab ID: 752126)]
- Total Organic Carbon

### Laboratory Control Spike:

All laboratory control spike compounds were within QC limits with any exceptions noted below.

### Matrix Spikes:

All percent recoveries and relative percent differences (RPDs) were within acceptance criteria with any exceptions noted below.

### Duplicate Sample:

All duplicate sample results were within method acceptance criteria with any exceptions noted below.

### Additional Comments:

This data package has been reviewed for quality and completeness and is approved for release.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: MW-6D		Lab ID: 70126818001	Collected: 04/01/20 08:50	Received: 04/02/20 09:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010 MET ICP</b>		Analytical Method: EPA 6010C Preparation Method: EPA 3005A Pace Analytical Services - Melville						
Cadmium	<2.5	ug/L	2.5	1	04/07/20 12:19	04/08/20 21:49	7440-43-9	
Calcium	95200	ug/L	200	1	04/07/20 12:19	04/08/20 21:49	7440-70-2	
Iron	123	ug/L	20.0	1	04/07/20 12:19	04/08/20 21:49	7439-89-6	
Lead	<5.0	ug/L	5.0	1	04/07/20 12:19	04/08/20 21:49	7439-92-1	
Magnesium	26400	ug/L	200	1	04/07/20 12:19	04/08/20 21:49	7439-95-4	
Manganese	26.6	ug/L	10.0	1	04/07/20 12:19	04/08/20 21:49	7439-96-5	
Potassium	2800J	ug/L	5000	1	04/07/20 12:19	04/08/20 21:49	7440-09-7	
Sodium	5500	ug/L	5000	1	04/07/20 12:19	04/08/20 21:49	7440-23-5	
<b>8260C Volatile Organics</b>		Analytical Method: EPA 8260C/5030C Pace Analytical Services - Melville						
1,1,1,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/03/20 21:47	630-20-6	
1,1,1-Trichloroethane	<1.0	ug/L	1.0	1		04/03/20 21:47	71-55-6	
1,1,2,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/03/20 21:47	79-34-5	
1,1,2-Trichloroethane	<1.0	ug/L	1.0	1		04/03/20 21:47	79-00-5	
1,1-Dichloroethane	<1.0	ug/L	1.0	1		04/03/20 21:47	75-34-3	
1,1-Dichloroethene	<1.0	ug/L	1.0	1		04/03/20 21:47	75-35-4	
1,1-Dichloropropene	<1.0	ug/L	1.0	1		04/03/20 21:47	563-58-6	
1,2,3-Trichloropropane	<1.0	ug/L	1.0	1		04/03/20 21:47	96-18-4	
1,2-Dibromo-3-chloropropane	<1.0	ug/L	1.0	1		04/03/20 21:47	96-12-8	
1,2-Dibromoethane (EDB)	<1.0	ug/L	1.0	1		04/03/20 21:47	106-93-4	
1,2-Dichlorobenzene	<1.0	ug/L	1.0	1		04/03/20 21:47	95-50-1	
1,2-Dichloroethane	<1.0	ug/L	1.0	1		04/03/20 21:47	107-06-2	
1,2-Dichloropropane	<1.0	ug/L	1.0	1		04/03/20 21:47	78-87-5	
1,3-Dichlorobenzene	<1.0	ug/L	1.0	1		04/03/20 21:47	541-73-1	
1,3-Dichloropropane	<1.0	ug/L	1.0	1		04/03/20 21:47	142-28-9	
1,4-Dichlorobenzene	<1.0	ug/L	1.0	1		04/03/20 21:47	106-46-7	
2,2-Dichloropropane	<1.0	ug/L	1.0	1		04/03/20 21:47	594-20-7	
2-Butanone (MEK)	<5.0	ug/L	5.0	1		04/03/20 21:47	78-93-3	
2-Hexanone	<5.0	ug/L	5.0	1		04/03/20 21:47	591-78-6	
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	5.0	1		04/03/20 21:47	108-10-1	
Acetone	<5.0	ug/L	5.0	1		04/03/20 21:47	67-64-1	IC
Acetonitrile	<5.0	ug/L	5.0	1		04/03/20 21:47	75-05-8	CL
Acrolein	<1.0	ug/L	1.0	1		04/03/20 21:47	107-02-8	
Acrylonitrile	<1.0	ug/L	1.0	1		04/03/20 21:47	107-13-1	
Allyl chloride	<4.0	ug/L	4.0	1		04/03/20 21:47	107-05-1	
Benzene	<1.0	ug/L	1.0	1		04/03/20 21:47	71-43-2	
Bromochloromethane	<1.0	ug/L	1.0	1		04/03/20 21:47	74-97-5	
Bromodichloromethane	<1.0	ug/L	1.0	1		04/03/20 21:47	75-27-4	
Bromoform	<1.0	ug/L	1.0	1		04/03/20 21:47	75-25-2	
Bromomethane	<1.0	ug/L	1.0	1		04/03/20 21:47	74-83-9	CL
Carbon disulfide	<1.0	ug/L	1.0	1		04/03/20 21:47	75-15-0	
Carbon tetrachloride	<1.0	ug/L	1.0	1		04/03/20 21:47	56-23-5	
Chlorobenzene	<1.0	ug/L	1.0	1		04/03/20 21:47	108-90-7	
Chloroethane	<1.0	ug/L	1.0	1		04/03/20 21:47	75-00-3	CL
Chloroform	<1.0	ug/L	1.0	1		04/03/20 21:47	67-66-3	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: MW-6D		Lab ID: 70126818001		Collected: 04/01/20 08:50		Received: 04/02/20 09:40		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C Pace Analytical Services - Melville							
Chloromethane	<1.0	ug/L	1.0	1		04/03/20 21:47	74-87-3	CL	
Chloroprene	<1.0	ug/L	1.0	1		04/03/20 21:47	126-99-8		
Dibromochloromethane	<1.0	ug/L	1.0	1		04/03/20 21:47	124-48-1		
Dibromomethane	<1.0	ug/L	1.0	1		04/03/20 21:47	74-95-3		
Dichlorodifluoromethane	<1.0	ug/L	1.0	1		04/03/20 21:47	75-71-8		
Ethyl methacrylate	<1.0	ug/L	1.0	1		04/03/20 21:47	97-63-2		
Ethylbenzene	<1.0	ug/L	1.0	1		04/03/20 21:47	100-41-4		
Iodomethane	<4.0	ug/L	4.0	1		04/03/20 21:47	74-88-4		
Isobutanol	<20.0	ug/L	20.0	1		04/03/20 21:47	78-83-1		
Methacrylonitrile	<1.0	ug/L	1.0	1		04/03/20 21:47	126-98-7		
Methyl methacrylate	<1.0	ug/L	1.0	1		04/03/20 21:47	80-62-6		
Methylene Chloride	<1.0	ug/L	1.0	1		04/03/20 21:47	75-09-2		
Propionitrile	<4.0	ug/L	4.0	1		04/03/20 21:47	107-12-0		
Styrene	<1.0	ug/L	1.0	1		04/03/20 21:47	100-42-5		
Tetrachloroethene	<1.0	ug/L	1.0	1		04/03/20 21:47	127-18-4		
Toluene	<1.0	ug/L	1.0	1		04/03/20 21:47	108-88-3		
Trichloroethene	<1.0	ug/L	1.0	1		04/03/20 21:47	79-01-6		
Trichlorofluoromethane	<1.0	ug/L	1.0	1		04/03/20 21:47	75-69-4		
Vinyl acetate	<1.0	ug/L	1.0	1		04/03/20 21:47	108-05-4		
Vinyl chloride	<1.0	ug/L	1.0	1		04/03/20 21:47	75-01-4		
Xylene (Total)	<3.0	ug/L	3.0	1		04/03/20 21:47	1330-20-7		
cis-1,2-Dichloroethene	<1.0	ug/L	1.0	1		04/03/20 21:47	156-59-2		
cis-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/03/20 21:47	10061-01-5		
trans-1,2-Dichloroethene	<1.0	ug/L	1.0	1		04/03/20 21:47	156-60-5		
trans-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/03/20 21:47	10061-02-6		
trans-1,4-Dichloro-2-butene	<1.0	ug/L	1.0	1		04/03/20 21:47	110-57-6		
Surrogates									
1,2-Dichloroethane-d4 (S)	101	%	68-153	1		04/03/20 21:47	17060-07-0		
4-Bromofluorobenzene (S)	99	%	79-124	1		04/03/20 21:47	460-00-4		
Toluene-d8 (S)	98	%	69-124	1		04/03/20 21:47	2037-26-5		
TIC MSV Water		Analytical Method: EPA 8260 Pace Analytical Services - Melville							
TIC Search	No TICs Found			1		04/07/20 12:39			
2320B Alkalinity		Analytical Method: SM22 2320B Pace Analytical Services - Melville							
Alkalinity, Total as CaCO3	336	mg/L	1.0	1		04/09/20 11:04			
2340C Hardness, Total		Analytical Method: SM22 2340C Pace Analytical Services - Melville							
Tot Hardness asCaCO3 (SM 2340B	300	mg/L	5.0	1		04/15/20 15:00			

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: MW-6D		Lab ID: 70126818001	Collected: 04/01/20 08:50	Received: 04/02/20 09:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
2540C Total Dissolved Solids		Analytical Method: SM22 2540C Pace Analytical Services - Melville						
Total Dissolved Solids	330	mg/L	10.0	1		04/06/20 10:11		
410.4 COD		Analytical Method: EPA 410.4 Preparation Method: EPA 410.4 Pace Analytical Services - Melville						
Chemical Oxygen Demand	<10.0	mg/L	10.0	1	04/07/20 10:05	04/07/20 12:21		
5210B BOD, 5 day		Analytical Method: SM22 5210B Preparation Method: SM22 5210B Pace Analytical Services - Melville						
BOD, 5 day	1.0J	mg/L	2.0	1	04/02/20 17:37	04/07/20 14:21		
300.0 IC Anions 28 Days		Analytical Method: EPA 300.0 Pace Analytical Services - Melville						
Bromide	0.052J	mg/L	0.50	1		04/15/20 00:49	24959-67-9	
Chloride	2.6	mg/L	2.0	1		04/15/20 00:49	16887-00-6	
Sulfate	17.1	mg/L	5.0	1		04/15/20 00:49	14808-79-8	
351.2 Total Kjeldahl Nitrogen		Analytical Method: EPA 351.2 Preparation Method: EPA 351.2 Pace Analytical Services - Melville						
Nitrogen, Kjeldahl, Total	0.45	mg/L	0.10	1	04/13/20 09:02	04/16/20 11:26	7727-37-9	
353.2 Nitrogen, NO2/NO3 unpres		Analytical Method: EPA 353.2 Pace Analytical Services - Melville						
Nitrate as N	0.052	mg/L	0.050	1		04/03/20 03:20	14797-55-8	
Nitrate-Nitrite (as N)	0.052	mg/L	0.050	1		04/03/20 03:20	7727-37-9	
353.2 Nitrogen, NO2		Analytical Method: EPA 353.2 Pace Analytical Services - Melville						
Nitrite as N	<0.050	mg/L	0.050	1		04/03/20 00:09	14797-65-0	
Phenolics, Total Recoverable		Analytical Method: EPA 420.1 Preparation Method: EPA 420.1 Pace Analytical Services - Melville						
Phenolics, Total Recoverable	2.5J	ug/L	5.0	1	04/13/20 08:32	04/13/20 14:19		
4500 Ammonia Water		Analytical Method: SM22 4500 NH3 H Pace Analytical Services - Melville						
Nitrogen, Ammonia	<0.10	mg/L	0.10	1		04/13/20 14:38	7664-41-7	
5310B TOC as NPOC		Analytical Method: SM22 5310B Pace Analytical Services - Melville						
Total Organic Carbon	1.0	mg/L	1.0	1		04/09/20 18:47	7440-44-0	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL  
Pace Project No.: 70126818

Sample: MW-7A		Lab ID: 70126818002	Collected: 04/01/20 09:30	Received: 04/02/20 09:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010 MET ICP</b>		Analytical Method: EPA 6010C Preparation Method: EPA 3005A Pace Analytical Services - Melville						
Cadmium	<2.5	ug/L	2.5	1	04/07/20 12:19	04/08/20 21:55	7440-43-9	
Calcium	51800	ug/L	200	1	04/07/20 12:19	04/08/20 21:55	7440-70-2	
Iron	25000	ug/L	20.0	1	04/07/20 12:19	04/08/20 21:55	7439-89-6	
Lead	<5.0	ug/L	5.0	1	04/07/20 12:19	04/08/20 21:55	7439-92-1	
Magnesium	10400	ug/L	200	1	04/07/20 12:19	04/08/20 21:55	7439-95-4	
Manganese	14700	ug/L	10.0	1	04/07/20 12:19	04/08/20 21:55	7439-96-5	
Potassium	13900	ug/L	5000	1	04/07/20 12:19	04/08/20 21:55	7440-09-7	
Sodium	4080J	ug/L	5000	1	04/07/20 12:19	04/08/20 21:55	7440-23-5	
<b>8260C Volatile Organics</b>		Analytical Method: EPA 8260C/5030C Pace Analytical Services - Melville						
1,1,1,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/03/20 22:07	630-20-6	
1,1,1-Trichloroethane	<1.0	ug/L	1.0	1		04/03/20 22:07	71-55-6	
1,1,2,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/03/20 22:07	79-34-5	
1,1,2-Trichloroethane	<1.0	ug/L	1.0	1		04/03/20 22:07	79-00-5	
1,1-Dichloroethane	<1.0	ug/L	1.0	1		04/03/20 22:07	75-34-3	
1,1-Dichloroethene	<1.0	ug/L	1.0	1		04/03/20 22:07	75-35-4	
1,1-Dichloropropene	<1.0	ug/L	1.0	1		04/03/20 22:07	563-58-6	
1,2,3-Trichloropropane	<1.0	ug/L	1.0	1		04/03/20 22:07	96-18-4	
1,2-Dibromo-3-chloropropane	<1.0	ug/L	1.0	1		04/03/20 22:07	96-12-8	
1,2-Dibromoethane (EDB)	<1.0	ug/L	1.0	1		04/03/20 22:07	106-93-4	
1,2-Dichlorobenzene	<1.0	ug/L	1.0	1		04/03/20 22:07	95-50-1	
1,2-Dichloroethane	<1.0	ug/L	1.0	1		04/03/20 22:07	107-06-2	
1,2-Dichloropropane	<1.0	ug/L	1.0	1		04/03/20 22:07	78-87-5	
1,3-Dichlorobenzene	<1.0	ug/L	1.0	1		04/03/20 22:07	541-73-1	
1,3-Dichloropropane	<1.0	ug/L	1.0	1		04/03/20 22:07	142-28-9	
1,4-Dichlorobenzene	<1.0	ug/L	1.0	1		04/03/20 22:07	106-46-7	
2,2-Dichloropropane	<1.0	ug/L	1.0	1		04/03/20 22:07	594-20-7	
2-Butanone (MEK)	<5.0	ug/L	5.0	1		04/03/20 22:07	78-93-3	
2-Hexanone	<5.0	ug/L	5.0	1		04/03/20 22:07	591-78-6	
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	5.0	1		04/03/20 22:07	108-10-1	
Acetone	<5.0	ug/L	5.0	1		04/03/20 22:07	67-64-1	IC
Acetonitrile	<5.0	ug/L	5.0	1		04/03/20 22:07	75-05-8	CL
Acrolein	<1.0	ug/L	1.0	1		04/03/20 22:07	107-02-8	
Acrylonitrile	<1.0	ug/L	1.0	1		04/03/20 22:07	107-13-1	
Allyl chloride	<4.0	ug/L	4.0	1		04/03/20 22:07	107-05-1	
Benzene	0.91J	ug/L	1.0	1		04/03/20 22:07	71-43-2	
Bromochloromethane	<1.0	ug/L	1.0	1		04/03/20 22:07	74-97-5	
Bromodichloromethane	<1.0	ug/L	1.0	1		04/03/20 22:07	75-27-4	
Bromoform	<1.0	ug/L	1.0	1		04/03/20 22:07	75-25-2	
Bromomethane	<1.0	ug/L	1.0	1		04/03/20 22:07	74-83-9	CL
Carbon disulfide	<1.0	ug/L	1.0	1		04/03/20 22:07	75-15-0	
Carbon tetrachloride	<1.0	ug/L	1.0	1		04/03/20 22:07	56-23-5	
Chlorobenzene	<1.0	ug/L	1.0	1		04/03/20 22:07	108-90-7	
Chloroethane	<1.0	ug/L	1.0	1		04/03/20 22:07	75-00-3	CL
Chloroform	<1.0	ug/L	1.0	1		04/03/20 22:07	67-66-3	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: MW-7A		Lab ID: 70126818002	Collected: 04/01/20 09:30	Received: 04/02/20 09:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C Pace Analytical Services - Melville						
Chloromethane	<1.0	ug/L	1.0	1		04/03/20 22:07	74-87-3	CL
Chloroprene	<1.0	ug/L	1.0	1		04/03/20 22:07	126-99-8	
Dibromochloromethane	<1.0	ug/L	1.0	1		04/03/20 22:07	124-48-1	
Dibromomethane	<1.0	ug/L	1.0	1		04/03/20 22:07	74-95-3	
Dichlorodifluoromethane	<1.0	ug/L	1.0	1		04/03/20 22:07	75-71-8	
Ethyl methacrylate	<1.0	ug/L	1.0	1		04/03/20 22:07	97-63-2	
Ethylbenzene	<1.0	ug/L	1.0	1		04/03/20 22:07	100-41-4	
Iodomethane	<4.0	ug/L	4.0	1		04/03/20 22:07	74-88-4	
Isobutanol	<20.0	ug/L	20.0	1		04/03/20 22:07	78-83-1	
Methacrylonitrile	<1.0	ug/L	1.0	1		04/03/20 22:07	126-98-7	
Methyl methacrylate	<1.0	ug/L	1.0	1		04/03/20 22:07	80-62-6	
Methylene Chloride	<1.0	ug/L	1.0	1		04/03/20 22:07	75-09-2	
Propionitrile	<4.0	ug/L	4.0	1		04/03/20 22:07	107-12-0	
Styrene	<1.0	ug/L	1.0	1		04/03/20 22:07	100-42-5	
Tetrachloroethene	<1.0	ug/L	1.0	1		04/03/20 22:07	127-18-4	
Toluene	<1.0	ug/L	1.0	1		04/03/20 22:07	108-88-3	
Trichloroethene	<1.0	ug/L	1.0	1		04/03/20 22:07	79-01-6	
Trichlorofluoromethane	<1.0	ug/L	1.0	1		04/03/20 22:07	75-69-4	
Vinyl acetate	<1.0	ug/L	1.0	1		04/03/20 22:07	108-05-4	
Vinyl chloride	<1.0	ug/L	1.0	1		04/03/20 22:07	75-01-4	
Xylene (Total)	<3.0	ug/L	3.0	1		04/03/20 22:07	1330-20-7	
cis-1,2-Dichloroethene	2.0	ug/L	1.0	1		04/03/20 22:07	156-59-2	
cis-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/03/20 22:07	10061-01-5	
trans-1,2-Dichloroethene	<1.0	ug/L	1.0	1		04/03/20 22:07	156-60-5	
trans-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/03/20 22:07	10061-02-6	
trans-1,4-Dichloro-2-butene	<1.0	ug/L	1.0	1		04/03/20 22:07	110-57-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	98	%	68-153	1		04/03/20 22:07	17060-07-0	
4-Bromofluorobenzene (S)	99	%	79-124	1		04/03/20 22:07	460-00-4	
Toluene-d8 (S)	98	%	69-124	1		04/03/20 22:07	2037-26-5	
TIC MSV Water		Analytical Method: EPA 8260 Pace Analytical Services - Melville						
TIC Search	No TICs Found			1		04/07/20 12:39		
2320B Alkalinity		Analytical Method: SM22 2320B Pace Analytical Services - Melville						
Alkalinity, Total as CaCO3	245	mg/L	1.0	1		04/09/20 11:16		
2340C Hardness, Total		Analytical Method: SM22 2340C Pace Analytical Services - Melville						
Tot Hardness asCaCO3 (SM 2340B	480	mg/L	5.0	1		04/15/20 15:00		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL  
Pace Project No.: 70126818

Sample: MW-7A		Lab ID: 70126818002		Collected: 04/01/20 09:30		Received: 04/02/20 09:40		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
2540C Total Dissolved Solids		Analytical Method: SM22 2540C Pace Analytical Services - Melville							
Total Dissolved Solids	247	mg/L	10.0	1		04/06/20 10:11			
410.4 COD		Analytical Method: EPA 410.4 Preparation Method: EPA 410.4 Pace Analytical Services - Melville							
Chemical Oxygen Demand	39.9	mg/L	10.0	1	04/07/20 10:05	04/07/20 12:21			
5210B BOD, 5 day		Analytical Method: SM22 5210B Preparation Method: SM22 5210B Pace Analytical Services - Melville							
BOD, 5 day	8.8	mg/L	2.0	1	04/02/20 17:37	04/07/20 14:31			
300.0 IC Anions 28 Days		Analytical Method: EPA 300.0 Pace Analytical Services - Melville							
Bromide	0.17J	mg/L	0.50	1		04/15/20 01:06	24959-67-9		
Chloride	2.0J	mg/L	2.0	1		04/15/20 01:06	16887-00-6		
Sulfate	4.6J	mg/L	5.0	1		04/15/20 01:06	14808-79-8		
351.2 Total Kjeldahl Nitrogen		Analytical Method: EPA 351.2 Preparation Method: EPA 351.2 Pace Analytical Services - Melville							
Nitrogen, Kjeldahl, Total	3.3	mg/L	0.10	1	04/13/20 09:02	04/16/20 11:29	7727-37-9		
353.2 Nitrogen, NO2/NO3 unpres		Analytical Method: EPA 353.2 Pace Analytical Services - Melville							
Nitrate as N	0.085	mg/L	0.050	1		04/03/20 03:21	14797-55-8		
Nitrate-Nitrite (as N)	0.085	mg/L	0.050	1		04/03/20 03:21	7727-37-9		
353.2 Nitrogen, NO2		Analytical Method: EPA 353.2 Pace Analytical Services - Melville							
Nitrite as N	<0.050	mg/L	0.050	1		04/03/20 00:11	14797-65-0		
Phenolics, Total Recoverable		Analytical Method: EPA 420.1 Preparation Method: EPA 420.1 Pace Analytical Services - Melville							
Phenolics, Total Recoverable	3.1J	ug/L	5.0	1	04/13/20 08:32	04/13/20 14:19			
4500 Ammonia Water		Analytical Method: SM22 4500 NH3 H Pace Analytical Services - Melville							
Nitrogen, Ammonia	2.0	mg/L	0.10	1		04/13/20 14:39	7664-41-7		
5310B TOC as NPOC		Analytical Method: SM22 5310B Pace Analytical Services - Melville							
Total Organic Carbon	6.3	mg/L	1.0	1		04/09/20 18:59	7440-44-0		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: MW-7C		Lab ID: 70126818003	Collected: 04/01/20 09:20	Received: 04/02/20 09:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010 MET ICP</b>		Analytical Method: EPA 6010C Preparation Method: EPA 3005A Pace Analytical Services - Melville						
Cadmium	<2.5	ug/L	2.5	1	04/07/20 12:19	04/08/20 22:00	7440-43-9	
Calcium	93700	ug/L	200	1	04/07/20 12:19	04/08/20 22:00	7440-70-2	
Iron	60.4	ug/L	20.0	1	04/07/20 12:19	04/08/20 22:00	7439-89-6	
Lead	<5.0	ug/L	5.0	1	04/07/20 12:19	04/08/20 22:00	7439-92-1	
Magnesium	15200	ug/L	200	1	04/07/20 12:19	04/08/20 22:00	7439-95-4	
Manganese	1050	ug/L	10.0	1	04/07/20 12:19	04/08/20 22:00	7439-96-5	
Potassium	2080J	ug/L	5000	1	04/07/20 12:19	04/08/20 22:00	7440-09-7	
Sodium	9040	ug/L	5000	1	04/07/20 12:19	04/08/20 22:00	7440-23-5	
<b>8260C Volatile Organics</b>		Analytical Method: EPA 8260C/5030C Pace Analytical Services - Melville						
1,1,1,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/03/20 22:27	630-20-6	
1,1,1-Trichloroethane	<1.0	ug/L	1.0	1		04/03/20 22:27	71-55-6	
1,1,2,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/03/20 22:27	79-34-5	
1,1,2-Trichloroethane	<1.0	ug/L	1.0	1		04/03/20 22:27	79-00-5	
1,1-Dichloroethane	<1.0	ug/L	1.0	1		04/03/20 22:27	75-34-3	
1,1-Dichloroethene	<1.0	ug/L	1.0	1		04/03/20 22:27	75-35-4	
1,1-Dichloropropene	<1.0	ug/L	1.0	1		04/03/20 22:27	563-58-6	
1,2,3-Trichloropropane	<1.0	ug/L	1.0	1		04/03/20 22:27	96-18-4	
1,2-Dibromo-3-chloropropane	<1.0	ug/L	1.0	1		04/03/20 22:27	96-12-8	
1,2-Dibromoethane (EDB)	<1.0	ug/L	1.0	1		04/03/20 22:27	106-93-4	
1,2-Dichlorobenzene	<1.0	ug/L	1.0	1		04/03/20 22:27	95-50-1	
1,2-Dichloroethane	<1.0	ug/L	1.0	1		04/03/20 22:27	107-06-2	
1,2-Dichloropropane	<1.0	ug/L	1.0	1		04/03/20 22:27	78-87-5	
1,3-Dichlorobenzene	<1.0	ug/L	1.0	1		04/03/20 22:27	541-73-1	
1,3-Dichloropropane	<1.0	ug/L	1.0	1		04/03/20 22:27	142-28-9	
1,4-Dichlorobenzene	<1.0	ug/L	1.0	1		04/03/20 22:27	106-46-7	
2,2-Dichloropropane	<1.0	ug/L	1.0	1		04/03/20 22:27	594-20-7	
2-Butanone (MEK)	<5.0	ug/L	5.0	1		04/03/20 22:27	78-93-3	
2-Hexanone	<5.0	ug/L	5.0	1		04/03/20 22:27	591-78-6	
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	5.0	1		04/03/20 22:27	108-10-1	
Acetone	<5.0	ug/L	5.0	1		04/03/20 22:27	67-64-1	IC
Acetonitrile	<5.0	ug/L	5.0	1		04/03/20 22:27	75-05-8	CL
Acrolein	<1.0	ug/L	1.0	1		04/03/20 22:27	107-02-8	
Acrylonitrile	<1.0	ug/L	1.0	1		04/03/20 22:27	107-13-1	
Allyl chloride	<4.0	ug/L	4.0	1		04/03/20 22:27	107-05-1	
Benzene	<1.0	ug/L	1.0	1		04/03/20 22:27	71-43-2	
Bromochloromethane	<1.0	ug/L	1.0	1		04/03/20 22:27	74-97-5	
Bromodichloromethane	<1.0	ug/L	1.0	1		04/03/20 22:27	75-27-4	
Bromoform	<1.0	ug/L	1.0	1		04/03/20 22:27	75-25-2	
Bromomethane	<1.0	ug/L	1.0	1		04/03/20 22:27	74-83-9	CL
Carbon disulfide	<1.0	ug/L	1.0	1		04/03/20 22:27	75-15-0	
Carbon tetrachloride	<1.0	ug/L	1.0	1		04/03/20 22:27	56-23-5	
Chlorobenzene	<1.0	ug/L	1.0	1		04/03/20 22:27	108-90-7	
Chloroethane	<1.0	ug/L	1.0	1		04/03/20 22:27	75-00-3	CL
Chloroform	<1.0	ug/L	1.0	1		04/03/20 22:27	67-66-3	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: MW-7C		Lab ID: 70126818003	Collected: 04/01/20 09:20	Received: 04/02/20 09:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C Pace Analytical Services - Melville						
Chloromethane	<1.0	ug/L	1.0	1		04/03/20 22:27	74-87-3	CL
Chloroprene	<1.0	ug/L	1.0	1		04/03/20 22:27	126-99-8	
Dibromochloromethane	<1.0	ug/L	1.0	1		04/03/20 22:27	124-48-1	
Dibromomethane	<1.0	ug/L	1.0	1		04/03/20 22:27	74-95-3	
Dichlorodifluoromethane	<1.0	ug/L	1.0	1		04/03/20 22:27	75-71-8	
Ethyl methacrylate	<1.0	ug/L	1.0	1		04/03/20 22:27	97-63-2	
Ethylbenzene	<1.0	ug/L	1.0	1		04/03/20 22:27	100-41-4	
Iodomethane	<4.0	ug/L	4.0	1		04/03/20 22:27	74-88-4	
Isobutanol	<20.0	ug/L	20.0	1		04/03/20 22:27	78-83-1	
Methacrylonitrile	<1.0	ug/L	1.0	1		04/03/20 22:27	126-98-7	
Methyl methacrylate	<1.0	ug/L	1.0	1		04/03/20 22:27	80-62-6	
Methylene Chloride	<1.0	ug/L	1.0	1		04/03/20 22:27	75-09-2	
Propionitrile	<4.0	ug/L	4.0	1		04/03/20 22:27	107-12-0	
Styrene	<1.0	ug/L	1.0	1		04/03/20 22:27	100-42-5	
Tetrachloroethene	<1.0	ug/L	1.0	1		04/03/20 22:27	127-18-4	
Toluene	<1.0	ug/L	1.0	1		04/03/20 22:27	108-88-3	
Trichloroethene	<1.0	ug/L	1.0	1		04/03/20 22:27	79-01-6	
Trichlorofluoromethane	<1.0	ug/L	1.0	1		04/03/20 22:27	75-69-4	
Vinyl acetate	<1.0	ug/L	1.0	1		04/03/20 22:27	108-05-4	
Vinyl chloride	<1.0	ug/L	1.0	1		04/03/20 22:27	75-01-4	
Xylene (Total)	<3.0	ug/L	3.0	1		04/03/20 22:27	1330-20-7	
cis-1,2-Dichloroethene	<1.0	ug/L	1.0	1		04/03/20 22:27	156-59-2	
cis-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/03/20 22:27	10061-01-5	
trans-1,2-Dichloroethene	<1.0	ug/L	1.0	1		04/03/20 22:27	156-60-5	
trans-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/03/20 22:27	10061-02-6	
trans-1,4-Dichloro-2-butene	<1.0	ug/L	1.0	1		04/03/20 22:27	110-57-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	101	%	68-153	1		04/03/20 22:27	17060-07-0	
4-Bromofluorobenzene (S)	100	%	79-124	1		04/03/20 22:27	460-00-4	
Toluene-d8 (S)	99	%	69-124	1		04/03/20 22:27	2037-26-5	
TIC MSV Water		Analytical Method: EPA 8260 Pace Analytical Services - Melville						
TIC Search	No TICs Found			1		04/07/20 12:39		
2320B Alkalinity		Analytical Method: SM22 2320B Pace Analytical Services - Melville						
Alkalinity, Total as CaCO3	344	mg/L	1.0	1		04/09/20 11:32		
2340C Hardness, Total		Analytical Method: SM22 2340C Pace Analytical Services - Melville						
Tot Hardness asCaCO3 (SM 2340B	300	mg/L	5.0	1		04/15/20 15:01		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: MW-7C		Lab ID: 70126818003		Collected: 04/01/20 09:20		Received: 04/02/20 09:40		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
2540C Total Dissolved Solids		Analytical Method: SM22 2540C Pace Analytical Services - Melville							
Total Dissolved Solids	335	mg/L	10.0	1		04/06/20 10:21			
410.4 COD		Analytical Method: EPA 410.4 Preparation Method: EPA 410.4 Pace Analytical Services - Melville							
Chemical Oxygen Demand	<10.0	mg/L	10.0	1	04/07/20 10:05	04/07/20 12:21			
5210B BOD, 5 day		Analytical Method: SM22 5210B Preparation Method: SM22 5210B Pace Analytical Services - Melville							
BOD, 5 day	1.0J	mg/L	2.0	1	04/02/20 17:37	04/07/20 14:33			
300.0 IC Anions 28 Days		Analytical Method: EPA 300.0 Pace Analytical Services - Melville							
Bromide	0.25J	mg/L	0.50	1		04/15/20 01:56	24959-67-9		
Chloride	6.8	mg/L	2.0	1		04/15/20 01:56	16887-00-6		
Sulfate	6.5	mg/L	5.0	1		04/15/20 01:56	14808-79-8		
351.2 Total Kjeldahl Nitrogen		Analytical Method: EPA 351.2 Preparation Method: EPA 351.2 Pace Analytical Services - Melville							
Nitrogen, Kjeldahl, Total	0.38	mg/L	0.10	1	04/13/20 09:02	04/16/20 11:30	7727-37-9		
353.2 Nitrogen, NO2/NO3 unpres		Analytical Method: EPA 353.2 Pace Analytical Services - Melville							
Nitrate as N	0.055	mg/L	0.050	1		04/03/20 03:25	14797-55-8		
Nitrate-Nitrite (as N)	0.055	mg/L	0.050	1		04/03/20 03:25	7727-37-9		
353.2 Nitrogen, NO2		Analytical Method: EPA 353.2 Pace Analytical Services - Melville							
Nitrite as N	<0.050	mg/L	0.050	1		04/03/20 00:12	14797-65-0		
Phenolics, Total Recoverable		Analytical Method: EPA 420.1 Preparation Method: EPA 420.1 Pace Analytical Services - Melville							
Phenolics, Total Recoverable	<5.0	ug/L	5.0	1	04/13/20 08:32	04/13/20 14:20			
4500 Ammonia Water		Analytical Method: SM22 4500 NH3 H Pace Analytical Services - Melville							
Nitrogen, Ammonia	<0.10	mg/L	0.10	1		04/13/20 14:40	7664-41-7		
5310B TOC as NPOC		Analytical Method: SM22 5310B Pace Analytical Services - Melville							
Total Organic Carbon	1.0	mg/L	1.0	1		04/09/20 19:09	7440-44-0		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: MW-8B		Lab ID: 70126818004	Collected: 04/01/20 13:45	Received: 04/02/20 09:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010 MET ICP</b>		Analytical Method: EPA 6010C Preparation Method: EPA 3005A Pace Analytical Services - Melville						
Cadmium	<2.5	ug/L	2.5	1	04/07/20 12:19	04/08/20 22:06	7440-43-9	
Calcium	70000	ug/L	200	1	04/07/20 12:19	04/08/20 22:06	7440-70-2	
Iron	3150	ug/L	20.0	1	04/07/20 12:19	04/08/20 22:06	7439-89-6	
Lead	<5.0	ug/L	5.0	1	04/07/20 12:19	04/08/20 22:06	7439-92-1	
Magnesium	10100	ug/L	200	1	04/07/20 12:19	04/08/20 22:06	7439-95-4	
Manganese	5410	ug/L	10.0	1	04/07/20 12:19	04/08/20 22:06	7439-96-5	M1
Potassium	2300J	ug/L	5000	1	04/07/20 12:19	04/08/20 22:06	7440-09-7	
Sodium	6600	ug/L	5000	1	04/07/20 12:19	04/08/20 22:06	7440-23-5	
<b>8260C Volatile Organics</b>		Analytical Method: EPA 8260C/5030C Pace Analytical Services - Melville						
1,1,1,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/03/20 22:47	630-20-6	
1,1,1-Trichloroethane	<1.0	ug/L	1.0	1		04/03/20 22:47	71-55-6	
1,1,2,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/03/20 22:47	79-34-5	
1,1,2-Trichloroethane	<1.0	ug/L	1.0	1		04/03/20 22:47	79-00-5	
1,1-Dichloroethane	1.1	ug/L	1.0	1		04/03/20 22:47	75-34-3	
1,1-Dichloroethene	<1.0	ug/L	1.0	1		04/03/20 22:47	75-35-4	
1,1-Dichloropropene	<1.0	ug/L	1.0	1		04/03/20 22:47	563-58-6	
1,2,3-Trichloropropane	<1.0	ug/L	1.0	1		04/03/20 22:47	96-18-4	
1,2-Dibromo-3-chloropropane	<1.0	ug/L	1.0	1		04/03/20 22:47	96-12-8	
1,2-Dibromoethane (EDB)	<1.0	ug/L	1.0	1		04/03/20 22:47	106-93-4	
1,2-Dichlorobenzene	<1.0	ug/L	1.0	1		04/03/20 22:47	95-50-1	
1,2-Dichloroethane	<1.0	ug/L	1.0	1		04/03/20 22:47	107-06-2	
1,2-Dichloropropane	<1.0	ug/L	1.0	1		04/03/20 22:47	78-87-5	
1,3-Dichlorobenzene	<1.0	ug/L	1.0	1		04/03/20 22:47	541-73-1	
1,3-Dichloropropane	<1.0	ug/L	1.0	1		04/03/20 22:47	142-28-9	
1,4-Dichlorobenzene	<1.0	ug/L	1.0	1		04/03/20 22:47	106-46-7	
2,2-Dichloropropane	<1.0	ug/L	1.0	1		04/03/20 22:47	594-20-7	
2-Butanone (MEK)	<5.0	ug/L	5.0	1		04/03/20 22:47	78-93-3	
2-Hexanone	<5.0	ug/L	5.0	1		04/03/20 22:47	591-78-6	
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	5.0	1		04/03/20 22:47	108-10-1	
Acetone	<5.0	ug/L	5.0	1		04/03/20 22:47	67-64-1	IC
Acetonitrile	<5.0	ug/L	5.0	1		04/03/20 22:47	75-05-8	CL,R1
Acrolein	<1.0	ug/L	1.0	1		04/03/20 22:47	107-02-8	M1
Acrylonitrile	<1.0	ug/L	1.0	1		04/03/20 22:47	107-13-1	
Allyl chloride	<4.0	ug/L	4.0	1		04/03/20 22:47	107-05-1	
Benzene	0.74J	ug/L	1.0	1		04/03/20 22:47	71-43-2	
Bromochloromethane	<1.0	ug/L	1.0	1		04/03/20 22:47	74-97-5	M1
Bromodichloromethane	<1.0	ug/L	1.0	1		04/03/20 22:47	75-27-4	
Bromoform	<1.0	ug/L	1.0	1		04/03/20 22:47	75-25-2	
Bromomethane	<1.0	ug/L	1.0	1		04/03/20 22:47	74-83-9	CL,R1
Carbon disulfide	<1.0	ug/L	1.0	1		04/03/20 22:47	75-15-0	
Carbon tetrachloride	<1.0	ug/L	1.0	1		04/03/20 22:47	56-23-5	
Chlorobenzene	1.6	ug/L	1.0	1		04/03/20 22:47	108-90-7	
Chloroethane	<1.0	ug/L	1.0	1		04/03/20 22:47	75-00-3	CL
Chloroform	<1.0	ug/L	1.0	1		04/03/20 22:47	67-66-3	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: MW-8B		Lab ID: 70126818004		Collected: 04/01/20 13:45		Received: 04/02/20 09:40		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C Pace Analytical Services - Melville							
Chloromethane	<1.0	ug/L	1.0	1		04/03/20 22:47	74-87-3	CL	
Chloroprene	<1.0	ug/L	1.0	1		04/03/20 22:47	126-99-8		
Dibromochloromethane	<1.0	ug/L	1.0	1		04/03/20 22:47	124-48-1		
Dibromomethane	<1.0	ug/L	1.0	1		04/03/20 22:47	74-95-3		
Dichlorodifluoromethane	<1.0	ug/L	1.0	1		04/03/20 22:47	75-71-8		
Ethyl methacrylate	<1.0	ug/L	1.0	1		04/03/20 22:47	97-63-2		
Ethylbenzene	<1.0	ug/L	1.0	1		04/03/20 22:47	100-41-4		
Iodomethane	<4.0	ug/L	4.0	1		04/03/20 22:47	74-88-4		
Isobutanol	<20.0	ug/L	20.0	1		04/03/20 22:47	78-83-1		
Methacrylonitrile	<1.0	ug/L	1.0	1		04/03/20 22:47	126-98-7		
Methyl methacrylate	<1.0	ug/L	1.0	1		04/03/20 22:47	80-62-6		
Methylene Chloride	<1.0	ug/L	1.0	1		04/03/20 22:47	75-09-2		
Propionitrile	<4.0	ug/L	4.0	1		04/03/20 22:47	107-12-0		
Styrene	<1.0	ug/L	1.0	1		04/03/20 22:47	100-42-5		
Tetrachloroethene	<1.0	ug/L	1.0	1		04/03/20 22:47	127-18-4		
Toluene	<1.0	ug/L	1.0	1		04/03/20 22:47	108-88-3		
Trichloroethene	<1.0	ug/L	1.0	1		04/03/20 22:47	79-01-6		
Trichlorofluoromethane	<1.0	ug/L	1.0	1		04/03/20 22:47	75-69-4		
Vinyl acetate	<1.0	ug/L	1.0	1		04/03/20 22:47	108-05-4		
Vinyl chloride	1.1	ug/L	1.0	1		04/03/20 22:47	75-01-4		
Xylene (Total)	<3.0	ug/L	3.0	1		04/03/20 22:47	1330-20-7		
cis-1,2-Dichloroethene	3.7	ug/L	1.0	1		04/03/20 22:47	156-59-2		
cis-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/03/20 22:47	10061-01-5		
trans-1,2-Dichloroethene	<1.0	ug/L	1.0	1		04/03/20 22:47	156-60-5		
trans-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/03/20 22:47	10061-02-6		
trans-1,4-Dichloro-2-butene	<1.0	ug/L	1.0	1		04/03/20 22:47	110-57-6		
Surrogates									
1,2-Dichloroethane-d4 (S)	99	%	68-153	1		04/03/20 22:47	17060-07-0		
4-Bromofluorobenzene (S)	99	%	79-124	1		04/03/20 22:47	460-00-4		
Toluene-d8 (S)	99	%	69-124	1		04/03/20 22:47	2037-26-5		
TIC MSV Water		Analytical Method: EPA 8260 Pace Analytical Services - Melville							
TIC Search	No TICs Found			1		04/07/20 12:39			
2320B Alkalinity		Analytical Method: SM22 2320B Pace Analytical Services - Melville							
Alkalinity, Total as CaCO3	247	mg/L	1.0	1		04/09/20 11:44		M1	
2340C Hardness, Total		Analytical Method: SM22 2340C Pace Analytical Services - Melville							
Tot Hardness asCaCO3 (SM 2340B	260	mg/L	5.0	1		04/15/20 15:01			

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: MW-8B		Lab ID: 70126818004		Collected: 04/01/20 13:45		Received: 04/02/20 09:40		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
2540C Total Dissolved Solids		Analytical Method: SM22 2540C Pace Analytical Services - Melville							
Total Dissolved Solids	337	mg/L	10.0	1		04/06/20 10:21			
410.4 COD		Analytical Method: EPA 410.4 Preparation Method: EPA 410.4 Pace Analytical Services - Melville							
Chemical Oxygen Demand	10.4	mg/L	10.0	1	04/07/20 10:05	04/07/20 12:21			
5210B BOD, 5 day		Analytical Method: SM22 5210B Preparation Method: SM22 5210B Pace Analytical Services - Melville							
BOD, 5 day	1.0J	mg/L	2.0	1	04/03/20 10:32	04/08/20 11:01			
300.0 IC Anions 28 Days		Analytical Method: EPA 300.0 Pace Analytical Services - Melville							
Bromide	0.13J	mg/L	0.50	1		04/15/20 02:13	24959-67-9		
Chloride	2.0	mg/L	2.0	1		04/15/20 02:13	16887-00-6		
Sulfate	6.4	mg/L	5.0	1		04/15/20 02:13	14808-79-8		
351.2 Total Kjeldahl Nitrogen		Analytical Method: EPA 351.2 Preparation Method: EPA 351.2 Pace Analytical Services - Melville							
Nitrogen, Kjeldahl, Total	1.5	mg/L	0.10	1	04/13/20 09:02	04/16/20 11:31	7727-37-9	M6	
353.2 Nitrogen, NO2/NO3 unpres		Analytical Method: EPA 353.2 Pace Analytical Services - Melville							
Nitrate as N	0.050	mg/L	0.050	1		04/03/20 03:26	14797-55-8		
Nitrate-Nitrite (as N)	0.050	mg/L	0.050	1		04/03/20 03:26	7727-37-9		
353.2 Nitrogen, NO2		Analytical Method: EPA 353.2 Pace Analytical Services - Melville							
Nitrite as N	<0.050	mg/L	0.050	1		04/03/20 00:13	14797-65-0		
Phenolics, Total Recoverable		Analytical Method: EPA 420.1 Preparation Method: EPA 420.1 Pace Analytical Services - Melville							
Phenolics, Total Recoverable	<5.0	ug/L	5.0	1	04/13/20 08:32	04/13/20 14:21			
4500 Ammonia Water		Analytical Method: SM22 4500 NH3 H Pace Analytical Services - Melville							
Nitrogen, Ammonia	0.64	mg/L	0.10	1		04/13/20 14:41	7664-41-7		
5310B TOC as NPOC		Analytical Method: SM22 5310B Pace Analytical Services - Melville							
Total Organic Carbon	2.3	mg/L	1.0	1		04/09/20 19:31	7440-44-0		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL  
Pace Project No.: 70126818

Sample: MW-9B		Lab ID: 70126818005	Collected: 04/01/20 10:50	Received: 04/02/20 09:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010 MET ICP</b>		Analytical Method: EPA 6010C Preparation Method: EPA 3005A Pace Analytical Services - Melville						
Cadmium	<2.5	ug/L	2.5	1	04/07/20 12:19	04/08/20 22:43	7440-43-9	
Calcium	79000	ug/L	200	1	04/07/20 12:19	04/08/20 22:43	7440-70-2	
Iron	2640	ug/L	20.0	1	04/07/20 12:19	04/08/20 22:43	7439-89-6	
Lead	3.8J	ug/L	5.0	1	04/07/20 12:19	04/08/20 22:43	7439-92-1	
Magnesium	10400	ug/L	200	1	04/07/20 12:19	04/08/20 22:43	7439-95-4	
Manganese	884	ug/L	10.0	1	04/07/20 12:19	04/08/20 22:43	7439-96-5	
Potassium	5500	ug/L	5000	1	04/07/20 12:19	04/08/20 22:43	7440-09-7	
Sodium	7620	ug/L	5000	1	04/07/20 12:19	04/08/20 22:43	7440-23-5	
<b>8260C Volatile Organics</b>		Analytical Method: EPA 8260C/5030C Pace Analytical Services - Melville						
1,1,1,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/03/20 23:07	630-20-6	
1,1,1-Trichloroethane	<1.0	ug/L	1.0	1		04/03/20 23:07	71-55-6	
1,1,2,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/03/20 23:07	79-34-5	
1,1,2-Trichloroethane	<1.0	ug/L	1.0	1		04/03/20 23:07	79-00-5	
1,1-Dichloroethane	1.8	ug/L	1.0	1		04/03/20 23:07	75-34-3	
1,1-Dichloroethene	<1.0	ug/L	1.0	1		04/03/20 23:07	75-35-4	
1,1-Dichloropropene	<1.0	ug/L	1.0	1		04/03/20 23:07	563-58-6	
1,2,3-Trichloropropane	<1.0	ug/L	1.0	1		04/03/20 23:07	96-18-4	
1,2-Dibromo-3-chloropropane	<1.0	ug/L	1.0	1		04/03/20 23:07	96-12-8	
1,2-Dibromoethane (EDB)	<1.0	ug/L	1.0	1		04/03/20 23:07	106-93-4	
1,2-Dichlorobenzene	<1.0	ug/L	1.0	1		04/03/20 23:07	95-50-1	
1,2-Dichloroethane	<1.0	ug/L	1.0	1		04/03/20 23:07	107-06-2	
1,2-Dichloropropane	<1.0	ug/L	1.0	1		04/03/20 23:07	78-87-5	
1,3-Dichlorobenzene	<1.0	ug/L	1.0	1		04/03/20 23:07	541-73-1	
1,3-Dichloropropane	<1.0	ug/L	1.0	1		04/03/20 23:07	142-28-9	
1,4-Dichlorobenzene	<1.0	ug/L	1.0	1		04/03/20 23:07	106-46-7	
2,2-Dichloropropane	<1.0	ug/L	1.0	1		04/03/20 23:07	594-20-7	
2-Butanone (MEK)	<5.0	ug/L	5.0	1		04/03/20 23:07	78-93-3	
2-Hexanone	<5.0	ug/L	5.0	1		04/03/20 23:07	591-78-6	
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	5.0	1		04/03/20 23:07	108-10-1	
Acetone	2.3J	ug/L	5.0	1		04/03/20 23:07	67-64-1	CH,IC
Acetonitrile	<5.0	ug/L	5.0	1		04/03/20 23:07	75-05-8	CL
Acrolein	<1.0	ug/L	1.0	1		04/03/20 23:07	107-02-8	
Acrylonitrile	<1.0	ug/L	1.0	1		04/03/20 23:07	107-13-1	
Allyl chloride	<4.0	ug/L	4.0	1		04/03/20 23:07	107-05-1	
Benzene	<1.0	ug/L	1.0	1		04/03/20 23:07	71-43-2	
Bromochloromethane	<1.0	ug/L	1.0	1		04/03/20 23:07	74-97-5	
Bromodichloromethane	<1.0	ug/L	1.0	1		04/03/20 23:07	75-27-4	
Bromoform	<1.0	ug/L	1.0	1		04/03/20 23:07	75-25-2	
Bromomethane	<1.0	ug/L	1.0	1		04/03/20 23:07	74-83-9	CL
Carbon disulfide	<1.0	ug/L	1.0	1		04/03/20 23:07	75-15-0	
Carbon tetrachloride	<1.0	ug/L	1.0	1		04/03/20 23:07	56-23-5	
Chlorobenzene	<1.0	ug/L	1.0	1		04/03/20 23:07	108-90-7	
Chloroethane	<1.0	ug/L	1.0	1		04/03/20 23:07	75-00-3	CL
Chloroform	<1.0	ug/L	1.0	1		04/03/20 23:07	67-66-3	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: MW-9B		Lab ID: 70126818005		Collected: 04/01/20 10:50		Received: 04/02/20 09:40		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C Pace Analytical Services - Melville							
Chloromethane	<1.0	ug/L	1.0	1		04/03/20 23:07	74-87-3	CL	
Chloroprene	<1.0	ug/L	1.0	1		04/03/20 23:07	126-99-8		
Dibromochloromethane	<1.0	ug/L	1.0	1		04/03/20 23:07	124-48-1		
Dibromomethane	<1.0	ug/L	1.0	1		04/03/20 23:07	74-95-3		
Dichlorodifluoromethane	<1.0	ug/L	1.0	1		04/03/20 23:07	75-71-8		
Ethyl methacrylate	<1.0	ug/L	1.0	1		04/03/20 23:07	97-63-2		
Ethylbenzene	<1.0	ug/L	1.0	1		04/03/20 23:07	100-41-4		
Iodomethane	<4.0	ug/L	4.0	1		04/03/20 23:07	74-88-4		
Isobutanol	<20.0	ug/L	20.0	1		04/03/20 23:07	78-83-1		
Methacrylonitrile	<1.0	ug/L	1.0	1		04/03/20 23:07	126-98-7		
Methyl methacrylate	<1.0	ug/L	1.0	1		04/03/20 23:07	80-62-6		
Methylene Chloride	<1.0	ug/L	1.0	1		04/03/20 23:07	75-09-2		
Propionitrile	<4.0	ug/L	4.0	1		04/03/20 23:07	107-12-0		
Styrene	<1.0	ug/L	1.0	1		04/03/20 23:07	100-42-5		
Tetrachloroethene	<1.0	ug/L	1.0	1		04/03/20 23:07	127-18-4		
Toluene	<1.0	ug/L	1.0	1		04/03/20 23:07	108-88-3		
Trichloroethene	<1.0	ug/L	1.0	1		04/03/20 23:07	79-01-6		
Trichlorofluoromethane	<1.0	ug/L	1.0	1		04/03/20 23:07	75-69-4		
Vinyl acetate	<1.0	ug/L	1.0	1		04/03/20 23:07	108-05-4		
Vinyl chloride	<1.0	ug/L	1.0	1		04/03/20 23:07	75-01-4		
Xylene (Total)	<3.0	ug/L	3.0	1		04/03/20 23:07	1330-20-7		
cis-1,2-Dichloroethene	<1.0	ug/L	1.0	1		04/03/20 23:07	156-59-2		
cis-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/03/20 23:07	10061-01-5		
trans-1,2-Dichloroethene	<1.0	ug/L	1.0	1		04/03/20 23:07	156-60-5		
trans-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/03/20 23:07	10061-02-6		
trans-1,4-Dichloro-2-butene	<1.0	ug/L	1.0	1		04/03/20 23:07	110-57-6		
Surrogates									
1,2-Dichloroethane-d4 (S)	96	%	68-153	1		04/03/20 23:07	17060-07-0		
4-Bromofluorobenzene (S)	98	%	79-124	1		04/03/20 23:07	460-00-4		
Toluene-d8 (S)	100	%	69-124	1		04/03/20 23:07	2037-26-5		
TIC MSV Water		Analytical Method: EPA 8260 Pace Analytical Services - Melville							
TIC Search	No TICs Found			1		04/07/20 12:40			
2340C Hardness, Total		Analytical Method: SM22 2340C Pace Analytical Services - Melville							
Tot Hardness asCaCO3 (SM 2340B)	240	mg/L	5.0	1		04/15/20 15:03			
410.4 COD		Analytical Method: EPA 410.4 Preparation Method: EPA 410.4 Pace Analytical Services - Melville							
Chemical Oxygen Demand	160	mg/L	10.0	1	04/07/20 10:05	04/07/20 12:22			

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: MW-9B		Lab ID: 70126818005		Collected: 04/01/20 10:50		Received: 04/02/20 09:40		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
351.2 Total Kjeldahl Nitrogen		Analytical Method: EPA 351.2 Preparation Method: EPA 351.2 Pace Analytical Services - Melville							
Nitrogen, Kjeldahl, Total	2.2	mg/L	0.10	1	04/13/20 09:02	04/16/20 11:33	7727-37-9		
353.2 Nitrogen, NO2/NO3 unpres		Analytical Method: EPA 353.2 Pace Analytical Services - Melville							
Nitrate as N	0.95	mg/L	0.50	10		04/04/20 01:30	14797-55-8		
Nitrate-Nitrite (as N)	0.95	mg/L	0.50	10		04/04/20 01:30	7727-37-9	H1	
Phenolics, Total Recoverable		Analytical Method: EPA 420.1 Preparation Method: EPA 420.1 Pace Analytical Services - Melville							
Phenolics, Total Recoverable	<5.0	ug/L	5.0	1	04/13/20 08:32	04/13/20 14:24			
4500 Ammonia Water		Analytical Method: SM22 4500 NH3 H Pace Analytical Services - Melville							
Nitrogen, Ammonia	<0.10	mg/L	0.10	1		04/13/20 14:47	7664-41-7		
5310B TOC as NPOC		Analytical Method: SM22 5310B Pace Analytical Services - Melville							
Total Organic Carbon	50.7	mg/L	1.0	1		04/09/20 20:52	7440-44-0		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: MW-10B		Lab ID: 70126818006	Collected: 04/01/20 12:30	Received: 04/02/20 09:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010 MET ICP</b>		Analytical Method: EPA 6010C Preparation Method: EPA 3005A Pace Analytical Services - Melville						
Cadmium	<2.5	ug/L	2.5	1	04/07/20 12:19	04/08/20 22:49	7440-43-9	
Calcium	79700	ug/L	200	1	04/07/20 12:19	04/08/20 22:49	7440-70-2	
Iron	335	ug/L	20.0	1	04/07/20 12:19	04/08/20 22:49	7439-89-6	
Lead	<5.0	ug/L	5.0	1	04/07/20 12:19	04/08/20 22:49	7439-92-1	
Magnesium	25400	ug/L	200	1	04/07/20 12:19	04/08/20 22:49	7439-95-4	
Manganese	7260	ug/L	10.0	1	04/07/20 12:19	04/08/20 22:49	7439-96-5	
Potassium	2790J	ug/L	5000	1	04/07/20 12:19	04/08/20 22:49	7440-09-7	
Sodium	9820	ug/L	5000	1	04/07/20 12:19	04/08/20 22:49	7440-23-5	
<b>8260C Volatile Organics</b>		Analytical Method: EPA 8260C/5030C Pace Analytical Services - Melville						
1,1,1,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/03/20 23:26	630-20-6	
1,1,1-Trichloroethane	<1.0	ug/L	1.0	1		04/03/20 23:26	71-55-6	
1,1,2,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/03/20 23:26	79-34-5	
1,1,2-Trichloroethane	<1.0	ug/L	1.0	1		04/03/20 23:26	79-00-5	
1,1-Dichloroethane	13.0	ug/L	1.0	1		04/03/20 23:26	75-34-3	
1,1-Dichloroethene	<1.0	ug/L	1.0	1		04/03/20 23:26	75-35-4	
1,1-Dichloropropene	<1.0	ug/L	1.0	1		04/03/20 23:26	563-58-6	
1,2,3-Trichloropropane	<1.0	ug/L	1.0	1		04/03/20 23:26	96-18-4	
1,2-Dibromo-3-chloropropane	<1.0	ug/L	1.0	1		04/03/20 23:26	96-12-8	
1,2-Dibromoethane (EDB)	<1.0	ug/L	1.0	1		04/03/20 23:26	106-93-4	
1,2-Dichlorobenzene	<1.0	ug/L	1.0	1		04/03/20 23:26	95-50-1	
1,2-Dichloroethane	<1.0	ug/L	1.0	1		04/03/20 23:26	107-06-2	
1,2-Dichloropropane	<1.0	ug/L	1.0	1		04/03/20 23:26	78-87-5	
1,3-Dichlorobenzene	<1.0	ug/L	1.0	1		04/03/20 23:26	541-73-1	
1,3-Dichloropropane	<1.0	ug/L	1.0	1		04/03/20 23:26	142-28-9	
1,4-Dichlorobenzene	<1.0	ug/L	1.0	1		04/03/20 23:26	106-46-7	
2,2-Dichloropropane	<1.0	ug/L	1.0	1		04/03/20 23:26	594-20-7	
2-Butanone (MEK)	<5.0	ug/L	5.0	1		04/03/20 23:26	78-93-3	
2-Hexanone	<5.0	ug/L	5.0	1		04/03/20 23:26	591-78-6	
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	5.0	1		04/03/20 23:26	108-10-1	
Acetone	<5.0	ug/L	5.0	1		04/03/20 23:26	67-64-1	IC
Acetonitrile	<5.0	ug/L	5.0	1		04/03/20 23:26	75-05-8	CL
Acrolein	<1.0	ug/L	1.0	1		04/03/20 23:26	107-02-8	
Acrylonitrile	<1.0	ug/L	1.0	1		04/03/20 23:26	107-13-1	
Allyl chloride	<4.0	ug/L	4.0	1		04/03/20 23:26	107-05-1	
Benzene	1.7	ug/L	1.0	1		04/03/20 23:26	71-43-2	
Bromochloromethane	<1.0	ug/L	1.0	1		04/03/20 23:26	74-97-5	
Bromodichloromethane	<1.0	ug/L	1.0	1		04/03/20 23:26	75-27-4	
Bromoform	<1.0	ug/L	1.0	1		04/03/20 23:26	75-25-2	
Bromomethane	<1.0	ug/L	1.0	1		04/03/20 23:26	74-83-9	CL
Carbon disulfide	<1.0	ug/L	1.0	1		04/03/20 23:26	75-15-0	
Carbon tetrachloride	<1.0	ug/L	1.0	1		04/03/20 23:26	56-23-5	
Chlorobenzene	1.5	ug/L	1.0	1		04/03/20 23:26	108-90-7	
Chloroethane	<1.0	ug/L	1.0	1		04/03/20 23:26	75-00-3	CL
Chloroform	<1.0	ug/L	1.0	1		04/03/20 23:26	67-66-3	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: MW-10B		Lab ID: 70126818006		Collected: 04/01/20 12:30		Received: 04/02/20 09:40		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C Pace Analytical Services - Melville							
Chloromethane	<1.0	ug/L	1.0	1		04/03/20 23:26	74-87-3	CL	
Chloroprene	<1.0	ug/L	1.0	1		04/03/20 23:26	126-99-8		
Dibromochloromethane	<1.0	ug/L	1.0	1		04/03/20 23:26	124-48-1		
Dibromomethane	<1.0	ug/L	1.0	1		04/03/20 23:26	74-95-3		
Dichlorodifluoromethane	<1.0	ug/L	1.0	1		04/03/20 23:26	75-71-8		
Ethyl methacrylate	<1.0	ug/L	1.0	1		04/03/20 23:26	97-63-2		
Ethylbenzene	<1.0	ug/L	1.0	1		04/03/20 23:26	100-41-4		
Iodomethane	<4.0	ug/L	4.0	1		04/03/20 23:26	74-88-4		
Isobutanol	<20.0	ug/L	20.0	1		04/03/20 23:26	78-83-1		
Methacrylonitrile	<1.0	ug/L	1.0	1		04/03/20 23:26	126-98-7		
Methyl methacrylate	<1.0	ug/L	1.0	1		04/03/20 23:26	80-62-6		
Methylene Chloride	<1.0	ug/L	1.0	1		04/03/20 23:26	75-09-2		
Propionitrile	<4.0	ug/L	4.0	1		04/03/20 23:26	107-12-0		
Styrene	<1.0	ug/L	1.0	1		04/03/20 23:26	100-42-5		
Tetrachloroethene	<1.0	ug/L	1.0	1		04/03/20 23:26	127-18-4		
Toluene	<1.0	ug/L	1.0	1		04/03/20 23:26	108-88-3		
Trichloroethene	2.2	ug/L	1.0	1		04/03/20 23:26	79-01-6		
Trichlorofluoromethane	<1.0	ug/L	1.0	1		04/03/20 23:26	75-69-4		
Vinyl acetate	<1.0	ug/L	1.0	1		04/03/20 23:26	108-05-4		
Vinyl chloride	8.4	ug/L	1.0	1		04/03/20 23:26	75-01-4		
Xylene (Total)	<3.0	ug/L	3.0	1		04/03/20 23:26	1330-20-7		
cis-1,2-Dichloroethene	46.6	ug/L	1.0	1		04/03/20 23:26	156-59-2		
cis-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/03/20 23:26	10061-01-5		
trans-1,2-Dichloroethene	<1.0	ug/L	1.0	1		04/03/20 23:26	156-60-5		
trans-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/03/20 23:26	10061-02-6		
trans-1,4-Dichloro-2-butene	<1.0	ug/L	1.0	1		04/03/20 23:26	110-57-6		
Surrogates									
1,2-Dichloroethane-d4 (S)	98	%	68-153	1		04/03/20 23:26	17060-07-0		
4-Bromofluorobenzene (S)	99	%	79-124	1		04/03/20 23:26	460-00-4		
Toluene-d8 (S)	100	%	69-124	1		04/03/20 23:26	2037-26-5		
TIC MSV Water		Analytical Method: EPA 8260 Pace Analytical Services - Melville							
TIC Search	No TICs Found			1		04/07/20 12:40			
2320B Alkalinity		Analytical Method: SM22 2320B Pace Analytical Services - Melville							
Alkalinity, Total as CaCO3	347	mg/L	1.0	1		04/09/20 12:26			
2340C Hardness, Total		Analytical Method: SM22 2340C Pace Analytical Services - Melville							
Tot Hardness asCaCO3 (SM 2340B	340	mg/L	5.0	1		04/15/20 15:03			

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: MW-10B		Lab ID: 70126818006		Collected: 04/01/20 12:30		Received: 04/02/20 09:40		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
2540C Total Dissolved Solids		Analytical Method: SM22 2540C Pace Analytical Services - Melville							
Total Dissolved Solids	318	mg/L	10.0	1		04/06/20 10:22			
410.4 COD		Analytical Method: EPA 410.4 Preparation Method: EPA 410.4 Pace Analytical Services - Melville							
Chemical Oxygen Demand	20.9	mg/L	10.0	1	04/07/20 10:05	04/07/20 12:23			
5210B BOD, 5 day		Analytical Method: SM22 5210B Preparation Method: SM22 5210B Pace Analytical Services - Melville							
BOD, 5 day	1.2J	mg/L	2.0	1	04/03/20 10:32	04/08/20 11:06			
300.0 IC Anions 28 Days		Analytical Method: EPA 300.0 Pace Analytical Services - Melville							
Bromide	0.23J	mg/L	0.50	1		04/15/20 03:03	24959-67-9		
Chloride	5.6	mg/L	2.0	1		04/15/20 03:03	16887-00-6		
Sulfate	4.7J	mg/L	5.0	1		04/15/20 03:03	14808-79-8		
351.2 Total Kjeldahl Nitrogen		Analytical Method: EPA 351.2 Preparation Method: EPA 351.2 Pace Analytical Services - Melville							
Nitrogen, Kjeldahl, Total	1.4	mg/L	0.10	1	04/13/20 09:02	04/16/20 11:34	7727-37-9		
353.2 Nitrogen, NO2/NO3 unpres		Analytical Method: EPA 353.2 Pace Analytical Services - Melville							
Nitrate as N	<0.050	mg/L	0.050	1		04/03/20 03:32	14797-55-8		
Nitrate-Nitrite (as N)	<0.050	mg/L	0.050	1		04/03/20 03:32	7727-37-9		
353.2 Nitrogen, NO2		Analytical Method: EPA 353.2 Pace Analytical Services - Melville							
Nitrite as N	<0.050	mg/L	0.050	1		04/03/20 00:17	14797-65-0		
Phenolics, Total Recoverable		Analytical Method: EPA 420.1 Preparation Method: EPA 420.1 Pace Analytical Services - Melville							
Phenolics, Total Recoverable	<5.0	ug/L	5.0	1	04/13/20 08:32	04/13/20 14:26			
4500 Ammonia Water		Analytical Method: SM22 4500 NH3 H Pace Analytical Services - Melville							
Nitrogen, Ammonia	0.51	mg/L	0.10	1		04/13/20 14:49	7664-41-7		
5310B TOC as NPOC		Analytical Method: SM22 5310B Pace Analytical Services - Melville							
Total Organic Carbon	4.8	mg/L	1.0	1		04/09/20 21:05	7440-44-0		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: MW-11B		Lab ID: 70126818007	Collected: 04/01/20 10:00	Received: 04/02/20 09:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010 MET ICP</b>		Analytical Method: EPA 6010C Preparation Method: EPA 3005A Pace Analytical Services - Melville						
Cadmium	<2.5	ug/L	2.5	1	04/07/20 12:19	04/08/20 22:54	7440-43-9	
Calcium	54800	ug/L	200	1	04/07/20 12:19	04/08/20 22:54	7440-70-2	
Iron	21800	ug/L	20.0	1	04/07/20 12:19	04/08/20 22:54	7439-89-6	
Lead	3.1J	ug/L	5.0	1	04/07/20 12:19	04/08/20 22:54	7439-92-1	
Magnesium	22600	ug/L	200	1	04/07/20 12:19	04/08/20 22:54	7439-95-4	
Manganese	16100	ug/L	10.0	1	04/07/20 12:19	04/08/20 22:54	7439-96-5	
Potassium	3940J	ug/L	5000	1	04/07/20 12:19	04/08/20 22:54	7440-09-7	
Sodium	10300	ug/L	5000	1	04/07/20 12:19	04/08/20 22:54	7440-23-5	
<b>8260C Volatile Organics</b>		Analytical Method: EPA 8260C/5030C Pace Analytical Services - Melville						
1,1,1,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/03/20 23:46	630-20-6	
1,1,1-Trichloroethane	<1.0	ug/L	1.0	1		04/03/20 23:46	71-55-6	
1,1,2,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/03/20 23:46	79-34-5	
1,1,2-Trichloroethane	<1.0	ug/L	1.0	1		04/03/20 23:46	79-00-5	
1,1-Dichloroethane	6.9	ug/L	1.0	1		04/03/20 23:46	75-34-3	
1,1-Dichloroethene	<1.0	ug/L	1.0	1		04/03/20 23:46	75-35-4	
1,1-Dichloropropene	<1.0	ug/L	1.0	1		04/03/20 23:46	563-58-6	
1,2,3-Trichloropropane	<1.0	ug/L	1.0	1		04/03/20 23:46	96-18-4	
1,2-Dibromo-3-chloropropane	<1.0	ug/L	1.0	1		04/03/20 23:46	96-12-8	
1,2-Dibromoethane (EDB)	<1.0	ug/L	1.0	1		04/03/20 23:46	106-93-4	
1,2-Dichlorobenzene	1.4	ug/L	1.0	1		04/03/20 23:46	95-50-1	
1,2-Dichloroethane	<1.0	ug/L	1.0	1		04/03/20 23:46	107-06-2	
1,2-Dichloropropane	<1.0	ug/L	1.0	1		04/03/20 23:46	78-87-5	
1,3-Dichlorobenzene	<1.0	ug/L	1.0	1		04/03/20 23:46	541-73-1	
1,3-Dichloropropane	<1.0	ug/L	1.0	1		04/03/20 23:46	142-28-9	
1,4-Dichlorobenzene	2.4	ug/L	1.0	1		04/03/20 23:46	106-46-7	
2,2-Dichloropropane	<1.0	ug/L	1.0	1		04/03/20 23:46	594-20-7	
2-Butanone (MEK)	<5.0	ug/L	5.0	1		04/03/20 23:46	78-93-3	
2-Hexanone	<5.0	ug/L	5.0	1		04/03/20 23:46	591-78-6	
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	5.0	1		04/03/20 23:46	108-10-1	
Acetone	<5.0	ug/L	5.0	1		04/03/20 23:46	67-64-1	CH,IC
Acetonitrile	<5.0	ug/L	5.0	1		04/03/20 23:46	75-05-8	CL
Acrolein	<1.0	ug/L	1.0	1		04/03/20 23:46	107-02-8	
Acrylonitrile	<1.0	ug/L	1.0	1		04/03/20 23:46	107-13-1	
Allyl chloride	<4.0	ug/L	4.0	1		04/03/20 23:46	107-05-1	
Benzene	3.8	ug/L	1.0	1		04/03/20 23:46	71-43-2	
Bromochloromethane	<1.0	ug/L	1.0	1		04/03/20 23:46	74-97-5	
Bromodichloromethane	<1.0	ug/L	1.0	1		04/03/20 23:46	75-27-4	
Bromoform	<1.0	ug/L	1.0	1		04/03/20 23:46	75-25-2	
Bromomethane	<1.0	ug/L	1.0	1		04/03/20 23:46	74-83-9	CL
Carbon disulfide	<1.0	ug/L	1.0	1		04/03/20 23:46	75-15-0	
Carbon tetrachloride	<1.0	ug/L	1.0	1		04/03/20 23:46	56-23-5	
Chlorobenzene	11.0	ug/L	1.0	1		04/03/20 23:46	108-90-7	
Chloroethane	<1.0	ug/L	1.0	1		04/03/20 23:46	75-00-3	CL
Chloroform	<1.0	ug/L	1.0	1		04/03/20 23:46	67-66-3	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: MW-11B		Lab ID: 70126818007		Collected: 04/01/20 10:00		Received: 04/02/20 09:40		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C Pace Analytical Services - Melville							
Chloromethane	<1.0	ug/L	1.0	1		04/03/20 23:46	74-87-3	CL	
Chloroprene	<1.0	ug/L	1.0	1		04/03/20 23:46	126-99-8		
Dibromochloromethane	<1.0	ug/L	1.0	1		04/03/20 23:46	124-48-1		
Dibromomethane	<1.0	ug/L	1.0	1		04/03/20 23:46	74-95-3		
Dichlorodifluoromethane	<1.0	ug/L	1.0	1		04/03/20 23:46	75-71-8		
Ethyl methacrylate	<1.0	ug/L	1.0	1		04/03/20 23:46	97-63-2		
Ethylbenzene	<1.0	ug/L	1.0	1		04/03/20 23:46	100-41-4		
Iodomethane	<4.0	ug/L	4.0	1		04/03/20 23:46	74-88-4		
Isobutanol	<20.0	ug/L	20.0	1		04/03/20 23:46	78-83-1		
Methacrylonitrile	<1.0	ug/L	1.0	1		04/03/20 23:46	126-98-7		
Methyl methacrylate	<1.0	ug/L	1.0	1		04/03/20 23:46	80-62-6		
Methylene Chloride	<1.0	ug/L	1.0	1		04/03/20 23:46	75-09-2		
Propionitrile	<4.0	ug/L	4.0	1		04/03/20 23:46	107-12-0		
Styrene	<1.0	ug/L	1.0	1		04/03/20 23:46	100-42-5		
Tetrachloroethene	<1.0	ug/L	1.0	1		04/03/20 23:46	127-18-4		
Toluene	<1.0	ug/L	1.0	1		04/03/20 23:46	108-88-3		
Trichloroethene	1.9	ug/L	1.0	1		04/03/20 23:46	79-01-6		
Trichlorofluoromethane	<1.0	ug/L	1.0	1		04/03/20 23:46	75-69-4		
Vinyl acetate	<1.0	ug/L	1.0	1		04/03/20 23:46	108-05-4		
Vinyl chloride	7.0	ug/L	1.0	1		04/03/20 23:46	75-01-4		
Xylene (Total)	<3.0	ug/L	3.0	1		04/03/20 23:46	1330-20-7		
cis-1,2-Dichloroethene	16.8	ug/L	1.0	1		04/03/20 23:46	156-59-2		
cis-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/03/20 23:46	10061-01-5		
trans-1,2-Dichloroethene	<1.0	ug/L	1.0	1		04/03/20 23:46	156-60-5		
trans-1,3-Dichloropropene	1.1	ug/L	1.0	1		04/03/20 23:46	10061-02-6		
trans-1,4-Dichloro-2-butene	<1.0	ug/L	1.0	1		04/03/20 23:46	110-57-6		
Surrogates									
1,2-Dichloroethane-d4 (S)	96	%	68-153	1		04/03/20 23:46	17060-07-0		
4-Bromofluorobenzene (S)	100	%	79-124	1		04/03/20 23:46	460-00-4		
Toluene-d8 (S)	98	%	69-124	1		04/03/20 23:46	2037-26-5		
TIC MSV Water		Analytical Method: EPA 8260 Pace Analytical Services - Melville							
TIC Search	No TICs Found			1		04/07/20 12:40			
2320B Alkalinity		Analytical Method: SM22 2320B Pace Analytical Services - Melville							
Alkalinity, Total as CaCO3	340	mg/L	1.0	1		04/09/20 12:41			
2340C Hardness, Total		Analytical Method: SM22 2340C Pace Analytical Services - Melville							
Tot Hardness asCaCO3 (SM 2340B	180	mg/L	5.0	1		04/15/20 15:03			

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: MW-11B		Lab ID: 70126818007		Collected: 04/01/20 10:00		Received: 04/02/20 09:40		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
2540C Total Dissolved Solids		Analytical Method: SM22 2540C Pace Analytical Services - Melville							
Total Dissolved Solids	323	mg/L	10.0	1		04/06/20 10:22			
410.4 COD		Analytical Method: EPA 410.4 Preparation Method: EPA 410.4 Pace Analytical Services - Melville							
Chemical Oxygen Demand	48.4	mg/L	10.0	1	04/07/20 10:05	04/07/20 12:23			
5210B BOD, 5 day		Analytical Method: SM22 5210B Preparation Method: SM22 5210B Pace Analytical Services - Melville							
BOD, 5 day	6.1	mg/L	2.0	1	04/02/20 17:37	04/07/20 14:35			
300.0 IC Anions 28 Days		Analytical Method: EPA 300.0 Pace Analytical Services - Melville							
Bromide	0.39J	mg/L	0.50	1		04/15/20 03:20	24959-67-9		
Chloride	10.6	mg/L	2.0	1		04/15/20 03:20	16887-00-6		
Sulfate	2.7J	mg/L	5.0	1		04/15/20 03:20	14808-79-8		
351.2 Total Kjeldahl Nitrogen		Analytical Method: EPA 351.2 Preparation Method: EPA 351.2 Pace Analytical Services - Melville							
Nitrogen, Kjeldahl, Total	8.3	mg/L	0.50	5	04/13/20 09:02	04/16/20 11:56	7727-37-9		
353.2 Nitrogen, NO2/NO3 unpres		Analytical Method: EPA 353.2 Pace Analytical Services - Melville							
Nitrate as N	0.065	mg/L	0.050	1		04/03/20 03:33	14797-55-8		
Nitrate-Nitrite (as N)	0.065	mg/L	0.050	1		04/03/20 03:33	7727-37-9		
353.2 Nitrogen, NO2		Analytical Method: EPA 353.2 Pace Analytical Services - Melville							
Nitrite as N	<0.050	mg/L	0.050	1		04/03/20 00:20	14797-65-0		
Phenolics, Total Recoverable		Analytical Method: EPA 420.1 Preparation Method: EPA 420.1 Pace Analytical Services - Melville							
Phenolics, Total Recoverable	<5.0	ug/L	5.0	1	04/13/20 08:32	04/13/20 14:27			
4500 Ammonia Water		Analytical Method: SM22 4500 NH3 H Pace Analytical Services - Melville							
Nitrogen, Ammonia	4.1	mg/L	0.10	1		04/13/20 14:50	7664-41-7		
5310B TOC as NPOC		Analytical Method: SM22 5310B Pace Analytical Services - Melville							
Total Organic Carbon	7.4	mg/L	1.0	1		04/09/20 21:16	7440-44-0		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: MW-12A		Lab ID: 70126818008	Collected: 04/01/20 10:15	Received: 04/02/20 09:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010 MET ICP</b>		Analytical Method: EPA 6010C Preparation Method: EPA 3005A Pace Analytical Services - Melville						
Cadmium	<2.5	ug/L	2.5	1	04/07/20 12:19	04/08/20 23:00	7440-43-9	
Calcium	102000	ug/L	200	1	04/07/20 12:19	04/08/20 23:00	7440-70-2	
Iron	33100	ug/L	20.0	1	04/07/20 12:19	04/08/20 23:00	7439-89-6	
Lead	<5.0	ug/L	5.0	1	04/07/20 12:19	04/08/20 23:00	7439-92-1	
Magnesium	13000	ug/L	200	1	04/07/20 12:19	04/08/20 23:00	7439-95-4	
Manganese	12300	ug/L	10.0	1	04/07/20 12:19	04/08/20 23:00	7439-96-5	
Potassium	4220J	ug/L	5000	1	04/07/20 12:19	04/08/20 23:00	7440-09-7	
Sodium	6660	ug/L	5000	1	04/07/20 12:19	04/08/20 23:00	7440-23-5	
<b>8260C Volatile Organics</b>		Analytical Method: EPA 8260C/5030C Pace Analytical Services - Melville						
1,1,1,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/04/20 00:06	630-20-6	
1,1,1-Trichloroethane	<1.0	ug/L	1.0	1		04/04/20 00:06	71-55-6	
1,1,2,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/04/20 00:06	79-34-5	
1,1,2-Trichloroethane	<1.0	ug/L	1.0	1		04/04/20 00:06	79-00-5	
1,1-Dichloroethane	<1.0	ug/L	1.0	1		04/04/20 00:06	75-34-3	
1,1-Dichloroethene	<1.0	ug/L	1.0	1		04/04/20 00:06	75-35-4	
1,1-Dichloropropene	<1.0	ug/L	1.0	1		04/04/20 00:06	563-58-6	
1,2,3-Trichloropropane	<1.0	ug/L	1.0	1		04/04/20 00:06	96-18-4	
1,2-Dibromo-3-chloropropane	<1.0	ug/L	1.0	1		04/04/20 00:06	96-12-8	
1,2-Dibromoethane (EDB)	<1.0	ug/L	1.0	1		04/04/20 00:06	106-93-4	
1,2-Dichlorobenzene	<1.0	ug/L	1.0	1		04/04/20 00:06	95-50-1	
1,2-Dichloroethane	<1.0	ug/L	1.0	1		04/04/20 00:06	107-06-2	
1,2-Dichloropropane	<1.0	ug/L	1.0	1		04/04/20 00:06	78-87-5	
1,3-Dichlorobenzene	<1.0	ug/L	1.0	1		04/04/20 00:06	541-73-1	
1,3-Dichloropropane	<1.0	ug/L	1.0	1		04/04/20 00:06	142-28-9	
1,4-Dichlorobenzene	3.5	ug/L	1.0	1		04/04/20 00:06	106-46-7	
2,2-Dichloropropane	<1.0	ug/L	1.0	1		04/04/20 00:06	594-20-7	
2-Butanone (MEK)	<5.0	ug/L	5.0	1		04/04/20 00:06	78-93-3	
2-Hexanone	<5.0	ug/L	5.0	1		04/04/20 00:06	591-78-6	
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	5.0	1		04/04/20 00:06	108-10-1	
Acetone	2.8J	ug/L	5.0	1		04/04/20 00:06	67-64-1	CH,IC
Acetonitrile	<5.0	ug/L	5.0	1		04/04/20 00:06	75-05-8	CL
Acrolein	<1.0	ug/L	1.0	1		04/04/20 00:06	107-02-8	
Acrylonitrile	<1.0	ug/L	1.0	1		04/04/20 00:06	107-13-1	
Allyl chloride	<4.0	ug/L	4.0	1		04/04/20 00:06	107-05-1	
Benzene	5.4	ug/L	1.0	1		04/04/20 00:06	71-43-2	
Bromochloromethane	<1.0	ug/L	1.0	1		04/04/20 00:06	74-97-5	
Bromodichloromethane	<1.0	ug/L	1.0	1		04/04/20 00:06	75-27-4	
Bromoform	<1.0	ug/L	1.0	1		04/04/20 00:06	75-25-2	
Bromomethane	<1.0	ug/L	1.0	1		04/04/20 00:06	74-83-9	CL
Carbon disulfide	<1.0	ug/L	1.0	1		04/04/20 00:06	75-15-0	
Carbon tetrachloride	<1.0	ug/L	1.0	1		04/04/20 00:06	56-23-5	
Chlorobenzene	7.8	ug/L	1.0	1		04/04/20 00:06	108-90-7	
Chloroethane	<1.0	ug/L	1.0	1		04/04/20 00:06	75-00-3	CL
Chloroform	<1.0	ug/L	1.0	1		04/04/20 00:06	67-66-3	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: MW-12A		Lab ID: 70126818008		Collected: 04/01/20 10:15		Received: 04/02/20 09:40		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C Pace Analytical Services - Melville							
Chloromethane	<1.0	ug/L	1.0	1		04/04/20 00:06	74-87-3	CL	
Chloroprene	<1.0	ug/L	1.0	1		04/04/20 00:06	126-99-8		
Dibromochloromethane	<1.0	ug/L	1.0	1		04/04/20 00:06	124-48-1		
Dibromomethane	<1.0	ug/L	1.0	1		04/04/20 00:06	74-95-3		
Dichlorodifluoromethane	<1.0	ug/L	1.0	1		04/04/20 00:06	75-71-8		
Ethyl methacrylate	<1.0	ug/L	1.0	1		04/04/20 00:06	97-63-2		
Ethylbenzene	<1.0	ug/L	1.0	1		04/04/20 00:06	100-41-4		
Iodomethane	<4.0	ug/L	4.0	1		04/04/20 00:06	74-88-4		
Isobutanol	<20.0	ug/L	20.0	1		04/04/20 00:06	78-83-1		
Methacrylonitrile	<1.0	ug/L	1.0	1		04/04/20 00:06	126-98-7		
Methyl methacrylate	<1.0	ug/L	1.0	1		04/04/20 00:06	80-62-6		
Methylene Chloride	<1.0	ug/L	1.0	1		04/04/20 00:06	75-09-2		
Propionitrile	<4.0	ug/L	4.0	1		04/04/20 00:06	107-12-0		
Styrene	<1.0	ug/L	1.0	1		04/04/20 00:06	100-42-5		
Tetrachloroethene	<1.0	ug/L	1.0	1		04/04/20 00:06	127-18-4		
Toluene	<1.0	ug/L	1.0	1		04/04/20 00:06	108-88-3		
Trichloroethene	<1.0	ug/L	1.0	1		04/04/20 00:06	79-01-6		
Trichlorofluoromethane	<1.0	ug/L	1.0	1		04/04/20 00:06	75-69-4		
Vinyl acetate	<1.0	ug/L	1.0	1		04/04/20 00:06	108-05-4		
Vinyl chloride	<1.0	ug/L	1.0	1		04/04/20 00:06	75-01-4		
Xylene (Total)	1.4J	ug/L	3.0	1		04/04/20 00:06	1330-20-7		
cis-1,2-Dichloroethene	2.4	ug/L	1.0	1		04/04/20 00:06	156-59-2		
cis-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/04/20 00:06	10061-01-5		
trans-1,2-Dichloroethene	<1.0	ug/L	1.0	1		04/04/20 00:06	156-60-5		
trans-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/04/20 00:06	10061-02-6		
trans-1,4-Dichloro-2-butene	<1.0	ug/L	1.0	1		04/04/20 00:06	110-57-6		
Surrogates									
1,2-Dichloroethane-d4 (S)	98	%	68-153	1		04/04/20 00:06	17060-07-0		
4-Bromofluorobenzene (S)	100	%	79-124	1		04/04/20 00:06	460-00-4		
Toluene-d8 (S)	100	%	69-124	1		04/04/20 00:06	2037-26-5		
Tentatively Identified Compounds									
Difluorochloromethane	14.5J	ug/L		1		04/04/20 00:06	75-45-6	N	
2320B Alkalinity		Analytical Method: SM22 2320B Pace Analytical Services - Melville							
Alkalinity, Total as CaCO3	400	mg/L	1.0	1		04/09/20 12:59			
2340C Hardness, Total		Analytical Method: SM22 2340C Pace Analytical Services - Melville							
Tot Hardness asCaCO3 (SM 2340B)	300	mg/L	5.0	1		04/15/20 15:03			
2540C Total Dissolved Solids		Analytical Method: SM22 2540C Pace Analytical Services - Melville							
Total Dissolved Solids	363	mg/L	10.0	1		04/07/20 09:54			

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: MW-12A		Lab ID: 70126818008		Collected: 04/01/20 10:15		Received: 04/02/20 09:40		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
410.4 COD		Analytical Method: EPA 410.4 Preparation Method: EPA 410.4 Pace Analytical Services - Melville							
Chemical Oxygen Demand	50.5	mg/L	10.0	1	04/07/20 10:05	04/07/20 12:23			
5210B BOD, 5 day		Analytical Method: SM22 5210B Preparation Method: SM22 5210B Pace Analytical Services - Melville							
BOD, 5 day	5.2	mg/L	2.0	1	04/02/20 17:37	04/07/20 14:38			
300.0 IC Anions 28 Days		Analytical Method: EPA 300.0 Pace Analytical Services - Melville							
Bromide	0.21J	mg/L	0.50	1		04/15/20 03:36	24959-67-9		
Chloride	4.1	mg/L	2.0	1		04/15/20 03:36	16887-00-6		
Sulfate	1.6J	mg/L	5.0	1		04/15/20 03:36	14808-79-8		
351.2 Total Kjeldahl Nitrogen		Analytical Method: EPA 351.2 Preparation Method: EPA 351.2 Pace Analytical Services - Melville							
Nitrogen, Kjeldahl, Total	10.3	mg/L	0.50	5	04/13/20 09:02	04/16/20 11:57	7727-37-9		
353.2 Nitrogen, NO2/NO3 unpres		Analytical Method: EPA 353.2 Pace Analytical Services - Melville							
Nitrate as N	0.075	mg/L	0.050	1		04/03/20 03:34	14797-55-8		
Nitrate-Nitrite (as N)	0.075	mg/L	0.050	1		04/03/20 03:34	7727-37-9		
353.2 Nitrogen, NO2		Analytical Method: EPA 353.2 Pace Analytical Services - Melville							
Nitrite as N	<0.050	mg/L	0.050	1		04/03/20 00:21	14797-65-0		
Phenolics, Total Recoverable		Analytical Method: EPA 420.1 Preparation Method: EPA 420.1 Pace Analytical Services - Melville							
Phenolics, Total Recoverable	<5.0	ug/L	5.0	1	04/13/20 08:32	04/13/20 14:28			
4500 Ammonia Water		Analytical Method: SM22 4500 NH3 H Pace Analytical Services - Melville							
Nitrogen, Ammonia	6.1	mg/L	0.50	5		04/13/20 15:01	7664-41-7		
5310B TOC as NPOC		Analytical Method: SM22 5310B Pace Analytical Services - Melville							
Total Organic Carbon	6.8	mg/L	1.0	1		04/09/20 21:28	7440-44-0		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: MW-12B		Lab ID: 70126818009	Collected: 04/01/20 10:20	Received: 04/02/20 09:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010 MET ICP</b>		Analytical Method: EPA 6010C Preparation Method: EPA 3005A Pace Analytical Services - Melville						
Cadmium	<2.5	ug/L	2.5	1	04/07/20 12:19	04/08/20 23:05	7440-43-9	
Calcium	115000	ug/L	200	1	04/07/20 12:19	04/08/20 23:05	7440-70-2	
Iron	16300	ug/L	20.0	1	04/07/20 12:19	04/08/20 23:05	7439-89-6	
Lead	<5.0	ug/L	5.0	1	04/07/20 12:19	04/08/20 23:05	7439-92-1	
Magnesium	22000	ug/L	200	1	04/07/20 12:19	04/08/20 23:05	7439-95-4	
Manganese	10100	ug/L	10.0	1	04/07/20 12:19	04/08/20 23:05	7439-96-5	
Potassium	4890J	ug/L	5000	1	04/07/20 12:19	04/08/20 23:05	7440-09-7	
Sodium	12200	ug/L	5000	1	04/07/20 12:19	04/08/20 23:05	7440-23-5	
<b>8260C Volatile Organics</b>		Analytical Method: EPA 8260C/5030C Pace Analytical Services - Melville						
1,1,1,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/04/20 00:25	630-20-6	
1,1,1-Trichloroethane	<1.0	ug/L	1.0	1		04/04/20 00:25	71-55-6	
1,1,2,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/04/20 00:25	79-34-5	
1,1,2-Trichloroethane	<1.0	ug/L	1.0	1		04/04/20 00:25	79-00-5	
1,1-Dichloroethane	2.7	ug/L	1.0	1		04/04/20 00:25	75-34-3	
1,1-Dichloroethene	<1.0	ug/L	1.0	1		04/04/20 00:25	75-35-4	
1,1-Dichloropropene	<1.0	ug/L	1.0	1		04/04/20 00:25	563-58-6	
1,2,3-Trichloropropane	<1.0	ug/L	1.0	1		04/04/20 00:25	96-18-4	
1,2-Dibromo-3-chloropropane	<1.0	ug/L	1.0	1		04/04/20 00:25	96-12-8	
1,2-Dibromoethane (EDB)	<1.0	ug/L	1.0	1		04/04/20 00:25	106-93-4	
1,2-Dichlorobenzene	<1.0	ug/L	1.0	1		04/04/20 00:25	95-50-1	
1,2-Dichloroethane	<1.0	ug/L	1.0	1		04/04/20 00:25	107-06-2	
1,2-Dichloropropane	<1.0	ug/L	1.0	1		04/04/20 00:25	78-87-5	
1,3-Dichlorobenzene	<1.0	ug/L	1.0	1		04/04/20 00:25	541-73-1	
1,3-Dichloropropane	<1.0	ug/L	1.0	1		04/04/20 00:25	142-28-9	
1,4-Dichlorobenzene	3.6	ug/L	1.0	1		04/04/20 00:25	106-46-7	
2,2-Dichloropropane	<1.0	ug/L	1.0	1		04/04/20 00:25	594-20-7	
2-Butanone (MEK)	<5.0	ug/L	5.0	1		04/04/20 00:25	78-93-3	
2-Hexanone	<5.0	ug/L	5.0	1		04/04/20 00:25	591-78-6	
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	5.0	1		04/04/20 00:25	108-10-1	
Acetone	<5.0	ug/L	5.0	1		04/04/20 00:25	67-64-1	IC
Acetonitrile	<5.0	ug/L	5.0	1		04/04/20 00:25	75-05-8	CL
Acrolein	<1.0	ug/L	1.0	1		04/04/20 00:25	107-02-8	
Acrylonitrile	<1.0	ug/L	1.0	1		04/04/20 00:25	107-13-1	
Allyl chloride	<4.0	ug/L	4.0	1		04/04/20 00:25	107-05-1	
Benzene	6.2	ug/L	1.0	1		04/04/20 00:25	71-43-2	
Bromochloromethane	<1.0	ug/L	1.0	1		04/04/20 00:25	74-97-5	
Bromodichloromethane	<1.0	ug/L	1.0	1		04/04/20 00:25	75-27-4	
Bromoform	<1.0	ug/L	1.0	1		04/04/20 00:25	75-25-2	
Bromomethane	<1.0	ug/L	1.0	1		04/04/20 00:25	74-83-9	CL
Carbon disulfide	<1.0	ug/L	1.0	1		04/04/20 00:25	75-15-0	
Carbon tetrachloride	<1.0	ug/L	1.0	1		04/04/20 00:25	56-23-5	
Chlorobenzene	9.3	ug/L	1.0	1		04/04/20 00:25	108-90-7	
Chloroethane	<1.0	ug/L	1.0	1		04/04/20 00:25	75-00-3	CL
Chloroform	<1.0	ug/L	1.0	1		04/04/20 00:25	67-66-3	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: MW-12B		Lab ID: 70126818009		Collected: 04/01/20 10:20		Received: 04/02/20 09:40		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C Pace Analytical Services - Melville							
Chloromethane	<1.0	ug/L	1.0	1		04/04/20 00:25	74-87-3	CL	
Chloroprene	<1.0	ug/L	1.0	1		04/04/20 00:25	126-99-8		
Dibromochloromethane	<1.0	ug/L	1.0	1		04/04/20 00:25	124-48-1		
Dibromomethane	<1.0	ug/L	1.0	1		04/04/20 00:25	74-95-3		
Dichlorodifluoromethane	<1.0	ug/L	1.0	1		04/04/20 00:25	75-71-8		
Ethyl methacrylate	<1.0	ug/L	1.0	1		04/04/20 00:25	97-63-2		
Ethylbenzene	1.2	ug/L	1.0	1		04/04/20 00:25	100-41-4		
Iodomethane	<4.0	ug/L	4.0	1		04/04/20 00:25	74-88-4		
Isobutanol	<20.0	ug/L	20.0	1		04/04/20 00:25	78-83-1		
Methacrylonitrile	<1.0	ug/L	1.0	1		04/04/20 00:25	126-98-7		
Methyl methacrylate	<1.0	ug/L	1.0	1		04/04/20 00:25	80-62-6		
Methylene Chloride	<1.0	ug/L	1.0	1		04/04/20 00:25	75-09-2		
Propionitrile	<4.0	ug/L	4.0	1		04/04/20 00:25	107-12-0		
Styrene	<1.0	ug/L	1.0	1		04/04/20 00:25	100-42-5		
Tetrachloroethene	<1.0	ug/L	1.0	1		04/04/20 00:25	127-18-4		
Toluene	<1.0	ug/L	1.0	1		04/04/20 00:25	108-88-3		
Trichloroethene	<1.0	ug/L	1.0	1		04/04/20 00:25	79-01-6		
Trichlorofluoromethane	<1.0	ug/L	1.0	1		04/04/20 00:25	75-69-4		
Vinyl acetate	<1.0	ug/L	1.0	1		04/04/20 00:25	108-05-4		
Vinyl chloride	1.2	ug/L	1.0	1		04/04/20 00:25	75-01-4		
Xylene (Total)	2.8J	ug/L	3.0	1		04/04/20 00:25	1330-20-7		
cis-1,2-Dichloroethene	1.9	ug/L	1.0	1		04/04/20 00:25	156-59-2		
cis-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/04/20 00:25	10061-01-5		
trans-1,2-Dichloroethene	<1.0	ug/L	1.0	1		04/04/20 00:25	156-60-5		
trans-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/04/20 00:25	10061-02-6		
trans-1,4-Dichloro-2-butene	<1.0	ug/L	1.0	1		04/04/20 00:25	110-57-6		
Surrogates									
1,2-Dichloroethane-d4 (S)	99	%	68-153	1		04/04/20 00:25	17060-07-0		
4-Bromofluorobenzene (S)	99	%	79-124	1		04/04/20 00:25	460-00-4		
Toluene-d8 (S)	98	%	69-124	1		04/04/20 00:25	2037-26-5		
TIC MSV Water		Analytical Method: EPA 8260 Pace Analytical Services - Melville							
TIC Search	No TICs Found			1		04/07/20 12:40			
2320B Alkalinity		Analytical Method: SM22 2320B Pace Analytical Services - Melville							
Alkalinity, Total as CaCO3	455	mg/L	1.0	1		04/09/20 13:31			
2340C Hardness, Total		Analytical Method: SM22 2340C Pace Analytical Services - Melville							
Tot Hardness asCaCO3 (SM 2340B	400	mg/L	5.0	1		04/15/20 15:03			

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: MW-12B		Lab ID: 70126818009		Collected: 04/01/20 10:20		Received: 04/02/20 09:40		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
2540C Total Dissolved Solids		Analytical Method: SM22 2540C Pace Analytical Services - Melville							
Total Dissolved Solids	432	mg/L	10.0	1		04/07/20 09:55			
410.4 COD		Analytical Method: EPA 410.4 Preparation Method: EPA 410.4 Pace Analytical Services - Melville							
Chemical Oxygen Demand	54.7	mg/L	10.0	1	04/07/20 10:05	04/07/20 12:23			
5210B BOD, 5 day		Analytical Method: SM22 5210B Preparation Method: SM22 5210B Pace Analytical Services - Melville							
BOD, 5 day	3.3	mg/L	2.0	1	04/02/20 17:37	04/07/20 14:40			
300.0 IC Anions 28 Days		Analytical Method: EPA 300.0 Pace Analytical Services - Melville							
Bromide	0.38J	mg/L	0.50	1		04/15/20 03:53	24959-67-9		
Chloride	7.2	mg/L	2.0	1		04/15/20 03:53	16887-00-6		
Sulfate	1.5J	mg/L	5.0	1		04/15/20 03:53	14808-79-8		
351.2 Total Kjeldahl Nitrogen		Analytical Method: EPA 351.2 Preparation Method: EPA 351.2 Pace Analytical Services - Melville							
Nitrogen, Kjeldahl, Total	9.6	mg/L	0.50	5	04/13/20 09:02	04/16/20 12:00	7727-37-9		
353.2 Nitrogen, NO2/NO3 unpres		Analytical Method: EPA 353.2 Pace Analytical Services - Melville							
Nitrate as N	0.050J	mg/L	0.050	1		04/03/20 03:36	14797-55-8		
Nitrate-Nitrite (as N)	0.050J	mg/L	0.050	1		04/03/20 03:36	7727-37-9		
353.2 Nitrogen, NO2		Analytical Method: EPA 353.2 Pace Analytical Services - Melville							
Nitrite as N	<0.050	mg/L	0.050	1		04/03/20 00:23	14797-65-0		
Phenolics, Total Recoverable		Analytical Method: EPA 420.1 Preparation Method: EPA 420.1 Pace Analytical Services - Melville							
Phenolics, Total Recoverable	2.7J	ug/L	5.0	1	04/13/20 08:32	04/13/20 14:28			
4500 Ammonia Water		Analytical Method: SM22 4500 NH3 H Pace Analytical Services - Melville							
Nitrogen, Ammonia	6.2	mg/L	0.50	5		04/13/20 15:04	7664-41-7		
5310B TOC as NPOC		Analytical Method: SM22 5310B Pace Analytical Services - Melville							
Total Organic Carbon	8.3	mg/L	1.0	1		04/09/20 21:39	7440-44-0		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: MW-13		Lab ID: 70126818010	Collected: 04/01/20 13:00	Received: 04/02/20 09:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010 MET ICP</b>		Analytical Method: EPA 6010C Preparation Method: EPA 3005A Pace Analytical Services - Melville						
Cadmium	<2.5	ug/L	2.5	1	04/07/20 12:19	04/08/20 23:11	7440-43-9	
Calcium	37600	ug/L	200	1	04/07/20 12:19	04/08/20 23:11	7440-70-2	
Iron	89.5	ug/L	20.0	1	04/07/20 12:19	04/08/20 23:11	7439-89-6	
Lead	<5.0	ug/L	5.0	1	04/07/20 12:19	04/08/20 23:11	7439-92-1	
Magnesium	11100	ug/L	200	1	04/07/20 12:19	04/08/20 23:11	7439-95-4	
Manganese	291	ug/L	10.0	1	04/07/20 12:19	04/08/20 23:11	7439-96-5	
Potassium	<5000	ug/L	5000	1	04/07/20 12:19	04/08/20 23:11	7440-09-7	
Sodium	9570	ug/L	5000	1	04/07/20 12:19	04/08/20 23:11	7440-23-5	
<b>8260C Volatile Organics</b>		Analytical Method: EPA 8260C/5030C Pace Analytical Services - Melville						
1,1,1,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/04/20 00:45	630-20-6	
1,1,1-Trichloroethane	<1.0	ug/L	1.0	1		04/04/20 00:45	71-55-6	
1,1,2,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/04/20 00:45	79-34-5	
1,1,2-Trichloroethane	<1.0	ug/L	1.0	1		04/04/20 00:45	79-00-5	
1,1-Dichloroethane	<1.0	ug/L	1.0	1		04/04/20 00:45	75-34-3	
1,1-Dichloroethene	<1.0	ug/L	1.0	1		04/04/20 00:45	75-35-4	
1,1-Dichloropropene	<1.0	ug/L	1.0	1		04/04/20 00:45	563-58-6	
1,2,3-Trichloropropane	<1.0	ug/L	1.0	1		04/04/20 00:45	96-18-4	
1,2-Dibromo-3-chloropropane	<1.0	ug/L	1.0	1		04/04/20 00:45	96-12-8	
1,2-Dibromoethane (EDB)	<1.0	ug/L	1.0	1		04/04/20 00:45	106-93-4	
1,2-Dichlorobenzene	<1.0	ug/L	1.0	1		04/04/20 00:45	95-50-1	
1,2-Dichloroethane	<1.0	ug/L	1.0	1		04/04/20 00:45	107-06-2	
1,2-Dichloropropane	<1.0	ug/L	1.0	1		04/04/20 00:45	78-87-5	
1,3-Dichlorobenzene	<1.0	ug/L	1.0	1		04/04/20 00:45	541-73-1	
1,3-Dichloropropane	<1.0	ug/L	1.0	1		04/04/20 00:45	142-28-9	
1,4-Dichlorobenzene	<1.0	ug/L	1.0	1		04/04/20 00:45	106-46-7	
2,2-Dichloropropane	<1.0	ug/L	1.0	1		04/04/20 00:45	594-20-7	
2-Butanone (MEK)	<5.0	ug/L	5.0	1		04/04/20 00:45	78-93-3	
2-Hexanone	<5.0	ug/L	5.0	1		04/04/20 00:45	591-78-6	
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	5.0	1		04/04/20 00:45	108-10-1	
Acetone	<5.0	ug/L	5.0	1		04/04/20 00:45	67-64-1	IC
Acetonitrile	<5.0	ug/L	5.0	1		04/04/20 00:45	75-05-8	CL
Acrolein	<1.0	ug/L	1.0	1		04/04/20 00:45	107-02-8	
Acrylonitrile	<1.0	ug/L	1.0	1		04/04/20 00:45	107-13-1	
Allyl chloride	<4.0	ug/L	4.0	1		04/04/20 00:45	107-05-1	
Benzene	<1.0	ug/L	1.0	1		04/04/20 00:45	71-43-2	
Bromochloromethane	<1.0	ug/L	1.0	1		04/04/20 00:45	74-97-5	
Bromodichloromethane	<1.0	ug/L	1.0	1		04/04/20 00:45	75-27-4	
Bromoform	<1.0	ug/L	1.0	1		04/04/20 00:45	75-25-2	
Bromomethane	<1.0	ug/L	1.0	1		04/04/20 00:45	74-83-9	CL
Carbon disulfide	<1.0	ug/L	1.0	1		04/04/20 00:45	75-15-0	
Carbon tetrachloride	<1.0	ug/L	1.0	1		04/04/20 00:45	56-23-5	
Chlorobenzene	<1.0	ug/L	1.0	1		04/04/20 00:45	108-90-7	
Chloroethane	<1.0	ug/L	1.0	1		04/04/20 00:45	75-00-3	CL
Chloroform	<1.0	ug/L	1.0	1		04/04/20 00:45	67-66-3	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: MW-13		Lab ID: 70126818010		Collected: 04/01/20 13:00		Received: 04/02/20 09:40		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C Pace Analytical Services - Melville							
Chloromethane	<1.0	ug/L	1.0	1		04/04/20 00:45	74-87-3	CL	
Chloroprene	<1.0	ug/L	1.0	1		04/04/20 00:45	126-99-8		
Dibromochloromethane	<1.0	ug/L	1.0	1		04/04/20 00:45	124-48-1		
Dibromomethane	<1.0	ug/L	1.0	1		04/04/20 00:45	74-95-3		
Dichlorodifluoromethane	<1.0	ug/L	1.0	1		04/04/20 00:45	75-71-8		
Ethyl methacrylate	<1.0	ug/L	1.0	1		04/04/20 00:45	97-63-2		
Ethylbenzene	<1.0	ug/L	1.0	1		04/04/20 00:45	100-41-4		
Iodomethane	<4.0	ug/L	4.0	1		04/04/20 00:45	74-88-4		
Isobutanol	<20.0	ug/L	20.0	1		04/04/20 00:45	78-83-1		
Methacrylonitrile	<1.0	ug/L	1.0	1		04/04/20 00:45	126-98-7		
Methyl methacrylate	<1.0	ug/L	1.0	1		04/04/20 00:45	80-62-6		
Methylene Chloride	<1.0	ug/L	1.0	1		04/04/20 00:45	75-09-2		
Propionitrile	<4.0	ug/L	4.0	1		04/04/20 00:45	107-12-0		
Styrene	<1.0	ug/L	1.0	1		04/04/20 00:45	100-42-5		
Tetrachloroethene	<1.0	ug/L	1.0	1		04/04/20 00:45	127-18-4		
Toluene	<1.0	ug/L	1.0	1		04/04/20 00:45	108-88-3		
Trichloroethene	<1.0	ug/L	1.0	1		04/04/20 00:45	79-01-6		
Trichlorofluoromethane	<1.0	ug/L	1.0	1		04/04/20 00:45	75-69-4		
Vinyl acetate	<1.0	ug/L	1.0	1		04/04/20 00:45	108-05-4		
Vinyl chloride	<1.0	ug/L	1.0	1		04/04/20 00:45	75-01-4		
Xylene (Total)	<3.0	ug/L	3.0	1		04/04/20 00:45	1330-20-7		
cis-1,2-Dichloroethene	<1.0	ug/L	1.0	1		04/04/20 00:45	156-59-2		
cis-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/04/20 00:45	10061-01-5		
trans-1,2-Dichloroethene	<1.0	ug/L	1.0	1		04/04/20 00:45	156-60-5		
trans-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/04/20 00:45	10061-02-6		
trans-1,4-Dichloro-2-butene	<1.0	ug/L	1.0	1		04/04/20 00:45	110-57-6		
Surrogates									
1,2-Dichloroethane-d4 (S)	99	%	68-153	1		04/04/20 00:45	17060-07-0		
4-Bromofluorobenzene (S)	98	%	79-124	1		04/04/20 00:45	460-00-4		
Toluene-d8 (S)	99	%	69-124	1		04/04/20 00:45	2037-26-5		
TIC MSV Water		Analytical Method: EPA 8260 Pace Analytical Services - Melville							
TIC Search	No TICs Found			1		04/07/20 12:40			
2320B Alkalinity		Analytical Method: SM22 2320B Pace Analytical Services - Melville							
Alkalinity, Total as CaCO3	161	mg/L	1.0	1		04/09/20 13:40			
2340C Hardness, Total		Analytical Method: SM22 2340C Pace Analytical Services - Melville							
Tot Hardness asCaCO3 (SM 2340B	140	mg/L	5.0	1		04/15/20 15:03			

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: MW-13		Lab ID: 70126818010		Collected: 04/01/20 13:00		Received: 04/02/20 09:40		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
2540C Total Dissolved Solids		Analytical Method: SM22 2540C Pace Analytical Services - Melville							
Total Dissolved Solids	157	mg/L	10.0	1		04/07/20 10:36			
410.4 COD		Analytical Method: EPA 410.4 Preparation Method: EPA 410.4 Pace Analytical Services - Melville							
Chemical Oxygen Demand	<10.0	mg/L	10.0	1	04/07/20 10:05	04/07/20 12:24			
5210B BOD, 5 day		Analytical Method: SM22 5210B Preparation Method: SM22 5210B Pace Analytical Services - Melville							
BOD, 5 day	1.0J	mg/L	2.0	1	04/03/20 10:32	04/08/20 11:08			
300.0 IC Anions 28 Days		Analytical Method: EPA 300.0 Pace Analytical Services - Melville							
Bromide	0.29J	mg/L	0.50	1		04/15/20 04:10	24959-67-9		
Chloride	4.1	mg/L	2.0	1		04/15/20 04:10	16887-00-6		
Sulfate	2.9J	mg/L	5.0	1		04/15/20 04:10	14808-79-8		
351.2 Total Kjeldahl Nitrogen		Analytical Method: EPA 351.2 Preparation Method: EPA 351.2 Pace Analytical Services - Melville							
Nitrogen, Kjeldahl, Total	0.43	mg/L	0.10	1	04/13/20 09:02	04/16/20 11:39	7727-37-9		
353.2 Nitrogen, NO2/NO3 unpres		Analytical Method: EPA 353.2 Pace Analytical Services - Melville							
Nitrate as N	0.040J	mg/L	0.050	1		04/03/20 03:37	14797-55-8		
Nitrate-Nitrite (as N)	0.040J	mg/L	0.050	1		04/03/20 03:37	7727-37-9		
353.2 Nitrogen, NO2		Analytical Method: EPA 353.2 Pace Analytical Services - Melville							
Nitrite as N	<0.050	mg/L	0.050	1		04/03/20 00:24	14797-65-0		
Phenolics, Total Recoverable		Analytical Method: EPA 420.1 Preparation Method: EPA 420.1 Pace Analytical Services - Melville							
Phenolics, Total Recoverable	<5.0	ug/L	5.0	1	04/13/20 08:32	04/13/20 14:29			
4500 Ammonia Water		Analytical Method: SM22 4500 NH3 H Pace Analytical Services - Melville							
Nitrogen, Ammonia	<0.10	mg/L	0.10	1		04/13/20 14:53	7664-41-7		
5310B TOC as NPOC		Analytical Method: SM22 5310B Pace Analytical Services - Melville							
Total Organic Carbon	1.9	mg/L	1.0	1		04/09/20 22:13	7440-44-0		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: MW-14		Lab ID: 70126818011	Collected: 04/01/20 11:30	Received: 04/02/20 09:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010 MET ICP</b>		Analytical Method: EPA 6010C Preparation Method: EPA 3005A Pace Analytical Services - Melville						
Cadmium	<2.5	ug/L	2.5	1	04/07/20 12:19	04/08/20 23:16	7440-43-9	
Calcium	58600	ug/L	200	1	04/07/20 12:19	04/08/20 23:16	7440-70-2	
Iron	156	ug/L	20.0	1	04/07/20 12:19	04/08/20 23:16	7439-89-6	
Lead	<5.0	ug/L	5.0	1	04/07/20 12:19	04/08/20 23:16	7439-92-1	
Magnesium	13800	ug/L	200	1	04/07/20 12:19	04/08/20 23:16	7439-95-4	
Manganese	63.8	ug/L	10.0	1	04/07/20 12:19	04/08/20 23:16	7439-96-5	
Potassium	2020J	ug/L	5000	1	04/07/20 12:19	04/08/20 23:16	7440-09-7	
Sodium	9980	ug/L	5000	1	04/07/20 12:19	04/08/20 23:16	7440-23-5	
<b>8260C Volatile Organics</b>		Analytical Method: EPA 8260C/5030C Pace Analytical Services - Melville						
1,1,1,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/04/20 01:05	630-20-6	
1,1,1-Trichloroethane	<1.0	ug/L	1.0	1		04/04/20 01:05	71-55-6	
1,1,2,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/04/20 01:05	79-34-5	
1,1,2-Trichloroethane	<1.0	ug/L	1.0	1		04/04/20 01:05	79-00-5	
1,1-Dichloroethane	<1.0	ug/L	1.0	1		04/04/20 01:05	75-34-3	
1,1-Dichloroethene	<1.0	ug/L	1.0	1		04/04/20 01:05	75-35-4	
1,1-Dichloropropene	<1.0	ug/L	1.0	1		04/04/20 01:05	563-58-6	
1,2,3-Trichloropropane	<1.0	ug/L	1.0	1		04/04/20 01:05	96-18-4	
1,2-Dibromo-3-chloropropane	<1.0	ug/L	1.0	1		04/04/20 01:05	96-12-8	
1,2-Dibromoethane (EDB)	<1.0	ug/L	1.0	1		04/04/20 01:05	106-93-4	
1,2-Dichlorobenzene	<1.0	ug/L	1.0	1		04/04/20 01:05	95-50-1	
1,2-Dichloroethane	<1.0	ug/L	1.0	1		04/04/20 01:05	107-06-2	
1,2-Dichloropropane	<1.0	ug/L	1.0	1		04/04/20 01:05	78-87-5	
1,3-Dichlorobenzene	<1.0	ug/L	1.0	1		04/04/20 01:05	541-73-1	
1,3-Dichloropropane	<1.0	ug/L	1.0	1		04/04/20 01:05	142-28-9	
1,4-Dichlorobenzene	<1.0	ug/L	1.0	1		04/04/20 01:05	106-46-7	
2,2-Dichloropropane	<1.0	ug/L	1.0	1		04/04/20 01:05	594-20-7	
2-Butanone (MEK)	<5.0	ug/L	5.0	1		04/04/20 01:05	78-93-3	
2-Hexanone	<5.0	ug/L	5.0	1		04/04/20 01:05	591-78-6	
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	5.0	1		04/04/20 01:05	108-10-1	
Acetone	<5.0	ug/L	5.0	1		04/04/20 01:05	67-64-1	IC
Acetonitrile	<5.0	ug/L	5.0	1		04/04/20 01:05	75-05-8	CL
Acrolein	<1.0	ug/L	1.0	1		04/04/20 01:05	107-02-8	
Acrylonitrile	<1.0	ug/L	1.0	1		04/04/20 01:05	107-13-1	
Allyl chloride	<4.0	ug/L	4.0	1		04/04/20 01:05	107-05-1	
Benzene	<1.0	ug/L	1.0	1		04/04/20 01:05	71-43-2	
Bromochloromethane	<1.0	ug/L	1.0	1		04/04/20 01:05	74-97-5	
Bromodichloromethane	<1.0	ug/L	1.0	1		04/04/20 01:05	75-27-4	
Bromoform	<1.0	ug/L	1.0	1		04/04/20 01:05	75-25-2	
Bromomethane	<1.0	ug/L	1.0	1		04/04/20 01:05	74-83-9	CL
Carbon disulfide	<1.0	ug/L	1.0	1		04/04/20 01:05	75-15-0	
Carbon tetrachloride	<1.0	ug/L	1.0	1		04/04/20 01:05	56-23-5	
Chlorobenzene	<1.0	ug/L	1.0	1		04/04/20 01:05	108-90-7	
Chloroethane	<1.0	ug/L	1.0	1		04/04/20 01:05	75-00-3	CL
Chloroform	<1.0	ug/L	1.0	1		04/04/20 01:05	67-66-3	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: MW-14		Lab ID: 70126818011		Collected: 04/01/20 11:30		Received: 04/02/20 09:40		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C Pace Analytical Services - Melville							
Chloromethane	<1.0	ug/L	1.0	1		04/04/20 01:05	74-87-3	CL	
Chloroprene	<1.0	ug/L	1.0	1		04/04/20 01:05	126-99-8		
Dibromochloromethane	<1.0	ug/L	1.0	1		04/04/20 01:05	124-48-1		
Dibromomethane	<1.0	ug/L	1.0	1		04/04/20 01:05	74-95-3		
Dichlorodifluoromethane	<1.0	ug/L	1.0	1		04/04/20 01:05	75-71-8		
Ethyl methacrylate	<1.0	ug/L	1.0	1		04/04/20 01:05	97-63-2		
Ethylbenzene	<1.0	ug/L	1.0	1		04/04/20 01:05	100-41-4		
Iodomethane	<4.0	ug/L	4.0	1		04/04/20 01:05	74-88-4		
Isobutanol	<20.0	ug/L	20.0	1		04/04/20 01:05	78-83-1		
Methacrylonitrile	<1.0	ug/L	1.0	1		04/04/20 01:05	126-98-7		
Methyl methacrylate	<1.0	ug/L	1.0	1		04/04/20 01:05	80-62-6		
Methylene Chloride	<1.0	ug/L	1.0	1		04/04/20 01:05	75-09-2		
Propionitrile	<4.0	ug/L	4.0	1		04/04/20 01:05	107-12-0		
Styrene	<1.0	ug/L	1.0	1		04/04/20 01:05	100-42-5		
Tetrachloroethene	<1.0	ug/L	1.0	1		04/04/20 01:05	127-18-4		
Toluene	<1.0	ug/L	1.0	1		04/04/20 01:05	108-88-3		
Trichloroethene	<1.0	ug/L	1.0	1		04/04/20 01:05	79-01-6		
Trichlorofluoromethane	<1.0	ug/L	1.0	1		04/04/20 01:05	75-69-4		
Vinyl acetate	<1.0	ug/L	1.0	1		04/04/20 01:05	108-05-4		
Vinyl chloride	<1.0	ug/L	1.0	1		04/04/20 01:05	75-01-4		
Xylene (Total)	<3.0	ug/L	3.0	1		04/04/20 01:05	1330-20-7		
cis-1,2-Dichloroethene	<1.0	ug/L	1.0	1		04/04/20 01:05	156-59-2		
cis-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/04/20 01:05	10061-01-5		
trans-1,2-Dichloroethene	<1.0	ug/L	1.0	1		04/04/20 01:05	156-60-5		
trans-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/04/20 01:05	10061-02-6		
trans-1,4-Dichloro-2-butene	<1.0	ug/L	1.0	1		04/04/20 01:05	110-57-6		
Surrogates									
1,2-Dichloroethane-d4 (S)	99	%	68-153	1		04/04/20 01:05	17060-07-0		
4-Bromofluorobenzene (S)	96	%	79-124	1		04/04/20 01:05	460-00-4		
Toluene-d8 (S)	97	%	69-124	1		04/04/20 01:05	2037-26-5		
TIC MSV Water		Analytical Method: EPA 8260 Pace Analytical Services - Melville							
TIC Search	No TICs Found			1		04/07/20 12:40			
2320B Alkalinity		Analytical Method: SM22 2320B Pace Analytical Services - Melville							
Alkalinity, Total as CaCO3	209	mg/L	1.0	1		04/09/20 13:52			
2340C Hardness, Total		Analytical Method: SM22 2340C Pace Analytical Services - Melville							
Tot Hardness asCaCO3 (SM 2340B	220	mg/L	5.0	1		04/15/20 15:03			

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL  
Pace Project No.: 70126818

Sample: MW-14		Lab ID: 70126818011	Collected: 04/01/20 11:30	Received: 04/02/20 09:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
2540C Total Dissolved Solids		Analytical Method: SM22 2540C Pace Analytical Services - Melville						
Total Dissolved Solids	228	mg/L	10.0	1		04/07/20 10:36		
410.4 COD		Analytical Method: EPA 410.4 Preparation Method: EPA 410.4 Pace Analytical Services - Melville						
Chemical Oxygen Demand	<10.0	mg/L	10.0	1	04/07/20 10:05	04/07/20 12:24		
5210B BOD, 5 day		Analytical Method: SM22 5210B Preparation Method: SM22 5210B Pace Analytical Services - Melville						
BOD, 5 day	1.0J	mg/L	2.0	1	04/03/20 10:32	04/08/20 11:10		
300.0 IC Anions 28 Days		Analytical Method: EPA 300.0 Pace Analytical Services - Melville						
Bromide	0.045J	mg/L	0.50	1		04/15/20 04:26	24959-67-9	
Chloride	1.5J	mg/L	2.0	1		04/15/20 04:26	16887-00-6	
Sulfate	11.4	mg/L	5.0	1		04/15/20 04:26	14808-79-8	
351.2 Total Kjeldahl Nitrogen		Analytical Method: EPA 351.2 Preparation Method: EPA 351.2 Pace Analytical Services - Melville						
Nitrogen, Kjeldahl, Total	0.65	mg/L	0.10	1	04/13/20 09:02	04/16/20 11:40	7727-37-9	
353.2 Nitrogen, NO2/NO3 unpres		Analytical Method: EPA 353.2 Pace Analytical Services - Melville						
Nitrate as N	0.043J	mg/L	0.050	1		04/03/20 03:38	14797-55-8	
Nitrate-Nitrite (as N)	0.043J	mg/L	0.050	1		04/03/20 03:38	7727-37-9	
353.2 Nitrogen, NO2		Analytical Method: EPA 353.2 Pace Analytical Services - Melville						
Nitrite as N	<0.050	mg/L	0.050	1		04/03/20 00:25	14797-65-0	
Phenolics, Total Recoverable		Analytical Method: EPA 420.1 Preparation Method: EPA 420.1 Pace Analytical Services - Melville						
Phenolics, Total Recoverable	<5.0	ug/L	5.0	1	04/13/20 08:32	04/13/20 14:30		
4500 Ammonia Water		Analytical Method: SM22 4500 NH3 H Pace Analytical Services - Melville						
Nitrogen, Ammonia	<0.10	mg/L	0.10	1		04/14/20 14:39	7664-41-7	
5310B TOC as NPOC		Analytical Method: SM22 5310B Pace Analytical Services - Melville						
Total Organic Carbon	0.56J	mg/L	1.0	1		04/09/20 22:24	7440-44-0	B

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: <b>STREAM</b>		Lab ID: <b>70126818012</b>	Collected: 04/01/20 13:15	Received: 04/02/20 09:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010 MET ICP</b>		Analytical Method: EPA 6010C Preparation Method: EPA 3005A Pace Analytical Services - Melville						
Cadmium	<2.5	ug/L	2.5	1	04/07/20 12:19	04/08/20 23:32	7440-43-9	
Calcium	20600	ug/L	200	1	04/07/20 12:19	04/08/20 23:32	7440-70-2	
Iron	90.0	ug/L	20.0	1	04/07/20 12:19	04/08/20 23:32	7439-89-6	
Lead	<5.0	ug/L	5.0	1	04/07/20 12:19	04/08/20 23:32	7439-92-1	
Magnesium	5910	ug/L	200	1	04/07/20 12:19	04/08/20 23:32	7439-95-4	
Manganese	27.3	ug/L	10.0	1	04/07/20 12:19	04/08/20 23:32	7439-96-5	
Potassium	2130J	ug/L	5000	1	04/07/20 12:19	04/08/20 23:32	7440-09-7	
Sodium	2330J	ug/L	5000	1	04/07/20 12:19	04/08/20 23:32	7440-23-5	
<b>8260C Volatile Organics</b>		Analytical Method: EPA 8260C/5030C Pace Analytical Services - Melville						
1,1,1,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/04/20 01:25	630-20-6	
1,1,1-Trichloroethane	<1.0	ug/L	1.0	1		04/04/20 01:25	71-55-6	
1,1,2,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/04/20 01:25	79-34-5	
1,1,2-Trichloroethane	<1.0	ug/L	1.0	1		04/04/20 01:25	79-00-5	
1,1-Dichloroethane	<1.0	ug/L	1.0	1		04/04/20 01:25	75-34-3	
1,1-Dichloroethene	<1.0	ug/L	1.0	1		04/04/20 01:25	75-35-4	
1,1-Dichloropropene	<1.0	ug/L	1.0	1		04/04/20 01:25	563-58-6	
1,2,3-Trichloropropane	<1.0	ug/L	1.0	1		04/04/20 01:25	96-18-4	
1,2-Dibromo-3-chloropropane	<1.0	ug/L	1.0	1		04/04/20 01:25	96-12-8	
1,2-Dibromoethane (EDB)	<1.0	ug/L	1.0	1		04/04/20 01:25	106-93-4	
1,2-Dichlorobenzene	<1.0	ug/L	1.0	1		04/04/20 01:25	95-50-1	
1,2-Dichloroethane	<1.0	ug/L	1.0	1		04/04/20 01:25	107-06-2	
1,2-Dichloropropane	<1.0	ug/L	1.0	1		04/04/20 01:25	78-87-5	
1,3-Dichlorobenzene	<1.0	ug/L	1.0	1		04/04/20 01:25	541-73-1	
1,3-Dichloropropane	<1.0	ug/L	1.0	1		04/04/20 01:25	142-28-9	
1,4-Dichlorobenzene	<1.0	ug/L	1.0	1		04/04/20 01:25	106-46-7	
2,2-Dichloropropane	<1.0	ug/L	1.0	1		04/04/20 01:25	594-20-7	
2-Butanone (MEK)	<5.0	ug/L	5.0	1		04/04/20 01:25	78-93-3	
2-Hexanone	<5.0	ug/L	5.0	1		04/04/20 01:25	591-78-6	
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	5.0	1		04/04/20 01:25	108-10-1	
Acetone	<5.0	ug/L	5.0	1		04/04/20 01:25	67-64-1	IC
Acetonitrile	<5.0	ug/L	5.0	1		04/04/20 01:25	75-05-8	CL
Acrolein	<1.0	ug/L	1.0	1		04/04/20 01:25	107-02-8	
Acrylonitrile	<1.0	ug/L	1.0	1		04/04/20 01:25	107-13-1	
Allyl chloride	<4.0	ug/L	4.0	1		04/04/20 01:25	107-05-1	
Benzene	<1.0	ug/L	1.0	1		04/04/20 01:25	71-43-2	
Bromochloromethane	<1.0	ug/L	1.0	1		04/04/20 01:25	74-97-5	
Bromodichloromethane	<1.0	ug/L	1.0	1		04/04/20 01:25	75-27-4	
Bromoform	<1.0	ug/L	1.0	1		04/04/20 01:25	75-25-2	
Bromomethane	<1.0	ug/L	1.0	1		04/04/20 01:25	74-83-9	CL
Carbon disulfide	<1.0	ug/L	1.0	1		04/04/20 01:25	75-15-0	
Carbon tetrachloride	<1.0	ug/L	1.0	1		04/04/20 01:25	56-23-5	
Chlorobenzene	<1.0	ug/L	1.0	1		04/04/20 01:25	108-90-7	
Chloroethane	<1.0	ug/L	1.0	1		04/04/20 01:25	75-00-3	CL
Chloroform	<1.0	ug/L	1.0	1		04/04/20 01:25	67-66-3	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: STREAM		Lab ID: 70126818012	Collected: 04/01/20 13:15	Received: 04/02/20 09:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C Pace Analytical Services - Melville						
Chloromethane	<1.0	ug/L	1.0	1		04/04/20 01:25	74-87-3	CL
Chloroprene	<1.0	ug/L	1.0	1		04/04/20 01:25	126-99-8	
Dibromochloromethane	<1.0	ug/L	1.0	1		04/04/20 01:25	124-48-1	
Dibromomethane	<1.0	ug/L	1.0	1		04/04/20 01:25	74-95-3	
Dichlorodifluoromethane	<1.0	ug/L	1.0	1		04/04/20 01:25	75-71-8	
Ethyl methacrylate	<1.0	ug/L	1.0	1		04/04/20 01:25	97-63-2	
Ethylbenzene	<1.0	ug/L	1.0	1		04/04/20 01:25	100-41-4	
Iodomethane	<4.0	ug/L	4.0	1		04/04/20 01:25	74-88-4	
Isobutanol	<20.0	ug/L	20.0	1		04/04/20 01:25	78-83-1	
Methacrylonitrile	<1.0	ug/L	1.0	1		04/04/20 01:25	126-98-7	
Methyl methacrylate	<1.0	ug/L	1.0	1		04/04/20 01:25	80-62-6	
Methylene Chloride	<1.0	ug/L	1.0	1		04/04/20 01:25	75-09-2	
Propionitrile	<4.0	ug/L	4.0	1		04/04/20 01:25	107-12-0	
Styrene	<1.0	ug/L	1.0	1		04/04/20 01:25	100-42-5	
Tetrachloroethene	<1.0	ug/L	1.0	1		04/04/20 01:25	127-18-4	
Toluene	<1.0	ug/L	1.0	1		04/04/20 01:25	108-88-3	
Trichloroethene	<1.0	ug/L	1.0	1		04/04/20 01:25	79-01-6	
Trichlorofluoromethane	<1.0	ug/L	1.0	1		04/04/20 01:25	75-69-4	
Vinyl acetate	<1.0	ug/L	1.0	1		04/04/20 01:25	108-05-4	
Vinyl chloride	<1.0	ug/L	1.0	1		04/04/20 01:25	75-01-4	
Xylene (Total)	<3.0	ug/L	3.0	1		04/04/20 01:25	1330-20-7	
cis-1,2-Dichloroethene	<1.0	ug/L	1.0	1		04/04/20 01:25	156-59-2	
cis-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/04/20 01:25	10061-01-5	
trans-1,2-Dichloroethene	<1.0	ug/L	1.0	1		04/04/20 01:25	156-60-5	
trans-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/04/20 01:25	10061-02-6	
trans-1,4-Dichloro-2-butene	<1.0	ug/L	1.0	1		04/04/20 01:25	110-57-6	
Surrogates								
1,2-Dichloroethane-d4 (S)	101	%	68-153	1		04/04/20 01:25	17060-07-0	
4-Bromofluorobenzene (S)	100	%	79-124	1		04/04/20 01:25	460-00-4	
Toluene-d8 (S)	98	%	69-124	1		04/04/20 01:25	2037-26-5	
TIC MSV Water		Analytical Method: EPA 8260 Pace Analytical Services - Melville						
TIC Search	No TICs Found			1		04/07/20 12:41		
2320B Alkalinity		Analytical Method: SM22 2320B Pace Analytical Services - Melville						
Alkalinity, Total as CaCO3	79.9	mg/L	1.0	1		04/09/20 14:00		
2340C Hardness, Total		Analytical Method: SM22 2340C Pace Analytical Services - Melville						
Tot Hardness asCaCO3 (SM 2340B	90.0	mg/L	5.0	1		04/15/20 15:04		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: <b>STREAM</b>		Lab ID: <b>70126818012</b>		Collected: 04/01/20 13:15		Received: 04/02/20 09:40		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
<b>2540C Total Dissolved Solids</b>		Analytical Method: SM22 2540C Pace Analytical Services - Melville							
Total Dissolved Solids	<b>101</b>	mg/L	10.0	1		04/07/20 10:36			
<b>410.4 COD</b>		Analytical Method: EPA 410.4 Preparation Method: EPA 410.4 Pace Analytical Services - Melville							
Chemical Oxygen Demand	<b>10.4</b>	mg/L	10.0	1	04/07/20 10:05	04/07/20 12:24			
<b>5210B BOD, 5 day</b>		Analytical Method: SM22 5210B Preparation Method: SM22 5210B Pace Analytical Services - Melville							
BOD, 5 day	<b>1.0J</b>	mg/L	2.0	1	04/03/20 10:32	04/08/20 11:14			
<b>300.0 IC Anions 28 Days</b>		Analytical Method: EPA 300.0 Pace Analytical Services - Melville							
Bromide	<b>0.073J</b>	mg/L	0.50	1		04/15/20 05:17	24959-67-9		
Chloride	<b>0.98J</b>	mg/L	2.0	1		04/15/20 05:17	16887-00-6		
Sulfate	<b>6.8</b>	mg/L	5.0	1		04/15/20 05:17	14808-79-8		
<b>351.2 Total Kjeldahl Nitrogen</b>		Analytical Method: EPA 351.2 Preparation Method: EPA 351.2 Pace Analytical Services - Melville							
Nitrogen, Kjeldahl, Total	<b>0.65</b>	mg/L	0.10	1	04/13/20 09:02	04/16/20 11:41	7727-37-9		
<b>353.2 Nitrogen, NO2/NO3 unpres</b>		Analytical Method: EPA 353.2 Pace Analytical Services - Melville							
Nitrate as N	<b>0.30</b>	mg/L	0.050	1		04/03/20 03:39	14797-55-8		
Nitrate-Nitrite (as N)	<b>0.30</b>	mg/L	0.050	1		04/03/20 03:39	7727-37-9		
<b>353.2 Nitrogen, NO2</b>		Analytical Method: EPA 353.2 Pace Analytical Services - Melville							
Nitrite as N	<b>&lt;0.050</b>	mg/L	0.050	1		04/03/20 00:26	14797-65-0		
<b>Phenolics, Total Recoverable</b>		Analytical Method: EPA 420.1 Preparation Method: EPA 420.1 Pace Analytical Services - Melville							
Phenolics, Total Recoverable	<b>&lt;5.0</b>	ug/L	5.0	1	04/13/20 08:32	04/13/20 14:31			
<b>4500 Ammonia Water</b>		Analytical Method: SM22 4500 NH3 H Pace Analytical Services - Melville							
Nitrogen, Ammonia	<b>&lt;0.10</b>	mg/L	0.10	1		04/14/20 14:41	7664-41-7		
<b>5310B TOC as NPOC</b>		Analytical Method: SM22 5310B Pace Analytical Services - Melville							
Total Organic Carbon	<b>3.2</b>	mg/L	1.0	1		04/09/20 22:35	7440-44-0		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL  
Pace Project No.: 70126818

Sample: SEEP		Lab ID: 70126818013	Collected: 04/01/20 12:50	Received: 04/02/20 09:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010 MET ICP</b>		Analytical Method: EPA 6010C Preparation Method: EPA 3005A Pace Analytical Services - Melville						
Cadmium	<2.5	ug/L	2.5	1	04/07/20 12:19	04/08/20 23:37	7440-43-9	
Calcium	44800	ug/L	200	1	04/07/20 12:19	04/08/20 23:37	7440-70-2	
Iron	14900	ug/L	20.0	1	04/07/20 12:19	04/08/20 23:37	7439-89-6	
Lead	<5.0	ug/L	5.0	1	04/07/20 12:19	04/08/20 23:37	7439-92-1	
Magnesium	13800	ug/L	200	1	04/07/20 12:19	04/08/20 23:37	7439-95-4	
Manganese	9940	ug/L	10.0	1	04/07/20 12:19	04/08/20 23:37	7439-96-5	
Potassium	3350J	ug/L	5000	1	04/07/20 12:19	04/08/20 23:37	7440-09-7	
Sodium	5340	ug/L	5000	1	04/07/20 12:19	04/08/20 23:37	7440-23-5	
<b>8260C Volatile Organics</b>		Analytical Method: EPA 8260C/5030C Pace Analytical Services - Melville						
1,1,1,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/04/20 01:45	630-20-6	
1,1,1-Trichloroethane	<1.0	ug/L	1.0	1		04/04/20 01:45	71-55-6	
1,1,2,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/04/20 01:45	79-34-5	
1,1,2-Trichloroethane	<1.0	ug/L	1.0	1		04/04/20 01:45	79-00-5	
1,1-Dichloroethane	3.3	ug/L	1.0	1		04/04/20 01:45	75-34-3	
1,1-Dichloroethene	<1.0	ug/L	1.0	1		04/04/20 01:45	75-35-4	
1,1-Dichloropropene	<1.0	ug/L	1.0	1		04/04/20 01:45	563-58-6	
1,2,3-Trichloropropane	<1.0	ug/L	1.0	1		04/04/20 01:45	96-18-4	
1,2-Dibromo-3-chloropropane	<1.0	ug/L	1.0	1		04/04/20 01:45	96-12-8	
1,2-Dibromoethane (EDB)	<1.0	ug/L	1.0	1		04/04/20 01:45	106-93-4	
1,2-Dichlorobenzene	<1.0	ug/L	1.0	1		04/04/20 01:45	95-50-1	
1,2-Dichloroethane	<1.0	ug/L	1.0	1		04/04/20 01:45	107-06-2	
1,2-Dichloropropane	<1.0	ug/L	1.0	1		04/04/20 01:45	78-87-5	
1,3-Dichlorobenzene	<1.0	ug/L	1.0	1		04/04/20 01:45	541-73-1	
1,3-Dichloropropane	<1.0	ug/L	1.0	1		04/04/20 01:45	142-28-9	
1,4-Dichlorobenzene	1.3	ug/L	1.0	1		04/04/20 01:45	106-46-7	
2,2-Dichloropropane	<1.0	ug/L	1.0	1		04/04/20 01:45	594-20-7	
2-Butanone (MEK)	<5.0	ug/L	5.0	1		04/04/20 01:45	78-93-3	
2-Hexanone	<5.0	ug/L	5.0	1		04/04/20 01:45	591-78-6	
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	5.0	1		04/04/20 01:45	108-10-1	
Acetone	<5.0	ug/L	5.0	1		04/04/20 01:45	67-64-1	IC
Acetonitrile	<5.0	ug/L	5.0	1		04/04/20 01:45	75-05-8	CL
Acrolein	<1.0	ug/L	1.0	1		04/04/20 01:45	107-02-8	
Acrylonitrile	<1.0	ug/L	1.0	1		04/04/20 01:45	107-13-1	
Allyl chloride	<4.0	ug/L	4.0	1		04/04/20 01:45	107-05-1	
Benzene	1.7	ug/L	1.0	1		04/04/20 01:45	71-43-2	
Bromochloromethane	<1.0	ug/L	1.0	1		04/04/20 01:45	74-97-5	
Bromodichloromethane	<1.0	ug/L	1.0	1		04/04/20 01:45	75-27-4	
Bromoform	<1.0	ug/L	1.0	1		04/04/20 01:45	75-25-2	
Bromomethane	<1.0	ug/L	1.0	1		04/04/20 01:45	74-83-9	CL
Carbon disulfide	<1.0	ug/L	1.0	1		04/04/20 01:45	75-15-0	
Carbon tetrachloride	<1.0	ug/L	1.0	1		04/04/20 01:45	56-23-5	
Chlorobenzene	3.2	ug/L	1.0	1		04/04/20 01:45	108-90-7	
Chloroethane	<1.0	ug/L	1.0	1		04/04/20 01:45	75-00-3	CL
Chloroform	<1.0	ug/L	1.0	1		04/04/20 01:45	67-66-3	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: SEEP		Lab ID: 70126818013		Collected: 04/01/20 12:50		Received: 04/02/20 09:40		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C Pace Analytical Services - Melville							
Chloromethane	<1.0	ug/L	1.0	1		04/04/20 01:45	74-87-3	CL	
Chloroprene	<1.0	ug/L	1.0	1		04/04/20 01:45	126-99-8		
Dibromochloromethane	<1.0	ug/L	1.0	1		04/04/20 01:45	124-48-1		
Dibromomethane	<1.0	ug/L	1.0	1		04/04/20 01:45	74-95-3		
Dichlorodifluoromethane	<1.0	ug/L	1.0	1		04/04/20 01:45	75-71-8		
Ethyl methacrylate	<1.0	ug/L	1.0	1		04/04/20 01:45	97-63-2		
Ethylbenzene	<1.0	ug/L	1.0	1		04/04/20 01:45	100-41-4		
Iodomethane	<4.0	ug/L	4.0	1		04/04/20 01:45	74-88-4		
Isobutanol	<20.0	ug/L	20.0	1		04/04/20 01:45	78-83-1		
Methacrylonitrile	<1.0	ug/L	1.0	1		04/04/20 01:45	126-98-7		
Methyl methacrylate	<1.0	ug/L	1.0	1		04/04/20 01:45	80-62-6		
Methylene Chloride	<1.0	ug/L	1.0	1		04/04/20 01:45	75-09-2		
Propionitrile	<4.0	ug/L	4.0	1		04/04/20 01:45	107-12-0		
Styrene	<1.0	ug/L	1.0	1		04/04/20 01:45	100-42-5		
Tetrachloroethene	<1.0	ug/L	1.0	1		04/04/20 01:45	127-18-4		
Toluene	<1.0	ug/L	1.0	1		04/04/20 01:45	108-88-3		
Trichloroethene	<1.0	ug/L	1.0	1		04/04/20 01:45	79-01-6		
Trichlorofluoromethane	<1.0	ug/L	1.0	1		04/04/20 01:45	75-69-4		
Vinyl acetate	<1.0	ug/L	1.0	1		04/04/20 01:45	108-05-4		
Vinyl chloride	3.0	ug/L	1.0	1		04/04/20 01:45	75-01-4		
Xylene (Total)	<3.0	ug/L	3.0	1		04/04/20 01:45	1330-20-7		
cis-1,2-Dichloroethene	7.5	ug/L	1.0	1		04/04/20 01:45	156-59-2		
cis-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/04/20 01:45	10061-01-5		
trans-1,2-Dichloroethene	<1.0	ug/L	1.0	1		04/04/20 01:45	156-60-5		
trans-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/04/20 01:45	10061-02-6		
trans-1,4-Dichloro-2-butene	<1.0	ug/L	1.0	1		04/04/20 01:45	110-57-6		
Surrogates									
1,2-Dichloroethane-d4 (S)	99	%	68-153	1		04/04/20 01:45	17060-07-0		
4-Bromofluorobenzene (S)	98	%	79-124	1		04/04/20 01:45	460-00-4		
Toluene-d8 (S)	99	%	69-124	1		04/04/20 01:45	2037-26-5		
TIC MSV Water		Analytical Method: EPA 8260 Pace Analytical Services - Melville							
TIC Search	No TICs Found			1		04/07/20 12:41			
2320B Alkalinity		Analytical Method: SM22 2320B Pace Analytical Services - Melville							
Alkalinity, Total as CaCO3	216	mg/L	1.0	1		04/09/20 14:11			
2340C Hardness, Total		Analytical Method: SM22 2340C Pace Analytical Services - Melville							
Tot Hardness asCaCO3 (SM 2340B	140	mg/L	5.0	1		04/15/20 15:04			

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL  
Pace Project No.: 70126818

Sample: SEEP		Lab ID: 70126818013		Collected: 04/01/20 12:50		Received: 04/02/20 09:40		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
2540C Total Dissolved Solids		Analytical Method: SM22 2540C Pace Analytical Services - Melville							
Total Dissolved Solids	222	mg/L	10.0	1		04/07/20 10:36			
410.4 COD		Analytical Method: EPA 410.4 Preparation Method: EPA 410.4 Pace Analytical Services - Melville							
Chemical Oxygen Demand	37.8	mg/L	10.0	1	04/07/20 10:05	04/07/20 12:24			
5210B BOD, 5 day		Analytical Method: SM22 5210B Preparation Method: SM22 5210B Pace Analytical Services - Melville							
BOD, 5 day	4.2	mg/L	2.0	1	04/03/20 10:32	04/08/20 11:16			
300.0 IC Anions 28 Days		Analytical Method: EPA 300.0 Pace Analytical Services - Melville							
Bromide	0.23J	mg/L	0.50	1		04/15/20 05:33	24959-67-9		
Chloride	3.4	mg/L	2.0	1		04/15/20 05:33	16887-00-6		
Sulfate	3.3J	mg/L	5.0	1		04/15/20 05:33	14808-79-8		
351.2 Total Kjeldahl Nitrogen		Analytical Method: EPA 351.2 Preparation Method: EPA 351.2 Pace Analytical Services - Melville							
Nitrogen, Kjeldahl, Total	4.6	mg/L	0.10	1	04/13/20 09:02	04/16/20 11:42	7727-37-9		
353.2 Nitrogen, NO2/NO3 unpres		Analytical Method: EPA 353.2 Pace Analytical Services - Melville							
Nitrate as N	0.061	mg/L	0.050	1		04/03/20 03:40	14797-55-8		
Nitrate-Nitrite (as N)	0.061	mg/L	0.050	1		04/03/20 03:40	7727-37-9		
353.2 Nitrogen, NO2		Analytical Method: EPA 353.2 Pace Analytical Services - Melville							
Nitrite as N	<0.050	mg/L	0.050	1		04/03/20 00:27	14797-65-0		
Phenolics, Total Recoverable		Analytical Method: EPA 420.1 Preparation Method: EPA 420.1 Pace Analytical Services - Melville							
Phenolics, Total Recoverable	<5.0	ug/L	5.0	1	04/13/20 08:32	04/13/20 14:32			
4500 Ammonia Water		Analytical Method: SM22 4500 NH3 H Pace Analytical Services - Melville							
Nitrogen, Ammonia	2.7	mg/L	0.10	1		04/14/20 14:42	7664-41-7		
5310B TOC as NPOC		Analytical Method: SM22 5310B Pace Analytical Services - Melville							
Total Organic Carbon	4.8	mg/L	1.0	1		04/09/20 22:47	7440-44-0		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: DUP		Lab ID: 70126818014	Collected: 04/01/20 00:00	Received: 04/02/20 09:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>6010 MET ICP</b>		Analytical Method: EPA 6010C Preparation Method: EPA 3005A Pace Analytical Services - Melville						
Cadmium	<2.5	ug/L	2.5	1	04/07/20 12:19	04/08/20 23:43	7440-43-9	
Calcium	72700	ug/L	200	1	04/07/20 12:19	04/08/20 23:43	7440-70-2	
Iron	299	ug/L	20.0	1	04/07/20 12:19	04/08/20 23:43	7439-89-6	
Lead	<5.0	ug/L	5.0	1	04/07/20 12:19	04/08/20 23:43	7439-92-1	
Magnesium	23100	ug/L	200	1	04/07/20 12:19	04/08/20 23:43	7439-95-4	
Manganese	6660	ug/L	10.0	1	04/07/20 12:19	04/08/20 23:43	7439-96-5	
Potassium	2400J	ug/L	5000	1	04/07/20 12:19	04/08/20 23:43	7440-09-7	
Sodium	8960	ug/L	5000	1	04/07/20 12:19	04/08/20 23:43	7440-23-5	
<b>8260C Volatile Organics</b>		Analytical Method: EPA 8260C/5030C Pace Analytical Services - Melville						
1,1,1,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/04/20 02:05	630-20-6	
1,1,1-Trichloroethane	<1.0	ug/L	1.0	1		04/04/20 02:05	71-55-6	
1,1,2,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/04/20 02:05	79-34-5	
1,1,2-Trichloroethane	<1.0	ug/L	1.0	1		04/04/20 02:05	79-00-5	
1,1-Dichloroethane	11.0	ug/L	1.0	1		04/04/20 02:05	75-34-3	
1,1-Dichloroethene	<1.0	ug/L	1.0	1		04/04/20 02:05	75-35-4	
1,1-Dichloropropene	<1.0	ug/L	1.0	1		04/04/20 02:05	563-58-6	
1,2,3-Trichloropropane	<1.0	ug/L	1.0	1		04/04/20 02:05	96-18-4	
1,2-Dibromo-3-chloropropane	<1.0	ug/L	1.0	1		04/04/20 02:05	96-12-8	
1,2-Dibromoethane (EDB)	<1.0	ug/L	1.0	1		04/04/20 02:05	106-93-4	
1,2-Dichlorobenzene	<1.0	ug/L	1.0	1		04/04/20 02:05	95-50-1	
1,2-Dichloroethane	<1.0	ug/L	1.0	1		04/04/20 02:05	107-06-2	
1,2-Dichloropropane	<1.0	ug/L	1.0	1		04/04/20 02:05	78-87-5	
1,3-Dichlorobenzene	<1.0	ug/L	1.0	1		04/04/20 02:05	541-73-1	
1,3-Dichloropropane	<1.0	ug/L	1.0	1		04/04/20 02:05	142-28-9	
1,4-Dichlorobenzene	<1.0	ug/L	1.0	1		04/04/20 02:05	106-46-7	
2,2-Dichloropropane	<1.0	ug/L	1.0	1		04/04/20 02:05	594-20-7	
2-Butanone (MEK)	<5.0	ug/L	5.0	1		04/04/20 02:05	78-93-3	
2-Hexanone	<5.0	ug/L	5.0	1		04/04/20 02:05	591-78-6	
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	5.0	1		04/04/20 02:05	108-10-1	
Acetone	<5.0	ug/L	5.0	1		04/04/20 02:05	67-64-1	IC
Acetonitrile	<5.0	ug/L	5.0	1		04/04/20 02:05	75-05-8	CL
Acrolein	<1.0	ug/L	1.0	1		04/04/20 02:05	107-02-8	
Acrylonitrile	<1.0	ug/L	1.0	1		04/04/20 02:05	107-13-1	
Allyl chloride	<4.0	ug/L	4.0	1		04/04/20 02:05	107-05-1	
Benzene	1.5	ug/L	1.0	1		04/04/20 02:05	71-43-2	
Bromochloromethane	<1.0	ug/L	1.0	1		04/04/20 02:05	74-97-5	
Bromodichloromethane	<1.0	ug/L	1.0	1		04/04/20 02:05	75-27-4	
Bromoform	<1.0	ug/L	1.0	1		04/04/20 02:05	75-25-2	
Bromomethane	<1.0	ug/L	1.0	1		04/04/20 02:05	74-83-9	CL
Carbon disulfide	<1.0	ug/L	1.0	1		04/04/20 02:05	75-15-0	
Carbon tetrachloride	<1.0	ug/L	1.0	1		04/04/20 02:05	56-23-5	
Chlorobenzene	1.3	ug/L	1.0	1		04/04/20 02:05	108-90-7	
Chloroethane	<1.0	ug/L	1.0	1		04/04/20 02:05	75-00-3	CL
Chloroform	<1.0	ug/L	1.0	1		04/04/20 02:05	67-66-3	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: DUP		Lab ID: 70126818014		Collected: 04/01/20 00:00		Received: 04/02/20 09:40		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
8260C Volatile Organics		Analytical Method: EPA 8260C/5030C Pace Analytical Services - Melville							
Chloromethane	<1.0	ug/L	1.0	1		04/04/20 02:05	74-87-3	CL	
Chloroprene	<1.0	ug/L	1.0	1		04/04/20 02:05	126-99-8		
Dibromochloromethane	<1.0	ug/L	1.0	1		04/04/20 02:05	124-48-1		
Dibromomethane	<1.0	ug/L	1.0	1		04/04/20 02:05	74-95-3		
Dichlorodifluoromethane	<1.0	ug/L	1.0	1		04/04/20 02:05	75-71-8		
Ethyl methacrylate	<1.0	ug/L	1.0	1		04/04/20 02:05	97-63-2		
Ethylbenzene	<1.0	ug/L	1.0	1		04/04/20 02:05	100-41-4		
Iodomethane	<4.0	ug/L	4.0	1		04/04/20 02:05	74-88-4		
Isobutanol	<20.0	ug/L	20.0	1		04/04/20 02:05	78-83-1		
Methacrylonitrile	<1.0	ug/L	1.0	1		04/04/20 02:05	126-98-7		
Methyl methacrylate	<1.0	ug/L	1.0	1		04/04/20 02:05	80-62-6		
Methylene Chloride	<1.0	ug/L	1.0	1		04/04/20 02:05	75-09-2		
Propionitrile	<4.0	ug/L	4.0	1		04/04/20 02:05	107-12-0		
Styrene	<1.0	ug/L	1.0	1		04/04/20 02:05	100-42-5		
Tetrachloroethene	<1.0	ug/L	1.0	1		04/04/20 02:05	127-18-4		
Toluene	<1.0	ug/L	1.0	1		04/04/20 02:05	108-88-3		
Trichloroethene	1.8	ug/L	1.0	1		04/04/20 02:05	79-01-6		
Trichlorofluoromethane	<1.0	ug/L	1.0	1		04/04/20 02:05	75-69-4		
Vinyl acetate	<1.0	ug/L	1.0	1		04/04/20 02:05	108-05-4		
Vinyl chloride	7.6	ug/L	1.0	1		04/04/20 02:05	75-01-4		
Xylene (Total)	<3.0	ug/L	3.0	1		04/04/20 02:05	1330-20-7		
cis-1,2-Dichloroethene	40.3	ug/L	1.0	1		04/04/20 02:05	156-59-2		
cis-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/04/20 02:05	10061-01-5		
trans-1,2-Dichloroethene	<1.0	ug/L	1.0	1		04/04/20 02:05	156-60-5		
trans-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/04/20 02:05	10061-02-6		
trans-1,4-Dichloro-2-butene	<1.0	ug/L	1.0	1		04/04/20 02:05	110-57-6		
Surrogates									
1,2-Dichloroethane-d4 (S)	99	%	68-153	1		04/04/20 02:05	17060-07-0		
4-Bromofluorobenzene (S)	100	%	79-124	1		04/04/20 02:05	460-00-4		
Toluene-d8 (S)	100	%	69-124	1		04/04/20 02:05	2037-26-5		
TIC MSV Water		Analytical Method: EPA 8260 Pace Analytical Services - Melville							
TIC Search	No TICs Found			1		04/07/20 12:41			
2320B Alkalinity		Analytical Method: SM22 2320B Pace Analytical Services - Melville							
Alkalinity, Total as CaCO3	352	mg/L	1.0	1		04/09/20 14:27			
2340C Hardness, Total		Analytical Method: SM22 2340C Pace Analytical Services - Melville							
Tot Hardness asCaCO3 (SM 2340B	400	mg/L	5.0	1		04/15/20 15:04			

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL  
Pace Project No.: 70126818

Sample: DUP		Lab ID: 70126818014		Collected: 04/01/20 00:00		Received: 04/02/20 09:40		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
2540C Total Dissolved Solids		Analytical Method: SM22 2540C Pace Analytical Services - Melville							
Total Dissolved Solids	334	mg/L	10.0	1		04/07/20 10:37			
410.4 COD		Analytical Method: EPA 410.4 Preparation Method: EPA 410.4 Pace Analytical Services - Melville							
Chemical Oxygen Demand	18.8	mg/L	10.0	1	04/07/20 10:05	04/07/20 12:25			
5210B BOD, 5 day		Analytical Method: SM22 5210B Preparation Method: SM22 5210B Pace Analytical Services - Melville							
BOD, 5 day	1.1J	mg/L	2.0	1	04/03/20 10:32	04/08/20 11:18		H2	
300.0 IC Anions 28 Days		Analytical Method: EPA 300.0 Pace Analytical Services - Melville							
Bromide	0.24J	mg/L	0.50	1		04/15/20 05:50	24959-67-9		
Chloride	5.7	mg/L	2.0	1		04/15/20 05:50	16887-00-6		
Sulfate	4.8J	mg/L	5.0	1		04/15/20 05:50	14808-79-8		
351.2 Total Kjeldahl Nitrogen		Analytical Method: EPA 351.2 Preparation Method: EPA 351.2 Pace Analytical Services - Melville							
Nitrogen, Kjeldahl, Total	1.1	mg/L	0.10	1	04/13/20 09:02	04/16/20 11:43	7727-37-9		
353.2 Nitrogen, NO2/NO3 unpres		Analytical Method: EPA 353.2 Pace Analytical Services - Melville							
Nitrate as N	<0.050	mg/L	0.050	1		04/03/20 03:42	14797-55-8		
Nitrate-Nitrite (as N)	<0.050	mg/L	0.050	1		04/03/20 03:42	7727-37-9	H1	
353.2 Nitrogen, NO2		Analytical Method: EPA 353.2 Pace Analytical Services - Melville							
Nitrite as N	<0.050	mg/L	0.050	1		04/03/20 00:29	14797-65-0	H1	
Phenolics, Total Recoverable		Analytical Method: EPA 420.1 Preparation Method: EPA 420.1 Pace Analytical Services - Melville							
Phenolics, Total Recoverable	<5.0	ug/L	5.0	1	04/13/20 08:32	04/13/20 14:32			
4500 Ammonia Water		Analytical Method: SM22 4500 NH3 H Pace Analytical Services - Melville							
Nitrogen, Ammonia	0.52	mg/L	0.10	1		04/14/20 14:45	7664-41-7		
5310B TOC as NPOC		Analytical Method: SM22 5310B Pace Analytical Services - Melville							
Total Organic Carbon	2.4	mg/L	1.0	1		04/09/20 23:21	7440-44-0		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: TRIP BLANK		Lab ID: 70126818015	Collected: 04/01/20 00:00	Received: 04/02/20 09:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260C Volatile Organics</b>		Analytical Method: EPA 8260C/5030C Pace Analytical Services - Melville						
1,1,1,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/03/20 20:48	630-20-6	
1,1,1-Trichloroethane	<1.0	ug/L	1.0	1		04/03/20 20:48	71-55-6	
1,1,2,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/03/20 20:48	79-34-5	
1,1,2-Trichloroethane	<1.0	ug/L	1.0	1		04/03/20 20:48	79-00-5	
1,1-Dichloroethane	<1.0	ug/L	1.0	1		04/03/20 20:48	75-34-3	
1,1-Dichloroethene	<1.0	ug/L	1.0	1		04/03/20 20:48	75-35-4	
1,1-Dichloropropene	<1.0	ug/L	1.0	1		04/03/20 20:48	563-58-6	
1,2,3-Trichloropropane	<1.0	ug/L	1.0	1		04/03/20 20:48	96-18-4	
1,2-Dibromo-3-chloropropane	<1.0	ug/L	1.0	1		04/03/20 20:48	96-12-8	
1,2-Dibromoethane (EDB)	<1.0	ug/L	1.0	1		04/03/20 20:48	106-93-4	
1,2-Dichlorobenzene	<1.0	ug/L	1.0	1		04/03/20 20:48	95-50-1	
1,2-Dichloroethane	<1.0	ug/L	1.0	1		04/03/20 20:48	107-06-2	
1,2-Dichloropropane	<1.0	ug/L	1.0	1		04/03/20 20:48	78-87-5	
1,3-Dichlorobenzene	<1.0	ug/L	1.0	1		04/03/20 20:48	541-73-1	
1,3-Dichloropropane	<1.0	ug/L	1.0	1		04/03/20 20:48	142-28-9	
1,4-Dichlorobenzene	<1.0	ug/L	1.0	1		04/03/20 20:48	106-46-7	
2,2-Dichloropropane	<1.0	ug/L	1.0	1		04/03/20 20:48	594-20-7	
2-Butanone (MEK)	<5.0	ug/L	5.0	1		04/03/20 20:48	78-93-3	
2-Hexanone	<5.0	ug/L	5.0	1		04/03/20 20:48	591-78-6	
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	5.0	1		04/03/20 20:48	108-10-1	
Acetone	<5.0	ug/L	5.0	1		04/03/20 20:48	67-64-1	IC
Acetonitrile	<5.0	ug/L	5.0	1		04/03/20 20:48	75-05-8	CL
Acrolein	<1.0	ug/L	1.0	1		04/03/20 20:48	107-02-8	
Acrylonitrile	<1.0	ug/L	1.0	1		04/03/20 20:48	107-13-1	
Allyl chloride	<4.0	ug/L	4.0	1		04/03/20 20:48	107-05-1	
Benzene	<1.0	ug/L	1.0	1		04/03/20 20:48	71-43-2	
Bromochloromethane	<1.0	ug/L	1.0	1		04/03/20 20:48	74-97-5	
Bromodichloromethane	<1.0	ug/L	1.0	1		04/03/20 20:48	75-27-4	
Bromoform	<1.0	ug/L	1.0	1		04/03/20 20:48	75-25-2	
Bromomethane	<1.0	ug/L	1.0	1		04/03/20 20:48	74-83-9	CL
Carbon disulfide	<1.0	ug/L	1.0	1		04/03/20 20:48	75-15-0	
Carbon tetrachloride	<1.0	ug/L	1.0	1		04/03/20 20:48	56-23-5	
Chlorobenzene	<1.0	ug/L	1.0	1		04/03/20 20:48	108-90-7	
Chloroethane	<1.0	ug/L	1.0	1		04/03/20 20:48	75-00-3	CL
Chloroform	<1.0	ug/L	1.0	1		04/03/20 20:48	67-66-3	
Chloromethane	<1.0	ug/L	1.0	1		04/03/20 20:48	74-87-3	
Chloroprene	<1.0	ug/L	1.0	1		04/03/20 20:48	126-99-8	
Dibromochloromethane	<1.0	ug/L	1.0	1		04/03/20 20:48	124-48-1	
Dibromomethane	<1.0	ug/L	1.0	1		04/03/20 20:48	74-95-3	
Dichlorodifluoromethane	<1.0	ug/L	1.0	1		04/03/20 20:48	75-71-8	
Ethyl methacrylate	<1.0	ug/L	1.0	1		04/03/20 20:48	97-63-2	
Ethylbenzene	<1.0	ug/L	1.0	1		04/03/20 20:48	100-41-4	
Iodomethane	<4.0	ug/L	4.0	1		04/03/20 20:48	74-88-4	CL
Isobutanol	<20.0	ug/L	20.0	1		04/03/20 20:48	78-83-1	
Methacrylonitrile	<1.0	ug/L	1.0	1		04/03/20 20:48	126-98-7	
Methyl methacrylate	<1.0	ug/L	1.0	1		04/03/20 20:48	80-62-6	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: TRIP BLANK		Lab ID: 70126818015	Collected: 04/01/20 00:00	Received: 04/02/20 09:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260C Volatile Organics</b>		Analytical Method: EPA 8260C/5030C Pace Analytical Services - Melville						
Methylene Chloride	<1.0	ug/L	1.0	1		04/03/20 20:48	75-09-2	
Propionitrile	<4.0	ug/L	4.0	1		04/03/20 20:48	107-12-0	
Styrene	<1.0	ug/L	1.0	1		04/03/20 20:48	100-42-5	
Tetrachloroethene	<1.0	ug/L	1.0	1		04/03/20 20:48	127-18-4	
Toluene	<1.0	ug/L	1.0	1		04/03/20 20:48	108-88-3	
Trichloroethene	<1.0	ug/L	1.0	1		04/03/20 20:48	79-01-6	
Trichlorofluoromethane	<1.0	ug/L	1.0	1		04/03/20 20:48	75-69-4	
Vinyl acetate	<1.0	ug/L	1.0	1		04/03/20 20:48	108-05-4	
Vinyl chloride	<1.0	ug/L	1.0	1		04/03/20 20:48	75-01-4	
Xylene (Total)	<3.0	ug/L	3.0	1		04/03/20 20:48	1330-20-7	
cis-1,2-Dichloroethene	<1.0	ug/L	1.0	1		04/03/20 20:48	156-59-2	
cis-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/03/20 20:48	10061-01-5	
trans-1,2-Dichloroethene	<1.0	ug/L	1.0	1		04/03/20 20:48	156-60-5	
trans-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/03/20 20:48	10061-02-6	
trans-1,4-Dichloro-2-butene	<1.0	ug/L	1.0	1		04/03/20 20:48	110-57-6	
<b>Surrogates</b>								
1,2-Dichloroethane-d4 (S)	101	%	68-153	1		04/03/20 20:48	17060-07-0	
4-Bromofluorobenzene (S)	97	%	79-124	1		04/03/20 20:48	460-00-4	
Toluene-d8 (S)	98	%	69-124	1		04/03/20 20:48	2037-26-5	
<b>TIC MSV Water</b>		Analytical Method: EPA 8260 Pace Analytical Services - Melville						
TIC Search	<b>No TICs Found</b>			1		04/07/20 12:39		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: STORAGE BLANK		Lab ID: 70126818016	Collected: 04/01/20 00:00	Received: 04/02/20 09:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260C Volatile Organics</b>		Analytical Method: EPA 8260C/5030C Pace Analytical Services - Melville						
1,1,1,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/03/20 21:07	630-20-6	
1,1,1-Trichloroethane	<1.0	ug/L	1.0	1		04/03/20 21:07	71-55-6	
1,1,2,2-Tetrachloroethane	<1.0	ug/L	1.0	1		04/03/20 21:07	79-34-5	
1,1,2-Trichloroethane	<1.0	ug/L	1.0	1		04/03/20 21:07	79-00-5	
1,1-Dichloroethane	<1.0	ug/L	1.0	1		04/03/20 21:07	75-34-3	
1,1-Dichloroethene	<1.0	ug/L	1.0	1		04/03/20 21:07	75-35-4	
1,1-Dichloropropene	<1.0	ug/L	1.0	1		04/03/20 21:07	563-58-6	
1,2,3-Trichloropropane	<1.0	ug/L	1.0	1		04/03/20 21:07	96-18-4	
1,2-Dibromo-3-chloropropane	<1.0	ug/L	1.0	1		04/03/20 21:07	96-12-8	
1,2-Dibromoethane (EDB)	<1.0	ug/L	1.0	1		04/03/20 21:07	106-93-4	
1,2-Dichlorobenzene	<1.0	ug/L	1.0	1		04/03/20 21:07	95-50-1	
1,2-Dichloroethane	<1.0	ug/L	1.0	1		04/03/20 21:07	107-06-2	
1,2-Dichloropropane	<1.0	ug/L	1.0	1		04/03/20 21:07	78-87-5	
1,3-Dichlorobenzene	<1.0	ug/L	1.0	1		04/03/20 21:07	541-73-1	
1,3-Dichloropropane	<1.0	ug/L	1.0	1		04/03/20 21:07	142-28-9	
1,4-Dichlorobenzene	<1.0	ug/L	1.0	1		04/03/20 21:07	106-46-7	
2,2-Dichloropropane	<1.0	ug/L	1.0	1		04/03/20 21:07	594-20-7	
2-Butanone (MEK)	<5.0	ug/L	5.0	1		04/03/20 21:07	78-93-3	
2-Hexanone	<5.0	ug/L	5.0	1		04/03/20 21:07	591-78-6	
4-Methyl-2-pentanone (MIBK)	<5.0	ug/L	5.0	1		04/03/20 21:07	108-10-1	
Acetone	<5.0	ug/L	5.0	1		04/03/20 21:07	67-64-1	IC
Acetonitrile	<5.0	ug/L	5.0	1		04/03/20 21:07	75-05-8	CL
Acrolein	<1.0	ug/L	1.0	1		04/03/20 21:07	107-02-8	
Acrylonitrile	<1.0	ug/L	1.0	1		04/03/20 21:07	107-13-1	
Allyl chloride	<4.0	ug/L	4.0	1		04/03/20 21:07	107-05-1	
Benzene	<1.0	ug/L	1.0	1		04/03/20 21:07	71-43-2	
Bromochloromethane	<1.0	ug/L	1.0	1		04/03/20 21:07	74-97-5	
Bromodichloromethane	<1.0	ug/L	1.0	1		04/03/20 21:07	75-27-4	
Bromoform	<1.0	ug/L	1.0	1		04/03/20 21:07	75-25-2	
Bromomethane	<1.0	ug/L	1.0	1		04/03/20 21:07	74-83-9	CL
Carbon disulfide	<1.0	ug/L	1.0	1		04/03/20 21:07	75-15-0	
Carbon tetrachloride	<1.0	ug/L	1.0	1		04/03/20 21:07	56-23-5	
Chlorobenzene	<1.0	ug/L	1.0	1		04/03/20 21:07	108-90-7	
Chloroethane	<1.0	ug/L	1.0	1		04/03/20 21:07	75-00-3	CL
Chloroform	<1.0	ug/L	1.0	1		04/03/20 21:07	67-66-3	
Chloromethane	<1.0	ug/L	1.0	1		04/03/20 21:07	74-87-3	
Chloroprene	<1.0	ug/L	1.0	1		04/03/20 21:07	126-99-8	
Dibromochloromethane	<1.0	ug/L	1.0	1		04/03/20 21:07	124-48-1	
Dibromomethane	<1.0	ug/L	1.0	1		04/03/20 21:07	74-95-3	
Dichlorodifluoromethane	<1.0	ug/L	1.0	1		04/03/20 21:07	75-71-8	
Ethyl methacrylate	<1.0	ug/L	1.0	1		04/03/20 21:07	97-63-2	
Ethylbenzene	<1.0	ug/L	1.0	1		04/03/20 21:07	100-41-4	
Iodomethane	<4.0	ug/L	4.0	1		04/03/20 21:07	74-88-4	CL
Isobutanol	<20.0	ug/L	20.0	1		04/03/20 21:07	78-83-1	
Methacrylonitrile	<1.0	ug/L	1.0	1		04/03/20 21:07	126-98-7	
Methyl methacrylate	<1.0	ug/L	1.0	1		04/03/20 21:07	80-62-6	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Sample: STORAGE BLANK		Lab ID: 70126818016	Collected: 04/01/20 00:00	Received: 04/02/20 09:40	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260C Volatile Organics</b>		Analytical Method: EPA 8260C/5030C Pace Analytical Services - Melville						
Methylene Chloride	<1.0	ug/L	1.0	1		04/03/20 21:07	75-09-2	
Propionitrile	<4.0	ug/L	4.0	1		04/03/20 21:07	107-12-0	
Styrene	<1.0	ug/L	1.0	1		04/03/20 21:07	100-42-5	
Tetrachloroethene	<1.0	ug/L	1.0	1		04/03/20 21:07	127-18-4	
Toluene	<1.0	ug/L	1.0	1		04/03/20 21:07	108-88-3	
Trichloroethene	<1.0	ug/L	1.0	1		04/03/20 21:07	79-01-6	
Trichlorofluoromethane	<1.0	ug/L	1.0	1		04/03/20 21:07	75-69-4	
Vinyl acetate	<1.0	ug/L	1.0	1		04/03/20 21:07	108-05-4	
Vinyl chloride	<1.0	ug/L	1.0	1		04/03/20 21:07	75-01-4	
Xylene (Total)	<3.0	ug/L	3.0	1		04/03/20 21:07	1330-20-7	
cis-1,2-Dichloroethene	<1.0	ug/L	1.0	1		04/03/20 21:07	156-59-2	
cis-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/03/20 21:07	10061-01-5	
trans-1,2-Dichloroethene	<1.0	ug/L	1.0	1		04/03/20 21:07	156-60-5	
trans-1,3-Dichloropropene	<1.0	ug/L	1.0	1		04/03/20 21:07	10061-02-6	
trans-1,4-Dichloro-2-butene	<1.0	ug/L	1.0	1		04/03/20 21:07	110-57-6	
<b>Surrogates</b>								
1,2-Dichloroethane-d4 (S)	98	%	68-153	1		04/03/20 21:07	17060-07-0	
4-Bromofluorobenzene (S)	98	%	79-124	1		04/03/20 21:07	460-00-4	
Toluene-d8 (S)	98	%	69-124	1		04/03/20 21:07	2037-26-5	
<b>TIC MSV Water</b>		Analytical Method: EPA 8260 Pace Analytical Services - Melville						
TIC Search	<b>No TICs Found</b>			1		04/07/20 12:39		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALITY CONTROL DATA

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

QC Batch:	156048	Analysis Method:	EPA 6010C
QC Batch Method:	EPA 3005A	Analysis Description:	6010 MET Water
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70126818001, 70126818002, 70126818003, 70126818004, 70126818005, 70126818006, 70126818007, 70126818008, 70126818009, 70126818010, 70126818011, 70126818012, 70126818013, 70126818014		

METHOD BLANK:	751332	Matrix:	Water
Associated Lab Samples:	70126818001, 70126818002, 70126818003, 70126818004, 70126818005, 70126818006, 70126818007, 70126818008, 70126818009, 70126818010, 70126818011, 70126818012, 70126818013, 70126818014		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Cadmium	ug/L	<2.5	2.5	04/08/20 21:07	
Calcium	ug/L	<200	200	04/08/20 21:07	
Iron	ug/L	<20.0	20.0	04/08/20 21:07	
Lead	ug/L	<5.0	5.0	04/08/20 21:07	
Magnesium	ug/L	<200	200	04/08/20 21:07	
Manganese	ug/L	<10.0	10.0	04/08/20 21:07	
Potassium	ug/L	<5000	5000	04/08/20 21:07	
Sodium	ug/L	<5000	5000	04/08/20 21:07	

LABORATORY CONTROL SAMPLE: 751333

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Cadmium	ug/L	50	52.0	104	80-120	
Calcium	ug/L	25000	25300	101	80-120	
Iron	ug/L	2000	2090	104	80-120	
Lead	ug/L	500	506	101	80-120	
Magnesium	ug/L	25000	25200	101	80-120	
Manganese	ug/L	250	254	102	80-120	
Potassium	ug/L	50000	50400	101	80-120	
Sodium	ug/L	50000	52400	105	80-120	

MATRIX SPIKE SAMPLE: 751335

Parameter	Units	70126818004 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Cadmium	ug/L	<2.5	50	51.8	104	75-125	
Calcium	ug/L	70000	25000	93900	96	75-125	
Iron	ug/L	3150	2000	5230	104	75-125	
Lead	ug/L	<5.0	500	495	99	75-125	
Magnesium	ug/L	10100	25000	34400	97	75-125	
Manganese	ug/L	5410	250	5550	58	75-125	M1
Potassium	ug/L	2300J	50000	51800	99	75-125	
Sodium	ug/L	6600	50000	61600	110	75-125	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALITY CONTROL DATA

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

SAMPLE DUPLICATE: 751334

Parameter	Units	70126818004 Result	Dup Result	RPD	Qualifiers
Cadmium	ug/L	<2.5	<2.5		
Calcium	ug/L	70000	66800	5	
Iron	ug/L	3150	3020	4	
Lead	ug/L	<5.0	<5.0		
Magnesium	ug/L	10100	9740	4	
Manganese	ug/L	5410	5210	4	
Potassium	ug/L	2300J	2160J		
Sodium	ug/L	6600	6400	3	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALITY CONTROL DATA

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

QC Batch:	155840	Analysis Method:	EPA 8260C/5030C
QC Batch Method:	EPA 8260C/5030C	Analysis Description:	8260 MSV
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70126818001, 70126818002, 70126818003, 70126818004, 70126818005, 70126818006, 70126818007, 70126818008, 70126818009, 70126818010, 70126818011, 70126818012, 70126818013, 70126818014, 70126818015, 70126818016		

METHOD BLANK: 749997

Matrix: Water

Associated Lab Samples: 70126818001, 70126818002, 70126818003, 70126818004, 70126818005, 70126818006, 70126818007, 70126818008, 70126818009, 70126818010, 70126818011, 70126818012, 70126818013, 70126818014, 70126818015, 70126818016

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	<1.0	1.0	04/03/20 18:57	
1,1,1-Trichloroethane	ug/L	<1.0	1.0	04/03/20 18:57	
1,1,2,2-Tetrachloroethane	ug/L	<1.0	1.0	04/03/20 18:57	
1,1,2-Trichloroethane	ug/L	<1.0	1.0	04/03/20 18:57	
1,1-Dichloroethane	ug/L	<1.0	1.0	04/03/20 18:57	
1,1-Dichloroethene	ug/L	<1.0	1.0	04/03/20 18:57	
1,1-Dichloropropene	ug/L	<1.0	1.0	04/03/20 18:57	
1,2,3-Trichloropropane	ug/L	<1.0	1.0	04/03/20 18:57	
1,2-Dibromo-3-chloropropane	ug/L	<1.0	1.0	04/03/20 18:57	
1,2-Dibromoethane (EDB)	ug/L	<1.0	1.0	04/03/20 18:57	
1,2-Dichlorobenzene	ug/L	<1.0	1.0	04/03/20 18:57	
1,2-Dichloroethane	ug/L	<1.0	1.0	04/03/20 18:57	
1,2-Dichloropropane	ug/L	<1.0	1.0	04/03/20 18:57	
1,3-Dichlorobenzene	ug/L	<1.0	1.0	04/03/20 18:57	
1,3-Dichloropropane	ug/L	<1.0	1.0	04/03/20 18:57	
1,4-Dichlorobenzene	ug/L	<1.0	1.0	04/03/20 18:57	
2,2-Dichloropropane	ug/L	<1.0	1.0	04/03/20 18:57	
2-Butanone (MEK)	ug/L	<5.0	5.0	04/03/20 18:57	
2-Hexanone	ug/L	<5.0	5.0	04/03/20 18:57	
4-Methyl-2-pentanone (MIBK)	ug/L	<5.0	5.0	04/03/20 18:57	
Acetone	ug/L	<5.0	5.0	04/03/20 18:57	IC
Acetonitrile	ug/L	<5.0	5.0	04/03/20 18:57	CL
Acrolein	ug/L	<1.0	1.0	04/03/20 18:57	
Acrylonitrile	ug/L	<1.0	1.0	04/03/20 18:57	
Allyl chloride	ug/L	<4.0	4.0	04/03/20 18:57	
Benzene	ug/L	<1.0	1.0	04/03/20 18:57	
Bromochloromethane	ug/L	<1.0	1.0	04/03/20 18:57	
Bromodichloromethane	ug/L	<1.0	1.0	04/03/20 18:57	
Bromoform	ug/L	<1.0	1.0	04/03/20 18:57	
Bromomethane	ug/L	<1.0	1.0	04/03/20 18:57	CL
Carbon disulfide	ug/L	<1.0	1.0	04/03/20 18:57	
Carbon tetrachloride	ug/L	<1.0	1.0	04/03/20 18:57	
Chlorobenzene	ug/L	<1.0	1.0	04/03/20 18:57	
Chloroethane	ug/L	<1.0	1.0	04/03/20 18:57	CL
Chloroform	ug/L	<1.0	1.0	04/03/20 18:57	
Chloromethane	ug/L	<1.0	1.0	04/03/20 18:57	
Chloroprene	ug/L	<1.0	1.0	04/03/20 18:57	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALITY CONTROL DATA

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

METHOD BLANK: 749997

Matrix: Water

Associated Lab Samples: 70126818001, 70126818002, 70126818003, 70126818004, 70126818005, 70126818006, 70126818007, 70126818008, 70126818009, 70126818010, 70126818011, 70126818012, 70126818013, 70126818014, 70126818015, 70126818016

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
cis-1,2-Dichloroethene	ug/L	<1.0	1.0	04/03/20 18:57	
cis-1,3-Dichloropropene	ug/L	<1.0	1.0	04/03/20 18:57	
Dibromochloromethane	ug/L	<1.0	1.0	04/03/20 18:57	
Dibromomethane	ug/L	<1.0	1.0	04/03/20 18:57	
Dichlorodifluoromethane	ug/L	<1.0	1.0	04/03/20 18:57	
Ethyl methacrylate	ug/L	<1.0	1.0	04/03/20 18:57	
Ethylbenzene	ug/L	<1.0	1.0	04/03/20 18:57	
Iodomethane	ug/L	<4.0	4.0	04/03/20 18:57	CL
Isobutanol	ug/L	<20.0	20.0	04/03/20 18:57	
Methacrylonitrile	ug/L	<1.0	1.0	04/03/20 18:57	
Methyl methacrylate	ug/L	<1.0	1.0	04/03/20 18:57	
Methylene Chloride	ug/L	<1.0	1.0	04/03/20 18:57	
Propionitrile	ug/L	<4.0	4.0	04/03/20 18:57	
Styrene	ug/L	<1.0	1.0	04/03/20 18:57	
Tetrachloroethene	ug/L	<1.0	1.0	04/03/20 18:57	
Toluene	ug/L	<1.0	1.0	04/03/20 18:57	
trans-1,2-Dichloroethene	ug/L	<1.0	1.0	04/03/20 18:57	
trans-1,3-Dichloropropene	ug/L	<1.0	1.0	04/03/20 18:57	
trans-1,4-Dichloro-2-butene	ug/L	<1.0	1.0	04/03/20 18:57	
Trichloroethene	ug/L	<1.0	1.0	04/03/20 18:57	
Trichlorofluoromethane	ug/L	<1.0	1.0	04/03/20 18:57	
Vinyl acetate	ug/L	<1.0	1.0	04/03/20 18:57	
Vinyl chloride	ug/L	<1.0	1.0	04/03/20 18:57	
Xylene (Total)	ug/L	<3.0	3.0	04/03/20 18:57	
1,2-Dichloroethane-d4 (S)	%	100	68-153	04/03/20 18:57	
4-Bromofluorobenzene (S)	%	99	79-124	04/03/20 18:57	
Toluene-d8 (S)	%	98	69-124	04/03/20 18:57	

LABORATORY CONTROL SAMPLE: 749998

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1,2-Tetrachloroethane	ug/L	50	47.3	95	74-113	
1,1,1-Trichloroethane	ug/L	50	43.8	88	65-118	
1,1,2,2-Tetrachloroethane	ug/L	50	45.3	91	74-121	
1,1,2-Trichloroethane	ug/L	50	46.0	92	80-117	
1,1-Dichloroethane	ug/L	50	44.2	88	83-151	
1,1-Dichloroethene	ug/L	50	41.1	82	45-146	
1,1-Dichloropropene	ug/L	50	43.4	87	59-127	
1,2,3-Trichloropropane	ug/L	50	43.0	86	71-123	
1,2-Dibromo-3-chloropropane	ug/L	50	42.2	84	74-119	
1,2-Dibromoethane (EDB)	ug/L	50	47.5	95	83-115	
1,2-Dichlorobenzene	ug/L	50	43.9	88	74-113	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALITY CONTROL DATA

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

LABORATORY CONTROL SAMPLE: 749998

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,2-Dichloroethane	ug/L	50	43.7	87	74-129	
1,2-Dichloropropane	ug/L	50	44.5	89	75-117	
1,3-Dichlorobenzene	ug/L	50	44.3	89	71-112	
1,3-Dichloropropane	ug/L	50	45.3	91	74-112	
1,4-Dichlorobenzene	ug/L	50	43.5	87	71-113	
2,2-Dichloropropane	ug/L	50	45.3	91	63-133	
2-Butanone (MEK)	ug/L	50	45.0	90	44-162	
2-Hexanone	ug/L	50	50.5	101	32-183	CH
4-Methyl-2-pentanone (MIBK)	ug/L	50	52.6	105	69-132	
Acetone	ug/L	50	38.9	78	23-188	CH,IC
Acetonitrile	ug/L	250	196	78	30-150	CL
Acrolein	ug/L	50	40.0	80	40-174	IH
Acrylonitrile	ug/L	50	43.5	87	59-148	
Allyl chloride	ug/L	50	49.1	98	46-141	
Benzene	ug/L	50	44.7	89	73-119	
Bromochloromethane	ug/L	50	42.7	85	81-116	
Bromodichloromethane	ug/L	50	47.5	95	78-117	
Bromoform	ug/L	50	44.9	90	65-122	
Bromomethane	ug/L	50	35.2	70	52-147	CL
Carbon disulfide	ug/L	50	38.0	76	41-144	
Carbon tetrachloride	ug/L	50	46.2	92	59-120	
Chlorobenzene	ug/L	50	44.5	89	75-113	
Chloroethane	ug/L	50	34.2	68	49-151	CL
Chloroform	ug/L	50	44.0	88	72-122	
Chloromethane	ug/L	50	39.2	78	46-144	
Chloroprene	ug/L	50	43.4	87	60-140	
cis-1,2-Dichloroethene	ug/L	50	44.3	89	72-121	
cis-1,3-Dichloropropene	ug/L	50	51.0	102	78-116	
Dibromochloromethane	ug/L	50	50.5	101	70-120	
Dibromomethane	ug/L	50	45.1	90	75-125	
Dichlorodifluoromethane	ug/L	50	37.3	75	22-154	
Ethyl methacrylate	ug/L	50	51.5	103	59-128	
Ethylbenzene	ug/L	50	45.1	90	70-113	
Iodomethane	ug/L	50	34.7	69	61-144	CL
Isobutanol	ug/L	250	191	76	60-140	
Methacrylonitrile	ug/L	50	47.1	94	60-140	
Methyl methacrylate	ug/L	50	48.1	96	54-131	
Methylene Chloride	ug/L	50	39.8	80	61-142	
Propionitrile	ug/L	50	40.4	81	60-140	
Styrene	ug/L	50	49.8	100	72-118	
Tetrachloroethene	ug/L	50	43.5	87	60-128	
Toluene	ug/L	50	45.2	90	72-119	
trans-1,2-Dichloroethene	ug/L	50	44.0	88	56-142	
trans-1,3-Dichloropropene	ug/L	50	45.1	90	79-116	
trans-1,4-Dichloro-2-butene	ug/L	50	50.2	100	71-121	
Trichloroethene	ug/L	50	44.4	89	69-117	
Trichlorofluoromethane	ug/L	50	43.2	86	27-173	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALITY CONTROL DATA

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

LABORATORY CONTROL SAMPLE: 749998

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Vinyl acetate	ug/L	50	49.1	98	20-158	
Vinyl chloride	ug/L	50	34.7	69	43-143	
Xylene (Total)	ug/L	150	139	92	71-109	
1,2-Dichloroethane-d4 (S)	%			96	68-153	
4-Bromofluorobenzene (S)	%			103	79-124	
Toluene-d8 (S)	%			99	69-124	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 750715

750716

Parameter	Units	70126818004		MS Spike Conc.		MSD Spike Conc.		MS Result		MSD Result		MS % Rec		MSD % Rec		% Rec Limits	RPD	Qual
		Result	Conc.	Conc.	Conc.	Result	Result	% Rec	% Rec	% Rec	% Rec	% Rec	% Rec	% Rec	% Rec			
1,1,1,2-Tetrachloroethane	ug/L	<1.0	50	50	43.7	48.3	87	97	74-113	10								
1,1,1-Trichloroethane	ug/L	<1.0	50	50	43.4	47.7	87	95	65-118	10								
1,1,2,2-Tetrachloroethane	ug/L	<1.0	50	50	43.7	47.0	87	94	74-121	7								
1,1,2-Trichloroethane	ug/L	<1.0	50	50	44.0	48.2	88	96	80-117	9								
1,1-Dichloroethane	ug/L	1.1	50	50	43.4	47.6	85	93	83-151	9								
1,1-Dichloroethene	ug/L	<1.0	50	50	40.4	45.2	81	90	45-146	11								
1,1-Dichloropropene	ug/L	<1.0	50	50	44.6	47.8	89	96	59-127	7								
1,2,3-Trichloropropane	ug/L	<1.0	50	50	42.6	44.4	85	89	71-123	4								
1,2-Dibromo-3-chloropropane	ug/L	<1.0	50	50	38.4	42.4	77	85	74-119	10								
1,2-Dibromoethane (EDB)	ug/L	<1.0	50	50	45.2	49.5	90	99	83-115	9								
1,2-Dichlorobenzene	ug/L	<1.0	50	50	44.0	45.8	88	92	74-113	4								
1,2-Dichloroethane	ug/L	<1.0	50	50	41.0	44.7	82	89	74-129	9								
1,2-Dichloropropane	ug/L	<1.0	50	50	43.0	46.3	86	93	75-117	7								
1,3-Dichlorobenzene	ug/L	<1.0	50	50	44.8	47.0	90	94	71-112	5								
1,3-Dichloropropane	ug/L	<1.0	50	50	43.4	46.3	87	93	74-112	6								
1,4-Dichlorobenzene	ug/L	<1.0	50	50	44.4	46.5	89	93	71-113	5								
2,2-Dichloropropane	ug/L	<1.0	50	50	37.6	43.3	75	87	63-133	14								
2-Butanone (MEK)	ug/L	<5.0	50	50	39.6	42.7	79	85	44-162	8								
2-Hexanone	ug/L	<5.0	50	50	47.4	50.8	95	102	32-183	7 CH								
4-Methyl-2-pentanone (MIBK)	ug/L	<5.0	50	50	47.3	52.4	95	105	69-132	10								
Acetone	ug/L	<5.0	50	50	36.1	33.2	72	66	23-188	8 CH,IC								
Acetonitrile	ug/L	<5.0	250	250	166	243	66	97	30-150	38 CL,R1								
Acrolein	ug/L	<1.0	50	50	81.2	95.2	162	190	40-174	16 IH,M1								
Acrylonitrile	ug/L	<1.0	50	50	38.4	43.4	77	87	59-148	12								
Allyl chloride	ug/L	<4.0	50	50	47.9	52.1	96	104	46-141	8								
Benzene	ug/L	0.74J	50	50	45.9	48.4	90	95	73-119	5								
Bromochloromethane	ug/L	<1.0	50	50	38.5	44.3	77	89	81-116	14 M1								
Bromodichloromethane	ug/L	<1.0	50	50	43.7	47.5	87	95	78-117	8								
Bromoform	ug/L	<1.0	50	50	38.9	43.1	78	86	65-122	10								
Bromomethane	ug/L	<1.0	50	50	32.5	40.0	65	80	52-147	21 CL,R1								
Carbon disulfide	ug/L	<1.0	50	50	35.4	42.2	71	84	41-144	17								
Carbon tetrachloride	ug/L	<1.0	50	50	45.3	49.8	91	100	59-120	10								
Chlorobenzene	ug/L	1.6	50	50	45.3	48.0	87	93	75-113	6								
Chloroethane	ug/L	<1.0	50	50	31.2	37.6	62	75	49-151	18 CL								

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## QUALITY CONTROL DATA

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 750715 750716											
Parameter	Units	70126818004		MS	MSD	750716		MS	MSD	% Rec	Qual
		Result	Conc.	Spike	Spike	Result	Result	% Rec	% Rec	Limits	
Chloroform	ug/L	<1.0	50	50	50	41.7	45.8	83	92	72-122	9
Chloromethane	ug/L	<1.0	50	50	50	36.0	41.7	72	83	46-144	15
Chloroprene	ug/L	<1.0	50	50	50	43.4	47.4	87	95	60-140	9
cis-1,2-Dichloroethene	ug/L	3.7	50	50	50	46.5	50.2	86	93	72-121	8
cis-1,3-Dichloropropene	ug/L	<1.0	50	50	50	46.4	49.5	93	99	78-116	7
Dibromochloromethane	ug/L	<1.0	50	50	50	45.8	50.5	92	101	70-120	10
Dibromomethane	ug/L	<1.0	50	50	50	44.3	46.9	89	94	75-125	6
Dichlorodifluoromethane	ug/L	<1.0	50	50	50	34.0	38.9	68	78	22-154	13
Ethyl methacrylate	ug/L	<1.0	50	50	50	48.8	52.7	98	105	59-128	8
Ethylbenzene	ug/L	<1.0	50	50	50	45.1	47.9	90	96	70-113	6
Iodomethane	ug/L	<4.0	50	50	50	34.7	40.6	69	81	61-144	15 CL
Isobutanol	ug/L	<20.0	250	250	250	193	213	77	85	60-140	10
Methacrylonitrile	ug/L	<1.0	50	50	50	43.3	46.1	87	92	60-140	6
Methyl methacrylate	ug/L	<1.0	50	50	50	46.0	49.6	92	99	54-131	7
Methylene Chloride	ug/L	<1.0	50	50	50	34.4	41.2	69	82	61-142	18
Propionitrile	ug/L	<4.0	50	50	50	37.2	41.0	74	82	60-140	10
Styrene	ug/L	<1.0	50	50	50	48.7	51.7	97	103	72-118	6
Tetrachloroethene	ug/L	<1.0	50	50	50	45.4	47.2	91	94	60-128	4
Toluene	ug/L	<1.0	50	50	50	45.1	48.2	90	96	72-119	7
trans-1,2-Dichloroethene	ug/L	<1.0	50	50	50	43.4	47.7	87	95	56-142	9
trans-1,3-Dichloropropene	ug/L	<1.0	50	50	50	39.7	43.7	79	87	79-116	10
trans-1,4-Dichloro-2-butene	ug/L	<1.0	50	50	50	43.9	46.6	88	93	71-121	6
Trichloroethene	ug/L	<1.0	50	50	50	45.2	47.8	90	96	69-117	6
Trichlorofluoromethane	ug/L	<1.0	50	50	50	43.5	48.8	87	98	27-173	11
Vinyl acetate	ug/L	<1.0	50	50	50	35.3	39.8	71	80	20-158	12
Vinyl chloride	ug/L	1.1	50	50	50	35.6	41.4	69	81	43-143	15
Xylene (Total)	ug/L	<3.0	150	150	150	138	148	92	99	71-109	7
1,2-Dichloroethane-d4 (S)	%							97	99	68-153	
4-Bromofluorobenzene (S)	%							104	104	79-124	
Toluene-d8 (S)	%							98	100	69-124	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALITY CONTROL DATA

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

QC Batch:	156328	Analysis Method:	SM22 2320B
QC Batch Method:	SM22 2320B	Analysis Description:	2320B Alkalinity
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70126818001, 70126818002, 70126818003, 70126818004, 70126818006, 70126818007, 70126818008, 70126818009, 70126818010, 70126818011, 70126818012, 70126818013, 70126818014		

METHOD BLANK:	752806	Matrix:	Water
Associated Lab Samples:	70126818001, 70126818002, 70126818003, 70126818004, 70126818006, 70126818007, 70126818008, 70126818009, 70126818010, 70126818011, 70126818012, 70126818013, 70126818014		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Alkalinity, Total as CaCO <sub>3</sub>	mg/L	<1.0	1.0	04/09/20 10:24	

LABORATORY CONTROL SAMPLE: 752807						
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Alkalinity, Total as CaCO3	mg/L	25	24.5	98	85-115	

MATRIX SPIKE SAMPLE:		752809					
Parameter	Units	70126818004 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Alkalinity, Total as CaCO3	mg/L	247	50	254	14	75-125	M1

SAMPLE DUPLICATE: 752808					
Parameter	Units	70126818004 Result	Dup Result	RPD	Qualifiers
Alkalinity, Total as CaCO3	ma/L	247	248	1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALITY CONTROL DATA

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

QC Batch:	156892	Analysis Method:	SM22 2340C
QC Batch Method:	SM22 2340C	Analysis Description:	2340C Hardness, Total
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70126818001, 70126818002, 70126818003, 70126818004, 70126818005, 70126818006, 70126818007, 70126818008, 70126818009, 70126818010, 70126818011, 70126818012, 70126818013, 70126818014		

METHOD BLANK: 756131

Matrix: Water

Associated Lab Samples: 70126818001, 70126818002, 70126818003, 70126818004, 70126818005, 70126818006, 70126818007, 70126818008, 70126818009, 70126818010, 70126818011, 70126818012, 70126818013, 70126818014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Tot Hardness asCaCO3 (SM 2340B)	mg/L	<5.0	5.0	04/15/20 15:00	

LABORATORY CONTROL SAMPLE: 756132

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Tot Hardness asCaCO3 (SM 2340B)	mg/L	100	101	101	90-110	

LABORATORY CONTROL SAMPLE: 756789

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Tot Hardness asCaCO3 (SM 2340B)	mg/L	100	100	100	90-110	

LABORATORY CONTROL SAMPLE: 756790

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Tot Hardness asCaCO3 (SM 2340B)	mg/L	100	101	101	90-110	

LABORATORY CONTROL SAMPLE: 756791

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Tot Hardness asCaCO3 (SM 2340B)	mg/L	100	100	100	90-110	

MATRIX SPIKE SAMPLE: 756133

Parameter	Units	70126818004 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Tot Hardness asCaCO3 (SM 2340B)	mg/L	260	2000	2280	101	75-125	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALITY CONTROL DATA

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

---

SAMPLE DUPLICATE: 756134

Parameter	Units	70126818004 Result	Dup Result	RPD	Qualifiers
Tot Hardness asCaCO3 (SM 2340B	mg/L	260	280	7	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALITY CONTROL DATA

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

QC Batch:	155882	Analysis Method:	SM22 2540C
QC Batch Method:	SM22 2540C	Analysis Description:	2540C Total Dissolved Solids
		Laboratory:	Pace Analytical Services - Melville

Associated Lab Samples: 70126818001, 70126818002, 70126818003, 70126818004, 70126818006, 70126818007

METHOD BLANK: 750407 Matrix: Water

Associated Lab Samples: 70126818001, 70126818002, 70126818003, 70126818004, 70126818006, 70126818007

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Total Dissolved Solids	mg/L	<10.0	10.0	04/06/20 10:11	

LABORATORY CONTROL SAMPLE: 750408

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Dissolved Solids	mg/L	500	456	91	85-115	

MATRIX SPIKE SAMPLE: 750410

Parameter	Units	70126818004 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Total Dissolved Solids	mg/L	337	300	660	108	75-125	

SAMPLE DUPLICATE: 750409

Parameter	Units	70126818004 Result	Dup Result	RPD	Qualifiers
Total Dissolved Solids	mg/L	337	340	1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALITY CONTROL DATA

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

QC Batch:	156014	Analysis Method:	SM22 2540C
QC Batch Method:	SM22 2540C	Analysis Description:	2540C Total Dissolved Solids
		Laboratory:	Pace Analytical Services - Melville

Associated Lab Samples: 70126818008, 70126818009, 70126818010, 70126818011, 70126818012, 70126818013, 70126818014

METHOD BLANK: 751128

Matrix: Water

Associated Lab Samples: 70126818008, 70126818009, 70126818010, 70126818011, 70126818012, 70126818013, 70126818014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Total Dissolved Solids	mg/L	<10.0	10.0	04/07/20 09:54	

LABORATORY CONTROL SAMPLE: 751129

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Dissolved Solids	mg/L	500	568	114	85-115	

MATRIX SPIKE SAMPLE: 751131

Parameter	Units	70126818008 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Total Dissolved Solids	mg/L	363	300	641	93	75-125	

MATRIX SPIKE SAMPLE: 751133

Parameter	Units	70126830002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Total Dissolved Solids	mg/L	130	300	437	102	75-125	

SAMPLE DUPLICATE: 751130

Parameter	Units	70126818008 Result	Dup Result	RPD	Qualifiers
Total Dissolved Solids	mg/L	363	375	3	

SAMPLE DUPLICATE: 751132

Parameter	Units	70126830002 Result	Dup Result	RPD	Qualifiers
Total Dissolved Solids	mg/L	130	126	3	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALITY CONTROL DATA

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

QC Batch:	156022	Analysis Method:	EPA 410.4
QC Batch Method:	EPA 410.4	Analysis Description:	410.4 COD
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70126818001, 70126818002, 70126818003, 70126818004, 70126818005, 70126818006, 70126818007, 70126818008, 70126818009, 70126818010, 70126818011, 70126818012, 70126818013, 70126818014		

METHOD BLANK:	751151	Matrix:	Water
Associated Lab Samples:	70126818001, 70126818002, 70126818003, 70126818004, 70126818005, 70126818006, 70126818007, 70126818008, 70126818009, 70126818010, 70126818011, 70126818012, 70126818013, 70126818014		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Chemical Oxygen Demand	mg/L	<10.0	10.0	04/07/20 12:19	

LABORATORY CONTROL SAMPLE: 751152						
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Chemical Oxygen Demand	mg/L	500	505	101	90-110	

MATRIX SPIKE SAMPLE:		751153						
Parameter		Units	70126818004 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Chemical Oxygen Demand		mg/L	10.4	1000	1010	100	90-110	

MATRIX SPIKE SAMPLE:	751155						
		70126818013	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Chemical Oxygen Demand	mg/L	37.8	1000	1040	100	90-110	

SAMPLE DUPLICATE: 751154					
Parameter	Units	70126818004 Result	Dup Result	RPD	Qualifiers
Chemical Oxygen Demand	mg/L	10.4	10.4	0	

SAMPLE DUPLICATE: 751156					
Parameter	Units	70126818013 Result	Dup Result	RPD	Qualifiers
Chemical Oxygen Demand	mg/L	37.8	37.8	0	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALITY CONTROL DATA

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

QC Batch: 155704

Analysis Method: SM22 5210B

QC Batch Method: SM22 5210B

Analysis Description: 5210B BOD, 5 day

Laboratory: Pace Analytical Services - Melville

Associated Lab Samples: 70126818001, 70126818002, 70126818003, 70126818007, 70126818008, 70126818009

METHOD BLANK: 749279

Matrix: Water

Associated Lab Samples: 70126818001, 70126818002, 70126818003, 70126818007, 70126818008, 70126818009

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
BOD, 5 day	mg/L	<2.0	2.0	04/07/20 13:28	

LABORATORY CONTROL SAMPLE: 749280

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
BOD, 5 day	mg/L	198	179	91	84.5-115.4	

SAMPLE DUPLICATE: 749284

Parameter	Units	70126819001 Result	Dup Result	RPD	Qualifiers
BOD, 5 day	mg/L	51.8	51.8	0	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## QUALITY CONTROL DATA

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

QC Batch:	155757	Analysis Method:	SM22 5210B
QC Batch Method:	SM22 5210B	Analysis Description:	5210B BOD, 5 day
		Laboratory:	Pace Analytical Services - Melville

Associated Lab Samples: 70126818004, 70126818006, 70126818010, 70126818011, 70126818012, 70126818013, 70126818014

METHOD BLANK: 749597 Matrix: Water

Associated Lab Samples: 70126818004, 70126818006, 70126818010, 70126818011, 70126818012, 70126818013, 70126818014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
BOD, 5 day	mg/L	<2.0	2.0	04/08/20 10:39	

LABORATORY CONTROL SAMPLE: 749598

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
BOD, 5 day	mg/L	198	190	96	84.5-115.4	

SAMPLE DUPLICATE: 749600

Parameter	Units	70126818004 Result	Dup Result	RPD	Qualifiers
BOD, 5 day	mg/L	1.0J	1.0J		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALITY CONTROL DATA

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

QC Batch:	156744	Analysis Method:	EPA 300.0
QC Batch Method:	EPA 300.0	Analysis Description:	300.0 IC Anions
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70126818001, 70126818002, 70126818003, 70126818004, 70126818006, 70126818007, 70126818008, 70126818009, 70126818010, 70126818011, 70126818012, 70126818013, 70126818014		

METHOD BLANK:	755471	Matrix:	Water
Associated Lab Samples:	70126818001, 70126818002, 70126818003, 70126818004, 70126818006, 70126818007, 70126818008, 70126818009, 70126818010, 70126818011, 70126818012, 70126818013, 70126818014		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Bromide	mg/L	<0.50	0.50	04/14/20 22:52	
Chloride	mg/L	<2.0	2.0	04/14/20 22:52	
Sulfate	mg/L	<5.0	5.0	04/14/20 22:52	

LABORATORY CONTROL SAMPLE: 755472						
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Bromide	mg/L	1	1.0	100	90-110	
Chloride	mg/L	10	9.3	93	90-110	
Sulfate	mg/L	10	9.1	91	90-110	

MATRIX SPIKE SAMPLE:	755473						
Parameter	Units	70127629001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Bromide	mg/L	0.078	1	1.1	97	90-110	
Chloride	mg/L	13.0	10	23.6	106	90-110	
Sulfate	mg/L	6.1	10	15.7	96	90-110	

MATRIX SPIKE SAMPLE:	755475						
		70126818004	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Bromide	mg/L	0.13J	1	1.1	97	90-110	
Chloride	mg/L	2.0	10	11.5	95	90-110	
Sulfate	mg/L	6.4	10	15.9	96	90-110	

SAMPLE DUPLICATE: 755474

Parameter	Units	70127629001 Result	Dup Result	RPD	Qualifiers
Bromide	mg/L	0.078	0.080J		
Chloride	mg/L	13.0	12.9	0	
Sulfate	mg/L	6.1	6.0	2	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALITY CONTROL DATA

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

SAMPLE DUPLICATE: 755476

Parameter	Units	70126818004 Result	Dup Result	RPD	Qualifiers
Bromide	mg/L	0.13J	0.15J		
Chloride	mg/L	2.0	2.0	0	
Sulfate	mg/L	6.4	6.3	1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALITY CONTROL DATA

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

QC Batch:	156664	Analysis Method:	EPA 351.2
QC Batch Method:	EPA 351.2	Analysis Description:	351.2 TKN
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70126818001, 70126818002, 70126818003, 70126818004, 70126818005, 70126818006, 70126818007, 70126818008, 70126818009, 70126818010, 70126818011, 70126818012, 70126818013, 70126818014		

METHOD BLANK:	754873	Matrix:	Water
Associated Lab Samples:	70126818001, 70126818002, 70126818003, 70126818004, 70126818005, 70126818006, 70126818007, 70126818008, 70126818009, 70126818010, 70126818011, 70126818012, 70126818013, 70126818014		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Nitrogen, Kjeldahl, Total	mg/L	<0.10	0.10	04/16/20 11:24	

LABORATORY CONTROL SAMPLE:	754874					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, Kjeldahl, Total	mg/L	4	4.2	105	90-110	

MATRIX SPIKE SAMPLE:		754875					
Parameter	Units	70126818004 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Nitrogen, Kjeldahl, Total	mg/L	1.5	4	9.3	196	90-110	M6

MATRIX SPIKE SAMPLE:		754877					
Parameter	Units	70127493002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Nitrogen, Kjeldahl, Total	mg/L	<0.10	4	2.9	71	90-110	M6

SAMPLE DUPLICATE: 754876					
Parameter	Units	70126818004 Result	Dup Result	RPD	Qualifiers
Nitrogen, Kjeldahl, Total	mg/L	1.5	1.4	5	

SAMPLE DUPLICATE: 754878					
Parameter	Units	70127493002 Result	Dup Result	RPD	Qualifiers
Nitrogen, Kjeldahl, Total	mg/L	<0.10	0.11		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALITY CONTROL DATA

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

QC Batch:	155721	Analysis Method:	EPA 353.2
QC Batch Method:	EPA 353.2	Analysis Description:	353.2 Nitrite, Unpres.
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70126818001, 70126818002, 70126818003, 70126818004, 70126818006, 70126818007, 70126818008, 70126818009, 70126818010, 70126818011, 70126818012, 70126818013, 70126818014		

METHOD BLANK:	749476	Matrix:	Water
Associated Lab Samples:	70126818001, 70126818002, 70126818003, 70126818004, 70126818006, 70126818007, 70126818008, 70126818009, 70126818010, 70126818011, 70126818012, 70126818013, 70126818014		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Nitrite as N	mg/L	<0.050	0.050	04/02/20 23:56	

LABORATORY CONTROL SAMPLE: 749477						
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrite as N	mg/L	1	0.99	99	90-110	

MATRIX SPIKE SAMPLE:		749478					
Parameter	Units	70126818004 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Nitrite as N	mg/L	<0.050	0.5	0.45	90	90-110	

MATRIX SPIKE SAMPLE:		749480					
Parameter	Units	70126829002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Nitrite as N	mg/L	<0.050	0.5	0.51	101	90-110	

SAMPLE DUPLICATE: 749479

Parameter	Units	70126818004 Result	Dup Result	RPD	Qualifiers
Nitrite as N	mg/L	<0.050	<0.050		

SAMPLE DUPLICATE: 749481					
Parameter	Units	70126829002 Result	Dup Result	RPD	Qualifiers
Nitrite as N	mg/L	<0.050	<0.050		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALITY CONTROL DATA

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

QC Batch: 155725

Analysis Method: EPA 353.2

QC Batch Method: EPA 353.2

Analysis Description: 353.2 Nitrate, Unpres.

Laboratory: Pace Analytical Services - Melville

Associated Lab Samples: 70126818001, 70126818002

METHOD BLANK: 749500

Matrix: Water

Associated Lab Samples: 70126818001, 70126818002

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Nitrate-Nitrite (as N)	mg/L	<0.050	0.050	04/03/20 02:47	

LABORATORY CONTROL SAMPLE: 749501

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrate-Nitrite (as N)	mg/L	1	1.0	101	90-110	

MATRIX SPIKE SAMPLE: 749502

Parameter	Units	70126796001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Nitrate-Nitrite (as N)	mg/L	7.5	5	12.3	94	90-110	

MATRIX SPIKE SAMPLE: 749504

Parameter	Units	70126862001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Nitrate-Nitrite (as N)	mg/L	3.6	5	8.5	98	90-110	

SAMPLE DUPLICATE: 749503

Parameter	Units	70126796001 Result	Dup Result	RPD	Qualifiers
Nitrate-Nitrite (as N)	mg/L	7.5	7.6	0	

SAMPLE DUPLICATE: 749505

Parameter	Units	70126862001 Result	Dup Result	RPD	Qualifiers
Nitrate-Nitrite (as N)	mg/L	3.6	3.7	2	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALITY CONTROL DATA

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

QC Batch:	155726	Analysis Method:	EPA 353.2
QC Batch Method:	EPA 353.2	Analysis Description:	353.2 Nitrate, Unpres.
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70126818003, 70126818004, 70126818006, 70126818007, 70126818008, 70126818009, 70126818010, 70126818011, 70126818012, 70126818013, 70126818014		

METHOD BLANK:	749506	Matrix:	Water
Associated Lab Samples:	70126818003, 70126818004, 70126818006, 70126818007, 70126818008, 70126818009, 70126818010, 70126818011, 70126818012, 70126818013, 70126818014		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Nitrate-Nitrite (as N)	mg/L	<0.050	0.050	04/03/20 03:22	

LABORATORY CONTROL SAMPLE: 749507						
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrate-Nitrite (as N)	mg/L	1	0.97	97	90-110	

MATRIX SPIKE SAMPLE:		749508					
Parameter	Units	70126818004 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Nitrate-Nitrite (as N)	mg/L	0.050	0.5	0.57	104	90-110	

MATRIX SPIKE SAMPLE:		749510					
Parameter	Units	70126855001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Nitrate-Nitrite (as N)	mg/L	6.6	5	11.1	89	90-110	M6

SAMPLE DUPLICATE: 749509					
Parameter	Units	70126818004 Result	Dup Result	RPD	Qualifiers
Nitrate-Nitrite (as N)	mg/L	0.050	0.047J		

SAMPLE DUPLICATE: 749511					
Parameter	Units	70126855001 Result	Dup Result	RPD	Qualifiers
Nitrate-Nitrite (as N)	mg/L	6.6	6.6	0	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALITY CONTROL DATA

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

QC Batch: 155844

QC Batch Method: EPA 353.2

Analysis Method: EPA 353.2

Analysis Description: 353.2 Nitrate, Unpres.

Laboratory: Pace Analytical Services - Melville

Associated Lab Samples: 70126818005

METHOD BLANK: 750082

Matrix: Water

Associated Lab Samples: 70126818005

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Nitrate-Nitrite (as N)	mg/L	<0.050	0.050	04/04/20 01:20	

LABORATORY CONTROL SAMPLE: 750083

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrate-Nitrite (as N)	mg/L	1	0.93	93	90-110	

MATRIX SPIKE SAMPLE: 750084

Parameter	Units	70126875009 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Nitrate-Nitrite (as N)	mg/L	5.0	5	9.9	99	90-110	

MATRIX SPIKE SAMPLE: 750086

Parameter	Units	70126993001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Nitrate-Nitrite (as N)	mg/L	1.9	5	7.2	106	90-110	

SAMPLE DUPLICATE: 750085

Parameter	Units	70126875009 Result	Dup Result	RPD	Qualifiers
Nitrate-Nitrite (as N)	mg/L	5.0	5.0	0	

SAMPLE DUPLICATE: 750087

Parameter	Units	70126993001 Result	Dup Result	RPD	Qualifiers
Nitrate-Nitrite (as N)	mg/L	1.9	1.9	1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## QUALITY CONTROL DATA

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

QC Batch:	156598	Analysis Method:	EPA 420.1
QC Batch Method:	EPA 420.1	Analysis Description:	420.1 Phenolics Macro
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70126818001, 70126818002, 70126818003, 70126818004, 70126818005, 70126818006, 70126818007, 70126818008, 70126818009, 70126818010, 70126818011, 70126818012, 70126818013, 70126818014		

METHOD BLANK:	754163	Matrix:	Water
Associated Lab Samples:	70126818001, 70126818002, 70126818003, 70126818004, 70126818005, 70126818006, 70126818007, 70126818008, 70126818009, 70126818010, 70126818011, 70126818012, 70126818013, 70126818014		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Phenolics, Total Recoverable	ug/L	<5.0	5.0	04/13/20 14:15	

LABORATORY CONTROL SAMPLE: 754164						
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Phenolics, Total Recoverable	ug/L	100	106	106	90-110	

MATRIX SPIKE SAMPLE:		754165					
Parameter	Units	70126818004 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Phenolics, Total Recoverable	ug/L	<5.0	50	60.6	117	75-125	

SAMPLE DUPLICATE: 754166					
Parameter	Units	70126818004 Result	Dup Result	RPD	Qualifiers
Phenolics, Total Recoverable	ug/L	<5.0	<5.0		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALITY CONTROL DATA

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

QC Batch:	156682	Analysis Method:	SM22 4500 NH3 H
QC Batch Method:	SM22 4500 NH3 H	Analysis Description:	4500 Ammonia
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70126818001, 70126818002, 70126818003, 70126818004, 70126818005, 70126818006, 70126818007, 70126818008, 70126818009, 70126818010		

METHOD BLANK:	754925	Matrix:	Water
Associated Lab Samples:	70126818001, 70126818002, 70126818003, 70126818004, 70126818005, 70126818006, 70126818007, 70126818008, 70126818009, 70126818010		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Nitrogen, Ammonia	mg/L	<0.10	0.10	04/13/20 14:21	

LABORATORY CONTROL SAMPLE: 754926

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, Ammonia	mg/L	1	0.99	99	90-110	

MATRIX SPIKE SAMPLE: 754927

Parameter	Units	70126818004 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Nitrogen, Ammonia	mg/L	0.64	1	1.6	97	75-125	

SAMPLE DUPLICATE: 754928

Parameter	Units	70126818004 Result	Dup Result	RPD	Qualifiers
Nitrogen, Ammonia	mg/L	0.64	0.62	3	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALITY CONTROL DATA

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

QC Batch: 156810

Analysis Method: SM22 4500 NH3 H

QC Batch Method: SM22 4500 NH3 H

Analysis Description: 4500 Ammonia

Laboratory: Pace Analytical Services - Melville

Associated Lab Samples: 70126818011, 70126818012, 70126818013, 70126818014

METHOD BLANK: 755655

Matrix: Water

Associated Lab Samples: 70126818011, 70126818012, 70126818013, 70126818014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Nitrogen, Ammonia	mg/L	<0.10	0.10	04/14/20 14:33	

LABORATORY CONTROL SAMPLE: 755656

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Nitrogen, Ammonia	mg/L	1	0.98	98	90-110	

MATRIX SPIKE SAMPLE: 755657

Parameter	Units	70126714002 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Nitrogen, Ammonia	mg/L	<0.10	1	0.87	87	75-125	

SAMPLE DUPLICATE: 755658

Parameter	Units	70126714002 Result	Dup Result	RPD	Qualifiers
Nitrogen, Ammonia	mg/L	<0.10	<0.10		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALITY CONTROL DATA

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

QC Batch:	156155	Analysis Method:	SM22 5310B
QC Batch Method:	SM22 5310B	Analysis Description:	5310B TOC
		Laboratory:	Pace Analytical Services - Melville
Associated Lab Samples:	70126818001, 70126818002, 70126818003, 70126818004, 70126818005, 70126818006, 70126818007, 70126818008, 70126818009		

METHOD BLANK:	752122	Matrix:	Water
Associated Lab Samples:	70126818001, 70126818002, 70126818003, 70126818004, 70126818005, 70126818006, 70126818007, 70126818008, 70126818009		

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Total Organic Carbon	mg/L	<1.0	1.0	04/09/20 18:11	

LABORATORY CONTROL SAMPLE:	752123					
Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	mg/L	10	9.6	96	85-115	

MATRIX SPIKE SAMPLE:		752125					
		70126818004	Spike	MS	MS	% Rec	
Parameter	Units	Result	Conc.	Result	% Rec	Limits	Qualifiers
Total Organic Carbon	mg/L	2.3	10	12.1	98	75-125	

SAMPLE DUPLICATE: 752124					
Parameter	Units	70126818004 Result	Dup Result	RPD	Qualifiers
Total Organic Carbon	mg/L	2.3	2.3	2	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALITY CONTROL DATA

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

QC Batch: 156156

Analysis Method: SM22 5310B

QC Batch Method: SM22 5310B

Analysis Description: 5310B TOC

Laboratory: Pace Analytical Services - Melville

Associated Lab Samples: 70126818010, 70126818011, 70126818012, 70126818013, 70126818014

METHOD BLANK: 752126

Matrix: Water

Associated Lab Samples: 70126818010, 70126818011, 70126818012, 70126818013, 70126818014

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
Total Organic Carbon	mg/L	0.13J	1.0	04/09/20 21:50	

LABORATORY CONTROL SAMPLE: 752127

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	mg/L	10	9.6	96	85-115	

MATRIX SPIKE SAMPLE: 752129

Parameter	Units	70127078001 Result	Spike Conc.	MS Result	MS % Rec	% Rec Limits	Qualifiers
Total Organic Carbon	mg/L	<1.0	10	9.6	95	75-125	

SAMPLE DUPLICATE: 752128

Parameter	Units	70127078001 Result	Dup Result	RPD	Qualifiers
Total Organic Carbon	mg/L	<1.0	0.070J		

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALIFIERS

Project: ISCHUA LANDFILL  
Pace Project No.: 70126818

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.  
ND - Not Detected at or above adjusted reporting limit.  
TNTC - Too Numerous To Count  
J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.  
MDL - Adjusted Method Detection Limit.  
PQL - Practical Quantitation Limit.  
RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.  
S - Surrogate  
1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.  
Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.  
LCS(D) - Laboratory Control Sample (Duplicate)  
MS(D) - Matrix Spike (Duplicate)  
DUP - Sample Duplicate  
RPD - Relative Percent Difference  
NC - Not Calculable.  
SG - Silica Gel - Clean-Up  
U - Indicates the compound was analyzed for, but not detected.  
N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.  
Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.  
TNI - The NELAC Institute.

### ANALYTE QUALIFIERS

B	Analyte was detected in the associated method blank.
CH	The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased high.
CL	The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased low.
H1	Analysis conducted outside the EPA method holding time.
H2	Extraction or preparation conducted outside EPA method holding time.
IC	The initial calibration for this compound was outside of method control limits. The result is estimated.
IH	This analyte exceeded secondary source verification criteria high for the initial calibration. The reported results should be considered an estimated value.
M1	Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.
M6	Matrix spike and Matrix spike duplicate recovery not evaluated against control limits due to sample dilution.
N	The reported TIC has an 85% or higher match on a mass spectral library search.
R1	RPD value was outside control limits.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70126818001	MW-6D	EPA 3005A	156048	EPA 6010C	156068
70126818002	MW-7A	EPA 3005A	156048	EPA 6010C	156068
70126818003	MW-7C	EPA 3005A	156048	EPA 6010C	156068
70126818004	MW-8B	EPA 3005A	156048	EPA 6010C	156068
70126818005	MW-9B	EPA 3005A	156048	EPA 6010C	156068
70126818006	MW-10B	EPA 3005A	156048	EPA 6010C	156068
70126818007	MW-11B	EPA 3005A	156048	EPA 6010C	156068
70126818008	MW-12A	EPA 3005A	156048	EPA 6010C	156068
70126818009	MW-12B	EPA 3005A	156048	EPA 6010C	156068
70126818010	MW-13	EPA 3005A	156048	EPA 6010C	156068
70126818011	MW-14	EPA 3005A	156048	EPA 6010C	156068
70126818012	STREAM	EPA 3005A	156048	EPA 6010C	156068
70126818013	SEEP	EPA 3005A	156048	EPA 6010C	156068
70126818014	DUP	EPA 3005A	156048	EPA 6010C	156068
70126818001	MW-6D	EPA 8260C/5030C	155840		
70126818002	MW-7A	EPA 8260C/5030C	155840		
70126818003	MW-7C	EPA 8260C/5030C	155840		
70126818004	MW-8B	EPA 8260C/5030C	155840		
70126818005	MW-9B	EPA 8260C/5030C	155840		
70126818006	MW-10B	EPA 8260C/5030C	155840		
70126818007	MW-11B	EPA 8260C/5030C	155840		
70126818008	MW-12A	EPA 8260C/5030C	155840		
70126818009	MW-12B	EPA 8260C/5030C	155840		
70126818010	MW-13	EPA 8260C/5030C	155840		
70126818011	MW-14	EPA 8260C/5030C	155840		
70126818012	STREAM	EPA 8260C/5030C	155840		
70126818013	SEEP	EPA 8260C/5030C	155840		
70126818014	DUP	EPA 8260C/5030C	155840		
70126818015	TRIP BLANK	EPA 8260C/5030C	155840		
70126818016	STORAGE BLANK	EPA 8260C/5030C	155840		
70126818001	MW-6D	EPA 8260			
70126818002	MW-7A	EPA 8260			
70126818003	MW-7C	EPA 8260			
70126818004	MW-8B	EPA 8260			
70126818005	MW-9B	EPA 8260			
70126818006	MW-10B	EPA 8260			
70126818007	MW-11B	EPA 8260			
70126818009	MW-12B	EPA 8260			
70126818010	MW-13	EPA 8260			
70126818011	MW-14	EPA 8260			
70126818012	STREAM	EPA 8260			
70126818013	SEEP	EPA 8260			
70126818014	DUP	EPA 8260			
70126818015	TRIP BLANK	EPA 8260			
70126818016	STORAGE BLANK	EPA 8260			
70126818001	MW-6D	SM22 2320B	156328		
70126818002	MW-7A	SM22 2320B	156328		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70126818003	MW-7C	SM22 2320B	156328		
70126818004	MW-8B	SM22 2320B	156328		
70126818006	MW-10B	SM22 2320B	156328		
70126818007	MW-11B	SM22 2320B	156328		
70126818008	MW-12A	SM22 2320B	156328		
70126818009	MW-12B	SM22 2320B	156328		
70126818010	MW-13	SM22 2320B	156328		
70126818011	MW-14	SM22 2320B	156328		
70126818012	STREAM	SM22 2320B	156328		
70126818013	SEEP	SM22 2320B	156328		
70126818014	DUP	SM22 2320B	156328		
70126818001	MW-6D	SM22 2340C	156892		
70126818002	MW-7A	SM22 2340C	156892		
70126818003	MW-7C	SM22 2340C	156892		
70126818004	MW-8B	SM22 2340C	156892		
70126818005	MW-9B	SM22 2340C	156892		
70126818006	MW-10B	SM22 2340C	156892		
70126818007	MW-11B	SM22 2340C	156892		
70126818008	MW-12A	SM22 2340C	156892		
70126818009	MW-12B	SM22 2340C	156892		
70126818010	MW-13	SM22 2340C	156892		
70126818011	MW-14	SM22 2340C	156892		
70126818012	STREAM	SM22 2340C	156892		
70126818013	SEEP	SM22 2340C	156892		
70126818014	DUP	SM22 2340C	156892		
70126818001	MW-6D	SM22 2540C	155882		
70126818002	MW-7A	SM22 2540C	155882		
70126818003	MW-7C	SM22 2540C	155882		
70126818004	MW-8B	SM22 2540C	155882		
70126818006	MW-10B	SM22 2540C	155882		
70126818007	MW-11B	SM22 2540C	155882		
70126818008	MW-12A	SM22 2540C	156014		
70126818009	MW-12B	SM22 2540C	156014		
70126818010	MW-13	SM22 2540C	156014		
70126818011	MW-14	SM22 2540C	156014		
70126818012	STREAM	SM22 2540C	156014		
70126818013	SEEP	SM22 2540C	156014		
70126818014	DUP	SM22 2540C	156014		
70126818001	MW-6D	EPA 410.4	156022	EPA 410.4	156040
70126818002	MW-7A	EPA 410.4	156022	EPA 410.4	156040
70126818003	MW-7C	EPA 410.4	156022	EPA 410.4	156040
70126818004	MW-8B	EPA 410.4	156022	EPA 410.4	156040
70126818005	MW-9B	EPA 410.4	156022	EPA 410.4	156040
70126818006	MW-10B	EPA 410.4	156022	EPA 410.4	156040
70126818007	MW-11B	EPA 410.4	156022	EPA 410.4	156040
70126818008	MW-12A	EPA 410.4	156022	EPA 410.4	156040
70126818009	MW-12B	EPA 410.4	156022	EPA 410.4	156040

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



## QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70126818010	MW-13	EPA 410.4	156022	EPA 410.4	156040
70126818011	MW-14	EPA 410.4	156022	EPA 410.4	156040
70126818012	STREAM	EPA 410.4	156022	EPA 410.4	156040
70126818013	SEEP	EPA 410.4	156022	EPA 410.4	156040
70126818014	DUP	EPA 410.4	156022	EPA 410.4	156040
70126818001	MW-6D	SM22 5210B	155704	SM22 5210B	156400
70126818002	MW-7A	SM22 5210B	155704	SM22 5210B	156400
70126818003	MW-7C	SM22 5210B	155704	SM22 5210B	156400
70126818004	MW-8B	SM22 5210B	155757	SM22 5210B	156588
70126818006	MW-10B	SM22 5210B	155757	SM22 5210B	156588
70126818007	MW-11B	SM22 5210B	155704	SM22 5210B	156400
70126818008	MW-12A	SM22 5210B	155704	SM22 5210B	156400
70126818009	MW-12B	SM22 5210B	155704	SM22 5210B	156400
70126818010	MW-13	SM22 5210B	155757	SM22 5210B	156588
70126818011	MW-14	SM22 5210B	155757	SM22 5210B	156588
70126818012	STREAM	SM22 5210B	155757	SM22 5210B	156588
70126818013	SEEP	SM22 5210B	155757	SM22 5210B	156588
70126818014	DUP	SM22 5210B	155757	SM22 5210B	156588
70126818001	MW-6D	EPA 300.0	156744		
70126818002	MW-7A	EPA 300.0	156744		
70126818003	MW-7C	EPA 300.0	156744		
70126818004	MW-8B	EPA 300.0	156744		
70126818006	MW-10B	EPA 300.0	156744		
70126818007	MW-11B	EPA 300.0	156744		
70126818008	MW-12A	EPA 300.0	156744		
70126818009	MW-12B	EPA 300.0	156744		
70126818010	MW-13	EPA 300.0	156744		
70126818011	MW-14	EPA 300.0	156744		
70126818012	STREAM	EPA 300.0	156744		
70126818013	SEEP	EPA 300.0	156744		
70126818014	DUP	EPA 300.0	156744		
70126818001	MW-6D	EPA 351.2	156664	EPA 351.2	156687
70126818002	MW-7A	EPA 351.2	156664	EPA 351.2	156687
70126818003	MW-7C	EPA 351.2	156664	EPA 351.2	156687
70126818004	MW-8B	EPA 351.2	156664	EPA 351.2	156687
70126818005	MW-9B	EPA 351.2	156664	EPA 351.2	156687
70126818006	MW-10B	EPA 351.2	156664	EPA 351.2	156687
70126818007	MW-11B	EPA 351.2	156664	EPA 351.2	156687
70126818008	MW-12A	EPA 351.2	156664	EPA 351.2	156687
70126818009	MW-12B	EPA 351.2	156664	EPA 351.2	156687
70126818010	MW-13	EPA 351.2	156664	EPA 351.2	156687
70126818011	MW-14	EPA 351.2	156664	EPA 351.2	156687
70126818012	STREAM	EPA 351.2	156664	EPA 351.2	156687
70126818013	SEEP	EPA 351.2	156664	EPA 351.2	156687
70126818014	DUP	EPA 351.2	156664	EPA 351.2	156687

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70126818001	MW-6D	EPA 353.2	155725		
70126818002	MW-7A	EPA 353.2	155725		
70126818003	MW-7C	EPA 353.2	155726		
70126818004	MW-8B	EPA 353.2	155726		
70126818005	MW-9B	EPA 353.2	155844		
70126818006	MW-10B	EPA 353.2	155726		
70126818007	MW-11B	EPA 353.2	155726		
70126818008	MW-12A	EPA 353.2	155726		
70126818009	MW-12B	EPA 353.2	155726		
70126818010	MW-13	EPA 353.2	155726		
70126818011	MW-14	EPA 353.2	155726		
70126818012	STREAM	EPA 353.2	155726		
70126818013	SEEP	EPA 353.2	155726		
70126818014	DUP	EPA 353.2	155726		
70126818001	MW-6D	EPA 353.2	155721		
70126818002	MW-7A	EPA 353.2	155721		
70126818003	MW-7C	EPA 353.2	155721		
70126818004	MW-8B	EPA 353.2	155721		
70126818006	MW-10B	EPA 353.2	155721		
70126818007	MW-11B	EPA 353.2	155721		
70126818008	MW-12A	EPA 353.2	155721		
70126818009	MW-12B	EPA 353.2	155721		
70126818010	MW-13	EPA 353.2	155721		
70126818011	MW-14	EPA 353.2	155721		
70126818012	STREAM	EPA 353.2	155721		
70126818013	SEEP	EPA 353.2	155721		
70126818014	DUP	EPA 353.2	155721		
70126818001	MW-6D	EPA 420.1	156598	EPA 420.1	156698
70126818002	MW-7A	EPA 420.1	156598	EPA 420.1	156698
70126818003	MW-7C	EPA 420.1	156598	EPA 420.1	156698
70126818004	MW-8B	EPA 420.1	156598	EPA 420.1	156698
70126818005	MW-9B	EPA 420.1	156598	EPA 420.1	156698
70126818006	MW-10B	EPA 420.1	156598	EPA 420.1	156698
70126818007	MW-11B	EPA 420.1	156598	EPA 420.1	156698
70126818008	MW-12A	EPA 420.1	156598	EPA 420.1	156698
70126818009	MW-12B	EPA 420.1	156598	EPA 420.1	156698
70126818010	MW-13	EPA 420.1	156598	EPA 420.1	156698
70126818011	MW-14	EPA 420.1	156598	EPA 420.1	156698
70126818012	STREAM	EPA 420.1	156598	EPA 420.1	156698
70126818013	SEEP	EPA 420.1	156598	EPA 420.1	156698
70126818014	DUP	EPA 420.1	156598	EPA 420.1	156698
70126818001	MW-6D	SM22 4500 NH3 H	156682		
70126818002	MW-7A	SM22 4500 NH3 H	156682		
70126818003	MW-7C	SM22 4500 NH3 H	156682		
70126818004	MW-8B	SM22 4500 NH3 H	156682		
70126818005	MW-9B	SM22 4500 NH3 H	156682		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: ISCHUA LANDFILL

Pace Project No.: 70126818

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
70126818006	MW-10B	SM22 4500 NH3 H	156682		
70126818007	MW-11B	SM22 4500 NH3 H	156682		
70126818008	MW-12A	SM22 4500 NH3 H	156682		
70126818009	MW-12B	SM22 4500 NH3 H	156682		
70126818010	MW-13	SM22 4500 NH3 H	156682		
70126818011	MW-14	SM22 4500 NH3 H	156810		
70126818012	STREAM	SM22 4500 NH3 H	156810		
70126818013	SEEP	SM22 4500 NH3 H	156810		
70126818014	DUP	SM22 4500 NH3 H	156810		
70126818001	MW-6D	SM22 5310B	156155		
70126818002	MW-7A	SM22 5310B	156155		
70126818003	MW-7C	SM22 5310B	156155		
70126818004	MW-8B	SM22 5310B	156155		
70126818005	MW-9B	SM22 5310B	156155		
70126818006	MW-10B	SM22 5310B	156155		
70126818007	MW-11B	SM22 5310B	156155		
70126818008	MW-12A	SM22 5310B	156155		
70126818009	MW-12B	SM22 5310B	156155		
70126818010	MW-13	SM22 5310B	156156		
70126818011	MW-14	SM22 5310B	156156		
70126818012	STREAM	SM22 5310B	156156		
70126818013	SEEP	SM22 5310B	156156		
70126818014	DUP	SM22 5310B	156156		

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.




The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

Page: 2 Of 2

Section A		Section B		Section C		Page : 2 Of 2	
Required Client Information:		Required Project Information:		Invoice Information:			
Company:	Labella Associates	Report To:	Andrew Benkleman	Attention:	<i>ACCOUNT PAYABLE</i>		
Address:	300 Pearl Street	Copy To:		Company Name:			
	Buffalo, NY 14201			Address:			
Email:	abenkleman@labellapc.com	Purchase Order #		Pace Quote:			
Phone:	(716) 551-6281	Project Name:	Ischua Landfill	Pace Project Manager:	jennifer.arach@paciolabs.com		
Fax:		Project #	2201342	Pace Profile #:	5498 Line 1 & 4		
Requested Due Date:						State / Location NY	
						Regulatory Agency	

[illegible][illegible]

# Sample Condition Upon Receipt



Client Name: \_\_\_\_\_

Proj. **WO#: 70126818**

PM: JSA

Due Date: 04/16/20

CLIENT: LBA-B

Courier: ☒ Fed Ex ☐ UPS ☐ USPS ☐ Client ☐ Commercial ☐ Pace ☐ Other

Tracking #: 1740 1204 3104

Custody Seal on Cooler/Box Present: ☐ Yes ☐ No Seals intact: ☐ Yes ☐ No

Packing Material: ☒ Bubble Wrap ☐ Bubble Bags ☐ Ziploc ☐ None ☐ Other

Thermometer Used: TH091 Correction Factor: +0.2

Cooler Temperature (°C): 2.9 Cooler Temperature Corrected (°C): 2.7

Temp should be above freezing to 6.0°C

USDA Regulated Soil ( ☐ N/A, water sample)

Date and Initials of person examining contents: HR 4/16/20

Did samples originate in a quarantine zone within the United States: AL, AR, CA, FL, GA, ID, LA, MS, NC, NM, NY, OK, OR, SC, TN, TX, or VA (check map)? ☐ YES ☒ NO

Did samples originate from a foreign source (internationally, including Hawaii and Puerto Rico)? ☐ Yes ☒ No

If Yes to either question, fill out a Regulated Soil Checklist (F-LI-C-010) and include with SCUR/COC paperwork.

		COMMENTS:
Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	5.
Short Hold Time Analysis (<72hr):	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	7.
Sufficient Volume: (Triple volume provided for MS/MSD)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	10.
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	11. Note if sediment is visible in the dissolved container.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	12.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	13. <input type="checkbox"/> HNO <sub>3</sub> <input type="checkbox"/> H <sub>2</sub> SO <sub>4</sub> <input type="checkbox"/> NaOH <input type="checkbox"/> HCl
-Includes date/time/ID/Analysis Matrix SL WT OIL		Sample #
All containers needing preservation have been checked	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	Initial when completed: Lot # of added preservative: Date/Time preservative added
pH paper Lot # <u>HC948032</u>		
All containers needing preservation are found to be in compliance with EPA recommendation? (HNO <sub>3</sub> , H <sub>2</sub> SO <sub>4</sub> , HCl, NaOH > 9 Sulfide, NaOH > 12 Cyanide)	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Exceptions: VOA, Coliform, TOC/DOC, Oil and Grease, DRO/8015 (water). Per Method, VOA pH is checked after analysis		
Samples checked for dechlorination:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14. Positive for Res. Chlorine? Y N
KI starch test strips Lot #		
Residual chlorine strips Lot #		
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	15.
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	16.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if applicable):		

Field Data Required? Y / N

Client Notification/ Resolution:

Person Contacted: \_\_\_\_\_

Comments/ Resolution: \_\_\_\_\_

Date/Time: \_\_\_\_\_

## APPENDIX D

### Historical Analytical Results Tables

MW-6A  
HISTORICAL ANALYTICAL RESULTS  
ISCHUA LANDFILL  
OLEAN, NEW YORK

[illegible]



MW-6A  
HISTORICAL ANALYTICAL RESULTS  
ISCHUA LANDFILL  
OLEAN, NEW YORK

	9/90	12/90	3/91	6/91	9/91	12/91	3/92	6/92	9/92	12/92	3/93	6/93	9/93	12/93	3/94	6/94	9/94	12/94	3/95	6/95	9/95	12/95	4/96	9/96	3/97	9/97	3/98	9/98	3/99	9/99	3/00	9/00	3/01	9/01	3/02	9/02	3/03	9/03		
<b>PARAMETER METALS (mg/L)</b>																																								
Aluminum																																								
Calcium																																								
Iron																																								
Magnesium																																								
Manganese																																								
Potassium																																								
Sodium																																								
<b>PARAMETER (mg/l) TOXIC METALS</b>																																								
Antimony																																								
Arsenic																																								
Barium																																								
Beryllium																																								
Cadmium																																								
Chromium (Total)																																								
Copper																																								
Lead																																								
Mercury																																								
Nickel																																								
Selenium																																								
Silver																																								
Thallium																																								
Zinc																																								
<b>PARAMETER (mg/l) LEACHATE INDICATORS</b>																																								
Alkalinity																																								
Biochemical Oxygen Demand																																								
Boron																																								
Chemical Oxygen Demand																																								
Chromium (Hexavalent)																																								
Chloride																																								
Color (PCU units)																																								
Nitrate-Nitrite																																								
Nitrogen-Ammonia																																								
Phenols																																								
Sulfate																																								
Total Organic Carbon (TOC)																																								
Total Dissolved Solids (TDS)																																								
Total Hardness																																								
Total Kjeldahl Nitrogen (TKN)																																								
Turbidity (NTU units)																																								
Cyanide																																								



MW-6A  
HISTORICAL ANALYTICAL RESULTS  
ISCHUA LANDFILL  
OLEAN, NEW YORK

	3/04	9/04	3/05	9/05	3/06	11/06	4/07	10/07	4/08	10/08	6/09	9/09	4/10	9/10	5/11	10/11	5/12	10/12	6/13	10/13	6/14	10/14	6/15	11/15	5/16	10/16	3/17	10/17	5/18	9/18	4/19	9/19	4/20	MEAN	NYS STD
PARAMETER METALS (mg/L)																																			
Aluminum															0				-	-	-	-	-	-	-	-	-	-	-	-	-	-	0		
Calcium							78.6								0				-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.6235		
Iron							11								0				-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.6471	0.3	
Magnesium							23.3								0				-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.3706	35.0	
Manganese							0.36								0				-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0212	0.3	
Potassium							4.6								0				-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2706		
Sodium							4.9								0				-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2882	20.0	
PARAMETER (mg/l) TOXIC METALS																																			
Antimony															0				-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0.003	
Arsenic															0				-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0.025	
Barium															0				-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	1.0	
Beryllium															0				-	-	-	-	-	-	-	-	-	-	-	-	-	-	0		
Cadmium							ND								0				-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0.005	
Chromium (Total)															0				-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0.05	
Copper															0				-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0.2	
Lead							0.015								0				-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0009	0.025	
Mercury															0				-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0.0007	
Nickel															0				-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0.1	
Selenium															0				-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0.0	
Silver															0				-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0.05	
Thallium															0				-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0.0005	
Zinc															0				-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	2.0	
PARAMETER (mg/l) LEACHATE INDICATORS																																			
Alkalinity															0				-	-	-	-	-	-	-	-	-	-	-	-	-	-	0		
Biochemical Oxygen Demand															0				-	-	-	-	-	-	-	-	-	-	-	-	-	-	0		
Boron															0				-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	1.0	
Chemical Oxygen Demand															0				-	-	-	-	-	-	-	-	-	-	-	-	-	-	0		
Chromium (Hexavalent)															0				-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0.05	
Chloride															0				-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	250	
Color (PCU units)															0				-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	15	
Nitrate-Nitrite															0				-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	10	
Nitrogen-Ammonia															0				-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	2	
Phenols															0				-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0.001	
Sulfate															0				-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	250	
Total Organic Carbon (TOC)					ND	ND	2.3	1.5	1.4						0				-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.4522		
Total Dissolved Solids (TDS)															0				-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	500	
Total Hardness															0				-	-	-	-	-	-	-	-	-	-	-	-	-	-	0		
Total Kjeldahl Nitrogen (TKN)															0				-	-	-	-	-	-	-	-	-	-	-	-	-	-	0		
Turbidity (NTU units)															0				-	-	-	-	-	-	-	-	-	-	-	0	0	0	-	0	5.0
Cyanide															0				-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0.2	
(Shade) = Analyte reported at or above New York State standards (amended March and June 1998). These standards were used beginning with the 9/98 sampling event. Exceedances noted prior to this event reflect prior standards. * = Applies to the sum of cis and trans-1,3-dichloropropene. ** = Guidance Value. ND values are included in calculation of Mean and are considered equal to zero. (Blank) or "-" = Not Analyzed. ND = Not Detected. <DL = Detected below method detection limit.																																			
															J = Estimated. B = Analyte was detected in method blank.																				



MW-6D  
HISTORICAL ANALYTICAL RESULTS  
ISCHUA LANDFILL  
OLEAN, NEW YORK

	9/90	12/90	3/91	6/91	9/91	12/91	3/92	6/92	9/92	12/92	3/93	6/93	9/93	12/93	3/94	6/94	9/94	12/94	3/95	6/95	9/95	12/95	4/96	9/96	3/97	9/97	3/98	9/98	3/99	9/99	3/00	9/00	3/01	9/01	3/02	9/02	3/03	9/03																															
PARAMETER METALS (mg/L)																																																																					
Aluminum	5.7								34.30																														16.3																														
Calcium	86.5	88.5	65.7	102			66.40	70.20	99.00	75.40	78.80	72.6		119	128	69.4			73.10				80.7	91.6		94.7					88.1				90.9			98.8																															
Iron	21	13.1	0.4	44.8			0.70	1.50	62.80	10.40	26.20	17.2		187	152	0.92			9.23			5.78	4.82		49.7					10.3				24.7			31.6																																
Magnesium	7.8	19.1	17.7	27.5			17.70	19.40	28.60	20.80	22.10	19.9		49.7	48.5	19.4			19.30			21.0	23.6		30.0					23.7				25.6			27.8																																
Manganese	0.32	0.32	0.2	0.73			0.03	0.08	1.23	0.23	0.459	0.361		3.34	3.11	0.03			0.19			0.288	0.359		0.976					0.235				0.689			0.9																																
Potassium	5.4	4.8	2	9.7			2.80	8.00	11.30	4.48	8.78	5.22		21.8	17.9	3.96			4.28			4.60	5.76		10.3					7.12				6.46			6.58																																
Sodium	8.7	4.7	7.1	7.5			5.10	6.20	4.87	4.98	16.16	8.23		6.24	8.57	5.62			4.65			5.13	6.48		6.33					5.77				5.24			6.21																																
PARAMETER (mg/l) TOXIC METALS																																																																					
Antimony	<DL								0.028																														ND																														
Arsenic	ND								0.029																														ND																														
Barium	0.12	0.1	ND	0.23			0.06	0.07	0.296	0.100	0.17	0.124		0.661	0.565	0.05			0.09			0.082	0.072		0.273					0.092				0.162			0.23																																
Beryllium									0.003																														ND																														
Cadmium		0	ND	ND			ND	ND	ND	ND	ND	ND				0.008	ND		ND			0.004	0.004		ND					ND				ND				ND																															
Chromium (Total)	<DL	0.01	<DL	0.04			ND	0.01	0.062		0.054	0.023		0.174	0.159	ND			0.03			0.016	0.020		0.062					0.038				0.02			0.02																																
Copper	<DL								ND																														0.02																														
Lead	0.011	0.010	0.002	0.022			ND	0.009	0.043	0.006	0.013	0.017		0.280	0.140	0.006			0.006			0.006	0.005		0.050					0.008			0.035				0.01																																
Mercury	ND	<DL	ND	ND			ND	ND	ND	ND	ND	ND		ND	ND	ND			ND			ND	ND		ND					ND								ND																															
Nickel	0.25								0.040																														ND																														
Selenium	0.028	<DL	<DL	ND			ND	ND	ND	ND	ND	ND		ND	ND	ND			ND			ND	ND		ND					ND				ND				ND																															
Silver	ND	ND	ND	ND			ND	ND	ND	ND	ND	ND		ND	ND	ND			ND			ND	ND		ND					ND					ND			ND																															
Thallium	0.04								ND																						ND							ND																															
Zinc	0.04								0.182																														0.08																														
PARAMETER (mg/l) LEACHATE INDICATORS																																																																					
Alkalinity	531	237	243	241			286.0	268.0	278.0	240.0	252	239		239	250	255			246			273	271		266					318				266				340																															
Biochemical Oxygen Demand	20								12.0																														ND																														
Boron	ND								ND																													ND																															
Chemical Oxygen Demand	190	24	<DL	ND			ND	31.0	124.0	126.0	84.6	47.3		101	21.6	24.1			ND			294	66.2		ND					73.9								ND																															
Chromium (Hexavalent)	<DL								ND																													ND																															
Chloride	6	12	12	4			7.0	15.0	ND	6.4	7.26	9.72		7.1	6.5	8.43			6.10			5.89	6.02		13.2					6.91				4.28			3.8																																
Color (PCU units)	15								10.0																												5																																
Nitrate-Nitrite	<DL	<DL	<DL	0.68			ND	0.3	0.14	ND	0.277	0.087		0.331	ND	ND			ND			ND	ND		ND					0.098				ND			0.07																																
Nitrogen-Ammonia	<DL	<DL	1.3	0.3			ND	0.2	0.08	0.01	0.176	0.055		0.52	0.086	0.01			0.072			0.103	0.110		ND					ND				ND			ND																																
Phenols	0.003	ND	ND	0.811			ND	ND	ND	ND	0.003	0.007		ND	0.008	ND			0.012			ND	0.002		0.002					0.014			0.0118				ND																																
Sulfate	29	39.8	25.4	32			29.0	36.0	17.0	42.0	37	39		37	35	34			30			32	ND		31					40				30.1			28																																
Total Organic Carbon (TOC)	25	24	2.7	1			ND	45.0	6.5	16.0	14.8	6.8		8.7	3	4			5.4			9.7	6.0		4.4					12.0			3.9		ND	1.2																																	
Total Dissolved Solids (TDS)	324	351	294	366			281.0	336.0	290.0	305.0	318	331		361	282	296			266			283	318		284					336				333			358																																
Total Hardness	248	304	237	368			238.0	255.0	1070	308.0	981	360		840	654	310			262			288	326		360					318				332			361																																
Total Kjeldahl Nitrogen (TKN)	7.7								ND																													1.7																															
Turbidity (NTU units)	0.5	3150	195	910			83.0	400	650	1600	2000	1600		340	30	110			340			330	85		34					61				220			750																																
Cyanide	0.004								ND																													ND																															



MW-6D  
HISTORICAL ANALYTICAL RESULTS  
ISCHUA LANDFILL  
OLEAN, NEW YORK

	3/04	9/04	3/05	9/05	3/06	11/06	4/07	10/07	4/08	10/08	4/09	9/09	4/10	9/10	5/11	10/11	5/12	10/12	6/13	10/13	6/14	10/14	6/15	11/15	5/16	10/16	3/17	10/17	5/18	9/18	4/19	9/19	4/20	MEAN	NYS STD		
PARAMETER METALS (mg/L)																																					
Aluminum		2.4				0.45			1.6		0.49				0.42				0.31	-	-	ND	-	-	-	-	0.367	-	-	-	27.3	3.15	-	-	4.03		
Calcium	95.6	118	139		90.9	87.3			95.6		101	92.9	94		101		96		82.9	-	87.8	ND	-	-	-	-	90.7	-	-	96	120	116	103	95.2	79.18		
Iron	0.35	3.9	4.1		0.49	0.56			1.7		0.403	0.128	0.178		0.29		0.57		0.34	-	0.39	ND	-	-	-	-	0.723	-	-	1.32	63.4	6.11	0.512	0.123	16.52	0.3	
Magnesium	23.6	24.5	26		23.9	23.6			25.1		26.5	24.5	24.8		26.8		26		22.9	-	24.6	ND	-	-	-	-	24.7	-	25.9	35.1	31	27.4	26.4	21.36	35.0		
Manganese	0.03	1.4	1.7		0.02	0.04			0.05		ND	ND	ND		ND		ND		0.02	-	0.02	ND	-	-	-	-	0.0242	-	0.059	1.78	0.233	0.0143	0.0266	0.42	0.3		
Potassium	2.72	3.4	3.2		2.7	2.6			2.8		3.04	2.71	2.29		2.4		2.4		2.5	-	2.3	ND	-	-	-	-	2.71	-	2.68	7.39	ND	2.66	2.8	4.45			
Sodium	6.85	7.6	5.7		5.5	5.9			4.9		6	4.5	4.7		4.9		5.1		4.6	-	4.6	ND	-	-	-	-	3.81	-	4.94	6.62	4.99	7.2	5.5	5.17	20.0		
PARAMETER (mg/l) TOXIC METALS																																					
Antimony		ND				ND			ND		ND				ND				ND	-	-	ND	-	-	-	-	ND	-	-	-	ND	ND	-	-	0.00	0.003	
Arsenic		ND				ND			ND		ND				ND				ND	-	-	ND	-	-	-	-	ND	-	-	-	0.0626	0.0059	-	-	0.00	0.025	
Barium	0.07	0.16	0.26		0.06	0.06			0.06		0.055	0.047			0.051				0.05	-	-	0.061	-	-	-	-	0.0513	-	-	-	0.205	0.0736	-	-	0.11	1.0	
Beryllium		ND				ND			ND		ND				ND				0.0002	-	-	ND	-	-	-	-	ND	-	-	-	0.0014	ND	-	-	0.00		
Cadmium		ND	ND		ND	ND			ND		ND	ND	ND	ND	ND				ND	-	ND	ND	-	-	-	-	ND	-	ND	ND	ND	ND	ND	0.00	0.005		
Chromium (Total)		ND	ND		ND	ND			ND		ND	ND	ND		ND				ND	-	-	0.001	-	-	-	-	ND	-	-	-	0.0504	0.0088	-	-	0.02	0.05	
Copper		0.02				ND			ND		ND	ND			ND				0.005	-	-	ND	-	-	-	-	0.003	-	-	-	0.0533	ND	-	-	0.00	0.2	
Lead		ND	0.03	0.03		ND	ND		ND	ND	ND	ND	ND		ND				0.002	ND	-	ND	0.005	-	-	-	ND	-	0.0027	-	0.0048	0.126	0.0139	ND	ND	0.02	0.025
Mercury		ND	ND			ND	ND	ND	ND	ND	ND	ND	ND		ND				ND	-	ND	-	-	-	-	-	ND	-	-	-	0.0002	ND	-	-	0.00	0.0007	
Nickel		ND				ND			ND	ND					ND				ND	-	-	0.004	-	-	-	-	0.0021	-	-	-	0.0616	0.0092	-	-	0.02	0.1	
Selenium		ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND		ND				ND	-	ND	-	-	-	-	-	ND	-	-	-	ND	ND	-	-	0.00	0.01	
Silver		ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND		ND				ND	-	-	ND	-	-	-	-	ND	-	-	-	ND	ND	-	-	0.00	0.05	
Thallium		ND				ND			ND	ND					ND				ND	-	-	ND	-	-	-	-	ND	-	-	-	0.005	ND	-	-	0.00	0.0005	
Zinc		0.03				ND			ND		0.038				ND				0.047	-	-	0.069	-	-	-	-	0.0084	-	-	-	0.178	0.0209	-	-	0.03	2.0	
PARAMETER (mg/l) LEACHATE INDICATORS																																					
Alkalinity	330	289	268		496	175	275		250		337	298	329		382	378	310		319	-	329	-	-	-	-	-	294	-	311	-	344	-	336	241			
Biochemical Oxygen Demand		6.6				ND			ND		ND				ND		ND		ND	-	-	-	-	-	-	-	1.0	-	ND	-	1.0	1.0	1.0	2			
Boron		ND				ND			0.03		0.028				0.03				0.06	-	-	0.06	-	-	-	-	0.0303	-	-	-	0.0382	0.0286	-	-	0	1.0	
Chemical Oxygen Demand		ND	92.1	ND		ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	50.5	-	21.6	-	12.4	ND	ND	29			
Chromium (Hexavalent)		ND				ND			ND	ND					ND				ND	-	-	0.013	-	-	-	-	ND	-	-	-	ND	-	-	-	0	0.05	
Chloride		3.7	3.3	3.1		3.2	3	3.2	2.3		2.2	2.79	2.5		2.7	2.2	2.26		3	-	2.5	2.1	-	-	-	-	4.1	-	2.4	-	2.7	2.7	2.6	4.3	250		
Color (PCU units)		160				20			15		ND				50				12	-	-	17	-	-	-	-	5	-	-	-	25	-	-	-	15	15.0	
Nitrate-Nitrite		0.03	ND	ND		ND	ND	ND	ND	0.088	0.58				ND	0.05	0.534		ND	-	ND	ND	-	-	-	-	0.09	-	ND	-	0.045	0.11	0.052	0	10.0		
Nitrogen-Ammonia		0.1	ND	0.14		ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND		ND	-	ND	ND	-	-	-	-	0.026	-	0.022	-	0.032	0.033	ND	0	2.0		
Phenols			0.02	ND		ND	0.01	ND		ND	ND	ND	ND		ND	-	ND		ND	-	ND	ND	-	-	-	-	0.0041	-	0.0056	-	0.0043	0.0041	0.0025	0	0.001		
Sulfate		31	27.3	25.3		23.2	22.4	23.7	20.6		21	22.4	20.9		20.6	19.5	21		20.4	-	20.65	24.5	-	-	-	-	25.2	-	20.6	-	18.5	28.7	17.1	22.9	250		
Total Organic Carbon (TOC)		1.3	28.4	ND		ND	ND	ND	ND		ND	ND	1.5	ND	ND	ND	ND		ND	-	ND	ND	-	-	-	-	ND	-	13.6	2.1	1	0.66	5				
Total Dissolved Solids (TDS)			377	332		359	394	435	363		365	354	331		351		420		738	-	359	381	-	-	-	-	349	-	381	-	454	348	330	299	500		
Total Hardness		336	395	454		325	315	288	342		360	330	340		363		350		301	-	321	342	-	-	-	-	310	-	330	347	320	340	300	330			
Total Kjeldahl Nitrogen (TKN)			2.1						ND		ND				ND		ND		ND	-	-	0.28	-	-	-	-	0.35	-	ND	-	ND	ND	0.45	1			
Turbidity (NTU units)		920	2390	3460		272	95	202	16.9		16	30	5		ND		18.02		19.6	-	17.8	24.2	18.8	17.4	-	-	11.7	-	15.8	365.6	20.5	19.51	12.1	444	5.0		
Cyanide		ND				ND			ND		ND				ND				ND	-	-	-	-	-	-	-	ND	-	-	-	0.0024	-	-	0	0.2		
(Shade) = Analyte reported at or above New York State standards (amended March and June 1998). These standards were used beginning with the 9/98 sampling event. Exceedances noted prior to this event reflect prior standards. * = Applies to the sum of cis and trans-1,3-dichloropropene. ** = Guidance Value. ND values are included in calculation of Mean and are considered equal to zero. (Blank) or "-" = Not Analyzed. ND = Not Detected. <DL = Detected below method detection limit.																																					
J = Estimated. B = Analyte was detected in method blank.																																					

MW-7A  
HISTORICAL ANALYTICAL RESULTS  
ISCHUA LANDFILL  
OLEAN, NEW YORK

[illegible]







MW-7A  
HISTORICAL ANALYTICAL RESULTS  
ISCHUA LANDFILL  
CLEAN, NEW YORK

	3/04	9/04	3/05	9/05	3/06	11/06	4/07	10/07	4/08	10/08	4/09	9/09	4/10	9/10	5/11	10/11	5/12	10/12	6/13	10/13	6/14	10/14	6/15	11/15	5/16	10/16	3/17	10/17	5/18	9/18	4/19	9/19	4/20	MEAN	NYS STD	
PARAMETER METALS (mg/L)																																				
Aluminum		1.1		ND		ND			ND		0.251				ND				0.04	-	-	ND	ND	-	ND	-	0.03	0.853	-	0.104	0.295	-	-	4.18		
Calcium	34.8	34.8	26.3	45.3	52.4	55.9	36.3		46		33.5	44	32.5		53.5	94.2	60		40.8	-	54.6	53.4	25.3	70.9	42.3	-	58.2	30.7	57.8	48.2	53.3	-	51.8	43.41		
Iron	16.6	17.2	6.8	1.1	20.8	25.7	21.8		3.8		10	16.8	8.98		7.8	0.12	28		8.15	-	10.1	20.2	11.8	4.68	18.4	-	11.9	23.1	32.8	25.2	27.7	-	25	22.67	0.3	
Magnesium	6.52	6.8	5.1	9.1	10.5	11.3	7.5		9.4		6.67	8.78	6.5		10.9	15.3	12		8.8	-	11.7	11.1	5.2	12.6	7.48	-	11.7	6.07	11.6	9.51	10.6	-	10.4	9.60	35.0	
Manganese	8.31	8.9	6	7.2	12.8	14.3	9.6		13.5		8.55	11.3	7.84		13.7	2	16		15.7	-	16.1	16.3	6.89	9.5	10.7	-	16.4	2.16	11.6	12.7	14.1	-	14.7	10.83	0.3	
Potassium	15.7	21.8	14.1	23.9	19.7	23.8	18		20.6		19.1	22	15.7		18.4	1.8	18		19	-	19.8	16.6	11.6	13.3	17	-	21.6	21.6	18.1	17.9	12.2	-	13.9	18.66		
Sodium	5.35	5.9	3.6	6.5	5.3	5.9	3.9		5.1		4.4	4.6	3.8		5	6.4	5.3		4.3	-	4.7	4.8	2.6	5.9	ND	-	4.71	4.74	4.28	4.42	3.39	-	4.08	5.95	20.0	
PARAMETER (mg/l) TOXIC METALS																																				
Antimony		ND		ND					ND		ND				ND				0	-	-	ND	ND	-	ND	-	ND	ND	-	ND	ND	-	-	0.00	0.003	
Arsenic		0.04		ND		0.043			ND		0.016				ND				0.007	-	-	0.026	0.026	-	0.026	-	0.01	0.01	-	0.0413	0.0461	-	-	0.02	0.025	
Barium		0.5		0.59		0.76			0.65		0.45				0.65				0.661	-	-	0.681	0.36	-	0.499	-	0.76	0.614	-	0.617	0.588	-	-	0.55	1.0	
Beryllium		ND		ND		ND			ND		ND				ND				2E-04	-	-	ND	ND	-	ND	-	ND	ND	-	ND	ND	-	-	0.00		
Cadmium	ND	ND	ND	ND	ND	ND	ND		ND		ND	ND	ND	ND	ND	ND	ND		ND	-	ND	ND	ND	-	ND	-	8E-05	ND	ND	ND	ND	-	ND	0.00	0.005	
Chromium (Total)		0.01		ND		ND			ND		ND				ND				0.003	-	-	0.003	0.001	-	0.011	-	0.006	ND	-	ND	ND	-	-	0.01	0.05	
Copper		ND		ND		ND			ND		ND				ND				ND	-	-	ND	ND	-	ND	-	0.003	ND	-	ND	ND	-	-	0.00	0.2	
Lead	ND	ND	ND	ND	ND	ND	ND		ND		ND	ND	ND	ND	ND	ND	0.001		0.002	-	ND	0.002	ND	ND	0.003	-	0.003	0.003	0.0025	0.0021	ND	-	ND	0.01	0.025	
Mercury		ND		ND		ND			ND		ND				ND				ND	-	-	ND	ND	-	ND	-	ND	2E-04	-	0.0001	ND	-	-	0.00	0.0007	
Nickel		ND		ND		ND			ND		ND				ND				0.012	-	-	0.011	0.005	-	ND	-	0.013	0.005	-	0.0048	0.0056	-	-	0.02	0.1	
Selenium	ND	ND	ND	ND	ND	ND	ND		ND		ND	ND			ND				0.007	-	-	0.006	0.008	-	ND	-	ND	ND	-	ND	ND	-	-	0.00	0.01	
Silver	ND	ND	ND	ND	ND	ND	ND		ND		ND	ND			ND				ND	-	-	0.003	0.002	-	ND	-	ND	ND	-	ND	0.0023	-	-	0.01	0.05	
Thallium		ND		ND		ND			ND		ND				ND				ND	-	-	ND	ND	-	0.014	-	ND	ND	-	0.0145	0.0097	-	-	0.01	0.0005	
Zinc		ND		ND		0.039			0.02		0.032				0.038				0.063	-	-	0.036	0.015	-	ND	-	0.01	0.008	-	0.0078	ND	-	-	0.03	2.0	
PARAMETER (mg/l) LEACHATE INDICATORS																																				
Alkalinity	180	144	101	203	218	263	96.7		121		145	188	128		252	328	240		209	-	250	265	120	160	193	-	287	243	206	249	221	-	245	202.3		
Biochemical Oxygen Demand		ND		ND		2.8			4.4		3.2				5.7		12		5	-	-	10.4	2.1	4.9	6	-	7.3	ND	8.5	8.3	10.1	-	8.8	5.8		
Boron		0.07		0.08		0.073			0.05		0.057				0.057				0.08	-	-	0.06	0.07	-	ND	-	0.061	0.082	-	0.0865	0.0457	-	-	0.0	1.0	
Chemical Oxygen Demand	13	26.2	ND	18.8	17.9	20.1	16.6		19.2		ND	19.9	13.9		ND	10.5	24		14.8	-	18.1	20.8	10.3	19.1	-	-	50.5	111	54.3	50.2	43.3	-	39.9	26.0		
Chromium (Hexavalent)		ND		ND		ND			ND		ND				ND				ND	-	-	ND	ND	-	-	-	ND	-	-	ND	ND	-	-	0.5	0.05	
Chloride	3.7	2.7	1.4	5	3.5	3.8	3.3		2.7		2	2.39	1.83		4.3	9.1	4.26		2.9	-	3.1	3	ND	2.8	2.28	-	5	4.6	3.5	4.6	2.7	-	2.0	5.3	250	
Color (PCU units)		50		100		250			25		60				200				130	-	-	280	120	-	10	-	15	-	-	75	100	-	-	63.4	15	
Nitrate-Nitrite	0.03	ND	0.47	ND	ND	ND	ND		ND		ND	ND			ND	ND	ND		ND	-	ND	ND	ND	ND	-	ND	-	0.044	0.58	0.073	0.07	ND	-	0.085	0.2	10
Nitrogen-Ammonia	2.1	1.1	0.91	1.7	1.2	1.3	1.6		1.5		1.54	1.72			1.3	ND	2.38		1.49	-	1.3	2.11	1.72	1.86	2.22	-	1.8	1.6	2.1	1.2	2.4	-	2.0	1.8	2.0	
Phenols	ND	ND	ND	ND	ND	0.007	ND		ND		ND	ND	ND		ND	ND	ND		ND	-	0.005	0.011	ND	ND	0.006	-	0.007	0.014	0.0146	0.0095	0.0095	-	0.0031	0.0	0.001	
Sulfate	11	12	12.8	11	8.8	6.2	10		8.5		12	9.37	11.5		8	6.8	ND		6.9	-	6.6	5.9	7.7	7.7	6.37	-	5.9	5.2	4.6	24.6	5.1	-	4.6	11.8	250	
Total Organic Carbon (TOC)	4	7.1	1.5	4.6	5	5.4	5.5		4.4	11.9	3.7	4.2	1.7		4.8	ND	7		5.4	-	6.3	7.2	4.6	5.4	4.8	-	7	5.5	18.9	5.7	6.4	-	6.3	7.4		
Total Dissolved Solids (TDS)	208	213	107	248	336	231	351		244		184	221	178		265	309	350		242	-	291	293	141	259	207	-	272	448	296	246	254	-	247	242.7	500	
Total Hardness	114	115	86.7	150	174	186	122		154		110	150	110		179	298	200		138	-	185	179	84.6	235	140	-	220	96	200	187	170	-	480	159.7		
Total Kjeldahl Nitrogen (TKN)		2.9		2		1.8			1.7		1.76				2.2		2.23		2.1	-	-	2.51	1.81	-	2.27	-	2.4	6	2.7	0.43	2.2	-	3.3	2.8		
Turbidity (NTU units)	81	63.4	118	44.6	40.3	87	33.2		5.9		23	4	0	308	3	6.9	11		9.6	-	12.5	13.8	15.2	21.2	15.4	-	3	41	3.5	10.5	3.5	-	5.3	130.7	5.0	
Cyanide		ND		ND		ND			ND		ND				ND				ND	-	-	ND	ND	-	-	-	ND	-	-	ND	ND	-	-	0.0	0.2	
(Shade) = Analyte reported at or above New York State standards (amended March and June 1998). These standards were used beginning with the 9/98 sampling event. Exceedances noted prior to this event reflect prior standards.																																				
* = Applies to the sum of cis and trans-1,3-dichloropropene.																																				
- = Guidance Value.																																				
ND values are included in calculation of Mean and are considered equal to zero.																																				
(Blank) or "-" = Not Analyzed.																																				
ND = Not Detected.																																				
J = Estimated.																																				
<DL = Detected below method detection limit.																																				
B = Analyte was detected in method blank.																																				

(Shade) = Analyte reported at or above New York State standards (amended March and June 1998). These standards were used beginning with the 9/98 sampling event. Exceedances noted prior to this event reflect prior standards.  
 \* = Applies to the sum of cis and trans-1,3-dichloropropene.  
 \*\* = Guidance Value.  
 ND values are included in calculation of Mean and are considered equal to zero.  
 (Blank) or "-" = Not Analyzed.  
 ND = Not Detected.  
 J = Estimated.  
 <DL = Detected below method detection limit.  
 B = Analyte was detected in method blank.

MW-7C  
HISTORICAL ANALYTICAL RESULTS  
ISCHUA LANDFILL  
OLEAN, NEW YORK

[illegible]

MW-7C  
HISTORICAL ANALYTICAL RESULTS  
ISCHUA LANDFILL  
OLEAN, NEW YORK

	9/90	12/90	3/91	6/91	9/91	12/91	3/92	6/92	9/92	12/92	3/93	6/93	9/93	12/93	3/94	6/94	9/94	12/94	3/95	6/95	9/95	12/95	4/96	9/96	3/97	9/97	3/98	9/98	3/99	9/99	3/00	9/00	3/01	9/01	3/02	9/02	3/03	9/03	3/04			
PARAMETER METALS (mg/L)		16.8				1.9																																				
Aluminum																																										
Calcium		139	117	102	109	93.8	88.2																																			
Iron		34.6	0.66	0.32	0.47	2.8	0.68																																			
Magnesium		23.7	16.4	17.4	17	15.6	14.2																																			
Manganese		0.47	0.18	0.35	0.37	0.27	0.29																																			
Potassium		5.3	1.7	3.4	1.5	2.2	1.6																																			
Sodium		14.8	4	4.8	5.2	4.7	4.5																																			
PARAMETER (mg/l) TOXIC METALS																																										
Antimony		ND				ND																																				
Arsenic		ND				ND																																				
Barium		0.21				0.1																																				
Beryllium						ND																																				
Cadmium			ND	<DL	ND	ND	ND																																			
Chromium (Total)		<DL				ND																																				
Copper		0.03				ND																																				
Lead		0.06	ND	0.01	ND	ND	0.01																																			
Mercury		0.01	<DL	ND	ND	ND																																				
Nickel		0.39				ND																																				
Selenium		0.05	ND	0.01	ND	ND	ND																																			
Silver		ND				ND																																				
Thallium		ND				ND																																				
Zinc		0.08				0.1																																				
PARAMETER (mg/l) LEACHATE INDICATORS																																										
Alkalinity		299	300	284	295	315	356																																			
Biochemical Oxygen Demand		<DL				2.0																																				
Boron		ND				ND																																				
Chemical Oxygen Demand		15	20	<DL	ND	ND	ND																																			
Chromium (Hexavalent)		<DL				ND																																				
Chloride		42.3	40	39.1	30	21.0	30																																			
Color (PCU units)		5				ND																																				
Nitrate-Nitrite		<DL	<DL	<DL	ND	ND	ND																																			
Nitrogen-Ammonia		<DL	<DL	<DL	0.2	0.2	0.1																																			
Phenols		0.002	ND	ND	ND	0.01	ND																																			
Sulfate		14	22	15.4	7	ND	21																																			
Total Organic Carbon (TOC)		4.1	11	4	1	2.0	2																																			
Total Dissolved Solids (TDS)		456	418	394	388	413	381																																			
Total Hardness		444	357	326	342	298	279																																			
Total Kjeldahl Nitrogen (TKN)		34				0.9																																				
Turbidity (NTU units)		65	126	83	200	111	33																																			
Cyanide		<DL				ND																																				



MW-7C  
HISTORICAL ANALYTICAL RESULTS  
ISCHUA LANDFILL  
CLEAN, NEW YORK

	9/04	3/05	9/05	3/06	11/06	4/07	10/07	4/08	10/08	4/09	9/09	4/10	9/10	5/11	10/11	5/12	10/12	6/13	10/13	6/14	10/14	6/15	11/15	5/16	10/16	3/17	10/17	5/18	9/18	4/19	9/19	4/20	MEAN	NYS STD	
PARAMETER METALS (mg/L)																																			
Aluminum			ND		ND		ND	ND		ND			ND	ND			ND	ND	0	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	-	-	0.75		
Calcium			103.0	91.0	97.3	96.5	98.2	94.7	97.9	97.3	96.3	97	100	90.9	52.3	98	96	84.2	94.6	91.6	92.4	102	95.8	102	105	96.6	96.6	105	97.8	115	104	93.7	98.10		
Iron			ND	0.063	ND	ND	0.092	ND	0.081	0.177	ND	ND	0.184	ND	2.3	ND	ND	0.03	ND	0.17	0.08	ND	ND	ND	ND	0.0147	0.07	0.0643	0.147	0.0392	0.0303	0.0604	1.20	0.3	
Magnesium			16.4	14.9	15.7	15.5	15.4	14.9	15.3	15.5	15.3	15.3	15.4	14.8	10.9	16	16	14	15.9	15.5	16.4	16.7	15.8	15	16.9	15.4	15.3	16.7	15.7	18.4	17	15.2	15.88	35.0	
Manganese			0.2	1.5	1.6	1.5	2.2	1.7	0.9	2.65	1.01	1.21	0.633	1.2	3.3	0.89	0.44	1.1	2.04	2.83	1.35	0.945	0.571	0.928	0.464	0.32	6.75	1.20	2.95	0.48	0.70	1.05	1.46	0.3	
Potassium			1.6	1.5	1.5	1.6	1.6	1.4	1.5	1.57	1.39	1.48	1.83	1.5	24.3	1.5	1.5	1.4	ND	ND	1.4	1.6	ND	ND	ND	2.04	2.57	1.73	1.79	ND	1.68	2.08	2.16		
Sodium			6.7	6.3	6.9	7.7	6.4	6.1	6.3	6.5	6.1	6	6.8	6	5.9	6.6	ND	5.8	6.4	6.5	6.3	6.4	6.9	6.62	7.44	8.48	6.53	6.74	6.24	7.14	6.71	9.04	6.43	20.0	
PARAMETER (mg/l) TOXIC METALS																																			
Antimony			ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	-	-	0.00	0.003	
Arsenic			ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	-	-	0.00	0.025	
Barium			0.12		0.1		0.16	0.14		0.186			0.101	0.11			ND	0.104	-	-	0.132	0.128	-	ND	ND	0.0904	0.239	-	0.14	0.0741	-	-	0.09	1.0	
Beryllium			ND		ND		ND	ND		ND			ND	ND			ND	0.0002	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	-	-	0.00		
Cadmium			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	0.005	
Chromium (Total)			ND		ND		ND	ND		0.006			0.005	ND			ND	0.0001	-	-	0.001	ND	-	ND	ND	ND	ND	-	ND	ND	-	-	0.00	0.05	
Copper			ND		ND		ND	ND		ND			ND	ND			ND	0.003	-	-	ND	ND	-	ND	ND	ND	0.0026	ND	-	ND	ND	-	-	0.00	0.2
Lead			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.009	ND	ND	0.002	ND	ND	ND	ND	0.005	0.003	ND	0.0039	ND	0.0021	0.0036	0.0025	ND	ND	ND	ND	0.00	0.025
Mercury			ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	ND	0.0001	0.0001	-	0.0001	0.0001	-	-	0.00	0.0007
Nickel			ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	ND	0.0015	-	0.0011	ND	-	-	0.02	0.1	
Selenium			ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	0.003	0.003	-	ND	ND	ND	-	ND	ND	-	-	0.00	0.0		
Silver			ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	-	-	0.00	0.05	
Thallium			ND		ND		ND	ND		ND			ND	ND			ND	ND	0	-	ND	ND	-	ND	ND	ND	0.0052	-	ND	ND	-	-	0.00	0.0005	
Zinc			ND		0.015		0.028	0.011		0.012			0.034	ND			0.012	0.011	-	-	0.011	ND	-	0.0276	ND	0.0237	0.0495	-	0.0292	0.0227	-	-	0.02	2.0	
PARAMETER (mg/l) LEACHATE INDICATORS																																			
Alkalinity			282.0	484	264	311	401	279	246	294	293	350	307	323	252	270	300	299	320	302	320	321	320	307	310	314	292	286	314	327	313	344	310.9		
Biochemical Oxygen Demand			ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	ND	ND	ND	1.0	1.0	ND	ND	1.0	1.0	1.0	0.3		
Boron			ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	0.03	0.05	-	ND	ND	0.0166	0.0187	-	0.0136	ND	-	-	0.0	1.0	
Chemical Oxygen Demand			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	18.7	ND	ND	11.4	6.3	ND	11.1	12.8	9.1	-	ND	15.1	18.2	25.7	15.5	ND	ND	ND	5.0		
Chromium (Hexavalent)			ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	-	ND	0.0033	-	-	ND	ND	-	-	0.0	0.05	
Chloride			14.7	14.3	13.2	12.2	12.3	10.5	11.9	12	12	10.2	9.72	10.3	4	9.18	7.69	7.9	7.6	6.8	6.3	7.7	6.1	5.82	7.1	7.5	5.7	5.4	6.3	5.7	5.9	6.8	12.9	250	
Color (PCU units)			13.0		15.0		50	5		ND			0	17.5			ND	8	-	-	12	8	-	5	5	5	-	-	15	10	-	-	6.9	15.0	
Nitrate-Nitrite			ND	ND	ND	0.092	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.023	0.044	ND	ND	ND	0.083	0.055	0.0	10.0
Nitrogen-Ammonia			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.5	ND	ND	ND	ND	ND	ND	ND	0.059	ND	ND	ND	0.028	0.038	0.03	0.089	0.066	0.21	ND	0.1	2.0
Phenols			ND	ND	ND	0.01	ND	0.0098	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.252	ND	ND	0.0031	0.0011	0.0034	ND	0.0054	0.004	ND	0.0083	0.001
Sulfate			8.0	7.3	6	8	8.2	5.5	6.7	6.8	6.82	7.41	6.1	7.9	7.9	6.2	ND	6.6	6.4	7.2	6.3	7.8	7.4	6.86	8.3	8.7	6.5	6.8	9.3	6.8	8.3	6.5	8.0	250	
Total Organic Carbon (TOC)			1.1	ND	ND	2	1.1	1.3	1.6	ND	2.3	ND	1.4	1.3	1.8	ND	ND	1.4	1.5	1.3	1.4	1.4	5.77	1.35	2.7	ND	1.6	13.5	1.7	1.6	0.7	1.0	17.9		
Total Dissolved Solids (TDS)			341.0	344	325	326	299	327	326	319	321	319	259	287	254	340	370	340	329	290	330	308	325	334	338	349	342	354	323	310	302	335	336.6	500	
Total Hardness			ND	288	308	305	308	298	307	310	300	310	310	288	176	310	300	268	302	293	298	324	318	340	310	280	310	340	273	280	300	300	297.2		
Total Kjeldahl Nitrogen (TKN)				ND	ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	0.13	ND	0.21	0.15	ND	2.8	ND	ND	0.38	1.5		
Turbidity (NTU units)			62.2	4.2	5	11.3	15.5	2.4	4.9	1	0	1	12	1	8.2	3.4	15.3	2.2	1.8	10	3.9	17.2	8.1	3.8	5.8	24.7	5.86	16.7	25.1	13.5	9.04	6.1	25.5	5.0	
Cyanide			ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	-	ND	ND	-	-	ND	0.0024	-	-	0.0	0.2	
(Shade) = Analyte reported at or above New York State standards (amended March and June 1998). These standards were used beginning with the 9/98 sampling event. Exceedances noted prior to this event reflect prior standards. * = Applies to the sum of cis and trans-1,3-dichloropropene. ** = Guidance Value. ND values are included in calculation of Mean and are considered equal to zero. (Blank) or "-" = Not Analyzed. ND = Not Detected. -DL = Detected below method detection limit. J = Estimated. B = Analyte was detected in method blank.																																			

(Shade) = Analyte reported at or above New York State standards (amended March and June 1998). These standards were used beginning with the 9/98 sampling event. Exceedances noted prior to this event reflect prior standards.  
 \* = Applies to the sum of cis and trans-1,3-dichloropropene.  
 \*\* = Guidance Value  
 ND values are included in calculation of Mean and are considered equal to zero.  
 (Blank) or "-" = Not Analyzed.  
 ND = Not Detected.  
 J = Estimated.  
 B = Analyte was detected in method blank.  
 <DL = Detected below method detection limit.













MW-9B  
HISTORICAL ANALYTICAL RESULTS  
ISCHUA LANDFILL  
OLEAN, NEW YORK

[illegible]



MW-9B  
HISTORICAL ANALYTICAL RESULTS  
ISCHUA LANDFILL  
CLEAN, NEW YORK

	3/04	9/04	3/05	9/05	3/06	11/06	4/07	10/07	4/08	10/08	4/09	9/09	4/10	9/10	5/11	10/11	5/12	10/12	6/13	10/13	6/14	10/14	6/15	11/15	5/16	10/16	3/17	10/17	5/18	9/18	4/19	9/19	4/20	MEAN	NYS STD
PARAMETER METALS (mg/L)																																			
Aluminum						2.3			ND		0.238			ND	0.59			0.12	ND	-	-	-	ND	-	ND	-	0.056	-	-	0.43	0.251	-	-	5.10	
Calcium						60.7	52.6		68	72.1	62	61.9	60.5	54.9	65.4	61.8	57	63	54.7	-	61.2	-	63.8	75.6	70.7	-	75.6	-	-	76.4	78.4	-	79	53.06	
Iron						2.8	0.31		0.28	2	1.11	0.451	0.46	0.472	1.2	0.86	0.33	1.3	0.3	-	1.44	-	0.65	1.22	0.462	-	0.135	-	-	1.78	1.44	-	2.64	18.54	0.3
Magnesium						8.2	6.9		8.5	9.1	8.44	8.26	8.98	8.74	9.5	9.8	9.2	10	8.8	-	9.9	-	9.5	10.1	9.52	-	10.6	-	-	10.1	10.4	-	10.4	9.51	35.0
Manganese						0.14	0.032		0.05	0.03	ND	ND	0.07	0.035	0.12	0.055	0.029	0.053	0.021	-	0.066	-	0.969	0.428	0.779	-	0.118	-	-	0.658	1.53	-	0.884	0.45	0.3
Potassium						1.9	1		1.4	5	1.61	1.18	1.17	1.7	1.8	1.7	1	2.3	1.2	-	2.1	-	1.4	3.3	ND	-	2.04	-	-	1.83	ND	-	5.5	3.70	
Sodium						4.2	3.5		4.9	5.7	4.8	4.3	4.1	4.7	4.6	4.7	4.1	ND	4.1	-	4.3	-	4.4	5.5	ND	-	5.89	-	-	5.33	4.62	-	7.62	3.50	20.0
PARAMETER (mg/l) TOXIC METALS																																			
Antimony						ND			ND		ND			ND	ND			ND	ND	-	-	-	ND	-	ND	-	ND	-	-	ND	ND	-	-	0.00	0.003
Arsenic						ND			ND		ND			ND	ND			ND	ND	-	-	-	ND	-	ND	-	ND	-	-	ND	ND	-	-	0.00	0.025
Barium						0.04			0.02		0.019			0.019	0.029			ND	0.016	-	-	-	0.021	-	ND	-	0.02	-	-	0.0377	0.0314	-	-	0.03	1.0
Beryllium						ND			ND		ND			ND	ND			ND	2E-04	-	-	-	ND	-	ND	-	ND	-	-	ND	ND	-	-	0.00	
Cadmium						ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	-	ND	ND	ND	-	ND	-	-	ND	ND	-	ND	0.00	0.005
Chromium (Total)						0.01			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	ND	-	ND	-	ND	-	-	0.0069	ND	-	-	0.02	0.05
Copper						ND			ND		ND			ND	ND			ND	ND	-	-	-	ND	-	ND	-	ND	-	-	0.0044	ND	-	-	0.01	0.2
Lead						0.01	ND		ND	ND	ND	ND	ND	ND	0.006	ND	0.001	ND	0.001	-	ND	-	0.002	ND	0.005	-	ND	-	-	ND	ND	-	0.0038	0.01	0.025
Mercury						ND			ND		ND			ND	ND			ND	ND	-	-	-	ND	-	ND	-	ND	-	-	ND	ND	-	-	0.00	0.0007
Nickel						ND			ND		ND			ND	ND			ND	ND	-	-	-	0.002	-	ND	-	0.001	-	-	0.0042	0.0054	-	-	0.04	0.1
Selenium						ND	ND		ND	ND	ND	ND		ND	ND			ND	ND	-	-	-	0.004	-	ND	-	ND	-	-	ND	ND	-	-	0.00	0.0
Silver						ND			ND		ND			ND	ND			ND	ND	-	-	-	ND	-	ND	-	ND	-	-	ND	ND	-	-	0.00	0.05
Thallium						ND			ND		ND			ND	ND			ND	ND	-	-	-	ND	-	ND	-	ND	-	-	ND	ND	-	-	0.00	0.0005
Zinc						0.03			0.15		0.054			0.143	0.15			0.17	0.059	-	-	-	0.255	-	0.204	-	0.006	-	-	0.323	0.306	-	-	0.11	2.0
PARAMETER (mg/l) LEACHATE INDICATORS																																			
Alkalinity						158	155						1.860			226	220			180	-	-	-	-	-	-	200	-	-	-	-	-	-	85.2	
Biochemical Oxygen Demand						-														-	-	-	-	-	-	-	1.2	-	-	-	-	-	-	0.1	
Boron						ND			ND		ND			ND	ND			ND	ND	-	-	-	-	-	ND	-	0.01	-	-	0.0115	ND	-	-	0.0	1.0
Chemical Oxygen Demand						14.9	23.4		19.2				ND	ND	ND	107	ND			6	-	30.3	-	-	-	ND	17.2	-	-	44.1	12.4	-	160	17.1	
Chromium (Hexavalent)						ND												ND	-	-	-	-	-	-	-	0.01	-	-	-	-	-	-	-	0.0	0.05
Chloride						5.4	4.2						5.86	6.59		5.5	60.7			5	-	4.3	-	-	-	5.9	-	-	-	-	-	-	6.1	250	
Color (PCU units)						-												12	-	-	-	-	-	-	5	10	-	-	-	-	-	-	-	1.7	15.0
Nitrate-Nitrite						0.05	0.15										ND	0.069	ND	-	ND	-	-	-	-	0.055	0.035	-	-	ND	0.078	-	0.95	0.1	10.0
Nitrogen-Ammonia						ND	ND		ND					ND	ND	ND	ND	ND	ND	-	ND	-	ND	-	ND	0.026	-	-	0.091	0.033	-	ND	0.0	2.0	
Phenols						ND	0.0081			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	0.003	-	-	0.0161	0.0033	-	ND	0.0	0.001	
Sulfate						8.2	10.1						9.52	8.13		8.8	8.5			8.3	-	7.9	-	-	-	9.6	-	-	-	-	-	-	-	6.8	250
Total Organic Carbon (TOC)						-	1.5	5	2.4	2.3		ND	BD	ND	2.5	ND			1.5	-	-	-	-	-	2.6	ND	5.8	15.8	3.8	2.5	-	50.7	4.6		
Total Dissolved Solids (TDS)						244	177										240			215	-	228	-	-	-	225	-	-	-	-	-	-	-	123.7	500
Total Hardness						185	160		205			190	190	170		195		200	173	-	194	-	-	-	170	200	-	-	200	180	-	240	144.2		
Total Kjeldahl Nitrogen (TKN)						ND									ND	ND			ND	-	-	-	-	-	0.11	0.27	-	-	0.35	0.49	-	2.2	0.4		
Turbidity (NTU units)						-	5.2													17	-	9.2	28.3	31	23.8	14.4	3.5	14.8	229	38.3	28.8	26.5	-	122.4	5.0
Cyanide																				-	-	-	-	-	-	ND	-	-	-	ND	-	-	-	0.0	0.2
(Shade) = Analyte reported at or above New York State standards (amended March and June 1998). These standards were used beginning with the 9/98 sampling event. Exceedances noted prior to this event reflect prior standards. * = Applies to the sum of cis and trans-1,3-dichloropropene. ** = Guidance Value. ND values are included in calculation of Mean and are considered equal to zero. (Blank) or "-" = Not Analyzed. ND = Not Detected. J = Estimated. <DL = Detected below method detection limit. B = Analyte was detected in method blank.																																			





MW-108  
HISTORICAL ANALYTICAL RESULTS  
ISCHUA LANDFILL  
CLEAN, NEW YORK

	9/90	12/90	3/91	6/91	9/91	12/91	3/92	6/92	9/92	12/92	3/93	6/93	9/93	12/93	3/94	6/94	9/94	12/94	3/95	6/95	9/95	12/95	4/96	9/96	3/97	9/97	3/98	9/98	3/99	9/99	3/00	9/00	3/01	9/01	3/02	9/02	3/03	9/03																															
PARAMETER METALS (mg/L)																																																																					
Aluminum					12.6				6.27				1.33				ND					1.44		1.80		2.43		0.13		0.1		0.146		ND		ND		0.71																															
Calcium	72.2	59.4	64.6	65.0	51.8	58	62.8	73.5	66.7		61.6	62.1	55.6	57.5	66.2	ND	55	52.6	61.1	65.8	64.7	64.4	61.7	59.3	63.9	62.7	68.6	55.9	66.8	68.1	66.9	59.4	62.7	62.3	69.3	57.4	61.2																																
Iron	16.8	12.4	8.96	23.9	0.73	11.8	7.1	21.3	22		12.1	7.31	5.55	8.9	38.8	ND	10.7	43.5	10.6	11.3	15.3	11.1	7.90	14.6	5.48	6.26	4.13	1.01	1.1	5.45	3.72	1.46	5	2.8	4.89	4.25	8.82																																
Magnesium	22.7	21.4	20.1	22.7	15.6	19.4	20.6	25.6	24.1		20.1	20	19.2	20.5	27.3	0.13	18.2	22.1	19.7	21	21.9	21.4	20.2	20.4	20.8	19.8	20.3	18.9	20.3	22.3	21.4	18.7	21.1	20.2	21.6	19.2	21.3																																
Manganese	12.8	11.9	12	13.1	9.75	11.6	12	14.7	12.5		11.9	11.9	10.9	10.3	12.5	ND	9.22	10.0	11.0	12.7	11.9	11.7	11.4	10.7	10.7	10.2	11.3	7.94	10.9	9.91	11.3	7.97	11.4	6.93	11.2	8.8	10.1																																
Potassium	2.7	2.3	2.4	5.0	3.3	3.3	3.8	3.58	3.9		3.4	2.34	2.88	3.18	5.24	ND	3.56	5.9	3.12	2.49	3.49	2.89	3.00	3.18	3.84	4.28	3.24	2.97	2.58	5.54	3.46	2.77	2.54	4.53	3.02	2.87	2.71																																
Sodium	9.9	11.6	10.2	11.3	10.1	10.7	10.7	12.2	10		8.86	10.6	10	10.7	3.02	11	10.5	7.6	10.7	10.3	10.7	9.45	10.9	9.83	10.6	9.76	8.96	9.39	9.86	10.4	9.82	9.62	9.84	10.3	9.64	8.99	9.91																																
PARAMETER (mg/l) TOXIC METALS																																																																					
Antimony					ND				ND				ND				ND				ND			ND		ND		ND		0.05		ND		ND		ND		ND		ND																													
Arsenic					0.021				0.028				0.016				0.013				0.02			0.030		0.01		0.01		0.01		0.013		0.03		0.016		ND		ND																													
Barium					0.17				0.25				0.1				ND				0.13			0.124		0.13		0.09		0.09		0.105		0.11		0.105		0.1		ND																													
Beryllium					ND				ND				ND				ND				ND			ND		ND		ND		ND		ND		ND		ND		ND		ND																													
Cadmium					ND				ND				ND				ND				ND			ND		ND		ND		ND		ND		ND		ND		ND		ND																													
Chromium (Total)	<DL	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	0	ND	ND	ND	0.002	ND	0	ND	0.01	ND	ND	ND	ND	0.01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01																													
Copper					0.03				0.02				0.02				ND				0.35			0.026		0.03		ND		0.01		0.013		ND		ND		ND		ND																													
					0.02				ND				ND				ND				ND			ND		ND		ND		ND		ND		ND		ND		ND		ND																													
Lead	0.020	<DL	0.022	0.029	ND	0.018	0.023	0.010	0.034	0.021	0.009	0.007	0.012	0.005	0.026	0.004	0.013	0.009	0.006	0.02	0.003	0.010	0.042	0.010	0.01	0	0.01	0	0	0	0.014	0	0.01	0.003	0.007	0	ND																																
Mercury					ND				ND				ND				ND				ND			ND		ND		ND		ND		ND		ND		ND		ND		ND																													
Nickel					ND			0.04				0.06					ND				0.15			0.055		0.07		0.04		0.05		0.048		0.06		0.046		ND		ND																													
Selenium	<DL				ND				ND				ND			ND				ND			ND		ND		ND		ND		ND		ND		ND		ND		ND		ND																												
Silver					ND				ND			0.01					ND				ND			ND		ND		ND		ND		ND		ND		ND		ND		ND																													
Thallium					ND				ND				ND				ND				ND			ND		ND		ND		ND		ND		ND		ND		ND		ND																													
Zinc					0.08				0.04				0.03				ND				ND			ND		0.03		ND		ND		ND		ND		0.03		0.029		0.01																													
PARAMETER (mg/l) LEACHATE INDICATORS																																																																					
Alkalinity	278	271	247	296	306	321	294.0	282	259	278	257	275	238	262	264	291	261	247	288	265	256	246	310	260	281	317	288	268	310	285	281	251	282	257	286	276	335																																
Biochemical Oxygen Demand				3				ND				7				8				15			9		13		17		ND		9		14		28		4		7																														
Boron				0.1				ND				0.02				ND				0.07			0.112		0.06		0.08		0.07		0.081		0.08		0.073		0.05																																
Chemical Oxygen Demand	16	17	ND	8	6.0	ND	15.0	45.4	29.9	18.1	16.4	23.4	45.3	27.7	20.4	25.3	ND	25.1	45.4	36.6	ND	29.5	19.0	ND	22.4	39.1	26.3	25.4	ND	38.3	ND	23.2	ND	24.3	38.8	12.8	38																																
Chromium (Hexavalent)				ND				ND				ND				ND				ND			ND		ND		ND		ND		ND		ND		ND		ND		ND		ND																												
Chloride	21	20.3	23	22	26.0	18.0	43.0	20.7	16.4	23.2	23	25.6	16.5	19.9	17.8	23.3	18.4	15	21.1	24.4	18.9	15.0	24.0	13.2	20.6	12.8	20.3	16.3	20.8	13.7	18	14.5	18.5	15.3	19.9	12.8	12																																
Color (PCU units)				ND				30				20				40				30			60		20		35		50		20		15		50		ND																																
Nitrate-Nitrite	<DL	<DL	ND	ND	ND	ND	0.1	1.63	1.1	ND	ND	ND	0.86	ND	ND	0.48	0.76	ND	0.096	0.78	ND	ND	1.56	ND	0.58	ND	0.61	0.62	0.71	ND	1.12	0.1	0.21	ND	0.217	ND	ND		ND																														
Nitrogen-Ammonia	<DL	<DL	ND	0.3	0.8	1.2	4.6	1.76	1.9	1.99	1.2	2.05	0.51	1.3	3.74	1.39	1.3	2.02	2.92	1.5	1.7	0.890	1.24	1.54	1.26	1.45	1.66	0.88	1.14	1.32	1.52	0.76	1.68	0.684	1.79	1.17	1.8																																
Phenols	ND	ND	ND	ND	ND	ND	ND	0.010	ND	0.018	0.013	0.031	ND	0.020	0.015	0.017	0.008	0.010	0.040	0.05	0.013	0.01	0.014	0.005	0.01	0.01	0.01	0.02	0.01	0.020	0.0112	0.02	0.01	0.0129	0.0074	0.009	ND		ND																														
Sulfate	0.5	4.5	ND	ND	ND	ND	ND	14	11	ND	5	5.7	6.7	6.7	ND	ND	ND	ND	ND	8.7	6.4	ND	ND	12	7.1	ND	14	7.4	106	ND	11	6.37	7.15	5.52	7.27	7.2																																	
Total Organic Carbon (TOC)	13	5.4	6	6	6	5.0	14.0	8.9	6.3	7.2	5.6	7.8	4.7	7	4.9	8.9	4.8	9.5	8.9	6.4	6.1	7.0	6.4	4.6	ND	4.5	6.2	4.5	6	5.3	7	4.8	4.8	4.3	3.1	2.4	4.2																																
Total Dissolved Solids (TDS)	290	311	336	360	149	306	332.0	228	376	347	338	305	283	284	288	336	282	269	330	319	290	282	326	290	319	271	368	292	306	308	290	305	336	297	320	309	322																																
Total Hardness	272	237	294	256	194	225	242.0	320	304	368	277	299	295	422	284	352	212	222	234	251	252	249	237	232	245	199	255	217	250	262	255	225	243	239	262	222	241																																
Total Kjeldahl Nitrogen (TKN)																																																																					
Turbidity (NTU units)	3200	496	280	386	24.0	214	138.0	220	160	240	75	24	150	88	66	23	9	130	19	27	46	70	29	36	14	43	18	23	700	18	22	9	6.1	2.4	36	8.9	140																																
Cyanide					ND			ND				ND				ND				ND			ND		ND		ND		ND		ND		ND						ND																														

MW-10B  
HISTORICAL ANALYTICAL RESULTS  
ISCHUA LANDFILL  
OLEAN, NEW YORK

	3/04	9/04	3/05	9/05	3/06	11/06	4/07	10/07	4/08	10/08	4/09	9/09	4/10	9/10	5/11	10/11	5/12	10/12	6/13	10/13	6/14	10/14	6/15	11/15	5/16	10/16	3/17	10/17	5/18	9/18	4/19	9/19	4/20	MEAN	NYS STD	
PARAMETER VOLATILES (ug/L)																																				
Acetone					ND	ND	ND	2.8	14	ND	2	ND	1.2	ND	1.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.2	ND	ND	ND	ND	0.75	50.0	
Acrylonitrile					ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0	
Benzene	2.3	2.2	2.3	1.8	1.6	2	1.6	1.6	1.4	1.7	ND	0.59	0.85	1.8	1.4	0.82	ND	ND	1.9	ND	ND	ND	1.6	1.3	ND	ND	1.4	ND	ND	1.8	ND	ND	ND	1.7	1.85	1.0
Bromobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	-	-	0.00	5.0
Bromochloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	50.0	
Bromodichloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	50.0	
Bromoform	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	50.0	
Bromomethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0	
2-Butanone					ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	50.0	
n-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	-	-	0.00	5.0
sec-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	-	-	0.00	5.0
tert-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	-	-	0.03	5.0
Carbon disulfide					ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	60.0
Carbon tetrachloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0
Chlorobenzene	1.5	1.4	1.5	0.87	1	1.2	0.95	0.88	1.2	1	ND	0.36	0.52	1.4	0.98	ND	ND	1.7	ND	ND	ND	1.2	0.93	ND	ND	ND	ND	1.3	ND	ND	ND	ND	1.5	0.79	5.0	
Chloroethane	ND	0.4	0.5	0.33	0.4	0.37	0.5	ND	0.52	ND	0.26	0.59	0.5	ND	ND	ND	ND	0.07	ND	ND	ND	0.75	0.57	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.17	5.0	
Chloroform	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.74	7.0	
Chloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0	
2-Chlorotoluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	-	-	-	0.00	5.0
4-Chlorotoluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	-	-	-	0.00	5.0
Dibromochloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	-	-	0.00	5.0
1,2-Dibromo-3-chloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	0.04
1,2-Dibromoethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0
Dibromomethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0
1,2-Dichlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	3.0
1-Dichlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	3.0
1,4-Dichlorobenzene	ND	0.53	0.57		ND	ND	ND	0.31	0.3	0.34	ND	ND	0.41	ND	ND	ND	ND	0.53	ND	ND	ND	0.37	0.29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.24	3.0	
trans-1,4-Dichloro-2-butene					ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0
Dichlorodifluoromethane	ND	1.3	0.95	0.58	0.85	ND	0.85	0.64	ND	ND	ND	0.33	0.42	0.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	8.4	ND	-	-	-	-	-	0.86	5.0
1,1-Dichloroethane	17.6	18	16	21	18	19	17	19	12	18	13	11	14	18	14	12	12	15	12	13	21	11	15	11	11	16	11.5	18.1	15.5	9.5	14.2	11.6	13	17.92	5.0	
1,2-Dichloroethane	0.5	ND	ND	0.4	ND	ND	0.33	ND	0.39	ND	ND	ND	0.43	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.11	0.6	
1,1-Dichloroethene	ND	ND	0.4	ND	ND	ND	0.31	0.35	ND	0.37	ND	ND	0.24	0.37	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.04	5.0	
cis-1,2-Dichloroethene	31.5	35	39	22	28	36	35	31	27	28	15	19	31	55	26	19	36	37	40	38	49	41	54	30	38	43	35.2	62.3	54.4	38.2	54.9	33.6	46.6	27.41	5.0	
trans-1,2-Dichloroethene	1.1	0.96	1.1	0.69	0.61	0.87	0.88	0.64	ND	1.1	ND	0.34	0.52	0.97	0.58	ND	ND	ND	ND	ND	ND	0.64	1.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.60	5.0	
1,2-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	1.0	
1,3-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0	
2,2-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	-	ND	0.00	5.0
1,1-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	-	ND	0.00	5.0
cis-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	0.4 *	
trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	0.4 *	
Ethylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.53	5.0	
2-Hexanone					ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	50.0	
Hexachlorobutadiene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	-	-	0.00	0.5
Iodomethane					ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0
Isopropylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.02	5.0
p-Isopropyltoluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	-	-	0.03	5.0
Methylene chloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.26	5.0
4-Methyl-2-pentanone					ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0
Naphthalene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	-	-	0.01	10.0 **
n-Propylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	-	-	0.01	5.0
Styrene	ND	ND	ND	ND	ND	ND	ND	ND																												

MW-108  
HISTORICAL ANALYTICAL RESULTS  
ISCHUA LANDFILL  
CLEAN, NEW YORK

	3/04	9/04	3/05	9/05	3/06	11/06	4/07	10/07	4/08	10/08	4/09	9/09	4/10	9/10	5/11	10/11	5/12	10/12	6/13	10/13	6/14	10/14	6/15	11/15	5/16	10/16	3/17	10/17	5/18	9/18	4/19	9/19	4/20	MEAN	NYS STD	
PARAMETER METALS (mg/L)																																				
Aluminum	71.6	66.7	73.1	66.8	64.2	68.9	63.7	74.9	67.7	69.1	63	71.1	67.5	75.5	75.1	70.7	72	79	66.8	74.7	74	70	74.5	66.4	72.9	83	72.4	72.1	76.4	76.6	88.8	78.8	79.7	66.37		
Calcium	1.63	6.1	4	ND	0.44	0.61	1.7	0.48	0.24	0.52	0.337	0.268	0.599	3.48	0.5	0.54	2.6	1.6	1.8	1.62	1.04	0.66	1.42	ND	0.294	1.26	0.137	2.43	0.782	0.865	1.9	1.45	0.335	6.07	0.3	
Iron	21.4	21.3	22.6	20.6	19.4	22	20.6	23.1	21.8	21.8	19.9	22.6	21.6	24.5	24.1	23	25	26	23.3	25.4	24.9	23.8	24.4	20.9	20.7	26	22.4	23.9	24.3	23.8	28	24.6	25.4	21.64	35.0	
Magnesium	8.81	9.5	9.7	2.3	4.3	5.4	6.6	10.6	5.7	8.3	5.02	3.06	4.38	11.3	5.9	6.1	9.7	11	9.02	10.5	5.78	6.57	7.54	2.74	3.71	10.8	2.16	9.29	5.87	5.59	8.69	7.21	7.26	8.92	0.3	
Manganese	2.65	3.4	2.6	2.3	2.2	2.5	2.3	2.4	2.5	2.5	1.76	2.08	2.07	2.42	2.4	2.2	2.3	2.3	2.2	2.5	2.4	2	2.4	2.2	ND	ND	2.59	3.56	2.42	2.41	ND	2.51	2.79	2.78		
Potassium	10.6	8.8	9.2	9.7	8.8	9.3	8.6	9.4	9.9	9.5	9.2	9.8	9.4	9	8.9	9.5	8.7	ND	8.7	9.2	8.3	9.1	9.1	9.3	9.29	9.86	8.22	8.83	8.99	9.64	8.7	9.08	9.82	9.45	20.0	
PARAMETER (mg/l) TOXIC METALS																																				
Antimony	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	-	-	0.00	0.003	
Arsenic	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.013	ND	ND	ND	ND	0.005	-	-	ND	0.005	-	ND	ND	ND	0.012	-	ND	0.007	-	-	0.01	0.025	
Barium	0.16	0.14	0.08	0.093	0.08	0.085	0.094	0.074	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.092	-	-	0.071	0.073	-	ND	ND	0.055	0.087	-	0.066	0.071	-	-	0.08	1.0	
Beryllium	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	-	-	0.00		
Cadmium	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	0.005
Chromium (Total)	0.01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	-	-	0.01	0.05	
Copper	0.01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	-	-	0.00	0.2	
Lead	ND	0.01	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.001	ND	0.002	ND	ND	ND	ND	0.004	ND	0.002	0.004	0.004	ND	ND	ND	ND	ND	0.01	0.025	
Mercury	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	ND	ND	-	ND	ND	ND	6E-05	-	1E-04	ND	-	-	0.00	0.0007	
Nickel	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.005	-	-	0.005	0.005	-	ND	ND	0.004	0.004	-	0.004	0.005	-	-	0.02	0.1	
Selenium	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	-	-	ND	0.006	-	ND	ND	ND	ND	-	ND	ND	-	-	0.00	0.0	
Silver	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	ND	0.001	-	ND	ND	ND	ND	-	ND	ND	-	-	0.00	0.05	
Thallium	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	ND	ND	-	ND	ND	ND	0.005	-	0.0066	0.0086	-	-	0.00	0.0005	
Zinc	ND	ND	ND	ND	ND	ND	0.01	ND	0.01	ND	ND	ND	ND	0.01	0.014	ND	ND	ND	0.004	-	-	0.014	ND	-	ND	ND	0.004	0.007	-	0.009	ND	-	-	0.01	2.0	
PARAMETER (mg/l) LEACHATE INDICATORS																																				
Alkalinity	270	274	267	272	280	242	268	349	134	321	314	261	257	340	331	325	290	330	310	330	311	319	303	260	268	315	267	392	269	307	324	302	347	286.0		
Biochemical Oxygen Demand		ND	ND	ND	ND	ND	ND	4.4	2.7		ND			ND	2.6			5	ND	4.4	-	-	3.5	2.2	2.4	ND	ND	1.2	2.4	ND	7	2.8	1.7	1.2	3.8	
Boron		0.07		ND	ND	0.06		0.052	0.07		0.04			0.059	0.057			ND	0.07	-	-	0.05	0.06	-	ND	ND	0.045	0.053	-	0.047	0.046	-	-	0.0	1.0	
Chemical Oxygen Demand	18	19.9	14.1	10.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	15.9	ND	23	11.4	9.7	ND	ND	11.3	8.4	-	21.3	13	35.2	31.8	29.8	16.8	21.2	20.9	15.6		
Chromium (Hexavalent)		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	ND	ND	-	-	ND	0.003	-	-	ND	ND	-	-	0.0	0.05	
Chloride	14	12.3	11	16.8	11.7	9.2	10.9	14	10.1	13.9	13	12.6	11.5	11.5	8	11.3	8.75	10.4	8.9	11.5	6.4	8.4	11.2	9.1	8.71	11.7	12.5	10.2	8.0	10.9	7.1	8.5	5.6	15.4	250	
Color (PCU units)		100		15		5		40	ND		10			0	12.5			5	39	-	-	8	22	-	ND	15	10	-	-	5	ND	-	-	17.3	15	
Nitrate-Nitrite	ND	0.18	ND	1.2	ND	ND	ND	0.12	ND	1.3	ND			ND	ND	1.6	0.056	0.305	ND	ND	ND	ND	ND	1.5	ND	0.054	ND	0.042	ND	ND	ND	ND	ND	0.3	10	
Nitrogen-Ammonia	1.1	0.4	1.2	0.86	0.37	0.26	0.65	1	0.52	0.88	0.655	0.235	0.212	0.823	0.44	0.29	1.2	1.64	0.796	0.852	0.357	0.496	0.709	0.2	0.44	1.2	0.19	0.96	0.68	0.32	0.9	0.83	0.51	1.1	2.0	
Phenols	0.004	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.006	ND	0.004	0.007	0.0096	0.0110	0.0018	0.0040	ND	0.0	0.001	
Sulfate	6.1	7.3	6.9	6.1	7.1	7.1	6.6	6.8	4.3	5.4	6.7	7.2	6.91	5.16	7.7	5.8	ND	ND	5.3	5.4	6.2	5.4	5.4	6.2	5.65	6.1	6.2	4.4	5.0	6.1	5.2	7.0	4.7	6.4	250	
Total Organic Carbon (TOC)	3.2	4.4	3.6	3	2.4	3	3.1	2.7	4.4	5.3	2.7	1.6	1.5	3.6	3.0	1.4	3.9	3.6	4.0	3.6	3.4	3.9	3.0	3.1	1.65	5.2	ND	3.9	12.8	2.9	2.7	2.0	4.8	4.9		
Total Dissolved Solids (TDS)	312	331	287	307	282	404	378	325	308	318	286	294	290	308	295	296	410	370	339	332	326	324	311	278	300	342	279	337	335	308	306	326	318	312.3	500	
Total Hardness	267	254	276	252	240	262	244	282	259	262	240	270	260	290	287	271	280	310	263	291	287	273	286	257	250	350	300	300	227	280	260	340	266.6			
Total Kjeldahl Nitrogen (TKN)		1.4		1.3		ND		1.6	ND					1.6	1.4			0.839	1.55	1.25	-	-	0.78	0.88	-	0.32	1	0.36	1.4	0.88	0.53	1.10	1.40	1.40	1.5	
Turbidity (NTU units)	23	75.7	109	1.9	1.7	3	6.2	6.9	1.9	4.5	37	8	0	4	0	4.1	3.1	0.1	0.3	3	0	9.4	25.4	3.3	0.8	1.7	1.4	15.6	0.60	2.40	1.50	2.86	0.70	107.8	5.0	
Cyanide	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	ND	ND	-	-	ND	ND	-	-	ND	ND	-	-	0.0	0.2	

(Shade) = Analyte reported at or above New York State standards (amended March and June 1998). These standards were used beginning with the 9/98 sampling event. Exceedances noted prior to this event reflect prior standards.

- = Applies to the sum of cis and trans-1,3-dichloropropene.

- = Guidance Value.

ND values are included in calculation of Mean and are considered equal to zero.

(Blank) or "-" = Not Analyzed.

ND = Not Detected.

<DL = Detected below method detection limit.

J = Estimated.

B = Analyte was detected in method blank.

(Shade) = Analyte reported at or above New York State standards (amended March and June 1998). These standards were used beginning with the 9/98 sampling event. Exceedances noted prior to this event reflect prior standards.  
 \* = Applies to the sum of cis and trans-1,3-dichloropropene.  
 \*\* = Guidance Value.  
 ND values are included in calculation of Mean and are considered equal to zero.  
 (Blank) or "-" = Not Analyzed.  
 ND = Not Detected.  
 J = Estimated.  
 B = Analyte was detected in method blank.  
 <DL = Detected below method detection limit.

MW-11B  
HISTORICAL ANALYTICAL RESULTS  
ISCHUA LANDFILL  
OLEAN, NEW YORK

PARAMETER VOLATILES (ug/L)	9/90	12/90	3/91	6/91	9/91	12/91	3/92	6/92	9/92	12/92	3/93	6/93	9/93	12/93	3/94	6/94	9/94	12/94	3/95	6/95	9/95	12/95	4/96	9/96	3/97	9/97	3/98	9/98	3/99	9/99	3/00	9/00	3/01	9/01	3/02	9/02	3/03	9/03		
Acetone																																								
Acrylonitrile																																								
Benzene	1.45	8.87	0.38		6.0	3.0	2.0								2				3.0					2		3					2		1		2.45	2.1	3.6	2.5		
Bromobenzene	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND	ND	ND	ND	ND	ND	ND	ND
Bromochloromethane	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND	ND	ND	ND	ND	ND	ND	ND
Bromodichloromethane	ND	ND	ND		ND	ND	ND																																	ND
Bromomethane	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	ND	ND	ND	ND	ND
2-Butanone																																								
n-Butylbenzene	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	ND	ND	ND	ND	ND
sec-Butylbenzene	0.16	0.23	<DL		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	ND	ND	ND	ND	ND
tert-Butylbenzene	ND	0.20	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	ND	ND	ND	ND	ND
Carbon disulfide	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	ND	ND	ND	ND	ND
Chlorobenzene	0.14	0.20	<DL		ND	ND	1.0								ND				0.6				ND		ND					1		ND		1.26	ND	5.4	2.4			
Chloroethane	ND	ND	ND		6.0	ND	ND								3				1.0				1		0.9					ND		ND		ND	ND	0.74	ND			
Chloroform	ND	<DL	ND		ND	ND	ND																																ND	
Chloromethane	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	ND	ND	ND	ND	ND
2-Chlorotoluene	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	ND	ND	ND	ND	ND
4-Chlorotoluene	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	ND	ND	ND	ND	ND
Dibromochloromethane	ND	ND	ND		ND	ND	ND																																	ND
1,2-Dibromo-3-chloropropane	ND	ND	ND		ND	ND	ND																																	ND
1,2-Dibromoethane	ND	ND	ND		ND	ND	ND																																	ND
Dibromomethane	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	ND	<DL	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	ND	0.88	ND	ND	ND
1,3-Dichlorobenzene	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	ND	0.23	ND		ND	ND	ND								ND				1.0				ND		ND						ND		ND		ND	ND	1.7	ND		
trans-1,4-Dichloro-2-butene																																								
Dichlorodifluoromethane	ND	ND	ND		ND	ND	ND								ND				2.0				0.7	1						ND		0.7		ND	ND	ND	ND	ND	ND	
1,1-Dichloroethane	6.25	7.33	5.16		16.0	2.0	5.0								2				4.0				3	2						3		2		2.18	2.1	6.2	4.4			
1,2-Dichloroethane	0.16	<DL	ND		1.0	ND	ND								ND				ND				ND		ND					ND		ND		ND	ND	ND	ND	ND	ND	
1,1-Dichloroethene	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND					ND		ND		ND	ND	ND	ND	ND	ND	
cis-1,2-Dichloroethene	ND	19.7	10.6		30.0	8.0	12.0								7				12.0				8	6						9		5		5.9	3.8	9.9	9.7			
trans-1,2-Dichloroethene	14.3	0.74	0.41		28.0	ND	ND								ND				ND				ND		ND					ND		ND		ND	0.55	ND				
1,2-Dichloropropane	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND					ND		ND		ND	ND	ND	ND	ND	ND	
1,3-Dichloropropane	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND					ND		ND		ND	ND	ND	ND	ND	ND	
2,2-Dichloropropane	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND					ND		ND		ND	ND	ND	ND	ND	ND	
1,1-Dichloropropene	ND	ND	<DL		ND	ND	ND								ND				ND				ND		ND					ND		ND		ND	ND	ND	ND	ND	ND	
cis-1,3-Dichloropropene	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND					ND		ND		ND	ND	ND	ND	ND	ND	
trans-1,3-Dichloropropene	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND					ND		ND		ND	ND	ND	ND	ND	ND	
Ethylbenzene	0.16	0.25	0.13		ND	ND	2.0								ND				1.0				ND		ND					ND		ND		1.06	ND	1.2	ND			
2-Hexanone																																								
Hexachlorobutadiene	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	ND	ND	ND	ND	
Iodomethane																																								
Isopropylbenzene	0.52	0.99	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		1.02	ND	0.5	ND		
p-Isopropyltoluene	ND	0.20	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	ND	ND	ND	ND	
Methylene chloride	1.76	6.00	ND		3.0	3.0	ND								ND				ND				ND		ND					ND		ND		ND	ND	ND	ND	ND	ND	
4-Methyl-2-pentanone																																								
Naphthalene	0.52	0.17	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	ND	1.2	ND		
n-Propylbenzene	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	ND	ND	ND	ND	
Styrene	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	ND	ND	ND	ND	
1,1,1,2-Tetrachloroethane	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	ND	ND	ND	ND	
1,1,2,2-Tetrachloroethane	ND	1.90	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	ND	ND	ND	ND	
Tetrachloroethene	1.48	ND	0.79		ND	ND	ND								0.6				ND				ND		ND						ND		ND		ND	ND	ND	ND	ND	
Toluene	<DL	0.35	ND		ND	ND	ND								ND				ND				0.8		ND						ND		ND		ND	ND	ND	ND	ND	
1,2,3-Trichlorobenzene	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	ND	ND	ND	ND	
1,2,4-Trichlorobenzene	ND	ND	ND		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	ND	ND	ND	ND	
1,1,1-Trichloroethane	ND	1.22	0.43		ND	ND	ND								ND				ND				ND		ND						1		ND		ND	ND	ND	ND	ND	
1,1,2-Trichloroethane	ND	ND	<DL		ND	ND	ND								ND				ND				ND		ND						ND		ND		ND	ND	ND	ND	ND	
Trichloroethene	3.53	4.75	2.0		2.0	2.0	4.0								2				4.0				3		3															

MW-11B  
HISTORICAL ANALYTICAL RESULTS  
ISCHUA LANDFILL  
OLEAN, NEW YORK

	9/90	12/90	3/91	6/91	9/91	12/91	3/92	6/92	9/92	12/92	3/93	6/93	9/93	12/93	3/94	6/94	9/94	12/94	3/95	6/95	9/95	12/95	4/96	9/96	3/97	9/97	3/98	9/98	3/99	9/99	3/00	9/00	3/01	9/01	3/02	9/02	3/03	9/03																													
PARAMETER METALS (mg/L)																																																																			
Aluminum	4.3				3.1																																																														
Calcium	23.4	16.5	25.1		48.2	13.9	25.4			12.3				28.2	11.6	14			23.6					31.5		19.7						29.7					36.7		40.8																												
Iron	26.9	11.7	26.5		25.1	13.1	18.2			13.1				22.7	12.7	39.3			11.1					47.6		17.2					26.5					19.3		28.1																													
Magnesium	7.6	4.5	8.1		14.8	4	9.8			4.61				9.5	3.87	8.09			6.5				7.93		5.45					9.34					14		15.9																														
Manganese	6.99	6.5	7.71		17.1	5.42	7.44			4.56				8.5	4.45	5.27			6.5				8.69		7.80					11.9					10.8		11.2																														
Potassium	3.3	1.1	4		4.1	1.6	3.1			3.46				4.04	2.04	9.5			3.2				4.62		1.84					3.19					3.08		4.1																														
Sodium	1.3	1.4	3.3		8.8	3.3	7.5			1.58				6.38	1.67	3.02			2.8				3.59		2.05					3.99					7.24		8.7																														
PARAMETER (mg/l) TOXIC METALS																																																																			
Antimony	ND				ND																																																														
Arsenic	ND				0.041																																																														
Barium	0.23				0.52																																																														
Beryllium					ND																																																														
Cadmium		<DL	<DL		ND	ND	ND							ND	ND	ND			ND					ND		ND					ND					ND		ND																													
Chromium (Total)	<DL				0.04									ND	ND	ND			ND					ND		ND					ND					ND		ND																													
Copper	<DL				0.01																																																														
Lead	<DL	<DL	0.008		ND	ND	0.020			0.005				0.006	0.004	0.024			0.009				0.003		0.001					ND					0.001		0.003																														
Mercury	ND				ND																										ND																																				
Nickel	0.62				0.05																																																														
Selenium	0.021	ND	0.077		ND	ND	ND			ND				0.007	ND	ND			ND				ND		ND					ND					ND		ND																														
Silver	ND				ND																																																														
Thallium	ND				ND																																																														
Zinc	0.04				0.12																																																														
PARAMETER (mg/l) LEACHATE INDICATORS																																																																			
Alkalinity	95	95	117			84.0	135.0			44.4				128	45.4				91.3						78.8						145					192		205																													
Biochemical Oxygen Demand	19.0																																																																		
Boron	ND				0.06																																																														
Chemical Oxygen Demand	21.0	15.0	12			5.0	ND			ND				43.9	17.5				23.4						ND					48.4					33.2		28.8	298																													
Chromium (Hexavalent)	<DL				ND																																																														
Chloride	<DL	6	7			ND	4.0			ND				10.1	ND				2.3					ND						3.92					10.3		12.7																														
Color (PCU units)	55.0																																																																		
Nitrate-Nitrite	<DL	<DL	<DL		ND	ND	ND			1.3				0.338	ND				ND					ND							ND				0.176		ND	0.04																													
Nitrogen-Ammonia	1.0	<DL	<DL		1.6	0.6	2.2			0.4				1.01	ND				0.8				0.390							0.56				4.12		3.55	0.8																														
Phenols	0.002	ND	<DL		ND	ND	ND			0.010				0.019	0.013				ND					0.001						0.0138				0.0225		0.0157																															
Sulfate	11	16.3	19.9			21.0	12.0			12.0				8.7	8				6.0											12				6.1		5.9																															
Total Organic Carbon (TOC)	8	8	5		10.0	3.0	6.0			5.0				6.7	5.4				6.4											6.6				4.3		6.1	17																														
Total Dissolved Solids (TDS)	132.0	110	118			139	153.0			60.0				183	85				112											153					216		262																														
Total Hardness	89.5	60.7	96			51.0	104.0			54.0				187	99				85.6											71.6				113		149		167																													
Total Kjeldahl Nitrogen (TKN)	1.9				2.1																																	14																													
Turbidity (NTU units)	55	243	182			32.0	94.0			76.0				100	500				70.0						45						33				9.7		24																														
Cyanide	<DL																																																																		

MW-11B  
HISTORICAL ANALYTICAL RESULTS  
ISCHUA LANDFILL  
OLEAN, NEW YORK

PARAMETER VOLATILES (ug/L)	3/04	9/04	3/05	9/05	3/06	11/06	4/07	10/07	4/08	10/08	4/09	9/09	4/10	9/10	5/11	10/11	5/12	10/12	6/13	10/13	6/14	10/14	6/15	11/15	5/16	10/16	3/17	10/17	5/18	9/18	4/19	9/19	4/20	MEAN	NYS STD	
Acetone				11	5	6	ND	16	4	14			5.5	5.5	3.4	ND	ND		2.3	ND	ND	1.7	ND	ND	ND	ND	ND	-	3.8	ND	ND	ND	ND	2.90	50.0	
Acrylonitrile				ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	0.00	5.0	
Benzene	2	3	2.2	2.6	3.8	3.8	2.5	1.6	2.2	0.4			1.4	0.79	3.6	1.2	ND		1.1	ND	ND	1.4	0.67	ND	ND	ND	ND	-	4.4	ND	ND	ND	ND	3.8	1.91	1.0
Bromobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	-	0.00	5.0	
Bromochloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	0.00	5.0	
Bromodichloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	0.00	50.0	
Bromomethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	0.00	5.0	
2-Butanone				ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	0.00	50.0	
n-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	-	0.00	5.0	
sec-Butylbenzene	ND	ND	ND	ND	ND	0.28	ND	ND	0.32	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	-	0.02	5.0	
tert-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	-	0.00	5.0	
Carbon disulfide	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	0.00	5.0	
Carbon tetrachloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	0.00	5.0	
Chlorobenzene	ND	2.7	0.67	0.59	6.4	5.1	2.1	0.46	0.81	ND			1.6	0.34	5.8	0.58	ND		0.71	ND	6.6	1.4	0.53	ND	ND	ND	ND	-	10.9	ND	5.8	ND	11.0	1.65	5.0	
Chloroethane	ND	1	0.95	0.8	0.94	0.86	0.64	0.36	0.45	0.44			0.5	0.27	1.1	ND	ND		0.5	ND	ND	0.34	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	0.47	5.0	
Chloroform	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	0.00	7.0	
Chloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	0.00	5.0	
4-Chlorotoluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	-	0.00	5.0	
2-Chlorotoluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	0.00	5.0	
Dibromochloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	0.00	5.0	
1,2-Dibromo-3-chloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	0.00	0.04	
1,2-Dibromoethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	0.00	5.0	
Dibromomethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	0.00	5.0	
1,2-Dichlorobenzene	ND	0.43	ND	ND	1.5	0.94	0.36	ND	ND	ND			0.29	ND	0.99	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	-	1.6	ND	ND	ND	1.4	0.18	3.0	
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	-	-	-	-	-	ND	-	-	-	-	0.00	3.0	
1,4-Dichlorobenzene	ND	1	ND	ND	2.2	1.5	0.71	ND	ND	ND			0.55	ND	1.6	ND	ND		0.25	ND	ND	0.26	ND	ND	ND	ND	ND	-	2.4	ND	ND	ND	2.4	0.34	3.0	
trans-1,4-Dichloro-2-butene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	0.00	5.0	
Dichlorodifluoromethane	ND	1.5	0.71	0.72	0.8	ND	0.84	0.5	0.65	ND			0.55	0.6	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	-	8.6	ND	ND	ND	ND	0.42	5.0	
1,1-Dichloroethane	1.5	5.4	1.2	2.9	5.9	5.3	3.1	0.97	1	1			4	1.5	16	0.41	ND		1.1	ND	15	0.57	0.67	ND	ND	ND	ND	-	8.4	ND	7.7	ND	6.9	3.55	5.0	
1,2-Dichloroethane	ND	ND	ND	ND	0.58	0.5	ND	ND	ND	ND			ND	ND	0.64	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	0.06	0.6	
1,1-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	0.00	5.0	
cis-1,2-Dichloroethene	4.1	14	3.8	8.4	8.7	8.7	6.2	2.9	2.9	1.3			5.5	2.6	16	1.4	ND		2.8	ND	ND	2.1	1.8	ND	ND	6.4	ND	-	14	ND	14.7	5.2	16.8	6.67	5.0	
trans-1,2-Dichloroethene	ND	0.54	ND	ND	0.51	0.45	0.35	ND	ND	ND			0.22	ND	0.83	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	1.02	5.0	
1,2-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	0.00	1.0	
1,3-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	0.00	5.0	
2,2-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	-	-	-	-	-	ND	-	-	-	-	ND	0.00	5.0
1,1-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	-	-	-	-	-	ND	-	-	-	-	ND	0.00	5.0
cis-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	0.00	0.4	
trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	1.1	0.02	0.4
Ethylbenzene	ND	0.6	ND	ND	1.9	0.95	0.44	ND	ND	ND			ND	ND	1.3	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	0.24	5.0	
2-Hexanone	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	0.00	50.0	
Hexachlorobutadiene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	0.00	0.5	
Iodomethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	0.00	5.0	
Isopropylbenzene	ND	0.48	0.43	0.42	0.62	0.53	0.4	0.35	0.48	ND			ND	ND	0.48	ND	ND		ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	-	0.16	5.0	
p-Isopropyltoluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	-	0.00	5.0	
Methylene chloride	ND	ND	ND	0.21	ND	ND	ND	ND	ND	ND			ND	ND	0.77	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	0.32	5.0	
4-Methyl-2-pentanone	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	0.00	5.0	
Naphthalene	ND	0.42	ND	ND	1	0.5	ND	ND	ND	ND			ND	ND	0.41	ND	ND		ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	-	0.09	10.0	
n-Propylbenzene	ND	ND	ND	ND	0.46	0.24	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	-	0.02	5.0	
Styrene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	0.00	5.0	
1,1,1,2-Tetrachloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	0.00	5.0	
1,1,2,2-Tetrachloroethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	-	ND	ND	ND	ND	ND	0.04	5.0	
Tetrachloroethene	ND	ND																																		

MW-11B  
HISTORICAL ANALYTICAL RESULTS  
ISCHUA LANDFILL  
OLEAN, NEW YORK

	3/04	9/04	3/05	9/05	3/06	11/06	4/07	10/07	4/08	10/08	4/09	9/09	4/10	9/10	5/11	10/11	5/12	10/12	6/13	10/13	6/14	10/14	6/15	11/15	5/16	10/16	3/17	10/17	5/18	9/18	4/19	9/19	4/20	MEAN	NYS STD																																	
PARAMETER METALS (mg/L)																																																																				
Aluminum		3.2				ND			ND						ND				0.06	0	-	0.07	-	-	-	-	-	0.0369	-	-	-	-	0.181	-	-	0.52																																
Calcium	21.5	46.2	23.2		57.6	55.5	34.4		26.9						70.2	15.6	45		18.5	14.9	55.6	13.6	-	18.8	-	-	19	-	62.4	-	64	-	54.8	26.63																																		
Iron	16.3	23.6	9.6		26	22.4	13.1		12.6						23.8	4.5	18		9.5	11.5	20.2	8.52	-	8.73	-	-	5.9	-	2.98	-	36.8	-	21.8	15.59	0.3																																	
Magnesium	6.58	16.2	6.8		20.7	23.6	12.4		7.8						32.6	4.8	16		5.9	4.9	21.5	4.3	-	5.2	-	-	5.69	-	24.4	-	23.6	-	22.6	9.51	35.0																																	
Manganese	9.41	14.8	9.4		12.9	13.9	10.7		11.9						16.6	7.5	16		9.31	8.09	20	7.69	-	9.89	-	-	8.89	-	ND	-	19.6	-	16.1	8.42	0.3																																	
Potassium	2.21	4.3	1.7		4.2	4.6	2.6		1.6						4.8	1.6	2.3		1.3	ND	3	1.1	-	ND	-	-	2.12	-	2.82	-	4.56	-	3.94	2.50																																		
Sodium	1.31	7.4	2.1		10.5	11.7	4.9		2.1						13.3	1.1	6.2		1.2	ND	7.5	0.8	-	1.3	-	-	3.11	-	11.2	-	9.31	-	10.3	4.09	20.0																																	
PARAMETER (mg/l) TOXIC METALS																																																																				
Antimony		ND				ND			ND						ND				ND	-	-	ND	-	-	-	-	-	ND	-	-	-	ND	-	-	0.00	0.003																																
Arsenic		0.022				0.016			0.021						ND				0.01	-	-	0.014	-	-	-	-	-	0.0069	-	-	-	0.0526	-	-	0.01	0.025																																
Barium		0.37				0.4			0.18						0.48				0.206	-	-	0.149	-	-	-	-	-	0.158	-	-	-	0.557	-	-	0.15	1.0																																
Beryllium		ND				ND			ND						ND				0.0003	-	-	ND	-	-	-	-	-	ND	-	-	-	ND	-	-	0.00																																	
Cadmium	ND	ND	ND		ND	ND	ND		ND						ND	ND	ND		ND	ND	ND	ND	-	ND	-	-	ND	-	ND	-	ND	-	ND	-	ND	0.00	0.005																															
Chromium (Total)		0.013				ND			ND						ND				0.002	-	-	0.003	-	-	-	-	0.003	-	-	-	ND	-	-	0.00	0.05																																	
Copper		ND				ND			ND						ND				ND	-	-	ND	-	-	-	-	ND	-	-	-	ND	-	-	0.00	0.2																																	
Lead	ND	ND	ND		ND	ND	ND		ND						0.006	ND	0.001		0.001	ND	ND	ND	-	ND	-	-	0.0017	-	0.0034	-	0.0043	-	0.0031	0.00	0.025																																	
Mercury		ND				ND			ND						ND				ND	-	-	ND	-	-	-	-	ND	-	-	-	ND	-	-	0.00	0.0007																																	
Nickel		0.025				ND			ND						ND				0.013	-	-	0.013	-	-	-	-	0.0106	-	-	-	0.017	-	-	0.04	0.1																																	
Selenium	ND	ND	ND		ND	ND	ND		ND						ND				0.007	-	-	ND	-	-	-	-	ND	-	-	-	ND	-	-	0.00	0.0																																	
Silver		ND				ND			ND						ND				ND	-	-	0.001	-	-	-	-	ND	-	-	-	0.0026	-	-	0.00	0.05																																	
Thallium		ND				ND			ND						ND				ND	-	-	ND	-	-	-	-	ND	-	-	-	0.017	-	-	0.00	0.0005																																	
Zinc		0.022				0.027			0.065						0.02				0.035	-	-	0.046	-	-	-	-	0.977	-	-	-	2.76	-	-	0.20	2.0																																	
PARAMETER (mg/l) LEACHATE INDICATORS																																																																				
Alkalinity	90	175	67.1		229	218	150		62.5						374		210		-	-	299	-	-	80.8	-	-	179	-	264	-	324	-	340	118.9																																		
Biochemical Oxygen Demand		ND				4.9			4.5						12.2		11		-	-	-	-	-	4.1	-	-	9.6	-	7.6	ND	3.7	-	6.1	3.9																																		
Boron		0.066				0.091			0.024						0.1				ND	-	-	-	-	-	-	-	0.0125	-	-	-	0.0775	-	-	0.0	1.0																																	
Chemical Oxygen Demand	18	54.8	18.5		29.8	28	23.4		16						19.4	23.8	32		12.6	-	-	27.6	-	-	22.8	-	58.8	62.9	-	84.9	-	38.9	-	48.4	29.2																																	
Chromium (Hexavalent)		ND				ND			ND						ND				ND	-	-	ND	-	-	-	-	ND	-	-	-	ND	-	-	0.0	0.05																																	
Chloride	2.2	12.2	1.8		14.1	17.8	5.3		3.8				4.88		16.8	ND	9.48		ND	-	-	10.5	-	-	-	-	ND	-	-	-	6.4	-	10.8	48.8	12.8	6.1	250																															
Color (PCU units)		60				80			60						200				-	-	-	-	-	-	-	-	10	-	-	-	150	-	-	30.8	15																																	
Nitrate-Nitrite	ND	ND	ND		ND	ND	ND		ND						ND		ND		ND	-	-	ND	-	-	-	-	ND	0.046	-	ND	-	ND	-	0.065	0.0	10																																
Nitrogen-Ammonia	0.5	1.1	0.56		2.8	2.6	1.6		0.71						4	0.36	2.1		0.369	-	-	1.87	-	-	0.482	-	0.78	2.1	-	3.1	-	4.4	-	4.1	1.2	2.0																																
Phenols	ND	0.028	ND		0.01	0.01	ND		ND						ND		ND		ND	-	-	0.0073	-	-	ND	-	0.0099	-	0.0172	-	0.0105	-	ND	0.0	0.001																																	
Sulfate	5.8	4.6	5.9		4.1	3.2	5.1		5.2				5.15		6.7	4.1	ND		2.5	-	-	4.3	-	-	3.3	-	3.3	-	2.5	2.5	ND	-	2.7	5.5	250																																	
Total Organic Carbon (TOC)	4	62.9	5	4.1	6.2	6.8	4.6	10.8	3				3.4		9	1.4			7.1	-	-	8.9	-	-	4.6	-	5.7	3.1	14.6	20	5	8.7	8.4	7.4	7.4																																	
Total Dissolved Solids (TDS)	125	283	99		304	402	174		190						388		280		115	-	-	320	-	-	96	-	170	-	315	87	254	-	323	153.2	500																																	
Total Hardness	81	182	85.9		229	236	137		99.3						310	58.6	180		70.6	57.1	227	-	-	68.5	-	-	88	-	290	-	250	-	180	106.6																																		
Total Kjeldahl Nitrogen (TKN)		4.3				3.9			1.1						2.2		2.09		0.85	-	-	-	-	-	-	-	1.1	3.8	-	5.7	-	5.3	-	8.3	2.5																																	
Turbidity (NTU units)	61	49.1	89.4		36.9	56	21.3		28		5	7	267	6	5	36.1	29	12.8	16.1	-	-	19.5	27.6	35.7	11.3	41.2	15	6.2	107	62.3	32.5	27.5	-	5.7	58.7	5.0																																
Cyanide		ND				ND			ND						ND				-	-	-	-	-	-	-	-	ND	-	-	-	0.002	-	-	0.0	0.2																																	
[Shaded] = Analyte reported at or above New York State standards (amended March and June 1998). These standards were used beginning with the 9/98 sampling event. Exceedances noted prior to this event reflect prior standards. * = Applies to the sum of cis and trans-1,3-dichloropropene. ** = Guidance Value. ND values are included in calculation of Mean and are considered equal to zero. (Blank) or "<" = Not Analyzed. ND = Not Detected -DL = Detected below method detection limit. B = Analyte was detected in method blank.																																																																				

(Shade) = Analyte reported at or above New York State standards (amended March and June 1998). These standards were used beginning with the 9/98 sampling event. Exceedances noted prior to this event reflect prior standards.  
 \*\* = Applies to the sum of cis and trans-1,3-dichloropropene.  
 \*\* = Guidance Value.  
 ND values are included in calculation of Mean and are considered equal to zero.  
 (Blank) or "-" = Not Analyzed.  
 ND = Not Detected.  
 <DL = Detected below method detection limit.  
 J = Estimated.  
 B = Analyte was detected in method blank.

MW-12A  
HISTORICAL ANALYTICAL RESULTS  
ISCHUA LANDFILL  
OLEAN, NEW YORK

	9/90	12/90	3/91	6/91	9/91	12/91	3/92	6/92	9/92	12/92	3/93	6/93	9/93	12/93	3/94	6/94	9/94	12/94	3/95	6/95	9/95	12/95	4/96	9/96	3/97	9/97	3/98	9/98	3/99	9/99	3/00	9/00	3/01	9/01	3/02	9/02	3/03	9/03		
PARAMETER VOLATILES (ug/L)																																								
Acetone																																								
Acrylonitrile																																								
Benzene	0.21	2.14	1.59	5.0	2.0	4.0	2.0		19.0		0.8		4		0.8		2		2				1		2					2	1	2		1		4.76		2.1	5	
Bromobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromochloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromodichloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromoform	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Bromomethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Butanone	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
n-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
sec-Butylbenzene	0.17	0.10	0.23	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
tert-Butylbenzene	ND	0.29	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Carbon disulfide																																								
Carbon tetrachloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Chlorobenzene	0.14	0.51	0.29	ND	ND	ND	ND	0.8	ND	0.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.05	0.57	1.7				
Chlorethane	ND	ND	3.41	5.0	2.0	5.0	ND	ND	ND	ND	2	ND	ND	ND	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.54	ND	ND	
Chloroform	ND	1.34	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Chloromethane	ND	ND	ND	ND	ND	ND	ND	8.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
2-Chlorotoluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
4-Chlorotoluene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromochloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dibromo-3-chloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dibromoethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Dibromomethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichlorobenzene	ND	<DL	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,3-Dichlorobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,4-Dichlorobenzene	4.99	7.20	2.59	5.0	4.0	3.0	1.0		2.0		0.7	ND	ND	0.8		3		5		5		0.9		0.6					1	2	1		0.8		1.94		0.77	1.5		
trans-1,4-Dichloro-2-butene																																								
Dichlorodifluoromethane	ND	ND	ND	ND	ND	ND	ND	ND	2.0	ND	ND	ND	ND	ND	ND	ND	ND	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.6	ND	ND	ND	ND	ND	ND	
1,1-Dichloroethane	2.13	1.85	1.75	2.0	ND	3.0	2.0		5.0		2.0	2		1		5		ND		ND		ND		2		2			2	2	2		1		1.69		ND	0.8		
1,2-Dichloroethane	0.33	0.31	0.12	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
1,1-Dichloroethene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.1	ND	ND	
cis-1,2-Dichloroethene	<DL	9.28	3.51	4.0	3.0	4.0	1.0		16.0		0.9	2		0.7		8		6		6		2		3					6	4	4		3		4.91		3.1	5.2		
trans-1,2-Dichloroethene	6.88	0.51	0.86	1.0	ND	ND	ND	1.0	ND	0.8	ND	0.8	ND	0.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
1,2-Dichloropropane	ND	ND	<DL	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
1,3-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
2,2-Dichloropropane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
1,1-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
cis-1-3-Dichloropropene	ND	ND	<DL	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
trans-1,3-Dichloropropene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.0	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Ethylbenzene	0.27	0.90	0.24	2.0	ND	2.0	ND	1.0	ND		1	ND	ND	ND	ND	0.6	ND	ND	0.5	ND	ND	ND	ND	ND	0.8	ND	ND	ND	ND	ND	ND	ND	ND	1.92	ND	ND	ND	ND	ND	
2-Hexanone																																								
Hexachlorobutadiene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
Iodomethane																																								
Isopropylbenzene	<DL	4.52	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	1.04	ND	ND	ND		
p-Isopropyltoluene	ND	0.34	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	2	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
Methylene chloride	<DL	0.12	ND	3.0	2.0	2.0	2.0		1.0		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	
4-Methyl-2-pentanone																																								
Naphthalene	0.06	ND	ND	ND	ND	ND	ND		1.0	ND	ND	ND	ND	ND	ND	ND	ND	7				ND	ND	ND	ND	ND	ND	ND												



MW-12A  
HISTORICAL ANALYTICAL RESULTS  
ISCHUA LANDFILL  
CLEAN, NEW YORK

	9/90	12/90	3/91	6/91	9/91	12/91	3/92	6/92	9/92	12/92	3/93	6/93	9/93	12/93	3/94	6/94	9/94	12/94	3/95	6/95	9/95	12/95	4/96	9/96	3/97	9/97	3/98	9/98	3/99	9/99	3/00	9/00	3/01	9/01	3/02	9/02	3/03	9/03																															
PARAMETER METALS (mg/L)																																																																					
Aluminum	0.15				0.3				0.09				1.39				1.84																							0.11																													
Calcium	78.3	55.9	70.3	67.5	88.9	56.3	71.4	85.2	113	97.3	80.3		77	109	87.5	92.6	97.2	103	81.5	92		112	104		96.0					107		122		96.5		104		86.4	70.4																														
Iron	49.4	34.2	9.2	21.8	37.4	16.0	9.0	13.3	24.3	24.5	7.99		13.4	26.1	4.83	14.8	28.1	25.9	11.5	16.1		55.7	10.9		12.2				47.4	27	25.9		37.8		26.3	30.9																																	
Magnesium	7.9	7	9.5	10.4	11.6	8.0	8.3	12.2	13.3	11.8	10.3		10.7	11.6	10.8	11.8	11.4	10.5	8.39	12.4		10.3	13.7		11.6				10.9		11.8		10.7		11.9		10.7	9.32																															
Manganese	11.3	10.9	8.87	8.78	9.62	7.43	6.23	7.64	9.53	7.79	5.38		6.51	9.18	5.39	7.84	7.71	7.88	7.01	7.39		8.34	6.58		7.58				7.32		8.46		7.24		9.31		8.21	9.49																															
Potassium	2.6	2.9	3.3	3	3.5	2.8	2.8	3.0	8.52	3.22	1.6		2.38	3.25	2.51	2.43	2.88	2.7	2.2	2.54		3.61	2.07		3.27				3.49		3.33		2.27		3.22		2.54	3.53																															
Sodium	11.2	6.9	12.7	18.1	17.9	15.2	12.4	18.7	19.2	17.0	15.4		17.9	10	13.3	14	0.82	10.4	8.09	14.1		7.86	12.6		10.9				5.82		6.27		6.4		6.88		5.7	5.85																															
PARAMETER (mg/l) TOXIC METALS																																																																					
Antimony	ND				ND				0.05				ND				0.04																						ND																														
Arsenic	<DL				0.050				0.031				0.042				0.038																						ND																														
Barium	1.44	1.59	1.37	1.53	1.39	1.28	1.12	1.58	1.63	1.41	1.4		1.47	1.45	1.22	1.52	1.58	1.23	1.08	1.57		1.82	1.72		1.31				1.49		1.6		1.57		1.75		1.52	1.92																															
Beryllium					ND				ND				ND				ND																						ND																														
Cadmium		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND		ND	ND		ND				ND		ND		ND		ND		ND	ND																															
Chromium (Total)	<DL				0.01				ND				0.02				0.02																					ND																															
Copper	ND				ND				ND				ND				0.01																						ND																														
Lead	ND	ND	ND	ND	ND	ND	0.010	0.007	ND	0.001	0.004		0.019	0.003	0.002	0.003	0.011	ND	0.020	0.003		ND	ND		0.001				0.002		ND		0		ND		ND	ND																															
Mercury	ND				ND				ND				ND				ND																						ND																														
Nickel	0.05				ND				ND				0.04				0.64																						ND																														
Selenium	0.014	<DL	0.01	ND	ND		ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND		ND	ND		ND				ND		ND		ND		ND		ND	ND	ND																														
Silver	0.08	ND	ND	ND	ND		ND	ND	ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND		0.007	ND		ND				ND		ND		ND		ND		ND	ND	ND																														
Thallium	0.1				ND				ND				ND				ND																						ND																														
Zinc	<DL				0.05				0.06				0.06				0.08																						ND																														
PARAMETER (mg/l) LEACHATE INDICATORS																																																																					
Alkalinity	309	259	278	299	420	326	449	236	366	316	297			357	332	344		424	321			384	322		355					423		400		355		353		319	410																														
Biochemical Oxygen Demand	55.0				4				15.0																														11																														
Boron	ND				0.12				0.02				0.08				ND																						ND																														
Chemical Oxygen Demand	29.1	20	15	ND	ND	16.0	ND	31.0	19.8	77.2	19.1		13.2	33.8	18.5	ND		12.4	12			51.8	ND		29.4				40.6		43.4				37.4		26.5	38																															
Chromium (Hexavalent)	<DL				ND				ND								ND																						ND																														
Chloride	4.1	7	10.8	5	3	7.0	ND	13.0	6.13	3.9	3.76			2.98	2.97	136		ND	ND			4.66	3.70		1.84				2.42		ND				8.42		4.41	5.1																															
Color (PCU units)	55.0				ND				125																													20																															
Nitrate-Nitrite	0.1	20.1	<DL	ND	ND	ND	ND	ND	0.2	1.63	1.8	ND		ND	ND	ND		ND	ND			ND	ND		ND				ND		ND		ND		ND		ND	ND																															
Nitrogen-Ammonia	2.9	<DL	0.9	ND	3.4	1.3	2.6	7.0	2.6	2.5	3.07		2.79	1.8	2.4	2.54		2.19	7.02			3.96	1.26		1.51			0.715		ND			4.47		2.54	4.1																																	
Phenols	0.003	ND	0.014	ND	ND	ND	ND	ND	ND	ND	ND		0.008	0.005	0.009	ND		0.070	ND			0.025	0.007		0.013			0.001		0.001			0.0203		0.004	ND																																	
Sulfate	5.5	6.7	2.6	ND	ND	12.0	ND	ND	16.0	18.0	ND			ND	ND		ND	ND				ND	ND		ND					ND		ND		11		ND	5.8	ND																															
Total Organic Carbon (TOC)	11.3	8	8.5	4	5	6.0	4.0	16.0	6.5	14.6	3.4		5.5	6.3	4.3		4.3	6.2				7.8	6.6		4.9			9.9		13			8.8		3.4	7.8																																	
Total Dissolved Solids (TDS)	312	598	316	286	448	314	335	262	375	337	293		356	218	353		377	311				360	360		383			406		410		380		405		383	298																																
Total Hardness	242	168	215	211	270	174	212	263	336	267	316		510	374	328		300	238				322	316		287			312		353		285		309		260	214																																
Total Kjeldahl Nitrogen (TKN)	3.2				4.1				2.14				4.2																									8.4																															
Turbidity (NTU units)	36	900	270	340	231	17.0	45	182	110	40	140			110	15	21		78	78			200	90		30				60		32			46		53	38																																
Cyanide	<DL				ND				ND																													ND																															



MW-12A  
HISTORICAL ANALYTICAL RESULTS  
ISCHUA LANDFILL  
CLEAN, NEW YORK

	3/04	9/04	3/05	9/05	3/06	11/06	4/07	10/07	4/08	10/08	4/09	9/09	4/10	9/10	5/11	10/11	5/12	10/12	6/13	10/13	6/14	10/14	6/15	11/15	5/16	10/16	3/17	10/17	5/18	9/18	4/19	9/19	4/20	MEAN	NYS STD			
PARAMETER METALS (mg/L)																																						
Aluminum		ND			ND		ND			ND					ND					ND	-	-	ND	-	-	-	-	0.016	-	-	-	ND	-	-	0.15			
Calcium	114	108	94.8	88	114	91	89.2		106						109	72.9			80.1	-	90.3	102	-	77.9	-	-	112	-	118	-	96.1	-	102	80.52				
Iron	21.5	45.6	30.9	33.5	33.9	40.6	33.8		33.3						30.4	29.7			30.9	-	32	29.8	-	33.8	-	-	42.4	-	35	-	35.1	-	33.1	23.91	0.3			
Magnesium	13.5	11.9	12.4	11.7	14.1	23.6	12.6		15.3						17.4	11.3			13.3	-	14.7	14.6	-	12.7	-	-	14.3	-	14.5	-	14.1	-	13	10.45	35.0			
Manganese	8.31	9.5	10.6	1.1	10.3	13.9	12.9		15.3						17	12			17.1	-	16.1	11.5	-	17.4	-	-	12.4	-	7.92	-	14.5	-	12.3	8.40	0.3			
Potassium	2.18	4.3	2.6	3.5	2.9	4.6	3.5		4.1						3.8	4.5			3.8	-	3.8	3.9	-	4.7	-	-	6.74	-	3.35	-	4.39	-	4.22	2.95				
Sodium	7.68	6.2	6.8	7	8.1	11.7	7.6		8.8						9.5	7.2			7.8	-	6.8	7.2	-	6.5	-	-	10.4	-	6.92	-	6.56	-	6.66	8.70	20.0			
PARAMETER (mg/l) TOXIC METALS																																						
Antimony		ND		ND		ND			ND						ND				ND	-	-	ND	-	-	-	-	ND	-	-	-	-	ND	-	-	0.00	0.003		
Arsenic		0.06		0.07		0.06			0.03						0.047				0.042	-	-	0.068	-	-	-	-	0.056	-	-	-	0.0263	-	-	0.02	0.025			
Barium		2	1.8	1.9	1.7	2.2			1.9						1.9				1.77	-	-	1.59	-	-	-	-	1.78	-	-	-	1.64	-	-	1.23	1.0			
Beryllium		ND		ND		ND			ND						ND				ND	-	-	ND	-	-	-	-	ND	-	-	-	ND	-	-	0.00				
Cadmium	ND	ND	ND	ND	ND	ND	ND		ND						ND	ND			ND	-	ND	ND	-	ND	-	-	6E-04	-	ND	-	ND	-	ND	0.00	0.005			
Chromium (Total)	ND	ND				ND			ND						ND				0.003	-	-	0.003	-	-	-	-	0.022	-	-	-	ND	-	-	0.00	0.05			
Copper		ND				ND			ND						ND				ND	-	-	ND	-	-	-	-	0.004	-	-	-	ND	-	-	0.00	0.2			
Lead	ND	ND	ND	ND	ND	ND	ND		ND						ND	ND			0.001	-	ND	ND	-	ND	-	-	0.003	-	0.003	-	0.003	-	ND	0.00	0.025			
Mercury	ND	ND				ND			ND						ND				ND	-	-	ND	-	-	-	-	ND	-	-	-	ND	-	-	0.00	0.0007			
Nickel		ND				ND			ND						ND				0.007	-	-	0.003	-	-	-	-	0.006	-	-	-	0.004	-	-	0.03	0.1			
Selenium	ND	ND	ND	ND	ND	ND	ND		ND						ND				0.009	-	-	0.004	-	-	-	-	ND	-	-	-	ND	-	-	0.00	0.0			
Silver	ND	ND	ND	ND	ND	ND	ND		ND						ND				0.003	-	-	0.003	-	-	-	-	ND	-	-	-	0.002	-	-	0.00	0.05			
Thallium		ND				ND			ND						ND				ND	-	-	ND	-	-	-	-	ND	-	-	-	0.011	-	-	0.00	0.0005			
Zinc		ND				ND			0.2						0.012				0.004	-	-	0.01	-	-	-	-	0.024	-	-	-	ND	-	-	0.02	2.0			
PARAMETER (mg/l) LEACHATE INDICATORS																																						
Alkalinity	350	42.9	211	430	407	242	206		191				185		467	252	320		349	-	377	-	-	315	-	-	380	-	-	-	339	-	400	271.5				
Biochemical Oxygen Demand		15.9		4.7		8.9			4.5						8.6		16		-	-	-	-	-	7.9	-	-	9.6	-	8.1	14.4	4.5	-	5.2	7.7				
Boron		0.09		0.09		0.12			0.1						0.11	-	-		0.11	-	-	0.07	-	-	-	-	0.118	-	-	-	0.079	-	-	0.0	1.0			
Chemical Oxygen Demand	34	61	31.6	55.9	48.6	61.3	46.7		33.6						36.4	50.6	41		22.1	-	38.8	36.2	-	52.9	-	-	75.4	-	101	-	49.9	-	50.5	29.1				
Chromium (Hexavalent)		ND		ND		ND			ND						ND				ND	-	-	ND	-	-	-	-	ND	-	-	-	ND	-	-	0.0	0.05			
Chloride	2.5	3	2.2	8.2	6.6	8.7	5.5		6.6				3.48		8.2	3.8	5.97		4.9	-	4.4	3.4	-	4.4	-	-	10.5	-	6.1	7.1	4.6	-	4.1	6.7	250			
Color (PCU units)		140		140		200			120						200				-	-	-	-	-	-	-	-	25	-	-	-	200	-	-	51.0	15			
Nitrate-Nitrite	ND	ND	ND	0.07	ND	ND	ND		ND						ND	ND	ND		ND	-	ND	ND	-	ND	-	-	0.065	-	0.097	-	ND	-	-	0.075	0.5	10		
Nitrogen-Ammonia	2	1.3	1.4	4.3	1.8	4.5	3.2		3.8						5.9	7.7	5.26		5.57	-	4.45	5.8	-	6.1	-	-	7.0	-	5.7	-	6.0	-	6.1	2.9	2.0			
Phenols	ND	0.02	ND	ND	ND	ND	0.01		ND				ND		ND	0.014	ND		0.015	-	-	-	-	0.036	-	-	0.042	-	0.0253	-	0.0136	-	ND	0.0	0.001			
Sulfate	2.9	ND	4.4	ND	3.1	ND	4.2		ND				4.87		3.4	ND	ND		2.5	-	4.7	ND	-	2	-	-	2.9	-	2.3	7.4	ND	-	1.6	2.4	250			
Total Organic Carbon (TOC)	8.2	29.5	6.1	12.1	6.3	11.7	8.8	35.4	8.8	23.2		13	6.1		8.8	9.5	13		11.7	-	-	16.2	-	12.6	-	-	7.5	24.9	25	11.7	9.7	-	6.8	9.1				
Total Dissolved Solids (TDS)	402	330	345	413	446	484	378		390						449	344	440		395	-	375	392	-	349	-	-	426	-	436	394	340	-	363	328.8	500			
Total Hardness	341	319	288	268	343	277	274		328						345	228			255	-	286	314	-	259	-	-	340	-	410	-	300	-	300	251.1				
Total Kjeldahl Nitrogen (TKN)		5		6.3		6.5			5.2						2.4		3.52		7.11	-	-	6.91	-	-	-	-	8.2	-	8.9	-	6.5	-	10.3	3.7				
Turbidity (NTU units)	48	56.4	22	30.2	45.2	75	64.4		13.9			19	150	12	4	29.5	79.7	54.4	31.5	-	36.3	22	66.8	26.6	-	-	12.4	219	41.4	154	22.4	-	9.7	82.0	5.0			
Cyanide		ND		ND		ND			ND						ND				-	-	-	-	-	-	-	-	ND	-	-	-	ND	-	-	0.0	0.2			
(Shade) = Analyte reported at or above New York State standards (amended March and June 1998). These standards were used beginning with the 9/98 sampling event. Exceedances noted prior to this event reflect prior standards. * = Applies to the sum of cis and trans-1,3-dichloropropene. ** = Guidance Value. ND values are included in calculation of Mean and are considered equal to zero. (Blank) or "-" = Not Analyzed. ND = Not Detected. J = Estimated. B = Analyte was detected in method blank. <DL = Detected below method detection limit.																																						



MW-12B  
HISTORICAL ANALYTICAL RESULTS  
ISCHUA LANDFILL  
CLEAN, NEW YORK

	9/90	12/90	3/91	6/91	9/91	12/91	3/92	6/92	9/92	12/92	3/93	6/93	9/93	12/93	3/94	6/94	9/94	12/94	3/95	6/95	9/95	12/95	4/96	9/96	3/97	9/97	3/98	9/98	3/99	9/99	3/00	9/00	3/01	9/01	3/02	9/02	3/03	9/03																															
PARAMETER METALS (mg/L)																																																																					
Aluminum	1.7				0.1					0.61			5.07				6.38				2.34			0.248		0.2		ND		ND		ND					0.1		0.18																														
Calcium	96.6	138	167	123	98.4	117	12.3	123	109	95.5	89.2	109	108	137	90.1	82.1	49.2	89.8	99.6	103	120	123	117	95.6	110	121	107	129	104	112	116	114	109			104	126	95.7	96.1																														
Iron	45.7	63.8	57.6	52.6	23.9	28.6	57.3	62.8	63.5	57.2	53.9	54.9	47.8	65	13.8	35.9	11.5	19.3	40.2	44.2	48.6	63.7	55.5	26.2	50.6	40.9	38.9	25.7	43.2	23.1	50.4	14.4	30.5			53.7	26.8	29.3	24.6																														
Magnesium	8.7	20.4	20.5	26.3	21.9	22.7	25.2	28.2	22.7	19.8	21.6	24.1	24.2	26.5	17.2	16.9	11.8	16	18.8	23.0	25.2	24.4	22.8	19.5	22.2	23.3	20.3	23.3	21.3	21.7	23.1	22.4	21			21.8	24.7	19.6	17.8																														
Manganese	19	23.1	23.9	13.1	16.4	15.6	23.9	22.1	19.5	16.4	10.7	16.1	16	20.9	9.03	12.2	2.72	9.34	13.7	12.0	15.4	20.2	17.3	11.3	15.4	14.7	12.9	12.8	15.9	11.2	16.1	12.3	12.2			16	13.2	11.4	10.8																														
Potassium	8.9	12.1	11.8	11	7.6	6.0	11.0	12.7	12.9	11.3	6.87	9.29	9.61	12.4	4.87	9.46	3.14	6.76	7.99	12.4	11.7	12.4	9.54	12.8	10.1	11.2	8.91	8.66	10	8.18	10.7	10	8.78			11.1	7.87	6.84	8																														
Sodium	18.9	27.7	30.4	34.9	27.3	25.2	34.0	38.0	32.2	26.0	19.3	27.9	30.8	33.8	22.8	22.8	31	20.6	21.8	27.6	31.9	30.8	24.7	31.0	24.3	27.8	20.9	23.8	24.6	23.4	23.2	21.2	19.3			24.1	22.3	16.5	16.1																														
PARAMETER (mg/l) TOXIC METALS																																																																					
Antimony	ND								0.05				ND				ND				ND			0.055		ND		ND		ND		ND						0.01		ND																													
Arsenic	ND				0.032				0.010				0.020				0.019				0.02			0.010		0.02		0.03		0.01							0.01		ND																														
Barium	0.53				0.36				0.8				0.66				0.15				0.73			0.581		0.73		0.58		0.43		0.5					0.56		0.52																														
Beryllium					ND				ND				ND				ND				ND			ND		ND		ND		ND		ND					ND		ND																														
Cadmium		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.01	ND	ND	ND	ND	0.01	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND																													
Chromium (Total)	<DL				0.01				0.02				0.03				0.04				0.04			0.028		0.02		ND		0.02		0.02					ND		ND																														
Copper	ND				ND				ND				0.01				0.02				0.02			ND		ND		ND		ND		ND						ND		ND																													
Lead	<DL	ND	ND	ND	ND	ND	0.070	0.009	0.003	0.004	0.023	0.012	0.009	0.005	ND	0.005	0.017	0.002	0.001	0.003	0.01	ND	0	0.011	0.005	0	0	0	0	0	ND	0.01	0		0	0	0	0.003	ND																														
Mercury	ND				ND				ND				ND				ND				ND			ND		ND		ND		ND		ND		ND				ND		ND																													
Nickel	0.64				ND				0.05				0.09				0.04				0.1			0.058		0.08		0.06		0.06		0.05					0.05		ND																														
Selenium	0.04	0.03	0.05	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	0.001	ND																													
Silver	ND				ND				ND				0.02				ND				0.01			ND		ND		ND		ND		ND		ND				ND		ND																													
Thallium	ND				ND				ND				ND				ND				ND			ND		ND		ND		ND		ND		ND				ND		ND																													
Zinc	0.03				0.01				0.02				0.06				0.06				0.08			0.095		0.05		0.07		0.03		ND					0.04		ND																														
PARAMETER (mg/l) LEACHATE INDICATORS																																																																					
Alkalinity	411	461	523	522	468	522	653	562	489	507	394	446	523	656	475	386	656	253	516	587	583	530	470		499	412	543		587	571	521	500	487		603	469	363	480																															
Biochemical Oxygen Demand	45				6.0	ND			24.0				11				13				ND			29		26				10						8		9																															
Boron	0.11				0.21	ND			0.25				0.02				ND				0.29			0.249		0.28		0.24		0.23		0.18				0.18		0.11																															
Chemical Oxygen Demand	100	20	98	90	50	259	158.0	106	85.1	107	82.4	84.7	89.8	228	92.1	50.9	131	84	69.3	127	325	139	88.3		27.4	85.5	44.8		93.9	77.2	94	32.1	71.5		76.7	80.2	54.1	45																															
Chromium (Hexavalent)	<DL				ND				ND				ND				ND				ND			0.010		ND		ND		ND								ND		ND																													
Chloride	42.5	46	64	7	71	36.0	70.0	75.0	32.4	37.4	29.8	56.3	72.6	61.6	27	15.5	69.9	38.6	38	55.2	79.1	43.8	29.2		30.9	35.6	29.8		36.4	34.9	32.8	40.1	27		42	45.5	23.8																																
Color (PCU units)	51				ND				250				400				175				600					120				450						500		30																															
Nitrate-Nitrite	<DL	<DL	<DL	ND	ND	ND	ND	ND	1.99	1.2	0.23	ND	ND	0.18	ND	ND	ND	0.1	ND	0.110	ND	ND	ND		ND	ND	ND		ND	ND	ND	1.28	ND		ND	0.72	ND	ND																															
Nitrogen-Ammonia	16.3	8.7	7.5	0.5	17.5	2.8	20.8	38.0	20.5	19.7	11.8	12.6	19.1	22.9	27.1	6.31	2.6	20.8	20.3	13.8	24	13.4	8.66		11.2	13.7	15		20.4	16.9	18.1		12.5		25.3	14.2	14	12.2																															
Phenols	0.005	0.084	ND	0.010	0.020	0.100	ND	ND	0.096	0.100	0.049	0.087	0.147	0.011	0.060	0.032	0.235	0.046	0.063	0.118	0.25	0.145	0.11		0.06	0.08	0.07		0.13	0.07	0.12		0.06		0.11	0.06	0.0661	0.002																															
Sulfate	14	1.8	16.8	ND	ND	ND	ND	ND	20.0	8.4	ND	ND	11		ND	ND	ND	ND	ND	ND	ND	ND	ND		ND	ND	6.4		11	ND	ND	ND	18		ND	ND	ND	2.2																															
Total Organic Carbon (TOC)	30.4	29	36	27	24	172	35.0	58.0	21.8	29.0	19.2	22.9	30	44.2	30.8	13	372	25.6	24.3	24.3	50.9	32.7	25.6		19	19	18		28	44	33	17	19		27.2	15.1	11	14																															
Total Dissolved Solids (TDS)	436	580	546	685	584	454	639.0	588	474	556	430	602	380	688	426	367	658	530	461	568	670	565	470		544	438	468		543	480	558	503	514		509	560	500	445																															
Total Hardness	277	427	721	415	336	386	134.0	422	376	404	361	386	521	595	554	320	589	290	326	352	446	408	386		366	398	351		347	301	385	377	359		349	416	320	313																															
Total Kjeldahl Nitrogen (TKN)	11.2				15.8				21.9				22				30				19.5			24.3		12.8				17.5						16.2		14																															
Turbidity (NTU units)	44	1440	370	570	179	62.0	173.0	240	80.0	58.0	120	130	200	140	64	40	155	88	98	150	190	100	125		75	43	48		23	600	51		48		140	200	42	100																															
Cyanide	<DL				ND				ND				ND				ND				ND			ND		ND				ND									ND																														



MW-12B  
HISTORICAL ANALYTICAL RESULTS  
ISCHUA LANDFILL  
CLEAN, NEW YORK

	3/04	9/04	3/05	9/05	3/06	11/06	4/07	10/07	4/08	10/08	4/09	9/09	4/10	9/10	5/11	10/11	5/12	10/12	6/13	10/13	6/14	10/14	6/15	11/15	5/16	10/16	3/17	10/17	5/18	9/18	4/19	9/19	4/20	MEAN	NYS STD		
PARAMETER METALS (mg/L)																																					
Aluminum		0.21		ND		ND		ND	ND		ND				ND	ND			0.053	0.001	-	-	ND	ND	-	ND	ND	0.0157	0.0282	-	0.096	ND	-	-	-	0.46	
Calcium	110	99.9	119	119	115	106	113	124	113	118	122	126	117	130	117	105	130	130	107	111	120	126	148	104	133	135	121	106	119	127	124	126	115	112.46			
Iron	18.4	21.6	29.9	13.3	20.6	19.6	29.8	14.6	22.8	17.7	26.6	13.2	22.4	19.2	19.7	15.1	27	15	14.5	26.8	8.94	14.5	6.01	10.2	17.3	13.2	12.3	14.4	17.5	11	13.8	18.1	16.3	30.39	0.3		
Magnesium	20.9	19	22.6	22.7	20.7	19.8	22.9	24.3	22.8	24.1	25.6	24.9	23.2	26.2	23.5	20.9	27	28	22.2	23.7	23.3	24.5	29.3	19.1	24.4	27.3	22.8	20.8	22.0	23.8	23.6	25.5	22	22.35	35.0		
Manganese	9.84	10.6	12.7	12.2	11.4	13.1	12.4	11.2	12.5	10.7	11.9	9.03	11.5	11.2	11.1	10.6	12	11	9.61	11.7	11.2	9.39	8.04	13.4	10.8	10.5	10.7	9.04	7.62	9.54	10.2	10.3	10.1	13.03	0.3		
Potassium	5.81	6.6	6.9	6.9	5.1	6.2	7.2	7.4	6.9	8.1	7.35	5.17	5.97	6.44	5.7	7.1	6.4	7.5	4.8	7.4	3.8	4.6	3.3	4.6	ND	7.67	6.3	7.42	3.97	5.52	4.46	6.73	4.89	7.84			
Sodium	15.6	14.9	16.7	19.9	14.2	15.5	17.2	21	16.6	19.4	20.2	14.9	15.8	20	14.5	15.5	16	ND	13.3	17.1	12.2	14	13	11.2	16.1	17.4	11.8	14.5	11.2	15.0	12.6	14.8	12.2	20.76	20.0		
PARAMETER (mg/l) TOXIC METALS																																					
Antimony		ND		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	ND	ND	ND	-	ND	ND	-	-	0.00	0.003	
Arsenic		0.01		ND		ND		0.012	0.01		0.013			0.012	0.011			ND	0.007	-	-	0.013	0.014	-	ND	ND	0.0108	0.0095	-	0.0085	0.0164	-	-	0.01	0.025		
Barium		0.43		0.43		0.44		0.6	0.53		0.555			0.516	0.45			0.53	0.334	-	-	0.303	0.271	-	0.394	0.414	0.304	0.439	-	0.325	0.293	-	-	0.39	1.0		
Beryllium		ND		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	-	-	0.00			
Cadmium	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	0.005	
Chromium (Total)		0.01		ND		0.01		ND	ND		ND			ND	ND			ND	0.001	-	-	0.0009	ND	-	0.0175	ND	0.006	0.0069	-	0.0107	ND	-	-	0.01	0.05		
Copper		ND		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	-	-	0.00	0.2		
Lead	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	ND	0.002	ND	ND	0.003	0.002	ND	0.0046	ND	0.0015	0.0035	0.0021	0.0016	ND	ND	ND	0.00	0.025		
Mercury		ND		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	ND	ND	6E-05	-	0.0001	ND	-	-	0.00	0.0007	
Nickel		ND		ND		ND		ND	ND		ND			ND	ND			ND	0.006	-	-	0.005	0.004	-	ND	ND	0.0058	0.0063	-	0.0046	0.0176	-	-	0.04	0.1		
Selenium	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	0.005	-	-	0.006	0.006	-	ND	ND	ND	ND	-	ND	ND	-	-	0.00	0.0		
Silver		ND		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	0.001	0.002	-	ND	ND	ND	ND	-	ND	ND	-	-	0.00	0.05		
Thallium		ND		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	0.0127	ND	ND	0.0044	-	ND	ND	-	-	0.00	0.0005		
Zinc		ND		ND		0.03		0.03	0.018		ND			ND	0.014			0.014	0.014	-	-	0.01	ND	-	ND	ND	0.0028	0.0087	-	0.0045	0.0054	-	-	0.02	2.0		
PARAMETER (mg/l) LEACHATE INDICATORS																																					
Alkalinity	440	167	371	449	383	373	ND	476	267	457	482	410	413	490	482	407	440	480	460	485	461	487	530	388	468	484	539	483	378	496	478	468	455	465.8			
Biochemical Oxygen Demand		ND		6.3		3.5		6.3	4.7		11.9			ND	5		11	7	10.1	-	-	11.1	6.7	3.7	9.0	ND	9.9	6.0	13	7.6	3.9	8.1	3.3	8.7			
Boron		0.14		0.19		0.17		0.18	0.16		0.163			0.151	0.15			ND	0.14	-	-	0.1	0.08	-	0.119	0.107	0.11	0.165	-	0.125	0.0919	-	-	0.1	1.0		
Chemical Oxygen Demand	42	83	44.6	71.3	23.7	50.5	43	46.5	41.2	42.9	45	38	41.6	36.3	31	48.8	38	45	37.4	56.7	26.6	42.8	24.5	30	-	46.3	48.4	73.3	64.5	74.7	34.5	58.7	54.7	72.5			
Chromium (Hexavalent)		ND		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	-	-	-	0.0061	ND	-	-	0.0	0.05		
Chloride	17	24.8	18.3	38.6	17.4	16	21.4	27.7	15.7	27.3	25	21.7	16	25	14	14.5	13.6	22.7	12.8	19.1	8.1	10.2	9.6	7.9	12.6	18.2	11.4	16.3	9.1	10.8	8.0	13.7	7.2	30.3	250		
Color (PCU units)		120		60		160		300	80		30			0	320			0	280	-	-	340	90		20	5	15	-	75	100	-	-		130.7	15		
Nitrate-Nitrite	ND	ND	ND	ND	ND	ND	4	ND	0.4	0.144	ND			0.104	ND	ND	0.055	0.182	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.052	1.4	ND	0.052	ND	0.12	0.05	0.2	
Nitrogen-Ammonia	10.4	2.3	8	17.1	5	4.3	8.8	6.3	8.3	9.2	13.2	7.36		9.36	8.9	11	7.82	9.24	6.63	12.5	3.7	7.03	5.29	5.1	6.87	9.3	6.7	12.9	5.1	2.2	4.9	8.6	6.2	11.8	2.0		
Phenols	0.002	0.017	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.009	ND	ND	0.031	0.087	0.026	0.0412	0.0057	ND	0.0406	0.0318	0.047	0.0578	0.0437	0.049	0.0351	0.004	0.0027	0.0	0.001	
Sulfate	2.2	ND	2.2	ND	2.6	ND	2.1	ND	ND	ND	ND	2.32	ND	ND	ND	ND	ND	ND	ND	2.9	ND	3.2	3	ND	ND	2.6	1.3	1.9	2.5	ND	ND	1.5	2.1	250			
Total Organic Carbon (TOC)	13	23.5	13.7	14.9	10	13.2	16.2	13.3	14.4	17.9	14.9	9.6	9.1	11.4	11.2	8.7	10.9	11.5	12.7	17.2	8.7	14.1	9.3	11.6	9.52	9.8	3.2	19.5	20.8	9.0	8.9	9.7	8.3	27.2			
Total Dissolved Solids (TDS)	478	478	449	515	464	587	312	502	468	467	508	482	503	510	468	430	610	600	482	511	479	488	523	407	487	516	459	201	457	458	602	466	432	503.2	500		
Total Hardness	361	328	390	390	372	346	376	410	376	394	410	420	390	430	389	349		450	359	376	396	415	490	352	390	450	410	520	450	340	400	200	400	391.7			
Total Kjeldahl Nitrogen (TKN)		12.9		19.4		6		9.4	ND		13.1			9.95	9.5			5.2	9.26	7.89	-	-	7.59	5.25	-	7.53	7.7	6.4	14.3	6.7	4.7	5.4	10.1	9.6	10.9		
Turbidity (NTU units)	53	41.6	25.8	12.7	22.6	40	47.8	33.8	10.8	15.1	12	4	5	6	10	0.8	6.4	26.8	14.4	10.4	2.3	7.1	23.4	7.84	6.3	10.9	6.6	87.2	43.8	16.2	8.6	31.17	5.7	102.1	5.0		
Cyanide		ND		ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	-	ND	ND	-	-	ND	ND	-	-	0.0	0.2		
(Shade) = Analyte reported at or above New York State standards (amended March and June 1998). These standards were used beginning with the 9/98 sampling event. Exceedences noted prior to this event reflect prior standards.																																					
+ = Applies to the sum of cis and trans-1,3-dichloropropene.																																					
- = Guidance Value.																																					
ND values are included in calculation of Mean and are considered equal to zero.																																					
(Blank) or "-" = Not Analyzed.																																					
ND = Not Detected.																																					
J = Estimated.																																					
<DL = Detected below method detection limit.																																					
B = Analyte was detected in method blank.																																					

Shade = Analyte reported at or above New York State standards (amended March and June 1998). These standards were used beginning with the 9/98 sampling event. Exceedances noted prior to this event reflect prior standards.  
 \* = Applies to the sum of cis and trans-1,3-dichloropropene.  
 \*\* = Guidance Value.  
 ND values are included in calculation of Mean and are considered equal to zero.  
 (Blank) or "-" = Not Analyzed.  
 ND = Not Detected.  
 J = Estimated.  
 <DL = Detected below method detection limit. 8 = Analyte was detected in method blank.







MW-13  
HISTORICAL ANALYTICAL RESULTS  
ISCHUA LANDFILL  
OLEAN, NEW YORK

[illegible]





MW-14  
HISTORICAL ANALYTICAL RESULTS  
ISCHUA LANDFILL  
CLEAN, NEW YORK

	9/90	12/90	3/91	6/91	9/91	12/91	3/92	6/92	9/92	12/92	3/93	6/93	9/93	12/93	3/94	6/94	9/94	12/94	3/95	6/95	9/95	12/95	4/96	9/96	3/97	9/97	3/98	9/98	3/99	9/99	3/00	9/00	3/01	9/01	3/02	9/02	3/03	9/03			
PARAMETER METALS (mg/L)																																									
Aluminum	22				7.7				3.42				6.45				13.4				7.68			4.10		7.33		1.28		1.66		0.34		0.83		0.4		4.33			
Calcium	50.7	65.1	58.2	69.6	80.5	82.8	79.9	70.7	84.3	82.6	80.9	73.7	78.4	84.2	75.4	73.1	83.7	72.8	69.6	67.8	80.6			79.1	66.4	80.7	81.1	71.5	48.8	79.1	62.4	49.6	47.8	54.8	44.4	65.1	35.5	40.3	96.8		
Iron	49.5	4.6	0.55	1.24	13.6	2.15	1.6	1.2	6.8	9.02	9.63	5.92	11.5	14	6.26	16	22.1	15.6	16.9	20.2	15.6			3.88	7.79	6.49	8.5	6.74	1.72	5.24	3.11	0.73	0.77	0.53	1.59	1.68	0.84	1.77	9.15		
Magnesium	17.7	15.9	17.2	19.5	22.6	19.5	19.1	19.3	21.7	21.5	21	19.1	20.6	22	19.9	20.7	21.4	19.1	19	19.4	21.8			19.1	17.5	20.8	20.5	19.7	17.6	17.8	13.8	13.1	11.2	14.2	14.4	15.9	10.3	12.4	14.4		
Manganese	2.28	0.9	0.58	0.32	0.54	0.39	0.08	0.05	0.39	0.03	0.35	0.23	0.5	0.66	0.37	0.76	0.79	0.64	0.598	0.870	0.85			0.21	0.447	0.258	0.43	0.46	0.12	0.37	0.33	0.07	0.22	0.06	0.06	0.096	0.04	0.06	0.31		
Potassium	7.3	3.9	7.5	6.8	6.5	3.4	7.2	6.3	5.12	5.4	9.59	5.27	4.34	8.58	4.04	7.26	6.86	5.83	6.45	5.82	3.97			3.53	3.62	5.01	5.69	4.5	5.92	5.45	3.16	9.09	3.5	2.51	2.83	2.59	3.2	3.71	4.33		
Sodium	8.9	10.2	14.5	20.4	18.3	12.9	27.3	20.5	17.5	16.5	20.9	18.7	15.9	15.7	14.2	18.3	18	15	14.7	15.5	15.7			12.3	14.9	16.2	16	15.4	18.5	15.2	16.9	18.9	17.4	15.5	17.3	16.4	14.9	15.6	13.4		
PARAMETER (mg/l) TOXIC METALS																																									
Antimony	0.01				ND				ND				ND				ND				ND			0.028		ND		ND		ND		ND		ND		ND		ND		ND	
Arsenic	ND				ND				0.003					0.004			ND				0.01			0.004		ND		ND		ND		ND		ND		ND		ND		ND	
Barium	0.15				0.08				0.08					0.1			0.14				0.12			0.087		ND		0.13		0.12		0.1		0.1		0.15		0.12		0.3	
Beryllium					ND				ND								ND				ND			ND		ND		ND		ND		ND		ND		ND		ND		ND	
Cadmium		<DL	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	ND	0.01			ND	ND	ND	ND	ND	ND	0.01	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	ND
Chromium (Total)	0.02	0	0	ND	0.02	ND	ND	ND	0.02	0.03	0.03	0.02	0.03	0.03	0.02	0.06	0.05	0.07	0.05	0.034	0.03			ND	0.024	0.044	0.34	0.03	ND	0.02	0.02	0.02	ND	ND	ND	ND	0.003	ND	0.01	0.02	
Copper	ND				0.01				ND				0.01				0.03				0.02			ND		ND		0.02		ND		ND		ND		ND		ND		ND	0.01
Lead	0.013	<DL	<DL	ND	0.005	ND	0.070	0.010	0.001	0.005	0.003	0.005	0.007	0.006	0.005	0.010	0.011	0.007	0.006	0.007	0.01			0	0.024	0.005	0.01	0	0	0	ND	0	ND	0.01	0.001	0	0	ND		ND	
Mercury					ND				ND				ND				ND				ND			ND		ND		ND		ND		ND		ND		ND		ND		ND	
Nickel	0.14				ND				ND				0.03				0.05				0.03			0.020		0.15		ND		ND		ND		ND		ND		ND		ND	
Selenium	0.03	<DL	<DL	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Silver					ND				ND				ND				ND				ND			ND		ND		ND		ND		ND		ND		ND		ND		ND	
Thallium	0.2				ND				ND				ND				ND				ND			ND		ND		ND		ND		ND		ND		ND		ND		ND	
Zinc	0.11				0.06				0.03				0.05				0.09				0.07			0.054		0.07		0.03		0.03		0.03		0.03		0.03		0.02		0.03	
PARAMETER (mg/l) LEACHATE INDICATORS																																									
Alkalinity	207	224	226	209	244	233	299	236	237	221	236	231	189	227	221	244	235	225	232	237				224		234	235	171	189				139	136	187	139	165			145	
Biochemical Oxygen Demand	8				ND				6				ND				ND				19			3		8		3											ND		
Boron	ND				0.04				ND				ND				ND				ND			ND		ND		0.06		ND		ND		ND		ND		ND		ND	
Chemical Oxygen Demand	15.9	<DL	<DL	ND	ND	ND	ND	ND	12.2	ND	1.75	17.1	ND	ND	ND	ND	ND	30.9	ND	14.3				ND		ND		21.4	ND	ND			15.9	ND	ND	ND	ND		ND		ND
Chromium (Hexavalent)	<DL				ND				ND				ND				ND				ND			ND		ND		ND		ND					ND		ND		ND		
Chloride	2.4	8	7.8	3	9	ND	ND	4.0	ND	1.9	ND	2.5	ND	2.08	1.87	2.15	2.69	2.07	2	ND			ND		1.94	1.74	2.01	1.35			ND	1.58	1.68		1.52				1.5		
Color (PCU units)	25				ND				20								5										30		250							75			5		
Nitrate-Nitrite	<DL	<DL	<DL	ND	0.05	ND	ND	0.1	0.19	1.3	0.14	6.89	0.13	0.43	0.09	0.08	0.49	0.2	0.09	0.252					ND		0.19	0.15	0.14	0.46		0.31	0.53	0.21	0.4	0.363		0.09			
Nitrogen-Ammonia	<DL	<DL	<DL	ND	0.1	ND	0.3	ND	0.21	0.1	0.05	0.08	0.1	0.67	0.17	0.2	0.07	0.06	0.1	0.021			0.140		0.012	ND	ND	0.49		ND		ND	ND	ND	ND	ND		ND		ND	
Phenols	0.002	ND	<DL	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.002	0.004	0.001	ND	ND	ND	ND	0.054	0.03		0.01		ND	ND	ND	ND		ND		ND	ND	ND	0.0042			ND		ND
Sulfate	63.3	47.3	59.8	68	81	173	64.0	109	90	100	75	93	94	82	68	100	80	100	80	69			77		75	69	79	54		66	99	75		82.1					ND		
Total Organic Carbon (TOC)	5.2	4	2.3	2	1	1.0	1.0	3.5	4.8	4.0	1.2	2.0	1.2	3	1.2	5.8	ND	1.1	2.7	14.5			2.4		1.9	1.2	1.4	2.5		1.2	1.6	1.7	1.3	1.1	ND	ND		ND		ND	
Total Dissolved Solids (TDS)	305	310	316	331	373	375	429	369	395	348	371	377		383	319	306	317	344	340	327			326		331	338	288	282		270	238	281	241	285					305		
Total Hardness	199	228	216	254	294	287	278	256	346	315	315	287		378	355	293	387	260	252	249			276		287	287	260	194		178	165	195	170	228					301		
Total Kjeldahl Nitrogen (TKN)	<DL				0.9				ND				2.42			1.39					ND			2.98		ND		ND											ND		ND
Turbidity (NTU units)	70	905	225	230	242	171	304	456	320	320	240	240	170	200	480	58	200	97	110	270			360		225	280	85	57		19		15	87	78					74		
Cyanide	0.01				ND				ND				ND				ND				ND			ND		ND		ND			ND										











SEEP  
HISTORICAL ANALYTICAL RESULTS  
ISCHUA LANDFILL  
OLEAN, NEW YORK

	3/04	9/04	3/05	9/05	3/06	11/06	4/07	10/07	4/08	10/08	4/09	9/09	4/10	9/10	5/11	10/11	5/12	10/12	6/13	10/13	6/14	10/14	6/15	11/15	5/16	10/16	3/17	10/17	5/18	9/18	4/19	9/19	4/20	MEAN	NYS STD	
PARAMETER VOLATILES (ug/L)																																				
Acetone					ND	1.7	2.8	3.4	4.8	2	3.9	2.6	ND	2.9	1.1	ND	ND	ND	ND	1.7	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.4	ND	ND	ND	ND	0.98	50.0
Acrylonitrile					ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0
Benzene	1.4	1.7	0.35	3.9	2	2.6	1.4	1.5	1.7	1.3	1.4	2.6	2	1.2	0.72	2.1	ND	ND	1.4	ND	ND	1.4	1.9	ND	ND	ND	ND	ND	2.2	ND	ND	ND	ND	1.7	1.42	1.0
Bromobenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	-	-	0.00	5.0
Bromochloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0
Bromodichloromethane	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	50.0
Bromoform	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0
2-Butanone					ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	50.0
n-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	-	-	0.01	5.0
sec-Butylbenzene	ND	ND	ND	ND	ND	0.21	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	-	-	0.00	5.0
tert-Butylbenzene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	-	-	-	-	-	-	-	-	-	-	-	0.01	5.0
Carbon disulfide					ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	60.0
Carbon tetrachloride	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.00	5.0
Chlorobenzene	ND	1.8	0.43	1.6	3.5	0.3	0.5	0.9	0.3	0.35	0.37	0.28	0.34	2.2	0.6	0.3	0.2	ND	2.2	ND	ND	ND	ND	ND	ND	ND	ND	ND	3.0	ND	ND	ND	ND	3.3	1.28	5.0
Chloroethane	ND	0.25	ND	0.6	0.39	0.46	0.26	ND	0.5	0.3	0.27	0.28	0.43	0.22	ND	ND	ND	ND	0.55	ND	ND	0.36	0.43	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.15	5.0	
Chloroform	ND																																			





STREAM  
HISTORICAL ANALYTICAL RESULTS  
ISCHUA LANDFILL  
OLEAN, NEW YORK

	9/90	12/90	3/91	6/91	9/91	12/91	3/92	6/92	9/92	12/92	3/93	6/93	9/93	12/93	3/94	6/94	9/94	12/94	3/95	6/95	9/95	12/95	4/96	9/96	3/97	9/97	3/98	9/98	3/99	9/99	3/00	9/00	3/01	9/01	3/02	09/02	3/03	9/03		
PARAMETER METALS (mg/L)																																								
Aluminum	ND								31.1																	0.15				0.12		ND		22.3		17.3		8.01		
Calcium	6.1	13.4	21.7			14.4	13.5		28.8	14.2	ND			19.9	9.94	26.6		20	18.3					16.3		14.6	13.6	21.5		13.4	25.1	17.4	33.4	22.3						
Iron	0.06	0.8	2.4			0.07	ND		51	0.54	71			0.03	0.2	0.79		2.03	0.15				0.05		0.19	0.44	0.32	0.2	0.29	0.65	0.14	0.67	0.89		0.15			0.46		
Magnesium	2	2.7	6.8			3.7	3.9		11.6	3.79	132			5.8	2.64	7.07		5.83	5.04				4.26		3.98	3.02	6.02	3.43	6.52	4.65	9.26	6.8	4.78				2.12			
Manganese	0.26	0.3	2			ND	0.01		23.2	0.72	31.5			0.35	0.06	0.25		0.94	0.28				0.01		0.05	0.06	0.83	0.1	1.11	0.08	0.95	0.59				0.02		0.04		
Potassium	1.1	0.9	1.7			1.6	1.5		5.45	1.71	5.86			1.59	1.26	1.43		1.85	1.47				1.47		1.26	1.71	1.71	1.41	1.86	1.5	2.21	1.64			1.26		1.86			
Sodium	ND	1.5	5.4			2.9	2.6		3.5	1.94	4.83			2.62	1.14	4.04		3.6	2.78				2.15		1.93	0.97	2.95	1.31	2.98	1.99	5.2	3.37			2.39		1.36			
PARAMETER (mg/l) TOXIC METALS																																								
Antimony	ND								0.03																	ND				ND		ND								
Arsenic	<DL								0.024																		ND				ND		ND							
Barium	ND								0.37																		ND				0.03		0.04							
Beryllium	ND								0																		ND						ND							
Cadmium	ND	ND	ND			ND	ND		ND	ND	ND			ND	ND	ND		ND	ND				ND		ND	ND	ND	ND		ND	ND	ND	ND			ND		ND		
Chromium (Total)	ND								0.04																ND		ND	ND		ND	ND	ND	ND							
Copper	ND								ND																	ND		ND			ND		ND							
Lead	ND	<DL	<DL			ND	0.040		0.018	ND	0.007			0.002	ND	0.002		0.006	ND							0.002	ND	ND		ND	ND	0.01	0			ND		ND		





DUPLICATE  
HISTORICAL ANALYTICAL RESULTS  
ISCHUA LANDFILL  
OLEAN, NEW YORK

[illegible]



DUPLICATE  
 HISTORICAL ANALYTICAL RESULTS  
 ISCHUA LANDFILL  
 OLEAN, NEW YORK

[illegible]



DUPLICATE  
HISTORICAL ANALYTICAL RESULTS  
ISCHUA LANDFILL  
CLEAN, NEW YORK

	3/04	9/04	3/05	9/05	3/06	11/06	4/07	10/07	4/08	10/08	4/09	9/09	4/10	9/10	5/11	10/11	5/12	10/12	6/13	10/13	6/14	10/14	6/15	11/15	5/16	10/16	3/17	10/17	5/18	9/18	4/19	9/19	4/20	MEAN	NYS STD			
PARAMETER METALS (mg/L)																																						
Aluminum				ND		ND		ND	ND		ND			ND	ND			ND	0.008	0	-	ND	ND	-	ND	ND	ND	0.147	-	0.1	0.067	-	-	0.014				
Calcium				122	22.4	55.2	39	49.3	112	128	65	68.7	66.6	89.5	80.3	73.4	34	86	67.2	80	122	118	74.2	28.1	70.8	94.3	71.7	32.9	75.7	81.9	69.7	77.8	72.7	74.06				
Iron				15.9	0.63	0.096	9.6	2.3	22.7	32.1	0.241	0.202	0.383	5.31	5.8	0.65	0.88	6	1.79	5.7	10.3	15.1	1.29	ND	0.311	3.04	0.066	0.204	3.44	0.858	3.66	1.43	0.299	5.006	0.3			
Magnesium				23.4	5.9	17.1	12.5	16.4	22.8	26.2	20.4	21.6	21.2	13.2	12	23.7	11	13	23.2	12.7	24.1	25.5	23.7	8.8	20.2	13.8	22.3	9.62	11	25.7	10.3	24.3	23.1	17.9573	35.0			
Manganese				12.8	0.065	0.14	7.6	7.3	12.6	13.2	4.82	2.27	3.03	8.24	7.2	7	0.35	9.2	9.08	8.08	11.2	9.62	7.32	0.014	3.69	7.2	2.04	0.0492	5.33	6.42	6.39	7.12	6.66	6.20094	0.3			
Potassium				7.7	1.8	2.3	3.1	3.6	6.7	8	1.83	2.04	2.08	2.9	2.2	2.3	1.8	2.7	2.2	2.8	4.1	4.7	2.3	ND	ND	ND	2.74	2.48	2.03	2.93	2.39	2.3	2.4	2.814				
Sodium				21.2	2.7	15.5	5.7	7.5	16.5	21.2	9.6	9.5	9.2	10.5	6.5	9.6	4.2	ND	8.5	7.4	12.4	14.4	9.1	3	9.92	11.6	7.32	3.6	6.02	10.5	6	8.88	8.96	9.23333	20.0			
PARAMETER (mg/l) TOXIC METALS																																						
Antimony				ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	-	-	0	0.003			
Arsenic				ND		ND		ND	ND		ND			0.017	0.023			ND	0.005	-	-	0.014	0.005	-	ND	0.0163	ND	ND	-	ND	0.0141	-	-	0.0041	0.025			
Barium				0.48	0.011	0.07		0.18	0.54	0.64	0.0892	0.0543		0.18	0.15			ND	0.091	-	-	0.283	0.072	-	ND	ND	0.0518	0.0147	-	0.0696	0.12	-	-	0.1191	1.0			
Beryllium				ND		ND		ND	ND		ND			ND	ND			ND	0.0002	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	-	-	8.7E-06				
Cadmium				ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0	0.005		
Chromium (Total)				ND	ND	ND		ND	ND	0.0055	0.0059	ND	ND	ND	ND	ND	ND	ND	ND	-	-	0.001	ND	-	ND	ND	ND	ND	-	0.0052	ND	-	-	0.00068	0.05			
Copper				ND		ND		ND	ND	ND	ND			ND	ND			ND	ND	-	-	0.02	ND	-	ND	ND	ND	ND	-	ND	ND	-	-	0.00087	0.2			
Lead				ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.001	ND	0.001	ND	ND	0.003	0.002	ND	0.0043	ND	ND	ND	ND	0.0028	ND	ND	ND	ND	0.00047	0.025		
Mercury				ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	-	-	ND	ND	-	ND	ND	ND	7E-05	-	ND	0.0003	-	-	1.3E-05	0.0007			
Nickel				ND		ND		ND	ND	ND	ND			ND				ND	0.005	-	-	0.005	0.005	-	ND	ND	0.0036	ND	-	0.0045	0.0144	-	-	0.0017	0.1			
Selenium				ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND			ND	0.005	-	-	0.006	0.006	-	ND	ND	ND	ND	-	ND	ND	-	-	0.00068	0.0			
Silver				ND	ND	ND		ND	ND	ND	ND	ND	ND	ND	ND			ND	ND	-	-	0.001	0.001	-	ND	ND	ND	ND	-	ND	ND	-	-	0.00008	0.05			
Thallium				ND		ND		ND	ND	ND	ND			ND				ND	ND	-	-	ND	ND	-	ND	ND	ND	ND	-	ND	ND	-	-	0	0.0005			
Zinc				ND		ND		ND	ND	ND	ND			0.0466				0.063	0.004	-	-	0.011	ND	-	ND	0.0221	0.0017	0.0021	-	0.0032	ND	-	-	0.00699	2.0			
PARAMETER (mg/l) LEACHATE INDICATORS																																						
Alkalinity				468	67.3	151	106	208	520	498	267	254	310	263	287	293	130	280	315	290	462	480	300	102	268	293	299	120	203	347	236	292	352	282.043				
Biochemical Oxygen Demand				6		ND		3.2	7.4		ND			ND	ND			ND	4	-	-	14.2	3	ND	ND	1	1	ND	ND	1.9	1.8	1.1	1.85833					
Boron				0.2		ND		0.074	0.17	0.0417				0.0534	0.052			ND	0.07	-	-	0.11	0.06	-	ND	0.0457	0.0411	-	0.0507	0.039	-	-	0.04381	1.0				
Chemical Oxygen Demand				67.1	ND	27.3	ND	ND	43.7	48.1	ND	ND		ND	ND	14	ND	24	10.7	14.2	29.8	12.1	12.8	9.7	-	15.1	13	14	27.7	31.8	ND	30	18.8	15.9966				
Chromium (Hexavalent)				ND		ND		ND	ND		ND			ND	ND			ND	ND	-	-	ND	ND	-	-	ND	ND	-	-	ND	ND	-	-	0	0.05			
Chloride				39.4	2.3	1.7	5.6	8.9	17	29.1	12	12.6	11.1	23.4	4.1	11.1	2.87	12	9.1	7.5	8.8	12.6	10.2	2.9	8.83	18.6	12.4	3.2	2.9	10.7	2.3	9.3	5.7	10.6067	250			
Color (PCU units)				140		ND		60	100		16			0	17.5			5	34	-	-	380	19		5	10		5	15					35.4565	15			
Nitrate-Nitrite				ND	0.16	ND	0.085	ND	ND	0.3	ND	ND		ND	ND	2.7	0.224	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.0064	ND	0.21	ND	ND	ND	0.049	ND	0.12877	10		
Nitrogen-Ammonia				18	0.23	ND	1.9	1.9	9.8	9.8	0.886	0.245	0.245	0.75	0.78	0.43	ND	1.56	0.795	1.35	3.02	8.9	0.674	ND	0.44	1.1	0.19	0.055	0.7	0.3	1	0.61	0.52	2.206	2.0			
Phenols				ND	ND	0.016	ND	ND	0.0092	0.054	0.0247	ND	ND	ND	ND	ND	ND	ND	ND	0.0174	0.03	0.0527	ND	ND	0.0125	0.0115	ND	0.0025	0.0123	0.0125	0.0141	0.004	ND	0.00911	0.001			
Sulfate				ND	12.8	47.9	7.2	10.9	ND	ND	6.5	7.19	6.83	7.64	8.4	6.4	ND	ND	5.3	4.2	2.6	ND	5.4	10.6	5.78	9.6	6.6	8.6	6.5	5.8	6.3	7.7	4.8	7.05133	250			
Total Organic Carbon (TOC)				14.6	2.6	ND	4.2	3.9	13.6	18.4	2.7	2	1.3	4.7	2.6	2.3	ND	ND	4.2	7.3	10.1	14.8	3.1	2.9	1.75	4.9	ND	4.7	13.5	3.1	2.4	2.4	2.4	5.015				
Total Dissolved Solids (TDS)				536	111	436	179	237	446	515	299	296	289	326	278	303	130	350	340	312	494	483	316	115	301	319	287	147	257	299	196	306	334	307.9	500			
Total Hardness				401	80.2	208	149	191	374	427	250	260	250	280	250	281	130	270	263	252	404	400	283	106	240	310	248	120	260	17.3	200	300	400	253.483				
Total Kjeldahl Nitrogen (TKN)				19.8		ND		2.7	ND	ND				1.31	1.3		ND	1.13	1.25	-	-	9.53	0.86	-	0.4	1.3	0.32	0.2	0.85	0.38	1.1	1	1.1	1.85542				
Turbidity (NTU units)				22.5	7.4	ND	9.2	9										0	0.3	-	-	7.1	ND	-	0.8	0.8	-	0	0	0	0	-	-	2.71905	5.0			
Cyanide				ND		ND		ND	ND	ND				ND	ND			ND	ND	-	-	ND	ND	-	-	ND	ND	-	-	ND	ND	-	-	0	0.2			
(Shade) = Analyte reported at or above New York State standards (amended March and June 1998). These standards were used beginning with the 9/98 sampling event. Exceedences noted prior to this event reflect prior standards. * = Applies to the sum of cis and trans-1,3-dichloropropene. ** = Guidance Value. ND values are included in calculation of Mean and are considered equal to zero. (Blank) or "-" = Not Analyzed. ND = Not Detected. -<DL = Detected below method detection limit. B = Analyte was detected in method blank.																																						

(Shade) = Analyte reported at or above New York State standards (amended March and June 1998). These standards were used beginning with the 9/98 sampling event. Exceedances noted prior to this event reflect prior standards.  
\* = Applies to the sum of cis and trans-1,3-dichloropropene.  
\*\* = Guidance Value.

ND values are included in calculation of Mean and are considered equal to zero.

(Blank) or "-" = Not Analyzed.

ND = Not Detected.

<DL = Detected below method detection limit.

J = Estimated.

B = Analyte was detected in method blank.