



**CH2M**  
Kyle Block  
Project Manager  
18 Tremont Street  
Suite 700  
Boston, MA 02108  
D 1 617 626 7013  
[www.ch2m.com](http://www.ch2m.com)

Mr. Maurice Moore  
Division of Hazardous Waste Management  
New York State Department of Environmental Protection  
270 Michigan Ave.  
Buffalo, NY 14203-2999

August 20, 2015

Subject: 2015 January – June Semi-Annual Performance Monitoring Report  
Essex/Hope Site, Jamestown, New York  
CH2M HILL Project No. 660760

Dear Mr. Moore:

This letter report is a summary of the January through June 2015 operation performance period for the remedial system at the above-referenced site. This report is submitted in accordance with the Performance Monitoring Plan (PMP) prepared by URS Corporation (URS) dated March 2014. The PMP continues through 2017.

## General Operations

During the reporting period, approximately 454,571 gallons of groundwater were treated and discharged to the City of Jamestown publicly owned treatment works (POTW). The system was not in operation during the months of January, February, and the majority of March because inclement weather hindered the ability to change out carbon. The system carbon was changed out on March 17, 2015, at which point the system was restarted. After the system was back up and running in late March 2015, there were no major disruptions in normal operating conditions. Generally speaking, the pumping rates and discharge volumes for the 3 months after system repair were consistent with historical pumping volumes. The following sections discuss the data on groundwater quality sampling and groundwater flow.

## Groundwater Flow Evaluation

Water level measurements were collected on April 14, 2015 and June 26, 2015. Water level data is provided in Appendix A of this report. Groundwater contour maps illustrating pumping conditions during the reporting period are provided as Figures 1 through 4. Groundwater contours were hand-contoured and considered the effects of the pumping wells, although water level elevations from the pumping wells were not used. Shallow recovery wells RW-1S, RW-2S, and RW-3S were pumping at a combined rate of approximately 0.80 gallon per minute (gpm) in April 2015 and 1.42 gpm in June 2015. Shallow groundwater flow was generally to the northeast in areas not captured by the pumping of the shallow recovery wells. Deep recovery wells RW-2D and RW-6D were pumping at a combined average rate of 1.93 gpm in April 2015, and RW-6D was pumping at an average rate of 1.12 gpm in June 2015. There was a general northeasterly flow direction in deep groundwater in April and June 2015, although groundwater flow near the pumping wells (i.e., RW-2D and RW-6D in April, and RW-6D in June) was

toward those wells. Groundwater elevations in the shallow aquifer were generally higher than elevations in the deep aquifer, indicating a downward vertical gradient.

## Water Quality Results

Performance monitoring for 2015 includes semiannual sampling of the recovery wells during the first and third quarters as well as monthly influent and effluent sampling of the treatment system. Recovery well sampling was conducted on March 31, 2015. Samples were analyzed by Pace Analytical of Greensburg, Pennsylvania, for volatile organic compounds (VOCs) by U.S. Environmental Protection Agency (USEPA) Method 8260B. The total toxic organics (TTOs) measured in the deep recovery wells, specifically in RW-6D, were higher than the TTOs measured in the shallow wells, which is consistent with past results. In general, VOC concentrations were similar or lower than previous results. The recovery well analytical results are summarized in Table 1. Laboratory reports are included as Appendix B.

In accordance with the City of Jamestown Board of Public Utilities (BPU) Industrial Wastewater Discharge Permit Number 26 (Permit), the treatment system is monitored for pH and VOCs to ensure compliance with the discharge requirements. Sampling points include the influent, primary carbon effluent, and secondary carbon effluent (discharge to POTW). These points are sampled each month and reported to the Jamestown BPU on a semiannual basis. In accordance with the BPU Permit, a semiannual report was submitted to the City of Jamestown on July 29, 2015 providing the results of the first half of 2015. Groundwater treatment system data is also attached to this letter and summarized in Tables 2 through 4. These tables represent the system influent, individual carbon vessel effluent, and post carbon (system discharge to POTW) concentrations. There were no discharge exceedances during this reporting period.

This letter report has been prepared to satisfy the reporting requirements stipulated in the PMP and to evaluate remediation effectiveness on a semiannual basis. If you have any questions or would like additional information, please do not hesitate to call me at (617) 626-7013.

Sincerely,



Kyle Block  
Project Manager

cc: Tim King (Dow)  
Matt Forcucci (NYSDEC)  
James Charles, Esq. (Division of Environmental Enforcement)  
Carlo J. Montisano (Custom Production Manufacturing, Inc.)  
Travis Pendry (CH2M HILL)  
Rachel Vaughan (CH2M HILL)

Tables

TABLE 1

**2015 1st Quarter Semiannual Recovery Well Sampling Analytical Results***Essex/Hope Site, Jamestown, New York*

<b>Volatile Organic Compounds - Method 8260A (µg/L)</b>	<b>Units</b>	<b>Site GW RAOs</b>	<b>RW-1S</b>	<b>RW-2S</b>	<b>RW-2D</b>	<b>RW-3S</b>	<b>RW-6D</b>
Acetone	µg/L	--	ND	ND	ND	ND	<b>99,000</b>
Benzene	µg/L	--	ND	ND	<b>10.4</b>	<b>6.5</b>	<b>106</b>
2-Butanone (MEK)	µg/L	--	ND	ND	ND	ND	<b>440 J</b>
Carbon Disulfide	µg/L	--	ND	ND	ND	ND	ND
Chloromethane	µg/L	--	ND	ND	ND	ND	ND
Isopropylbenzene (Cumene)	µg/L	--	ND	ND	ND	ND	ND
1,1-Dichloroethane	µg/L	--	ND	ND	ND	ND	ND
1,1-Dichloroethene	µg/L	--	ND	ND	<b>14.3</b>	ND	<b>71.1</b>
cis-1,2-Dichloroethene	µg/L	--	<b>59.5</b>	<b>9.3</b>	<b>2,260</b>	ND	<b>20,800</b>
trans-1,2-Dichloroethene	µg/L	5	ND	ND	<b>54.6</b>	ND	<b>315</b>
Ethylbenzene	µg/L	5	ND	ND	ND	<b>9.5</b>	ND
4-Methyl-2-pentanone (MIBK)	µg/L	--	ND	ND	ND	<b>11.8</b>	ND
Methylene Chloride	µg/L	--	ND	ND	ND	ND	ND
Tetrachloroethene	µg/L	--	ND	ND	ND	ND	ND
Toluene	µg/L	5	ND	ND	ND	ND	<b>1.7</b>
Trichloroethene	µg/L	5	<b>37.7</b>	<b>8.0</b>	<b>2,490</b>	ND	<b>16,000</b>
Vinyl Chloride	µg/L	5	<b>3.5</b>	ND	<b>373</b>	ND	<b>5,120</b>
Total Xylenes	µg/L	5	ND	ND	ND	<b>77.7</b>	ND

## Notes:

Site GW RAOs = Site Groundwater Remedial Action Objectives

µg/L = micrograms per liter

ND = Not detected/detected below minimum laboratory reporting limit

TABLE 2

## January - June 2015 Pre Carbon Monitoring Data

Essex/Hope Site, Jamestown, New York

Parameter	Units	Sample Date												
		January	February	March	April 23	May 13	June 11	Jul	Aug	Sep	Oct	Nov	Dec	
Acetone	µg/L	System not in Operation	System not in Operation	System not in Operation	18,100	26,600	46,000 D							
Benzene	µg/L				34.2	37.9	50							
2-Butanone (MEK)	µg/L				57.4	83.0	230							
Chloroform	µg/L				ND	ND	ND							
Chloromethane	µg/L				ND	7.4	ND							
Isopropylbenzene (Cumene)	µg/L				ND	ND	ND							
1,1-Dichloroethane	µg/L				ND	ND	ND							
1,1-Dichloroethene	µg/L				23.9	38.4	34							
cis-1,2-Dichloroethene	µg/L				6,230	11,800	11,000 D							
trans-1,2-Dichloroethene	µg/L				142	ND	28							
Ethylbenzene	µg/L				ND	ND	ND							
Methylene Chloride	µg/L				ND	ND	ND							
Toluene	µg/L				ND	1.0	1.3 J							
Trichloroethene	µg/L				4,250	4,470	9,300							
Vinyl Chloride	µg/L				879	2,020	2,000 D							
Total Xylenes	µg/L				ND	ND	ND							
<b>Pre-Carbon Total VOCs</b>	<b>µg/L</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>29,717</b>	<b>45,058</b>	<b>68,643</b>							

## Notes:

VOC = volatile organic compound

ND = Not detected/detected below minimum laboratory reporting limit

D = sample results obtained from a dilution

µg/L = micrograms per liter

Pre-carbon results represent system influent

TABLE 3

## January - June 2015 Primary Carbon Monitoring Data

Essex/Hope Site, Jamestown, New York

Parameter	Units	Sample Date													
		January	February	March	April 23	May 13	Jun 11	Jul	Aug	Sep	Oct	Nov	Dec		
Acetone	µg/L	System not in Operation	System not in Operation	System not in Operation	20,800	38,400	42,000 D								
Benzene	µg/L				ND	ND	0.34 J								
2-Butanone (MEK)	µg/L				ND	ND	77								
Chloroform	µg/L				ND	ND	ND								
Chloromethane	µg/L				ND	ND	ND								
Isopropylbenzene (Cumene)	µg/L				ND	ND	ND								
1,1-Dichloroethane	µg/L				ND	ND	ND								
1,1-Dichloroethene	µg/L				ND	ND	1.8								
cis-1,2-Dichloroethene	µg/L				13.6	ND	950 D								
trans-1,2-Dichloroethene	µg/L				ND	ND	1.3								
Ethylbenzene	µg/L				ND	ND	ND								
Methylene Chloride	µg/L				ND	ND	ND								
Toluene	µg/L				ND	ND	ND								
Trichloroethene	µg/L				ND	ND	44								
Vinyl Chloride	µg/L				240	1,230	1,900 D								
Total Xylenes	µg/L				ND	ND	ND								
<b>Primary Carbon Total VOCs</b>	<b>µg/L</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>21,054</b>	<b>39,630</b>	<b>44,974</b>								

## Notes:

VOC = volatile organic compound

ND = Not detected/detected below minimum laboratory reporting limit

D = sample results obtained from a dilution

µg/L = micrograms per liter

Primary carbon results represent effluent from the primary carbon vessel in the two carbon vessel system

TABLE 4

**January - June 2015 Post Carbon (Effluent) Monitoring Data***Essex/Hope Site, Jamestown, New York*

Parameter	Units	Sample Date													
		January	February	March	April 23	May 13	Jun 11	Jul	Aug	Sep	Oct	Nov	Dec		
Acetone	µg/L	System not in Operation	System not in Operation	System not in Operation	36,000	30,200	8,300 D								
Benzene	µg/L				ND	ND	ND								
2-Butanone (MEK)	µg/L				ND	ND	ND								
Chloroform	µg/L				ND	ND	ND								
Chloromethane	µg/L				ND	7.4	ND								
Isopropylbenzene (Cumene)	µg/L				ND	ND	ND								
1,1-Dichloroethane	µg/L				ND	ND	ND								
1,1-Dichloroethene	µg/L				ND	ND	ND								
cis-1,2-Dichloroethene	µg/L				ND	ND	0.3 J								
trans-1,2-Dichloroethene	µg/L				ND	ND	ND								
Ethylbenzene	µg/L				ND	ND	ND								
Methylene Chloride	µg/L				ND	ND	ND								
Toluene	µg/L				ND	ND	ND								
Trichloroethene	µg/L				ND	ND	ND								
Vinyl Chloride	µg/L				2.1	8.5	150								
Total Xylenes	µg/L				ND	ND	ND								
<b>Post-Carbon Total VOCs</b>	<b>µg/L</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>36,002</b>	<b>30,216</b>	<b>8,450</b>								
<b>Post-Carbon TTOs</b>	<b>µg/L</b>	<b>NA</b>	<b>NA</b>	<b>NA</b>	<b>2</b>	<b>16</b>	<b>150</b>								

## Notes:

VOC = volatile organic compound

TTOs = total toxic organics

ND = Not detected/detected below minimum laboratory reporting limit

D = sample results obtained from a dilution

µg/L = micrograms per liter

Post-carbon results represent system effluent from the secondary carbon vessel to the POTW

Post-carbon sample is a laboratory-prepared composite of four grab samples taken at 30-minute intervals

POTW Discharge Limit = 2,130 µg/L TTOs

Figures

**LEGEND**


- MONITORING WELL
- RECOVERY WELL
- APPROXIMATE GROUNDWATER MONITORING POINT LOCATION
- PIEZOMETER LOCATION
- VAPOR PROBE LOCATION

—1269— GROUNDWATER CONTOUR AND ELEVATION


**APPROXIMATE PUMPING RATES**

- RW-1S: 0.14 GPM
- RW-2S: 0.55 GPM
- RW-3S: 0.11 GPM
- RW-2D: 1.25 GPM (DEEP)
- RW-6D: 0.68 GPM (DEEP)

NOTE:  
PUMPING WELL WATER LEVELS ARE NOT INCLUDED IN CONTOURING.



**SITE PLAN**



**Figure 1**  
Shallow Groundwater  
April 14, 2015  
DOW CHEMICAL CORPORATION  
ESSEX/HOPE SITE  
CITY OF JAMESTOWN, NEW YORK



**LEGEND**


- MONITORING WELL
- RECOVERY WELL
- APPROXIMATE GROUNDWATER MONITORING POINT LOCATION
- ◆ PIEZOMETER LOCATION
- ▲ VAPOR PROBE LOCATION

—1267— GROUNDWATER CONTOUR AND ELEVATION


**APPROXIMATE PUMPING RATES**

- RW-2D: 1.25 GPM (DEEP)
- RW-6D: 0.68 GPM (DEEP)

NOTE:  
PUMPING WELL WATER LEVELS ARE NOT INCLUDED IN CONTOURING.



**SITE PLAN**



**Figure 2**  
Deep Groundwater  
April 14, 2015  
DOW CHEMICAL CORPORATION  
ESSEX/HOPE SITE  
CITY OF JAMESTOWN, NEW YORK



**LEGEND**


- MONITORING WELL
- RECOVERY WELL
- APPROXIMATE GROUNDWATER MONITORING POINT LOCATION
- ◇ PIEZOMETER LOCATION
- ▲ VAPOR PROBE LOCATION

—1269— GROUNDWATER CONTOUR AND ELEVATION


**APPROXIMATE PUMPING RATES**

- RW-1S: 0.26 GPM
- RW-2S: 1.02 GPM
- RW-3S: 0.14 GPM
- RW-6D: 1.12 GPM (DEEP)

NOTE:  
PUMPING WELL WATER LEVELS ARE NOT INCLUDED IN CONTOURING.



**SITE PLAN**



**Figure 3**  
Shallow Groundwater  
June 26, 2015  
DOW CHEMICAL CORPORATION  
ESSEX/HOPE SITE  
CITY OF JAMESTOWN, NEW YORK



**LEGEND**


- MONITORING WELL
- RECOVERY WELL
- APPROXIMATE GROUNDWATER MONITORING POINT LOCATION
- ◇ PIEZOMETER LOCATION
- ▲ VAPOR PROBE LOCATION

—1266— GROUNDWATER CONTOUR AND ELEVATION


**APPROXIMATE PUMPING RATES**

RW-6D: 1.12 GPM

**NOTE:**  
PUMPING WELL WATER LEVELS ARE NOT INCLUDED IN CONTOURING.



**SITE PLAN**



**Figure 4**  
Deep Groundwater  
June 26, 2015  
DOW CHEMICAL CORPORATION  
ESSEX/HOPE SITE  
CITY OF JAMESTOWN, NEW YORK



Appendix A  
Water Level Measurement Data

## APPENDIX A

## 2015 Water Level Data

Essex/Hope Site, Jamestown, New York

Monitoring Location	Northing	Easting	Reference Elevation (ft msl)	Depth to Top of Screen	Depth to Bottom of Screen	Screened Zone	April 14, 2015			June 26, 2015		
							Depth to Water	Depth to Top of Pump	Groundwater Elevation (ft msl)	Depth to Water	Depth to Top of Pump	Groundwater Elevation (ft msl)
MW-1	9758.72	10383.65	1280.48	--	20.0	Shallow	NA	NA	NA	NA	NA	NA
MW-2	9837.15	9959.69	1279.87	--	16.0	Shallow	8.59	NA	1271.28	DRY	NA	NA
MW-4	9792.33	9900.76	1281.02	13.0	18.0	Shallow	9.56	NA	1271.46	9.62	NA	1271.40
MW-5	9789.62	9631.76	1280.82	9.5	20.0	Shallow	NA	NA	NA	NA	NA	NA
MW-6	9977.12	10118.88	1277.98	--	--	Shallow	8.09	NA	1269.89	7.39	NA	1270.59
MW-7S	9976.65	10175.68	1277.73	10.0	20.0	Shallow	7.81	NA	1269.92	8.06	NA	1269.67
MW-7D	9973.26	10174.85	1277.8	35.0	45.0	Deep	14.08	NA	1263.72	9.75	NA	1268.05
MW-7DD	9970.85	10176.27	1277.74	90.0	100.0	Glacial Till	NA	NA	NA	NA	NA	NA
MW-8	9959.61	10127.69	1277.97	39.6	49.6	Deep	NA	NA	NA	NA	NA	NA
MW-10	9932.47	10185.71	1277.94	8.5	18.5	Shallow	7.52	NA	1270.42	7.68	NA	1270.26
MW-11	9937.99	10101.70	1277.75	5.0	15.0	Shallow	7.68	NA	1270.07	8.22	NA	1269.53
MW-11D	9942.38	10101.15	1277.85	35.0	45.0	Deep	11.65	NA	1266.20	9.35	NA	1268.50
MW-12	9883.09	10104.93	1278.18	4.0	14.0	Shallow	7.52	NA	1270.66	8.23	NA	1269.95
MW-13	9752.06	10240.29	1278.12	8.0	18.0	Shallow	7.95	NA	1270.17	8.78	NA	1269.34
MW-14S	10048.78	10135.52	1280.25	10.0	20.0	Shallow	11.45	NA	1268.80	11.85	NA	1268.40
MW-14D	10049.51	10129.19	1280.01	40.0	50.0	Deep	13.10	NA	1266.91	11.90	NA	1268.11
MW-15S	10051.83	10254.49	1279.55	10.0	20.0	Shallow	11.70	NA	1267.85	12.20	NA	1267.35
MW-15D	10045.56	10255.21	1279.46	34.0	44.0	Deep	12.49	NA	1266.97	12.88	NA	1266.58
MW-16S	10146.78	10236.86	1279.32	7.0	17.0	Shallow	11.50	NA	1267.82	11.96	NA	1267.36
MW-16D	10143.95	10236.60	1279.05	36.0	46.0	Deep	11.51	NA	1267.54	12.05	NA	1267.00
MW-17	9987.63	9995.52	1278.7	--	--	Deep	8.94	NA	1269.76	10.27	NA	1268.43
MW-18	9994.67	10459.22	1275.49	--	20.0	Shallow	8.62	NA	1266.87	9.36	NA	1266.13
MW-19S	9956.15	10358.21	1276.82	9.0	19.0	Shallow	9.09	NA	1267.73	8.88	NA	1267.94
MW-19D	9951.57	10355.97	1276.21	34.0	44.0	Deep	9.54	NA	1266.67	9.51	NA	1266.70
MW-20	9894.73	10224.51	1278.56	6.5	11.5	Shallow	7.02	NA	1271.54	10.70	NA	1267.86
MW-21D	9995.01	10314.80	1276.12	31.5	41.0	Deep	9.53	NA	1266.59	9.73	NA	1266.39
MW-22D	10048.17	10391.35	1276.04	32.5	42.0	Deep	9.23	NA	1266.81	9.70	NA	1266.34
MW-23S	9824.70	10265.64	1277.85	5.0	14.5	Shallow	5.76	NA	1272.09	6.33	NA	1271.52
MW-23D	9818.32	10265.67	1277.89	28.0	37.5	Deep	9.32	NA	1268.57	9.89	NA	1268.00
MW-24S	9817.13	10186.21	1278.77	5.0	14.5	Shallow	7.43	NA	1271.34	7.59	NA	1271.18
MW-25S	9995.60	10572.35	1272.76	7.0	17.0	Shallow	9.11	NA	1263.65	9.59	NA	1263.17
MW-25D	9995.46	10565.28	1273.41	31.0	41.0	Deep	8.99	NA	1264.42	9.52	NA	1263.89

Monitoring Location	Northing	Easting	Reference Elevation (ft msl)	Depth to Top of Screen	Depth to Bottom of Screen	Screened Zone	April 14, 2015			June 26, 2015		
							Depth to Water	Depth to Top of Pump	Groundwater Elevation (ft msl)	Depth to Water	Depth to Top of Pump	Groundwater Elevation (ft msl)
MW-26S	9861.35	10371.32	1279.422	5.0	15.0	Shallow	7.69	NA	1271.73	CNL	NA	NA
MW-27S	9849.63	10452.22	1278.864	10.0	20.0	Shallow	9.40	NA	1269.46	9.76	NA	1269.10
MW-28S	9810.84	10451.41	1279.25	7.0	17.0	Shallow	8.70	NA	1270.55	9.31	NA	1269.94
MW-29S	9786.07	10188.64	1280.7	4.0	14.0	Shallow	7.66	NA	1273.04	7.86	NA	1272.84
MW-30S	9790.04	10160.48	1280.80	--	--	Shallow	8.22	NA	1272.58	8.60	NA	1272.20
MW-31S	9768.49	10181.09	1280.63	--	--	Shallow	7.93	NA	1272.70	8.15	NA	1272.48
HW-2	9977.65	10079.79	1281.13	--	--	Shallow	11.35	NA	1269.78	11.75	NA	1269.38
HW-8	9834.66	10312.09	1277.81	6.0	16.0	Shallow	5.68	NA	1272.13	5.90	NA	1271.91
HW-9	9810.53	10313.39	1280.78	6.0	16.0	Shallow	9.04	NA	1271.74	9.80	NA	1270.98
HW-10	9837.30	9966.74	1279.55	7.0	17.0	Shallow	NA	NA	NA	NA	NA	NA
RW-1S	9932.36	10136.05	1275.81	10.5	16.0	Shallow	9.45	11.50	1266.36	10.70	11.50	1265.11
RW-1D	9925.99	10121.77	1276.34	32.0	57.0	Deep	11.22	NA	1265.12	8.25	NA	1268.09
RW-2S	9982.95	10151.71	1276.33	10.0	15.5	Shallow	10.60	12.70	1265.73	10.99	12.70	1265.34
RW-2D	9982.61	10169.31	1276.35	27.0	42.0	Deep	28.00	36.90	1248.35	8.30	36.90	1268.05
RW-3S	9837.09	9990.97	1278.14	9.0	13.5	Shallow	9.70	8.80	1268.44	9.80	8.80	1268.34
RW-5S	9863.43	10330.75	1277.29	7.0	10.0	Shallow	NA	NA	NA	NA	NA	NA
RW-6D	9994.04	10367.91	1277.33	--	--	Deep	35.60	NA	1241.73	30.50	NA	1246.83
GP-1S	9942.44	10203.11	1278.83	8.0	12.8	Shallow	NA	NA	NA	NA	NA	NA
GP-2S	9899.88	10204.16	1278.46	2.6	12.6	Shallow	NA	NA	NA	NA	NA	NA
GP-2D	9899.74	10207.98	1278.56	30.0	34.8	Deep	NA	NA	NA	NA	NA	NA
GP-3S	9941.25	10263.89	1278.59	4.0	14.0	Shallow	NA	NA	NA	NA	NA	NA
GP-3D	9936.90	10264.59	1278.62	34.0	38.8	Deep	NA	NA	NA	NA	NA	NA
GP-4S	9940.86*	10154.97*	1278.06	10.8	15.8	Shallow	8.15	NA	1269.91	8.59	NA	1269.47
GP-4D	9942.17	10152.22	1277.95	39.0	43.8	Deep	13.43	NA	1264.52	9.85	NA	1268.10
GP-5S	9994.73	10200.21	1277.44	7.0	11.8	Shallow	NA	NA	NA	NA	NA	NA
GP-5D	9994.86	10202.99	1276.81	36.0	40.8	Deep	NA	NA	NA	NA	NA	NA
PZ-1S	9981.85	10169.31	1277.77	--	--	Shallow	NA	NA	NA	NA	NA	NA
PZ-1D	9980.43	10171.26	1277.64	--	--	Deep	NA	NA	NA	NA	NA	NA
PZ-2D	9979.56	10172.48	1277.55	--	--	Deep	NA	NA	NA	NA	NA	NA
PZ-3D	9942.04	10199.29	1278.8	20.0	40.0	Deep	NA	NA	NA	NA	NA	NA
PZ-4D	9946.23	10195.68	1278.71	--	--	Deep	NA	NA	NA	NA	NA	NA
PZ-5S	9897.74	10330.79	1276.42	5.5	12.0	Shallow	6.05	NA	1270.37	6.86	NA	1269.56
PZ-5D	9894.57	10329.71	1276.4	21.0	42.0	Deep	8.65	NA	1267.75	9.81	NA	1266.59
PZ-6S	9932.21	10344.49	1276.61	8.5	13.5	Shallow	8.14	NA	1268.47	8.72	NA	1267.89
PZ-6D	9929.80	10343.47	1276.62	25.5	45.5	Deep	9.23	NA	1267.39	9.46	NA	1267.16
PZ-7D	9994.55	10463.25	1275.68	22.0	42.0	Deep	9.20	NA	1266.48	10.10	NA	1265.58
PZ-8D	9856.49	10237.81	1278.12	21.0	41.0	Deep	NA	NA	NA	NA	NA	NA

Monitoring Location	Northing	Easting	Reference Elevation (ft msl)	Depth to Top of Screen	Depth to Bottom of Screen	Screened Zone	April 14, 2015			June 26, 2015		
							Depth to Water	Depth to Top of Pump	Groundwater Elevation (ft msl)	Depth to Water	Depth to Top of Pump	Groundwater Elevation (ft msl)
PZ-9D	9856.24	10291.17	1277.3	19.0	39.0	Deep	NA	NA	NA	NA	NA	NA
PZ-10D	9858.98	10366.42	1277.52	26.5	46.5	Deep	NA	NA	NA	NA	NA	NA
PZ-11D	9863.07	10452.90	1276.63	21.3	41.3	Deep	9.59	NA	NA	9.82	NA	NA
VP-5D	9925.11	10103.01	1277.88	12.5	34.3	Deep	9.62	NA	1268.26	8.97	NA	1268.91
VP-6S	9928.81	10423.46	1276.48	18.3	24.0	Deep upper gravel	1.54	NA	1274.94	9.70	NA	1266.78
VP-6D	9932.57	10424.14	1276.6	29.5	39.5	Deep	8.54	NA	1268.06	9.95	NA	1266.65
VP-7D	9758.49	10337.71	1278.64	20.4	39.3	Deep	11.45	NA	1267.19	11.65	NA	1266.99
VP-8D	9994.62	10197.81	1277.15	20.0	39.0	Deep	9.15	NA	1268.00	9.48	NA	1267.67

Notes:

NA = Not Applicable

CNL = Could not locate

RW-4S, RW-5S taken offline in October 2002 for UST Removal.

Wells RW-4S, TW-01, and HW-7 destroyed during UST removal operations.

Appendix B  
Laboratory Certificates of Analysis

May 07, 2015

Mr. Mark Dowiak  
URS Corporation  
Foster Plaza 6  
681 Andersen Drive, Suite 400  
Pittsburgh, PA 15220

RE: Project: ESSEX/HOPE JAMESTOWN  
Pace Project No.: 30146519

Dear Mr. Dowiak:

Enclosed are the analytical results for sample(s) received by the laboratory on April 24, 2015. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Timothy Reed  
timothy.reed@pacelabs.com  
Project Manager

Enclosures

cc: Ms. Valerie Sibeto, URS Corporation



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## CERTIFICATIONS

Project: ESSEX/HOPE JAMESTOWN

Pace Project No.: 30146519

---

### Pennsylvania Certification IDs

1638 Roseytown Rd Suites 2,3&4, Greensburg, PA 15601

ACCLASS DOD-ELAP Accreditation #: ADE-1544

Alabama Certification #: 41590

Arizona Certification #: AZ0734

Arkansas Certification

California/TNI Certification #: 04222CA

Colorado Certification

Connecticut Certification #: PH-0694

Delaware Certification

Florida/TNI Certification #: E87683

Guam/PADEP Certification

Hawaii/PADEP Certification

Idaho Certification

Illinois/PADEP Certification

Indiana/PADEP Certification

Iowa Certification #: 391

Kansas/TNI Certification #: E-10358

Kentucky Certification #: 90133

Louisiana DHH/TNI Certification #: LA140008

Louisiana DEQ/TNI Certification #: 4086

Maine Certification #: PA00091

Maryland Certification #: 308

Massachusetts Certification #: M-PA1457

Michigan/PADEP Certification

Missouri Certification #: 235

Montana Certification #: Cert 0082

Nebraska Certification #: NE-05-29-14

Nevada Certification

New Hampshire/TNI Certification #: 2976

New Jersey/TNI Certification #: PA 051

New Mexico Certification

New York/TNI Certification #: 10888

North Carolina Certification #: 42706

North Dakota Certification #: R-190

Oregon/TNI Certification #: PA200002

Pennsylvania/TNI Certification #: 65-00282

Puerto Rico Certification #: PA01457

South Dakota Certification

Tennessee Certification #: TN2867

Texas/TNI Certification #: T104704188

Utah/TNI Certification #: PA014572014-4

Vermont Dept. of Health: ID# VT-0282

Virgin Island/PADEP Certification

Virginia/VELAP Certification #: 460198

Washington Certification #: C868

West Virginia DEP Certification #: 143

West Virginia DHHR Certification #: 9964C

Wisconsin/PADEP Certification

Wyoming Certification #: 8TMS-Q

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## ANALYTICAL RESULTS

Project: ESSEX/HOPE JAMESTOWN

Pace Project No.: 30146519

Sample: PRE-CARB		Lab ID: 30146519001	Collected: 04/23/15 10:30	Received: 04/24/15 09:35	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260C MSV</b>		Analytical Method: EPA 8260C						
Acetone	<b>18100</b>	ug/L	1000	100		05/05/15 19:04	67-64-1	
Benzene	<b>34.2</b>	ug/L	1.0	1		05/05/15 18:39	71-43-2	
Bromodichloromethane	ND	ug/L	1.0	1		05/05/15 18:39	75-27-4	
Bromoform	ND	ug/L	1.0	1		05/05/15 18:39	75-25-2	
Bromomethane	ND	ug/L	1.0	1		05/05/15 18:39	74-83-9	
2-Butanone (MEK)	<b>57.4</b>	ug/L	10.0	1		05/05/15 18:39	78-93-3	
Carbon disulfide	ND	ug/L	1.0	1		05/05/15 18:39	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		05/05/15 18:39	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		05/05/15 18:39	108-90-7	
Chloroethane	ND	ug/L	1.0	1		05/05/15 18:39	75-00-3	
Chloroform	ND	ug/L	1.0	1		05/05/15 18:39	67-66-3	
Chloromethane	ND	ug/L	1.0	1		05/05/15 18:39	74-87-3	
Dibromochloromethane	ND	ug/L	1.0	1		05/05/15 18:39	124-48-1	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		05/05/15 18:39	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		05/05/15 18:39	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		05/05/15 18:39	106-46-7	
1,1-Dichloroethane	ND	ug/L	1.0	1		05/05/15 18:39	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		05/05/15 18:39	107-06-2	
1,1-Dichloroethene	<b>23.9</b>	ug/L	1.0	1		05/05/15 18:39	75-35-4	
cis-1,2-Dichloroethene	<b>6230</b>	ug/L	100	100		05/05/15 19:04	156-59-2	
trans-1,2-Dichloroethene	<b>142</b>	ug/L	1.0	1		05/05/15 18:39	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		05/05/15 18:39	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		05/05/15 18:39	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		05/05/15 18:39	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		05/05/15 18:39	100-41-4	
2-Hexanone	ND	ug/L	10.0	1		05/05/15 18:39	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	1		05/05/15 18:39	98-82-8	
Methylene Chloride	ND	ug/L	1.0	1		05/05/15 18:39	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	10.0	1		05/05/15 18:39	108-10-1	
Styrene	ND	ug/L	1.0	1		05/05/15 18:39	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		05/05/15 18:39	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		05/05/15 18:39	127-18-4	
Toluene	ND	ug/L	1.0	1		05/05/15 18:39	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		05/05/15 18:39	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		05/05/15 18:39	79-00-5	
Trichloroethene	<b>4250</b>	ug/L	100	100		05/05/15 19:04	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		05/05/15 18:39	75-69-4	
Vinyl chloride	<b>879</b>	ug/L	100	100		05/05/15 19:04	75-01-4	
m&p-Xylene	ND	ug/L	2.0	1		05/05/15 18:39	179601-23-1	
o-Xylene	ND	ug/L	1.0	1		05/05/15 18:39	95-47-6	
<b>Surrogates</b>								
4-Bromofluorobenzene (S)	95	%	84-113	1		05/05/15 18:39	460-00-4	
1,2-Dichloroethane-d4 (S)	85	%	84-124	1		05/05/15 18:39	17060-07-0	
Toluene-d8 (S)	105	%	79-118	1		05/05/15 18:39	2037-26-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## ANALYTICAL RESULTS

Project: ESSEX/HOPE JAMESTOWN

Pace Project No.: 30146519

Sample: PRIMARY-EFF		Lab ID: 30146519002	Collected: 04/23/15 10:35	Received: 04/24/15 09:35	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260C MSV</b>		Analytical Method: EPA 8260C						
Acetone	<b>20800</b>	ug/L	5000	500		05/05/15 20:18	67-64-1	
Benzene	ND	ug/L	1.0	1		05/05/15 19:29	71-43-2	
Bromodichloromethane	ND	ug/L	1.0	1		05/05/15 19:29	75-27-4	
Bromoform	ND	ug/L	1.0	1		05/05/15 19:29	75-25-2	
Bromomethane	ND	ug/L	1.0	1		05/05/15 19:29	74-83-9	
2-Butanone (MEK)	ND	ug/L	10.0	1		05/05/15 19:29	78-93-3	
Carbon disulfide	ND	ug/L	1.0	1		05/05/15 19:29	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		05/05/15 19:29	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		05/05/15 19:29	108-90-7	
Chloroethane	ND	ug/L	1.0	1		05/05/15 19:29	75-00-3	
Chloroform	ND	ug/L	1.0	1		05/05/15 19:29	67-66-3	
Chloromethane	ND	ug/L	1.0	1		05/05/15 19:29	74-87-3	
Dibromochloromethane	ND	ug/L	1.0	1		05/05/15 19:29	124-48-1	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		05/05/15 19:29	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		05/05/15 19:29	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		05/05/15 19:29	106-46-7	
1,1-Dichloroethane	ND	ug/L	1.0	1		05/05/15 19:29	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		05/05/15 19:29	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		05/05/15 19:29	75-35-4	
cis-1,2-Dichloroethene	<b>13.6</b>	ug/L	1.0	1		05/05/15 19:29	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		05/05/15 19:29	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		05/05/15 19:29	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		05/05/15 19:29	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		05/05/15 19:29	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		05/05/15 19:29	100-41-4	
2-Hexanone	ND	ug/L	10.0	1		05/05/15 19:29	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	1		05/05/15 19:29	98-82-8	
Methylene Chloride	ND	ug/L	1.0	1		05/05/15 19:29	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	10.0	1		05/05/15 19:29	108-10-1	
Styrene	ND	ug/L	1.0	1		05/05/15 19:29	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		05/05/15 19:29	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		05/05/15 19:29	127-18-4	
Toluene	ND	ug/L	1.0	1		05/05/15 19:29	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		05/05/15 19:29	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		05/05/15 19:29	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		05/05/15 19:29	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		05/05/15 19:29	75-69-4	
Vinyl chloride	<b>240</b>	ug/L	1.0	1		05/05/15 19:29	75-01-4	
m&p-Xylene	ND	ug/L	2.0	1		05/05/15 19:29	179601-23-1	
o-Xylene	ND	ug/L	1.0	1		05/05/15 19:29	95-47-6	
<b>Surrogates</b>								
4-Bromofluorobenzene (S)	95	%	84-113	1		05/05/15 19:29	460-00-4	
1,2-Dichloroethane-d4 (S)	89	%	84-124	1		05/05/15 19:29	17060-07-0	
Toluene-d8 (S)	99	%	79-118	1		05/05/15 19:29	2037-26-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

### ANALYTICAL RESULTS

Project: ESSEX/HOPE JAMESTOWN

Pace Project No.: 30146519

Sample: POST-CARB		Lab ID: 30146519003	Collected: 04/23/15 12:10	Received: 04/24/15 09:35	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260C MSV</b>		Analytical Method: EPA 8260C						
Acetone	<b>36000</b>	ug/L	1000	100		05/05/15 21:08	67-64-1	
Benzene	ND	ug/L	1.0	1		05/05/15 20:43	71-43-2	
Bromodichloromethane	ND	ug/L	1.0	1		05/05/15 20:43	75-27-4	
Bromoform	ND	ug/L	1.0	1		05/05/15 20:43	75-25-2	
Bromomethane	ND	ug/L	1.0	1		05/05/15 20:43	74-83-9	
2-Butanone (MEK)	ND	ug/L	10.0	1		05/05/15 20:43	78-93-3	
Carbon disulfide	ND	ug/L	1.0	1		05/05/15 20:43	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		05/05/15 20:43	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		05/05/15 20:43	108-90-7	
Chloroethane	ND	ug/L	1.0	1		05/05/15 20:43	75-00-3	
Chloroform	ND	ug/L	1.0	1		05/05/15 20:43	67-66-3	
Chloromethane	ND	ug/L	1.0	1		05/05/15 20:43	74-87-3	
Dibromochloromethane	ND	ug/L	1.0	1		05/05/15 20:43	124-48-1	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		05/05/15 20:43	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		05/05/15 20:43	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		05/05/15 20:43	106-46-7	
1,1-Dichloroethane	ND	ug/L	1.0	1		05/05/15 20:43	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		05/05/15 20:43	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		05/05/15 20:43	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		05/05/15 20:43	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		05/05/15 20:43	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		05/05/15 20:43	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		05/05/15 20:43	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		05/05/15 20:43	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		05/05/15 20:43	100-41-4	
2-Hexanone	ND	ug/L	10.0	1		05/05/15 20:43	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	1		05/05/15 20:43	98-82-8	
Methylene Chloride	ND	ug/L	1.0	1		05/05/15 20:43	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	10.0	1		05/05/15 20:43	108-10-1	
Styrene	ND	ug/L	1.0	1		05/05/15 20:43	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		05/05/15 20:43	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		05/05/15 20:43	127-18-4	
Toluene	ND	ug/L	1.0	1		05/05/15 20:43	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		05/05/15 20:43	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		05/05/15 20:43	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		05/05/15 20:43	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		05/05/15 20:43	75-69-4	
Vinyl chloride	<b>2.1</b>	ug/L	1.0	1		05/05/15 20:43	75-01-4	
m&p-Xylene	ND	ug/L	2.0	1		05/05/15 20:43	179601-23-1	
o-Xylene	ND	ug/L	1.0	1		05/05/15 20:43	95-47-6	
<b>Surrogates</b>								
4-Bromofluorobenzene (S)	106	%	84-113	1		05/05/15 20:43	460-00-4	
1,2-Dichloroethane-d4 (S)	84	%	84-124	1		05/05/15 20:43	17060-07-0	
Toluene-d8 (S)	102	%	79-118	1		05/05/15 20:43	2037-26-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

### ANALYTICAL RESULTS

Project: ESSEX/HOPE JAMESTOWN

Pace Project No.: 30146519

Sample: TB-01	Lab ID: 30146519004	Collected: 04/23/15 00:01	Received: 04/24/15 09:35	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260C MSV</b>		Analytical Method: EPA 8260C						
Acetone	ND	ug/L	10.0	1		05/05/15 11:59	67-64-1	
Benzene	ND	ug/L	1.0	1		05/05/15 11:59	71-43-2	
Bromodichloromethane	ND	ug/L	1.0	1		05/05/15 11:59	75-27-4	
Bromoform	ND	ug/L	1.0	1		05/05/15 11:59	75-25-2	
Bromomethane	ND	ug/L	1.0	1		05/05/15 11:59	74-83-9	
2-Butanone (MEK)	ND	ug/L	10.0	1		05/05/15 11:59	78-93-3	
Carbon disulfide	ND	ug/L	1.0	1		05/05/15 11:59	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		05/05/15 11:59	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		05/05/15 11:59	108-90-7	
Chloroethane	ND	ug/L	1.0	1		05/05/15 11:59	75-00-3	
Chloroform	ND	ug/L	1.0	1		05/05/15 11:59	67-66-3	
Chloromethane	ND	ug/L	1.0	1		05/05/15 11:59	74-87-3	
Dibromochloromethane	ND	ug/L	1.0	1		05/05/15 11:59	124-48-1	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		05/05/15 11:59	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		05/05/15 11:59	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		05/05/15 11:59	106-46-7	
1,1-Dichloroethane	ND	ug/L	1.0	1		05/05/15 11:59	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		05/05/15 11:59	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		05/05/15 11:59	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		05/05/15 11:59	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		05/05/15 11:59	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		05/05/15 11:59	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		05/05/15 11:59	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		05/05/15 11:59	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		05/05/15 11:59	100-41-4	
2-Hexanone	ND	ug/L	10.0	1		05/05/15 11:59	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	1		05/05/15 11:59	98-82-8	
Methylene Chloride	4.4	ug/L	1.0	1		05/05/15 11:59	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	10.0	1		05/05/15 11:59	108-10-1	
Styrene	ND	ug/L	1.0	1		05/05/15 11:59	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		05/05/15 11:59	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		05/05/15 11:59	127-18-4	
Toluene	ND	ug/L	1.0	1		05/05/15 11:59	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		05/05/15 11:59	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		05/05/15 11:59	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		05/05/15 11:59	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		05/05/15 11:59	75-69-4	
Vinyl chloride	ND	ug/L	1.0	1		05/05/15 11:59	75-01-4	
m&p-Xylene	ND	ug/L	2.0	1		05/05/15 11:59	179601-23-1	
o-Xylene	ND	ug/L	1.0	1		05/05/15 11:59	95-47-6	
<b>Surrogates</b>								
4-Bromofluorobenzene (S)	102	%	84-113	1		05/05/15 11:59	460-00-4	
1,2-Dichloroethane-d4 (S)	91	%	84-124	1		05/05/15 11:59	17060-07-0	
Toluene-d8 (S)	104	%	79-118	1		05/05/15 11:59	2037-26-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

### QUALITY CONTROL DATA

Project: ESSEX/HOPE JAMESTOWN

Pace Project No.: 30146519

QC Batch: MSV/23347 Analysis Method: EPA 8260C  
QC Batch Method: EPA 8260C Analysis Description: 8260C MSV  
Associated Lab Samples: 30146519001, 30146519002, 30146519003, 30146519004

METHOD BLANK: 889226 Matrix: Water  
Associated Lab Samples: 30146519001, 30146519002, 30146519003, 30146519004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/L	ND	1.0	05/05/15 11:34	
1,1,2,2-Tetrachloroethane	ug/L	ND	1.0	05/05/15 11:34	
1,1,2-Trichloroethane	ug/L	ND	1.0	05/05/15 11:34	
1,1-Dichloroethane	ug/L	ND	1.0	05/05/15 11:34	
1,1-Dichloroethene	ug/L	ND	1.0	05/05/15 11:34	
1,2-Dichlorobenzene	ug/L	ND	1.0	05/05/15 11:34	
1,2-Dichloroethane	ug/L	ND	1.0	05/05/15 11:34	
1,2-Dichloropropane	ug/L	ND	1.0	05/05/15 11:34	
1,3-Dichlorobenzene	ug/L	ND	1.0	05/05/15 11:34	
1,4-Dichlorobenzene	ug/L	ND	1.0	05/05/15 11:34	
2-Butanone (MEK)	ug/L	ND	10.0	05/05/15 11:34	
2-Hexanone	ug/L	ND	10.0	05/05/15 11:34	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	10.0	05/05/15 11:34	
Acetone	ug/L	ND	10.0	05/05/15 11:34	
Benzene	ug/L	ND	1.0	05/05/15 11:34	
Bromodichloromethane	ug/L	ND	1.0	05/05/15 11:34	
Bromoform	ug/L	ND	1.0	05/05/15 11:34	
Bromomethane	ug/L	ND	1.0	05/05/15 11:34	
Carbon disulfide	ug/L	ND	1.0	05/05/15 11:34	
Carbon tetrachloride	ug/L	ND	1.0	05/05/15 11:34	
Chlorobenzene	ug/L	ND	1.0	05/05/15 11:34	
Chloroethane	ug/L	ND	1.0	05/05/15 11:34	
Chloroform	ug/L	ND	1.0	05/05/15 11:34	
Chloromethane	ug/L	ND	1.0	05/05/15 11:34	
cis-1,2-Dichloroethene	ug/L	ND	1.0	05/05/15 11:34	
cis-1,3-Dichloropropene	ug/L	ND	1.0	05/05/15 11:34	
Dibromochloromethane	ug/L	ND	1.0	05/05/15 11:34	
Ethylbenzene	ug/L	ND	1.0	05/05/15 11:34	
Isopropylbenzene (Cumene)	ug/L	ND	1.0	05/05/15 11:34	
m&p-Xylene	ug/L	ND	2.0	05/05/15 11:34	
Methylene Chloride	ug/L	ND	1.0	05/05/15 11:34	
o-Xylene	ug/L	ND	1.0	05/05/15 11:34	
Styrene	ug/L	ND	1.0	05/05/15 11:34	
Tetrachloroethene	ug/L	ND	1.0	05/05/15 11:34	
Toluene	ug/L	ND	1.0	05/05/15 11:34	
trans-1,2-Dichloroethene	ug/L	ND	1.0	05/05/15 11:34	
trans-1,3-Dichloropropene	ug/L	ND	1.0	05/05/15 11:34	
Trichloroethene	ug/L	ND	1.0	05/05/15 11:34	
Trichlorofluoromethane	ug/L	ND	1.0	05/05/15 11:34	
Vinyl chloride	ug/L	ND	1.0	05/05/15 11:34	
1,2-Dichloroethane-d4 (S)	%	93	84-124	05/05/15 11:34	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

### QUALITY CONTROL DATA

Project: ESSEX/HOPE JAMESTOWN

Pace Project No.: 30146519

METHOD BLANK: 889226

Matrix: Water

Associated Lab Samples: 30146519001, 30146519002, 30146519003, 30146519004

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
4-Bromofluorobenzene (S)	%	97	84-113	05/05/15 11:34	
Toluene-d8 (S)	%	95	79-118	05/05/15 11:34	

LABORATORY CONTROL SAMPLE: 889227

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	20	19.8	99	62-130	
1,1,2,2-Tetrachloroethane	ug/L	20	17.8	89	74-115	
1,1,2-Trichloroethane	ug/L	20	18.8	94	73-121	
1,1-Dichloroethane	ug/L	20	20.0	100	64-125	
1,1-Dichloroethene	ug/L	20	19.6	98	58-126	
1,2-Dichlorobenzene	ug/L	20	18.7	93	76-117	
1,2-Dichloroethane	ug/L	20	19.5	98	66-124	
1,2-Dichloropropane	ug/L	20	19.1	95	66-119	
1,3-Dichlorobenzene	ug/L	20	18.6	93	73-116	
1,4-Dichlorobenzene	ug/L	20	18.7	94	75-119	
2-Butanone (MEK)	ug/L	20	18.1	90	69-126	
2-Hexanone	ug/L	20	18.7	94	53-118	
4-Methyl-2-pentanone (MIBK)	ug/L	20	18.2	91	68-124	
Acetone	ug/L	20	13.4	67	56-142	
Benzene	ug/L	20	20.8	104	69-123	
Bromodichloromethane	ug/L	20	18.7	93	64-120	
Bromoform	ug/L	20	13.3	66	56-133	
Bromomethane	ug/L	20	21.9	109	19-151	
Carbon disulfide	ug/L	20	19.3	96	53-173	
Carbon tetrachloride	ug/L	20	17.9	90	52-133	
Chlorobenzene	ug/L	20	19.8	99	72-121	
Chloroethane	ug/L	20	17.0	85	53-143	
Chloroform	ug/L	20	20.1	100	63-123	
Chloromethane	ug/L	20	17.6	88	48-139	
cis-1,2-Dichloroethene	ug/L	20	19.9	100	63-123	
cis-1,3-Dichloropropene	ug/L	20	16.7	83	65-121	
Dibromochloromethane	ug/L	20	16.5	83	58-132	
Ethylbenzene	ug/L	20	20.2	101	70-123	
Isopropylbenzene (Cumene)	ug/L	20	20.3	102	66-136	
m&p-Xylene	ug/L	40	41.5	104	71-124	
Methylene Chloride	ug/L	20	20.8	104	55-134	
o-Xylene	ug/L	20	19.6	98	69-118	
Styrene	ug/L	20	20.3	101	66-126	
Tetrachloroethene	ug/L	20	20.0	100	62-131	
Toluene	ug/L	20	20.8	104	73-123	
trans-1,2-Dichloroethene	ug/L	20	19.7	99	61-124	
trans-1,3-Dichloropropene	ug/L	20	16.0	80	70-111	
Trichloroethene	ug/L	20	19.5	97	66-125	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

### QUALITY CONTROL DATA

Project: ESSEX/HOPE JAMESTOWN

Pace Project No.: 30146519

LABORATORY CONTROL SAMPLE: 889227

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Trichlorofluoromethane	ug/L	20	15.8	79	57-144	
Vinyl chloride	ug/L	20	13.9	70	58-131	
1,2-Dichloroethane-d4 (S)	%			90	84-124	
4-Bromofluorobenzene (S)	%			101	84-113	
Toluene-d8 (S)	%			99	79-118	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 889336 889337

Parameter	30146516006		MS	MSD	MS		MSD		% Rec	RPD	Qual
	Units	Result	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec			
1,1,1-Trichloroethane	ug/L	ND	20	20	19.1	18.3	95	92	62-130	4	
1,1,2,2-Tetrachloroethane	ug/L	ND	20	20	16.6	17.0	83	85	74-115	2	
1,1,2-Trichloroethane	ug/L	ND	20	20	17.6	16.6	88	83	73-121	6	
1,1-Dichloroethane	ug/L	ND	20	20	19.3	18.9	96	94	64-125	2	
1,1-Dichloroethene	ug/L	ND	20	20	18.3	18.2	92	91	58-126	1	
1,2-Dichlorobenzene	ug/L	ND	20	20	16.6	16.2	83	81	76-117	2	
1,2-Dichloroethane	ug/L	ND	20	20	17.9	17.1	89	86	66-124	4	
1,2-Dichloropropane	ug/L	ND	20	20	17.6	16.5	88	83	66-119	7	
1,3-Dichlorobenzene	ug/L	ND	20	20	16.6	16.1	83	81	73-116	3	
1,4-Dichlorobenzene	ug/L	ND	20	20	16.7	16.0	84	80	75-119	4	
2-Butanone (MEK)	ug/L	ND	20	20	20.2	17.6	101	88	69-126	14	
2-Hexanone	ug/L	ND	20	20	19.4	17.9	97	90	53-118	8	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	20	20	19.1	17.4	95	87	68-124	9	
Acetone	ug/L	ND	20	20	41.2	15.5	206	77	56-142	91	M1,R1
Benzene	ug/L	ND	20	20	18.9	18.0	95	90	69-123	5	
Bromodichloromethane	ug/L	ND	20	20	16.3	15.7	82	78	64-120	4	
Bromoform	ug/L	ND	20	20	11.8	11.4	59	57	56-133	4	
Bromomethane	ug/L	ND	20	20	18.3	21.0	92	105	19-151	14	
Carbon disulfide	ug/L	ND	20	20	23.5	22.2	117	111	53-173	6	
Carbon tetrachloride	ug/L	ND	20	20	17.1	16.4	85	82	52-133	4	
Chlorobenzene	ug/L	ND	20	20	18.3	17.2	91	86	72-121	6	
Chloroethane	ug/L	ND	20	20	19.0	18.5	95	92	53-143	3	
Chloroform	ug/L	ND	20	20	18.9	18.3	95	92	63-123	3	
Chloromethane	ug/L	ND	20	20	19.2	20.7	96	103	48-139	7	
cis-1,2-Dichloroethene	ug/L	ND	20	20	18.6	18.0	93	90	63-123	3	
cis-1,3-Dichloropropene	ug/L	ND	20	20	15.5	15.2	77	76	65-121	2	
Dibromochloromethane	ug/L	ND	20	20	14.9	14.8	74	74	58-132	1	
Ethylbenzene	ug/L	ND	20	20	18.8	17.2	94	86	70-123	9	
Isopropylbenzene (Cumene)	ug/L	ND	20	20	18.6	18.0	93	90	66-136	3	
m&p-Xylene	ug/L	ND	40	40	37.5	35.0	94	88	71-124	7	
Methylene Chloride	ug/L	ND	20	20	19.8	19.2	99	96	55-134	3	
o-Xylene	ug/L	ND	20	20	17.5	16.7	88	83	69-118	5	
Styrene	ug/L	ND	20	20	16.5	15.4	83	77	66-126	7	
Tetrachloroethene	ug/L	ND	20	20	19.5	18.7	98	93	62-131	5	
Toluene	ug/L	ND	20	20	18.8	18.2	94	91	73-123	3	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

### QUALITY CONTROL DATA

Project: ESSEX/HOPE JAMESTOWN

Pace Project No.: 30146519

Parameter	MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 889336		MS		MSD		889337		% Rec	% Rec	Limits	RPD	Qual
	30146516006	Result	Spike	Conc.	Spike	Conc.	MS	MSD					
trans-1,2-Dichloroethene	ug/L	ND	20	20	19.4	18.5	97	93	61-124	5			
trans-1,3-Dichloropropene	ug/L	ND	20	20	15.5	14.8	78	74	70-111	5			
Trichloroethene	ug/L	ND	20	20	18.2	17.5	91	87	66-125	4			
Trichlorofluoromethane	ug/L	ND	20	20	17.4	17.9	87	90	57-144	3			
Vinyl chloride	ug/L	ND	20	20	16.0	15.3	80	77	58-131	4			
1,2-Dichloroethane-d4 (S)	%						91	92	84-124				
4-Bromofluorobenzene (S)	%						101	100	84-113				
Toluene-d8 (S)	%						96	91	79-118				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## QUALIFIERS

Project: ESSEX/HOPE JAMESTOWN

Pace Project No.: 30146519

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### ANALYTE QUALIFIERS

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

R1 RPD value was outside control limits.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: ESSEX/HOPE JAMESTOWN

Pace Project No.: 30146519

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
30146519001	PRE-CARB	EPA 8260C	MSV/23347		
30146519002	PRIMARY-EFF	EPA 8260C	MSV/23347		
30146519003	POST-CARB	EPA 8260C	MSV/23347		
30146519004	TB-01	EPA 8260C	MSV/23347		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..





Sample Condition Upon Receipt

Client Name: URS/AECom

Project # 30146519

Courier:  Fed Ex  UPS  USPS  Client  Commercial  Pace Other \_\_\_\_\_

Tracking #: 002334326755

Custody Seal on Cooler/Box Present:  yes  no Seals intact:  yes  no Biological Tissue is Frozen: Yes No

Packing Material: Bubble Wrap  Bubble Bags \_\_\_\_\_ None \_\_\_\_\_ Other \_\_\_\_\_

Thermometer Used 7 Type of Ice: Wet Blue None  Samples on ice, cooling process has begun

Cooler Temp.: Observed Temp.: 3.4 °C Correction Factor: 0.1 °C Final Temp: 3.3 °C

Date and initials of person examining contents: Am  
4/24/15

Temp should be above freezing to 6°C

Comments:

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>wt</u>		
All containers needing preservation have been checked.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
exceptions: <u>VOA</u> , coliform, TOC, O&G, Phenols	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Initial when completed <u>Am</u> Lot # of added preservative
Samples checked for dechlorination:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	16.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Comments/ Resolution: \_\_\_\_\_

Project Manager Review: \_\_\_\_\_

Date: 4/27/15

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)





May 29, 2015

Rachel Vaughan  
CH2M  
18 Tremont Street  
Suite 700  
Boston, MA 02108

RE: Project: Essex/Hope Jamestown  
Pace Project No.: 30148056

Dear Rachel Vaughan:

Enclosed are the analytical results for sample(s) received by the laboratory on May 14, 2015. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Penny Westrick for  
Timothy Reed  
timothy.reed@pacelabs.com  
Project Manager

Enclosures



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## CERTIFICATIONS

Project: Essex/Hope Jamestown  
Pace Project No.: 30148056

---

### **Pennsylvania Certification IDs**

1638 Roseytown Rd Suites 2,3&4, Greensburg, PA 15601  
ACCLASS DOD-ELAP Accreditation #: ADE-1544  
Alabama Certification #: 41590  
Arizona Certification #: AZ0734  
Arkansas Certification  
California/TNI Certification #: 04222CA  
Colorado Certification  
Connecticut Certification #: PH-0694  
Delaware Certification  
Florida/TNI Certification #: E87683  
Guam/PADEP Certification  
Hawaii/PADEP Certification  
Idaho Certification  
Illinois/PADEP Certification  
Indiana/PADEP Certification  
Iowa Certification #: 391  
Kansas/TNI Certification #: E-10358  
Kentucky Certification #: 90133  
Louisiana DHH/TNI Certification #: LA140008  
Louisiana DEQ/TNI Certification #: 4086  
Maine Certification #: PA00091  
Maryland Certification #: 308  
Massachusetts Certification #: M-PA1457  
Michigan/PADEP Certification  
Missouri Certification #: 235

Montana Certification #: Cert 0082  
Nebraska Certification #: NE-05-29-14  
Nevada Certification  
New Hampshire/TNI Certification #: 2976  
New Jersey/TNI Certification #: PA 051  
New Mexico Certification  
New York/TNI Certification #: 10888  
North Carolina Certification #: 42706  
North Dakota Certification #: R-190  
Oregon/TNI Certification #: PA200002  
Pennsylvania/TNI Certification #: 65-00282  
Puerto Rico Certification #: PA01457  
South Dakota Certification  
Tennessee Certification #: TN2867  
Texas/TNI Certification #: T104704188  
Utah/TNI Certification #: PA014572014-4  
Vermont Dept. of Health: ID# VT-0282  
Virgin Island/PADEP Certification  
Virginia/VELAP Certification #: 460198  
Washington Certification #: C868  
West Virginia DEP Certification #: 143  
West Virginia DHHR Certification #: 9964C  
Wisconsin/PADEP Certification  
Wyoming Certification #: 8TMS-Q

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## ANALYTICAL RESULTS

Project: Essex/Hope Jamestown  
Pace Project No.: 30148056

Sample: Pre-Carb		Lab ID: 30148056001	Collected: 05/13/15 14:40	Received: 05/14/15 08:55	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260C MSV</b>		Analytical Method: EPA 8260C						
Acetone	<b>26600</b>	ug/L	1000	100		05/23/15 22:35	67-64-1	
Benzene	<b>37.9</b>	ug/L	1.0	1		05/23/15 22:10	71-43-2	
Bromodichloromethane	ND	ug/L	1.0	1		05/23/15 22:10	75-27-4	
Bromoform	ND	ug/L	1.0	1		05/23/15 22:10	75-25-2	
Bromomethane	ND	ug/L	1.0	1		05/23/15 22:10	74-83-9	
2-Butanone (MEK)	<b>83.0</b>	ug/L	10.0	1		05/23/15 22:10	78-93-3	
Carbon disulfide	ND	ug/L	1.0	1		05/23/15 22:10	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		05/23/15 22:10	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		05/23/15 22:10	108-90-7	
Chloroethane	ND	ug/L	1.0	1		05/23/15 22:10	75-00-3	
Chloroform	ND	ug/L	1.0	1		05/23/15 22:10	67-66-3	
Chloromethane	<b>7.4</b>	ug/L	1.0	1		05/23/15 22:10	74-87-3	
Dibromochloromethane	ND	ug/L	1.0	1		05/23/15 22:10	124-48-1	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		05/23/15 22:10	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		05/23/15 22:10	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		05/23/15 22:10	106-46-7	
1,1-Dichloroethane	ND	ug/L	1.0	1		05/23/15 22:10	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		05/23/15 22:10	107-06-2	
1,1-Dichloroethene	<b>38.4</b>	ug/L	1.0	1		05/23/15 22:10	75-35-4	
cis-1,2-Dichloroethene	<b>11800</b>	ug/L	100	100		05/23/15 22:35	156-59-2	
trans-1,2-Dichloroethene	<b>221</b>	ug/L	1.0	1		05/23/15 22:10	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		05/23/15 22:10	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		05/23/15 22:10	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		05/23/15 22:10	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		05/23/15 22:10	100-41-4	
2-Hexanone	ND	ug/L	10.0	1		05/23/15 22:10	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	1		05/23/15 22:10	98-82-8	
Methylene Chloride	ND	ug/L	1.0	1		05/23/15 22:10	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	10.0	1		05/23/15 22:10	108-10-1	
Styrene	ND	ug/L	1.0	1		05/23/15 22:10	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		05/23/15 22:10	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		05/23/15 22:10	127-18-4	
Toluene	<b>1.0</b>	ug/L	1.0	1		05/23/15 22:10	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		05/23/15 22:10	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		05/23/15 22:10	79-00-5	
Trichloroethene	<b>4470</b>	ug/L	100	100		05/23/15 22:35	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		05/23/15 22:10	75-69-4	
Vinyl chloride	<b>2020</b>	ug/L	100	100		05/23/15 22:35	75-01-4	
m&p-Xylene	ND	ug/L	2.0	1		05/23/15 22:10	179601-23-1	
o-Xylene	ND	ug/L	1.0	1		05/23/15 22:10	95-47-6	
<b>Surrogates</b>								
4-Bromofluorobenzene (S)	105	%	84-113	1		05/23/15 22:10	460-00-4	
1,2-Dichloroethane-d4 (S)	101	%	84-124	1		05/23/15 22:10	17060-07-0	
Toluene-d8 (S)	94	%	79-118	1		05/23/15 22:10	2037-26-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## ANALYTICAL RESULTS

Project: Essex/Hope Jamestown

Pace Project No.: 30148056

Sample: Primary-EFF		Lab ID: 30148056002	Collected: 05/13/15 14:45	Received: 05/14/15 08:55	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260C MSV</b>		Analytical Method: EPA 8260C						
Acetone	<b>38400</b>	ug/L	5000	500		05/23/15 23:25	67-64-1	
Benzene	ND	ug/L	1.0	1		05/23/15 23:00	71-43-2	
Bromodichloromethane	ND	ug/L	1.0	1		05/23/15 23:00	75-27-4	
Bromoform	ND	ug/L	1.0	1		05/23/15 23:00	75-25-2	
Bromomethane	ND	ug/L	1.0	1		05/23/15 23:00	74-83-9	
2-Butanone (MEK)	ND	ug/L	10.0	1		05/23/15 23:00	78-93-3	
Carbon disulfide	ND	ug/L	1.0	1		05/23/15 23:00	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		05/23/15 23:00	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		05/23/15 23:00	108-90-7	
Chloroethane	ND	ug/L	1.0	1		05/23/15 23:00	75-00-3	
Chloroform	ND	ug/L	1.0	1		05/23/15 23:00	67-66-3	
Chloromethane	ND	ug/L	1.0	1		05/23/15 23:00	74-87-3	
Dibromochloromethane	ND	ug/L	1.0	1		05/23/15 23:00	124-48-1	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		05/23/15 23:00	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		05/23/15 23:00	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		05/23/15 23:00	106-46-7	
1,1-Dichloroethane	ND	ug/L	1.0	1		05/23/15 23:00	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		05/23/15 23:00	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		05/23/15 23:00	75-35-4	
cis-1,2-Dichloroethene	<b>20.5</b>	ug/L	1.0	1		05/23/15 23:00	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		05/23/15 23:00	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		05/23/15 23:00	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		05/23/15 23:00	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		05/23/15 23:00	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		05/23/15 23:00	100-41-4	
2-Hexanone	ND	ug/L	10.0	1		05/23/15 23:00	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	1		05/23/15 23:00	98-82-8	
Methylene Chloride	ND	ug/L	1.0	1		05/23/15 23:00	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	10.0	1		05/23/15 23:00	108-10-1	
Styrene	ND	ug/L	1.0	1		05/23/15 23:00	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		05/23/15 23:00	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		05/23/15 23:00	127-18-4	
Toluene	ND	ug/L	1.0	1		05/23/15 23:00	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		05/23/15 23:00	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		05/23/15 23:00	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		05/23/15 23:00	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		05/23/15 23:00	75-69-4	
Vinyl chloride	<b>1230</b>	ug/L	500	500		05/23/15 23:25	75-01-4	
m&p-Xylene	ND	ug/L	2.0	1		05/23/15 23:00	179601-23-1	
o-Xylene	ND	ug/L	1.0	1		05/23/15 23:00	95-47-6	
<b>Surrogates</b>								
4-Bromofluorobenzene (S)	101	%	84-113	1		05/23/15 23:00	460-00-4	
1,2-Dichloroethane-d4 (S)	123	%	84-124	1		05/23/15 23:00	17060-07-0	
Toluene-d8 (S)	101	%	79-118	1		05/23/15 23:00	2037-26-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## ANALYTICAL RESULTS

Project: Essex/Hope Jamestown

Pace Project No.: 30148056

Sample: Post-Carb		Lab ID: 30148056003	Collected: 05/13/15 14:50	Received: 05/14/15 08:55	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260C MSV</b>		Analytical Method: EPA 8260C						
Acetone	<b>30200</b>	ug/L	5000	500		05/26/15 17:12	67-64-1	
Benzene	ND	ug/L	1.0	1		05/23/15 21:20	71-43-2	
Bromodichloromethane	ND	ug/L	1.0	1		05/23/15 21:20	75-27-4	
Bromoform	ND	ug/L	1.0	1		05/23/15 21:20	75-25-2	
Bromomethane	ND	ug/L	1.0	1		05/23/15 21:20	74-83-9	
2-Butanone (MEK)	ND	ug/L	10.0	1		05/23/15 21:20	78-93-3	
Carbon disulfide	ND	ug/L	1.0	1		05/23/15 21:20	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		05/23/15 21:20	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		05/23/15 21:20	108-90-7	
Chloroethane	ND	ug/L	1.0	1		05/23/15 21:20	75-00-3	
Chloroform	ND	ug/L	1.0	1		05/23/15 21:20	67-66-3	
Chloromethane	<b>7.4</b>	ug/L	1.0	1		05/23/15 21:20	74-87-3	
Dibromochloromethane	ND	ug/L	1.0	1		05/23/15 21:20	124-48-1	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		05/23/15 21:20	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		05/23/15 21:20	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		05/23/15 21:20	106-46-7	
1,1-Dichloroethane	ND	ug/L	1.0	1		05/23/15 21:20	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		05/23/15 21:20	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		05/23/15 21:20	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		05/23/15 21:20	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		05/23/15 21:20	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		05/23/15 21:20	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		05/23/15 21:20	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		05/23/15 21:20	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		05/23/15 21:20	100-41-4	
2-Hexanone	ND	ug/L	10.0	1		05/23/15 21:20	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	1		05/23/15 21:20	98-82-8	
Methylene Chloride	ND	ug/L	1.0	1		05/23/15 21:20	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	10.0	1		05/23/15 21:20	108-10-1	
Styrene	ND	ug/L	1.0	1		05/23/15 21:20	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		05/23/15 21:20	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		05/23/15 21:20	127-18-4	
Toluene	ND	ug/L	1.0	1		05/23/15 21:20	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		05/23/15 21:20	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		05/23/15 21:20	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		05/23/15 21:20	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		05/23/15 21:20	75-69-4	
Vinyl chloride	<b>8.5</b>	ug/L	1.0	1		05/23/15 21:20	75-01-4	
m&p-Xylene	ND	ug/L	2.0	1		05/23/15 21:20	179601-23-1	
o-Xylene	ND	ug/L	1.0	1		05/23/15 21:20	95-47-6	
<b>Surrogates</b>								
4-Bromofluorobenzene (S)	98	%	84-113	1		05/23/15 21:20	460-00-4	
1,2-Dichloroethane-d4 (S)	116	%	84-124	1		05/23/15 21:20	17060-07-0	
Toluene-d8 (S)	94	%	79-118	1		05/23/15 21:20	2037-26-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## ANALYTICAL RESULTS

Project: Essex/Hope Jamestown  
Pace Project No.: 30148056

Sample: TB-01	Lab ID: 30148056006	Collected: 05/13/15 00:01	Received: 05/14/15 08:55	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260C MSV</b>		Analytical Method: EPA 8260C						
Acetone	ND	ug/L	10.0	1		05/23/15 14:16	67-64-1	
Benzene	ND	ug/L	1.0	1		05/23/15 14:16	71-43-2	
Bromodichloromethane	ND	ug/L	1.0	1		05/23/15 14:16	75-27-4	
Bromoform	ND	ug/L	1.0	1		05/23/15 14:16	75-25-2	
Bromomethane	ND	ug/L	1.0	1		05/23/15 14:16	74-83-9	
2-Butanone (MEK)	ND	ug/L	10.0	1		05/23/15 14:16	78-93-3	
Carbon disulfide	ND	ug/L	1.0	1		05/23/15 14:16	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		05/23/15 14:16	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		05/23/15 14:16	108-90-7	
Chloroethane	ND	ug/L	1.0	1		05/23/15 14:16	75-00-3	
Chloroform	ND	ug/L	1.0	1		05/23/15 14:16	67-66-3	
Chloromethane	7.3	ug/L	1.0	1		05/23/15 14:16	74-87-3	
Dibromochloromethane	ND	ug/L	1.0	1		05/23/15 14:16	124-48-1	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		05/23/15 14:16	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		05/23/15 14:16	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		05/23/15 14:16	106-46-7	
1,1-Dichloroethane	ND	ug/L	1.0	1		05/23/15 14:16	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		05/23/15 14:16	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		05/23/15 14:16	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		05/23/15 14:16	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		05/23/15 14:16	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		05/23/15 14:16	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		05/23/15 14:16	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		05/23/15 14:16	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		05/23/15 14:16	100-41-4	
2-Hexanone	ND	ug/L	10.0	1		05/23/15 14:16	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	1		05/23/15 14:16	98-82-8	
Methylene Chloride	ND	ug/L	1.0	1		05/23/15 14:16	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	10.0	1		05/23/15 14:16	108-10-1	
Styrene	ND	ug/L	1.0	1		05/23/15 14:16	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		05/23/15 14:16	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		05/23/15 14:16	127-18-4	
Toluene	ND	ug/L	1.0	1		05/23/15 14:16	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		05/23/15 14:16	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		05/23/15 14:16	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		05/23/15 14:16	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		05/23/15 14:16	75-69-4	
Vinyl chloride	ND	ug/L	1.0	1		05/23/15 14:16	75-01-4	
m&p-Xylene	ND	ug/L	2.0	1		05/23/15 14:16	179601-23-1	
o-Xylene	ND	ug/L	1.0	1		05/23/15 14:16	95-47-6	
<b>Surrogates</b>								
4-Bromofluorobenzene (S)	98	%	84-113	1		05/23/15 14:16	460-00-4	
1,2-Dichloroethane-d4 (S)	109	%	84-124	1		05/23/15 14:16	17060-07-0	
Toluene-d8 (S)	92	%	79-118	1		05/23/15 14:16	2037-26-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

### QUALITY CONTROL DATA

Project: Essex/Hope Jamestown  
Pace Project No.: 30148056

QC Batch: MSV/23554 Analysis Method: EPA 8260C  
QC Batch Method: EPA 8260C Analysis Description: 8260C MSV  
Associated Lab Samples: 30148056001, 30148056002, 30148056003, 30148056006

METHOD BLANK: 897890 Matrix: Water  
Associated Lab Samples: 30148056001, 30148056002, 30148056003, 30148056006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/L	ND	1.0	05/23/15 13:51	
1,1,2,2-Tetrachloroethane	ug/L	ND	1.0	05/23/15 13:51	
1,1,2-Trichloroethane	ug/L	ND	1.0	05/23/15 13:51	
1,1-Dichloroethane	ug/L	ND	1.0	05/23/15 13:51	
1,1-Dichloroethene	ug/L	ND	1.0	05/23/15 13:51	
1,2-Dichlorobenzene	ug/L	ND	1.0	05/23/15 13:51	
1,2-Dichloroethane	ug/L	ND	1.0	05/23/15 13:51	
1,2-Dichloropropane	ug/L	ND	1.0	05/23/15 13:51	
1,3-Dichlorobenzene	ug/L	ND	1.0	05/23/15 13:51	
1,4-Dichlorobenzene	ug/L	ND	1.0	05/23/15 13:51	
2-Butanone (MEK)	ug/L	ND	10.0	05/23/15 13:51	
2-Hexanone	ug/L	ND	10.0	05/23/15 13:51	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	10.0	05/23/15 13:51	
Acetone	ug/L	ND	10.0	05/23/15 13:51	
Benzene	ug/L	ND	1.0	05/23/15 13:51	
Bromodichloromethane	ug/L	ND	1.0	05/23/15 13:51	
Bromoform	ug/L	ND	1.0	05/23/15 13:51	
Bromomethane	ug/L	ND	1.0	05/23/15 13:51	
Carbon disulfide	ug/L	ND	1.0	05/23/15 13:51	
Carbon tetrachloride	ug/L	ND	1.0	05/23/15 13:51	
Chlorobenzene	ug/L	ND	1.0	05/23/15 13:51	
Chloroethane	ug/L	ND	1.0	05/23/15 13:51	
Chloroform	ug/L	ND	1.0	05/23/15 13:51	
Chloromethane	ug/L	ND	1.0	05/23/15 13:51	
cis-1,2-Dichloroethene	ug/L	ND	1.0	05/23/15 13:51	
cis-1,3-Dichloropropene	ug/L	ND	1.0	05/23/15 13:51	
Dibromochloromethane	ug/L	ND	1.0	05/23/15 13:51	
Ethylbenzene	ug/L	ND	1.0	05/23/15 13:51	
Isopropylbenzene (Cumene)	ug/L	ND	1.0	05/23/15 13:51	
m&p-Xylene	ug/L	ND	2.0	05/23/15 13:51	
Methylene Chloride	ug/L	ND	1.0	05/23/15 13:51	
o-Xylene	ug/L	ND	1.0	05/23/15 13:51	
Styrene	ug/L	ND	1.0	05/23/15 13:51	
Tetrachloroethene	ug/L	ND	1.0	05/23/15 13:51	
Toluene	ug/L	ND	1.0	05/23/15 13:51	
trans-1,2-Dichloroethene	ug/L	ND	1.0	05/23/15 13:51	
trans-1,3-Dichloropropene	ug/L	ND	1.0	05/23/15 13:51	
Trichloroethene	ug/L	ND	1.0	05/23/15 13:51	
Trichlorofluoromethane	ug/L	ND	1.0	05/23/15 13:51	
Vinyl chloride	ug/L	ND	1.0	05/23/15 13:51	
1,2-Dichloroethane-d4 (S)	%	109	84-124	05/23/15 13:51	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

### QUALITY CONTROL DATA

Project: Essex/Hope Jamestown

Pace Project No.: 30148056

METHOD BLANK: 897890

Matrix: Water

Associated Lab Samples: 30148056001, 30148056002, 30148056003, 30148056006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
4-Bromofluorobenzene (S)	%	91	84-113	05/23/15 13:51	
Toluene-d8 (S)	%	90	79-118	05/23/15 13:51	

LABORATORY CONTROL SAMPLE: 897891

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	20	19.7	99	62-130	
1,1,2,2-Tetrachloroethane	ug/L	20	17.8	89	74-115	
1,1,2-Trichloroethane	ug/L	20	17.4	87	73-121	
1,1-Dichloroethane	ug/L	20	18.8	94	64-125	
1,1-Dichloroethene	ug/L	20	18.0	90	58-126	
1,2-Dichlorobenzene	ug/L	20	17.7	89	76-117	
1,2-Dichloroethane	ug/L	20	19.9	99	66-124	
1,2-Dichloropropane	ug/L	20	16.2	81	66-119	
1,3-Dichlorobenzene	ug/L	20	17.5	88	73-116	
1,4-Dichlorobenzene	ug/L	20	17.4	87	75-119	
2-Butanone (MEK)	ug/L	20	19.9	99	69-126	
2-Hexanone	ug/L	20	17.4	87	53-118	
4-Methyl-2-pentanone (MIBK)	ug/L	20	17.4	87	68-124	
Acetone	ug/L	20	12.3	61	56-142	
Benzene	ug/L	20	17.8	89	69-123	
Bromodichloromethane	ug/L	20	17.9	90	64-120	
Bromoform	ug/L	20	14.8	74	56-133	
Bromomethane	ug/L	20	22.7	113	19-151	
Carbon disulfide	ug/L	20	19.3	96	53-173	
Carbon tetrachloride	ug/L	20	17.5	87	52-133	
Chlorobenzene	ug/L	20	17.8	89	72-121	
Chloroethane	ug/L	20	19.4	97	53-143	
Chloroform	ug/L	20	20.0	100	63-123	
Chloromethane	ug/L	20	19.2	96	48-139	
cis-1,2-Dichloroethene	ug/L	20	18.8	94	63-123	
cis-1,3-Dichloropropene	ug/L	20	17.7	88	65-121	
Dibromochloromethane	ug/L	20	16.6	83	58-132	
Ethylbenzene	ug/L	20	17.4	87	70-123	
Isopropylbenzene (Cumene)	ug/L	20	17.9	89	66-136	
m&p-Xylene	ug/L	40	35.7	89	71-124	
Methylene Chloride	ug/L	20	19.2	96	55-134	
o-Xylene	ug/L	20	16.8	84	69-118	
Styrene	ug/L	20	17.7	89	66-126	
Tetrachloroethene	ug/L	20	18.4	92	62-131	
Toluene	ug/L	20	17.6	88	73-123	
trans-1,2-Dichloroethene	ug/L	20	19.0	95	61-124	
trans-1,3-Dichloropropene	ug/L	20	17.5	88	70-111	
Trichloroethene	ug/L	20	17.4	87	66-125	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

### QUALITY CONTROL DATA

Project: Essex/Hope Jamestown  
Pace Project No.: 30148056

LABORATORY CONTROL SAMPLE: 897891

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Trichlorofluoromethane	ug/L	20	20.3	101	57-144	
Vinyl chloride	ug/L	20	16.6	83	58-131	
1,2-Dichloroethane-d4 (S)	%			101	84-124	
4-Bromofluorobenzene (S)	%			104	84-113	
Toluene-d8 (S)	%			92	79-118	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 897983 897984

Parameter	30148563001		MS	MSD	MS		MSD		% Rec	RPD	Qual
	Units	Result	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec	Limits		
1,1,1-Trichloroethane	ug/L	1.0 U	20	20	19.0	20.4	95	102	62-130	7	
1,1,2,2-Tetrachloroethane	ug/L	1.0 U	20	20	8.3	8.3	41	42	74-115	1	M1
1,1,2-Trichloroethane	ug/L	1.0 U	20	20	8.9	9.0	45	45	73-121	1	M1
1,1-Dichloroethane	ug/L	1.0 U	20	20	15.6	16.2	78	81	64-125	4	
1,1-Dichloroethene	ug/L	1.0 U	20	20	17.3	19.0	86	95	58-126	9	
1,2-Dichlorobenzene	ug/L	1.0 U	20	20	13.2	14.0	66	70	76-117	6	M1
1,2-Dichloroethane	ug/L	1.0 U	20	20	9.9	9.8	50	49	66-124	1	M1
1,2-Dichloropropane	ug/L	1.0 U	20	20	12.3	12.3	62	61	66-119	0	M1
1,3-Dichlorobenzene	ug/L	1.0 U	20	20	15.4	16.4	77	82	73-116	6	
1,4-Dichlorobenzene	ug/L	1.0 U	20	20	14.7	15.9	74	79	75-119	7	M1
2-Butanone (MEK)	ug/L	10.0 U	20	20	12.2	12.7	61	63	69-126	4	M1
2-Hexanone	ug/L	10.0 U	20	20	8.9J	9J	44	45	53-118		M1
4-Methyl-2-pentanone (MIBK)	ug/L	10.0 U	20	20	7.3J	7.5J	36	38	68-124		M1
Acetone	ug/L	10.0 U	20	20	2.9J	7.1J	14	35	56-142		M1
Benzene	ug/L	1.0 U	20	20	16.6	18.0	83	90	69-123	8	
Bromodichloromethane	ug/L	1.0 U	20	20	12.0	12.1	60	61	64-120	1	M1
Bromoform	ug/L	1.0 U	20	20	6.6	7.0	33	35	56-133	6	M1
Bromomethane	ug/L	1.0 U	20	20	15.3	18.8	76	94	19-151	21	
Carbon disulfide	ug/L	1.0 U	20	20	16.3	18.6	81	93	53-173	13	
Carbon tetrachloride	ug/L	1.0 U	20	20	18.0	19.6	90	98	52-133	8	
Chlorobenzene	ug/L	1.0 U	20	20	14.7	15.7	74	78	72-121	6	
Chloroethane	ug/L	1.0 U	20	20	19.2	21.3	96	106	53-143	10	
Chloroform	ug/L	1.0 U	20	20	15.2	15.8	76	79	63-123	4	
Chloromethane	ug/L	1.0 U	20	20	16.3	17.9	82	89	48-139	9	
cis-1,2-Dichloroethene	ug/L	1.0 U	20	20	14.1	14.4	70	72	63-123	2	
cis-1,3-Dichloropropene	ug/L	1.0 U	20	20	10.3	10.4	51	52	65-121	1	M1
Dibromochloromethane	ug/L	1.0 U	20	20	9.0	9.3	45	46	58-132	3	M1
Ethylbenzene	ug/L	1.0 U	20	20	16.7	18.0	84	90	70-123	8	
Isopropylbenzene (Cumene)	ug/L	1.0 U	20	20	19.0	21.1	95	105	66-136	10	
m&p-Xylene	ug/L	2.0 U	40	40	33.7	35.5	84	89	71-124	5	
Methylene Chloride	ug/L	1.0 U	20	20	12.8	12.8	64	64	55-134	0	
o-Xylene	ug/L	1.0 U	20	20	15.2	15.5	76	77	69-118	2	
Styrene	ug/L	1.0 U	20	20	13.9	14.5	70	73	66-126	4	
Tetrachloroethene	ug/L	1.0 U	20	20	22.3	24.5	111	123	62-131	9	
Toluene	ug/L	1.0 U	20	20	16.7	17.5	83	88	73-123	5	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

### QUALITY CONTROL DATA

Project: Essex/Hope Jamestown

Pace Project No.: 30148056

Parameter	Units	897983		897984		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Qual
		30148563001 Result	MS Spike Conc.	MSD Spike Conc.	MS Result							
trans-1,2-Dichloroethene	ug/L	1.0 U	20	20	16.8	17.4	84	87	61-124	4		
trans-1,3-Dichloropropene	ug/L	1.0 U	20	20	8.7	8.8	43	44	70-111	1	M1	
Trichloroethene	ug/L	1.0 U	20	20	18.1	20.0	90	100	66-125	10		
Trichlorofluoromethane	ug/L	1.0 U	20	20	19.3	23.1	97	116	57-144	18		
Vinyl chloride	ug/L	1.0 U	20	20	14.0	16.7	70	84	58-131	17		
1,2-Dichloroethane-d4 (S)	%						63	56	84-124		S0	
4-Bromofluorobenzene (S)	%						109	107	84-113			
Toluene-d8 (S)	%						104	108	79-118			

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## QUALIFIERS

Project: Essex/Hope Jamestown

Pace Project No.: 30148056

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### ANALYTE QUALIFIERS

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

S0 Surrogate recovery outside laboratory control limits.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: Essex/Hope Jamestown

Pace Project No.: 30148056

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
30148056001	Pre-Carb	EPA 8260C	MSV/23554		
30148056002	Primary-EFF	EPA 8260C	MSV/23554		
30148056003	Post-Carb	EPA 8260C	MSV/23554		
30148056006	TB-01	EPA 8260C	MSV/23554		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..





Sample Condition Upon Receipt

Client Name: CH2M

Project # 30148056

Courier:  Fed Ex  UPS  USPS  Client  Commercial  Pace Other \_\_\_\_\_

Tracking #: 1800050821144

Custody Seal on Cooler/Box Present:  yes  no Seals intact:  yes  no Biological Tissue Is Frozen: Yes No

Packing Material: Bubble Wrap  Bubble Bags \_\_\_\_\_ None \_\_\_\_\_ Other \_\_\_\_\_

Thermometer Used 0 Type of Ice: Wet Blue None  Samples on Ice, cooling process has begun

Cooler Temp.: Observed Temp.: 5.1 °C Correction Factor: -0.3 °C Final Temp: 4.8 °C

Date and Initials of person examining contents: Jan 5/14/15

Temp should be above freezing to 6°C

Comments:

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>WT</u>		
All containers needing preservation have been checked.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
exceptions: <u>VOA</u> , coliform, TOC, O&G, Phenols	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Initial when completed <u>Jan</u> Lot # of added preservative
Samples checked for dechlorination:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	15.
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	16.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution:

Field Data Required? Y / N

Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_

Comments/ Resolution: \_\_\_\_\_

Project Manager Review: \_\_\_\_\_

Date: 5-15-15

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)



Project Number: **30148056**

Client Name: **CH2M**

Item No.	Matrix Code	Glass Jar (120 / 250 / 500 / 1L)	Soil kit (2 SB, 1M, soil jar)	Chemistry (250 / 500 / 1L)	Organics (1L)	Nutrient (250 / 500 )	Phenolics (250 ml)	TOC (40 ml / 250 ml)	TOX (250 ml)	Total Metals	Dissolved Metals preserved Y	O & G (1L)	TPH (1L)	VOA (40 ml / 30 ml)	Cyanide (250 ml)	Sulfide (500 ml)	Bacteria (120 ml)	Wipes / swipe/ smear/ filter	Radchem Nalgene (125 / 250 / 500 / 1L)	Radchem Nalgene (1/2 gal. / 1 gal.L)	Cubiteiner (500 ml / 4L)	Ziploc	Other	Other	
001	WT																								
002	WT																								
003	WT																								
004	WT																								



# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

## ANALYTICAL REPORT

TestAmerica Laboratories, Inc.  
TestAmerica Edison  
777 New Durham Road  
Edison, NJ 08817  
Tel: (732)549-3900

TestAmerica Job ID: 460-96403-1  
Client Project/Site: Essex/Hope Jamestown 656686

For:  
CH2M Hill Constructors, Inc.  
18 Tremont St  
Suite 700  
Boston, Massachusetts 02108

Attn: Mr. Kyle Block

*Shalini Isaac*

---

Authorized for release by:  
6/24/2015 4:33:46 PM  
Shalini Isaac, Project Management Assistant II  
[shalini.isaac@testamericainc.com](mailto:shalini.isaac@testamericainc.com)  
Designee for  
Kristin DeGraw, Project Manager II  
(732)593-2555  
[kristin.degraw@testamericainc.com](mailto:kristin.degraw@testamericainc.com)

### LINKS

Review your project  
results through  
**TotalAccess**

Have a Question?



Visit us at:  
[www.testamericainc.com](http://www.testamericainc.com)

*The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.*

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13
- 14
- 15



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	2
Definitions/Glossary . . . . .	3
Case Narrative . . . . .	4
Detection Summary . . . . .	6
Client Sample Results . . . . .	7
Surrogate Summary . . . . .	11
QC Sample Results . . . . .	12
QC Association Summary . . . . .	20
Lab Chronicle . . . . .	21
Certification Summary . . . . .	22
Method Summary . . . . .	23
Sample Summary . . . . .	24
Chain of Custody . . . . .	25
Receipt Checklists . . . . .	27

# Definitions/Glossary

Client: CH2M Hill Constructors, Inc.  
Project/Site: Essex/Hope Jamestown 656686

TestAmerica Job ID: 460-96403-1

## Qualifiers

### GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
D	Sample results are obtained from a dilution; the surrogate or matrix spike recoveries reported are calculated from diluted samples.
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
F1	MS and/or MSD Recovery is outside acceptance limits.

## Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

# Case Narrative

Client: CH2M Hill Constructors, Inc.  
Project/Site: Essex/Hope Jamestown 656686

TestAmerica Job ID: 460-96403-1

**Job ID: 460-96403-1**

**Laboratory: TestAmerica Edison**

**Narrative**

## CASE NARRATIVE

**Client: CH2M Hill Constructors, Inc.**

**Project: Essex/Hope Jamestown 656686**

**Report Number: 460-96403-1**

This case narrative is in the form of an exception report, where only the anomalies related to this report, method specific performance and/or QA/QC issues are discussed. If there are no issues to report, this narrative will include a statement that documents that there are no relevant data issues.

It should be noted that samples with elevated Reporting Limits (RLs) as a result of a dilution may not be able to satisfy customer reporting limits in some cases. Such increases in the RLs are unavoidable but acceptable consequence of sample dilution that enables quantification of target analytes or interferences which exceed the calibration range of the instrument.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

### **RECEIPT**

The samples were received on 6/12/2015 10:00 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 5.8° C.

Note: All samples which require thermal preservation are considered acceptable if the arrival temperature is within 2C of the required temperature or method specified range. For samples with a specified temperature of 4C, samples with a temperature ranging from just above freezing temperature of water to 6C shall be acceptable. Samples that are hand delivered immediately following collection may not meet these criteria, however they will be deemed acceptable according to NELAC standards, if there is evidence that the chilling process has begun, such as arrival on ice, etc.

### **VOLATILE ORGANICS**

Samples Pre-Carb (460-96403-1), Primary-EFF (460-96403-2) and Post-Carb composite (460-96403-7) were analyzed for Volatile organics in accordance with EPA SW-846 Methods 8260C. The samples were analyzed on 06/23/2015 and 06/24/2015.

The continuing calibration verification (CCV) analyzed in batch 460-306505 was outside the method criteria for the following analyte: Chloromethane. A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analyte(s) is considered estimated.

Trichloroethene failed the recovery criteria low for the MS of sample 460-96764-1 in batch 460-306603. The presence of the '4' qualifier in the data indicates analytes where the concentration in the unspiked sample exceeded four times the spiking amount.

Refer to the QC report for details.

Samples Pre-Carb (460-96403-1)[5X], Pre-Carb (460-96403-1)[50X], Primary-EFF (460-96403-2)[50X] and Post-Carb composite (460-96403-7)[10X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

The following sample was diluted to bring the concentration of target analytes within the calibration range: Pre-Carb (460-96403-1). Elevated reporting limits (RLs) are provided.

No other difficulties were encountered during the Volatile organics analysis.

# Case Narrative

Client: CH2M Hill Constructors, Inc.  
Project/Site: Essex/Hope Jamestown 656686

TestAmerica Job ID: 460-96403-1

---

## Job ID: 460-96403-1 (Continued)

---

### Laboratory: TestAmerica Edison (Continued)

All other quality control parameters were within the acceptance limits.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

# Detection Summary

Client: CH2M Hill Constructors, Inc.  
Project/Site: Essex/Hope Jamestown 656686

TestAmerica Job ID: 460-96403-1

## Client Sample ID: Pre-Carb

Lab Sample ID: 460-96403-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,1-Dichloroethene	34		5.0	1.7	ug/L	5		8260C	Total/NA
1,2-Dichloroethene, trans-	28		5.0	0.90	ug/L	5		8260C	Total/NA
2-Butanone (MEK)	230		50	11	ug/L	5		8260C	Total/NA
Benzene	50		5.0	0.45	ug/L	5		8260C	Total/NA
Toluene	1.3	J	5.0	1.3	ug/L	5		8260C	Total/NA
Vinyl chloride	2000		5.0	0.30	ug/L	5		8260C	Total/NA
1,2-Dichloroethene, cis- - DL	11000	D	50	13	ug/L	50		8260C	Total/NA
Acetone - DL	46000	D	500	54	ug/L	50		8260C	Total/NA
Trichloroethene - DL	9300	D	50	11	ug/L	50		8260C	Total/NA

## Client Sample ID: Primary-EFF

Lab Sample ID: 460-96403-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,1-Dichloroethene	1.8		1.0	0.34	ug/L	1		8260C	Total/NA
1,2-Dichloroethene, trans-	1.3		1.0	0.18	ug/L	1		8260C	Total/NA
2-Butanone (MEK)	77		10	2.2	ug/L	1		8260C	Total/NA
Benzene	0.34	J	1.0	0.090	ug/L	1		8260C	Total/NA
Trichloroethene	44		1.0	0.22	ug/L	1		8260C	Total/NA
1,2-Dichloroethene, cis- - DL	950	D	50	13	ug/L	50		8260C	Total/NA
Acetone - DL	42000	D	500	54	ug/L	50		8260C	Total/NA
Vinyl chloride - DL	1900	D	50	3.0	ug/L	50		8260C	Total/NA

## Client Sample ID: Post-Carb composite

Lab Sample ID: 460-96403-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,2-Dichloroethene, cis-	0.30	J	1.0	0.26	ug/L	1		8260C	Total/NA
Vinyl chloride	150		1.0	0.060	ug/L	1		8260C	Total/NA
Acetone - DL	8300	D	100	11	ug/L	10		8260C	Total/NA

This Detection Summary does not include radiochemical test results.

TestAmerica Edison

# Client Sample Results

Client: CH2M Hill Constructors, Inc.  
Project/Site: Essex/Hope Jamestown 656686

TestAmerica Job ID: 460-96403-1

**Client Sample ID: Pre-Carb**

**Lab Sample ID: 460-96403-1**

**Date Collected: 06/11/15 12:15**

**Matrix: Water**

**Date Received: 06/12/15 10:00**

**Method: 8260C - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.4	U	5.0	1.4	ug/L			06/23/15 21:59	5
1,1,2,2-Tetrachloroethane	0.95	U	5.0	0.95	ug/L			06/23/15 21:59	5
1,1,2-Trichloroethane	0.40	U	5.0	0.40	ug/L			06/23/15 21:59	5
1,1-Dichloroethane	1.2	U	5.0	1.2	ug/L			06/23/15 21:59	5
<b>1,1-Dichloroethene</b>	<b>34</b>		5.0	1.7	ug/L			06/23/15 21:59	5
1,2-Dichlorobenzene	1.1	U	5.0	1.1	ug/L			06/23/15 21:59	5
1,2-Dichloroethane	1.3	U	5.0	1.3	ug/L			06/23/15 21:59	5
<b>1,2-Dichloroethene, trans-</b>	<b>28</b>		5.0	0.90	ug/L			06/23/15 21:59	5
1,2-Dichloropropane	0.90	U	5.0	0.90	ug/L			06/23/15 21:59	5
1,3-Dichlorobenzene	1.7	U	25	1.7	ug/L			06/23/15 21:59	5
1,3-Dichloropropene, cis-	0.80	U	5.0	0.80	ug/L			06/23/15 21:59	5
1,3-Dichloropropene, trans-	0.95	U	5.0	0.95	ug/L			06/23/15 21:59	5
1,4-Dichlorobenzene	1.7	U	5.0	1.7	ug/L			06/23/15 21:59	5
<b>2-Butanone (MEK)</b>	<b>230</b>		50	11	ug/L			06/23/15 21:59	5
2-Hexanone	3.6	U	50	3.6	ug/L			06/23/15 21:59	5
4-Methyl-2-pentanone (MIBK)	3.2	U	50	3.2	ug/L			06/23/15 21:59	5
<b>Benzene</b>	<b>50</b>		5.0	0.45	ug/L			06/23/15 21:59	5
Bromochloromethane	1.5	U	5.0	1.5	ug/L			06/23/15 21:59	5
Bromodichloromethane	0.75	U	5.0	0.75	ug/L			06/23/15 21:59	5
Bromoform	0.90	U	5.0	0.90	ug/L			06/23/15 21:59	5
Bromomethane	0.90	U	5.0	0.90	ug/L			06/23/15 21:59	5
Carbon disulfide	1.1	U	5.0	1.1	ug/L			06/23/15 21:59	5
Carbon tetrachloride	1.7	U	5.0	1.7	ug/L			06/23/15 21:59	5
Chlorobenzene	1.2	U	5.0	1.2	ug/L			06/23/15 21:59	5
Chloroethane	1.9	U	5.0	1.9	ug/L			06/23/15 21:59	5
Chloroform	1.1	U	5.0	1.1	ug/L			06/23/15 21:59	5
Chloromethane	1.1	U	5.0	1.1	ug/L			06/23/15 21:59	5
Dibromochloromethane	1.1	U	5.0	1.1	ug/L			06/23/15 21:59	5
Ethylbenzene	1.5	U	5.0	1.5	ug/L			06/23/15 21:59	5
Isopropylbenzene	1.6	U	5.0	1.6	ug/L			06/23/15 21:59	5
Methylene Chloride	1.1	U	5.0	1.1	ug/L			06/23/15 21:59	5
m-Xylene & p-Xylene	1.4	U	50	1.4	ug/L			06/23/15 21:59	5
o-Xylene	1.6	U	5.0	1.6	ug/L			06/23/15 21:59	5
Styrene	0.85	U	5.0	0.85	ug/L			06/23/15 21:59	5
Tetrachloroethene	0.60	U	5.0	0.60	ug/L			06/23/15 21:59	5
<b>Toluene</b>	<b>1.3</b>	<b>J</b>	5.0	1.3	ug/L			06/23/15 21:59	5
Trichlorofluoromethane	0.75	U	5.0	0.75	ug/L			06/23/15 21:59	5
<b>Vinyl chloride</b>	<b>2000</b>		5.0	0.30	ug/L			06/23/15 21:59	5

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		70 - 130		06/23/15 21:59	5
4-Bromofluorobenzene	108		64 - 135		06/23/15 21:59	5
Dibromofluoromethane (Surr)	102		72 - 137		06/23/15 21:59	5
Toluene-d8 (Surr)	97		70 - 130		06/23/15 21:59	5

**Method: 8260C - Volatile Organic Compounds by GC/MS - DL**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>1,2-Dichloroethene, cis-</b>	<b>11000</b>	<b>D</b>	50	13	ug/L			06/23/15 21:09	50
<b>Acetone</b>	<b>46000</b>	<b>D</b>	500	54	ug/L			06/23/15 21:09	50
<b>Trichloroethene</b>	<b>9300</b>	<b>D</b>	50	11	ug/L			06/23/15 21:09	50

TestAmerica Edison

# Client Sample Results

Client: CH2M Hill Constructors, Inc.  
 Project/Site: Essex/Hope Jamestown 656686

TestAmerica Job ID: 460-96403-1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99	D	70 - 130		06/23/15 21:09	50
4-Bromofluorobenzene	106	D	64 - 135		06/23/15 21:09	50
Dibromofluoromethane (Surr)	102	D	72 - 137		06/23/15 21:09	50
Toluene-d8 (Surr)	97	D	70 - 130		06/23/15 21:09	50

**Client Sample ID: Primary-EFF**

**Lab Sample ID: 460-96403-2**

**Date Collected: 06/11/15 12:20**

**Matrix: Water**

**Date Received: 06/12/15 10:00**

**Method: 8260C - Volatile Organic Compounds by GC/MS**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.28	U	1.0	0.28	ug/L			06/23/15 22:24	1
1,1,2,2-Tetrachloroethane	0.19	U	1.0	0.19	ug/L			06/23/15 22:24	1
1,1,2-Trichloroethane	0.080	U	1.0	0.080	ug/L			06/23/15 22:24	1
1,1-Dichloroethane	0.24	U	1.0	0.24	ug/L			06/23/15 22:24	1
<b>1,1-Dichloroethene</b>	<b>1.8</b>		1.0	0.34	ug/L			06/23/15 22:24	1
1,2-Dichlorobenzene	0.22	U	1.0	0.22	ug/L			06/23/15 22:24	1
1,2-Dichloroethane	0.25	U	1.0	0.25	ug/L			06/23/15 22:24	1
<b>1,2-Dichloroethene, trans-</b>	<b>1.3</b>		1.0	0.18	ug/L			06/23/15 22:24	1
1,2-Dichloropropane	0.18	U	1.0	0.18	ug/L			06/23/15 22:24	1
1,3-Dichlorobenzene	0.33	U	5.0	0.33	ug/L			06/23/15 22:24	1
1,3-Dichloropropene, cis-	0.16	U	1.0	0.16	ug/L			06/23/15 22:24	1
1,3-Dichloropropene, trans-	0.19	U	1.0	0.19	ug/L			06/23/15 22:24	1
1,4-Dichlorobenzene	0.33	U	1.0	0.33	ug/L			06/23/15 22:24	1
<b>2-Butanone (MEK)</b>	<b>77</b>		10	2.2	ug/L			06/23/15 22:24	1
2-Hexanone	0.72	U	10	0.72	ug/L			06/23/15 22:24	1
4-Methyl-2-pentanone (MIBK)	0.63	U	10	0.63	ug/L			06/23/15 22:24	1
<b>Benzene</b>	<b>0.34</b>	<b>J</b>	1.0	0.090	ug/L			06/23/15 22:24	1
Bromochloromethane	0.30	U	1.0	0.30	ug/L			06/23/15 22:24	1
Bromodichloromethane	0.15	U	1.0	0.15	ug/L			06/23/15 22:24	1
Bromoform	0.18	U	1.0	0.18	ug/L			06/23/15 22:24	1
Bromomethane	0.18	U	1.0	0.18	ug/L			06/23/15 22:24	1
Carbon disulfide	0.22	U	1.0	0.22	ug/L			06/23/15 22:24	1
Carbon tetrachloride	0.33	U	1.0	0.33	ug/L			06/23/15 22:24	1
Chlorobenzene	0.24	U	1.0	0.24	ug/L			06/23/15 22:24	1
Chloroethane	0.37	U	1.0	0.37	ug/L			06/23/15 22:24	1
Chloroform	0.22	U	1.0	0.22	ug/L			06/23/15 22:24	1
Chloromethane	0.22	U	1.0	0.22	ug/L			06/23/15 22:24	1
Dibromochloromethane	0.22	U	1.0	0.22	ug/L			06/23/15 22:24	1
Ethylbenzene	0.30	U	1.0	0.30	ug/L			06/23/15 22:24	1
Isopropylbenzene	0.32	U	1.0	0.32	ug/L			06/23/15 22:24	1
Methylene Chloride	0.21	U	1.0	0.21	ug/L			06/23/15 22:24	1
m-Xylene & p-Xylene	0.28	U	10	0.28	ug/L			06/23/15 22:24	1
o-Xylene	0.32	U	1.0	0.32	ug/L			06/23/15 22:24	1
Styrene	0.17	U	1.0	0.17	ug/L			06/23/15 22:24	1
Tetrachloroethene	0.12	U	1.0	0.12	ug/L			06/23/15 22:24	1
Toluene	0.25	U	1.0	0.25	ug/L			06/23/15 22:24	1
<b>Trichloroethene</b>	<b>44</b>		1.0	0.22	ug/L			06/23/15 22:24	1
Trichlorofluoromethane	0.15	U	1.0	0.15	ug/L			06/23/15 22:24	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		70 - 130		06/23/15 22:24	1
4-Bromofluorobenzene	108		64 - 135		06/23/15 22:24	1
Dibromofluoromethane (Surr)	104		72 - 137		06/23/15 22:24	1
Toluene-d8 (Surr)	97		70 - 130		06/23/15 22:24	1

TestAmerica Edison

# Client Sample Results

Client: CH2M Hill Constructors, Inc.  
Project/Site: Essex/Hope Jamestown 656686

TestAmerica Job ID: 460-96403-1

## Method: 8260C - Volatile Organic Compounds by GC/MS - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dichloroethene, cis-	950	D	50	13	ug/L			06/24/15 11:05	50
Acetone	42000	D	500	54	ug/L			06/24/15 11:05	50
Vinyl chloride	1900	D	50	3.0	ug/L			06/24/15 11:05	50
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99	D	70 - 130					06/24/15 11:05	50
4-Bromofluorobenzene	108	D	64 - 135					06/24/15 11:05	50
Dibromofluoromethane (Surr)	103	D	72 - 137					06/24/15 11:05	50
Toluene-d8 (Surr)	97	D	70 - 130					06/24/15 11:05	50

## Client Sample ID: Post-Carb composite

Lab Sample ID: 460-96403-7

Date Collected: 06/11/15 13:55

Matrix: Water

Date Received: 06/12/15 10:00

## Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.28	U	1.0	0.28	ug/L			06/23/15 20:44	1
1,1,2,2-Tetrachloroethane	0.19	U	1.0	0.19	ug/L			06/23/15 20:44	1
1,1,2-Trichloroethane	0.080	U	1.0	0.080	ug/L			06/23/15 20:44	1
1,1-Dichloroethane	0.24	U	1.0	0.24	ug/L			06/23/15 20:44	1
1,1-Dichloroethene	0.34	U	1.0	0.34	ug/L			06/23/15 20:44	1
1,2-Dichlorobenzene	0.22	U	1.0	0.22	ug/L			06/23/15 20:44	1
1,2-Dichloroethane	0.25	U	1.0	0.25	ug/L			06/23/15 20:44	1
1,2-Dichloroethene, cis-	0.30	J	1.0	0.26	ug/L			06/23/15 20:44	1
1,2-Dichloroethene, trans-	0.18	U	1.0	0.18	ug/L			06/23/15 20:44	1
1,2-Dichloropropane	0.18	U	1.0	0.18	ug/L			06/23/15 20:44	1
1,3-Dichlorobenzene	0.33	U	5.0	0.33	ug/L			06/23/15 20:44	1
1,3-Dichloropropene, cis-	0.16	U	1.0	0.16	ug/L			06/23/15 20:44	1
1,3-Dichloropropene, trans-	0.19	U	1.0	0.19	ug/L			06/23/15 20:44	1
1,4-Dichlorobenzene	0.33	U	1.0	0.33	ug/L			06/23/15 20:44	1
2-Butanone (MEK)	2.2	U	10	2.2	ug/L			06/23/15 20:44	1
2-Hexanone	0.72	U	10	0.72	ug/L			06/23/15 20:44	1
4-Methyl-2-pentanone (MIBK)	0.63	U	10	0.63	ug/L			06/23/15 20:44	1
Benzene	0.090	U	1.0	0.090	ug/L			06/23/15 20:44	1
Bromochloromethane	0.30	U	1.0	0.30	ug/L			06/23/15 20:44	1
Bromodichloromethane	0.15	U	1.0	0.15	ug/L			06/23/15 20:44	1
Bromoform	0.18	U	1.0	0.18	ug/L			06/23/15 20:44	1
Bromomethane	0.18	U	1.0	0.18	ug/L			06/23/15 20:44	1
Carbon disulfide	0.22	U	1.0	0.22	ug/L			06/23/15 20:44	1
Carbon tetrachloride	0.33	U	1.0	0.33	ug/L			06/23/15 20:44	1
Chlorobenzene	0.24	U	1.0	0.24	ug/L			06/23/15 20:44	1
Chloroethane	0.37	U	1.0	0.37	ug/L			06/23/15 20:44	1
Chloroform	0.22	U	1.0	0.22	ug/L			06/23/15 20:44	1
Chloromethane	0.22	U	1.0	0.22	ug/L			06/23/15 20:44	1
Dibromochloromethane	0.22	U	1.0	0.22	ug/L			06/23/15 20:44	1
Ethylbenzene	0.30	U	1.0	0.30	ug/L			06/23/15 20:44	1
Isopropylbenzene	0.32	U	1.0	0.32	ug/L			06/23/15 20:44	1
Methylene Chloride	0.21	U	1.0	0.21	ug/L			06/23/15 20:44	1
m-Xylene & p-Xylene	0.28	U	10	0.28	ug/L			06/23/15 20:44	1
o-Xylene	0.32	U	1.0	0.32	ug/L			06/23/15 20:44	1
Styrene	0.17	U	1.0	0.17	ug/L			06/23/15 20:44	1
Tetrachloroethene	0.12	U	1.0	0.12	ug/L			06/23/15 20:44	1
Toluene	0.25	U	1.0	0.25	ug/L			06/23/15 20:44	1
Trichloroethene	0.22	U	1.0	0.22	ug/L			06/23/15 20:44	1

TestAmerica Edison

# Client Sample Results

Client: CH2M Hill Constructors, Inc.  
 Project/Site: Essex/Hope Jamestown 656686

TestAmerica Job ID: 460-96403-1

**Client Sample ID: Post-Carb composite**

**Lab Sample ID: 460-96403-7**

**Date Collected: 06/11/15 13:55**

**Matrix: Water**

**Date Received: 06/12/15 10:00**

**Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Trichlorofluoromethane	0.15	U	1.0	0.15	ug/L			06/23/15 20:44	1
<b>Vinyl chloride</b>	<b>150</b>		1.0	0.060	ug/L			06/23/15 20:44	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		70 - 130		06/23/15 20:44	1
4-Bromofluorobenzene	105		64 - 135		06/23/15 20:44	1
Dibromofluoromethane (Surr)	104		72 - 137		06/23/15 20:44	1
Toluene-d8 (Surr)	97		70 - 130		06/23/15 20:44	1

**Method: 8260C - Volatile Organic Compounds by GC/MS - DL**

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Acetone</b>	<b>8300</b>	<b>D</b>	100	11	ug/L			06/24/15 10:40	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100	D	70 - 130		06/24/15 10:40	10
4-Bromofluorobenzene	107	D	64 - 135		06/24/15 10:40	10
Dibromofluoromethane (Surr)	103	D	72 - 137		06/24/15 10:40	10
Toluene-d8 (Surr)	97	D	70 - 130		06/24/15 10:40	10

# Surrogate Summary

Client: CH2M Hill Constructors, Inc.  
 Project/Site: Essex/Hope Jamestown 656686

TestAmerica Job ID: 460-96403-1

## Method: 8260C - Volatile Organic Compounds by GC/MS

Matrix: Water

Prep Type: Total/NA

### Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	12DCE (70-130)	BFB (64-135)	DBFM (72-137)	TOL (70-130)
460-96403-1	Pre-Carb	99	108	102	97
460-96403-1 - DL	Pre-Carb	99 D	106 D	102 D	97 D
460-96403-2	Primary-EFF	102	108	104	97
460-96403-2 - DL	Primary-EFF	99 D	108 D	103 D	97 D
460-96403-7	Post-Carb composite	99	105	104	97
460-96403-7 - DL	Post-Carb composite	100 D	107 D	103 D	97 D
460-96403-7 MS	Post-Carb composite	97	106	101	96
460-96403-7 MSD	Post-Carb composite	99	107	102	98
460-96764-A-1 MS	Matrix Spike	98	107	102	96
460-96764-A-1 MSD	Matrix Spike Duplicate	99	107	103	96
LCS 460-306505/3	Lab Control Sample	98	105	101	97
LCS 460-306603/4	Lab Control Sample	104	111	108	101
MB 460-306505/7	Method Blank	101	107	103	97
MB 460-306603/7	Method Blank	98	110	102	96

### Surrogate Legend

12DCE = 1,2-Dichloroethane-d4 (Surr)  
 BFB = 4-Bromofluorobenzene  
 DBFM = Dibromofluoromethane (Surr)  
 TOL = Toluene-d8 (Surr)

# QC Sample Results

Client: CH2M Hill Constructors, Inc.  
 Project/Site: Essex/Hope Jamestown 656686

TestAmerica Job ID: 460-96403-1

## Method: 8260C - Volatile Organic Compounds by GC/MS

**Lab Sample ID: MB 460-306505/7**  
**Matrix: Water**  
**Analysis Batch: 306505**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.28	U	1.0	0.28	ug/L			06/23/15 20:18	1
1,1,1,2-Tetrachloroethane	0.19	U	1.0	0.19	ug/L			06/23/15 20:18	1
1,1,2-Trichloroethane	0.080	U	1.0	0.080	ug/L			06/23/15 20:18	1
1,1-Dichloroethane	0.24	U	1.0	0.24	ug/L			06/23/15 20:18	1
1,1-Dichloroethene	0.34	U	1.0	0.34	ug/L			06/23/15 20:18	1
1,2-Dichlorobenzene	0.22	U	1.0	0.22	ug/L			06/23/15 20:18	1
1,2-Dichloroethane	0.25	U	1.0	0.25	ug/L			06/23/15 20:18	1
1,2-Dichloroethene, cis-	0.26	U	1.0	0.26	ug/L			06/23/15 20:18	1
1,2-Dichloroethene, trans-	0.18	U	1.0	0.18	ug/L			06/23/15 20:18	1
1,2-Dichloropropane	0.18	U	1.0	0.18	ug/L			06/23/15 20:18	1
1,3-Dichlorobenzene	0.33	U	5.0	0.33	ug/L			06/23/15 20:18	1
1,3-Dichloropropene, cis-	0.16	U	1.0	0.16	ug/L			06/23/15 20:18	1
1,3-Dichloropropene, trans-	0.19	U	1.0	0.19	ug/L			06/23/15 20:18	1
1,4-Dichlorobenzene	0.33	U	1.0	0.33	ug/L			06/23/15 20:18	1
2-Butanone (MEK)	2.2	U	10	2.2	ug/L			06/23/15 20:18	1
2-Hexanone	0.72	U	10	0.72	ug/L			06/23/15 20:18	1
4-Methyl-2-pentanone (MIBK)	0.63	U	10	0.63	ug/L			06/23/15 20:18	1
Acetone	1.1	U	10	1.1	ug/L			06/23/15 20:18	1
Benzene	0.090	U	1.0	0.090	ug/L			06/23/15 20:18	1
Bromochloromethane	0.30	U	1.0	0.30	ug/L			06/23/15 20:18	1
Bromodichloromethane	0.15	U	1.0	0.15	ug/L			06/23/15 20:18	1
Bromoform	0.18	U	1.0	0.18	ug/L			06/23/15 20:18	1
Bromomethane	0.18	U	1.0	0.18	ug/L			06/23/15 20:18	1
Carbon disulfide	0.22	U	1.0	0.22	ug/L			06/23/15 20:18	1
Carbon tetrachloride	0.33	U	1.0	0.33	ug/L			06/23/15 20:18	1
Chlorobenzene	0.24	U	1.0	0.24	ug/L			06/23/15 20:18	1
Chloroethane	0.37	U	1.0	0.37	ug/L			06/23/15 20:18	1
Chloroform	0.22	U	1.0	0.22	ug/L			06/23/15 20:18	1
Chloromethane	0.22	U	1.0	0.22	ug/L			06/23/15 20:18	1
Dibromochloromethane	0.22	U	1.0	0.22	ug/L			06/23/15 20:18	1
Ethylbenzene	0.30	U	1.0	0.30	ug/L			06/23/15 20:18	1
Isopropylbenzene	0.32	U	1.0	0.32	ug/L			06/23/15 20:18	1
Methylene Chloride	0.21	U	1.0	0.21	ug/L			06/23/15 20:18	1
m-Xylene & p-Xylene	0.28	U	10	0.28	ug/L			06/23/15 20:18	1
o-Xylene	0.32	U	1.0	0.32	ug/L			06/23/15 20:18	1
Styrene	0.17	U	1.0	0.17	ug/L			06/23/15 20:18	1
Tetrachloroethene	0.12	U	1.0	0.12	ug/L			06/23/15 20:18	1
Toluene	0.25	U	1.0	0.25	ug/L			06/23/15 20:18	1
Trichloroethene	0.22	U	1.0	0.22	ug/L			06/23/15 20:18	1
Trichlorofluoromethane	0.15	U	1.0	0.15	ug/L			06/23/15 20:18	1
Vinyl chloride	0.060	U	1.0	0.060	ug/L			06/23/15 20:18	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		70 - 130		06/23/15 20:18	1
4-Bromofluorobenzene	107		64 - 135		06/23/15 20:18	1
Dibromofluoromethane (Surr)	103		72 - 137		06/23/15 20:18	1
Toluene-d8 (Surr)	97		70 - 130		06/23/15 20:18	1

TestAmerica Edison

# QC Sample Results

Client: CH2M Hill Constructors, Inc.  
 Project/Site: Essex/Hope Jamestown 656686

TestAmerica Job ID: 460-96403-1

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

**Lab Sample ID: LCS 460-306505/3**

**Matrix: Water**

**Analysis Batch: 306505**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1,1-Trichloroethane	20.0	19.0		ug/L		95	73 - 134
1,1,1,2-Tetrachloroethane	20.0	19.2		ug/L		96	55 - 133
1,1,2-Trichloroethane	20.0	18.3		ug/L		92	68 - 121
1,1-Dichloroethane	20.0	19.6		ug/L		98	75 - 126
1,1-Dichloroethene	20.0	20.5		ug/L		103	71 - 123
1,2-Dichlorobenzene	20.0	19.2		ug/L		96	81 - 120
1,2-Dichloroethane	20.0	19.5		ug/L		97	75 - 127
1,2-Dichloroethene, cis-	20.0	20.3		ug/L		102	78 - 121
1,2-Dichloroethene, trans-	20.0	19.2		ug/L		96	79 - 120
1,2-Dichloropropane	20.0	19.9		ug/L		100	70 - 120
1,3-Dichlorobenzene	20.0	18.4		ug/L		92	75 - 120
1,3-Dichloropropene, cis-	20.0	19.0		ug/L		95	71 - 120
1,3-Dichloropropene, trans-	20.0	19.1		ug/L		95	71 - 123
1,4-Dichlorobenzene	20.0	18.5		ug/L		93	75 - 120
2-Butanone (MEK)	100	94.4		ug/L		94	52 - 140
2-Hexanone	100	88.4		ug/L		88	49 - 131
4-Methyl-2-pentanone (MIBK)	100	91.6		ug/L		92	56 - 132
Acetone	100	90.5		ug/L		90	26 - 150
Benzene	20.0	18.7		ug/L		93	69 - 125
Bromochloromethane	20.0	20.6		ug/L		103	70 - 134
Bromodichloromethane	20.0	18.9		ug/L		94	72 - 123
Bromoform	20.0	18.4		ug/L		92	50 - 134
Bromomethane	20.0	16.1		ug/L		81	27 - 150
Carbon disulfide	20.0	19.2		ug/L		96	61 - 126
Carbon tetrachloride	20.0	19.4		ug/L		97	58 - 150
Chlorobenzene	20.0	19.5		ug/L		98	77 - 120
Chloroethane	20.0	15.6		ug/L		78	58 - 145
Chloroform	20.0	19.6		ug/L		98	81 - 122
Chloromethane	20.0	15.4		ug/L		77	43 - 145
Dibromochloromethane	20.0	18.6		ug/L		93	63 - 131
Ethylbenzene	20.0	19.2		ug/L		96	74 - 120
Isopropylbenzene	20.0	19.6		ug/L		98	74 - 127
Methylene Chloride	20.0	19.6		ug/L		98	76 - 123
m-Xylene & p-Xylene	20.0	19.2		ug/L		96	78 - 119
o-Xylene	20.0	19.0		ug/L		95	79 - 120
Styrene	20.0	19.3		ug/L		96	76 - 120
Tetrachloroethene	20.0	20.5		ug/L		102	70 - 136
Toluene	20.0	18.9		ug/L		94	78 - 120
Trichloroethene	20.0	19.9		ug/L		99	74 - 120
Trichlorofluoromethane	20.0	20.9		ug/L		104	65 - 142
Vinyl chloride	20.0	18.0		ug/L		90	56 - 137

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	98		70 - 130
4-Bromofluorobenzene	105		64 - 135
Dibromofluoromethane (Surr)	101		72 - 137
Toluene-d8 (Surr)	97		70 - 130

TestAmerica Edison

# QC Sample Results

Client: CH2M Hill Constructors, Inc.  
 Project/Site: Essex/Hope Jamestown 656686

TestAmerica Job ID: 460-96403-1

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

**Lab Sample ID: 460-96403-7 MS**

**Matrix: Water**

**Analysis Batch: 306505**

**Client Sample ID: Post-Carb composite**

**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1,1-Trichloroethane	0.28	U	200	184		ug/L		92	73 - 134
1,1,2,2-Tetrachloroethane	0.19	U	200	176		ug/L		88	55 - 133
1,1,2-Trichloroethane	0.080	U	200	179		ug/L		89	68 - 121
1,1-Dichloroethane	0.24	U	200	191		ug/L		96	75 - 126
1,1-Dichloroethene	0.34	U	200	196		ug/L		98	71 - 123
1,2-Dichlorobenzene	0.22	U	200	184		ug/L		92	81 - 120
1,2-Dichloroethane	0.25	U	200	185		ug/L		93	75 - 127
1,2-Dichloroethene, cis-	0.30	J	200	206		ug/L		103	78 - 121
1,2-Dichloroethene, trans-	0.18	U	200	184		ug/L		92	79 - 120
1,2-Dichloropropane	0.18	U	200	195		ug/L		97	70 - 120
1,3-Dichlorobenzene	0.33	U	200	179		ug/L		89	75 - 120
1,3-Dichloropropene, cis-	0.16	U	200	180		ug/L		90	71 - 120
1,3-Dichloropropene, trans-	0.19	U	200	180		ug/L		90	71 - 123
1,4-Dichlorobenzene	0.33	U	200	177		ug/L		89	75 - 120
2-Butanone (MEK)	2.2	U	1000	933		ug/L		93	52 - 140
2-Hexanone	0.72	U	1000	887		ug/L		89	49 - 131
4-Methyl-2-pentanone (MIBK)	0.63	U	1000	941		ug/L		94	56 - 132
Acetone	8600	E	1000	9640	4	ug/L		100	26 - 150
Benzene	0.090	U	200	181		ug/L		90	69 - 125
Bromochloromethane	0.30	U	200	195		ug/L		98	70 - 134
Bromodichloromethane	0.15	U	200	179		ug/L		90	72 - 123
Bromoform	0.18	U	200	174		ug/L		87	50 - 134
Bromomethane	0.18	U	200	161		ug/L		80	27 - 150
Carbon disulfide	0.22	U	200	186		ug/L		93	61 - 126
Carbon tetrachloride	0.33	U	200	191		ug/L		95	58 - 150
Chlorobenzene	0.24	U	200	188		ug/L		94	77 - 120
Chloroethane	0.37	U	200	273		ug/L		136	58 - 145
Chloroform	0.22	U	200	185		ug/L		93	81 - 122
Chloromethane	0.22	U	200	162		ug/L		81	43 - 145
Dibromochloromethane	0.22	U	200	175		ug/L		88	63 - 131
Ethylbenzene	0.30	U	200	188		ug/L		94	74 - 120
Isopropylbenzene	0.32	U	200	192		ug/L		96	74 - 127
Methylene Chloride	0.21	U	200	185		ug/L		93	76 - 123
m-Xylene & p-Xylene	0.28	U	200	184		ug/L		92	78 - 119
o-Xylene	0.32	U	200	183		ug/L		92	79 - 120
Styrene	0.17	U	200	185		ug/L		92	76 - 120
Tetrachloroethene	0.12	U	200	200		ug/L		100	70 - 136
Toluene	0.25	U	200	184		ug/L		92	78 - 120
Trichloroethene	0.22	U	200	204		ug/L		102	74 - 120
Trichlorofluoromethane	0.15	U	200	192		ug/L		96	65 - 142
Vinyl chloride	150		200	313		ug/L		81	56 - 137

Surrogate	MS %Recovery	MS Qualifier	MS Limits
1,2-Dichloroethane-d4 (Surr)	97		70 - 130
4-Bromofluorobenzene	106		64 - 135
Dibromofluoromethane (Surr)	101		72 - 137
Toluene-d8 (Surr)	96		70 - 130

TestAmerica Edison

# QC Sample Results

Client: CH2M Hill Constructors, Inc.  
 Project/Site: Essex/Hope Jamestown 656686

TestAmerica Job ID: 460-96403-1

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

**Lab Sample ID: 460-96403-7 MSD**

**Matrix: Water**

**Analysis Batch: 306505**

**Client Sample ID: Post-Carb composite**

**Prep Type: Total/NA**

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.	RPD	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier				Limits			
1,1,1-Trichloroethane	0.28	U	200	181		ug/L		91	73 - 134	1		30
1,1,2,2-Tetrachloroethane	0.19	U	200	174		ug/L		87	55 - 133	1		30
1,1,2-Trichloroethane	0.080	U	200	178		ug/L		89	68 - 121	0		30
1,1-Dichloroethane	0.24	U	200	190		ug/L		95	75 - 126	1		30
1,1-Dichloroethene	0.34	U	200	193		ug/L		97	71 - 123	1		30
1,2-Dichlorobenzene	0.22	U	200	184		ug/L		92	81 - 120	0		30
1,2-Dichloroethane	0.25	U	200	183		ug/L		91	75 - 127	1		30
1,2-Dichloroethene, cis-	0.30	J	200	196		ug/L		98	78 - 121	5		30
1,2-Dichloroethene, trans-	0.18	U	200	180		ug/L		90	79 - 120	2		30
1,2-Dichloropropane	0.18	U	200	191		ug/L		95	70 - 120	2		30
1,3-Dichlorobenzene	0.33	U	200	180		ug/L		90	75 - 120	1		30
1,3-Dichloropropene, cis-	0.16	U	200	176		ug/L		88	71 - 120	2		30
1,3-Dichloropropene, trans-	0.19	U	200	175		ug/L		87	71 - 123	3		30
1,4-Dichlorobenzene	0.33	U	200	178		ug/L		89	75 - 120	0		30
2-Butanone (MEK)	2.2	U	1000	924		ug/L		92	52 - 140	1		30
2-Hexanone	0.72	U	1000	876		ug/L		88	49 - 131	1		30
4-Methyl-2-pentanone (MIBK)	0.63	U	1000	934		ug/L		93	56 - 132	1		30
Acetone	8600	E	1000	9320	4	ug/L		68	26 - 150	3		30
Benzene	0.090	U	200	178		ug/L		89	69 - 125	1		30
Bromochloromethane	0.30	U	200	194		ug/L		97	70 - 134	0		30
Bromodichloromethane	0.15	U	200	181		ug/L		90	72 - 123	1		30
Bromoform	0.18	U	200	168		ug/L		84	50 - 134	3		30
Bromomethane	0.18	U	200	175		ug/L		88	27 - 150	9		30
Carbon disulfide	0.22	U	200	184		ug/L		92	61 - 126	1		30
Carbon tetrachloride	0.33	U	200	185		ug/L		92	58 - 150	3		30
Chlorobenzene	0.24	U	200	185		ug/L		93	77 - 120	2		30
Chloroethane	0.37	U	200	268		ug/L		134	58 - 145	2		30
Chloroform	0.22	U	200	184		ug/L		92	81 - 122	1		30
Chloromethane	0.22	U	200	160		ug/L		80	43 - 145	2		30
Dibromochloromethane	0.22	U	200	175		ug/L		87	63 - 131	0		30
Ethylbenzene	0.30	U	200	186		ug/L		93	74 - 120	1		30
Isopropylbenzene	0.32	U	200	189		ug/L		95	74 - 127	1		30
Methylene Chloride	0.21	U	200	184		ug/L		92	76 - 123	1		30
m-Xylene & p-Xylene	0.28	U	200	185		ug/L		92	78 - 119	0		30
o-Xylene	0.32	U	200	183		ug/L		92	79 - 120	0		30
Styrene	0.17	U	200	184		ug/L		92	76 - 120	0		30
Tetrachloroethene	0.12	U	200	201		ug/L		101	70 - 136	1		30
Toluene	0.25	U	200	181		ug/L		90	78 - 120	2		30
Trichloroethene	0.22	U	200	197		ug/L		99	74 - 120	3		30
Trichlorofluoromethane	0.15	U	200	187		ug/L		93	65 - 142	3		30
Vinyl chloride	150		200	297		ug/L		73	56 - 137	5		30

Surrogate	MSD %Recovery	MSD Qualifier	MSD Limits
1,2-Dichloroethane-d4 (Surr)	99		70 - 130
4-Bromofluorobenzene	107		64 - 135
Dibromofluoromethane (Surr)	102		72 - 137
Toluene-d8 (Surr)	98		70 - 130

TestAmerica Edison

# QC Sample Results

Client: CH2M Hill Constructors, Inc.  
 Project/Site: Essex/Hope Jamestown 656686

TestAmerica Job ID: 460-96403-1

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

**Lab Sample ID: MB 460-306603/7**  
**Matrix: Water**  
**Analysis Batch: 306603**

**Client Sample ID: Method Blank**  
**Prep Type: Total/NA**

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.28	U	1.0	0.28	ug/L			06/24/15 09:50	1
1,1,1,2-Tetrachloroethane	0.19	U	1.0	0.19	ug/L			06/24/15 09:50	1
1,1,2-Trichloroethane	0.080	U	1.0	0.080	ug/L			06/24/15 09:50	1
1,1-Dichloroethane	0.24	U	1.0	0.24	ug/L			06/24/15 09:50	1
1,1-Dichloroethene	0.34	U	1.0	0.34	ug/L			06/24/15 09:50	1
1,2-Dichlorobenzene	0.22	U	1.0	0.22	ug/L			06/24/15 09:50	1
1,2-Dichloroethane	0.25	U	1.0	0.25	ug/L			06/24/15 09:50	1
1,2-Dichloroethene, cis-	0.26	U	1.0	0.26	ug/L			06/24/15 09:50	1
1,2-Dichloroethene, trans-	0.18	U	1.0	0.18	ug/L			06/24/15 09:50	1
1,2-Dichloropropane	0.18	U	1.0	0.18	ug/L			06/24/15 09:50	1
1,3-Dichlorobenzene	0.33	U	5.0	0.33	ug/L			06/24/15 09:50	1
1,3-Dichloropropene, cis-	0.16	U	1.0	0.16	ug/L			06/24/15 09:50	1
1,3-Dichloropropene, trans-	0.19	U	1.0	0.19	ug/L			06/24/15 09:50	1
1,4-Dichlorobenzene	0.33	U	1.0	0.33	ug/L			06/24/15 09:50	1
2-Butanone (MEK)	2.2	U	10	2.2	ug/L			06/24/15 09:50	1
2-Hexanone	0.72	U	10	0.72	ug/L			06/24/15 09:50	1
4-Methyl-2-pentanone (MIBK)	0.63	U	10	0.63	ug/L			06/24/15 09:50	1
Acetone	1.1	U	10	1.1	ug/L			06/24/15 09:50	1
Benzene	0.090	U	1.0	0.090	ug/L			06/24/15 09:50	1
Bromochloromethane	0.30	U	1.0	0.30	ug/L			06/24/15 09:50	1
Bromodichloromethane	0.15	U	1.0	0.15	ug/L			06/24/15 09:50	1
Bromoform	0.18	U	1.0	0.18	ug/L			06/24/15 09:50	1
Bromomethane	0.18	U	1.0	0.18	ug/L			06/24/15 09:50	1
Carbon disulfide	0.22	U	1.0	0.22	ug/L			06/24/15 09:50	1
Carbon tetrachloride	0.33	U	1.0	0.33	ug/L			06/24/15 09:50	1
Chlorobenzene	0.24	U	1.0	0.24	ug/L			06/24/15 09:50	1
Chloroethane	0.37	U	1.0	0.37	ug/L			06/24/15 09:50	1
Chloroform	0.22	U	1.0	0.22	ug/L			06/24/15 09:50	1
Chloromethane	0.22	U	1.0	0.22	ug/L			06/24/15 09:50	1
Dibromochloromethane	0.22	U	1.0	0.22	ug/L			06/24/15 09:50	1
Ethylbenzene	0.30	U	1.0	0.30	ug/L			06/24/15 09:50	1
Isopropylbenzene	0.32	U	1.0	0.32	ug/L			06/24/15 09:50	1
Methylene Chloride	0.21	U	1.0	0.21	ug/L			06/24/15 09:50	1
m-Xylene & p-Xylene	0.28	U	10	0.28	ug/L			06/24/15 09:50	1
o-Xylene	0.32	U	1.0	0.32	ug/L			06/24/15 09:50	1
Styrene	0.17	U	1.0	0.17	ug/L			06/24/15 09:50	1
Tetrachloroethene	0.12	U	1.0	0.12	ug/L			06/24/15 09:50	1
Toluene	0.25	U	1.0	0.25	ug/L			06/24/15 09:50	1
Trichloroethene	0.22	U	1.0	0.22	ug/L			06/24/15 09:50	1
Trichlorofluoromethane	0.15	U	1.0	0.15	ug/L			06/24/15 09:50	1
Vinyl chloride	0.060	U	1.0	0.060	ug/L			06/24/15 09:50	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	98		70 - 130		06/24/15 09:50	1
4-Bromofluorobenzene	110		64 - 135		06/24/15 09:50	1
Dibromofluoromethane (Surr)	102		72 - 137		06/24/15 09:50	1
Toluene-d8 (Surr)	96		70 - 130		06/24/15 09:50	1

TestAmerica Edison

# QC Sample Results

Client: CH2M Hill Constructors, Inc.  
 Project/Site: Essex/Hope Jamestown 656686

TestAmerica Job ID: 460-96403-1

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

**Lab Sample ID: LCS 460-306603/4**

**Matrix: Water**

**Analysis Batch: 306603**

**Client Sample ID: Lab Control Sample**

**Prep Type: Total/NA**

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1,1-Trichloroethane	20.0	18.7		ug/L		94	73 - 134
1,1,1,2-Tetrachloroethane	20.0	19.4		ug/L		97	55 - 133
1,1,2-Trichloroethane	20.0	19.6		ug/L		98	68 - 121
1,1-Dichloroethane	20.0	20.6		ug/L		103	75 - 126
1,1-Dichloroethene	20.0	19.0		ug/L		95	71 - 123
1,2-Dichlorobenzene	20.0	20.4		ug/L		102	81 - 120
1,2-Dichloroethane	20.0	20.7		ug/L		103	75 - 127
1,2-Dichloroethene, cis-	20.0	21.3		ug/L		107	78 - 121
1,2-Dichloroethene, trans-	20.0	19.4		ug/L		97	79 - 120
1,2-Dichloropropane	20.0	21.1		ug/L		105	70 - 120
1,3-Dichlorobenzene	20.0	19.5		ug/L		98	75 - 120
1,3-Dichloropropene, cis-	20.0	19.9		ug/L		100	71 - 120
1,3-Dichloropropene, trans-	20.0	19.8		ug/L		99	71 - 123
1,4-Dichlorobenzene	20.0	19.5		ug/L		97	75 - 120
2-Butanone (MEK)	100	125		ug/L		125	52 - 140
2-Hexanone	100	110		ug/L		110	49 - 131
4-Methyl-2-pentanone (MIBK)	100	102		ug/L		102	56 - 132
Acetone	100	143		ug/L		143	26 - 150
Benzene	20.0	19.8		ug/L		99	69 - 125
Bromochloromethane	20.0	21.4		ug/L		107	70 - 134
Bromodichloromethane	20.0	19.2		ug/L		96	72 - 123
Bromoform	20.0	18.9		ug/L		95	50 - 134
Bromomethane	20.0	19.7		ug/L		99	27 - 150
Carbon disulfide	20.0	19.0		ug/L		95	61 - 126
Carbon tetrachloride	20.0	18.2		ug/L		91	58 - 150
Chlorobenzene	20.0	20.4		ug/L		102	77 - 120
Chloroethane	20.0	20.9		ug/L		104	58 - 145
Chloroform	20.0	20.3		ug/L		101	81 - 122
Chloromethane	20.0	16.1		ug/L		81	43 - 145
Dibromochloromethane	20.0	19.1		ug/L		95	63 - 131
Ethylbenzene	20.0	19.5		ug/L		98	74 - 120
Isopropylbenzene	20.0	19.8		ug/L		99	74 - 127
Methylene Chloride	20.0	21.2		ug/L		106	76 - 123
m-Xylene & p-Xylene	20.0	19.6		ug/L		98	78 - 119
o-Xylene	20.0	20.1		ug/L		101	79 - 120
Styrene	20.0	19.9		ug/L		99	76 - 120
Tetrachloroethene	20.0	20.5		ug/L		102	70 - 136
Toluene	20.0	19.5		ug/L		97	78 - 120
Trichloroethene	20.0	20.3		ug/L		102	74 - 120
Trichlorofluoromethane	20.0	16.4		ug/L		82	65 - 142
Vinyl chloride	20.0	16.2		ug/L		81	56 - 137

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	104		70 - 130
4-Bromofluorobenzene	111		64 - 135
Dibromofluoromethane (Surr)	108		72 - 137
Toluene-d8 (Surr)	101		70 - 130

TestAmerica Edison

# QC Sample Results

Client: CH2M Hill Constructors, Inc.  
 Project/Site: Essex/Hope Jamestown 656686

TestAmerica Job ID: 460-96403-1

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

**Lab Sample ID: 460-96764-A-1 MS**

**Matrix: Water**

**Analysis Batch: 306603**

**Client Sample ID: Matrix Spike**

**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1,1-Trichloroethane	0.76	J	20.0	19.3		ug/L		93	73 - 134
1,1,2,2-Tetrachloroethane	0.19	U	20.0	17.9		ug/L		90	55 - 133
1,1,2-Trichloroethane	0.080	U	20.0	18.5		ug/L		92	68 - 121
1,1-Dichloroethane	0.24	U	20.0	20.2		ug/L		101	75 - 126
1,1-Dichloroethene	0.34	U	20.0	20.0		ug/L		100	71 - 123
1,2-Dichlorobenzene	0.22	U	20.0	19.4		ug/L		97	81 - 120
1,2-Dichloroethane	0.25	U	20.0	19.2		ug/L		96	75 - 127
1,2-Dichloroethene, cis-	0.72	J	20.0	21.1		ug/L		102	78 - 121
1,2-Dichloroethene, trans-	0.18	U	20.0	19.1		ug/L		95	79 - 120
1,2-Dichloropropane	0.18	U	20.0	20.0		ug/L		100	70 - 120
1,3-Dichlorobenzene	0.33	U	20.0	18.5		ug/L		92	75 - 120
1,3-Dichloropropene, cis-	0.16	U	20.0	18.6		ug/L		93	71 - 120
1,3-Dichloropropene, trans-	0.19	U	20.0	18.2		ug/L		91	71 - 123
1,4-Dichlorobenzene	0.33	U	20.0	18.3		ug/L		92	75 - 120
2-Butanone (MEK)	2.2	U	100	97.3		ug/L		97	52 - 140
2-Hexanone	0.72	U	100	92.8		ug/L		93	49 - 131
4-Methyl-2-pentanone (MIBK)	0.63	U	100	98.7		ug/L		99	56 - 132
Acetone	1.1	U	100	88.7		ug/L		89	26 - 150
Benzene	0.090	U	20.0	18.8		ug/L		94	69 - 125
Bromochloromethane	0.30	U	20.0	20.8		ug/L		104	70 - 134
Bromodichloromethane	0.15	U	20.0	18.9		ug/L		94	72 - 123
Bromoform	0.18	U	20.0	17.6		ug/L		88	50 - 134
Bromomethane	0.18	U	20.0	18.2		ug/L		91	27 - 150
Carbon disulfide	0.22	U	20.0	19.4		ug/L		97	61 - 126
Carbon tetrachloride	0.33	U	20.0	18.8		ug/L		94	58 - 150
Chlorobenzene	0.24	U	20.0	19.8		ug/L		99	77 - 120
Chloroethane	0.37	U	20.0	19.1		ug/L		95	58 - 145
Chloroform	0.22	U	20.0	19.7		ug/L		98	81 - 122
Chloromethane	0.22	U	20.0	14.6		ug/L		73	43 - 145
Dibromochloromethane	0.22	U	20.0	18.4		ug/L		92	63 - 131
Ethylbenzene	0.30	U	20.0	19.5		ug/L		97	74 - 120
Isopropylbenzene	0.32	U	20.0	19.6		ug/L		98	74 - 127
Methylene Chloride	0.21	U	20.0	19.7		ug/L		98	76 - 123
m-Xylene & p-Xylene	0.28	U	20.0	19.5		ug/L		98	78 - 119
o-Xylene	0.32	U	20.0	19.2		ug/L		96	79 - 120
Styrene	0.17	U	20.0	19.2		ug/L		96	76 - 120
Tetrachloroethene	42		20.0	57.9		ug/L		77	70 - 136
Toluene	0.25	U	20.0	18.8		ug/L		94	78 - 120
Trichloroethene	52	F1	20.0	66.6	F1	ug/L		71	74 - 120
Trichlorofluoromethane	0.15	U	20.0	17.3		ug/L		87	65 - 142
Vinyl chloride	0.060	U	20.0	16.4		ug/L		82	56 - 137

Surrogate	MS %Recovery	MS Qualifier	MS Limits
1,2-Dichloroethane-d4 (Surr)	98		70 - 130
4-Bromofluorobenzene	107		64 - 135
Dibromofluoromethane (Surr)	102		72 - 137
Toluene-d8 (Surr)	96		70 - 130

TestAmerica Edison

# QC Sample Results

Client: CH2M Hill Constructors, Inc.  
 Project/Site: Essex/Hope Jamestown 656686

TestAmerica Job ID: 460-96403-1

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

**Lab Sample ID: 460-96764-A-1 MSD**  
**Matrix: Water**  
**Analysis Batch: 306603**

**Client Sample ID: Matrix Spike Duplicate**  
**Prep Type: Total/NA**

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1,1-Trichloroethane	0.76	J	20.0	20.8		ug/L		100	73 - 134	7	30
1,1,2,2-Tetrachloroethane	0.19	U	20.0	19.7		ug/L		99	55 - 133	9	30
1,1,2-Trichloroethane	0.080	U	20.0	20.2		ug/L		101	68 - 121	9	30
1,1-Dichloroethane	0.24	U	20.0	21.4		ug/L		107	75 - 126	6	30
1,1-Dichloroethene	0.34	U	20.0	21.3		ug/L		106	71 - 123	6	30
1,2-Dichlorobenzene	0.22	U	20.0	20.9		ug/L		104	81 - 120	7	30
1,2-Dichloroethane	0.25	U	20.0	20.5		ug/L		102	75 - 127	6	30
1,2-Dichloroethene, cis-	0.72	J	20.0	22.6		ug/L		110	78 - 121	7	30
1,2-Dichloroethene, trans-	0.18	U	20.0	20.5		ug/L		102	79 - 120	7	30
1,2-Dichloropropane	0.18	U	20.0	21.6		ug/L		108	70 - 120	8	30
1,3-Dichlorobenzene	0.33	U	20.0	20.1		ug/L		100	75 - 120	8	30
1,3-Dichloropropene, cis-	0.16	U	20.0	19.9		ug/L		100	71 - 120	7	30
1,3-Dichloropropene, trans-	0.19	U	20.0	19.8		ug/L		99	71 - 123	9	30
1,4-Dichlorobenzene	0.33	U	20.0	20.1		ug/L		100	75 - 120	9	30
2-Butanone (MEK)	2.2	U	100	105		ug/L		105	52 - 140	8	30
2-Hexanone	0.72	U	100	103		ug/L		103	49 - 131	10	30
4-Methyl-2-pentanone (MIBK)	0.63	U	100	107		ug/L		107	56 - 132	9	30
Acetone	1.1	U	100	92.9		ug/L		93	26 - 150	5	30
Benzene	0.090	U	20.0	20.3		ug/L		101	69 - 125	7	30
Bromochloromethane	0.30	U	20.0	22.0		ug/L		110	70 - 134	6	30
Bromodichloromethane	0.15	U	20.0	20.5		ug/L		102	72 - 123	8	30
Bromoform	0.18	U	20.0	19.1		ug/L		95	50 - 134	8	30
Bromomethane	0.18	U	20.0	21.4		ug/L		107	27 - 150	16	30
Carbon disulfide	0.22	U	20.0	20.1		ug/L		101	61 - 126	4	30
Carbon tetrachloride	0.33	U	20.0	20.3		ug/L		102	58 - 150	8	30
Chlorobenzene	0.24	U	20.0	21.3		ug/L		107	77 - 120	7	30
Chloroethane	0.37	U	20.0	18.9		ug/L		95	58 - 145	1	30
Chloroform	0.22	U	20.0	21.1		ug/L		105	81 - 122	7	30
Chloromethane	0.22	U	20.0	15.6		ug/L		78	43 - 145	6	30
Dibromochloromethane	0.22	U	20.0	19.7		ug/L		98	63 - 131	7	30
Ethylbenzene	0.30	U	20.0	21.1		ug/L		106	74 - 120	8	30
Isopropylbenzene	0.32	U	20.0	21.0		ug/L		105	74 - 127	7	30
Methylene Chloride	0.21	U	20.0	20.9		ug/L		105	76 - 123	6	30
m-Xylene & p-Xylene	0.28	U	20.0	20.6		ug/L		103	78 - 119	5	30
o-Xylene	0.32	U	20.0	20.7		ug/L		103	79 - 120	8	30
Styrene	0.17	U	20.0	20.5		ug/L		103	76 - 120	7	30
Tetrachloroethene	42		20.0	59.9		ug/L		87	70 - 136	3	30
Toluene	0.25	U	20.0	20.2		ug/L		101	78 - 120	8	30
Trichloroethene	52	F1	20.0	68.5		ug/L		81	74 - 120	3	30
Trichlorofluoromethane	0.15	U	20.0	17.6		ug/L		88	65 - 142	2	30
Vinyl chloride	0.060	U	20.0	16.7		ug/L		83	56 - 137	2	30

Surrogate	MSD %Recovery	MSD Qualifier	MSD Limits
1,2-Dichloroethane-d4 (Surr)	99		70 - 130
4-Bromofluorobenzene	107		64 - 135
Dibromofluoromethane (Surr)	103		72 - 137
Toluene-d8 (Surr)	96		70 - 130

# QC Association Summary

Client: CH2M Hill Constructors, Inc.  
Project/Site: Essex/Hope Jamestown 656686

TestAmerica Job ID: 460-96403-1

## GC/MS VOA

### Analysis Batch: 306505

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-96403-1 - DL	Pre-Carb	Total/NA	Water	8260C	
460-96403-1	Pre-Carb	Total/NA	Water	8260C	
460-96403-2	Primary-EFF	Total/NA	Water	8260C	
460-96403-7	Post-Carb composite	Total/NA	Water	8260C	
460-96403-7 MS	Post-Carb composite	Total/NA	Water	8260C	
460-96403-7 MSD	Post-Carb composite	Total/NA	Water	8260C	
LCS 460-306505/3	Lab Control Sample	Total/NA	Water	8260C	
MB 460-306505/7	Method Blank	Total/NA	Water	8260C	

### Analysis Batch: 306603

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-96403-2 - DL	Primary-EFF	Total/NA	Water	8260C	
460-96403-7 - DL	Post-Carb composite	Total/NA	Water	8260C	
460-96764-A-1 MS	Matrix Spike	Total/NA	Water	8260C	
460-96764-A-1 MSD	Matrix Spike Duplicate	Total/NA	Water	8260C	
LCS 460-306603/4	Lab Control Sample	Total/NA	Water	8260C	
MB 460-306603/7	Method Blank	Total/NA	Water	8260C	

# Lab Chronicle

Client: CH2M Hill Constructors, Inc.  
Project/Site: Essex/Hope Jamestown 656686

TestAmerica Job ID: 460-96403-1

## Client Sample ID: Pre-Carb

Date Collected: 06/11/15 12:15

Date Received: 06/12/15 10:00

## Lab Sample ID: 460-96403-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C	DL	50	306505	06/23/15 21:09	AAT	TAL EDI
Total/NA	Analysis	8260C		5	306505	06/23/15 21:59	AAT	TAL EDI

## Client Sample ID: Primary-EFF

Date Collected: 06/11/15 12:20

Date Received: 06/12/15 10:00

## Lab Sample ID: 460-96403-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	306505	06/23/15 22:24	AAT	TAL EDI
Total/NA	Analysis	8260C	DL	50	306603	06/24/15 11:05	SZD	TAL EDI

## Client Sample ID: Post-Carb composite

Date Collected: 06/11/15 13:55

Date Received: 06/12/15 10:00

## Lab Sample ID: 460-96403-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	306505	06/23/15 20:44	AAT	TAL EDI
Total/NA	Analysis	8260C	DL	10	306603	06/24/15 10:40	SZD	TAL EDI

### Laboratory References:

TAL EDI = TestAmerica Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

# Certification Summary

Client: CH2M Hill Constructors, Inc.  
Project/Site: Essex/Hope Jamestown 656686

TestAmerica Job ID: 460-96403-1

## Laboratory: TestAmerica Edison

The certifications listed below are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
New York	NELAP	2	11452	03-31-16

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

# Method Summary

Client: CH2M Hill Constructors, Inc.  
Project/Site: Essex/Hope Jamestown 656686

TestAmerica Job ID: 460-96403-1

---

Method	Method Description	Protocol	Laboratory
8260C	Volatile Organic Compounds by GC/MS	SW846	TAL EDI

---

**Protocol References:**

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

**Laboratory References:**

TAL EDI = TestAmerica Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900



# Sample Summary

Client: CH2M Hill Constructors, Inc.  
Project/Site: Essex/Hope Jamestown 656686

TestAmerica Job ID: 460-96403-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
460-96403-1	Pre-Carb	Water	06/11/15 12:15	06/12/15 10:00
460-96403-2	Primary-EFF	Water	06/11/15 12:20	06/12/15 10:00
460-96403-7	Post-Carb composite	Water	06/11/15 13:55	06/12/15 10:00

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

## CHAIN OF CUSTODY / ANA

460-96403 Chain of Custody



urham Road  
N Jersey 08817  
2) 549-3900 Fax: (732) 549-9679

Page 1 of 1

Name (for report and invoice) **Kyle Block** Samplers Name (Printed) **TRAVIS Peadar** Site/Project Identification **ESSEX/HALE JAMESSTON 656686**

Company **CH2M** P.O. # **150058260** State (Location of site): NJ:  NY:  Other: **656686**

Address **18 Tremont Street, Suite 700** City **Boston MA 02108** State **MA** Phone **617-626-7013** Fax **810-229-5071**

Analys Turnaround Time  Standard  Rush Charges Authorized For:  2 Week  1 Week  Other

Sample Identification	Date	Time	Matrix	No. of Cont.	LAB USE ONLY
<b>PRE-CARB</b>	<b>6-11-15</b>	<b>1215</b>	<b>W</b>	<b>3</b>	<b>1</b>
<b>PRIMARY - EFF</b>		<b>1220</b>			<b>2</b>
<b>POST - CARB</b>		<b>1225</b>			<b>3</b>
<b>POST - CARB</b>		<b>1255</b>			<b>4</b>
<b>POST - CARB</b>		<b>1325</b>			<b>5</b>
<b>POST - CARB</b>		<b>1355</b>			<b>6</b>
					<b>7</b>

Preservation Used: 1 = ICE, 2 = HCl, 3 = H<sub>2</sub>SO<sub>4</sub>, 4 = HNO<sub>3</sub>, 5 = NaOH  
Soil: **12** Water: **12**

Special Instructions **COMPOSITE FOR (4) POST-CARB SAMPLES IN LAB AND REPORT AS POST-CARB COMPOSITE.**

Relinquished by **Toni Peadar** Company **CH2M** Date / Time **6-11-15 1445** Received by **1)** Company

Relinquished by **TRAVIS** Company **CH2M** Date / Time **6/16/15 1000** Received by **2) STEVEN** Company **ESSEX**

Relinquished by **TRAVIS** Company **CH2M** Date / Time **6/16/15 1000** Received by **3) STEVEN** Company **ESSEX**

Relinquished by **TRAVIS** Company **CH2M** Date / Time **6/16/15 1000** Received by **4) STEVEN** Company **ESSEX**

Laboratory Certifications: New Jersey (12028), New York (11452), Pennsylvania (68-522), Connecticut (PH-0200), Rhode Island (132).  
Massachusetts (M-NU312), North Carolina (No. 578)

**3.8/5.8 @ TRAVIS OFF 769468**



## Login Sample Receipt Checklist

Client: CH2M Hill Constructors, Inc.

Job Number: 460-96403-1

**Login Number: 96403**

**List Number: 1**

**Creator: Hall, Alonzo**

**List Source: TestAmerica Edison**

Question	Answer	Comment
Radioactivity wasn't checked or is <math>\leq</math> background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	N/A	Not present
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	5.8° C IR #5
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	True	
Multiphasic samples are not present.	N/A	
Samples do not require splitting or compositing.	True	lab to composite
Residual Chlorine Checked.	N/A	No analysis requiring residual chlorine check assigned.

April 10, 2015

Mr. Mark Dowiak  
URS Corporation  
Foster Plaza 6  
681 Andersen Drive, Suite 400  
Pittsburgh, PA 15220

RE: Project: ESSEX/HOPE JAMESTOWN  
Pace Project No.: 30144449

Dear Mr. Dowiak:

Enclosed are the analytical results for sample(s) received by the laboratory on April 01, 2015. The results relate only to the samples included in this report. Results reported herein conform to the most current TNI standards and the laboratory's Quality Assurance Manual, where applicable, unless otherwise noted in the body of the report.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Timothy Reed  
timothy.reed@pacelabs.com  
Project Manager

Enclosures

cc: Ms. Valerie Sibeto, URS Corporation



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## CERTIFICATIONS

Project: ESSEX/HOPE JAMESTOWN

Pace Project No.: 30144449

---

### **Pennsylvania Certification IDs**

1638 Roseytown Rd Suites 2,3&4, Greensburg, PA 15601

ACCLASS DOD-ELAP Accreditation #: ADE-1544

Alabama Certification #: 41590

Arizona Certification #: AZ0734

Arkansas Certification

California/TNI Certification #: 04222CA

Colorado Certification

Connecticut Certification #: PH-0694

Delaware Certification

Florida/TNI Certification #: E87683

Guam/PADEP Certification

Hawaii/PADEP Certification

Idaho Certification

Illinois/PADEP Certification

Indiana/PADEP Certification

Iowa Certification #: 391

Kansas/TNI Certification #: E-10358

Kentucky Certification #: 90133

Louisiana DHH/TNI Certification #: LA140008

Louisiana DEQ/TNI Certification #: 4086

Maine Certification #: PA00091

Maryland Certification #: 308

Massachusetts Certification #: M-PA1457

Michigan/PADEP Certification

Missouri Certification #: 235

Montana Certification #: Cert 0082

Nebraska Certification #: NE-05-29-14

Nevada Certification

New Hampshire/TNI Certification #: 2976

New Jersey/TNI Certification #: PA 051

New Mexico Certification

New York/TNI Certification #: 10888

North Carolina Certification #: 42706

North Dakota Certification #: R-190

Oregon/TNI Certification #: PA200002

Pennsylvania/TNI Certification #: 65-00282

Puerto Rico Certification #: PA01457

South Dakota Certification

Tennessee Certification #: TN2867

Texas/TNI Certification #: T104704188

Utah/TNI Certification #: PA014572014-4

Vermont Dept. of Health: ID# VT-0282

Virgin Island/PADEP Certification

Virginia/VELAP Certification #: 460198

Washington Certification #: C868

West Virginia DEP Certification #: 143

West Virginia DHHR Certification #: 9964C

Wisconsin/PADEP Certification

Wyoming Certification #: 8TMS-Q

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## ANALYTICAL RESULTS

Project: ESSEX/HOPE JAMESTOWN

Pace Project No.: 30144449

Sample: RW-1S		Lab ID: 30144449001	Collected: 03/31/15 14:00	Received: 04/01/15 09:45	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260C MSV</b>		Analytical Method: EPA 8260C						
Acetone	ND	ug/L	10.0	1		04/06/15 16:17	67-64-1	
Benzene	ND	ug/L	1.0	1		04/06/15 16:17	71-43-2	
Bromodichloromethane	ND	ug/L	1.0	1		04/06/15 16:17	75-27-4	
Bromoform	ND	ug/L	1.0	1		04/06/15 16:17	75-25-2	
Bromomethane	ND	ug/L	1.0	1		04/06/15 16:17	74-83-9	
2-Butanone (MEK)	ND	ug/L	10.0	1		04/06/15 16:17	78-93-3	
Carbon disulfide	ND	ug/L	1.0	1		04/06/15 16:17	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		04/06/15 16:17	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		04/06/15 16:17	108-90-7	
Chloroethane	ND	ug/L	1.0	1		04/06/15 16:17	75-00-3	
Chloroform	ND	ug/L	1.0	1		04/06/15 16:17	67-66-3	
Chloromethane	ND	ug/L	1.0	1		04/06/15 16:17	74-87-3	
Dibromochloromethane	ND	ug/L	1.0	1		04/06/15 16:17	124-48-1	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		04/06/15 16:17	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		04/06/15 16:17	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		04/06/15 16:17	106-46-7	
1,1-Dichloroethane	ND	ug/L	1.0	1		04/06/15 16:17	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		04/06/15 16:17	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		04/06/15 16:17	75-35-4	
cis-1,2-Dichloroethene	59.5	ug/L	1.0	1		04/06/15 16:17	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		04/06/15 16:17	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		04/06/15 16:17	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		04/06/15 16:17	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		04/06/15 16:17	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		04/06/15 16:17	100-41-4	
2-Hexanone	ND	ug/L	10.0	1		04/06/15 16:17	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	1		04/06/15 16:17	98-82-8	
Methylene Chloride	ND	ug/L	1.0	1		04/06/15 16:17	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	10.0	1		04/06/15 16:17	108-10-1	
Styrene	ND	ug/L	1.0	1		04/06/15 16:17	100-42-5	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		04/06/15 16:17	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		04/06/15 16:17	127-18-4	
Toluene	ND	ug/L	1.0	1		04/06/15 16:17	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		04/06/15 16:17	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		04/06/15 16:17	79-00-5	
Trichloroethene	37.7	ug/L	1.0	1		04/06/15 16:17	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		04/06/15 16:17	75-69-4	
Vinyl chloride	3.5	ug/L	1.0	1		04/06/15 16:17	75-01-4	
m&p-Xylene	ND	ug/L	2.0	1		04/06/15 16:17	179601-23-1	
o-Xylene	ND	ug/L	1.0	1		04/06/15 16:17	95-47-6	
<b>Surrogates</b>								
4-Bromofluorobenzene (S)	107	%	84-113	1		04/06/15 16:17	460-00-4	
1,2-Dichloroethane-d4 (S)	97	%	84-124	1		04/06/15 16:17	17060-07-0	
Toluene-d8 (S)	102	%	79-118	1		04/06/15 16:17	2037-26-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## ANALYTICAL RESULTS

Project: ESSEX/HOPE JAMESTOWN

Project No.: 30144449

Sample: RW-2S		Lab ID: 30144449002		Collected: 03/31/15 14:10		Received: 04/01/15 09:45		Matrix: Water	
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual	
<b>8260C MSV</b>		Analytical Method: EPA 8260C							
Acetone	ND	ug/L	10.0	1		04/06/15 16:44	67-64-1		
Benzene	ND	ug/L	1.0	1		04/06/15 16:44	71-43-2		
Bromodichloromethane	ND	ug/L	1.0	1		04/06/15 16:44	75-27-4		
Bromoform	ND	ug/L	1.0	1		04/06/15 16:44	75-25-2		
Bromomethane	ND	ug/L	1.0	1		04/06/15 16:44	74-83-9		
2-Butanone (MEK)	ND	ug/L	10.0	1		04/06/15 16:44	78-93-3		
Carbon disulfide	ND	ug/L	1.0	1		04/06/15 16:44	75-15-0		
Carbon tetrachloride	ND	ug/L	1.0	1		04/06/15 16:44	56-23-5		
Chlorobenzene	ND	ug/L	1.0	1		04/06/15 16:44	108-90-7		
Chloroethane	ND	ug/L	1.0	1		04/06/15 16:44	75-00-3		
Chloroform	ND	ug/L	1.0	1		04/06/15 16:44	67-66-3		
Chloromethane	ND	ug/L	1.0	1		04/06/15 16:44	74-87-3		
Dibromochloromethane	ND	ug/L	1.0	1		04/06/15 16:44	124-48-1		
1,2-Dichlorobenzene	ND	ug/L	1.0	1		04/06/15 16:44	95-50-1		
1,3-Dichlorobenzene	ND	ug/L	1.0	1		04/06/15 16:44	541-73-1		
1,4-Dichlorobenzene	ND	ug/L	1.0	1		04/06/15 16:44	106-46-7		
1,1-Dichloroethane	ND	ug/L	1.0	1		04/06/15 16:44	75-34-3		
1,2-Dichloroethane	ND	ug/L	1.0	1		04/06/15 16:44	107-06-2		
1,1-Dichloroethene	ND	ug/L	1.0	1		04/06/15 16:44	75-35-4		
cis-1,2-Dichloroethene	9.3	ug/L	1.0	1		04/06/15 16:44	156-59-2		
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		04/06/15 16:44	156-60-5		
1,2-Dichloropropane	ND	ug/L	1.0	1		04/06/15 16:44	78-87-5		
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		04/06/15 16:44	10061-01-5		
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		04/06/15 16:44	10061-02-6		
Ethylbenzene	ND	ug/L	1.0	1		04/06/15 16:44	100-41-4		
2-Hexanone	ND	ug/L	10.0	1		04/06/15 16:44	591-78-6		
Isopropylbenzene (Cumene)	ND	ug/L	1.0	1		04/06/15 16:44	98-82-8		
Methylene Chloride	ND	ug/L	1.0	1		04/06/15 16:44	75-09-2		
4-Methyl-2-pentanone (MIBK)	ND	ug/L	10.0	1		04/06/15 16:44	108-10-1		
Styrene	ND	ug/L	1.0	1		04/06/15 16:44	100-42-5		
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	1		04/06/15 16:44	79-34-5		
Tetrachloroethene	ND	ug/L	1.0	1		04/06/15 16:44	127-18-4		
Toluene	ND	ug/L	1.0	1		04/06/15 16:44	108-88-3		
1,1,1-Trichloroethane	ND	ug/L	1.0	1		04/06/15 16:44	71-55-6		
1,1,2-Trichloroethane	ND	ug/L	1.0	1		04/06/15 16:44	79-00-5		
Trichloroethene	8.0	ug/L	1.0	1		04/06/15 16:44	79-01-6		
Trichlorofluoromethane	ND	ug/L	1.0	1		04/06/15 16:44	75-69-4		
Vinyl chloride	ND	ug/L	1.0	1		04/06/15 16:44	75-01-4		
m&p-Xylene	ND	ug/L	2.0	1		04/06/15 16:44	179601-23-1		
o-Xylene	ND	ug/L	1.0	1		04/06/15 16:44	95-47-6		
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	99	%	84-113	1		04/06/15 16:44	460-00-4		
1,2-Dichloroethane-d4 (S)	92	%	84-124	1		04/06/15 16:44	17060-07-0		
Toluene-d8 (S)	104	%	79-118	1		04/06/15 16:44	2037-26-5		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## ANALYTICAL RESULTS

Project: ESSEX/HOPE JAMESTOWN

Pace Project No.: 30144449

Sample: RW-2D		Lab ID: 30144449003	Collected: 03/31/15 14:25	Received: 04/01/15 09:45	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260C MSV</b>		Analytical Method: EPA 8260C						
Acetone	ND	ug/L	10.0	1		04/06/15 18:56	67-64-1	
Benzene	<b>10.4</b>	ug/L	1.0	1		04/06/15 18:56	71-43-2	
Bromodichloromethane	ND	ug/L	1.0	1		04/06/15 18:56	75-27-4	
Bromoform	ND	ug/L	1.0	1		04/06/15 18:56	75-25-2	
Bromomethane	ND	ug/L	1.0	1		04/06/15 18:56	74-83-9	
2-Butanone (MEK)	ND	ug/L	10.0	1		04/06/15 18:56	78-93-3	
Carbon disulfide	ND	ug/L	1.0	1		04/06/15 18:56	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		04/06/15 18:56	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		04/06/15 18:56	108-90-7	
Chloroethane	ND	ug/L	1.0	1		04/06/15 18:56	75-00-3	
Chloroform	ND	ug/L	1.0	1		04/06/15 18:56	67-66-3	
Chloromethane	ND	ug/L	1.0	1		04/06/15 18:56	74-87-3	
Dibromochloromethane	ND	ug/L	1.0	1		04/06/15 18:56	124-48-1	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		04/06/15 18:56	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		04/06/15 18:56	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		04/06/15 18:56	106-46-7	
1,1-Dichloroethane	ND	ug/L	1.0	1		04/06/15 18:56	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		04/06/15 18:56	107-06-2	
1,1-Dichloroethene	<b>14.3</b>	ug/L	1.0	1		04/06/15 18:56	75-35-4	
cis-1,2-Dichloroethene	<b>2260</b>	ug/L	50.0	50		04/06/15 19:22	156-59-2	
trans-1,2-Dichloroethene	<b>54.6</b>	ug/L	1.0	1		04/06/15 18:56	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		04/06/15 18:56	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		04/06/15 18:56	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		04/06/15 18:56	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		04/06/15 18:56	100-41-4	
2-Hexanone	ND	ug/L	10.0	1		04/06/15 18:56	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	1		04/06/15 18:56	98-82-8	
Methylene Chloride	ND	ug/L	1.0	1		04/06/15 18:56	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	10.0	1		04/06/15 18:56	108-10-1	
Styrene	ND	ug/L	1.0	1		04/06/15 18:56	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		04/06/15 18:56	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		04/06/15 18:56	127-18-4	
Toluene	ND	ug/L	1.0	1		04/06/15 18:56	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		04/06/15 18:56	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		04/06/15 18:56	79-00-5	
Trichloroethene	<b>2490</b>	ug/L	50.0	50		04/06/15 19:22	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		04/06/15 18:56	75-69-4	
Vinyl chloride	<b>373</b>	ug/L	1.0	1		04/06/15 18:56	75-01-4	
m&p-Xylene	ND	ug/L	2.0	1		04/06/15 18:56	179601-23-1	
o-Xylene	ND	ug/L	1.0	1		04/06/15 18:56	95-47-6	
<b>Surrogates</b>								
4-Bromofluorobenzene (S)	110	%	84-113	1		04/06/15 18:56	460-00-4	
1,2-Dichloroethane-d4 (S)	89	%	84-124	1		04/06/15 18:56	17060-07-0	
Toluene-d8 (S)	106	%	79-118	1		04/06/15 18:56	2037-26-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## ANALYTICAL RESULTS

Project: ESSEX/HOPE JAMESTOWN

Pace Project No.: 30144449

Sample: RW-3S		Lab ID: 30144449004		Collected: 03/31/15 14:30	Received: 04/01/15 09:45	Matrix: Water		
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260C MSV</b>		Analytical Method: EPA 8260C						
Acetone	ND	ug/L	10.0	1		04/06/15 17:10	67-64-1	
Benzene	6.5	ug/L	1.0	1		04/06/15 17:10	71-43-2	
Bromodichloromethane	ND	ug/L	1.0	1		04/06/15 17:10	75-27-4	
Bromoform	ND	ug/L	1.0	1		04/06/15 17:10	75-25-2	
Bromomethane	ND	ug/L	1.0	1		04/06/15 17:10	74-83-9	
2-Butanone (MEK)	ND	ug/L	10.0	1		04/06/15 17:10	78-93-3	
Carbon disulfide	ND	ug/L	1.0	1		04/06/15 17:10	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		04/06/15 17:10	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		04/06/15 17:10	108-90-7	
Chloroethane	ND	ug/L	1.0	1		04/06/15 17:10	75-00-3	
Chloroform	ND	ug/L	1.0	1		04/06/15 17:10	67-66-3	
Chloromethane	ND	ug/L	1.0	1		04/06/15 17:10	74-87-3	
Dibromochloromethane	ND	ug/L	1.0	1		04/06/15 17:10	124-48-1	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		04/06/15 17:10	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		04/06/15 17:10	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		04/06/15 17:10	106-46-7	
1,1-Dichloroethane	ND	ug/L	1.0	1		04/06/15 17:10	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		04/06/15 17:10	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		04/06/15 17:10	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		04/06/15 17:10	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		04/06/15 17:10	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		04/06/15 17:10	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		04/06/15 17:10	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		04/06/15 17:10	10061-02-6	
Ethylbenzene	9.5	ug/L	1.0	1		04/06/15 17:10	100-41-4	
2-Hexanone	ND	ug/L	10.0	1		04/06/15 17:10	591-78-6	
Isopropylbenzene (Cumene)	11.8	ug/L	1.0	1		04/06/15 17:10	98-82-8	
Methylene Chloride	ND	ug/L	1.0	1		04/06/15 17:10	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	10.0	1		04/06/15 17:10	108-10-1	
Styrene	ND	ug/L	1.0	1		04/06/15 17:10	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		04/06/15 17:10	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		04/06/15 17:10	127-18-4	
Toluene	ND	ug/L	1.0	1		04/06/15 17:10	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		04/06/15 17:10	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		04/06/15 17:10	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		04/06/15 17:10	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		04/06/15 17:10	75-69-4	
Vinyl chloride	ND	ug/L	1.0	1		04/06/15 17:10	75-01-4	
m&p-Xylene	71.1	ug/L	2.0	1		04/06/15 17:10	179601-23-1	
o-Xylene	6.6	ug/L	1.0	1		04/06/15 17:10	95-47-6	
<b>Surrogates</b>								
4-Bromofluorobenzene (S)	96	%	84-113	1		04/06/15 17:10	460-00-4	
1,2-Dichloroethane-d4 (S)	97	%	84-124	1		04/06/15 17:10	17060-07-0	
Toluene-d8 (S)	103	%	79-118	1		04/06/15 17:10	2037-26-5	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## ANALYTICAL RESULTS

Project: ESSEX/HOPE JAMESTOWN

Pace Project No.: 30144449

Sample: RW-6D		Lab ID: 30144449005	Collected: 03/31/15 14:40	Received: 04/01/15 09:45	Matrix: Water			
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260C MSV</b>		Analytical Method: EPA 8260C						
Acetone	<b>99000</b>	ug/L	10000	1000		04/06/15 20:42	67-64-1	
Benzene	<b>106</b>	ug/L	1.0	1		04/06/15 19:49	71-43-2	
Bromodichloromethane	ND	ug/L	1.0	1		04/06/15 19:49	75-27-4	
Bromoform	ND	ug/L	1.0	1		04/06/15 19:49	75-25-2	
Bromomethane	ND	ug/L	1.0	1		04/06/15 19:49	74-83-9	
2-Butanone (MEK)	<b>440J</b>	ug/L	1000	100		04/06/15 20:15	78-93-3	
Carbon disulfide	ND	ug/L	1.0	1		04/06/15 19:49	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		04/06/15 19:49	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		04/06/15 19:49	108-90-7	
Chloroethane	ND	ug/L	1.0	1		04/06/15 19:49	75-00-3	
Chloroform	ND	ug/L	1.0	1		04/06/15 19:49	67-66-3	
Chloromethane	ND	ug/L	1.0	1		04/06/15 19:49	74-87-3	
Dibromochloromethane	ND	ug/L	1.0	1		04/06/15 19:49	124-48-1	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		04/06/15 19:49	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		04/06/15 19:49	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		04/06/15 19:49	106-46-7	
1,1-Dichloroethane	ND	ug/L	1.0	1		04/06/15 19:49	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		04/06/15 19:49	107-06-2	
1,1-Dichloroethene	<b>71.1</b>	ug/L	1.0	1		04/06/15 19:49	75-35-4	
cis-1,2-Dichloroethene	<b>20800</b>	ug/L	100	100		04/06/15 20:15	156-59-2	
trans-1,2-Dichloroethene	<b>315</b>	ug/L	1.0	1		04/06/15 19:49	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		04/06/15 19:49	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		04/06/15 19:49	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		04/06/15 19:49	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		04/06/15 19:49	100-41-4	
2-Hexanone	ND	ug/L	10.0	1		04/06/15 19:49	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	1		04/06/15 19:49	98-82-8	
Methylene Chloride	ND	ug/L	1.0	1		04/06/15 19:49	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	10.0	1		04/06/15 19:49	108-10-1	
Styrene	ND	ug/L	1.0	1		04/06/15 19:49	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		04/06/15 19:49	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		04/06/15 19:49	127-18-4	
Toluene	<b>1.7</b>	ug/L	1.0	1		04/06/15 19:49	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		04/06/15 19:49	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		04/06/15 19:49	79-00-5	
Trichloroethene	<b>16000</b>	ug/L	100	100		04/06/15 20:15	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		04/06/15 19:49	75-69-4	
Vinyl chloride	<b>5120</b>	ug/L	100	100		04/06/15 20:15	75-01-4	
m&p-Xylene	ND	ug/L	2.0	1		04/06/15 19:49	179601-23-1	
o-Xylene	ND	ug/L	1.0	1		04/06/15 19:49	95-47-6	
<b>Surrogates</b>								
4-Bromofluorobenzene (S)	105	%	84-113	1		04/06/15 19:49	460-00-4	
1,2-Dichloroethane-d4 (S)	93	%	84-124	1		04/06/15 19:49	17060-07-0	
Toluene-d8 (S)	102	%	79-118	1		04/06/15 19:49	2037-26-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

### ANALYTICAL RESULTS

Project: ESSEX/HOPE JAMESTOWN

Pace Project No.: 30144449

Sample: TB-01	Lab ID: 30144449006	Collected: 03/31/15 00:01	Received: 04/01/15 09:45	Matrix: Water				
Parameters	Results	Units	Report Limit	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260C MSV</b>		Analytical Method: EPA 8260C						
Acetone	ND	ug/L	10.0	1		04/06/15 12:46	67-64-1	
Benzene	ND	ug/L	1.0	1		04/06/15 12:46	71-43-2	
Bromodichloromethane	ND	ug/L	1.0	1		04/06/15 12:46	75-27-4	
Bromoform	ND	ug/L	1.0	1		04/06/15 12:46	75-25-2	
Bromomethane	ND	ug/L	1.0	1		04/06/15 12:46	74-83-9	
2-Butanone (MEK)	ND	ug/L	10.0	1		04/06/15 12:46	78-93-3	
Carbon disulfide	ND	ug/L	1.0	1		04/06/15 12:46	75-15-0	
Carbon tetrachloride	ND	ug/L	1.0	1		04/06/15 12:46	56-23-5	
Chlorobenzene	ND	ug/L	1.0	1		04/06/15 12:46	108-90-7	
Chloroethane	ND	ug/L	1.0	1		04/06/15 12:46	75-00-3	
Chloroform	ND	ug/L	1.0	1		04/06/15 12:46	67-66-3	
Chloromethane	ND	ug/L	1.0	1		04/06/15 12:46	74-87-3	
Dibromochloromethane	ND	ug/L	1.0	1		04/06/15 12:46	124-48-1	
1,2-Dichlorobenzene	ND	ug/L	1.0	1		04/06/15 12:46	95-50-1	
1,3-Dichlorobenzene	ND	ug/L	1.0	1		04/06/15 12:46	541-73-1	
1,4-Dichlorobenzene	ND	ug/L	1.0	1		04/06/15 12:46	106-46-7	
1,1-Dichloroethane	ND	ug/L	1.0	1		04/06/15 12:46	75-34-3	
1,2-Dichloroethane	ND	ug/L	1.0	1		04/06/15 12:46	107-06-2	
1,1-Dichloroethene	ND	ug/L	1.0	1		04/06/15 12:46	75-35-4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	1		04/06/15 12:46	156-59-2	
trans-1,2-Dichloroethene	ND	ug/L	1.0	1		04/06/15 12:46	156-60-5	
1,2-Dichloropropane	ND	ug/L	1.0	1		04/06/15 12:46	78-87-5	
cis-1,3-Dichloropropene	ND	ug/L	1.0	1		04/06/15 12:46	10061-01-5	
trans-1,3-Dichloropropene	ND	ug/L	1.0	1		04/06/15 12:46	10061-02-6	
Ethylbenzene	ND	ug/L	1.0	1		04/06/15 12:46	100-41-4	
2-Hexanone	ND	ug/L	10.0	1		04/06/15 12:46	591-78-6	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	1		04/06/15 12:46	98-82-8	
Methylene Chloride	ND	ug/L	1.0	1		04/06/15 12:46	75-09-2	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	10.0	1		04/06/15 12:46	108-10-1	
Styrene	ND	ug/L	1.0	1		04/06/15 12:46	100-42-5	
1,1,1,2-Tetrachloroethane	ND	ug/L	1.0	1		04/06/15 12:46	79-34-5	
Tetrachloroethene	ND	ug/L	1.0	1		04/06/15 12:46	127-18-4	
Toluene	ND	ug/L	1.0	1		04/06/15 12:46	108-88-3	
1,1,1-Trichloroethane	ND	ug/L	1.0	1		04/06/15 12:46	71-55-6	
1,1,2-Trichloroethane	ND	ug/L	1.0	1		04/06/15 12:46	79-00-5	
Trichloroethene	ND	ug/L	1.0	1		04/06/15 12:46	79-01-6	
Trichlorofluoromethane	ND	ug/L	1.0	1		04/06/15 12:46	75-69-4	
Vinyl chloride	ND	ug/L	1.0	1		04/06/15 12:46	75-01-4	
m&p-Xylene	ND	ug/L	2.0	1		04/06/15 12:46	179601-23-1	
o-Xylene	ND	ug/L	1.0	1		04/06/15 12:46	95-47-6	
<b>Surrogates</b>								
4-Bromofluorobenzene (S)	105	%	84-113	1		04/06/15 12:46	460-00-4	
1,2-Dichloroethane-d4 (S)	94	%	84-124	1		04/06/15 12:46	17060-07-0	
Toluene-d8 (S)	100	%	79-118	1		04/06/15 12:46	2037-26-5	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

### QUALITY CONTROL DATA

Project: ESSEX/HOPE JAMESTOWN

Pace Project No.: 30144449

QC Batch: MSV/23008 Analysis Method: EPA 8260C  
 QC Batch Method: EPA 8260C Analysis Description: 8260C MSV  
 Associated Lab Samples: 30144449001, 30144449002, 30144449003, 30144449004, 30144449005, 30144449006

METHOD BLANK: 875617 Matrix: Water  
 Associated Lab Samples: 30144449001, 30144449002, 30144449003, 30144449004, 30144449005, 30144449006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/L	ND	1.0	04/06/15 11:27	
1,1,2,2-Tetrachloroethane	ug/L	ND	1.0	04/06/15 11:27	
1,1,2-Trichloroethane	ug/L	ND	1.0	04/06/15 11:27	
1,1-Dichloroethane	ug/L	ND	1.0	04/06/15 11:27	
1,1-Dichloroethene	ug/L	ND	1.0	04/06/15 11:27	
1,2-Dichlorobenzene	ug/L	ND	1.0	04/06/15 11:27	
1,2-Dichloroethane	ug/L	ND	1.0	04/06/15 11:27	
1,2-Dichloropropane	ug/L	ND	1.0	04/06/15 11:27	
1,3-Dichlorobenzene	ug/L	ND	1.0	04/06/15 11:27	
1,4-Dichlorobenzene	ug/L	ND	1.0	04/06/15 11:27	
2-Butanone (MEK)	ug/L	ND	10.0	04/06/15 11:27	
2-Hexanone	ug/L	ND	10.0	04/06/15 11:27	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	10.0	04/06/15 11:27	
Acetone	ug/L	ND	10.0	04/06/15 11:27	
Benzene	ug/L	ND	1.0	04/06/15 11:27	
Bromodichloromethane	ug/L	ND	1.0	04/06/15 11:27	
Bromoform	ug/L	ND	1.0	04/06/15 11:27	
Bromomethane	ug/L	ND	1.0	04/06/15 11:27	
Carbon disulfide	ug/L	ND	1.0	04/06/15 11:27	
Carbon tetrachloride	ug/L	ND	1.0	04/06/15 11:27	
Chlorobenzene	ug/L	ND	1.0	04/06/15 11:27	
Chloroethane	ug/L	ND	1.0	04/06/15 11:27	
Chloroform	ug/L	ND	1.0	04/06/15 11:27	
Chloromethane	ug/L	ND	1.0	04/06/15 11:27	
cis-1,2-Dichloroethene	ug/L	ND	1.0	04/06/15 11:27	
cis-1,3-Dichloropropene	ug/L	ND	1.0	04/06/15 11:27	
Dibromochloromethane	ug/L	ND	1.0	04/06/15 11:27	
Ethylbenzene	ug/L	ND	1.0	04/06/15 11:27	
Isopropylbenzene (Cumene)	ug/L	ND	1.0	04/06/15 11:27	
m&p-Xylene	ug/L	ND	2.0	04/06/15 11:27	
Methylene Chloride	ug/L	ND	1.0	04/06/15 11:27	
o-Xylene	ug/L	ND	1.0	04/06/15 11:27	
Styrene	ug/L	ND	1.0	04/06/15 11:27	
Tetrachloroethene	ug/L	ND	1.0	04/06/15 11:27	
Toluene	ug/L	ND	1.0	04/06/15 11:27	
trans-1,2-Dichloroethene	ug/L	ND	1.0	04/06/15 11:27	
trans-1,3-Dichloropropene	ug/L	ND	1.0	04/06/15 11:27	
Trichloroethene	ug/L	ND	1.0	04/06/15 11:27	
Trichlorofluoromethane	ug/L	ND	1.0	04/06/15 11:27	
Vinyl chloride	ug/L	ND	1.0	04/06/15 11:27	
1,2-Dichloroethane-d4 (S)	%	94	84-124	04/06/15 11:27	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

### QUALITY CONTROL DATA

Project: ESSEX/HOPE JAMESTOWN

Pace Project No.: 30144449

METHOD BLANK: 875617

Matrix: Water

Associated Lab Samples: 30144449001, 30144449002, 30144449003, 30144449004, 30144449005, 30144449006

Parameter	Units	Blank Result	Reporting Limit	Analyzed	Qualifiers
4-Bromofluorobenzene (S)	%	101	84-113	04/06/15 11:27	
Toluene-d8 (S)	%	104	79-118	04/06/15 11:27	

LABORATORY CONTROL SAMPLE: 875618

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	20	17.1	86	62-130	
1,1,2,2-Tetrachloroethane	ug/L	20	17.0	85	74-115	
1,1,2-Trichloroethane	ug/L	20	19.3	97	73-121	
1,1-Dichloroethane	ug/L	20	18.2	91	64-125	
1,1-Dichloroethene	ug/L	20	17.8	89	58-126	
1,2-Dichlorobenzene	ug/L	20	20.2	101	76-117	
1,2-Dichloroethane	ug/L	20	17.7	88	66-124	
1,2-Dichloropropane	ug/L	20	19.2	96	66-119	
1,3-Dichlorobenzene	ug/L	20	19.2	96	73-116	
1,4-Dichlorobenzene	ug/L	20	19.6	98	75-119	
2-Butanone (MEK)	ug/L	20	15.1	75	69-126	
2-Hexanone	ug/L	20	15.1	76	53-118	
4-Methyl-2-pentanone (MIBK)	ug/L	20	15.0	75	68-124	
Acetone	ug/L	20	11.6	58	56-142	
Benzene	ug/L	20	19.7	98	69-123	
Bromodichloromethane	ug/L	20	19.1	95	64-120	
Bromoform	ug/L	20	16.8	84	56-133	
Bromomethane	ug/L	20	19.2	96	19-151	
Carbon disulfide	ug/L	20	22.3	111	53-173	
Carbon tetrachloride	ug/L	20	18.0	90	52-133	
Chlorobenzene	ug/L	20	19.0	95	72-121	
Chloroethane	ug/L	20	19.8	99	53-143	
Chloroform	ug/L	20	17.8	89	63-123	
Chloromethane	ug/L	20	21.7	108	48-139	
cis-1,2-Dichloroethene	ug/L	20	17.5	88	63-123	
cis-1,3-Dichloropropene	ug/L	20	18.2	91	65-121	
Dibromochloromethane	ug/L	20	18.5	93	58-132	
Ethylbenzene	ug/L	20	18.7	94	70-123	
Isopropylbenzene (Cumene)	ug/L	20	19.6	98	66-136	
m&p-Xylene	ug/L	40	37.9	95	71-124	
Methylene Chloride	ug/L	20	16.6	83	55-134	
o-Xylene	ug/L	20	19.0	95	69-118	
Styrene	ug/L	20	18.4	92	66-126	
Tetrachloroethene	ug/L	20	19.8	99	62-131	
Toluene	ug/L	20	19.0	95	73-123	
trans-1,2-Dichloroethene	ug/L	20	18.9	94	61-124	
trans-1,3-Dichloropropene	ug/L	20	18.0	90	70-111	
Trichloroethene	ug/L	20	19.9	99	66-125	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

### QUALITY CONTROL DATA

Project: ESSEX/HOPE JAMESTOWN

Pace Project No.: 30144449

LABORATORY CONTROL SAMPLE: 875618

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Trichlorofluoromethane	ug/L	20	19.5	98	57-144	
Vinyl chloride	ug/L	20	19.3	96	58-131	
1,2-Dichloroethane-d4 (S)	%			97	84-124	
4-Bromofluorobenzene (S)	%			102	84-113	
Toluene-d8 (S)	%			99	79-118	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 875914 875915

Parameter	30144219001		MS	MSD	MS		MSD		% Rec	RPD	Qual
	Units	Result	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec	Limits		
1,1,1-Trichloroethane	ug/L	ND	20	20	17.0	17.2	85	86	62-130	1	
1,1,2,2-Tetrachloroethane	ug/L	ND	20	20	14.8	15.0	74	75	74-115	1	
1,1,2-Trichloroethane	ug/L	ND	20	20	17.5	18.6	88	93	73-121	6	
1,1-Dichloroethane	ug/L	ND	20	20	17.7	18.1	89	90	64-125	2	
1,1-Dichloroethene	ug/L	ND	20	20	18.2	18.5	91	93	58-126	2	
1,2-Dichlorobenzene	ug/L	ND	20	20	17.4	17.6	87	88	76-117	1	
1,2-Dichloroethane	ug/L	ND	20	20	16.2	16.9	81	85	66-124	4	
1,2-Dichloropropane	ug/L	ND	20	20	18.0	19.2	90	96	66-119	6	
1,3-Dichlorobenzene	ug/L	ND	20	20	17.3	17.0	86	85	73-116	2	
1,4-Dichlorobenzene	ug/L	ND	20	20	17.7	17.5	89	88	75-119	1	
2-Butanone (MEK)	ug/L	ND	20	20	13.4	14.0	67	70	69-126	5	M1
2-Hexanone	ug/L	ND	20	20	13.9	14.7	69	74	53-118	6	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	20	20	15.6	15.9	78	80	68-124	2	
Acetone	ug/L	ND	20	20	36.4	31.0	172	145	56-142	16	M1
Benzene	ug/L	ND	20	20	19.2	19.6	96	98	69-123	2	
Bromodichloromethane	ug/L	ND	20	20	17.2	18.3	86	92	64-120	6	
Bromoform	ug/L	ND	20	20	14.4	15.8	72	79	56-133	9	
Bromomethane	ug/L	ND	20	20	13.6	16.0	68	80	19-151	16	
Carbon disulfide	ug/L	ND	20	20	20.3	17.6	101	88	53-173	14	
Carbon tetrachloride	ug/L	ND	20	20	17.3	18.4	87	92	52-133	6	
Chlorobenzene	ug/L	ND	20	20	18.5	19.1	92	95	72-121	3	
Chloroethane	ug/L	ND	20	20	20.1	19.5	100	98	53-143	3	
Chloroform	ug/L	ND	20	20	18.1	18.3	91	92	63-123	1	
Chloromethane	ug/L	ND	20	20	21.5	23.5	107	117	48-139	9	
cis-1,2-Dichloroethene	ug/L	ND	20	20	18.5	18.6	93	93	63-123	0	
cis-1,3-Dichloropropene	ug/L	ND	20	20	16.9	16.8	84	84	65-121	0	
Dibromochloromethane	ug/L	ND	20	20	16.4	17.8	82	89	58-132	8	
Ethylbenzene	ug/L	ND	20	20	17.9	18.8	89	94	70-123	5	
Isopropylbenzene (Cumene)	ug/L	ND	20	20	18.0	18.5	90	93	66-136	3	
m&p-Xylene	ug/L	ND	40	40	37.1	38.3	93	96	71-124	3	
Methylene Chloride	ug/L	ND	20	20	16.1	16.6	80	83	55-134	3	
o-Xylene	ug/L	ND	20	20	18.2	18.8	91	94	69-118	3	
Styrene	ug/L	ND	20	20	17.4	18.2	87	91	66-126	4	
Tetrachloroethene	ug/L	ND	20	20	19.8	20.3	99	101	62-131	2	
Toluene	ug/L	ND	20	20	18.8	19.1	94	96	73-123	1	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

### QUALITY CONTROL DATA

Project: ESSEX/HOPE JAMESTOWN

Pace Project No.: 30144449

Parameter	30144219001		MS		MSD		MS		MSD		% Rec	Limits	RPD	Qual
	Units	Result	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec						
trans-1,2-Dichloroethene	ug/L	ND	20	20	17.9	18.6	90	93	61-124	4				
trans-1,3-Dichloropropene	ug/L	ND	20	20	15.6	16.6	78	83	70-111	6				
Trichloroethene	ug/L	ND	20	20	20.1	20.9	101	105	66-125	4				
Trichlorofluoromethane	ug/L	ND	20	20	22.3	21.7	111	109	57-144	3				
Vinyl chloride	ug/L	ND	20	20	20.6	22.2	103	111	58-131	8				
1,2-Dichloroethane-d4 (S)	%						94	96	84-124					
4-Bromofluorobenzene (S)	%						101	97	84-113					
Toluene-d8 (S)	%						99	99	79-118					

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

## QUALIFIERS

Project: ESSEX/HOPE JAMESTOWN  
Pace Project No.: 30144449

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### ANALYTE QUALIFIERS

M1 Matrix spike recovery exceeded QC limits. Batch accepted based on laboratory control sample (LCS) recovery.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: ESSEX/HOPE JAMESTOWN

Pace Project No.: 30144449

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
30144449001	RW-1S	EPA 8260C	MSV/23008		
30144449002	RW-2S	EPA 8260C	MSV/23008		
30144449003	RW-2D	EPA 8260C	MSV/23008		
30144449004	RW-3S	EPA 8260C	MSV/23008		
30144449005	RW-6D	EPA 8260C	MSV/23008		
30144449006	TB-01	EPA 8260C	MSV/23008		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, Inc..



# CHAIN-OF-CUSTODY / Analytical Request Document

The Chain-of-Custody is a LEGAL DOCUMENT. All relevant fields must be completed accurately.

<b>Section A</b> Required Client Information:	<b>Section B</b> Required Project Information:	<b>Section C</b> Invoice Information:
Company: <b>UES/AECOM</b>	Report To: <b>MARY DDWIAK</b>	Attention: <b>1568163</b>
Address: <b>FOSTER PLAZA 6, 400 681 ANDERSON ST, STE. 100 PITTSBURGH, PA 15220</b>	Copy To: <b>VALERIE SIBETO</b>	Company Name: _____
Email To: _____	Purchase Order No.: <b>41570166</b>	Address: _____
Phone: <b>412-503-4700</b>	Project Name: <b>ESSEX/HOPE JAMESTOWN</b>	Pace Quote Reference: _____
Requested Due Date/TAT: <b>STANDARD</b>	Project Number: <b>41570166</b>	Pace Project Manager: _____
		Pace Profile #: _____

ITEM #	Section D Required Client Information	Matrix Codes MATRIX / CODE	SAMPLE TYPE (G=GRAB C=COMP)	COLLECTED		SAMPLE TEMP AT COLLECTION	# OF CONTAINERS	Preservatives	Y/N	Requested Analysis Filtered (Y/N)		Temp in °C	Received on	Sealed Cooler	Custody	Samples Intact
				DATE	TIME					DATE	TIME					
1	<b>RW-1S</b>	Drinking Water DW	WTG	3/31/15	1400		3	Unpreserved								
2	<b>RW-2S</b>	Water WT	WTG	3/31/15	1410		3	H <sub>2</sub> SO <sub>4</sub>								
3	<b>RW-2D</b>	Waste Water WW	WTG	3/31/15	1425		3	HCl								
4	<b>RW-3S</b>	Product P	WTG	3/31/15	1430		3	HNO <sub>3</sub>								
5	<b>RW-6D</b>	Soil/Solid SL	WTG	3/31/15	1440		3	NaOH								
6	<b>TR-b1</b>	Oil OL	WTG	3/31/15	---		3	Na <sub>2</sub> O <sub>3</sub>								
7		Wipe WP						H <sub>2</sub> SO <sub>4</sub>								
8		Air AR						HNO <sub>3</sub>								
9		Tissue TS						Other								
10		Other OT														
11																
12																
	<b>ADDITIONAL COMMENTS</b>		<b>RELINQUISHED BY / AFFILIATION</b>	<b>DATE</b>	<b>TIME</b>	<b>ACCEPTED BY / AFFILIATION</b>	<b>DATE</b>	<b>TIME</b>	<b>DATE SIGNED (MM/DD/YY)</b>	<b>DATE SIGNED (MM/DD/YY)</b>	<b>TEMP IN °C</b>	<b>RECEIVED ON</b>	<b>SEALED COOLER</b>	<b>CUSTODY</b>	<b>SAMPLES INTACT</b>	
	<b>SEMI-ANNUAL RW SAMPLING - 1ST QTR 2015</b>		<i>Valerie Sibeto</i>	<b>3/31/15</b>	<b>1530</b>	<i>Valerie Sibeto</i>	<b>3/31/15</b>	<b>1530</b>	<b>3/31/15</b>	<b>3/31/15</b>	<b>8.5</b>	<b>4-15</b>	<b>Y</b>	<b>N</b>	<b>Y</b>	

ORIGINAL

SAMPLER NAME AND SIGNATURE  
 PRINT Name of SAMPLER: **VALERIE SIBETO**  
 SIGNATURE of SAMPLER: *Valerie Sibeto*



Sample Condition Upon Receipt

Client Name: URS

Project # 30144449

Courier:  Fed Ex  UPS  USPS  Client  Commercial  Pace Other \_\_\_\_\_

Tracking #: 8623393267166

Custody Seal on Cooler/Box Present:  yes  no Seals intact:  yes  no Biological Tissue is Frozen: Yes No

Packing Material: Bubble Wrap Bubble Bags \_\_\_\_\_ None \_\_\_\_\_ Other \_\_\_\_\_

Thermometer Used 6 Type of Ice: Wet Blue None  Samples on ice, cooling process has begun

Cooler Temp.: Observed Temp.: 0.8 °C Correction Factor: -0.3 °C Final Temp: 0.5 °C

Date and initials of person examining contents: AMC 4-1-15

Temp should be above freezing to 6°C

Comments:

Chain of Custody Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	1.
Chain of Custody Filled Out:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	2.
Chain of Custody Relinquished:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	3.
Sampler Name & Signature on COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	4.
Samples Arrived within Hold Time:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	5.
Short Hold Time Analysis (<72hr):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	6.
Rush Turn Around Time Requested:	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	7.
Sufficient Volume:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	8.
Correct Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	9.
-Pace Containers Used:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Containers Intact:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	10.
Filtered volume received for Dissolved tests	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	11.
Sample Labels match COC:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	12.
-Includes date/time/ID/Analysis Matrix: <u>WT</u>		
All containers needing preservation have been checked.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	13.
All containers needing preservation are found to be in compliance with EPA recommendation.	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	
exceptions: <u>VOA</u> coliform, TOC, O&G, Phenols	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Initial when completed <u>AMC</u> Lot # of added preservative
Samples checked for dechlorination:	<input type="checkbox"/> Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> N/A	14.
Headspace in VOA Vials (>6mm):	<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> N/A	15.
Trip Blank Present:	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	16.
Trip Blank Custody Seals Present	<input checked="" type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> N/A	
Pace Trip Blank Lot # (if purchased):		

Client Notification/ Resolution: \_\_\_\_\_ Field Data Required? Y / N  
Person Contacted: \_\_\_\_\_ Date/Time: \_\_\_\_\_  
Comments/ Resolution: \_\_\_\_\_

Project Manager Review: \_\_\_\_\_ Date: 4/2/15

Note: Whenever there is a discrepancy affecting North Carolina compliance samples, a copy of this form will be sent to the North Carolina DEHNR Certification Office (i.e. out of hold, incorrect preservative, out of temp, incorrect containers)

