FIRST 2016 SEMI-ANNUAL GROUNDWATER MONITORING REPORT

For

FORMER DOWCRAFT FACILITY NYSDEC SITE #907020 FALCONER, CHAUTAUQUA COUNTY, NEW YORK

Prepared by:



C&S ENGINEERS, INC. 141 ELM STREET BUFFALO, NEW YORK 14203

Prepared on Behalf of:

JAMESTOWN CONTAINER COMPANIES 14 DEMING DRIVE FALCONER, NEW YORK 14733

JUNE 2016

TABLE OF CONTENTS

<u>1</u>	INTRODUCTION	1
1.1 1.2	BACKGROUND AND SITE DESCRIPTION PROJECT OBJECTIVES	1 1
<u>2</u>	SUBSURFACE CONDITIONS	3
2.1 2.2 2.3	Contaminants of Concern Geology and Hydrogeology Extent of Contamination	3 4 4
<u>3</u>	APRIL 2016 GROUNDWATER MONITORING	5
3.1.3 3.1.4 3.1.5 3.2 3.2.1 3.2.2 3.2.3 4	 GROUNDWATER SAMPLING WATER LEVEL MONITORING WELL PURGING GROUNDWATER SAMPLE COLLECTION AND ANALYSIS GROUNDWATER RESULTS LABORATORY ANALYSIS GROUNDWATER ELEVATIONS GROUNDWATER ANALYTICAL RESULTS TREATMENT EFFECTIVENESS	5 5 6 6 6 6 7 7 7 7 7
Figu Figu	GROUNDWATER MONITORING RECOMMENDATIONS URES JRE 1 – HISTORIC AND EXISTING SITE FEATURES JRE 2 – APRIL 2016 GROUNDWATER CONTOUR MAP	8
Figu	JRE 3 – APRIL 2016 GROUNDWATER RESULTS	
	BLES le 1 – Groundwater Elevations	
TAB	LE 2 – GROUNDWATER ANALYTICAL RESULTS	
TAB	LE 3 – VOC CONCENTRATION CHANGES	
APP	PENDICES	

 $\label{eq:appendix} A-GROUNDWATER \ ANALYTICAL \ RESULTS$

ACRONYM LIST

C&S	C&S Engineers, Inc.
JCC	JAMESTOWN CONTAINER COMPANIES
Site	Former Dowcraft Facility
TCE	TRICHLOROETHENE
IRM	INTERIM REMEDIAL MEASURES
NYSDEC	NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
ROD	RECORD OF DECISION
CRA	CONESTOGA-ROVERS & ASSOCIATES
RI	REMEDIAL INVESTIGATION
SCO	SOIL CLEANUP OBJECTIVES
SVOC	SEMI-VOLATILE ORGANIC COMPOUNDS
VOC	VOLATILE ORGANIC COMPOUNDS
NYSDOH	NEW YORK STATE DEPARTMENT OF HEALTH

1 INTRODUCTION

C&S Engineers, Inc. (C&S) has prepared this Groundwater Monitoring Report on behalf of Jamestown Container Companies (JCC) for the former Dowcraft facility.

1.1 Background and Site Description

The Dowcraft Site is located at 65 South Dow Street in Falconer, New York and occupies approximately 2.2 acres of land situated immediately east of South Dow Street and approximately 100 feet south of the Chadakoin River (Site). The Jamestown Container manufacturing building is situated between the Site and the Chadakoin River.

The property was first developed in 1890 as a woolen mill until 1939 when it was converted into a factory which manufactured steel partitions used for offices. As part of this manufacturing process, a vapor degreaser was used which included the use of chemicals such as trichloroethene (TCE). This work continued until 1999 when the facility was closed, a portion of the Site was demolished, and the property was sold to JCC.

Figure 1 presents present and historic site features.

The Site was the subject of environmental investigations in the early 1990s, at which time contaminated groundwater was discovered on site. An interim remedial measure (IRM) was subsequently put in place in 1994 which consisted of groundwater extraction and treatment. In 2000, the use of additional groundwater remediation technologies was approved by the NYSDEC which involved in-situ chemical oxidation of TCE through the injection of potassium permanganate into the overburden groundwater. In 2003, a Record of Decision (ROD) was approved that selected the following remedy:

- In-situ groundwater treatment through chemical oxidation, by injection of potassium permanganate dissolved in water, through existing well points into the shallow overburden groundwater table;
- Overburden groundwater monitoring to verify the effectiveness of the treatment;
- Institutional controls to prevent the use of groundwater as a source of potable water; and
- Annual certification to NYSDEC to certify that institutional controls remain in place.

Conestoga-Rovers & Associates (CRA) conducted nine injection treatments between May 2000 and July 2006, totaling 21,500 pounds of potassium permanganate. Previous injection treatments were successful in oxidizing some TCE; however, the concentrations of TCE in the source area remain high.

1.2 Project Objectives

As stated in the 2003 ROD, the remedial goals selected for this Site are:

- Treat the source area of groundwater contamination by oxidative de-chlorination of the contaminants in place;
- Prevent exposure of human receptors to contaminated groundwater in the sand and gravel unit under Site;
- Prevent or mitigate, to the maximum extent practicable, COC migration via groundwater so that releases from the underlying sand and gravel unit to the Chadakoin River do not exceed applicable standards, criteria and guidance.

To help satisfy these project objectives, periodic groundwater sampling is required. Additionally, the New York State Department of Health (NYSDOH) requested the performance of soil vapor sampling to evaluate potential impacts to air quality by the contamination underlying the Site. This report describes the results from the recent groundwater sampling event that occurred on April 25 and 26, 2016.

2 <u>SUBSURFACE CONDITIONS</u>


2.1 Contaminants of Concern

Chlorinated solvents, primarily, trichloroethene (TCE) and its daughter compounds, were identified as the contaminants of concern (COC) for this Site. TCE is a man-made volatile organic compound used for degreasing metal and electronic parts. Remedial considerations for TCE include its low solubility value and heavy molecular weight. TCE is in a class of chemicals called dense non-aqueous phase liquids (DNAPL) that sink through the water column until they encounter an impermeable barrier.

Groundwater contaminant plumes with TCE can undergo a process of reductive dechlorination, during which chlorine atoms are stripped from TCE and daughter compounds are produced. The rate of dechlorination can vary based on:

- Amount of TCE in the subsurface;
- Amount of organic material; and
- Type and concentration of electron acceptors available in the system.

The process of TCE reductive dechlorination is shown below:



2.2 Geology and Hydrogeology

Site geology consists of fill material overlying two sand/gravel layers separated by a silt/clay lens. Fill material consists of a mixed matrix of sand, cinders, silt, gavel, brick, concrete, coal, slag and metal. The fill unit ranges in thickness from 2 to over 14 feet with an average thickness of 8 feet.

The upper sand/gravel layer ranges from 10 to 20 feet in thickness. Underlying the upper sand/gravel layer is a silt/clay lens that ranges from 4 to 8 feet in thickness. The lower sand/gravel layer is 10 to 18 feet thick. Underlying the lower sand layer is a second silt/clay layer that starts approximately 43 feet below ground surface (BGS). This unit is estimated to be 60 feet in thickness according to regional geology.

The average depth to groundwater is 10 feet BGS within the upper sand/gravel layer. Groundwater flow within the upper sand/gravel layer is to the north-northeast at approximately 2.7 feet per year. Figure 3 shows the inferred groundwater flow direction in the upper sand/gravel layer. The silt/clay layer overlying the lower sand/gravel layer is acting as an aquitard for deeper groundwater and is creating a semi-confined aquifer.

2.3 Extent of Contamination

According to previous environmental reports, the area of former degreaser pit (area of groundwater monitoring wells PW-3 and PW-3R) is a likely source area for the COC plume. The plume originates from the degreaser area and has affected groundwater in the upper and lower sand/gravel layers. The plume extends from the degreaser area to the north, under the JCC building and up to the area of the Chadakoin River. This is an area of approximately one acre. The rate of movement is approximately 2 to 3 feet per year to the north.

3 APRIL 2016 GROUNDWATER MONITORING

3.1 Field Sampling Program

3.1.1 Monitoring Well Array

The Site contains a total of 23 monitoring wells installed in November 1990, November 1991, and April 1992. The monitoring wells below have been shown to be directly within the contaminant plume.

ESI - 1	ESI - 11
ESI - 2	ESI - 12
ESI - 3	ESI - 13R
ESI - 6	PW - 1
ESI - 7	PW - 3R
ESI - 10	

It should be noted that PW-2 is located within the contaminant plume and has been previously sampled by other consultants; however, during groundwater monitoring conducted by C&S on July 2, 2013, PW-2 could not be developed because piping was located in the well that could not be removed. Monitoring well ESI - 6 is located within six feet of PW-2 and was developed and sampled as a substitute for PW-2.

3.1.2 Groundwater Sampling

The following groundwater sampling events have been conducted by C&S.

July 2, 2013	Baseline Monitoring
October 21, 22 and 29, 2014	Pre-treatment
April 21 and 22, 2015	1 st Post-treatment
November 2 and 3, 2015	2 nd Post-treatment
April 25 and 26, 2016	3 rd Post-treatment

The groundwater monitoring activities included the collection of depth-to-water measurements at each monitoring well and the collection of groundwater samples for laboratory analysis.

Groundwater sampling was conducted in accordance with the U.S. Environmental Protection Agency (USEPA) low flow sample procedure. All equipment used for well

purging and sampling was thoroughly washed with tap water and laboratory detergent, Alconox, prior to and after use.

3.1.3 Water Level Monitoring

Prior to purging and sampling each monitoring well was measured with an electronic water level indicator used to measure depth to water and total depth of each well. Measurements were referenced to the top of the well casing. All water levels and total depth measurements were taken to the nearest 0.01 foot.

3.1.4 Well Purging

Water quality parameters were tracked as groundwater was removed from monitoring wells. A QED bladder pump was used to purge monitoring wells until water quality parameters (temperature, specific conductivity, pH, oxygen reduction potential dissolved oxygen and turbidity) were stabilized. Purge water was transferred into five-gallon buckets. Collected purge water was treated through an activated carbon system prior to discharge on the ground surface.

Because the well casing for ESI-7 was broken underneath the bottom of the road box, a one-inch diameter polyethylene bailer was used to purge and sample ESI-7.

3.1.5 Groundwater Sample Collection and Analysis

Samples were collected from each well immediately after water quality parameters were stabilized. Samples were collected from polyethylene tubing into appropriate sample jars. The sample containers were chemically preserved by the laboratory prior to the field activities. Samples collected for volatile organics analysis were overfilled to form a convex meniscus and, after collection, the sample container was inverted to check for the presence of air bubbles in the sample. All samples were placed in coolers on ice to maintain samples at 4 degrees Celsius. A chain–of–custody manifest was completed onsite and accompanied the samples to the lab. Samples were analyzed for:

Parameter	EPA Method
Volatile Organic Compounds	8260C
Dissolved Oxygen	360.1
Specific Conductance	120.1
pH	9040C

3.2 Groundwater Results

3.2.1 Laboratory Analysis

Samples were received by Paradigm Laboratories on April 27, 2016. The following presents observations associated with the samples:

• The lab confirmed that samples were obtained intact

- On ice and cooler temperature was acceptable
- Chain-of-custody was filled out with all pertinent information
- No discrepancy with sample ID and chain-of-custody
- Samples were received within holding times
- VOA sample vials did not have headspace or bubble is < 6mm in diameter
- Sample bottles were completely filled

3.2.2 Groundwater Elevations

Groundwater elevations are provided in Table 1 and shown on Figure 3. These elevations show that groundwater is generally flowing to the north and east.

3.2.3 Groundwater Analytical Results

Six out of the eleven wells that were sampled contained groundwater that exceeded water quality standard for trichloroethene (5 ug/L). Analytical results for trichloroethene in these wells ranged from 17.2 ug/L to 1,260 ug/L. Other chlorinated compounds, including TCE daughter compounds (cis-1,2-dichloroethene, trans-1,2-dichloroethane and vinyl chloride) were detected in six of the eleven wells. The highest concentration of cis-1,2-Dichloroethene was detected in ESI-2 (5,290 ug/L).

The analytical results are summarized in Table 2. The April 2016 analytical results are presented on Figure 3. The groundwater results were compared to NYSDEC T.O.G.S 1.1.1 Ambient Water Quality Standards.

4 <u>TREATMENT EFFECTIVENESS</u>

Potassium permanganate was used to treat TCE and other chlorinated volatile organic compounds within a plume that extends adjacent and partially underneath the JCC building. Two methods were implemented in treating the contaminated groundwater. The first method included the injection of a solution of potassium permanganate in ten borings. The second method included the placement of potassium permanganate cylinders as a treatment adjacent to PW-3R and installation of cylinders in monitoring wells inside the main JCC building. Treatment was applied on December 1 through 9, 2014. After sampling was completed on April 2016, potassium permanganate cylinders were placed in ESI-2 and ESI-6. Three cylinders were placed in each monitoring well.

Table 3 presents a comparison of total VOC concentrations from each monitoring well and the percent change from pre-treatment and post-treatment groundwater monitoring.

Out of eleven monitoring wells, nine wells show a decrease in TCE and other chlorinated compounds. Continued decreases of TCE and other chlorinated compounds were observed in wells on the outside of the contaminant plume (ESI-1, ESI-7 and ESI-13R) and inside the JCC building (ESI-10, ESI-11 and ESI-12). No TCE or other chlorinated compounds were detected in samples from within the JCC building. Samples from these wells had only minor detections of acetone below NYSDEC standards. Vinyl chloride has decreased in the source area, PW-3R, from 790 ug/L to 134 ug/L.

Two wells show a rebound of chlorinated compounds from the April 2015 sampling event. Monitoring wells within the area treated with injection borings still contain elevated levels of TCE (ESI-2 and ESI-6). The reason for this observation is not clear, although a possible explanation is the injections caused the migration of groundwater with higher concentrations towards certain monitoring wells, or the ISCO materials may have increased the mobilization of contaminants that may have adhered to soil particles. However, these monitoring wells have increased levels of daughter compounds of TCE, indicating that reductive de-chlorination of TCE is taking place as a result of the potassium permanganate treatment. Future monitoring events will provide additional information regarding this situation. Potassium permanganate cylinders were placed in these wells after sampling. Cylinders will provide a long-term treatment to the groundwater adjacent to the monitoring wells.

Chloride concentrations are unchanged with previous sampling events. Future monitoring rounds will include chloride in all sampled wells, so trends of chloride concentrations will be available during future monitoring events.

4.1 Groundwater Monitoring Recommendations

The third round of post-treatment sampling suggests that the potassium permanganate injections and cylinders appear to be effective in treating the groundwater contaminants in many wells and less effective in others. Additional data will be necessary to fully evaluate the efficacy of the treatment methods. Both the injected and placed materials will remain active for a period following the treatment event, so additional decreases in concentration are expected. The next scheduled groundwater sampling event is October 2016.

As outlined in the remedial work plan, groundwater sampling will be conducted semiannually for two years. One last groundwater sampling event will be completed in October 2016 to fulfill the requirements of the work plan. A full assessment of the remedial approach will be conducted and options for future work, if any, will be evaluated.

F:\Project\N30 - Jamestown Container\N30001001 - Jamestown Container\Environmental\Reports\Groundwater Monitoring Reports\April 2016\April 2016 Groundwater Monitoring Report.docx

TABLES

TABLE 1: GROUNDWATER MONITORING FORMER DOWCRAFT FACILITY FALCONER, NEW YORK

April 2016												
Monitoring	Depth to	Boring	Casing	Groundwater								
Well	Water	Depth	Elevation	Elevation								
ESI-1	9.66	14.83	1264.17	1254.51								
ESI-2	9.9	13.8	1264.6	1254.7								
ESI-3	10.06	14.25	1264.89	1254.83								
ESI-6	10.18	13.75	1264.66	1254.48								
ESI-7	10.2	13.95	1264.93	1254.73								
ESI-10	11.75	15.9	1265.08	1253.33								
ESI-11	10.6	15.6	1265.09	1254.49								
ESI-12	10.25	15.1	1264.95	1254.7								
ESI-13R	9.06	15.15	1263.31	1254.25								
PW-1	10.04	19.9	1264.6	1254.56								
PW-3R	9.9	36.8	1265.04	1255.14								

TABLE 2: GROUNDWATER SAMPLE RESULTS FORMER DOWCRAFT FACILITY FALCONER, NEW YORK

	Location ID	ESI-		ESI-1	_	ESI-1		ESI-1	ES		ESI-		ESI-1		ESI-1		ESI-1		ESI-1		ESI-1		ESI-		ESI-1		ESI-1	
	Sample Matrix	WG		WG		WG		WG	W		WO		WG		WG		WG		WG		WG		WG		WG		WG	
	Date Sampled	12/02/2		04/21/20	015	11/03/20	015	04/25/2016	10/29		04/21/2		11/03/20	015	04/26/2		10/29/2		04/21/20	015	11/03/20	015	04/26/2		10/22/2	014	04/21/20	15
	Units NYSDEC Groundwater	ug/l		ug/l		ug/l		ug/l	uį	g/1	ug/	1	ug/l		ug/l		ug/l		ug/l		ug/l		ug/		ug/l		ug/l	
	Standards & Guidance Values																											
1,1,1-Trichloroethane	5.0 ug/l		U		U		U	U		U		U		U		U		U		U		U		U		U		U
1,1-Dichloroethane	5.0 ug/l		U		U		U	U		U		U		U		U		U	-	U		U		U		U		U
1,1-Dichloroethene	5.0 ug/l		U		U,*		U	U	0.61	J		U		U		U	-	U		U,*		U		U		U		U
1,2-Dichlorobenzene	3.0 ug/l		U		U		U	U		U		U		U		U	-	U		U		U		U		U		U
1,2-Dichloroethane	0.6 ug/l		U		U		U	U		U		U		U		U	-	U		U		U		U		U		U
1,3-Dichlorobenzene	3.0 ug/l		U		U		U	U		U		U		U		U	-	U		U		U		U		U		U
1,4-Dichlorobenzene	3.0 ug/l		U		U		U	U		U		U		U		U	-	U		U		U		U		U		U
Acetone	50.0 ug/l		U		U		U	U		U	8.5	J	5.9	J	7.16	J	-	U	3.9	J	7.0	J	32.4			U		U
Benzene	1.0 ug/l		U		U		U	U		U		U		U		U	-	U		U		U		U		U		U
Carbon Tetrachloride	5.0 ug/l		U		U		U	U		U,*		U		U		U	-	U,*		U		U		U		U		U
Chlorobenzene	5.0 ug/l		U		U		U	U		U		U		U		U	-	U		U		U		U		U		U
Chloroform	7.0 ug/l		U		U		U	U		U		U		U		U	-	U		U		U		U		U		U
Cis-1,2-Dichloroethylene	5.0 ug/l		U	4.4			U	U	240	Е		U		U		U	76			U		U		U	71		1.2	
Ethylbenzene	5.0 ug/l		U		U		U	U		U		U		U		U	-	U		U		U		U		U		U
Methylene Chloride	5.0 ug/l		U		U		U	U		U		U		U		U	-	U		U		U		U		U		U
Tetrachloroethylene (PCE)	5.0 ug/l		U		U		U	U		U		U		U		U	-	U		U		U		U	0.48	J	0.54	J
Toluene	5.0 ug/l		U		U		U	U		U		U		U		U	-	U		U		U		U		U		U
Trans-1,2-Dichloroethene	5.0 ug/l		U		U		U	U	2.5			U		U		U	2.0			U		U		U		U		U
Trichloroethylene (TCE)	5.0 ug/l	8.9		15		12		4.89	62			U		U		U	55			U		U		U	140	Е	10	
Vinyl Chloride	2.0 ug/l		U		U		U	U	37			U,*		U		U	24			U		U		U		U		U,*
Xylenes	5.0 ug/l		U		U		U			U		U		U				U		U		U				U		U
Tert-Butyl Methyl Ether			U		U		U	U		U		U		U		U		U		U		U		U		U		U
Dissolved Oxygen Chloride		6100.00 249000.0	HF	7900.00 337000.0	HF B	4800.00 309000.0	HF B	U	1800.0		2900.00	HF	2800.00 79700.00	HF B		U	1800.00	HF	3100.00 165000.0	HF B	2400.00	HF B		U	5400.00	HF	7600.00	HF B
pH (S.U.)		6.58	нF	6.92	нF	7.07	HF	6.66	6.58	о в HF	6.69	HF	6.77	HF	6.37		6.93	HF	6.76	HF	7.02	HF	6.86		6.91	HF	7.04	HF
рн (5.0.)		0.38	HF	0.92	HF	1.07	HF	0.00	0.38	HF	0.09	HF	0.//	нг	0.37		0.93	HF	0.70	HF	7.02	HF	0.80		0.91	HF	7.04	нг

TABLE 2: GROUNDWATER SAMPLE RESULTS FORMER DOWCRAFT FACILITY FALCONER, NEW YORK

ESI-12 WG 11/03/20 ug/l		ESI- WC 04/26/2 ug/	; 2016	ESI-1: WG 10/21/2 ug/l	; 2014	ESI-13 WG 04/21/20 ug/l	015	ESI-13 WG 11/02/20 ug/l		ESI-1: WG 04/25/2 ug/l	; 016	ESI-2 WG 12/02/20 ug/l		ESI-2 WG 04/22/20 ug/l		ESI-2 WG 11/03/2(ug/l		ESI-2 WG 04/25/20 ug/l		ESI-3 WG 10/21/20 ug/l		ESI-3 WG 04/22/20 ug/l		ESI-3 WG 11/02/20 ug/l		ESI- WG 04/25/2 ug/l	016	ESI- WG 10/29/2 ug/l	; 2014	ESI- WC 04/22/2 ug/	; 2015	ESI- WG 11/02/2 ug/l	015	ESI-6 WG 04/25/20 ug/l	
	U		U		U		U		U		U		U		U		U		U		U		U		U		U		U		U		U		U
	U		U		U		U		U		U		U		U		U		U		U		U		U		U		U		U		U		U
	U		UM		U		U,*		U		U	1.1			U,*	12			U		U		U,*		U		U	1.6			U	3.9			U
	U		U		U		U		U		U		U		U		U		U		U		U		U		U		U		U		U		U
	U		U		U		U		U		U		U		U		U		U	-	U		U		U		U		U		U		U		U
	U		U		U		U		U		U		U		U		U		U		U		U		U		U		U		U		U		U
	U		U		U		U		U		U		U		U		U		U		U		U		U		U		U		U		U		U
5.6	J	5.85	J		U		U		U		U		U		U		U		U		U		U		U		U		U		U		U		U
	U		U		U		U		U		U		U		U		U		U		U		U		U		U		U		U		U		U
	U		U		U		U		U		U		U,*		U		U		U		U		U		U		U		U,*		U		U		U
	U		U		U		U		U		U		U		U		U		U		U		U		U		U		U		U		U		U
	U		U		U		U		U		U		U		U		U		U		U		U		U		U		U		U		U		U
	U		U	18		18		8.3		7.51		540	Е	740		4400	Е	5290			U		U		U		U	210	Ε	1100		1000	Е	322	
	U		UM		U		U		U		U		U		U		U		U		U		U		U		U		U		U		U		U
	U		U		U		U		U		U		U	7.9	J		U		U		U		U		U		U		U	10	J		U		U
	U		U		U		U		U		U	0.48	J		U		U		U		U		U		U		U	1.1			U	5.8			U
	U		UM		U		U		U		U		U		U		U		U		U		U		U		U		U		U		U		U
	U		UM		U		U		U		U	4.5	Б		U	19			U		U		U		U		U	2.2	F		U	4.0	T		U
	U U		UM UM	22	TT	46	TT	19	TI	21.0	U	130 130	E E	110 130		1100 320	Е	1260 289		4.8	U	2.5	U	4.8	U	1.06	J	200 160	E E	810 100	*,^	1500 68	E	924 21.7	
	U		UNI		U		U		U		U	130	E U		U	520	TT	209			U		U		U		U	100	L		U.	00	IJ	21./	
	U				U		U		U				U		U		U				U		U		U				U		U		U		
	U		U		U		U		U		U		U		U		U		U		U		U		U		U		U		U		U		U
4500.00	HF		U	3700.00	HF	6700.00	HF	3800.00	HF		U	2100.00	HF	4900.00	HF	2200.00	HF		U	7400.00	HF	10000.00	HF	6000.00	HF		U	2700.00	HF	2700.00	HF	2000.00	HF		U
167000.0	В					357000.0	В	322000.0	В			215000.0	В	219000.0		212000.0	В					218000.0	В	234000.0	В					242000.0		240000.0	В		
7.23	HF	7.05		6.54	HF	6.66	HF	7.05	HF	6.64		7.06	HF	7.09	HF	7.15	HF	7.03		6.90	HF	7.12	HF	7.11	HF		U	7.05	HF	7.05	HF	7.23	HF	6.99	

TABLE 2: GROUNDWATER SAMPLE RESULTS FORMER DOWCRAFT FACILITY FALCONER, NEW YORK

ESI-7 WG 10/21/20 ug/l		ESI-7 WG 04/21/20 ug/l		ESI-7 WG 11/02/20 ug/l		ESI- WG 04/25/2 ug/l	016	PW-1 WG 10/21/20 ug/l		PW-1 WG 04/21/20 ug/l		PW-1 WG 11/02/20 ug/l		PW- WG 04/25/2 ug/l	016	PW-31 WG 10/29/20 ug/l		PW-31 WG 04/22/20 ug/l		PW-3 WG 11/03/24 ug/l	015	PW-3 WG 04/26/2 ug/l	, 2016
	U		U		U		U		U		U		U		U		U		U		U		U
	U		U		U		U		U		U		U		U	5.1		4.0			U		U
	U		U,*		U		U		U		U,*		U		U		U		U,*		U		U
	U		U		U		U	-	U		U		U		U		U		U		U		U
	U		U		U		U		U		U		U		U		U		U		U		U
	U		U		U		U		U		U		U		U		U		U		U		U
	U		U		U		U		U		U		U		U		U		U		U		U
	U		U		U		U		U		U		U		U	12		16			U	11.3	J
	U		U		U		U		U		U		U		U	0.61	J	0.53	J		U		U
	U		U		U		U		U		U		U		U		U,*		U		U		U
	U		U		U		U		U		U		U		U		U		U		U		U
 78	U	25	U		U	 8.30	U		U	 8.8	U	2.4	U	5.03	U	21	U		U		U	242	U
	U		U		U		U		U		U		U		U		U		U		U		U
	U		U		U		U		U		U		U		U		U		U		U		U
0.39	J		U		U		U		U		U		U		U		U		U		U		U
	U		U		U		U		U		U		U		U	8.1		6.9	-	8.0	J	4.90	
	U		U		U		U		U		U		U		U	39			U		U		U
150	Е	78		57		42.9		15		3.3		11		6.96		0.79	J		U		U	17.2	
	U		U		U		U		U		U		U		U	1800	Е	120	Е	790	^,F1	134	
	U		U		U				U		U		U			2.3		1.1	J		U		
7300.00	U HF	8500.00	U HF	6700.00	U HF		U U	6900.00	U HF	9500.00	U HF	5700.00	U HF		U	3300.00	U HF	960.000	U HF	760.000	U HF		U U
/300.00	пг	331000.0	В	203000.0	В		U	0900.00	пг	222000.0	В	243000.0	В		U	3300.00	пг	281000.0	B	265000.0	B		U
6.87	HF	6.88	HF	7.03	HF	6.89		6.86	HF	6.92	HF	7.13	HF	6.99		6.40	HF	6.40	HF	6.41	HF	6.74	

TABLE NOTES

WG - Groundwater

ug/l - micrograms per liter

S.U. - Standard Unit

Qualifier Key

J - Result is less than the Reporting Limit but greater than or equal to the Method Detection Limit and the concentration is an approximate value.

- NJ Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- C Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.

Q - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)

I - The lower value for the two columns has been reported due to obvious interference.

- G The concentration may be biased high due to matrix interferences (i.e, co-elution) with non-target compound(s). The result should be considered estimated.
- A Spectra identified as "Aldol Condensation Product".
- E Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- H- The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- F Denotes a parameter for which Paradigm does not carry cerification, the results for which should therefore only be used where ELAP certification is required, such as personal exposure assessment.

RE - Analytical results are from sample re-extraction.

R - Analytical results are from sample re-analysis.

- D Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- P The RPD between the results for the two columns exceeds the method-specified criteria.

U - Not detected at the reported detection limit for the sample.

M - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.

S - Analytical results are from modified screening analysis.

B - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank. For NJ-Rir-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).

* - Indicates any recoveries outside associated acceptance windows. Surrogate ouliers in samples are presumed matrix effects. LCS demonstrates method compliance unless otherwise noted.

< - Analyzed for but not detected at or above the quantitation limit


1 - Indicates data from primary column used for QC calculation.

TABLE 3: CHANGE IN TOTAL VOC CONCENTRATIONS
FORMER DOWCRAFT FACILITY
FALCONER, NEW YORK


Monitoring Well	Total	VOC Con	Percent Change Oct. 2014 to Apr. 2016				
	Oct-14	Apr-15	Nov-15	Apr-16			
PW-1	16.9	12.1	13.4	11.99	-29%		
PW-3R	2,609.30	147.71	938	409.4	-84%		
ESI-1	8.9	19.4	12	4.89	-45%		
ESI-2	816.08	987.9	6,151	6,839	738%		
ESI-3	4.8	2.5	4.8	1.06	-77%		
ESI-6	575.22	2,020	3,281.70	1,267.70	120%		
ESI-7	208.39	103	69	51.2	-75%		
$ESI-10^1$	352.11	8.5	5.9	7.16	-98%		
ESI-11 ¹	157	3.9	7	32.4	-79%		
$ESI-12^1$	221.48	11.74	5.6	5.85	-97%		
ESI-13R	40	64	27.3	28.51	-29%		

¹ No chlorinated compounds were detected. Only acetone was detected in the sample and results were below NYSDEC standards.


FIGURES



Files/FIGURE 1 HISTORIC AND EXISTING SITE FEATURES dwg set I CADD-GIS/SF







Files/FIGURE X APRIL 2016 GROUNDWATER RESULTS dwg DD-GIS/S

APPENDICES

APPENDIX A GROUNDWATER ANALYTICAL RESULTS



Client:	<u>C&S Companies</u>	L			
Project Reference:	Jamestown Cont	ainer			
Sample Identifier:	ESI-3-042516				
Lab Sample ID:	161635-01			Date Sampled:	4/25/2016
Matrix:	Groundwater			Date Received:	4/27/2016
<u>Conductivity</u>					
<u>Analyte</u>		<u>Result</u>	<u>Units</u>	Qualifier	Date Analyzed
Conductivity		1330	umho/cm		4/27/2016

Method Reference(s): SM19 2510 B



Client:	<u>C&S Companie</u>	<u>s</u>				
Project Reference:	Jamestown Con	tainer				
Sample Identifier:	ESI-3-042516					
Lab Sample ID:	161635-01			Date Sampled:	4/25/2016	
Matrix:	Groundwater			Date Received:	4/27/2016	
<u>Volatile Organics</u>						
<u>Analyte</u>		<u>Result</u>	<u>Units</u>	Qualifier	Date Analyz	<u>zed</u>
1,1,1-Trichloroethane	2	< 2.00	ug/L		4/28/2016	17:04
1,1,2,2-Tetrachloroetl	hane	< 2.00	ug/L		4/28/2016	17:04
1,1,2-Trichloroethane	2	< 2.00	ug/L		4/28/2016	17:04
1,1-Dichloroethane		< 2.00	ug/L		4/28/2016	17:04
1,1-Dichloroethene		< 2.00	ug/L		4/28/2016	17:04
1,2,3-Trichlorobenzer	ie	< 5.00	ug/L		4/28/2016	17:04
1,2,4-Trichlorobenzer	ie	< 5.00	ug/L		4/28/2016	17:04
1,2-Dibromo-3-Chloro	opropane	< 10.0	ug/L		4/28/2016	17:04
1,2-Dibromoethane		< 2.00	ug/L		4/28/2016	17:04
1,2-Dichlorobenzene		< 2.00	ug/L		4/28/2016	17:04
1,2-Dichloroethane		< 2.00	ug/L		4/28/2016	17:04
1,2-Dichloropropane		< 2.00	ug/L		4/28/2016	17:04
1,3-Dichlorobenzene		< 2.00	ug/L		4/28/2016	17:04
1,4-Dichlorobenzene		< 2.00	ug/L		4/28/2016	17:04
1,4-dioxane		< 20.0	ug/L		4/28/2016	17:04
2-Butanone		< 10.0	ug/L		4/28/2016	17:04
2-Hexanone		< 5.00	ug/L		4/28/2016	17:04
4-Methyl-2-pentanon	e	< 5.00	ug/L		4/28/2016	17:04
Acetone		< 10.0	ug/L		4/28/2016	17:04
Benzene		< 1.00	ug/L		4/28/2016	17:04
Bromochloromethane	9	< 5.00	ug/L		4/28/2016	17:04
Bromodichlorometha	ne	< 2.00	ug/L		4/28/2016	17:04
Bromoform		< 5.00	ug/L		4/28/2016	17:04
Bromomethane		< 2.00	ug/L		4/28/2016	17:04
Carbon disulfide		< 2.00	ug/L		4/28/2016	17:04
Carbon Tetrachloride		< 2.00	ug/L		4/28/2016	17:04
Chlorobenzene		< 2.00	ug/L		4/28/2016	17:04



Client:	C&S Companies	5				
Project Reference:	Jamestown Cont	ainer				
Sample Identifier:	ESI-3-042516					
Lab Sample ID:	161635-01			Date Sampled:	4/25/2016	
Matrix:	Groundwater			Date Received:	4/27/2016	
Chloroethane		< 2.00	ug/L		4/28/2016	17:04
Chloroform		< 2.00	ug/L		4/28/2016	17:04
Chloromethane		< 2.00	ug/L		4/28/2016	17:04
cis-1,2-Dichloroethene		< 2.00	ug/L		4/28/2016	17:04
cis-1,3-Dichloroproper	ıe	< 2.00	ug/L		4/28/2016	17:04
Cyclohexane		< 10.0	ug/L		4/28/2016	17:04
Dibromochloromethan	ie	< 2.00	ug/L		4/28/2016	17:04
Dichlorodifluorometha	ine	< 2.00	ug/L		4/28/2016	17:04
Ethylbenzene		< 2.00	ug/L		4/28/2016	17:04
Freon 113		< 2.00	ug/L		4/28/2016	17:04
Isopropylbenzene		< 2.00	ug/L		4/28/2016	17:04
m,p-Xylene		< 2.00	ug/L		4/28/2016	17:04
Methyl acetate		< 2.00	ug/L		4/28/2016	17:04
Methyl tert-butyl Ether	r	< 2.00	ug/L		4/28/2016	17:04
Methylcyclohexane		< 2.00	ug/L		4/28/2016	17:04
Methylene chloride		< 5.00	ug/L		4/28/2016	17:04
o-Xylene		< 2.00	ug/L		4/28/2016	17:04
Styrene		< 5.00	ug/L		4/28/2016	17:04
Tetrachloroethene		< 2.00	ug/L		4/28/2016	17:04
Toluene		< 2.00	ug/L		4/28/2016	17:04
trans-1,2-Dichloroethe	ene	< 2.00	ug/L		4/28/2016	17:04
trans-1,3-Dichloroprop	pene	< 2.00	ug/L		4/28/2016	17:04
Trichloroethene		1.06	ug/L	J	4/28/2016	17:04
Trichlorofluoromethar	ie	< 2.00	ug/L		4/28/2016	17:04
Vinyl chloride		< 2.00	ug/L		4/28/2016	17:04



Client:	<u>C&S Companies</u>					
Project Reference:	Jamestown Contai	ner				
Sample Identifier:	ESI-3-042516					
Lab Sample ID:	161635-01		Dat	e Sampled:	4/25/2016	
Matrix:	Groundwater		Dat	e Received:	4/27/2016	
Surrogate		Percent Recovery	<u>Limits</u>	<u>Outliers</u>	Date Analy	zed
1,2-Dichloroethane-d4		104	81.1 - 122		4/28/2016	17:04
4-Bromofluorobenzen	е	86.8	78.7 - 116		4/28/2016	17:04
Pentafluorobenzene		97.9	88.6 - 112		4/28/2016	17:04
Toluene-D8		96.2	88.9 - 110		4/28/2016	17:04
Method Reference	ce(s): EPA 8260C EPA 5030C					
Data File:	x31954.D					



Client:	<u>C&S Companie</u>	<u>es</u>			
Project Reference:	Jamestown Con	itainer			
Sample Identifier:	ESI-3-042516				
Lab Sample ID:	161635-01			Date Sampled:	4/25/2016
Matrix:	Groundwater			Date Received:	4/27/2016
<u>pH</u>					
<u>Analyte</u>		<u>Result</u>	<u>Units</u>	Qualifier	Date Analyzed
рН		7.00 @ 16.3 C	S.U.		4/27/2016 15:21
Method Refere	nce(s): EPA 9040				

ELAP does not offer this test for approval as part of their laboratory certification program.



Client:	<u>C&S Companies</u>				
Project Reference:	Jamestown Conta	ainer			
Sample Identifier:	DUP 1-042516				
Lab Sample ID:	161635-02			Date Sampled:	4/25/2016
Matrix:	Groundwater			Date Received:	4/27/2016
<u>Conductivity</u>					
<u>Analyte</u>		<u>Result</u>	<u>Units</u>	Qualifier	Date Analyzed
Conductivity		1350	umho/cm		4/27/2016

Method Reference(s): SM19 2510 B



Client:	<u>C&S Companie</u>	<u>s</u>				
Project Reference:	Jamestown Con	tainer				
Sample Identifier:	DUP 1-042516)				
Lab Sample ID:	161635-02			Date Sampled:	4/25/2016	
Matrix:	Groundwater			Date Received:	4/27/2016	
Volatile Organics						
<u>Analyte</u>		<u>Result</u>	<u>Units</u>	Qualifier	Date Analyz	<u>zed</u>
1,1,1-Trichloroethane		< 2.00	ug/L		4/28/2016	17:28
1,1,2,2-Tetrachloroeth	ane	< 2.00	ug/L		4/28/2016	17:28
1,1,2-Trichloroethane		< 2.00	ug/L		4/28/2016	17:28
1,1-Dichloroethane		< 2.00	ug/L		4/28/2016	17:28
1,1-Dichloroethene		< 2.00	ug/L		4/28/2016	17:28
1,2,3-Trichlorobenzen	e	< 5.00	ug/L		4/28/2016	17:28
1,2,4-Trichlorobenzen	e	< 5.00	ug/L		4/28/2016	17:28
1,2-Dibromo-3-Chloro	propane	< 10.0	ug/L		4/28/2016	17:28
1,2-Dibromoethane		< 2.00	ug/L		4/28/2016	17:28
1,2-Dichlorobenzene		< 2.00	ug/L		4/28/2016	17:28
1,2-Dichloroethane		< 2.00	ug/L		4/28/2016	17:28
1,2-Dichloropropane		< 2.00	ug/L		4/28/2016	17:28
1,3-Dichlorobenzene		< 2.00	ug/L		4/28/2016	17:28
1,4-Dichlorobenzene		< 2.00	ug/L		4/28/2016	17:28
1,4-dioxane		< 20.0	ug/L		4/28/2016	17:28
2-Butanone		< 10.0	ug/L		4/28/2016	17:28
2-Hexanone		< 5.00	ug/L		4/28/2016	17:28
4-Methyl-2-pentanone	2	< 5.00	ug/L		4/28/2016	17:28
Acetone		< 10.0	ug/L		4/28/2016	17:28
Benzene		< 1.00	ug/L		4/28/2016	17:28
Bromochloromethane		< 5.00	ug/L		4/28/2016	17:28
Bromodichloromethar	ie	< 2.00	ug/L		4/28/2016	17:28
Bromoform		< 5.00	ug/L		4/28/2016	17:28
Bromomethane		< 2.00	ug/L		4/28/2016	17:28
Carbon disulfide		< 2.00	ug/L		4/28/2016	17:28
Carbon Tetrachloride		< 2.00	ug/L		4/28/2016	17:28
Chlorobenzene		< 2.00	ug/L		4/28/2016	17:28



Client:	<u>C&S Companies</u>					
Project Reference:	Jamestown Conta	ainer				
Sample Identifier:	DUP 1-042516					
Lab Sample ID:	161635-02			Date Sampled:	4/25/2016	
Matrix:	Groundwater			Date Received:	4/27/2016	
Chloroethane		< 2.00	ug/L		4/28/2016	17:28
Chloroform		< 2.00	ug/L		4/28/2016	17:28
Chloromethane		< 2.00	ug/L		4/28/2016	17:28
cis-1,2-Dichloroethene		< 2.00	ug/L		4/28/2016	17:28
cis-1,3-Dichloroproper	ıe	< 2.00	ug/L		4/28/2016	17:28
Cyclohexane		< 10.0	ug/L		4/28/2016	17:28
Dibromochloromethan	ie	< 2.00	ug/L		4/28/2016	17:28
Dichlorodifluorometha	ine	< 2.00	ug/L		4/28/2016	17:28
Ethylbenzene		< 2.00	ug/L		4/28/2016	17:28
Freon 113		< 2.00	ug/L		4/28/2016	17:28
Isopropylbenzene		< 2.00	ug/L		4/28/2016	17:28
m,p-Xylene		< 2.00	ug/L		4/28/2016	17:28
Methyl acetate		< 2.00	ug/L		4/28/2016	17:28
Methyl tert-butyl Ether	r	< 2.00	ug/L		4/28/2016	17:28
Methylcyclohexane		< 2.00	ug/L		4/28/2016	17:28
Methylene chloride		< 5.00	ug/L		4/28/2016	17:28
o-Xylene		< 2.00	ug/L		4/28/2016	17:28
Styrene		< 5.00	ug/L		4/28/2016	17:28
Tetrachloroethene		< 2.00	ug/L		4/28/2016	17:28
Toluene		< 2.00	ug/L		4/28/2016	17:28
trans-1,2-Dichloroethe	ene	< 2.00	ug/L		4/28/2016	17:28
trans-1,3-Dichloroprop	pene	< 2.00	ug/L		4/28/2016	17:28
Trichloroethene		< 2.00	ug/L		4/28/2016	17:28
Trichlorofluoromethar	ie	< 2.00	ug/L		4/28/2016	17:28
Vinyl chloride		< 2.00	ug/L		4/28/2016	17:28



Client:	<u>C&S Companies</u>					
Project Reference:	Jamestown Contai	ner				
Sample Identifier:	DUP 1-042516					
Lab Sample ID:	161635-02		Dat	e Sampled:	4/25/2016	
Matrix:	Groundwater		Dat	e Received:	4/27/2016	
Surrogate		Percent Recovery	Limits	<u>Outliers</u>	Date Analy	zed
1,2-Dichloroethane-d4		103	81.1 - 122		4/28/2016	17:28
4-Bromofluorobenzen	e	84.5	78.7 - 116		4/28/2016	17:28
Pentafluorobenzene		97.6	88.6 - 112		4/28/2016	17:28
Toluene-D8		95.9	88.9 - 110		4/28/2016	17:28
Method Referen	ce(s): EPA 8260C					
Data File:	EPA 5030C x31955.D					



Client:	<u>C&S Companie</u>	<u>es</u>			
Project Reference:	Jamestown Con	tainer			
Sample Identifier:	DUP 1-042516	5			
Lab Sample ID:	161635-02			Date Sampled:	4/25/2016
Matrix:	Groundwater			Date Received:	4/27/2016
<u>рН</u>					
<u>Analyte</u>		<u>Result</u>	<u>Units</u>	Qualifier	Date Analyzed
рН		7.05 @ 15.2 C	S.U.		4/27/2016 15:21
Method Referer	nce(s): EPA 9040				

ELAP does not offer this test for approval as part of their laboratory certification program.



Client:	<u>C&S Companies</u>				
Project Reference:	Jamestown Conta	iner			
Sample Identifier:	PW1-042516				
Lab Sample ID:	161635-03			Date Sampled:	4/25/2016
Matrix:	Groundwater			Date Received:	4/27/2016
<u>Conductivity</u>					
<u>Analyte</u>]	<u>Result</u>	<u>Units</u>	Qualifier	Date Analyzed
Conductivity	:	1410	umho/cm		4/27/2016

Method Reference(s): SM19 2510 B



Client:	<u>C&S Companie</u>	<u>s</u>				
Project Reference:	Jamestown Con	tainer				
Sample Identifier:	PW1-042516					
Lab Sample ID:	161635-03			Date Sampled:	4/25/2016	
Matrix:	Groundwater			Date Received:	4/27/2016	
Volatile Organics						
<u>Analyte</u>		<u>Result</u>	<u>Units</u>	Qualifier	Date Analyz	<u>zed</u>
1,1,1-Trichloroethane		< 2.00	ug/L		4/28/2016	17:52
1,1,2,2-Tetrachloroeth	nane	< 2.00	ug/L		4/28/2016	17:52
1,1,2-Trichloroethane		< 2.00	ug/L		4/28/2016	17:52
1,1-Dichloroethane		< 2.00	ug/L		4/28/2016	17:52
1,1-Dichloroethene		< 2.00	ug/L		4/28/2016	17:52
1,2,3-Trichlorobenzen	ie	< 5.00	ug/L		4/28/2016	17:52
1,2,4-Trichlorobenzen	ie	< 5.00	ug/L		4/28/2016	17:52
1,2-Dibromo-3-Chloro	propane	< 10.0	ug/L		4/28/2016	17:52
1,2-Dibromoethane		< 2.00	ug/L		4/28/2016	17:52
1,2-Dichlorobenzene		< 2.00	ug/L		4/28/2016	17:52
1,2-Dichloroethane		< 2.00	ug/L		4/28/2016	17:52
1,2-Dichloropropane		< 2.00	ug/L		4/28/2016	17:52
1,3-Dichlorobenzene		< 2.00	ug/L		4/28/2016	17:52
1,4-Dichlorobenzene		< 2.00	ug/L		4/28/2016	17:52
1,4-dioxane		< 20.0	ug/L		4/28/2016	17:52
2-Butanone		< 10.0	ug/L		4/28/2016	17:52
2-Hexanone		< 5.00	ug/L		4/28/2016	17:52
4-Methyl-2-pentanone	5	< 5.00	ug/L		4/28/2016	17:52
Acetone		< 10.0	ug/L		4/28/2016	17:52
Benzene		< 1.00	ug/L		4/28/2016	17:52
Bromochloromethane	1	< 5.00	ug/L		4/28/2016	17:52
Bromodichlorometha	ne	< 2.00	ug/L		4/28/2016	17:52
Bromoform		< 5.00	ug/L		4/28/2016	17:52
Bromomethane		< 2.00	ug/L		4/28/2016	17:52
Carbon disulfide		< 2.00	ug/L		4/28/2016	17:52
Carbon Tetrachloride		< 2.00	ug/L		4/28/2016	17:52
Chlorobenzene		< 2.00	ug/L		4/28/2016	17:52



Client:	<u>C&S Companie</u>	<u>s</u>				
Project Reference:	Jamestown Con	tainer				
Sample Identifier:	PW1-042516					
Lab Sample ID:	161635-03			Date Sampled:	4/25/2016	
Matrix:	Groundwater			Date Received:	4/27/2016	
Chloroethane		< 2.00	ug/L		4/28/2016	17:52
Chloroform		< 2.00	ug/L		4/28/2016	17:52
Chloromethane		< 2.00	ug/L		4/28/2016	17:52
cis-1,2-Dichloroethene	2	5.03	ug/L		4/28/2016	17:52
cis-1,3-Dichloroproper	ne	< 2.00	ug/L		4/28/2016	17:52
Cyclohexane		< 10.0	ug/L		4/28/2016	17:52
Dibromochloromethan	ie	< 2.00	ug/L		4/28/2016	17:52
Dichlorodifluorometha	ane	< 2.00	ug/L		4/28/2016	17:52
Ethylbenzene		< 2.00	ug/L		4/28/2016	17:52
Freon 113		< 2.00	ug/L		4/28/2016	17:52
Isopropylbenzene		< 2.00	ug/L		4/28/2016	17:52
m,p-Xylene		< 2.00	ug/L		4/28/2016	17:52
Methyl acetate		< 2.00	ug/L		4/28/2016	17:52
Methyl tert-butyl Ether	r	< 2.00	ug/L		4/28/2016	17:52
Methylcyclohexane		< 2.00	ug/L		4/28/2016	17:52
Methylene chloride		< 5.00	ug/L		4/28/2016	17:52
o-Xylene		< 2.00	ug/L		4/28/2016	17:52
Styrene		< 5.00	ug/L		4/28/2016	17:52
Tetrachloroethene		< 2.00	ug/L		4/28/2016	17:52
Toluene		< 2.00	ug/L		4/28/2016	17:52
trans-1,2-Dichloroethe	ene	< 2.00	ug/L		4/28/2016	17:52
trans-1,3-Dichloroprop	pene	< 2.00	ug/L		4/28/2016	
Trichloroethene		6.96	ug/L		4/28/2016	17:52
Trichlorofluoromethar	ne	< 2.00	ug/L		4/28/2016	17:52
Vinyl chloride		< 2.00	ug/L		4/28/2016	17:52



Client:	<u>C&S Companies</u>					
Project Reference:	Jamestown Contai	ner				
Sample Identifier:	PW1-042516					
Lab Sample ID:	161635-03		Date	e Sampled:	4/25/2016	
Matrix:	Groundwater		Dat	e Received:	4/27/2016	
Surrogate		Percent Recovery	<u>Limits</u>	<u>Outliers</u>	Date Analy	zed
1,2-Dichloroethane-d4		107	81.1 - 122		4/28/2016	17:52
4-Bromofluorobenzen	е	86.5	78.7 - 116		4/28/2016	17:52
Pentafluorobenzene		97.6	88.6 - 112		4/28/2016	17:52
Toluene-D8		96.8	88.9 - 110		4/28/2016	17:52
Method Reference	EPA 5030C					
Data File:	x31956.D					



Client:	<u>C&S Companie</u>	<u>es</u>			
Project Reference:	Jamestown Con	tainer			
Sample Identifier:	PW1-042516				
Lab Sample ID:	161635-03			Date Sampled:	4/25/2016
Matrix:	Groundwater			Date Received:	4/27/2016
<u>pH</u>					
<u>Analyte</u>		<u>Result</u>	<u>Units</u>	Qualifier	Date Analyzed
рН		6.99 @ 13.9 C	S.U.		4/27/2016 15:21
Method Referen	nce(s): EPA 9040				

ELAP does not offer this test for approval as part of their laboratory certification program.



Client:	<u>C&S Companies</u>				
Project Reference:	Jamestown Conta	iner			
Sample Identifier:	ESI-1-042516				
Lab Sample ID:	161635-04			Date Sampled:	4/25/2016
Matrix:	Groundwater			Date Received:	4/27/2016
<u>Conductivity</u>					
<u>Analyte</u>		<u>Result</u>	<u>Units</u>	Qualifier	Date Analyzed
Conductivity		1770	unale a l'ana		4/27/2016

Conductivity 1770 umho/cm 4/27/2016 SM19 2510 B

Method Reference(s):



Client:	<u>C&S Companie</u>	<u>s</u>				
Project Reference:	Jamestown Con	tainer				
Sample Identifier:	ESI-1-042516					_
Lab Sample ID:	161635-04			Date Sampled:	4/25/2016	
Matrix:	Groundwater			Date Received:	4/27/2016	
Volatile Organics						
<u>Analyte</u>		<u>Result</u>	<u>Units</u>	Qualifier	Date Analyzed	
1,1,1-Trichloroethane		< 2.00	ug/L		4/28/2016 18:2	15
1,1,2,2-Tetrachloroeth	iane	< 2.00	ug/L		4/28/2016 18:2	15
1,1,2-Trichloroethane		< 2.00	ug/L		4/28/2016 18:2	15
1,1-Dichloroethane		< 2.00	ug/L		4/28/2016 18:2	15
1,1-Dichloroethene		< 2.00	ug/L		4/28/2016 18:2	15
1,2,3-Trichlorobenzen	ie	< 5.00	ug/L		4/28/2016 18:2	15
1,2,4-Trichlorobenzen	ie	< 5.00	ug/L		4/28/2016 18:2	15
1,2-Dibromo-3-Chloro	opropane	< 10.0	ug/L		4/28/2016 18:2	15
1,2-Dibromoethane		< 2.00	ug/L		4/28/2016 18:2	15
1,2-Dichlorobenzene		< 2.00	ug/L		4/28/2016 18:2	15
1,2-Dichloroethane		< 2.00	ug/L		4/28/2016 18:2	15
1,2-Dichloropropane		< 2.00	ug/L		4/28/2016 18:2	15
1,3-Dichlorobenzene		< 2.00	ug/L		4/28/2016 18:2	15
1,4-Dichlorobenzene		< 2.00	ug/L		4/28/2016 18:2	15
1,4-dioxane		< 20.0	ug/L		4/28/2016 18:2	15
2-Butanone		< 10.0	ug/L		4/28/2016 18:2	15
2-Hexanone		< 5.00	ug/L		4/28/2016 18:2	15
4-Methyl-2-pentanone	e	< 5.00	ug/L		4/28/2016 18:2	15
Acetone		< 10.0	ug/L		4/28/2016 18:2	15
Benzene		< 1.00	ug/L		4/28/2016 18:2	15
Bromochloromethane		< 5.00	ug/L		4/28/2016 18:2	15
Bromodichlorometha	ne	< 2.00	ug/L		4/28/2016 18:2	15
Bromoform		< 5.00	ug/L		4/28/2016 18:2	15
Bromomethane		< 2.00	ug/L		4/28/2016 18:2	15
Carbon disulfide		< 2.00	ug/L		4/28/2016 18:2	15
Carbon Tetrachloride		< 2.00	ug/L		4/28/2016 18:2	15
Chlorobenzene		< 2.00	ug/L		4/28/2016 18:2	15



Client:	C&S Companies	6				
Project Reference:	Jamestown Cont	ainer				
Sample Identifier:	ESI-1-042516					
Lab Sample ID:	161635-04			Date Sampled:	4/25/2016	
Matrix:	Groundwater			Date Received:	4/27/2016	
Chloroethane		< 2.00	ug/L		4/28/2016	18:15
Chloroform		< 2.00	ug/L		4/28/2016	18:15
Chloromethane		< 2.00	ug/L		4/28/2016	18:15
cis-1,2-Dichloroethene		< 2.00	ug/L		4/28/2016	18:15
cis-1,3-Dichloroproper	ne	< 2.00	ug/L		4/28/2016	18:15
Cyclohexane		< 10.0	ug/L		4/28/2016	18:15
Dibromochloromethan	ie	< 2.00	ug/L		4/28/2016	18:15
Dichlorodifluorometha	ine	< 2.00	ug/L		4/28/2016	18:15
Ethylbenzene		< 2.00	ug/L		4/28/2016	18:15
Freon 113		< 2.00	ug/L		4/28/2016	18:15
Isopropylbenzene		< 2.00	ug/L		4/28/2016	18:15
m,p-Xylene		< 2.00	ug/L		4/28/2016	18:15
Methyl acetate		< 2.00	ug/L		4/28/2016	18:15
Methyl tert-butyl Ether	r	< 2.00	ug/L		4/28/2016	18:15
Methylcyclohexane		< 2.00	ug/L		4/28/2016	18:15
Methylene chloride		< 5.00	ug/L		4/28/2016	18:15
o-Xylene		< 2.00	ug/L		4/28/2016	18:15
Styrene		< 5.00	ug/L		4/28/2016	18:15
Tetrachloroethene		< 2.00	ug/L		4/28/2016	18:15
Toluene		< 2.00	ug/L		4/28/2016	18:15
trans-1,2-Dichloroethe	ene	< 2.00	ug/L		4/28/2016	18:15
trans-1,3-Dichloroprop	pene	< 2.00	ug/L		4/28/2016	18:15
Trichloroethene		4.89	ug/L		4/28/2016	18:15
Trichlorofluoromethar	ie	< 2.00	ug/L		4/28/2016	18:15
Vinyl chloride		< 2.00	ug/L		4/28/2016	18:15



Client:	<u>C&S Companies</u>					
Project Reference:	Jamestown Contai	ner				
Sample Identifier:	ESI-1-042516					
Lab Sample ID:	161635-04		Dat	e Sampled:	4/25/2016	
Matrix:	Groundwater		Dat	e Received:	4/27/2016	
Surrogate		Percent Recovery	<u>Limits</u>	<u>Outliers</u>	Date Analy	zed
1,2-Dichloroethane-d4	ł	104	81.1 - 122		4/28/2016	18:15
4-Bromofluorobenzen	e	85.3	78.7 - 116		4/28/2016	18:15
Pentafluorobenzene		96.4	88.6 - 112		4/28/2016	18:15
Toluene-D8		95.1	88.9 - 110		4/28/2016	18:15
Method Referen	ce(s): EPA 8260C EPA 5030C					
Data File:	x31957.D					



Client:	<u>C&S C</u>	ompanies	<u>i</u>			
Project Referen	ice: James	town Cont	ainer			
Sample Identi	ifier: ESI-1	-042516				
Lab Sample II): 1616	35-04			Date Sampled:	4/25/2016
Matrix:	Grou	ndwater			Date Received:	4/27/2016
<u>pH</u>						
Analyte			<u>Result</u>	<u>Units</u>	Qualifier	Date Analyzed
рН			6.66 @ 15.2 C	S.U.		4/27/2016 15:21
Metho	od Reference(s):	EPA 9040				

ELAP does not offer this test for approval as part of their laboratory certification program.



Client:	<u>C&S Companies</u>			
Project Reference:	Jamestown Container			
Sample Identifier:	ESI-13R-042516			
Lab Sample ID:	161635-05		Date Sampled:	4/25/2016
Matrix:	Groundwater		Date Received:	4/27/2016
<u>Conductivity</u>				
Analyte	Result	<u>Units</u>	Qualifier	Date Analyzed

Conductivity 1550 umho/cm 4/27/2016 SM19 2510 B

Method Reference(s):



Client:	<u>C&S Companie</u>	<u>s</u>				
Project Reference:	Jamestown Con	tainer				
Sample Identifier:	ESI-13R-0425	16				
Lab Sample ID:	161635-05			Date Sampled:	4/25/2016	
Matrix:	Groundwater			Date Received:	4/27/2016	
Volatile Organics						
<u>Analyte</u>		<u>Result</u>	<u>Units</u>	Qualifier	Date Analyz	zed
1,1,1-Trichloroethane		< 2.00	ug/L		4/28/2016	18:39
1,1,2,2-Tetrachloroeth	iane	< 2.00	ug/L		4/28/2016	18:39
1,1,2-Trichloroethane		< 2.00	ug/L		4/28/2016	18:39
1,1-Dichloroethane		< 2.00	ug/L		4/28/2016	18:39
1,1-Dichloroethene		< 2.00	ug/L		4/28/2016	18:39
1,2,3-Trichlorobenzen	ie	< 5.00	ug/L		4/28/2016	18:39
1,2,4-Trichlorobenzen	ie	< 5.00	ug/L		4/28/2016	18:39
1,2-Dibromo-3-Chloro	propane	< 10.0	ug/L		4/28/2016	18:39
1,2-Dibromoethane		< 2.00	ug/L		4/28/2016	18:39
1,2-Dichlorobenzene		< 2.00	ug/L		4/28/2016	18:39
1,2-Dichloroethane		< 2.00	ug/L		4/28/2016	18:39
1,2-Dichloropropane		< 2.00	ug/L		4/28/2016	18:39
1,3-Dichlorobenzene		< 2.00	ug/L		4/28/2016	18:39
1,4-Dichlorobenzene		< 2.00	ug/L		4/28/2016	18:39
1,4-dioxane		< 20.0	ug/L		4/28/2016	18:39
2-Butanone		< 10.0	ug/L		4/28/2016	18:39
2-Hexanone		< 5.00	ug/L		4/28/2016	18:39
4-Methyl-2-pentanone	9	< 5.00	ug/L		4/28/2016	18:39
Acetone		< 10.0	ug/L		4/28/2016	18:39
Benzene		< 1.00	ug/L		4/28/2016	18:39
Bromochloromethane		< 5.00	ug/L		4/28/2016	18:39
Bromodichlorometha	ne	< 2.00	ug/L		4/28/2016	18:39
Bromoform		< 5.00	ug/L		4/28/2016	18:39
Bromomethane		< 2.00	ug/L		4/28/2016	18:39
Carbon disulfide		< 2.00	ug/L		4/28/2016	18:39
Carbon Tetrachloride		< 2.00	ug/L		4/28/2016	18:39
Chlorobenzene		< 2.00	ug/L		4/28/2016	18:39



Client:	<u>C&S Companie</u>	<u>s</u>				
Project Reference:	Jamestown Con	tainer				
Sample Identifier:	ESI-13R-04251	16				
Lab Sample ID:	161635-05			Date Sampled:	4/25/2016	
Matrix:	Groundwater			Date Received:	4/27/2016	
Chloroethane		< 2.00	ug/L		4/28/2016	18:39
Chloroform		< 2.00	ug/L		4/28/2016	18:39
Chloromethane		< 2.00	ug/L		4/28/2016	18:39
cis-1,2-Dichloroethene	e	7.51	ug/L		4/28/2016	18:39
cis-1,3-Dichloroprope	ne	< 2.00	ug/L		4/28/2016	18:39
Cyclohexane		< 10.0	ug/L		4/28/2016	18:39
Dibromochlorometha	ne	< 2.00	ug/L		4/28/2016	18:39
Dichlorodifluorometh	ane	< 2.00	ug/L		4/28/2016	18:39
Ethylbenzene		< 2.00	ug/L		4/28/2016	18:39
Freon 113		< 2.00	ug/L		4/28/2016	18:39
Isopropylbenzene		< 2.00	ug/L		4/28/2016	18:39
m,p-Xylene		< 2.00	ug/L		4/28/2016	18:39
Methyl acetate		< 2.00	ug/L		4/28/2016	18:39
Methyl tert-butyl Ethe	r	< 2.00	ug/L		4/28/2016	18:39
Methylcyclohexane		< 2.00	ug/L		4/28/2016	18:39
Methylene chloride		< 5.00	ug/L		4/28/2016	18:39
o-Xylene		< 2.00	ug/L		4/28/2016	18:39
Styrene		< 5.00	ug/L		4/28/2016	18:39
Tetrachloroethene		< 2.00	ug/L		4/28/2016	18:39
Toluene		< 2.00	ug/L		4/28/2016	18:39
trans-1,2-Dichloroethe	ene	< 2.00	ug/L		4/28/2016	18:39
trans-1,3-Dichloropro	pene	< 2.00	ug/L		4/28/2016	18:39
Trichloroethene		21.0	ug/L		4/28/2016	18:39
Trichlorofluorometha	ne	< 2.00	ug/L		4/28/2016	18:39
Vinyl chloride		< 2.00	ug/L		4/28/2016	18:39



Client:	<u>C&S Companies</u>					
Project Reference:	Jamestown Contai	ner				
Sample Identifier:	ESI-13R-042516					
Lab Sample ID:	161635-05		Dat	e Sampled:	4/25/2016	
Matrix:	Groundwater		Dat	e Received:	4/27/2016	
Surrogate		Percent Recovery	<u>Limits</u>	<u>Outliers</u>	Date Analy	zed
1,2-Dichloroethane-d4		105	81.1 - 122		4/28/2016	18:39
4-Bromofluorobenzen	9	85.0	78.7 - 116		4/28/2016	18:39
Pentafluorobenzene		96.0	88.6 - 112		4/28/2016	18:39
Toluene-D8		94.9	88.9 - 110		4/28/2016	18:39
Method Referen	ce(s): EPA 8260C					
Data File:	EPA 5030C x31958.D					



Client:	<u>C&S Compani</u>	ies			
Project Reference	: Jamestown Co	ontainer			
Sample Identifie	er: ESI-13R-042	516			
Lab Sample ID:	161635-05			Date Sampled:	4/25/2016
Matrix:	Groundwate	r		Date Received:	4/27/2016
<u>pH</u>					
<u>Analyte</u>		<u>Result</u>	<u>Units</u>	Qualifier	Date Analyzed
рН		6.64 @ 15.5 C	S.U.		4/27/2016 15:21
Method R	eference(s): EPA 904	0			

ELAP does not offer this test for approval as part of their laboratory certification program.



Client:	<u>C&S Companies</u>	L			
Project Reference:	Jamestown Cont	ainer			
Sample Identifier:	ESI-6-042516				
Lab Sample ID:	161635-06			Date Sampled:	4/25/2016
Matrix:	Groundwater			Date Received:	4/27/2016
<u>Conductivity</u>					
<u>Analyte</u>		<u>Result</u>	<u>Units</u>	<u>Qualifier</u>	Date Analyzed
Conductivity		1300	umho/cm		4/27/2016

Method Reference(s): SM19 2510 B



Client:	<u>C&S Companie</u>	<u>s</u>				
Project Reference:	Jamestown Con	tainer				
Sample Identifier:	ESI-6-042516					
Lab Sample ID:	161635-06			Date Sampled:	4/25/2016	
Matrix:	Groundwater			Date Received:	4/27/2016	
Volatile Organics						
<u>Analyte</u>		<u>Result</u>	<u>Units</u>	Qualifier	Date Analyz	zed
1,1,1-Trichloroethane		< 20.0	ug/L		4/29/2016	13:35
1,1,2,2-Tetrachloroeth	iane	< 20.0	ug/L		4/29/2016	13:35
1,1,2-Trichloroethane		< 20.0	ug/L		4/29/2016	13:35
1,1-Dichloroethane		< 20.0	ug/L		4/29/2016	13:35
1,1-Dichloroethene		< 20.0	ug/L		4/29/2016	13:35
1,2,3-Trichlorobenzen	ie	< 50.0	ug/L		4/29/2016	13:35
1,2,4-Trichlorobenzen	ie	< 50.0	ug/L		4/29/2016	13:35
1,2-Dibromo-3-Chloro	propane	< 100	ug/L		4/29/2016	13:35
1,2-Dibromoethane		< 20.0	ug/L		4/29/2016	13:35
1,2-Dichlorobenzene		< 20.0	ug/L		4/29/2016	13:35
1,2-Dichloroethane		< 20.0	ug/L		4/29/2016	13:35
1,2-Dichloropropane		< 20.0	ug/L		4/29/2016	13:35
1,3-Dichlorobenzene		< 20.0	ug/L		4/29/2016	13:35
1,4-Dichlorobenzene		< 20.0	ug/L		4/29/2016	13:35
1,4-dioxane		< 200	ug/L		4/29/2016	13:35
2-Butanone		< 100	ug/L		4/29/2016	13:35
2-Hexanone		< 50.0	ug/L		4/29/2016	13:35
4-Methyl-2-pentanone	e	< 50.0	ug/L		4/29/2016	13:35
Acetone		< 100	ug/L		4/29/2016	13:35
Benzene		< 10.0	ug/L		4/29/2016	13:35
Bromochloromethane		< 50.0	ug/L		4/29/2016	13:35
Bromodichlorometha	ne	< 20.0	ug/L		4/29/2016	13:35
Bromoform		< 50.0	ug/L		4/29/2016	13:35
Bromomethane		< 20.0	ug/L		4/29/2016	13:35
Carbon disulfide		< 20.0	ug/L		4/29/2016	13:35
Carbon Tetrachloride		< 20.0	ug/L		4/29/2016	13:35
Chlorobenzene		< 20.0	ug/L		4/29/2016	13:35



Client:	<u>C&S Companies</u>	5				
Project Reference:	Jamestown Cont	ainer				
Sample Identifier:	ESI-6-042516					
Lab Sample ID:	161635-06			Date Sampled:	4/25/2016	
Matrix:	Groundwater			Date Received:	4/27/2016	
Chloroethane		< 20.0	ug/L		4/29/2016	13:35
Chloroform		< 20.0	ug/L		4/29/2016	13:35
Chloromethane		< 20.0	ug/L		4/29/2016	13:35
cis-1,2-Dichloroethene	9	322	ug/L		4/29/2016	13:35
cis-1,3-Dichloroprope	ne	< 20.0	ug/L		4/29/2016	13:35
Cyclohexane		< 100	ug/L		4/29/2016	13:35
Dibromochloromethar	ne	< 20.0	ug/L		4/29/2016	13:35
Dichlorodifluorometha	ane	< 20.0	ug/L		4/29/2016	13:35
Ethylbenzene		< 20.0	ug/L		4/29/2016	13:35
Freon 113		< 20.0	ug/L		4/29/2016	13:35
Isopropylbenzene		< 20.0	ug/L		4/29/2016	13:35
m,p-Xylene		< 20.0	ug/L		4/29/2016	13:35
Methyl acetate		< 20.0	ug/L		4/29/2016	13:35
Methyl tert-butyl Ethe	r	< 20.0	ug/L		4/29/2016	13:35
Methylcyclohexane		< 20.0	ug/L		4/29/2016	13:35
Methylene chloride		< 50.0	ug/L		4/29/2016	13:35
o-Xylene		< 20.0	ug/L		4/29/2016	13:35
Styrene		< 50.0	ug/L		4/29/2016	13:35
Tetrachloroethene		< 20.0	ug/L		4/29/2016	13:35
Toluene		< 20.0	ug/L		4/29/2016	13:35
trans-1,2-Dichloroethe	ene	< 20.0	ug/L		4/29/2016	13:35
trans-1,3-Dichloropro	pene	< 20.0	ug/L		4/29/2016	13:35
Trichloroethene		924	ug/L		4/29/2016	13:35
Trichlorofluorometha	ne	< 20.0	ug/L		4/29/2016	13:35
Vinyl chloride		21.7	ug/L		4/29/2016	13:35



Client:	<u>C&S Companies</u>					
Project Reference:	Jamestown Contai	ner				
Sample Identifier:	ESI-6-042516					
Lab Sample ID:	161635-06		Dat	e Sampled:	4/25/2016	
Matrix:	Groundwater		Dat	e Received:	4/27/2016	
Surrogate		Percent Recovery	<u>Limits</u>	<u>Outliers</u>	Date Analy	zed
1,2-Dichloroethane-d4		103	81.1 - 122		4/29/2016	13:35
4-Bromofluorobenzene	e	86.8	78.7 - 116		4/29/2016	13:35
Pentafluorobenzene		99.5	88.6 - 112		4/29/2016	13:35
Toluene-D8		97.4	88.9 - 110		4/29/2016	13:35
Method Reference	EPA 5030C					
Data File:	x31978.D					



Client:	<u>C&S Companie</u>	<u>es</u>			
Project Reference:	Jamestown Con	tainer			
Sample Identifier:	ESI-6-042516				
Lab Sample ID:	161635-06			Date Sampled:	4/25/2016
Matrix:	Groundwater			Date Received:	4/27/2016
<u>pH</u>					
<u>Analyte</u>		<u>Result</u>	<u>Units</u>	Qualifier	Date Analyzed
рН		6.99 @ 16.2 C	S.U.		4/27/2016 15:21
Method Referen	nce(s): EPA 9040				

ELAP does not offer this test for approval as part of their laboratory certification program.



Client:	<u>C&S Companies</u>				
Project Reference:	Jamestown Conta	niner			
Sample Identifier:	ESI-2-042516				
Lab Sample ID:	161635-07			Date Sampled:	4/25/2016
Matrix:	Groundwater			Date Received:	4/27/2016
<u>Conductivity</u>					
<u>Analyte</u>		<u>Result</u>	<u>Units</u>	Qualifier	Date Analyzed
Conductivity		1210	umho/cm		4/27/2016

Conductivity

Method Reference(s):

SM19 2510 B



Client:	<u>C&S Companie</u>	<u>s</u>				
Project Reference:	Jamestown Con	tainer				
Sample Identifier:	ESI-2-042516					
Lab Sample ID:	161635-07			Date Sampled:	4/25/2016	
Matrix:	Groundwater			Date Received:	4/27/2016	
Volatile Organics						
<u>Analyte</u>		<u>Result</u>	<u>Units</u>	Qualifier	Date Analyzed	d
1,1,1-Trichloroethane	2	< 100	ug/L		4/29/2016 13	3:59
1,1,2,2-Tetrachloroetl	hane	< 100	ug/L		4/29/2016 13	3:59
1,1,2-Trichloroethane	2	< 100	ug/L		4/29/2016 13	3:59
1,1-Dichloroethane		< 100	ug/L		4/29/2016 13	3:59
1,1-Dichloroethene		< 100	ug/L		4/29/2016 13	3:59
1,2,3-Trichlorobenzer	ne	< 250	ug/L		4/29/2016 13	3:59
1,2,4-Trichlorobenzer	ne	< 250	ug/L		4/29/2016 13	3:59
1,2-Dibromo-3-Chloro	opropane	< 500	ug/L		4/29/2016 13	3:59
1,2-Dibromoethane		< 100	ug/L		4/29/2016 13	3:59
1,2-Dichlorobenzene		< 100	ug/L		4/29/2016 13	3:59
1,2-Dichloroethane		< 100	ug/L		4/29/2016 13	3:59
1,2-Dichloropropane		< 100	ug/L		4/29/2016 13	3:59
1,3-Dichlorobenzene		< 100	ug/L		4/29/2016 13	3:59
1,4-Dichlorobenzene		< 100	ug/L		4/29/2016 13	3:59
1,4-dioxane		< 1000	ug/L		4/29/2016 13	3:59
2-Butanone		< 500	ug/L		4/29/2016 13	3:59
2-Hexanone		< 250	ug/L		4/29/2016 13	3:59
4-Methyl-2-pentanon	е	< 250	ug/L		4/29/2016 13	3:59
Acetone		< 500	ug/L		4/29/2016 13	3:59
Benzene		< 50.0	ug/L		4/29/2016 13	3:59
Bromochloromethane	2	< 250	ug/L		4/29/2016 13	3:59
Bromodichlorometha	ne	< 100	ug/L		4/29/2016 13	3:59
Bromoform		< 250	ug/L		4/29/2016 13	3:59
Bromomethane		< 100	ug/L		4/29/2016 13	3:59
Carbon disulfide		< 100	ug/L		4/29/2016 13	3:59
Carbon Tetrachloride		< 100	ug/L		4/29/2016 13	3:59
Chlorobenzene		< 100	ug/L		4/29/2016 13	3:59



Client:	<u>C&S Companie</u>	<u>s</u>				
Project Reference:	Jamestown Con	tainer				
Sample Identifier:	ESI-2-042516					
Lab Sample ID:	161635-07			Date Sampled:	4/25/2016	
Matrix:	Groundwater			Date Received:	4/27/2016	
Chloroethane		< 100	ug/L		4/29/2016	13:59
Chloroform		< 100	ug/L		4/29/2016	13:59
Chloromethane		< 100	ug/L		4/29/2016	13:59
cis-1,2-Dichloroethen	e	5290	ug/L		4/29/2016	13:59
cis-1,3-Dichloroprope	ne	< 100	ug/L		4/29/2016	13:59
Cyclohexane		< 500	ug/L		4/29/2016	13:59
Dibromochlorometha	ne	< 100	ug/L		4/29/2016	13:59
Dichlorodifluorometh	ane	< 100	ug/L		4/29/2016	13:59
Ethylbenzene		< 100	ug/L		4/29/2016	13:59
Freon 113		< 100	ug/L		4/29/2016	13:59
Isopropylbenzene		< 100	ug/L		4/29/2016	13:59
m,p-Xylene		< 100	ug/L		4/29/2016	13:59
Methyl acetate		< 100	ug/L		4/29/2016	13:59
Methyl tert-butyl Ethe	er	< 100	ug/L		4/29/2016	13:59
Methylcyclohexane		< 100	ug/L		4/29/2016	13:59
Methylene chloride		< 250	ug/L		4/29/2016	13:59
o-Xylene		< 100	ug/L		4/29/2016	13:59
Styrene		< 250	ug/L		4/29/2016	13:59
Tetrachloroethene		< 100	ug/L		4/29/2016	13:59
Toluene		< 100	ug/L		4/29/2016	13:59
trans-1,2-Dichloroeth	ene	< 100	ug/L		4/29/2016	13:59
trans-1,3-Dichloropro	pene	< 100	ug/L		4/29/2016	13:59
Trichloroethene		1260	ug/L		4/29/2016	13:59
Trichlorofluorometha	ne	< 100	ug/L		4/29/2016	13:59
Vinyl chloride		289	ug/L		4/29/2016	13:59



Client:	<u>C&S Companies</u>					
Project Reference:	Jamestown Contai	ner				
Sample Identifier:	ESI-2-042516					
Lab Sample ID:	161635-07		Dat	e Sampled:	4/25/2016	
Matrix:	Groundwater		Dat	e Received:	4/27/2016	
Surrogate		Percent Recovery	<u>Limits</u>	<u>Outliers</u>	Date Analy	zed
1,2-Dichloroethane-d4		103	81.1 - 122		4/29/2016	13:59
4-Bromofluorobenzen	e	85.7	78.7 - 116		4/29/2016	13:59
Pentafluorobenzene		101	88.6 - 112		4/29/2016	13:59
Toluene-D8		96.7	88.9 - 110		4/29/2016	13:59
Method Reference	c e(s): EPA 8260C EPA 5030C					
Data File:	x31979.D					



Client:	<u>C&S Companie</u>	<u>es</u>			
Project Reference:	Jamestown Con	tainer			
Sample Identifier:	ESI-2-042516				
Lab Sample ID:	161635-07			Date Sampled:	4/25/2016
Matrix:	Groundwater			Date Received:	4/27/2016
<u>pH</u>					
<u>Analyte</u>		<u>Result</u>	<u>Units</u>	Qualifier	Date Analyzed
рН		7.03 @ 16.3 C	S.U.		4/27/2016 15:21
Method Referen	nce(s): EPA 9040				

ELAP does not offer this test for approval as part of their laboratory certification program.



Client:	<u>C&S Companies</u>	<u>i</u>			
Project Reference:	Jamestown Cont	ainer			
Sample Identifier:	ESI-7-042516				
Lab Sample ID:	161635-08			Date Sampled:	4/25/2016
Matrix:	Groundwater			Date Received:	4/27/2016
<u>Conductivity</u>					
<u>Analyte</u>		<u>Result</u>	<u>Units</u>	Qualifier	Date Analyzed
Conductivity		1200	umbo/cm		1/27/2016

Analyte	<u>Result</u>	Units	Quaimer	<u>Date Analyzeu</u>
Conductivity	1290	umho/cm		4/27/2016
Method Reference(s):	SM19 2510 B			



Client:	<u>C&S Companie</u>	<u>S</u>				
Project Reference:	Jamestown Con	tainer				
Sample Identifier:	ESI-7-042516					
Lab Sample ID:	161635-08			Date Sampled:	4/25/2016	
Matrix:	Groundwater			Date Received:	4/27/2016	
<u>Volatile Organics</u>						
<u>Analyte</u>		<u>Result</u>	<u>Units</u>	Qualifier	Date Analyz	zed
1,1,1-Trichloroethan	e	< 2.00	ug/L		4/29/2016	12:48
1,1,2,2-Tetrachloroet	hane	< 2.00	ug/L		4/29/2016	12:48
1,1,2-Trichloroethan	е	< 2.00	ug/L		4/29/2016	12:48
1,1-Dichloroethane		< 2.00	ug/L		4/29/2016	12:48
1,1-Dichloroethene		< 2.00	ug/L		4/29/2016	12:48
1,2,3-Trichlorobenze	ne	< 5.00	ug/L		4/29/2016	12:48
1,2,4-Trichlorobenze	ne	< 5.00	ug/L		4/29/2016	12:48
1,2-Dibromo-3-Chlor	opropane	< 10.0	ug/L		4/29/2016	12:48
1,2-Dibromoethane		< 2.00	ug/L		4/29/2016	12:48
1,2-Dichlorobenzene		< 2.00	ug/L		4/29/2016	12:48
1,2-Dichloroethane		< 2.00	ug/L		4/29/2016	12:48
1,2-Dichloropropane		< 2.00	ug/L		4/29/2016	12:48
1,3-Dichlorobenzene		< 2.00	ug/L		4/29/2016	12:48
1,4-Dichlorobenzene		< 2.00	ug/L		4/29/2016	12:48
1,4-dioxane		< 20.0	ug/L		4/29/2016	12:48
2-Butanone		< 10.0	ug/L		4/29/2016	12:48
2-Hexanone		< 5.00	ug/L		4/29/2016	12:48
4-Methyl-2-pentanon	ie	< 5.00	ug/L		4/29/2016	12:48
Acetone		< 10.0	ug/L		4/29/2016	12:48
Benzene		< 1.00	ug/L		4/29/2016	12:48
Bromochloromethan	e	< 5.00	ug/L		4/29/2016	12:48
Bromodichlorometha	ane	< 2.00	ug/L		4/29/2016	12:48
Bromoform		< 5.00	ug/L		4/29/2016	12:48
Bromomethane		< 2.00	ug/L		4/29/2016	12:48
Carbon disulfide		< 2.00	ug/L		4/29/2016	12:48
Carbon Tetrachloride	9	< 2.00	ug/L		4/29/2016	12:48
Chlorobenzene		< 2.00	ug/L		4/29/2016	12:48



Client:	<u>C&S Companie</u>	<u>S</u>				
Project Reference:	Jamestown Cont	tainer				
Sample Identifier:	ESI-7-042516					
Lab Sample ID:	161635-08			Date Sampled:	4/25/2016	
Matrix:	Groundwater			Date Received:	4/27/2016	
Chloroethane		< 2.00	ug/L		4/29/2016	12:48
Chloroform		< 2.00	ug/L		4/29/2016	12:48
Chloromethane		< 2.00	ug/L		4/29/2016	12:48
cis-1,2-Dichloroethen	е	8.30	ug/L		4/29/2016	12:48
cis-1,3-Dichloroprope	ne	< 2.00	ug/L		4/29/2016	12:48
Cyclohexane		< 10.0	ug/L		4/29/2016	12:48
Dibromochlorometha	ne	< 2.00	ug/L		4/29/2016	12:48
Dichlorodifluorometh	ane	< 2.00	ug/L		4/29/2016	12:48
Ethylbenzene		< 2.00	ug/L		4/29/2016	12:48
Freon 113		< 2.00	ug/L		4/29/2016	12:48
Isopropylbenzene		< 2.00	ug/L		4/29/2016	12:48
m,p-Xylene		< 2.00	ug/L		4/29/2016	12:48
Methyl acetate		< 2.00	ug/L		4/29/2016	12:48
Methyl tert-butyl Ethe	er	< 2.00	ug/L		4/29/2016	12:48
Methylcyclohexane		< 2.00	ug/L		4/29/2016	12:48
Methylene chloride		< 5.00	ug/L		4/29/2016	12:48
o-Xylene		< 2.00	ug/L		4/29/2016	12:48
Styrene		< 5.00	ug/L		4/29/2016	12:48
Tetrachloroethene		< 2.00	ug/L		4/29/2016	12:48
Toluene		< 2.00	ug/L		4/29/2016	12:48
trans-1,2-Dichloroeth	ene	< 2.00	ug/L		4/29/2016	12:48
trans-1,3-Dichloropro	pene	< 2.00	ug/L		4/29/2016	12:48
Trichloroethene		42.9	ug/L		4/29/2016	12:48
Trichlorofluorometha	ne	< 2.00	ug/L		4/29/2016	12:48
Vinyl chloride		< 2.00	ug/L		4/29/2016	12:48



Client:	<u>C&S Companies</u>					
Project Reference:	Jamestown Contai	ner				
Sample Identifier:	ESI-7-042516					
Lab Sample ID:	161635-08		Dat	e Sampled:	4/25/2016	
Matrix:	Groundwater		Dat	e Received:	4/27/2016	
Surrogate		Percent Recovery	<u>Limits</u>	<u>Outliers</u>	Date Analy	zed
1,2-Dichloroethane-d4		101	81.1 - 122		4/29/2016	12:48
4-Bromofluorobenzen	e	88.4	78.7 - 116		4/29/2016	12:48
Pentafluorobenzene		101	88.6 - 112		4/29/2016	12:48
Toluene-D8		97.3	88.9 - 110		4/29/2016	12:48
Method Reference	ce(s): EPA 8260C EPA 5030C					
Data File:	x31976.D					



Client:	<u>C&S Companie</u>	<u>es</u>			
Project Reference:	Jamestown Con	itainer			
Sample Identifier:	ESI-7-042516				
Lab Sample ID:	161635-08			Date Sampled:	4/25/2016
Matrix:	Groundwater			Date Received:	4/27/2016
<u>pH</u>					
<u>Analyte</u>		<u>Result</u>	<u>Units</u>	Qualifier	Date Analyzed
рН		6.89 @ 16.9 C	S.U.		4/27/2016 15:21
Method Referen	nce(s): EPA 9040				

ELAP does not offer this test for approval as part of their laboratory certification program.



Client:	<u>C&S Companies</u>			
Project Reference:	Jamestown Container			
Sample Identifier:	ESI-12-042616			
Lab Sample ID:	161635-09		Date Sampled:	4/26/2016
Matrix:	Groundwater		Date Received:	4/27/2016
<u>Conductivity</u>				
<u>Analyte</u>	<u>Result</u>	<u>Units</u>	Qualifier	Date Analyzed
	1000			1 10 - 1001 (

AnalyteResultDate AnalyzeuConductivity1330umho/cm4/27/2016Method Reference(s):SM19 2510 B



Client:	<u>C&S Companie</u>	<u>es</u>				
Project Reference:	Jamestown Con	tainer				
Sample Identifier:	ESI-12-04261	6				
Lab Sample ID:	161635-09			Date Sampled:	4/26/2016	
Matrix:	Groundwater			Date Received:	4/27/2016	
<u>Volatile Organics</u>						
<u>Analyte</u>		<u>Result</u>	<u>Units</u>	Qualifier	Date Analyz	<u>zed</u>
1,1,1-Trichloroethane		< 2.00	ug/L		4/28/2016	20:13
1,1,2,2-Tetrachloroeth	nane	< 2.00	ug/L		4/28/2016	20:13
1,1,2-Trichloroethane		< 2.00	ug/L		4/28/2016	20:13
1,1-Dichloroethane		< 2.00	ug/L		4/28/2016	20:13
1,1-Dichloroethene		< 2.00	ug/L	М	4/28/2016	20:13
1,2,3-Trichlorobenzen	ne	< 5.00	ug/L		4/28/2016	20:13
1,2,4-Trichlorobenzen	ne	< 5.00	ug/L		4/28/2016	20:13
1,2-Dibromo-3-Chloro	opropane	< 10.0	ug/L		4/28/2016	20:13
1,2-Dibromoethane		< 2.00	ug/L		4/28/2016	20:13
1,2-Dichlorobenzene		< 2.00	ug/L		4/28/2016	20:13
1,2-Dichloroethane		< 2.00	ug/L		4/28/2016	20:13
1,2-Dichloropropane		< 2.00	ug/L		4/28/2016	20:13
1,3-Dichlorobenzene		< 2.00	ug/L		4/28/2016	20:13
1,4-Dichlorobenzene		< 2.00	ug/L		4/28/2016	20:13
1,4-dioxane		< 20.0	ug/L		4/28/2016	20:13
2-Butanone		< 10.0	ug/L		4/28/2016	20:13
2-Hexanone		< 5.00	ug/L		4/28/2016	20:13
4-Methyl-2-pentanone	e	< 5.00	ug/L		4/28/2016	20:13
Acetone		5.85	ug/L	J	4/28/2016	20:13
Benzene		< 1.00	ug/L		4/28/2016	20:13
Bromochloromethane	2	< 5.00	ug/L		4/28/2016	20:13
Bromodichlorometha	ne	< 2.00	ug/L		4/28/2016	20:13
Bromoform		< 5.00	ug/L		4/28/2016	20:13
Bromomethane		< 2.00	ug/L		4/28/2016	20:13
Carbon disulfide		< 2.00	ug/L		4/28/2016	20:13
Carbon Tetrachloride		< 2.00	ug/L		4/28/2016	20:13
Chlorobenzene		< 2.00	ug/L		4/28/2016	20:13



Client:	<u>C&S Companies</u>					
Project Reference:	Jamestown Conta	iner				
Sample Identifier:	ESI-12-042616					
Lab Sample ID:	161635-09			Date Sampled:	4/26/2016	
Matrix:	Groundwater			Date Received:	4/27/2016	
Chloroethane	~	< 2.00	ug/L		4/28/2016	20:13
Chloroform	<	< 2.00	ug/L		4/28/2016	20:13
Chloromethane	<	< 2.00	ug/L		4/28/2016	20:13
cis-1,2-Dichloroethene	e <	< 2.00	ug/L		4/28/2016	20:13
cis-1,3-Dichloroprope	ne <	< 2.00	ug/L	М	4/28/2016	20:13
Cyclohexane	~	< 10.0	ug/L		4/28/2016	20:13
Dibromochlorometha	ne <	< 2.00	ug/L		4/28/2016	20:13
Dichlorodifluorometh	ane	< 2.00	ug/L		4/28/2016	20:13
Ethylbenzene	< 1	< 2.00	ug/L	М	4/28/2016	20:13
Freon 113	< 1	< 2.00	ug/L		4/28/2016	20:13
Isopropylbenzene	<	< 2.00	ug/L		4/28/2016	20:13
m,p-Xylene	<	< 2.00	ug/L		4/28/2016	20:13
Methyl acetate	<	< 2.00	ug/L		4/28/2016	20:13
Methyl tert-butyl Ethe	r <	< 2.00	ug/L		4/28/2016	20:13
Methylcyclohexane	<	< 2.00	ug/L		4/28/2016	20:13
Methylene chloride	<	< 5.00	ug/L		4/28/2016	20:13
o-Xylene	<	< 2.00	ug/L		4/28/2016	20:13
Styrene	<	< 5.00	ug/L		4/28/2016	20:13
Tetrachloroethene	<	< 2.00	ug/L		4/28/2016	20:13
Toluene	<	< 2.00	ug/L	Μ	4/28/2016	20:13
trans-1,2-Dichloroeth	ene <	< 2.00	ug/L	М	4/28/2016	20:13
trans-1,3-Dichloropro	pene <	< 2.00	ug/L	М	4/28/2016	20:13
Trichloroethene	~	< 2.00	ug/L	Μ	4/28/2016	20:13
Trichlorofluorometha	ne <	< 2.00	ug/L		4/28/2016	20:13
Vinyl chloride	<	< 2.00	ug/L	М	4/28/2016	20:13



Client:	<u>C&S Companies</u>					
Project Reference:	Jamestown Contai	ner				
Sample Identifier:	ESI-12-042616					
Lab Sample ID:	161635-09		Date	e Sampled:	4/26/2016	
Matrix:	Groundwater		Dat	e Received:	4/27/2016	
Surrogate		Percent Recovery	<u>Limits</u>	<u>Outliers</u>	Date Analy	zed
1,2-Dichloroethane-d4		108	81.1 - 122		4/28/2016	20:13
4-Bromofluorobenzene	9	84.6	78.7 - 116		4/28/2016	20:13
Pentafluorobenzene		93.8	88.6 - 112		4/28/2016	20:13
Toluene-D8		68.8	88.9 - 110	*	4/28/2016	20:13
Method Reference	ce(s): EPA 8260C					
Data File:	EPA 5030C x31962.D					



Client:	<u>C&S Companie</u>	<u>es</u>			
Project Reference:	Jamestown Con	itainer			
Sample Identifier:	ESI-12-04261	6			
Lab Sample ID:	161635-09			Date Sampled:	4/26/2016
Matrix:	Groundwater			Date Received:	4/27/2016
рH					
<u>Analyte</u>		<u>Result</u>	<u>Units</u>	Qualifier	Date Analyzed
рН		7.05 @ 17.0 C	S.U.		4/27/2016 15:21
Method Refer	rence(s): EPA 9040				

ELAP does not offer this test for approval as part of their laboratory certification program.



Client:	<u>C&S Companies</u>			
Project Reference:	Jamestown Container			
Sample Identifier:	ESI-11-042616			
Lab Sample ID:	161635-10		Date Sampled:	4/26/2016
Matrix:	Groundwater		Date Received:	4/27/2016
<u>Conductivity</u>				
<u>Analyte</u>	Result	<u>Units</u>	Qualifier	Date Analyzed
	1000			

AnalyteResultOmtsQuamerDate AnalyzeuConductivity1030umho/cm4/27/2016Method Reference(s):SM19 2510 BSM19 2510 B



Client:	<u>C&S Companie</u>	<u>s</u>				
Project Reference:	Jamestown Con	tainer				
Sample Identifier:	ESI-11-042616	<u>5</u>				
Lab Sample ID:	161635-10			Date Sampled:	4/26/2016	
Matrix:	Groundwater			Date Received:	4/27/2016	
Volatile Organics						
<u>Analyte</u>		<u>Result</u>	<u>Units</u>	Qualifier	Date Analyze	<u>ed</u>
1,1,1-Trichloroethane		< 2.00	ug/L		4/28/2016 2	20:36
1,1,2,2-Tetrachloroeth	ane	< 2.00	ug/L		4/28/2016 2	20:36
1,1,2-Trichloroethane		< 2.00	ug/L		4/28/2016 2	20:36
1,1-Dichloroethane		< 2.00	ug/L		4/28/2016 2	20:36
1,1-Dichloroethene		< 2.00	ug/L		4/28/2016 2	20:36
1,2,3-Trichlorobenzen	e	< 5.00	ug/L		4/28/2016 2	20:36
1,2,4-Trichlorobenzen	e	< 5.00	ug/L		4/28/2016 2	20:36
1,2-Dibromo-3-Chloro	propane	< 10.0	ug/L		4/28/2016 2	20:36
1,2-Dibromoethane		< 2.00	ug/L		4/28/2016 2	20:36
1,2-Dichlorobenzene		< 2.00	ug/L		4/28/2016 2	20:36
1,2-Dichloroethane		< 2.00	ug/L		4/28/2016 2	20:36
1,2-Dichloropropane		< 2.00	ug/L		4/28/2016 2	20:36
1,3-Dichlorobenzene		< 2.00	ug/L		4/28/2016 2	20:36
1,4-Dichlorobenzene		< 2.00	ug/L		4/28/2016 2	20:36
1,4-dioxane		< 20.0	ug/L		4/28/2016 2	20:36
2-Butanone		< 10.0	ug/L		4/28/2016 2	20:36
2-Hexanone		< 5.00	ug/L		4/28/2016 2	20:36
4-Methyl-2-pentanone	2	< 5.00	ug/L		4/28/2016 2	20:36
Acetone		32.4	ug/L		4/28/2016 2	20:36
Benzene		< 1.00	ug/L		4/28/2016 2	20:36
Bromochloromethane		< 5.00	ug/L		4/28/2016 2	20:36
Bromodichloromethar	ie	< 2.00	ug/L		4/28/2016 2	20:36
Bromoform		< 5.00	ug/L		4/28/2016 2	20:36
Bromomethane		< 2.00	ug/L		4/28/2016 2	20:36
Carbon disulfide		< 2.00	ug/L		4/28/2016 2	20:36
Carbon Tetrachloride		< 2.00	ug/L		4/28/2016 2	20:36
Chlorobenzene		< 2.00	ug/L		4/28/2016 2	20:36



Client:	<u>C&S Companies</u>					
Project Reference:	Jamestown Containe	er				
Sample Identifier:	ESI-11-042616					
Lab Sample ID:	161635-10			Date Sampled:	4/26/2016	
Matrix:	Groundwater			Date Received:	4/27/2016	
Chloroethane	< 2.	.00	ug/L		4/28/2016	20:36
Chloroform	< 2.	.00	ug/L		4/28/2016	20:36
Chloromethane	< 2.	.00	ug/L		4/28/2016	20:36
cis-1,2-Dichloroethene	< 2.	.00	ug/L		4/28/2016	20:36
cis-1,3-Dichloroproper	ne < 2.	.00	ug/L		4/28/2016	20:36
Cyclohexane	< 10	0.0	ug/L		4/28/2016	20:36
Dibromochloromethan	e < 2.	.00	ug/L		4/28/2016	20:36
Dichlorodifluorometha	ne < 2.	.00	ug/L		4/28/2016	20:36
Ethylbenzene	< 2.	.00	ug/L		4/28/2016	20:36
Freon 113	< 2.	.00	ug/L		4/28/2016	20:36
Isopropylbenzene	< 2.	.00	ug/L		4/28/2016	20:36
m,p-Xylene	< 2.	.00	ug/L		4/28/2016	20:36
Methyl acetate	< 2.	.00	ug/L		4/28/2016	20:36
Methyl tert-butyl Ether	< 2.	.00	ug/L		4/28/2016	20:36
Methylcyclohexane	< 2.	.00	ug/L		4/28/2016	20:36
Methylene chloride	< 5.	.00	ug/L		4/28/2016	20:36
o-Xylene	< 2.	.00	ug/L		4/28/2016	20:36
Styrene	< 5.	.00	ug/L		4/28/2016	20:36
Tetrachloroethene	< 2.	.00	ug/L		4/28/2016	20:36
Toluene	< 2.	.00	ug/L		4/28/2016	20:36
trans-1,2-Dichloroethe	ne < 2.	.00	ug/L		4/28/2016	20:36
trans-1,3-Dichloroprop	oene < 2.	.00	ug/L		4/28/2016	20:36
Trichloroethene	< 2.	.00	ug/L		4/28/2016	20:36
Trichlorofluoromethan	e < 2.	.00	ug/L		4/28/2016	20:36
Vinyl chloride	< 2.	.00	ug/L		4/28/2016	20:36



Client:	<u>C&S Companies</u>					
Project Reference:	Jamestown Contai	ner				
Sample Identifier:	ESI-11-042616					
Lab Sample ID:	161635-10		Dat	e Sampled:	4/26/2016	
Matrix:	Groundwater		Dat	e Received:	4/27/2016	
Surrogate		Percent Recovery	<u>Limits</u>	<u>Outliers</u>	Date Analy	zed
1,2-Dichloroethane-d4		105	81.1 - 122		4/28/2016	20:36
4-Bromofluorobenzene	9	85.3	78.7 - 116		4/28/2016	20:36
Pentafluorobenzene		94.3	88.6 - 112		4/28/2016	20:36
Toluene-D8		82.7	88.9 - 110	*	4/28/2016	20:36
Method Reference						
Data File:	EPA 5030C x31963.D					



Client:	<u>C&S C</u>	<u>ompanies</u>				
Project Refere	nce: James	town Conta	iner			
Sample Iden	tifier: ESI-1	1-042616				
Lab Sample I	D: 1616	35-10			Date Sampled:	4/26/2016
Matrix:	Grou	ndwater			Date Received:	4/27/2016
<u>pH</u>						
<u>Analyte</u>		1	<u>Result</u>	<u>Units</u>	Qualifier	Date Analyzed
рН			6.86 @ 17.2 C	S.U.		4/27/2016 15:21
Metl	hod Reference(s):	EPA 9040				

ELAP does not offer this test for approval as part of their laboratory certification program.



4/27/2016

Client:	<u>C&S Companies</u>			
Project Reference:	Jamestown Container			
Sample Identifier:	ESI-10-042616			
Lab Sample ID:	161635-11		Date Sampled:	4/26/2016
Matrix:	Groundwater		Date Received:	4/27/2016
<u>Conductivity</u>				
<u>Analyte</u>	Result	<u>Units</u>	Qualifier	Date Analyzed

umho/cm

Conductivity

Method Reference(s):

SM19 2510 B

877



Client:	<u>C&S Companie</u>	<u>S</u>				
Project Reference:	Jamestown Con	tainer				
Sample Identifier:	ESI-10-04261	ó				
Lab Sample ID:	161635-11			Date Sampled:	4/26/2016	
Matrix:	Groundwater			Date Received:	4/27/2016	
Volatile Organics						
<u>Analyte</u>		<u>Result</u>	<u>Units</u>	Qualifier	Date Analyz	<u>zed</u>
1,1,1-Trichloroethane		< 2.00	ug/L		4/28/2016	21:00
1,1,2,2-Tetrachloroeth	nane	< 2.00	ug/L		4/28/2016	21:00
1,1,2-Trichloroethane		< 2.00	ug/L		4/28/2016	21:00
1,1-Dichloroethane		< 2.00	ug/L		4/28/2016	21:00
1,1-Dichloroethene		< 2.00	ug/L		4/28/2016	21:00
1,2,3-Trichlorobenzen	ie	< 5.00	ug/L		4/28/2016	21:00
1,2,4-Trichlorobenzen	ie	< 5.00	ug/L		4/28/2016	21:00
1,2-Dibromo-3-Chloro	propane	< 10.0	ug/L		4/28/2016	21:00
1,2-Dibromoethane		< 2.00	ug/L		4/28/2016	21:00
1,2-Dichlorobenzene		< 2.00	ug/L		4/28/2016	21:00
1,2-Dichloroethane		< 2.00	ug/L		4/28/2016	21:00
1,2-Dichloropropane		< 2.00	ug/L		4/28/2016	21:00
1,3-Dichlorobenzene		< 2.00	ug/L		4/28/2016	21:00
1,4-Dichlorobenzene		< 2.00	ug/L		4/28/2016	21:00
1,4-dioxane		< 20.0	ug/L		4/28/2016	21:00
2-Butanone		< 10.0	ug/L		4/28/2016	21:00
2-Hexanone		< 5.00	ug/L		4/28/2016	21:00
4-Methyl-2-pentanone	e	< 5.00	ug/L		4/28/2016	21:00
Acetone		7.16	ug/L	J	4/28/2016	21:00
Benzene		< 1.00	ug/L		4/28/2016	21:00
Bromochloromethane		< 5.00	ug/L		4/28/2016	21:00
Bromodichlorometha	ne	< 2.00	ug/L		4/28/2016	21:00
Bromoform		< 5.00	ug/L		4/28/2016	21:00
Bromomethane		< 2.00	ug/L		4/28/2016	21:00
Carbon disulfide		< 2.00	ug/L		4/28/2016	21:00
Carbon Tetrachloride		< 2.00	ug/L		4/28/2016	21:00
Chlorobenzene		< 2.00	ug/L		4/28/2016	21:00



Client:	<u>C&S Companies</u>				
Project Reference:	Jamestown Container				
Sample Identifier:	ESI-10-042616				
Lab Sample ID:	161635-11		Date Sampled:	4/26/2016	
Matrix:	Groundwater		Date Received:	4/27/2016	
Chloroethane	< 2.00	ug/L		4/28/2016	21:00
Chloroform	< 2.00	ug/L		4/28/2016	21:00
Chloromethane	< 2.00	ug/L		4/28/2016	21:00
cis-1,2-Dichloroethene	< 2.00	ug/L		4/28/2016	21:00
cis-1,3-Dichloroproper	ne < 2.00	ug/L		4/28/2016	21:00
Cyclohexane	< 10.0	ug/L		4/28/2016	21:00
Dibromochloromethan	e < 2.00	ug/L		4/28/2016	21:00
Dichlorodifluorometha	ine < 2.00	ug/L		4/28/2016	21:00
Ethylbenzene	< 2.00	ug/L		4/28/2016	21:00
Freon 113	< 2.00	ug/L		4/28/2016	21:00
Isopropylbenzene	< 2.00	ug/L		4/28/2016	21:00
m,p-Xylene	< 2.00	ug/L		4/28/2016	21:00
Methyl acetate	< 2.00	ug/L		4/28/2016	21:00
Methyl tert-butyl Ether	< 2.00	ug/L		4/28/2016	21:00
Methylcyclohexane	< 2.00	ug/L		4/28/2016	21:00
Methylene chloride	< 5.00	ug/L		4/28/2016	21:00
o-Xylene	< 2.00	ug/L		4/28/2016	21:00
Styrene	< 5.00	ug/L		4/28/2016	21:00
Tetrachloroethene	< 2.00	ug/L		4/28/2016	21:00
Toluene	< 2.00	ug/L		4/28/2016	21:00
trans-1,2-Dichloroethe	ene < 2.00	ug/L		4/28/2016	21:00
trans-1,3-Dichloroprop	oene < 2.00	ug/L		4/28/2016	21:00
Trichloroethene	< 2.00	ug/L		4/28/2016	21:00
Trichlorofluoromethan	ne < 2.00	ug/L		4/28/2016	21:00
Vinyl chloride	< 2.00	ug/L		4/28/2016	21:00



Client:	<u>C&S Companies</u>					
Project Reference:	Jamestown Contai	ner				
Sample Identifier:	ESI-10-042616					
Lab Sample ID:	161635-11		Dat	e Sampled:	4/26/2016	
Matrix:	Groundwater		Dat	e Received:	4/27/2016	
Surrogate		Percent Recovery	<u>Limits</u>	<u>Outliers</u>	Date Analy	zed
1,2-Dichloroethane-d4		105	81.1 - 122		4/28/2016	21:00
4-Bromofluorobenzene	9	83.4	78.7 - 116		4/28/2016	21:00
Pentafluorobenzene		94.1	88.6 - 112		4/28/2016	21:00
Toluene-D8		84.7	88.9 - 110	*	4/28/2016	21:00
Method Reference	ce(s): EPA 8260C					
Data File:	EPA 5030C x31964.D					



Client:	<u>C&S Companie</u>	<u>es</u>			
Project Reference:	Jamestown Con	tainer			
Sample Identifier:	ESI-10-04261	6			
Lab Sample ID:	161635-11			Date Sampled:	4/26/2016
Matrix:	Groundwater			Date Received:	4/27/2016
рH					
<u>Analyte</u>		<u>Result</u>	<u>Units</u>	Qualifier	Date Analyzed
рН		6.73 @ 17.0 C	S.U.		4/27/2016 15:21
Method Refer	rence(s): EPA 9040				

ELAP does not offer this test for approval as part of their laboratory certification program.



Client:	<u>C&S Companies</u>				
Project Reference:	Jamestown Contain	ner			
Sample Identifier:	PW-3R-042616				
Lab Sample ID:	161635-12			Date Sampled:	4/26/2016
Matrix:	Groundwater			Date Received:	4/27/2016
<u>Conductivity</u>					
<u>Analyte</u>	R	<u>esult</u>	<u>Units</u>	Qualifier	Date Analyzed
Conductivity	1	F 20	umb o / am		4/27/2016



Client:	<u>C&S Companie</u>	<u>s</u>				
Project Reference:	Jamestown Con	tainer				
Sample Identifier:	PW-3R-04261	6				
Lab Sample ID:	161635-12			Date Sampled:	4/26/2016	
Matrix:	Groundwater			Date Received:	4/27/2016	
Volatile Organics						
<u>Analyte</u>		<u>Result</u>	<u>Units</u>	Qualifier	Date Analyz	<u>zed</u>
1,1,1-Trichloroethane		< 4.00	ug/L		4/29/2016	13:12
1,1,2,2-Tetrachloroeth	iane	< 4.00	ug/L		4/29/2016	13:12
1,1,2-Trichloroethane		< 4.00	ug/L		4/29/2016	13:12
1,1-Dichloroethane		< 4.00	ug/L		4/29/2016	13:12
1,1-Dichloroethene		< 4.00	ug/L		4/29/2016	13:12
1,2,3-Trichlorobenzen	ie	< 10.0	ug/L		4/29/2016	13:12
1,2,4-Trichlorobenzen	ie	< 10.0	ug/L		4/29/2016	13:12
1,2-Dibromo-3-Chloro	propane	< 20.0	ug/L		4/29/2016	13:12
1,2-Dibromoethane		< 4.00	ug/L		4/29/2016	13:12
1,2-Dichlorobenzene		< 4.00	ug/L		4/29/2016	13:12
1,2-Dichloroethane		< 4.00	ug/L		4/29/2016	13:12
1,2-Dichloropropane		< 4.00	ug/L		4/29/2016	13:12
1,3-Dichlorobenzene		< 4.00	ug/L		4/29/2016	13:12
1,4-Dichlorobenzene		< 4.00	ug/L		4/29/2016	13:12
1,4-dioxane		< 40.0	ug/L		4/29/2016	13:12
2-Butanone		< 20.0	ug/L		4/29/2016	13:12
2-Hexanone		< 10.0	ug/L		4/29/2016	13:12
4-Methyl-2-pentanone	e	< 10.0	ug/L		4/29/2016	13:12
Acetone		11.3	ug/L	J	4/29/2016	13:12
Benzene		< 2.00	ug/L		4/29/2016	13:12
Bromochloromethane		< 10.0	ug/L		4/29/2016	13:12
Bromodichlorometha	ne	< 4.00	ug/L		4/29/2016	13:12
Bromoform		< 10.0	ug/L		4/29/2016	13:12
Bromomethane		< 4.00	ug/L		4/29/2016	13:12
Carbon disulfide		< 4.00	ug/L		4/29/2016	13:12
Carbon Tetrachloride		< 4.00	ug/L		4/29/2016	13:12
Chlorobenzene		< 4.00	ug/L		4/29/2016	13:12



Client:	<u>C&S Companies</u>	<u>s</u>				
Project Reference:	Jamestown Cont	tainer				
Sample Identifier:	PW-3R-04261	6				
Lab Sample ID:	161635-12			Date Sampled:	4/26/2016	
Matrix:	Groundwater			Date Received:	4/27/2016	
Chloroethane		< 4.00	ug/L		4/29/2016	13:12
Chloroform		< 4.00	ug/L		4/29/2016	13:12
Chloromethane		< 4.00	ug/L		4/29/2016	13:12
cis-1,2-Dichloroethene	2	242	ug/L		4/29/2016	13:12
cis-1,3-Dichloroproper	ne	< 4.00	ug/L		4/29/2016	13:12
Cyclohexane		< 20.0	ug/L		4/29/2016	13:12
Dibromochloromethan	ie	< 4.00	ug/L		4/29/2016	13:12
Dichlorodifluorometha	ine	< 4.00	ug/L		4/29/2016	13:12
Ethylbenzene		< 4.00	ug/L		4/29/2016	13:12
Freon 113		< 4.00	ug/L		4/29/2016	13:12
Isopropylbenzene		< 4.00	ug/L		4/29/2016	13:12
m,p-Xylene		< 4.00	ug/L		4/29/2016	13:12
Methyl acetate		< 4.00	ug/L		4/29/2016	13:12
Methyl tert-butyl Ether	r	< 4.00	ug/L		4/29/2016	13:12
Methylcyclohexane		< 4.00	ug/L		4/29/2016	13:12
Methylene chloride		< 10.0	ug/L		4/29/2016	13:12
o-Xylene		< 4.00	ug/L		4/29/2016	13:12
Styrene		< 10.0	ug/L		4/29/2016	13:12
Tetrachloroethene		< 4.00	ug/L		4/29/2016	13:12
Toluene		4.90	ug/L		4/29/2016	13:12
trans-1,2-Dichloroethe	ene	< 4.00	ug/L		4/29/2016	13:12
trans-1,3-Dichloroprop	pene	< 4.00	ug/L		4/29/2016	13:12
Trichloroethene		17.2	ug/L		4/29/2016	13:12
Trichlorofluoromethar	ie	< 4.00	ug/L		4/29/2016	13:12
Vinyl chloride		134	ug/L		4/29/2016	13:12



Client:	<u>C&S Companies</u>					
Project Reference:	Jamestown Contai	ner				
Sample Identifier:	PW-3R-042616					
Lab Sample ID:	161635-12		Dat	e Sampled:	4/26/2016	
Matrix:	Groundwater		Dat	e Received:	4/27/2016	
Surrogate		Percent Recovery	<u>Limits</u>	Outliers	Date Analy	zed
1,2-Dichloroethane-d4		102	81.1 - 122		4/29/2016	13:12
4-Bromofluorobenzen	9	90.4	78.7 - 116		4/29/2016	13:12
Pentafluorobenzene		101	88.6 - 112		4/29/2016	13:12
Toluene-D8		96.8	88.9 - 110		4/29/2016	13:12
Method Reference	ce(s): EPA 8260C EPA 5030C					
Data File:	x31977.D					



Client:	<u>C&S Companie</u>	<u>es</u>			
Project Reference:	Jamestown Con	tainer			
Sample Identifier:	PW-3R-04261	6			
Lab Sample ID:	161635-12			Date Sampled:	4/26/2016
Matrix:	Groundwater			Date Received:	4/27/2016
<u>pH</u>					
<u>Analyte</u>		<u>Result</u>	<u>Units</u>	Qualifier	Date Analyzed
рН		6.74 @ 17.1 C	S.U.		4/27/2016 15:21
Method Refer	ence(s): EPA 9040				

ELAP does not offer this test for approval as part of their laboratory certification program.



Analytical Report Appendix

The reported results relate only to the samples as they have been received by the laboratory.

Each page of this document is part of a multipage report. This document may not be reproduced except in its entirety, without the prior consent of Paradigm Environmental Services, Inc.

All soil/sludge samples have been reported on a dry weight basis, unless qualified "reported as received". Other solids are reported as received.

Low level Volatiles blank reports for soil/solid matrix are based on a nominal 5 gram weight. Sample results and reporting limits are based on actual weight, which may be more or less than 5 grams.

The Chain of Custody provides additional information, including compliance with sample condition requirements upon receipt. Sample condition requirements are defined under the 2003 NELAC Standard, sections 5.5.8.3.1 and 5.5.8.3.2.

NYSDOH ELAP does not certify for all parameters. Paradigm Environmental Services or the indicated subcontracted laboratory does hold certification for all analytes where certification is offered by ELAP unless otherwise specified. Aliquots separated for certain tests, such as TCLP, are indicated on the Chain of Custody and final reports with an "A" suffix.

Data qualifiers are used, when necessary, to provide additional information about the data. This information may be communicated as a flag or as text at the bottom of the report. Please refer to the following list of analyte-specific, frequently used data flags and their meaning:

"<" = Analyzed for but not detected at or above the quantitation limit.

"E" = Result has been estimated, calibration limit exceeded.

"Z" = See case narrative.

"D" = Sample, Laboratory Control Sample, or Matrix Spike Duplicate results above Relative Percent Difference limit.

"M" = Matrix spike recoveries outside QC limits. Matrix bias indicated.

"B" = Method blank contained trace levels of analyte. Refer to included method blank report.

"J" = Result estimated between the quantitation limit and half the quantitation limit.

"L" = Laboratory Control Sample recovery outside accepted QC limits.

"P" = Concentration differs by more than 40% between the primary and secondary analytical columns. "NC" = Not calculable. Applicable to RPD if sample or duplicate result is non-detect or estimated (see primary report for data flags). Applicable to MS if sample is greater or equal to ten times the spike added. Applicable to sample surrogates or MS if sample dilution is 10x or higher.

"*" = Indicates any recoveries outside associated acceptance windows. Surrogate outliers in samples are presumed matrix effects. LCS demonstrates method compliance unless otherwise noted. "(1)" = Indicates data from primary column used for QC calculation.

"A" = denotes a parameter for which ELAP does not offer approval as part of their laboratory certification program.

"F" = denotes a parameter for which Paradigm does not carry certification, the results for which should therefore only be used where ELAP certification is not required, such as personal exposure assessment.

GENERAL TERMS AND CONDITIONS LABORATORY SERVICES

These Terms and Conditions embody the whole agreement of the parties in the absence of a signed and executed contract between the Laboratory (LAB) and Client. They shall supersede all previous communications, representations, or agreements, either verbal or written, between the parties. The LAB specifically rejects all additional, inconsistent, or conflicting terms, whether printed or otherwise set forth in any purchase order or other communication from the Client to the LAB. The invalidity or unenforceability in whole or in part of any provision, term, or condition hereof shall not affect in any way the validity or enforceability of the remainder of the Terms and Conditions. No waiver by LAB of any provision, term, or condition hereof or of any breach by or obligation of the Client hereunder shall constitute a waiver of such provision, term, or condition on any other occasion or a waiver of any other breach by or obligation of the Client. This agreement shall be administered and interpreted under the laws of the state which services are procured.

and interpreted under	the laws of the state which services are procured.
Warranty.	Recognizing that the nature of many samples is unknown and that some may contain potentially hazardous components, LAB warrants only that it will perform testing services, obtain findings, and prepare reports in accordance with generally accepted analytical laboratory principles and practices at the time of performance of services. LAB makes no other warranty, express or implied.
Scope and Compensation.	LAB agrees to perform the services described in the chain of custody to which these terms and conditions are attached. Unless the parties agree in writing to the contrary, the duties of LAB shall not be construed to exceed the services specifically described. LAB will use LAB default method for all tests unless specified otherwise on the Work Order. Payment terms are net 30 days from the date of invoice. All overdue payments are subject to an interest charge of one and one-half percent (1-1/2%) per month or a portion thereof. Client shall also be responsible for costs of collection, including payment of reasonable attorney fees if such expense is incurred. The prices, unless stated, do not include any sale, use or other taxes. Such taxes will be added to invoice prices when required.
Prices.	Compensation for services performed will be based on the current Lab Analytical Fee Schedule or on quotations agreed to in writing by the parties. Turnaround time based charges are determined from the time of resolution of all work order questions. Testimony, court appearances or data compilation for legal action will be charged separately. Evaluation and reporting of initial screening runs may incur additional fees.
Limitations of Liability.	In the event of any error, omission, or other professional negligence, the sole and exclusive responsibility of LAB shall be to re- perform the deficient work at its own expense and LAB shall have no other liability whatsoever. All claims shall be deemed waived unless made in writing and received by LAB within ninety (90) days following completion of services. LAB shall have no liability, obligation, or responsibility of any kind for losses, costs, expenses, or other damages (including but not limited to any special, direct, incidental or consequential damages) with respect to LAB's services or results. All results provided by LAB are strictly for the use of its clients and LAB is in no way responsible for the use of such results by clients or third parties. All reports should be considered in their entirety, and LAB is not responsible for the separation, detachment, or other use of any portion of these reports. Client may not assign the lab report without the written consent of the LAB. Client covenants and agrees, at its/his/her sole expense, to indemnify, protect, defend, and save harmless the LAB from and against any and all damages, losses, liabilities, obligations, penalties, claims, litigation, demands, defenses, judgments, suits, actions, proceedings, costs, disbursements and/or expenses (including, without limitation attorneys' and experts' fees and disbursements) of any kind whatsoever which may at any time be imposed upon, incurred by or asserted or awarded against client relating to, resulting from or arising out of (a) the breach of this agreement by this client, (b) the negligence of the client in handling, delivering or disclosing any hazardous substance, (c) the violation of the Client of any applicable law, (d) non-compliance by the Client with any environmental permit or (e) a material misrepresentation in disclosing the materials to be tested.
Hazard Disclosure.	Client represents and warrants that any sample delivered to LAB will be preceded or accompanied by complete written disclosure of the presence of any hazardous substances known or suspected by Client. Client further warrants that any sample containing any hazardous substance that is to be delivered to LAB will be packaged, labeled, transported, and delivered properly and in accordance with applicable laws.
Sample Handling.	Prior to LAB's acceptance of any sample (or after any revocation of acceptance), the entire risk of loss or of damage to such sample remains with Client. Samples are accepted when receipt is acknowledged on chain of custody documentation. In no event will LAB have any responsibility for the action or inaction of any carrier shipping or delivering any sample to or from LAB premises. Client authorizes LAB to proceed with the analysis of samples as received by the laboratory, recognizing that any samples not in compliance with all current DOH-ELAP-NELAP requirements for containers, preservation or holding time will be noted as such on the final report. Disposal of hazardous waste samples is the responsibility of the Client. If the Client does not wish such samples returned, LAB may add storage and disposal fees to the final invoice. Maximum storage time for samples is 30 days after completion of analysis unless modified by applicable state or federal laws. Client will be required to give the LAB written instructions concerning disposal of these samples. LAB reserves the absolute right, exercisable at any time, to refuse to receive delivery of, refuse to accept, or revoke acceptance of any sample, which, in the sole judgment of LAB (a) is of unsuitable volume, (b) may be or become unsuitable for or may pose a risk in handling, transport, or processing for any health, safety, environmental or other reason whether or not due to the presence in the sample of any hazardous substance, and whether or not such presence has been disclosed to LAB by Client or (c) if the condition or sample date make the sample to an other or not such presence has been disclosed to LAB by Client or (c) if the condition or sample date make the sample of analysis.
Legal Responsibility.	LAB is solely responsible for performance of this contract, and no affiliated company, director, officer, employee, or agent shall have any legal responsibility hereunder, whether in contract or tort including negligence.
Assignment.	LAB may assign its performance obligations under this contract to other parties, as it deems necessary. LAB shall disclose to Client any assignee (subcontractor) by ELAP ID # on the submitted final report.
Force Majeure.	LAB shall have no responsibility or liability to the Client for any failure or delay in performance by LAB, which results in whole or in part from any cause or circumstance beyond the reasonable control of LAB. Such causes and circumstances shall include, but not limited to, acts of God, acts or orders of any government authority, strikes or other labor disputes, natural disasters, accidents, wars, civil disturbances, difficulties or delays in transportation, mail or delivery services, inability to obtain sufficient services or supplies from LAB's usual suppliers, or any other cause beyond LAB's reasonable control.
Law.	This contract shall be continued under the laws of the State of New York without regard to its conflicts of laws provision.

CHAIN OF CUSTOP INVOLUE TO: INVOLUE INVOL	Other Other Other Other Other Other Please indicate date needed: Please indicate package needed: Please	Rush 1 day	Rush 2 day	Rush 3 day	10 day Batch QC Basic	Standard 5 day None Required None	Availability contingent upon lab approval; additional fees may apply.	Timo	4/20/16 11:15 X EST-11-	11 2:30 XEST-7	2:00 XESI-2	1:30 XESI-6.	1 12:30 XEST-13	30 XESI-1-1	× Ful 1-04	1 9:30 X DUP 1-	425/10 9:30 XESI-3-	DATE COLLECTED TIME O O O O O OLLECTED O O O O O OLLECTED O O O O O O OLLECTED O O O O O O O O O O O O O O O O O O O		Lamestrung Watth Liquid	ROJECT REFERENCE	Dut tab	ADDRESS: /4/ 2		J >)
Patronic President Preside	EDD By signing this form, client agrees	@ Lab/By			huished	the way have			6	D.W.	042516 WG	ecn	2516 (WB	WE SXXX	XXXX V VIA	SIG WG	42516 W6	VIC 200 m 0 2 2 2 2 m m 0 0 m 2 2 2 m m 0 0 m 2 2 2 m m 0 0 m 2 2 2 2 m m 0 m 2 2 m m 2 2	REQUESTE	WA - Water DW - Drinking WG - Groundwater WW - Wastew	intio	-2021 14205		LANS, TAC CLIENT: Same	TO: IN	CUSTOD	179 Lake Avenue, Rochester, NY 14608 Office (585) 647-2530
	to Paradigm Terms and Conditions (reverse).	TH Datertime	5	27/16 9:2		1/27/16 9:30	C	y seals intout	Admin										ANALYSIS	Vater SO - Soil SD - Solid ter SL - Sludge PT - Paint	Cmartin@cscos.	Email:		17		105	0 Fax (585) 647-3311

412112	JW sent duickly to July Lat		Total Cost:	unsterly sealounter Marylin Asama	surplus 4/27							REMARKS NUMBER		id WP - Wipe OL - Oil nt CK - Caulk AR - Air		Quotation #:				2072	DIA
	+ duect	9:30		atich sea	icul by						2.1	20	「「「「「「」」」	SD - Solid PT - Paint	Email:	Quota					
	DateFrime	127/	H LOIU	1/21/lux									SIS	SO - Soil SL - Sludge		ZIP:		ö		647-3311	
	U U/2 7/1/6 Date	Lott Date	in 1 4							A A	7	NON NON	REQUESTED ANALYSIS	DW - Drinking Water WW - Wastewater	e416.	STATE:	Sime	INVOICE TO:	TODY	179 Lake Avenue, Rochester, NY 14608 Office (585) 647-2530 Fax (585) 647-3311	
	By	Add	- 10/art							570	7	MAND STREET	R		ATTN:	CITY:	CLIENT: ADDRESS:		IF CUSTOD	4608 Office (58	
	Received @ tab By	Relinquished	Sampled By 1/	7			5			RG BR	111	X ー ス ー マ M マ の 回 ロ O O		WA - Water WG - Groundwater	1 (= 1) 10	14.20S	122		CHAIN OF	Rochester, NY 1	
	Other EDD please Indicate:	NYSDEC EDD	ay apply.	nts						-0426110	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	SAMPLE IDENTIFIER	the state of the state	40	IN 1.	STATE Y	Engineer	REPORT JO:	0	179 Lake Avenue,	55 5 12
		NYSE	Availability contingent upon lab approval; additional fees may apply.	Report Supplements			- m -			PW-3R.	55-1	SA	のないのないであるのです。	Matrix Codes: AQ - Aqueous Liquid NQ - Non-Aqueous Liquid		Suffab	ADDRESS: 141 E	-			
	Category B Other please indicate:	Batch QC Category A	upon lab appre							4	T	0 Σ τ Ο Ν − Η Π Ο Γ < Ω									
			ability contingent	nd Time						05:71	12.2	TIME COLLECTED			ECT REFERENCE			ע פור ע ס א פור ע ס)	
	Rush 2 day Rush 1 day Other please indicate:	Standard 5 day Rush 3 day	Availa	Turnaround Time	10	8	7	σ σ	4 7	201/26/14	1/11/11	DATE COLLECTED		Lamest	PROJECT	/	< _				



Chain of Custody Supplement

Client:	C+S Companies	Completed by:	Molyai
Lab Project ID:	161435	Date:	4/27/16
	Sample Conditio Per NELAC/ELAP 210	n Requirements 0/241/242/243/244	
A Condition	ELAC compliance with the sample c Yes	ondition requirements u No	pon receipt N/A
Container Type Comments			
Transferred to method- compliant container Headspace (<1 mL) Comments	KVO:A		
Preservation Comments	L VOA		<u> </u>
Chlorine Absent (<0.10 ppm per test strip) Comments			Ϋ́
Holding Time Comments	-X	CX PM	
Temperature Comments	Arstody seals	by semple	4127/16 1352 hus
Sufficient Sample Quantity Comments		ent sent clive	ly to sub-lat



ANALYTICAL REPORT

Lab Number:	L1612429
Client:	Paradigm Environmental Services 179 Lake Avenue Rochester, NY 14608
ATTN:	Rebecca Ross
Phone:	(585) 647-2530
Project Name:	JAMESTOWN CONTAINER
Project Number:	JAMESTOWN CONTAINER
Report Date:	05/04/16

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NY (11148), CT (PH-0574), NH (2003), NJ NELAP (MA935), RI (LAO00065), ME (MA00086), PA (68-03671), VA (460195), MD (348), IL (200077), NC (666), TX (T104704476), DOD (L2217), USDA (Permit #P-330-11-00240).

Eight Walkup Drive, Westborough, MA 01581-1019 508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Serial_No:05041611:42

Project Name:	JAMESTOWN CONTAINER
Project Number:	JAMESTOWN CONTAINER

Lab Number:	L1612429
Report Date:	05/04/16

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L1612429-01	ESI-3-042516	WATER	Not Specified	04/25/16 09:30	04/27/16
L1612429-02	DUP-1-042516	WATER	Not Specified	04/25/16 09:30	04/27/16
L1612429-03	PW1-042516	WATER	Not Specified	04/25/16 10:30	04/27/16
L1612429-04	ESI-1-042516	WATER	Not Specified	04/25/16 11:30	04/27/16
L1612429-05	ESI-13R-042516	WATER	Not Specified	04/25/16 12:30	04/27/16
L1612429-06	ESI-6-042516	WATER	Not Specified	04/25/16 13:30	04/27/16
L1612429-07	ESI-2-042516	WATER	Not Specified	04/25/16 14:00	04/27/16
L1612429-08	ESI-7-042516	WATER	Not Specified	04/25/16 14:30	04/27/16
L1612429-09	ESI-12-042616	WATER	Not Specified	04/26/16 09:30	04/27/16
L1612429-10	ESI-11-042616	WATER	Not Specified	04/26/16 11:15	04/27/16
L1612429-11	ESI-10-042616	WATER	Not Specified	04/26/16 00:00	04/27/16
L1612429-12	PW-3R-042616	WATER	Not Specified	04/26/16 00:00	04/27/16



Project Name:JAMESTOWN CONTAINERProject Number:JAMESTOWN CONTAINER

Lab Number: L1612429 Report Date: 05/04/16

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively. When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. All specific QC information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications. Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances the specific failure is not narrated but noted in the associated QC table. The information is also incorporated in the Data Usability format of our Data Merger tool where it can be reviewed along with any associated usability implications.

Please see the associated ADEx data file for a comparison of laboratory reporting limits that were achieved with the regulatory Numerical Standards requested on the Chain of Custody.

HOLD POLICY

For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Client Service Representative and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Client Services at 800-624-9220 with any questions.



Project Name:JAMESTOWN CONTAINERProject Number:JAMESTOWN CONTAINER

 Lab Number:
 L1612429

 Report Date:
 05/04/16

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

Sample Receipt

The samples were received in inappropriate containers for the Dissolved Oxygen analysis.

Dissolved Oxygen

L1612429-01 through -12 were analyzed with the method required holding time exceeded.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Michelle M. Morris Michelle M. Morris

Authorized Signature:

Title: Technical Director/Representative

Date: 05/04/16



INORGANICS & MISCELLANEOUS



Serial No:05041611:42

121,4500O-C

ΤA

	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Matrix:	Water									
	Not Specified								Not Specified	
Client ID:	ESI-3-042516	-					Date R	eceived:	04/27/16	
Lab ID:	L1612429-0	1					Date C	collected:	04/25/16 09:3	30
				SAMPLE	RESUL	TS				
Project Number:	JAMESTOW	N CONT	AINE				Repor	t Date:	05/04/16	
Project Name:	JAMESTOW	N CONT	AINER				Lab N	umber:	L1612429	
	Project Name: Project Number: Lab ID: Client ID: Sample Location: Matrix:	Project Number:JAMESTOWLab ID:L1612429-0Client ID:ESI-3-042516Sample Location:Not Specified	Project Number: JAMESTOWN CONT Lab ID: L1612429-01 Client ID: ESI-3-042516 Sample Location: Not Specified	Project Number: JAMESTOWN CONTAIN! Lab ID: L1612429-01 Client ID: ESI-3-042516 Sample Location: Not Specified	Project Number: JAMESTOWN CONTAINI SAMPLE Lab ID: L1612429-01 Client ID: ESI-3-042516 Sample Location: Not Specified	Project Number: JAMESTOWN CONTAIN! SAMPLE RESULT Lab ID: L1612429-01 Client ID: ESI-3-042516 Sample Location: Not Specified	Project Number: JAMESTOWN CONTAIN! SAMPLE RESULTS Lab ID: L1612429-01 Client ID: ESI-3-042516 Sample Location: Not Specified Matrix: Water	Project Number: JAMESTOWN CONTAINI Repor SAMPLE RESULTS Sample RESULTS Date C Client ID: ESI-3-042516 Date R Sample Location: Not Specified Field F Matrix: Water Field F	Project Number: JAMESTOWN CONTAIN! Report Date: SAMPLE RESULTS SAMPLE RESULTS Date Collected: Lab ID: L1612429-01 Date Collected: Client ID: ESI-3-042516 Date Received: Sample Location: Not Specified Field Prep: Matrix: Water Water	Project Number: JAMESTOWN CONTAINE Report Date: 05/04/16 SAMPLE RESULTS Date Collected: 04/25/16 09:3 Lab ID: L1612429-01 Date Collected: 04/25/16 09:3 Client ID: ESI-3-042516 Date Received: 04/27/16 Sample Location: Not Specified Field Prep: Not Specified Matrix: Water Water Date Received: 04/27/16

0.10

1

-

0.10

mg/l



Dissolved Oxygen

Serial No:05041611:42

121,4500O-C

ΤA

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Sample Location: Matrix:	Not Specified Water						Field F	rep:	Not Specified	
Client ID:	DUP-1-042516						2 410	Received:	04/27/16	
Lab ID:	L1612429-0	2					Date C	Collected:	04/25/16 09:3	30
				SAMPLE	RESUL	rs				
Project Name: Project Number:	JAMESTOV JAMESTOV							umber: t Date:	L1612429 05/04/16	

0.10

1

-

0.10



Dissolved Oxygen

ND

mg/l

Serial No:05041611:42

121,4500O-C

ΤA

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Lab ID: Client ID: Sample Location: Matrix:	L1612429-0 PW1-042516 Not Specified Water	3						collected: eceived: Prep:	04/25/16 10:3 04/27/16 Not Specified	-
-				SAMPLE	RESUL	rs	·			
Project Name: Project Number:	JAMESTOW JAMESTOW							umber: t Date:	L1612429 05/04/16	

0.10

1

-

0.10

mg/l



Dissolved Oxygen

Serial No:05041611:42

121,4500O-C

ΤA

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Lab ID: Client ID: Sample Location: Matrix:	L1612429-0 ESI-1-042516 Not Specified Water	14						Collected: Received: Prep:	04/25/16 11:3 04/27/16 Not Specified	
				SAMPLE	RESUL	rs				
Project Name: Project Number:	JAMESTOV JAMESTOV							umber: t Date:	L1612429 05/04/16	

0.10

1

-

0.10

mg/l



Dissolved Oxygen

Serial No:05041611:42

121,4500O-C

ΤA

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analys
Matrix:	Water								·	
Client ID: Sample Location:	Not Specified	0					Field F	Received: Prep:	04/27/16 Not Specified	
	ESI-13R-04251	-								50
Lab ID:	L1612429-0	F		SAMPLE	RESUL	IS	Data (Collected:	04/25/16 12:3	20
Project Number:	JAMESTOW	IN CONT	AINE		DEOLU	-	Керог	t Date:	05/04/16	
Project Name:	JAMESTOW							umber:	L1612429	

0.10

1

-

0.10

mg/l



Dissolved Oxygen

Serial No:05041611:42

121,4500O-C

ΤA

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Lab ID: Client ID: Sample Location: Matrix:	L1612429-0 ESI-6-042516 Not Specified Water	6						Collected: Received: Prep:	04/25/16 13:3 04/27/16 Not Specified	-
Project Number:	JAMESTOV	/N CONT	AINE	SAMPLE	RESUL	rs	Repor	t Date:	05/04/16	

0.10

1

-

0.10

mg/l



Dissolved Oxygen

Serial	No:05041611:42
oona.	110.00011011.12

121,4500O-C

ΤA

Paramete	er	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analys
	ple Location:	Not Specified Water						Field F		Not Specified	
Lab I Clien		L1612429-0 ESI-2-042516	7						Collected:	04/25/16 14:0 04/27/16	00
					SAMPLE	RESUL	rs				
-	ect Name: ect Number:	JAMESTOW JAMESTOW							umber: t Date:	L1612429 05/04/16	

0.10

1

-

0.10

mg/l



Dissolved Oxygen

Serial	No:05041611:42
oona.	110.00011011.12

121,4500O-C

ΤA

Prep:	Not Specified	
Received:	04/27/16	
Collected:	04/25/16 14:30	
	L1612429 05/04/16	
-	lumber: rt Date:	L1012429

0.10

1

-

0.10

mg/l



Dissolved Oxygen

Serial No:05041611:42

121,4500O-C

ΤA

			Dilution	Date	Date	Analytical		
					-			
ESI-12-042616 Not Specified				Field P		Not Specified		
					eceived:	04/27/16		
				Date C	ollected:	04/26/16 09:3	า	
	SAMPLE	RESUL	ſS					
N CONTAINE				Report	t Date:	05/04/16		
N CONTAINER				Lab Nu	umber:	L1612429		
١C	ONTAINER	ONTAINER	ONTAINER	ONTAINER	CONTAINER Lab Nu	CONTAINER Lab Number:	CONTAINER Lab Number: L1612429	

0.10

1

-

0.10



Dissolved Oxygen

ND

mg/l

Serial	No:05041611:42
Ochui_	

121,4500O-C

ΤA

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Lab ID: Client ID: Sample Location: Matrix:	L1612429-1 ESI-11-042616 Not Specified Water	•						Collected: Received: Prep:	04/26/16 11:1 04/27/16 Not Specified	-
				SAMPLE	RESUL	ſS				
Project Name: Project Number:	JAMESTOW JAMESTOW							umber: t Date:	L1612429 05/04/16	

0.10

1

-

0.10

mg/l



Dissolved Oxygen

Serial No:05041611:42

121,4500O-C

ΤA

Project Name: Project Number:	JAMESTOW JAMESTOW							umber: t Date:	L1612429 05/04/16	
				SAMPLE	RESUL	rs				
Lab ID: Client ID: Sample Location: Matrix:	L1612429-1 ² ESI-10-042616 Not Specified Water	1						Collected: Received: Prep:	04/26/16 00:0 04/27/16 Not Specified	
Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst

0.10

1

-

0.10

mg/l



Dissolved Oxygen

Serial No:05041611:42

121,4500O-C

ΤA

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Lab ID: Client ID: Sample Location: Matrix:	L1612429-1 PW-3R-042616 Not Specified Water	_						Collected: Received: Prep:	04/26/16 00:0 04/27/16 Not Specified	
Project Number:	JAMESTOV	VN CONT	AINE	SAMPLE	RESUL	rs	Repor	t Date:	05/04/16	

0.10

1

-

0.10

mg/l



Dissolved Oxygen

Project Name: Project Number:	JAMESTOWN CONTAINER JAMESTOWN CON		Batch Quality Control		Lab Repo		
Parameter		Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits

. .

General Chemistry - Westborough Lab	Associated sample(s): 01-12	QC Batch ID: WG888466-1	QC Sample: L1612	495-01 Client ID: DUP Sample
Dissolved Oxygen	7.0	7.1	mg/l	1



Serial_No:05041611:42

Project Name:JAMESTOWN CONTAINERProject Number:JAMESTOWN CONTAINER

Lab Number: L1612429 Report Date: 05/04/16

Sample Receipt and Container Information

Were project specific reporting limits specified?

YES

Cooler Information Custody Seal

Cooler

A

Absent

Container Infor	rmation			Temp			
Container ID	Container Type	Cooler	рН	deg C	Pres	Seal	Analysis(*)
L1612429-01A	Plastic 500ml unpreserved	А	N/A	4.5	Y	Absent	DO-4500(.3)
L1612429-02A	Plastic 500ml unpreserved	А	N/A	4.5	Υ	Absent	DO-4500(.3)
L1612429-03A	Plastic 500ml unpreserved	А	N/A	4.5	Υ	Absent	DO-4500(.3)
L1612429-04A	Plastic 500ml unpreserved	А	N/A	4.5	Y	Absent	DO-4500(.3)
L1612429-05A	Plastic 500ml unpreserved	А	N/A	4.5	Y	Absent	DO-4500(.3)
L1612429-06A	Plastic 500ml unpreserved	А	N/A	4.5	Y	Absent	DO-4500(.3)
L1612429-07A	Plastic 500ml unpreserved	А	N/A	4.5	Y	Absent	DO-4500(.3)
L1612429-08A	Plastic 500ml unpreserved	А	N/A	4.5	Y	Absent	DO-4500(.3)
L1612429-09A	Plastic 500ml unpreserved	А	N/A	4.5	Y	Absent	DO-4500(.3)
L1612429-09B	Plastic 500ml unpreserved	А	N/A	4.5	Υ	Absent	DO-4500(.3)
L1612429-10A	Plastic 500ml unpreserved	А	N/A	4.5	Y	Absent	DO-4500(.3)
L1612429-11A	Plastic 500ml unpreserved	А	N/A	4.5	Y	Absent	DO-4500(.3)
L1612429-12A	Plastic 500ml unpreserved	А	N/A	4.5	Y	Absent	DO-4500(.3)



L1612429

Project Name: JAMESTOWN CONTAINER

Project Number: JAMESTOWN CONTAINER

Report Date: 05/04/16

Lab Number:

Acronyms

EDL - Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).

GLOSSARY

- EPA Environmental Protection Agency.
- LCS Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
- LCSD Laboratory Control Sample Duplicate: Refer to LCS.
- LFB Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
- MDL Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
- MS Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available.
- MSD Matrix Spike Sample Duplicate: Refer to MS.
- NA Not Applicable.
- NC Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
- NI Not Ignitable.
- NP Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
- RL Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
- RPD Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
- SRM Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
- STLP Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
- TIC Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Footnotes

1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Data Qualifiers

- A Spectra identified as "Aldol Condensation Product".
- B The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentrations of the analyte at less than ten times (10x) the concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).

Report Format: DU Report with 'J' Qualifiers



L1612429

05/04/16

Lab Number:

Report Date:

Project Name: JAMESTOWN CONTAINER

JAMESTOWN CONTAINER

Data Qualifiers

Project Number:

- C -Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- **D** Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- G The concentration may be biased high due to matrix interferences (i.e, co-elution) with non-target compound(s). The result should be considered estimated.
- H The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I The lower value for the two columns has been reported due to obvious interference.
- M Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- NJ Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P The RPD between the results for the two columns exceeds the method-specified criteria.
- Q The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- **R** Analytical results are from sample re-analysis.
- **RE** Analytical results are from sample re-extraction.
- **S** Analytical results are from modified screening analysis.
- J Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- ND Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.



Project Name:JAMESTOWN CONTAINERProject Number:JAMESTOWN CONTAINER

 Lab Number:
 L1612429

 Report Date:
 05/04/16

REFERENCES

121 Standard Methods for the Examination of Water and Wastewater. APHA-AWWA-WEF. Standard Methods Online.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation: Westborough Facility EPA 524.2: 1,2-Dibromo-3-chloropropane, 1,2-Dibromoethane, m/p-xylene, o-xylene EPA 624: 2-Butanone (MEK), 1,4-Dioxane, tert-Amylmethyl Ether, tert-Butyl Alcohol, m/p-xylene, o-xylene EPA 625: Aniline, Benzoic Acid, Benzyl Alcohol, 4-Chloroaniline, 3-Methylphenol, 4-Methylphenol. EPA 1010A: NPW: Ignitability EPA 6010C: NPW: Strontium; SCM: Strontium EPA 8151A: NPW: 2,4-DB, Dicamba, Dichloroprop, MCPA, MCPP; SCM: 2,4-DB, Dichloroprop, MCPA, MCPP EPA 8260C: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene, Isopropanol; SCM: Iodomethane (methyl iodide), Methyl methacrylate (soil); 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene. EPA 8270D: NPW: Pentachloronitrobenzene, 1-Methylnaphthalene, Dimethylnaphthalene, 1,4-Diphenylhydrazine; SCM: Pentachloronitrobenzene, 1-Methylnaphthalene, Dimethylnaphthalene,1,4-Diphenylhydrazine. EPA 9010: <u>NPW:</u> Amenable Cyanide Distillation, Total Cyanide Distillation EPA 9038: <u>NPW:</u> Sulfate EPA 9050A: NPW: Specific Conductance EPA 9056: NPW: Chloride, Nitrate, Sulfate EPA 9065: NPW: Phenols EPA 9251: NPW: Chloride SM3500: NPW: Ferrous Iron SM4500: NPW: Amenable Cyanide, Dissolved Oxygen; SCM: Total Phosphorus, TKN, NO2, NO3. SM5310C: DW: Dissolved Organic Carbon **Mansfield Facility** EPA 8270D: NPW: Biphenyl; SCM: Biphenyl, Caprolactam EPA 8270D-SIM Isotope Dilution: SCM: 1,4-Dioxane SM 2540D: TSS SM2540G: SCM: Percent Solids EPA 1631E: SCM: Mercury EPA 7474: SCM: Mercury EPA 8081B: NPW and SCM: Mirex, Hexachlorobenzene. EPA 8082A: NPW: PCB: 1, 5, 31, 87,101, 110, 141, 151, 153, 180, 183, 187. EPA 8270-SIM: NPW and SCM: Alkylated PAHs. EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene, n-Butylbenzene, n-Propylbenzene, sec-Butylbenzene, tert-Butylbenzene. Biological Tissue Matrix: 8270D-SIM; 3050B; 3051A; 7471B; 8081B; 8082A; 6020A: Lead; 8270D: bis(2-ethylhexyl)phthalate, Butylbenzylphthalate, Diethyl phthalate, Dimethyl phthalate, Di-n-butyl phthalate, Di-n-octyl phthalate, Fluoranthene, Pentachlorophenol. The following analytes are included in our Massachusetts DEP Scope of Accreditation, Westborough Facility: Drinking Water EPA 200.8: Sb,As,Ba,Be,Cd,Cr,Cu,Pb,Ni,Se,Tl; EPA 200.7: Ba,Be,Ca,Cd,Cr,Cu,Na; EPA 245.1: Mercury; EPA 300.0: Nitrate-N, Fluoride, Sulfate; EPA 353.2: Nitrate-N, Nitrite-N; SM4500NO3-F: Nitrate-N, Nitrite-N; SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B EPA 332: Perchlorate. Microbiology: SM9215B; SM9223-P/A, SM9223B-Colilert-QT, Enterolert-QT. Non-Potable Water EPA 200.8: Al,Sb,As,Be,Cd,Cr,Cu,Pb,Mn,Ni,Se,Ag,Tl,Zn; EPA 200.7: AI,Sb,As,Be,Cd,Ca,Cr,Co,Cu,Fe,Pb,Mg,Mn,Mo,Ni,K,Se,Ag,Na,Sr,Ti,TI,V,Zn; EPA 245.1, SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2340B, SM2320B, SM4500CL-E, SM4500F-BC, SM426C, SM4500NH3-BH, EPA 350.1: Ammonia-N, LACHAT 10-107-06-1-B: Ammonia-N, SM4500NO3-F, EPA 353.2: Nitrate-N, SM4500NH3-BC-NES, EPA 351.1, SM4500P-E, SM4500P-B, E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, SM14 510AC, EPA 420.1, SM4500-CN-CE, SM2540D. EPA 624: Volatile Halocarbons & Aromatics, EPA 608: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs EPA 625: SVOC (Acid/Base/Neutral Extractables), EPA 600/4-81-045: PCB-Oil. Microbiology: SM9223B-Colilert-QT; Enterolert-QT, SM9222D-MF.

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

Serial_No:05041611:42

179 Lake Avenue, Rochester, NY 14608 Office (585) 647-2530 Fax (585) 647-3311

CHAIN OF CUSTODY

L1612429

148071

DA			REPORT TO:		•	÷., •		IN	VOICE TO	D:						
PAL	RADIGM	COMPANY	and the second	ental		COMPANY	<i>(</i> :	Same				LAB PROJECT	'#: CLI	ENT PROJEC	Г #:	
		ADDRESS	179 Lake Avenue			ADDRESS						-				
		CITY:	Rochester STATE: N	IY ZIP: 14	4608	CITY:			STA	TE:	ZIP:	TURNAROUNE	TIME: (WORKI	NG DAYS)		
		PHONE:	IE: FAX:			PHONE:			FAX:		NA 4998199-9149-	STD OTHER				
PROJECT NAME/SITE		ATTN:	Kate Hansen			ATTN:	Mer	idith Dil	lman				$\begin{bmatrix} 2 \\ 3 \end{bmatrix}$	X5		
James	toon	COMMENT	s: Please email results t	o khansen	@pai	adigm	env.con	n and re	porting@	paradigr	nenv.com					
. Con	tainer			çan in .		. ji	REQ	IESTE	D ANAL	YSIS	:	Date Due	9:	a Star	an a g	100
DATE	TIME C O M P TIME S I T E	G R A B	SAMPLE LOCATION/FIELD ID)	M A T R I X	C O N U T A B I R R R R S	PISSO hed D.				FLEAJ	REMARKS	ANAY 5:1	PARADIG	M LAB SAN	NPLE NUMBER
04/25/16	9:30	×	ESI-3-042516	- 4	06		X				on,	the san	Res			
1	9:30	X	DUP-1-042516	11	06	1	x				CJEN	di of	LEDE			
	10:30	X	PW1 - 042516		06	1	x				TIME	2- PV	/			
	11:30	X	ESI-1-042516		26	1	x					1				
	12:30	V	ESI-13R-04251		06	,	X						17			
	1:30	X	ESI-6-042576		06	1	X									
	2:00		ESI-2-042516		06	1	K					1				
	2:30	X	ESI-7-042516		06	1.	X	• • • •				<u> </u>				
4/1/2/11/2	9:30	X	ESI -12-042616		06		X					-V				
4/2//11	11:15	X	ESI - 11 - 042616		06	1	X									
LAB USE C	ONLY BELOW THIS L	INE		Context of the local data	00	648241						$e^{-i\omega_{\rm eff}}e^{-i\omega_{\rm eff}}$	Cole Manage			
Sample Conditi	on: Per NELAC/ELAP 210	/241/242/2									127.					
	Receipt Parameter		NELAC Compliance	_						4/21/	1/			r		
Comments:	Container Type:		Y N	Sampled	B		~	a 1	Dat	4/26/1 te/Time	6		Total Cost			
Comments:	Preservation:		Y N	Relinquis	al	2 V	Hof	Þ	Dat	4/	27/16				2	
Comments:	Holding Time:		Y N	11	1	1)		AL	Dat	<u>4.27.</u> te/Time	16 C	011	P.I.F.	[]		
Comments:	Temperature:		Y 🗌 N 🗍	Received	By	A	l		Dat	4 28 te/Time	16 (<u>2038</u>				

Page 24 of 25 + B

Received @ Lab By

Date/Time

Serial_No:05041611:42

179 Lake Avenue, Rochester, NY 14608	Office (585) 647-2530	Fax (585) 647-3311
--------------------------------------	-----------------------	--------------------

CHAIN OF CUSTODY

(16(2429

148071

		REPORT TO:		·	979 B	IN	VOICE T	0.	51			·			
PARADIGM	COMPANY: Paradigm Environmental ADDRESS: 179 Lake Avenue				COMPANY: Same ADDRESS:					LAB PROJE	CLIENT PI	ROJECT	#:		
										-					
	CITY: Rochester STATE: NY ZIP: 14608						STA	TE:	ZIP:	TURNAROUND TIME: (WORKING DAYS)					
	PHONE:	FAX:		PHONE:	PHONE: FAX:					-		STC	`		OTHER
PROJECT NAME/SITE NAME:	ATTN:	Kate Hansen		ATTN:	Me	eridith Di	Ilman					3 1	5	1	UTILI
Tampstown	COMMENT		o khansen@p	_ aradigm				Øparad	liamenv.com	╶┞═┛╵┕		14	5		
Jamestown Container		n an thair an thair th				UESTE	-		5	Date D	ue:			21 2 - 12	
	<u> </u>		· · · ·	C	T L			1315				- T			823
DATE TIME O S I E	G R A B	SAMPLE LOCATION/FIELD ID	K I X	ONUTA I BENRE				see	REMARKS PARADIGM LAB			LAB SA	MPLE NUMBER		
4/26/16	X	ESI-10-04/2618	5 · WG	11	X					11					
4/2/0/1/0	X	ESI-10-042612 PW-3R-0426	16 . Wa	5 l	X					V					

		wanted and the second		-											
								+ + -							
					+	+									
					+	$\left \right $			+						
					+-+-						9		$\left - \right $		
					$\left \right $				-				-		
						-					· · · · · · · · · · · · · · · · · · ·				
												1			
**LAB USE ONLY BELOW THIS LI					1911				治療養護務務				100		
Sample Condition: Per NELAC/ELAP 210/2 Receipt Parameter	41/242/24	43/244 NELAC Compliance													
Container Type:		Y N N	Clier	nt				4/	21/11			—			
Comments:			Sampled By	1	11	1	Da	ate/Time			Total Co	ost:			
Preservation:	11	Y N	Relinguished	BY	eff.		Da	ate/Time	100	11:10					
Holding Time:		Y N	Received By	2		ANL		1. 27. J		10	P.I.F.	Γ			
Temperature:		Y N	Repeived By	A	\sim	L	Da			030					
1		I													