



**2023**

## **Periodic Review Report**

**Dowcraft, South Dow Street**

**NYSDEC Site #907020**

**Falconer, Chautauqua County, New York**

**Prepared for:**

Jamestown Container Companies  
14 Deming Drive  
Falconer, New York 14733

**November 2023**

**Revision 02**

## **TABLE OF CONTENTS**

<b><u>EXECUTIVE SUMMARY</u></b>	<b><u>1</u></b>
<b><u>1 SITE OVERVIEW</u></b>	<b><u>2</u></b>
1.1 SITE DESCRIPTION	2
1.2 GEOLOGY AND HYDROGEOLOGY	2
1.3 NATURE AND EXTENT OF CONTAMINATION	2
1.4 SITE HISTORY	3
<b><u>2 MONITORING PLAN COMPLIANCE REPORT</u></b>	<b><u>8</u></b>
<b><u>3 REMEDY PERFORMANCE, EFFECTIVENESS AND PROTECTIVENESS</u></b>	<b><u>10</u></b>
<b><u>4 IC/EC PLAN COMPLIANCE REPORT</u></b>	<b><u>12</u></b>
4.1 IC/EC REQUIREMENTS AND COMPLIANCE	12
4.1.1 INSTITUTIONAL CONTROLS	12
4.1.2 ENGINEERING CONTROLS	12
4.2 IC/EC CERTIFICATION	14
<b><u>5 OPERATION AND MAINTENANCE PLAN COMPLIANCE</u></b>	<b><u>15</u></b>
5.1 GROUNDWATER MONITORING WELLS	15
5.2 SOIL VAPOR MITIGATION SYSTEMS	15
5.2.1 MONTHLY MONITORING	15
5.2.2 ANNUAL INSPECTION	15
<b><u>6 CONCLUSIONS AND RECOMMENDATIONS</u></b>	<b><u>17</u></b>

## **FIGURES**

FIGURE 1	HISTORIC AND EXISTING SITE FEATURES
FIGURE 2	TRICHLOROETHYLENE CONCENTRATIONS
FIGURE 3	CIS-1,2-DICHLOROETHENE CONCENTRATIONS
FIGURE 4	VINYL CHLORIDE CONCENTRATIONS

FIGURE 5 ..... 2022 ISCR TREATMENT

## **TABLES**

TABLE 1 ..... JULY 2013 GROUNDWATER ANALYTICAL RESULTS

TABLE 2 ..... 2014 PRE AND POST TREATMENT GROUNDWATER ANALYTICAL RESULTS

TABLE 3 ..... 2022 PRE AND POST TREATMENT GROUNDWATER ANALYTICAL RESULTS

## **GRAPHS**

GRAPH 1 ..... TOTAL VOC CONCENTRATIONS FROM OCTOBER 2014 TO PRESENT

## **APPENDICES**

APPENDIX A..... LABORATORY ANALYTICAL RESULTS AND DUSR

APPENDIX B.....GROUNDWATER USE CERTIFICATION

APPENDIX C.....INSTITUTIONAL AND ENGINEERING CONTROLS CERTIFICATION FORM

APPENDIX D ..... SSDS INSPECTION REPORTS

## **ACRONYM LIST**

C&S	C&S ENGINEERS, INC.
DCE	CIS-1,2-DICHLOROETHENE
JCC	JAMESTOWN CONTAINER COMPANIES
SITE	FORMER DOWCRAFT FACILITY
FID	FLAME IONIZATION DETECTOR
TCE	TRICHLOROETHYLENE
IRM	INTERIM REMEDIAL MEASURES
MIP	MEMBRANE INTERFACE PROBE
NYSDEC	NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
ROD	RECORD OF DECISION
CRA	CONESTOGA-ROVERS & ASSOCIATES
RI	REMEDIAL INVESTIGATION

PID	PHOTO IONIZATION DETECTOR
SCO	SOIL CLEANUP OBJECTIVES
SVOC	SEMI-VOLATILE ORGANIC COMPOUNDS
VOC	VOLATILE ORGANIC COMPOUNDS
SVI	SOIL VAPOR INTRUSION
XSD	HALOGEN SPECIFIC DETECTOR



## EXECUTIVE SUMMARY

C&S Engineers, Inc. (C&S) has prepared the 2023 Periodic Review Report for the former Dowcraft, South Dow Street Site (NYSDEC Site No. 907020) located at 65 South Dow Street in Falconer, New York. From 1939 to 1999, the Site manufactured steel partitions. As part of this manufacturing process, a vapor degreaser was used which included the use of chemicals such as trichloroethylene (TCE).

Previous environmental investigations have detected a TCE plume in the area of the former Dowcraft, South Dow Street Site. TCE contamination is located within two sand/gravel layers separated by a silt/clay lens. According to previous environmental reports, the area of former degreaser pit (area of groundwater monitoring wells PW-3 and PW-3R) is a likely source area for the TCE plume. The plume originates from the degreaser area and has affected groundwater in the upper and lower sand/gravel layers. The plume extends from the degreaser area to the north, under the JCC building and up to the area of the Chadakoin River. This is an area of approximately one acre. The rate of movement is approximately 2 to 3 feet per year to the north. Sampling in the River has not shown any impact to date.

The 2003 Record of Decision of the Site selected in-situ chemical dechlorination using potassium permanganate as the approved remedy. Nine in-situ treatment events occurred between May 2000 and July 2006. In 2014, C&S completed another treatment on the Site. Ten injection borings were advanced throughout the TCE plume and a potassium permanganate treatment fence was installed adjacent to the source area by PW-3R.

In June 2022, 31 injection borings were advanced and injected with combined biological enhanced reductive dechlorination and abiotic in-situ chemical reduction using zero-valent iron. Post-treatment groundwater monitoring indicates that the 2022 treatment was successful in the dechlorination of TCE. The source area was reduced to almost 100% in eight weeks and the treatment products used will remain effective over many years, we expect the source area to continue to contain low concentrations of VOCs. This will eliminate contamination loading to other areas of the Site. We expect VOC concentrations in other monitoring wells to reduce over time.

The Site is compliant with all institutional and engineering controls. The Institutional and Engineering Controls Certification form is provided in **Appendix C**.

## **1** SITE OVERVIEW

### **1.1 Site Description**

The Dowcraft, South Dow Street Site is located at 65 South Dow Street in Falconer, New York and occupies approximately 2.2 acres of land situated immediately east of South Dow Street and approximately 100 feet south of the Chadakoin River (Site). The Jamestown Container manufacturing building is situated between the Site and the Chadakoin River.

### **1.2 Geology and Hydrogeology**

Site geology consists of fill material overlying two sand/gravel layers separated by a silt/clay lens. Fill material consists of a mixed matrix of sand, cinders, silt, gravel, brick, concrete, coal, slag and metal. The fill unit ranges in thickness from 2 to over 14 feet, with an average thickness of 8 feet.

Under the fill, the upper sand/gravel layer ranges from 10 to 20 feet in thickness. Underlying the upper sand/gravel layer is a silt/clay lens that ranges from 4 to 8 feet in thickness. The lower sand/gravel layer is 10 to 18 feet thick. Underlying the lower sand layer is a second silt/clay layer that starts approximately 43 feet below ground surface (BGS). This unit is estimated to be 60 feet in thickness according to regional geology.

The average depth to groundwater is 10 feet BGS within the upper sand/gravel layer. Groundwater flow within the upper sand/gravel layer is to the north-northeast at approximately 2.7 feet per year.

### **1.3 Nature and Extent of Contamination**

The chemicals of concern (COC) of the Site are trichloroethylene (TCE) and its daughter compounds (cis-1,2-dichloroethene –DCE – and vinyl chloride). According to previous environmental reports, the area of former degreaser pit (area of groundwater monitoring wells PW-3 and PW-3R) is a likely source area for the COC plume. The plume originates from the degreaser area and has affected groundwater in the upper and lower sand/gravel layers. The plume extends from the degreaser area to the north, under the JCC building and up to the area of the Chadakoin River. This is an area of approximately one acre. Sampling in the River has not shown any impact to date.

Total volatile organic compound (VOC) concentrations range between 2.8 to 1938 ug/L. The volume of the COC plume extends from the degreaser pits to the southern façade of the JCC building (approximate area of 5,000 square feet), then

then vertically down to the base of the second sand/gravel layer (43 feet BGS); a total volume of approximately 8,333 cubic yards of groundwater and subsurface soil.

**Table 1** presents the 2013 baseline groundwater monitoring data. **Table 2** presents data for the pre-treatment and post-treatment groundwater monitoring events. Another groundwater monitoring event was conducted on August 2022. Sampling data will be submitted as a separate report to the NYSDEC.

#### **1.4 Site History**

The property was first developed in 1890 as a woolen mill until 1939 when it was converted into a factory which manufactured steel partitions used for offices. In 1986 the deed was transferred to the Dowcraft Corporation. Manufacturing activities continued until the facility closed in 1999. As part of this manufacturing process, a vapor degreaser was used which included the use of chemicals such as trichloroethylene (TCE). This work continued until 1999 when the facility was closed, a portion of the Site was demolished, and the property was sold to JCC.

**Figure 1** presents present and historic site features.

The Dowcraft, South Dow Street Site was the subject of environmental investigations in the early 1990s, at which time contaminated groundwater was discovered on site. An interim remedial measure (IRM) was subsequently put in place in 1994 which consisted of groundwater extraction and treatment. In 2000, the use of additional groundwater remediation technologies was approved by the NYSDEC which involved in-situ chemical oxidation of TCE through the injection of potassium permanganate into the overburden groundwater. In 2003, a Record of Decision (ROD) was approved that selected the following remedy:

- In-situ groundwater treatment through chemical oxidation, by injection of potassium permanganate dissolved in water through existing well points into the shallow overburden groundwater table;
- Overburden groundwater monitoring to verify the effectiveness of the treatment;
- Institutional controls will be imposed, in such form as the NYSDEC may approve, that will prevent the use of groundwater as a source of potable or process water without necessary water quality treatment as determined by the Local Health Department; and

- Annual certification to NYSDEC to certify that institutional controls remain in place.

Conestoga-Rovers & Associates (CRA) conducted nine injection treatments between May 2000 and July 2006, totaling 21,500 pounds of potassium permanganate. These injection treatments were successful in oxidizing TCE in outer plume area; however, the concentrations of TCE in the source area remain high.

#### 2014 and 2015 In-situ Remedial Activities

In May 2013, C&S was asked to re-evaluate the environmental conditions of the Site. On July 2013, baseline groundwater monitoring was conducted to determine the changes, if any, in TCE concentrations since 2006. Based on the findings of this work, a Corrective Measures Work Plan was submitted to the NYSDEC on May 2, 2014. C&S proposed additional in-situ chemical oxidation (ISCO) injections and the installation of a potassium permanganate treatment fence. This work was conducted on December 1 through 9, 2014.

Ten borings were each injected with approximately 33 gallons ISCO solution containing approximately 400 pounds of ISCO material. As the solution was pumped into the subsurface, the drill rods were lifted at a rate designed to inject a consistent amount of materials between 5 and 30 feet below grade. A total of 4,024.12 pounds of potassium permanganate was injected into the TCE plume.

Within the lower sand/gravel layer, the area adjacent to PW-3R contains the highest concentrations of TCE. To address these concentrations, a treatment fence was installed to reduce source loading into downgradient groundwater zones. The treatment fence consisted of 1.5 foot long tubes of paraffin wax mixed with potassium permanganate installed in selected monitoring wells and in the subsurface. A 36-foot treatment fence was installed next to the northwest corner of the building. A total of ten borings to 40 feet below grade were drilled to facilitate the installation of the treatment fence. A potassium permanganate cylinder was dropped down the drill casing. Four feet of casing was removed allowing the bore hole to collapse and another cylinder was placed in series until a total of 5 cylinders were installed (a vertical treatment thickness of approximately 7.5 feet in each boring).

#### 2021 Pre-Treatment Investigation

Parrat-Wolff, Inc. advanced a membrane interface probe (MIP) in 10 borings to 40 feet from January 4, 2021 to January 8, 2021. The MIP is an in-situ logging tool that measures the relative concentration of volatile organic compounds with depth in soil and groundwater. The MIP probe is advanced at a rate of 1 foot per minute. The MIP probe continuously logs data from several sensors including: photo ionization detector (PID); flame ionization detector (FID); halogen specific detector (XSD) and a sensor for measuring electrical conductivity. The location of the 10 MIP borings is presented in Figure 5.

Many locations contained indications of TCE right above confining layers at about 20 – 25 feet bgs; in most instances the sensors indicated that TCE contamination diminished at approximately 30 feet bgs. The source area around PW-3R was an exception. High levels of contamination were observed around 30 feet bgs and continued past our 40 foot limit.

Four soil samples were collected from selected MIP borings to correlate the millivolt spikes to ug/kg. Samples were analyzed for VOCs only. MIHPT-1 (adjacent to the JCC Building 5) collected at 17.5 feet bgs contained TCE at 1,800 ug/kg and DCE at 1,300 ug/kg. MIHPT-3 (western edge of the plume) was collected at 22 – 26 feet and contained TCE at 2,500 ug/kg, DCE at 1,300 ug/kg and vinyl chloride at 7.6 ug/kg. MIHPT-4 (adjacent to PW-3R) was collected from 31 – 34 feet and contained TCE at 130,000 ug/kg and DCE at 4,400 ug/kg. MIHPT-9 (adjacent to ESI-6) was collected from 24 – 28 feet bgs and contained TCE at 88 ug/kg and DCE at 5,700 ug/kg. MIP data, plume model and laboratory data report is provided in Appendix F in the 2021 PRR.

#### 2022 In-situ Treatment

On June 6 through June 14, 2022, C&S and NW Contracting implemented the remediation as described in the February 2020 Remedial Action Work Plan.

The remedial method combined biological enhanced reductive dechlorination (ERD) and abiotic in-situ chemical reduction (ISCR) using zero-valent iron. Zero valent iron and biological enhanced dichlorination.

ERD products include 3-D Microemulsion and Bio-Dechlor INOCULM Plus. 3-D Microemulsion provides a controlled release of lactic, organic and fatty acids for the steady production of hydrogen needed for anaerobic biodegradation. The self-distributing features of 3-D Microemulsion combined with its longevity (several years) allow for sufficient coverage with minimal pore volume displacement thereby minimizing application costs. The addition of Bio-Dechlor

INOCULM Plus insures that the correct anaerobic microbes are applied to the treatment area.

Micro zero-valent iron (MZVI), provides conditions for abiotic reduction via the formation of iron sulfides, oxides and hydroxides, while also maintaining strong reducing conditions in the treatment area for an extended timeframe. This will foster rapid abiotic reduction of chlorinated solvents while reducing the potential for daughter product formation.

A solution of 3-D Microemulsion, MZVI and water was directly injected into the soil in 31 borings within the source area around PW-3R. Two subsurface zones were targeted: sand zone and silt zone. The sand zone consists of sand material located below ground surface to approximately 35 feet bgs. A thick and relatively impervious clay layer separates the sand zone from the silt zone. Silt material is encountered at least 35 or more feet bgs and extends over 40 feet bgs. The volume of ISCR product slightly changes for each of these zones.

Injection points will be spaced every six feet within a row and 15 feet between each row. A 2,775 square foot area is assumed to be the extent of the source area (**Figure 5**). No soils were generated or required disposal during this work.

#### *Storage of EDR and ISCR Chemicals*

EDR and ISCR products were shipped directly to the Site and stored in conditions in accordance with the manufacturer's specifications. All EDR and ISCR product was used for this treatment.

Decontamination of equipment, storage, personal protection, and other related safety concerns was completed in accordance with the Material Safety Data Sheets and vendor recommendations.

#### *Mixing of EDR and ISCR Chemicals*

NW Contracting was retained to perform the in-situ injections. Injections were conducted on June 6 through June 14, 2022. EDR and ISCR was mixed in steel, 55-gallon drums. IBC totes of ISCR product were staged using a fork lift next to a trailer mounted mixing station. The ISCR/EDR solution was pumped from the mixing station to a truck mounted geo-probe and into the subsurface.

EDR/ISCR product and water will be mixed according to manufacturer's specifications.

Source area – Sand Zone treatment will inject the following:

- 4,000 pounds of 3-D Microemulsion
- 3,000 pounds of S-MZVI
- 32 liters of Bio-Dechlor INOCULM Plus

The treatment solution will be applied evenly in each injection point from 15 to 35 feet bgs.

Source area – Silt Zone treatment will inject the following:

- 2,000 pounds of 3-D Microemulsion
- 1,500 pounds of S-MZVI
- 9 liters of Bio-Dechlor INOCULM Plus

The treatment solution will be applied evenly in each injection point from 35 to 42 feet bgs.

#### *EDR and ISCR Quantities*

A total of 31 borings were each injected with approximately:

- 8 gallons of 3-D Microemulsion
- 3 gallons of S-MZVI
- 0.3 liters of Bio-Dechlor INOCULM Plus
- 133 gallons of water

As treatment solution was pumped into the subsurface, the drill rods were lifted at a rate designed to inject a consistent amount of materials throughout the sand and silt zones.

## 2 MONITORING PLAN COMPLIANCE REPORT

The monitoring plan developed by C&S for the Site includes both chemical and hydraulic monitoring of groundwater before and after treatment semi-annually for two years. Sampling frequency was changed to annual on June 2017 just prior to the acceptance of the 2018 Operation, Monitoring and Maintenance Plan. Baseline groundwater monitoring was performed on July 2, 2013 and the chemical data is provided in **Table 1**. Pre and post groundwater monitoring results from the 2014 treatment is provided in **Table 2**. The following monitoring wells are included in the groundwater monitoring plan:

ESI - 1	ESI - 11
ESI - 2	ESI - 12
ESI - 3	ESI -13R
ESI - 6	PW - 1
ESI - 7	PW - 3R
ESI - 10	

The groundwater monitoring activities included the collection of depth-to-water measurements at each monitoring well and the collection of groundwater samples for laboratory analysis. Pre-treatment sampling was conducted on October 21, 22 and 29, 2014 and post-treatment sampling was conducted on:

April 21 and 22, 2015	1 <sup>st</sup> Post-treatment (2014)
November 2 and 3, 2015	2 <sup>nd</sup> Post-treatment (2014)
April 25 and 26, 2016	3 <sup>rd</sup> Post-treatment (2014)
October 20 and 21, 2016	4 <sup>th</sup> Post-treatment (2014)
June 7 and 8, 2017	5 <sup>th</sup> Post-treatment (2014)
May 7 and 8, 2018	6 <sup>th</sup> Post-treatment (2014)
	1 <sup>st</sup> Annual Sample Event under new OM&M



June 25 and 25, 2019	7 <sup>th</sup> Post-treatment (2014)  2 <sup>nd</sup> Annual Sample Event under new OM&M
July 15 and 16, 2020	8 <sup>th</sup> Post-treatment (2014)  3 <sup>rd</sup> Annual Sample Event under new OM&M
October 26 and 27, 2021	9 <sup>th</sup> Post-treatment (2014)  4 <sup>th</sup> Annual Sample Event under new OM&M
<hr/>	
August 17 and 18, 2022	1 <sup>th</sup> Post-treatment (2022)  5 <sup>th</sup> Annual Sample Event under new OM&M
<hr/>	
August 30 and 31, 2023	2 <sup>nd</sup> Post-treatment (2022)  6 <sup>th</sup> Annual Sample Event under new OM&M

Groundwater sampling was conducted in accordance with the U.S. Environmental Protection Agency Low flow sample procedure.

### 3 REMEDY PERFORMANCE, EFFECTIVENESS AND PROTECTIVENESS

Contaminant concentrations appeared to have decreased across the extent of the plume, although some active dichlorination increases were detected in the source area. The table below presents a comparison of total VOC concentrations from each monitoring well and the percent change from pre-treatment and post-treatment groundwater monitoring.

**CHANGE IN VOC CONCENTRATION 2014-2023**

<b>Monitoring Well</b>	<b>Total VOC Concentration (ug/L)</b>		<b>Percent Change</b>
	<b>Pre-Treatment October 2014</b>	<b>Post-Treatment August 2023</b>	
PW-1	16.9	9.9	-41.42%
PW-3R	2,609.3	1,938	-25.73%
ESI-1	8.9	2.8	-68.54%
ESI-2	816.08	8.6	-98.95%
ESI-3	4.8	4.2	-12.5%
ESI-6	575.22	4.6	-99.20%
ESI-7	208.39	19.1	-90.83%
ESI-10	352.11	2.56	-99.27%
ESI-11	157	3.9	-97.52%
ESI-12	221.48	4.2	-98.10%
ESI-13R	40	10	-75%

**CHANGE IN VOC CONCENTRATION 2022 INJECTIONS-2023**

<b>Monitoring Well</b>	<b>Total VOC Concentration (ug/L)</b>		<b>Percent Change</b>
	<b>August 2022</b>	<b>August 2023</b>	
PW-1	83.73	9.9	-88.18%
PW-3R	24.32	1,938	+7,868.75%
ESI-1	4.4	2.8	-36.36%
ESI-2	1,375.4	8.6	-99.37%
ESI-3	30.22	4.2	-86.10%
ESI-6	33.2	4.6	-86.14%
ESI-7	83.88	19.1	-77.23%
ESI-10	3.6	2.56	-28.89%
ESI-11	2.3	3.9	+69.57%
ESI-12	4.3	4.2	-2.33%
ESI-13R	15.5	10	-35.48%

Pre and post groundwater monitoring results from the 2023 treatment is provided in **Table 3**.

Out of eleven monitoring wells, nine wells show significant decreases, over 40%, in TCE and other chlorinated compounds from the first initial sampling event in 2014. Monitoring wells PW-3R and ESI-11 both showed an increase in total VOC concentrations from the previous sampling event in 2022. Wells inside the JCC building (ESI-10, ESI-11 and ESI-12) showed a continuation of non-detect for TCE. Concentrations continue to decrease from monitoring wells downgrade of the source area.

PW-3R and ESI-11 have increased levels of daughter compounds of TCE, indicating that reductive de-chlorination of TCE is taking place as a result of the 2022 treatment. PW-3R shows a significant increase in TCE daughter compounds; DCE and vinyl chloride from the August 2022 sampling event. The table below presents the VOC after treatment.

**SOURCE AREA CHANGE IN VOC CONCENTRATION 2022-2023**

<b><i>PW-3R (Source Area)</i></b>	<b><i>2022 Results (ug/L)</i></b>	<b><i>2023 Results (ug/L)</i></b>	<b><i>Percent Change</i></b>
Vinyl chloride	13	960	+7,284.62%
1,1-Dichloroethene	Not Detected	Not Detected	-100%
trans-1,2-Dichloroethene	Not Detected	Not Detected	-100%
Trichloroethene	Not Detected	Not Detected	-100%
cis-1,2-Dichloroethene	2.6	960	+36,823.08%

Considering that the source area was reduced to almost 100% in eight weeks and, after a year, the emergence of daughter compounds is not a concern, the treatment products used will remain effective over many years. The August 2023 sampling event was possibly conducted at a time that the treatment was in the process of dechlorinating residual contamination. C&S anticipated that targeted source area treatment will eliminate contamination loading to other areas of the Site. Based on the latest sampling results, this appears to be correct.

Historic concentrations of TCE and its daughter compounds from October 2005 to August 2023 are presented on **Figures 2, 3, and 4** and **Graph 1**. Laboratory analytical results and Data Usability Summary Report (DUSR) are provided in **Appendix A**.

## 4 IC/EC PLAN COMPLIANCE REPORT

### 4.1 IC/EC Requirements and Compliance

As stated in the 2003 ROD, the remedial goals selected for this Site are:

- Treat the source area of groundwater contamination by oxidation dichlorination of the contaminants in place;
- Prevent exposure of human receptors to contaminated groundwater in the sand and gravel unit under Site;
- Prevent or mitigate, to the maximum extent practicable, COC migration via groundwater so that releases from the underlying sand and gravel unit to the Chadakoin River do not exceed applicable standards, criteria and guidance (SCGs);
- Prevent or mitigate, to the maximum extent practicable, the migration of contaminated groundwater to off-site areas;
- Restore on-Site groundwater in the sand and gravel unit to the maximum extent practicable which will not result in exceedances of applicable SCGs; and
- Monitor the groundwater in a manner to verify the effectiveness of the remedial actions.

#### 4.1.1 Institutional Controls

The institutional controls for this Site are:

- Groundwater Use Restriction
- Land Use Restriction
- Monitoring Plan
- Operation and Monitoring Plan

The Site has not changed owners and the land use of the Site has not change. A signed certification that groundwater is not utilized is provided by the property owner in **Appendix B**.

#### 4.1.2 Engineering Controls

As specified under the Engineering Control Provision, any future development on the Site will include provisions for soil gas controls, or an assessment demonstrating that such controls are not needed.

The soil vapor intrusion (SVI) work plan, submitted on February 20, 2015, targeted areas in the main JCC building and one smaller out building to determine if TCE and other chlorinated compounds in the groundwater have impacted the soil vapor and indoor air quality.

The main JCC building is a linear building that begins at South Dow Street and extends approximately 1,060 feet to the northeast. The main building consists of multiple interconnected buildings that have been added throughout its history. The main building consists of the following portions, starting from South Dow Street:

- Four-story brick building, 55 feet long by 100 feet wide;
- Two-story brick building 300, feet long by 50 feet wide;
- One-story brick building 380, feet long by 80 feet wide; and
- One-story steel building 325, feet long by 100 feet wide.

A second, one-story concrete block building (220 feet long by 50 feet wide), referred by JCC as Building #9, is south of the main building. Building #9 is used for manufacturing.

#### Building #9 SSD System

Two multi-suction point SSD systems were installed by Mitigation Tech using principles and equipment typically used for soil vapor intrusion mitigation in buildings in compliance with the NYSDOH document, "Guidance for Evaluation Soil Vapor Intrusion in the State of New York, October 2006."

The building was assessed by confirmatory sub-slab air communication testing at the job start to refine data obtained from the preliminary building assessment. The system, comprised of two fans, suction cavities, and other SSD system components, was constructed on March 21 through 27, 2017. Vacuum and air flow measurements were performed continuously during construction to ensure design integrity.

A total of two manometers (B9-1 and B9-2) and six test points (north end of the building) were installed for this system.

A detailed description of the SSDS components are provided in the 2018 OM&M Work Plan.

### Building #5 and #6 SSD System

Mitigation Tech installed five single suction point SSD systems using principles and equipment typically used for soil vapor intrusion mitigation in buildings in compliance with the NYSDOH document, "Guidance for Evaluation Soil Vapor Intrusion in the State of New York, October 2006."

The building was assessed by extensive sub-slab air communication testing at job start to refine data obtained from the preliminary building assessment. Due to a system of sub-slab structural arches and crisscrossing grade beams, sub-slab spaces were either inaccessible or difficult to access. In the case of Building 5, extensive backfilling has occurred such that the soil is present immediately below the floor in the central and northernmost portions of the foundation. The southernmost portion is an open crawlspace with a dirt floor. Mitigation Tech determined that active ventilation of the southernmost sub-slab compartment bounded by buildings 4 and 6A would constitute a zone of defense to intercept soil vapor migrating from the south which would also create some limited depressurization north of the first grade beam. In the case of Building 6, the sub-space is in essence a crawlspace so ventilation was determined the most appropriate strategy to divert vapors from the building interior.

A total of two manometers (B5-1 and B5-2) and two test points (near crawlspace entrance and near folk lift ramp) were installed in building 5 for this system.

A total of three manometers (B6-1, B6-2, and B6-3) and three test points (near crawlspace entrance and near folk lift ramp) were installed in building 6 for this system.

A detailed description of the SSDS components are provided in 2018 OM&M Work Plan.

## **4.2 IC/EC Certification**

As required, the Site Management Periodic Review Report Notice – Institutional and Engineering Controls Certificate Form has been completed and a copy is provided in **Appendix C**.

## 5 OPERATION AND MAINTENANCE PLAN COMPLIANCE

An updated Operation, Maintenance and Monitoring (OM&M) Work Plan was approved by the NYSDEC in March 2018. The updated Work Plan includes monitoring the natural attenuation of the groundwater contamination and periodic inspection of two soil vapor mitigation systems over five years. The Remedial Action Monitoring Program consists of monitoring Site groundwater on an annual basis and the performance of the SSDS on a monthly and annual basis.

No excavation or importation of materials occurred to the areas under the Environmental Easement within the certifying period.

### 5.1 Groundwater Monitoring Wells

The following maintenance items were identified:

- No maintenance items were identified at this time.

### 5.2 Soil Vapor Mitigation Systems

#### 5.2.1 Monthly Monitoring

Monthly monitoring will be conducted as follows:

- Inspect fan vacuum indicator to verify that the value indicated by a mark on the gauge has not changed significantly from the position of the mark. The gauge is inspected by observing the level of colored fluid.
- Record the observed measurement for each fan vacuum indicator on form labeled "SSD System Vacuum Gauge Record". Store all forms in the facility maintenance office.
- Inspect visible components of SSD system for degraded condition.

Monthly vacuum gauge readings are provided in **Appendix D**.

#### 5.2.2 Annual Inspection

Annual inspection will be conducted as follows:

- Conduct a visual inspection of the complete system (e.g., vent fans, piping, warning devices, labeling).

- Inspect all components for condition and proper operation.
- Identify and repair any leaks in accordance with Sections 4.3.1(a) and 4.3.4(a) of the NYS DOH VI Guidance (i.e., with the systems running, use smoke sticks to check for leaks through concrete cracks, floor joints and at the suction points; any leaks will be resealed until smoke is no longer observed flowing through the opening).
- Inspect the exhaust or discharge point of each exhaust fan to verify that no air intakes have been located within 10 feet.
- Conduct pressure field extension testing to ensure that the system is maintaining a vacuum beneath the entire slab. Perform a differential pressure reading at least one vacuum test point.
- Interview appropriate building occupants seeking comments and observations regarding the operation of the system.
- Confirm that the circuit breakers controlling the circuits on which the soil vapor vent fans operate are labeled "Soil Vapor System."

#### 5.2.2.1 SSDS Inspection

On September 29, 2023, Mitigation Tech performed a complete inspection of all system components. Mitigation Tech certifies both systems are effectively maintaining sub-slab depressurization.

Mitigation Tech's inspection reports are provided in **Appendix D**.



## 6 CONCLUSIONS AND RECOMMENDATIONS

Based upon the remedial activities performed, the following conclusions have been formulated:


- All of the required work was completed and is reported herein.
- The remedial activities performed at the Site have prevented any adverse risk to human health and the environment.
- The groundwater flow configuration beneath the Site is stable and remains consistent with the historically identified trends. The groundwater flow is to the north and discharges into the Chadakoin River.
- Sampling suggests a high level of effectiveness of EDR/ISCR injections within the source area. The source area was reduced to almost 100% in eight weeks.
- The treatment products used will remain effective over many years, we expect the source area to continue to actively dechlorinate concentrations of VOCs. This will eliminate contamination loading to other areas of the Site. We expect VOC concentrations in other monitoring wells to reduce over time.
- Potassium permanganate candles were installed in monitoring wells ESI-2, ESI-10, ESI-11 and ESI-12. Based on the last round of sampling the candles appear to still be discharging potassium permanganate due to the purplish or pinkish color water collected during purging. It does appear that the majority of the potassium permanganate has been used. Candles can remain in the monitoring wells until all the potassium permanganate has been exhausted.
- The SVI systems comprised of an SSD system for Building 9 and an SSD system and CVS for Buildings 5 and 6 were properly installed and verified for effectiveness.

Groundwater monitoring will continue to occur annually following the Operation, Maintenance and Monitoring (OM&M) Work Plan.

F:\Project\N30 - Jamestown Container\N30001011 - JCC 2023 GW Monitoring\Planning-Study\Reports\DRAFT 2023 PERIODIC REVIEW REPORT BW.docx

## FIGURES

f:\Project\30 - jamestown container\environmental\CADD-GIS\Sheet Files\FIGURE 1 HISTORIC AND EXISTING SITE FEATURES.dwg



**LEGEND**

- MONITORING WELL
- ☒ SURFACE WATER SAMPLE LOCATION
- BOREHOLE
- ☒ SURFACE SOIL SAMPLE LOCATION
- ▲ PURGE WELL
- △ DRYWELL
- STATE SUPERFUND PROGRAM BOUNDARY

**NOTES**

1. Drawing from CRA "Final Supplemental Remedial Investigation Report/Focused Feasibility Study," Figure 5.1: Sample Locations, 2001.

0 25 50 100 200 FEET

C&S Engineers, Inc.  
141 Elm Street.  
Buffalo, New York 14203  
Phone: 716-847-1630  
Fax: 716-847-1454  
www.cscos.com

FORMER DOWCRAFT FACILITY  
GROUNDWATER REMEDIATION

FALCONER, NEW YORK

MARK	DATE	DESCRIPTION
REVISIONS		
PROJECT NO: N30.001.001		
DATE: JUNE 6, 2016		
DRAWN BY: C. MARTIN		
DESIGNED BY: C. MARTIN		
CHECKED BY: D. RIKER		
NO ALTERATION PERMITTED HEREON EXCEPT AS PROVIDED UNDER SECTION 7209 SUBDIVISION 2 OF THE NEW YORK EDUCATION LAW		


HISTORIC AND  
EXISTING SITE  
FEATURES

FIGURE 1





F:\Project\N30 - Jamestown Container CADD\Sheet Files\FIGURE 3 cis-1,2-DICHLOROETHENE CONCENTRATIONS.dwg



C&S Engineers, Inc.  
141 Elm Street.  
Buffalo, New York 14203  
Phone: 716-847-1630  
Fax: 716-847-1454  
www.cscos.com

FORMER DOWCRAFT FACILITY -  
PERIODIC REVIEW REPORT


FALCONER, NEW YORK

MARK	DATE	DESCRIPTION
REVISIONS		
PROJECT NO: N30.001.001		
DATE: NOVEMBER 2023		
DRAWN BY: C. MARTIN		
DESIGNED BY: C. MARTIN		
CHECKED BY: D. RIKER		
NO ALTERATION PERMITTED HEREON EXCEPT AS PROVIDED UNDER SECTION 7209 SUBDIVISION 2 OF THE NEW YORK EDUCATION LAW		


cis-1,2-DICHLOROETHENE  
CONCENTRATIONS

FIGURE 3

F:\Project\N30 - Jamestown Container CADD\Sheet Files\FIGURE 4 VINYL CHLORIDE CONCENTRATIONS.dwg



C&S Engineers, Inc.  
141 Elm Street.  
Buffalo, New York 14203  
Phone: 716-847-1630  
Fax: 716-847-1454  
www.cscos.com



**FORMER DOWCRAFT FACILITY -  
PERIODIC REVIEW REPORT**

**FALCONER, NEW YORK**

MARK	DATE	DESCRIPTION
REVISIONS		
PROJECT NO: N30.001.001		
DATE: NOVEMBER 2023		
DRAWN BY: C. MARTIN		
DESIGNED BY: C. MARTIN		
CHECKED BY: D. RIKER		
NO ALTERATION PERMITTED HEREON EXCEPT AS PROVIDED UNDER SECTION 7209 SUBDIVISION 2 OF THE NEW YORK EDUCATION LAW		

VINYL CHLORIDE  
CONCENTRATIONS

FIGURE 4







# **SUB-SLAB DEPRESSURIZATION SYSTEM**

## Legend

F = fan w/ exterior switch

P = circuit breaker


G = vacuum gauge

○ = suction point

X = test point

--- = pipe run

□ Annual Test Point



## **Building #9 - SSDS**

### **SUB-SLAB DEPRESSURIZATION SYSTEM DIAGRAM**

Jamestown Container Companies – 65 South Dow St., Falconer, NY 14733

Installed by: Mitigation Tech, 55 Shumway Rd., Brockport, NY 14420

Date of Completion: March 27, 2017 Phone: 1-800-637-9228




● = FAN/SUCTION POINT

G = GAUGE P = PANEL

TP = VACUUM TEST POINT

□ Annual Test Point



SUB-SLAB DEPRESSURIZATION/VENTILATION SYSTEM DIAGRAM  
Jamestown Container Companies – 65 South Dow St., Falconer, NY 14733  
Buildings #5 & #6

Installed by: Mitigation Tech, 55 Shumway Rd., Brockport, NY 14420  
Date of Completion: August 4, 2017

## TABLES

**TABLE 1: JULY 2013 GROUNDWATER ANALYTICAL RESULTS - VOLATILE ORGANIC COMPOUNDS  
FORMER DOWCRAFT FACILITY**

Sample Location	NYSDEC Standards & Guidance Values	ESI - 1	ESI - 2	ESI - 3	ESI - 6	ESI - 7	ESI - 10	ESI - 11	ESI - 12	ESI - 13R	PW - 1	PW - 3R		
Sample Date		2-Jul-13	2-Jul-13	2-Jul-13	2-Jul-13	2-Jul-13	2-Jul-13	2-Jul-13	2-Jul-13	2-Jul-13	2-Jul-13	2-Jul-13		
Matrix		Water	Water	Water	Water	Water	Water	Water	Water	Water	Water	Water		
Units		ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/L	ug/l	ug/l	ug/l	ug/l	
Contaminant														
Volatile Organic Compounds														
Acetone	50	<10.0	<10.0	<10.0		<10.0	<10.0	<10.0				13		
Benzene	1	<0.70	<0.70	<0.70		<0.70	<0.70	<0.70				0.88 J		
Carbon disulfide	N/S	<2.0	1.3	<2.0		<2.0	<2.0	<2.0				5.0		
1,1-Dichloroethane	5	<2.0	<2.0	<2.0		<2.0	<2.0	<2.0				5.5		
1,2-Dichloroethane	0.6	<2.0	<2.0	<2.0		<2.0	<2.0	<2.0				1.2		
1,1-Dichloroethene	5	<2.0	2.8	<2.0	1.6	<2.0	0.34 J	<2.0				48		
cis-1,2-Dichloroethene	5	1.1	1,900	<2.0	230	1.9	160	39	48	2.7	2.7	27,000 DL		
trans-1,2-Dichloroethene	5	<2.0	13	<2.0	1.2	<2.0	1.6	<2.0				500 E		
1,2-Dichloropropane	1	<2.0	<2.0	<2.0		<2.0	<2.0	<2.0				2.2		
Ethylbenzene	5	<2.0	<2.0	<2.0		<2.0	<2.0	<2.0				0.77 J		
Methylene Chloride	5	<5.0	<5.0	<5.0		<5.0	<5.0	<5.0				1.3		
4-Methyl-2-pentanone	N/S	<5.0	<5.0	<5.0		<5.0	<5.0	<5.0				2.6 J		
Tetrachloroethene	5	<2.0	0.55 J	<2.0	0.88 J	<2.0	<2.0	<2.0				18		
1,1,2-Trichloroethane	1	<2.0	<2.0	<2.0		<2.0	<2.0	<2.0				2.8		
Trichloroethene	5	8.2	98	6.3	230	21	18	4.2	92	8.9	11	97000 DL		
Toluene	5	<2.0	<2.0	<2.0		<2.0	<2.0	<2.0				18		
Vinyl chloride	2	<2.0	800	<2.0	73	<2.0	11	75				6300 DL		
Xylene (total)	5	<2.0	<2.0	<2.0		<2.0	<2.0	<2.0				4.8		
Total VOCs		9.3	2815.65	6.3	536.68		22.9	190.94		118.2	140	11.6	13.7	130924

Notes

1) Shaded areas indicate concentration exceeds NYSDEC T.O.G.S 1.1.1 Ambient Water Quality Standards

2) < = not detected - below Method Detection Limit.

3) J = The analyte was positively identified but, the number indicates an estimated value. Detected concentration is less than the contract required quantitation limit but is greater than zero.

4) N/S = No Standard

TABLE 2  
2014 PRE AND POST TREATMENT GROUNDWATER ANALYTICAL RESULTS

FORMER DOWCRAFT FACILITY  
TOWN OF FALCONER, NEW YORK



Location ID Sample Matrix Date Sampled Units		ESI-1 WG 10/21/2014 ug/l		ESI-1 WG 04/21/2015 ug/l		ESI-1 WG 11/03/2015 ug/l		ESI-1 WG 04/25/2016 ug/l		ESI-1 WG 10/20/2016 ug/l		ESI-1 WG 06/07/2017 ug/l		ESI-1 WG 05/07/2018 ug/l		ESI-1 WG 06/26/2019 ug/l		ESI-1 WG 07/15/2020 ug/l		ESI-1 WG 10/27/2021 ug/l		ESI-2 WG 10/29/2014 ug/l		ESI-2 WG 04/22/2015 ug/l		ESI-2 WG 11/03/2015 ug/l		ESI-2 WG 04/25/2016 ug/l		ESI-2 WG 10/21/2016 ug/l	
NYSDEC Groundwater Standards & Guidance Values																															
1,1,1-Trichloroethane	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	5	U	--	U	--	U	--	U	--	U	--	U
1,1-Dichloroethane	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
1,1-Dichloroethene	5.0 ug/l	--	U	--	U,*	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	1.1		--	U,*	12		--	U	--	U
1,2-Dichlorobenzene	3.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
1,2-Dichloroethane	0.6 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
1,3-Dichlorobenzene	3.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
1,4-Dichlorobenzene	3.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
Bromoform	50.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
Dibromochloromethane	50.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
Acetone	50.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	2.2	J	--	U	2.2	J	--	U	--	U	--	U	--	U	--	U
Benzene	1.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
Carbon Tetrachloride	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U,*	--	U	--	U	--	U	--	U
Chlorobenzene	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
Chloroform	7.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
Cis-1,2-Dichloroethylene	5.0 ug/l	--	U	4.4		--	U	--	U	--	U	--	U	--	U	0.73	J	1.01	J	--	U	540	E	740		4400	E	5290		592	
Ethylbenzene	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
Methylene Chloride	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	7.9	J	--	U	--	U	--	U
Tetrachloroethylene (PCE)	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	0.48	J	--	U	--	U	--	U	--	U
Toluene	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
Trans-1,2-Dichloroethene	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	4.5		--	U	19		--	U	--	U
Trichloroethylene (TCE)	5.0 ug/l	8.9		15		12		4.89		6.52		3.68		4.4		10		6.72		7.8		130	E	110		1100	E	1260		303	
Vinyl Chloride	2.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	130	E	130		320		289		--	U
Xylenes	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
TOTAL VOCs		8.9		19.4		12		4.89		6.52		3.68		4.4		12.39		7.73		10.7		816.08		987.9		6151		6,839		895	

TABLE 2  
2014 PRE AND POST TREATMENT GROUNDWATER ANALYTICAL RESULTS

FORMER DOWCRAFT FACILITY  
TOWN OF FALCONER, NEW YORK



Location ID Sample Matrix Date Sampled Units		ESI-2 WG 06/08/2017 ug/l	ESI-2 WG 05/08/2018 ug/l	ESI-2 WG 06/26/2019 ug/l	ESI-2 WG 07/15/2020 ug/l	ESI-2 WG 10/27/2021 ug/l	ESI-3 WG 10/21/2014 ug/l	ESI-3 WG 04/22/2015 ug/l	ESI-3 WG 11/02/2015 ug/l	ESI-3 WG 04/25/2016 ug/l	ESI-3 WG 10/20/2016 ug/l	ESI-3 WG 06/07/2017 ug/l	ESI-3 WG 05/08/2018 ug/l	ESI-3 WG 06/26/2019 ug/l	ESI-3 WG 07/15/2020 ug/l	ESI-3 WG 10/26/2021 ug/l	ESI-6 WG 10/29/2014 ug/l	ESI-6 WG 04/22/2015 ug/l
NYSDEC Groundwater Standards & Guidance Values																		
1,1,1-Trichloroethane	5.0 ug/l		-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U
1,1-Dichloroethane	5.0 ug/l		-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U
1,1-Dichloroethene	5.0 ug/l		-- U	3.7 J	-- U	0.27 J	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	1.6 U	-- U
1,2-Dichlorobenzene	3.0 ug/l	WELL CAP DAMAGED. SAMPLE NOT COLLCETED.	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U
1,2-Dichloroethane	0.6 ug/l		-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U
1,3-Dichlorobenzene	3.0 ug/l		-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U
1,4-Dichlorobenzene	3.0 ug/l		-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U
Bromoform	50.0 ug/l		-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U
Dibromochloromethane	50.0 ug/l		-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U
Acetone	50.0 ug/l		-- U	-- U	-- U	-- U	8.8	-- U	-- U	-- U	-- U	-- U	-- U	3.4 J	-- U	5.5	-- U	-- U
Benzene	1.0 ug/l		-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U
Carbon Tetrachloride	5.0 ug/l		-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U,*	-- U
Chlorobenzene	5.0 ug/l		-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U
Chloroform	7.0 ug/l		-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U
Cis-1,2-Dichloroethylene	5.0 ug/l		480	1400	1910	180	-- U	-- U	-- U	-- U	1.4 J	-- U	-- U	-- U	-- U	-- U	210 E	1100
Ethylbenzene	5.0 ug/l		-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U
Methylene Chloride	5.0 ug/l		-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	10 J
Tetrachloroethylene (PCE)	5.0 ug/l		-- U	-- U	-- U	-- U	0.48 J	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	1.1	-- U
Toluene	5.0 ug/l		-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U
Trans-1,2-Dichloroethene	5.0 ug/l		27	18 J	-- U	5	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	2.2	-- U
Trichloroethylene (TCE)	5.0 ug/l		450	690	708	190	4.8	2.5	4.8	1.06 J	6.99	-- U	0.3	0.8	5.47	0.66	200 E	810
Vinyl Chloride	2.0 ug/l	-- U	120	20.3 J	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	160 E	100 *,^
Xylenes	5.0 ug/l	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U	-- U
TOTAL VOCs		--	957	2,228.00	2,638.3	384.55	4.8	2.5	4.8	1.06	8.39	--	0.3	4.2	5.47	6.16	575.22	2,020

TABLE 2  
2014 PRE AND POST TREATMENT GROUNDWATER ANALYTICAL RESULTS

FORMER DOWCRAFT FACILITY  
TOWN OF FALCONER, NEW YORK



Location ID Sample Matrix Date Sampled Units		ESI-6 WG 11/02/2015 ug/l	ESI-6 WG 04/25/2016 ug/l	ESI-6 WG 10/21/2016 ug/l	ESI-6 WG 06/08/2017 ug/l	ESI-6 WG 05/08/2018 ug/l	ESI-6 WG 06/26/2019 ug/l	ESI-6 WG 07/15/2020 ug/l	ESI-6 WG 10/27/2021 ug/l	ESI-7 WG 10/21/2014 ug/l	ESI-7 WG 04/21/2015 ug/l	ESI-7 WG 11/02/2015 ug/l	ESI-7 WG 04/25/2016 ug/l	ESI-7 WG 10/20/2016 ug/l	ESI-7 WG 06/08/2017 ug/l	ESI-7 WG 05/07/2018 ug/l	*ESI-4* WG 06/26/2019 ug/l * Well ESI-7 was paved over, Well ESI-4 was	ESI-7 WG 07/15/2020 ug/l	ESI-7 WG 10/26/2021 ug/l	
NYSDEC Groundwater Standards & Guidance Values																				
1,1,1-Trichloroethane	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
1,1-Dichloroethane	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
1,1-Dichloroethene	5.0 ug/l	3.9		--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
1,2-Dichlorobenzene	3.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
1,2-Dichloroethane	0.6 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
1,3-Dichlorobenzene	3.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
1,4-Dichlorobenzene	3.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
Bromoform	50.0 ug/l	--	U	--	U	--	U	1.2	J	13.2		2.6						--	U	
Dibromochloromethane	50.0 ug/l	--	U	--	U	--	U	--	U	--	U	0.37	J					--	U	
Acetone	50.0 ug/l	--	U	--	U	--	U	2.4	J	7.7		15.8		4.7	J			--	U	
Benzene	1.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
Carbon Tetrachloride	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
Chlorobenzene	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
Chloroform	7.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
Cis-1,2-Dichloroethylene	5.0 ug/l	1000	E	322		626		181		5.3		80		--	U	--	U	5.94		
Ethylbenzene	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
Methylene Chloride	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
Tetrachloroethylene (PCE)	5.0 ug/l	5.8		--	U	--	U	1.4		1.6		--	U	0.86				--	U	
Toluene	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
Trans-1,2-Dichloroethene	5.0 ug/l	4		--	U	11.1	J	--	U	--	U	1.2	J	--	U	--	U	--	U	
Trichloroethylene (TCE)	5.0 ug/l	1500	E	924		1060		431		40		200	E	--	U	--	U	39.5		
Vinyl Chloride	2.0 ug/l	68		21.7		--	U	--	U	--	U	--	U	--	U	--	U	--	U	
Xylenes	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
TOTAL VOCs		3,281.70		1,267.70		1,697.10		612		49.1		204		29		8.53		45.44		21.2

TABLE 2  
2014 PRE AND POST TREATMENT GROUNDWATER ANALYTICAL RESULTS

FORMER DOWCRAFT FACILITY  
TOWN OF FALCONER, NEW YORK



Location ID Sample Matrix Date Sampled Units	ESI-10 WG 10/29/2014 ug/l		ESI-10 WG 04/21/2015 ug/l		ESI-10 WG 11/03/2015 ug/l		ESI-10 WG 04/26/2016 ug/l		ESI-10 WG 10/20/2016 ug/l		ESI-10 WG 06/07/2017 ug/l		ESI-10 WG 05/07/2018 ug/l		ESI-10 WG 06/25/2019 ug/l		ESI-10 WG 07/15/2020 ug/l		ESI-10 WG 10/27/2021 ug/l		ESI-11 WG 10/29/2014 ug/l		ESI-11 WG 04/21/2015 ug/l		ESI-11 WG 11/03/2015 ug/l		ESI-11 WG 04/26/2016 ug/l		ESI-11 WG 10/20/2016 ug/l		ESI-11 WG 06/07/2017 ug/l		ESI-11 WG 05/07/2018 ug/l		ESI-11 WG 06/25/2019 ug/l					
	NYSDEC Groundwater Standards & Guidance Values																																							
	1,1,1-Trichloroethane	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
1,1-Dichloroethane	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
1,1-Dichloroethene	5.0 ug/l	0.61	J	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
1,2-Dichlorobenzene	3.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
1,2-Dichloroethane	0.6 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
1,3-Dichlorobenzene	3.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
1,4-Dichlorobenzene	3.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
Bromoform	50.0 ug/l	--	U	--	U	--	U	--	U	--	3.01	--	U	--	U	--	U	--	0.76	J	--	U	--	U	--	U	--	U	--	4.78	--	U	--	2.4	--	U	--	U		
Dibromochloromethane	50.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	1.09	--	U	--	U	--	U	--	U			
Acetone	50.0 ug/l	--	U	8.5	J	5.9	J	7.16	J	7.11	J	--	U	--	U	9.6	U	15	U	3.6	J	--	U	3.9	J	7	J	32.4	--	U	--	U	2.6	J	24	--	U			
Benzene	1.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
Carbon Tetrachloride	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U,*	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
Chlorobenzene	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
Chloroform	7.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
Cis-1,2-Dichloroethylene	5.0 ug/l	240	E	--	U	--	U	--	U	--	U	--	U	--	U	61	U	--	U	--	U	76	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U		
Ethylbenzene	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
Methylene Chloride	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
Tetrachloroethylene (PCE)	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	0.22	J	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U		
Toluene	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
Trans-1,2-Dichloroethene	5.0 ug/l	2.5	--	U	--	U	--	U	--	U	--	U	--	U	0.8	J	--	U	--	U	--	U	2	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U		
Trichloroethylene (TCE)	5.0 ug/l	62	--	U	--	U	--	U	--	U	--	0.94	84	U	--	U	--	U	--	U	55	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
Vinyl Chloride	2.0 ug/l	37	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	24	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
Xylenes	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
TOTAL VOCs		352.11	8.5	5.9	7.16	7.11	3.01	0.94	155.62	15	4.36	157	3.9	7	32.4	--	5.87	2.6	26.4																					

TABLE 2  
2014 PRE AND POST TREATMENT GROUNDWATER ANALYTICAL RESULTS

FORMER DOWCRAFT FACILITY  
TOWN OF FALCONER, NEW YORK



Location ID Sample Matrix Date Sampled Units		ESI-11 WG 07/15/2020 ug/l		ESI-11 WG 10/27/2021 ug/l		ESI-12 WG 10/22/2014 ug/l		ESI-12 WG 04/21/2015 ug/l		ESI-12 WG 11/03/2015 ug/l		ESI-12 WG 04/26/2016 ug/l		ESI-12 WG 10/21/2016 ug/l		ESI-12 WG 06/07/2017 ug/l		ESI-12 WG 05/08/2018 ug/l		ESI-12 WG 06/25/2019 ug/l		ESI-12 WG 07/15/2020 ug/l		ESI-12 WG 10/27/2021 ug/l		ESI-13R WG 10/21/2014 ug/l		ESI-13R WG 04/21/2015 ug/l		ESI-13R WG 11/02/2015 ug/l		ESI-13R WG 04/25/2016 ug/l		ESI-13R WG 10/20/2016 ug/l			
NYSDEC Groundwater Standards & Guidance Values																																					
1,1,1-Trichloroethane	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
1,1-Dichloroethane	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
1,1-Dichloroethene	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
1,2-Dichlorobenzene	3.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
1,2-Dichloroethane	0.6 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
1,3-Dichlorobenzene	3.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
1,4-Dichlorobenzene	3.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
Bromoform	50.0 ug/l	8.77		3.1		--	U	--	U	--	U	--	U	--	U	14.50		--	U	2.8		6.67		3.1		--	U	--	U	--	U	--	U	--	U	--	U
Dibromochloromethane	50.0 ug/l	--	U	0.38	J	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	0.36	J	--	U	--	U	--	U	--	U	--	U	--	U
Acetone	50.0 ug/l	5.64	J	7		--	U	--	U	5.6	J	5.85	J	6.19	J	--	U	3	J	19		--	U	5.6		--	U	--	U	--	U	--	U	--	U	--	U
Benzene	1.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	1.19		--	U	--	U	--	U	--	U	--	U	--	U	--	U
Carbon Tetrachloride	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
Chlorobenzene	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
Chloroform	7.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
Cis-1,2-Dichloroethylene	5.0 ug/l	--	U	--	U	71		1.2		--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	18		18		8.3		7.51		9.41			
Ethylbenzene	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	UM	--	UM	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
Methylene Chloride	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
Tetrachloroethylene (PCE)	5.0 ug/l	--	U	--	U	0.48	J	0.54	J	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
Toluene	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	UM	--	UM	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
Trans-1,2-Dichloroethene	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	UM	--	UM	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
Trichloroethylene (TCE)	5.0 ug/l	--	U	--	U	140	E	10		--	U	--	U	--	UM	--	UM	--	U	--	U	--	U	--	U	22		46		19		21		13			
Vinyl Chloride	2.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	UM	--	UM	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
Xylenes	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
TOTAL VOCs		14.41		10.48		221.48		11.74		5.6		5.85		6.19		14.5		3		21.8		7.86		9.56		40		64		27.3		28.51		28.28			



TABLE 2  
2014 PRE AND POST TREATMENT GROUNDWATER ANALYTICAL RESULTS

FORMER DOWCRAFT FACILITY  
TOWN OF FALCONER, NEW YORK



Location ID Sample Matrix Date Sampled Units		ESI-13R WG 06/07/2017 ug/l	ESI-13R WG 05/08/2018 ug/l	ESI-13R WG 06/26/2019 ug/l	ESI-13R WG 07/15/2020 ug/l	ESI-13R WG 10/26/2021 ug/l	PW-1 WG 10/21/2014 ug/l	PW-1 WG 04/21/2015 ug/l	PW-1 WG 11/02/2015 ug/l	PW-1 WG 04/25/2016 ug/l	PW-1 WG 10/20/2016 ug/l	PW-1 WG 06/08/2017 ug/l	PW-1 WG 05/08/2018 ug/l	PW-1 WG 06/26/2019 ug/l	PW-1 WG 07/15/2020 ug/l	PW-1 WG 10/26/2021 ug/l	PW-3R WG 10/29/2014 ug/l	PW-3R WG 04/22/2015 ug/l		
NYSDEC Groundwater Standards & Guidance Values																				
1,1,1-Trichloroethane	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
1,1-Dichloroethane	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	5.1	4.0	
1,1-Dichloroethene	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U,*	
1,2-Dichlorobenzene	3.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
1,2-Dichloroethane	0.6 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
1,3-Dichlorobenzene	3.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
1,4-Dichlorobenzene	3.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
Bromoform	50.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
Dibromochloromethane	50.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
Acetone	50.0 ug/l	--	U	--	U	2.4	J	--	U	--	U	8.09	J	--	U	2.8	J	12	16	
Benzene	1.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	0.61	J 0.53 J	
Carbon Tetrachloride	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U,*	
Chlorobenzene	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
Chloroform	7.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
Cis-1,2-Dichloroethylene	5.0 ug/l	--	U	1.3	1	J 4.38	--	U	1.9	8.8	2.4	5.03	7.14	3.88	--	U	--	U	7.89	
Ethylbenzene	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
Methylene Chloride	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
Tetrachloroethylene (PCE)	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	
Toluene	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	8.1	6.9	
Trans-1,2-Dichloroethene	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	39	--	
Trichloroethylene (TCE)	5.0 ug/l	7.4	7.3	18	13.7	15	15	3.3	11	6.96	22.1	8.39	0.84	1.8	27.4	4.4	0.79	J --		
Vinyl Chloride	2.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	1800	E 120 E	
Xylenes	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U	2.3	U 1.1 J	
TOTAL VOCs		7.37	8.6	21.4	18.08	15	16.9	12.1	13.4	11.99	29.24	20.36	0.84	4.6	35.29	4.4	2,609.30	147.71		

TABLE 2  
2014 PRE AND POST TREATMENT GROUNDWATER ANALYTICAL RESULTS

FORMER DOWCRAFT FACILITY  
TOWN OF FALCONER, NEW YORK



Location ID Sample Matrix Date Sampled Units		PW-3R WG 11/03/2015 ug/l		PW-3R WG 04/26/2016 ug/l		PW-3R WG 10/21/2016 ug/l		PW-3R WG 06/08/2017 ug/l		PW-3R WG 05/08/2018 ug/l		PW-3R WG 06/26/2019 ug/l		PW-3R WG 07/15/2020 ug/l		PW-3R WG 10/26/2021 ug/l	
NYSDEC Groundwater Standards & Guidance Values																	
1,1,1-Trichloroethane	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
1,1-Dichloroethane	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
1,1-Dichloroethene	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	5.1	J
1,2-Dichlorobenzene	3.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
1,2-Dichloroethane	0.6 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
1,3-Dichlorobenzene	3.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
1,4-Dichlorobenzene	3.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
Bromoform	50.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
Dibromochloromethane	50.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
Acetone	50.0 ug/l	--	U	11.3	J	12.3	J	--	U	9		19	J	--	U	41	J
Benzene	1.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
Carbon Tetrachloride	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
Chlorobenzene	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
Chloroform	7.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
Cis-1,2-Dichloroethylene	5.0 ug/l	140		242		1450		1,990		70		1200		809		2400	
Ethylbenzene	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
Methylene Chloride	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
Tetrachloroethylene (PCE)	5.0 ug/l	--	U	--	U	--	U	--	U	--	U	--	U	--	U	--	U
Toluene	5.0 ug/l	8.0	J	4.90		--	U	--	U	4.6		7.3	J	--	U	--	U
Trans-1,2-Dichloroethene	5.0 ug/l	--	U	--	U	--	U	10.2		2.2		20	J	11.4	J	21	J
Trichloroethylene (TCE)	5.0 ug/l	--	U	17.2		84.4		229		--	U	--	U	75.2		3000	
Vinyl Chloride	2.0 ug/l	790	^, E1	134		751		861		110		2200	E	1440		2200	
Xylenes	5.0 ug/l	--	U	--	U	--	U	--	U	1.1	J	--	U	--	U	--	U
TOTAL VOCs		938		409.4		2285.4		3,090.20		199		3,446.30		2,335.60		7,667.10	

TABLE 2  
2014 PRE AND POST TREATMENT GROUNDWATER ANALYTICAL RESULTS

FORMER DOWCRAFT FACILITY  
TOWN OF FALCONER, NEW YORK



TABLE NOTES

WG - Groundwater  
ug/l - micrograms per liter  
S.U. - Standard Unit

Qualifier Key

- J - Result is less than the Reporting Limit but greater than or equal to the Method Detection Limit and the concentration is an approximate value.
- NJ - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- C - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- Q - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- I - The lower value for the two columns has been reported due to obvious interference.
- G - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- A - Spectra identified as "Aldol Condensation Product".
- E - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- H - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- F - Denotes a parameter for which Paradigm does not carry cerification, the results for which should therefore only be used where ELAP certification is required, such as personal exposure assessment.
- RE - Analytical results are from sample re-extraction.
- R - Analytical results are from sample re-analysis.
- D - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- P - The RPD between the results for the two columns exceeds the method-specified criteria.
- U - Not detected at the reported detection limit for the sample.
- M - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- S - Analytical results are from modified screening analysis.
- ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- \* - Indicates any recoveries outside associated acceptance windows. Surrogate ouliers in samples are presumed matrix effects. LCS demonstrates method compliance unless otherwise noted.
- < - Analyzed for but not detected at or above the quantitation limit
- 1 - Indicates data from primary column used for QC calculation.

TABLE 3  
2022 PRE AND POST TREATMENT  
GROUNDWATER ANALYTICAL RESULTS

FORMER DOWCRAFT FACILITY  
TOWN OF FALCONER, NEW YORK



SAMPLE ID:		ESI-1-102721	ESI-1-081822		ESI-1-083123		ESI-2-102721	ESI-2-081822		ESI-2-083123		ESI-3-102621	ESI-3-081722		ESI-3-083023		ESI-6-102721	ESI-6-081822		ESI-6-083123							
COLLECTION DATE:		10/27/2021	8/18/2022		8/31/2023		10/27/2021	8/18/2022		8/31/2023		10/26/2021	8/17/2022		8/30/2023		10/27/2021	8/18/2022		8/31/2023							
SAMPLE MATRIX:		WATER	WATER		WATER		WATER	WATER		WATER		WATER	WATER		WATER		WATER	WATER		WATER							
NY-AWQS	NY-TOGS-GA																										
(ug/l)	(ug/l)	Result	Flg	Result	Flg	Result	Flg	Result	Flg	Result	Flg	Result	Flg	Result	Flg	Result	Flg	Result	Flg	Result	Flg						
VOCs																											
1,1,1-Trichloroethane	5	5		ND		ND		ND		ND		ND		ND		ND		ND		ND							
1,1,2,2-Tetrachloroethane	5	5		ND		ND		ND		ND		ND		ND		ND		ND		ND							
1,1,2-Trichloroethane	1	1		ND		ND		ND		ND		ND		ND		ND		ND		ND							
1,1-Dichloroethane	5	5		ND		ND		ND		ND		ND		ND		ND		ND		ND							
1,1-Dichloroethene	5	5		ND		ND		0.27	J	2.4	J	ND	J	ND		ND		ND		ND							
1,2,4-Trichlorobenzene	5	5		ND		ND		ND		ND		ND		ND		ND		ND		ND							
1,2,4-Trimethylbenzene	5	5		ND		ND		ND		ND		ND		ND		ND		ND		ND							
1,2-Dibromo-3-chloropropan	0.04	0.04		ND		ND		ND		ND		ND		ND		ND		ND		ND							
1,2-Dibromoethane	0.0006	0.0006		ND		ND		ND		ND		ND		ND		ND		ND		ND							
1,2-Dichlorobenzene	3	3		ND		ND		ND		ND		ND		ND		ND		ND		ND							
1,2-Dichloroethane	0.6	0.6		ND		ND		ND		ND		ND		ND		ND		ND		ND							
1,2-Dichloropropane	1	1		ND		ND		ND		ND		ND		ND		ND		ND		ND							
1,3,5-Trimethylbenzene	5	5		ND		ND		ND		ND		ND		ND		ND		ND		ND							
1,3-Dichlorobenzene	3	3		ND		ND		ND		ND		ND		ND		ND		ND		ND							
1,4-Dichlorobenzene	3	3		ND		ND		ND		ND		ND		ND		ND		ND		ND							
2-Butanone	50	50		ND		UJ		ND		10	J	ND		ND		ND		ND		ND							
2-Hexanone	50	50		ND		ND		ND		ND		ND		ND		ND		ND		ND							
4-Methyl-2-pentanone	NA	NA		ND		ND		ND		ND		ND		ND		ND		ND		ND							
Acetone	50	50		2.9	J	ND		UJ		ND		8.8		49	J	5.9		5.5		ND							
Benzene	1	1		ND		ND		ND		ND		ND		ND		ND		ND		ND							
Bromodichloromethane	50	50		ND		ND		ND		ND		ND		ND		ND		ND		ND							
Bromoform	50	50		ND		ND		ND		ND		ND		ND		ND		2.6		7.3	J						
Bromomethane	5	5		ND		ND		UJ		ND		ND		ND		ND		ND		ND							
Carbon disulfide	60	60		ND		ND		UJ		ND		UJ		ND		ND		UJ		ND							
Carbon tetrachloride	5	5		ND		ND		ND		ND		ND		ND		ND		ND		ND							
Chlorobenzene	5	5		ND		ND		ND		ND		ND		ND		ND		ND		ND							
Chloroethane	5	5		ND		ND		UJ		ND		ND		ND		ND		ND		ND							
Chloroform	7	7		ND		ND		ND		ND		ND		ND		1.7	J	ND		J							
Chloromethane	NA	NA		ND		ND		ND		ND		ND		ND		ND		ND		ND							
cis-1,2-Dichloroethene	5	5		ND		ND		180		780		ND		ND		22	J	1.4		J							
cis-1,3-Dichloropropene	0.4	0.4		ND		ND		ND		ND		ND		ND		ND		ND		ND							
Cyclohexane	NA	NA		ND		ND		UJ		ND		ND		ND		ND		ND		ND							
Dibromochloromethane	50	50		ND		ND		ND		ND		ND		ND		ND		0.37	J	ND							
Dichlorodifluoromethane	5	5		ND		ND		UJ		ND		UJ		ND		ND		UJ		ND							
Ethylbenzene	5	5		ND		ND		ND		ND		ND		ND		ND		ND		ND							
Freon-113	5	5		ND		ND		UJ		ND		ND		ND		ND		ND		ND							
Isopropylbenzene	5	5		ND		ND		ND		ND		ND		ND		ND		ND		ND							
Methyl Acetate	NA	NA		ND		ND		UJ		ND		ND		ND		ND		ND		ND							
Methyl cyclohexane	NA	NA		ND		ND		ND		ND		ND		ND		ND		ND		ND							
Methyl tert butyl ether	10	10		ND		ND		ND		ND		ND		ND		ND		ND		ND							
Methylene chloride	5	5		ND		ND		ND		ND		ND		ND		ND		ND		ND							
n-Butylbenzene	5	5		ND		ND		ND		ND		ND		ND		ND		ND		ND							
n-Propylbenzene	5	5		ND		ND		ND		ND		ND		ND		ND		ND		ND							
Naphthalene	10	10		ND		ND		ND		ND		ND		ND		ND		ND		ND							

TABLE 3  
2022 PRE AND POST TREATMENT  
GROUNDWATER ANALYTICAL RESULTS

FORMER DOWCRAFT FACILITY  
TOWN OF FALCONER, NEW YORK



SAMPLE ID:		ESI-1-102721		ESI-1-081822		ESI-1-083123		ESI-2-102721		ESI-2-081822		ESI-2-083123		ESI-3-102621		ESI-3-081722		ESI-3-083023		ESI-6-102721		ESI-6-081822		ESI-6-083123							
COLLECTION DATE:		10/27/2021		8/18/2022		8/31/2023		10/27/2021		8/18/2022		8/31/2023		10/26/2021		8/17/2022		8/30/2023		10/27/2021		8/18/2022		8/31/2023							
SAMPLE MATRIX:		WATER		WATER		WATER		WATER		WATER		WATER		WATER		WATER		WATER		WATER		WATER		WATER							
NY-AWQS	NY-TOGS-GA																														
(ug/l)	(ug/l)	Result	Flg	Result	Flg	Result	Flg	Result	Flg	Result	Flg	Result	Flg	Result	Flg	Result	Flg	Result	Flg	Result	Flg	Result	Flg	Result	Flg						
VOCs																															
o-Xylene		5	5	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND							
p-Isopropyltoluene		5	5	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND							
p/m-Xylene		5	5	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND							
sec-Butylbenzene		5	5	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND							
Styrene		5	930	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND							
tert-Butylbenzene		5	5	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND							
Tetrachloroethene		5	5	ND		ND		0.48	J	ND		ND		ND		ND		ND		0.86		ND		ND							
Toluene		5	5	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND							
trans-1,2-Dichloroethene		5	5	ND		ND		5		14		ND		ND		ND		ND		ND		ND		ND							
trans-1,3-Dichloropropene		0.4	0.4	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND							
Trichloroethene		5	5	7.8		4.4		2.8		200	E	400		1.1		0.66		5.6		2.8		ND		1.9	J	ND	J				
Trichlorofluoromethane		5	5	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND							
Vinyl chloride		2	2	ND		ND	UJ	ND		ND		120	J	ND	J	ND		0.92	J	ND	J	ND		ND	UJ	ND					
TOTAL				10.7		4.4		2.8		394.55		1375.4		8.6		6.16		30.22		4.2		8.53		33.2		4.6					

TABLE 3  
2022 PRE AND POST TREATMENT  
GROUNDWATER ANALYTICAL RESULTS

FORMER DOWCRAFT FACILITY  
TOWN OF FALCONER, NEW YORK



	SAMPLE ID:		ESI-7-102621		ESI-7-081722		ESI-7-083023		ESI-10-102721		ESI-10-081822		ESI-10-083023		ESI-11-102721		ESI-11-081822		ESI-11-083023		ESI-12-102721		ESI-12-081822		ESI-12-0813023	
	COLLECTION DATE:		10/26/2021		8/17/2022		8/30/2023		10/27/2021		8/18/2022		8/30/2023		10/27/2021		8/18/2022		8/30/2023		10/27/2021		8/18/2022		8/30/2023	
	SAMPLE MATRIX:		WATER		WATER		WATER		WATER		WATER		WATER		WATER		WATER		WATER		WATER		WATER		WATER	
	NY-AWQS	NY-TOGS-GA																								
	(ug/l)	(ug/l)	Result	Flg	Result	Flg	Result	Flg	Result	Flg	Result	Flg	Result	Flg	Result	Flg	Result	Flg	Result	Flg	Result	Flg	Result	Flg	Result	Flg
VOCs																										
1,1,1-Trichloroethane	5	5	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND	
1,1,2,2-Tetrachloroethane	5	5	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND	
1,1,2-Trichloroethane	1	1	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND	
1,1-Dichloroethane	5	5	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND	
1,1-Dichloroethene	5	5	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND	
1,2,4-Trichlorobenzene	5	5	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND	
1,2,4-Trimethylbenzene	5	5	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND	
1,2-Dibromo-3-chloropropan	0.04	0.04	ND		ND	UJ	ND		ND		ND	UJ	ND		ND		ND	UJ	ND		ND		ND	UJ	ND	
1,2-Dibromoethane	0.0006	0.0006	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND	
1,2-Dichlorobenzene	3	3	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND	
1,2-Dichloroethane	0.6	0.6	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND	
1,2-Dichloropropane	1	1	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND	
1,3,5-Trimethylbenzene	5	5	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND	
1,3-Dichlorobenzene	3	3	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND	
1,4-Dichlorobenzene	3	3	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND	
2-Butanone	50	50	ND		ND	UJ	ND		ND		ND		ND		ND		ND	UJ	ND		ND		ND	UJ	ND	
2-Hexanone	50	50	ND		ND		ND		ND		ND	UJ	ND		ND		ND		ND		ND		ND		ND	
4-Methyl-2-pentanone	NA	NA	ND		ND	UJ	ND		ND		ND		ND		ND		ND	UJ	ND		ND		ND	UJ	ND	
Acetone	50	50	3.2	J	ND	UJ	ND		3.6	J	3.6	UJ	1.9	J	7		ND	UJ	2.2	J	5.6		2.3	UJ	3	J
Benzene	1	1	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND	
Bromodichloromethane	50	50	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND	
Bromoform	50	50	ND		ND		ND		0.76	J	ND	UJ	0.66	J	3.1		2.3		1.7	J	3.6		2		1.2	J
Bromomethane	5	5	ND		ND	UJ	ND		ND		ND		ND		ND		ND	UJ	ND		ND		ND	UJ	ND	
Carbon disulfide	60	60	ND		ND		ND	UJ	ND		ND		ND		ND		ND		ND	UJ	ND		ND		ND	UJ
Carbon tetrachloride	5	5	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND	
Chlorobenzene	5	5	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND	
Chloroethane	5	5	ND		ND	UJ	ND		ND		ND		ND	UJ	ND		ND	UJ	ND	UJ	ND		ND	UJ	ND	UJ
Chloroform	7	7	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND	
Chloromethane	NA	NA	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND	
cis-1,2-Dichloroethene	5	5	ND		4.4		1.1	J	ND		ND		ND		ND		ND		ND		ND		ND		ND	
cis-1,3-Dichloropropene	0.4	0.4	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND	
Cyclohexane	NA	NA	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND	
Dibromochloromethane	50	50	ND		ND		ND		ND		ND		ND		0.38	J	ND		ND		0.36	J	ND		ND	
Dichlorodifluoromethane	5	5	ND		ND		ND	UJ	ND		ND		ND	UJ	ND		ND		ND	UJ	ND		ND		ND	UJ
Ethylbenzene	5	5	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND	
Freon-113	5	5	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND	
Isopropylbenzene	5	5	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND	
Methyl Acetate	NA	NA	ND		ND		ND		ND		ND	UJ	ND		ND		ND		ND		ND		ND		ND	
Methyl cyclohexane	NA	NA	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND	
Methyl tert butyl ether	10	10	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND	
Methylene chloride	5	5	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND	
n-Butylbenzene	5	5	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND	
n-Propylbenzene	5	5	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND	
Naphthalene	10	10	ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND		ND	

TABLE 3  
2022 PRE AND POST TREATMENT  
GROUNDWATER ANALYTICAL RESULTS

FORMER DOWCRAFT FACILITY  
TOWN OF FALCONER, NEW YORK



SAMPLE ID:		ESI-7-102621		ESI-7-081722		ESI-7-083023		ESI-10-102721		ESI-10-081822		ESI-10-083023		ESI-11-102721		ESI-11-081822		ESI-11-083023		ESI-12-102721		ESI-12-081822		ESI-12-0813023	
COLLECTION DATE:		10/26/2021		8/17/2022		8/30/2023		10/27/2021		8/18/2022		8/30/2023		10/27/2021		8/18/2022		8/30/2023		10/27/2021		8/18/2022		8/30/2023	
SAMPLE MATRIX:		WATER		WATER		WATER		WATER		WATER		WATER		WATER		WATER		WATER		WATER		WATER		WATER	
NY-AWQS	NY-TOGS-GA																								
(ug/l)	(ug/l)	Result	Flg	Result	Flg	Result	Flg	Result	Flg	Result	Flg	Result	Flg	Result	Flg	Result	Flg	Result	Flg	Result	Flg	Result	Flg	Result	Flg
VOCs																									
o-Xylene	5	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
p-Isopropyltoluene	5	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
p/m-Xylene	5	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
sec-Butylbenzene	5	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Styrene	5	930	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
tert-Butylbenzene	5	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Tetrachloroethene	5	5	ND	0.48	J	ND	J	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Toluene	5	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,2-Dichloroethene	5	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
trans-1,3-Dichloropropene	0.4	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	5	5	18	79	18	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichlorofluoromethane	5	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl chloride	2	2	ND	ND	UJ	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	UJ	ND	UJ	ND	ND	ND	UJ	ND	ND	ND
TOTAL		21.2	83.88	19.1	4.36	3.6	2.56	10.48	2.3	3.9	9.56	4.3	4.2												

TABLE 3  
2022 PRE AND POST TREATMENT  
GROUNDWATER ANALYTICAL RESULTS

FORMER DOWCRAFT FACILITY  
TOWN OF FALCONER, NEW YORK



SAMPLE ID: COLLECTION DATE: SAMPLE MATRIX:		ESI-13R-102621 10/26/2021 WATER	ESI-13R-081722 8/17/2022 WATER	ESI-13R-083023 8/30/2023 WATER	PW-1-102621 10/26/2021 WATER	DUP-081722 10/26/2021 WATER	PW-1-081822 8/17/2022 WATER	DUP-081722 8/17/2022 WATER	PW-1-083023 8/30/2023 WATER	DUP-083023 8/30/2023 WATER	PW-3R-102621 10/26/2021 WATER	PW-3R-081822 8/18/2022 WATER	PW-3R-083123 8/31/2023 WATER		
NY-AWQS (ug/l)	NY-TOGS-GA (ug/l)	Result	Flg	Result	Flg	Result	Flg	Result	Flg	Result	Flg	Result	Flg	Result	Flg
VOCs															
1,1,1-Trichloroethane	5	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
1,1,2,2-Tetrachloroethane	5	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
1,1,2-Trichloroethane	1	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
1,1-Dichloroethane	5	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.8	J	ND	J
1,1-Dichloroethene	5	5	ND	ND	ND	ND	ND	ND	ND	ND	5.1	J	ND	ND	
1,2,4-Trichlorobenzene	5	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
1,2,4-Trimethylbenzene	5	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
1,2-Dibromo-3-chloropropan	0.04	0.04	ND	ND	ND	ND	ND	ND	UJ	ND	ND	ND	UJ	ND	
1,2-Dibromoethane	0.0006	0.0006	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
1,2-Dichlorobenzene	3	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
1,2-Dichloroethane	0.6	0.6	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
1,2-Dichloropropane	1	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.15	J	ND	J
1,3,5-Trimethylbenzene	5	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
1,3-Dichlorobenzene	3	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
1,4-Dichlorobenzene	3	3	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
2-Butanone	50	50	ND	ND	UJ	ND	ND	ND	ND	ND	ND	ND	UJ	ND	
2-Hexanone	50	50	ND	ND	ND	ND	ND	UJ	ND	ND	ND	ND	ND		
4-Methyl-2-pentanone	NA	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
Acetone	50	50	ND	ND	UJ	ND	ND	1.7	J	ND	ND	1.5	J	41	J
Benzene	1	1	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
Bromodichloromethane	50	50	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
Bromoform	50	50	ND	ND	UJ	ND	ND	ND	ND	ND	ND	ND	ND		
Bromomethane	5	5	ND	ND	ND	ND	ND	UJ	ND	ND	ND	ND	UJ	ND	
Carbon disulfide	60	60	ND	ND	UJ	ND	UJ	ND	ND	ND	UJ	ND	UJ	ND	UJ
Carbon tetrachloride	5	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
Chlorobenzene	5	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
Chloroethane	5	5	ND	ND	ND	UJ	ND	ND	ND	ND	UJ	ND	ND	ND	UJ
Chloroform	7	7	ND	ND	ND	ND	ND	0.73	J	0.71	J	ND	J	ND	ND
Chloromethane	NA	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
cis-1,2-Dichloroethene	5	5	ND	1.5	J	ND	J	64	65	4.2	4.4	2400	2.6	960	
cis-1,3-Dichloropropene	0.4	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
Cyclohexane	NA	NA	ND	ND	UJ	ND	ND	ND	ND	ND	ND	ND	UJ	ND	
Dibromochloromethane	50	50	ND	ND	UJ	ND	ND	ND	ND	ND	ND	ND	ND		
Dichlorodifluoromethane	5	5	ND	ND	ND	UJ	ND	ND	ND	UJ	ND	ND	ND	ND	UJ
Ethylbenzene	5	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
Freon-113	5	5	ND	ND	UJ	ND	ND	ND	ND	ND	ND	ND	UJ	ND	
Isopropylbenzene	5	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
Methyl Acetate	NA	NA	ND	ND	UJ	ND	ND	UJ	ND	ND	ND	ND	UJ	ND	
Methyl cyclohexane	NA	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
Methyl tert butyl ether	10	10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
Methylene chloride	5	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
n-Butylbenzene	5	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
n-Propylbenzene	5	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		
Naphthalene	10	10	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND		



TABLE 3  
2022 PRE AND POST TREATMENT  
GROUNDWATER ANALYTICAL RESULTS

FORMER DOWCRAFT FACILITY  
TOWN OF FALCONER, NEW YORK






SAMPLE ID:		ESI-13R-102621	ESI-13R-081722	ESI-13R-083023	PW-1-102621	DUP-081722	PW-1-081822	DUP-081722	PW-1-083023	DUP-083023	PW-3R-102621	PW-3R-081822	PW-3R-083123
COLLECTION DATE:		10/26/2021	8/17/2022	8/30/2023	10/26/2021	10/26/2021	8/17/2022	8/17/2022	8/30/2023	8/30/2023	10/26/2021	8/18/2022	8/31/2023
SAMPLE MATRIX:		WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER	WATER
NY-AWQS	NY-TOGS-GA												
(ug/l)	(ug/l)	Result	Flg	Result	Flg	Result	Flg	Result	Flg	Result	Flg	Result	Flg
VOCs													
o-Xylene	5	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
p-Isopropyltoluene	5	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
p/m-Xylene	5	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.87	J ND J
sec-Butylbenzene	5	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Styrene	5	930	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
tert-Butylbenzene	5	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Tetrachloroethene	5	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Toluene	5	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	2.7	ND
trans-1,2-Dichloroethene	5	5	ND	ND	ND	ND	ND	ND	ND	ND	21	J ND	ND
trans-1,3-Dichloropropene	0.4	0.4	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Trichloroethene	5	5	15	14	10	4.4	4.4	17	17	5.7	5.8	3000	ND
Trichlorofluoromethane	5	5	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Vinyl chloride	2	2	ND	ND	UJ ND	ND	ND	2	2	ND	ND	2200	13 J 960 J
TOTAL		15	15.5	10	4.4		83.73		9.9		7667.1	24.32	1938



GRAPHS





GRAPH 1  
TOTAL VOC CONCENTRATIONS JULY 2013 TO PRESENT

FORMER DOWCRAFT FACILITY  
TOWN OF FALCONER, NEW YORK







GRAPH 1  
TOTAL VOC CONCENTRATIONS JULY 2013 TO PRESENT

FORMER DOWCRAFT FACILITY  
TOWN OF FALCONER, NEW YORK




GRAPH 1  
TOTAL VOC CONCENTRATIONS JULY 2013 TO PRESENT

FORMER DOWCRAFT FACILITY  
TOWN OF FALCONER, NEW YORK



GRAPH 1  
TOTAL VOC CONCENTRATIONS JULY 2013 TO PRESENT

FORMER DOWCRAFT FACILITY  
TOWN OF FALCONER, NEW YORK



## APPENDICES

APPENDIX A  
LABORATORY ANALYTICAL RESULTS





C&S Engineers, Inc.  
141 Elm Street Suite 100  
Buffalo, New York 14203  
Phone: 716-847-1630  
www.cscos.com

## Well Sampling Field Data Sheet

### Well Casing Unit Volume

(gal/l.f.)

1 1/4" = 0.08    2" = 0.17    3" = 0.38

4" = 0.66    6" = 1.5    8" = 2.6

Client Name: \_\_\_\_\_

Site Name: 300

Project No.: \_\_\_\_\_

Field Staff: RICH BACKERT + BRIAN

### WELL DATA

Date	8/30/23								
Well Number	PW-1								
Diameter (inches)	4"								
Total Sounded Depth (feet)	15								
Static Water Level (feet)	10.2								
H <sub>2</sub> O Column (feet)	4.8								
Pump Intake (feet)									
Well Volume (gallons)									
Amount to Evacuate (gallons)	3 gal								
Amount Evacuated (gallons)	3 gal								

### FIELD READINGS

Date	8/30/23								
Time	10:35	10:40	10:45	10:50					
pH (Std. Units)	+/-0.1	7.20	6.75	6.60	6.54				
Conductivity (mS/cm)	3%	0.761	0.766	0.776	0.783				
Turbidity (NTU)	10%	117	0.00	0.00	0.00				
D.O. (mg/L)	10%	2.16	1.39	1.04	0.89				
Temperature (°C) (°F)	3%	15.105°C	15.339°C	15.232°C	15.192°C				
ORP <sup>3</sup> (mV)	+/-10 mv	91	45	35	37				
Appearance		C	C	C	C				
Free Product (Yes/No)		NONE	NONE	NONE	NONE				
Odor		NONE	NONE	NONE	NONE				
Comments	DUP collected								

C = Clear    T = Turbid    ST = Semi Turbid    VT = Very Turbid



C&S Engineers, Inc.  
141 Elm Street Suite 100  
Buffalo, New York 14203  
Phone: 716-847-1630  
www.cscos.com

## Well Sampling Field Data Sheet

### Well Casing Unit Volume

(gal/l.f.)

1 1/4" = 0.08    2" = 0.17    3" = 0.38  
4" = 0.66    6" = 1.5    8" = 2.6

Client Name: \_\_\_\_\_

Site Name: \_\_\_\_\_

Project No.: \_\_\_\_\_

Field Staff: \_\_\_\_\_

JCC

Rich Backert + Brian Wuslatuk

### WELL DATA

Date		8/30/2017							
Well Number		F-51-10							
Diameter (inches)		2"							
Total Sounded Depth (feet)									
Static Water Level (feet)		11.1							
H <sub>2</sub> O Column (feet)									
Pump Intake (feet)									
Well Volume (gallons)									
Amount to Evacuate (gallons)									
Amount Evacuated (gallons)									

### FIELD READINGS

Date		8/30/17							
Time	Stabilization Criteria	11:20	11:25	11:30	11:35	11:40			
pH (Std. Units)	+/-0.1	6.89	6.67	6.59	6.58	6.58			
Conductivity (mS/cm)	3%	0.672	0.561	0.536	0.528	0.527			
Turbidity (NTU)	10%	36.4	1.94	4.2	0.00	0.00			
D.O. (mg/L)	10%	1.75	0.95	0.77	0.69	0.66			
Temperature (°C) (°F)	3%	16.00	15.69	15.59	15.54	15.52			
ORP <sup>2</sup> (mV)	+/-10 mv	548	576	589	590	591			
Appearance		pink	pink	pink	pink	pink			
Free Product (Yes/No)		none	none	none	none	none			
Odor		None	None	None	None	None			
Comments	-Treatment socks pulled from well -Well treated with Potassium permanganate								

C = Clear    T = Turbid    ST = Semi Turbid    VT = Very Turbid



C&S Engineers, Inc.  
141 Elm Street Suite 100  
Buffalo, New York 14203  
Phone: 716-847-1630  
www.cscos.com

## Well Sampling Field Data Sheet

### Well Casing Unit Volume

(gal/l.f.)

1 1/4" = 0.08    2" = 0.17    3" = 0.38  
4" = 0.66    6" = 1.5    8" = 2.6

Client Name: \_\_\_\_\_

Site Name: JCC

Project No.: \_\_\_\_\_

Field Staff: Rich Backert + Brian Worswick

### WELL DATA

Date		8/30/23							
Well Number		ESI-11							
Diameter (inches)		2"							
Total Sounded Depth (feet)									
Static Water Level (feet)		10.9							
H <sub>2</sub> O Column (feet)									
Pump Intake (feet)									
Well Volume (gallons)									
Amount to Evacuate (gallons)									
Amount Evacuated (gallons)									

### FIELD READINGS

Date	Stabilization	8/30/23							
Time	Criteria	17:05	17:10	17:15	17:20	17:25			
pH (Std. Units)	+/-0.1	7.03	6.91	6.79	6.72	6.67			
Conductivity (mS/cm)	3%	779	0.695	0.662	0.645	0.638			
Turbidity (NTU)	10%	288	133	19.8	0.00	0.00			
D.O. (mg/L)	10%	1.98	0.98	0.77	0.70	0.66			
Temperature (°C) (°F)	3%	15.42	14.93	14.81	14.79	14.78			
ORP <sup>3</sup> (mV)	+/-10 mv	605	617	619	619	619			
Appearance		Pink	Pink	Pink	Pink	Pink			
Free Product (Yes/No)		1 none	none	none	none	none			
Odor		None	None	None	None	None			
Comments	<p>-Treatment socks in well -Well treated with Potassium permanganate</p>								

C = Clear    T = Turbid    ST = Semi Turbid    VT = Very Turbid



C&S Engineers, Inc.  
141 Elm Street Suite 100  
Buffalo, New York 14203  
Phone: 716-847-1630  
www.cscos.com

## Well Sampling Field Data Sheet

### Well Casing Unit Volume

(gal/l.f.)

1 1/4" = 0.08    2" = 0.17    3" = 0.38

4" = 0.66    6" = 1.5    8" = 2.6

Client Name: \_\_\_\_\_

Site Name: \_\_\_\_\_

Project No.: \_\_\_\_\_

Field Staff: \_\_\_\_\_

### WELL DATA

Date		8/30/23							
Well Number		EST-17							
Diameter (inches)		2"							
Total Sounded Depth (feet)									
Static Water Level (feet)		11.3'							
H <sub>2</sub> O Column (feet)									
Pump Intake (feet)									
Well Volume (gallons)									
Amount to Evacuate (gallons)									
Amount Evacuated (gallons)									

### FIELD READINGS

Date		8/30/23							
Time	Stabilization Criteria	12:45	12:50	12:55	1:00				
pH (Std. Units)	+/-0.1	6.98	7.06	7.03	6.96				
Conductivity (mS/cm)	3%	872	871	848	846				
Turbidity (NTU)	10%	324	106	0.00	0.00				
D.O. (mg/L)	10%	1.79	0.95	0.78	0.74				
Temperature (°C) (°F)	3%	15.21	14.49	14.43	14.42				
ORP <sup>3</sup> (mV)	+/-10 mv	609	618	613	614				
Appearance		Pink	Pink	Pink	Pink				
Free Product (Yes/No)		none	none	none	none				
Odor		None	None	None	None				
Comments	<p>-Treatment socks in well -Well treated with Potassium permanganate</p>								

C = Clear    T = Turbid    ST = Semi Turbid    VT = Very Turbid



C&S Engineers, Inc.  
141 Elm Street Suite 100  
Buffalo, New York 14203  
Phone: 716-847-1630  
www.cscos.com

## Well Sampling Field Data Sheet

### Well Casing Unit Volume

(gal/l.f.)

1 1/4" = 0.08    2" = 0.17    3" = 0.38  
4" = 0.66    6" = 1.5    8" = 2.6

Client Name: \_\_\_\_\_

Site Name: \_\_\_\_\_

Project No.: \_\_\_\_\_

Field Staff: \_\_\_\_\_

JCC

### WELL DATA

Date	8/30/22								
Well Number	FSI-7								
Diameter (inches)	2"								
Total Sounded Depth (feet)	15								
Static Water Level (feet)	10.6								
H <sub>2</sub> O Column (feet)	4.4								
Pump Intake (feet)									
Well Volume (gallons)									
Amount to Evacuate (gallons)									
Amount Evacuated (gallons)									

### FIELD READINGS

Date	8/30/22								
Time	13:40	13:45	13:50	13:55					
pH (Std. Units)	+/-0.1	7.63	6.90	6.71	6.60				
Conductivity (mS/cm)	3%	0.562	0.570	0.576	0.573				
Turbidity (NTU)	10%	66.6	0.00	0.00	0.00				
D.O. (mg/L)	10%	6.88	5.85	5.61	5.55				
Temperature (°C) (°F)	3%	16.70°C	15.94°C	15.83°C	15.80°C				
ORP <sup>3</sup> (mV)	+/-10 mv	538	551	550	554				
Appearance		clear	clear	clear	clear				
Free Product (Yes/No)		no	none	none	none				
Odor		none	none	none	none				
Comments									

C = Clear    T = Turbid    ST = Semi Turbid    VT = Very Turbid



C&S Engineers, Inc.  
141 Elm Street Suite 100  
Buffalo, New York 14203  
Phone: 716-847-1630  
www.cscos.com

## Well Sampling Field Data Sheet

### Well Casing Unit Volume

(gal/l.f.)

1 1/4" = 0.08    2" = 0.17    3" = 0.38  
4" = 0.66    6" = 1.5    8" = 2.6

Client Name: \_\_\_\_\_

Site Name: \_\_\_\_\_

JCC

Project No.: \_\_\_\_\_

Field Staff: \_\_\_\_\_

### WELL DATA

Date	8/30/23								
Well Number	ESI-13R								
Diameter (inches)	2"								
Total Sounded Depth (feet)	15'								
Static Water Level (feet)	9.2'								
H <sub>2</sub> O Column (feet)	5.8								
Pump Intake (feet)									
Well Volume (gallons)									
Amount to Evacuate (gallons)									
Amount Evacuated (gallons)									

### FIELD READINGS

Date	8/30/23								
Time	1420	1425	1430	1435	1440				
pH (Std. Units)	+/-0.1	7.00	7.10	6.85	6.72	6.66			
Conductivity (mS/cm)	3%	3.33	1.34	0.761	0.698	0.689			
Turbidity (NTU)	10%	2.00	36.7	0.00	0.00	0.00			
D.O. (mg/L)	10%	6.16	4.88	4.39	4.28	4.25			
Temperature (°C) (°F)	3%	18.56°C	15.11°C	14.48°C	14.33°C	14.30°C			
ORP <sup>3</sup> (mV)	+/-10 mv	435	485	505	513	516			
Appearance		C	C	C	C	C			
Free Product (Yes/No)		none	none	none	none	none			
Odor		none	none	none	none	none			
Comments									

C = Clear    T = Turbid    ST = Semi Turbid    VT = Very Turbid





C&S Engineers, Inc.  
141 Elm Street Suite 100  
Buffalo, New York 14203  
Phone: 716-847-1630  
www.cscos.com

## Well Sampling Field Data Sheet

### Well Casing Unit Volume

(gal/l.f.)

1 1/4" = 0.08    2" = 0.17    3" = 0.38  
4" = 0.66    6" = 1.5    8" = 2.6

Client Name: \_\_\_\_\_

Site Name: JCC

Project No.: \_\_\_\_\_

Field Staff: \_\_\_\_\_

### WELL DATA

Date		8/31/23							
Well Number		ESE-10							
Diameter (inches)		2"							
Total Sounded Depth (feet)		15							
Static Water Level (feet)		11.2							
H <sub>2</sub> O Column (feet)									
Pump Intake (feet)									
Well Volume (gallons)									
Amount to Evacuate (gallons)									
Amount Evacuated (gallons)		~2 gal							

### FIELD READINGS

Date	Stabilization	8/31/23							
Time	Criteria	16:02	16:07	16:12	16:17	16:22			
pH (Std. Units)	+/-0.1	7.84	7.03	7.26	7.27	7.26			
Conductivity (mS/cm)	3%	0.875	1.13	0.849	0.84	0.81			
Turbidity (NTU)	10%	354	336	213	17.5	0.00			
D.O. (mg/L)	10%	4.69	4.04	7.69	7.92	7.91			
Temperature (°C) (°F)	3%	14.36°C	13.76°C	14.43°C	14.60°C	14.80			
ORP <sup>3</sup> (mV)	+/-10 mv	586	637	621	604	601			
Appearance		Pink	Pink	Pink	Pink	Pink			
Free Product (Yes/No)		none	none	none	none	none			
Odor		none	none	none	none	none			
Comments	- Well had treatment Socy - Well treated with Potassium permanganate								

C = Clear    T = Turbid    ST = Semi Turbid    VT = Very Turbid



C&S Engineers, Inc.  
141 Elm Street Suite 100  
Buffalo, New York 14203  
Phone: 716-847-1630  
www.cscos.com

## Well Sampling Field Data Sheet

### Well Casing Unit Volume

(gal/l.f.)

1 1/4" = 0.08    2" = 0.17    3" = 0.38  
4" = 0.66    6" = 1.5    8" = 2.6

Client Name: \_\_\_\_\_

Site Name: JCC

Project No.: \_\_\_\_\_

Field Staff: ALAN BACKLINT

### WELL DATA

Date		8/31/22							
Well Number		ES5-2							
Diameter (inches)		2"							
Total Sounded Depth (feet)		15							
Static Water Level (feet)		11.4							
H <sub>2</sub> O Column (feet)									
Pump Intake (feet)									
Well Volume (gallons)									
Amount to Evacuate (gallons)									
Amount Evacuated (gallons)									

### FIELD READINGS

Date	Stabilization	8/31/22							
Time	Criteria	10:45	10:52	10:57	11:02	11:07	11:12		
pH (Std. Units)	+/-0.1	7.62	7.98	7.76	7.64	7.48	7.45		
Conductivity (mS/cm)	3%	1.55	1.48	1.21	0.853	0.812	0.804		
Turbidity (NTU)	10%	0.00	784	605	594	708	600		
D.O. (mg/L)	10%	5.77	6.59	3.20	6.58	4.42	5.64		
Temperature (°C) (°F)	3%	19.77	18.25	16.85	16.37	16.04°C	15.90		
ORP <sup>3</sup> (mV)	+/-10 mv	593	608	666	595	589	586		
Appearance		Pale/Brown	Brown	Brown	Brown	Lt brown	Lt brown		
Free Product (Yes/No)		None	none	none	none	none	none		
Odor		Vinager	Vinager	Vinager	vinager	Vinager	Vinager		
Comments	- Treatment sock in well - Turbidity would not go down, stayed constant								

C = Clear    T = Turbid    ST = Semi Turbid    VT = Very Turbid

- Well treated with Potassium permanganate





C&S Engineers, Inc.  
141 Elm Street Suite 100  
Buffalo, New York 14203  
Phone: 716-847-1630  
www.cscos.com

## Well Sampling Field Data Sheet

### Well Casing Unit Volume

(gal/l.f.)

1 1/4" = 0.08    2" = 0.17    3" = 0.38  
4" = 0.66    6" = 1.5    8" = 2.6

Client Name: \_\_\_\_\_

Site Name: JCC

Project No.: \_\_\_\_\_

Field Staff: Rich Backert

### WELL DATA

Date	8/31/23								
Well Number	ESI-1								
Diameter (inches)	2"								
Total Sounded Depth (feet)	15								
Static Water Level (feet)	9.8								
H <sub>2</sub> O Column (feet)									
Pump Intake (feet)									
Well Volume (gallons)									
Amount to Evacuate (gallons)	4 gal								
Amount Evacuated (gallons)	4 gal								

### FIELD READINGS

Date	8/31/23								
Time	11:30	11:35	11:40	11:45	11:50	11:55	12:00		
pH (Std. Units)	+/-0.1	7.70	7.26	7.09	7.06	7.08	7.04	7.05	
Conductivity (mS/cm)	3%	0.97	0.739	0.719	0.698	0.694	0.690	0.685	
Turbidity (NTU)	10%	903	503	383	234	151	97.3	75.6	
D.O. (mg/L)	10%	5.60	5.29	6.83	7.04	7.11	7.17	7.13	
Temperature (°C) (°F)	3%	16.45°C	15.80°C	15.22°C	15.04°C	15.01°C	14.97°C	14.97°C	
ORP <sup>3</sup> (mV)	+/-10 mv	580	582	574	566	563	560	559	
Appearance		Brown	Light Brown	C	C	C	C	C	
Free Product (Yes/No)		NONE	NONE	NONE	NONE	NONE	NONE	NONE	
Odor		NONE	NONE	NONE	NONE	NONE	NONE	NONE	
Comments	Turbidity stayed constant								

C = Clear    T = Turbid    ST = Semi Turbid    VT = Very Turbid



C&S Engineers, Inc.  
141 Elm Street Suite 100  
Buffalo, New York 14203  
Phone: 716-847-1630  
www.cscos.com

## Well Sampling Field Data Sheet

### Well Casing Unit Volume

(gal/l.f.)

1 1/4" = 0.08    2" = 0.17    3" = 0.38

4" = 0.66    6" = 1.5    8" = 2.6

Client Name: \_\_\_\_\_

Site Name: \_\_\_\_\_

Project No.: \_\_\_\_\_

Field Staff: \_\_\_\_\_

### WELL DATA

Date		8/31/23							
Well Number		W-3R							
Diameter (inches)									
Total Sounded Depth (feet)									
Static Water Level (feet)		10.3							
H <sub>2</sub> O Column (feet)									
Pump Intake (feet)									
Well Volume (gallons)									
Amount to Evacuate (gallons)									
Amount Evacuated (gallons)									

### FIELD READINGS

Date	Stabilization	8/31/23							
Time	Criteria	12:18	12:23	12:28	12:33	12:38			
pH (Std. Units)	+/-0.1	6.67	6.53	6.58	6.56	6.42			
Conductivity (mS/cm)	3%	1.10	1.16	1.15	1.15	1.15			
Turbidity (NTU)	10%	454	98.3	30.8	14.1	19.7			
D.O. (mg/L)	10%	1.3	0.73	0.55	0.50	0.49			
Temperature (°C) (°F)	3%	17.27°C	14.79°C	14.23°C	13.96	13.84			
ORP <sup>3</sup> (mV)	+/-10 mv	506	459	402	361	329			
Appearance		Clear	Clear	Clear	Clear	Clear			
Free Product (Yes/No)		None	None	None	None	None			
Odor		None	None	None	None	None			
Comments	Turbidity stayed constant at $\approx$ 15-20								

C = Clear    T = Turbid    ST = Semi Turbid    VT = Very Turbid



C&S Engineers, Inc.  
141 Elm Street Suite 100  
Buffalo, New York 14203  
Phone: 716-847-1630  
www.cscos.com

## Well Sampling Field Data Sheet

### Well Casing Unit Volume

(gal/l.f.)

1 1/4" = 0.08    2" = 0.17    3" = 0.38

4" = 0.66    6" = 1.5    8" = 2.6

Client Name: \_\_\_\_\_

Site Name: JCC

Project No.: \_\_\_\_\_

Field Staff: RICH BACKGET + BRIAN

### WELL DATA

Date		8/30/22							
Well Number		ES-3							
Diameter (inches)		2"							
Total Sounded Depth (feet)		15							
Static Water Level (feet)		10.4							
H <sub>2</sub> O Column (feet)		4.6							
Pump Intake (feet)									
Well Volume (gallons)									
Amount to Evacuate (gallons)		3 gal							
Amount Evacuated (gallons)		3 gal							

### FIELD READINGS

Date	Stabilization	8/30/22							
Time	Criteria	10:05	10:05	10:10	10:15				
pH (Std. Units)	+/-0.1	9.43	7.88	7.22	6.93				
Conductivity (mS/cm)	3%	914	837	836	835				
Turbidity (NTU)	10%	1.99	0.00	0.00	0.00				
D.O. (mg/L)	10%	4.15	2.29	1.55	1.31				
Temperature (°C) (°F)	3%	15.13°C	14.71°C	14.69°C	14.66°C				
ORP <sup>3</sup> (mV)	+/-10 mv	28	49	69	81				
Appearance		C	C	C	C				
Free Product (Yes/No)		NONE	NONE	NONE	NONE				
Odor		NONE	NONE	NONE	NONE				
Comments	MS + MSD SAMPLE collected								

C = Clear    T = Turbid    ST = Semi Turbid    VT = Very Turbid



## ANALYTICAL REPORT

Lab Number:	L2350757
Client:	C&S Companies 141 Elm Street Suite 100 Buffalo, NY 14203
ATTN:	Richard Backert
Phone:	(716) 955-3024
Project Name:	JCC
Project Number:	N30.009.001
Report Date:	09/15/23

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0826), IL (200077), IN (C-MA-03), KY (KY98045), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), OH (CL108), OR (MA-1316), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #525-23-122-91930).

---

Eight Walkup Drive, Westborough, MA 01581-1019  
508-898-9220 (Fax) 508-898-9193 800-624-9220 - [www.alphalab.com](http://www.alphalab.com)



**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

<b>Alpha Sample ID</b>	<b>Client ID</b>	<b>Matrix</b>	<b>Sample Location</b>	<b>Collection Date/Time</b>	<b>Receive Date</b>
L2350757-01	ESI-3-083023	WATER	FALCONER,NY	08/30/23 10:15	08/31/23
L2350757-02	PW-1-083023	WATER	FALCONER,NY	08/30/23 10:50	08/31/23
L2350757-03	DUP-083023	WATER	FALCONER,NY	08/30/23 10:50	08/31/23
L2350757-04	ESI-10-083023	WATER	FALCONER,NY	08/30/23 11:40	08/31/23
L2350757-05	ESI-11-083023	WATER	FALCONER,NY	08/30/23 12:25	08/31/23
L2350757-06	ESI-12-083023	WATER	FALCONER,NY	08/30/23 13:00	08/31/23
L2350757-07	ESI-7-083023	WATER	FALCONER,NY	08/30/23 13:55	08/31/23
L2350757-08	ESI-13R-083023	WATER	FALCONER,NY	08/30/23 14:40	08/31/23
L2350757-09	ESI-6-083123	WATER	FALCONER,NY	08/31/23 10:22	08/31/23
L2350757-10	ESI-2-083123	WATER	FALCONER,NY	08/31/23 11:12	08/31/23
L2350757-11	ESI-1-083123	WATER	FALCONER,NY	08/31/23 12:00	08/31/23
L2350757-12	PW-3R-083123	WATER	FALCONER,NY	08/31/23 12:38	08/31/23
L2350757-13	TRIP BLANK	WATER	FALCONER,NY	08/31/23 00:00	08/31/23

**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

### Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

**HOLD POLICY** - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

---

**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

**Case Narrative (continued)**

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

*Melissa Sturgis* Melissa Sturgis

Title: Technical Director/Representative

Date: 09/15/23

# ORGANICS



# **VOLATILES**

**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

**SAMPLE RESULTS**

**Lab ID:** L2350757-01  
**Client ID:** ESI-3-083023  
**Sample Location:** FALCONER,NY

**Date Collected:** 08/30/23 10:15  
**Date Received:** 08/31/23  
**Field Prep:** Not Specified

**Sample Depth:**  
**Matrix:** Water  
**Analytical Method:** 1,8260D  
**Analytical Date:** 09/09/23 05:13  
**Analyst:** PID

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	2.8		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

**SAMPLE RESULTS**

**Lab ID:** L2350757-01  
**Client ID:** ESI-3-083023  
**Sample Location:** FALCONER,NY

**Date Collected:** 08/30/23 10:15  
**Date Received:** 08/31/23  
**Field Prep:** Not Specified

**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	1.4	J	ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	102		70-130
Toluene-d8	103		70-130
4-Bromofluorobenzene	100		70-130
Dibromofluoromethane	106		70-130



**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

**SAMPLE RESULTS**

**Lab ID:** L2350757-02  
**Client ID:** PW-1-083023  
**Sample Location:** FALCONER,NY

**Date Collected:** 08/30/23 10:50  
**Date Received:** 08/31/23  
**Field Prep:** Not Specified

**Sample Depth:**  
**Matrix:** Water  
**Analytical Method:** 1,8260D  
**Analytical Date:** 09/09/23 05:40  
**Analyst:** PID

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	5.7		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

**SAMPLE RESULTS**

**Lab ID:** L2350757-02  
**Client ID:** PW-1-083023  
**Sample Location:** FALCONER,NY

**Date Collected:** 08/30/23 10:50  
**Date Received:** 08/31/23  
**Field Prep:** Not Specified

**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	4.2		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	103		70-130
Toluene-d8	105		70-130
4-Bromofluorobenzene	103		70-130
Dibromofluoromethane	105		70-130



**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

**SAMPLE RESULTS**

**Lab ID:** L2350757-03  
**Client ID:** DUP-083023  
**Sample Location:** FALCONER,NY

**Date Collected:** 08/30/23 10:50  
**Date Received:** 08/31/23  
**Field Prep:** Not Specified

**Sample Depth:**  
**Matrix:** Water  
**Analytical Method:** 1,8260D  
**Analytical Date:** 09/09/23 06:06  
**Analyst:** PID

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	5.8		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

**SAMPLE RESULTS**

**Lab ID:** L2350757-03  
**Client ID:** DUP-083023  
**Sample Location:** FALCONER,NY

**Date Collected:** 08/30/23 10:50  
**Date Received:** 08/31/23  
**Field Prep:** Not Specified

**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	4.4		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	1.5	J	ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	102		70-130
Toluene-d8	104		70-130
4-Bromofluorobenzene	104		70-130
Dibromofluoromethane	104		70-130



**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

**SAMPLE RESULTS**

**Lab ID:** L2350757-04  
**Client ID:** ESI-10-083023  
**Sample Location:** FALCONER,NY

**Date Collected:** 08/30/23 11:40  
**Date Received:** 08/31/23  
**Field Prep:** Not Specified

**Sample Depth:**  
**Matrix:** Water  
**Analytical Method:** 1,8260D  
**Analytical Date:** 09/09/23 06:33  
**Analyst:** PID

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	0.66	J	ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	ND		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1



**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

**SAMPLE RESULTS**

**Lab ID:** L2350757-04  
**Client ID:** ESI-10-083023  
**Sample Location:** FALCONER,NY

**Date Collected:** 08/30/23 11:40  
**Date Received:** 08/31/23  
**Field Prep:** Not Specified

**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	1.9	J	ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	103		70-130
Toluene-d8	105		70-130
4-Bromofluorobenzene	100		70-130
Dibromofluoromethane	104		70-130



**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

**SAMPLE RESULTS**

**Lab ID:** L2350757-05  
**Client ID:** ESI-11-083023  
**Sample Location:** FALCONER,NY

**Date Collected:** 08/30/23 12:25  
**Date Received:** 08/31/23  
**Field Prep:** Not Specified

**Sample Depth:**  
**Matrix:** Water  
**Analytical Method:** 1,8260D  
**Analytical Date:** 09/09/23 06:59  
**Analyst:** PID

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	1.7	J	ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	ND		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

**SAMPLE RESULTS**

**Lab ID:** L2350757-05  
**Client ID:** ESI-11-083023  
**Sample Location:** FALCONER,NY

**Date Collected:** 08/30/23 12:25  
**Date Received:** 08/31/23  
**Field Prep:** Not Specified

**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	2.2	J	ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	104		70-130
Toluene-d8	103		70-130
4-Bromofluorobenzene	104		70-130
Dibromofluoromethane	104		70-130



**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

**SAMPLE RESULTS**

**Lab ID:** L2350757-06  
**Client ID:** ESI-12-083023  
**Sample Location:** FALCONER,NY

**Date Collected:** 08/30/23 13:00  
**Date Received:** 08/31/23  
**Field Prep:** Not Specified

**Sample Depth:**  
**Matrix:** Water  
**Analytical Method:** 1,8260D  
**Analytical Date:** 09/09/23 07:25  
**Analyst:** PID

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	1.2	J	ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	ND		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

**SAMPLE RESULTS**

**Lab ID:** L2350757-06  
**Client ID:** ESI-12-083023  
**Sample Location:** FALCONER,NY

**Date Collected:** 08/30/23 13:00  
**Date Received:** 08/31/23  
**Field Prep:** Not Specified

**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	3.0	J	ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	103		70-130
Toluene-d8	102		70-130
4-Bromofluorobenzene	104		70-130
Dibromofluoromethane	103		70-130



**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

**SAMPLE RESULTS**

**Lab ID:** L2350757-07  
**Client ID:** ESI-7-083023  
**Sample Location:** FALCONER,NY

**Date Collected:** 08/30/23 13:55  
**Date Received:** 08/31/23  
**Field Prep:** Not Specified

**Sample Depth:**  
**Matrix:** Water  
**Analytical Method:** 1,8260D  
**Analytical Date:** 09/09/23 07:51  
**Analyst:** PID

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	18		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

**SAMPLE RESULTS**

**Lab ID:** L2350757-07  
**Client ID:** ESI-7-083023  
**Sample Location:** FALCONER,NY

**Date Collected:** 08/30/23 13:55  
**Date Received:** 08/31/23  
**Field Prep:** Not Specified

**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	1.1	J	ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	104		70-130
Toluene-d8	103		70-130
4-Bromofluorobenzene	101		70-130
Dibromofluoromethane	104		70-130



**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

**SAMPLE RESULTS**

**Lab ID:** L2350757-08  
**Client ID:** ESI-13R-083023  
**Sample Location:** FALCONER,NY

**Date Collected:** 08/30/23 14:40  
**Date Received:** 08/31/23  
**Field Prep:** Not Specified

**Sample Depth:**

**Matrix:** Water  
**Analytical Method:** 1,8260D  
**Analytical Date:** 09/09/23 08:18  
**Analyst:** PID

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	10		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1



**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

**SAMPLE RESULTS**

**Lab ID:** L2350757-08  
**Client ID:** ESI-13R-083023  
**Sample Location:** FALCONER,NY

**Date Collected:** 08/30/23 14:40  
**Date Received:** 08/31/23  
**Field Prep:** Not Specified

**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	104		70-130
Toluene-d8	103		70-130
4-Bromofluorobenzene	103		70-130
Dibromofluoromethane	105		70-130



**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

**SAMPLE RESULTS**

**Lab ID:** L2350757-09  
**Client ID:** ESI-6-083123  
**Sample Location:** FALCONER,NY

**Date Collected:** 08/31/23 10:22  
**Date Received:** 08/31/23  
**Field Prep:** Not Specified

**Sample Depth:**  
**Matrix:** Water  
**Analytical Method:** 1,8260D  
**Analytical Date:** 09/09/23 08:44  
**Analyst:** PID

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	1.1	J	ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	ND		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

**SAMPLE RESULTS**

**Lab ID:** L2350757-09  
**Client ID:** ESI-6-083123  
**Sample Location:** FALCONER,NY

**Date Collected:** 08/31/23 10:22  
**Date Received:** 08/31/23  
**Field Prep:** Not Specified

**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	3.5	J	ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	105		70-130
Toluene-d8	102		70-130
4-Bromofluorobenzene	103		70-130
Dibromofluoromethane	105		70-130



**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

**SAMPLE RESULTS**

**Lab ID:** L2350757-10  
**Client ID:** ESI-2-083123  
**Sample Location:** FALCONER,NY

**Date Collected:** 08/31/23 11:12  
**Date Received:** 08/31/23  
**Field Prep:** Not Specified

**Sample Depth:**  
**Matrix:** Water  
**Analytical Method:** 1,8260D  
**Analytical Date:** 09/09/23 09:10  
**Analyst:** PID

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	1.6	J	ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	1.1		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

**SAMPLE RESULTS**

**Lab ID:** L2350757-10  
**Client ID:** ESI-2-083123  
**Sample Location:** FALCONER,NY

**Date Collected:** 08/31/23 11:12  
**Date Received:** 08/31/23  
**Field Prep:** Not Specified

**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	5.9		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	107		70-130
Toluene-d8	104		70-130
4-Bromofluorobenzene	105		70-130
Dibromofluoromethane	105		70-130



**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

**SAMPLE RESULTS**

**Lab ID:** L2350757-11  
**Client ID:** ESI-1-083123  
**Sample Location:** FALCONER,NY

**Date Collected:** 08/31/23 12:00  
**Date Received:** 08/31/23  
**Field Prep:** Not Specified

**Sample Depth:**  
**Matrix:** Water  
**Analytical Method:** 1,8260D  
**Analytical Date:** 09/09/23 09:37  
**Analyst:** PID

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	2.8		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

**SAMPLE RESULTS**

**Lab ID:** L2350757-11  
**Client ID:** ESI-1-083123  
**Sample Location:** FALCONER,NY

**Date Collected:** 08/31/23 12:00  
**Date Received:** 08/31/23  
**Field Prep:** Not Specified

**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	105		70-130
Toluene-d8	105		70-130
4-Bromofluorobenzene	103		70-130
Dibromofluoromethane	105		70-130



**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

**SAMPLE RESULTS**

**Lab ID:** L2350757-12      D  
**Client ID:** PW-3R-083123  
**Sample Location:** FALCONER,NY

**Date Collected:** 08/31/23 12:38  
**Date Received:** 08/31/23  
**Field Prep:** Not Specified

**Sample Depth:**  
**Matrix:** Water  
**Analytical Method:** 1,8260D  
**Analytical Date:** 09/09/23 10:03  
**Analyst:** PID

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	25	7.0	10
1,1-Dichloroethane	ND		ug/l	25	7.0	10
Chloroform	ND		ug/l	25	7.0	10
Carbon tetrachloride	ND		ug/l	5.0	1.3	10
1,2-Dichloropropane	ND		ug/l	10	1.4	10
Dibromochloromethane	ND		ug/l	5.0	1.5	10
1,1,2-Trichloroethane	ND		ug/l	15	5.0	10
Tetrachloroethene	ND		ug/l	5.0	1.8	10
Chlorobenzene	ND		ug/l	25	7.0	10
Trichlorofluoromethane	ND		ug/l	25	7.0	10
1,2-Dichloroethane	ND		ug/l	5.0	1.3	10
1,1,1-Trichloroethane	ND		ug/l	25	7.0	10
Bromodichloromethane	ND		ug/l	5.0	1.9	10
trans-1,3-Dichloropropene	ND		ug/l	5.0	1.6	10
cis-1,3-Dichloropropene	ND		ug/l	5.0	1.4	10
Bromoform	ND		ug/l	20	6.5	10
1,1,2,2-Tetrachloroethane	ND		ug/l	5.0	1.7	10
Benzene	ND		ug/l	5.0	1.6	10
Toluene	ND		ug/l	25	7.0	10
Ethylbenzene	ND		ug/l	25	7.0	10
Chloromethane	ND		ug/l	25	7.0	10
Bromomethane	ND		ug/l	25	7.0	10
Vinyl chloride	960		ug/l	10	0.71	10
Chloroethane	ND		ug/l	25	7.0	10
1,1-Dichloroethene	ND		ug/l	5.0	1.7	10
trans-1,2-Dichloroethene	ND		ug/l	25	7.0	10
Trichloroethene	ND		ug/l	5.0	1.8	10
1,2-Dichlorobenzene	ND		ug/l	25	7.0	10



**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

**SAMPLE RESULTS**

**Lab ID:** L2350757-12 D  
**Client ID:** PW-3R-083123  
**Sample Location:** FALCONER,NY

**Date Collected:** 08/31/23 12:38  
**Date Received:** 08/31/23  
**Field Prep:** Not Specified

**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	25	7.0	10
1,4-Dichlorobenzene	ND		ug/l	25	7.0	10
Methyl tert butyl ether	ND		ug/l	25	7.0	10
p/m-Xylene	ND		ug/l	25	7.0	10
o-Xylene	ND		ug/l	25	7.0	10
cis-1,2-Dichloroethene	960		ug/l	25	7.0	10
Styrene	ND		ug/l	25	7.0	10
Dichlorodifluoromethane	ND		ug/l	50	10.	10
Acetone	18	J	ug/l	50	15.	10
Carbon disulfide	ND		ug/l	50	10.	10
2-Butanone	ND		ug/l	50	19.	10
4-Methyl-2-pentanone	ND		ug/l	50	10.	10
2-Hexanone	ND		ug/l	50	10.	10
1,2-Dibromoethane	ND		ug/l	20	6.5	10
n-Butylbenzene	ND		ug/l	25	7.0	10
sec-Butylbenzene	ND		ug/l	25	7.0	10
tert-Butylbenzene	ND		ug/l	25	7.0	10
1,2-Dibromo-3-chloropropane	ND		ug/l	25	7.0	10
Isopropylbenzene	ND		ug/l	25	7.0	10
p-Isopropyltoluene	ND		ug/l	25	7.0	10
Naphthalene	ND		ug/l	25	7.0	10
n-Propylbenzene	ND		ug/l	25	7.0	10
1,2,4-Trichlorobenzene	ND		ug/l	25	7.0	10
1,3,5-Trimethylbenzene	ND		ug/l	25	7.0	10
1,2,4-Trimethylbenzene	ND		ug/l	25	7.0	10
Methyl Acetate	ND		ug/l	20	2.3	10
Cyclohexane	ND		ug/l	100	2.7	10
Freon-113	ND		ug/l	25	7.0	10
Methyl cyclohexane	ND		ug/l	100	4.0	10

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	106		70-130
Toluene-d8	104		70-130
4-Bromofluorobenzene	102		70-130
Dibromofluoromethane	108		70-130



**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

**SAMPLE RESULTS**

**Lab ID:** L2350757-13  
**Client ID:** TRIP BLANK  
**Sample Location:** FALCONER,NY

**Date Collected:** 08/31/23 00:00  
**Date Received:** 08/31/23  
**Field Prep:** Not Specified

**Sample Depth:**  
**Matrix:** Water  
**Analytical Method:** 1,8260D  
**Analytical Date:** 09/09/23 04:47  
**Analyst:** PID

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
Carbon tetrachloride	ND		ug/l	0.50	0.13	1
1,2-Dichloropropane	ND		ug/l	1.0	0.14	1
Dibromochloromethane	ND		ug/l	0.50	0.15	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
Chlorobenzene	ND		ug/l	2.5	0.70	1
Trichlorofluoromethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Bromodichloromethane	ND		ug/l	0.50	0.19	1
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16	1
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14	1
Bromoform	ND		ug/l	2.0	0.65	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Benzene	ND		ug/l	0.50	0.16	1
Toluene	ND		ug/l	2.5	0.70	1
Ethylbenzene	ND		ug/l	2.5	0.70	1
Chloromethane	ND		ug/l	2.5	0.70	1
Bromomethane	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
Chloroethane	ND		ug/l	2.5	0.70	1
1,1-Dichloroethene	ND		ug/l	0.50	0.17	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	ND		ug/l	0.50	0.18	1
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70	1

**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

**SAMPLE RESULTS**

**Lab ID:** L2350757-13  
**Client ID:** TRIP BLANK  
**Sample Location:** FALCONER,NY

**Date Collected:** 08/31/23 00:00  
**Date Received:** 08/31/23  
**Field Prep:** Not Specified

**Sample Depth:**

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70	1
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70	1
Methyl tert butyl ether	ND		ug/l	2.5	0.70	1
p/m-Xylene	ND		ug/l	2.5	0.70	1
o-Xylene	ND		ug/l	2.5	0.70	1
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Styrene	ND		ug/l	2.5	0.70	1
Dichlorodifluoromethane	ND		ug/l	5.0	1.0	1
Acetone	ND		ug/l	5.0	1.5	1
Carbon disulfide	ND		ug/l	5.0	1.0	1
2-Butanone	ND		ug/l	5.0	1.9	1
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0	1
2-Hexanone	ND		ug/l	5.0	1.0	1
1,2-Dibromoethane	ND		ug/l	2.0	0.65	1
n-Butylbenzene	ND		ug/l	2.5	0.70	1
sec-Butylbenzene	ND		ug/l	2.5	0.70	1
tert-Butylbenzene	ND		ug/l	2.5	0.70	1
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70	1
Isopropylbenzene	ND		ug/l	2.5	0.70	1
p-Isopropyltoluene	ND		ug/l	2.5	0.70	1
Naphthalene	ND		ug/l	2.5	0.70	1
n-Propylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70	1
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70	1
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70	1
Methyl Acetate	ND		ug/l	2.0	0.23	1
Cyclohexane	ND		ug/l	10	0.27	1
Freon-113	ND		ug/l	2.5	0.70	1
Methyl cyclohexane	ND		ug/l	10	0.40	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	100		70-130
Toluene-d8	103		70-130
4-Bromofluorobenzene	103		70-130
Dibromofluoromethane	103		70-130



**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

### Method Blank Analysis Batch Quality Control

Analytical Method: 1,8260D  
 Analytical Date: 09/09/23 03:53  
 Analyst: TMS

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-13 Batch: WG1826522-5					
Methylene chloride	ND		ug/l	2.5	0.70
1,1-Dichloroethane	ND		ug/l	2.5	0.70
Chloroform	ND		ug/l	2.5	0.70
Carbon tetrachloride	ND		ug/l	0.50	0.13
1,2-Dichloropropane	ND		ug/l	1.0	0.14
Dibromochloromethane	ND		ug/l	0.50	0.15
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50
Tetrachloroethene	ND		ug/l	0.50	0.18
Chlorobenzene	ND		ug/l	2.5	0.70
Trichlorofluoromethane	ND		ug/l	2.5	0.70
1,2-Dichloroethane	ND		ug/l	0.50	0.13
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70
Bromodichloromethane	ND		ug/l	0.50	0.19
trans-1,3-Dichloropropene	ND		ug/l	0.50	0.16
cis-1,3-Dichloropropene	ND		ug/l	0.50	0.14
Bromoform	ND		ug/l	2.0	0.65
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17
Benzene	ND		ug/l	0.50	0.16
Toluene	ND		ug/l	2.5	0.70
Ethylbenzene	ND		ug/l	2.5	0.70
Chloromethane	ND		ug/l	2.5	0.70
Bromomethane	ND		ug/l	2.5	0.70
Vinyl chloride	ND		ug/l	1.0	0.07
Chloroethane	ND		ug/l	2.5	0.70
1,1-Dichloroethene	ND		ug/l	0.50	0.17
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70
Trichloroethene	ND		ug/l	0.50	0.18
1,2-Dichlorobenzene	ND		ug/l	2.5	0.70
1,3-Dichlorobenzene	ND		ug/l	2.5	0.70

**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

### Method Blank Analysis Batch Quality Control

Analytical Method: 1,8260D  
 Analytical Date: 09/09/23 03:53  
 Analyst: TMS

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-13 Batch: WG1826522-5					
1,4-Dichlorobenzene	ND		ug/l	2.5	0.70
Methyl tert butyl ether	ND		ug/l	2.5	0.70
p/m-Xylene	ND		ug/l	2.5	0.70
o-Xylene	ND		ug/l	2.5	0.70
cis-1,2-Dichloroethene	ND		ug/l	2.5	0.70
Styrene	ND		ug/l	2.5	0.70
Dichlorodifluoromethane	ND		ug/l	5.0	1.0
Acetone	ND		ug/l	5.0	1.5
Carbon disulfide	ND		ug/l	5.0	1.0
2-Butanone	ND		ug/l	5.0	1.9
4-Methyl-2-pentanone	ND		ug/l	5.0	1.0
2-Hexanone	ND		ug/l	5.0	1.0
1,2-Dibromoethane	ND		ug/l	2.0	0.65
n-Butylbenzene	ND		ug/l	2.5	0.70
sec-Butylbenzene	ND		ug/l	2.5	0.70
tert-Butylbenzene	ND		ug/l	2.5	0.70
1,2-Dibromo-3-chloropropane	ND		ug/l	2.5	0.70
Isopropylbenzene	ND		ug/l	2.5	0.70
p-Isopropyltoluene	ND		ug/l	2.5	0.70
Naphthalene	ND		ug/l	2.5	0.70
n-Propylbenzene	ND		ug/l	2.5	0.70
1,2,4-Trichlorobenzene	ND		ug/l	2.5	0.70
1,3,5-Trimethylbenzene	ND		ug/l	2.5	0.70
1,2,4-Trimethylbenzene	ND		ug/l	2.5	0.70
Methyl Acetate	ND		ug/l	2.0	0.23
Cyclohexane	ND		ug/l	10	0.27
Freon-113	ND		ug/l	2.5	0.70
Methyl cyclohexane	ND		ug/l	10	0.40

**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

**Method Blank Analysis**  
**Batch Quality Control**

Analytical Method: 1,8260D  
Analytical Date: 09/09/23 03:53  
Analyst: TMS

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-13 Batch: WG1826522-5					

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	100		70-130
Toluene-d8	103		70-130
4-Bromofluorobenzene	103		70-130
Dibromofluoromethane	102		70-130

## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-13 Batch: WG1826522-3 WG1826522-4								
Methylene chloride	98		98		70-130	0		20
1,1-Dichloroethane	110		110		70-130	0		20
Chloroform	100		100		70-130	0		20
Carbon tetrachloride	110		120		63-132	9		20
1,2-Dichloropropane	100		110		70-130	10		20
Dibromochloromethane	100		100		63-130	0		20
1,1,2-Trichloroethane	100		98		70-130	2		20
Tetrachloroethene	110		110		70-130	0		20
Chlorobenzene	110		110		75-130	0		20
Trichlorofluoromethane	95		98		62-150	3		20
1,2-Dichloroethane	100		100		70-130	0		20
1,1,1-Trichloroethane	110		110		67-130	0		20
Bromodichloromethane	100		100		67-130	0		20
trans-1,3-Dichloropropene	100		100		70-130	0		20
cis-1,3-Dichloropropene	100		100		70-130	0		20
Bromoform	95		95		54-136	0		20
1,1,2,2-Tetrachloroethane	110		100		67-130	10		20
Benzene	100		110		70-130	10		20
Toluene	110		110		70-130	0		20
Ethylbenzene	110		110		70-130	0		20
Chloromethane	97		99		64-130	2		20
Bromomethane	110		130		39-139	17		20
Vinyl chloride	86		88		55-140	2		20

# **Lab Control Sample Analysis** Batch Quality Control

**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-13 Batch: WG1826522-3 WG1826522-4								
Chloroethane	69		75		55-138	8		20
1,1-Dichloroethene	82		83		61-145	1		20
trans-1,2-Dichloroethene	110		110		70-130	0		20
Trichloroethene	100		100		70-130	0		20
1,2-Dichlorobenzene	110		110		70-130	0		20
1,3-Dichlorobenzene	110		110		70-130	0		20
1,4-Dichlorobenzene	110		110		70-130	0		20
Methyl tert butyl ether	87		86		63-130	1		20
p/m-Xylene	110		110		70-130	0		20
o-Xylene	105		105		70-130	0		20
cis-1,2-Dichloroethene	110		110		70-130	0		20
Styrene	105		105		70-130	0		20
Dichlorodifluoromethane	100		100		36-147	0		20
Acetone	120		82		58-148	38	Q	20
Carbon disulfide	77		74		51-130	4		20
2-Butanone	93		83		63-138	11		20
4-Methyl-2-pentanone	94		88		59-130	7		20
2-Hexanone	85		78		57-130	9		20
1,2-Dibromoethane	97		94		70-130	3		20
n-Butylbenzene	120		120		53-136	0		20
sec-Butylbenzene	110		110		70-130	0		20
tert-Butylbenzene	110		110		70-130	0		20
1,2-Dibromo-3-chloropropane	86		82		41-144	5		20



## Lab Control Sample Analysis

### Batch Quality Control

**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-13 Batch: WG1826522-3 WG1826522-4								
Isopropylbenzene	110		110		70-130	0		20
p-Isopropyltoluene	110		120		70-130	9		20
Naphthalene	81		80		70-130	1		20
n-Propylbenzene	110		120		69-130	9		20
1,2,4-Trichlorobenzene	97		96		70-130	1		20
1,3,5-Trimethylbenzene	110		110		64-130	0		20
1,2,4-Trimethylbenzene	110		110		70-130	0		20
Methyl Acetate	87		82		70-130	6		20
Cyclohexane	120		120		70-130	0		20
Freon-113	86		88		70-130	2		20
Methyl cyclohexane	110		110		70-130	0		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	102		101		70-130
Toluene-d8	104		104		70-130
4-Bromofluorobenzene	104		105		70-130
Dibromofluoromethane	101		104		70-130

# Matrix Spike Analysis

## Batch Quality Control

**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-13 QC Batch ID: WG1826522-6 WG1826522-7 QC Sample: L2350757-01 Client ID: ESI-3-083023												
Methylene chloride	ND	10	11	110		10	100		70-130	10		20
1,1-Dichloroethane	ND	10	12	120		12	120		70-130	0		20
Chloroform	ND	10	12	120		12	120		70-130	0		20
Carbon tetrachloride	ND	10	13	130		13	130		63-132	0		20
1,2-Dichloropropane	ND	10	11	110		11	110		70-130	0		20
Dibromochloromethane	ND	10	11	110		11	110		63-130	0		20
1,1,2-Trichloroethane	ND	10	11	110		11	110		70-130	0		20
Tetrachloroethene	ND	10	12	120		12	120		70-130	0		20
Chlorobenzene	ND	10	12	120		12	120		75-130	0		20
Trichlorofluoromethane	ND	10	12	120		11	110		62-150	9		20
1,2-Dichloroethane	ND	10	12	120		12	120		70-130	0		20
1,1,1-Trichloroethane	ND	10	13	130		13	130		67-130	0		20
Bromodichloromethane	ND	10	12	120		11	110		67-130	9		20
trans-1,3-Dichloropropene	ND	10	11	110		11	110		70-130	0		20
cis-1,3-Dichloropropene	ND	10	10	100		10	100		70-130	0		20
Bromoform	ND	10	11	110		10	100		54-136	10		20
1,1,2,2-Tetrachloroethane	ND	10	12	120		12	120		67-130	0		20
Benzene	ND	10	12	120		11	110		70-130	9		20
Toluene	ND	10	12	120		12	120		70-130	0		20
Ethylbenzene	ND	10	12	120		12	120		70-130	0		20
Chloromethane	ND	10	11	110		11	110		64-130	0		20
Bromomethane	ND	10	8.0	80		10	100		39-139	22	Q	20
Vinyl chloride	ND	10	10	100		9.8	98		55-140	2		20

# Matrix Spike Analysis

## Batch Quality Control

**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-13 QC Batch ID: WG1826522-6 WG1826522-7 QC Sample: L2350757-01 Client ID: ESI-3-083023												
Chloroethane	ND	10	8.3	83		7.9	79		55-138	5		20
1,1-Dichloroethene	ND	10	9.5	95		9.3	93		61-145	2		20
trans-1,2-Dichloroethene	ND	10	12	120		12	120		70-130	0		20
Trichloroethene	2.8	10	14	112		14	112		70-130	0		20
1,2-Dichlorobenzene	ND	10	12	120		12	120		70-130	0		20
1,3-Dichlorobenzene	ND	10	12	120		12	120		70-130	0		20
1,4-Dichlorobenzene	ND	10	12	120		12	120		70-130	0		20
Methyl tert butyl ether	ND	10	9.8	98		9.7	97		63-130	1		20
p/m-Xylene	ND	20	23	115		23	115		70-130	0		20
o-Xylene	ND	20	23	115		22	110		70-130	4		20
cis-1,2-Dichloroethene	1.4J	10	14	140	Q	13	130		70-130	7		20
Styrene	ND	20	23	115		23	115		70-130	0		20
Dichlorodifluoromethane	ND	10	12	120		12	120		36-147	0		20
Acetone	ND	10	9.2	92		9.3	93		58-148	1		20
Carbon disulfide	ND	10	8.1	81		7.9	79		51-130	2		20
2-Butanone	ND	10	9.7	97		9.6	96		63-138	1		20
4-Methyl-2-pentanone	ND	10	10	100		10	100		59-130	0		20
2-Hexanone	ND	10	9.1	91		9.2	92		57-130	1		20
1,2-Dibromoethane	ND	10	11	110		11	110		70-130	0		20
n-Butylbenzene	ND	10	12	120		12	120		53-136	0		20
sec-Butylbenzene	ND	10	11	110		11	110		70-130	0		20
tert-Butylbenzene	ND	10	12	120		11	110		70-130	9		20
1,2-Dibromo-3-chloropropane	ND	10	9.8	98		9.8	98		41-144	0		20

**Matrix Spike Analysis****Batch Quality Control**

**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

<b>Parameter</b>	<b>Native Sample</b>	<b>MS Added</b>	<b>MS Found</b>	<b>MS %Recovery</b>	<b>Qual</b>	<b>MSD Found</b>	<b>MSD %Recovery</b>	<b>Qual</b>	<b>Recovery Limits</b>	<b>RPD</b>	<b>Qual</b>	<b>RPD Limits</b>
Volatile Organics by GC/MS - Westborough Lab ESI-3-083023 Associated sample(s): 01-13 QC Batch ID: WG1826522-6 WG1826522-7 QC Sample: L2350757-01 Client ID:												
Isopropylbenzene	ND	10	11	110		11	110		70-130	0		20
p-Isopropyltoluene	ND	10	11	110		11	110		70-130	0		20
Naphthalene	ND	10	8.8	88		9.2	92		70-130	4		20
n-Propylbenzene	ND	10	12	120		12	120		69-130	0		20
1,2,4-Trichlorobenzene	ND	10	10	100		10	100		70-130	0		20
1,3,5-Trimethylbenzene	ND	10	11	110		11	110		64-130	0		20
1,2,4-Trimethylbenzene	ND	10	12	120		11	110		70-130	9		20
Methyl Acetate	ND	10	9.4	94		9.4	94		70-130	0		20
Cyclohexane	ND	10	13	130		13	130		70-130	0		20
Freon-113	ND	10	10	100		9.6	96		70-130	4		20
Methyl cyclohexane	ND	10	12	120		11	110		70-130	9		20

<b>Surrogate</b>	<b>MS % Recovery</b>	<b>Qualifier</b>	<b>MSD % Recovery</b>	<b>Qualifier</b>	<b>Acceptance Criteria</b>
1,2-Dichloroethane-d4	107		109		70-130
4-Bromofluorobenzene	102		102		70-130
Dibromofluoromethane	106		106		70-130
Toluene-d8	103		103		70-130

**Project Name:** JCC**Lab Number:** L2350757**Project Number:** N30.009.001**Report Date:** 09/15/23**Sample Receipt and Container Information**

Were project specific reporting limits specified?

YES

**Cooler Information**

<b>Cooler</b>	<b>Custody Seal</b>
A	Absent

**Container Information**

<b>Container ID</b>	<b>Container Type</b>	<b>Cooler</b>	<b>Initial pH</b>	<b>Final pH</b>	<b>Temp deg C</b>	<b>Pres</b>	<b>Seal</b>	<b>Frozen Date/Time</b>	<b>Analysis(*)</b>
L2350757-01A	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-01A1	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-01A2	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-01B	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-01B1	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-01B2	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-01C	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-01C1	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-01C2	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-02A	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-02B	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-02C	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-03A	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-03B	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-03C	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-04A	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-04B	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-04C	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-05A	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-05B	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-05C	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-06A	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-06B	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)

**Project Name:** JCC  
**Project Number:** N30.009.001

Serial\_No:09152312:56  
**Lab Number:** L2350757  
**Report Date:** 09/15/23

**Container Information**

<b>Container ID</b>	<b>Container Type</b>	<b>Cooler</b>	<b>Initial pH</b>	<b>Final pH</b>	<b>Temp deg C</b>	<b>Pres</b>	<b>Seal</b>	<b>Frozen Date/Time</b>	<b>Analysis(*)</b>
L2350757-06C	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-07A	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-07B	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-07C	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-08A	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-08B	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-08C	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-09A	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-09B	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-09C	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-10A	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-10B	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-10C	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-11A	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-11B	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-11C	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-12A	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-12B	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-12C	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-13A	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)
L2350757-13B	Vial HCl preserved	A	NA		3.2	Y	Absent		NYTCL-8260-R2(14)

**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

## GLOSSARY

### Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)  Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

*Report Format: DU Report with 'J' Qualifiers*



**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

### Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

### Terms

**Analytical Method:** Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

**Chlordane:** The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

**Difference:** With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

**Final pH:** As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

**Frozen Date/Time:** With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

**Gasoline Range Organics (GRO):** Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

**Initial pH:** As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

**PAH Total:** With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

**PFAS Total:** With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

**Total:** With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

### Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively

**Report Format:** DU Report with 'J' Qualifiers





**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

**Data Qualifiers**

Identified Compounds (TICs). For calculated parameters, this represents that one or more values used in the calculation were estimated.

- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- V** - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z** - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Report Format: DU Report with 'J' Qualifiers



**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

## REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - VI, 2018.

## LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



**Alpha Analytical, Inc.**

ID No.:17873

Facility: **Company-wide**

Revision 20

Department: **Quality Assurance**

Published Date: 6/16/2023 4:52:28 PM

Title: **Certificate/Approval Program Summary**

Page 1 of 1

**Certification Information**

The following analytes are not included in our Primary NELAP Scope of Accreditation:

**Westborough Facility****EPA 624.1:** m/p-xylene, o-xylene, Naphthalene**EPA 625.1:** alpha-Terpineol**EPA 8260D:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.**EPA 8270E:** NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine, alpha-Terpineol; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.**SM4500:** NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO<sub>2</sub>, NO<sub>3</sub>.**Mansfield Facility****SM 2540D:** TSS.**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

**Biological Tissue Matrix:** EPA 3050B


The following analytes are included in our Massachusetts DEP Scope of Accreditation

**Westborough Facility:****Drinking Water****EPA 300.0:** Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,****EPA 180.1, SM2130B, SM4500Cl-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B****EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.**Microbiology:** **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.****Non-Potable Water****SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH:** Ammonia-N and Kjeldahl-N, **EPA 350.1:**Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E,****SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300:** Chloride, Sulfate, Nitrate.**EPA 624.1:** Volatile Halocarbons & Aromatics,**EPA 608.3:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II,

Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

**EPA 625.1:** SVOC (Acid/Base/Neutral Extractables).**Microbiology:** **SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603, SM9222D.****Mansfield Facility:****Drinking Water****EPA 200.7:** Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1 Hg.****EPA 522, EPA 537.1.****Non-Potable Water****EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.**EPA 245.1 Hg.****SM2340B**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

 <b>NEW YORK CHAIN OF CUSTODY</b> Westborough, MA 01581 8 Walkup Dr. TEL: 508-898-9220 FAX: 508-898-9193		<b>Service Centers</b> Mahwah, NJ 07430: 35 Whitney Rd, Suite 5 Albany, NY 12205: 14 Walker Way Tonawanda, NY 14150: 275 Cooper Ave, Suite 105		Page <div style="border: 1px solid black; padding: 2px; display: inline-block;">1 of 2</div>		Date Rec'd in Lab 09/01/23		ALPHA Job # L2350757					
Mansfield, MA 02048 320 Forbes Blvd TEL: 508-822-9300 FAX: 508-822-3288		<b>Project Information</b> Project Name: JCC Project Location: FALCONER, NY Project # N30-009-001 (Use Project name as Project #) <input type="checkbox"/>				<b>Deliverables</b> <input type="checkbox"/> ASP-A <input checked="" type="checkbox"/> ASP-B <input checked="" type="checkbox"/> EQuIS (1 File) <input type="checkbox"/> EQuIS (4 File) <input type="checkbox"/> Other				<b>Billing Information</b> <input checked="" type="checkbox"/> Same as Client Info PO #			
<b>Client Information</b> Client: C&S ENGINEERS Address: 141 FLOT ST. BUFFALO NY 14203 Phone: Fax: Email: Rbachelor@csos.com		Project Manager: RICH BACHELOR ALPHAQuote #: Turn-Around Time Standard <input checked="" type="checkbox"/> Due Date: Rush (only if pre approved) <input type="checkbox"/> # of Days:				<b>Regulatory Requirement</b> <input type="checkbox"/> NY TOGS <input checked="" type="checkbox"/> NY Part 375 <input type="checkbox"/> AWQ Standards <input type="checkbox"/> NY CP-51 <input type="checkbox"/> NY Restricted Use <input type="checkbox"/> Other <input type="checkbox"/> NY Unrestricted Use <input type="checkbox"/> NYC Sewer Discharge				<b>Disposal Site Information</b> Please identify below location of applicable disposal facilities. Disposal Facility: <input type="checkbox"/> NJ <input type="checkbox"/> NY <input type="checkbox"/> Other:			
These samples have been previously analyzed by Alpha <input type="checkbox"/>						<b>ANALYSIS</b>				<b>Sample Filtration</b> <input type="checkbox"/> Done <input type="checkbox"/> Lab to do <b>Preservation</b> <input type="checkbox"/> Lab to do (Please Specify below)		Total Bottles	
Other project specific requirements/comments: MS + MSD collected FROM RES-3 DUP collected FROM PW-1 Please specify Metals or TAL.													
ALPHA Lab ID (Lab Use Only)		Sample ID		Collection		Sample Matrix	Sampler's Initials					Sample Specific Comments	
				Date	Time								
50757-01		ESI-3-083023		8/30/23	10:45	GW	RB	X					
-01-02		MS-083023		8/30/23	10:15	GW	RB	X					
-01-03		MSD-083023		8/30/23	10:15	GW	RB	X					
-02-04		PW-1-083023		8/30/23	10:50	GW	RB	X					
-03-05		DUP-083023		8/30/23	10:50	GW	RB	X					
-04-06		ESI-10-083023		8/30/23	11:40	GW	RB	V					
-05-07		ESI-11-083023		8/30/23	12:25	GW	RB	V					
-06-08		ESI-12-083023		8/30/23	1:00	GW	RB	X					
-07-09		ESI-7-083023		8/30/23	1:55	GW	RB	X					
-08-10		ESI-132-083023		8/30/23	2:40	GW	RB	V					
Preservative Code: A = None B = HCl C = HNO <sub>3</sub> D = H <sub>2</sub> SO <sub>4</sub> E = NaOH F = MeOH G = NaHSO <sub>4</sub> H = Na <sub>2</sub> S <sub>2</sub> O <sub>3</sub> K/E = Zn Ac/NaOH O = Other		Container Code: P = Plastic A = Amber Glass V = Vial G = Glass B = Bacteria Cup C = Cube O = Other E = Encore D = BOD Bottle		Westboro: Certification No: MA935 Mansfield: Certification No: MA015		Container Type Preservative						Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHA'S TERMS & CONDITIONS. (See reverse side.)	
						Relinquished By:		Date/Time		Received By:		Date/Time	
						R. Bachelor		8/31/23 15:30		Jocelyn Zouy (AAL)		8/31/23 15:30	
						Jocelyn Zouy (AAL)		8/31/23 15:30		09101123-0100			



 <b>NEW YORK CHAIN OF CUSTODY</b>		<b>Service Centers</b> Mahwah, NJ 07430: 35 Whitney Rd, Suite 5 Albany, NY 12205: 14 Walker Way Tonawanda, NY 14150: 275 Cooper Ave, Suite 105		Page <div style="font-size: 2em; font-weight: bold;">2 of 2</div>		Date Rec'd in Lab 09/01/23		ALPHA Job # L2350757	
		Westborough, MA 01581 8 Walkup Dr. TEL: 508-898-9220 FAX: 508-898-9193		Mansfield, MA 02048 320 Forbes Blvd TEL: 508-822-9300 FAX: 508-822-3288					
<b>Client Information</b> Client: CTS Engineers Address: 141 Elm Street Buffalo, NY Phone: Fax: Email: RBacker@CSCS.com		<b>Project Information</b> Project Name: JCC Project Location: Falmouth NY Project # N30.009.001 (Use Project name as Project #) <input type="checkbox"/>		<b>Deliverables</b> <input type="checkbox"/> ASP-A <input checked="" type="checkbox"/> ASP-B <input checked="" type="checkbox"/> EQUIS (1 File) <input type="checkbox"/> EQUIS (4 File) <input type="checkbox"/> Other		<b>Billing Information</b> <input checked="" type="checkbox"/> Same as Client Info PO #			
		Project Manager: Rich Backer ALPHAQuote #:		<b>Regulatory Requirement</b> <input type="checkbox"/> NY TOGS <input checked="" type="checkbox"/> NY Part 375 <input type="checkbox"/> AWQ Standards <input type="checkbox"/> NY CP-51 <input type="checkbox"/> NY Restricted Use <input type="checkbox"/> Other <input type="checkbox"/> NY Unrestricted Use <input type="checkbox"/> NYC Sewer Discharge		<b>Disposal Site Information</b> Please identify below location of applicable disposal facilities. Disposal Facility: <input type="checkbox"/> NJ <input checked="" type="checkbox"/> NY <input type="checkbox"/> Other:			
Turn-Around Time Standard <input checked="" type="checkbox"/> Due Date: Rush (only if pre approved) <input type="checkbox"/> # of Days:		These samples have been previously analyzed by Alpha <input type="checkbox"/>		<b>ANALYSIS</b>		<b>Sample Filtration</b> <input type="checkbox"/> Done <input type="checkbox"/> Lab to do <b>Preservation</b> <input type="checkbox"/> Lab to do (Please Specify below)			
Other project specific requirements/comments:		Please specify Metals or TAL.		Total Bottles					
ALPHA Lab ID (Lab Use Only)		Sample ID		Collection Date Time		Sample Matrix		Sampler's Initials	
50757-y1-c9 -10 -12 -11 DPM 8/31/23 -12 -13		FSI-6-083123 FSI-2-083123 FSI-1-083123 PW-3R-083123 Trip blank		8/31/23 10:22am 8/31/23 11:12am 8/31/23 12:00pm 8/31/23 12:38pm 8/31/23 1:07pm		GW GW GW GW GW		RB RB RB RB RB	
Preservative Code: A = None B = HCl C = HNO3 D = H2SO4 E = NaOH F = MeOH G = NaHSO4 H = Na2S2O3 K/E = Zn Ac/NaOH O = Other		Container Code P = Plastic A = Amber Glass V = Vial G = Glass B = Bacteria Cup C = Cube O = Other E = Encore D = BOD Bottle		Westboro: Certification No: MA935 Mansfield: Certification No: MA015		Container Type V Preservative B		Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHA'S TERMS & CONDITIONS. (See reverse side.)	
Relinquished By: [Signature] Date/Time: 8/31/23 15:30 Received By: [Signature] Date/Time: 8/31/23 15:30		Form No: 01-25 HC (rev. 30-Sept-2013)		09/01/23					

# **DATA USABILITY SUMMARY REPORT (DUSR)**

**JCC  
Falconer, NY  
Project # N30.009.001**

**SDG: L2350757**  
12 Water Samples and 1 Trip Blank

Prepared for:

**C&S Companies  
141 Elm Street, Suite 100  
Buffalo, NY 14203  
Attention: Cody Martin**

**October 2023**



*Environmental Data Usability 10028 Deer Park Dr. Dansville, NY 14437 585-991-9156*

# *Table of Contents*

	<u>Page No.</u>
REVIEWER'S NARRATIVE	
1.0 SUMMARY	1
2.0 INTRODUCTION	1
3.0 SAMPLE AND ANALYSIS SUMMARY	2
4.0 GUIDANCE DOCUMENTS AND DATA REVIEW CRITERIA	2
5.0 DATA VALIDATION QUALIFIERS	3
6.0 RESULTS OF THE DATA REVIEW	4
7.0 TOTAL USABLE DATA	4

---

<b>APPENDIX A</b>	Validated Analytical Results
<b>APPENDIX B</b>	Laboratory QC Documentation
<b>APPENDIX C</b>	Validator Qualifications

## *Tables*

Table 4-1	Data Validation Guidance Documents
Table 4-2	Quality Control Criteria for Validating Laboratory Analytical Data

### **Summaries of Validated Results**

Table 6-1	VOCs
-----------	------

**REVIEWER'S NARRATIVE**  
**C&S Companies SDG L2350757 JCC**

The data associated with this Sample Delivery Groups (SDG) L2350757, analyzed by Alpha Analytical, Westborough, MA have been reviewed in accordance with assessment criteria provided by the New York State Department of Environmental Conservation following the review procedures provided in the USEPA Functional Guidelines for evaluating organic and inorganic data.

All analytical results reported by the laboratory are considered valid and acceptable except results that have been qualified as rejected, "R". Results qualified as estimated "J", or as non-detects, "U", are considered usable for the purpose of evaluating water and/or soil quality. However, these qualifiers indicate that the accuracy and/or precision of the analytical result is questionable. A summary of all data that have been qualified and the reasons for qualification are provided in the following data usability summary report (DUSR).

Two facts should be noted by all data users. First, the "R" qualifier means that the associated value is unusable. In other words, due to significant quality control (QC) problems, the analysis is invalid and provides no information as to whether the analyte is present or not. Values qualified with an "R" should not appear on the final data tables because they cannot be relied upon, even as the last resort. Second, no analyte concentration, even if it has passed all QC tests, is guaranteed to be accurate. Strict QC serves to increase confidence in data, but any value potentially contains error.

Reviewer's Signature: Michael K. Perry Date: 10/6/2023  
Michael K. Perry  
Chemist



## 1.0 EVENT SUMMARY

**SITE:** JCC  
Falconer, NY  
Project #: N30.009.001

**SAMPLING DATES:** August 30 - 31, 2023

**SAMPLE TYPE:** 12 water samples and 1 trip blank

**LABORATORY:** Alpha Analytical  
Westborough, MA

**SDG No.:** SDGs L2350757

## 2.0 INTRODUCTION

This data usability summary report (DUSR) was prepared in accordance with guidance provided by the New York State Department of Environmental Conservation (NYSDEC). The DUSR is based on a review and evaluation of the laboratory analytical data package. Specifically, the NYSDEC guidance recommends review and evaluation of the following elements of the data package:

Completeness of the data package as defined under the requirements of the NYSDEC Analytical Services Protocols (ASP) Category B or the United States Environmental Protection Agency (USEPA) Contract Laboratory Program (CLP) deliverables,

Compliance with established analyte holding times,

Adherence to quality control (QC) limits and specifications for blanks, instrument tuning and calibration, surrogate recoveries, spike recoveries, laboratory duplicate analyses, and other QC criteria,

Adherence to established analytical protocols,

Conformance of data summary sheets with raw analytical data, and

Use of correct data qualifiers.

Data deficiencies, analytical protocol deviations, and quality control problems identified using the review criteria above and their effect on the analytical results are discussed in this report.

### **3.0 SAMPLE AND ANALYSIS SUMMARY**

The data package consists of analytical results for 12 water samples and 1 trip blank collected on 8/30/23 - 8/31/23. These samples were analyzed for Volatile Organic Compounds (VOCs).

All laboratory analyses were submitted to Alpha Analytical, Westborough, MA and analyzed as SDG L2350757. The analytical results were provided in NYSDEC ASP Category B format, which includes all raw analytical data and laboratory QC data.

### **4.0 GUIDANCE DOCUMENTS AND DATA REVIEW CRITERIA**

The guidance documents appropriate for reviewing laboratory quality control (QC) data and assigning data qualifiers (flags) to analytical results were selected from those listed in Table 4-1. The QC limits established in the documents applicable to this data review were used to assess the quality of the analytical results. In some cases, however, QC limits established internally by the laboratory were taken into account to determine data quality.

The QC criteria considered for assessing the usability of the reported analytical results provided for each analyte type (i.e. VOCs, SVOCs, metals, etc.) are listed in Table 4-2. These criteria may vary with the analytical method utilized by the laboratory. These criteria comply with the guidance recommended in Section 2.0 above.

### **5.0 DATA VALIDATION QUALIFIERS**

The letter qualifiers (flags) used to define data usability are described briefly below. These letters are assigned by the data validator to analytical results having questionable accuracy and/or precision as determined by reviewing the laboratory QC data associated with the analytical results.

**TABLE 4-1**

**Guidance Used For Validating Laboratory Analytical Data**

<b>Analyte Group</b>	<b>Guidance</b>	<b>Date</b>
Metals (ICP-AES)	USEPA SOP HW-3a, Rev. 1	September 2016
Metals (Hg & CN)	USEPA SOP HW-3c, Rev. 1	September 2016
Volatile Organic Compounds (by Methods 8260B & 8260C)	USEPA SOP HW-24, Rev. 4	September 2014
Semi-Volatile Organic Compounds (by Method 8270D)	USEPA SOP HW-22 Rev. 5	December 2010
Pesticides (by Method 8181B)	USEPA SOP HW-44, Rev. 1.1	December 2010
Chlorinated Herbicides (by Method 8151A)	USEPA SOP HW-17, Rev. 3.1	December 2010
Polychlorinated Biphenyls (PCBs)	USEPA SOP HW-37A, Rev. 0	June 2015
Volatile Organic Compounds (Air) (by Method TO-15)	USEPA SOP HW-31, Rev. 6	September 2016
Per- and PolyFluoroAlkyl Substances (PFAS)	* NYSDEC ** US Dept. of Defense	January 2021 November 2022
Radiological Analysis Uranium	USEPA Method 908.0	June 1999
Radium-226	USEPA Method 903.1	1980
General Chemistry Parameters	per NYSDEC ASP	July 2005

\* Sampling, Analysis, and Assessment of Per- and Polyfluoroalkyl Substances (PFAS) Under NYSDEC's Part 375 Remedial Programs, Appendix I

\*\* Data Validation Guidelines Module 6: Data Validation Procedures for Per- and Polyfluoroalkyl Substances Analysis by QSM Table B-24

TABLE 4-2

**QUALITY CONTROL CRITERIA USED FOR VALIDATING  
LABORATORY ANALYTICAL DATA**

<b>VOCs</b>	<b>SVOCs</b>	<b>Pesticides/PCBs</b>	<b>Metals</b>	<b>Gen Chemistry</b>	<b>PFAS</b>
Completeness of Pkg Sample Preservation Holding Time System Monitoring Compounds Lab Control Sample Matrix Spikes Blanks Instrument Tuning Internal Standards Initial Calibration Continuing Calibration Lab Qualifiers Field Duplicate	Completeness of Pkg Sample Preservation Holding Time Surrogate Recoveries Lab Control Sample Matrix Spikes Blanks Instrument Tuning Internal Standards Initial Calibration Continuing Calibration Lab Qualifiers Field Duplicate	Completeness of Pkg Sample Preservation Holding Time Surrogate Recoveries Matrix Spikes Blanks Instrument Calibration & Verification Comparison of duplicate GC column results Analyte ID Lab Qualifiers Field Duplicate	Completeness of Pkg Sample Preservation Holding Time Initial/Continuing Calibration CRDL Standards Blanks Interference Check Sample Spike Recoveries Lab Duplicate Lab Control Sample ICP Serial Dilutions Lab Qualifiers Field Duplicate	Completeness of Pkg Sample Preservation Holding Times Calibration Lab Control Samples Blanks Spike Recoveries Lab Duplicates	Completeness of Pkg Sample Preservation Holding Time Instr Performance Check Initial Calibration Continuing Calibration Blanks Surrogates Lab Fortified Blank Matrix Spikes Internal Standards

<b>Method TO-15 (Air)</b>	<b>Radiological (U and Ra)</b>
Completeness of Pkg Sample Preservation Holding Time Canister Certification Instrument Tuning Initial Calibration and Instrument Performance Daily Calibration Blanks Lab Control Sample Field Duplicate	Completeness of Pkg Sample Preservation Holding Time Sample Specific Yield Required Detection Limit Laboratory Control Sample Matrix Spikes Method Blank Instrument Calibration

The laboratory may also use various letters and symbols to flag analytical results generated when QC limits were exceeded. The meanings of these flags may differ from those used by the independent data validator. Those used by the laboratory are provided with the analytical results.

**NOTE:** The assignment of data qualifiers by the data reviewer (validator) to laboratory analytical results should not necessarily be interpreted by the data user as a measure of laboratory ability or proficiency. Rather, the qualifiers are intended to provide a measure of data accuracy and precision to the data user, which, for example, may provide a level of confidence in determining whether or not standards or cleanup objectives have been met.

- U** The analyte was analyzed for but was not detected at or above the sample quantitation limit.
- J** The analyte was positively identified; the associated numerical value is the concentration of the analyte in the sample. (The magnitude of any value associated with the result is not determined by data validation).
- J+** The result is an estimated quantity and may be biased high.
- J-** The result is an estimated quantity and may be biased low.
- UJ** The analyte was analyzed for but not detected. The reported quantitation limit is approximate and may be inaccurate or imprecise.
- R** The sample result is rejected (i.e., is unusable) due to serious deficiencies in the ability to analyze the sample and meet quality control criteria. The presence or absence of the analyte cannot be verified.
- NJ** The analysis indicates the presence of an analyte that has been “tentatively identified” and the associated numerical value represents its approximate concentration.

The validated analytical results are attached to this report. Validation qualifiers (flags) are indicated in red print. Data sheets having qualified data are signed and dated by the data reviewer.

## **6.0 RESULTS OF THE DATA REVIEW**

The results of the data review are summarized in Table 6-1. The table lists the samples where QC criteria were found to exceed acceptable limits and the actions taken to qualify the associated analytical results.

## **7.0 TOTAL USABLE DATA**

For SDG L2350757, thirteen samples were analyzed and results were reported for 754 analytes. Even though some results were flagged with a “J” as estimated, all results (100 %) are considered usable. See the summary table for the analyses that have been rejected and qualified and the associated QC reasons.

**Table 6-1        VOCs**

<b>SAMPLES AFFECTED</b>	<b>ANALYTES</b>	<b>ACTION</b>	<b>QC VIOLATION</b>	<b>COMMENTS</b>
ESI-3-083023	cis-1,2-Dichloroethene	J detects	MS/MSD > QC limit	Data are estimated
All samples	Dichlorodifluoromethane	J detects UJ non-detects	ICV > QC limit	Data are estimated
All samples	Chloroethane Carbon disulfide	J detects UJ non-detects	CCV > QC limit	Data are estimated

## ACRONYMS

BSP	Blank Spike
CCAL	Continuing Calibration
CCB	Continuing Calibration Blank
CCV	Continuing Calibration Verification
CRDL	Contract Required Detection Limit
CRQL	Contract Required Quantitation Limit
%D	Percent Difference
ICAL	Initial Calibration
ICB	Initial Calibration Blank
IS	Internal Standard
LCS	Laboratory Control Sample
MS/MSD	Matrix Spike/Matrix Spike Duplicate
QA	Quality Assurance
QC	Quality Control
%R	Percent recovery
RPD	Relative Percent Difference
RRF	Relative Response Factor
%RSD	Percent Relative Standard Deviation
TAL	Target Analyte List (metals)
TCL	Target Compound List (organics)



## *Appendix A*

---

### *Validated Analytical Results*



[www.alphalab.com](http://www.alphalab.com)



**Alpha Analytical**

**Laboratory Code: 11148**

**SDG Number: L2350757**

*The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.*

**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

<b>Alpha Sample ID</b>	<b>Client ID</b>	<b>Matrix</b>	<b>Sample Location</b>	<b>Collection Date/Time</b>	<b>Receive Date</b>
L2350757-01	ESI-3-083023	WATER	FALCONER,NY	08/30/23 10:15	08/31/23
L2350757-02	PW-1-083023	WATER	FALCONER,NY	08/30/23 10:50	08/31/23
L2350757-03	DUP-083023	WATER	FALCONER,NY	08/30/23 10:50	08/31/23
L2350757-04	ESI-10-083023	WATER	FALCONER,NY	08/30/23 11:40	08/31/23
L2350757-05	ESI-11-083023	WATER	FALCONER,NY	08/30/23 12:25	08/31/23
L2350757-06	ESI-12-083023	WATER	FALCONER,NY	08/30/23 13:00	08/31/23
L2350757-07	ESI-7-083023	WATER	FALCONER,NY	08/30/23 13:55	08/31/23
L2350757-08	ESI-13R-083023	WATER	FALCONER,NY	08/30/23 14:40	08/31/23
L2350757-09	ESI-6-083123	WATER	FALCONER,NY	08/31/23 10:22	08/31/23
L2350757-10	ESI-2-083123	WATER	FALCONER,NY	08/31/23 11:12	08/31/23
L2350757-11	ESI-1-083123	WATER	FALCONER,NY	08/31/23 12:00	08/31/23
L2350757-12	PW-3R-083123	WATER	FALCONER,NY	08/31/23 12:38	08/31/23
L2350757-13	TRIP BLANK	WATER	FALCONER,NY	08/31/23 00:00	08/31/23

**Project Name:** JCC  
**Project Number:** N30.009.001

**Lab Number:** L2350757  
**Report Date:** 09/15/23

**Case Narrative (continued)**

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature: *Melissa Sturgis*

Report Date: 09/15/23

Title: Technical Director/Representative











# **GC/MS 8260**

## **Analysis**

# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-01  
 Client ID : ESI-3-083023  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A08  
 Sample Amount : 10 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/30/23 10:15  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 05:13  
 Dilution Factor : 1  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-09-2	Methylene chloride	ND	2.5	0.70	U
75-34-3	1,1-Dichloroethane	ND	2.5	0.70	U
67-66-3	Chloroform	ND	2.5	0.70	U
56-23-5	Carbon tetrachloride	ND	0.50	0.13	U
78-87-5	1,2-Dichloropropane	ND	1.0	0.14	U
124-48-1	Dibromochloromethane	ND	0.50	0.15	U
79-00-5	1,1,2-Trichloroethane	ND	1.5	0.50	U
127-18-4	Tetrachloroethene	ND	0.50	0.18	U
108-90-7	Chlorobenzene	ND	2.5	0.70	U
75-69-4	Trichlorofluoromethane	ND	2.5	0.70	U
107-06-2	1,2-Dichloroethane	ND	0.50	0.13	U
71-55-6	1,1,1-Trichloroethane	ND	2.5	0.70	U
75-27-4	Bromodichloromethane	ND	0.50	0.19	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.16	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.14	U
75-25-2	Bromoform	ND	2.0	0.65	U
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.17	U
71-43-2	Benzene	ND	0.50	0.16	U
108-88-3	Toluene	ND	2.5	0.70	U
100-41-4	Ethylbenzene	ND	2.5	0.70	U
74-87-3	Chloromethane	ND	2.5	0.70	U
74-83-9	Bromomethane	ND	2.5	0.70	U
75-01-4	Vinyl chloride	ND	1.0	0.07	U
75-00-3	Chloroethane	ND	2.5	0.70	U UJ
75-35-4	1,1-Dichloroethene	ND	0.50	0.17	U



# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-01  
 Client ID : ESI-3-083023  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A08  
 Sample Amount : 10 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/30/23 10:15  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 05:13  
 Dilution Factor : 1  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
156-60-5	trans-1,2-Dichloroethene	ND	2.5	0.70	U
79-01-6	Trichloroethene	2.8	0.50	0.18	
95-50-1	1,2-Dichlorobenzene	ND	2.5	0.70	U
541-73-1	1,3-Dichlorobenzene	ND	2.5	0.70	U
106-46-7	1,4-Dichlorobenzene	ND	2.5	0.70	U
1634-04-4	Methyl tert butyl ether	ND	2.5	0.70	U
179601-23-1	p/m-Xylene	ND	2.5	0.70	U
95-47-6	o-Xylene	ND	2.5	0.70	U
156-59-2	cis-1,2-Dichloroethene	1.4	2.5	0.70	J J
100-42-5	Styrene	ND	2.5	0.70	U
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	U JJ
67-64-1	Acetone	ND	5.0	1.5	U
75-15-0	Carbon disulfide	ND	5.0	1.0	U JJ
78-93-3	2-Butanone	ND	5.0	1.9	U
108-10-1	4-Methyl-2-pentanone	ND	5.0	1.0	U
591-78-6	2-Hexanone	ND	5.0	1.0	U
106-93-4	1,2-Dibromoethane	ND	2.0	0.65	U
104-51-8	n-Butylbenzene	ND	2.5	0.70	U
135-98-8	sec-Butylbenzene	ND	2.5	0.70	U
98-06-6	tert-Butylbenzene	ND	2.5	0.70	U
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.5	0.70	U
98-82-8	Isopropylbenzene	ND	2.5	0.70	U
99-87-6	p-Isopropyltoluene	ND	2.5	0.70	U
91-20-3	Naphthalene	ND	2.5	0.70	U
103-65-1	n-Propylbenzene	ND	2.5	0.70	U

MKP 10/6/2023



# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-01  
 Client ID : ESI-3-083023  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A08  
 Sample Amount : 10 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/30/23 10:15  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 05:13  
 Dilution Factor : 1  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
120-82-1	1,2,4-Trichlorobenzene	ND	2.5	0.70	U
108-67-8	1,3,5-Trimethylbenzene	ND	2.5	0.70	U
95-63-6	1,2,4-Trimethylbenzene	ND	2.5	0.70	U
79-20-9	Methyl Acetate	ND	2.0	0.23	U
110-82-7	Cyclohexane	ND	10	0.27	U
76-13-1	Freon-113	ND	2.5	0.70	U
108-87-2	Methyl cyclohexane	ND	10	0.40	U



# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-02  
 Client ID : PW-1-083023  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A09  
 Sample Amount : 10 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/30/23 10:50  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 05:40  
 Dilution Factor : 1  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-09-2	Methylene chloride	ND	2.5	0.70	U
75-34-3	1,1-Dichloroethane	ND	2.5	0.70	U
67-66-3	Chloroform	ND	2.5	0.70	U
56-23-5	Carbon tetrachloride	ND	0.50	0.13	U
78-87-5	1,2-Dichloropropane	ND	1.0	0.14	U
124-48-1	Dibromochloromethane	ND	0.50	0.15	U
79-00-5	1,1,2-Trichloroethane	ND	1.5	0.50	U
127-18-4	Tetrachloroethene	ND	0.50	0.18	U
108-90-7	Chlorobenzene	ND	2.5	0.70	U
75-69-4	Trichlorofluoromethane	ND	2.5	0.70	U
107-06-2	1,2-Dichloroethane	ND	0.50	0.13	U
71-55-6	1,1,1-Trichloroethane	ND	2.5	0.70	U
75-27-4	Bromodichloromethane	ND	0.50	0.19	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.16	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.14	U
75-25-2	Bromoform	ND	2.0	0.65	U
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.17	U
71-43-2	Benzene	ND	0.50	0.16	U
108-88-3	Toluene	ND	2.5	0.70	U
100-41-4	Ethylbenzene	ND	2.5	0.70	U
74-87-3	Chloromethane	ND	2.5	0.70	U
74-83-9	Bromomethane	ND	2.5	0.70	U
75-01-4	Vinyl chloride	ND	1.0	0.07	U
75-00-3	Chloroethane	ND	2.5	0.70	U UJ
75-35-4	1,1-Dichloroethene	ND	0.50	0.17	U

MKP 10/6/2023



# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-02  
 Client ID : PW-1-083023  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A09  
 Sample Amount : 10 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/30/23 10:50  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 05:40  
 Dilution Factor : 1  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
156-60-5	trans-1,2-Dichloroethene	ND	2.5	0.70	U
79-01-6	Trichloroethene	5.7	0.50	0.18	
95-50-1	1,2-Dichlorobenzene	ND	2.5	0.70	U
541-73-1	1,3-Dichlorobenzene	ND	2.5	0.70	U
106-46-7	1,4-Dichlorobenzene	ND	2.5	0.70	U
1634-04-4	Methyl tert butyl ether	ND	2.5	0.70	U
179601-23-1	p/m-Xylene	ND	2.5	0.70	U
95-47-6	o-Xylene	ND	2.5	0.70	U
156-59-2	cis-1,2-Dichloroethene	4.2	2.5	0.70	
100-42-5	Styrene	ND	2.5	0.70	U
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	U JJ
67-64-1	Acetone	ND	5.0	1.5	U
75-15-0	Carbon disulfide	ND	5.0	1.0	U JJ
78-93-3	2-Butanone	ND	5.0	1.9	U
108-10-1	4-Methyl-2-pentanone	ND	5.0	1.0	U
591-78-6	2-Hexanone	ND	5.0	1.0	U
106-93-4	1,2-Dibromoethane	ND	2.0	0.65	U
104-51-8	n-Butylbenzene	ND	2.5	0.70	U
135-98-8	sec-Butylbenzene	ND	2.5	0.70	U
98-06-6	tert-Butylbenzene	ND	2.5	0.70	U
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.5	0.70	U
98-82-8	Isopropylbenzene	ND	2.5	0.70	U
99-87-6	p-Isopropyltoluene	ND	2.5	0.70	U
91-20-3	Naphthalene	ND	2.5	0.70	U
103-65-1	n-Propylbenzene	ND	2.5	0.70	U

MKP 10/6/2023



# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-02  
 Client ID : PW-1-083023  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A09  
 Sample Amount : 10 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/30/23 10:50  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 05:40  
 Dilution Factor : 1  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
120-82-1	1,2,4-Trichlorobenzene	ND	2.5	0.70	U
108-67-8	1,3,5-Trimethylbenzene	ND	2.5	0.70	U
95-63-6	1,2,4-Trimethylbenzene	ND	2.5	0.70	U
79-20-9	Methyl Acetate	ND	2.0	0.23	U
110-82-7	Cyclohexane	ND	10	0.27	U
76-13-1	Freon-113	ND	2.5	0.70	U
108-87-2	Methyl cyclohexane	ND	10	0.40	U



# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-03  
 Client ID : DUP-083023  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A10  
 Sample Amount : 10 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/30/23 10:50  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 06:06  
 Dilution Factor : 1  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-09-2	Methylene chloride	ND	2.5	0.70	U
75-34-3	1,1-Dichloroethane	ND	2.5	0.70	U
67-66-3	Chloroform	ND	2.5	0.70	U
56-23-5	Carbon tetrachloride	ND	0.50	0.13	U
78-87-5	1,2-Dichloropropane	ND	1.0	0.14	U
124-48-1	Dibromochloromethane	ND	0.50	0.15	U
79-00-5	1,1,2-Trichloroethane	ND	1.5	0.50	U
127-18-4	Tetrachloroethene	ND	0.50	0.18	U
108-90-7	Chlorobenzene	ND	2.5	0.70	U
75-69-4	Trichlorofluoromethane	ND	2.5	0.70	U
107-06-2	1,2-Dichloroethane	ND	0.50	0.13	U
71-55-6	1,1,1-Trichloroethane	ND	2.5	0.70	U
75-27-4	Bromodichloromethane	ND	0.50	0.19	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.16	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.14	U
75-25-2	Bromoform	ND	2.0	0.65	U
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.17	U
71-43-2	Benzene	ND	0.50	0.16	U
108-88-3	Toluene	ND	2.5	0.70	U
100-41-4	Ethylbenzene	ND	2.5	0.70	U
74-87-3	Chloromethane	ND	2.5	0.70	U
74-83-9	Bromomethane	ND	2.5	0.70	U
75-01-4	Vinyl chloride	ND	1.0	0.07	U
75-00-3	Chloroethane	ND	2.5	0.70	U UJ
75-35-4	1,1-Dichloroethene	ND	0.50	0.17	U

# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-03  
 Client ID : DUP-083023  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A10  
 Sample Amount : 10 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/30/23 10:50  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 06:06  
 Dilution Factor : 1  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
156-60-5	trans-1,2-Dichloroethene	ND	2.5	0.70	U
79-01-6	Trichloroethene	5.8	0.50	0.18	
95-50-1	1,2-Dichlorobenzene	ND	2.5	0.70	U
541-73-1	1,3-Dichlorobenzene	ND	2.5	0.70	U
106-46-7	1,4-Dichlorobenzene	ND	2.5	0.70	U
1634-04-4	Methyl tert butyl ether	ND	2.5	0.70	U
179601-23-1	p/m-Xylene	ND	2.5	0.70	U
95-47-6	o-Xylene	ND	2.5	0.70	U
156-59-2	cis-1,2-Dichloroethene	4.4	2.5	0.70	
100-42-5	Styrene	ND	2.5	0.70	U
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	U JJ
67-64-1	Acetone	1.5	5.0	1.5	J
75-15-0	Carbon disulfide	ND	5.0	1.0	U JJ
78-93-3	2-Butanone	ND	5.0	1.9	U
108-10-1	4-Methyl-2-pentanone	ND	5.0	1.0	U
591-78-6	2-Hexanone	ND	5.0	1.0	U
106-93-4	1,2-Dibromoethane	ND	2.0	0.65	U
104-51-8	n-Butylbenzene	ND	2.5	0.70	U
135-98-8	sec-Butylbenzene	ND	2.5	0.70	U
98-06-6	tert-Butylbenzene	ND	2.5	0.70	U
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.5	0.70	U
98-82-8	Isopropylbenzene	ND	2.5	0.70	U
99-87-6	p-Isopropyltoluene	ND	2.5	0.70	U
91-20-3	Naphthalene	ND	2.5	0.70	U
103-65-1	n-Propylbenzene	ND	2.5	0.70	U

# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-03  
 Client ID : DUP-083023  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A10  
 Sample Amount : 10 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/30/23 10:50  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 06:06  
 Dilution Factor : 1  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
120-82-1	1,2,4-Trichlorobenzene	ND	2.5	0.70	U
108-67-8	1,3,5-Trimethylbenzene	ND	2.5	0.70	U
95-63-6	1,2,4-Trimethylbenzene	ND	2.5	0.70	U
79-20-9	Methyl Acetate	ND	2.0	0.23	U
110-82-7	Cyclohexane	ND	10	0.27	U
76-13-1	Freon-113	ND	2.5	0.70	U
108-87-2	Methyl cyclohexane	ND	10	0.40	U





# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-04  
 Client ID : ESI-10-083023  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A11  
 Sample Amount : 10 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/30/23 11:40  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 06:33  
 Dilution Factor : 1  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-09-2	Methylene chloride	ND	2.5	0.70	U
75-34-3	1,1-Dichloroethane	ND	2.5	0.70	U
67-66-3	Chloroform	ND	2.5	0.70	U
56-23-5	Carbon tetrachloride	ND	0.50	0.13	U
78-87-5	1,2-Dichloropropane	ND	1.0	0.14	U
124-48-1	Dibromochloromethane	ND	0.50	0.15	U
79-00-5	1,1,2-Trichloroethane	ND	1.5	0.50	U
127-18-4	Tetrachloroethene	ND	0.50	0.18	U
108-90-7	Chlorobenzene	ND	2.5	0.70	U
75-69-4	Trichlorofluoromethane	ND	2.5	0.70	U
107-06-2	1,2-Dichloroethane	ND	0.50	0.13	U
71-55-6	1,1,1-Trichloroethane	ND	2.5	0.70	U
75-27-4	Bromodichloromethane	ND	0.50	0.19	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.16	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.14	U
75-25-2	Bromoform	0.66	2.0	0.65	J
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.17	U
71-43-2	Benzene	ND	0.50	0.16	U
108-88-3	Toluene	ND	2.5	0.70	U
100-41-4	Ethylbenzene	ND	2.5	0.70	U
74-87-3	Chloromethane	ND	2.5	0.70	U
74-83-9	Bromomethane	ND	2.5	0.70	U
75-01-4	Vinyl chloride	ND	1.0	0.07	U
75-00-3	Chloroethane	ND	2.5	0.70	U
75-35-4	1,1-Dichloroethene	ND	0.50	0.17	U

MKP 10/6/2023



# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-04  
 Client ID : ESI-10-083023  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A11  
 Sample Amount : 10 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/30/23 11:40  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 06:33  
 Dilution Factor : 1  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
156-60-5	trans-1,2-Dichloroethene	ND	2.5	0.70	U
79-01-6	Trichloroethene	ND	0.50	0.18	U
95-50-1	1,2-Dichlorobenzene	ND	2.5	0.70	U
541-73-1	1,3-Dichlorobenzene	ND	2.5	0.70	U
106-46-7	1,4-Dichlorobenzene	ND	2.5	0.70	U
1634-04-4	Methyl tert butyl ether	ND	2.5	0.70	U
179601-23-1	p/m-Xylene	ND	2.5	0.70	U
95-47-6	o-Xylene	ND	2.5	0.70	U
156-59-2	cis-1,2-Dichloroethene	ND	2.5	0.70	U
100-42-5	Styrene	ND	2.5	0.70	U
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	U JJ
67-64-1	Acetone	1.9	5.0	1.5	J
75-15-0	Carbon disulfide	ND	5.0	1.0	U JJ
78-93-3	2-Butanone	ND	5.0	1.9	U
108-10-1	4-Methyl-2-pentanone	ND	5.0	1.0	U
591-78-6	2-Hexanone	ND	5.0	1.0	U
106-93-4	1,2-Dibromoethane	ND	2.0	0.65	U
104-51-8	n-Butylbenzene	ND	2.5	0.70	U
135-98-8	sec-Butylbenzene	ND	2.5	0.70	U
98-06-6	tert-Butylbenzene	ND	2.5	0.70	U
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.5	0.70	U
98-82-8	Isopropylbenzene	ND	2.5	0.70	U
99-87-6	p-Isopropyltoluene	ND	2.5	0.70	U
91-20-3	Naphthalene	ND	2.5	0.70	U
103-65-1	n-Propylbenzene	ND	2.5	0.70	U

MKP 10/6/2023



# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-04  
 Client ID : ESI-10-083023  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A11  
 Sample Amount : 10 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/30/23 11:40  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 06:33  
 Dilution Factor : 1  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
120-82-1	1,2,4-Trichlorobenzene	ND	2.5	0.70	U
108-67-8	1,3,5-Trimethylbenzene	ND	2.5	0.70	U
95-63-6	1,2,4-Trimethylbenzene	ND	2.5	0.70	U
79-20-9	Methyl Acetate	ND	2.0	0.23	U
110-82-7	Cyclohexane	ND	10	0.27	U
76-13-1	Freon-113	ND	2.5	0.70	U
108-87-2	Methyl cyclohexane	ND	10	0.40	U



# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-05  
 Client ID : ESI-11-083023  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A12  
 Sample Amount : 10 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/30/23 12:25  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 06:59  
 Dilution Factor : 1  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-09-2	Methylene chloride	ND	2.5	0.70	U
75-34-3	1,1-Dichloroethane	ND	2.5	0.70	U
67-66-3	Chloroform	ND	2.5	0.70	U
56-23-5	Carbon tetrachloride	ND	0.50	0.13	U
78-87-5	1,2-Dichloropropane	ND	1.0	0.14	U
124-48-1	Dibromochloromethane	ND	0.50	0.15	U
79-00-5	1,1,2-Trichloroethane	ND	1.5	0.50	U
127-18-4	Tetrachloroethene	ND	0.50	0.18	U
108-90-7	Chlorobenzene	ND	2.5	0.70	U
75-69-4	Trichlorofluoromethane	ND	2.5	0.70	U
107-06-2	1,2-Dichloroethane	ND	0.50	0.13	U
71-55-6	1,1,1-Trichloroethane	ND	2.5	0.70	U
75-27-4	Bromodichloromethane	ND	0.50	0.19	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.16	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.14	U
75-25-2	Bromoform	1.7	2.0	0.65	J
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.17	U
71-43-2	Benzene	ND	0.50	0.16	U
108-88-3	Toluene	ND	2.5	0.70	U
100-41-4	Ethylbenzene	ND	2.5	0.70	U
74-87-3	Chloromethane	ND	2.5	0.70	U
74-83-9	Bromomethane	ND	2.5	0.70	U
75-01-4	Vinyl chloride	ND	1.0	0.07	U
75-00-3	Chloroethane	ND	2.5	0.70	U UJ
75-35-4	1,1-Dichloroethene	ND	0.50	0.17	U

# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-05  
 Client ID : ESI-11-083023  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A12  
 Sample Amount : 10 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/30/23 12:25  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 06:59  
 Dilution Factor : 1  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
156-60-5	trans-1,2-Dichloroethene	ND	2.5	0.70	U
79-01-6	Trichloroethene	ND	0.50	0.18	U
95-50-1	1,2-Dichlorobenzene	ND	2.5	0.70	U
541-73-1	1,3-Dichlorobenzene	ND	2.5	0.70	U
106-46-7	1,4-Dichlorobenzene	ND	2.5	0.70	U
1634-04-4	Methyl tert butyl ether	ND	2.5	0.70	U
179601-23-1	p/m-Xylene	ND	2.5	0.70	U
95-47-6	o-Xylene	ND	2.5	0.70	U
156-59-2	cis-1,2-Dichloroethene	ND	2.5	0.70	U
100-42-5	Styrene	ND	2.5	0.70	U
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	U UJ
67-64-1	Acetone	2.2	5.0	1.5	J
75-15-0	Carbon disulfide	ND	5.0	1.0	U UJ
78-93-3	2-Butanone	ND	5.0	1.9	U
108-10-1	4-Methyl-2-pentanone	ND	5.0	1.0	U
591-78-6	2-Hexanone	ND	5.0	1.0	U
106-93-4	1,2-Dibromoethane	ND	2.0	0.65	U
104-51-8	n-Butylbenzene	ND	2.5	0.70	U
135-98-8	sec-Butylbenzene	ND	2.5	0.70	U
98-06-6	tert-Butylbenzene	ND	2.5	0.70	U
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.5	0.70	U
98-82-8	Isopropylbenzene	ND	2.5	0.70	U
99-87-6	p-Isopropyltoluene	ND	2.5	0.70	U
91-20-3	Naphthalene	ND	2.5	0.70	U
103-65-1	n-Propylbenzene	ND	2.5	0.70	U

MKP 10/6/2023



# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-05  
 Client ID : ESI-11-083023  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A12  
 Sample Amount : 10 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/30/23 12:25  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 06:59  
 Dilution Factor : 1  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
120-82-1	1,2,4-Trichlorobenzene	ND	2.5	0.70	U
108-67-8	1,3,5-Trimethylbenzene	ND	2.5	0.70	U
95-63-6	1,2,4-Trimethylbenzene	ND	2.5	0.70	U
79-20-9	Methyl Acetate	ND	2.0	0.23	U
110-82-7	Cyclohexane	ND	10	0.27	U
76-13-1	Freon-113	ND	2.5	0.70	U
108-87-2	Methyl cyclohexane	ND	10	0.40	U



# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-06  
 Client ID : ESI-12-083023  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A13  
 Sample Amount : 10 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/30/23 13:00  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 07:25  
 Dilution Factor : 1  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-09-2	Methylene chloride	ND	2.5	0.70	U
75-34-3	1,1-Dichloroethane	ND	2.5	0.70	U
67-66-3	Chloroform	ND	2.5	0.70	U
56-23-5	Carbon tetrachloride	ND	0.50	0.13	U
78-87-5	1,2-Dichloropropane	ND	1.0	0.14	U
124-48-1	Dibromochloromethane	ND	0.50	0.15	U
79-00-5	1,1,2-Trichloroethane	ND	1.5	0.50	U
127-18-4	Tetrachloroethene	ND	0.50	0.18	U
108-90-7	Chlorobenzene	ND	2.5	0.70	U
75-69-4	Trichlorofluoromethane	ND	2.5	0.70	U
107-06-2	1,2-Dichloroethane	ND	0.50	0.13	U
71-55-6	1,1,1-Trichloroethane	ND	2.5	0.70	U
75-27-4	Bromodichloromethane	ND	0.50	0.19	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.16	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.14	U
75-25-2	Bromoform	1.2	2.0	0.65	J
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.17	U
71-43-2	Benzene	ND	0.50	0.16	U
108-88-3	Toluene	ND	2.5	0.70	U
100-41-4	Ethylbenzene	ND	2.5	0.70	U
74-87-3	Chloromethane	ND	2.5	0.70	U
74-83-9	Bromomethane	ND	2.5	0.70	U
75-01-4	Vinyl chloride	ND	1.0	0.07	U
75-00-3	Chloroethane	ND	2.5	0.70	U
75-35-4	1,1-Dichloroethene	ND	0.50	0.17	U

# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-06  
 Client ID : ESI-12-083023  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A13  
 Sample Amount : 10 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/30/23 13:00  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 07:25  
 Dilution Factor : 1  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
156-60-5	trans-1,2-Dichloroethene	ND	2.5	0.70	U
79-01-6	Trichloroethene	ND	0.50	0.18	U
95-50-1	1,2-Dichlorobenzene	ND	2.5	0.70	U
541-73-1	1,3-Dichlorobenzene	ND	2.5	0.70	U
106-46-7	1,4-Dichlorobenzene	ND	2.5	0.70	U
1634-04-4	Methyl tert butyl ether	ND	2.5	0.70	U
179601-23-1	p/m-Xylene	ND	2.5	0.70	U
95-47-6	o-Xylene	ND	2.5	0.70	U
156-59-2	cis-1,2-Dichloroethene	ND	2.5	0.70	U
100-42-5	Styrene	ND	2.5	0.70	U
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	U JJ
67-64-1	Acetone	3.0	5.0	1.5	J
75-15-0	Carbon disulfide	ND	5.0	1.0	U JJ
78-93-3	2-Butanone	ND	5.0	1.9	U
108-10-1	4-Methyl-2-pentanone	ND	5.0	1.0	U
591-78-6	2-Hexanone	ND	5.0	1.0	U
106-93-4	1,2-Dibromoethane	ND	2.0	0.65	U
104-51-8	n-Butylbenzene	ND	2.5	0.70	U
135-98-8	sec-Butylbenzene	ND	2.5	0.70	U
98-06-6	tert-Butylbenzene	ND	2.5	0.70	U
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.5	0.70	U
98-82-8	Isopropylbenzene	ND	2.5	0.70	U
99-87-6	p-Isopropyltoluene	ND	2.5	0.70	U
91-20-3	Naphthalene	ND	2.5	0.70	U
103-65-1	n-Propylbenzene	ND	2.5	0.70	U

MKP 10/6/2023





# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-06  
 Client ID : ESI-12-083023  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A13  
 Sample Amount : 10 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/30/23 13:00  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 07:25  
 Dilution Factor : 1  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
120-82-1	1,2,4-Trichlorobenzene	ND	2.5	0.70	U
108-67-8	1,3,5-Trimethylbenzene	ND	2.5	0.70	U
95-63-6	1,2,4-Trimethylbenzene	ND	2.5	0.70	U
79-20-9	Methyl Acetate	ND	2.0	0.23	U
110-82-7	Cyclohexane	ND	10	0.27	U
76-13-1	Freon-113	ND	2.5	0.70	U
108-87-2	Methyl cyclohexane	ND	10	0.40	U



# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-07  
 Client ID : ESI-7-083023  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A14  
 Sample Amount : 10 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/30/23 13:55  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 07:51  
 Dilution Factor : 1  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-09-2	Methylene chloride	ND	2.5	0.70	U
75-34-3	1,1-Dichloroethane	ND	2.5	0.70	U
67-66-3	Chloroform	ND	2.5	0.70	U
56-23-5	Carbon tetrachloride	ND	0.50	0.13	U
78-87-5	1,2-Dichloropropane	ND	1.0	0.14	U
124-48-1	Dibromochloromethane	ND	0.50	0.15	U
79-00-5	1,1,2-Trichloroethane	ND	1.5	0.50	U
127-18-4	Tetrachloroethene	ND	0.50	0.18	U
108-90-7	Chlorobenzene	ND	2.5	0.70	U
75-69-4	Trichlorofluoromethane	ND	2.5	0.70	U
107-06-2	1,2-Dichloroethane	ND	0.50	0.13	U
71-55-6	1,1,1-Trichloroethane	ND	2.5	0.70	U
75-27-4	Bromodichloromethane	ND	0.50	0.19	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.16	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.14	U
75-25-2	Bromoform	ND	2.0	0.65	U
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.17	U
71-43-2	Benzene	ND	0.50	0.16	U
108-88-3	Toluene	ND	2.5	0.70	U
100-41-4	Ethylbenzene	ND	2.5	0.70	U
74-87-3	Chloromethane	ND	2.5	0.70	U
74-83-9	Bromomethane	ND	2.5	0.70	U
75-01-4	Vinyl chloride	ND	1.0	0.07	U
75-00-3	Chloroethane	ND	2.5	0.70	U UJ
75-35-4	1,1-Dichloroethene	ND	0.50	0.17	U

MKP 10/6/2023



# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-07  
 Client ID : ESI-7-083023  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A14  
 Sample Amount : 10 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/30/23 13:55  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 07:51  
 Dilution Factor : 1  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
156-60-5	trans-1,2-Dichloroethene	ND	2.5	0.70	U
79-01-6	Trichloroethene	18	0.50	0.18	
95-50-1	1,2-Dichlorobenzene	ND	2.5	0.70	U
541-73-1	1,3-Dichlorobenzene	ND	2.5	0.70	U
106-46-7	1,4-Dichlorobenzene	ND	2.5	0.70	U
1634-04-4	Methyl tert butyl ether	ND	2.5	0.70	U
179601-23-1	p/m-Xylene	ND	2.5	0.70	U
95-47-6	o-Xylene	ND	2.5	0.70	U
156-59-2	cis-1,2-Dichloroethene	1.1	2.5	0.70	J
100-42-5	Styrene	ND	2.5	0.70	U
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	U JJ
67-64-1	Acetone	ND	5.0	1.5	U
75-15-0	Carbon disulfide	ND	5.0	1.0	U JJ
78-93-3	2-Butanone	ND	5.0	1.9	U
108-10-1	4-Methyl-2-pentanone	ND	5.0	1.0	U
591-78-6	2-Hexanone	ND	5.0	1.0	U
106-93-4	1,2-Dibromoethane	ND	2.0	0.65	U
104-51-8	n-Butylbenzene	ND	2.5	0.70	U
135-98-8	sec-Butylbenzene	ND	2.5	0.70	U
98-06-6	tert-Butylbenzene	ND	2.5	0.70	U
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.5	0.70	U
98-82-8	Isopropylbenzene	ND	2.5	0.70	U
99-87-6	p-Isopropyltoluene	ND	2.5	0.70	U
91-20-3	Naphthalene	ND	2.5	0.70	U
103-65-1	n-Propylbenzene	ND	2.5	0.70	U

# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-07  
 Client ID : ESI-7-083023  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A14  
 Sample Amount : 10 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/30/23 13:55  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 07:51  
 Dilution Factor : 1  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
120-82-1	1,2,4-Trichlorobenzene	ND	2.5	0.70	U
108-67-8	1,3,5-Trimethylbenzene	ND	2.5	0.70	U
95-63-6	1,2,4-Trimethylbenzene	ND	2.5	0.70	U
79-20-9	Methyl Acetate	ND	2.0	0.23	U
110-82-7	Cyclohexane	ND	10	0.27	U
76-13-1	Freon-113	ND	2.5	0.70	U
108-87-2	Methyl cyclohexane	ND	10	0.40	U



# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-08  
 Client ID : ESI-13R-083023  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A15  
 Sample Amount : 10 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/30/23 14:40  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 08:18  
 Dilution Factor : 1  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-09-2	Methylene chloride	ND	2.5	0.70	U
75-34-3	1,1-Dichloroethane	ND	2.5	0.70	U
67-66-3	Chloroform	ND	2.5	0.70	U
56-23-5	Carbon tetrachloride	ND	0.50	0.13	U
78-87-5	1,2-Dichloropropane	ND	1.0	0.14	U
124-48-1	Dibromochloromethane	ND	0.50	0.15	U
79-00-5	1,1,2-Trichloroethane	ND	1.5	0.50	U
127-18-4	Tetrachloroethene	ND	0.50	0.18	U
108-90-7	Chlorobenzene	ND	2.5	0.70	U
75-69-4	Trichlorofluoromethane	ND	2.5	0.70	U
107-06-2	1,2-Dichloroethane	ND	0.50	0.13	U
71-55-6	1,1,1-Trichloroethane	ND	2.5	0.70	U
75-27-4	Bromodichloromethane	ND	0.50	0.19	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.16	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.14	U
75-25-2	Bromoform	ND	2.0	0.65	U
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.17	U
71-43-2	Benzene	ND	0.50	0.16	U
108-88-3	Toluene	ND	2.5	0.70	U
100-41-4	Ethylbenzene	ND	2.5	0.70	U
74-87-3	Chloromethane	ND	2.5	0.70	U
74-83-9	Bromomethane	ND	2.5	0.70	U
75-01-4	Vinyl chloride	ND	1.0	0.07	U
75-00-3	Chloroethane	ND	2.5	0.70	U UJ
75-35-4	1,1-Dichloroethene	ND	0.50	0.17	U

MKP 10/6/2023



# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-08  
 Client ID : ESI-13R-083023  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A15  
 Sample Amount : 10 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/30/23 14:40  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 08:18  
 Dilution Factor : 1  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
156-60-5	trans-1,2-Dichloroethene	ND	2.5	0.70	U
79-01-6	Trichloroethene	10	0.50	0.18	
95-50-1	1,2-Dichlorobenzene	ND	2.5	0.70	U
541-73-1	1,3-Dichlorobenzene	ND	2.5	0.70	U
106-46-7	1,4-Dichlorobenzene	ND	2.5	0.70	U
1634-04-4	Methyl tert butyl ether	ND	2.5	0.70	U
179601-23-1	p/m-Xylene	ND	2.5	0.70	U
95-47-6	o-Xylene	ND	2.5	0.70	U
156-59-2	cis-1,2-Dichloroethene	ND	2.5	0.70	U
100-42-5	Styrene	ND	2.5	0.70	U
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	U JJ
67-64-1	Acetone	ND	5.0	1.5	U
75-15-0	Carbon disulfide	ND	5.0	1.0	U JJ
78-93-3	2-Butanone	ND	5.0	1.9	U
108-10-1	4-Methyl-2-pentanone	ND	5.0	1.0	U
591-78-6	2-Hexanone	ND	5.0	1.0	U
106-93-4	1,2-Dibromoethane	ND	2.0	0.65	U
104-51-8	n-Butylbenzene	ND	2.5	0.70	U
135-98-8	sec-Butylbenzene	ND	2.5	0.70	U
98-06-6	tert-Butylbenzene	ND	2.5	0.70	U
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.5	0.70	U
98-82-8	Isopropylbenzene	ND	2.5	0.70	U
99-87-6	p-Isopropyltoluene	ND	2.5	0.70	U
91-20-3	Naphthalene	ND	2.5	0.70	U
103-65-1	n-Propylbenzene	ND	2.5	0.70	U

MKP 10/6/2023



# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-08  
 Client ID : ESI-13R-083023  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A15  
 Sample Amount : 10 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/30/23 14:40  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 08:18  
 Dilution Factor : 1  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
120-82-1	1,2,4-Trichlorobenzene	ND	2.5	0.70	U
108-67-8	1,3,5-Trimethylbenzene	ND	2.5	0.70	U
95-63-6	1,2,4-Trimethylbenzene	ND	2.5	0.70	U
79-20-9	Methyl Acetate	ND	2.0	0.23	U
110-82-7	Cyclohexane	ND	10	0.27	U
76-13-1	Freon-113	ND	2.5	0.70	U
108-87-2	Methyl cyclohexane	ND	10	0.40	U



# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-09  
 Client ID : ESI-6-083123  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A16  
 Sample Amount : 10 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/31/23 10:22  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 08:44  
 Dilution Factor : 1  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-09-2	Methylene chloride	ND	2.5	0.70	U
75-34-3	1,1-Dichloroethane	ND	2.5	0.70	U
67-66-3	Chloroform	ND	2.5	0.70	U
56-23-5	Carbon tetrachloride	ND	0.50	0.13	U
78-87-5	1,2-Dichloropropane	ND	1.0	0.14	U
124-48-1	Dibromochloromethane	ND	0.50	0.15	U
79-00-5	1,1,2-Trichloroethane	ND	1.5	0.50	U
127-18-4	Tetrachloroethene	ND	0.50	0.18	U
108-90-7	Chlorobenzene	ND	2.5	0.70	U
75-69-4	Trichlorofluoromethane	ND	2.5	0.70	U
107-06-2	1,2-Dichloroethane	ND	0.50	0.13	U
71-55-6	1,1,1-Trichloroethane	ND	2.5	0.70	U
75-27-4	Bromodichloromethane	ND	0.50	0.19	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.16	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.14	U
75-25-2	Bromoform	1.1	2.0	0.65	J
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.17	U
71-43-2	Benzene	ND	0.50	0.16	U
108-88-3	Toluene	ND	2.5	0.70	U
100-41-4	Ethylbenzene	ND	2.5	0.70	U
74-87-3	Chloromethane	ND	2.5	0.70	U
74-83-9	Bromomethane	ND	2.5	0.70	U
75-01-4	Vinyl chloride	ND	1.0	0.07	U
75-00-3	Chloroethane	ND	2.5	0.70	U
75-35-4	1,1-Dichloroethene	ND	0.50	0.17	U

MKP 10/6/2023





# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-09  
 Client ID : ESI-6-083123  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A16  
 Sample Amount : 10 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/31/23 10:22  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 08:44  
 Dilution Factor : 1  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
156-60-5	trans-1,2-Dichloroethene	ND	2.5	0.70	U
79-01-6	Trichloroethene	ND	0.50	0.18	U
95-50-1	1,2-Dichlorobenzene	ND	2.5	0.70	U
541-73-1	1,3-Dichlorobenzene	ND	2.5	0.70	U
106-46-7	1,4-Dichlorobenzene	ND	2.5	0.70	U
1634-04-4	Methyl tert butyl ether	ND	2.5	0.70	U
179601-23-1	p/m-Xylene	ND	2.5	0.70	U
95-47-6	o-Xylene	ND	2.5	0.70	U
156-59-2	cis-1,2-Dichloroethene	ND	2.5	0.70	U
100-42-5	Styrene	ND	2.5	0.70	U
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	U JJ
67-64-1	Acetone	3.5	5.0	1.5	J
75-15-0	Carbon disulfide	ND	5.0	1.0	U JJ
78-93-3	2-Butanone	ND	5.0	1.9	U
108-10-1	4-Methyl-2-pentanone	ND	5.0	1.0	U
591-78-6	2-Hexanone	ND	5.0	1.0	U
106-93-4	1,2-Dibromoethane	ND	2.0	0.65	U
104-51-8	n-Butylbenzene	ND	2.5	0.70	U
135-98-8	sec-Butylbenzene	ND	2.5	0.70	U
98-06-6	tert-Butylbenzene	ND	2.5	0.70	U
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.5	0.70	U
98-82-8	Isopropylbenzene	ND	2.5	0.70	U
99-87-6	p-Isopropyltoluene	ND	2.5	0.70	U
91-20-3	Naphthalene	ND	2.5	0.70	U
103-65-1	n-Propylbenzene	ND	2.5	0.70	U

MKP 10/6/2023



# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-09  
 Client ID : ESI-6-083123  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A16  
 Sample Amount : 10 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/31/23 10:22  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 08:44  
 Dilution Factor : 1  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
120-82-1	1,2,4-Trichlorobenzene	ND	2.5	0.70	U
108-67-8	1,3,5-Trimethylbenzene	ND	2.5	0.70	U
95-63-6	1,2,4-Trimethylbenzene	ND	2.5	0.70	U
79-20-9	Methyl Acetate	ND	2.0	0.23	U
110-82-7	Cyclohexane	ND	10	0.27	U
76-13-1	Freon-113	ND	2.5	0.70	U
108-87-2	Methyl cyclohexane	ND	10	0.40	U



# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-10  
 Client ID : ESI-2-083123  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A17  
 Sample Amount : 10 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/31/23 11:12  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 09:10  
 Dilution Factor : 1  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-09-2	Methylene chloride	ND	2.5	0.70	U
75-34-3	1,1-Dichloroethane	ND	2.5	0.70	U
67-66-3	Chloroform	ND	2.5	0.70	U
56-23-5	Carbon tetrachloride	ND	0.50	0.13	U
78-87-5	1,2-Dichloropropane	ND	1.0	0.14	U
124-48-1	Dibromochloromethane	ND	0.50	0.15	U
79-00-5	1,1,2-Trichloroethane	ND	1.5	0.50	U
127-18-4	Tetrachloroethene	ND	0.50	0.18	U
108-90-7	Chlorobenzene	ND	2.5	0.70	U
75-69-4	Trichlorofluoromethane	ND	2.5	0.70	U
107-06-2	1,2-Dichloroethane	ND	0.50	0.13	U
71-55-6	1,1,1-Trichloroethane	ND	2.5	0.70	U
75-27-4	Bromodichloromethane	ND	0.50	0.19	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.16	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.14	U
75-25-2	Bromoform	1.6	2.0	0.65	J
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.17	U
71-43-2	Benzene	ND	0.50	0.16	U
108-88-3	Toluene	ND	2.5	0.70	U
100-41-4	Ethylbenzene	ND	2.5	0.70	U
74-87-3	Chloromethane	ND	2.5	0.70	U
74-83-9	Bromomethane	ND	2.5	0.70	U
75-01-4	Vinyl chloride	ND	1.0	0.07	U
75-00-3	Chloroethane	ND	2.5	0.70	U UJ
75-35-4	1,1-Dichloroethene	ND	0.50	0.17	U

# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-10  
 Client ID : ESI-2-083123  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A17  
 Sample Amount : 10 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/31/23 11:12  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 09:10  
 Dilution Factor : 1  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
156-60-5	trans-1,2-Dichloroethene	ND	2.5	0.70	U
79-01-6	Trichloroethene	1.1	0.50	0.18	
95-50-1	1,2-Dichlorobenzene	ND	2.5	0.70	U
541-73-1	1,3-Dichlorobenzene	ND	2.5	0.70	U
106-46-7	1,4-Dichlorobenzene	ND	2.5	0.70	U
1634-04-4	Methyl tert butyl ether	ND	2.5	0.70	U
179601-23-1	p/m-Xylene	ND	2.5	0.70	U
95-47-6	o-Xylene	ND	2.5	0.70	U
156-59-2	cis-1,2-Dichloroethene	ND	2.5	0.70	U
100-42-5	Styrene	ND	2.5	0.70	U
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	U UJ
67-64-1	Acetone	5.9	5.0	1.5	
75-15-0	Carbon disulfide	ND	5.0	1.0	U UJ
78-93-3	2-Butanone	ND	5.0	1.9	U
108-10-1	4-Methyl-2-pentanone	ND	5.0	1.0	U
591-78-6	2-Hexanone	ND	5.0	1.0	U
106-93-4	1,2-Dibromoethane	ND	2.0	0.65	U
104-51-8	n-Butylbenzene	ND	2.5	0.70	U
135-98-8	sec-Butylbenzene	ND	2.5	0.70	U
98-06-6	tert-Butylbenzene	ND	2.5	0.70	U
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.5	0.70	U
98-82-8	Isopropylbenzene	ND	2.5	0.70	U
99-87-6	p-Isopropyltoluene	ND	2.5	0.70	U
91-20-3	Naphthalene	ND	2.5	0.70	U
103-65-1	n-Propylbenzene	ND	2.5	0.70	U

# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-10  
 Client ID : ESI-2-083123  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A17  
 Sample Amount : 10 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/31/23 11:12  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 09:10  
 Dilution Factor : 1  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
120-82-1	1,2,4-Trichlorobenzene	ND	2.5	0.70	U
108-67-8	1,3,5-Trimethylbenzene	ND	2.5	0.70	U
95-63-6	1,2,4-Trimethylbenzene	ND	2.5	0.70	U
79-20-9	Methyl Acetate	ND	2.0	0.23	U
110-82-7	Cyclohexane	ND	10	0.27	U
76-13-1	Freon-113	ND	2.5	0.70	U
108-87-2	Methyl cyclohexane	ND	10	0.40	U



# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-11  
 Client ID : ESI-1-083123  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A18  
 Sample Amount : 10 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/31/23 12:00  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 09:37  
 Dilution Factor : 1  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-09-2	Methylene chloride	ND	2.5	0.70	U
75-34-3	1,1-Dichloroethane	ND	2.5	0.70	U
67-66-3	Chloroform	ND	2.5	0.70	U
56-23-5	Carbon tetrachloride	ND	0.50	0.13	U
78-87-5	1,2-Dichloropropane	ND	1.0	0.14	U
124-48-1	Dibromochloromethane	ND	0.50	0.15	U
79-00-5	1,1,2-Trichloroethane	ND	1.5	0.50	U
127-18-4	Tetrachloroethene	ND	0.50	0.18	U
108-90-7	Chlorobenzene	ND	2.5	0.70	U
75-69-4	Trichlorofluoromethane	ND	2.5	0.70	U
107-06-2	1,2-Dichloroethane	ND	0.50	0.13	U
71-55-6	1,1,1-Trichloroethane	ND	2.5	0.70	U
75-27-4	Bromodichloromethane	ND	0.50	0.19	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.16	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.14	U
75-25-2	Bromoform	ND	2.0	0.65	U
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.17	U
71-43-2	Benzene	ND	0.50	0.16	U
108-88-3	Toluene	ND	2.5	0.70	U
100-41-4	Ethylbenzene	ND	2.5	0.70	U
74-87-3	Chloromethane	ND	2.5	0.70	U
74-83-9	Bromomethane	ND	2.5	0.70	U
75-01-4	Vinyl chloride	ND	1.0	0.07	U
75-00-3	Chloroethane	ND	2.5	0.70	U
75-35-4	1,1-Dichloroethene	ND	0.50	0.17	U

MKP 10/6/2023



# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-11  
 Client ID : ESI-1-083123  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A18  
 Sample Amount : 10 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/31/23 12:00  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 09:37  
 Dilution Factor : 1  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
156-60-5	trans-1,2-Dichloroethene	ND	2.5	0.70	U
79-01-6	Trichloroethene	2.8	0.50	0.18	
95-50-1	1,2-Dichlorobenzene	ND	2.5	0.70	U
541-73-1	1,3-Dichlorobenzene	ND	2.5	0.70	U
106-46-7	1,4-Dichlorobenzene	ND	2.5	0.70	U
1634-04-4	Methyl tert butyl ether	ND	2.5	0.70	U
179601-23-1	p/m-Xylene	ND	2.5	0.70	U
95-47-6	o-Xylene	ND	2.5	0.70	U
156-59-2	cis-1,2-Dichloroethene	ND	2.5	0.70	U
100-42-5	Styrene	ND	2.5	0.70	U
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	U UJ
67-64-1	Acetone	ND	5.0	1.5	U
75-15-0	Carbon disulfide	ND	5.0	1.0	U UJ
78-93-3	2-Butanone	ND	5.0	1.9	U
108-10-1	4-Methyl-2-pentanone	ND	5.0	1.0	U
591-78-6	2-Hexanone	ND	5.0	1.0	U
106-93-4	1,2-Dibromoethane	ND	2.0	0.65	U
104-51-8	n-Butylbenzene	ND	2.5	0.70	U
135-98-8	sec-Butylbenzene	ND	2.5	0.70	U
98-06-6	tert-Butylbenzene	ND	2.5	0.70	U
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.5	0.70	U
98-82-8	Isopropylbenzene	ND	2.5	0.70	U
99-87-6	p-Isopropyltoluene	ND	2.5	0.70	U
91-20-3	Naphthalene	ND	2.5	0.70	U
103-65-1	n-Propylbenzene	ND	2.5	0.70	U

MKP 10/6/2023



# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-11  
 Client ID : ESI-1-083123  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A18  
 Sample Amount : 10 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/31/23 12:00  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 09:37  
 Dilution Factor : 1  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
120-82-1	1,2,4-Trichlorobenzene	ND	2.5	0.70	U
108-67-8	1,3,5-Trimethylbenzene	ND	2.5	0.70	U
95-63-6	1,2,4-Trimethylbenzene	ND	2.5	0.70	U
79-20-9	Methyl Acetate	ND	2.0	0.23	U
110-82-7	Cyclohexane	ND	10	0.27	U
76-13-1	Freon-113	ND	2.5	0.70	U
108-87-2	Methyl cyclohexane	ND	10	0.40	U





# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-12D  
 Client ID : PW-3R-083123  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A19  
 Sample Amount : 1 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/31/23 12:38  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 10:03  
 Dilution Factor : 10  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-09-2	Methylene chloride	ND	25	7.0	U
75-34-3	1,1-Dichloroethane	ND	25	7.0	U
67-66-3	Chloroform	ND	25	7.0	U
56-23-5	Carbon tetrachloride	ND	5.0	1.3	U
78-87-5	1,2-Dichloropropane	ND	10	1.4	U
124-48-1	Dibromochloromethane	ND	5.0	1.5	U
79-00-5	1,1,2-Trichloroethane	ND	15	5.0	U
127-18-4	Tetrachloroethene	ND	5.0	1.8	U
108-90-7	Chlorobenzene	ND	25	7.0	U
75-69-4	Trichlorofluoromethane	ND	25	7.0	U
107-06-2	1,2-Dichloroethane	ND	5.0	1.3	U
71-55-6	1,1,1-Trichloroethane	ND	25	7.0	U
75-27-4	Bromodichloromethane	ND	5.0	1.9	U
10061-02-6	trans-1,3-Dichloropropene	ND	5.0	1.6	U
10061-01-5	cis-1,3-Dichloropropene	ND	5.0	1.4	U
75-25-2	Bromoform	ND	20	6.5	U
79-34-5	1,1,2,2-Tetrachloroethane	ND	5.0	1.7	U
71-43-2	Benzene	ND	5.0	1.6	U
108-88-3	Toluene	ND	25	7.0	U
100-41-4	Ethylbenzene	ND	25	7.0	U
74-87-3	Chloromethane	ND	25	7.0	U
74-83-9	Bromomethane	ND	25	7.0	U
75-01-4	Vinyl chloride	960	10	0.71	
75-00-3	Chloroethane	ND	25	7.0	U UJ
75-35-4	1,1-Dichloroethene	ND	5.0	1.7	U

MKP 10/6/2023



# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-12D  
 Client ID : PW-3R-083123  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A19  
 Sample Amount : 1 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/31/23 12:38  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 10:03  
 Dilution Factor : 10  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
156-60-5	trans-1,2-Dichloroethene	ND	25	7.0	U
79-01-6	Trichloroethene	ND	5.0	1.8	U
95-50-1	1,2-Dichlorobenzene	ND	25	7.0	U
541-73-1	1,3-Dichlorobenzene	ND	25	7.0	U
106-46-7	1,4-Dichlorobenzene	ND	25	7.0	U
1634-04-4	Methyl tert butyl ether	ND	25	7.0	U
179601-23-1	p/m-Xylene	ND	25	7.0	U
95-47-6	o-Xylene	ND	25	7.0	U
156-59-2	cis-1,2-Dichloroethene	960	25	7.0	
100-42-5	Styrene	ND	25	7.0	U
75-71-8	Dichlorodifluoromethane	ND	50	10.	U UJ
67-64-1	Acetone	18	50	15.	J
75-15-0	Carbon disulfide	ND	50	10.	U UJ
78-93-3	2-Butanone	ND	50	19.	U
108-10-1	4-Methyl-2-pentanone	ND	50	10.	U
591-78-6	2-Hexanone	ND	50	10.	U
106-93-4	1,2-Dibromoethane	ND	20	6.5	U
104-51-8	n-Butylbenzene	ND	25	7.0	U
135-98-8	sec-Butylbenzene	ND	25	7.0	U
98-06-6	tert-Butylbenzene	ND	25	7.0	U
96-12-8	1,2-Dibromo-3-chloropropane	ND	25	7.0	U
98-82-8	Isopropylbenzene	ND	25	7.0	U
99-87-6	p-Isopropyltoluene	ND	25	7.0	U
91-20-3	Naphthalene	ND	25	7.0	U
103-65-1	n-Propylbenzene	ND	25	7.0	U

MKP 10/6/2023



# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-12D  
 Client ID : PW-3R-083123  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A19  
 Sample Amount : 1 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/31/23 12:38  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 10:03  
 Dilution Factor : 10  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
120-82-1	1,2,4-Trichlorobenzene	ND	25	7.0	U
108-67-8	1,3,5-Trimethylbenzene	ND	25	7.0	U
95-63-6	1,2,4-Trimethylbenzene	ND	25	7.0	U
79-20-9	Methyl Acetate	ND	20	2.3	U
110-82-7	Cyclohexane	ND	100	2.7	U
76-13-1	Freon-113	ND	25	7.0	U
108-87-2	Methyl cyclohexane	ND	100	4.0	U



# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-13  
 Client ID : TRIP BLANK  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A07  
 Sample Amount : 10 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/31/23 00:00  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 04:47  
 Dilution Factor : 1  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
75-09-2	Methylene chloride	ND	2.5	0.70	U
75-34-3	1,1-Dichloroethane	ND	2.5	0.70	U
67-66-3	Chloroform	ND	2.5	0.70	U
56-23-5	Carbon tetrachloride	ND	0.50	0.13	U
78-87-5	1,2-Dichloropropane	ND	1.0	0.14	U
124-48-1	Dibromochloromethane	ND	0.50	0.15	U
79-00-5	1,1,2-Trichloroethane	ND	1.5	0.50	U
127-18-4	Tetrachloroethene	ND	0.50	0.18	U
108-90-7	Chlorobenzene	ND	2.5	0.70	U
75-69-4	Trichlorofluoromethane	ND	2.5	0.70	U
107-06-2	1,2-Dichloroethane	ND	0.50	0.13	U
71-55-6	1,1,1-Trichloroethane	ND	2.5	0.70	U
75-27-4	Bromodichloromethane	ND	0.50	0.19	U
10061-02-6	trans-1,3-Dichloropropene	ND	0.50	0.16	U
10061-01-5	cis-1,3-Dichloropropene	ND	0.50	0.14	U
75-25-2	Bromoform	ND	2.0	0.65	U
79-34-5	1,1,2,2-Tetrachloroethane	ND	0.50	0.17	U
71-43-2	Benzene	ND	0.50	0.16	U
108-88-3	Toluene	ND	2.5	0.70	U
100-41-4	Ethylbenzene	ND	2.5	0.70	U
74-87-3	Chloromethane	ND	2.5	0.70	U
74-83-9	Bromomethane	ND	2.5	0.70	U
75-01-4	Vinyl chloride	ND	1.0	0.07	U
75-00-3	Chloroethane	ND	2.5	0.70	U UJ
75-35-4	1,1-Dichloroethene	ND	0.50	0.17	U

MKP 10/6/2023



# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-13  
 Client ID : TRIP BLANK  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A07  
 Sample Amount : 10 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/31/23 00:00  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 04:47  
 Dilution Factor : 1  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
156-60-5	trans-1,2-Dichloroethene	ND	2.5	0.70	U
79-01-6	Trichloroethene	ND	0.50	0.18	U
95-50-1	1,2-Dichlorobenzene	ND	2.5	0.70	U
541-73-1	1,3-Dichlorobenzene	ND	2.5	0.70	U
106-46-7	1,4-Dichlorobenzene	ND	2.5	0.70	U
1634-04-4	Methyl tert butyl ether	ND	2.5	0.70	U
179601-23-1	p/m-Xylene	ND	2.5	0.70	U
95-47-6	o-Xylene	ND	2.5	0.70	U
156-59-2	cis-1,2-Dichloroethene	ND	2.5	0.70	U
100-42-5	Styrene	ND	2.5	0.70	U
75-71-8	Dichlorodifluoromethane	ND	5.0	1.0	U JJ
67-64-1	Acetone	ND	5.0	1.5	U
75-15-0	Carbon disulfide	ND	5.0	1.0	U JJ
78-93-3	2-Butanone	ND	5.0	1.9	U
108-10-1	4-Methyl-2-pentanone	ND	5.0	1.0	U
591-78-6	2-Hexanone	ND	5.0	1.0	U
106-93-4	1,2-Dibromoethane	ND	2.0	0.65	U
104-51-8	n-Butylbenzene	ND	2.5	0.70	U
135-98-8	sec-Butylbenzene	ND	2.5	0.70	U
98-06-6	tert-Butylbenzene	ND	2.5	0.70	U
96-12-8	1,2-Dibromo-3-chloropropane	ND	2.5	0.70	U
98-82-8	Isopropylbenzene	ND	2.5	0.70	U
99-87-6	p-Isopropyltoluene	ND	2.5	0.70	U
91-20-3	Naphthalene	ND	2.5	0.70	U
103-65-1	n-Propylbenzene	ND	2.5	0.70	U

MKP 10/6/2023



# Results Summary

## Form 1

### Volatile Organics by GC/MS

Client : C&S Companies  
 Project Name : JCC  
 Lab ID : L2350757-13  
 Client ID : TRIP BLANK  
 Sample Location : FALCONER,NY  
 Sample Matrix : WATER  
 Analytical Method : 1,8260D  
 Lab File ID : V01230909A07  
 Sample Amount : 10 ml  
 Level : LOW  
 Extract Volume (MeOH) : N/A

Lab Number : L2350757  
 Project Number : N30.009.001  
 Date Collected : 08/31/23 00:00  
 Date Received : 08/31/23  
 Date Analyzed : 09/09/23 04:47  
 Dilution Factor : 1  
 Analyst : PID  
 Instrument ID : VOA101  
 GC Column : RTX-502.2  
 %Solids : N/A  
 Injection Volume : N/A

CAS NO.	Parameter	ug/L			Qualifier
		Results	RL	MDL	
120-82-1	1,2,4-Trichlorobenzene	ND	2.5	0.70	U
108-67-8	1,3,5-Trimethylbenzene	ND	2.5	0.70	U
95-63-6	1,2,4-Trimethylbenzene	ND	2.5	0.70	U
79-20-9	Methyl Acetate	ND	2.0	0.23	U
110-82-7	Cyclohexane	ND	10	0.27	U
76-13-1	Freon-113	ND	2.5	0.70	U
108-87-2	Methyl cyclohexane	ND	10	0.40	U



## *Appendix B*

---

### *Laboratory QC Documentation*

# Matrix Spike Sample Summary

## Form 3

### Volatiles

Client : C&S Companies  
 Project Name : JCC  
 Client Sample ID : ESI-3-083023  
 Lab Sample ID : L2350757-01  
 Matrix Spike : WG1826522-6  
 Matrix Spike Dup : WG1826522-7

Lab Number : L2350757  
 Project Number : N30.009.001  
 Matrix (Level) : WATER (LOW)  
 Analysis Date : 09/09/23 05:13  
 MS Analysis Date : 09/09/23 13:09  
 MSD Analysis Date : 09/09/23 13:36

Parameter	Sample Conc. (ug/l)	Matrix Spike Sample			Matrix Spike Duplicate			RPD	Recovery Limits	RPD Limit
		Spike Added (ug/l)	Spike Conc. (ug/l)	%R	Spike Added (ug/l)	Spike Conc. (ug/l)	%R			
Vinyl chloride	ND	10	10	100	10	9.8	98	2	55-140	20
Chloroethane	ND	10	8.3	83	10	7.9	79	5	55-138	20
1,1-Dichloroethene	ND	10	9.5	95	10	9.3	93	2	61-145	20
trans-1,2-Dichloroethene	ND	10	12	120	10	12	120	0	70-130	20
Trichloroethene	2.8	10	14	112	10	14	112	0	70-130	20
1,2-Dichlorobenzene	ND	10	12	120	10	12	120	0	70-130	20
1,3-Dichlorobenzene	ND	10	12	120	10	12	120	0	70-130	20
1,4-Dichlorobenzene	ND	10	12	120	10	12	120	0	70-130	20
Methyl tert butyl ether	ND	10	9.8	98	10	9.7	97	1	63-130	20
p/m-Xylene	ND	20	23	115	20	23	115	0	70-130	20
o-Xylene	ND	20	23	115	20	22	110	4	70-130	20
cis-1,2-Dichloroethene	1.4J	10	14	140 Q	10	13	130	7	70-130	20
Styrene	ND	20	23	115	20	23	115	0	70-130	20
Dichlorodifluoromethane	ND	10	12	120	10	12	120	0	36-147	20
Acetone	ND	10	9.2	92	10	9.3	93	1	58-148	20
Carbon disulfide	ND	10	8.1	81	10	7.9	79	2	51-130	20
2-Butanone	ND	10	9.7	97	10	9.6	96	1	63-138	20
4-Methyl-2-pentanone	ND	10	10	100	10	10	100	0	59-130	20
2-Hexanone	ND	10	9.1	91	10	9.2	92	1	57-130	20
1,2-Dibromoethane	ND	10	11	110	10	11	110	0	70-130	20
n-Butylbenzene	ND	10	12	120	10	12	120	0	53-136	20
sec-Butylbenzene	ND	10	11	110	10	11	110	0	70-130	20





# Evaluate Continuing Calibration Report

Data Path : K:\VOA101\2023\230727NICAL\  
 Data File : V01230727N18.D  
 Acq On : 27 Jul 2023 11:56 pm  
 Operator : VOA101:PID  
 Sample : C8260STD10PPB  
 Misc : WG1808941,ICAL  
 ALS Vial : 18 Sample Multiplier: 1

Quant Time: Jul 28 09:48:20 2023  
 Quant Method : K:\VOA101\2023\230727NICAL\V101\_230727N\_8260.m  
 Quant Title : VOLATILES BY GC/MS  
 QLast Update : Fri Jul 28 09:46:14 2023  
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min  
 Max. RRF Dev : 20% Max. Rel. Area : 200%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)	
1 I	Fluorobenzene	1.000	1.000	0.0	98	0.00	
2 TP	Dichlorodifluoromethane	0.327	0.166	49.2#	47#	0.00	
3 TP	Chloromethane	0.408	0.289	29.2#	69	0.00	
4 TC	Vinyl chloride	0.383	0.308	19.6	79	0.00	
5 TP	Bromomethane	* 10.000	10.003	-0.0	92	0.00	
6 TP	Chloroethane	0.217	0.210	3.2	89	0.00	
7 TP	Trichlorofluoromethane	0.396	0.400	-1.0	95	0.00	
8 TP	Ethyl ether	0.135	0.139	-3.0	102	0.00	
10 TC	1,1-Dichloroethene	0.241	0.222	7.9	89	0.00	
11 TP	Carbon disulfide	0.794	0.702	11.6	89	0.00	
12 TP	Freon-113	0.262	0.256	2.3	94	0.00	
14 TP	Acrolein	0.040	0.029	27.5#	75	0.00	
15 TP	Methylene chloride	0.270	0.258	4.4	96	0.00	
17 TP	Acetone	0.071	0.061	14.1	87	0.00	
18 TP	trans-1,2-Dichloroethene	0.256	0.247	3.5	89	0.00	
19 TP	Methyl acetate	0.188	0.155	17.6	82	0.00	
20 TP	Methyl tert-butyl ether	0.661	0.598	9.5	89	0.00	
21 TP	tert-Butyl alcohol	0.022	0.020	9.1	94	0.00	
22 TP	Diisopropyl ether	1.116	1.098	1.6	92	0.00	
23 TP	1,1-Dichloroethane	0.560	0.559	0.2	93	0.00	
24 TP	Halothane	0.202	0.211	-4.5	96	0.00	
25 TP	Acrylonitrile	0.084	0.083	1.2	95	0.00	
26 TP	Ethyl tert-butyl ether	0.940	0.896	4.7	91	0.00	
27 TP	Vinyl acetate	0.350	0.228	34.9#	64	0.00	NT
28 TP	cis-1,2-Dichloroethene	0.281	0.269	4.3	90	0.00	
29 TP	2,2-Dichloropropane	0.371	0.317	14.6	86	0.00	
30 TP	Bromochloromethane	0.126	0.124	1.6	92	0.00	
31 TP	Cyclohexane	0.631	0.613	2.9	90	0.00	
32 TC	Chloroform	0.460	0.460	0.0	96	0.00	
33 TP	Ethyl acetate	0.243	0.225	7.4	92	0.00	
34 TP	Carbon tetrachloride	0.371	0.376	-1.3	93	0.00	
35 TP	Tetrahydrofuran	0.072	0.071	1.4	96	0.00	
36 S	Dibromofluoromethane	0.292	0.303	-3.8	101	0.00	
37 TP	1,1,1-Trichloroethane	0.412	0.415	-0.7	93	0.00	
39 TP	2-Butanone	0.105	0.092	12.4	88	0.00	
40 TP	1,1-Dichloropropene	0.374	0.364	2.7	92	0.00	
41 TP	Benzene	1.023	1.025	-0.2	93	0.00	
42 TP	tert-Amyl methyl ether	0.681	0.638	6.3	91	0.00	
43 S	1,2-Dichloroethane-d4	0.321	0.329	-2.5	100	0.00	

# Calibration Verification Summary

## Form 7

### Volatiles

Client : C&S Companies  
 Project Name : JCC  
 Instrument ID : VOA101  
 Lab File ID : V01230909A01  
 Sample No : WG1826522-2  
 Channel :

Lab Number : L2350757  
 Project Number : N30.009.001  
 Calibration Date : 09/09/23 02:08  
 Init. Calib. Date(s) : 07/27/23 07/27/23  
 Init. Calib. Times : 17:16 21:43

Compound	Ave. RRF	RRF	Min RRF	%D	Max %D	Area%	Dev(min)
Fluorobenzene	1	1	-	0	20	87	0
Dichlorodifluoromethane	0.327	0.338	-	-3.4	20	84	0
Chloromethane	0.408	0.397	-	2.7	20	83	0
Vinyl chloride	0.383	0.331	-	13.6	20	75	0
Bromomethane	10	11.406	-	-14.1	20	95	0
Chloroethane	0.217	0.15	-	30.9*	20	56	0
Trichlorofluoromethane	0.396	0.378	-	4.5	20	80	0
Ethyl ether	0.135	0.082	-	39.3*	20	53	0 NT
1,1-Dichloroethene	0.241	0.198	-	17.8	20	70	0
Carbon disulfide	0.794	0.609	-	23.3*	20	68	0
Freon-113	0.262	0.226	-	13.7	20	73	0
Acrolein	0.04	0.043	-	-7.5	20	97	0
Methylene chloride	0.27	0.265	-	1.9	20	87	0
Acetone	0.071	0.082	-	-15.5	20	104	0
trans-1,2-Dichloroethene	0.256	0.286	-	-11.7	20	91	0
Methyl acetate	0.188	0.164	-	12.8	20	77	0
Methyl tert-butyl ether	0.661	0.573	-	13.3	20	75	0
tert-Butyl alcohol	0.022	0.02	-	9.1	20	81	0
Diisopropyl ether	1.116	1.159	-	-3.9	20	86	0
1,1-Dichloroethane	0.56	0.611	-	-9.1	20	90	0
Halothane	0.202	0.228	-	-12.9	20	92	0
Acrylonitrile	0.084	0.079	-	6	20	80	0
Ethyl tert-butyl ether	0.94	0.957	-	-1.8	20	86	0
Vinyl acetate	0.35	0.557	-	-59.1*	20	139	0 NT
cis-1,2-Dichloroethene	0.281	0.307	-	-9.3	20	91	0
2,2-Dichloropropane	0.371	0.443	-	-19.4	20	106	0
Bromochloromethane	0.126	0.136	-	-7.9	20	90	0
Cyclohexane	0.631	0.742	-	-17.6	20	96	0
Chloroform	0.46	0.477	-	-3.7	20	88	0
Ethyl acetate	0.243	0.227	-	6.6	20	82	0
Carbon tetrachloride	0.371	0.424	-	-14.3	20	93	0
Tetrahydrofuran	0.072	0.056	-	22.2*	20	68	0 NT
Dibromofluoromethane	0.292	0.296	-	-1.4	20	87	0
1,1,1-Trichloroethane	0.412	0.46	-	-11.7	20	92	0
2-Butanone	0.105	0.097	-	7.6	20	82	0
1,1-Dichloropropene	0.374	0.405	-	-8.3	20	91	0
Benzene	1.023	1.083	-	-5.9	20	87	0
tert-Amyl methyl ether	0.681	0.645	-	5.3	20	82	0
1,2-Dichloroethane-d4	0.321	0.328	-	-2.2	20	89	0
1,2-Dichloroethane	0.367	0.38	-	-3.5	20	90	0
Methyl cyclohexane	0.445	0.495	-	-11.2	20	92	0
Trichloroethene	0.305	0.311	-	-2	20	83	0
Dibromomethane	0.146	0.148	-	-1.4	20	88	0

\* Value outside of QC limits.



## *Appendix C*

---

### *Validator Qualifications*

## **KENNETH R. APPLIN**

### **Geochemist/Data Validator**

Ph.D., Geochemistry and Mineralogy, The Pennsylvania State University

M.S., Geochemistry and Mineralogy, The Pennsylvania State University

B.A., Geological Sciences, SUNY at Geneseo, NY

Dr. Applin has over 35 years of experience working with the geochemistry of natural waters. His prior experience includes working as an Assistant Professor of Geology at the University of Missouri-Columbia and as Chief Hydrogeologist and Geochemist with a leading engineering firm in Rochester, NY. In 1993, he established KR Applin and Associates, a small consulting business that focuses on the geochemistry of natural waters, especially as applied to problems involving the contamination of groundwater and surface water.

Dr. Applin is also an experienced analytical data validator and has provided data validation services since 1994 to a variety of clients performing brownfield cleanup projects, hazardous waste remediation, groundwater monitoring at solid waste facilities, and other projects requiring third-party data validation. Dr. Applin has several years of hands-on experience with the laboratory analysis of natural waters and has successfully completed the USEPA Region II certification courses for performing inorganic and organic analytical data validation.

## **MICHAEL K. PERRY**

### **Chemist/Data Validator**

B.S. Chemistry, Georgia State University, Atlanta, GA

A.A.S., Chemical Technology, Alfred State College, Alfred, NY

Mr. Perry has over 30 years of experience in the analytical laboratory business. During his early career, he spent several years as a laboratory analyst performing the analysis of soil, water, and air samples for inorganic and organic chemical parameters. During his last 20 years in the environmental laboratory business, he managed and directed two major analytical laboratories in Rochester, NY. His management responsibilities included oversight of the daily operations of the lab, staff training and supervision, the selection, purchase, and maintenance of analytical instruments, the introduction of new laboratory methods, analytical quality assurance and quality control, data acquisition and management, and other business-related activities.

Mr. Perry has an extensive working knowledge of the methods and procedures used for sampling and analyzing both inorganic and organic analytes in soil, water, and air. He is an accomplished laboratory chemist and is familiar with the analytical methods and procedures established under the USEPA Contract Laboratory Protocols (CLP), the NYSDEC Analytical Services Protocols (ASP), and the NYSDOH Environmental Laboratory Approval Program (ELAP).

APPENDIX B  
GROUNDWATER USE CERTIFICATION

***Jamestown Container Realty Inc.  
14 Deming Drive  
Falconer, NY 14733***

November 29, 2023


Re: Site Name: Dowcraft, South Dow Street  
Site No: 907020  
Site Address: 65 South Dow Street, Falconer, NY 14733

To Whom It May Concern,

This confirms that the above referenced property is owned by Jamestown Container Realty Inc. As the property owner, Jamestown Container Realty Inc. hereby certifies that it is not using any ground water drawn from the property.

If you need anything further, please advise.

Sincerely,

A handwritten signature in blue ink that reads "Joseph R. Palmeri". The signature is written in a cursive style with a large initial "J".

Joseph R. Palmeri  
Vice President / COO

APPENDIX C  
INSTITUTIONAL AND ENGINEERING CONTROLS CERTIFICATION  
FORM





Enclosure 2  
**NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION**  
**Site Management Periodic Review Report Notice**  
**Institutional and Engineering Controls Certification Form**



**Site Details**

**Box 1**

**Site No.**            **907020**

**Site Name** Dowcraft, South Dow Street

Site Address: 65 South Dow Street      Zip Code: 14733  
City/Town: Falconer  
County: Chautauqua  
Site Acreage: 2.200

Reporting Period: October 31, 2022 to October 31, 2023

- |  | YES                                 | NO                                  |
|--|-------------------------------------|-------------------------------------|
| 1. Is the information above correct?   | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| If NO, include handwritten above or on a separate sheet.   |                                     |                                     |
| 2. Has some or all of the site property been sold, subdivided, merged, or undergone a tax map amendment during this Reporting Period?                              | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| 3. Has there been any change of use at the site during this Reporting Period (see 6NYCRR 375-1.11(d))?   | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| 4. Have any federal, state, and/or local permits (e.g., building, discharge) been issued for or at the property during this Reporting Period?                      | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| <b>If you answered YES to questions 2 thru 4, include documentation or evidence that documentation has been previously submitted with this certification form.</b> |                                     |                                     |
| 5. Is the site currently undergoing development?   | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |

**Box 2**

- |   | YES                                 | NO                       |
|---|-------------------------------------|--------------------------|
| 6. Is the current site use consistent with the use(s) listed below?<br>Industrial | <input checked="" type="checkbox"/> | <input type="checkbox"/> |
| 7. Are all ICs in place and functioning as designed?                              | <input checked="" type="checkbox"/> | <input type="checkbox"/> |

**IF THE ANSWER TO EITHER QUESTION 6 OR 7 IS NO, sign and date below and  
DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.**

**A Corrective Measures Work Plan must be submitted along with this form to address these issues.**

\_\_\_\_\_  
Signature of Owner, Remedial Party or Designated Representative

\_\_\_\_\_  
Date

**SITE NO. 907020**

**Box 3**

**Description of Institutional Controls**

Parcel

**371.14-2-42**

Owner

Jamestown Container Realty, Inc.

Institutional Control

Ground Water Use Restriction  
Landuse Restriction  
Monitoring Plan  
O&M Plan

**Box 4**

**Description of Engineering Controls**

Parcel

**371.14-2-42**

Engineering Control

Vapor Mitigation  
Sub-Slab Depressurization Systems in Buildings 5, 6, & 9

### Periodic Review Report (PRR) Certification Statements

1. I certify by checking "YES" below that:

a) the Periodic Review report and all attachments were prepared under the direction of, and reviewed by, the party making the Engineering Control certification;

b) to the best of my knowledge and belief, the work and conclusions described in this certification are in accordance with the requirements of the site remedial program, and generally accepted engineering practices; and the information presented is accurate and complete.

YES NO

☒ ☐

2. For each Engineering control listed in Box 4, I certify by checking "YES" below that all of the following statements are true:

(a) The Engineering Control(s) employed at this site is unchanged since the date that the Control was put in-place, or was last approved by the Department;

(b) nothing has occurred that would impair the ability of such Control, to protect public health and the environment;

(c) access to the site will continue to be provided to the Department, to evaluate the remedy, including access to evaluate the continued maintenance of this Control;

(d) nothing has occurred that would constitute a violation or failure to comply with the Site Management Plan for this Control; and

(e) if a financial assurance mechanism is required by the oversight document for the site, the mechanism remains valid and sufficient for its intended purpose established in the document.

YES NO

☒ ☐

**IF THE ANSWER TO QUESTION 2 IS NO, sign and date below and  
DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.**

**A Corrective Measures Work Plan must be submitted along with this form to address these issues.**

\_\_\_\_\_  
Signature of Owner, Remedial Party or Designated Representative

\_\_\_\_\_  
Date

IC CERTIFICATIONS  
SITE NO. 907020

Box 6

**SITE OWNER OR DESIGNATED REPRESENTATIVE SIGNATURE**

I certify that all information and statements in Boxes 1,2, and 3 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I Cody Martin at C&S Engineers, Inc.  
141 Elm Street Suite 100 Buffalo NY  
print name print business address

am certifying as \_\_\_\_\_ (Owner or Remedial Party)

for the Site named in the Site Details Section of this form.

Cody Martin  
Signature of Owner, Remedial Party, or Designated Representative  
Rendering Certification

11/30/2023  
Date

## EC CERTIFICATIONS

Box 7

### Signature

I certify that all information in Boxes 4 and 5 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I Cody Martin at C&S Engineers, Inc.  
print name 141 Elm Street, Suite 100 Buffalo NY  
print business address

am certifying as a Owner  
(Owner or Remedial Party)

Cody Martin  
Signature of, for the Owner or Remedial Party,  
Rendering Certification

Stamp  
(Required for PE)

11/30/2023  
Date

APPENDIX D  
SSDS Inspection Reports

## INSPECTION REPORT

October 31, 2023

Mr. Cody Martin  
Project Manager  
C & S Companies  
141 Elm Street, Suite 100  
Buffalo, NY 14203  
Via email: Cody Martin <cmartin@cscos.com>

Re: Jamestown Container Companies – Building 9, 65 South Dow St., Falconer, NY  
Inspection Report for Sub-slab Depressurization System

For work completed September 29, 2023

1. Conducted a visual inspection of the complete System (e.g., vent fan, piping, warning device, labeling on systems, etc.): **SATISFACTORY**
2. Conducted an inspection of all surfaces to which vacuum is applied: **SATISFACTORY**
3. Inspected all components for condition and proper operation: **SATISFACTORY**
4. Identify and repair any leaks: **NO LEAKS OBSERVED**
5. Inspect the exhaust or discharge point to verify that no air intakes have been located nearby:  
**NO AIR INTAKES WITHIN TEN FEET**
6. Conduct an airstream velocity measurement: **SATISFACTORY**
7. Conduct pressure field extension testing: **SATISFACTORY**
  - a. Stack 1 – (north) B9-2 1.7 wci
  - b. Stack 2 – (south) B9-1 3.8 wci
  - c. Test point 1 – (north) -0.081 wci
  - d. Test point 2 - (north) -0.035 wci
8. Interview an appropriate individual seeking comments and observations regarding the operation of the System: **SATISFACTORY**


Thank you


Nicholas E. Mouganis EPA listing # 15415-I; NEHA ID# 100722 \*\*\*mitigationtech.com













## INSPECTION REPORT

October 31, 2023

Mr. Cody Martin  
Project Manager  
C & S Companies  
141 Elm Street, Suite 100  
Buffalo, NY 14203  
*Via email: Cody Martin <cmartin@cscos.com>*

Re: Jamestown Container Companies – Buildings 5&6, 65 South Dow St., Falconer, NY  
Inspection Report for Sub-slab Ventilation System

**For work completed September 29, 2023**

1. Conducted a visual inspection of the complete System (e.g., vent fan, piping, warning device, labeling on systems, etc.): **SATISFACTORY**
2. Conducted an inspection of all surfaces to which vacuum is applied: **SATISFACTORY**
3. Inspected all components for condition and proper operation: **SATISFACTORY**
4. Identify and repair any leaks: **NO LEAKS OBSERVED**
5. Inspect the exhaust or discharge points to verify that no air intakes have been located nearby:  
**NO AIR INTAKES WITHIN TEN FEET**
6. Conduct an airstream velocity measurement: **SATISFACTORY**
7. Conduct pressure Stack Vacuum and pressure field extension testing **SATISFACTORY**
  - a. Stack B 5.1 – 0.2 wci
  - b. Stack B 5.2 – 0.2 wci
  - c. Stack B 6.1 – 0.08 wci
  - d. Stack B 6.2 – 0.35 wci
  - e. Stack B 6.3 – 0.18 wci
  - f. Test point 1 – -0.049 wci (near crawlspace entrance)
  - g. Test point 2 - -0.046 wci (near fork lift ramp)
8. Interview an appropriate individual seeking comments and observations regarding the operation of the System: **SATISFACTORY**

Thank you

Nicholas E. Mouganis   EPA listing # 15415-I; NEHA ID# 100722 \*\*\*mitigationtech.com

















## Sub-Slab Depressurization System Vacuum Gauge Monthly Record

	Initial Values →	0.2	0.2	0.26	0.15	0.17	4.0	1.6	← Initial Values
2022	Date Checked	B5-1	B5-2	B6-1	B6-2	B6-3	B9-1	B9-2	Signature
Jan		.2	.2	.2	.1	.25	4.0	1.5	
Feb		.2	.2	.2	.1	.27	4.0	1.5	
March		.2	.2	.2	.1	.32	4.0	1.5	
April		.2	.2	.25	.1	.35	4.0	1.5	
May		.2	.2	.2	.05	.15	4.0	1.5	
June		.2	.2	.2	.05	.15	4.0	1.5	
July		.2	.2	.2	.1	.15	4.0	1.2	
Aug		.2	.2	.25	.1	.14	4.0	1.0	
Sept		.2	.2	.25	.1	.13	4.0	1.5	
Oct		.2	.2	.2	.1	.2	4.0	1.5	
Nov		.2	.2	.2	.1	.2	4.0	1.5	
Dec									
		B5-1	B5-2	B6-1	B6-2	B6-3	B9-1	B9-2	
	Initial Values →	0.2	0.2	0.26	0.15	0.17	4.0	1.6	← Initial Values



Jamestown Container Corporation

14 Deming Drive

Falconer, NY

Installed by: Mitigation Tech - 2017

## Sub-Slab Depressurization System Vacuum Gauge Monthly Record

	Initial Values →	0.2	0.2	0.26	0.15	0.17	4.0	1.6	← Initial Values
2023	Date Checked	B5-1	B5-2	B6-1	B6-2	B6-3	B9-1	B9-2	Signature
Jan		.2	.2	.3	.1	.02		1.8	
Feb		.2	.2	.35	.1	.02		1.8	Chris Sweeney
March		.2	.2	.25	.1	.15		1.8	
April		.2	.2	.25	.1	.15		1.8	
May		.2	.2	.3	.1	.2	3.75		
June		.2	.2	.25	.07	.2	3.75		
July		.2	.2	.25	.05	.2	3.75		
Aug		.2	.2	.25	.05	.2	3.75		
Sept		.2	.2						
Oct							4.0		
Nov		.2	.2	.35	.1	.19	1.7	1.7	BMS
Dec									
		B5-1	B5-2	B6-1	B6-2	B6-3	B9-1	B9-2	
	Initial Values →	0.2	0.2	0.26	0.15	0.17	4.0	1.6	← Initial Values