



November 7, 2022

Mr. Michael Lubin  
Chairman  
**Lexington Machining, LLC**  
677 Buffalo Road  
Rochester, NY 14611

Apex Project No. LEX004-0309012-22006067

**Subject: 2022 Annual Groundwater Monitoring and Periodic Review Report**  
Lexington Machining, LLC  
201 Winchester Road, Village of Lakewood, Town of Busti  
Chauataqua County, New York - NYSDEC Site Number: 907044

Dear Mr. Lubin:

Apex Companies, LLC (Apex) is pleased to present the 2022 Annual Groundwater Monitoring and Periodic Review Report. The monitoring was completed to satisfy the requirements of the Site Management Plan, that was revised by Apex and approved by the New York State Department of Environmental Conservation (NYSDEC) in April 2020.

Please contact me at (330) 310-6327 or [tim.mccann@apexcos.com](mailto:tim.mccann@apexcos.com) with any questions.

Sincerely,

A handwritten signature in blue ink that reads 'Timothy N. McCann'.

Timothy N. McCann  
Program Manager  
Northeast Ohio Regional Office

**Apex Companies, LLC**

520 South Main Street, Suite 2411-C  
Akron, Ohio 44311

Main: (330) 310-6327  
[www.apexcos.com](http://www.apexcos.com)



# **Annual Groundwater Monitoring and Periodic Review Report**

## **Lexington Machining, LLC**

NYSDEC Site Number: 907044  
Premier Lakewood, Inc. Site  
201 Winchester Road  
Village of Lakewood, Town of Busti  
Chauataqua County, New York

Apex Project No. LEX004-0309012-22006067  
November 7, 2022

***Prepared by:***

**Apex Companies, LLC**  
520 South Main Street, Suite 2411-C  
Akron, Ohio 44311



## CONTENTS

<u>SECTION</u>	<u>PAGE</u>
<b>1.0</b> <b><u>BACKGROUND</u></b>	<b>1</b>
1.1 HISTORIC OPERATIONS .....	1
1.2 SITE ENVIRONMENTAL SUMMARY .....	1
<b>2.0</b> <b><u>ANNUAL GROUNDWATER MONITORING</u></b> .....	<b>2</b>
2.1 SAMPLE COLLECTION	
<b>3.0</b> <b><u>ANALYTICAL RESULTS</u></b> .....	<b>4</b>
<b>4.0</b> <b><u>DISCUSSION</u></b> .....	<b>5</b>
4.1 Acceptable Groundwater Conditions .....	5
4.2 Improving Groundwater Conditions .....	6
4.3 Groundwater Conditions for Continued Monitoring .....	6
<b>5.0</b> <b><u>CONCLUSIONS</u></b> .....	<b>9</b>
<b>6.0</b> <b><u>SIGNATURES</u></b> .....	<b>10</b>

### FIGURES

1. Site Location Map
2. Groundwater Monitoring Well Network
3. Groundwater Contour Map

### TABLES

1. August 2022 Groundwater Elevation Measurements
2. August 2022 Groundwater Sample Data Summary
3. Historic Groundwater Data Summary

### APPENDICES

- A Site Wide Inspection Form
- B Site Management Periodic Review Report, Institutional and Engineering Controls Certification Form
- C Groundwater Sampling Logs
- D Purge Water Disposal Manifest
- E Analytical Laboratory Report
- F VOC Trendline Graphs
- G Site Photographs



## **1.0 BACKGROUND**

Subsequent to active remediation, a Site Management Plan (SMP) was prepared for the Lexington Machining, LLC (LMLLC) property located at 201 Winchester Road in Lakewood, New York, Site #907044 (the Site). A site location map is presented in Figure 1. The SMP was prepared to address low levels of volatile organic compounds (VOCs) remaining in soil and groundwater of the Site and is required by the New York State Department of Environmental Conservation (NYSDEC) Order on Consent and Administrative Settlement Index # B9-0792-08-10. The SMP was updated in April 2020 by Apex and included the removal of monitoring wells MW-4, MW-5, and MW-11D from the groundwater monitoring network. In addition, monitoring wells MW-5D and MW-6 were approved to be abandoned following NYSDEC protocol. These wells were abandoned in August 2020.

Annual Groundwater monitoring is required within Section 3.2.1, Groundwater Monitoring of the SMP. This report presents the methods and results of the annual groundwater monitoring conducted in August 2022.

The site is located in the Village of Lakewood, Town of Busti, County of Chautauqua, New York and is situated on three lots identified as Block 385 and Lots 06-3-58, 06-3-59 and 06-3-60 on the Chautauqua County Tax Map. The site is an approximately 6.15-acre area bounded by a Chautauqua Regional Railroad Authority rail line to the north; a residential property and a vacant commercial/industrial facility to the south; Matco Tools manufacturing facility and American Legion Lakewood Memorial Post 1286 to the east; and Winchester Road to the west (see Figure 1).

## **1.1 HISTORIC OPERATIONS**

The site was undeveloped, vacant land at least through the 1930s with initial construction of the existing manufacturing building beginning circa 1956. Die casting operations, including aluminum, magnesium, and zinc die castings manufactured for consumer and industrial products, have been conducted at the property since that time. The manufacturing plant was occupied through the 1980s by Falconer Metal Specialties, which was succeeded by Falconer Die Casting, Lexington Die Casting, Premier Tool & Die, and Premier Lakewood, Inc. Lexington Precision Corporation, the previous owner of the Property, was the owner of Lexington Die Casting before selling the manufacturing equipment and operation to Premier Tool & Die in 2006. The current site owner is LMLLC.

Operations at the site ceased circa April 2014, with removal of equipment and manufacturing materials through the end of August 2014, and the site is currently utilized for warehousing of new office furniture by Bush Industries.

## **1.2 SITE ENVIRONMENTAL SUMMARY**

VOCs were identified in Site soil and groundwater during due diligence environmental site investigations and underground storage tank (UST) closure activities between July 2002 and November 2006. The primary soil and groundwater contaminant, 1,1,1-trichloroethane (1,1,1-TCA), had been previously used at the Site as a solvent and degreaser from approximately 1960 through 1991. Breakdown products of 1,1,1-TCA identified in groundwater include 1,1-dichloroethane (1,1-DCA), 1,1-dichloroethene (1,1-DCE), chloroethane, and vinyl chloride. Also





identified in several groundwater samples were 1,1,2-trichloroethane (1,1,2-TCA) and its breakdown product 1,2-dichloroethane (1,2-DCA).

An enhanced in-situ bioremediation program was conducted to address VOCs in groundwater at the Site from August through November 2006. The program included injection of bio-amendments into groundwater to support and increase the rate of naturally occurring degradation of contaminants by reductive dechlorination.

Post-remediation groundwater sampling conducted in April 2007, indicated a reduction in 1,1,1-TCA concentrations and an increase in 1,1,1-TCA breakdown products such as 1,1-DCA and chloroethane

A groundwater sampling program was implemented in June 2010 to evaluate groundwater quality conditions at the Site. At that time, the concentrations of the primary contaminant, 1,1,1-TCA, had fallen below NYSDEC Groundwater Quality Standard (GWQS) in all but one monitoring well. The secondary contaminant 1,1,2-TCA was detected in only one monitoring well at a concentration above the GWQS; and was lower than the previously detected concentrations. Concentrations of contaminant breakdown products appeared to be generally increasing at the site. Concentrations of tertiary breakdown product, chloroethane, were also increasing. Secondary breakdown product concentrations of 1,1-DCA, 1,2-DCA, and 1,1-DCE increased under the Site building, but decreased in most other areas of the Site. These changes indicated that natural attenuation of the VOC contaminants at the Site was occurring.

Soil contaminants remaining at the site are located at depths of 4 to 11.5 feet beneath site structures and include chlorinated solvents and acetone at concentrations below criteria for protection of public health in residential, commercial, or industrial settings, but above criteria for protection of groundwater.

Groundwater contaminants remaining at the Site, including chlorinated solvent VOCs, are present in overburden groundwater under approximately half of the 99,000-square-foot manufacturing building and the northern portion of the LMLLC property. Groundwater elevations are generally encountered at depths of 9 to 14 feet below grade. One groundwater sample, collected from deep groundwater monitoring well MW-11D in June 2010, exhibited concentrations of four VOCs, three at concentrations below groundwater quality standards, and the fourth, acetone, detected slightly above standards. Monitoring well MW-11D is located outside the southwest corner of the manufacturing building and up-gradient of chemical use areas. No other VOCs have been detected above standards in the deep groundwater zone.

## **2.0 ANNUAL GROUNDWATER MONITORING**

The 2022 annual groundwater monitoring was completed to satisfy the requirements of SMP Sections 2.2.1.1, Monitored Natural Attenuation, and 3.2.1, Groundwater Monitoring.

During the September 2021 to September 2022 monitoring period, no excavations, changes of use or changes of groundwater use occurred during the Certifying Period with the exception that the building, located on the site, is currently being leased to Bush Industries for the warehousing of boxed office furniture. The boxes are stored on wood pallets in various locations in the building.



Monitoring well sampling activities were recorded in a field book and on groundwater sampling log sheets. Relevant field observations (e.g., well integrity, etc.) were noted on the well sampling logs. The completed well sampling logs are provided in Appendix C. Monitoring well locations are shown on Figure 2.

## 2.1 SAMPLE COLLECTION

Prior to collecting groundwater samples, the groundwater level in each well was measured and recorded. Observed groundwater elevations are recorded on the well sampling logs and provided in Table 1. Inferred groundwater elevations and contours are depicted in Figure 3. The inferred groundwater flow direction to the northeast is consistent with historic observations.

Groundwater samples were collected using the low-flow purging and sampling technique using a peristaltic pump and polyethylene tubing at flow rates of 0.1 to 0.5 liters per minute. The samples were collected once stabilization for three consecutive readings was achieved for the following parameters and variances:

- turbidity ( $\pm 10$  percent for values greater than 1 NTU),
- dissolved oxygen ( $\pm 10$  percent),
- specific conductance ( $\pm 3$  percent),
- temperature ( $\pm 3$  percent),
- pH ( $\pm 0.1$  units), and
- oxygen reduction potential ( $\pm 10$  millivolts).

The groundwater field parameters were monitored using a Horiba U-52 multi-parameter water quality meter with flow-through cell. The U-52 meter was calibrated at the beginning of each sampling day using manufacturer provided calibration fluid.

Purge water was collected, contained in a 55-gallon drum, and disposed of offsite on September 23, 2022, by Safety-Kleen Systems, Inc. A copy of the purge water disposal manifest is included in Appendix D.

Groundwater samples were collected directly into laboratory provided bottles and shipped overnight in an ice-filled cooler to the Pace Analytical facility located in Pittsburgh, Pennsylvania facility, a New York State certified laboratory (New York: NYDOH (NELAP) #10888). Two field blank samples (one per field day) and one trip blank sample were collected for quality assurance/quality control (QA/QC). Appropriate decontamination procedures were followed, and proper chain of custody procedures employed.

Groundwater samples were analyzed for target compound list (TCL) VOCs by United States Environmental Protection Agency (USEPA) method 8260C. No contaminants were reported above laboratory detection limits in the field blank samples, with the exception of: chloroform, which was detected at a concentration of 12 micrograms per liter (ug/L) in Field Blank 1 and at a concentration of 12.1 ug/L in Field Blank 2. Additionally, bromodichloromethane, was detected at a concentration of 1.8 ug/L in Field Blank 2 and 1,2,4-trimethylbenzene was detected at a concentration of 3.4 ug/L in Field Blank 2. Newly purchased distilled water was utilized to collect the Field blank samples. No contaminants were reported above laboratory detection limits in the trip blank sample.



The analytical results were compared to the NYSDEC Groundwater Quality Standards (Technical and Operational Guidance Series 1.1.1 (TOGS 1.1.1), and ECL Part 703, Surface Water and Groundwater Quality Standards and Groundwater Effluent Limitations) to evaluate targeted compounds present above laboratory detection limits.



### **3.0 ANALYTICAL RESULTS**

Pace Analytical provided its Laboratory Report dated August 29, 2022, for the samples collected at the LMLLC site (Appendix E). Pace Analytical reported that all holding times were met and proper preservation noted for the methods performed on the samples.

Table 2 provides a summary of the sample analytical results for the contaminants of concern in groundwater of the site.

#### **Primary Contaminants**

Primary contaminants of concern at the site, 1,1,1-TCA and 1,1,2-TCA were detected in several groundwater samples.

1,1,1-TCA was detected at a concentration of 30.3 ug/L in groundwater sample MW-2, which exceeds the GWQS for 1,1,1-TCA of 5 ug/L. 1,1,1-TCA was detected in groundwater sample MW-9 at a concentration of 1.9 ug/L, which is below the GWQS of 5 ug/L. 1,1,1-TCA was not detected above the laboratory detection limit of 1.0 ug/L in the remaining groundwater samples analyzed.

1,1,2-TCA was detected in one sample (MW-10) at a concentration of 2.4 ug/L, which exceeds the GWQS of 1 ug/L. 1,1,2-TCA was not detected above the laboratory detection limit of 1.0 ug/L in the remaining groundwater samples analyzed.

#### **Secondary Contaminants**

Secondary (breakdown product) contaminants including, 1,1-DCA, 1,1,-DCE, 1,2-DCA, and chloroethene (vinyl chloride [VC]) were also detected in groundwater samples.

1,1-DCA was detected in 10 of the 12 groundwater samples with concentrations in four of the samples (MW-1 and MW-2, MW-9, and MW-10) exceeding the GWQS of 5 ug/L. The maximum concentration of 70.7 ug/L was detected in MW-9. 1,1-DCA was either not detected above the laboratory detection or at concentrations below the GWQS in the remaining groundwater samples.

Cis-1,2-DCE was not detected above the laboratory detection limit of 1.0 ug/L in the groundwater samples analyzed.

1,1,-DCE was detected in nine of the 12 groundwater samples with concentrations in seven of the samples (MW-1, MW-2, MW-3, MW-8, MW-9, MW-10, and MW-14) exceeding the GWQS of 5 ug/L. The maximum concentration of 54.9 ug/L was detected in MW-9. 1,1,-DCE was either not detected above the laboratory detection or at concentrations below the GWQS in the remaining groundwater samples.

1,2-DCA was detected in MW-9 at a concentration of 2.2 ug/L, which exceeds the GWQS of 0.6 ug/L. 1,2-DCA was not detected above the laboratory detection limit of 0.6 ug/L in the remaining groundwater samples



VC was detected in MW-3 and MW-7 at concentrations of 1.8 and 2.3 ug/L, respectively. The detected concentration in MW-7 exceeds the GWQS of 2 ug/L. VC was not detected above the laboratory detection limit of 1.0 ug/L in the remaining groundwater samples.

### **Tertiary Contaminants**

Tertiary breakdown products, chloroethane and 1,2-dichlorobenzene, were detected in groundwater samples.

Chloroethane was detected in four of the 12 groundwater samples (MW-1, MW-2, MW-12, and MW-13) with all of the concentrations, with the exception of MW-2, exceeding the GWQS of 5 ug/L. The maximum concentration of 62.7 ug/L was detected in MW-13. Chloroethane was not detected above the laboratory detection limit of 1.0 ug/L in the remaining groundwater samples.

1,2-Dichlorobenzene was detected in MW-2 at a concentration of 5.7 ug/L, which exceeds the GWQS of 3 ug/L. 1,2-Dichlorobenzene was not detected above the laboratory detection limit of 1.0 ug/L in the remaining groundwater samples

### **Other Contaminants**

Benzene was detected in MW-8 and MW-10 at a concentration of 1.4 ug/L, which exceed the GWQS of 1 ug/L. Benzene was not detected above the laboratory detection limit of 1.0 ug/L in the remaining groundwater samples



#### 4.0 **DISCUSSION**

Groundwater samples collected from the monitoring well network at the site continue to exhibit concentrations of contaminants of concern exceeding GWQS. Monitoring wells exhibited attainment of GWQS and/or non-detectable concentrations of contaminants, decreasing contaminant concentrations, or elevated concentrations requiring continued monitoring.

#### 4.1 **ACCEPTABLE GROUNDWATER CONDITIONS**

The following section show the comparison between the 2021 and 2022 sampling data. Two of the 12 monitoring wells exhibited no detected concentrations of contaminants or detections well below the GWQS, including the following:

<b>Monitoring Well ID</b>	<b>Location on Site</b>
MW-2D	North center outside the building
MW-11	West of the building

Chemicals of concern were not detected above the laboratory detection limits in monitoring wells MW-2D and MW-11.

Monitoring well MW-11 is up-gradient of impacted areas. Monitoring well MW-2D is down-gradient of impacted areas and is installed in the Site's deeper water bearing zone to 27 feet below ground surface.

#### 4.2 **IMPROVING GROUNDWATER CONDITIONS**

The following section show the comparison between the 2021 and 2022 sampling data. Two of the 12 monitoring wells exhibited a clear decrease in contaminant concentrations from 2021 to 2022.

<b>Monitoring Well ID</b>	<b>Location on Site</b>
MW-7	Northeast of the building
MW-14	North of Building

In Monitoring well MW-7, VC decreased from 3.8 ug/L to 2.3 ug/L; 1,1-DCA decreased from 3.3 ug/L to 1.9 ug/L; and 1,1-DCE decreased from 3.7 ug/L to 1.4 ug/L. The VC concentration is above the respective GWQS.

In Monitoring Well MW-14, chloroethane decreased from 14.1 ug/L to BDL; 1,1-DCA decreased from 5.5 ug/L to 3.2 ug/L; and 1,1-DCE decreased from 16.3 ug/L to 9.4 ug/L. The concentration of 1,1-DCE is above the respective GWQS.

Monitoring well MW-7 is downgradient of the soil and groundwater impact areas and is located in the northeast portion of the property, along the boundary line. MW-14 is located on the north side of the building, downgradient of the impacted areas.



### 4.3 GROUNDWATER CONDITIONS FOR CONTINUED MONITORING

Groundwater samples collected from eight monitoring wells exhibited an overall increase and/or consistency in contaminant concentrations between 2021 and 2022.

Monitoring Well ID	Location on Site
MW-1	North center outside the building
MW-2	North side of building
MW-3	Northeast outside the building
MW-8	Central portion of the building (inside)
MW-9	Inside the secondary machining area of the building
MW-10	Central portion of the building (inside)
MW-12	North of Building
MW-13	North of Building

In Monitoring Well MW-1, chloroethane increased from BDL to 14.8 ug/L; 1,1-DCE increased from 5.9 ug/L to 15.1 ug/L; and 1,1-DCA increased from 3.3 ug/L to 8.8 ug/L. These concentrations are above their respective GWQS.

In Monitoring Well-2, chloroethane decreased from 8.6 ug/L to 4.7 ug/L; 1,1-DCE increased from 14.2 ug/L to 39.8 ug/L; 1,1-DCA increased from 7.1 ug/L to 19.5 ug/L; 1,1,1-TCA increased from 8.0 ug/L to 30.3 ug/L; and 1,2-dichlorobenzene increased from 1.3 ug/L to 5.7 ug/L. These concentrations are above their respective GWQS with the exception of chloroethane.

In Monitoring Well-3, chloroethane decreased from 2.2 ug/L to BDL; VC increased from BDL to 1.8 ug/L; 1,1-DCA increased from 1.4 ug/L to 1.9 ug/L; and 1,1-DCE increased from 19 ug/L to 36.7 ug/L. The 1,1-DCE concentration is above the applicable GWQS and the concentrations of VC, chloroethane, 1,1-DCA, and 1,2-DCA are below their applicable GWQS.

In Monitoring Well MW-8, 1,1-DCA decreased from 6.7 ug/L to 3.8 ug/L; 1,1-DCE increased from 6.1 ug/L to 6.9 ug/L; and benzene increased from BDL to 1.4 ug/L. 1,1-DCE and benzene concentrations are above their applicable GWQS and the 1,1-DCA concentration is below the applicable GWSQ.

In Monitoring Well MW-9, 1,1-DCE decreased from 57.2 ug/L to 54.9 ug/L; 1,1-DCA increased from 69.8 ug/L to 70.7 ug/L; and 1,2-DCA increased from 2.0 ug/L to 2.2 ug/L. These concentrations are above their respective GWQS.

In Monitoring Well MW-10, 1,1-DCE decreased from 9.7 ug/L to 7.6 ug/L; 1,1-DCA decreased from 69 ug/L to 54.6 ug/L; 1,1,2-TCA increased from 2.2 ug/L to 2.4 ug/L; and benzene increased from BDL to 1.4 ug/L. These concentrations are above their respective GWQS.

In Monitoring Well MW-12, chloroethane increased from BDL to 41.8 ug/L and 1,1-DCA increased from BDL to 2.9 ug/L. The concentration of chloroethane is above the applicable GWQS and 1,1-DCA and is below the applicable GWSQ.



In Monitoring Well MW-13, 1,1-DCE increased from 1.6 ug/L to 3.9 ug/L; 1,1-DCA increased from 1.3 ug/L to 1.9 ug/L; and chloroethane increased from 52.4 ug/L to 62.7 ug/L. The concentration of chloroethane is above the applicable GWQS and 1,1-DCA and 1,1-DCE are below their respective GWSQ.

Monitoring wells MW-1, MW-2, MW-3, MW-12 and MW-13 are down-gradient of the impacted areas, at the boundaries of the historical impacted groundwater plume.

Monitoring wells MW-8 and MW-10 are located in the area of the soil and groundwater impact areas.

MW-14 is located on the north side of the building, downgradient of the impacted areas. There is no evidence from the groundwater data from these monitoring wells that indicates that the historical groundwater impact plume is spreading beyond the previous extent of delineation.

## **5.0 CONCLUSIONS**

Based upon the results of the annual groundwater monitoring completed at the Lexington Machining, LLC site in Lakewood, New York, continued groundwater monitoring is required under the NYSDEC approved Site Management Plan.

Groundwater contaminant concentrations are below GWQS in 2 of the 12 groundwater monitoring wells. Groundwater conditions were observed to be improving in monitoring wells MW-7 and MW-14. Eight monitoring wells exhibited increasing concentrations of contaminants including MW-1, MW-2, MW-3, MW-8 through MW-10, MW-12, and MW-13.

No additional action, investigation or revisions of the groundwater monitoring schedule is recommended at the site.

## **6.0 SIGNATURES**

A handwritten signature in blue ink that reads "Timothy N. McCann".

Prepared by: \_\_\_\_\_

Timothy N. McCann  
Program Manager  
Northeast Ohio Regional Office

A handwritten signature in black ink that reads "Kellie L. Wing".

Reviewed by: \_\_\_\_\_

Kellie L. Wing  
Program Manager  
Detroit Regional Office





## **FIGURES**



NEW YORK

Scale 1:24000

SOURCE OF MAP IS US TOPO 7.5 MINUTE QUADRANGLE MAP, LAKEWOOD (2019), NEW YORK: U.S. GEOLOGICAL SURVEY

SITE LOCATION/BOUNDARIES APPROXIMATED

CHECK BY	TM
DRAWN BY	JL
DATE	8/29/2022
SCALE	AS SHOWN
CAD NO.	LX009.00A
PRJ NO.	LEX004-0309012-22006067

**SITE LOCATION MAP**


LEXINGTON MACHINING LLC  
201 WINCHESTER AVENUE  
LAKEWOOD, NEW YORK



FIGURE

1






NOTE: RED LOCATIONS WERE SAMPLED DURING AUGUST 2022 SAMPLING EVENT

LEGEND



SOIL BORING & MONITORING WELL  
 GAUGING MONITORING WELL (ONLY)

SCALE IN FEET




CHECK BY	TM
DRAWN BY	JL
DATE	11/9/2022
SCALE	AS SHOWN
CAD NO.	LX009.00sb
PRJ NO.	LEX004-0309012-22006067

MONITORING WELL LOCATIONS  
 LEXINGTON MACHINING LLC  
 201 WINCHESTER AVENUE  
 LAKEWOOD, NEW YORK



FIGURE

2



NOTE: RED LOCATIONS WERE SAMPLED DURING AUGUST 2022 SAMPLING EVENT

LEGEND	
	SOIL BORING & MONITORING WELL
	GAUGING MONITORING WELL (ONLY)
	GROUNDWATER CONTOUR GROUNDWATER ELEVATION (FEET amsl)
	APPARENT GROUNDWATER FLOW DIRECTION

CHECK BY	TM
DRAWN BY	JL
DATE	11/9/2022
SCALE	AS SHOWN
CAD NO.	LX009.GW_8-22
PRJ NO.	LEX004-0309012-22006067

GROUNDWATER CONTOUR MAP  
AUGUST 8, 2022

LEXINGTON MACHINING LLC  
201 WINCHESTER AVENUE  
LAKEWOOD, NEW YORK



FIGURE  
**3**



## **TABLES**

**Table 1**  
**August 2022 Groundwater Elevation Measurements**

Well ID	Date	Depth to Water (ft)	Ground Surface Elevation (ft) *	Groundwater Elevation (ft)
MW-1	8/8/2022	12.07	101.82	<b>89.75</b>
MW-2	8/8/2022	11.98	101.3	<b>89.32</b>
MW-2D	8/8/2022	12.05	100.84	<b>88.79</b>
MW-3	8/8/2022	11.58	101.02	<b>89.44</b>
MW-4	8/8/2022	9.34	101.08	<b>91.74</b>
MW-5	8/8/2022	13.33	102.81	<b>89.48</b>
MW-7	8/8/2022	14	99.45	<b>85.45</b>
MW-8	8/8/2022	14.29	105.08	<b>90.79</b>
MW-9	8/8/2022	12.2	105.01	<b>92.81</b>
MW-10	8/8/2022	10.84	105.07	<b>94.23</b>
MW-11	8/8/2022	8.29	104.5	<b>96.21</b>
MW-11D	8/8/2022	9.75	104.23	<b>94.48</b>
MW-12	8/8/2022	11.05	100.8	<b>89.75</b>
MW-13	8/8/2022	11.32	100.8	<b>89.48</b>
MW-14	8/8/2022	11.22	100.5	<b>89.28</b>

\* Ground Surface Elevations derived from the January 9, 2007 Summary of Environmental Investigation and Remedial Actions, Haley & Aldrich

**Table 2**  
**August 2022 Groundwater Sample Data Summary**

**Lexington Machining LLC**  
**201 Winchester Road, Lakewood, NY**

Sample #:	TOGs - Table 5 Groundwater Effluent Limitations (Class GA) (ug/L)	MW-1			MW-2			MW-2D			MW-3			MW-7		
Date Sampled:		08/08/2022			08/08/2022			08/09/2022			08/08/2022			08/08/2022		
Volatiles (ug/L)		Conc	Q	RL	Conc	Q	RL	Conc	Q	RL	Conc	Q	RL	Conc	Q	RL
Vinyl chloride	2	ND		1.00	ND		1.00	ND		1.00	1.8		1.00	2.3		1.00
Chloroethane	5	14.8		1.00	4.7		1.00	ND		1.00	ND		1.00	ND		1.00
1,1-Dichloroethene	5	15.1		1.00	39.8		1.00	ND		1.00	36.7		1.00	1.4		1.00
1,1-Dichloroethane	5	8.8		1.00	19.5		1.00	ND		1.00	1.9		1.00	1.9		1.00
cis-1,2-Dichloroethene	5	ND		1.00	ND		1.00	ND		1.00	ND		1.00	ND		1.00
1,1,1-Trichloroethane	5	ND		1.00	30.3		1.00	ND		1.00	ND		1.00	ND		1.00
1,2-Dichloroethane (EDC)	0.6	ND		1.00	ND		1.00	ND		1.00	ND		1.00	ND		1.00
1,1,2-Trichloroethane	1	ND		1.00	ND		1.00	ND		1.00	ND		1.00	ND		1.00
1,2-Dichlorobenzene	3	ND		1.00	5.7		1.00	ND		1.00	ND		1.00	ND		1.00
Bromodichloromethane	50	ND		1.00	ND		1.00	ND		1.00	ND		1.00	ND		1.00
Methylene Chloride	5	ND		1.00	ND		1.00	ND		1.00	ND		1.00	ND		1.00
Benzene	1	ND		1.00	ND		1.00	ND		1.00	ND		1.00	ND		1.00
Chloroform	7	ND		1.00	ND		1.00	ND		1.00	ND		1.00	ND		1.00
1,2,4-Trimethylbenzene	5	ND		1.00	ND		1.00	ND		1.00	ND		1.00	ND		1.00
Other VOCs	Various	ND		Various	ND		Various	ND		Various	ND		Various	ND		Various
<b>Technical Guidance and Operational Series - Table 1 New York State Ambient Water Quality</b>																
Standards & Guidance Values and Table 5 New York State Groundwater Effluent Limitations (Class GA), June 1998.																
<b>Above the GW Effluent Limitations</b>																
NS = No Standard Available																
ND = Analyzed for but Not Detected at or above the MDL																
Bold concentration detected above MDL																

**Table 2**  
**August 2022 Groundwater Sample Data Summary**

**Lexington Machining LLC**  
**201 Winchester Road, Lakewood, NY**

Sample #:	TOGs - Table 5 Groundwater Effluent Limitations (Class GA) (ug/L)	MW-8			MW-9			MW-10			MW-11			MW-12		
Date Sampled:		08/09/2022			08/09/2022			08/09/2022			08/09/2022			08/09/2022		
Volatiles (ug/L)		Conc	Q	RL	Conc	Q	RL	Conc	Q	RL	Conc	Q	RL	Conc	Q	RL
Vinyl chloride	2	ND		1.00	ND		1.00	ND		1.00	ND		1.00	ND		1.00
Chloroethane	5	ND		1.00	ND		1.00	ND		1.00	ND		1.00	41.8		1.00
1,1-Dichloroethene	5	6.9		1.00	54.9		1.00	7.6		1.00	ND		1.00	ND		1.00
1,1-Dichloroethane	5	3.8		1.00	70.7		1.00	54.6		1.00	ND		1.00	2.9		1.00
cis-1,2-Dichloroethene	5	ND		1.00	ND		1.00	ND		1.00	ND		1.00	ND		1.00
1,1,1-Trichloroethane	5	ND		1.00	1.9		1.00	ND		1.00	ND		1.00	ND		1.00
1,2-Dichloroethane (EDC)	0.6	ND		1.00	2.2		1.00	ND		1.00	ND		1.00	ND		1.00
1,1,2-Trichloroethane	1	ND		1.00	ND		1.00	2.4		1.00	ND		1.00	ND		1.00
1,2-Dichlorobenzene	3	ND		1.00	ND		1.00	ND		1.00	ND		1.00	ND		1.00
Bromodichloromethane	50	ND		1.00	ND		1.00	ND		1.00	ND		1.00	ND		1.00
Methylene Chloride	5	ND		1.00	ND		1.00	ND		1.00	ND		1.00	ND		1.00
Benzene	1	1.4		1.00	ND		1.00	1.4		1.00	ND		1.00	ND		1.00
Chloroform	7	ND		1.00	ND		1.00	ND		1.00	ND		1.00	ND		1.00
1,2,4-Trimethylbenzene	5	ND		1.00	ND		1.00	ND		1.00	ND		1.00	ND		1.00
Other VOCs	Various	ND		Various	ND		Various	ND		Various	ND		Various	ND		Various
<b>Technical Guidance and Operational Series - Table 1 New York State Standards &amp; Guidance Values and Table 5 New York State Groundwater (Class GA), June 1998.</b>																
<b>Above the GW Effluent Limitations</b>																
NS = No Standard Available																
ND = Analyzed for but Not Detected at or above the MDL																
Bold concentration detected above MDL																



**Table 2**  
**August 2022 Groundwater Sample Data Summary**

**Lexington Machining LLC**  
**201 Winchester Road, Lakewood, NY**

Sample #:	TOGs - Table 5 Groundwater Effluent Limitations (Class GA) (ug/L)	MW-13			MW-14			FIELD BLANK -1			FIELD BLANK -2			TRIP BLANK		
Date Sampled:		08/08/2022			08/08/2022			08/08/2022			08/09/2022			08/09/2022		
Volatiles (ug/L)		Conc	Q	RL	Conc	Q	RL	Conc	Q	RL	Conc	Q	RL	Conc	Q	RL
Vinyl chloride	<b>2</b>	ND		1.00	ND		1.00	ND		1.00	ND		1.00	ND		1.00
Chloroethane	<b>5</b>	<b>62.7</b>		1.0	ND		1.00	ND		1.00	ND		1.00	ND		1.00
1,1-Dichloroethene	<b>5</b>	<b>3.9</b>		1.00	<b>9.4</b>		1.00	ND		1.00	ND		1.00	ND		1.00
1,1-Dichloroethane	<b>5</b>	<b>1.9</b>		1.00	<b>3.2</b>		1.00	ND		1.00	ND		1.00	ND		1.00
cis-1,2-Dichloroethene	<b>5</b>	ND		1.00	ND		1.00	ND		1.00	ND		1.00	ND		1.00
1,1,1-Trichloroethane	<b>5</b>	ND		1.00	ND		1.00	ND		1.00	ND		1.00	ND		1.00
1,2-Dichloroethane (EDC)	<b>0.6</b>	ND		1.00	ND		1.00	ND		1.00	ND		1.00	ND		1.00
1,1,2-Trichloroethane	<b>1</b>	ND		1.00	ND		1.00	ND		1.00	ND		1.00	ND		1.00
1,2-Dichlorobenzene	<b>3</b>	ND		1.00	ND		1.00	ND		1.00	ND		1.00	ND		1.00
Bromodichloromethane	<b>50</b>	ND		1.00	ND		1.00	ND		1.00	<b>1.8</b>		1.00	ND		1.00
Methylene Chloride	<b>5</b>	ND		1.00	ND		1.00	ND		1.00	ND		1.00	ND		1.00
Benzene	<b>1</b>	ND		1.00	ND		1.00	ND		1.00	ND		1.00	ND		1.00
Chloroform	<b>7</b>	ND		1.00	ND		1.00	<b>12</b>		1.00	<b>12.1</b>		1.00	ND		1.00
1,2,4-Trimethylbenzene	<b>5</b>	ND		1.00	ND		1.00	ND		1.00	<b>3.4</b>		1.00	ND		1.00
Other VOCs	<b>Various</b>	ND		Various	ND		Various	ND		Various	ND		Various	ND		Various
<b>Technical Guidance and Operational Series - Table 1 New York State Standards &amp; Guidance Values and Table 5 New York State Groundwater (Class GA), June 1998.</b>																
<b>Above the GW Effluent Limitations</b>																
NS = No Standard Available																
ND = Analyzed for but Not Detected at or above the MDL																
Bold concentration detected above MDL																

Lexington Machining LLC  
201 Winchester Road, Lakewood, NY  
Table 3 - Historic Groundwater Sample Data

Well	Date	PCE (ug/L)	Chloroethane (ug/L)	Vinyl Chloride (ug/L)	1,1-DCA (ug/L)	1,2-DCA (ug/L)	1,1-DCE (ug/L)	cis-1,2-DCE (ug/L)	1,1,1-TCA (ug/L)	1,1,2-TCA (ug/L)	Benzene (ug/L)	Acetone (ug/L)	Toluene (ug/L)	ODCB (ug/L)	MEK (ug/L)	Total VOCs (ug/L)
<b>NYSDEC GWQS</b>																
		5	5	2	5	0.6	5	5	5	1	1	50	5	3	50	
Well	Date	Chloroethane (ug/L)	Vinyl Chloride (ug/L)	1,1-DCA (ug/L)	1,2-DCA (ug/L)	1,1-DCE (ug/L)	cis-1,2-DCE (ug/L)	1,1,1-TCA (ug/L)	1,1,2-TCA (ug/L)	Benzene (ug/L)	Acetone (ug/L)	Toluene (ug/L)	ODCB (ug/L)	MEK (ug/L)	Total VOCs (ug/L)	
MW-1	5/23/2005	BDL	BDL	210	9.15	370	BDL	174	BDL	BDL	BDL	-	-	-	763.2	
	8/17/2006	BDL	BDL	85	3.6	190	BDL	61	BDL	BDL	BDL	-	-	-	339.6	
	11/6/2006	13.8	BDL	16.6	BDL	19.4	BDL	5.34	BDL	BDL	BDL	-	-	-	55.1	
	4/18/2007	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	-	-	-	-	0	
	6/2/2010	137	2.02	25.1	0.331	75.9	BDL	12.6	BDL	BDL	19.7	0.502	0.737	BDL	274	
	6/30/2014	11	BDL	9	0.32	26	BDL	0.53	BDL	BDL	BDL	BDL	0.45	BDL	47.42	
	11/9/2015	BDL	1.2	BDL	10.7	BDL	16.1	BDL	BDL	BDL	BDL	BDL	BDL	BDL	28	
	10/25/2016	BDL	BDL	BDL	5.8	BDL	10.7	BDL	BDL	BDL	BDL	BDL	BDL	BDL	16.5	
	9/12/2017	BDL	BDL	BDL	6.71	BDL	11.4	BDL	0.761	BDL	BDL	BDL	BDL	BDL	18.9	
	9/6/2018	BDL	BDL	BDL	2.7	BDL	4.6	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.3	
	8/20/2019	BDL	BDL	BDL	BDL	BDL	1.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.3	
	8/26/2020	BDL	BDL	BDL	BDL	2.9	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	7.9	
	8/17/2021	BDL	BDL	BDL	3.3	BDL	5.9	BDL	BDL	BDL	BDL	BDL	BDL	BDL	9.2	
	8/8/2022	BDL	14.8	BDL	8.8	BDL	15.1	BDL	BDL	BDL	BDL	BDL	BDL	BDL	38.7	
MW-2	5/23/2005	1100	BDL	81.2	3.92	68.3	BDL	53.8	BDL	BDL	10.3	-	-	-	1317.5	
	8/17/2006	750	BDL	82	7.3	86	2.6	42	BDL	BDL	BDL	-	-	-	969.9	
	11/6/2006	701	BDL	18.6	9.06	6.8	2.68	BDL	BDL	BDL	-	-	-	-	738.1	
	4/18/2007	760	BDL	19	6.8	8.4	3.2	BDL	BDL	-	-	-	-	-	799	
	6/2/2010	1300	BDL	27.2	BDL	27.6	BDL	BDL	BDL	BDL	200	BDL	BDL	BDL	1550	
	6/30/2014	100	BDL	11	0.55	2.5	0.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	114.45	
	11/9/2015	BDL	950	BDL	16.4	1.7	9.6	1.4	BDL	BDL	BDL	BDL	BDL	BDL	979.1	
	10/25/2016	BDL	417	BDL	6.4	BDL	3.8	1	BDL	BDL	BDL	BDL	BDL	BDL	428.2	
	9/12/2017	BDL	900	BDL	28.1	0.85	7.65	1.08	BDL	BDL	BDL	BDL	BDL	BDL	946	
	9/5/2018	BDL	347	BDL	46	BDL	5.3	BDL	BDL	BDL	BDL	BDL	BDL	1.8	398.3	
	8/20/2019	BDL	81.8	BDL	27	BDL	20.2	BDL	5.9	BDL	BDL	BDL	1.8	BDL	136.7	
	8/26/2020	BDL	23.9	BDL	29.3	BDL	52.8	BDL	27.8	BDL	BDL	BDL	5.1	BDL	138.9	
	8/17/2021	BDL	8.6	BDL	7.1	BDL	14.2	BDL	8	BDL	BDL	BDL	1.3	BDL	39.2	
	8/8/2022	BDL	4.7	BDL	19.5	BDL	39.8	BDL	30.3	BDL	BDL	BDL	5.7	BDL	100	
MW-2D	8/1/2005	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	-	-	-	0	
	6/2/2010	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0	
	6/30/2014	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0	
	11/9/2015	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	-	-	-	-	-	0	
	10/25/2016	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0	
	9/12/2017	BDL	4.45	BDL	0.499	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	4.95	
	9/5/2018	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0	
	8/20/2019	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0	
	8/27/2020	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0	
	8/17/2021	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0	
	8/9/2022	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0	
MW-3	5/23/2005	15.3	BDL	87.3	2.4	72.7	BDL	98.9	BDL	0.815	58.1	-	-	-	335.5	
	8/17/2006	5.4	BDL	35	BDL	62	BDL	43	BDL	BDL	BDL	-	-	-	145.4	
	11/6/2006	72.8	BDL	34.1	BDL	63.4	BDL	22.1	BDL	BDL	BDL	-	-	-	192.4	
	4/18/2007	BDL	BDL	4.1	BDL	6	BDL	1.8	BDL	-	-	-	-	-	12	
	6/2/2010	31.1	1.23	BDL	BDL	41.6	10.3	BDL	BDL	BDL	4.96	BDL	BDL	BDL	89.2	
	6/30/2014	16	0.7	60	0.68	74	0.46	17	BDL	0.15	BDL	BDL	10	BDL	178.84	
	11/9/2015	BDL	57	2.5	58.5	1.8	152	BDL	BDL	BDL	BDL	3.1	BDL	BDL	272.4	
	10/25/2016	BDL	21.7	BDL	28.2	BDL	89.5	BDL	BDL	BDL	BDL	BDL	2.3	BDL	141.7	
	9/12/2017	BDL	41.8	1.23	31.2	0.962	70.4	0.46	0.5	BDL	BDL	BDL	1.91	BDL	150	
	9/5/2018	BDL	19.6	BDL	9.5	69.6	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	79.1	
	8/19/2019	BDL	29.6	BDL	7.6	1	86.5	BDL	BDL	BDL	BDL	BDL	2.1	BDL	126.8	
	8/26/2020	BDL	14.6	1.7	4.4	BDL	79.8	BDL	BDL	BDL	BDL	BDL	1.9	BDL	102.4	
	8/16/2021	BDL	2.2	BDL	1.4	BDL	19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	22.6	
	8/8/2022	BDL	BDL	1.8	1.9	BDL	36.7	BDL	BDL	BDL	BDL	BDL	BDL	BDL	40.4	
MW-4	5/23/2005	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12.7	-	-	12.7	
	6/2/2010	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0	
	7/1/2014	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0	
	11/9/2015	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0	
	10/26/2016	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0	
	9/12/2017	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0	
	9/5/2018	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0	
	8/19/2019	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0	
MW-5	8/1/2005	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	-	-	-	0.0	
	6/2/2010	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0	
	6/30/2014	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0	
	11/9/2015	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0	
	10/25/2016	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0	
	9/12/2017	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0	
	9/6/2018	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0	
	8/20/2019	1.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.5	
MW-5D	8/1/2005	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	-	-	-	0.0	
	6/2/2010	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	5.23	BDL	BDL	5.23	
	6/30/2014	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0.14	BDL	BDL	0.14	
MW-6	8/1/2005	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	-	-	-	0.0	
	6/2/2010	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0	
	6/30/2014	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	0	
MW-7	8/1/2005	5.93	BDL	34	BDL	21.9	BDL	42.4	BDL	BDL	BDL	-	-	-	104.2	
	8/17/2006	3.3	BDL	38	BDL	49	BDL	52	BDL	BDL	BDL	-	-	-	142.3	
	11/6/2006	17.2	BDL	25.6	BDL	70.9	BDL	48.9	BDL	BDL	BDL	-	-	-	162.6	
	4/18/2007	BDL	1.4	6	BDL	15	BDL	8	BDL	-	-	-	-	-	30	
	6/2/2010	15.5	22.3	22.3	0.453	19.5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	80.1	
	7/1/2014	11	9.2	20	0.33	35	0.27	0.32	BDL	BDL	BDL	BDL	0.62	BDL	79	
	11/9/2015	BDL	5.3	9	12.8	BDL	10.7	BDL	BDL	BDL	BDL	BDL	BDL	BDL	28.8	
	10/25/2016	BDL	3.4	6.8												





## **Appendix A**

# **SITE WIDE INSPECTION FORM**

SITE-WIDE INSPECTION FORM

Inspection Period: August 2021 through August 2022

Reason for inspection:  Annual  Severe Weather Event  
(Site-wide inspection required annually or following a severe weather event that may have damaged site engineering controls or monitoring wells)

Project location: 201 Winchester Road, Lakewood, New York

Inspection date / time: 8/9/22 10:30AM conducted by: Tim McCann

Weather: Cloudy 70s

Site remains industrial/commercial use?  Yes  No

If no, what is the current use? \_\_\_\_\_

Is site occupied and operational? The onsite building is 59% occupied by Bush Industries for warehousing of boxed office furniture.

Are structures indicated on the Site Layout Map of SMP Figure 2 remaining?

Yes  No

If no, described current site conditions, specifically condition of the concrete floor of the existing / former structure \_\_\_\_\_

Are monitoring wells depicted on SMP Figure 8 in place and undamaged?

Yes  No

If no, described monitoring well conditions: \_\_\_\_\_

Has the annual groundwater monitoring program been implemented for the inspection period?  Yes  No

Have monitoring results been reported to the NYSDEC as indicated in the SMP?

Yes  No

Are records required by the SMP complete, current and available at the Site?

Yes  No

If not available on-site are there records available elsewhere?

Yes  No Where? \_\_\_\_\_

Have any reportable spills of regulated materials occurred or evidence of former spills be discovered?  Yes  No . If Yes, describe: \_\_\_\_\_



## **Appendix B**

# **SITE MANAGEMENT PERIODIC REVIEW REPORT, INSTITUTIONAL AND ENGINEERING CONTROLS CERTIFICATION FORM**



**Enclosure 2**  
**NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION**  
**Site Management Periodic Review Report Notice**  
**Institutional and Engineering Controls Certification Form**



	Site Details	Box 1	
<b>Site No.</b>	<b>907044</b>		
<b>Site Name Lexington Machining LLC</b>			
Site Address: 201 Winchester Road    Zip Code: 14750			
City/Town: Lakewood			
County: Chautauqua			
Site Acreage: 6.150			
Reporting Period: September 18, 2021 to September 18, 2022			
		YES	NO
1. Is the information above correct?		X <input type="checkbox"/>	<input type="checkbox"/>
If NO, include handwritten above or on a separate sheet.			
2. Has some or all of the site property been sold, subdivided, merged, or undergone a tax map amendment during this Reporting Period?		<input type="checkbox"/>	X <input type="checkbox"/>
3. Has there been any change of use at the site during this Reporting Period (see 6NYCRR 375-1.11(d))?		X <input type="checkbox"/>	<input type="checkbox"/>
4. Have any federal, state, and/or local permits (e.g., building, discharge) been issued for or at the property during this Reporting Period?		<input type="checkbox"/>	X <input type="checkbox"/>
<b>If you answered YES to questions 2 thru 4, include documentation or evidence that documentation has been previously submitted with this certification form.</b>			
5. Is the site currently undergoing development?		<input type="checkbox"/>	X <input type="checkbox"/>

	Box 2	
	YES	NO
6. Is the current site use consistent with the use(s) listed below? Industrial	X <input type="checkbox"/>	<input type="checkbox"/>
7. Are all ICs in place and functioning as designed?	X <input type="checkbox"/>	<input type="checkbox"/>
<b>IF THE ANSWER TO EITHER QUESTION 6 OR 7 IS NO, sign and date below and DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.</b>		
<b>A Corrective Measures Work Plan must be submitted along with this form to address these issues.</b>		
_____ Timothy N. McCann	_____ 10/3/22	
Signature of Owner, Remedial Party or Designated Representative	Date	

**Description of Institutional Controls**

Parcel

Owner

Institutional Control

**385.06-3-58**

Lexington Machining LLC

Ground Water Use Restriction  
 Soil Management Plan  
 Landuse Restriction  
 Building Use Restriction  
 Monitoring Plan  
 Site Management Plan  
 IC/EC Plan

- The property may only be used for industrial or commercial use provided that the long-term Engineering and Institutional Controls included in this SMP are employed.
- The property may not be used for a higher level of use, such as unrestricted and restricted residential use, without an evaluation of potential additional remediation and amendment of the Environmental Easement, as approved by the NYSDEC;
- All future activities on the property that will disturb remaining contaminated material must be conducted in accordance with the Site Mngagement Plan;
- The use of the groundwater underlying the property is prohibited without treatment rendering it safe for intended use;
- The potential for vapor intrusion must be evaluated for any buildings developed on the Site, and any potential impacts that are identified at concentrations that may pose a hazard must be mitigated;
- Vegetable gardens and farming on the site are prohibited;
- The site owner or remedial party will submit to NYSDEC a written statement that certifies, under penalty of perjury, that: (1) controls employed at the Controlled Property are unchanged from the previous certification or that any changes to the controls were approved by the NYSDEC; and, (2) nothing has occurred that impairs the ability of the controls to protect public health and environment or that constitute a violation or failure to comply with the SMP. NYSDEC retains the right to access such Controlled Property at any time in order to evaluate the continued maintenance of any and all controls. This certification shall be submitted annually, or an alternate period of time that NYSDEC may allow and will be made by an expert that the NYSDEC finds acceptable.

**385.06-3-59**

Lexington Machining LLC

Ground Water Use Restriction  
 Soil Management Plan  
 Landuse Restriction  
 Building Use Restriction  
 Monitoring Plan  
 Site Management Plan  
 IC/EC Plan

- The property may only be used for industrial or commercial use provided that the long-term Engineering and Institutional Controls included in this SMP are employed.
- The property may not be used for a higher level of use, such as unrestricted and restricted residential use, without an evaluation of potential additional remediation and amendment of the Environmental Easement, as approved by the NYSDEC;
- All future activities on the property that will disturb remaining contaminated material must be conducted in accordance with the Site Mngagement Plan;
- The use of the groundwater underlying the property is prohibited without treatment rendering it safe for intended use;
- The potential for vapor intrusion must be evaluated for any buildings developed on the Site, and any potential impacts that are identified at concentrations that may pose a hazard must be mitigated;
- Vegetable gardens and farming on the site are prohibited;
- The site owner or remedial party will submit to NYSDEC a written statement that certifies, under penalty of perjury, that: (1) controls employed at the Controlled Property are unchanged from the previous certification or that any changes to the controls were approved by the NYSDEC; and, (2) nothing has occurred that impairs the ability of the controls to protect public health and environment or that constitute a violation or failure to comply with the SMP. NYSDEC retains the right to access such Controlled Property at any time in order to evaluate the continued maintenance of any and all controls. This certification shall be submitted annually, or an alternate period of time that NYSDEC may allow and will be made by an expert that the NYSDEC finds acceptable.



Ground Water Use Restriction  
Soil Management Plan  
Landuse Restriction  
Building Use Restriction  
Monitoring Plan  
Site Management Plan  
IC/EC Plan

- The property may only be used for industrial or commercial use provided that the long-term Engineering and Institutional Controls included in this SMP are employed.
- The property may not be used for a higher level of use, such as unrestricted and restricted residential use, without an evaluation of potential additional remediation and amendment of the Environmental Easement, as approved by the NYSDEC;
- All future activities on the property that will disturb remaining contaminated material must be conducted in accordance with the Site Mngagement Plan;
- The use of the groundwater underlying the property is prohibited without treatment rendering it safe for intended use;
- The potential for vapor intrusion must be evaluated for any buildings developed on the Site, and any potential impacts that are identified at concentrations that may pose a hazard must be mitigated;
- Vegetable gardens and farming on the site are prohibited;
- The site owner or remedial party will submit to NYSDEC a written statement that certifies, under penalty of perjury, that: (1) controls employed at the Controlled Property are unchanged from the previous certification or that any changes to the controls were approved by the NYSDEC; and, (2) nothing has occurred that impairs the ability of the controls to protect public health and environment or that constitute a violation or failure to comply with the SMP. NYSDEC retains the right to access such Controlled Property at any time in order to evaluate the continued maintenance of any and all controls. This certification shall be submitted annually, or an alternate period of time that NYSDEC may allow and will be made by an expert that the NYSDEC finds acceptable.

**Box 4**

**Description of Engineering Controls**

Parcel

Engineering Control

**385.06-3-58**

Vapor Mitigation

**Monitored Natural Attenuation**

Site groundwater investigation and monitoring indicate ongoing natural attenuation and degradation of VOC contaminants. Monitored natural attenuation effectiveness will be evaluated through a groundwater monitoring program that will be implemented to monitor groundwater plume characteristics, horizontal and vertical contaminant migration and related controlling processes. The groundwater monitoring program will be conducted on an annual basis and in accordance with the USEPA guidance for monitored natural attenuation.

**Vapor Mitigation**

Periodic certification of industrial/commercial use will be required. In conformance with the Site Management Plan, any future reuse of existing on-site buildings for uses other than industrial will require an updated soil vapor intrusion (SVI) assessment. If the updated SVI assessment determines SVI is occurring and the values pose a health risk for intended use of the building(s), a sub-slab depressurization system, or a similar engineered system, to prevent the migration of vapors into the building from soil and/or groundwater will be required.

**385.06-3-59**

Vapor Mitigation

**Monitored Natural Attenuation**

Site groundwater investigation and monitoring indicate ongoing natural attenuation and degradation of VOC contaminants. Monitored natural attenuation effectiveness will be evaluated through a groundwater monitoring program that will be implemented to monitor groundwater plume characteristics, horizontal and vertical contaminant migration and related controlling processes. The groundwater monitoring program will be conducted on an annual basis and in accordance with the USEPA guidance for monitored natural attenuation.

**Vapor Mitigation**

Periodic certification of industrial/commercial use will be required. In conformance with the Site

Parcel

Engineering Control

Management Plan, any future reuse of existing on-site buildings for uses other than industrial will require an updated soil vapor intrusion (SVI) assessment. If the updated SVI assessment determines SVI is occurring and the values pose a health risk for intended use of the building(s), a sub-slab depressurization system, or a similar engineered system, to prevent the migration of vapors into the building from soil and/or groundwater will be required.

**385.06-3-60**

Vapor Mitigation

Monitored Natural Attenuation

Site groundwater investigation and monitoring indicate ongoing natural attenuation and degradation of VOC contaminants. Monitored natural attenuation effectiveness will be evaluated through a groundwater monitoring program that will be implemented to monitor groundwater plume characteristics, horizontal and vertical contaminant migration and related controlling processes. The groundwater monitoring program will be conducted on an annual basis and in accordance with the USEPA guidance for monitored natural attenuation.

Vapor Mitigation

Periodic certification of industrial/commercial use will be required. In conformance with the Site Management Plan, any future reuse of existing on-site buildings for uses other than industrial will require an updated soil vapor intrusion (SVI) assessment. If the updated SVI assessment determines SVI is occurring and the values pose a health risk for intended use of the building(s), a sub-slab depressurization system, or a similar engineered system, to prevent the migration of vapors into the building from soil and/or groundwater will be required.

**Periodic Review Report (PRR) Certification Statements**

1. I certify by checking "YES" below that:

a) the Periodic Review report and all attachments were prepared under the direction of, and reviewed by, the party making the Engineering Control certification;

b) to the best of my knowledge and belief, the work and conclusions described in this certification are in accordance with the requirements of the site remedial program, and generally accepted engineering practices; and the information presented is accurate and complete.

YES NO

X

2. For each Engineering control listed in Box 4, I certify by checking "YES" below that all of the following statements are true:

(a) The Engineering Control(s) employed at this site is unchanged since the date that the Control was put in-place, or was last approved by the Department;

(b) nothing has occurred that would impair the ability of such Control, to protect public health and the environment;

(c) access to the site will continue to be provided to the Department, to evaluate the remedy, including access to evaluate the continued maintenance of this Control;

(d) nothing has occurred that would constitute a violation or failure to comply with the Site Management Plan for this Control; and

(e) if a financial assurance mechanism is required by the oversight document for the site, the mechanism remains valid and sufficient for its intended purpose established in the document.

YES NO

X

**IF THE ANSWER TO QUESTION 2 IS NO, sign and date below and DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.**

**A Corrective Measures Work Plan must be submitted along with this form to address these issues.**

Timothy N. McCann

Signature of Owner, Remedial Party or Designated Representative

10/2/22

Date

IC CERTIFICATIONS  
SITE NO. 907044

Box 6

**SITE OWNER OR DESIGNATED REPRESENTATIVE SIGNATURE**

I certify that all information and statements in Boxes 1,2, and 3 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I WARREN DELAND at 27 VALLEYWOOD RD, COS COB, CT 06807  
print name print business address

am certifying as OWNER (LEXINGTON MACHINING LLC) (Owner or Remedial Party)

for the Site named in the Site Details Section of this form.

 PRESIDENT  
Signature of Owner, Remedial Party, or Designated Representative  
Rendering Certification

10/3/22  
Date

**EC CERTIFICATIONS**

**Box 7**

**Qualified Environmental Professional Signature**


I certify that all information in Boxes 4 and 5 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I Timothy N McCann at 520 S. Main Street Suite 2411-C, Akron, Ohio 44311,  
print name print business address

am certifying as a Qualified Environmental Professional for the Lexington Machining LLC  
(Owner or Remedial Party)

Timothy N. McCann \_\_\_\_\_ 10/4/2022  
Signature of Qualified Environmental Professional, for Stamp Date  
the Owner or Remedial Party, Rendering Certification (Required for PE)

**New York State Department of Environmental Conservation**  
**Division of Environmental Remediation**  
**700 Delaware Avenue, Buffalo, NY 14209**  
P: (716) 851-7220 | F: (716) 851-7226  
www.dec.ny.gov



Basil Seggos  
Commissioner

August 30, 2022

Tim McCann  
Apex Companies, LLC  
520 South Main Street  
Suite 2411-C  
Akron, Ohio 44311

**Re: Change of Use Notification**  
Lexington Machining LLC, 907044

Dear Tim McCann:

This letter acknowledges receipt of your August 29, 2022 60-Day Advance Notification of Change of Use Form for the above referenced site, wherein the type of change was indicated as a partial lease of the Site, which was previously vacant. This acknowledgement is not intended to imply approval or concurrence with the proposed change of use.

We appreciate your attention to this matter. If you have any questions or need additional information, you may contact me at the address given above.

Sincerely,

A handwritten signature in blue ink that reads "Megan Kuczka".

Megan Kuczka  
Environmental Program Specialist 1

ec: Andrea Caprio – NYSDEC  
Michael Lubin – Lexington Machining LLC  
Warren Delano – Lexington Machining LLC  
Shawn Lohnes – eSolutions Furniture Group



## **Appendix C**

# **GROUNDWATER SAMPLING LOGS**

GROUNDWATER MONITORING WELL SAMPLING LOG

WELL NO.  MW-1

PROJECT:  GW SAMPLING

LOCATION:  201 WINCHESTER RD, LAKEWOOD, NY

SAMPLING DATE:  8/8/22  SAMPLED BY:  TIM MCCANN/LANA OSTRY

SAMPLING METHOD:  PERISTALTIC PUMP  WEATHER:  SUNNY

SAMPLING TIME:  16:45  AMBIENT TEMP:  80s °F

WATER ELEVATION DATA:

METHOD OF MEASUREMENT: DEPTH SOUNDER:

WATER LEVEL GAUGE:  X

DEPTH TO WATER (FT):  12.07

PURGE METHOD:  PERISTALTIC PUMP / LOW FLOW

WAS WELL PUMPED DRY?   YES  X  NO

TOTAL GALLONS PURGED:  ~1.2 GALLONS

TIME	DEPTH TO WATER	TURBIDITY	CONDUCTIVITY	TEMP	DO	PH	ORP
1630	12.07	+1000	0.237	25.48	2.39	7.46	169
1633	12.69	+1000	0.224	25.04	0.31	6.44	174
1636	12.88	639	0.209	24.6	0.3	6.09	170
1639	12.96	424	0.206	24.42	0.45	5.98	159
1642	13.01	402	0.205	24.4	0.44	5.93	149
1645	13.1	400	0.21	24.44	0.42	5.9	149

Comments:  Dark gray, No odor, No Sheen

Concrete in tact, well casing in tact, cap in tact , screws in place



GROUNDWATER MONITORING WELL SAMPLING LOG

WELL NO.  MW-2

PROJECT:  GW SAMPLING

LOCATION:  201 WINCHESTER RD, LAKEWOOD, NY

SAMPLING DATE:  8/8/22  SAMPLED BY:  TIM MCCANN/LANA OSTRY

SAMPLING METHOD:  PERISTALTIC PUMP  WEATHER:  SUNNY

SAMPLING TIME:  15:15  AMBIENT TEMP:  80s °F

WATER ELEVATION DATA:

METHOD OF MEASUREMENT: DEPTH SOUNDER:

WATER LEVEL GAUGE:  X

DEPTH TO WATER (FT):  11.98

PURGE METHOD:  PERISTALTIC PUMP / LOW FLOW

DEPTH OF PUMP BELOW TOP OF CASING (FT):

WAS WELL PUMPED DRY?   YES  X  NO

TOTAL GALLONS PURGED:  ~1.1 GALLONS

TIME	DEPTH TO WATER	TURBIDITY	CONDUCTIVITY	TEMP	DO	PH	ORP
1500	11.98	80	0.387	23.29	1.22	7.03	-51
1503	12.31	58	0.392	22.93	0.16	6.55	-43
1506	12.43	49	0.391	22.7	0	6.51	-39
1509	12.44	49	0.391	22.67	0	6.50	-33
1512	12.48	47	0.391	22.66	0	6.48	-31

Comments:  Clear, sulfur-like odor. No sheen

Concrete in tact, well casing in tact, cap in tact , screws in tact

GROUNDWATER MONITORING WELL SAMPLING LOG

WELL NO.  MW-2D

PROJECT:  GW SAMPLING

LOCATION:  201 WINCHESTER RD, LAKEWOOD, NY

SAMPLING DATE:  8/9/22  SAMPLED BY:  TIM MCCANN/LANA OSTRY

SAMPLING METHOD:  PERISTALTIC PUMP  WEATHER:  CLOUDY

SAMPLING TIME:  10:25  AMBIENT TEMP:  70s °F

WATER ELEVATION DATA:

METHOD OF MEASUREMENT: DEPTH SOUNDER:

WATER LEVEL GAUGE:  X

DEPTH TO WATER (FT):  12.05

PURGE METHOD:  PERISTALTIC PUMP / LOW FLOW

WAS WELL PUMPED DRY?   YES  X  NO

TOTAL GALLONS PURGED:  ~1.2 GALLONS

TIME	DEPTH TO WATER	TURBIDITY	CONDUCTIVITY	TEMP	DO	PH	ORP
1006	12.05	+1000	0.254	18.44	0.18	7.65	-158
1009	12.34	+1000	0.249	18.03	0	7.37	-174
1012	12.47	+1000	0.251	17.59	0	7.23	-176
1015	12.7	+1000	0.244	17.50	0	7.21	-181
1018	12.97	+1000	0.241	17.48	0	7.17	-173
1021	13.2	+1000	0.240	17.47	0	7.14	-172

Comments:  Brown/grey, No odor, No Sheen

Concrete in tact, well casing in tact, cap in tact , screws in place

GROUNDWATER MONITORING WELL SAMPLING LOG

WELL NO.  MW-3

PROJECT:  GW SAMPLING

LOCATION:  201 WINCHESTER RD, LAKEWOOD, NY

SAMPLING DATE:  8/8/22  SAMPLED BY:  TIM MCCANN/LANA OSTRY

SAMPLING METHOD:  PERISTALTIC PUMP  WEATHER:  SUNNY

SAMPLING TIME:  14:45  AMBIENT TEMP:  80S °F

WATER ELEVATION DATA:

METHOD OF MEASUREMENT: DEPTH SOUNDER:

WATER LEVEL GAUGE:  X

DEPTH TO WATER (FT):  11.58

PURGE METHOD:  PERISTALTIC PUMP / LOW FLOW

DEPTH OF PUMP BELOW TOP OF CASING (FT):

WAS WELL PUMPED DRY?   YES  X  NO

TOTAL GALLONS PURGED:  ~1.3 GALLONS

TIME	DEPTH TO WATER	TURBIDITY	CONDUCTIVITY	TEMP	DO	PH	ORP
1431	12.9	0.0	0.6	22.42	0.55	6.38	-36
1434	13.19	229	0.561	22.06	0.27	6.04	-15
1437	13.3	98.2	0.491	21.79	0.22	5.82	14
1440	13.5	97.2	0.491	21.68	0.19	5.79	22
1443	13.68	96.7	0.496	21.66	0.19	5.79	22

Comments:  Dark grey, No Odor, No Sheen

Concrete in tact, well casing in tact, cap in tact & screws

GROUNDWATER MONITORING WELL SAMPLING LOG

WELL NO.  MW-7

PROJECT:  GW SAMPLING

LOCATION:  201 WINCHESTER RD, LAKEWOOD, NY

SAMPLING DATE:  8/8/22  SAMPLED BY:  TIM MCCANN/LANA OSTRY

SAMPLING METHOD:  PERISTALTIC PUMP  WEATHER:  CLOUDY

SAMPLING TIME:  13:35  AMBIENT TEMP:  70s °F

WATER ELEVATION DATA:

METHOD OF MEASUREMENT: DEPTH SOUNDER:

WATER LEVEL GAUGE:  X

DEPTH TO WATER (FT):  14.00

PURGE METHOD:  PERISTALTIC PUMP / LOW FLOW

DEPTH OF PUMP BELOW TOP OF CASING (FT):

WAS WELL PUMPED DRY?   YES  X  NO

TOTAL GALLONS PURGED:  ~1.2 GALLONS

TIME	DEPTH TO WATER	TURBIDITY	CONDUCTIVITY	TEMP	DO	PH	ORP
1319	14.12	16.4	0.391	23.31	2.13	7.68	-37
1322	14.13	12.8	0.387	23.2	0.73	7.55	21
1325	14.15	11.6	0.382	22.95	0.3	7.47	36
1328	14.15	12.0	0.382	22.72	0.17	7.4	27
1331	14.15	11.8	0.381	22.44	0.19	7.4	26
1334	14.15	11.7	0.380	22.42	0.2	7.41	20

Comments:  Light brown, Sulfur-like odor, No Sheen

Concrete in tact, well casing in tact, cap good, screws present

GROUNDWATER MONITORING WELL SAMPLING LOG

WELL NO.  MW-8

PROJECT:  GW SAMPLING

LOCATION:  201 WINCHESTER RD, LAKEWOOD, NY

SAMPLING DATE:  8/9/22  SAMPLED BY:  TIM MCCANN/LANA OSTRY

SAMPLING METHOD:  PERISTALTIC PUMP  WEATHER:  CLOUDY

SAMPLING TIME:  8:35  AMBIENT TEMP:  70S °F

WATER ELEVATION DATA:

METHOD OF MEASUREMENT: DEPTH SOUNDER:

WATER LEVEL GAUGE:  X

DEPTH TO WATER (FT):  14.29

PURGE METHOD:  PERISTALTIC PUMP / LOW FLOW

DEPTH OF PUMP BELOW TOP OF CASING (FT):

WAS WELL PUMPED DRY?   YES  X  NO

TOTAL GALLONS PURGED:  ~1.1 GALLON

TIME	DEPTH TO WATER	TURBIDITY	CONDUCTIVITY	TEMP	DO	PH	ORP
823	14.29	107	0.280	21.57	2.54	7.88	-13
826	15.1	63.3	0.274	20.96	1.59	7.3	41
829	15.21	44	0.243	20.7	1.61	7.11	68
832	15.23	48	0.244	20.63	1.61	7.19	77
835	15.37	42	0.237	20.31	1.62	7.12	76

Comments:  Clear, No odor, No Sheen

Concrete in tact, well casing in tact, cap in place, screws in place

GROUNDWATER MONITORING WELL SAMPLING LOG

WELL NO.  MW-9

PROJECT:  GW SAMPLING

LOCATION:  201 WINCHESTER RD, LAKEWOOD, NY

SAMPLING DATE:  8/9/22  SAMPLED BY:  TIM MCCANN/LANA OSTRY

SAMPLING METHOD:  PERISTALTIC PUMP  WEATHER:  CLOUDY

SAMPLING TIME:  9:45  AMBIENT TEMP:  70S °F

WATER ELEVATION DATA:

METHOD OF MEASUREMENT: DEPTH SOUNDER:

WATER LEVEL GAUGE:  X

DEPTH TO WATER (FT):  12.20

PURGE METHOD:  PERISTALTIC PUMP / LOW FLOW

DEPTH OF PUMP BELOW TOP OF CASING (FT):

WAS WELL PUMPED DRY?   YES  X  NO

TOTAL GALLONS PURGED:  1.0 GALLONS

TIME	DEPTH TO WATER	TURBIDITY	CONDUCTIVITY	TEMP	DO	PH	ORP
934	12.5	+1000	0.637	19.53	2.63	7.75	188
937	12.65	357	0.705	19.04	1.29	7.25	181
940	12.67	362	0.716	18.98	1.21	7.23	180
943	12.8	360	0.708	18.97	1.18	7.2	178

Comments:  Dark Brown/Grey, No odor, No Sheen

Concrete in tact, well casing in tact, cap good, screws in tact

GROUNDWATER MONITORING WELL SAMPLING LOG

WELL NO.  MW-10

PROJECT:  GW SAMPLING

LOCATION:  201 WINCHESTER RD, LAKEWOOD, NY

SAMPLING DATE:  8/9/22  SAMPLED BY:  TIM MCCANN/LANA OSTRY

SAMPLING METHOD:  PERISTALTIC PUMP  WEATHER:  CLOUDY

SAMPLING TIME:  9:05  AMBIENT TEMP:  70S<sup>F</sup>

WATER ELEVATION DATA:

METHOD OF MEASUREMENT: DEPTH SOUNDER:

WATER LEVEL GAUGE:  X

DEPTH TO WATER (FT):  10.84

PURGE METHOD:  PERISTALTIC PUMP / LOW FLOW

DEPTH OF PUMP BELOW TOP OF CASING (FT):

WAS WELL PUMPED DRY?   YES  X  NO

TOTAL GALLONS PURGED:  ~1.0

TIME	DEPTH TO WATER	TURBIDITY	CONDUCTIVITY	TEMP	DO	PH	ORP
852	10.84	19.3	0.683	19.69	2.45	7.33	-16
855	11.35	19	0.669	19.64	0.6	7.2	81
858	11.52	18.8	0.670	19.59	0.55	7.13	91
901	11.67	18	0.665	19.58	0.54	7.14	87

Comments:  Light gray, No odor, No Sheen

Concrete in tact, screws in place, cap in place

GROUNDWATER MONITORING WELL SAMPLING LOG

WELL NO.  MW-11

PROJECT:  GW SAMPLING

LOCATION:  201 WINCHESTER RD, LAKEWOOD, NY

SAMPLING DATE:  8/8/22  SAMPLED BY:  TIM MCCANN/LANA OSTRY

SAMPLING METHOD:  PERISTALTIC PUMP  WEATHER:  SUNNY

SAMPLING TIME:  17:15  AMBIENT TEMP:  80S °F

WATER ELEVATION DATA:

METHOD OF MEASUREMENT: DEPTH SOUNDER:

WATER LEVEL GAUGE:  X

DEPTH TO WATER (FT):  8.29

PURGE METHOD:  PERISTALTIC PUMP / LOW FLOW

DEPTH OF PUMP BELOW TOP OF CASING (FT):

WAS WELL PUMPED DRY?   YES  X  NO

TOTAL GALLONS PURGED:  ~1.4

TIME	DEPTH TO WATER	TURBIDITY	CONDUCTIVITY	TEMP	DO	PH	ORP
1700	8.29	0	0.466	25.16	0.91	6.8	166
1703	9.87	694	0.471	24.56	0.65	6.49	165
1706	10.11	223	0.471	24.29	0.38	6.44	165
1709	10.71	112	0.475	24.11	0.32	6.44	164
1712	11.79	110	0.478	24.05	0.3	6.45	164
1715	12.3	108	0.477	24.05	0.31	6.45	164

Comments:  Dark gray, no odor, no sheen   
 Concrete in tact, screws in place, cap in place



GROUNDWATER MONITORING WELL SAMPLING LOG

WELL NO.  MW-12

PROJECT:  GW SAMPLING

LOCATION:  201 WINCHESTER RD, LAKEWOOD, NY

SAMPLING DATE:  8/8/22  SAMPLED BY:  TIM MCCANN/LANA OSTRY

SAMPLING METHOD:  PERISTALTIC PUMP  WEATHER:  SUNNY

SAMPLING TIME:  16:10  AMBIENT TEMP:  80S °F

WATER ELEVATION DATA:

METHOD OF MEASUREMENT: DEPTH SOUNDER:

WATER LEVEL GAUGE:  X

DEPTH TO WATER (FT):  11.05

PURGE METHOD:  PERISTALTIC PUMP / LOW FLOW

DEPTH OF PUMP BELOW TOP OF CASING (FT):

WAS WELL PUMPED DRY?   YES  X  NO

TOTAL GALLONS PURGED:  ~1.1 GALLONS

TIME	DEPTH TO WATER	TURBIDITY	CONDUCTIVITY	TEMP	DO	PH	ORP
1555	11.05	961	0.123	23.57	0.17	7.16	-44
1558	11.65	352	0.116	23.27	0	6.55	-43
1601	11.66	142	0.112	23.05	0	6.48	-42
1604	11.68	106	0.111	23.00	0	6.45	-41
1607	11.69	100	0.112	23.00	0	6.44	-34
1610	11.74	101	0.114	22.88	0	6.44	-35

Comments:  Light Grey/clear, sulfur-like odor, no sheen

Concrete in tact, well casing in tact, cap in tact, screws in place

GROUNDWATER MONITORING WELL SAMPLING LOG

WELL NO.  MW-13

PROJECT:  GW SAMPLING

LOCATION:  201 WINCHESTER RD, LAKEWOOD, NY

SAMPLING DATE:  8/8/22  SAMPLED BY:  TIM MCCANN/LANA OSTRY

SAMPLING METHOD:  PERISTALTIC PUMP  WEATHER:  SUNNY

SAMPLING TIME:  15:40  AMBIENT TEMP:  80S °F

WATER ELEVATION DATA:

METHOD OF MEASUREMENT: DEPTH SOUNDER:

WATER LEVEL GAUGE:  X

DEPTH TO WATER (FT):  11.32

PURGE METHOD:  PERISTALTIC PUMP / LOW FLOW

DEPTH OF PUMP BELOW TOP OF CASING (FT):

WAS WELL PUMPED DRY?   YES  X  NO

TOTAL GALLONS PURGED:  ~1.2 GALLONS

TIME	DEPTH TO WATER	TURBIDITY	CONDUCTIVITY	TEMP	DO	PH	ORP
1528	11.32	27.4	0.421	23.19	0.9	6.45	-33
1531	11.4	15.3	0.416	22.91	0.14	6.29	-43
1534	11.46	13.4	0.414	22.71	0	6.26	-39
1537	11.55	13.8	0.415	22.51	0	6.27	-38

Comments:  Light Grey, Sulfur-type Odor, No Sheen

Concrete in tact, well casing in tact, cap in tact ,screws in place

GROUNDWATER MONITORING WELL SAMPLING LOG

WELL NO.  MW-14

PROJECT:  GW SAMPLING

LOCATION:  201 WINCHESTER RD, LAKEWOOD, NY

SAMPLING DATE:  8/8/22  SAMPLED BY:  TIM MCCANN/LANA OSTRY

SAMPLING METHOD:  PERISTALTIC PUMP  WEATHER:  CLOUDY

SAMPLING TIME:  14:10  AMBIENT TEMP:  70S °F

WATER ELEVATION DATA:

METHOD OF MEASUREMENT: DEPTH SOUNDER:

WATER LEVEL GAUGE:  X

DEPTH TO WATER (FT):  11.22

PURGE METHOD:  PERISTALTIC PUMP / LOW FLOW

DEPTH OF PUMP BELOW TOP OF CASING (FT):

WAS WELL PUMPED DRY?   YES  X  NO

TOTAL GALLONS PURGED:  ~1.2 GALLONS

TIME	DEPTH TO WATER	TURBIDITY	CONDUCTIVITY	TEMP	DO	PH	ORP
1349	11.22	184	0.416	22.39	0.07	7.58	-15
1352	11.68	116	0.419	21.87	0	6.97	1
1355	11.9	93	0.424	21.59	0	6.85	5
1358	12.09	26	0.425	21.38	0	6.82	2
1401	12.21	0	0.424	21.35	0	6.81	-9
1404	12.5	0	0.420	21.25	0	6.81	-12
1407	12.61	0	0.420	21.20	0	6.82	-11

Comments:  Light brown, No odor, No Sheen

Concrete in tact, well casing in tact, cap in tact



## **Appendix D**

# **ANALYTICAL LABORATORY REPORT**

August 29, 2022

Mr. Timothy McCann  
Apex Companies  
520 South Main Street  
Suite 2444  
Akron, OH 44311

RE: Project: LGX004-0309012-22006067-Revised Report  
Pace Project No.: 30513470

Dear Mr. McCann:

Enclosed are the analytical results for sample(s) received by the laboratory on August 11, 2022. The results relate only to the samples included in this report. Results reported herein conform to the applicable TNI/NELAC Standards and the laboratory's Quality Manual, where applicable, unless otherwise noted in the body of the report.

The test results provided in this final report were generated by each of the following laboratories within the Pace Network:

- Pace Analytical Services - Greensburg

(Greensburg PA) - Revision 1 - This report replaces the August 25, 2022 report. This project was revised on August 29, 2022 to report the results using qualifiers.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



David A. Pichette  
david.pichette@pacelabs.com  
(724)850-5617  
Project Manager

Enclosures



## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## CERTIFICATIONS

Project: LGX004-0309012-22006067-Revised Report  
Pace Project No.: 30513470

---

### **Pace Analytical Services Pennsylvania**

1638 Roseytown Rd Suites 2,3&4, Greensburg, PA 15601

ANAB DOD-ELAP Rad Accreditation #: L2417

Alabama Certification #: 41590

Arizona Certification #: AZ0734

Arkansas Certification

California Certification #: 04222CA

Colorado Certification #: PA01547

Connecticut Certification #: PH-0694

Delaware Certification

EPA Region 4 DW Rad

Florida/TNI Certification #: E87683

Georgia Certification #: C040

Florida: Cert E871149 SEKS WET

Guam Certification

Hawaii Certification

Idaho Certification

Illinois Certification

Indiana Certification

Iowa Certification #: 391

Kansas/TNI Certification #: E-10358

Kentucky Certification #: KY90133

KY WW Permit #: KY0098221

KY WW Permit #: KY0000221

Louisiana DHH/TNI Certification #: LA180012

Louisiana DEQ/TNI Certification #: 4086

Maine Certification #: 2017020

Maryland Certification #: 308

Massachusetts Certification #: M-PA1457

Michigan/PADEP Certification #: 9991

Missouri Certification #: 235

Montana Certification #: Cert0082

Nebraska Certification #: NE-OS-29-14

Nevada Certification #: PA014572018-1

New Hampshire/TNI Certification #: 297617

New Jersey/TNI Certification #: PA051

New Mexico Certification #: PA01457

New York/TNI Certification #: 10888

North Carolina Certification #: 42706

North Dakota Certification #: R-190

Ohio EPA Rad Approval: #41249

Oregon/TNI Certification #: PA200002-010

Pennsylvania/TNI Certification #: 65-00282

Puerto Rico Certification #: PA01457

Rhode Island Certification #: 65-00282

South Dakota Certification

Tennessee Certification #: 02867

Texas/TNI Certification #: T104704188-17-3

Utah/TNI Certification #: PA014572017-9

USDA Soil Permit #: P330-17-00091

Vermont Dept. of Health: ID# VT-0282

Virgin Island/PADEP Certification

Virginia/VELAP Certification #: 460198

Washington Certification #: C868

West Virginia DEP Certification #: 143

West Virginia DHHR Certification #: 9964C

Wisconsin Approve List for Rad

Wyoming Certification #: 8TMS-L

---

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## SAMPLE SUMMARY

Project: LGX004-0309012-22006067-Revised Report  
Pace Project No.: 30513470

Lab ID	Sample ID	Matrix	Date Collected	Date Received
30513470001	MW-1	Water	08/08/22 16:45	08/11/22 09:30
30513470002	MW-2	Water	08/08/22 15:15	08/11/22 09:30
30513470003	MW-2D	Water	08/09/22 10:25	08/11/22 09:30
30513470004	MW-3	Water	08/08/22 14:45	08/11/22 09:30
30513470005	MW-7	Water	08/08/22 13:35	08/11/22 09:30
30513470006	MW-8	Water	08/08/22 08:35	08/11/22 09:30
30513470007	MW-9	Water	08/08/22 09:45	08/11/22 09:30
30513470008	MW-10	Water	08/09/22 09:05	08/11/22 09:30
30513470009	MW-11	Water	08/09/22 17:15	08/11/22 09:30
30513470010	MW-12	Water	08/09/22 16:10	08/11/22 09:30
30513470011	MW-13	Water	08/08/22 15:40	08/11/22 09:30
30513470012	MW-14	Water	08/08/22 14:10	08/11/22 09:30
30513470013	Field Blank 01	Water	08/08/22 15:30	08/11/22 09:30
30513470014	Field Blank 02	Water	08/09/22 10:05	08/11/22 09:30
30513470015	Trip Blank	Water	08/09/22 00:01	08/11/22 09:30

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### SAMPLE ANALYTE COUNT

Project: LGX004-0309012-22006067-Revised Report  
Pace Project No.: 30513470

Lab ID	Sample ID	Method	Analysts	Analytes Reported	Laboratory
30513470001	MW-1	EPA 8260C	JAS	52	PASI-PA
30513470002	MW-2	EPA 8260C	JAS	52	PASI-PA
30513470003	MW-2D	EPA 8260C	JAS	52	PASI-PA
30513470004	MW-3	EPA 8260C	JAS	52	PASI-PA
30513470005	MW-7	EPA 8260C	JAS	52	PASI-PA
30513470006	MW-8	EPA 8260C	JAS	52	PASI-PA
30513470007	MW-9	EPA 8260C	JAS	52	PASI-PA
30513470008	MW-10	EPA 8260C	JAS	52	PASI-PA
30513470009	MW-11	EPA 8260C	JAS	52	PASI-PA
30513470010	MW-12	EPA 8260C	JAS	52	PASI-PA
30513470011	MW-13	EPA 8260C	JAS	52	PASI-PA
30513470012	MW-14	EPA 8260C	JAS	52	PASI-PA
30513470013	Field Blank 01	EPA 8260C	JAS	52	PASI-PA
30513470014	Field Blank 02	EPA 8260C	JAS	52	PASI-PA
30513470015	Trip Blank	EPA 8260C	JAS	52	PASI-PA

PASI-PA = Pace Analytical Services - Greensburg

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: LGX004-0309012-22006067-Revised Report  
Pace Project No.: 30513470

Sample: MW-1      Lab ID: 30513470001      Collected: 08/08/22 16:45      Received: 08/11/22 09:30      Matrix: Water									
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260C MSV</b>									
Analytical Method: EPA 8260C									
Pace Analytical Services - Greensburg									
Acetone	10.0 U	ug/L	10.0	5.6	1		08/20/22 16:20	67-64-1	N4
Benzene	1.0 U	ug/L	1.0	0.34	1		08/20/22 16:20	71-43-2	N4
Bromochloromethane	1.0 U	ug/L	1.0	0.48	1		08/20/22 16:20	74-97-5	N4
Bromodichloromethane	1.0 U	ug/L	1.0	0.35	1		08/20/22 16:20	75-27-4	N4
Bromoform	4.0 U	ug/L	4.0	1.5	1		08/20/22 16:20	75-25-2	N4
Bromomethane	4.0 U	ug/L	4.0	2.5	1		08/20/22 16:20	74-83-9	CL,N4
TOTAL BTEX	6.0 U	ug/L	6.0	2.4	1		08/20/22 16:20		N4
2-Butanone (MEK)	10.0 U	ug/L	10.0	1.5	1		08/20/22 16:20	78-93-3	CL,L2, N4
Carbon disulfide	1.0 U	ug/L	1.0	0.32	1		08/20/22 16:20	75-15-0	N4
Carbon tetrachloride	1.0 U	ug/L	1.0	0.44	1		08/20/22 16:20	56-23-5	N4
Chlorobenzene	1.0 U	ug/L	1.0	0.26	1		08/20/22 16:20	108-90-7	N4
Chloroethane	14.8	ug/L	1.0	0.64	1		08/20/22 16:20	75-00-3	N4
Chloroform	1.0 U	ug/L	1.0	0.93	1		08/20/22 16:20	67-66-3	N4
Chloromethane	1.0 U	ug/L	1.0	0.40	1		08/20/22 16:20	74-87-3	CL,N4
Dibromochloromethane	1.0 U	ug/L	1.0	0.43	1		08/20/22 16:20	124-48-1	N4
1,2-Dichlorobenzene	1.0 U	ug/L	1.0	0.38	1		08/20/22 16:20	95-50-1	N4
1,3-Dichlorobenzene	1.0 U	ug/L	1.0	0.45	1		08/20/22 16:20	541-73-1	N4
1,4-Dichlorobenzene	1.0 U	ug/L	1.0	0.48	1		08/20/22 16:20	106-46-7	N4
1,1-Dichloroethane	8.8	ug/L	1.0	0.50	1		08/20/22 16:20	75-34-3	N4
1,2-Dichloroethane	1.0 U	ug/L	1.0	0.33	1		08/20/22 16:20	107-06-2	N4
1,2-Dichloroethene (Total)	2.0 U	ug/L	2.0	0.66	1		08/20/22 16:20	540-59-0	N4
1,1-Dichloroethene	15.1	ug/L	1.0	0.49	1		08/20/22 16:20	75-35-4	N4
cis-1,2-Dichloroethene	1.0 U	ug/L	1.0	0.38	1		08/20/22 16:20	156-59-2	N4
trans-1,2-Dichloroethene	1.0 U	ug/L	1.0	0.28	1		08/20/22 16:20	156-60-5	N4
1,2-Dichloropropane	1.0 U	ug/L	1.0	0.28	1		08/20/22 16:20	78-87-5	N4
cis-1,3-Dichloropropene	1.0 U	ug/L	1.0	0.29	1		08/20/22 16:20	10061-01-5	N4
trans-1,3-Dichloropropene	1.0 U	ug/L	1.0	0.32	1		08/20/22 16:20	10061-02-6	N4
Ethylbenzene	1.0 U	ug/L	1.0	0.40	1		08/20/22 16:20	100-41-4	N4
2-Hexanone	10.0 U	ug/L	10.0	0.58	1		08/20/22 16:20	591-78-6	CL,L2, N4
Isopropylbenzene (Cumene)	1.0 U	ug/L	1.0	0.47	1		08/20/22 16:20	98-82-8	N4
Methylene Chloride	1.0 U	ug/L	1.0	0.64	1		08/20/22 16:20	75-09-2	CL,N4
4-Methyl-2-pentanone (MIBK)	10.0 U	ug/L	10.0	0.42	1		08/20/22 16:20	108-10-1	CL,L2, N4
Methyl-tert-butyl ether	1.0 U	ug/L	1.0	0.25	1		08/20/22 16:20	1634-04-4	N4
Naphthalene	4.0 U	ug/L	4.0	2.1	1		08/20/22 16:20	91-20-3	N4
Styrene	1.0 U	ug/L	1.0	0.33	1		08/20/22 16:20	100-42-5	N4
1,1,2,2-Tetrachloroethane	1.0 U	ug/L	1.0	0.47	1		08/20/22 16:20	79-34-5	N4
Tetrachloroethene	1.0 U	ug/L	1.0	0.39	1		08/20/22 16:20	127-18-4	N4
Toluene	1.0 U	ug/L	1.0	0.32	1		08/20/22 16:20	108-88-3	N4
1,2,4-Trichlorobenzene	4.0 U	ug/L	4.0	0.73	1		08/20/22 16:20	120-82-1	N4
1,1,1-Trichloroethane	1.0 U	ug/L	1.0	0.38	1		08/20/22 16:20	71-55-6	N4
1,1,2-Trichloroethane	1.0 U	ug/L	1.0	0.33	1		08/20/22 16:20	79-00-5	N4
Trichloroethene	1.0 U	ug/L	1.0	0.29	1		08/20/22 16:20	79-01-6	N4
1,2,4-Trimethylbenzene	1.0 U	ug/L	1.0	0.63	1		08/20/22 16:20	95-63-6	N4

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LGX004-0309012-22006067-Revised Report

Pace Project No.: 30513470

Sample: MW-1		Lab ID: 30513470001		Collected: 08/08/22 16:45		Received: 08/11/22 09:30		Matrix: Water	
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260C MSV</b>		Analytical Method: EPA 8260C Pace Analytical Services - Greensburg							
1,3,5-Trimethylbenzene	1.0 U	ug/L	1.0	0.45	1		08/20/22 16:20	108-67-8	N4
Vinyl chloride	1.0 U	ug/L	1.0	0.29	1		08/20/22 16:20	75-01-4	CL,N4
Xylene (Total)	3.0 U	ug/L	3.0	1.4	1		08/20/22 16:20	1330-20-7	N4
m&p-Xylene	2.0 U	ug/L	2.0	0.94	1		08/20/22 16:20	179601-23-1	N4
o-Xylene	1.0 U	ug/L	1.0	0.41	1		08/20/22 16:20	95-47-6	N4
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	114	%	70-130		1		08/20/22 16:20	460-00-4	
1,2-Dichloroethane-d4 (S)	114	%	70-130		1		08/20/22 16:20	17060-07-0	
Toluene-d8 (S)	91	%	70-130		1		08/20/22 16:20	2037-26-5	
Dibromofluoromethane (S)	111	%	70-130		1		08/20/22 16:20	1868-53-7	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LGX004-0309012-22006067-Revised Report  
Pace Project No.: 30513470

Sample: MW-2      Lab ID: 30513470002      Collected: 08/08/22 15:15      Received: 08/11/22 09:30      Matrix: Water									
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260C MSV</b>									
Analytical Method: EPA 8260C									
Pace Analytical Services - Greensburg									
Acetone	ND	ug/L	10.0	5.6	1		08/20/22 16:46	67-64-1	N4
Benzene	ND	ug/L	1.0	0.34	1		08/20/22 16:46	71-43-2	N4
Bromochloromethane	ND	ug/L	1.0	0.48	1		08/20/22 16:46	74-97-5	N4
Bromodichloromethane	ND	ug/L	1.0	0.35	1		08/20/22 16:46	75-27-4	N4
Bromoform	ND	ug/L	4.0	1.5	1		08/20/22 16:46	75-25-2	N4
Bromomethane	ND	ug/L	4.0	2.5	1		08/20/22 16:46	74-83-9	CL,N4
TOTAL BTEX	ND	ug/L	6.0	2.4	1		08/20/22 16:46		N4
2-Butanone (MEK)	ND	ug/L	10.0	1.5	1		08/20/22 16:46	78-93-3	CL,L2, N4
Carbon disulfide	ND	ug/L	1.0	0.32	1		08/20/22 16:46	75-15-0	N4
Carbon tetrachloride	ND	ug/L	1.0	0.44	1		08/20/22 16:46	56-23-5	N4
Chlorobenzene	ND	ug/L	1.0	0.26	1		08/20/22 16:46	108-90-7	N4
Chloroethane	4.7	ug/L	1.0	0.64	1		08/20/22 16:46	75-00-3	N4
Chloroform	ND	ug/L	1.0	0.93	1		08/20/22 16:46	67-66-3	N4
Chloromethane	ND	ug/L	1.0	0.40	1		08/20/22 16:46	74-87-3	CL,N4
Dibromochloromethane	ND	ug/L	1.0	0.43	1		08/20/22 16:46	124-48-1	N4
1,2-Dichlorobenzene	5.7	ug/L	1.0	0.38	1		08/20/22 16:46	95-50-1	N4
1,3-Dichlorobenzene	ND	ug/L	1.0	0.45	1		08/20/22 16:46	541-73-1	N4
1,4-Dichlorobenzene	ND	ug/L	1.0	0.48	1		08/20/22 16:46	106-46-7	N4
1,1-Dichloroethane	19.5	ug/L	1.0	0.50	1		08/20/22 16:46	75-34-3	N4
1,2-Dichloroethane	ND	ug/L	1.0	0.33	1		08/20/22 16:46	107-06-2	N4
1,2-Dichloroethene (Total)	ND	ug/L	2.0	0.66	1		08/20/22 16:46	540-59-0	N4
1,1-Dichloroethene	39.8	ug/L	1.0	0.49	1		08/20/22 16:46	75-35-4	N4
cis-1,2-Dichloroethene	ND	ug/L	1.0	0.38	1		08/20/22 16:46	156-59-2	N4
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.28	1		08/20/22 16:46	156-60-5	N4
1,2-Dichloropropane	ND	ug/L	1.0	0.28	1		08/20/22 16:46	78-87-5	N4
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.29	1		08/20/22 16:46	10061-01-5	N4
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.32	1		08/20/22 16:46	10061-02-6	N4
Ethylbenzene	ND	ug/L	1.0	0.40	1		08/20/22 16:46	100-41-4	N4
2-Hexanone	ND	ug/L	10.0	0.58	1		08/20/22 16:46	591-78-6	CL,L2, N4
Isopropylbenzene (Cumene)	ND	ug/L	1.0	0.47	1		08/20/22 16:46	98-82-8	N4
Methylene Chloride	ND	ug/L	1.0	0.64	1		08/20/22 16:46	75-09-2	CL,N4
4-Methyl-2-pentanone (MIBK)	ND	ug/L	10.0	0.42	1		08/20/22 16:46	108-10-1	CL,L2, N4
Methyl-tert-butyl ether	ND	ug/L	1.0	0.25	1		08/20/22 16:46	1634-04-4	N4
Naphthalene	ND	ug/L	4.0	2.1	1		08/20/22 16:46	91-20-3	N4
Styrene	ND	ug/L	1.0	0.33	1		08/20/22 16:46	100-42-5	N4
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.47	1		08/20/22 16:46	79-34-5	N4
Tetrachloroethene	ND	ug/L	1.0	0.39	1		08/20/22 16:46	127-18-4	N4
Toluene	ND	ug/L	1.0	0.32	1		08/20/22 16:46	108-88-3	N4
1,2,4-Trichlorobenzene	ND	ug/L	4.0	0.73	1		08/20/22 16:46	120-82-1	N4
1,1,1-Trichloroethane	30.3	ug/L	1.0	0.38	1		08/20/22 16:46	71-55-6	N4
1,1,2-Trichloroethane	ND	ug/L	1.0	0.33	1		08/20/22 16:46	79-00-5	N4
Trichloroethene	ND	ug/L	1.0	0.29	1		08/20/22 16:46	79-01-6	N4
1,2,4-Trimethylbenzene	ND	ug/L	1.0	0.63	1		08/20/22 16:46	95-63-6	N4

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: LGX004-0309012-22006067-Revised Report

Pace Project No.: 30513470

**Sample: MW-2**      **Lab ID: 30513470002**      Collected: 08/08/22 15:15      Received: 08/11/22 09:30      Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
<b>8260C MSV</b>									
Analytical Method: EPA 8260C									
Pace Analytical Services - Greensburg									
1,3,5-Trimethylbenzene	ND	ug/L	1.0	0.45	1		08/20/22 16:46	108-67-8	N4
Vinyl chloride	ND	ug/L	1.0	0.29	1		08/20/22 16:46	75-01-4	CL,N4
Xylene (Total)	ND	ug/L	3.0	1.4	1		08/20/22 16:46	1330-20-7	N4
m&p-Xylene	ND	ug/L	2.0	0.94	1		08/20/22 16:46	179601-23-1	N4
o-Xylene	ND	ug/L	1.0	0.41	1		08/20/22 16:46	95-47-6	N4
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	96	%	70-130		1		08/20/22 16:46	460-00-4	
1,2-Dichloroethane-d4 (S)	114	%	70-130		1		08/20/22 16:46	17060-07-0	
Toluene-d8 (S)	96	%	70-130		1		08/20/22 16:46	2037-26-5	
Dibromofluoromethane (S)	115	%	70-130		1		08/20/22 16:46	1868-53-7	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LGX004-0309012-22006067-Revised Report  
Pace Project No.: 30513470

Sample: MW-2D      Lab ID: 30513470003      Collected: 08/09/22 10:25      Received: 08/11/22 09:30      Matrix: Water									
Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
<b>8260C MSV</b>									
Analytical Method: EPA 8260C									
Pace Analytical Services - Greensburg									
Acetone	ND	ug/L	10.0	5.6	1	08/20/22 17:11	67-64-1	N4	
Benzene	ND	ug/L	1.0	0.34	1	08/20/22 17:11	71-43-2	N4	
Bromochloromethane	ND	ug/L	1.0	0.48	1	08/20/22 17:11	74-97-5	N4	
Bromodichloromethane	ND	ug/L	1.0	0.35	1	08/20/22 17:11	75-27-4	N4	
Bromoform	ND	ug/L	4.0	1.5	1	08/20/22 17:11	75-25-2	N4	
Bromomethane	ND	ug/L	4.0	2.5	1	08/20/22 17:11	74-83-9	CL,N4	
TOTAL BTEX	ND	ug/L	6.0	2.4	1	08/20/22 17:11		N4	
2-Butanone (MEK)	ND	ug/L	10.0	1.5	1	08/20/22 17:11	78-93-3	CL,L2, N4	
Carbon disulfide	ND	ug/L	1.0	0.32	1	08/20/22 17:11	75-15-0	N4	
Carbon tetrachloride	ND	ug/L	1.0	0.44	1	08/20/22 17:11	56-23-5	N4	
Chlorobenzene	ND	ug/L	1.0	0.26	1	08/20/22 17:11	108-90-7	N4	
Chloroethane	ND	ug/L	1.0	0.64	1	08/20/22 17:11	75-00-3	N4	
Chloroform	ND	ug/L	1.0	0.93	1	08/20/22 17:11	67-66-3	N4	
Chloromethane	ND	ug/L	1.0	0.40	1	08/20/22 17:11	74-87-3	CL,N4	
Dibromochloromethane	ND	ug/L	1.0	0.43	1	08/20/22 17:11	124-48-1	N4	
1,2-Dichlorobenzene	ND	ug/L	1.0	0.38	1	08/20/22 17:11	95-50-1	N4	
1,3-Dichlorobenzene	ND	ug/L	1.0	0.45	1	08/20/22 17:11	541-73-1	N4	
1,4-Dichlorobenzene	ND	ug/L	1.0	0.48	1	08/20/22 17:11	106-46-7	N4	
1,1-Dichloroethane	ND	ug/L	1.0	0.50	1	08/20/22 17:11	75-34-3	N4	
1,2-Dichloroethane	ND	ug/L	1.0	0.33	1	08/20/22 17:11	107-06-2	N4	
1,2-Dichloroethene (Total)	ND	ug/L	2.0	0.66	1	08/20/22 17:11	540-59-0	N4	
1,1-Dichloroethene	ND	ug/L	1.0	0.49	1	08/20/22 17:11	75-35-4	N4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	0.38	1	08/20/22 17:11	156-59-2	N4	
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.28	1	08/20/22 17:11	156-60-5	N4	
1,2-Dichloropropane	ND	ug/L	1.0	0.28	1	08/20/22 17:11	78-87-5	N4	
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.29	1	08/20/22 17:11	10061-01-5	N4	
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.32	1	08/20/22 17:11	10061-02-6	N4	
Ethylbenzene	ND	ug/L	1.0	0.40	1	08/20/22 17:11	100-41-4	N4	
2-Hexanone	ND	ug/L	10.0	0.58	1	08/20/22 17:11	591-78-6	CL,L2, N4	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	0.47	1	08/20/22 17:11	98-82-8	N4	
Methylene Chloride	ND	ug/L	1.0	0.64	1	08/20/22 17:11	75-09-2	CL,N4	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	10.0	0.42	1	08/20/22 17:11	108-10-1	CL,L2, N4	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.25	1	08/20/22 17:11	1634-04-4	N4	
Naphthalene	ND	ug/L	4.0	2.1	1	08/20/22 17:11	91-20-3	N4	
Styrene	ND	ug/L	1.0	0.33	1	08/20/22 17:11	100-42-5	N4	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.47	1	08/20/22 17:11	79-34-5	N4	
Tetrachloroethene	ND	ug/L	1.0	0.39	1	08/20/22 17:11	127-18-4	N4	
Toluene	ND	ug/L	1.0	0.32	1	08/20/22 17:11	108-88-3	N4	
1,2,4-Trichlorobenzene	ND	ug/L	4.0	0.73	1	08/20/22 17:11	120-82-1	N4	
1,1,1-Trichloroethane	ND	ug/L	1.0	0.38	1	08/20/22 17:11	71-55-6	N4	
1,1,2-Trichloroethane	ND	ug/L	1.0	0.33	1	08/20/22 17:11	79-00-5	N4	
Trichloroethene	ND	ug/L	1.0	0.29	1	08/20/22 17:11	79-01-6	N4	
1,2,4-Trimethylbenzene	ND	ug/L	1.0	0.63	1	08/20/22 17:11	95-63-6	N4	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LGX004-0309012-22006067-Revised Report  
Pace Project No.: 30513470

Sample: MW-2D		Lab ID: 30513470003		Collected: 08/09/22 10:25	Received: 08/11/22 09:30	Matrix: Water			
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260C MSV</b>		Analytical Method: EPA 8260C Pace Analytical Services - Greensburg							
1,3,5-Trimethylbenzene	ND	ug/L	1.0	0.45	1		08/20/22 17:11	108-67-8	N4
Vinyl chloride	ND	ug/L	1.0	0.29	1		08/20/22 17:11	75-01-4	CL,N4
Xylene (Total)	ND	ug/L	3.0	1.4	1		08/20/22 17:11	1330-20-7	N4
m&p-Xylene	ND	ug/L	2.0	0.94	1		08/20/22 17:11	179601-23-1	N4
o-Xylene	ND	ug/L	1.0	0.41	1		08/20/22 17:11	95-47-6	N4
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	109	%	70-130		1		08/20/22 17:11	460-00-4	
1,2-Dichloroethane-d4 (S)	114	%	70-130		1		08/20/22 17:11	17060-07-0	
Toluene-d8 (S)	91	%	70-130		1		08/20/22 17:11	2037-26-5	
Dibromofluoromethane (S)	114	%	70-130		1		08/20/22 17:11	1868-53-7	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LGX004-0309012-22006067-Revised Report  
Pace Project No.: 30513470

Sample: MW-3      Lab ID: 30513470004      Collected: 08/08/22 14:45      Received: 08/11/22 09:30      Matrix: Water									
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260C MSV</b>									
Analytical Method: EPA 8260C									
Pace Analytical Services - Greensburg									
Acetone	ND	ug/L	10.0	5.6	1		08/20/22 17:36	67-64-1	N4
Benzene	ND	ug/L	1.0	0.34	1		08/20/22 17:36	71-43-2	N4
Bromochloromethane	ND	ug/L	1.0	0.48	1		08/20/22 17:36	74-97-5	N4
Bromodichloromethane	ND	ug/L	1.0	0.35	1		08/20/22 17:36	75-27-4	N4
Bromoform	ND	ug/L	4.0	1.5	1		08/20/22 17:36	75-25-2	N4
Bromomethane	ND	ug/L	4.0	2.5	1		08/20/22 17:36	74-83-9	CL,N4
TOTAL BTEX	ND	ug/L	6.0	2.4	1		08/20/22 17:36		N4
2-Butanone (MEK)	ND	ug/L	10.0	1.5	1		08/20/22 17:36	78-93-3	CL,L2, N4
Carbon disulfide	ND	ug/L	1.0	0.32	1		08/20/22 17:36	75-15-0	N4
Carbon tetrachloride	ND	ug/L	1.0	0.44	1		08/20/22 17:36	56-23-5	N4
Chlorobenzene	ND	ug/L	1.0	0.26	1		08/20/22 17:36	108-90-7	N4
Chloroethane	ND	ug/L	1.0	0.64	1		08/20/22 17:36	75-00-3	N4
Chloroform	ND	ug/L	1.0	0.93	1		08/20/22 17:36	67-66-3	N4
Chloromethane	ND	ug/L	1.0	0.40	1		08/20/22 17:36	74-87-3	CL,N4
Dibromochloromethane	ND	ug/L	1.0	0.43	1		08/20/22 17:36	124-48-1	N4
1,2-Dichlorobenzene	ND	ug/L	1.0	0.38	1		08/20/22 17:36	95-50-1	N4
1,3-Dichlorobenzene	ND	ug/L	1.0	0.45	1		08/20/22 17:36	541-73-1	N4
1,4-Dichlorobenzene	ND	ug/L	1.0	0.48	1		08/20/22 17:36	106-46-7	N4
1,1-Dichloroethane	<b>1.9</b>	ug/L	1.0	0.50	1		08/20/22 17:36	75-34-3	N4
1,2-Dichloroethane	ND	ug/L	1.0	0.33	1		08/20/22 17:36	107-06-2	N4
1,2-Dichloroethene (Total)	ND	ug/L	2.0	0.66	1		08/20/22 17:36	540-59-0	N4
1,1-Dichloroethene	<b>36.7</b>	ug/L	1.0	0.49	1		08/20/22 17:36	75-35-4	N4
cis-1,2-Dichloroethene	ND	ug/L	1.0	0.38	1		08/20/22 17:36	156-59-2	N4
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.28	1		08/20/22 17:36	156-60-5	N4
1,2-Dichloropropane	ND	ug/L	1.0	0.28	1		08/20/22 17:36	78-87-5	N4
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.29	1		08/20/22 17:36	10061-01-5	N4
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.32	1		08/20/22 17:36	10061-02-6	N4
Ethylbenzene	ND	ug/L	1.0	0.40	1		08/20/22 17:36	100-41-4	N4
2-Hexanone	ND	ug/L	10.0	0.58	1		08/20/22 17:36	591-78-6	CL,L2, N4
Isopropylbenzene (Cumene)	ND	ug/L	1.0	0.47	1		08/20/22 17:36	98-82-8	N4
Methylene Chloride	ND	ug/L	1.0	0.64	1		08/20/22 17:36	75-09-2	CL,N4
4-Methyl-2-pentanone (MIBK)	ND	ug/L	10.0	0.42	1		08/20/22 17:36	108-10-1	CL,L2, N4
Methyl-tert-butyl ether	ND	ug/L	1.0	0.25	1		08/20/22 17:36	1634-04-4	N4
Naphthalene	ND	ug/L	4.0	2.1	1		08/20/22 17:36	91-20-3	N4
Styrene	ND	ug/L	1.0	0.33	1		08/20/22 17:36	100-42-5	N4
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.47	1		08/20/22 17:36	79-34-5	N4
Tetrachloroethene	ND	ug/L	1.0	0.39	1		08/20/22 17:36	127-18-4	N4
Toluene	ND	ug/L	1.0	0.32	1		08/20/22 17:36	108-88-3	N4
1,2,4-Trichlorobenzene	ND	ug/L	4.0	0.73	1		08/20/22 17:36	120-82-1	N4
1,1,1-Trichloroethane	ND	ug/L	1.0	0.38	1		08/20/22 17:36	71-55-6	N4
1,1,2-Trichloroethane	ND	ug/L	1.0	0.33	1		08/20/22 17:36	79-00-5	N4
Trichloroethene	ND	ug/L	1.0	0.29	1		08/20/22 17:36	79-01-6	N4
1,2,4-Trimethylbenzene	ND	ug/L	1.0	0.63	1		08/20/22 17:36	95-63-6	N4

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LGX004-0309012-22006067-Revised Report

Pace Project No.: 30513470

**Sample: MW-3**      **Lab ID: 30513470004**      Collected: 08/08/22 14:45      Received: 08/11/22 09:30      Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
<b>8260C MSV</b>									
Analytical Method: EPA 8260C									
Pace Analytical Services - Greensburg									
1,3,5-Trimethylbenzene	ND	ug/L	1.0	0.45	1		08/20/22 17:36	108-67-8	N4
Vinyl chloride	<b>1.8</b>	ug/L	1.0	0.29	1		08/20/22 17:36	75-01-4	CL,N4
Xylene (Total)	ND	ug/L	3.0	1.4	1		08/20/22 17:36	1330-20-7	N4
m&p-Xylene	ND	ug/L	2.0	0.94	1		08/20/22 17:36	179601-23-1	N4
o-Xylene	ND	ug/L	1.0	0.41	1		08/20/22 17:36	95-47-6	N4
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	97	%	70-130		1		08/20/22 17:36	460-00-4	
1,2-Dichloroethane-d4 (S)	108	%	70-130		1		08/20/22 17:36	17060-07-0	
Toluene-d8 (S)	94	%	70-130		1		08/20/22 17:36	2037-26-5	
Dibromofluoromethane (S)	108	%	70-130		1		08/20/22 17:36	1868-53-7	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: LGX004-0309012-22006067-Revised Report  
Pace Project No.: 30513470

Sample: MW-7      Lab ID: 30513470005      Collected: 08/08/22 13:35      Received: 08/11/22 09:30      Matrix: Water									
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260C MSV</b>									
Analytical Method: EPA 8260C									
Pace Analytical Services - Greensburg									
Acetone	ND	ug/L	10.0	5.6	1		08/20/22 18:01	67-64-1	N4
Benzene	ND	ug/L	1.0	0.34	1		08/20/22 18:01	71-43-2	N4
Bromochloromethane	ND	ug/L	1.0	0.48	1		08/20/22 18:01	74-97-5	N4
Bromodichloromethane	ND	ug/L	1.0	0.35	1		08/20/22 18:01	75-27-4	N4
Bromoform	ND	ug/L	4.0	1.5	1		08/20/22 18:01	75-25-2	N4
Bromomethane	ND	ug/L	4.0	2.5	1		08/20/22 18:01	74-83-9	CL,N4
TOTAL BTEX	ND	ug/L	6.0	2.4	1		08/20/22 18:01		N4
2-Butanone (MEK)	ND	ug/L	10.0	1.5	1		08/20/22 18:01	78-93-3	CL,L2, N4
Carbon disulfide	ND	ug/L	1.0	0.32	1		08/20/22 18:01	75-15-0	N4
Carbon tetrachloride	ND	ug/L	1.0	0.44	1		08/20/22 18:01	56-23-5	N4
Chlorobenzene	ND	ug/L	1.0	0.26	1		08/20/22 18:01	108-90-7	N4
Chloroethane	ND	ug/L	1.0	0.64	1		08/20/22 18:01	75-00-3	N4
Chloroform	ND	ug/L	1.0	0.93	1		08/20/22 18:01	67-66-3	N4
Chloromethane	ND	ug/L	1.0	0.40	1		08/20/22 18:01	74-87-3	CL,N4
Dibromochloromethane	ND	ug/L	1.0	0.43	1		08/20/22 18:01	124-48-1	N4
1,2-Dichlorobenzene	ND	ug/L	1.0	0.38	1		08/20/22 18:01	95-50-1	N4
1,3-Dichlorobenzene	ND	ug/L	1.0	0.45	1		08/20/22 18:01	541-73-1	N4
1,4-Dichlorobenzene	ND	ug/L	1.0	0.48	1		08/20/22 18:01	106-46-7	N4
1,1-Dichloroethane	<b>1.9</b>	ug/L	1.0	0.50	1		08/20/22 18:01	75-34-3	N4
1,2-Dichloroethane	ND	ug/L	1.0	0.33	1		08/20/22 18:01	107-06-2	N4
1,2-Dichloroethene (Total)	ND	ug/L	2.0	0.66	1		08/20/22 18:01	540-59-0	N4
1,1-Dichloroethene	<b>1.4</b>	ug/L	1.0	0.49	1		08/20/22 18:01	75-35-4	N4
cis-1,2-Dichloroethene	ND	ug/L	1.0	0.38	1		08/20/22 18:01	156-59-2	N4
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.28	1		08/20/22 18:01	156-60-5	N4
1,2-Dichloropropane	ND	ug/L	1.0	0.28	1		08/20/22 18:01	78-87-5	N4
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.29	1		08/20/22 18:01	10061-01-5	N4
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.32	1		08/20/22 18:01	10061-02-6	N4
Ethylbenzene	ND	ug/L	1.0	0.40	1		08/20/22 18:01	100-41-4	N4
2-Hexanone	ND	ug/L	10.0	0.58	1		08/20/22 18:01	591-78-6	CL,L2, N4
Isopropylbenzene (Cumene)	ND	ug/L	1.0	0.47	1		08/20/22 18:01	98-82-8	N4
Methylene Chloride	ND	ug/L	1.0	0.64	1		08/20/22 18:01	75-09-2	CL,N4
4-Methyl-2-pentanone (MIBK)	ND	ug/L	10.0	0.42	1		08/20/22 18:01	108-10-1	CL,L2, N4
Methyl-tert-butyl ether	ND	ug/L	1.0	0.25	1		08/20/22 18:01	1634-04-4	N4
Naphthalene	ND	ug/L	4.0	2.1	1		08/20/22 18:01	91-20-3	N4
Styrene	ND	ug/L	1.0	0.33	1		08/20/22 18:01	100-42-5	N4
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.47	1		08/20/22 18:01	79-34-5	N4
Tetrachloroethene	ND	ug/L	1.0	0.39	1		08/20/22 18:01	127-18-4	N4
Toluene	ND	ug/L	1.0	0.32	1		08/20/22 18:01	108-88-3	N4
1,2,4-Trichlorobenzene	ND	ug/L	4.0	0.73	1		08/20/22 18:01	120-82-1	N4
1,1,1-Trichloroethane	ND	ug/L	1.0	0.38	1		08/20/22 18:01	71-55-6	N4
1,1,2-Trichloroethane	ND	ug/L	1.0	0.33	1		08/20/22 18:01	79-00-5	N4
Trichloroethene	ND	ug/L	1.0	0.29	1		08/20/22 18:01	79-01-6	N4
1,2,4-Trimethylbenzene	ND	ug/L	1.0	0.63	1		08/20/22 18:01	95-63-6	N4

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LGX004-0309012-22006067-Revised Report

Pace Project No.: 30513470

**Sample: MW-7**      **Lab ID: 30513470005**      Collected: 08/08/22 13:35      Received: 08/11/22 09:30      Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
<b>8260C MSV</b>									
Analytical Method: EPA 8260C									
Pace Analytical Services - Greensburg									
1,3,5-Trimethylbenzene	ND	ug/L	1.0	0.45	1		08/20/22 18:01	108-67-8	N4
Vinyl chloride	<b>2.3</b>	ug/L	1.0	0.29	1		08/20/22 18:01	75-01-4	CL,N4
Xylene (Total)	ND	ug/L	3.0	1.4	1		08/20/22 18:01	1330-20-7	N4
m&p-Xylene	ND	ug/L	2.0	0.94	1		08/20/22 18:01	179601-23-1	N4
o-Xylene	ND	ug/L	1.0	0.41	1		08/20/22 18:01	95-47-6	N4
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	106	%	70-130		1		08/20/22 18:01	460-00-4	
1,2-Dichloroethane-d4 (S)	108	%	70-130		1		08/20/22 18:01	17060-07-0	
Toluene-d8 (S)	91	%	70-130		1		08/20/22 18:01	2037-26-5	
Dibromofluoromethane (S)	114	%	70-130		1		08/20/22 18:01	1868-53-7	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LGX004-0309012-22006067-Revised Report  
Pace Project No.: 30513470

Sample: MW-8      Lab ID: 30513470006      Collected: 08/08/22 08:35      Received: 08/11/22 09:30      Matrix: Water									
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260C MSV</b>									
Analytical Method: EPA 8260C									
Pace Analytical Services - Greensburg									
Acetone	ND	ug/L	10.0	5.6	1		08/20/22 18:26	67-64-1	N4
Benzene	1.4	ug/L	1.0	0.34	1		08/20/22 18:26	71-43-2	N4
Bromochloromethane	ND	ug/L	1.0	0.48	1		08/20/22 18:26	74-97-5	N4
Bromodichloromethane	ND	ug/L	1.0	0.35	1		08/20/22 18:26	75-27-4	N4
Bromoform	ND	ug/L	4.0	1.5	1		08/20/22 18:26	75-25-2	N4
Bromomethane	ND	ug/L	4.0	2.5	1		08/20/22 18:26	74-83-9	CL,N4
TOTAL BTEX	ND	ug/L	6.0	2.4	1		08/20/22 18:26		N4
2-Butanone (MEK)	ND	ug/L	10.0	1.5	1		08/20/22 18:26	78-93-3	CL,L2,N4
Carbon disulfide	ND	ug/L	1.0	0.32	1		08/20/22 18:26	75-15-0	N4
Carbon tetrachloride	ND	ug/L	1.0	0.44	1		08/20/22 18:26	56-23-5	N4
Chlorobenzene	ND	ug/L	1.0	0.26	1		08/20/22 18:26	108-90-7	N4
Chloroethane	ND	ug/L	1.0	0.64	1		08/20/22 18:26	75-00-3	N4
Chloroform	ND	ug/L	1.0	0.93	1		08/20/22 18:26	67-66-3	N4
Chloromethane	ND	ug/L	1.0	0.40	1		08/20/22 18:26	74-87-3	CL,N4
Dibromochloromethane	ND	ug/L	1.0	0.43	1		08/20/22 18:26	124-48-1	N4
1,2-Dichlorobenzene	ND	ug/L	1.0	0.38	1		08/20/22 18:26	95-50-1	N4
1,3-Dichlorobenzene	ND	ug/L	1.0	0.45	1		08/20/22 18:26	541-73-1	N4
1,4-Dichlorobenzene	ND	ug/L	1.0	0.48	1		08/20/22 18:26	106-46-7	N4
1,1-Dichloroethane	3.8	ug/L	1.0	0.50	1		08/20/22 18:26	75-34-3	N4
1,2-Dichloroethane	ND	ug/L	1.0	0.33	1		08/20/22 18:26	107-06-2	N4
1,2-Dichloroethene (Total)	ND	ug/L	2.0	0.66	1		08/20/22 18:26	540-59-0	N4
1,1-Dichloroethene	6.9	ug/L	1.0	0.49	1		08/20/22 18:26	75-35-4	N4
cis-1,2-Dichloroethene	ND	ug/L	1.0	0.38	1		08/20/22 18:26	156-59-2	N4
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.28	1		08/20/22 18:26	156-60-5	N4
1,2-Dichloropropane	ND	ug/L	1.0	0.28	1		08/20/22 18:26	78-87-5	N4
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.29	1		08/20/22 18:26	10061-01-5	N4
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.32	1		08/20/22 18:26	10061-02-6	N4
Ethylbenzene	ND	ug/L	1.0	0.40	1		08/20/22 18:26	100-41-4	N4
2-Hexanone	ND	ug/L	10.0	0.58	1		08/20/22 18:26	591-78-6	CL,L2,N4
Isopropylbenzene (Cumene)	ND	ug/L	1.0	0.47	1		08/20/22 18:26	98-82-8	N4
Methylene Chloride	ND	ug/L	1.0	0.64	1		08/20/22 18:26	75-09-2	CL,N4
4-Methyl-2-pentanone (MIBK)	ND	ug/L	10.0	0.42	1		08/20/22 18:26	108-10-1	CL,L2,N4
Methyl-tert-butyl ether	ND	ug/L	1.0	0.25	1		08/20/22 18:26	1634-04-4	N4
Naphthalene	ND	ug/L	4.0	2.1	1		08/20/22 18:26	91-20-3	N4
Styrene	ND	ug/L	1.0	0.33	1		08/20/22 18:26	100-42-5	N4
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.47	1		08/20/22 18:26	79-34-5	N4
Tetrachloroethene	ND	ug/L	1.0	0.39	1		08/20/22 18:26	127-18-4	N4
Toluene	ND	ug/L	1.0	0.32	1		08/20/22 18:26	108-88-3	N4
1,2,4-Trichlorobenzene	ND	ug/L	4.0	0.73	1		08/20/22 18:26	120-82-1	N4
1,1,1-Trichloroethane	ND	ug/L	1.0	0.38	1		08/20/22 18:26	71-55-6	N4
1,1,2-Trichloroethane	ND	ug/L	1.0	0.33	1		08/20/22 18:26	79-00-5	N4
Trichloroethene	ND	ug/L	1.0	0.29	1		08/20/22 18:26	79-01-6	N4
1,2,4-Trimethylbenzene	ND	ug/L	1.0	0.63	1		08/20/22 18:26	95-63-6	N4

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LGX004-0309012-22006067-Revised Report

Pace Project No.: 30513470

**Sample: MW-8**      **Lab ID: 30513470006**      Collected: 08/08/22 08:35      Received: 08/11/22 09:30      Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
<b>8260C MSV</b>									
Analytical Method: EPA 8260C									
Pace Analytical Services - Greensburg									
1,3,5-Trimethylbenzene	ND	ug/L	1.0	0.45	1		08/20/22 18:26	108-67-8	N4
Vinyl chloride	ND	ug/L	1.0	0.29	1		08/20/22 18:26	75-01-4	CL,N4
Xylene (Total)	ND	ug/L	3.0	1.4	1		08/20/22 18:26	1330-20-7	N4
m&p-Xylene	ND	ug/L	2.0	0.94	1		08/20/22 18:26	179601-23-1	N4
o-Xylene	ND	ug/L	1.0	0.41	1		08/20/22 18:26	95-47-6	N4
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	99	%	70-130		1		08/20/22 18:26	460-00-4	
1,2-Dichloroethane-d4 (S)	99	%	70-130		1		08/20/22 18:26	17060-07-0	
Toluene-d8 (S)	97	%	70-130		1		08/20/22 18:26	2037-26-5	
Dibromofluoromethane (S)	110	%	70-130		1		08/20/22 18:26	1868-53-7	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LGX004-0309012-22006067-Revised Report  
Pace Project No.: 30513470

Sample: MW-9      Lab ID: 30513470007      Collected: 08/08/22 09:45      Received: 08/11/22 09:30      Matrix: Water									
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260C MSV</b>									
Analytical Method: EPA 8260C									
Pace Analytical Services - Greensburg									
Acetone	ND	ug/L	10.0	5.6	1		08/20/22 18:52	67-64-1	N4
Benzene	ND	ug/L	1.0	0.34	1		08/20/22 18:52	71-43-2	N4
Bromochloromethane	ND	ug/L	1.0	0.48	1		08/20/22 18:52	74-97-5	N4
Bromodichloromethane	ND	ug/L	1.0	0.35	1		08/20/22 18:52	75-27-4	N4
Bromoform	ND	ug/L	4.0	1.5	1		08/20/22 18:52	75-25-2	N4
Bromomethane	ND	ug/L	4.0	2.5	1		08/20/22 18:52	74-83-9	CL,N4
TOTAL BTEX	ND	ug/L	6.0	2.4	1		08/20/22 18:52		N4
2-Butanone (MEK)	ND	ug/L	10.0	1.5	1		08/20/22 18:52	78-93-3	CL,L2, N4
Carbon disulfide	ND	ug/L	1.0	0.32	1		08/20/22 18:52	75-15-0	N4
Carbon tetrachloride	ND	ug/L	1.0	0.44	1		08/20/22 18:52	56-23-5	N4
Chlorobenzene	ND	ug/L	1.0	0.26	1		08/20/22 18:52	108-90-7	N4
Chloroethane	ND	ug/L	1.0	0.64	1		08/20/22 18:52	75-00-3	N4
Chloroform	ND	ug/L	1.0	0.93	1		08/20/22 18:52	67-66-3	N4
Chloromethane	ND	ug/L	1.0	0.40	1		08/20/22 18:52	74-87-3	CL,N4
Dibromochloromethane	ND	ug/L	1.0	0.43	1		08/20/22 18:52	124-48-1	N4
1,2-Dichlorobenzene	ND	ug/L	1.0	0.38	1		08/20/22 18:52	95-50-1	N4
1,3-Dichlorobenzene	ND	ug/L	1.0	0.45	1		08/20/22 18:52	541-73-1	N4
1,4-Dichlorobenzene	ND	ug/L	1.0	0.48	1		08/20/22 18:52	106-46-7	N4
1,1-Dichloroethane	<b>70.7</b>	ug/L	1.0	0.50	1		08/20/22 18:52	75-34-3	N4
1,2-Dichloroethane	<b>2.2</b>	ug/L	1.0	0.33	1		08/20/22 18:52	107-06-2	N4
1,2-Dichloroethene (Total)	ND	ug/L	2.0	0.66	1		08/20/22 18:52	540-59-0	N4
1,1-Dichloroethene	<b>54.9</b>	ug/L	1.0	0.49	1		08/20/22 18:52	75-35-4	N4
cis-1,2-Dichloroethene	ND	ug/L	1.0	0.38	1		08/20/22 18:52	156-59-2	N4
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.28	1		08/20/22 18:52	156-60-5	N4
1,2-Dichloropropane	ND	ug/L	1.0	0.28	1		08/20/22 18:52	78-87-5	N4
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.29	1		08/20/22 18:52	10061-01-5	N4
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.32	1		08/20/22 18:52	10061-02-6	N4
Ethylbenzene	ND	ug/L	1.0	0.40	1		08/20/22 18:52	100-41-4	N4
2-Hexanone	ND	ug/L	10.0	0.58	1		08/20/22 18:52	591-78-6	CL,L2, N4
Isopropylbenzene (Cumene)	ND	ug/L	1.0	0.47	1		08/20/22 18:52	98-82-8	N4
Methylene Chloride	ND	ug/L	1.0	0.64	1		08/20/22 18:52	75-09-2	CL,N4
4-Methyl-2-pentanone (MIBK)	ND	ug/L	10.0	0.42	1		08/20/22 18:52	108-10-1	CL,L2, N4
Methyl-tert-butyl ether	ND	ug/L	1.0	0.25	1		08/20/22 18:52	1634-04-4	N4
Naphthalene	ND	ug/L	4.0	2.1	1		08/20/22 18:52	91-20-3	N4
Styrene	ND	ug/L	1.0	0.33	1		08/20/22 18:52	100-42-5	N4
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.47	1		08/20/22 18:52	79-34-5	N4
Tetrachloroethene	ND	ug/L	1.0	0.39	1		08/20/22 18:52	127-18-4	N4
Toluene	ND	ug/L	1.0	0.32	1		08/20/22 18:52	108-88-3	N4
1,2,4-Trichlorobenzene	ND	ug/L	4.0	0.73	1		08/20/22 18:52	120-82-1	N4
1,1,1-Trichloroethane	ND	ug/L	1.0	0.38	1		08/20/22 18:52	71-55-6	N4
1,1,2-Trichloroethane	ND	ug/L	1.0	0.33	1		08/20/22 18:52	79-00-5	N4
Trichloroethene	ND	ug/L	1.0	0.29	1		08/20/22 18:52	79-01-6	N4
1,2,4-Trimethylbenzene	ND	ug/L	1.0	0.63	1		08/20/22 18:52	95-63-6	N4

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## ANALYTICAL RESULTS

Project: LGX004-0309012-22006067-Revised Report

Pace Project No.: 30513470

**Sample: MW-9**      **Lab ID: 30513470007**      Collected: 08/08/22 09:45      Received: 08/11/22 09:30      Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
<b>8260C MSV</b>									
Analytical Method: EPA 8260C									
Pace Analytical Services - Greensburg									
1,3,5-Trimethylbenzene	ND	ug/L	1.0	0.45	1		08/20/22 18:52	108-67-8	N4
Vinyl chloride	ND	ug/L	1.0	0.29	1		08/20/22 18:52	75-01-4	CL,N4
Xylene (Total)	ND	ug/L	3.0	1.4	1		08/20/22 18:52	1330-20-7	N4
m&p-Xylene	ND	ug/L	2.0	0.94	1		08/20/22 18:52	179601-23-1	N4
o-Xylene	ND	ug/L	1.0	0.41	1		08/20/22 18:52	95-47-6	N4
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	106	%	70-130		1		08/20/22 18:52	460-00-4	
1,2-Dichloroethane-d4 (S)	105	%	70-130		1		08/20/22 18:52	17060-07-0	
Toluene-d8 (S)	101	%	70-130		1		08/20/22 18:52	2037-26-5	
Dibromofluoromethane (S)	112	%	70-130		1		08/20/22 18:52	1868-53-7	

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LGX004-0309012-22006067-Revised Report  
Pace Project No.: 30513470

Sample: MW-10      Lab ID: 30513470008      Collected: 08/09/22 09:05      Received: 08/11/22 09:30      Matrix: Water									
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260C MSV</b>									
Analytical Method: EPA 8260C									
Pace Analytical Services - Greensburg									
Acetone	ND	ug/L	10.0	5.6	1		08/20/22 19:17	67-64-1	N4
Benzene	1.4	ug/L	1.0	0.34	1		08/20/22 19:17	71-43-2	N4
Bromochloromethane	ND	ug/L	1.0	0.48	1		08/20/22 19:17	74-97-5	N4
Bromodichloromethane	ND	ug/L	1.0	0.35	1		08/20/22 19:17	75-27-4	N4
Bromoform	ND	ug/L	4.0	1.5	1		08/20/22 19:17	75-25-2	N4
Bromomethane	ND	ug/L	4.0	2.5	1		08/20/22 19:17	74-83-9	CL,N4
TOTAL BTEX	ND	ug/L	6.0	2.4	1		08/20/22 19:17		N4,RS
2-Butanone (MEK)	ND	ug/L	10.0	1.5	1		08/20/22 19:17	78-93-3	CL,L2, N4
Carbon disulfide	ND	ug/L	1.0	0.32	1		08/20/22 19:17	75-15-0	N4
Carbon tetrachloride	ND	ug/L	1.0	0.44	1		08/20/22 19:17	56-23-5	N4
Chlorobenzene	ND	ug/L	1.0	0.26	1		08/20/22 19:17	108-90-7	N4
Chloroethane	ND	ug/L	1.0	0.64	1		08/20/22 19:17	75-00-3	N4
Chloroform	ND	ug/L	1.0	0.93	1		08/20/22 19:17	67-66-3	N4
Chloromethane	ND	ug/L	1.0	0.40	1		08/20/22 19:17	74-87-3	CL,N4
Dibromochloromethane	ND	ug/L	1.0	0.43	1		08/20/22 19:17	124-48-1	N4
1,2-Dichlorobenzene	ND	ug/L	1.0	0.38	1		08/20/22 19:17	95-50-1	N4
1,3-Dichlorobenzene	ND	ug/L	1.0	0.45	1		08/20/22 19:17	541-73-1	N4
1,4-Dichlorobenzene	ND	ug/L	1.0	0.48	1		08/20/22 19:17	106-46-7	N4
1,1-Dichloroethane	54.6	ug/L	1.0	0.50	1		08/20/22 19:17	75-34-3	N4
1,2-Dichloroethane	ND	ug/L	1.0	0.33	1		08/20/22 19:17	107-06-2	N4
1,2-Dichloroethene (Total)	ND	ug/L	2.0	0.66	1		08/20/22 19:17	540-59-0	N4
1,1-Dichloroethene	7.6	ug/L	1.0	0.49	1		08/20/22 19:17	75-35-4	N4
cis-1,2-Dichloroethene	ND	ug/L	1.0	0.38	1		08/20/22 19:17	156-59-2	N4
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.28	1		08/20/22 19:17	156-60-5	N4
1,2-Dichloropropane	ND	ug/L	1.0	0.28	1		08/20/22 19:17	78-87-5	N4
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.29	1		08/20/22 19:17	10061-01-5	N4
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.32	1		08/20/22 19:17	10061-02-6	N4
Ethylbenzene	ND	ug/L	1.0	0.40	1		08/20/22 19:17	100-41-4	N4
2-Hexanone	ND	ug/L	10.0	0.58	1		08/20/22 19:17	591-78-6	CL,L2, ML,N4
Isopropylbenzene (Cumene)	ND	ug/L	1.0	0.47	1		08/20/22 19:17	98-82-8	N4
Methylene Chloride	ND	ug/L	1.0	0.64	1		08/20/22 19:17	75-09-2	CL,N4
4-Methyl-2-pentanone (MIBK)	ND	ug/L	10.0	0.42	1		08/20/22 19:17	108-10-1	CL,L2, ML,N4
Methyl-tert-butyl ether	ND	ug/L	1.0	0.25	1		08/20/22 19:17	1634-04-4	N4
Naphthalene	ND	ug/L	4.0	2.1	1		08/20/22 19:17	91-20-3	N4
Styrene	ND	ug/L	1.0	0.33	1		08/20/22 19:17	100-42-5	N4
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.47	1		08/20/22 19:17	79-34-5	N4
Tetrachloroethene	ND	ug/L	1.0	0.39	1		08/20/22 19:17	127-18-4	N4
Toluene	ND	ug/L	1.0	0.32	1		08/20/22 19:17	108-88-3	N4,R1
1,2,4-Trichlorobenzene	ND	ug/L	4.0	0.73	1		08/20/22 19:17	120-82-1	N4
1,1,1-Trichloroethane	ND	ug/L	1.0	0.38	1		08/20/22 19:17	71-55-6	N4
1,1,2-Trichloroethane	2.4	ug/L	1.0	0.33	1		08/20/22 19:17	79-00-5	N4
Trichloroethene	ND	ug/L	1.0	0.29	1		08/20/22 19:17	79-01-6	N4
1,2,4-Trimethylbenzene	ND	ug/L	1.0	0.63	1		08/20/22 19:17	95-63-6	N4

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LGX004-0309012-22006067-Revised Report

Pace Project No.: 30513470

**Sample: MW-10**      **Lab ID: 30513470008**      Collected: 08/09/22 09:05      Received: 08/11/22 09:30      Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
<b>8260C MSV</b>									
Analytical Method: EPA 8260C									
Pace Analytical Services - Greensburg									
1,3,5-Trimethylbenzene	ND	ug/L	1.0	0.45	1		08/20/22 19:17	108-67-8	N4
Vinyl chloride	ND	ug/L	1.0	0.29	1		08/20/22 19:17	75-01-4	CL,N4
Xylene (Total)	ND	ug/L	3.0	1.4	1		08/20/22 19:17	1330-20-7	N4
m&p-Xylene	ND	ug/L	2.0	0.94	1		08/20/22 19:17	179601-23-1	N4
o-Xylene	ND	ug/L	1.0	0.41	1		08/20/22 19:17	95-47-6	N4
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	100	%	70-130		1		08/20/22 19:17	460-00-4	
1,2-Dichloroethane-d4 (S)	105	%	70-130		1		08/20/22 19:17	17060-07-0	
Toluene-d8 (S)	98	%	70-130		1		08/20/22 19:17	2037-26-5	
Dibromofluoromethane (S)	113	%	70-130		1		08/20/22 19:17	1868-53-7	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: LGX004-0309012-22006067-Revised Report  
Pace Project No.: 30513470

Sample: MW-11      Lab ID: 30513470009      Collected: 08/09/22 17:15      Received: 08/11/22 09:30      Matrix: Water									
Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
<b>8260C MSV</b>									
Analytical Method: EPA 8260C									
Pace Analytical Services - Greensburg									
Acetone	ND	ug/L	10.0	5.6	1	08/20/22 19:42	67-64-1	N4	
Benzene	ND	ug/L	1.0	0.34	1	08/20/22 19:42	71-43-2	N4	
Bromochloromethane	ND	ug/L	1.0	0.48	1	08/20/22 19:42	74-97-5	N4	
Bromodichloromethane	ND	ug/L	1.0	0.35	1	08/20/22 19:42	75-27-4	N4	
Bromoform	ND	ug/L	4.0	1.5	1	08/20/22 19:42	75-25-2	N4	
Bromomethane	ND	ug/L	4.0	2.5	1	08/20/22 19:42	74-83-9	CL,N4	
TOTAL BTEX	ND	ug/L	6.0	2.4	1	08/20/22 19:42		N4	
2-Butanone (MEK)	ND	ug/L	10.0	1.5	1	08/20/22 19:42	78-93-3	CL,L2, N4	
Carbon disulfide	ND	ug/L	1.0	0.32	1	08/20/22 19:42	75-15-0	N4	
Carbon tetrachloride	ND	ug/L	1.0	0.44	1	08/20/22 19:42	56-23-5	N4	
Chlorobenzene	ND	ug/L	1.0	0.26	1	08/20/22 19:42	108-90-7	N4	
Chloroethane	ND	ug/L	1.0	0.64	1	08/20/22 19:42	75-00-3	N4	
Chloroform	ND	ug/L	1.0	0.93	1	08/20/22 19:42	67-66-3	N4	
Chloromethane	ND	ug/L	1.0	0.40	1	08/20/22 19:42	74-87-3	CL,N4	
Dibromochloromethane	ND	ug/L	1.0	0.43	1	08/20/22 19:42	124-48-1	N4	
1,2-Dichlorobenzene	ND	ug/L	1.0	0.38	1	08/20/22 19:42	95-50-1	N4	
1,3-Dichlorobenzene	ND	ug/L	1.0	0.45	1	08/20/22 19:42	541-73-1	N4	
1,4-Dichlorobenzene	ND	ug/L	1.0	0.48	1	08/20/22 19:42	106-46-7	N4	
1,1-Dichloroethane	ND	ug/L	1.0	0.50	1	08/20/22 19:42	75-34-3	N4	
1,2-Dichloroethane	ND	ug/L	1.0	0.33	1	08/20/22 19:42	107-06-2	N4	
1,2-Dichloroethene (Total)	ND	ug/L	2.0	0.66	1	08/20/22 19:42	540-59-0	N4	
1,1-Dichloroethene	ND	ug/L	1.0	0.49	1	08/20/22 19:42	75-35-4	N4	
cis-1,2-Dichloroethene	ND	ug/L	1.0	0.38	1	08/20/22 19:42	156-59-2	N4	
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.28	1	08/20/22 19:42	156-60-5	N4	
1,2-Dichloropropane	ND	ug/L	1.0	0.28	1	08/20/22 19:42	78-87-5	N4	
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.29	1	08/20/22 19:42	10061-01-5	N4	
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.32	1	08/20/22 19:42	10061-02-6	N4	
Ethylbenzene	ND	ug/L	1.0	0.40	1	08/20/22 19:42	100-41-4	N4	
2-Hexanone	ND	ug/L	10.0	0.58	1	08/20/22 19:42	591-78-6	CL,L2, N4	
Isopropylbenzene (Cumene)	ND	ug/L	1.0	0.47	1	08/20/22 19:42	98-82-8	N4	
Methylene Chloride	ND	ug/L	1.0	0.64	1	08/20/22 19:42	75-09-2	CL,N4	
4-Methyl-2-pentanone (MIBK)	ND	ug/L	10.0	0.42	1	08/20/22 19:42	108-10-1	CL,L2, N4	
Methyl-tert-butyl ether	ND	ug/L	1.0	0.25	1	08/20/22 19:42	1634-04-4	N4	
Naphthalene	ND	ug/L	4.0	2.1	1	08/20/22 19:42	91-20-3	N4	
Styrene	ND	ug/L	1.0	0.33	1	08/20/22 19:42	100-42-5	N4	
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.47	1	08/20/22 19:42	79-34-5	N4	
Tetrachloroethene	ND	ug/L	1.0	0.39	1	08/20/22 19:42	127-18-4	N4	
Toluene	ND	ug/L	1.0	0.32	1	08/20/22 19:42	108-88-3	N4	
1,2,4-Trichlorobenzene	ND	ug/L	4.0	0.73	1	08/20/22 19:42	120-82-1	N4	
1,1,1-Trichloroethane	ND	ug/L	1.0	0.38	1	08/20/22 19:42	71-55-6	N4	
1,1,2-Trichloroethane	ND	ug/L	1.0	0.33	1	08/20/22 19:42	79-00-5	N4	
Trichloroethene	ND	ug/L	1.0	0.29	1	08/20/22 19:42	79-01-6	N4	
1,2,4-Trimethylbenzene	ND	ug/L	1.0	0.63	1	08/20/22 19:42	95-63-6	N4	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LGX004-0309012-22006067-Revised Report

Pace Project No.: 30513470

**Sample: MW-11**      **Lab ID: 30513470009**      Collected: 08/09/22 17:15      Received: 08/11/22 09:30      Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
<b>8260C MSV</b>									
Analytical Method: EPA 8260C									
Pace Analytical Services - Greensburg									
1,3,5-Trimethylbenzene	ND	ug/L	1.0	0.45	1		08/20/22 19:42	108-67-8	N4
Vinyl chloride	ND	ug/L	1.0	0.29	1		08/20/22 19:42	75-01-4	CL,N4
Xylene (Total)	ND	ug/L	3.0	1.4	1		08/20/22 19:42	1330-20-7	N4
m&p-Xylene	ND	ug/L	2.0	0.94	1		08/20/22 19:42	179601-23-1	N4
o-Xylene	ND	ug/L	1.0	0.41	1		08/20/22 19:42	95-47-6	N4
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	107	%	70-130		1		08/20/22 19:42	460-00-4	
1,2-Dichloroethane-d4 (S)	107	%	70-130		1		08/20/22 19:42	17060-07-0	
Toluene-d8 (S)	98	%	70-130		1		08/20/22 19:42	2037-26-5	
Dibromofluoromethane (S)	116	%	70-130		1		08/20/22 19:42	1868-53-7	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LGX004-0309012-22006067-Revised Report  
Pace Project No.: 30513470

Sample: MW-12      Lab ID: 30513470010      Collected: 08/09/22 16:10      Received: 08/11/22 09:30      Matrix: Water									
Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
<b>8260C MSV</b>									
Analytical Method: EPA 8260C									
Pace Analytical Services - Greensburg									
Acetone	ND	ug/L	10.0	5.6	1		08/20/22 20:07	67-64-1	N4
Benzene	ND	ug/L	1.0	0.34	1		08/20/22 20:07	71-43-2	N4
Bromochloromethane	ND	ug/L	1.0	0.48	1		08/20/22 20:07	74-97-5	N4
Bromodichloromethane	ND	ug/L	1.0	0.35	1		08/20/22 20:07	75-27-4	N4
Bromoform	ND	ug/L	4.0	1.5	1		08/20/22 20:07	75-25-2	N4
Bromomethane	ND	ug/L	4.0	2.5	1		08/20/22 20:07	74-83-9	CL,N4
TOTAL BTEX	ND	ug/L	6.0	2.4	1		08/20/22 20:07		N4
2-Butanone (MEK)	ND	ug/L	10.0	1.5	1		08/20/22 20:07	78-93-3	CL,L2, N4
Carbon disulfide	ND	ug/L	1.0	0.32	1		08/20/22 20:07	75-15-0	N4
Carbon tetrachloride	ND	ug/L	1.0	0.44	1		08/20/22 20:07	56-23-5	N4
Chlorobenzene	ND	ug/L	1.0	0.26	1		08/20/22 20:07	108-90-7	N4
Chloroethane	<b>41.8</b>	ug/L	1.0	0.64	1		08/20/22 20:07	75-00-3	N4
Chloroform	ND	ug/L	1.0	0.93	1		08/20/22 20:07	67-66-3	N4
Chloromethane	ND	ug/L	1.0	0.40	1		08/20/22 20:07	74-87-3	CL,N4
Dibromochloromethane	ND	ug/L	1.0	0.43	1		08/20/22 20:07	124-48-1	N4
1,2-Dichlorobenzene	ND	ug/L	1.0	0.38	1		08/20/22 20:07	95-50-1	N4
1,3-Dichlorobenzene	ND	ug/L	1.0	0.45	1		08/20/22 20:07	541-73-1	N4
1,4-Dichlorobenzene	ND	ug/L	1.0	0.48	1		08/20/22 20:07	106-46-7	N4
1,1-Dichloroethane	<b>2.9</b>	ug/L	1.0	0.50	1		08/20/22 20:07	75-34-3	N4
1,2-Dichloroethane	ND	ug/L	1.0	0.33	1		08/20/22 20:07	107-06-2	N4
1,2-Dichloroethene (Total)	ND	ug/L	2.0	0.66	1		08/20/22 20:07	540-59-0	N4
1,1-Dichloroethene	ND	ug/L	1.0	0.49	1		08/20/22 20:07	75-35-4	N4
cis-1,2-Dichloroethene	ND	ug/L	1.0	0.38	1		08/20/22 20:07	156-59-2	N4
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.28	1		08/20/22 20:07	156-60-5	N4
1,2-Dichloropropane	ND	ug/L	1.0	0.28	1		08/20/22 20:07	78-87-5	N4
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.29	1		08/20/22 20:07	10061-01-5	N4
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.32	1		08/20/22 20:07	10061-02-6	N4
Ethylbenzene	ND	ug/L	1.0	0.40	1		08/20/22 20:07	100-41-4	N4
2-Hexanone	ND	ug/L	10.0	0.58	1		08/20/22 20:07	591-78-6	CL,L2, N4
Isopropylbenzene (Cumene)	ND	ug/L	1.0	0.47	1		08/20/22 20:07	98-82-8	N4
Methylene Chloride	ND	ug/L	1.0	0.64	1		08/20/22 20:07	75-09-2	CL,N4
4-Methyl-2-pentanone (MIBK)	ND	ug/L	10.0	0.42	1		08/20/22 20:07	108-10-1	CL,L2, N4
Methyl-tert-butyl ether	ND	ug/L	1.0	0.25	1		08/20/22 20:07	1634-04-4	N4
Naphthalene	ND	ug/L	4.0	2.1	1		08/20/22 20:07	91-20-3	N4
Styrene	ND	ug/L	1.0	0.33	1		08/20/22 20:07	100-42-5	N4
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.47	1		08/20/22 20:07	79-34-5	N4
Tetrachloroethene	ND	ug/L	1.0	0.39	1		08/20/22 20:07	127-18-4	N4
Toluene	ND	ug/L	1.0	0.32	1		08/20/22 20:07	108-88-3	N4
1,2,4-Trichlorobenzene	ND	ug/L	4.0	0.73	1		08/20/22 20:07	120-82-1	N4
1,1,1-Trichloroethane	ND	ug/L	1.0	0.38	1		08/20/22 20:07	71-55-6	N4
1,1,2-Trichloroethane	ND	ug/L	1.0	0.33	1		08/20/22 20:07	79-00-5	N4
Trichloroethene	ND	ug/L	1.0	0.29	1		08/20/22 20:07	79-01-6	N4
1,2,4-Trimethylbenzene	ND	ug/L	1.0	0.63	1		08/20/22 20:07	95-63-6	N4

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LGX004-0309012-22006067-Revised Report  
Pace Project No.: 30513470

Sample: MW-12		Lab ID: 30513470010		Collected: 08/09/22 16:10		Received: 08/11/22 09:30		Matrix: Water	
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260C MSV</b>		Analytical Method: EPA 8260C Pace Analytical Services - Greensburg							
1,3,5-Trimethylbenzene	ND	ug/L	1.0	0.45	1		08/20/22 20:07	108-67-8	N4
Vinyl chloride	ND	ug/L	1.0	0.29	1		08/20/22 20:07	75-01-4	CL,N4
Xylene (Total)	ND	ug/L	3.0	1.4	1		08/20/22 20:07	1330-20-7	N4
m&p-Xylene	ND	ug/L	2.0	0.94	1		08/20/22 20:07	179601-23-1	N4
o-Xylene	ND	ug/L	1.0	0.41	1		08/20/22 20:07	95-47-6	N4
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	104	%	70-130		1		08/20/22 20:07	460-00-4	
1,2-Dichloroethane-d4 (S)	107	%	70-130		1		08/20/22 20:07	17060-07-0	
Toluene-d8 (S)	94	%	70-130		1		08/20/22 20:07	2037-26-5	
Dibromofluoromethane (S)	114	%	70-130		1		08/20/22 20:07	1868-53-7	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LGX004-0309012-22006067-Revised Report  
Pace Project No.: 30513470

Sample: MW-13      Lab ID: 30513470011      Collected: 08/08/22 15:40      Received: 08/11/22 09:30      Matrix: Water									
Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
<b>8260C MSV</b>									
Analytical Method: EPA 8260C									
Pace Analytical Services - Greensburg									
Acetone	ND	ug/L	10.0	5.6	1		08/20/22 20:32	67-64-1	N4
Benzene	ND	ug/L	1.0	0.34	1		08/20/22 20:32	71-43-2	N4
Bromochloromethane	ND	ug/L	1.0	0.48	1		08/20/22 20:32	74-97-5	N4
Bromodichloromethane	ND	ug/L	1.0	0.35	1		08/20/22 20:32	75-27-4	N4
Bromoform	ND	ug/L	4.0	1.5	1		08/20/22 20:32	75-25-2	N4
Bromomethane	ND	ug/L	4.0	2.5	1		08/20/22 20:32	74-83-9	CL,N4
TOTAL BTEX	ND	ug/L	6.0	2.4	1		08/20/22 20:32		N4
2-Butanone (MEK)	ND	ug/L	10.0	1.5	1		08/20/22 20:32	78-93-3	CL,L2, N4
Carbon disulfide	ND	ug/L	1.0	0.32	1		08/20/22 20:32	75-15-0	N4
Carbon tetrachloride	ND	ug/L	1.0	0.44	1		08/20/22 20:32	56-23-5	N4
Chlorobenzene	ND	ug/L	1.0	0.26	1		08/20/22 20:32	108-90-7	N4
Chloroethane	<b>62.7</b>	ug/L	1.0	0.64	1		08/20/22 20:32	75-00-3	N4
Chloroform	ND	ug/L	1.0	0.93	1		08/20/22 20:32	67-66-3	N4
Chloromethane	ND	ug/L	1.0	0.40	1		08/20/22 20:32	74-87-3	CL,N4
Dibromochloromethane	ND	ug/L	1.0	0.43	1		08/20/22 20:32	124-48-1	N4
1,2-Dichlorobenzene	ND	ug/L	1.0	0.38	1		08/20/22 20:32	95-50-1	N4
1,3-Dichlorobenzene	ND	ug/L	1.0	0.45	1		08/20/22 20:32	541-73-1	N4
1,4-Dichlorobenzene	ND	ug/L	1.0	0.48	1		08/20/22 20:32	106-46-7	N4
1,1-Dichloroethane	<b>1.9</b>	ug/L	1.0	0.50	1		08/20/22 20:32	75-34-3	N4
1,2-Dichloroethane	ND	ug/L	1.0	0.33	1		08/20/22 20:32	107-06-2	N4
1,2-Dichloroethene (Total)	ND	ug/L	2.0	0.66	1		08/20/22 20:32	540-59-0	N4
1,1-Dichloroethene	<b>3.9</b>	ug/L	1.0	0.49	1		08/20/22 20:32	75-35-4	N4
cis-1,2-Dichloroethene	ND	ug/L	1.0	0.38	1		08/20/22 20:32	156-59-2	N4
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.28	1		08/20/22 20:32	156-60-5	N4
1,2-Dichloropropane	ND	ug/L	1.0	0.28	1		08/20/22 20:32	78-87-5	N4
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.29	1		08/20/22 20:32	10061-01-5	N4
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.32	1		08/20/22 20:32	10061-02-6	N4
Ethylbenzene	ND	ug/L	1.0	0.40	1		08/20/22 20:32	100-41-4	N4
2-Hexanone	ND	ug/L	10.0	0.58	1		08/20/22 20:32	591-78-6	CL,L2, N4
Isopropylbenzene (Cumene)	ND	ug/L	1.0	0.47	1		08/20/22 20:32	98-82-8	N4
Methylene Chloride	ND	ug/L	1.0	0.64	1		08/20/22 20:32	75-09-2	CL,N4
4-Methyl-2-pentanone (MIBK)	ND	ug/L	10.0	0.42	1		08/20/22 20:32	108-10-1	CL,L2, N4
Methyl-tert-butyl ether	ND	ug/L	1.0	0.25	1		08/20/22 20:32	1634-04-4	N4
Naphthalene	ND	ug/L	4.0	2.1	1		08/20/22 20:32	91-20-3	N4
Styrene	ND	ug/L	1.0	0.33	1		08/20/22 20:32	100-42-5	N4
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.47	1		08/20/22 20:32	79-34-5	N4
Tetrachloroethene	ND	ug/L	1.0	0.39	1		08/20/22 20:32	127-18-4	N4
Toluene	ND	ug/L	1.0	0.32	1		08/20/22 20:32	108-88-3	N4
1,2,4-Trichlorobenzene	ND	ug/L	4.0	0.73	1		08/20/22 20:32	120-82-1	N4
1,1,1-Trichloroethane	ND	ug/L	1.0	0.38	1		08/20/22 20:32	71-55-6	N4
1,1,2-Trichloroethane	ND	ug/L	1.0	0.33	1		08/20/22 20:32	79-00-5	N4
Trichloroethene	ND	ug/L	1.0	0.29	1		08/20/22 20:32	79-01-6	N4
1,2,4-Trimethylbenzene	ND	ug/L	1.0	0.63	1		08/20/22 20:32	95-63-6	N4

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LGX004-0309012-22006067-Revised Report

Pace Project No.: 30513470

**Sample: MW-13**      **Lab ID: 30513470011**      Collected: 08/08/22 15:40      Received: 08/11/22 09:30      Matrix: Water

Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
<b>8260C MSV</b>									
Analytical Method: EPA 8260C									
Pace Analytical Services - Greensburg									
1,3,5-Trimethylbenzene	ND	ug/L	1.0	0.45	1		08/20/22 20:32	108-67-8	N4
Vinyl chloride	ND	ug/L	1.0	0.29	1		08/20/22 20:32	75-01-4	CL,N4
Xylene (Total)	ND	ug/L	3.0	1.4	1		08/20/22 20:32	1330-20-7	N4
m&p-Xylene	ND	ug/L	2.0	0.94	1		08/20/22 20:32	179601-23-1	N4
o-Xylene	ND	ug/L	1.0	0.41	1		08/20/22 20:32	95-47-6	N4
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	93	%	70-130		1		08/20/22 20:32	460-00-4	
1,2-Dichloroethane-d4 (S)	108	%	70-130		1		08/20/22 20:32	17060-07-0	
Toluene-d8 (S)	96	%	70-130		1		08/20/22 20:32	2037-26-5	
Dibromofluoromethane (S)	116	%	70-130		1		08/20/22 20:32	1868-53-7	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LGX004-0309012-22006067-Revised Report  
Pace Project No.: 30513470

Sample: MW-14      Lab ID: 30513470012      Collected: 08/08/22 14:10      Received: 08/11/22 09:30      Matrix: Water									
Parameters	Results	Units	Report			Prepared	Analyzed	CAS No.	Qual
			Limit	MDL	DF				
<b>8260C MSV</b>									
Analytical Method: EPA 8260C									
Pace Analytical Services - Greensburg									
Acetone	ND	ug/L	10.0	5.6	1		08/20/22 20:57	67-64-1	N4
Benzene	ND	ug/L	1.0	0.34	1		08/20/22 20:57	71-43-2	N4
Bromochloromethane	ND	ug/L	1.0	0.48	1		08/20/22 20:57	74-97-5	N4
Bromodichloromethane	ND	ug/L	1.0	0.35	1		08/20/22 20:57	75-27-4	N4
Bromoform	ND	ug/L	4.0	1.5	1		08/20/22 20:57	75-25-2	N4
Bromomethane	ND	ug/L	4.0	2.5	1		08/20/22 20:57	74-83-9	CL,N4
TOTAL BTEX	ND	ug/L	6.0	2.4	1		08/20/22 20:57		N4
2-Butanone (MEK)	ND	ug/L	10.0	1.5	1		08/20/22 20:57	78-93-3	CL,L2, N4
Carbon disulfide	ND	ug/L	1.0	0.32	1		08/20/22 20:57	75-15-0	N4
Carbon tetrachloride	ND	ug/L	1.0	0.44	1		08/20/22 20:57	56-23-5	N4
Chlorobenzene	ND	ug/L	1.0	0.26	1		08/20/22 20:57	108-90-7	N4
Chloroethane	ND	ug/L	1.0	0.64	1		08/20/22 20:57	75-00-3	N4
Chloroform	ND	ug/L	1.0	0.93	1		08/20/22 20:57	67-66-3	N4
Chloromethane	ND	ug/L	1.0	0.40	1		08/20/22 20:57	74-87-3	CL,N4
Dibromochloromethane	ND	ug/L	1.0	0.43	1		08/20/22 20:57	124-48-1	N4
1,2-Dichlorobenzene	ND	ug/L	1.0	0.38	1		08/20/22 20:57	95-50-1	N4
1,3-Dichlorobenzene	ND	ug/L	1.0	0.45	1		08/20/22 20:57	541-73-1	N4
1,4-Dichlorobenzene	ND	ug/L	1.0	0.48	1		08/20/22 20:57	106-46-7	N4
1,1-Dichloroethane	<b>3.2</b>	ug/L	1.0	0.50	1		08/20/22 20:57	75-34-3	N4
1,2-Dichloroethane	ND	ug/L	1.0	0.33	1		08/20/22 20:57	107-06-2	N4
1,2-Dichloroethene (Total)	ND	ug/L	2.0	0.66	1		08/20/22 20:57	540-59-0	N4
1,1-Dichloroethene	<b>9.4</b>	ug/L	1.0	0.49	1		08/20/22 20:57	75-35-4	N4
cis-1,2-Dichloroethene	ND	ug/L	1.0	0.38	1		08/20/22 20:57	156-59-2	N4
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.28	1		08/20/22 20:57	156-60-5	N4
1,2-Dichloropropane	ND	ug/L	1.0	0.28	1		08/20/22 20:57	78-87-5	N4
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.29	1		08/20/22 20:57	10061-01-5	N4
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.32	1		08/20/22 20:57	10061-02-6	N4
Ethylbenzene	ND	ug/L	1.0	0.40	1		08/20/22 20:57	100-41-4	N4
2-Hexanone	ND	ug/L	10.0	0.58	1		08/20/22 20:57	591-78-6	CL,L2, N4
Isopropylbenzene (Cumene)	ND	ug/L	1.0	0.47	1		08/20/22 20:57	98-82-8	N4
Methylene Chloride	ND	ug/L	1.0	0.64	1		08/20/22 20:57	75-09-2	CL,N4
4-Methyl-2-pentanone (MIBK)	ND	ug/L	10.0	0.42	1		08/20/22 20:57	108-10-1	CL,L2, N4
Methyl-tert-butyl ether	ND	ug/L	1.0	0.25	1		08/20/22 20:57	1634-04-4	N4
Naphthalene	ND	ug/L	4.0	2.1	1		08/20/22 20:57	91-20-3	N4
Styrene	ND	ug/L	1.0	0.33	1		08/20/22 20:57	100-42-5	N4
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.47	1		08/20/22 20:57	79-34-5	N4
Tetrachloroethene	ND	ug/L	1.0	0.39	1		08/20/22 20:57	127-18-4	N4
Toluene	ND	ug/L	1.0	0.32	1		08/20/22 20:57	108-88-3	N4
1,2,4-Trichlorobenzene	ND	ug/L	4.0	0.73	1		08/20/22 20:57	120-82-1	N4
1,1,1-Trichloroethane	ND	ug/L	1.0	0.38	1		08/20/22 20:57	71-55-6	N4
1,1,2-Trichloroethane	ND	ug/L	1.0	0.33	1		08/20/22 20:57	79-00-5	N4
Trichloroethene	ND	ug/L	1.0	0.29	1		08/20/22 20:57	79-01-6	N4
1,2,4-Trimethylbenzene	ND	ug/L	1.0	0.63	1		08/20/22 20:57	95-63-6	N4

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LGX004-0309012-22006067-Revised Report  
Pace Project No.: 30513470

Sample: MW-14		Lab ID: 30513470012		Collected: 08/08/22 14:10		Received: 08/11/22 09:30		Matrix: Water	
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260C MSV</b>		Analytical Method: EPA 8260C Pace Analytical Services - Greensburg							
1,3,5-Trimethylbenzene	ND	ug/L	1.0	0.45	1		08/20/22 20:57	108-67-8	N4
Vinyl chloride	ND	ug/L	1.0	0.29	1		08/20/22 20:57	75-01-4	CL,N4
Xylene (Total)	ND	ug/L	3.0	1.4	1		08/20/22 20:57	1330-20-7	N4
m&p-Xylene	ND	ug/L	2.0	0.94	1		08/20/22 20:57	179601-23-1	N4
o-Xylene	ND	ug/L	1.0	0.41	1		08/20/22 20:57	95-47-6	N4
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	105	%	70-130		1		08/20/22 20:57	460-00-4	
1,2-Dichloroethane-d4 (S)	105	%	70-130		1		08/20/22 20:57	17060-07-0	
Toluene-d8 (S)	97	%	70-130		1		08/20/22 20:57	2037-26-5	
Dibromofluoromethane (S)	108	%	70-130		1		08/20/22 20:57	1868-53-7	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### ANALYTICAL RESULTS

Project: LGX004-0309012-22006067-Revised Report  
Pace Project No.: 30513470

Sample: Field Blank 01      Lab ID: 30513470013      Collected: 08/08/22 15:30      Received: 08/11/22 09:30      Matrix: Water									
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260C MSV</b>									
Analytical Method: EPA 8260C									
Pace Analytical Services - Greensburg									
Acetone	ND	ug/L	10.0	5.6	1		08/20/22 21:22	67-64-1	N4
Benzene	ND	ug/L	1.0	0.34	1		08/20/22 21:22	71-43-2	N4
Bromochloromethane	ND	ug/L	1.0	0.48	1		08/20/22 21:22	74-97-5	N4
Bromodichloromethane	ND	ug/L	1.0	0.35	1		08/20/22 21:22	75-27-4	N4
Bromoform	ND	ug/L	4.0	1.5	1		08/20/22 21:22	75-25-2	N4
Bromomethane	ND	ug/L	4.0	2.5	1		08/20/22 21:22	74-83-9	CL,N4
TOTAL BTEX	ND	ug/L	6.0	2.4	1		08/20/22 21:22		N4
2-Butanone (MEK)	ND	ug/L	10.0	1.5	1		08/20/22 21:22	78-93-3	CL,L2, N4
Carbon disulfide	ND	ug/L	1.0	0.32	1		08/20/22 21:22	75-15-0	N4
Carbon tetrachloride	ND	ug/L	1.0	0.44	1		08/20/22 21:22	56-23-5	N4
Chlorobenzene	ND	ug/L	1.0	0.26	1		08/20/22 21:22	108-90-7	N4
Chloroethane	ND	ug/L	1.0	0.64	1		08/20/22 21:22	75-00-3	N4
Chloroform	<b>12.0</b>	ug/L	1.0	0.93	1		08/20/22 21:22	67-66-3	N4
Chloromethane	ND	ug/L	1.0	0.40	1		08/20/22 21:22	74-87-3	CL,N4
Dibromochloromethane	ND	ug/L	1.0	0.43	1		08/20/22 21:22	124-48-1	N4
1,2-Dichlorobenzene	ND	ug/L	1.0	0.38	1		08/20/22 21:22	95-50-1	N4
1,3-Dichlorobenzene	ND	ug/L	1.0	0.45	1		08/20/22 21:22	541-73-1	N4
1,4-Dichlorobenzene	ND	ug/L	1.0	0.48	1		08/20/22 21:22	106-46-7	N4
1,1-Dichloroethane	ND	ug/L	1.0	0.50	1		08/20/22 21:22	75-34-3	N4
1,2-Dichloroethane	ND	ug/L	1.0	0.33	1		08/20/22 21:22	107-06-2	N4
1,2-Dichloroethene (Total)	ND	ug/L	2.0	0.66	1		08/20/22 21:22	540-59-0	N4
1,1-Dichloroethene	ND	ug/L	1.0	0.49	1		08/20/22 21:22	75-35-4	N4
cis-1,2-Dichloroethene	ND	ug/L	1.0	0.38	1		08/20/22 21:22	156-59-2	N4
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.28	1		08/20/22 21:22	156-60-5	N4
1,2-Dichloropropane	ND	ug/L	1.0	0.28	1		08/20/22 21:22	78-87-5	N4
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.29	1		08/20/22 21:22	10061-01-5	N4
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.32	1		08/20/22 21:22	10061-02-6	N4
Ethylbenzene	ND	ug/L	1.0	0.40	1		08/20/22 21:22	100-41-4	N4
2-Hexanone	ND	ug/L	10.0	0.58	1		08/20/22 21:22	591-78-6	CL,L2, N4
Isopropylbenzene (Cumene)	ND	ug/L	1.0	0.47	1		08/20/22 21:22	98-82-8	N4
Methylene Chloride	ND	ug/L	1.0	0.64	1		08/20/22 21:22	75-09-2	CL,N4
4-Methyl-2-pentanone (MIBK)	ND	ug/L	10.0	0.42	1		08/20/22 21:22	108-10-1	CL,L2, N4
Methyl-tert-butyl ether	ND	ug/L	1.0	0.25	1		08/20/22 21:22	1634-04-4	N4
Naphthalene	ND	ug/L	4.0	2.1	1		08/20/22 21:22	91-20-3	N4
Styrene	ND	ug/L	1.0	0.33	1		08/20/22 21:22	100-42-5	N4
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.47	1		08/20/22 21:22	79-34-5	N4
Tetrachloroethene	ND	ug/L	1.0	0.39	1		08/20/22 21:22	127-18-4	N4
Toluene	ND	ug/L	1.0	0.32	1		08/20/22 21:22	108-88-3	N4
1,2,4-Trichlorobenzene	ND	ug/L	4.0	0.73	1		08/20/22 21:22	120-82-1	N4
1,1,1-Trichloroethane	ND	ug/L	1.0	0.38	1		08/20/22 21:22	71-55-6	N4
1,1,2-Trichloroethane	ND	ug/L	1.0	0.33	1		08/20/22 21:22	79-00-5	N4
Trichloroethene	ND	ug/L	1.0	0.29	1		08/20/22 21:22	79-01-6	N4
1,2,4-Trimethylbenzene	ND	ug/L	1.0	0.63	1		08/20/22 21:22	95-63-6	N4

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LGX004-0309012-22006067-Revised Report  
Pace Project No.: 30513470

Sample: Field Blank 01      Lab ID: 30513470013      Collected: 08/08/22 15:30      Received: 08/11/22 09:30      Matrix: Water									
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260C MSV</b>									
Analytical Method: EPA 8260C									
Pace Analytical Services - Greensburg									
1,3,5-Trimethylbenzene	ND	ug/L	1.0	0.45	1		08/20/22 21:22	108-67-8	N4
Vinyl chloride	ND	ug/L	1.0	0.29	1		08/20/22 21:22	75-01-4	CL,N4
Xylene (Total)	ND	ug/L	3.0	1.4	1		08/20/22 21:22	1330-20-7	N4
m&p-Xylene	ND	ug/L	2.0	0.94	1		08/20/22 21:22	179601-23-1	N4
o-Xylene	ND	ug/L	1.0	0.41	1		08/20/22 21:22	95-47-6	N4
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	109	%	70-130		1		08/20/22 21:22	460-00-4	
1,2-Dichloroethane-d4 (S)	104	%	70-130		1		08/20/22 21:22	17060-07-0	
Toluene-d8 (S)	96	%	70-130		1		08/20/22 21:22	2037-26-5	
Dibromofluoromethane (S)	107	%	70-130		1		08/20/22 21:22	1868-53-7	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LGX004-0309012-22006067-Revised Report  
Pace Project No.: 30513470

Sample: Field Blank 02      Lab ID: 30513470014      Collected: 08/09/22 10:05      Received: 08/11/22 09:30      Matrix: Water									
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260C MSV</b>									
Analytical Method: EPA 8260C									
Pace Analytical Services - Greensburg									
Acetone	ND	ug/L	10.0	5.6	1		08/20/22 21:47	67-64-1	N4
Benzene	ND	ug/L	1.0	0.34	1		08/20/22 21:47	71-43-2	N4
Bromochloromethane	ND	ug/L	1.0	0.48	1		08/20/22 21:47	74-97-5	N4
Bromodichloromethane	<b>1.8</b>	ug/L	1.0	0.35	1		08/20/22 21:47	75-27-4	N4
Bromoform	ND	ug/L	4.0	1.5	1		08/20/22 21:47	75-25-2	N4
Bromomethane	ND	ug/L	4.0	2.5	1		08/20/22 21:47	74-83-9	CL,N4
TOTAL BTEX	ND	ug/L	6.0	2.4	1		08/20/22 21:47		N4
2-Butanone (MEK)	ND	ug/L	10.0	1.5	1		08/20/22 21:47	78-93-3	CL,L2, N4
Carbon disulfide	ND	ug/L	1.0	0.32	1		08/20/22 21:47	75-15-0	N4
Carbon tetrachloride	ND	ug/L	1.0	0.44	1		08/20/22 21:47	56-23-5	N4
Chlorobenzene	ND	ug/L	1.0	0.26	1		08/20/22 21:47	108-90-7	N4
Chloroethane	ND	ug/L	1.0	0.64	1		08/20/22 21:47	75-00-3	N4
Chloroform	<b>12.1</b>	ug/L	1.0	0.93	1		08/20/22 21:47	67-66-3	N4
Chloromethane	ND	ug/L	1.0	0.40	1		08/20/22 21:47	74-87-3	CL,N4
Dibromochloromethane	ND	ug/L	1.0	0.43	1		08/20/22 21:47	124-48-1	N4
1,2-Dichlorobenzene	ND	ug/L	1.0	0.38	1		08/20/22 21:47	95-50-1	N4
1,3-Dichlorobenzene	ND	ug/L	1.0	0.45	1		08/20/22 21:47	541-73-1	N4
1,4-Dichlorobenzene	ND	ug/L	1.0	0.48	1		08/20/22 21:47	106-46-7	N4
1,1-Dichloroethane	ND	ug/L	1.0	0.50	1		08/20/22 21:47	75-34-3	N4
1,2-Dichloroethane	ND	ug/L	1.0	0.33	1		08/20/22 21:47	107-06-2	N4
1,2-Dichloroethene (Total)	ND	ug/L	2.0	0.66	1		08/20/22 21:47	540-59-0	N4
1,1-Dichloroethene	ND	ug/L	1.0	0.49	1		08/20/22 21:47	75-35-4	N4
cis-1,2-Dichloroethene	ND	ug/L	1.0	0.38	1		08/20/22 21:47	156-59-2	N4
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.28	1		08/20/22 21:47	156-60-5	N4
1,2-Dichloropropane	ND	ug/L	1.0	0.28	1		08/20/22 21:47	78-87-5	N4
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.29	1		08/20/22 21:47	10061-01-5	N4
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.32	1		08/20/22 21:47	10061-02-6	N4
Ethylbenzene	ND	ug/L	1.0	0.40	1		08/20/22 21:47	100-41-4	N4
2-Hexanone	ND	ug/L	10.0	0.58	1		08/20/22 21:47	591-78-6	CL,L2, N4
Isopropylbenzene (Cumene)	ND	ug/L	1.0	0.47	1		08/20/22 21:47	98-82-8	N4
Methylene Chloride	ND	ug/L	1.0	0.64	1		08/20/22 21:47	75-09-2	CL,N4
4-Methyl-2-pentanone (MIBK)	ND	ug/L	10.0	0.42	1		08/20/22 21:47	108-10-1	CL,L2, N4
Methyl-tert-butyl ether	ND	ug/L	1.0	0.25	1		08/20/22 21:47	1634-04-4	N4
Naphthalene	ND	ug/L	4.0	2.1	1		08/20/22 21:47	91-20-3	N4
Styrene	ND	ug/L	1.0	0.33	1		08/20/22 21:47	100-42-5	N4
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.47	1		08/20/22 21:47	79-34-5	N4
Tetrachloroethene	ND	ug/L	1.0	0.39	1		08/20/22 21:47	127-18-4	N4
Toluene	ND	ug/L	1.0	0.32	1		08/20/22 21:47	108-88-3	N4
1,2,4-Trichlorobenzene	ND	ug/L	4.0	0.73	1		08/20/22 21:47	120-82-1	N4
1,1,1-Trichloroethane	ND	ug/L	1.0	0.38	1		08/20/22 21:47	71-55-6	N4
1,1,2-Trichloroethane	ND	ug/L	1.0	0.33	1		08/20/22 21:47	79-00-5	N4
Trichloroethene	ND	ug/L	1.0	0.29	1		08/20/22 21:47	79-01-6	N4
1,2,4-Trimethylbenzene	<b>3.4</b>	ug/L	1.0	0.63	1		08/20/22 21:47	95-63-6	N4

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LGX004-0309012-22006067-Revised Report  
Pace Project No.: 30513470

Sample: Field Blank 02      Lab ID: 30513470014      Collected: 08/09/22 10:05      Received: 08/11/22 09:30      Matrix: Water									
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260C MSV</b>									
Analytical Method: EPA 8260C									
Pace Analytical Services - Greensburg									
1,3,5-Trimethylbenzene	ND	ug/L	1.0	0.45	1		08/20/22 21:47	108-67-8	N4
Vinyl chloride	ND	ug/L	1.0	0.29	1		08/20/22 21:47	75-01-4	CL,N4
Xylene (Total)	ND	ug/L	3.0	1.4	1		08/20/22 21:47	1330-20-7	N4
m&p-Xylene	ND	ug/L	2.0	0.94	1		08/20/22 21:47	179601-23-1	N4
o-Xylene	ND	ug/L	1.0	0.41	1		08/20/22 21:47	95-47-6	N4
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	99	%	70-130		1		08/20/22 21:47	460-00-4	
1,2-Dichloroethane-d4 (S)	106	%	70-130		1		08/20/22 21:47	17060-07-0	
Toluene-d8 (S)	96	%	70-130		1		08/20/22 21:47	2037-26-5	
Dibromofluoromethane (S)	112	%	70-130		1		08/20/22 21:47	1868-53-7	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LGX004-0309012-22006067-Revised Report  
Pace Project No.: 30513470

Sample: Trip Blank									
Lab ID: 30513470015									
Collected: 08/09/22 00:01									
Received: 08/11/22 09:30									
Matrix: Water									
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260C MSV</b>									
Analytical Method: EPA 8260C									
Pace Analytical Services - Greensburg									
Acetone	ND	ug/L	10.0	5.6	1		08/20/22 15:55	67-64-1	N4
Benzene	ND	ug/L	1.0	0.34	1		08/20/22 15:55	71-43-2	N4
Bromochloromethane	ND	ug/L	1.0	0.48	1		08/20/22 15:55	74-97-5	N4
Bromodichloromethane	ND	ug/L	1.0	0.35	1		08/20/22 15:55	75-27-4	N4
Bromoform	ND	ug/L	4.0	1.5	1		08/20/22 15:55	75-25-2	N4
Bromomethane	ND	ug/L	4.0	2.5	1		08/20/22 15:55	74-83-9	CL,N4
TOTAL BTEX	ND	ug/L	6.0	2.4	1		08/20/22 15:55		N4
2-Butanone (MEK)	ND	ug/L	10.0	1.5	1		08/20/22 15:55	78-93-3	CL,L2,N4
Carbon disulfide	ND	ug/L	1.0	0.32	1		08/20/22 15:55	75-15-0	N4
Carbon tetrachloride	ND	ug/L	1.0	0.44	1		08/20/22 15:55	56-23-5	N4
Chlorobenzene	ND	ug/L	1.0	0.26	1		08/20/22 15:55	108-90-7	N4
Chloroethane	ND	ug/L	1.0	0.64	1		08/20/22 15:55	75-00-3	N4
Chloroform	ND	ug/L	1.0	0.93	1		08/20/22 15:55	67-66-3	N4
Chloromethane	ND	ug/L	1.0	0.40	1		08/20/22 15:55	74-87-3	CL,N4
Dibromochloromethane	ND	ug/L	1.0	0.43	1		08/20/22 15:55	124-48-1	N4
1,2-Dichlorobenzene	ND	ug/L	1.0	0.38	1		08/20/22 15:55	95-50-1	N4
1,3-Dichlorobenzene	ND	ug/L	1.0	0.45	1		08/20/22 15:55	541-73-1	N4
1,4-Dichlorobenzene	ND	ug/L	1.0	0.48	1		08/20/22 15:55	106-46-7	N4
1,1-Dichloroethane	ND	ug/L	1.0	0.50	1		08/20/22 15:55	75-34-3	N4
1,2-Dichloroethane	ND	ug/L	1.0	0.33	1		08/20/22 15:55	107-06-2	N4
1,2-Dichloroethene (Total)	ND	ug/L	2.0	0.66	1		08/20/22 15:55	540-59-0	N4
1,1-Dichloroethene	ND	ug/L	1.0	0.49	1		08/20/22 15:55	75-35-4	N4
cis-1,2-Dichloroethene	ND	ug/L	1.0	0.38	1		08/20/22 15:55	156-59-2	N4
trans-1,2-Dichloroethene	ND	ug/L	1.0	0.28	1		08/20/22 15:55	156-60-5	N4
1,2-Dichloropropane	ND	ug/L	1.0	0.28	1		08/20/22 15:55	78-87-5	N4
cis-1,3-Dichloropropene	ND	ug/L	1.0	0.29	1		08/20/22 15:55	10061-01-5	N4
trans-1,3-Dichloropropene	ND	ug/L	1.0	0.32	1		08/20/22 15:55	10061-02-6	N4
Ethylbenzene	ND	ug/L	1.0	0.40	1		08/20/22 15:55	100-41-4	N4
2-Hexanone	ND	ug/L	10.0	0.58	1		08/20/22 15:55	591-78-6	CL,L2,N4
Isopropylbenzene (Cumene)	ND	ug/L	1.0	0.47	1		08/20/22 15:55	98-82-8	N4
Methylene Chloride	ND	ug/L	1.0	0.64	1		08/20/22 15:55	75-09-2	CL,N4
4-Methyl-2-pentanone (MIBK)	ND	ug/L	10.0	0.42	1		08/20/22 15:55	108-10-1	CL,L2,N4
Methyl-tert-butyl ether	ND	ug/L	1.0	0.25	1		08/20/22 15:55	1634-04-4	N4
Naphthalene	ND	ug/L	4.0	2.1	1		08/20/22 15:55	91-20-3	N4
Styrene	ND	ug/L	1.0	0.33	1		08/20/22 15:55	100-42-5	N4
1,1,2,2-Tetrachloroethane	ND	ug/L	1.0	0.47	1		08/20/22 15:55	79-34-5	N4
Tetrachloroethene	ND	ug/L	1.0	0.39	1		08/20/22 15:55	127-18-4	N4
Toluene	ND	ug/L	1.0	0.32	1		08/20/22 15:55	108-88-3	N4
1,2,4-Trichlorobenzene	ND	ug/L	4.0	0.73	1		08/20/22 15:55	120-82-1	N4
1,1,1-Trichloroethane	ND	ug/L	1.0	0.38	1		08/20/22 15:55	71-55-6	N4
1,1,2-Trichloroethane	ND	ug/L	1.0	0.33	1		08/20/22 15:55	79-00-5	N4
Trichloroethene	ND	ug/L	1.0	0.29	1		08/20/22 15:55	79-01-6	N4
1,2,4-Trimethylbenzene	ND	ug/L	1.0	0.63	1		08/20/22 15:55	95-63-6	N4

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### ANALYTICAL RESULTS

Project: LGX004-0309012-22006067-Revised Report  
Pace Project No.: 30513470

Sample: Trip Blank		Lab ID: 30513470015		Collected: 08/09/22 00:01	Received: 08/11/22 09:30	Matrix: Water			
Parameters	Results	Units	Report Limit	MDL	DF	Prepared	Analyzed	CAS No.	Qual
<b>8260C MSV</b>		Analytical Method: EPA 8260C Pace Analytical Services - Greensburg							
1,3,5-Trimethylbenzene	ND	ug/L	1.0	0.45	1		08/20/22 15:55	108-67-8	N4
Vinyl chloride	ND	ug/L	1.0	0.29	1		08/20/22 15:55	75-01-4	CL,N4
Xylene (Total)	ND	ug/L	3.0	1.4	1		08/20/22 15:55	1330-20-7	N4
m&p-Xylene	ND	ug/L	2.0	0.94	1		08/20/22 15:55	179601-23-1	N4
o-Xylene	ND	ug/L	1.0	0.41	1		08/20/22 15:55	95-47-6	N4
<b>Surrogates</b>									
4-Bromofluorobenzene (S)	106	%	70-130		1		08/20/22 15:55	460-00-4	
1,2-Dichloroethane-d4 (S)	118	%	70-130		1		08/20/22 15:55	17060-07-0	
Toluene-d8 (S)	92	%	70-130		1		08/20/22 15:55	2037-26-5	
Dibromofluoromethane (S)	119	%	70-130		1		08/20/22 15:55	1868-53-7	

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: LGX004-0309012-22006067-Revised Report

Pace Project No.: 30513470

QC Batch: 527193

Analysis Method: EPA 8260C

QC Batch Method: EPA 8260C

Analysis Description: 8260C MSV

Laboratory: Pace Analytical Services - Greensburg

Associated Lab Samples: 30513470001, 30513470002, 30513470003, 30513470004, 30513470005, 30513470006, 30513470007, 30513470008, 30513470009, 30513470010, 30513470011, 30513470012, 30513470013, 30513470014, 30513470015

METHOD BLANK: 2558390

Matrix: Water

Associated Lab Samples: 30513470001, 30513470002, 30513470003, 30513470004, 30513470005, 30513470006, 30513470007, 30513470008, 30513470009, 30513470010, 30513470011, 30513470012, 30513470013, 30513470014, 30513470015

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
1,1,1-Trichloroethane	ug/L	1.0 U	1.0	0.38	08/20/22 15:30	N4
1,1,2,2-Tetrachloroethane	ug/L	1.0 U	1.0	0.47	08/20/22 15:30	N4
1,1,2-Trichloroethane	ug/L	1.0 U	1.0	0.33	08/20/22 15:30	N4
1,1-Dichloroethane	ug/L	1.0 U	1.0	0.50	08/20/22 15:30	N4
1,1-Dichloroethene	ug/L	1.0 U	1.0	0.49	08/20/22 15:30	N4
1,2,4-Trichlorobenzene	ug/L	4.0 U	4.0	0.73	08/20/22 15:30	N4
1,2,4-Trimethylbenzene	ug/L	1.0 U	1.0	0.63	08/20/22 15:30	N4
1,2-Dichlorobenzene	ug/L	1.0 U	1.0	0.38	08/20/22 15:30	N4
1,2-Dichloroethane	ug/L	1.0 U	1.0	0.33	08/20/22 15:30	N4
1,2-Dichloroethene (Total)	ug/L	2.0 U	2.0	0.66	08/20/22 15:30	N4
1,2-Dichloropropane	ug/L	1.0 U	1.0	0.28	08/20/22 15:30	N4
1,3,5-Trimethylbenzene	ug/L	1.0 U	1.0	0.45	08/20/22 15:30	N4
1,3-Dichlorobenzene	ug/L	1.0 U	1.0	0.45	08/20/22 15:30	N4
1,4-Dichlorobenzene	ug/L	1.0 U	1.0	0.48	08/20/22 15:30	N4
2-Butanone (MEK)	ug/L	10.0 U	10.0	1.5	08/20/22 15:30	CL,N4
2-Hexanone	ug/L	10.0 U	10.0	0.58	08/20/22 15:30	CL,N4
4-Methyl-2-pentanone (MIBK)	ug/L	10.0 U	10.0	0.42	08/20/22 15:30	CL,N4
Acetone	ug/L	10.0 U	10.0	5.6	08/20/22 15:30	N4
Benzene	ug/L	1.0 U	1.0	0.34	08/20/22 15:30	N4
Bromochloromethane	ug/L	1.0 U	1.0	0.48	08/20/22 15:30	N4
Bromodichloromethane	ug/L	1.0 U	1.0	0.35	08/20/22 15:30	N4
Bromoform	ug/L	4.0 U	4.0	1.5	08/20/22 15:30	N4
Bromomethane	ug/L	4.0 U	4.0	2.5	08/20/22 15:30	CL,N4
Carbon disulfide	ug/L	1.0 U	1.0	0.32	08/20/22 15:30	N4
Carbon tetrachloride	ug/L	1.0 U	1.0	0.44	08/20/22 15:30	N4
Chlorobenzene	ug/L	1.0 U	1.0	0.26	08/20/22 15:30	N4
Chloroethane	ug/L	1.0 U	1.0	0.64	08/20/22 15:30	N4
Chloroform	ug/L	1.0 U	1.0	0.93	08/20/22 15:30	N4
Chloromethane	ug/L	1.0 U	1.0	0.40	08/20/22 15:30	CL,N4
cis-1,2-Dichloroethene	ug/L	1.0 U	1.0	0.38	08/20/22 15:30	N4
cis-1,3-Dichloropropene	ug/L	1.0 U	1.0	0.29	08/20/22 15:30	N4
Dibromochloromethane	ug/L	1.0 U	1.0	0.43	08/20/22 15:30	N4
Ethylbenzene	ug/L	1.0 U	1.0	0.40	08/20/22 15:30	N4
Isopropylbenzene (Cumene)	ug/L	1.0 U	1.0	0.47	08/20/22 15:30	N4
m&p-Xylene	ug/L	2.0 U	2.0	0.94	08/20/22 15:30	N4
Methyl-tert-butyl ether	ug/L	1.0 U	1.0	0.25	08/20/22 15:30	N4
Methylene Chloride	ug/L	1.0 U	1.0	0.64	08/20/22 15:30	CL,N4

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: LGX004-0309012-22006067-Revised Report  
Pace Project No.: 30513470

METHOD BLANK: 2558390

Matrix: Water

Associated Lab Samples: 30513470001, 30513470002, 30513470003, 30513470004, 30513470005, 30513470006, 30513470007, 30513470008, 30513470009, 30513470010, 30513470011, 30513470012, 30513470013, 30513470014, 30513470015

Parameter	Units	Blank Result	Reporting Limit	MDL	Analyzed	Qualifiers
Naphthalene	ug/L	4.0 U	4.0	2.1	08/20/22 15:30	N4
o-Xylene	ug/L	1.0 U	1.0	0.41	08/20/22 15:30	N4
Styrene	ug/L	1.0 U	1.0	0.33	08/20/22 15:30	N4
Tetrachloroethene	ug/L	1.0 U	1.0	0.39	08/20/22 15:30	N4
Toluene	ug/L	1.0 U	1.0	0.32	08/20/22 15:30	N4
TOTAL BTEX	ug/L	6.0 U	6.0	2.4	08/20/22 15:30	N4
trans-1,2-Dichloroethene	ug/L	1.0 U	1.0	0.28	08/20/22 15:30	N4
trans-1,3-Dichloropropene	ug/L	1.0 U	1.0	0.32	08/20/22 15:30	N4
Trichloroethene	ug/L	1.0 U	1.0	0.29	08/20/22 15:30	N4
Vinyl chloride	ug/L	1.0 U	1.0	0.29	08/20/22 15:30	CL,N4
Xylene (Total)	ug/L	3.0 U	3.0	1.4	08/20/22 15:30	N4
1,2-Dichloroethane-d4 (S)	%	113	70-130		08/20/22 15:30	
4-Bromofluorobenzene (S)	%	102	70-130		08/20/22 15:30	
Dibromofluoromethane (S)	%	112	70-130		08/20/22 15:30	
Toluene-d8 (S)	%	91	70-130		08/20/22 15:30	

LABORATORY CONTROL SAMPLE: 2558391

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
1,1,1-Trichloroethane	ug/L	20	26.0	130	70-130	N4
1,1,2,2-Tetrachloroethane	ug/L	20	21.8	109	70-130	N4
1,1,2-Trichloroethane	ug/L	20	18.1	90	70-130	N4
1,1-Dichloroethane	ug/L	20	19.8	99	70-130	N4
1,1-Dichloroethene	ug/L	20	18.4	92	70-130	N4
1,2,4-Trichlorobenzene	ug/L	20	17.8	89	70-130	N4
1,2,4-Trimethylbenzene	ug/L	20	20.7	104	70-130	N4
1,2-Dichlorobenzene	ug/L	20	19.5	97	70-130	N4
1,2-Dichloroethane	ug/L	20	18.0	90	70-130	N4
1,2-Dichloroethene (Total)	ug/L	40	36.4	91	70-130	N4
1,2-Dichloropropane	ug/L	20	18.4	92	70-130	N4
1,3,5-Trimethylbenzene	ug/L	20	21.1	106	70-130	N4
1,3-Dichlorobenzene	ug/L	20	19.6	98	70-130	N4
1,4-Dichlorobenzene	ug/L	20	19.0	95	70-130	N4
2-Butanone (MEK)	ug/L	20	13.6	68	70-130	CL,L2,N4
2-Hexanone	ug/L	20	13.7	69	70-130	CL,L2,N4
4-Methyl-2-pentanone (MIBK)	ug/L	20	13.9	69	70-130	CL,L2,N4
Acetone	ug/L	20	16.8	84	67-173	N4
Benzene	ug/L	20	20.2	101	70-130	N4
Bromochloromethane	ug/L	20	19.1	95	70-130	N4
Bromodichloromethane	ug/L	20	19.2	96	70-130	N4
Bromoform	ug/L	20	19.5	97	63-119	N4
Bromomethane	ug/L	20	11.0	55	24-159	CL,N4

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



### QUALITY CONTROL DATA

Project: LGX004-0309012-22006067-Revised Report  
Pace Project No.: 30513470

LABORATORY CONTROL SAMPLE: 2558391

Parameter	Units	Spike Conc.	LCS Result	LCS % Rec	% Rec Limits	Qualifiers
Carbon disulfide	ug/L	20	16.3	82	57-132	N4
Carbon tetrachloride	ug/L	20	23.0	115	70-130	N4
Chlorobenzene	ug/L	20	19.3	97	70-130	N4
Chloroethane	ug/L	20	23.6	118	62-145	N4
Chloroform	ug/L	20	20.2	101	70-130	N4
Chloromethane	ug/L	20	14.1	70	66-140	CL,N4
cis-1,2-Dichloroethene	ug/L	20	18.0	90	70-130	N4
cis-1,3-Dichloropropene	ug/L	20	19.3	97	70-130	N4
Dibromochloromethane	ug/L	20	18.7	93	70-130	N4
Ethylbenzene	ug/L	20	20.1	101	70-130	N4
Isopropylbenzene (Cumene)	ug/L	20	22.1	110	70-130	N4
m&p-Xylene	ug/L	40	39.4	98	70-130	N4
Methyl-tert-butyl ether	ug/L	20	20.0	100	70-130	N4
Methylene Chloride	ug/L	20	15.5	77	70-130	CL,N4
Naphthalene	ug/L	20	16.6	83	55-160	N4
o-Xylene	ug/L	20	19.3	97	70-130	N4
Styrene	ug/L	20	19.8	99	70-130	N4
Tetrachloroethene	ug/L	20	21.7	108	70-130	N4
Toluene	ug/L	20	20.9	104	70-130	N4
TOTAL BTEX	ug/L	120	120	100	70-130	N4
trans-1,2-Dichloroethene	ug/L	20	18.3	92	70-130	N4
trans-1,3-Dichloropropene	ug/L	20	18.9	95	70-130	N4
Trichloroethene	ug/L	20	22.3	111	70-130	N4
Vinyl chloride	ug/L	20	14.7	73	70-130	CL,N4
Xylene (Total)	ug/L	60	58.7	98	70-130	N4
1,2-Dichloroethane-d4 (S)	%			97	70-130	
4-Bromofluorobenzene (S)	%			107	70-130	
Dibromofluoromethane (S)	%			109	70-130	
Toluene-d8 (S)	%			96	70-130	

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2558793 2558794

Parameter	Units	MS		MSD		MS Result	MSD Result	MS % Rec	MSD % Rec	% Rec Limits	RPD	Max RPD	Qual
		30513470008	Spike Conc.	Spike Conc.	Result								
1,1,1-Trichloroethane	ug/L	ND	20	20	21.8	21.7	109	108	55-146	0	30	N4	
1,1,2,2-Tetrachloroethane	ug/L	ND	20	20	18.9	21.2	95	106	55-118	11	30	N4	
1,1,2-Trichloroethane	ug/L	2.4	20	20	18.1	18.1	79	79	61-122	0	30	N4	
1,1-Dichloroethane	ug/L	54.6	20	20	69.5	67.1	74	62	59-130	4	30	N4	
1,1-Dichloroethene	ug/L	7.6	20	20	24.9	23.0	86	77	52-119	8	30	N4	
1,2,4-Trichlorobenzene	ug/L	ND	20	20	19.6	18.9	98	95	38-146	3	30	N4	
1,2,4-Trimethylbenzene	ug/L	ND	20	20	20.8	19.2	104	96	52-151	8	30	N4	
1,2-Dichlorobenzene	ug/L	ND	20	20	18.0	18.3	90	92	58-126	2	30	N4	
1,2-Dichloroethane	ug/L	ND	20	20	15.9	16.4	79	82	49-135	3	30	N4	
1,2-Dichloroethene (Total)	ug/L	ND	40	40	30.9	31.7	77	79	61-119	3	30	N4	
1,2-Dichloropropane	ug/L	ND	20	20	15.4	16.0	77	80	67-121	4	30	N4	

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA

Project: LGX004-0309012-22006067-Revised Report  
Pace Project No.: 30513470

MATRIX SPIKE & MATRIX SPIKE DUPLICATE: 2558793												2558794	
Parameter	Units	30513470008		MS	MSD	MS	MSD	MS	MSD	% Rec	Max	Qual	
		Result	Conc.	Spike Conc.	Spike Conc.	Result	Result	% Rec	% Rec	Limits	RPD		RPD
1,3,5-Trimethylbenzene	ug/L	ND	20	20	20.1	20.6	101	103	53-142	2	30	N4	
1,3-Dichlorobenzene	ug/L	ND	20	20	19.1	19.3	96	97	56-130	1	30	N4	
1,4-Dichlorobenzene	ug/L	ND	20	20	17.8	18.6	89	93	60-121	5	30	N4	
2-Butanone (MEK)	ug/L	ND	20	20	13.1	12.1	65	61	59-138	8	30	CL,N4	
2-Hexanone	ug/L	ND	20	20	11.7	12.4	58	62	66-123	6	30	CL,ML,N4	
4-Methyl-2-pentanone (MIBK)	ug/L	ND	20	20	11.4	11.4	57	57	70-130	0	30	CL,ML,N4	
Acetone	ug/L	ND	20	20	15.6	18.1	78	90	57-140	15	30	N4	
Benzene	ug/L	1.4	20	20	21.9	18.1	103	84	50-149	19	30	N4	
Bromochloromethane	ug/L	ND	20	20	17.2	17.1	86	85	63-120	1	30	N4	
Bromodichloromethane	ug/L	ND	20	20	16.9	17.5	84	87	46-131	3	30	N4	
Bromoform	ug/L	ND	20	20	16.8	17.4	84	87	30-119	4	30	N4	
Bromomethane	ug/L	ND	20	20	7.4	9.8	37	49	10-163	28	30	CL,N4	
Carbon disulfide	ug/L	ND	20	20	13.0	13.2	65	66	41-116	2	30	N4	
Carbon tetrachloride	ug/L	ND	20	20	19.1	19.3	95	97	55-119	1	30	N4	
Chlorobenzene	ug/L	ND	20	20	16.0	17.1	80	85	66-124	7	30	N4	
Chloroethane	ug/L	ND	20	20	23.9	22.3	120	112	45-162	7	30	N4	
Chloroform	ug/L	ND	20	20	17.5	17.3	87	87	56-123	1	30	N4	
Chloromethane	ug/L	ND	20	20	12.5	12.6	63	63	49-150	1	30	CL,N4	
cis-1,2-Dichloroethene	ug/L	ND	20	20	15.3	16.3	76	81	63-116	6	30	N4	
cis-1,3-Dichloropropene	ug/L	ND	20	20	16.0	16.8	80	84	46-119	5	30	N4	
Dibromochloromethane	ug/L	ND	20	20	16.4	16.3	82	81	42-120	1	30	N4	
Ethylbenzene	ug/L	ND	20	20	17.9	16.9	90	84	63-135	6	30	N4	
Isopropylbenzene (Cumene)	ug/L	ND	20	20	20.8	22.4	104	112	50-167	7	30	N4	
m&p-Xylene	ug/L	ND	40	40	36.7	34.1	92	85	63-135	7	30	N4	
Methyl-tert-butyl ether	ug/L	ND	20	20	18.5	16.6	92	83	53-123	11	30	N4	
Methylene Chloride	ug/L	ND	20	20	13.2	12.1	66	61	57-132	8	30	CL,N4	
Naphthalene	ug/L	ND	20	20	15.7	17.5	78	87	30-157	11	30	N4	
o-Xylene	ug/L	ND	20	20	17.2	17.0	86	85	57-133	1	30	N4	
Styrene	ug/L	ND	20	20	17.7	16.9	89	84	58-130	5	30	N4	
Tetrachloroethene	ug/L	ND	20	20	18.6	18.1	93	90	61-132	3	30	N4	
Toluene	ug/L	ND	20	20	27.7	18.4	139	92	59-139	40	30	N4,R1	
TOTAL BTEX	ug/L	ND	120	120	121	105	100	86	50-149	15	30	N4,RS	
trans-1,2-Dichloroethene	ug/L	ND	20	20	15.7	15.5	78	77	60-124	1	30	N4	
trans-1,3-Dichloropropene	ug/L	ND	20	20	15.3	15.6	77	78	48-121	2	30	N4	
Trichloroethene	ug/L	ND	20	20	17.5	18.7	87	93	63-128	7	30	N4	
Vinyl chloride	ug/L	ND	20	20	15.6	14.6	78	73	67-141	7	30	CL,N4	
Xylene (Total)	ug/L	ND	60	60	54.0	51.1	90	85	63-135	5	30	N4	
1,2-Dichloroethane-d4 (S)	%						97	96	70-130				
4-Bromofluorobenzene (S)	%						111	113	70-130				
Dibromofluoromethane (S)	%						100	97	70-130				
Toluene-d8 (S)	%						96	95	70-130				

Results presented on this page are in the units indicated by the "Units" column except where an alternate unit is presented to the right of the result.

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

## QUALIFIERS

Project: LGX004-0309012-22006067-Revised Report

Pace Project No.: 30513470

---

### DEFINITIONS

DF - Dilution Factor, if reported, represents the factor applied to the reported data due to dilution of the sample aliquot.

ND - Not Detected at or above adjusted reporting limit.

TNTC - Too Numerous To Count

J - Estimated concentration above the adjusted method detection limit and below the adjusted reporting limit.

MDL - Adjusted Method Detection Limit.

PQL - Practical Quantitation Limit.

RL - Reporting Limit - The lowest concentration value that meets project requirements for quantitative data with known precision and bias for a specific analyte in a specific matrix.

S - Surrogate

1,2-Diphenylhydrazine decomposes to and cannot be separated from Azobenzene using Method 8270. The result for each analyte is a combined concentration.

Consistent with EPA guidelines, unrounded data are displayed and have been used to calculate % recovery and RPD values.

LCS(D) - Laboratory Control Sample (Duplicate)

MS(D) - Matrix Spike (Duplicate)

DUP - Sample Duplicate

RPD - Relative Percent Difference

NC - Not Calculable.

SG - Silica Gel - Clean-Up

U - Indicates the compound was analyzed for, but not detected.

N-Nitrosodiphenylamine decomposes and cannot be separated from Diphenylamine using Method 8270. The result reported for each analyte is a combined concentration.

Reported results are not rounded until the final step prior to reporting. Therefore, calculated parameters that are typically reported as "Total" may vary slightly from the sum of the reported component parameters.

Pace Analytical is TNI accredited. Contact your Pace PM for the current list of accredited analytes.

TNI - The NELAC Institute.

### SAMPLE QUALIFIERS

Sample: 30513470001

[1] Residual Chlorine was present in the VOA vial used for analysis.

Sample: 30513470009

[1] Residual Chlorine was present in the VOA vial used for analysis.

### ANALYTE QUALIFIERS

CL The continuing calibration for this compound is outside of Pace Analytical acceptance limits. The results may be biased low.

L2 Analyte recovery in the laboratory control sample (LCS) was below QC limits. Results for this analyte in associated samples may be biased low.

ML Matrix spike recovery and/or matrix spike duplicate recovery was below laboratory control limits. Result may be biased low.

N4 The laboratory does not hold accreditation for this parameter by the relevant laboratory accrediting body.

R1 RPD value was outside control limits.

RS The RPD value in one of the constituent analytes was outside the control limits.

## REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.

### QUALITY CONTROL DATA CROSS REFERENCE TABLE

Project: LGX004-0309012-22006067-Revised Report

Pace Project No.: 30513470

Lab ID	Sample ID	QC Batch Method	QC Batch	Analytical Method	Analytical Batch
30513470001	MW-1	EPA 8260C	527193		
30513470002	MW-2	EPA 8260C	527193		
30513470003	MW-2D	EPA 8260C	527193		
30513470004	MW-3	EPA 8260C	527193		
30513470005	MW-7	EPA 8260C	527193		
30513470006	MW-8	EPA 8260C	527193		
30513470007	MW-9	EPA 8260C	527193		
30513470008	MW-10	EPA 8260C	527193		
30513470009	MW-11	EPA 8260C	527193		
30513470010	MW-12	EPA 8260C	527193		
30513470011	MW-13	EPA 8260C	527193		
30513470012	MW-14	EPA 8260C	527193		
30513470013	Field Blank 01	EPA 8260C	527193		
30513470014	Field Blank 02	EPA 8260C	527193		
30513470015	Trip Blank	EPA 8260C	527193		

### REPORT OF LABORATORY ANALYSIS

This report shall not be reproduced, except in full,  
without the written consent of Pace Analytical Services, LLC.



CHAIN-OF-CUSTODY Analytical Request Document

Chain-of-custody is a LEGAL DOCUMENT - Complete all relevant fields

Billing Information:

Company: Apex Akron office

Address: Akron, OH

Report To: Tim McLean

Customer Project Name/Number: LEX004-0509012-22006067

Phone: 330-316-1327  
Email: tim.mclean@apex.com

Collected By (print): Tim McLean  
Collected By (signature): [Signature]

Sample Disposal: [X] Dispose as appropriate [ ] Return  
[ ] Archive: [ ]  
[ ] Hold: [ ]

\* Matrix Codes (Insert in Matrix box below): Drinking Water (DW), Ground Water (GW), Wastewater (WW), Product (P), Soil/Solid (SL), Oil (OL), Wipe (WP), Air (AR), Tissue (TS), Bioassay (B), Vapor (V), Other (OT)

Customer Sample ID: MW-1

Matrix \*  
GW

Comp / Grab

Collected (or Composite Start) Date Time

Composite End Date Time

Res # of Ctns

Customer Sample ID	Matrix *	Comp / Grab	Collected (or Composite Start) Date Time	Composite End Date Time	Res # of Ctns
MW-1	GW		8/18/22 1645pm	8/18/22 1515	3
MW-2			8/18/22 1515	8/18/22 1515	3
MW-2D			8/19/22 1025am	8/19/22 1025am	3
MW-3			8/18/22 1445	8/18/22 1445	3
MW-7			8/18/22 1335pm	8/18/22 1335pm	3
MW-8			8/19/22 835am	8/19/22 835am	3
MW-9			8/15/22 945am	8/15/22 945am	3
MW-10			8/15/22 905am	8/15/22 905am	3
MW-11			8/18/22 1745pm	8/18/22 1745pm	3
MW-12			8/18/22 1610pm	8/18/22 1610pm	3

Customer Remarks / Special Conditions / Possible Hazards:

Reporting limit for 1,2-Dichloroethane to 0.328ug/L

Lab Tracking #: 2772749

Short Holds Present (<72 hours): Y  N  N/A

Lab Sample Temperature Info: Temp Blank Received: Y  N  NA

Therm ID#: 17

Cooler 1 Temp Upon Receipt: 1.9 OC

Cooler 1 Therm Corr. Factor: 0.2 OC

Cooler 1 Corrected Temp: 1.7 OC

Comments:

Received by/Company: (Signature) [Signature] Date/Time: 8-10-22 3:00pm

Received by/Company: (Signature) [Signature] Date/Time: 8-11-22 0730

Received by/Company: (Signature) [Signature] Date/Time: [Signature]

Radchem sample(s) screened (<500 cpm): Y  N  NA

Samples received via: FEDEX UPS Client Courier Pace Courier

MTJL LAB USE ONLY

Table #: [ ]

Accnum: [ ]

Template: [ ]

PrelogIn: [ ]

PM: [ ]

PB: [ ]

Non Conformance(s): YES  NO

Page: [ ] of: [ ]

Trip Blank Received: Y  N  NA

HCL MeOH TSP Other

LAB USE ONLY: Lab Sample # / Comments: [ ]

LAB USE ONLY: Lead Acetate Strips: Y  N  NA

LAB USE ONLY: Sulfide Present: Y  N  NA

LAB USE ONLY: pH Strips: Y  N  NA

LAB USE ONLY: Sample pH Acceptable: Y  N  NA

LAB USE ONLY: Cl Strips: Y  N  NA

LAB USE ONLY: Residual Chlorine Present: Y  N  NA

LAB USE ONLY: VOA - Headspace Acceptable: Y  N  NA

LAB USE ONLY: Samples Received on Ice: Y  N  NA

LAB USE ONLY: Sufficient Volume: Y  N  NA

LAB USE ONLY: Correct Bottles: Y  N  NA

LAB USE ONLY: Bottles Intact: Y  N  NA

LAB USE ONLY: Collector Signature Present: Y  N  NA

LAB USE ONLY: Custody Signatures Present: Y  N  NA

LAB USE ONLY: Custody Seals Present/Intact: Y  N  NA

Analyses

Container Preservative Type

ALL SHADE

MO#: 30513470

30513470

Lab Sample Receipt Checklist:

Custody Seals Present/Intact Y  N  NA

Custody Signatures Present Y  N  NA

Collector Signature Present Y  N  NA

Bottles Intact Y  N  NA

Sufficient Volume Y  N  NA

Samples Received on Ice Y  N  NA

VOA - Headspace Acceptable Y  N  NA

USDA Regulated Soils Y  N  NA

Samples in Holding Time Y  N  NA

Residual Chlorine Present Y  N  NA

Cl Strips: Y  N  NA

Sample pH Acceptable: Y  N  NA

pH Strips: Y  N  NA

Sulfide Present: Y  N  NA

Lead Acetate Strips: Y  N  NA

Lab Profile/Line: [ ]

Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other

Lab Profile/Line: [ ]

Analyses

Container Preservative Type

ALL SHADE

MO#: 30513470

30513470

Lab Sample Receipt Checklist:

Custody Seals Present/Intact Y  N  NA

Custody Signatures Present Y  N  NA

Collector Signature Present Y  N  NA

Bottles Intact Y  N  NA

Sufficient Volume Y  N  NA

Samples Received on Ice Y  N  NA

VOA - Headspace Acceptable Y  N  NA

USDA Regulated Soils Y  N  NA

Samples in Holding Time Y  N  NA

Residual Chlorine Present Y  N  NA

Cl Strips: Y  N  NA

Sample pH Acceptable: Y  N  NA

pH Strips: Y  N  NA

Sulfide Present: Y  N  NA

Lead Acetate Strips: Y  N  NA

Lab Profile/Line: [ ]

Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other

Lab Profile/Line: [ ]

Analyses

Container Preservative Type

ALL SHADE

MO#: 30513470

30513470

Lab Sample Receipt Checklist:

Custody Seals Present/Intact Y  N  NA

Custody Signatures Present Y  N  NA

Collector Signature Present Y  N  NA

Bottles Intact Y  N  NA

Sufficient Volume Y  N  NA

Samples Received on Ice Y  N  NA

VOA - Headspace Acceptable Y  N  NA

USDA Regulated Soils Y  N  NA

Samples in Holding Time Y  N  NA

Residual Chlorine Present Y  N  NA

Cl Strips: Y  N  NA

Sample pH Acceptable: Y  N  NA

pH Strips: Y  N  NA

Sulfide Present: Y  N  NA

Lead Acetate Strips: Y  N  NA

Lab Profile/Line: [ ]

Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other

Lab Profile/Line: [ ]

Analyses

Container Preservative Type

ALL SHADE

MO#: 30513470

30513470

Lab Sample Receipt Checklist:

Custody Seals Present/Intact Y  N  NA

Custody Signatures Present Y  N  NA

Collector Signature Present Y  N  NA

Bottles Intact Y  N  NA

Sufficient Volume Y  N  NA

Samples Received on Ice Y  N  NA

VOA - Headspace Acceptable Y  N  NA

USDA Regulated Soils Y  N  NA

Samples in Holding Time Y  N  NA

Residual Chlorine Present Y  N  NA

Cl Strips: Y  N  NA

Sample pH Acceptable: Y  N  NA

pH Strips: Y  N  NA

Sulfide Present: Y  N  NA

Lead Acetate Strips: Y  N  NA

Lab Profile/Line: [ ]

Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other

Lab Profile/Line: [ ]

Analyses

Container Preservative Type

ALL SHADE

MO#: 30513470

30513470

Lab Sample Receipt Checklist:

Custody Seals Present/Intact Y  N  NA

Custody Signatures Present Y  N  NA

Collector Signature Present Y  N  NA

Bottles Intact Y  N  NA

Sufficient Volume Y  N  NA

Samples Received on Ice Y  N  NA

VOA - Headspace Acceptable Y  N  NA

USDA Regulated Soils Y  N  NA

Samples in Holding Time Y  N  NA

Residual Chlorine Present Y  N  NA

Cl Strips: Y  N  NA

Sample pH Acceptable: Y  N  NA

pH Strips: Y  N  NA

Sulfide Present: Y  N  NA

Lead Acetate Strips: Y  N  NA

Lab Profile/Line: [ ]

Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other

Lab Profile/Line: [ ]

Analyses

Container Preservative Type

ALL SHADE

MO#: 30513470

30513470

Lab Sample Receipt Checklist:

Custody Seals Present/Intact Y  N  NA

Custody Signatures Present Y  N  NA

Collector Signature Present Y  N  NA

Bottles Intact Y  N  NA

Sufficient Volume Y  N  NA

Samples Received on Ice Y  N  NA

VOA - Headspace Acceptable Y  N  NA

USDA Regulated Soils Y  N  NA

Samples in Holding Time Y  N  NA

Residual Chlorine Present Y  N  NA

Cl Strips: Y  N  NA

Sample pH Acceptable: Y  N  NA

pH Strips: Y  N  NA

Sulfide Present: Y  N  NA

Lead Acetate Strips: Y  N  NA

Lab Profile/Line: [ ]

Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other

Lab Profile/Line: [ ]

Analyses

Container Preservative Type

ALL SHADE

MO#: 30513470

30513470

Lab Sample Receipt Checklist:

Custody Seals Present/Intact Y  N  NA

Custody Signatures Present Y  N  NA

Collector Signature Present Y  N  NA

Bottles Intact Y  N  NA

Sufficient Volume Y  N  NA

Samples Received on Ice Y  N  NA

VOA - Headspace Acceptable Y  N  NA

USDA Regulated Soils Y  N  NA

Samples in Holding Time Y  N  NA

Residual Chlorine Present Y  N  NA

Cl Strips: Y  N  NA

Sample pH Acceptable: Y  N  NA

pH Strips: Y  N  NA

Sulfide Present: Y  N  NA

Lead Acetate Strips: Y  N  NA

Lab Profile/Line: [ ]

Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other

Lab Profile/Line: [ ]

Analyses

Container Preservative Type

ALL SHADE

MO#: 30513470

30513470

Lab Sample Receipt Checklist:

Custody Seals Present/Intact Y  N  NA

Custody Signatures Present Y  N  NA

Collector Signature Present Y  N  NA

Bottles Intact Y  N  NA

Sufficient Volume Y  N  NA

Samples Received on Ice Y  N  NA

VOA - Headspace Acceptable Y  N  NA

USDA Regulated Soils Y  N  NA

Samples in Holding Time Y  N  NA

Residual Chlorine Present Y  N  NA

Cl Strips: Y  N  NA

Sample pH Acceptable: Y  N  NA

pH Strips: Y  N  NA

Sulfide Present: Y  N  NA

Lead Acetate Strips: Y  N  NA

Lab Profile/Line: [ ]

Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other

Lab Profile/Line: [ ]

Analyses

Container Preservative Type

ALL SHADE

MO#: 30513470

30513470

Lab Sample Receipt Checklist:

Custody Seals Present/Intact Y  N  NA

Custody Signatures Present Y  N  NA

Collector Signature Present Y  N  NA

Bottles Intact Y  N  NA

Sufficient Volume Y  N  NA

Samples Received on Ice Y  N  NA

VOA - Headspace Acceptable Y  N  NA

USDA Regulated Soils Y  N  NA

Samples in Holding Time Y  N  NA

Residual Chlorine Present Y  N  NA

Cl Strips: Y  N  NA

Sample pH Acceptable: Y  N  NA

pH Strips: Y  N  NA

Sulfide Present: Y  N  NA

Lead Acetate Strips: Y  N  NA

Lab Profile/Line: [ ]

Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other

Lab Profile/Line: [ ]

Analyses

Container Preservative Type

ALL SHADE

MO#: 30513470

30513470

Lab Sample Receipt Checklist:

Custody Seals Present/Intact Y  N  NA

Custody Signatures Present Y  N  NA

Collector Signature Present Y  N  NA

Bottles Intact Y  N  NA

Sufficient Volume Y  N  NA

Samples Received on Ice Y  N  NA

VOA - Headspace Acceptable Y  N  NA

USDA Regulated Soils Y  N  NA

Samples in Holding Time Y  N  NA

Residual Chlorine Present Y  N  NA

Cl Strips: Y  N  NA

Sample pH Acceptable: Y  N  NA

pH Strips: Y  N  NA

Sulfide Present: Y  N  NA

Lead Acetate Strips: Y  N  NA

Lab Profile/Line: [ ]

Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other

Lab Profile/Line: [ ]

Analyses

Container Preservative Type

ALL SHADE

MO#: 30513470

30513470

Lab Sample Receipt Checklist:

Custody Seals Present/Intact Y  N  NA

Custody Signatures Present Y  N  NA

Collector Signature Present Y  N  NA

Bottles Intact Y  N  NA

Sufficient Volume Y  N  NA

Samples Received on Ice Y  N  NA

VOA - Headspace Acceptable Y  N  NA

USDA Regulated Soils Y  N  NA

Samples in Holding Time Y  N  NA

Residual Chlorine Present Y  N  NA

Cl Strips: Y  N  NA

Sample pH Acceptable: Y  N  NA

pH Strips: Y  N  NA

Sulfide Present: Y  N  NA

Lead Acetate Strips: Y  N  NA

Lab Profile/Line: [ ]

Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other

Lab Profile/Line: [ ]

Analyses

Container Preservative Type

ALL SHADE

MO#: 30513470

30513470

Lab Sample Receipt Checklist:

Custody Seals Present/Intact Y  N  NA

Custody Signatures Present Y  N  NA

Collector Signature Present Y  N  NA

Bottles Intact Y  N  NA

Sufficient Volume Y  N  NA

Samples Received on Ice Y  N  NA

VOA - Headspace Acceptable Y  N  NA

USDA Regulated Soils Y  N  NA

Samples in Holding Time Y  N  NA

Residual Chlorine Present Y  N  NA

Cl Strips: Y  N  NA

Sample pH Acceptable: Y  N  NA

pH Strips: Y  N  NA

Sulfide Present: Y  N  NA

Lead Acetate Strips: Y  N  NA

Lab Profile/Line: [ ]

Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other

Lab Profile/Line: [ ]

Analyses

Container Preservative Type

ALL SHADE

MO#: 30513470

30513470

Lab Sample Receipt Checklist:

Custody Seals Present/Intact Y  N  NA

Custody Signatures Present Y  N  NA

Collector Signature Present Y  N  NA

Bottles Intact Y  N  NA

Sufficient Volume Y  N  NA

Samples Received on Ice Y  N  NA

VOA - Headspace Acceptable Y  N  NA

USDA Regulated Soils Y  N  NA

Samples in Holding Time Y  N  NA

Residual Chlorine Present Y  N  NA

Cl Strips: Y  N  NA

Sample pH Acceptable: Y  N  NA

pH Strips: Y  N  NA

Sulfide Present: Y  N  NA

Lead Acetate Strips: Y  N  NA

Lab Profile/Line: [ ]

Preservative Types: (1) nitric acid, (2) sulfuric acid, (3) hydrochloric acid, (4) sodium hydroxide, (5) zinc acetate, (6) methanol, (7) sodium bisulfate, (8) sodium thiosulfate, (9) hexane, (A) ascorbic acid, (B) ammonium sulfate, (C) ammonium hydroxide, (D) TSP, (U) Unpreserved, (O) Other

Lab Profile/Line: [ ]

Analyses

Container Preservative Type

ALL SHADE

MO#: 30513470

30513470

Lab Sample Receipt Checklist:

Custody Seals Present/Intact Y  N  NA

Custody Signatures Present Y  N  NA

Collector Signature Present Y  N  NA

Bottles Intact Y







## **Appendix E**

### **PURGE WATER MANIFEST**

Safety-Kleen Systems, Inc.  
 42 Longwater Drive  
 Norwell, MA 02061  
 CORPORATE: 800-669-5740  
 24 HR EMERGENCY: 800-468-1760 (Safety-Kleen)  
 7168268931

CUSTOMER# LE19013 Lexington Die Casting  
 201 Winchester Road  
 Lakewood  
 NY 14750-0000  
 PHONE 585-313-4845  
 BILL TO CUSTOMER#  
 LE10377

REFERENCE NBR.  
 89998448 - 2200391304  
 SRVC WEEK: 2022-38  
 SRVC DATE: 09-23-2022

BILL TO ADDRESS:  
 Lexington Machining  
 677 Buffalo Rd  
 Rochester  
 NY 14611-2014  
 PHONE 585-235-0880

PURCHASE ORDER#

TAX EXEMPT#

**PRODUCT/SERVICES**

SERVICE/PRODUCT	QTY	UNIT PRICE	TAX	TOTAL CHARGE
875480/ 1955579 CNOS 55GL NON HAZ SEMI SLDS SERVICE TERM 0 WEEK	1.0	364.30	29.14	393.44
100030 RECOVERY FEE	1.0	67.40	5.39	72.79

TOTAL SERVICE/PRODUCTS -----				
---	431.70	34.53		466.23
		TOTAL CHARGE		466.23
		CREDITS		0.00
		TOTAL DUE		466.23
		=====		
	UNPAID BALANCE THIS RECEIPT			466.23

GENERATOR STATUS  
 0-220 lbs/month

Customer certifies that (i) the above-named materials are properly classified, packaged, marked and labeled, and are in proper condition for transportation according to the applicable regulations of the Department of Transportation (ii) no material change has occurred either in the characteristics of the waste/material or in the process generating the waste/material, and (iii) the above referenced Generator Status is correct. Customer agrees to pay the above charges and to be bound by the terms and conditions (1) set forth in (a) the General Terms and Conditions provided separately to Customer or (b) any SK agreement signed by Customer and SK, and (2) incorporated herein by reference. Unless otherwise indicated in the payment received section, SK is authorized to charge Customers account for this transaction. If Customer fails to make payment when due, an amount equal to the lesser of (i) 1.5% per month (18% per annum) or (ii) the maximum amount allowed by law, will be added to all unpaid amounts outstanding. Customer certifies that the individual signing this Service Acknowledgement is duly authorized to sign and bind Customer. Customer acknowledges that it is responsible for maintaining its Generator Status and obtaining an EPA ID number if required by applicable law. The following provision is applicable to Safety-Kleens parts cleaner and paint gun cleaner services: Customer agrees that it will not introduce any substance into the solvent or aqueous cleaning solution, including without limitation any hazardous waste or hazardous waste constituent, except to the extent such introduction is incidental to the normal use of the machine. Customer further agrees that it will not clean parts/paint guns that have been contaminated with or otherwise introduce polychlorinated biphenyls (PCBs), herbicides, pesticides, dioxins or listed hazardous waste into the solvent or aqueous cleaning solution. The receiving facility has the appropriate permit(s) for, and will accept, the waste the generator is shipping. Customer agrees that it is responsible for properly classifying its waste streams as Used Oil or Nonhazardous Waste in accordance with the provision of 40 CFR 262.11 and applicable state laws. Customer agrees that it will not introduce any non-conforming substance into the SK Property, including, without limitation, any hazardous waste or hazardous waste constituent, (i.e., polychlorinated biphenyls ("PCBs"), herbicides, pesticides, dioxins, or listed hazardous wastes) except to the extent such introduction is incidental to the normal use of the SK Property. In the event of the introduction of such non-conforming hazardous waste, Customer agrees that it will be responsible for all costs and remediation expenses related to or arising from the proper management and disposal of the non-conforming waste, including the cost of equipment decontamination and subsequent disposal. Final invoicing will be based on the actual services provided, which may include additional charges for off specification waste and surcharges. Final invoice amount may be more than the amount listed on the printed receipt. If any legal action is commenced because of an alleged dispute, breach, default or misrepresentation, the Customer also agrees that the prevailing party will be entitled to recover reasonable attorneys fees and costs associated with the non-conforming contamination event. Safety-Kleens failure to screen Customers material or take a retain sample, in no way constitutes a waiver of Customers obligation to properly classify its materials. Safety-Kleen relies on Customers representations and Customer is responsible for informing Safety-Kleen of any process changes that may alter the characteristics of the materials provided. In accordance with 40 CFR 263.21 (b)(3) Clean Harbors and/or Safety-Kleen, as applicable, as the current transporter is expressly given agency authority by the generator to act as the generator's agent and accordingly, Clean Harbors and/or Safety-Kleen, as applicable, may change the transporter(s) designated on the manifest, or add a new transporter, during transportation



without the generator's prior, explicit approval. IN THE EVENT OF AN EMERGENCY CALL \*\*24-HR NUMBER\*\* 1-800-468-1760 (Safety-Kleen) A variable recovery fee that fluctuates with the DOE national average diesel price may be applied to your invoice. For more information regarding our recovery fee calculation please go to <http://safety-kleen.com/customer-service/environmental-fees/recovery-fees>. A variable Chemistry Fee that fluctuates based on internal material costs may be applied to your invoice. A variable Product Delivery Fee that fluctuates may be applied to your invoice. Please note e-manifest fees applicable to this order may not be included in the total above and will be included in the final invoice or credit card statement. RECEIPT ONLY - THIS IS NOT AN INVOICE



CUSTOMER / GENERATOR: Lexington Die Casting



TRANSPORTER: Schifano, Michael

**SHIPPING DOCUMENT**

IN THE EVENT OF AN EMERGENCY CALL \*\*24-Hr-Number\*\* 1-800-468-1760 (SAFETY-KLEEN SYSTEMS, INC.)

CUSTOMER#/GENERATOR: LE19013 Lexington Die Casting  
201 Winchester Road  
Lakewood  
NY 14750-0000  
PHONE 585-313-4845

#REFERENCE NBR.  
89998448 - 2200391304


GENERATOR USEPA ID: GENERATOR STATE ID:  
MANIFEST#: FORM CD: NR SHIP#: 238139393  
TRANSPORTER 1: TXR000081205 Safety Kleen


Address Transporter1:  
SAFETY-KLEEN SYSTEMS INC.  
1722 COOPER CREEK RD Ste 100  
DENTON, TX, US  
76208,  
Phone: 800-669-5840  
TRANSPORTER 2:

US DOT DESCRIPTION (INCLUDING PROPER SHIPPING NAME, HAZARD CLASS, AND ID)  
NONE, NON DOT REGULATED, (WATER), N/A  
FEDERAL WASTE CODES NONE  
STATE WASTE CODES  
TOTAL CONT: 1 TYPE: DM WT/VOL: G SKDOT: 8776149  
CNT#: 220912588957 SZ: 55 GAL/205 L CONTAINERS QTY: 10 PROF#: 1955579

DESIGNATED FACILITY NAME/ADDRESS:  
SPRING GROVE RESOURCE RECOVERY INC  
4879 SPRING GROVE AVE  
CINCINNATI  
OH 45232  
TSD PHONE 513-681-6242  
FACILITY USEPA ID NO OHD000816629  
FACILITY STATE ID NO 9390610002

GENERATOR STATUS  
0-220 lbs/month

  
CUSTOMER / GENERATOR: Lexington Die Casting

  
TRANSPORTER: Schifano,Michael

TRANSPORTER2:

---

---


LASTPAGE




## **Appendix F**

### **VOC TRENDLINE GRAPHS**


# MW-1




# MW-2



# MW-2D




# MW-3







# MW-4




# MW-5D




# MW-6




# MW-7




# MW-8




# MW-9



# MW-10




# MW-11







# MW-11D




# MW-12



# MW-13



# MW-14





## **Appendix G**

### **SITE PHOTOGRAPHS**



View of the northern exterior of the property.



View of the western exterior of the property.



View of the southern portion of the property.



View of the eastern portion of the property.

**SITE:**

Lexington Machining, Inc.  
201 Winchester Road  
Lakewood, New York







View of the office area.



View of a typical Bush Industries storage area located inside the building.



View of a typical vacant portion of the onsite building.



View of a typical Bush Industries storage area located inside the building.

**SITE:**

Lexington Machining, Inc.  
 201 Winchester Road  
 Lakewood, New York

