



AECOM  
257 West Genesee St.  
Suite 400  
Buffalo, NY 14202  
www.aecom.com

716 856 5636 tel  
716 856 2545 fax

March 14, 2017

Mr. Brian Sadowski  
New York State Department of Environmental Conservation, Region 9  
Division of Environmental Remediation  
270 Michigan Avenue  
Buffalo, New York 14203-2999

Subject: 2016 PERIODIC REVIEW REPORT  
Chem-Trol Site, Registry No. 9-15-015,  
Blasdell, Erie County

Dear Mr. Sadowski:

AECOM Technical Services, Inc. (AECOM), on behalf of SC Holdings, Inc. (SC Holdings), is submitting this Periodic Review Report (PRR) along with a completed Institutional Controls and Engineering Controls (IC/EC) Certification Form (Attachment A) for the Chem-Trol site. This report is being submitted as requested by the New York State Department of Environmental Conservation (NYSDEC) in its letter dated January 6, 2017 to Mr. Dave Moreira. The letter provides guidance for preparing the PRR and IC/EC form and requires that they be submitted to NYSDEC no later than March 17, 2017.

## **I. INTRODUCTION**

The Chem-Trol site is located at 4818 Lake Avenue, Town of Hamburg, in Erie County, New York. Chem-Trol Pollution Services (Chem-Trol) purchased the property in 1969 and operated the site as a waste chemical processing facility that included chemical recovery, storage, and neutralization. Wastes, including capacitors, pesticides, oil sludges, paint sludges, spent solvents and pickle liquors, were accepted at the facility for processing. The facility ceased operations in 1972.

As a result of historic waste processing activities, on-site soil and groundwater were impacted with heavy metals and volatile organic compounds (VOCs). In 1977, as part of the facility closure activities, Chem-Trol removed approximately 95 cubic yards of contaminated soils, placed clean soil cover and established vegetative cover over the area.

Investigative studies led to a Record of Decision (ROD) in 1996 that specified additional remedial activities. These included removal of additional soils, and construction of a soil vapor extraction (SVE) system and groundwater collection and treatment system. The SVE system includes a header pipe and eight subsurface laterals installed in a linear array within the area of remediated soils. The groundwater collection and treatment system includes a blast-fractured bedrock trench in which three groundwater collection wells are installed, conveyance piping, and a shallow tray air stripper that

removes VOCs from the collected groundwater. The treated groundwater is discharged through a pipe to the South Branch of Smokes Creek.

The SVE system and the groundwater collection and treatment system continue to operate. During 2010, McMahon & Mann Consulting Engineers, PC (MMCE) evaluated the effectiveness of passive operation of the SVE system in removing soil vapors. Subsequently, the SVE system was converted from active to passive operation in 2010. A copy of the SVE system evaluation letter report was included as Attachment B in the 2010 PRR.

## **II. SITE OVERVIEW**

The Chem-Trol site is situated in an urban setting with industrial/commercial areas to the north and east, commercial development along Lake Avenue to the south, and residential areas to the west, across the South Branch of Smokes Creek. Figure 1 shows the Chem-Trol site location and features.

Investigations completed between 1991 and 1994 showed contaminated soils generally located in the former operations and surface lagoon areas. Additional soil contamination was found in the on-site tributary of Smokes Creek as well as the flood plain along the western edge of the site. Contaminated groundwater was found in the overburden as well as the shallow bedrock beneath the site. Groundwater contours developed as part of the investigations show that groundwater flows in a northwesterly direction beneath the site toward the South Branch of Smokes Creek.

Because of the on-site contamination, the Chem-Trol site was assigned a hazardous waste site classification of 2 by NYSDEC. This classification indicates that the site poses a significant threat to public health and/or the environment and that action in the form of further investigations and remediation is required.

NYSDEC selected a remedial design based upon the results of the Remedial Investigation/Feasibility Study (RI/FS) for the Chem-Trol site. The March 1996 ROD selected a remedy that included:

- Excavation of soils and sediments from selected areas of the site;
- Installation of a groundwater collection trench along the western edge of the site;
- Improvement of the existing soil cover over the former chemical processing area; and,
- Installation of a SVE system within the former waste chemical processing area.

Pre-design investigations and remedial design were completed between 1997 and 2000. Construction of the ROD-required remedial components was completed between 1999 and 2001. Operation, maintenance and monitoring of the remedial components began in 2001. In December 2004, the Chem-Trol site was re-classified to a class 4 site by NYSDEC. This classification indicates that remedial actions taken at the site to eliminate significant threats to public health and the environment have been properly constructed and implemented, and long-term operation, maintenance and monitoring of the in-place remedial systems is necessary to assure remedy effectiveness.

Goals for the remedial program were established through the remediation selection process given in 6 NYCRR 375-1.10. The remediation goals established for this site include:

- Reduce and remove chemical contamination in the soils, sediments and groundwater at the site;
- Eliminate the potential for direct human or animal contact with the contaminated soils, sediments, and groundwaters at the site;
- Prevent migration of contaminants in the on-site soils into the groundwater;
- Prevent off-site migration of contaminated groundwater and mitigate the impacts of contaminated groundwater to the environment; and,
- Provide for attainment of Soil Cleanup Guidelines (SCG) for groundwater quality to the extent practical.

### **III. REMEDY PERFORMANCE, EFFECTIVENESS AND PROTECTIVENESS**

SC Holdings continues to monitor the performance of the SVE and groundwater collection and treatment system.

#### **SVE System**

SC Holdings submitted a work plan to NYSDEC on October 22, 2009 proposing conversion of the active system to a passive venting system and monitoring the performance of the passive system for a year. NYSDEC authorized the conversion to a passive system along with monthly monitoring. The SVE treatment system was converted from active to passive operation in January 2010.

After a year of monitoring, SC Holdings submitted a report describing the monitoring results as indicating that passive operation of the SVE system provides similar and possibly improved effectiveness as active operation of the SVE system in venting soil vapors. Water level data in the passive vent risers indicated that passive venting might also contribute to generally lower water levels in the laterals for a longer period of time over the course of the year and therefore provide a greater opportunity to vent soil vapors.

It was recommended that active operation of the SVE system permanently cease and that passive operation of the SVE system laterals continue. In addition, it was recommended that continued monitoring of the SVE system laterals be eliminated. NYSDEC agreed with these recommendations in a letter to Mr. Mark Snyder dated May 29, 2011.

During this reporting period, the SVE system continued to operate passively. The lateral riser pipes were visually examined for damage during quarterly site visits. No damage was observed during these site visits.

#### **Groundwater Collection and Treatment System**

SC Holdings has the following actions performed by AECOM (items 1 through 5) and TestAmerica Laboratories, Inc. (Amherst, NY) (item 6) in order to monitor the performance of the groundwater collection system as required in the ROD:

1. Perform monthly operation and maintenance tasks on the system;
2. Perform quarterly acid wash of the air stripper, including a once-per-year dismantling of the air stripper to check seals and remove mineral accumulation in air stripper trays using mechanical means (scrubbing, re-drilling holes to full diameter, etc.);
3. Sample and analyze the groundwater collection and treatment system influent and effluent on a monthly basis for a site-specific list of 10 VOCs, Total Iron, Total Suspended Solids (TSS), and pH;
4. Measure and record water levels in groundwater extraction wells and groundwater monitoring wells on a quarterly basis;
5. Prepare bedrock groundwater contours based on quarterly water level measurements collected during the year; and,
6. Obtain annual groundwater samples for VOCs from six groundwater monitoring wells.

Effluent from the groundwater collection and treatment system (air stripper) discharges into the South Branch of Smokes Creek. Monthly aqueous effluent samples taken from the air stripper surface water discharge pipe are analyzed for surface water discharge parameter limit concentrations. Analytical test results show that discharge parameter concentrations in the air stripper effluent for 2016 were below the concentration and mass loading discharge limits established by NYSDEC for 11 of 12 months, December analytical data were received on December 30, 2016 and indicated an exceedance of the treatment requirement for chloroethane and 1,1-dichloroethane for concentration but not mass loading rate, and for o-chlorotoluene for concentration and mass loading rate. AECOM responded to the site on Saturday, December 31, 2016 to assess available corrective actions. NYSDEC PM was notified of the exceedance and the corrective action plan on January 3, 2017. Corrective actions were completed on Wednesday, January 4, 2017. AECOM collected treatment system effluent samples to confirm system operation on January 10, 2017; analytical data were received on January 13, 2017 and indicated no exceedances for treatment or discharge requirements for any parameter.

Analytical test results for the 2016 monthly aqueous effluent samples are included in the Operation and Maintenance (O&M) reports submitted by AECOM to NYSDEC on a quarterly basis.

Monthly testing of the air stripper exhaust discharge (vapor phase) samples ceased after April 2011. Monthly testing was eliminated based upon a letter from Al Zylinski, NYSDEC Division of Air Resources, to MMCE (consultant to SC Holdings) dated April 6, 2011. The letter approved elimination of sampling and testing of the air stripper exhaust.

A summary of groundwater elevations measured in the groundwater monitoring wells and piezometers is included in Table 1 - Summary of Groundwater Elevation Measurements 2016. Quarterly groundwater elevation contours are plotted on Figures 2 through 5.

The contours show that the three extraction wells depress water levels in the trench below natural groundwater levels in that area of the site. The resulting depression in the groundwater table creates groundwater flow toward the collection trench. The measurements demonstrate that the collection trench is functioning as designed to restrict offsite flow and limit groundwater discharge to the South Branch of Smokes Creek.

VOC analytical test results of groundwater treatment system influent samples have historically shown o-chlorotoluene levels in higher concentrations than other organic compounds. Therefore, concentrations of o-chlorotoluene detected in groundwater treatment influent samples have been used to assess the performance of the treatment system in reducing organic compound concentrations in the groundwater. The o-chlorotoluene concentration data for influent groundwater samples was plotted versus time for the July 2002 through December 2016 sampling events (see Figure 6). The plot shows that the concentration of o-chlorotoluene in the influent groundwater samples has been reduced since initiation of treatment system operation. This indicates that the treatment system is meeting the remedial goal of reducing organic compound concentrations in the groundwater.

A comparison of the influent and effluent sample analytical results shows that the air stripper is effectively removing VOCs from the groundwater collected by the treatment system.

A summary of VOC detections for the annual 2016 groundwater-sampling event is included as Table 2, Detection Summary. The complete 2016 groundwater sample analytical laboratory report is included as Attachment B. Historical concentration versus time trend plots for monitoring wells MW3S, MW-8R, MW-9R, and MW-13R are included as Attachment C.

#### **IV. O&M PLAN COMPLIANCE**

SC Holdings performed the following activities as part of the O&M Plan requirements:

##### **Soil Vapor Extraction System**

AECOM performed the following activity in 2016 as part of quarterly visits to the site:

- Visually observed each SVE passive vent riser for damage.

##### **Groundwater Collection and Treatment System**

AECOM performed the following activities in 2016 as part of routine monthly O&M visits:

- Verified that each extraction well was running and performing as designed;
- Observed that each pump was operating, documented pumping rates, total gallons pumped and insured that high and low water controls are functioning as designed;
- Performed monthly influent and effluent sample analytical testing;
- Observed that the air stripper was performing as designed;
- Performed monthly inspections of air stripper trays;
- Performed acid washes quarterly or more often if necessary to promote optimum removal of VOCs; and,
- Prepared and submitted O&M reports on a quarterly basis to NYSDEC.

The quarterly O&M reports submitted to NYSDEC provide further details on specific activities performed, analytical testing results, and observations made during the routine monthly O&M visits. Routine activities include general inspection and maintenance work performed on pumps, equipment, and sensors, as described in the monthly O&M reports.

In addition, the following non-routine maintenance activities were also performed and reported in the respective quarterly O&M reports this reporting period:

- May 2016 – The treated water discharge line from the treatment building to the South Branch of Smokes Creek was cleaned using a high-pressure line jet to remove accumulated iron scaling that was restricting effluent flow.
- August 2016 – Repaired failed connection of EW-2 conveyance line in manhole between extraction well and treatment building.
- September 2016 – Repaired failed connection at EW-2 pitless adapter at extraction well wellhead.
- September 2016 – Repaired site perimeter fence damaged by trespass (east side of site, north side of private residence, top rail disconnected and chain link intact but loose) and a fallen tree (west side of site, west of entrance gate, top rail damaged and chain link intact but damaged), and repaired damaged front entrance gate (encroachment by snow bank along Lake Avenue damaged hinges and closure mechanism).
- October 2016 – Replaced MW-10S stick-up casing and surface seal that had been damaged by trespassers.

In a letter dated April 11, 2016, NYSDEC approved the 2015 PRR with one comment, which was a request for assessment of extraction well pumping rates to better assess groundwater control across the blast-fractured bedrock trench. In response to this request, the following activities were performed during May 2016:

- Each extraction well pump was pulled and inspected for signs of mineralogic fouling or other concerns such as damaged screen or failed mechanical parts. No signs of fouling, damage, or failure were noted. The pumps were pressure washed and reinstalled.
- The conveyance lines between the extraction wells and the treatment building were pressure tested to determine if line restrictions might be causing a reduced flow rate. No blockages or restrictions were noted in any line.
- Groundwater elevation set points and transducers were evaluated to verify components were working properly. One transducer was determined to be providing inconsistent signal (EW-1); this transducer was replaced in June 2016.
- A thorough evaluation of the programmable logic controller was performed to verify components were working properly. During this evaluation, variable frequency drives were reprogrammed to ensure proper pumping rates and set points were being maintained.
- Following the assessment, a sustained pumping rate of approximately 12 gallons per minute was achieved. Figure 2 (March 2016) presents pre-assessment groundwater elevations and Figures 3, 4, and 5 (June, September, and December 2016) present post-assessment groundwater elevations. The post-assessment groundwater elevations in the area of the extraction wells were approximately 3 to 5 feet lower than prior elevations.

Results of the treatment system performance are discussed in Section III.

## **V. CONCLUSIONS AND RECOMMENDATIONS**

### **Groundwater Collection and Treatment**


A comparison of the monthly influent vs. effluent analytical test results shows that the groundwater collection and treatment system continues to remove contaminants from groundwater at the Chem-Trol site. A plot of the influent o-chlorotoluene concentration versus time (see Figure 6) indicates that the source contributing to groundwater VOC concentrations has been reduced to where its influence on groundwater has decreased and appears to continue approaching an asymptotic curve.

The quarterly groundwater elevation data show that the groundwater collection system continues to contain groundwater contaminants and creates a gradient toward the groundwater collection wells and away from the South Branch of Smokes Creek.

No changes to the activities currently being performed at the Chem-Trol site are recommended.

Please call the undersigned at AECOM (716-923-1300) or Mr. Mark DeVine (603-929-5436) if you have any questions or require any additional information after reviewing this report.

Sincerely yours,



James L. Kaczor, P.G.  
Project Manager  
james.kaczor@aecom.com

Enclosures (Tables, Figures)

Attachments (IC/EC Form, 2016 Annual Groundwater Data Report, Historical Trend Plots)

cc: Mark DeVine (SC Holdings, Inc.), w/attachments  
Daniel Servetas, P.E. (AECOM), w/attachments  
60526520 Project File

## **TABLES**

**Table 1: Summary of Groundwater Elevations – 2016**

**Table 2: Groundwater Sample Detection Summary – 2016**



Table 1  
Chem-Trol Site, Blasdell, NY  
Summary of Groundwater Elevation Measurements 2016

Pumping Wells		1Q Date		2Q Date		3Q Date		4Q Date	
		3/7/2016		6/28/2016		9/9/2016		12/19/2016	
Well ID	Monitoring Point (TIC)	Depth To Water (ft)	1st Quarter Elevation (ft)	Depth To Water (ft)	2nd Quarter Elevation (ft)	Depth To Water (ft)	3rd Quarter Elevation (ft)	Depth To Water (ft)	4th Quarter Elevation (ft)
EW-1	624.07	22.00	602.07	24.30	599.77	21.32	602.75	19.46	604.61
EW-2	622.16	14.30	607.86	14.95	607.21	21.00	601.16	16.12	606.04
EW-3	621.10	15.47	605.63	22.30	598.80	25.62	595.48	19.40	601.70

East of Cap (North to South)

Well ID	Monitoring Point (TIC)	Depth To Water (ft)	1st Quarter Elevation (ft)	Depth To Water (ft)	2nd Quarter Elevation (ft)	Depth To Water (ft)	3rd Quarter Elevation (ft)	Depth To Water (ft)	4th Quarter Elevation (ft)
MW-6S	638.54	7.27	631.27	11.64	626.90	13.74	624.80	8.36	630.18
MW-6R	638.64	17.01	621.63	17.99	620.65	18.97	619.67	17.60	621.04
P-1S	642.80	4.88	637.92	8.09	634.71	11.42	631.38	5.48	637.32
MW-1R	645.36	6.78	638.58	9.84	635.52	13.15	632.21	7.46	637.90
MW-1S	645.40	4.94	640.46	9.52	635.88	13.56	631.84	5.22	640.18
MW-7S	642.85	3.70	639.15	10.41	632.44	> 11.21	< 631.64	4.25	638.60
MW-7R	642.28	4.59	637.69	7.98	634.30	10.91	631.37	5.13	637.15

Center of Cap (North to South)

Well ID	Monitoring Point (TIC)	Depth To Water (ft)	1st Quarter Elevation (ft)	Depth To Water (ft)	2nd Quarter Elevation (ft)	Depth To Water (ft)	3rd Quarter Elevation (ft)	Depth To Water (ft)	4th Quarter Elevation (ft)
P-5S	637.54	9.43	628.11	>13.55	<623.99	>13.50	<624.04	9.14	628.40
P-5R	637.88	18.73	619.15	>20.22	<617.66	21.52	616.36	19.65	618.23
MW-5S	636.28	10.97	625.31	13.66	622.62	14.28	622.00	11.33	624.95
P-2R	646.96	6.44	640.52	11.82	635.14	15.32	631.64	3.40	643.56
P-2S	646.44	8.16	638.28	11.35	635.09	14.40	632.04	8.91	637.53
MW-2S	644.85	5.98	638.87	9.29	635.56	12.79	632.06	6.64	638.21

West of Cap (North to South)

Well ID	Monitoring Point (TIC)	Depth To Water (ft)	1st Quarter Elevation (ft)	Depth To Water (ft)	2nd Quarter Elevation (ft)	Depth To Water (ft)	3rd Quarter Elevation (ft)	Depth To Water (ft)	4th Quarter Elevation (ft)
MW-4S	637.18	13.00	624.18	>15.39	<621.79	>15.39	<621.79	13.05	624.13
MW-4R	637.02	26.52	610.50	29.93	607.09	32.20	604.82	28.74	608.28
P-4S	636.54	14.89	621.65	15.96	620.58	15.98	620.56	14.69	621.85
MW-3S	637.64	16.90	620.74	18.43	619.21	19.08	618.56	16.99	620.65
P-3R	639.92	20.33	619.59	20.32	619.60	20.33	619.59	20.34	619.58
P-3S	639.46	18.95	620.51	19.82	619.64	20.03	619.43	18.90	620.56
OW-3R	638.78	23.12	615.66	24.37	614.41	24.66	614.12	23.73	615.05

West of Trench (North to South)

Well ID	Monitoring Point (TIC)	Depth To Water (ft)	1st Quarter Elevation (ft)	Depth To Water (ft)	2nd Quarter Elevation (ft)	Depth To Water (ft)	3rd Quarter Elevation (ft)	Depth To Water (ft)	4th Quarter Elevation (ft)
OW-1FR	620.42	9.73	610.69	13.10	607.32	16.00	604.42	11.87	608.55
P97-5	613.65	3.49	610.16	6.53	607.12	9.03	604.62	5.24	608.41
MW-10S	615.15	4.22	610.93	>5.51	<609.64	0.00	0.00	5.38	609.77
MW-10R	615.47	4.71	610.76	8.17	607.30	10.86	604.61	6.98	608.49
P97-4	614.8	4.39	610.41	7.68	607.12	10.38	604.42	6.38	608.42
MW-8S	617.28	6.40	610.88	>7.10	<610.18	7.17	610.11	7.19	610.09
MW-8R	617.38	6.80	610.58	9.85	607.53	12.54	604.84	8.65	608.73
P97-3	617.66	6.91	610.75	10.34	607.32	13.29	604.37	9.06	608.60
MW-9RD	619.13	7.70	611.43	7.50	611.63	7.06	612.07	8.50	610.63
MW-9R	619.17	8.23	610.94	11.83	607.34	14.89	604.28	10.44	608.73
MW-9S	619.91	8.40	611.51	>10.35	<609.56	>10.35	<609.56	9.14	610.77
OW-2FR	624.14	13.16	610.98	16.77	607.37	19.80	604.34	15.26	608.88
P97-2	619.07	7.10	611.97	8.99	610.08	10.73	608.34	7.74	611.33
P97-1	619.97	7.00	612.97	8.64	611.33	9.44	610.53	7.24	612.73
MW-12R	621.59	7.56	614.03	10.13	611.46	12.20	609.39	9.95	611.64
MW-12S	621.17	4.01	617.16	>9.37	<611.80	>9.37	<611.8	3.64	617.53

West of Smokes Creek (North to South)

Well ID	Monitoring Point (TIC)	Depth To Water (ft)	1st Quarter Elevation (ft)	Depth To Water (ft)	2nd Quarter Elevation (ft)	Depth To Water (ft)	3rd Quarter Elevation (ft)	Depth To Water (ft)	4th Quarter Elevation (ft)
MW-13R	615.14	5.26	609.88	8.23	606.91	10.59	604.55	6.89	608.25
MW-14R	618.55	4.72	613.83	5.39	613.16	6.04	612.51	6.64	611.91

## Table 2 Detection Summary

Client: Waste Management  
Project/Site: ChemTrol Site - Annual GW

TestAmerica Job ID: 480-108912-1

### Client Sample ID: DUP

### Lab Sample ID: 480-108912-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
o-Chlorotoluene	1100		34		ug/L	40		8260C	Total/NA

### Client Sample ID: MW-13R

### Lab Sample ID: 480-108912-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
o-Chlorotoluene	1200	F1	34		ug/L	40		8260C	Total/NA

### Client Sample ID: MW-15R

### Lab Sample ID: 480-108912-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	12		5.0		ug/L	1		8260C	Total/NA
Ethylbenzene	8.6		5.0		ug/L	1		8260C	Total/NA
Methylcyclohexane	69		5.0		ug/L	1		8260C	Total/NA
Toluene	7.9		5.0		ug/L	1		8260C	Total/NA
Xylenes, Total	72		15		ug/L	1		8260C	Total/NA
Cyclohexane - DL	72		5.0		ug/L	2		8260C	Total/NA

### Client Sample ID: MW-3S

### Lab Sample ID: 480-108912-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
o-Chlorotoluene	72000		1700		ug/L	2000		8260C	Total/NA

### Client Sample ID: MW-7R

### Lab Sample ID: 480-108912-5

No Detections.

### Client Sample ID: MW-8R

### Lab Sample ID: 480-108912-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
o-Chlorotoluene	44		5.0		ug/L	1		8260C	Total/NA

### Client Sample ID: MW-9R

### Lab Sample ID: 480-108912-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,1,1-Trichloroethane	82		5.0		ug/L	2		8260C	Total/NA
1,1-Dichloroethane	31		5.0		ug/L	2		8260C	Total/NA
o-Chlorotoluene	38		5.0		ug/L	2		8260C	Total/NA

### Client Sample ID: TB

### Lab Sample ID: 480-108912-8

No Detections.

This Detection Summary does not include radiochemical test results.

TestAmerica Buffalo

## **FIGURES**

**Figure 1: Site Plan**


**Figure 2: Bedrock Groundwater Contours – March 7, 2016**

**Figure 3: Bedrock Groundwater Contours – June 28, 2016**

**Figure 4: Bedrock Groundwater Contours – September 9, 2016**

**Figure 5: Bedrock Groundwater Contours – December 19, 2016**

**Figure 6: Influent o-Chlorotoluene Concentration 2003 - 2016**



LEGEND:

- MONITORING WELL LOCATION
- PIEZOMETER LOCATION
- OBSERVATION WELL LOCATION
- EXTRACTION WELL LOCATION
- EXISTING GROUND CONTOUR
- PROPERTY LINE
- EDGE OF WATER

NOTE:

- BASEMAP AND DATA SHOWN PROVIDED BY MCMAHON & MANN CONSULTING ENGINEERS, P.C., MARCH 2011.



**AECOM**

100 Corporate Parkway, Suite 341  
Amherst, New York 14226  
T: 716.836.4506


FIGURE 1  
SITE PLAN


CHEM-TROL  
ERIE COUNTY, NEW YORK

SOURCE: BASEMAP AND DATA SHOWN PROVIDED BY McMahon & Mann Consulting Engineers, P.C., MARCH 2011.

FEBRUARY 2013


60164822







J:\Resources\RDMS\Projects\Chem-Trol\Arcmap\THIRD QUARTER 2016 GW CONTOURS.mxd 9/13/2016



CHEM-TROL  
BEDROCK GROUNDWATER CONTOURS  
SEPTEMBER 9, 2016

AECOM

FIGURE 4

J:\Projects\60526520\_ChmTr\2017\900-CAD-GIS\920-GIS or Graphics\Arcmap\Fourth Quarter 2016 GW CONTOURS.mxd 1/10/2017



**Legend**

Extraction Well

Monitoring Well

Observation Well

Piezometer

Groundwater Flow Direction

Groundwater Elevation Contour

Edge of Water

Property Line

Existing Ground Elevation Contour


MW-6R, 621.04

Location ID

MW-6R, 621.04

Groundwater Elevation

NOTE:  
P-2R was not used in the generation of groundwater elevation contours due to anomalous reading.



CHEM-TROL  
BEDROCK GROUNDWATER CONTOURS  
DECEMBER 19, 2016

FIGURE 5







FIGURE 6

Chem-Trol Groundwater Treatment System  
Influent o-Chlorotoluene Concentration  
2003-2016



## **ATTACHMENT A**

**Completed IC/EC Form**



Enclosure 2  
**NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION**  
**Site Management Periodic Review Report Notice**  
**Institutional and Engineering Controls Certification Form**



**Site Details**

**Box 1**

**Site No.**            **915015**

**Site Name** Chem-Trol

Site Address: Lake Avenue      Zip Code: 14107

City/Town: Hamburg

County: Erie

Site Acreage: 17.5

Reporting Period: February 15, 2016 to February 15, 2017

YES    NO

1. Is the information above correct? ☒      ☐

If NO, include handwritten above or on a separate sheet.

2. Has some or all of the site property been sold, subdivided, merged, or undergone a tax map amendment during this Reporting Period? ☐      ☒

3. Has there been any change of use at the site during this Reporting Period (see 6NYCRR 375-1.11(d))? ☐      ☒

4. Have any federal, state, and/or local permits (e.g., building, discharge) been issued for or at the property during this Reporting Period? ☐      ☒

**If you answered YES to questions 2 thru 4, include documentation or evidence that documentation has been previously submitted with this certification form.**

5. Is the site currently undergoing development? ☐      ☒

**Box 2**

YES    NO

6. Is the current site use consistent with the use(s) listed below?  
Closed Landfill ☒      ☐

7. Are all ICs/ECs in place and functioning as designed? ☒      ☐

**IF THE ANSWER TO EITHER QUESTION 6 OR 7 IS NO, sign and date below and  
DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.**

**A Corrective Measures Work Plan must be submitted along with this form to address these issues.**

\_\_\_\_\_  
Signature of Owner, Remedial Party or Designated Representative

\_\_\_\_\_  
Date

## Description of Institutional Controls

<u>Parcel</u>	<u>Owner</u>	<u>Institutional Control</u>
151.02-1-14.1	<del>Waste Management-</del> SC Holdings, Inc. <i>QLK03/13/17</i>	Ground Water Use Restriction  Monitoring Plan O&M Plan Landuse Restriction

## Building Use Restriction

The controls identified in the Declaration of Covenants and Restrictions, recorded with Erie County on March 25, 2004, include but are not limited to the following: the owner of the Property shall maintain the cap covering the Property by maintaining its grass cover, or after obtaining written approval from the Relevant Agency, by capping the Property with another material; the property is prohibited from being used for purposes other than for industrial or commercial use, excluding use for day care, child care and medical care; the use of groundwater underlying the property is prohibited without treatment to render it safe for drinking water or industrial purposes, except that the groundwater may be reasonably used as necessary to conduct tests to monitor contamination levels of the groundwater. These restrictive covenants are binding and shall run with the land.

## Description of Engineering Controls

<u>Parcel</u>	<u>Engineering Control</u>
151.02-1-14.1	Groundwater Treatment System Cover System Groundwater Containment Fencing/Access Control Leachate Collection

Remediation was completed in two phases consisting of Source Control Elements and Groundwater Control Elements. These elements are summarized as follows:

## Source Control Elements:

1. Hot Spot Soils Removal.
2. Tributary Sediment Excavation/Disposal.
3. Site Soils Cover.
4. Soil Vapor Extraction. Passive state with one year evaluation starting January 2010. Passive state permanently approved on May 29, 2011.

## Groundwater Control Elements:

1. Groundwater extraction from three extraction wells.
2. On-site groundwater treatment with discharge compliance monitoring.
2. Groundwater quality monitoring.

Groundwater intercept, extraction and discharge compliance monitoring with groundwater elevations, contouring and groundwater quality monitoring are completed to confirm that the remedy remains protective of public health and the environment.

**Periodic Review Report (PRR) Certification Statements**

1. I certify by checking "YES" below that:

a) the Periodic Review report and all attachments were prepared under the direction of, and reviewed by, the party making the certification;

b) to the best of my knowledge and belief, the work and conclusions described in this certification are in accordance with the requirements of the site remedial program, and generally accepted engineering practices; and the information presented is accurate and complete.

YES NO

☒ ☐

2. If this site has an IC/EC Plan (or equivalent as required in the Decision Document), for each Institutional or Engineering control listed in Boxes 3 and/or 4, I certify by checking "YES" below that all of the following statements are true:

(a) the Institutional Control and/or Engineering Control(s) employed at this site is unchanged since the date that the Control was put in-place, or was last approved by the Department;

(b) nothing has occurred that would impair the ability of such Control, to protect public health and the environment;

(c) access to the site will continue to be provided to the Department, to evaluate the remedy, including access to evaluate the continued maintenance of this Control;

(d) nothing has occurred that would constitute a violation or failure to comply with the Site Management Plan for this Control; and

(e) if a financial assurance mechanism is required by the oversight document for the site, the mechanism remains valid and sufficient for its intended purpose established in the document.

YES NO

☒ ☐

**IF THE ANSWER TO QUESTION 2 IS NO, sign and date below and  
DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.**

**A Corrective Measures Work Plan must be submitted along with this form to address these issues.**

\_\_\_\_\_  
Signature of Owner, Remedial Party or Designated Representative

\_\_\_\_\_  
Date

IC CERTIFICATIONS  
SITE NO. 915015

Box 6

**SITE OWNER OR DESIGNATED REPRESENTATIVE SIGNATURE**

I certify that all information and statements in Boxes 1,2, and 3 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I Mark P. DeVine at 4 Liberty Lane West, Hampton NH 03842,  
print name print business address

am certifying as Owner (Owner or Remedial Party)

for the Site named in the Site Details Section of this form.

Mark P. DeVine  
Signature of Owner, Remedial Party, or Designated Representative  
Rendering Certification

3/13/17  
Date

IC/EC CERTIFICATIONS

Box 7

Professional Engineer Signature

I certify that all information in Boxes 4 and 5 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I Daniel Servetas at 40 British American Blvd.  
Latham, New York  
print name print business address

am certifying as a Professional Engineer for the Chem-Trol  
(Owner or Remedial Party)



Signature of Professional Engineer, for the Owner or  
Remedial Party, Rendering Certification

Stamp  
(Required for PE)

Date

## **ATTACHMENT B**

### **2016 Annual Groundwater Sample Laboratory Report**



# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

## ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Buffalo

10 Hazelwood Drive

Amherst, NY 14228-2298

Tel: (716)691-2600

TestAmerica Job ID: 480-108912-1

Client Project/Site: ChemTrol Site - Annual GW

Sampling Event: ChemTrol Annual Groundwater

For:

Waste Management

4 Liberty Lane West

Hampton, New Hampshire 03842

Attn: Mark DeVine



Authorized for release by:

11/18/2016 11:48:29 AM

Ryan VanDette, Project Manager II

(716)504-9830

[ryan.vandette@testamericainc.com](mailto:ryan.vandette@testamericainc.com)

### LINKS

Review your project  
results through

TotalAccess

Have a Question?



Visit us at:

[www.testamericainc.com](http://www.testamericainc.com)

*The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.*

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*



# Table of Contents

Cover Page . . . . .	1
Table of Contents . . . . .	2
Definitions . . . . .	3
Case Narrative . . . . .	4
Detection Summary . . . . .	5
Client Sample Results . . . . .	6
QC Sample Results . . . . .	16
Certification Summary . . . . .	26
Method Summary . . . . .	27
Sample Summary . . . . .	28
Chain of Custody . . . . .	29
Field Data Sheets . . . . .	30

## Definitions/Glossary

Client: Waste Management  
Project/Site: ChemTrol Site - Annual GW

TestAmerica Job ID: 480-108912-1

### Qualifiers

#### GC/MS VOA

Qualifier	Qualifier Description
F1	MS and/or MSD Recovery is outside acceptance limits.
*	LCS or LCSD is outside acceptance limits.

### Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

# Case Narrative

Client: Waste Management  
Project/Site: ChemTrol Site - Annual GW

TestAmerica Job ID: 480-108912-1

**Job ID: 480-108912-1**

**Laboratory: TestAmerica Buffalo**

## Narrative

### Job Narrative 480-108912-1

#### Comments

No additional comments.

#### Receipt

The samples were received on 11/2/2016 2:30 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 3.8° C.

#### GC/MS VOA

Method(s) 8260C: The following samples were diluted to bring the concentration of target analytes within the calibration range: DUP (480-108912-1), MW-13R (480-108912-2), (480-108912-A-2 MS) and (480-108912-A-2 MSD). Elevated reporting limits (RLs) are provided.

Method(s) 8260C: The continuing calibration verification (CCV) associated with batch 480-331354 recovered outside acceptance criteria, low biased, for Chloromethane. A reporting limit (RL) standard was analyzed, and the target analyte was detected. Since the associated samples were non-detect for this analyte, the data has been reported for the affected samples MW-15R (480-108912-3), MW-3S (480-108912-4), MW-7R (480-108912-5), MW-8R (480-108912-6) and TB (480-108912-8) .

Method(s) 8260C: The continuing calibration verification (CCV) associated with batch 480-331354 recovered above the upper control limit for Acetone and Trichlorofluoromethane. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The following samples are impacted: MW-15R (480-108912-3), MW-3S (480-108912-4), MW-7R (480-108912-5), MW-8R (480-108912-6) and TB (480-108912-8).

Method(s) 8260C: The laboratory control sample (LCS) for analytical batch 480-331354 recovered outside control limits for the following analyte: Acetone. These analytes were biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported for the following affected samples MW-15R (480-108912-3), MW-3S (480-108912-4), MW-7R (480-108912-5), MW-8R (480-108912-6) and TB (480-108912-8) .

Method(s) 8260C: The following sample was diluted to bring the concentration of target analytes within the calibration range: MW-3S (480-108912-4). Elevated reporting limits (RLs) are provided.

Method(s) 8260C: The following sample was diluted to bring the concentration of target analytes within the calibration range: MW-15R (480-108912-3) and MW-9R (480-108912-7). Elevated reporting limits (RLs) are provided.

Method(s) 8260C: The continuing calibration verification (CCV) associated with batch 480-331554 recovered above the upper control limit for Trichlorofluoromethane. The samples associated with this CCV were non-detect for the affected analyte; therefore, the data has been reported. The following sample was impacted: MW-9R (480-108912-7).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

# Detection Summary

Client: Waste Management  
Project/Site: ChemTrol Site - Annual GW

TestAmerica Job ID: 480-108912-1

## Client Sample ID: DUP

## Lab Sample ID: 480-108912-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
o-Chlorotoluene	1100		34		ug/L	40		8260C	Total/NA

## Client Sample ID: MW-13R

## Lab Sample ID: 480-108912-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
o-Chlorotoluene	1200	F1	34		ug/L	40		8260C	Total/NA

## Client Sample ID: MW-15R

## Lab Sample ID: 480-108912-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzene	12		5.0		ug/L	1		8260C	Total/NA
Ethylbenzene	8.6		5.0		ug/L	1		8260C	Total/NA
Methylcyclohexane	69		5.0		ug/L	1		8260C	Total/NA
Toluene	7.9		5.0		ug/L	1		8260C	Total/NA
Xylenes, Total	72		15		ug/L	1		8260C	Total/NA
Cyclohexane - DL	72		5.0		ug/L	2		8260C	Total/NA

## Client Sample ID: MW-3S

## Lab Sample ID: 480-108912-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
o-Chlorotoluene	72000		1700		ug/L	2000		8260C	Total/NA

## Client Sample ID: MW-7R

## Lab Sample ID: 480-108912-5

No Detections.

## Client Sample ID: MW-8R

## Lab Sample ID: 480-108912-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
o-Chlorotoluene	44		5.0		ug/L	1		8260C	Total/NA

## Client Sample ID: MW-9R

## Lab Sample ID: 480-108912-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
1,1,1-Trichloroethane	82		5.0		ug/L	2		8260C	Total/NA
1,1-Dichloroethane	31		5.0		ug/L	2		8260C	Total/NA
o-Chlorotoluene	38		5.0		ug/L	2		8260C	Total/NA

## Client Sample ID: TB

## Lab Sample ID: 480-108912-8

No Detections.

This Detection Summary does not include radiochemical test results.

TestAmerica Buffalo

# Client Sample Results

Client: Waste Management  
Project/Site: ChemTrol Site - Annual GW

TestAmerica Job ID: 480-108912-1

**Client Sample ID: DUP**

**Date Collected: 11/02/16 12:50**

**Date Received: 11/02/16 14:30**

**Lab Sample ID: 480-108912-1**

**Matrix: Water**

## Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		33		ug/L			11/12/16 23:11	40
1,1,2,2-Tetrachloroethane	ND		8.4		ug/L			11/12/16 23:11	40
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		12		ug/L			11/12/16 23:11	40
1,1,2-Trichloroethane	ND		9.2		ug/L			11/12/16 23:11	40
1,1-Dichloroethane	ND		15		ug/L			11/12/16 23:11	40
1,2,4-Trichlorobenzene	ND		16		ug/L			11/12/16 23:11	40
1,2-Dibromo-3-Chloropropane	ND		16		ug/L			11/12/16 23:11	40
1,2-Dibromoethane	ND		29		ug/L			11/12/16 23:11	40
1,2-Dichlorobenzene	ND		32		ug/L			11/12/16 23:11	40
1,2-Dichloroethane	ND		8.4		ug/L			11/12/16 23:11	40
1,2-Dichloropropane	ND		29		ug/L			11/12/16 23:11	40
1,3-Dichlorobenzene	ND		31		ug/L			11/12/16 23:11	40
1,4-Dichlorobenzene	ND		34		ug/L			11/12/16 23:11	40
2-Butanone (MEK)	ND		53		ug/L			11/12/16 23:11	40
<b>o-Chlorotoluene</b>	<b>1100</b>		34		ug/L			11/12/16 23:11	40
2-Hexanone	ND		50		ug/L			11/12/16 23:11	40
4-Methyl-2-pentanone (MIBK)	ND		84		ug/L			11/12/16 23:11	40
Acetone	ND		120		ug/L			11/12/16 23:11	40
Benzene	ND		16		ug/L			11/12/16 23:11	40
Bromoform	ND		10		ug/L			11/12/16 23:11	40
Bromomethane	ND		28		ug/L			11/12/16 23:11	40
Carbon disulfide	ND		7.6		ug/L			11/12/16 23:11	40
Carbon tetrachloride	ND		11		ug/L			11/12/16 23:11	40
Chlorobenzene	ND		30		ug/L			11/12/16 23:11	40
Chlorodibromomethane	ND		13		ug/L			11/12/16 23:11	40
Chloroethane	ND		13		ug/L			11/12/16 23:11	40
Chloroform	ND		14		ug/L			11/12/16 23:11	40
Chloromethane	ND		14		ug/L			11/12/16 23:11	40
cis-1,2-Dichloroethene	ND		32		ug/L			11/12/16 23:11	40
cis-1,3-Dichloropropene	ND		14		ug/L			11/12/16 23:11	40
Cyclohexane	ND		7.2		ug/L			11/12/16 23:11	40
Bromodichloromethane	ND		16		ug/L			11/12/16 23:11	40
Dichlorofluoromethane	ND		14		ug/L			11/12/16 23:11	40
Ethylbenzene	ND		30		ug/L			11/12/16 23:11	40
Isopropylbenzene	ND		32		ug/L			11/12/16 23:11	40
Methyl acetate	ND		52		ug/L			11/12/16 23:11	40
Methyl tert-butyl ether	ND		6.4		ug/L			11/12/16 23:11	40
Methylcyclohexane	ND		6.4		ug/L			11/12/16 23:11	40
Methylene Chloride	ND		18		ug/L			11/12/16 23:11	40
Styrene	ND		29		ug/L			11/12/16 23:11	40
Tetrachloroethene	ND		14		ug/L			11/12/16 23:11	40
Toluene	ND		20		ug/L			11/12/16 23:11	40
trans-1,2-Dichloroethene	ND		36		ug/L			11/12/16 23:11	40
trans-1,3-Dichloropropene	ND		15		ug/L			11/12/16 23:11	40
Trichloroethene	ND		18		ug/L			11/12/16 23:11	40
Trichlorofluoromethane	ND		35		ug/L			11/12/16 23:11	40
Vinyl chloride	ND		36		ug/L			11/12/16 23:11	40
Xylenes, Total	ND		26		ug/L			11/12/16 23:11	40

TestAmerica Buffalo

# Client Sample Results

Client: Waste Management  
Project/Site: ChemTrol Site - Annual GW

TestAmerica Job ID: 480-108912-1

**Client Sample ID: DUP**

**Date Collected: 11/02/16 12:50**

**Date Received: 11/02/16 14:30**

**Lab Sample ID: 480-108912-1**

**Matrix: Water**

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		77 - 120		11/12/16 23:11	40
Toluene-d8 (Surr)	100		80 - 120		11/12/16 23:11	40
4-Bromofluorobenzene (Surr)	102		73 - 120		11/12/16 23:11	40
Dibromofluoromethane (Surr)	100		75 - 123		11/12/16 23:11	40

**Client Sample ID: MW-13R**

**Date Collected: 11/02/16 12:50**

**Date Received: 11/02/16 14:30**

**Lab Sample ID: 480-108912-2**

**Matrix: Water**

## Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		33		ug/L			11/12/16 23:34	40
1,1,2,2-Tetrachloroethane	ND		8.4		ug/L			11/12/16 23:34	40
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		12		ug/L			11/12/16 23:34	40
1,1,2-Trichloroethane	ND		9.2		ug/L			11/12/16 23:34	40
1,1-Dichloroethane	ND		15		ug/L			11/12/16 23:34	40
1,2,4-Trichlorobenzene	ND		16		ug/L			11/12/16 23:34	40
1,2-Dibromo-3-Chloropropane	ND		16		ug/L			11/12/16 23:34	40
1,2-Dibromoethane	ND		29		ug/L			11/12/16 23:34	40
1,2-Dichlorobenzene	ND		32		ug/L			11/12/16 23:34	40
1,2-Dichloroethane	ND		8.4		ug/L			11/12/16 23:34	40
1,2-Dichloropropane	ND		29		ug/L			11/12/16 23:34	40
1,3-Dichlorobenzene	ND		31		ug/L			11/12/16 23:34	40
1,4-Dichlorobenzene	ND		34		ug/L			11/12/16 23:34	40
2-Butanone (MEK)	ND		53		ug/L			11/12/16 23:34	40
<b>o-Chlorotoluene</b>	<b>1200</b>	<b>F1</b>	34		ug/L			11/12/16 23:34	40
2-Hexanone	ND		50		ug/L			11/12/16 23:34	40
4-Methyl-2-pentanone (MIBK)	ND		84		ug/L			11/12/16 23:34	40
Acetone	ND		120		ug/L			11/12/16 23:34	40
Benzene	ND		16		ug/L			11/12/16 23:34	40
Bromoform	ND		10		ug/L			11/12/16 23:34	40
Bromomethane	ND		28		ug/L			11/12/16 23:34	40
Carbon disulfide	ND		7.6		ug/L			11/12/16 23:34	40
Carbon tetrachloride	ND		11		ug/L			11/12/16 23:34	40
Chlorobenzene	ND		30		ug/L			11/12/16 23:34	40
Chlorodibromomethane	ND		13		ug/L			11/12/16 23:34	40
Chloroethane	ND		13		ug/L			11/12/16 23:34	40
Chloroform	ND		14		ug/L			11/12/16 23:34	40
Chloromethane	ND		14		ug/L			11/12/16 23:34	40
cis-1,2-Dichloroethene	ND		32		ug/L			11/12/16 23:34	40
cis-1,3-Dichloropropene	ND		14		ug/L			11/12/16 23:34	40
Cyclohexane	ND		7.2		ug/L			11/12/16 23:34	40
Bromodichloromethane	ND		16		ug/L			11/12/16 23:34	40
Dichlorofluoromethane	ND		14		ug/L			11/12/16 23:34	40
Ethylbenzene	ND		30		ug/L			11/12/16 23:34	40
Isopropylbenzene	ND		32		ug/L			11/12/16 23:34	40
Methyl acetate	ND		52		ug/L			11/12/16 23:34	40
Methyl tert-butyl ether	ND		6.4		ug/L			11/12/16 23:34	40
Methylcyclohexane	ND		6.4		ug/L			11/12/16 23:34	40
Methylene Chloride	ND		18		ug/L			11/12/16 23:34	40

TestAmerica Buffalo

# Client Sample Results

Client: Waste Management  
Project/Site: ChemTrol Site - Annual GW

TestAmerica Job ID: 480-108912-1

**Client Sample ID: MW-13R**

**Date Collected: 11/02/16 12:50**

**Date Received: 11/02/16 14:30**

**Lab Sample ID: 480-108912-2**

**Matrix: Water**

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Styrene	ND		29		ug/L			11/12/16 23:34	40
Tetrachloroethene	ND		14		ug/L			11/12/16 23:34	40
Toluene	ND		20		ug/L			11/12/16 23:34	40
trans-1,2-Dichloroethene	ND		36		ug/L			11/12/16 23:34	40
trans-1,3-Dichloropropene	ND		15		ug/L			11/12/16 23:34	40
Trichloroethene	ND		18		ug/L			11/12/16 23:34	40
Trichlorofluoromethane	ND		35		ug/L			11/12/16 23:34	40
Vinyl chloride	ND		36		ug/L			11/12/16 23:34	40
Xylenes, Total	ND		26		ug/L			11/12/16 23:34	40

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		77 - 120		11/12/16 23:34	40
Toluene-d8 (Surr)	99		80 - 120		11/12/16 23:34	40
4-Bromofluorobenzene (Surr)	99		73 - 120		11/12/16 23:34	40
Dibromofluoromethane (Surr)	104		75 - 123		11/12/16 23:34	40

**Client Sample ID: MW-15R**

**Date Collected: 11/02/16 12:40**

**Date Received: 11/02/16 14:30**

**Lab Sample ID: 480-108912-3**

**Matrix: Water**

## Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		5.0		ug/L			11/13/16 22:46	1
1,1,2,2-Tetrachloroethane	ND		5.0		ug/L			11/13/16 22:46	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		5.0		ug/L			11/13/16 22:46	1
1,1,2-Trichloroethane	ND		5.0		ug/L			11/13/16 22:46	1
1,1-Dichloroethane	ND		5.0		ug/L			11/13/16 22:46	1
1,2,4-Trichlorobenzene	ND		5.0		ug/L			11/13/16 22:46	1
1,2-Dibromo-3-Chloropropane	ND		5.0		ug/L			11/13/16 22:46	1
1,2-Dibromoethane	ND		5.0		ug/L			11/13/16 22:46	1
1,2-Dichlorobenzene	ND		5.0		ug/L			11/13/16 22:46	1
1,2-Dichloroethane	ND		5.0		ug/L			11/13/16 22:46	1
1,2-Dichloropropane	ND		5.0		ug/L			11/13/16 22:46	1
1,3-Dichlorobenzene	ND		5.0		ug/L			11/13/16 22:46	1
1,4-Dichlorobenzene	ND		5.0		ug/L			11/13/16 22:46	1
2-Butanone (MEK)	ND		25		ug/L			11/13/16 22:46	1
o-Chlorotoluene	ND		5.0		ug/L			11/13/16 22:46	1
2-Hexanone	ND		25		ug/L			11/13/16 22:46	1
4-Methyl-2-pentanone (MIBK)	ND		25		ug/L			11/13/16 22:46	1
Acetone	ND *		25		ug/L			11/13/16 22:46	1
<b>Benzene</b>	<b>12</b>		5.0		ug/L			11/13/16 22:46	1
Bromoform	ND		5.0		ug/L			11/13/16 22:46	1
Bromomethane	ND		5.0		ug/L			11/13/16 22:46	1
Carbon disulfide	ND		5.0		ug/L			11/13/16 22:46	1
Carbon tetrachloride	ND		5.0		ug/L			11/13/16 22:46	1
Chlorobenzene	ND		5.0		ug/L			11/13/16 22:46	1
Chlorodibromomethane	ND		5.0		ug/L			11/13/16 22:46	1
Chloroethane	ND		5.0		ug/L			11/13/16 22:46	1
Chloroform	ND		5.0		ug/L			11/13/16 22:46	1
Chloromethane	ND		5.0		ug/L			11/13/16 22:46	1

TestAmerica Buffalo



# Client Sample Results

Client: Waste Management  
Project/Site: ChemTrol Site - Annual GW

TestAmerica Job ID: 480-108912-1

**Client Sample ID: MW-15R**

**Date Collected: 11/02/16 12:40**

**Date Received: 11/02/16 14:30**

**Lab Sample ID: 480-108912-3**

**Matrix: Water**

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	ND		5.0		ug/L			11/13/16 22:46	1
cis-1,3-Dichloropropene	ND		5.0		ug/L			11/13/16 22:46	1
Bromodichloromethane	ND		5.0		ug/L			11/13/16 22:46	1
Dichlorofluoromethane	ND		5.0		ug/L			11/13/16 22:46	1
<b>Ethylbenzene</b>	<b>8.6</b>		5.0		ug/L			11/13/16 22:46	1
Isopropylbenzene	ND		5.0		ug/L			11/13/16 22:46	1
Methyl acetate	ND		5.0		ug/L			11/13/16 22:46	1
Methyl tert-butyl ether	ND		5.0		ug/L			11/13/16 22:46	1
<b>Methylcyclohexane</b>	<b>69</b>		5.0		ug/L			11/13/16 22:46	1
Methylene Chloride	ND		5.0		ug/L			11/13/16 22:46	1
Styrene	ND		5.0		ug/L			11/13/16 22:46	1
Tetrachloroethene	ND		5.0		ug/L			11/13/16 22:46	1
<b>Toluene</b>	<b>7.9</b>		5.0		ug/L			11/13/16 22:46	1
trans-1,2-Dichloroethene	ND		5.0		ug/L			11/13/16 22:46	1
trans-1,3-Dichloropropene	ND		5.0		ug/L			11/13/16 22:46	1
Trichloroethene	ND		5.0		ug/L			11/13/16 22:46	1
Trichlorofluoromethane	ND		5.0		ug/L			11/13/16 22:46	1
Vinyl chloride	ND		5.0		ug/L			11/13/16 22:46	1
<b>Xylenes, Total</b>	<b>72</b>		15		ug/L			11/13/16 22:46	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		77 - 120		11/13/16 22:46	1
Toluene-d8 (Surr)	96		80 - 120		11/13/16 22:46	1
4-Bromofluorobenzene (Surr)	106		73 - 120		11/13/16 22:46	1
Dibromofluoromethane (Surr)	110		75 - 123		11/13/16 22:46	1

## Method: 8260C - Volatile Organic Compounds by GC/MS - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
<b>Cyclohexane</b>	<b>72</b>		5.0		ug/L			11/14/16 22:13	2

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		77 - 120		11/14/16 22:13	2
Toluene-d8 (Surr)	104		80 - 120		11/14/16 22:13	2
4-Bromofluorobenzene (Surr)	105		73 - 120		11/14/16 22:13	2
Dibromofluoromethane (Surr)	105		75 - 123		11/14/16 22:13	2

**Client Sample ID: MW-3S**

**Date Collected: 11/02/16 13:10**

**Date Received: 11/02/16 14:30**

**Lab Sample ID: 480-108912-4**

**Matrix: Water**

## Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1600		ug/L			11/13/16 23:10	2000
1,1,2,2-Tetrachloroethane	ND		420		ug/L			11/13/16 23:10	2000
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		620		ug/L			11/13/16 23:10	2000
1,1,2-Trichloroethane	ND		460		ug/L			11/13/16 23:10	2000
1,1-Dichloroethane	ND		760		ug/L			11/13/16 23:10	2000
1,2,4-Trichlorobenzene	ND		820		ug/L			11/13/16 23:10	2000
1,2-Dibromo-3-Chloropropane	ND		780		ug/L			11/13/16 23:10	2000
1,2-Dibromoethane	ND		1500		ug/L			11/13/16 23:10	2000

TestAmerica Buffalo

# Client Sample Results

Client: Waste Management  
Project/Site: ChemTrol Site - Annual GW

TestAmerica Job ID: 480-108912-1

**Client Sample ID: MW-3S**

**Date Collected: 11/02/16 13:10**

**Date Received: 11/02/16 14:30**

**Lab Sample ID: 480-108912-4**

**Matrix: Water**

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dichlorobenzene	ND		1600		ug/L			11/13/16 23:10	2000
1,2-Dichloroethane	ND		420		ug/L			11/13/16 23:10	2000
1,2-Dichloropropane	ND		1400		ug/L			11/13/16 23:10	2000
1,3-Dichlorobenzene	ND		1600		ug/L			11/13/16 23:10	2000
1,4-Dichlorobenzene	ND		1700		ug/L			11/13/16 23:10	2000
2-Butanone (MEK)	ND		2600		ug/L			11/13/16 23:10	2000
<b>o-Chlorotoluene</b>	<b>72000</b>		1700		ug/L			11/13/16 23:10	2000
2-Hexanone	ND		2500		ug/L			11/13/16 23:10	2000
4-Methyl-2-pentanone (MIBK)	ND		4200		ug/L			11/13/16 23:10	2000
Acetone	ND	*	6000		ug/L			11/13/16 23:10	2000
Benzene	ND		820		ug/L			11/13/16 23:10	2000
Bromoform	ND		520		ug/L			11/13/16 23:10	2000
Bromomethane	ND		1400		ug/L			11/13/16 23:10	2000
Carbon disulfide	ND		380		ug/L			11/13/16 23:10	2000
Carbon tetrachloride	ND		540		ug/L			11/13/16 23:10	2000
Chlorobenzene	ND		1500		ug/L			11/13/16 23:10	2000
Chlorodibromomethane	ND		640		ug/L			11/13/16 23:10	2000
Chloroethane	ND		640		ug/L			11/13/16 23:10	2000
Chloroform	ND		680		ug/L			11/13/16 23:10	2000
Chloromethane	ND		700		ug/L			11/13/16 23:10	2000
cis-1,2-Dichloroethene	ND		1600		ug/L			11/13/16 23:10	2000
cis-1,3-Dichloropropene	ND		720		ug/L			11/13/16 23:10	2000
Cyclohexane	ND		360		ug/L			11/13/16 23:10	2000
Bromodichloromethane	ND		780		ug/L			11/13/16 23:10	2000
Dichlorofluoromethane	ND		680		ug/L			11/13/16 23:10	2000
Ethylbenzene	ND		1500		ug/L			11/13/16 23:10	2000
Isopropylbenzene	ND		1600		ug/L			11/13/16 23:10	2000
Methyl acetate	ND		2600		ug/L			11/13/16 23:10	2000
Methyl tert-butyl ether	ND		320		ug/L			11/13/16 23:10	2000
Methylcyclohexane	ND		320		ug/L			11/13/16 23:10	2000
Methylene Chloride	ND		880		ug/L			11/13/16 23:10	2000
Styrene	ND		1500		ug/L			11/13/16 23:10	2000
Tetrachloroethene	ND		720		ug/L			11/13/16 23:10	2000
Toluene	ND		1000		ug/L			11/13/16 23:10	2000
trans-1,2-Dichloroethene	ND		1800		ug/L			11/13/16 23:10	2000
trans-1,3-Dichloropropene	ND		740		ug/L			11/13/16 23:10	2000
Trichloroethene	ND		920		ug/L			11/13/16 23:10	2000
Trichlorofluoromethane	ND		1800		ug/L			11/13/16 23:10	2000
Vinyl chloride	ND		1800		ug/L			11/13/16 23:10	2000
Xylenes, Total	ND		1300		ug/L			11/13/16 23:10	2000

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		77 - 120		11/13/16 23:10	2000
Toluene-d8 (Surr)	96		80 - 120		11/13/16 23:10	2000
4-Bromofluorobenzene (Surr)	104		73 - 120		11/13/16 23:10	2000
Dibromofluoromethane (Surr)	109		75 - 123		11/13/16 23:10	2000

TestAmerica Buffalo

# Client Sample Results

Client: Waste Management  
Project/Site: ChemTrol Site - Annual GW

TestAmerica Job ID: 480-108912-1

**Client Sample ID: MW-7R**

**Date Collected: 11/02/16 13:25**

**Date Received: 11/02/16 14:30**

**Lab Sample ID: 480-108912-5**

**Matrix: Water**

## Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		5.0		ug/L			11/13/16 23:34	1
1,1,2,2-Tetrachloroethane	ND		5.0		ug/L			11/13/16 23:34	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		5.0		ug/L			11/13/16 23:34	1
1,1,2-Trichloroethane	ND		5.0		ug/L			11/13/16 23:34	1
1,1-Dichloroethane	ND		5.0		ug/L			11/13/16 23:34	1
1,2,4-Trichlorobenzene	ND		5.0		ug/L			11/13/16 23:34	1
1,2-Dibromo-3-Chloropropane	ND		5.0		ug/L			11/13/16 23:34	1
1,2-Dibromoethane	ND		5.0		ug/L			11/13/16 23:34	1
1,2-Dichlorobenzene	ND		5.0		ug/L			11/13/16 23:34	1
1,2-Dichloroethane	ND		5.0		ug/L			11/13/16 23:34	1
1,2-Dichloropropane	ND		5.0		ug/L			11/13/16 23:34	1
1,3-Dichlorobenzene	ND		5.0		ug/L			11/13/16 23:34	1
1,4-Dichlorobenzene	ND		5.0		ug/L			11/13/16 23:34	1
2-Butanone (MEK)	ND		25		ug/L			11/13/16 23:34	1
o-Chlorotoluene	ND		5.0		ug/L			11/13/16 23:34	1
2-Hexanone	ND		25		ug/L			11/13/16 23:34	1
4-Methyl-2-pentanone (MIBK)	ND		25		ug/L			11/13/16 23:34	1
Acetone	ND *		25		ug/L			11/13/16 23:34	1
Benzene	ND		5.0		ug/L			11/13/16 23:34	1
Bromoform	ND		5.0		ug/L			11/13/16 23:34	1
Bromomethane	ND		5.0		ug/L			11/13/16 23:34	1
Carbon disulfide	ND		5.0		ug/L			11/13/16 23:34	1
Carbon tetrachloride	ND		5.0		ug/L			11/13/16 23:34	1
Chlorobenzene	ND		5.0		ug/L			11/13/16 23:34	1
Chlorodibromomethane	ND		5.0		ug/L			11/13/16 23:34	1
Chloroethane	ND		5.0		ug/L			11/13/16 23:34	1
Chloroform	ND		5.0		ug/L			11/13/16 23:34	1
Chloromethane	ND		5.0		ug/L			11/13/16 23:34	1
cis-1,2-Dichloroethene	ND		5.0		ug/L			11/13/16 23:34	1
cis-1,3-Dichloropropene	ND		5.0		ug/L			11/13/16 23:34	1
Cyclohexane	ND		5.0		ug/L			11/13/16 23:34	1
Bromodichloromethane	ND		5.0		ug/L			11/13/16 23:34	1
Dichlorofluoromethane	ND		5.0		ug/L			11/13/16 23:34	1
Ethylbenzene	ND		5.0		ug/L			11/13/16 23:34	1
Isopropylbenzene	ND		5.0		ug/L			11/13/16 23:34	1
Methyl acetate	ND		5.0		ug/L			11/13/16 23:34	1
Methyl tert-butyl ether	ND		5.0		ug/L			11/13/16 23:34	1
Methylcyclohexane	ND		5.0		ug/L			11/13/16 23:34	1
Methylene Chloride	ND		5.0		ug/L			11/13/16 23:34	1
Styrene	ND		5.0		ug/L			11/13/16 23:34	1
Tetrachloroethene	ND		5.0		ug/L			11/13/16 23:34	1
Toluene	ND		5.0		ug/L			11/13/16 23:34	1
trans-1,2-Dichloroethene	ND		5.0		ug/L			11/13/16 23:34	1
trans-1,3-Dichloropropene	ND		5.0		ug/L			11/13/16 23:34	1
Trichloroethene	ND		5.0		ug/L			11/13/16 23:34	1
Trichlorofluoromethane	ND		5.0		ug/L			11/13/16 23:34	1
Vinyl chloride	ND		5.0		ug/L			11/13/16 23:34	1
Xylenes, Total	ND		15		ug/L			11/13/16 23:34	1

TestAmerica Buffalo

# Client Sample Results

Client: Waste Management  
Project/Site: ChemTrol Site - Annual GW

TestAmerica Job ID: 480-108912-1

**Client Sample ID: MW-7R**

**Date Collected: 11/02/16 13:25**

**Date Received: 11/02/16 14:30**

**Lab Sample ID: 480-108912-5**

**Matrix: Water**

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		77 - 120		11/13/16 23:34	1
Toluene-d8 (Surr)	96		80 - 120		11/13/16 23:34	1
4-Bromofluorobenzene (Surr)	106		73 - 120		11/13/16 23:34	1
Dibromofluoromethane (Surr)	107		75 - 123		11/13/16 23:34	1

**Client Sample ID: MW-8R**

**Date Collected: 11/02/16 13:00**

**Date Received: 11/02/16 14:30**

**Lab Sample ID: 480-108912-6**

**Matrix: Water**

## Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		5.0		ug/L			11/13/16 23:57	1
1,1,2,2-Tetrachloroethane	ND		5.0		ug/L			11/13/16 23:57	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		5.0		ug/L			11/13/16 23:57	1
1,1,2-Trichloroethane	ND		5.0		ug/L			11/13/16 23:57	1
1,1-Dichloroethane	ND		5.0		ug/L			11/13/16 23:57	1
1,2,4-Trichlorobenzene	ND		5.0		ug/L			11/13/16 23:57	1
1,2-Dibromo-3-Chloropropane	ND		5.0		ug/L			11/13/16 23:57	1
1,2-Dibromoethane	ND		5.0		ug/L			11/13/16 23:57	1
1,2-Dichlorobenzene	ND		5.0		ug/L			11/13/16 23:57	1
1,2-Dichloroethane	ND		5.0		ug/L			11/13/16 23:57	1
1,2-Dichloropropane	ND		5.0		ug/L			11/13/16 23:57	1
1,3-Dichlorobenzene	ND		5.0		ug/L			11/13/16 23:57	1
1,4-Dichlorobenzene	ND		5.0		ug/L			11/13/16 23:57	1
2-Butanone (MEK)	ND		25		ug/L			11/13/16 23:57	1
<b>o-Chlorotoluene</b>	<b>44</b>		5.0		ug/L			11/13/16 23:57	1
2-Hexanone	ND		25		ug/L			11/13/16 23:57	1
4-Methyl-2-pentanone (MIBK)	ND		25		ug/L			11/13/16 23:57	1
Acetone	ND *		25		ug/L			11/13/16 23:57	1
Benzene	ND		5.0		ug/L			11/13/16 23:57	1
Bromoform	ND		5.0		ug/L			11/13/16 23:57	1
Bromomethane	ND		5.0		ug/L			11/13/16 23:57	1
Carbon disulfide	ND		5.0		ug/L			11/13/16 23:57	1
Carbon tetrachloride	ND		5.0		ug/L			11/13/16 23:57	1
Chlorobenzene	ND		5.0		ug/L			11/13/16 23:57	1
Chlorodibromomethane	ND		5.0		ug/L			11/13/16 23:57	1
Chloroethane	ND		5.0		ug/L			11/13/16 23:57	1
Chloroform	ND		5.0		ug/L			11/13/16 23:57	1
Chloromethane	ND		5.0		ug/L			11/13/16 23:57	1
cis-1,2-Dichloroethene	ND		5.0		ug/L			11/13/16 23:57	1
cis-1,3-Dichloropropene	ND		5.0		ug/L			11/13/16 23:57	1
Cyclohexane	ND		5.0		ug/L			11/13/16 23:57	1
Bromodichloromethane	ND		5.0		ug/L			11/13/16 23:57	1
Dichlorofluoromethane	ND		5.0		ug/L			11/13/16 23:57	1
Ethylbenzene	ND		5.0		ug/L			11/13/16 23:57	1
Isopropylbenzene	ND		5.0		ug/L			11/13/16 23:57	1
Methyl acetate	ND		5.0		ug/L			11/13/16 23:57	1
Methyl tert-butyl ether	ND		5.0		ug/L			11/13/16 23:57	1
Methylcyclohexane	ND		5.0		ug/L			11/13/16 23:57	1
Methylene Chloride	ND		5.0		ug/L			11/13/16 23:57	1

TestAmerica Buffalo

# Client Sample Results

Client: Waste Management  
Project/Site: ChemTrol Site - Annual GW

TestAmerica Job ID: 480-108912-1

**Client Sample ID: MW-8R**

**Date Collected: 11/02/16 13:00**

**Date Received: 11/02/16 14:30**

**Lab Sample ID: 480-108912-6**

**Matrix: Water**

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Styrene	ND		5.0		ug/L			11/13/16 23:57	1
Tetrachloroethene	ND		5.0		ug/L			11/13/16 23:57	1
Toluene	ND		5.0		ug/L			11/13/16 23:57	1
trans-1,2-Dichloroethene	ND		5.0		ug/L			11/13/16 23:57	1
trans-1,3-Dichloropropene	ND		5.0		ug/L			11/13/16 23:57	1
Trichloroethene	ND		5.0		ug/L			11/13/16 23:57	1
Trichlorofluoromethane	ND		5.0		ug/L			11/13/16 23:57	1
Vinyl chloride	ND		5.0		ug/L			11/13/16 23:57	1
Xylenes, Total	ND		15		ug/L			11/13/16 23:57	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		77 - 120		11/13/16 23:57	1
Toluene-d8 (Surr)	94		80 - 120		11/13/16 23:57	1
4-Bromofluorobenzene (Surr)	107		73 - 120		11/13/16 23:57	1
Dibromofluoromethane (Surr)	112		75 - 123		11/13/16 23:57	1

**Client Sample ID: MW-9R**

**Date Collected: 11/02/16 13:15**

**Date Received: 11/02/16 14:30**

**Lab Sample ID: 480-108912-7**

**Matrix: Water**

## Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	82		5.0		ug/L			11/14/16 22:37	2
1,1,2,2-Tetrachloroethane	ND		5.0		ug/L			11/14/16 22:37	2
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		5.0		ug/L			11/14/16 22:37	2
1,1,2-Trichloroethane	ND		5.0		ug/L			11/14/16 22:37	2
1,1-Dichloroethane	31		5.0		ug/L			11/14/16 22:37	2
1,2,4-Trichlorobenzene	ND		5.0		ug/L			11/14/16 22:37	2
1,2-Dibromo-3-Chloropropane	ND		5.0		ug/L			11/14/16 22:37	2
1,2-Dibromoethane	ND		5.0		ug/L			11/14/16 22:37	2
1,2-Dichlorobenzene	ND		5.0		ug/L			11/14/16 22:37	2
1,2-Dichloroethane	ND		5.0		ug/L			11/14/16 22:37	2
1,2-Dichloropropane	ND		5.0		ug/L			11/14/16 22:37	2
1,3-Dichlorobenzene	ND		5.0		ug/L			11/14/16 22:37	2
1,4-Dichlorobenzene	ND		5.0		ug/L			11/14/16 22:37	2
2-Butanone (MEK)	ND		25		ug/L			11/14/16 22:37	2
o-Chlorotoluene	38		5.0		ug/L			11/14/16 22:37	2
2-Hexanone	ND		25		ug/L			11/14/16 22:37	2
4-Methyl-2-pentanone (MIBK)	ND		25		ug/L			11/14/16 22:37	2
Acetone	ND		25		ug/L			11/14/16 22:37	2
Benzene	ND		5.0		ug/L			11/14/16 22:37	2
Bromoform	ND		5.0		ug/L			11/14/16 22:37	2
Bromomethane	ND		5.0		ug/L			11/14/16 22:37	2
Carbon disulfide	ND		5.0		ug/L			11/14/16 22:37	2
Carbon tetrachloride	ND		5.0		ug/L			11/14/16 22:37	2
Chlorobenzene	ND		5.0		ug/L			11/14/16 22:37	2
Chlorodibromomethane	ND		5.0		ug/L			11/14/16 22:37	2
Chloroethane	ND		5.0		ug/L			11/14/16 22:37	2
Chloroform	ND		5.0		ug/L			11/14/16 22:37	2
Chloromethane	ND		5.0		ug/L			11/14/16 22:37	2

TestAmerica Buffalo

# Client Sample Results

Client: Waste Management  
Project/Site: ChemTrol Site - Annual GW

TestAmerica Job ID: 480-108912-1

**Client Sample ID: MW-9R**

**Date Collected: 11/02/16 13:15**

**Date Received: 11/02/16 14:30**

**Lab Sample ID: 480-108912-7**

**Matrix: Water**

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
cis-1,2-Dichloroethene	ND		5.0		ug/L			11/14/16 22:37	2
cis-1,3-Dichloropropene	ND		5.0		ug/L			11/14/16 22:37	2
Cyclohexane	ND		5.0		ug/L			11/14/16 22:37	2
Bromodichloromethane	ND		5.0		ug/L			11/14/16 22:37	2
Dichlorofluoromethane	ND		5.0		ug/L			11/14/16 22:37	2
Ethylbenzene	ND		5.0		ug/L			11/14/16 22:37	2
Isopropylbenzene	ND		5.0		ug/L			11/14/16 22:37	2
Methyl acetate	ND		5.0		ug/L			11/14/16 22:37	2
Methyl tert-butyl ether	ND		5.0		ug/L			11/14/16 22:37	2
Methylcyclohexane	ND		5.0		ug/L			11/14/16 22:37	2
Methylene Chloride	ND		5.0		ug/L			11/14/16 22:37	2
Styrene	ND		5.0		ug/L			11/14/16 22:37	2
Tetrachloroethene	ND		5.0		ug/L			11/14/16 22:37	2
Toluene	ND		5.0		ug/L			11/14/16 22:37	2
trans-1,2-Dichloroethene	ND		5.0		ug/L			11/14/16 22:37	2
trans-1,3-Dichloropropene	ND		5.0		ug/L			11/14/16 22:37	2
Trichloroethene	ND		5.0		ug/L			11/14/16 22:37	2
Trichlorofluoromethane	ND		5.0		ug/L			11/14/16 22:37	2
Vinyl chloride	ND		5.0		ug/L			11/14/16 22:37	2
Xylenes, Total	ND		15		ug/L			11/14/16 22:37	2

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		77 - 120		11/14/16 22:37	2
Toluene-d8 (Surr)	104		80 - 120		11/14/16 22:37	2
4-Bromofluorobenzene (Surr)	107		73 - 120		11/14/16 22:37	2
Dibromofluoromethane (Surr)	113		75 - 123		11/14/16 22:37	2

**Client Sample ID: TB**

**Date Collected: 11/02/16 09:00**

**Date Received: 11/02/16 14:30**

**Lab Sample ID: 480-108912-8**

**Matrix: Water**

## Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		5.0		ug/L			11/14/16 00:43	1
1,1,2,2-Tetrachloroethane	ND		5.0		ug/L			11/14/16 00:43	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		5.0		ug/L			11/14/16 00:43	1
1,1,2-Trichloroethane	ND		5.0		ug/L			11/14/16 00:43	1
1,1-Dichloroethane	ND		5.0		ug/L			11/14/16 00:43	1
1,2,4-Trichlorobenzene	ND		5.0		ug/L			11/14/16 00:43	1
1,2-Dibromo-3-Chloropropane	ND		5.0		ug/L			11/14/16 00:43	1
1,2-Dibromoethane	ND		5.0		ug/L			11/14/16 00:43	1
1,2-Dichlorobenzene	ND		5.0		ug/L			11/14/16 00:43	1
1,2-Dichloroethane	ND		5.0		ug/L			11/14/16 00:43	1
1,2-Dichloropropane	ND		5.0		ug/L			11/14/16 00:43	1
1,3-Dichlorobenzene	ND		5.0		ug/L			11/14/16 00:43	1
1,4-Dichlorobenzene	ND		5.0		ug/L			11/14/16 00:43	1
2-Butanone (MEK)	ND		25		ug/L			11/14/16 00:43	1
o-Chlorotoluene	ND		5.0		ug/L			11/14/16 00:43	1
2-Hexanone	ND		25		ug/L			11/14/16 00:43	1
4-Methyl-2-pentanone (MIBK)	ND		25		ug/L			11/14/16 00:43	1

TestAmerica Buffalo

# Client Sample Results

Client: Waste Management  
Project/Site: ChemTrol Site - Annual GW

TestAmerica Job ID: 480-108912-1

**Client Sample ID: TB**

**Lab Sample ID: 480-108912-8**

**Date Collected: 11/02/16 09:00**

**Matrix: Water**

**Date Received: 11/02/16 14:30**

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	ND	*	25		ug/L			11/14/16 00:43	1
Benzene	ND		5.0		ug/L			11/14/16 00:43	1
Bromoform	ND		5.0		ug/L			11/14/16 00:43	1
Bromomethane	ND		5.0		ug/L			11/14/16 00:43	1
Carbon disulfide	ND		5.0		ug/L			11/14/16 00:43	1
Carbon tetrachloride	ND		5.0		ug/L			11/14/16 00:43	1
Chlorobenzene	ND		5.0		ug/L			11/14/16 00:43	1
Chlorodibromomethane	ND		5.0		ug/L			11/14/16 00:43	1
Chloroethane	ND		5.0		ug/L			11/14/16 00:43	1
Chloroform	ND		5.0		ug/L			11/14/16 00:43	1
Chloromethane	ND		5.0		ug/L			11/14/16 00:43	1
cis-1,2-Dichloroethene	ND		5.0		ug/L			11/14/16 00:43	1
cis-1,3-Dichloropropene	ND		5.0		ug/L			11/14/16 00:43	1
Cyclohexane	ND		5.0		ug/L			11/14/16 00:43	1
Bromodichloromethane	ND		5.0		ug/L			11/14/16 00:43	1
Dichlorofluoromethane	ND		5.0		ug/L			11/14/16 00:43	1
Ethylbenzene	ND		5.0		ug/L			11/14/16 00:43	1
Isopropylbenzene	ND		5.0		ug/L			11/14/16 00:43	1
Methyl acetate	ND		5.0		ug/L			11/14/16 00:43	1
Methyl tert-butyl ether	ND		5.0		ug/L			11/14/16 00:43	1
Methylcyclohexane	ND		5.0		ug/L			11/14/16 00:43	1
Methylene Chloride	ND		5.0		ug/L			11/14/16 00:43	1
Styrene	ND		5.0		ug/L			11/14/16 00:43	1
Tetrachloroethene	ND		5.0		ug/L			11/14/16 00:43	1
Toluene	ND		5.0		ug/L			11/14/16 00:43	1
trans-1,2-Dichloroethene	ND		5.0		ug/L			11/14/16 00:43	1
trans-1,3-Dichloropropene	ND		5.0		ug/L			11/14/16 00:43	1
Trichloroethene	ND		5.0		ug/L			11/14/16 00:43	1
Trichlorofluoromethane	ND		5.0		ug/L			11/14/16 00:43	1
Vinyl chloride	ND		5.0		ug/L			11/14/16 00:43	1
Xylenes, Total	ND		15		ug/L			11/14/16 00:43	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		77 - 120		11/14/16 00:43	1
Toluene-d8 (Surr)	98		80 - 120		11/14/16 00:43	1
4-Bromofluorobenzene (Surr)	106		73 - 120		11/14/16 00:43	1
Dibromofluoromethane (Surr)	111		75 - 123		11/14/16 00:43	1

TestAmerica Buffalo



# QC Sample Results

Client: Waste Management  
Project/Site: ChemTrol Site - Annual GW

TestAmerica Job ID: 480-108912-1

## Method: 8260C - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 480-331295/6

Matrix: Water

Analysis Batch: 331295

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		5.0		ug/L			11/12/16 18:46	1
1,1,2,2-Tetrachloroethane	ND		5.0		ug/L			11/12/16 18:46	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		5.0		ug/L			11/12/16 18:46	1
1,1,2-Trichloroethane	ND		5.0		ug/L			11/12/16 18:46	1
1,1-Dichloroethane	ND		5.0		ug/L			11/12/16 18:46	1
1,2,4-Trichlorobenzene	ND		5.0		ug/L			11/12/16 18:46	1
1,2-Dibromo-3-Chloropropane	ND		5.0		ug/L			11/12/16 18:46	1
1,2-Dibromoethane	ND		5.0		ug/L			11/12/16 18:46	1
1,2-Dichlorobenzene	ND		5.0		ug/L			11/12/16 18:46	1
1,2-Dichloroethane	ND		5.0		ug/L			11/12/16 18:46	1
1,2-Dichloropropane	ND		5.0		ug/L			11/12/16 18:46	1
1,3-Dichlorobenzene	ND		5.0		ug/L			11/12/16 18:46	1
1,4-Dichlorobenzene	ND		5.0		ug/L			11/12/16 18:46	1
2-Butanone (MEK)	ND		25		ug/L			11/12/16 18:46	1
o-Chlorotoluene	ND		5.0		ug/L			11/12/16 18:46	1
2-Hexanone	ND		25		ug/L			11/12/16 18:46	1
4-Methyl-2-pentanone (MIBK)	ND		25		ug/L			11/12/16 18:46	1
Acetone	ND		25		ug/L			11/12/16 18:46	1
Benzene	ND		5.0		ug/L			11/12/16 18:46	1
Bromoform	ND		5.0		ug/L			11/12/16 18:46	1
Bromomethane	ND		5.0		ug/L			11/12/16 18:46	1
Carbon disulfide	ND		5.0		ug/L			11/12/16 18:46	1
Carbon tetrachloride	ND		5.0		ug/L			11/12/16 18:46	1
Chlorobenzene	ND		5.0		ug/L			11/12/16 18:46	1
Chlorodibromomethane	ND		5.0		ug/L			11/12/16 18:46	1
Chloroethane	ND		5.0		ug/L			11/12/16 18:46	1
Chloroform	ND		5.0		ug/L			11/12/16 18:46	1
Chloromethane	ND		5.0		ug/L			11/12/16 18:46	1
cis-1,2-Dichloroethene	ND		5.0		ug/L			11/12/16 18:46	1
cis-1,3-Dichloropropene	ND		5.0		ug/L			11/12/16 18:46	1
Cyclohexane	ND		5.0		ug/L			11/12/16 18:46	1
Bromodichloromethane	ND		5.0		ug/L			11/12/16 18:46	1
Dichlorofluoromethane	ND		5.0		ug/L			11/12/16 18:46	1
Ethylbenzene	ND		5.0		ug/L			11/12/16 18:46	1
Isopropylbenzene	ND		5.0		ug/L			11/12/16 18:46	1
Methyl acetate	ND		5.0		ug/L			11/12/16 18:46	1
Methyl tert-butyl ether	ND		5.0		ug/L			11/12/16 18:46	1
Methylcyclohexane	ND		5.0		ug/L			11/12/16 18:46	1
Methylene Chloride	ND		5.0		ug/L			11/12/16 18:46	1
Styrene	ND		5.0		ug/L			11/12/16 18:46	1
Tetrachloroethene	ND		5.0		ug/L			11/12/16 18:46	1
Toluene	ND		5.0		ug/L			11/12/16 18:46	1
trans-1,2-Dichloroethene	ND		5.0		ug/L			11/12/16 18:46	1
trans-1,3-Dichloropropene	ND		5.0		ug/L			11/12/16 18:46	1
Trichloroethene	ND		5.0		ug/L			11/12/16 18:46	1
Trichlorofluoromethane	ND		5.0		ug/L			11/12/16 18:46	1
Vinyl chloride	ND		5.0		ug/L			11/12/16 18:46	1
Xylenes, Total	ND		15		ug/L			11/12/16 18:46	1

TestAmerica Buffalo



# QC Sample Results

Client: Waste Management  
Project/Site: ChemTrol Site - Annual GW

TestAmerica Job ID: 480-108912-1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		77 - 120		11/12/16 18:46	1
Toluene-d8 (Surr)	100		80 - 120		11/12/16 18:46	1
4-Bromofluorobenzene (Surr)	100		73 - 120		11/12/16 18:46	1
Dibromofluoromethane (Surr)	103		75 - 123		11/12/16 18:46	1

Lab Sample ID: LCS 480-331295/4

Matrix: Water

Analysis Batch: 331295

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1,1-Trichloroethane	25.0	26.3		ug/L		105	73 - 126
1,1,2,2-Tetrachloroethane	25.0	26.0		ug/L		104	76 - 120
1,1,2-Trichloro-1,2,2-trifluoroethane	25.0	26.0		ug/L		104	61 - 148
1,1,2-Trichloroethane	25.0	26.4		ug/L		106	76 - 122
1,1-Dichloroethane	25.0	25.3		ug/L		101	77 - 120
1,2,4-Trichlorobenzene	25.0	26.1		ug/L		104	79 - 122
1,2-Dibromo-3-Chloropropane	25.0	26.6		ug/L		106	56 - 134
1,2-Dibromoethane	25.0	26.8		ug/L		107	77 - 120
1,2-Dichlorobenzene	25.0	26.2		ug/L		105	80 - 124
1,2-Dichloroethane	25.0	24.2		ug/L		97	75 - 120
1,2-Dichloropropane	25.0	25.3		ug/L		101	76 - 120
1,3-Dichlorobenzene	25.0	26.0		ug/L		104	77 - 120
1,4-Dichlorobenzene	25.0	25.3		ug/L		101	80 - 120
2-Butanone (MEK)	125	127		ug/L		102	57 - 140
o-Chlorotoluene	25.0	24.7		ug/L		99	76 - 121
2-Hexanone	125	120		ug/L		96	65 - 127
4-Methyl-2-pentanone (MIBK)	125	123		ug/L		98	71 - 125
Acetone	125	119		ug/L		95	56 - 142
Benzene	25.0	25.7		ug/L		103	71 - 124
Bromoform	25.0	25.1		ug/L		100	61 - 132
Bromomethane	25.0	27.3		ug/L		109	55 - 144
Carbon disulfide	25.0	25.7		ug/L		103	59 - 134
Carbon tetrachloride	25.0	26.9		ug/L		108	72 - 134
Chlorobenzene	25.0	25.9		ug/L		104	80 - 120
Chlorodibromomethane	25.0	26.2		ug/L		105	75 - 125
Chloroethane	25.0	27.4		ug/L		110	69 - 136
Chloroform	25.0	25.4		ug/L		102	73 - 127
Chloromethane	25.0	25.2		ug/L		101	68 - 124
cis-1,2-Dichloroethene	25.0	26.5		ug/L		106	74 - 124
cis-1,3-Dichloropropene	25.0	25.9		ug/L		104	74 - 124
Cyclohexane	25.0	25.8		ug/L		103	59 - 135
Bromodichloromethane	25.0	26.0		ug/L		104	80 - 122
Dichlorofluoromethane	25.0	25.3		ug/L		101	76 - 127
Ethylbenzene	25.0	25.5		ug/L		102	77 - 123
Isopropylbenzene	25.0	25.1		ug/L		100	77 - 122
Methyl acetate	125	119		ug/L		95	74 - 133
Methyl tert-butyl ether	25.0	25.4		ug/L		101	77 - 120
Methylcyclohexane	25.0	26.3		ug/L		105	68 - 134
Methylene Chloride	25.0	24.6		ug/L		99	75 - 124
Styrene	25.0	25.9		ug/L		104	80 - 120
Tetrachloroethene	25.0	26.9		ug/L		108	74 - 122
Toluene	25.0	25.6		ug/L		103	80 - 122
trans-1,2-Dichloroethene	25.0	26.8		ug/L		107	73 - 127

TestAmerica Buffalo

# QC Sample Results

Client: Waste Management  
Project/Site: ChemTrol Site - Annual GW

TestAmerica Job ID: 480-108912-1

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 480-331295/4

Matrix: Water

Analysis Batch: 331295

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
trans-1,3-Dichloropropene	25.0	25.5		ug/L		102	80 - 120
Trichloroethene	25.0	26.0		ug/L		104	74 - 123
Trichlorofluoromethane	25.0	24.3		ug/L		97	62 - 150
Vinyl chloride	25.0	26.3		ug/L		105	65 - 133

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	99		77 - 120
Toluene-d8 (Surr)	99		80 - 120
4-Bromofluorobenzene (Surr)	99		73 - 120
Dibromofluoromethane (Surr)	102		75 - 123

Lab Sample ID: 480-108912-2 MS

Matrix: Water

Analysis Batch: 331295

Client Sample ID: MW-13R

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1,1-Trichloroethane	ND		1000	1100		ug/L		110	73 - 126
1,1,2,2-Tetrachloroethane	ND		1000	1030		ug/L		103	76 - 120
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1000	1150		ug/L		115	61 - 148
1,1,2-Trichloroethane	ND		1000	1080		ug/L		108	76 - 122
1,1-Dichloroethane	ND		1000	1080		ug/L		108	77 - 120
1,2,4-Trichlorobenzene	ND		1000	1000		ug/L		100	79 - 122
1,2-Dibromo-3-Chloropropane	ND		1000	1020		ug/L		102	56 - 134
1,2-Dibromoethane	ND		1000	1080		ug/L		108	77 - 120
1,2-Dichlorobenzene	ND		1000	1040		ug/L		104	80 - 124
1,2-Dichloroethane	ND		1000	1040		ug/L		104	75 - 120
1,2-Dichloropropane	ND		1000	1050		ug/L		105	76 - 120
1,3-Dichlorobenzene	ND		1000	1050		ug/L		105	77 - 120
1,4-Dichlorobenzene	ND		1000	1020		ug/L		102	78 - 124
2-Butanone (MEK)	ND		5000	4960		ug/L		99	57 - 140
o-Chlorotoluene	1200	F1	1000	1820	F1	ug/L		58	76 - 121
2-Hexanone	ND		5000	4610		ug/L		92	65 - 127
4-Methyl-2-pentanone (MIBK)	ND		5000	4840		ug/L		97	71 - 125
Acetone	ND		5000	4500		ug/L		90	56 - 142
Benzene	ND		1000	1100		ug/L		110	71 - 124
Bromoform	ND		1000	1010		ug/L		101	61 - 132
Bromomethane	ND		1000	1140		ug/L		114	55 - 144
Carbon disulfide	ND		1000	1110		ug/L		111	59 - 134
Carbon tetrachloride	ND		1000	1160		ug/L		116	72 - 134
Chlorobenzene	ND		1000	1080		ug/L		108	80 - 120
Chlorodibromomethane	ND		1000	1060		ug/L		106	75 - 125
Chloroethane	ND		1000	1170		ug/L		117	69 - 136
Chloroform	ND		1000	1090		ug/L		109	73 - 127
Chloromethane	ND		1000	1080		ug/L		108	68 - 124
cis-1,2-Dichloroethene	ND		1000	1120		ug/L		112	74 - 124
cis-1,3-Dichloropropene	ND		1000	1040		ug/L		104	74 - 124
Cyclohexane	ND		1000	1160		ug/L		116	59 - 135

TestAmerica Buffalo

# QC Sample Results

Client: Waste Management  
Project/Site: ChemTrol Site - Annual GW

TestAmerica Job ID: 480-108912-1

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 480-108912-2 MS

Matrix: Water

Analysis Batch: 331295

Client Sample ID: MW-13R

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Bromodichloromethane	ND		1000	1080		ug/L		108	80 - 122
Dichlorofluoromethane	ND		1000	1100		ug/L		110	76 - 127
Ethylbenzene	ND		1000	1050		ug/L		105	77 - 123
Isopropylbenzene	ND		1000	1040		ug/L		104	77 - 122
Methyl acetate	ND		5000	4870		ug/L		97	74 - 133
Methyl tert-butyl ether	ND		1000	1050		ug/L		105	77 - 120
Methylcyclohexane	ND		1000	1100		ug/L		110	68 - 134
Methylene Chloride	ND		1000	1020		ug/L		102	75 - 124
Styrene	ND		1000	1070		ug/L		107	80 - 120
Tetrachloroethene	ND		1000	1100		ug/L		110	74 - 122
Toluene	ND		1000	1060		ug/L		106	80 - 122
trans-1,2-Dichloroethene	ND		1000	1130		ug/L		113	73 - 127
trans-1,3-Dichloropropene	ND		1000	1010		ug/L		101	80 - 120
Trichloroethene	ND		1000	1110		ug/L		111	74 - 123
Trichlorofluoromethane	ND		1000	1120		ug/L		112	62 - 150
Vinyl chloride	ND		1000	1180		ug/L		118	65 - 133

Surrogate	MS %Recovery	MS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	102		77 - 120
Toluene-d8 (Surr)	100		80 - 120
4-Bromofluorobenzene (Surr)	100		73 - 120
Dibromofluoromethane (Surr)	105		75 - 123

Lab Sample ID: 480-108912-2 MSD

Matrix: Water

Analysis Batch: 331295

Client Sample ID: MW-13R

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
1,1,1-Trichloroethane	ND		1000	1050		ug/L		105	73 - 126	5	15
1,1,2,2-Tetrachloroethane	ND		1000	1050		ug/L		105	76 - 120	2	15
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1000	1040		ug/L		104	61 - 148	10	20
1,1,2-Trichloroethane	ND		1000	1050		ug/L		105	76 - 122	3	15
1,1-Dichloroethane	ND		1000	1020		ug/L		102	77 - 120	6	20
1,2,4-Trichlorobenzene	ND		1000	982		ug/L		98	79 - 122	2	20
1,2-Dibromo-3-Chloropropane	ND		1000	1070		ug/L		107	56 - 134	5	15
1,2-Dibromoethane	ND		1000	1050		ug/L		105	77 - 120	3	15
1,2-Dichlorobenzene	ND		1000	1020		ug/L		102	80 - 124	2	20
1,2-Dichloroethane	ND		1000	981		ug/L		98	75 - 120	6	20
1,2-Dichloropropane	ND		1000	996		ug/L		100	76 - 120	6	20
1,3-Dichlorobenzene	ND		1000	1010		ug/L		101	77 - 120	4	20
1,4-Dichlorobenzene	ND		1000	1010		ug/L		101	78 - 124	1	20
2-Butanone (MEK)	ND		5000	4950		ug/L		99	57 - 140	0	20
o-Chlorotoluene	1200	F1	1000	1760	F1	ug/L		52	76 - 121	3	20
2-Hexanone	ND		5000	4660		ug/L		93	65 - 127	1	15
4-Methyl-2-pentanone (MIBK)	ND		5000	4790		ug/L		96	71 - 125	1	35
Acetone	ND		5000	4390		ug/L		88	56 - 142	2	15
Benzene	ND		1000	1030		ug/L		103	71 - 124	7	13

TestAmerica Buffalo

# QC Sample Results

Client: Waste Management  
Project/Site: ChemTrol Site - Annual GW

TestAmerica Job ID: 480-108912-1

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 480-108912-2 MSD

Matrix: Water

Analysis Batch: 331295

Client Sample ID: MW-13R

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Bromoform	ND		1000	1030		ug/L		103	61 - 132	1	15
Bromomethane	ND		1000	1060		ug/L		106	55 - 144	7	15
Carbon disulfide	ND		1000	1000		ug/L		100	59 - 134	10	15
Carbon tetrachloride	ND		1000	1070		ug/L		107	72 - 134	8	15
Chlorobenzene	ND		1000	1010		ug/L		101	80 - 120	6	25
Chlorodibromomethane	ND		1000	1050		ug/L		105	75 - 125	1	15
Chloroethane	ND		1000	1110		ug/L		111	69 - 136	6	15
Chloroform	ND		1000	1030		ug/L		103	73 - 127	6	20
Chloromethane	ND		1000	976		ug/L		98	68 - 124	10	15
cis-1,2-Dichloroethene	ND		1000	1050		ug/L		105	74 - 124	7	15
cis-1,3-Dichloropropene	ND		1000	1000		ug/L		100	74 - 124	3	15
Cyclohexane	ND		1000	1060		ug/L		106	59 - 135	9	20
Bromodichloromethane	ND		1000	1040		ug/L		104	80 - 122	4	15
Dichlorofluoromethane	ND		1000	1020		ug/L		102	76 - 127	8	20
Ethylbenzene	ND		1000	996		ug/L		100	77 - 123	6	15
Isopropylbenzene	ND		1000	999		ug/L		100	77 - 122	4	20
Methyl acetate	ND		5000	4780		ug/L		96	74 - 133	2	20
Methyl tert-butyl ether	ND		1000	1010		ug/L		101	77 - 120	4	37
Methylcyclohexane	ND		1000	1040		ug/L		104	68 - 134	6	20
Methylene Chloride	ND		1000	963		ug/L		96	75 - 124	6	15
Styrene	ND		1000	1020		ug/L		102	80 - 120	5	20
Tetrachloroethene	ND		1000	1020		ug/L		102	74 - 122	8	20
Toluene	ND		1000	1000		ug/L		100	80 - 122	6	15
trans-1,2-Dichloroethene	ND		1000	1060		ug/L		106	73 - 127	7	20
trans-1,3-Dichloropropene	ND		1000	982		ug/L		98	80 - 120	2	15
Trichloroethene	ND		1000	1040		ug/L		104	74 - 123	6	16
Trichlorofluoromethane	ND		1000	1030		ug/L		103	62 - 150	8	20
Vinyl chloride	ND		1000	1060		ug/L		106	65 - 133	10	15

Surrogate	MSD %Recovery	MSD Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	97		77 - 120
Toluene-d8 (Surr)	101		80 - 120
4-Bromofluorobenzene (Surr)	99		73 - 120
Dibromofluoromethane (Surr)	104		75 - 123

Lab Sample ID: MB 480-331354/6

Matrix: Water

Analysis Batch: 331354

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		5.0		ug/L			11/13/16 21:52	1
1,1,2,2-Tetrachloroethane	ND		5.0		ug/L			11/13/16 21:52	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		5.0		ug/L			11/13/16 21:52	1
1,1,2-Trichloroethane	ND		5.0		ug/L			11/13/16 21:52	1
1,1-Dichloroethane	ND		5.0		ug/L			11/13/16 21:52	1
1,2,4-Trichlorobenzene	ND		5.0		ug/L			11/13/16 21:52	1
1,2-Dibromo-3-Chloropropane	ND		5.0		ug/L			11/13/16 21:52	1
1,2-Dibromoethane	ND		5.0		ug/L			11/13/16 21:52	1

TestAmerica Buffalo

# QC Sample Results

Client: Waste Management  
Project/Site: ChemTrol Site - Annual GW

TestAmerica Job ID: 480-108912-1

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 480-331354/6

Matrix: Water

Analysis Batch: 331354

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Dichlorobenzene	ND		5.0		ug/L			11/13/16 21:52	1
1,2-Dichloroethane	ND		5.0		ug/L			11/13/16 21:52	1
1,2-Dichloropropane	ND		5.0		ug/L			11/13/16 21:52	1
1,3-Dichlorobenzene	ND		5.0		ug/L			11/13/16 21:52	1
1,4-Dichlorobenzene	ND		5.0		ug/L			11/13/16 21:52	1
2-Butanone (MEK)	ND		25		ug/L			11/13/16 21:52	1
o-Chlorotoluene	ND		5.0		ug/L			11/13/16 21:52	1
2-Hexanone	ND		25		ug/L			11/13/16 21:52	1
4-Methyl-2-pentanone (MIBK)	ND		25		ug/L			11/13/16 21:52	1
Acetone	ND		25		ug/L			11/13/16 21:52	1
Benzene	ND		5.0		ug/L			11/13/16 21:52	1
Bromoform	ND		5.0		ug/L			11/13/16 21:52	1
Bromomethane	ND		5.0		ug/L			11/13/16 21:52	1
Carbon disulfide	ND		5.0		ug/L			11/13/16 21:52	1
Carbon tetrachloride	ND		5.0		ug/L			11/13/16 21:52	1
Chlorobenzene	ND		5.0		ug/L			11/13/16 21:52	1
Chlorodibromomethane	ND		5.0		ug/L			11/13/16 21:52	1
Chloroethane	ND		5.0		ug/L			11/13/16 21:52	1
Chloroform	ND		5.0		ug/L			11/13/16 21:52	1
Chloromethane	ND		5.0		ug/L			11/13/16 21:52	1
cis-1,2-Dichloroethene	ND		5.0		ug/L			11/13/16 21:52	1
cis-1,3-Dichloropropene	ND		5.0		ug/L			11/13/16 21:52	1
Cyclohexane	ND		5.0		ug/L			11/13/16 21:52	1
Bromodichloromethane	ND		5.0		ug/L			11/13/16 21:52	1
Dichlorofluoromethane	ND		5.0		ug/L			11/13/16 21:52	1
Ethylbenzene	ND		5.0		ug/L			11/13/16 21:52	1
Isopropylbenzene	ND		5.0		ug/L			11/13/16 21:52	1
Methyl acetate	ND		5.0		ug/L			11/13/16 21:52	1
Methyl tert-butyl ether	ND		5.0		ug/L			11/13/16 21:52	1
Methylcyclohexane	ND		5.0		ug/L			11/13/16 21:52	1
Methylene Chloride	ND		5.0		ug/L			11/13/16 21:52	1
Styrene	ND		5.0		ug/L			11/13/16 21:52	1
Tetrachloroethene	ND		5.0		ug/L			11/13/16 21:52	1
Toluene	ND		5.0		ug/L			11/13/16 21:52	1
trans-1,2-Dichloroethene	ND		5.0		ug/L			11/13/16 21:52	1
trans-1,3-Dichloropropene	ND		5.0		ug/L			11/13/16 21:52	1
Trichloroethene	ND		5.0		ug/L			11/13/16 21:52	1
Trichlorofluoromethane	ND		5.0		ug/L			11/13/16 21:52	1
Vinyl chloride	ND		5.0		ug/L			11/13/16 21:52	1
Xylenes, Total	ND		15		ug/L			11/13/16 21:52	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		77 - 120		11/13/16 21:52	1
Toluene-d8 (Surr)	96		80 - 120		11/13/16 21:52	1
4-Bromofluorobenzene (Surr)	105		73 - 120		11/13/16 21:52	1
Dibromofluoromethane (Surr)	107		75 - 123		11/13/16 21:52	1

TestAmerica Buffalo

# QC Sample Results

Client: Waste Management  
Project/Site: ChemTrol Site - Annual GW

TestAmerica Job ID: 480-108912-1

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 480-331354/4

Matrix: Water

Analysis Batch: 331354

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1,1-Trichloroethane	25.0	29.0		ug/L		116	73 - 126
1,1,2,2-Tetrachloroethane	25.0	24.8		ug/L		99	76 - 120
1,1,2-Trichloro-1,2,2-trifluoroethane	25.0	28.6		ug/L		114	61 - 148
1,1,2-Trichloroethane	25.0	24.5		ug/L		98	76 - 122
1,1-Dichloroethane	25.0	26.7		ug/L		107	77 - 120
1,2,4-Trichlorobenzene	25.0	24.7		ug/L		99	79 - 122
1,2-Dibromo-3-Chloropropane	25.0	24.8		ug/L		99	56 - 134
1,2-Dibromoethane	25.0	24.3		ug/L		97	77 - 120
1,2-Dichlorobenzene	25.0	24.8		ug/L		99	80 - 124
1,2-Dichloroethane	25.0	25.4		ug/L		102	75 - 120
1,2-Dichloropropane	25.0	26.2		ug/L		105	76 - 120
1,3-Dichlorobenzene	25.0	25.0		ug/L		100	77 - 120
1,4-Dichlorobenzene	25.0	25.3		ug/L		101	80 - 120
2-Butanone (MEK)	125	149		ug/L		119	57 - 140
o-Chlorotoluene	25.0	24.6		ug/L		98	76 - 121
2-Hexanone	125	132		ug/L		106	65 - 127
4-Methyl-2-pentanone (MIBK)	125	127		ug/L		102	71 - 125
Acetone	125	187 *		ug/L		150	56 - 142
Benzene	25.0	26.0		ug/L		104	71 - 124
Bromoform	25.0	25.0		ug/L		100	61 - 132
Bromomethane	25.0	25.9		ug/L		103	55 - 144
Carbon disulfide	25.0	25.5		ug/L		102	59 - 134
Carbon tetrachloride	25.0	28.6		ug/L		114	72 - 134
Chlorobenzene	25.0	25.5		ug/L		102	80 - 120
Chlorodibromomethane	25.0	25.5		ug/L		102	75 - 125
Chloroethane	25.0	25.6		ug/L		103	69 - 136
Chloroform	25.0	26.4		ug/L		106	73 - 127
Chloromethane	25.0	19.7		ug/L		79	68 - 124
cis-1,2-Dichloroethene	25.0	26.7		ug/L		107	74 - 124
cis-1,3-Dichloropropene	25.0	26.0		ug/L		104	74 - 124
Cyclohexane	25.0	26.9		ug/L		108	59 - 135
Bromodichloromethane	25.0	26.4		ug/L		106	80 - 122
Dichlorofluoromethane	25.0	26.8		ug/L		107	76 - 127
Ethylbenzene	25.0	26.1		ug/L		105	77 - 123
Isopropylbenzene	25.0	25.2		ug/L		101	77 - 122
Methyl acetate	125	125		ug/L		100	74 - 133
Methyl tert-butyl ether	25.0	25.7		ug/L		103	77 - 120
Methylcyclohexane	25.0	28.6		ug/L		114	68 - 134
Methylene Chloride	25.0	25.4		ug/L		102	75 - 124
Styrene	25.0	25.7		ug/L		103	80 - 120
Tetrachloroethene	25.0	27.0		ug/L		108	74 - 122
Toluene	25.0	25.6		ug/L		102	80 - 122
trans-1,2-Dichloroethene	25.0	27.0		ug/L		108	73 - 127
trans-1,3-Dichloropropene	25.0	24.7		ug/L		99	80 - 120
Trichloroethene	25.0	26.9		ug/L		108	74 - 123
Trichlorofluoromethane	25.0	31.6		ug/L		126	62 - 150
Vinyl chloride	25.0	23.3		ug/L		93	65 - 133

TestAmerica Buffalo

# QC Sample Results

Client: Waste Management  
Project/Site: ChemTrol Site - Annual GW

TestAmerica Job ID: 480-108912-1

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 480-331354/4

Matrix: Water

Analysis Batch: 331354

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	98		77 - 120
Toluene-d8 (Surr)	96		80 - 120
4-Bromofluorobenzene (Surr)	103		73 - 120
Dibromofluoromethane (Surr)	102		75 - 123

Lab Sample ID: MB 480-331554/7

Matrix: Water

Analysis Batch: 331554

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		5.0		ug/L			11/14/16 21:30	1
1,1,2,2-Tetrachloroethane	ND		5.0		ug/L			11/14/16 21:30	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		5.0		ug/L			11/14/16 21:30	1
1,1,2-Trichloroethane	ND		5.0		ug/L			11/14/16 21:30	1
1,1-Dichloroethane	ND		5.0		ug/L			11/14/16 21:30	1
1,2,4-Trichlorobenzene	ND		5.0		ug/L			11/14/16 21:30	1
1,2-Dibromo-3-Chloropropane	ND		5.0		ug/L			11/14/16 21:30	1
1,2-Dibromoethane	ND		5.0		ug/L			11/14/16 21:30	1
1,2-Dichlorobenzene	ND		5.0		ug/L			11/14/16 21:30	1
1,2-Dichloroethane	ND		5.0		ug/L			11/14/16 21:30	1
1,2-Dichloropropane	ND		5.0		ug/L			11/14/16 21:30	1
1,3-Dichlorobenzene	ND		5.0		ug/L			11/14/16 21:30	1
1,4-Dichlorobenzene	ND		5.0		ug/L			11/14/16 21:30	1
2-Butanone (MEK)	ND		25		ug/L			11/14/16 21:30	1
o-Chlorotoluene	ND		5.0		ug/L			11/14/16 21:30	1
2-Hexanone	ND		25		ug/L			11/14/16 21:30	1
4-Methyl-2-pentanone (MIBK)	ND		25		ug/L			11/14/16 21:30	1
Acetone	ND		25		ug/L			11/14/16 21:30	1
Benzene	ND		5.0		ug/L			11/14/16 21:30	1
Bromoform	ND		5.0		ug/L			11/14/16 21:30	1
Bromomethane	ND		5.0		ug/L			11/14/16 21:30	1
Carbon disulfide	ND		5.0		ug/L			11/14/16 21:30	1
Carbon tetrachloride	ND		5.0		ug/L			11/14/16 21:30	1
Chlorobenzene	ND		5.0		ug/L			11/14/16 21:30	1
Chlorodibromomethane	ND		5.0		ug/L			11/14/16 21:30	1
Chloroethane	ND		5.0		ug/L			11/14/16 21:30	1
Chloroform	ND		5.0		ug/L			11/14/16 21:30	1
Chloromethane	ND		5.0		ug/L			11/14/16 21:30	1
cis-1,2-Dichloroethene	ND		5.0		ug/L			11/14/16 21:30	1
cis-1,3-Dichloropropene	ND		5.0		ug/L			11/14/16 21:30	1
Cyclohexane	ND		5.0		ug/L			11/14/16 21:30	1
Bromodichloromethane	ND		5.0		ug/L			11/14/16 21:30	1
Dichlorofluoromethane	ND		5.0		ug/L			11/14/16 21:30	1
Ethylbenzene	ND		5.0		ug/L			11/14/16 21:30	1
Isopropylbenzene	ND		5.0		ug/L			11/14/16 21:30	1
Methyl acetate	ND		5.0		ug/L			11/14/16 21:30	1
Methyl tert-butyl ether	ND		5.0		ug/L			11/14/16 21:30	1
Methylcyclohexane	ND		5.0		ug/L			11/14/16 21:30	1

TestAmerica Buffalo



# QC Sample Results

Client: Waste Management  
Project/Site: ChemTrol Site - Annual GW

TestAmerica Job ID: 480-108912-1

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 480-331554/7

Matrix: Water

Analysis Batch: 331554

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methylene Chloride	ND		5.0		ug/L			11/14/16 21:30	1
Styrene	ND		5.0		ug/L			11/14/16 21:30	1
Tetrachloroethene	ND		5.0		ug/L			11/14/16 21:30	1
Toluene	ND		5.0		ug/L			11/14/16 21:30	1
trans-1,2-Dichloroethene	ND		5.0		ug/L			11/14/16 21:30	1
trans-1,3-Dichloropropene	ND		5.0		ug/L			11/14/16 21:30	1
Trichloroethene	ND		5.0		ug/L			11/14/16 21:30	1
Trichlorofluoromethane	ND		5.0		ug/L			11/14/16 21:30	1
Vinyl chloride	ND		5.0		ug/L			11/14/16 21:30	1
Xylenes, Total	ND		15		ug/L			11/14/16 21:30	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		77 - 120		11/14/16 21:30	1
Toluene-d8 (Surr)	104		80 - 120		11/14/16 21:30	1
4-Bromofluorobenzene (Surr)	107		73 - 120		11/14/16 21:30	1
Dibromofluoromethane (Surr)	112		75 - 123		11/14/16 21:30	1

Lab Sample ID: LCS 480-331554/5

Matrix: Water

Analysis Batch: 331554

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
1,1,1-Trichloroethane	25.0	28.7		ug/L		115	73 - 126
1,1,2,2-Tetrachloroethane	25.0	23.3		ug/L		93	76 - 120
1,1,2-Trichloro-1,2,2-trifluoroethane	25.0	28.8		ug/L		115	61 - 148
1,1,2-Trichloroethane	25.0	24.7		ug/L		99	76 - 122
1,1-Dichloroethane	25.0	26.3		ug/L		105	77 - 120
1,2,4-Trichlorobenzene	25.0	24.6		ug/L		99	79 - 122
1,2-Dibromo-3-Chloropropane	25.0	21.9		ug/L		88	56 - 134
1,2-Dibromoethane	25.0	24.0		ug/L		96	77 - 120
1,2-Dichlorobenzene	25.0	24.7		ug/L		99	80 - 124
1,2-Dichloroethane	25.0	25.1		ug/L		100	75 - 120
1,2-Dichloropropane	25.0	25.2		ug/L		101	76 - 120
1,3-Dichlorobenzene	25.0	24.4		ug/L		98	77 - 120
1,4-Dichlorobenzene	25.0	25.1		ug/L		100	80 - 120
2-Butanone (MEK)	125	145		ug/L		116	57 - 140
o-Chlorotoluene	25.0	24.8		ug/L		99	76 - 121
2-Hexanone	125	115		ug/L		92	65 - 127
4-Methyl-2-pentanone (MIBK)	125	115		ug/L		92	71 - 125
Acetone	125	155		ug/L		124	56 - 142
Benzene	25.0	25.5		ug/L		102	71 - 124
Bromoform	25.0	23.8		ug/L		95	61 - 132
Bromomethane	25.0	29.4		ug/L		117	55 - 144
Carbon disulfide	25.0	25.3		ug/L		101	59 - 134
Carbon tetrachloride	25.0	28.6		ug/L		114	72 - 134
Chlorobenzene	25.0	25.9		ug/L		104	80 - 120
Chlorodibromomethane	25.0	26.0		ug/L		104	75 - 125

TestAmerica Buffalo



# QC Sample Results

Client: Waste Management  
Project/Site: ChemTrol Site - Annual GW

TestAmerica Job ID: 480-108912-1

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 480-331554/5

Matrix: Water

Analysis Batch: 331554

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloroethane	25.0	28.1		ug/L		112	69 - 136
Chloroform	25.0	26.1		ug/L		104	73 - 127
Chloromethane	25.0	25.3		ug/L		101	68 - 124
cis-1,2-Dichloroethene	25.0	27.2		ug/L		109	74 - 124
cis-1,3-Dichloropropene	25.0	25.9		ug/L		104	74 - 124
Cyclohexane	25.0	26.9		ug/L		108	59 - 135
Bromodichloromethane	25.0	25.7		ug/L		103	80 - 122
Dichlorofluoromethane	25.0	26.9		ug/L		108	76 - 127
Ethylbenzene	25.0	25.9		ug/L		104	77 - 123
Isopropylbenzene	25.0	24.9		ug/L		100	77 - 122
Methyl acetate	125	109		ug/L		87	74 - 133
Methyl tert-butyl ether	25.0	25.8		ug/L		103	77 - 120
Methylcyclohexane	25.0	28.9		ug/L		116	68 - 134
Methylene Chloride	25.0	25.1		ug/L		101	75 - 124
Styrene	25.0	25.6		ug/L		102	80 - 120
Tetrachloroethene	25.0	27.9		ug/L		112	74 - 122
Toluene	25.0	26.0		ug/L		104	80 - 122
trans-1,2-Dichloroethene	25.0	26.9		ug/L		108	73 - 127
trans-1,3-Dichloropropene	25.0	25.1		ug/L		100	80 - 120
Trichloroethene	25.0	26.8		ug/L		107	74 - 123
Trichlorofluoromethane	25.0	35.2		ug/L		141	62 - 150
Vinyl chloride	25.0	29.0		ug/L		116	65 - 133

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	106		77 - 120
Toluene-d8 (Surr)	107		80 - 120
4-Bromofluorobenzene (Surr)	108		73 - 120
Dibromofluoromethane (Surr)	111		75 - 123

## Certification Summary

Client: Waste Management  
Project/Site: ChemTrol Site - Annual GW

TestAmerica Job ID: 480-108912-1

### Laboratory: TestAmerica Buffalo

Unless otherwise noted, all analytes for this laboratory were covered under each certification below.

Authority	Program	EPA Region	Certification ID	Expiration Date
New York	NELAP	2	10026	03-31-17

The following analytes are included in this report, but certification is not offered by the governing authority:

Analysis Method	Prep Method	Matrix	Analyte
8260C		Water	Dichlorofluoromethane

## Method Summary

Client: Waste Management  
Project/Site: ChemTrol Site - Annual GW

TestAmerica Job ID: 480-108912-1

Method	Method Description	Protocol	Laboratory
8260C	Volatile Organic Compounds by GC/MS	SW846	TAL BUF

### Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

### Laboratory References:

TAL BUF = TestAmerica Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

## Sample Summary

Client: Waste Management  
Project/Site: ChemTrol Site - Annual GW

TestAmerica Job ID: 480-108912-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
480-108912-1	DUP	Water	11/02/16 12:50	11/02/16 14:30
480-108912-2	MW-13R	Water	11/02/16 12:50	11/02/16 14:30
480-108912-3	MW-15R	Water	11/02/16 12:40	11/02/16 14:30
480-108912-4	MW-3S	Water	11/02/16 13:10	11/02/16 14:30
480-108912-5	MW-7R	Water	11/02/16 13:25	11/02/16 14:30
480-108912-6	MW-8R	Water	11/02/16 13:00	11/02/16 14:30
480-108912-7	MW-9R	Water	11/02/16 13:15	11/02/16 14:30
480-108912-8	TB	Water	11/02/16 09:00	11/02/16 14:30

# TestAmerica Buffalo

10 Hazelwood Drive  
Amherst, NY 14228-2298  
Phone (716) 691-2600 Fax (716) 691-7991

## Chain of Custody Record

TestAmerica  
THE LEADER IN ENVIRONMENTAL TESTING

<b>Client Information</b> Client Contact: Mr. Mark Snyder Company: Waste Management Address: 425 Perinton Parkway City: Fairport State, Zip: NY, 14450 Phone: 603-929-5446 (Tel) 603-929-3115 (Fax) Email: msnyder@wm.com Project Name: ChemTrol Site/NY22 Event Desc: ChemTrol Annual Groundwater Site: New Hampshire		Sampler: <i>W</i> Lab PM: VanDette, Ryan T Phone: <i>8078732</i> E-Mail: ryan.vandette@testamericainc.com		Carrier Tracking No(s): 480-77209-4273.1 Page: Page 1 of 1 Job #:					
Due Date Requested: TAT Requested (days): PO #: Purchase Order not requir WO #:		<b>Analysis Requested</b>							
Sample Identification DUP MW-13R MW-15R MW-3S MW-7R MW-8R MW-9R TB		Sample Date 11-2-16 1250 1250 1240 1310 1325 1300 1315 0900	Sample Type (G=grab) G 1 1 1 1 1 1 1	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air) Water Water Water Water Water Water Water Water	Field Filtered Sample (Yes or No) A 3 3 3 3 3 3 3 3	Perform MS/MSD (Yes or No) A 3 3 3 3 3 3 3 3	820B - (MOD) Local Method A 3 3 3 3 3 3 3 3	Total Number of Containers 3 3 3 3 3 3 3 3 3	Special Instructions/Note: Taken @ MW13R
<b>Possible Hazard Identification</b> <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For <input type="checkbox"/> Months							
Deliverable Requested: I, II, III, IV, Other (specify)		Special Instructions/OC Requirements:							
Empty Kit Relinquished by:		Method of Shipment:							
Relinquished by: <i>Theresa Miller</i> Relinquished by:		Date: 11-2-16/1430 Date/Time:		Received by: <i>W</i> Date/Time: 11-2-16 1430 Company:					
Relinquished by:		Date/Time:		Company:					
Relinquished by:		Date/Time:		Company:					
Custody Seals Intact: Δ Yes Δ No		Cooler Temperature(s) °C and Other Remarks: 318 #1		Company:					

# FIELD OBSERVATIONS

Facility: Chemtrail

Sample Point ID: MW-13R

Field Personnel: TW, EB

Sample Matrix: G/W

## MONITORING WELL INSPECTION:

Date/Time 11-2-16 1 1134

Cond of seal: ☒ Good ☐ Cracked ☐ None ☐ Buried %

Prot. Casing/riser height: -

Cond of prot. Casing/riser: ☐ Unlocked ☒ Good  
☐ Loose ☐ Flush Mount  
☐ Damaged

If prot.casing; depth to riser below: -

Gas Meter (Calibration/ Reading): % Gas: - / - % LEL: - / -

Vol. Organic Meter (Calibration/Reading): Volatiles (ppm) - / -

## PURGE INFORMATION:

Date / Time Initiated: 11-2-16 / 1135

Date / Time Completed: 11-2-16 / 1156

Surf. Meas. Pt: ☐ Prot. Casing ☒ Riser

Riser Diameter, Inches: 4.0

Initial Water Level, Feet: 10.00

Elevation. G/W MSL: -

Well Total Depth, Feet: 22.25

Method of Well Purge: Bailer

One (1) Riser Volume, Gal: 7.99

Dedicated: ☒ Y ☐ N

Total Volume Purged, Gal: ~24

Purged To Dryness Y ☒ N

Purge Observations: -

Start clear Finish clear

## PURGE DATA (if applicable)

Time	Purge Rate (gpm/htz)	Cumulative Volume	Temp. (C)	pH (SU)	Conductivity (µmhos/cm)	Turb. (NTU)	Other	Other

Age Group	Percentage
1	10%
2	10%
3	10%
4	10%
5	10%
6	10%
7	10%
8	10%
9	10%
10	10%
11	10%
12	10%

POINT ID MW13R

POINT ID MW13R

Date/Time 11-2-16 1 1250

Water Level @ Sampling, Feet: 10.01

Method of Sampling: Boiler

Dedicated: (Y) / N

Multi-phased/ layered: ( ) Yes ~~( ) No~~

If YES:      ( ) light      ( ) heavy

Time	Temp. (°C)	pH (std units)	Conductivity (µmhos/cm)	Turb. (NTU)	Other (ORP)	Other ( )
1252	15.7	8.33	1745	<del>91</del> 3.03	<del>8</del> -91	

Meter ID#	Cal Std 7.0 SU	Cal Std 4.0 SU	Cal Std 10.0 SU	Check Std 7.0 SU ( $\pm 10\%$ )	Cal.Std 1,413 $\mu\text{mhos/cm}$	Check.Std 1,413 $\mu\text{mhos/cm}$ ( $\pm 10\%$ )	Cal.Std 10 NTU	Check Std 10 NTU ( $\pm 10\%$ )
Solution ID#								

Weather conditions @ time of sampling: Sunny ~ 60

Sample Characteristics: clear

COMMENTS AND OBSERVATIONS:

Dup taken

I certify that sampling procedures were in accordance with all applicable EPA, State and Site-Specific protocols.

Date: 11/21/6

By:

Thomson

Company: TAL

# FIELD OBSERVATIONS

Facility: chemtrel

Sample Point ID: Dup

Field Personnel: Y, EB

Sample Matrix: GW

## MONITORING WELL INSPECTION

Date/Time 11-2-16 1 1134

Cond of seal: ☒ Good ☐ Cracked ☐ None ☐ Buried %

Prot. Casing/riser height: —

Cond of prot. Casing/riser: ☐ Unlocked ☒ Good  
☐ Loose ☐ Flush Mount  
☐ Damaged

If prot.casing; depth to riser below: ✓

Gas Meter (Calibration/ Reading): % Gas: — 1 —

% LEL: — 1 —

Vol. Organic Meter (Calibration/Reading):

Volatiles (ppm): — 1 —

## PURGE INFORMATION

Date / Time Initiated: 11-2-16 / 1135

Date / Time Completed: 11-2-16 / 1156

Surf. Meas. Pt: ☐ Prot. Casing ☒ Riser

Riser Diameter, Inches: 4.0

Initial Water Level, Feet: 10.00

Elevation. GW MSL: —

Well Total Depth, Feet: 2225

Method of Well Purge: Backer

One (1) Riser Volume, Gal: 7.99

Dedicated: ☒ Y ☐ N

Total Volume Purged, Gal: 224

Purged To Dryness ☒ Y ☐ N

Purge Observations: —

Start clear Finish clear

## PURGE DATA: (if applicable)

Time	Purge Rate (gpm/htz)	Cumulative Volume	Temp. (C)	pH (SU)	Conductivity (µmhos/cm)	Turb. (NTU)	Other	Other



# FIELD OBSERVATIONS

## SAMPLING INFORMATION:

POINT ID

Rup

Date/Time

11-2-16

1250

Water Level @ Sampling, Feet:

10.01

Method of Sampling:

Beuler

Dedicated:

(Y) N

Multi-phased/ layered:

( ) Yes

(X) No

If YES:

( ) light

( ) heavy

## SAMPLING DATA:

Time	Temp. (°C)	pH (std units)	Conductivity (µmhos/cm)	Turb. (NTU)	Other ( )	Other ( )
1252	15.7	8.33	1745	3.03	-91	

## INSTRUMENT CALIBRATION/CHECK DATA:

Meter ID#	Cal Std 7.0 SU	Cal Std 4.0 SU	Cal Std 10.0 SU	Check Std 7.0 SU (± 10%)	Cal. Std 1,413 µmhos/cm	Check. Std 1,413 µmhos/cm (± 10%)	Cal. Std 10 NTU	Check Std 10 NTU (± 10%)
Solution ID#								

## GENERAL INFORMATION:

Weather conditions @ time of sampling:

Sunny - 60

Sample Characteristics:

clear

COMMENTS AND OBSERVATIONS:

Taken @ MWR

I certify that sampling procedures were in accordance with all applicable EPA, State and Site-Specific protocols.

Date:

11/2/16

By:

[Signature]

Company:

TAL

# FIELD OBSERVATIONS

Facility: Chemtrail

Sample Point ID: MW-8R

Field Personnel: RU, EB

Sample Matrix: G/W

## MONITORING WELL INSPECTION

Date/Time 11-2-16 1 1100

Cond of seal: ☒ Good ☐ Cracked ☐ None ☐ Buried %

Prot. Casing/riser height: —

Cond of prot. Casing/riser: ☐ Unlocked ☒ Good  
☐ Loose ☐ Flush Mount  
☐ Damaged —

If prot.casing; depth to riser below: —

Gas Meter (Calibration/ Reading): % Gas: — / —

% LEL: — / —

Vol. Organic Meter (Calibration/Reading):

Volatiles (ppm) — / —

## PURGE INFORMATION

Date / Time Initiated: 11-2-16/ 1105

Date / Time Completed: 11-2-16/1145

Surf. Meas. Pt: ☐ Prot. Casing ☒ Riser

Riser Diameter, Inches: 4.0

Initial Water Level, Feet: 11.96

Elevation. G/W MSL: —

Well Total Depth, Feet: 22-10

Method of Well Purge: Bailer

One (1) Riser Volume, Gal: 6.61

Dedicated: ☒ Y ☐ N

Total Volume Purged, Gal: ~20

Purged To Dryness ☒ Y ☐ N

Purge Observations: —

Start Clear Finish Clear

## PURGE DATA (if applicable)

Time	Purge Rate (gpm/htz)	Cumulative Volume	Temp. (C)	pH (SU)	Conductivity (µmhos/cm)	Turb. (NTU)	Other	Other

# FIELD OBSERVATIONS

## SAMPLING INFORMATION

POINT ID MW-8R

Date/Time 11-2-16 1:300

Water Level @ Sampling, Feet: 12.02

Method of Sampling: Boiler

Dedicated: ☒ IN

Multi-phased/ layered: ☐ Yes ☒ No

If YES: ☐ light ☐ heavy

## SAMPLING DATA:

Time	Temp. (°C)	pH (std units)	Conductivity (µmhos/cm)	Turb. (NTU)	Other (OPP)	Other ( )
1302	15.4	8.78	1540	3.5	-107	

## INSTRUMENT CALIBRATION/CHECK DATA

Meter ID#	Cal Std 7.0 SU	Cal Std 4.0 SU	Cal Std 10.0 SU	Check Std 7.0 SU (± 10%)	Cal.Std 1,413 µmhos/cm	Check.Std 1,413 µmhos/cm (± 10%)	Cal.Std 10 NTU	Check Std 10 NTU (± 10%)
Solution ID#								

## GENERAL INFORMATION

Weather conditions @ time of sampling: Sunny ~60

Sample Characteristics: clear

## COMMENTS AND OBSERVATIONS:

I certify that sampling procedures were in accordance with all applicable EPA, State and Site-Specific protocols.

Date: 11/2/16

By: [Signature]

Company: TAL

# FIELD OBSERVATIONS

Facility: Chem-trail

Sample Point ID: MW-35

Field Personnel: TW, EB

Sample Matrix: G/LW

## MONITORING WELL INSPECTION

Date/Time 11-2-16 1 1044

Cond of seal: ☒ Good ☐ Cracked ☐ None ☐ Buried %

Prot. Casing/riser height: -

Cond of prot. Casing/riser: ☐ Unlocked ☒ Good  
☐ Loose ☐ Flush Mount  
☐ Damaged

If prot.casing; depth to riser below: -

Gas Meter (Calibration/ Reading): % Gas: - 1- % LEL: - 1-

Vol. Organic Meter (Calibration/Reading): Volatiles (ppm): - 1-

## PURGE INFORMATION

Date / Time Initiated: 11-2-16/ 1045

Date / Time Completed: 11-2-16/1049

Surf. Meas. Pt: ☐ Prot. Casing ☒ Riser

Riser Diameter, Inches: 2.0

Initial Water Level, Feet: 19.32

Elevation. GW MSL: -

Well Total Depth, Feet: 20.40

Method of Well Purge: Booster

One (1) Riser Volume, Gal: 0.33

Dedicated: ☒ Y ☐ N

Total Volume Purged, Gal: ~1

Purged To Dryness ☒ Y ☐ N

Purge Observations: -

Start clear Finish slut

## PURGE DATA: (if applicable)

Time	Purge Rate (gpm/htz)	Cumulative Volume	Temp. (C)	pH (SU)	Conductivity (µmhos/cm)	Turb. (NTU)	Other	Other

# FIELD OBSERVATIONS

## SAMPLING INFORMATION

POINT ID MW-35

Date/Time 11-2-16 1 1310

Water Level @ Sampling, Feet: 18.56

Method of Sampling: Beiler Dedicated: ☒ IN

Multi-phased/ layered: ( ) Yes ☒ No If YES: ( ) light ( ) heavy

## SAMPLING DATA:

Time	Temp. (°C)	pH (std units)	Conductivity (µmhos/cm)	Turb. (NTU)	Other (ORP)	Other ( )
1312	13.8	8.35	1536	13.4	-106	

## INSTRUMENT CALIBRATION/CHECK DATA:

Meter ID#	Cal Std 7.0 SU	Cal Std 4.0 SU	Cal Std 10.0 SU	Check Std 7.0 SU (± 10%)	Cal.Std 1,413 µmhos/cm	Check.Std 1,413 µmhos/cm (± 10%)	Cal.Std 10 NTU	Check Std 10 NTU (± 10%)
Solution ID#								

## GENERAL INFORMATION

Weather conditions @ time of sampling: Sunny

Sample Characteristics: sl. odor, sl. turb

## COMMENTS AND OBSERVATIONS:

I certify that sampling procedures were in accordance with all applicable EPA, State and Site-Specific protocols.

Date: 11/2/16

By: [Signature]

Company: TAL



## FIELD OBSERVATIONS

Facility: Chemical

Sample Point ID: MU-9R

Field Personnel: TW, EB

Sample Matrix: GLU

# MONITORING WELL INSPECTION

Date/Time 11-2-16 1 1018

Cond of seal: ☒ Good ☐ Cracked \_\_\_\_\_ %  
☐ None ☐ Buried

Prot. Casing/riser height: \_\_\_\_\_

Cond of prot. Casing/riser: ( ) Unlocked ☒ Good  
( ) Loose ( ) Flush Mount  
( ) Damaged

If prot.casing; depth to riser below: \_\_\_\_\_

Gas Meter (Calibration/ Reading):      % Gas:     — / —          % LEL:     — / —    

Vol. Organic Meter (Calibration/Reading): Volatiles (ppm)      /     

## PURGE INFORMATION:

Date / Time Initiated: 11-2-16 / 1020

Date / Time Completed: 11-2-16/1055

Surf. Meas. Pt: ( ) Prot. Casing ☒ Riser

Riser Diameter, Inches: 40

Initial Water Level, Feet: 14.40

Elevation, G/W MSL:

Well Total Depth, Feet: 29.45

Method of Well Purge: Boyle

One (1) Riser Volume, Gal: 9.8

Dedicated:  / N

Total Volume Purged, Gal: ~30

Purged To Dryness Y / ~~N~~

Purge Observations: \_\_\_\_\_

Start *clear* Finish *Sl. fast*

PURGE DATA: (if applicable)

[illegible]

# FIELD OBSERVATIONS

## SAMPLING INFORMATION

POINT ID MW-9R

Date/Time 11-2-16 1315

Water Level @ Sampling, Feet: 14.49

Method of Sampling: Bailer

Dedicated: ☒ Y ☐ N

Multi-phased/ layered: ( ) Yes ☒ No

If YES: ( ) light ( ) heavy

## SAMPLING DATA:

Time	Temp. (°C)	pH (std units)	Conductivity (µmhos/cm)	Turb. (NTU)	Other (ORP)	Other ( )
1317	12.2	8.19	2192	4.82	-98	

## INSTRUMENT CALIBRATION/CHECK DATA

Meter ID#	Cal Std 7.0 SU	Cal Std 4.0 SU	Cal Std 10.0 SU	Check Std 7.0 SU (± 10%)	Cal.Std 1,413 µmhos/cm	Check.Std 1,413 µmhos/cm (± 10%)	Cal.Std 10 NTU	Check Std 10 NTU (± 10%)
Solution ID#								

## GENERAL INFORMATION

Weather conditions @ time of sampling: Sunny ~59

Sample Characteristics: clear

## COMMENTS AND OBSERVATIONS:

I certify that sampling procedures were in accordance with all applicable EPA, State and Site-Specific protocols.

Date: 11/2/16

By: Therry [Signature]

Company: TAL





# FIELD OBSERVATIONS

## SAMPLING INFORMATION:

POINT ID MW-7R

Date/Time 11-2-16 1:1325

Water Level @ Sampling, Feet: 7.23

Method of Sampling: Bailer

Dedicated: ☒ IN

Multi-phased/ layered: ( ) Yes ☒ No

If YES: ( ) light ( ) heavy

## SAMPLING DATA:

Time	Temp. (°C)	pH (std units)	Conductivity (µmhos/cm)	Turb. (NTU)	Other (ORP)	Other ( )
1328	14.2	8.33	2303	3.13 3.13		

## INSTRUMENT CALIBRATION/CHECK DATA:

Meter ID#	Cal Std 7.0 SU	Cal Std 4.0 SU	Cal Std 10.0 SU	Check Std 7.0 SU (± 10%)	Cal.Std 1,413 µmhos/cm	Check.Std 1,413 µmhos/cm (± 10%)	Cal.Std 10 NTU	Check Std 10 NTU (± 10%)
Solution ID#								

## GENERAL INFORMATION:

Weather conditions @ time of sampling: Sunny ~59

Sample Characteristics: turbid

## COMMENTS AND OBSERVATIONS:

I certify that sampling procedures were in accordance with all applicable EPA, State and Site-Specific protocols.

Date: 11/2/16

By: [Signature]

Company: TAL



# FIELD OBSERVATIONS

## SAMPLING INFORMATION

POINT ID MW-15R

Date/Time 11-2-16 1 1240

Water Level @ Sampling, Feet: 23.28

Method of Sampling: Boiler Dedicated: ☒ IN

Multi-phased/ layered: ( ) Yes ☒ No If YES: ( ) light ( ) heavy

## SAMPLING DATA:

Time	Temp. (°C)	pH (std units)	Conductivity (µmhos/cm)	Turb. (NTU)	Other (ORP)	Other ( )
1242	13.6	7.71	23380	2.6	-76	

## INSTRUMENT CALIBRATION/CHECK DATA

Meter ID#	Cal Std 7.0 SU	Cal Std 4.0 SU	Cal Std 10.0 SU	Check Std 7.0 SU (± 10%)	Cal.Std 1,413 µmhos/cm	Check.Std 1,413 µmhos/cm (± 10%)	Cal.Std 10 NTU	Check Std 10 NTU (± 10%)
Solution ID#								

## GENERAL INFORMATION

Weather conditions @ time of sampling: Sunny ~ 60

Sample Characteristics: clear

## COMMENTS AND OBSERVATIONS:

11-2-16  
Dup Jensen

I certify that sampling procedures were in accordance with all applicable EPA, State and Site-Specific protocols.

Date: 11/2/16 By: Thommy [Signature] Company: TAL

## **ATTACHMENT C**


### **Historical Data Trend Plots**

## CHEM-TROL SITE

### Groundwater Analytical Data for Well MW-3S (ug/L)

Date	o-Chlorotoluene
08/09/90	28,000
08/19/93	130,000
10/23/02	95,000
10/13/03	100,000
10/26/04	64,000
11/11/05	90,000
09/27/06	84,000
09/20/07	82,000
09/24/08	87,000
09/22/09	46,000
10/27/10	85,000
10/20/11	67,000
10/17/12	91,000
11/05/13	40,000
09/29/14	69,000
09/23/15	75,000
11/02/16	72,000


Monitoring Well MW-3S  
Chem-Trol Site, Site No. 915015




## CHEM-TROL SITE

### Groundwater Analytical Data for Well MW-8R (ug/L)

Date	1,1-Dichloroethane	o-Chlorotoluene
08/16/93	160.0	4,200
06/01/94	370.0	2,500
03/10/99	200.0	600.0
10/22/02	32.0	240.0
10/13/03	22.0	140.0
10/26/04	18.0	100.0
11/11/05	24.0	230.0
09/27/06	8.9	63.0
09/20/07	4.7	58.0
09/24/08	3.4	40.0
09/22/09	2.5	43.0
10/27/10	2.5	35.0
10/20/11	2.5	55.0
10/17/12	2.5	34.0
11/05/13	8.2	210.0
09/29/14	2.5	61.0
09/23/15	2.5	59.0
11/02/16	2.5	44.0


 Value is equal to 1/2 the detection limit.

Monitoring Well MW-8R  
Chem-Trol Site, Site No. 915015





Monitoring Well MW-8R  
Chem-Trol Site, Site No. 915015




## CHEM-TROL SITE

### Groundwater Analytical Data for Well MW-9R (ug/L)


Date	Chloroethane	1,1-Dichloroethane	o-Chlorotoluene	1,1,1-Trichloroethane	Trichloroethene
08/16/93	60.0	1,000		1,300	330.0
06/01/94	39.0	860.0	620.0	2,800	300.0
03/10/99	69.0	470.0	180.0	630.0	260.0
10/22/02	26.0	190.0	1,100	540.0	8.2
10/13/03	8.6	93.0	140.0	460.0	10.0
10/26/04	2.5	2.5	2.5	2.5	2.5
11/11/05	31.0	180.0	190.0	410.0	2.4
09/27/06	12.5	46.0	18.0	440.0	12.5
09/20/07	54.0	270.0	2,000	1,800	5.1
09/24/08	11.0	64.0	62.0	170.0	0.68
09/22/09	28.0	85.0	33.0	300.0	2.5
10/27/10	9.5	93.0	100.0	310.0	2.5
10/20/11	35.0	140.0	150.0	250.0	
10/17/12	29.0	150.0	380.0	410.0	
11/05/13	23.0	82.0	97.0	220.0	2.5
09/29/14	19.0	300.0	860.0	540.0	7.1
09/23/15	34.0	350.0	1900.0	530.0	2.5
11/02/16	2.5	31.0	38.0	82.0	2.5

	Data not included due to 1/2 the detection limit being higher than the previous 3 years of positive results.
	Value is equal to 1/2 the detection limit.


Monitoring Well MW-9R  
Chem-Trol Site, Site No. 915015



Monitoring Well MW-9R  
Chem-Trol Site, Site No. 915015



Monitoring Well MW-9R  
Chem-Trol Site, Site No. 915015




## CHEM-TROL SITE

### Groundwater Analytical Data for Well MW-13R (ug/L)


Date	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane	o-Chlorotoluene
05/31/94	22.0	6.0	280.0	1,700
03/11/99	73.0	240.0	220.0	
10/22/02	11.0	190.0	79.0	4,200
10/13/03		110.0		4,500
10/26/04	32.0	39.0	8.2	1,900
11/11/05	45.0	270.0	76.0	4,900
09/27/06	12.0	8.6	2.5	680.0
09/20/07	23.0	5.6	20.0	440.0
09/24/08	4.8	10.0	10.0	250.0
09/22/09	140.0	17.0	2.5	600.0
10/27/10	2.5	2.5	2.5	210.0
10/20/11	37.0			820.0
10/17/12	12.5	12.5		410.0
11/05/13	43.0	67.0	17.0	2,500
09/24/14	20.0	24.0	2.5	2,000
09/23/15	25.0	22.0	16.5	3200
11/02/16	6.5	2.5	2.5	1200

	Data not included due to high detection limits for ND values: (1) 2003 - 200 ug/L except for Total Xylenes, which was 600 ug/L.
	Data not included due to 1/2 the detection limit being higher than the previous 3 years of positive results.
	Value is equal to 1/2 the detection limit.

Monitoring Well MW-13R  
Chem-Trol Site, Site No. 915015



Monitoring Well MW-13R  
Chem-Trol Site, Site No. 915015





Monitoring Well MW-13R  
Chem-Trol Site, Site No. 915015

