



SUMITOMO RUBBER USA, LLC



DUNLOP

FALKEN

July 29, 2022

Mr. Glenn May
New York State Dept. of Environmental Conservation
270 Michigan Avenue
Buffalo, NY 14203-2915

Revised Periodic Review Report and Institutional Controls Certification - Site No. 915018

Dear Mr. May,

Please find attached the Periodic Review Report (PRR) and Institutional and Engineering Controls (IC/EC) Certification Forms in accordance with the Site Management Plan (SMP) for the Dunlop Tire and Rubber Site (Site No. 915018).

Please contact Joseph Hinkle if you have any questions or if you need any additional information.

Thank you,

Joseph Hinkle
Environmental, Health and Safety Manager
(716) 879-8546

Cc: Christine Barton (Sumitomo)



Enclosure 2
NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
Site Management Periodic Review Report Notice
Institutional and Engineering Controls Certification Form



Site Details

Box 1

Site No. 915018

Site Name Dunlop Tire and Rubber

Site Address: 3333 River Road Zip Code: 14150
City/Town: Tonawanda
County: Erie
Site Acreage: 25.000

Reporting Period: June 30, 2021 to June 30, 2022

YES NO

1. Is the information above correct?

☒ ☐

If NO, include handwritten above or on a separate sheet.

2. Has some or all of the site property been sold, subdivided, merged, or undergone a tax map amendment during this Reporting Period?

☐ ☒

3. Has there been any change of use at the site during this Reporting Period (see 6NYCRR 375-1.11(d))?

☐ ☒

4. Have any federal, state, and/or local permits (e.g., building, discharge) been issued for or at the property during this Reporting Period?

☐ ☒

If you answered YES to questions 2 thru 4, include documentation or evidence that documentation has been previously submitted with this certification form.

5. Is the site currently undergoing development?

☐ ☒

Box 2

YES NO

6. Is the current site use consistent with the use(s) listed below?

Closed Landfill

☒ ☐

7. Are all ICs in place and functioning as designed?

☒ ☐

IF THE ANSWER TO EITHER QUESTION 6 OR 7 IS NO, sign and date below and DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.

A Corrective Measures Work Plan must be submitted along with this form to address these issues.

Signature of Owner, Remedial Party or Designated Representative

Date

Description of Institutional ControlsParcelOwnerInstitutional Control**65.17-2-1.111**

Sumitomo Rubber USA, LLC

Monitoring Plan
O&M Plan

The March 1993 Record of Decision contained a general Institutional Control described as follows:

- Post-closure maintenance and monitoring for thirty years to ensure the long-term effectiveness of the remedy and provide early detection should failure occur; and described more specifically as:
- Compliance with this SMP by the Grantor and the Grantor's successors and assigns;
- All Engineering Controls must be operated and maintained as specified in this SMP;
- All Engineering Controls must be inspected at a frequency and in a manner defined in the SMP.
- Groundwater monitoring must be performed as defined in this SMP; and
- Data and information pertinent to Site Management must be reported at the frequency and in a manner defined in this SMP.

There are no use restrictions on this site.

Description of Engineering ControlsParcelEngineering Control**65.17-2-1.111**Cover System
Fencing/Access Control
Monitoring Wells

Three separate landfills are capped with modified 360 caps. Groundwater quality is monitored annually.

Under the requirements of the Order on Consent, Dunlop submitted a Conceptual IRM Closure Plan in November 1992 that detailed the closure of the three landfills. The landfills were closed in accordance with the plan;

Each landfill was capped with eighteen inches of clay compacted to a minimum permeability of 1×10^{-7} cm/sec and covered with six inches of soil amenable to plant growth. Due to the low concentrations of volatile organic compounds detected at the sites, and the absence of volatile readings above background levels during intrusive activities, gas venting systems were not required for any of the landfills. In addition, due to the presence of the impermeable underlying silty clay, groundwater/leachate collection and treatment was not required. Slopes of the final landfill cover systems ranged from approximately 4% to 33%.

There are no demarcation layers between the caps and underlying fill material.

Periodic Review Report (PRR) Certification Statements

1. I certify by checking "YES" below that:

- a) the Periodic Review report and all attachments were prepared under the direction of, and reviewed by, the party making the Engineering Control certification;
- b) to the best of my knowledge and belief, the work and conclusions described in this certification are in accordance with the requirements of the site remedial program, and generally accepted engineering practices; and the information presented is accurate and complete.

YES NO

☒ ☐

2. For each Engineering control listed in Box 4, I certify by checking "YES" below that all of the following statements are true:

- (a) The Engineering Control(s) employed at this site is unchanged since the date that the Control was put in-place, or was last approved by the Department;
- (b) nothing has occurred that would impair the ability of such Control, to protect public health and the environment;
- (c) access to the site will continue to be provided to the Department, to evaluate the remedy, including access to evaluate the continued maintenance of this Control;
- (d) nothing has occurred that would constitute a violation or failure to comply with the Site Management Plan for this Control; and
- (e) if a financial assurance mechanism is required by the oversight document for the site, the mechanism remains valid and sufficient for its intended purpose established in the document.

YES NO

☐ ☐

**IF THE ANSWER TO QUESTION 2 IS NO, sign and date below and
DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.**

A Corrective Measures Work Plan must be submitted along with this form to address these issues.

Signature of Owner, Remedial Party or Designated Representative

Date

IC CERTIFICATIONS
SITE NO. 915018

Box 6


SITE OWNER OR DESIGNATED REPRESENTATIVE SIGNATURE

I certify that all information and statements in Boxes 1, 2, and 3 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I Joseph Hinkle at 10 Sheridan Drive Tonawanda, NY 14150
print name print business address

am certifying as Environmental, Health + Safety Manager (Owner or Remedial Party)

for the Site named in the Site Details Section of this form.


Signature of Owner, Remedial Party, or Designated Representative
Rendering Certification

7/28/22
Date

EC CERTIFICATIONS


Box 7

Qualified Environmental Professional Signature

I certify that all information in Boxes 4 and 5 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

Richard J. Snyder PE at 2055 Niagara Falls Blvd
print name print business address
Niagara Falls NY 14304

am certifying as a Qualified Environmental Professional for the Owner
(Owner or Remedial Party)





Signature of Qualified Environmental Professional for
the Owner or Remedial Party, Rendering Certification (Required for PE)

7-27-22
Date

SUMITOMO RUBBER USA, LLC
TONAWANDA, NEW YORK
LANDFILL CAP MANAGEMENT
SITE MANAGEMENT PERIODIC REVIEW REPORT (PRR)

I. Introduction

The former Goodyear Dunlop Tires North America facility (Facility), now owned and operated by Sumitomo Rubber USA, LLC (Sumitomo), is located in Tonawanda, New York (see Figure 1). The Facility is approximately 128 acres in size and consists of two parcels of land addressed as 3333 and 3337 River Road. Sumitomo manages three historical waste disposal areas located on the 3333 River Road parcel, which together consist of approximately 25 acres. These three historical waste disposal areas are individually referred to as Disposal Site A, B, and C, and are hereinafter collectively referred to as the "Site". Figure 1 shows the approximate Site location and boundaries. Dunlop Tire Corporation (Dunlop) entered into an Order on Consent (Consent Order) on April 23, 1991 with the NYSDEC to determine the nature and extent of contamination at the Site resulting from historical disposal of industrial wastes. The Site boundaries coincide with the estimated limits of fill as depicted by URS Consultants, Inc. in their April 1992 report¹, and as shown in the March 1993 Record of Decision (ROD)². The Site is currently in the New York State (NYS) State Superfund Program (Site No. 915018), which is administered by the New York State Department of Environmental Conservation (NYSDEC). The Site is listed as a Class 4 site, indicating that it has been properly closed but requires continued Site management consisting of operation, maintenance, and/or monitoring.

A Site Management Plan (SMP) has been prepared for the Site to ensure implementation and management of the institutional controls (ICs) and engineering controls (ECs) in place for the Site. This Periodic Review Report (PRR) is being prepared to certify that site management activities are being conducted in accordance with the SMP.

II. Disposal Site Overview

Disposal Site A

Disposal Site A is located on the northwestern portion of the Facility (Figure 1). The surface of Site A consists of grass, trees, brush, and asphalt parking lot. Site A was reportedly used to dispose of various wastes including fly ash, slag, carbon black, asphalt, foam, tires, coal, and construction and demolition (C/D) debris until 1970, and

¹ URS Consultants, Inc., April 1992, Report of Field Investigation and Data Analysis, Inactive Disposal Site Nos. 915018 A, B, C, submitted to the NYSDEC.

² New York State Department of Environmental Conservation, March 1993, Record of Decision, Dunlop Tire and Rubber, Site No. 915018A, Site No. 915018B, Site No. 915018C.

C/D debris until 1979. The primary area of disposal, consisting of thicker fill, is located within the central and northern portions of Site A.

As indicated above, the boundaries of Disposal Site A coincide with the estimated limits of fill as depicted by URS in their April 1992 report (Figure 2). The southern boundary (lateral extent of fill) was determined through excavation of eight test trenches by URS in 1991. The eastern and western boundaries were defined based on surface topography and configuration of waste piles. The northern extent of the fill could not be determined, as the presence of the parking lot prevented completion of test trenches in this area. As a result, the northern boundary was defined by the northwestern corner of Building 1 and a perimeter fence east of a 10,000-gallon water tank present at that time. Fill materials identified in the trenches included black and brown silt, reworked reddish/brown silty clay, ash, slag, carbon black, C/D debris, asphalt, foam, rubber tires, and coal. Three test holes were completed by Conestoga-Rovers & Associates (CRA) in 1983, and two test pits were excavated by URS in 1991, which contributed to the delineation of Disposal Site A.

Disposal Site B

Disposal Site B is located on the southwestern portion of the Facility (Figure 1). The surface of Site B consists of grass and asphalt parking lot and driveway. Site B was reportedly used to dispose of various solid wastes, including scrap rubber (natural and synthetic), golf balls, plastics, carbon black, fly ash, amines, antioxidants, and general refuse until 1970.

The boundaries of Disposal Site B coincide with the estimated limits of fill as depicted by URS in their April 1992 report (Figure 2). The southern and western boundaries (lateral extent of fill) were determined through excavation of seven test trenches by URS in 1991. The eastern extent of the fill could not be determined, as the presence of the parking lot prevented completion of test trenches in this area. However, aerial photographs reportedly confirm waste disposal eastward into the parking lot. The northern extent of the fill could not be determined due to the presence of the settling pond. Fill materials identified in the trenches included black and brown silt, C/D debris, asphalt, coal, and rubber. Seventeen test holes were completed by CRA in 1983, and five test pits were excavated by URS in 1991, which contributed to the delineation of Disposal Site B.

Disposal Site C

Disposal Site C is located on the eastern portion of the Facility (Figure 1). The surface of Site C consists of grass. Site C was reportedly used as a coal ash landfill until 1973. Interviews with several Dunlop retirees in the early 1980s indicated that it was common practice to dispose of all types of waste at this Site, including drums of waste solvents and degreasers.

The boundaries of Disposal Site C coincide with the estimated limits of fill as depicted by URS in their April 1992 report (Figure 3). The southern and eastern boundaries (lateral extent of fill) were determined through excavation of six test trenches by URS in 1991. The northern boundary was defined by a scrap along the outer toe of the fill where it

contacted the original surface. The berm-like area between the fence and railroad tracks constituting the western portion of Disposal Site C was defined based on topography. Fill materials identified in the trenches included black and brown silt, ash, slag, sand and gravel, C/D debris, and rubber. Five test holes were completed by CRA in 1983, and six test pits were excavated by URS in 1991, which contributed to the delineation of Disposal Site C.

III. Institutional and Engineering Control Plan

Since remaining contamination exists at the Site, ICs and ECs are required to protect human health and the environment. This IC/EC Plan describes the procedures for the implementation and management of all IC/ECs at the Site.

Institutional Controls

A series of ICs are required by the ROD to:

1. Implement, maintain and monitor EC systems
2. Prevent future exposure to remaining contamination

Adherence to these ICs on the Site is required by the ROD and the Consent Order and will be implemented under the Site's Long-Term Monitoring Plan. ICs may not be discontinued without an amendment to the Consent Order. The IC boundaries are the same as the Site boundaries.

The ICs, as described in the March 1993 ROD, consist of the following:

- Post-closure maintenance and monitoring will be conducted for 30 years, starting in 1995, to ensure the long-term effectiveness of the remedy and provide early detection should failure occur.
- The Order on Consent signed by Dunlop, effective April 23, 1991, is a legally binding agreement that requires the company to inspect the final cover quarterly (the frequency has been reduced to semi-annually) and maintain it for 30 years. This maintenance program, in combination with the post-closure monitoring program, will help ensure the long-term effectiveness of the cap. If during that time the Department concludes that any element of the cover fails to perform as predicted, or otherwise fails to protect human health or the environment, the Department can require Sumitomo to make modifications or repairs as required.
- If Sumitomo closes the Facility, the Order on Consent requires the company to continue its maintenance and monitoring programs.
- If the property is sold, Sumitomo must notify the Department within 60 days of closing and furnish the name(s) of the prospective new owner(s) of the property. In addition, Sumitomo must inform the new owner(s) about the landfills and that an Order on Consent is in effect.

Engineering Controls

The purpose of the ECs is to prevent direct human contact with on-Site waste, prevent the erosion and transport of contaminated soil from the Site into surrounding wetland

areas, control the migration of contaminated groundwater from the Site, and reduce environmental risk to wildlife living in the surrounding wetlands. The ECs, as described in the March 1993 ROD, include the following:

- The three landfills were capped with 18 inches of clay compacted to a minimum permeability (hydraulic conductivity) of 1×10^{-7} cm/sec. The caps were covered with 6 inches of soil amenable to plant growth, seeded, and mulched. Areas overlying the three landfills associated with vehicle traffic were paved in the fall of 1992.
- Surface water runoff is directed to catch basins that discharge to the plant settling pond. Monitoring of this pond occurs semi-annually as a SPDES permit condition.
- The Site is fenced.

The Site cap is a permanent control and the quality and integrity of the cap is inspected semi-annually.

IV. Inspections and Monitoring Activities

Semi-annual Cap Inspection

The cap at the Site is intended to prevent contact between Site visitors and workers and the remaining contamination. The cap consists of low permeability clay covered by soil capable of sustaining vegetation, and by areas of asphalt pavement over portions of the Site subject to vehicle traffic (no confirmed clay cap). An inspection of the cap at all three disposal Sites is performed on a semi-annual basis in accordance with the SMP schedule, regardless of the frequency of the Periodic Review Report (PRR).

Each cap inspection includes a walkover and visual assessment of the cap. The inspection does not include any areas where work is being performed. The following items are evaluated to ascertain the need for corrective action:

- Soil cover system – The presence of desiccation cracks, freeze/thaw damage, and the presence of seeps or leachate breakouts.
- Asphalt – The quality of the pavement for cracking or other deterioration
- Landscaping – The vigor and density of the vegetative cover both on the cap and in grass-lined drainage ways as well as bare, sparse, and undernourished areas
- Erosion – The presence of any erosion.
- Settlement – Visual evidence of differential settlement and its impact on either the cap integrity or required drainage patterns
- Drainage features – Ditches, culverts, piping, and structures for siltation, ponding, or erosion damage.
- Ancillary features – The integrity of other remedial action features such as fences and access roads and any items in need of repair.

The semi-annual cap inspections were completed on October 19, 2021 and May 13, 2022. The inspection forms are provided in Appendix A.

No issues were identified in Area C.

Deteriorated pavement was observed In Area A at the northwest corner of the building and in the paved portion of Area B. These areas are subject to heavy truck traffic on a regular basis. No soil or waste has been exposed. Pavement maintenance/patching activities will continue to be completed in Areas A and B in accordance with Section 7.2 of the SMP.

Some areas of topsoil erosion and sparse vegetation were identified along the steeper banks of the forebay to the stormwater retention pond which extends into Area B. Soil cover maintenance/repair activities will continue to be conducted as needed in accordance with Section 7.3 of the SMP.

Groundwater Monitoring

Groundwater monitoring is performed annually to monitor the long-term effectiveness of the Site closure and provide for early detection should failure occur, as outlined in the SMP. Trends in contaminant concentrations in groundwater are evaluated to determine if the ICs and ECs in place at the Site continue to be effective in protecting public health and the environment. Wells downgradient of the capped areas are monitored to evaluate the effectiveness of the closure action. Wells upgradient of the capped areas will be monitored, as needed based on the downgradient results, to determine if upgradient groundwater, rather than the disposal areas, might be a source of downgradient impacts. In this case, the effectiveness of the closure would not be questioned.

The Groundwater monitoring well network includes the following seven wells (Figures 2 and 3):

- Upgradient wells: OMW-A6 and OMW-C1 (could not be located)
- Downgradient wells: OMW-B3, OMW-B4, OMW-A4, OMW-C5, and OMW-C7

Contaminants to be analyzed during each sampling event are defined as Analytical Schedule A analytes and Analytical Schedule B analytes and are listed on Table 1.

If turbidity in a groundwater sample is above 50 nephelometric turbidity unit (NTU), then both filtered and unfiltered samples are analyzed for metals in order to determine if suspended solids are contributing to the reported concentrations and, therefore, potentially giving a false indication of groundwater concentrations.

The wells requiring sampling this year (year 28) were all down gradient wells OMW-B3, OMW-B4, and OMW-C7. The samples were analyzed for Schedule B analytes.

Groundwater sampling was completed June 30, 2022. All parameters in all well were below the action levels identified in Table 2. A summary of the sample results is presented on Table 3. The laboratory data reports are provided in Appendix B.

No corrective actions are required at this time.

Visual Inspections of Monitoring Wells

All seven monitoring wells are visually inspected as part of the annual monitoring event, regardless of which wells are to be sampled. The wells are inspected for protective covers, well locks, water-tight locking caps, and cement pads or flush mount conditions.

The monitoring well inspections were completed on October 19, 2021 and May 13, 2022. Well OMW-C1 could not be located. Well inspection forms are provided in Appendix C. The inspections found that the wells are in good condition.

No corrective actions are required.

Hydraulic Monitoring

Groundwater measurements were taken to assess groundwater flow conditions. Table 4 summarizes the water level measurements taken June 30, 2022. Figure 4 shows the updated groundwater contour map with groundwater flow direction.


V. Compliance and Corrective Actions


Sumitomo is currently in compliance with the Long-Term Monitoring Plan year 28 of the 30-year plan requirements and the SMP. No issues of non-compliance were noted during this reporting year. Routine maintenance of pavement and the soil cover will continue as needed.

There are no recommendations or corrective actions based on the current conditions. The next landfill cap and monitoring well visual inspection will be completed in October 2022. The next groundwater monitoring event is scheduled to be completed in spring 2023.

LEGEND

- ⊕ BEDROCK MONITORING WELL LOCATIONS (CRA, 1983)
1982 AES SOIL SAMPLE LOCATIONS
1983 AES GROUNDWATER SAMPLE LOCATIONS
- OVERBURDEN MONITORING WELL LOCATIONS (CRA, 1983)
1982 AES SOIL SAMPLE LOCATIONS
1983 AES GROUNDWATER SAMPLE LOCATIONS
- ⊖ OVERBURDEN MONITORING WELL LOCATIONS (URS, 1991)
- TEST PIT LOCATION (URS, 1991)
- TEST TRENCH LOCATION (URS, 1991)
- SURFACE SEDIMENT LOCATION (URS, 1991)
- ▨ ESTIMATED LIMITS OF FILL (URS, 1991)
- ▩ ESTIMATED LIMITS OF MAJOR FILL (URS, 1991)
- A — A' CROSS SECTION LOCATION
- APPROXIMATE SITE BOUNDARY, SITE #915018
- APPROXIMATE BOUNDARY, FORMER GOODYEAR DUNLOP TIRE NORTH AMERICA FACILITY






SOURCE: URS CONSULTANTS, INC., JULY 1994, LONG-TERM MONITORING PLAN, CLOSURE OF INACTIVE WASTE SITES, NYSDEC NOS. 915018 A, B, C, PREPARED FOR DUNLOP TIRE CORPORATION.



DUNLOP TIRE AND RUBBER SITE, SITE #915018
3333 RIVER RD TONAWANDA, NEW YORK
SITE MANAGEMENT PLAN
LOCATIONS OF WELLS FOR
LONG-TERM MONITORING
DISPOSAL SITES A AND B

Project No. 11222959
Report No. 2022 PRR
Date JULY 2022

FIGURE 2



SOURCE: URS CONSULTANTS, INC., JULY 1994, LONG-TERM MONITORING PLAN, CLOSURE OF INACTIVE WASTE SITES, NYSDEC NOS. 915018 A, B, C, PREPARED FOR DUNLOP TIRE CORPORATION.



DUNLOP TIRE AND RUBBER SITE, SITE #915018
3333 RIVER RD TONAWANDA, NEW YORK
SITE MANAGEMENT PLAN
LOCATIONS OF WELLS FOR
LONG-TERM MONITORING
DISPOSAL SITE C

Project No. 11222959
 Report No. 2022 PRR
 Date JULY 2022

FIGURE 3

Table 1 Sumitomo Rubber USA, LLC Sampling Schedule Inactive Waste Sites 915018 A, B and C									
Year	Analytical Schedule	Number of Sampling Events Per Year							Sampling Season
		Upgradient		Downgradient					
		A6	C1	B3	B4	A4	C5	C7	
1	A	2	2	2	2	2	2	2	Spring/Fall
2, 3	B			2	2	2	2	2	Spring/Fall
4, 5	B			1	1	1	1	1	Spring
6-9	B			1	1			1	Spring
10	B			1	1	1	1	1	Spring
11-14	B			1	1			1	Spring
15	B			1	1	1	1	1	Spring
16-19	B			1	1			1	Spring
20	B			1	1	1	1	1	Spring
21-24	B			1	1			1	Spring
25	B			1	1	1	1	1	Spring
26-29	B			1	1			1	Spring
30	B			1	1	1	1	1	Spring

Notes:

Starting year was 1994. 1st Sampling Year was 1995.

Table 2 Sumitomo Rubber USA, LLC Groundwater Action Levels for Downgradient Wells							
Parameter	Type	NYSDEC	OMW-B3	OMW-B4²	OMW-A4	OMW-C5	OMW-C7
		Criteria¹					
		(ppb)	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)
2-Butanone (MEK)	VOC	50	50	50	NS	NS	50
Benzene	VOC	1	0.7	2	NS	NS	0.7
1,1-Dichloroethane	VOC	5	5	5	NS	NS	5
1,2-Dichloroethene (total)	VOC	5	5	5	NS	NS	5
1,1,1-Trichloroethane	VOC	5	5	5	NS	NS	5
Arsenic	MET	25	25	25	NS	NS	25
Cadmium	MET	5	10	28	NS	NS	10
Chromium	MET	50	50	178	NS	NS	50
Lead	MET	25	32	52	NS	NS	25
Total Phenols	SEMI	1	1	1	NS	NS	1

Notes:

VOC = Volatile Organic Compounds

MET = Metals

SEMI = Semivolatile Organic Compound

¹ NYSDEC Ambient Water Quality Standards and Guidance Values, June 1998, with addenda through 2004

² Determined using existing data from OMW-B2

Table 3 Sumitomo Rubber USA, LLC Annual Landfill Well Monitoring Groundwater Analytical Results June 2022							
Well ID		B3		B4		C7	
Date		Action Levels	6/30/2022	Action Levels	6/30/2022	Action Levels	6/30/2022
Parameters	Units						
<i>Volatile Organic Compounds</i>	µg/L						
1,1-Dichloroethane	µg/L	5	ND (2.5)	5	ND (2.5)	5	ND (2.5)
1,2-Dichloroethane	µg/L	5	ND(0.50)	5	ND(0.50)	5	ND(0.50)
1,1,1-Trichloroethane	µg/L	5	ND (2.5)	5	ND (2.5)	5	ND (2.5)
Benzene	µg/L	0.7	ND (0.50)	2	ND (0.50)	0.7	ND (0.50)
2-Butanone	µg/L	50	ND (5.0)	50	ND (5.0)	50	25
<i>Total Metals</i>							
Arsenic	µg/L	25	20.86	25	0.41 J	25	1
Cadmium	µg/L	10	0.34	28	ND(0.05)	10	0.06 J
Chromium	µg/L	50	3.9	178	6.94	50	5.06
Lead	µg/L	32	8.98	52	ND (1)	25	0.37 J
<i>Dissolved Metals*</i>							
Dissolved Arsenic	µg/L	-	-	-	-	-	-
Dissolved Cadmium	µg/L	-	-	-	-	-	-
Dissolved Chromium	µg/L	-	-	-	-	-	-
Dissolved Lead	µg/L	-	-	-	-	-	-
<i>Inorganics & Miscellaneous</i>							
Turbidity	NTU	-	25.47	-	18.84	-	15.11
Specific Conductance	umhos/cm	-	1337	-	2998	-	2498
Total Phenolics	µg/L	1	ND (15)	1	ND (15)	1	ND (15)

Notes:

ND = Nondetect

J = Estimated value. The target analyte concentration is below the quantitation limit, but above the method detection limit.

Bold data results are above action levels

* - Only required if turbidity is above 50 NTU

Table 4
Sumitomo Rubber USA, LLC
Annual Landfill Well Monitoring
Groundwater Elevations
June 2022

	Northing	Easting	Latitude	Longitude	Ground Elevation (FAMSL)	Top Riser Elevation (FAMSL)	Depth to Water (feet)	Groundwater Elevation (FAMSL)
Well ID								
OMW-A4	1081783.969	1056815.907	N 42°58'06.6290"	W 078°55'30.4211"	581.6	587.02	7.63	579.39
OMW-A6	1082260.545	1057691.331	N 42°58'11.3714"	W 078°55'18.6720"	593.84 (rim)	593.29	6.42	586.87
OMW-B3	1081634.987	1057041.503	N 42°58'05.1664"	W 078°55'27.3786"	577	579.85	9.57	570.28
OMW-B4	1081143.389	1057439.298	N 42°58'00.3265"	W 078°55'22.0014"	585.3	587.37	5.73	581.64
OMW-C5	1083560.949	1059089.490	N 42°58'24.2716"	W 078°54'59.9349"	602.5	603.87	5.89	597.98
OMW-C7	1083147.785	1059628.405	N 42°58'20.2115"	W 078°54'52.6637"	599.2	602.06	6.85	595.21

Notes:

Coordinate System based on NAD83 (2011) NY West

Elevations shown are referenced to NAVD88 NGS Monument Designation-TOM TTWTP USLS / PID-NC0305

Weather Conditions		APPENDIX I SUMITOMO RUBBER USA, LLC LANDFILL CONDITION – SEMI-ANNUAL INSPECTION REPORT	Date: 10/19/21
Temperature	Inspector: CM3 DEO -00011/1		
Wind Direction/speed			
Precipitation Amount			
Sky conditions			
Inches of Snow Cover			

AREA B				
	Southeast Area	Southern Area	Northern Area	River Rad Ditch
Topsoil Erosion Occurring	NO	NO	NO Pond Forebay	NO
Clay Cap Erosion Occurring	NO	NO	NO Pond Forebay	NO
Desiccation Cracks or Freeze/Thaw Damage Present	NO	NO	NO	NO
Any Seeps or Leachate Breakouts Present	NO	NO	NO	NO
Ditches Free of Obstruction	YES	YES	YES	YES
Any Siltation, Ponding, or Erosion Damage in Drainage Features	NO	NO	NO	NO
Grass Cover Adequate	YES	YES	NO Pond Forebay	YES
Any Bare, Sparse or Undernourished Areas Present	NO	NO	NO	NO
Any Settlement Observed in Cover System	NO	NO	NO	NO
Paved Areas Intact	YES	NA	NA	NA
Any Cracking, Deterioration, or Settlement in Pavement	YES Surface cracking & deterioration	NA	NA	NA
Note Any Damage	Same		erosion along Banks of Forebay	

Describe any issues with ancillary features in this area (e.g., fencing, access)

Management or Maintenance Activities Occurring during Inspection:

None

Describe any corrective actions required:

Maintenance / resurfacing of paved area, maintenance of soil cap at forebay

Describe any corrective actions taken:

Are site records up-to-date – yes no Describe deficiencies

Weather Conditions		APPENDIX I SUMITOMO RUBBER USA, LLC LANDFILL CONDITION – SEMI-ANNUAL INSPECTION REPORT	Date: 10/19/21
Temperature	60		Inspector: CMUB DEO -00011/1
Wind Direction/speed	W/15		
Precipitation Amount	0		
Sky conditions	clear		
Inches of Snow Cover	0		

	BORROW PIT AREA "A"		AREA "C"	
	Central Area	Northeast Area	Outlying Area	Major Area
Topsoil Erosion Occurring	NO	NO	NO	NO
Clay Cap Erosion Occurring	NO	NO	NO	NO
Desiccation Cracks or Freeze/Thaw Damage Present	NO	NO	NO	NO
Any Seeps or Leachate Breakouts Present	NO	NO	NO	NO
Ditches Free of Obstruction	YES	YES	YES	YES
Any Siltation, Ponding, or Erosion Damage in Drainage Features	NO	NO	NO	NO
Grass Cover Adequate	YES	YES	YES	YES
Any Bare, Sparse or Undernourished Areas Present	NO	NO	NO	NO
Any Settlement Observed in Cover System	NO	NO	NO	NO
Paved Areas Intact	NA	Northwest Bldgs Soil Area Needs Maint	NA	NA
Any Cracking, Deterioration, or Settlement in Pavement	NA	YES	NA	NA
Note Any Damage		degraded surface of asphalt		

Describe any issues with ancillary features in this area (e.g., fencing, access)

Management or Maintenance Activities Occurring during Inspection: NONE
Describe any corrective actions required: Maintenance / resurface asphalt
Describe any corrective actions taken:

Weather Conditions		APPENDIX I SUMITOMO RUBBER USA, LLC LANDFILL CONDITION – SEMI-ANNUAL INSPECTION REPORT	Date: <u>10/19/21</u>
Temperature	<u>65</u>		Inspector: <u>CMB</u> DEO -00011/1
Wind Direction/speed	<u>WS 10-15</u>		
Precipitation Amount			
Sky conditions	<u>Cloudy</u>		
Inches of Snow Cover	<u>0</u>		

Are site records up-to-date <u>(2)</u> yes no				
Describe deficiencies				
	AREA "C"			
	Ditch at Toe of Slope	Sheridan Dr. Ditch	Stockpile Area	Warehouse Ditch
Topsoil Erosion Occurring	<u>NO</u>	<u>NO</u>	<u>NO</u>	<u>NO</u>
Clay Cap Erosion Occurring	<u>NO</u>	<u>NO</u>	<u>NO</u>	<u>NO</u>
Desiccation Cracks or Freeze/Thaw Damage Present	<u>NO</u>	<u>NO</u>	<u>NO</u>	<u>NO</u>
Any Seeps or Leachate Breakouts Present	<u>NO</u>	<u>NO</u>	<u>NO</u>	<u>NO</u>
Ditches Free of Obstruction	<u>yes</u>	<u>yes</u>	<u>yes</u>	<u>yes</u>
Any Siltation, Ponding, or Erosion Damage in Drainage Features	<u>NO</u>	<u>NO</u>	<u>NO</u>	<u>NO</u>
Grass Cover Adequate	<u>yes</u>	<u>yes</u>	<u>yes</u>	<u>yes</u>
Any Bare, Sparse or Undernourished Areas Present	<u>NO</u>	<u>NO</u>	<u>NO</u>	<u>NO</u>
Any Settlement Observed in Cover System	<u>NO</u>	<u>NO</u>	<u>NO</u>	<u>NO</u>
Paved Areas Intact	<u>NA</u>	<u>NA</u>	<u>NA</u>	<u>NA</u>
Any Cracking, Deterioration, or Settlement in Pavement	<u>NA</u>	<u>NA</u>	<u>NA</u>	<u>NA</u>
Note Any Damage				

Describe any issues with ancillary features in this area (e.g., fencing, access) None

Management or Maintenance Activities Occurring during Inspection:
NONE

Weather Conditions	
Temperature	65
Wind Direction/speed	W 10-15
Precipitation Amount	0
Sky conditions	clear
Inches of Snow Cover	0

APPENDIX I SUMITOMO RUBBER USA, LLC
LANDFILL CONDITION – SEMI-ANNUAL INSPECTION
REPORT

Date: 10/19/21
Inspector: CMB
DEO -00011/1

Describe any corrective actions required:

Maintenance + repair of paved areas

Describe any corrective actions taken:

Are site records up-to-date – ☒ yes ☐ no

Describe deficiencies

	Pave Areas			
	Parking Lot	Driveway		
Topsoil Erosion Occurring				
Clay Cap Erosion Occurring				
Desiccation Cracks or Freeze/Thaw Damage Present				
Any Seeps or Leachate Breakouts Present				
Ditches Free of Obstruction				
Any Siltation, Ponding, or Erosion Damage in Drainage Features				
Grass Cover Adequate				
Any Bare, Sparse or Undernourished Areas Present				
Any Settlement Observed in Cover System				
Paved Areas Intact	yes	yes		
Any Cracking, Deterioration, or Settlement in Pavement	minor	minor		
Note Any Damage	minor wear	minor wear		

Describe any issues with ancillary features in this area (e.g., fencing, access)

Weather Conditions		APPENDIX I SUMITOMO RUBBER USA, LLC LANDFILL CONDITION – SEMI-ANNUAL INSPECTION REPORT	Date: 10/19/21
Temperature			Inspector: CMB DEO -00011/1
Wind Direction/speed			
Precipitation Amount			
Sky conditions			
Inches of Snow Cover			

Management or Maintenance Activities Occurring during Inspection:
None
Describe any corrective actions required:
None
Describe any corrective actions taken:
None
Are site records up-to-date <input checked="" type="radio"/> yes <input type="radio"/> no
Describe deficiencies

Weather Conditions	
Temperature	70
Wind Direction/speed	co. 20 mph
Precipitation Amount	0
Sky conditions	clear
Inches of Snow Cover	0

APPENDIX I SUMITOMO RUBBER USA, LLC
LANDFILL CONDITION – SEMI-ANNUAL INSPECTION
REPORT

Date: 5/13/22
Inspector: CMB
DEO -00011/1

AREA B				
	Southeast Area	Southern Area	Northern Area	River Rad Ditch
Topsoil Erosion Occurring	N	N	edge of pond forebay	N
Clay Cap Erosion Occurring	N	N	veg growing thinner	N
Desiccation Cracks or Freeze/Thaw Damage Present	N	N	N	N
Any Seeps or Leachate Breakouts Present	N	N	N	N
Ditches Free of Obstruction	Y	Y	Y	Y
Any Siltation, Ponding, or Erosion Damage in Drainage Features	N	N	N	N
Grass Cover Adequate	Y	Y	Y	Y
Any Bare, Sparse or Undernourished Areas Present	N	N	N	N
Any Settlement Observed in Cover System	N	N	N	N
Paved Areas Intact	Some deterioration	NA	NA	NA
Any Cracking, Deterioration, or Settlement in Pavement	Some deterioration	NA	NA	NA
Note Any Damage	general patching needed	NO	hole where tree was needs more soil	NO

Describe any issues with ancillary features in this area (e.g., fencing, access)

Management or Maintenance Activities Occurring during Inspection:

None

Describe any corrective actions required:

None - Routine maintenance to include patching of pavement

Describe any corrective actions taken:

NO CA Required

Are site records up-to-date - ☒ yes ☐ no Describe deficiencies

Weather Conditions		APPENDIX I SUMITOMO RUBBER USA, LLC LANDFILL CONDITION – SEMI-ANNUAL INSPECTION REPORT	Date: 5/13/22
Temperature	70		Inspector: OMB DEO -00011/1
Wind Direction/speed	Calm		
Precipitation Amount	0		
Sky conditions	Clear		
Inches of Snow Cover	0		

	BORROW PIT AREA "A"		AREA "C"	
	Central Area	Northeast Area	Outlying Area	Major Area
Topsoil Erosion Occurring	N	N	N	N
Clay Cap Erosion Occurring	N	N	N	N
Desiccation Cracks or Freeze/Thaw Damage Present	N	N	N	N
Any Seeps or Leachate Breakouts Present	N	N	N	N
Ditches Free of Obstruction	Y	Y	Y	Y
Any Siltation, Ponding, or Erosion Damage in Drainage Features	N	N	N	N
Grass Cover Adequate	Y	Y	Y	Y
Any Bare, Sparse or Undernourished Areas Present	N	N	N	N
Any Settlement Observed in Cover System	N	N	N	N
Paved Areas Intact	NA	Some deterioration scheduled patching	NA	NA
Any Cracking, Deterioration, or Settlement in Pavement	NA		NA	NA
Note Any Damage				

Describe any issues with ancillary features in this area (e.g., fencing, access)

Management or Maintenance Activities Occurring during Inspection:	NONE
Describe any corrective actions required:	NO CA - Routine maintenance will be scheduled
Describe any corrective actions taken:	
Are site records up-to-date – yes no	yes
Describe deficiencies	

Weather Conditions		APPENDIX I SUMITOMO RUBBER USA, LLC LANDFILL CONDITION – SEMI-ANNUAL INSPECTION REPORT	Date: 5/13/20
Temperature	75		Inspector: CMB DEO -00011/1
Wind Direction/speed	Calym		
Precipitation Amount			
Sky conditions	Clear		
Inches of Snow Cover			

	AREA "C"			
	Ditch at Toe of Slope	Sheridan Dr. Ditch	Stockpile Area	Warehouse Ditch
Topsoil Erosion Occurring	N	N	N	N
Clay Cap Erosion Occurring	N	N	N	N
Desiccation Cracks or Freeze/Thaw Damage Present	N	N	N	N
Any Seeps or Leachate Breakouts Present	N	N	N	N
Ditches Free of Obstruction	Y	Y	Y	Y
Any Siltation, Ponding, or Erosion Damage in Drainage Features	N	N	N	N
Grass Cover Adequate	Y	Y	Y	Y
Any Bare, Sparse or Undernourished Areas Present	N	N	N	N
Any Settlement Observed in Cover System	N	N	N	N
Paved Areas Intact	NA	CMB NA	NA	NA
Any Cracking, Deterioration, or Settlement in Pavement	NA	NA	NA	NA
Note Any Damage				

Describe any issues with ancillary features in this area (e.g., fencing, access)

Management or Maintenance Activities Occurring during Inspection:
Describe any corrective actions required:
Describe any corrective actions taken:

Weather Conditions		APPENDIX I SUMITOMO RUBBER USA, LLC LANDFILL CONDITION – SEMI-ANNUAL INSPECTION REPORT	Date: 5/13/22
Temperature	70		Inspector: CMB DEO -00011/1
Wind Direction/speed	W 10 mph		
Precipitation Amount	0		
Sky conditions	Cloudy		
Inches of Snow Cover	0		

Are site records up-to-date – yes no
Describe deficiencies

	Area B Pave Areas			
	Parking Lot	Driveway		
Topsoil Erosion Occurring				
Clay Cap Erosion Occurring				
Desiccation Cracks or Freeze/Thaw Damage Present				
Any Seeps or Leachate Breakouts Present				
Ditches Free of Obstruction				
Any Siltation, Ponding, or Erosion Damage in Drainage Features				
Grass Cover Adequate				
Any Bare, Sparse or Undernourished Areas Present				
Any Settlement Observed in Cover System				
Paved Areas Intact	yes	yes		
Any Cracking, Deterioration, or Settlement in Pavement	minor surface cracking deterioration	minor surface cracking deterioration		
Note Any Damage	Same	Same		

Describe any issues with ancillary features in this area (e.g., fencing, access)

Management or Maintenance Activities Occurring during Inspection:
none
Describe any corrective actions required:
no CA - maintenance required to resurface/pave
Describe any corrective actions taken:

Weather Conditions		APPENDIX I SUMITOMO RUBBER USA, LLC LANDFILL CONDITION – SEMI-ANNUAL INSPECTION REPORT	Date: 5/13/22 Inspector: CMB DEO -00011/1
Temperature			
Wind Direction/speed			
Precipitation Amount			
Sky conditions			
Inches of Snow Cover			

Are site records up-to-date – yes / no
Describe deficiencies



ANALYTICAL REPORT

Lab Number:	L2235023
Client:	Sumitomo Rubber USA, LLC PO Box 1109 Buffalo, NY 14240
ATTN:	Christine Barton
Phone:	(716) 879-8497
Project Name:	WELL SAMPLING
Project Number:	Not Specified
Report Date:	07/22/22

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-17-00196).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: WELL SAMPLING
Project Number: Not Specified

Lab Number: L2235023
Report Date: 07/22/22

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2235023-01	WELL B3	WATER	BUFFALO, NY	06/30/22 11:20	06/30/22
L2235023-02	WELL B4	WATER	BUFFALO, NY	06/30/22 11:40	06/30/22
L2235023-03	WELL C7	WATER	BUFFALO, NY	06/30/22 12:00	06/30/22
L2235023-04	TRIP BLANK	WATER	BUFFALO, NY	06/30/22 00:00	06/30/22

Project Name: WELL SAMPLING
Project Number: Not Specified

Lab Number: L2235023
Report Date: 07/22/22

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: WELL SAMPLING
Project Number: Not Specified

Lab Number: L2235023
Report Date: 07/22/22

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

Please note that this report format does not contain typical QC parameters that were performed with these samples. As such, any QC outliers or non-conformances can only be reviewed by accessing your Alpha Customer Center account at www.alphalab.com and building a Data Usability table (format 11) in our Data Merger tool.

The analysis of Phenolics was subcontracted. A copy of the laboratory report is included as an addendum. Please note: This data is only available in PDF format and is not available on Data Merger.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:



Caitlin Walukevich

Title: Technical Director/Representative

Date: 07/22/22

VOLATILES

Project Name: WELL SAMPLING
Project Number: Not Specified

Lab Number: L2235023
Report Date: 07/22/22

SAMPLE RESULTS

Lab ID: L2235023-01
 Client ID: WELL B3
 Sample Location: BUFFALO, NY

Date Collected: 06/30/22 11:20
 Date Received: 06/30/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 07/13/22 11:38
 Analyst: MV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Benzene	ND		ug/l	0.50	0.16	1
2-Butanone	ND		ug/l	5.0	1.9	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	130		70-130
Toluene-d8	99		70-130
4-Bromofluorobenzene	96		70-130
Dibromofluoromethane	119		70-130

Project Name: WELL SAMPLING**Lab Number:** L2235023**Project Number:** Not Specified**Report Date:** 07/22/22**SAMPLE RESULTS**

Lab ID: L2235023-02
 Client ID: WELL B4
 Sample Location: BUFFALO, NY

Date Collected: 06/30/22 11:40
 Date Received: 06/30/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 07/13/22 10:55
 Analyst: MV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Benzene	ND		ug/l	0.50	0.16	1
2-Butanone	ND		ug/l	5.0	1.9	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	119		70-130
Toluene-d8	95		70-130
4-Bromofluorobenzene	98		70-130
Dibromofluoromethane	115		70-130

Project Name: WELL SAMPLING
Project Number: Not Specified

Lab Number: L2235023
Report Date: 07/22/22

SAMPLE RESULTS

Lab ID: L2235023-03
Client ID: WELL C7
Sample Location: BUFFALO, NY

Date Collected: 06/30/22 12:00
Date Received: 06/30/22
Field Prep: Not Specified

Sample Depth:

Matrix: Water
Analytical Method: 1,8260C
Analytical Date: 07/13/22 11:16
Analyst: MV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Benzene	ND		ug/l	0.50	0.16	1
2-Butanone	25		ug/l	5.0	1.9	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	120		70-130
Toluene-d8	97		70-130
4-Bromofluorobenzene	103		70-130
Dibromofluoromethane	114		70-130

Project Name: WELL SAMPLING**Lab Number:** L2235023**Project Number:** Not Specified**Report Date:** 07/22/22**SAMPLE RESULTS**

Lab ID: L2235023-04
 Client ID: TRIP BLANK
 Sample Location: BUFFALO, NY

Date Collected: 06/30/22 00:00
 Date Received: 06/30/22
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 07/13/22 08:49
 Analyst: MV

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Benzene	ND		ug/l	0.50	0.16	1
2-Butanone	ND		ug/l	5.0	1.9	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	113		70-130
Toluene-d8	97		70-130
4-Bromofluorobenzene	103		70-130
Dibromofluoromethane	110		70-130

METALS

Project Name: WELL SAMPLING**Lab Number:** L2235023**Project Number:** Not Specified**Report Date:** 07/22/22**SAMPLE RESULTS**

Lab ID: L2235023-01

Date Collected: 06/30/22 11:20

Client ID: WELL B3

Date Received: 06/30/22

Sample Location: BUFFALO, NY

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Arsenic, Total	0.02086		mg/l	0.00050	0.00016	1	07/07/22 18:10	07/19/22 22:14	EPA 3005A	1,6020B	SV
Cadmium, Total	0.00034		mg/l	0.00020	0.00005	1	07/07/22 18:10	07/19/22 22:14	EPA 3005A	1,6020B	SV
Chromium, Total	0.00390		mg/l	0.00100	0.00017	1	07/07/22 18:10	07/19/22 22:14	EPA 3005A	1,6020B	SV
Lead, Total	0.00898		mg/l	0.00100	0.00034	1	07/07/22 18:10	07/19/22 22:14	EPA 3005A	1,6020B	SV



Project Name: WELL SAMPLING**Lab Number:** L2235023**Project Number:** Not Specified**Report Date:** 07/22/22**SAMPLE RESULTS**

Lab ID: L2235023-02

Date Collected: 06/30/22 11:40

Client ID: WELL B4

Date Received: 06/30/22

Sample Location: BUFFALO, NY

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Arsenic, Total	0.00041	J	mg/l	0.00050	0.00016	1	07/07/22 18:10	07/19/22 22:19	EPA 3005A	1,6020B	SV
Cadmium, Total	ND		mg/l	0.00020	0.00005	1	07/07/22 18:10	07/19/22 22:19	EPA 3005A	1,6020B	SV
Chromium, Total	0.00694		mg/l	0.00100	0.00017	1	07/07/22 18:10	07/19/22 22:19	EPA 3005A	1,6020B	SV
Lead, Total	ND		mg/l	0.00100	0.00034	1	07/07/22 18:10	07/19/22 22:19	EPA 3005A	1,6020B	SV



Project Name: WELL SAMPLING**Lab Number:** L2235023**Project Number:** Not Specified**Report Date:** 07/22/22**SAMPLE RESULTS**

Lab ID: L2235023-03

Date Collected: 06/30/22 12:00

Client ID: WELL C7

Date Received: 06/30/22

Sample Location: BUFFALO, NY

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Arsenic, Total	0.00100		mg/l	0.00050	0.00016	1	07/07/22 18:10	07/19/22 22:24	EPA 3005A	1,6020B	SV
Cadmium, Total	0.00006	J	mg/l	0.00020	0.00005	1	07/07/22 18:10	07/19/22 22:24	EPA 3005A	1,6020B	SV
Chromium, Total	0.00506		mg/l	0.00100	0.00017	1	07/07/22 18:10	07/19/22 22:24	EPA 3005A	1,6020B	SV
Lead, Total	0.00037	J	mg/l	0.00100	0.00034	1	07/07/22 18:10	07/19/22 22:24	EPA 3005A	1,6020B	SV



Project Name: WELL SAMPLING**Lab Number:** L2235023**Project Number:** Not Specified**Report Date:** 07/22/22**Sample Receipt and Container Information**

Were project specific reporting limits specified?

YES

Cooler Information

Cooler	Custody Seal
A	Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2235023-01A	Vial HCl preserved	A	NA		4.8	Y	Absent		NYTCL-8260(14)
L2235023-01B	Vial HCl preserved	A	NA		4.8	Y	Absent		NYTCL-8260(14)
L2235023-01C	Vial HCl preserved	A	NA		4.8	Y	Absent		NYTCL-8260(14)
L2235023-01D	Plastic 250ml unpreserved	A	7	7	4.8	Y	Absent		-
L2235023-01E	Plastic 250ml HNO3 preserved	A	<2	<2	4.8	Y	Absent		CR-6020T(180),PB-6020T(180),AS-6020T(180),CD-6020T(180)
L2235023-01F	Amber 1000ml H2SO4 preserved	A	<2	<2	4.8	Y	Absent		SUB-PHENOL()
L2235023-01X	Plastic 120ml HNO3 preserved Filtrates	A	NA		4.8	Y	Absent		HOLD-METAL-DISSOLVED(180)
L2235023-02A	Vial HCl preserved	A	NA		4.8	Y	Absent		NYTCL-8260(14)
L2235023-02B	Vial HCl preserved	A	NA		4.8	Y	Absent		NYTCL-8260(14)
L2235023-02C	Vial HCl preserved	A	NA		4.8	Y	Absent		NYTCL-8260(14)
L2235023-02D	Plastic 250ml unpreserved	A	7	7	4.8	Y	Absent		-
L2235023-02E	Plastic 250ml HNO3 preserved	A	<2	<2	4.8	Y	Absent		CR-6020T(180),PB-6020T(180),AS-6020T(180),CD-6020T(180)
L2235023-02F	Amber 1000ml H2SO4 preserved	A	<2	<2	4.8	Y	Absent		SUB-PHENOL()
L2235023-02X	Plastic 120ml HNO3 preserved Filtrates	A	NA		4.8	Y	Absent		HOLD-METAL-DISSOLVED(180)
L2235023-03A	Vial HCl preserved	A	NA		4.8	Y	Absent		NYTCL-8260(14)
L2235023-03B	Vial HCl preserved	A	NA		4.8	Y	Absent		NYTCL-8260(14)
L2235023-03C	Vial HCl preserved	A	NA		4.8	Y	Absent		NYTCL-8260(14)
L2235023-03D	Plastic 250ml unpreserved	A	7	7	4.8	Y	Absent		-
L2235023-03E	Plastic 250ml HNO3 preserved	A	<2	<2	4.8	Y	Absent		CR-6020T(180),PB-6020T(180),AS-6020T(180),CD-6020T(180)
L2235023-03F	Amber 1000ml H2SO4 preserved	A	<2	<2	4.8	Y	Absent		SUB-PHENOL()
L2235023-03X	Plastic 120ml HNO3 preserved Filtrates	A	NA		4.8	Y	Absent		HOLD-METAL-DISSOLVED(180)
L2235023-04A	Vial HCl preserved	A	NA		4.8	Y	Absent		NYTCL-8260(14)

Project Name: WELL SAMPLING
Project Number: Not Specified

Serial_No:07222211:12
Lab Number: L2235023
Report Date: 07/22/22

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2235023-04B	Vial HCl preserved	A	NA		4.8	Y	Absent		NYTCL-8260(14)

Project Name: WELL SAMPLING**Lab Number:** L2235023**Project Number:** Not Specified**Report Date:** 07/22/22

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: DU Report - No QC w/'J' Qual

Project Name: WELL SAMPLING
Project Number: Not Specified

Lab Number: L2235023
Report Date: 07/22/22

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively

Report Format: DU Report - No QC w/'J' Qual



Project Name: WELL SAMPLING**Lab Number:** L2235023**Project Number:** Not Specified**Report Date:** 07/22/22**Data Qualifiers**

Identified Compounds (TICs).

- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- V** - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z** - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Report Format: DU Report - No QC w/'J' Qual

Project Name: WELL SAMPLING**Lab Number:** L2235023**Project Number:** Not Specified**Report Date:** 07/22/22

REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - VI, 2018.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at it's own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Alpha Analytical, Inc.Facility: **Company-wide**Department: **Quality Assurance**Title: **Certificate/Approval Program Summary**ID No.: **17873**

Revision 19

Published Date: 4/2/2021 1:14:23 PM

Page 1 of 1

Certification Information**The following analytes are not included in our Primary NELAP Scope of Accreditation:****Westborough Facility****EPA 624/624.1:** m/p-xylene, o-xylene, Naphthalene**EPA 625/625.1:** alpha-Terpineol**EPA 8260C/8260D:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.**EPA 8270D/8270E:** NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine, alpha-Terpineol; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.**SM4500:** NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.**Mansfield Facility****SM 2540D:** TSS**EPA 8082A:** NPW: PCB: 1, 5, 31, 87, 101, 110, 141, 151, 153, 180, 183, 187.**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Biological Tissue Matrix: EPA 3050B**The following analytes are included in our Massachusetts DEP Scope of Accreditation****Westborough Facility:****Drinking Water****EPA 300.0:** Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE,****EPA 180.1, SM2130B, SM4500CI-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B****EPA 332:** Perchlorate; **EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.**Microbiology:** **SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.****Non-Potable Water****SM4500H-B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH:** Ammonia-N and Kjeldahl-N, **EPA 350.1:**Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E,****SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300:** Chloride, Sulfate, Nitrate.**EPA 624.1:** Volatile Halocarbons & Aromatics,**EPA 608.3:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II,

Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625.1: SVOC (Acid/Base/Neutral Extractables), **EPA 600/4-81-045:** PCB-Oil.**Microbiology:** **SM9223B-Colilert-QT; Enterolert-QT, SM9221E, EPA 1600, EPA 1603, SM9222D.****Mansfield Facility:****Drinking Water****EPA 200.7:** Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1 Hg.****EPA 522, EPA 537.1.****Non-Potable Water****EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.**EPA 245.1 Hg.****SM2340B**

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

7/1/22

L2235023

Page 21 of 32



Tuesday, July 12, 2022

Attn: Brenda Pirinelli
Alpha Analytical Lab
8 Walkup Drive
Westborough, MA 01581

Project ID: L2235023
SDG ID: GCL69220
Sample ID#s: CL69220 - CL69222

This laboratory is in compliance with the NELAC requirements of procedures used except where indicated.

This report contains results for the parameters tested, under the sampling conditions described on the Chain Of Custody, as received by the laboratory. This report is incomplete unless all pages indicated in the pagination at the bottom of the page are included.

A scanned version of the COC form accompanies the analytical report and is an exact duplicate of the original.

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Phyllis Shiller".

Phyllis Shiller

Laboratory Director

NELAC - #NY11301
CT Lab Registration #PH-0618
MA Lab Registration #M-CT007
ME Lab Registration #CT-007
NH Lab Registration #213693-A,B

NJ Lab Registration #CT-003
NY Lab Registration #11301
PA Lab Registration #68-03530
RI Lab Registration #63
UT Lab Registration #CT00007
VT Lab Registration #VT11301



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



SDG Comments

July 12, 2022

SDG I.D.: GCL69220

Any compound that is not detected above the MDL/LOD is reported as ND on the report and is reported in the electronic deliverables (EDD) as <RL or U at the RL per state and EPA guidance. Compounds that are detected above MDL but below RL are qualified with a J flag.



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Sample Id Cross Reference

July 12, 2022

SDG I.D.: GCL69220

Project ID: L2235023

Client Id	Lab Id	Matrix
WELL B3	CL69220	WATER
WELL B4	CL69221	WATER
WELL C7	CL69222	WATER



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

July 12, 2022

FOR: Attn: Brenda Pirinelli
Alpha Analytical Lab
8 Walkup Drive
Westborough, MA 01581

Sample Information

Matrix: WATER
Location Code: ALPHA
Rush Request: Standard
P.O.#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date

06/30/22
07/05/22

Time

11:20
12:27

Laboratory Data

SDG ID: GCL69220
Phoenix ID: CL69220

Project ID: L2235023
Client ID: WELL B3

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
Phenolics	ND	0.015	0.005	mg/L	1	07/11/22	MSF	E420.4

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected BRL=Below Reporting Level L=Biased Low LOD=Limit of Detection MDL=Method Detection Limit1

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

July 12, 2022

Reviewed and Released by: Anil Makol, Project Manager



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

July 12, 2022

FOR: Attn: Brenda Pirinelli
Alpha Analytical Lab
8 Walkup Drive
Westborough, MA 01581

Sample Information

Matrix: WATER
Location Code: ALPHA
Rush Request: Standard
P.O.#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date

06/30/22
07/05/22

Time

11:40
12:27

Laboratory Data

SDG ID: GCL69220
Phoenix ID: CL69221

Project ID: L2235023
Client ID: WELL B4

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
Phenolics	ND	0.015	0.005	mg/L	1	07/11/22	MSF	E420.4

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected BRL=Below Reporting Level L=Biased Low LOD=Limit of Detection MDL=Method Detection Limit

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

July 12, 2022

Reviewed and Released by: Anil Makol, Project Manager



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



Analysis Report

July 12, 2022

FOR: Attn: Brenda Pirinelli
Alpha Analytical Lab
8 Walkup Drive
Westborough, MA 01581

Sample Information

Matrix: WATER
Location Code: ALPHA
Rush Request: Standard
P.O.#:

Custody Information

Collected by:
Received by: SW
Analyzed by: see "By" below

Date

06/30/22
07/05/22

Time

12:00
12:27

Laboratory Data

SDG ID: GCL69220
Phoenix ID: CL69222

Project ID: L2235023
Client ID: WELL C7

Parameter	Result	RL/ PQL	LOD/ MDL	Units	Dilution	Date/Time	By	Reference
Phenolics	ND	0.015	0.005	mg/L	1	07/11/22	MSF	E420.4

RL/PQL=Reporting/Practical Quantitation Level (Equivalent to NELAC LOQ, Limit of Quantitation) ND=Not Detected BRL=Below Reporting Level L=Biased Low LOD=Limit of Detection MDL=Method Detection Limit1

Comments:

If you are the client above and have any questions concerning this testing, please do not hesitate to contact Phoenix Client Services at ext.200. The contents of this report cannot be discussed with anyone other than the client listed above without their written consent.

Phyllis Shiller, Laboratory Director

July 12, 2022

Reviewed and Released by: Anil Makol, Project Manager



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823



QA/QC Report

July 12, 2022

QA/QC Data

SDG I.D.: GCL69220

Parameter	Blank	Blk RL	Sample Result	Dup Result	Dup RPD	LCS %	LCSD %	LCS RPD	MS %	MSD %	MS RPD	% Rec Limits	% RPD Limits
QA/QC Batch 632128 (mg/L), QC Sample No: CL69184 (CL69220, CL69221, CL69222)													
Phenolics	BRL	0.015	<0.015	0.005 J	NC	96.3			94.5			90 - 110	20

If there are any questions regarding this data, please call Phoenix Client Services at extension 200.

RPD - Relative Percent Difference
LCS - Laboratory Control Sample
LCSD - Laboratory Control Sample Duplicate
MS - Matrix Spike
MS Dup - Matrix Spike Duplicate
NC - No Criteria
Intf - Interference

Phyllis Shiller, Laboratory Director
July 12, 2022

Tuesday, July 12, 2022

Criteria: None

State: NY

Sample Criteria Exceedances Report
GCL69220 - ALPHA

SampNo	Acode	Phoenix Analyte	Criteria	Result	RL	Criteria	RL Criteria	Analysis Units
--------	-------	-----------------	----------	--------	----	----------	----------------	-------------------

*** No Data to Display ***

Phoenix Laboratories does not assume responsibility for the data contained in this exceedance report. It is provided as an additional tool to identify requested criteria exceedences. All efforts are made to ensure the accuracy of the data (obtained from appropriate agencies). A lack of exceedence information does not necessarily suggest conformance to the criteria. It is ultimately the site professional's responsibility to determine appropriate compliance.



Environmental Laboratories, Inc.
587 East Middle Turnpike, P.O.Box 370, Manchester, CT 06045
Tel. (860) 645-1102 Fax (860) 645-0823






NY Temperature Narration

July 12, 2022

SDG I.D.: GCL69220

The samples in this delivery group were received at 1.7°C.
(Note acceptance criteria for relevant matrices is above freezing up to 6°C)

1-7-0 WCLL

		Subcontract Chain of Custody Phoenix Environmental Laboratories 587 East Middle Turnpike Manchester, CT 06040		Alpha Job Number L2235023	
Client Information		Project Information		Regulatory Requirements/Report Limits	
Client: Alpha Analytical Labs Address: Eight Walkup Drive Westborough, MA 01581-1019 Phone: 716.427.5225 Email: bpirinelli@alphalab.com		Project Location: NY Project Manager: Brenda Pirinelli		State/Federal Program: Regulatory Criteria:	
		Turnaround & Deliverables Information Due Date: Deliverables:			
Project Specific Requirements and/or Report Requirements					
Reference following Alpha Job Number on final report/deliverables: L2235023				Report to include Method Blank, LCS/LCSD:	
Additional Comments: Send all results/reports to subreports@alphalab.com Method 420 - REPORT TO THE MDL					
Lab ID	Client ID	Collection Date/Time	Sample Matrix	Analysis	Batch QC
69220 69221 69222	L2235023 * WELL B4 WELL C7	06-30-22 11:20 06-30-22 11:40 06-30-22 12:00	WATER WATER WATER	Phenol Phenol Phenol	
* changed sample ID to well B3 per client. (2)					
		Relinquished By:		Date/Time:	Received By:
				7/5/22	
				7/5/22 12:13	
Form No: AL_subcoc					

GCL 69220

Shannon Wilhelm

From: Brenda Pirinelli <bpirinelli@alphalab.com>
Sent: Tuesday, July 5, 2022 1:37 PM
To: Shannon Wilhelm
Subject: Re: Question on COC

Very strange! Yes - please change it to Well B3. Thank you for catching that!

On Tue, Jul 5, 2022 at 1:35 PM Shannon Wilhelm <shannon@phoenixlabs.com> wrote:

Hi Brenda,

Please see attached. The first sample id is the same as the job number. Did you want to change it to a specific sample ID? Please LMK.

Thank you,

Shannon Wilhelm

Client Services Representative

Phoenix Environmental Laboratories

587 East Middle Turnpike

Manchester CT 06040

860-645-1102

FIELD OBSERVATIONS

Client: Sumitomo

Sample Point ID: OMW-C5

Facility: Dunlap Tire

Sample Matrix: GW

Field Personnel: Tom Webster, Eric Swartzmeyer
Amber Fleischman

SAMPLING INFORMATION:

Date/Time: 6-29-2022 1315

(Circle One)

Sampling Method: Baiter

Dedicated: (YES) NO

Diameter of Well: 2.0

Well Depth (from top of PVC): 29.95

Water Depth (from top of PVC): 5.89

Length of Water Column (LWC): _____

Diameter	Multiply by
1"	0.041
2"	0.163
3"	0.367
4"	0.653
6"	1.468
8"	2.61

Purge Volume: LWC x () x 3= _____

Volume Purged: 11

↑

See Multiplier to input based on Well Diameter

SAMPLING DATA: 6-30-2022

Time	Temp. (°C)	pH (std units)	Cond. (Umhos/cm)	Turbidity (NTU)	ORP (Mv)	DO (mg/L)

Weather conditions at time of sampling: _____

COMMENTS & OBSERVATIONS: _____

water level only

Date: 6-30-2022 Signature: [Signature] Company: Alpha

FIELD OBSERVATIONS

Client: Sumitomo

Sample Point ID: GMW-^{A4}~~7A~~

Facility: Dunlap Tire

Sample Matrix: GW

Field Personnel: Tom Webster, Eric Swartzmeyer
Amber Fleischman

SAMPLING INFORMATION:

Date/Time: 6-29-2022 @

(Circle One)

Sampling Method: Bailer

Dedicated: ☒ YES ☐ NO

Diameter of Well: 2.0

Well Depth (from top of PVC): 25.65

Water Depth (from top of PVC): 7.63

Length of Water Column (LWC): _____

Diameter	Multiply by
1"	0.041
2"	0.163
3"	0.367
4"	0.653
6"	1.468
8"	2.61

Purge Volume: LWC x () x 3= _____

Volume Purged: 11

↑

See Multiplier to input based on Well Diameter

SAMPLING DATA: 6-30-2022

Time	Temp. (°C)	pH (std units)	Cond. (Umhos/cm)	Turbidity (NTU)	ORP (Mv)	DO (mg/L)

Weather conditions at time of sampling: _____

COMMENTS & OBSERVATIONS: _____

Water Level only

Date: 6-30-2022

Signature: [Signature]

Company: Alpha

FIELD OBSERVATIONS

Client: Sumitomo Rubber

Sample Point ID: OMW-B4

Facility: Dunlop Tire

Sample Matrix: GW

Field Personnel: Tom Webster, Eric Swartzmeyer
Amber Fleischman

SAMPLING INFORMATION:

Date/Time: 6-29-2022 @ 1310

(Circle One)

Sampling Method: Baiter

Dedicated: ☒ YES ☐ NO

Diameter of Well: 2.0"

Diameter	Multiply by
1"	0.041
2"	0.163
3"	0.367
4"	0.653
6"	1.468
8"	2.61

Well Depth (from top of PVC): 22.45

Water Depth (from top of PVC): 5.73

Length of Water Column (LWC): 16.72

Purge Volume: LWC x () x 3 = 2.72 / vol

↑

See Multiplier to input based on Well Diameter

Volume Purged: Dry 5 gal

SAMPLING DATA: 6-30-2022 @ 1145

Time	Temp. (°C)	pH (std units)	Cond. (Umhos/cm)	Turbidity (NTU)	ORP (Mv)	DO (mg/L)
<u>1145</u>	<u>13.7</u>	<u>7.34</u>	<u>2,998</u>	<u>18.84</u>	<u>39.0</u>	<u>5.48</u>

Water Level (ft)
19.4

Weather conditions at time of sampling: _____

COMMENTS & OBSERVATIONS: clear no odor

Date: 6-30-2022 Signature: [Signature] Company: Alpha

FIELD OBSERVATIONS

Client: Sumitomo Rubber

Sample Point ID: OMW-B2 B3

Facility: Dunlap Tire

Sample Matrix: GW

Field Personnel: Tom Webster, Eric Swartzmeyer
Amber Fleischman

SAMPLING INFORMATION:

Date/Time: 6-29-2022

(Circle One)

Sampling Method: Baiter

Dedicated: ☒ YES ☐ NO

Diameter of Well: 2.0"

Diameter	Multiply by
1"	0.041
2"	0.163
3"	0.367
4"	0.653
6"	1.468
8"	2.61

Well Depth (from top of PVC): 17.15

Water Depth (from top of PVC): 9.57

Length of Water Column (LWC): 7.58

Purge Volume: LWC x () x 3 = 1.3 gal

Volume Purged: 24 gal

See Multiplier to input based on Well Diameter

SAMPLING DATA: 6-30-2022 @ 1130

Time	Temp. (°C)	pH (std units)	Cond. (Umhos/cm)	Turbidity (NTU)	ORP (Mv)	DO (mg/L)
1130	13.5	6.38	1337	25.47	105.7	2.75

water level (ft)

13.8

Weather conditions at time of sampling: _____

COMMENTS & OBSERVATIONS: Slight odor, clear w/ some solids

Date: 6-30-2022 Signature: [Signature] Company: Alpha

FIELD OBSERVATIONS

Client: Sumitomo Rubber

Sample Point ID: OMW-C7

Facility: Dunlop Tire

Sample Matrix: GW

Field Personnel: Tom Webster, Eric Swartzmeyer
Amber Fleischman

SAMPLING INFORMATION:

Date/Time: 6-29-2022 @ 1330

(Circle One)

Sampling Method: Baiter

Dedicated: ☒ YES ☐ NO

Diameter of Well: 2.0

Diameter	Multiply by
1"	0.041
2"	0.163
3"	0.367
4"	0.653
6"	1.468
8"	2.61

Well Depth (from top of PVC): 23.45

Water Depth (from top of PVC): 6.85

Length of Water Column (LWC): 23.16.6

Purge Volume: LWC x () x 3 = 2.70 / ucl

Volume Purged: Dry ~ 5.5

See Multiplier to input based on Well Diameter

SAMPLING DATA: 6-30-2022 @ 1220

Time	Temp. (°C)	pH (std units)	Cond. (Umhos/cm)	Turbidity (NTU)	ORP (Mv)	DO (mg/L)
1220	13.9	7.47	2,498	15.11	0.4	7.40

water level
ft

12.25

Weather conditions at time of sampling: clear

COMMENTS & OBSERVATIONS: No odor

Date: 6-30-2022 Signature: [Signature] Company: Alpha

APPENDIX I
SUMITOMO RUBBER USA, LLC
MONITORING WELL – SEMI-ANNUAL INSPECTION FORM

Date: 10/19/21
Inspector: CMB
DEO -00011/1

Monitoring Well	OMW-A6	OMW-C1	OMW-B3	OMW-B4	OMW-A4	OMW-C5	OMW-C7
Installation Type	FM		SU	SU	SU	SU	SU
Inspector Initials	CMB	-	CMB	CMB	CMB	CMB	CMB
Inspection Date	10/21/21	10/21/21	10/19/21	10/19/21	10/19/21	10/19/21	10/20/21
Access	G	3	G	G	G	G	G
Installed Depth (Ft BTOR)	23.5 ft bgs	19.84	17.28	20.5 ft bgs	23.0 ft bgs	28.97	21.0 ft bgs
Sounded Depth (Ft BTOR)	NM	J	NM	NM	NM	NM	NM
Exterior ID	G	J	G	G	G		G
Interior ID	G	G	G	G	G		G
Condition of Well Casing	G	CO	G	G	G	dent/G	G
Flushmount (FM) Surface Water	N	LO	NA				
FN – Water in Curb Box	N						
Gasket	G						
Bolts	G	LO					
Lid	G	N					
Concrete Base or Cement Pad	G	K	G	G	G	G	G
J-plug or Slip Cap	G	CO	G	G	G	G	G
Locks	G	CO	G	G	G	G	G
NAPL Present	NM		NM	NM	NM	NM	NM
NAPL Thickness (ft)	NM		NM	NM	NM	NM	NM
Notes							
Corrective Actions Required	NAA		NAA	NA	NA	NA	NA

FtBTOR – Feet below top of riser
Ft bgs – Feet below ground surface
NAPL – Non-aqueous phase liquid
P – Poor
G – Good
NA – Not Applicable
N – No
Y – Yes
EW – Extraction Well

SU – stick up
FM – flush mount

APPENDIX I
SUMITOMO RUBBER USA, LLC
MONITORING WELL – SEMI-ANNUAL INSPECTION FORM

Date: 5/13/22
Inspector: CMB
DEO -00011/1

Monitoring Well	OMW-A6	OMW-C1	OMW-B3	OMW-B4	OWM-A4	OMW-C5	OMW-C7
Installation Type	PM		SU	SU	SU	SU	SU
Inspector Initials	CMB		CMB	CMB	CMB	CMB	CMB
Inspection Date	5/13/22		5/13/22	5/13/22	5/13/22	5/13/22	5/13/22
Access	ck		ck	ck	ck	ck	ck
Installed Depth (Ft BTOR)	23.5 ft bgs	19.84	17.28	20.5 ft bgs	23.0 ft bgs	28.97	21.0 ft bgs
Sounded Depth (Ft BTOR)	NM		NM	NM	NM	NM	NM
Exterior ID	OMW-A6		OMW-B3	OMW-B4	OMW-A4	OMW-C5	OMW-C7
Interior ID			OMW-B3	OMW-B4	OMW-A4	OMW-C5	OMW-C7
Condition of Well Casing	ck		ck	ck	ck	ck	ck
Flushmount (FM) Surface Water	NO		NA				
FN – Water in Curb Box	NO						
Gasket	ck						
Bolts	ck						
Lid	ck						
Concrete Base or Cement Pad	ck		ck	ck	ck	ck	ck
J-plug or Slip Cap	ck		ck	ck	ck	ck	ck
Locks	ck		ck	ck	ck	ck	ck
NAPL Present	NM		NM	NM	NM	NM	NM
NAPL Thickness (ft)	NM		NM	NM	NM	NM	NM
Notes							
Corrective Actions Required							

FtBTOR – Feet below top of riser
Ft bgs – Feet below ground surface
NAPL – Non-aqueous phase liquid
P – Poor
G – Good
NA – Not Applicable
N – No
Y – Yes
EW – Extraction Well