



SUMITOMO RUBBER USA, LLC



DUNLOP

FALKEN

July 29, 2025

Mr. Bradley Demo
New York State Dept. of Environmental Conservation
270 Michigan Avenue
Buffalo, NY 14203-2915

Revised Periodic Review Report and Institutional Controls Certification - Site No. 915018

Dear Mr. Demo,

Please find attached the Periodic Review Report (PRR) and Institutional and Engineering Controls (IC/EC) Certification Forms for the in accordance with the Site Management Plan (SMP) for the Dunlop Tire and Rubber Site (Site No. 915018).

Please contact Christine Barton if you have any questions or if you need any additional information.

Thank you,

Christine Barton

Christine Barton
Environmental Coordinator
(716) 879-8497

Cc: Timothy Sprunger (Sumitomo)
Bradley Demo, Project Manager
Ben McPherson, Hazardous Waste Remediation Supervisor, Region 9
Richard Snyder, GHD



Enclosure 2
NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
Site Management Periodic Review Report Notice
Institutional and Engineering Controls Certification Form



Site Details

Box 1

Site No. **915018**

Site Name Dunlop Tire and Rubber

Site Address: 3333 River Road Zip Code: 14150
City/Town: Tonawanda
County: Erie
Site Acreage: 25.000

Reporting Period: June 30, 2024 to June 30, 2025

YES NO

1. Is the information above correct?

☒ ☐

If NO, include handwritten above or on a separate sheet.

2. Has some or all of the site property been sold, subdivided, merged, or undergone a tax map amendment during this Reporting Period?

☐ ☒

3. Has there been any change of use at the site during this Reporting Period (see 6NYCRR 375-1.11(d))?

☐ ☒

4. Have any federal, state, and/or local permits (e.g., building, discharge) been issued for or at the property during this Reporting Period?

☐ ☒

If you answered YES to questions 2 thru 4, include documentation or evidence that documentation has been previously submitted with this certification form.

5. Is the site currently undergoing development?

☐ ☒

Box 2

YES NO

6. Is the current site use consistent with the use(s) listed below?
Closed Landfill

☒ ☐

7. Are all ICs in place and functioning as designed?

☒ ☐

**IF THE ANSWER TO EITHER QUESTION 6 OR 7 IS NO, sign and date below and
DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.**

A Corrective Measures Work Plan must be submitted along with this form to address these issues.

Signature of Owner, Remedial Party or Designated Representative

Date

Description of Institutional ControlsParcelOwnerInstitutional Control**65.17-2-1.111**

Sumitomo Rubber USA, LLC

Monitoring Plan
O&M Plan

The March 1993 Record of Decision contained a general Institutional Control described as follows:

- Post-closure maintenance and monitoring for thirty years to ensure the long-term effectiveness of the remedy and provide early detection should failure occur;

and described more specifically as:

- Compliance with this SMP by the Grantor and the Grantor's successors and assigns;
- All Engineering Controls must be operated and maintained as specified in this SMP;
- All Engineering Controls must be inspected at a frequency and in a manner defined in the SMP.
- Groundwater monitoring must be performed as defined in this SMP; and
- Data and information pertinent to Site Management must be reported at the frequency and in a manner defined in this SMP.

There are no use restrictions on this site.

Box 4**Description of Engineering Controls**ParcelEngineering Control**65.17-2-1.111**Cover System
Fencing/Access Control
Monitoring Wells

Three separate landfills are capped with modified 360 caps. Groundwater quality is monitored annually.

Under the requirements of the Order on Consent, Dunlop submitted a Conceptual IRM Closure Plan in November 1992 that detailed the closure of the three landfills. The landfills were closed in accordance with the plan;

Each landfill was capped with eighteen inches of clay compacted to a minimum permeability of 1 x 10⁻⁷ cm/sec and covered with six inches of soil amenable to plant growth. Due to the low concentrations of volatile organic compounds detected at the sites, and the absence of volatile readings above background levels during intrusive activities, gas venting systems were not required for any of the landfills. In addition, due to the presence of the impermeable underlying silty clay, groundwater/leachate collection and treatment was not required. Slopes of the final landfill cover systems ranged from approximately 4% to 33%.

There are no demarcation layers between the caps and underlying fill material.

Periodic Review Report (PRR) Certification Statements

1. I certify by checking "YES" below that:

a) the Periodic Review report and all attachments were prepared under the direction of, and reviewed by, the party making the Engineering Control certification;

b) to the best of my knowledge and belief, the work and conclusions described in this certification are in accordance with the requirements of the site remedial program, and generally accepted engineering practices; and the information presented is accurate and complete.

YES NO

☒ ☐

2. For each Engineering control listed in Box 4, I certify by checking "YES" below that all of the following statements are true:

(a) The Engineering Control(s) employed at this site is unchanged since the date that the Control was put in-place, or was last approved by the Department;

(b) nothing has occurred that would impair the ability of such Control, to protect public health and the environment;

(c) access to the site will continue to be provided to the Department, to evaluate the remedy, including access to evaluate the continued maintenance of this Control;

(d) nothing has occurred that would constitute a violation or failure to comply with the Site Management Plan for this Control; and

(e) if a financial assurance mechanism is required by the oversight document for the site, the mechanism remains valid and sufficient for its intended purpose established in the document.

YES NO

☒ ☐

**IF THE ANSWER TO QUESTION 2 IS NO, sign and date below and
DO NOT COMPLETE THE REST OF THIS FORM. Otherwise continue.**

A Corrective Measures Work Plan must be submitted along with this form to address these issues.

Signature of Owner, Remedial Party or Designated Representative

Date

IC CERTIFICATIONS
SITE NO. 915018

Box 6

SITE OWNER OR DESIGNATED REPRESENTATIVE SIGNATURE

I certify that all information and statements in Boxes 1,2, and 3 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I Timothy Sprunger at Sumitomo Rubber USA <sup>10 Sheridan Dr.
Tonawanda, NY 14150</sup>
print name print business address

am certifying as Sumitomo Rubber USA (Owner) or Remedial Party)

for the Site named in the Site Details Section of this form.

[Signature]
Signature of Owner, Remedial Party, or Designated Representative
Rendering Certification

7/28/2025
Date

EC CERTIFICATIONS

Box 7


Qualified Environmental Professional Signature

I certify that all information in Boxes 4 and 5 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I Richard J. Snyder at 2055 Niagara Falls Blvd
print name Niagara Falls NY 14304
print business address

am certifying as a Qualified Environmental Professional for the Owner
(Owner or Remedial Party)

Richard J. Snyder
Signature of Qualified Environmental Professional, for
the Owner or Remedial Party, Rendering Certification



July 28, 2025
Date

SUMITOMO RUBBER USA, LLC

TONAWANDA, NEW YORK LANDFILL CAP MANAGEMENT SITE MANAGEMENT PERIODIC REVIEW REPORT (PRR)

I. Introduction

The former Goodyear Dunlop Tires North America facility (Facility), now owned and operated by Sumitomo Rubber USA, LLC (Sumitomo), is located in Tonawanda, New York (see Figure 1). The Facility is approximately 128 acres in size and consists of two parcels of land addressed as 3333 and 3337 River Road. Sumitomo manages three historical waste disposal areas located on the 3333 River Road parcel, which together consist of approximately 25 acres. These three historical waste disposal areas are individually referred to as Disposal Site A, B, and C, and are hereinafter collectively referred to as the "Site". Figure 1 shows the approximate Site location and boundaries. Dunlop Tire Corporation (Dunlop) entered into an Order on Consent (Consent Order) on April 23, 1991, with the NYSDEC to determine the nature and extent of contamination at the Site resulting from historical disposal of industrial wastes. The Site boundaries coincide with the estimated limits of fill as depicted by URS Consultants, Inc. in their April 1992 report¹, and as shown in the March 1993 Record of Decision (ROD)². The Site is currently in the New York State (NYS) State Superfund Program (Site No. 915018), which is administered by the New York State Department of Environmental Conservation (NYSDEC). The Site is listed as a Class 4 site, indicating that it has been properly closed but requires continued Site management consisting of operation, maintenance, and/or monitoring.

A Site Management Plan (SMP) has been prepared for the Site to ensure implementation and management of the institutional controls (ICs) and engineering controls (ECs) in place for the Site. This Periodic Review Report (PRR) is being prepared to certify that site management activities are being conducted in accordance with the SMP.

II. Disposal Site Overview

Disposal Site A

Disposal Site A is located on the northwestern portion of the Facility (Figure 1). The surface of Site A consists of grass, trees, brush, and asphalt parking lot. Site A was reportedly used to dispose of various wastes including fly ash, slag, carbon black, asphalt, foam, tires, coal, and construction and demolition (C/D) debris until 1970, and

¹ URS Consultants, Inc., April 1992, Report of Field Investigation and Data Analysis, Inactive Disposal Site Nos. 915018 A, B, C, submitted to the NYSDEC.

² New York State Department of Environmental Conservation, March 1993, Record of Decision, Dunlop Tire and Rubber, Site No. 915018A, Site No. 915018B, Site No. 915018C.

C/D debris until 1979. The primary area of disposal, consisting of thicker fill, is located within the central and northern portions of Site A.

As indicated above, the boundaries of Disposal Site A coincide with the estimated limits of fill as depicted by URS in their April 1992 report (Figure 2). The southern boundary (lateral extent of fill) was determined through excavation of eight test trenches by URS in 1991. The eastern and western boundaries were defined based on surface topography and configuration of waste piles. The northern extent of the fill could not be determined, as the presence of the parking lot prevented completion of test trenches in this area. As a result, the northern boundary was defined by the northwestern corner of Building 1 and a perimeter fence east of a 10,000-gallon water tank present at that time. Fill materials identified in the trenches included black and brown silt, reworked reddish/brown silty clay, ash, slag, carbon black, C/D debris, asphalt, foam, rubber tires, and coal. Three test holes were completed by Conestoga-Rovers & Associates (CRA) in 1983, and two test pits were excavated by URS in 1991, which contributed to the delineation of Disposal Site A.

Disposal Site B

Disposal Site B is located on the southwestern portion of the Facility (Figure 1). The surface of Site B consists of grass and asphalt parking lot and driveway. Site B was reportedly used to dispose of various solid wastes, including scrap rubber (natural and synthetic), golf balls, plastics, carbon black, fly ash, amines, antioxidants, and general refuse until 1970.

The boundaries of Disposal Site B coincide with the estimated limits of fill as depicted by URS in their April 1992 report (Figure 2). The southern and western boundaries (lateral extent of fill) were determined through excavation of seven test trenches by URS in 1991. The eastern extent of the fill could not be determined, as the presence of the parking lot prevented completion of test trenches in this area. However, aerial photographs reportedly confirm waste disposal eastward into the parking lot. The northern extent of the fill could not be determined due to the presence of the settling pond. Fill materials identified in the trenches included black and brown silt, C/D debris, asphalt, coal, and rubber. Seventeen test holes were completed by CRA in 1983, and five test pits were excavated by URS in 1991, which contributed to the delineation of Disposal Site B.

Disposal Site C

Disposal Site C is located on the eastern portion of the Facility (Figure 1). The surface of Site C consists of grass. Site C was reportedly used as a coal ash landfill until 1973. Interviews with several Dunlop retirees in the early 1980s indicated that it was common practice to dispose of all types of waste at this Site, including drums of waste solvents and degreasers.

The boundaries of Disposal Site C coincide with the estimated limits of fill as depicted by URS in their April 1992 report (Figure 3). The southern and eastern boundaries (lateral extent of fill) were determined through excavation of six test trenches by URS in 1991. The northern boundary was defined by a scarp or steep bank along the outer toe of the

fill where it contacted the original surface. The berm-like area between the fence and railroad tracks constituting the western portion of Disposal Site C was defined based on topography. Fill materials identified in the trenches included black and brown silt, ash, slag, sand and gravel, C/D debris, and rubber. Five test holes were completed by CRA in 1983, and six test pits were excavated by URS in 1991, which contributed to the delineation of Disposal Site C.

III. Institutional and Engineering Control Plan

Since remaining contamination exists at the Site, ICs and ECs are required to protect human health and the environment. This IC/EC Plan describes the procedures for the implementation and management of all IC/ECs at the Site.

Institutional Controls

A series of ICs are required by the ROD to:

1. Implement, maintain and monitor EC systems
2. Prevent future exposure to remaining contamination

Adherence to these ICs on the Site is required by the ROD and the Consent Order and will be implemented under the Site's Long-Term Monitoring Plan. ICs may not be discontinued without an amendment to the Consent Order. The IC boundaries are the same as the Site boundaries.

The ICs, as described in the March 1993 ROD, consist of the following:

- Post-closure maintenance and monitoring will be conducted for 30 years, starting in 1995, to ensure the long-term effectiveness of the remedy and provide early detection should failure occur. This 30-year maintenance and monitoring program concluded with the 2024 round of inspections and monitoring.
- The Order on Consent signed by Dunlop, effective April 23, 1991, is a legally binding agreement that requires the company to inspect the final cover quarterly (the frequency has been reduced to annually) and maintain it for 30 years. This maintenance program, in combination with the post-closure monitoring program, will help ensure the long-term effectiveness of the cap. If during that time the Department concludes that any element of the cover fails to perform as predicted or otherwise fails to protect human health or the environment, the Department can require Sumitomo to make modifications or repairs as required.
- If Sumitomo closes the Facility, the Order on Consent requires the company to continue its maintenance and monitoring programs.
- If the property is sold, Sumitomo must notify the Department within 60 days of closing and furnish the name(s) of the prospective new owner(s) of the property. In addition, Sumitomo must inform the new owner(s) about the landfills and that an Order on Consent is in effect.

Engineering Controls

The purpose of the ECs is to prevent direct human contact with on-Site waste, prevent the erosion and transport of contaminated soil from the Site into surrounding wetland

areas, control the migration of contaminated groundwater from the Site, and reduce environmental risk to wildlife living in the surrounding wetlands. The ECs, as described in the March 1993 ROD, include the following:

- The three landfills were capped with 18 inches of clay compacted to a minimum permeability (hydraulic conductivity) of 1×10^{-7} cm/sec. The caps were covered with 6 inches of soil amenable to plant growth, seeded, and mulched. Areas overlying the three landfills associated with vehicle traffic were paved in the fall of 1992.
- Surface water runoff is directed to catch basins that discharge to the plant settling pond. Monitoring of this pond occurs semi-annually as a SPDES permit condition.
- The Site is fenced.

The Site cap is a permanent control, and the quality and integrity of the cap is inspected semi-annually.

IV. Inspections and Monitoring Activities

Annual Cap Inspection

The cap at the Site is intended to prevent contact between Site visitors and workers and the remaining contamination. The cap consists of low permeability clay covered by soil capable of sustaining vegetation, and by areas of asphalt pavement over portions of the Site subject to vehicle traffic (no confirmed clay cap). An inspection of the cap at all three disposal Sites is performed on an annual basis in accordance with the SMP schedule, regardless of the frequency of the Periodic Review Report (PRR).

Each cap inspection includes a walkover and visual assessment of the cap. The inspection does not include any areas where work is being performed. The following items are evaluated to ascertain the need for corrective action:

- Soil cover system – The presence of desiccation cracks, freeze/thaw damage, and the presence of seeps or leachate breakouts.
- Asphalt – The quality of the pavement for cracking or other deterioration.
- Landscaping – The vigor and density of the vegetative cover both on the cap and in grass-lined drainage ways as well as bare, sparse, and undernourished areas.
- Erosion – The presence of any erosion.
- Settlement – Visual evidence of differential settlement and its impact on either the cap integrity or required drainage patterns.
- Drainage features – Ditches, culverts, piping, and structures for siltation, ponding, or erosion damage.
- Ancillary features – The integrity of other remedial action features such as fences and access roads and any items in need of repair.

The annual cap inspections were completed on May 28, 2025. The inspection forms are provided in Attachment 1.

During the inspection, some bare top soil was noted around Area B, specifically the areas along the bank of channel and areas along the road. A request to import soil was submitted to NYSDEC and subsequently approved on July 9, 2025. On July 16, 2025, topsoil was placed to maintain the six-inches of coverage as required by the SMP and then seeded.

No other deterioration or deficiencies were identified in Areas A, B, or C.

Photos from the May 2025 inspection area provided as Attachment 2.

Groundwater Monitoring

Groundwater monitoring is performed triennially to monitor the long-term effectiveness of the Site closure and provide for early detection should failure occur, as outlined in the SMP. Trends in contaminant concentrations in groundwater are evaluated to determine if the ICs and ECs in place at the Site continue to be effective in protecting public health and the environment. Wells downgradient of the capped areas are monitored to evaluate the effectiveness of the closure action. Wells upgradient of the capped areas will be monitored as needed, based on the downgradient results, to determine if upgradient groundwater, rather than the disposal areas, might be a source of downgradient impacts. In this case, the effectiveness of the closure would not be questioned.

The Groundwater monitoring well network includes the following three wells (Figures 2 and 3):

- Downgradient wells: OMW-B3, OMW-B4, and OMW-C7

Contaminants to be analyzed during each sampling event are defined as Analytical Schedule A analytes and Analytical Schedule B analytes and are listed on Table 1.

If turbidity in a groundwater sample is above 50 nephelometric turbidity unit (NTU), then both filtered and unfiltered samples are analyzed for metals to determine if suspended solids are contributing to the reported concentrations and, therefore, potentially giving a false indication of groundwater concentrations.

Groundwater sampling was completed April 24, 2025. The samples were analyzed for Schedule B analytes. All parameters in all wells were below the action levels identified in Table 2.

A summary of the sample results is presented on Table 3a through Table 3g, including all available historical analytical results from sampling events that took place in year 1 through year 30, for all seven monitoring wells. The laboratory data reports are provided in Attachment 3. The field monitoring forms are provided in Attachment 4.

No corrective actions are required at this time.

Visual Inspections of Monitoring Wells

All seven monitoring wells are visually inspected as part of the annual monitoring event, regardless of which wells are to be sampled. The wells are inspected for protective covers, well locks, water-tight locking caps, and cement pads or flush mount conditions.

The monitoring well inspections were completed on May 28, 2025. Well inspection forms are provided in Attachment 5.

Well OMW-C1 could not be located. Historical records indicate that OMW-C1 was last documented on June 11, 1998, during annual inspections. Attempts to locate the well have occurred yearly during the annual well inspections that are documented in past PRRs. It is believed the well was inadvertently destroyed sometime following the July 1998 inspection. This upgradient well was only scheduled to be sampled during year 1 of the Long-Term Monitoring Plan that was developed in July 1994. Additional phenol samples were taken through year 4 of the sampling plan. The historical sampling results are provided on Table 3e.

The inspections found all other monitoring wells to be in good condition.

No corrective actions are required.

Hydraulic Monitoring

Groundwater measurements were taken to assess groundwater flow conditions. Table 4 summarizes the water level measurements taken April 24, 2025. Figure 4 shows the updated groundwater contour map with groundwater flow direction.


V. Compliance and Corrective Actions


Sumitomo is currently in compliance with the first year of monitoring following the completion of Long-Term Monitoring Plan year 30 of the 30-year plan requirements and the SMP. Portions of Area B requiring landscaping maintenance maintain the soil cover. This corrective action took place on July 16, 2025. No other issues of non-compliance were noted during this reporting year. Routine maintenance of pavement and the soil cover will continue as needed.

There are no corrective actions required based on the current conditions.


The next landfill cap inspection will be completed in Spring 2026, while the next monitoring well inspection, hydraulic monitoring, and groundwater sampling event will be completed in Spring 2027. The NYSDEC will be notified 7 days in advance of future inspections or sampling activities.

Figures





0 100 200 ft
1" = 200 ft



DUNLOP TIRE AND RUBBER SITE, SITE #915018
3333 RIVER RD TONAWANDA, NEW YORK
SITE MANAGEMENT PLAN

LOCATIONS OF WELLS FOR
LONG-TERM MONITORING
DISPOSAL SITES A AND B

Project No. 11222959
Date July 2025

FIGURE 2




FIGURE 3



DUNLOP TIRE AND RUBBER SITE, SITE #915018
3333 RIVER RD TONAWANDA, NEW YORK
SITE MANAGEMENT PLAN

GROUNDWATER CONTOUR MAP
APRIL 2025

Project No. 11222959
Date July 2025

FIGURE 4

Tables

Table 1												
Sumitomo Rubber USA, LLC												
Sampling Schedule												
Inactive Waste Sites 915018 A, B and C												
Year	Analytical Schedule	Number of Sampling Events Per Year										Sampling Season
		Upgradient		Downgradient								
		A6	C1	B3	B4	A4	C5	C7				
1	A	2	2	2	2	2	2	2	2	2	2	Spring/Fall
2, 3	B			2	2	2	2	2	2	2	2	Spring/Fall
4, 5	B				1	1	1	1	1	1	1	Spring
6-9	B				1	1	1	1			1	Spring
10	B				1	1	1	1	1	1	1	Spring
11-14	B					1	1	1			1	Spring
15	B					1	1	1	1	1	1	Spring
16-19	B					1	1	1			1	Spring
20	B					1	1	1	1	1	1	Spring
21-24	B					1	1	1			1	Spring
25	B					1	1	1	1	1	1	Spring
26-29	B					1	1	1			1	Spring
30	B					1	1	1	1	1	1	Spring

Notes:

Starting year was 1994. 1st Sampling Year was 1995.

Table 2 Sumitomo Rubber USA, LLC Groundwater Action Levels for Downgradient Wells							
NYSDEC							
Parameter	Type	Criteria¹ (ppb)	OMW-A4³ (ppb)	OMW-B3 (ppb)	OMW-B4² (ppb)	OMW-C5 (ppb)	OMW-C7 (ppb)
2-Butanone (MEK)	VOC	50	NA	50	50	50	50
Benzene	VOC	1	NA	0.7	2	0.7	0.7
1,1-Dichloroethane	VOC	5	NA	5	5	5	5
1,2-Dichloroethene (total)	VOC	5	NA	5	5	5	5
1,1,1-Trichloroethane	VOC	5	NA	5	5	5	5
Arsenic	MET	25	NA	25	25	25	25
Cadmium	MET	5	NA	10	28	16	10
Chromium	MET	50	NA	50	178	66	50
Lead	MET	25	NA	32	52	50	25
Total Phenols	SEMI	1	NA	1	1	1	1

Notes:

VOC = Volatile Organic Compounds

MET = Metals

SEMI = Semivolatile Organic Compound

¹ NYSDEC Ambient Water Quality Standards and Guidance Values, June 1998, with addenda through 2004

² Determined using existing data from OMW-B2

³ OMW-A4 monitors the uncapped minor fill Area A; and, therefore does not require any action level as per the Long-Term Monitoring Plan submitted July 1994

Table 3a
Sumitomo Rubber USA, LLC
Annual Landfill Well Monitoring
Groundwater Analytical Results
OMW - A4

Well ID	A4		Year 30	Year 25	Year 20	Year 19	Year 15	Year 11	Year 10
Date			4/19/2024	5/24/2019	6/10/2014	8/13/2013	5/7/2009	6/1/2005	6/22/2004
Parameters	Units	Action Levels							
<i>Volatile Organic Compounds</i>									
1,1-Dichloroethane	µg/L	NA	ND (2.5)	ND (2.5)	ND (2.0)	-	ND (5.0)	ND (2.0)	ND (10.0)
1,2-Dichloroethane	µg/L	NA	ND (0.50)	ND (0.50)	ND (2.0)	-	ND (5.0)	ND (2.0)	ND (10.0)
1,1,1-Trichloroethane	µg/L	NA	ND (2.5)	ND (2.5)	ND (2.0)	-	ND (5.0)	ND (2.0)	ND (10.0)
Benzene	µg/L	NA	ND (0.50)	ND (0.50)	ND (0.50)	-	ND (0.7)	ND (2.0)	ND (10.0)
2-Butanone	µg/L	NA	ND (5.0)	ND (5.0)	ND (10.0)	-	ND (5.0)	ND (2.0)	ND (10.0)
<i>Total Metals</i>									
Arsenic	µg/L	NA	0.82	1.52	ND (10.0)	ND (10.0)	ND (10.0)	44.9	81.9
Cadmium	µg/L	NA	ND (0.2)	0.08 J	ND (10.0)	-	12	ND (10.0)	ND (5.0)
Chromium	µg/L	NA	4.64	29	ND (10.0)	-	12	ND (20.0)	80
Lead	µg/L	NA	0.82 J	2.53	ND (10.0)	-	ND (10.0)	5.1	35.8
<i>Dissolved Metals*</i>									
Dissolved Arsenic	µg/L	-	-	0.29 J	ND (10.0)	ND (10.0)	ND (10.0)	43.7	49.3
Dissolved Cadmium	µg/L	-	-	ND (0.2)	ND (10.0)	-	ND (10.0)	ND (10.0)	ND (5.0)
Dissolved Chromium	µg/L	-	-	0.73 J	ND (10.0)	-	ND (10.0)	ND (20.0)	ND (10.0)
Dissolved Lead	µg/L	-	-	ND (1.0)	ND (10.0)	-	ND (10.0)	ND (30.0)	ND (15.0)
<i>Inorganics & Miscellaneous</i>									
Turbidity	NTU	-	23	120	88.4	-	0.45	68.8	401
Specific Conductance	umhos/cm	-	6500	4600	6640	-	-	9260	9520
Total Phenolics	µg/L	NA	ND (30)	ND (3.0)	ND (5.0)	-	ND (5.0)	6.0	ND (5.0)

Notes:

ND = Nondetect

NA = Not applicable

J = Estimated value. The target analyte concentration is below the quantitation limit, but above the method detection limit.

Bold data results are above action levels

* - Only required if turbidity is above 50 NTU

Table 3b
Sumitomo Rubber USA, LLC
Annual Landfill Well Monitoring
Groundwater Analytical Results
OMW - A6

Well ID	A6		Year 4	Year 3	Year 2	Year 1
Date			6/10/1998	10/30/1997	11/13/1996	10/4/1995
Parameters	Units	Action Levels				
<i>Volatile Organic Compounds</i>						
1,1-Dichloroethane	µg/L	-	-	-	-	ND
1,2-Dichloroethane	µg/L	-	-	-	-	ND
1,1,1-Trichloroethane	µg/L	-	-	-	-	ND
Benzene	µg/L	-	-	-	-	ND
2-Butanone	µg/L	-	-	-	-	ND
<i>Total Metals</i>						
Arsenic	µg/L	-	-	-	-	ND
Cadmium	µg/L	-	-	-	-	ND
Chromium	µg/L	-	-	-	-	2.3
Lead	µg/L	-	-	-	-	3.9
<i>Dissolved Metals*</i>						
Dissolved Arsenic	µg/L	-	-	-	-	-
Dissolved Cadmium	µg/L	-	-	-	-	-
Dissolved Chromium	µg/L	-	-	-	-	-
Dissolved Lead	µg/L	-	-	-	-	-
<i>Inorganics & Miscellaneous</i>						
Turbidity	NTU			120		
Specific Conductance	umhos/cm			1350		
Total Phenolics	µg/L	-	ND (4.0)	7.0	ND (4.0)	12.0
				4.0	ND (4.0)	8.0

Notes:

ND = Nondetect

NA = Not applicable

J = Estimated value. The target analyte concentration is below the quantitation limit, but above the method detection limit.

Bold data results are above action levels

* - Only required if turbidity is above 50 NTU

Table 3c
Sumitomo Rubber USA, LLC
Annual Landfill Well Monitoring
Groundwater Analytical Results
OMW - B3

Well ID	B3		Year 31	Year 30	Year 29	Year 28	Year 27	Year 26	Year 25	Year 24	Year 23	
Date			4/24/2025	4/19/2024	5/18/2023	6/30/2022	5/21/2021	6/19/2020	5/24/2019	6/19/2018	7/6/2017	11/18/2016
Parameters	Units	Action Levels										RESAMPLE
Volatile Organic Compounds												
1,1-Dichloroethane	µg/L											
1,2-Dichloroethane	µg/L	5	ND (2.5)	ND (2.5)	ND (2.5)	ND (2.5)	ND (2.5)	ND (2.5)	ND (2.5)	ND (2.5)	ND (2.5)	-
1,1,1-Trichloroethane	µg/L	5	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	-
1,1,1-Trichloroethane	µg/L	5	ND (2.5)	ND (2.5)	ND (2.5)	ND (2.5)	ND (2.5)	ND (2.5)	ND (2.5)	ND (2.5)	ND (2.5)	-
Benzene	µg/L	0.7	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	-
2-Butanone	µg/L	50	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	-
Total Metals												
Arsenic	µg/L	25	2.91	2.04	5.71	20.86	9.64	4.76	3.15	29.1	28.8	18
Cadmium	µg/L	10	0.10 J	0.06 J	0.09 J	0.34	0.08 J	0.05	0.07	0.110 J	0.170 J	-
Chromium	µg/L	50	1.48	2.81	2.32	3.9	1.56	3.53	7.06	4.88	4.15	-
Lead	µg/L	32	2.08	1.38	3.7	8.98	2.04	0.62	0.82	1.72	1.4	-
Dissolved Metals*												
Dissolved Arsenic	µg/L	-	-	-	-	-	1.01	2.39	0.97	ND (5.0)	0.94	-
Dissolved Cadmium	µg/L	-	-	-	-	-	ND (0.05)	ND (0.2)	ND (5.0)	ND (5.0)	ND (0.2)	-
Dissolved Chromium	µg/L	-	-	-	-	-	0.49	0.82	0.49	ND (10.0)	0.330 J	-
Dissolved Lead	µg/L	-	-	-	-	-	ND (1.0)	ND (1.0)	ND (1.0)	ND (10)	ND (0.10)	-
Inorganics & Miscellaneous												
Turbidity	NTU	-	13	7.2	11.69	25.47	63	68	140	180	88	-
Specific Conductance	umhos/cm	-	930	850	980	1337	920	1100	1000	1500	1500	-
Total Phenolics	µg/L	1	ND (6.0)	8.0 J	ND (15)	ND (15)	ND (30)	ND (30)	ND (3.0)	ND (3.0)	7.0	-

Notes:

ND = Nondetect

NA = Not applicable

J = Estimated value. The target analyte concentration is below the quantitation limit, but above the method detection limit.

Bold data results are above action levels

* - Only required if turbidity is above 50 NTU

Table 3c

Sumitomo Rubber USA, LLC

Annual Landfill Well Monitoring

Groundwater Analytical Results

OMW - B3

Year 22		Year 21		Year 20				Year 19				Year 18	Year 17	Year 16		Year 15	Year 13	Year 11
6/28/2016	5/25/2016	6/19/2015	11/11/2014	7/22/2014	6/10/2014	10/8/2013	7/23/2013	6/6/2013	5/24/2012	6/2/2011	6/8/2010	5/10/2010	5/7/2009	8/17/2007	6/1/2005			
RESAMPLE			RESAMPLE	RESAMPLE		RESAMPLE	RESAMPLE				RESAMPLE							
-	ND (2.5)	ND (2.0)	-	-	ND (2.0)	-	-	ND (2.0)	ND (2.0)	ND (2.0)	-	ND (2.0)	ND (5.0)	ND (5.0)	ND (10.0)			
-	ND (0.50)	ND (2.0)	-	-	ND (2.0)	-	-	ND (2.0)	ND (2.0)	ND (2.0)	-	ND (2.0)	ND (5.0)	ND (5.0)	ND (10.0)			
-	ND (2.5)	ND (2.0)	-	-	ND (2.0)	-	-	ND (2.0)	ND (2.0)	ND (2.0)	-	ND (2.0)	ND (5.0)	ND (6.5)	ND (10.0)			
-	ND (0.50)	ND (0.7)	-	-	ND (0.5)	-	-	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.67)	ND (0.5)	ND (0.7)	ND (4.6)	ND (10.0)			
-	ND (5.0)	ND (10.0)	-	-	ND (10.0)	-	-	ND (10.0)	ND (10.0)	ND (10.0)	-	ND (10.0)	ND (5.0)	ND (10.0)	ND (10.0)			
32	40	12	11	47	92	12	44	107	ND (10.0)	22	16	26	17	ND (10.0)	18.6			
-	ND (5.0)	ND (10.0)	-	-	ND (10.0)	-	-	ND (10.0)	ND (10.0)	ND (10.0)	-	ND (10.0)	ND (10.0)	ND (10.0)	1.1			
-	ND (10.0)	ND (10.0)	-	-	ND (10.0)	-	-	ND (10.0)	ND (10.0)	ND (10.0)	-	ND (10.0)	ND (10.0)	ND (10.0)	5.9			
-	ND (10.0)	ND (10.0)	-	-	ND (10.0)	-	-	11	ND (10.0)	ND (10.0)	-	ND (10.0)	ND (10.0)	ND (10.0)	3.8			
-	-	ND (10.0)	-	-	ND (10.0)	-	-	60	ND (10.0)	18	ND (10.0)	ND (10.0)	ND (10.0)	22	18.6			
-	-	ND (10.0)	-	-	ND (10.0)	-	-	ND (10.0)	ND (10.0)	ND (10.0)	-	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)			
-	-	ND (10.0)	-	-	ND (10.0)	-	-	ND (10.0)	ND (10.0)	ND (10.0)	-	ND (10.0)	ND (10.0)	ND (10.0)	ND (20.0)			
-	-	ND (10.0)	-	-	ND (10.0)	-	-	ND (10.0)	ND (10.0)	ND (10.0)	-	ND (10.0)	ND (10.0)	ND (10.0)	ND (30.0)			
-	18	75.5	-	-	21.8	-	-	40.7	126	14.3	-	-	2.1	198	125			
-	990	895	-	-	1082	-	-	1002	1350	1040	-	-	-	1705	1457			
-	ND (30)	ND (5.0)	-	-	ND (5.0)	-	-	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	15.0	9.0	ND (5.0)	ND (5.0)			

Table 3c

Sumitomo Rubber USA, LLC

Annual Landfill Well Monitoring

Groundwater Analytical Results

OMW - B3

[illegible]

Table 3d
Sumitomo Rubber USA, LLC
Annual Landfill Well Monitoring
Groundwater Analytical Results
OMW - B4

Well ID	B4		Year 31 4/24/25	Year 30 4/19/24	Year 29 5/18/23	Year 28 6/30/22	Year 27 5/21/21	8/11/20	6/18/20
Date								RESAMPLE	
Parameters	Units	Action Levels							
<i>Volatile Organic Compounds</i>									
1,1-Dichloroethane	µg/L	5	ND (2.5)	ND (2.5)	ND (2.5)	ND (2.5)	ND (2.5)	-	ND (2.5)
1,2-Dichloroethane	µg/L	5	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	-	ND (0.50)
1,1,1-Trichloroethane	µg/L	5	ND (2.5)	ND (2.5)	ND (2.5)	ND (2.5)	ND (2.5)	-	ND (2.5)
Benzene	µg/L	2	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	-	ND (0.50)
2-Butanone	µg/L	50	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	-	ND (5.0)
<i>Total Metals</i>									
Arsenic	µg/L	25	0.55	0.56	0.3 J	0.41 J	0.35 J	-	0.31
Cadmium	µg/L	28	ND (0.05)	0.06 J	ND (0.2)	ND (0.05)	ND (0.05)	-	ND (0.2)
Chromium	µg/L	178	4.77	5.11	6.97	6.94	6.14	-	7.44
Lead	µg/L	52	0.42 J	0.84	ND (1)	ND (1)	ND (0.34)	-	ND (1.0)
<i>Dissolved Metals*</i>									
Dissolved Arsenic	µg/L	-	-	-	-	-	-	-	-
Dissolved Cadmium	µg/L	-	-	-	-	-	-	-	-
Dissolved Chromium	µg/L	-	-	-	-	-	-	-	-
Dissolved Lead	µg/L	-	-	-	-	-	-	-	-
<i>Inorganics & Miscellaneous</i>									
Turbidity	NTU	-	12	8.7	2.42	18.84	10	74	11
Specific Conductance	umhos/cm	-	3200	3300	3100	2998	3000	3200	3100
Total Phenolics	µg/L	1	ND (6.0)	ND (30)	ND (15)	ND (15)	ND (6)	12.0	20.0

Notes:
 ND = Nondetect
 NA = Not applicable
 J = Estimated value. The target analyte concentration is below the quantitation limit, but above the method detection limit.
 Bold data results are above action levels

Table 3d
Sumitomo Rubber USA, LLC
Annual Landfill Well Monitoring
Groundwater Analytical Results

OMW - B4

Year 25	Year 24	Year 23	Year 22	Year 21	Year 20	Year 19	Year 18	Year 17	Year 16		Year 15	Year 13
5/24/19	6/19/18	7/6/17	5/25/16	6/19/15	6/10/14	6/6/13	5/24/12	6/2/11	6/8/10	5/10/10	5/7/09	8/17/07
									RESAMPLE			
ND (2.5)	ND (2.5)	ND (2.5)	ND (2.5)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	-	ND (2.0)	ND (5.0)	ND (5.0)
ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	-	ND (2.0)	ND (5.0)	ND (5.0)
ND (2.5)	ND (2.5)	ND (2.5)	ND (2.5)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	-	ND (2.0)	ND (5.0)	ND (6.5)
ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.7)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.67)	ND (0.5)	ND (0.7)	ND (4.6)
ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	-	ND (10.0)	ND (5.0)	ND (10.0)
0.6	0.67	0.270 J	ND (5.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	-	ND (10.0)	ND (10.0)	ND (10.0)
0.13 J	ND (0.2)	ND (0.2)	ND (5.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	-	ND (10.0)	ND (10.0)	ND (10.0)
11.51	7.39	6.94	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	-	ND (10.0)	13.0	ND (10.0)
1.61	ND (1.0)	ND (1.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	-	ND (10.0)	ND (10.0)	ND (10.0)
-	-	-	-	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	-	ND (10.0)	ND (10.0)	17.0
-	-	-	-	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	-	ND (10.0)	ND (10.0)	ND (10.0)
-	-	-	-	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	-	ND (10.0)	ND (10.0)	ND (10.0)
-	-	-	-	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	-	ND (10.0)	ND (10.0)	ND (10.0)
34	17	2.6	18	64.1	17.2	12.8	1.92	0.46	-	-	0.15	104
3200	3100	3000	3100	3290	3200	3170	3160	3380	-	-	-	3350
ND (3.0)	ND (3.0)	5.0	ND (30)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	8.0	8.0	ND (5.0)

Table 3d
Sumitomo Rubber USA, LLC
Annual Landfill Well Monitoring
Groundwater Analytical Results
OMW - B4

[illegible]

Table 3e

**Sumitomo Rubber USA, LLC
Annual Landfill Well Monitoring
Groundwater Analytical Results
OMW - C1**

Well ID	C1		Year 4	Year 3	Year 2	Year 1
Date			6/11/1998	10/30/1997	11/13/1996	10/4/1995
				4/25/1997	5/1/1996	4/28/1995
Parameters	Units	Action Levels				
<i>Volatile Organic Compounds</i>						
1,1-Dichloroethane	µg/L	-	-	-	-	ND
1,2-Dichloroethane	µg/L	-	-	-	-	ND
1,1,1-Trichloroethane	µg/L	-	-	-	-	ND
Benzene	µg/L	-	-	-	-	ND
2-Butanone	µg/L	-	-	-	-	ND
<i>Total Metals</i>						
Arsenic	µg/L	-	-	-	-	ND
Cadmium	µg/L	-	-	-	-	ND
Chromium	µg/L	-	-	-	-	6.6
Lead	µg/L	-	-	-	-	ND
<i>Dissolved Metals*</i>						
Dissolved Arsenic	µg/L	-	-	-	-	-
Dissolved Cadmium	µg/L	-	-	-	-	-
Dissolved Chromium	µg/L	-	-	-	-	-
Dissolved Lead	µg/L	-	-	-	-	-
<i>Inorganics & Miscellaneous</i>						
Turbidity	NTU	-	193	350	-	-
Specific Conductance	umhos/cm	-	3210	3870	-	-
Total Phenolics	µg/L	-	ND (4.0)	ND (4.0)	ND (4.0)	15.0

Notes:

ND = Nondetect

NA = Not applicable

J = Estimated value. The target analyte concentration is below the quantitation limit, but above the method detection limit.

Bold data results are above action levels

* - Only required if turbidity is above 50 NTU

Table 3f
Sumitomo Rubber USA, LLC
Annual Landfill Well Monitoring
Groundwater Analytical Results
OMW - C5

Well ID	C5	Year 30	Year 25	Year 20	Year 15	Year 11	Year 10
Date		4/19/2024	5/24/2019	7/22/2014	6/10/2014	6/1/2005	6/22/2004
Parameters	Units	Action Levels		RESAMPLE			
Volatile Organic Compounds							
1,1-Dichloroethane	µg/L	5	ND (2.5)	ND (2.5)	ND (5.0)	ND (2.0)	ND (10.0)
1,2-Dichloroethane	µg/L	5	ND (0.50)	ND (0.50)	ND (5.0)	ND (2.0)	ND (10.0)
1,1,1-Trichloroethane	µg/L	5	ND (2.5)	ND (2.5)	ND (5.0)	ND (2.0)	ND (10.0)
Benzene	µg/L	0.7	ND (0.50)	ND (0.50)	ND (0.7)	ND (2.0)	ND (10.0)
2-Butanone	µg/L	50	ND (5.0)	ND (5.0)	ND (5.0)	ND (2.0)	ND (10.0)
Total Metals							
Arsenic	µg/L	25	2.65	0.42 J	ND (10.0)	10.7	17.2
Cadmium	µg/L	16	0.2	0.11	ND (10.0)	ND (10.0)	ND (5.0)
Chromium	µg/L	66	21.17	39.46	12.0	5.2	50.8
Lead	µg/L	50	2.75	0.94	ND (10.0)	ND (30.0)	37.8
Dissolved Metals*							
Dissolved Arsenic	µg/L	-	-	-	ND (10.0)	8.5	15.6
Dissolved Cadmium	µg/L	-	-	-	ND (10.0)	ND (10.0)	ND (5.0)
Dissolved Chromium	µg/L	-	-	-	ND (10.0)	ND (20.0)	4.1
Dissolved Lead	µg/L	-	-	-	ND (10.0)	ND (30.0)	ND (15.0)
Inorganics & Miscellaneous							
Turbidity	NTU	-	21	-	4.57	333	900
Specific Conductance	umhos/cm	-	3300	-	3210	2730	2600
Total Phenolics	µg/L	1	ND (30)	ND (3.0)	ND (5.0)	6.0	7.0

Notes:

ND = Nondetect

NA = Not applicable

J = Estimated value. The target analyte concentration is below the quantitation limit, but above the method detection limit.

Bold data results are above action levels

* - Only required if turbidity is above 50 NTU

Table 3f

Sumitomo Rubber USA, LLC

Annual Landfill Well Monitoring

Groundwater Analytical Results

OMW - C5

[illegible]

Table 3g
Sumitomo Rubber USA, LLC
Annual Landfill Well Monitoring
Groundwater Analytical Results
OMW - C7

Well ID	C7		Year 31	Year 30	Year 29	Year 28	Year 27	Year 26	Year 25
Date			4/24/25	4/19/24	5/18/23	6/30/22	7/27/21	8/11/20	5/24/19
Parameters	Units	Action Levels	RESAMPLE						
Volatile Organic Compounds									
1,1-Dichloroethane	µg/L	5	ND (2.5)	ND (2.5)	ND (2.5)	ND (2.5)	-	ND (2.5)	ND (2.5)
1,2-Dichloroethane	µg/L	5	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	-	ND (0.50)	ND (0.50)
1,1,1-Trichloroethane	µg/L	5	ND (2.5)	ND (2.5)	ND (2.5)	ND (2.5)	-	ND (2.5)	ND (2.5)
Benzene	µg/L	0.7	ND (0.50)	ND (0.50)	ND (0.50)	ND (0.50)	-	ND (0.50)	ND (0.50)
2-Butanone	µg/L	50	ND (5.0)	ND (5.0)	ND (5.0)	25	-	ND (5.0)	ND (5.0)
Total Metals									
Arsenic	µg/L	25	0.46 J	2.27	0.68	1	-	0.6	0.44
Cadmium	µg/L	10	ND (0.05)	0.13 J	ND (0.2)	0.06 J	-	ND 0.0.5	0.08
Chromium	µg/L	50	2.5	8.95	1.44	5.06	-	7.61	1.26
Lead	µg/L	25	0.36 J	5.64	ND (1)	0.37 J	-	ND (0.34)	ND (1.0)
Dissolved Metals*									
Dissolved Arsenic	µg/L	-	-	0.57	-	-	-	-	-
Dissolved Cadmium	µg/L	-	-	ND (0.2)	-	-	-	-	-
Dissolved Chromium	µg/L	-	-	0.25 J	-	-	-	-	-
Dissolved Lead	µg/L	-	-	ND (1)	-	-	-	-	-
Inorganics & Miscellaneous									
Turbidity	NTU	-	35	65	8.84	15.11	-	1.6	36
Specific Conductance	umhos/cm	-	3500	2900	3000	2498	-	1600	3900
Total Phenolics	µg/L	1	ND (6.0)	21.0 J	ND (15)	ND (15)	17.0	12.0	ND (30)
								8.0	ND (3.0)

Notes:

ND = Nondetect

NA = Not applicable

J = Estimated value. The target analyte concentration is below the quantitation limit, but above the method detection limit.

Bold data results are above action levels

* - Only required if turbidity is above 50 NTU

Table 3g
Sumitomo Rubber USA, LLC
Annual Landfill Well Monitoring
Groundwater Analytical Results
OMW - C7

Year 24	Year 23	Year 22	Year 21	Year 20	Year 19	Year 18	Year 17	Year 16	Year 15	Year 13	Year 11	Year 10	Year 9	Year 7
6/19/18	7/6/17	5/25/16	6/19/15	6/10/14	6/6/13	5/24/12	6/2/11	6/8/10	5/7/09	8/17/07	6/1/05	6/22/04	6/19/03	5/8/01
								RESAMPLE						
ND (2.5)	ND (2.5)	ND (2.5)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	-	ND (2.0)	ND (5.0)	ND (2.0)	ND (10.0)	ND (10.0)	ND (10.0)
ND (0.50)	ND (0.50)	ND (0.50)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	-	ND (2.0)	ND (5.0)	ND (2.0)	ND (10.0)	ND (10.0)	ND (10.0)
ND (2.5)	ND (2.5)	ND (2.5)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	ND (2.0)	-	ND (2.0)	ND (5.0)	ND (2.0)	ND (10.0)	ND (10.0)	ND (10.0)
ND (0.50)	ND (0.50)	ND (0.50)	ND (0.7)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.5)	ND (0.67)	ND (0.7)	ND (4.6)	ND (2.0)	ND (10.0)	ND (10.0)	ND (10.0)
ND (5.0)	ND (5.0)	ND (5.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	-	ND (5.0)	ND (10.0)	ND (2.0)	ND (10.0)	ND (10.0)	ND (10.0)
0.480 J	0.280 J	ND (5.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	-	ND (10.0)	ND (10.0)	17.9	18.9	16.4	ND (25.0)
0.140 J	0.140 J	ND (5.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	-	ND (10.0)	ND (10.0)	ND (10.0)	ND (5.0)	4.3	ND (2.0)
3.76	6.55	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	10	ND (10.0)	ND (10.0)	102	27	ND (20.0)	31.9	64.8	ND (5.0)
0.61	0.47	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	-	ND (10.0)	ND (10.0)	ND (30.0)	12.4	3.7	ND (10.0)
-	-	-	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	-	ND (10.0)	ND (10.0)	19.5	18.2	23.6	-
-	-	-	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	-	ND (10.0)	ND (10.0)	ND (10.0)	ND (5.0)	1.6	-
-	-	-	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (20.0)	ND (10.0)	ND (10.0)	-
-	-	-	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	-	ND (10.0)	ND (10.0)	ND (30.0)	ND (15.0)	ND (15.0)	-
25	8.8	32	5.16	12.8	20.3	6.72	0.73	-	0.37	142	57.2	806	-	8.4
4000	3600	3700	3850	3790	3760	3630	3600	-	-	3580	3570	3740	-	-
ND (3.0)	5.0	ND (30)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	ND (5.0)	6.0	ND (5.0)	7.0	ND (5.0)	-	ND (5.0)

Table 3g
Sumitomo Rubber USA, LLC
Annual Landfill Well Monitoring
Groundwater Analytical Results
OMW - C7

		Year 3		Year 2		Year 1	
Year 6	Year 5	Year 4	Year 3	Year 2	Year 1	Year 1	Year 1
4/19/00	5/5/99	6/10/98	10/30/97	4/25/97	11/13/96	5/1/96	10/4/95
							5/16/95
ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)
ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)
ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)
ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)
ND (20.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)	ND (10.0)
ND (10.0)	2.0	ND (2.0)	ND (2.0)	ND (5.0)	ND (25.0)	ND (25.0)	ND (25.0)
2.0	ND (2.0)	ND (16.0)	ND (16.0)	ND (10.0)	ND (2.0)	ND (2.0)	1.2
ND (10.0)	46.0	17.0	ND (14.0)	7.0	ND (5.0)	30	1.3
ND (5.0)	2.0	ND (2.0)	ND (2.0)	2.0	ND (10.0)	ND (10.0)	ND (10.0)
-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-
3.9	369	64.4	440	8.5	-	-	-
-	2100	4200	3830	-	-	-	-
ND (4.0)	ND (4.0)	ND (4.0)	ND (4.0)	ND (4.0)	ND (4.0)	ND (4.0)	18.0
							ND (4.0)

Table 4 Sumitomo Rubber USA, LLC Annual Landfill Well Monitoring Groundwater Elevations Apr-25							
	Northing	Easting	Latitude	Longitude	Ground Elevation (FAMSL)	Top Riser Elevation (FAMSL)	Depth to Water (feet)
Well ID							Groundwa ter Elevation (FAMSL)
OMW-A4	1081784	1056815.907	N 42°58'06.6290"	W 078°55'30.4211"	581.6	587.02	5.81
OMW-A6	1082261	1057691.331	N 42°58'11.3714"	W 078°55'18.6720"	593.84 (rim)	593.29	4.5
OMW-B3	1081635	1057041.503	N 42°58'05.1664"	W 078°55'27.3786"	577	579.85	4.29
OMW-B4	1081143	1057439.298	N 42°58'00.3265"	W 078°55'22.0014"	585.3	587.37	6.72
OMW-C5	1083561	1059089.490	N 42°58'24.2716"	W 078°54'59.9349"	602.5	603.87	2.29
OMW-C7	1083148	1059628.405	N 42°58'20.2115"	W 078°54'52.6637"	599.2	602.06	3.81
							581.21
							588.79
							575.56
							580.65
							601.58
							598.25

Notes:

Coordinate System based on NAD83 (2011) NY West

Elevations shown are referenced to NAVD88 NGS Monument Designation-TOM TTWTP USLS / PID-NC0305

Attachment 1

Site Inspection Forms

Weather Conditions	
Temperature	30
Wind Direction/speed	SW
Precipitation Amount	0
Sky conditions	Cloudy
Inches of Snow Cover	0

APPENDIX I SUMITOMO RUBBER USA, LLC
LANDFILL CONDITION – ANNUAL INSPECTION
REPORT

Date: 5/28/25
Inspector: CMB

DEO -00011 / 2

	BORROW PIT AREA "A"		AREA "C"	
	Central Area	Northeast Area	Outlying Area	Major Area
Topsoil Erosion Occurring	NO	NO	NO	NO
Clay Cap Erosion Occurring	NO	NO	NO	NO
Desiccation Cracks or Freeze/Thaw Damage Present	NO	NO	NO	NO
Any Seeps or Leachate Breakouts Present	NO	NO	NO	NO
Ditches Free of Obstruction	YES	YES	YES	YES
Any Siltation, Ponding, or Erosion Damage in Drainage Features	NO	NO	NO	NO
Grass Cover Adequate	YES	YES	YES	YES
Any Bare, Sparse of Undernourished Areas Present	NO	NO	NO	NO
Any Settlement Observed in Cover System	NO	NO	NO	NO
Paved Areas Intact	NA	YES	NA	NA
Any Cracking, Deterioration, or Settlement in Pavement	NA	YES NO CMB	NA	NA
Note Any Damage	None			

Describe any issues with ancillary features in this area (e.g., fencing, access)

Management or Maintenance Activities Occurring during Inspection:

None

Describe any corrective actions required:

None

Describe any corrective actions taken:

only paving maintenance

Are site records up-to-date ☒ yes ☐ no

Describe deficiencies

Weather Conditions	
Temperature	
Wind Direction/speed	
Precipitation Amount	
Sky conditions	
Inches of Snow Cover	

APPENDIX I SUMITOMO RUBBER USA, LLC
LANDFILL CONDITION – ANNUAL INSPECTION
REPORT

Date: 5/28/25
Inspector: CMB

DEO -00011 / 2

	AREA "C"			
	Ditch at Toe of Slope	Sheridan Dr. Ditch	Stockpile Area	Warehouse Ditch
Topsoil Erosion Occurring	NO	NO	NO	NO
Clay Cap Erosion Occurring	NO	NO	NO	NO
Desiccation Cracks or Freeze/Thaw Damage Present	NO	NO	NO	NO
Any Seeps or Leachate Breakouts Present	NO	NO	NO	NO
Ditches Free of Obstruction	YES	YES	YES	YES
Any Siltation, Ponding, or Erosion Damage in Drainage Features	NO	NO	NO	NO
Grass Cover Adequate	YES	YES	YES	YES
Any Bare, Sparse or Undernourished Areas Present	NO	NO	NO	NO
Any Settlement Observed in Cover System	NO	NO	NO	NO
Paved Areas Intact	NA	YES	NA	NA
Any Cracking, Deterioration, or Settlement in Pavement	NA	NO	NA	NA
Note Any Damage	NONE	NONE	NONE	NONE

Describe any issues with ancillary features in this area (e.g., fencing, access)

Management or Maintenance Activities Occurring during Inspection:
NONE
Describe any corrective actions required:
NONE
Describe any corrective actions taken:
NONE

Weather Conditions		APPENDIX I SUMITOMO RUBBER USA, LLC LANDFILL CONDITION – ANNUAL INSPECTION REPORT	Date: 5/28/25
Temperature	50		Inspector: CMB
Wind Direction/speed	SW		
Precipitation Amount	0		
Sky conditions	Cloudy		
Inches of Snow Cover	0		

DEO -00011 / 2

AREA B				
	Southeast Area	Southern Area	Northern Area	River Rad Ditch
Topsoil Erosion Occurring	NO	NO	Some spots along bank of pond channel	NO
Clay Cap Erosion Occurring	NO	NO	NO	NO
Desiccation Cracks or Freeze/Thaw Damage Present	NO	NO	NO	NO
Any Seeps or Leachate Breakouts Present	NO	NO	NO	NO
Ditches Free of Obstruction	YES	YES	YES	YES
Any Siltation, Ponding, or Erosion Damage in Drainage Features	NO	NO	NO	NO
Grass Cover Adequate	YES	YES	YES	YES
Any Bare, Sparse or Undernourished Areas Present	NO	NO	NO	NO
Any Settlement Observed in Cover System	NO	NO	NO	NO
Paved Areas Intact	YES	NA	NA	NA
Any Cracking, Deterioration, or Settlement in Pavement	Deep cracks NO	NA	NA	NA
Note Any Damage	Damage along edge of road	Damage along edge of road	None	None

Describe any issues with ancillary features in this area (e.g., fencing, access)

Management or Maintenance Activities Occurring during Inspection:

None

Describe any corrective actions required:

Top soil and seed needed to patch areas along road and some spots along bank of channel

Describe any corrective actions taken:

None

Are site records up-to-date ☒ yes ☐ no Describe deficiencies

Weather Conditions		APPENDIX I SUMITOMO RUBBER USA, LLC LANDFILL CONDITION – ANNUAL INSPECTION REPORT	Date: 5/28/25
Temperature			Inspector: CMB
Wind Direction/speed			
Precipitation Amount			
Sky conditions			
Inches of Snow Cover			

DEO -00011 / 2

Are site records up-to-date – <u>yes</u> no				
Describe deficiencies				
	Pave Areas			
	Parking Lot	Driveway		
Topsoil Erosion Occurring				
Clay Cap Erosion Occurring				
Desiccation Cracks or Freeze/Thaw Damage Present				
Any Seeps or Leachate Breakouts Present				
Ditches Free of Obstruction				
Any Siltation, Ponding, or Erosion Damage in Drainage Features				
Grass Cover Adequate				
Any Bare, Sparse or Undernourished Areas Present				
Any Settlement Observed in Cover System				
Paved Areas Intact	yes	yes		
Any Cracking, Deterioration, or Settlement in Pavement	NO	NO		
Note Any Damage	NONE	NONE		

Describe any issues with ancillary features in this area (e.g., fencing, access)

Management or Maintenance Activities Occurring during Inspection:
<u>none</u>
Describe any corrective actions required:
<u>none</u>
Describe any corrective actions taken: <u>NO CA's</u>
<u>doing maintenance</u>
Are site records up-to-date – <u>yes</u> no
Describe deficiencies

Attachment 2

Site Photographs

Attachment 2 - Photographs



Photo 1 – Area A looking south



Photo 2 – Area A looking west

Attachment 2 - Photographs



Photo 3 – Area B paved area



Photo 4 – Area looking northwest

Attachment 2 - Photographs



Photo 5 – Area B looking east



Photo 6 – Area B top soil needed

Attachment 2 - Photographs



Photo 7 – Area B top soil needed



Photo 8 – Area B top soil needed

Attachment 2 - Photographs



Photo 9 – Area C looking west



Photo 10 – Area C looking east

Attachment 2 - Photographs



Photo 11 – Area C

Attachment 3

Laboratory Analytical Report



ANALYTICAL REPORT

Lab Number:	L2525179
Client:	Sumitomo Rubber USA, LLC PO Box 1109 Buffalo, NY 14240
ATTN:	Christine Barton
Phone:	(716) 879-8497
Project Name:	WELL SAMPLING
Project Number:	Not Specified
Report Date:	05/13/25

The original project report/data package is held by Pace Analytical Services. This report/data package is paginated and should be reproduced only in its entirety. Pace Analytical Services holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0826), IL (200077), IN (C-MA-03), KY (KY98045), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), OR (MA-1316), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #525-23-122-91930A1).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: WELL SAMPLING
Project Number: Not Specified

Lab Number: L2525179
Report Date: 05/13/25

Lab Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2525179-01	WELL B3	WATER	BUFFALO, NY	04/24/25 10:39	04/24/25
L2525179-02	WELL B4	WATER	BUFFALO, NY	04/24/25 11:44	04/24/25
L2525179-03	WELL C7	WATER	BUFFALO, NY	04/24/25 10:02	04/24/25
L2525179-04	TRIP BLANK	WATER	BUFFALO, NY	04/24/25 00:00	04/24/25

Project Name: WELL SAMPLING
Project Number: Not Specified

Lab Number: L2525179
Report Date: 05/13/25

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Pace Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments and solids are reported on a dry weight basis unless otherwise noted. Tissues are reported "as received" or on a wet weight basis, unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Pace's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Pace Project Manager and made arrangements for Pace to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: WELL SAMPLING
Project Number: Not Specified

Lab Number: L2525179
Report Date: 05/13/25

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

Melissa Sturgis Melissa Sturgis

Title: Technical Director/Representative

Date: 05/13/25

ORGANICS

VOLATILES

Project Name: WELL SAMPLING**Lab Number:** L2525179**Project Number:** Not Specified**Report Date:** 05/13/25**SAMPLE RESULTS**

Lab ID: L2525179-01
 Client ID: WELL B3
 Sample Location: BUFFALO, NY

Date Collected: 04/24/25 10:39
 Date Received: 04/24/25
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260D
 Analytical Date: 05/07/25 15:30
 Analyst: KJD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Benzene	ND		ug/l	0.50	0.16	1
2-Butanone	ND		ug/l	5.0	1.9	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	98		70-130
Toluene-d8	102		70-130
4-Bromofluorobenzene	101		70-130
Dibromofluoromethane	99		70-130

Project Name: WELL SAMPLING
Project Number: Not Specified

Lab Number: L2525179
Report Date: 05/13/25

SAMPLE RESULTS

Lab ID: L2525179-02
 Client ID: WELL B4
 Sample Location: BUFFALO, NY

Date Collected: 04/24/25 11:44
 Date Received: 04/24/25
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260D
 Analytical Date: 05/07/25 15:56
 Analyst: KJD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Benzene	ND		ug/l	0.50	0.16	1
2-Butanone	ND		ug/l	5.0	1.9	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	98		70-130
Toluene-d8	103		70-130
4-Bromofluorobenzene	99		70-130
Dibromofluoromethane	99		70-130

Project Name: WELL SAMPLING
Project Number: Not Specified

Lab Number: L2525179
Report Date: 05/13/25

SAMPLE RESULTS

Lab ID: L2525179-03
 Client ID: WELL C7
 Sample Location: BUFFALO, NY

Date Collected: 04/24/25 10:02
 Date Received: 04/24/25
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260D
 Analytical Date: 05/07/25 16:22
 Analyst: KJD

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Benzene	ND		ug/l	0.50	0.16	1
2-Butanone	ND		ug/l	5.0	1.9	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	97		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	100		70-130
Dibromofluoromethane	100		70-130

Project Name: WELL SAMPLING
Project Number: Not Specified

Lab Number: L2525179
Report Date: 05/13/25

SAMPLE RESULTS

Lab ID: L2525179-04
 Client ID: TRIP BLANK
 Sample Location: BUFFALO, NY

Date Collected: 04/24/25 00:00
 Date Received: 04/24/25
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260D
 Analytical Date: 05/09/25 00:41
 Analyst: KAB

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
1,1-Dichloroethane	ND		ug/l	2.5	0.70	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70	1
Benzene	ND		ug/l	0.50	0.16	1
2-Butanone	ND		ug/l	5.0	1.9	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	116		70-130
Toluene-d8	97		70-130
4-Bromofluorobenzene	85		70-130
Dibromofluoromethane	118		70-130

Project Name: WELL SAMPLING**Lab Number:** L2525179**Project Number:** Not Specified**Report Date:** 05/13/25

Method Blank Analysis Batch Quality Control

Analytical Method: 1,8260D
 Analytical Date: 05/07/25 10:45
 Analyst: MJV

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 01-03 Batch: WG2063602-5					
1,1-Dichloroethane	ND		ug/l	2.5	0.70
1,2-Dichloroethane	ND		ug/l	0.50	0.13
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70
Benzene	ND		ug/l	0.50	0.16
2-Butanone	ND		ug/l	5.0	1.9

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	96		70-130
Toluene-d8	100		70-130
4-Bromofluorobenzene	103		70-130
Dibromofluoromethane	98		70-130

Project Name: WELL SAMPLING**Lab Number:** L2525179**Project Number:** Not Specified**Report Date:** 05/13/25

Method Blank Analysis Batch Quality Control

Analytical Method: 1,8260D
 Analytical Date: 05/08/25 23:20
 Analyst: KAB

Parameter	Result	Qualifier	Units	RL	MDL
Volatile Organics by GC/MS - Westborough Lab for sample(s): 04 Batch: WG2064630-5					
1,1-Dichloroethane	ND		ug/l	2.5	0.70
1,2-Dichloroethane	ND		ug/l	0.50	0.13
1,1,1-Trichloroethane	ND		ug/l	2.5	0.70
Benzene	ND		ug/l	0.50	0.16
2-Butanone	ND		ug/l	5.0	1.9

Surrogate	%Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	111		70-130
Toluene-d8	98		70-130
4-Bromofluorobenzene	86		70-130
Dibromofluoromethane	113		70-130

Lab Control Sample Analysis **Batch Quality Control**

Project Name: WELL SAMPLING

Project Number: Not Specified

Lab Number: L2525179

Report Date: 05/13/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 01-03 Batch: WG2063602-3 WG2063602-4								
1,1-Dichloroethane	100		97		70-130	3		20
1,2-Dichloroethane	96		93		70-130	3		20
1,1,1-Trichloroethane	94		90		67-130	4		20
Benzene	98		95		70-130	3		20
2-Butanone	130		97		63-138	29	Q	20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	95		96		70-130
Toluene-d8	102		102		70-130
4-Bromofluorobenzene	101		103		70-130
Dibromofluoromethane	98		98		70-130

Lab Control Sample Analysis **Batch Quality Control**

Project Name: WELL SAMPLING

Project Number: Not Specified

Lab Number: L2525179

Report Date: 05/13/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Volatile Organics by GC/MS - Westborough Lab Associated sample(s): 04 Batch: WG2064630-3 WG2064630-4								
1,1-Dichloroethane	100		100		70-130	0		20
1,2-Dichloroethane	100		110		70-130	10		20
1,1,1-Trichloroethane	90		95		67-130	5		20
Benzene	94		95		70-130	1		20
2-Butanone	110		120		63-138	9		20

Surrogate	LCS %Recovery	Qual	LCSD %Recovery	Qual	Acceptance Criteria
1,2-Dichloroethane-d4	114		115		70-130
Toluene-d8	100		100		70-130
4-Bromofluorobenzene	88		85		70-130
Dibromofluoromethane	111		113		70-130

METALS

Project Name: WELL SAMPLING**Lab Number:** L2525179**Project Number:** Not Specified**Report Date:** 05/13/25**SAMPLE RESULTS**

Lab ID: L2525179-01

Date Collected: 04/24/25 10:39

Client ID: WELL B3

Date Received: 04/24/25

Sample Location: BUFFALO, NY

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Arsenic, Total	0.00291		mg/l	0.00050	0.00016	1	05/04/25 17:17	05/06/25 16:21	EPA 3005A	1,6020B	NTB
Cadmium, Total	0.00010	J	mg/l	0.00020	0.00005	1	05/04/25 17:17	05/06/25 16:21	EPA 3005A	1,6020B	NTB
Chromium, Total	0.00148		mg/l	0.00100	0.00017	1	05/04/25 17:17	05/06/25 16:21	EPA 3005A	1,6020B	NTB
Lead, Total	0.00308		mg/l	0.00100	0.00034	1	05/04/25 17:17	05/06/25 16:21	EPA 3005A	1,6020B	NTB



Project Name: WELL SAMPLING**Lab Number:** L2525179**Project Number:** Not Specified**Report Date:** 05/13/25**SAMPLE RESULTS**

Lab ID: L2525179-02

Date Collected: 04/24/25 11:44

Client ID: WELL B4

Date Received: 04/24/25

Sample Location: BUFFALO, NY

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Arsenic, Total	0.00055		mg/l	0.00050	0.00016	1	05/04/25 17:17	05/06/25 16:26	EPA 3005A	1,6020B	NTB
Cadmium, Total	ND		mg/l	0.00020	0.00005	1	05/04/25 17:17	05/06/25 16:26	EPA 3005A	1,6020B	NTB
Chromium, Total	0.00477		mg/l	0.00100	0.00017	1	05/04/25 17:17	05/06/25 16:26	EPA 3005A	1,6020B	NTB
Lead, Total	0.00042	J	mg/l	0.00100	0.00034	1	05/04/25 17:17	05/06/25 16:26	EPA 3005A	1,6020B	NTB



Project Name: WELL SAMPLING**Lab Number:** L2525179**Project Number:** Not Specified**Report Date:** 05/13/25**SAMPLE RESULTS**

Lab ID: L2525179-03

Date Collected: 04/24/25 10:02

Client ID: WELL C7

Date Received: 04/24/25

Sample Location: BUFFALO, NY

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Arsenic, Total	0.00046	J	mg/l	0.00050	0.00016	1	05/04/25 17:17	05/06/25 16:30	EPA 3005A	1,6020B	NTB
Cadmium, Total	ND		mg/l	0.00020	0.00005	1	05/04/25 17:17	05/06/25 16:30	EPA 3005A	1,6020B	NTB
Chromium, Total	0.00250		mg/l	0.00100	0.00017	1	05/04/25 17:17	05/06/25 16:30	EPA 3005A	1,6020B	NTB
Lead, Total	0.00036	J	mg/l	0.00100	0.00034	1	05/04/25 17:17	05/06/25 16:30	EPA 3005A	1,6020B	NTB



Project Name: WELL SAMPLING

Lab Number: L2525179

Project Number: Not Specified

Report Date: 05/13/25

Method Blank Analysis Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
Total Metals - Mansfield Lab for sample(s): 01-03 Batch: WG2062205-1										
Arsenic, Total	ND		mg/l	0.00050	0.00016	1	05/04/25 17:17	05/05/25 07:41	1,6020B	NTB
Cadmium, Total	ND		mg/l	0.00020	0.00005	1	05/04/25 17:17	05/05/25 07:41	1,6020B	NTB
Chromium, Total	ND		mg/l	0.00100	0.00017	1	05/04/25 17:17	05/05/25 07:41	1,6020B	NTB
Lead, Total	ND		mg/l	0.00100	0.00034	1	05/04/25 17:17	05/05/25 07:41	1,6020B	NTB

Prep Information

Digestion Method: EPA 3005A



Lab Control Sample Analysis **Batch Quality Control**

Project Name: WELL SAMPLING

Project Number: Not Specified

Lab Number: L2525179

Report Date: 05/13/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-03 Batch: WG2062205-2								
Arsenic, Total	106		-		80-120	-		
Cadmium, Total	107		-		80-120	-		
Chromium, Total	105		-		80-120	-		
Lead, Total	105		-		80-120	-		

Matrix Spike Analysis

Batch Quality Control

Project Name: WELL SAMPLING

Project Number: Not Specified

Lab Number: L2525179

Report Date: 05/13/25

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
Total Metals - Mansfield Lab Associated sample(s): 01-03			QC Batch ID: WG2062205-3		WG2062205-4	QC Sample: L2525812-05		Client ID: MS Sample				
Arsenic, Total	0.0002J	0.12	0.1263	105		0.1316	110		75-125	4		20
Cadmium, Total	0.00006J	0.053	0.05788	109		0.05972	113		75-125	3		20
Chromium, Total	0.0005J	0.2	0.2108	105		0.2140	107		75-125	2		20
Lead, Total	0.0004J	0.53	0.5530	104		0.5691	107		75-125	3		20
Total Metals - Mansfield Lab Associated sample(s): 01-03			QC Batch ID: WG2062205-7		WG2062205-8	QC Sample: L2525844-02		Client ID: MS Sample				
Arsenic, Total	0.00067	0.12	0.1296	107		0.1325	110		75-125	2		20
Cadmium, Total	0.00090	0.053	0.05556	103		0.05681	105		75-125	2		20
Chromium, Total	0.00023J	0.2	0.1964	98		0.2027	101		75-125	3		20
Lead, Total	0.00198	0.53	0.5348	100		0.5581	105		75-125	4		20

INORGANICS & MISCELLANEOUS

Project Name: WELL SAMPLING

Project Number: Not Specified

Lab Number: L2525179

Report Date: 05/13/25

SAMPLE RESULTS

Lab ID: L2525179-01

Client ID: WELL B3

Sample Location: BUFFALO, NY

Date Collected: 04/24/25 10:39

Date Received: 04/24/25

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Turbidity	13		NTU	0.20	0.06	1	-	04/25/25 06:49	121,2130B	DMO
Specific Conductance @ 25 C	930		umhos/cm	10	10.	1	-	04/25/25 11:05	1,9050A	DMO
Phenolics, Total	ND		mg/l	0.030	0.006	1	05/05/25 09:30	05/05/25 14:30	4,420.1	KEM



Project Name: WELL SAMPLING

Project Number: Not Specified

Lab Number: L2525179

Report Date: 05/13/25

SAMPLE RESULTS

Lab ID: L2525179-02

Client ID: WELL B4

Sample Location: BUFFALO, NY

Date Collected: 04/24/25 11:44

Date Received: 04/24/25

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Turbidity	12		NTU	0.20	0.06	1	-	04/25/25 06:49	121,2130B	DMO
Specific Conductance @ 25 C	3200		umhos/cm	10	10.	1	-	04/25/25 11:05	1,9050A	DMO
Phenolics, Total	ND		mg/l	0.030	0.006	1	05/05/25 09:30	05/05/25 14:31	4,420.1	KEM



Project Name: WELL SAMPLING

Project Number: Not Specified

Lab Number: L2525179

Report Date: 05/13/25

SAMPLE RESULTS

Lab ID: L2525179-03

Client ID: WELL C7

Sample Location: BUFFALO, NY

Date Collected: 04/24/25 10:02

Date Received: 04/24/25

Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Turbidity	35		NTU	0.20	0.06	1	-	04/25/25 06:49	121,2130B	DMO
Specific Conductance @ 25 C	3500		umhos/cm	10	10.	1	-	04/25/25 11:05	1,9050A	DMO
Phenolics, Total	ND		mg/l	0.030	0.006	1	05/05/25 09:30	05/05/25 14:34	4,420.1	KEM



Project Name: WELL SAMPLING

Lab Number: L2525179

Project Number: Not Specified

Report Date: 05/13/25

Method Blank Analysis

Batch Quality Control

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab for sample(s): 01-03 Batch: WG2058499-1										
Turbidity	0.10	J	NTU	0.20	0.06	1	-	04/25/25 06:49	121,2130B	DMO
General Chemistry - Westborough Lab for sample(s): 01-03 Batch: WG2062423-1										
Phenolics, Total	ND		mg/l	0.030	0.006	1	05/05/25 09:30	05/05/25 14:12	4,420.1	KEM



Lab Control Sample Analysis **Batch Quality Control**

Project Name: WELL SAMPLING

Project Number: Not Specified

Lab Number: L2525179

Report Date: 05/13/25

Parameter	LCS %Recovery	Qual	LCSD %Recovery	Qual	%Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-03 Batch: WG2058499-2								
Turbidity	100		-		90-110	-		
General Chemistry - Westborough Lab Associated sample(s): 01-03 Batch: WG2058685-1								
Specific Conductance	99		-		99-101	-		
General Chemistry - Westborough Lab Associated sample(s): 01-03 Batch: WG2062423-2								
Phenolics, Total	93		-		70-130	-		

Matrix Spike Analysis Batch Quality Control

Project Name: WELL SAMPLING

Lab Number: L2525179

Project Number: Not Specified

Report Date: 05/13/25

Parameter	Native Sample	MS Added	MS Found	MS %Recovery	Qual	MSD Found	MSD %Recovery	Qual	Recovery Limits	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-03				QC Batch ID: WG2062423-4			QC Sample: L2523486-24			Client ID: MS Sample		
Phenolics, Total	ND	0.4	0.36	91		-	-		70-130	-		20
General Chemistry - Westborough Lab Associated sample(s): 01-03				QC Batch ID: WG2062423-6			QC Sample: L2525246-01			Client ID: MS Sample		
Phenolics, Total	ND	0.4	0.36	89		-	-		70-130	-		20

Lab Duplicate Analysis

Batch Quality Control

Project Name: WELL SAMPLING

Project Number: Not Specified

Lab Number: L2525179

Report Date: 05/13/25

Parameter	Native Sample	Duplicate Sample	Units	RPD	Qual	RPD Limits
General Chemistry - Westborough Lab Associated sample(s): 01-03 QC Batch ID: WG2058499-3 QC Sample: L2525179-03 Client ID: WELL C7						
Turbidity	35	34	NTU	3		13
General Chemistry - Westborough Lab Associated sample(s): 01-03 QC Batch ID: WG2058685-2 QC Sample: L2525179-02 Client ID: WELL B4						
Specific Conductance @ 25 C	3200	3200	umhos/cm	0		20
General Chemistry - Westborough Lab Associated sample(s): 01-03 QC Batch ID: WG2062423-3 QC Sample: L2523486-24 Client ID: DUP Sample						
Phenolics, Total	ND	ND	mg/l	NC		20
General Chemistry - Westborough Lab Associated sample(s): 01-03 QC Batch ID: WG2062423-5 QC Sample: L2525246-01 Client ID: DUP Sample						
Phenolics, Total	ND	ND	mg/l	NC		20

Project Name: WELL SAMPLING**Lab Number:** L2525179**Project Number:** Not Specified**Report Date:** 05/13/25**Sample Receipt and Container Information**

Were project specific reporting limits specified?

YES

Cooler Information

Cooler	Custody Seal
A	Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2525179-01A	Vial HCl preserved	A	NA		4.0	Y	Absent		NYTCL-8260(14)
L2525179-01B	Vial HCl preserved	A	NA		4.0	Y	Absent		NYTCL-8260(14)
L2525179-01C	Vial HCl preserved	A	NA		4.0	Y	Absent		NYTCL-8260(14)
L2525179-01D	Plastic 250ml unpreserved	A	7	7	4.0	Y	Absent		-
L2525179-01E	Plastic 250ml unpreserved	A	7	7	4.0	Y	Absent		TURB-2130(2),COND-9050(28)
L2525179-01F	Plastic 250ml HNO3 preserved	A	<2	<2	4.0	Y	Absent		CR-6020T(180),PB-6020T(180),AS-6020T(180),CD-6020T(180)
L2525179-01G	Amber 950ml H2SO4 preserved	A	<4	<4	4.0	Y	Absent		NY-TPHENOL-420(28)
L2525179-01X	Plastic 500ml HNO3 preserved Filtrates	A	NA	NA	4.0	Y	Absent		HOLD-METAL-DISSOLVED(180)
L2525179-02A	Vial HCl preserved	A	NA		4.0	Y	Absent		NYTCL-8260(14)
L2525179-02B	Vial HCl preserved	A	NA		4.0	Y	Absent		NYTCL-8260(14)
L2525179-02C	Vial HCl preserved	A	NA		4.0	Y	Absent		NYTCL-8260(14)
L2525179-02D	Plastic 250ml unpreserved	A	7	7	4.0	Y	Absent		-
L2525179-02E	Plastic 250ml unpreserved	A	7	7	4.0	Y	Absent		TURB-2130(2),COND-9050(28)
L2525179-02F	Plastic 250ml HNO3 preserved	A	<2	<2	4.0	Y	Absent		CR-6020T(180),PB-6020T(180),AS-6020T(180),CD-6020T(180)
L2525179-02G	Amber 950ml H2SO4 preserved	A	<4	<4	4.0	Y	Absent		NY-TPHENOL-420(28)
L2525179-02X	Plastic 500ml HNO3 preserved Filtrates	A	NA	NA	4.0	Y	Absent		HOLD-METAL-DISSOLVED(180)
L2525179-03A	Vial HCl preserved	A	NA		4.0	Y	Absent		NYTCL-8260(14)
L2525179-03B	Vial HCl preserved	A	NA		4.0	Y	Absent		NYTCL-8260(14)
L2525179-03C	Vial HCl preserved	A	NA		4.0	Y	Absent		NYTCL-8260(14)
L2525179-03D	Plastic 250ml unpreserved	A	7	7	4.0	Y	Absent		-
L2525179-03E	Plastic 250ml unpreserved	A	7	7	4.0	Y	Absent		TURB-2130(2),COND-9050(28)
L2525179-03F	Plastic 250ml HNO3 preserved	A	<2	<2	4.0	Y	Absent		CR-6020T(180),PB-6020T(180),AS-6020T(180),CD-6020T(180)

Project Name: WELL SAMPLING
Project Number: Not Specified

Serial_No:05132509:25
Lab Number: L2525179
Report Date: 05/13/25

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2525179-03G	Amber 950ml H2SO4 preserved	A	<4	<4	4.0	Y	Absent		NY-TPHENOL-420(28)
L2525179-03X	Plastic 500ml HNO3 preserved Filtrates	A	NA	NA	4.0	Y	Absent		HOLD-METAL-DISSOLVED(180)
L2525179-04A	Vial HCl preserved	A	NA		4.0	Y	Absent		NYTCL-8260(14)
L2525179-04B	Vial HCl preserved	A	NA		4.0	Y	Absent		NYTCL-8260(14)

Project Name: WELL SAMPLING**Lab Number:** L2525179**Project Number:** Not Specified**Report Date:** 05/13/25

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
NR	- No Results: Term is utilized when 'No Target Compounds Requested' is reported for the analysis of Volatile or Semivolatile Organic TIC only requests.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Report Format: DU Report with 'J' Qualifiers

Project Name: WELL SAMPLING
Project Number: Not Specified

Lab Number: L2525179
Report Date: 05/13/25

Footnotes

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Chlordane: The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Gasoline Range Organics (GRO): Gasoline Range Organics (GRO) results include all chromatographic peaks eluting from Methyl tert butyl ether through Naphthalene, with the exception of GRO analysis in support of State of Ohio programs, which includes all chromatographic peaks eluting from Hexane through Dodecane.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. In addition, the 'PFAS, Total (6)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA, PFDA and PFOS. For MassDEP DW compliance analysis only, the 'PFAS, Total (6)' result is defined as the summation of results at or above the RL. Note: If a 'Total' result is requested, the results of its individual components will also be reported.

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively

Report Format: DU Report with 'J' Qualifiers



Project Name: WELL SAMPLING**Lab Number:** L2525179**Project Number:** Not Specified**Report Date:** 05/13/25**Data Qualifiers**

Identified Compounds (TICs). For calculated parameters, this represents that one or more values used in the calculation were estimated.

- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.
- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.
- V** - The surrogate associated with this target analyte has a recovery outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)
- Z** - The batch matrix spike and/or duplicate associated with this target analyte has a recovery/RPD outside the QC acceptance limits. (Applicable to MassDEP DW Compliance samples only.)

Project Name: WELL SAMPLING
Project Number: Not Specified

Lab Number: L2525179
Report Date: 05/13/25

REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - VI, 2018.
- 4 Methods for Chemical Analysis of Water and Wastes. EPA 600/4-79-020. Revised March 1983.
- 121 Standard Methods for the Examination of Water and Wastewater. APHA-AWWA-WEF. Standard Methods Online.

LIMITATION OF LIABILITIES

Pace Analytical Services performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Pace Analytical Services shall be to re-perform the work at it's own expense. In no event shall Pace Analytical Services be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Pace Analytical Services.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Pace Analytical Services LLCFacility: **Northeast**Department: **Quality Assurance**Title: **Certificate/Approval Program Summary**ID No.: **17873**

Revision 27

Published Date: 01/24/2025

Page 1 of 2

Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility – 8 Walkup Dr. Westborough, MA 01581**EPA 624.1:** m/p-xylene, o-xylene, Naphthalene**EPA 625.1:** alpha-Terpineol**EPA 8260D:** NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.**EPA 8270E:** NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine, alpha-Terpineol, Azobenzene; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.**SM4500:** NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.**Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048****SM 2540D:** TSS.**EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

MADEP-APH.**Nonpotable Water:** EPA RSK-175 Dissolved Gases**Biological Tissue Matrix:** EPA 3050B**Mansfield Facility – 120 Forbes Blvd. Mansfield, MA 02048****EPA TO-15:** Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene,

3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

Nonpotable Water: EPA RSK-175 Dissolved Gases

The following test method is not included in our New Jersey Secondary NELAP Scope of Accreditation:

Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048**Determination of Selected Perfluorinated Alkyl Substances by Solid Phase Extraction and Liquid Chromatography/Tandem Mass Spectrometry Isotope Dilution (via Alpha SOP 23528)**

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility – 8 Walkup Dr. Westborough, MA 01581**Drinking Water****EPA 300.0:** Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2:** Nitrate-N, Nitrite-N; **SM4500NO3-F:** Nitrate-N, Nitrite-N; **SM4500F-C, SM4500CN-CE, EPA 180.1, SM2130B, SM4500Cl-D, SM2320B, SM2540C, SM4500H-B, SM4500NO2-B****EPA 524.2:** THMs and VOCs; **EPA 504.1:** EDB, DBCP.**Microbiology:** SM9215B; SM9223-P/A, SM9223B-Colilert-QT, SM9222D.**Non-Potable Water****SM4500H,B, EPA 120.1, SM2510B, SM2540C, SM2320B, SM4500CL-E, SM4500F-BC, SM4500NH3-BH:** Ammonia-N and Kjeldahl-N, **EPA 350.1:** Ammonia-N, **LACHAT 10-107-06-1-B:** Ammonia-N, **EPA 351.1, SM4500NO3-F, EPA 353.2:** Nitrate-N, **SM4500P-E, SM4500P-B, E, SM4500SO4-E, SM5220D, EPA 410.4, SM5210B, SM5310C, SM4500CL-D, EPA 1664, EPA 420.1, SM4500-CN-CE, SM2540D, EPA 300:** Chloride, Sulfate, Nitrate.**EPA 624.1:** Volatile Halocarbons & Aromatics,**EPA 608.3:** Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs**EPA 625.1:** SVOC (Acid/Base/Neutral Extractables).**Microbiology:** SM9223B-Colilert-QT; Enterolert-QT, EPA 1600, EPA 1603, SM9222D.**Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048****Drinking Water****EPA 200.7:** Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8:** Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, TL, Zn. **EPA 245.1 Hg.** **EPA 522, EPA 537.1.****Non-Potable Water****EPA 200.7:** Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, TL, Ti, V, Zn.**EPA 200.8:** Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, TL, Zn.**EPA 245.1 Hg.****SM2340B**

Pace Analytical Services LLCID No.: **17873**Facility: **Northeast**

Revision 27

Department: **Quality Assurance**

Published Date: 01/24/2025

Title: **Certificate/Approval Program Summary**

Page 2 of 2

Certification IDs:**Westborough Facility – 8 Walkup Dr. Westborough, MA 01581**

CT PH-0826, IL 200077, IN C-MA-03, KY JY98045, ME MA00086, MD 348, MA M-MA086, NH 2064, NJ MA935, NY 11148, NC (DW) 25700, NC (NPW/SCM) 666, OR MA-1316, PA 68-03671, RI LAO00065, TX T104704476, VT VT-0935, VA 460195

Mansfield Facility – 320 Forbes Blvd. Mansfield, MA 02048

CT PH-0825, ANAB/DoD L2474, IL 200081, IN C-MA-04, KY KY98046, LA 3090, ME MA00030, MI 9110, MN 025-999-495, NH 2062, NJ MA015, NY 11627, NC (NPW/SCM) 685, OR MA-0262, PA 68-02089, RI LAO00299, TX T-104704419, VT VT-0015, VA 460194, WA C954

Mansfield Facility – 120 Forbes Blvd. Mansfield, MA 02048

ANAB/DoD L2474, ME MA01156, MN 025-999-498, NH 2249, NJ MA025, NY 12191, OR 4203, TX T104704583, VA 460311, WA C1104.

For a complete listing of analytes and methods, please contact your Project Manager.

Page 38 of 38

Attachment 4

Field Monitoring Forms

Sumitomo Dunlop Tire and Rubber			
Static Water Level Study			
Contcat: Chris Barton			
Date: April 4/24/2025			
Well ID	Time (24hr)	Depth to Water (TOC ft)	Comments
OMW-A4	1136	5.81'	Bottom 25.58'
OMW-B3	1025	4.50'	Bottom 17.16' Bailer replaced Spiders in casing, NO gripper
OMW-B4	1056	4.29'	Bottom 22.46' New rope on bailer
OMW-A6	1156	6.72'	Bottom 22.51'
OMW-C5	0920	2.29'	Bottom 29.50' wasps nest but no wasps No gripper
OMW-C7	0910	3.81'	Bottom 23.48'
Field Tech: <i>Nicholas Hill</i>			
Field Tech: <i>Nicholas Hill</i>			

FIELD OBSERVATIONS

Client: Sumitomo

Sample Point ID: MW-C7

Facility: Sumitomo Tonawanda

Sample Matrix: Aqueous

Field Personnel: N. Kibby K. Nichter

SAMPLING INFORMATION:

Date/Time: 4/24/25 1002

(Circle One)

Sampling Method: Bailer

Dedicated: YES NO

Diameter of Well: 2"

Diameter	Multiply by
1"	0.041
<u>2"</u>	0.163
3"	0.367
4"	0.653
6"	1.468
8"	2.61

Well Depth (from top of PVC): 23.48'

Water Depth (from top of PVC): 3.81'

Length of Water Column (LWC): 23.48' 19.67'

Purge Volume: $LWC \times (0.163) \times 3 = \frac{9.67 \text{ gal}}{3.2 \text{ gal/well volume}}$

Volume Purged: ~ 7.0 gal

See Multiplier to input based on Well Diameter

SAMPLING DATA:

Time	Temp. (°C)	pH (std units)	Cond. (Umhos/cm)	Turbidity (NTU)	ORP (Mv)	DO (mg/L)
1002	14.2	7.66	1598	33.77	133.0	7.71

Weather conditions at time of sampling: Partly Cloudy 65°F 6mph NE wind

COMMENTS & OBSERVATIONS: Purged to dry, allowed time to recharge

Sampled 4/24/25 @ 1002

Sample slightly cloudy, no odor

Date: 4/24/25 Signature: Nichter Company: Pace

FIELD OBSERVATIONS

Client: Sumitomo

Sample Point ID: MW - B3

Facility: Sumitomo Ichikawadog

Sample Matrix: Aqueous

Field Personnel: N. Kirby R. Richter

SAMPLING INFORMATION:

Date/Time: 4/24/25 1039

(Circle One)

Sampling Method: 59, 101

Dedicated: (YES) NO

Diameter of Well: 2

Diameter	Multiply by
1"	0.041
2"	0.163
3"	0.367
4"	0.653
6"	1.468
8"	2.61

Well Depth (from top of PVC): 7.6

Water Depth (from top of PVC): 4.50

Length of Water Column (LWC): 12.66'

Purge Volume: $LWC \times (0.105) \times 3 = \frac{6.17 \text{ gal}}{2.06 \text{ gal/well volume}}$

Volume Purged: 6. Sgd

See Multiplier to input based on Well Diameter

SAMPLING DATA:

Time	Temp. (°C)	pH (std units)	Cond. (Umhos/cm)	Turbidity (NTU)	ORP (Mv)	DO (mg/L)
1039	11.5	6.98	985	2.52	73.7	3.27

Weather conditions at time of sampling: Clear 88°F

COMMENTS & OBSERVATIONS: Purged 3 well volumes

Sampled 4/24/25 @ 1039

Sample clear, slight earthy odor, yellow tint, minimal solids

Date: 4/24/23 Signature: [Signature] Company: Pace

FIELD OBSERVATIONS

Client: Sumitomo

Sample Point ID: MW-B4

Facility: Sumitomo Tonawanda

Sample Matrix: Aqueous

Field Personnel: N. Kibby K. Richter

SAMPLING INFORMATION:

Date/Time: 4/24/25 1144

(Circle One)

Sampling Method: Bailer

Dedicated: YES NO

Diameter of Well: 2"

Well Depth (from top of PVC): 22.46'

Water Depth (from top of PVC): 4.29'

Length of Water Column (LWC): 18.17'

Diameter	Multiply by
1"	0.041
<u>2"</u>	0.163
3"	0.367
4"	0.653
6"	1.468
8"	2.61

Purge Volume: $LWC \times (0.163) \times 3 =$ 8.89 gal
↑
2.96 gal/well volume
See Multiplier to input based on Well Diameter

Volume Purged: ~ 6.5 gal

SAMPLING DATA:

Time	Temp. (°C)	pH (std units)	Cond. (Umhos/cm)	Turbidity (NTU)	ORP (Mv)	DO (mg/L)
<u>1144</u>	<u>15.0</u>	<u>7.76</u>	<u>20</u>	<u>4.20</u>	<u>23.5</u>	<u>7.28</u>

Weather conditions at time of sampling: Partly cloudy 70°F

COMMENTS & OBSERVATIONS: Purged to dry. Allowed time to recharge

Sampled 1144 on 4/24/25

Sample slight cloudiness, no odor

Date: 4/24/25 Signature: Nick 1/1/1 Company: Pace

 NEW YORK CHAIN OF CUSTODY Westborough, MA 01581 8 Walkup Dr. TEL: 508-898-9220 FAX: 508-898-9193	Mansfield, MA 02048 320 Forbes Blvd TEL: 508-822-9300 FAX: 508-822-3288	Service Centers Mahwah, NJ 07430: 35 Whitney Rd, Suite 6 Albany, NY 12205: 14 Walker Way Tonawanda, NY 14150: 275 Cooper Ave, Suite 105		Page 1 of 1	Date Rec'd in Lab	ALPHA Job #																																																																																																																																						
		Project Information Project Name: <u>Well Sampling</u> Project Location: <u>Buffalo, NY</u> Project # _____ (Use Project name as Project #) ☐		Deliverables ☐ ASP-A ☐ ASP-B ☐ EQUIS (1 File) ☐ EQUIS (4 File) ☐ Other		Billing Information ☒ Same as Client Info PO # 4600032598																																																																																																																																						
		Client Information Client: <u>Sumitomo (GOODYR-ISLE)</u> Address: <u>PO Box 1109</u> <u>Buffalo, NY 14240</u> Phone: <u>716-879-8497</u> Fax: <u>716-879-8400</u> Email: <u>christine_barton@sumitomorubbe</u>		Regulatory Requirement ☐ NY TOGS ☐ NY Part 375 ☐ AWQ Standards ☐ NY CP-51 ☐ NY Restricted Use ☐ Other ☐ NY Unrestricted Use ☐ NYC Sewer Discharge		Disposal Site Information Please identify below location of applicable disposal facilities. Disposal Facility: ☐ NJ ☐ NY ☐ Other:																																																																																																																																						
Project Manager: <u>Chris Barton</u> ALPHAQuote #: _____ Turn-Around Time Standard ☒ Due Date: _____ Rush (only if pre approved) ☐ # of Days: _____		ANALYSIS		Sample Filtration ☐ Done ☒ Lab to do ☒ Lab to do (Please Specify below)																																																																																																																																								
These samples have been previously analyzed by Alpha ☐ Other project specific requirements/comments: <u>Total and Dissolved Metals List: As,Cd,Cr,Pb (Lab to filter dissolved metals & Only analyze if turb is >50)</u> <u>Volatiles List: MEK, Benzene, 1,1-dichloroethane, 1,2-dichloroethane and 1,1,1-trichloroethane-</u> Please specify Metals or TAL.		<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th rowspan="2">ALPHA Lab ID (Lab Use Only)</th> <th rowspan="2">Sample ID</th> <th colspan="2">Collection</th> <th rowspan="2">Sample Matrix</th> <th rowspan="2">Sampler's Initials</th> <th rowspan="2">VOC (2175)- Site Specific</th> <th rowspan="2">Total Phenols</th> <th rowspan="2">Total Metals</th> <th rowspan="2">*Dissolved Metals*</th> <th rowspan="2">Specific Conductance</th> <th rowspan="2">Turbidity</th> <th rowspan="2">FIELD - pH & Temp</th> <th rowspan="2">Sample Specific Comments</th> <th rowspan="2">Total Bottles</th> </tr> <tr> <th>Date</th> <th>Time</th> </tr> <tr> <td></td> <td>Well B3</td> <td>4/24/25</td> <td>1039</td> <td>GW</td> <td>KN</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td></td> <td></td> <td>7</td> </tr> <tr> <td></td> <td>Well B4</td> <td>I</td> <td>1144</td> <td>GW</td> <td>KN</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td></td> <td></td> <td>7</td> </tr> <tr> <td></td> <td>Well C7</td> <td>I</td> <td>1002</td> <td>GW</td> <td>KN</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td>X</td> <td></td> <td></td> <td>7</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td>Trip Blank</td> <td>4/24/25</td> <td></td> <td>DI Water</td> <td></td> <td>X</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>2</td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>		ALPHA Lab ID (Lab Use Only)	Sample ID	Collection		Sample Matrix	Sampler's Initials	VOC (2175)- Site Specific	Total Phenols	Total Metals	*Dissolved Metals*	Specific Conductance	Turbidity	FIELD - pH & Temp	Sample Specific Comments	Total Bottles	Date	Time		Well B3	4/24/25	1039	GW	KN	X	X	X	X	X	X			7		Well B4	I	1144	GW	KN	X	X	X	X	X	X			7		Well C7	I	1002	GW	KN	X	X	X	X	X	X			7																																Trip Blank	4/24/25		DI Water		X								2																														
ALPHA Lab ID (Lab Use Only)	Sample ID	Collection				Sample Matrix	Sampler's Initials												VOC (2175)- Site Specific	Total Phenols	Total Metals	*Dissolved Metals*	Specific Conductance	Turbidity	FIELD - pH & Temp	Sample Specific Comments	Total Bottles																																																																																																																	
		Date	Time																																																																																																																																									
	Well B3	4/24/25	1039	GW	KN	X	X	X	X	X	X			7																																																																																																																														
	Well B4	I	1144	GW	KN	X	X	X	X	X	X			7																																																																																																																														
	Well C7	I	1002	GW	KN	X	X	X	X	X	X			7																																																																																																																														
	Trip Blank	4/24/25		DI Water		X								2																																																																																																																														
Preservative Code: A = None B = HCl C = HNO ₃ D = H ₂ SO ₄ E = NaOH F = MeOH G = NaHSO ₄ H = Na ₂ S ₂ O ₃ K/E = Zn Ac/NaOH O = Other		Container Code P = Plastic A = Amber Glass V = Vial G = Glass B = Bacteria Cup C = Cube O = Other E = Encore D = BOD Bottle		Westboro: Certification No: MA935 Mansfield: Certification No: MA015		Container Type Preservative	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td>V</td><td>A</td><td>P</td><td>P</td><td>P</td><td>P</td><td></td><td></td><td></td><td></td> </tr> <tr> <td>H</td><td>D</td><td>C</td><td>A</td><td>A</td><td>A</td><td></td><td></td><td></td><td></td> </tr> </table>	V	A	P	P	P	P					H	D	C	A	A	A					Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHA'S TERMS & CONDITIONS.																																																																																																																
V	A	P	P	P	P																																																																																																																																							
H	D	C	A	A	A																																																																																																																																							
Form No: 01-25 (rev. 30-Sept-2013)		Relinquished By: <u>Michelle Pace</u> Date/Time: <u>4/24/25 1215</u>		Received By: <u>Buff SC</u> Date/Time: <u>4/24/25 1215</u>																																																																																																																																								

Courier: _____



NY02250244

Client :

Samitomo

Cooler

1

of

1

Attachment 5

Well Inspection Forms

Weather Conditions		APPENDIX I SUMITOMO RUBBER USA, LLC LANDFILL CONDITION – SEMI-ANNUAL INSPECTION REPORT	Date: 5/28/25
Temperature			Inspector: CMB
Wind Direction/speed			
Precipitation Amount			
Sky conditions			
Inches of Snow Cover			

DEO -00011 / 2

Monitoring Well	OMW-A6	OMW-C1	OMW-B3	OMW-B4	OWM-A4	OMW-C5	OMW-C7
Installation Type	FM		SO				
Inspector Initials	CMB		CMB				
Inspection Date	5/28/25		5/28/25				
Access							
Installed Depth (Ft BTOR)	23.5 ft bgs	19.84	17.28	20.5 ft bgs	23.0 ft bgs	28.97	21.0 ft bgs
Sounded Depth (Ft BTOR)	NM		NM				
Exterior ID	A6		B3	B4	A4	C5	C7
Interior ID	A6		B3	B4	A4	C5	C7
Condition of Well Casing	G		G	G	G	G	G
Flushmount (FM) Surface Water	NO	coated	NA				
FN – Water in Curb Box	NO						
Gasket	G						
Bolts	G						
Lid	G						
Concrete Base or Cement Pad	G		G				
J-plug or Slip Cap	G		G				
Locks	G		G				
NAPL Present	NO		NO				
NAPL Thickness (ft)	NO	2	NO				
Notes							
Corrective Actions Required							

FtBTOR – Feet below top of riser
 Ft bgs – Feet below ground surface
 NAPL – Non-aqueous phase liquid
 P – Poor
 G – Good
 NA – Not Applicable
 N – No
 Y – Yes