

**SEMI ANNUAL REPORT  
OPERATION AND MAINTENANCE  
JULY 2012 TO DECEMBER 2012  
PFOHL BROTHERS LANDFILL  
CHEEKTOWAGA, NY**

**Submitted to:**

**NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION  
270 MICHIGAN AVENUE  
BUFFALO, NEW YORK 14203**

**Prepared by:**

**URS CORPORATION  
77 GOODELL STREET  
BUFFALO, NEW YORK 14203**

**Prepared for:**

**TOWN OF CHEEKTOWAGA  
ENGINEERING DEPARTMENT  
275 ALEXANDER AVE  
CHEEKTOWAGA, NEW YORK 14211**

**MAY  
2013**



May 9, 2013

Mr. Jaspal Singh Walia, P.E.  
New York State Department of Environmental Conservation  
270 Michigan Ave.  
Buffalo, NY 14203

**Re: Semi-Annual Report  
Pfohl Brothers Landfill, Town of Cheektowaga, New York**

Dear Mr. Walia:

Enclosed is one copy of the eighteen Semi-Annual Report for the Pfohl Brothers Landfill in Cheektowaga, New York. A copy has also been sent to Ms. Pamela Tames, P.E. of the United States Environmental Protection Agency. Also enclosed is the Data Applicability Report for laboratory analyses associated with the Semi-Annual Report. PDF copies of the reports are also enclosed.

If you have any questions on this report, please feel free to contact me.

Sincerely,

**URS CORPORATION**

A handwritten signature in black ink, appearing to read "Jon Sundquist".

Jon Sundquist, Ph.D.  
Project Manager

Enclosures

cc: Pamela Tames, P.E. - USEPA (w/attachments)  
William Pugh, P.E. - Town of Cheektowaga (w/attachments)  
File 11172700 (C-1)

## TABLE OF CONTENTS

	<u>Page No.</u>
1.0 INTRODUCTION .....	1-1
1.1 Background.....	1-1
1.2 Operation and Maintenance Activities.....	1-1
2.0 GENERAL MAINTENANCE ACTIVITIES.....	2-1
3.0 MONITORING ACTIVITIES.....	3-1
3.1 Groundwater Hydraulic Monitoring .....	3-1
3.2 Groundwater Quality Monitoring .....	3-1
3.3 Groundwater Discharge Monitoring.....	3-4
3.4 Monitoring Well Inspections .....	3-5
4.0 SUMMARY AND RECOMMENDATIONS.....	4-1

## TABLES

Table 3-1	Groundwater Sample Analytical Results
Table 3-2	Approved Revision Of Table 3.2 From The O&M Plan

## FIGURES

Figure 1-1	Site Location Map
Figure 3-1	Monitoring Locations

## APPENDICES

Appendix A	Example Daily Inspection Sheets
Appendix B	Monthly Flow Summaries (July 2012 – December 2012)
Appendix C	Hydraulic Monitoring Tables
Appendix D	Groundwater Purge and Sample Collection Logs
Appendix E	Groundwater Trend Analysis
Appendix F	BSA Permit No. 10-11-CH016
Appendix G	Discharge Report Summary Tables
Appendix H	Monitoring Well Inspection Logs

## **1.0 INTRODUCTION**

### **1.1 Background**

The Pfohl Brothers Landfill is located on Aero Drive in the Town of Cheektowaga, New York (Figure 1-1). The site is listed as site No. 915043 on the New York State Department of Environmental Conservation's (NYSDEC's) Registry of Inactive Hazardous Waste Disposal Sites. A Consent Order between NYSDEC and potentially responsible parties (PRPs) for closure of the site was signed in 2001 and remedial construction commenced in 2001. The remedy included consolidation of waste material, capping of the waste disposal and consolidation areas, and encircling the landfill areas with a groundwater collection system to prevent off-site migration. The remedial action was completed in 2002.

Responsibility for implementing the remedy was divided between a "steering committee" of industrial PRPs and the Town of Cheektowaga. The steering committee responsibilities lay generally with the capital construction activities of the remedy including waste consolidation, cap and drainage system installation, etc. The Town of Cheektowaga, which was named as a PRP for disposal of municipal waste at the Pfohl Brothers Landfill when it was operating, is performing the operation and maintenance (O&M) activities at the landfill, pursuant to a settlement agreement between the Town and the steering committee.

### **1.2 Operation and Maintenance Activities**

While construction of the remedy was substantially complete by late 2002, the final O&M manual was not approved by the NYSDEC until March 10, 2006. However, the Town of Cheektowaga and its consultant (URS Corporation – New York) assumed most of the operational responsibilities since 2002. This includes a variety of general maintenance activities as outlined in Section 2 and sampling and other monitoring activities outlined in Section 3.

Beginning in 2004, the Town and URS assumed all of the O&M activities described in the O&M plan. This report is the eighteenth semi-annual report as called for by Section 3.6 of the O&M plan.

## **2.0 GENERAL MAINTENANCE ACTIVITIES**

Since completion of construction activities in 2002, personnel from the Town of Cheektowaga Engineering Department have performed general activities to ensure the physical operation of the landfill as intended by the design. The various O&M activities performed by the Town from July 2012 through December 2012 include the following actions.

- The amount of groundwater discharged through the collection system was recorded on a daily basis. The flow rate displayed by each wet well pump at the time of daily inspection and the total cumulative volume of flow was recorded for each wet well on daily inspection sheets. Examples of the daily inspection sheet are attached in Appendix A.
- Total cumulative effluent flow rates and volumes were summarized on a monthly basis starting in February 2003. The monthly totals for the period of July 2012 through December 2012, including graphs showing daily total discharge (gallons) as a function of calendar day, are presented in Appendix B.
- The wet well pumps were shutdown during wet weather flow conditions throughout the year to reduce hydraulic loading to the sewer. Such actions were only taken upon request of the Buffalo Sewer Authority during heavy storm events in order to reduce the hydraulic load on the BSA treatment system during such events. Shutdown events are recorded and included with the monthly flow data as previously requested by NYSDEC.
- Plowed snow to access the Control Building when necessary.
- Cleaned/replaced check valves as necessary at all wet wells.
- Replaced surge suppressors and fuses as need for pump station instrumentation equipment.
- Performed annual mowing of the landfill cap and trimming which was completed on September 18, 2012.

- Engaged contractor to apply Roundup herbicide to control vegetation growth through the stone access road. Applied herbicide on both Area B and C (i.e., along the perimeter access road around the landfill areas north and south of Aero Drive) following the annual mowing in September.
- Wildlife trapper engaged as needed to control ground burrowing animals. A total of 32 woodchucks were trapped from May through September 2012.
- Purchased a new A/C Unit (replacement) for the Control Building in October 2012 later installed in December 2012.
- Met with representatives of the Cornell Cooperative Extension of Erie County in August 2012 for assistance in identifying an invasive woody weed spreading throughout the perimeter access stone road. The perennial woody plant was identified as the Eastern Cottonwood which will be controlled in the future with herbicide and more frequent mowing.
- Replaced discharge hose at WW3 (December 2012).
- Met with the property owner south of Area C (i.e., the Landfill area south of Aero Drive) where perimeter fence damage was evident and re-established this section of fence line (October/November 2012) with the cooperation of the neighboring property owner.

### **3.0 MONITORING ACTIVITIES**

The Town of Cheektowaga retained URS Corporation to perform monitoring activities as outlined in Section 3.1 of the O&M plan. During the period of January 2004 through the present, URS performed groundwater hydraulic monitoring (Section 3.1.1.2 of the O&M plan) and effluent monitoring (Section 3.1.4 of the O&M plan) on a quarterly basis. URS also performed the eighteenth semi-annual groundwater quality monitoring event (Section 3.1.1.3 of the O&M plan). A summary of the monitoring activities is presented in the following subsections. Hydraulic and groundwater sampling locations are shown on Figure 3-1.

#### **3.1 Groundwater Hydraulic Monitoring**

Groundwater and surface water elevations were monitored on a quarterly basis at all locations listed in Table 3.1 of the O&M Plan. The hydraulic monitoring data tables showing groundwater elevations are presented in Appendix C. Table 1 of this appendix lists the measured elevations. Table 2 provides a comparison of the measured levels in the wells and corresponding manholes/wet wells.

The data presented in Appendix C indicate that groundwater levels outside the collection system were higher than the levels measured in the corresponding wet well or manhole for each measurement date. Therefore, these data demonstrate that the collection system is operating as designed.

#### **3.2 Groundwater Quality Monitoring**

The eighteenth semi-annual round of groundwater sampling was conducted between November 6, 2012 and November 8, 2012. All wells listed in Table 3.2 of the O&M plan were purged and sampled using dedicated/disposable equipment. Figure 3-1 shows the well locations. Low flow sampling techniques were used at most monitoring well locations.



Passive diffusion bags (PDBs) were placed in three monitoring wells with low recharge rates (GW-4S, GW-7S, and GW-7D) on September 21, 2012. The PDBs were removed from the wells during the sampling event and their contents were analyzed for VOCs. Following removal of the PDBs the three wells were purged dry. These wells were sampled for the other required parameters after their water levels recovered.

Purge logs and sampling summary sheets are provided in Appendix D. Measurements of pH, specific conductivity, temperature, dissolved oxygen, oxidation reduction potential, and turbidity taken during purging are provided in Appendix D. The samples were packed with ice in coolers and transported under chain-of-custody (CoC) control to Test America Laboratories of Amherst, New York.

Table 3-1 of this report presents the groundwater sample results compared with NYSDEC Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations Class GA water quality standards. Groundwater samples were analyzed for the parameters listed in Table 3.2 of the O&M plan as revised in accordance with Table 3-6 in the Semi Annual Report dated September 2007 (January through June 2007) and as approved by the December 6, 2006 and November 29, 2007 correspondence from the NYSDEC authorizing a reduction in the parameters list (this table is included in this report as Table 3-2).

## Results

No VOCs or SVOCs were detected at concentrations above the Class GA water quality standards at any location.

Among the metals, iron, magnesium, manganese, and sodium routinely exceed Class GA standards in most site wells. Chromium and lead were detected at concentrations exceeding Class GA standards in well GW-07D. It is noted that GW-07D is located upgradient of the site.

### Comparison to Historical Results

No significant changes in metals concentrations were observed when compared to previous sampling event analytical results. The concentration of iron, magnesium, manganese, and sodium in most site wells was similar to the concentrations found during previous sampling events.

The concentrations of chromium and nickel at GW-07D and GW-03S, and lead at GW-07D were within the historical range of concentrations observed for these compounds at these wells.

Sodium concentrations were generally higher in bedrock wells (GW-01D, GW-03D, GW-08D and GW-26D) and shallow wells adjacent to roads (GW-01S and GW-30S). The sodium concentration was also elevated in GW-08SR. The higher sodium concentrations in the bedrock wells may be attributed to the local bedrock composition and the elevated concentration in the shallow wells may be the result of seasonal road de-icing activities.

### Trend Analysis

A trend analysis of groundwater parameters that routinely exceed Class GA groundwater standards was performed and is presented in Figures E-1 through E-19 of Appendix E. A review of the trend analysis indicated that no significant changes or trends in concentrations of any of the parameters exceeding groundwater standards have occurred over the eighteen semi-annual sampling events except as described below. Figure E-2 for GW-01S, indicates a consistent drop in sodium concentration over the eighteen sampling events. Figure E-3 for GW-03D indicates a slight downward trend for manganese over the last eight sample events. Figure E-4 indicates a slight upward trend for magnesium in GW-03S since monitoring began. Figure E-5 for GW-04D, indicates a slight increasing trend for magnesium. Figure E-6 for GW-04S shows a slight upward trend for magnesium over the last 11 events. Figure E-7 for GW-07D shows an upward trend for chromium. Figure E-9 for GW-08D shows a decreasing trend for both iron and manganese since monitoring began. Figures E-10 and E-11 for GW-08SR and GW-26D, respectively, show an

upward trend in sodium concentrations since monitoring began. Figure E-10 for GW-08SR also indicates an upward trend for manganese. Figures E-12 and E-14 for GW-28S and GW-30S, respectively, indicate decreasing trends for magnesium and sodium since monitoring began. Figure E-16 shows there is a seasonal variation in sodium concentration in monitoring well GW-32S. Figures E-17 and E-18 for GW-33S and GW-34S indicate a seasonal fluctuation in manganese concentration.

### Laboratory Report

The groundwater analytical data package was prepared by Test America in accordance with NYSDEC Category A deliverable requirements. It was reviewed for compliance with analytical method requirements and the following guidelines: USEPA *Contract Laboratory Program (CLP) National Functional Guidelines for Organic Data Review*, EPA-540-R-99-008, October 1999; USEPA *CLP National Functional Guidelines for Inorganic Data Review*, EPA-540-R-01-008, July 2002; and USEPA *Region II Data Validation SOP for SW-846 Method 8290, PCDDs and PCDFs by High Resolution Gas Chromatography/High-Resolution Mass Spectrometry (HRGC/HRMS)*, SOP No. HW-19, Revision 1, October 1994. Qualifications applied to the data include “J/UJ” (estimated concentration/estimated quantitation limit), “J+” (estimated concentration with possible high bias), “J-” (estimated concentration with possible low bias), and “U” (not detected).

A Data Applicability Report (DAR) was prepared following the guidelines provided in NYSDEC Division of Environmental Remediation (DER-10) *Technical Guidance for Site Investigation and Remediation, Appendix 2B*, dated May 2010. The DAR dated November 2012 is submitted separately from this report.

### **3.3 Groundwater Discharge Monitoring**

URS completed two quarterly sampling events (September 2012 and December 2012) of the groundwater collection system discharge since the previous semi-annual report. The sampling was performed in accordance with the requirements of Discharge Permit No. 10-11-

CH016 between the Buffalo Sewer Authority and the Town of Cheektowaga. A copy of Permit No. 10-11-CH016 is included as Appendix F.

During the sampling events in September 2012 and December 2012, each regulated parameter was below the limits set by the permit. Copies of the data summary tables that were included with the monitoring reports are included as Appendix G.

### **3.4 Monitoring Well Inspections**

During the November 2012 groundwater sampling event, a well inspection was performed. All wells appeared to be in good condition with the exception of previously existing damage to the risers on GW-07D, GW-01S, and GW-01D. The monitoring well inspection logs may be found in Appendix H.

#### 4.0 SUMMARY AND RECOMMENDATIONS

**General Maintenance:** The Town will continue to maintain mechanical equipment at the landfill on an as-needed basis and operate the groundwater collection and discharge system as designed. The Town will also continue regular inspections, mow the cap once per year, and plow access to the control building during winter months as necessary.

**Groundwater Hydraulic Monitoring:** Hydraulic monitoring has been performed on a quarterly basis in conjunction with the discharge monitoring. Water level measurement data demonstrates that the hydraulic gradient is from outside the landfill towards the collection trench. Continued quarterly monitoring is recommended.

**Groundwater Quality Monitoring:** Groundwater sample results indicate that only low levels of organic compounds and metals are present. Similar concentrations of most parameters were found during previous sampling events. The nineteenth round of groundwater sampling will be conducted in May 2013. Low flow sampling techniques will be used. Passive diffusion bags will be used again for VOC analyses at the three wells (GW-4S, GW-7S, and GW-7D) that go dry even using low flow sampling techniques.

**Groundwater Discharge Monitoring:** Groundwater discharges remain within permit limits. Continued quarterly monitoring is recommended.


## **TABLES**

**TABLE 3-1**  
**GROUNDWATER SAMPLE ANALYTICAL RESULTS**  
**PFOHL BROTHERS LANDFILL SITE**  
**NOVEMBER 2012**

Location ID			GW-01D	GW-01D	GW-01S	GW-03D	GW-04D
Sample ID			FD-110712	GW-1D	GW-1S	GW-3D	GW-4D
Matrix			Groundwater	Groundwater	Groundwater	Groundwater	Groundwater
Depth Interval (ft)			-	-	-	-	-
Date Sampled			11/07/12	11/07/12	11/07/12	11/06/12	11/07/12
Parameter	Units	*	Field Duplicate (1-1)				
<b>Volatile Organic Compounds</b>							
1,2-Dichloroethene (total)	UG/L	5					
<b>Semivolatile Organic Compounds</b>							
1,3-Dichlorobenzene	UG/L	3				0.75 J	
1,4-Dichlorobenzene	UG/L	3				1.1 J	
bis(2-Ethylhexyl)phthalate	UG/L	5					
Arsenic	MG/L	0.025					
Barium	MG/L	1	0.071	0.071	0.15	0.095	0.068
Cadmium	MG/L	0.005					
Chromium	MG/L	0.05	0.016	0.021	0.0021 J		0.0020 J
Copper	MG/L	0.2				0.0016 J	
Iron	MG/L	0.3	0.20	0.23	10.6	1.2	0.036 J
Lead	MG/L	0.025					
Magnesium	MG/L	35	32.8	32.9	11.4	18.4	66.2
Manganese	MG/L	0.3	0.018	0.019	0.97	0.42	0.020
Mercury	MG/L	7.00E-04					
Nickel	MG/L	0.1	0.0054 J	0.0056 J		0.0032 J	
Sodium	MG/L	20	93.0	94.8	91.1	224	72.1
Zinc	MG/L	2	0.0040 J	0.0025 J	0.0027 J	0.0021 J	0.0023 J

\* - NYSDEC TOGS (1.1.1), Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations. June 1998 (includes 4/2000 Addendum). Class GA. \* - PCB Criteria based on sum of the aroclors.

Flags assigned during chemistry validation are shown.

 Concentration Exceeds

J - The analyte was positively identified, the quantitation is an estimation with possible low bias.

Blank - not detected. - = No criteria.


Only Detected Results Reported.

**TABLE 3-1**  
**GROUNDWATER SAMPLE ANALYTICAL RESULTS**  
**PFOHL BROTHERS LANDFILL SITE**  
**NOVEMBER 2012**

Location ID			GW-04S	GW-07D	GW-07S	GW-08D	GW-08SR
Sample ID			GW-4S	GW-7D	GW-7S	GW-8D	GW-8SR
Matrix			Groundwater	Groundwater	Groundwater	Groundwater	Groundwater
Depth Interval (ft)			-	-	-	-	-
Date Sampled			11/07/12	11/07/12	11/07/12	11/06/12	11/06/12
Parameter	Units	*					
<b>Volatile Organic Compounds</b>							
1,2-Dichloroethene (total)	UG/L	5					
<b>Semivolatile Organic Compounds</b>							
1,3-Dichlorobenzene	UG/L	3					
1,4-Dichlorobenzene	UG/L	3					
bis(2-Ethylhexyl)phthalate	UG/L	5			2.6 J		
Arsenic	MG/L	0.025	0.0083 J				0.012
Barium	MG/L	1	0.25	0.067	0.34	0.078	0.46
Cadmium	MG/L	0.005		0.0014			
Chromium	MG/L	0.05	0.039	0.16	0.0046	0.014	0.0080
Copper	MG/L	0.2	0.035	0.021	0.0017 J	0.0042 J	0.0021 J
Iron	MG/L	0.3	17.8	8.7	0.68	0.25	22.8
Lead	MG/L	0.025	0.013	0.099			
Magnesium	MG/L	35	35.8	29.7	37.0	13.8	47.9
Manganese	MG/L	0.3	0.54	0.071	0.13	0.13	1.4
Mercury	MG/L	7.00E-04	0.00060				
Nickel	MG/L	0.1	0.032	0.085	0.014	0.0048 J	0.013
Sodium	MG/L	20	25.9	74.6	56.0	167	415
Zinc	MG/L	2	0.077	0.051	0.0071 J	0.0098 J	0.013

\* - NYSDEC TOGS (1.1.1), Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations. June 1998 (includes 4/2000 Addendum). Class GA. \* - PCB Criteria based on sum of the aroclors.

Flags assigned during chemistry validation are shown.

 Concentration Exceeds

J - The analyte was positively identified, the quantitation is an estimation with possible low bias.

Blank - not detected. - = No criteria.

Only Detected Results Reported.




**TABLE 3-1**  
**GROUNDWATER SAMPLE ANALYTICAL RESULTS**  
**PFOHL BROTHERS LANDFILL SITE**  
**NOVEMBER 2012**

Location ID			GW-26D	GW-28S	GW-29S	GW-30S	GW-31S
Sample ID			GW-26D	GW-28S	GW-29S	GW-30S	GW-31S
Matrix			Groundwater	Groundwater	Groundwater	Groundwater	Groundwater
Depth Interval (ft)			-	-	-	-	-
Date Sampled			11/08/12	11/07/12	11/08/12	11/08/12	11/08/12
Parameter	Units	*					
<b>Volatile Organic Compounds</b>							
1,2-Dichloroethene (total)	UG/L	5	1.3 J				
<b>Semivolatile Organic Compounds</b>							
1,3-Dichlorobenzene	UG/L	3					
1,4-Dichlorobenzene	UG/L	3					
bis(2-Ethylhexyl)phthalate	UG/L	5					
Arsenic	MG/L	0.025			0.023		
Barium	MG/L	1	0.16	0.086	0.20	0.30	0.089
Cadmium	MG/L	0.005			0.00050 J		
Chromium	MG/L	0.05	0.0012 J	0.0014 J			0.0020 J
Copper	MG/L	0.2		0.0019 J			0.0025 J
Iron	MG/L	0.3	5.9	0.11	12.3	12.8	0.42
Lead	MG/L	0.025					
Magnesium	MG/L	35	20.8	27.2	90.8	37.3	35.4
Manganese	MG/L	0.3	0.74	0.67	0.67	1.8	0.81
Mercury	MG/L	7.00E-04					
Nickel	MG/L	0.1	0.0038 J	0.0036 J			0.017
Sodium	MG/L	20	341	16.6	19.1	599	6.5
Zinc	MG/L	2	0.0029 J	0.0041 J	0.0044 J	0.0038 J	0.011

\* - NYSDEC TOGS (1.1.1), Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations. June 1998 (includes 4/2000 Addendum). Class GA. \* - PCB Criteria based on sum of the aroclors.

Flags assigned during chemistry validation are shown.

 Concentration Exceeds

J - The analyte was positively identified, the quantitation is an estimation with possible low bias.

Blank - not detected. - = No criteria.


Only Detected Results Reported.

**TABLE 3-1**  
**GROUNDWATER SAMPLE ANALYTICAL RESULTS**  
**PFOHL BROTHERS LANDFILL SITE**  
**NOVEMBER 2012**

Location ID			GW-32S	GW-33S	GW-34S	GW-35S
Sample ID			GW-32S	GW-33S	GW-34S	GW-35S
Matrix			Groundwater	Groundwater	Groundwater	Groundwater
Depth Interval (ft)			-	-	-	-
Date Sampled			11/08/12	11/08/12	11/07/12	11/08/12
Parameter	Units	*				
<b>Volatile Organic Compounds</b>						
1,2-Dichloroethene (total)	UG/L	5				
<b>Semivolatile Organic Compounds</b>						
1,3-Dichlorobenzene	UG/L	3				
1,4-Dichlorobenzene	UG/L	3				
bis(2-Ethylhexyl)phthalate	UG/L	5				
Arsenic	MG/L	0.025				
Barium	MG/L	1	0.065	0.048	0.099	0.13
Cadmium	MG/L	0.005				
Chromium	MG/L	0.05		0.0042	0.011	0.0022 J
Copper	MG/L	0.2			0.0053 J	
Iron	MG/L	0.3			1.4	
Lead	MG/L	0.025				
Magnesium	MG/L	35	36.6	91.5	29.8	37.3
Manganese	MG/L	0.3	0.14	0.0082	0.026	0.035
Mercury	MG/L	7.00E-04				
Nickel	MG/L	0.1	0.0024 J	0.0022 J	0.0075 J	
Sodium	MG/L	20	8.2	5.3	20.8	5.4
Zinc	MG/L	2	0.0045 J	0.0056 J	0.0057 J	0.0045 J

\* - NYSDEC TOGS (1.1.1), Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations. June 1998 (includes 4/2000 Addendum). Class GA. \* - PCB Criteria based on sum of the aroclors.

Flags assigned during chemistry validation are shown.

 Concentration Exceeds

J - The analyte was positively identified, the quantitation is an estimation with possible low bias.

Blank - not detected. - = No criteria.

Only Detected Results Reported.

**TABLE 3-2**

**APPROVED REVISION OF TABLE 3.2 FROM THE O&M PLAN**

**GROUNDWATER SAMPLING SUMMARY  
OPERATION AND MAINTENANCE PLAN  
PFOHL BROTHERS LANDFILL SITE, CHEEKTOWAGA, NEW YORK**

**LOCATIONS**

GW-1D/1S  
GW- 3D/3S  
GW- 4D/4S  
GW- 7D/7S  
GW- 8D/8S(R)  
GW- 26D/35S  
GW- 28S  
GW- 29S  
GW- 30S  
GW- 31S  
GW- 32S  
GW- 33S  
GW- 34S

**FREQUENCY**

semi-annually for overburden and bedrock groundwater

**PARAMETERS**

<i>Field</i>	pH conductivity temperature turbidity
<i>VOCs</i>	Acetone Benzene 1,2-Dichloroethene (total) 1,1,2-Trichloroethane Vinyl chloride
<i>SVOCs</i>	Phenol 1,3-Dichlorobenzene 1,4-Dichlorobenzene bis(2-Ethylhexyl)phthalate

**TABLE 3-2 (continued)**


**APPROVED REVISION OF TABLE 3.2 FROM THE O&M PLAN**

**GROUNDWATER SAMPLING SUMMARY  
OPERATION AND MAINTENANCE PLAN  
PFOHL BROTHERS LANDFILL SITE, CHEEKTOWAGA, NEW YORK**


**PARAMETERS (cont'd)**

<i>Metals</i>	Antimony
	Arsenic
	Barium
	Cadmium
	Chromium
	Copper
	Iron
	Lead
	Magnesium
	Manganese
	Mercury
	Nickel
	Silver
	Sodium
	Zinc

# FIGURES



Source: ArcView GIS StreetMap



n:\1172700.0000\gis\arcview\pfohl\_site\location.apr Pfohl Bros Location Map 12/15/2005



PFOHL BROTHERS LANDFILL  
SITE LOCATION MAP

FIGURE 1-1







**APPENDIX A**

**EXAMPLE DAILY INSPECTION SHEETS**



# Pfohl Brothers Landfill Site

Daily Logsheet

Town of Cheektowaga

Date 8/17/12  
 Time 10:05

Weather conditions LT. RAIN OVERCAST 68°  
 Read by: B. PUGH

	Level of Water from bottom (ft.)	Flow gallons / minute	Flow Totals gallons	Pump Run Time Hrs.
WW-3	4.9	0	110,257	2148
WW-2	4.1	0	19,536	131
WW-1	4.6	0	252,067	2150
WW-6	7.3	0	0	7775
WW-4	6.9	0	18122	5223
WW-5	6.7	0	365,832	9511
Flow Totalizer at Meter chamber			760,675	

Heat Trace  
 Outside temp T = 71                      Set point SP = 40  
 Current A = 0

Large Suppressor events 415,204

Motor Control Center  
 Volts 480 volts                      Which WW was running?  
 Amps 10 amps                      1  2  3  4  5  6

Filter      Checked       Changed

Comments and/or Current Conditions

RAN WW6 ON MANUAL TO OBSERVE FLOW.  
HAS NOT RUN ON AUTO IN PAST MONTH?  
PULLED INVASIVE WEEDS FOR IDENTIFICATION AT  
CORNELL CO-OP. EXTENSION SERVICE.

# Pfohl Brothers Landfill Site

Daily Logsheets

Town of Cheektowaga

Date 9-10-12  
 Time 12:10

Weather conditions SUNNY, COOL 70°  
 Read by: BILL PUGH

	Level of Water from bottom (ft.)	Flow gallons / minute	Flow Totals gallons	Pump Run Time Hrs.
WW-3	4.7	40.8	153,465	2167
WW-2	4.7	0	19,381	131
WW-1	4.4	0	304,971	2170
WW-6	7.1	0	107,207	7801
WW-4	7.0	0	18,122	5223
WW-5	6.9	0	550,214	9576
Flow Totalizer at Meter chamber			<u>1,148,161</u>	

Heat Trace  
 Outside temp T = 68                      Set point SP = 40  
 Current A = 0

Large Suppressor events 415,216

Motor Control Center  
 Volts 480 volts                      Which WW was running?  
 Amps 6 amps                          1  2  3  4  5  6

Filter      Checked                       Changed

Comments and/or Current Conditions

RESET LEVEL INVALID ALARM WW-3

RESET NEW FLOW ALARM WW-2

CLEARED ALL ALARMS.

MEET MOWING CONTRACTOR AT SITE.

# Pfohl Brothers Landfill Site

Daily Logsheet

Town of Cheektowaga

Date 11/27/12  
Time 2:05

Weather conditions OVERCAST 38  
Read by: BILL PUGH

	Level of Water from bottom (ft.)	Flow gallons / minute	Flow Totals gallons	Pump Run Time Hrs.
WW-3	6.0	40.1	299,784	2227
WW-2	4.7	0	13,690	131
WW-1	4.2	0	492,201	2250
WW-6	7.1	0	1,509,564	8167
WW-4	7.0	0	149,517	5297
WW-5	7.2	0	1,422,870	9894

Flow Totalizer at Meter chamber 3,889,093

Heat Trace  
Outside temp T = 38° Set point SP = 40°  
Current A = 1.9 A

Large Suppressor events 415,229

Motor Control Center  
Volts 480 volts Which WW was running?  
Amps 6 amps 1  2  3  4  5  6

Filter Checked  Changed

Comments and/or Current Conditions  
RESET LEVEL INVALID ALARM WW 3  
CLEARED ALL ALARMS

## **APPENDIX B**

### **MONTHLY FLOW SUMMARIES JULY 2012 – DECEMBER 2012**

The  
TOWN OF  
CHEEKTOWAGA



**Main Pump Station**  
171 Central Blvd.  
Cheektowaga, NY 14225  
Phone: 716-896-1777  
Fax: 716-896-6437

Jon W. Nichy  
Superintendent  
Joseph Glab  
Asst. Superintendent

August 8, 2012

Mr. William R. Pugh, P.E.  
Town Engineer  
Town of Cheektowaga

Re: Pfohl Bros. Flow Data


Dear Mr. Pugh,

Enclosed for your review, please find a copy of the **July 2012** Direct Discharge Flow Data Report, prepared by Jon W. Nichy.

On July 1, 2012 the Flow Totalizers were reset to zero.

Should you have any other questions or comments regarding this submittal, please contact this office @ 896-1777.


Yours truly,

  
Jon W. Nichy  
Superintendent  
Main Pump Station


## Direct Discharge Flow Data

6/30/2012		14727189	48,708	14,721,671	
<b>July-12</b>	Time; 11:58pm unless otherwise stated	Totalizer Reading (Gallons)	Daily Total Discharge (Gallons)	Total Direct Discharge (Gallons)	Notes
1		2866	2,866	2,866	
2		30460	27,595	30,461	
3		33624	3,164	33,625	
4		62306	28,683	62,308	
5		84501	22,195	84,503	
6		116614	32,113	116,616	
7		129583	12,969	129,585	
8		149098	19,515	149,100	
9		171892	22,794	171,894	
10		193620	21,728	193,622	
11		210427	16,807	210,429	
12		226621	16,194	226,623	
13		241956	15,335	241,958	
14		258061	16,105	258,063	
15		265267	7,205	265,268	
16		287501	22,234	287,502	
17		317482	29,981	317,483	
18		337349	19,867	337,350	
19		340692	3,343	340,693	
20		342767	2,075	342,768	
21		355692	12,924	355,692	
22		366493	10,801	366,493	
23		394242	27,749	394,242	0532inhibit 1013enable
24		416959	22,717	416,959	
25		431245	14,286	431,245	
26		431807	562	431,807	0007inhibit
27		442789	10,981	442,788	1104enable
28		452271	9,482	452,270	
29		498154	45,883	498,153	
30		530348	32,194	530,347	
31		547797	17,448	547,795	
		<b>547,797</b>	<b>547,795</b>	<b>547,795</b>	

July  
2012



The  
TOWN OF  
CHEEKTOWAGA



Jon W. Nichy  
Superintendent  
Joseph Glab  
Asst. Superintendent

**Main Pump Station**  
171 Central Blvd.  
Cheektowaga, NY 14225  
Phone: 716-896-1777  
Fax: 716-896-6437

September 4, 2012

Mr. William R. Pugh, P.E.  
Town Engineer  
Town of Cheektowaga


Re: Pfohl Bros. Flow Data

Dear Mr. Pugh,

Enclosed for your review, please find a copy of the **August 2012** Direct Discharge Flow Data Report, prepared by Jon W. Nichy.

Should you have any other questions or comments regarding this submittal, please contact this office @ 896-1777.

Yours truly,


  
Jon W. Nichy  
Superintendent  
Main Pump Station



## Direct Discharge Flow Data

7/31/2012		547797	17,449	547,795	
<b>August-12</b>	Time; 11:58pm unless otherwise stated	Totalizer Reading (Gallons)	Daily Total Discharge (Gallons)	Total Direct Discharge (Gallons)	Notes
1		554012	6,215	554,010	
2		564363	10,351	564,361	
3		590989	26,627	590,988	
4		620088	29,099	620,087	
5		623893	3,805	623,892	1345 inhibit
6		642013	18,120	642,012	0017 enable
7		668078	26,065	668,077	
8		677487	9,409	677,486	
9		682533	5,047	682,533	
10		691464	8,931	691,464	
11		691464	0	691,464	
12		691464	0	691,464	
13		708797	17,332	708,796	
14		716940	8,143	716,939	
15		751207	34,267	751,206	
16		760566	9,359	760,565	
17		761125	559	761,124	
18		776204	15,079	776,203	
19		786081	9,877	786,080	
20		787977	1,896	787,976	
21		802825	14,848	802,824	
22		902538	99,713	902,537	
23		937981	35,443	937,980	
24		959241	21,260	959,240	
25		976528	17,288	976,528	
26		982251	5,723	982,251	
27		987138	4,887	987,138	
28		994034	6,896	994,034	
29		1001410	7,376	1,001,410	
30		1010496	9,085	1,010,495	
31		1015494	4,999	1,015,494	
		<b>467,697</b>	<b>467,699</b>	<b>467,699</b>	

August  
2012



The  
TOWN OF  
CHEEKTOWAGA



Jon W. Nichy  
Superintendent  
Joseph Glab  
Asst. Superintendent

**Main Pump Station**  
171 Central Blvd.  
Cheektowaga, NY 14225  
Phone: 716-896-1777  
Fax: 716-896-6437

October 5, 2012

Mr. William R. Pugh, P.E.  
Town Engineer  
Town of Cheektowaga

Re: Pfohl Bros. Flow Data

Dear Mr. Pugh,

Enclosed for your review, please find a copy of the **September 2012** Direct Discharge Flow Data Report, prepared by Jon W. Nichy.

Should you have any other questions or comments regarding this submittal, please contact this office @ 896-1777.

Yours truly,


A handwritten signature in black ink, appearing to read "Jon W. Nichy".

Jon W. Nichy  
Superintendent  
Main Pump Station


## Direct Discharge Flow Data

8/31/2012		1015494	4,999	1,015,494	
<b>September-12</b>	Time; 11:58pm unless otherwise stated	Totalizer Reading (Gallons)	Daily Total Discharge (Gallons)	Total Direct Discharge (Gallons)	Notes
1		1064380	48,886	1,064,380	
2		1087469	23,088	1,087,468	
3		1089455	1,986	1,089,454	
4		1094748	5,293	1,094,747	1552 inhibit
5		1104903	10,155	1,104,902	0012 enable
6		1108714	3,811	1,108,713	
7		1128317	19,603	1,128,316	2019 inhibit
8		1128317	0	1,128,316	
9		1147986	19,669	1,147,985	2320 enable
10		1157019	9,034	1,157,019	
11		1157137	118	1,157,137	
12		1157137	0	1,157,137	
13		1157137	0	1,157,137	
14		1175191	18,054	1,175,191	1715 inhibit
15		1210748	35,556	1,210,747	0851 enable
16		1218788	8,040	1,218,787	
17		1297931	79,144	1,297,931	
18		1347197	49,265	1,347,196	
19		1347197	0	1,347,196	
20		1347334	137	1,347,333	
21		1348170	836	1,348,169	
22		1350568	2,398	1,350,567	0232inhibit 1946enable
23		1385726	35,158	1,385,725	
24		1387542	1,815	1,387,540	
25		1401757	14,215	1,401,755	
26		1401757	0	1,401,755	
27		1401757	0	1,401,755	
28		1401757	0	1,401,755	
29		1425256	23,499	1,425,254	
30		1439632	14,376	1,439,630	
31					
		<b>424,138</b>	<b>424,136</b>	<b>424,136</b>	

September  
2012



The  
TOWN OF  
CHEEKTOWAGA



**Main Pump Station**  
171 Central Blvd.  
Cheektowaga, NY 14225  
Phone: 716-896-1777  
Fax: 716-896-6437

Jon W. Nichy  
Superintendent  
Joseph Glab  
Asst. Superintendent

*NOV.*

~~October~~ 6, 2012

Mr. William R. Pugh, P.E.  
Town Engineer  
Town of Cheektowaga

Re: Pfohl Bros. Flow Data


Dear Mr. Pugh,

*OCT.*

Enclosed for your review, please find a copy of the ~~September~~ **2012** Direct Discharge Flow Data Report, prepared by Jon W. Nichy.

Should you have any other questions or comments regarding this submittal, please contact this office @ 896-1777.


Yours truly,

  
Jon W. Nichy  
Superintendent  
Main Pump Station

## Direct Discharge Flow Data

9/30/2012		1439632	14,376	1,439,630	
<b>October-12</b>	Time; 11:58pm unless otherwise stated	Totalizer Reading (Gallons)	Daily Total Discharge (Gallons)	Total Direct Discharge (Gallons)	Notes
1		1439632	0	1,439,630	
2		1442225	2,593	1,442,223	
3		1541296	99,071	1,541,294	
4		1564945	23,649	1,564,943	
5		1614495	49,550	1,614,493	2237 inhibit
6		1614495	0	1,614,493	
7		1630313	16,118	1,630,611	0834 enable
8		1636594	5,981	1,636,592	
9		1668817	32,222	1,668,814	
10		1678578	9,762	1,678,576	
11		1687194	8,615	1,687,191	
12		1698766	11,573	1,698,764	
13		1703325	4,560	1,703,324	
14		1729527	26,201	1,729,525	0654 inhibit 1858 enable
15		1839443	109,916	1,839,441	
16		1854632	15,189	1,854,630	
17		1860946	6,314	1,860,944	
18		1860946	0	1,860,944	2233 inhibit
19		1860946	0	1,860,944	2104 enable
20		1860946	0	1,860,944	1436 inhibit
21		1888678	27,732	1,888,676	1649 enable
22		2024364	135,687	2,024,363	
23		2024364	0	2,024,363	0337 inhibit 2354 enable
24		2114222	89,858	2,114,221	
25		2230913	116,691	2,230,912	
26		2318133	87,220	2,318,132	2306 inhibit
27		2318133	0	2,318,132	
28		2342295	24,162	2,342,294	1952 enable
29		2368708	26,414	2,368,708	0146 inhibit
30		2453947	85,239	2,453,947	1328 enable
31		2661526	207,579	2,661,526	2040 inhibit
		<b>1,221,894</b>	<b>1,221,896</b>	<b>1,221,896</b>	

October  
2012





The  
TOWN OF  
CHEEKTOWAGA



**Main Pump Station**  
171 Central Blvd.  
Cheektowaga, NY 14225  
Phone: 716-896-1777  
Fax: 716-896-6437

Jon W. Nichy  
Superintendent  
Joseph Glab  
Asst. Superintendent

December 4, 2012

Mr. William R. Pugh, P.E.  
Town Engineer  
Town of Cheektowaga


Re: Pfohl Bros. Flow Data

Dear Mr. Pugh,

Enclosed for your review, please find a copy of the **November 2012 Direct Discharge Flow Data Report**, prepared by Jon W. Nichy.

Should you have any other questions or comments regarding this submittal, please contact this office @ 896-1777.


Yours truly,

  
Jon W. Nichy  
Superintendent  
Main Pump Station

## Direct Discharge Flow Data

10/31/2012		2661526	207,579	2,661,526	
<b>November-12</b>	Time; 11:58pm unless otherwise stated	Totalizer Reading (Gallons)	Daily Total Discharge (Gallons)	Total Direct Discharge (Gallons)	Notes
1		2796267	134,741	2,796,267	
2		2945069	148,802	2,945,069	
3		3134636	189,567	3,134,636	
4		3248809	114,173	3,248,809	
5		3249968	1,159	3,249,968	
6		3279541	29,573	3,279,541	
7		3279541	0	3,279,541	
8		3348757	69,216	3,348,757	
9		3417333	68,577	3,417,334	
10		3417333	0	3,417,334	
11		3417333	0	3,417,334	
12		3456632	39,298	3,456,632	
13		3528726	72,094	3,528,726	
14		3587891	59,166	3,587,892	
15		3613122	25,230	3,613,122	
16		3613122	0	3,613,122	
17		3618309	5,188	3,618,310	
18		3657176	38,867	3,657,177	
19		3657176	0	3,657,177	
20		3696862	39,687	3,696,864	
21		3788616	91,754	3,788,618	
22		3795400	6,784	3,795,402	
23		3838941	43,541	3,838,943	
24		3841689	2,748	3,841,691	
25		3865081	23,392	3,865,083	
26		3873895	8,814	3,873,897	
27		3910722	36,828	3,910,725	
28		3930472	19,750	3,930,475	
29		3940514	10,043	3,940,518	
30		3984300	43,786	3,984,304	
31					
		<b>1,322,774</b>	<b>1,322,778</b>	<b>1,322,778</b>	

November  
2012



The  
TOWN OF  
CHEEKTOWAGA



Jon W. Nichy  
Superintendent  
Joseph Glab  
Asst. Superintendent

**Main Pump Station**  
171 Central Blvd.  
Cheektowaga, NY 14225  
Phone: 716-896-1777  
Fax: 716-896-6437

January 3, 2013

Mr. William R. Pugh, P.E.  
Town Engineer  
Town of Cheektowaga


Re: Pfohl Bros. Flow Data

Dear Mr. Pugh,

Enclosed for your review, please find a copy of the **December 2012** Direct Discharge Flow Data Report, prepared by Jon W. Nichy.

Should you have any other questions or comments regarding this submittal, please contact this office @ 896-1777.


Yours truly,

  
Jon W. Nichy  
Superintendent  
Main Pump Station

## Direct Discharge Flow Data

11/30/2012		3984300	43,786	3,984,304	
<b>December-12</b>	Time; 11:58pm unless otherwise stated	Totalizer Reading (Gallons)	Daily Total Discharge (Gallons)	Total Direct Discharge (Gallons)	Notes
1		4039201	54,901	4,039,205	
2		4039201	0	4,039,205	1354inhibit 2327enable
3		4082739	43,538	4,082,743	
4		4105052	22,314	4,105,057	1909inhibit 2354enable
5		4196864	91,812	4,196,869	
6		4318427	121,563	4,318,432	
7		4328486	10,059	4,328,491	
8		4387285	58,799	4,387,290	
9		4463823	76,538	4,463,828	2020inhibit
10		4463823	0	4,463,828	
11		4617894	154,072	4,617,900	0427enable
12		4747504	129,610	4,747,510	
13		4806235	58,731	4,806,241	
14		4816586	10,352	4,816,593	
15		4828850	12,264	4,828,857	
16		4842916	14,067	4,842,924	
17		4930853	87,937	4,930,861	2307inhibit
18		4933504	2,651	4,933,512	
19		5057737	124,234	5,057,746	0013enable
20		5177982	120,245	5,177,991	2328inhibit
21		5224525	46,543	5,224,534	0727enable 1716inhibit
22		5327964	103,440	5,327,974	0924enable
23		5427502	99,538	5,427,512	
24		5434296	6,794	5,434,306	
25		5442693	8,397	5,442,703	
26		5561147	118,454	5,561,157	
27		5586297	25,151	5,586,308	
28		5587023	726	5,587,034	
29		5587023	0	5,587,034	
30		5730493	143,471	5,730,505	
31		5760787	30,294	5,760,799	
		<b>1,776,487</b>	<b>1,776,495</b>	<b>1,776,495</b>	

December  
2012



**APPENDIX C**

**HYDRAULIC MONITORING TABLES**

**TABLE 1  
PFOHL BROTHERS LANDFILL SITE  
GROUNDWATER ELEVATIONS  
JULY - DECEMBER 2012**

Location ID / Type	Northing	Easting	Ground Elevation (ft)	Casing Elevation (ft)	Meas.point (Riser)Elev.(ft)	Geol. Zone	Specific Gravity	Date / Time	Depth to Water (ft)	Water Elev. (ft)	Product Thick. (ft)	Corrected Water Elev. (ft)	Remark
<b>GW-01D</b>	1073088.634	1117968.213	694.41	NM	696.12	D	1						
MNW								9/20/2012 1235	4.10	692.02	0.00	692.02	
MNW								11/6/2012 0915	2.81	693.31	0.00	693.31	
MNW								12/27/2012 1506	2.88	693.24	0.00	693.24	
<b>GW-01S</b>	1073087.779	1117961.500	694.53	NM	696.19	S	1						
MNW								9/20/2012 1234	4.91	691.28	0.00	691.28	
MNW								11/6/2012 0914	3.38	692.81	0.00	692.81	
MNW								12/27/2012 1505	3.57	692.62	0.00	692.62	
<b>GW-03D</b>	1073819.106	1114602.426	692.35	NM	693.88	D	1						
MNW								9/20/2012 1134	2.54	691.34	0.00	691.34	
MNW								11/6/2012 0812	2.08	691.80	0.00	691.80	
MNW								12/27/2012 1238	2.03	691.85	0.00	691.85	
<b>GW-03S</b>	1073812.622	1114605.762	692.61	NM	693.80	S	1						
MNW								9/20/2012 1133	DRY		0.00		
MNW								11/6/2012 0810	DRY		0.00		Dry @ 13.24'
MNW								12/27/2012 1238	5.05	688.75	0.00	688.75	
<b>GW-04D</b>	1072289.432	1114685.625	690.89	NM	692.75	D	1						
MNW								9/20/2012 1248	14.40	678.35	0.00	678.35	
MNW								11/6/2012 0909	13.64	679.11	0.00	679.11	
MNW								12/27/2012 1445	13.09	679.66	0.00	679.66	
<b>GW-04S</b>	1072284.456	1114685.127	690.76	NM	692.72	S	1						
MNW								9/20/2012 1247	10.15	682.57	0.00	682.57	
MNW								11/6/2012 0908	6.47	686.25	0.00	686.25	
MNW								12/27/2012 1444	4.57	688.15	0.00	688.15	

NM - No Measurement

The value noted in the column labeled Specific Gravity is an assumed value for free product, if found.

**Type:**

MH Manhole Monitoring Point  
 MNW Monitoring Well  
 SG Staff Gauge



**TABLE 1**  
**PFOHL BROTHERS LANDFILL SITE**  
**GROUNDWATER ELEVATIONS**  
**JULY - DECEMBER 2012**

Location ID / Type	Northing	Easting	Ground Elevation (ft)	Casing Elevation (ft)	Meas.point (Riser)Elev.(ft)	Geol. Zone	Specific Gravity	Date / Time	Depth to Water (ft)	Water Elev. (ft)	Product Thick. (ft)	Corrected Water Elev. (ft)	Remark
<b>GW-07D</b>	1071242.458	1117669.925	697.15	NM	699.94	D	1						
MNW								9/20/2012 1229	49.59	650.35	0.00	650.35	
MNW								11/6/2012 0923	46.42	653.52	0.00	653.52	
MNW								12/27/2012 1514	55.37	644.57	0.00	644.57	
<b>GW-07S</b>	1071238.157	1117666.265	697.47	NM	699.51	S	1						
MNW								9/20/2012 1230	8.32	691.19	0.00	691.19	
MNW								11/6/2012 0924	4.55	694.96	0.00	694.96	
MNW								12/27/2012 1513	4.80	694.71	0.00	694.71	
<b>GW-08D</b>	1073713.617	1116795.328	695.28	NM	697.79	D	1						
MNW								9/20/2012 1147	6.58	691.21	0.00	691.21	
MNW								11/6/2012 0827	6.05	691.74	0.00	691.74	
MNW								12/27/2012 1320	6.00	691.79	0.00	691.79	
<b>GW-08SR</b>	1073714.172	1116786.343	695.08	NM	697.50	S	1						
MNW								9/20/2012 1147	5.47	692.03	0.00	692.03	
MNW								11/6/2012 0827	5.46	692.04	0.00	692.04	
MNW								12/27/2012 1320	5.31	692.19	0.00	692.19	
<b>GW-26D</b>	1071698.573	1115997.470	696.01	NM	698.50	D	1						
MNW								9/20/2012 1218	7.41	691.09	0.00	691.09	
MNW								11/6/2012 0856	6.92	691.58	0.00	691.58	
MNW								12/27/2012 1415	6.88	691.62	0.00	691.62	
<b>GW-28S</b>	1073129.479	1117648.927	698.60	NM	700.95	S	1						
MNW								9/20/2012 1156	11.28	689.67	0.00	689.67	
MNW								11/6/2012 0835	8.55	692.40	0.00	692.40	
MNW								12/27/2012 1334	8.77	692.18	0.00	692.18	

NM - No Measurement

The value noted in the column labeled Specific Gravity is an assumed value for free product, if found.

**Type:**

MH Manhole Monitoring Point  
MNW Monitoring Well  
SG Staff Gauge

**TABLE 1  
PFOHL BROTHERS LANDFILL SITE  
GROUNDWATER ELEVATIONS  
JULY - DECEMBER 2012**

Location ID / Type	Northing	Easting	Ground Elevation (ft)	Casing Elevation (ft)	Meas.point (Riser)Elev.(ft)	Geol. Zone	Specific Gravity	Date / Time	Depth to Water (ft)	Water Elev. (ft)	Product Thick. (ft)	Corrected Water Elev. (ft)	Remark
<b>GW-29S</b>	1072552.638	1117761.993	697.50	NM	699.63	S	1						
MNW								9/20/2012 1205	10.53	689.10	0.00	689.10	
MNW								11/6/2012 0843	6.88	692.75	0.00	692.75	
MNW								12/27/2012 1350	7.49	692.14	0.00	692.14	
<b>GW-30S</b>	1072096.109	1117743.563	693.67	NM	696.58	S	1						
MNW								9/20/2012 1208	8.39	688.19	0.00	688.19	
MNW								11/6/2012 0846	8.00	688.58	0.00	688.58	
MNW								12/27/2012 1355	7.98	688.60	0.00	688.60	
<b>GW-31S</b>	1071786.280	1117191.441	695.84	NM	698.62	S	1						
MNW								9/20/2012 1212	8.23	690.39	0.00	690.39	
MNW								11/6/2012 0850	2.45	696.17	0.00	696.17	
MNW								12/27/2012 1400	2.58	696.04	0.00	696.04	
<b>GW-32S</b>	1071613.793	1116364.200	696.19	NM	698.37	S	1						
MNW								9/20/2012 1214	Dry		0.00		
MNW								11/6/2012 0853	2.58	695.79	0.00	695.79	
MNW								12/27/2012 1412	2.70	695.67	0.00	695.67	
<b>GW-33S</b>	1072165.625	1115561.866	695.94	NM	698.24	S	1						
MNW								9/20/2012 1223	Dry		0.00		
MNW								11/6/2012 0901	4.08	694.16	0.00	694.16	
MNW								12/27/2012 1428	3.97	694.27	0.00	694.27	
<b>GW-34S</b>	1072979.205	1114730.200	692.51	NM	694.77	S	1						
MNW								9/20/2012 1125	Dry		0.00		
MNW								11/6/2012 0802	3.35	691.42	0.00	691.42	
MNW								12/27/2012 1225	2.71	692.06	0.00	692.06	

NM - No Measurement

The value noted in the column labeled Specific Gravity is an assumed value for free product, if found.

**Type:**

MH Manhole Monitoring Point  
 MNW Monitoring Well  
 SG Staff Gauge

**TABLE 1**  
**PFOHL BROTHERS LANDFILL SITE**  
**GROUNDWATER ELEVATIONS**  
**JULY - DECEMBER 2012**

Location ID / Type	Northing	Easting	Ground Elevation (ft)	Casing Elevation (ft)	Meas.point (Riser)Elev.(ft)	Geol. Zone	Specific Gravity	Date / Time	Depth to Water (ft)	Water Elev. (ft)	Product Thick. (ft)	Corrected Water Elev. (ft)	Remark
<b>GW-35S</b>	1071701.925	1115985.585	696.19	NM	697.39	S	1						
MNW								9/20/2012 1219	Dry		0.00		
MNW								11/6/2012 0850	4.25	693.14	0.00	693.14	
MNW								12/27/2012 1415	3.17	694.22	0.00	694.22	
<b>MH-01</b>	1073806.665	1114810.501	698.62	NM	698.62	NA	1						
MH								9/20/2012 1130	10.54	688.08	0.00	688.08	
MH								11/6/2012 0806	10.23	688.39	0.00	688.39	
MH								12/27/2012 1229	11.01	687.61	0.00	687.61	
<b>MH-03</b>	1073736.789	1115259.334	699.40	NM	699.40	NA	1						
MH								9/20/2012 1140	11.25	688.15	0.00	688.15	
MH								11/6/2012 0822	11.11	688.29	0.00	688.29	
MH								12/27/2012 1452	11.26	688.14	0.00	688.14	
<b>MH-07</b>	1073838.229	1116243.757	696.82	NM	696.82	NA	1						
MH								9/20/2012 1142	9.47	687.35	0.00	687.35	
MH								11/6/2012 0819	9.32	687.50	0.00	687.50	
MH								12/27/2012 1307	9.46	687.36	0.00	687.36	
<b>MH-10</b>	1073540.729	1117381.524	703.01	NM	703.01	NA	1						
MH								9/20/2012 1154	14.51	688.50	0.00	688.50	
MH								11/6/2012 0831	14.49	688.52	0.00	688.52	
MH								12/27/2012 1328	14.48	688.53	0.00	688.53	
<b>MH-15</b>	1072531.567	1117761.125	699.02	NM	699.02	NA	1						
MH								9/20/2012 1205	15.02	684.00	0.00	684.00	
MH								11/6/2012 0842	14.97	684.05	0.00	684.05	
MH								12/27/2012 1350	14.91	684.11	0.00	684.11	

NM - No Measurement

The value noted in the column labeled Specific Gravity is an assumed value for free product, if found.

**Type:**

MH Manhole Monitoring Point  
MNW Monitoring Well  
SG Staff Gauge

**TABLE 1  
PFOHL BROTHERS LANDFILL SITE  
GROUNDWATER ELEVATIONS  
JULY - DECEMBER 2012**

Location ID / Type	Northing	Easting	Ground Elevation (ft)	Casing Elevation (ft)	Meas.point (Riser)Elev.(ft)	Geol. Zone	Specific Gravity	Date / Time	Depth to Water (ft)	Water Elev. (ft)	Product Thick. (ft)	Corrected Water Elev. (ft)	Remark
MH-16 MH	1072133.714	1117748.238	698.57	NM	698.57	NA	1	9/20/2012 1208	14.53	684.04	0.00	684.04	
								11/6/2012 0846	14.51	684.06	0.00	684.06	
								12/27/2012 1355	14.51	684.06	0.00	684.06	
MH-17 MH	1071813.137	1117180.019	702.16	NM	702.16	NA	1	9/20/2012 1212	18.14	684.02	0.00	684.02	
								11/6/2012 0849	18.16	684.00	0.00	684.00	
								12/27/2012 1400	18.15	684.01	0.00	684.01	
MH-20 MH	1071756.395	1115997.024	706.20	NM	706.20	NA	1	9/20/2012 1220	19.72	686.48	0.00	686.48	
								11/6/2012 0855	19.73	686.47	0.00	686.47	
								12/27/2012 1417	19.75	686.45	0.00	686.45	
MH-22 MH	1072158.023	1115589.309	698.05	NM	698.05	NA	1	9/20/2012 1224	8.99	689.06	0.00	689.06	
								11/6/2012 0900	9.01	689.04	0.00	689.04	
								12/27/2012 1427	9.02	689.03	0.00	689.03	
MH-25 MH	1072483.928	1114820.313	698.17	NM	698.17	NA	1	9/20/2012 1120	10.13	688.04	0.00	688.04	
								11/6/2012 0755	9.81	688.36	0.00	688.36	
								12/27/2012 1220	10.60	687.57	0.00	687.57	
SG-01 SG	1073882.887	1114813.101	NM	NM	690.00	NA	1	9/20/2012 1130	Dry		NP		
								11/6/2012 0807	-1.20	691.20	0.00	691.20	
								12/27/2012 1240	-1.23	691.23	0.00	691.23	

NM - No Measurement

The value noted in the column labeled Specific Gravity is an assumed value for free product, if found.

**Type:**

MH Manhole Monitoring Point  
 MNW Monitoring Well  
 SG Staff Gauge

**TABLE 1  
PFOHL BROTHERS LANDFILL SITE  
GROUNDWATER ELEVATIONS  
JULY - DECEMBER 2012**

Location ID / Type	Northing	Easting	Ground Elevation (ft)	Casing Elevation (ft)	Meas.point (Riser)Elev.(ft)	Geol. Zone	Specific Gravity	Date / Time	Depth to Water (ft)	Water Elev. (ft)	Product Thick. (ft)	Corrected Water Elev. (ft)	Remark
SG-02 SG	1073738.27	1116805.85	NM	NM	690.00	NA	1	9/20/2012 1150	-2.90	692.90	0.00	692.90	
								11/6/2012 0820	-3.10	693.10	0.00	693.10	
								12/27/2012 1320	SNOW		0.00		Snow Covered/Frozen
WW-01 MH	1073676.903	1115710.476	NM	NM	684.02	NA	1	9/20/2012 1050	-3.9	687.92	0.00	687.92	
								11/6/2012 0730	-4.1	688.12	0.00	688.12	
								12/27/2012 1130	-3.9	687.92	0.00	687.92	
WW-02 MH	1073684.724	1116792.311	NM	NM	684.18	NA	1	9/20/2012 1050	-4.6	688.78	0.00	688.78	
								11/6/2012 0730	-4.6	688.78	0.00	688.78	
								12/27/2012 1130	-4.7	688.88	0.00	688.88	
WW-03 MH	1073140.339	1117618.499	NM	NM	683.80	NA	1	9/20/2012 1050	-4.6	688.40	0.00	688.40	
								11/6/2012 0730	ERROR		0.00		Level Error
								12/27/2012 1130	-4.6	688.40	0.00	688.40	
WW-04 MH	1072057.563	1117610.508	NM	NM	676.62	NA	1	9/20/2012 1020	-7.0	683.62	0.00	683.62	
								11/6/2012 0730	-6.9	683.52	0.00	683.52	
								12/27/2012 1130	-6.9	683.52	0.00	683.52	
WW-05 MH	1071661.368	1116370.876	NM	NM	676.14	NA	1	9/20/2012 1050	-7.4	683.54	0.00	683.54	
								11/6/2012 0730	-5.6	681.74	0.00	681.74	
								12/27/2012 1130	-7.3	683.44	0.00	683.44	

NM - No Measurement

The value noted in the column labeled Specific Gravity is an assumed value for free product, if found.

**Type:**

MH Manhole Monitoring Point  
 MNW Monitoring Well  
 SG Staff Gauge

**TABLE 1  
PFOHL BROTHERS LANDFILL SITE  
GROUNDWATER ELEVATIONS  
JULY - DECEMBER 2012**

Location ID / Type	Northing	Easting	Ground Elevation (ft)	Casing Elevation (ft)	Meas.point (Riser)Elev.(ft)	Geol. Zone	Specific Gravity	Date / Time	Depth to Water (ft)	Water Elev. (ft)	Product Thick. (ft)	Corrected Water Elev. (ft)	Remark
<b>WW-06</b>	1072988.420	1114811.518	NM	NM	681.89	NA	1						
MH								9/20/2012 1050	-6.5	688.39	0.00	688.39	
MH								11/6/2012 0730	-7.0	688.89	0.00	688.89	
MH								12/27/2012 1130	-6.2	688.09	0.00	688.09	

NM - No Measurement

The value noted in the column labeled Specific Gravity is an assumed value for free product, if found.

**Type:**

MH Manhole Monitoring Point  
 MNW Monitoring Well  
 SG Staff Gauge

**TABLE 2  
PFOHL BROTHERS LANDFILL SITE  
OVERBURDEN HYDRAULIC GRADIENT**

WELL PAIR:	WW-1	*	Level	WW-2	GW-8SR	Level	SG-02	Level
	Water Level	Water Level	Difference	Water Level	Water Level	Difference	Water Level	Difference
DATE	(ft amsl)	(ft amsl)	(ft)	(ft amsl)	(ft amsl)	(ft)	(ft amsl)	(ft)
9/20/2012	687.92	---	---	688.78	692.03	3.25	692.90	4.12
11/6/2012	688.12	---	---	688.78	692.04	3.26	693.10	4.32
12/27/2012	687.92	---	---	688.88	692.19	3.31	FROZEN	NA

WELL PAIR:	WW-3	GW-28S	Level	WW-4	*	Level
	Water Level	Water Level	Difference	Water Level	Water Level	Difference
DATE	(ft amsl)	(ft amsl)	(ft)	(ft amsl)	(ft amsl)	(ft)
9/20/2012	688.40	689.67	1.27	683.62	---	---
11/6/2012	ERROR	692.40	NA	683.52	---	---
12/27/2012	688.40	692.18	3.78	683.52	---	---

WELL PAIR:	WW-5	GW-32S	Level	WW-6	GW-34S	Level
	Water Level	Water Level	Difference	Water Level	Water Level	Difference
DATE	(ft amsl)	(ft amsl)	(ft)	(ft amsl)	(ft amsl)	(ft)
9/20/2012	683.54	DRY	NA	688.39	DRY	NA
11/6/2012	681.74	695.79	14.05	688.89	691.42	2.53
12/27/2012	683.44	695.67	12.23	688.09	692.06	3.97

WELL PAIR:	MH-1	SG-1	Level	MH-15	GW-29S	Level
	Water Level	Water Level	Difference	Water Level	Water Level	Difference
DATE	(ft amsl)	(ft amsl)	(ft)	(ft amsl)	(ft amsl)	(ft)
9/20/2012	688.08	DRY	NA	684.00	689.10	5.10
11/6/2012	688.39	691.20	2.81	684.05	692.75	8.70
12/27/2012	687.61	691.23	3.62	684.11	692.14	8.03

WELL PAIR:	MH-16	GW-30S	Level	MH-17	GW-31S	Level
	Water Level	Water Level	Difference	Water Level	Water Level	Difference
DATE	(ft amsl)	(ft amsl)	(ft)	(ft amsl)	(ft amsl)	(ft)
9/20/2012	684.04	688.19	4.15	684.02	690.39	6.37
11/6/2012	684.06	688.58	4.52	684.00	696.17	12.17
12/27/2012	684.06	688.60	4.54	684.01	696.04	12.03

WELL PAIR:	MH-20	GW-35S	Level	MH-22	GW-33S	Level
	Water Level	Water Level	Difference	Water Level	Water Level	Difference
DATE	(ft amsl)	(ft amsl)	(ft)	(ft amsl)	(ft amsl)	(ft)
9/20/2012	686.48	DRY	NA	689.06	DRY	NA
11/6/2012	686.47	693.14	6.67	689.04	694.16	5.12
12/27/2012	686.45	694.22	7.77	689.03	694.27	5.24

Notes:

\* = No corresponding monitoring well.  
NA = Not applicable

**APPENDIX D**

**GROUNDWATER PURGE AND SAMPLE COLLECTION  
LOGS**















# WELL PURGING LOG

**URS Corporation**

SITE NAME: Pfohl Brothers Landfill WELL NO.: GW-7S  
 PROJECT NO.: 11175616.00000  
 STAFF: Tim Ifkovich, Kevin McGovern  
 DATE(S): 11/6/12, 11/7/12

			WELL ID.	VOL. (GAL/FT)
1. TOTAL CASING AND SCREEN LENGTH (FT.)	=	<u>35.04</u>	1"	0.040
2. WATER LEVEL BELOW TOP OF CASING (FT.)	=	<u>4.55</u>	2"	0.17
3. NUMBER OF FEET STANDING WATER (#1 - #2)	=	<u>30.49</u>	3"	0.38
4. VOLUME OF WATER/FOOT OF CASING (GAL.)	=	<u>0.17</u>	4"	0.66
5. VOLUME OF WATER IN CASING (GAL.)(#3 x #4)	=	<u>5.1</u>	5"	1.04
6. VOLUME OF WATER TO REMOVE (GAL.)(#5 x 3)	=	<u>        </u>	6"	1.50
7. VOLUME OF WATER ACTUALLY REMOVED (GAL.)	=	<u>7.5</u>	8"	2.60

$V=0.0408 \times (\text{CASING DIAMETER [INCHES]})^2$

PARAMETERS	ACCUMULATED VOLUME PURGED (GALLONS)									
	Initial	2.0	4.0	6.0	7.5					
pH	6.49	6.78	7.64	7.92	8.00					
SPEC. COND. (mS/cm)	0.333	0.474	0.458	0.456	0.443					
DO (mg/l)	3.53	10.73	11.65	11.31	1.52					
TEMPERATURE (°C)	9.40	11.21	11.39	11.26	11.11					
TURBIDITY (NTU)	8.4	23.8	46.4	80.2	276					
ORP (millivolts)	107	169	139	124	35					
TIME	10:06	10:09	10:14	10:21	10:28					

COMMENTS: 9:25 - Fill VOCs from passive diffusion bag (PDB), PDB was installed on 9/21/12  
 10:04 - Begin handbailing well.  
 10:27 - Well dry after removing 7.5 gallons.  
 11/7/2012 return to well, depth to water = 4.74 feet.  
 10:15 - Collect sample for SVOCs and Metals.

# WELL PURGING LOG

**URS Corporation**

SITE NAME: Pfohl Brothers Landfill WELL NO.: GW-7D  
 PROJECT NO.: 11175616.00000  
 STAFF: Tim Ifkovich, Kevin McGovern  
 DATE(S): 11/6/12, 11/7/12

			WELL ID.	VOL. (GAL/FT)
1. TOTAL CASING AND SCREEN LENGTH (FT.)	=	<u>60.45</u>	1"	0.040
2. WATER LEVEL BELOW TOP OF CASING (FT.)	=	<u>46.42</u>	2"	0.17
3. NUMBER OF FEET STANDING WATER (#1 - #2)	=	<u>14.03</u>	3"	0.38
4. VOLUME OF WATER/FOOT OF CASING (GAL.)	=	<u>0.66</u>	4"	0.66
5. VOLUME OF WATER IN CASING (GAL.)(#3 x #4)	=	<u>9.3</u>	5"	1.04
6. VOLUME OF WATER TO REMOVE (GAL.)(#5 x 3)	=	<u>        </u>	6"	1.50
7. VOLUME OF WATER ACTUALLY REMOVED (GAL.)	=	<u>10.0</u>	8"	2.60

$V=0.0408 \times (\text{CASING DIAMETER [INCHES]})^2$

PARAMETERS	ACCUMULATED VOLUME PURGED (GALLONS)									
	Init	2	4	6	8	10				
pH	8.10	7.99	7.98	8.02	7.10	8.08				
SPEC. COND. (mS/cm)	0.540	0.542	0.569	0.606	0.615	0.620				
DO (mg/l)	11.31	11.16	4.70	2.91	2.18	1.99				
TEMPERATURE (°C)	10.61	11.22	11.32	11.40	11.24	11.08				
TURBIDITY (NTU)	15.0	4.5	10.6	11.6	20.9	25.7				
ORP (millivolts)	36	-59	-101	-130	-153	-165				
TIME	10:59	11:03	11:11	11:19	11:27	11:31				

COMMENTS: 9:35 - Fill VOCs from passive diffusion bag (PDB), PDB was installed on 9/21/12  
 10:45 - Begin handbailing well.  
 11:31 - Well dry after removing 10 gallons  
 11/7/2012 return to well, depth to water = 59.26 feet.  
 10:25 - Collect sample for SVOCs and Metals, only enough volume to fill 1 metals container and 1-1 liter Amber container.



























## GROUNDWATER SAMPLING - SAMPLE COLLECTION DATA SHEET

Project Name: Pfohl Brothers Project Number: 11175616.00000

Sampling Crew Members: T. Ifkovich, K. McGovern Supervisor: J. Sundquist

Date of Sampling: November 6, 2012

<b>Sample I.D. Number</b>	<b>Well Number</b>	<b>Well Volume (liters)</b>	<b>Volume Purged (liters)</b>	<b>Sample Time</b>	<b>Sample Description</b>	<b>Analysis Required</b>	<b>Chain-of-Custody Number</b>
GW-7S	GW-7S	19.3	PDB	9:25	Groundwater	VOCs	Not Applicable
GW-7D	GW-7D	35.2	PDB	9:35	Groundwater		Not Applicable
GW-3D	GW-3D	83.0	54.6	13:10	Groundwater	VOCs/SVOCs/ Metals	Not Applicable
GW-3D-MS	GW-3D	83.0	54.6	13:10	Matrix Spike		Not Applicable
GW-3D-MSD	GW-3D	83.0	54.6	13:10	Matrix Spike Duplicate		Not Applicable
GW-8SR	GW-8SR	4.7	8.5	14:24	Groundwater		Not Applicable
GW-8D	GW-8D	75.3	44.5	15:39	Groundwater		Not Applicable

Additional Comments: GW-7D and GW-7S were sampled for VOCs using passive diffusion bags (PDBs).  
GW-7D and GW-7S were then purged dry, remaining parameters collected November 7, 2012.  
All other wells were purged using low flow methods until parameter stabilization.

## GROUNDWATER SAMPLING - SAMPLE COLLECTION DATA SHEET

Project Name: Pfohl Brothers

Project Number: 11175616.00000

Sampling Crew Members: T. Ifkovich, K. McGovern

Supervisor: J. Sundquist

Date of Sampling: November 6, 2012

<b>Sample I.D. Number</b>	<b>Well Number</b>	<b>Well Volume (liters)</b>	<b>Volume Purged (liters)</b>	<b>Sample Time</b>	<b>Sample Description</b>	<b>Analysis Required</b>	<b>Chain-of-Custody Number</b>
TB-110612	---	---	---	---	Trip Blank	VOCs	Not Applicable

Additional Comments: All wells were purged using low flow methods until parameter stabilization.  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

## GROUNDWATER SAMPLING - SAMPLE COLLECTION DATA SHEET

Project Name: Pfohl Brothers Project Number: 11175616.00000

Sampling Crew Members: T. Ifkovich, K. McGovern Supervisor: J. Sundquist

Date of Sampling: November 7, 2012

<b>Sample I.D. Number</b>	<b>Well Number</b>	<b>Well Volume (liters)</b>	<b>Volume Purged (liters)</b>	<b>Sample Time</b>	<b>Sample Description</b>	<b>Analysis Required</b>	<b>Chain-of-Custody Number</b>
GW-34S	GW-34S	4.0	3.9	8:32	Groundwater	VOCs/SVOCs/ Metals	Not Applicable
GW-28S	GW-28S	4.2	6.4	9:45	Groundwater		Not Applicable
GW-7S	GW-7S	19.3	28.4	10:15	Groundwater	SVOCs/ Metals	Not Applicable
GW-7D	GW-7D	35.2	37.9	10:25	Groundwater		Not Applicable
GW-1D	GW-1D	90.6	49.7	11:47	Groundwater	VOCs/SVOCs/ Metals	Not Applicable
FD-110712	GW-1D	90.6	49.7	11:47	Duplicate		Not Applicable
GW-1S	GW-1S	7.1	9.0	12:47	Groundwater		Not Applicable

Additional Comments: GW-7D and GW-7S were sampled for SVOCs and Metals after recharging overnight.

All other wells were purged using low flow methods until parameter stabilization.

## GROUNDWATER SAMPLING - SAMPLE COLLECTION DATA SHEET

Project Name: Pfohl Brothers Project Number: 11175616.00000

Sampling Crew Members: T. Ifkovich, K. McGovern Supervisor: J. Sundquist

Date of Sampling: November 7, 2012

<b>Sample I.D. Number</b>	<b>Well Number</b>	<b>Well Volume (liters)</b>	<b>Volume Purged (liters)</b>	<b>Sample Time</b>	<b>Sample Description</b>	<b>Analysis Required</b>	<b>Chain-of-Custody Number</b>
GW-4S	GW-4S	6.0	15.1	13:25 & 15:00	Groundwater	VOCs/SVOCs/ Metals	Not Applicable
GW-4D	GW-4D	78.9	8.4	14:40	Groundwater		Not Applicable
TB-110712	---	---	---	---	Trip Blank	VOCs	Not Applicable

Additional Comments: GW-4S was sampled for VOCs using a passive diffusion bag and then purged dry/allowed to recharge for collection of other parameters.  
All other wells were purged using low flow methods until parameter stabilization.

## GROUNDWATER SAMPLING - SAMPLE COLLECTION DATA SHEET

Project Name: Pfohl Brothers Project Number: 11175616.00000

Sampling Crew Members: T. Ifkovich, K. McGovern Supervisor: J. Sundquist

Date of Sampling: November 8, 2012

<b>Sample I.D. Number</b>	<b>Well Number</b>	<b>Well Volume (liters)</b>	<b>Volume Purged (liters)</b>	<b>Sample Time</b>	<b>Sample Description</b>	<b>Analysis Required</b>	<b>Chain-of-Custody Number</b>
GW-29S	GW-29S	7.7	8.5	8:53	Groundwater	VOCs/SVOCs/ Metals	Not Applicable
GW-30S	GW-30S	6.1	21.3	9:38	Groundwater		Not Applicable
GW-31S	GW-31S	4.3	3.5	10:23	Groundwater		Not Applicable
GW-32S	GW-32S	4.4	6.1	11:23	Groundwater		Not Applicable
GW-26D	GW-26D	83.1	28.1	12:22	Groundwater		Not Applicable
GW-35S	GW-35S	2.0	8.3	13:12	Groundwater		Not Applicable
GW-33S	GW-33S	2.4	4.9	14:10	Groundwater		Not Applicable

Additional Comments: All wells were purged using low flow methods until parameter stabilization.  
In addition, trip blank TB-110812 was submitted for analysis of VOCs.



**APPENDIX E**

**GROUNDWATER TREND ANALYSIS**

**FIGURE E-1**  
**TRENDS OF PARAMETERS ROUTINELY EXCEEDING GROUNDWATER STANDARDS**  
**IN MONITORING WELL GW-1D**




FIGURE E-2  
TRENDS OF PARAMETERS ROUTINELY EXCEEDING GROUNDWATER STANDARDS  
IN MONITORING WELL GW-1S




FIGURE E-3  
TRENDS OF PARAMETERS ROUTINELY EXCEEDING GROUNDWATER STANDARDS  
IN MONITORING WELL GW-3D




FIGURE E-4  
TRENDS OF PARAMETERS ROUTINELY EXCEEDING GROUNDWATER STANDARDS  
IN MONITORING WELL GW-3S




FIGURE E-5  
TRENDS OF PARAMETERS ROUTINELY EXCEEDING GROUNDWATER STANDARDS  
IN MONITORING WELL GW-04D




FIGURE E-6  
TRENDS OF PARAMETERS ROUTINELY EXCEEDING GROUNDWATER STANDARDS  
IN MONITORING WELL GW-4S




FIGURE E-7  
 TRENDS OF PARAMETERS ROUTINELY EXCEEDING GROUNDWATER STANDARDS  
 IN MONITORING WELL GW-7D






FIGURE E-8  
TRENDS OF PARAMETERS ROUTINELY EXCEEDING GROUNDWATER STANDARDS  
IN MONITORING WELL GW-7S




FIGURE E-9  
TRENDS OF PARAMETERS ROUTINELY EXCEEDING GROUNDWATER STANDARDS  
IN MONITORING WELL GW-8D





FIGURE E-10  
 TRENDS OF PARAMETERS ROUTINELY EXCEEDING GROUNDWATER STANDARDS  
 IN MONITORING WELL GW-8SR



**FIGURE E-11**  
**TRENDS OF PARAMETERS ROUTINELY EXCEEDING GROUNDWATER STANDARDS**  
**IN MONITORING WELL GW-26D**




FIGURE E-12  
TRENDS OF PARAMETERS ROUTINELY EXCEEDING GROUNDWATER STANDARDS  
IN MONITORING WELL GW-28S




FIGURE E-13  
 TRENDS OF PARAMETERS ROUTINELY EXCEEDING GROUNDWATER STANDARDS  
 IN MONITORING WELL GW-29S




FIGURE E-14  
 TRENDS OF PARAMETERS ROUTINELY EXCEEDING GROUNDWATER STANDARDS  
 IN MONITORING WELL GW-30S





FIGURE E-15  
 TRENDS OF PARAMETERS ROUTINELY EXCEEDING GROUNDWATER STANDARDS  
 IN MONITORING WELL GW-31S





**FIGURE E-16**  
**TRENDS OF PARAMETERS ROUTINELY EXCEEDING GROUNDWATER STANDARDS**  
**IN MONITORING WELL GW-32S**




FIGURE E-17  
 TRENDS OF PARAMETERS ROUTINELY EXCEEDING GROUNDWATER STANDARDS  
 IN MONITORING WELL GW-33S




FIGURE E-18  
 TRENDS OF PARAMETERS ROUTINELY EXCEEDING GROUNDWATER STANDARDS  
 IN MONITORING WELL GW-34S





FIGURE E-19  
TRENDS OF PARAMETERS ROUTINELY EXCEEDING GROUNDWATER STANDARDS  
IN MONITORING WELL GW-35S



## **APPENDIX F**

### **BSA PERMIT NO. 10-11-CH016**

**AUTHORIZATION TO DISCHARGE UNDER THE BUFFALO  
POLLUTANT DISCHARGE ELIMINATION SYSTEM**

**PERMIT NO. 10-11-CH016  
USEPA Category 40 CFR Part 403**

In accordance with the provisions of the Federal Water Pollution Control Act, as amended, and the Sewer Regulations of the Buffalo Sewer Authority, authorization is hereby granted to:

**THE TOWN OF CHEEKTOWAGA**

to discharge wastewater from a facility located at:


**PFOHL BROTHERS LANDFILL REMEDIATION SITE  
1000 AERO DRIVE  
CHEEKTOWAGA, NEW YORK 14225**

The wastewater permitted herein shall be discharged to the Town of Cheektowaga sewer system, which is connected to the Buffalo Municipal Sewer System and Treatment facilities, and which wastewater will be treated at the Buffalo Sewer Authority's Treatment Plant.

Issuance of this permit is based upon a permit application filed on **November 3, 2005** analytical data. This permit is granted in accordance with discharge limitations, monitoring requirements and other conditions set forth in Parts I and II hereof.

**Effective this 1st<sup>day</sup> of November, 2010**

**To Expire the 31st day of March, 2013**



**General Manager**

Signed this 30<sup>th</sup> day of September, 2010

**PART I: SPECIFIC CONDITIONS****A. DISCHARGE LIMITATIONS & MONITORING REQUIREMENTS**

During the period beginning the effective date of this Permit and lasting until the expiration date, discharge from the permitted facility outfall (see attached map) shall be limited and monitored quarterly by the permittee as specified below.

Sample Point	Parameter	Discharge Limitations <sup>(1)</sup>		Sampling Requirements	
		Daily Max		Period	Type
001	pH	5.0 – 12.0 S.U.		1 day	Composite <sup>2</sup>
	Total Cadmium	1.17 lbs.		1 day	Composite <sup>2</sup>
	Total Chromium	1.17 lbs.		1 day	Composite <sup>2</sup>
	Total Copper	3.74 lbs.		1 day	Composite <sup>2</sup>
	Total Lead	1.17 lbs.		1 day	Composite <sup>2</sup>
	Total Nickel	3.27 lbs.		1 day	Composite <sup>2</sup>
	Total Zinc	5.84 lbs.		1 day	Composite <sup>2</sup>
	Total Barium	2.34 lbs.		1 day	Composite <sup>2</sup>
	Total Suspended Solids <sup>5</sup>	250 mg/l		1 day	Composite <sup>2</sup>
	Total Flow	140,100 gallons <sup>6</sup>		1 day	Discharge meter reading

Footnotes are explained on page 5.

## PART I: SPECIFIC CONDITIONS

### A. DISCHARGE LIMITATIONS & MONITORING REQUIREMENTS

During the period beginning the effective date of this Permit and lasting until the expiration date, discharge from the permitted facility outfall (see attached map) shall be limited and monitored **once** by the permittee as specified below.

Sample Point	Parameter	Discharge Limitations <sup>(1)</sup>		Sampling Requirements	
		Daily Max	Period	Type	
001	Total Mercury	0.001 lbs.	1 day	Composite <sup>2</sup>	
	USEPA Test Method 608 <sup>4</sup>	To be monitored	1 day	Grab <sup>3</sup>	
	USEPA Test Method 624 <sup>4</sup>	To be monitored	1 day	Grab <sup>3</sup>	
	USEPA Test Method 625 <sup>4</sup>	To be monitored	1 day	Grab <sup>3</sup>	

Footnotes are explained on page 5.



## PART I: SPECIFIC CONDITIONS

**B. DISCHARGE MONITORING REPORTING REQUIREMENTS**

During the period beginning the effective date of this permit and lasting until the expiration date, discharge monitoring results shall be summarized and reported **quarterly** by the permittee on the days specified below:


<b>Sample Point</b>	<b>Parameter</b>	<b>Reporting Requirements</b>	
		<b>Initial Report</b>	<b>Subsequent Reports</b>
001	All except USEPA Test Methods 608, 624, 625 & T Mercury	March 31, 2011	Every March 31 <sup>st</sup> , June 30 <sup>th</sup> , September 30 <sup>th</sup> and December 31 <sup>st</sup>
	USEPA Test Methods 608, 624 and 625 & T Mercury	March 31, 2011	

## PART I: SPECIFIC CONDITIONS

### C. SPECIAL REQUIREMENTS

1. Mass limits based on an average discharge of 140,100 gpd.
2. Composite samples may be time proportioned.
3. Four grab samples must be collected at equally spaced intervals throughout the sample day. The four (4) grab samples must be composited by a NYSDOH certified laboratory prior to analysis.
4. The permittee must report any compound whose concentration is equal to or greater than 0.01 mg/L. The permittee is not authorized to discharge any of the parameters evaluated by these test procedures which may cause or contribute to a violation of water quality standards or harm the sewerage system. Any parameter detected may, at the discretion of the BSA, be specifically limited and incorporated in this permit.
5. Surchargeable over 250 mg/L.
6. Flow is an action level only. If the permittee consistently exceeds this level, the BSA must be notified so that this permit can be modified.

10-102502-CVT



A

**URS**

**PFOHL BROTHERS LANDFILL  
EFFLUENT SAMPLE POINT**

**FIGURE 1**

TOWN OF CHEEKTOWAGA/BUFFALO POLLUTANT DISCHARGE ELIMINATION SYSTEM  
PERMIT

**PART II GENERAL CONDITIONS**

**A. MONITORING AND REPORTING**

**1. Local Limits**

Except as otherwise specified in this permit, the permit holder shall comply with all specific prohibitions, limits on pollutants or pollutant parameters set forth in the Buffalo Sewer Authority Sewer Use Regulations, as amended from time to time, and such prohibitions, limits and parameters shall be deemed pretreatment standards for purposes of the Clean Water Act

**2. Definitions**

Definitions of terms contained in this permit are as defined in the Town of Cheektowaga Local Law No. 2 and the Buffalo Sewer Authority Sewer Use Regulations.

**3. Discharge Sampling Analysis**

All Wastewater discharge samples and analyses and flow measurements shall be representative of the volume and character of the monitored discharge. Methods employed for flow measurements and sample collections and analyses shall conform to the Buffalo Sewer Authority "Sampling Measurement and Analytical Guidelines Sheet."

**4. Recording of Results**

For each measurement or sample taken pursuant to the requirements of the permit, the Permittee shall record the information as required in the "Sampling Measurement and Analytical Guidelines Sheet."

**5. Additional Monitoring by Permittee**

If the Permittee monitors any pollutants at the location(s) designated herein more frequently than required by this permit, using approved analytical methods as specified in 40 CFR Part 136 the results of such monitoring shall be included in the calculation and reporting of values required under Part I, B. Such increased frequency shall also be indicated.

**6. Reporting**

All reports prepared in accordance with this Permit shall be submitted to:

**Mr. William Pugh, P.E.**  
**Town Engineer**  
**275 Alexander Ave.**  
**Cheektowaga, New York, 14211**

All self-monitoring reports shall be prepared in accordance with the BSA "Sampling Measurement and Analytical Guidelines Sheet." These reporting requirements shall not relieve the Permittee of any other reports, which may be required by the

N.Y.S.D.E.C. or the U.S.E.P.A.

**B. PERMITTEE REQUIREMENTS**

**1. Change in Discharge**

All discharges authorized herein shall be consistent with the terms and conditions of this permit and with the information contained in the TC/BPDES Permit Application on which basis this permit is granted. In the event of any facility expansions, production increases, process modifications or the installation, modification or repair of any pretreatment equipment which may result in new, different or increased discharges of pollutants, a new TC/BPDES Permit Application must be submitted prior to any change. Following receipt of an amended application, the BSA may modify this permit to specify and limit any pollutants not previously limited. In the event that the proposed change will be covered under an applicable Categorical Standard, a Baseline Monitoring Report must be submitted at least ninety (90) days prior to any discharge.

**2. Records Retention**

All records and information resulting from the monitoring activities required by this permit including all records of analyses performed, calibration and maintenance of instrumentation, and recordings from continuous monitoring instrumentation shall be retained at this facility for a minimum of three (3) years, or longer if requested by the General Manager and/or Town Engineer.

**3. Notification of Slug, Accidental Discharge or Spill**

In the event that a slug, accidental discharge or any spill occurs at the facility for which this permit is issued, it is the responsibility of the Permittee to immediately notify the B.S.A. Treatment Plant at 883-1820 of the quantity and character of such discharge. If requested by the B.S.A., within five (5) days following all such discharges, the Permittee shall submit a report describing the character and duration of the discharge, the cause of the discharge, and measures taken or that will be taken to prevent a recurrence of such discharge.

**4. Noncompliance Notification**

If, for any reason, the Permittee does not comply with or will be unable to comply with any discharge limitation specified in this permit, the Permittee or their assigns must verbally notify the Industrial Waste Section at 883-1820 within twenty-four (24) hours of becoming aware of the violation. The Permittee shall provide the Industrial Waste Section with the following information, in writing, within five (5) days of becoming aware of such condition:

- a. a description of the discharge and cause of noncompliance and;
- b. the period of noncompliance, including exact dates and times; or, if not corrected, the anticipated time the noncompliance is expected to continue, and steps being taken to reduce, eliminate and prevent recurrence of the noncomplying discharge.

**5. Adverse Impact**

The Permittee shall take all reasonable steps to minimize any adverse impact to the Buffalo and Town Sewerage System resulting from noncompliance with any discharge limitations specified in this permit, including such accelerated or additional monitoring as necessary to determine the nature and impact of the noncomplying discharge.

**6. Waste Residuals**

Solids, sludges, filter backwash or other pollutants removed in the course of treatment or control of wastewaters and/or the treatment of intake waters, shall be disposed of in a manner such as to prevent any pollutant from such materials from entering the Buffalo or Town Sewer System.

**7. Power Failures**

In order to maintain compliance with the discharge limitations and prohibitions of this permit, the Permittee shall provide an alternative power source sufficient to operate the wastewater control facilities; or, if such alternative power source is not provided the Permittee shall halt, reduce or otherwise control production and/or controlled discharges upon the loss of power to the wastewater control facilities.

**8. Treatment Upsets**

- a. Any industrial user which experiences an upset in operations that places it in a temporary state of noncompliance, which is not the result of operational error, improperly designed treatment facilities, inadequate treatment facilities, lack of preventive maintenance, or careless or improper operation, shall inform the Industrial Waste Section immediately upon becoming aware of the upset. Where such information is given verbally, a written report shall be filed by the user within five (5) days. The report shall contain:
  - (i) A description of the upset, its cause(s) and impact on the discharger's compliance status.
  - (ii) The duration of noncompliance, including exact dates and times of noncompliance, and if the noncompliance is continuing, the time by which compliance is reasonably expected to be restored
  - (iii) All steps taken or planned to reduce, eliminate, and prevent recurrence of such an upset.
- b. An industrial user which complies with the notification provisions of this Section in a timely manner shall have an affirmative defense to any enforcement action brought by the Industrial Waste Section/Town Engineer for any noncompliance of the limits in this permit, which arises out of violations attributable to and alleged to have occurred during the period of the documented and verified upset.

**9. Treatment Bypasses**

- a. A bypass of the treatment system is prohibited unless the following conditions are met:
- (i) The bypass was unavoidable to prevent loss of life, personal injury, or severe property damage; or
  - (ii) There was no feasible alternative to the bypass, including the use of auxiliary treatment or retention of the wastewater; and
  - (iii) The industrial user properly notified the Industrial Waste Section as described in paragraph b. below.
- b. Industrial users must provide immediate notice to the Industrial Waste Section upon delivery of an unanticipated bypass. If necessary, the Industrial Waste Section may require the industrial user to submit a written report explaining the cause(s), nature, and duration of the bypass, and the steps being taken to prevent its recurrence.
- c. An industrial user may allow a bypass to occur which does not cause pretreatment standards or requirements to be violated, but only if it is for essential maintenance to ensure efficient operation of the treatment system. Industrial users anticipating a bypass must submit notice to the Industrial Waste Section at least ten (10) days in advance. The Industrial Waste Section may only approve the anticipated bypass if the circumstances satisfy those set forth in paragraph a. above.

**C. PERMITTEE RESPONSIBILITIES**

**1. Permit Availability**

The originally signed permit must be available upon request at all times for review at the address stated on the first page of this permit.

**2. Inspections**

The Permittee shall allow the representatives of the Buffalo Sewer Authority or Town of Cheektowaga upon the presentation of credentials and during normal working hours or at any other reasonable times, to have access to and copy any records required in this permit; and to sample any discharge of pollutants.

**3. Transfer of Ownership or Control**

In the event of any change in control or ownership of facilities for which this permit has been issued the permit shall become null and void. The succeeding owner shall submit a completed Town of Cheektowaga/ Buffalo Sewer Authority permit application prior to discharge to the sewer system.

**D. PERMITTEE LIABILITIES**

**1. Permit Modification**

After notice and opportunity for a hearing, this permit may be modified, suspended, or revoked in whole or in part during its term for cause including, but not limited to the following:

- a. Violation of any terms or conditions of this permit,
- b. Obtaining this permit by misrepresentation or failure to disclose fully all relevant facts,
- c. A change in any condition that requires either a temporary or permanent reduction or elimination of the authorized discharge.

**2. Imminent Danger**

In the event there exists an imminent danger to health or property, the permitter reserves the right to take immediate action to halt the permitted discharge to the sewerage works.

**3. Civil and Criminal Liability**

Nothing in this permit shall relieve the Permittee from any requirements, liabilities, or penalties under provisions of the Town of Cheektowaga Local Law No. 2, the "Sewer Regulations of the Buffalo Sewer Authority" or any Federal, State and/or local laws or regulations.

**4. Penalties for Violations of Permit Conditions**

The "Sewer Regulations of the Buffalo Sewer Authority" and Town of Cheektowaga Local Law No. 2, provide that any person who violates a B.P.D.E.S. permit condition is liable to the Authority and/or the Town for a civil penalty of up to \$10,000 per day for each violation. Any person who willfully or negligently violates permit conditions will be referred to the New York State Attorney General.

**E. NATIONAL PRETREATMENT STANDARDS**

If a pretreatment standard or prohibition (including any Schedule of Compliance specified in such pretreatment standard or prohibition) is established under Section 307 (b) of the Act for a pollutant which is present in the discharge and such standard or prohibition is more stringent than any limitation for such pollutant in this permit, this permit shall be revised or modified in accordance with such pretreatment standard or prohibition.

**F. PLANT CLOSURE**

In the event of plant closure, the Permittee is required to notify the Industrial Waste Section/Town Engineer in writing as soon as an anticipated closure date is determined, but in no case later than five (5) days of the actual closure.



**G. CONFIDENTIALITY**

Except for data determined to be confidential under Section 308 of the Act, all reports prepared in accordance with the terms of this permit shall be available for public inspection at the offices of the Buffalo Sewer Authority or Town Engineer of the Town of Cheektowaga. As required by the Act, effluent data shall not be considered confidential. Knowingly making any false statement on any such report may result in the imposition of criminal penalties as provided for in Section 309 of the Act.

**H. SEVERABILITY**

The provisions of this permit are severable, and if any provision of this permit, or the application of any provision of this permit to any circumstance, is held invalid, the application of such provision to other circumstances, and the remainder of this permit, shall not be affected thereby.

## **APPENDIX G**

### **DISCHARGE REPORT SUMMARY TABLES**

# SAMPLING FIELD SHEET



Client Name: Pfohl Brothers Landfill

Address: Aero Drive, Cheektowaga, NY

Contact: Bill Pugh, P.E. Phone: 716-897-7288

**Installation:**

Sample Point: SP-001

Sample Location: Meter Chamber - ball valve on 6" HDPE forcemain

Date: 9/20/12 Crew: R. Murphy, T. Ifkovich, S. Conway

Weather: 65° F, Clear

Sampling Device: NA

Time of Installation: 11:15 Type of Sample: Composite

Sample Interval: NA Sample Volume: NA

Comments and Observations: No wells were running at the time of sample setup.  
PLC display volumes: WW-01 (304,971 gals), WW-02 (18,832 gals), WW-03 (183,695 gals),  
WW-04 (18,122 gals), WW-05 (615,832 gals), WW-06 (210,586 gals) & MH-25 (1,347,197 gals).

Date: 9/21/12 Crew: R. Murphy, T. Ifkovich, S. Conway

Weather: 66° F, Cloudy

Time of Collection: 11:15

Field Measurements:

12:55/RJM pH Calibration: Buffer 7- 7 Buffer 4- 4 Buffer 10- 10  
(time/initial)

pH Measurement: 7.1

Temperature: 20.7°C

Identification: EFF-092112

Physical Observations: \_\_\_\_\_

Laboratory: TestAmerica, Buffalo, NY

Comments: No wells were running at the time of sample collection.  
PLC display volumes: WW-01 (304,971 gals), WW-02 (18,832 gals), WW-03 (183,695 gals),  
WW-04 (18,122 gals), WW-05 (616,813 gals), WW-06 (210,586 gals) & MH-25 (1,348,170 gals).

Reviewed By: \_\_\_\_\_ Date: \_\_\_\_\_  
(Supervisor)

**TABLE 1**

**PFOHL BROTHERS LANDFILL - EFFLUENT MONITORING  
ANALYTICAL RESULTS, TOTAL FLOW, AND MASS LOADINGS  
SEPTEMBER 2012**

<b>Sample ID</b>	<b>EFF-092112</b>			
<b>Matrix</b>	<b>Effluent Water</b>			
<b>Date Sampled</b>	<b>9/21/2012</b>			
<b>Parameter</b>	<b>Result</b>	<b>Mass Loading</b>	<b>Discharge Limitation</b>	<b>Violations</b>
	<b>(mg/L)</b>	<b>(lbs/day)</b>	<b>(lbs/day)</b>	<b>(Y/N)</b>
Total Barium	0.45	0.004	2.34	No
Total Cadmuim	ND <sup>(1)</sup>	NA <sup>(2)</sup>	1.17	No
Total Chromium	0.0014	0.00001	1.17	No
Total Copper	0.0089	0.0001	3.74	No
Total Lead	ND	NA	1.17	No
Total Nickel	0.011	0.0001	3.27	No
Total Zinc	0.032	0.0003	5.84	No
Total Suspended Solids	55.2	NA	250 <sup>(3)</sup>	No
pH <sup>(4)</sup>	7.07	NA	5.0 - 12.0	No
<b>Total Flow<sup>(5)</sup></b>		<b>973</b>	<b>140,000</b>	<b>No</b>

Notes:

- (1) ND = Not Detected
- (2) NA = Not Applicable
- (3) Discharge Limitation in units of mg/L
- (4) pH measurement and Discharge Limitation in Standard Units
- (5) Total Flow reported in gallons, sample was collected over a 24 hour period

$$\text{Calculation: } \left( \frac{x \text{ mg}}{\text{L}} \right) \left( \frac{y \text{ gal}}{\text{day}} \right) \left( \frac{1 \text{ lb}}{453,600 \text{ mg}} \right) \left( \frac{3.785 \text{ L}}{\text{gal}} \right) = \frac{x \times y}{119,841} \frac{\text{lb}}{\text{day}}$$

# SAMPLING FIELD SHEET



Client Name: Pfohl Brothers Landfill

Address: Aero Drive, Cheektowaga, NY

Contact: Bill Pugh, P.E. Phone: 716-897-7288

**Installation:**

Sample Point: SP-001

Sample Location: Meter Chamber - ball valve on 6" HDPE forcemain

Date: 12/27/12 Crew: R. Murphy, T. Ifkovich, K. McGovern

Weather: 30° F, Snow

Sampling Device: NA

Time of Installation: 12:05 Type of Sample: Composite

Sample Interval: NA Sample Volume: NA

Comments and Observations: No wells were running at the time of sample setup.  
PLC display volumes: WW-01 (557,819 gals), WW-02 (12,826 gals), WW-03 (477,894 gals),  
WW-04 (149,517 gals), WW-05 (1,796,359 gals), WW-06 (2,589,530 gals) & MH-25 (5,586,018 gals).

Date: 9/28/12 Crew: R. Murphy, T. Ifkovich, K. McGovern

Weather: 29° F, Cloudy

Time of Collection: 12:15

Field Measurements:

12:15/RJM pH Calibration: Buffer 7- 7 Buffer 4- 4 Buffer 10- 10  
(time/initial)

pH Measurement: 8.8

Temperature: 8.9°C

Identification: EFF-122812

Physical Observations: \_\_\_\_\_

Laboratory: TestAmerica, Buffalo, NY

Comments: No wells were running at the time of sample collection.  
PLC display volumes: WW-01 (557,819 gals), WW-02 (12,826 gals), WW-03 (477,894 gals),  
WW-04 (149,517 gals), WW-05 (1,797,370 gals), WW-06 (2,589,530 gals) & MH-25 (5,587,023 gals).

Reviewed By: \_\_\_\_\_ Date: \_\_\_\_\_  
(Supervisor)

**TABLE 1**

**PFOHL BROTHERS LANDFILL - EFFLUENT MONITORING  
ANALYTICAL RESULTS, TOTAL FLOW, AND MASS LOADINGS  
DECEMBER 2012**

<b>Sample ID</b>	<b>EFF-122812</b>			
<b>Matrix</b>	<b>Effluent Water</b>			
<b>Date Sampled</b>	<b>12/28/2012</b>			
<b>Parameter</b>	<b>Result</b>	<b>Mass Loading</b>	<b>Discharge Limitation</b>	<b>Violations</b>
	<b>(mg/L)</b>	<b>(lbs/day)</b>	<b>(lbs/day)</b>	<b>(Y/N)</b>
Total Barium	0.22	0.002	2.34	No
Total Cadmuim	< <sup>(1)</sup> 0.0005	< 0.000004	1.17	No
Total Chromium	0.0011	0.00001	1.17	No
Total Copper	0.024	0.0002	3.74	No
Total Lead	< 0.003	< 0.00003	1.17	No
Total Nickel	0.0052	0.00004	3.27	No
Total Zinc	0.14	0.0012	5.84	No
Total Suspended Solids	9.6	NA	250 <sup>(3)</sup>	No
pH <sup>(4)</sup>	8.79	NA	5.0 - 12.0	No
<b>Total Flow<sup>(5)</sup></b>		<b>1,005</b>	<b>140,100</b>	<b>No</b>

Notes:

- (1) < = Compound not detected, method detection limit shown
- (2) NA = Not Applicable
- (3) Discharge Limitation in units of mg/L
- (4) pH measurement and Discharge Limitation in Standard Units
- (5) Total Flow reported in gallons, sample was collected over a 24 hour period

Calculation: 
$$\left( \frac{x \text{ mg}}{\text{L}} \right) \left( \frac{y \text{ gal}}{\text{day}} \right) \left( \frac{1 \text{ lb}}{453,600 \text{ mg}} \right) \left( \frac{3.785 \text{ L}}{\text{gal}} \right) = \frac{x \times y}{119,841} \frac{\text{lb}}{\text{day}}$$

**APPENDIX H**

**MONITORING WELL INSPECTION LOGS**

## WELL INSPECTION SUMMARY

Project Name: Pfohl Brothers Landfill Project Number: 11175616.00000

Inspection Crew Members: T. Ifkovich, K. McGovern Supervisor: J. Sundquist

Date(s) of Inspection: November 6, 2012

<b>Well I.D. Number</b>	<b>Lock</b>	<b>Surface Seal</b>	<b>Protective Casing</b>	<b>Riser</b>	<b>Water Level (ft. BTOC)</b>	<b>Well Depth (ft. BTOC)</b>	<b>Other Comments</b>
GW-1S	OK	OK	OK	Bulged	3.38	14.94	
GW-1D	OK	OK	OK	Bulged	2.81	39.65	
GW-3S	OK	OK	OK	OK	DRY	13.22	
GW-3D	OK	OK	OK	OK	2.08	35.70	
GW-4S	OK	OK	OK	OK	6.47	16.23	
GW-4D	OK	OK	OK	OK	13.64	45.57	
GW-7S	OK	OK	OK	OK	4.55	35.04	
GW-7D	OK	OK	OK	Damaged	46.42	60.45	

Additional Comments: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_



## WELL INSPECTION SUMMARY

Project Name: Pfohl Brothers Landfill Project Number: 11175616.00000

Inspection Crew Members: T. Ifkovich, K. McGovern Supervisor: J. Sundquist

Date(s) of Inspection: November 6, 2012

<i>Well I.D. Number</i>	<i>Lock</i>	<i>Surface Seal</i>	<i>Protective Casing</i>	<i>Riser</i>	<i>Water Level (ft. BTOC)</i>	<i>Well Depth (ft. BTOC)</i>	<i>Other Comments</i>
GW-8SR	OK	OK	OK	OK	5.46	13.02	
GW-8D	OK	OK	OK	OK	6.05	36.54	
GW-26D	OK	OK	OK	OK	6.92	40.70	
GW-28S	OK	OK	OK	OK	8.55	15.52	
GW-29S	OK	OK	OK	OK	6.88	20.04	
GW-30S	OK	OK	OK	OK	8.00	17.97	
GW-31S	OK	OK	OK	OK	2.45	9.57	
GW-32S	OK	OK	OK	OK	2.58	9.93	

Additional Comments: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

## WELL INSPECTION SUMMARY

Project Name: Pfohl Brothers Landfill Project Number: 11175616.00000

Inspection Crew Members: T. Ifkovich, K. McGovern Supervisor: J. Sundquist

Date(s) of Inspection: November 6, 2012

<i>Well I.D. Number</i>	<i>Lock</i>	<i>Surface Seal</i>	<i>Protective Casing</i>	<i>Riser</i>	<i>Water Level (ft. BTOC)</i>	<i>Well Depth (ft. BTOC)</i>	<i>Other Comments</i>
GW-33S	OK	OK	OK	OK	4.08	8.21	
GW-34S	OK	OK	OK	OK	3.35	10.01	
GW-35S	OK	OK	OK	OK	4.25	7.46	

Additional Comments: \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_