

The electronic version of this file/report should have the file name:

Type of document.Spill Number.Year-Month.File Year-Year or Report name.pdf

letter._____._____._____.File spillfile_____.pdf

report.hw 915053 2003 - 02-01. IEM MONITORING .pdf
AND MAINTENANCE REPORT

Project Site numbers will be proceeded by the following:

Municipal Brownfields - b

Superfund - hw

Spills - sp

ERP - e

VCP - v

BCP - c

non-releasable - put .nf.pdf

Example: letter.sp9875693.1998-01.Filespillfile.nf.pdf

RECEIVED

FEB 06 2003

NYSDEC-REG. 9
FOIL
REL UNREL

**IRM MONITORING AND
MAINTENANCE REPORT
JANUARY 10, 2003 SAMPLE EVENT**

**STRIPPIT, INC.
AKRON, NEW YORK
NYSDEC SITE NUMBER 9-15-053**

Prepared by:	Day Environmental, Inc. 40 Commercial Street Rochester, New York 14614-1008
Prepared for:	Strippit, Inc. 12975 Clarence Center Road Akron, New York 14001
Date:	February 2003
Project No.:	1863R-99

TABLE OF CONTENTS

1.0	INTRODUCTION	1
2.0	GROUNDWATER SAMPLING PROCEDURES	2
3.0	GROUNDWATER ELEVATIONS	3
4.0	ANALYTICAL LABORATORY RESULTS	4
5.0	SITE INSPECTION REPORT	5
6.0	DISCUSSION	6

Figures:

Figure 1	Locus Plan
Figure 2	Site Plan
Figure 3	Groundwater Contour Map

Appendices:

Appendix A	January 10, 2003 Sample Round: Paradigm Environmental Services, Inc. Report and Chain-of-Custody Documentation
Appendix B	Monitoring Well Sample Logs
Appendix C	Summary of Detected Parameters
Appendix D	Site Inspection Report

1.0 INTRODUCTION

Strippit, Inc., (Strippit), has implemented an Interim Remedial Measure (IRM) approved by the New York State Department of Environmental Conservation (NYSDEC) at a former disposal area (Site) located south of their facility at 12975 Clarence Center Road in Akron, New York (see Locus Plan, Figure 1). As outlined in the NYSDEC's March 1995 Record of Decision (ROD), post-closure monitoring and maintenance is required at the Site to evaluate the effectiveness of the IRM. Specific post-closure monitoring and maintenance requirements are described in a document prepared by Day Engineering, P.C. titled *Post-Closure Monitoring and Maintenance Plan; Interim Remedial Measure; Strippit, inc.; Akron, New York* dated February 1995. This plan was reviewed and approved by the NYSDEC prior to implementation.

In accordance with a June 24, 1998 letter by the NYSDEC, the frequency of groundwater sampling was reduced from quarterly to bi-annually.

In accordance with a August 21, 2002 letter by the NYSDEC, the testing program outlined in the February 1995 plan was modified to include testing for the following parameters:

- Indicator Parameters: pH, specific conductance, turbidity and temperature
- Total barium, iron, magnesium and manganese
- Total Phenols

This submittal presents the results of the bi-annual groundwater sampling and monitoring conducted on January 10, 2003.

2.0 GROUNDWATER SAMPLING PROCEDURES

Groundwater samples were collected in general accordance with the procedures outlined in the approved post-closure monitoring and maintenance plan. A site plan, showing the location of the monitoring wells is included as Figure 2. Groundwater sampling initially included the measurement of static water levels in each of the wells (designated GW-1 through GW-5) followed by the purging of the wells to remove approximately 3 well volumes (or until wells were dry). The wells were then allowed to recover so that "fresh" water was retained for testing. Groundwater samples were collected for testing using a dedicated bailer, which is permanently stored above the water within each well casing.

A portion of the groundwater collected from each well was tested in the field for the following parameters using the equipment listed below.

- Specific conductance, temperature, pH, and turbidity: Horiba U-22 Multi-Parameter Water Quality Monitoring System.

In addition to the field-testing, samples were also collected for analytical laboratory testing. These samples were placed in pre-cleaned sample containers provided by the analytical laboratory. The analytical laboratory also provided necessary preservatives, which were added to the containers before they were returned to the laboratory.

The sample containers were filled by placing approximately equal amounts of sample from the bailer into each container until the container was filled. When the containers were filled they were placed in a plastic cooler containing ice and stored in a locked field vehicle until they were delivered to the analytical laboratory for testing. Chain-of-custody documentation was maintained throughout the sample collection process. Copies of the executed chain-of-custody forms for the January 10, 2003 sample round are included with the test results in Appendix A.

Executed copies of the monitoring well sample logs for the January 10, 2003 sample round are included in Appendix B. These logs summarize in-situ measurements, groundwater depths, purging information and other relative data.

3.0 GROUNDWATER ELEVATIONS

During the sample round, the depth to groundwater was measured from a monitoring point elevation established on the top of each well casing using an electronic tape water level indicator. The groundwater depths and elevations measured during the January 10, 2003 sample round are presented in the following table.

WELL	TOP OF CASING ELEVATION (ft.)	DEPTH TO WATER (ft.)	GROUNDWATER ELEVATION (ft.)
GW-1	754.32	42.75	711.57
GW-2	770.62	52.85	717.77
GW-3	742.59	35.80	706.79
GW-4	752.24	39.60	712.64
GW-5	771.26	53.50	717.76

A groundwater contour map developed based upon the groundwater elevations calculated using the measurements obtained during the January 10, 2003 sample round is included as Figure 3. This figure also includes groundwater contours developed based upon measurements collected during a previous groundwater monitoring event conducted on October 9, 2002.

4.0 ANALYTICAL LABORATORY RESULTS

During the January 10, 2003 sample round, groundwater samples were collected from each of the five monitoring wells (i.e., GW-1 through GW-5). A duplicate sample, designated "DUPE", was collected from monitoring well GW-3. All samples were analyzed by Paradigm Environmental Services, Inc. (Paradigm) for the following parameters.

- Total Barium, Iron, Magnesium and Manganese via USEPA method 6010 and Total Phenolics via USPEA method 420.1.

A copy of Paradigm's report summarizing the test results for the samples collected on January 10, 2003 is included in Appendix A. A historic summary of the parameters detected within the groundwater samples collected from the monitoring wells at the Site is presented in Appendix C.

5.0 SITE INSPECTION REPORT

A copy of the site inspection report completed during the January 10, 2003 sample round is included in Appendix D.

6.0 DISCUSSION

Groundwater level measurements made during the January 10, 2003 sample round indicate that groundwater flow is generally to the northwest. This flow direction is similar to that determined during previous sample rounds; however, groundwater elevations measured in the wells during the January 10, 2003 sample round range from about 1 to 2.75 feet higher than those measured during the most recent monitoring event conducted on October 9, 2002.

A majority of the parameters detected in the samples collected during the January 10, 2003 sample event were measured at concentrations below Class GA standards established in 6 NYCRR Part 700-705 for potable groundwater supplies. The concentrations measured in the following samples exceeded these standards:

- total iron: GW-1 and GW-3
- total magnesium: GW-1
- total phenols: GW-5

The pH values measured in the upgradient monitoring wells GW-2 (10.32 s.u.) and GW-5 (11.06 s.u.) are elevated. However, only the pH in downgradient monitoring well GW-4 (10.28 s.u.) exhibited a similar increase.


With the exception of the apparent pH impact discussed up above, trends of groundwater degradation were not identified based upon a review of the data collected during the January 10, 2003 sampling event.

An approximate 10-inch thick layer of snow covered the Site on January 10, 2003. As such, the condition of the closure area could not be adequately evaluated; however, no apparent deficiencies requiring immediate repair were noted. During previous site visits, an apparent oil sheen was observed on the standing water located at or near the north face of the IRM closure area. During the January 10, 2003 site visit, an oil sheen was not adequately observed in this area. It is possible that snow coverage prevented adequate observation in this area.

The next scheduled monitoring event at the Site is on or about March 5, 2003 (i.e., this event will include measurement of water levels measurement of pH and observing the condition of the IRM closure). During the March 5, 2003 Site visit, an area of sloughing on the north slope of the closure area that was identified during earlier site visits will be re-evaluated. If this sloughing appears to be deteriorating, remediation should be completed when weather permits.



FIGURE 1
LOCUS PLAN



3-D TopoQuads Copyright © 1999 DeLorme Yarmouth, ME 04096 Source Data: USGS

550 ft Scale: 1:19,200 Detail: 14:0 Datum: NAD27

Drawing Produced From: 3-D TopoQuads, DeLorme Map Co., referencing USGS quad maps Wolcottville (NY) 1995; Akron (NY) 1995; Lancaster (NY) 1982; & Corfu (NY) 1984. Site Lat/Long: N43d-0.6' - W78d-30.25'

DATE
01-28-2003

DRAWN BY
Tww

SCALE
1" = 2000'

day

DAY ENVIRONMENTAL, INC.
ENVIRONMENTAL CONSULTANTS
ROCHESTER, NEW YORK 14614-1008

PROJECT TITLE
**STRIPPIT, INC.
AKRON, NEW YORK**


GROUNDWATER MONITORING

DRAWING TITLE
PROJECT LOCUS MAP

PROJECT NO.
1863R-99

FIGURE 1

FIGURE 2
SITE PLAN



NOTES:

1. This drawing produced from a drawing provided by Deborah A. Naybor, PLS, PC. entitled "Topographic Map Of Part Of Lot 5, TWP. 12, Range 5, Section 6, Town Of Newstead, County Of Erie, New York" dated 3/4/93 & revised 3/26/93.
2. No boundary survey was performed by Deborah A. Naybor, PLS, PC.

LEGEND:

- GW-1 ♦ Monitoring Well Designation
- Existing Gas Well
- Approximate Limits Of Former Desposal Area

DATE
01-30-2003

DRAWN BY
LRP

SCALE
1"=100'

day

DAY ENVIRONMENTAL, INC.
ENVIRONMENTAL CONSULTANTS
ROCHESTER, NEW YORK 14614-1008

PROJECT TITLE
STRIPPIT, INC.
AKRON, NEW YORK


GROUNDWATER MONITORING
DRAWING TITLE

Site Location Map

PROJECT NO.
1863R-99

FIGURE 2

FIGURE 3
GROUNDWATER CONTOUR MAPS



NOTES:

1. This drawing produced from a drawing provided by Deborah A. Naybor, PLS, PC. entitled "Topographic Map Of Part Of Lot 5, TWP. 12, Range 5, Section 6, Town Of Newstead, County Of Erie, New York" dated 3/4/93 & revised 3/26/93.
2. No boundary survey was performed by Deborah A. Naybor, PLS, PC.

LEGEND

- GW-1 ♦ 711.57 709.96 Groundwater Monitoring Well With Groundwater Elevation Obtained On January 10, 2003 and June 20, 2002, Respectively
- Potentiometric Contour Line For 01-10-2003
- Potentiometric Contour Line For 10-09-2002
- ➔ Apparent Direction Of Groundwater Flow

DATE
02-03-2003

DRAWN BY
LRP

SCALE
1"=100'

day

DAY ENVIRONMENTAL, INC.
ENVIRONMENTAL CONSULTANTS
ROCHESTER, NEW YORK 14614-1008

PROJECT TITLE
STRIPPIT, INC.
AKRON, NEW YORK

GROUNDWATER MONITORING

DRAWING TITLE
Groundwater Potentiometric Contour Map For
01-10-2003 and 10-09-2002

PROJECT NO.
1863R-99

FIGURE 3

APPENDIX A

**PARADIGM ENVIRONMENTAL SERVICES, INC. ANALYTICAL SERVICES
REPORT & CHAIN-OF-CUSTODY DOCUMENTATION
January 10, 2003 SAMPLE ROUND**

**PARADIGM**

ENVIRONMENTAL SERVICES, INC.

170 Lake Avenue Rochester, New York 585-847-2530 FAX 585-847-3311

LABORATORY REPORT OF ANALYSISClient: Day Environmental

Lab Project No.: 03-0192

Client Job Site: Strippit

Client Job No.: 18630R-99

Sample Type: Water

Analytical Method: EPA 420.1

Date Sampled: 01/10/2003

Date Received: 01/10/2003

Date Analyzed: 01/20/2003

Lab Sample ID.	Field Location/Sample ID	T. Phenolics (mg/l)
1312	MW-1	ND<0.002
1313	MW-2	ND<0.002
1314	MW-3	ND<0.002
1315	MW-4	ND<0.002
1316	MW-5	0.003
1317	Duplicate	0.002

ELAP ID No. 10709

Comments: ND denotes Non Detected.

Approved By Technical Director:

Bruce Hoogesteger

**PARADIGM**

ENVIRONMENTAL SERVICES, INC.

179 Lake Avenue, Rochester, NY 14608 (585) 647-2530 FAX (585) 647-3311Client: Day Environmental

Lab Project No.: 03-0192

Client Job Site: Strippit

Lab Sample No.: 1312

Client Part No.: 1863R-99Sample Type: WaterField Location: MW-1

Date Sampled: 1/10/03

Field ID No.: N/A

Date Received: 1/10/03

Laboratory Report for Water Analysis

Parameter	Date Analyzed	Analytical Method	Result (mg/L)
Barium	1/15/03	EPA 200.7	0.034
Iron	1/15/03	EPA 200.7	0.419
Magnesium	1/15/03	EPA 200.7	47.7
Manganese	1/15/03	EPA 200.7	0.061

ELAP ID No.: 10958

Comments:

Approved By: _____

Bruce Hoogesteger, Technical Director

**PARADIGM**

ENVIRONMENTAL SERVICES, INC.

179 Lake Avenue Rochester, NY 14608 (585) 647-2530 FAX (585) 847-3311Client: **Day Environmental**

Lab Project No.: 03-0192

Client Job Site: Strippit

Lab Sample No.: 1313

Client Part No.: 1863R-99

Sample Type: Water

Field Location: MW-2

Date Sampled: 1/10/03

Field ID No.: N/A

Date Received: 1/10/03

Laboratory Report for Water Analysis

Parameter	Date Analyzed	Analytical Method	Result (mg/L)
Barium	1/15/03	EPA 200.7	0.125
Iron	1/15/03	EPA 200.7	0.169
Magnesium	1/15/03	EPA 200.7	0.611
Manganese	1/15/03	EPA 200.7	<0.010

ELAP ID No.: 10958

Comments:

Approved By: _____

Bruce Hoogesteger, Technical Director



179 Lake Avenue, Rochester, NY 14608 (585) 647-2530 FAX (585) 647-3311

Client: Day Environmental

Lab Project No.: 03-0192

Client Job Site: Strippit

Lab Sample No.: 1314

Client Part No.: 1863R-99

Sample Type: Water

Field Location: MW-3

Date Sampled: 1/10/03

Field ID No.: N/A

Date Received: 1/10/03


Laboratory Report for Water Analysis

Parameter	Date Analyzed	Analytical Method	Result (mg/L)
Barium	1/15/03	EPA 200.7	0.068
Iron	1/15/03	EPA 200.7	0.897
Magnesium	1/15/03	EPA 200.7	27.7
Manganese	1/15/03	EPA 200.7	0.083

ELAP ID No.: 10958

Comments:

Approved By: _____


Bruce Hoogesteger, Technical Director

**PARADIGM**

ENVIRONMENTAL SERVICES, INC.

179 Lake Avenue, Rochester, NY 14608 (585) 647-2530 FAX (585) 647-3311

Client: Day Environmental

Lab Project No.: 03-0192

Client Job Site: Strippit

Lab Sample No.: 1315

Client Part No.: 1863R-99

Sample Type: Water

Field Location: MW-4

Date Sampled: 1/10/03

Field ID No.: N/A

Date Received: 1/10/03

Laboratory Report for Water Analysis

Parameter	Date Analyzed	Analytical Method	Result (mg/L)
Barium	1/15/03	EPA 200.7	0.062
Iron	1/15/03	EPA 200.7	0.182
Magnesium	1/15/03	EPA 200.7	15.2
Manganese	1/15/03	EPA 200.7	<0.010

ELAP ID No.: 10958

Comments:

Approved By: _____

Bruce Hoogesteger, Technical Director

**PARADIGM**

ENVIRONMENTAL SERVICES, INC.


179 Lake Avenue, Rochester, NY 14608 (585) 847-2530 FAX (585) 847-3311Client: **Day Environmental**Client Job Site: **Strippit**Client Part No.: **1863R-99**Field Location: **MW-5**
Field ID No.: **N/A**Lab Project No.: **03-0192**Lab Sample No.: **1316**Sample Type: **Water**Date Sampled: **1/10/03**Date Received: **1/10/03****Laboratory Report for Water Analysis**

Parameter	Date Analyzed	Analytical Method	Result (mg/L)
Barium	1/15/03	EPA 200.7	0.050
Iron	1/15/03	EPA 200.7	0.209
Magnesium	1/15/03	EPA 200.7	8.85
Manganese	1/15/03	EPA 200.7	<0.010

ELAP ID No.: 10958

Comments:

Approved By: _____


Bruce Hoogesteger, Technical Director

**PARADIGM**

ENVIRONMENTAL SERVICES, INC.

179 Lake Avenue, Rochester, NY 14608 (585) 647-2530 FAX (585) 647-3311Client: **Day Environmental**

Lab Project No.: 03-0192

Client Job Site: Strippit

Lab Sample No.: 1317

Client Part No.: 1863R-99

Sample Type: Water

Field Location: Dupe

Date Sampled: 1/10/03

Field ID No.: N/A

Date Received: 1/10/03


Laboratory Report for Water Analysis

Parameter	Date Analyzed	Analytical Method	Result (mg/L)
Barium	1/15/03	EPA 200.7	0.064
Iron	1/15/03	EPA 200.7	0.408
Magnesium	1/15/03	EPA 200.7	27.3
Manganese	1/15/03	EPA 200.7	0.058

ELAP ID No.: 10958

Comments:

Approved By: _____


Bruce Hoogsteger, Technical Director

PARADIGM ENVIRONMENTAL SERVICES, INC.

179 Lake Avenue
Rochester, NY 14608
(585) 647-2530 * (800) 724-1997
FAX: (585) 647-3311

CHAIN OF CUSTODY

PROJECT NAME/SITE NAME:

STREET - 1063299

REPORT TO: COMPANY: Day Environmental		INVOICE TO: COMPANY: SAME		LAB PROJECT #:	CLIENT PROJECT #:
ADDRESS: 40 Commercial St.		ADDRESS: SAME		03-0192	
CITY: Rochester	STATE: NY	CITY:	STATE:	TURNAROUND TIME: (WORKING DAYS)	
ZIP: 14614		ZIP:			
PHONE: 454-0210 x 110	FAX:	PHONE:	FAX:		
ATTN: Don Noll	ATTN:				
COMMENTS:		☐ 1 ☐ 2 ☐ 3 ☒ STB ☐ OTHER			

DATE	TIME	COMPOSITE	GRAB	SAMPLE LOCATION/FIELD ID	MATRIX	CONTAMINERS	Total Phos	Total Nit	REQUESTED ANALYSIS	REMARKS	PARADIGM LAB SAMPLE NUMBER
1/10/03	1115			MW-1	H ₂ O	2	X	X			
2	1125			MW-2			X	X			1312
3	1055			MW-3			X	Y			1313
4	1147			MW-4			X	X			1314
5	1133			MW-5			X	X			1315
6	~			Dupc			X	X			1316
7											1317
8											
9											
10											

LAB USE ONLY

SAMPLE CONDITION: Check box If acceptable or note deviation:		CONTAINER TYPE: ☒	PRESERVATIONS: ☒	HOLDING TIME: ☒	TEMPERATURE: ☒ 11°
Sampled By:	Date/Time: 1/10/03	Relinquished By:	Date/Time:	Total Cost:	
Relinquished By:	Date/Time: 1/10/03 1312	Received By:	Date/Time:		
Received By:	Date/Time: 1/10/03 1312	Received @ Lab By:	Date/Time: 1/10/03 @ 1500	P.I.F.	

01/21/03

14:41

0716 647 3311

PARADIGM

DAY GROUP

009/009

APPENDIX B

MONITORING WELL SAMPLE LOGS
January 10, 2003 SAMPLE ROUND

DAY ENVIRONMENTAL, INC.
MONITORING WELL SAMPLING LOG

Gw-1

SECTION 1

SITE LOCATION: Strippit, Akron, New York JOB#: 1863R-99
PROJECT NAME: Post Closure Long Term Monitoring DATE: 01/09/03
SAMPLE COLLECTOR(S): Kirk Hampton
WEATHER CONDITIONS: Sunny, 35°

SECTION 2 - PURGE INFORMATION

DEPTH OF WELL [FT]: 58.44 (MEASURED FROM TOP OF CASING - T.O.C.)
STATIC WATER LEVEL (SWL) [FT]: 42.75 (MEASURED FROM T.O.C.)
DEPTH OF WATER COLUMN [FT]: 15.69 (DEPTH OF WELL - SWL)
CALCULATED VOL. OF H₂O PER WELL CASING [GAL]: 2.65

CALCULATIONS:

CASING DIA. (FT) 2" (0.1667) WELL CONSTANT (GAL/FT) 0.1632

CALCULATIONS

VOL. OF H₂O IN CASING = DEPTH OF WATER COLUMN
X WELL CONSTANT

CALCULATED PURGE VOLUME [GAL]: 7.68 (3 TIMES CASING VOLUME)

ACTUAL VOLUME PURGED [GAL]: ~3.0 (Dry)

PURGE METHOD: 3' Bailer PURGE START: 10:36 END: 10:49

SECTION 3 - SAMPLE IDENTIFICATION

SAMPLE ID #	TIME / DATE	SAMPLING METHOD	ANALYTICAL SCAN(S)	SAMPLE APPEARANCE
Gw-1	01/10/03 11:15	3' Bailer	8260 TCL, Tot./Sol.- Ba, Fe, Mg, Mn-. Tot Phenolics	Clear

SECTION 4 - SAMPLE DATA

SWL (FT)	TEMP (°C)	pH	CONDUCTIVITY mS/m	TURBIDITY (NTU)	VISUAL	PID/FID READING
42.21	6.7	7.13	1,120	13.1	Clear	NC

DAY ENVIRONMENTAL, INC.
MONITORING WELL SAMPLING LOG

Gw-2

SECTION 1

SITE LOCATION: Strippit, Akron, New York JOB# : 1863R-99
PROJECT NAME: Post Closure Long Term Monitoring DATE : 01/09/03
SAMPLE COLLECTOR(S): Kirk Hampton
WEATHER CONDITIONS: Sunny 35°

SECTION 2 - PURGE INFORMATION

DEPTH OF WELL [FT]: 78.60 (MEASURED FROM TOP OF CASING - T.O.C.)
STATIC WATER LEVEL (SWL) [FT]: 52.85 (MEASURED FROM T.O.C.)
DEPTH OF WATER COLUMN [FT]: 25.75 (DEPTH OF WELL - SWL)
CALCULATED VOL. OF H₂O PER WELL CASING [GAL]: 4.20

CALCULATIONS:
CASING DIA. (FT) 2" (0.1667) WELL CONSTANT (GAL/FT) 0.1632 CALCULATIONS
VOL. OF H₂O IN CASING = DEPTH OF WATER COLUMN
X WELL CONSTANT

CALCULATED PURGE VOLUME [GAL]: 12.66 (3 TIMES CASING VOLUME)
ACTUAL VOLUME PURGED [GAL]: 5.00 (Dry)
PURGE METHOD: 3' Bailer PURGE START: 10:56 END: 11:07

SECTION 3 - SAMPLE IDENTIFICATION

SAMPLE ID #	TIME / DATE	SAMPLING METHOD	ANALYTICAL SCAN(S)	SAMPLE APPEARANCE
Gw-2	01/10/03 11:25	3' Bailer	8260 TCL, Tot./Sol.- Ba, Fe, Mg, Mn-. Tot Phenolics	Clear

SECTION 4 - SAMPLE DATA

SWL (FT)	TEMP (°C)	pH	CONDUCTIVITY mS/m	TURBIDITY (NTU)	VISUAL	PID/FID READING
62.8	6.3	10.32	568	12.0	Clear	NC

DAY ENVIRONMENTAL, INC.
MONITORING WELL SAMPLING LOG

Gw-3

SECTION 1

SITE LOCATION: Strippit, Akron, New York JOB# : 1863R-99
PROJECT NAME: Post Closure Long Term Monitoring DATE : 01/09/03
SAMPLE COLLECTOR(S): Kirk Hampton
WEATHER CONDITIONS: Sunny 35°

SECTION 2 - PURGE INFORMATION

DEPTH OF WELL [FT]: 50.00 (MEASURED FROM TOP OF CASING - T.O.C.)
STATIC WATER LEVEL (SWL) [FT]: 35.80 (MEASURED FROM T.O.C.)
DEPTH OF WATER COLUMN [FT]: 14.20 (DEPTH OF WELL - SWL)
CALCULATED VOL. OF H₂O PER WELL CASING [GAL]: 2.32

CALCULATIONS:
CASING DIA. (FT) 2" (0.1667) WELL CONSTANT (GAL/FT) 0.1632 CALCULATIONS
VOL. OF H₂O IN CASING = DEPTH OF WATER COLUMN
X WELL CONSTANT

CALCULATED PURGE VOLUME [GAL]: 6.90 (3 TIMES CASING VOLUME)
ACTUAL VOLUME PURGED [GAL]: 7.0
PURGE METHOD: 3' Bailer PURGE START: 10:08 END: 10:25

SECTION 3 - SAMPLE IDENTIFICATION

SAMPLE ID #	TIME / DATE	SAMPLING METHOD	ANALYTICAL SCAN(S)	SAMPLE APPEARANCE
Gw-3	01/09/03 10:55	3' Bailer	8260 TCL, Tot./Sol.- Ba, Fe, Mg, Mn-. Tot Phenolics	Mostly Clear

SECTION 4 - SAMPLE DATA

SWL (FT)	TEMP (°C)	pH	CONDUCTIVITY mS/m	TURBIDITY (NTU)	VISUAL	PID/FID READING
35.2	6.3	5.60	797	53.3	Mostly Clear	NC

DAY ENVIRONMENTAL, INC.
MONITORING WELL SAMPLING LOG

Gw-4

SECTION 1

SITE LOCATION: Strippit, Akron, New York JOB# : 1863R-99
PROJECT NAME: Post Closure Long Term Monitoring DATE : 01/09/03
SAMPLE COLLECTOR(S): Kirk Hampton
WEATHER CONDITIONS: Sunny 35°

SECTION 2 - PURGE INFORMATION

DEPTH OF WELL [FT]: 52.40 (MEASURED FROM TOP OF CASING - T.O.C.)
STATIC WATER LEVEL (SWL) [FT]: 39.60 (MEASURED FROM T.O.C.)
DEPTH OF WATER COLUMN [FT]: 12.80 (DEPTH OF WELL - SWL)
CALCULATED VOL. OF H₂O PER WELL CASING [GAL]: 2.09

CALCULATIONS:

CASING DIA. (FT) 2" (0.1667) WELL CONSTANT (GAL/FT) 0.1632

CALCULATIONS

VOL. OF H₂O IN CASING = DEPTH OF WATER COLUMN
X WELL CONSTANT

CALCULATED PURGE VOLUME [GAL]: 6.3 (3 TIMES CASING VOLUME)

ACTUAL VOLUME PURGED [GAL]: ~4.0 (Dry)

PURGE METHOD: 3' Bailer PURGE START: 11:29 END: 11:40

SECTION 3 - SAMPLE IDENTIFICATION

SAMPLE ID #	TIME / DATE	SAMPLING METHOD	ANALYTICAL SCAN(S)	SAMPLE APPEARANCE
Gw-4	01/10/03 11:47	3' Bailer	8260 TCL, Tot./Sol.- Ba, Fe, Mg, Mn-. Tot Phenolics	Mostly Clear

SECTION 4 - SAMPLE DATA

SWL (FT)	TEMP (°C)	pH	CONDUCTIVITY mS/m	TURBIDITY (NTU)	VISUAL	PID/FID READING
39.3	9.6	10.28	698	51.4	Mostly Clear	NC

DAY ENVIRONMENTAL, INC.
MONITORING WELL SAMPLING LOG

Gw-5

SECTION 1

SITE LOCATION: Strippit, Akron, New York JOB# : 1863R-99
PROJECT NAME: Post Closure Long Term Monitoring DATE : 01/09/03
SAMPLE COLLECTOR(S): Kirk Hampton
WEATHER CONDITIONS: Sunny 35°

SECTION 2 - PURGE INFORMATION

DEPTH OF WELL [FT]: 74.30 (MEASURED FROM TOP OF CASING - T.O.C.)
STATIC WATER LEVEL (SWL) [FT]: 53.50 (MEASURED FROM T.O.C.)
DEPTH OF WATER COLUMN [FT]: 20.8 (DEPTH OF WELL - SWL)
CALCULATED VOL. OF H₂O PER WELL CASING [GAL]: 3.40

CALCULATIONS:
CASING DIA. (FT) 2" (0.1667) WELL CONSTANT (GAL/FT) 0.1632 CALCULATIONS
VOL. OF H₂O IN CASING = DEPTH OF WATER COLUMN
X WELL CONSTANT

CALCULATED PURGE VOLUME [GAL]: 10.20 (3 TIMES CASING VOLUME)
ACTUAL VOLUME PURGED [GAL]: ~5.5 (DRY)
PURGE METHOD: 3' Bailer PURGE START: 11:11 END: 11:25

SECTION 3 - SAMPLE IDENTIFICATION

SAMPLE ID #	TIME / DATE	SAMPLING METHOD	ANALYTICAL SCAN(S)	SAMPLE APPEARANCE
Gw-5	01/10/03 11:33	3' Bailer	8260 TCL, Tot./Sol.- Ba, Fe, Mg, Mn-. Tot Phenolics	Clear

SECTION 4 - SAMPLE DATA

SWL (FT)	TEMP (°C)	PH	CONDUCTIVITY mS/m	TURBIDITY (NTU)	VISUAL	PID/FID READING
54.80	6.9	11.06	935	14.4	Clear	NC

APPENDIX C
SUMMARY OF DETECTED PARAMETERS

STRIPPIT, INC
INTERIM REMEDIAL MEASURE
POSTCLOSURE MONITORING
SUMMARY OF DETECTED GROUNDWATER PARAMETERS
SAMPLING: 4/95 TO 1/03: GW1

TEST PARAMETER	UNITS	SAMPLE ROUND																					
		4/11/95	7/12/95	10/16/95	1/22/96	5/8/96	8/6/96	10/29/96	2/6/97	6/9/97	9/15/97	12/16/97	3/13/98	6/11/98	12/14/98	6/23/99	12/15/99	6/22/00	1/11/01	7/3/01	12/12/01	6/20/02	1/10/03
pH	Standard	7.35	8.76	8.63	9.07	8.87	8.04	8.31	8.55	7.38	7.82	7.35	8.37	7.75	8.28	7.502	7.95	8.77	10.57	6.36	8.76	7.22	7.13
specific conductance	uMHOS/cm	1,400	1,170	751	889	1,297	862	1,179	870	1,660	1,292		1140	1128	877	764	866	968	666	1400	1100	1200	1120
turbidity	NTU	85.8	200	46.6		101.6	83.8	135.2									0		45		180	13	
barium, soluble	mg/L	0.058	0.059	0.06	0.12	0.054	0.03	0.04	0.033	0.027	0.02	0.024	0.027	0.028	0.022	0.02	0.02	0.027	0.021	0.023	0.020	0.020	
barium, total	mg/L	0.079	0.123	0.07	0.13	0.054	0.04	0.0575	0.041	0.0624	0.033	0.035	0.023	0.032	0.0950	0.041	0.036	0.025	0.027	0.025	0.023	0.020	0.034
iron, soluble	mg/L	0.03	0.36	0.13	8.24	0.15	0.03	1.065	0.04	0.812	0.061	0.05	0.127	0.05	0.232	0.05	0.05	0.1	0.1	0.140	0.100	0.100	
iron, total	mg/L	1.46	6.82	2.53	8.34	0.15	0.17	2.96	1	5.91	0.985	1.21	0.229	0.676	8.66	1.96	0.724	0.1	0.522	0.246	0.188	0.100	0.419
magnesium, soluble	mg/L	50.8	44.6	47.5	66.8	62.9	68.6	57.35	63	56	55.2	66.5	66.2	62.2	47.2	62.3	53.5	51	42.2	39.6	37.1	40.6	
magnesium, total	mg/L	54	52	56.8	68.8	62.9	71.2	64.8	65.6	66.3	69.3	78	65.8	64.5	59.8	63.6	57.7	52.7	43.4	44.3	39.1	38.7	47.7
manganese, soluble	mg/L	0.005	0.026	0.01	0.23	0.039	0.021	0.04	0.015	0.0347	0.02	0.013	0.017	0.042	0.16	0.036	0.023	0.032	0.012	0.015	0.010	0.010	
manganese, total	mg/L	0.038	0.171	0.08	0.24	0.039	0.024	0.085	0.041	0.158	0.03	0.049	0.019	0.069	0.255	0.084	0.049	0.033	0.03	0.041	0.027	0.290	0.061
total phenols	mg/L					0.005	0.005	0.005	0.005	0.005	0.002	0.002	0.005	0.03	0.029	0.002	0.002	0.004	0.002	0.002	0.002	0.008	0.002
dichlorodifluoromethane	ug/L	0.5	0.5	0.5	0.5	1.00	1.00	1.00	1.00														
chloromethane	ug/L	0.5	0.5	0.5	0.5	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
vinyl chloride	ug/L	0.5	0.5	0.5	0.5	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
acetone	ug/L	26.00	5.00	34.00	6.00	71.00	5.00	5.00	5.00	20.00	5.00	5.00	5.00	241.9	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	
carbon disulfide	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	10.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
trans1,2dichloroethene	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
1,1dichloroethane	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
chloroform	ug/L	0.5	0.5	1.5	0.5	0.5	1.00	0.5	0.5	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
2butanone	ug/L	1.00	2.00	0.5	0.5	1.00	1.00	1.00	2.00	10.00	5.00	5.00	5.00	5.00	0.50	5.00	5.00	5.00	5.00	5.00	5.00	5.00	
1,1,1trichloroethane	ug/L	0.5	0.5	0.9	0.5	0.5	0.5	0.5	0.5	5.0	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
carbon tetrachloride	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	5.0	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
benzene	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	5.0	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
trichloroethene	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	5.0	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
toluene	ug/L	0.5	0.5	0.5	0.6	0.5	0.5	0.5	0.5	5.0	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
tetrachloroethene	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	5.0	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
methylene chloride	ug/L	11.00	5.00	21.00	5.00	35.00	14.00	5.00	5.00	5.0	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	
m,p-xylenes	ug/L	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	5.0	1.00	1.90	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
o-xylenes	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	5.0	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
phenol	ug/L	1.00	1.00	1.00	1.00																		
groundwater elevation	feet	713.43	711.04	710.09	712.82	715.76	714.71	714.29	715.02	715.09	712.34	713.81	715.52	715.27	711.01	713.24	710.6	714.65	713.52	712.98	711.13	714.82	711.57

Notes:

- values shown in **BOLD** print indicate parameter was "not detected" at the detection limit presented on this table
- values left blank indicate sample was either not collected or not tested

STRIPPIT, INC
INTERIM REMEDIAL MEASURE
POSTCLOSURE MONITORING
SUMMARY OF DETECTED GROUNDWATER PARAMETERS
SAMPLING: 4/95 TO 1/03: GW1

TEST PARAMETER	UNITS	SAMPLE ROUND																					
		4/11/95	7/12/95	10/16/95	1/22/96	5/8/96	8/6/96	10/29/96	2/6/97	6/9/97	9/15/97	12/16/97	3/13/98	6/11/98	12/14/98	6/23/99	12/15/99	6/22/00	1/11/01	7/3/01	12/12/01	6/20/02	1/10/03
pH	Standard	7.35	8.76	8.63	9.07	8.87	8.04	8.31	8.55	7.38	7.82	7.35	8.37	7.75	8.28	7.502	7.95	8.77	10.57	6.36	8.76	7.22	7.13
specific conductance	uMHOS/cm	1,400	1,170	751	889	1,297	862	1,179	870	1,660	1,292		1140	1128	877	764	866	968	666	1400	1100	1200	1120
turbidity	NTU	85.8	200	46.6		101.6	83.8	135.2										0		45		180	13
barium, soluble	mg/L	0.058	0.059	0.06	0.12	0.054	0.03	0.04	0.033	0.027	0.02	0.024	0.027	0.028	0.022	0.02	0.02	0.027	0.021	0.023	0.020	0.020	
barium, total	mg/L	0.079	0.123	0.07	0.13	0.054	0.04	0.0575	0.041	0.0624	0.033	0.035	0.023	0.032	0.0950	0.041	0.036	0.025	0.027	0.025	0.023	0.020	0.034
iron, soluble	mg/L	0.03	0.36	0.13	8.24	0.15	0.03	1.065	0.04	0.812	0.061	0.05	0.127	0.05	0.232	0.05	0.05	0.1	0.1	0.140	0.100	0.100	
iron, total	mg/L	1.46	6.82	2.53	8.34	0.15	0.17	2.96	1	5.91	0.985	1.21	0.229	0.676	8.66	1.96	0.724	0.1	0.522	0.246	0.188	0.100	0.419
magnesium, soluble	mg/L	50.8	44.6	47.5	66.8	62.9	68.6	57.35	63	56	55.2	66.5	66.2	62.2	47.2	62.3	53.5	51	42.2	39.6	37.1	40.6	
magnesium, total	mg/L	54	52	56.8	68.8	62.9	71.2	64.8	65.6	66.3	69.3	78	65.8	64.5	59.8	63.6	57.7	52.7	43.4	44.3	39.1	38.7	47.7
manganese, soluble	mg/L	0.005	0.026	0.01	0.23	0.039	0.021	0.04	0.015	0.0347	0.02	0.013	0.017	0.042	0.16	0.036	0.023	0.032	0.012	0.015	0.010	0.010	
manganese, total	mg/L	0.038	0.171	0.08	0.24	0.039	0.024	0.085	0.041	0.158	0.03	0.049	0.019	0.069	0.255	0.084	0.049	0.033	0.03	0.041	0.027	0.290	0.061
total phenols	mg/L					0.005	0.005	0.005	0.005	0.005	0.002	0.002	0.005	0.03	0.029	0.002	0.002	0.004	0.002	0.002	0.002	0.008	0.002
dichlorodifluoromethane	ug/L	0.5	0.5	0.5	0.5	1.00	1.00	1.00	1.00														
chloromethane	ug/L	0.5	0.5	0.5	0.5	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
vinyl chloride	ug/L	0.5	0.5	0.5	0.5	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
acetone	ug/L	26.00	5.00	34.00	6.00	71.00	5.00	5.00	5.00	20.00	5.00	5.00	5.00	241.9	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	
carbon disulfide	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	10.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
trans-1,2-dichloroethene	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
1,1-dichloroethane	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
chloroform	ug/L	0.5	0.5	1.5	0.5	0.5	1.00	0.5	0.5	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
2-butanone	ug/L	1.00	2.00	0.5	0.5	1.00	1.00	1.00	2.00	10.00	5.00	5.00	5.00	5.00	0.50	5.00	5.00	5.00	5.00	5.00	5.00	5.00	
1,1,1-trichloroethane	ug/L	0.5	0.5	0.9	0.5	0.5	0.5	0.5	0.5	5.0	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
carbon tetrachloride	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	5.0	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
benzene	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	5.0	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
trichloroethene	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	5.0	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
toluene	ug/L	0.5	0.5	0.5	0.6	0.5	0.5	0.5	0.5	5.0	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
tetrachloroethene	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	5.0	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
methylene chloride	ug/L	11.00	5.00	21.00	5.00	35.00	14.00	5.00	5.00	5.0	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	
m,p-xylenes	ug/L	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	5.0	1.00	1.90	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
o-xylenes	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	5.0	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
phenol	ug/L	1.00	1.00	1.00	1.00																		
groundwater elevation	feet	713.43	711.04	710.09	712.82	715.76	714.71	714.29	715.02	715.09	712.34	713.81	715.52	715.27	711.01	713.24	710.6	714.65	713.52	712.98	711.13	714.82	711.57

Notes:
- values shown in **BOLD** print indicate parameter was "not detected" at the detection limit presented on this table
- values left blank indicate sample was either not collected or not tested

STRIPPIT, I.
INTERIM REMEDIAL MEASURE
POSTCLOSURE MONITORING
SUMMARY OF DETECTED GROUNDWATER PARAMETERS
SAMPLING: 4/95 TO 1/03: GW2

TEST PARAMETER	UNITS	SAMPLE ROUND																						
		4/11/95	7/12/95	10/16/95	1/22/96	5/8/96	8/6/96	10/29/96	2/6/97	6/9/97	9/15/97	12/16/97	3/13/98	6/11/98	12/14/98	6/23/99	12/15/99	6/22/00	1/11/01	7/3/01	12/12/01	6/20/02	1/10/03	
pH	Standard	7.23	11.58	11.71	12.23	11.55	11.33	11.29	11.31	10.51	10.61	10.43	11.54	11.28	11.42	11.04	11.28	10.81	11.56	10.43	11.18	9.16	10.32	
specific conductae	uMHOS/cm	1870	1170	695	771	1239	1050	827	244	770	904	864	80	799	676	761	592	493	564	1000	730	530	568	
turbidity	NTU	200.00	16.50	11.90		11.60	6.91	3.92	74.00										80	560	170	12		
barium, soluble	mg/L	0.199	0.200	0.180	0.150	0.116	0.129	0.171	0.115	0.102	0.091	0.045	0.094	0.094	0.088	0.140	0.118	0.111	0.129	0.130	0.091	0.081		
barium, total	mg/L	0.210	0.211	0.210	0.180	0.118	0.130	0.139	0.127	0.108	0.110	0.099	0.091	0.118	0.107	0.146	0.172	0.122	0.176	0.159	0.145	0.131	0.125	
iron, soluble	mg/L	0.030	0.150	0.007	0.430	0.090	0.030	0.100	0.340	0.100	0.050	0.050	0.050	0.050	0.050	0.050	0.050	0.180	0.143	0.148	0.100	0.100		
iron, total	mg/L	0.250	0.490	1.440	1.260	0.090	0.180	0.260	0.410	0.100	0.319	9.350	0.194	0.247	0.431	1.230	2.230	1.270	2.360	0.566	3.11	1.63	0.17	
magnesium, soluble	mg/L	0.050	0.140	0.230	1.010	0.470	0.950	0.910	0.089	0.500	0.500	4.100	0.038	0.099	0.214	0.131	0.109	0.251	0.050	0.050	0.050	0.239		
magnesium, total	mg/L	1.030	0.360	0.910	1.360	0.470	2.510	2.800	0.342	0.500	0.500	23.300	0.222	0.393	0.404	1.140	1.860	1.580	1.660	0.342	2.93	1.70	0.61	
manganese, soluble	mg/L	0.005	0.053	0.005	0.030	0.005	0.005	0.005	0.008	0.010	0.020	0.010	0.010	0.010	0.010	0.010	0.100	0.010	0.010	0.010	0.010	0.010		
manganese, total	mg/L	0.006	0.150	0.020	0.040	0.005	0.005	0.030	0.009	0.010	0.020	0.224	0.010	0.010	0.010	0.025	0.040	0.040	0.042	0.010	0.064	0.033	0.010	
total phenols	mg/L					0.005	0.020	0.008	0.005	0.005	0.020	0.002	0.005	0.008	0.008	0.002	0.002	0.002	0.002	0.002	0.002	0.007	0.002	
dichlorodifluoromethane	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00															
chloromethane	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
vinyl chloride	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
acetone	ug/L	31.00	33.00	63.00	24.00	100.00	21.00	47.00	19.00	20.00	5.00	5.00	9.60	29.60	10.80	6.90	5.00	5.00	5.00	5.00	5.00	5.00		
carbon disulfide	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	10.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
trans1,2dichloroethene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50		
1,1dichloroethane	ug/L	0.60	0.50	0.70	0.50	0.50	0.50	0.70	0.60	5.00	0.50	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00	1.00	0.50	0.50		
chloroform	ug/L	0.50	0.50	2.00	0.60	0.50	0.80	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50		
2butanone	ug/L	3.00	6.00	0.50	2.00	4.00	1.00	1.00	2.00	10.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00		
1,1,1trichloroethane	ug/L	0.50	0.70	0.60	0.50	0.50	0.60	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50		
carbon tetrachloride	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50		
benzene	ug/L	0.50	0.50	0.50	0.50	0.50	0.60	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50		
trichloroethene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50		
toluene	ug/L	0.70	0.50	0.90	0.60	0.80	1.00	0.90	0.60	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50		
tetrachloroethene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50		
methylene chloride	ug/L	11.00	5.00	23.00	10.00	38.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00		
m,p-xylenes	ug/L	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00		
o-xylenes	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50		
phenol	ug/L	1.00	5.60	2.00	3.00																			
groundwater elevation	feet	719.90	717.08	715.62	718.59	721.58	720.24	719.96	721.22	720.69	717.76	719.67	721.29	720.39	715.77	717.64	716.20	720.42	721.26	718.36	716.43	720.39	717.77	

Notes:

- values shown in **BOLD** print indicate parameter was "not detected" at the detection limit presented on this table
- values left blank indicate sample was either not collected or not tested

STRIPPIT, I.
INTERIM REMEDIAL MEASURE
POST CLOSURE MONITORING
SUMMARY OF DETECTED GROUNDWATER PARAMETERS
SAMPLING: 4/95 TO 1/03: GW3

TEST PARAMETER	UNITS	SAMPLE ROUND																					
		4/11/95	7/12/95	10/16/95	1/22/96	5/8/96	8/6/96	10/29/97	2/6/97	6/9/97	9/15/97	12/16/97	3/13/98	6/11/98	12/14/98	6/23/99	12/15/99	6/22/00	1/11/01	7/3/01	12/12/01	6/20/02	1/10/03
pH	Standard	6.82	8.01	8.01	8.42	8.42	7.85	7.53	7.63	7.73	7.03	7.43	8.25	6.93	9.20	9.90	7.15	7.75	9.73	6.32	6.45	6.03	5.60
specific conductae	uMHOS/cm	2010	568	502	475	614	623	585	342	570	635	567	626	445	507	620	582	441	399	750	750	690	797
turbidity	NTU	26.00	26.80	191.00		70.70	5.12	150.30	47.40											140	51	350	53
barium, soluble	mg/L	0.056	0.032	0.070	0.850	0.075	0.065	0.073	0.066	0.058	0.057	0.055	0.055	0.057	0.028	0.064	0.052	0.054	0.055	0.056	0.053	0.053	
barium, total	mg/L	0.065	0.173	0.165	0.090	0.078	0.086	0.078	0.083	0.072	0.076	0.087	0.063	0.069	0.071	0.078	0.084	0.054	0.087	0.068	0.060	0.066	0.068
iron, soluble	mg/L	0.030	0.100	0.095	3.020	2.030	0.050	1.740	0.120	0.114	0.050	0.050	0.050	0.050	0.005	0.005	0.050	0.100	0.100	0.100	0.100	0.100	
iron, total	mg/L	1.560	6.710	13.550	4.090	4.230	1.300	2.000	2.370	2.255	3.800	4.650	1.720	1.380	1.810	1.960	3.150	0.250	4.790	1.690	0.943	1.83	0.90
magnesium, soluble	mg/L	27.700	29.350	29.650	31.950	30.650	27.900	28.450	29.700	26.900	25.400	29.500	27.200	24.550	16.600	28.250	25.800	25.800	25.200	24.800	23.9	25.6	
magnesium, total	mg/L	28.300	68.700	72.550	32.450	30.950	32.700	16.650	32.900	30.350	35.800	39.350	28.700	27.550	24.600	32.150	31.600	26.300	31.600	26.800	25.0	26.6	27.7
manganese, soluble	mg/L	0.078	0.138	0.075	0.165	0.131	0.124	0.113	0.148	0.078	0.050	0.080	0.070	0.063	0.010	0.082	0.047	0.054	0.069	0.045	0.063	0.078	
manganese, total	mg/L	0.120	0.456	0.660	0.210	0.142	0.141	0.128	0.148	0.001	0.120	0.195	0.097	0.011	0.079	0.128	0.111	0.067	0.170	0.082	0.082	0.120	0.083
total phenols	mg/L					0.005	0.140	0.005	0.005	0.005	0.002	0.002	0.050	0.050	0.001	0.002	0.002	0.002	0.002	0.002	0.002	0.004	0.002
dichlorodifluoromethane	ug/L	2.40	0.50	0.50	0.50	1.00	1.00	1.00	1.00														
chloromethane	ug/L	1.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
vinyl chloride	ug/L	2.30	0.50	0.50	0.50	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
acetone	ug/L	16.00	10.50	18.50	5.50	90.00	5.00	5.00	5.00	20.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	
carbon disulfide	ug/L	1.80	0.50	0.50	0.50	0.50	3.00	0.50	0.50	10.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
trans1,2dichloroethene	ug/L	0.80	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
1,1dichloroethane	ug/L	0.80	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
chloroform	ug/L	0.70	1.50	1.50	0.50	0.95	3.00	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
2butanone	ug/L	1.00	7.50	0.75	0.55	0.75	1.00	1.00	2.00	10.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	
1,1,1trichloroethane	ug/L	1.80	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.56	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
carbon tetrachloride	ug/L	1.70	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
benzene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.70	0.50	0.50	0.50	0.50	0.50	
trichloroethene	ug/L	0.80	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
toluene	ug/L	0.70	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	1.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
tetrachloroethene	ug/L	0.90	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
methylene chloride	ug/L	6.30	5.00	15.50	5.50	37.50	10.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	
m,p-xylenes	ug/L	1.00	2.00	1.00	1.00	1.00	1.00	1.00	1.00	5.00	1.00	12.80	1.00	3.35	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
o-xylenes	ug/L	0.50	7.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	3.60	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
phenol	ug/L	1.00	1.00	1.00	1.00																		
groundwater elevation	feet	709.53	707.19	705.56	708.26	711.25	710.47	709.65	710.29	710.16	708.13	709.14	711.01	710.47	706.24	707.94	706.14	710.24	709.00	708.68	706.05	710.04	706.79

Notes:
- values shown in **BOLD** print indicate parameter was "not detected" at the detection limit presented on this table
- values left blank indicate sample was either not collected or not tested

STRIPPIT, I.
INTERIM REMEDIAL MEASURE
POST CLOSURE MONITORING
SUMMARY OF DETECTED GROUNDWATER PARAMETERS
QUARTERLY SAMPLING: 4/95 TO 1/03:GW4

TEST PARAMETER	UNITS	SAMPLE ROUND																					
		4/11/95	7/12/95	10/16/95	1/22/96	5/8/96	8/6/96	10/29/96	2/6/97	6/9/97	9/15/97	12/16/97	3/13/98	6/11/98	12/14/98	6/23/99	12/15/99	6/22/00	1/11/01	7/3/01	12/12/01	6/20/02	1/10/03
pH	Standard	7.06	8.31	8.34	9.07	8.03	8.01	7.47	8.21	7.62	7.92	8.06	9.11	8.27	9.10	9.49	9.77	10.57	9.37	6.36	9.68	8.90	10.28
specific conductae	uMHOS/cm	1990	935	628	626	1118	1141	1094	743	1220	1237	989	985	918	745	997	806	784	595	110	790	740	698
turbidity	NTU	200	200	107		43	105	47	116											500	270	240	51
barium, soluble	mg/L	0.045	0.058	0.070	0.110	0.044	0.041	0.050	0.050	0.046	0.051	0.352	0.054	0.038	0.029	0.060	0.043	0.059	0.044	0.041/0.041	0.043/0.043	0.046	
barium, total	mg/L	0.179	0.099	0.120	0.130	0.044	0.044	0.054	0.071	0.058	0.060	0.055	0.055	0.055	0.081	0.059	0.078	0.065	0.058	0.079/0.116	0.072/0.060	0.052	0.062
iron, soluble	mg/L	0.030	1.000	0.370	8.320	1.000	0.030	1.940	0.225	0.100	0.620	0.060	0.050	0.050	0.050	0.050	0.050	0.100	0.100	0.100/0.100	0.100/0.100	0.100	
iron, total	mg/L	12.020	6.720	11.900	9.850	1.000	0.043	2.140	2.870	1.290	1.320	0.766	0.286	1.510	4.420	1.580	4.000	0.110	1.430	4.91/8.19	3.13/1.78	0.155	0.182
magnesium, soluble	mg/L	50.020	36.700	30.200	47.900	39.700	37.500	44.300	39.650	40.300	29.550	39.900	34.800	32.700	12.500	28.800	18.400	29.400	29.500	17.600/20.0	9.860/11.2	17.0	
magnesium, total	mg/L	77.900	48.300	66.000	49.400	39.700	38.800	49.100	46.150	39.000	33.750	42.300	36.000	35.900	31.000	40.100	27.700	25.200	32.100	30.7/35.7	17.2/14.9	17.3	15.2
manganese, soluble	mg/L	0.005	0.029	0.150	0.200	0.022	0.065	0.062	0.031	0.011	0.020	0.010	0.010	0.014	0.030	0.010	0.010	0.010	0.010	0.010/0.010	0.010/0.010	0.010	
manganese, total	mg/L	0.320	0.162	0.320	0.240	0.022	0.022	0.086	0.076	0.034		0.023	0.010	0.072	0.094	0.039	0.086	0.010	0.027	0.106/0.201	0.074/0.037	0.010	0.010
total phenols	mg/L					0.005	0.005	0.005	0.012	0.005	0.020	0.003	0.005	0.005	0.002	0.002	0.002	0.002	0.002	0.002/0.002	0.002/0.002	0.002	0.002
dichlorodifluoromethane	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00														
chloromethane	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00/1.00	1.00/1.00	1.00	
vinyl chloride	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00/1.00	1.00/1.00	1.00	
acetone	ug/L	12.00	5.00	29.00	14.00	38.00	5.00	5.00	5.00	20.00	5.00	7.70	0.50	16.40	5.00	5.00	5.00	5.00	5.00	5.00/5.00	5.00/5.00	5.00	
carbon disulfide	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	10.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00/1.00	1.00/1.00	1.00	
trans1,2dichloroethene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50	
1,1dichloroethane	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50	
chloroform	ug/L	0.50	1.60	1.00	0.80	0.50	0.55	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50	
2butanone	ug/L	1.00	1.00	0.50	1.00	1.00	1.00	1.00	2.00	10.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00/5.00	5.00/5.00	5.00	
1,1,1trichloroethane	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50	
carbon tetrachloride	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50	
benzene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50	
trichloroethene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50	
toluene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	2.10	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50	
tetrachloroethene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50	
methylene chloride	ug/L	2.60	5.00	18.00	10.00	36.00	6.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00/5.00	5.00/5.00	5.00	
m,p-xylenes	ug/L	1.00	2.00	1.00	1.00	1.00	1.00	1.00	1.00	5.00	1.00	8.60	1.00	5.90	1.00	1.00	1.00	1.00	1.00	1.00/1.00	1.00/1.00	1.00	
o-xylenes	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	2.30	0.50	1.60	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50	
phenol	ug/L	1.00	1.00	1.00	1.00																		
groundwater elevation	feet	715.06	712.56	711.13	713.69	716.70	715.75	715.36	716.14	715.92	713.37	714.69	716.43	715.74	711.34	711.09	711.60	715.68	714.36	713.90	712.05	715.39	712.64

Notes:

- values shown in **BOLD** print indicate parameter was "not detected" at the detection limit presented on this table
- values left blank indicate sample was either not collected or not tested

STRIPPIT, I.
INTERIM REMEDIAL MEASURE
POST CLOSURE MONITORING
SUMMARY OF DETECTED GROUNDWATER PARAMETERS
SAMPLING: 4/95 TO 1/03: GW5

TEST PARAMETER	UNITS	SAMPLE ROUND																					
		4/11/95	7/12/95	10/16/95	1/22/96	5/8/96	8/6/96	10/29/96	2/6/97	6/9/97	9/15/97	12/16/97	3/13/98	6/11/98	12/14/98	6/23/99	12/15/99	6/22/00	1/11/01	7/3/01	12/12/01	6/20/02	1/10/03
pH	Standard	6.99	10.88	10.97	11.54	10.93	10.87	10.39	10.90	10.35	10.14	10.76	11.32	10.84	11.31	10.51	11.18	12.27	9.58	9.76	10.93	9.73	11.06
specific conductae	uMHOS/cm	2090	735	506	641	831	816	737	286	820	903	665	820	590	567	770	663	634	648	810	690	860	935
turbidity	NTU	200	168	113		163	181	38	50										44	360	300	14	
barium, soluble	mg/L	0.078	0.484	0.060	0.180	0.050	0.051	0.049	0.056	0.046	0.043	0.101	0.051	0.049	0.034	0.042	0.040	0.050	0.041	0.040	0.033	0.034	
barium, total	mg/L	0.172	0.600	0.180	0.230	0.053	0.055	0.090	0.114	0.053	0.067	0.148	0.065	0.071	0.146	0.068	0.076	0.050	0.073	0.042	0.082	0.051	0.050
iron, soluble	mg/L	0.030	0.090	0.340	24.800	0.480	0.030	0.990	0.640	0.100	0.050	0.050	0.050	0.050	0.050	0.050	0.050	0.100	0.100	0.100	0.100	0.100	
iron, total	mg/L	23.000	1.730	24.700	34.300	0.510	0.280	1.330	8.670	1.300	4.930	1.660	1.820	2.220	17.700	3.230	4.210	0.527	5.100	0.443	7.97	1.77	0.21
magnesium, soluble	mg/L	16.500	4.320	3.680	33.500	2.400	1.330	1.960	5.420	1.540	1.300	0.140	2.070	1.990	0.440	1.590	1.310	0.829	0.778	0.274	0.275	1.180	
magnesium, total	mg/L	32.200	9.710	32.800	42.500	2.530	2.490	3.050	18.600	3.650	8.000	1.640	5.380	9.300	23.600	5.850	7.150	3.970	7.850	1.450	13.9	6.1	8.9
manganese, soluble	mg/L	0.005	0.005	0.010	0.570	0.011	0.005	0.014	0.016	0.010	0.002	0.010	0.010	0.010	0.010	0.010	0.010	0.010	0.010	0.010	0.010	0.010	
manganese, total	mg/L	0.485	0.038	0.620	0.760	0.011	0.008	0.030	0.218	0.024	0.080	0.035	0.037	0.105	0.382	0.068	0.088	0.036	0.106	0.010	0.198	0.039	0.010
total phenols	mg/L					0.005	0.005	0.005	0.005	0.005	0.002	0.002	0.005	0.081	0.002	0.002	0.002	0.002		0.002	0.002	0.002	0.003
dichlorodifluoromethane	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00														
chloromethane	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
vinyl chloride	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
acetone	ug/L	33.00	29.00	43.00	8.00	57.00	7.00	9.00	5.00	20.00	5.00	18.80	5.00	19.70	5.00	8.00	5.00	5.00	5.00	5.00	5.00	5.00	
carbon disulfide	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	10.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
trans1,2dichloroethene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
1,1dichloroethane	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
chloroform	ug/L	0.50	1.00	1.00	0.50	0.50	2.00	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
2butanone	ug/L	1.00	1.00	1.00	0.50	1.00	1.00	1.00	2.00	10.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	
1,1,1trichloroethane	ug/L	0.50	0.50	1.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
carbon tetrachloride	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
benzene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
trichloroethene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
toluene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
tetrachloroethene	ug/L	0.50	0.50	0.60	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
methylene chloride	ug/L	2.40	5.00	24.00	12.00	23.00	10.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	
m,p-xylenes	ug/L	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	6.90	1.00	1.00	1.00	1.00	1.00	1.00	1.00	
o-xylenes	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	2.40	0.50	0.50	0.50	0.50	0.50	0.50	0.50	
phenol	ug/L	1.00	1.40	1.40	1.00																		
groundwater elevation	feet	719.54	716.72	715.29	718.53	721.37	719.99	719.94	721.01	720.14	717.55	719.42	721.08	719.96	715.57	717.30	716.09	720.26	719.05	717.98	716.67	720.16	717.76

Notes:
- values shown in **BOLD** print indicate parameter was "not detected" at the detection limit presented on this table
- values left blank indicate sample was either not collected or not tested

APPENDIX D

SITE INSPECTION REPORT
January 10, 2003 SAMPLE ROUND

LONG-TERM QUARTERLY MONITORING REPORT
INTERIM REMEDIAL MEASURE
STRIPPIT, INC.
AKRON, NEW YORK

Date of Inspection: January 10, 2003

Inspected By: J. Kirk Hampton

Summary of Observation:

General Condition of Cover: General condition of cover could not be observed due to snow cover (Apr. 10")

Evidence of Erosion, sloughing or other degradation: ☐ Yes ☒ No

Explain: None visually evident due to snow cover

Evidence of cracking: ☐ Yes ☒ No

Explain (include measurements and site sketch): None visually evident due to snow cover

Evidence of water seepage: ☐ Yes ☒ No

Explain: No water seepage evident.

Evidence of Settlement: ☐ Yes ☒ No

Explain: None visually evident due to snow cover

Condition of monitoring wells and gas wells: Condition of monitoring wells are fair, some areas of surface rust are evident. Condition of gas wells are good.

Condition of Vegetative Cover: Condition of Vegetative cover could not be observed due to snow cover

Condition of drainage ways (discuss amount of water/sediments present, vegetative growth unusual staining, blockage, etc.): Condition of drainage ways could not be observed due to snow cover.

Additional Comments:


None

Action Item(s) Required:

Sanding and repainting of monitoring well casings
during next site visits (March, 2003 or June, 2003)

Action Item(s) completed since last inspection:

Signatures:



PHOTOGRAPHS




View of western slope of IRM facing south



View of gas well along north face of IRM, facing southeast



View of top of IRM facing east



View of GW-4 facing east