

The electronic version of this file/report should have the file name:

Type of document.Spill Number.Year-Month.File Year-Year or Report name.pdf

letter._____._____._____.File spillfile_____.pdf

report.hw 915053 . 2004 - 02-01 . IRM MONITORING.pdf
AND MAINTENANCE REPORT

Project Site numbers will be proceeded by the following:

Municipal Brownfields - b

Superfund - hw

Spills - sp

ERP - e

VCP - v

BCP - c

non-releasable - put .nf.pdf

Example: letter.sp9875693.1998-01.Filespillfile.nf.pdf

RECEIVED

FEB 23 2004

NYSDEC REG 9
FOIL
___REL___UNREL

**IRM MONITORING AND
MAINTENANCE REPORT
JANUARY 22, 2004 SAMPLE EVENT**

**STRIPPIT, INC.
AKRON, NEW YORK
NYSDEC SITE NUMBER 9-15-053**

Prepared by: Day Environmental, Inc.
40 Commercial Street
Rochester, New York 14614-1008

Prepared for: Strippit, Inc.
12975 Clarence Center Road
Akron, New York 14001

Date: February 2004

Project No.: 1863R-99

TABLE OF CONTENTS

1.0	INTRODUCTION.....	1
2.0	GROUNDWATER SAMPLING PROCEDURES.....	2
3.0	GROUNDWATER ELEVATIONS	3
4.0	ANALYTICAL LABORATORY RESULTS	4
5.0	SITE INSPECTION REPORT	5
6.0	DISCUSSION	6

Figures:

Figure 1	Locus Plan
Figure 2	Site Plan
Figure 3	Groundwater Contour Map

Appendices:

Appendix A	January 22, 2004 Sample Round: Paradigm Environmental Services, Inc. Report and Chain-of-Custody Documentation
Appendix B	Monitoring Well Sample Logs
Appendix C	Summary of Detected Parameters
Appendix D	Site Inspection Report

1.0 INTRODUCTION

Strippit, Inc., (Strippit), has implemented an Interim Remedial Measure (IRM) approved by the New York State Department of Environmental Conservation (NYSDEC) at a former disposal area (Site) located south of their facility at 12975 Clarence Center Road in Akron, New York (see Locus Plan, Figure 1). As outlined in the NYSDEC's March 1995 Record of Decision (ROD), post-closure monitoring and maintenance is required at the Site to evaluate the effectiveness of the IRM. Specific post-closure monitoring and maintenance requirements are described in a document prepared by Day Engineering, P.C. titled *Post-Closure Monitoring and Maintenance Plan; Interim Remedial Measure; Strippit, inc.; Akron, New York* dated February 1995. This plan was reviewed and approved by the NYSDEC prior to implementation.

In accordance with a June 24, 1998 letter by the NYSDEC, the frequency of groundwater sampling was reduced from quarterly to bi-annually.

In accordance with a August 21, 2002 letter by the NYSDEC, the testing program outlined in the February 1995 plan was modified to include testing for the following parameters:

- Indicator Parameters: pH, specific conductance, turbidity and temperature
- Total barium, iron, magnesium and manganese
- Total Phenols

This submittal presents the results of the bi-annual groundwater sampling and monitoring conducted on January 22, 2004.

2.0 GROUNDWATER SAMPLING PROCEDURES

Groundwater samples were collected in general accordance with the procedures outlined in the approved post-closure monitoring and maintenance plan. A site plan, showing the location of the monitoring wells is included as Figure 2. Groundwater sampling initially included the measurement of static water levels in each of the monitoring wells installed at the Site (designated GW-1 through GW-5) followed by the purging of the wells to remove approximately 3 well volumes (or until wells were dry). The monitoring wells were then allowed to recover so that "fresh" water was retained for testing. Groundwater samples were collected for testing using a dedicated bailer, which is permanently stored above the water within each well casing.

A portion of the groundwater collected from each location was tested in the field for the following parameters using the equipment listed below.

- Specific conductance, temperature and turbidity: Horiba U-22 Multi-Parameter Water Quality Monitoring System.

In addition to the field-testing, samples were also collected for analytical laboratory testing. These samples were placed in pre-cleaned sample containers provided by the analytical laboratory. The analytical laboratory also provided necessary preservatives, which were added to the containers before they were returned to the laboratory.

The sample containers were filled by placing approximately equal amounts of sample from the bailer into each container until the container was filled. When the containers were filled they were placed in a plastic cooler containing ice and stored in a locked field vehicle until they were delivered to Paradigm Environmental Services, Inc. (Paradigm) for analytical laboratory testing. Chain-of-custody documentation was maintained throughout the sample collection process. Copies of the executed chain-of-custody forms for the January 22, 2004 sample round are included with the test results in Appendix A.

Executed copies of the monitoring well sample logs for the January 22, 2004 sample round are included in Appendix B. These logs summarize in-situ measurements, groundwater depths, purging information and other relative data.

3.0 GROUNDWATER ELEVATIONS

During the sample round, the depth to groundwater was measured from a monitoring point elevation established on the top of each monitoring well casing using an electronic tape water level indicator. The groundwater depths and elevations measured during the January 22, 2004 sample round are presented in the following table.

WELL	TOP OF CASING ELEVATION (ft.)	DEPTH TO WATER (ft.)	GROUNDWATER ELEVATION (ft.)
GW-1	754.32	38.07	716.25
GW-2	770.62	50.03	720.59
GW-3	742.59	31.30	711.29
GW-4	752.24	35.03	717.21
GW-5	771.26	50.17	721.09

A groundwater contour map developed based upon the groundwater elevations calculated using the measurements obtained during the January 22, 2004 sample round is included as Figure 3.

4.0 ANALYTICAL LABORATORY RESULTS

During the January 22, 2004 sample round, groundwater samples were collected from each of the five monitoring wells (i.e., GW-1 through GW-5). All samples were analyzed by Paradigm for the following parameters.

- Total Barium, Iron, Magnesium and Manganese via USEPA method 6010 and Total Phenolics via USPEA method 420.1

A copy of Paradigm's report summarizing the test results for the samples collected on January 22, 2004 is included in Appendix A. A historic summary of the parameters detected within the groundwater samples collected from the monitoring wells at the Site is presented in Appendix C.

5.0 SITE INSPECTION REPORT

A copy of the site inspection report completed during the January 22, 2004 sample round is included in Appendix D.

6.0 DISCUSSION

Groundwater level measurements made during the January 22, 2004 sample round indicate that groundwater flow is generally to the northwest. This flow direction is similar to that determined during previous sample rounds; however, groundwater elevations measured in the wells during the January 22, 2004 sample round range from about 4.0 to 4.9 feet higher than those measured during the most recent monitoring event conducted on September 24, 2003.

A majority of the parameters detected in the samples collected during the January 22, 2004 sample event were measured at concentrations below Class GA standards established in 6 NYCRR Part 700-705 for potable groundwater supplies. However, the concentrations measured in the following samples exceeded these standards for the parameters indicated:


- Total iron (NYSDEC standard of 0.3 ppm): GW-3, GW-4, and GW-5;
- The pH values measured in the upgradient monitoring wells GW-2 (10.53 s.u.) and GW-5 (10.04 s.u.) are above the NYSDEC standard of 8.5 s.u. Downgradient monitoring well GW-4 (8.87) is also above the NYSDEC standard, and downgradient monitoring wells GW-1 (7.88) and GW-3 (7.04) is within normal range.

With the exception of the apparent pH impact discussed up above, trends of groundwater degradation were not identified based upon a review of the data collected during the January 22, 2004 sampling event. As discussed in the Summary Report dated August 2002, the concentration of total magnesium in the monitoring wells does not appear to be increasing. Rather, the concentrations have been consistent and/or decreasing (including MW-1).

No apparent deficiencies requiring immediate repair were observed during the January 22, 2004 site visit. During previous site visits, an apparent oil sheen was observed on the standing water located at or near the north face of the IRM closure area. Based on analytical testing of soil samples collected from test borings advanced in this area, the soil does not require remediation at this time (i.e., the soil samples tested were below NYSDEC standards).

The next scheduled monitoring event at the Site is on or about March 3, 2004 (i.e., this event will include measurement of water levels measurement of pH and observing the condition of the IRM closure). The area of sloughing observed on the north slope of the closure area during previous site visits will be monitored during the subsequent site visits (weather permitting) to confirm the area is not deteriorating.

FIGURE 1
LOCUS PLAN



3-D TopoQuads Copyright © 1999 DeLorme Yarmouth, ME 04096 Source Data: USGS

550 ft Scale: 1 : 19,200 Detail: 14-0 Datum: NAD27

Drawing Produced From: 3-D TopoQuads, DeLorme Map Co., referencing USGS quad maps Wolcottsville (NY) 1995; Akron (NY) 1995; Lancaster (NY) 1982; & Corfu (NY) 1984. Site Lat/Long: N43d-0.6' - W78d-30.25'

DATE
07-22-2002

DRAWN BY
Tww

SCALE
1" = 2000'

day

DAY ENVIRONMENTAL, INC.
ENVIRONMENTAL CONSULTANTS
ROCHESTER, NEW YORK 14614-1008

PROJECT TITLE
**STRIPPIT, INC.
AKRON, NEW YORK**


GROUNDWATER MONITORING

DRAWING TITLE
PROJECT LOCUS MAP

PROJECT NO.
1863R-99

FIGURE 1

FIGURE 2
SITE PLAN



NOTES:

1. This drawing produced from a drawing provided by Deborah A. Naybor, PLS, PC. entitled "Topographic Map Of Part Of Lot 5, TWP. 12, Range 5, Section 6, Town Of Newstead, County Of Erie, New York" dated 3/4/93 & revised 3/26/93.
2. No boundary survey was performed by Deborah A. Naybor, PLS, PC.

LEGEND:

- GW-1 ♦ Monitoring Well Designation
- Existing Gas Well
- Approximate Limits Of Former Disposal Area

DATE
01-30-2003

DRAWN BY
LRP

SCALE
1"=100'

day

DAY ENVIRONMENTAL, INC.
ENVIRONMENTAL CONSULTANTS
ROCHESTER, NEW YORK 14614-1008

PROJECT TITLE
STRIPPIT, INC.
AKRON, NEW YORK

GROUNDWATER MONITORING


DRAWING TITLE

Site Location Map

PROJECT NO.
1863R-99

FIGURE 2

FIGURE 3
GROUNDWATER CONTOUR MAP



NOTES:

1. This drawing produced from a drawing provided by Deborah A. Naybor, PLS, PC. entitled "Topographic Map Of Part Of Lot 5, TWP. 12, Range 5, Section 6, Town Of Newstead, County Of Erie, New York" dated 3/4/93 & revised 3/26/93.
2. No boundary survey was performed by Deborah A. Naybor, PLS, PC.

LEGEND:

- GW-1** ♦ Groundwater Monitoring Well With Designation
- Potentiometric contour Line for 01-22-2004
- ➔ Apparent Direction of Groundwater Flow

DATE
02-20-2004

DRAWN BY
Tww

SCALE
1" = 100'

day

DAY ENVIRONMENTAL, INC.
ENVIRONMENTAL CONSULTANTS
ROCHESTER, NEW YORK 14614-1008

PROJECT TITLE
STRIPPIT, INC.
AKRON, NY

GROUNDWATER MONITORING

DRAWING TITLE
Groundwater Potentiometric
Contour Map for January 22, 2004

PROJECT NO.
1863R-99

FIGURE 3

APPENDIX A

**PARADIGM ENVIRONMENTAL SERVICES, INC. ANALYTICAL SERVICES
REPORT & CHAIN-OF-CUSTODY DOCUMENTATION
JANUARY 22, 2004 SAMPLE ROUND**



PARADIGM

ENVIRONMENTAL SERVICES, INC.

179 Lake Avenue Rochester, New York 14608 (585) 647-2530 FAX (585) 647-3311

LABORATORY REPORT OF ANALYSIS

Client: Day Environmental, Inc.

Lab Project No.: 04-0257

Client Job Site: Strippit

Client Job No.: 1863R-99

Sample Type: Groundwater

Analytical Method: EPA 420.2

Date Sampled: 01/22/2004

Date Received: 01/23/2004


Date Analyzed: 01/27/2004

Lab Sample ID.	Sample Location/Field ID	Total Phenolics mg/l
1455	1863-GW1	ND<0.002
1456	1863-GW2	ND<0.002
1457	1863-GW3	ND<0.002
1458	1863-GW4	ND<0.002
1459	1863-GW5	ND<0.002

ELAP ID No. 10709

Comments: ND denotes Non-Detected.

Approved By Technical Director: _____


Bruce Hoogesteger



PARADIGM

ENVIRONMENTAL SERVICES, INC.

179 Lake Avenue, Rochester, NY 14608 (585) 647-2530 FAX (585) 647-3311

Client: Day Environmental

Lab Project No.: 04-0257

Client Job Site: Strippit

Lab Sample No.: 1455

Client Job No.: 1863R-99

Sample Type: Water

Field Location: 1863-GW1

Date Sampled: 01/22/2004

Field ID No.: N/A

Date Received: 01/23/2004

Laboratory Report for Water Analysis

Parameter	Date Analyzed	Analytical Method	Result (mg/L)
Barium	01/29/2004	EPA 6010	0.031
Iron	01/28/2004	EPA 6010	0.237
Magnesium	01/28/2004	EPA 6010	13.1
Manganese	01/28/2004	EPA 6010	<0.010

ELAP ID No.:10958

Comments:

Approved By: _____

Bruce Hoogesteger, Technical Director

Chain of Custody provides additional sample information.

File ID:040257.xls



PARADIGM

ENVIRONMENTAL SERVICES, INC.

179 Lake Avenue, Rochester, NY 14608 (585) 647-2530 FAX (585) 647-3311

Client: Day Environmental

Lab Project No.: 04-0257

Client Job Site: Strippit

Lab Sample No.: 1456

Client Job No.: 1863R-99

Sample Type: Water

Field Location: 1863-GW2

Date Sampled: 01/22/2004

Field ID No.: N/A

Date Received: 01/23/2004

Laboratory Report for Water Analysis

Parameter	Date Analyzed	Analytical Method	Result (mg/L)
Barium	01/29/2004	EPA 6010	0.140
Iron	01/28/2004	EPA 6010	<0.100
Magnesium	01/29/2004	EPA 6010	0.175
Manganese	01/28/2004	EPA 6010	<0.010

ELAP ID No.:10958

Comments:

Approved By: _____

Bruce Hoogesteger, Technical Director

Chain of Custody provides additional sample information.

File ID:040257.xls



PARADIGM

ENVIRONMENTAL SERVICES, INC.

179 Lake Avenue, Rochester, NY 14608 (585) 647-2530 FAX (585) 647-3311

Client: Day Environmental

Lab Project No.: 04-0257

Client Job Site: Strippit

Lab Sample No.: 1457

Client Job No.: 1863R-99

Sample Type: Water

Field Location: 1863-GW3

Date Sampled: 01/22/2004

Field ID No.: N/A

Date Received: 01/23/2004


Laboratory Report for Water Analysis

Parameter	Date Analyzed	Analytical Method	Result (mg/L)
Barium	01/29/2004	EPA 6010	0.064
Iron	01/28/2004	EPA 6010	0.571
Magnesium	01/28/2004	EPA 6010	27.3
Manganese	01/28/2004	EPA 6010	0.072

ELAP ID No.:10958

Comments:

Approved By: _____


Bruce Hoogesteger, Technical Director

Chain of Custody provides additional sample information.

File ID:040257.xls



PARADIGM

ENVIRONMENTAL SERVICES, INC.

179 Lake Avenue, Rochester, NY 14608 (585) 647-2530 FAX (585) 647-3311

Client: Day Environmental

Lab Project No.: 04-0257

Client Job Site: Strippit

Lab Sample No.: 1458

Client Job No.: 1863R-99

Sample Type: Water

Field Location: 1863-GW4

Date Sampled: 01/22/2004

Field ID No.: N/A

Date Received: 01/23/2004


Laboratory Report for Water Analysis

Parameter	Date Analyzed	Analytical Method	Result (mg/L)
Barium	01/29/2004	EPA 6010	0.036
Iron	01/28/2004	EPA 6010	0.302
Magnesium	01/28/2004	EPA 6010	1.97
Manganese	01/28/2004	EPA 6010	<0.010

ELAP ID No.: 10958

Comments:

Approved By: _____


Bruce Hoogesteger, Technical Director

Chain of Custody provides additional sample information.

File ID: 040257.xls



PARADIGM

ENVIRONMENTAL SERVICES, INC.

179 Lake Avenue, Rochester, NY 14608 (585) 647-2530 FAX (585) 647-3311

Client: Day Environmental

Client Job Site: Strippit

Client Job No.: 1863R-99

Field Location: 1863-GW5

Field ID No.: N/A

Lab Project No.: 04-0257

Lab Sample No.: 1459

Sample Type: Water

Date Sampled: 01/22/2004

Date Received: 01/23/2004

Laboratory Report for Water Analysis

Parameter	Date Analyzed	Analytical Method	Result (mg/L)
Barium	01/29/2004	EPA 6010	0.057
Iron	01/28/2004	EPA 6010	1.32
Magnesium	01/28/2004	EPA 6010	4.35
Manganese	01/28/2004	EPA 6010	0.029

ELAP ID No.:10958

Comments:

Approved By: _____

Bruce Hoogesteger, Technical Director

Chain of Custody provides additional sample information.

File ID:040257.xls

PARADIGM

ENVIRONMENTAL SERVICES, INC.

179 Lake Avenue
Rochester, NY 14608
(585) 647-2530 • (800) 724-1997
FAX: (585) 647-3311

CHAIN OF CUSTODY

REPORT TO:		INVOICE TO:	
COMPANY: <i>Dan Environmental</i>	COMPANY:	LAB PROJECT #:	CLIENT PROJECT #:
ADDRESS: <i>40 Commercial St</i>	ADDRESS: <i>SAME</i>		
CITY: <i>Rochester</i> STATE: <i>NY</i> ZIP:	CITY: STATE: ZIP:	TURNAROUND TIME: (WORKING DAYS)	
PHONE: <i>454-0210</i> FAX: <i>454-0525</i>	PHONE: FAX:		
PROJECT NAME/SITE NAME:	ATTN: <i>Don</i>	ATTN:	☐ 1 ☐ 2 ☐ 3 ☒ 4 ☐ 5 ☐ OTHER
COMMENTS: <i>Previous records - new list of per AF 10/23/01</i>			

REQUESTED ANALYSIS															
DATE	TIME	COMPOSITE	GRAB	SAMPLE LOCATION/FIELD ID	MATRIX	CONTAMINANTS	Lead	Cadmium	Copper	Chromium	Iron	Manganese	Nickel	Silver	PARADIGM LAB SAMPLE NUMBER
1	10:15		X	1863-GW1	GW	4	X	X							1863-GW1
2	13:05		X	1863-GW2		4	X	X							1863-GW2
3	12:15		X	1863-GW3		4	X	X							1863-GW3
4	13:55		X	1863-GW4		4	X	X							1863-GW4
5	14:00		X	1863-GW5		4	X	X							1863-GW5
6															
7															
8															
9															
10															

LAB USE ONLY

SAMPLE CONDITION: Check box If acceptable or note deviation:	CONTAINER TYPE: ☐	PRESERVATIONS: ☒	HOLDING TIME: ☒	TEMPERATURE: ☐
Sampled By: <i>Don Farrell</i> Date/Time: <i>1-22-04</i> Relinquished By: <i>Don Farrell</i> Date/Time: <i>1-22-04</i> Received By: <i>Don Farrell</i> Date/Time: <i>1-22-04</i> Received @ Lab By: <i>Don Farrell</i> Date/Time: <i>1-22-04</i>				
Total Cost:				P.I.F.

APPENDIX B

**MONITORING WELL SAMPLE LOGS
JANUARY 22, 2004 SAMPLE ROUND**

DAY ENVIRONMENTAL, INC.
MONITORING WELL SAMPLING LOG

WELL GW-1

SECTION 1 - SITE INFORMATION

SITE LOCATION: Strippit Inc, Akron, New York JOB #: 1863R-99
PROJECT NAME: Post Closure Long Term Monitoring DATE: 01/22/04
SAMPLE COLLECTOR(S): A. Farrell
WEATHER CONDITIONS: -15°F Snow windy PID IN WELL (PPM): NC

SECTION 2 - PURGE INFORMATION

DEPTH OF WELL [FT]: 58.44 (MEASURED FROM TOP OF CASING - T.O.C.)

STATIC WATER LEVEL (SWL) [FT]: 38.07 (MEASURED FROM T.O.C.)

THICKNESS OF WATER COLUMN [FT]: 20.37 (DEPTH OF WELL - SWL)

CALCULATED VOL. OF H₂O PER WELL CASING [GAL]: 3.25 CASING DIA.: 2"

CALCULATIONS:

CASING DIA. (FT) WELL CONSTANT (GAL/FT) CALCULATIONS

¾" (0.0625)	0.023	VOL. OF H ₂ O IN CASING = DEPTH OF WATER COLUMN X WELL CONSTANT
1" (0.0833)	0.041	
1½" (0.1041)	0.063	
2" (0.1667)	0.1632	
3" (0.250)	0.380	
4" (0.3333)	0.6528	
4½" (0.375)	0.826	
6" (0.5000)	1.4688	
8" (0.666)	2.611	

CALCULATED PURGE VOLUME [GAL]: 9.75 (3 TIMES CASING VOLUME)

ACTUAL VOLUME PURGED [GAL]: ~100

PURGE METHOD: 3' dedicated bailer PURGE START: 12:25 END: 12:35 dry

SECTION 3 - SAMPLE IDENTIFICATION AND TEST PARAMETERS

SAMPLE ID #	DATE / TIME	SAMPLING METHOD	ANALYTICAL SCAN(S)
GW-1	1/22/04 12:40	3' dedicated bailer	Total phenols, pH, Total (Ba, Fe, Mn, Mg)

SECTION 4 - WATER QUALITY DATA

SWL (FT)	TEMP (°C)	pH	CONDUCTIVITY (mS/cm)	TURBIDITY (NTU)	VISUAL
NC	13.1	7.88	0.931	30	Light Gray, Cloudy

NC = Not Collected

DAY ENVIRONMENTAL, INC.
MONITORING WELL SAMPLING LOG

WELL GW-2

SECTION 1 - SITE INFORMATION

SITE LOCATION: Strippit Inc, Akron, New York JOB #: 1863R-99
PROJECT NAME: Post Closure Long Term Monitoring DATE: 01/22/04
SAMPLE COLLECTOR(S): A. Farrell
WEATHER CONDITIONS: ~15°F Snow, windy PID IN WELL (PPM): NC

SECTION 2 - PURGE INFORMATION

DEPTH OF WELL [FT]: 78.60 (MEASURED FROM TOP OF CASING - T.O.C.)
STATIC WATER LEVEL (SWL) [FT]: 50.03 (MEASURED FROM T.O.C.)
THICKNESS OF WATER COLUMN [FT]: 28.57 (DEPTH OF WELL - SWL)
CALCULATED VOL. OF H₂O PER WELL CASING [GAL]: 4.57 CASING DIA.: 2"

CALCULATIONS:

CASING DIA. (FT) WELL CONSTANT (GAL/FT) CALCULATIONS

¾" (0.0625)	0.023	VOL. OF H ₂ O IN CASING = DEPTH OF WATER COLUMN X WELL CONSTANT
1" (0.0833)	0.041	
1¼" (0.1041)	0.063	
2" (0.1667)	0.1632	
3" (0.250)	0.380	
4" (0.3333)	0.6528	
4½" (0.375)	0.826	
6" (0.5000)	1.4688	
8" (0.666)	2.611	

CALCULATED PURGE VOLUME [GAL]: 13.7 (3 TIMES CASING VOLUME)

ACTUAL VOLUME PURGED [GAL]: ~6

PURGE METHOD: 3' dedicated bailer PURGE START: 12:50 END: 13:00 dry

SECTION 3 - SAMPLE IDENTIFICATION AND TEST PARAMETERS

SAMPLE ID #	DATE / TIME	SAMPLING METHOD	ANALYTICAL SCAN(S)
GW-2	1/22/04 13:05	3' dedicated bailer	Total phenols, pH, Total (Ba, Fe, Mn, Mg)

SECTION 4 - WATER QUALITY DATA*

SWL (FT)	TEMP (°C)	pH	CONDUCTIVITY (mS/cm)	TURBIDITY (NTU)	VISUAL
NC	12.6	10.53	0.533	38	Light Gray, Cloudy

NC = Not Collected

DAY ENVIRONMENTAL, INC.
MONITORING WELL SAMPLING LOG

WELL GW-3

SECTION 1 - SITE INFORMATION

SITE LOCATION: Strippit Inc, Akron, New York JOB #: 1863R-99
PROJECT NAME: Post Closure Long Monitoring DATE: 01/22/04
SAMPLE COLLECTOR(S): A. Farrell
WEATHER CONDITIONS: ~15°F Snow, windy PID IN WELL (PPM): NC

SECTION 2 - PURGE INFORMATION

DEPTH OF WELL [FT]: 50.00 (MEASURED FROM TOP OF CASING - T.O.C.)
STATIC WATER LEVEL (SWL) [FT]: 31.30 (MEASURED FROM T.O.C.)
THICKNESS OF WATER COLUMN [FT]: 18.70 (DEPTH OF WELL - SWL)
CALCULATED VOL. OF H₂O PER WELL CASING [GAL]: 2.99 CASING DIA.: 2"

CALCULATIONS:

CASING DIA. (FT) WELL CONSTANT (GAL/FT) CALCULATIONS

3/4" (0.0625)	0.023	VOL. OF H ₂ O IN CASING = DEPTH OF WATER COLUMN X WELL CONSTANT
1" (0.0833)	0.041	
1 1/4" (0.1041)	0.063	
2" (0.1667)	0.1632	
3" (0.250)	0.380	
4" (0.3333)	0.6528	
4 1/2" (0.375)	0.826	
6" (0.5000)	1.4688	
8" (0.666)	2.611	

CALCULATED PURGE VOLUME [GAL]: 9 (3 TIMES CASING VOLUME)
ACTUAL VOLUME PURGED [GAL]: ~9.0
PURGE METHOD: 3' dedicated bailer PURGE START: 11:55 END: 12:10

SECTION 3 - SAMPLE IDENTIFICATION AND TEST PARAMETERS

SAMPLE ID #	DATE / TIME	SAMPLING METHOD	ANALYTICAL SCAN(S)
GW-3	1/22/04 12:15	3' dedicated bailer	Total phenols, pH, Total (Ba, Fe, Mn, Mg)

SECTION 4 - WATER QUALITY DATA*

SWL (FT)	TEMP (°C)	pH	CONDUCTIVITY (mS/cm)	TURBIDITY (NTU)	VISUAL
NC	13.0	7.04	0.573	90	Light Gray, Cloudy

NC = Not Collected

DAY ENVIRONMENTAL, INC.
MONITORING WELL SAMPLING LOG

WELL GW-4

SECTION 1 - SITE INFORMATION	
SITE LOCATION: <u>Strippit Inc, Akron, New York</u>	JOB #: <u>1863R-99</u>
PROJECT NAME: <u>Post Closure Long Term Monitoring</u>	DATE: <u>01/22/04</u>
SAMPLE COLLECTOR(S): <u>A. Farrell</u>	
WEATHER CONDITIONS: <u>~15°F Snow, windy</u>	PID IN WELL (PPM): <u>NC</u>

SECTION 2 - PURGE INFORMATION																								
DEPTH OF WELL [FT]: <u>52.40</u> (MEASURED FROM TOP OF CASING - T.O.C.)																								
STATIC WATER LEVEL (SWL) [FT]: <u>35.03</u> (MEASURED FROM T.O.C.)																								
THICKNESS OF WATER COLUMN [FT]: <u>17.37</u> (DEPTH OF WELL - SWL)																								
CALCULATED VOL. OF H ₂ O PER WELL CASING [GAL]: <u>2.77</u> CASING DIA.: <u>2"</u>																								
CALCULATIONS: <table style="width: 100%; border-collapse: collapse;"> <tr> <th style="text-align: left;">CASING DIA. (FT)</th> <th style="text-align: left;">WELL CONSTANT (GAL/FT)</th> <th style="text-align: left;">CALCULATIONS</th> </tr> <tr> <td>¼" (0.0625)</td> <td>0.023</td> <td rowspan="8" style="vertical-align: top;">VOL. OF H₂O IN CASING = DEPTH OF WATER COLUMN X WELL CONSTANT</td> </tr> <tr> <td>1" (0.0833)</td> <td>0.041</td> </tr> <tr> <td>1¼" (0.1041)</td> <td>0.063</td> </tr> <tr> <td>2" (0.1667)</td> <td>0.1632</td> </tr> <tr> <td>3" (0.250)</td> <td>0.380</td> </tr> <tr> <td>4" (0.3333)</td> <td>0.6528</td> </tr> <tr> <td>4½" (0.375)</td> <td>0.826</td> </tr> <tr> <td>6" (0.5000)</td> <td>1.4688</td> </tr> <tr> <td>8" (0.666)</td> <td>2.611</td> <td></td> </tr> </table>		CASING DIA. (FT)	WELL CONSTANT (GAL/FT)	CALCULATIONS	¼" (0.0625)	0.023	VOL. OF H ₂ O IN CASING = DEPTH OF WATER COLUMN X WELL CONSTANT	1" (0.0833)	0.041	1¼" (0.1041)	0.063	2" (0.1667)	0.1632	3" (0.250)	0.380	4" (0.3333)	0.6528	4½" (0.375)	0.826	6" (0.5000)	1.4688	8" (0.666)	2.611	
CASING DIA. (FT)	WELL CONSTANT (GAL/FT)	CALCULATIONS																						
¼" (0.0625)	0.023	VOL. OF H ₂ O IN CASING = DEPTH OF WATER COLUMN X WELL CONSTANT																						
1" (0.0833)	0.041																							
1¼" (0.1041)	0.063																							
2" (0.1667)	0.1632																							
3" (0.250)	0.380																							
4" (0.3333)	0.6528																							
4½" (0.375)	0.826																							
6" (0.5000)	1.4688																							
8" (0.666)	2.611																							
CALCULATED PURGE VOLUME [GAL]: <u>8.31</u> (3 TIMES CASING VOLUME)																								
ACTUAL VOLUME PURGED [GAL]: <u>~5.0</u>																								
PURGE METHOD: <u>3' dedicated bailer</u> PURGE START: <u>13:40</u> END: <u>13:50 dry</u>																								

SECTION 3 - SAMPLE IDENTIFICATION AND TEST PARAMETERS			
SAMPLE ID #	DATE / TIME	SAMPLING METHOD	ANALYTICAL SCAN(S)
GW-4	1/22/04 13:55	3' dedicated bailer	Total phenols, pH, Total (Ba, Fe, Mn, Mg)

SECTION 4 - WATER QUALITY DATA*					
SWL (FT)	TEMP (°C)	pH	CONDUCTIVITY (mS/cm)	TURBIDITY (NTU)	VISUAL
NC	15.4	8.87	0.543	81	Light Gray, Cloudy

NC = Not Collected

DAY ENVIRONMENTAL, INC.
MONITORING WELL SAMPLING LOG

WELL GW-5

SECTION 1 - SITE INFORMATION

SITE LOCATION: Strippit Inc, Akron, New York JOB #: 1863R-99
PROJECT NAME: Post Closure Long Term Monitoring DATE: 01/22/04
SAMPLE COLLECTOR(S): A. Farrell
WEATHER CONDITIONS: ~15°F Snow, windy PID IN WELL (PPM): NC

SECTION 2 - PURGE INFORMATION

DEPTH OF WELL [FT]: 74.30 (MEASURED FROM TOP OF CASING - T.O.C.)
STATIC WATER LEVEL (SWL) [FT]: 50.17 (MEASURED FROM T.O.C.)
THICKNESS OF WATER COLUMN [FT]: 24.13 (DEPTH OF WELL - SWL)
CALCULATED VOL. OF H₂O PER WELL CASING [GAL]: 3.86 CASING DIA.: 2"

CALCULATIONS:

CASING DIA. (FT) WELL CONSTANT (GAL/FT) CALCULATIONS

3/4" (0.0625)	0.023	VOL. OF H ₂ O IN CASING = DEPTH OF WATER COLUMN X WELL CONSTANT
1" (0.0833)	0.041	
1 1/4" (0.1041)	0.063	
2" (0.1667)	0.1632	
3" (0.250)	0.380	
4" (0.3333)	0.6528	
4 1/2" (0.375)	0.826	
6" (0.5000)	1.4688	
8" (0.666)	2.611	

CALCULATED PURGE VOLUME [GAL]: 11.58 (3 TIMES CASING VOLUME)

ACTUAL VOLUME PURGED [GAL]: ~6.5

PURGE METHOD: 3' dedicated bailer PURGE START: 13:15 END: 13:25 dry

SECTION 3 - SAMPLE IDENTIFICATION AND TEST PARAMETERS

SAMPLE ID #	DATE / TIME	SAMPLING METHOD	ANALYTICAL SCAN(S)
GW-5	1/22/04 13:30	3' dedicated bailer	Total phenols, pH, Total (Ba, Fe, Mn, Mg)

SECTION 4 - WATER QUALITY DATA*

SWL (FT)	TEMP (°C)	pH	CONDUCTIVITY (mS/cm)	TURBIDITY (NTU)	VISUAL
NC	13.6	10.04	0.74	80	Light Gray, Cloudy

NC = Not Collected

APPENDIX C

SUMMARY OF DETECTED PARAMETERS

STRIPPIT, INC.
INTERIM REMEDIAL MEASURE
POSTCLOSURE MONITORING
SUMMARY OF DETECTED GROUNDWATER PARAMETERS
SAMPLING: 4/95 TO 1/04: GW1

TEST PARAMETER	UNITS	SAMPLE ROUND																							
		4/11/95	7/12/95	10/16/95	1/22/96	5/8/96	8/6/96	10/29/96	2/6/97	6/9/97	9/15/97	12/16/97	3/13/98	6/11/98	12/14/98	6/23/99	12/15/99	6/22/00	1/11/01	7/3/01	12/12/01	6/20/02	1/10/03	6/10/03	1/22/04
pH	Standard	7.35	8.76	8.63	9.07	8.87	8.04	8.31	8.55	7.38	7.82	7.35	8.37	7.75	8.28	7.502	7.95	8.77	10.57	6.36	8.76	7.22	7.13	9.02	7.88
specific conductance	uMHOS/cm	1,400	1,170	751	889	1,297	862	1,179	870	1,660	1,292		1140	1128	877	764	866	968	666	1400	1100	1200	1120	872	931
turbidity	NTU	85.8	200	46.6		101.6	83.8	135.2									0		45		180	13	46	30	
barium, soluble	mg/L	0.058	0.059	0.06	0.12	0.054	0.03	0.04	0.033	0.027	0.02	0.024	0.027	0.028	0.022	0.02	0.02	0.027	0.021	0.023	0.020	0.020			
barium, total	mg/L	0.079	0.123	0.07	0.13	0.054	0.04	0.0575	0.041	0.0624	0.033	0.035	0.023	0.032	0.09 5.0	0.041	0.036	0.025	0.027	0.025	0.023	0.020	0.034	0.037	0.031
iron, soluble	mg/L	0.03	0.36	0.13	8.24	0.15	0.03	1.065	0.04	0.812	0.061	0.05	0.127	0.05	0.232	0.05	0.05	0.1	0.1	0.140	0.100	0.100			
iron, total	mg/L	1.46	6.82	2.53	8.34	0.15	0.17	2.96	1	5.91	0.985	1.21	0.229	0.676	8.66	1.96	0.724	0.1	0.522	0.246	0.188	0.100	0.419	0.284	0.237
magnesium, soluble	mg/L	50.8	44.6	47.5	66.8	62.9	68.6	57.35	63	56	55.2	66.5	66.2	62.2	47.2	62.3	53.5	51	42.2	39.6	37.1	40.6			
magnesium, total	mg/L	54	52	56.8	68.8	62.9	71.2	64.8	65.6	66.3	69.3	78	65.8	64.5	59.8	63.6	57.7	52.7	43.4	44.3	39.1	38.7	47.7	49.7	13.1
manganese, soluble	mg/L	0.005	0.026	0.01	0.23	0.039	0.021	0.04	0.015	0.0347	0.02	0.013	0.017	0.042	0.16	0.036	0.023	0.032	0.012	0.015	0.010	0.010			
manganese, total	mg/L	0.038	0.171	0.08	0.24	0.039	0.024	0.085	0.041	0.158	0.03	0.049	0.019	0.069	0.255	0.084	0.049	0.033	0.03	0.041	0.027	0.290	0.061	0.143	0.010
total phenols	mg/L					0.005	0.005	0.005	0.005	0.005	0.002	0.002	0.005	0.03	0.029	0.002	0.002	0.004	0.002	0.002	0.008	0.002	0.002	0.002	0.002
dichlorodifluoromethane	ug/L	0.5	0.5	0.5	0.5	1.00	1.00	1.00	1.00																
chloromethane	ug/L	0.5	0.5	0.5	0.5	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
vinyl chloride	ug/L	0.5	0.5	0.5	0.5	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
acetone	ug/L	26.00	5.00	34.00	6.00	71.00	5.00	5.00	5.00	20.00	5.00	5.00	5.00	241.9	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00			
carbon disulfide	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	10.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
trans 1,2dichloroethene	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
1,1dichloroethane	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
chloroform	ug/L	0.5	0.5	1.5	0.5	0.5	1.00	0.5	0.5	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
2butanone	ug/L	1.00	2.00	0.5	0.5	1.00	1.00	1.00	2.00	10.00	5.00	5.00	5.00	5.00	5.00	0.50	5.00	5.00	5.00	5.00	5.00	5.00			
1,1,1trichloroethane	ug/L	0.5	0.5	0.9	0.5	0.5	0.5	0.5	0.5	5.0	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
carbon tetrachloride	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	5.0	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
benzene	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	5.0	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
trichloroethene	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	5.0	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
toluene	ug/L	0.5	0.5	0.5	0.6	0.5	0.5	0.5	0.5	5.0	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
tetrachloroethene	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	5.0	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
methylene chloride	ug/L	11.00	5.00	21.00	5.00	35.00	14.00	5.00	5.00	5.0	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00			
m,p-xylenes	ug/L	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	5.0	1.00	1.90	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
o-xylenes	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	5.0	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
phenol	ug/L	1.00	1.00	1.00	1.00																				
groundwater elevation	feet	713.43	711.04	710.09	712.82	715.76	714.71	714.29	715.02	715.09	712.34	713.81	715.52	715.27	711.01	713.24	710.6	714.65	713.52	712.98	711.13	714.82	711.57	713.67	716.25

Notes:

- values shown in **BOLD** print indicate parameter was "not detected" at the detection limit presented on this table
- values left blank indicate sample was either not collected or not tested
- soluble metals and volatile organic compounds have not been tested since June 20, 2002 (as approved in a letter from the NYSDEC dated August 21, 2002)

STRIPPIT, INC.
INTERIM REMEDIAL MEASURE
POSTCLOSURE MONITORING
SUMMARY OF DETECTED GROUNDWATER PARAMETERS
SAMPLING: 4/95 TO 1/04: GW2

TEST PARAMETER	UNITS	SAMPLE ROUND																							
		4/11/95	7/12/95	10/16/95	1/22/96	5/8/96	8/6/96	10/29/96	2/6/97	6/9/97	9/15/97	12/16/97	3/13/98	6/11/98	12/14/98	6/23/99	12/15/99	6/22/00	1/11/01	7/3/01	12/12/01	6/20/02	1/10/03	6/10/03	1/22/04
pH	Standard	7.23	11.58	11.71	12.23	11.55	11.33	11.29	11.31	10.51	10.61	10.43	11.54	11.28	11.42	11.04	11.28	10.81	11.56	10.43	11.18	9.16	10.32	10.60	10.53
specific conductae	uMHOS/cm	1870	1170	695	771	1239	1050	827	244	770	904	864	80	799	676	761	592	493	564	1000	730	530	568	519	533
turbidity	NTU	200.00	16.50	11.90		11.60	6.91	3.92	74.00										80	560	170	12	200	38	
barium, soluble	mg/L	0.199	0.200	0.180	0.150	0.116	0.129	0.171	0.115	0.102	0.091	0.045	0.094	0.094	0.088	0.140	0.118	0.111	0.129	0.130	0.091	0.081			
barium, total	mg/L	0.210	0.211	0.210	0.180	0.118	0.130	0.139	0.127	0.108	0.110	0.099	0.091	0.118	0.107	0.146	0.172	0.122	0.176	0.159	0.145	0.131	0.125	0.164	0.14
iron, soluble	mg/L	0.030	0.150	0.007	0.430	0.090	0.030	0.100	0.340	0.100	0.050	0.050	0.050	0.050	0.050	0.050	0.050	0.180	0.143	0.148	0.100	0.100			
iron, total	mg/L	0.250	0.490	1.440	1.260	0.090	0.180	0.260	0.410	0.100	0.319	9.350	0.194	0.247	0.431	1.230	2.230	1.270	2.360	0.566	3.11	1.63	0.17	1.45	0.100
magnesium, soluble	mg/L	0.050	0.140	0.230	1.010	0.470	0.950	0.910	0.089	0.500	0.500	4.100	0.038	0.099	0.214	0.131	0.109	0.251	0.050	0.050	0.050	0.239			
magnesium, total	mg/L	1.030	0.360	0.910	1.360	0.470	2.510	2.800	0.342	0.500	0.500	23.300	0.222	0.393	0.404	1.140	1.860	1.580	1.660	0.342	2.93	1.70	0.61	2.25	0.175
manganese, soluble	mg/L	0.005	0.053	0.005	0.030	0.005	0.005	0.005	0.008	0.010	0.020	0.010	0.010	0.010	0.010	0.010	0.100	0.010	0.010	0.010	0.010	0.010			
manganese, total	mg/L	0.006	0.150	0.020	0.040	0.005	0.005	0.030	0.009	0.010	0.020	0.224	0.010	0.010	0.010	0.025	0.040	0.040	0.042	0.010	0.064	0.033	0.010	0.031	0.010
total phenols	mg/L					0.005	0.020	0.008	0.005	0.005	0.020	0.002	0.005	0.008	0.008	0.002	0.002	0.002	0.002	0.002	0.002	0.007	0.002	0.002	0.002
dichlorodifluoromethane	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00																
chloromethane	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
vinyl chloride	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
acetone	ug/L	31.00	33.00	63.00	24.00	100.00	21.00	47.00	19.00	20.00	5.00	5.00	9.60	29.60	10.80	6.90	5.00	5.00	5.00	5.00	5.00	5.00			
carbon disulfide	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	10.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
trans 1,2dichloroethene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
1,1dichloroethane	ug/L	0.60	0.50	0.70	0.50	0.50	0.50	0.70	0.60	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
chloroform	ug/L	0.50	0.50	2.00	0.60	0.50	0.80	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00	1.00	0.50	0.50			
2butanone	ug/L	3.00	6.00	0.50	2.00	4.00	1.00	1.00	2.00	10.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00			
1,1,1trichloroethane	ug/L	0.50	0.70	0.60	0.50	0.50	0.60	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
carbon tetrachloride	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
benzene	ug/L	0.50	0.50	0.50	0.50	0.50	0.60	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
trichloroethene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
toluene	ug/L	0.70	0.50	0.90	0.60	0.80	1.00	0.90	0.60	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
tetrachloroethene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
methylene chloride	ug/L	11.00	5.00	23.00	10.00	38.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00			
m,p-xylenes	ug/L	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
o-xylenes	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
phenol	ug/L	1.00	5.60	2.00	3.00																				
groundwater elevation	feet	719.90	717.08	715.62	718.59	721.58	720.24	719.96	721.22	720.69	717.76	719.67	721.29	720.39	715.77	717.64	716.20	720.42	721.26	718.36	716.43	720.39	717.77	719.52	720.59

Notes:

- values shown in **BOLD** print indicate parameter was "not detected" at the detection limit presented on this table
- values left blank indicate sample was either not collected or not tested
- soluble metals and volatile organic compounds have not been tested since June 20, 2002 (as approved in a letter from the NYSDEC dated August 21, 2002).

STRIPPIT, INC.
INTERIM REMEDIAL MEASURE
POSTCLOSURE MONITORING
SUMMARY OF DETECTED GROUNDWATER PARAMETERS
SAMPLING: 4/95 TO 1/04: GW2

TEST PARAMETER	UNITS	SAMPLE ROUND																							
		4/11/95	7/12/95	10/16/95	1/22/96	5/8/96	8/6/96	10/29/96	2/6/97	6/9/97	9/15/97	12/16/97	3/13/98	6/11/98	12/14/98	6/23/99	12/15/99	6/22/00	1/11/01	7/3/01	12/12/01	6/20/02	1/10/03	6/10/03	1/22/04
pH	Standard	7.23	11.58	11.71	12.23	11.55	11.33	11.29	11.31	10.51	10.61	10.43	11.54	11.28	11.42	11.04	11.28	10.81	11.56	10.43	11.18	9.16	10.32	10.60	10.53
specific conductae	uMHOS/cm	1870	1170	695	771	1239	1050	827	244	770	904	864	80	799	676	761	592	493	564	1000	730	530	568	519	533
turbidity	NTU	200.00	16.50	11.90		11.60	6.91	3.92	74.00											80	560	170	12	200	38
barium, soluble	mg/L	0.199	0.200	0.180	0.150	0.116	0.129	0.171	0.115	0.102	0.091	0.045	0.094	0.094	0.088	0.140	0.118	0.111	0.129	0.130	0.091	0.081			
barium, total	mg/L	0.210	0.211	0.210	0.180	0.118	0.130	0.139	0.127	0.108	0.110	0.099	0.091	0.118	0.107	0.146	0.172	0.122	0.176	0.159	0.145	0.131	0.125	0.164	0.14
iron, soluble	mg/L	0.030	0.150	0.007	0.430	0.090	0.030	0.100	0.340	0.100	0.050	0.050	0.050	0.050	0.050	0.050	0.050	0.180	0.143	0.148	0.100	0.100			
iron, total	mg/L	0.250	0.490	1.440	1.260	0.090	0.180	0.260	0.410	0.100	0.319	9.350	0.194	0.247	0.431	1.230	2.230	1.270	2.360	0.566	3.11	1.63	0.17	1.45	0.100
magnesium, soluble	mg/L	0.050	0.140	0.230	1.010	0.470	0.950	0.910	0.089	0.500	0.500	4.100	0.038	0.099	0.214	0.131	0.109	0.251	0.050	0.050	0.050	0.239			
magnesium, total	mg/L	1.030	0.360	0.910	1.360	0.470	2.510	2.800	0.342	0.500	0.500	23.300	0.222	0.393	0.404	1.140	1.860	1.580	1.660	0.342	2.93	1.70	0.61	2.25	0.175
manganese, soluble	mg/L	0.005	0.053	0.005	0.030	0.005	0.005	0.005	0.008	0.010	0.020	0.010	0.010	0.010	0.010	0.010	0.100	0.010	0.010	0.010	0.010	0.010			
manganese, total	mg/L	0.006	0.150	0.020	0.040	0.005	0.005	0.030	0.009	0.010	0.020	0.224	0.010	0.010	0.010	0.025	0.040	0.040	0.042	0.010	0.064	0.033	0.010	0.031	0.010
total phenols	mg/L					0.005	0.020	0.008	0.005	0.005	0.020	0.002	0.005	0.008	0.008	0.002	0.002	0.002	0.002	0.002	0.002	0.007	0.002	0.002	0.002
dichlorodifluoromethane	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00																
chloromethane	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
vinyl chloride	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
acetone	ug/L	31.00	33.00	63.00	24.00	100.00	21.00	47.00	19.00	20.00	5.00	5.00	9.60	29.60	10.80	6.90	5.00	5.00	5.00	5.00	5.00	5.00			
carbon disulfide	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	10.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
trans 1,2dichloroethene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
1,1dichloroethane	ug/L	0.60	0.50	0.70	0.50	0.50	0.50	0.70	0.60	5.00	0.50	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00	1.00	0.50	0.50			
chloroform	ug/L	0.50	0.50	2.00	0.60	0.50	0.80	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
2butanone	ug/L	3.00	6.00	0.50	2.00	4.00	1.00	1.00	2.00	10.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00			
1,1,1trichloroethane	ug/L	0.50	0.70	0.60	0.50	0.50	0.60	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
carbon tetrachloride	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
benzene	ug/L	0.50	0.50	0.50	0.50	0.50	0.60	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
trichloroethene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
toluene	ug/L	0.70	0.50	0.90	0.60	0.80	1.00	0.90	0.60	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
tetrachloroethene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
methylene chloride	ug/L	11.00	5.00	23.00	10.00	38.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00			
m,p-xylenes	ug/L	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
o-xylenes	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
phenol	ug/L	1.00	5.60	2.00	3.00																				
groundwater elevation	feet	719.90	717.08	715.62	718.59	721.58	720.24	719.96	721.22	720.69	717.76	719.67	721.29	720.39	715.77	717.64	716.20	720.42	721.26	718.36	716.43	720.39	717.77	719.52	720.59

Notes:

- values shown in **BOLD** print indicate parameter was "not detected" at the detection limit presented on this table
- values left blank indicate sample was either not collected or not tested
- soluble metals and volatile organic compounds have not been tested since June 20, 2002 (as approved in a letter from the NYSDEC dated August 21, 2002).

STRIPPIT, INC.
INTERIM REMEDIAL MEASURE
POST CLOSURE MONITORING
SUMMARY OF DETECTED GROUNDWATER PARAMETERS
SAMPLING: 4/95 TO 1/04: GW3

TEST PARAMETER	UNITS	SAMPLE ROUND																							
		4/11/95	7/12/95	10/16/95	1/22/96	5/8/96	8/6/96	10/29/97	2/6/97	6/9/97	9/15/97	12/16/97	3/13/98	6/11/98	12/14/98	6/23/99	12/15/99	6/22/00	1/11/01	7/3/01	12/12/01	6/20/02	1/10/03	6/10/03	1/22/04
pH	Standard	8.82	8.01	8.01	8.42	8.42	7.85	7.53	7.63	7.73	7.03	7.43	8.25	6.93	9.20	9.90	7.15	7.75	9.73	6.32	6.45	6.03	5.60	7.78	7.04
specific conductae	uMHOS/cm	2010	568	502	475	614	623	585	342	570	635	567	626	445	507	620	562	441	399	750	750	690	797	636	573
turbidity	NTU	26.00	26.80	191.00		70.70	5.12	150.30	47.40											140	51	350	53	390	90
barium, soluble	mg/L	0.056	0.032	0.070	0.850	0.075	0.065	0.073	0.066	0.058	0.057	0.055	0.055	0.057	0.028	0.064	0.052	0.064	0.055	0.056	0.053	0.053			
barium, total	mg/L	0.065	0.173	0.165	0.090	0.078	0.086	0.078	0.083	0.072	0.076	0.087	0.063	0.069	0.071	0.078	0.084	0.064	0.087	0.068	0.060	0.066	0.068	0.093	0.064
iron, soluble	mg/L	0.030	0.100	0.095	3.020	2.030	0.050	1.740	0.120	0.114	0.050	0.050	0.050	0.050	0.005	0.005	0.050	0.100	0.100	0.100	0.100	0.100			
iron, total	mg/L	1.560	6.710	13.550	4.090	4.230	1.300	2.000	2.370	2.255	3.800	4.650	1.720	1.380	1.810	1.980	3.150	0.250	4.790	1.690	0.943	1.83	0.90	4.85	0.571
magnesium, soluble	mg/L	27.700	29.350	29.650	31.950	30.650	27.900	28.450	29.700	26.900	25.400	29.500	27.200	24.550	16.600	28.250	25.800	25.800	25.200	24.800	23.9	25.6			
magnesium, total	mg/L	28.300	68.700	72.550	32.450	30.950	32.700	16.650	32.900	30.350	35.800	39.350	28.700	27.550	24.600	32.150	31.600	26.300	31.600	26.800	25.0	26.6	27.7	33.7	27.3
manganese, soluble	mg/L	0.078	0.138	0.075	0.165	0.131	0.124	0.113	0.148	0.078	0.050	0.080	0.070	0.063	0.010	0.082	0.047	0.064	0.069	0.045	0.063	0.078			
manganese, total	mg/L	0.120	0.456	0.660	0.210	0.142	0.141	0.128	0.148	0.001	0.120	0.195	0.097	0.011	0.079	0.128	0.111	0.067	0.170	0.082	0.082	0.120	0.083	0.175	0.072
total phenols	mg/L					0.005	0.140	0.005	0.005	0.005	0.002	0.002	0.050	0.050	0.001	0.002	0.002	0.002	0.002	0.002	0.002	0.004	0.002	0.002	0.002
dichlorodifluoromethane	ug/L	2.40	0.50	0.50	0.50	1.00	1.00	1.00	1.00													0.004	0.002	0.002	0.002
chloromethane	ug/L	1.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
vinyl chloride	ug/L	2.30	0.50	0.50	0.50	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
acetone	ug/L	16.00	10.50	18.50	5.50	90.00	5.00	5.00	5.00	20.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00			
carbon disulfide	ug/L	1.80	0.50	0.50	0.50	0.50	3.00	0.50	0.50	10.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
trans1,2dichloroethene	ug/L	0.80	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
1,1dichloroethane	ug/L	0.80	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
chloroform	ug/L	0.70	1.50	1.50	0.50	0.95	3.00	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
2butanone	ug/L	1.00	7.50	0.75	0.55	0.75	1.00	1.00	2.00	10.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00			
1,1,1trichloroethane	ug/L	1.80	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.56	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
carbon tetrachloride	ug/L	1.70	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
benzene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.70	0.50	0.50	0.50	0.50	0.50			
trichloroethene	ug/L	0.80	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
toluene	ug/L	0.70	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	1.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
tetrachloroethene	ug/L	0.90	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
methylene chloride	ug/L	6.30	5.00	15.50	5.50	37.50	10.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00			
m,p-xylenes	ug/L	1.00	2.00	1.00	1.00	1.00	1.00	1.00	1.00	5.00	1.00	12.80	1.00	3.35	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
o-xylenes	ug/L	0.50	7.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	3.60	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
phenol	ug/L	1.00	1.00	1.00	1.00																				
groundwater elevation	feet	709.53	707.19	705.56	708.26	711.25	710.47	709.65	710.29	710.16	708.13	709.14	711.01	710.47	706.24	707.94	706.14	710.24	709.00	708.68	706.05	710.04	706.79	709.15	711.29

Notes:

- values shown in **BOLD** print indicate parameter was "not detected" at the detection limit presented on this table
- values left blank indicate sample was either not collected or not tested
- soluble metals and volatile organic compounds have not been tested since June 20, 2002 (as approved in a letter from the NYSDEC dated August 21, 2002)

STRIPPIT, INC.
INTERIM REMEDIAL MEASURE
POST CLOSURE MONITORING
SUMMARY OF DETECTED GROUNDWATER PARAMETERS
QUARTERLY SAMPLING: 4/95 TO 1/04:GW4

TEST PARAMETER	UNITS	SAMPLE ROUND																								
		4/11/95	7/12/95	10/16/95	1/22/96	5/8/96	8/6/96	10/29/96	2/6/97	6/9/97	9/15/97	12/16/97	3/13/98	6/11/98	12/14/98	6/23/99	12/15/99	6/22/00	1/11/01	7/3/01	12/12/01	6/20/02	1/10/03	6/10/03	1/22/04	
		0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50	0.50	0.50	
perchloroethane	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50	0.50	0.50	0.50	
pH	Standard	7.06	8.31	8.34	9.07	8.03	8.01	7.47	8.21	7.62	7.92	8.06	9.11	8.27	9.10	9.49	9.77	10.57	9.37	6.36	9.68	8.90	10.28	9.56	8.87	
specific conductae	uMHOS/cm	1990	935	628	626	1118	1141	1094	743	1220	1237	989	985	918	745	997	806	784	595	110	790	740	698	6	543	
turbidity	NTU	200	200	107		43	105	47	116											500	270	240	51	43	81	
barium, soluble	mg/L	0.045	0.058	0.070	0.110	0.044	0.041	0.050	0.050	0.046	0.051	0.052	0.054	0.038	0.029	0.060	0.043	0.059	0.044	0.041/0.041	0.043/0.043	0.046				
barium, total	mg/L	0.179	0.099	0.120	0.130	0.044	0.044	0.054	0.071	0.058	0.060	0.055	0.055	0.055	0.081	0.058	0.078	0.065	0.058	0.079/0.116	0.072/0.060	0.052	0.062	0.075	0.036	
iron, soluble	mg/L	0.030	1.000	0.370	8.320	1.000	0.030	1.940	0.225	0.100	0.620	0.060	0.050	0.050	0.050	0.050	0.050	0.100	0.100	0.100/0.100	0.100/0.100	0.100				
iron, total	mg/L	12.020	6.720	11.900	9.850	1.000	0.043	2.140	2.870	1.290	1.320	0.766	0.286	1.510	4.420	1.580	4.000	0.110	1.430	4.91/8.19	3.13/1.78	0.155	0.182	0.919	0.302	
magnesium, soluble	mg/L	50.020	36.700	30.200	47.900	39.700	37.500	44.300	39.650	40.300	29.550	39.900	34.800	32.700	12.500	28.800	18.400	29.400	29.500	17.600/20.0	9.860/11.2	17.0				
magnesium, total	mg/L	77.900	48.300	66.000	49.400	39.700	38.800	49.100	46.150	39.000	33.750	42.300	36.060	35.900	31.000	40.100	27.700	25.200	32.100	30.7/35.7	17.2/14.9	17.3	15.2	14.7	1.97	
manganese, soluble	mg/L	0.005	0.029	0.150	0.200	0.022	0.065	0.062	0.031	0.011	0.020	0.010	0.010	0.014	0.030	0.010	0.010	0.010	0.010	0.010/0.010	0.010/0.010	0.010				
manganese, total	mg/L	0.320	0.162	0.320	0.240	0.022	0.022	0.086	0.076	0.034		0.023	0.010	0.072	0.094	0.039	0.086	0.010	0.027	0.106/0.201	0.074/0.037	0.010	0.010	0.022	0.010	
total phenols	mg/L					0.005	0.005	0.005	0.012	0.005	0.020	0.003	0.005	0.005	0.002	0.002	0.002	0.002	0.002	0.002/0.002	0.002/0.002	0.002	0.002	0.002	0.002	
dichlorodifluoromethane	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00																	
chloromethane	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00/1.00	1.00/1.00	1.00				
vinyl chloride	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00/1.00	1.00/1.00	1.00				
acetone	ug/L	12.00	5.00	29.00	14.00	38.00	5.00	5.00	5.00	20.00	5.00	7.70	0.50	16.40	5.00	5.00	5.00	5.00	5.00	5.00/5.00	5.00/5.00	5.00				
carbon disulfide	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	10.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00/1.00	1.00/1.00	1.00				
trans1,2dichloroethene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50				
1,1dichloroethane	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50				
chloroform	ug/L	0.50	1.60	1.00	0.80	0.50	0.55	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50				
2butanone	ug/L	1.00	1.00	0.50	1.00	1.00	1.00	1.00	2.00	10.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00/5.00	5.00/5.00	5.00				
1,1,1trichloroethane	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50				
carbon tetrachloride	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50				
benzene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50				
trichloroethene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50				
toluene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	2.10	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50				
tetrachloroethene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50				
methylene chloride	ug/L	2.60	5.00	18.00	10.00	36.00	6.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00/5.00	5.00/5.00	5.00				
m,p-xylenes	ug/L	1.00	2.00	1.00	1.00	1.00	1.00	1.00	1.00	5.00	1.00	8.60	1.00	5.90	1.00	1.00	1.00	1.00	1.00	1.00/1.00	1.00/1.00	1.00				
o-xylenes	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	2.30	0.50	1.60	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50				
phenol	ug/L	1.00	1.00	1.00	1.00																					
groundwater elevation	feet	715.06	712.56	711.13	713.69	716.70	715.75	715.36	716.14	715.92	713.37	714.69	716.43	715.74	711.34	711.09	711.60	715.68	714.36	713.90	712.05	715.39	712.64	714.76	717.21	

Notes:

- values shown in **BOLD** print indicate parameter was "not detected" at the detection limit presented on this table
- values left blank indicate sample was either not collected or not tested
- soluble metals and volatile organic compounds have not been tested since June 20, 2002 (as approved in a letter from the NYSDEC dated August 21, 2002).

STRIPPIT, INC.
INTERIM REMEDIAL MEASURE
POST CLOSURE MONITORING
SUMMARY OF DETECTED GROUNDWATER PARAMETERS
SAMPLING: 4/95 TO 1/04: GW5

TEST PARAMETER	UNITS	SAMPLE ROUND																							
		4/11/95	7/12/95	10/16/95	1/22/96	5/8/96	8/6/96	10/29/96	2/6/97	6/9/97	9/15/97	12/15/97	3/13/98	6/11/98	12/14/98	6/23/99	12/15/99	6/22/00	1/11/01	7/3/01	12/12/01	6/20/02	1/10/03	6/10/03	1/22/04
pH	Standard	6.99	10.88	10.97	11.54	10.93	10.87	10.39	10.90	10.35	10.14	10.76	11.32	10.84	11.31	10.51	11.18	12.27	9.58	9.76	10.93	9.73	11.06	10.60	10.04
specific conductae	uMHOS/cm	2090	735	506	641	831	816	737	286	820	903	665	820	590	567	770	663	634	648	810	690	860	935	630	740
turbidity	NTU	200	168	113		163	181	38	50											44	360	300	14	360	80
barium, soluble	mg/L	0.078	0.484	0.060	0.180	0.050	0.051	0.049	0.056	0.046	0.043	0.101	0.051	0.049	0.034	0.042	0.040	0.050	0.041	0.040	0.033	0.034			
barium, total	mg/L	0.172	0.600	0.180	0.230	0.053	0.055	0.090	0.114	0.053	0.067	0.148	0.065	0.071	0.146	0.068	0.076	0.050	0.073	0.042	0.082	0.051	0.050	0.053	0.057
iron, soluble	mg/L	0.030	0.090	0.340	24.800	0.480	0.030	0.990	0.640	0.100	0.050	0.050	0.050	0.050	0.050	0.050	0.050	0.100	0.100	0.100	0.100	0.100			
iron, total	mg/L	23.000	1.730	24.700	34.300	0.510	0.280	1.330	8.670	1.300	4.930	1.660	1.820	2.220	17.700	3.230	4.210	0.527	5.100	0.443	7.97	1.77	0.21	1.54	1.32
magnesium, soluble	mg/L	16.500	4.320	3.680	33.500	2.400	1.330	1.960	5.420	1.540	1.300	0.140	2.070	1.990	0.440	1.590	1.310	0.829	0.778	0.274	0.275	1.180			
magnesium, total	mg/L	32.200	9.710	32.800	42.500	2.530	2.490	3.050	18.600	3.650	8.000	1.640	5.380	9.300	23.600	5.850	7.150	3.970	7.850	1.450	13.9	6.1	8.9	4.0	4.35
manganese, soluble	mg/L	0.005	0.005	0.010	0.570	0.011	0.005	0.014	0.016	0.010	0.002	0.010	0.010	0.010	0.010	0.010	0.010	0.010	0.010	0.010	0.010	0.010			
manganese, total	mg/L	0.485	0.038	0.620	0.760	0.011	0.008	0.030	0.218	0.024	0.080	0.035	0.037	0.105	0.382	0.068	0.088	0.036	0.106	0.010	0.198	0.039	0.010	0.037	0.029
total phenols	mg/L					0.005	0.005	0.005	0.005	0.005	0.002	0.002	0.005	0.081	0.002	0.002	0.002			0.002	0.002	0.002	0.003	0.002	0.002
dichlorodifluoromethane	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00																
chloromethane	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
vinyl chloride	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
acetone	ug/L	33.00	29.00	43.00	8.00	57.00	7.00	9.00	5.00	20.00	5.00	18.80	5.00	19.70	5.00	8.00	5.00	5.00	5.00	5.00	5.00	5.00			
carbon disulfide	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	10.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
trans 1,2dichloroethene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
1,1dichloroethane	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
chloroform	ug/L	0.50	1.00	1.00	0.50	0.50	2.00	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
2butanone	ug/L	1.00	1.00	1.00	0.50	1.00	1.00	1.00	2.00	10.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00			
1,1,1trichloroethane	ug/L	0.50	0.50	1.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
carbon tetrachloride	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
benzene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
trichloroethene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
toluene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
tetrachloroethene	ug/L	0.50	0.50	0.60	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
methylene chloride	ug/L	2.40	5.00	24.00	12.00	23.00	10.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00			
m,p-xylenes	ug/L	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	6.90	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00			
o-xylenes	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	2.40	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50			
phenol	ug/L	1.00	1.40	1.40	1.00																				
groundwater elevation	feet	719.54	716.72	715.29	718.53	721.37	719.99	719.94	721.01	720.14	717.55	719.42	721.08	719.96	715.57	717.30	716.09	720.26	719.05	717.98	716.67	720.16	717.76	719.21	721.09

Notes:

- values shown in **BOLD** print indicate parameter was "not detected" at the detection limit presented on this table
- values left blank indicate sample was either not collected or not tested
- soluble metals and volatile organic compounds have not been tested since June 20, 2002 (as approved in a letter from the NYSDEC dated August 21, 2002).

APPENDIX D

SITE INSPECTION REPORT
JANUARY 22, 2004 SAMPLE ROUND

LONG-TERM QUARTERLY MONITORING REPORT
INTERIM REMEDIAL MEASURE
STRIPPIT, INC.
AKRON, NEW YORK

Date of Inspection: JANUARY 22, 2004

Inspected By: ARON FARRELL

Summary of Observation:

General Condition of Cover: 12-16" SNOW COVER

Evidence of Erosion, sloughing or other degradation: ☐ Yes ☒ No

Explain (include measurement & site sketch):

Evidence of cracking: ☐ Yes ☒ No

Explain (include measurements and site sketch):

Evidence of water seepage: ☐ Yes ☒ No

Explain: _____

Evidence of Settlement: ☐ Yes ☒ No

Explain: _____

Condition of monitoring wells and gas wells: WELLS & GAS WELLS

IN GOOD CONDITION

Condition of Vegetative Cover: N/A SNOW COVER

Condition of drainage ways (discuss amount of water/sediments present, vegetative growth unusual staining, blockage, etc.): N/A SNOW COVER

Additional Comments: LOCKS CUT OFF WELLS; ALL FINE

LOCKS FROZEN, DE-ICER NOT
EFFECTIVE

Action Item(s) Required: NEED TO REPLACE LOCKS ON

GW1 - GWS

Action Item(s) completed since last inspection: _____

Signatures: _____

