

**IRM MONITORING AND
MAINTENANCE REPORT
March 8, 2007 SAMPLE EVENT**

**STRIPPIT, INC.
AKRON, NEW YORK
NYSDEC SITE NUMBER 9-15-053**

Prepared by:	Day Environmental, Inc. 40 Commercial Street Rochester, New York 14614-1008
Prepared for:	Strippit, Inc. 12975 Clarence Center Road Akron, New York 14001
Date:	March 2007
Project No.:	1863R-99

TABLE OF CONTENTS

1.0	INTRODUCTION.....	1
2.0	GROUNDWATER SAMPLING PROCEDURES	2
3.0	GROUNDWATER ELEVATIONS	3
4.0	ANALYTICAL LABORATORY RESULTS	4
5.0	SITE INSPECTION REPORT	5
6.0	DISCUSSION.....	6

Figures:

Figure 1	Locus Plan
Figure 2	Site Plan
Figure 3	Groundwater Contour Map

Appendices:

Appendix A	March 8, 2007 Sample Round: Paradigm Environmental Services, Inc. Report and Chain-of-Custody Documentation
Appendix B	Monitoring Well Sample Logs
Appendix C	Summary of Detected Parameters
Appendix D	Site Inspection Report

1.0 INTRODUCTION

Strippit, Inc., (Strippit) implemented an Interim Remedial Measure (IRM) approved by the New York State Department of Environmental Conservation (NYSDEC) at a former disposal area (Site) located south of their facility at 12975 Clarence Center Road in Akron, New York (see Locus Plan, Figure 1). As outlined in a March 1995 Record of Decision (ROD) prepared by the NYSDEC, post-closure monitoring and maintenance is required at the Site to evaluate the effectiveness of the IRM. Specific post-closure monitoring and maintenance requirements are described in a document prepared by Day Engineering, P.C. titled *Post-Closure Monitoring and Maintenance Plan; Interim Remedial Measure; Strippit, inc.; Akron, New York* dated February 1995. This plan was reviewed and approved by the NYSDEC prior to implementation.

In accordance with a June 24, 1998 letter by the NYSDEC, the frequency of groundwater sampling was reduced from quarterly to bi-annually.

In accordance with a August 21, 2002 letter by the NYSDEC, the testing program outlined in the February 1995 plan was modified to include testing for the following parameters:

- Indicator Parameters: pH, specific conductance, turbidity and temperature
- Total barium, iron, magnesium and manganese
- Total Phenols

This submittal presents the results of the bi-annual groundwater sampling and monitoring conducted on March 8, 2007.

2.0 GROUNDWATER SAMPLING PROCEDURES

Groundwater samples were collected in general accordance with the procedures outlined in the approved post-closure monitoring and maintenance plan. A Site Plan, showing the location of the monitoring wells is included as Figure 2. Groundwater sampling initially included the measurement of static water levels in each of the monitoring wells installed at the Site (designated GW-1 through GW-5) followed by the purging of the wells to remove approximately 3 well volumes (or until wells were dry). The monitoring wells were then allowed to recover so that "fresh" water was retained for testing. Groundwater samples were collected for testing using a dedicated bailer, which is permanently stored above the water within each well casing.

A portion of the groundwater collected from each location was tested in the field for the following parameters using the equipment listed below.

- Specific conductance, temperature, pH, ORP and turbidity: Horiba U-22 Multi-Parameter Water Quality Monitoring System.

In addition to the field-testing, samples were also collected for analytical laboratory testing. These samples were placed in pre-cleaned sample containers provided by the analytical laboratory. The analytical laboratory also provided necessary preservatives, which were added to the containers before they were returned to the laboratory.

The sample containers were filled by placing approximately equal amounts of sample from the bailer into each container until the container was filled. When the containers were filled they were placed in a plastic cooler containing ice and stored in a locked field vehicle until they were delivered to Paradigm Environmental Services, Inc. (Paradigm) for analytical laboratory testing. Chain-of-custody documentation was maintained throughout the sample collection process. Copies of the executed chain-of-custody forms for the March 8, 2007 sample round are included with the test results presented in Appendix A.

Copies of the monitoring well sample logs prepared for the March 8, 2007 sample round are included in Appendix B. These logs summarize in-situ measurements, groundwater depths, purging information and other relative data.

3.0 GROUNDWATER ELEVATIONS

During the sample round, the depth to groundwater was measured from a monitoring point elevation established on the top of each monitoring well casing using an electronic tape water level indicator. The groundwater depths and elevations measured during the March 8, 2007 sample round are presented in the following table.

WELL	TOP OF CASING ELEVATION (ft.)	DEPTH TO WATER (ft.)	GROUNDWATER ELEVATION (ft.)
GW-1	754.32	38.80	715.52
GW-2	770.62	52.05	718.57
GW-3	742.59	31.50	711.09
GW-4	752.24	37.73	714.51
GW-5	771.26	50.19	721.07

A groundwater contour map developed based upon the groundwater elevations calculated using the measurements obtained during the March 8, 2007 sample round is included as Figure 3.

4.0 ANALYTICAL LABORATORY RESULTS

During the March 8, 2007 sample round, groundwater samples were collected from each of the five monitoring wells (i.e., GW-1 through GW-5). All samples were analyzed by Paradigm for the following parameters.

- Barium, Iron, Magnesium and Manganese via USEPA method 6010 and Total Phenolics via USPEA method 420.1

A copy of Paradigm's report summarizing the test results for the samples collected on March 8, 2007 is included in Appendix A. A historic summary of the parameters detected within the groundwater samples collected from the monitoring wells at the Site is presented in Appendix C.

5.0 SITE INSPECTION REPORT

A copy of the site inspection report completed during the March 8, 2007 sample round is included in Appendix D.

6.0 DISCUSSION

Groundwater level measurements made during the March 8, 2007 sample round indicate that groundwater flow is generally to the northwest.

A majority of the parameters detected in the samples collected during the March 8, 2007 sample event were measured at concentrations below Class GA standards (or within the acceptable range) established in 6 NYCRR Part 700-705 for potable groundwater supplies. However, the pH concentrations measured during this monitoring event were outside the acceptable range of 6.5 to 8.5 s.u.

A table summarizing pH measurements made during recent quarterly monitoring events is presented below.

Quarterly Monitoring Round	pH in Standard Units with Groundwater Monitoring Well Identification				
	GW-1	GW-2	GW-3	GW-4	GW-5
12/12/01	8.76	11.18	6.45	9.68	10.93
3/7/02	9.80	11.15	8.74	9.94	10.51
6/20/02	7.22	9.16	6.03	8.90	9.73
10/9/02	NA	NA	NA	NA	NA
1/10/03	7.13	10.32	5.60	10.28	11.06
3/12/03	10.30	11.26	7.50	9.80	10.20
6/10/03	9.02	10.60	7.78	9.56	10.60
9/24/03	7.34	8.67	5.57	7.80	8.11
1/22/04	7.88	10.53	7.04	8.87	10.04
4/16/04	11.61	11.53	6.88	9.95	10.90
6/29/04	10.76	11.73	6.97	8.97	11.18
9/30/04	10.60	9.95	7.49	9.47	11.46
12/30/04	7.89	8.93	6.55	8.46	8.86
3/14/05	10.92	11.13	7.45	9.97	10.49
6/8/05	10.08	11.02	7.77	10.60	10.77
10/13/05	10.48	10.91	7.81	9.65	10.67
12/29/05	8.56	9.97	7.47	9.91	10.55
4/10/06	8.61	10.01	7.51	9.87	10.59
7/14/06	8.87	9.66	6.48	7.81	9.24
10/25/06	7.83	11.22	7.44	9.61	10.46
3/8/07	10.82	10.70	6.49	10.02	9.41

As shown, pH levels have been historically elevated in samples collected from monitoring wells GW-2 and GW-5 and to a lesser extent within downgradient monitoring well GW-4. However, during past monitoring events elevated pH values have also been detected in samples from downgradient monitoring well GW-1. During monitoring events conducted between 12/29/2005 and 10/25/2006, pH levels appear to have decreased in GW-1; however, the results measured on 3/8/2007 indicate an increase in pH (i.e., to a level comparable to that measured prior to 12/29/2005). The source of this potential impact is not known, but the other parameters tested do not indicate a similar trend.


One apparent deficiency to the IRM Closure area requiring repair was the locks on the casings were frozen shut and had to be removed and replaced. This was observed during the March 8, 2007 site visit.

During previous site visits, an apparent oil sheen was observed on the standing water located at or near the north face of the IRM closure area, however, no apparent petroleum impact was noted in this area during the March 8, 2007 monitoring event.

The next scheduled monitoring event at the Site is on or about June 7, 2007 (i.e., this event will include measurement of water levels measurement of pH and observing the condition of the IRM closure).

FIGURES

FIGURE 1
PROJECT LOCUS MAP



3-D TopoQuads Copyright © 1999 DeLorme Yarmouth, ME 04096 Source Data: USGS 550 ft Scale: 1 : 19,200 Detail: 14-0 Datum: NAD27

Drawing Produced From: 3-D TopoQuads, DeLorme Map Co., referencing USGS quad maps Wolcottsville (NY) 1995; Akron (NY) 1995; Lancaster (NY) 1982; & Corfu (NY) 1984. Site Lat/Long: N43d-0.6' - W78d-30.25'

DATE
07-22-2002

DRAWN BY
Tww

SCALE
1" = 2000'

day

DAY ENVIRONMENTAL, INC.
ENVIRONMENTAL CONSULTANTS
ROCHESTER, NEW YORK 14614-1008

PROJECT TITLE
STRIPPIT, INC.
AKRON, NEW YORK


GROUNDWATER MONITORING

DRAWING TITLE
PROJECT LOCUS MAP

PROJECT NO.
1863R-99

FIGURE 1

FIGURE 2
SITE PLAN



NOTES:

1. This drawing produced from a drawing provided by Deborah A. Naybor, PLS, PC. entitled "Topographic Map Of Part Of Lot 5, TWP. 12, Range 5, Section 6, Town Of Newstead, County Of Erie, New York" dated 3/4/93 & revised 3/26/93.
2. No boundary survey was performed by Deborah A. Naybor, PLS, PC.

LEGEND:

- GW-1 Monitoring Well Designation
- Existing Gas Well
- Approximate Limits Of Former Disposal Area

DATE
03-20-2007

DRAWN BY
RJM

SCALE
1" = 100'

day

DAY ENVIRONMENTAL, INC.
ENVIRONMENTAL CONSULTANTS
ROCHESTER, NEW YORK 14614-1008
NEW YORK, NEW YORK 10165-1617

PROJECT TITLE
STRIPPIT, INC.
AKRON, NEW YORK


GROUNDWATER MONITORING
DRAWING TITLE

Site Location Map

PROJECT NO.
1863R-99

FIGURE 2

FIGURE 3
GROUNDWATER CONTOUR MAP



NOTES:

1. This drawing produced from a drawing provided by Deborah A. Naybor, PLS, PC. entitled "Topographic Map Of Part Of Lot 5, TWP. 12, Range 5, Section 6, Town Of Newstead, County Of Erie, New York" dated 3/4/93 & revised 3/26/93.
2. No boundary survey was performed by Deborah A. Naybor, PLS, PC.

LEGEND

GW-1
715.52

Groundwater Monitoring Well With Groundwater Elevation Obtained On March 8, 2007.



Potentiometric Contour Line For March 8, 2007.



Apparent Direction Of Groundwater Flow

DATE
03-20-2007
DRAWN BY
RJM
SCALE
1" = 100'

day

DAY ENVIRONMENTAL, INC.
ENVIRONMENTAL CONSULTANTS
ROCHESTER, NEW YORK 14614-1008
NEW YORK, NEW YORK 10165-1617

PROJECT TITLE
STRIPPIT, INC.
AKRON, NEW YORK

GROUNDWATER MONITORING

DRAWING TITLE

Groundwater Potentiometric Contour Map For
March 8, 2007

PROJECT NO.
1863R-99

FIGURE 3

APPENDIX A

**PARADIGM ENVIRONMENTAL SERVICES, INC. ANALYTICAL SERVICES
REPORT & CHAIN-OF-CUSTODY DOCUMENTATION
MARCH 8, 2007 SAMPLE ROUND**



PARADIGM
ENVIRONMENTAL SERVICES, INC.

179 Lake Avenue, Rochester, NY 14608 (585) 647-2530 FAX (585) 647-3311

Client: Day Environmental

Lab Project No.: 07-0802

Client Job Site: Strippit

Lab Sample No.: 3287

Client Job No.: 1863R-99

Sample Type: Water

Field Location: GW-1

Date Sampled: 03/08/2007

Field ID No.: N/A

Date Received: 03/09/2007


Laboratory Report for Metals Analysis

Parameter	Date Analyzed	Analytical Method	Result (mg/L)
Barium	03/13/2007	EPA 6010	0.022
Iron	03/13/2007	EPA 6010	0.103
Magnesium	03/13/2007	EPA 6010	2.18
Manganese	03/13/2007	EPA 6010	<0.010

ELAP ID No.: 10958

Comments:

Approved By: _____


Bruce Hoogesteger, Technical Director



PARADIGM
ENVIRONMENTAL SERVICES, INC.

179 Lake Avenue, Rochester, NY 14608 (585) 647-2530 FAX (585) 647-3311

Client: Day Environmental

Lab Project No.: 07-0802

Client Job Site: Strippit

Lab Sample No.: 3288

Client Job No.: 1863R-99

Sample Type: Water

Field Location: GW-2

Date Sampled: 03/08/2007

Field ID No.: N/A

Date Received: 03/09/2007

Laboratory Report for Metals Analysis

Parameter	Date Analyzed	Analytical Method	Result (mg/L)
Barium	03/13/2007	EPA 6010	0.108
Iron	03/13/2007	EPA 6010	0.512
Magnesium	03/13/2007	EPA 6010	0.694
Maganese	03/13/2007	EPA 6010	0.010

ELAP ID No.:10958

Comments:

Approved By: _____

Bruce Hoogesteger, Technical Director



PARADIGM
ENVIRONMENTAL SERVICES, INC.

179 Lake Avenue, Rochester, NY 14608 (585) 647-2530 FAX (585) 647-3311

Client:	<u>Day Environmental</u>	Lab Project No.:	07-0802
Client Job Site:	Strippit	Lab Sample No.:	3289
Client Job No.:	1863R-99	Sample Type:	Water
Field Location:	GW-3	Date Sampled:	03/08/2007
Field ID No.:	N/A	Date Received:	03/09/2007

Laboratory Report for Metals Analysis

Parameter	Date Analyzed	Analytical Method	Result (mg/L)
Barium	03/13/2007	EPA 6010	0.067
Iron	03/13/2007	EPA 6010	0.583
Magnesium	03/13/2007	EPA 6010	24.9
Maganese	03/13/2007	EPA 6010	0.077

ELAP ID No.:10958

Comments:

Approved By: _____

Bruce Hoogesteger, Technical Director



PARADIGM
ENVIRONMENTAL SERVICES, INC.

179 Lake Avenue, Rochester, NY 14608 (585) 647-2530 FAX (585) 647-3311

Client: Day Environmental

Lab Project No.: 07-0802

Client Job Site: Strippit

Lab Sample No.: 3290

Client Job No.: 1863R-99

Sample Type: Water

Field Location: GW-4

Date Sampled: 03/08/2007

Field ID No.: N/A

Date Received: 03/09/2007

Laboratory Report for Metals Analysis

Parameter	Date Analyzed	Analytical Method	Result (mg/L)
Barium	03/13/2007	EPA 6010	0.032
Iron	03/13/2007	EPA 6010	<0.100
Magnesium	03/13/2007	EPA 6010	0.564
Maganese	03/13/2007	EPA 6010	<0.010

ELAP ID No.:10958

Comments:

Approved By: _____


Bruce Hoogesteger, Technical Director



PARADIGM
ENVIRONMENTAL SERVICES, INC.

179 Lake Avenue, Rochester, NY 14608 (585) 647-2530 FAX (585) 647-3311

Client:	<u>Day Environmental</u>	Lab Project No.:	07-0802
Client Job Site:	Strippit	Lab Sample No.:	3291
Client Job No.:	1863R-99	Sample Type:	Water
Field Location:	GW-5	Date Sampled:	03/08/2007
Field ID No.:	N/A	Date Received:	03/09/2007

Laboratory Report for Metals Analysis

Parameter	Date Analyzed	Analytical Method	Result (mg/L)
Barium	03/13/2007	EPA 6010	0.033
Iron	03/13/2007	EPA 6010	0.157
Magnesium	03/13/2007	EPA 6010	0.498
Maganese	03/13/2007	EPA 6010	<0.010

ELAP ID No.:10958

Comments:

Approved By: _____


Bruce Hoogesteger, Technical Director

**PARADIGM**

ENVIRONMENTAL SERVICES, INC.

179 Lake Avenue Rochester, New York 14608 (585) 647-2530 FAX (585) 647-3311

LABORATORY REPORT OF ANALYSIS**Client:** Day Environmental, Inc.**Client Job Site:** Strippit
Akron, New York**Client Job No.:** N/A**Analytical Method:** EPA 420.1**Lab Project No.:** 07-0802**Sample Type:** Water**Date Sampled:** 3/8/2007**Date Received:** 3/9/2007**Date Analyzed:** 3/19/2007

Lab Sample ID	Sample Location/Field ID	Total Phenols (mg/l)
3287	GW-1	0.011
3288	GW-2	0.003
3289	GW-3	0.003
3290	GW-4	ND<0.002
3291	GW-5	ND<0.002

ELAP ID.No.: 10709

Comments:

Approved By Technical Director: _____

Bruce Hoogesteger

179 Lake Avenue
Rochester, NY 14608
(585) 647-2530 • (800) 724-1997
FAX: (585) 647-3311

REPORT TO:

COMPANY: DAY Environmental
ADDRESS: 40 Commercial St.
CITY: Rochester STATE: NY ZIP: 14614
PHONE: 585-454-0810 FAX: 585-454-0823
ATTN: Ray Kampff

INVOICE TO:

LAB PROJECT #: 07-0802 CLIENT PROJECT #: 1863R-99
TURNAROUND TIME: (WORKING DAYS)
QUOTE #:
OTHER:

PROJECT NAME/SITE NAME:

Stripit
Akron, NY

Comments: Please fax; Email Results

REQUESTED ANALYSIS										REMARKS	PARADIGM LAB SAMPLE NUMBER
DATE	TIME	COMPOSITE	GRA B	SAMPLE LOCATION/FIELD ID	MATRIX	CONTAINERS	Total by, g/L, %				
13-8-07	12:15		X	GW-1	Aq	2	X	X			3287
23-8-07	13:20		X	GW-2	Aq	2	X	X			3288
33-8-07	10:45		X	GW-3	Aq	2	X	X			3289
43-8-07	15:50		X	GW-4	Aq	2	X	X			3290
53-8-07	14:40		X	GW-5	Aq	2	X	X			3291
6											
7											
8											
9											
10											

*** LAB USE ONLY BELOW THIS LINE ***

LAB USE ONLY BELOW THIS LINE

Sample Condition: Per NELAC/ELAP 210/241/242/243/244

Receipt Parameter		NELAC Compliance	
Comments:	Container Type:	Y	N
Comments:	Preservation:	Y	N
Comments:	Holding Time:	Y	N
Comments:	Temperature:	Y	N

Sampled By	Date/Time	3-8-07/15:00
Relinquished By	Date/Time	3-9-07/11:07
Received By	Date/Time	3/9/07 1107 PM
Received @ Lab By	Date/Time	Elizabeth A. Honch 3/9/07 1415

Total Cost:

P.I.F.

APPENDIX B

**MONITORING WELL SAMPLE LOGS
MARCH 8, 2007 SAMPLE ROUND**

**DAY ENVIRONMENTAL, INC.
MONITORING WELL SAMPLING LOG**

WELL GW-1

SECTION 1 - SITE INFORMATION

SITE LOCATION: 12975 Clarence Center Road, Akron, NY **JOB #:** 1863R-99

PROJECT NAME: Strippit **DATE :** 3-8-07

SAMPLE COLLECTOR(S): M. Dickinson

WEATHER CONDITIONS: 19° F, Cloudy, Light Snow

SECTION 2 - PURGE INFORMATION

DEPTH OF WELL [FT]: 58.44 (MEASURED FROM TOP OF CASING - T.O.C.)

STATIC WATER LEVEL (SWL) [FT]: 38.80 (MEASURED FROM T.O.C.)

THICKNESS OF WATER COLUMN [FT]: 19.64 (DEPTH OF WELL - SWL)

CALCULATED VOL. OF H₂O PER WELL CASING [GAL]: ~3.2 **CASING DIA.:** 2"

CALCULATIONS:

<u>CASING DIA. (FT)</u>	<u>WELL CONSTANT(GAL/FT)</u>	<u>CALCULATIONS</u>
¾" (0.0625)	0.023	VOL. OF H ₂ O IN CASING = DEPTH OF WATER COLUMN X WELL CONSTANT
1" (0.0833)	0.041	
1¼" (0.1041)	0.063	
2" (0.1667)	<u>0.1632</u>	
3" (0.250)	0.380	
4" (0.3333)	0.6528	
4½" (0.375)	0.826	
6" (0.5000)	1.4688	
8" (0.666)	2.611	

CALCULATED PURGE VOLUME [GAL]: ~ 9.6 (3 TIMES CASING VOLUME)

ACTUAL VOLUME PURGED [GAL]: ~ 10.0

PURGE METHOD: 3' Disposable Bailer **PURGE START:** 11:30 **END:** 12:10

SECTION 3 - SAMPLE IDENTIFICATION AND TEST PARAMETERS

SAMPLE ID #	DATE / TIME	SAMPLING METHOD	ANALYTICAL SCAN(S)
GW-1	3-8-07 / 12:15	Grab – Bailer	Total Ba, Fe, Mg, Mn, Total Phenolics

SECTION 4 - WATER QUALITY DATA

SWL (FT)	TEMP (°C)	pH	CONDUCTIVITY (mS/cm)	TURBIDITY (NTU)	DO (mg/L)	ORP (mV)	VISUAL
38.96	6.26	10.82	1.47	218.0	9.24	55	Very slightly cloudy

**DAY ENVIRONMENTAL, INC.
MONITORING WELL SAMPLING LOG**

WELL GW-2

SECTION 1 - SITE INFORMATION

SITE LOCATION: 12975 Clarence Center Road, Akron, NY **JOB #:** 1863R-99

PROJECT NAME: Strippit **DATE :** 3-8-07

SAMPLE COLLECTOR(S): M. Dickinson

WEATHER CONDITIONS: 19° F, Cloudy, Light Snow

SECTION 2 - PURGE INFORMATION

DEPTH OF WELL [FT]: 78.60 (MEASURED FROM TOP OF CASING - T.O.C.)

STATIC WATER LEVEL (SWL) [FT]: 52.05 (MEASURED FROM T.O.C.)

THICKNESS OF WATER COLUMN [FT]: 26.55 (DEPTH OF WELL - SWL)

CALCULATED VOL. OF H₂O PER WELL CASING [GAL]: ~4.3 **CASING DIA.:** 2"

CALCULATIONS:

CASING DIA. (FT)	WELL CONSTANT(GAL/FT)	CALCULATIONS
¾" (0.0625)	0.023	VOL. OF H ₂ O IN CASING = DEPTH OF WATER COLUMN X WELL CONSTANT
1" (0.0833)	0.041	
1¼" (0.1041)	0.063	
2" (0.1667)	0.1632	
3" (0.250)	0.380	
4" (0.3333)	0.6528	
4½" (0.375)	0.826	
6" (0.5000)	1.4688	
8" (0.666)	2.611	

CALCULATED PURGE VOLUME [GAL]: ~ 12.9 (3 TIMES CASING VOLUME)

ACTUAL VOLUME PURGED [GAL]: ~ 13.0

PURGE METHOD: 3' Disposable Bailer **PURGE START:** 12:40 **END:** 13:10

SECTION 3 - SAMPLE IDENTIFICATION AND TEST PARAMETERS

SAMPLE ID #	DATE / TIME	SAMPLING METHOD	ANALYTICAL SCAN(S)
GW-2	7-14-06 / 13:20	Grab – Bailer	Total Ba, Fe, Mg, Mn, Total Phenolics

SECTION 4 - WATER QUALITY DATA

SWL (FT)	TEMP (°C)	pH	CONDUCTIVITY (mS/cm)	TURBIDITY (NTU)	DO (mg/L)	ORP (mV)	VISUAL
52.16	6.74	10.70	0.584	169.0	4.52	47	Clear

**DAY ENVIRONMENTAL, INC.
MONITORING WELL SAMPLING LOG**

WELL GW-3

SECTION 1 - SITE INFORMATION

SITE LOCATION: 12975 Clarence Center Road, Akron, NY **JOB #:** 1863R-99

PROJECT NAME: Strippit **DATE :** 3-8-07

SAMPLE COLLECTOR(S): M. Dickinson

WEATHER CONDITIONS: 19° F, Cloudy, Light Snow

SECTION 2 - PURGE INFORMATION

DEPTH OF WELL [FT]: 50.00 (MEASURED FROM TOP OF CASING - T.O.C.)

STATIC WATER LEVEL (SWL) [FT]: 31.50 (MEASURED FROM T.O.C.)

THICKNESS OF WATER COLUMN [FT]: 18.5 (DEPTH OF WELL - SWL)

CALCULATED VOL. OF H₂O PER WELL CASING [GAL]: ~3.02 **CASING DIA.:** 2"

CALCULATIONS:

<u>CASING DIA. (FT)</u>	<u>WELL CONSTANT(GAL/FT)</u>	<u>CALCULATIONS</u>
¾" (0.0625)	0.023	VOL. OF H ₂ O IN CASING = DEPTH OF WATER COLUMN X WELL CONSTANT
1" (0.0833)	0.041	
1¼" (0.1041)	0.063	
2" (0.1667)	0.1632	
3" (0.250)	0.380	
4" (0.3333)	0.6528	
4½" (0.375)	0.826	
6" (0.5000)	1.4688	
8" (0.666)	2.611	

CALCULATED PURGE VOLUME [GAL]: ~ 9.07 (3 TIMES CASING VOLUME)

ACTUAL VOLUME PURGED [GAL]: ~ 9.00

PURGE METHOD: 3' Disposable Bailer **PURGE START:** 10:00 **END:** 10:40

SECTION 3 - SAMPLE IDENTIFICATION AND TEST PARAMETERS

SAMPLE ID #	DATE / TIME	SAMPLING METHOD	ANALYTICAL SCAN(S)
GW-3	3-8-07 / 10:45	Grab – Bailer	Total Ba, Fe, Mg, Nn, Total Phenolics

SECTION 4 - WATER QUALITY DATA

SWL (FT)	TEMP (°C)	pH	CONDUCTIVITY (mS/cm)	TURBIDITY (NTU)	DO (mg/L)	ORP (mV)	VISUAL
31.24	5.94	6.49	0.685	2.2	3.34	60	Clear

**DAY ENVIRONMENTAL, INC.
MONITORING WELL SAMPLING LOG**

WELL GW-4

SECTION 1 - SITE INFORMATION

SITE LOCATION: 12975 Clarence Center Road, Akron, NY **JOB #:** 1863R-99

PROJECT NAME: Strippit **DATE :** 3-8-07

SAMPLE COLLECTOR(S): M. Dickinson

WEATHER CONDITIONS: 19° F, Cloudy, Light Snow

SECTION 2 - PURGE INFORMATION

DEPTH OF WELL [FT]: 52.40 (MEASURED FROM TOP OF CASING - T.O.C.)

STATIC WATER LEVEL (SWL) [FT]: 37.73 (MEASURED FROM T.O.C.)

THICKNESS OF WATER COLUMN [FT]: 14.67 (DEPTH OF WELL - SWL)

CALCULATED VOL. OF H₂O PER WELL CASING [GAL]: ~ 2.4 **CASING DIA.:** 2"

CALCULATIONS:

<u>CASING DIA. (FT)</u>	<u>WELL CONSTANT(GAL/FT)</u>	<u>CALCULATIONS</u>
¾" (0.0625)	0.023	VOL. OF H ₂ O IN CASING = DEPTH OF WATER COLUMN X WELL CONSTANT
1" (0.0833)	0.041	
1¼" (0.1041)	0.063	
2" (0.1667)	0.1632	
3" (0.250)	0.380	
4" (0.3333)	0.6528	
4½" (0.375)	0.826	
6" (0.5000)	1.4688	
8" (0.666)	2.611	

CALCULATED PURGE VOLUME [GAL]: ~ 7.2 (3 TIMES CASING VOLUME)

ACTUAL VOLUME PURGED [GAL]: ~ 8.0

PURGE METHOD: 3' Disposable Bailer **PURGE START:** 15:10 **END:** 5:40

SECTION 3 - SAMPLE IDENTIFICATION AND TEST PARAMETERS

SAMPLE ID #	DATE / TIME	SAMPLING METHOD	ANALYTICAL SCAN(S)
GW-4	3-8-07 / 15:50	Grab – Bailer	Total Ba, Fe, Mg, Nn, Total Phenolics

SECTION 4 - WATER QUALITY DATA

SWL (FT)	TEMP (°C)	pH	CONDUCTIVITY (mS/cm)	TURBIDITY (NTU)	DO (mg/L)	ORP (mV)	VISUAL
38.19	6.72	10.02	0.575	132.0	8.24	90	Very Slightly Cloudy

**DAY ENVIRONMENTAL, INC.
MONITORING WELL SAMPLING LOG**

WELL GW-5

SECTION 1 - SITE INFORMATION

SITE LOCATION: 12975 Clarence Center Road, Akron, NY **JOB #:** 1863R-99
PROJECT NAME: Strippit **DATE :** 3-8-07
SAMPLE COLLECTOR(S): M. Dickinson
WEATHER CONDITIONS: 19° F, Cloudy, Light Snow

SECTION 2 - PURGE INFORMATION

DEPTH OF WELL [FT]: 74.30 (MEASURED FROM TOP OF CASING - T.O.C.)
STATIC WATER LEVEL (SWL) [FT]: 50.19 (MEASURED FROM T.O.C.)
THICKNESS OF WATER COLUMN [FT]: 24.11 (DEPTH OF WELL - SWL)
CALCULATED VOL. OF H₂O PER WELL CASING [GAL]: ~ 3.9 **CASING DIA.:** 2"

CALCULATIONS:

<u>CASING DIA. (FT)</u>	<u>WELL CONSTANT(GAL/FT)</u>	<u>CALCULATIONS</u>
¾" (0.0625)	0.023	VOL. OF H ₂ O IN CASING = DEPTH OF WATER COLUMN X WELL CONSTANT
1" (0.0833)	0.041	
1¼" (0.1041)	0.063	
2" (0.1667)	0.1632	
3" (0.250)	0.380	
4" (0.3333)	0.6528	
4½" (0.375)	0.826	
6" (0.5000)	1.4688	
8" (0.666)	2.611	

CALCULATED PURGE VOLUME [GAL]: ~ 11.8 (3 TIMES CASING VOLUME)

ACTUAL VOLUME PURGED [GAL]: ~ 12.0

PURGE METHOD: 3' Disposable Bailer **PURGE START:** 13:48 **END:** 14:30

SECTION 3 - SAMPLE IDENTIFICATION AND TEST PARAMETERS

SAMPLE ID #	DATE / TIME	SAMPLING METHOD	ANALYTICAL SCAN(S)
GW-5	3-8-07 / 14:40	Grab – Bailer	Total Ba, Fe, Mg, Nn, Total Phenolics

SECTION 4 - WATER QUALITY DATA

SWL (FT)	TEMP (°C)	pH	CONDUCTIVITY (mS/cm)	TURBIDITY (NTU)	DO (mg/L)	ORP (mV)	VISUAL
50.72	6.72	9.41	0.590	194.0	8.72	78	Clear

APPENDIX C

SUMMARY OF DETECTED PARAMETERS

STRIPPIT, INC.
INTERIM REMEDIAL MEASURE
POSTCLOSURE MONITORING
SUMMARY OF DETECTED GROUNDWATER PARAMETERS
SAMPLING: 4/95 TO 3/07: GW-1

TEST PARAMETER	UNITS	SAMPLE ROUND																													
		4/11/1995	7/12/1995	10/16/1995	1/22/1996	5/8/1996	8/6/1996	10/29/1996	2/6/1997	6/9/1997	9/15/1997	12/16/1997	3/13/1998	6/11/1998	12/14/1998	6/23/1999	12/15/1999	6/22/2000	1/11/2001	7/3/2001	12/12/2001	6/20/2002	1/10/2003	6/10/2003	1/22/2004	6/29/2004	12/30/2004	6/8/2005	12/29/2005	7/14/2006	3/8/007
pH	Standard	7.35	8.76	8.63	9.07	8.87	8.04	8.31	8.55	7.38	7.82	7.35	8.37	7.75	8.28	7.502	7.95	8.77	10.57	6.36	8.76	7.22	7.13	9.02	7.88	10.76	7.89	10.08	8.56	8.87	6.26
specific conductance	uMHOS/cm	1,400	1,170	751	889	1,297	862	1,179	870	1,660	1,292		1140	1128	877	764	866	968	666	1400	1100	1200	1120	872	931	743		1,190	899	1,120	1,470
turbidity	NTU	85.8	200	46.6		101.6	83.8	135.2										0		45		180	13	46	30	38	10.1	52.2	15.4	57.2	218.0
barium, soluble	mg/L	0.058	0.059	0.06	0.12	0.054	0.03	0.04	0.033	0.027	0.02	0.024	0.027	0.028	0.022	0.02	0.02	0.027	0.021	0.023	0.020	0.020									
barium, total	mg/L	0.079	0.123	0.07	0.13	0.054	0.04	0.0575	0.041	0.0624	0.033	0.035	0.023	0.032	0.0950	0.041	0.036	0.025	0.027	0.025	0.023	0.020	0.034	0.037	0.031	0.028	0.026	0.033	0.031	0.042	0.022
iron, soluble	mg/L	0.03	0.36	0.13	8.24	0.15	0.03	1.065	0.04	0.812	0.061	0.05	0.127	0.05	0.232	0.05	0.05	0.1	0.1	0.140	0.100	0.100									
iron, total	mg/L	1.46	6.82	2.53	8.34	0.15	0.17	2.96	1	5.91	0.985	1.21	0.229	0.676	8.66	1.96	0.724	0.1	0.522	0.246	0.188	0.100	0.419	0.284	0.237	0.100	0.204	0.238	0.286	1.65	0.103
magnesium, soluble	mg/L	50.8	44.6	47.5	66.8	62.9	68.6	57.35	63	56	55.2	66.5	66.2	62.2	47.2	62.3	53.5	51	42.2	39.6	37.1	40.6									
magnesium, total	mg/L	54	52	56.8	68.8	62.9	71.2	64.8	65.6	66.3	69.3	78	65.8	64.5	59.8	63.6	57.7	52.7	43.4	44.3	39.1	38.7	47.7	49.7	13.1	39.1	33.2	32.1	51.7	11.3	2.18
manganese, soluble	mg/L	0.005	0.026	0.01	0.23	0.039	0.021	0.04	0.015	0.0347	0.02	0.013	0.017	0.042	0.16	0.036	0.023	0.032	0.012	0.015	0.010	0.010									
manganese, total	mg/L	0.038	0.171	0.08	0.24	0.039	0.024	0.085	0.041	0.158	0.03	0.049	0.019	0.069	0.255	0.084	0.049	0.033	0.03	0.041	0.027	0.290	0.061	0.143	0.010	0.102	0.052	0.053	0.171	0.063	0.010
total phenols	mg/L					0.005	0.005	0.005	0.005	0.005	0.002	0.002	0.005	0.03	0.029	0.002	0.002	0.004	0.002	0.002	0.002	0.008	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.011
dichlorodifluoromethane	ug/L	0.5	0.5	0.5	0.5	1.00	1.00	1.00	1.00	1.00																					
chloromethane	ug/L	0.5	0.5	0.5	0.5	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00									
vinyl chloride	ug/L	0.5	0.5	0.5	0.5	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00									
acetone	ug/L	26.00	5.00	34.00	6.00	71.00	5.00	5.00	5.00	20.00	5.00	5.00	5.00	241.9	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00									
carbon disulfide	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	10.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00									
trans1,2dichloroethene	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50									
1,1dichloroethane	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50									
chloroform	ug/L	0.5	0.5	1.5	0.5	0.5	1.00	0.5	0.5	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50									
2butanone	ug/L	1.00	2.00	0.5	0.5	1.00	1.00	1.00	2.00	10.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00									
1,1,1trichloroethane	ug/L	0.5	0.5	0.9	0.5	0.5	0.5	0.5	0.5	5.0	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50									
carbon tetrachloride	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	5.0	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50									
benzene	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	5.0	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50									
trichloroethene	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	5.0	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50									
toluene	ug/L	0.5	0.5	0.5	0.6	0.5	0.5	0.5	0.5	5.0	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50									
tetrachloroethene	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	5.0	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50									
methylene chloride	ug/L	11.00	5.00	21.00	5.00	35.00	14.00	5.00	5.00	5.0	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00									
m,p-xylenes	ug/L	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	5.0	1.00	1.90	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00									
o-xylenes	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	5.0	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50									
phenol	ug/L	1.00	1.00	1.00	1.00																										
groundwater elevation	feet	713.43	711.04	710.09	712.82	715.76	714.71	714.29	715.02	715.09	712.34	713.81	715.52	715.27	711.01	713.24	710.6	714.65	713.52	712.98	711.13	714.82	711.57	713.67	716.25	714.34	713.04	714.64	712.31	712.40	715.52

Notes:
- values shown in **BOLD** print indicate parameter was "not detected" at the detection limit presented on this table
- values left blank indicate sample was either not collected or not tested
- soluble metals and volatile organic compounds have not been tested since June 20, 2002 (as approved in a letter from the NYSDEC dated August 21, 2002).

STRIPPIT, INC.
INTERIM REMEDIAL MEASURE
POSTCLOSURE MONITORING
SUMMARY OF DETECTED GROUNDWATER PARAMETERS
SAMPLING: 4/95 TO 3/07: GW-2

TEST PARAMETER	UNITS	SAMPLE ROUND																													
		4/11/1995	7/12/1995	10/16/1995	1/22/1996	5/8/1996	8/6/1996	10/29/1996	2/6/1997	6/9/1997	9/15/1997	12/16/1997	3/13/1998	6/11/1998	12/14/1998	6/23/1999	12/15/1999	6/22/2000	1/11/2001	7/3/2001	12/12/2001	6/20/2002	1/10/2003	6/10/2003	1/22/2004	6/29/2004	12/30/2004	6/8/2005	12/29/2005	7/14/2006	3/8/2007
pH	Standard	7.23	11.58	11.71	12.23	11.55	11.33	11.29	11.31	10.51	10.61	10.43	11.54	11.28	11.42	11.04	11.28	10.81	11.56	10.43	11.18	9.16	10.32	10.60	10.53	11.73	8.93	11.02	9.97	9.66	10.70
specific conductance	uMHOS/cm	1870	1170	695	771	1239	1050	827	244	770	904	864	80	799	676	761	592	493	564	1000	730	530	568	519	533	672		604	404	568	584
turbidity	NTU	200.00	16.50	11.90		11.60	6.91	3.92	74.00										80	560	170	12	200	38	21	120	74.3	34.8	78.2	169.0	
barium, soluble	mg/L	0.199	0.200	0.180	0.150	0.116	0.129	0.171	0.115	0.102	0.091	0.045	0.094	0.094	0.088	0.140	0.118	0.111	0.129	0.130	0.091	0.081									
barium, total	mg/L	0.210	0.211	0.210	0.180	0.118	0.130	0.139	0.127	0.108	0.110	0.099	0.091	0.118	0.107	0.146	0.172	0.122	0.176	0.159	0.145	0.131	0.125	0.164	0.14	0.125	0.127	0.184	0.17	0.128	0.108
iron, soluble	mg/L	0.030	0.150	0.007	0.430	0.090	0.030	0.100	0.340	0.100	0.050	0.050	0.050	0.050	0.050	0.050	0.050	0.180	0.143	0.148	0.100	0.100									
iron, total	mg/L	0.250	0.490	1.440	1.260	0.090	0.180	0.260	0.410	0.100	0.319	9.350	0.194	0.247	0.431	1.230	2.230	1.270	2.360	0.566	3.11	1.63	0.17	1.45	0.100	0.277	1.55	3.05	4.5	0.559	0.512
magnesium, soluble	mg/L	0.050	0.140	0.230	1.010	0.470	0.950	0.910	0.089	0.500	0.500	4.100	0.038	0.099	0.214	0.131	0.109	0.251	0.050	0.050	0.050	0.239									
magnesium, total	mg/L	1.030	0.360	0.910	1.360	0.470	2.510	2.800	0.342	0.500	0.500	23.300	0.222	0.393	0.404	1.140	1.860	1.580	1.660	0.342	2.93	1.70	0.61	2.25	0.175	0.692	1.99	2.82	4.32	0.917	0.694
manganese, soluble	mg/L	0.005	0.053	0.005	0.030	0.005	0.005	0.005	0.008	0.010	0.020	0.010	0.010	0.010	0.010	0.010	0.100	0.010	0.010	0.010	0.010										
manganese, total	mg/L	0.006	0.150	0.020	0.040	0.005	0.005	0.030	0.009	0.010	0.020	0.224	0.010	0.010	0.010	0.025	0.040	0.040	0.042	0.010	0.064	0.033	0.010	0.031	0.010	0.013	0.029	0.057	0.086	0.011	0.010
total phenols	mg/L					0.005	0.020	0.008	0.005	0.005	0.020	0.002	0.005	0.008	0.008	0.002	0.002	0.002	0.002	0.002	0.007	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.003
dichlorodifluoromethane	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00																						
chloromethane	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00										
vinyl chloride	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00										
acetone	ug/L	31.00	33.00	63.00	24.00	100.00	21.00	47.00	19.00	20.00	5.00	5.00	9.60	29.60	10.80	6.90	5.00	5.00	5.00	5.00	5.00										
carbon disulfide	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	10.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00										
trans1,2dichloroethene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50										
1,1dichloroethane	ug/L	0.60	0.50	0.70	0.50	0.50	0.50	0.70	0.60	5.00	0.50	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00	1.00	0.50	0.50									
chloroform	ug/L	0.50	0.50	2.00	0.60	0.50	0.80	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50										
2butanone	ug/L	3.00	6.00	0.50	2.00	4.00	1.00	1.00	2.00	10.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00										
1,1,1trichloroethane	ug/L	0.50	0.70	0.60	0.50	0.50	0.60	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50										
carbon tetrachloride	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50										
benzene	ug/L	0.50	0.50	0.50	0.50	0.50	0.60	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50										
trichloroethene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50										
toluene	ug/L	0.70	0.50	0.90	0.60	0.80	1.00	0.90	0.60	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50										
tetrachloroethene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50										
methylene chloride	ug/L	11.00	5.00	23.00	10.00	38.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00										
m,p-xylenes	ug/L	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00										
o-xylenes	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50										
phenol	ug/L	1.00	5.60	2.00	3.00																										
groundwater elevation	feet	719.90	717.08	715.62	718.59	721.58	720.24	719.96	721.22	720.69	717.76	719.67	721.29	720.39	715.77	717.64	716.20	720.42	721.26	718.36	716.43	720.39	717.77	719.52	720.59	719.93	719.32	720.32	718.45	718.17	718.57

Notes:
- values shown in **BOLD** print indicate parameter was "not detected" at the detection limit presented on this table
- values left blank indicate sample was either not collected or not tested
- soluble metals and volatile organic compounds have not been tested since June 20, 2002 (as approved in a letter from the NYSDEC dated August 21, 2002).

INTERIM REMEDIAL MEASURE
POST CLOSURE MONITORING
SUMMARY OF DETECTED GROUNDWATER PARAMETERS
SAMPLING: 4/95 TO 7/06: GW-3

TEST PARAMETER	UNITS	SAMPLE ROUND																													
		4/11/1995	7/12/1995	10/16/1995	1/22/1996	5/8/1996	8/6/1996	10/29/1997	2/6/1997	6/9/1997	9/15/1997	12/16/1997	3/13/1998	6/11/1998	12/14/1998	6/23/1999	12/15/1999	6/22/2000	1/11/2001	7/3/2001	12/12/2001	6/20/2002	1/10/2003	6/10/2003	1/22/2004	6/29/2004	12/30/2004	6/8/2005	12/29/2005	7/14/2006	3/8/2007
pH	Standard	6.82	8.01	8.01	8.42	8.42	7.85	7.53	7.63	7.73	7.03	7.43	8.25	6.93	9.20	9.90	7.15	7.75	9.73	6.32	6.45	6.03	5.60	7.78	7.04	6.97	6.55	7.77	7.47	6.48	6.49
specific conductance	uMHOS/cm	2010	568	502	475	614	623	585	342	570	635	567	626	445	507	620	562	441	399	750	750	690	797	636	573	680		658	598	586	685
turbidity	NTU	26.00	26.80	191.00		70.70	5.12	150.30	47.40											140	51	350	53	390	90	14	109	45.1	153	40.1	2.2
barium, soluble	mg/L	0.056	0.032	0.070	0.850	0.075	0.065	0.073	0.066	0.058	0.057	0.055	0.057	0.028	0.064	0.052	0.064	0.055	0.056	0.053	0.053										
barium, total	mg/L	0.065	0.173	0.165	0.090	0.078	0.086	0.078	0.083	0.072	0.076	0.087	0.063	0.069	0.071	0.078	0.084	0.064	0.087	0.068	0.060	0.066	0.068	0.093	0.064	0.079	0.086	0.067	0.103	0.078	0.067
iron, soluble	mg/L	0.030	0.100	0.095	3.020	2.030	0.050	1.740	0.120	0.114	0.050	0.050	0.050	0.050	0.005	0.005	0.050	0.100	0.100	0.100	0.100										
iron, total	mg/L	1.560	6.710	13.550	4.090	4.230	1.300	2.000	2.370	2.255	3.800	4.650	1.720	1.380	1.810	1.960	3.150	0.250	4.790	1.690	0.943	1.83	0.90	4.85	0.571	1.61	2.74	0.999	4.64	1.87	0.583
magnesium, soluble	mg/L	27.700	29.350	29.650	31.950	30.650	27.900	28.450	29.700	26.900	25.400	29.500	27.200	24.550	16.600	28.250	25.800	25.800	25.200	24.800	23.9	25.6									
magnesium, total	mg/L	28.300	68.700	72.550	32.450	30.950	32.700	16.650	32.900	30.350	35.800	39.350	28.700	27.550	24.600	32.150	31.600	26.300	31.600	26.800	25.0	26.6	27.7	33.7	27.3	27.3	27.0	24.2	32.2	29.0	24.9
manganese, soluble	mg/L	0.078	0.138	0.075	0.165	0.131	0.124	0.113	0.148	0.078	0.050	0.080	0.070	0.063	0.010	0.082	0.047	0.064	0.069	0.045	0.063	0.078									
manganese, total	mg/L	0.120	0.456	0.660	0.210	0.142	0.141	0.128	0.148	0.001	0.120	0.195	0.097	0.011	0.079	0.128	0.111	0.067	0.170	0.082	0.082	0.120	0.083	0.175	0.072	0.261	0.112	0.097	0.178	0.119	0.077
total phenols	mg/L					0.005	0.140	0.005	0.005	0.005	0.002	0.002	0.050	0.050	0.001	0.002	0.002	0.002	0.002	0.002	0.004	0.002	0.002	0.002	0.014	0.002	0.002	0.002	0.002	0.002	0.003
dichlorodifluoromethane	ug/L	2.40	0.50	0.50	0.50	1.00	1.00	1.00	1.00																						
chloromethane	ug/L	1.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00										
vinyl chloride	ug/L	2.30	0.50	0.50	0.50	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00										
acetone	ug/L	16.00	10.50	18.50	5.50	90.00	5.00	5.00	5.00	20.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00										
carbon disulfide	ug/L	1.80	0.50	0.50	0.50	0.50	3.00	0.50	0.50	10.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00										
trans1,2dichloroethene	ug/L	0.80	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50									
1,1dichloroethane	ug/L	0.80	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50									
chloroform	ug/L	0.70	1.50	1.50	0.50	0.95	3.00	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50									
2butanone	ug/L	1.00	7.50	0.75	0.55	0.75	1.00	1.00	2.00	10.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00									
1,1,1trichloroethane	ug/L	1.80	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.56	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50									
carbon tetrachloride	ug/L	1.70	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50									
benzene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.70	0.50	0.50	0.50	0.50	0.50									
trichloroethene	ug/L	0.80	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50									
toluene	ug/L	0.70	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	1.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50									
tetrachloroethene	ug/L	0.90	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50									
methylene chloride	ug/L	6.30	5.00	15.50	5.50	37.50	10.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00									
m,p-xylenes	ug/L	1.00	2.00	1.00	1.00	1.00	1.00	1.00	1.00	5.00	1.00	12.80	1.00	3.35	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00									
o-xylenes	ug/L	0.50	7.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	3.60	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50									
phenol	ug/L	1.00	1.00	1.00	1.00																										
groundwater elevation	feet	709.53	707.19	705.56	708.26	711.25	710.47	709.65	710.29	710.16	708.13	709.14	711.01	710.47	706.24	707.94	706.14	710.24	709.00	708.68	706.05	710.04	706.79	709.15	711.29	709.98	708.07	710.33	707.89	708.54	711.09

- Notes:
- values shown in **BOLD** print indicate parameter was "not detected" at the detection limit presented on this table
 - values left blank indicate sample was either not collected or not tested
 - soluble metals and volatile organic compounds have not been tested since June 20, 2002 (as approved in a letter from the NYSDEC dated August 21, 2002).

STRIPPIT, INC.
INTERIM REMEDIAL MEASURE
POST CLOSURE MONITORING
SUMMARY OF DETECTED GROUNDWATER PARAMETERS
SAMPLING: 4/95 TO 3/07: GW-4

TEST PARAMETER	UNITS	SAMPLE ROUND																													
		4/11/1995	7/12/1995	10/16/1995	1/22/1996	5/8/1996	8/6/1996	10/29/1996	2/6/1997	6/9/1997	9/15/1997	12/16/1997	3/13/1998	6/11/1998	12/14/1998	6/23/1999	12/15/1999	6/22/2000	1/11/2001	7/3/2001	12/12/2001	6/20/2002	1/10/2003	6/10/2003	1/22/2004	6/29/2004	12/30/2004	6/8/2005	12/29/2005	7/14/2006	3/8/2007
pH	Standard	7.06	8.31	8.34	9.07	8.03	8.01	7.47	8.21	7.62	7.92	8.06	9.11	8.27	9.10	9.49	9.77	10.57	9.37	6.36	9.68	8.90	10.28	9.56	8.87	8.97	8.46	10.6	9.91	7.81	10.02
specific conductance	uMHOS/cm	1990	935	628	626	1118	1141	1094	743	1220	1237	989	985	918	745	997	806	784	595	110	790	740	698	6	543	54.1	628	579	494	575	
turbidity	NTU	200	200	107		43	105	47	116											500	270	240	51	43	81	76	46	67.2	1.4	42.2	132.0
barium, soluble	mg/L	0.045	0.058	0.070	0.110	0.044	0.041	0.050	0.050	0.046	0.051	0.052	0.054	0.038	0.029	0.060	0.043	0.059	0.044	0.041/0.041	0.043/0.043	0.046									
barium, total	mg/L	0.179	0.099	0.120	0.130	0.044	0.044	0.054	0.071	0.058	0.060	0.055	0.055	0.055	0.081	0.059	0.078	0.065	0.058	0.079/0.116	0.072/0.060	0.052	0.062	0.075	0.036	0.043	0.063	0.070	0.067	0.048	0.032
iron, soluble	mg/L	0.030	1.000	0.370	8.320	1.000	0.030	1.940	0.225	0.100	0.620	0.060	0.050	0.050	0.050	0.050	0.100	0.100	0.100/0.100	0.100/0.100	0.100										
iron, total	mg/L	12.020	6.720	11.900	9.850	1.000	0.043	2.140	2.870	1.290	1.320	0.766	0.286	1.510	4.420	1.580	4.000	0.110	1.430	4.91/8.19	3.13/1.78	0.155	0.182	0.919	0.302	0.078	0.183	0.300	0.373	0.757	0.100
magnesium, soluble	mg/L	50.020	36.700	30.200	47.900	39.700	37.500	44.300	39.650	40.300	29.550	39.900	34.800	32.700	12.500	28.800	18.400	29.400	29.500	17.600/20.0	9.860/11.2	17.0									
magnesium, total	mg/L	77.900	48.300	66.000	49.400	39.700	38.800	49.100	46.150	39.000	33.750	42.300	36.000	35.900	31.000	40.100	27.700	25.200	32.100	30.7/35.7	17.2/14.9	17.3	15.2	14.7	1.97	1.46	7.17	9.00	9.01	2.74	0.564
manganese, soluble	mg/L	0.005	0.029	0.150	0.200	0.022	0.065	0.062	0.031	0.011	0.020	0.010	0.010	0.014	0.030	0.010	0.010	0.010	0.010	0.010/0.010	0.010/0.010	0.010									
manganese, total	mg/L	0.320	0.162	0.320	0.240	0.022	0.022	0.086	0.076	0.034		0.023	0.010	0.072	0.094	0.039	0.086	0.010	0.027	0.106/0.201	0.074/0.037	0.010	0.010	0.022	0.010	0.010	0.010	0.010	0.010	0.019	0.010
total phenols	mg/L					0.005	0.005	0.005	0.012	0.005	0.020	0.003	0.005	0.005	0.002	0.002	0.002	0.002	0.002	0.002/0.002	0.002/0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002
dichlorodifluoromethane	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00	1.00																					
chloromethane	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00/1.00	1.00/1.00	1.00									
vinyl chloride	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00/1.00	1.00/1.00	1.00									
acetone	ug/L	12.00	5.00	29.00	14.00	38.00	5.00	5.00	5.00	20.00	5.00	7.70	0.50	16.40	5.00	5.00	5.00	5.00	5.00	5.00/5.00	5.00/5.00	5.00									
carbon disulfide	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	10.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00/1.00	1.00/1.00	1.00									
trans1,2dichloroethene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50									
1,1dichloroethane	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50									
chloroform	ug/L	0.50	1.60	1.00	0.80	0.50	0.55	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50									
2butanone	ug/L	1.00	1.00	0.50	1.00	1.00	1.00	1.00	2.00	10.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00/5.00	5.00/5.00	5.00									
1,1,1trichloroethane	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50									
carbon tetrachloride	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50									
benzene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50									
trichloroethene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50									
toluene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	2.10	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50									
tetrachloroethene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50									
methylene chloride	ug/L	2.60	5.00	18.00	10.00	36.00	6.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00/5.00	5.00/5.00	5.00									
m,p-xylenes	ug/L	1.00	2.00	1.00	1.00	1.00	1.00	1.00	1.00	5.00	1.00	8.60	1.00	5.90	1.00	1.00	1.00	1.00	1.00	1.00/1.00	1.00/1.00	1.00									
o-xylenes	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	2.30	0.50	1.60	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50									
phenol	ug/L	1.00	1.00	1.00	1.00																										
groundwater elevation	feet	715.06	712.56	711.13	713.69	716.70	715.75	715.36	716.14	715.92	713.37	714.69	716.43	715.74	711.34	711.09	711.60	715.68	714.36	713.90	712.05	715.39	712.64	714.76	717.21	715.34	714.56	715.59	713.99	714.49	714.51

Notes:

- values shown in **BOLD** print indicate parameter was "not detected" at the detection limit presented on this table
- values left blank indicate sample was either not collected or not tested
- soluble metals and volatile organic compounds have not been tested since June 20, 2002 (as approved in a letter from the NYSDEC dated August 21, 2002).

STRIPPIT, INC.
INTERIM REMEDIAL MEASURE
POST CLOSURE MONITORING
SUMMARY OF DETECTED GROUNDWATER PARAMETERS
SAMPLING: 4/95 TO 3/07: GW-5

TEST PARAMETER	UNITS	SAMPLE ROUND																													
		4/11/1995	7/12/1995	10/16/1995	1/22/1996	5/8/1996	8/6/1996	10/29/1996	2/6/1997	6/9/1997	9/15/1997	12/16/1997	3/13/1998	6/11/1998	12/14/1998	6/23/1999	12/15/1999	6/22/2000	1/11/2001	7/3/2001	12/12/2001	6/20/2002	1/10/2003	6/10/2003	1/22/2004	6/29/2004	12/30/2004	6/8/2005	12/29/2005	7/14/2006	3/8/2007
pH	Standard	6.99	10.88	10.97	11.54	10.93	10.87	10.39	10.90	10.35	10.14	10.76	11.32	10.84	11.31	10.51	11.18	12.27	9.58	9.76	10.93	9.73	11.06	10.60	10.04	11.18	8.86	10.77	10.55	9.24	9.41
specific conductance	uMHOS/cm	2090	735	506	641	831	816	737	286	820	903	665	820	590	567	770	663	634	648	810	690	860	935	630	740	739		739	569	604	590
turbidity	NTU	200	168	113		163	181	38	50											44	360	300	14	360	80	74	145	119	40.3	145	194.0
barium, soluble	mg/L	0.078	0.484	0.060	0.180	0.050	0.051	0.049	0.056	0.046	0.043	0.101	0.051	0.049	0.034	0.042	0.040	0.050	0.041	0.040	0.033	0.034									
barium, total	mg/L	0.172	0.600	0.180	0.230	0.053	0.055	0.090	0.114	0.053	0.067	0.148	0.065	0.071	0.146	0.068	0.076	0.050	0.073	0.042	0.082	0.051	0.050	0.053	0.057	0.042	0.054	0.063	0.052	0.054	0.033
iron, soluble	mg/L	0.030	0.090	0.340	24.800	0.480	0.030	0.990	0.640	0.100	0.050	0.050	0.050	0.050	0.050	0.050	0.050	0.100	0.100	0.100	0.100	0.100									
iron, total	mg/L	23.000	1.730	24.700	34.300	0.510	0.280	1.330	8.670	1.300	4.930	1.660	1.820	2.220	17.700	3.230	4.210	0.527	5.100	0.443	7.97	1.77	0.21	1.54	1.32	0.43	1.89	2.71	1.87	2.34	0.157
magnesium, soluble	mg/L	16.500	4.320	3.680	33.500	2.400	1.330	1.960	5.420	1.540	1.300	0.140	2.070	1.990	0.440	1.590	1.310	0.829	0.778	0.274	0.275	1.180									
magnesium, total	mg/L	32.200	9.710	32.800	42.500	2.530	2.490	3.050	18.600	3.650	8.000	1.640	5.380	9.300	23.600	5.850	7.150	3.970	7.850	1.450	13.9	6.1	8.9	4.0	4.35	4.95	3.36	5.54	3.83	5.23	0.498
manganese, soluble	mg/L	0.005	0.005	0.010	0.570	0.011	0.005	0.014	0.016	0.010	0.002	0.010	0.010	0.010	0.010	0.010	0.010	0.010	0.010	0.010	0.010	0.010									
manganese, total	mg/L	0.485	0.038	0.620	0.760	0.011	0.008	0.030	0.218	0.024	0.080	0.035	0.037	0.105	0.382	0.068	0.088	0.036	0.106	0.010	0.198	0.039	0.010	0.037	0.029	0.030	0.044	0.051	0.039	0.045	0.010
total phenols	mg/L					0.005	0.005	0.005	0.005	0.005	0.002	0.002	0.005	0.081	0.002	0.002	0.002	0.002		0.002	0.002	0.002	0.003	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002
dichlorodifluoromethane	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00																						
chloromethane	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00										
vinyl chloride	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00									
acetone	ug/L	33.00	29.00	43.00	8.00	57.00	7.00	9.00	5.00	20.00	5.00	18.80	5.00	19.70	5.00	8.00	5.00	5.00	5.00	5.00	5.00	5.00									
carbon disulfide	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	10.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00									
trans1,2dichloroethene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50									
1,1dichloroethane	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50									
chloroform	ug/L	0.50	1.00	1.00	0.50	0.50	2.00	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50									
2butanone	ug/L	1.00	1.00	1.00	0.50	1.00	1.00	1.00	2.00	10.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00									
1,1,1trichloroethane	ug/L	0.50	0.50	1.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50									
carbon tetrachloride	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50									
benzene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50									
trichloroethene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50									
toluene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50									
tetrachloroethene	ug/L	0.50	0.50	0.60	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50									
methylene chloride	ug/L	2.40	5.00	24.00	12.00	23.00	10.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00									
m,p-xylenes	ug/L	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	6.90	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00									
o-xylenes	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	2.40	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50									
phenol	ug/L	1.00	1.40	1.40	1.00																										
groundwater elevation	feet	719.54	716.72	715.29	718.53	721.37	719.99	719.94	721.01	720.14	717.55	719.42	721.08	719.96	715.57	717.30	716.09	720.26	719.05	717.98	716.67	720.16	717.76	719.21	721.09	719.79	719.36	719.84	718.62	718.29	721.07

Notes:
- values shown in **BOLD** print indicate parameter was "not detected" at the detection limit presented on this table
- values left blank indicate sample was either not collected or not tested
- soluble metals and volatile organic compounds have not been tested since June 20, 2002 (as approved in a letter from the NYSDEC dated August 21, 2002).

APPENDIX D

**SITE INSPECTION REPORT
MARCH 8, 2007 SAMPLE ROUND**

**LONG-TERM QUARTERLY MONITORING REPORT
INTERIM REMEDIAL MEASURE
STRIPPIT, INC.
AKRON, NEW YORK**

Date of Inspection: 3/8/2007

Inspected By: Matt Dickinson

Summary of Observation:

General Condition of Cover: condition of cover appears good.
Snowfall has hindered a full view of
cover.

Evidence of Erosion, sloughing or other degradation: ☐ Yes ☒ No

Explain (include measurement & site sketch):

None Noted

Evidence of cracking: ☐ Yes ☒ No

Explain (include measurements and site sketch):

None Noted

Evidence of water seepage: ☐ Yes ☒ No

Explain:

None Noted

Evidence of Settlement: ☐ Yes ☒ No

Explain:

None Noted

Condition of monitoring wells and gas wells: Monitoring wells?

gas wells appear to be in
good condition. Monitoring well locks were
frozen shut; had to be cut off.

Condition of Vegetative Cover: Vegetative cover appears to be in good condition
Cover growth is short; snow covered.

Condition of drainage ways (discuss amount of water/sediments present, vegetative
growth unusual staining, blockage, etc.). Drainage ways appear
in good condition. Snow cover?
construction hinder a full view of area

Additional Comments: None

Action Item(s) Required: Replace locks on all five
monitoring wells.

Action Item(s) completed since last inspection: None

Signatures: 