

day

DAY ENVIRONMENTAL, INC.

LETTER OF TRANSMITTAL

RLK 4039 / 1863R-99

TO: Mr. Brian Sadowski
New York State Department of Environmental Conservation
270 Michigan Avenue
Buffalo, New York 14203

FROM: Raymond L. Kampff, Associate

DATE: February 12, 2008

RE: Strippit, Inc.

FILED 1 13 2008
NYCLERK 100 5
REL - BUFFALO

Dear Mr. Sadowski:

Please find enclosed the Interim Remedial Measure Post Closure Monitoring Summary Tables regarding Strippit, Inc.

If there are any questions, please do not hesitate to call.

SIGNED: Raymond L. Kampff, Associate

STRIPPIT, INC.
INTERIM REMEDIAL MEASURE
POSTCLOSURE MONITORING
SUMMARY OF DETECTED GROUNDWATER PARAMETERS
SAMPLING: 4/95 TO 9/07: GW-1

TEST PARAMETER	UNITS	SAMPLE ROUND																															
		4/11/1995	7/12/1995	10/16/1995	1/22/1996	5/8/1996	8/6/1996	10/29/1996	2/6/1997	6/9/1997	9/15/1997	12/16/1997	3/13/1998	6/11/1998	12/14/1998	6/23/1999	12/15/1999	6/22/2000	1/11/2001	7/3/2001	12/12/2001	6/20/2002	1/10/2003	6/10/2003	1/22/2004	6/29/2004	12/30/2004	6/8/2005	12/29/2005	7/14/2006	3/8/007	9/25/2007	
pH	Standard	7.35	8.76	8.63	9.07	8.87	8.04	8.31	8.55	7.38	7.82	7.35	8.37	7.75	8.28	7. 5.02	7.95	8.77	10.57	6.36	8.76	7.22	7.13	9.02	7.88	10.76	7.89	10.08	8.56	8.87	10.82	10.71	
specific conductance	uMHOS/cm	1,400	1,170	751	889	1,297	862	1,179	870	1,660	1,292		1140	1128	877	764	866	968	666	1400	1100	1200	1120	872	931	743		1,190	899	1,120	1,470	1,480	
turbidity	NTU	85.8	200	46.6		101.6	83.8	135.2										0		45		180	13	46	30	38	10.1	52.2	15.4	57.2	218.0	210.4	
barium, soluble	mg/L	0.058	0.059	0.06	0.12	0.054	0.03	0.04	0.033	0.027	0.02	0.024	0.027	0.028	0.022	0.02	0.02	0.027	0.021	0.023	0.020	0.020											
barium, total	mg/L	0.079	0.123	0.07	0.13	0.054	0.04	0.0575	0.041	0.0624	0.033	0.035	0.023	0.032	0.09 5.0	0.041	0.036	0.025	0.027	0.025	0.023	0.020	0.034	0.037	0.031	0.028	0.026	0.033	0.031	0.042	0.022	0.048	
iron, soluble	mg/L	0.03	0.36	0.13	8.24	0.15	0.03	1.065	0.04	0.812	0.061	0.05	0.127	0.05	0.232	0.05	0.05	0.1	0.1	0.140	0.100	0.100											
iron, total	mg/L	1.46	6.82	2.53	8.34	0.15	0.17	2.96	1	5.91	0.985	1.21	0.229	0.676	8.66	1.96	0.724	0.1	0.522	0.246	0.188	0.100	0.419	0.284	0.237	0.100	0.204	0.238	0.286	1.65	0.103	2.83	
magnesium, soluble	mg/L	50.8	44.6	47.5	66.8	62.9	68.6	57.35	63	56	55.2	66.5	66.2	62.2	47.2	62.3	53.5	51	42.2	39.6	37.1	40.6											
magnesium, total	mg/L	54	52	56.8	68.8	62.9	71.2	64.8	65.6	66.3	69.3	78	65.8	64.5	59.8	63.6	57.7	52.7	43.4	44.3	39.1	38.7	47.7	49.7	13.1	39.1	33.2	32.1	51.7	11.3	2.18	45.3	
manganese, soluble	mg/L	0.005	0.026	0.01	0.23	0.039	0.021	0.04	0.015	0.0347	0.02	0.013	0.017	0.042	0.16	0.036	0.023	0.032	0.012	0.015	0.010	0.010											
manganese, total	mg/L	0.038	0.171	0.08	0.24	0.039	0.024	0.085	0.041	0.158	0.03	0.049	0.019	0.069	0.255	0.084	0.049	0.033	0.03	0.041	0.027	0.290	0.061	0.143	0.010	0.102	0.052	0.053	0.171	0.063	0.010	0.200	
total phenols	mg/L					0.005	0.005	0.005	0.005	0.005	0.002	0.002	0.005	0.03	0.029	0.002	0.002	0.004	0.002	0.002	0.002	0.008	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.011	0.002		
dichlorodifluoromethane	ug/L	0.5	0.5	0.5	0.5	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00											
chloromethane	ug/L	0.5	0.5	0.5	0.5	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00											
vinyl chloride	ug/L	0.5	0.5	0.5	0.5	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00											
acetone	ug/L	26.00	5.00	34.00	6.00	71.00	5.00	5.00	5.00	20.00	5.00	5.00	5.00	241.9	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00											
carbon disulfide	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	10.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00											
trans1,2dichloroethene	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50											
1,1dichloroethane	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50											
chloroform	ug/L	0.5	0.5	1.5	0.5	0.5	1.00	0.5	0.5	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50											
2butanone	ug/L	1.00	2.00	0.5	0.5	1.00	1.00	1.00	2.00	10.00	5.00	5.00	5.00	5.00	0.50	5.00	5.00	5.00	5.00	5.00	5.00	5.00											
1,1,1trichloroethane	ug/L	0.5	0.5	0.9	0.5	0.5	0.5	0.5	0.5	5.0	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50											
carbon tetrachloride	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	5.0	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50											
benzene	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	5.0	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50											
trichloroethene	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	5.0	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50											
toluene	ug/L	0.5	0.5	0.5	0.6	0.5	0.5	0.5	0.5	5.0	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50											
tetrachloroethene	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	5.0	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50											
methylene chloride	ug/L	11.00	5.00	21.00	5.00	35.00	14.00	5.00	5.00	5.0	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00											
m,p-xylenes	ug/L	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	5.0	1.00	1.90	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00											
o-xylenes	ug/L	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	5.0	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50											
phenol	ug/L	1.00	1.00	1.00	1.00																												
groundwater elevation	feet	713.43	711.04	710.09	712.82	715.76	714.71	714.29	715.02	715.09	712.34	713.81	715.52	715.27	711.01	713.24	710.6	714.65	713.52	712.98	711.13	714.82	711.57	713.67	716.25	714.34	713.04	714.64	712.31	712.40	715.52	710.24	

- Notes:
- values shown in **BOLD** and SHADED print indicate parameter was "not detected" at the detection limit presented on this table
 - values left blank indicate sample was either not collected or not tested
 - soluble metals and volatile organic compounds have not been tested since June 20, 2002 (as approved in a letter from the NYSDEC dated August 21, 2002).

STRIPPIT, INC.
INTERIM REMEDIAL MEASURE
POSTCLOSURE MONITORING
SUMMARY OF DETECTED GROUNDWATER PARAMETERS
SAMPLING: 4/95 TO 9/07: GW-2

TEST PARAMETER	UNITS	SAMPLE ROUND																														
		4/11/1995	7/12/1995	10/16/1995	1/22/1996	5/8/1996	8/6/1996	10/29/1996	2/6/1997	6/9/1997	9/15/1997	12/16/1997	3/13/1998	6/11/1998	12/14/1998	6/23/1999	12/15/1999	6/22/2000	1/11/2001	7/3/2001	12/12/2001	6/20/2002	1/10/2003	6/10/2003	1/22/2004	6/29/2004	12/30/2004	6/8/2005	12/29/2005	7/14/2006	3/8/2007	9/25/2007
pH	Standard	7.23	11.58	11.71	12.23	11.55	11.33	11.29	11.31	10.51	10.61	10.43	11.54	11.28	11.42	11.04	11.28	10.81	11.56	10.43	11.18	9.16	10.32	10.60	10.53	11.73	8.93	11.02	9.97	9.66	10.70	10.68
specific conductance	uMHOS/cm	1870	1170	695	771					770	904	864	80	799	676	761	592	493	564	1000	730	530	568	519	533	672		604	404	568	584	1,460
turbidity	NTU	200.00	16.50	11.90		11.60	6.91	3.92	74.00											80	560	170	12	200	38	21	120	74.3	34.8	78.2	169.0	112.8
barium, soluble	mg/L	0.199	0.200	0.180	0.150	0.116	0.129	0.171	0.115	0.102	0.091	0.045	0.094	0.094	0.088	0.140	0.118	0.111	0.129	0.130	0.091	0.081										
barium, total	mg/L	0.210	0.211	0.210	0.180	0.118	0.130	0.139	0.127	0.108	0.110	0.099	0.091	0.118	0.107	0.146	0.172	0.122	0.176	0.159	0.145	0.131	0.125	0.164	0.14	0.125	0.127	0.184	0.17	0.128	0.108	0.153
iron, soluble	mg/L	0.030	0.150	0.007	0.430	0.090	0.030	0.100	0.340	0.100	0.050	0.050	0.050	0.050	0.050	0.050	0.050	0.180	0.143	0.148	0.100	0.100										
iron, total	mg/L	0.250	0.490	1.440	1.260	0.090	0.180	0.260	0.410	0.100	0.319	9.350	0.194	0.247	0.431	1.230	2.230	1.270	2.360	0.566	3.11	1.63	0.17	1.45	0.100	0.277	1.55	3.05	4.5	0.559	0.512	3.36
magnesium, soluble	mg/L	0.050	0.140	0.230	1.010	0.470	0.950	0.910	0.089	0.500	0.500	4.100	0.038	0.099	0.214	0.131	0.109	0.251	0.050	0.050	0.050	0.239										
magnesium, total	mg/L	1.030	0.360	0.910	1.360	0.470	2.510	2.800	0.342	0.500	0.500	23.300	0.222	0.393	0.404	1.140	1.860	1.580	1.660	0.342	2.93	1.70	0.61	2.25	0.175	0.692	1.99	2.82	4.32	0.917	0.694	4.32
manganese, soluble	mg/L	0.005	0.053	0.005	0.030	0.005	0.005	0.005	0.008	0.010	0.020	0.010	0.010	0.010	0.010	0.010	0.100	0.010	0.010	0.010	0.010	0.010										
manganese, total	mg/L	0.006	0.150	0.020	0.040	0.005	0.005	0.030	0.009	0.010	0.020	0.224	0.010	0.010	0.010	0.025	0.040	0.040	0.042	0.010	0.064	0.033	0.010	0.031	0.010	0.013	0.029	0.057	0.086	0.011	0.010	0.065
total phenols	mg/L					0.005	0.020	0.008	0.005	0.005	0.020	0.002	0.005	0.008	0.008	0.002	0.002	0.002	0.002	0.002	0.002	0.007	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.003	0.002	
dichlorodifluoromethane	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00																							
chloromethane	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00										
vinyl chloride	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00										
acetone	ug/L	31.00	33.00	63.00	24.00	100.00	21.00	47.00	19.00	20.00	5.00	5.00	9.60	29.60	10.80	6.90	5.00	5.00	5.00	5.00	5.00	5.00										
carbon disulfide	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	10.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00										
trans1,2dichloroethene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50										
1,1dichloroethane	ug/L	0.60	0.50	0.70	0.50	0.50	0.50	0.70	0.60	5.00	0.50	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00	1.00	0.50	0.50										
chloroform	ug/L	0.50	0.50	2.00	0.60	0.50	0.80	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50										
2butanone	ug/L	3.00	6.00	0.50	2.00	4.00	1.00	1.00	2.00	10.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00										
1,1,1trichloroethane	ug/L	0.50	0.70	0.60	0.50	0.50	0.60	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50										
carbon tetrachloride	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50										
benzene	ug/L	0.50	0.50	0.50	0.50	0.50	0.60	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50										
trichloroethene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50										
toluene	ug/L	0.70	0.50	0.90	0.60	0.80	1.00	0.90	0.60	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50										
tetrachloroethene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50										
methylene chloride	ug/L	11.00	5.00	23.00	10.00	38.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00										
m,p-xylenes	ug/L	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00										
o-xylenes	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50										
phenol	ug/L	1.00	5.60	2.00	3.00																											
groundwater elevation	feet	719.90	717.08	715.62	718.59	721.58	720.24	719.96	721.22	720.69	717.76	719.67	721.29	720.39	715.77	717.64	716.20	720.42	721.26	718.36	716.43	720.39	717.77	719.52	720.59	719.93	719.32	720.32	718.45	718.17	718.57	715.17

- Notes:
- values shown in **BOLD** and SHADED print indicate parameter was "not detected" at the detection limit presented on this table
 - values left blank indicate sample was either not collected or not tested
 - soluble metals and volatile organic compounds have not been tested since June 20, 2002 (as approved in a letter from the NYSDEC dated August 21, 2002).

INTERIM REMEDIAL MEASURE
POST CLOSURE MONITORING
SUMMARY OF DETECTED GROUNDWATER PARAMETERS
SAMPLING: 4/95 TO 9/07: GW-3

TEST PARAMETER	UNITS	SAMPLE ROUND																															
		4/11/1995	7/12/1995	10/16/1995	1/22/1996	5/8/1996	8/6/1996	10/29/1997	2/6/1997	6/9/1997	9/15/1997	12/16/1997	3/13/1998	6/11/1998	12/14/1998	6/23/1999	12/15/1999	6/22/2000	1/11/2001	7/3/2001	12/12/2001	6/20/2002	1/10/2003	6/10/2003	1/22/2004	6/29/2004	12/30/2004	6/8/2005	12/29/2005	7/14/2006	3/8/2007	9/25/2007	
pH	Standard	6.82	8.01	8.01	8.42	8.42	7.85	7.53	7.63	7.73	7.03	7.43	8.25	6.93	9.20	9.90	7.15	7.75	9.73	6.32	6.45	6.03	5.60	7.78	7.04	6.97	6.55	7.77	7.47	6.48	6.49	6.71	
specific conductance	uMHOS/cm	2010	568	502	475	614	623	585	342	570	635	567	626	445	507	620	562	441	399	750	750	690	797	636	573	680		658	598	586	685	998	
turbidity	NTU	26.00	26.80	191.00		70.70	5.12	150.30	47.40											140	51	350	53	390	90	14	109	45.1	153	40.1	2.2	10.1	
barium, soluble	mg/L	0.056	0.032	0.070	0.850	0.075	0.065	0.073	0.066	0.058	0.057	0.055	0.055	0.057	0.028	0.064	0.052	0.064	0.055	0.056	0.053	0.053											
barium, total	mg/L	0.065	0.173	0.165	0.090	0.078	0.086	0.078	0.083	0.072	0.076	0.087	0.063	0.069	0.071	0.078	0.084	0.064	0.087	0.068	0.060	0.066	0.068	0.093	0.064	0.079	0.086	0.067	0.103	0.078	0.067	0.062	
iron, soluble	mg/L	0.030	0.100	0.095	3.020	2.030	0.050	1.740	0.120	0.114	0.050	0.050	0.050	0.050	0.005	0.005	0.050	0.100	0.100	0.100	0.100	0.100											
iron, total	mg/L	1.560	6.710	13.550	4.090	4.230	1.300	2.000	2.370	2.255	3.800	4.650	1.720	1.380	1.810	1.960	3.150	0.250	4.790	1.690	0.943	1.83	0.90	4.85	0.571	1.61	2.74	0.999	4.64	1.87	0.583	0.388	
magnesium, soluble	mg/L	27.700	29.350	29.650	31.950	30.650	27.900	28.450	29.700	26.900	25.400	29.500	27.200	24.550	16.600	28.250	25.800	25.800	25.200	24.800	23.9	25.6											
magnesium, total	mg/L	28.300	68.700	72.550	32.450	30.950	32.700	16.650	32.900	30.350	35.800	39.350	28.700	27.550	24.600	32.150	31.600	26.300	31.600	26.800	25.0	26.6	27.7	33.7	27.3	27.3	27.0	24.2	32.2	29.0	24.9	26.7	
manganese, soluble	mg/L	0.078	0.138	0.075	0.165	0.131	0.124	0.113	0.148	0.078	0.050	0.080	0.070	0.063	0.010	0.082	0.047	0.064	0.069	0.045	0.063	0.078											
manganese, total	mg/L	0.120	0.456	0.660	0.210	0.142	0.141	0.128	0.148	0.001	0.120	0.195	0.097	0.011	0.079	0.128	0.111	0.067	0.170	0.082	0.082	0.120	0.083	0.175	0.072	0.261	0.112	0.097	0.178	0.119	0.077	0.085	
total phenols	mg/L					0.005	0.140	0.005	0.005	0.005	0.002	0.002	0.050	0.050	0.001	0.002	0.002	0.002	0.002	0.002	0.002	0.004	0.002	0.002	0.002	0.014	0.002	0.002	0.002	0.002	0.003	0.002	
dichlorodifluoromethane	ug/L	2.40	0.50	0.50	0.50	1.00	1.00	1.00	1.00																								
chloromethane	ug/L	1.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
vinyl chloride	ug/L	2.30	0.50	0.50	0.50	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00											
acetone	ug/L	16.00	10.50	18.50	5.50	90.00	5.00	5.00	5.00	20.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00											
carbon disulfide	ug/L	1.80	0.50	0.50	0.50	0.50	3.00	0.50	0.50	10.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00											
trans 1,2dichloroethene	ug/L	0.80	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50											
1,1dichloroethane	ug/L	0.80	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50											
chloroform	ug/L	0.70	1.50	1.50	0.50	0.95	3.00	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50											
2butanone	ug/L	1.00	7.50	0.75	0.55	0.75	1.00	1.00	2.00	10.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00											
1,1,1trichloroethane	ug/L	1.80	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.56	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50											
carbon tetrachloride	ug/L	1.70	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50											
benzene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.70	0.50	0.50	0.50	0.50	0.50											
trichloroethene	ug/L	0.80	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50											
toluene	ug/L	0.70	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	1.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50											
tetrachloroethene	ug/L	0.90	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50											
methylene chloride	ug/L	6.30	5.00	15.50	5.50	37.50	10.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00											
m,p-xylenes	ug/L	1.00	2.00	1.00	1.00	1.00	1.00	1.00	1.00	5.00	1.00	12.80	1.00	3.35	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00											
o-xylenes	ug/L	0.50	7.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	3.60	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50											
phenol	ug/L	1.00	1.00	1.00	1.00																												
groundwater elevation	feet	709.53	707.19	705.56	708.26	711.25	710.47	709.65	710.29	710.16	708.13	709.14	711.01	710.47	706.24	707.94	706.14	710.24	709.00	708.68	706.05	710.04	706.79	709.15	711.29	709.98	708.07	710.33	707.89	708.54	711.09	706.36	

- Notes:
- values shown in **BOLD** and SHADED print indicate parameter was "not detected" at the detection limit presented on this table
 - values left blank indicate sample was either not collected or not tested
 - soluble metals and volatile organic compounds have not been tested since June 20, 2002 (as approved in a letter from the NYSDEC dated August 21, 2002).

STRIPPIT, INC.
INTERIM REMEDIAL MEASURE
POST CLOSURE MONITORING
SUMMARY OF DETECTED GROUNDWATER PARAMETERS
SAMPLING: 4/95 TO 9/07: GW-4

TEST PARAMETER	UNITS	SAMPLE ROUND																															
		4/11/1995	7/12/1995	10/16/1995	1/22/1996	5/8/1996	8/6/1996	10/29/1996	2/6/1997	6/9/1997	9/15/1997	12/16/1997	3/13/1998	6/11/1998	12/14/1998	6/23/1999	12/15/1999	6/22/2000	1/11/2001	7/3/2001	12/12/2001	6/20/2002	1/10/2003	6/10/2003	1/22/2004	6/29/2004	12/30/2004	6/8/2005	12/29/2005	7/14/2006	3/8/2007	9/25/2007	
pH	Standard	7.06	8.31	8.34	9.07	8.03	8.01	7.47	8.21	7.62	7.92	8.06	9.11	8.27	9.10	9.49	9.77	10.57	9.37	6.36	9.68	8.90	10.28	9.56	8.87	8.97	8.46	10.6	9.91	7.81	10.02	10.19	
specific conductance	uMHOS/cm	1990	935	628	626	1118	1141	1094	743	1220	1237	989	985	918	745	997	806	784	595	110	790	740	698	6	543	54.1		628	579	494	575	1,080	
turbidity	NTU	200	200	107		43	105	47	116											500	270	240	51	43	81	76	46	67.2	1.4	42.2	132.0	113.7	
barium, soluble	mg/L	0.045	0.058	0.070	0.110	0.044	0.041	0.050	0.050	0.046	0.051	0.052	0.054	0.038	0.029	0.060	0.043	0.059	0.044	0.041/0.041	0.043/0.043	0.046											
barium, total	mg/L	0.179	0.099	0.120	0.130	0.044	0.044	0.054	0.071	0.058	0.060	0.055	0.055	0.055	0.081	0.059	0.078	0.065	0.058	0.079/0.116	0.072/0.060	0.052	0.062	0.075	0.036	0.043	0.063	0.070	0.067	0.048	0.032	0.039	
iron, soluble	mg/L	0.030	1.000	0.370	8.320	1.000	0.030	1.940	0.225	0.100	0.620	0.060	0.050	0.050	0.050	0.050	0.050	0.100	0.100	0.100/0.100	0.100/0.100	0.100											
iron, total	mg/L	12.020	6.720	11.900	9.850	1.000	0.043	2.140	2.870	1.290	1.320	0.766	0.286	1.510	4.420	1.580	4.000	0.110	1.430	4.91/8.19	3.13/1.78	0.155	0.182	0.919	0.302	0.078	0.183	0.300	0.373	0.757	0.100	0.100	
magnesium, soluble	mg/L	50.020	36.700	30.200	47.900	39.700	37.500	44.300	39.650	40.300	29.550	39.900	34.800	32.700	12.500	28.800	18.400	29.400	29.500	17.600/20.0	9.860/11.2	17.0											
magnesium, total	mg/L	77.900	48.300	66.000	49.400	39.700	38.800	49.100	46.150	39.000	33.750	42.300	36.000	35.900	31.000	40.100	27.700	25.200	32.100	30.7/35.7	17.2/14.9	17.3	15.2	14.7	1.97	1.46	7.17	9.00	9.01	2.74	0.564	1.750	
manganese, soluble	mg/L	0.005	0.029	0.150	0.200	0.022	0.065	0.062	0.031	0.011	0.020	0.010	0.010	0.014	0.030	0.010	0.010	0.010	0.010	0.010/0.010	0.010/0.010	0.010											
manganese, total	mg/L	0.320	0.162	0.320	0.240	0.022	0.022	0.086	0.076	0.034		0.023	0.010	0.072	0.094	0.039	0.086	0.010	0.027	0.106/0.201	0.074/0.037	0.010	0.010	0.022	0.010	0.010	0.010	0.010	0.010	0.019	0.010	0.010	
total phenols	mg/L					0.005	0.005	0.005	0.012	0.005	0.020	0.003	0.005	0.005	0.002	0.002	0.002	0.002	0.002	0.002/0.002	0.002/0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002	
dichlorodifluoromethane	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00																								
chloromethane	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00/1.00	1.00/1.00	1.00											
vinyl chloride	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00/1.00	1.00/1.00	1.00											
acetone	ug/L	12.00	5.00	29.00	14.00	38.00	5.00	5.00	5.00	20.00	5.00	7.70	0.50	16.40	5.00	5.00	5.00	5.00	5.00	5.00/5.00	5.00/5.00	5.00											
carbon disulfide	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	10.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00/1.00	1.00/1.00	1.00											
trans 1,2dichloroethene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50											
1,1dichloroethane	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50											
chloroform	ug/L	0.50	1.60	1.00	0.80	0.50	0.55	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50											
2butanone	ug/L	1.00	1.00	0.50	1.00	1.00	1.00	1.00	2.00	10.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00/5.00	5.00/5.00	5.00											
1,1,1trichloroethane	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50											
carbon tetrachloride	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50											
benzene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50											
trichloroethene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50											
toluene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	2.10	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50											
tetrachloroethene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50											
methylene chloride	ug/L	2.60	5.00	18.00	10.00	36.00	6.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00/5.00	5.00/5.00	5.00											
m,p-xylenes	ug/L	1.00	2.00	1.00	1.00	1.00	1.00	1.00	1.00	5.00	1.00	8.60	1.00	5.90	1.00	1.00	1.00	1.00	1.00	1.00/1.00	1.00/1.00	1.00											
o-xylenes	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	2.30	0.50	1.60	0.50	0.50	0.50	0.50	0.50	0.50/0.50	0.50/0.50	0.50											
phenol	ug/L	1.00	1.00	1.00	1.00																												
groundwater elevation	feet	715.06	712.56	711.13	713.69	716.70	715.75	715.36	716.14	715.92	713.37	714.69	716.43	715.74	711.34	711.09	711.60	715.68	714.36	713.90	712.05	715.39	712.64	714.76	717.21	715.34	714.56	715.59	713.99	714.49	714.51	711.22	

- Notes:
- values shown in **BOLD** and SHADED print indicate parameter was "not detected" at the detection limit presented on this table
 - values left blank indicate sample was either not collected or not tested
 - soluble metals and volatile organic compounds have not been tested since June 20, 2002 (as approved in a letter from the NYSDEC dated August 21, 2002).

STRIPPIT, INC.
INTERIM REMEDIAL MEASURE
POST CLOSURE MONITORING
SUMMARY OF DETECTED GROUNDWATER PARAMETERS
SAMPLING: 4/95 TO 9/07: GW-5

TEST PARAMETER	UNITS	SAMPLE ROUND																																
		4/11/1995	7/12/1995	10/16/1995	1/22/1996	5/8/1996	8/6/1996	10/29/1996	2/6/1997	6/9/1997	9/15/1997	12/16/1997	3/13/1998	6/11/1998	12/14/1998	6/23/1999	12/15/1999	6/22/2000	1/11/2001	7/3/2001	12/12/2001	6/20/2002	1/10/2003	6/10/2003	1/22/2004	6/29/2004	12/30/2004	6/8/2005	12/29/2005	7/14/2006	3/8/2007	9/25/2007		
pH	Standard	6.99	10.88	10.97	11.54	10.93	10.87	10.39	10.90	10.35	10.14	10.76	11.32	10.84	11.31	10.51	11.18	12.27	9.58	9.76	10.93	9.73	11.06	10.60	10.04	11.18	8.86	10.77	10.55	9.24	9.41	9.43		
specific conductance	uMHOS/cm	2090	735	506	641	831	816	737	286	820	903	665	820	590	567	770	663	634	648	810	690	860	935	630	740	739		739	569	604	590	961		
turbidity	NTU	200	168	113		163	181	38	50											44	360	300	14	360	80	74	145	119	40.3	145	194.0	109.2		
barium, soluble	mg/L	0.078	0.484	0.060	0.180	0.050	0.051	0.049	0.056	0.046	0.043	0.101	0.051	0.049	0.034	0.042	0.040	0.050	0.041	0.040	0.033	0.034												
barium, total	mg/L	0.172	0.600	0.180	0.230	0.053	0.055	0.090	0.114	0.053	0.067	0.148	0.065	0.071	0.146	0.068	0.076	0.050	0.073	0.042	0.082	0.051	0.050		0.053	0.057	0.042		0.054	0.063	0.052	0.054	0.033	0.028
iron, soluble	mg/L	0.030	0.090	0.340	24.800	0.480	0.030	0.990	0.640	0.100	0.050	0.050	0.050	0.050	0.050	0.050	0.050	0.100	0.100	0.100	0.100	0.100												
iron, total	mg/L	23.000	1.730	24.700	34.300	0.510	0.280	1.330	8.670	1.300	4.930	1.660	1.820	2.220	17.700	3.230	4.210	0.527	5.100	0.443	7.97	1.77	0.21	1.54	1.32	0.43	1.89	2.71	1.87	2.34	0.157	0.100		
magnesium, soluble	mg/L	16.500	4.320	3.680	33.500	2.400	1.330	1.960	5.420	1.540	1.300	0.140	2.070	1.990	0.440	1.590	1.310	0.829	0.778	0.274	0.275	1.180												
magnesium, total	mg/L	32.200	9.710	32.800	42.500	2.530	2.490	3.050	18.600	3.650	8.000	1.640	5.380	9.300	23.600	5.850	7.150	3.970	7.850	1.450	13.9	6.1	8.9		4.0	4.35	4.95	3.36	5.54	3.83	5.23	0.498	0.471	
manganese, soluble	mg/L	0.005	0.005	0.010	0.570	0.011	0.005	0.014	0.016	0.010	0.002	0.010	0.010	0.010	0.010	0.010	0.010	0.010	0.010	0.010	0.010	0.010												
manganese, total	mg/L	0.485	0.038	0.620	0.760	0.011	0.008	0.030	0.218	0.024	0.080	0.035	0.037	0.105	0.382	0.068	0.088	0.036	0.106	0.010	0.198	0.039	0.010	0.037	0.029	0.030	0.044	0.051	0.039	0.045	0.010	0.010		
total phenols	mg/L					0.005	0.005	0.005	0.005	0.005	0.002	0.002	0.005	0.081	0.002	0.002	0.002	0.002		0.002	0.002	0.002		0.003	0.002	0.002	0.002	0.002	0.002	0.002	0.002	0.002		
dichlorodifluoromethane	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00																									
chloromethane	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
vinyl chloride	ug/L	0.50	0.50	0.50	0.50	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
acetone	ug/L	33.00	29.00	43.00	8.00	57.00	7.00	9.00	5.00	20.00	5.00	18.80	5.00	19.70	5.00	8.00	5.00	5.00	5.00	5.00	5.00	5.00												
carbon disulfide	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	10.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
trans1,2dichloroethene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50												
1,1dichloroethane	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50												
chloroform	ug/L	0.50	1.00	1.00	0.50	0.50	2.00	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50												
2butanone	ug/L	1.00	1.00	1.00	0.50	1.00	1.00	2.00	10.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00												
1,1,1trichloroethane	ug/L	0.50	0.50	1.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50												
carbon tetrachloride	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50												
benzene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50												
trichloroethene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50												
toluene	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50												
tetrachloroethene	ug/L	0.50	0.50	0.60	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50												
methylene chloride	ug/L	2.40	5.00	24.00	12.00	23.00	10.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00	5.00												
m,p-xylenes	ug/L	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	5.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00	1.00												
o-xylenes	ug/L	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	5.00	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50												
phenol	ug/L	1.00	1.40	1.40	1.00																													
groundwater elevation	feet	719.54	716.72	715.29	718.53	721.37	719.99	719.94	721.01	720.14	717.55	719.42	721.08	719.96	715.57	717.30	716.09	720.26	719.05	717.98	716.67	720.16	717.76	719.21	721.09	719.79	719.36	719.84	718.62	718.29	721.07	714.18		

- Notes:
- values shown in **BOLD** and SHADED print indicate parameter was "not detected" at the detection limit presented on this table
 - values left blank indicate sample was either not collected or not tested
 - soluble metals and volatile organic compounds have not been tested since June 20, 2002 (as approved in a letter from the NYSDEC dated August 21, 2002).