

May 5, 2008

Mr. Michael Hinton
New York State Department of Environmental Conservation – Region 9
Division of Hazardous Waste Remediation
270 Michigan Avenue
Buffalo, NY 14203-2999

SUBJ: 2007 Annual OM&M Report
Cherry Farm Site (NYSDEC Site No. 9-15-063)
River Road Site (NYSDEC Site No. 9-15-031)
4100 River Road, Tonawanda, NY 14150
File No. 442205

Dear Mr. Hinton:

On behalf of the Potentially Responsible Parties Group (PRP Group) of Honeywell International, Inc., General Motors Corporation and National Grid, Groundwater & Environmental Services, Inc. (GES) has prepared and is submitting the 2007 Annual OM&M Report for the for the Subject site for your review.

If you have any questions, please contact the undersigned at 716-706-0074.

Thank you.

Regards,



Chris Schifferli, PE
Project Engineer

cc: Chris Burns, Clough Harbour & Associates, LLP via email: CBURNS@CHA-LLP.com

R. Hugh Stephens
Stephens and Stephens, LLP
410 Main Street
Buffalo, NY 14202-3735

Katie Flood
Clough, Harbour & Associates, LLP
441 South Salina Street
Syracuse, NY 13202-

William Jones
National Grid
300 Erie Boulevard West
Syracuse, NY 13202-4250

E. Peterson
General Motors Corporation
PO Box 33170
Detroit, MI 48232-5170

Tim Metcalf
Honeywell International, Inc.
101 Columbia Road
Morristown, NJ 07960-4640

Cameron O'Connor
New York State Department of Health
584 Delaware Avenue
Buffalo, NY 14202-1295

Rich Fedigan
New York State Department of Health
547 River Street
Troy, NY 12180-2216

City of Tonawanda
Public Library
File (442205 No 13c)
333 Main Street
Tonawanda, NY 14150-3320

2007 Annual Report

**OPERATIONS, MAINTENANCE, AND
MONITORING AT THE
CHERRY FARM SITE (NYSDEC SITE NO. 9-15-063)
RIVER ROAD SITE (NYSDEC SITE NO. 9-15-031)**

Tonawanda, New York

SUBMITTED TO:



**NEW YORK STATE DEPARTMENT
OF ENVIRONMENTAL CONSERVATION
DIVISION OF HAZARDOUS
WASTE REMEDIATION**

SUBMITTED BY:

**CHERRY FARM/RIVER ROAD SITE
Potentially Responsible Parties**

PREPARED BY:



158 Sonwil Drive
Cheektowaga, New York 14225
(716) 706-0074 Fax (716) 706-0078

May 2008

TABLE OF CONTENTS

EXECUTIVE SUMMARY	E-1
Introduction	E-1
Program Methodology	E-1
Monitoring Summary.....	E-2
System Effectiveness	E-2
OM&M Modifications.....	E-2
Conclusions.....	E-2
SECTION 1 INTRODUCTION.....	1-1
1.1 Purpose	1-1
1.2 Background.....	1-1
SECTION 2 PROGRAM METHODOLOGY	2-1
2.1 Groundwater Quality Monitoring.....	2-1
2.2 Surface Water Quality Monitoring.....	2-2
2.3 Water Level Monitoring	2-2
2.4 Site Inspections.....	2-2
SECTION 3 MONITORING SUMMARY.....	3-1
3.1 Groundwater Quality	3-1
3.1.1 Intermediate/Deep Groundwater Quality	3-1
3.1.2 Shallow Groundwater Quality.....	3-1
3.2 Surface Water Quality	3-2
3.3 Deep/Intermediate Groundwater Flow	3-2
3.4 Effectiveness of The Shallow Collection Trench	3-2
3.4.1 System Description.....	3-2
3.4.2 System Effectiveness.....	3-3

TABLE OF CONTENTS (CONT'D)

3.5 Maintenance Activities	3-3
3.5.1 Landfill Maintenance.....	3-3
3.5.2 Groundwater Treatment System Maintenance	3-3
3.5.3 Waste Disposal	3-3
3.6 Wetland and Shoreline Habitat Status	3-3

SECTION 4 SUMMARY AND CONCLUSIONS	4-1
--	------------

LIST OF FIGURES

Figure 1.1	Site Location Map
Figure 1-2.....	Operations, Maintenance and Monitoring Site Plan
Figure 3-1. Intermediate/Deep Groundwater Elevation Contour Map - December 27, 2007	
Figure 3.2a	Recovery Well Hydrographs (RW-4,5)
Figure 3.2b	Monitoring Well Hydrographs (MW-1,2,3)
Figure 3.2c	Monitoring Well Hydrographs (MW-4,5)
Figure 3.2d	Monitoring Well Hydrographs (MW-6,7)
Figure 3.3	Sump Hydrographs (S-1,2,3,4)
Figure 3.4a	Observation Well (OW-1,2,3,4) and Staff Gauge Hydrographs
Figure 3.4b	Observation Well (OW-5,6,7,8,9) and Staff Gauge Hydrographs

LIST OF TABLES

Table 3.1	Detected Constituent Summary - Monitoring Well Samples
Table 3.2	Detected Constituent Summary - Sump Samples
Table 3.3	Detected Constituent Summary – Surface Water Sample
Table 3.4	2005 to 2007 Water Level Summary
Table 3.5	Non-routine Maintenance Items for 2007

TABLE OF CONTENTS (CONT'D)

LIST OF APPENDICES

APPENDIX A ANALYTICAL DATA

**APPENDIX B-1 DETECTED CHEMICAL ANALYTICAL RESULTS
MONITORING WELLS**

**APPENDIX B-2 DETECTED CHEMICAL ANALYTICAL RESULTS
SUMPS**

**APPENDIX B-3 DETECTED CHEMICAL ANALYTICAL RESULTS
SURFACE WATER**

APPENDIX C GROUNDWATER SAMPLING LOGS

APPENDIX D WATER LEVEL DATA

EXECUTIVE SUMMARY

INTRODUCTION

This annual report for the Cherry Farm/River Road Site (Site) summarizes the monitoring and maintenance activities conducted from January 1 through December 31, 2007. The work was conducted as part of the required post-construction operations, maintenance, and monitoring (OM&M) program to monitor and evaluate groundwater and surface water quality and monitor and maintain the integrity of the landfill, including offshore barrier islands and shoreline wetlands.

In October 2002, the intermediate/deep groundwater collection system was turned off as part of a groundwater upwelling study. Based on the results of the study, which showed no significant impacts to the Niagara River, NYSDEC approved permanently shutting down the intermediate/deep groundwater collection system in November 2004. Nine of the 11 intermediate/deep groundwater collection wells were decommissioned in July 2005.

PROGRAM METHODOLOGY

Sumps in the shallow aquifer and monitoring wells in the intermediate/deep aquifer, including the two former recovery wells, were sampled for the chemical parameters shown below.

TCL VOCs	TCL VOCs
TCL SVOCs	TCL SVOCs
TCL pesticides and PCBs	PCBs
Inorganics and cyanide	

Water level monitoring was conducted at the monitoring wells on December 27, 2007. Water level data from the monitoring wells were used to construct a groundwater contour map and hydrographs. Due to the transition of O&M contractors in late December 2007, water level information for the first, second, and third quarters of 2007 was not available.

Maintenance was performed on various components of the groundwater pumping and treatment systems throughout 2007. The maintenance operations were performed

either as part of scheduled preventive maintenance, to promote operational performance, or to make improvements.

MONITORING SUMMARY

Concentrations of organic compounds in the intermediate/deep zones were below groundwater standards in most of the samples. Only a single VOC (xylenes at MW-5) and one SVOC (bis(2-ethylhexyl)phthalate at MW-2, MW-6, and MW-7)) were detected above NYSDEC groundwater standards in the intermediate/deep zone.

Shallow groundwater quality showed greater impacts from the Site than the intermediate/deep zone samples. The most notable impacts were relatively low levels of Aroclor-1248 observed in collection sumps S-1, S-3, and S-4.

SYSTEM EFFECTIVENESS

Based on the results of the groundwater upwelling study showing that no significant impact would occur in the Niagara River, nine of the eleven groundwater extraction wells were decommissioned in 2005. The two remaining extraction wells, RW-4 and RW-5, were left in place as monitoring wells.

The shallow collection trench system is operating. The flow rate in 2007 averaged 7 gpm, was 5 gpm in 2006, and was 7 gpm in 2005. No surface overflows were observed from the trench during the reporting period.

OM&M MODIFICATIONS

The following modifications were approved by NYSDEC (letter dated November 29, 2004) and continue to be implemented:

- The chemical analytical parameter list for the intermediate/deep groundwater samples was reduced by eliminating metals and pesticides.
- The groundwater sampling frequency was reduced from semi-annual to annual.
- Groundwater level monitoring was reduced from monthly to quarterly, beginning in October 2004.
- Nine of the 11 intermediate/deep groundwater extraction wells were decommissioned in July 2005. RW-4 and RW-5 were left in place to be used as monitoring wells.

CONCLUSIONS

- Concentrations of organic compounds were below groundwater standards in several wells, but exceedances were observed in MW-2, MW-5, MW-6, and MW-7.

- Shallow groundwater samples collected from sumps during the current sampling event continued to show a greater impact to the shallow groundwater quality than to the intermediate/deep zone. The most notable impacts were relatively low levels of PAHs and PCBs observed in sumps S-1, S-3, and S-4.
- The shallow collection trench system operated throughout the year. Temporary shutdowns of various sumps occurred due to intermittent electrical problems.
- In the intermediate/deep zone, the groundwater flow direction continued to be primarily westerly, towards the Niagara River, especially in the western portion of the Site. The extraction wells have been shut down since October 2002, and nine of the eleven wells were decommissioned in July 2005.
- The wooded upland and wetland habitats were inspected. The constructed shoreline vegetation is continuing to grow and propagate. Willows and other trees and shrubs along the shoreline are reaching maturity and providing shaded habitat over the water's edge.

SECTION 1

INTRODUCTION

1.1 PURPOSE

This annual report summarizes the monitoring and maintenance activities conducted from January 1 through December 31, 2007 at the Cherry Farm/River Road Site (**Figure 1.1**). The work was conducted as part of the required post-construction operations, maintenance, and monitoring (OM&M) program to monitor and evaluate groundwater and surface water quality, determine the effectiveness of both the shallow groundwater extraction and treatment systems, and monitor and maintain the integrity of the landfill, including offshore barrier islands and shoreline wetlands. The field efforts and reporting tasks were completed in accordance with the New York State Department of Environmental Conservation (NYSDEC) approved, revised OM&M Manual, dated September 2006.

The scope of services defined in the OM&M Manual can be divided into the following tasks:

- Task 1 – Groundwater treatment plant and groundwater extraction system operation and maintenance;
- Task 2 – Inspection and maintenance of the landfill and shoreline improvements, including wetlands;
- Task 3 – Groundwater quality monitoring;
- Task 4 – Surface water quality monitoring;
- Task 5 – Water level monitoring; and
- Task 6 – Evaluation of monitoring data.

1.2 BACKGROUND

A groundwater extraction system, which began operating on August 18, 1997, was installed as part of the overall Site remedial implementation. The extraction system consisted of eleven recovery wells used to pump groundwater from the intermediate/deep aquifer. A separate groundwater trench collects shallow groundwater and any associated light non-aqueous phase liquids (LNAPL) (**Figure 1-2**). Groundwater collected from the extraction trench is treated onsite and discharged to the Town of Tonawanda Wastewater Treatment Facility.

In October 2002, the intermediate/deep groundwater collection system was turned off as part of a groundwater upwelling study. Based on the results of the study, which showed no significant impacts to the Niagara River, NYSDEC approved permanently

shutting down the intermediate/deep groundwater collection system in November 2004. Nine of the 11 intermediate/deep groundwater collection wells were decommissioned in July 2005. The two remaining former recovery wells, RW-4 and RW-5, were left in place as monitoring wells.

As part of the remedial construction, groundwater monitoring wells were installed in upgradient and downgradient locations (see **Figure 1-2**). These wells were intended to provide the data needed to evaluate the effectiveness of the groundwater extraction system. The environmental monitoring system for groundwater and surface water includes the following:

- A total of nine intermediate/deep groundwater monitoring wells (two upgradient and seven downgradient, including RW-4 and RW-5) to assess groundwater quality and efficiency of the groundwater extraction system;
- Nine observation wells to measure the hydraulic gradient of shallow groundwater as it enters the shallow interceptor trenches;
- Four sumps, located in the shallow trenches, to assess the shallow groundwater quality, and to collect LNAPL, if present; and
- Three surface water sampling points to assess surface water quality.

Sampling and analysis of groundwater from the upgradient and downgradient monitoring wells was performed quarterly for the first year of operations, but was reduced to semi-annually during the second and subsequent years, in accordance with the OM&M Manual. Based on the five-year review of the project, and with NYSDEC concurrence, groundwater sampling and analysis was reduced from a semi-annual to annual frequency beginning in 2004.

SECTION 2 PROGRAM METHODOLOGY

2.1 GROUNDWATER QUALITY MONITORING

Groundwater quality in the intermediate/deep zone was monitored at nine locations, including seven monitoring wells (MW-1 through MW-7), and two former extraction wells (RW-4 and RW-5). Four sumps located in the collection trenches were sampled to monitor shallow groundwater quality.

Sample results are summarized in the analytical data summary tables in **Section 3**. Analytical results are provided in Appendix A. Analytical summaries are provided in Appendix B.

The monitoring wells and sumps were sampled in accordance with the OM&M Manual requirements. Chemical parameters were analyzed as shown in the table below, and in accordance with the NYSDEC Analytical Services Protocol (ASP) methods.

TCL VOCs	TCL VOCs
TCL SVOCs	TCL SVOCs
TCL pesticides and PCBs	PCBs
Inorganics and cyanide	

TCL = Target Compound List

Associated QA/QC samples were collected, including one field duplicate, one matrix spike, one matrix spike duplicate, and three trip blanks. The purge water and decontamination water were contained and treated in the onsite groundwater treatment plant. The groundwater sampling logs are provided in Appendix C.

Following collection, the samples were packed in ice and shipped via same-day or overnight delivery to an approved laboratory in accordance with chain-of-custody procedures. Groundwater sample analyses were performed by Test America, Inc. of Amherst, New York.

2.2 SURFACE WATER QUALITY MONITORING

During the most recent monitoring event, a single surface water sample was collected (SW-1). The remaining two surface water monitoring points (SW-2 and SW-3) were dry, and no samples were collected at those locations.

2.3 WATER LEVEL MONITORING

Water level monitoring was completed on December 27, 2007. In addition to the water level measurements, the thickness of LNAPL, if present, was measured and recorded. An electronic water level indicator was used to measure water levels, with an accuracy of approximately 0.01 feet.

Groundwater levels were measured at each of the following locations:

- Nine groundwater monitoring wells (MW-1 through MW-7, RW-4, and RW-5);
- The nine observation wells (OW-1 through OW-9);
- Four sumps (S-1 through S-4) were not measured.

In 2008, this information will be collected quarterly and provided in the 2008 annual report.

The nine observation wells (OW-1 through OW-9) and the four sumps (S-1 through S-4) were not measured. In 2008, this information will be collected quarterly and provided in the 2008 annual report.

-

2.4 SITE INSPECTIONS

During this reporting period, a site inspection was conducted on December 27, 2007. During each inspection, the following items were checked or evaluated: fencing, access gates, signage, roads, treatment building, exterior lighting at the treatment building, vegetative cover, monitoring wells, recovery wells, observation wells, interceptor trench sumps, any signs of ground settlement, erosion, drainage controls, and dumping. The wooded upland and wetland habitats, including the barrier islands, were also inspected for signs of growth and propagation. As of 2003, a detailed wildlife and habitat inspection under a US Army Corps of Engineers permit is no longer required.

SECTION 3 MONITORING SUMMARY

3.1 GROUNDWATER QUALITY

Groundwater samples were collected from monitoring wells and two former extraction wells to assess intermediate/deep groundwater quality, and from the sumps located in the shallow collection trenches, to assess shallow groundwater quality. Groundwater samples were collected from seven groundwater monitoring wells (MW-1 through MW-7), two former extraction wells (RW-4 and RW-5), and four sumps (S-1 through S-4).

The most current groundwater analytical data is summarized in **Table 3-1** and **Table 3-2**. Groundwater sample results were compared to the Class GA Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations found in the NYSDEC Technical and Operational Guidance Series (1.1.1). Complete sampling results for the current reporting period are included in Appendix A. Summary tables of the samples collected to date are in Appendix B, and are arranged by sampling location to facilitate comparison of concentrations at each sampling point.

3.1.1 Intermediate/Deep Groundwater Quality

A summary of the intermediate/deep groundwater analytical data from the most current sampling event is included in **Table 3-1**.

During the December 2007 sampling event, only a single VOC was detected above NYSDEC groundwater standards or guidance values (xylenes in MW-5 at 8 ug/L).

Only one SVOC was detected above groundwater standards or guidance values. This was bis(2-ethylhexyl)phthalate in MW-2, MW-6 and MW-7. This compound was detected at estimated concentrations ranging from 14 to 37 ug/L.

No PCBs were detected in any of the intermediate/deep groundwater samples collected during this sampling event.

3.1.2 Shallow Groundwater Quality

A summary of the shallow groundwater analytical data from the most current sampling event is included in **Table 3-2**.

Analytical results indicated that only a single VOC (chlorobenzene, estimated at 3 ug/L in S-1 through S-4) was detected above groundwater standards. Several SVOCs

(primarily PAHs), pesticides, and one PCB were detected above the applicable NYSDEC standards or guidance values.

A sheen was not observed in any of the sumps during the most current sampling event. The last time measurable free product was observed in the sumps during a water level monitoring event was in August 2004, when 1/8-inch of product was recorded in S-1 and S-3.

3.2 SURFACE WATER QUALITY

A single surface water sample was collected from location SW-1. No VOCs, SVOCs, pesticides, or PCBs were detected above the NYSDEC surface water standards or guidance values. Of the inorganics, only selenium and sodium were detected above standards/guidance values (**Table 3.3**). Summary tables of the surface water samples collected to date are in Appendix B, and are arranged by sampling location to facilitate comparison of concentrations at each sampling point over time.

3.3 DEEP/INTERMEDIATE GROUNDWATER FLOW

A deep/intermediate zone groundwater contour map has been developed based on the most recent water levels (**Figure 3-1**). As has been consistently observed, the flow direction is primarily westerly, towards the Niagara River, especially in the western portion of the Site.

Historical water level data collected from the monitoring wells, sumps, and observation wells are presented in **Table 3.4**. Hydrographs for monitoring wells are presented on **Figure 3.2a** through **Figure 3.2d**. Historical water level data and hydrographs for monitoring wells, sumps, and observation wells are provided in Appendix D.

3.4 EFFECTIVENESS OF THE SHALLOW COLLECTION TRENCH

3.4.1 System Description

The shallow collection trench consists of a series of four shallow trenches filled with a granular drainage material (silica filter sand), and lined with an impermeable geomembrane on the downgradient (river side) trench wall. The system was designed as a groundwater sink to capture shallow groundwater and LNAPL. Four sumps, located within the trenches, pump groundwater into a conveyance pipeline. This pipeline then conveys the water to an oil-water separator at the onsite treatment plant.

Thirteen observation wells are used to monitor groundwater elevations and hydraulic gradients in the vicinity of the trenches. Six observation wells (OW-1, OW-3, OW-4, OW-6, OW-7, and OW-8) were installed adjacent to the trench system on the upgradient side. Observation wells OW-2 and OW-5 are further upgradient, at 14 feet (elevation) above the trenches. Monitoring well OW-9 is 15 feet above the trenches.

3.4.2 System Effectiveness

The shallow collection trench system is operating as planned. The flow rate in 2007 averaged 7 gpm, 5 gpm in 2006, and 7 gpm in 2005. The total flow was approximately 3,706,000 gallons for 2007.

3.5 MAINTENANCE ACTIVITIES

3.5.1 Landfill Maintenance

A summary of general maintenance activities and actions taken following the quarterly inspections are provided below:

- Trash and debris were observed along the shoreline, and were periodically picked up and disposed of during the year.
- The annual mowing of the vegetative cover on the landfill was conducted in August 2007.

3.5.2 Groundwater Treatment System Maintenance

Maintenance was performed on various components of the groundwater treatment system throughout the year. The maintenance operations were either scheduled preventive maintenance, or as needed to mitigate problems or make improvements. The primary non-routine maintenance operations are summarized in **Table 3.5**. Intermittent electrical problems with sumps at various times throughout the year resulted in temporary shutdowns.

3.5.3 Waste Disposal

No waste materials were disposed of during the current reporting period.

3.6 WETLAND AND SHORELINE HABITAT STATUS

The five required years of wetland mitigation area monitoring were completed in 2003 in accordance with the United States Army Corps of Engineers (USACE) Nationwide Permit (No. 95-976-173). However, inspections continued as part of the routine quarterly inspections. Evidence of the success of the mitigation areas includes the following:


- Growth of cattail populations, bulrush, and other species in several areas on the barrier islands, along the bank, and across the northernmost trough.
- Strong presence of shrub growth on the shoreline and on the barrier islands. Willows and other trees and shrubs along the shoreline are now reaching maturity, and providing shaded habitat over the water's edge.
- Continued natural establishment of plant species.

SECTION 4

SUMMARY AND CONCLUSIONS

The objectives of the post-construction monitoring program were to monitor and evaluate the Site groundwater and surface water quality, and the effectiveness of the shallow groundwater extraction system. The primary conclusions derived from the current monitoring activities are summarized below:

- Impacts from the Site on groundwater quality in the intermediate/deep zone continue to be minor. Concentrations of organic compounds were below groundwater standards in several samples.
- Shallow groundwater samples collected from sumps continue to show a greater impact to the shallow groundwater quality than to the intermediate/deep zone. The most notable impacts were relatively low levels of one PCB observed in sumps S-1, S-3, and S-4.
- The shallow collection trench system operated as designed. Temporary shutdowns of various sumps due to electrical problems occurred.
- The wooded upland and wetland habitats were inspected routinely. The constructed shoreline vegetation is continuing to grow and propagate. Willows and other trees and shrubs along the shoreline are now reaching maturity, and providing shaded habitat over the water's edge.



QUADRANGLE LOCATION
 LONGITUDE: 78° 52' 30"
 LATITUDE: 42° 52' 30"


SOURCE: U.S.G.S. 7.5 SERIES BUFFALO NW, New York-Ont
 (TOPOGRAPHIC), 1965

Figure 1.1

Cherry Farm/River Road Site PRP Group
 Cherry Farm/River Road Site

SITE LOCATION MAP

GROUNDWATER & ENVIRONMENTAL SERVICES, INC.
 158 SONWIL DRIVE, CHEEKTOWAGA, NEW YORK 14225-5514



- LEGEND**
- PROPERTY BOUNDARY
 - x - FENCE
 - ▣ TRENCH SUMP
 - ⊕ MONITORING WELL
 - ⊙ OBSERVATION WELL
 - . - SHALLOW GROUNDWATER TRENCH
 - - - GROUNDWATER CONVEYANCE PIPING


DRAFTED BY: W.G.S. (N.J.)	OPERATIONS, MAINTENANCE AND MONITORING SITE PLAN		
CHECKED BY:	CHERRY FARM (RIVER ROAD SITE) 4100 RIVER ROAD TONAWANDA, NEW YORK		
REVIEWED BY:	Groundwater & Environmental Services, Inc. 158 SONWIL DRIVE, CHEEKTOWAGA, NEW YORK 14225		
NORTH 	SCALE IN FEET 	DATE 3-18-08	FIGURE 1-2
	0 APPROXIMATE 250		



- | | | | |
|--|---|--|---------------|
| DRAFTED BY:
W.G.S.
(N.J.) | INTERMEDIATE/DEEP GROUNDWATER
ELEVATION CONTOUR MAP
DECEMBER 27, 2007 | | |
| | CHECKED BY: | CHERRY FARM
(RIVER ROAD SITE)
4100 RIVER ROAD
TONAWANDA, NEW YORK | |
| REVIEWED BY: | Groundwater & Environmental Services, Inc.
158 SONWIL DRIVE, CHEEKTOWAGA, NEW YORK 14225 | | |
| NORTH
 | SCALE IN FEET

0 APPROXIMATE 250 | DATE
3-18-08 | FIGURE
3-1 |

Figure 3.2a
Cherry Farm/River Road Site
Recovery Well Hydrographs (RW-4,5)



NGVD-National Geodetic Vertical Datum

Figure 3.2b
Cherry Farm/River Road Site
Monitoring Well Hydrographs (MW-1,2,3)




Figure 3.2c
Cherry Farm/River Road Site
Monitoring Well Hydrographs (MW-4,5)




Figure 3.2d
Cherry Farm/River Road Site
Monitoring Well Hydrographs (MW-6,7)




Figure 3.3
Cherry Farm/River Road Site
Sump Hydrographs (S-1,2,3,4)






Figure 3.4a
Cherry Farm/River Road Site
Observation Well (OW-1,2,3,4) and Staff Gauge Hydrographs



NGVD-National Geodetic Vertical Datum

Figure 3.4b
Cherry Farm/River Road Site
Observation Well (OW-5,6,7,8,9) Hydrographs



NGVD-National Geodetic Vertical Datum

TABLE 3.1
CHERRY FARM/RIVER ROAD SITE
Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Well Sampling December 2007 Round 19		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Id: Depth: Source: SDG: Matrix: Sampled:	MW-1 A7E98502 12.11 BM A07-E985 Water 12/26/2007	MW-2 A7E98503 13.95 BM A07-E985 Water 12/26/2007	MW-3 A7E98504 6.51 BM A07-E985 Water 12/26/2007	MW-4 A7E98505 17.36 BM A07-E985 Water 12/26/2007	MW-5 A7E98506 19.72 BM A07-E985 Water 12/26/2007
CAS NO.	COMPOUND		UNITS:					
	VOLATILES							
67-64-1	Acetone	50 (G)	ug/l	5 U	20 U	20 U	6	49
1330-20-7	Xylene (total)	5	ug/l	3 U	12 U	12 U	3 U	8
	SEMIVOLATILES							
117-81-7	bis(2-Ethylhexyl)phthalate	5	ug/l	U	14	U	U	U
84-74-2	Di-n-butyl phthalate	50	ug/l	0.4 BJ	0.3 BJ	0.3 BJ	5 U	0.3 BJ
95-48-7	2-Methylphenol	1	ug/l	U	U	U	U	0.7 J
106-44-5	4-Methylphenol	1	ug/l	U	U	U	U	0.9 J
	PCBs							
	None detected							

Notes: NYSDEC June 1998 Ambient Water Quality Standards and Guidance Values for Groundwater Class GA.

Bold and shaded values exceed the NYSDEC Class GA groundwater standard/guidance value.

(G) = Guidance Value

NS = No Standard

U = Indicates compound was analyzed for, but not detected at or above the reporting limit.

B (organics) = The Analyte was found in the associated blank, as well as in the sample

B (inorganics) = Indicates a value greater than or equal to the instrument detection limit, but less than the quantitation limit.

J = Indicates an estimated value

P = Used for Pesticide/Aroclor target analytes where there is greater than 25% difference
for detected concentrations between the two GC columns

TABLE 3.1
CHERRY FARM/RIVER ROAD SITE
Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Well Sampling December 2007 Round 19		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample ID: Depth: Source: SDG: Matrix: Sampled:	MW-6 A7E98507 21.49 BM A07-E985 Water 12/26/2007	MW-6 A7E98507FD 21.49 BM A07-E985 Water 12/26/2007	MW-7 A7E98508 21.33 BM A07-E985 Water 12/26/2007	RW-4 A7E98509 17.24 BM A07-E985 Water 12/27/2007	RW-5 A7E985010 17.49 BM A07-E985 Water 12/27/2007
CAS NO.	COMPOUND		UNITS:					
	VOLATILES							
67-64-1	Acetone	50 (G)	ug/l	5 U	5 U	5 U	20 U	5 U
1330-20-7	Xylene (total)	5	ug/l	3 U	3 U	3 U	12 U	3 U
	SEMIVOLATILES							
117-81-7	bis(2-Ethylhexyl)phthalate	5	ug/l	17	5 U	37	U	U
84-74-2	Di-n-butyl phthalate	50	ug/l	0.4 BJ	0.3 BJ	0.4 BJ	U	U
95-48-7	2-Methylphenol	1	ug/l	U	U	U	U	U
106-44-5	4-Methylphenol	1	ug/l	U	U	U	U	U
	PCBs							
	None detected							

Notes: NYSDEC June 1998 Ambient Water Quality Standards and Guidance Values for
Bold and shaded values exceed the NYSDEC Class GA groundwater standard/guidance
(G) = Guidance Value
NS = No Standard
U = Indicates compound was analyzed for, but not detected at or above the reporting limit
B (organics) = The Analyte was found in the associated blank, as well as in the sample
B (inorganics) = Indicates a value greater than or equal to the instrument detection limit
J = Indicates an estimated value
P = Used for Pesticide/Aroclor target analytes where there is greater than 25% difference
for detected concentrations between the two GC columns

TABLE 3.2
CHERRY FARM/RIVER ROAD SITE
Detected Constituent Summary
Sump Samples

Cherry Farm Monitoring Well Sampling December 2007 Round 19		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Id:	S-1 A7E985011	S-2 A7E985012	S-3 A7E985013	S-4 A7E985014
			Source: SDG: Matrix: Sampled:	BM A07-E985 Water 12/27/2007	BM A07-E985 Water 12/27/2007	BM A07-E985 Water 12/27/2007	BM A07-E985 Water 12/27/2007
CAS NO.	COMPOUND		UNITS:				
	VOLATILES						
108-90-7	Chlorobenzene	5	ug/l	3 J	3 J	3 J	3 J
	SEMIVOLATILES						
83-32-9	Acenaphthene	20 (G)	ug/l	1 J	0.3 J	0.5 J	5 U
208-96-8	Acenaphthylene	NS	ug/l	U	5 U	0.2 J	5 U
120-12-7	Anthracene	50(G)	ug/l	0.8 J	5 U	5 U	5 U
56-55-3	Benzo[a]anthracene	20 (G)	ug/l	U	5 U	0.2 J	5 U
86-74-8	Carbazole	NS	ug/l	2 J	5 U	5 U	5 U
84-74-2	Di-n-butyl phthalate	50	ug/l	5 U	0.4 BJ	0.3 BJ	0.3 BJ
132-64-9	Dibenzofuran	NS	ug/l	0.7 J	5 U	5 U	5 U
106-46-7	1,4-Dichlorobenzene	3	ug/l	1 BJ	5 U	5 U	10 U
105-67-9	2,4-Dimethylphenol	1	ug/l	8	5 U	5 U	5 U
206-44-0	Fluoranthene	50 (G)	ug/l	0.4 J	0.3 J	0.3 BJ	5 U
86-73-7	Fluorene	50 (G)	ug/l	1 J	0.2 J	0.4 J	5 U
91-57-6	2-Methylnaphthalene	NS	ug/l	0.6 J	0.6 J	0.3 J	5 U
95-48-7	2-Methylphenol	1	ug/l	0.2 J	0.2 J	0.6 J	5 U
106-44-5	4-Methylphenol	1	ug/l	5 U	5 U	1 J	5 U
91-20-3	Naphthalene	10 (G)	ug/l	2 J	2 J	1 J	5 U
100-02-7	4-Nitrophenol	1	ug/l	9 J	5 U	5 U	10 U
85-01-8	Phenanthrene	50 (G)	ug/l	1 J	0.3 J	0.8 J	5 U
129-00-0	Pyrene	50 (G)	ug/l	0.8 J	0.2 J	0.2 J	5 U
	PESTICIDES						
309-00-2	Aldrin	ND	ug/l	0.05 U	0.05 U	0.05 U	0.05 U
319-84-6	alpha-BHC	0.01	ug/l	0.05 U	0.05 U	0.05 U	0.05 U
319-85-7	beta-BHC	0.04	ug/l	0.05 U	0.05 U	0.05 U	0.05 U
319-86-8	delta-BHC	0.04	ug/l	0.05 U	0.05 U	0.05 U	0.05 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/l	0.05 U	0.03 J	0.03 J	0.03 J
5103-71-9	alpha-Chlordane	0.05	ug/l	0.05 U	0.05 U	0.05 U	0.011 J
5103-74-2	gamma-Chlordane	0.05	ug/l	.012 J	0.012 J	0.012 J	0.05 U
72-54-8	4,4'-DDD	0.3	ug/l	0.05 U	0.05 U	0.05 U	0.05 U
72-55-9	4,4'-DDE	0.2	ug/l	0.05 U	0.05 U	0.05 U	0.039 J
50-29-3	4,4'-DDT	0.2	ug/l	0.05 U	0.05 U	0.05 U	0.046 J
60-57-1	Dieldrin	0.004	ug/l	0.023 J	0.023 J	0.023 J	0.023 J
959-98-8	Endosulfan I	NS	ug/l	0.05 U	0.005 J	0.005 J	0.005 J
33213-65-9	Endosulfan II	NS	ug/l	0.05 U	0.05 U	0.05 U	0.05 U
1031-07-8	Endosulfan sulfate	NS	ug/l	0.05 U	0.05 U	0.05 U	0.05 U
72-20-8	Endrin	ND	ug/l	0.05 U	0.05 U	0.05 U	0.05 U
7421-93-4	Endrin aldehyde	5	ug/l	0.05 U	0.05 U	0.05 U	0.05 U
53494-70-5	Endrin ketone	5	ug/l	0.05 U	0.05 U	0.05 U	0.05 U
76-44-8	Heptachlor	0.04	ug/l	0.05 U	0.023 J	0.023 J	0.019 J
1024-57-3	Heptachlor epoxide	0.03	ug/l	0.05 U	0.05 U	0.05 U	0.05 U
72-43-5	Methoxychlor	35	ug/l	0.05 U	0.05 U	0.05 U	0.05 U
	PCBs						
		Sum PCBs of					
12674-11-2	Aroclor-1248	0.09	ug/l	0.62	0.33 U	0.39 J	0.46 J
12672-29-6	Total PCBs	0.09	ug/l	0.62		0.39 J	0.46 J

TABLE 3.2
CHERRY FARM/RIVER ROAD SITE
Detected Constituent Summary
Sump Samples

Cherry Farm Monitoring Well Sampling December 2007 Round 19		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Id: Source: SDG: Matrix: Sampled:	S-1 A7E985011 BM A07-E985 Water 12/27/2007	S-2 A7E985012 BM A07-E985 Water 12/27/2007	S-3 A7E985013 BM A07-E985 Water 12/27/2007	S-4 A7E985014 BM A07-E985 Water 12/27/2007
CAS NO.	COMPOUND		UNITS:				
	INORGANICS						
7429-90-5	Aluminum	NS	ug/l	89 B	206	474	1920
7440-38-2	Arsenic	25	ug/l	4.2 U	4.2 U	5.7 B	7.3 B
7440-39-3	Barium	1000	ug/l	190	39	34.9	19.3
7440-41-7	Beryllium	3 (G)	ug/l	0.27 U	0.38 B	0.38 B	0.49 B
7440-70-2	Calcium	NS	ug/l	84900	61800	63000	34800
7440-47-8	Chromium	50	ug/l	0.84 U	0.84 U	1.6 B	2.5 B
7440-50-8	Copper	200	ug/l	1.3 U	2.9 B	1.3 U	4.5 B
7439-89-6	Iron	300	ug/l	8990	42.3 B	20.5 B	1110
7439-95-4	Magnesium	35000 (G)	ug/l	19900	77.5 B	557	4640
7439-96-5	Manganese	300	ug/l	917	0.45 B	0.79 B	32.2
7440-02-0	Nickel	100	ug/l	1.2 U	1.2 U	2.2 B	8.7 B
7440-09-7	Potassium	NS	ug/l	19000	36400	38700	11500
7782-49-2	Selenium	10	ug/l	6.1 U	7.7 B	12.3 B	10 B
7440-22-4	Silver	50	ug/l	1 B	1.3 B	1.5 B	1.3 B
7440-23-5	Sodium	20000	ug/l	67100	44900	48900	5140
7440-62-2	Vanadium	NS	ug/l	0.78 U	72.4	39.1	8.4
7440-66-6	Zinc	2000 (G)	ug/l	3.6 U	3.6 U	3.6 U	15.5
57-12-5	Cyanide	200	ug/l	0.01 U	0.031	0.037	0.01 U

Notes: NYSDEC June 1998 Ambient Water Quality Standards and Guidance Values for Groundwater Class GA.

Bold and shaded values exceed the NYSDEC Class GA groundwater standard/guidance value.

(G) = Guidance Value NS = No Standard J = Indicates an estimated value

U = Indicates compound was analyzed for, but not detected at or above the reporting limit.

B (organics) = The Analyte was found in the associated blank, as well as in the sample

B (inorganics) = Indicates a value greater than or equal to the instrument detection limit, but less than the quantitation limit.

P = Used for Pesticide/Aroclor target Analytes where there is greater than 25% difference for detected concentrations between the two GC columns

TABLE 3.3
CHERRY FARM/RIVER ROAD SITE
Detected Constituent Summary
Surface Water Samples

Cherry Farm Monitoring Well Sampling December 2007 Round 19		NYSDEC Class A Surface Water Standards/ Guidance Values	Sample ID: Lab Sample Id: Source: SDG: Matrix: Sampled:	SW-1 A7E985015 BM A07-E985 Water 12/27/2007
CAS NO.	COMPOUND		UNITS:	
	VOLATILES			
	None Detected			
	SEMIVOLATILES			
84-74-2	Di-n-butyl phthalate	50	ug/l	0.3 BJ
	PESTICIDES			
58-89-9	gamma-BHC (Lindane)	0.05	ug/l	0.03 J
5103-74-2	gamma-Chlordane	0.05	ug/l	0.012 J
	PCBs			
	None Detected			
	INORGANICS			
7429-90-5	Aluminum	NS	ug/l	1180
7440-38-2	Arsenic	25	ug/l	5.6 B
7440-39-3	Barium	1000	ug/l	40.5
7440-41-7	Beryllium	3 (G)	ug/l	0.47 B
7440-70-2	Calcium	NS	ug/l	132000
7440-47-8	Chromium	50	ug/l	2.8 B
7439-89-6	Iron	300	ug/l	172
7439-95-4	Magnesium	35000 (G)	ug/l	31900
7439-96-5	Manganese	300	ug/l	8.9
7440-09-7	Potassium	NS	ug/l	24400
7782-49-2	Selenium	10	ug/l	10.3 B
7440-23-5	Sodium	20000	ug/l	92200
7440-62-2	Vanadium	NS	ug/l	3.4 B
7440-66-6	Zinc	2000 (G)	ug/l	6.1 B

Notes: NYSDEC June 1998 Ambient Water Quality Standards and Guidance Values for Groundwater Class GA.

Bold and shaded values exceed the NYSDEC Class GA groundwater standard/guidance value.

(G) = Guidance Value

NS = No Standard

U = Indicates compound was analyzed for, but not detected at or above the reporting limit.

B (organics) = The Analyte was found in the associated blank, as well as in the sample

B (inorganics) = Indicates a value greater than or equal to the instrument detection limit, but less than the quantitation limit.

J = Indicates an estimated value

P = Used for Pesticide/Aroclor target analytes where there is greater than 25% difference for detected concentrations between the two GC columns

Table 3.4
Cherry Farm/River Road Site
2005 through 2007
Water Level Summary

WELL NAME	ELEV. TOC	2/15/2005 ELEV. (FEET)	4/20/2005 ELEV. (FEET)	8/1/2005 ELEV. (FEET)	12/8/2005 ELEV. (FEET)	3/21/2006 ELEV. (FEET)	6/23/2006 ELEV. (FEET)	9/26/2006 ELEV. (FEET)	12/19/2006 ELEV. (FEET)	12/27/2007 ELEV. (FEET)
MW-1	577.68	565.98	566.14	565.70	565.26	565.67	566.12	566.20	565.58	565.57
MW-2	578.76	565.38	565.51	562.34	564.56	564.99	565.66	565.43	564.98	564.81
MW-3	571.16	565.21	565.33	564.84	564.45	564.72	565.33	565.29	564.86	564.65
MW-4	583.83	#N/A	569.38	565.55	565.03	565.12	565.88	567.43	567.65	566.47
MW-5	584.14	565.00	565.41	565.24	564.34	564.67	565.56	565.20	564.83	564.42
MW-6	585.70	564.85	565.25	564.98	564.12	564.41	565.21	564.97	564.75	564.21
MW-7	586.40	565.53	565.95	565.30	564.95	565.18	565.65	565.46	565.44	565.07
OW-1	573.63	567.83	565.12	564.87	564.30	564.46	565.26	565.05	564.70	
OW-2	584.14	580.83	568.88	568.88	568.99	568.84	569.01	569.03	568.99	
OW-3	576.25	566.02	566.77	565.64	566.13	566.67	566.05	566.12	567.09	
OW-4	572.21	565.98	566.17	565.40	565.49	565.74	565.70	565.56	565.97	
OW-5	584.16	567.64	568.11	567.49	566.85	567.77	567.44	567.36	568.08	
OW-6	572.12	567.07	567.27	565.85	566.32	566.65	566.17	566.21	567.32	
OW-7	574.84	567.22		565.84	566.33	566.67	566.19	569.21	567.46	
OW-8	571.31	565.66	565.94	565.09	565.46	565.51	565.33	565.34	565.91	
OW-9	588.32	567.74	568.36	566.70	567.55	567.74	566.83	567.03	568.26	
S-1	571.84	564.61	566.89	563.72	566.39	564.13	566.17	566.29	567.14	
S-2	571.81	566.58	566.91	565.73	566.16	566.47	566.11	566.15	567.16	
S-3	571.84	567.00	567.48	565.82	566.30	566.64	566.23	566.21	567.34	
S-4	571.51	566.13	567.48	565.84	565.59	565.85	566.14	565.83	566.56	
RW-1	581.82	567.86	565.43							
RW-2	581.82	566.28	565.51							
RW-3	582.30	576.38	565.58							
RW-4	581.83	565.19	565.58	565.48	564.51	564.88	565.75	565.41	565.03	564.59
RW-5	582.05	568.55	565.53	565.40	564.52	564.78	565.70	565.50	564.95	564.56
RW-6	570.76	567.14	565.51							
RW-7	570.67	569.07	565.54							
RW-8	583.83	565.23	565.63							
RW-9	583.86									
RW-10	583.28	565.67	566.08							
RW-11	581.22	565.85	566.32							
SG	568.89	564.29	564.79	564.94		564.59	565.69	564.89	565.69	

Table 3.5
Cherry Farm/River Road OM&M
Non-routine Maintenance Items

Date	Non-routine Maintenance Item
January	Installed new level sensor in the clearwell.
March	Treatment plant shut down for two days to repair leaks in the Carbon Vessel (CC-1). Replaced backflow valve and repaired leaks to CC-1.
May	Installed battery for over-wiring on the top of the clearwell. Painted the walls and window sills in the vicinity of the acid and caustic pumps. Repairs were made to the boiler.
July	Changed the caustic soda from membrane grade to non-membrane grade.
August	Repairs made to the roof exhaust fan.
October	Replaced bottom valve from CC-1.
November/December	Troubleshoot recurring shutdown of the treatment system.

APPENDIX A

ANALYTICAL DATA

CHERRY FARM/RIVER ROAD SITE
Analytical Data

Cherry Farm Monitoring Well Sampling		Sample ID: Lab Sample Id	MW-1 A7E98502	MW-2 A7E98503	MW-3 A7E98504	MW-4 A7E98505	MW-5 A7E98506
		Depth:	12.11	13.95	6.51	17.36	19.72
		Source:	BM	BM	BM	BM	BM
		SDG:	A07-E985	A07-E985	A07-E985	A07-E985	A07-E985
		Matrix:	Water	Water	Water	Water	Water
		Sampled:	12/26/2007	12/26/2007	12/26/2007	12/26/2007	12/26/2007
CAS NO.	COMPOUND	UNITS:					
VOLATILES							
67-64-1	Acetone	ug/l	5 U	20 U	20 U	6	5 U
71-43-2	Benzene	ug/l	1 U	4 U	4 U	1 U	49
75-27-4	Bromochloromethane	ug/l	1 U	4 U	4 U	1 U	5 U
75-25-2	Bromoform	ug/l	1 U	4 U	4 U	1 U	5 U
74-83-9	Bromomethane	ug/l	1 U	4 U	4 U	1 U	5 U
78-93-3	2-Butanone	ug/l	5 U	20 U	20 U	5 U	10 U
75-15-0	Carbon disulfide	ug/l	1 U	4 U	4 U	1 U	5 U
56-23-5	Carbon tetrachloride	ug/l	1 U	4 U	4 U	1 U	5 U
108-90-7	Chlorobenzene	ug/l	1 U	4 U	4 U	1 U	5 U
75-00-3	Chloroethane	ug/l	1 U	4 U	4 U	1 U	5 U
67-66-3	Chloroform	ug/l	1 U	4 U	4 U	1 U	5 U
74-87-3	Chloromethane	ug/l	1 U	4 U	4 U	1 U	5 U
156-59-2	cis-1,2-Dichloroethene	ug/l	1 U	4 U	4 U	1 U	5 U
10061-01-5	cis-1,3-Dichloropropene	ug/l	1 U	4 U	4 U	1 U	5 U
124-48-1	Dibromochloromethane	ug/l	1 U	4 U	4 U	1 U	5 U
75-34-3	1,1-Dichloroethane	ug/l	1 U	4 U	4 U	1 U	5 U
75-35-4	1,1-Dichloroethene	ug/l	1 U	4 U	4 U	1 U	5 U
107-06-2	1,2-Dichloroethane	ug/l	1 U	4 U	4 U	1 U	5 U
78-87-5	1,2-Dichloropropane	ug/l	1 U	4 U	4 U	1 U	5 U
100-41-4	Ethylbenzene	ug/l	1 U	4 U	4 U	1 U	5 U
591-78-6	2-Hexanone	ug/l	5 U	20 U	20 U	5 U	10 U
108-10-1	4-Methyl-2-pentanone	ug/l	5 U	20 U	20 U	5 U	10 U
75-09-2	Methylene chloride	ug/l	1 U	4 U	4 U	1 U	5 U
100-42-5	Styrene	ug/l	1 U	4 U	4 U	1 U	5 U
79-34-5	1,1,2,2-Tetrachloroethane	ug/l	1 U	4 U	4 U	1 U	5 U
127-18-4	Tetrachloroethene	ug/l	1 U	4 U	4 U	1 U	5 U
108-88-3	Toluene	ug/l	1 U	4 U	4 U	1 U	3
156-60-5	trans-1,2-Dichloroethene	ug/l	1 U	4 U	4 U	1 U	5 U
10061-02-6	trans-1,3-Dichloropropene	ug/l	1 U	4 U	4 U	1 U	5 U
71-55-6	1,1,1-Trichloroethane	ug/l	1 U	4 U	4 U	1 U	5 U
79-00-5	1,1,2-Trichloroethane	ug/l	1 U	4 U	4 U	1 U	5 U
79-01-6	Trichloroethene	ug/l	1 U	4 U	4 U	1 U	5 U
75-01-4	Vinyl chloride	ug/l	1 U	4 U	4 U	1 U	5 U
1330-20-7	Xylene (total)	ug/l	3 U	12 U	12 U	3 U	8
SEMIVOLATILES							
83-32-9	Acenaphthene	ug/l	5 U	5 U	5 U	5 U	5 U
208-96-8	Acenaphthylene	ug/l	5 U	5 U	5 U	5 U	5 U
120-12-7	Anthracene	ug/l	5 U	5 U	5 U	5 U	5 U
56-55-3	Benzo[a]anthracene	ug/l	5 U	5 U	5 U	5 U	5 U
50-32-8	Benzo[a]pyrene	ug/l	5 U	5 U	5 U	5 U	5 U
205-99-2	Benzo[b]fluoranthene	ug/l	5 U	5 U	5 U	5 U	5 U
191-24-2	Benzo[g,h,i]perylene	ug/l	5 U	5 U	5 U	5 U	5 U
207-08-9	Benzo[k]fluoranthene	ug/l	5 U	5 U	5 U	5 U	5 U
111-91-1	bis(2-Chloroethoxy)methane	ug/l	5 U	5 U	5 U	5 U	5 U
111-44-4	bis(2-Chloroethyl)ether	ug/l	5 U	5 U	5 U	5 U	5 U
117-81-7	bis(2-Ethylhexyl)phthalate	ug/l	5 U	14	5 U	5 U	5 U
101-55-3	4-Bromophenyl phenyl ether	ug/l	5 U	5 U	5 U	5 U	5 U
85-68-7	Butyl benzyl phthalate	ug/l	5 U	5 U	5 U	5 U	5 U
86-74-8	Carbazole	ug/l	5 U	5 U	5 U	5 U	5 U
59-50-7	4-Chloro-3-methylphenol	ug/l	5 U	5 U	5 U	5 U	5 U
106-47-8	4-Chloroaniline	ug/l	5 U	5 U	5 U	5 U	5 U
91-58-7	2-Chloronaphthalene	ug/l	5 U	5 U	5 U	5 U	5 U
95-57-8	2-Chlorophenol	ug/l	5 U	5 U	5 U	5 U	5 U
7005-72-3	4-Chlorophenyl phenyl ether	ug/l	5 U	5 U	5 U	5 U	5 U
218-01-9	Chrysene	ug/l	5 U	5 U	5 U	5 U	5 U
53-70-3	Dibenz[a,h]anthracene	ug/l	5 U	5 U	5 U	5 U	5 U
132-64-9	Dibenzofuran	ug/l	5 U	5 U	5 U	5 U	5 U
95-50-1	1,2-Dichlorobenzene	ug/l	10 U	10 U	10 U	10 U	10 U

CHERRY FARM/RIVER ROAD SITE
Analytical Data

Cherry Farm Monitoring Well Sampling		Sample ID: Lab Sample Id	MW-1 A7E98502	MW-2 A7E98503	MW-3 A7E98504	MW-4 A7E98505	MW-5 A7E98506
		Depth:	12.11	13.95	6.51	17.36	19.72
		Source:	BM	BM	BM	BM	BM
		SDG:	A07-E985	A07-E985	A07-E985	A07-E985	A07-E985
		Matrix:	Water	Water	Water	Water	Water
		Sampled:	12/26/2007	12/26/2007	12/26/2007	12/26/2007	12/26/2007
CAS NO.	COMPOUND	UNITS:					
541-73-1	1,3-Dichlorobenzene	ug/l	10 U	10 U	10 U	10 U	10 U
106-46-7	1,4-Dichlorobenzene	ug/l	10 U	10 U	10 U	10 U	10 U
91-94-1	3,3'-Dichlorobenzidine	ug/l	5 U	5 U	5 U	5 U	5 U
120-83-2	2,4-Dichlorophenol	ug/l	5 U	5 U	5 U	5 U	5 U
84-66-2	Diethyl phthalate	ug/l	5 U	5 U	5 U	5 U	5 U
131-11-3	Dimethyl phthalate	ug/l	5 U	5 U	5 U	5 U	5 U
105-67-9	2,4-Dimethylphenol	ug/l	5 U	5 U	5 U	5 U	3 J
84-74-2	Di-n-butyl phthalate	ug/l	0.4 BJ	0.3 BJ	0.03 BJ	5 U	0.4 BJ
534-52-1	4,6-Dinitro-2-methylphenol	ug/l	10 U	10 U	10 U	10 U	10 U
51-28-5	2,4-Dinitrophenol	ug/l	10 U	10 U	10 U	10 U	10 U
121-14-2	2,4-Dinitrotoluene	ug/l	5 U	5 U	5 U	5 U	5 U
606-20-2	2,6-Dinitrotoluene	ug/l	5 U	5 U	5 U	5 U	5 U
117-84-0	Di-n-octyl phthalate	ug/l	5 U	5 U	5 U	5 U	5 U
206-44-0	Fluoranthene	ug/l	5 U	5 U	5 U	5 U	5 U
86-73-7	Fluorene	ug/l	5 U	5 U	5 U	5 U	5 U
118-74-1	Hexachlorobenzene	ug/l	5 U	5 U	5 U	5 U	5 U
87-68-3	Hexachlorobutadiene	ug/l	5 U	5 U	5 U	5 U	5 U
77-47-4	Hexachlorocyclopentadiene	ug/l	5 U	5 U	5 U	5 U	5 U
67-72-1	Hexachloroethane	ug/l	5 U	5 U	5 U	5 U	5 U
193-39-5	Indeno[1,2,3-cd]pyrene	ug/l	5 U	5 U	5 U	5 U	5 U
78-59-1	Isophorone	ug/l	5 U	5 U	5 U	5 U	5 U
91-57-6	2-Methylnaphthalene	ug/l	5 U	5 U	5 U	5 U	5 U
95-48-7	2-Methylphenol	ug/l	5 U	5 U	5 U	5 U	0.7 J
106-44-5	4-Methylphenol	ug/l	5 U	5 U	5 U	5 U	0.9 J
91-20-3	Naphthalene	ug/l	5 U	5 U	5 U	5 U	9
88-74-4	2-Nitroaniline	ug/l	10 U	10 U	10 U	10 U	10 U
99-09-2	3-Nitroaniline	ug/l	10 U	10 U	10 U	10 U	10 U
100-01-6	4-Nitroaniline	ug/l	10 U	10 U	10 U	10 U	10 U
98-95-3	Nitrobenzene	ug/l	5 U	5 U	5 U	5 U	5 U
88-75-5	2-Nitrophenol	ug/l	5 U	5 U	5 U	5 U	5 U
100-02-7	4-Nitrophenol	ug/l	10 U	10 U	10 U	10 U	10 U
621-64-7	N-Nitroso-di-n-propylamine	ug/l	5 U	5 U	5 U	5 U	5 U
86-30-6	N-Nitrosodiphenylamine	ug/l	5 U	5 U	5 U	5 U	5 U
108-60-1	2,2'-oxybis(1-Chloropropane)	ug/l	5 U	5 U	5 U	5 U	5 U
87-86-5	Pentachlorophenol	ug/l	10 U	10 U	10 U	10 U	10 U
85-01-8	Phenanthrene	ug/l	5 U	5 U	5 U	5 U	5 U
108-95-2	Phenol	ug/l	5 U	5 U	5 U	5 U	5 U
129-00-0	Pyrene	ug/l	5 U	5 U	5 U	5 U	5 U
120-82-1	1,2,4-Trichlorobenzene	ug/l	10 U	10 U	10 U	10 U	10 U
95-95-4	2,4,5-Trichlorophenol	ug/l	5 U	5 U	5 U	5 U	5 U
88-06-2	2,4,6-Trichlorophenol	ug/l	5 U	5 U	5 U	5 U	5 U
PCBs							
12674-11-2	Aroclor-1016	ug/l	0.5 U	0.5 U	0.53 U	0.49 U	0.49 U
11104-28-2	Aroclor-1221	ug/l	0.5 U	0.5 U	0.53 U	0.49 U	0.49 U
11141-16-5	Aroclor-1232	ug/l	0.5 U	0.5 U	0.53 U	0.49 U	0.49 U
53469-21-9	Aroclor-1242	ug/l	0.5 U	0.5 U	0.53 U	0.49 U	0.49 U
12672-29-6	Aroclor-1248	ug/l	0.5 U	0.5 U	0.53 U	0.49 U	0.49 U
11097-69-1	Aroclor-1254	ug/l	0.5 U	0.5 U	0.53 U	0.49 U	0.49 U
11096-82-5	Aroclor-1260	ug/l	0.5 U	0.5 U	0.53 U	0.49 U	0.49 U

CHERRY FARM/RIVER ROAD SITE
Analytical Data

Cherry Farm Monitoring Well Sampling		Sample ID: Lab Sample Id	MW-6 A7E98507	MW-6 A7E98507FD	MW-7 A7E98508	RW-4 A7E98509	RW-5 A7E985010
		Depth:	21.49	21.49	21.33	17.79	18.89
		Source:	BM	BM	BM	BM	BM
		SDG:	A07-E985	A07-E985	A07-E985	A07-E985	A07-E985
		Matrix:	Water	Water	Water	Water	Water
		Sampled:	12/26/2007	12/26/2007	12/26/2007	12/27/2007	12/27/2007
CAS NO.	COMPOUND	UNITS:					
VOLATILES							
67-64-1	Acetone	ug/l	5 U	5 U	5 U	20 U	5 U
71-43-2	Benzene	ug/l	1 U	1 U	1 U	4 U	1 U
75-27-4	Bromochloromethane	ug/l	1 U	1 U	1 U	4 U	1 U
75-25-2	Bromoform	ug/l	1 U	1 U	1 U	4 U	1 U
74-83-9	Bromomethane	ug/l	1 U	1 U	1 U	4 U	1 U
78-93-3	2-Butanone	ug/l	5 U	5 U	5 U	20 U	5 U
75-15-0	Carbon disulfide	ug/l	1 U	1 U	1 U	4 U	1 U
56-23-5	Carbon tetrachloride	ug/l	1 U	1 U	1 U	4 U	1 U
108-90-7	Chlorobenzene	ug/l	1 U	1 U	1 U	4 U	1 U
75-00-3	Chloroethane	ug/l	1 U	1 U	1 U	4 U	1 U
67-66-3	Chloroform	ug/l	1 U	1 U	1 U	4 U	1 U
74-87-3	Chloromethane	ug/l	1 U	1 U	1 U	4 U	1 U
156-59-2	cis-1,2-Dichloroethene	ug/l	1 U	1 U	1 U	4 U	1 U
10061-01-5	cis-1,3-Dichloropropene	ug/l	1 U	1 U	1 U	4 U	1 U
124-48-1	Dibromochloromethane	ug/l	1 U	1 U	1 U	4 U	1 U
75-34-3	1,1-Dichloroethane	ug/l	1 U	1 U	1 U	4 U	1 U
75-35-4	1,1-Dichloroethene	ug/l	1 U	1 U	1 U	4 U	1 U
107-06-2	1,2-Dichloroethane	ug/l	1 U	1 U	1 U	4 U	1 U
78-87-5	1,2-Dichloropropane	ug/l	1 U	1 U	1 U	4 U	1 U
100-41-4	Ethylbenzene	ug/l	1 U	1 U	1 U	4 U	1 U
591-78-6	2-Hexanone	ug/l	5 U	5 U	5 U	20 U	5 U
108-10-1	4-Methyl-2-pentanone	ug/l	5 U	5 U	5 U	20 U	5 U
75-09-2	Methylene chloride	ug/l	1 U	1 U	1 U	4 U	1 U
100-42-5	Styrene	ug/l	1 U	1 U	1 U	4 U	1 U
79-34-5	1,1,2,2-Tetrachloroethane	ug/l	1 U	1 U	1 U	4 U	1 U
127-18-4	Tetrachloroethene	ug/l	1 U	1 U	1 U	4 U	1 U
108-88-3	Toluene	ug/l	1 U	1 U	1 U	4 U	1 U
156-60-5	trans-1,2-Dichloroethene	ug/l	1 U	1 U	1 U	4 U	1 U
10061-02-6	trans-1,3-Dichloropropene	ug/l	1 U	1 U	1 U	4 U	1 U
71-55-6	1,1,1-Trichloroethane	ug/l	1 U	1 U	1 U	4 U	1 U
79-00-5	1,1,2-Trichloroethane	ug/l	1 U	1 U	1 U	4 U	1 U
79-01-6	Trichloroethene	ug/l	1 U	1 U	1 U	4 U	1 U
75-01-4	Vinyl chloride	ug/l	1 U	1 U	1 U	4 U	1 U
1330-20-7	Xylene (total)	ug/l	3 U	3 U	3 U	12 U	3 U
SEMIVOLATILES							
83-32-9	Acenaphthene	ug/l	5 U	5 U	5 U	5 U	5 U
208-96-8	Acenaphthylene	ug/l	5 U	5 U	5 U	5 U	5 U
120-12-7	Anthracene	ug/l	5 U	5 U	5 U	5 U	5 U
56-55-3	Benzo[a]anthracene	ug/l	5 U	5 U	5 U	5 U	5 U
50-32-8	Benzo[a]pyrene	ug/l	5 U	5 U	5 U	5 U	5 U
205-99-2	Benzo[b]fluoranthene	ug/l	5 U	5 U	5 U	5 U	5 U
191-24-2	Benzo[g,h,i]perylene	ug/l	5 U	5 U	5 U	5 U	5 U
207-08-9	Benzo[k]fluoranthene	ug/l	5 U	5 U	5 U	5 U	5 U
111-91-1	bis(2-Chloroethoxy)methane	ug/l	5 U	5 U	5 U	5 U	5 U
111-44-4	bis(2-Chloroethyl)ether	ug/l	5 U	5 U	5 U	5 U	5 U
117-81-7	bis(2-Ethylhexyl)phthalate	ug/l	17	5 U	37	5 U	5 U
101-55-3	4-Bromophenyl phenyl ether	ug/l	5 U	5 U	5 U	5 U	5 U
85-68-7	Butyl benzyl phthalate	ug/l	5 U	5 U	5 U	5 U	5 U
86-74-8	Carbazole	ug/l	5 U	5 U	5 U	5 U	5 U
59-50-7	4-Chloro-3-methylphenol	ug/l	5 U	5 U	5 U	5 U	5 U
106-47-8	4-Chloroaniline	ug/l	5 U	5 U	5 U	5 U	5 U
91-58-7	2-Chloronaphthalene	ug/l	5 U	5 U	5 U	5 U	5 U
95-57-8	2-Chlorophenol	ug/l	5 U	5 U	5 U	5 U	5 U
7005-72-3	4-Chlorophenyl phenyl ether	ug/l	5 U	5 U	5 U	5 U	5 U
218-01-9	Chrysene	ug/l	5 U	5 U	5 U	5 U	5 U
53-70-3	Dibenz[a,h]anthracene	ug/l	5 U	5 U	5 U	5 U	5 U
132-64-9	Dibenzofuran	ug/l	5 U	5 U	5 U	5 U	5 U
95-50-1	1,2-Dichlorobenzene	ug/l	10 U	10 U	10 U	10 U	10 U

CHERRY FARM/RIVER ROAD SITE
Analytical Data

Cherry Farm Monitoring Well Sampling		Sample ID: Lab Sample Id Depth: Source: SDG: Matrix: Sampled:	MW-6 A7E98507 21.49 BM A07-E985 Water 12/26/2007	MW-6 A7E98507FD 21.49 BM A07-E985 Water 12/26/2007	MW-7 A7E98508 21.33 BM A07-E985 Water 12/26/2007	RW-4 A7E98509 17.79 BM A07-E985 Water 12/27/2007	RW-5 A7E985010 18.89 BM A07-E985 Water 12/27/2007
CAS NO.	COMPOUND	UNITS:					
541-73-1	1,3-Dichlorobenzene	ug/l	10 U	10 U	10 U	10 U	10 U
106-46-7	1,4-Dichlorobenzene	ug/l	10 U	10 U	10 U	10 U	10 U
91-94-1	3,3'-Dichlorobenzidine	ug/l	5 U	5 U	5 U	5 U	5 U
120-83-2	2,4-Dichlorophenol	ug/l	5 U	5 U	5 U	5 U	5 U
84-66-2	Diethyl phthalate	ug/l	5 U	5 U	5 U	5 U	5 U
131-11-3	Dimethyl phthalate	ug/l	5 U	5 U	5 U	5 U	5 U
105-67-9	2,4-Dimethylphenol	ug/l	5 U	5 U	5 U	5 U	5 U
84-74-2	Di-n-butyl phthalate	ug/l	0.4 BJ	0.3 BJ	0.4 BJ	5 U	5 U
534-52-1	4,6-Dinitro-2-methylphenol	ug/l	10 U	10 U	10 U	10 U	10 U
51-28-5	2,4-Dinitrophenol	ug/l	10 U	10 U	10 U	10 U	10 U
121-14-2	2,4-Dinitrotoluene	ug/l	5 U	5 U	5 U	5 U	5 U
606-20-2	2,6-Dinitrotoluene	ug/l	5 U	5 U	5 U	5 U	5 U
117-84-0	Di-n-octyl phthalate	ug/l	5 U	5 U	5 U	5 U	5 U
206-44-0	Fluoranthene	ug/l	5 U	5 U	5 U	5 U	5 U
86-73-7	Fluorene	ug/l	5 U	5 U	5 U	5 U	5 U
118-74-1	Hexachlorobenzene	ug/l	5 U	5 U	5 U	5 U	5 U
87-68-3	Hexachlorobutadiene	ug/l	5 U	5 U	5 U	5 U	5 U
77-47-4	Hexachlorocyclopentadiene	ug/l	5 U	5 U	5 U	5 U	5 U
67-72-1	Hexachloroethane	ug/l	5 U	5 U	5 U	5 U	5 U
193-39-5	Indeno[1,2,3-cd]pyrene	ug/l	5 U	5 U	5 U	5 U	5 U
78-59-1	Isophorone	ug/l	5 U	5 U	5 U	5 U	5 U
91-57-6	2-Methylnaphthalene	ug/l	5 U	5 U	5 U	5 U	5 U
95-48-7	2-Methylphenol	ug/l	5 U	5 U	5 U	5 U	5 U
106-44-5	4-Methylphenol	ug/l	5 U	5 U	5 U	5 U	5 U
91-20-3	Naphthalene	ug/l	5 U	5 U	5 U	5 U	5 U
88-74-4	2-Nitroaniline	ug/l	10 U	10 U	10 U	10 U	10 U
99-09-2	3-Nitroaniline	ug/l	10 U	10 U	10 U	10 U	10 U
100-01-6	4-Nitroaniline	ug/l	10 U	10 U	10 U	10 U	10 U
98-95-3	Nitrobenzene	ug/l	5 U	5 U	5 U	5 U	5 U
88-75-5	2-Nitrophenol	ug/l	5 U	5 U	5 U	5 U	5 U
100-02-7	4-Nitrophenol	ug/l	10 U	10 U	10 U	10 U	10 U
621-64-7	N-Nitroso-di-n-propylamine	ug/l	5 U	5 U	5 U	5 U	5 U
86-30-6	N-Nitrosodiphenylamine	ug/l	5 U	5 U	5 U	5 U	5 U
108-60-1	2,2'-oxybis(1-Chloropropane)	ug/l	5 U	5 U	5 U	5 U	5 U
87-86-5	Pentachlorophenol	ug/l	10 U	10 U	10 U	10 U	10 U
85-01-8	Phenanthrene	ug/l	5 U	5 U	5 U	5 U	5 U
108-95-2	Phenol	ug/l	5 U	5 U	5 U	5 U	5 U
129-00-0	Pyrene	ug/l	5 U	5 U	5 U	5 U	5 U
120-82-1	1,2,4-Trichlorobenzene	ug/l	10 U	10 U	10 U	10 U	10 U
95-95-4	2,4,5-Trichlorophenol	ug/l	5 U	5 U	5 U	5 U	5 U
88-06-2	2,4,6-Trichlorophenol	ug/l	5 U	5 U	5 U	5 U	5 U
PCBs							
12674-11-2	Aroclor-1016	ug/l	0.49 U	0.49 U	0.51 U	0.48 U	0.52 U
11104-28-2	Aroclor-1221	ug/l	0.49 U	0.49 U	0.51 U	0.48 U	0.52 U
11141-16-5	Aroclor-1232	ug/l	0.49 U	0.49 U	0.51 U	0.48 U	0.52 U
53469-21-9	Aroclor-1242	ug/l	0.49 U	0.49 U	0.51 U	0.48 U	0.52 U
12672-29-6	Aroclor-1248	ug/l	0.49 U	0.49 U	0.51 U	0.48 U	0.52 U
11097-69-1	Aroclor-1254	ug/l	0.49 U	0.49 U	0.51 U	0.48 U	0.52 U
11096-82-5	Aroclor-1260	ug/l	0.49 U	0.49 U	0.51 U	0.48 U	0.52 U

CHERRY FARM/RIVER ROAD SITE
Analytical Data

Cherry Farm Monitoring Well Sampling		Sample ID: Lab Sample Id Depth: Source: SDG: Matrix: Sampled:	S-1 A7E985011 NA BM A07-E985 Water 12/27/2007	S-2 A7E985012 NA BM A07-E985 Water 12/27/2007	S-3 A7E985013 NA BM A07-E985 Water 12/27/2007	S-4 A7E985014 NA BM A07-E985 Water 12/27/2007	SW-1 A7E985015 NA BM A07-E985 Water 12/27/2007	Field Blank A7E985001 NA LSL-BL A07-E985 Water 12/27/2007
CAS NO.	COMPOUND	UNITS:						
	VOLATILES							
67-64-1	Acetone	ug/l	20 U	20 U	20 U	5 U	20 U	20 U
71-43-2	Benzene	ug/l	4 U	4 U	4 U	1 U	4 U	4 U
75-27-4	Bromochloromethane	ug/l	4 U	4 U	4 U	1 U	4 U	4 U
75-25-2	Bromoform	ug/l	4 U	4 U	4 U	1 U	4 U	4 U
74-83-9	Bromomethane	ug/l	4 U	4 U	4 U	1 U	4 U	4 U
78-93-3	2-Butanone	ug/l	20 U	20 U	20 U	5 U	20 U	20 U
75-15-0	Carbon disulfide	ug/l	4 U	4 U	4 U	1 U	4 U	4 U
56-23-5	Carbon tetrachloride	ug/l	4 U	4 U	4 U	1 U	4 U	4 U
108-90-7	Chlorobenzene	ug/l	3 J	3 J	3 J	1 U	3 J	3 J
75-00-3	Chloroethane	ug/l	4 U	4 U	4 U	1 U	4 U	4 U
67-66-3	Chloroform	ug/l	4 U	4 U	4 U	1 U	4 U	4 U
74-87-3	Chloromethane	ug/l	4 U	4 U	4 U	1 U	4 U	4 U
156-59-2	cis-1,2-Dichloroethene	ug/l	4 U	4 U	4 U	1 U	4 U	4 U
10061-01-5	cis-1,3-Dichloropropene	ug/l	4 U	4 U	4 U	1 U	4 U	4 U
124-48-1	Dibromochloromethane	ug/l	4 U	4 U	4 U	1 U	4 U	4 U
75-34-3	1,1-Dichloroethane	ug/l	4 U	4 U	4 U	1 U	4 U	4 U
75-35-4	1,1-Dichloroethene	ug/l	4 U	4 U	4 U	1 U	4 U	4 U
107-06-2	1,2-Dichloroethane	ug/l	4 U	4 U	4 U	1 U	4 U	4 U
78-87-5	1,2-Dichloropropane	ug/l	4 U	4 U	4 U	1 U	4 U	4 U
100-41-4	Ethylbenzene	ug/l	4 U	4 U	4 U	1 U	4 U	4 U
591-78-6	2-Hexanone	ug/l	20 U	20 U	20 U	5 U	20 U	20 U
108-10-1	4-Methyl-2-pentanone	ug/l	20 U	20 U	20 U	5 U	20 U	20 U
75-09-2	Methylene chloride	ug/l	4 U	4 U	4 U	1 U	4 U	4 U
100-42-5	Styrene	ug/l	4 U	4 U	4 U	1 U	4 U	4 U
79-34-5	1,1,2,2-Tetrachloroethane	ug/l	4 U	4 U	4 U	1 U	4 U	4 U
127-18-4	Tetrachloroethene	ug/l	4 U	4 U	4 U	1 U	4 U	4 U
108-88-3	Toluene	ug/l	4 U	4 U	4 U	1 U	4 U	4 U
156-60-5	trans-1,2-Dichloroethene	ug/l	4 U	4 U	4 U	1 U	4 U	4 U
10061-02-6	trans-1,3-Dichloropropene	ug/l	4 U	4 U	4 U	1 U	4 U	4 U
71-55-6	1,1,1-Trichloroethane	ug/l	4 U	4 U	4 U	1 U	4 U	4 U
79-00-5	1,1,2-Trichloroethane	ug/l	4 U	4 U	4 U	1 U	4 U	4 U
79-01-6	Trichloroethene	ug/l	4 U	4 U	4 U	1 U	4 U	4 U
75-01-4	Vinyl chloride	ug/l	4 U	4 U	4 U	1 U	4 U	4 U
1330-20-7	Xylene (total)	ug/l	12 U	12 U	12 U	3 U	12 U	12 U
	SEMIVOLATILES							
83-32-9	Acenaphthene	ug/l	1 J	0.3 J	0.5 J	5 U	5 U	5 U
208-96-8	Acenaphthylene	ug/l	5 U	5 U	0.2 J	5 U	5 U	5 U
120-12-7	Anthracene	ug/l	0.8 J	5 U	5 U	5 U	5 U	5 U
56-55-3	Benzo[a]anthracene	ug/l	0.4 J	5 U	0.2 J	5 U	5 U	5 U
50-32-8	Benzo[a]pyrene	ug/l	5 U	5 U	5 U	5 U	5 U	5 U
205-99-2	Benzo[b]fluoranthene	ug/l	5 U	5 U	5 U	5 U	5 U	5 U
191-24-2	Benzo[g,h,i]perylene	ug/l	5 U	5 U	5 U	5 U	5 U	5 U
207-08-9	Benzo[k]fluoranthene	ug/l	5 U	5 U	5 U	5 U	5 U	5 U
111-91-1	bis(2-Chloroethoxy)methane	ug/l	5 U	5 U	5 U	5 U	5 U	5 U
111-44-4	bis(2-Chloroethyl)ether	ug/l	5 U	5 U	5 U	5 U	5 U	5 U
117-81-7	bis(2-Ethylhexyl)phthalate	ug/l	5 U	5 U	5 U	5 U	5 U	5 U
101-55-3	4-Bromophenyl phenyl ether	ug/l	5 U	5 U	5 U	5 U	5 U	5 U
85-68-7	Butyl benzyl phthalate	ug/l	5 U	5 U	5 U	5 U	5 U	5 U
86-74-8	Carbazole	ug/l	2 J	2 U	2 U	5 U	5 U	5 U
59-50-7	4-Chloro-3-methylphenol	ug/l	5 U	5 U	5 U	5 U	5 U	5 U
106-47-8	4-Chloroaniline	ug/l	5 U	5 U	5 U	5 U	5 U	5 U
91-58-7	2-Chloronaphthalene	ug/l	5 U	5 U	5 U	5 U	5 U	5 U
95-57-8	2-Chlorophenol	ug/l	5 U	5 U	5 U	5 U	5 U	5 U
7005-72-3	4-Chlorophenyl phenyl ether	ug/l	5 U	5 U	5 U	5 U	5 U	5 U
218-01-9	Chrysene	ug/l	5 U	5 U	5 U	5 U	5 U	5 U
53-70-3	Dibenz[a,h]anthracene	ug/l	5 U	5 U	5 U	5 U	5 U	5 U
132-64-9	Dibenzofuran	ug/l	0.7 J	5 U	5 U	5 U	5 U	5 U
95-50-1	1,2-Dichlorobenzene	ug/l	10 U	5 U	5 U	10 U	10 U	10 U
541-73-1	1,3-Dichlorobenzene	ug/l	1 BJ	5 U	5 U	10 U	10 U	10 U
106-46-7	1,4-Dichlorobenzene	ug/l	2 J	5 U	5 U	10 U	10 U	10 U
91-94-1	3,3'-Dichlorobenzidine	ug/l	5 U	5 U	5 U	5 U	5 U	5 U
120-83-2	2,4-Dichlorophenol	ug/l	5 U	5 U	5 U	5 U	5 U	5 U
84-66-2	Diethyl phthalate	ug/l	5 U	5 U	5 U	5 U	5 U	5 U
131-11-3	Dimethyl phthalate	ug/l	5 U	5 U	5 U	5 U	5 U	5 U
105-67-9	2,4-Dimethylphenol	ug/l	8	5 U	4 J	5 U	5 U	5 U

CHERRY FARM/RIVER ROAD SITE
Analytical Data

Cherry Farm Monitoring Well Sampling		Sample ID: Lab Sample Id Depth: Source: SDG: Matrix: Sampled:	S-1 A7E985011 NA BM A07-E985 Water 12/27/2007	S-2 A7E985012 NA BM A07-E985 Water 12/27/2007	S-3 A7E985013 NA BM A07-E985 Water 12/27/2007	S-4 A7E985014 NA BM A07-E985 Water 12/27/2007	SW-1 A7E985015 NA BM A07-E985 Water 12/27/2007	Field Blank A7E985001 NA LSL-BL A07-E985 Water 12/27/2007
CAS NO.	COMPOUND	UNITS:						
84-74-2	Di-n-butyl phthalate	ug/l	5 U	0.4 BJ	0.3 BJ	0.3 BJ	0.3 BJ	5 U
534-52-1	4,6-Dinitro-2-methylphenol	ug/l	10 U	10 U	10 U	10 U	10 U	10 U
51-28-5	2,4-Dinitrophenol	ug/l	10 U	10 U	10 U	10 U	10 U	10 U
121-14-2	2,4-Dinitrotoluene	ug/l	5 U	5 U	5 U	5 U	5 U	5 U
606-20-2	2,6-Dinitrotoluene	ug/l	5 U	5 U	5 U	5 U	5 U	5 U
117-84-0	Di-n-octyl phthalate	ug/l	5 U	5 U	5 U	5 U	5 U	5 U
206-44-0	Fluoranthene	ug/l	0.4 J	0.3 J	0.3 BJ	5 U	5 U	5 U
86-73-7	Fluorene	ug/l	1 J	0.2 J	0.4 J	5 U	5 U	5 U
118-74-1	Hexachlorobenzene	ug/l	5 U	5 U	5 U	5 U	5 U	5 U
87-68-3	Hexachlorobutadiene	ug/l	5 U	5 U	5 U	5 U	5 U	5 U
77-47-4	Hexachlorocyclopentadiene	ug/l	5 U	5 U	5 U	5 U	5 U	5 U
67-72-1	Hexachloroethane	ug/l	5 U	5 U	5 U	5 U	5 U	5 U
193-39-5	Indeno[1,2,3-cd]pyrene	ug/l	5 U	5 U	5 U	5 U	5 U	5 U
78-59-1	Isophorone	ug/l	5 U	5 U	5 U	5 U	5 U	5 U
91-57-6	2-Methylnaphthalene	ug/l	0.6 J	0.6 J	0.3 J	5 U	5 U	5 U
95-48-7	2-Methylphenol	ug/l	0.2 J	0.2 J	0.6 J	5 U	5 U	5 U
106-44-5	4-Methylphenol	ug/l	5 U	5 U	1 J	5 U	5 U	5 U
91-20-3	Naphthalene	ug/l	2 J	2 J	1 J	5 U	5 U	5 U
88-74-4	2-Nitroaniline	ug/l	10 U	10 U	10 U	10 U	10 U	10 U
99-09-2	3-Nitroaniline	ug/l	10 U	10 U	10 U	10 U	10 U	10 U
100-01-6	4-Nitroaniline	ug/l	10 U	10 U	10 U	10 U	10 U	10 U
98-95-3	Nitrobenzene	ug/l	5 U	5 U	5 U	5 U	5 U	5 U
88-75-5	2-Nitrophenol	ug/l	5 U	5 U	5 U	5 U	5 U	5 U
100-02-7	4-Nitrophenol	ug/l	10 U	10 U	10 U	10 U	10 U	10 U
621-64-7	N-Nitroso-di-n-propylamine	ug/l	5 U	5 U	5 U	5 U	5 U	5 U
86-30-6	N-Nitrosodiphenylamine	ug/l	5 U	5 U	5 U	5 U	5 U	5 U
108-60-1	2,2'-oxybis(1-Chloropropane)	ug/l	5 U	5 U	5 U	5 U	5 U	5 U
87-86-5	Pentachlorophenol	ug/l	9 J	9 J	9 J	10 U	10 U	10 U
85-01-8	Phenanthrene	ug/l	1 J	0.3 J	0.8 J	5 U	5 U	5 U
108-95-2	Phenol	ug/l	5 U	5 U	5 U	5 U	5 U	5 U
129-00-0	Pyrene	ug/l	0.8 J	0.2 J	0.2 J	5 U	5 U	5 U
120-82-1	1,2,4-Trichlorobenzene	ug/l	10 U	10 U	10 U	10 U	10 U	10 U
95-95-4	2,4,5-Trichlorophenol	ug/l	5 U	5 U	5 U	5 U	5 U	5 U
88-06-2	2,4,6-Trichlorophenol	ug/l	5 U	5 U	5 U	5 U	5 U	5 U
PESTICIDES								
309-00-2	Aldrin	ug/l	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U
319-84-6	alpha-BHC	ug/l	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U
5103-71-9	alpha-Chlordane	ug/l	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U
319-85-7	beta-BHC	ug/l	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U
72-54-8	4,4'-DDD	ug/l	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U
72-55-9	4,4'-DDE	ug/l	0.05 U	0.05 U	0.05 U	0.039 J	0.05 U	0.05 U
50-29-3	4,4'-DDT	ug/l	0.05 U	0.05 U	0.05 U	0.046 J	0.05 U	0.05 U
319-86-8	delta-BHC	ug/l	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U
60-57-1	Dieldrin	ug/l	0.023 J	0.023 J	0.023 J	0.023 J	0.05 U	0.05 U
959-98-8	Endosulfan I	ug/l	0.05 U	0.005 J	0.005 J	0.005 J	0.05 U	0.05 U
33213-65-9	Endosulfan II	ug/l	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U
1031-07-8	Endosulfan sulfate	ug/l	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U
72-20-8	Endrin	ug/l	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U
7421-93-4	Endrin aldehyde	ug/l	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U
53494-70-5	Endrin ketone	ug/l	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U
58-89-9	gamma-BHC (Lindane)	ug/l	0.03 J	0.03 J	0.03 J	0.03 J	0.03 J	0.05 U
12789-03-6	gamma-Chlordane	ug/l	0.012 J	0.012 J	0.012 J	0.011 J	0.012 J	0.012 J
76-44-8	Heptachlor	ug/l	0.05 U	0.023 J	0.023 J	0.019 J	0.05 U	0.05 U
1024-57-3	Heptachlor epoxide	ug/l	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U
72-43-5	Methoxychlor	ug/l	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U
8001-35-2	Toxaphene	ug/l	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U

CHERRY FARM/RIVER ROAD SITE
Analytical Data

Cherry Farm Monitoring Well Sampling		Sample ID: Lab Sample Id Depth: Source: SDG: Matrix: Sampled:	S-1 A7E985011 NA BM A07-E985 Water 12/27/2007	S-2 A7E985012 NA BM A07-E985 Water 12/27/2007	S-3 A7E985013 NA BM A07-E985 Water 12/27/2007	S-4 A7E985014 NA BM A07-E985 Water 12/27/2007	SW-1 A7E985015 NA BM A07-E985 Water 12/27/2007	Field Blank A7E985001 NA LSL-BL A07-E985 Water 12/27/2007
CAS NO.	COMPOUND	UNITS:						
	PCBs							
12674-11-2	Aroclor-1016	ug/l	0.5 U	0.5 U	0.51 U	0.53 U	0.5 U	0.5 U
11104-28-2	Aroclor-1221	ug/l	0.5 U	0.5 U	0.51 U	0.53 U	0.5 U	0.5 U
11141-16-5	Aroclor-1232	ug/l	0.5 U	0.5 U	0.51 U	0.53 U	0.5 U	0.5 U
53469-21-9	Aroclor-1242	ug/l	0.62	0.33 J	0.39 J	0.46 J	0.5 U	0.5 U
12672-29-6	Aroclor-1248	ug/l	0.5 U	0.5 U	0.51 U	0.53 U	0.5 U	0.5 U
11097-69-1	Aroclor-1254	ug/l	0.5 U	0.5 U	0.51 U	0.53 U	0.5 U	0.5 U
11096-82-5	Aroclor-1260	ug/l	0.5 U	0.5 U	0.51 U	0.53 U	0.5 U	0.5 U
	INORGANICS							
7429-90-5	Aluminum	ug/l	89 B	206	474	1920	1180	73.2 B
7440-36-0	Antimony	ug/l	5.6 U	5.2 U	5.6 U	5.6 U	0.56 U	5.6 U
7440-38-2	Arsenic	ug/l	4.2 U	4.2 U	5.7 B	7.3 B	5.6 B	4.2 U
7440-39-3	Barium	ug/l	190	39	34.9	19.3	40.5	1.5 B
7440-41-7	Beryllium	ug/l	0.27 U	0.38 B	0.38 B	0.49 B	0.47 B	0.47 U
7440-43-9	Cadmium	ug/l	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U
7440-70-2	Calcium	ug/l	84900	61800	63000	34800	132000	1760
7440-47-3	Chromium	ug/l	0.84 U	0.84 U	1.6 B	2.5 B	2.8 B	2.8 U
7440-48-4	Cobalt	ug/l	0.89 U	0.89 U	0.89 U	0.89 U	0.89 U	0.89 U
7440-50-8	Copper	ug/l	1.3 U	2.9 B	1.3 U	4.5 B	1.3 U	1.3 U
7439-89-6	Iron	ug/l	8990	42.3 B	20.5 B	1110	172	19.3 U
7439-92-1	Lead	ug/l	2.9 U	2.9 U	2.9 U	2.9 U	2.9 U	2.9 U
7439-95-4	Magnesium	ug/l	19900	77.5 B	557	4640	31900	436
7439-96-5	Manganese	ug/l	917	0.45 B	0.79 B	32.2	8.9	0.16 U
7439-97-6	Mercury	ug/l	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U	0.12 U
7440-02-0	Nickel	ug/l	1.2 U	1.2 U	2.2 B	8.7 B	1.2 U	1.2 U
7440-09-7	Potassium	ug/l	19000	36400	38700	11500	24400	52.5 B
7782-49-2	Selenium	ug/l	6.1 U	7.7 B	12.3 B	10 B	10.3 B	6.1 U
7440-22-4	Silver	ug/l	1 B	1.3 B	1.5 B	1.3 B	1 U	1 U
7440-23-5	Sodium	ug/l	67100	44900	48900	5140	92200	448 B
7440-28-0	Thallium	ug/l	7 U	7 U	7 U	7 U	7 U	7 U
7440-62-2	Vanadium	ug/l	0.78 U	72.4	39.1	8.4	3.4 B	0.78 U
7440-66-6	Zinc	ug/l	3.6 U	3.6 U	3.6 U	15.5	6.1 B	3.6 U
57-12-5	Cyanide	mg/l	0.01 U	0.031	0.037	0.01 U	0.01 U	0.01 U



THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

Job#: A07-E985Project#: NY7A9742Site Name: Cherry Farms/River Road SiteTask: GES- Cherry Farm Annual Groundwater Monitoring

Mr. Chris Schifferli

GES

158 Sonwil Drive

Cheektowaga, NY 14225

TestAmerica Laboratories Inc.

A handwritten signature in cursive script, reading "Paul K. Morrow".

Paul K. Morrow
Project Manager

03/31/2008

The results presented in this report relate only to the analytical testing and condition of the sample at receipt. This report pertains to only those samples actually tested. All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.



TestAmerica Buffalo Current Certifications

As of 6/15/2007

STATE	Program	Cert # / Lab ID
Arkansas	SDWA, CWA, RCRA, SOIL	88-0686
California*	NELAP CWA, RCRA	01169CA
Connecticut	SDWA, CWA, RCRA, SOIL	PH-0568
Florida*	NELAP CWA, RCRA	E87672
Georgia*	SDWA, NELAP CWA, RCRA	956
Illinois*	NELAP SDWA, CWA, RCRA	200003
Iowa	SW/CS	374
Kansas*	NELAP SDWA, CWA, RCRA	E-10187
Kentucky	SDWA	90029
Kentucky UST	UST	30
Louisiana*	NELAP CWA, RCRA	2031
Maine	SDWA, CWA	NY0044
Maryland	SDWA	294
Massachusetts	SDWA, CWA	M-NY044
Michigan	SDWA	9937
Minnesota	SDWA, CWA, RCRA	036-999-337
New Hampshire*	NELAP SDWA, CWA	233701
New Jersey*	NELAP, SDWA, CWA, RCRA,	NY455
New York*	NELAP, AIR, SDWA, CWA, RCRA, CLP	10026
Oklahoma	CWA, RCRA	9421
Pennsylvania*	Registration, NELAP CWA, RCRA	68-00281
Tennessee	SDWA	02970
USDA	FOREIGN SOIL PERMIT	S-41579
USDOE	Department of Energy	DOECAP-STB
Virginia	SDWA	278
Washington	CWA, RCRA	C1677
West Virginia	CWA, RCRA	252
Wisconsin	CWA, RCRA	998310390

*As required under the indicated accreditation, the test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report.

SAMPLE SUMMARY

LAB SAMPLE ID	CLIENT SAMPLE ID	MATRIX	SAMPLED		RECEIVED	
			DATE	TIME	DATE	TIME
A7E98501	FIELD BLANK	WATER	12/27/2007	08:30	12/27/2007	16:25
A7E98502	MW-1	WATER	12/26/2007	12:50	12/27/2007	16:25
A7E98503	MW-2	WATER	12/26/2007	12:10	12/27/2007	16:25
A7E98504	MW-3	WATER	12/26/2007	15:00	12/27/2007	16:25
A7E98505	MW-4	WATER	12/26/2007	13:45	12/27/2007	16:25
A7E98506	MW-5	WATER	12/26/2007	14:15	12/27/2007	16:25
A7E98507	MW-6	WATER	12/26/2007	11:00	12/27/2007	16:25
A7E98507FD	MW-6	WATER	12/26/2007	11:15	12/27/2007	16:25
A7E98507MS	MW-6	WATER	12/26/2007	11:05	12/27/2007	16:25
A7E98507SD	MW-6	WATER	12/26/2007	11:10	12/27/2007	16:25
A7E98508	MW-7	WATER	12/26/2007	09:30	12/27/2007	16:25
A7E98509	RW-4	WATER	12/27/2007	09:30	12/27/2007	16:25
A7E98510	RW-5	WATER	12/27/2007	12:00	12/27/2007	16:25
A7E98511	S-1	WATER	12/27/2007	13:45	12/27/2007	16:25
A7E98512	S-2	WATER	12/27/2007	14:00	12/27/2007	16:25
A7E98513	S-3	WATER	12/27/2007	14:15	12/27/2007	16:25
A7E98514	S-4	WATER	12/27/2007	14:30	12/27/2007	16:25
A7E98515	SW-1	WATER	12/27/2007	13:30	12/27/2007	16:25

The results presented in this report relate only to the analytical testing and condition of the sample at receipt. This report pertains to only those samples actually tested. All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.

METHODS SUMMARY

Job#: A07-E985

Project#: NY7A9742
 Site Name: Cherry Farms/River Road Site

PARAMETER	ANALYTICAL METHOD	
ASP05METHOD 8260 - TCL VOLATILES	ASP05	8260
ASP05 - METHOD 8270 SEMIVOLATILES	ASP05	8270
ASP05METHOD 8081 - TCL PESTICIDES	ASP05	8081
ASP05METHOD 8082 - POLYCHLORINATED BIPHENYLS	ASP05	8082
Aluminum - Total	ASP05	6010
Antimony - Total	ASP05	6010
Arsenic - Total	ASP05	6010
Barium - Total	ASP05	6010
Beryllium - Total	ASP05	6010
Cadmium - Total	ASP05	6010
Calcium - Total	ASP05	6010
Chromium - Total	ASP05	6010
Cobalt - Total	ASP05	6010
Copper - Total	ASP05	6010
Iron - Total	ASP05	6010
Lead - Total	ASP05	6010
Magnesium - Total	ASP05	6010
Manganese - Total	ASP05	6010
Mercury - Total	ASP05	7470
Nickel - Total	ASP05	6010
Potassium - Total	ASP05	6010
Selenium - Total	ASP05	6010
Silver - Total	ASP05	6010
Sodium - Total	ASP05	6010
Thallium - Total	ASP05	6010
Vanadium - Total	ASP05	6010
Zinc - Total	ASP05	6010
Cyanide - Total	ASP05	9012

References:

ASP05 "Analytical Services Protocol", New York State Department of Environmental Conservation, July 2005

The results presented in this report relate only to the analytical testing and conditions of the sample at receipt. This report pertains to only those samples actually tested. All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.

SDG NARRATIVE

Job#: A07-E985Project#: NY7A9742
Site Name: Cherry Farms/River Road SiteGeneral Comments

The enclosed data may or may not have been reported utilizing data qualifiers (Q) as defined on the Data Comment Page.

Soil, sediment and sludge sample results are reported on "dry weight" basis unless otherwise noted in this data package.

According to 40CFR Part 136.3, pH, Chlorine Residual, Dissolved Oxygen, Sulfite, and Temperature analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field (e.g. pH-Field), they were not analyzed immediately, but as soon as possible after laboratory receipt.

Sample dilutions were performed as indicated on the attached Dilution Log. The rationale for dilution is specified by the 3-digit code and definition.

Sample Receipt Comments

A07-E985

Sample Cooler(s) were received at the following temperature(s); 10@4.0 °C
All samples were received in good condition.

GC/MS Volatile Data

For method 8260, the recoveries of various analytes in sample MW-6 Matrix Spike and Matrix Spike Duplicate exceeded QC limits. The Matrix Spike Blank recoveries are compliant.

Linear regression was used to calibrate all analytes that were greater than 15% RSD in the initial calibration A7I0000911-1.

For method 8260, all samples were preserved to a pH less than 2.

GC/MS Semivolatile Data

Linear regression was used to calibrate all analytes that were greater than 15% RSD in the initial calibration standard curves A8I0000001-1 and A8I0000007-1.

The results presented in this report relate only to the analytical testing and condition of the sample at receipt. This report pertains to only those samples actually tested. All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.

The continuing calibration verification standard A8C0000001-1 exhibited the percent Difference (%D) as greater than 20% on the Form VII for the analyte Pentachlorophenol. However since this analyte was calibrated using linear regression, the CCV must be evaluated using %Drift rather than %Difference. The CCV demonstrated %Drift of 6.6%. No corrective action was required.

GC Extractable Data

For method 8082, Aroclor 1260 exhibited a percent difference greater than 15% from the expected amount in the associated continuing calibrations and Decachlorobiphenyl in the closing continuing calibration. The average of all analytes is within 15% and the associated laboratory quality control recoveries are compliant. No corrective action was required.

Metals Data

No deviations from protocol were encountered during the analytical procedures.

Wet Chemistry Data

The recovery of samples S-1 and SW-1 Matrix Spikes exhibited results above the quality control limits for Total Cyanide. However, the LCS was acceptable.

"I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this Sample Data package and in the electronic data deliverables has been authorized by the Laboratory Manager or his/her designee, as verified by the following signature."

Paul K. Morrow
Project Manager

Date

The results presented in this report relate only to the analytical testing and condition of the sample at receipt. This report pertains to only those samples actually tested. All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.

Date: 03/31/2008

Dilution Log w/Code Information

7/65 Page: 1

Time: 09:35:57

For Job A07-E985

Rept: AN1266R

<u>Client Sample ID</u>	<u>Lab Sample ID</u>	<u>Parameter (Inorganic)/Method (Organic)</u>	<u>Dilution</u>	<u>Code</u>
MW-2	A7E98503	8260	4.00	003
MW-3	A7E98504	8260	4.00	003
MW-5	A7E98506	8260	5.00	003
RW-4	A7E98509	8260	4.00	003
S-1	A7E98511	8260	4.00	003
S-2	A7E98512	8260	4.00	003
S-3	A7E98513	8260	4.00	003
SW-1	A7E98515	8260	4.00	003

Dilution Code Definition:

- 002 - sample matrix effects
- 003 - excessive foaming
- 004 - high levels of non-target compounds
- 005 - sample matrix resulted in method non-compliance for an Internal Standard
- 006 - sample matrix resulted in method non-compliance for Surrogate
- 007 - nature of the TCLP matrix
- 008 - high concentration of target analyte(s)
- 009 - sample turbidity
- 010 - sample color
- 011 - insufficient volume for lower dilution
- 012 - sample viscosity
- 013 - other



DATA QUALIFIER PAGE

These definitions are provided in the event the data in this report requires the use of one or more of the qualifiers. Not all qualifiers defined below are necessarily used in the accompanying data package.

ORGANIC DATA QUALIFIERS

ND or U Indicates compound was analyzed for, but not detected.

- J Indicates an estimated value. This flag is used either when estimating a concentration for tentatively identified compounds where a 1:1 response is assumed, or when the data indicates the presence of a compound that meets the identification criteria but the result is less than the sample quantitation limit but greater than zero.
- C This flag applies to pesticide results where the identification has been confirmed by GC/MS.
- B This flag is used when the analyte is found in the associated blank, as well as in the sample.
- E This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis.
- D This flag identifies all compounds identified in an analysis at the secondary dilution factor.
- N Indicates presumptive evidence of a compound. This flag is used only for tentatively identified compounds, where the identification is based on the Mass Spectral library search. It is applied to all TIC results.
- P This flag is used for CLP methodology only. For Pesticide/Aroclor target analytes, when a difference for detected concentrations between the two GC columns is greater than 25%, the lower of the two values is reported on the data page and flagged with a "P".
- A This flag indicates that a TIC is a suspected aldol-condensation product.
- 1 Indicates coelution.
- * Indicates analysis is not within the quality control limits.

INORGANIC DATA QUALIFIERS

- ND or U Indicates element was analyzed for, but not detected. Report with the detection limit value.
- J or B Indicates a value greater than or equal to the instrument detection limit, but less than the quantitation limit.
- N Indicates spike sample recovery is not within the quality control limits.
- S Indicates value determined by the Method of Standard Addition.
- E Indicates a value estimated or not reported due to the presence of interferences.
- H Indicates analytical holding time exceedance. The value obtained should be considered an estimate.
- G Indicates a value greater than or equal to the project reporting limit but less than the laboratory quantitation limit.
- * Indicates the spike or duplicate analysis is not within the quality control limits.
- + Indicates the correlation coefficient for the Method of Standard Addition is less than 0.995.

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

9/65 Page: 1
Rept: AN1178

Sample ID: FIELD BLANK

Lab Sample ID: A7E98501

Date Collected: 12/27/2007

Time Collected: 08:30

Date Received: 12/27/2007

Project No: NY7A9742

Client No: L11071

Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
ASPO5 AQUEOUS - 8260 - TCL VOLATILES(3.2								
1,1,1-Trichloroethane	ND		1	UG/L	8260	01/04/2008 02:15		PQ
1,1,2,2-Tetrachloroethane	ND		1	UG/L	8260	01/04/2008 02:15		PQ
1,1,2-Trichloroethane	ND		1	UG/L	8260	01/04/2008 02:15		PQ
1,1-Dichloroethane	ND		1	UG/L	8260	01/04/2008 02:15		PQ
1,1-Dichloroethene	ND		1	UG/L	8260	01/04/2008 02:15		PQ
1,2-Dichloroethane	ND		1	UG/L	8260	01/04/2008 02:15		PQ
1,2-Dichloroethene (Total)	ND		2	UG/L	8260	01/04/2008 02:15		PQ
1,2-Dichloropropane	ND		1	UG/L	8260	01/04/2008 02:15		PQ
2-Butanone	ND		5	UG/L	8260	01/04/2008 02:15		PQ
2-Hexanone	ND		5	UG/L	8260	01/04/2008 02:15		PQ
4-Methyl-2-pentanone	ND		5	UG/L	8260	01/04/2008 02:15		PQ
Acetone	2	J	5	UG/L	8260	01/04/2008 02:15		PQ
Benzene	ND		1	UG/L	8260	01/04/2008 02:15		PQ
Bromodichloromethane	ND		1	UG/L	8260	01/04/2008 02:15		PQ
Bromoform	ND		1	UG/L	8260	01/04/2008 02:15		PQ
Bromomethane	ND		1	UG/L	8260	01/04/2008 02:15		PQ
Carbon Disulfide	ND		1	UG/L	8260	01/04/2008 02:15		PQ
Carbon Tetrachloride	ND		1	UG/L	8260	01/04/2008 02:15		PQ
Chlorobenzene	ND		1	UG/L	8260	01/04/2008 02:15		PQ
Chloroethane	ND		1	UG/L	8260	01/04/2008 02:15		PQ
Chloroform	ND		1	UG/L	8260	01/04/2008 02:15		PQ
Chloromethane	ND		1	UG/L	8260	01/04/2008 02:15		PQ
cis-1,3-Dichloropropene	ND		1	UG/L	8260	01/04/2008 02:15		PQ
Dibromochloromethane	ND		1	UG/L	8260	01/04/2008 02:15		PQ
Ethylbenzene	ND		1	UG/L	8260	01/04/2008 02:15		PQ
Methylene chloride	ND		1	UG/L	8260	01/04/2008 02:15		PQ
Styrene	ND		1	UG/L	8260	01/04/2008 02:15		PQ
Tetrachloroethene	ND		1	UG/L	8260	01/04/2008 02:15		PQ
Toluene	ND		1	UG/L	8260	01/04/2008 02:15		PQ
Total Xylenes	ND		3	UG/L	8260	01/04/2008 02:15		PQ
trans-1,3-Dichloropropene	ND		1	UG/L	8260	01/04/2008 02:15		PQ
Trichloroethene	ND		1	UG/L	8260	01/04/2008 02:15		PQ
Vinyl chloride	ND		1	UG/L	8260	01/04/2008 02:15		PQ

ASPO5 AQUEOUS - METHOD 8270 SVOA (3.2 LIS

1,2,4-Trichlorobenzene	ND		10	UG/L	8270	12/31/2007 18:57		RM
1,2-Dichlorobenzene	ND		10	UG/L	8270	12/31/2007 18:57		RM
1,3-Dichlorobenzene	ND		10	UG/L	8270	12/31/2007 18:57		RM
1,4-Dichlorobenzene	ND		10	UG/L	8270	12/31/2007 18:57		RM
2,2'-Oxybis(1-Chloropropane)	ND		5	UG/L	8270	12/31/2007 18:57		RM
2,4,5-Trichlorophenol	ND		5	UG/L	8270	12/31/2007 18:57		RM
2,4,6-Trichlorophenol	ND		5	UG/L	8270	12/31/2007 18:57		RM
2,4-Dichlorophenol	ND		5	UG/L	8270	12/31/2007 18:57		RM
2,4-Dimethylphenol	ND		5	UG/L	8270	12/31/2007 18:57		RM
2,4-Dinitrophenol	ND		10	UG/L	8270	12/31/2007 18:57		RM
2,4-Dinitrotoluene	ND		5	UG/L	8270	12/31/2007 18:57		RM
2,6-Dinitrotoluene	ND		5	UG/L	8270	12/31/2007 18:57		RM
2-Chloronaphthalene	ND		5	UG/L	8270	12/31/2007 18:57		RM
2-Chlorophenol	ND		5	UG/L	8270	12/31/2007 18:57		RM

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

10/65 Page: 2
Rept: AN1178

Sample ID: FIELD BLANK
Lab Sample ID: A7E98501
Date Collected: 12/27/2007
Time Collected: 08:30

Date Received: 12/27/2007
Project No: NY7A9742
Client No: L11071
Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
ASPO5 AQUEOUS - METHOD 8270 SVOA (3.2 LIS								
2-Methylnaphthalene	ND		5	UG/L	8270	12/31/2007 18:57		RM
2-Methylphenol	ND		5	UG/L	8270	12/31/2007 18:57		RM
2-Nitroaniline	ND		10	UG/L	8270	12/31/2007 18:57		RM
2-Nitrophenol	ND		5	UG/L	8270	12/31/2007 18:57		RM
3,3'-Dichlorobenzidine	ND		5	UG/L	8270	12/31/2007 18:57		RM
3-Nitroaniline	ND		10	UG/L	8270	12/31/2007 18:57		RM
4,6-Dinitro-2-methylphenol	ND		10	UG/L	8270	12/31/2007 18:57		RM
4-Bromophenyl phenyl ether	ND		5	UG/L	8270	12/31/2007 18:57		RM
4-Chloro-3-methylphenol	ND		5	UG/L	8270	12/31/2007 18:57		RM
4-Chloroaniline	ND		5	UG/L	8270	12/31/2007 18:57		RM
4-Chlorophenyl phenyl ether	ND		5	UG/L	8270	12/31/2007 18:57		RM
4-Methylphenol	ND		5	UG/L	8270	12/31/2007 18:57		RM
4-Nitroaniline	ND		10	UG/L	8270	12/31/2007 18:57		RM
4-Nitrophenol	ND		10	UG/L	8270	12/31/2007 18:57		RM
Acenaphthene	ND		5	UG/L	8270	12/31/2007 18:57		RM
Acenaphthylene	ND		5	UG/L	8270	12/31/2007 18:57		RM
Anthracene	ND		5	UG/L	8270	12/31/2007 18:57		RM
Benzo(a)anthracene	ND		5	UG/L	8270	12/31/2007 18:57		RM
Benzo(a)pyrene	ND		5	UG/L	8270	12/31/2007 18:57		RM
Benzo(b)fluoranthene	ND		5	UG/L	8270	12/31/2007 18:57		RM
Benzo(ghi)perylene	ND		5	UG/L	8270	12/31/2007 18:57		RM
Benzo(k)fluoranthene	ND		5	UG/L	8270	12/31/2007 18:57		RM
Bis(2-chloroethoxy) methane	ND		5	UG/L	8270	12/31/2007 18:57		RM
Bis(2-chloroethyl) ether	ND		5	UG/L	8270	12/31/2007 18:57		RM
Bis(2-ethylhexyl) phthalate	ND		5	UG/L	8270	12/31/2007 18:57		RM
Butyl benzyl phthalate	ND		5	UG/L	8270	12/31/2007 18:57		RM
Carbazole	ND		5	UG/L	8270	12/31/2007 18:57		RM
Chrysene	ND		5	UG/L	8270	12/31/2007 18:57		RM
Di-n-butyl phthalate	ND		5	UG/L	8270	12/31/2007 18:57		RM
Di-n-octyl phthalate	ND		5	UG/L	8270	12/31/2007 18:57		RM
Dibenzo(a,h)anthracene	ND		5	UG/L	8270	12/31/2007 18:57		RM
Dibenzofuran	ND		5	UG/L	8270	12/31/2007 18:57		RM
Diethyl phthalate	ND		5	UG/L	8270	12/31/2007 18:57		RM
Dimethyl phthalate	ND		5	UG/L	8270	12/31/2007 18:57		RM
Fluoranthene	ND		5	UG/L	8270	12/31/2007 18:57		RM
Fluorene	ND		5	UG/L	8270	12/31/2007 18:57		RM
Hexachlorobenzene	ND		5	UG/L	8270	12/31/2007 18:57		RM
Hexachlorobutadiene	ND		5	UG/L	8270	12/31/2007 18:57		RM
Hexachlorocyclopentadiene	ND		5	UG/L	8270	12/31/2007 18:57		RM
Hexachloroethane	ND		5	UG/L	8270	12/31/2007 18:57		RM
Indeno(1,2,3-cd)pyrene	ND		5	UG/L	8270	12/31/2007 18:57		RM
Isophorone	ND		5	UG/L	8270	12/31/2007 18:57		RM
N-Nitroso-Di-n-propylamine	ND		5	UG/L	8270	12/31/2007 18:57		RM
N-nitrosodiphenylamine	ND		5	UG/L	8270	12/31/2007 18:57		RM
Naphthalene	ND		5	UG/L	8270	12/31/2007 18:57		RM
Nitrobenzene	ND		5	UG/L	8270	12/31/2007 18:57		RM
Pentachlorophenol	ND		10	UG/L	8270	12/31/2007 18:57		RM
Phenanthrene	ND		5	UG/L	8270	12/31/2007 18:57		RM
Phenol	ND		5	UG/L	8270	12/31/2007 18:57		RM

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

11/65 Page: 3
Rept: AN1178

Sample ID: FIELD BLANK
Lab Sample ID: A7E98501
Date Collected: 12/27/2007
Time Collected: 08:30

Date Received: 12/27/2007
Project No: NY7A9742
Client No: L11071
Site No:

Parameter	Result	Flag	Detection Limit	Units	Method	Date/Time		Analyst
						Analyzed		
ASP05 AQUEOUS - METHOD 8270 SVOA (3.2 LIS								
Pyrene	ND		5	UG/L	8270	12/31/2007 18:57		RM
ASP05 AQUEOUS - 8081 - TCL PESTICIDES-3.2								
4,4'-DDD	ND		0.050	UG/L	8081	01/02/2008 18:14		TCH
4,4'-DDE	ND		0.050	UG/L	8081	01/02/2008 18:14		TCH
4,4'-DDT	ND		0.050	UG/L	8081	01/02/2008 18:14		TCH
Aldrin	ND		0.050	UG/L	8081	01/02/2008 18:14		TCH
alpha-BHC	ND		0.050	UG/L	8081	01/02/2008 18:14		TCH
alpha-Chlordane	ND		0.050	UG/L	8081	01/02/2008 18:14		TCH
beta-BHC	ND		0.050	UG/L	8081	01/02/2008 18:14		TCH
Chlordane	ND		0.50	UG/L	8081	01/02/2008 18:14		TCH
delta-BHC	ND		0.050	UG/L	8081	01/02/2008 18:14		TCH
Dieldrin	ND		0.050	UG/L	8081	01/02/2008 18:14		TCH
Endosulfan I	ND		0.050	UG/L	8081	01/02/2008 18:14		TCH
Endosulfan II	ND		0.050	UG/L	8081	01/02/2008 18:14		TCH
Endosulfan Sulfate	ND		0.050	UG/L	8081	01/02/2008 18:14		TCH
Endrin	ND		0.050	UG/L	8081	01/02/2008 18:14		TCH
Endrin aldehyde	ND		0.050	UG/L	8081	01/02/2008 18:14		TCH
Endrin ketone	ND		0.050	UG/L	8081	01/02/2008 18:14		TCH
gamma-BHC (Lindane)	ND		0.050	UG/L	8081	01/02/2008 18:14		TCH
gamma-Chlordane	ND		0.050	UG/L	8081	01/02/2008 18:14		TCH
Heptachlor	ND		0.050	UG/L	8081	01/02/2008 18:14		TCH
Heptachlor epoxide	ND		0.050	UG/L	8081	01/02/2008 18:14		TCH
Methoxychlor	ND		0.050	UG/L	8081	01/02/2008 18:14		TCH
Toxaphene	ND		0.50	UG/L	8081	01/02/2008 18:14		TCH
ASP05 AQUEOUS- 8082 - PCBs (3.2 LIST)								
Aroclor 1016	ND		0.50	UG/L	8082	12/31/2007 10:53		GFD
Aroclor 1221	ND		0.50	UG/L	8082	12/31/2007 10:53		GFD
Aroclor 1232	ND		0.50	UG/L	8082	12/31/2007 10:53		GFD
Aroclor 1242	ND		0.50	UG/L	8082	12/31/2007 10:53		GFD
Aroclor 1248	ND		0.50	UG/L	8082	12/31/2007 10:53		GFD
Aroclor 1254	ND		0.50	UG/L	8082	12/31/2007 10:53		GFD
Aroclor 1260	ND		0.50	UG/L	8082	12/31/2007 10:53		GFD
Metals Analysis								
Aluminum - Total	73.2	B	40.0	UG/L	6010	12/31/2007 18:52		
Antimony - Total	ND		5.6	UG/L	6010	12/31/2007 18:52		
Arsenic - Total	ND		4.2	UG/L	6010	12/31/2007 18:52		
Barium - Total	1.5	B	0.22	UG/L	6010	12/31/2007 18:52		
Beryllium - Total	ND		0.27	UG/L	6010	12/31/2007 18:52		
Cadmium - Total	ND		0.36	UG/L	6010	12/31/2007 18:52		
Calcium - Total	1760		100	UG/L	6010	12/31/2007 18:52		
Chromium - Total	ND		0.84	UG/L	6010	12/31/2007 18:52		
Cobalt - Total	ND		0.89	UG/L	6010	12/31/2007 18:52		
Copper - Total	ND		1.3	UG/L	6010	12/31/2007 18:52		
Iron - Total	ND		19.3	UG/L	6010	12/31/2007 18:52		
Lead - Total	ND		2.9	UG/L	6010	12/31/2007 18:52		
Magnesium - Total	436		42.3	UG/L	6010	12/31/2007 18:52		

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

12/65 Page: 4
Rept: AN1178

Sample ID: FIELD BLANK
Lab Sample ID: A7E98501
Date Collected: 12/27/2007
Time Collected: 08:30

Date Received: 12/27/2007
Project No: NY7A9742
Client No: L11071
Site No:

Parameter	Result	Flag	Detection	Units	Method	Date/Time	
			Limit			Analyzed	Analyst
Metals Analysis							
Manganese - Total	ND		0.16	UG/L	6010	12/31/2007 18:52	
Mercury - Total	ND		0.120	UG/L	7470	01/02/2008 13:16	
Nickel - Total	ND		1.2	UG/L	6010	12/31/2007 18:52	
Potassium - Total	52.5	B	24.0	UG/L	6010	12/31/2007 18:52	
Selenium - Total	ND		6.1	UG/L	6010	12/31/2007 18:52	
Silver - Total	ND		1.0	UG/L	6010	12/31/2007 18:52	
Sodium - Total	448	B	339	UG/L	6010	12/31/2007 18:52	
Thallium - Total	ND		7.0	UG/L	6010	12/31/2007 18:52	
Vanadium - Total	ND		0.78	UG/L	6010	12/31/2007 18:52	
Zinc - Total	ND		3.6	UG/L	6010	12/31/2007 18:52	
Wet Chemistry Analysis							
Cyanide - Total	ND		0.010	MG/L	9012	01/03/2008 10:48	ERK

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

13/65 Page: 5
Rept: AN1178

Sample ID: MW-1

Lab Sample ID: A7E98502

Date Collected: 12/26/2007

Time Collected: 12:50

Date Received: 12/27/2007

Project No: NY7A9742

Client No: L11071

Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
ASPO5 AQUEOUS - 8260 - TCL VOLATILES(3.2								
1,1,1-Trichloroethane	ND		1	UG/L	8260	01/04/2008 02:39		PQ
1,1,2,2-Tetrachloroethane	ND		1	UG/L	8260	01/04/2008 02:39		PQ
1,1,2-Trichloroethane	ND		1	UG/L	8260	01/04/2008 02:39		PQ
1,1-Dichloroethane	ND		1	UG/L	8260	01/04/2008 02:39		PQ
1,1-Dichloroethene	ND		1	UG/L	8260	01/04/2008 02:39		PQ
1,2-Dichloroethane	ND		1	UG/L	8260	01/04/2008 02:39		PQ
1,2-Dichloroethene (Total)	ND		2	UG/L	8260	01/04/2008 02:39		PQ
1,2-Dichloropropane	ND		1	UG/L	8260	01/04/2008 02:39		PQ
2-Butanone	ND		5	UG/L	8260	01/04/2008 02:39		PQ
2-Hexanone	ND		5	UG/L	8260	01/04/2008 02:39		PQ
4-Methyl-2-pentanone	ND		5	UG/L	8260	01/04/2008 02:39		PQ
Acetone	ND		5	UG/L	8260	01/04/2008 02:39		PQ
Benzene	ND		1	UG/L	8260	01/04/2008 02:39		PQ
Bromodichloromethane	ND		1	UG/L	8260	01/04/2008 02:39		PQ
Bromoform	ND		1	UG/L	8260	01/04/2008 02:39		PQ
Bromomethane	ND		1	UG/L	8260	01/04/2008 02:39		PQ
Carbon Disulfide	ND		1	UG/L	8260	01/04/2008 02:39		PQ
Carbon Tetrachloride	ND		1	UG/L	8260	01/04/2008 02:39		PQ
Chlorobenzene	ND		1	UG/L	8260	01/04/2008 02:39		PQ
Chloroethane	ND		1	UG/L	8260	01/04/2008 02:39		PQ
Chloroform	ND		1	UG/L	8260	01/04/2008 02:39		PQ
Chloromethane	ND		1	UG/L	8260	01/04/2008 02:39		PQ
cis-1,3-Dichloropropene	ND		1	UG/L	8260	01/04/2008 02:39		PQ
Dibromochloromethane	ND		1	UG/L	8260	01/04/2008 02:39		PQ
Ethylbenzene	ND		1	UG/L	8260	01/04/2008 02:39		PQ
Methylene chloride	ND		1	UG/L	8260	01/04/2008 02:39		PQ
Styrene	ND		1	UG/L	8260	01/04/2008 02:39		PQ
Tetrachloroethene	ND		1	UG/L	8260	01/04/2008 02:39		PQ
Toluene	ND		1	UG/L	8260	01/04/2008 02:39		PQ
Total Xylenes	ND		3	UG/L	8260	01/04/2008 02:39		PQ
trans-1,3-Dichloropropene	ND		1	UG/L	8260	01/04/2008 02:39		PQ
Trichloroethene	ND		1	UG/L	8260	01/04/2008 02:39		PQ
Vinyl chloride	ND		1	UG/L	8260	01/04/2008 02:39		PQ

ASPO5 AQUEOUS - METHOD 8270 SVOA (3.2 LIS

1,2,4-Trichlorobenzene	ND		10	UG/L	8270	12/31/2007 19:20		RM
1,2-Dichlorobenzene	ND		10	UG/L	8270	12/31/2007 19:20		RM
1,3-Dichlorobenzene	ND		10	UG/L	8270	12/31/2007 19:20		RM
1,4-Dichlorobenzene	ND		10	UG/L	8270	12/31/2007 19:20		RM
2,2'-Oxybis(1-Chloropropane)	ND		5	UG/L	8270	12/31/2007 19:20		RM
2,4,5-Trichlorophenol	ND		5	UG/L	8270	12/31/2007 19:20		RM
2,4,6-Trichlorophenol	ND		5	UG/L	8270	12/31/2007 19:20		RM
2,4-Dichlorophenol	ND		5	UG/L	8270	12/31/2007 19:20		RM
2,4-Dimethylphenol	ND		5	UG/L	8270	12/31/2007 19:20		RM
2,4-Dinitrophenol	ND		10	UG/L	8270	12/31/2007 19:20		RM
2,4-Dinitrotoluene	ND		5	UG/L	8270	12/31/2007 19:20		RM
2,6-Dinitrotoluene	ND		5	UG/L	8270	12/31/2007 19:20		RM
2-Chloronaphthalene	ND		5	UG/L	8270	12/31/2007 19:20		RM
2-Chlorophenol	ND		5	UG/L	8270	12/31/2007 19:20		RM

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

14/65 Page: 6
Rept: AN1178

Sample ID: MW-1
Lab Sample ID: A7E98502
Date Collected: 12/26/2007
Time Collected: 12:50

Date Received: 12/27/2007
Project No: NY7A9742
Client No: L11071
Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
ASP05 AQUEOUS - METHOD 8270 SVOA (3.2 LIS								
2-Methylnaphthalene	ND		5	UG/L	8270	12/31/2007 19:20		RM
2-Methylphenol	ND		5	UG/L	8270	12/31/2007 19:20		RM
2-Nitroaniline	ND		10	UG/L	8270	12/31/2007 19:20		RM
2-Nitrophenol	ND		5	UG/L	8270	12/31/2007 19:20		RM
3,3'-Dichlorobenzidine	ND		5	UG/L	8270	12/31/2007 19:20		RM
3-Nitroaniline	ND		10	UG/L	8270	12/31/2007 19:20		RM
4,6-Dinitro-2-methylphenol	ND		10	UG/L	8270	12/31/2007 19:20		RM
4-Bromophenyl phenyl ether	ND		5	UG/L	8270	12/31/2007 19:20		RM
4-Chloro-3-methylphenol	ND		5	UG/L	8270	12/31/2007 19:20		RM
4-Chloroaniline	ND		5	UG/L	8270	12/31/2007 19:20		RM
4-Chlorophenyl phenyl ether	ND		5	UG/L	8270	12/31/2007 19:20		RM
4-Methylphenol	ND		5	UG/L	8270	12/31/2007 19:20		RM
4-Nitroaniline	ND		10	UG/L	8270	12/31/2007 19:20		RM
4-Nitrophenol	ND		10	UG/L	8270	12/31/2007 19:20		RM
Acenaphthene	ND		5	UG/L	8270	12/31/2007 19:20		RM
Acenaphthylene	ND		5	UG/L	8270	12/31/2007 19:20		RM
Anthracene	ND		5	UG/L	8270	12/31/2007 19:20		RM
Benzo(a)anthracene	ND		5	UG/L	8270	12/31/2007 19:20		RM
Benzo(a)pyrene	ND		5	UG/L	8270	12/31/2007 19:20		RM
Benzo(b)fluoranthene	ND		5	UG/L	8270	12/31/2007 19:20		RM
Benzo(ghi)perylene	ND		5	UG/L	8270	12/31/2007 19:20		RM
Benzo(k)fluoranthene	ND		5	UG/L	8270	12/31/2007 19:20		RM
Bis(2-chloroethoxy) methane	ND		5	UG/L	8270	12/31/2007 19:20		RM
Bis(2-chloroethyl) ether	ND		5	UG/L	8270	12/31/2007 19:20		RM
Bis(2-ethylhexyl) phthalate	ND		5	UG/L	8270	12/31/2007 19:20		RM
Butyl benzyl phthalate	ND		5	UG/L	8270	12/31/2007 19:20		RM
Carbazole	ND		5	UG/L	8270	12/31/2007 19:20		RM
Chrysene	ND		5	UG/L	8270	12/31/2007 19:20		RM
Di-n-butyl phthalate	0.4	BJ	5	UG/L	8270	12/31/2007 19:20		RM
Di-n-octyl phthalate	ND		5	UG/L	8270	12/31/2007 19:20		RM
Dibenzo(a,h)anthracene	ND		5	UG/L	8270	12/31/2007 19:20		RM
Dibenzofuran	ND		5	UG/L	8270	12/31/2007 19:20		RM
Diethyl phthalate	ND		5	UG/L	8270	12/31/2007 19:20		RM
Dimethyl phthalate	ND		5	UG/L	8270	12/31/2007 19:20		RM
Fluoranthene	ND		5	UG/L	8270	12/31/2007 19:20		RM
Fluorene	ND		5	UG/L	8270	12/31/2007 19:20		RM
Hexachlorobenzene	ND		5	UG/L	8270	12/31/2007 19:20		RM
Hexachlorobutadiene	ND		5	UG/L	8270	12/31/2007 19:20		RM
Hexachlorocyclopentadiene	ND		5	UG/L	8270	12/31/2007 19:20		RM
Hexachloroethane	ND		5	UG/L	8270	12/31/2007 19:20		RM
Indeno(1,2,3-cd)pyrene	ND		5	UG/L	8270	12/31/2007 19:20		RM
Isophorone	ND		5	UG/L	8270	12/31/2007 19:20		RM
N-Nitroso-Di-n-propylamine	ND		5	UG/L	8270	12/31/2007 19:20		RM
N-nitrosodiphenylamine	ND		5	UG/L	8270	12/31/2007 19:20		RM
Naphthalene	ND		5	UG/L	8270	12/31/2007 19:20		RM
Nitrobenzene	ND		5	UG/L	8270	12/31/2007 19:20		RM
Pentachlorophenol	ND		10	UG/L	8270	12/31/2007 19:20		RM
Phenanthrene	ND		5	UG/L	8270	12/31/2007 19:20		RM
Phenol	ND		5	UG/L	8270	12/31/2007 19:20		RM

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

15/65 Page: 7
Rept: AN1178

Sample ID: MW-1

Lab Sample ID: A7E98502

Date Collected: 12/26/2007

Time Collected: 12:50

Date Received: 12/27/2007

Project No: NY7A9742

Client No: L11071

Site No:

Parameter	Result	Flag	Detection	Units	Method	Date/Time	Analyst
			Limit			Analyzed	
ASP05 AQUEOUS - METHOD 8270 SVOA (3.2 LIS							
Pyrene	ND		5	UG/L	8270	12/31/2007 19:20	RM
ASP05 AQUEOUS- 8082 - PCBS (3.2 LIST)							
Aroclor 1016	ND		0.50	UG/L	8082	12/31/2007 11:07	GFD
Aroclor 1221	ND		0.50	UG/L	8082	12/31/2007 11:07	GFD
Aroclor 1232	ND		0.50	UG/L	8082	12/31/2007 11:07	GFD
Aroclor 1242	ND		0.50	UG/L	8082	12/31/2007 11:07	GFD
Aroclor 1248	ND		0.50	UG/L	8082	12/31/2007 11:07	GFD
Aroclor 1254	ND		0.50	UG/L	8082	12/31/2007 11:07	GFD
Aroclor 1260	ND		0.50	UG/L	8082	12/31/2007 11:07	GFD

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

16/65 Page: 8
Rept: AN1178

Sample ID: MW-2
Lab Sample ID: A7E98503
Date Collected: 12/26/2007
Time Collected: 12:10

Date Received: 12/27/2007
Project No: NY7A9742
Client No: L11071
Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
ASP05 AQUEOUS - 8260 - TCL VOLATILES(3.2								
1,1,1-Trichloroethane	ND		4	UG/L	8260	01/04/2008 03:03		PQ
1,1,2,2-Tetrachloroethane	ND		4	UG/L	8260	01/04/2008 03:03		PQ
1,1,2-Trichloroethane	ND		4	UG/L	8260	01/04/2008 03:03		PQ
1,1-Dichloroethane	ND		4	UG/L	8260	01/04/2008 03:03		PQ
1,1-Dichloroethene	ND		4	UG/L	8260	01/04/2008 03:03		PQ
1,2-Dichloroethane	ND		4	UG/L	8260	01/04/2008 03:03		PQ
1,2-Dichloroethene (Total)	ND		8	UG/L	8260	01/04/2008 03:03		PQ
1,2-Dichloropropane	ND		4	UG/L	8260	01/04/2008 03:03		PQ
2-Butanone	ND		20	UG/L	8260	01/04/2008 03:03		PQ
2-Hexanone	ND		20	UG/L	8260	01/04/2008 03:03		PQ
4-Methyl-2-pentanone	ND		20	UG/L	8260	01/04/2008 03:03		PQ
Acetone	ND		20	UG/L	8260	01/04/2008 03:03		PQ
Benzene	ND		4	UG/L	8260	01/04/2008 03:03		PQ
Bromodichloromethane	ND		4	UG/L	8260	01/04/2008 03:03		PQ
Bromoform	ND		4	UG/L	8260	01/04/2008 03:03		PQ
Bromomethane	ND		4	UG/L	8260	01/04/2008 03:03		PQ
Carbon Disulfide	ND		4	UG/L	8260	01/04/2008 03:03		PQ
Carbon Tetrachloride	ND		4	UG/L	8260	01/04/2008 03:03		PQ
Chlorobenzene	ND		4	UG/L	8260	01/04/2008 03:03		PQ
Chloroethane	ND		4	UG/L	8260	01/04/2008 03:03		PQ
Chloroform	ND		4	UG/L	8260	01/04/2008 03:03		PQ
Chloromethane	ND		4	UG/L	8260	01/04/2008 03:03		PQ
cis-1,3-Dichloropropene	ND		4	UG/L	8260	01/04/2008 03:03		PQ
Dibromochloromethane	ND		4	UG/L	8260	01/04/2008 03:03		PQ
Ethylbenzene	ND		4	UG/L	8260	01/04/2008 03:03		PQ
Methylene chloride	ND		4	UG/L	8260	01/04/2008 03:03		PQ
Styrene	ND		4	UG/L	8260	01/04/2008 03:03		PQ
Tetrachloroethene	ND		4	UG/L	8260	01/04/2008 03:03		PQ
Toluene	ND		4	UG/L	8260	01/04/2008 03:03		PQ
Total Xylenes	ND		12	UG/L	8260	01/04/2008 03:03		PQ
trans-1,3-Dichloropropene	ND		4	UG/L	8260	01/04/2008 03:03		PQ
Trichloroethene	ND		4	UG/L	8260	01/04/2008 03:03		PQ
Vinyl chloride	ND		4	UG/L	8260	01/04/2008 03:03		PQ
ASP05 AQUEOUS - METHOD 8270 SVOA (3.2 LIS								
1,2,4-Trichlorobenzene	ND		10	UG/L	8270	12/31/2007 19:43		RM
1,2-Dichlorobenzene	ND		10	UG/L	8270	12/31/2007 19:43		RM
1,3-Dichlorobenzene	ND		10	UG/L	8270	12/31/2007 19:43		RM
1,4-Dichlorobenzene	ND		10	UG/L	8270	12/31/2007 19:43		RM
2,2'-Oxybis(1-Chloropropane)	ND		5	UG/L	8270	12/31/2007 19:43		RM
2,4,5-Trichlorophenol	ND		5	UG/L	8270	12/31/2007 19:43		RM
2,4,6-Trichlorophenol	ND		5	UG/L	8270	12/31/2007 19:43		RM
2,4-Dichlorophenol	ND		5	UG/L	8270	12/31/2007 19:43		RM
2,4-Dimethylphenol	ND		5	UG/L	8270	12/31/2007 19:43		RM
2,4-Dinitrophenol	ND		10	UG/L	8270	12/31/2007 19:43		RM
2,4-Dinitrotoluene	ND		5	UG/L	8270	12/31/2007 19:43		RM
2,6-Dinitrotoluene	ND		5	UG/L	8270	12/31/2007 19:43		RM
2-Chloronaphthalene	ND		5	UG/L	8270	12/31/2007 19:43		RM
2-Chlorophenol	ND		5	UG/L	8270	12/31/2007 19:43		RM

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site

GES- Cherry Farm Annual Groundwater Monitoring

17/65 Page: 9

Rept: AN1178

Sample ID: MW-2

Lab Sample ID: A7E98503

Date Collected: 12/26/2007

Time Collected: 12:10

Date Received: 12/27/2007

Project No: NY7A9742

Client No: L11071

Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analized		
ASPO5 AQUEOUS - METHOD 8270 SVOA (3.2 LIS								
2-Methylnaphthalene	ND		5	UG/L	8270	12/31/2007 19:43		RM
2-Methylphenol	ND		5	UG/L	8270	12/31/2007 19:43		RM
2-Nitroaniline	ND		10	UG/L	8270	12/31/2007 19:43		RM
2-Nitrophenol	ND		5	UG/L	8270	12/31/2007 19:43		RM
3,3'-Dichlorobenzidine	ND		5	UG/L	8270	12/31/2007 19:43		RM
3-Nitroaniline	ND		10	UG/L	8270	12/31/2007 19:43		RM
4,6-Dinitro-2-methylphenol	ND		10	UG/L	8270	12/31/2007 19:43		RM
4-Bromophenyl phenyl ether	ND		5	UG/L	8270	12/31/2007 19:43		RM
4-Chloro-3-methylphenol	ND		5	UG/L	8270	12/31/2007 19:43		RM
4-Chloroaniline	ND		5	UG/L	8270	12/31/2007 19:43		RM
4-Chlorophenyl phenyl ether	ND		5	UG/L	8270	12/31/2007 19:43		RM
4-Methylphenol	ND		5	UG/L	8270	12/31/2007 19:43		RM
4-Nitroaniline	ND		10	UG/L	8270	12/31/2007 19:43		RM
4-Nitrophenol	ND		10	UG/L	8270	12/31/2007 19:43		RM
Acenaphthene	ND		5	UG/L	8270	12/31/2007 19:43		RM
Acenaphthylene	ND		5	UG/L	8270	12/31/2007 19:43		RM
Anthracene	ND		5	UG/L	8270	12/31/2007 19:43		RM
Benzo(a)anthracene	ND		5	UG/L	8270	12/31/2007 19:43		RM
Benzo(a)pyrene	ND		5	UG/L	8270	12/31/2007 19:43		RM
Benzo(b)fluoranthene	ND		5	UG/L	8270	12/31/2007 19:43		RM
Benzo(ghi)perylene	ND		5	UG/L	8270	12/31/2007 19:43		RM
Benzo(k)fluoranthene	ND		5	UG/L	8270	12/31/2007 19:43		RM
Bis(2-chloroethoxy) methane	ND		5	UG/L	8270	12/31/2007 19:43		RM
Bis(2-chloroethyl) ether	ND		5	UG/L	8270	12/31/2007 19:43		RM
Bis(2-ethylhexyl) phthalate	14		5	UG/L	8270	12/31/2007 19:43		RM
Butyl benzyl phthalate	ND		5	UG/L	8270	12/31/2007 19:43		RM
Carbazole	ND		5	UG/L	8270	12/31/2007 19:43		RM
Chrysene	ND		5	UG/L	8270	12/31/2007 19:43		RM
Di-n-butyl phthalate	0.3	BJ	5	UG/L	8270	12/31/2007 19:43		RM
Di-n-octyl phthalate	ND		5	UG/L	8270	12/31/2007 19:43		RM
Dibenzo(a,h)anthracene	ND		5	UG/L	8270	12/31/2007 19:43		RM
Dibenzofuran	ND		5	UG/L	8270	12/31/2007 19:43		RM
Diethyl phthalate	ND		5	UG/L	8270	12/31/2007 19:43		RM
Dimethyl phthalate	ND		5	UG/L	8270	12/31/2007 19:43		RM
Fluoranthene	ND		5	UG/L	8270	12/31/2007 19:43		RM
Fluorene	ND		5	UG/L	8270	12/31/2007 19:43		RM
Hexachlorobenzene	ND		5	UG/L	8270	12/31/2007 19:43		RM
Hexachlorobutadiene	ND		5	UG/L	8270	12/31/2007 19:43		RM
Hexachlorocyclopentadiene	ND		5	UG/L	8270	12/31/2007 19:43		RM
Hexachloroethane	ND		5	UG/L	8270	12/31/2007 19:43		RM
Indeno(1,2,3-cd)pyrene	ND		5	UG/L	8270	12/31/2007 19:43		RM
Isophorone	ND		5	UG/L	8270	12/31/2007 19:43		RM
N-Nitroso-Di-n-propylamine	ND		5	UG/L	8270	12/31/2007 19:43		RM
N-nitrosodiphenylamine	ND		5	UG/L	8270	12/31/2007 19:43		RM
Naphthalene	ND		5	UG/L	8270	12/31/2007 19:43		RM
Nitrobenzene	ND		5	UG/L	8270	12/31/2007 19:43		RM
Pentachlorophenol	ND		10	UG/L	8270	12/31/2007 19:43		RM
Phenanthrene	ND		5	UG/L	8270	12/31/2007 19:43		RM
Phenol	ND		5	UG/L	8270	12/31/2007 19:43		RM

TestAmerica

Date: 03/31/2008
Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

18/65 age: 10
Rept: AN1178

Sample ID: MW-2
Lab Sample ID: A7E98503
Date Collected: 12/26/2007
Time Collected: 12:10

Date Received: 12/27/2007
Project No: NY7A9742
Client No: L11071
Site No:

Parameter	Result	Flag	Detection	Units	Method	Date/Time		Analyst
			Limit			Analized		
ASP05 AQUEOUS - METHOD 8270 SVOA (3.2 LIS								
Pyrene	ND		5	UG/L	8270	12/31/2007 19:43		RM
ASP05 AQUEOUS- 8082 - PCBs (3.2 LIST)								
Aroclor 1016	ND		0.50	UG/L	8082	12/31/2007 11:21		GFD
Aroclor 1221	ND		0.50	UG/L	8082	12/31/2007 11:21		GFD
Aroclor 1232	ND		0.50	UG/L	8082	12/31/2007 11:21		GFD
Aroclor 1242	ND		0.50	UG/L	8082	12/31/2007 11:21		GFD
Aroclor 1248	ND		0.50	UG/L	8082	12/31/2007 11:21		GFD
Aroclor 1254	ND		0.50	UG/L	8082	12/31/2007 11:21		GFD
Aroclor 1260	ND		0.50	UG/L	8082	12/31/2007 11:21		GFD

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site

GES- Cherry Farm Annual Groundwater Monitoring

19/65 Page: 11

Rept: AN1178

Sample ID: MW-3

Lab Sample ID: A7E98504

Date Collected: 12/26/2007

Time Collected: 15:00

Date Received: 12/27/2007

Project No: NY7A9742

Client No: L11071

Site No:

Parameter	Result	Flag	Detection		Units	Method	Date/Time		Analyst
			Limit				Analyzed		
ASP05 AQUEOUS - 8260 - TCL VOLATILES(3.2									
1,1,1-Trichloroethane	ND		4		UG/L	8260	01/04/2008 03:26		PQ
1,1,2,2-Tetrachloroethane	ND		4		UG/L	8260	01/04/2008 03:26		PQ
1,1,2-Trichloroethane	ND		4		UG/L	8260	01/04/2008 03:26		PQ
1,1-Dichloroethane	ND		4		UG/L	8260	01/04/2008 03:26		PQ
1,1-Dichloroethene	ND		4		UG/L	8260	01/04/2008 03:26		PQ
1,2-Dichloroethane	ND		4		UG/L	8260	01/04/2008 03:26		PQ
1,2-Dichloroethene (Total)	ND		8		UG/L	8260	01/04/2008 03:26		PQ
1,2-Dichloropropane	ND		4		UG/L	8260	01/04/2008 03:26		PQ
2-Butanone	ND		20		UG/L	8260	01/04/2008 03:26		PQ
2-Hexanone	ND		20		UG/L	8260	01/04/2008 03:26		PQ
4-Methyl-2-pentanone	ND		20		UG/L	8260	01/04/2008 03:26		PQ
Acetone	ND		20		UG/L	8260	01/04/2008 03:26		PQ
Benzene	ND		4		UG/L	8260	01/04/2008 03:26		PQ
Bromodichloromethane	ND		4		UG/L	8260	01/04/2008 03:26		PQ
Bromoform	ND		4		UG/L	8260	01/04/2008 03:26		PQ
Bromomethane	ND		4		UG/L	8260	01/04/2008 03:26		PQ
Carbon Disulfide	ND		4		UG/L	8260	01/04/2008 03:26		PQ
Carbon Tetrachloride	ND		4		UG/L	8260	01/04/2008 03:26		PQ
Chlorobenzene	ND		4		UG/L	8260	01/04/2008 03:26		PQ
Chloroethane	ND		4		UG/L	8260	01/04/2008 03:26		PQ
Chloroform	ND		4		UG/L	8260	01/04/2008 03:26		PQ
Chloromethane	ND		4		UG/L	8260	01/04/2008 03:26		PQ
cis-1,3-Dichloropropene	ND		4		UG/L	8260	01/04/2008 03:26		PQ
Dibromochloromethane	ND		4		UG/L	8260	01/04/2008 03:26		PQ
Ethylbenzene	ND		4		UG/L	8260	01/04/2008 03:26		PQ
Methylene chloride	ND		4		UG/L	8260	01/04/2008 03:26		PQ
Styrene	ND		4		UG/L	8260	01/04/2008 03:26		PQ
Tetrachloroethene	ND		4		UG/L	8260	01/04/2008 03:26		PQ
Toluene	ND		4		UG/L	8260	01/04/2008 03:26		PQ
Total Xylenes	ND		12		UG/L	8260	01/04/2008 03:26		PQ
trans-1,3-Dichloropropene	ND		4		UG/L	8260	01/04/2008 03:26		PQ
Trichloroethene	ND		4		UG/L	8260	01/04/2008 03:26		PQ
Vinyl chloride	ND		4		UG/L	8260	01/04/2008 03:26		PQ
ASP05 AQUEOUS - METHOD 8270 SVOA (3.2 LIS									
1,2,4-Trichlorobenzene	ND		10		UG/L	8270	12/31/2007 20:06		RM
1,2-Dichlorobenzene	ND		10		UG/L	8270	12/31/2007 20:06		RM
1,3-Dichlorobenzene	ND		10		UG/L	8270	12/31/2007 20:06		RM
1,4-Dichlorobenzene	ND		10		UG/L	8270	12/31/2007 20:06		RM
2,2'-Oxybis(1-Chloropropane)	ND		5		UG/L	8270	12/31/2007 20:06		RM
2,4,5-Trichlorophenol	ND		5		UG/L	8270	12/31/2007 20:06		RM
2,4,6-Trichlorophenol	ND		5		UG/L	8270	12/31/2007 20:06		RM
2,4-Dichlorophenol	ND		5		UG/L	8270	12/31/2007 20:06		RM
2,4-Dimethylphenol	ND		5		UG/L	8270	12/31/2007 20:06		RM
2,4-Dinitrophenol	ND		10		UG/L	8270	12/31/2007 20:06		RM
2,4-Dinitrotoluene	ND		5		UG/L	8270	12/31/2007 20:06		RM
2,6-Dinitrotoluene	ND		5		UG/L	8270	12/31/2007 20:06		RM
2-Chloronaphthalene	ND		5		UG/L	8270	12/31/2007 20:06		RM
2-Chlorophenol	ND		5		UG/L	8270	12/31/2007 20:06		RM

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

20/65 Page: 12
Rept: AN1178

Sample ID: MW-3
Lab Sample ID: A7E98504
Date Collected: 12/26/2007
Time Collected: 15:00

Date Received: 12/27/2007
Project No: NY7A9742
Client No: L11071
Site No:

Parameter	Result	Flag	Detection Limit	Units	Method	Date/Time Analyzed	Analyst
ASPO5 AQUEOUS - METHOD 8270 SVOA (3.2 LIS							
2-Methylnaphthalene	ND		5	UG/L	8270	12/31/2007 20:06	RM
2-Methylphenol	ND		5	UG/L	8270	12/31/2007 20:06	RM
2-Nitroaniline	ND		10	UG/L	8270	12/31/2007 20:06	RM
2-Nitrophenol	ND		5	UG/L	8270	12/31/2007 20:06	RM
3,3'-Dichlorobenzidine	ND		5	UG/L	8270	12/31/2007 20:06	RM
3-Nitroaniline	ND		10	UG/L	8270	12/31/2007 20:06	RM
4,6-Dinitro-2-methylphenol	ND		10	UG/L	8270	12/31/2007 20:06	RM
4-Bromophenyl phenyl ether	ND		5	UG/L	8270	12/31/2007 20:06	RM
4-Chloro-3-methylphenol	ND		5	UG/L	8270	12/31/2007 20:06	RM
4-Chloroaniline	ND		5	UG/L	8270	12/31/2007 20:06	RM
4-Chlorophenyl phenyl ether	ND		5	UG/L	8270	12/31/2007 20:06	RM
4-Methylphenol	ND		5	UG/L	8270	12/31/2007 20:06	RM
4-Nitroaniline	ND		10	UG/L	8270	12/31/2007 20:06	RM
4-Nitrophenol	ND		10	UG/L	8270	12/31/2007 20:06	RM
Acenaphthene	ND		5	UG/L	8270	12/31/2007 20:06	RM
Acenaphthylene	ND		5	UG/L	8270	12/31/2007 20:06	RM
Anthracene	ND		5	UG/L	8270	12/31/2007 20:06	RM
Benzo(a)anthracene	ND		5	UG/L	8270	12/31/2007 20:06	RM
Benzo(a)pyrene	ND		5	UG/L	8270	12/31/2007 20:06	RM
Benzo(b)fluoranthene	ND		5	UG/L	8270	12/31/2007 20:06	RM
Benzo(ghi)perylene	ND		5	UG/L	8270	12/31/2007 20:06	RM
Benzo(k)fluoranthene	ND		5	UG/L	8270	12/31/2007 20:06	RM
Bis(2-chloroethoxy) methane	ND		5	UG/L	8270	12/31/2007 20:06	RM
Bis(2-chloroethyl) ether	ND		5	UG/L	8270	12/31/2007 20:06	RM
Bis(2-ethylhexyl) phthalate	ND		5	UG/L	8270	12/31/2007 20:06	RM
Butyl benzyl phthalate	ND		5	UG/L	8270	12/31/2007 20:06	RM
Carbazole	ND		5	UG/L	8270	12/31/2007 20:06	RM
Chrysene	ND		5	UG/L	8270	12/31/2007 20:06	RM
Di-n-butyl phthalate	0.3	BJ	5	UG/L	8270	12/31/2007 20:06	RM
Di-n-octyl phthalate	ND		5	UG/L	8270	12/31/2007 20:06	RM
Dibenzo(a,h)anthracene	ND		5	UG/L	8270	12/31/2007 20:06	RM
Dibenzofuran	ND		5	UG/L	8270	12/31/2007 20:06	RM
Diethyl phthalate	ND		5	UG/L	8270	12/31/2007 20:06	RM
Dimethyl phthalate	ND		5	UG/L	8270	12/31/2007 20:06	RM
Fluoranthene	ND		5	UG/L	8270	12/31/2007 20:06	RM
Fluorene	ND		5	UG/L	8270	12/31/2007 20:06	RM
Hexachlorobenzene	ND		5	UG/L	8270	12/31/2007 20:06	RM
Hexachlorobutadiene	ND		5	UG/L	8270	12/31/2007 20:06	RM
Hexachlorocyclopentadiene	ND		5	UG/L	8270	12/31/2007 20:06	RM
Hexachloroethane	ND		5	UG/L	8270	12/31/2007 20:06	RM
Indeno(1,2,3-cd)pyrene	ND		5	UG/L	8270	12/31/2007 20:06	RM
Isophorone	ND		5	UG/L	8270	12/31/2007 20:06	RM
N-Nitroso-Di-n-propylamine	ND		5	UG/L	8270	12/31/2007 20:06	RM
N-nitrosodiphenylamine	ND		5	UG/L	8270	12/31/2007 20:06	RM
Naphthalene	ND		5	UG/L	8270	12/31/2007 20:06	RM
Nitrobenzene	ND		5	UG/L	8270	12/31/2007 20:06	RM
Pentachlorophenol	ND		10	UG/L	8270	12/31/2007 20:06	RM
Phenanthrene	ND		5	UG/L	8270	12/31/2007 20:06	RM
Phenol	ND		5	UG/L	8270	12/31/2007 20:06	RM

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site

GES- Cherry Farm Annual Groundwater Monitoring

21/65 Page: 13

Rept: AN1178

Sample ID: MW-3

Lab Sample ID: A7E98504

Date Collected: 12/26/2007

Time Collected: 15:00

Date Received: 12/27/2007

Project No: NY7A9742

Client No: L11071

Site No:

Parameter	Result	Flag	Detection	Units	Method	Date/Time		Analyst
			Limit			Analyzed		
ASP05 AQUEOUS - METHOD 8270 SVOA (3.2 LIS								
Pyrene	ND		5	UG/L	8270	12/31/2007 20:06		RM
ASP05 AQUEOUS- 8082 - PCBs (3.2 LIST)								
Aroclor 1016	ND		0.53	UG/L	8082	12/31/2007 11:35		GFD
Aroclor 1221	ND		0.53	UG/L	8082	12/31/2007 11:35		GFD
Aroclor 1232	ND		0.53	UG/L	8082	12/31/2007 11:35		GFD
Aroclor 1242	ND		0.53	UG/L	8082	12/31/2007 11:35		GFD
Aroclor 1248	ND		0.53	UG/L	8082	12/31/2007 11:35		GFD
Aroclor 1254	ND		0.53	UG/L	8082	12/31/2007 11:35		GFD
Aroclor 1260	ND		0.53	UG/L	8082	12/31/2007 11:35		GFD

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

22/65 Page: 14
Rept: AN1178

Sample ID: MW-4
Lab Sample ID: A7E98505
Date Collected: 12/26/2007
Time Collected: 13:45

Date Received: 12/27/2007
Project No: NY7A9742
Client No: L11071
Site No:

Parameter	Result	Flag	Detection		Units	Method	Date/Time		Analyst
			Limit				Analyzed		
ASP05 AQUEOUS - 8260 - TCL VOLATILES(3.2									
1,1,1-Trichloroethane	ND		1		UG/L	8260	01/04/2008 03:50		PQ
1,1,2,2-Tetrachloroethane	ND		1		UG/L	8260	01/04/2008 03:50		PQ
1,1,2-Trichloroethane	ND		1		UG/L	8260	01/04/2008 03:50		PQ
1,1-Dichloroethane	ND		1		UG/L	8260	01/04/2008 03:50		PQ
1,1-Dichloroethene	ND		1		UG/L	8260	01/04/2008 03:50		PQ
1,2-Dichloroethane	ND		1		UG/L	8260	01/04/2008 03:50		PQ
1,2-Dichloroethene (Total)	ND		2		UG/L	8260	01/04/2008 03:50		PQ
1,2-Dichloropropane	ND		1		UG/L	8260	01/04/2008 03:50		PQ
2-Butanone	ND		5		UG/L	8260	01/04/2008 03:50		PQ
2-Hexanone	ND		5		UG/L	8260	01/04/2008 03:50		PQ
4-Methyl-2-pentanone	ND		5		UG/L	8260	01/04/2008 03:50		PQ
Acetone	6		5		UG/L	8260	01/04/2008 03:50		PQ
Benzene	ND		1		UG/L	8260	01/04/2008 03:50		PQ
Bromodichloromethane	ND		1		UG/L	8260	01/04/2008 03:50		PQ
Bromoform	ND		1		UG/L	8260	01/04/2008 03:50		PQ
Bromomethane	ND		1		UG/L	8260	01/04/2008 03:50		PQ
Carbon Disulfide	ND		1		UG/L	8260	01/04/2008 03:50		PQ
Carbon Tetrachloride	ND		1		UG/L	8260	01/04/2008 03:50		PQ
Chlorobenzene	ND		1		UG/L	8260	01/04/2008 03:50		PQ
Chloroethane	ND		1		UG/L	8260	01/04/2008 03:50		PQ
Chloroform	ND		1		UG/L	8260	01/04/2008 03:50		PQ
Chloromethane	ND		1		UG/L	8260	01/04/2008 03:50		PQ
cis-1,3-Dichloropropene	ND		1		UG/L	8260	01/04/2008 03:50		PQ
Dibromochloromethane	ND		1		UG/L	8260	01/04/2008 03:50		PQ
Ethylbenzene	ND		1		UG/L	8260	01/04/2008 03:50		PQ
Methylene chloride	ND		1		UG/L	8260	01/04/2008 03:50		PQ
Styrene	ND		1		UG/L	8260	01/04/2008 03:50		PQ
Tetrachloroethene	ND		1		UG/L	8260	01/04/2008 03:50		PQ
Toluene	ND		1		UG/L	8260	01/04/2008 03:50		PQ
Total Xylenes	ND		3		UG/L	8260	01/04/2008 03:50		PQ
trans-1,3-Dichloropropene	ND		1		UG/L	8260	01/04/2008 03:50		PQ
Trichloroethene	ND		1		UG/L	8260	01/04/2008 03:50		PQ
Vinyl chloride	ND		1		UG/L	8260	01/04/2008 03:50		PQ
ASP05 AQUEOUS - METHOD 8270 SVOA (3.2 LIS									
1,2,4-Trichlorobenzene	ND		10		UG/L	8270	12/31/2007 20:29		RM
1,2-Dichlorobenzene	ND		10		UG/L	8270	12/31/2007 20:29		RM
1,3-Dichlorobenzene	ND		10		UG/L	8270	12/31/2007 20:29		RM
1,4-Dichlorobenzene	ND		10		UG/L	8270	12/31/2007 20:29		RM
2,2'-Oxybis(1-Chloropropane)	ND		5		UG/L	8270	12/31/2007 20:29		RM
2,4,5-Trichlorophenol	ND		5		UG/L	8270	12/31/2007 20:29		RM
2,4,6-Trichlorophenol	ND		5		UG/L	8270	12/31/2007 20:29		RM
2,4-Dichlorophenol	ND		5		UG/L	8270	12/31/2007 20:29		RM
2,4-Dimethylphenol	ND		5		UG/L	8270	12/31/2007 20:29		RM
2,4-Dinitrophenol	ND		10		UG/L	8270	12/31/2007 20:29		RM
2,4-Dinitrotoluene	ND		5		UG/L	8270	12/31/2007 20:29		RM
2,6-Dinitrotoluene	ND		5		UG/L	8270	12/31/2007 20:29		RM
2-Chloronaphthalene	ND		5		UG/L	8270	12/31/2007 20:29		RM
2-Chlorophenol	ND		5		UG/L	8270	12/31/2007 20:29		RM

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site

GES- Cherry Farm Annual Groundwater Monitoring

23/65 Page: 15

Rept: AN1178

Sample ID: MW-4

Lab Sample ID: A7E98505

Date Collected: 12/26/2007

Time Collected: 13:45

Date Received: 12/27/2007

Project No: NY7A9742

Client No: L11071

Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
ASP05 AQUEOUS - METHOD 8270 SVOA (3.2 LIS								
2-Methylnaphthalene	ND		5	UG/L	8270	12/31/2007 20:29		RM
2-Methylphenol	ND		5	UG/L	8270	12/31/2007 20:29		RM
2-Nitroaniline	ND		10	UG/L	8270	12/31/2007 20:29		RM
2-Nitrophenol	ND		5	UG/L	8270	12/31/2007 20:29		RM
3,3'-Dichlorobenzidine	ND		5	UG/L	8270	12/31/2007 20:29		RM
3-Nitroaniline	ND		10	UG/L	8270	12/31/2007 20:29		RM
4,6-Dinitro-2-methylphenol	ND		10	UG/L	8270	12/31/2007 20:29		RM
4-Bromophenyl phenyl ether	ND		5	UG/L	8270	12/31/2007 20:29		RM
4-Chloro-3-methylphenol	ND		5	UG/L	8270	12/31/2007 20:29		RM
4-Chloroaniline	ND		5	UG/L	8270	12/31/2007 20:29		RM
4-Chlorophenyl phenyl ether	ND		5	UG/L	8270	12/31/2007 20:29		RM
4-Methylphenol	ND		5	UG/L	8270	12/31/2007 20:29		RM
4-Nitroaniline	ND		10	UG/L	8270	12/31/2007 20:29		RM
4-Nitrophenol	ND		10	UG/L	8270	12/31/2007 20:29		RM
Acenaphthene	ND		5	UG/L	8270	12/31/2007 20:29		RM
Acenaphthylene	ND		5	UG/L	8270	12/31/2007 20:29		RM
Anthracene	ND		5	UG/L	8270	12/31/2007 20:29		RM
Benzo(a)anthracene	ND		5	UG/L	8270	12/31/2007 20:29		RM
Benzo(a)pyrene	ND		5	UG/L	8270	12/31/2007 20:29		RM
Benzo(b)fluoranthene	ND		5	UG/L	8270	12/31/2007 20:29		RM
Benzo(ghi)perylene	ND		5	UG/L	8270	12/31/2007 20:29		RM
Benzo(k)fluoranthene	ND		5	UG/L	8270	12/31/2007 20:29		RM
Bis(2-chloroethoxy) methane	ND		5	UG/L	8270	12/31/2007 20:29		RM
Bis(2-chloroethyl) ether	ND		5	UG/L	8270	12/31/2007 20:29		RM
Bis(2-ethylhexyl) phthalate	ND		5	UG/L	8270	12/31/2007 20:29		RM
Butyl benzyl phthalate	ND		5	UG/L	8270	12/31/2007 20:29		RM
Carbazole	ND		5	UG/L	8270	12/31/2007 20:29		RM
Chrysene	ND		5	UG/L	8270	12/31/2007 20:29		RM
Di-n-butyl phthalate	ND		5	UG/L	8270	12/31/2007 20:29		RM
Di-n-octyl phthalate	ND		5	UG/L	8270	12/31/2007 20:29		RM
Dibenzo(a,h)anthracene	ND		5	UG/L	8270	12/31/2007 20:29		RM
Dibenzofuran	ND		5	UG/L	8270	12/31/2007 20:29		RM
Diethyl phthalate	ND		5	UG/L	8270	12/31/2007 20:29		RM
Dimethyl phthalate	ND		5	UG/L	8270	12/31/2007 20:29		RM
Fluoranthene	ND		5	UG/L	8270	12/31/2007 20:29		RM
Fluorene	ND		5	UG/L	8270	12/31/2007 20:29		RM
Hexachlorobenzene	ND		5	UG/L	8270	12/31/2007 20:29		RM
Hexachlorobutadiene	ND		5	UG/L	8270	12/31/2007 20:29		RM
Hexachlorocyclopentadiene	ND		5	UG/L	8270	12/31/2007 20:29		RM
Hexachloroethane	ND		5	UG/L	8270	12/31/2007 20:29		RM
Indeno(1,2,3-cd)pyrene	ND		5	UG/L	8270	12/31/2007 20:29		RM
Isophorone	ND		5	UG/L	8270	12/31/2007 20:29		RM
N-Nitroso-Di-n-propylamine	ND		5	UG/L	8270	12/31/2007 20:29		RM
N-nitrosodiphenylamine	ND		5	UG/L	8270	12/31/2007 20:29		RM
Naphthalene	ND		5	UG/L	8270	12/31/2007 20:29		RM
Nitrobenzene	ND		5	UG/L	8270	12/31/2007 20:29		RM
Pentachlorophenol	ND		10	UG/L	8270	12/31/2007 20:29		RM
Phenanthrene	ND		5	UG/L	8270	12/31/2007 20:29		RM
Phenol	ND		5	UG/L	8270	12/31/2007 20:29		RM

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

24/65 Page: 16
Rept: AN1178

Sample ID: MW-4
Lab Sample ID: A7E98505
Date Collected: 12/26/2007
Time Collected: 13:45

Date Received: 12/27/2007
Project No: NY7A9742
Client No: L11071
Site No:

Parameter	Result	Flag	Detection	Units	Method	Date/Time	Analyst
			Limit			Analyzed	
ASP05 AQUEOUS - METHOD 8270 SVOA (3.2 LIS							
Pyrene	ND		5	UG/L	8270	12/31/2007 20:29	RM
ASP05 AQUEOUS- 8082 - PCBs (3.2 LIST)							
Aroclor 1016	ND		0.49	UG/L	8082	12/31/2007 11:49	GFD
Aroclor 1221	ND		0.49	UG/L	8082	12/31/2007 11:49	GFD
Aroclor 1232	ND		0.49	UG/L	8082	12/31/2007 11:49	GFD
Aroclor 1242	ND		0.49	UG/L	8082	12/31/2007 11:49	GFD
Aroclor 1248	ND		0.49	UG/L	8082	12/31/2007 11:49	GFD
Aroclor 1254	ND		0.49	UG/L	8082	12/31/2007 11:49	GFD
Aroclor 1260	ND		0.49	UG/L	8082	12/31/2007 11:49	GFD

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

25/65 Page: 17

Rept: AN1178

Sample ID: MW-5

Lab Sample ID: A7E98506

Date Collected: 12/26/2007

Time Collected: 14:15

Date Received: 12/27/2007

Project No: NY7A9742

Client No: L11071

Site No:

Parameter	Result	Flag	Detection		Date/Time		
			Limit	Units	Method	Analyzed	Analyst
ASP05 AQUEOUS - 8260 - TCL VOLATILES(3.2							
1,1,1-Trichloroethane	ND		5	UG/L	8260	01/04/2008 04:13	PQ
1,1,2,2-Tetrachloroethane	ND		5	UG/L	8260	01/04/2008 04:13	PQ
1,1,2-Trichloroethane	ND		5	UG/L	8260	01/04/2008 04:13	PQ
1,1-Dichloroethane	ND		5	UG/L	8260	01/04/2008 04:13	PQ
1,1-Dichloroethene	ND		5	UG/L	8260	01/04/2008 04:13	PQ
1,2-Dichloroethane	ND		5	UG/L	8260	01/04/2008 04:13	PQ
1,2-Dichloroethene (Total)	ND		10	UG/L	8260	01/04/2008 04:13	PQ
1,2-Dichloropropane	ND		5	UG/L	8260	01/04/2008 04:13	PQ
2-Butanone	ND		25	UG/L	8260	01/04/2008 04:13	PQ
2-Hexanone	ND		25	UG/L	8260	01/04/2008 04:13	PQ
4-Methyl-2-pentanone	ND		25	UG/L	8260	01/04/2008 04:13	PQ
Acetone	ND		25	UG/L	8260	01/04/2008 04:13	PQ
Benzene	49		5	UG/L	8260	01/04/2008 04:13	PQ
Bromodichloromethane	ND		5	UG/L	8260	01/04/2008 04:13	PQ
Bromoform	ND		5	UG/L	8260	01/04/2008 04:13	PQ
Bromomethane	ND		5	UG/L	8260	01/04/2008 04:13	PQ
Carbon Disulfide	ND		5	UG/L	8260	01/04/2008 04:13	PQ
Carbon Tetrachloride	ND		5	UG/L	8260	01/04/2008 04:13	PQ
Chlorobenzene	ND		5	UG/L	8260	01/04/2008 04:13	PQ
Chloroethane	ND		5	UG/L	8260	01/04/2008 04:13	PQ
Chloroform	ND		5	UG/L	8260	01/04/2008 04:13	PQ
Chloromethane	ND		5	UG/L	8260	01/04/2008 04:13	PQ
cis-1,3-Dichloropropene	ND		5	UG/L	8260	01/04/2008 04:13	PQ
Dibromochloromethane	ND		5	UG/L	8260	01/04/2008 04:13	PQ
Ethylbenzene	ND		5	UG/L	8260	01/04/2008 04:13	PQ
Methylene chloride	ND		5	UG/L	8260	01/04/2008 04:13	PQ
Styrene	ND		5	UG/L	8260	01/04/2008 04:13	PQ
Tetrachloroethene	ND		5	UG/L	8260	01/04/2008 04:13	PQ
Toluene	3	J	5	UG/L	8260	01/04/2008 04:13	PQ
Total Xylenes	8	J	15	UG/L	8260	01/04/2008 04:13	PQ
trans-1,3-Dichloropropene	ND		5	UG/L	8260	01/04/2008 04:13	PQ
Trichloroethene	ND		5	UG/L	8260	01/04/2008 04:13	PQ
Vinyl chloride	ND		5	UG/L	8260	01/04/2008 04:13	PQ

ASP05 AQUEOUS - METHOD 8270 SVOA (3.2 LIS

1,2,4-Trichlorobenzene	ND		10		UG/L	8270	12/31/2007 20:52		RM
1,2-Dichlorobenzene	ND		10		UG/L	8270	12/31/2007 20:52		RM
1,3-Dichlorobenzene	ND		10		UG/L	8270	12/31/2007 20:52		RM
1,4-Dichlorobenzene	ND		10		UG/L	8270	12/31/2007 20:52		RM
2,2'-Oxybis(1-Chloropropane)	ND		5		UG/L	8270	12/31/2007 20:52		RM
2,4,5-Trichlorophenol	ND		5		UG/L	8270	12/31/2007 20:52		RM
2,4,6-Trichlorophenol	ND		5		UG/L	8270	12/31/2007 20:52		RM
2,4-Dichlorophenol	ND		5		UG/L	8270	12/31/2007 20:52		RM
2,4-Dimethylphenol	3	J	5		UG/L	8270	12/31/2007 20:52		RM
2,4-Dinitrophenol	ND		10		UG/L	8270	12/31/2007 20:52		RM
2,4-Dinitrotoluene	ND		5		UG/L	8270	12/31/2007 20:52		RM
2,6-Dinitrotoluene	ND		5		UG/L	8270	12/31/2007 20:52		RM
2-Chloronaphthalene	ND		5		UG/L	8270	12/31/2007 20:52		RM
2-Chlorophenol	ND		5		UG/L	8270	12/31/2007 20:52		RM

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

26/65 Page: 18
Rept: AN1178

Sample ID: MW-5
Lab Sample ID: A7E98506
Date Collected: 12/26/2007
Time Collected: 14:15

Date Received: 12/27/2007
Project No: NY7A9742
Client No: L11071
Site No:

Parameter	Result	Flag	Detection		Units	Method	Date/Time		Analyst
			Limit				Analyzed		
ASP05 AQUEOUS - METHOD 8270 SVOA (3.2 LIS									
2-Methylnaphthalene	ND		5		UG/L	8270	12/31/2007 20:52		RM
2-Methylphenol	0.7	J	5		UG/L	8270	12/31/2007 20:52		RM
2-Nitroaniline	ND		10		UG/L	8270	12/31/2007 20:52		RM
2-Nitrophenol	ND		5		UG/L	8270	12/31/2007 20:52		RM
3,3'-Dichlorobenzidine	ND		5		UG/L	8270	12/31/2007 20:52		RM
3-Nitroaniline	ND		10		UG/L	8270	12/31/2007 20:52		RM
4,6-Dinitro-2-methylphenol	ND		10		UG/L	8270	12/31/2007 20:52		RM
4-Bromophenyl phenyl ether	ND		5		UG/L	8270	12/31/2007 20:52		RM
4-Chloro-3-methylphenol	ND		5		UG/L	8270	12/31/2007 20:52		RM
4-Chloroaniline	ND		5		UG/L	8270	12/31/2007 20:52		RM
4-Chlorophenyl phenyl ether	ND		5		UG/L	8270	12/31/2007 20:52		RM
4-Methylphenol	0.9	J	5		UG/L	8270	12/31/2007 20:52		RM
4-Nitroaniline	ND		10		UG/L	8270	12/31/2007 20:52		RM
4-Nitrophenol	ND		10		UG/L	8270	12/31/2007 20:52		RM
Acenaphthene	ND		5		UG/L	8270	12/31/2007 20:52		RM
Acenaphthylene	ND		5		UG/L	8270	12/31/2007 20:52		RM
Anthracene	ND		5		UG/L	8270	12/31/2007 20:52		RM
Benzo(a)anthracene	ND		5		UG/L	8270	12/31/2007 20:52		RM
Benzo(a)pyrene	ND		5		UG/L	8270	12/31/2007 20:52		RM
Benzo(b)fluoranthene	ND		5		UG/L	8270	12/31/2007 20:52		RM
Benzo(ghi)perylene	ND		5		UG/L	8270	12/31/2007 20:52		RM
Benzo(k)fluoranthene	ND		5		UG/L	8270	12/31/2007 20:52		RM
Bis(2-chloroethoxy) methane	ND		5		UG/L	8270	12/31/2007 20:52		RM
Bis(2-chloroethyl) ether	ND		5		UG/L	8270	12/31/2007 20:52		RM
Bis(2-ethylhexyl) phthalate	ND		5		UG/L	8270	12/31/2007 20:52		RM
Butyl benzyl phthalate	ND		5		UG/L	8270	12/31/2007 20:52		RM
Carbazole	ND		5		UG/L	8270	12/31/2007 20:52		RM
Chrysene	ND		5		UG/L	8270	12/31/2007 20:52		RM
Di-n-butyl phthalate	0.4	BJ	5		UG/L	8270	12/31/2007 20:52		RM
Di-n-octyl phthalate	ND		5		UG/L	8270	12/31/2007 20:52		RM
Dibenzo(a,h)anthracene	ND		5		UG/L	8270	12/31/2007 20:52		RM
Dibenzofuran	ND		5		UG/L	8270	12/31/2007 20:52		RM
Diethyl phthalate	ND		5		UG/L	8270	12/31/2007 20:52		RM
Dimethyl phthalate	ND		5		UG/L	8270	12/31/2007 20:52		RM
Fluoranthene	ND		5		UG/L	8270	12/31/2007 20:52		RM
Fluorene	ND		5		UG/L	8270	12/31/2007 20:52		RM
Hexachlorobenzene	ND		5		UG/L	8270	12/31/2007 20:52		RM
Hexachlorobutadiene	ND		5		UG/L	8270	12/31/2007 20:52		RM
Hexachlorocyclopentadiene	ND		5		UG/L	8270	12/31/2007 20:52		RM
Hexachloroethane	ND		5		UG/L	8270	12/31/2007 20:52		RM
Indeno(1,2,3-cd)pyrene	ND		5		UG/L	8270	12/31/2007 20:52		RM
Isophorone	ND		5		UG/L	8270	12/31/2007 20:52		RM
N-Nitroso-Di-n-propylamine	ND		5		UG/L	8270	12/31/2007 20:52		RM
N-nitrosodiphenylamine	ND		5		UG/L	8270	12/31/2007 20:52		RM
Naphthalene	9		5		UG/L	8270	12/31/2007 20:52		RM
Nitrobenzene	ND		5		UG/L	8270	12/31/2007 20:52		RM
Pentachlorophenol	ND		10		UG/L	8270	12/31/2007 20:52		RM
Phenanthrene	ND		5		UG/L	8270	12/31/2007 20:52		RM
Phenol	ND		5		UG/L	8270	12/31/2007 20:52		RM

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site
 GES- Cherry Farm Annual Groundwater Monitoring

27/65 Page: 19

Rept: AN1178

Sample ID: MW-5

Lab Sample ID: A7E98506

Date Collected: 12/26/2007

Time Collected: 14:15

Date Received: 12/27/2007

Project No: NY7A9742

Client No: L11071

Site No:

Parameter	Result	Flag	Detection	Units	Method	Date/Time	
			Limit			Analyzed	Analyst
ASP05 AQUEOUS - METHOD 8270 SVOA (3.2 LIS							
Pyrene	ND		5	UG/L	8270	12/31/2007 20:52	RM
ASP05 AQUEOUS- 8082 - PCBS (3.2 LIST)							
Aroclor 1016	ND		0.49	UG/L	8082	12/31/2007 12:04	GFD
Aroclor 1221	ND		0.49	UG/L	8082	12/31/2007 12:04	GFD
Aroclor 1232	ND		0.49	UG/L	8082	12/31/2007 12:04	GFD
Aroclor 1242	ND		0.49	UG/L	8082	12/31/2007 12:04	GFD
Aroclor 1248	ND		0.49	UG/L	8082	12/31/2007 12:04	GFD
Aroclor 1254	ND		0.49	UG/L	8082	12/31/2007 12:04	GFD
Aroclor 1260	ND		0.49	UG/L	8082	12/31/2007 12:04	GFD

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

28/65 Page: 20
Rept: AN1178

Sample ID: MW-6
Lab Sample ID: A7E98507
Date Collected: 12/26/2007
Time Collected: 11:00

Date Received: 12/27/2007
Project No: NY7A9742
Client No: L11071
Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
ASP05 AQUEOUS - 8260 - TCL VOLATILES(3.2								
1,1,1-Trichloroethane	ND		1	UG/L	8260	01/04/2008 04:37		PQ
1,1,2,2-Tetrachloroethane	ND		1	UG/L	8260	01/04/2008 04:37		PQ
1,1,2-Trichloroethane	ND		1	UG/L	8260	01/04/2008 04:37		PQ
1,1-Dichloroethane	ND		1	UG/L	8260	01/04/2008 04:37		PQ
1,1-Dichloroethene	ND		1	UG/L	8260	01/04/2008 04:37		PQ
1,2-Dichloroethane	ND		1	UG/L	8260	01/04/2008 04:37		PQ
1,2-Dichloroethene (Total)	ND		2	UG/L	8260	01/04/2008 04:37		PQ
1,2-Dichloropropane	ND		1	UG/L	8260	01/04/2008 04:37		PQ
2-Butanone	ND		5	UG/L	8260	01/04/2008 04:37		PQ
2-Hexanone	ND		5	UG/L	8260	01/04/2008 04:37		PQ
4-Methyl-2-pentanone	ND		5	UG/L	8260	01/04/2008 04:37		PQ
Acetone	ND		5	UG/L	8260	01/04/2008 04:37		PQ
Benzene	ND		1	UG/L	8260	01/04/2008 04:37		PQ
Bromodichloromethane	ND		1	UG/L	8260	01/04/2008 04:37		PQ
Bromoform	ND		1	UG/L	8260	01/04/2008 04:37		PQ
Bromomethane	ND		1	UG/L	8260	01/04/2008 04:37		PQ
Carbon Disulfide	ND		1	UG/L	8260	01/04/2008 04:37		PQ
Carbon Tetrachloride	ND		1	UG/L	8260	01/04/2008 04:37		PQ
Chlorobenzene	ND		1	UG/L	8260	01/04/2008 04:37		PQ
Chloroethane	ND		1	UG/L	8260	01/04/2008 04:37		PQ
Chloroform	ND		1	UG/L	8260	01/04/2008 04:37		PQ
Chloromethane	ND		1	UG/L	8260	01/04/2008 04:37		PQ
cis-1,3-Dichloropropene	ND		1	UG/L	8260	01/04/2008 04:37		PQ
Dibromochloromethane	ND		1	UG/L	8260	01/04/2008 04:37		PQ
Ethylbenzene	ND		1	UG/L	8260	01/04/2008 04:37		PQ
Methylene chloride	ND		1	UG/L	8260	01/04/2008 04:37		PQ
Styrene	ND		1	UG/L	8260	01/04/2008 04:37		PQ
Tetrachloroethene	ND		1	UG/L	8260	01/04/2008 04:37		PQ
Toluene	ND		1	UG/L	8260	01/04/2008 04:37		PQ
Total Xylenes	ND		3	UG/L	8260	01/04/2008 04:37		PQ
trans-1,3-Dichloropropene	ND		1	UG/L	8260	01/04/2008 04:37		PQ
Trichloroethene	ND		1	UG/L	8260	01/04/2008 04:37		PQ
Vinyl chloride	ND		1	UG/L	8260	01/04/2008 04:37		PQ
ASP05 AQUEOUS - METHOD 8270 SVOA (3.2 LIS								
1,2,4-Trichlorobenzene	ND		10	UG/L	8270	12/31/2007 21:15		RM
1,2-Dichlorobenzene	ND		10	UG/L	8270	12/31/2007 21:15		RM
1,3-Dichlorobenzene	ND		10	UG/L	8270	12/31/2007 21:15		RM
1,4-Dichlorobenzene	ND		10	UG/L	8270	12/31/2007 21:15		RM
2,2'-Oxybis(1-Chloropropane)	ND		5	UG/L	8270	12/31/2007 21:15		RM
2,4,5-Trichlorophenol	ND		5	UG/L	8270	12/31/2007 21:15		RM
2,4,6-Trichlorophenol	ND		5	UG/L	8270	12/31/2007 21:15		RM
2,4-Dichlorophenol	ND		5	UG/L	8270	12/31/2007 21:15		RM
2,4-Dimethylphenol	ND		5	UG/L	8270	12/31/2007 21:15		RM
2,4-Dinitrophenol	ND		10	UG/L	8270	12/31/2007 21:15		RM
2,4-Dinitrotoluene	ND		5	UG/L	8270	12/31/2007 21:15		RM
2,6-Dinitrotoluene	ND		5	UG/L	8270	12/31/2007 21:15		RM
2-Chloronaphthalene	ND		5	UG/L	8270	12/31/2007 21:15		RM
2-Chlorophenol	ND		5	UG/L	8270	12/31/2007 21:15		RM

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

29/65 Page: 21

Rept: AN1178

Sample ID: MW-6

Lab Sample ID: A7E98507

Date Collected: 12/26/2007

Time Collected: 11:00

Date Received: 12/27/2007

Project No: NY7A9742

Client No: L11071

Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
ASPO5 AQUEOUS - METHOD 8270 SVOA (3.2 LIS								
2-Methylnaphthalene	ND		5	UG/L	8270	12/31/2007 21:15		RM
2-Methylphenol	ND		5	UG/L	8270	12/31/2007 21:15		RM
2-Nitroaniline	ND		10	UG/L	8270	12/31/2007 21:15		RM
2-Nitrophenol	ND		5	UG/L	8270	12/31/2007 21:15		RM
3,3'-Dichlorobenzidine	ND		5	UG/L	8270	12/31/2007 21:15		RM
3-Nitroaniline	ND		10	UG/L	8270	12/31/2007 21:15		RM
4,6-Dinitro-2-methylphenol	ND		10	UG/L	8270	12/31/2007 21:15		RM
4-Bromophenyl phenyl ether	ND		5	UG/L	8270	12/31/2007 21:15		RM
4-Chloro-3-methylphenol	ND		5	UG/L	8270	12/31/2007 21:15		RM
4-Chloroaniline	ND		5	UG/L	8270	12/31/2007 21:15		RM
4-Chlorophenyl phenyl ether	ND		5	UG/L	8270	12/31/2007 21:15		RM
4-Methylphenol	ND		5	UG/L	8270	12/31/2007 21:15		RM
4-Nitroaniline	ND		10	UG/L	8270	12/31/2007 21:15		RM
4-Nitrophenol	ND		10	UG/L	8270	12/31/2007 21:15		RM
Acenaphthene	ND		5	UG/L	8270	12/31/2007 21:15		RM
Acenaphthylene	ND		5	UG/L	8270	12/31/2007 21:15		RM
Anthracene	ND		5	UG/L	8270	12/31/2007 21:15		RM
Benzo(a)anthracene	ND		5	UG/L	8270	12/31/2007 21:15		RM
Benzo(a)pyrene	ND		5	UG/L	8270	12/31/2007 21:15		RM
Benzo(b)fluoranthene	ND		5	UG/L	8270	12/31/2007 21:15		RM
Benzo(ghi)perylene	ND		5	UG/L	8270	12/31/2007 21:15		RM
Benzo(k)fluoranthene	ND		5	UG/L	8270	12/31/2007 21:15		RM
Bis(2-chloroethoxy) methane	ND		5	UG/L	8270	12/31/2007 21:15		RM
Bis(2-chloroethyl) ether	ND		5	UG/L	8270	12/31/2007 21:15		RM
Bis(2-ethylhexyl) phthalate	17		5	UG/L	8270	12/31/2007 21:15		RM
Butyl benzyl phthalate	ND		5	UG/L	8270	12/31/2007 21:15		RM
Carbazole	ND		5	UG/L	8270	12/31/2007 21:15		RM
Chrysene	ND		5	UG/L	8270	12/31/2007 21:15		RM
Di-n-butyl phthalate	0.4	BJ	5	UG/L	8270	12/31/2007 21:15		RM
Di-n-octyl phthalate	ND		5	UG/L	8270	12/31/2007 21:15		RM
Dibenzo(a,h)anthracene	ND		5	UG/L	8270	12/31/2007 21:15		RM
Dibenzofuran	ND		5	UG/L	8270	12/31/2007 21:15		RM
Diethyl phthalate	ND		5	UG/L	8270	12/31/2007 21:15		RM
Dimethyl phthalate	ND		5	UG/L	8270	12/31/2007 21:15		RM
Fluoranthene	ND		5	UG/L	8270	12/31/2007 21:15		RM
Fluorene	ND		5	UG/L	8270	12/31/2007 21:15		RM
Hexachlorobenzene	ND		5	UG/L	8270	12/31/2007 21:15		RM
Hexachlorobutadiene	ND		5	UG/L	8270	12/31/2007 21:15		RM
Hexachlorocyclopentadiene	ND		5	UG/L	8270	12/31/2007 21:15		RM
Hexachloroethane	ND		5	UG/L	8270	12/31/2007 21:15		RM
Indeno(1,2,3-cd)pyrene	ND		5	UG/L	8270	12/31/2007 21:15		RM
Isophorone	ND		5	UG/L	8270	12/31/2007 21:15		RM
N-Nitroso-Di-n-propylamine	ND		5	UG/L	8270	12/31/2007 21:15		RM
N-nitrosodiphenylamine	ND		5	UG/L	8270	12/31/2007 21:15		RM
Naphthalene	ND		5	UG/L	8270	12/31/2007 21:15		RM
Nitrobenzene	ND		5	UG/L	8270	12/31/2007 21:15		RM
Pentachlorophenol	ND		10	UG/L	8270	12/31/2007 21:15		RM
Phenanthrene	ND		5	UG/L	8270	12/31/2007 21:15		RM
Phenol	ND		5	UG/L	8270	12/31/2007 21:15		RM

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

30/65 Page: 22
Rept: AN1178

Sample ID: MW-6
Lab Sample ID: A7E98507
Date Collected: 12/26/2007
Time Collected: 11:00

Date Received: 12/27/2007
Project No: NY7A9742
Client No: L11071
Site No:

Parameter	Result	Flag	Detection	Units	Method	Date/Time	Analyst
			Limit			Analyzed	
ASP05 AQUEOUS - METHOD 8270 SVOA (3.2 LIS							
Pyrene	ND		5	UG/L	8270	12/31/2007 21:15	RM
ASP05 AQUEOUS- 8082 - PCBS (3.2 LIST)							
Aroclor 1016	ND		0.49	UG/L	8082	12/31/2007 12:18	GFD
Aroclor 1221	ND		0.49	UG/L	8082	12/31/2007 12:18	GFD
Aroclor 1232	ND		0.49	UG/L	8082	12/31/2007 12:18	GFD
Aroclor 1242	ND		0.49	UG/L	8082	12/31/2007 12:18	GFD
Aroclor 1248	ND		0.49	UG/L	8082	12/31/2007 12:18	GFD
Aroclor 1254	ND		0.49	UG/L	8082	12/31/2007 12:18	GFD
Aroclor 1260	ND		0.49	UG/L	8082	12/31/2007 12:18	GFD

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site

GES- Cherry Farm Annual Groundwater Monitoring

31/65 Page: 23

Rept: AN1178

Sample ID: MW-6

Lab Sample ID: A7E98507FD

Date Collected: 12/26/2007

Time Collected: 11:15

Date Received: 12/27/2007

Project No: NY7A9742

Client No: L11071

Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
ASP05 AQUEOUS - 8260 - TCL VOLATILES(3.2								
1,1,1-Trichloroethane	ND		1	UG/L	8260	01/04/2008 05:01		PQ
1,1,2,2-Tetrachloroethane	ND		1	UG/L	8260	01/04/2008 05:01		PQ
1,1,2-Trichloroethane	ND		1	UG/L	8260	01/04/2008 05:01		PQ
1,1-Dichloroethane	ND		1	UG/L	8260	01/04/2008 05:01		PQ
1,1-Dichloroethene	ND		1	UG/L	8260	01/04/2008 05:01		PQ
1,2-Dichloroethane	ND		1	UG/L	8260	01/04/2008 05:01		PQ
1,2-Dichloroethene (Total)	ND		2	UG/L	8260	01/04/2008 05:01		PQ
1,2-Dichloropropane	ND		1	UG/L	8260	01/04/2008 05:01		PQ
2-Butanone	ND		5	UG/L	8260	01/04/2008 05:01		PQ
2-Hexanone	ND		5	UG/L	8260	01/04/2008 05:01		PQ
4-Methyl-2-pentanone	ND		5	UG/L	8260	01/04/2008 05:01		PQ
Acetone	ND		5	UG/L	8260	01/04/2008 05:01		PQ
Benzene	ND		1	UG/L	8260	01/04/2008 05:01		PQ
Bromodichloromethane	ND		1	UG/L	8260	01/04/2008 05:01		PQ
Bromoform	ND		1	UG/L	8260	01/04/2008 05:01		PQ
Bromomethane	ND		1	UG/L	8260	01/04/2008 05:01		PQ
Carbon Disulfide	ND		1	UG/L	8260	01/04/2008 05:01		PQ
Carbon Tetrachloride	ND		1	UG/L	8260	01/04/2008 05:01		PQ
Chlorobenzene	ND		1	UG/L	8260	01/04/2008 05:01		PQ
Chloroethane	ND		1	UG/L	8260	01/04/2008 05:01		PQ
Chloroform	ND		1	UG/L	8260	01/04/2008 05:01		PQ
Chloromethane	ND		1	UG/L	8260	01/04/2008 05:01		PQ
cis-1,3-Dichloropropene	ND		1	UG/L	8260	01/04/2008 05:01		PQ
Dibromochloromethane	ND		1	UG/L	8260	01/04/2008 05:01		PQ
Ethylbenzene	ND		1	UG/L	8260	01/04/2008 05:01		PQ
Methylene chloride	ND		1	UG/L	8260	01/04/2008 05:01		PQ
Styrene	ND		1	UG/L	8260	01/04/2008 05:01		PQ
Tetrachloroethene	ND		1	UG/L	8260	01/04/2008 05:01		PQ
Toluene	ND		1	UG/L	8260	01/04/2008 05:01		PQ
Total xylenes	ND		3	UG/L	8260	01/04/2008 05:01		PQ
trans-1,3-Dichloropropene	ND		1	UG/L	8260	01/04/2008 05:01		PQ
Trichloroethene	ND		1	UG/L	8260	01/04/2008 05:01		PQ
Vinyl chloride	ND		1	UG/L	8260	01/04/2008 05:01		PQ
ASP05 AQUEOUS - METHOD 8270 SVOA (3.2 LIS								
1,2,4-Trichlorobenzene	ND		10	UG/L	8270	12/31/2007 21:38		RM
1,2-Dichlorobenzene	ND		10	UG/L	8270	12/31/2007 21:38		RM
1,3-Dichlorobenzene	ND		10	UG/L	8270	12/31/2007 21:38		RM
1,4-Dichlorobenzene	ND		10	UG/L	8270	12/31/2007 21:38		RM
2,2'-Oxybis(1-Chloropropane)	ND		5	UG/L	8270	12/31/2007 21:38		RM
2,4,5-Trichlorophenol	ND		5	UG/L	8270	12/31/2007 21:38		RM
2,4,6-Trichlorophenol	ND		5	UG/L	8270	12/31/2007 21:38		RM
2,4-Dichlorophenol	ND		5	UG/L	8270	12/31/2007 21:38		RM
2,4-Dimethylphenol	ND		5	UG/L	8270	12/31/2007 21:38		RM
2,4-Dinitrophenol	ND		10	UG/L	8270	12/31/2007 21:38		RM
2,4-Dinitrotoluene	ND		5	UG/L	8270	12/31/2007 21:38		RM
2,6-Dinitrotoluene	ND		5	UG/L	8270	12/31/2007 21:38		RM
2-Chloronaphthalene	ND		5	UG/L	8270	12/31/2007 21:38		RM
2-Chlorophenol	ND		5	UG/L	8270	12/31/2007 21:38		RM

TestAmerica

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

32/65 Page: 24
Rept: AN1178

Sample ID: MW-6

Lab Sample ID: A7E98507FD

Date Collected: 12/26/2007

Time Collected: 11:15

Date Received: 12/27/2007

Project No: NY7A9742

Client No: L11071

Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
ASPO5 AQUEOUS - METHOD 8270 SVOA (3.2 LIS								
2-Methylnaphthalene	ND		5	UG/L	8270	12/31/2007 21:38		RM
2-Methylphenol	ND		5	UG/L	8270	12/31/2007 21:38		RM
2-Nitroaniline	ND		10	UG/L	8270	12/31/2007 21:38		RM
2-Nitrophenol	ND		5	UG/L	8270	12/31/2007 21:38		RM
3,3'-Dichlorobenzidine	ND		5	UG/L	8270	12/31/2007 21:38		RM
3-Nitroaniline	ND		10	UG/L	8270	12/31/2007 21:38		RM
4,6-Dinitro-2-methylphenol	ND		10	UG/L	8270	12/31/2007 21:38		RM
4-Bromophenyl phenyl ether	ND		5	UG/L	8270	12/31/2007 21:38		RM
4-Chloro-3-methylphenol	ND		5	UG/L	8270	12/31/2007 21:38		RM
4-Chloroaniline	ND		5	UG/L	8270	12/31/2007 21:38		RM
4-Chlorophenyl phenyl ether	ND		5	UG/L	8270	12/31/2007 21:38		RM
4-Methylphenol	ND		5	UG/L	8270	12/31/2007 21:38		RM
4-Nitroaniline	ND		10	UG/L	8270	12/31/2007 21:38		RM
4-Nitrophenol	ND		10	UG/L	8270	12/31/2007 21:38		RM
Acenaphthene	ND		5	UG/L	8270	12/31/2007 21:38		RM
Acenaphthylene	ND		5	UG/L	8270	12/31/2007 21:38		RM
Anthracene	ND		5	UG/L	8270	12/31/2007 21:38		RM
Benzo(a)anthracene	ND		5	UG/L	8270	12/31/2007 21:38		RM
Benzo(a)pyrene	ND		5	UG/L	8270	12/31/2007 21:38		RM
Benzo(b)fluoranthene	ND		5	UG/L	8270	12/31/2007 21:38		RM
Benzo(ghi)perylene	ND		5	UG/L	8270	12/31/2007 21:38		RM
Benzo(k)fluoranthene	ND		5	UG/L	8270	12/31/2007 21:38		RM
Bis(2-chloroethoxy) methane	ND		5	UG/L	8270	12/31/2007 21:38		RM
Bis(2-chloroethyl) ether	ND		5	UG/L	8270	12/31/2007 21:38		RM
Bis(2-ethylhexyl) phthalate	ND		5	UG/L	8270	12/31/2007 21:38		RM
Butyl benzyl phthalate	ND		5	UG/L	8270	12/31/2007 21:38		RM
Carbazole	ND		5	UG/L	8270	12/31/2007 21:38		RM
Chrysene	ND		5	UG/L	8270	12/31/2007 21:38		RM
Di-n-butyl phthalate	0.3	BJ	5	UG/L	8270	12/31/2007 21:38		RM
Di-n-octyl phthalate	ND		5	UG/L	8270	12/31/2007 21:38		RM
Dibenzo(a,h)anthracene	ND		5	UG/L	8270	12/31/2007 21:38		RM
Dibenzofuran	ND		5	UG/L	8270	12/31/2007 21:38		RM
Diethyl phthalate	ND		5	UG/L	8270	12/31/2007 21:38		RM
Dimethyl phthalate	ND		5	UG/L	8270	12/31/2007 21:38		RM
Fluoranthene	ND		5	UG/L	8270	12/31/2007 21:38		RM
Fluorene	ND		5	UG/L	8270	12/31/2007 21:38		RM
Hexachlorobenzene	ND		5	UG/L	8270	12/31/2007 21:38		RM
Hexachlorobutadiene	ND		5	UG/L	8270	12/31/2007 21:38		RM
Hexachlorocyclopentadiene	ND		5	UG/L	8270	12/31/2007 21:38		RM
Hexachloroethane	ND		5	UG/L	8270	12/31/2007 21:38		RM
Indeno(1,2,3-cd)pyrene	ND		5	UG/L	8270	12/31/2007 21:38		RM
Isophorone	ND		5	UG/L	8270	12/31/2007 21:38		RM
N-Nitroso-Di-n-propylamine	ND		5	UG/L	8270	12/31/2007 21:38		RM
N-nitrosodiphenylamine	ND		5	UG/L	8270	12/31/2007 21:38		RM
Naphthalene	ND		5	UG/L	8270	12/31/2007 21:38		RM
Nitrobenzene	ND		5	UG/L	8270	12/31/2007 21:38		RM
Pentachlorophenol	ND		10	UG/L	8270	12/31/2007 21:38		RM
Phenanthrene	ND		5	UG/L	8270	12/31/2007 21:38		RM
Phenol	ND		5	UG/L	8270	12/31/2007 21:38		RM

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site

GES- Cherry Farm Annual Groundwater Monitoring

33/65 Page: 25

Rept: AN1178

Sample ID: MW-6

Lab Sample ID: A7E98507FD

Date Collected: 12/26/2007

Time Collected: 11:15

Date Received: 12/27/2007

Project No: NY7A9742

Client No: L11071

Site No:

Parameter	Result	Flag	Detection Limit	Units	Method	Date/Time Analyzed	Analyst
ASP05 AQUEOUS - METHOD 8270 SVOA (3.2 LIS							
Pyrene	ND		5	UG/L	8270	12/31/2007 21:38	RM
ASP05 AQUEOUS- 8082 - PCBs (3.2 LIST)							
Aroclor 1016	ND		0.49	UG/L	8082	12/31/2007 12:32	GFD
Aroclor 1221	ND		0.49	UG/L	8082	12/31/2007 12:32	GFD
Aroclor 1232	ND		0.49	UG/L	8082	12/31/2007 12:32	GFD
Aroclor 1242	ND		0.49	UG/L	8082	12/31/2007 12:32	GFD
Aroclor 1248	ND		0.49	UG/L	8082	12/31/2007 12:32	GFD
Aroclor 1254	ND		0.49	UG/L	8082	12/31/2007 12:32	GFD
Aroclor 1260	ND		0.49	UG/L	8082	12/31/2007 12:32	GFD

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

34/65 Page: 26
Rept: AN1178

Sample ID: MW-7
Lab Sample ID: A7E98508
Date Collected: 12/26/2007
Time Collected: 09:30

Date Received: 12/27/2007
Project No: NY7A9742
Client No: L11071
Site No:

Parameter	Result	Flag	Detection	Units	Method	Date/Time	Analyst
			Limit			Analyzed	
ASP05 AQUEOUS - 8260 - TCL VOLATILES(3.2							
1,1,1-Trichloroethane	ND		1	UG/L	8260	01/04/2008 06:13	PQ
1,1,2,2-Tetrachloroethane	ND		1	UG/L	8260	01/04/2008 06:13	PQ
1,1,2-Trichloroethane	ND		1	UG/L	8260	01/04/2008 06:13	PQ
1,1-Dichloroethane	ND		1	UG/L	8260	01/04/2008 06:13	PQ
1,1-Dichloroethene	ND		1	UG/L	8260	01/04/2008 06:13	PQ
1,2-Dichloroethane	ND		1	UG/L	8260	01/04/2008 06:13	PQ
1,2-Dichloroethene (Total)	ND		2	UG/L	8260	01/04/2008 06:13	PQ
1,2-Dichloropropane	ND		1	UG/L	8260	01/04/2008 06:13	PQ
2-Butanone	ND		5	UG/L	8260	01/04/2008 06:13	PQ
2-Hexanone	ND		5	UG/L	8260	01/04/2008 06:13	PQ
4-Methyl-2-pentanone	ND		5	UG/L	8260	01/04/2008 06:13	PQ
Acetone	ND		5	UG/L	8260	01/04/2008 06:13	PQ
Benzene	ND		1	UG/L	8260	01/04/2008 06:13	PQ
Bromodichloromethane	ND		1	UG/L	8260	01/04/2008 06:13	PQ
Bromoform	ND		1	UG/L	8260	01/04/2008 06:13	PQ
Bromomethane	ND		1	UG/L	8260	01/04/2008 06:13	PQ
Carbon Disulfide	ND		1	UG/L	8260	01/04/2008 06:13	PQ
Carbon Tetrachloride	ND		1	UG/L	8260	01/04/2008 06:13	PQ
Chlorobenzene	ND		1	UG/L	8260	01/04/2008 06:13	PQ
Chloroethane	ND		1	UG/L	8260	01/04/2008 06:13	PQ
Chloroform	ND		1	UG/L	8260	01/04/2008 06:13	PQ
Chloromethane	ND		1	UG/L	8260	01/04/2008 06:13	PQ
cis-1,3-Dichloropropene	ND		1	UG/L	8260	01/04/2008 06:13	PQ
Dibromochloromethane	ND		1	UG/L	8260	01/04/2008 06:13	PQ
Ethylbenzene	ND		1	UG/L	8260	01/04/2008 06:13	PQ
Methylene chloride	ND		1	UG/L	8260	01/04/2008 06:13	PQ
Styrene	ND		1	UG/L	8260	01/04/2008 06:13	PQ
Tetrachloroethene	ND		1	UG/L	8260	01/04/2008 06:13	PQ
Toluene	ND		1	UG/L	8260	01/04/2008 06:13	PQ
Total Xylenes	ND		3	UG/L	8260	01/04/2008 06:13	PQ
trans-1,3-Dichloropropene	ND		1	UG/L	8260	01/04/2008 06:13	PQ
Trichloroethene	ND		1	UG/L	8260	01/04/2008 06:13	PQ
Vinyl chloride	ND		1	UG/L	8260	01/04/2008 06:13	PQ
ASP05 AQUEOUS - METHOD 8270 SVOA (3.2 LIS							
1,2,4-Trichlorobenzene	ND		10	UG/L	8270	12/31/2007 22:47	RM
1,2-Dichlorobenzene	ND		10	UG/L	8270	12/31/2007 22:47	RM
1,3-Dichlorobenzene	ND		10	UG/L	8270	12/31/2007 22:47	RM
1,4-Dichlorobenzene	ND		10	UG/L	8270	12/31/2007 22:47	RM
2,2'-Oxybis(1-Chloropropane)	ND		5	UG/L	8270	12/31/2007 22:47	RM
2,4,5-Trichlorophenol	ND		5	UG/L	8270	12/31/2007 22:47	RM
2,4,6-Trichlorophenol	ND		5	UG/L	8270	12/31/2007 22:47	RM
2,4-Dichlorophenol	ND		5	UG/L	8270	12/31/2007 22:47	RM
2,4-Dimethylphenol	ND		5	UG/L	8270	12/31/2007 22:47	RM
2,4-Dinitrophenol	ND		10	UG/L	8270	12/31/2007 22:47	RM
2,4-Dinitrotoluene	ND		5	UG/L	8270	12/31/2007 22:47	RM
2,6-Dinitrotoluene	ND		5	UG/L	8270	12/31/2007 22:47	RM
2-Chloronaphthalene	ND		5	UG/L	8270	12/31/2007 22:47	RM
2-Chlorophenol	ND		5	UG/L	8270	12/31/2007 22:47	RM

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site

GES- Cherry Farm Annual Groundwater Monitoring

35/65 Page: 27

Rept: AN1178

Sample ID: MW-7

Lab Sample ID: A7E98508

Date Collected: 12/26/2007

Time Collected: 09:30

Date Received: 12/27/2007

Project No: NY7A9742

Client No: L11071

Site No:

Parameter	Result	Flag	Detection		Units	Method	Date/Time		Analyst
			Limit				Analyzed		
ASP05 AQUEOUS - METHOD 8270 SVOA (3.2 LIS									
2-Methylnaphthalene	ND		5		UG/L	8270	12/31/2007 22:47		RM
2-Methylphenol	ND		5		UG/L	8270	12/31/2007 22:47		RM
2-Nitroaniline	ND		10		UG/L	8270	12/31/2007 22:47		RM
2-Nitrophenol	ND		5		UG/L	8270	12/31/2007 22:47		RM
3,3'-Dichlorobenzidine	ND		5		UG/L	8270	12/31/2007 22:47		RM
3-Nitroaniline	ND		10		UG/L	8270	12/31/2007 22:47		RM
4,6-Dinitro-2-methylphenol	ND		10		UG/L	8270	12/31/2007 22:47		RM
4-Bromophenyl phenyl ether	ND		5		UG/L	8270	12/31/2007 22:47		RM
4-Chloro-3-methylphenol	ND		5		UG/L	8270	12/31/2007 22:47		RM
4-Chloroaniline	ND		5		UG/L	8270	12/31/2007 22:47		RM
4-Chlorophenyl phenyl ether	ND		5		UG/L	8270	12/31/2007 22:47		RM
4-Methylphenol	ND		5		UG/L	8270	12/31/2007 22:47		RM
4-Nitroaniline	ND		10		UG/L	8270	12/31/2007 22:47		RM
4-Nitrophenol	ND		10		UG/L	8270	12/31/2007 22:47		RM
Acenaphthene	ND		5		UG/L	8270	12/31/2007 22:47		RM
Acenaphthylene	ND		5		UG/L	8270	12/31/2007 22:47		RM
Anthracene	ND		5		UG/L	8270	12/31/2007 22:47		RM
Benzo(a)anthracene	ND		5		UG/L	8270	12/31/2007 22:47		RM
Benzo(a)pyrene	ND		5		UG/L	8270	12/31/2007 22:47		RM
Benzo(b)fluoranthene	ND		5		UG/L	8270	12/31/2007 22:47		RM
Benzo(ghi)perylene	ND		5		UG/L	8270	12/31/2007 22:47		RM
Benzo(k)fluoranthene	ND		5		UG/L	8270	12/31/2007 22:47		RM
Bis(2-chloroethoxy) methane	ND		5		UG/L	8270	12/31/2007 22:47		RM
Bis(2-chloroethyl) ether	ND		5		UG/L	8270	12/31/2007 22:47		RM
Bis(2-ethylhexyl) phthalate	37		5		UG/L	8270	12/31/2007 22:47		RM
Butyl benzyl phthalate	ND		5		UG/L	8270	12/31/2007 22:47		RM
Carbazole	ND		5		UG/L	8270	12/31/2007 22:47		RM
Chrysene	ND		5		UG/L	8270	12/31/2007 22:47		RM
Di-n-butyl phthalate	0.4	BJ	5		UG/L	8270	12/31/2007 22:47		RM
Di-n-octyl phthalate	ND		5		UG/L	8270	12/31/2007 22:47		RM
Dibenzo(a,h)anthracene	ND		5		UG/L	8270	12/31/2007 22:47		RM
Dibenzofuran	ND		5		UG/L	8270	12/31/2007 22:47		RM
Diethyl phthalate	ND		5		UG/L	8270	12/31/2007 22:47		RM
Dimethyl phthalate	ND		5		UG/L	8270	12/31/2007 22:47		RM
Fluoranthene	ND		5		UG/L	8270	12/31/2007 22:47		RM
Fluorene	ND		5		UG/L	8270	12/31/2007 22:47		RM
Hexachlorobenzene	ND		5		UG/L	8270	12/31/2007 22:47		RM
Hexachlorobutadiene	ND		5		UG/L	8270	12/31/2007 22:47		RM
Hexachlorocyclopentadiene	ND		5		UG/L	8270	12/31/2007 22:47		RM
Hexachloroethane	ND		5		UG/L	8270	12/31/2007 22:47		RM
Indeno(1,2,3-cd)pyrene	ND		5		UG/L	8270	12/31/2007 22:47		RM
Isophorone	ND		5		UG/L	8270	12/31/2007 22:47		RM
N-Nitroso-Di-n-propylamine	ND		5		UG/L	8270	12/31/2007 22:47		RM
N-nitrosodiphenylamine	ND		5		UG/L	8270	12/31/2007 22:47		RM
Naphthalene	ND		5		UG/L	8270	12/31/2007 22:47		RM
Nitrobenzene	ND		5		UG/L	8270	12/31/2007 22:47		RM
Pentachlorophenol	ND		10		UG/L	8270	12/31/2007 22:47		RM
Phenanthrene	ND		5		UG/L	8270	12/31/2007 22:47		RM
Phenol	ND		5		UG/L	8270	12/31/2007 22:47		RM

TestAmerica

Date: 03/31/2008
Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

36/65 Page: 28
Rept: AN1178

Sample ID: MW-7
Lab Sample ID: A7E98508
Date Collected: 12/26/2007
Time Collected: 09:30

Date Received: 12/27/2007
Project No: NY7A9742
Client No: L11071
Site No:

Parameter	Result	Flag	Detection	Units	Method	Date/Time	Analyst
			Limit			Analyzed	
ASPO5 AQUEOUS - METHOD 8270 SVOA (3.2 LIS							
Pyrene	ND		5	UG/L	8270	12/31/2007 22:47	RM
ASPO5 AQUEOUS- 8082 - PCBs (3.2 LIST)							
Aroclor 1016	ND		0.51	UG/L	8082	12/31/2007 13:43	GFD
Aroclor 1221	ND		0.51	UG/L	8082	12/31/2007 13:43	GFD
Aroclor 1232	ND		0.51	UG/L	8082	12/31/2007 13:43	GFD
Aroclor 1242	ND		0.51	UG/L	8082	12/31/2007 13:43	GFD
Aroclor 1248	ND		0.51	UG/L	8082	12/31/2007 13:43	GFD
Aroclor 1254	ND		0.51	UG/L	8082	12/31/2007 13:43	GFD
Aroclor 1260	ND		0.51	UG/L	8082	12/31/2007 13:43	GFD

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

37/65 Page: 29

Rept: AN1178

Sample ID: RW-4

Lab Sample ID: A7E98509

Date Collected: 12/27/2007

Time Collected: 09:30

Date Received: 12/27/2007

Project No: NY7A9742

Client No: L11071

Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
ASPO5 AQUEOUS - 8260 - TCL VOLATILES(3.2								
1,1,1-Trichloroethane	ND		4	UG/L	8260	01/04/2008 06:37		PQ
1,1,2,2-Tetrachloroethane	ND		4	UG/L	8260	01/04/2008 06:37		PQ
1,1,2-Trichloroethane	ND		4	UG/L	8260	01/04/2008 06:37		PQ
1,1-Dichloroethane	ND		4	UG/L	8260	01/04/2008 06:37		PQ
1,1-Dichloroethene	ND		4	UG/L	8260	01/04/2008 06:37		PQ
1,2-Dichloroethane	ND		4	UG/L	8260	01/04/2008 06:37		PQ
1,2-Dichloroethene (Total)	ND		8	UG/L	8260	01/04/2008 06:37		PQ
1,2-Dichloropropane	ND		4	UG/L	8260	01/04/2008 06:37		PQ
2-Butanone	ND		20	UG/L	8260	01/04/2008 06:37		PQ
2-Hexanone	ND		20	UG/L	8260	01/04/2008 06:37		PQ
4-Methyl-2-pentanone	ND		20	UG/L	8260	01/04/2008 06:37		PQ
Acetone	ND		20	UG/L	8260	01/04/2008 06:37		PQ
Benzene	ND		4	UG/L	8260	01/04/2008 06:37		PQ
Bromodichloromethane	ND		4	UG/L	8260	01/04/2008 06:37		PQ
Bromoform	ND		4	UG/L	8260	01/04/2008 06:37		PQ
Bromomethane	ND		4	UG/L	8260	01/04/2008 06:37		PQ
Carbon Disulfide	ND		4	UG/L	8260	01/04/2008 06:37		PQ
Carbon Tetrachloride	ND		4	UG/L	8260	01/04/2008 06:37		PQ
Chlorobenzene	ND		4	UG/L	8260	01/04/2008 06:37		PQ
Chloroethane	ND		4	UG/L	8260	01/04/2008 06:37		PQ
Chloroform	ND		4	UG/L	8260	01/04/2008 06:37		PQ
Chloromethane	ND		4	UG/L	8260	01/04/2008 06:37		PQ
cis-1,3-Dichloropropene	ND		4	UG/L	8260	01/04/2008 06:37		PQ
Dibromochloromethane	ND		4	UG/L	8260	01/04/2008 06:37		PQ
Ethylbenzene	ND		4	UG/L	8260	01/04/2008 06:37		PQ
Methylene chloride	ND		4	UG/L	8260	01/04/2008 06:37		PQ
Styrene	ND		4	UG/L	8260	01/04/2008 06:37		PQ
Tetrachloroethene	ND		4	UG/L	8260	01/04/2008 06:37		PQ
Toluene	ND		4	UG/L	8260	01/04/2008 06:37		PQ
Total Xylenes	ND		12	UG/L	8260	01/04/2008 06:37		PQ
trans-1,3-Dichloropropene	ND		4	UG/L	8260	01/04/2008 06:37		PQ
Trichloroethene	ND		4	UG/L	8260	01/04/2008 06:37		PQ
Vinyl chloride	ND		4	UG/L	8260	01/04/2008 06:37		PQ

ASPO5 AQUEOUS - METHOD 8270 SVOA (3.2 LIS

1,2,4-Trichlorobenzene	ND		10	UG/L	8270	12/31/2007 23:10		RM
1,2-Dichlorobenzene	ND		10	UG/L	8270	12/31/2007 23:10		RM
1,3-Dichlorobenzene	ND		10	UG/L	8270	12/31/2007 23:10		RM
1,4-Dichlorobenzene	ND		10	UG/L	8270	12/31/2007 23:10		RM
2,2'-Oxybis(1-Chloropropane)	ND		5	UG/L	8270	12/31/2007 23:10		RM
2,4,5-Trichlorophenol	ND		5	UG/L	8270	12/31/2007 23:10		RM
2,4,6-Trichlorophenol	ND		5	UG/L	8270	12/31/2007 23:10		RM
2,4-Dichlorophenol	ND		5	UG/L	8270	12/31/2007 23:10		RM
2,4-Dimethylphenol	ND		5	UG/L	8270	12/31/2007 23:10		RM
2,4-Dinitrophenol	ND		10	UG/L	8270	12/31/2007 23:10		RM
2,4-Dinitrotoluene	ND		5	UG/L	8270	12/31/2007 23:10		RM
2,6-Dinitrotoluene	ND		5	UG/L	8270	12/31/2007 23:10		RM
2-Chloronaphthalene	ND		5	UG/L	8270	12/31/2007 23:10		RM
2-Chlorophenol	ND		5	UG/L	8270	12/31/2007 23:10		RM

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

38/65 Page: 30
Rept: AN1178

Sample ID: RW-4
Lab Sample ID: A7E98509
Date Collected: 12/27/2007
Time Collected: 09:30

Date Received: 12/27/2007
Project No: NY7A9742
Client No: L11071
Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
ASP05 AQUEOUS - METHOD 8270 SVOA (3.2 LIS								
2-Methylnaphthalene	ND		5	UG/L	8270	12/31/2007 23:10		RM
2-Methylphenol	ND		5	UG/L	8270	12/31/2007 23:10		RM
2-Nitroaniline	ND		10	UG/L	8270	12/31/2007 23:10		RM
2-Nitrophenol	ND		5	UG/L	8270	12/31/2007 23:10		RM
3,3'-Dichlorobenzidine	ND		5	UG/L	8270	12/31/2007 23:10		RM
3-Nitroaniline	ND		10	UG/L	8270	12/31/2007 23:10		RM
4,6-Dinitro-2-methylphenol	ND		10	UG/L	8270	12/31/2007 23:10		RM
4-Bromophenyl phenyl ether	ND		5	UG/L	8270	12/31/2007 23:10		RM
4-Chloro-3-methylphenol	ND		5	UG/L	8270	12/31/2007 23:10		RM
4-Chloroaniline	ND		5	UG/L	8270	12/31/2007 23:10		RM
4-Chlorophenyl phenyl ether	ND		5	UG/L	8270	12/31/2007 23:10		RM
4-Methylphenol	ND		5	UG/L	8270	12/31/2007 23:10		RM
4-Nitroaniline	ND		10	UG/L	8270	12/31/2007 23:10		RM
4-Nitrophenol	ND		10	UG/L	8270	12/31/2007 23:10		RM
Acenaphthene	ND		5	UG/L	8270	12/31/2007 23:10		RM
Acenaphthylene	ND		5	UG/L	8270	12/31/2007 23:10		RM
Anthracene	ND		5	UG/L	8270	12/31/2007 23:10		RM
Benzo(a)anthracene	ND		5	UG/L	8270	12/31/2007 23:10		RM
Benzo(a)pyrene	ND		5	UG/L	8270	12/31/2007 23:10		RM
Benzo(b)fluoranthene	ND		5	UG/L	8270	12/31/2007 23:10		RM
Benzo(ghi)perylene	ND		5	UG/L	8270	12/31/2007 23:10		RM
Benzo(k)fluoranthene	ND		5	UG/L	8270	12/31/2007 23:10		RM
Bis(2-chloroethoxy) methane	ND		5	UG/L	8270	12/31/2007 23:10		RM
Bis(2-chloroethyl) ether	ND		5	UG/L	8270	12/31/2007 23:10		RM
Bis(2-ethylhexyl) phthalate	ND		5	UG/L	8270	12/31/2007 23:10		RM
Butyl benzyl phthalate	ND		5	UG/L	8270	12/31/2007 23:10		RM
Carbazole	ND		5	UG/L	8270	12/31/2007 23:10		RM
Chrysene	ND		5	UG/L	8270	12/31/2007 23:10		RM
Di-n-butyl phthalate	ND		5	UG/L	8270	12/31/2007 23:10		RM
Di-n-octyl phthalate	ND		5	UG/L	8270	12/31/2007 23:10		RM
Dibenzo(a,h)anthracene	ND		5	UG/L	8270	12/31/2007 23:10		RM
Dibenzofuran	ND		5	UG/L	8270	12/31/2007 23:10		RM
Diethyl phthalate	ND		5	UG/L	8270	12/31/2007 23:10		RM
Dimethyl phthalate	ND		5	UG/L	8270	12/31/2007 23:10		RM
Fluoranthene	ND		5	UG/L	8270	12/31/2007 23:10		RM
Fluorene	ND		5	UG/L	8270	12/31/2007 23:10		RM
Hexachlorobenzene	ND		5	UG/L	8270	12/31/2007 23:10		RM
Hexachlorobutadiene	ND		5	UG/L	8270	12/31/2007 23:10		RM
Hexachlorocyclopentadiene	ND		5	UG/L	8270	12/31/2007 23:10		RM
Hexachloroethane	ND		5	UG/L	8270	12/31/2007 23:10		RM
Indeno(1,2,3-cd)pyrene	ND		5	UG/L	8270	12/31/2007 23:10		RM
Isophorone	ND		5	UG/L	8270	12/31/2007 23:10		RM
N-Nitroso-Di-n-propylamine	ND		5	UG/L	8270	12/31/2007 23:10		RM
N-nitrosodiphenylamine	ND		5	UG/L	8270	12/31/2007 23:10		RM
Naphthalene	ND		5	UG/L	8270	12/31/2007 23:10		RM
Nitrobenzene	ND		5	UG/L	8270	12/31/2007 23:10		RM
Pentachlorophenol	ND		10	UG/L	8270	12/31/2007 23:10		RM
Phenanthrene	ND		5	UG/L	8270	12/31/2007 23:10		RM
Phenol	ND		5	UG/L	8270	12/31/2007 23:10		RM

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site

GES- Cherry Farm Annual Groundwater Monitoring

39/65 Page: 31

Rept: AN1178

Sample ID: RW-4

Lab Sample ID: A7E98509

Date Collected: 12/27/2007

Time Collected: 09:30

Date Received: 12/27/2007

Project No: NY7A9742

Client No: L11071

Site No:

Parameter	Result	Flag	Detection Limit	Units	Method	Date/Time Analyzed	Analyst
ASPO5 AQUEOUS - METHOD 8270 SVOA (3.2 LIS							
Pyrene	ND		5	UG/L	8270	12/31/2007 23:10	RM
ASPO5 AQUEOUS- 8082 - PCBs (3.2 LIST)							
Aroclor 1016	ND		0.48	UG/L	8082	12/31/2007 13:57	GFD
Aroclor 1221	ND		0.48	UG/L	8082	12/31/2007 13:57	GFD
Aroclor 1232	ND		0.48	UG/L	8082	12/31/2007 13:57	GFD
Aroclor 1242	ND		0.48	UG/L	8082	12/31/2007 13:57	GFD
Aroclor 1248	ND		0.48	UG/L	8082	12/31/2007 13:57	GFD
Aroclor 1254	ND		0.48	UG/L	8082	12/31/2007 13:57	GFD
Aroclor 1260	ND		0.48	UG/L	8082	12/31/2007 13:57	GFD

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

40/65 Page: 32
Rept: AN1178

Sample ID: RW-5
Lab Sample ID: A7E98510
Date Collected: 12/27/2007
Time Collected: 12:00

Date Received: 12/27/2007
Project No: NY7A9742
Client No: L11071
Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
ASP05 AQUEOUS - 8260 - TCL VOLATILES(3.2								
1,1,1-Trichloroethane	ND		1	UG/L	8260	01/04/2008 07:00		PQ
1,1,2,2-Tetrachloroethane	ND		1	UG/L	8260	01/04/2008 07:00		PQ
1,1,2-Trichloroethane	ND		1	UG/L	8260	01/04/2008 07:00		PQ
1,1-Dichloroethane	ND		1	UG/L	8260	01/04/2008 07:00		PQ
1,1-Dichloroethene	ND		1	UG/L	8260	01/04/2008 07:00		PQ
1,2-Dichloroethane	ND		1	UG/L	8260	01/04/2008 07:00		PQ
1,2-Dichloroethene (Total)	ND		2	UG/L	8260	01/04/2008 07:00		PQ
1,2-Dichloropropane	ND		1	UG/L	8260	01/04/2008 07:00		PQ
2-Butanone	ND		5	UG/L	8260	01/04/2008 07:00		PQ
2-Hexanone	ND		5	UG/L	8260	01/04/2008 07:00		PQ
4-Methyl-2-pentanone	ND		5	UG/L	8260	01/04/2008 07:00		PQ
Acetone	ND		5	UG/L	8260	01/04/2008 07:00		PQ
Benzene	ND		1	UG/L	8260	01/04/2008 07:00		PQ
Bromodichloromethane	ND		1	UG/L	8260	01/04/2008 07:00		PQ
Bromoform	ND		1	UG/L	8260	01/04/2008 07:00		PQ
Bromomethane	ND		1	UG/L	8260	01/04/2008 07:00		PQ
Carbon Disulfide	ND		1	UG/L	8260	01/04/2008 07:00		PQ
Carbon Tetrachloride	ND		1	UG/L	8260	01/04/2008 07:00		PQ
Chlorobenzene	ND		1	UG/L	8260	01/04/2008 07:00		PQ
Chloroethane	ND		1	UG/L	8260	01/04/2008 07:00		PQ
Chloroform	ND		1	UG/L	8260	01/04/2008 07:00		PQ
Chloromethane	ND		1	UG/L	8260	01/04/2008 07:00		PQ
cis-1,3-Dichloropropene	ND		1	UG/L	8260	01/04/2008 07:00		PQ
Dibromochloromethane	ND		1	UG/L	8260	01/04/2008 07:00		PQ
Ethylbenzene	ND		1	UG/L	8260	01/04/2008 07:00		PQ
Methylene chloride	ND		1	UG/L	8260	01/04/2008 07:00		PQ
Styrene	ND		1	UG/L	8260	01/04/2008 07:00		PQ
Tetrachloroethene	ND		1	UG/L	8260	01/04/2008 07:00		PQ
Toluene	ND		1	UG/L	8260	01/04/2008 07:00		PQ
Total Xylenes	ND		3	UG/L	8260	01/04/2008 07:00		PQ
trans-1,3-Dichloropropene	ND		1	UG/L	8260	01/04/2008 07:00		PQ
Trichloroethene	ND		1	UG/L	8260	01/04/2008 07:00		PQ
Vinyl chloride	ND		1	UG/L	8260	01/04/2008 07:00		PQ
ASP05 AQUEOUS - METHOD 8270 SVOA (3.2 LIS								
1,2,4-Trichlorobenzene	ND		10	UG/L	8270	12/31/2007 23:33		RM
1,2-Dichlorobenzene	ND		10	UG/L	8270	12/31/2007 23:33		RM
1,3-Dichlorobenzene	ND		10	UG/L	8270	12/31/2007 23:33		RM
1,4-Dichlorobenzene	ND		10	UG/L	8270	12/31/2007 23:33		RM
2,2'-Oxybis(1-Chloropropane)	ND		5	UG/L	8270	12/31/2007 23:33		RM
2,4,5-Trichlorophenol	ND		5	UG/L	8270	12/31/2007 23:33		RM
2,4,6-Trichlorophenol	ND		5	UG/L	8270	12/31/2007 23:33		RM
2,4-Dichlorophenol	ND		5	UG/L	8270	12/31/2007 23:33		RM
2,4-Dimethylphenol	ND		5	UG/L	8270	12/31/2007 23:33		RM
2,4-Dinitrophenol	ND		10	UG/L	8270	12/31/2007 23:33		RM
2,4-Dinitrotoluene	ND		5	UG/L	8270	12/31/2007 23:33		RM
2,6-Dinitrotoluene	ND		5	UG/L	8270	12/31/2007 23:33		RM
2-Chloronaphthalene	ND		5	UG/L	8270	12/31/2007 23:33		RM
2-Chlorophenol	ND		5	UG/L	8270	12/31/2007 23:33		RM

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

41/65 Page: 33

Rept: AN1178

Sample ID: RW-5

Lab Sample ID: A7E98510

Date Collected: 12/27/2007

Time Collected: 12:00

Date Received: 12/27/2007

Project No: NY7A9742

Client No: L11071

Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
ASPO5 AQUEOUS - METHOD 8270 SVOA (3.2 LIS								
2-Methylnaphthalene	ND		5	UG/L	8270	12/31/2007 23:33		RM
2-Methylphenol	ND		5	UG/L	8270	12/31/2007 23:33		RM
2-Nitroaniline	ND		10	UG/L	8270	12/31/2007 23:33		RM
2-Nitrophenol	ND		5	UG/L	8270	12/31/2007 23:33		RM
3,3'-Dichlorobenzidine	ND		5	UG/L	8270	12/31/2007 23:33		RM
3-Nitroaniline	ND		10	UG/L	8270	12/31/2007 23:33		RM
4,6-Dinitro-2-methylphenol	ND		10	UG/L	8270	12/31/2007 23:33		RM
4-Bromophenyl phenyl ether	ND		5	UG/L	8270	12/31/2007 23:33		RM
4-Chloro-3-methylphenol	ND		5	UG/L	8270	12/31/2007 23:33		RM
4-Chloroaniline	ND		5	UG/L	8270	12/31/2007 23:33		RM
4-Chlorophenyl phenyl ether	ND		5	UG/L	8270	12/31/2007 23:33		RM
4-Methylphenol	ND		5	UG/L	8270	12/31/2007 23:33		RM
4-Nitroaniline	ND		10	UG/L	8270	12/31/2007 23:33		RM
4-Nitrophenol	ND		10	UG/L	8270	12/31/2007 23:33		RM
Acenaphthene	ND		5	UG/L	8270	12/31/2007 23:33		RM
Acenaphthylene	ND		5	UG/L	8270	12/31/2007 23:33		RM
Anthracene	ND		5	UG/L	8270	12/31/2007 23:33		RM
Benzo(a)anthracene	ND		5	UG/L	8270	12/31/2007 23:33		RM
Benzo(a)pyrene	ND		5	UG/L	8270	12/31/2007 23:33		RM
Benzo(b)fluoranthene	ND		5	UG/L	8270	12/31/2007 23:33		RM
Benzo(ghi)perylene	ND		5	UG/L	8270	12/31/2007 23:33		RM
Benzo(k)fluoranthene	ND		5	UG/L	8270	12/31/2007 23:33		RM
Bis(2-chloroethoxy) methane	ND		5	UG/L	8270	12/31/2007 23:33		RM
Bis(2-chloroethyl) ether	ND		5	UG/L	8270	12/31/2007 23:33		RM
Bis(2-ethylhexyl) phthalate	ND		5	UG/L	8270	12/31/2007 23:33		RM
Butyl benzyl phthalate	ND		5	UG/L	8270	12/31/2007 23:33		RM
Carbazole	ND		5	UG/L	8270	12/31/2007 23:33		RM
Chrysene	ND		5	UG/L	8270	12/31/2007 23:33		RM
Di-n-butyl phthalate	ND		5	UG/L	8270	12/31/2007 23:33		RM
Di-n-octyl phthalate	ND		5	UG/L	8270	12/31/2007 23:33		RM
Dibenzo(a,h)anthracene	ND		5	UG/L	8270	12/31/2007 23:33		RM
Dibenzofuran	ND		5	UG/L	8270	12/31/2007 23:33		RM
Diethyl phthalate	ND		5	UG/L	8270	12/31/2007 23:33		RM
Dimethyl phthalate	ND		5	UG/L	8270	12/31/2007 23:33		RM
Fluoranthene	ND		5	UG/L	8270	12/31/2007 23:33		RM
Fluorene	ND		5	UG/L	8270	12/31/2007 23:33		RM
Hexachlorobenzene	ND		5	UG/L	8270	12/31/2007 23:33		RM
Hexachlorobutadiene	ND		5	UG/L	8270	12/31/2007 23:33		RM
Hexachlorocyclopentadiene	ND		5	UG/L	8270	12/31/2007 23:33		RM
Hexachloroethane	ND		5	UG/L	8270	12/31/2007 23:33		RM
Indeno(1,2,3-cd)pyrene	ND		5	UG/L	8270	12/31/2007 23:33		RM
Isophorone	ND		5	UG/L	8270	12/31/2007 23:33		RM
N-Nitroso-Di-n-propylamine	ND		5	UG/L	8270	12/31/2007 23:33		RM
N-nitrosodiphenylamine	ND		5	UG/L	8270	12/31/2007 23:33		RM
Naphthalene	ND		5	UG/L	8270	12/31/2007 23:33		RM
Nitrobenzene	ND		5	UG/L	8270	12/31/2007 23:33		RM
Pentachlorophenol	ND		10	UG/L	8270	12/31/2007 23:33		RM
Phenanthrene	ND		5	UG/L	8270	12/31/2007 23:33		RM
Phenol	ND		5	UG/L	8270	12/31/2007 23:33		RM

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

42/65 Page: 34
Rept: AN1178

Sample ID: RW-5
Lab Sample ID: A7E98510
Date Collected: 12/27/2007
Time Collected: 12:00

Date Received: 12/27/2007
Project No: NY7A9742
Client No: L11071
Site No:

Parameter	Result	Flag	Detection	Units	Method	Date/Time		Analyst
			Limit			Analyzed		
ASPO5 AQUEOUS - METHOD 8270 SVOA (3.2 LIS								
Pyrene	ND		5	UG/L	8270	12/31/2007	23:33	RM
ASPO5 AQUEOUS- 8082 - PCBS (3.2 LIST)								
Aroclor 1016	ND		0.52	UG/L	8082	12/31/2007	14:11	GFD
Aroclor 1221	ND		0.52	UG/L	8082	12/31/2007	14:11	GFD
Aroclor 1232	ND		0.52	UG/L	8082	12/31/2007	14:11	GFD
Aroclor 1242	ND		0.52	UG/L	8082	12/31/2007	14:11	GFD
Aroclor 1248	ND		0.52	UG/L	8082	12/31/2007	14:11	GFD
Aroclor 1254	ND		0.52	UG/L	8082	12/31/2007	14:11	GFD
Aroclor 1260	ND		0.52	UG/L	8082	12/31/2007	14:11	GFD

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

43/65 Page: 35

Rept: AN1178

Sample ID: S-1

Lab Sample ID: A7E98511

Date Collected: 12/27/2007

Time Collected: 13:45

Date Received: 12/27/2007

Project No: NY7A9742

Client No: L11071

Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
ASP05 AQUEOUS - 8260 - TCL VOLATILES(3.2								
1,1,1-Trichloroethane	ND		4	UG/L	8260	01/04/2008 07:24		PQ
1,1,2,2-Tetrachloroethane	ND		4	UG/L	8260	01/04/2008 07:24		PQ
1,1,2-Trichloroethane	ND		4	UG/L	8260	01/04/2008 07:24		PQ
1,1-Dichloroethane	ND		4	UG/L	8260	01/04/2008 07:24		PQ
1,1-Dichloroethene	ND		4	UG/L	8260	01/04/2008 07:24		PQ
1,2-Dichloroethane	ND		4	UG/L	8260	01/04/2008 07:24		PQ
1,2-Dichloroethene (Total)	ND		8	UG/L	8260	01/04/2008 07:24		PQ
1,2-Dichloropropane	ND		4	UG/L	8260	01/04/2008 07:24		PQ
2-Butanone	ND		20	UG/L	8260	01/04/2008 07:24		PQ
2-Hexanone	ND		20	UG/L	8260	01/04/2008 07:24		PQ
4-Methyl-2-pentanone	ND		20	UG/L	8260	01/04/2008 07:24		PQ
Acetone	ND		20	UG/L	8260	01/04/2008 07:24		PQ
Benzene	ND		4	UG/L	8260	01/04/2008 07:24		PQ
Bromodichloromethane	ND		4	UG/L	8260	01/04/2008 07:24		PQ
Bromoform	ND		4	UG/L	8260	01/04/2008 07:24		PQ
Bromomethane	ND		4	UG/L	8260	01/04/2008 07:24		PQ
Carbon Disulfide	ND		4	UG/L	8260	01/04/2008 07:24		PQ
Carbon Tetrachloride	ND		4	UG/L	8260	01/04/2008 07:24		PQ
Chlorobenzene	3	J	4	UG/L	8260	01/04/2008 07:24		PQ
Chloroethane	ND		4	UG/L	8260	01/04/2008 07:24		PQ
Chloroform	ND		4	UG/L	8260	01/04/2008 07:24		PQ
Chloromethane	ND		4	UG/L	8260	01/04/2008 07:24		PQ
cis-1,3-Dichloropropene	ND		4	UG/L	8260	01/04/2008 07:24		PQ
Dibromochloromethane	ND		4	UG/L	8260	01/04/2008 07:24		PQ
Ethylbenzene	ND		4	UG/L	8260	01/04/2008 07:24		PQ
Methylene chloride	ND		4	UG/L	8260	01/04/2008 07:24		PQ
Styrene	ND		4	UG/L	8260	01/04/2008 07:24		PQ
Tetrachloroethene	ND		4	UG/L	8260	01/04/2008 07:24		PQ
Toluene	ND		4	UG/L	8260	01/04/2008 07:24		PQ
Total Xylenes	ND		12	UG/L	8260	01/04/2008 07:24		PQ
trans-1,3-Dichloropropene	ND		4	UG/L	8260	01/04/2008 07:24		PQ
Trichloroethene	ND		4	UG/L	8260	01/04/2008 07:24		PQ
Vinyl chloride	ND		4	UG/L	8260	01/04/2008 07:24		PQ

ASPO5 AQUEOUS - METHOD 8270 SVOA (3.2 LIS

1,2,4-Trichlorobenzene	ND		10	UG/L	8270	01/03/2008 15:22		RM
1,2-Dichlorobenzene	ND		10	UG/L	8270	01/03/2008 15:22		RM
1,3-Dichlorobenzene	1	BJ	10	UG/L	8270	01/03/2008 15:22		RM
1,4-Dichlorobenzene	2	J	10	UG/L	8270	01/03/2008 15:22		RM
2,2'-Oxybis(1-Chloropropane)	ND		5	UG/L	8270	01/03/2008 15:22		RM
2,4,5-Trichlorophenol	ND		5	UG/L	8270	01/03/2008 15:22		RM
2,4,6-Trichlorophenol	ND		5	UG/L	8270	01/03/2008 15:22		RM
2,4-Dichlorophenol	ND		5	UG/L	8270	01/03/2008 15:22		RM
2,4-Dimethylphenol	8		5	UG/L	8270	01/03/2008 15:22		RM
2,4-Dinitrophenol	ND		10	UG/L	8270	01/03/2008 15:22		RM
2,4-Dinitrotoluene	ND		5	UG/L	8270	01/03/2008 15:22		RM
2,6-Dinitrotoluene	ND		5	UG/L	8270	01/03/2008 15:22		RM
2-Chloronaphthalene	ND		5	UG/L	8270	01/03/2008 15:22		RM
2-Chlorophenol	ND		5	UG/L	8270	01/03/2008 15:22		RM

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

44/65 Page: 36
Rept: AN1178

Sample ID: S-1
Lab Sample ID: A7E98511
Date Collected: 12/27/2007
Time Collected: 13:45

Date Received: 12/27/2007
Project No: NY7A9742
Client No: L11071
Site No:

Parameter	Result	Flag	Detection			Date/Time		
			Limit	Units	Method	Analized	Analyst	
ASP05 AQUEOUS - METHOD 8270 SVOA (3.2 LIS								
2-Methylnaphthalene	0.6	J	5	UG/L	8270	01/03/2008 15:22	RM	
2-Methylphenol	0.2	J	5	UG/L	8270	01/03/2008 15:22	RM	
2-Nitroaniline	ND		10	UG/L	8270	01/03/2008 15:22	RM	
2-Nitrophenol	ND		5	UG/L	8270	01/03/2008 15:22	RM	
3,3'-Dichlorobenzidine	ND		5	UG/L	8270	01/03/2008 15:22	RM	
3-Nitroaniline	ND		10	UG/L	8270	01/03/2008 15:22	RM	
4,6-Dinitro-2-methylphenol	ND		10	UG/L	8270	01/03/2008 15:22	RM	
4-Bromophenyl phenyl ether	ND		5	UG/L	8270	01/03/2008 15:22	RM	
4-Chloro-3-methylphenol	ND		5	UG/L	8270	01/03/2008 15:22	RM	
4-Chloroaniline	ND		5	UG/L	8270	01/03/2008 15:22	RM	
4-Chlorophenyl phenyl ether	ND		5	UG/L	8270	01/03/2008 15:22	RM	
4-Methylphenol	ND		5	UG/L	8270	01/03/2008 15:22	RM	
4-Nitroaniline	ND		10	UG/L	8270	01/03/2008 15:22	RM	
4-Nitrophenol	ND		10	UG/L	8270	01/03/2008 15:22	RM	
Acenaphthene	1	J	5	UG/L	8270	01/03/2008 15:22	RM	
Acenaphthylene	ND		5	UG/L	8270	01/03/2008 15:22	RM	
Anthracene	0.8	J	5	UG/L	8270	01/03/2008 15:22	RM	
Benzo(a)anthracene	0.4	J	5	UG/L	8270	01/03/2008 15:22	RM	
Benzo(a)pyrene	ND		5	UG/L	8270	01/03/2008 15:22	RM	
Benzo(b)fluoranthene	ND		5	UG/L	8270	01/03/2008 15:22	RM	
Benzo(ghi)perylene	ND		5	UG/L	8270	01/03/2008 15:22	RM	
Benzo(k)fluoranthene	ND		5	UG/L	8270	01/03/2008 15:22	RM	
Bis(2-chloroethoxy) methane	ND		5	UG/L	8270	01/03/2008 15:22	RM	
Bis(2-chloroethyl) ether	ND		5	UG/L	8270	01/03/2008 15:22	RM	
Bis(2-ethylhexyl) phthalate	ND		5	UG/L	8270	01/03/2008 15:22	RM	
Butyl benzyl phthalate	ND		5	UG/L	8270	01/03/2008 15:22	RM	
Carbazole	2	J	5	UG/L	8270	01/03/2008 15:22	RM	
Chrysene	ND		5	UG/L	8270	01/03/2008 15:22	RM	
Di-n-butyl phthalate	ND		5	UG/L	8270	01/03/2008 15:22	RM	
Di-n-octyl phthalate	ND		5	UG/L	8270	01/03/2008 15:22	RM	
Dibenzo(a,h)anthracene	ND		5	UG/L	8270	01/03/2008 15:22	RM	
Dibenzofuran	0.7	J	5	UG/L	8270	01/03/2008 15:22	RM	
Diethyl phthalate	ND		5	UG/L	8270	01/03/2008 15:22	RM	
Dimethyl phthalate	ND		5	UG/L	8270	01/03/2008 15:22	RM	
Fluoranthene	0.4	J	5	UG/L	8270	01/03/2008 15:22	RM	
Fluorene	1	J	5	UG/L	8270	01/03/2008 15:22	RM	
Hexachlorobenzene	ND		5	UG/L	8270	01/03/2008 15:22	RM	
Hexachlorobutadiene	ND		5	UG/L	8270	01/03/2008 15:22	RM	
Hexachlorocyclopentadiene	ND		5	UG/L	8270	01/03/2008 15:22	RM	
Hexachloroethane	ND		5	UG/L	8270	01/03/2008 15:22	RM	
Indeno(1,2,3-cd)pyrene	ND		5	UG/L	8270	01/03/2008 15:22	RM	
Isophorone	ND		5	UG/L	8270	01/03/2008 15:22	RM	
N-Nitroso-Di-n-propylamine	ND		5	UG/L	8270	01/03/2008 15:22	RM	
N-nitrosodiphenylamine	ND		5	UG/L	8270	01/03/2008 15:22	RM	
Naphthalene	2	J	5	UG/L	8270	01/03/2008 15:22	RM	
Nitrobenzene	ND		5	UG/L	8270	01/03/2008 15:22	RM	
Pentachlorophenol	9	J	10	UG/L	8270	01/03/2008 15:22	RM	
Phenanthrene	1	J	5	UG/L	8270	01/03/2008 15:22	RM	
Phenol	ND		5	UG/L	8270	01/03/2008 15:22	RM	

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

45/65 Page: 37
Rept: AN1178

Sample ID: S-1

Lab Sample ID: A7E98511

Date Collected: 12/27/2007

Time Collected: 13:45

Date Received: 12/27/2007

Project No: NY7A9742

Client No: L11071

Site No:

Parameter	Result	Flag	Detection Limit	Units	Method	Date/Time Analyzed	Analyst
ASPO5 AQUEOUS - METHOD 8270 SVOA (3.2 LIS							
Pyrene	0.8	J	5	UG/L	8270	01/03/2008 15:22	RM
ASPO5 AQUEOUS - 8081 - TCL PESTICIDES-3.2							
4,4'-DDD	ND		0.050	UG/L	8081	01/02/2008 18:50	TCH
4,4'-DDE	ND		0.050	UG/L	8081	01/02/2008 18:50	TCH
4,4'-DDT	ND		0.050	UG/L	8081	01/02/2008 18:50	TCH
Aldrin	ND		0.050	UG/L	8081	01/02/2008 18:50	TCH
alpha-BHC	ND		0.050	UG/L	8081	01/02/2008 18:50	TCH
alpha-Chlordane	ND		0.050	UG/L	8081	01/02/2008 18:50	TCH
beta-BHC	ND		0.050	UG/L	8081	01/02/2008 18:50	TCH
Chlordane	ND		0.50	UG/L	8081	01/02/2008 18:50	TCH
delta-BHC	ND		0.050	UG/L	8081	01/02/2008 18:50	TCH
Dieldrin	0.023	J	0.050	UG/L	8081	01/02/2008 18:50	TCH
Endosulfan I	ND		0.050	UG/L	8081	01/02/2008 18:50	TCH
Endosulfan II	ND		0.050	UG/L	8081	01/02/2008 18:50	TCH
Endosulfan Sulfate	ND		0.050	UG/L	8081	01/02/2008 18:50	TCH
Endrin	ND		0.050	UG/L	8081	01/02/2008 18:50	TCH
Endrin aldehyde	ND		0.050	UG/L	8081	01/02/2008 18:50	TCH
Endrin ketone	ND		0.050	UG/L	8081	01/02/2008 18:50	TCH
gamma-BHC (Lindane)	0.030	J	0.050	UG/L	8081	01/02/2008 18:50	TCH
gamma-Chlordane	0.012	J	0.050	UG/L	8081	01/02/2008 18:50	TCH
Heptachlor	ND		0.050	UG/L	8081	01/02/2008 18:50	TCH
Heptachlor epoxide	ND		0.050	UG/L	8081	01/02/2008 18:50	TCH
Methoxychlor	ND		0.050	UG/L	8081	01/02/2008 18:50	TCH
Toxaphene	ND		0.50	UG/L	8081	01/02/2008 18:50	TCH
ASPO5 AQUEOUS- 8082 - PCBS (3.2 LIST)							
Aroclor 1016	ND		0.50	UG/L	8082	12/31/2007 14:25	GFD
Aroclor 1221	ND		0.50	UG/L	8082	12/31/2007 14:25	GFD
Aroclor 1232	ND		0.50	UG/L	8082	12/31/2007 14:25	GFD
Aroclor 1242	0.62		0.50	UG/L	8082	12/31/2007 14:25	GFD
Aroclor 1248	ND		0.50	UG/L	8082	12/31/2007 14:25	GFD
Aroclor 1254	ND		0.50	UG/L	8082	12/31/2007 14:25	GFD
Aroclor 1260	ND		0.50	UG/L	8082	12/31/2007 14:25	GFD
Metals Analysis							
Aluminum - Total	89.0	B	40.0	UG/L	6010	12/31/2007 18:56	
Antimony - Total	ND		5.6	UG/L	6010	12/31/2007 18:56	
Arsenic - Total	ND		4.2	UG/L	6010	12/31/2007 18:56	
Barium - Total	190		0.22	UG/L	6010	12/31/2007 18:56	
Beryllium - Total	ND		0.27	UG/L	6010	12/31/2007 18:56	
Cadmium - Total	ND		0.36	UG/L	6010	12/31/2007 18:56	
Calcium - Total	84900		100	UG/L	6010	12/31/2007 18:56	
Chromium - Total	ND		0.84	UG/L	6010	12/31/2007 18:56	
Cobalt - Total	ND		0.89	UG/L	6010	12/31/2007 18:56	
Copper - Total	ND		1.3	UG/L	6010	12/31/2007 18:56	
Iron - Total	8990		19.3	UG/L	6010	12/31/2007 18:56	
Lead - Total	ND		2.9	UG/L	6010	12/31/2007 18:56	
Magnesium - Total	19900		42.3	UG/L	6010	12/31/2007 18:56	

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

46/65 Page: 38
Rept: AN1178

Sample ID: S-1
Lab Sample ID: A7E98511
Date Collected: 12/27/2007
Time Collected: 13:45

Date Received: 12/27/2007
Project No: NY7A9742
Client No: L11071
Site No:

Parameter	Result	Flag	Detection	Units	Method	Date/Time	Analyst
			Limit			Analyzed	
Metals Analysis							
Manganese - Total	917		0.16	UG/L	6010	12/31/2007 18:56	
Mercury - Total	ND		0.120	UG/L	7470	01/02/2008 13:17	
Nickel - Total	ND		1.2	UG/L	6010	12/31/2007 18:56	
Potassium - Total	19000		24.0	UG/L	6010	12/31/2007 18:56	
Selenium - Total	ND		6.1	UG/L	6010	12/31/2007 18:56	
Silver - Total	1.0	B	1.0	UG/L	6010	12/31/2007 18:56	
Sodium - Total	67100		339	UG/L	6010	12/31/2007 18:56	
Thallium - Total	ND		7.0	UG/L	6010	12/31/2007 18:56	
Vanadium - Total	ND		0.78	UG/L	6010	12/31/2007 18:56	
Zinc - Total	ND		3.6	UG/L	6010	12/31/2007 18:56	
Wet Chemistry Analysis							
Cyanide - Total	ND		0.010	MG/L	9012	01/03/2008 10:48	ERK

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site

GES- Cherry Farm Annual Groundwater Monitoring

47/65 Page: 39

Rept: AN1178

Sample ID: S-2

Lab Sample ID: A7E98512

Date Collected: 12/27/2007

Time Collected: 14:00

Date Received: 12/27/2007

Project No: NY7A9742

Client No: L11071

Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
ASP05 AQUEOUS - 8260 - TCL VOLATILES(3.2								
1,1,1-Trichloroethane	ND		4	UG/L	8260	01/04/2008 07:47		PQ
1,1,2,2-Tetrachloroethane	ND		4	UG/L	8260	01/04/2008 07:47		PQ
1,1,2-Trichloroethane	ND		4	UG/L	8260	01/04/2008 07:47		PQ
1,1-Dichloroethane	ND		4	UG/L	8260	01/04/2008 07:47		PQ
1,1-Dichloroethene	ND		4	UG/L	8260	01/04/2008 07:47		PQ
1,2-Dichloroethane	ND		4	UG/L	8260	01/04/2008 07:47		PQ
1,2-Dichloroethene (Total)	ND		8	UG/L	8260	01/04/2008 07:47		PQ
1,2-Dichloropropane	ND		4	UG/L	8260	01/04/2008 07:47		PQ
2-Butanone	ND		20	UG/L	8260	01/04/2008 07:47		PQ
2-Hexanone	ND		20	UG/L	8260	01/04/2008 07:47		PQ
4-Methyl-2-pentanone	ND		20	UG/L	8260	01/04/2008 07:47		PQ
Acetone	ND		20	UG/L	8260	01/04/2008 07:47		PQ
Benzene	ND		4	UG/L	8260	01/04/2008 07:47		PQ
Bromodichloromethane	ND		4	UG/L	8260	01/04/2008 07:47		PQ
Bromoform	ND		4	UG/L	8260	01/04/2008 07:47		PQ
Bromomethane	ND		4	UG/L	8260	01/04/2008 07:47		PQ
Carbon Disulfide	ND		4	UG/L	8260	01/04/2008 07:47		PQ
Carbon Tetrachloride	ND		4	UG/L	8260	01/04/2008 07:47		PQ
Chlorobenzene	ND		4	UG/L	8260	01/04/2008 07:47		PQ
Chloroethane	ND		4	UG/L	8260	01/04/2008 07:47		PQ
Chloroform	ND		4	UG/L	8260	01/04/2008 07:47		PQ
Chloromethane	ND		4	UG/L	8260	01/04/2008 07:47		PQ
cis-1,3-Dichloropropene	ND		4	UG/L	8260	01/04/2008 07:47		PQ
Dibromochloromethane	ND		4	UG/L	8260	01/04/2008 07:47		PQ
Ethylbenzene	ND		4	UG/L	8260	01/04/2008 07:47		PQ
Methylene chloride	ND		4	UG/L	8260	01/04/2008 07:47		PQ
Styrene	ND		4	UG/L	8260	01/04/2008 07:47		PQ
Tetrachloroethene	ND		4	UG/L	8260	01/04/2008 07:47		PQ
Toluene	ND		4	UG/L	8260	01/04/2008 07:47		PQ
Total Xylenes	ND		12	UG/L	8260	01/04/2008 07:47		PQ
trans-1,3-Dichloropropene	ND		4	UG/L	8260	01/04/2008 07:47		PQ
Trichloroethene	ND		4	UG/L	8260	01/04/2008 07:47		PQ
Vinyl chloride	ND		4	UG/L	8260	01/04/2008 07:47		PQ

ASP05 AQUEOUS - METHOD 8270 SVOA (3.2 LIS

1,2,4-Trichlorobenzene	ND		10	UG/L	8270	01/03/2008 15:45		RM
1,2-Dichlorobenzene	ND		10	UG/L	8270	01/03/2008 15:45		RM
1,3-Dichlorobenzene	ND		10	UG/L	8270	01/03/2008 15:45		RM
1,4-Dichlorobenzene	ND		10	UG/L	8270	01/03/2008 15:45		RM
2,2'-Oxybis(1-Chloropropane)	ND		5	UG/L	8270	01/03/2008 15:45		RM
2,4,5-Trichlorophenol	ND		5	UG/L	8270	01/03/2008 15:45		RM
2,4,6-Trichlorophenol	ND		5	UG/L	8270	01/03/2008 15:45		RM
2,4-Dichlorophenol	ND		5	UG/L	8270	01/03/2008 15:45		RM
2,4-Dimethylphenol	ND		5	UG/L	8270	01/03/2008 15:45		RM
2,4-Dinitrophenol	ND		10	UG/L	8270	01/03/2008 15:45		RM
2,4-Dinitrotoluene	ND		5	UG/L	8270	01/03/2008 15:45		RM
2,6-Dinitrotoluene	ND		5	UG/L	8270	01/03/2008 15:45		RM
2-Chloronaphthalene	ND		5	UG/L	8270	01/03/2008 15:45		RM
2-Chlorophenol	ND		5	UG/L	8270	01/03/2008 15:45		RM

TestAmerica

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

48/65 Page: 40
Rept: AN1178

Sample ID: S-2
Lab Sample ID: A7E98512
Date Collected: 12/27/2007
Time Collected: 14:00

Date Received: 12/27/2007
Project No: NY7A9742
Client No: L11071
Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
ASP05 AQUEOUS - METHOD 8270 SVOA (3.2 LIS								
2-Methylnaphthalene	ND		5	UG/L	8270	01/03/2008 15:45		RM
2-Methylphenol	ND		5	UG/L	8270	01/03/2008 15:45		RM
2-Nitroaniline	ND		10	UG/L	8270	01/03/2008 15:45		RM
2-Nitrophenol	ND		5	UG/L	8270	01/03/2008 15:45		RM
3,3'-Dichlorobenzidine	ND		5	UG/L	8270	01/03/2008 15:45		RM
3-Nitroaniline	ND		10	UG/L	8270	01/03/2008 15:45		RM
4,6-Dinitro-2-methylphenol	ND		10	UG/L	8270	01/03/2008 15:45		RM
4-Bromophenyl phenyl ether	ND		5	UG/L	8270	01/03/2008 15:45		RM
4-Chloro-3-methylphenol	ND		5	UG/L	8270	01/03/2008 15:45		RM
4-Chloroaniline	ND		5	UG/L	8270	01/03/2008 15:45		RM
4-Chlorophenyl phenyl ether	ND		5	UG/L	8270	01/03/2008 15:45		RM
4-Methylphenol	ND		5	UG/L	8270	01/03/2008 15:45		RM
4-Nitroaniline	ND		10	UG/L	8270	01/03/2008 15:45		RM
4-Nitrophenol	ND		10	UG/L	8270	01/03/2008 15:45		RM
Acenaphthene	0.3	J	5	UG/L	8270	01/03/2008 15:45		RM
Acenaphthylene	ND		5	UG/L	8270	01/03/2008 15:45		RM
Anthracene	ND		5	UG/L	8270	01/03/2008 15:45		RM
Benzo(a)anthracene	ND		5	UG/L	8270	01/03/2008 15:45		RM
Benzo(a)pyrene	ND		5	UG/L	8270	01/03/2008 15:45		RM
Benzo(b)fluoranthene	ND		5	UG/L	8270	01/03/2008 15:45		RM
Benzo(ghi)perylene	ND		5	UG/L	8270	01/03/2008 15:45		RM
Benzo(k)fluoranthene	ND		5	UG/L	8270	01/03/2008 15:45		RM
Bis(2-chloroethoxy) methane	ND		5	UG/L	8270	01/03/2008 15:45		RM
Bis(2-chloroethyl) ether	ND		5	UG/L	8270	01/03/2008 15:45		RM
Bis(2-ethylhexyl) phthalate	ND		5	UG/L	8270	01/03/2008 15:45		RM
Butyl benzyl phthalate	ND		5	UG/L	8270	01/03/2008 15:45		RM
Carbazole	ND		5	UG/L	8270	01/03/2008 15:45		RM
Chrysene	ND		5	UG/L	8270	01/03/2008 15:45		RM
Di-n-butyl phthalate	0.4	BJ	5	UG/L	8270	01/03/2008 15:45		RM
Di-n-octyl phthalate	ND		5	UG/L	8270	01/03/2008 15:45		RM
Dibenzo(a,h)anthracene	ND		5	UG/L	8270	01/03/2008 15:45		RM
Dibenzofuran	ND		5	UG/L	8270	01/03/2008 15:45		RM
Diethyl phthalate	ND		5	UG/L	8270	01/03/2008 15:45		RM
Dimethyl phthalate	ND		5	UG/L	8270	01/03/2008 15:45		RM
Fluoranthene	0.3	J	5	UG/L	8270	01/03/2008 15:45		RM
Fluorene	0.2	J	5	UG/L	8270	01/03/2008 15:45		RM
Hexachlorobenzene	ND		5	UG/L	8270	01/03/2008 15:45		RM
Hexachlorobutadiene	ND		5	UG/L	8270	01/03/2008 15:45		RM
Hexachlorocyclopentadiene	ND		5	UG/L	8270	01/03/2008 15:45		RM
Hexachloroethane	ND		5	UG/L	8270	01/03/2008 15:45		RM
Indeno(1,2,3-cd)pyrene	ND		5	UG/L	8270	01/03/2008 15:45		RM
Isophorone	ND		5	UG/L	8270	01/03/2008 15:45		RM
N-Nitroso-Di-n-propylamine	ND		5	UG/L	8270	01/03/2008 15:45		RM
N-nitrosodiphenylamine	ND		5	UG/L	8270	01/03/2008 15:45		RM
Naphthalene	ND		5	UG/L	8270	01/03/2008 15:45		RM
Nitrobenzene	ND		5	UG/L	8270	01/03/2008 15:45		RM
Pentachlorophenol	ND		10	UG/L	8270	01/03/2008 15:45		RM
Phenanthrene	0.3	J	5	UG/L	8270	01/03/2008 15:45		RM
Phenol	ND		5	UG/L	8270	01/03/2008 15:45		RM

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

49/65 Page: 41

Rept: AN1178

Sample ID: S-2
Lab Sample ID: A7E98512
Date Collected: 12/27/2007
Time Collected: 14:00

Date Received: 12/27/2007

Project No: NY7A9742

Client No: L11071

Site No:

Parameter	Result	Flag	Detection Limit	Units	Method	Date/Time Analyzed	Analyst
ASPO5 AQUEOUS - METHOD 8270 SVOA (3.2 LIS							
Pyrene	0.2	J	5	UG/L	8270	01/03/2008 15:45	RM
ASPO5 AQUEOUS - 8081 - TCL PESTICIDES-3.2							
4,4'-DDD	ND		0.050	UG/L	8081	01/02/2008 19:27	TCH
4,4'-DDE	ND		0.050	UG/L	8081	01/02/2008 19:27	TCH
4,4'-DDT	ND		0.050	UG/L	8081	01/02/2008 19:27	TCH
Aldrin	ND		0.050	UG/L	8081	01/02/2008 19:27	TCH
alpha-BHC	ND		0.050	UG/L	8081	01/02/2008 19:27	TCH
alpha-Chlordane	ND		0.050	UG/L	8081	01/02/2008 19:27	TCH
beta-BHC	ND		0.050	UG/L	8081	01/02/2008 19:27	TCH
Chlordane	ND		0.50	UG/L	8081	01/02/2008 19:27	TCH
delta-BHC	ND		0.050	UG/L	8081	01/02/2008 19:27	TCH
Dieldrin	ND		0.050	UG/L	8081	01/02/2008 19:27	TCH
Endosulfan I	0.0050	J	0.050	UG/L	8081	01/02/2008 19:27	TCH
Endosulfan II	ND		0.050	UG/L	8081	01/02/2008 19:27	TCH
Endosulfan Sulfate	ND		0.050	UG/L	8081	01/02/2008 19:27	TCH
Endrin	ND		0.050	UG/L	8081	01/02/2008 19:27	TCH
Endrin aldehyde	ND		0.050	UG/L	8081	01/02/2008 19:27	TCH
Endrin ketone	ND		0.050	UG/L	8081	01/02/2008 19:27	TCH
gamma-BHC (Lindane)	ND		0.050	UG/L	8081	01/02/2008 19:27	TCH
gamma-Chlordane	ND		0.050	UG/L	8081	01/02/2008 19:27	TCH
Heptachlor	0.023	J	0.050	UG/L	8081	01/02/2008 19:27	TCH
Heptachlor epoxide	ND		0.050	UG/L	8081	01/02/2008 19:27	TCH
Methoxychlor	ND		0.050	UG/L	8081	01/02/2008 19:27	TCH
Toxaphene	ND		0.50	UG/L	8081	01/02/2008 19:27	TCH
ASPO5 AQUEOUS- 8082 - PCBS (3.2 LIST)							
Aroclor 1016	ND		0.50	UG/L	8082	12/31/2007 14:39	GFD
Aroclor 1221	ND		0.50	UG/L	8082	12/31/2007 14:39	GFD
Aroclor 1232	ND		0.50	UG/L	8082	12/31/2007 14:39	GFD
Aroclor 1242	0.33	J	0.50	UG/L	8082	12/31/2007 14:39	GFD
Aroclor 1248	ND		0.50	UG/L	8082	12/31/2007 14:39	GFD
Aroclor 1254	ND		0.50	UG/L	8082	12/31/2007 14:39	GFD
Aroclor 1260	ND		0.50	UG/L	8082	12/31/2007 14:39	GFD
Metals Analysis							
Aluminum - Total	206		40.0	UG/L	6010	12/31/2007 19:12	
Antimony - Total	ND		5.6	UG/L	6010	12/31/2007 19:12	
Arsenic - Total	ND		4.2	UG/L	6010	12/31/2007 19:12	
Barium - Total	39.0		0.22	UG/L	6010	12/31/2007 19:12	
Beryllium - Total	0.38	B	0.27	UG/L	6010	12/31/2007 19:12	
Cadmium - Total	ND		0.36	UG/L	6010	12/31/2007 19:12	
Calcium - Total	61800		100	UG/L	6010	12/31/2007 19:12	
Chromium - Total	ND		0.84	UG/L	6010	12/31/2007 19:12	
Cobalt - Total	ND		0.89	UG/L	6010	12/31/2007 19:12	
Copper - Total	2.9	B	1.3	UG/L	6010	12/31/2007 19:12	
Iron - Total	42.3	B	19.3	UG/L	6010	12/31/2007 19:12	
Lead - Total	ND		2.9	UG/L	6010	12/31/2007 19:12	
Magnesium - Total	77.5	B	42.3	UG/L	6010	12/31/2007 19:12	

Date: 03/31/2008
Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

50/65 Page: 42
Rept: AN1178

Sample ID: S-2
Lab Sample ID: A7E98512
Date Collected: 12/27/2007
Time Collected: 14:00

Date Received: 12/27/2007
Project No: NY7A9742
Client No: L11071
Site No:

Parameter	Result	Flag	Detection	Units	Method	Date/Time	
			Limit			Analyzed	Analyst
Metals Analysis							
Manganese - Total	0.45	B	0.16	UG/L	6010	12/31/2007 19:12	
Mercury - Total	ND		0.120	UG/L	7470	01/02/2008 13:21	
Nickel - Total	ND		1.2	UG/L	6010	12/31/2007 19:12	
Potassium - Total	36400		24.0	UG/L	6010	12/31/2007 19:12	
Selenium - Total	7.7	B	6.1	UG/L	6010	12/31/2007 19:12	
Silver - Total	1.3	B	1.0	UG/L	6010	12/31/2007 19:12	
Sodium - Total	44900		339	UG/L	6010	12/31/2007 19:12	
Thallium - Total	ND		7.0	UG/L	6010	12/31/2007 19:12	
Vanadium - Total	72.4		0.78	UG/L	6010	12/31/2007 19:12	
Zinc - Total	ND		3.6	UG/L	6010	12/31/2007 19:12	
Wet Chemistry Analysis							
Cyanide - Total	0.031		0.010	MG/L	9012	01/08/2008 14:19	ERK

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site

GES- Cherry Farm Annual Groundwater Monitoring

51/65 Page: 43

Rept: AN1178

Sample ID: S-3

Lab Sample ID: A7E98513

Date Collected: 12/27/2007

Time Collected: 14:15

Date Received: 12/27/2007

Project No: NY7A9742

Client No: L11071

Site No:

Parameter	Result	Flag	Detection		Units	Method	Date/Time		Analyst
			Limit				Analyzed		
ASP05 AQUEOUS - 8260 - TCL VOLATILES(3.2									
1,1,1-Trichloroethane	ND		4		UG/L	8260	01/04/2008 08:11		PQ
1,1,2,2-Tetrachloroethane	ND		4		UG/L	8260	01/04/2008 08:11		PQ
1,1,2-Trichloroethane	ND		4		UG/L	8260	01/04/2008 08:11		PQ
1,1-Dichloroethane	ND		4		UG/L	8260	01/04/2008 08:11		PQ
1,1-Dichloroethene	ND		4		UG/L	8260	01/04/2008 08:11		PQ
1,2-Dichloroethane	ND		4		UG/L	8260	01/04/2008 08:11		PQ
1,2-Dichloroethene (Total)	ND		8		UG/L	8260	01/04/2008 08:11		PQ
1,2-Dichloropropane	ND		4		UG/L	8260	01/04/2008 08:11		PQ
2-Butanone	ND		20		UG/L	8260	01/04/2008 08:11		PQ
2-Hexanone	ND		20		UG/L	8260	01/04/2008 08:11		PQ
4-Methyl-2-pentanone	ND		20		UG/L	8260	01/04/2008 08:11		PQ
Acetone	ND		20		UG/L	8260	01/04/2008 08:11		PQ
Benzene	ND		4		UG/L	8260	01/04/2008 08:11		PQ
Bromodichloromethane	ND		4		UG/L	8260	01/04/2008 08:11		PQ
Bromoform	ND		4		UG/L	8260	01/04/2008 08:11		PQ
Bromomethane	ND		4		UG/L	8260	01/04/2008 08:11		PQ
Carbon Disulfide	ND		4		UG/L	8260	01/04/2008 08:11		PQ
Carbon Tetrachloride	ND		4		UG/L	8260	01/04/2008 08:11		PQ
Chlorobenzene	ND		4		UG/L	8260	01/04/2008 08:11		PQ
Chloroethane	ND		4		UG/L	8260	01/04/2008 08:11		PQ
Chloroform	ND		4		UG/L	8260	01/04/2008 08:11		PQ
Chloromethane	ND		4		UG/L	8260	01/04/2008 08:11		PQ
cis-1,3-Dichloropropene	ND		4		UG/L	8260	01/04/2008 08:11		PQ
Dibromochloromethane	ND		4		UG/L	8260	01/04/2008 08:11		PQ
Ethylbenzene	ND		4		UG/L	8260	01/04/2008 08:11		PQ
Methylene chloride	ND		4		UG/L	8260	01/04/2008 08:11		PQ
Styrene	ND		4		UG/L	8260	01/04/2008 08:11		PQ
Tetrachloroethene	ND		4		UG/L	8260	01/04/2008 08:11		PQ
Toluene	ND		4		UG/L	8260	01/04/2008 08:11		PQ
Total Xylenes	ND		12		UG/L	8260	01/04/2008 08:11		PQ
trans-1,3-Dichloropropene	ND		4		UG/L	8260	01/04/2008 08:11		PQ
Trichloroethene	ND		4		UG/L	8260	01/04/2008 08:11		PQ
Vinyl chloride	ND		4		UG/L	8260	01/04/2008 08:11		PQ
ASP05 AQUEOUS - METHOD 8270 SVOA (3.2 LIS									
1,2,4-Trichlorobenzene	ND		10		UG/L	8270	01/03/2008 16:07		RM
1,2-Dichlorobenzene	ND		10		UG/L	8270	01/03/2008 16:07		RM
1,3-Dichlorobenzene	ND		10		UG/L	8270	01/03/2008 16:07		RM
1,4-Dichlorobenzene	ND		10		UG/L	8270	01/03/2008 16:07		RM
2,2'-Oxybis(1-Chloropropane)	ND		5		UG/L	8270	01/03/2008 16:07		RM
2,4,5-Trichlorophenol	ND		5		UG/L	8270	01/03/2008 16:07		RM
2,4,6-Trichlorophenol	ND		5		UG/L	8270	01/03/2008 16:07		RM
2,4-Dichlorophenol	ND		5		UG/L	8270	01/03/2008 16:07		RM
2,4-Dimethylphenol	4	J	5		UG/L	8270	01/03/2008 16:07		RM
2,4-Dinitrophenol	ND		10		UG/L	8270	01/03/2008 16:07		RM
2,4-Dinitrotoluene	ND		5		UG/L	8270	01/03/2008 16:07		RM
2,6-Dinitrotoluene	ND		5		UG/L	8270	01/03/2008 16:07		RM
2-Chloronaphthalene	ND		5		UG/L	8270	01/03/2008 16:07		RM
2-Chlorophenol	ND		5		UG/L	8270	01/03/2008 16:07		RM

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

52/65 Page: 44
Rept: AN1178

Sample ID: S-3
Lab Sample ID: A7E98513
Date Collected: 12/27/2007
Time Collected: 14:15

Date Received: 12/27/2007
Project No: NY7A9742
Client No: L11071
Site No:

Parameter	Result	Flag	Detection		Units	Method	Date/Time		Analyst
			Limit				Analyzed		
ASPO5 AQUEOUS - METHOD 8270 SVOA (3.2 LIS									
2-Methylnaphthalene	0.3	J	5		UG/L	8270	01/03/2008 16:07		RM
2-Methylphenol	0.6	J	5		UG/L	8270	01/03/2008 16:07		RM
2-Nitroaniline	ND		10		UG/L	8270	01/03/2008 16:07		RM
2-Nitrophenol	ND		5		UG/L	8270	01/03/2008 16:07		RM
3,3'-Dichlorobenzidine	ND		5		UG/L	8270	01/03/2008 16:07		RM
3-Nitroaniline	ND		10		UG/L	8270	01/03/2008 16:07		RM
4,6-Dinitro-2-methylphenol	ND		10		UG/L	8270	01/03/2008 16:07		RM
4-Bromophenyl phenyl ether	ND		5		UG/L	8270	01/03/2008 16:07		RM
4-Chloro-3-methylphenol	ND		5		UG/L	8270	01/03/2008 16:07		RM
4-Chloroaniline	ND		5		UG/L	8270	01/03/2008 16:07		RM
4-Chlorophenyl phenyl ether	ND		5		UG/L	8270	01/03/2008 16:07		RM
4-Methylphenol	1	J	5		UG/L	8270	01/03/2008 16:07		RM
4-Nitroaniline	ND		10		UG/L	8270	01/03/2008 16:07		RM
4-Nitrophenol	ND		10		UG/L	8270	01/03/2008 16:07		RM
Acenaphthene	0.5	J	5		UG/L	8270	01/03/2008 16:07		RM
Acenaphthylene	0.2	J	5		UG/L	8270	01/03/2008 16:07		RM
Anthracene	ND		5		UG/L	8270	01/03/2008 16:07		RM
Benzo(a)anthracene	0.2	J	5		UG/L	8270	01/03/2008 16:07		RM
Benzo(a)pyrene	ND		5		UG/L	8270	01/03/2008 16:07		RM
Benzo(b)fluoranthene	ND		5		UG/L	8270	01/03/2008 16:07		RM
Benzo(ghi)perylene	ND		5		UG/L	8270	01/03/2008 16:07		RM
Benzo(k)fluoranthene	ND		5		UG/L	8270	01/03/2008 16:07		RM
Bis(2-chloroethoxy) methane	ND		5		UG/L	8270	01/03/2008 16:07		RM
Bis(2-chloroethyl) ether	ND		5		UG/L	8270	01/03/2008 16:07		RM
Bis(2-ethylhexyl) phthalate	ND		5		UG/L	8270	01/03/2008 16:07		RM
Butyl benzyl phthalate	ND		5		UG/L	8270	01/03/2008 16:07		RM
Carbazole	ND		5		UG/L	8270	01/03/2008 16:07		RM
Chrysene	ND		5		UG/L	8270	01/03/2008 16:07		RM
Di-n-butyl phthalate	0.3	BJ	5		UG/L	8270	01/03/2008 16:07		RM
Di-n-octyl phthalate	ND		5		UG/L	8270	01/03/2008 16:07		RM
Dibenzo(a,h)anthracene	ND		5		UG/L	8270	01/03/2008 16:07		RM
Dibenzofuran	ND		5		UG/L	8270	01/03/2008 16:07		RM
Diethyl phthalate	ND		5		UG/L	8270	01/03/2008 16:07		RM
Dimethyl phthalate	ND		5		UG/L	8270	01/03/2008 16:07		RM
Fluoranthene	0.3	J	5		UG/L	8270	01/03/2008 16:07		RM
Fluorene	0.4	J	5		UG/L	8270	01/03/2008 16:07		RM
Hexachlorobenzene	ND		5		UG/L	8270	01/03/2008 16:07		RM
Hexachlorobutadiene	ND		5		UG/L	8270	01/03/2008 16:07		RM
Hexachlorocyclopentadiene	ND		5		UG/L	8270	01/03/2008 16:07		RM
Hexachloroethane	ND		5		UG/L	8270	01/03/2008 16:07		RM
Indeno(1,2,3-cd)pyrene	ND		5		UG/L	8270	01/03/2008 16:07		RM
Isophorone	ND		5		UG/L	8270	01/03/2008 16:07		RM
N-Nitroso-Di-n-propylamine	ND		5		UG/L	8270	01/03/2008 16:07		RM
N-nitrosodiphenylamine	ND		5		UG/L	8270	01/03/2008 16:07		RM
Naphthalene	1	J	5		UG/L	8270	01/03/2008 16:07		RM
Nitrobenzene	ND		5		UG/L	8270	01/03/2008 16:07		RM
Pentachlorophenol	ND		10		UG/L	8270	01/03/2008 16:07		RM
Phenanthrene	0.8	J	5		UG/L	8270	01/03/2008 16:07		RM
Phenol	ND		5		UG/L	8270	01/03/2008 16:07		RM

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

53/65 Page: 45
Rept: AN1178

Sample ID: S-3
Lab Sample ID: A7E98513
Date Collected: 12/27/2007
Time Collected: 14:15

Date Received: 12/27/2007
Project No: NY7A9742
Client No: L11071
Site No:

Parameter	Result	Flag	Detection		Units	Method	Date/Time		Analyst
			Limit				Analyzed		
ASPO5 AQUEOUS - METHOD 8270 SVOA (3.2 LIS									
Pyrene	0.2	J	5		UG/L	8270	01/03/2008 16:07		RM
ASPO5 AQUEOUS - 8081 - TCL PESTICIDES-3.2									
4,4'-DDD	ND		0.050		UG/L	8081	01/02/2008 20:03		TCH
4,4'-DDE	ND		0.050		UG/L	8081	01/02/2008 20:03		TCH
4,4'-DDT	ND		0.050		UG/L	8081	01/02/2008 20:03		TCH
Aldrin	ND		0.050		UG/L	8081	01/02/2008 20:03		TCH
alpha-BHC	ND		0.050		UG/L	8081	01/02/2008 20:03		TCH
alpha-Chlordane	ND		0.050		UG/L	8081	01/02/2008 20:03		TCH
beta-BHC	ND		0.050		UG/L	8081	01/02/2008 20:03		TCH
Chlordane	ND		0.50		UG/L	8081	01/02/2008 20:03		TCH
delta-BHC	ND		0.050		UG/L	8081	01/02/2008 20:03		TCH
Dieldrin	ND		0.050		UG/L	8081	01/02/2008 20:03		TCH
Endosulfan I	ND		0.050		UG/L	8081	01/02/2008 20:03		TCH
Endosulfan II	ND		0.050		UG/L	8081	01/02/2008 20:03		TCH
Endosulfan Sulfate	ND		0.050		UG/L	8081	01/02/2008 20:03		TCH
Endrin	ND		0.050		UG/L	8081	01/02/2008 20:03		TCH
Endrin aldehyde	ND		0.050		UG/L	8081	01/02/2008 20:03		TCH
Endrin ketone	ND		0.050		UG/L	8081	01/02/2008 20:03		TCH
gamma-BHC (Lindane)	ND		0.050		UG/L	8081	01/02/2008 20:03		TCH
gamma-Chlordane	ND		0.050		UG/L	8081	01/02/2008 20:03		TCH
Heptachlor	0.023	J	0.050		UG/L	8081	01/02/2008 20:03		TCH
Heptachlor epoxide	ND		0.050		UG/L	8081	01/02/2008 20:03		TCH
Methoxychlor	ND		0.050		UG/L	8081	01/02/2008 20:03		TCH
Toxaphene	ND		0.50		UG/L	8081	01/02/2008 20:03		TCH
ASPO5 AQUEOUS- 8082 - PCBS (3.2 LIST)									
Aroclor 1016	ND		0.51		UG/L	8082	12/31/2007 14:53		GFD
Aroclor 1221	ND		0.51		UG/L	8082	12/31/2007 14:53		GFD
Aroclor 1232	ND		0.51		UG/L	8082	12/31/2007 14:53		GFD
Aroclor 1242	0.39	J	0.51		UG/L	8082	12/31/2007 14:53		GFD
Aroclor 1248	ND		0.51		UG/L	8082	12/31/2007 14:53		GFD
Aroclor 1254	ND		0.51		UG/L	8082	12/31/2007 14:53		GFD
Aroclor 1260	ND		0.51		UG/L	8082	12/31/2007 14:53		GFD
Metals Analysis									
Aluminum - Total	474		40.0		UG/L	6010	12/31/2007 19:16		
Antimony - Total	ND		5.6		UG/L	6010	12/31/2007 19:16		
Arsenic - Total	5.7	B	4.2		UG/L	6010	12/31/2007 19:16		
Barium - Total	34.9		0.22		UG/L	6010	12/31/2007 19:16		
Beryllium - Total	0.38	B	0.27		UG/L	6010	12/31/2007 19:16		
Cadmium - Total	ND		0.36		UG/L	6010	12/31/2007 19:16		
Calcium - Total	63000		100		UG/L	6010	12/31/2007 19:16		
Chromium - Total	1.6	B	0.84		UG/L	6010	12/31/2007 19:16		
Cobalt - Total	ND		0.89		UG/L	6010	12/31/2007 19:16		
Copper - Total	ND		1.3		UG/L	6010	12/31/2007 19:16		
Iron - Total	20.5	B	19.3		UG/L	6010	12/31/2007 19:16		
Lead - Total	ND		2.9		UG/L	6010	12/31/2007 19:16		
Magnesium - Total	557		42.3		UG/L	6010	12/31/2007 19:16		

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

54/65 Page: 46
Rept: AN1178

Sample ID: S-3

Lab Sample ID: A7E98513

Date Collected: 12/27/2007

Time Collected: 14:15

Date Received: 12/27/2007

Project No: NY7A9742

Client No: L11071

Site No:

Parameter	Result	Flag	Detection	Units	Method	Date/Time	
			Limit			Analyzed	Analyst
Metals Analysis							
Manganese - Total	0.79	B	0.16	UG/L	6010	12/31/2007 19:16	
Mercury - Total	ND		0.120	UG/L	7470	01/02/2008 13:23	
Nickel - Total	2.2	B	1.2	UG/L	6010	12/31/2007 19:16	
Potassium - Total	38700		24.0	UG/L	6010	12/31/2007 19:16	
Selenium - Total	12.3	B	6.1	UG/L	6010	12/31/2007 19:16	
Silver - Total	1.5	B	1.0	UG/L	6010	12/31/2007 19:16	
Sodium - Total	48900		339	UG/L	6010	12/31/2007 19:16	
Thallium - Total	ND		7.0	UG/L	6010	12/31/2007 19:16	
Vanadium - Total	39.1		0.78	UG/L	6010	12/31/2007 19:16	
Zinc - Total	ND		3.6	UG/L	6010	12/31/2007 19:16	
Wet Chemistry Analysis							
Cyanide - Total	0.037		0.010	MG/L	9012	01/08/2008 14:19	ERK

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site

GES- Cherry Farm Annual Groundwater Monitoring

55/65 Page: 47

Rept: AN1178

Sample ID: S-3

Lab Sample ID: A7E98513RE

Date Collected: 12/27/2007

Time Collected: 14:15

Date Received: 12/27/2007

Project No: NY7A9742

Client No: L11071

Site No:

Parameter	Result	Flag	Detection Limit	Units	Method	Date/Time	
						Analyzed	Analyst
Wet Chemistry Analysis							
Cyanide - Total	0.045		0.010	MG/L	9012	01/10/2008 11:09	ERK

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

56/65 Page: 48
Rept: AN1178

Sample ID: S-4
Lab Sample ID: A7E98514
Date Collected: 12/27/2007
Time Collected: 14:30

Date Received: 12/27/2007
Project No: NY7A9742
Client No: L11071
Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
ASPO5 AQUEOUS - 8260 - TCL VOLATILES(3.2								
1,1,1-Trichloroethane	ND		1	UG/L	8260	01/04/2008 08:34		PQ
1,1,2,2-Tetrachloroethane	ND		1	UG/L	8260	01/04/2008 08:34		PQ
1,1,2-Trichloroethane	ND		1	UG/L	8260	01/04/2008 08:34		PQ
1,1-Dichloroethane	ND		1	UG/L	8260	01/04/2008 08:34		PQ
1,1-Dichloroethene	ND		1	UG/L	8260	01/04/2008 08:34		PQ
1,2-Dichloroethane	ND		1	UG/L	8260	01/04/2008 08:34		PQ
1,2-Dichloroethene (Total)	ND		2	UG/L	8260	01/04/2008 08:34		PQ
1,2-Dichloropropane	ND		1	UG/L	8260	01/04/2008 08:34		PQ
2-Butanone	ND		5	UG/L	8260	01/04/2008 08:34		PQ
2-Hexanone	ND		5	UG/L	8260	01/04/2008 08:34		PQ
4-Methyl-2-pentanone	ND		5	UG/L	8260	01/04/2008 08:34		PQ
Acetone	ND		5	UG/L	8260	01/04/2008 08:34		PQ
Benzene	ND		1	UG/L	8260	01/04/2008 08:34		PQ
Bromodichloromethane	ND		1	UG/L	8260	01/04/2008 08:34		PQ
Bromoform	ND		1	UG/L	8260	01/04/2008 08:34		PQ
Bromomethane	ND		1	UG/L	8260	01/04/2008 08:34		PQ
Carbon Disulfide	ND		1	UG/L	8260	01/04/2008 08:34		PQ
Carbon Tetrachloride	ND		1	UG/L	8260	01/04/2008 08:34		PQ
Chlorobenzene	ND		1	UG/L	8260	01/04/2008 08:34		PQ
Chloroethane	ND		1	UG/L	8260	01/04/2008 08:34		PQ
Chloroform	ND		1	UG/L	8260	01/04/2008 08:34		PQ
Chloromethane	ND		1	UG/L	8260	01/04/2008 08:34		PQ
cis-1,3-Dichloropropene	ND		1	UG/L	8260	01/04/2008 08:34		PQ
Dibromochloromethane	ND		1	UG/L	8260	01/04/2008 08:34		PQ
Ethylbenzene	ND		1	UG/L	8260	01/04/2008 08:34		PQ
Methylene chloride	ND		1	UG/L	8260	01/04/2008 08:34		PQ
Styrene	ND		1	UG/L	8260	01/04/2008 08:34		PQ
Tetrachloroethene	ND		1	UG/L	8260	01/04/2008 08:34		PQ
Toluene	ND		1	UG/L	8260	01/04/2008 08:34		PQ
Total Xylenes	ND		3	UG/L	8260	01/04/2008 08:34		PQ
trans-1,3-Dichloropropene	ND		1	UG/L	8260	01/04/2008 08:34		PQ
Trichloroethene	ND		1	UG/L	8260	01/04/2008 08:34		PQ
Vinyl chloride	ND		1	UG/L	8260	01/04/2008 08:34		PQ
ASPO5 AQUEOUS - METHOD 8270 SVOA (3.2 LIS								
1,2,4-Trichlorobenzene	ND		10	UG/L	8270	01/03/2008 16:30		RM
1,2-Dichlorobenzene	ND		10	UG/L	8270	01/03/2008 16:30		RM
1,3-Dichlorobenzene	ND		10	UG/L	8270	01/03/2008 16:30		RM
1,4-Dichlorobenzene	ND		10	UG/L	8270	01/03/2008 16:30		RM
2,2'-Oxybis(1-Chloropropane)	ND		5	UG/L	8270	01/03/2008 16:30		RM
2,4,5-Trichlorophenol	ND		5	UG/L	8270	01/03/2008 16:30		RM
2,4,6-Trichlorophenol	ND		5	UG/L	8270	01/03/2008 16:30		RM
2,4-Dichlorophenol	ND		5	UG/L	8270	01/03/2008 16:30		RM
2,4-Dimethylphenol	ND		5	UG/L	8270	01/03/2008 16:30		RM
2,4-Dinitrophenol	ND		10	UG/L	8270	01/03/2008 16:30		RM
2,4-Dinitrotoluene	ND		5	UG/L	8270	01/03/2008 16:30		RM
2,6-Dinitrotoluene	ND		5	UG/L	8270	01/03/2008 16:30		RM
2-Chloronaphthalene	ND		5	UG/L	8270	01/03/2008 16:30		RM
2-Chlorophenol	ND		5	UG/L	8270	01/03/2008 16:30		RM

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site

GES- Cherry Farm Annual Groundwater Monitoring

57/65 Page: 49

Rept: AN1178

Sample ID: S-4

Lab Sample ID: A7E98514

Date Collected: 12/27/2007

Time Collected: 14:30

Date Received: 12/27/2007

Project No: NY7A9742

Client No: L11071

Site No:

Parameter	Result	Flag	Detection		Method	Date/Time		Analyst
			Limit	Units		Analyzed		
ASP05 AQUEOUS - METHOD 8270 SVOA (3.2 LIS								
2-Methylnaphthalene	ND		5	UG/L	8270	01/03/2008 16:30		RM
2-Methylphenol	ND		5	UG/L	8270	01/03/2008 16:30		RM
2-Nitroaniline	ND		10	UG/L	8270	01/03/2008 16:30		RM
2-Nitrophenol	ND		5	UG/L	8270	01/03/2008 16:30		RM
3,3'-Dichlorobenzidine	ND		5	UG/L	8270	01/03/2008 16:30		RM
3-Nitroaniline	ND		10	UG/L	8270	01/03/2008 16:30		RM
4,6-Dinitro-2-methylphenol	ND		10	UG/L	8270	01/03/2008 16:30		RM
4-Bromophenyl phenyl ether	ND		5	UG/L	8270	01/03/2008 16:30		RM
4-Chloro-3-methylphenol	ND		5	UG/L	8270	01/03/2008 16:30		RM
4-Chloroaniline	ND		5	UG/L	8270	01/03/2008 16:30		RM
4-Chlorophenyl phenyl ether	ND		5	UG/L	8270	01/03/2008 16:30		RM
4-Methylphenol	ND		5	UG/L	8270	01/03/2008 16:30		RM
4-Nitroaniline	ND		10	UG/L	8270	01/03/2008 16:30		RM
4-Nitrophenol	ND		10	UG/L	8270	01/03/2008 16:30		RM
Acenaphthene	ND		5	UG/L	8270	01/03/2008 16:30		RM
Acenaphthylene	ND		5	UG/L	8270	01/03/2008 16:30		RM
Anthracene	ND		5	UG/L	8270	01/03/2008 16:30		RM
Benzo(a)anthracene	ND		5	UG/L	8270	01/03/2008 16:30		RM
Benzo(a)pyrene	ND		5	UG/L	8270	01/03/2008 16:30		RM
Benzo(b)fluoranthene	ND		5	UG/L	8270	01/03/2008 16:30		RM
Benzo(ghi)perylene	ND		5	UG/L	8270	01/03/2008 16:30		RM
Benzo(k)fluoranthene	ND		5	UG/L	8270	01/03/2008 16:30		RM
Bis(2-chloroethoxy) methane	ND		5	UG/L	8270	01/03/2008 16:30		RM
Bis(2-chloroethyl) ether	ND		5	UG/L	8270	01/03/2008 16:30		RM
Bis(2-ethylhexyl) phthalate	ND		5	UG/L	8270	01/03/2008 16:30		RM
Butyl benzyl phthalate	ND		5	UG/L	8270	01/03/2008 16:30		RM
Carbazole	ND		5	UG/L	8270	01/03/2008 16:30		RM
Chrysene	ND		5	UG/L	8270	01/03/2008 16:30		RM
Di-n-butyl phthalate	0.3	BJ	5	UG/L	8270	01/03/2008 16:30		RM
Di-n-octyl phthalate	ND		5	UG/L	8270	01/03/2008 16:30		RM
Dibenzo(a,h)anthracene	ND		5	UG/L	8270	01/03/2008 16:30		RM
Dibenzofuran	ND		5	UG/L	8270	01/03/2008 16:30		RM
Diethyl phthalate	ND		5	UG/L	8270	01/03/2008 16:30		RM
Dimethyl phthalate	ND		5	UG/L	8270	01/03/2008 16:30		RM
Fluoranthene	ND		5	UG/L	8270	01/03/2008 16:30		RM
Fluorene	ND		5	UG/L	8270	01/03/2008 16:30		RM
Hexachlorobenzene	ND		5	UG/L	8270	01/03/2008 16:30		RM
Hexachlorobutadiene	ND		5	UG/L	8270	01/03/2008 16:30		RM
Hexachlorocyclopentadiene	ND		5	UG/L	8270	01/03/2008 16:30		RM
Hexachloroethane	ND		5	UG/L	8270	01/03/2008 16:30		RM
Indeno(1,2,3-cd)pyrene	ND		5	UG/L	8270	01/03/2008 16:30		RM
Isophorone	ND		5	UG/L	8270	01/03/2008 16:30		RM
N-Nitroso-Di-n-propylamine	ND		5	UG/L	8270	01/03/2008 16:30		RM
N-nitrosodiphenylamine	ND		5	UG/L	8270	01/03/2008 16:30		RM
Naphthalene	ND		5	UG/L	8270	01/03/2008 16:30		RM
Nitrobenzene	ND		5	UG/L	8270	01/03/2008 16:30		RM
Pentachlorophenol	ND		10	UG/L	8270	01/03/2008 16:30		RM
Phenanthrene	ND		5	UG/L	8270	01/03/2008 16:30		RM
Phenol	ND		5	UG/L	8270	01/03/2008 16:30		RM

TestAmerica

Date: 03/31/2008
Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

58/65 Page: 50
Rept: AN1178

Sample ID: S-4
Lab Sample ID: A7E98514
Date Collected: 12/27/2007
Time Collected: 14:30

Date Received: 12/27/2007
Project No: NY7A9742
Client No: L11071
Site No:

Parameter	Result	Flag	Detection Limit	Units	Method	Date/Time Analyzed	Analyst
ASPO5 AQUEOUS - METHOD 8270 SVOA (3.2 LIS							
Pyrene	ND		5	UG/L	8270	01/03/2008 16:30	RM
ASPO5 AQUEOUS - 8081 - TCL PESTICIDES-3.2							
4,4'-DDD	ND		0.050	UG/L	8081	01/02/2008 20:39	TCH
4,4'-DDE	0.039	J	0.050	UG/L	8081	01/02/2008 20:39	TCH
4,4'-DDT	0.046	J	0.050	UG/L	8081	01/02/2008 20:39	TCH
Aldrin	ND		0.050	UG/L	8081	01/02/2008 20:39	TCH
alpha-BHC	ND		0.050	UG/L	8081	01/02/2008 20:39	TCH
alpha-Chlordane	ND		0.050	UG/L	8081	01/02/2008 20:39	TCH
beta-BHC	ND		0.050	UG/L	8081	01/02/2008 20:39	TCH
Chlordane	ND		0.50	UG/L	8081	01/02/2008 20:39	TCH
delta-BHC	ND		0.050	UG/L	8081	01/02/2008 20:39	TCH
Dieldrin	ND		0.050	UG/L	8081	01/02/2008 20:39	TCH
Endosulfan I	ND		0.050	UG/L	8081	01/02/2008 20:39	TCH
Endosulfan II	ND		0.050	UG/L	8081	01/02/2008 20:39	TCH
Endosulfan Sulfate	ND		0.050	UG/L	8081	01/02/2008 20:39	TCH
Endrin	ND		0.050	UG/L	8081	01/02/2008 20:39	TCH
Endrin aldehyde	ND		0.050	UG/L	8081	01/02/2008 20:39	TCH
Endrin ketone	ND		0.050	UG/L	8081	01/02/2008 20:39	TCH
gamma-BHC (Lindane)	0.030	J	0.050	UG/L	8081	01/02/2008 20:39	TCH
gamma-Chlordane	0.011	J	0.050	UG/L	8081	01/02/2008 20:39	TCH
Heptachlor	0.019	J	0.050	UG/L	8081	01/02/2008 20:39	TCH
Heptachlor epoxide	ND		0.050	UG/L	8081	01/02/2008 20:39	TCH
Methoxychlor	ND		0.050	UG/L	8081	01/02/2008 20:39	TCH
Toxaphene	ND		0.50	UG/L	8081	01/02/2008 20:39	TCH
ASPO5 AQUEOUS- 8082 - PCBs (3.2 LIST)							
Aroclor 1016	ND		0.52	UG/L	8082	12/31/2007 15:08	GFD
Aroclor 1221	ND		0.52	UG/L	8082	12/31/2007 15:08	GFD
Aroclor 1232	ND		0.52	UG/L	8082	12/31/2007 15:08	GFD
Aroclor 1242	0.46	J	0.52	UG/L	8082	12/31/2007 15:08	GFD
Aroclor 1248	ND		0.52	UG/L	8082	12/31/2007 15:08	GFD
Aroclor 1254	ND		0.52	UG/L	8082	12/31/2007 15:08	GFD
Aroclor 1260	ND		0.52	UG/L	8082	12/31/2007 15:08	GFD
Metals Analysis							
Aluminum - Total	1920		40.0	UG/L	6010	12/31/2007 19:20	
Antimony - Total	ND		5.6	UG/L	6010	12/31/2007 19:20	
Arsenic - Total	7.3	B	4.2	UG/L	6010	12/31/2007 19:20	
Barium - Total	19.3		0.22	UG/L	6010	12/31/2007 19:20	
Beryllium - Total	0.49	B	0.27	UG/L	6010	12/31/2007 19:20	
Cadmium - Total	ND		0.36	UG/L	6010	12/31/2007 19:20	
Calcium - Total	34800		100	UG/L	6010	12/31/2007 19:20	
Chromium - Total	2.5	B	0.84	UG/L	6010	12/31/2007 19:20	
Cobalt - Total	ND		0.89	UG/L	6010	12/31/2007 19:20	
Copper - Total	4.5	B	1.3	UG/L	6010	12/31/2007 19:20	
Iron - Total	1110		19.3	UG/L	6010	12/31/2007 19:20	
Lead - Total	ND		2.9	UG/L	6010	12/31/2007 19:20	
Magnesium - Total	4640		42.3	UG/L	6010	12/31/2007 19:20	

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

59/65 Page: 51
Rept: AN1178

Sample ID: S-4

Lab Sample ID: A7E98514

Date Collected: 12/27/2007

Time Collected: 14:30

Date Received: 12/27/2007

Project No: NY7A9742

Client No: L11071

Site No:

Parameter	Result	Flag	Detection	Units	Method	Date/Time	
			Limit			Analyzed	Analyst
Metals Analysis							
Manganese - Total	32.2		0.16	UG/L	6010	12/31/2007 19:20	
Mercury - Total	ND		0.120	UG/L	7470	01/02/2008 13:24	
Nickel - Total	8.7	B	1.2	UG/L	6010	12/31/2007 19:20	
Potassium - Total	11500		24.0	UG/L	6010	12/31/2007 19:20	
Selenium - Total	10.0	B	6.1	UG/L	6010	12/31/2007 19:20	
Silver - Total	1.3	B	1.0	UG/L	6010	12/31/2007 19:20	
Sodium - Total	5140		339	UG/L	6010	12/31/2007 19:20	
Thallium - Total	ND		7.0	UG/L	6010	12/31/2007 19:20	
Vanadium - Total	8.4		0.78	UG/L	6010	12/31/2007 19:20	
Zinc - Total	15.5		3.6	UG/L	6010	12/31/2007 19:20	
Wet Chemistry Analysis							
Cyanide - Total	ND		0.010	MG/L	9012	01/03/2008 10:48	ERK

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

60/65 Page: 52
Rept: AN1178

Sample ID: SW-1
Lab Sample ID: A7E98515
Date Collected: 12/27/2007
Time Collected: 13:30

Date Received: 12/27/2007
Project No: NY7A9742
Client No: L11071
Site No:

Parameter	Result	Flag	Detection	Units	Method	Date/Time	Analyst
			Limit			Analyzed	
ASP05 AQUEOUS - 8260 - TCL VOLATILES(3.2							
1,1,1-Trichloroethane	ND		4	UG/L	8260	01/04/2008 08:58	PQ
1,1,2,2-Tetrachloroethane	ND		4	UG/L	8260	01/04/2008 08:58	PQ
1,1,2-Trichloroethane	ND		4	UG/L	8260	01/04/2008 08:58	PQ
1,1-Dichloroethane	ND		4	UG/L	8260	01/04/2008 08:58	PQ
1,1-Dichloroethene	ND		4	UG/L	8260	01/04/2008 08:58	PQ
1,2-Dichloroethane	ND		4	UG/L	8260	01/04/2008 08:58	PQ
1,2-Dichloroethene (Total)	ND		8	UG/L	8260	01/04/2008 08:58	PQ
1,2-Dichloropropane	ND		4	UG/L	8260	01/04/2008 08:58	PQ
2-Butanone	ND		20	UG/L	8260	01/04/2008 08:58	PQ
2-Hexanone	ND		20	UG/L	8260	01/04/2008 08:58	PQ
4-Methyl-2-pentanone	ND		20	UG/L	8260	01/04/2008 08:58	PQ
Acetone	ND		20	UG/L	8260	01/04/2008 08:58	PQ
Benzene	ND		4	UG/L	8260	01/04/2008 08:58	PQ
Bromodichloromethane	ND		4	UG/L	8260	01/04/2008 08:58	PQ
Bromoform	ND		4	UG/L	8260	01/04/2008 08:58	PQ
Bromomethane	ND		4	UG/L	8260	01/04/2008 08:58	PQ
Carbon Disulfide	ND		4	UG/L	8260	01/04/2008 08:58	PQ
Carbon Tetrachloride	ND		4	UG/L	8260	01/04/2008 08:58	PQ
Chlorobenzene	ND		4	UG/L	8260	01/04/2008 08:58	PQ
Chloroethane	ND		4	UG/L	8260	01/04/2008 08:58	PQ
Chloroform	ND		4	UG/L	8260	01/04/2008 08:58	PQ
Chloromethane	ND		4	UG/L	8260	01/04/2008 08:58	PQ
cis-1,3-Dichloropropene	ND		4	UG/L	8260	01/04/2008 08:58	PQ
Dibromochloromethane	ND		4	UG/L	8260	01/04/2008 08:58	PQ
Ethylbenzene	ND		4	UG/L	8260	01/04/2008 08:58	PQ
Methylene chloride	ND		4	UG/L	8260	01/04/2008 08:58	PQ
Styrene	ND		4	UG/L	8260	01/04/2008 08:58	PQ
Tetrachloroethene	ND		4	UG/L	8260	01/04/2008 08:58	PQ
Toluene	ND		4	UG/L	8260	01/04/2008 08:58	PQ
Total Xylenes	ND		12	UG/L	8260	01/04/2008 08:58	PQ
trans-1,3-Dichloropropene	ND		4	UG/L	8260	01/04/2008 08:58	PQ
Trichloroethene	ND		4	UG/L	8260	01/04/2008 08:58	PQ
Vinyl chloride	ND		4	UG/L	8260	01/04/2008 08:58	PQ

ASPO5 AQUEOUS - METHOD 8270 SVOA (3.2 LIS

1,2,4-Trichlorobenzene	ND		10	UG/L	8270	01/03/2008 16:53		RM
1,2-Dichlorobenzene	ND		10	UG/L	8270	01/03/2008 16:53		RM
1,3-Dichlorobenzene	ND		10	UG/L	8270	01/03/2008 16:53		RM
1,4-Dichlorobenzene	ND		10	UG/L	8270	01/03/2008 16:53		RM
2,2'-Oxybis(1-Chloropropane)	ND		5	UG/L	8270	01/03/2008 16:53		RM
2,4,5-Trichlorophenol	ND		5	UG/L	8270	01/03/2008 16:53		RM
2,4,6-Trichlorophenol	ND		5	UG/L	8270	01/03/2008 16:53		RM
2,4-Dichlorophenol	ND		5	UG/L	8270	01/03/2008 16:53		RM
2,4-Dimethylphenol	ND		5	UG/L	8270	01/03/2008 16:53		RM
2,4-Dinitrophenol	ND		10	UG/L	8270	01/03/2008 16:53		RM
2,4-Dinitrotoluene	ND		5	UG/L	8270	01/03/2008 16:53		RM
2,6-Dinitrotoluene	ND		5	UG/L	8270	01/03/2008 16:53		RM
2-Chloronaphthalene	ND		5	UG/L	8270	01/03/2008 16:53		RM
2-Chlorophenol	ND		5	UG/L	8270	01/03/2008 16:53		RM

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site

GES- Cherry Farm Annual Groundwater Monitoring

61/65 Page: 53

Rept: AN1178

Sample ID: SW-1

Lab Sample ID: A7E98515

Date Collected: 12/27/2007

Time Collected: 13:30

Date Received: 12/27/2007

Project No: NY7A9742

Client No: L11071

Site No:

Parameter	Result	Flag	Detection		Units	Method	Date/Time		Analyst
			Limit				Analyzed		
ASPO5 AQUEOUS - METHOD 8270 SVOA (3.2 LIS									
2-Methylnaphthalene	ND		5		UG/L	8270	01/03/2008 16:53		RM
2-Methylphenol	ND		5		UG/L	8270	01/03/2008 16:53		RM
2-Nitroaniline	ND		10		UG/L	8270	01/03/2008 16:53		RM
2-Nitrophenol	ND		5		UG/L	8270	01/03/2008 16:53		RM
3,3'-Dichlorobenzidine	ND		5		UG/L	8270	01/03/2008 16:53		RM
3-Nitroaniline	ND		10		UG/L	8270	01/03/2008 16:53		RM
4,6-Dinitro-2-methylphenol	ND		10		UG/L	8270	01/03/2008 16:53		RM
4-Bromophenyl phenyl ether	ND		5		UG/L	8270	01/03/2008 16:53		RM
4-Chloro-3-methylphenol	ND		5		UG/L	8270	01/03/2008 16:53		RM
4-Chloroaniline	ND		5		UG/L	8270	01/03/2008 16:53		RM
4-Chlorophenyl phenyl ether	ND		5		UG/L	8270	01/03/2008 16:53		RM
4-Methylphenol	ND		5		UG/L	8270	01/03/2008 16:53		RM
4-Nitroaniline	ND		10		UG/L	8270	01/03/2008 16:53		RM
4-Nitrophenol	ND		10		UG/L	8270	01/03/2008 16:53		RM
Acenaphthene	ND		5		UG/L	8270	01/03/2008 16:53		RM
Acenaphthylene	ND		5		UG/L	8270	01/03/2008 16:53		RM
Anthracene	ND		5		UG/L	8270	01/03/2008 16:53		RM
Benzo(a)anthracene	ND		5		UG/L	8270	01/03/2008 16:53		RM
Benzo(a)pyrene	ND		5		UG/L	8270	01/03/2008 16:53		RM
Benzo(b)fluoranthene	ND		5		UG/L	8270	01/03/2008 16:53		RM
Benzo(ghi)perylene	ND		5		UG/L	8270	01/03/2008 16:53		RM
Benzo(k)fluoranthene	ND		5		UG/L	8270	01/03/2008 16:53		RM
Bis(2-chloroethoxy) methane	ND		5		UG/L	8270	01/03/2008 16:53		RM
Bis(2-chloroethyl) ether	ND		5		UG/L	8270	01/03/2008 16:53		RM
Bis(2-ethylhexyl) phthalate	ND		5		UG/L	8270	01/03/2008 16:53		RM
Butyl benzyl phthalate	ND		5		UG/L	8270	01/03/2008 16:53		RM
Carbazole	ND		5		UG/L	8270	01/03/2008 16:53		RM
Chrysene	ND		5		UG/L	8270	01/03/2008 16:53		RM
Di-n-butyl phthalate	0.3	BJ	5		UG/L	8270	01/03/2008 16:53		RM
Di-n-octyl phthalate	ND		5		UG/L	8270	01/03/2008 16:53		RM
Dibenzo(a,h)anthracene	ND		5		UG/L	8270	01/03/2008 16:53		RM
Dibenzofuran	ND		5		UG/L	8270	01/03/2008 16:53		RM
Diethyl phthalate	ND		5		UG/L	8270	01/03/2008 16:53		RM
Dimethyl phthalate	ND		5		UG/L	8270	01/03/2008 16:53		RM
Fluoranthene	ND		5		UG/L	8270	01/03/2008 16:53		RM
Fluorene	ND		5		UG/L	8270	01/03/2008 16:53		RM
Hexachlorobenzene	ND		5		UG/L	8270	01/03/2008 16:53		RM
Hexachlorobutadiene	ND		5		UG/L	8270	01/03/2008 16:53		RM
Hexachlorocyclopentadiene	ND		5		UG/L	8270	01/03/2008 16:53		RM
Hexachloroethane	ND		5		UG/L	8270	01/03/2008 16:53		RM
Indeno(1,2,3-cd)pyrene	ND		5		UG/L	8270	01/03/2008 16:53		RM
Isophorone	ND		5		UG/L	8270	01/03/2008 16:53		RM
N-Nitroso-Di-n-propylamine	ND		5		UG/L	8270	01/03/2008 16:53		RM
N-nitrosodiphenylamine	ND		5		UG/L	8270	01/03/2008 16:53		RM
Naphthalene	ND		5		UG/L	8270	01/03/2008 16:53		RM
Nitrobenzene	ND		5		UG/L	8270	01/03/2008 16:53		RM
Pentachlorophenol	ND		10		UG/L	8270	01/03/2008 16:53		RM
Phenanthrene	ND		5		UG/L	8270	01/03/2008 16:53		RM
Phenol	ND		5		UG/L	8270	01/03/2008 16:53		RM

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

62/65 Page: 54
Rept: AN1178

Sample ID: SW-1
Lab Sample ID: A7E98515
Date Collected: 12/27/2007
Time Collected: 13:30

Date Received: 12/27/2007
Project No: NY7A9742
Client No: L11071
Site No:

Parameter	Result	Flag	Detection Limit	Units	Method	Date/Time Analyzed	Analyst
ASP05 AQUEOUS - METHOD 8270 SVOA (3.2 LIS							
Pyrene	ND		5	UG/L	8270	01/03/2008 16:53	RM
ASP05 AQUEOUS - 8081 - TCL PESTICIDES-3.2							
4,4'-DDD	ND		0.050	UG/L	8081	01/02/2008 21:15	TCH
4,4'-DDE	ND		0.050	UG/L	8081	01/02/2008 21:15	TCH
4,4'-DDT	ND		0.050	UG/L	8081	01/02/2008 21:15	TCH
Aldrin	ND		0.050	UG/L	8081	01/02/2008 21:15	TCH
alpha-BHC	ND		0.050	UG/L	8081	01/02/2008 21:15	TCH
alpha-Chlordane	ND		0.050	UG/L	8081	01/02/2008 21:15	TCH
beta-BHC	ND		0.050	UG/L	8081	01/02/2008 21:15	TCH
Chlordane	ND		0.50	UG/L	8081	01/02/2008 21:15	TCH
delta-BHC	ND		0.050	UG/L	8081	01/02/2008 21:15	TCH
Dieldrin	ND		0.050	UG/L	8081	01/02/2008 21:15	TCH
Endosulfan I	ND		0.050	UG/L	8081	01/02/2008 21:15	TCH
Endosulfan II	ND		0.050	UG/L	8081	01/02/2008 21:15	TCH
Endosulfan Sulfate	ND		0.050	UG/L	8081	01/02/2008 21:15	TCH
Endrin	ND		0.050	UG/L	8081	01/02/2008 21:15	TCH
Endrin aldehyde	ND		0.050	UG/L	8081	01/02/2008 21:15	TCH
Endrin ketone	ND		0.050	UG/L	8081	01/02/2008 21:15	TCH
gamma-BHC (Lindane)	ND		0.050	UG/L	8081	01/02/2008 21:15	TCH
gamma-Chlordane	ND		0.050	UG/L	8081	01/02/2008 21:15	TCH
Heptachlor	ND		0.050	UG/L	8081	01/02/2008 21:15	TCH
Heptachlor epoxide	ND		0.050	UG/L	8081	01/02/2008 21:15	TCH
Methoxychlor	ND		0.050	UG/L	8081	01/02/2008 21:15	TCH
Toxaphene	ND		0.50	UG/L	8081	01/02/2008 21:15	TCH
ASP05 AQUEOUS- 8082 - PCBs (3.2 LIST)							
Aroclor 1016	ND		0.50	UG/L	8082	12/31/2007 15:22	GFD
Aroclor 1221	ND		0.50	UG/L	8082	12/31/2007 15:22	GFD
Aroclor 1232	ND		0.50	UG/L	8082	12/31/2007 15:22	GFD
Aroclor 1242	ND		0.50	UG/L	8082	12/31/2007 15:22	GFD
Aroclor 1248	ND		0.50	UG/L	8082	12/31/2007 15:22	GFD
Aroclor 1254	ND		0.50	UG/L	8082	12/31/2007 15:22	GFD
Aroclor 1260	ND		0.50	UG/L	8082	12/31/2007 15:22	GFD
Metals Analysis							
Aluminum - Total	1180		40.0	UG/L	6010	12/31/2007 19:25	
Antimony - Total	ND		5.6	UG/L	6010	12/31/2007 19:25	
Arsenic - Total	8.8	B	4.2	UG/L	6010	12/31/2007 19:25	
Barium - Total	40.5		0.22	UG/L	6010	12/31/2007 19:25	
Beryllium - Total	0.47	B	0.27	UG/L	6010	12/31/2007 19:25	
Cadmium - Total	ND		0.36	UG/L	6010	12/31/2007 19:25	
Calcium - Total	132000		100	UG/L	6010	12/31/2007 19:25	
Chromium - Total	2.8	B	0.84	UG/L	6010	12/31/2007 19:25	
Cobalt - Total	ND		0.89	UG/L	6010	12/31/2007 19:25	
Copper - Total	ND		1.3	UG/L	6010	12/31/2007 19:25	
Iron - Total	172		19.3	UG/L	6010	12/31/2007 19:25	
Lead - Total	ND		2.9	UG/L	6010	12/31/2007 19:25	
Magnesium - Total	31900		42.3	UG/L	6010	12/31/2007 19:25	

Date: 03/31/2008

Time: 09:36:27

GES- Cherry Farm, River Road site
GES- Cherry Farm Annual Groundwater Monitoring

63/65 Page: 55
Rept: AN1178

Sample ID: SW-1
Lab Sample ID: A7E98515
Date Collected: 12/27/2007
Time Collected: 13:30

Date Received: 12/27/2007
Project No: NY7A9742
Client No: L11071
Site No:

Parameter	Result	Flag	Detection	Units	Method	Date/Time		Analyst
			Limit			Analyzed		
Metals Analysis								
Manganese - Total	8.9		0.16	UG/L	6010	12/31/2007	19:25	
Mercury - Total	ND		0.120	UG/L	7470	01/02/2008	13:26	
Nickel - Total	ND		1.2	UG/L	6010	12/31/2007	19:25	
Potassium - Total	24400		24.0	UG/L	6010	12/31/2007	19:25	
Selenium - Total	10.3	B	6.1	UG/L	6010	12/31/2007	19:25	
Silver - Total	ND		1.0	UG/L	6010	12/31/2007	19:25	
Sodium - Total	92200		339	UG/L	6010	12/31/2007	19:25	
Thallium - Total	ND		7.0	UG/L	6010	12/31/2007	19:25	
Vanadium - Total	3.4	B	0.78	UG/L	6010	12/31/2007	19:25	
Zinc - Total	6.1	B	3.6	UG/L	6010	12/31/2007	19:25	
Wet Chemistry Analysis								
Cyanide - Total	ND		0.010	MG/L	9012	01/03/2008	10:48	ERK

TAL-4142 (0907)

Client Cherry Farms / GES	Project Manager Andy Janik / Chris Schifferl	Date 12-26-07	Chain of Custody Number 369590
Address 158 Sonwal	Telephone Number (Area Code)/Fax Number 716-706-0074 / 716-706-0078	Lab Number	Page 1 of 2
City Cheektowaga	State NY	Zip Code 14225	
Project Name and Location (State) Cherry Farms New River Rd. NY			
Contract/Purchase Order/Quote No.			

Sample I.D. No. and Description (Containers for each sample may be combined on one line)	Date	Time	Matrix					Containers & Preservatives					Analysis (Attach list if more space is needed)				Special Instructions/ Conditions of Receipt
			Air	Aqueous	Sed	Soil	Unpres.	H2SO4	HNO3	HCl	NaOH	ZnAc	NaOH	8260 VOC's	2870 SV	8082 PCB only	
MW-1	12-26-07	12:50	X					X						X	X	X	EMAIL Results
MW-2	12-26-07	12:10	X					X						X	X	X	to Chris Schifferl
MW-3	12-26-07	15:00	X					X						X	X	X	AT
MW-4	12-26-07	13:45	X					X						X	X	X	CSchifferl@GES
MW-5	12-26-07	14:15	X					X						X	X	X	Online .com
MW-6	12-26-07	11:00	X					X						X	X	X	
MW-7	12-26-07	09:30	X					X						X	X	X	
MS	12-26-07	11:05	X					X						X	X	X	
MSD	12-26-07	11:10	X					X						X	X	X	
Duplicate	12-26-07	11:15	X					X						X	X	X	

Possible Hazard Identification
☒ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Return To Client ☒ Disposal By Lab ☐ Archive For _____ Months (A fee may be assessed if samples are retained longer than 1 month)

Turn Around Time Required
☐ 24 Hours ☐ 48 Hours ☒ 7 Days ☐ 14 Days ☐ 21 Days ☐ Other _____

QC Requirements (Specify)

1. Relinquished By Brent Miller	Date 12-27-07	Time 16:00	1. Received By Chris Schifferl	Date 12/27/07	Time 16:25
2. Relinquished By	Date	Time	2. Received By	Date	Time
3. Relinquished By	Date	Time	3. Received By	Date	Time

Comments
QA QC Collected From MW-6 MS/MSD/DuP

DISTRIBUTION: WHITE - Returned to Client with Report; CANARY - Stays with the Sample; PINK - Field Copy

1004.0°C

64/65

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Client	Project Manager	Date	Chain of Custody Number
Cherry Farms / GES	Audry Janik / Chris Schaffer	12-27-07	3695589
Address	Telephone Number (Area Code)/Fax Number	Lab Number	Page 2 of 2
158 Sonw.1 Drive	716 - 706-0074 / 716-706-0078		

City	State	Zip Code	Site Contact	Lab Contact	Analysis (Attach list if more space is needed)				
Cheektowaga	NY	14225	Brent Miller						
Project Name and Location (State)				Carrier/Waybill Number					

Cherry Farms	4100 River Rd. NY	Containers &	100's SV 28 on 1/28	Special Instructions/ Conditions of Receipt
Contract/Purchase Order/Quote No.				

[illegible]

Possible Hazard Identification		Sample Disposal		(A fee may be assessed if samples are retained longer than 1 month)	
☒ Non-Hazard	☐ Flammable	☐ Skin Irritant	☐ Poison B	☐ Unknown	
Turn Around Time Required			☐ Return To Client	☒ Disposal By Lab	Archive For _____ Months
			QC Requirements (Specify)		

☐ 24 Hours ☐ 48 Hours ☐ 7 Days ☒ 14 Days ☐ 21 Days ☐ Other _____			
1. Relinquished By <i>Brent Miller</i>		Date 12-27-07	Time 16:00
2. Relinquished By		Date	Time
3. Relinquished By		Date	Time
1. Received By <i>[Signature]</i>		Date 12/27/07	Time 16:25
2. Received By		Date	Time
3. Received By		Date	Time

Comments

DISTRIBUTION: WHITE - Returned to Client with Report: CANARY - Slays with the Sample: PINK - Field Copy

1040.40.00

APPENDIX B-1
DETECTED CHEMICAL ANALYTICAL RESULTS
MONITORING WELLS

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	MW-1 162140 Columbia MW1 Water 8/12/1997	MWDUPE 162141 Columbia MW1 Water 8/12/1997	MW-1 G5092 OBG 5116 Water 11/20/1997	MW-1 H0915 OBG 6847 Water 2/19/1998
CAS NO.	COMPOUND		UNITS:				
	VOLATILES						
67-64-1	Acetone	50 (G)	ug/L	10 U	10 U	10 U	10 U
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U	10 U	10 U	10 U
75-09-2	Methylene chloride	5	ug/L	10 U	10 U	10 U	10 U
108-88-3	Toluene	5	ug/L	2 J	10 U	10 U	10 U
1330-20-7	Xylene (total)	5	ug/L	2 J	10 U	10 U	10 U
	Total VOCs			4	ND	ND	ND
	SEMIVOLATILES						
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L	2 JB	10 U	10 U	10 U
84-74-2	Butyl benzyl phthalate	50	ug/L		1 JB		
84-74-2	Di-n-butyl phthalate	50	ug/L	2 JB	10 U	10 U	10 U
91-20-3	Naphthalene	10 (G)	ug/L		12		
	Total SVOCs			2	17	ND	ND
	PESTICIDES						
309-00-2	Aldrin	ND	ug/L	0.053 U	0.053 U	0.05 U	0.05 U
319-84-6	alpha-BHC	0.01	ug/L	0.053 U	0.053 U	0.00055 JP	0.05 U
319-85-7	beta-BHC	0.04	ug/L	0.053 U	0.053 U	0.05 U	0.05 U
50-29-3	4,4'-DDT	0.2	ug/L	0.11 U	0.11 U	0.1 U	0.1 U
60-57-1	Dieldrin	0.004	ug/L	0.11 U	0.11 U	0.1 U	0.1 U
959-98-8	Endosulfan I	NS	ug/L	0.053 U	0.053 U	0.05 U	0.05 U
1031-07-8	Endosulfan sulfate	NS	ug/L	0.11 U	0.11 U	0.1 U	0.1 U
72-20-8	Endrin	ND	ug/L	0.11 U	0.11 U	0.1 U	0.1 U
7421-93-4	Endrin aldehyde	5	ug/L	0.11 U	0.11 U	0.1 U	0.1 U
53494-70-5	Endrin ketone	5	ug/L	0.11 U	0.11 U	0.1 U	0.1 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.053 U	0.053 U	0.05 U	0.05 U
5103-74-2	gamma-Chlordane	0.05	ug/L	0.053 U	0.053 U	0.05 U	0.05 U
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.053 U	0.053 U	0.05 U	0.05 U
72-43-5	Methoxychlor	35	ug/L	0.53 U	0.53 U	0.5 U	0.5 U
	Total Pesticides			ND	ND	0.00055	ND
	PCBs						
	None detected						
	INORGANICS						
7429-90-5	Aluminum	NS	ug/L	273	153 B	1580	3080
7440-36-0	Antimony	3	ug/L	2.2 UE	2.2 UE	2.6 U	2.6 U
7440-38-2	Arsenic	25	ug/L	35.3	25.3	23.9	25
7440-39-3	Barium	1000	ug/L	733	248	353	447
7440-41-7	Beryllium	3 (G)	ug/L	0.46 B	1.2 B	0.1 B	0.17 B
7440-43-9	Cadmium	5	ug/L	1.8 B	4.2 B	0.48 B	0.3 U
7440-70-2	Calcium	NS	ug/L	188000	60300	203000	213000
7440-47-8	Chromium	50	ug/L	1.7 B	1.6 B	6.5 B	7.2 B
7440-48-4	Cobalt	NS	ug/L	2.1 U	2.1 UE	1.1 U	1.2 U
7440-50-8	Copper	200	ug/L	7.7 U	7.7 U	5.3 B	4.6 B
7439-89-6	Iron	300	ug/L	7410	7780	10300	11800
7439-92-1	Lead	25	ug/L	2.7 U	2.7 U	1.1 B	1.3 B
7439-95-4	Magnesium	35000 (G)	ug/L	54600	7780	47400	52600
7439-96-5	Manganese	300	ug/L	58.2	229	136	188
7440-02-0	Nickel	100	ug/L	3.9 U	3.9 U	4.9 B	4.9 B
7440-09-7	Potassium	NS	ug/L	2280	8920	1320 B	1790 B
7782-49-2	Selenium	10	ug/L	1.4 UW	1.4 U	4 U	4 U
7440-22-4	Silver	50	ug/L	1.3 B	2.6 B	0.56 U	0.6 U
7440-23-5	Sodium	20000	ug/L	35500	23100	33100	38800
7440-28-0	Thallium	.5 (G)	ug/L	16	9.2 U	4.4 B	3.4 U
7440-62-2	Vanadium	NS	ug/L	4 U	4 U	3.5 B	5.9 B
7440-66-6	Zinc	2000 (G)	ug/L	57	58.9	29.5	19.3 B
57-12-5	Cyanide	200	ug/L	0.55 U	7	10 U	10 U

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	MW-1 H7392 OBG 7810 Water 5/27/1998	MW-1 J8338 OBG 9571 Water 10/21/1998	MW-1 M0188 OBG 1489 Water 4/19/1999	MW-1 N4875 OBG 3856 Water 11/9/1999
CAS NO.	COMPOUND		UNITS:				
	VOLATILES						
67-64-1	Acetone	50 (G)	ug/L	10 U	4 J	5 J B	10 U
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U	10 U	19	10 U
75-09-2	Methylene chloride	5	ug/L	10 U	2 J	1 J B	10 U
108-88-3	Toluene	5	ug/L	10 U	10 U	10 U	10 U
1330-20-7	Xylene (total)	5	ug/L	10 U	10 U	10 U	10 U
	Total VOCs			ND	6	25	ND
	SEMIVOLATILES						
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L	10 U	10 U	10 U	10 U
84-74-2	Butyl benzyl phthalate	50	ug/L				
84-74-2	Di-n-butyl phthalate	50	ug/L	10 U	10 U	10 U	10 U
91-20-3	Naphthalene	10 (G)	ug/L				
	Total SVOCs			ND	ND	ND	ND
	PESTICIDES						
309-00-2	Aldrin	ND	ug/L	0.05 U	0.05 U	0.051 U	0.05 U
319-84-6	alpha-BHC	0.01	ug/L	0.0012 J	0.05 U	0.01 BJP	0.05 U
319-85-7	beta-BHC	0.04	ug/L	0.05 U	0.05 U	0.051 U	0.05 U
50-29-3	4,4'-DDT	0.2	ug/L	0.1 U	0.1 U	0.1 U	0.1 U
60-57-1	Dieldrin	0.004	ug/L	0.1 U	0.1 U	0.1 U	0.1 U
959-98-8	Endosulfan I	NS	ug/L	0.00072 JP	0.05 U	0.003 JP	0.0034 BJP
1031-07-8	Endosulfan sulfate	NS	ug/L	0.1 U	0.0022 BJP	0.0013 JP	0.1 U
72-20-8	Endrin	ND	ug/L	0.1 U	0.1 U	0.1 U	0.0032 JP
7421-93-4	Endrin aldehyde	5	ug/L	0.1 U	0.1 U	0.1 U	0.1 U
53494-70-5	Endrin ketone	5	ug/L	0.1 U	0.1 U	0.1 U	0.1 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.05 U	0.05 U	0.051 U	0.032 J
5103-74-2	gamma-Chlordane	0.05	ug/L	0.01 JP	0.0024 JP	0.008 BJP	0.05 U
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.05 U	0.05 U	0.0038 J	0.0019 J
72-43-5	Methoxychlor	35	ug/L	0.5 U	0.5 U	0.51 U	0.5 U
	Total Pesticides			0.01192	0.0046	0.0261	0.0405
	PCBs						
	None detected						
	INORGANICS						
7429-90-5	Aluminum	NS	ug/L	1940	2730	830	4760
7440-36-0	Antimony	3	ug/L	2.9 U	1.7 B	3.2 B	2.5 U
7440-38-2	Arsenic	25	ug/L	23.8	23.9	24.5	29.9
7440-39-3	Barium	1000	ug/L	340	353	353	472
7440-41-7	Beryllium	3 (G)	ug/L	0.12 U	0.14 B	0.38 B	0.24 B
7440-43-9	Cadmium	5	ug/L	0.49 U	0.43 U	0.62 B	0.3 U
7440-70-2	Calcium	NS	ug/L	206000	214000	222000	247000
7440-47-8	Chromium	50	ug/L	5 B	11.5	9 B	12.6 E
7440-48-4	Cobalt	NS	ug/L	2.3 U	2.3 U	1.6 U	2.8 B
7440-50-8	Copper	200	ug/L	5.2 B	7.2 B	3.8 B	11.3 B
7439-89-6	Iron	300	ug/L	11600	13100	9120	16600
7439-92-1	Lead	25	ug/L	1.8 U	4.5	3.4	5
7439-95-4	Magnesium	35000 (G)	ug/L	49200	53500	52700	64300
7439-96-5	Manganese	300	ug/L	157	201	155	297
7440-02-0	Nickel	100	ug/L	4.4 B	6.9 B	2.8 B	11.1 BE
7440-09-7	Potassium	NS	ug/L	1790 B	1390 B	1780 B	2680 B
7782-49-2	Selenium	10	ug/L	4.8 U	2.3 B	3.6 U	3.2 B
7440-22-4	Silver	50	ug/L	1.1 U	1.2 U	1 U	0.78 U
7440-23-5	Sodium	20000	ug/L	34400	33400	39100	43600
7440-28-0	Thallium	.5 (G)	ug/L	7.4 U	5.5 U	3.8 U	5.1 U
7440-62-2	Vanadium	NS	ug/L	4.1 B	5.5 B	2.4 B	9.2 BE
7440-66-6	Zinc	2000 (G)	ug/L	25.3	55.7	13.6 B	46.4
57-12-5	Cyanide	200	ug/L	10 U	10 U	10 U	10 U

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	MW-1RE N4875RE OBG 3856 Water 11/9/1999	MW-1 Q3850 OBG 5490 Water 4/27/2000	MW-1 R7149 OBG 7645 Water 12/13/2000	MW-1 S7281 OBG 9259 Water 6/19/2001
CAS NO.	COMPOUND		UNITS:				
	VOLATILES						
67-64-1	Acetone	50 (G)	ug/L		10 U	10 U	2 J
75-15-0	Carbon disulfide	60 (G)	ug/L		7 J	10 U	10 U
75-09-2	Methylene chloride	5	ug/L		10 U	1 J	10 U
108-88-3	Toluene	5	ug/L		10 U	10 U	10 U
1330-20-7	Xylene (total)	5	ug/L		10 U	10 U	10 U
	Total VOCs			NA	7	1	2
	SEMIVOLATILES						
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L		10 U	10 U	2 J
84-74-2	Butyl benzyl phthalate	50	ug/L				
84-74-2	Di-n-butyl phthalate	50	ug/L		10 U	10 U	10 U
91-20-3	Naphthalene	10 (G)	ug/L				
	Total SVOCs			NA	ND	ND	2
	PESTICIDES						
309-00-2	Aldrin	ND	ug/L	0.048 U	0.05 U	0.051 U	0.05 U
319-84-6	alpha-BHC	0.01	ug/L	0.048 U	0.05 U	0.051 U	0.05 U
319-85-7	beta-BHC	0.04	ug/L	0.048 U	0.05 U	0.051 U	0.05 U
50-29-3	4,4'-DDT	0.2	ug/L	0.095 U	0.0033 JP	0.0009 JP	0.1 U
60-57-1	Dieldrin	0.004	ug/L	0.095 U	0.1 U	0.1 U	0.1 U
959-98-8	Endosulfan I	NS	ug/L	0.048 U	0.05 U	0.051 U	0.05 U
1031-07-8	Endosulfan sulfate	NS	ug/L	0.095 U	0.1 U	0.1 U	0.1 U
72-20-8	Endrin	ND	ug/L	0.095 U	0.1 U	0.1 U	0.1 U
7421-93-4	Endrin aldehyde	5	ug/L	0.095 U	0.1 U	0.1 U	0.1 U
53494-70-5	Endrin ketone	5	ug/L	0.095 U	0.1 U	0.1 U	0.1 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.048 U	0.00053 JP	0.051 U	0.05 U
5103-74-2	gamma-Chlordane	0.05	ug/L	0.048 U	0.003 J	0.0015 JP	0.05 U
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.048 U	0.05 U	0.051 U	0.05 U
72-43-5	Methoxychlor	35	ug/L	0.48 U	0.5 U	0.0042 BJP	0.5 U
	Total Pesticides			ND	0.00683	0.0066	ND
	PCBs						
	None detected						
	INORGANICS						
7429-90-5	Aluminum	NS	ug/L		7170	4880 E	4760
7440-36-0	Antimony	3	ug/L		1.9 U	1.5 U	1.4 U
7440-38-2	Arsenic	25	ug/L		29.4	29.7	29.6
7440-39-3	Barium	1000	ug/L		516	624	537
7440-41-7	Beryllium	3 (G)	ug/L		0.35 B	0.53 B	0.2 B
7440-43-9	Cadmium	5	ug/L		0.28 U	0.25 U	0.24 U
7440-70-2	Calcium	NS	ug/L		243000	270000	232000
7440-47-8	Chromium	50	ug/L		16.9	13.7	60.7
7440-48-4	Cobalt	NS	ug/L		3.5 B	3.4 B	2.8 B
7440-50-8	Copper	200	ug/L		13.9 B	11.7 B	10.3 B
7439-89-6	Iron	300	ug/L		19900	14500	16500
7439-92-1	Lead	25	ug/L		5.6	8.2	4.8
7439-95-4	Magnesium	35000 (G)	ug/L		62900	56100	55900
7439-96-5	Manganese	300	ug/L	299	309	344	208
7440-02-0	Nickel	100	ug/L		13.7 B	10.4 B	30.7 B
7440-09-7	Potassium	NS	ug/L		3880 B	3320 BE	3280 B
7782-49-2	Selenium	10	ug/L		3.7 U	2.1 U	1.8 U
7440-22-4	Silver	50	ug/L		0.75 U	0.73 U	0.73 U
7440-23-5	Sodium	20000	ug/L		43600	40900	40500
7440-28-0	Thallium	.5 (G)	ug/L		4.9 U	3.7 U	3.6 U
7440-62-2	Vanadium	NS	ug/L		13.2 B	8.9 B	9.1 B
7440-66-6	Zinc	2000 (G)	ug/L		49.4	34.6	26.6
57-12-5	Cyanide	200	ug/L		10 U	10 U	10 U

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	MW-1 T6808 OBG 724 Water 12/11/2001	MW-1 V4308 OB 2494 Water 6/17/2002	MW-1 Z7440 OB 4203 Water 12/17/2002	MW-1 dup Z7441 OB 4203 Water 6/25/2003
CAS NO.	COMPOUND		UNITS:				
	VOLATILES						
67-64-1	Acetone	50 (G)	ug/L	10 U	10 U	2 JB	2 JB
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U	10 U	10 U	
75-09-2	Methylene chloride	5	ug/L	1 JB	1 J	0.8 JB	0.9 JB
108-88-3	Toluene	5	ug/L	10 U	10 U	10 U	
1330-20-7	Xylene (total)	5	ug/L	10 U	10 U	10 U	
	Total VOCs			1	1	2.8	2.9
	SEMIVOLATILES						
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L	10 U	10 U	10 U	
84-74-2	Butyl benzyl phthalate	50	ug/L				
84-74-2	Di-n-butyl phthalate	50	ug/L	10 U	10 U	10 U	
91-20-3	Naphthalene	10 (G)	ug/L				
	Total SVOCs			ND	ND	ND	NA
	PESTICIDES						
309-00-2	Aldrin	ND	ug/L	0.051 U	0.0081 JP	0.051 U	
319-84-6	alpha-BHC	0.01	ug/L	0.051 U	0.05 U	0.051 U	
319-85-7	beta-BHC	0.04	ug/L	0.051 U	0.05 U	0.051 U	
50-29-3	4,4'-DDT	0.2	ug/L	0.1 U	0.1 U	0.1 U	0.1 U
60-57-1	Dieldrin	0.004	ug/L	0.0011 JP	0.1 U	0.1 U	
959-98-8	Endosulfan I	NS	ug/L	0.051 U	0.05 U	0.051 U	
1031-07-8	Endosulfan sulfate	NS	ug/L	0.1 U	0.1 NS	0.1 U	
72-20-8	Endrin	ND	ug/L	0.1 U	0.1 U	0.1 U	
7421-93-4	Endrin aldehyde	5	ug/L	0.0069 BJP	0.1 U	0.1 U	
53494-70-5	Endrin ketone	5	ug/L	0.1 U	0.1 U	0.1 U	
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.051 U	0.05 U	0.051 U	
5103-74-2	gamma-Chlordane	0.05	ug/L	0.051 U	0.05 U	0.051 U	
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.051 U	0.05 U	0.051 U	
72-43-5	Methoxychlor	35	ug/L	0.51 U	0.5 U	0.51 U	
	Total Pesticides			0.008	0.0081	ND	ND
	PCBs						
	None detected						
	INORGANICS						
7429-90-5	Aluminum	NS	ug/L	7810	3660	11500	10300
7440-36-0	Antimony	3	ug/L	2.1 U	2.3 U	2.1 U	
7440-38-2	Arsenic	25	ug/L	40.6	28.7	36.8	36
7440-39-3	Barium	1000	ug/L	821	419	1170	1140
7440-41-7	Beryllium	3 (G)	ug/L	0.41 B	0.16 B	0.63 B	0.48 B
7440-43-9	Cadmium	5	ug/L	0.37 U	0.31 U	0.37 U	0.37 U
7440-70-2	Calcium	NS	ug/L	256000	273000	279000	265000
7440-47-8	Chromium	50	ug/L	19	9.2 B E	21	19.6
7440-48-4	Cobalt	NS	ug/L	5.9 B	1.2 U	5.4 B	5 B
7440-50-8	Copper	200	ug/L	17 B	6.9 B	23 B	19.6 B
7439-89-6	Iron	300	ug/L	22700	14000	30600	28300
7439-92-1	Lead	25	ug/L	8.5	5.8 N	10.6	9.5
7439-95-4	Magnesium	35000 (G)	ug/L	66000	65900	71700	68000
7439-96-5	Manganese	300	ug/L	387	406	563	472
7440-02-0	Nickel	100	ug/L	19 B	2.2 B	19 B	17.4 B
7440-09-7	Potassium	NS	ug/L	3820 B	3920 B	5210	4920 B
7782-49-2	Selenium	10	ug/L	2.2 U	1.5 U	1.8 U	
7440-22-4	Silver	50	ug/L	1 U	1.8 U	1.2 U	
7440-23-5	Sodium	20000	ug/L	42100	40800 E	42100	42000
7440-28-0	Thallium	.5 (G)	ug/L	5.1 U	4.8 U	3.6 U	
7440-62-2	Vanadium	NS	ug/L	15.9 B	8.4 B	23.1 B	21 B
7440-66-6	Zinc	2000 (G)	ug/L	46.2	38.8	66.4	64.2
57-12-5	Cyanide	200	ug/L	10 U	10 U	10 U	

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	MW-1 A7549 OB 5716 Water 6/25/2003	MW-1 B4250 OB 6968 Water 12/15/2003	MW-1 E1139 OB 6968 Water 6/8/2004	MW-1 0508015-004A OB 200508 Water 8/2/2005
CAS NO.	COMPOUND		UNITS:				
	VOLATILES						
67-64-1	Acetone	50 (G)	ug/L	10 U	10 U	2 JB	4 BJ
75-15-0	Carbon disulfide	60 (G)	ug/L	8 J	10 U	10 U	10 U
75-09-2	Methylene chloride	5	ug/L	10 U	10 U	0.7 JB	0.6 BJ
108-88-3	Toluene	5	ug/L	10 U	10 U		10 U
1330-20-7	Xylene (total)	5	ug/L	10 U	10 U		10 U
	Total VOCs			8	ND	2.7	4.6
	SEMIVOLATILES						
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L	10 U	10 U		10 U
84-74-2	Butyl benzyl phthalate	50	ug/L				10 U
84-74-2	Di-n-butyl phthalate	50	ug/L	10 U	10 U		10 U
91-20-3	Naphthalene	10 (G)	ug/L				10 U
	Total SVOCs			ND	ND	NA	ND
	PESTICIDES						
309-00-2	Aldrin	ND	ug/L	0.051 U	0.051 U		
319-84-6	alpha-BHC	0.01	ug/L	0.051 U	0.051 U		
319-85-7	beta-BHC	0.04	ug/L	0.051 U	0.015 JP		
50-29-3	4,4'-DDT	0.2	ug/L	0.1 U	0.1 U		
60-57-1	Dieldrin	0.004	ug/L	0.1 U	0.1 U		
959-98-8	Endosulfan I	NS	ug/L	0.0038 JP	0.051 U		
1031-07-8	Endosulfan sulfate	NS	ug/L	0.1 U	0.1 U	0.1 U	
72-20-8	Endrin	ND	ug/L	0.1 U	0.1 U		
7421-93-4	Endrin aldehyde	5	ug/L	0.005 BJ	0.1 U		
53494-70-5	Endrin ketone	5	ug/L	0.0037 JP	0.1 U	0.1 U	
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.051 U	0.051 U		
5103-74-2	gamma-Chlordane	0.05	ug/L	0.015 JP	0.051 U	0.0045 BJP	
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.051 U	0.051 U		
72-43-5	Methoxychlor	35	ug/L	0.51 U	0.51 U		
	Total Pesticides			0.0275	0.015	0.0045	NA
	PCBs						
	None detected						
	INORGANICS						
7429-90-5	Aluminum	NS	ug/L	4090	3680	3230	
7440-36-0	Antimony	3	ug/L	1.7 U	1.4 U	2.3 U	
7440-38-2	Arsenic	25	ug/L	35.6	28.7	31.3	
7440-39-3	Barium	1000	ug/L	731	650	603	
7440-41-7	Beryllium	3 (G)	ug/L	0.1 B	0.1 B	0.08 U	
7440-43-9	Cadmium	5	ug/L	0.35 U	0.35 U	0.39 U	
7440-70-2	Calcium	NS	ug/L	217000	230000	207000	
7440-47-8	Chromium	50	ug/L	9.3 B	8.5 B	7.8 B	
7440-48-4	Cobalt	NS	ug/L	1.4 U	2 U	1.9 U	
7440-50-8	Copper	200	ug/L	7.4 B	6.8 B	4.4 B	
7439-89-6	Iron	300	ug/L	14700	14700	12000	
7439-92-1	Lead	25	ug/L	2.7 B	1.7 U	2.6 B	
7439-95-4	Magnesium	35000 (G)	ug/L	57000	56300	52400	
7439-96-5	Manganese	300	ug/L	210	191	165	
7440-02-0	Nickel	100	ug/L	5.5 B	6.5 B	6 B	
7440-09-7	Potassium	NS	ug/L	3080 B	2990 B	2510 B	
7782-49-2	Selenium	10	ug/L	3.2 U	2.7 B	2.2 U	
7440-22-4	Silver	50	ug/L	1.1 U	1.6 U	1.6 U	
7440-23-5	Sodium	20000	ug/L	40500	44000	41100	
7440-28-0	Thallium	.5 (G)	ug/L	4 U	4.8 U	4.8 U	
7440-62-2	Vanadium	NS	ug/L	8 B	6.2 B	5.9 B	
7440-66-6	Zinc	2000 (G)	ug/L	47.5	18 B	21.2	
57-12-5	Cyanide	200	ug/L	4.4 B	10 U	10 U	NA

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	MW-1 0603100-003A LSL-BL 6030950 Water 3/22/2006	MW-1 A7E98502 BM A07-E985 Water 12/26/2007
CAS NO.	COMPOUND		UNITS:		
	VOLATILES				
67-64-1	Acetone	50 (G)	ug/L	2 BJ	5 U
75-15-0	Carbon disulfide	60 (G)	ug/L		1 U
75-09-2	Methylene chloride	5	ug/L	U	1 U
108-88-3	Toluene	5	ug/L	U	1 U
1330-20-7	Xylene (total)	5	ug/L	U	3 U
	Total VOCs			2	ND
	SEMIVOLATILES				
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L	U	5 U
84-74-2	Butyl benzyl phthalate	50	ug/L		5 U
84-74-2	Di-n-butyl phthalate	50	ug/L	U	0.4 BJ
91-20-3	Naphthalene	10 (G)	ug/L	U	5 U
	Total SVOCs			ND	0.4
	PESTICIDES				
309-00-2	Aldrin	ND	ug/L		
319-84-6	alpha-BHC	0.01	ug/L		
319-85-7	beta-BHC	0.04	ug/L		
50-29-3	4,4'-DDT	0.2	ug/L		
60-57-1	Dieldrin	0.004	ug/L		
959-98-8	Endosulfan I	NS	ug/L		
1031-07-8	Endosulfan sulfate	NS	ug/L		
72-20-8	Endrin	ND	ug/L		
7421-93-4	Endrin aldehyde	5	ug/L		
53494-70-5	Endrin ketone	5	ug/L		
58-89-9	gamma-BHC (Lindane)	0.05	ug/L		
5103-74-2	gamma-Chlordane	0.05	ug/L		
1024-57-3	Heptachlor epoxide	0.03	ug/L		
72-43-5	Methoxychlor	35	ug/L		
	Total Pesticides			NA	NA
	PCBs				
	None detected				
	INORGANICS				
7429-90-5	Aluminum	NS	ug/L		
7440-36-0	Antimony	3	ug/L		
7440-38-2	Arsenic	25	ug/L		
7440-39-3	Barium	1000	ug/L		
7440-41-7	Beryllium	3 (G)	ug/L		
7440-43-9	Cadmium	5	ug/L		
7440-70-2	Calcium	NS	ug/L		
7440-47-8	Chromium	50	ug/L		
7440-48-4	Cobalt	NS	ug/L		
7440-50-8	Copper	200	ug/L		
7439-89-6	Iron	300	ug/L		
7439-92-1	Lead	25	ug/L		
7439-95-4	Magnesium	35000 (G)	ug/L		
7439-96-5	Manganese	300	ug/L		
7440-02-0	Nickel	100	ug/L		
7440-09-7	Potassium	NS	ug/L		
7782-49-2	Selenium	10	ug/L		
7440-22-4	Silver	50	ug/L		
7440-23-5	Sodium	20000	ug/L		
7440-28-0	Thallium	.5 (G)	ug/L		
7440-62-2	Vanadium	NS	ug/L		
7440-66-6	Zinc	2000 (G)	ug/L		
57-12-5	Cyanide	200	ug/L	NA	NA

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	MW-2 162139	MW-2 G5114	MW-2 H0916	MW-2 H7394	MW-2 J8340
			Source: SDG: Matrix: Sampled:	Columbia MW1 Water 8/12/1997	OBG 5116 Water 11/20/1997	OBG 6847 Water 2/19/1998	OBG 7810 Water 5/28/1998	OBG 9571 Water 10/21/1998
CAS NO.	COMPOUND		UNITS:					
	VOLATILES							
67-64-1	Acetone	50 (G)	ug/L	10 U	10 U	10 U	10 U	4 J
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
67-66-3	Chloroform	7	ug/L	10 U	1 J	10 U	10 U	10 U
75-09-2	Methylene chloride	5	ug/L	10 U	10 U	10 U	10 U	2 J
108-88-3	Toluene	5	ug/L					
1330-20-7	Xylene	5	ug/L					
	Total VOCs			ND	1	ND	ND	6
	SEMIVOLATILES							
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L	2 JB	1 J	1 J	10 U	10 U
85-68-7	Butyl benzyl phthalate	50	ug/L	2 JB	10 U	10 U	10 U	10 U
84-66-2	Diethyl phthalate	50 (G)	ug/L	1 J	10 U	10 U	10 U	10 U
84-74-2	Di-n-butyl phthalate	50	ug/L	3 JB	10 U	10 U	10 U	10 U
91-20-3	Naphthalene	10 (G)	ug/L					
108-95-2	Phenol	1	ug/L	4 JB	10 U	10 U	10 U	10 U
	Total SVOCs			12	1	1	ND	ND
	PESTICIDES							
309-00-2	Aldrin	ND	ug/L	0.053 U	0.05 U	0.05 U	0.05 U	0.05 U
319-84-6	alpha-BHC	0.01	ug/L	0.053 U	0.05 U	0.05 U	0.0024 J	0.05 U
319-85-7	beta-BHC	0.04	ug/L					
72-54-8	4,4'-DDD	0.3	ug/L					
72-55-9	4,4'-DDE	0.2	ug/L	0.11 U	0.1 U	0.1 U	0.1 U	0.1 U
50-29-3	4,4'-DDT	0.2	ug/L	0.11 U	0.1 U	0.1 U	0.1 U	0.1 U
60-57-1	Dieldrin	0.004	ug/L					
959-98-8	Endosulfan I	NS	ug/L	0.053 U	0.05 U	0.05 U	0.05 U	0.05 U
33213-65-9	Endosulfan II	NS	ug/L	0.11 U	0.1 U	0.1 U	0.003 JP	0.1 U
1031-07-8	Endosulfan sulfate	NS	ug/L	0.11 U	0.1 U	25 JP	0.1 U	0.1 U
72-20-8	Endrin	ND	ug/L					
7421-93-4	Endrin aldehyde	5	ug/L	0.11 U	0.1 U	0.1 U	0.0042 JP	0.0048 JP
53494-70-5	Endrin ketone	5	ug/L	0.11 U	0.1 U	0.1 U	0.1 U	0.1 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.053 U	0.05 U	0.05 U	0.05 U	0.05 U
5103-74-2	gamma-Chlordane	0.05	ug/L	0.053 U	0.05 U	0.05 U	0.0025 JP	0.0016 JP
76-44-8	Heptachlor	0.04	ug/L					
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.053 U	0.05 U	0.05 U	0.00047 JP	0.05 U
72-43-5	Methoxychlor	35	ug/L	0.53 U	0.5 U	0.5 U	0.5 U	0.5 U
	Total Pesticides			ND	ND	25	0.01257	0.0064
	PCBs							
	None Detected							
	INORGANICS							
7429-90-5	Aluminum	NS	ug/L	329	37800	34600	19400	17900
7440-36-0	Antimony	3	ug/L	2.6 BE	2.6 U	2.6 U	2.9 U	1.3 U
7440-38-2	Arsenic	25	ug/L	38.7	51.1	45.2	35.7	34.6
7440-39-3	Barium	1000	ug/L	76.9 B	457	432	275	260
7440-41-7	Beryllium	3 (G)	ug/L	0.38 B	2 B	1.7 B	0.94 B	0.88 B
7440-43-9	Cadmium	5	ug/L	0.89 B	1.5 B	0.5 B	0.49 U	1.1 B
7440-70-2	Calcium	NS	ug/L	202000	459000	452000	378000	344000
7440-47-8	Chromium	50	ug/L	1.5 U	94.1	89.4	77.8	103
7440-48-4	Cobalt	NS	ug/L	2.1 U	29.4 B	23.6 B	10.8 B	13.3 B
7440-50-8	Copper	200	ug/L	7.7 U	112	103	51.1	55.9
7439-89-6	Iron	300	ug/L	6020	79000	67700	42000	38800
7439-92-1	Lead	25	ug/L	2.7 U	108	85.1	45.4	39.2
7439-95-4	Magnesium	35000 (G)	ug/L	66300	118000	118000	95400	109000
7439-96-5	Manganese	300	ug/L	59.6	1920	1810	1160	1000
7439-97-6	Mercury	0.7	ug/L	0.2 U	0.17 B	0.2 U	0.1 B	0.15 U
7440-02-0	Nickel	100	ug/L	3.9 U	77.5	73.1	51.2	61.2
7440-09-7	Potassium	NS	ug/L	2200 B	7800	7460	5660	4200 B
7782-49-2	Selenium	10	ug/L	1.4 U	6.2	4.05 U	4.8 U	2 B
7440-23-5	Sodium	20000	ug/L	16500	19700	20100	15900	18700
7440-28-0	Thallium	.5 (G)	ug/L	27	7.6 B	6.6 B	7.4 U	5.5 U
7440-62-2	Vanadium	NS	ug/L	4 U	71.6	60.6	39.8 B	33.7 B
7440-66-6	Zinc	2000 (G)	ug/L	55.7	376	321	187	184
57-12-5	Cyanide	200	ug/L	0.55 U	10 U	10 U	10 U	10 U

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	MW-2 M0190	MW-2 N4874	MW-2 Q3851	MW-2 R7150	MW-2 S7278
			Source: SDG: Matrix: Sampled:	OBG 1489 Water 4/20/1999	OBG 3856 Water 11/8/1999	OBG 5490 Water 4/27/2000	OBG 7645 Water 12/13/2000	OBG 9259 Water 6/19/2001
CAS NO.	COMPOUND		UNITS:					
	VOLATILES							
67-64-1	Acetone	50 (G)	ug/L	10 U	10 U	3 J	10 U	4 J
75-15-0	Carbon disulfide	60 (G)	ug/L	2 J	10 U	4 J	10 U	10 U
67-66-3	Chloroform	7	ug/L	10 U	10 U	10 U	10 U	10 U
75-09-2	Methylene chloride	5	ug/L	10 U	10 U	10 U	10 U	10 U
108-88-3	Toluene	5	ug/L					
1330-20-7	Xylene	5	ug/L					
	Total VOCs			2	ND	7	ND	4
	SEMIVOLATILES							
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L	10 U	10 U	2 JP	10 U	1 J
85-68-7	Butyl benzyl phthalate	50	ug/L	10 U	10 U	10 U	10 U	10 U
84-66-2	Diethyl phthalate	50 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
84-74-2	Di-n-butyl phthalate	50	ug/L	10 U	10 U	10 U	10 U	10 U
91-20-3	Naphthalene	10 (G)	ug/L					
108-95-2	Phenol	1	ug/L	10 U	10 U	10 U	10 U	10 U
	Total SVOCs			ND	ND	2	ND	1
	PESTICIDES							
309-00-2	Aldrin	ND	ug/L	0.051 U	0.05 U	0.051 U	0.051 U	0.05 U
319-84-6	alpha-BHC	0.01	ug/L	0.0089 BJ	0.05 U	0.051 U	0.051 U	0.05 U
319-85-7	beta-BHC	0.04	ug/L					
72-54-8	4,4'-DDD	0.3	ug/L					
72-55-9	4,4'-DDE	0.2	ug/L	0.1 U	0.1 U	0.1 U	0.00059 JP	0.1 U
50-29-3	4,4'-DDT	0.2	ug/L	0.0007 JP	0.1 U	0.1 U	0.0029 JP	0.1 U
60-57-1	Dieldrin	0.004	ug/L					
959-98-8	Endosulfan I	NS	ug/L	0.0012 JP	0.05 U	0.051 U	0.051 U	0.05 U
33213-65-9	Endosulfan II	NS	ug/L	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
1031-07-8	Endosulfan sulfate	NS	ug/L	0.00092 JP	0.002 JP	0.1 U	0.1 U	0.1 U
72-20-8	Endrin	ND	ug/L					
7421-93-4	Endrin aldehyde	5	ug/L	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
53494-70-5	Endrin ketone	5	ug/L	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.0051 JP	0.037 JP	0.0052 JP	0.051 U	0.05 U
5103-74-2	gamma-Chlordane	0.05	ug/L	0.013 BJP	0.05 U	0.051 U	0.051 U	0.05 U
76-44-8	Heptachlor	0.04	ug/L					
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.0024 JP	0.05 U	0.051 U	0.051 U	0.05 U
72-43-5	Methoxychlor	35	ug/L	0.51 U	0.5 U	0.51 U	0.0028 BJP	0.5 U
	Total Pesticides			0.03222	0.039	0.0052	0.00629	ND
	PCBs							
	None Detected							
	INORGANICS							
7429-90-5	Aluminum	NS	ug/L	12100	23100	35500	6220 E	16300
7440-36-0	Antimony	3	ug/L	2.9 B	2.5 U	1.9 U	1.5 U	1.4 U
7440-38-2	Arsenic	25	ug/L	27.5	35.9	43.4	24.4	40.9
7440-39-3	Barium	1000	ug/L	180 B	291	440	130 B	247
7440-41-7	Beryllium	3 (G)	ug/L	0.71 B	1.1 B	1.7 B	0.66 B	0.75 B
7440-43-9	Cadmium	5	ug/L	0.86 B	0.56 B	0.93 B	0.25 U	0.24 U
7440-70-2	Calcium	NS	ug/L	347000	345000	521000	352000	341000
7440-47-8	Chromium	50	ug/L	56.3	80.2 E	111	19.6	79
7440-48-4	Cobalt	NS	ug/L	9.2 B	13.8 B	22.6 B	3.6 B	11.6 B
7440-50-8	Copper	200	ug/L	33.2	50.1	80.8	12.1 B	40.8
7439-89-6	Iron	300	ug/L	27200	42100	66400	12900	40500
7439-92-1	Lead	25	ug/L	26.7	40.8	66.6	13.2	30.3
7439-95-4	Magnesium	35000 (G)	ug/L	103000	115000	171000	74300	97000
7439-96-5	Manganese	300	ug/L	949	941	1910	703	777
7439-97-6	Mercury	0.7	ug/L	0.11 U	0.11 U	0.11 U	0.17 B	0.18 U
7440-02-0	Nickel	100	ug/L	35 B	53.2 E	76.4	13.3 B	53.7
7440-09-7	Potassium	NS	ug/L	4330 B	7560	11200	35.3 BE	5870
7782-49-2	Selenium	10	ug/L	3.6 U	3 U	3.7 U	2.1 U	1.8 U
7440-23-5	Sodium	20000	ug/L	19100	21400 E	23400	15700	15300
7440-28-0	Thallium	.5 (G)	ug/L	3.8 U	5.1 U	4.9 U	3.7 U	3.6 U
7440-62-2	Vanadium	NS	ug/L	23.1 B	40.3 BE	67.8	10.5 B	31.8 B
7440-66-6	Zinc	2000 (G)	ug/L	110	195	293	40.5	113
57-12-5	Cyanide	200	ug/L	10 U	10 U	10 U	10 U	10 U

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	MW-2 T6914	MW-2 V4313	MW-2 Z7444	MW-2 A7550	MW-2 B4506
			Source: SDG: Matrix: Sampled:	OBG 739 Water 12/12/2001	OB 2494 Water 6/18/2002	OB 4203 Water 12/17/2002	OB 5716 Water 6/25/2003	OB 6968 Water 12/18/2003
CAS NO.	COMPOUND		UNITS:					
	VOLATILES							
67-64-1	Acetone	50 (G)	ug/L	10 U	10 U	2 JB	10 U	10 U
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U	10 U	10 U	5 J	10 U
67-66-3	Chloroform	7	ug/L	10 U	10 U	10 U	10 U	10 U
75-09-2	Methylene chloride	5	ug/L	1 JB	10 U	0.9 JB	10 U	10 U
108-88-3	Toluene	5	ug/L					
1330-20-7	Xylene	5	ug/L					
	Total VOCs			1	ND	2.9	5	ND
	SEMIVOLATILES							
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L	3 JB	10 U	10 U	10 U	10 U
85-68-7	Butyl benzyl phthalate	50	ug/L	10 U	10 U	10 U	10 U	10 U
84-66-2	Diethyl phthalate	50 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
84-74-2	Di-n-butyl phthalate	50	ug/L	10 U	10 U	10 U	10 U	10 U
91-20-3	Naphthalene	10 (G)	ug/L					
108-95-2	Phenol	1	ug/L	10 U	10 U	10 U	10 U	10 U
	Total SVOCs			3	ND	ND	ND	ND
	PESTICIDES							
309-00-2	Aldrin	ND	ug/L	0.051 U	0.0018 JP	0.051 U	0.052 U	0.051 U
319-84-6	alpha-BHC	0.01	ug/L	0.051 U	0.053 U	0.051 U	0.052 U	0.051 U
319-85-7	beta-BHC	0.04	ug/L					
72-54-8	4,4'-DDD	0.3	ug/L					
72-55-9	4,4'-DDE	0.2	ug/L	0.1 U	0.11 U	0.1 U	0.1 U	0.1 U
50-29-3	4,4'-DDT	0.2	ug/L	0.1 U	0.11 U	0.1 U	0.1 U	0.1 U
60-57-1	Dieldrin	0.004	ug/L					
959-98-8	Endosulfan I	NS	ug/L	0.051 U	0.053 U	0.051 U	0.052 U	0.051 U
33213-65-9	Endosulfan II	NS	ug/L	0.1 U	0.11 U	0.1 U	0.1 U	0.1 U
1031-07-8	Endosulfan sulfate	NS	ug/L	0.1 U	0.11 U	0.1 U	0.1 U	0.1 U
72-20-8	Endrin	ND	ug/L					
7421-93-4	Endrin aldehyde	5	ug/L	0.0069 BJ	0.11 U	0.1 U	0.0046 BJP	0.1 U
53494-70-5	Endrin ketone	5	ug/L	0.1 U	0.11 U	0.1 U	0.1 U	0.1 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.051 U	0.053 U	0.051 U	0.052 U	0.051 U
5103-74-2	gamma-Chlordane	0.05	ug/L	0.051 U	0.053 U	0.051 U	0.0073 J	0.051 U
76-44-8	Heptachlor	0.04	ug/L					
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.051 U	0.053 U	0.051 U	0.052 U	0.051 U
72-43-5	Methoxychlor	35	ug/L	0.51 U	0.53 U	0.51 U	0.52 U	0.51 U
	Total Pesticides			0.0069	0.0018	ND	0.0119	ND
	PCBs							
	None Detected							
	INORGANICS							
7429-90-5	Aluminum	NS	ug/L	40100	27800	26800	29800	36400
7440-36-0	Antimony	3	ug/L	2.1 U	2.3 U	2.1 U	1.7 U	1.4 U
7440-38-2	Arsenic	25	ug/L	57.4	48.9	50.9	50.8	57.1
7440-39-3	Barium	1000	ug/L	492	375	411	501	567
7440-41-7	Beryllium	3 (G)	ug/L	2.1 B	1.3 B	1.3 B	1.4 B	1.8 B
7440-43-9	Cadmium	5	ug/L	1.1 B	0.31 U	0.37 U	0.35 U	0.35 U
7440-70-2	Calcium	NS	ug/L	514000	473000	454000	479000	524000
7440-47-8	Chromium	50	ug/L	102	68.6 E	62.2	83.3	79.8
7440-48-4	Cobalt	NS	ug/L	32.4 B	17.1 B	15.6 B	18.5 B	22.8 B
7440-50-8	Copper	200	ug/L	96.1	62.6	60.7	72.2	85.5
7439-89-6	Iron	300	ug/L	83100	55600	54000	59400	69500
7439-92-1	Lead	25	ug/L	71.2	47.3 N	46.1	52.8	60.6
7439-95-4	Magnesium	35000 (G)	ug/L	153000	113000	125000	143000	143000
7439-96-5	Manganese	300	ug/L	2060	1520	1510	1570	1940
7439-97-6	Mercury	0.7	ug/L	0.15 U	0.12 U	0.06 B	0.05 U	0 B
7440-02-0	Nickel	100	ug/L	90	53.4	47.9	61.6	70.5
7440-09-7	Potassium	NS	ug/L	11300	9800	9290	10200	10700
7782-49-2	Selenium	10	ug/L	2.8 B	1.5 U	1.8 U	3.2 U	4 B
7440-23-5	Sodium	20000	ug/L	17700	16000 E	17300	17100	17400
7440-28-0	Thallium	.5 (G)	ug/L	5.3 B	4.8 U	3.6 U	4 U	4.8 U
7440-62-2	Vanadium	NS	ug/L	81.5	52.2	52.4	59.8	67.6
7440-66-6	Zinc	2000 (G)	ug/L	277	235	181	235	248
57-12-5	Cyanide	200	ug/L	10 U	10 U	10 U	6.1 B	10 U

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	MW-2 E1069	MW-2MSD E1069MSD	MW-2MS E1069MS	MW-2 0508023-001A	MW-2 0603108-003A
			Source: SDG: Matrix: Sampled:	OB 6968 Water 6/7/2004	OB 6968 Water 6/7/2004	OB 6968 Water 6/7/2004	OB 200508 Water 8/3/2005	LSL-BL 6030950 Water 3/23/2006
CAS NO.	COMPOUND		UNITS:					
	VOLATILES							
67-64-1	Acetone	50 (G)	ug/L	3 JB			4 BJ	3 BJ
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U			10 U	
67-66-3	Chloroform	7	ug/L	10 U			1 J	
75-09-2	Methylene chloride	5	ug/L	0.8 JB			0.9 BJ	1 BJ
108-88-3	Toluene	5	ug/L					U
1330-20-7	Xylene	5	ug/L					U
	Total VOCs			3.8	NA	NA	5.9	4
	SEMIVOLATILES							
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L	21			2 J	U
85-68-7	Butyl benzyl phthalate	50	ug/L				10 U	
84-66-2	Diethyl phthalate	50 (G)	ug/L				10 U	
84-74-2	Di-n-butyl phthalate	50	ug/L				10 U	U
91-20-3	Naphthalene	10 (G)	ug/L					U
108-95-2	Phenol	1	ug/L				10 U	
	Total SVOCs			21	NA	NA	2	ND
	PESTICIDES							
309-00-2	Aldrin	ND	ug/L	0.052 U	0.45	0.46		
319-84-6	alpha-BHC	0.01	ug/L					
319-85-7	beta-BHC	0.04	ug/L	0.052 U	0.0099 BJP	0.052 U		
72-54-8	4,4'-DDD	0.3	ug/L	0.1 U	0.022 JP	0.1 U		
72-55-9	4,4'-DDE	0.2	ug/L	0.1 U	0.014 J	0.014 JP		
50-29-3	4,4'-DDT	0.2	ug/L	0.1 U	0.76	0.82		
60-57-1	Dieldrin	0.004	ug/L	0.1 U	1 B	1 B		
959-98-8	Endosulfan I	NS	ug/L					
33213-65-9	Endosulfan II	NS	ug/L					
1031-07-8	Endosulfan sulfate	NS	ug/L	0.1 U	0.1 U	0.1 U		
72-20-8	Endrin	ND	ug/L	0.1 U	1.4	1.3		
7421-93-4	Endrin aldehyde	5	ug/L	0.1 U	0.035 JP	0.031 JP		
53494-70-5	Endrin ketone	5	ug/L	0.1 U	0.047 J	0.041 J		
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.052 U	0.49	0.47		
5103-74-2	gamma-Chlordane	0.05	ug/L	0.0049 BJP	0.0039 BJP	0.0051 BJ		
76-44-8	Heptachlor	0.04	ug/L	0.052 U	0.48	0.46		
1024-57-3	Heptachlor epoxide	0.03	ug/L					
72-43-5	Methoxychlor	35	ug/L					
	Total Pesticides			0.0049	2.73	2.75	NA	NA
	PCBs							
	None Detected							
	INORGANICS							
7429-90-5	Aluminum	NS	ug/L	51300				
7440-36-0	Antimony	3	ug/L	2.3 U				
7440-38-2	Arsenic	25	ug/L	63.9				
7440-39-3	Barium	1000	ug/L	827				
7440-41-7	Beryllium	3 (G)	ug/L	2.2 B				
7440-43-9	Cadmium	5	ug/L	0.39 U				
7440-70-2	Calcium	NS	ug/L	676000				
7440-47-8	Chromium	50	ug/L	114				
7440-48-4	Cobalt	NS	ug/L	30.3 B				
7440-50-8	Copper	200	ug/L	122				
7439-89-6	Iron	300	ug/L	97500				
7439-92-1	Lead	25	ug/L	88.9				
7439-95-4	Magnesium	35000 (G)	ug/L	207000				
7439-96-5	Manganese	300	ug/L	2770				
7439-97-6	Mercury	0.7	ug/L	0.12 B				
7440-02-0	Nickel	100	ug/L	98.1				
7440-09-7	Potassium	NS	ug/L	13600				
7782-49-2	Selenium	10	ug/L	4 B				
7440-23-5	Sodium	20000	ug/L	19100				
7440-28-0	Thallium	.5 (G)	ug/L	4.8 U				
7440-62-2	Vanadium	NS	ug/L	99.3				
7440-66-6	Zinc	2000 (G)	ug/L	385				
57-12-5	Cyanide	200	ug/L	10 U			NA	NA

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	MW-2 A7E98503 BM A07-E985 Water 12/26/2007
CAS NO.	COMPOUND		UNITS:	
VOLATILES				
67-64-1	Acetone	50 (G)	ug/L	20 U
75-15-0	Carbon disulfide	60 (G)	ug/L	4 U
67-66-3	Chloroform	7	ug/L	4 U
75-09-2	Methylene chloride	5	ug/L	4 U
108-88-3	Toluene	5	ug/L	4 U
1330-20-7	Xylene	5	ug/L	12 U
Total VOCs				ND
SEMIVOLATILES				
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L	14
85-68-7	Butyl benzyl phthalate	50	ug/L	5 U
84-66-2	Diethyl phthalate	50 (G)	ug/L	5 U
84-74-2	Di-n-butyl phthalate	50	ug/L	0.3 BJ
91-20-3	Naphthalene	10 (G)	ug/L	5 U
108-95-2	Phenol	1	ug/L	5 U
Total SVOCs				
PESTICIDES				
309-00-2	Aldrin	ND	ug/L	NA
319-84-6	alpha-BHC	0.01	ug/L	
319-85-7	beta-BHC	0.04	ug/L	
72-54-8	4,4'-DDD	0.3	ug/L	
72-55-9	4,4'-DDE	0.2	ug/L	
50-29-3	4,4'-DDT	0.2	ug/L	
60-57-1	Dieldrin	0.004	ug/L	
959-98-8	Endosulfan I	NS	ug/L	
33213-65-9	Endosulfan II	NS	ug/L	
1031-07-8	Endosulfan sulfate	NS	ug/L	
72-20-8	Endrin	ND	ug/L	
7421-93-4	Endrin aldehyde	5	ug/L	
53494-70-5	Endrin ketone	5	ug/L	
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	
5103-74-2	gamma-Chlordane	0.05	ug/L	
76-44-8	Heptachlor	0.04	ug/L	
1024-57-3	Heptachlor epoxide	0.03	ug/L	
72-43-5	Methoxychlor	35	ug/L	
Total Pesticides				
PCBs				
None Detected				
INORGANICS				
7429-90-5	Aluminum	NS	ug/L	NA
7440-36-0	Antimony	3	ug/L	
7440-38-2	Arsenic	25	ug/L	
7440-39-3	Barium	1000	ug/L	
7440-41-7	Beryllium	3 (G)	ug/L	
7440-43-9	Cadmium	5	ug/L	
7440-70-2	Calcium	NS	ug/L	
7440-47-8	Chromium	50	ug/L	
7440-48-4	Cobalt	NS	ug/L	
7440-50-8	Copper	200	ug/L	
7439-89-6	Iron	300	ug/L	
7439-92-1	Lead	25	ug/L	
7439-95-4	Magnesium	35000 (G)	ug/L	
7439-96-5	Manganese	300	ug/L	
7439-97-6	Mercury	0.7	ug/L	
7440-02-0	Nickel	100	ug/L	
7440-09-7	Potassium	NS	ug/L	
7782-49-2	Selenium	10	ug/L	
7440-23-5	Sodium	20000	ug/L	
7440-28-0	Thallium	.5 (G)	ug/L	
7440-62-2	Vanadium	NS	ug/L	
7440-66-6	Zinc	2000 (G)	ug/L	
57-12-5	Cyanide	200	ug/L	

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	MW-3 162134 Columbia MW1 Water 8/12/1997	MW-3 G5115 OBG 5116 Water 11/20/1997	MW-3 H0917 OBG 6847 Water 2/19/1998	MW-3 H7395 OBG 7810 Water 5/28/1998
CAS NO.	COMPOUND		UNITS:				
	VOLATILES						
67-64-1	Acetone	50 (G)	ug/L	10 U	10 U	10 U	10 U
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U	10 U	10 U	10 U
67-66-3	Chloroform	7	ug/L				
75-09-2	Methylene chloride	5	ug/L	10 U	10 U	10 U	10 U
108-88-3	Toluene	5	ug/L				
1330-20-7	Xylene (total)	5	ug/L				
	Total VOCs			ND	ND	ND	ND
	SEMIVOLATILES						
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L	1 JB	10 U	10 U	10 U
85-68-7	Butyl benzyl phthalate	50	ug/L	1 JB	10 U	10 U	10 U
84-74-2	Di-n-butyl phthalate	50	ug/L	2 JB	10 U	10 U	10 U
91-20-3	Naphthalene	10 (G)	ug/L				
	Total SVOCs			4	ND	ND	ND
	PESTICIDES						
319-84-6	alpha-BHC	0.01	ug/L	0.053 U	0.05 U	0.05 U	0.0024 J
72-55-9	4,4'-DDE	0.2	ug/L	0.11 U	0.1 U	0.1 U	0.1 U
60-57-1	Dieldrin	0.004	ug/L	0.11 U	0.1 U	0.002 JP	0.1 U
959-98-8	Endosulfan I	NS	ug/L	0.053 U	0.05 U	0.05 U	0.051 U
33213-65-9	Endosulfan II	NS	ug/L	0.11 U	0.1 U	0.1 U	0.1 U
1031-07-8	Endosulfan sulfate	NS	ug/L	0.11 U	0.1 U	0.0029 JP	0.0048 JP
72-20-8	Endrin	ND	ug/L	0.11 U	0.1 U	0.1 U	0.1 U
7421-93-4	Endrin aldehyde	5	ug/L	0.11 U	0.1 U	0.1 U	0.1 U
53494-70-5	Endrin ketone	5	ug/L	0.11 U	0.1 U	0.1 U	0.1 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.053 U	0.05 U	0.05 U	0.051 U
5103-74-2	gamma-Chlordane	0.05	ug/L	0.053 U	0.05 U	0.05 U	0.00073 JP
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.053 U	0.05 U	0.05 U	0.00067 JP
	Total Pesticides			ND	ND	0.0049	0.0086
	PCBs						
	None Detected						
	INORGANICS						
7429-90-5	Aluminum	NS	ug/L	197 B	3510	2060	1510
7440-36-0	Antimony	3	ug/L	2.2 UE	2.6 U	2.6 U	2.9 U
7440-38-2	Arsenic	25	ug/L	24.2	7.9 B	4.2 U	9 B
7440-39-3	Barium	1000	ug/L	188 B	254	245	187 B
7440-41-7	Beryllium	3 (G)	ug/L	1.8 B	0.29 B	0.24 B	0.12 U
7440-43-9	Cadmium	5	ug/L	5.9	0.32 B	0.3 U	0.49 U
7440-70-2	Calcium	NS	ug/L	257000	235000	216000	188000
7440-47-8	Chromium	50	ug/L	2.6 B	30.5	19.5	10.8
7440-48-4	Cobalt	NS	ug/L	2.4 B	3.1 B	1.2 U	2.3 U
7440-50-8	Copper	200	ug/L	7.7 U	12.5 B	8.3 B	5.9 B
7439-89-6	Iron	300	ug/L	30300	32900	25400	21300
7439-92-1	Lead	25	ug/L	2.7 U	6.7	2.5 B	1.8 U
7439-95-4	Magnesium	35000 (G)	ug/L	70600	57600	54400	45500
7439-96-5	Manganese	300	ug/L	831	1000	934	835
7440-02-0	Nickel	100	ug/L	3.9 U	18.4 B	11.2 B	8.7 B
7440-09-7	Potassium	NS	ug/L	13600	17400	17500	15800
7782-49-2	Selenium	10	ug/L	1.4 UW	4.1 B	4 U	4.8 U
7440-22-4	Silver	50	ug/L	1.7 B	0.67 B	0.6 U	1.1 U
7440-23-5	Sodium	20000	ug/L	129000	118000	117000	104000
7440-28-0	Thallium	.5 (G)	ug/L	9.2 U	4.5 B	7.3 B	7.4 U
7440-62-2	Vanadium	NS	ug/L	4 U	9.6 B	6 B	6 B
7440-66-6	Zinc	2000 (G)	ug/L	59.1	59.9	37.7	27.4
57-12-5	Cyanide	200	ug/L	0.55 U	10 U	10 U	10 U

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	MW-3 J8484 OBG 9595 Water 10/22/1998	MW-3 M0191 OBG 1489 Water 4/20/1999	MW-3RE M0191RE OBG 1489 Water 4/20/1999	MW-3 N5015 OBG 3880 Water 11/10/1999
CAS NO.	COMPOUND		UNITS:				
	VOLATILES						
67-64-1	Acetone	50 (G)	ug/L	4 J	6 J B		10 U
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U	5 J		6 J
67-66-3	Chloroform	7	ug/L				
75-09-2	Methylene chloride	5	ug/L	2 J	2 J B		10 U
108-88-3	Toluene	5	ug/L				
1330-20-7	Xylene (total)	5	ug/L				
	Total VOCs			6	13	NA	6
	SEMIVOLATILES						
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L	10 U	10 U	10 U	10 U
85-68-7	Butyl benzyl phthalate	50	ug/L	10 U	10 U	10 U	10 U
84-74-2	Di-n-butyl phthalate	50	ug/L	10 U	10 U	10 U	10 U
91-20-3	Naphthalene	10 (G)	ug/L				
	Total SVOCs			ND	ND	ND	ND
	PESTICIDES						
319-84-6	alpha-BHC	0.01	ug/L	0.051 U	0.00093 BJP		0.051 U
72-55-9	4,4'-DDE	0.2	ug/L	0.1 U	0.1 U		0.1 U
60-57-1	Dieldrin	0.004	ug/L	0.1 U	0.0024 JP		0.1 U
959-98-8	Endosulfan I	NS	ug/L	0.051 U	0.0013 JP		0.051 U
33213-65-9	Endosulfan II	NS	ug/L	0.1 U	0.1 U		0.1 U
1031-07-8	Endosulfan sulfate	NS	ug/L	0.011 BJP	0.0015 JP		0.0018 JP
72-20-8	Endrin	ND	ug/L	0.1 U	0.1 U		0.1 U
7421-93-4	Endrin aldehyde	5	ug/L	0.1 U	0.1 U		0.1 U
53494-70-5	Endrin ketone	5	ug/L	0.1 U	0.1 U		0.1 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.051 U	0.051 U		0.012 JP
5103-74-2	gamma-Chlordane	0.05	ug/L	0.001 JP	0.014 BJP		0.051 U
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.051 U	0.0052 JP		0.051 U
	Total Pesticides			0.012	0.02533	NA	0.0138
	PCBs						
	None Detected						
	INORGANICS						
7429-90-5	Aluminum	NS	ug/L	789	665		512
7440-36-0	Antimony	3	ug/L	1.3 U	2.1 B		2.5 U
7440-38-2	Arsenic	25	ug/L	6.2 B	2.6 B		2.6 B
7440-39-3	Barium	1000	ug/L	157 B	153 B		164 B
7440-41-7	Beryllium	3 (G)	ug/L	0.15 B	0.15 B		0.24 B
7440-43-9	Cadmium	5	ug/L	0.43 U	0.42 U		0.3 U
7440-70-2	Calcium	NS	ug/L	172000	149000		151000
7440-47-8	Chromium	50	ug/L	12.7	9.4 B		14.2 E
7440-48-4	Cobalt	NS	ug/L	2.3 U	1.6 U		1.7 U
7440-50-8	Copper	200	ug/L	5 B	2.1 B		2 B
7439-89-6	Iron	300	ug/L	20800	15900		16100
7439-92-1	Lead	25	ug/L	2.1 B	1.1 U		1.3 U
7439-95-4	Magnesium	35000 (G)	ug/L	43500	34700		38400
7439-96-5	Manganese	300	ug/L	734	654		631
7440-02-0	Nickel	100	ug/L	5.8 B	6.4 B		9.3 BE
7440-09-7	Potassium	NS	ug/L	13100	9730		10200
7782-49-2	Selenium	10	ug/L	2 U	3.6 U		3 U
7440-22-4	Silver	50	ug/L	1.2 U	1 U		0.78 U
7440-23-5	Sodium	20000	ug/L	104000	83100		89200 E
7440-28-0	Thallium	.5 (G)	ug/L	5.5 U	3.8 U		5.1 U
7440-62-2	Vanadium	NS	ug/L	4.2 B	4.2 B		3.7 BE
7440-66-6	Zinc	2000 (G)	ug/L	34.6	9.1 B		26.3
57-12-5	Cyanide	200	ug/L	10 U	10 U		10 U

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	MW-3DUP N4880 OBG 3856 Water 11/10/1999	MW-3RE N5015RE OBG 3880 Water 11/10/1999	MW-3 Q3846 OBG 5490 Water 4/26/2000	MW-3 R7156 OBG 7645 Water 12/14/2000
CAS NO.	COMPOUND		UNITS:				
	VOLATILES						
67-64-1	Acetone	50 (G)	ug/L	10 U		10 U	10 U
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U		10 U	10 U
67-66-3	Chloroform	7	ug/L				
75-09-2	Methylene chloride	5	ug/L	10 U		10 U	10 U
108-88-3	Toluene	5	ug/L				
1330-20-7	Xylene (total)	5	ug/L				
	Total VOCs			ND	NA	ND	ND
	SEMIVOLATILES						
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L	10 U	10 U	10 U	10 U
85-68-7	Butyl benzyl phthalate	50	ug/L	10 U	10 U	10 U	10 U
84-74-2	Di-n-butyl phthalate	50	ug/L	10 U	10 U	10 U	10 U
91-20-3	Naphthalene	10 (G)	ug/L				
	Total SVOCs			ND	ND	ND	ND
	PESTICIDES						
319-84-6	alpha-BHC	0.01	ug/L	0.051 U		0.05 U	0.05 U
72-55-9	4,4'-DDE	0.2	ug/L	0.1 U		0.1 U	0.1 U
60-57-1	Dieldrin	0.004	ug/L	0.1 U		0.1 U	0.1 U
959-98-8	Endosulfan I	NS	ug/L	0.051 U		0.05 U	0.05 U
33213-65-9	Endosulfan II	NS	ug/L	0.1 U		0.1 U	0.00082 JP
1031-07-8	Endosulfan sulfate	NS	ug/L	0.1 U		0.1 U	0.0035 JP
72-20-8	Endrin	ND	ug/L	0.1 U		0.1 U	0.1 U
7421-93-4	Endrin aldehyde	5	ug/L	0.1 U		0.1 U	0.1 U
53494-70-5	Endrin ketone	5	ug/L	0.1 U		0.1 U	0.0024 JP
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.051 U		0.002 JP	0.05 U
5103-74-2	gamma-Chlordane	0.05	ug/L	0.00078 JP		0.0027 JP	0.05 U
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.051 U		0.05 U	0.05 U
	Total Pesticides			0.00078	NA	0.0047	0.00672
	PCBs						
	None Detected						
	INORGANICS						
7429-90-5	Aluminum	NS	ug/L	256		712	816 E
7440-36-0	Antimony	3	ug/L	2.5 U		1.9 U	1.5 U
7440-38-2	Arsenic	25	ug/L	2.5 U		3.9 B	3.9 B
7440-39-3	Barium	1000	ug/L	155 B		152 B	150 B
7440-41-7	Beryllium	3 (G)	ug/L	0.15 B		0.37 B	0.39 B
7440-43-9	Cadmium	5	ug/L	0.3 U		0.28 UU	0.25 U
7440-70-2	Calcium	NS	ug/L	164000		141000	139000
7440-47-8	Chromium	50	ug/L	4.3 BE		15	10.5
7440-48-4	Cobalt	NS	ug/L	1.7 U		0.96 U	0.86 U
7440-50-8	Copper	200	ug/L	0.77 B		2.3 B	2.2 B
7439-89-6	Iron	300	ug/L	19600		16100	14600
7439-92-1	Lead	25	ug/L	1.3 U		1.3 B	2.9 B
7439-95-4	Magnesium	35000 (G)	ug/L	17800		35600	34500
7439-96-5	Manganese	300	ug/L	1470		562	581
7440-02-0	Nickel	100	ug/L	1.6 BE		9.6 B	5.8 B
7440-09-7	Potassium	NS	ug/L	57500		9780	9790 E
7782-49-2	Selenium	10	ug/L	3 U		3.7 U	2.1 U
7440-22-4	Silver	50	ug/L	0.78 U		0.75 U	0.73 U
7440-23-5	Sodium	20000	ug/L	42000 E		81700	69500
7440-28-0	Thallium	.5 (G)	ug/L	5.1 U		4.9 U	3.7 U
7440-62-2	Vanadium	NS	ug/L	1.5 BE		4.4 B	4.4 B
7440-66-6	Zinc	2000 (G)	ug/L	10.5 B		13.3 B	18.7 B
57-12-5	Cyanide	200	ug/L	10 U		10 U	10 U

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	MW-3 S7325 OBG 9270 Water 6/20/2001	MW-3RE S7325RE OBG 9270 Water 6/20/2001	MW-3 T6809 OBG 724 Water 12/11/2001	MW-3 dup V4309 OB 2494 Water 6/18/2002
CAS NO.	COMPOUND		UNITS:				
	VOLATILES						
67-64-1	Acetone	50 (G)	ug/L	5 J		10 U	10 U
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U		10 U	10 U
67-66-3	Chloroform	7	ug/L				
75-09-2	Methylene chloride	5	ug/L	10 U		2 JB	1 J
108-88-3	Toluene	5	ug/L				
1330-20-7	Xylene (total)	5	ug/L				
	Total VOCs			5	NA	2	1
	SEMIVOLATILES						
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L	10 U	10 U	10 U	10 U
85-68-7	Butyl benzyl phthalate	50	ug/L	10 U	10 U	10 U	10 U
84-74-2	Di-n-butyl phthalate	50	ug/L	10 U	10 U	10 U	10 U
91-20-3	Naphthalene	10 (G)	ug/L				
	Total SVOCs			ND	ND	ND	ND
	PESTICIDES						
319-84-6	alpha-BHC	0.01	ug/L	0.052 U		0.051 U	0.054 U
72-55-9	4,4'-DDE	0.2	ug/L	0.0055 BJP		0.1 U	0.11 U
60-57-1	Dieldrin	0.004	ug/L	0.1 U		0.1 U	0.11 U
959-98-8	Endosulfan I	NS	ug/L	0.052 U		0.051 U	0.054 U
33213-65-9	Endosulfan II	NS	ug/L	0.1 U		0.1 U	0.11 U
1031-07-8	Endosulfan sulfate	NS	ug/L	0.1 U		0.1 U	0.11 U
72-20-8	Endrin	ND	ug/L	0.017 BJP		0.1 U	0.11 U
7421-93-4	Endrin aldehyde	5	ug/L	0.1 U		0.012 BJP	0.11 U
53494-70-5	Endrin ketone	5	ug/L	0.1 U		0.1 U	0.11 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.052 U		0.051 U	0.054 U
5103-74-2	gamma-Chlordane	0.05	ug/L	0.052 U		0.051 U	0.054 U
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.052 U		0.051 U	0.054 U
	Total Pesticides			0.0225	NA	0.012	ND
	PCBs						
	None Detected						
	INORGANICS						
7429-90-5	Aluminum	NS	ug/L	458		1390	567
7440-36-0	Antimony	3	ug/L	1.4 U		2.1 U	2.3 U
7440-38-2	Arsenic	25	ug/L	2.1 B		4.5 B	2.6 B
7440-39-3	Barium	1000	ug/L	151 B		142 B	160 B
7440-41-7	Beryllium	3 (G)	ug/L	0.08 U		0.21 B	0.13 U
7440-43-9	Cadmium	5	ug/L	0.24 U		0.37 U	0.31 U
7440-70-2	Calcium	NS	ug/L	127000		116000	106000
7440-47-8	Chromium	50	ug/L	11.2		26.8	4.9 B E
7440-48-4	Cobalt	NS	ug/L	0.93 U		2.2 B	1.2 U
7440-50-8	Copper	200	ug/L	0.92 B		3.9 B	1.3 U
7439-89-6	Iron	300	ug/L	15000		16700	14100
7439-92-1	Lead	25	ug/L	0.66 U		3.2	1.8 U N
7439-95-4	Magnesium	35000 (G)	ug/L	32900		31200	28500
7439-96-5	Manganese	300	ug/L	512		520	460
7440-02-0	Nickel	100	ug/L	6 B		14.2 B	10.3 B
7440-09-7	Potassium	NS	ug/L	10500		7790	7440
7782-49-2	Selenium	10	ug/L	1.8 U		2.2 U	1.5 U
7440-22-4	Silver	50	ug/L	0.73 U		1 U	1.8 U
7440-23-5	Sodium	20000	ug/L	66500		62800	60700 E
7440-28-0	Thallium	.5 (G)	ug/L	3.6 U		5.1 U	4.8 U
7440-62-2	Vanadium	NS	ug/L	4.4 B		6.2 B	3.2 B
7440-66-6	Zinc	2000 (G)	ug/L	7 B		28.1	56.6
57-12-5	Cyanide	200	ug/L	10 U		12.5	10 U

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	MW-3 V4310 OB 2494 Water 6/18/2002	MW-3 Z7443 OB 4203 Water 12/17/2002	MW-3 A7551 OB 5716 Water 6/25/2003	MW-3 B4288 OB 6968 Water 12/16/2003
CAS NO.	COMPOUND		UNITS:				
VOLATILES							
67-64-1	Acetone	50 (G)	ug/L	10 U	4 JB	10 U	10 U
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U	10 U	3 J	10 U
67-66-3	Chloroform	7	ug/L				
75-09-2	Methylene chloride	5	ug/L	1 J	1 JB	10 U	2 JB
108-88-3	Toluene	5	ug/L				
1330-20-7	Xylene (total)	5	ug/L				
	Total VOCs			1	5	3	2
SEMIVOLATILES							
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L	11 U	10 U	10 U	10 U
85-68-7	Butyl benzyl phthalate	50	ug/L	11 U	10 U	10 U	10 U
84-74-2	Di-n-butyl phthalate	50	ug/L	11 U	10 U	10 U	10 U
91-20-3	Naphthalene	10 (G)	ug/L				
	Total SVOCs			ND	ND	ND	ND
PESTICIDES							
319-84-6	alpha-BHC	0.01	ug/L	0.052 U	0.051 U	0.052 U	0.051 U
72-55-9	4,4'-DDE	0.2	ug/L	0.1 U	0.1 U	0.1 U	0.1 U
60-57-1	Dieldrin	0.004	ug/L	0.1 U	0.1 U	0.1 U	0.1 U
959-98-8	Endosulfan I	NS	ug/L	0.052 U	0.051 U	0.0045 JP	0.051 U
33213-65-9	Endosulfan II	NS	ug/L	0.1 U	0.1 U	0.1 U	0.1 U
1031-07-8	Endosulfan sulfate	NS	ug/L	0.1 U	0.1 U	0.0062 JP	0.1 U
72-20-8	Endrin	ND	ug/L	0.1 U	0.1 U	0.026 JP	0.1 U
7421-93-4	Endrin aldehyde	5	ug/L	0.1 U	0.1 U	0.1 U	0.1 U
53494-70-5	Endrin ketone	5	ug/L	0.1 U	0.1 U	0.1 U	0.1 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.052 U	0.051 U	0.052 U	0.051 U
5103-74-2	gamma-Chlordane	0.05	ug/L	0.052 U	0.051 U	0.0054 JP	0.051 U
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.052 U	0.051 U	0.014 JP	0.051 U
	Total Pesticides			ND	ND	0.0561	ND
PCBs							
	None Detected						
INORGANICS							
7429-90-5	Aluminum	NS	ug/L	604	763	558	265
7440-36-0	Antimony	3	ug/L	2.3 U	2.1 U	1.7 U	1.4 U
7440-38-2	Arsenic	25	ug/L	2.7 B	4.2 B	3.1 B	2.4 U
7440-39-3	Barium	1000	ug/L	155 B	237	229	234
7440-41-7	Beryllium	3 (G)	ug/L	0.13 B	0.15 B	0.1 B	0.12 U
7440-43-9	Cadmium	5	ug/L	0.31 U	0.37 U	0.35 U	0.35 U
7440-70-2	Calcium	NS	ug/L	101000	105000	111000	111000
7440-47-8	Chromium	50	ug/L	6.4 B E	14.2	14	6 B
7440-48-4	Cobalt	NS	ug/L	1.2 U	1.6 U	1.4 U	2 U
7440-50-8	Copper	200	ug/L	1.3 U	2.7 B	6 B	2.1 U
7439-89-6	Iron	300	ug/L	13600	15700	15300	13300
7439-92-1	Lead	25	ug/L	1.8 U N	0.78 U	1.3 U	1.7 U
7439-95-4	Magnesium	35000 (G)	ug/L	27800	30400	30200	30100
7439-96-5	Manganese	300	ug/L	444	485	495	479
7440-02-0	Nickel	100	ug/L	1.4 U	5.9 B	5.6 B	3.4 B
7440-09-7	Potassium	NS	ug/L	7350	7980	9720	10300
7782-49-2	Selenium	10	ug/L	2 B	1.8 U	3.2 U	2.9 B
7440-22-4	Silver	50	ug/L	1.8 U	1.2 U	1.1 U	1.6 U
7440-23-5	Sodium	20000	ug/L	58900 E	57000	54600	57000
7440-28-0	Thallium	.5 (G)	ug/L	4.8 U	3.6 U	4 U	4.8 U
7440-62-2	Vanadium	NS	ug/L	3.8 B	6.3 B	4.4 B	3.1 B
7440-66-6	Zinc	2000 (G)	ug/L	46	16.8 B	28.5	3.9 B
57-12-5	Cyanide	200	ug/L	10 U	10 U	4.9 B	10 U

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	MW-3 E1141 OB 6968 Water 6/8/2004	MW-3 050823-002A OB 200508 Water 8/3/2005	MW-3 0603100-002A LSL-BL 6030950 Water 3/22/2006	MW-3Dup 0603100-005A LSL-BL 6030950 Water 3/22/2006
CAS NO.	COMPOUND		UNITS:				
	VOLATILES						
67-64-1	Acetone	50 (G)	ug/L	2 JB	4 BJ	3 BJ	2 BJ
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U	10 U		
67-66-3	Chloroform	7	ug/L		2 J		
75-09-2	Methylene chloride	5	ug/L	0.8 JB	1 BJ	U	1 BJ
108-88-3	Toluene	5	ug/L			U	U
1330-20-7	Xylene (total)	5	ug/L	1 J	10 U	U	U
	Total VOCs			3.8	7	3	3
	SEMIVOLATILES						
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L		10 U	U	U
85-68-7	Butyl benzyl phthalate	50	ug/L		10 U		
84-74-2	Di-n-butyl phthalate	50	ug/L		10 U	U	U
91-20-3	Naphthalene	10 (G)	ug/L			U	U
	Total SVOCs			NA	ND	ND	ND
	PESTICIDES						
319-84-6	alpha-BHC	0.01	ug/L				
72-55-9	4,4'-DDE	0.2	ug/L				
60-57-1	Dieldrin	0.004	ug/L				
959-98-8	Endosulfan I	NS	ug/L				
33213-65-9	Endosulfan II	NS	ug/L				
1031-07-8	Endosulfan sulfate	NS	ug/L	0.0021 JP			
72-20-8	Endrin	ND	ug/L				
7421-93-4	Endrin aldehyde	5	ug/L				
53494-70-5	Endrin ketone	5	ug/L	0.1 U			
58-89-9	gamma-BHC (Lindane)	0.05	ug/L				
5103-74-2	gamma-Chlordane	0.05	ug/L	0.0027 BJP			
1024-57-3	Heptachlor epoxide	0.03	ug/L				
	Total Pesticides			0.0048	NA	NA	NA
	PCBs						
	None Detected						
	INORGANICS						
7429-90-5	Aluminum	NS	ug/L	800			
7440-36-0	Antimony	3	ug/L	2.3 U			
7440-38-2	Arsenic	25	ug/L	2.1 U			
7440-39-3	Barium	1000	ug/L	213			
7440-41-7	Beryllium	3 (G)	ug/L	0.08 U			
7440-43-9	Cadmium	5	ug/L	0.39 U			
7440-70-2	Calcium	NS	ug/L	112000			
7440-47-8	Chromium	50	ug/L	10.5			
7440-48-4	Cobalt	NS	ug/L	1.9 U			
7440-50-8	Copper	200	ug/L	0.94 U			
7439-89-6	Iron	300	ug/L	13400			
7439-92-1	Lead	25	ug/L	1.5 B			
7439-95-4	Magnesium	35000 (G)	ug/L	29900			
7439-96-5	Manganese	300	ug/L	454			
7440-02-0	Nickel	100	ug/L	5.4 B			
7440-09-7	Potassium	NS	ug/L	11600			
7782-49-2	Selenium	10	ug/L	2.2 U			
7440-22-4	Silver	50	ug/L	1.6 U			
7440-23-5	Sodium	20000	ug/L	58200			
7440-28-0	Thallium	.5 (G)	ug/L	4.8 U			
7440-62-2	Vanadium	NS	ug/L	4.1 B			
7440-66-6	Zinc	2000 (G)	ug/L	14.5 B			
57-12-5	Cyanide	200	ug/L	10 U	NA	NA	NA

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	MW-3 A7E98504 BM A07-E985 Water 12/26/2007
CAS NO.	COMPOUND		UNITS:	
	VOLATILES			
67-64-1	Acetone	50 (G)	ug/L	20 U
75-15-0	Carbon disulfide	60 (G)	ug/L	4 U
67-66-3	Chloroform	7	ug/L	4 U
75-09-2	Methylene chloride	5	ug/L	4 U
108-88-3	Toluene	5	ug/L	4 U
1330-20-7	Xylene (total)	5	ug/L	12 U
	Total VOCs			ND
	SEMIVOLATILES			
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L	5 U
85-68-7	Butyl benzyl phthalate	50	ug/L	5 U
84-74-2	Di-n-butyl phthalate	50	ug/L	0.3 BJ
91-20-3	Naphthalene	10 (G)	ug/L	5 U
	Total SVOCs			0.3
	PESTICIDES			
319-84-6	alpha-BHC	0.01	ug/L	
72-55-9	4,4'-DDE	0.2	ug/L	
60-57-1	Dieldrin	0.004	ug/L	
959-98-8	Endosulfan I	NS	ug/L	
33213-65-9	Endosulfan II	NS	ug/L	
1031-07-8	Endosulfan sulfate	NS	ug/L	
72-20-8	Endrin	ND	ug/L	
7421-93-4	Endrin aldehyde	5	ug/L	
53494-70-5	Endrin ketone	5	ug/L	
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	
5103-74-2	gamma-Chlordane	0.05	ug/L	
1024-57-3	Heptachlor epoxide	0.03	ug/L	
	Total Pesticides			NA
	PCBs			
	None Detected			
	INORGANICS			
7429-90-5	Aluminum	NS	ug/L	
7440-36-0	Antimony	3	ug/L	
7440-38-2	Arsenic	25	ug/L	
7440-39-3	Barium	1000	ug/L	
7440-41-7	Beryllium	3 (G)	ug/L	
7440-43-9	Cadmium	5	ug/L	
7440-70-2	Calcium	NS	ug/L	
7440-47-8	Chromium	50	ug/L	
7440-48-4	Cobalt	NS	ug/L	
7440-50-8	Copper	200	ug/L	
7439-89-6	Iron	300	ug/L	
7439-92-1	Lead	25	ug/L	
7439-95-4	Magnesium	35000 (G)	ug/L	
7439-96-5	Manganese	300	ug/L	
7440-02-0	Nickel	100	ug/L	
7440-09-7	Potassium	NS	ug/L	
7782-49-2	Selenium	10	ug/L	
7440-22-4	Silver	50	ug/L	
7440-23-5	Sodium	20000	ug/L	
7440-28-0	Thallium	.5 (G)	ug/L	
7440-62-2	Vanadium	NS	ug/L	
7440-66-6	Zinc	2000 (G)	ug/L	
57-12-5	Cyanide	200	ug/L	NA

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	MW-4 162135 Columbia MW1 Water 8/12/1997	MW-4 G5191 OBG 5116 Water 11/20/1997	MW-4 H1021 OBG 6857 Water 2/20/1998	MW-4 H7396 OBG 7810 Water 5/28/1998
CAS NO.	COMPOUND		UNITS:				
VOLATILES							
67-64-1	Acetone	50 (G)	ug/L	10 U	2 J	3 J	2 J
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U	10 U	10 U	10 U
67-66-3	Chloroform	7	ug/L				
75-09-2	Methylene chloride	5	ug/L	10 U	10 U	10 U	10 U
108-88-3	Toluene	5	ug/L				
1350-20-7	Xylene (total)	5	ug/L				
	Total VOCs			ND	2	3	2
SEMIVOLATILES							
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L	2 JB	1 J	10 U	10 U
84-74-2	Di-n-butyl phthalate	50	ug/L	1 JB	10 U	10 U	10 U
106-44-5	4-Methylphenol	1	ug/L	11 U	10 U	10 U	10 U
100-02-7	4-Nitrophenol	1	ug/L				
91-20-3	Naphthalene	10 (G)	ug/L				
	Total SVOCs			3	1	ND	ND
PESTICIDES							
309-00-2	Aldrin	ND	ug/L	0.053 U		0.051 U	0.05 U
319-84-6	alpha-BHC	0.01	ug/L	0.053 U		0.051 U	0.05 U
5103-71-9	alpha-Chlordane	0.05	ug/L	0.053 U		0.051 U	0.05 U
72-55-9	4,4'-DDE	0.3	ug/L	0.11 U		0.1 U	0.1 U
50-29-3	4,4'-DDT	0.2	ug/L	0.11 U		0.1 U	0.1 U
319-86-8	delta-BHC	0.04	ug/L	0.053 U		0.051 U	0.05 U
60-57-1	Dieldrin	0.004	ug/L	0.11 U		0.1 U	0.1 U
959-98-8	Endosulfan I	NS	ug/L	0.053 U		0.051 U	0.05 U
33213-65-9	Endosulfan II	NS	ug/L	0.11 U		0.1 U	0.1 U
1031-07-8	Endosulfan sulfate	NS	ug/L	0.11 U		0.1 U	0.1 U
72-20-8	Endrin	ND	ug/L	0.11 U		0.1 U	0.00073 JP
7421-93-4	Endrin aldehyde	5	ug/L	0.11 U		0.1 U	0.1 U
53494-70-5	Endrin ketone	5	ug/L	0.11 U		0.1 U	0.1 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.053 U		0.051 U	0.05 U
5103-74-2	gamma-Chlordane	0.05	ug/L	0.053 U		0.051 U	0.002 JP
76-44-8	Heptachlor	0.04	ug/L	0.053 U		0.051 U	0.05 U
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.053 U		0.051 U	0.05 U
72-43-5	Methoxychlor	35	ug/L	0.53 U		0.51 U	0.5 U
	Total Pesticides			ND	NA	ND	0.00273
PCBs							
None Detected							
INORGANICS							
7429-90-5	Aluminum	NS	ug/L	89.7 B	1460	1300	553
7440-36-0	Antimony	3	ug/L	2.2 UE	2.6 U	2.6 U	2.9 U
7440-38-2	Arsenic	25	ug/L	17.9	4.2 U	4.2 U	9.6 B
7440-39-3	Barium	1000	ug/L	308	47.6 B	53.3 B	214
7440-41-7	Beryllium	3 (G)	ug/L	1.1 B	0.11 B	0.09 B	0.12 U
7440-43-9	Cadmium	5	ug/L	5.1	3.3 B	0.39 B	0.49 U
7440-70-2	Calcium	NS	ug/L	140000	59000	63600	141000
7440-47-8	Chromium	50	ug/L	1.5 U	7.6 B	5.2 B	2 B
7440-48-4	Cobalt	NS	ug/L	2.1 U	1.6 B	1.2 U	2.3 U
7440-50-8	Copper	200	ug/L	7.7 U	7.2 B	3.7 B	1.7 B
7439-89-6	Iron	300	ug/L	19300	3710	1860	19400
7439-92-1	Lead	25	ug/L	2.7 U	5.9	1.1 U	1.8 U
7439-95-4	Magnesium	35000 (G)	ug/L	42700	16800	17800	38900
7439-96-5	Manganese	300	ug/L	200	110	94.4	224
7439-97-6	Mercury	0.7	ug/L	0.2 U	0.14 U	0.2 U	0.09 U
7440-02-0	Nickel	100	ug/L	3.9 U	6.7 B	4.2 B	1.8 B
7440-09-7	Potassium	NS	ug/L	1830 B	1100 B	2130 B	1120 B
7782-49-2	Selenium	10	ug/L	1.4 UW	4 U	4 U	4.8 U
7440-23-5	Sodium	20000	ug/L	70700	3490 B	5100	64100
7440-28-0	Thallium	.5 (G)	ug/L	9.2 U	3.3 U	4.1 B	7.4 U
7440-62-2	Vanadium	NS	ug/L	4 U	3.5 B	3.6 B	2.7 B
7440-66-6	Zinc	2000 (G)	ug/L	87.5	51	27.6	25.1
57-12-5	Cyanide	200	ug/L	0.55 U	10 U	10 U	10 U

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	MW-4DUP H7399 OBG 7810 Water 5/28/1998	MW-4 J8485 OBG 9595 Water 10/22/1998	MW-4 M0194 OBG 1489 Water 4/20/1999	MW-4 N5016 OBG 3880 Water 11/10/1999
CAS NO.	COMPOUND		UNITS:				
VOLATILES							
67-64-1	Acetone	50 (G)	ug/L	10 U	4 J	9 J	10 U
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U	10 U	11	45
67-66-3	Chloroform	7	ug/L				
75-09-2	Methylene chloride	5	ug/L	10 U	2 J	10 U	10 U
108-88-3	Toluene	5	ug/L				
1350-20-7	Xylene (total)	5	ug/L				
	Total VOCs			ND	6	20	45
SEMIVOLATILES							
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L	10 U	10 U	10 U	2 J
84-74-2	Di-n-butyl phthalate	50	ug/L	10 U	10 U	10 U	10 U
106-44-5	4-Methylphenol	1	ug/L	10 U	10 U	10 U	10 U
100-02-7	4-Nitrophenol	1	ug/L				
91-20-3	Naphthalene	10 (G)	ug/L				
	Total SVOCs			ND	ND	ND	2
PESTICIDES							
309-00-2	Aldrin	ND	ug/L	0.05 U	0.05 U	0.05 U	0.05 U
319-84-6	alpha-BHC	0.01	ug/L	0.0017 JP	0.05 U	0.0089 BJP	0.05 U
5103-71-9	alpha-Chlordane	0.05	ug/L	0.05 U	0.05 U	0.00093 JP	0.05 U
72-55-9	4,4'-DDE	0.3	ug/L	0.1 U	0.1 U	0.0007 JP	0.0012 JP
50-29-3	4,4'-DDT	0.2	ug/L	0.1 U	0.1 U	0.1 U	0.1 U
319-86-8	delta-BHC	0.04	ug/L	0.05 U	0.05 U	0.05 U	0.05 U
60-57-1	Dieldrin	0.004	ug/L	0.1 U	0.1 U	0.1 U	0.1 U
959-98-8	Endosulfan I	NS	ug/L	0.05 U	0.05 U	0.0043 JP	0.0014 BJP
33213-65-9	Endosulfan II	NS	ug/L	0.1 U	0.0008 JP	0.1 U	0.1 U
1031-07-8	Endosulfan sulfate	NS	ug/L	0.1 U	0.0017 BJP	0.0042 JP	0.0032 JP
72-20-8	Endrin	ND	ug/L	0.1 U	0.1 U	0.0028 J	0.1 U
7421-93-4	Endrin aldehyde	5	ug/L	0.1 U	0.0028 JP	0.1 U	0.1 U
53494-70-5	Endrin ketone	5	ug/L	0.1 U	0.0014 JP	0.1 U	0.1 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.05 U	0.05 U	0.004 JP	0.05 U
5103-74-2	gamma-Chlordane	0.05	ug/L	0.001 JP	0.0017 JP	0.0056 BJP	0.05 U
76-44-8	Heptachlor	0.04	ug/L	0.05 U	0.05 U	0.05 U	0.05 U
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.05 U	0.05 U	0.00034 JP	0.05 U
72-43-5	Methoxychlor	35	ug/L	0.5 U	0.5 U	0.0033 JP	0.5 U
	Total Pesticides			0.0027	0.0084	0.03507	0.0058
PCBs							
None Detected							
INORGANICS							
7429-90-5	Aluminum	NS	ug/L	453	515	451	787
7440-36-0	Antimony	3	ug/L	2.9 U	1.3 U	1.6 U	2.5 U
7440-38-2	Arsenic	25	ug/L	10.3	6.6 B	8.3 B	2.5 B
7440-39-3	Barium	1000	ug/L	210	176 B	175 B	61.3 B
7440-41-7	Beryllium	3 (G)	ug/L	0.12 U	0.07 U	0.13 U	0.05 B
7440-43-9	Cadmium	5	ug/L	0.49 U	0.43 U	0.88 B	0.35 B
7440-70-2	Calcium	NS	ug/L	140000	132000	137000	70000
7440-47-8	Chromium	50	ug/L	5.5 B	7.1 B	8.9 B	7.2 BE
7440-48-4	Cobalt	NS	ug/L	2.3 U	2.3 U	1.6 U	1.7 U
7440-50-8	Copper	200	ug/L	1.9 B	2.6 B	1.8 B	3.2 B
7439-89-6	Iron	300	ug/L	19100	20100	19400	2000
7439-92-1	Lead	25	ug/L	1.8 U	2.5 B	1.1 U	1.4 B
7439-95-4	Magnesium	35000 (G)	ug/L	38900	36700	37500	19800
7439-96-5	Manganese	300	ug/L	223	213	225	71.1
7439-97-6	Mercury	0.7	ug/L	0.09 U	0.15 U	0.11 U	0.11 U
7440-02-0	Nickel	100	ug/L	2.7 B	1.4 B	2.7 B	4.8 E
7440-09-7	Potassium	NS	ug/L	1040 B	883 B	1180 B	2500 B
7782-49-2	Selenium	10	ug/L	4.8 U	2 U	3.6 U	3 U
7440-23-5	Sodium	20000	ug/L	64300	70500	75000	9540 E
7440-28-0	Thallium	.5 (G)	ug/L	7.4 U	5.5 U	3.8 U	5.1 U
7440-62-2	Vanadium	NS	ug/L	2.7 B	1.8 B	2.6 B	1.8 BE
7440-66-6	Zinc	2000 (G)	ug/L	18.5 B	24.2	13.2 B	22.4
57-12-5	Cyanide	200	ug/L	10 U	10 U	10 U	10 U

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	MW-4RE N5016RE OBG 3880 Water 11/10/1999	MW-4 Q3852 OBG 5490 Water 4/27/2000	MW-4DUP Q3853 OBG 5490 Water 4/27/2000	MW-4 R7320 OBG 7645 Water 12/15/2000
CAS NO.	COMPOUND		UNITS:				
VOLATILES							
67-64-1	Acetone	50 (G)	ug/L		10 U	10 U	10 U
75-15-0	Carbon disulfide	60 (G)	ug/L		1 J	10 U	10 U
67-66-3	Chloroform	7	ug/L				
75-09-2	Methylene chloride	5	ug/L		10 U	10 U	10 U
108-88-3	Toluene	5	ug/L				
1350-20-7	Xylene (total)	5	ug/L				
	Total VOCs			NA	1	ND	ND
SEMIVOLATILES							
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L	2 J	10 U	10 U	1 J
84-74-2	Di-n-butyl phthalate	50	ug/L	10 U	10 U	10 U	10 U
106-44-5	4-Methylphenol	1	ug/L	10 U	10 U	10 U	10 U
100-02-7	4-Nitrophenol	1	ug/L				
91-20-3	Naphthalene	10 (G)	ug/L				
	Total SVOCs			2	ND	ND	1
PESTICIDES							
309-00-2	Aldrin	ND	ug/L		0.051 U	0.0007 JP	0.0018 JP
319-84-6	alpha-BHC	0.01	ug/L		0.051 U	0.052 U	0.0013 JP
5103-71-9	alpha-Chlordane	0.05	ug/L		0.051 U	0.052 U	0.051 U
72-55-9	4,4'-DDE	0.3	ug/L		0.1 U	0.1 U	0.0026 JP
50-29-3	4,4'-DDT	0.2	ug/L		0.1 U	0.0017 JP	0.1 U
319-86-8	delta-BHC	0.04	ug/L		0.051 U	0.051 U	0.00074 BJP
60-57-1	Dieldrin	0.004	ug/L		0.002 JP	0.1 U	0.0015 JP
959-98-8	Endosulfan I	NS	ug/L		0.051 U	0.052 U	0.051 U
33213-65-9	Endosulfan II	NS	ug/L		0.1 U	0.1 U	0.1 U
1031-07-8	Endosulfan sulfate	NS	ug/L		0.1 U	0.1 U	0.0011 JP
72-20-8	Endrin	ND	ug/L		0.1 U	0.1 U	0.00085 JP
7421-93-4	Endrin aldehyde	5	ug/L		0.1 U	0.1 U	0.1 U
53494-70-5	Endrin ketone	5	ug/L		0.1 U	0.1 U	0.003 JP
58-89-9	gamma-BHC (Lindane)	0.05	ug/L		0.0039 JP	0.0039 JP	0.051 U
5103-74-2	gamma-Chlordane	0.05	ug/L		0.051 U	0.051 U	0.051 U
76-44-8	Heptachlor	0.04	ug/L		0.051 U	0.052 U	0.051 U
1024-57-3	Heptachlor epoxide	0.03	ug/L		0.051 U	0.052 U	0.051 U
72-43-5	Methoxychlor	35	ug/L		0.51 U	0.52 U	0.51 U
	Total Pesticides			NA	0.0059	0.00293	0.01289
PCBs							
None Detected							
INORGANICS							
7429-90-5	Aluminum	NS	ug/L		670	683	1090 E
7440-36-0	Antimony	3	ug/L		1.9 U	1.9 U	1.5 U
7440-38-2	Arsenic	25	ug/L		4.5 B	4.2 B	2 U
7440-39-3	Barium	1000	ug/L		58.2 B	58.6 B	51.9 B
7440-41-7	Beryllium	3 (G)	ug/L		0.14 U	0.14 U	0.31 B
7440-43-9	Cadmium	5	ug/L		0.59 B	0.69 B	0.73 B
7440-70-2	Calcium	NS	ug/L		104000	104000	83700
7440-47-8	Chromium	50	ug/L		9.4 B	9.8 B	6.8 B
7440-48-4	Cobalt	NS	ug/L		1.7 B	1.5 B	0.86 U
7440-50-8	Copper	200	ug/L		3 B	3 B	4.4 B
7439-89-6	Iron	300	ug/L		1250	1300	1960
7439-92-1	Lead	25	ug/L		1.1 U	1.2 B	3
7439-95-4	Magnesium	35000 (G)	ug/L		29900	29800	24200
7439-96-5	Manganese	300	ug/L		827	860	104
7439-97-6	Mercury	0.7	ug/L		0.11 U	0.11 U	0.17 U
7440-02-0	Nickel	100	ug/L		5.6 B	6.5 B	4 B
7440-09-7	Potassium	NS	ug/L		1990 B	1990 B	2720 BE
7782-49-2	Selenium	10	ug/L		3.7 U	3.7 U	2.1 U
7440-23-5	Sodium	20000	ug/L		5100	5100	4750 B
7440-28-0	Thallium	.5 (G)	ug/L		4.9 U	4.9 U	3.7 U
7440-62-2	Vanadium	NS	ug/L		2 B	2.4 B	2.9 B
7440-66-6	Zinc	2000 (G)	ug/L		21	24	16.8 B
57-12-5	Cyanide	200	ug/L		10 U	10 U	10 U

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	MW-4 S7324 OBG 9270 Water 6/20/2001	MW-4RE S7324RE OBG 9270 Water 6/20/2001	MW-4 T7107 OBG 764 Water 12/13/2001	MW-4 V4311 OB 2494 Water 6/18/2002
CAS NO.	COMPOUND		UNITS:				
VOLATILES							
67-64-1	Acetone	50 (G)	ug/L	5 J		10 U	10 U
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U		10 U	10 U
67-66-3	Chloroform	7	ug/L				
75-09-2	Methylene chloride	5	ug/L	10 U		0.6 JB	1 J
108-88-3	Toluene	5	ug/L				
1350-20-7	Xylene (total)	5	ug/L				
	Total VOCs			5	NA	0.6	1
SEMIVOLATILES							
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L	13 U	13 U	1 JB	10 U
84-74-2	Di-n-butyl phthalate	50	ug/L	13 U	13 U	10 U	10 U
106-44-5	4-Methylphenol	1	ug/L	2 J	1 J	10 U	10 U
100-02-7	4-Nitrophenol	1	ug/L				
91-20-3	Naphthalene	10 (G)	ug/L				
	Total SVOCs			2	1	1	ND
PESTICIDES							
309-00-2	Aldrin	ND	ug/L	0.052 U		0.05 U	0.024 JP
319-84-6	alpha-BHC	0.01	ug/L	0.052 U		0.05 U	0.051 U
5103-71-9	alpha-Chlordane	0.05	ug/L	0.052 U		0.05 U	0.051 U
72-55-9	4,4'-DDE	0.3	ug/L	0.005 BJP		0.1 U	0.1 U
50-29-3	4,4'-DDT	0.2	ug/L	0.1 U		0.1 U	0.1 U
319-86-8	delta-BHC	0.04	ug/L	0.052 U		0.05 U	0.051 U
60-57-1	Dieldrin	0.004	ug/L	0.1 U		0.0074 BJP	0.1 U
959-98-8	Endosulfan I	NS	ug/L	0.052 U		0.05 U	0.051 U
33213-65-9	Endosulfan II	NS	ug/L	0.1 U		0.0011 JP	0.1 U
1031-07-8	Endosulfan sulfate	NS	ug/L	0.1 U		0.1 U	0.1 U
72-20-8	Endrin	ND	ug/L	0.038 BJP		0.1 U	0.1 U
7421-93-4	Endrin aldehyde	5	ug/L	0.1 U		0.015 BJP	0.1 U
53494-70-5	Endrin ketone	5	ug/L	0.1 U		0.1 U	0.1 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.052 U		0.05 U	0.051 U
5103-74-2	gamma-Chlordane	0.05	ug/L	0.052 U		0.0043 JP	0.051 U
76-44-8	Heptachlor	0.04	ug/L	0.052 U		0.0049 J	0.051 U
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.052 U		0.0032 JP	0.0023 JP
72-43-5	Methoxychlor	35	ug/L	0.52 U		0.5 U	0.51 U
	Total Pesticides			0.043	NA	0.0359	0.0263
PCBs							
None Detected							
INORGANICS							
7429-90-5	Aluminum	NS	ug/L	1090		2980	1140
7440-36-0	Antimony	3	ug/L	1.4 U		2.1 U	2.3 U
7440-38-2	Arsenic	25	ug/L	8 B		26.6	18
7440-39-3	Barium	1000	ug/L	79.6 B		118 B	137 B
7440-41-7	Beryllium	3 (G)	ug/L	0.08 U		0.26 B	0.13 U
7440-43-9	Cadmium	5	ug/L	1.8 B		2.3 B	0.58 B
7440-70-2	Calcium	NS	ug/L	101000		114000	104000
7440-47-8	Chromium	50	ug/L	10.5		17.7	7.3 B E
7440-48-4	Cobalt	NS	ug/L	2.6 B		4 B	1.2 U
7440-50-8	Copper	200	ug/L	2.9 B		5.6 B	1.6 B
7439-89-6	Iron	300	ug/L	7080		17600	14500
7439-92-1	Lead	25	ug/L	3 B		8.7	2.4 B N
7439-95-4	Magnesium	35000 (G)	ug/L	28300		31400	28000
7439-96-5	Manganese	300	ug/L	1840		1530	1610
7439-97-6	Mercury	0.7	ug/L	0.18 U		0.15 U	0.12 U
7440-02-0	Nickel	100	ug/L	8.1 B		10.1 B	1.4 U
7440-09-7	Potassium	NS	ug/L	2870 B		5110	4430 B
7782-49-2	Selenium	10	ug/L	1.8 U		2.2 U	1.5 U
7440-23-5	Sodium	20000	ug/L	42400		115000	145000 E
7440-28-0	Thallium	.5 (G)	ug/L	3.6 U		5.1 U	4.8 U
7440-62-2	Vanadium	NS	ug/L	6.5 B		12.7 B	6.4 B
7440-66-6	Zinc	2000 (G)	ug/L	20.1		36.1	30.6
57-12-5	Cyanide	200	ug/L	10 U		10 U	16.3

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	MW-4 Z7814 OB 4203 Water 12/18/2002	MW-4 A7432 OB 5716 Water 6/24/2003	MW-4 B4292 OB 6968 Water 12/16/2003	MW-4 Dup B4291 OB 6968 Water 12/16/2003
CAS NO.	COMPOUND		UNITS:				
VOLATILES							
67-64-1	Acetone	50 (G)	ug/L	4 JB	10 U	10 U	10 U
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U	6 J	10 U	10 U
67-66-3	Chloroform	7	ug/L				
75-09-2	Methylene chloride	5	ug/L	1 JB	10 U	1 JB	10 U
108-88-3	Toluene	5	ug/L				
1350-20-7	Xylene (total)	5	ug/L				
	Total VOCs			5	6	1	ND
SEMIVOLATILES							
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L	1 J	10 U	10 U	1 J
84-74-2	Di-n-butyl phthalate	50	ug/L	11 U	10 U	10 U	10 U
106-44-5	4-Methylphenol	1	ug/L	11 U	10 U	10 U	10 U
100-02-7	4-Nitrophenol	1	ug/L				
91-20-3	Naphthalene	10 (G)	ug/L				
	Total SVOCs			1	ND	ND	1
PESTICIDES							
309-00-2	Aldrin	ND	ug/L	0.051 U	0.05 U	0.053 U	0.051 U
319-84-6	alpha-BHC	0.01	ug/L	0.051 U	0.0057 JP	0.053 U	0.051 U
5103-71-9	alpha-Chlordane	0.05	ug/L	0.051 U	0.05 U	0.053 U	0.051 U
72-55-9	4,4'-DDE	0.3	ug/L	0.1 U	0.1 U	0.11 U	0.1 U
50-29-3	4,4'-DDT	0.2	ug/L	0.1 U	0.1 U	0.11 U	0.1 U
319-86-8	delta-BHC	0.04	ug/L	0.051 U	0.05 U	0.053 U	0.051 U
60-57-1	Dieldrin	0.004	ug/L	0.1 U	0.1 U	0.11 U	0.1 U
959-98-8	Endosulfan I	NS	ug/L	0.051 U	0.05 U	0.053 U	0.051 U
33213-65-9	Endosulfan II	NS	ug/L	0.1 U	0.1 U	0.11 U	0.1 U
1031-07-8	Endosulfan sulfate	NS	ug/L	0.1 U	0.1 U	0.11 U	0.1 U
72-20-8	Endrin	ND	ug/L	0.1 U	0.1 U	0.11 U	0.1 U
7421-93-4	Endrin aldehyde	5	ug/L	0.1 U	0.1 U	0.11 U	0.1 U
53494-70-5	Endrin ketone	5	ug/L	0.1 U	0.0033 JP	0.11 U	0.1 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.051 U	0.05 U	0.0076 JP	0.0062 JP
5103-74-2	gamma-Chlordane	0.05	ug/L	0.051 U	0.01 J	0.053 U	0.051 U
76-44-8	Heptachlor	0.04	ug/L	0.051 U	0.05 U	0.053 U	0.051 U
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.051 U	0.05 U	0.053 U	0.051 U
72-43-5	Methoxychlor	35	ug/L	0.51 U	0.5 U	0.53 U	0.51 U
	Total Pesticides			ND	0.019	0.0076	0.0062
PCBs							
None Detected							
INORGANICS							
7429-90-5	Aluminum	NS	ug/L	324	803	4790	6820
7440-36-0	Antimony	3	ug/L	2.1 U	1.7 U	1.4 U	1.4 U
7440-38-2	Arsenic	25	ug/L	13.8	14.8	6.6 B	7 B
7440-39-3	Barium	1000	ug/L	163 B	96.4 B	80.2 B	83.1 B
7440-41-7	Beryllium	3 (G)	ug/L	0.01 U	0 B	0.2 B	0.3 B
7440-43-9	Cadmium	5	ug/L	0.43 B	0.35 U	2.6 B	3.2 B
7440-70-2	Calcium	NS	ug/L	119000	112000	89000	90600
7440-47-8	Chromium	50	ug/L	6 B	5.1 B	12.3	16.4
7440-48-4	Cobalt	NS	ug/L	1.6 U	1.4 U	2 U	2.3 B
7440-50-8	Copper	200	ug/L	0.89 U	2.3 B	6.3 B	9.3 B
7439-89-6	Iron	300	ug/L	12400	5820	6900	10300
7439-92-1	Lead	25	ug/L	0.78 U	1.3 B	6.4	9.7
7439-95-4	Magnesium	35000 (G)	ug/L	34500	31900	27000	27700
7439-96-5	Manganese	300	ug/L	569	1040	1810	1380
7439-97-6	Mercury	0.7	ug/L	0.02 U	0.05 U	0 B	0 B
7440-02-0	Nickel	100	ug/L	1.6 U	3.4 B	8.7 B	11.4 B
7440-09-7	Potassium	NS	ug/L	2250 B	4290 B	3240 B	3700 B
7782-49-2	Selenium	10	ug/L	1.8 U	3.3 B	2.9 B	2.9 B
7440-23-5	Sodium	20000	ug/L	50700	65200	3450 B	3470 B
7440-28-0	Thallium	.5 (G)	ug/L	3.6 U	4 U	4.8 U	4.8 U
7440-62-2	Vanadium	NS	ug/L	2.8 B	6.7 B	8.4 B	11.8 B
7440-66-6	Zinc	2000 (G)	ug/L	11.7 B	23.8	49	66.1
57-12-5	Cyanide	200	ug/L	10 U	10 U	10 U	10 U

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	MW-4 E1136 OB 6968 Water 6/8/2004	MW-4 0508042-001A OB 200508 Water 8/5/2005	MW-4 0603100-003A LSL-BL 6030950 Water 3/22/2006	MW-4 A7E98505 BM A07-E985 Water 12/26/2007
CAS NO.	COMPOUND		UNITS:				
VOLATILES							
67-64-1	Acetone	50 (G)	ug/L	5 JB	6 BJ	3 BJ	6
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U			1 U
67-66-3	Chloroform	7	ug/L		1 J		1 U
75-09-2	Methylene chloride	5	ug/L	1 JB	1 BJ	1 BJ	1 U
108-88-3	Toluene	5	ug/L			U	1 U
1350-20-7	Xylene (total)	5	ug/L			U	3 U
	Total VOCs			6	8	4	6
SEMIVOLATILES							
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L		10 U	U	5 U
84-74-2	Di-n-butyl phthalate	50	ug/L		10 U	U	5 U
106-44-5	4-Methylphenol	1	ug/L		10 U		5 U
100-02-7	4-Nitrophenol	1	ug/L	2 J	26 U		10 U
91-20-3	Naphthalene	10 (G)	ug/L			U	5 U
	Total SVOCs			2	ND	ND	ND
PESTICIDES							
309-00-2	Aldrin	ND	ug/L				
319-84-6	alpha-BHC	0.01	ug/L				
5103-71-9	alpha-Chlordane	0.05	ug/L				
72-55-9	4,4'-DDE	0.3	ug/L				
50-29-3	4,4'-DDT	0.2	ug/L				
319-86-8	delta-BHC	0.04	ug/L				
60-57-1	Dieldrin	0.004	ug/L				
959-98-8	Endosulfan I	NS	ug/L				
33213-65-9	Endosulfan II	NS	ug/L				
1031-07-8	Endosulfan sulfate	NS	ug/L	0.1 U			
72-20-8	Endrin	ND	ug/L				
7421-93-4	Endrin aldehyde	5	ug/L				
53494-70-5	Endrin ketone	5	ug/L	0.1 U			
58-89-9	gamma-BHC (Lindane)	0.05	ug/L				
5103-74-2	gamma-Chlordane	0.05	ug/L	0.0034 BJ			
76-44-8	Heptachlor	0.04	ug/L				
1024-57-3	Heptachlor epoxide	0.03	ug/L				
72-43-5	Methoxychlor	35	ug/L				
	Total Pesticides			0.0034	NA	NA	NA
PCBs							
None Detected							
INORGANICS							
7429-90-5	Aluminum	NS	ug/L	6050			
7440-36-0	Antimony	3	ug/L	2.4 B			
7440-38-2	Arsenic	25	ug/L	23.7			
7440-39-3	Barium	1000	ug/L	200 B			
7440-41-7	Beryllium	3 (G)	ug/L	0.33 B			
7440-43-9	Cadmium	5	ug/L	8.1			
7440-70-2	Calcium	NS	ug/L	119000			
7440-47-8	Chromium	50	ug/L	26.9			
7440-48-4	Cobalt	NS	ug/L	9.1 B			
7440-50-8	Copper	200	ug/L	7.8 B			
7439-89-6	Iron	300	ug/L	17900			
7439-92-1	Lead	25	ug/L	12.7			
7439-95-4	Magnesium	35000 (G)	ug/L	32900			
7439-96-5	Manganese	300	ug/L	7210			
7439-97-6	Mercury	0.7	ug/L	0.05 B			
7440-02-0	Nickel	100	ug/L	19.2 B			
7440-09-7	Potassium	NS	ug/L	4840 B			
7782-49-2	Selenium	10	ug/L	2.2 U			
7440-23-5	Sodium	20000	ug/L	103000			
7440-28-0	Thallium	.5 (G)	ug/L	12.3			
7440-62-2	Vanadium	NS	ug/L	16.1 B			
7440-66-6	Zinc	2000 (G)	ug/L	130			
57-12-5	Cyanide	200	ug/L	10 U	NA	NA	NA

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	MW-5 162136	MW-5 G5119	MW-5 H1022	MW-5 H7532	MW-5RE H7532RE
			Source: SDG:	Columbia MW1	OBG 5116	OBG 6857	OBG 7830	OBG 7830
			Matrix: Sampled:	Water 8/12/1997	Water 11/20/1997	Water 2/20/1998	Water 5/29/1998	Water 5/29/1998
CAS NO.	COMPOUND		UNITS:					
VOLATILES								
67-64-1	Acetone	50 (G)	ug/L	10 U	10 U	5 J	10	
71-43-2	Benzene	1	ug/L	3 J	25	92	97	
78-93-3	2-Butanone	50	ug/L	10 U	10 U	2 J	10 U	
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U	10 U	10 U	10 U	
108-90-7	Chlorobenzene	5	ug/L					
75-00-3	Chloroethane	5	ug/L	10 U	10 U	10 U	10 U	
67-66-3	Chloroform	7	ug/L					
74-87-3	Chloromethane	5	ug/L	10 U	10 U	10 U	10 U	
156-59-2	cis-1,2-Dichloroethene	5	ug/L					
75-34-3	1,1-Dichloroethane	5	ug/L					
100-41-4	Ethylbenzene	5	ug/L	10 U	10 U	5 J	8 J	
108-10-1	4-Methyl-2-pentanone	NS	ug/L					
75-09-2	Methylene chloride	5	ug/L	10 U	10 U	10 U	10 U	
100-42-5	Styrene	5	ug/L	10 U	10 U	2 J	1 J	
127-18-4	Tetrachloroethene	5	ug/L					
108-88-3	Toluene	5	ug/L	10 U	4 J	28	35	
79-01-6	Trichloroethene	5	ug/L					
1330-20-7	Xylene (total)	5	ug/L	10 U	2 J	29	42	
	Total VOCs			3	31	161	193	NA
SEMIVOLATILES								
56-55-3	Benzo[a]anthracene	20 (G)	ug/L					
50-32-8	Benzo[a]pyrene	U	ug/L					
205-99-2	Benzo[b]fluoranthene	0.002 (G)	ug/L					
191-24-2	Benzo[g,h,i]perylene	NS	ug/L					
207-08-9	Benzo[k]fluoranthene	0.002 (G)	ug/L					
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L	2 JB	10 U	10 U	10 U	10 U
86-74-8	Carbazole	NS	ug/L					
218-01-9	Chrysene	0.002 (G)	ug/L					
85-68-7	Butyl benzyl phthalate	50 (G)	ug/L	1 JB	10 U	10 U	10 U	10 U
84-74-2	Di-n-butyl phthalate	50	ug/L	4 JB	10 U	10 U	10 U	10 U
106-46-7	1,4-Dichlorobenzene	3	ug/L					
105-67-9	2,4-Dimethylphenol	1	ug/L	12 U	7 J	25	30	31
206-44-0	Fluoranthene	50 (G)	ug/L					
193-39-5	Indeno[1,2,3-cd]pyrene	0.002 (G)	ug/L					
91-57-6	2-Methylnaphthalene	NS	ug/L					
95-48-7	2-Methylphenol	1	ug/L	12 U	2 J	6 J	6 J	5 J
106-44-5	4-Methylphenol	1	ug/L	12 U	4 J	9 J	10 U	10 U
91-20-3	Naphthalene	10 (G)	ug/L	1 J	4 J	8 J	4 J	4 J
108-95-2	Phenol	1	ug/L	3 JB	3 J	6 J	2 J	2 J
129-00-0	Pyrene	50 (G)	ug/L					
	Total SVOCs			11	20	54	42	42
PESTICIDES								
309-00-2	Aldrin	ND	ug/L	0.053 U	0.051 U	0.05 U	0.051 U	
319-84-6	alpha-BHC	0.01	ug/L	0.053 U	0.051 U	0.05 U	0.051 U	
5103-71-9	alpha-Chlordane	0.05	ug/L	0.053 U	0.051 U	0.05 U	0.051 U	
319-85-7	beta-BHC	0.04	ug/L	0.053 U	0.051 U	0.05 U	0.051 U	
72-54-8	4,4'-DDD	0.3	ug/L	0.11 U	0.1 U	0.1 U	0.1 U	
72-55-9	4,4'-DDE	0.2	ug/L	0.11 U	0.1 U	0.1 U	0.1 U	
50-29-3	4,4'-DDT	0.2	ug/L	0.11 U	0.1 U	0.1 U	0.1 U	
319-86-8	delta-BHC	0.04	ug/L	0.053 U	0.051 U	0.05 U	0.051 U	
60-57-1	Dieldrin	0.004	ug/L	0.11 U	0.1 U	0.0095 JP	0.003 JP	
959-98-8	Endosulfan I	NS	ug/L	0.053 U	0.051 U	0.05 U	0.051 U	
33213-65-9	Endosulfan II	NS	ug/L	0.11 U	0.1 U	0.0026 J	0.0011 BJP	
1031-07-8	Endosulfan sulfate	NS	ug/L	0.11 U	0.1 U	0.1 U	0.0067 JP	
72-20-8	Endrin	ND	ug/L	0.11 U	0.1 U	0.1 U	0.0078 JP	
7421-93-4	Endrin aldehyde	5	ug/L	0.11 U	0.1 U	0.1 U	0.1 U	
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.053 U	0.051 U	0.0037 JP	0.0041 JP	
5103-74-2	gamma-Chlordane	0.05	ug/L	0.053 U	0.051 U	0.05 U	0.051 U	
76-44-8	Heptachlor	0.04	ug/L	0.053 U	0.051 U	0.05 U	0.0047 JP	
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.053 U	0.051 U	0.003 JP	0.051 U	
72-43-5	Methoxychlor	35	ug/L	0.53 U	0.51 U	0.5 U	0.51 U	
	Total Pesticides			ND	ND	0.0188	0.0274	NA

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	MW-5 162136	MW-5 G5119	MW-5 H1022	MW-5 H7532	MW-5RE H7532RE
			Source: SDG:	Columbia MW1	OBG 5116	OBG 6857	OBG 7830	OBG 7830
			Matrix: Sampled:	Water 8/12/1997	Water 11/20/1997	Water 2/20/1998	Water 5/29/1998	Water 5/29/1998
CAS NO.	COMPOUND		UNITS:					
	PCBs							
	None Detected							
	INORGANICS							
7429-90-5	Aluminum	NS	ug/L	114 B	2630	1100	503	
7440-36-0	Antimony	3	ug/L	2.2 UE	2.6 U	2.6 U	2.9 U	
7440-38-2	Arsenic	25	ug/L	15.6	11.4	11.4	10.5	
7440-39-3	Barium	1000	ug/L	171 B	324	156 B	114 B	
7440-41-7	Beryllium	3 (G)	ug/L	1.8 B	0.17 B	0.2 B	0.12 U	
7440-43-9	Cadmium	5	ug/L	6.6	0.24 U	0.3 U	0.49 U	
7440-70-2	Calcium	NS	ug/L	196000	153000	51600	38500	
7440-47-8	Chromium	50	ug/L	1.5 U	23	8.9 B	8 B	
7440-48-4	Cobalt	NS	ug/L	3 B	1.1 U	1.2 U	2.3 U	
7440-50-8	Copper	200	ug/L	7.7 U	13.1 B	13.4 B	17.5 B	
7439-89-6	Iron	300	ug/L	32800	24200	12800	10200	
7439-92-1	Lead	25	ug/L	2.7 U	7.7	6.7	6.3	
7439-95-4	Magnesium	35000 (G)	ug/L	51800	41700	14600	10100	
7439-96-5	Manganese	300	ug/L	226	259	189	160	
7439-97-6	Mercury	0.7	ug/L	0.2 U	0.14 U	0.2 U	0.09 U	
7440-02-0	Nickel	100	ug/L	3.9 U	12.8 B	4.9 B	4.6 B	
7440-09-7	Potassium	NS	ug/L	4220 B	8010	25100	28600	
7782-49-2	Selenium	10	ug/L	1.4 UW	4 U	4 U	4.8 U	
7440-22-4	Silver	50	ug/L	0.8 U	0.92 B	0.6 U	1.1 U	
7440-23-5	Sodium	20000	ug/L	49800	47700	98000	108000	
7440-28-0	Thallium	.5 (G)	ug/L	13.5	3.9 B	3.4 U	7.4 U	
7440-62-2	Vanadium	NS	ug/L	4 U	8.5 B	9.9 B	9.6 B	
7440-66-6	Zinc	2000 (G)	ug/L	64.1	37.7	24.2	34.9	
57-12-5	Cyanide	200	ug/L	4.7 B	19.5	41.6	12.5	

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	MW-5 J8487	MW-5 M0195	MW-5RE M0195RE	MW-5 N5017	MW-5RE N5017RE
			Source: SDG: Matrix: Sampled:	OBG 9595 Water 10/22/1998	OBG 1489 Water 4/20/1999	OBG 1489 Water 4/20/1999	OBG 3880 Water 11/10/1999	OBG 3880 Water 11/10/1999
CAS NO.	COMPOUND		UNITS:					
	VOLATILES							
67-64-1	Acetone	50 (G)	ug/L	19	7 J		10 U	
71-43-2	Benzene	1	ug/L	110	110		10 U	
78-93-3	2-Butanone	50	ug/L	10 U	10 U		10 U	
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U	6 J		10 U	
108-90-7	Chlorobenzene	5	ug/L					
75-00-3	Chloroethane	5	ug/L	10 U	10 U		10 U	
67-66-3	Chloroform	7	ug/L					
74-87-3	Chloromethane	5	ug/L	10 U	10 U		10 U	
156-59-2	cis-1,2-Dichloroethene	5	ug/L					
75-34-3	1,1-Dichloroethane	5	ug/L					
100-41-4	Ethylbenzene	5	ug/L	10 J	10 J		7 J	
108-10-1	4-Methyl-2-pentanone	NS	ug/L					
75-09-2	Methylene chloride	5	ug/L	1 J	10 U		10 U	
100-42-5	Styrene	5	ug/L	1 J	2 J		10 U	
127-18-4	Tetrachloroethene	5	ug/L					
108-88-3	Toluene	5	ug/L	28	15		10 U	
79-01-6	Trichloroethene	5	ug/L					
1330-20-7	Xylene (total)	5	ug/L	40	40		25	
	Total VOCs			208	190	NA	32	NA
	SEMIVOLATILES							
56-55-3	Benzo[a]anthracene	20 (G)	ug/L					
50-32-8	Benzo[a]pyrene	U	ug/L					
205-99-2	Benzo[b]fluoranthene	0.002 (G)	ug/L					
191-24-2	Benzo[g,h,i]perylene	NS	ug/L					
207-08-9	Benzo[k]fluoranthene	0.002 (G)	ug/L					
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L	10 U	10 U	10 U	10 U	10 U
86-74-8	Carbazole	NS	ug/L					
218-01-9	Chrysene	0.002 (G)	ug/L					
85-68-7	Butyl benzyl phthalate	50 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
84-74-2	Di-n-butyl phthalate	50	ug/L	10 U	10 U	10 U	10 U	10 U
106-46-7	1,4-Dichlorobenzene	3	ug/L					
105-67-9	2,4-Dimethylphenol	1	ug/L	23	18	17	3 J	3 J
206-44-0	Fluoranthene	50 (G)	ug/L					
193-39-5	Indeno[1,2,3-cd]pyrene	0.002 (G)	ug/L					
91-57-6	2-Methylnaphthalene	NS	ug/L					
95-48-7	2-Methylphenol	1	ug/L	4 J	3 J	4 J	10 U	10 U
106-44-5	4-Methylphenol	1	ug/L	1 J	6 J	7 J	10 U	10 U
91-20-3	Naphthalene	10 (G)	ug/L	9 J	10 J	10 J	3 J	3 J
108-95-2	Phenol	1	ug/L	1 J	4 J	4 J	10 U	10 U
129-00-0	Pyrene	50 (G)	ug/L					
	Total SVOCs			38	41	42	6	6
	PESTICIDES							
309-00-2	Aldrin	ND	ug/L	0.051 U	0.0016 JP		0.051 U	
319-84-6	alpha-BHC	0.01	ug/L	0.051 U	0.0069 BJP		0.051 U	
5103-71-9	alpha-Chlordane	0.05	ug/L	0.051 U	0.051 U		0.051 U	
319-85-7	beta-BHC	0.04	ug/L	0.051 U	0.051 U		0.051 U	
72-54-8	4,4'-DDD	0.3	ug/L	0.1 U	0.1 U		0.1 U	
72-55-9	4,4'-DDE	0.2	ug/L	0.0011 JP	0.0014 JP		0.1 U	
50-29-3	4,4'-DDT	0.2	ug/L	0.1 U	0.1 U		0.0015 JP	
319-86-8	delta-BHC	0.04	ug/L	0.0015 J	0.051 U		0.051 U	
60-57-1	Dieldrin	0.004	ug/L	0.1 U	0.0036 JP		0.0071 JP	
959-98-8	Endosulfan I	NS	ug/L	0.051 U	0.0025 JP		0.013 BJP	
33213-65-9	Endosulfan II	NS	ug/L	0.1 U	0.1 U		0.1 U	
1031-07-8	Endosulfan sulfate	NS	ug/L	0.0037 BJP	0.004 JP		0.0044 JP	
72-20-8	Endrin	ND	ug/L	0.1 U	0.0055 JP		0.0029 JP	
7421-93-4	Endrin aldehyde	5	ug/L	0.1 U	0.1 U		0.1 U	
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.051 U	0.0085 J		0.016 JP	
5103-74-2	gamma-Chlordane	0.05	ug/L	0.0047 JP	0.0018 BJP		0.051 U	
76-44-8	Heptachlor	0.04	ug/L	0.0031 JP	0.00072 JP		0.0024 JP	
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.0015 JP	0.0017 JP		0.0058 J	
72-43-5	Methoxychlor	35	ug/L	0.51 U	0.0061 J		0.51 U	
	Total Pesticides			0.0156	0.04432	NA	0.0531	NA

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	MW-5 J8487	MW-5 M0195	MW-5RE M0195RE	MW-5 N5017	MW-5RE N5017RE
			Source: SDG:	OBG 9595	OBG 1489	OBG 1489	OBG 3880	OBG 3880
			Matrix: Sampled:	Water 10/22/1998	Water 4/20/1999	Water 4/20/1999	Water 11/10/1999	Water 11/10/1999
CAS NO.	COMPOUND		UNITS:					
	PCBs							
	None Detected							
	INORGANICS							
7429-90-5	Aluminum	NS	ug/L	634	499		1140	
7440-36-0	Antimony	3	ug/L	2.9 B	2.5 B		2.5 U	
7440-38-2	Arsenic	25	ug/L	10.1	8.6 B		7.9 B	
7440-39-3	Barium	1000	ug/L	109 B	139 B		167 B	
7440-41-7	Beryllium	3 (G)	ug/L	0.17 B	0.19 B		0.19 B	
7440-43-9	Cadmium	5	ug/L	0.43 U	0.42 U		0.3 U	
7440-70-2	Calcium	NS	ug/L	36100	44900		59300	
7440-47-8	Chromium	50	ug/L	9.8 B	25.4		20.7 E	
7440-48-4	Cobalt	NS	ug/L	2.3 U	1.6 U		1.7 U	
7440-50-8	Copper	200	ug/L	14.1 B	12.9 B		15.8 B	
7439-89-6	Iron	300	ug/L	12200	13400		16800	
7439-92-1	Lead	25	ug/L	6.6	4.6		7.8	
7439-95-4	Magnesium	35000 (G)	ug/L	9220	11200		15700	
7439-96-5	Manganese	300	ug/L	197	213		249	
7439-97-6	Mercury	0.7	ug/L	0.15 U	0.11 U		0.11 U	
7440-02-0	Nickel	100	ug/L	4.3 B	12.4 B		9.7 BE	
7440-09-7	Potassium	NS	ug/L	29300	41700		34700	
7782-49-2	Selenium	10	ug/L	2 U	3.6 U		3 U	
7440-22-4	Silver	50	ug/L	1.2 U	1 U		0.78 U	
7440-23-5	Sodium	20000	ug/L	97600	102000		101000 E	
7440-28-0	Thallium	.5 (G)	ug/L	5.5 U	3.8 U		5.1 U	
7440-62-2	Vanadium	NS	ug/L	8.6 B	8.9 B		9.9 BE	
7440-66-6	Zinc	2000 (G)	ug/L	55.8	18.8 B		28.4	
57-12-5	Cyanide	200	ug/L	30	36		33.5	

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	MW-5 Q4026	MW-5 R7321	MW-5 S7323	MW-5RE S7323RE	MW-5 T7108
			Source: SDG:	OBG 5512	OBG 7645	OBG 9270	OBG 9270	OBG 764
			Matrix:	Water	Water	Water	Water	Water
			Sampled:	4/28/2000	12/15/2000	6/20/2001	6/20/2001	12/13/2001
CAS NO.	COMPOUND		UNITS:					
	VOLATILES							
67-64-1	Acetone	50 (G)	ug/L	10 U	7 J	6 J		10 U
71-43-2	Benzene	1	ug/L	47	84	57		63
78-93-3	2-Butanone	50	ug/L	10 U	10 U	10 U		10 U
75-15-0	Carbon disulfide	60 (G)	ug/L	3 J	10 U	10 U		10 U
108-90-7	Chlorobenzene	5	ug/L					
75-00-3	Chloroethane	5	ug/L	10 U	10 U	2 J		10 U
67-66-3	Chloroform	7	ug/L					
74-87-3	Chloromethane	5	ug/L	10 U	10 U	2 J		10 U
156-59-2	cis-1,2-Dichloroethene	5	ug/L					
75-34-3	1,1-Dichloroethane	5	ug/L					
100-41-4	Ethylbenzene	5	ug/L	3 J	8 J	6 J		4 J
108-10-1	4-Methyl-2-pentanone	NS	ug/L					
75-09-2	Methylene chloride	5	ug/L	10 U	10 U	10 U		0.7 JB
100-42-5	Styrene	5	ug/L	10 U	1 J	10 U		0.8 J
127-18-4	Tetrachloroethene	5	ug/L					
108-88-3	Toluene	5	ug/L	3 J	8 J	6 J		4 J
79-01-6	Trichloroethene	5	ug/L					
1330-20-7	Xylene (total)	5	ug/L	9 J	27	18		19
	Total VOCs			65	135	97	NA	90.8
	SEMIVOLATILES							
56-55-3	Benzo[a]anthracene	20 (G)	ug/L					
50-32-8	Benzo[a]pyrene	U	ug/L					
205-99-2	Benzo[b]fluoranthene	0.002 (G)	ug/L					
191-24-2	Benzo[g,h,i]perylene	NS	ug/L					
207-08-9	Benzo[k]fluoranthene	0.002 (G)	ug/L					
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L	10 U	10 U	10 U	10 U	2 JB
86-74-8	Carbazole	NS	ug/L					
218-01-9	Chrysene	0.002 (G)	ug/L					
85-68-7	Butyl benzyl phthalate	50 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
84-74-2	Di-n-butyl phthalate	50	ug/L	10 U	10 U	10 U	10 U	10 U
106-46-7	1,4-Dichlorobenzene	3	ug/L					
105-67-9	2,4-Dimethylphenol	1	ug/L	8 J	20	9 J	8 J	9 J
206-44-0	Fluoranthene	50 (G)	ug/L					
193-39-5	Indeno[1,2,3-cd]pyrene	0.002 (G)	ug/L					
91-57-6	2-Methylnaphthalene	NS	ug/L					
95-48-7	2-Methylphenol	1	ug/L	2 J	2 J	10 U	10 U	10 U
106-44-5	4-Methylphenol	1	ug/L	2 J	4 J	3 J	3 J	10 U
91-20-3	Naphthalene	10 (G)	ug/L	10 J	8 J	1 J	2 J	1 J
108-95-2	Phenol	1	ug/L	3 J	2 J	2 J	2 J	3 J
129-00-0	Pyrene	50 (G)	ug/L					
	Total SVOCs			15	36	15	15	15
	PESTICIDES							
309-00-2	Aldrin	ND	ug/L	0.0016 JP	0.0031 JP	0.052 U		0.052 U
319-84-6	alpha-BHC	0.01	ug/L	0.051 U	0.0012 JP	0.052 U		0.052 U
5103-71-9	alpha-Chlordane	0.05	ug/L	0.051 U	0.051 U	0.052 U		0.0011 JP
319-85-7	beta-BHC	0.04	ug/L	0.051 U	0.051 U	0.052 U		0.052 U
72-54-8	4,4'-DDD	0.3	ug/L	0.0033 JP	0.1 U	0.1 U		0.1 U
72-55-9	4,4'-DDE	0.2	ug/L	0.1 U	0.1 U	0.1 U		0.1 U
50-29-3	4,4'-DDT	0.2	ug/L	0.1 I	0.1 U	0.1 U		0.0037 JP
319-86-8	delta-BHC	0.04	ug/L	0.051 U	0.051 U	0.052 U		0.052 U
60-57-1	Dieldrin	0.004	ug/L	0.0021 JP	0.0011 JP	0.1 U		0.012 BJ
959-98-8	Endosulfan I	NS	ug/L	0.051 U	0.0024 JP	0.052 U		0.052 U
33213-65-9	Endosulfan II	NS	ug/L	0.1 U	0.0021 JP	0.1 U		0.00076 JP
1031-07-8	Endosulfan sulfate	NS	ug/L	0.1 U	0.0021 JP	0.1 U		0.1 U
72-20-8	Endrin	ND	ug/L	0.1 U	0.0056 JP	0.1 U		0.1 U
7421-93-4	Endrin aldehyde	5	ug/L	0.1 U	0.0017 JP	0.1 U		0.0088 BJP
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.036 JP	0.051 U	0.052 U		0.052 U
5103-74-2	gamma-Chlordane	0.05	ug/L	0.0031 JP	0.051 U	0.052 U		0.018 JP
76-44-8	Heptachlor	0.04	ug/L	0.00069 JP	0.051 U	0.052 U		0.0054 JP
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.0023 BJP	0.0017 JP	0.052 U		0.002 JP
72-43-5	Methoxychlor	35	ug/L	0.51 U	0.51 U	0.52 U		0.52 U
	Total Pesticides			0.04909	0.021	ND	NA	0.05716

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	MW-5 Q4026	MW-5 R7321	MW-5 S7323	MW-5RE S7323RE	MW-5 T7108
			Source: SDG: Matrix: Sampled:	OBG 5512 Water 4/28/2000	OBG 7645 Water 12/15/2000	OBG 9270 Water 6/20/2001	OBG 9270 Water 6/20/2001	OBG 764 Water 12/13/2001
CAS NO.	COMPOUND		UNITS:					
	PCBs							
	None Detected							
	INORGANICS							
7429-90-5	Aluminum	NS	ug/L	298	697 E	346		801
7440-36-0	Antimony	3	ug/L	1.9 U	1.5 U	1.4 U		2.1 U
7440-38-2	Arsenic	25	ug/L	9	9.8 B	7.5 B		11.5
7440-39-3	Barium	1000	ug/L	204	148 B	172 B		193 B
7440-41-7	Beryllium	3 (G)	ug/L	0.18 B	0.46 B	0.08 U		0.24 B
7440-43-9	Cadmium	5	ug/L	0.28 U	0.25 U	0.24 U		0.4 B
7440-70-2	Calcium	NS	ug/L	133000	53000	68700		62400
7440-47-8	Chromium	50	ug/L	13.9	14.1	15.6		19
7440-48-4	Cobalt	NS	ug/L	0.96 U	0.86 U	0.93 U		1.8 B
7440-50-8	Copper	200	ug/L	9.1 B	15.4 B	10 B		16.8 B
7439-89-6	Iron	300	ug/L	24100	10200	12200		14900
7439-92-1	Lead	25	ug/L	2.3 B	8.3	4.2		8.2
7439-95-4	Magnesium	35000 (G)	ug/L	34700	14300	19700		19500
7439-96-5	Manganese	300	ug/L	203	162	178		231
7439-97-6	Mercury	0.7	ug/L	0.12 B	0.17 U	0.18 U		0.15 U
7440-02-0	Nickel	100	ug/L	4.5 B	5.5 B	6.7 B		8.6 B
7440-09-7	Potassium	NS	ug/L	17400	27800 E	22600		32700
7782-49-2	Selenium	10	ug/L	3.7 U	2.1 U	1.8 U		2.2 B
7440-22-4	Silver	50	ug/L	0.75 U	0.73 U	0.73 U		1 U
7440-23-5	Sodium	20000	ug/L	76800	93400	85800		94700
7440-28-0	Thallium	.5 (G)	ug/L	4.9 U	3.7 U	3.6 U		5.1 U
7440-62-2	Vanadium	NS	ug/L	4.8 B	8.5 B	6.3 B		9.3 B
7440-66-6	Zinc	2000 (G)	ug/L	10 B	13.3 B	10.3 B		12.4 B
57-12-5	Cyanide	200	ug/L	15.8 U	36.8	23		38.7

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	MW-5RE T7108RE OBG 764 Water 12/13/2001	MW-5 V4312 OB 2494 Water 6/18/2002	MW-5 RE V4312RE OB 2494 Water 6/18/2002	MW-5 Z7815 OB 4203 Water 12/18/2002	MW-5 A7431 OB 5716 Water 6/24/2003
CAS NO.	COMPOUND		UNITS:					
	VOLATILES							
67-64-1	Acetone	50 (G)	ug/L		10 U		4 JB	3 J
71-43-2	Benzene	1	ug/L		86		52	38
78-93-3	2-Butanone	50	ug/L		10 U		1 J	10 U
75-15-0	Carbon disulfide	60 (G)	ug/L		10 U		10 U	2 J
108-90-7	Chlorobenzene	5	ug/L					
75-00-3	Chloroethane	5	ug/L		10 U		10 U	10 U
67-66-3	Chloroform	7	ug/L					
74-87-3	Chloromethane	5	ug/L		10 U		10 U	10 U
156-59-2	cis-1,2-Dichloroethene	5	ug/L					
75-34-3	1,1-Dichloroethane	5	ug/L					
100-41-4	Ethylbenzene	5	ug/L		7 J		4 J	2 J
108-10-1	4-Methyl-2-pentanone	NS	ug/L					
75-09-2	Methylene chloride	5	ug/L		10 U		0.5 JB	10 U
100-42-5	Styrene	5	ug/L		10 U		1 J	0.5 J
127-18-4	Tetrachloroethene	5	ug/L					
108-88-3	Toluene	5	ug/L		7 J		5 J	4 J
79-01-6	Trichloroethene	5	ug/L					
1330-20-7	Xylene (total)	5	ug/L		31		17	7 J
	Total VOCs			NA	131	NA	84.5	49.5
	SEMIVOLATILES							
56-55-3	Benzo[a]anthracene	20 (G)	ug/L					
50-32-8	Benzo[a]pyrene	U	ug/L					
205-99-2	Benzo[b]fluoranthene	0.002 (G)	ug/L					
191-24-2	Benzo[g,h,i]perylene	NS	ug/L					
207-08-9	Benzo[k]fluoranthene	0.002 (G)	ug/L					
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L	1 JB	10 U	10 U	10 U	10 U
86-74-8	Carbazole	NS	ug/L					
218-01-9	Chrysene	0.002 (G)	ug/L					
85-68-7	Butyl benzyl phthalate	50 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
84-74-2	Di-n-butyl phthalate	50	ug/L	10 U	10 U	10 U	10 U	10 U
106-46-7	1,4-Dichlorobenzene	3	ug/L					
105-67-9	2,4-Dimethylphenol	1	ug/L	8 J	16	16	13	7 J
206-44-0	Fluoranthene	50 (G)	ug/L					
193-39-5	Indeno[1,2,3-cd]pyrene	0.002 (G)	ug/L					
91-57-6	2-Methylnaphthalene	NS	ug/L					
95-48-7	2-Methylphenol	1	ug/L	10 U	2 J	2 J	2 J	1 J
106-44-5	4-Methylphenol	1	ug/L	10 U	4 J	4 J	4 J	2 J
91-20-3	Naphthalene	10 (G)	ug/L	1 J	10 U	10 U	13	5 J
108-95-2	Phenol	1	ug/L	10 U	10 U	10 J	4 J	10 U
129-00-0	Pyrene	50 (G)	ug/L					
	Total SVOCs			10	32	32	36	15
	PESTICIDES							
309-00-2	Aldrin	ND	ug/L		0.044 JP		0.051 U	0.05 U
319-84-6	alpha-BHC	0.01	ug/L		0.053 U		0.051 U	0.05 U
5103-71-9	alpha-Chlordane	0.05	ug/L		0.053 U		0.051 U	0.05 U
319-85-7	beta-BHC	0.04	ug/L		0.0079 JP		0.051 U	0.05 U
72-54-8	4,4'-DDD	0.3	ug/L		0.11 U		0.1 U	0.1 U
72-55-9	4,4'-DDE	0.2	ug/L		0.11 U		0.1 U	0.1 U
50-29-3	4,4'-DDT	0.2	ug/L		0.11 U		0.1 U	0.1 U
319-86-8	delta-BHC	0.04	ug/L		0.053 U		0.051 U	0.05 U
60-57-1	Dieldrin	0.004	ug/L		0.11 U		0.1 U	0.1 U
959-98-8	Endosulfan I	NS	ug/L		0.053 U		0.051 U	0.0066 JP
33213-65-9	Endosulfan II	NS	ug/L		0.11 U		0.1 U	0.1 U
1031-07-8	Endosulfan sulfate	NS	ug/L		0.11 U		0.1 U	0.1 U
72-20-8	Endrin	ND	ug/L		0.11 U		0.1 U	0.1 U
7421-93-4	Endrin aldehyde	5	ug/L		0.11 U		0.1 U	0.015 BJP
58-89-9	gamma-BHC (Lindane)	0.05	ug/L		0.053 U		0.051 U	0.05 U
5103-74-2	gamma-Chlordane	0.05	ug/L		0.0075 JP		0.051 U	0.0092 J
76-44-8	Heptachlor	0.04	ug/L		0.053 U		0.051 U	0.05 U
1024-57-3	Heptachlor epoxide	0.03	ug/L		0.0074 J		0.051 U	0.05 U
72-43-5	Methoxychlor	35	ug/L		0.53 U		0.51 U	0.5 U
	Total Pesticides			NA	0.0668	NA	ND	0.0308

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	MW-5RE T7108RE OBG 764 Water 12/13/2001	MW-5 V4312 OB 2494 Water 6/18/2002	MW-5 RE V4312RE OB 2494 Water 6/18/2002	MW-5 Z7815 OB 4203 Water 12/18/2002	MW-5 A7431 OB 5716 Water 6/24/2003
CAS NO.	COMPOUND		UNITS:					
	PCBs							
	None Detected							
	INORGANICS							
7429-90-5	Aluminum	NS	ug/L		573		272	181 B
7440-36-0	Antimony	3	ug/L		2.3 U		2.1 U	1.7 U
7440-38-2	Arsenic	25	ug/L		11.5		10.7	9.4 B
7440-39-3	Barium	1000	ug/L		158 B		187 B	169 B
7440-41-7	Beryllium	3 (G)	ug/L		0.21 B		0.14 B	0 B
7440-43-9	Cadmium	5	ug/L		0.31 U		0.37 U	0.35 U
7440-70-2	Calcium	NS	ug/L		50300		94500	143000
7440-47-8	Chromium	50	ug/L		15.4 E		5.8 B	3.7 B
7440-48-4	Cobalt	NS	ug/L		1.2 U		1.6 U	1.4 U
7440-50-8	Copper	200	ug/L		17.2 B		11.3 B	6.7 B
7439-89-6	Iron	300	ug/L		14100		19100	25700
7439-92-1	Lead	25	ug/L		7.7 N		3.8	2.8 B
7439-95-4	Magnesium	35000 (G)	ug/L		13800		25300	35100
7439-96-5	Manganese	300	ug/L		212		188	198
7439-97-6	Mercury	0.7	ug/L		0.12 U		0.02 U	0.05 U
7440-02-0	Nickel	100	ug/L		4 B		1.6 U	1.2 U
7440-09-7	Potassium	NS	ug/L		34000		23100	12700
7782-49-2	Selenium	10	ug/L		1.6 B		1.8 U	3.2 U
7440-22-4	Silver	50	ug/L		1.8 U		1.2 U	1.1 U
7440-23-5	Sodium	20000	ug/L		95500 E		80500	70200
7440-28-0	Thallium	.5 (G)	ug/L		4.8 U		3.6 U	4 U
7440-62-2	Vanadium	NS	ug/L		8.6 B		7.9 B	3.7 B
7440-66-6	Zinc	2000 (G)	ug/L		48.9		8.5 B	18.3 B
57-12-5	Cyanide	200	ug/L		10 U		19.6	11

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	MW-5 B4468	MW-5 E1138	MW-5 0508042-002A	MW-5 0603100-004A
			Source: SDG: Matrix: Sampled:	OB 6968 Water 12/18/2003	OB 6968 Water 6/8/2004	OB 200508 Water 8/5/2005	LSL-BL 6030950 Water 3/22/2006
CAS NO.	COMPOUND		UNITS:				
VOLATILES							
67-64-1	Acetone	50 (G)	ug/L	10 U	3 JB	4 BJ	3 BJ
71-43-2	Benzene	1	ug/L	10 J	22	47	33
78-93-3	2-Butanone	50	ug/L	10 U			
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U	10 U		
108-90-7	Chlorobenzene	5	ug/L			10 U	U
75-00-3	Chloroethane	5	ug/L	10 U			
67-66-3	Chloroform	7	ug/L			3 J	
74-87-3	Chloromethane	5	ug/L	10 U			
156-59-2	cis-1,2-Dichloroethene	5	ug/L			10 U	U
75-34-3	1,1-Dichloroethane	5	ug/L			10 U	U
100-41-4	Ethylbenzene	5	ug/L	10 U	0.6 J	3 J	1 J
108-10-1	4-Methyl-2-pentanone	NS	ug/L				U
75-09-2	Methylene chloride	5	ug/L	10 U	0.7 JB	2 BJ	1 BJ
100-42-5	Styrene	5	ug/L	10 U		10 U	
127-18-4	Tetrachloroethene	5	ug/L				U
108-88-3	Toluene	5	ug/L	10 U	0.9 J	7 J	2 J
79-01-6	Trichloroethene	5	ug/L				U
1330-20-7	Xylene (total)	5	ug/L	10 U	2 J	9 J	4 J
	Total VOCs			10	29.2	75	42
SEMIVOLATILES							
56-55-3	Benzo[a]anthracene	20 (G)	ug/L				U
50-32-8	Benzo[a]pyrene	U	ug/L				U
205-99-2	Benzo[b]fluoranthene	0.002 (G)	ug/L				U
191-24-2	Benzo[g,h,i]perylene	NS	ug/L				U
207-08-9	Benzo[k]fluoranthene	0.002 (G)	ug/L				U
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L	10 U		1 J	U
86-74-8	Carbazole	NS	ug/L				U
218-01-9	Chrysene	0.002 (G)	ug/L				U
85-68-7	Butyl benzyl phthalate	50 (G)	ug/L	10 U		10 U	
84-74-2	Di-n-butyl phthalate	50	ug/L	10 U		10 U	U
106-46-7	1,4-Dichlorobenzene	3	ug/L				U
105-67-9	2,4-Dimethylphenol	1	ug/L	10 U	2 J	5 J	2 J
206-44-0	Fluoranthene	50 (G)	ug/L				U
193-39-5	Indeno[1,2,3-cd]pyrene	0.002 (G)	ug/L				U
91-57-6	2-Methylnaphthalene	NS	ug/L				U
95-48-7	2-Methylphenol	1	ug/L	10 U		1 J	U
106-44-5	4-Methylphenol	1	ug/L	10 U		1 J	U
91-20-3	Naphthalene	10 (G)	ug/L	10 U		10 U	1 J
108-95-2	Phenol	1	ug/L	10 U	1 J	10 U	2 J
129-00-0	Pyrene	50 (G)	ug/L				U
	Total SVOCs			ND	3	8	4
PESTICIDES							
309-00-2	Aldrin	ND	ug/L	0.05 U			
319-84-6	alpha-BHC	0.01	ug/L	0.05 U			
5103-71-9	alpha-Chlordane	0.05	ug/L	0.05 U			
319-85-7	beta-BHC	0.04	ug/L	0.05 U			
72-54-8	4,4'-DDD	0.3	ug/L	0.1 U			
72-55-9	4,4'-DDE	0.2	ug/L	0.1 U			
50-29-3	4,4'-DDT	0.2	ug/L	0.1 U			
319-86-8	delta-BHC	0.04	ug/L	0.05 U			
60-57-1	Dieldrin	0.004	ug/L	0.1 U			
959-98-8	Endosulfan I	NS	ug/L	0.05 U			
33213-65-9	Endosulfan II	NS	ug/L	0.1 U			
1031-07-8	Endosulfan sulfate	NS	ug/L	0.1 U	0.1 U		
72-20-8	Endrin	ND	ug/L	0.1 U			
7421-93-4	Endrin aldehyde	5	ug/L	0.1 U			
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.05 U			
5103-74-2	gamma-Chlordane	0.05	ug/L	0.05 U	0.0048 BJ		
76-44-8	Heptachlor	0.04	ug/L	0.05 U			
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.05 U			
72-43-5	Methoxychlor	35	ug/L	0.5 U			
	Total Pesticides			ND	0.0048 BJ	NA	NA

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	MW-5 B4468	MW-5 E1138	MW-5 0508042-002A	MW-5 0603100-004A
			Source: SDG: Matrix: Sampled:	OB 6968 Water 12/18/2003	OB 6968 Water 6/8/2004	OB 200508 Water 8/5/2005	LSL-BL 6030950 Water 3/22/2006
CAS NO.	COMPOUND		UNITS:				
	PCBs						
	None Detected						
	INORGANICS						
7429-90-5	Aluminum	NS	ug/L	116 B	139 B		
7440-36-0	Antimony	3	ug/L	1.4 U	2.3 U		
7440-38-2	Arsenic	25	ug/L	7 B	7.4 B		
7440-39-3	Barium	1000	ug/L	166 B	165 B		
7440-41-7	Beryllium	3 (G)	ug/L	0.12 U	0.08 U		
7440-43-9	Cadmium	5	ug/L	0.35 U	0.39 U		
7440-70-2	Calcium	NS	ug/L	170000	156000		
7440-47-8	Chromium	50	ug/L	2.6 B	7.1 B		
7440-48-4	Cobalt	NS	ug/L	2 U	1.9 U		
7440-50-8	Copper	200	ug/L	2.1 U	2.7 B		
7439-89-6	Iron	300	ug/L	29600	27400		
7439-92-1	Lead	25	ug/L	1.7 U	2.1 B		
7439-95-4	Magnesium	35000 (G)	ug/L	41000	37200		
7439-96-5	Manganese	300	ug/L	202	213		
7439-97-6	Mercury	0.7	ug/L	0.02 U	0.04 U		
7440-02-0	Nickel	100	ug/L	0.84 U	1.7 B		
7440-09-7	Potassium	NS	ug/L	6010	10300		
7782-49-2	Selenium	10	ug/L	3.2 B	3.1 B		
7440-22-4	Silver	50	ug/L	1.6 U	1.6 U		
7440-23-5	Sodium	20000	ug/L	60500	66200		
7440-28-0	Thallium	.5 (G)	ug/L	4.8 U	4.8 U		
7440-62-2	Vanadium	NS	ug/L	1.5 B	2.7 B		
7440-66-6	Zinc	2000 (G)	ug/L	1.6 U	21.2		
57-12-5	Cyanide	200	ug/L	10 U	10 U	NA	NA

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	MW-6 162137 Columbia MW1 Water 8/12/1997	MW-6 G5189 OBG 5116 Water 11/20/1997	MW-6 H1023 OBG 6857 Water 2/20/1998	MW-6 H7533 OBG 7830 Water 5/29/1998
CAS NO.	COMPOUND		UNITS:				
	VOLATILES						
67-64-1	Acetone	50 (G)	ug/L	10 U	10 U	10 U	10 U
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U	10 U	10 U	10 U
75-09-2	Methylene chloride	5	ug/L	10 U	10 U	10 U	10 U
108-88-3	Toluene	5	ug/L				
1330-20-7	Xylene (total)	5	ug/L				
	Total VOCs			ND	ND	ND	ND
	SEMIVOLATILES						
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L	11 U	10 U	10 U	10 U
84-74-2	Di-n-butyl phthalate	50	ug/L	1 JB	10 U	10 U	10 U
91-20-3	Naphthalene	10 (G)	ug/L				
	Total SVOCs			1	ND	ND	ND
	PESTICIDES						
309-00-2	Aldrin	ND	ug/L	0.053 U	0.05 U	0.05 U	0.05 U
319-84-6	alpha-BHC	0.01	ug/L	0.053 U	0.05 U	0.05 U	0.00061 BJP
319-85-7	beta-BHC	0.04	ug/L	0.053 U	0.05 U	0.05 U	0.05 U
72-55-9	4,4'-DDE	0.2	ug/L	0.11 U	0.1 U	0.1 U	0.1 U
50-29-3	4,4'-DDT	0.2	ug/L	0.11 U	0.1 U	0.1 U	0.1 U
60-57-1	Dieldrin	0.004	ug/L	0.11 U	0.1 U	0.1 U	0.1 U
959-98-8	Endosulfan I	NS	ug/L	0.053 U	0.05 U	0.05 U	0.05 U
1031-07-8	Endosulfan sulfate	NS	ug/L	0.11 U	0.1 U	0.1 U	0.1 U
72-20-8	Endrin	ND	ug/L	0.11 U	0.1 U	0.1 U	0.1 U
7421-93-4	Endrin aldehyde	5	ug/L	0.11 U	0.1 U	0.1 U	0.1 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.053 U	0.05 U	0.0032 JP	0.05 U
5103-74-2	gamma-Chlordane	0.05	ug/L	0.053 U	0.05 U	0.05 U	0.0027 BJP
76-44-8	Heptachlor	0.04	ug/L	0.053 U	0.05 U	0.05 U	0.05 U
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.053 U	0.05 U	0.05 U	0.00052 BJP
	Total Pesticides			ND	ND	0.0032	0.00383
	PCBs						
	None Detected						
	INORGANICS						
7429-90-5	Aluminum	NS	ug/L	35.2 B	51.5 B	84.4 B	35.5 B
7440-36-0	Antimony	3	ug/L	2.2 UE	2.7 B	2.6 U	2.9 U
7440-38-2	Arsenic	25	ug/L	8 B	4.2 U	4.2 U	4.2 U
7440-39-3	Barium	1000	ug/L	109 B	157 B	134 B	126 B
7440-41-7	Beryllium	3 (G)	ug/L	0.95 B	0.06 U	0.07 B	0.12 U
7440-43-9	Cadmium	5	ug/L	3 B	0.24 U	0.3 U	0.49 U
7440-70-2	Calcium	NS	ug/L	123000	168000	165000	166000
7440-47-8	Chromium	50	ug/L	1.5 U	2.9 B	2.8 B	1.6 U
7440-50-8	Copper	200	ug/L	7.7 U	0.97 B	1.1 B	0.84 U
7439-89-6	Iron	300	ug/L	14600	20700	22400	21600
7439-92-1	Lead	25	ug/L	2.7 U	1 U	1.1 U	1.8 U
7439-95-4	Magnesium	35000 (G)	ug/L	24900	25600	25700	24400
7439-96-5	Manganese	300	ug/L	1010	1420	1590	1610
7440-02-0	Nickel	100	ug/L	3.9 U	0.71 B	0.8 U	1.4 U
7440-09-7	Potassium	NS	ug/L	12300	22900	23100	25600
7782-49-2	Selenium	10	ug/L	1.4 UW	4 U	4 U	4.8 U
7440-22-4	Silver	50	ug/L	1.5 B	0.64 B	0.75 B	1.1 U
7440-23-5	Sodium	20000	ug/L	28700	35900	36300	33600
7440-28-0	Thallium	.5 (G)	ug/L	9.2 U	6 B	6.2 B	7.4 U
7440-62-2	Vanadium	NS	ug/L	4 U	1.1 B	1.3 B	1.4 B
7440-66-6	Zinc	2000 (G)	ug/L	48.8	4.8 B	11.7 B	1.9 B
57-12-5	Cyanide	200	ug/L	5.5	20.7	10 U	10 U

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	MW-6 J8491 OBG 9596 Water 10/23/1998	MW-6 M0298 OBG 1516 Water 4/21/1999	MW-6RE M0298RE OBG 1516 Water 4/21/1999	MW-6 N4878 OBG 3856 Water 11/9/1999
CAS NO.	COMPOUND		UNITS:				
	VOLATILES						
67-64-1	Acetone	50 (G)	ug/L	7 J B	10 U		10 U
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U	4 J		6 J
75-09-2	Methylene chloride	5	ug/L	10 U	1 J B		10 U
108-88-3	Toluene	5	ug/L				
1330-20-7	Xylene (total)	5	ug/L				
	Total VOCs			7	5	NA	6
	SEMIVOLATILES						
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L	10 U	10 U	10 U	10 U
84-74-2	Di-n-butyl phthalate	50	ug/L	10 U	10 U	10 U	10 U
91-20-3	Naphthalene	10 (G)	ug/L				
	Total SVOCs			ND	ND	ND	ND
	PESTICIDES						
309-00-2	Aldrin	ND	ug/L	0.05 U	0.05 U		0.05 U
319-84-6	alpha-BHC	0.01	ug/L	0.05 U	0.05 U		0.05 U
319-85-7	beta-BHC	0.04	ug/L	0.05 U	0.05 U		0.05 U
72-55-9	4,4'-DDE	0.2	ug/L	0.00066 JP	0.1 U		0.1 U
50-29-3	4,4'-DDT	0.2	ug/L	0.1 U	0.1 U		0.1 U
60-57-1	Dieldrin	0.004	ug/L	0.0021 J	0.1 U		0.1 U
959-98-8	Endosulfan I	NS	ug/L	0.05 U	0.0014 JP		0.05 U
1031-07-8	Endosulfan sulfate	NS	ug/L	0.0023 JP	0.1 U		0.1 U
72-20-8	Endrin	ND	ug/L	0.1 U	0.1 U		0.1 U
7421-93-4	Endrin aldehyde	5	ug/L	0.1 U	0.1 U		0.1 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.05 U	0.05 U		0.05 U
5103-74-2	gamma-Chlordane	0.05	ug/L	0.0021 JP	0.0083 JP		0.05 U
76-44-8	Heptachlor	0.04	ug/L	0.05 U	0.05 U		0.05 U
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.05 U	0.0027 JP		0.05 U
	Total Pesticides			0.00716	0.0124	NA	ND
	PCBs						
	None Detected						
	INORGANICS						
7429-90-5	Aluminum	NS	ug/L	56.3 B	53.4 B		253
7440-36-0	Antimony	3	ug/L	1.9 B	1.6 U		2.5 U
7440-38-2	Arsenic	25	ug/L	3.1 U	1.9 U		2.5 U
7440-39-3	Barium	1000	ug/L	131 B	137 B		158 B
7440-41-7	Beryllium	3 (G)	ug/L	0.07 U	0.13 U		0.07 B
7440-43-9	Cadmium	5	ug/L	0.53 B	0.42 U		0.3 U
7440-70-2	Calcium	NS	ug/L	161000	159000		167000
7440-47-8	Chromium	50	ug/L	4.9 B	3 B		3.9 BE
7440-50-8	Copper	200	ug/L	1.3 B	0.49 U		0.83 B
7439-89-6	Iron	300	ug/L	18100	17500		19600
7439-92-1	Lead	25	ug/L	2.1 U	1.1 U		1.3 U
7439-95-4	Magnesium	35000 (G)	ug/L	19500	16400		17800
7439-96-5	Manganese	300	ug/L	1150	1220		1470
7440-02-0	Nickel	100	ug/L	0.9 U	1.3 U		1.3 BE
7440-09-7	Potassium	NS	ug/L	36900	54100		57900
7782-49-2	Selenium	10	ug/L	2 U	3.6 U		3 U
7440-22-4	Silver	50	ug/L	1.2 U	1 U		0.78 U
7440-23-5	Sodium	20000	ug/L	32800	36500		43500 E
7440-28-0	Thallium	.5 (G)	ug/L	5.5 U	3.8 U		5.1 U
7440-62-2	Vanadium	NS	ug/L	1.2 U	1.4 B		1.4 BE
7440-66-6	Zinc	2000 (G)	ug/L	7.4 B	7.5 B		41.6
57-12-5	Cyanide	200	ug/L	10 U	10 U		10 U

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	MW-6 Q4027 OBG 5512 Water 4/28/2000	MW-6 R7179 OBG 7645 Water 12/14/2000	MW-6 S7280 OBG 9259 Water 6/19/2001	MW-6 T6911 OBG 739 Water 12/12/2001
CAS NO.	COMPOUND		UNITS:				
	VOLATILES						
67-64-1	Acetone	50 (G)	ug/L	10 U	3 J	5 J	10 U
75-15-0	Carbon disulfide	60 (G)	ug/L	7 J	10 U	10 U	10 U
75-09-2	Methylene chloride	5	ug/L	10 U	10 U	10 U	1 JB
108-88-3	Toluene	5	ug/L				
1330-20-7	Xylene (total)	5	ug/L				
	Total VOCs			7	3	5	1
	SEMIVOLATILES						
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L	1 J	10 U	3 J	1 JB
84-74-2	Di-n-butyl phthalate	50	ug/L	10 U	10 U	10 U	10 U
91-20-3	Naphthalene	10 (G)	ug/L				
	Total SVOCs			1	ND	3	1
	PESTICIDES						
309-00-2	Aldrin	ND	ug/L	0.012 J	0.0017 JP	0.052 U	0.051 U
319-84-6	alpha-BHC	0.01	ug/L	0.051 U	0.05 U	0.052 U	0.051 U
319-85-7	beta-BHC	0.04	ug/L	0.051 U	0.05 U	0.052 U	0.051 U
72-55-9	4,4'-DDE	0.2	ug/L	0.1 U	0.1 U	0.0027 BJ	0.1 U
50-29-3	4,4'-DDT	0.2	ug/L	0.1 U	0.1 U	0.0033 JP	0.1 U
60-57-1	Dieldrin	0.004	ug/L	0.0032 JP	0.1 U	0.1 U	0.1 U
959-98-8	Endosulfan I	NS	ug/L	0.051 U	0.05 U	0.052 U	0.051 U
1031-07-8	Endosulfan sulfate	NS	ug/L	0.1 U	0.1 U	0.1 U	0.1 U
72-20-8	Endrin	ND	ug/L	0.1 U	0.00069 JP	0.1 U	0.1 U
7421-93-4	Endrin aldehyde	5	ug/L	0.1 U	0.1 U	0.1 U	0.01 BJP
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.051 U	0.05 U	0.052 U	0.051 U
5103-74-2	gamma-Chlordane	0.05	ug/L	0.0035 JP	0.05 U	0.052 U	0.051 U
76-44-8	Heptachlor	0.04	ug/L	0.0017 JP	0.05 U	0.052 U	0.051 U
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.00066 BJP	0.00057 JP	0.052 U	0.051 U
	Total Pesticides			0.02106	0.00296	0.006	0.01
	PCBs						
	None Detected						
	INORGANICS						
7429-90-5	Aluminum	NS	ug/L	56.8 B	95.5 BE	263	160 B
7440-36-0	Antimony	3	ug/L	1.9 U	1.5 U	1.4 U	2.1 U
7440-38-2	Arsenic	25	ug/L	2.2 U	2 U	1.6 U	2.1 U
7440-39-3	Barium	1000	ug/L	165 B	158 B	154 B	149 B
7440-41-7	Beryllium	3 (G)	ug/L	0.14 U	0.29 B	0.08 U	0.11 B
7440-43-9	Cadmium	5	ug/L	0.28 U	0.25 U	0.24 U	0.37 U
7440-70-2	Calcium	NS	ug/L	252000	247000	254000	235000
7440-47-8	Chromium	50	ug/L	7.6 B	6.8 B	6.1 B	6.8 B
7440-50-8	Copper	200	ug/L	0.53 U	0.52 U	1.8 B	0.46 U
7439-89-6	Iron	300	ug/L	33100	46900	66600	54000
7439-92-1	Lead	25	ug/L	1.1 U	2.9 B	0.66 U	1.6 B
7439-95-4	Magnesium	35000 (G)	ug/L	36000	49200	61500	49500
7439-96-5	Manganese	300	ug/L	2100	3310	4620	4190
7440-02-0	Nickel	100	ug/L	3.1 U	0.72 U	0.71 U	1.4 B
7440-09-7	Potassium	NS	ug/L	56600	32800 E	31300	51800
7782-49-2	Selenium	10	ug/L	3.7 U	2.1 U	2.7 B	2.2 U
7440-22-4	Silver	50	ug/L	0.75 U	0.73 U	0.73 U	1 U
7440-23-5	Sodium	20000	ug/L	58300	62400	70000	66400
7440-28-0	Thallium	.5 (G)	ug/L	4.9 U	3.7 U	3.6 U	5.1 U
7440-62-2	Vanadium	NS	ug/L	0.66 BJP	1 B	1.6 B	1.8 B
7440-66-6	Zinc	2000 (G)	ug/L	3.3 BJP	2.2 B	8.6 B	5.6 B
57-12-5	Cyanide	200	ug/L	23	11.7	12	10 U

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	MW-6DUP T6912 OBG 739 Water 12/12/2001	MW-6 V4636 OB 2494 Water 6/19/2002	MW-6 Z7812 OB 4203 Water 12/18/2002	MW-6 A7433 OB 5716 Water 6/24/2003
CAS NO.	COMPOUND		UNITS:				
	VOLATILES						
67-64-1	Acetone	50 (G)	ug/L	10 U	10 U	4 JB	10 U
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U	10 U	10 U	1 J
75-09-2	Methylene chloride	5	ug/L	1 JB	10 U	1 JB	10 U
108-88-3	Toluene	5	ug/L				
1330-20-7	Xylene (total)	5	ug/L				
	Total VOCs			1	ND	5	1
	SEMIVOLATILES						
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L	4 JB	10 U	10 U	10 U
84-74-2	Di-n-butyl phthalate	50	ug/L	10 U	10 U	10 U	10 U
91-20-3	Naphthalene	10 (G)	ug/L				
	Total SVOCs			4	ND	ND	ND
	PESTICIDES						
309-00-2	Aldrin	ND	ug/L	0.051 U	0.012 JP	0.051 U	0.05 U
319-84-6	alpha-BHC	0.01	ug/L	0.051 U	0.051 U	0.051 U	0.05 U
319-85-7	beta-BHC	0.04	ug/L	0.0043 J	0.051 U	0.051 U	0.05 U
72-55-9	4,4'-DDE	0.2	ug/L	0.1 U	0.1 U	0.1 U	0.1 U
50-29-3	4,4'-DDT	0.2	ug/L	0.1 U	0.1 U	0.1 U	0.1 U
60-57-1	Dieldrin	0.004	ug/L	0.1 U	0.1 U	0.1 U	0.1 U
959-98-8	Endosulfan I	NS	ug/L	0.051 U	0.051 U	0.051 U	0.05 U
1031-07-8	Endosulfan sulfate	NS	ug/L	0.1 U	0.1 U	0.1 U	0.1 U
72-20-8	Endrin	ND	ug/L	0.1 U	0.1 U	0.1 U	0.1 U
7421-93-4	Endrin aldehyde	5	ug/L	0.011 BJP	0.1 U	0.1 U	0.0056 BJ
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.051 U	0.051 U	0.051 U	0.05 U
5103-74-2	gamma-Chlordane	0.05	ug/L	0.0029 JP	0.051 U	0.051 U	0.05 U
76-44-8	Heptachlor	0.04	ug/L	0.051 U	0.051 U	0.051 U	0.05 U
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.051 U	0.051 U	0.051 U	0.05 U
	Total Pesticides			0.0183	0.012	ND	0.0056
	PCBs						
	None Detected						
	INORGANICS						
7429-90-5	Aluminum	NS	ug/L	153 B	357	74.6 B	30.6 B
7440-36-0	Antimony	3	ug/L	2.1 U	2.3 U	2.1 U	1.7 U
7440-38-2	Arsenic	25	ug/L	2.1 U	2.2 U	1.9 B	1.5 U
7440-39-3	Barium	1000	ug/L	147 B	111 B	84 B	107 B
7440-41-7	Beryllium	3 (G)	ug/L	0.13 B	0.17 B	0.01 U	0.05 U
7440-43-9	Cadmium	5	ug/L	0.37 U	0.31 U	0.37 U	0.35 U
7440-70-2	Calcium	NS	ug/L	233000	235000	171000	148000
7440-47-8	Chromium	50	ug/L	6.7 B	4.1 B E	3.4 B	2.1 B
7440-50-8	Copper	200	ug/L	0.46 U	2.3 B	0.89 U	0.76 U
7439-89-6	Iron	300	ug/L	52500	46700	36100	27000
7439-92-1	Lead	25	ug/L	1.5 U	1.8 U N	0.78 U	1.3 U
7439-95-4	Magnesium	35000 (G)	ug/L	48700	53600	44400	35600
7439-96-5	Manganese	300	ug/L	4100	2900	2000	1530
7440-02-0	Nickel	100	ug/L	1.3 U	1.4 U	1.6 U	1.2 U
7440-09-7	Potassium	NS	ug/L	50700	22500	17200	14600
7782-49-2	Selenium	10	ug/L	2.5 B	1.5 U	1.8 U	3.2 U
7440-22-4	Silver	50	ug/L	1 U	1.8 U	1.2 U	1.1 U
7440-23-5	Sodium	20000	ug/L	65100	55400 E	44900	35300
7440-28-0	Thallium	.5 (G)	ug/L	5.1 U	4.8 U	3.6 U	4 U
7440-62-2	Vanadium	NS	ug/L	1.2 B	1.1 U	2.1 B	1.2 B
7440-66-6	Zinc	2000 (G)	ug/L	1.4 U	270	1.3 B	15.4 B
57-12-5	Cyanide	200	ug/L	10.2	10 U	15.7	8.3 B

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	MW-6 B4508 OB 6968 Water 12/18/2003	MW-6 E1190 OB 6968 Water 6/9/2004	MW-6 0508015-003A OB 200508 Water 8/1/2005	MW-6 0603108-002A LSL-BL 6030950 Water 3/23/2006
CAS NO.	COMPOUND		UNITS:				
	VOLATILES						
67-64-1	Acetone	50 (G)	ug/L	10 U	2 JB	3 BJ	2 BJ
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U	10 U	10 U	
75-09-2	Methylene chloride	5	ug/L	10 U	0.6 JB	0.7 BJ	0.8 BJ
108-88-3	Toluene	5	ug/L				U
1330-20-7	Xylene (total)	5	ug/L				U
	Total VOCs			ND	2.6	3.7	2.8
	SEMIVOLATILES						
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L	10 U	4 J	10 U	U
84-74-2	Di-n-butyl phthalate	50	ug/L	10 U		10 U	U
91-20-3	Naphthalene	10 (G)	ug/L				U
	Total SVOCs			ND	4	ND	ND
	PESTICIDES						
309-00-2	Aldrin	ND	ug/L	0.051 U			
319-84-6	alpha-BHC	0.01	ug/L	0.051 U			
319-85-7	beta-BHC	0.04	ug/L	0.051 U			
72-55-9	4,4'-DDE	0.2	ug/L	0.1 U			
50-29-3	4,4'-DDT	0.2	ug/L	0.1 U			
60-57-1	Dieldrin	0.004	ug/L	0.1 U			
959-98-8	Endosulfan I	NS	ug/L	0.051 U			
1031-07-8	Endosulfan sulfate	NS	ug/L	0.1 U	0.0071 JP		
72-20-8	Endrin	ND	ug/L	0.1 U			
7421-93-4	Endrin aldehyde	5	ug/L	0.1 U			
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.051 U			
5103-74-2	gamma-Chlordane	0.05	ug/L	0.051 U	0.0036 BJP		
76-44-8	Heptachlor	0.04	ug/L	0.051 U			
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.051 U			
	Total Pesticides			ND	0.0107	NA	NA
	PCBs						
	None Detected						
	INORGANICS						
7429-90-5	Aluminum	NS	ug/L	74 B	111 B		
7440-36-0	Antimony	3	ug/L	1.4 U	2.3 U		
7440-38-2	Arsenic	25	ug/L	2.4 U	2.1 U		
7440-39-3	Barium	1000	ug/L	110 B	105 B		
7440-41-7	Beryllium	3 (G)	ug/L	0.12 U	0.08 U		
7440-43-9	Cadmium	5	ug/L	0.35 U	0.39 U		
7440-70-2	Calcium	NS	ug/L	158000	154000		
7440-47-8	Chromium	50	ug/L	2.6 B	2.5 B		
7440-50-8	Copper	200	ug/L	2.1 U	0.94 U		
7439-89-6	Iron	300	ug/L	26600	24500		
7439-92-1	Lead	25	ug/L	1.7 U	0.69 B		
7439-95-4	Magnesium	35000 (G)	ug/L	36900	34500		
7439-96-5	Manganese	300	ug/L	1420	1300		
7440-02-0	Nickel	100	ug/L	0.84 U	1.1 U		
7440-09-7	Potassium	NS	ug/L	13200	12300		
7782-49-2	Selenium	10	ug/L	2.7 B	2.2 U		
7440-22-4	Silver	50	ug/L	1.6 U	1.6 U		
7440-23-5	Sodium	20000	ug/L	35000	33700		
7440-28-0	Thallium	.5 (G)	ug/L	4.8 U	4.8 U		
7440-62-2	Vanadium	NS	ug/L	1.1 U	1.1 U		
7440-66-6	Zinc	2000 (G)	ug/L	3.3 B	9.8 B		
57-12-5	Cyanide	200	ug/L	10.6	10 U	NA	NA

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	MW-6 A7E98507	MW-6 A7E98507FD
			Source: SDG: Matrix: Sampled:	BM A07-E985 Water 12/26/2007	BM A07-E985 Water 12/26/2007
CAS NO.	COMPOUND		UNITS:		
	VOLATILES				
67-64-1	Acetone	50 (G)	ug/L	5 U	5 U
75-15-0	Carbon disulfide	60 (G)	ug/L	1 U	1 U
75-09-2	Methylene chloride	5	ug/L	1 U	1 U
108-88-3	Toluene	5	ug/L	1 U	1 U
1330-20-7	Xylene (total)	5	ug/L	3 U	3 U
	Total VOCs			ND	ND
	SEMIVOLATILES				
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L	17	5 U
84-74-2	Di-n-butyl phthalate	50	ug/L	0.4 BJ	0.3 BJ
91-20-3	Naphthalene	10 (G)	ug/L	5 U	5 U
	Total SVOCs			17.4	0.3
	PESTICIDES				
309-00-2	Aldrin	ND	ug/L		
319-84-6	alpha-BHC	0.01	ug/L		
319-85-7	beta-BHC	0.04	ug/L		
72-55-9	4,4'-DDE	0.2	ug/L		
50-29-3	4,4'-DDT	0.2	ug/L		
60-57-1	Dieldrin	0.004	ug/L		
959-98-8	Endosulfan I	NS	ug/L		
1031-07-8	Endosulfan sulfate	NS	ug/L		
72-20-8	Endrin	ND	ug/L		
7421-93-4	Endrin aldehyde	5	ug/L		
58-89-9	gamma-BHC (Lindane)	0.05	ug/L		
5103-74-2	gamma-Chlordane	0.05	ug/L		
76-44-8	Heptachlor	0.04	ug/L		
1024-57-3	Heptachlor epoxide	0.03	ug/L		
	Total Pesticides			NA	NA
	PCBs				
	None Detected				
	INORGANICS				
7429-90-5	Aluminum	NS	ug/L		
7440-36-0	Antimony	3	ug/L		
7440-38-2	Arsenic	25	ug/L		
7440-39-3	Barium	1000	ug/L		
7440-41-7	Beryllium	3 (G)	ug/L		
7440-43-9	Cadmium	5	ug/L		
7440-70-2	Calcium	NS	ug/L		
7440-47-8	Chromium	50	ug/L		
7440-50-8	Copper	200	ug/L		
7439-89-6	Iron	300	ug/L		
7439-92-1	Lead	25	ug/L		
7439-95-4	Magnesium	35000 (G)	ug/L		
7439-96-5	Manganese	300	ug/L		
7440-02-0	Nickel	100	ug/L		
7440-09-7	Potassium	NS	ug/L		
7782-49-2	Selenium	10	ug/L		
7440-22-4	Silver	50	ug/L		
7440-23-5	Sodium	20000	ug/L		
7440-28-0	Thallium	.5 (G)	ug/L		
7440-62-2	Vanadium	NS	ug/L		
7440-66-6	Zinc	2000 (G)	ug/L		
57-12-5	Cyanide	200	ug/L	NA	NA

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	MW-7 162138	MW-7 G5190	MW-7 H1024	MW-7 H7534	MW-7 J8492	MW-7 M0299
			Source: SDG: Matrix: Sampled:	Columbia MW1 Water 8/12/1997	OBG 5116 Water 11/20/1997	OBG 6857 Water 2/20/1998	OBG 7830 Water 5/29/1998	OBG 9596 Water 10/23/1998	OBG 1516 Water 4/21/1999
CAS NO.	COMPOUND		UNITS:						
VOLATILES									
67-64-1	Acetone	50 (G)	ug/L	10 U	10 U	10 U	10 U	8 J B	10 U
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U	10 U	10 U	10 U	10 U	11
75-09-2	Methylene chloride	5	ug/L	10 U	10 U	10 U	10 U	1 J	10 U
127-18-4	Tetrachloroethene	5	ug/L	10 U	10 U	10 U	10 U	10 U	10 U
108-88-3	Toluene	5	ug/L						
1330-20-7	Xylene (total)	5	ug/L	10 U	10 U	10 U	10 U	1 J	10 U
Total VOCs				ND	ND	ND	ND	10	11
SEMIVOLATILES									
56-55-3	Benzo[a]anthracene	20 (G)	ug/L	11 U	10 U	10 U	10 U	10 U	10 U
50-32-8	Benzo[a]pyrene	ND	ug/L	11 U	10 U	10 U	10 U	10 U	10 U
205-99-2	Benzo[b]fluoranthene	0.002 (G)	ug/L	11 U	10 U	10 U	10 U	10 U	10 U
191-24-2	Benzo[g,h,i]perylene	NS	ug/L	11 U	10 U	10 U	10 U	10 U	10 U
207-08-9	Benzo[k]fluoranthene	0.002 (G)	ug/L	11 U	10 U	10 U	10 U	10 U	10 U
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L	2 JB	10 U	10 U	10 U	10 U	10 U
85-68-7	Butyl benzyl phthalate	50 (G)	ug/L	1 JB	10 U	10 U	10 U	10 U	10 U
218-01-9	Chrysene	0.002 (G)	ug/L	11 U	10 U	10 U	10 U	10 U	10 U
84-74-2	Di-n-butyl phthalate	50	ug/L	3 JB	10 U	10 U	10 U	10 U	10 U
105-67-9	2,4-Dimethylphenol	1	ug/L	11 U	10 U	10 U	10 U	10 U	10 U
206-44-0	Fluoranthene	50 (G)	ug/L	11 U	10 U	10 U	10 U	10 U	10 U
193-39-5	Indeno[1,2,3-cd]pyrene	0.002 (G)	ug/L	11 U	10 U	10 U	10 U	10 U	10 U
95-48-7	2-Methylphenol	1	ug/L	11 U	10 U	10 U	10 U	10 U	10 U
106-44-5	4-Methylphenol	1	ug/L	11 U	10 U	10 U	10 U	10 U	10 U
91-20-3	Naphthalene	10 (G)	ug/L	10 J	8 J	3 J	1 J	10 U	10 U
108-95-2	Phenol	1	ug/L	2 JB	10 U	10 U	10 U	10 U	10 U
129-00-0	Pyrene	50 (G)	ug/L	11 U	10 U	10 U	10 U	10 U	10 U
Total SVOCs				28	8	3	1	ND	ND
PESTICIDES									
309-00-2	Aldrin	ND	ug/L	0.053 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U
319-84-6	alpha-BHC	0.01	ug/L	0.053 U	0.05 U	0.05 U	0.00044 BJP	0.05 U	0.0061 BJ
319-86-8	delta-BHC	0.04	ug/L	0.053 U	0.05 U	0.05 U	0.05 U	0.05 U	0.05 U
72-54-8	4,4'-DDD	0.3	ug/L	0.11 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
72-55-9	4,4'-DDE	0.2	ug/L	0.11 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
60-57-1	Dieldrin	0.004	ug/L	0.11 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
959-98-8	Endosulfan I	NS	ug/L	0.053 U	0.05 U	0.05 U	0.05 U	0.05 U	0.0012 JP
33213-65-9	Endosulfan II	NS	ug/L	0.11 U	0.1 U	0.1 U	0.00072 BJP	0.1 U	0.1 U
1031-07-8	Endosulfan sulfate	NS	ug/L	0.11 U	0.1 U	0.0033 JP	0.1 U	0.1 U	0.1 U
7421-93-4	Endrin aldehyde	5	ug/L	0.11 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
53494-70-5	Endrin ketone	5	ug/L	0.11 U	0.1 U	0.1 U	0.1 U	0.0013 JP	0.1 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.053 U	0.05 U	0.0055 J	0.00091 JP	0.05 U	0.05 U
5103-74-2	gamma-Chlordane	0.05	ug/L	0.053 U	0.05 U	0.05 U	0.0042 BJP	0.0037 JP	0.008 JP
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.053 U	0.05 U	0.05 U	0.05 U	0.05 U	0.0048 J
72-43-5	Methoxychlor	35	ug/L	0.53 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Total Pesticides				ND	ND	0.0088	0.00627	0.005	0.0201
PCBs									
None Detected									
INORGANICS									
7429-90-5	Aluminum	NS	ug/L	122	24900	1540	398	189 B	316
7440-36-0	Antimony	3	ug/L	2.2 UE	8.6 B	2.6 U	2.9 U	1.3 U	1.6 U
7440-38-2	Arsenic	25	ug/L	24.2	52.2	4.2 U	4.2 U	3.1 U	1.9 U
7440-39-3	Barium	1000	ug/L	246	637	543	612	616	575
7440-41-7	Beryllium	3 (G)	ug/L	1.2 B	1.8 B	0.13 B	0.12 U	0.07 U	0.13 U
7440-43-9	Cadmium	5	ug/L	4 B	1.1 B	0.3 U	0.49 U	0.43 U	0.42 U
7440-70-2	Calcium	NS	ug/L	60800	214000	104000	106000	103000	110000
7440-47-8	Chromium	50	ug/L	1.5 U	77.2	7.4 B	1.6 U	6.3 B	8.5 B
7440-48-4	Cobalt	NS	ug/L	2.1 U	17.6 B	1.2 U	2.3 U	2.3 U	1.6 U
7440-50-8	Copper	200	ug/L	7.7 U	56	3.2 B	1.3 B	2.2 B	2.7 B
7439-89-6	Iron	300	ug/L	17900	75100	13100	11200	11200	12300
7439-92-1	Lead	25	ug/L	2.7 U	53.2	1.1 U	1.8 U	2.1 U	1.1 U
7439-95-4	Magnesium	35000 (G)	ug/L	7880	41900	21100	20800	21400	22000
7439-96-5	Manganese	300	ug/L	226	1790	177	126	121	149
7440-02-0	Nickel	100	ug/L	3.9 U	54.8	2.7 B	2 B	1.4 B	3.5 B
7440-09-7	Potassium	NS	ug/L	8780	6220	2170 B	2310 B	1200 B	2170 B
7782-49-2	Selenium	10	ug/L	1.4 UW	5	4 U	4.8 U	2 U	3.6 U
7440-22-4	Silver	50	ug/L	1.4 B	0.56 U	0.6 U	1.1 U	1.2 U	1 U
7440-23-5	Sodium	20000	ug/L	22800	26100	22300	20900	22100	23700
7440-28-0	Thallium	.5 (G)	ug/L	9.2 U	6.9 B	3.6 B	7.4 U	5.5 U	3.8 U
7440-62-2	Vanadium	NS	ug/L	4 U	42.5 B	3.4 B	1.8 B	1.2 U	1.4 B
7440-66-6	Zinc	2000 (G)	ug/L	62.7	307	15.1 B	13.4 B	23.2	18.2 B
57-12-5	Cyanide	200	ug/L	7.4	31	13	10 U	10 U	10 U

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	MW-7RE M0299RE OBG 1516 Water 4/21/1999	MW-7 N4879 OBG 3856 Water 11/9/1999	MW-7RE N4879RE OBG 3856 Water 11/9/1999	MW-7 Q4029 OBG 5512 Water 4/28/2000	MW-7 R7151 OBG 7645 Water 12/13/2000	MW-7 S7277 OBG 9259 Water 6/18/2001
CAS NO.	COMPOUND		UNITS:						
VOLATILES									
67-64-1	Acetone	50 (G)	ug/L		10 U		10 U	8 J	10 U
75-15-0	Carbon disulfide	60 (G)	ug/L		8 J		4 J	10 U	10 U
75-09-2	Methylene chloride	5	ug/L		10 U		10 U	1 J	10 U
127-18-4	Tetrachloroethene	5	ug/L		10 U		10 U	1 J	10 U
108-88-3	Toluene	5	ug/L						
1330-20-7	Xylene (total)	5	ug/L		10 U		10 U	10 U	10 U
	Total VOCs			NA	8	NA	4	10	ND
SEMIVOLATILES									
56-55-3	Benzo[a]anthracene	20 (G)	ug/L	10 U	10 U		10 U	10 U	10 U
50-32-8	Benzo[a]pyrene	ND	ug/L	10 U	10 U		10 U	10 U	10 U
205-99-2	Benzo[b]fluoranthene	0.002 (G)	ug/L	10 U	10 U		10 U	10 U	10 U
191-24-2	Benzo[g,h,i]perylene	NS	ug/L	10 U	10 U		10 U	10 U	10 U
207-08-9	Benzo[k]fluoranthene	0.002 (G)	ug/L	10 U	10 U		10 U	10 U	10 U
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L	10 U	10 U		10 U	10 U	4 J
85-68-7	Butyl benzyl phthalate	50 (G)	ug/L	10 U	10 U		10 U	10 U	10 U
218-01-9	Chrysene	0.002 (G)	ug/L	10 U	10 U		10 U	10 U	10 U
84-74-2	Di-n-butyl phthalate	50	ug/L	10 U	10 U		10 U	10 U	10 U
105-67-9	2,4-Dimethylphenol	1	ug/L	10 U	10 U		10 U	10 U	10 U
206-44-0	Fluoranthene	50 (G)	ug/L	10 U	10 U		10 U	10 U	10 U
193-39-5	Indeno[1,2,3-cd]pyrene	0.002 (G)	ug/L	10 U	10 U		10 U	10 U	10 U
95-48-7	2-Methylphenol	1	ug/L	10 U	10 U		10 U	10 U	10 U
106-44-5	4-Methylphenol	1	ug/L	10 U	10 U		10 U	10 U	10 U
91-20-3	Naphthalene	10 (G)	ug/L	10 U	10 U		10 U	10 U	10 U
108-95-2	Phenol	1	ug/L	10 U	10 U		10 U	10 U	10 U
129-00-0	Pyrene	50 (G)	ug/L	10 U	10 U		10 U	10 U	10 U
	Total SVOCs			ND	ND	NA	ND	ND	4
PESTICIDES									
309-00-2	Aldrin	ND	ug/L		0.052 U	0.047 U	0.05 U	0.051 U	0.05 U
319-84-6	alpha-BHC	0.01	ug/L		0.052 U	0.047 U	0.05 U	0.051 U	0.05 U
319-86-8	delta-BHC	0.04	ug/L		0.052 U	0.047 U	0.05 U	0.00061 BJP	0.05 U
72-54-8	4,4'-DDD	0.3	ug/L		0.1 U	0.094 U	0.1 U	0.003 JP	0.1 U
72-55-9	4,4'-DDE	0.2	ug/L		0.1 U	0.094 U	0.1 U	0.1 U	0.003 BJP
60-57-1	Dieldrin	0.004	ug/L		0.1 U	0.094 U	0.1 U	0.1 U	0.1 U
959-98-8	Endosulfan I	NS	ug/L		0.052 U	0.047 U	0.05 U	0.051 U	0.05 U
33213-65-9	Endosulfan II	NS	ug/L		0.1 U	0.094 U	0.1 U	0.00089 JP	0.1 U
1031-07-8	Endosulfan sulfate	NS	ug/L		0.1 U	0.094 U	0.1 U	0.1 JP	0.1 U
7421-93-4	Endrin aldehyde	5	ug/L		0.1 U	0.094 U	0.1 U	0.1 U	0.1 U
53494-70-5	Endrin ketone	5	ug/L		0.1 U	0.094 U	0.1 U	0.1 U	0.1 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L		0.012 JP	0.047 U	0.0029 JP	0.051 U	0.05 U
5103-74-2	gamma-Chlordane	0.05	ug/L		0.052 U	0.047 U	0.0042 JP	0.051 U	0.05 U
1024-57-3	Heptachlor epoxide	0.03	ug/L		0.052 U	0.047 U	0.0018 BJP	0.051 U	0.05 U
72-43-5	Methoxychlor	35	ug/L		0.52 U	0.47 U	0.5 U	0.044 BJP	0.5 U
	Total Pesticides			NA	0.012	ND	0.035	0.1485	0.003
PCBs									
None Detected									
INORGANICS									
7429-90-5	Aluminum	NS	ug/L		711		1730	544 E	79.1 B
7440-36-0	Antimony	3	ug/L		2.5 U		1.9 U	1.5 U	1.4 U
7440-38-2	Arsenic	25	ug/L		2.5 U		14	6.4 B	15.5
7440-39-3	Barium	1000	ug/L		614		626	538	374
7440-41-7	Beryllium	3 (G)	ug/L		0.26 B		0.19 B	0.33 B	0.08 U
7440-43-9	Cadmium	5	ug/L		0.3 U		0.28 U	0.25 U	0.24 U
7440-70-2	Calcium	NS	ug/L		111000		120000	125000	107000
7440-47-8	Chromium	50	ug/L		7.4 BE		16.8	12.2	6.6 B
7440-48-4	Cobalt	NS	ug/L		1.7 U		1.7 B	0.86 U	0.93 U
7440-50-8	Copper	200	ug/L		3.3 B		4.7 B	2.4 B	0.49 U
7439-89-6	Iron	300	ug/L		14300		27200	17700	25100
7439-92-1	Lead	25	ug/L		1.3 U		3 B	2.6 B	0.66 U
7439-95-4	Magnesium	35000 (G)	ug/L		22600		190000	21000	14800
7439-96-5	Manganese	300	ug/L		170	158	382	246	292
7440-02-0	Nickel	100	ug/L		4.5 BE		8.1 B	4.4 B	2.6 B
7440-09-7	Potassium	NS	ug/L		2440 B		9540	5770 E	13100
7782-49-2	Selenium	10	ug/L		3 U		3.7 U	2.1 U	1.8 U
7440-22-4	Silver	50	ug/L		0.78 U		0.75 U	0.73 U	0.73 U
7440-23-5	Sodium	20000	ug/L		25700 E		27000	22900	23500
7440-28-0	Thallium	.5 (G)	ug/L		5.1 U		4.9 U	3.7 U	3.6 U
7440-62-2	Vanadium	NS	ug/L		2.2 BE		4.3 B	1.6 B	1.2 B
7440-66-6	Zinc	2000 (G)	ug/L		18.3 B		45.4	13.1 B	10 B
57-12-5	Cyanide	200	ug/L		10 U		10 U	10 U	10 U

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	MW-7 T6913	MW-7 V4634	MW-7 Z9833	MW-7 A7552	MW-7 B4509	MW-7 E1192
			Source: SDG: Matrix: Sampled:	OBG 739 Water 12/12/2001	OB 2494 Water 6/19/2002	OB 4203 Water 12/19/2002	OB 5716 Water 6/25/2003	OB 6968 Water 12/18/2003	OB 6968 Water 6/9/2004
CAS NO.	COMPOUND		UNITS:						
VOLATILES									
67-64-1	Acetone	50 (G)	ug/L	10 U	10 U	3 JB	10 U	10 U	3 JB
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U	10 U	10 U	30	10 U	10 U
75-09-2	Methylene chloride	5	ug/L	0.9 JB	1 J	1 JB	0.5 JB	10 U	0.7 JB
127-18-4	Tetrachloroethene	5	ug/L	10 U	10 U	10 U	10 U	10 U	
108-88-3	Toluene	5	ug/L						
1330-20-7	Xylene (total)	5	ug/L	10 U	10 U	10 U	10 U	10 U	
Total VOCs				0.9	1	4	30.5	ND	3.7
SEMIVOLATILES									
56-55-3	Benzo[a]anthracene	20 (G)	ug/L	10 U	10 U	9 J	10 U	10 U	
50-32-8	Benzo[a]pyrene	ND	ug/L	10 U	10 U	7 J	10 U	10 U	
205-99-2	Benzo[b]fluoranthene	0.002 (G)	ug/L	10 U	10 U	14	10 U	10 U	
191-24-2	Benzo[g,h,i]perylene	NS	ug/L	10 U	10 U	4 J	10 U	10 U	
207-08-9	Benzo[k]fluoranthene	0.002 (G)	ug/L	10 U	10 U	4 J	10 U	10 U	
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L	10 U	10 U	11	10 U	10 U	18
85-68-7	Butyl benzyl phthalate	50 (G)	ug/L	10 U	10 U	10 U	10 U	10 U	
218-01-9	Chrysene	0.002 (G)	ug/L	10 U	10 U	7 J	10 U	10 U	
84-74-2	Di-n-butyl phthalate	50	ug/L	10 U	10 U	10 U	10 U	10 U	
105-67-9	2,4-Dimethylphenol	1	ug/L	10 U	10 U	6 J	10 U	10 U	
206-44-0	Fluoranthene	50 (G)	ug/L	10 U	10 U	13	10 U	10 U	
193-39-5	Indeno[1,2,3-cd]pyrene	0.002 (G)	ug/L	10 U	10 U	4 J	10 U	10 U	
95-48-7	2-Methylphenol	1	ug/L	10 U	10 U	1 J	10 U	10 U	
106-44-5	4-Methylphenol	1	ug/L	10 U	10 U	3 J	10 U	10 U	
91-20-3	Naphthalene	10 (G)	ug/L	10 U	10 U	10 U	10 U	10 U	
108-95-2	Phenol	1	ug/L	10 U	10 U	10 U	10 U	10 U	
129-00-0	Pyrene	50 (G)	ug/L	10 U	10 U	26	10 U	10 U	
Total SVOCs				ND	ND	109	ND	ND	18
PESTICIDES									
309-00-2	Aldrin	ND	ug/L	0.051 U	0.011 JP	0.051 U	0.05 U	0.051 U	
319-84-6	alpha-BHC	0.01	ug/L	0.051 U	0.052 U	0.051 U	0.05 U	0.051 U	
319-86-8	delta-BHC	0.04	ug/L	0.051 U	0.052 U	0.051 U	0.05 U	0.051 U	
72-54-8	4,4'-DDD	0.3	ug/L	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	
72-55-9	4,4'-DDE	0.2	ug/L	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	
60-57-1	Dieldrin	0.004	ug/L	0.0027 J	0.1 U	0.1 U	0.1 U	0.1 U	
959-98-8	Endosulfan I	NS	ug/L	0.051 U	0.052 U	0.051 U	0.05 U	0.051 U	
33213-65-9	Endosulfan II	NS	ug/L	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	
1031-07-8	Endosulfan sulfate	NS	ug/L	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
7421-93-4	Endrin aldehyde	5	ug/L	0.021 BJ	0.1 U	0.1 U	0.004 BJ	0.1 U	
53494-70-5	Endrin ketone	5	ug/L	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.0039 J	0.052 U	0.051 U	0.05 U	0.051 U	
5103-74-2	gamma-Chlordane	0.05	ug/L	0.051 U	0.052 U	0.051 U	0.05 U	0.051 U	0.0024 BJP
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.051 U	0.052 U	0.051 U	0.05 U	0.051 U	
72-43-5	Methoxychlor	35	ug/L	0.51 U	0.52 U	0.51 U	0.5 U	0.51 U	
Total Pesticides				0.0276	0.011	ND	0.004	ND	0.0024
PCBs									
None Detected									
INORGANICS									
7429-90-5	Aluminum	NS	ug/L	265	582	304	315	224	329
7440-36-0	Antimony	3	ug/L	2.1 U	2.3 U	2.1 U	1.7 U	1.4 U	2.3 U
7440-38-2	Arsenic	25	ug/L	25	19.9	21.3	15.8	20.9	16.8
7440-39-3	Barium	1000	ug/L	388	375	369	360	348	362
7440-41-7	Beryllium	3 (G)	ug/L	0.11 B	0.22 B	0.01 U	0.05 U	0.12 U	0.08 U
7440-43-9	Cadmium	5	ug/L	0.62 B	0.31 U	0.37 U	0.35 U	0.35 U	0.39 U
7440-70-2	Calcium	NS	ug/L	112000	112000	109000	109000	108000	114000
7440-47-8	Chromium	50	ug/L	8.7 B	4.6 B E	11.5	5.7 B	1.7 U	4.9 B
7440-48-4	Cobalt	NS	ug/L	1.5 B	1.2 U	1.6 U	1.4 U	2 U	1.9 U
7440-50-8	Copper	200	ug/L	0.46 U	1.3 U	0.89 U	0.9 B	2.1 U	0.94 U
7439-89-6	Iron	300	ug/L	30700	26500	26300	22800	23900	23200
7439-92-1	Lead	25	ug/L	1.5 U	1.8 U N	0.78 U	1.3 U	1.7 U	0.8 B
7439-95-4	Magnesium	35000 (G)	ug/L	13700	14200	13100	13600	12200	13200
7439-96-5	Manganese	300	ug/L	344	298	302	282	277	287
7440-02-0	Nickel	100	ug/L	4 B	1.4 U	4.3 B	1.7 B	0.84 U	2.5 B
7440-09-7	Potassium	NS	ug/L	16700	13000	12600	10700	12000	11200
7782-49-2	Selenium	10	ug/L	2.2 U	1.5 U	1.8 U	3.2 U	3 B	2.2 U
7440-22-4	Silver	50	ug/L	1 U	1.8 U	1.2 U	1.1 U	1.6 U	1.6 U
7440-23-5	Sodium	20000	ug/L	24800	27800 E	27200	26700	27700	28900
7440-28-0	Thallium	.5 (G)	ug/L	5.1 U	4.8 U	3.6 U	4 U	4.8 U	4.8 U
7440-62-2	Vanadium	NS	ug/L	1.7 B	1.4 B	1.8 B	1.4 B	1.1 U	1.1 U
7440-66-6	Zinc	2000 (G)	ug/L	20.2	12.2 B	20.4	31.6	1.8 B	38.1
57-12-5	Cyanide	200	ug/L	10.2	10 U	11.8	14.4	13.4	10 U

Detected Constituent Summary
Monitoring Well Samples

Cherry Farm Monitoring Wells Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	MW-7 0508015-001A OB 200508 Water 8/1/2005	MW-7 0603108-002A LSL-BL 6030950 Water 3/23/2006	MW-7 A7E98508 BM A07-E985 Water 12/26/2007
CAS NO.	COMPOUND		UNITS:			
VOLATILES						
67-64-1	Acetone	50 (G)	ug/L	4 BJ	2 BJ	5 U
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U		1 U
75-09-2	Methylene chloride	5	ug/L	2 BJ	1 BJ	1 U
127-18-4	Tetrachloroethene	5	ug/L	10 U	U	1 U
108-88-3	Toluene	5	ug/L		U	1 U
1330-20-7	Xylene (total)	5	ug/L	10 U	U	3 U
Total VOCs				6	3	
SEMIVOLATILES						
56-55-3	Benzo[a]anthracene	20 (G)	ug/L	10 U		5 U
50-32-8	Benzo[a]pyrene	ND	ug/L	10 U		5 U
205-99-2	Benzo[b]fluoranthene	0.002 (G)	ug/L	10 U		5 U
191-24-2	Benzo[g,h,i]perylene	NS	ug/L	10 U		5 U
207-08-9	Benzo[k]fluoranthene	0.002 (G)	ug/L	10 U		5 U
117-81-7	bis(2-ethylhexyl)phthalate	5	ug/L	10 U	U	37
85-68-7	Butyl benzyl phthalate	50 (G)	ug/L	10 U		5 U
218-01-9	Chrysene	0.002 (G)	ug/L	10 U		5 U
84-74-2	Di-n-butyl phthalate	50	ug/L	10 U	U	0.4 BJ
105-67-9	2,4-Dimethylphenol	1	ug/L	10 U		5 U
206-44-0	Fluoranthene	50 (G)	ug/L	10 U		5 U
193-39-5	Indeno[1,2,3-cd]pyrene	0.002 (G)	ug/L	10 U		5 U
95-48-7	2-Methylphenol	1	ug/L	10 U		5 U
106-44-5	4-Methylphenol	1	ug/L	10 U		5 U
91-20-3	Naphthalene	10 (G)	ug/L	10 U	U	5 U
108-95-2	Phenol	1	ug/L	10 U		5 U
129-00-0	Pyrene	50 (G)	ug/L	10 U		5 U
Total SVOCs				ND	ND	
PESTICIDES						
309-00-2	Aldrin	ND	ug/L			
319-84-6	alpha-BHC	0.01	ug/L			
319-86-8	delta-BHC	0.04	ug/L			
72-54-8	4,4'-DDD	0.3	ug/L			
72-55-9	4,4'-DDE	0.2	ug/L			
60-57-1	Dieldrin	0.004	ug/L			
959-98-8	Endosulfan I	NS	ug/L			
33213-65-9	Endosulfan II	NS	ug/L			
1031-07-8	Endosulfan sulfate	NS	ug/L			
7421-93-4	Endrin aldehyde	5	ug/L			
53494-70-5	Endrin ketone	5	ug/L			
58-89-9	gamma-BHC (Lindane)	0.05	ug/L			
5103-74-2	gamma-Chlordane	0.05	ug/L			
1024-57-3	Heptachlor epoxide	0.03	ug/L			
72-43-5	Methoxychlor	35	ug/L			
Total Pesticides				NA	NA	NA
PCBs						
None Detected						
INORGANICS						
7429-90-5	Aluminum	NS	ug/L			
7440-36-0	Antimony	3	ug/L			
7440-38-2	Arsenic	25	ug/L			
7440-39-3	Barium	1000	ug/L			
7440-41-7	Beryllium	3 (G)	ug/L			
7440-43-9	Cadmium	5	ug/L			
7440-70-2	Calcium	NS	ug/L			
7440-47-8	Chromium	50	ug/L			
7440-48-4	Cobalt	NS	ug/L			
7440-50-8	Copper	200	ug/L			
7439-89-6	Iron	300	ug/L			
7439-92-1	Lead	25	ug/L			
7439-95-4	Magnesium	35000 (G)	ug/L			
7439-96-5	Manganese	300	ug/L			
7440-02-0	Nickel	100	ug/L			
7440-09-7	Potassium	NS	ug/L			
7782-49-2	Selenium	10	ug/L			
7440-22-4	Silver	50	ug/L			
7440-23-5	Sodium	20000	ug/L			
7440-28-0	Thallium	.5 (G)	ug/L			
7440-62-2	Vanadium	NS	ug/L			
7440-66-6	Zinc	2000 (G)	ug/L			
57-12-5	Cyanide	200	ug/L	NA	NA	NA

Detected Constituent Summary
Recovery Well Samples

Cherry Farm Monitoring Well Sampling		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Id: Source: SDG: Matrix: Sampled:	RW-4 0508082-002A OB 200508 Water 8/11/2005	RW-4 0603110-002A LSL-BL 6030950 Water 3/24/2006	RW-5 0508082-001A OB 200508 Water 8/11/2005	RW-5 0603110-001A LSL-BL 6030950 Water 3/24/2006
CAS NO.	COMPOUND		UNITS:				
	VOLATILES						
67-64-1	Acetone	50 (G)	ug/l	5 BJ	1 BJ	5 BJ	2 BJ
71-43-2	Benzene	1	ug/l	4 J	U	25	U
108-90-7	Chlorobenzene	5	ug/l	10 U	U	10 U	U
67-66-3	Chloroform	7	ug/l	10 U	U	10 U	U
156-59-2	cis-1,2-Dichloroethene	5	ug/l	0.7 J	U	10 U	U
75-34-3	1,1-Dichloroethane	5	ug/l	10 U	U	10 U	U
100-41-4	Ethylbenzene	5	ug/l	0.7 J	U	12	U
75-09-2	Methylene chloride	5	ug/l	0.9 BJ	0.9 BJ	1 BJ	U
100-42-5	Styrene	5	ug/l	10 U		10	
127-18-4	Tetrachloroethene	5	ug/l	10 U	U	ND	U
108-88-3	Toluene	5	ug/l	1 J	U	15	U
1330-20-7	Xylene (total)	5	ug/l	10 U	U	10 U	U
	Total VOCs			12.3	1.9	67	2
	SEMIVOLATILES						
83-32-9	Acenaphthene	20 (G)	ug/l	10 U		10 U	
208-96-8	Acenaphthylene	NS	ug/l	10 U		5 J	
56-55-3	Benzo[a]anthracene	20 (G)	ug/l	10 U	U	10 U	U
50-32-8	Benzo[a]pyrene	ND	ug/l	10 U	U	10 U	U
205-99-2	Benzo[b]fluoranthene	0.002 (G)	ug/l	10 U	U	10 U	U
191-24-2	Benzo[g,h,i]perylene	NS	ug/l	10 U	U	10 U	U
207-08-9	Benzo[k]fluoranthene	0.002 (G)	ug/l	10 U	U	10 U	U
117-81-7	bis(2-Ethylhexyl)phthalate	5	ug/l	10 U	U	10 U	U
86-74-8	Carbazole	NS	ug/l	10 U	U	2 J	U
218-01-9	Chrysene	0.002 (G)	ug/l	10 U	U	10 U	U
81-74-2	Di-n-butyl phthalate	50	ug/l		2 J		U
53-70-3	Dibenz[a,h]anthracene	NS	ug/l	10 U		10 U	
132-64-9	Dibenzofuran	NS	ug/l	10 U		10 U	
106-46-7	1,4-Dichlorobenzene	3	ug/l	10 U	U	10 U	U
84-66-2	Diethyl phthalate	50 (G)	ug/l	10 U		10 U	
105-67-9	2,4-Dimethylphenol	1	ug/l	10 U	U	10 U	U
131-11-3	Dimethyl phthalate	50 (G)	ug/l	10 U		10 U	
206-44-0	Fluoranthene	50 (G)	ug/l	10 U	U	10 U	U
86-73-7	Fluorene	50 (G)	ug/l	10 U		10 U	
193-39-5	Indeno[1,2,3-cd]pyrene	0.002 (G)	ug/l	10 U	U	10 U	U
91-57-6	2-Methylnaphthalene	NS	ug/l	10 U	U	8 J	U
95-48-7	2-Methylphenol	1	ug/l	10 U	U	10 U	U
106-44-5	4-Methylphenol	1	ug/l	10 U	U	10 U	U
100-02-7	4-Nitrophenol	1	ug/l	26 U		3 J	
91-20-3	Naphthalene	10 (G)	ug/l	7 J	U	430 E	U
85-01-8	Phenanthrene	50 (G)	ug/l	10 U		10 U	
108-95-2	Phenol	1	ug/l	10 U	U	3 J	U
129-00-0	Pyrene	50 (G)	ug/l	10 U	U	10 U	U
	Total SVOCs			7	2	451	ND
	PCBs						
	None detected						

Detected Constituent Summary
Recovery Well Samples

Cherry Farm Monitoring Well Sampling		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Id: Source: SDG: Matrix: Sampled:	RW-4 A7E98509 BM A07-E985 Water 12/27/2007	RW-5 A7E985010 BM A07-E985 Water 12/27/2007
CAS NO.	COMPOUND		UNITS:		
	VOLATILES				
67-64-1	Acetone	50 (G)	ug/l	20 U	5 U
71-43-2	Benzene	1	ug/l	4 U	1 U
108-90-7	Chlorobenzene	5	ug/l	4 U	1 U
67-66-3	Chloroform	7	ug/l	4 U	1 U
156-59-2	cis-1,2-Dichloroethene	5	ug/l	4 U	1 U
75-34-3	1,1-Dichloroethane	5	ug/l	4 U	1 U
100-41-4	Ethylbenzene	5	ug/l	4 U	1 U
75-09-2	Methylene chloride	5	ug/l	4 U	1 U
100-42-5	Styrene	5	ug/l	4 U	1 U
127-18-4	Tetrachloroethene	5	ug/l	4 U	1 U
108-88-3	Toluene	5	ug/l	4 U	1 U
1330-20-7	Xylene (total)	5	ug/l	12 U	3 U
	Total VOCs				
	SEMIVOLATILES				
83-32-9	Acenaphthene	20 (G)	ug/l	5 U	5 U
208-96-8	Acenaphthylene	NS	ug/l	5 U	5 U
56-55-3	Benzo[a]anthracene	20 (G)	ug/l	5 U	5 U
50-32-8	Benzo[a]pyrene	ND	ug/l	5 U	5 U
205-99-2	Benzo[b]fluoranthene	0.002 (G)	ug/l	5 U	5 U
191-24-2	Benzo[g,h,i]perylene	NS	ug/l	5 U	5 U
207-08-9	Benzo[k]fluoranthene	0.002 (G)	ug/l	5 U	5 U
117-81-7	bis(2-Ethylhexyl)phthalate	5	ug/l	5 U	5 U
86-74-8	Carbazole	NS	ug/l	5 U	5 U
218-01-9	Chrysene	0.002 (G)	ug/l	5 U	5 U
81-74-2	Di-n-butyl phthalate	50	ug/l	5 U	5 U
53-70-3	Dibenz[a,h]anthracene	NS	ug/l	5 U	5 U
132-64-9	Dibenzofuran	NS	ug/l	5 U	5 U
106-46-7	1,4-Dichlorobenzene	3	ug/l	10 U	10 U
84-66-2	Diethyl phthalate	50 (G)	ug/l	5 U	5 U
105-67-9	2,4-Dimethylphenol	1	ug/l	5 U	5 U
131-11-3	Dimethyl phthalate	50 (G)	ug/l	5 U	5 U
206-44-0	Fluoranthene	50 (G)	ug/l	5 U	5 U
86-73-7	Fluorene	50 (G)	ug/l	5 U	5 U
193-39-5	Indeno[1,2,3-cd]pyrene	0.002 (G)	ug/l	5 U	5 U
91-57-6	2-Methylnaphthalene	NS	ug/l	5 U	5 U
95-48-7	2-Methylphenol	1	ug/l	5 U	5 U
106-44-5	4-Methylphenol	1	ug/l	5 U	5 U
100-02-7	4-Nitrophenol	1	ug/l	10 U	10 U
91-20-3	Naphthalene	10 (G)	ug/l	5 U	5 U
85-01-8	Phenanthrene	50 (G)	ug/l	5 U	5 U
108-95-2	Phenol	1	ug/l	5 U	5 U
129-00-0	Pyrene	50 (G)	ug/l	5 U	5 U
	Total SVOCs			ND	ND
	PCBs				
	None detected				

APPENDIX B-2
DETECTED CHEMICAL ANALYTICAL RESULTS
SUMPS

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	S-1 G5093	S-1DL G5093DL	S-1RE G5093RE	S-1 H0918	S-1DL H0918DL
			Source: SDG: Matrix: Sampled:	OBG 5116 Water 11/20/1997	OBG 5116 Water 11/20/1997	OBG 5116 Water 11/20/1997	OBG 6847 Water 2/18/1998	OBG 6847 Water 2/18/1998
CAS NO.	COMPOUND		UNITS:					
	VOLATILES							
67-64-1	Acetone	50 (G)	ug/L	7 J			4 J	
71-43-2	Benzene	1	ug/L	10 U			10 U	
78-93-3	2-Butanone	50	ug/L	10 U			10 U	
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U			10 U	
108-90-7	Chlorobenzene	5	ug/L	10 U			10 U	
75-00-3	Chloroethane	5	ug/L	10 U			10 U	
67-66-3	Chloroform	7	ug/L					
74-87-3	Chloromethane	5	ug/L	10 U			10 U	
75-34-3	1,1-Dichloroethane	5	ug/L	2 J			2 J	
156-59-2	cis-1,2-Dichloroethene	5	ug/L					
156-60-5	trans-1,2-Dichloroethene	5	ug/L					
540-59-0	1,2-Dichloroethene (total)	5	ug/L	10 U			10 U	
100-41-4	Ethylbenzene	5	ug/L	10 U			10 U	
108-10-1	4-Methyl-2-pentanone	NS	ug/L	3 J			2 J	
75-09-2	Methylene chloride	5	ug/L	10 U			10 U	
100-42-5	Styrene	5	ug/L					
127-18-4	Tetrachloroethene	5	ug/L	10 U			10 U	
108-88-3	Toluene	5	ug/L	10 U			10 U	
79-01-6	Trichloroethene	5	ug/L	10 U			10 U	
75-01-4	Vinyl chloride	3	ug/L	10 U			10 U	
1330-20-7	Xylene (total)	5	ug/L	2 J			2 J	
	Total VOCs			14	NA	NA	10	NA
	SEMIVOLATILES							
83-32-9	Acenaphthene	20 (G)	ug/L	11	15 JD	11	38	43 JD
208-96-8	Acenaphthylene	NS	ug/L	10 U	100 U	10 U	10 U	100 U
120-12-7	Anthracene	50(G)	ug/L	14	14 JD	15	39	38 JD
56-55-3	Benzo[a]anthracene	20 (G)	ug/L	17	22 JD	19	94 E	96 JD
50-32-8	Benzo[a]pyrene	ND	ug/L	12	13 JD	11	57	55 JD
205-99-2	Benzo[b]fluoranthene	0.002 (G)	ug/L	16	20 JD	17	75	76 JD
191-24-2	Benzo[g,h,i]perylene	NS	ug/L	6 J	100 U	7 J	34	28 JD
207-08-9	Benzo[k]fluoranthene	0.002 (G)	ug/L	6 J	100 U	4 J	29	31 JD
117-81-7	bis(2-Ethylhexyl)phthalate	5	ug/L	21	24 JD	22	120 E	120 D
86-74-8	Carbazole	NS	ug/L	10 U	100 U	10 U	10 U	100 U
59-50-7	4-Chloro-3-methylphenol	1	ug/L	10 U	100 U	10 U	10 U	100 U
218-01-9	Chrysene	0.002 (G)	ug/L	19	26 JD	22	90 E	110 D
84-74-2	Di-n-butyl phthalate	50	ug/L					
53-70-3	Dibenz[a,h]anthracene	NS	ug/L	10 U	100 U	10 U	10	100 U
132-64-9	Dibenzofuran	NS	ug/L	5 J	100 U	5 J	31	30 JD
541-73-1	1,3-Dichlorobenzene	3	ug/L	10 U	100 U	10 U	3 J	100 U
106-46-7	1,4-Dichlorobenzene	3	ug/L	2 J	100 U	2 J	14	15 JD
120-83-2	2,4-Dichlorophenol	1	ug/L	1 J	100 U	1 J	10 U	100 U
84-66-2	Diethyl phthalate	50 (G)	ug/L					
105-67-9	2,4-Dimethylphenol	1	ug/L	260 E	400 D	240 E	290 E	290 D
131-11-3	Dimethyl phthalate	50 (G)	ug/L	10 U	100 U	10 U	10 U	100 U
206-44-0	Fluoranthene	50 (G)	ug/L	82 E	93 JD	100 E	330 E	300 D
86-73-7	Fluorene	50 (G)	ug/L	8 J	15 JD	9 J	30	53 JD
193-39-5	Indeno[1,2,3-cd]pyrene	0.002 (G)	ug/L	6 J	100 U	6 J	30	27 JD
91-57-6	2-Methylnaphthalene	NS	ug/L	2 J	100 U	2 J	5 J	100 U
95-48-7	2-Methylphenol	1	ug/L	51	53 JD	46	33	34 JD
106-44-5	4-Methylphenol	1	ug/L	86 E	110 D	83 E	37	39 JD
91-20-3	Naphthalene	10 (G)	ug/L	3 J	100 U	3 J	5 J	100 U
100-02-7	4-Nitrophenol	1	ug/L					
85-01-8	Phenanthrene	50 (G)	ug/L	24	37 JD	27	140 E	140 D
108-95-2	Phenol	1	ug/L	68	82 JD	61	40	44 JD
129-00-0	Pyrene	50 (G)	ug/L	45	64 JD	49	290 E	330 D
120-82-1	1,2,4-Trichlorobenzene	5	ug/L	12	15 JD	11	52	48 JD
	Total SVOCs			777	1003	773	1916	1947

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	S-1 G5093	S-1DL G5093DL	S-1RE G5093RE	S-1 H0918	S-1DL H0918DL
			Source: SDG: Matrix: Sampled:	OBG 5116 Water 11/20/1997	OBG 5116 Water 11/20/1997	OBG 5116 Water 11/20/1997	OBG 6847 Water 2/18/1998	OBG 6847 Water 2/18/1998
CAS NO.	COMPOUND		UNITS:					
	PESTICIDES							
309-00-2	Aldrin	ND	ug/L	0.25 U	2.5 U		0.25 U	2.5 U
319-84-6	alpha-BHC	0.01	ug/L	0.25 U	2.5 U		0.25 U	2.5 U
319-85-7	beta-BHC	0.04	ug/L	0.25 U	2.5 U		0.25 U	2.5 U
319-86-8	delta-BHC	0.04	ug/L	0.25 U	2.5 U		0.021 JP	2.5 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.25 U	2.5 U		0.25 U	2.5 U
5103-71-9	alpha-Chlordane	0.05	ug/L	0.25 U	2.5 U		0.25 U	2.5 U
5103-74-2	gamma-Chlordane	0.05	ug/L	0.25 U	2.5 U		0.25 U	2.5 U
72-54-8	4,4'-DDD	0.3	ug/L	0.026 JP	5 U		0.26 JP	0.38 JPD
72-55-9	4,4'-DDE	0.2	ug/L	0.5 U	5 U		1.4 P	2.3 JPD
50-29-3	4,4'-DDT	0.2	ug/L	0.5 U	5 U		0.5 U	5 U
60-57-1	Dieldrin	0.004	ug/L	0.5 U	5 U		0.5 U	5 U
959-98-8	Endosulfan I	NS	ug/L	0.25 U	2.5 U		0.25 U	2.5 U
33213-65-9	Endosulfan II	NS	ug/L	1.4	5 U		17 E	29 D
1031-07-8	Endosulfan sulfate	NS	ug/L	0.5 U	5 U		0.5 U	5 U
72-20-8	Endrin	ND	ug/L	0.5 U	5 U		0.5 U	5 U
7421-93-4	Endrin aldehyde	5	ug/L	0.5 U	5 U		1.8 P	2.3 JPD
53494-70-5	Endrin ketone	5	ug/L	0.5 U	5 U		0.5 U	1.3 JPD
76-44-8	Heptachlor	0.04	ug/L	0.25 U	2.5 U		0.39 P	0.58 JPD
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.25 U	2.5 U		0.25 U	2 JPD
72-43-5	Methoxychlor	35	ug/L	0.079 JP	25 U		2.5 U	25 U
	Total Pesticides			1.505	ND	NA	20.871	37.86
	PCBs							
12674-11-2	Aroclor-1016	Sum PCBs of 0.09	ug/L	5 U	50 U		5 U	50 U
53469-21-9	Aroclor-1242		ug/L	7.4	10 JD		100 P	160 PD
12672-29-6	Aroclor-1248		ug/L	43	66 D		330 E	820 D
11096-82-5	Aroclor-1260		ug/L					
	Total PCBs			50.4	76	NA	430	980
	INORGANICS							
7429-90-5	Aluminum	NS	ug/L	142 B			1090	
7440-36-0	Antimony	3	ug/L	2.6 U			2.6 U	
7440-38-2	Arsenic	25	ug/L	4.7 B			5.8 B	
7440-39-3	Barium	1000	ug/L	187 B			196 B	
7440-41-7	Beryllium	3 (G)	ug/L	0.06 U			0.1 B	
7440-43-9	Cadmium	5	ug/L	0.24 U			0.3 U	
7440-70-2	Calcium	NS	ug/L	46300			50900	
7440-47-8	Chromium	50	ug/L	1.2 B			5.4 B	
7440-48-4	Cobalt	NS	ug/L	1.1 U			1.2 U	
7440-50-8	Copper	200	ug/L	7.4 B			5.3 B	
7439-89-6	Iron	300	ug/L	1500			4440	
7439-92-1	Lead	25	ug/L	2.6 B			8.2	
7439-95-4	Magnesium	35000 (G)	ug/L	9410			10100	
7439-96-5	Manganese	300	ug/L	1210			1330	
7439-97-6	Mercury	0.7	ug/L	0.14 U			0.2 U	
7440-02-0	Nickel	100	ug/L	7.7 B			17 B	
7440-09-7	Potassium	NS	ug/L	16700			14500	
7782-49-2	Selenium	10	ug/L	4 U			4 U	
7440-22-4	Silver	50	ug/L	0.56 U			0.6 U	
7440-23-5	Sodium	20000	ug/L	116000			110000	
7440-28-0	Thallium	0.5 (G)	ug/L	3.3 U			4.1 B	
7440-62-2	Vanadium	NS	ug/L	1.8 B			3.6 B	
7440-66-6	Zinc	2000 (G)	ug/L	15.8 B			157	
57-12-5	Cyanide	200	ug/L	14.9			10 U	

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	S-1RE H0918RE	S-1 H7400	S-1RE H7400RE	S-1 J8341	S-1DL J8341DL
			Source: SDG: Matrix: Sampled:	OBG 6847 Water 2/18/1998	OBG 7810 Water 5/28/1998	OBG 7810 Water 5/28/1998	OBG 9571 Water 10/21/1998	OBG 9571 Water 10/21/1998
CAS NO.	COMPOUND		UNITS:					
	VOLATILES							
67-64-1	Acetone	50 (G)	ug/L		9 J		10 J	
71-43-2	Benzene	1	ug/L		10 U		10 U	
78-93-3	2-Butanone	50	ug/L		10 U		10 U	
75-15-0	Carbon disulfide	60 (G)	ug/L		10 U		10 U	
108-90-7	Chlorobenzene	5	ug/L		10 U		10 U	
75-00-3	Chloroethane	5	ug/L		10 U		10 U	
67-66-3	Chloroform	7	ug/L					
74-87-3	Chloromethane	5	ug/L		10 U		10 U	
75-34-3	1,1-Dichloroethane	5	ug/L		10 U		10 U	
156-59-2	cis-1,2-Dichloroethene	5	ug/L				10 U	
156-60-5	trans-1,2-Dichloroethene	5	ug/L				10 U	
540-59-0	1,2-Dichloroethene (total)	5	ug/L		10 U		10 U	
100-41-4	Ethylbenzene	5	ug/L		10 U		10 U	
108-10-1	4-Methyl-2-pentanone	NS	ug/L		10 U		2 J	
75-09-2	Methylene chloride	5	ug/L		10 U		2 J	
100-42-5	Styrene	5	ug/L					
127-18-4	Tetrachloroethene	5	ug/L		10 U		10 U	
108-88-3	Toluene	5	ug/L		10 U		10 U	
79-01-6	Trichloroethene	5	ug/L		10 U		10 U	
75-01-4	Vinyl chloride	3	ug/L		10 U		10 U	
1330-20-7	Xylene (total)	5	ug/L		10 U		10 U	
	Total VOCs			NA	9	NA	14	NA
	SEMIVOLATILES							
83-32-9	Acenaphthene	20 (G)	ug/L	40	3 J	3 J	370 D	380 JD
208-96-8	Acenaphthylene	NS	ug/L	10 U	10 U	10 U	100 U	510 U
120-12-7	Anthracene	50(G)	ug/L	27	2 J	2 J	300 D	270 JD
56-55-3	Benzo[a]anthracene	20 (G)	ug/L	98 E	2 J	2 J	420 D	390 JD
50-32-8	Benzo[a]pyrene	ND	ug/L	57	2 J	1 J	230 D	250 JD
205-99-2	Benzo[b]fluoranthene	0.002 (G)	ug/L	72	2 J	2 J	350 D	330 JD
191-24-2	Benzo[g,h,i]perylene	NS	ug/L	35	10 U	10 U	130 D	220 JD
207-08-9	Benzo[k]fluoranthene	0.002 (G)	ug/L	30	10 U	10 U	160 D	150 JD
117-81-7	bis(2-Ethylhexyl)phthalate	5	ug/L	130 E	4 J	4 J	530 D	680 D
86-74-8	Carbazole	NS	ug/L	10 U	2 J	2 J	100 U	510 U
59-50-7	4-Chloro-3-methylphenol	1	ug/L	10 U	10 U	10 U	100 U	510 U
218-01-9	Chrysene	0.002 (G)	ug/L	93 E	2 J	2 J	430 D	380 JD
84-74-2	Di-n-butyl phthalate	50	ug/L					
53-70-3	Dibenz[a,h]anthracene	NS	ug/L	11	10 U	10 U	40 JD	510 U
132-64-9	Dibenzofuran	NS	ug/L	32	2 J	2 J	250 D	260 JD
541-73-1	1,3-Dichlorobenzene	3	ug/L	3 J	1 J	1 J	16 JD	510 U
106-46-7	1,4-Dichlorobenzene	3	ug/L	14	6 J	6 J	77 JD	74 JD
120-83-2	2,4-Dichlorophenol	1	ug/L	10 U	10 U	10 U	100 U	510 U
84-66-2	Diethyl phthalate	50 (G)	ug/L					
105-67-9	2,4-Dimethylphenol	1	ug/L	300 E	78	78	84 JD	65 JD
131-11-3	Dimethyl phthalate	50 (G)	ug/L	10 U	10 U	10 U	100 U	510 U
206-44-0	Fluoranthene	50 (G)	ug/L	230 E	6 J	7 J	1800 ED	1300 D
86-73-7	Fluorene	50 (G)	ug/L	31	2 J	2 J	390 D	430 JD
193-39-5	Indeno[1,2,3-cd]pyrene	0.002 (G)	ug/L	30	10 U	10 U	120 D	200 JD
91-57-6	2-Methylnaphthalene	NS	ug/L	6 J	1 J	1 J	130 D	130 JD
95-48-7	2-Methylphenol	1	ug/L	31	6 J	6 J	100 U	510 U
106-44-5	4-Methylphenol	1	ug/L	35	37	36	100 U	510 U
91-20-3	Naphthalene	10 (G)	ug/L	4 J	2 J	2 J	65 JD	62 JD
100-02-7	4-Nitrophenol	1	ug/L					
85-01-8	Phenanthrene	50 (G)	ug/L	99 E	4 J	4 J	1400 ED	1300 D
108-95-2	Phenol	1	ug/L	36	17	16	100 U	510 U
129-00-0	Pyrene	50 (G)	ug/L	300 E	11	11	1200 ED	1400 D
120-82-1	1,2,4-Trichlorobenzene	5	ug/L	54	4 J	4 J	31 JD	510 U
	Total SVOCs			1798	196	194	8523	6271

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	S-1RE H0918RE	S-1 H7400	S-1RE H7400RE	S-1 J8341	S-1DL J8341DL
			Source: SDG: Matrix: Sampled:	OBG 6847 Water 2/18/1998	OBG 7810 Water 5/28/1998	OBG 7810 Water 5/28/1998	OBG 9571 Water 10/21/1998	OBG 9571 Water 10/21/1998
CAS NO.	COMPOUND		UNITS:					
	PESTICIDES							
309-00-2	Aldrin	ND	ug/L		0.008 JP		0.25 U	2.5 U
319-84-6	alpha-BHC	0.01	ug/L		0.011 JP		0.25 U	2.5 U
319-85-7	beta-BHC	0.04	ug/L		0.05 U		0.25 U	2.5 U
319-86-8	delta-BHC	0.04	ug/L		0.05 U		0.25 U	2.5 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L		0.05 U		0.25 U	2.5 U
5103-71-9	alpha-Chlordane	0.05	ug/L		0.05 U		0.25 U	2.5 U
5103-74-2	gamma-Chlordane	0.05	ug/L		0.02 JP		0.25 U	2.5 U
72-54-8	4,4'-DDD	0.3	ug/L		0.058 JP		0.033 JP	0.068 JPD
72-55-9	4,4'-DDE	0.2	ug/L		0.016 JP		0.51 P	0.8 JPD
50-29-3	4,4'-DDT	0.2	ug/L		0.1 U		0.5 U	5 U
60-57-1	Dieldrin	0.004	ug/L		0.1 U		0.5 U	5 U
959-98-8	Endosulfan I	NS	ug/L		0.05 U		0.25 U	2.5 U
33213-65-9	Endosulfan II	NS	ug/L		0.081 JP		3.1	4.6 J
1031-07-8	Endosulfan sulfate	NS	ug/L		0.1 U		0.086 BJP	0.12 BJPD
72-20-8	Endrin	ND	ug/L		0.023 JP		0.5 U	5 U
7421-93-4	Endrin aldehyde	5	ug/L		0.1 U		0.045 JP	5 U
53494-70-5	Endrin ketone	5	ug/L		0.1 U		0.5 U	5 U
76-44-8	Heptachlor	0.04	ug/L		0.05 U		0.25 U	2.5 U
1024-57-3	Heptachlor epoxide	0.03	ug/L		0.0057 JP		0.25 U	2.5 U
72-43-5	Methoxychlor	35	ug/L		0.097 JP		2.5 U	25 U
	Total Pesticides			NA	0.3197	NA	3.774	5.588
	PCBs							
12674-11-2	Aroclor-1016	Sum PCBs of 0.09	ug/L					
53469-21-9	Aroclor-1242		ug/L		0.88 JP		5 U	50 U
12672-29-6	Aroclor-1248		ug/L		1 U		39 P	61 PD
11096-82-5	Aroclor-1260		ug/L		2.4 P		89 E	150 D
	Total PCBs			NA	3.28	NA	128	211
	INORGANICS							
7429-90-5	Aluminum	NS	ug/L		30.2 B		5870	
7440-36-0	Antimony	3	ug/L		2.9 U		4.9 B	
7440-38-2	Arsenic	25	ug/L		10.2		20.6	
7440-39-3	Barium	1000	ug/L		151 B		463	
7440-41-7	Beryllium	3 (G)	ug/L		0.12 U		0.34 B	
7440-43-9	Cadmium	5	ug/L		0.49 U		1.8 B	
7440-70-2	Calcium	NS	ug/L		45700		233000	
7440-47-8	Chromium	50	ug/L		1.6 U		16.3	
7440-48-4	Cobalt	NS	ug/L		2.3 U		5.7 B	
7440-50-8	Copper	200	ug/L		4 B		115	
7439-89-6	Iron	300	ug/L		3060		21800	
7439-92-1	Lead	25	ug/L		1.8 U		47.6	
7439-95-4	Magnesium	35000 (G)	ug/L		7730		16700	
7439-96-5	Manganese	300	ug/L		1080		3150	
7439-97-6	Mercury	0.7	ug/L		0.09 U		0.15 U	
7440-02-0	Nickel	100	ug/L		8.1 B		28.9 B	
7440-09-7	Potassium	NS	ug/L		20300		24400	
7782-49-2	Selenium	10	ug/L		4.8 U		2.9 B	
7440-22-4	Silver	50	ug/L		1.1 U		1.2 U	
7440-23-5	Sodium	20000	ug/L		93300		93000	
7440-28-0	Thallium	0.5 (G)	ug/L		7.4 U		5.5 U	
7440-62-2	Vanadium	NS	ug/L		1.2 B		13.4 B	
7440-66-6	Zinc	2000 (G)	ug/L		23.7		384	
57-12-5	Cyanide	200	ug/L		10 U		10 U	

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	S-1 M0193 OBG 1489 Water 4/20/1999	S-1DL M0193DL OBG 1489 Water 4/20/1999	S-1 N4877 OBG 3856 Water 11/9/1999	S-1DL N4877DL OBG 3856 Water 11/9/1999	S-1NAPL A9751104 OBG 11090 Water 11/9/1999
CAS NO.	COMPOUND		UNITS:					
	VOLATILES							
67-64-1	Acetone	50 (G)	ug/L	13		7 J		
71-43-2	Benzene	1	ug/L	10 U		10 U		
78-93-3	2-Butanone	50	ug/L	10 U		10 U		
75-15-0	Carbon disulfide	60 (G)	ug/L	7 J		10 U		
108-90-7	Chlorobenzene	5	ug/L	10 U		10 U		
75-00-3	Chloroethane	5	ug/L	10 U		10 U		
67-66-3	Chloroform	7	ug/L					
74-87-3	Chloromethane	5	ug/L	10 U		10 U		
75-34-3	1,1-Dichloroethane	5	ug/L	10 U		10 U		
156-59-2	cis-1,2-Dichloroethene	5	ug/L	10 U				
156-60-5	trans-1,2-Dichloroethene	5	ug/L	10 U				
540-59-0	1,2-Dichloroethene (total)	5	ug/L	10 U		10 U		
100-41-4	Ethylbenzene	5	ug/L	10 U		10 U		
108-10-1	4-Methyl-2-pentanone	NS	ug/L	10 U		10 U		
75-09-2	Methylene chloride	5	ug/L	10 U		10 U		
100-42-5	Styrene	5	ug/L					
127-18-4	Tetrachloroethene	5	ug/L	10 U		10 U		
108-88-3	Toluene	5	ug/L	10 U		10 U		
79-01-6	Trichloroethene	5	ug/L	10 U		10 U		
75-01-4	Vinyl chloride	3	ug/L	10 U		10 U		
1330-20-7	Xylene (total)	5	ug/L	10 U		10 U		
	Total VOCs			20	NA	7	NA	NA
	SEMIVOLATILES							
83-32-9	Acenaphthene	20 (G)	ug/L	180 D	180 J D	55 JD		130000 J
208-96-8	Acenaphthylene	NS	ug/L	53 U	260 U	100 U		1400000 U
120-12-7	Anthracene	50(G)	ug/L	110 D	110 J D	23 JD		83000 J
56-55-3	Benzo[a]anthracene	20 (G)	ug/L	310 D	310 D	78 JD		160000 J
50-32-8	Benzo[a]pyrene	ND	ug/L	150 D	150 J D	42 JD		73000 J
205-99-2	Benzo[b]fluoranthene	0.002 (G)	ug/L	210 D	250 J D	76 JD		180000 J
191-24-2	Benzo[g,h,i]perylene	NS	ug/L	220 D	190 J D	100 U		1400000 U
207-08-9	Benzo[k]fluoranthene	0.002 (G)	ug/L	77 D	98 J D	29 JD		1400000 U
117-81-7	bis(2-Ethylhexyl)phthalate	5	ug/L	190 D	170 J D	46 JD		82000 J
86-74-8	Carbazole	NS	ug/L	53 U	260 U	100 U		1400000 U
59-50-7	4-Chloro-3-methylphenol	1	ug/L	53 U	260 U	100 U		1400000 U
218-01-9	Chrysene	0.002 (G)	ug/L	380 D	390 D	92 JD		160000 J
84-74-2	Di-n-butyl phthalate	50	ug/L					
53-70-3	Dibenz[a,h]anthracene	NS	ug/L	53 U	260 U	100 U		1400000 U
132-64-9	Dibenzofuran	NS	ug/L	73 D	82 J D	24 JD		1400000 U
541-73-1	1,3-Dichlorobenzene	3	ug/L	53 U	260 U	100 U		1400000 U
106-46-7	1,4-Dichlorobenzene	3	ug/L	13 J D	260 U	100 U		1400000 U
120-83-2	2,4-Dichlorophenol	1	ug/L	53 U	260 U	100 U		1400000 U
84-66-2	Diethyl phthalate	50 (G)	ug/L					
105-67-9	2,4-Dimethylphenol	1	ug/L	33 J D	28 J D	12 JD		1400000 U
131-11-3	Dimethyl phthalate	50 (G)	ug/L	53 U	260 U	100 U		1400000 U
206-44-0	Fluoranthene	50 (G)	ug/L	710 ED	840 D	160 D		600000 J
86-73-7	Fluorene	50 (G)	ug/L	99 D	120 J D	39 JD		1200000 J
193-39-5	Indeno[1,2,3-cd]pyrene	0.002 (G)	ug/L	190 D	140 J D	21 JD		1400000 U
91-57-6	2-Methylnaphthalene	NS	ug/L	17 J D	260 U	79 J		1400000 U
95-48-7	2-Methylphenol	1	ug/L	53 U	260 U	100 U		1400000 U
106-44-5	4-Methylphenol	1	ug/L	53 U	260 U	100 U		1400000 U
91-20-3	Naphthalene	10 (G)	ug/L	6 J D	260 U	100 U		1400000 U
100-02-7	4-Nitrophenol	1	ug/L					
85-01-8	Phenanthrene	50 (G)	ug/L	210 D	220 J D	54 JD		200000 J
108-95-2	Phenol	1	ug/L	53 U	260 U	100 U		1400000 U
129-00-0	Pyrene	50 (G)	ug/L	1400 ED	2000 D	440 D		570000 J
120-82-1	1,2,4-Trichlorobenzene	5	ug/L	53 U	260 U	100 U		1400000 U
	Total SVOCs			4578	5278	1270	NA	3438000

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	S-1 M0193	S-1DL M0193DL	S-1 N4877	S-1DL N4877DL	S-1NAPL A9751104
			Source: SDG: Matrix: Sampled:	OBG 1489 Water 4/20/1999	OBG 1489 Water 4/20/1999	OBG 3856 Water 11/9/1999	OBG 3856 Water 11/9/1999	OBG 11090 Water 11/9/1999
CAS NO.	COMPOUND		UNITS:					
PESTICIDES								
309-00-2	Aldrin	ND	ug/L	0.25 U	2.5 U	0.038 JP	2.5 U	
319-84-6	alpha-BHC	0.01	ug/L	0.25 U	2.5 U	0.25 U	2.5 U	
319-85-7	beta-BHC	0.04	ug/L	0.25 U	2.5 U	0.25 U	2.5 U	
319-86-8	delta-BHC	0.04	ug/L	0.0048 JP	2.5 U	0.0046 JP	2.5 U	
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.25 U	2.5 U	0.25 U	2.5 U	
5103-71-9	alpha-Chlordane	0.05	ug/L	0.25 U	2.5 U	0.25 U	2.5 U	
5103-74-2	gamma-Chlordane	0.05	ug/L	0.25 U	2.5 U	0.0082 JP	2.5 U	
72-54-8	4,4'-DDD	0.3	ug/L	0.051 JP	5.1 U	0.51 U	5.1 U	
72-55-9	4,4'-DDE	0.2	ug/L	1.3 P	2 JD	0.24 JP	0.39 JPD	
50-29-3	4,4'-DDT	0.2	ug/L	0.51 U	0.035 JP	0.51 U	5.1 U	
60-57-1	Dieldrin	0.004	ug/L	0.51 U	5.1 U	0.25 JP	0.48 JPD	
959-98-8	Endosulfan I	NS	ug/L	0.14 JP	2.5 U	0.25 U	2.5 U	
33213-65-9	Endosulfan II	NS	ug/L	2.1	2.8 JPD	0.51 U	5.1 U	
1031-07-8	Endosulfan sulfate	NS	ug/L	0.51 U	5.1 U	0.44 J	0.62 JPD	
72-20-8	Endrin	ND	ug/L	0.51 U	0.17 JPD	0.51 U	5.1 U	
7421-93-4	Endrin aldehyde	5	ug/L	0.3 JP	0.65 JPD	0.047 JP	5.1 U	
53494-70-5	Endrin ketone	5	ug/L	0.51 U	5.1 U	0.51 U	5.1 U	
76-44-8	Heptachlor	0.04	ug/L	0.25 U	2.5 U	0.25 U	2.5 U	
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.25 U	2.5 U	0.25 U	2.5 U	
72-43-5	Methoxychlor	35	ug/L	0.83 JP	1.3 JPD	0.092 JP	25 U	
	Total Pesticides			4.7258	6.955	1.1198	1.49	NA
PCBs								
12674-11-2	Aroclor-1016	Sum PCBs of 0.09	ug/L	5.1 U	51 U	5.1 U	51 U	50000 U
53469-21-9	Aroclor-1242		ug/L	74 P	110 PD	19 P	35 JD	330000
12672-29-6	Aroclor-1248		ug/L	72 P	110 PD	9.2 P	16 JD	120000
11096-82-5	Aroclor-1260		ug/L					
	Total PCBs			146	220	28.2	51	450000
INORGANICS								
7429-90-5	Aluminum	NS	ug/L	2390		859		
7440-36-0	Antimony	3	ug/L	2.9 B		2.5 U		
7440-38-2	Arsenic	25	ug/L	10.4		14.1		
7440-39-3	Barium	1000	ug/L	332		490		
7440-41-7	Beryllium	3 (G)	ug/L	0.18 B		0.16 B		
7440-43-9	Cadmium	5	ug/L	0.55 B		0.3 U		
7440-70-2	Calcium	NS	ug/L	152000		254000		
7440-47-8	Chromium	50	ug/L	7.6 B		5.1 BE		
7440-48-4	Cobalt	NS	ug/L	2.2 B		1.7 U		
7440-50-8	Copper	200	ug/L	79.1		3 B		
7439-89-6	Iron	300	ug/L	7920		19000		
7439-92-1	Lead	25	ug/L	19.4		2.4 B		
7439-95-4	Magnesium	35000 (G)	ug/L	12900		13600		
7439-96-5	Manganese	300	ug/L	2290		3480		
7439-97-6	Mercury	0.7	ug/L	0.11 U		0.11 U		
7440-02-0	Nickel	100	ug/L	18.2 B		33.5 BE		
7440-09-7	Potassium	NS	ug/L	23700		23000		
7782-49-2	Selenium	10	ug/L	3.6 U		3 U		
7440-22-4	Silver	50	ug/L	1 U		0.78 U		
7440-23-5	Sodium	20000	ug/L	138000		145000 E		
7440-28-0	Thallium	0.5 (G)	ug/L	3.8 U		5.1 U		
7440-62-2	Vanadium	NS	ug/L	7.4 B		5.2 BE		
7440-66-6	Zinc	2000 (G)	ug/L	138		149		
57-12-5	Cyanide	200	ug/L	10 U		10 U		

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	S-1RE N4877RE OBG 3856 Water 11/9/1999	S-1 Q3849 OBG 5490 Water 4/26/2000	S-1DL Q3849DL OBG 5490 Water 4/26/2000	S-1 R7180 OBG 7645 Water 12/14/2000	S-1DL R7180DL OBG 7645 Water 12/14/2000
CAS NO.	COMPOUND		UNITS:					
VOLATILES								
67-64-1	Acetone	50 (G)	ug/L		7 J		5 J	
71-43-2	Benzene	1	ug/L		10 U		10 U	
78-93-3	2-Butanone	50	ug/L		10 U		10 U	
75-15-0	Carbon disulfide	60 (G)	ug/L		10 U		10 U	
108-90-7	Chlorobenzene	5	ug/L		10 U		10 U	
75-00-3	Chloroethane	5	ug/L		10 U		10 U	
67-66-3	Chloroform	7	ug/L					
74-87-3	Chloromethane	5	ug/L		10 U		10 U	
75-34-3	1,1-Dichloroethane	5	ug/L		10 U		10 U	
156-59-2	cis-1,2-Dichloroethene	5	ug/L		10 U			
156-60-5	trans-1,2-Dichloroethene	5	ug/L		10 U			
540-59-0	1,2-Dichloroethene (total)	5	ug/L		10 U		10 U	
100-41-4	Ethylbenzene	5	ug/L		10 U		10 U	
108-10-1	4-Methyl-2-pentanone	NS	ug/L		10 U		10 U	
75-09-2	Methylene chloride	5	ug/L		10 U		10 U	
100-42-5	Styrene	5	ug/L					
127-18-4	Tetrachloroethene	5	ug/L		10 U		10 U	
108-88-3	Toluene	5	ug/L		10 U		10 U	
79-01-6	Trichloroethene	5	ug/L		10 U		10 U	
75-01-4	Vinyl chloride	3	ug/L		10 U		10 U	
1330-20-7	Xylene (total)	5	ug/L		10 U		10 U	
Total VOCs				NA	7	NA	5	NA
SEMIVOLATILES								
83-32-9	Acenaphthene	20 (G)	ug/L	56 JD	77 JD		12 JD	
208-96-8	Acenaphthylene	NS	ug/L	100 U	610 U		100 U	
120-12-7	Anthracene	50(G)	ug/L	24 JD	610 U		100 U	
56-55-3	Benzo[a]anthracene	20 (G)	ug/L	79 JD	170 JD		33 JD	
50-32-8	Benzo[a]pyrene	ND	ug/L	44 JD	88 JD		21 JD	
205-99-2	Benzo[b]fluoranthene	0.002 (G)	ug/L	74 JD	170 JD		34 JD	
191-24-2	Benzo[g,h,i]perylene	NS	ug/L	100 U	610 U		100 U	
207-08-9	Benzo[k]fluoranthene	0.002 (G)	ug/L	29 JD	610 U		100 U	
117-81-7	bis(2-Ethylhexyl)phthalate	5	ug/L	45 JD	140 JD		11 JD	
86-74-8	Carbazole	NS	ug/L	100 U	610 U		30 JD	
59-50-7	4-Chloro-3-methylphenol	1	ug/L	100 U	610 U		100 U	
218-01-9	Chrysene	0.002 (G)	ug/L	92 JD	160 JD		34 JD	
84-74-2	Di-n-butyl phthalate	50	ug/L					
53-70-3	Dibenz[a,h]anthracene	NS	ug/L	100 U	610 U		100 U	
132-64-9	Dibenzofuran	NS	ug/L	24 JD	610 U		100 U	
541-73-1	1,3-Dichlorobenzene	3	ug/L	100 U	610 U		100 U	
106-46-7	1,4-Dichlorobenzene	3	ug/L	100 U	610 U		100 U	
120-83-2	2,4-Dichlorophenol	1	ug/L	100 U	610 U		100 U	
84-66-2	Diethyl phthalate	50 (G)	ug/L					
105-67-9	2,4-Dimethylphenol	1	ug/L	11 JD	610 U		12 JD	
131-11-3	Dimethyl phthalate	50 (G)	ug/L	100 U	570 JD		100 U	
206-44-0	Fluoranthene	50 (G)	ug/L	160 D	610 U		100 U	
86-73-7	Fluorene	50 (G)	ug/L	39 JD	610 U		100 U	
193-39-5	Indeno[1,2,3-cd]pyrene	0.002 (G)	ug/L	22 JD	610 U		100 U	
91-57-6	2-Methylnaphthalene	NS	ug/L	100 U	610 U		100 U	
95-48-7	2-Methylphenol	1	ug/L	100 U	610 U		100 U	
106-44-5	4-Methylphenol	1	ug/L	100 U	610 U		100 U	
91-20-3	Naphthalene	10 (G)	ug/L	100 U	610 U		100 U	
100-02-7	4-Nitrophenol	1	ug/L					
85-01-8	Phenanthrene	50 (G)	ug/L	59 JD	610 U		100 U	
108-95-2	Phenol	1	ug/L	100 U	610 U		100 U	
129-00-0	Pyrene	50 (G)	ug/L	430 D	560 JD		94 JD	
120-82-1	1,2,4-Trichlorobenzene	5	ug/L	100 U	610 U		100 U	
Total SVOCs				1188	1935	NA	413	NA

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	S-1RE N4877RE OBG 3856 Water 11/9/1999	S-1 Q3849 OBG 5490 Water 4/26/2000	S-1DL Q3849DL OBG 5490 Water 4/26/2000	S-1 R7180 OBG 7645 Water 12/14/2000	S-1DL R7180DL OBG 7645 Water 12/14/2000
CAS NO.	COMPOUND		UNITS:					
	PESTICIDES							
309-00-2	Aldrin	ND	ug/L	0.47 U	0.27 U	2.7 U	0.26 U	2.6 U
319-84-6	alpha-BHC	0.01	ug/L	0.47 U	0.12 JP	2.7 U	0.018 JP	2.6 U
319-85-7	beta-BHC	0.04	ug/L	0.47 U	0.27 U	2.7 U	0.26 U	2.6 U
319-86-8	delta-BHC	0.04	ug/L	0.47 U	0.0026 JP	0.011 JPD	0.26 U	2.6 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.47 U	0.27 U	2.7 U	0.26 U	2.6 U
5103-71-9	alpha-Chlordane	0.05	ug/L	0.47 U	0.27 U	2.7 U	0.26 U	2.6 U
5103-74-2	gamma-Chlordane	0.05	ug/L	0.47 U	0.27 U	2.7 U	0.26 U	2.6 U
72-54-8	4,4'-DDD	0.3	ug/L	0.94 U	0.029 JP	0.087 JPD	0.52 U	5.2 U
72-55-9	4,4'-DDE	0.2	ug/L	0.94 U	0.79	1.3 JD	0.58 P	0.76 JD
50-29-3	4,4'-DDT	0.2	ug/L	0.94 U	0.028 JP	5.4 U	0.17 JP	5.2 U
60-57-1	Dieldrin	0.004	ug/L	0.94 U	0.54 U	5.4 U	0.52 U	5.2 U
959-98-8	Endosulfan I	NS	ug/L	0.47 U	0.13 JP	0.16 JPD	0.1 JP	0.094 JPD
33213-65-9	Endosulfan II	NS	ug/L	0.94 U	0.54 U	5.4 U	0.52 U	5.2 U
1031-07-8	Endosulfan sulfate	NS	ug/L	0.94 U	0.54 U	5.4 U	0.13 JP	0.19 JPD
72-20-8	Endrin	ND	ug/L	0.94 U	0.13 JP	0.22 JPD	1 P	0.13 JPD
7421-93-4	Endrin aldehyde	5	ug/L	0.94 U	0.025 JP	5.4 U	0.067 JP	5.2 U
53494-70-5	Endrin ketone	5	ug/L	0.94 U	0.54 U	5.4 U	0.52 U	5.2 U
76-44-8	Heptachlor	0.04	ug/L	0.47 U	0.27 U	2.7 U	0.26 U	2.6 U
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.47 U	0.27 U	2.7 U	0.26 U	2.6 U
72-43-5	Methoxychlor	35	ug/L	4.7 U	0.27 U	27 U	2.6 U	26 U
	Total Pesticides			ND	1.2546	1.778	2.065	1.174
	PCBs							
12674-11-2	Aroclor-1016	Sum PCBs of 0.09	ug/L	9.4 U	5.4 U	54 U	5.2 U	52 U
53469-21-9	Aroclor-1242		ug/L	81	56	99 D	48	74 D
12672-29-6	Aroclor-1248		ug/L	32	26	42 JD	17 P	24 JD
11096-82-5	Aroclor-1260		ug/L					
	Total PCBs			113	82	141	65	98
	INORGANICS							
7429-90-5	Aluminum	NS	ug/L		1920		6890 E	
7440-36-0	Antimony	3	ug/L		1.9 U		1.9 B	
7440-38-2	Arsenic	25	ug/L		7.6 B		23.4	
7440-39-3	Barium	1000	ug/L		278		468	
7440-41-7	Beryllium	3 (G)	ug/L		0.16 B		0.65 B	
7440-43-9	Cadmium	5	ug/L		0.28 U		0.25 U	
7440-70-2	Calcium	NS	ug/L		105000		160000	
7440-47-8	Chromium	50	ug/L		15.2		16	
7440-48-4	Cobalt	NS	ug/L		1.2 B		4.9 B	
7440-50-8	Copper	200	ug/L		6.5 B		23.4 B	
7439-89-6	Iron	300	ug/L		9790		23400	
7439-92-1	Lead	25	ug/L		20.5		28.3	
7439-95-4	Magnesium	35000 (G)	ug/L		15600		14800	
7439-96-5	Manganese	300	ug/L	2970	1510		2580	
7439-97-6	Mercury	0.7	ug/L		0.11 U		0.17 U	
7440-02-0	Nickel	100	ug/L		45.3		28.6 B	
7440-09-7	Potassium	NS	ug/L		22500		23900 E	
7782-49-2	Selenium	10	ug/L		3.7 U		2.1 U	
7440-22-4	Silver	50	ug/L		0.75 U		0.73 U	
7440-23-5	Sodium	20000	ug/L		121000		118000	
7440-28-0	Thallium	0.5 (G)	ug/L		4.9 U		3.7 U	
7440-62-2	Vanadium	NS	ug/L		6.2 B		12.7 B	
7440-66-6	Zinc	2000 (G)	ug/L		205		197	
57-12-5	Cyanide	200	ug/L		10 U		10 U	

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	S-1 S7322	S-1DL S7322DL	S-1 T7106	S-1DL T7106DL	S-1 V4632
			Source: SDG: Matrix: Sampled:	OBG 9270 Water 6/20/2001	OBG 9270 Water 6/20/2001	OBG 764 Water 12/13/2001	OBG 764 Water 12/13/2001	OB 2494 Water 6/19/2002
CAS NO.	COMPOUND		UNITS:					
VOLATILES								
67-64-1	Acetone	50 (G)	ug/L	12		4 J		10 U
71-43-2	Benzene	1	ug/L	10 U		10 U		10 U
78-93-3	2-Butanone	50	ug/L	3 J		10 U		10 U
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U		10 U		15
108-90-7	Chlorobenzene	5	ug/L	10 U		10 U		10 U
75-00-3	Chloroethane	5	ug/L	1 J		10 U		10 U
67-66-3	Chloroform	7	ug/L					
74-87-3	Chloromethane	5	ug/L	2 J		10 U		10 U
75-34-3	1,1-Dichloroethane	5	ug/L	10 U		10 U		10 U
156-59-2	cis-1,2-Dichloroethene	5	ug/L	10 U		10 U		10 U
156-60-5	trans-1,2-Dichloroethene	5	ug/L	10 U		10 U		10 U
540-59-0	1,2-Dichloroethene (total)	5	ug/L					
100-41-4	Ethylbenzene	5	ug/L	10 U		10 U		10 U
108-10-1	4-Methyl-2-pentanone	NS	ug/L	10 U		10 U		10 U
75-09-2	Methylene chloride	5	ug/L	1 J		0.6 JB		2 J
100-42-5	Styrene	5	ug/L					
127-18-4	Tetrachloroethene	5	ug/L	10 U		10 U		10 U
108-88-3	Toluene	5	ug/L	10 U		10 U		10 U
79-01-6	Trichloroethene	5	ug/L	10 U		10 U		10 U
75-01-4	Vinyl chloride	3	ug/L	10 U		10 U		10 U
1330-20-7	Xylene (total)	5	ug/L	10 U		10 U		10 U
Total VOCs				19	NA	4.6	NA	17
SEMIVOLATILES								
83-32-9	Acenaphthene	20 (G)	ug/L	220 U		100 U		100 U
208-96-8	Acenaphthylene	NS	ug/L	220 U		100 U		100 U
120-12-7	Anthracene	50(G)	ug/L	220 U		100 U		100 U
56-55-3	Benzo[a]anthracene	20 (G)	ug/L	52 JD		29 JD		29 J D
50-32-8	Benzo[a]pyrene	ND	ug/L	30 JD		19 JD		26 J D
205-99-2	Benzo[b]fluoranthene	0.002 (G)	ug/L	68 JD		34 JD		45 J D
191-24-2	Benzo[g,h,i]perylene	NS	ug/L	220 U		100 U		100 U
207-08-9	Benzo[k]fluoranthene	0.002 (G)	ug/L	25 JD		100 U		14 J D
117-81-7	bis(2-Ethylhexyl)phthalate	5	ug/L	55 JD		29 JBD		32 J D
86-74-8	Carbazole	NS	ug/L	220 U		100 U		100 U
59-50-7	4-Chloro-3-methylphenol	1	ug/L	220 U		100 U		100 U
218-01-9	Chrysene	0.002 (G)	ug/L	43 JD		19 JD		20 J D
84-74-2	Di-n-butyl phthalate	50	ug/L					
53-70-3	Dibenz[a,h]anthracene	NS	ug/L	220 U		100 U		100 U
132-64-9	Dibenzofuran	NS	ug/L	220 U		100 U		100 U
541-73-1	1,3-Dichlorobenzene	3	ug/L	220 U		100 U		100 U
106-46-7	1,4-Dichlorobenzene	3	ug/L	220 U		100 U		100 U
120-83-2	2,4-Dichlorophenol	1	ug/L	220 U		100 U		100 U
84-66-2	Diethyl phthalate	50 (G)	ug/L					
105-67-9	2,4-Dimethylphenol	1	ug/L	220 U		100 U		26 J D
131-11-3	Dimethyl phthalate	50 (G)	ug/L	220 U		100 U		100 U
206-44-0	Fluoranthene	50 (G)	ug/L	89 JD		51 JD		43 J D
86-73-7	Fluorene	50 (G)	ug/L	220 U		100 U		100 U
193-39-5	Indeno[1,2,3-cd]pyrene	0.002 (G)	ug/L	220 U		100 U		10 J D
91-57-6	2-Methylnaphthalene	NS	ug/L	220 U		100 U		100 U
95-48-7	2-Methylphenol	1	ug/L	220 U		100 U		100 U
106-44-5	4-Methylphenol	1	ug/L	220 U		100 U		13 J D
91-20-3	Naphthalene	10 (G)	ug/L	220 U		100 U		100 U
100-02-7	4-Nitrophenol	1	ug/L					
85-01-8	Phenanthrene	50 (G)	ug/L	220 U		100 U		100 U
108-95-2	Phenol	1	ug/L	220 U		100 U		100 U
129-00-0	Pyrene	50 (G)	ug/L	170 JD		69 JD		86 J D
120-82-1	1,2,4-Trichlorobenzene	5	ug/L	220 U		100 U		100 U
Total SVOCs				532	NA	250	NA	178

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	S-1 S7322	S-1DL S7322DL	S-1 T7106	S-1DL T7106DL	S-1 V4632
			Source: SDG: Matrix: Sampled:	OBG 9270 Water 6/20/2001	OBG 9270 Water 6/20/2001	OBG 764 Water 12/13/2001	OBG 764 Water 12/13/2001	OB 2494 Water 6/19/2002
CAS NO.	COMPOUND		UNITS:					
	PESTICIDES							
309-00-2	Aldrin	ND	ug/L	0.27 U	2.7 U	0.26 U	2.6 U	0.28 U
319-84-6	alpha-BHC	0.01	ug/L	0.27 U	2.7 U	0.11 JP	0.11 JPD	0.28 U
319-85-7	beta-BHC	0.04	ug/L	0.27 U	2.7 U	0.26 U	2.6 U	0.28 U
319-86-8	delta-BHC	0.04	ug/L	0.0045 JP	2.7 U	0.26 U	2.6 U	0.28 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.27 U	2.7 U	0.28 P	2.6 U	1.3 P
5103-71-9	alpha-Chlordane	0.05	ug/L	0.27 U	2.7 U	0.26 U	2.6 U	0.28 U
5103-74-2	gamma-Chlordane	0.05	ug/L	0.27 U	2.7 U	1.2 P	2 JPD	0.28 U
72-54-8	4,4'-DDD	0.3	ug/L	0.068 JP	0.097 JPD	0.52 U	5.2 U	0.56 U
72-55-9	4,4'-DDE	0.2	ug/L	2.1 BP	3.5 BJPD	2.3	2.8 JPD	9.3 E
50-29-3	4,4'-DDT	0.2	ug/L	0.83 P	5.3 U	0.52 U	5.2 U	0.56 U
60-57-1	Dieldrin	0.004	ug/L	0.53 U	5.3 U	1.9 BP	2.7 BJPD	6.2 P
959-98-8	Endosulfan I	NS	ug/L	0.62 P	0.8 JPD	0.33 P	0.39 JPD	1.1 P
33213-65-9	Endosulfan II	NS	ug/L	0.53 U	5.3 U	0.52 U	5.2 U	0.56 U
1031-07-8	Endosulfan sulfate	NS	ug/L	0.17 JP	5.3 U	0.52 U	5.2 U	0.56 U
72-20-8	Endrin	ND	ug/L	0.31 BJP	0.44 BJPD	0.68 P	1 JPD	2.5 P
7421-93-4	Endrin aldehyde	5	ug/L	0.82 P	0.37 JPD	0.71 BP	0.9 BJPD	2.7 P
53494-70-5	Endrin ketone	5	ug/L	0.53 U	5.3 U	0.069 JP	5.2 U	8.7 P
76-44-8	Heptachlor	0.04	ug/L	0.27 U	2.7 U	0.26 U	1.9 JPD	5.3 E P
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.27 U	2.7 U	0.26 U	2.6 U	0.28 U
72-43-5	Methoxychlor	35	ug/L	2.7 U	0.52 JPD	0.35 JP	0.7 JPD	2.1 JP
	Total Pesticides			4.9225	5.727	7.929	12.5	39.2
	PCBs							
12674-11-2	Aroclor-1016	Sum PCBs of 0.09	ug/L	5.3 U	53 U	5.2 U	52 U	5.6 U
53469-21-9	Aroclor-1242		ug/L	150 P	250 PD	110	150 D	400 E
12672-29-6	Aroclor-1248		ug/L	88 EP	130 PD	53	67 D	200 E
11096-82-5	Aroclor-1260		ug/L					
	Total PCBs			238	380	163	217	600
	INORGANICS							
7429-90-5	Aluminum	NS	ug/L	3290		18300		85.4 B
7440-36-0	Antimony	3	ug/L	1.4 U		2.1 U		2.3 U
7440-38-2	Arsenic	25	ug/L	7.8 B		13.2		4.9 B
7440-39-3	Barium	1000	ug/L	313		1080		179 B
7440-41-7	Beryllium	3 (G)	ug/L	0.15 B		2.5 B		0.13 B
7440-43-9	Cadmium	5	ug/L	0.24 U		0.37 B		0.31 U
7440-70-2	Calcium	NS	ug/L	111000		470000		75800
7440-47-8	Chromium	50	ug/L	7.6 B		48.8		1.7 B E
7440-48-4	Cobalt	NS	ug/L	1.7 B		25.3 B		1.2 U
7440-50-8	Copper	200	ug/L	7.7 B		11.5 B		2.3 B
7439-89-6	Iron	300	ug/L	15400		105000		6050
7439-92-1	Lead	25	ug/L	15.2		23.1		2.6 B N
7439-95-4	Magnesium	35000 (G)	ug/L	13900		33900		14100
7439-96-5	Manganese	300	ug/L	1830		6640		824
7439-97-6	Mercury	0.7	ug/L	0.18 U		0.15 U		0.12 U
7440-02-0	Nickel	100	ug/L	12.4 B		102		2 B
7440-09-7	Potassium	NS	ug/L	23900		25300		24900
7782-49-2	Selenium	10	ug/L	1.8 U		3.4 B		1.5 U
7440-22-4	Silver	50	ug/L	0.73 U		1 U		1.8 U
7440-23-5	Sodium	20000	ug/L	125000		124000		99700 E
7440-28-0	Thallium	0.5 (G)	ug/L	3.6 U		5.1 U		4.8 U
7440-62-2	Vanadium	NS	ug/L	8.2 B		63.5		1.1 U
7440-66-6	Zinc	2000 (G)	ug/L	164		1340		13.6 B
57-12-5	Cyanide	200	ug/L	10 U		12.6		10 U

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	S-1 DL V4632DL OB 2494 Water 6/19/2002	S-1 Z7813 OB 4203 Water 12/18/2002	S-1DL Z7813DL OB 4203 Water 12/18/2002	S-1 RE Z7813RE OB 4219 Water 12/18/2002	S-1 A7429 OB 5716 Water 6/24/2003
CAS NO.	COMPOUND		UNITS:					
	VOLATILES							
67-64-1	Acetone	50 (G)	ug/L		6 JB		6 JB	6 J
71-43-2	Benzene	1	ug/L		10 U		10 U	10 U
78-93-3	2-Butanone	50	ug/L		2 J		2 J	10 U
75-15-0	Carbon disulfide	60 (G)	ug/L		10 U		10 U	10 U
108-90-7	Chlorobenzene	5	ug/L		0.8 J		0.7 J	10 U
75-00-3	Chloroethane	5	ug/L		10 U		10 U	10 U
67-66-3	Chloroform	7	ug/L					
74-87-3	Chloromethane	5	ug/L		10 U		10 U	10 U
75-34-3	1,1-Dichloroethane	5	ug/L		10 U		10 U	10 U
156-59-2	cis-1,2-Dichloroethene	5	ug/L		10 U		10 U	10 U
156-60-5	trans-1,2-Dichloroethene	5	ug/L		10 U		10 U	10 U
540-59-0	1,2-Dichloroethene (total)	5	ug/L					
100-41-4	Ethylbenzene	5	ug/L		10 U		10 U	10 U
108-10-1	4-Methyl-2-pentanone	NS	ug/L		10 U		10 U	10 U
75-09-2	Methylene chloride	5	ug/L		0.7 JB		1 JB	0.5 J
100-42-5	Styrene	5	ug/L					
127-18-4	Tetrachloroethene	5	ug/L		10 U		10 U	10 U
108-88-3	Toluene	5	ug/L		10 U		10 U	10 U
79-01-6	Trichloroethene	5	ug/L		10 U		10 U	10 U
75-01-4	Vinyl chloride	3	ug/L		10 U		10 U	10 U
1330-20-7	Xylene (total)	5	ug/L		10 U		10 U	10 U
	Total VOCs			NA	9.5	NA	9.7	6.5
	SEMIVOLATILES							
83-32-9	Acenaphthene	20 (G)	ug/L	1000 U	530 U			500 U
208-96-8	Acenaphthylene	NS	ug/L	1000 U	530 U			500 U
120-12-7	Anthracene	50(G)	ug/L	1000 U	530 U			500 U
56-55-3	Benzo[a]anthracene	20 (G)	ug/L	1000 U	530 U			90 JD
50-32-8	Benzo[a]pyrene	ND	ug/L	1000 U	530 U			72 JD
205-99-2	Benzo[b]fluoranthene	0.002 (G)	ug/L	1000 U	57 J			110 JD
191-24-2	Benzo[g,h,i]perylene	NS	ug/L	1000 U	530 U			500 U
207-08-9	Benzo[k]fluoranthene	0.002 (G)	ug/L	1000 U	530 U			58 JD
117-81-7	bis(2-Ethylhexyl)phthalate	5	ug/L	1000 U	530 U			100 JD
86-74-8	Carbazole	NS	ug/L	1000 U	530 U			500 U
59-50-7	4-Chloro-3-methylphenol	1	ug/L	1000 U	530 U			500 U
218-01-9	Chrysene	0.002 (G)	ug/L	1000 U	530 U			83 JD
84-74-2	Di-n-butyl phthalate	50	ug/L					
53-70-3	Dibenz[a,h]anthracene	NS	ug/L	1000 U	530 U			500 U
132-64-9	Dibenzofuran	NS	ug/L	1000 U	530 U			500 U
541-73-1	1,3-Dichlorobenzene	3	ug/L	1000 U	530 U			500 U
106-46-7	1,4-Dichlorobenzene	3	ug/L	1000 U	530 U			500 U
120-83-2	2,4-Dichlorophenol	1	ug/L	1000 U	530 U			500 U
84-66-2	Diethyl phthalate	50 (G)	ug/L					
105-67-9	2,4-Dimethylphenol	1	ug/L	1000 U	530 U			500 U
131-11-3	Dimethyl phthalate	50 (G)	ug/L	1000 U	530 U			500 U
206-44-0	Fluoranthene	50 (G)	ug/L	1000 U	98 J			230 JD
86-73-7	Fluorene	50 (G)	ug/L	1000 U	530 U			500 U
193-39-5	Indeno[1,2,3-cd]pyrene	0.002 (G)	ug/L	1000 U	530 U			500 U
91-57-6	2-Methylnaphthalene	NS	ug/L	1000 U	530 U			500 U
95-48-7	2-Methylphenol	1	ug/L	1000 U	530 U			500 U
106-44-5	4-Methylphenol	1	ug/L	1000 U	530 U			500 U
91-20-3	Naphthalene	10 (G)	ug/L	1000 U	530 U			500 U
100-02-7	4-Nitrophenol	1	ug/L					
85-01-8	Phenanthrene	50 (G)	ug/L	1000 U	530 U			500 U
108-95-2	Phenol	1	ug/L	1000 U	530 U			500 U
129-00-0	Pyrene	50 (G)	ug/L	1000 U	120 JD			270 JD
120-82-1	1,2,4-Trichlorobenzene	5	ug/L	1000 U	530 U			500 U
	Total SVOCs			ND	276	NA	NA	1013

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	S-1 DL V4632DL OB 2494 Water 6/19/2002	S-1 Z7813 OB 4203 Water 12/18/2002	S-1DL Z7813DL OB 4203 Water 12/18/2002	S-1 RE Z7813RE OB 4219 Water 12/18/2002	S-1 A7429 OB 5716 Water 6/24/2003
CAS NO.	COMPOUND		UNITS:					
	PESTICIDES							
309-00-2	Aldrin	ND	ug/L	2.8 U	0.26 U	2.6 U		0.25 U
319-84-6	alpha-BHC	0.01	ug/L	0.42 J PD	0.26	2.6 U		0.072 JP
319-85-7	beta-BHC	0.04	ug/L	6.1 PD	0.26 U	2.6 U		0.25 U
319-86-8	delta-BHC	0.04	ug/L	2.8 U	0.26 U	2.6 U		0.25 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	1.7 J PD	0.26 U	2.6 U		0.25 U
5103-71-9	alpha-Chlordane	0.05	ug/L	2.8 U	0.26 U	2.6 U		0.096 JP
5103-74-2	gamma-Chlordane	0.05	ug/L	2.8 U	0.53 P	2.6 U		0.25 U
72-54-8	4,4'-DDD	0.3	ug/L	5.6 U	0.52 U	5.2 U		2.3 P
72-55-9	4,4'-DDE	0.2	ug/L	6.2 PD	0.69 P	1.2 JPD		1 P
50-29-3	4,4'-DDT	0.2	ug/L	5.6 U	0.52 U	5.2 U		0.5 U
60-57-1	Dieldrin	0.004	ug/L	11 PD	0.88	1.8 JD		1 P
959-98-8	Endosulfan I	NS	ug/L	2.8 U	0.095 JP	0.23 JPD		0.84 P
33213-65-9	Endosulfan II	NS	ug/L	5.6 U	0.082 JP	5.2 U		0.5 U
1031-07-8	Endosulfan sulfate	NS	ug/L	2.3 J PD	0.52 U	5.2 U		0.5 U
72-20-8	Endrin	ND	ug/L	3.7 J PD	0.52 U	5.2 U		0.5 U
7421-93-4	Endrin aldehyde	5	ug/L	9.8 PD	0.26 JP	0.42 JPD		0.38 BJP
53494-70-5	Endrin ketone	5	ug/L	12 PD	0.52 U	5.2 U		0.46 JP
76-44-8	Heptachlor	0.04	ug/L	7.1 PD	0.26 U	2.6 U		0.26 P
1024-57-3	Heptachlor epoxide	0.03	ug/L	2.8 U	0.26 U	2.6 U		0.25 U
72-43-5	Methoxychlor	35	ug/L	1.9 J PD	2.6 U	26 U		1.3 JP
	Total Pesticides			66.22	2.797	3.65	NA	7.708
	PCBs							
12674-11-2	Aroclor-1016	Sum PCBs of 0.09	ug/L	56 U	5.2 U	52 U		5 U
53469-21-9	Aroclor-1242		ug/L	450 PD	54 P	90 D		62 P
12672-29-6	Aroclor-1248		ug/L	280 D	22	34 JD		38 P
11096-82-5	Aroclor-1260		ug/L					
	Total PCBs			730	76	124	NA	100
	INORGANICS							
7429-90-5	Aluminum	NS	ug/L		3380			4920
7440-36-0	Antimony	3	ug/L		2.1 U			3.7 B
7440-38-2	Arsenic	25	ug/L		13.3			33.7
7440-39-3	Barium	1000	ug/L		292			441
7440-41-7	Beryllium	3 (G)	ug/L		0.17 B			0.2 B
7440-43-9	Cadmium	5	ug/L		0.37 U			0.3 B
7440-70-2	Calcium	NS	ug/L		87000			308000
7440-47-8	Chromium	50	ug/L		7.4 B			13
7440-48-4	Cobalt	NS	ug/L		1.6 U			2.3 B
7440-50-8	Copper	200	ug/L		21.1 B			66.4
7439-89-6	Iron	300	ug/L		16600			36200
7439-92-1	Lead	25	ug/L		19.9			33.2
7439-95-4	Magnesium	35000 (G)	ug/L		14800			16500
7439-96-5	Manganese	300	ug/L		1660			2370
7439-97-6	Mercury	0.7	ug/L		0.02 U			0.05 U
7440-02-0	Nickel	100	ug/L		14.1 B			35.7 B
7440-09-7	Potassium	NS	ug/L		19500			24400
7782-49-2	Selenium	10	ug/L		1.8 U			3.2 U
7440-22-4	Silver	50	ug/L		1.2 U			1.1 U
7440-23-5	Sodium	20000	ug/L		103000			108000
7440-28-0	Thallium	0.5 (G)	ug/L		3.6 U			4 U
7440-62-2	Vanadium	NS	ug/L		10.3 B			43.4 B
7440-66-6	Zinc	2000 (G)	ug/L		133			270
57-12-5	Cyanide	200	ug/L		10 U			5.5 B

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	S-1 DL A7429DL OB 5716 Water 6/24/2003	S-1 B4467 OB 6968 Water 12/18/2003	S-1DL B4467DL OB 6968 Water 12/18/2003	S-1 E1135 OB 6968 Water 6/8/2004	S-1 DL E1135DL OB 6968 Water 6/8/2004
CAS NO.	COMPOUND		UNITS:					
	VOLATILES							
67-64-1	Acetone	50 (G)	ug/L			10 U	10 JB	
71-43-2	Benzene	1	ug/L			10 U		
78-93-3	2-Butanone	50	ug/L			10 U	2 J	
75-15-0	Carbon disulfide	60 (G)	ug/L			10 U	10 U	
108-90-7	Chlorobenzene	5	ug/L			3 J	0.6 J	
75-00-3	Chloroethane	5	ug/L			10 U		
67-66-3	Chloroform	7	ug/L					
74-87-3	Chloromethane	5	ug/L			10 U		
75-34-3	1,1-Dichloroethane	5	ug/L			10 U	10 U	
156-59-2	cis-1,2-Dichloroethene	5	ug/L			10 U	10 U	
156-60-5	trans-1,2-Dichloroethene	5	ug/L			10 U		
540-59-0	1,2-Dichloroethene (total)	5	ug/L					
100-41-4	Ethylbenzene	5	ug/L			10 U		
108-10-1	4-Methyl-2-pentanone	NS	ug/L			10 U	0.6 J	
75-09-2	Methylene chloride	5	ug/L			10 U	1 JB	
100-42-5	Styrene	5	ug/L					
127-18-4	Tetrachloroethene	5	ug/L			10 U		
108-88-3	Toluene	5	ug/L			10 U	10 U	
79-01-6	Trichloroethene	5	ug/L			10 U		
75-01-4	Vinyl chloride	3	ug/L			10 U		
1330-20-7	Xylene (total)	5	ug/L			10 U	10 U	
	Total VOCs			NA	NA	3	13.6	NA
	SEMIVOLATILES							
83-32-9	Acenaphthene	20 (G)	ug/L		10 JD	500 U	10 U	250 U
208-96-8	Acenaphthylene	NS	ug/L		50 U	500 U	10 U	250 U
120-12-7	Anthracene	50(G)	ug/L		50 U	500 U		
56-55-3	Benzo[a]anthracene	20 (G)	ug/L		56 D	64 JD	13	250 U
50-32-8	Benzo[a]pyrene	ND	ug/L		53 D	53 JD	10 J	250 U
205-99-2	Benzo[b]fluoranthene	0.002 (G)	ug/L		84 D	85 JD	15 J	250 U
191-24-2	Benzo[g,h,i]perylene	NS	ug/L		50 U	500 U	4 J	250 U
207-08-9	Benzo[k]fluoranthene	0.002 (G)	ug/L		31 JD	500 U	10 J	250 U
117-81-7	bis(2-Ethylhexyl)phthalate	5	ug/L		77 D	86 JD	13 J	250 U
86-74-8	Carbazole	NS	ug/L		50 U	500 U		
59-50-7	4-Chloro-3-methylphenol	1	ug/L		50 U	500 U	10 U	250 U
218-01-9	Chrysene	0.002 (G)	ug/L		46 JD	500 U	12 J	250 U
84-74-2	Di-n-butyl phthalate	50	ug/L					
53-70-3	Dibenz[a,h]anthracene	NS	ug/L		50 U	500 U	2 J	250 U
132-64-9	Dibenzofuran	NS	ug/L		50 U	500 U		
541-73-1	1,3-Dichlorobenzene	3	ug/L		50 U	500 U	2 J	250 U
106-46-7	1,4-Dichlorobenzene	3	ug/L		7 JD	500 U	3 J	250 U
120-83-2	2,4-Dichlorophenol	1	ug/L		50 U	500 U		
84-66-2	Diethyl phthalate	50 (G)	ug/L					
105-67-9	2,4-Dimethylphenol	1	ug/L		14 JD	500 U	7 J	250 U
131-11-3	Dimethyl phthalate	50 (G)	ug/L		50 U	500 U		
206-44-0	Fluoranthene	50 (G)	ug/L		120 D	120 JD	27	43 J
86-73-7	Fluorene	50 (G)	ug/L		50 U	500 U	10 U	250 U
193-39-5	Indeno[1,2,3-cd]pyrene	0.002 (G)	ug/L		50 U	500 U	4 J	250 U
91-57-6	2-Methylnaphthalene	NS	ug/L		50 U	500 U		
95-48-7	2-Methylphenol	1	ug/L		50 U	500 U	10 U	250 U
106-44-5	4-Methylphenol	1	ug/L		50 U	500 U	10 U	250 U
91-20-3	Naphthalene	10 (G)	ug/L		50 U	500 U		
100-02-7	4-Nitrophenol	1	ug/L				25 U	630 U
85-01-8	Phenanthrene	50 (G)	ug/L		50 U	500 U		
108-95-2	Phenol	1	ug/L		50 U	500 U	2 J	250 U
129-00-0	Pyrene	50 (G)	ug/L		170 D	150 JD	75	43 J
120-82-1	1,2,4-Trichlorobenzene	5	ug/L		50 U	500 U		
	Total SVOCs			NA	559	668	13.6	86

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	S-1 DL A7429DL OB 5716 Water 6/24/2003	S-1 B4467 OB 6968 Water 12/18/2003	S-1DL B4467DL OB 6968 Water 12/18/2003	S-1 E1135 OB 6968 Water 6/8/2004	S-1 DL E1135DL OB 6968 Water 6/8/2004
CAS NO.	COMPOUND		UNITS:					
	PESTICIDES							
309-00-2	Aldrin	ND	ug/L	2.5 U	0.25 U	2.5 U		
319-84-6	alpha-BHC	0.01	ug/L	2.5 U	0.25 U	2.5 U		
319-85-7	beta-BHC	0.04	ug/L	2.5 U	0.25 U	2.5 U		
319-86-8	delta-BHC	0.04	ug/L	2.5 U	0.25 U	2.5 U		
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	2.5 U	0.092 JP	2.5 U	0.2 JP	0.19 JPD
5103-71-9	alpha-Chlordane	0.05	ug/L	0.11 JPD	0.25 U	2.5 U		
5103-74-2	gamma-Chlordane	0.05	ug/L	2.5 U	0.25 U	2.5 U	0.26 U	2.6 U
72-54-8	4,4'-DDD	0.3	ug/L	9.4 PD	0.053 JP	5 U	0.52 U	5.2 U
72-55-9	4,4'-DDE	0.2	ug/L	1.5 JPD	0.61 P	0.71 JPD	1.1	0.66 JPD
50-29-3	4,4'-DDT	0.2	ug/L	5 U	0.5 U	5 U	0.52 U	5.2 U
60-57-1	Dieldrin	0.004	ug/L	1.7 JPD	0.42 JP	0.34 JPD	0.85 B P	0.97 BJP
959-98-8	Endosulfan I	NS	ug/L	1.3 JPD	0.25 U	2.5 U	0.24 JP	0.094 JPD
33213-65-9	Endosulfan II	NS	ug/L	5 U	0.046 JP	5 U	0.05 JP	5.2 U
1031-07-8	Endosulfan sulfate	NS	ug/L	5 U	0.5 U	5 U	0.52 U	5.2 U
72-20-8	Endrin	ND	ug/L	5 U	2.6	2.7 JD	0.67 P	0.49 JPD
7421-93-4	Endrin aldehyde	5	ug/L	0.68 BJD	0.5 U	5 U	0.86 P	0.81 JPD
53494-70-5	Endrin ketone	5	ug/L	0.27 JPD	0.87 P	0.88 JPD	0.52 U	5.2 U
76-44-8	Heptachlor	0.04	ug/L	0.41 JPD	0.41 P	0.3 JPD	0.78 P	0.83 JPD
1024-57-3	Heptachlor epoxide	0.03	ug/L	2.5 U	0.25 U	2.5 U		
72-43-5	Methoxychlor	35	ug/L	1.9 JPD	2.5 U	25 U	2.6 U	26 U
	Total Pesticides			17.27	5.101	NA	4.74	4.044
	PCBs							
12674-11-2	Aroclor-1016	Sum PCBs of 0.09	ug/L	50 U	50 U	5 U	5.2 U	52 U
53469-21-9	Aroclor-1242		ug/L	91 PD	33 P	43 JPD	55	55
12672-29-6	Aroclor-1248		ug/L	52 PD	16	20 JD	22 J	24 J
11096-82-5	Aroclor-1260		ug/L					
	Total PCBs			143	49	63	77	79
	INORGANICS							
7429-90-5	Aluminum	NS	ug/L		23300			3760
7440-36-0	Antimony	3	ug/L		9.2 B			2.3 U
7440-38-2	Arsenic	25	ug/L		96.1			13.2
7440-39-3	Barium	1000	ug/L		519			216
7440-41-7	Beryllium	3 (G)	ug/L		1 B			0.17 B
7440-43-9	Cadmium	5	ug/L		4.3 B			0.72 B
7440-70-2	Calcium	NS	ug/L		297000			102000
7440-47-8	Chromium	50	ug/L		87.9			16.4
7440-48-4	Cobalt	NS	ug/L		17.1 B			3.7 B
7440-50-8	Copper	200	ug/L		318			37.3
7439-89-6	Iron	300	ug/L		73300			15100
7439-92-1	Lead	25	ug/L		148			22.4
7439-95-4	Magnesium	35000 (G)	ug/L		23800			20100
7439-96-5	Manganese	300	ug/L		2260			1000
7439-97-6	Mercury	0.7	ug/L		0 B			0.04 U
7440-02-0	Nickel	100	ug/L		310			23.3 B
7440-09-7	Potassium	NS	ug/L		24000			23100
7782-49-2	Selenium	10	ug/L		9.5			2.2 U
7440-22-4	Silver	50	ug/L		1.6 U			1.6 U
7440-23-5	Sodium	20000	ug/L		91800			88800
7440-28-0	Thallium	0.5 (G)	ug/L		4.8 U			4.8 B
7440-62-2	Vanadium	NS	ug/L		76.3			10.6 B
7440-66-6	Zinc	2000 (G)	ug/L		1200			171
57-12-5	Cyanide	200	ug/L		10 U			10 U

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	S-1 0508015-006A	S-1 0603095-002A	S-1 A7E985011	S-2 G5094	S-2DUP G5116
			Source: SDG: Matrix: Sampled:	OB 200508 Water 8/2/2005	LSL-BL 6030950 Water 3/21/2006	BM A07-E985 Water 12/27/2007	OBG 5116 Water 11/20/1997	OBG 5116 Water 11/20/1997
CAS NO.	COMPOUND		UNITS:					
	VOLATILES							
67-64-1	Acetone	50 (G)	ug/L	5 BJ	5 BJ	U	10 U	3 J
71-43-2	Benzene	1	ug/L	10 U	U	U	10 U	10 U
78-93-3	2-Butanone	50	ug/L			U	10 U	10 U
75-15-0	Carbon disulfide	60 (G)	ug/L			U	10 U	10 U
108-90-7	Chlorobenzene	5	ug/L	0.7 J	0.8 J	3 J	10 U	10 U
75-00-3	Chloroethane	5	ug/L			U	10 U	10 U
67-66-3	Chloroform	7	ug/L			U		
74-87-3	Chloromethane	5	ug/L			U	10 U	10 U
75-34-3	1,1-Dichloroethane	5	ug/L	10 U	U	U	2 J	2 J
156-59-2	cis-1,2-Dichloroethene	5	ug/L	10 U	2 J	U		
156-60-5	trans-1,2-Dichloroethene	5	ug/L			U		
540-59-0	1,2-Dichloroethene (total)	5	ug/L			U	6 J	2 J
100-41-4	Ethylbenzene	5	ug/L	10 U	U	U	10 U	10 U
108-10-1	4-Methyl-2-pentanone	NS	ug/L		U	U	10 U	10 U
75-09-2	Methylene chloride	5	ug/L	0.9 BJ	1 BJ	U	10 U	10 U
100-42-5	Styrene	5	ug/L			U		
127-18-4	Tetrachloroethene	5	ug/L	10 U	U	U	10 U	1 J
108-88-3	Toluene	5	ug/L	0.7 J	U	U	1 J	1 J
79-01-6	Trichloroethene	5	ug/L		U	U	10 U	10 U
75-01-4	Vinyl chloride	3	ug/L			U	10 U	10 U
1330-20-7	Xylene (total)	5	ug/L	10 U	U	U	2 J	3 J
	Total VOCs			7.3	8.8	3	11	12
	SEMIVOLATILES							
83-32-9	Acenaphthene	20 (G)	ug/L	2 J		1 J	10 U	10 U
208-96-8	Acenaphthylene	NS	ug/L	10 U		U	10 U	10 U
120-12-7	Anthracene	50(G)	ug/L			0.8 J	10 U	10 U
56-55-3	Benzo[a]anthracene	20 (G)	ug/L	12	61 J	U	10 U	10 U
50-32-8	Benzo[a]pyrene	ND	ug/L	10	62 J	U	10 U	10 U
205-99-2	Benzo[b]fluoranthene	0.002 (G)	ug/L	20	100 J	5 U	10 U	10 U
191-24-2	Benzo[g,h,i]perylene	NS	ug/L	4 J	33 J	5 U	10 U	10 U
207-08-9	Benzo[k]fluoranthene	0.002 (G)	ug/L	5 J	38 J	5 U	10 U	10 U
117-81-7	bis(2-Ethylhexyl)phthalate	5	ug/L	8 J	76 J	5 U	10 U	10 U
86-74-8	Carbazole	NS	ug/L	10 U	U	2 J	10 U	10 U
59-50-7	4-Chloro-3-methylphenol	1	ug/L			5 U	10 U	10 U
218-01-9	Chrysene	0.002 (G)	ug/L	10	54 J	5 U	10 U	10 U
84-74-2	Di-n-butyl phthalate	50	ug/L		U	5 U		
53-70-3	Dibenz[a,h]anthracene	NS	ug/L	1 J		5 U	10 U	10 U
132-64-9	Dibenzofuran	NS	ug/L	10 U		0.7 J	10 U	10 U
541-73-1	1,3-Dichlorobenzene	3	ug/L			5 U	10 U	10 U
106-46-7	1,4-Dichlorobenzene	3	ug/L	1 J	U	1 BJ	10 U	10 U
120-83-2	2,4-Dichlorophenol	1	ug/L			5 U	10 U	10 U
84-66-2	Diethyl phthalate	50 (G)	ug/L	10 U		5 U		
105-67-9	2,4-Dimethylphenol	1	ug/L	22	U	8	45	44
131-11-3	Dimethyl phthalate	50 (G)	ug/L	10 U		5 U	10 U	10 U
206-44-0	Fluoranthene	50 (G)	ug/L	21	140 J	0.4 J	10 U	10 U
86-73-7	Fluorene	50 (G)	ug/L	10 U		1 J	10 U	10 U
193-39-5	Indeno[1,2,3-cd]pyrene	0.002 (G)	ug/L	4 J	32 J	5 U	10 U	10 U
91-57-6	2-Methylnaphthalene	NS	ug/L	10 U	U	0.6 J	10 U	1 J
95-48-7	2-Methylphenol	1	ug/L	10 U	U	0.2 J	15	19
106-44-5	4-Methylphenol	1	ug/L	2 J	U	5 U	29	46
91-20-3	Naphthalene	10 (G)	ug/L	10 U	U	2 J	1 J	3 J
100-02-7	4-Nitrophenol	1	ug/L	25 U		9 J		
85-01-8	Phenanthrene	50 (G)	ug/L	10 U		1 J	10 U	10 U
108-95-2	Phenol	1	ug/L	2 J	U	5 U	3 J	6 J
129-00-0	Pyrene	50 (G)	ug/L	30	190 J	0.8 J	10 U	10 U
120-82-1	1,2,4-Trichlorobenzene	5	ug/L			10 U	10 U	10 U
	Total SVOCs			142	786	27.5	93	119

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	S-1 0508015-006A	S-1 0603095-002A	S-1 A7E985011	S-2 G5094	S-2DUP G5116
			Source: SDG: Matrix: Sampled:	OB 200508 Water 8/2/2005	LSL-BL 6030950 Water 3/21/2006	BM A07-E985 Water 12/27/2007	OBG 5116 Water 11/20/1997	OBG 5116 Water 11/20/1997
CAS NO.	COMPOUND		UNITS:					
PESTICIDES								
309-00-2	Aldrin	ND	ug/L		U	0.05 U	0.05 U	0.05 U
319-84-6	alpha-BHC	0.01	ug/L	0.11 P J		0.05 U	0.05 U	0.05 U
319-85-7	beta-BHC	0.04	ug/L	0.26 U	U	0.05 U	0.05 U	0.05 U
319-86-8	delta-BHC	0.04	ug/L	0.26 U		0.05 U	0.05 U	0.05 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.46 P	0.19 J	0.05 U	0.05 U	0.05 U
5103-71-9	alpha-Chlordane	0.05	ug/L	0.22 P J		0.05 U	0.05 U	0.05 U
5103-74-2	gamma-Chlordane	0.05	ug/L	2 P	U	.012 J	0.0037 JP	0.05 U
72-54-8	4,4'-DDD	0.3	ug/L	0.53 U	U	0.05 U	0.1 U	0.1 U
72-55-9	4,4'-DDE	0.2	ug/L	4.3	1.4 P	0.05 U	0.1 U	0.1 U
50-29-3	4,4'-DDT	0.2	ug/L	0.26 U		0.05 U	0.1 U	0.1 U
60-57-1	Dieldrin	0.004	ug/L	0.53 U	U	0.023 J	0.1 U	0.1 U
959-98-8	Endosulfan I	NS	ug/L	0.58 P	U	0.05 U	0.05 U	0.05 U
33213-65-9	Endosulfan II	NS	ug/L	0.53 U		0.05 U	0.1 U	0.1 U
1031-07-8	Endosulfan sulfate	NS	ug/L	0.32 PJ	0.48 PJ	0.05 U	0.1 U	0.1 U
72-20-8	Endrin	ND	ug/L	1.7 P	0.9 J	0.05 U	0.1 U	0.1 U
7421-93-4	Endrin aldehyde	5	ug/L	0.53 U	U	0.05 U	0.1 U	0.1 U
53494-70-5	Endrin ketone	5	ug/L	0.23 PJ	0.16 PJ	0.05 U	0.1 U	0.1 U
76-44-8	Heptachlor	0.04	ug/L	0.26 U	U	0.05 U	0.05 U	0.05 U
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.26 U	U	0.05 U	0.05 U	0.05 U
72-43-5	Methoxychlor	35	ug/L	0.84 PJ	U	0.05 U	0.5 U	0.5 U
Total Pesticides				10.76	3.13		0.0037	ND
PCBs								
12674-11-2	Aroclor-1016	Sum PCBs of 0.09	ug/L		U	0.5 U		
53469-21-9	Aroclor-1242		ug/L	5.3 U	58 P	0.62	1 U	1 U
12672-29-6	Aroclor-1248		ug/L	240 P	30	.05 U	1 U	1 U
11096-82-5	Aroclor-1260		ug/L	130 P		0.5 U	1 U	1 U
Total PCBs				370	88	0.62	ND	ND
INORGANICS								
7429-90-5	Aluminum	NS	ug/L	4500	11200	89 B	341	580
7440-36-0	Antimony	3	ug/L	1.3 U	4.8 B	5.6 U	2.6 B	3.5 B
7440-38-2	Arsenic	25	ug/L	12.6	27.7	4.2 U	6.2 B	8.1 B
7440-39-3	Barium	1000	ug/L	190 B	238	190	63.4 B	50.9 B
7440-41-7	Beryllium	3 (G)	ug/L	0.046 U	0.37 B	0.27 U	0.06 U	0.06 U
7440-43-9	Cadmium	5	ug/L	0.28 U	1.1 B	0.36 U	0.24 U	0.24 U
7440-70-2	Calcium	NS	ug/L	61300	158000	84900	117000	125000
7440-47-8	Chromium	50	ug/L	21.7	139	0.84 U	1.1 U	1.1 U
7440-48-4	Cobalt	NS	ug/L	1.2 U	6.2 B	0.89 U	1.1 U	1.1 U
7440-50-8	Copper	200	ug/L	53	189	1.3 U	2 B	2.8 B
7439-89-6	Iron	300	ug/L	15200	29800	8990	61.4 B	88.1 B
7439-92-1	Lead	25	ug/L	35.8	65.1	2.9 U	1 U	1 U
7439-95-4	Magnesium	35000 (G)	ug/L	16500	13900	19900	676 B	407 B
7439-96-5	Manganese	300	ug/L	971	929 E	917	0.4 B	1.6 B
7439-97-6	Mercury	0.7	ug/L	0.01 U	0.086 B	0.12 U	0.14 U	0.14 U
7440-02-0	Nickel	100	ug/L	33.7 B	118	1.2 U	2.5 B	1.1 B
7440-09-7	Potassium	NS	ug/L	25300	21900	19000	43700	49900
7782-49-2	Selenium	10	ug/L	2.2 U	U	6.1 U	8.3	7.1
7440-22-4	Silver	50	ug/L	0.53 U	1.6 B	1 B	0.65 B	0.56 U
7440-23-5	Sodium	20000	ug/L	88800	60400	67100	47000	50500
7440-28-0	Thallium	0.5 (G)	ug/L	3.2 U		7 U	3.3 U	3.3 U
7440-62-2	Vanadium	NS	ug/L	12.4 B	42.2 B	0.78 U	21.2 B	19.6 B
7440-66-6	Zinc	2000 (G)	ug/L	126	399	3.6 U	2.8 B	2.7 U
57-12-5	Cyanide	200	ug/L	15.3	6.5 B	0.01 U	48.3	47.2

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	S-2 H0919 OBG 6847 Water 2/19/1998
CAS NO.	COMPOUND		UNITS:	
VOLATILES				
67-64-1	Acetone	50 (G)	ug/L	10 U
71-43-2	Benzene	1	ug/L	10 U
78-93-3	2-Butanone	50	ug/L	10 U
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U
108-90-7	Chlorobenzene	5	ug/L	10 U
75-00-3	Chloroethane	5	ug/L	10 U
67-66-3	Chloroform	7	ug/L	
74-87-3	Chloromethane	5	ug/L	10 U
75-34-3	1,1-Dichloroethane	5	ug/L	2 J
156-59-2	cis-1,2-Dichloroethene	5	ug/L	
156-60-5	trans-1,2-Dichloroethene	5	ug/L	
540-59-0	1,2-Dichloroethene (total)	5	ug/L	2 J
100-41-4	Ethylbenzene	5	ug/L	2 J
108-10-1	4-Methyl-2-pentanone	NS	ug/L	10 U
75-09-2	Methylene chloride	5	ug/L	10 U
100-42-5	Styrene	5	ug/L	
127-18-4	Tetrachloroethene	5	ug/L	1 J
108-88-3	Toluene	5	ug/L	11
79-01-6	Trichloroethene	5	ug/L	10 U
75-01-4	Vinyl chloride	3	ug/L	10 U
1330-20-7	Xylene (total)	5	ug/L	15
	Total VOCs			33
SEMIVOLATILES				
83-32-9	Acenaphthene	20 (G)	ug/L	10 U
208-96-8	Acenaphthylene	NS	ug/L	10 U
120-12-7	Anthracene	50(G)	ug/L	10 U
56-55-3	Benzo[a]anthracene	20 (G)	ug/L	10 U
50-32-8	Benzo[a]pyrene	ND	ug/L	10 U
205-99-2	Benzo[b]fluoranthene	0.002 (G)	ug/L	10 U
191-24-2	Benzo[g,h,i]perylene	NS	ug/L	10 U
207-08-9	Benzo[k]fluoranthene	0.002 (G)	ug/L	10 U
117-81-7	bis(2-Ethylhexyl)phthalate	5	ug/L	10 U
86-74-8	Carbazole	NS	ug/L	10 U
59-50-7	4-Chloro-3-methylphenol	1	ug/L	10 U
218-01-9	Chrysene	0.002 (G)	ug/L	10 U
84-74-2	Di-n-butyl phthalate	50	ug/L	
53-70-3	Dibenz[a,h]anthracene	NS	ug/L	10 U
132-64-9	Dibenzofuran	NS	ug/L	10 U
541-73-1	1,3-Dichlorobenzene	3	ug/L	10 U
106-46-7	1,4-Dichlorobenzene	3	ug/L	10 U
120-83-2	2,4-Dichlorophenol	1	ug/L	10 U
84-66-2	Diethyl phthalate	50 (G)	ug/L	
105-67-9	2,4-Dimethylphenol	1	ug/L	38
131-11-3	Dimethyl phthalate	50 (G)	ug/L	10 U
206-44-0	Fluoranthene	50 (G)	ug/L	10 U
86-73-7	Fluorene	50 (G)	ug/L	10 U
193-39-5	Indeno[1,2,3-cd]pyrene	0.002 (G)	ug/L	10 U
91-57-6	2-Methylnaphthalene	NS	ug/L	2 J
95-48-7	2-Methylphenol	1	ug/L	13
106-44-5	4-Methylphenol	1	ug/L	37
91-20-3	Naphthalene	10 (G)	ug/L	5 J
100-02-7	4-Nitrophenol	1	ug/L	
85-01-8	Phenanthrene	50 (G)	ug/L	10 U
108-95-2	Phenol	1	ug/L	10
129-00-0	Pyrene	50 (G)	ug/L	10 U
120-82-1	1,2,4-Trichlorobenzene	5	ug/L	10 U
	Total SVOCs			105

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	S-2 H0919 OBG 6847 Water 2/19/1998
CAS NO.	COMPOUND		UNITS:	
PESTICIDES				
309-00-2	Aldrin	ND	ug/L	0.0012 JP
319-84-6	alpha-BHC	0.01	ug/L	0.051 U
319-85-7	beta-BHC	0.04	ug/L	0.051 U
319-86-8	delta-BHC	0.04	ug/L	0.051 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.0074 JP
5103-71-9	alpha-Chlordane	0.05	ug/L	0.051 U
5103-74-2	gamma-Chlordane	0.05	ug/L	0.051 U
72-54-8	4,4'-DDD	0.3	ug/L	0.1 U
72-55-9	4,4'-DDE	0.2	ug/L	0.1 U
50-29-3	4,4'-DDT	0.2	ug/L	0.1 U
60-57-1	Dieldrin	0.004	ug/L	0.1 U
959-98-8	Endosulfan I	NS	ug/L	0.051 U
33213-65-9	Endosulfan II	NS	ug/L	0.0065 J
1031-07-8	Endosulfan sulfate	NS	ug/L	0.0018 JP
72-20-8	Endrin	ND	ug/L	0.1 U
7421-93-4	Endrin aldehyde	5	ug/L	0.1 U
53494-70-5	Endrin ketone	5	ug/L	0.1 U
76-44-8	Heptachlor	0.04	ug/L	0.051 U
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.051 U
72-43-5	Methoxychlor	35	ug/L	0.51 U
Total Pesticides				0.0169
PCBs				
12674-11-2	Aroclor-1016	Sum PCBs of 0.09	ug/L	
53469-21-9	Aroclor-1242		ug/L	1 U
12672-29-6	Aroclor-1248		ug/L	1 U
11096-82-5	Aroclor-1260		ug/L	1 U
Total PCBs				ND
INORGANICS				
7429-90-5	Aluminum	NS	ug/L	302
7440-36-0	Antimony	3	ug/L	3 B
7440-38-2	Arsenic	25	ug/L	4.2 U
7440-39-3	Barium	1000	ug/L	37.3 B
7440-41-7	Beryllium	3 (G)	ug/L	0.07 U
7440-43-9	Cadmium	5	ug/L	0.3 U
7440-70-2	Calcium	NS	ug/L	93700
7440-47-8	Chromium	50	ug/L	1.2 U
7440-48-4	Cobalt	NS	ug/L	1.2 U
7440-50-8	Copper	200	ug/L	1.7 B
7439-89-6	Iron	300	ug/L	170
7439-92-1	Lead	25	ug/L	1.1 U
7439-95-4	Magnesium	35000 (G)	ug/L	4130 B
7439-96-5	Manganese	300	ug/L	3.2 B
7439-97-6	Mercury	0.7	ug/L	0.2 U
7440-02-0	Nickel	100	ug/L	0.8 U
7440-09-7	Potassium	NS	ug/L	29900
7782-49-2	Selenium	10	ug/L	4 U
7440-22-4	Silver	50	ug/L	0.6 U
7440-23-5	Sodium	20000	ug/L	31000
7440-28-0	Thallium	0.5 (G)	ug/L	3.4 U
7440-62-2	Vanadium	NS	ug/L	10.1 B
7440-66-6	Zinc	2000 (G)	ug/L	3.6 B
57-12-5	Cyanide	200	ug/L	10 U

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	S-2DUP H0922	S-2 H7397	S-2 J8486	S-2 M0296	S-2RE M0296RE
			Source: SDG: Matrix: Sampled:	OBG 6847 Water 2/19/1998	OBG 7810 Water 5/28/1998	OBG 9595 Water 10/22/1998	OBG 1516 Water 4/21/1999	OBG 1516 Water 4/21/1999
CAS NO.	COMPOUND		UNITS:					
	VOLATILES							
67-64-1	Acetone	50 (G)	ug/L	4 J	10 U	9 J B	10 U	
71-43-2	Benzene	1	ug/L	1 J	10 U	1 J	10 U	
78-93-3	2-Butanone	50	ug/L	10 U	10 U	10 U	10 U	
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U	10 U	10 U	38	
108-90-7	Chlorobenzene	5	ug/L	10 U	10 U	10 U	10 U	
75-00-3	Chloroethane	5	ug/L	10 U	10 U	10 U	10 U	
67-66-3	Chloroform	7	ug/L					
74-87-3	Chloromethane	5	ug/L	10 U	10 U	10 U	10 U	
75-34-3	1,1-Dichloroethane	5	ug/L	2 J	10 U	2 J	2 J	
156-59-2	cis-1,2-Dichloroethene	5	ug/L			1 J	6 J	
156-60-5	trans-1,2-Dichloroethene	5	ug/L			10 U	10 U	
540-59-0	1,2-Dichloroethene (total)	5	ug/L	2 J	10 U	2 J	6 J	
100-41-4	Ethylbenzene	5	ug/L	2 J	10 U	1 J	10 U	
108-10-1	4-Methyl-2-pentanone	NS	ug/L	10 U	10 U	10 U	10 U	
75-09-2	Methylene chloride	5	ug/L	10 U	1 J	10 U	10 U	
100-42-5	Styrene	5	ug/L					
127-18-4	Tetrachloroethene	5	ug/L	1 J	10 U	1 J	10 U	
108-88-3	Toluene	5	ug/L	10	10 U	3 J	10 U	
79-01-6	Trichloroethene	5	ug/L	10 U	10 U	10 U	1 J	
75-01-4	Vinyl chloride	3	ug/L	10 U	10 U	10 U	10 U	
1330-20-7	Xylene (total)	5	ug/L	14	10 U	9 J	3 J	
	Total VOCs			36	1	29	56	NA
	SEMIVOLATILES							
83-32-9	Acenaphthene	20 (G)	ug/L	10 U	10 U	2 J	1 J	1 J
208-96-8	Acenaphthylene	NS	ug/L	10 U	10 U	3 J	1 J	1 J
120-12-7	Anthracene	50(G)	ug/L	10 U	10 U	10 U	10 U	10 U
56-55-3	Benzo[a]anthracene	20 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
50-32-8	Benzo[a]pyrene	ND	ug/L	10 U	10 U	10 U	10 U	10 U
205-99-2	Benzo[b]fluoranthene	0.002 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
191-24-2	Benzo[g,h,i]perylene	NS	ug/L	10 U	10 U	10 U	10 U	10 U
207-08-9	Benzo[k]fluoranthene	0.002 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
117-81-7	bis(2-Ethylhexyl)phthalate	5	ug/L	10 U	10 U	10 U	10 U	10 U
86-74-8	Carbazole	NS	ug/L	10 U	10 U	3 J	10 U	10 U
59-50-7	4-Chloro-3-methylphenol	1	ug/L	10 U	10 U	10 U	10 U	10 U
218-01-9	Chrysene	0.002 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
84-74-2	Di-n-butyl phthalate	50	ug/L					
53-70-3	Dibenz[a,h]anthracene	NS	ug/L	10 U	10 U	10 U	10 U	10 U
132-64-9	Dibenzofuran	NS	ug/L	10 U	10 U	10 U	10 U	10 U
541-73-1	1,3-Dichlorobenzene	3	ug/L	10 U	10 U	10 U	10 U	10 U
106-46-7	1,4-Dichlorobenzene	3	ug/L	10 U	10 U	10 U	10 U	10 U
120-83-2	2,4-Dichlorophenol	1	ug/L	10 U	10 U	10 U	10 U	10 U
84-66-2	Diethyl phthalate	50 (G)	ug/L					
105-67-9	2,4-Dimethylphenol	1	ug/L	26	18	39	6 J	5 J
131-11-3	Dimethyl phthalate	50 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
206-44-0	Fluoranthene	50 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
86-73-7	Fluorene	50 (G)	ug/L	10 U	10 U	1 J	1 J	1 J
193-39-5	Indeno[1,2,3-cd]pyrene	0.002 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
91-57-6	2-Methylnaphthalene	NS	ug/L	1 J	10 U	3 J	10 U	10 U
95-48-7	2-Methylphenol	1	ug/L	8 J	5 J	9 J	10 U	10 U
106-44-5	4-Methylphenol	1	ug/L	18	15	15	10 U	10 U
91-20-3	Naphthalene	10 (G)	ug/L	3 J	3 J	46	10 U	10 U
100-02-7	4-Nitrophenol	1	ug/L					
85-01-8	Phenanthrene	50 (G)	ug/L	10 U	10 U	1 J	10 U	10 U
108-95-2	Phenol	1	ug/L	4 J	2 J	1 J	10 U	10 U
129-00-0	Pyrene	50 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
120-82-1	1,2,4-Trichlorobenzene	5	ug/L	10 U	10 U	10 U	10 U	10 U
	Total SVOCs			60	43	123	9	8

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	S-2DUP H0922	S-2 H7397	S-2 J8486	S-2 M0296	S-2RE M0296RE
			Source: SDG: Matrix: Sampled:	OBG 6847 Water 2/19/1998	OBG 7810 Water 5/28/1998	OBG 9595 Water 10/22/1998	OBG 1516 Water 4/21/1999	OBG 1516 Water 4/21/1999
CAS NO.	COMPOUND		UNITS:					
PESTICIDES								
309-00-2	Aldrin	ND	ug/L	0.05 U	0.05 U	0.05 U	0.051 U	
319-84-6	alpha-BHC	0.01	ug/L	0.05 U	0.0015 JP	0.05 U	0.00081 BJP	
319-85-7	beta-BHC	0.04	ug/L	0.05 U	0.019 J	0.05 U	0.051 U	
319-86-8	delta-BHC	0.04	ug/L	0.05 U	0.05 U	0.0027 JP	0.051 U	
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.0043 JP	0.05 U	0.05 U	0.051 U	
5103-71-9	alpha-Chlordane	0.05	ug/L	0.05 U	0.05 U	0.05 U	0.0016 JP	
5103-74-2	gamma-Chlordane	0.05	ug/L	0.05 U	0.0092 J	0.0014 JP	0.0018 JP	
72-54-8	4,4'-DDD	0.3	ug/L	0.1 U	0.1 U	0.1 U	0.1 U	
72-55-9	4,4'-DDE	0.2	ug/L	0.1 U	0.1 U	0.1 U	0.0024 JP	
50-29-3	4,4'-DDT	0.2	ug/L	0.1 U	0.1 U	0.1 U	0.00079 BJP	
60-57-1	Dieldrin	0.004	ug/L	0.1 U	0.1 U	0.1 U	0.1 U	
959-98-8	Endosulfan I	NS	ug/L	0.05 U	0.05 U	0.05 U	0.051 U	
33213-65-9	Endosulfan II	NS	ug/L	0.0041 JP	0.0029 JP	0.0021 JP	0.0018 JP	
1031-07-8	Endosulfan sulfate	NS	ug/L	0.0012 JP	0.1 U	0.0046 BJP	0.0025 BJP	
72-20-8	Endrin	ND	ug/L	0.1 U	0.011 JP	0.1 U	0.0029 JP	
7421-93-4	Endrin aldehyde	5	ug/L	0.1 U	0.1 U	0.0065 J	0.0017 JP	
53494-70-5	Endrin ketone	5	ug/L	0.1 U	0.1 U	0.00068 J	0.00041 JP	
76-44-8	Heptachlor	0.04	ug/L	0.05 U	0.05 U	0.05 U	0.051 U	
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.05 U	0.05 U	0.00059 J	0.051 U	
72-43-5	Methoxychlor	35	ug/L	0.5 U	0.5 U	0.5 U	0.51 U	
Total Pesticides				0.0096	0.0436	0.01857	0.01671	NA
PCBs								
12674-11-2	Aroclor-1016	Sum PCBs of 0.09	ug/L					
53469-21-9	Aroclor-1242		ug/L	1 U	0.41 JP	0.48 JP	0.47 JP	
12672-29-6	Aroclor-1248		ug/L	1 U	1 U	1 U	1 U	
11096-82-5	Aroclor-1260		ug/L	1 U	1 U	1 U	1 U	
Total PCBs				ND	0.41	0.48	0.47	NA
INORGANICS								
7429-90-5	Aluminum	NS	ug/L	285	383	142 B	211	
7440-36-0	Antimony	3	ug/L	2.8 B	3.6 B	7 B	4.7 B	
7440-38-2	Arsenic	25	ug/L	4.7 B	7.4 B	6.7 B	3.8 B	
7440-39-3	Barium	1000	ug/L	37.6 B	43.2 B	76.9 B	71.6 B	
7440-41-7	Beryllium	3 (G)	ug/L	0.07 U	0.12 U	0.07 U	0.14 B	
7440-43-9	Cadmium	5	ug/L	0.3 U	0.49 U	0.43 U	0.42 U	
7440-70-2	Calcium	NS	ug/L	92600	98600	171000	156000	
7440-47-8	Chromium	50	ug/L	1.2 U	1.6 U	2.8 U	1.4 U	
7440-48-4	Cobalt	NS	ug/L	1.2 U	2.3 U	2.3 U	1.6 U	
7440-50-8	Copper	200	ug/L	1.6 B	0.84 U	2.1 B	0.96 B	
7439-89-6	Iron	300	ug/L	156	99.1 B	47.9 B	46.7 B	
7439-92-1	Lead	25	ug/L	1.1 U	1.8 U	2.1 U	1.1 U	
7439-95-4	Magnesium	35000 (G)	ug/L	3830 B	671 B	18.9 B	10.5 U	
7439-96-5	Manganese	300	ug/L	2 B	0.62 B	0.52 U	0.27 U	
7439-97-6	Mercury	0.7	ug/L	0.2 U	0.09 U	0.15 U	0.11 U	
7440-02-0	Nickel	100	ug/L	0.8 U	1.4 B	1.4 B	2.3 B	
7440-09-7	Potassium	NS	ug/L	30000	33900	36200	45600	
7782-49-2	Selenium	10	ug/L	4 U	4.8 U	2 U	3.6 U	
7440-22-4	Silver	50	ug/L	0.6 U	1.1 U	1.2 U	1 U	
7440-23-5	Sodium	20000	ug/L	31200	40200	33300	43700	
7440-28-0	Thallium	0.5 (G)	ug/L	3.4 U	7.4 U	5.5 U	3.8 U	
7440-62-2	Vanadium	NS	ug/L	10.5 B	11.3 B	8.1 B	13.9 B	
7440-66-6	Zinc	2000 (G)	ug/L	3.9 B	10.6 B	7.7 B	4.3 B	
57-12-5	Cyanide	200	ug/L	11.8	12.9	80	52.3	

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	S-2 N5019	S-2RE N5019RE	S-2 Q3854	S-2RE Q3854RE	S-2 R7177
			Source: SDG: Matrix: Sampled:	OBG 3880 Water 11/10/1999	OBG 3880 Water 11/10/1999	OBG 5490 Water 4/27/2000	OBG 5490 Water 4/27/2000	OBG 7645 Water 12/14/2000
CAS NO.	COMPOUND		UNITS:					
VOLATILES								
67-64-1	Acetone	50 (G)	ug/L	10 U		10 U		3 J
71-43-2	Benzene	1	ug/L	10 U		10 U		10 U
78-93-3	2-Butanone	50	ug/L	10 U		10 U		10 U
75-15-0	Carbon disulfide	60 (G)	ug/L	1 J		10 U		10 U
108-90-7	Chlorobenzene	5	ug/L	10 U		10 U		10 U
75-00-3	Chloroethane	5	ug/L	10 U		10 U		10 U
67-66-3	Chloroform	7	ug/L					
74-87-3	Chloromethane	5	ug/L	10 U		10 U		10 U
75-34-3	1,1-Dichloroethane	5	ug/L	10 U		10 U		10 U
156-59-2	cis-1,2-Dichloroethene	5	ug/L			10 U		
156-60-5	trans-1,2-Dichloroethene	5	ug/L			10 U		
540-59-0	1,2-Dichloroethene (total)	5	ug/L	9 J		10 U		3 J
100-41-4	Ethylbenzene	5	ug/L	10 U		10 U		10 U
108-10-1	4-Methyl-2-pentanone	NS	ug/L	10 U		10 U		10 U
75-09-2	Methylene chloride	5	ug/L	10 U		10 U		10 U
100-42-5	Styrene	5	ug/L					
127-18-4	Tetrachloroethene	5	ug/L	10 U		10 U		10 U
108-88-3	Toluene	5	ug/L	10 U		10 U		10 U
79-01-6	Trichloroethene	5	ug/L	2 J		10 U		10 U
75-01-4	Vinyl chloride	3	ug/L	10 U		10 U		10 U
1330-20-7	Xylene (total)	5	ug/L	10 U		10 U		10 U
Total VOCs				12	NA	ND	NA	6
SEMIVOLATILES								
83-32-9	Acenaphthene	20 (G)	ug/L	1 J	1 J	10 U	10 U	10 U
208-96-8	Acenaphthylene	NS	ug/L	1 J	1 J	10 U	10 U	10 U
120-12-7	Anthracene	50(G)	ug/L	10 U	10 U	1 J	10 U	10 U
56-55-3	Benzo[a]anthracene	20 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
50-32-8	Benzo[a]pyrene	ND	ug/L	10 U	10 U	10 U	10 U	10 U
205-99-2	Benzo[b]fluoranthene	0.002 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
191-24-2	Benzo[g,h,i]perylene	NS	ug/L	10 U	10 U	10 U	10 U	10 U
207-08-9	Benzo[k]fluoranthene	0.002 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
117-81-7	bis(2-Ethylhexyl)phthalate	5	ug/L	10 U	10 U	10 U	10 U	10 U
86-74-8	Carbazole	NS	ug/L	10 U	10 U	10 U	10 U	
59-50-7	4-Chloro-3-methylphenol	1	ug/L	10 U	10 U	10 U	10 U	10 U
218-01-9	Chrysene	0.002 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
84-74-2	Di-n-butyl phthalate	50	ug/L					
53-70-3	Dibenz[a,h]anthracene	NS	ug/L	10 U	10 U	10 U	10 U	10 U
132-64-9	Dibenzofuran	NS	ug/L	10 U	10 U	10 U	10 U	10 U
541-73-1	1,3-Dichlorobenzene	3	ug/L	10 U	10 U	10 U	10 U	10 U
106-46-7	1,4-Dichlorobenzene	3	ug/L	10 U	10 U	1 J	1 J	10 U
120-83-2	2,4-Dichlorophenol	1	ug/L	10 U	10 U	10 U	10 U	10 U
84-66-2	Diethyl phthalate	50 (G)	ug/L					
105-67-9	2,4-Dimethylphenol	1	ug/L	8 J	8 J	10 U	10 U	10 U
131-11-3	Dimethyl phthalate	50 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
206-44-0	Fluoranthene	50 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
86-73-7	Fluorene	50 (G)	ug/L	1 J	1 J	10 U	10 U	10 U
193-39-5	Indeno[1,2,3-cd]pyrene	0.002 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
91-57-6	2-Methylnaphthalene	NS	ug/L	10 U	10 U	10 U	10 U	10 U
95-48-7	2-Methylphenol	1	ug/L	2 J	2 J	10 U	10 U	10 U
106-44-5	4-Methylphenol	1	ug/L	4 J	4 J	10 U	10 U	10 U
91-20-3	Naphthalene	10 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
100-02-7	4-Nitrophenol	1	ug/L					
85-01-8	Phenanthrene	50 (G)	ug/L	1 J	1 J	10 U	10 U	10 U
108-95-2	Phenol	1	ug/L	10 U	10 U	10 U	10 U	10 U
129-00-0	Pyrene	50 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
120-82-1	1,2,4-Trichlorobenzene	5	ug/L	10 U	10 U	10 U	10 U	10 U
Total SVOCs				18	18	2	1	ND

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	S-2 N5019	S-2RE N5019RE	S-2 Q3854	S-2RE Q3854RE	S-2 R7177
			Source: SDG: Matrix: Sampled:	OBG 3880 Water 11/10/1999	OBG 3880 Water 11/10/1999	OBG 5490 Water 4/27/2000	OBG 5490 Water 4/27/2000	OBG 7645 Water 12/14/2000
CAS NO.	COMPOUND		UNITS:					
PESTICIDES								
309-00-2	Aldrin	ND	ug/L	0.051 U		0.036 JP		0.0013 JP
319-84-6	alpha-BHC	0.01	ug/L	0.051 U		0.0062 JP		0.05 U
319-85-7	beta-BHC	0.04	ug/L	0.051 U		0.052 U		0.05 U
319-86-8	delta-BHC	0.04	ug/L	0.051 U		0.052 U		0.05 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.051 U		0.052 U		0.05 U
5103-71-9	alpha-Chlordane	0.05	ug/L	0.0017 JP		0.0022 JP		0.05 U
5103-74-2	gamma-Chlordane	0.05	ug/L	0.051 U		0.052 U		0.0096 JP
72-54-8	4,4'-DDD	0.3	ug/L	0.1 U		0.007 JP		0.1 U
72-55-9	4,4'-DDE	0.2	ug/L	0.1 U		0.1 U		0.00079 JP
50-29-3	4,4'-DDT	0.2	ug/L	0.1 U		0.1 U		0.0082 JP
60-57-1	Dieldrin	0.004	ug/L	0.1 U		0.088 JP		0.1 U
959-98-8	Endosulfan I	NS	ug/L	0.0033 BJP		0.052 U		0.05 U
33213-65-9	Endosulfan II	NS	ug/L	0.0011 JP		0.1 U		0.004 JP
1031-07-8	Endosulfan sulfate	NS	ug/L	0.002 JP		0.1 U		0.0036 JP
72-20-8	Endrin	ND	ug/L	0.1 U		0.041 JP		0.0041 JP
7421-93-4	Endrin aldehyde	5	ug/L	0.1 U		0.1 U		0.0065 JP
53494-70-5	Endrin ketone	5	ug/L	0.1 U		0.0037 JP		0.1 U
76-44-8	Heptachlor	0.04	ug/L	0.0025 JP		0.052 U		0.05 U
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.051 U		0.0039 BJP		0.00055 JP
72-43-5	Methoxychlor	35	ug/L	0.51 U		0.52 U		0.5 U
	Total Pesticides			0.0106	NA	0.1556	NA	0.03864
PCBs								
12674-11-2	Aroclor-1016	Sum PCBs of 0.09	ug/L					
53469-21-9	Aroclor-1242		ug/L	1 U		1 U		1 U
12672-29-6	Aroclor-1248		ug/L	1 U		1 U		1 U
11096-82-5	Aroclor-1260		ug/L	1 U		1 U		1 U
	Total PCBs			ND	NA	ND	NA	ND
INORGANICS								
7429-90-5	Aluminum	NS	ug/L	281		44.7		180 BE
7440-36-0	Antimony	3	ug/L	3.4 B		1.9 U		3.7 B
7440-38-2	Arsenic	25	ug/L	3.5 B		2.2 U		4 B
7440-39-3	Barium	1000	ug/L	68.2 B		210		114 B
7440-41-7	Beryllium	3 (G)	ug/L	0.06 B		0.14 U		0.3 B
7440-43-9	Cadmium	5	ug/L	0.3 U		0.28 U		0.25 U
7440-70-2	Calcium	NS	ug/L	135000		70400		147000
7440-47-8	Chromium	50	ug/L	5 BE		4 B		0.9 U
7440-48-4	Cobalt	NS	ug/L	1.7 U		0.96 U		0.86 U
7440-50-8	Copper	200	ug/L	1.2 B		1.3 B		4.1 B
7439-89-6	Iron	300	ug/L	134		2640		491
7439-92-1	Lead	25	ug/L	1.3 U		1.2 B		1.7 B
7439-95-4	Magnesium	35000 (G)	ug/L	34.7 B		14300		544 B
7439-96-5	Manganese	300	ug/L	1.6 B		1140		69.5
7439-97-6	Mercury	0.7	ug/L	0.11 U		0.11 U		0.17 U
7440-02-0	Nickel	100	ug/L	6.7 BE		4 B		2.1 B
7440-09-7	Potassium	NS	ug/L	43500		20800		42100 E
7782-49-2	Selenium	10	ug/L	3.4 B		3.7 U		10.4
7440-22-4	Silver	50	ug/L	0.78 U		0.75 U		0.73 U
7440-23-5	Sodium	20000	ug/L	45900 E		114000		48100
7440-28-0	Thallium	0.5 (G)	ug/L	5.1 U		4.9 U		3.7 U
7440-62-2	Vanadium	NS	ug/L	34.9 BE		1.1 B		55.6
7440-66-6	Zinc	2000 (G)	ug/L	3.6 B		4 B		1.8 B
57-12-5	Cyanide	200	ug/L	27.1		10 U		39.7

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	S-2RE R7177RE	S-2 S7283	S-2RE S7283RE	S-2 T6915	S-2 V4633
			Source: SDG: Matrix: Sampled:	OBG 7645 Water 12/14/2000	OBG 9259 Water 6/19/2001	OBG 9259 Water 6/19/2001	OBG 739 Water 12/12/2001	OB 2494 Water 6/19/2002
CAS NO.	COMPOUND		UNITS:					
	VOLATILES							
67-64-1	Acetone	50 (G)	ug/L		7 J		10 U	10 U
71-43-2	Benzene	1	ug/L		10 U		10 U	10 U
78-93-3	2-Butanone	50	ug/L		10 U		10 U	10 U
75-15-0	Carbon disulfide	60 (G)	ug/L		10 U		10 U	10 U
108-90-7	Chlorobenzene	5	ug/L		10 U		10 U	10 U
75-00-3	Chloroethane	5	ug/L		10 U		10 U	10 U
67-66-3	Chloroform	7	ug/L					
74-87-3	Chloromethane	5	ug/L		10 U		10 U	10 U
75-34-3	1,1-Dichloroethane	5	ug/L		10 U		2 J	2 J
156-59-2	cis-1,2-Dichloroethene	5	ug/L		10 U		10 U	10 U
156-60-5	trans-1,2-Dichloroethene	5	ug/L		10 U		10 U	10 U
540-59-0	1,2-Dichloroethene (total)	5	ug/L					
100-41-4	Ethylbenzene	5	ug/L		10 U		10 U	10 U
108-10-1	4-Methyl-2-pentanone	NS	ug/L		10 U		10 U	10 U
75-09-2	Methylene chloride	5	ug/L		10 U		1 JB	10 U
100-42-5	Styrene	5	ug/L					
127-18-4	Tetrachloroethene	5	ug/L		10 U		10 U	10 U
108-88-3	Toluene	5	ug/L		10 U		10 U	10 U
79-01-6	Trichloroethene	5	ug/L		10 U		10 U	10 U
75-01-4	Vinyl chloride	3	ug/L		10 U		10 U	10 U
1330-20-7	Xylene (total)	5	ug/L		10 U		10 U	3 J
	Total VOCs			NA	7	NA	3	5
	SEMIVOLATILES							
83-32-9	Acenaphthene	20 (G)	ug/L	10 U	10 U	10 U	10 U	11 U
208-96-8	Acenaphthylene	NS	ug/L	10 U	10 U	10 U	10 U	11 U
120-12-7	Anthracene	50(G)	ug/L	10 U	10 U	10 U	10 U	11 U
56-55-3	Benzo[a]anthracene	20 (G)	ug/L	10 U	10 U	10 U	10 U	11 U
50-32-8	Benzo[a]pyrene	ND	ug/L	10 U	10 U	10 U	10 U	11 U
205-99-2	Benzo[b]fluoranthene	0.002 (G)	ug/L	10 U	10 U	10 U	10 U	11 U
191-24-2	Benzo[g,h,i]perylene	NS	ug/L	10 U	10 U	10 U	10 U	11 U
207-08-9	Benzo[k]fluoranthene	0.002 (G)	ug/L	10 U	10 U	10 U	10 U	11 U
117-81-7	bis(2-Ethylhexyl)phthalate	5	ug/L	10 U	2 J	10 U	1 JB	11 U
86-74-8	Carbazole	NS	ug/L		10 U	10 U	10 U	11 U
59-50-7	4-Chloro-3-methylphenol	1	ug/L	10 U	10 U	10 U	10 U	11 U
218-01-9	Chrysene	0.002 (G)	ug/L	10 U	10 U	10 U	10 U	11 U
84-74-2	Di-n-butyl phthalate	50	ug/L					
53-70-3	Dibenz[a,h]anthracene	NS	ug/L	10 U	10 U	10 U	10 U	11 U
132-64-9	Dibenzofuran	NS	ug/L	10 U	10 U	10 U	10 U	11 U
541-73-1	1,3-Dichlorobenzene	3	ug/L	10 U	10 U	10 U	10 U	11 U
106-46-7	1,4-Dichlorobenzene	3	ug/L	1 J	10 U	10 U	10 U	11 U
120-83-2	2,4-Dichlorophenol	1	ug/L	10 U	10 U	10 U	10 U	11 U
84-66-2	Diethyl phthalate	50 (G)	ug/L					
105-67-9	2,4-Dimethylphenol	1	ug/L	10 U	10 U	10 U	1 J	16
131-11-3	Dimethyl phthalate	50 (G)	ug/L	10 U	10 U	10 U	10 U	11 U
206-44-0	Fluoranthene	50 (G)	ug/L	10 U	10 U	10 U	10 U	11 U
86-73-7	Fluorene	50 (G)	ug/L	10 U	10 U	10 U	10 U	11 U
193-39-5	Indeno[1,2,3-cd]pyrene	0.002 (G)	ug/L	10 U	10 U	10 U	10 U	11 U
91-57-6	2-Methylnaphthalene	NS	ug/L	10 U	10 U	10 U	10 U	11 U
95-48-7	2-Methylphenol	1	ug/L	10 U	10 U	10 U	10 U	3 J
106-44-5	4-Methylphenol	1	ug/L	10 U	10 U	10 U	10 U	5 J
91-20-3	Naphthalene	10 (G)	ug/L	10 U	10 U	10 U	10 U	3 J
100-02-7	4-Nitrophenol	1	ug/L					
85-01-8	Phenanthrene	50 (G)	ug/L	10 U	10 U	10 U	10 U	11 U
108-95-2	Phenol	1	ug/L	10 U	10 U	10 U	10 U	11 U
129-00-0	Pyrene	50 (G)	ug/L	10 U	10 U	10 U	10 U	11 U
120-82-1	1,2,4-Trichlorobenzene	5	ug/L	10 U	10 U	10 U	10 U	11 U
	Total SVOCs			1	2	ND	2	27

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	S-2RE R7177RE	S-2 S7283	S-2RE S7283RE	S-2 T6915	S-2 V4633
			Source: SDG: Matrix: Sampled:	OBG 7645 Water 12/14/2000	OBG 9259 Water 6/19/2001	OBG 9259 Water 6/19/2001	OBG 739 Water 12/12/2001	OB 2494 Water 6/19/2002
CAS NO.	COMPOUND		UNITS:					
	PESTICIDES							
309-00-2	Aldrin	ND	ug/L		0.051 U		0.052 U	0.046 J
319-84-6	alpha-BHC	0.01	ug/L		0.051 U		0.052 U	0.052 U
319-85-7	beta-BHC	0.04	ug/L		0.051 U		0.0074 JP	0.0047 JP
319-86-8	delta-BHC	0.04	ug/L		0.051 U		0.052 U	0.052 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L		0.051 U		0.052 U	0.052 U
5103-71-9	alpha-Chlordane	0.05	ug/L		0.051 U		0.052 U	0.052 U
5103-74-2	gamma-Chlordane	0.05	ug/L		0.051 U		0.052 U	0.052 U
72-54-8	4,4'-DDD	0.3	ug/L		0.1 U		0.1 U	0.1 U
72-55-9	4,4'-DDE	0.2	ug/L		0.1 U		0.0027 J	0.1 U
50-29-3	4,4'-DDT	0.2	ug/L		0.1 U		0.1 U	0.0018 JP
60-57-1	Dieldrin	0.004	ug/L		0.018 JP		0.014 JP	0.1 U
959-98-8	Endosulfan I	NS	ug/L		0.051 U		0.018 J	0.0038 JP
33213-65-9	Endosulfan II	NS	ug/L		0.1 U		0.1 U	0.1 U
1031-07-8	Endosulfan sulfate	NS	ug/L		0.1 U		0.1 U	0.1 U
72-20-8	Endrin	ND	ug/L		0.022 JP		0.1 U	0.1 U
7421-93-4	Endrin aldehyde	5	ug/L		0.1 U		0.0087 BJP	0.1 U
53494-70-5	Endrin ketone	5	ug/L		0.1 U		0.0097 JP	0.1 U
76-44-8	Heptachlor	0.04	ug/L		0.051 U		0.052 U	0.052 U
1024-57-3	Heptachlor epoxide	0.03	ug/L		0.051 U		0.0038 JP	0.052 U
72-43-5	Methoxychlor	35	ug/L		0.51 U		0.52 U	0.52 U
	Total Pesticides			NA	0.04	NA	0.03864	0.0563
	PCBs							
12674-11-2	Aroclor-1016	Sum PCBs of 0.09	ug/L					
53469-21-9	Aroclor-1242		ug/L		1 U		1 U	1 U
12672-29-6	Aroclor-1248		ug/L		1 U		1 U	1 U
11096-82-5	Aroclor-1260		ug/L		1 U		1 U	1 U
	Total PCBs			NA	ND	NA	ND	ND
	INORGANICS							
7429-90-5	Aluminum	NS	ug/L		85.6 B		309	707
7440-36-0	Antimony	3	ug/L		3 B		3.1 B	3.9 B
7440-38-2	Arsenic	25	ug/L		1.6 U		5 B	5.7 B
7440-39-3	Barium	1000	ug/L		44.7 B		48.4 B	60 B
7440-41-7	Beryllium	3 (G)	ug/L		0.08 U		0.1 U	0.13 B
7440-43-9	Cadmium	5	ug/L		0.24 U		0.37 U	0.31 U
7440-70-2	Calcium	NS	ug/L		109000		135000	144000
7440-47-8	Chromium	50	ug/L		0.94 U		1.4 B	0.93 U E
7440-48-4	Cobalt	NS	ug/L		0.93 U		1.1 B	1.2 U
7440-50-8	Copper	200	ug/L		0.7 B		0.88 B	6.2 B
7439-89-6	Iron	300	ug/L		92.8 B		52.1 B	960
7439-92-1	Lead	25	ug/L		0.66 U		1.5 U	1.8 U N
7439-95-4	Magnesium	35000 (G)	ug/L		469 B		80.7 B	223 B
7439-96-5	Manganese	300	ug/L		7.2 B		1.8 U	34.9
7439-97-6	Mercury	0.7	ug/L		0.18 U		0.15 U	0.12 U
7440-02-0	Nickel	100	ug/L		1.8 B		3.7 B	1.4 U
7440-09-7	Potassium	NS	ug/L		47200		49400	42200
7782-49-2	Selenium	10	ug/L		3.4 B		4.5 B	3.3 B
7440-22-4	Silver	50	ug/L		0.73 U		1 B	1.8 U
7440-23-5	Sodium	20000	ug/L		68100		64100	63200 E
7440-28-0	Thallium	0.5 (G)	ug/L		3.6 U		5.1 U	4.8 U
7440-62-2	Vanadium	NS	ug/L		19 B		24.8 B	14 B
7440-66-6	Zinc	2000 (G)	ug/L		3.5 B		2 B	28.9
57-12-5	Cyanide	200	ug/L		50.3		40.5	16.9

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	S-2 Z7442	S-2 A7430	S-2 B4251	S-2 E1137	S-2 0508015-007A
			Source: SDG: Matrix: Sampled:	OB 4203 Water 12/17/2002	OB 5716 Water 6/24/2003	OB 6968 Water 12/15/2003	OB 6968 Water 6/8/2004	OB 200508 Water 8/2/2005
CAS NO.	COMPOUND		UNITS:					
	VOLATILES							
67-64-1	Acetone	50 (G)	ug/L	3 JB	10 U	10 U	2 JB	13 B
71-43-2	Benzene	1	ug/L	10 U	10 U	10 U		10 U
78-93-3	2-Butanone	50	ug/L	10 U	10 U	10 U	10 U	
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U	10 U	10 U	10 U	
108-90-7	Chlorobenzene	5	ug/L	10 U	10 U	10 U	10 U	10 U
75-00-3	Chloroethane	5	ug/L	10 U	10 U	10 U		
67-66-3	Chloroform	7	ug/L					10 U
74-87-3	Chloromethane	5	ug/L	10 U	10 U	10 U		
75-34-3	1,1-Dichloroethane	5	ug/L	1 J	1 J	2 J	2 J	1 J
156-59-2	cis-1,2-Dichloroethene	5	ug/L	10 U	10 U	10 U	10 U	10 U
156-60-5	trans-1,2-Dichloroethene	5	ug/L	10 U	10 U	10 U		
540-59-0	1,2-Dichloroethene (total)	5	ug/L					
100-41-4	Ethylbenzene	5	ug/L	10 U	10 U	10 U		10 U
108-10-1	4-Methyl-2-pentanone	NS	ug/L	10 U	10 U	10 U	1 J	
75-09-2	Methylene chloride	5	ug/L	0.8 JB	10 U	10 U	0.8 JB	0.9 BJ
100-42-5	Styrene	5	ug/L					
127-18-4	Tetrachloroethene	5	ug/L	10 U	10 U	10 U		10 U
108-88-3	Toluene	5	ug/L	10 U	10 U	10 U	0.6 J	10 U
79-01-6	Trichloroethene	5	ug/L	10 U	10 U	10 U		
75-01-4	Vinyl chloride	3	ug/L	10 U	10 U	10 U		
1330-20-7	Xylene (total)	5	ug/L	10 U	1 J	10 U	1 J	10 U
	Total VOCs			4.8	2	2	7.4	14.9
	SEMIVOLATILES							
83-32-9	Acenaphthene	20 (G)	ug/L	10 U	10 U	10 U	11 U	10 U
208-96-8	Acenaphthylene	NS	ug/L	10 U	10 U	10 U	11 U	10 U
120-12-7	Anthracene	50(G)	ug/L	10 U	10 U	10 U		
56-55-3	Benzo[a]anthracene	20 (G)	ug/L	10 U	10 U	10 U	11 U	3 J
50-32-8	Benzo[a]pyrene	ND	ug/L	10 U	10 U	10 U	11 U	3 J
205-99-2	Benzo[b]fluoranthene	0.002 (G)	ug/L	10 U	10 U	10 U	11 U	6 J
191-24-2	Benzo[g,h,i]perylene	NS	ug/L	10 U	10 U	10 U	11 U	10 U
207-08-9	Benzo[k]fluoranthene	0.002 (G)	ug/L	10 U	10 U	10 U	11 U	2 J
117-81-7	bis(2-Ethylhexyl)phthalate	5	ug/L	4 J	10 U	1 J	11 U	10 J
86-74-8	Carbazole	NS	ug/L	10 U	10 U	10 U		10 U
59-50-7	4-Chloro-3-methylphenol	1	ug/L	10 U	10 U	10 U	11 U	
218-01-9	Chrysene	0.002 (G)	ug/L	10 U	10 U	10 U	11 U	2 J
84-74-2	Di-n-butyl phthalate	50	ug/L					
53-70-3	Dibenz[a,h]anthracene	NS	ug/L	10 U	10 U	10 U	11 U	10 U
132-64-9	Dibenzofuran	NS	ug/L	10 U	10 U	10 U		10 U
541-73-1	1,3-Dichlorobenzene	3	ug/L	10 U	10 U	10 U	11 U	
106-46-7	1,4-Dichlorobenzene	3	ug/L	10 U	10 U	10 U	11 U	10 U
120-83-2	2,4-Dichlorophenol	1	ug/L	10 U	10 U	10 U		
84-66-2	Diethyl phthalate	50 (G)	ug/L					20
105-67-9	2,4-Dimethylphenol	1	ug/L	10 U	6 J	2 J	7 J	4 J
131-11-3	Dimethyl phthalate	50 (G)	ug/L	10 U	10 U	10 U		3.8 J
206-44-0	Fluoranthene	50 (G)	ug/L	10 U	10 U	10 U	11 U	4 J
86-73-7	Fluorene	50 (G)	ug/L	10 U	10 U	10 U	11 U	10 U
193-39-5	Indeno[1,2,3-cd]pyrene	0.002 (G)	ug/L	10 U	10 U	10 U	11 U	1 J
91-57-6	2-Methylnaphthalene	NS	ug/L	10 U	10 U	10 U		10 U
95-48-7	2-Methylphenol	1	ug/L	10 U	1 J	10 U	11 U	10 U
106-44-5	4-Methylphenol	1	ug/L	10 U	4 J	10 U	3 J	10 U
91-20-3	Naphthalene	10 (G)	ug/L	10 U	10 U	10 U		10 U
100-02-7	4-Nitrophenol	1	ug/L				1 J	26 U
85-01-8	Phenanthrene	50 (G)	ug/L	10 U	10 U	10 U		10 U
108-95-2	Phenol	1	ug/L	10 U	10 U	10 U	11 U	10 U
129-00-0	Pyrene	50 (G)	ug/L	10 U	10 U	10 U	11 U	6 J
120-82-1	1,2,4-Trichlorobenzene	5	ug/L	10 U	10 U	10 U		
	Total SVOCs			4	11	3	11	41.8

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	S-2 Z7442	S-2 A7430	S-2 B4251	S-2 E1137	S-2 0508015-007A
			Source: SDG: Matrix: Sampled:	OB 4203 Water 12/17/2002	OB 5716 Water 6/24/2003	OB 6968 Water 12/15/2003	OB 6968 Water 6/8/2004	OB 200508 Water 8/2/2005
CAS NO.	COMPOUND		UNITS:					
PESTICIDES								
309-00-2	Aldrin	ND	ug/L	0.051 U	0.052 U	0.051 U		
319-84-6	alpha-BHC	0.01	ug/L	0.051 U	0.0032 JP	0.051 U		0.52 U
319-85-7	beta-BHC	0.04	ug/L	0.051 U	0.052 U	0.051 U		0.52 U
319-86-8	delta-BHC	0.04	ug/L	0.051 U	0.052 U	0.051 U		0.52 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.051 U	0.052 U	0.051 U	0.066 P	0.003 PJ
5103-71-9	alpha-Chlordane	0.05	ug/L	0.051 U	0.052 U	0.051 U		0.52 U
5103-74-2	gamma-Chlordane	0.05	ug/L	0.051 U	0.052 U	0.051 U	0.052 U	0.038 PJ
72-54-8	4,4'-DDD	0.3	ug/L	0.1 U	0.1 U	0.1 U	0.1 U	0.52 U
72-55-9	4,4'-DDE	0.2	ug/L	0.1 U	0.1 U	0.1 U	0.1 U	0.074 J
50-29-3	4,4'-DDT	0.2	ug/L	0.1 U	0.1 U	0.1 U	0.1 U	0.52 U
60-57-1	Dieldrin	0.004	ug/L	0.1 U	0.0045 JP	0.1 U	0.1 U	0.1 U
959-98-8	Endosulfan I	NS	ug/L	0.026 J	0.015 J	0.051 U	0.012 J	0.039 PJ
33213-65-9	Endosulfan II	NS	ug/L	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
1031-07-8	Endosulfan sulfate	NS	ug/L	0.1 U	0.1 U	0.1 U	0.1 U	0.022 PJ
72-20-8	Endrin	ND	ug/L	0.1 U	0.1 U	0.1 U	0.1 U	0.027 PJ
7421-93-4	Endrin aldehyde	5	ug/L	0.1 U	0.0088 BJP	0.1 U	0.1 U	0.1 U
53494-70-5	Endrin ketone	5	ug/L	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
76-44-8	Heptachlor	0.04	ug/L	0.051 U	0.052 U	0.051 U	0.052 U	0.052 U
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.051 U	0.0063 JP	0.051 U		0.052 U
72-43-5	Methoxychlor	35	ug/L	0.51 U	0.52 U	0.51 U	0.52 U	1.3 P
Total Pesticides				0.026	0.0378	ND	0.078	1.503
PCBs								
12674-11-2	Aroclor-1016	Sum PCBs of 0.09	ug/L					
53469-21-9	Aroclor-1242		ug/L	1 U	1 U	1 U	1 U	1 U
12672-29-6	Aroclor-1248		ug/L	1 U	1 U	1 U	1 U	4.9
11096-82-5	Aroclor-1260		ug/L	1 U	1 U	1 U	1 U	2
Total PCBs				ND	ND	ND	ND	5.1
INORGANICS								
7429-90-5	Aluminum	NS	ug/L	221	266	215	119 B	173 B
7440-36-0	Antimony	3	ug/L	2.2 B	2.6 B	3.5 B	4.1 B	2.5 B
7440-38-2	Arsenic	25	ug/L	5.7 B	4.7 B	3 B	2.4 B	3.5 B
7440-39-3	Barium	1000	ug/L	50.6 B	48.5 B	37.6 B	39.4 B	310
7440-41-7	Beryllium	3 (G)	ug/L	0.01 U	0.05 U	0.12 U	0.08 U	0.46 U
7440-43-9	Cadmium	5	ug/L	0.37 U	0.35 U	0.35 U	0.39 U	0.28 U
7440-70-2	Calcium	NS	ug/L	104000	116000	88400	99000	539000
7440-47-8	Chromium	50	ug/L	1.2 U	1.6 U	1.7 U	2.1 U	6.6 B
7440-48-4	Cobalt	NS	ug/L	1.6 U	1.4 U	2 U	1.9 U	1.2 U
7440-50-8	Copper	200	ug/L	2.8 B	1.8 B	2.1 U	0.94 U	3.8 B
7439-89-6	Iron	300	ug/L	96.8 B	438	34.6 B	42.8 B	8190
7439-92-1	Lead	25	ug/L	0.78 U	1.3 U	1.7 U	0.59 B	0.77 U
7439-95-4	Magnesium	35000 (G)	ug/L	135 B	175 B	18.5 U	33.5 B	3320 B
7439-96-5	Manganese	300	ug/L	3.3 B	27.7	0.31 U	2.6 B	1510
7439-97-6	Mercury	0.7	ug/L	0.02 U	0.05 U	0.02 U	0.05 B	0.025 B
7440-02-0	Nickel	100	ug/L	1.6 U	1.2 U	1.2 B	1.8 B	55.4
7440-09-7	Potassium	NS	ug/L	40400	44300	36900	40900	49200
7782-49-2	Selenium	10	ug/L	4.4 B	6.6	4.4 B	2.2 U	2.2 U
7440-22-4	Silver	50	ug/L	1.2 U	1.1 U	1.6 U	1.6 U	0.53 U
7440-23-5	Sodium	20000	ug/L	50900	64400	50100	63400	68500
7440-28-0	Thallium	0.5 (G)	ug/L	3.6 U	4 U	4.8 U	4.8 U	3.2 U
7440-62-2	Vanadium	NS	ug/L	44.8 B	14.6 B	25.6 B	13.8 B	7.2 B
7440-66-6	Zinc	2000 (G)	ug/L	3.4 B	5 B	1.6 U	3 B	88.7
57-12-5	Cyanide	200	ug/L	39.4	49	50	46.9	34.6

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	S-2DUP 0508015-007A	S-2 0603095-003A	S-2 A7E985012	S-3 G5120	S-3 H0920
			Source: SDG: Matrix: Sampled:	OB 200508 Water 8/1/2005	LSL-BL 6030950 Water 3/21/2006	BM A07-E985 Water 12/27/2007	OBG 5116 Water 11/20/1997	OBG 6847 Water 2/18/1998
CAS NO.	COMPOUND		UNITS:					
	VOLATILES							
67-64-1	Acetone	50 (G)	ug/L	13 B	5 BJ	20 U	10 U	7 J
71-43-2	Benzene	1	ug/L	10 U	U	4 U	10 U	10 U
78-93-3	2-Butanone	50	ug/L			20 U	10 U	10 U
75-15-0	Carbon disulfide	60 (G)	ug/L			4 U	10 U	10 U
108-90-7	Chlorobenzene	5	ug/L	10 U	U	3 J	10 U	10 U
75-00-3	Chloroethane	5	ug/L			4 U	10 U	10 U
67-66-3	Chloroform	7	ug/L	10 U		4 U		
74-87-3	Chloromethane	5	ug/L			4 U	10 U	10 U
75-34-3	1,1-Dichloroethane	5	ug/L	1 J	2 J	4 U	2 J	2 J
156-59-2	cis-1,2-Dichloroethene	5	ug/L	10 U	U	4 U		
156-60-5	trans-1,2-Dichloroethene	5	ug/L			4 U		
540-59-0	1,2-Dichloroethene (total)	5	ug/L			4 U	2 J	2 J
100-41-4	Ethylbenzene	5	ug/L	10 U	U	4 U	10 U	4 J
108-10-1	4-Methyl-2-pentanone	NS	ug/L		U	20 U	10 U	10 U
75-09-2	Methylene chloride	5	ug/L	0.9 BJ	1 BJ	4 U	10 U	10 U
100-42-5	Styrene	5	ug/L			4 U		
127-18-4	Tetrachloroethene	5	ug/L	10 U	U	4 U	1 J	2 J
108-88-3	Toluene	5	ug/L	10 U	U	4 U	1 J	17
79-01-6	Trichloroethene	5	ug/L		U	4 U	10 U	1 J
75-01-4	Vinyl chloride	3	ug/L			4 U	10 U	10 U
1330-20-7	Xylene (total)	5	ug/L	10 U	U	12 U	3 J	25
	Total VOCs			14.9	8	ND	9	60
	SEMIVOLATILES							
83-32-9	Acenaphthene	20 (G)	ug/L			0.3 J	10 U	10 U
208-96-8	Acenaphthylene	NS	ug/L			5 U	10 U	10 U
120-12-7	Anthracene	50(G)	ug/L			5 U	10 U	10 U
56-55-3	Benzo[a]anthracene	20 (G)	ug/L		U	5 U	10 U	10 U
50-32-8	Benzo[a]pyrene	ND	ug/L		U	5 U	10 U	10 U
205-99-2	Benzo[b]fluoranthene	0.002 (G)	ug/L		U	5 U	10 U	10 U
191-24-2	Benzo[g,h,i]perylene	NS	ug/L		U	5 U	10 U	10 U
207-08-9	Benzo[k]fluoranthene	0.002 (G)	ug/L		U	5 U	10 U	10 U
117-81-7	bis(2-Ethylhexyl)phthalate	5	ug/L		U	5 U	10 U	10 U
86-74-8	Carbazole	NS	ug/L		U	5 U	10 U	10 U
59-50-7	4-Chloro-3-methylphenol	1	ug/L			5 U	10 U	10 U
218-01-9	Chrysene	0.002 (G)	ug/L		U	5 U	10 U	10 U
84-74-2	Di-n-butyl phthalate	50	ug/L		1 J	0.4 BJ		
53-70-3	Dibenz[a,h]anthracene	NS	ug/L			5 U	10 U	10 U
132-64-9	Dibenzofuran	NS	ug/L			5 U	10 U	10 U
541-73-1	1,3-Dichlorobenzene	3	ug/L			5 U	10 U	10 U
106-46-7	1,4-Dichlorobenzene	3	ug/L		U	5 U	10 U	10 U
120-83-2	2,4-Dichlorophenol	1	ug/L			5 U	10 U	10 U
84-66-2	Diethyl phthalate	50 (G)	ug/L			5 U		
105-67-9	2,4-Dimethylphenol	1	ug/L		7 J	5 U	43	54
131-11-3	Dimethyl phthalate	50 (G)	ug/L			5 U	10 U	10 U
206-44-0	Fluoranthene	50 (G)	ug/L		U	0.3 J	10 U	10 U
86-73-7	Fluorene	50 (G)	ug/L			0.2 J	10 U	10 U
193-39-5	Indeno[1,2,3-cd]pyrene	0.002 (G)	ug/L		U	5 U	10 U	10 U
91-57-6	2-Methylnaphthalene	NS	ug/L		U	0.6 J	1 J	2 J
95-48-7	2-Methylphenol	1	ug/L		1 J	0.2 J	16	19
106-44-5	4-Methylphenol	1	ug/L		3 J	5 U	49	58
91-20-3	Naphthalene	10 (G)	ug/L		1 J	2 J	3 J	6 J
100-02-7	4-Nitrophenol	1	ug/L			5 U		
85-01-8	Phenanthrene	50 (G)	ug/L			0.3 J	10 U	10 U
108-95-2	Phenol	1	ug/L		U	5 U	6 J	18
129-00-0	Pyrene	50 (G)	ug/L		U	0.2 J	10 U	10 U
120-82-1	1,2,4-Trichlorobenzene	5	ug/L			10 U	10 U	10 U
	Total SVOCs				13	13.5	117	157

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	S-2DUP 0508015-007A	S-2 0603095-003A	S-2 A7E985012	S-3 G5120	S-3 H0920
			Source: SDG: Matrix: Sampled:	OB 200508 Water 8/1/2005	LSL-BL 6030950 Water 3/21/2006	BM A07-E985 Water 12/27/2007	OBG 5116 Water 11/20/1997	OBG 6847 Water 2/18/1998
CAS NO.	COMPOUND		UNITS:					
PESTICIDES								
309-00-2	Aldrin	ND	ug/L		U	0.05 U	0.05 U	0.051 U
319-84-6	alpha-BHC	0.01	ug/L	10 U		0.05 U	0.05 U	0.051 U
319-85-7	beta-BHC	0.04	ug/L	0.0082 PJ	0.0026 PJ	0.05 U	0.05 U	0.051 U
319-86-8	delta-BHC	0.04	ug/L		0.018 BPJ	0.05 U	0.05 U	0.051 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	10 U	0.00066 PJ	0.03 J	0.05 U	0.051 U
5103-71-9	alpha-Chlordane	0.05	ug/L	10 U		0.05 U	0.05 U	0.051 U
5103-74-2	gamma-Chlordane	0.05	ug/L	0.043 PJ	U	0.012 J	0.05 U	0.051 U
72-54-8	4,4'-DDD	0.3	ug/L		U	0.05 U	0.1 U	0.1 U
72-55-9	4,4'-DDE	0.2	ug/L	0.084 J	U	0.05 U	0.1 U	0.1 U
50-29-3	4,4'-DDT	0.2	ug/L			0.05 U	0.1 U	0.1 U
60-57-1	Dieldrin	0.004	ug/L		U	0.023 J	0.1 U	0.1 U
959-98-8	Endosulfan I	NS	ug/L	0.018 PJ	0.015 J	0.005 J	0.05 U	0.051 U
33213-65-9	Endosulfan II	NS	ug/L			0.05 U	0.1 U	0.0059 J
1031-07-8	Endosulfan sulfate	NS	ug/L	0.0071 PJ	U	0.05 U	0.1 U	0.0017 JP
72-20-8	Endrin	ND	ug/L	0.032 J	U	0.05 U	0.1 U	0.1 U
7421-93-4	Endrin aldehyde	5	ug/L	0.024 PJ	0.0015 PJ	0.05 U	0.1 U	0.1 U
53494-70-5	Endrin ketone	5	ug/L	10 U	U	0.05 U	0.1 U	0.1 U
76-44-8	Heptachlor	0.04	ug/L	10 U	U	0.023 J	0.05 U	0.0082 JP
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.11 P	U	0.05 U	0.05 U	0.051 U
72-43-5	Methoxychlor	35	ug/L	10 U	U	0.05 U	0.5 U	0.51 U
Total Pesticides				0.3263	0.02276	0.063	ND	0.0158
PCBs								
12674-11-2	Aroclor-1016	Sum PCBs of 0.09	ug/L		U	0.5 U		
53469-21-9	Aroclor-1242		ug/L	1 U		0.33 U		
12672-29-6	Aroclor-1248		ug/L	4.8	U	0.5 U	1 U	1 U
11096-82-5	Aroclor-1260		ug/L	2.4	U	0.5 U	1 U	1 U
Total PCBs				9.2	ND	ND	ND	ND
INORGANICS								
7429-90-5	Aluminum	NS	ug/L	290	308	206	620	415
7440-36-0	Antimony	3	ug/L	2.8 B	3.6 B	5.2 U	10.7 B	2.8 B
7440-38-2	Arsenic	25	ug/L	6.1 B	3.2 B	4.2 U	9.2 B	4.2 U
7440-39-3	Barium	1000	ug/L	304	34.8	39	55.2 B	51.2 B
7440-41-7	Beryllium	3 (G)	ug/L		U	0.38 B	0.06 U	0.07 U
7440-43-9	Cadmium	5	ug/L		U	0.36 U	0.24 U	0.3 U
7440-70-2	Calcium	NS	ug/L	527000	83700	61800	126000	136000
7440-47-8	Chromium	50	ug/L	10.1	U	0.84 U	1.1 U	1.2 U
7440-48-4	Cobalt	NS	ug/L		U	0.89 U	1.1 U	1.2 U
7440-50-8	Copper	200	ug/L	7.4 B	3.8 B	2.9 B	1.4 B	1.4 B
7439-89-6	Iron	300	ug/L	9510	705	42.3 B	67.1 B	21.6 B
7439-92-1	Lead	25	ug/L	0.77 U	U	2.9 U	1 U	1.1 U
7439-95-4	Magnesium	35000 (G)	ug/L	3280 B	70.1 B	77.5 B	27.4 B	53.6 B
7439-96-5	Manganese	300	ug/L	1480	3.9 BE	0.45 B	0.7 B	0.2 U
7439-97-6	Mercury	0.7	ug/L	0.01 U	0.011 B	0.12 U	0.14 U	0.2 U
7440-02-0	Nickel	100	ug/L	55.4	3.1 B	1.2 U	2.5 B	1.1 B
7440-09-7	Potassium	NS	ug/L	66900	38100	36400	53000	44700
7782-49-2	Selenium	10	ug/L	8.1 B	U	7.7 B	8.1	4 U
7440-22-4	Silver	50	ug/L		U	1.3 B	0.85 B	0.6 U
7440-23-5	Sodium	20000	ug/L	66900	57400	44900	51500	45600
7440-28-0	Thallium	0.5 (G)	ug/L			7 U	3.3 U	3.4 U
7440-62-2	Vanadium	NS	ug/L	8.1 B	12.6 B	72.4	20.9 B	13.1 B
7440-66-6	Zinc	2000 (G)	ug/L	93.3	84.7	3.6 U	4.3 B	4.9 B
57-12-5	Cyanide	200	ug/L	33.8	38.6	0.031	49.5	10 U

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	S-3 H7393 OBG 7810 Water 5/27/1998
CAS NO.	COMPOUND		UNITS:	
	VOLATILES			
67-64-1	Acetone	50 (G)	ug/L	10 U
71-43-2	Benzene	1	ug/L	10 U
78-93-3	2-Butanone	50	ug/L	10 U
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U
108-90-7	Chlorobenzene	5	ug/L	10 U
75-00-3	Chloroethane	5	ug/L	10 U
67-66-3	Chloroform	7	ug/L	
74-87-3	Chloromethane	5	ug/L	10 U
75-34-3	1,1-Dichloroethane	5	ug/L	2 J
156-59-2	cis-1,2-Dichloroethene	5	ug/L	
156-60-5	trans-1,2-Dichloroethene	5	ug/L	
540-59-0	1,2-Dichloroethene (total)	5	ug/L	10 U
100-41-4	Ethylbenzene	5	ug/L	10 U
108-10-1	4-Methyl-2-pentanone	NS	ug/L	10 U
75-09-2	Methylene chloride	5	ug/L	10 U
100-42-5	Styrene	5	ug/L	
127-18-4	Tetrachloroethene	5	ug/L	1 J
108-88-3	Toluene	5	ug/L	4 J
79-01-6	Trichloroethene	5	ug/L	10 U
75-01-4	Vinyl chloride	3	ug/L	10 U
1330-20-7	Xylene (total)	5	ug/L	9 J
	Total VOCs			16
	SEMIVOLATILES			
83-32-9	Acenaphthene	20 (G)	ug/L	10 U
208-96-8	Acenaphthylene	NS	ug/L	10 U
120-12-7	Anthracene	50(G)	ug/L	10 U
56-55-3	Benzo[a]anthracene	20 (G)	ug/L	10 U
50-32-8	Benzo[a]pyrene	ND	ug/L	10 U
205-99-2	Benzo[b]fluoranthene	0.002 (G)	ug/L	10 U
191-24-2	Benzo[g,h,i]perylene	NS	ug/L	10 U
207-08-9	Benzo[k]fluoranthene	0.002 (G)	ug/L	10 U
117-81-7	bis(2-Ethylhexyl)phthalate	5	ug/L	7 J
86-74-8	Carbazole	NS	ug/L	10 U
59-50-7	4-Chloro-3-methylphenol	1	ug/L	10 U
218-01-9	Chrysene	0.002 (G)	ug/L	10 U
84-74-2	Di-n-butyl phthalate	50	ug/L	
53-70-3	Dibenz[a,h]anthracene	NS	ug/L	10 U
132-64-9	Dibenzofuran	NS	ug/L	10 U
541-73-1	1,3-Dichlorobenzene	3	ug/L	10 U
106-46-7	1,4-Dichlorobenzene	3	ug/L	10 U
120-83-2	2,4-Dichlorophenol	1	ug/L	10 U
84-66-2	Diethyl phthalate	50 (G)	ug/L	
105-67-9	2,4-Dimethylphenol	1	ug/L	43
131-11-3	Dimethyl phthalate	50 (G)	ug/L	10 U
206-44-0	Fluoranthene	50 (G)	ug/L	10 U
86-73-7	Fluorene	50 (G)	ug/L	10 U
193-39-5	Indeno[1,2,3-cd]pyrene	0.002 (G)	ug/L	10 U
91-57-6	2-Methylnaphthalene	NS	ug/L	2 J
95-48-7	2-Methylphenol	1	ug/L	15
106-44-5	4-Methylphenol	1	ug/L	44
91-20-3	Naphthalene	10 (G)	ug/L	5 J
100-02-7	4-Nitrophenol	1	ug/L	
85-01-8	Phenanthrene	50 (G)	ug/L	1 J
108-95-2	Phenol	1	ug/L	5 J
129-00-0	Pyrene	50 (G)	ug/L	10 U
120-82-1	1,2,4-Trichlorobenzene	5	ug/L	10 U
	Total SVOCs			122

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	S-3 H7393 OBG 7810 Water 5/27/1998
CAS NO.	COMPOUND		UNITS:	
PESTICIDES				
309-00-2	Aldrin	ND	ug/L	0.051 U
319-84-6	alpha-BHC	0.01	ug/L	0.051 U
319-85-7	beta-BHC	0.04	ug/L	0.051 U
319-86-8	delta-BHC	0.04	ug/L	0.051 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.051 U
5103-71-9	alpha-Chlordane	0.05	ug/L	0.051 U
5103-74-2	gamma-Chlordane	0.05	ug/L	0.019 JP
72-54-8	4,4'-DDD	0.3	ug/L	0.1 U
72-55-9	4,4'-DDE	0.2	ug/L	0.0047 JP
50-29-3	4,4'-DDT	0.2	ug/L	0.1 U
60-57-1	Dieldrin	0.004	ug/L	0.0044 JP
959-98-8	Endosulfan I	NS	ug/L	0.0032 JP
33213-65-9	Endosulfan II	NS	ug/L	0.1 U
1031-07-8	Endosulfan sulfate	NS	ug/L	0.068 JP
72-20-8	Endrin	ND	ug/L	0.36 P
7421-93-4	Endrin aldehyde	5	ug/L	0.1 U
53494-70-5	Endrin ketone	5	ug/L	0.1 U
76-44-8	Heptachlor	0.04	ug/L	0.051 U
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.051 U
72-43-5	Methoxychlor	35	ug/L	0.51 U
Total Pesticides				0.4593
PCBs				
12674-11-2	Aroclor-1016	Sum PCBs of 0.09	ug/L	
53469-21-9	Aroclor-1242		ug/L	
12672-29-6	Aroclor-1248		ug/L	1 U
11096-82-5	Aroclor-1260		ug/L	0.82 JP
Total PCBs				0.82
INORGANICS				
7429-90-5	Aluminum	NS	ug/L	460
7440-36-0	Antimony	3	ug/L	5.3 B
7440-38-2	Arsenic	25	ug/L	9.3 B
7440-39-3	Barium	1000	ug/L	44.4 B
7440-41-7	Beryllium	3 (G)	ug/L	0.12 U
7440-43-9	Cadmium	5	ug/L	0.49 U
7440-70-2	Calcium	NS	ug/L	113000
7440-47-8	Chromium	50	ug/L	1.6 U
7440-48-4	Cobalt	NS	ug/L	2.3 U
7440-50-8	Copper	200	ug/L	1 B
7439-89-6	Iron	300	ug/L	41.6 B
7439-92-1	Lead	25	ug/L	1.8 U
7439-95-4	Magnesium	35000 (G)	ug/L	14.7 U
7439-96-5	Manganese	300	ug/L	0.29 U
7439-97-6	Mercury	0.7	ug/L	0.09 U
7440-02-0	Nickel	100	ug/L	2.4 B
7440-09-7	Potassium	NS	ug/L	47400
7782-49-2	Selenium	10	ug/L	4.8 U
7440-22-4	Silver	50	ug/L	1.1 U
7440-23-5	Sodium	20000	ug/L	49400
7440-28-0	Thallium	0.5 (G)	ug/L	7.4 U
7440-62-2	Vanadium	NS	ug/L	14.2 B
7440-66-6	Zinc	2000 (G)	ug/L	8.4 B
57-12-5	Cyanide	200	ug/L	32.5

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	S-3 J8339	S-3 M0189	S-3 N4873	S-3 Q3848	S-3 R7148
			Source: SDG: Matrix: Sampled:	OBG 9571 Water 10/21/1998	OBG 1489 Water 4/19/1999	OBG 3856 Water 11/8/1999	OBG 5490 Water 4/26/2000	OBG 7645 Water 12/13/2000
CAS NO.	COMPOUND		UNITS:					
	VOLATILES							
67-64-1	Acetone	50 (G)	ug/L	6 J	5 J	10 U	10 U	7 J
71-43-2	Benzene	1	ug/L	10 U	10 U	10 U	10 U	10 U
78-93-3	2-Butanone	50	ug/L	10 U	10 U	10 U	10 U	10 U
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U	8 J	2 J	10 U	10 U
108-90-7	Chlorobenzene	5	ug/L	10 U	10 U	10 U	10 U	10 U
75-00-3	Chloroethane	5	ug/L	10 U	10 U	10 U	10 U	10 U
67-66-3	Chloroform	7	ug/L					
74-87-3	Chloromethane	5	ug/L	10 U	10 U	10 U	10 U	10 U
75-34-3	1,1-Dichloroethane	5	ug/L	10 U	3 J	2 J	2 J	2 J
156-59-2	cis-1,2-Dichloroethene	5	ug/L	10 U	2 J		10 U	
156-60-5	trans-1,2-Dichloroethene	5	ug/L	10 U	10 U		10 U	
540-59-0	1,2-Dichloroethene (total)	5	ug/L	10 U	2 J	10 U	10 U	10 U
100-41-4	Ethylbenzene	5	ug/L	10 U	10 U	10 U	10 U	10 U
108-10-1	4-Methyl-2-pentanone	NS	ug/L	10 U	10 U	10 U	10 U	10 U
75-09-2	Methylene chloride	5	ug/L	2 J	1 J B	10 U	10 U	10 U
100-42-5	Styrene	5	ug/L					
127-18-4	Tetrachloroethene	5	ug/L	10 U	10 U	10 U	10 U	10 U
108-88-3	Toluene	5	ug/L	10 U	1 J	10 U	10 U	10 U
79-01-6	Trichloroethene	5	ug/L	10 U	10 U	10 U	10 U	10 U
75-01-4	Vinyl chloride	3	ug/L	10 U	10 U	10 U	10 U	10 U
1330-20-7	Xylene (total)	5	ug/L	10 U	4 J	3 J	4 J	2 J
	Total VOCs			8	26	7	6	11
	SEMIVOLATILES							
83-32-9	Acenaphthene	20 (G)	ug/L	10 U	3 J	2 J	10 U	10 U
208-96-8	Acenaphthylene	NS	ug/L	10 U	4 J	2 J	10 U	10 U
120-12-7	Anthracene	50(G)	ug/L	10 U	10 U	10 U	10 U	10 U
56-55-3	Benzo[a]anthracene	20 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
50-32-8	Benzo[a]pyrene	ND	ug/L	10 U	10 U	10 U	10 U	10 U
205-99-2	Benzo[b]fluoranthene	0.002 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
191-24-2	Benzo[g,h,i]perylene	NS	ug/L	10 U	10 U	10 U	10 U	10 U
207-08-9	Benzo[k]fluoranthene	0.002 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
117-81-7	bis(2-Ethylhexyl)phthalate	5	ug/L	10 U	10 U	10 U	10 U	10 U
86-74-8	Carbazole	NS	ug/L	10 U	2 J	1 J	10 U	
59-50-7	4-Chloro-3-methylphenol	1	ug/L	10 U	10 U	10 U	10 U	10 U
218-01-9	Chrysene	0.002 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
84-74-2	Di-n-butyl phthalate	50	ug/L					
53-70-3	Dibenz[a,h]anthracene	NS	ug/L	10 U	10 U	10 U	10 U	10 U
132-64-9	Dibenzofuran	NS	ug/L	10 U	2 J	10 U	10 U	10 U
541-73-1	1,3-Dichlorobenzene	3	ug/L	10 U	10 U	10 U	10 U	10 U
106-46-7	1,4-Dichlorobenzene	3	ug/L	10 U	10 U	10 U	10 U	10 U
120-83-2	2,4-Dichlorophenol	1	ug/L	10 U	10 U	10 U	10 U	10 U
84-66-2	Diethyl phthalate	50 (G)	ug/L					
105-67-9	2,4-Dimethylphenol	1	ug/L	10 U	28	13	12	4 J
131-11-3	Dimethyl phthalate	50 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
206-44-0	Fluoranthene	50 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
86-73-7	Fluorene	50 (G)	ug/L	10 U	2 J	2 J	10 U	1 J
193-39-5	Indeno[1,2,3-cd]pyrene	0.002 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
91-57-6	2-Methylnaphthalene	NS	ug/L	10 U	4 J	2 J	10 U	10 U
95-48-7	2-Methylphenol	1	ug/L	10 U	10 J	8 J	6 J	2 J
106-44-5	4-Methylphenol	1	ug/L	10 U	25	20	15	10 U
91-20-3	Naphthalene	10 (G)	ug/L	10 U	40	13	6 J	10 U
100-02-7	4-Nitrophenol	1	ug/L					
85-01-8	Phenanthrene	50 (G)	ug/L	10 U	2 J	2 J	10 U	10 U
108-95-2	Phenol	1	ug/L	10 U	10 U	10 U	10 U	10 U
129-00-0	Pyrene	50 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
120-82-1	1,2,4-Trichlorobenzene	5	ug/L	10 U	10 U	10 U	10 U	10 U
	Total SVOCs			ND	122	85	38	7

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	S-3 J8339	S-3 M0189	S-3 N4873	S-3 Q3848	S-3 R7148
			Source: SDG: Matrix: Sampled:	OBG 9571 Water 10/21/1998	OBG 1489 Water 4/19/1999	OBG 3856 Water 11/8/1999	OBG 5490 Water 4/26/2000	OBG 7645 Water 12/13/2000
CAS NO.	COMPOUND		UNITS:					
PESTICIDES								
309-00-2	Aldrin	ND	ug/L	0.05 U	0.05 U	0.05 U	0.0029 JP	0.002 JP
319-84-6	alpha-BHC	0.01	ug/L	0.05 U	0.05 U	0.05 U	0.05 U	0.051 U
319-85-7	beta-BHC	0.04	ug/L	0.05 U	0.05 U	0.05 U	0.05 U	0.051 U
319-86-8	delta-BHC	0.04	ug/L	0.05 U	0.05 U	0.05 U	0.05 U	0.051 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.05 U	0.05 U	0.05 U	0.05 U	0.051 U
5103-71-9	alpha-Chlordane	0.05	ug/L	0.05 U	0.05 U	0.05 U	0.05 U	0.051 U
5103-74-2	gamma-Chlordane	0.05	ug/L	0.003 JP	0.00072 BJP	0.0032 JP	0.05 U	0.051 U
72-54-8	4,4'-DDD	0.3	ug/L	0.1 U	0.00049 JP	0.1 U	0.0013 JP	0.0032 JP
72-55-9	4,4'-DDE	0.2	ug/L	0.0024 JP	0.1 U	0.1 U	0.1 U	0.1 U
50-29-3	4,4'-DDT	0.2	ug/L	0.1 U	0.00077 JP	0.1 U	0.1 U	0.0052 JP
60-57-1	Dieldrin	0.004	ug/L	0.1 U	0.00047 JP	0.1 U	0.1 U	0.1 U
959-98-8	Endosulfan I	NS	ug/L	0.05 U	0.05 U	0.05 U	0.05 U	0.0078 JP
33213-65-9	Endosulfan II	NS	ug/L	0.005 JP	0.00084 JP	0.0023 J	0.1 U	0.1 U
1031-07-8	Endosulfan sulfate	NS	ug/L	0.0069 BJP	0.0014 JP	0.1 U	0.1 U	0.1 U
72-20-8	Endrin	ND	ug/L	0.1 U	0.1 U	0.1 U	0.1 U	0.0087 J
7421-93-4	Endrin aldehyde	5	ug/L	0.0075 J	0.0016 J	0.1 U	0.1 U	0.0061 J
53494-70-5	Endrin ketone	5	ug/L	0.1 U	0.1 U	0.1 U	0.1 U	0.1 U
76-44-8	Heptachlor	0.04	ug/L	0.05 U	0.05 U	0.05 U	0.05 U	0.051 U
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.00073 J	0.0026 JP	0.05 U	0.05 U	0.051 U
72-43-5	Methoxychlor	35	ug/L	0.5 U	0.5 U	0.5 U	0.5 U	0.51 U
Total Pesticides				0.02553	0.00889	0.055	0.0042	0.033
PCBs								
12674-11-2	Aroclor-1016	Sum PCBs of 0.09	ug/L					
53469-21-9	Aroclor-1242		ug/L					
12672-29-6	Aroclor-1248		ug/L	1 U	1 U	1 U	1 U	1 U
11096-82-5	Aroclor-1260		ug/L	1 U	0.52 JP	1 U	1 U	1 U
Total PCBs				ND	0.52	ND	ND	ND
INORGANICS								
7429-90-5	Aluminum	NS	ug/L	100 B	298	382	443	280 E
7440-36-0	Antimony	3	ug/L	12.6 B	5.1 B	4.7 B	3.4 B	8.2 B
7440-38-2	Arsenic	25	ug/L	4.9 B	3.8 B	4.4 B	4.3 B	2.6 B
7440-39-3	Barium	1000	ug/L	54.8 B	56.6 B	50.3 B	52.3 B	64 B
7440-41-7	Beryllium	3 (G)	ug/L	0.07 U	0.13 U	0.18 B	0.14 U	0.26 B
7440-43-9	Cadmium	5	ug/L	0.43 U	0.42 U	0.3 U	0.28 U	0.25 U
7440-70-2	Calcium	NS	ug/L	112000	151000	145000	169000	201000
7440-47-8	Chromium	50	ug/L	2.8 U	1.4 U	0.54 UE	1.1 U	0.9 U
7440-48-4	Cobalt	NS	ug/L	2.3 U	1.6 U	1.7 U	0.96 U	0.86 U
7440-50-8	Copper	200	ug/L	4.6 B	1.1 B	0.54 U	0.75 B	1.4 B
7439-89-6	Iron	300	ug/L	708	62.3 B	75.8 B	61.6 B	61.4 B
7439-92-1	Lead	25	ug/L	2.1 U	1.1 U	1.3 U	1.1 U	1.7 B
7439-95-4	Magnesium	35000 (G)	ug/L	546 B	46.8 B	60.7 B	121 B	2140 B
7439-96-5	Manganese	300	ug/L	14.8 B	0.27 U	0.39 B	0.15 U	4.1 B
7439-97-6	Mercury	0.7	ug/L	0.15 U	0.11 U	0.11 U	0.11 U	0.17 U
7440-02-0	Nickel	100	ug/L	1.9 B	2.5 B	2.8 BE	3.1 U	2.1 B
7440-09-7	Potassium	NS	ug/L	38500	47100	48500	54100	53600 E
7782-49-2	Selenium	10	ug/L	2 U	3.6 U	5.3	3.7 U	26
7440-22-4	Silver	50	ug/L	1.2 U	1 U	0.78 U	0.75 U	0.73 U
7440-23-5	Sodium	20000	ug/L	32500	44300	46200 E	61300	54200
7440-28-0	Thallium	0.5 (G)	ug/L	5.5 U	3.8 U	5.1 U	4.9 U	3.7 U
7440-62-2	Vanadium	NS	ug/L	5.5 B	16.5 B	12.6 BE	15.1 B	45 B
7440-66-6	Zinc	2000 (G)	ug/L	26.1	1.6 U	6.3 B	3.4 B	1.2 B
57-12-5	Cyanide	200	ug/L	69	15.6	25.3	39.9	23

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	S-3 S7282	S-3 T6807	S-3 V4307	S-3 Z9835	S-3 RE Z9835RE
			Source: SDG: Matrix: Sampled:	OBG 9259 Water 6/19/2001	OBG 724 Water 12/11/2001	OB 2494 Water 6/17/2002	OB 4203 Water 12/19/2002	OB 4249 Water 12/19/2002
CAS NO.	COMPOUND		UNITS:					
	VOLATILES							
67-64-1	Acetone	50 (G)	ug/L	4 J	10 U	10 U	4 JB	4 JB
71-43-2	Benzene	1	ug/L	10 U	10 U	10 U	10 U	10 U
78-93-3	2-Butanone	50	ug/L	10 U	10 U	10 U	10 U	10 U
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
108-90-7	Chlorobenzene	5	ug/L	10 U	10 U	10 U	10 U	10 U
75-00-3	Chloroethane	5	ug/L	10 U	10 U	10 U	10 U	10 U
67-66-3	Chloroform	7	ug/L					
74-87-3	Chloromethane	5	ug/L	10 U	10 U	10 U	10 U	10 U
75-34-3	1,1-Dichloroethane	5	ug/L	2 J	2 J	2 J	2 J	2 J
156-59-2	cis-1,2-Dichloroethene	5	ug/L	10 U	10 U	10 U	10 U	10 U
156-60-5	trans-1,2-Dichloroethene	5	ug/L	10 U	10 U	10 U	10 U	10 U
540-59-0	1,2-Dichloroethene (total)	5	ug/L					
100-41-4	Ethylbenzene	5	ug/L	10 U	10 U	10 U	10 U	10 U
108-10-1	4-Methyl-2-pentanone	NS	ug/L	10 U	10 U	10 U	1 J	10 U
75-09-2	Methylene chloride	5	ug/L	10 U	2 JB	1 J	1 JB	0.6 JB
100-42-5	Styrene	5	ug/L					
127-18-4	Tetrachloroethene	5	ug/L	10 U	10 U	10 U	10 U	10 U
108-88-3	Toluene	5	ug/L	1 J	0.7 J	10 U	10 U	10 U
79-01-6	Trichloroethene	5	ug/L	10 U	10 U	10 U	10 U	10 U
75-01-4	Vinyl chloride	3	ug/L	10 U	10 U	10 U	10 U	10 U
1330-20-7	Xylene (total)	5	ug/L	4 J	2 J	3 J	10 U	10 U
	Total VOCs			11	6.7	6	6	6.6
	SEMIVOLATILES							
83-32-9	Acenaphthene	20 (G)	ug/L	1 J	10 U	10 U	10 U	
208-96-8	Acenaphthylene	NS	ug/L	10 U	10 U	10 U	10 U	
120-12-7	Anthracene	50(G)	ug/L	10 U	10 U	10 U	10 U	
56-55-3	Benzo[a]anthracene	20 (G)	ug/L	10 U	10 U	10 U	10 U	
50-32-8	Benzo[a]pyrene	ND	ug/L	10 U	10 U	10 U	10 U	
205-99-2	Benzo[b]fluoranthene	0.002 (G)	ug/L	10 U	10 U	10 U	10 U	
191-24-2	Benzo[g,h,i]perylene	NS	ug/L	10 U	10 U	10 U	10 U	
207-08-9	Benzo[k]fluoranthene	0.002 (G)	ug/L	10 U	10 U	10 U	10 U	
117-81-7	bis(2-Ethylhexyl)phthalate	5	ug/L	10 U	10 U	10 U	10 U	
86-74-8	Carbazole	NS	ug/L	10 U	10 U	10 U	10 U	
59-50-7	4-Chloro-3-methylphenol	1	ug/L	10 U	10 U	10 U	10 U	
218-01-9	Chrysene	0.002 (G)	ug/L	10 U	10 U	10 U	10 U	
84-74-2	Di-n-butyl phthalate	50	ug/L					
53-70-3	Dibenz[a,h]anthracene	NS	ug/L	10 U	10 U	10 U	10 U	
132-64-9	Dibenzofuran	NS	ug/L	10 U	10 U	10 U	10 U	
541-73-1	1,3-Dichlorobenzene	3	ug/L	10 U	10 U	10 U	10 U	
106-46-7	1,4-Dichlorobenzene	3	ug/L	10 U	10 U	10 U	10 U	
120-83-2	2,4-Dichlorophenol	1	ug/L	10 U	10 U	10 U	10 U	
84-66-2	Diethyl phthalate	50 (G)	ug/L					
105-67-9	2,4-Dimethylphenol	1	ug/L	14	10	19	10 U	
131-11-3	Dimethyl phthalate	50 (G)	ug/L	10 U	10 U	10 U	10 U	
206-44-0	Fluoranthene	50 (G)	ug/L	10 U	10 U	10 U	10 U	
86-73-7	Fluorene	50 (G)	ug/L	10 U	10 U	10 U	10 U	
193-39-5	Indeno[1,2,3-cd]pyrene	0.002 (G)	ug/L	10 U	10 U	10 U	10 U	
91-57-6	2-Methylnaphthalene	NS	ug/L	10 U	10 U	1 J	10 U	
95-48-7	2-Methylphenol	1	ug/L	10	10 U	14	10 U	
106-44-5	4-Methylphenol	1	ug/L	22	3 J	33	10 U	
91-20-3	Naphthalene	10 (G)	ug/L	5 J	4 J	7 J	10 U	
100-02-7	4-Nitrophenol	1	ug/L					
85-01-8	Phenanthrene	50 (G)	ug/L	1 J	1 J	10 U	10 U	
108-95-2	Phenol	1	ug/L	10 U	10 U	10 U	10 U	
129-00-0	Pyrene	50 (G)	ug/L	10 U	10 U	10 U	10 U	
120-82-1	1,2,4-Trichlorobenzene	5	ug/L	10 U	10 U	10 U	10 U	
	Total SVOCs			53	18	74	ND	NA

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	S-3 S7282	S-3 T6807	S-3 V4307	S-3 Z9835	S-3 RE Z9835RE
			Source: SDG: Matrix: Sampled:	OBG 9259 Water 6/19/2001	OBG 724 Water 12/11/2001	OB 2494 Water 6/17/2002	OB 4203 Water 12/19/2002	OB 4249 Water 12/19/2002
CAS NO.	COMPOUND		UNITS:					
PESTICIDES								
309-00-2	Aldrin	ND	ug/L	0.051 U	0.051 U	0.036 JP	0.052 U	NA
319-84-6	alpha-BHC	0.01	ug/L	0.051 U	0.051 U	0.051 U	0.052 U	
319-85-7	beta-BHC	0.04	ug/L	0.051 U	0.051 U	0.0053 JP	0.052 U	
319-86-8	delta-BHC	0.04	ug/L	0.051 U	0.051 U	0.051 U	0.052 U	
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.051 U	0.051 U	0.051 U	0.052 U	
5103-71-9	alpha-Chlordane	0.05	ug/L	0.051 U	0.051 U	0.051 U	0.052 U	
5103-74-2	gamma-Chlordane	0.05	ug/L	0.051 U	0.012 JP	0.051 U	0.13 P	
72-54-8	4,4'-DDD	0.3	ug/L	0.1 U	0.1 U	0.1 U	0.1 U	
72-55-9	4,4'-DDE	0.2	ug/L	0.1 U	0.1 U	0.1 U	0.18 P	
50-29-3	4,4'-DDT	0.2	ug/L	0.1 U	0.0058 J	0.0097 JP	0.1 U	
60-57-1	Dieldrin	0.004	ug/L	0.1 U	0.018 J	0.1 U	0.21	
959-98-8	Endosulfan I	NS	ug/L	0.051 U	0.0038 JP	0.0064 JP	0.059 P	
33213-65-9	Endosulfan II	NS	ug/L	0.008 JP	0.1 U	0.1 U	0.1 U	
1031-07-8	Endosulfan sulfate	NS	ug/L	0.1 U	0.1 U	0.1 U	0.1 U	
72-20-8	Endrin	ND	ug/L	0.1 U	0.012 JP	0.1 U	0.1 U	
7421-93-4	Endrin aldehyde	5	ug/L	0.1 U	0.011 BJP	0.1 U	0.07 JP	
53494-70-5	Endrin ketone	5	ug/L	0.1 U	0.003 JP	0.1 U	0.1 U	
76-44-8	Heptachlor	0.04	ug/L	0.051 U	0.0017 JP	0.0046 J	0.052 U	
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.051 U	0.002 JP	0.051 U	0.052 U	
72-43-5	Methoxychlor	35	ug/L	0.51 U	0.51 U	0.51 U	0.52 U	
Total Pesticides				0.008	0.0693	0.062	0.649	NA
PCBs								
12674-11-2	Aroclor-1016	Sum PCBs of 0.09	ug/L					NA
53469-21-9	Aroclor-1242		ug/L					
12672-29-6	Aroclor-1248		ug/L	1 U	1 U	1 U	13	
11096-82-5	Aroclor-1260		ug/L	1 U	1 U	1 U	1 U	
Total PCBs				ND	ND	ND	19	
INORGANICS								
7429-90-5	Aluminum	NS	ug/L	534	556	388	497	
7440-36-0	Antimony	3	ug/L	4.6 B	3.2 B	2.8 B	3.8 B	
7440-38-2	Arsenic	25	ug/L	3.3 B	4.2 B	3.6 B	4.8 B	
7440-39-3	Barium	1000	ug/L	40 B	38.5 B	32.8 B	36.6 B	
7440-41-7	Beryllium	3 (G)	ug/L	0.08 U	0.1 U	0.13 U	0.01 U	
7440-43-9	Cadmium	5	ug/L	0.24 U	0.37 U	0.31 U	0.37 U	
7440-70-2	Calcium	NS	ug/L	145000	132000	106000	91800	
7440-47-8	Chromium	50	ug/L	0.94 U	0.89 U	0.93 U E	1.2 U	
7440-48-4	Cobalt	NS	ug/L	0.93 U	0.72 U	1.2 U	1.6 U	
7440-50-8	Copper	200	ug/L	0.49 U	0.46 U	1.3 U	0.89 U	
7439-89-6	Iron	300	ug/L	127	40.7 B	36.6 B	61.7 B	
7439-92-1	Lead	25	ug/L	0.66 U	1.5 U	1.8 U N	0.78 U	
7439-95-4	Magnesium	35000 (G)	ug/L	282 B	213 B	317 B	152 B	
7439-96-5	Manganese	300	ug/L	8.2 B	1.8 U	6.6 B	0.92 B	
7439-97-6	Mercury	0.7	ug/L	0.18 U	0.15 U	0.12 U	0.02 U	
7440-02-0	Nickel	100	ug/L	2.3 B	3.2 B	1.4 U	1.6 U	
7440-09-7	Potassium	NS	ug/L	49900	48800	43100	41300	
7782-49-2	Selenium	10	ug/L	3.6 B	4.4 B	2.5 B	2.8 B	
7440-22-4	Silver	50	ug/L	0.73 U	1 U	1.8 U	1.2 U	
7440-23-5	Sodium	20000	ug/L	72400	63600	64700 E	55900	
7440-28-0	Thallium	0.5 (G)	ug/L	3.6 U	5.1 U	4.8 U	3.6 U	
7440-62-2	Vanadium	NS	ug/L	19.2 B	15.7 B	16.9 B	27.5 B	
7440-66-6	Zinc	2000 (G)	ug/L	3.8 B	1.4 U	23.6	2.2 B	
57-12-5	Cyanide	200	ug/L	28.2	47.9	40.6	49.9	

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	S-3DL Z9835DL	S-3 A7428	S-3 DL A7428DL	S-3 B4290	S-3 E1070
			Source: SDG: Matrix: Sampled:	OB 4203 Water 12/19/2002	OB 5716 Water 6/24/2003	OB 5716 Water 6/24/2003	OB 6968 Water 12/16/2003	OB 6968 Water 6/7/2004
CAS NO.	COMPOUND		UNITS:					
VOLATILES								
67-64-1	Acetone	50 (G)	ug/L		10 U		10 U	3 JB
71-43-2	Benzene	1	ug/L		10 U		10 U	
78-93-3	2-Butanone	50	ug/L		10 U		10 U	10 U
75-15-0	Carbon disulfide	60 (G)	ug/L		10 U		10 U	10 U
108-90-7	Chlorobenzene	5	ug/L		10 U		10 U	10 U
75-00-3	Chloroethane	5	ug/L		10 U		10 U	
67-66-3	Chloroform	7	ug/L					
74-87-3	Chloromethane	5	ug/L		10 U		10 U	
75-34-3	1,1-Dichloroethane	5	ug/L		2 J		2 J	2 J
156-59-2	cis-1,2-Dichloroethene	5	ug/L		10 U		10 U	10 U
156-60-5	trans-1,2-Dichloroethene	5	ug/L		10 U		10 U	
540-59-0	1,2-Dichloroethene (total)	5	ug/L					
100-41-4	Ethylbenzene	5	ug/L		10 U		10 U	
108-10-1	4-Methyl-2-pentanone	NS	ug/L		10 U		10 U	2 J
75-09-2	Methylene chloride	5	ug/L		0.5 J		10 U	0.7 JB
100-42-5	Styrene	5	ug/L					
127-18-4	Tetrachloroethene	5	ug/L		10 U		10 U	
108-88-3	Toluene	5	ug/L		0.7 J		10 U	0.8 J
79-01-6	Trichloroethene	5	ug/L		10 U		10 U	
75-01-4	Vinyl chloride	3	ug/L		10 U		10 U	
1330-20-7	Xylene (total)	5	ug/L		1 J		0.9 J	1 J
Total VOCs				NA	4.2	NA	2.9	9.5
SEMIVOLATILES								
83-32-9	Acenaphthene	20 (G)	ug/L		500 U		10 U	1 J
208-96-8	Acenaphthylene	NS	ug/L		500 U		10 U	10 U
120-12-7	Anthracene	50(G)	ug/L		500 U		10 U	
56-55-3	Benzo[a]anthracene	20 (G)	ug/L		94 JD		1 J	5 J
50-32-8	Benzo[a]pyrene	ND	ug/L		79 JD		10 U	4 J
205-99-2	Benzo[b]fluoranthene	0.002 (G)	ug/L		110 JD		2 J	6 J
191-24-2	Benzo[g,h,i]perylene	NS	ug/L		500 U		10 U	3 J
207-08-9	Benzo[k]fluoranthene	0.002 (G)	ug/L		93 JD		10 U	4 J
117-81-7	bis(2-Ethylhexyl)phthalate	5	ug/L		140 JD		2 J	15 J
86-74-8	Carbazole	NS	ug/L		500 U		10 U	
59-50-7	4-Chloro-3-methylphenol	1	ug/L		500 U		10 U	10 U
218-01-9	Chrysene	0.002 (G)	ug/L		92 JD		10 U	4 J
84-74-2	Di-n-butyl phthalate	50	ug/L					
53-70-3	Dibenz[a,h]anthracene	NS	ug/L		500 U		10 U	10 UJ
132-64-9	Dibenzofuran	NS	ug/L		500 U		10 U	
541-73-1	1,3-Dichlorobenzene	3	ug/L		500 U		10 U	10 U
106-46-7	1,4-Dichlorobenzene	3	ug/L		500 U		10 U	10 U
120-83-2	2,4-Dichlorophenol	1	ug/L		500 U		10 U	
84-66-2	Diethyl phthalate	50 (G)	ug/L					
105-67-9	2,4-Dimethylphenol	1	ug/L		500 U		6 J	13
131-11-3	Dimethyl phthalate	50 (G)	ug/L		500 U		10 U	
206-44-0	Fluoranthene	50 (G)	ug/L		210 JD		2 J	7 J
86-73-7	Fluorene	50 (G)	ug/L		500 U		10 U	10 U
193-39-5	Indeno[1,2,3-cd]pyrene	0.002 (G)	ug/L		500 U		10 U	2 J
91-57-6	2-Methylnaphthalene	NS	ug/L		500 U		10 U	
95-48-7	2-Methylphenol	1	ug/L		500 U		1 J	10 U
106-44-5	4-Methylphenol	1	ug/L		500 U		4 J	10 U
91-20-3	Naphthalene	10 (G)	ug/L		500 U		10 U	
100-02-7	4-Nitrophenol	1	ug/L					26 U
85-01-8	Phenanthrene	50 (G)	ug/L		500 U		10 U	
108-95-2	Phenol	1	ug/L		500 U		10 U	10 U
129-00-0	Pyrene	50 (G)	ug/L		290 JD		3 J	17
120-82-1	1,2,4-Trichlorobenzene	5	ug/L		500 U		10 U	
Total SVOCs				NA	1108	NA	21	81

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	S-3DL Z9835DL	S-3 A7428	S-3 DL A7428DL	S-3 B4290	S-3 E1070
			Source: SDG: Matrix: Sampled:	OB 4203 Water 12/19/2002	OB 5716 Water 6/24/2003	OB 5716 Water 6/24/2003	OB 6968 Water 12/16/2003	OB 6968 Water 6/7/2004
CAS NO.	COMPOUND		UNITS:					
	PESTICIDES							
309-00-2	Aldrin	ND	ug/L	0.52 U	0.25 U	2.5 U	0.051 U	
319-84-6	alpha-BHC	0.01	ug/L	0.52 U	0.25 U	2.5 U	0.051 U	
319-85-7	beta-BHC	0.04	ug/L	0.52 U	0.25 U	2.5 U	0.024 JP	
319-86-8	delta-BHC	0.04	ug/L	0.52 U	0.25 U	2.5 U	0.051 U	
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.02 JPD	0.25 U	2.5 U	0.017 JP	0.041 JP
5103-71-9	alpha-Chlordane	0.05	ug/L	0.52 U	0.39 P	0.58 JPD	0.051 U	
5103-74-2	gamma-Chlordane	0.05	ug/L	0.52 U	0.25 U	2.5 U	0.051 U	0.051 U
72-54-8	4,4'-DDD	0.3	ug/L	1 U	8 P	15 PD	0.1 U	0.1 U
72-55-9	4,4'-DDE	0.2	ug/L	0.29 JPD	2.8 P	5 D	0.092 JP	0.1
50-29-3	4,4'-DDT	0.2	ug/L	1 U	0.5 U	5 U	0.1 U	0.1 U
60-57-1	Dieldrin	0.004	ug/L	0.38 JPD	2.4 P	4.3 JPD	0.1 U	0.092 BJP
959-98-8	Endosulfan I	NS	ug/L	0.075 JPD	2.2 P	2.7 PD	0.025 JP	0.033 JP
33213-65-9	Endosulfan II	NS	ug/L	1 U	1.6 P	2.9 JPD	0.1 U	0.0067 JP
1031-07-8	Endosulfan sulfate	NS	ug/L	1 U	0.5 U	5 U	0.1 U	0.1 U
72-20-8	Endrin	ND	ug/L	0.11 JPD	0.5 U	5 U	0.1 U	0.066 JP
7421-93-4	Endrin aldehyde	5	ug/L	0.12 JPD	0.72 BP	1.3 BJPD	0.1 U	0.11 P
53494-70-5	Endrin ketone	5	ug/L	1 U	0.5 U	5 U	0.1 P	0.1 U
76-44-8	Heptachlor	0.04	ug/L	0.52 U	0.85 P	1.3 JPD	0.041 JP	0.07 P
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.52 U	0.2 JP	2.5 U	0.051 U	
72-43-5	Methoxychlor	35	ug/L	5.2 U	2.5 U	2.6 JPD	0.51 U	0.51 U
	Total Pesticides			0.975	19.16	22.18	0.2774	0.5387
	PCBs							
12674-11-2	Aroclor-1016	Sum PCBs of 0.09	ug/L					
53469-21-9	Aroclor-1242		ug/L	22 D	130 P	250 D	5.2 P	1 U
12672-29-6	Aroclor-1248		ug/L	10 U	5 U	50 U	1 U	
11096-82-5	Aroclor-1260		ug/L					2.8
	Total PCBs			31.5	182	370	7.3	8.2
	INORGANICS							
7429-90-5	Aluminum	NS	ug/L		536		489	343
7440-36-0	Antimony	3	ug/L		2 B		3.2 B	6.2 B
7440-38-2	Arsenic	25	ug/L		3.7 B		2.6 B	4.9 B
7440-39-3	Barium	1000	ug/L		37.6 B		31.1 B	34.6 B
7440-41-7	Beryllium	3 (G)	ug/L		0.05 U		0.12 U	0.08 U
7440-43-9	Cadmium	5	ug/L		0.35 U		0.35 U	0.39 U
7440-70-2	Calcium	NS	ug/L		107000		85100	93600
7440-47-8	Chromium	50	ug/L		1.6 U		1.7 U	2.1 U
7440-48-4	Cobalt	NS	ug/L		1.4 U		2 U	1.9 U
7440-50-8	Copper	200	ug/L		1.2 B		2.1 U	1.1 B
7439-89-6	Iron	300	ug/L		127		120	86.6 B
7439-92-1	Lead	25	ug/L		1.3 U		1.7 U	1 B
7439-95-4	Magnesium	35000 (G)	ug/L		131 B		182 B	532 B
7439-96-5	Manganese	300	ug/L		4.5 B		5.1 B	2.4 B
7439-97-6	Mercury	0.7	ug/L		0.06 B		0.02 U	0.04 U
7440-02-0	Nickel	100	ug/L		1.2 U		3.4 B	10.3 B
7440-09-7	Potassium	NS	ug/L		44600		37400	44700
7782-49-2	Selenium	10	ug/L		6		3.3 B	2.2 U
7440-22-4	Silver	50	ug/L		1.1 U		1.6 U	1.6 U
7440-23-5	Sodium	20000	ug/L		64800		52200	70400
7440-28-0	Thallium	0.5 (G)	ug/L		4 U		4.8 U	4.8 U
7440-62-2	Vanadium	NS	ug/L		16 B		16 B	17 B
7440-66-6	Zinc	2000 (G)	ug/L		17 B		35.6	5.5 B
57-12-5	Cyanide	200	ug/L		40.2		40.6	48.2

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	S-3 DL E1070DL OB 8085 Water 6/7/2004	S-3 0508015-005A OB 200508 Water 8/2/2005	S-3 0603095-004A LSL-BL 6030950 Water 3/21/2006	S-3 A7E985013 BM A07-E985 Water 12/27/2007	S-4 G5118 OBG 5116 Water 11/20/1997
CAS NO.	COMPOUND		UNITS:					
	VOLATILES							
67-64-1	Acetone	50 (G)	ug/L		5 BJ	2 BJ	20 U	10 U
71-43-2	Benzene	1	ug/L		10 U	U	4 U	6 J
78-93-3	2-Butanone	50	ug/L				20 U	10 U
75-15-0	Carbon disulfide	60 (G)	ug/L				4 U	10 U
108-90-7	Chlorobenzene	5	ug/L		10 U	U	3 J	10 U
75-00-3	Chloroethane	5	ug/L				4 U	10 U
67-66-3	Chloroform	7	ug/L		10 U		4 U	
74-87-3	Chloromethane	5	ug/L				4 U	10 U
75-34-3	1,1-Dichloroethane	5	ug/L		2 J	2 J	4 U	10 U
156-59-2	cis-1,2-Dichloroethene	5	ug/L		0.5 J	U	4 U	
156-60-5	trans-1,2-Dichloroethene	5	ug/L				4 U	
540-59-0	1,2-Dichloroethene (total)	5	ug/L				4 U	3 J
100-41-4	Ethylbenzene	5	ug/L		10 U	U	4 U	10 U
108-10-1	4-Methyl-2-pentanone	NS	ug/L			1 J	20 U	10 U
75-09-2	Methylene chloride	5	ug/L		0.8 BJ	1 BJ	4 U	10 U
100-42-5	Styrene	5	ug/L		10 U		4 U	
127-18-4	Tetrachloroethene	5	ug/L		10 U	U	4 U	10 U
108-88-3	Toluene	5	ug/L		1 J	U	4 U	1 J
79-01-6	Trichloroethene	5	ug/L			U	4 U	1 J
75-01-4	Vinyl chloride	3	ug/L				4 U	10 U
1330-20-7	Xylene (total)	5	ug/L		2 J	U	12 U	2 J
	Total VOCs			NA	11.3	6	3	13
	SEMIVOLATILES							
83-32-9	Acenaphthene	20 (G)	ug/L	100 U	10 U		0.5 J	8 J
208-96-8	Acenaphthylene	NS	ug/L	100 U	10 U		0.2 J	4 J
120-12-7	Anthracene	50(G)	ug/L				5 U	1 J
56-55-3	Benzo[a]anthracene	20 (G)	ug/L	100 U	1.3 J	U	0.2 J	10 U
50-32-8	Benzo[a]pyrene	ND	ug/L	100 U	1.9 J	1 J	5 U	10 U
205-99-2	Benzo[b]fluoranthene	0.002 (G)	ug/L	100 U	3.7 J	1 J	5 U	10 U
191-24-2	Benzo[g,h,i]perylene	NS	ug/L	100 U	1 J	U	5 U	10 U
207-08-9	Benzo[k]fluoranthene	0.002 (G)	ug/L	100 U	1.7 J	U	5 U	10 U
117-81-7	bis(2-Ethylhexyl)phthalate	5	ug/L	16 JD	18	6 J	5 U	10 U
86-74-8	Carbazole	NS	ug/L		10 U	U	5 U	4 J
59-50-7	4-Chloro-3-methylphenol	1	ug/L	100 U			5 U	10 U
218-01-9	Chrysene	0.002 (G)	ug/L	100 U	1.2 J	U	5 U	10 U
84-74-2	Di-n-butyl phthalate	50	ug/L			1 J	0.3 BJ	
53-70-3	Dibenz[a,h]anthracene	NS	ug/L	100 U	10 U		5 U	10 U
132-64-9	Dibenzofuran	NS	ug/L		10 U		5 U	4 J
541-73-1	1,3-Dichlorobenzene	3	ug/L	100 U			5 U	10 U
106-46-7	1,4-Dichlorobenzene	3	ug/L	100 U	10 U	U	5 U	10 U
120-83-2	2,4-Dichlorophenol	1	ug/L				10 U	10 U
84-66-2	Diethyl phthalate	50 (G)	ug/L		10 U		5 U	
105-67-9	2,4-Dimethylphenol	1	ug/L	17 JD	28	26	5 U	4 J
131-11-3	Dimethyl phthalate	50 (G)	ug/L		10 U		5 U	10 U
206-44-0	Fluoranthene	50 (G)	ug/L	100 U	1.5 J	U	0.3 BJ	10 U
86-73-7	Fluorene	50 (G)	ug/L	100 U	10 U		0.4 J	6 J
193-39-5	Indeno[1,2,3-cd]pyrene	0.002 (G)	ug/L	100 U	10 U	U	5 U	10 U
91-57-6	2-Methylnaphthalene	NS	ug/L		1 J	U	0.3 J	6 J
95-48-7	2-Methylphenol	1	ug/L	100 U	8.4 J	9 J	0.6 J	2 J
106-44-5	4-Methylphenol	1	ug/L	100 U	19	21	1 J	3 J
91-20-3	Naphthalene	10 (G)	ug/L		4 J	4 J	1 J	110 E
100-02-7	4-Nitrophenol	1	ug/L	260 U	25 U		5 U	
85-01-8	Phenanthrene	50 (G)	ug/L		10 U		0.8 J	10 J
108-95-2	Phenol	1	ug/L	100 U	10 U	U	5 U	10 U
129-00-0	Pyrene	50 (G)	ug/L	14 JD	8.6 J	U	0.2 J	10 U
120-82-1	1,2,4-Trichlorobenzene	5	ug/L				10 U	10 U
	Total SVOCs			47	96	73	9.8	162

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	S-3 DL E1070DL	S-3 0508015-005A	S-3 0603095-004A	S-3 A7E985013	S-4 G5118
			Source: SDG: Matrix: Sampled:	OB 8085 Water 6/7/2004	OB 200508 Water 8/2/2005	LSL-BL 6030950 Water 3/21/2006	BM A07-E985 Water 12/27/2007	OBG 5116 Water 11/20/1997
CAS NO.	COMPOUND		UNITS:					
PESTICIDES								
309-00-2	Aldrin	ND	ug/L			0.0039 PJ	0.05 U	0.05 U
319-84-6	alpha-BHC	0.01	ug/L		0.0015 PJ		0.05 U	0.05 U
319-85-7	beta-BHC	0.04	ug/L		0.026 PJ	0.0093 PJ	0.05 U	0.05 U
319-86-8	delta-BHC	0.04	ug/L		0.05 U	U	0.05 U	0.05 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L		0.021 PJ	0.018 PJ	0.03 J	0.0011 JP
5103-71-9	alpha-Chlordane	0.05	ug/L		0.05 U		0.05 U	0.05 U
5103-74-2	gamma-Chlordane	0.05	ug/L		0.0022 PJ	U	0.012 J	0.05 U
72-54-8	4,4'-DDD	0.3	ug/L		0.1 U	U	0.05 U	0.1 U
72-55-9	4,4'-DDE	0.2	ug/L		0.26	0.12 P	0.05 U	0.1 U
50-29-3	4,4'-DDT	0.2	ug/L		0.05 U		0.05 U	0.1 U
60-57-1	Dieldrin	0.004	ug/L		0.1 U	U	0.023 J	0.1 U
959-98-8	Endosulfan I	NS	ug/L		0.062 P	0.035 PJ	0.005 J	0.05 U
33213-65-9	Endosulfan II	NS	ug/L		0.1 U		0.05 U	0.1 U
1031-07-8	Endosulfan sulfate	NS	ug/L		0.021 PJ	0.0057 PJ	0.05 U	0.1 U
72-20-8	Endrin	ND	ug/L		0.095 PJ	0.066 J	0.05 U	0.1 U
7421-93-4	Endrin aldehyde	5	ug/L		0.087 PJ	U	0.05 U	0.1 U
53494-70-5	Endrin ketone	5	ug/L		0.009 PJ	0.0072 PJ	0.05 U	0.1 U
76-44-8	Heptachlor	0.04	ug/L		0.092 P	U	0.023 J	0.05 U
1024-57-3	Heptachlor epoxide	0.03	ug/L		0.29 P	U	0.05 U	0.05 U
72-43-5	Methoxychlor	35	ug/L		0.038 PJ	0.068 PJ	0.05 U	0.5 U
Total Pesticides				NA	1.0047	0.3331	0.093	0.0011
PCBs								
12674-11-2	Aroclor-1016	Sum PCBs of 0.09	ug/L			U	0.51 U	
53469-21-9	Aroclor-1242		ug/L				0.39 J	1 U
12672-29-6	Aroclor-1248		ug/L		14	4.8 P	0.51 U	1 U
11096-82-5	Aroclor-1260		ug/L		1 U	2.1	0.51 U	1 U
Total PCBs				NA	21	6.9	0.39	ND
INORGANICS								
7429-90-5	Aluminum	NS	ug/L		397	271	474	618
7440-36-0	Antimony	3	ug/L		2.6 B	3.2 B	5.6 U	2.6 U
7440-38-2	Arsenic	25	ug/L		5.2 B	4.4 B	5.7 B	18.4
7440-39-3	Barium	1000	ug/L		36.1 B	29 B	34.9	41.3 B
7440-41-7	Beryllium	3 (G)	ug/L		0.046 U	U	0.38 B	0.06 U
7440-43-9	Cadmium	5	ug/L		0.28 U	U	0.36 U	0.24 U
7440-70-2	Calcium	NS	ug/L		86300	72800	63000	84000
7440-47-8	Chromium	50	ug/L		1.2 U	U	1.6 B	1.1 U
7440-48-4	Cobalt	NS	ug/L		1.2 U	U	0.89 U	1.1 U
7440-50-8	Copper	200	ug/L		0.72 U	U	1.3 U	1.8 B
7439-89-6	Iron	300	ug/L		86 B	153	20.5 B	774
7439-92-1	Lead	25	ug/L		0.77 U	U	2.9 U	2.2 B
7439-95-4	Magnesium	35000 (G)	ug/L		72.7 B	343 B	557	719 B
7439-96-5	Manganese	300	ug/L		0.45 B	0.72 BE	0.79 B	55.2
7439-97-6	Mercury	0.7	ug/L		0.027 B	U	0.12 U	0.14 U
7440-02-0	Nickel	100	ug/L		5.5 B	4 B	2.2 B	3.7 B
7440-09-7	Potassium	NS	ug/L		47000	39400	38700	16600
7782-49-2	Selenium	10	ug/L		2.2 U	3.3 B	12.3 B	4 U
7440-22-4	Silver	50	ug/L		0.53 U	1.2 B	1.5 B	0.61 B
7440-23-5	Sodium	20000	ug/L		67000	60700	48900	25700
7440-28-0	Thallium	0.5 (G)	ug/L		3.2 U		7 U	3.3 U
7440-62-2	Vanadium	NS	ug/L		10.1 B	10.6 B	39.1	3.2 B
7440-66-6	Zinc	2000 (G)	ug/L		9.8 B	24.4	3.6 U	13.2 B
57-12-5	Cyanide	200	ug/L		39.9	50.6	0.037	10 U

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	S-4DL G5118DL OBG 5116 Water 11/20/1997
CAS NO.	COMPOUND		UNITS:	
VOLATILES				
67-64-1	Acetone	50 (G)	ug/L	
71-43-2	Benzene	1	ug/L	
78-93-3	2-Butanone	50	ug/L	
75-15-0	Carbon disulfide	60 (G)	ug/L	
108-90-7	Chlorobenzene	5	ug/L	
75-00-3	Chloroethane	5	ug/L	
67-66-3	Chloroform	7	ug/L	
74-87-3	Chloromethane	5	ug/L	
75-34-3	1,1-Dichloroethane	5	ug/L	
156-59-2	cis-1,2-Dichloroethene	5	ug/L	
156-60-5	trans-1,2-Dichloroethene	5	ug/L	
540-59-0	1,2-Dichloroethene (total)	5	ug/L	
100-41-4	Ethylbenzene	5	ug/L	
108-10-1	4-Methyl-2-pentanone	NS	ug/L	
75-09-2	Methylene chloride	5	ug/L	
100-42-5	Styrene	5	ug/L	
127-18-4	Tetrachloroethene	5	ug/L	
108-88-3	Toluene	5	ug/L	
79-01-6	Trichloroethene	5	ug/L	
75-01-4	Vinyl chloride	3	ug/L	
1330-20-7	Xylene (total)	5	ug/L	
	Total VOCs			NA
SEMIVOLATILES				
83-32-9	Acenaphthene	20 (G)	ug/L	8 JD
208-96-8	Acenaphthylene	NS	ug/L	4 JD
120-12-7	Anthracene	50(G)	ug/L	40 U
56-55-3	Benzo[a]anthracene	20 (G)	ug/L	40 U
50-32-8	Benzo[a]pyrene	ND	ug/L	40 U
205-99-2	Benzo[b]fluoranthene	0.002 (G)	ug/L	40 U
191-24-2	Benzo[g,h,i]perylene	NS	ug/L	40 U
207-08-9	Benzo[k]fluoranthene	0.002 (G)	ug/L	40 U
117-81-7	bis(2-Ethylhexyl)phthalate	5	ug/L	40 U
86-74-8	Carbazole	NS	ug/L	4 JD
59-50-7	4-Chloro-3-methylphenol	1	ug/L	40 U
218-01-9	Chrysene	0.002 (G)	ug/L	40 U
84-74-2	Di-n-butyl phthalate	50	ug/L	
53-70-3	Dibenz[a,h]anthracene	NS	ug/L	40 U
132-64-9	Dibenzofuran	NS	ug/L	5 JD
541-73-1	1,3-Dichlorobenzene	3	ug/L	40 U
106-46-7	1,4-Dichlorobenzene	3	ug/L	40 U
120-83-2	2,4-Dichlorophenol	1	ug/L	40 U
84-66-2	Diethyl phthalate	50 (G)	ug/L	
105-67-9	2,4-Dimethylphenol	1	ug/L	40 U
131-11-3	Dimethyl phthalate	50 (G)	ug/L	40 U
206-44-0	Fluoranthene	50 (G)	ug/L	40 U
86-73-7	Fluorene	50 (G)	ug/L	8 JD
193-39-5	Indeno[1,2,3-cd]pyrene	0.002 (G)	ug/L	40 U
91-57-6	2-Methylnaphthalene	NS	ug/L	6 JD
95-48-7	2-Methylphenol	1	ug/L	40 U
106-44-5	4-Methylphenol	1	ug/L	40 U
91-20-3	Naphthalene	10 (G)	ug/L	190 D
100-02-7	4-Nitrophenol	1	ug/L	
85-01-8	Phenanthrene	50 (G)	ug/L	12 JD
108-95-2	Phenol	1	ug/L	40 U
129-00-0	Pyrene	50 (G)	ug/L	40 U
120-82-1	1,2,4-Trichlorobenzene	5	ug/L	40 U
	Total SVOCs			237

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	S-4DL G5118DL OBG 5116 Water 11/20/1997
CAS NO.	COMPOUND		UNITS:	
	PESTICIDES			
309-00-2	Aldrin	ND	ug/L	
319-84-6	alpha-BHC	0.01	ug/L	
319-85-7	beta-BHC	0.04	ug/L	
319-86-8	delta-BHC	0.04	ug/L	
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	
5103-71-9	alpha-Chlordane	0.05	ug/L	
5103-74-2	gamma-Chlordane	0.05	ug/L	
72-54-8	4,4'-DDD	0.3	ug/L	
72-55-9	4,4'-DDE	0.2	ug/L	
50-29-3	4,4'-DDT	0.2	ug/L	
60-57-1	Dieldrin	0.004	ug/L	
959-98-8	Endosulfan I	NS	ug/L	
33213-65-9	Endosulfan II	NS	ug/L	
1031-07-8	Endosulfan sulfate	NS	ug/L	
72-20-8	Endrin	ND	ug/L	
7421-93-4	Endrin aldehyde	5	ug/L	
53494-70-5	Endrin ketone	5	ug/L	
76-44-8	Heptachlor	0.04	ug/L	
1024-57-3	Heptachlor epoxide	0.03	ug/L	
72-43-5	Methoxychlor	35	ug/L	
	Total Pesticides			NA
	PCBs			
12674-11-2	Aroclor-1016	Sum PCBs of 0.09	ug/L	
53469-21-9	Aroclor-1242		ug/L	
12672-29-6	Aroclor-1248		ug/L	
11096-82-5	Aroclor-1260		ug/L	
	Total PCBs			NA
	INORGANICS			
7429-90-5	Aluminum	NS	ug/L	
7440-36-0	Antimony	3	ug/L	
7440-38-2	Arsenic	25	ug/L	
7440-39-3	Barium	1000	ug/L	
7440-41-7	Beryllium	3 (G)	ug/L	
7440-43-9	Cadmium	5	ug/L	
7440-70-2	Calcium	NS	ug/L	
7440-47-8	Chromium	50	ug/L	
7440-48-4	Cobalt	NS	ug/L	
7440-50-8	Copper	200	ug/L	
7439-89-6	Iron	300	ug/L	
7439-92-1	Lead	25	ug/L	
7439-95-4	Magnesium	35000 (G)	ug/L	
7439-96-5	Manganese	300	ug/L	
7439-97-6	Mercury	0.7	ug/L	
7440-02-0	Nickel	100	ug/L	
7440-09-7	Potassium	NS	ug/L	
7782-49-2	Selenium	10	ug/L	
7440-22-4	Silver	50	ug/L	
7440-23-5	Sodium	20000	ug/L	
7440-28-0	Thallium	0.5 (G)	ug/L	
7440-62-2	Vanadium	NS	ug/L	
7440-66-6	Zinc	2000 (G)	ug/L	
57-12-5	Cyanide	200	ug/L	

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	S-4 H1025	S-4 H7398	S-4DL H7398DL	S-4RE H7398RE	S-4 M0297
			Source: SDG: Matrix: Sampled:	OBG 6857 Water 2/20/1998	OBG 7810 Water 5/28/1998	OBG 7810 Water 5/28/1998	OBG 7810 Water 5/28/1998	OBG 1516 Water 4/21/1999
CAS NO.	COMPOUND		UNITS:					
	VOLATILES							
67-64-1	Acetone	50 (G)	ug/L	2 J	10 U			6 J
71-43-2	Benzene	1	ug/L	10 U	1 J			5 J
78-93-3	2-Butanone	50	ug/L	10 U	10 U			10 U
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U	10 U			10
108-90-7	Chlorobenzene	5	ug/L	10 U	10 U			10 U
75-00-3	Chloroethane	5	ug/L	10 U	10 U			10 U
67-66-3	Chloroform	7	ug/L					
74-87-3	Chloromethane	5	ug/L	10 U	10 U			10 U
75-34-3	1,1-Dichloroethane	5	ug/L	10 U	10 U			8 J
156-59-2	cis-1,2-Dichloroethene	5	ug/L					9 J
156-60-5	trans-1,2-Dichloroethene	5	ug/L					2 J
540-59-0	1,2-Dichloroethene (total)	5	ug/L	10 U	10 U			11
100-41-4	Ethylbenzene	5	ug/L	10 U	10 U			7 J
108-10-1	4-Methyl-2-pentanone	NS	ug/L	10 U	10 U			10 U
75-09-2	Methylene chloride	5	ug/L	10 U	10 U			2 J B
100-42-5	Styrene	5	ug/L					
127-18-4	Tetrachloroethene	5	ug/L	10 U	10 U			10 U
108-88-3	Toluene	5	ug/L	10 U	10 U			4 J
79-01-6	Trichloroethene	5	ug/L	10 U	10 U			10 U
75-01-4	Vinyl chloride	3	ug/L	10 U	10 U			4 J
1330-20-7	Xylene (total)	5	ug/L	10 U	10 U			24
	Total VOCs			2	1	NA	NA	92
	SEMIVOLATILES							
83-32-9	Acenaphthene	20 (G)	ug/L	10 U	6 J	6 JD	6 J	10 U
208-96-8	Acenaphthylene	NS	ug/L	10 U	5 J	5 JD	5 J	10 U
120-12-7	Anthracene	50(G)	ug/L	10 U	10 U	20 U	10 U	10 U
56-55-3	Benzo[a]anthracene	20 (G)	ug/L	10 U	10 U	20 U	10 U	10 U
50-32-8	Benzo[a]pyrene	ND	ug/L	10 U	10 U	20 U	10 U	10 U
205-99-2	Benzo[b]fluoranthene	0.002 (G)	ug/L	10 U	10 U	20 U	10 U	10 U
191-24-2	Benzo[g,h,i]perylene	NS	ug/L	10 U	10 U	20 U	10 U	10 U
207-08-9	Benzo[k]fluoranthene	0.002 (G)	ug/L	10 U	10 U	20 U	10 U	10 U
117-81-7	bis(2-Ethylhexyl)phthalate	5	ug/L	10 U	10 U	20 U	10 U	10 U
86-74-8	Carbazole	NS	ug/L	10 U	4 J	4 JD	4 J	10 U
59-50-7	4-Chloro-3-methylphenol	1	ug/L	10 U	10 U	20 U	10 U	5 J
218-01-9	Chrysene	0.002 (G)	ug/L	10 U	10 U	20 U	10 U	10 U
84-74-2	Di-n-butyl phthalate	50	ug/L					
53-70-3	Dibenz[a,h]anthracene	NS	ug/L	10 U	10 U	20 U	10 U	10 U
132-64-9	Dibenzofuran	NS	ug/L	10 U	5 J	5 JD	5 J	10 U
541-73-1	1,3-Dichlorobenzene	3	ug/L	10 U	10 U	20 U	10 U	1 J
106-46-7	1,4-Dichlorobenzene	3	ug/L	10 U	10 U	20 U	10 U	2 J
120-83-2	2,4-Dichlorophenol	1	ug/L	10 U	10 U	20 U	10 U	10 U
84-66-2	Diethyl phthalate	50 (G)	ug/L					
105-67-9	2,4-Dimethylphenol	1	ug/L	10 U	18	19 JD	19	51
131-11-3	Dimethyl phthalate	50 (G)	ug/L	10 U	10 U	20 U	10 U	10 U
206-44-0	Fluoranthene	50 (G)	ug/L	10 U	10 U	20 U	10 U	10 U
86-73-7	Fluorene	50 (G)	ug/L	10 U	6 J	7 JD	7 J	1 J
193-39-5	Indeno[1,2,3-cd]pyrene	0.002 (G)	ug/L	10 U	10 U	20 U	10 U	10 U
91-57-6	2-Methylnaphthalene	NS	ug/L	10 U	5 J	5 JD	5 J	2 J
95-48-7	2-Methylphenol	1	ug/L	10 U	6 J	6 JD	6 J	2 J
106-44-5	4-Methylphenol	1	ug/L	10 U	10	11 JD	11	10 U
91-20-3	Naphthalene	10 (G)	ug/L	10 U	110 E	110 D	110 E	11
100-02-7	4-Nitrophenol	1	ug/L					
85-01-8	Phenanthrene	50 (G)	ug/L	10 U	8 J	8 JD	8 J	10 U
108-95-2	Phenol	1	ug/L	10 U	1 J	20 U	1 J	10 U
129-00-0	Pyrene	50 (G)	ug/L	10 U	10 U	20 U	10 U	10 U
120-82-1	1,2,4-Trichlorobenzene	5	ug/L	10 U	10 U	20 U	10 U	10 U
	Total SVOCs			ND	184	186	187	75

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	S-4 H1025	S-4 H7398	S-4DL H7398DL	S-4RE H7398RE	S-4 M0297
			Source: SDG: Matrix: Sampled:	OBG 6857 Water 2/20/1998	OBG 7810 Water 5/28/1998	OBG 7810 Water 5/28/1998	OBG 7810 Water 5/28/1998	OBG 1516 Water 4/21/1999
CAS NO.	COMPOUND		UNITS:					
PESTICIDES								
309-00-2	Aldrin	ND	ug/L	0.05 U	0.051 U			0.05 U
319-84-6	alpha-BHC	0.01	ug/L	0.05 U	0.051 U			0.05 U
319-85-7	beta-BHC	0.04	ug/L	0.05 U	0.051 U			0.05 U
319-86-8	delta-BHC	0.04	ug/L	0.05 U	0.051 U			0.008 JP
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.0021 JP	0.051 U			0.05 U
5103-71-9	alpha-Chlordane	0.05	ug/L	0.0036 JP	0.051 U			0.012 JP
5103-74-2	gamma-Chlordane	0.05	ug/L	0.05 U	0.011 JP			0.05 U
72-54-8	4,4'-DDD	0.3	ug/L	0.0045 JP	0.1 U			0.0047 JP
72-55-9	4,4'-DDE	0.2	ug/L	0.017 J	0.1 U			0.1 U
50-29-3	4,4'-DDT	0.2	ug/L	0.0085 JP	0.1 U			0.022 BJP
60-57-1	Dieldrin	0.004	ug/L	0.1 U	0.1 U			0.1 U
959-98-8	Endosulfan I	NS	ug/L	0.05 U	0.051 U			0.05 U
33213-65-9	Endosulfan II	NS	ug/L	0.1 U	0.1 U			0.0079 JP
1031-07-8	Endosulfan sulfate	NS	ug/L	0.1 U	0.0078 JP			0.0023 BJP
72-20-8	Endrin	ND	ug/L	0.1 U	0.1 U			0.011 JP
7421-93-4	Endrin aldehyde	5	ug/L	0.1 U	0.1 U			0.0096 JP
53494-70-5	Endrin ketone	5	ug/L	0.1 U	0.1 U			0.0075 JP
76-44-8	Heptachlor	0.04	ug/L	0.05 U	0.051 U			0.05 U
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.05 U	0.051 U			0.025 J
72-43-5	Methoxychlor	35	ug/L	0.5 U	0.51 U			0.5 U
Total Pesticides				0.0357	0.0188	NA	NA	0.11
PCBs								
12674-11-2	Aroclor-1016	Sum PCBs of 0.09	ug/L					
53469-21-9	Aroclor-1242		ug/L	1 U	1 U			1.5 P
12672-29-6	Aroclor-1248		ug/L	1 U	1 U			1 U
11096-82-5	Aroclor-1260		ug/L	1 U	1 U			1 U
Total PCBs				ND	ND	NA	NA	1.5
INORGANICS								
7429-90-5	Aluminum	NS	ug/L	935	329			58.9 B
7440-36-0	Antimony	3	ug/L	2.6 U	2.9 U			1.6 U
7440-38-2	Arsenic	25	ug/L	4.2 U	16.8			1.9 U
7440-39-3	Barium	1000	ug/L	40.5 B	54.1 B			68.9 B
7440-41-7	Beryllium	3 (G)	ug/L	0.07 U	0.12 U			0.13
7440-43-9	Cadmium	5	ug/L	0.3 U	0.49 U			0.5 B
7440-70-2	Calcium	NS	ug/L	74100	134000			456000
7440-47-8	Chromium	50	ug/L	3.3 B	1.6 U			2 B
7440-48-4	Cobalt	NS	ug/L	1.2 U	2.3 U			1.6 U
7440-50-8	Copper	200	ug/L	3.2 B	1.2 B			0.49 U
7439-89-6	Iron	300	ug/L	1070	155			463
7439-92-1	Lead	25	ug/L	1.1 U	1.8 U			1.2 B
7439-95-4	Magnesium	35000 (G)	ug/L	17600	3900 B			10700
7439-96-5	Manganese	300	ug/L	525	83.1			357
7439-97-6	Mercury	0.7	ug/L	0.2 U	0.09 U			0.11 U
7440-02-0	Nickel	100	ug/L	2.3 B	1.4 U			1.3 U
7440-09-7	Potassium	NS	ug/L	12600	22900			60200
7782-49-2	Selenium	10	ug/L	4 U	4.8 U			3.6 U
7440-22-4	Silver	50	ug/L	0.6 U	1.1 U			1 U
7440-23-5	Sodium	20000	ug/L	13300	24400			36400
7440-28-0	Thallium	0.5 (G)	ug/L	4.5 B	7.4 U			3.8 U
7440-62-2	Vanadium	NS	ug/L	3 B	2.2 B			2 B
7440-66-6	Zinc	2000 (G)	ug/L	480	14.3 B			2.5 B
57-12-5	Cyanide	200	ug/L	15.9	70.5			48.9

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	S-4RE M0297RE	S-4 N5018	S-4 Q4028	S-4 R7178	S-4 S7279
			Source: SDG: Matrix: Sampled:	OBG 1516 Water 4/21/1999	OBG 3880 Water 11/10/1999	OBG 5512 Water 4/28/2000	OBG 7645 Water 12/14/2000	OBG 9259 Water 6/19/2001
CAS NO.	COMPOUND		UNITS:					
	VOLATILES							
67-64-1	Acetone	50 (G)	ug/L		10 U	10 U	3 J	4 J
71-43-2	Benzene	1	ug/L		10 U	10 U	10 U	10 U
78-93-3	2-Butanone	50	ug/L		10 U	10 U	10 U	10 U
75-15-0	Carbon disulfide	60 (G)	ug/L		10 U	10 U	10 U	10 U
108-90-7	Chlorobenzene	5	ug/L		10 U	10 U	10 U	10 U
75-00-3	Chloroethane	5	ug/L		10 U	10 U	10 U	10 U
67-66-3	Chloroform	7	ug/L					
74-87-3	Chloromethane	5	ug/L		10 U	10 U	10 U	10 U
75-34-3	1,1-Dichloroethane	5	ug/L		10 U	10 U	10 U	10 U
156-59-2	cis-1,2-Dichloroethene	5	ug/L			10 U		10 U
156-60-5	trans-1,2-Dichloroethene	5	ug/L			10 U		10 U
540-59-0	1,2-Dichloroethene (total)	5	ug/L		10 U	10 U	1 J	
100-41-4	Ethylbenzene	5	ug/L		10 U	10 U	10 U	10 U
108-10-1	4-Methyl-2-pentanone	NS	ug/L		10 U	10 U	10 U	10 U
75-09-2	Methylene chloride	5	ug/L		10 U	10 U	10 U	10 U
100-42-5	Styrene	5	ug/L					
127-18-4	Tetrachloroethene	5	ug/L		10 U	10 U	10 U	10 U
108-88-3	Toluene	5	ug/L		10 U	10 U	10 U	10 U
79-01-6	Trichloroethene	5	ug/L		10 U	10 U	10 U	10 U
75-01-4	Vinyl chloride	3	ug/L		10 U	10 U	10 U	10 U
1330-20-7	Xylene (total)	5	ug/L		10 U	10 U	1 J	10 U
	Total VOCs			NA	ND	ND	5	4
	SEMIVOLATILES							
83-32-9	Acenaphthene	20 (G)	ug/L	10 U	1 J	10 U	10 U	10 U
208-96-8	Acenaphthylene	NS	ug/L	10 U	1 J	10 U	10 U	10 U
120-12-7	Anthracene	50(G)	ug/L	10 U	10 U	10 U	10 U	10 U
56-55-3	Benzo[a]anthracene	20 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
50-32-8	Benzo[a]pyrene	ND	ug/L	10 U	10 U	10 U	10 U	10 U
205-99-2	Benzo[b]fluoranthene	0.002 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
191-24-2	Benzo[g,h,i]perylene	NS	ug/L	10 U	10 U	10 U	10 U	10 U
207-08-9	Benzo[k]fluoranthene	0.002 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
117-81-7	bis(2-Ethylhexyl)phthalate	5	ug/L	10 U	10 U	2 J	2 J	4 J
86-74-8	Carbazole	NS	ug/L	10 U	10 U	10 U		10 U
59-50-7	4-Chloro-3-methylphenol	1	ug/L	4 J	10 U	10 U	3 J	10 U
218-01-9	Chrysene	0.002 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
84-74-2	Di-n-butyl phthalate	50	ug/L					
53-70-3	Dibenz[a,h]anthracene	NS	ug/L	10 U	10 U	10 U	10 U	10 U
132-64-9	Dibenzofuran	NS	ug/L	10 U	10 U	10 U	10 U	10 U
541-73-1	1,3-Dichlorobenzene	3	ug/L	1 J	10 U	10 U	10 U	10 U
106-46-7	1,4-Dichlorobenzene	3	ug/L	2 J	10 U	10 U	10 U	10 U
120-83-2	2,4-Dichlorophenol	1	ug/L	10 U	10 U	10 U	10 U	10 U
84-66-2	Diethyl phthalate	50 (G)	ug/L					
105-67-9	2,4-Dimethylphenol	1	ug/L	37	2 J	10 U	10 U	10 U
131-11-3	Dimethyl phthalate	50 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
206-44-0	Fluoranthene	50 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
86-73-7	Fluorene	50 (G)	ug/L	1 J	1 J	10 U	10 U	10 U
193-39-5	Indeno[1,2,3-cd]pyrene	0.002 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
91-57-6	2-Methylnaphthalene	NS	ug/L	1 J	10 U	10 U	10 U	10 U
95-48-7	2-Methylphenol	1	ug/L	2 J	10 U	10 U	2 J	10 U
106-44-5	4-Methylphenol	1	ug/L	10 U	10 U	10 U	10 U	10 U
91-20-3	Naphthalene	10 (G)	ug/L	8 J	10 U	10 U	10 U	10 U
100-02-7	4-Nitrophenol	1	ug/L					
85-01-8	Phenanthrene	50 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
108-95-2	Phenol	1	ug/L	10 U	10 U	10 U	10 U	10 U
129-00-0	Pyrene	50 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
120-82-1	1,2,4-Trichlorobenzene	5	ug/L	10 U	10 U	10 U	10 U	10 U
	Total SVOCs			56	5	2	7	4

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	S-4RE M0297RE	S-4 N5018	S-4 Q4028	S-4 R7178	S-4 S7279
			Source: SDG: Matrix: Sampled:	OBG 1516 Water 4/21/1999	OBG 3880 Water 11/10/1999	OBG 5512 Water 4/28/2000	OBG 7645 Water 12/14/2000	OBG 9259 Water 6/19/2001
CAS NO.	COMPOUND		UNITS:					
	PESTICIDES							
309-00-2	Aldrin	ND	ug/L		0.05 U	0.0021 JP	0.05 U	0.05 U
319-84-6	alpha-BHC	0.01	ug/L		0.05 U	0.0016 J	0.05 U	0.05 U
319-85-7	beta-BHC	0.04	ug/L		0.05 U	0.051 U	0.05 U	0.05 U
319-86-8	delta-BHC	0.04	ug/L		0.05 U	0.051 U	0.0035 BJP	0.05 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L		0.05 U	0.051 U	0.05 U	0.05 U
5103-71-9	alpha-Chlordane	0.05	ug/L		0.0049 JP	0.051 U	0.05 U	0.05 U
5103-74-2	gamma-Chlordane	0.05	ug/L		0.05 U	0.051 U	0.05 U	0.05 U
72-54-8	4,4'-DDD	0.3	ug/L		0.1 U	0.1 U	0.1 U	0.1 U
72-55-9	4,4'-DDE	0.2	ug/L		0.011 JP	0.01 J	0.0036 J	0.0028 BJP
50-29-3	4,4'-DDT	0.2	ug/L		0.0071 JP	0.003 JP	0.0021 JP	0.1 U
60-57-1	Dieldrin	0.004	ug/L		0.1 U	0.1 U	0.1 U	0.1 U
959-98-8	Endosulfan I	NS	ug/L		0.05 U	0.051 U	0.05 U	0.05 U
33213-65-9	Endosulfan II	NS	ug/L		0.0012 JP	0.0012 JP	0.1 U	0.1 U
1031-07-8	Endosulfan sulfate	NS	ug/L		0.1 U	0.1 U	0.0032 JP	0.1 U
72-20-8	Endrin	ND	ug/L		0.1 U	0.1 U	0.011 JP	0.1 U
7421-93-4	Endrin aldehyde	5	ug/L		0.0037 J	0.1 J	0.0044 J	0.1 U
53494-70-5	Endrin ketone	5	ug/L		0.1 U	0.1 U	0.1 U	0.1 U
76-44-8	Heptachlor	0.04	ug/L		0.05 U	0.051 U	0.05 U	0.05 U
1024-57-3	Heptachlor epoxide	0.03	ug/L		0.0041 JP	0.051 U	0.05 U	0.05 U
72-43-5	Methoxychlor	35	ug/L		0.5 U	0.51 U	0.5 U	0.5 U
	Total Pesticides			NA	0.032	0.1179	0.0278	0.0028
	PCBs							
12674-11-2	Aroclor-1016	Sum PCBs of 0.09	ug/L					
53469-21-9	Aroclor-1242		ug/L		1 U	1 U	1 U	1 U
12672-29-6	Aroclor-1248		ug/L		1 U	1 U	1 U	1 U
11096-82-5	Aroclor-1260		ug/L		1 U	1 U	1 U	1 U
	Total PCBs			NA	ND	ND	ND	ND
	INORGANICS							
7429-90-5	Aluminum	NS	ug/L		331	700	202 E	170 B
7440-36-0	Antimony	3	ug/L		2.5 U	1.9 U	1.7 B	1.4 U
7440-38-2	Arsenic	25	ug/L		5.3 B	2.2 U	2 U	1.6 U
7440-39-3	Barium	1000	ug/L		40.6 B	18 B	32.1 B	60.3 B
7440-41-7	Beryllium	3 (G)	ug/L		0.04 U	0.14 U	0.31 B	0.08 U
7440-43-9	Cadmium	5	ug/L		0.3 U	0.28 U	0.25 U	0.24 U
7440-70-2	Calcium	NS	ug/L		153000	58000	151000	139000
7440-47-8	Chromium	50	ug/L		1.6 BE	5.5 B	2.1 B	2.5 B
7440-48-4	Cobalt	NS	ug/L		1.7 U	1.4 B	0.86 U	0.93 U
7440-50-8	Copper	200	ug/L		1.8 B	6.7 B	2.6 B	3.2 B
7439-89-6	Iron	300	ug/L		411	1230	1100	2700
7439-92-1	Lead	25	ug/L		1.3 U	1.1 U	1.4 B	0.66 U
7439-95-4	Magnesium	35000 (G)	ug/L		3640 B	7320	11400	14400
7439-96-5	Manganese	300	ug/L		88.8	53.1	368	370
7439-97-6	Mercury	0.7	ug/L		0.11 U	0.11 U	0.17 U	0.18 U
7440-02-0	Nickel	100	ug/L		2.7 BE	5.3 B	2.4 B	2.7 B
7440-09-7	Potassium	NS	ug/L		26300	14400	23200 E	23600
7782-49-2	Selenium	10	ug/L		5.2	3.7 U	2.8 B	1.8 U
7440-22-4	Silver	50	ug/L		0.78 U	0.75 U	0.73 U	0.73 U
7440-23-5	Sodium	20000	ug/L		23600 E	8060	13700	18000
7440-28-0	Thallium	0.5 (G)	ug/L		5.1 U	4.9 U	3.7 U	3.6 U
7440-62-2	Vanadium	NS	ug/L		12 BE	2.6 B	3.8 B	1.4 B
7440-66-6	Zinc	2000 (G)	ug/L		5.7 B	22.6	2.8 B	5.6 B
57-12-5	Cyanide	200	ug/L		108	10 U	23.6	11.1

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	S-4 T6910	S-4 V4635	S-4 Z7445	S-4 A7427	S-4 B4293
			Source: SDG: Matrix: Sampled:	OBG 739 Water 12/12/2001	OB 2494 Water 6/19/2002	OB 4203 Water 12/17/2002	OB 5716 Water 6/23/2003	OB 6968 Water 12/16/2003
CAS NO.	COMPOUND		UNITS:					
	VOLATILES							
67-64-1	Acetone	50 (G)	ug/L	10 U	10 U	2 JB	10 U	10 U
71-43-2	Benzene	1	ug/L	10 U	10 U	10 U	10 U	1 J
78-93-3	2-Butanone	50	ug/L	10 U	10 U	10 U	10 U	10 U
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
108-90-7	Chlorobenzene	5	ug/L	10 U	10 U	10 U	10 U	10 U
75-00-3	Chloroethane	5	ug/L	10 U	10 U	10 U	10 U	10 U
67-66-3	Chloroform	7	ug/L					
74-87-3	Chloromethane	5	ug/L	10 U	10 U	10 U	10 U	10 U
75-34-3	1,1-Dichloroethane	5	ug/L	10 U	10 U	10 U	1 J	1 J
156-59-2	cis-1,2-Dichloroethene	5	ug/L	10 U	10 U	10 U	1 J	2 J
156-60-5	trans-1,2-Dichloroethene	5	ug/L	10 U	10 U	10 U	10 U	10 U
540-59-0	1,2-Dichloroethene (total)	5	ug/L					
100-41-4	Ethylbenzene	5	ug/L	10 U	10 U	10 U	10 U	10 U
108-10-1	4-Methyl-2-pentanone	NS	ug/L	10 U	10 U	10 U	10 U	10 U
75-09-2	Methylene chloride	5	ug/L	1 JB	1 J	0.9 JB	10 U	1 JB
100-42-5	Styrene	5	ug/L					
127-18-4	Tetrachloroethene	5	ug/L	10 U	10 U	10 U	10 U	10 U
108-88-3	Toluene	5	ug/L	10 U	10 U	10 U	10 U	10 U
79-01-6	Trichloroethene	5	ug/L	10 U	10 U	10 U	10 U	10 U
75-01-4	Vinyl chloride	3	ug/L	10 U	10 U	10 U	10 U	10 U
1330-20-7	Xylene (total)	5	ug/L	10 U	10 U	0.5 J	2 J	5 J
	Total VOCs			1	1	3.4	4	10
	SEMIVOLATILES							
83-32-9	Acenaphthene	20 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
208-96-8	Acenaphthylene	NS	ug/L	10 U	10 U	10 U	10 U	10 U
120-12-7	Anthracene	50(G)	ug/L	10 U	10 U	10 U	10 U	10 U
56-55-3	Benzo[a]anthracene	20 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
50-32-8	Benzo[a]pyrene	ND	ug/L	10 U	10 U	10 U	10 U	10 U
205-99-2	Benzo[b]fluoranthene	0.002 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
191-24-2	Benzo[g,h,i]perylene	NS	ug/L	10 U	10 U	10 U	10 U	10 U
207-08-9	Benzo[k]fluoranthene	0.002 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
117-81-7	bis(2-Ethylhexyl)phthalate	5	ug/L	10 U	5 J	10 U	10 U	10 U
86-74-8	Carbazole	NS	ug/L	10 U	10 U	10 U	10 U	10 U
59-50-7	4-Chloro-3-methylphenol	1	ug/L	10 U	10 U	2 J	36	10 U
218-01-9	Chrysene	0.002 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
84-74-2	Di-n-butyl phthalate	50	ug/L					
53-70-3	Dibenz[a,h]anthracene	NS	ug/L	10 U	10 U	10 U	10 U	10 U
132-64-9	Dibenzofuran	NS	ug/L	10 U	10 U	10 U	10 U	10 U
541-73-1	1,3-Dichlorobenzene	3	ug/L	10 U	10 U	10 U	10 U	10 U
106-46-7	1,4-Dichlorobenzene	3	ug/L	10 U	10 U	10 U	10 U	10 U
120-83-2	2,4-Dichlorophenol	1	ug/L	10 U	10 U	10 U	10 U	10 U
84-66-2	Diethyl phthalate	50 (G)	ug/L					
105-67-9	2,4-Dimethylphenol	1	ug/L	10 U	10 U	1 J	3 J	3 J
131-11-3	Dimethyl phthalate	50 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
206-44-0	Fluoranthene	50 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
86-73-7	Fluorene	50 (G)	ug/L	10 U	10 U	10 U	10 U	1 J
193-39-5	Indeno[1,2,3-cd]pyrene	0.002 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
91-57-6	2-Methylnaphthalene	NS	ug/L	10 U	10 U	10 U	10 U	10 U
95-48-7	2-Methylphenol	1	ug/L	10 U	10 U	10 U	1 J	2 J
106-44-5	4-Methylphenol	1	ug/L	10 U	10 U	10 U	10 U	10 U
91-20-3	Naphthalene	10 (G)	ug/L	10 U	10 U	2 J	10 U	5 J
100-02-7	4-Nitrophenol	1	ug/L					
85-01-8	Phenanthrene	50 (G)	ug/L	10 U	10 U	10 U	10 U	1 J
108-95-2	Phenol	1	ug/L	10 U	10 U	10 U	10 U	10 U
129-00-0	Pyrene	50 (G)	ug/L	10 U	10 U	10 U	10 U	10 U
120-82-1	1,2,4-Trichlorobenzene	5	ug/L	10 U	10 U	10 U	10 U	10 U
	Total SVOCs			ND	5	3	40	12

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample	S-4 T6910	S-4 V4635	S-4 Z7445	S-4 A7427	S-4 B4293
			Source: SDG: Matrix: Sampled:	OBG 739 Water 12/12/2001	OB 2494 Water 6/19/2002	OB 4203 Water 12/17/2002	OB 5716 Water 6/23/2003	OB 6968 Water 12/16/2003
CAS NO.	COMPOUND		UNITS:					
PESTICIDES								
309-00-2	Aldrin	ND	ug/L	0.051 U	0.0091 JP	0.053 U	0.05 U	0.053 U
319-84-6	alpha-BHC	0.01	ug/L	0.051 U	0.053 U	0.053 U	0.013 JP	0.0091 J
319-85-7	beta-BHC	0.04	ug/L	0.051 U	0.053 U	0.053 U	0.05 U	0.053 U
319-86-8	delta-BHC	0.04	ug/L	0.051 U	0.053 U	0.053 U	0.05 U	0.053 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.051 U	0.053 U	0.053 U	0.05 U	0.012 JP
5103-71-9	alpha-Chlordane	0.05	ug/L	0.051 U	0.053 U	0.053 U	0.05 U	0.053 U
5103-74-2	gamma-Chlordane	0.05	ug/L	0.051 U	0.053 U	0.053 U	0.0062 JP	0.053 U
72-54-8	4,4'-DDD	0.3	ug/L	0.1 U	0.11 U	0.11 U	0.1 U	0.11 U
72-55-9	4,4'-DDE	0.2	ug/L	0.1 U	0.11 U	0.11 U	0.1 U	0.11 U
50-29-3	4,4'-DDT	0.2	ug/L	0.1 U	0.11 U	0.11 U	0.0026 JP	0.11 U
60-57-1	Dieldrin	0.004	ug/L	0.0037 JP	0.11 U	0.11 U	0.0097 J	0.11 U
959-98-8	Endosulfan I	NS	ug/L	0.051 U	0.053 U	0.053 U	0.0099 JP	0.053 U
33213-65-9	Endosulfan II	NS	ug/L	0.1 U	0.11 U	0.11 U	0.0052 JP	0.11 U
1031-07-8	Endosulfan sulfate	NS	ug/L	0.1 U	0.11 U	0.11 U	0.1 U	0.11 U
72-20-8	Endrin	ND	ug/L	0.1 U	0.11 U	0.11 U	0.1 U	0.11 U
7421-93-4	Endrin aldehyde	5	ug/L	0.011 BJP	0.11 U	0.11 U	0.0081 BJP	0.11 U
53494-70-5	Endrin ketone	5	ug/L	0.1 U	0.11 U	0.11 U	0.1 U	0.11 U
76-44-8	Heptachlor	0.04	ug/L	0.051 U	0.053 U	0.053 U	0.0057 J	0.053 U
1024-57-3	Heptachlor epoxide	0.03	ug/L	0.00066 JP	0.053 U	0.053 U	0.05 U	0.053 U
72-43-5	Methoxychlor	35	ug/L	0.51 U	0.53 U	0.53 U	0.5 U	0.53 U
Total Pesticides				0.01536	0.0091	ND	0.0604	0.0211
PCBs								
12674-11-2	Aroclor-1016	Sum PCBs of 0.09	ug/L					
53469-21-9	Aroclor-1242		ug/L	1 U	1.1 U	1.1 U	1 U	1.1 U
12672-29-6	Aroclor-1248		ug/L	1 U	1.1 U	1.1 U	1 U	1.1 U
11096-82-5	Aroclor-1260		ug/L	1 U	1.1 U	1.1 U	1 U	1.1 U
Total PCBs				ND	ND	ND	ND	ND
INORGANICS								
7429-90-5	Aluminum	NS	ug/L	24.7 B	249	128 B	12.8 B	21.7 B
7440-36-0	Antimony	3	ug/L	2.1 U	2.3 U	2.1 U	1.7 U	1.4 U
7440-38-2	Arsenic	25	ug/L	2.6 B	2.3 B	2.7 B	2.4 B	4.4 B
7440-39-3	Barium	1000	ug/L	137 B	117 B	17 B	51.2 B	28.8 B
7440-41-7	Beryllium	3 (G)	ug/L	0.13 B	0.2 B	0.01 U	0.1 B	0.12 U
7440-43-9	Cadmium	5	ug/L	0.37 U	0.31 U	0.37 U	0.35 U	0.35 U
7440-70-2	Calcium	NS	ug/L	208000	134000	112000	307000	196000
7440-47-8	Chromium	50	ug/L	11.5	3.2 B E	1.2 U	1.6 U	1.7 U
7440-48-4	Cobalt	NS	ug/L	0.72 U	1.2 U	1.6 U	1.4 U	2 U
7440-50-8	Copper	200	ug/L	0.46 U	6.3 B	5.4 B	6.8 B	2.1 U
7439-89-6	Iron	300	ug/L	57300	7860	456	1380	848
7439-92-1	Lead	25	ug/L	1.5 U	1.8 U N	0.78 U	1.3 U	1.7 U
7439-95-4	Magnesium	35000 (G)	ug/L	45500	13600	10000	3520 B	3090 B
7439-96-5	Manganese	300	ug/L	2040	660	188	729	317
7439-97-6	Mercury	0.7	ug/L	0.15 U	0.12 U	0.02 U	0.05 U	0.02 U
7440-02-0	Nickel	100	ug/L	4 B	3.6 B	1.6 U	1.2 U	1.8 B
7440-09-7	Potassium	NS	ug/L	34700	27600	21400	63300	51800
7782-49-2	Selenium	10	ug/L	2.6 B	1.5 U	3.7 B	5 B	8.7
7440-22-4	Silver	50	ug/L	1 U	1.8 U	1.2 U	1.1 U	1.6 U
7440-23-5	Sodium	20000	ug/L	64500	26300 E	15000	46900	45700
7440-28-0	Thallium	0.5 (G)	ug/L	5.1 U	4.8 U	3.6 U	4 U	4.8 U
7440-62-2	Vanadium	NS	ug/L	1.6 B	1.1 U	4.4 B	2.2 B	14.6 B
7440-66-6	Zinc	2000 (G)	ug/L	1.4 U	48.1	2.7 B	11.8 B	1.6 U
57-12-5	Cyanide	200	ug/L	24.5	10 U	16.8	29	32.2

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	S-4 E1191 OB 6968 Water 6/9/2004	S-4 0508015-002A OB 6968 Water 8/1/2005	S-4 0603095-005A LSL-BL 6030950 Water 3/21/2006	S-4 A7E985013 BM A07-E985 Water 12/27/2007
CAS NO.	COMPOUND		UNITS:				
VOLATILES							
67-64-1	Acetone	50 (G)	ug/L	3 JB	3 BJ	3 BJ	5 U
71-43-2	Benzene	1	ug/L		0.8 J	0.9 J	1 U
78-93-3	2-Butanone	50	ug/L	10 U			1 U
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U			1 U
108-90-7	Chlorobenzene	5	ug/L	10 U	10 U	U	1 U
75-00-3	Chloroethane	5	ug/L				1 U
67-66-3	Chloroform	7	ug/L		10 U		1 U
74-87-3	Chloromethane	5	ug/L				1 U
75-34-3	1,1-Dichloroethane	5	ug/L	0.6 J	1 J	1 J	1 U
156-59-2	cis-1,2-Dichloroethene	5	ug/L	0.8 J	2 J	2 J	1 U
156-60-5	trans-1,2-Dichloroethene	5	ug/L				1 U
540-59-0	1,2-Dichloroethene (total)	5	ug/L				1 U
100-41-4	Ethylbenzene	5	ug/L		0.9 BJ	U	1 U
108-10-1	4-Methyl-2-pentanone	NS	ug/L	10 U		1 J	1 U
75-09-2	Methylene chloride	5	ug/L	0.7 JB	0.9 BJ	1 BJ	1 U
100-42-5	Styrene	5	ug/L		10 U		1 U
127-18-4	Tetrachloroethene	5	ug/L		0.6 J	0.5 J	1 U
108-88-3	Toluene	5	ug/L	10 U	1 J	2 J	1 U
79-01-6	Trichloroethene	5	ug/L			0.8 J	1 U
75-01-4	Vinyl chloride	3	ug/L				1 U
1330-20-7	Xylene (total)	5	ug/L	1 J	5 J	12	3 U
Total VOCs				25	12.5	24.2	ND
SEMIVOLATILES							
83-32-9	Acenaphthene	20 (G)	ug/L	10 U	10 U		5 U
208-96-8	Acenaphthylene	NS	ug/L	10 U	1 J		5 U
120-12-7	Anthracene	50(G)	ug/L				5 U
56-55-3	Benzo[a]anthracene	20 (G)	ug/L	10 U	10 U	U	5 U
50-32-8	Benzo[a]pyrene	ND	ug/L	10 U	10 U	1 J	5 U
205-99-2	Benzo[b]fluoranthene	0.002 (G)	ug/L	10 U	10 U	U	5 U
191-24-2	Benzo[g,h,i]perylene	NS	ug/L	10 U	10 U	U	5 U
207-08-9	Benzo[k]fluoranthene	0.002 (G)	ug/L	10 U	10 U	U	5 U
117-81-7	bis(2-Ethylhexyl)phthalate	5	ug/L	10 U	1 J	2 J	5 U
86-74-8	Carbazole	NS	ug/L		1 J	1 J	5 U
59-50-7	4-Chloro-3-methylphenol	1	ug/L	9 J			5 U
218-01-9	Chrysene	0.002 (G)	ug/L	10 U	10 U	U	5 U
84-74-2	Di-n-butyl phthalate	50	ug/L			U	0.3 BJ
53-70-3	Dibenz[a,h]anthracene	NS	ug/L	10 U	10 U		5 U
132-64-9	Dibenzofuran	NS	ug/L		1 J		5 U
541-73-1	1,3-Dichlorobenzene	3	ug/L	10 U			10 U
106-46-7	1,4-Dichlorobenzene	3	ug/L	10 U	10 U	1 J	10 U
120-83-2	2,4-Dichlorophenol	1	ug/L				5 U
84-66-2	Diethyl phthalate	50 (G)	ug/L		10 U		5 U
105-67-9	2,4-Dimethylphenol	1	ug/L	11	39	46	5 U
131-11-3	Dimethyl phthalate	50 (G)	ug/L		10 U		5 U
206-44-0	Fluoranthene	50 (G)	ug/L	10 U	10 U	U	5 U
86-73-7	Fluorene	50 (G)	ug/L	10 U	2 J		5 U
193-39-5	Indeno[1,2,3-cd]pyrene	0.002 (G)	ug/L	10 U	10 U	U	5 U
91-57-6	2-Methylnaphthalene	NS	ug/L		10 U	3 J	5 U
95-48-7	2-Methylphenol	1	ug/L	2 J	13	14	5 U
106-44-5	4-Methylphenol	1	ug/L	10 U	22	22	5 U
91-20-3	Naphthalene	10 (G)	ug/L		10 U	15	5 U
100-02-7	4-Nitrophenol	1	ug/L	26 U	26 U		10 U
85-01-8	Phenanthrene	50 (G)	ug/L		1 J		5 U
108-95-2	Phenol	1	ug/L	10 U	2 J	2 J	5 U
129-00-0	Pyrene	50 (G)	ug/L	10 U	10 U	U	5 U
120-82-1	1,2,4-Trichlorobenzene	5	ug/L				10 U
Total SVOCs				22	83	106	0.3

Detected Constituent Summary
Sump Samples

Cherry Farm Sump Samples Detected Compound Summary		NYSDEC Class GA Groundwater Standards/ Guidance Values	Sample ID: Lab Sample Source: SDG: Matrix: Sampled:	S-4 E1191 OB 6968 Water 6/9/2004	S-4 0508015-002A OB 6968 Water 8/1/2005	S-4 0603095-005A LSL-BL 6030950 Water 3/21/2006	S-4 A7E985013 BM A07-E985 Water 12/27/2007
CAS NO.	COMPOUND		UNITS:				
PESTICIDES							
309-00-2	Aldrin	ND	ug/L			U	0.05 U
319-84-6	alpha-BHC	0.01	ug/L		0.051 U		0.05 U
319-85-7	beta-BHC	0.04	ug/L		0.0047 PJ	U	0.05 U
319-86-8	delta-BHC	0.04	ug/L		0.051 U	U	0.05 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.0031 JP	0.0086 PJ	0.018 PJ	0.03 J
5103-71-9	alpha-Chlordane	0.05	ug/L		0.051 U		0.011 J
5103-74-2	gamma-Chlordane	0.05	ug/L	0.021 BJP	0.02 PJ	U	0.05 U
72-54-8	4,4'-DDD	0.3	ug/L	0.0099 JP	0.01 U	U	0.05 U
72-55-9	4,4'-DDE	0.2	ug/L	0.013 J	0.019 J	U	0.039 J
50-29-3	4,4'-DDT	0.2	ug/L	0.008 J	0.051 U		0.046 J
60-57-1	Dieldrin	0.004	ug/L	0.0045 BJP	0.1 U	0.0027 J	0.023 J
959-98-8	Endosulfan I	NS	ug/L	0.011 JP	0.051 U	U	0.005 J
33213-65-9	Endosulfan II	NS	ug/L	0.1 U	0.1 U		0.05 U
1031-07-8	Endosulfan sulfate	NS	ug/L	0.1 U	0.1 U	0.0063 PJ	0.05 U
72-20-8	Endrin	ND	ug/L	0.1 U	0.1 U	U	0.05 U
7421-93-4	Endrin aldehyde	5	ug/L	0.013 J	0.1 U	0.0068 PJ	0.05 U
53494-70-5	Endrin ketone	5	ug/L	0.1 U	0.1 U	0.0023 PJ	0.05 U
76-44-8	Heptachlor	0.04	ug/L	0.052 U	0.051 U	U	0.019 J
1024-57-3	Heptachlor epoxide	0.03	ug/L		0.051 U	U	0.05 U
72-43-5	Methoxychlor	35	ug/L	0.75	0.051 U	0.018 PJ	0.05 U
	Total Pesticides			0.8335	0.0523	0.065	0.173
PCBs							
12674-11-2	Aroclor-1016	Sum PCBs of 0.09	ug/L			0.96 J	.053 U
53469-21-9	Aroclor-1242		ug/L	1 U	0.95 PJ		0.46 J
12672-29-6	Aroclor-1248		ug/L	0.77 J	1 U	U	.053 U
11096-82-5	Aroclor-1260		ug/L	1 U	1 U	U	.053 U
	Total PCBs			0.77	0.95	.96	0.46
INORGANICS							
7429-90-5	Aluminum	NS	ug/L	60.1 B	229	125 B	1920
7440-36-0	Antimony	3	ug/L	2.3 U	1.3 U	3.1 B	5.6 U
7440-38-2	Arsenic	25	ug/L	3.3 B	6.9 B	11.1	7.3 B
7440-39-3	Barium	1000	ug/L	20.4 B	14.1 B	13.7 B	19.3
7440-41-7	Beryllium	3 (G)	ug/L	0.08 U	0.046 U	U	0.49 B
7440-43-9	Cadmium	5	ug/L	0.39 U	0.28 U	U	0.36 U
7440-70-2	Calcium	NS	ug/L	156000	109000	114000	34800
7440-47-8	Chromium	50	ug/L	2.1 U	1.2 U	U	2.5 B
7440-48-4	Cobalt	NS	ug/L	1.9 U	1.2 U	U	0.89 U
7440-50-8	Copper	200	ug/L	1.7 B	0.72 U	U	4.5 B
7439-89-6	Iron	300	ug/L	275	183	473	1110
7439-92-1	Lead	25	ug/L	1.2 B	0.77 U	U	2.9 U
7439-95-4	Magnesium	35000 (G)	ug/L	3000 B	981 B	708 B	4640
7439-96-5	Manganese	300	ug/L	657	28.5	28.5 E	32.2
7439-97-6	Mercury	0.7	ug/L	0.04 B	0.18 B	0.21	0.12 U
7440-02-0	Nickel	100	ug/L	2.6 B	7.2 B	2.4 B	8.7 B
7440-09-7	Potassium	NS	ug/L	53400	53100	54400	11500
7782-49-2	Selenium	10	ug/L	4.6 B	2.9 B	3.8 B	10 B
7440-22-4	Silver	50	ug/L	1.6 U	0.53 U	U	1.3 B
7440-23-5	Sodium	20000	ug/L	48600	53600	52400	5140
7440-28-0	Thallium	0.5 (G)	ug/L	4.8 U	3.2 U		7 U
7440-62-2	Vanadium	NS	ug/L	3.7 B	7.4 B	9.2 B	8.4
7440-66-6	Zinc	2000 (G)	ug/L	7 B	5.1 B	3.9 B	15.5
57-12-5	Cyanide	200	ug/L	29.5	34.8	24.2	0.01 U

APPENDIX B-3
DETECTED CHEMICAL ANALYTICAL RESULTS
SURFACE WATER

Detected Constituent Summary
Surface Water Samples

Cherry Farm Surface Water Detected Compound Summary		NYSDEC Class A Surface Water Standards/ Guideline Values	Sample ID: Lab Sample	SW-1 G5192	SW-1 H0921	SW-1 H7401
			Source: SDG: Matrix: Sampled:	OBG 5116 Water 11/21/1997	OBG 6847 Water 2/18/1998	OBG 7810 Water 5/28/1998
CAS NO.	COMPOUND		UNITS:			
	VOLATILES					
67-64-1	Acetone	50 (G)	ug/L	10 U	10 U	10 U
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U	10 U	10 U
75-09-2	Methylene chloride	5	ug/L	10 U	10 U	10 U
1330-20-7	Xylene (total)	5	ug/L	10 U	10 U	10 U
	Total VOCs			ND	ND	ND
	SEMIVOLATILES					
117-81-7	bis(2-Ethylhexyl)phthalate	5	ug/L	10 U	10 U	1 J
84-74-2	Di-n-butyl phthalate	50				
	Total SVOCs			ND	ND	1
	PESTICIDES					
309-00-2	Aldrin	0.022 (G)	ug/L	0.05 U	0.051 U	0.052 U
319-84-6	alpha-BHC	0.01	ug/L	0.0031 JP	0.0068 J	0.052 U
319-85-7	beta-BHC	0.04	ug/L	0.05 U	0.051 U	0.052 U
319-86-8	delta-BHC	0.04	ug/L			
72-54-8	4,4'-DDD	0.3	ug/L	0.0022 JP	0.1 U	0.1 U
72-55-9	4,4'-DDE	0.2	ug/L	0.021 J	0.0019 JP	0.0032 JP
50-29-3	4,4'-DDT	0.2	ug/L	0.1 JP	0.1 U	0.1 U
60-57-1	Dieldrin	0.004	ug/L	0.1 U	0.1 U	0.0016 JP
33213-65-9	Endosulfan II	NS	ug/L	0.1 U	0.0059 J	0.1 U
1031-07-8	Endosulfan sulfate	NS	ug/L	0.1 U	0.1 U	0.001 JP
72-20-8	Endrin	0.2	ug/L	0.1 U	0.1 U	0.0017 JP
7421-93-4	Endrin aldehyde	5 (G)	ug/L	0.1 U	0.0059 JP	0.1 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.05 U	0.0023 J	0.0019 BJP
5103-74-2	gamma-Chlordane	0.05	ug/L	0.05 U	0.051 U	0.0026 JP
72-43-5	Methoxychlor	35	ug/L	0.5 U	0.51 U	0.52 U
	Total Pesticides			0.1263	0.0228	0.012
	PCBs					
	None Detected					
	INORGANICS					
7429-90-5	Aluminum	NS	ug/L	263	2630	73.6 B
7440-36-0	Antimony	3	ug/L	2.6 U	2.6 U	2.9 B
7440-38-2	Arsenic	25	ug/L	4.2 U	4.2 U	7.2 B
7440-39-3	Barium	1000	ug/L	12.2 B	33.9 B	26 B
7440-41-7	Beryllium	3 (G)	ug/L	0.06 U	0.08 B	0.12 U
7440-70-2	Calcium	NS	ug/L	34600	68900	134000
7440-47-8	Chromium	50	ug/L	2.6 B	7.4 B	1.6 U
7440-48-4	Cobalt	5	ug/L	1.1 U	1.2 U	2.3 U
7440-50-8	Copper	200	ug/L	3.4 B	8.1 B	0.84 U
7439-89-6	Iron	300	ug/L	300	2030	352
7439-92-1	Lead	50	ug/L	1 U	10.2	1.8 U
7439-95-4	Magnesium	35000 (G)	ug/L	11000	19200	57900
7439-96-5	Manganese	300	ug/L	6.4 B	70.5	220
7439-97-6	Mercury	0.7	ug/L	1.2 B	3.6 B	2.3 B
7440-02-0	Nickel	100	ug/L	4330 B	9890	76900
7440-09-7	Potassium	NS	ug/L	4.4 B	4 U	4.8 U
7782-49-2	Selenium	10	ug/L	0.56 U	0.6 U	1.1 U
7440-22-4	Silver	50	ug/L	6090	30400	134000
7440-23-5	Sodium	20000	ug/L	6090	30400	134000
7440-62-2	Vanadium	NS	ug/L	1.2 B	6.4 B	1.2 B
7440-66-6	Zinc	2000 (G)	ug/L	6.5 B	29.9	9.3 B
57-12-5	Cyanide	200	ug/L	10 U	10 U	10 U

Detected Constituent Summary
Surface Water Samples

Cherry Farm Surface Water Detected Compound Summary		NYSDEC Class A Surface Water Standards/ Guideline Values	Sample ID: Lab Sample	SW-1 M0192	SW-1 A9751102	SW-1 R7147	SW-1 T7110
			Source: SDG: Matrix: Sampled:	OBG 1489 Water 4/20/1999	OBG 11090 Water 11/9/1999	OBG 7645 Water 12/13/2000	OBG 764 Water 12/13/2001
CAS NO.	COMPOUND		UNITS:				
	VOLATILES						
67-64-1	Acetone	50 (G)	ug/L	10 U	10 U	10 U	10 U
75-15-0	Carbon disulfide	60 (G)	ug/L	5 J	10 U	10 U	10 U
75-09-2	Methylene chloride	5	ug/L	10 U	10 U	10 U	0.6 JB
1330-20-7	Xylene (total)	5	ug/L	10 U	10 U	2 J	10 U
	Total VOCs			5	ND	2	0.6
	SEMIVOLATILES						
117-81-7	bis(2-Ethylhexyl)phthalate	5	ug/L	10 U	9 U	4 J	11 U
84-74-2	Di-n-butyl phthalate	50					
	Total SVOCs			ND	ND	4	ND
	PESTICIDES						
309-00-2	Aldrin	0.022 (G)	ug/L	0.051 U	0.047 U	0.052 U	0.058 U
319-84-6	alpha-BHC	0.01	ug/L	0.0083 BJP	0.047 U	0.006 J	0.058 U
319-85-7	beta-BHC	0.04	ug/L	0.051 U	0.047 U	0.0087 JP	0.058 U
319-86-8	delta-BHC	0.04	ug/L				
72-54-8	4,4'-DDD	0.3	ug/L	0.002 J	0.094 U	0.0031 JP	0.12 U
72-55-9	4,4'-DDE	0.2	ug/L	0.1 U	0.094 U	0.1 U	0.12 U
50-29-3	4,4'-DDT	0.2	ug/L	0.1 U	0.094 U	0.1 U	0.12 U
60-57-1	Dieldrin	0.004	ug/L	0.00096 JP	0.094 U	0.0038 JP	0.0016 BJP
33213-65-9	Endosulfan II	NS	ug/L	0.00052 JP	0.094 U	0.1 U	0.12 U
1031-07-8	Endosulfan sulfate	NS	ug/L	0.0018 JP	0.094 U	0.1 U	0.12 U
72-20-8	Endrin	0.2	ug/L	0.00056 JP	0.094 U	0.0032 JP	0.12 U
7421-93-4	Endrin aldehyde	5 (G)	ug/L	0.1 U	0.094 U	0.1 U	0.01 BJP
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.051 U	0.047 U	0.052 U	0.058 U
5103-74-2	gamma-Chlordane	0.05	ug/L	0.0048 BJP	0.047 U	0.052 U	0.058 U
72-43-5	Methoxychlor	35	ug/L	0.51 U	0.47 U	0.061 BJP	0.58 U
	Total Pesticides			0.01894	ND	0.0858	0.0116
	PCBs						
	None Detected						
	INORGANICS						
7429-90-5	Aluminum	NS	ug/L	153 B	315	380 E	127 B
7440-36-0	Antimony	3	ug/L	8.3 B	6 U	3.4 B	2.1 U
7440-38-2	Arsenic	25	ug/L	5.2 B	8.9 B	5 B	5.3 B
7440-39-3	Barium	1000	ug/L	50.3 B	51.4 B	37.6 B	46.1 B
7440-41-7	Beryllium	3 (G)	ug/L	0.13 U	1 U	0.27 B	0.1 B
7440-70-2	Calcium	NS	ug/L	189000	152000	125000	192000
7440-47-8	Chromium	50	ug/L	8.7 B	2 U	10.3	7.6 B
7440-48-4	Cobalt	5	ug/L	1.6 U	2 U	0.86 U	1.1 B
7440-50-8	Copper	200	ug/L	3.6 B	4.3 B	2.5 B	1.9 B
7439-89-6	Iron	300	ug/L	223	282	473	305
7439-92-1	Lead	50	ug/L	1.1 U	3 U	2.3 B	1.5 U
7439-95-4	Magnesium	35000 (G)	ug/L	53200	40400	29800	56300
7439-96-5	Manganese	300	ug/L	71.6	39.8	93	48.7
7439-97-6	Mercury	0.7	ug/L	3.2 B	3.6 B	3.1 B	4.7 B
7440-02-0	Nickel	100	ug/L	66300	46700	29200 E	59600
7440-09-7	Potassium	NS	ug/L	3.6 U	9.8	2.4 B	2.6 B
7782-49-2	Selenium	10	ug/L	1 U	1 U	0.73 U	1 U
7440-22-4	Silver	50	ug/L	133000	79400	93600	99300
7440-23-5	Sodium	20000	ug/L	133000	79400	93600	99300
7440-62-2	Vanadium	NS	ug/L	9.9 B	2 U	2.9 B	2.7 B
7440-66-6	Zinc	2000 (G)	ug/L	23.7	15.8 B	15.4 B	15.9 B
57-12-5	Cyanide	200	ug/L	10 U		10 U	10 U

Detected Constituent Summary
Surface Water Samples

Cherry Farm Surface Water Detected Compound Summary		NYSDEC Class A Surface Water Standards/ Guideline Values	Sample ID: Lab Sample	SW-1 Z7446	SW-1 B4289	SW-1 E1194	SW-1 0603095-001A
			Source: SDG: Matrix: Sampled:	OB 4203 Water 12/17/2002	OB 6968 Water 12/16/2003	OB 6968 Water 6/9/2004	LSL-BL 6030950 Water 3/21/2006
CAS NO.	COMPOUND		UNITS:				
	VOLATILES						
67-64-1	Acetone	50 (G)	ug/L	2 JB	10 U	4 JB	2 BJ
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U	10 U	10 U	
75-09-2	Methylene chloride	5	ug/L	0.8 JB	2 JB	0.7 JB	1 BJ
1330-20-7	Xylene (total)	5	ug/L	10 U	10 U	10 U	U
	Total VOCs			2.8	2	4.7	3
	SEMIVOLATILES						
117-81-7	bis(2-Ethylhexyl)phthalate	5	ug/L	11 U	10 U	10 U	U
84-74-2	Di-n-butyl phthalate	50					
	Total SVOCs			ND	ND	ND	ND
	PESTICIDES						
309-00-2	Aldrin	0.022 (G)	ug/L	0.052 U	0.051 U	0.051 U	U
319-84-6	alpha-BHC	0.01	ug/L	0.052 U	0.051 U	0.051 U	
319-85-7	beta-BHC	0.04	ug/L	0.052 U	0.02 J	0.051 U	U
319-86-8	delta-BHC	0.04	ug/L				0.0017 BPJ
72-54-8	4,4'-DDD	0.3	ug/L	0.1 U	0.1 U	0.1 U	0.0019 PJ
72-55-9	4,4'-DDE	0.2	ug/L	0.1 U	0.1 U	0.1 U	U
50-29-3	4,4'-DDT	0.2	ug/L	0.1 U	0.1 U	0.1 U	
60-57-1	Dieldrin	0.004	ug/L	0.1 U	0.1 U	0.1 U	0.0027 PJ
33213-65-9	Endosulfan II	NS	ug/L	0.1 U	0.1 U	0.1 U	
1031-07-8	Endosulfan sulfate	NS	ug/L	0.1 U	0.1 U	0.1 U	U
72-20-8	Endrin	0.2	ug/L	0.1 U	0.1 U	0.1 U	U
7421-93-4	Endrin aldehyde	5 (G)	ug/L	0.1 U	0.1 U	0.1 U	U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.052 U	0.051 U	0.051 U	U
5103-74-2	gamma-Chlordane	0.05	ug/L	0.052 U	0.051 U	0.0033 BJP	0.0042 PJ
72-43-5	Methoxychlor	35	ug/L	0.52 U	0.51 U	0.51 U	U
	Total Pesticides			ND	0.02	0.0033	0.0105
	PCBs						
	None Detected						
	INORGANICS						
7429-90-5	Aluminum	NS	ug/L	157 B	152 B	528	72.6 B
7440-36-0	Antimony	3	ug/L	2.1 U	2.6 B	2.3 U	2.7 B
7440-38-2	Arsenic	25	ug/L	6.3 B	3.4 B	8.3 B	4.6 B
7440-39-3	Barium	1000	ug/L	34.5 B	40.6 B	46.1 B	45 B
7440-41-7	Beryllium	3 (G)	ug/L	0.01 U	0.12 U	0.08 U	U
7440-70-2	Calcium	NS	ug/L	138000	152000	137000	146000
7440-47-8	Chromium	50	ug/L	6 B	4.1 B	4.4 B	2.9 B
7440-48-4	Cobalt	5	ug/L	1.6 U	2 U	1.9 U	U
7440-50-8	Copper	200	ug/L	3.2 B	2.1 U	1.1 B	1.5 B
7439-89-6	Iron	300	ug/L	239	188	1070	81.9 B
7439-92-1	Lead	50	ug/L	0.78 U	1.7 U	2 B	U
7439-95-4	Magnesium	35000 (G)	ug/L	38900	38400	48800	41000
7439-96-5	Manganese	300	ug/L	12.8 B	7.8 B	541	8.3 BE
7439-97-6	Mercury	0.7	ug/L	1.6 U	1.5 B	0.04 B	0.011 B
7440-02-0	Nickel	100	ug/L	28800	28500	4.2 B	2.2 B
7440-09-7	Potassium	NS	ug/L	3.3 B	3.8 B	50800	32600
7782-49-2	Selenium	10	ug/L	1.5 B	1.6 U	2.2 U	3.6 B
7440-22-4	Silver	50	ug/L	82700	67700	1.6 U	U
7440-23-5	Sodium	20000	ug/L	82700	67700	106000	112000
7440-62-2	Vanadium	NS	ug/L	4.3 B	2.3 B	3.4 B	U
7440-66-6	Zinc	2000 (G)	ug/L	15.5 B	5.3 B	12.3 B	5.6 B
57-12-5	Cyanide	200	ug/L	10 U	10 U	10 U	3.6 B

Detected Constituent Summary
Surface Water Samples

Cherry Farm Surface Water Detected Compound Summary		NYSDEC Class A Surface Water Standards/ Guideline Values	Sample ID: Lab Sample	SW-1 A7E985015	SW-2 G5193	SW-3 G5117	SW-3 N4876
			Source: SDG: Matrix: Sampled:	BM A07-E985 Water 12/27/2007	OBG 5116 Water 11/21/1997	OBG 5116 Water 11/20/1997	OBG 3856 Water 11/9/1999
CAS NO.	COMPOUND		UNITS:				
	VOLATILES						
67-64-1	Acetone	50 (G)	ug/L	20 U	2 J	10 U	10 U
75-15-0	Carbon disulfide	60 (G)	ug/L	4 U	10 U	10 U	10 U
75-09-2	Methylene chloride	5	ug/L	4 U	10 U	10 U	10 U
1330-20-7	Xylene (total)	5	ug/L	12 U	10 U	10 U	10 U
	Total VOCs			ND	ND	ND	ND
	SEMIVOLATILES						
117-81-7	bis(2-Ethylhexyl)phthalate	5	ug/L	5 U	10 U	10 U	10 U
84-74-2	Di-n-butyl phthalate	50		0.3 BJ			
	Total SVOCs			0.3	ND	ND	ND
	PESTICIDES						
309-00-2	Aldrin	0.022 (G)	ug/L	0.05 U	0.05 U	0.05 U	0.052 U
319-84-6	alpha-BHC	0.01	ug/L	0.05 U	0.05 U	0.05 U	0.052 U
319-85-7	beta-BHC	0.04	ug/L	0.05 U	0.05 U	0.05 U	0.052 U
319-86-8	delta-BHC	0.04	ug/L	0.05 U			
72-54-8	4,4'-DDD	0.3	ug/L	0.05 U	0.1 U	0.1 U	0.0015 JP
72-55-9	4,4'-DDE	0.2	ug/L	0.05 U	0.0043 JP	0.1 U	0.1 U
50-29-3	4,4'-DDT	0.2	ug/L	0.05 U	0.0014 JP	0.1 U	0.1 U
60-57-1	Dieldrin	0.004	ug/L	0.05 U	0.1 U	0.1 U	0.0064 JP
33213-65-9	Endosulfan II	NS	ug/L	0.05 U	0.1 U	0.1 U	0.0013 JP
1031-07-8	Endosulfan sulfate	NS	ug/L	0.05 U	0.1 U	0.1 U	0.0021 JP
72-20-8	Endrin	0.2	ug/L	0.05 U	0.1 U	0.1 U	0.0018 JP
7421-93-4	Endrin aldehyde	5 (G)	ug/L	0.05 U	0.1 U	0.1 U	0.0016 JP
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.03 J	0.05 U	0.05 U	0.052 U
5103-74-2	gamma-Chlordane	0.05	ug/L	0.012 J	0.05 U	0.05 U	0.052 U
72-43-5	Methoxychlor	35	ug/L	0.05 U	0.5 U	0.012 J	0.52 U
	Total Pesticides			0.042	0.0057	0.012	0.0147
	PCBs						
	None Detected						
	INORGANICS						
7429-90-5	Aluminum	NS	ug/L	1180	687	358	271
7440-36-0	Antimony	3	ug/L	0.56 U	2.6 U	2.6 U	2.5 U
7440-38-2	Arsenic	25	ug/L	5.6 B	4.2 U	4.2 U	5 B
7440-39-3	Barium	1000	ug/L	40.5	20 B	25.8 B	44.3 B
7440-41-7	Beryllium	3 (G)	ug/L	0.47 B	0.06 U	0.06 U	0.04 U
7440-70-2	Calcium	NS	ug/L	132000	38100	131000	153000
7440-47-8	Chromium	50	ug/L	2.8 B	3 B	8.1 B	5.3 BE
7440-48-4	Cobalt	5	ug/L	0.89 U	1.1 U	1.1 U	1.7 U
7440-50-8	Copper	200	ug/L	1.3 U	5.3 B	2.9 B	4 B
7439-89-6	Iron	300	ug/L	172	1080	559	379
7439-92-1	Lead	50	ug/L	2.9 U	4.6	1 U	1.3 U
7439-95-4	Magnesium	35000 (G)	ug/L	31900	10200	31800	38700
7439-96-5	Manganese	300	ug/L	8.9	25.1	56	18.5
7439-97-6	Mercury	0.7	ug/L	0.12 U	2.3 B	3 B	3.9 BE
7440-02-0	Nickel	100	ug/L	1.2 U	1040 B	24700	39200
7440-09-7	Potassium	NS	ug/L	24400	4 U	4.2 B	3.9 B
7782-49-2	Selenium	10	ug/L	10.3 B	0.9 B	0.56 U	0.78 U
7440-22-4	Silver	50	ug/L	1 U	3980 B	95400	84600 E
7440-23-5	Sodium	20000	ug/L	92200	3980 B	95400	84600 E
7440-62-2	Vanadium	NS	ug/L	3.4 B	2.2 B	3.5 B	3.5 BE
7440-66-6	Zinc	2000 (G)	ug/L	6.1 B	26.2	12.1 B	41.2
57-12-5	Cyanide	200	ug/L	0.01 U	10 U	138	10 U

Detected Constituent Summary
Surface Water Samples

Cherry Farm Surface Water Detected Compound Summary		NYSDEC Class A Surface Water Standards/ Guideline Values	Sample ID: Lab Sample	SW-3 Q3847
			Source: SDG: Matrix: Sampled:	OBG 5490 Water 4/26/2000
CAS NO.	COMPOUND		UNITS:	
	VOLATILES			
67-64-1	Acetone	50 (G)	ug/L	10 U
75-15-0	Carbon disulfide	60 (G)	ug/L	10 U
75-09-2	Methylene chloride	5	ug/L	10 U
1330-20-7	Xylene (total)	5	ug/L	10 U
	Total VOCs			ND
	SEMIVOLATILES			
117-81-7	bis(2-Ethylhexyl)phthalate	5	ug/L	10 U
84-74-2	Di-n-butyl phthalate	50		
	Total SVOCs			ND
	PESTICIDES			
309-00-2	Aldrin	0.022 (G)	ug/L	0.0017 JP
319-84-6	alpha-BHC	0.01	ug/L	0.05 U
319-85-7	beta-BHC	0.04	ug/L	0.05 U
319-86-8	delta-BHC	0.04	ug/L	
72-54-8	4,4'-DDD	0.3	ug/L	0.0014 JP
72-55-9	4,4'-DDE	0.2	ug/L	0.1 U
50-29-3	4,4'-DDT	0.2	ug/L	0.1 U
60-57-1	Dieldrin	0.004	ug/L	0.1 U
33213-65-9	Endosulfan II	NS	ug/L	0.1 U
1031-07-8	Endosulfan sulfate	NS	ug/L	0.1 U
72-20-8	Endrin	0.2	ug/L	0.1 U
7421-93-4	Endrin aldehyde	5 (G)	ug/L	0.1 U
58-89-9	gamma-BHC (Lindane)	0.05	ug/L	0.05 U
5103-74-2	gamma-Chlordane	0.05	ug/L	0.05 U
72-43-5	Methoxychlor	35	ug/L	0.5 U
	Total Pesticides			0.0031
	PCBs			
	None Detected			
	INORGANICS			
7429-90-5	Aluminum	NS	ug/L	203
7440-36-0	Antimony	3	ug/L	1.9 U
7440-38-2	Arsenic	25	ug/L	5.1 B
7440-39-3	Barium	1000	ug/L	35.5 B
7440-41-7	Beryllium	3 (G)	ug/L	0.14 U
7440-70-2	Calcium	NS	ug/L	130000
7440-47-8	Chromium	50	ug/L	7.1 B
7440-48-4	Cobalt	5	ug/L	0.96 U
7440-50-8	Copper	200	ug/L	3.1 B
7439-89-6	Iron	300	ug/L	291
7439-92-1	Lead	50	ug/L	1.1 U
7439-95-4	Magnesium	35000 (G)	ug/L	40300
7439-96-5	Manganese	300	ug/L	23.4
7439-97-6	Mercury	0.7	ug/L	3.1 U
7440-02-0	Nickel	100	ug/L	31000
7440-09-7	Potassium	NS	ug/L	3.7 U
7782-49-2	Selenium	10	ug/L	0.75 U
7440-22-4	Silver	50	ug/L	89800
7440-23-5	Sodium	20000	ug/L	89800
7440-62-2	Vanadium	NS	ug/L	2.6 B
7440-66-6	Zinc	2000 (G)	ug/L	14 B
57-12-5	Cyanide	200	ug/L	10 U

APPENDIX C

GROUNDWATER SAMPLING LOGS

WELL SAMPLING RECORD

Site Name Cherry Farms Well ID MW-1

Samplers Brent Miller
William Kuss

Total Well Depth (TOC)	43.80	feet
Initial Static Water Level (TOC)	12.11	feet
Well Diameter	2.0	inches

Purging Data

Method Bailing Date/Time 12/26/2007 12:50

Water Volume = (Total Depth of Well - Depth To Water) x Casing Volume per Foot

Well depth	DTW	Casing Vol. per foot	Water Volume
43.80	12.11	0.16	5.0704

gallons

Casing Volumes (gal/ft.):					
1-inch	0.041	4-inch	0.64	10-inch	4
2-inch	0.16	6-inch	1.4		
3-inch	0.36	8-inch	2.5		

Volume of Purge Water Removed 15.5 gallons

Sampling Data

Method Grab Date/Time 12/26/2007 12:50

Parameters	Bottle	Preservation	Method
VOC	40 ml	1:1 HCl	Grab
Semi Volatile	Liter	None	Grab
PCB	Liter	None	Grab

Field Parameters

	1 Volume	2 Volume	3 Volume	Sample
pH	7.87	7.65	7.55	7.54
Temp. (°C)	50.6	52.4	53.9	51.8
Spec. Cond. (mS/cm)	10.74	11.17	11.36	11.02
Turbidity (NTU)	536	425	610	322

Comments:

WELL SAMPLING RECORD

Site Name Cherry Farms Well ID MW-2

Samplers Brent Miller
William Kuss

Total Well Depth (TOC)	42.00	feet
Initial Static Water Level (TOC)	13.95	feet
Well Diameter	2.0	inches

Purging Data

Method Bailing Date/Time 12/26/2007 12:10

Water Volume = (Total Depth of Well - Depth To Water) x Casing Volume per Foot

Well depth	DTW	Casing Vol. per foot	Water Volume	
42.00	13.95	0.16	4.488	gallons

Casing Volumes (gal/ft.):					
1-inch	0.041	4-inch	0.64	10-inch	4
2-inch	0.16	6-inch	1.4		
3-inch	0.36	8-inch	2.5		

Volume of Purge Water Removed 13.5 gallons

Sampling Data

Method Grab Date/Time 12/26/2007 12:10

Parameters	Bottle	Preservation	Method
VOC	40 ml	1:1 HCl	Grab
Semi Volatile	Liter	None	Grab
PCB	Liter	None	Grab

Field Parameters

	1 Volume	2 Volume	3 Volume	Sample
pH	8.62	7.54	7.55	7.53
Temp. (°C)	62	56	53.2	52.6
Spec. Cond. (mS/cm)	5.54	12.02	11.98	11.91
Turbidity (NTU)	36.5	292	295	336

Comments:

WELL SAMPLING RECORD

Site Name Cherry Farms Well ID MW-3

Samplers Brent Miller
William Kuss

Total Well Depth (TOC)	31.30	feet
Initial Static Water Level (TOC)	6.51	feet
Well Diameter	2.0	inches

Purging Data

Method Bailing Date/Time 12/26/2007 15:00

Water Volume = (Total Depth of Well - Depth To Water) x Casing Volume per Foot

Well depth	DTW	Casing Vol. per foot	Water Volume
31.30	6.51	0.16	3.9664

gallons

Casing Volumes (gal/ft.):				
1-inch	0.041	4-inch	0.64	10-inch 4
2-inch	0.16	6-inch	1.4	
3-inch	0.36	8-inch	2.5	

Volume of Purge Water Removed 12 gallons

Sampling Data

Method Grab Date/Time 12/26/2007 15:00

Parameters	Bottle	Preservation	Method
VOC	40 ml	1:1 HCl	Grab
Semi Volatile	Liter	None	Grab
PCB	Liter	None	Grab

Field Parameters

1 Volume	2 Volume	3 Volume	Sample
8.04	7.87	7.73	7.56
46.2	48.6	48.9	48.4
6.43	6.65	7.16	7.37
377	353	75.1	27.3

Comments:

WELL SAMPLING RECORD

Site Name Cherry Farms Well ID MW-4

Samplers Brent Miller
William Kuss

Total Well Depth (TOC)	50.00	feet
Initial Static Water Level (TOC)	17.36	feet
Well Diameter	2.0	inches

Purging Data

Method Bailing Date/Time 12/26/2007 13:45

Water Volume = (Total Depth of Well - Depth To Water) x Casing Volume per Foot

Well depth	DTW	Casing Vol. per foot	Water Volume	
50.00	17.36	0.16	5.2224	gallons

Casing Volumes (gal/ft.):					
1-inch	0.041	4-inch	0.64	10-inch	4
2-inch	0.16	6-inch	1.4		
3-inch	0.36	8-inch	2.5		

Volume of Purge Water Removed 16 gallons

Sampling Data

Method Grab Date/Time 12/26/2007 13:45

Parameters	Bottle	Preservation	Method
VOC	40 ml	1:1 HCl	Grab
Semi Volatile	Liter	None	Grab
PCB	Liter	None	Grab

Field Parameters

Field Parameters	1 Volume	2 Volume	3 Volume	Sample
pH	8.38	8.4	8.37	8.36
Temp. (°C)	50.1	49.2	48.7	46.1
Spec. Cond. (mS/cm)	3.35	2.87	2.66	2.60
Turbidity (NTU)	21.5	56.3	47.6	73.3

Comments:

WELL SAMPLING RECORD

Site Name Cherry Farms Well ID MW-5

Samplers Brent Miller
William Kuss

Total Well Depth (TOC)	49.50	feet
Initial Static Water Level (TOC)	19.72	feet
Well Diameter	2.0	inches

Purging Data

Method Bailing Date/Time 12/26/2007 14:15

Water Volume = (Total Depth of Well - Depth To Water) x Casing Volume per Foot

Well depth	DTW	Casing Vol. per foot	Water Volume	
49.50	19.72	0.16	4.7648	gallons

Casing Volumes (gal/ft.):				
1-inch	0.041	4-inch	0.64	10-inch 4
2-inch	0.16	6-inch	1.4	
3-inch	0.36	8-inch	2.5	

Volume of Purge Water Removed 15 gallons

Sampling Data

Method Grab Date/Time 12/26/2007 14:15

Parameters	Bottle	Preservation	Method
VOC	40 ml	1:1 HCl	Grab
Semi Volatile	Liter	None	Grab
PCB	Liter	None	Grab

Field Parameters

Field Parameters	1 Volume	2 Volume	3 Volume	Sample
pH	8.28	7.8	7.54	7.41
Temp. (°C)	47.6	47.2	46.8	46.5
Spec. Cond. (mS/cm)	1.3	8.16	8.45	8.17
Turbidity (NTU)	1.8	27	27.9	12.5

Comments:

WELL SAMPLING RECORD

Site Name Cherry Farms Well ID MW-6

Samplers Brent Miller
William Kuss

Total Well Depth (TOC)	50.80	feet
Initial Static Water Level (TOC)	21.49	feet
Well Diameter	2.0	inches

Purging Data

Method Bailing Date/Time 12/26/2007 11:00

Water Volume = (Total Depth of Well - Depth To Water) x Casing Volume per Foot

Well depth	DTW	Casing Vol. per foot	Water Volume	
50.80	21.49	0.16	4.6896	gallons

Casing Volumes (gal/ft.):				
1-inch	0.041	4-inch	0.64	10-inch 4
2-inch	0.16	6-inch	1.4	
3-inch	0.36	8-inch	2.5	

Volume of Purge Water Removed 15 gallons

Sampling Data

Method Grab Date/Time 12/26/2007 11:00

Parameters	Bottle	Preservation	Method
VOC	40 ml	1:1 HCl	Grab
Semi Volatile	Liter	None	Grab
PCB	Liter	None	Grab

Field Parameters

Field Parameters	1 Volume	2 Volume	3 Volume	Sample
pH	7.79	7.43	7.39	7.37
Temp. (°C)	54.2	50.3	51.8	55.1
Spec. Cond. (mS/cm)	7.88	8.29	8.48	8.71
Turbidity (NTU)	42.2	38.8	28.6	42.6

Comments:

Collected MS MSD and DUPLICATE

WELL SAMPLING RECORD

Site Name Cherry Farms Well ID MW-7

Samplers Brent Miller
William Kuss

Total Well Depth (TOC)	45.50	feet
Initial Static Water Level (TOC)	21.33	feet
Well Diameter	2.0	inches

Purging Data

Method Bailing Date/Time 12/26/2007 9:30

Water Volume = (Total Depth of Well - Depth To Water) x Casing Volume per Foot

Well depth	DTW	Casing Vol. per foot	Water Volume	
45.50	21.33	0.16	3.8672	gallons

Casing Volumes (gal/ft.):					
1-inch	0.041	4-inch	0.64	10-inch	4
2-inch	0.16	6-inch	1.4		
3-inch	0.36	8-inch	2.5		

Volume of Purge Water Removed 12 gallons

Sampling Data

Method Grab Date/Time 12/26/2007 9:30

Parameters	Bottle	Preservation	Method
VOC	40 ml	1:1 HCl	Grab
Semi Volatile	Liter	None	Grab
PCB	Liter	None	Grab

Field Parameters

Field Parameters	1 Volume	2 Volume	3 Volume	Sample
pH	7.7	6.53	6.98	7.33
Temp. (°C)	56.3	50.7	49.0	48.9
Spec. Cond. (mS/cm)	5.96	6.23	6.44	6.58
Turbidity (NTU)	19.2	20.4	37.8	14.5

Comments:

WELL SAMPLING RECORD

Site Name Cherry Farms

Well ID RW-4

Samplers Brent Miller
William Kuss

Total Well Depth (TOC)	52.40	feet	
Initial Static Water Level (TOC)	17.24	feet	
Well Diameter	2.0	inches	

Purging Data

Method Low Flow Pumping Date/Time 12/27/2007 9:30

Water Volume = (Total Depth of Well - Depth To Water) x Casing Volume per Foot

Well depth	DTW	Casing Vol. per foot	Water Volume	
52.4	17.24	2.5	87.9	gallons

Casing Volumes (gal/ft.):				
1-inch	0.041	4-inch	0.64	10-inch 4
2-inch	0.16	6-inch	1.4	
3-inch	0.36	8-inch	2.5	

Sampling Data

Method Grab Date/Time 12/27/2007 9:30

Parameters	Bottle	Preservation	Method
VOC's	40 ml	1:1 HCl	Grab
Semi Volatiles	Liter	None	Grab
PCB	Liter	None	Grab

	Field Parameters	Depth To Water	pH	Temp (°C)	Spec. Cond. (mS/cm)	Turbidity (NTU)	Flow Rate
Elapsed Time (min)	0	17.24	6.51	49.5	12.29	4.79	0
	5	17.55	6.46	52.9	12.98	3.61	380
	10	17.61	6.58	55.9	12.92	1.55	380
	15	17.69	6.56	56.5	12.95	1.99	380
	20	17.71	6.60	55.4	12.69	2.41	380
	25	17.75	6.59	55.2	18.29	1.06	380
	30	17.78	6.58	55.8	18.38	1.50	380
	35	17.79	6.60	55.6	18.27	1.26	380
	40	17.79	6.60	55.8	18.14	1.83	380
	45	17.78	6.61	56.3	18.15	1.21	380
	50	17.79	6.54	56.1	18.16	0.92	380
	55	17.79	6.62	56.6	18.10	1.71	380
60	17.79	6.66	56.4	17.64	0.71	380	

Comments:

WELL SAMPLING RECORD

Site Name Cherry Farms

Well ID RW-5

Samplers Brent Miller
William Kuss

Total Well Depth (TOC)	52.70	feet	
Initial Static Water Level (TOC)	17.49	feet	
Well Diameter	2.0	inches	

Purging Data

Method Low Flow Pumping Date/Time 12/27/2007 12:00

Water Volume = (Total Depth of Well - Depth To Water) x Casing Volume per Foot

Well depth	DTW	Casing Vol. per foot	Water Volume	
52.7	17.49	2.5	88.025	gallons

Casing Volumes (gal/ft.):				
1-inch	0.041	4-inch	0.64	10-inch 4
2-inch	0.16	6-inch	1.4	
3-inch	0.36	8-inch	2.5	

Sampling Data

Method Grab Date/Time 12/27/2007 12:00

Parameters	Bottle	Preservation	Method
VOC's	40 ml	1:1 HCl	Grab
Semi Volatiles	Liter	None	Grab
PCB	Liter	None	Grab

	Field Parameters	Depth To Water	pH	Temp (°C)	Spec. Cond. (mS/cm)	Turbidity (NTU)	Flow Rate
Elapsed Time (min)	0	17.49	7.61	60.2	4.89	94.60	0
	5	17.83	6.91	58.7	4.09	31.00	360
	10	17.99	6.92	56.2	3.90	22.50	360
	15	18.11	8.16	56.6	3.91	16.00	360
	20	18.26	8.20	56.5	3.85	16.40	360
	25	18.35	8.17	55.9	3.94	14.90	360
	30	18.48	8.15	56.7	3.94	14.10	360
	35	18.50	8.20	56.2	3.88	13.00	360
	40	18.60	8.20	56.4	3.90	12.30	360
	45	18.70	8.19	56.7	3.91	10.95	360
	50	18.75	8.21	55.7	3.88	10.77	360
	55	18.83	8.21	54.7	3.85	10.03	360
60	18.89	8.21	54.6	3.85	9.22	360	

Comments:

SUMP WATER SAMPLING RECORD

Site Name Cherry Farms

Sample ID S-1

Samplers Brent Miller
William Kuss

Sample Description

Type of Water Body
Physical Appearance/Odor
Color/Stain

Sump
Clear / None
Clear / None

Sampling Data

Method Grab

Date/Time 12/27/2007 13:45

Parameters	Bottle	Preservation	Method
VOC's	40 ml	1:1 HCl	Grab
Semi Volatiles	Liter	None	Grab
PCB's	Liter	None	Grab
Pesticides	Liter	None	Grab
Metals	16 oz	HNO3	Grab
Cyanide	8 oz	NaOH	Grab

Field Parameters

pH
Temp. (°C)
Spec. Cond. (mS/cm)
Turbidity (NTU)

7.29
51.2
0.65
7.02

Comments

SUMP WATER SAMPLING RECORD

Site Name Cherry Farms

Sample ID S-2

Samplers Brent Miller
William Kuss

Sample Description

Type of Water Body
Physical Appearance/Odor
Color/Stain

Sump
Clear / None
Clear / None

Sampling Data

Method Grab

Date/Time 12/27/2007 14:00

Parameters	Bottle	Preservation	Method
VOC's	40 ml	1:1 HCl	Grab
Semi Volatiles	Liter	None	Grab
PCB's	Liter	None	Grab
Pesticides	Liter	None	Grab
Metals	16 oz	HNO3	Grab
Cyanide	8 oz	NaOH	Grab

Field Parameters

pH
Temp. (°C)
Spec. Cond. (mS/cm)
Turbidity (NTU)

9.02
48.2
0.48
0.67

Comments

SUMP WATER SAMPLING RECORD

Site Name Cherry Farms

Sample ID S-3

Samplers Brent Miller
William Kuss

Sample Description

Type of Water Body
Physical Appearance/Odor
Color/Stain

Sump
Clear / None
Clear / None

Sampling Data

Method Grab

Date/Time 12/27/2007 14:15

Parameters	Bottle	Preservation	Method
VOC's	40 ml	1:1 HCl	Grab
Semi Volatiles	Liter	None	Grab
PCB's	Liter	None	Grab
Pesticides	Liter	None	Grab
Metals	16 oz	HNO3	Grab
Cyanide	8 oz	NaOH	Grab

Field Parameters

pH
Temp. (°C)
Spec. Cond. (mS/cm)
Turbidity (NTU)

9.26
46.2
0.48
0.95

Comments

SUMP WATER SAMPLING RECORD

Site Name Cherry Farms

Sample ID S-4

Samplers Brent Miller
William Kuss

Sample Description

Type of Water Body
Physical Appearance/Odor
Color/Stain

Sump
Clear / None
Clear / None

Sampling Data

Method Grab

Date/Time 12/27/2007 14:30

Parameters	Bottle	Preservation	Method
VOC's	40 ml	1:1 HCl	Grab
Semi Volatiles	Liter	None	Grab
PCB's	Liter	None	Grab
Pesticides	Liter	None	Grab
Metals	16 oz	HNO3	Grab
Cyanide	8 oz	NaOH	Grab

Field Parameters

pH
Temp. (°C)
Spec. Cond. (mS/cm)
Turbidity (NTU)

9.19
45.3
0.17
27.6

Comments

SURFACE WATER SAMPLING RECORD

Site Name Cherry Farms

Sample ID SW-1

Samplers Brent Miller
William Kuss

Sample Description

Drainage Direction West To River
Type of Water Body Creek / Draniage
Physical Appearance/Odor Clear / None
Color/Stain Clear / None

Sampling Data

Method Grab

Date/Time 12/27/2007 13:30

Depth 0-1 Foot

Parameters	Bottle	Preservation	Method
VOC's	40 ml	1:1 HCl	Grab
Semi Volatiles	Liter	None	Grab
PCB's	Liter	None	Grab
Pesticides	Liter	None	Grab
Metals	16 oz	HNO3	Grab
Cyanide	8 oz	NaOH	Grab

Field Parameters

pH
Temp. (°C)
Spec. Cond. (mS/cm)
Turbidity (NTU)

7.77

54.8

0.81

5.38

Comments

APPENDIX D
WATER LEVEL DATA AND HYDROGRAPHS

Water Level Data

		12/24/1997	1/6/1998	2/2/1998	2/18/1998	4/1/1998	4/27/1998	5/27/1998	6/25/1998	7/31/1998	8/27/1998	9/28/1998	10/21/1998
	Original												
WELL	ELEV.	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW
NAME	TOC	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)
MW-1	577.68	11.79	11.48	11.62	11.53	11.1	11.34	11.37	11.50	11.58	11.65	11.75	11.95
MW-2	578.76	13.18	12.80	12.81	12.82	12.36	12.57	12.69	12.69	12.91	12.84	12.96	13.11
MW-3	571.16	5.87	5.45	5.45	5.48	5.12	5.31	5.5	5.59	5.79	5.90	5.96	6.08
MW-4	583.83	18.1	20.17		18.06	18.02	17.90	18	17.99	18.09	18.18	18.18	18.45
MW-5	584.14	19.19	18.91	18.82	19.04	18.69	18.78	18.04	18.65	18.73	18.48	18.6	18.92
MW-6	585.70	21.03	20.43	20.34	20.80	20.3	20.10	20.38	20.28	20.48	19.93	20.32	20.30
MW-7	586.40	21.15	20.80	20.57	20.92	20.61	20.63	20.78	20.77	21.05	20.41	20.78	21.00
OW-1	573.63	8.76	8.42	8.38	8.50	7.98	8.08	8.25	8.23	8.41	8.30	8.38	8.69
OW-2	584.14	15.57	15.77	15.8	15.62	15.88	15.99	15.93	15.81	16.04	16.00	15.94	15.94
OW-3	576.25	11.07	10.80	10.58	10.92	10.55	10.63	10.6	10.91	10.55	10.03	10.1	10.42
OW-4	572.21	7.07	6.76	6.62	6.90	6.45	6.48	6.6	6.80	6.53	5.91	6.16	6.41
OW-5	584.16	17.06	17.10	17.11	16.92	17.16	17.42	17.33	17.39	17.53	17.06	16.96	17.06
OW-6	572.12	6.36	5.97	5.7	6.03	5.82	6.01	6.22	6.56	6.25	4.28	4.45	5.03
OW-7	574.84	9.04	8.51	8.23	8.50	8.3	8.58	8.98	9.26	8.95	7.62	6.4	7.25
OW-8	571.31	5.6	5.27	5.15	5.31	5.22	5.34	5.71	5.74	5.77	4.69	3.92	5.23
OW-9	588.32	20.92	20.72	20.36	20.48	20.32	20.56	21.12	21.55			17.43	18.63
S-1	571.84	8.07	6.40	6.45	7.68	5.84	5.99	6	7.56	7.32	6.86	5.75	7.70
S-2	571.81	6.61	6.28	6.07	6.38	6.01	6.10	6.14	6.40	6.08	5.37	5.59	5.88
S-3	571.84	6.33	5.88	5.63	6.03	5.75	5.94	6.1	6.47	6.01	4.51	4.8	5.23
S-4	571.51	5.68	5.10	4.56	4.79	4.92	5.28	5.83	5.79	5.63	5.51	3.02	3.42
RW-1	581.82	22.17	21.18	16.28	19.42	21.51	21.31	21.2	21.53	21.28	21.08	21.85	25.35
RW-2	581.82	21.37	21.95	21.85	21.32	21.61	22.04	21.93	21.37	21.55	21.53	21.4	25.61
RW-3	582.30	22.70	19.77	21.96	22.29	22.68	22.10	22.12	22.24	22.65	21.59	22.19	26.55
RW-4	581.83	28.45	28.46	21.51	28.30	28.47	21.95	21.12	21.95	21.81	22.08	21.52	24.51
RW-5	582.05	22.44	22.28	21.7	21.47	33.98	22.27	21.51	18.37	22.02	22.28	21.75	25.42
RW-6	570.76	10.93	10.14	10.9	10.46	10.4	10.19	10.55	8.05	10.42	10.12	5.36	15.20
RW-7	570.67	11.06	10.47	10.79	10.85	10.4	10.65	10.23	5.26	10.05	10.37	19.8	14.97
RW-8	583.83	23.09	18.47	18.4	22.26	22.68	22.63	22.6	18.40	18.45	22.23	22.69	27.12
RW-9	583.86	23.58	18.45	18.37	23.58	21.75	18.12	18.4	18.24	18.5	17.71	23.93	18.31
RW-10	583.28	23.52	23.50	22.45	22.82	22.98	23.03	23.26	17.55	23.36	22.79	23.35	23.31
RW-11	581.22	20.09	20.95	20.83	20.09	20.28	21.13	20.58	17.84		20.32	21.07	20.74
SG	568.89												

Water Level Data

		11/23/1998	12/29/1998	1/28/1999	2/22/1999	3/29/1999	4/19/1999	5/28/1999	6/25/1999	7/25/1999	8/27/1999	9/27/1999	10/25/1999
	Original												
WELL	ELEV.	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW
NAME	TOC	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)
MW-1	577.68	12.41	12.63	12.33	12.65	12.32	12.17	12.08	12.48	12.21	12.20	12.41	12.22
MW-2	578.76	13.67	13.95	13.75	13.89	13.75	13.56	13.43	13.81	13.40	13.45	13.71	13.55
MW-3	571.16	6.46	7.05	6.46	6.69	6.50	5.97	6.12	6.46	6.25	6.16	6.78	6.12
MW-4	583.83	18.87	19.30	19.07	19.12	18.84	18.71	18.58	18.92	18.72	18.56	18.72	18.59
MW-5	584.14	19.36	19.74	19.71	19.79	19.61	19.5	19.27	19.51	19.30	19.24	19.39	19.24
MW-6	585.70	21.14	21.69	21.65	21.68	21.58	21.37	21.34	21.32	20.90	21.02	21.25	21.24
MW-7	586.40	21.7	22.13	21.73	21.76	21.74	21.61	21.64	21.78	21.51	21.52	21.73	21.65
OW-1	573.63	9.14	9.66	9.39	9.56	9.36	8.89	8.91	9.12	8.61	8.78	9.30	9.01
OW-2	584.14	15.94	16.00	16.21	16.35	16.03	16.43	16.33	16.42	16.23	16.36	16.40	16.57
OW-3	576.25	10.8	11.38	11.25	11.29	11.27	11.26	11.15	11.48	11.29	11.34	11.35	11.33
OW-4	572.21	6.88	7.47	7.29	7.34	7.28	7.24	7.13	7.45	7.17	7.26	7.39	7.26
OW-5	584.16	16.95	17.32	17.8	18.08	17.95	18.17	18.22	18.13	18.18	18.24	18.43	18.45
OW-6	572.12	5.64	6.77	6.51	6.63	6.67	6.77	6.78	7.06	6.91	6.96	7.04	6.94
OW-7	574.84	8.07	9.62	9.23	9.42	9.53	9.61	9.49	9.99	9.73	9.81	9.90	9.96
OW-8	571.31	5.36	6.43	6.16	6.26	6.36	6.32	6.31	6.81	6.40	6.45	6.63	6.76
OW-9	588.32	20.08					21.64	21.75	21.94	22.02	21.97	22.11	21.88
S-1	571.84	7.23	7.95	7.68	7.61	7.76	7.71	7.62	7.59	7.67	7.65	7.60	7.52
S-2	571.81	6.29	6.92	6.77	6.8	6.78	6.77	6.65	7.01	6.78	6.82	6.95	6.72
S-3	571.84	5.78	6.70	6.41	8.34	6.53	6.61	6.6	6.91	6.73	6.82	6.79	6.71
S-4	571.51	4.7	6.61	5.97	6.13	6.28	6.32	6.39	6.95	6.37	6.33	6.44	7.05
RW-1	581.82	17.23	27.15	35.55	34.91	30.40	16.85	25.8	17.24	16.81	25.90	26.35	
RW-2	581.82	26.01	25.88	26.32	25.81	25.70	25.4	25.65	25.40	26.40	25.51	17.08	17.10
RW-3	582.30	26.77	38.32	26.43	26.71	26.51	26.67	26.51	26.52	36.58	17.19	17.35	27.25
RW-4	581.83	24.53	17.29	25.25	24.91	25.21	25.31	24.66	17.12	21.63	22.82	22.45	22.95
RW-5	582.05	37.62	25.61	25.68	37.84	37.57	37.68	26.03	37.85	37.71	26.54	25.96	17.31
RW-6	570.76	14.23	14.63	6.32	6.29	14.50	15.4	15.48	6.27	15.26	15.31	14.94	15.19
RW-7	570.67	5.72	22.12	14.95	14.9	14.07	14.96		14.83	14.97	14.90	13.38	24.03
RW-8	583.83	26.7	26.12	26.57	26.11	26.62	26.9	26.27	19.29	26.27	26.31	19.22	26.37
RW-9	583.86	27.23	19.63	27.65	27.78	27.17	27.55		19.32	27.25	27.30	19.29	27.05
RW-10	583.28	23.52	22.65	23.11	23.03	23.56	23.45	23.36	23.33	23.07	23.20	23.04	22.85
RW-11	581.22	21.21	23.12	22.77	22.86	23.23	22.95	22.97	22.77	23.46	23.40	23.27	22.76
SG	568.89												

Water Level Data

		11/8/1999	12/22/1999	1/27/2000	2/25/2000	3/24/2000	4/26/2000	5/26/2000	6/26/2000	7/21/2000	8/28/2000	9/29/2000	11/1/2000	11/30/2000
	Original													
WELL	ELEV.	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW
NAME	TOC	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)
MW-1	577.68	12.73	12.55	11.66	12.72	12.76	12.55	12.25	11.97	11.86	12.14	12.14	12.67	12.91
MW-2	578.76	14.22	13.99	12.91	14.20	14.32	14.05	13.70	13.43	13.32	13.56	13.57	14.14	14.46
MW-3	571.16	6.54	6.40	5.51	6.84	6.72	6.75	6.29	5.75	5.68	6.04	6.42	6.84	6.72
MW-4	583.83	19.09	19.27	19.17	18.40	19.34	19.07	15.05	16.52	16.23	17.42	18.8	19.35	13.50
MW-5	584.14	19.96	19.83	19.52	20.07	20.05	19.93	19.46	19.07	18.82	19.02	19.85	19.93	20.36
MW-6	585.70	21.95	21.53	21.10	22.01	22.04	21.52	21.35	21.02	20.53	21.14	21.08	21.65	21.95
MW-7	586.40	22.02	21.79	21.70	22.20	22.11	21.71	21.47	21.12	20.78	21.39	21.33	21.95	22.35
OW-1	573.63	9.58	9.40	8.45	9.72	9.65	9.72	9.15	8.68	8.52	8.84	9.14	9.42	9.60
OW-2	584.14	16.59	16.48	15.81	16.58	16.48	16.63	16.72	16.59	16.43	16.48	16.38	16.41	16.72
OW-3	576.25	11.37	11.33	11.20	11.53	11.34	11.26	11.18	10.79	10.75	10.88	11.21	11.65	11.85
OW-4	572.21	7.45	7.38	7.21	7.44	7.42	7.35	7.15	6.73	6.73	6.9	7.27	7.83	8.19
OW-5	584.16	18.51	18.58	18.47	18.61	18.43	18.28	18.21	17.91	17.71	17.7	17.68	17.98	18.27
OW-6	572.12	6.89	6.88	6.57	7.12	6.89	6.85	6.70	6.17	6.19	6.49	6.93	7.37	7.55
OW-7	574.84	9.93	9.78	9.61	9.78	10.03	9.71	9.43	8.76	8.88	9.27	10.35	10.72	10.24
OW-8	571.31	6.81	6.67	6.33	6.72	6.87	6.49	6.31	6.04	6.03	6.33	7.01	7.34	6.93
OW-9	588.32	21.67	21.72	21.62	21.99	21.78	21.51	21.48	21.20	21.21	21.65	21.88	22.11	22.22
S-1	571.84	7.80	7.51	7.02	7.85	7.65	7.71	7.79	7.85	7.47	7.78	7.61	7.63	7.55
S-2	571.81	6.91	6.86	6.51	6.94	6.83	6.78	6.60	6.17	6.15	6.35	6.79	7.35	7.69
S-3	571.84	6.74	6.73	6.59	6.81	6.68	6.68	6.55	5.99	6.03	6.27	6.85	7.52	7.78
S-4	571.51	7.03	7.04	6.86	6.88	7.15	6.72	6.14	5.61	5.61	5.96	7.81	7.91	7.03
RW-1	581.82	17.48	17.35	17.66	34.67	17.60	25.64	25.68	16.61	16.57		33.05	17.38	16.57
RW-2	581.82	25.51	36.32	36.30	25.27	25.52	25.91	25.95	25.46	16.37		26.05	25.45	25.82
RW-3	582.30	27.25	37.21	37.10	28.23	27.87	23.09	19.83	19.68	16.82		38.22	36.06	38.47
RW-4	581.83	17.52	22.45	23.02	22.43	22.32	22.49	21.78	21.91	16.46		16.88	25.85	26.60
RW-5	582.05	35.95	25.75	25.31	26.00	30.41	25.65	26.20	26.47	16.74		37.06	37.83	36.50
RW-6	570.76	6.67	6.49	6.59	6.88	6.84	15.17	9.76	5.82	5.48		15.43	15.08	19.48
RW-7	570.67	14.92	14.96	14.44	14.50	26.89	14.00	14.28	14.24	5.37		5.84	14.3	14.10
RW-8	583.83	26.90	26.21	26.11	26.33	26.67	26.37	26.32	26.63	18.55	18.85	18.95	26.32	26.30
RW-9	583.86	27.32	19.51	19.30	27.68	27.10	19.44	27.58	27.10	18.50	21.55	18.95	19.5	19.91
RW-10	583.28	22.88	23.08	23.20	23.25	23.38	22.83	22.63	22.29	21.67	22.25	23.25	23.04	22.70
RW-11	581.22	23.28	23.22	23.20	23.34	23.25	22.80	22.71	23.36	23.32	23.42	23.09	22.78	23.44
SG	568.89										0.73	0.65	0.06	0.3

Water Level Data

		12/11/2000	1/22/2001	2/27/2001	3/16/2001	4/20/2001	5/30/2001	6/18/2001	8/1/2001	8/24/2001	9/25/2001	#####	#####	1/23/2002
	Original													
WELL	ELEV.	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW
NAME	TOC	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)
MW-1	577.68	13.02	12.96	12.58	12.77	12.30	12.11	12.22	12.63	12.79	12.67	12.67	12.98	12.58
MW-2	578.76	14.63	14.32	14.11	14.45	13.75	13.61	13.69	13.93	14.13	13.90	14.08	14.50	14.11
MW-3	571.16	7.39	7.03	6.90	6.96	6.21	6.02	6.21	7.01	7.03	7.05	6.76	7.31	7.04
MW-4	583.83	18.87	19.69	19.32	19.39	19.00	18.83	18.87	19.22	19.52	19.51	12.27	14.45	8.50
MW-5	584.14	20.35	20.27	20.04	20.12	19.62	19.42	19.37	19.55	19.80	19.67	19.77	20.23	19.88
MW-6	585.70	22.18	21.84	21.76	22.34	21.41	21.25	21.21	21.32	21.47	21.43	21.65	21.92	21.81
MW-7	586.40	22.29	22.11	21.82	22.13	21.60	21.44	21.47	21.76	21.81	21.89	21.92	22.06	21.74
OW-1	573.63	10.13	9.97	9.78	9.75	9.10	8.90	8.99	9.60	9.67	9.53	9.59	10.10	9.77
OW-2	584.14	16.41	16.73	16.63	9.84	16.60	16.59	16.77	16.71	14.67	16.66	15.11	15.18	15.21
OW-3	576.25	11.77	11.83	11.63	11.47	11.42	11.21	11.16	11.67	11.71	11.79	11.45	11.45	11.15
OW-4	572.21	7.83	7.98	7.67	7.60	7.51	7.20	7.15	7.73	7.68	7.72	7.50	7.53	7.21
OW-5	584.16	18.31	18.58	18.48	18.53	18.24	18.25	18.14	18.16	18.24	18.32	18.52	18.65	18.01
OW-6	572.12	7.40	7.41	7.11	6.95	6.95	6.65	6.67	7.29	7.26	7.34	7.05	7.01	6.54
OW-7	574.84	10.43	10.28	9.90	9.65	9.73	9.38	9.38	10.12	10.17	10.30	9.87	9.91	9.23
OW-8	571.31	7.14	6.92	6.51	6.54	6.49	6.40	6.45	6.81	6.91	6.98	6.79	6.92	6.46
OW-9	588.32	22.20	22.03	21.70	21.73	21.65	21.67	21.78	22.12	22.17	22.37	22.06	21.90	21.38
S-1	571.84	7.62	7.59	7.95	7.57	7.68	7.65	7.56	7.53	7.27	7.26	6.56	8.21	7.95
S-2	571.81	7.31	7.49	7.09	6.96	6.94	6.56	6.55	7.17	7.15	7.23	6.91	6.91	6.57
S-3	571.84	7.41	7.53	7.1	6.9	6.91	6.46	6.47	7.29	7.13	7.27	6.91	6.85	6.4
S-4	571.51	7.33	7.00	6.51	6.32	6.46	6.08	5.88	6.56	6.59	6.71	6.45	6.72	6.16
RW-1	581.82	26.50	35.65	34.39	17.82	17.05	16.71	16.95	33.22	27.04	32.51	33.12	35.85	34.45
RW-2	581.82	25.61	26.29	25.90	25.94	26.07	15.15	25.45	25.69	17.50	25.31	25.43	25.50	25.57
RW-3	582.30	37.34	34.30	28.45	21.10	29.14	30.56	30.58	28.61	35.13	32.19	22.65	34.11	31.95
RW-4	581.83	26.27	25.45	25.47	17.97	25.40	25.48	25.77	17.26	26.33	26.35	17.46	26.16	17.55
RW-5	582.05	37.41	37.70	28.55	22.27	21.82	21.01	20.51	20.58	22.95	24.00	24.90	25.49	17.75
RW-6	570.76	22.90	16.40	13.14	11.29	10.24	6.08	6.06	14.77	6.40	14.30	14.71	15.35	8.29
RW-7	570.67	19.55	6.70	6.51	6.90	18.35	14.55	14.88	14.43	6.29	14.99	14.92	6.75	14.75
RW-8	583.83	20.18	26.08	19.36	26.09	18.86	26.85	18.46	19.33	26.41	19.38	19.55	26.45	26.70
RW-9	583.86	20.13	19.78	27.15	27.52	27.42	28.01	27.04	19.32	19.45	27.23	27.26	19.77	27.15
RW-10	583.28	22.82	23.33	22.62	22.95	22.76	22.46	22.74	22.64	18.74	23.33	23.03	22.55	23.05
RW-11	581.22	22.85	23.70	23.61	23.68	23.65	22.90	22.76	23.07	23.53	23.36	23.49	23.55	23.22
SG	568.89	DRY	DRY	DRY	DRY	0.44	0.52	0.62	0.54	0.35	0.62	0.3	DRY	DRY

Water Level Data

		2/20/2002	3/28/2002	4/24/2002	5/23/2002	6/17/2002	7/25/2002	8/20/2002	9/18/2002	#####	#####	#####	1/30/2003	2/28/2003	3/11/2003
	Original														
WELL	ELEV.	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW
NAME	TOC	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)
MW-1	577.68	12.48	12.48	12.07	11.87	11.90	12.45	12.28	12.44	12.40	12.80	12.66	12.77	12.63	12.49
MW-2	578.76	13.91	13.96	13.48	13.25	13.26	13.80	13.57	13.62	13.65	14.30	14.25	14.50	14.51	14.24
MW-3	571.16	6.75	6.89	6.51	6.29	6.21	6.89	6.81	6.95	6.24	6.61	6.55	7.09	6.96	6.68
MW-4	583.83	16.02	16.51	18.55	18.64	18.81	19.25	19.02	19.12	18.76	19.05	19.05			
MW-5	584.14	19.67	19.71	19.25	19.04	19.10	19.56	19.31	19.52	19.23	20.01	20.04		20.15	19.96
MW-6	585.70	21.64	21.56	20.96	20.87	20.81	21.22	21.02	21.22	21.02	21.81	21.85	21.88	22.04	21.81
MW-7	586.40	21.43	21.60	20.90	20.73	20.94	21.55	21.35	21.50	21.45	22.01	21.89	22.00	22.09	21.85
OW-1	573.63	9.55	9.67	9.28	8.82	8.93	7.42	9.28	9.31	8.86	9.51	9.55	9.82	9.83	9.63
OW-2	584.14	16.29	16.41	15.37	16.17	16.06	16.20	16.30	16.22	15.12	16.09	16.42		16.15	16.38
OW-3	576.25	10.84	10.86	10.47	10.37	10.58	10.83	10.87	11.08	11.26	11.25	11.69	11.53	11.83	11.91
OW-4	572.21	6.98	6.94	6.61	6.53	6.63	6.94	6.92	7.08	7.24	7.44	7.62	7.72	8.10	7.80
OW-5	584.16	17.69	17.70	17.40	17.15	17.30	17.41	17.39	17.57	17.79	17.84	18.00		17.98	18.12
OW-6	572.12	6.14	6.22	5.72	5.57	5.88	6.40	6.48	6.73	6.89	6.75	6.73	6.85	7.07	6.92
OW-7	574.84	8.71	8.87	8.31	8.07	8.47	9.02	9.21	9.48	9.53	9.82	9.62	10.17	10.42	9.73
OW-8	571.31	6.02	6.18	5.77	5.55	5.87	6.40	6.30	6.58	6.64	6.70	6.58	6.95	7.20	6.75
OW-9	588.32	20.92	21.27	20.77	20.48	21.07	21.68	21.87	22.07	22.17	21.94	21.75	21.78	21.88	21.81
S-1	571.84	7.90	7.72	5.82	5.85	6.15	6.19	6.15	5.92	5.95	7.95	7.65	7.70	7.52	7.12
S-2	571.81	6.31	6.30	5.89	5.83	6.01	6.33		6.60	6.75	6.97	7.10		7.54	7.06
S-3	571.84	5.98	6.03	5.54	5.42	5.68	6.11	6.27	6.54	6.69	6.56	6.52		6.83	6.50
S-4	571.51	5.39	5.64	5.07	4.72	5.23	5.71	5.98	6.26	6.42	6.94	7.00	7.58	7.82	6.48
RW-1	581.82	26.78	34.11	32.39	31.25	26.25	33.71	34.30	34.22	17.11	11.85	8.92	17.60	17.53	17.17
RW-2	581.82	25.61	26.32	25.47	26.40	25.35	25.99	26.50	17.35	16.90	16.06	14.96	17.40	17.31	17.25
RW-3	582.30	30.25	29.02	26.10	29.27	30.10	31.28	32.20	33.89	17.35	13.05	17.39	17.90	17.86	17.68
RW-4	581.83	25.94	17.45	16.55	16.75	25.85	25.97	17.04	26.35	17.01	17.41	17.41	17.50	17.54	17.51
RW-5	582.05	17.48	23.81	23.55	22.15	22.53	27.20	27.61	35.15	17.29	16.15	17.67	17.80	17.82	17.72
RW-6	570.76	7.48	7.61	14.80	14.12	14.81	11.07	14.95	14.61	6.11	6.25	6.35	6.50	6.67	6.49
RW-7	570.67	14.90	14.50	14.43	14.31	14.95	14.95	14.79	14.78	5.98	4.21	6.41	6.40	6.52	6.15
RW-8	583.83	26.07	27.03	18.95	26.76	19.05	19.18	18.99	19.12	19.05	19.52	19.65	19.60	19.78	18.67
RW-9	583.86	27.07	26.91	18.81	27.92	27.71	28.10	28.41	27.64	19.01	19.22	18.74		17.77	19.53
RW-10	583.28	22.88	23.20	17.89	17.85	17.93	21.35	18.15	18.49	18.46	18.81	18.68		18.88	19.68
RW-11	581.22	23.59	23.12	15.38	22.81	15.61	22.51	23.11	23.55	16.37	16.55	16.37			
SG	568.89	DRY	DRY	0.4	0.65	0.65	0.65	0.65	0.8	0.65	DRY	DRY			

***** NOTE OW-8 and OW-9 data were reversed 9/18/02 by OBG, repaired here.

Water Level Data

		4/15/2003	5/28/2003	6/23/2003	7/18/2003	8/29/2003	9/24/2003	#####	#####	#####	1/20/2004	2/26/2004	3/9/2004	4/23/2004	5/27/2004
	Original														
WELL	ELEV.	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW
NAME	TOC	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)
MW-1	577.68	11.99	11.91	11.68	12.18	12.40	12.39	12.61	12.21	12.56	12.27	12.54	12.11	11.90	11.52
MW-2	578.76	13.68	13.59	13.30	13.68	13.75	13.68	14.10	13.76	14.04	13.91	14.36	14.05	13.68	13.25
MW-3	571.16	6.16	6.08	5.82	6.29	6.48	6.36	6.50	6.25	6.48	6.55	6.90	6.50	6.13	5.88
MW-4	583.83	18.50	18.38	18.12	18.51	18.60	18.58	18.81	16.37	17.68				1.85	1.65
MW-5	584.14	19.27	19.17	18.83	19.17	19.30	19.21	19.68	19.26	19.72	19.52		19.75	19.26	18.89
MW-6	585.70	21.11	21.02	20.67	21.15	21.08	21.09	21.48	21.30	21.45	21.28	21.92	21.52	20.95	20.81
MW-7	586.40	21.11	21.27	20.93	21.28	21.47	21.53	21.73	21.23	21.53	21.35	21.97	21.39	20.98	20.76
OW-1	573.63	9.03	8.74	8.55	8.97	9.11	9.05	9.38	8.91	9.32	9.21	9.60	9.25	8.91	8.65
OW-2	584.14	16.26	16.20	16.15	16.35	16.21	16.11	16.34	16.09	16.21	16.15	15.84	16.05	15.11	15.65
OW-3	576.25	11.19	11.10	11.00	10.98	11.56	11.81	11.74	11.13	11.21	10.94	11.18	10.71	10.36	10.47
OW-4	572.21	7.26	7.22	7.03	7.08	7.86	7.82	7.87	7.15	7.30	7.07	7.31	6.91	6.62	6.60
OW-5	584.16	17.84	17.64	17.60	17.46	17.51	17.64	17.95	17.56	17.39			17.39	16.88	16.52
OW-6	572.12	6.35	6.56	6.47	6.41	7.05	7.21	7.12	6.57	6.61	6.37	6.64	6.05	5.62	5.73
OW-7	574.84	8.89	7.39	9.23	9.52	10.64	10.43	10.37	9.27	9.71	9.19	9.65	8.67	8.25	8.48
OW-8	571.31	6.06	6.36	6.21	6.45	7.11	6.77	6.88	6.15	6.51	6.19	6.62	5.85	5.75	5.87
OW-9	588.32	21.19	21.59	21.68	21.79	22.02	22.11	21.96	21.63	21.31	21.26	21.60	20.96	20.55	20.76
S-1	571.84	7.52	7.45	7.75	6.98	7.85	7.74	7.95	7.72	7.45	7.27	7.76	8.45	7.85	7.60
S-2	571.81	6.62	6.64	6.40	6.38	7.21	7.46	7.36	6.56	6.67	6.43	6.69	6.15	5.85	5.92
S-3	571.84	6.15	6.35	6.10	6.00	6.35	6.92	7.04	6.15	6.34	6.20	6.45	5.75	5.54	5.58
S-4	571.51	5.56	6.35	6.17	7.06	8.94	7.35	7.61	5.92	7.02	6.32	7.04	5.79	5.67	5.86
RW-1	581.82	16.65	16.69	16.20	16.65	17.09	17.05	16.97	15.11	17.18	17.05	16.51	15.45	14.75	14.42
RW-2	581.82	17.31	16.67	16.21	16.47	16.85	16.77	16.85	16.30	16.90	16.82	17.26	14.90	16.30	15.95
RW-3	582.30	17.07	17.18	16.60	16.39	17.17	17.03	17.31	16.12	17.50	17.21	17.80	15.65	15.90	15.55
RW-4	581.83	16.77	16.56	16.27	16.68	16.72	17.75	17.11	16.78	17.21	17.01	17.61	17.23	16.80	16.48
RW-5	582.05	17.07	17.03	16.58	16.88	17.10	16.90	17.25	16.65	17.50	17.21	17.72	17.38	16.95	16.63
RW-6	570.76	5.88	5.77	5.34	5.75	5.88	5.84	6.21	5.62	6.18	5.90	5.80	6.18	5.82	5.50
RW-7	570.67	5.65	5.77	5.22	5.67	5.71	5.72	6.09	5.50	6.11	5.85	6.52	5.98	5.40	5.28
RW-8	583.83	18.85	18.81	18.43	18.87	18.82	18.81	19.21	19.00	20.21	19.03	19.68	19.25	18.80	18.65
RW-9	583.86														
RW-10	583.28	17.91	17.92	17.65	18.14	18.15	18.18	18.46	18.10	18.30	18.11	18.94	18.15	17.78	17.65
RW-11	581.22	15.58	15.85	15.43	15.82	16.08	15.91	16.14	15.65	16.02	15.80	16.45	15.77	15.48	15.15
SG	568.89	0.2	0.5	0.95	0.45	0.85	0.8	0.2	0.15	0.1				0.4	0.6

Water Level Data

		06/07/04	07/21/04	08/20/04	09/24/04	10/28/04	02/15/05	04/20/05	08/01/05	12/08/05	03/21/06	06/23/06	09/26/06	12/19/06	12/27/07
	Original					38288	38398	38462							
WELL	ELEV.	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW	DTW
NAME	TOC	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)	(FEET)
MW-1	577.68	11.60	11.74	11.59	11.70	12.43	11.70	11.54	11.98	12.42	12.01	11.56	11.48	12.10	12.11
MW-2	578.76	13.25	13.36	13.23	13.32	14.06	13.38	13.25	16.42	14.20	13.77	13.10	13.33	13.78	13.95
MW-3	571.16	5.80	5.84	5.78	5.93	6.52	5.95	5.83	6.32	6.71	6.44	5.83	5.87	6.30	6.51
MW-4	583.83	16.20	18.13	17.97	18.07	18.80		14.45	18.28	18.80	18.71	17.95	16.40	16.18	17.36
MW-5	584.14	18.80	18.83	18.72	18.78	19.55	19.14	18.73	18.90	19.80	19.47	18.58	18.94	19.31	19.72
MW-6	585.70	20.57	20.76	20.49	20.61	21.36	20.85	20.45	20.72	21.58	21.29	20.49	20.73	20.95	21.49
MW-7	586.40	20.72	20.92	20.75	20.72	21.57	20.87	20.45	21.10	21.45	21.22	20.75	20.94	20.96	21.33
OW-1	573.63	8.49	8.65	8.57	8.65	9.33	5.80	8.51	8.76	9.33	9.17	8.37	8.58	8.93	
OW-2	584.14	15.91	15.47	15.65	15.60	15.62	3.31	15.26	15.26	15.15	15.30	15.13	15.11	15.15	
OW-3	576.25	10.44	10.62	10.47	10.37	10.60	10.23	9.48	10.61	10.12	9.58	10.20	10.13	9.16	
OW-4	572.21	6.62	6.78	6.63	6.59	6.91	6.23	6.04	6.81	6.72	6.47	6.51	6.65	6.24	
OW-5	584.16	16.65	16.70	16.61	16.45	16.78	16.52	16.05	16.67	17.31	16.39	16.72	16.80	16.08	
OW-6	572.12	5.80	6.17	5.97	5.82	6.36	5.05	4.85	6.27	5.80	5.47	5.95	5.91	4.80	
OW-7	574.84	8.58	9.15	8.67	8.57	9.38	7.62		9.00	8.51	8.17	8.65	5.63	7.38	
OW-8	571.31	5.89	6.22	5.90	5.82	6.53	5.65	5.37	6.22	5.85	5.80	5.98	5.97	5.40	
OW-9	588.32	20.90	21.33	21.17	20.83	21.43	20.58	19.96	21.62	20.77	20.58	21.49	21.29	20.06	
S-1	571.84	7.75	7.55	7.60	7.53	7.87	7.23	4.95	8.12	5.45	7.71	5.67	5.55	4.70	
S-2	571.81	5.92	6.14	5.96	5.96	6.15	5.23	4.90	6.08	5.65	5.34	5.70	5.66	4.65	
S-3	571.84	5.58	6.00	5.72	5.72	6.15	4.84	4.36	6.02	5.54	5.20	5.61	5.63	4.50	
S-4	571.51	5.94	6.64	5.72	5.72	7.02	5.38	4.03	5.67	5.92	5.66	5.37	5.68	4.95	
RW-1	581.82	16.49	16.39	16.14	16.33	17.17	13.96	16.39							
RW-2	581.82	16.31	16.20	16.14	16.27	16.99	15.54	16.31							
RW-3	582.30	16.69	16.60	16.50	16.64	17.34	5.92	16.72							
RW-4	581.83	16.30	16.29	16.19	16.27	17.07	16.64	16.25	16.35	17.32	16.95	16.08	16.42	16.80	17.24
RW-5	582.05	16.58	16.60	16.34	16.59	17.39	13.50	16.52	16.65	17.53	17.27	16.35	16.55	17.10	17.49
RW-6	570.76	5.38	5.45	5.27	5.32	6.11	3.62	5.25							
RW-7	570.67	5.25	5.27	5.17	5.22	6.01	1.60	5.13							
RW-8	583.83	18.31	18.45	18.25	18.35	19.11	18.60	18.20							
RW-9	583.86														
RW-10	583.28	17.50	17.69	17.48	17.45	18.27	17.61	17.20							
RW-11	581.22	15.09	15.44	15.28	15.20	16.11	15.37	14.90							
SG	568.89	1.0	0.9	0.9	0.9	0.1	0.4	0.9	1.1	DRY	0.7	1.8	1.0	1.8	