

### **CBS** Corporation

Environmental Remediation PNC Center 20 Stanwix Street, 10<sup>th</sup> Floor Pittsburgh, PA 15222

March 2, 2010

William P. Murray, P.E. Environmental Engineer I New York State Department of Environmental Conservation Division of Hazardous Waste Remediation Region 9 270 Michigan Avenue Buffalo, NY 14203-2999

Re: Monthly Operation and Maintenance Report NYSDEC Site 9-15-066, Cheektowaga, New York

Dear Mr. Murray:

On behalf of the Respondents to the Order on Consent and Settlement Agreement, Index No. B9-0381-91-8 (the "Order"), CBS Corporation (CBS) submits this monthly status report for operation and maintenance (O&M) activities at New York State Department of Environmental Conservation (NYSDEC) Site No. 9-15-066 in Cheektowaga, New York (the "Site"). Under an Agreement among the Respondents, CBS is managing the Remedial Program pursuant to the Order. This report covers activities during February 2010 and transmits the discharge monitoring report for this period.

# 1. Site Activities and Status

- A. On February 5, 2010, CBS submitted to NYSDEC a monthly report on the status of O&M activities at the Site for January 2010. That status report also transmitted the discharge monitoring data for January 2010.
- B. The recovery and treatment system operated throughout February 2010.
- C. Conestoga-Rovers & Associates (CRA) conducted routine and non-routine O&M, and TestAmerica Laboratories, Inc. provided analytical laboratory services, as required.

# 2. Sampling Results and Other Site Data

- A. In February 2010, the groundwater system recovered and treated an estimated 133,000 gallons.
- B. Attachment A provides the discharge monitoring report for February 2010 based on the effluent sample collected on February 17, 2010. Attachment B provides the analytical laboratory report for this effluent sample.
- C. In reviewing the treatment system effluent monitoring information, please note the following:
  - Flow data are provided via periodic on-site readings. The maximum daily flow was calculated from these data.
  - The pH data are provided via periodic on-site readings and laboratory analysis of the monthly effluent sample. Effluent pH data are reported only for measurements taken while the treatment pump is operating and the system is actively discharging.
  - The reported daily maximum values (pounds per day) are calculated using the maximum observed daily flow and the results of the monthly effluent monitoring, irrespective of whether the actual maximum daily flow occurred on the day of sampling.
- D. For the February 2010 reporting period, the effluent complied with all discharge limitations.

# 3. Upcoming Activities

- A. CBS will continue required O&M activities.
- B. With NYSDEC approval, CBS will complete the Phase 1 closure of the 002 system by filling and sealing manholes MH-002-09 and MH-002-10.
- C. After closing MH-002-09, and MH-002-10, CRA will conduct additional water level measurements, surface water monitoring, and groundwater monitoring per the *Revised Work Plan* (Rev. 1, November 7, 2008).

## 4. Operational Problems

A. Previously reported operational problems associated with elevated pH, pH control, hardness, and inflow continue. These operational problems are expected to be largely resolved with the phased shutdown of the collection system and limitation of inflows to those associated with Sump 003.

- B. The post-closure monitoring data indicate that the Phase 1 closure of the 001 groundwater collection system has effectively addressed the previously observed high water levels at Sump 001, which had led to periodic overtopping of that manhole. The ongoing periodic overtopping at Sump 002 will be addressed through the partial closure of that segment of the groundwater collection system.
- C. The Phase 1 closure of the 002 system is also expected to reduce the conveyance of groundwater containing volatile organic compounds via storm sewers installed by the Niagara Frontier Transportation Authority as part of airport development.

\* \* \* \*

Please contact me if you have questions regarding this status report.

Very truly yours,

Leo M. Brausch

Consultant/Project Engineer

LMB:

Attachments

cc: K. P. Lynch, CRA

K. Minkel, NFTA

# ATTACHMENT A DISCHARGE MONITORING REPORT FEBRUARY 2010

Discharge Monitoring Data
Outfall 001 - Treated Groundwater Remediation Discharge
NYSDEC Site No. 9-15-006
Cheektowaga, New York

Reporting Month & Year Feb-10

Parame	ter	Daily Minimum	Daily Maximum	Units	Daily Maximum (Ibs/day)	Measurement Frequency	Sample Type
Flow	Monitoring Result		5,129	gpd		Continuous	Meter
	Discharge Limitation		28,800	gpd		Continuous	Meter
pН	Monitoring Result	7.18	8.10	s.u.		6	Grab
	Discharge Limitation	6.5	8.5	s.u.		Weekly	Grab
Total suspended solids	Monitoring Result		< 4.0	mg/L	< 0.2	1	Grab
	Discharge Limitation		20	mg/L		Monthly	Grab
Toluene	Monitoring Result		< 1.0	ug/L	< 0.00004	1	Grab
	Discharge Limitation		5	ug/L		Monthly	Grab
Methylene chloride	Monitoring Result		< 1.0	ug/L	< 0.00005	1	Grab
	Discharge Limitation		10	ug/L		Monthly	Grab
1,2-dichlorobenzene	Monitoring Result		< 1.0	ug/L	< 0.00005	1	Grab
	Discharge Limitation		5	ug/L		Monthly	Grab
cis-1,2-dichloroethylene	Monitoring Result		< 1.0	ug/L	< 0.00005	1	Grab
	Discharge Limitation		10	ug/L		Monthly	Grab
Trichloroethylene	Monitoring Result		0.53	ug/L	0.000027	1	Grab
	Discharge Limitation		10	ug/L		Monthly	Grab
Tetrachloroethylene	Monitoring Result		< 1.0	ug/L	< 0.00005	1	Grab
	Discharge Limitation		50	ug/L		Monthly	Grab
Cadmium	Monitoring Result		1.4	ug/L	0.000060	1	Grab
	Discharge Limitation		3	ug/L		Monthly	Grab
Chromium	Monitoring Result		< 5.0	ug/L	< 0.0002	1	Grab
	Discharge Limitation		99	ug/L		Monthly	Grab

3/2/2010 Page 1 of 1

# ATTACHMENT B ANALYTICAL LABORATORY REPORT FEBRUARY 2010 EFFLUENT SAMPLING



TestAmerica Laboratories, Inc.

# ANALYTICAL REPORT

PROJECT NO. LEO BRAUSCH BUF

Leo Brausch Buffalo Airport

Lot #: C0B180456

Leo Brausch

Leo Brausch Consulting 131 Wedgewood Drive Gibsonia, PA 15044

TESTAMERICA LABORATORIES, INC.

Carrie L. Gamber

Project Manager

February 26, 2010



# **NELAC REPORTING:**

At the time of analysis the laboratory was in compliance with the current NELAC standards and held accreditation for all analyses performed unless noted by a qualifier. The labs accreditation numbers are listed below. The format and contents of the report meets all applicable NELAC standards except as noted in the narrative and shall not be reproduced except in full, without the written approval of the laboratory. The table below presents a summary of the certifications held by TestAmerica Pittsburgh. Our primary accreditation authority for the Non-potable water and Solid & Hazardous waste programs is Pennsylvania DEP. A more detailed parameter list is available upon request. Please ask your project manager for this information when required.

Certifying State/Program	Certificate #	Program Types	TestAmerica
NFESC	NA NA	NAVY	X
US Dept of Agriculture	(#P330-07-00101)	Foreign Soil Import Permit	X
Arkansas	(#88-0690)	ww	X
V = 1.==.	·	HW	X
California – NELAC	04224CA	ww	X
		HW	X
Connecticut	(#PH-0688)	ww	X
		HW	X
Florida – NELAC	(#E871008-04)	ww	X
		HW	XX
Illinois – NELAC	(#002064)	ww	
		HW HW	X
Kansas – NELAC	(#E-10350)	ww	X
		HW	X
Louisiana – NELAC	(#04041)	. WW	
		HW	X X
New Hampshire - NELAC	(#203008)	ww -	-
New Jersey – NELAC	(PA-005)	ww	X
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	1	HW	X X
New York - NELAC	(#11182)	ww	
		HW	X X
North Carolina	(#434)	ww	
		HW HW	X
Pennsylvania - NELAC	(#02-00416)	ww	X
		HW	X X
South Carolina	(#89014002)	WW	X
1	1	<u> </u>	X x
Utah – NELAC	(STLP)	ww	X
	<u> </u>	HW	X X
West Virginia	(#142)	ww	
		HW	X
Wisconsin	998027800	ww	
		HW	X

The codes utilized for program types are described below:

HW Hazardous Waste certification

WW Non-potable Water and/or Wastewater certification

Laboratory has some form of certification under the specific program. Many states certify laboratories for specific parameters or tests within a category. The information in the table indicates the lab is certified in a general category of testing. Please contact the laboratory if parameter specific certification information is required.

Updated: 2/5/2009 C:\Documents and Settings\derubeisn\My Documents\NELAC NARRATIVE Pttsburgh.doc

#### CASE NARRATIVE

# Leo Brausch Consulting

# Lot # C0B180456

# Sample Receiving:

TestAmerica's Pittsburgh laboratory received one sample on February 18, 2010. The cooler was received within the proper temperature range.

If project specific QC was not required for samples contained in this report, when batch QC was completed on these samples, anomalous results will be discussed below.

#### **GC/MS Volatiles:**

TestAmerica's North Canton laboratory performed the 624 analysis. All results are included in the report.

The method blank had compounds detected below the reporting limit but above the MDL. The result was flagged with a "J" qualifier. Any sample associated with this blank that had the same compounds detected had the result flagged with a "B" qualifier.

#### Metals:

There were no problems associated with the analysis.

# General Chemistry:

pH is a field parameter. Laboratory pH analysis was completed at the request of the client.

# CHAIN OF CUSTODY RECORD

CONESTOGA-ROVERS & ASSOCIATES	SHIPPED TO (Laboratory Name):	REFERENCE NUMBER: 018036 BUFFall Airpurt
		VIalur
SAMPLER'S PRINTED SIGNATURE:		
TIME	SAMPLE SO STATE STATE SO STATE	HEMARKS
21710 1600 EHO210	Wape 311	
TOTAL NUMBER OF CONTAINERS		HEALTH/CHEMICAL HAZARDS
RELINGUISHED BY: A.II. TIME: 16	7-6 RECEIVED BY:	DATE: TIME:
RELINQUISHED BY: DATE:	RECEIVED BY:	DATE: TIME:
LINQUISHED BY:	RECEIVED BY:	DATE:
(3)TIME:	©	TIME
METHOD OF SHIPMENT:	WAY BILL No.	
. A	RECEIVERT	FOBLABORADORY BY: NO CRA 15351
Goldenrod —Sampler Copy	DATE 2/	16/10_TIME: 10/5
	<del>_</del>	1001 (D) APR 28/97(NF) REV. 0 (F-15)

# **METHODS SUMMARY**

# C0B180456

PARAMETER	ANALYTICAL METHOD	PREPARATION METHOD
pH (Electrometric) Purgeables Total Suspended Solids SM 2540 D Trace Inductively Coupled Plasma (ICP) Metals	SM20 4500-H+B CFR136A 624 SM20 2540D MCAWW 200.7	SM20 4500-H B SW846 5030B SM20 2540D MCAWW 200.7
References:		

CFR136A	"Methods for Organic Chemical Analysis of Municipal and Industrial Wastewater", 40CFR, Part 136, Appendix A, October 26, 1984 and subsequent revisions.
MCAWW	"Methods for Chemical Analysis of Water and Wastes", EPA-600/4-79-020, March 1983 and subsequent revisions.
SM20	"STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER", 20TH EDITION."

# **SAMPLE SUMMARY**

#### C0B180456

 WO #
 SAMPLE#
 CLIENT SAMPLE ID
 SAMP
 DATE
 TIME

 LVTOR
 001
 EFF0210
 02/17/10
 16:00

#### NOTE(S):

- The analytical results of the samples listed above are presented on the following pages.
- All calculations are performed before rounding to avoid round-off errors in calculated results.
- Results noted as "ND" were not detected at or above the stated limit.
- This report must not be reproduced, except in full, without the written approval of the laboratory.
- Results for the following parameters are never reported on a dry weight basis: color, corrosivity, density, flashpoint, ignitability, layers, odor, paint filter test, pH, porosity pressure, reactivity, redox potential, specific gravity, spot tests, solids, solubility, temperature, viscosity, and weight.

# Leo Brausch Consulting

Client Sample ID: EFF0210

#### GC/MS Volatiles

Lot-Sample #...: C0B180456-001 Work Order #...: LVT0R1AD Matrix.....: WATER

Date Sampled...: 02/17/10 Date Received..: 02/18/10 MS Run #....: 0056162

 Prep Date.....:
 02/24/10
 Analysis Date...:
 02/24/10

 Prep Batch #...:
 0056251
 Analysis Time...:
 19:18

Dilution Factor: 1

Method....: CFR136A 624

		REPORTING		
PARAMETER	RESULT	LIMIT	<u>UNITS</u>	MDL
1,2-Dichlorobenzene	ND	1.0	ug/L	0.13
cis-1,2-Dichloroethene	ND	1.0	ug/L	0.17
Methylene chloride	ND	1.0	ug/L	0.33
Tetrachloroethene	ND	1.0	ug/L	0.29
Toluene	ND	1.0	ug/L	0.13
Trichloroethene	0.53 J,B	1.0	ug/L	0.17
	PERCENT	RECOVERY		
SURROGATE	RECOVERY	LIMITS		
1,2-Dichloroethane-d4	85	(80 - 125)		
Toluene-d8	101	(84 - 110)		
Bromofluorobenzene	95	(81 - 112)		

#### NOTE(S):

J Estimated result. Result is less than RL.

B Method blank contamination. The associated method blank contains the target analyte at a reportable level.

#### METHOD BLANK REPORT

#### GC/MS Volatiles

Client Lot #...: COB180456 Work Order #...: LV30R1AA Matrix.....: WATER

MB Lot-Sample #: A0B250000-251

Prep Date.....: 02/24/10 Analysis Time..: 18:08

**Analysis Date..:** 02/24/10 **Prep Batch #...:** 0056251

Dilution Factor: 1

		REPORTING			
PARAMETER	RESULT	LIMIT	UNITS	METHOD	
Toluene	0.18 J	1.0	ug/L	CFR136A	624
1,2-Dichlorobenzene	ND	1.0	ug/L	CFR136A	624
cis-1,2-Dichloroethene	ND	1.0	ug/L	CFR136A	624
Methylene chloride	0.85 J	1.0	ug/L	CFR136A	624
Tetrachloroethene	ND	1.0	ug/L	CFR136A	624
Trichloroethene	0.90 J	1.0	ug/L	CFR136A	624
	PERCENT	RECOVERY			
SURROGATE	<u>RECOVERY</u>	LIMITS	_		
1,2-Dichloroethane-d4	86	(80 - 125	)		
Toluene-d8	99	(84 - 110	)		
Bromofluorobenzene	93	(81 - 112	)		

# NOTE(S):

J Estimated result. Result is less than RL.

#### LABORATORY CONTROL SAMPLE EVALUATION REPORT

#### GC/MS Volatiles

Client Lot #...: COB180456 Work Order #...: LV30R1AC Matrix.....: WATER

LCS Lot-Sample#: A0B250000-251

Dilution Factor: 1

	PERCENT	RECOVERY	
PARAMETER	RECOVERY	LIMITS	METHOD
1,2-Dichlorobenzene	98	(18 - 190)	CFR136A 624
Methylene chloride	86	(10 - 221)	CFR136A 624
Tetrachloroethene	102	(64 - 148)	CFR136A 624
Toluene	97	(47 - 150)	CFR136A 624
Trichloroethene	101	(71 - 157)	CFR136A 624
Benzene	92	(37 - 151)	CFR136A 624
Bromodichloromethane	89	(35 - 155)	CFR136A 624
Bromoform	72	(45 - 169)	CFR136A 624
Bromomethane	104	(10 - 242)	CFR136A 624
Carbon tetrachloride	90	(70 - 140)	CFR136A 624
Chlorobenzene	97	(37 - 160)	CFR136A 624
Chloroethane	93	(14 - 230)	CFR136A 624
2-Chloroethyl vinyl ether	87	(10 - 305)	CFR136A 624
Chloroform	93	(51 - 138)	CFR136A 624
Chloromethane	82	(10 - 273)	CFR136A 624
Dibromochloromethane	84	(53 - 149)	CFR136A 624
1,3-Dichlorobenzene	96	(59 - 156)	CFR136A 624
1,4-Dichlorobenzene	95	(18 - 190)	CFR136A 624
1,1-Dichloroethane	92	(59 - 155)	CFR136A 624
1,2-Dichloroethane	87	(49 - 155)	CFR136A 624
1,1-Dichloroethene	100	(10 - 234)	CFR136A 624
trans-1,2-Dichloroethene	93	(54 - 156)	CFR136A 624
1,2-Dichloropropane	90	(10 - 210)	CFR136A 624
cis-1,3-Dichloropropene	83	(10 - 227)	CFR136A 624
trans-1,3-Dichloropropene	79	(17 - 183)	CFR136A 624
Ethylbenzene	95	(37 - 162)	CFR136A 624
1,1,2,2-Tetrachloroethane	102	(46 - 157)	CFR136A 624
1,1,1-Trichloroethane	94	(52 - 162)	CFR136A 624
1,1,2-Trichloroethane	92	(52 - 150)	CFR136A 624
Trichlorofluoromethane	119	(17 - 181)	CFR136A 624
Vinyl chloride	94	(10 - 251)	CFR136A 624

(Continued on next page)

#### LABORATORY CONTROL SAMPLE EVALUATION REPORT

#### GC/MS Volatiles

Client Lot #...: C0B180456 Work Order #...: LV30R1AC Matrix.....: WATER

LCS Lot-Sample#: A0B250000-251

	PERCENT	RECOVERY
SURROGATE	RECOVERY	LIMITS
1,2-Dichloroethane-d4	89	(80 - 125)
Toluene-d8	98	(84 - 110)
Bromofluorobenzene	95	(81 - 112)

#### NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

#### MATRIX SPIKE SAMPLE EVALUATION REPORT

#### GC/MS Volatiles

Lot-Sample #...: COB180456 Work Order #...: LVXRW1AC Matrix.....: WATER

MS Lot-Sample #: A0B220410-002

 Date Sampled...:
 02/22/10
 Date Received...:
 02/22/10

 Prep Date.....:
 02/25/10
 Analysis Date...:
 02/25/10

 Prep Batch #...:
 0056251
 MS Run #......:
 0056162

Dilution Factor: 1

PARAMETER         RECOVERY         LIMITS         METHOD           1,2-Dichlorobenzene         97         (90 - 115)         CFR136A 624           Methylene chloride         88         (78 - 131)         CFR136A 624           Tetrachloroethene         104         (81 - 112)         CFR136A 624
Methylene chloride 88 (78 - 131) CFR136A 624
Tetrachloroethene 104 (81 - 112) CFR136A 624
Toluene 99 (87 - 112) CFR136A 624
Trichloroethene 98 (85 - 114) CFR136A 624
Benzene 96 (90 - 114) CFR136A 624
Bromodichloromethane 73 a (78 - 123) CFR136A 624
Bromoform 43 (40 - 141) CFR136A 624
Bromomethane 132 (42 - 160) CFR136A 624
Carbon tetrachloride 85 (61 - 129) CFR136A 624
Chlorobenzene 99 (90 - 113) CFR136A 624
Chloroethane 108 (56 - 133) CFR136A 624
2-Chloroethyl vinyl ether 0.0 a (10 - 185) CFR136A 624
Chloroform 90 (90 - 118) CFR136A 624
Chloromethane 90 (37 - 127) CFR136A 624
Dibromochloromethane 54 a (65 - 123) CFR136A 624
1,3-Dichlorobenzene 97 (90 - 111) CFR136A 624
1,4-Dichlorobenzene 92 (90 - 112) CFR136A 624
1,1-Dichloroethane 95 (90 - 114) CFR136A 624
1,2-Dichloroethane 89 a (90 - 123) CFR136A 624
1,1-Dichloroethene 108 (83 - 129) CFR136A 624
trans-1,2-Dichloroethene 95 (85 - 116) CFR136A 624
1,2-Dichloropropane 94 (87 - 119) CFR136A 624
cis-1,3-Dichloropropene 67 a (77 - 115) CFR136A 624
trans-1,3-Dichloropropene 61 a (71 - 114) CFR136A 624
Ethylbenzene 94 (88 - 111) CFR136A 624
1,1,2,2-Tetrachloroethane 93 (77 - 133) CFR136A 624
1,1,1-Trichloroethane 80 a (82 - 119) CFR136A 624
1,1,2-Trichloroethane 93 (89 - 123) CFR136A 624
Trichlorofluoromethane 132 a (62 - 110) CFR136A 624
Vinyl chloride 104 (50 - 119) CFR136A 624
PERCENT RECOVERY
<u>SURROGATE</u> <u>RECOVERY</u> <u>LIMITS</u>
1,2-Dichloroethane-d4 89 (80 - 125)
Toluene-d8 99 (84 - 110)
Bromofluorobenzene 96 (81 - 112)

(Continued on next page)

#### MATRIX SPIKE SAMPLE EVALUATION REPORT

#### GC/MS Volatiles

Lot-Sample #...: COB180456 Work Order #...: LVXRW1AC Matrix.....: WATER

MS Lot-Sample #: A0B220410-002

# NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

a Spiked analyte recovery is outside stated control limits.

# Leo Brausch Consulting

# Client Sample ID: EFF0210

# TOTAL Metals

Lot-Sample #...: COB180456-001 Matrix....: WATER

Date Sampled...: 02/17/10 Date Received..: 02/18/10

				, - , -		
		REPORTI	NG		PREPARATION-	WORK
PARAMETER	RESULT	LIMIT_	UNITS	METHOD	ANALYSIS DATE	ORDER #
Prep Batch #	: 0049291					
Cadmium	1.4 B	5.0	ug/L	MCAWW 200.7	02/18-02/22/10	LVT0R1AA
		Dilution Fa	ctor: 1	Analysis Time: 13:54	MS Run #	.: 0049158
		MDL	: 0.15			
Chromium	ND	5.0	ug/L	MCAWW 200.7	02/18-02/22/10	LVT0R1AC
		Dilution Fa	ctor: 1	Analysis Time: 13:54	MS Run #	.: 0049158
		MDL	: 0.51			

#### NOTE(S):

B Estimated result. Result is less than RL.

# METHOD BLANK REPORT

#### TOTAL Metals

Client Lot #...: COB180456 Matrix.....: WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOI	)	PREPARATION- ANALYSIS DATE	WORK ORDER #
MB Lot-Sample ‡	#: C0B180000-29	1 Prep Ba	tch #: 0	049291			
Cadmium	ND	5.0	ug/L	MCAWW	200.7	02/18-02/22/10	LVVEJ1AA
	Γ	ilution Facto	or: 1				
	A	nalysis Time	: 13:30				
Chromium	ND	5.0 Dilution Factor	ug/L or: 1	MCAWW	200.7	02/18-02/22/10	LVVEJ1AC
	A	nalysis Time	: 13:30				

NOTE(S):

#### LABORATORY CONTROL SAMPLE EVALUATION REPORT

#### TOTAL Metals

Client Lot #...: COB180456 Matrix.....: WATER

PERCENT RECOVERY PREPARATION-

PARAMETER RECOVERY LIMITS METHOD ANALYSIS DATE WORK ORDER #

LCS Lot-Sample#: C0B180000-291 Prep Batch #...: 0049291

Cadmium 98 (85 - 115) MCAWW 200.7 02/18-02/22/10 LVVEJ1AD

Dilution Factor: 1 Analysis Time..: 13:49

Chromium 99 (85 - 115) MCAWW 200.7 02/18-02/22/10 LVVEJ1AE

Dilution Factor: 1 Analysis Time..: 13:49

#### NOTE(S):

#### MATRIX SPIKE SAMPLE EVALUATION REPORT

#### TOTAL Metals

Client Lot #...: C0B180456 Matrix....: WATER Date Sampled...: 02/17/10 Date Received..: 02/18/10 RECOVERY PREPARATION-WORK PERCENT RPD RECOVERY LIMITS RPD LIMITS METHOD ANALYSIS DATE ORDER # PARAMETER\_\_\_ MS Lot-Sample #: C0B180456-001 Prep Batch #...: 0049291 Cadmium 96 (70 - 130)MCAWW 200.7 02/18-02/22/10 LVT0R1AG 94 (70 - 130) 1.8 (0-20) MCAWW 200.7 02/18-02/22/10 LVT0R1AH Dilution Factor: 1 Analysis Time..: 14:05 MS Run #....: 0049158 Chromium 98 (70 - 130)MCAWW 200.7 02/18-02/22/10 LVT0R1AJ 97 (70 - 130) 0.96 (0-20) MCAWW 200.7 02/18-02/22/10 LVT0R1AK Dilution Factor: 1 Analysis Time..: 14:05 MS Run #....: 0049158

#### NOTE(S):

# Leo Brausch Consulting

# Client Sample ID: EFF0210

# General Chemistry

Lot-Sample #...: C0B180456-001 Work Order #...: LVTOR Matrix.....: WATER

PARAMETER	RESULT	RL	UNITS	METHOD	PREPARATION- ANALYSIS DATE	PREP BATCH #
рН	8.1			SM20 4500-H+B	02/19/10	0050328
	]	Dilution Factor: 1		Analysis Time: 16:18	MS Run #: 0050214	
	I	MDL	: 0.0			
Total Suspended Solids	ND	4.0	mg/L	SM20 2540D	02/22/10	0053053
	I	Dilution Factor: 1		Analysis Time: 12:35	MS Run #	.: 0053032
	I	MDL	: 2.0			

#### METHOD BLANK REPORT

#### General Chemistry

Client Lot #...: COB180456 Matrix.....: WATER

REPORTING PREPARATION-PREP PARAMETER RESULT LIMIT UNITS METHOD ANALYSIS DATE BATCH # Total Suspended Work Order #: LVXMN1AA MB Lot-Sample #: C0B220000-053 Solids ND 4.0 SM20 2540D 02/22/10 0053053 mg/L Dilution Factor: 1 Analysis Time..: 12:35

NOTE(S):

#### LABORATORY CONTROL SAMPLE EVALUATION REPORT

# General Chemistry

Client Lot #...: COB180456 Matrix.....: WATER

	PERCENT	RECOVERY		PRI	EPARATION-	PREP		
PARAMETER	RECOVERY	LIMITS	METHOD	<u>A</u> NA	ALYSIS DATE	BATCH #		
Нq		Work Order	#: LVWWD1AA	LCS Lot-Samp	ple#: C0B190000	-328		
	100	(99 - 101)	SM20 4500-H-	+B	02/19/10	0050328		
		Dilution Factor: 1 Analysis Time: 16:16						
Total Suspended Solids		Work Order	#: LVXMN1AC	LCS Lot-Samp	ple#: C0B220000	-053		
	102	(80 - 120)	SM20 2540D		02/22/10	0053053		
	Dilution Factor: 1 Analysis Time: 12:35							

NOTE(S):

#### SAMPLE DUPLICATE EVALUATION REPORT

#### General Chemistry

Client Lot #...: COB180456 Work Order #...: LVTOR-SMP Matrix.....: WATER

LVT0R-DUP

Date Sampled...: 02/17/10 Date Received..: 02/18/10

 PARAM RESULT
 RESULT
 UNITS
 RPD
 PREPARATION PREPA

#### SAMPLE DUPLICATE EVALUATION REPORT

#### General Chemistry

Client Lot #...: COB180456 Work Order #...: LVVGT-SMP Matrix.....: WATER

LVVGT-DUP

Date Sampled...: 02/17/10 Date Received..: 02/18/10