



CBS Corporation

Environmental Remediation
PNC Center
20 Stanwix Street, 10th Floor
Pittsburgh, PA 15222

September 16, 2010

William P. Murray, P.E.
Environmental Engineer I
New York State Department of Environmental Conservation
Division of Hazardous Waste Remediation
Region 9
270 Michigan Avenue
Buffalo, NY 14203-2999

**Re: Monthly Operation and Maintenance Report
NYSDEC Site 9-15-066, Cheektowaga, New York**

Dear Mr. Murray:

On behalf of the Respondents to the Order on Consent and Settlement Agreement, Index No. B9-0381-91-8 (the "Order"), CBS Corporation (CBS) submits this monthly status report for operation and maintenance (O&M) activities at New York State Department of Environmental Conservation (NYSDEC) Site No. 9-15-066 in Cheektowaga, New York (the "Site"). Under an Agreement among the Respondents, CBS is managing the Remedial Program pursuant to the Order. This report covers activities during August 2010 and transmits the discharge monitoring report for this period.

1. Site Activities and Status

- A. On August 17, 2010, CBS submitted to NYSDEC a monthly report on the status of O&M activities at the Site for July 2010. That status report also transmitted the discharge monitoring data for July 2010.
- B. The recovery and treatment system operated throughout August 2010.
- C. Conestoga-Rovers & Associates (CRA) conducted routine and non-routine O&M, and TestAmerica Laboratories, Inc. provided analytical laboratory services, as required.

2. Sampling Results and Other Site Data

- A. In August 2010, the groundwater system recovered and treated an estimated 98,000 gallons.¹
- B. Attachment A provides the discharge monitoring report for August 2010 based on the effluent sample collected on August 18, 2010. Attachment B provides the analytical laboratory report for this effluent sample.
- C. In reviewing the treatment system effluent monitoring information, please note the following:
 - Flow data are provided via periodic on-site readings. The maximum daily flow was calculated from these data.
 - The pH data are provided via periodic on-site readings and laboratory analysis of the monthly effluent sample. Effluent pH data are reported only for measurements taken while the treatment pump is operating and the system is actively discharging.
 - The reported daily maximum values (pounds per day) are calculated using the maximum observed daily flow and the results of the monthly effluent monitoring, irrespective of whether the actual maximum daily flow occurred on the day of sampling.
- D. For the August 2010 reporting period, the effluent complied with all discharge limitations.

3. Upcoming Activities

- A. CBS will continue required O&M activities.
- B. CRA will continue effort to clean the effluent line from Sump 003.
- C. With NYSDEC approval, CBS will complete the Phase 1 closure of the 002 system by filling and sealing manholes MH-002-09 and MH-002-10.
- D. After closing MH-002-09, and MH-002-10, CRA will conduct additional water level measurements, surface water monitoring, and groundwater monitoring per the *Revised Work Plan* (Rev. 1, November 7, 2008).

¹ Based on additional information and recalculation, the estimated total discharge for July 2010 has been revised to 110,000 gallons from the 111,000 gallons as indicated in the July 2010 monthly status report.

4. Operational Problems

- A. Previously reported operational problems associated with elevated pH, pH control, and hardness continue. These operational problems are expected to be largely resolved with the phased shutdown of the collection system and limitation of inflows to those associated with Sump 003.
- B. Previously reported operational problems associated system inflows are lessening with the minimal flows associated with Sump 001 now that the 001 portion of the groundwater collection system has been partially closed.
- C. The post-closure monitoring data indicate that the Phase 1 closure of the 001 groundwater collection system has addressed the previously observed high water levels at Sump 001, which had led to periodic overtopping of that manhole. The ongoing periodic overtopping at Sump 002 will be addressed through the partial closure of that portion of the groundwater collection system.
- D. The Phase 1 closure of the 002 system is also expected to reduce the conveyance of groundwater containing volatile organic compounds via storm sewers installed by the Niagara Frontier Transportation Authority as part of airport development.
- E. Other operational issues are being addressed in the course of O&M activities.

* * * *

Please contact me if you have questions regarding this status report.

Very truly yours,



Leo M. Brausch
Consultant/Project Engineer

LMB:
Attachments

cc: K. P. Lynch, CRA
K. Minkel, NFTA

ATTACHMENT A
DISCHARGE MONITORING REPORT
AUGUST 2010

Discharge Monitoring Data
Outfall 001 - Treated Groundwater Remediation Discharge
NYSDEC Site No. 9-15-006
Cheektowaga, New York

Reporting Month & Year **Aug-10**

Parameter		Daily Minimum	Daily Maximum	Units	Daily Maximum (lbs/day)	Measurement Frequency	Sample Type
Flow	Monitoring Result		3,375	gpd		Continuous	Meter
	Discharge Limitation		28,800	gpd		Continuous	Meter
pH	Monitoring Result	7.10	7.34	s.u.		7	Grab
	Discharge Limitation	6.5	8.5	s.u.		Weekly	Grab
Total suspended solids	Monitoring Result		< 4.0	mg/L	< 0.1	1	Grab
	Discharge Limitation		20	mg/L		Monthly	Grab
Toluene	Monitoring Result		< 1.0	ug/L	< 0.00003	1	Grab
	Discharge Limitation		5	ug/L		Monthly	Grab
Methylene chloride	Monitoring Result		< 1.0	ug/L	< 0.00003	1	Grab
	Discharge Limitation		10	ug/L		Monthly	Grab
1,2-dichlorobenzene	Monitoring Result		< 1.0	ug/L	< 0.00003	1	Grab
	Discharge Limitation		5	ug/L		Monthly	Grab
cis-1,2-dichloroethylene	Monitoring Result		< 1.0	ug/L	< 0.00003	1	Grab
	Discharge Limitation		10	ug/L		Monthly	Grab
Trichloroethylene	Monitoring Result		< 1.0	ug/L	< 0.00003	1	Grab
	Discharge Limitation		10	ug/L		Monthly	Grab
Tetrachloroethylene	Monitoring Result		< 1.0	ug/L	< 0.00003	1	Grab
	Discharge Limitation		50	ug/L		Monthly	Grab
Cadmium	Monitoring Result		< 0.15	ug/L	< 0.000004	1	Grab
	Discharge Limitation		3	ug/L		Monthly	Grab
Chromium	Monitoring Result		< 5.0	ug/L	< 0.00014	1	Grab
	Discharge Limitation		99	ug/L		Monthly	Grab

ATTACHMENT B
ANALYTICAL LABORATORY REPORT
AUGUST 2010 EFFLUENT SAMPLING

ANALYTICAL REPORT

PROJECT NO. LEO BRAUSCH BUF


Leo Brausch Buffalo Airport

Lot #: COH200413

Leo Brausch

Leo Brausch Consulting
131 Wedgewood Drive
Gibsonia, PA 15044

TESTAMERICA LABORATORIES, INC.



Carrie L. Gamber
Project Manager

August 30, 2010



NELAC REPORTING:

At the time of analysis the laboratory was in compliance with the current NELAC standards and held accreditation for all analyses performed unless noted by a qualifier. The labs accreditation numbers are listed below. The format and contents of the report meets all applicable NELAC standards except as noted in the narrative and shall not be reproduced except in full, without the written approval of the laboratory. The table below presents a summary of the certifications held by TestAmerica Pittsburgh. Our primary accreditation authority for the Non-potable water and Solid & Hazardous waste programs is Pennsylvania DEP. A more detailed parameter list is available upon request. Please ask your project manager for this information when required.

Certifying State/Program	Certificate #	Program Types	TestAmerica
DoD ELAP	ADE-1442	WW	X
US Dept of Agriculture	(#P330-10-00139)	HW	
Arkansas	(#88-0690)	Foreign Soil Import Permit	X
California – NELAC	04224CA	WW	X
		HW	X
Connecticut	(#PH-0688)	WW	X
		HW	X
Florida – NELAC	(#E871008)	WW	X
		HW	X
Illinois – NELAC	(#002319)	WW	X
		HW	X
Kansas – NELAC	(#E-10350)	WW	X
		HW	X
Louisiana – NELAC	(#04041)	WW	X
		HW	X
New Hampshire – NELAC	(#203010)	WW	X
		--	--
New Jersey – NELAC	(PA-005)	WW	X
		HW	X
New York – NELAC	(#11182)	WW	X
		HW	X
North Carolina	(#434)	WW	X
		HW	X
Pennsylvania - NELAC	(#02-00416)	WW	X
		HW	X
South Carolina	(#89014002)	WW	X
		HW	X
Utah – NELAC	(STLP)	WW	X
		HW	X
West Virginia	(#142)	WW	X
		HW	X
Wisconsin	998027800	WW	X
		HW	X

The codes utilized for program types are described below:

- HW Hazardous Waste certification
- WW Non-potable Water and/or Wastewater certification
- X Laboratory has some form of certification under the specific program. Many states certify laboratories for specific parameters or tests within a category. The information in the table indicates the lab is certified in a general category of testing. Please contact the laboratory if parameter specific certification information is required.

Updated: 05/19/10 N:\Reporting\NELAC NARRATIVE Pittsburgh_Updated 051910.doc

CASE NARRATIVE

Leo Brausch Consulting

Lot # C0H200413

Sample Receiving:

TestAmerica's Pittsburgh laboratory received one sample on August 19, 2010. The cooler was received within the proper temperature range.

If project specific QC was not required for samples contained in this report, when batch QC was completed on these samples, anomalous results will be discussed below.

GC/MS Volatiles:

TestAmerica's North Canton laboratory performed the 624 analysis. The results are included in the report.

Metals:

There were no problems associated with the analyses.

General Chemistry:

The test for pH is a field parameter. The laboratory pH analysis was completed at the request of the client.

CHAIN OF CUSTODY RECORD



CONECOTA ROVERS & ASSOCIATES

2055 Ocean Falls Blvd
Ocean Falls, NY 12844

SHIPPED TO (Laboratory Name):

Test America
Pitts

REFERENCE NUMBER: 018226

Buffalo Airport
Via Car

SAMPLER'S SIGNATURE:

PRINTED NAME: Clark Bill

SEQ. No.	DATE	TIME	SAMPLE NO.
----------	------	------	------------

11/14/92 0900 23012

SAMPLE TYPE

No. of Containers

624
PH/SS
collected

REMARKS

TOTAL NUMBER OF CONTAINERS

HEALTH/CHEMICAL HAZARDS

RELINQUISHED BY:

DATE: 11-18-2010
TIME: 9:00 AM

RECEIVED BY:

DATE:

RELINQUISHED BY:

DATE:

RECEIVED BY:

DATE:

RELINQUISHED BY:

DATE:

RECEIVED BY:

DATE:

METHOD OF SHIPMENT:

WAY BILL No.

- White _____
- Yellow _____
- Pink _____
- Goldenrod _____

- Fully Executed Copy
- Receiving Laboratory Copy
- Shipper Copy
- Sampler Copy

SAMPLER'S SIGNATURE:

Bill Clark

RECEIVED FOR LABORATORY BY:

[Signature]

DATE: 11/19/10 TIME: 1030

NO CRA 17933

METHODS SUMMARY

COH200413

<u>PARAMETER</u>	<u>ANALYTICAL METHOD</u>	<u>PREPARATION METHOD</u>
pH (Electrometric)	SM20 4500-H+B	SM20 4500-H B
Purgeables	CFR136A 624	SW846 5030B
Total Suspended Solids SM 2540 D	SM20 2540D	SM20 2540D
Trace Inductively Coupled Plasma (ICP) Metals	MCAWW 200.7	MCAWW 200.7

References:

- CFR136A "Methods for Organic Chemical Analysis of Municipal and Industrial Wastewater", 40CFR, Part 136, Appendix A, October 26, 1984 and subsequent revisions.
- MCAWW "Methods for Chemical Analysis of Water and Wastes", EPA-600/4-79-020, March 1983 and subsequent revisions.
- SM20 "STANDARD METHODS FOR THE EXAMINATION OF WATER AND WASTEWATER", 20TH EDITION."

SAMPLE SUMMARY

C0H200413

<u>WO #</u>	<u>SAMPLE#</u>	<u>CLIENT SAMPLE ID</u>	<u>SAMPLED DATE</u>	<u>SAMP TIME</u>
L5WA0	001	EFF0810	08/18/10	09:00

NOTE(S) :

- The analytical results of the samples listed above are presented on the following pages.
- All calculations are performed before rounding to avoid round-off errors in calculated results.
- Results noted as "ND" were not detected at or above the stated limit.
- This report must not be reproduced, except in full, without the written approval of the laboratory.
- Results for the following parameters are never reported on a dry weight basis: color, corrosivity, density, flashpoint, ignitability, layers, odor, paint filler test, pH, porosity pressure, reactivity, redox potential, specific gravity, spot tests, solids, solubility, temperature, viscosity, and weight.

Leo Brausch Consulting

Client Sample ID: EFF0810

GC/MS Volatiles

Lot-Sample #...: C0H200413-001 Work Order #...: L5WA01AD Matrix.....: WATER
Date Sampled...: 08/18/10 Date Received..: 08/19/10 MS Run #.....: 0238213
Prep Date.....: 08/26/10 Analysis Date..: 08/26/10
Prep Batch #...: 0238351 Analysis Time..: 04:58
Dilution Factor: 1
Method.....: CFR136A 624

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING</u>		
		<u>LIMIT</u>	<u>UNITS</u>	<u>MDL</u>
1,2-Dichlorobenzene	ND	1.0	ug/L	0.13
cis-1,2-Dichloroethene	ND	1.0	ug/L	0.17
Methylene chloride	ND	1.0	ug/L	0.33
Tetrachloroethene	ND	1.0	ug/L	0.29
Toluene	ND	1.0	ug/L	0.13
Trichloroethene	ND	1.0	ug/L	0.17
	<u>PERCENT</u>	<u>RECOVERY</u>		
<u>SURROGATE</u>	<u>RECOVERY</u>	<u>LIMITS</u>		
1,2-Dichloroethane-d4	102	(80 - 125)		
Toluene-d8	101	(84 - 110)		
Bromofluorobenzene	91	(81 - 112)		

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #...: C0H200413
MB Lot-Sample #: A0H260000-351
Analysis Date...: 08/25/10
Dilution Factor: 1

Work Order #...: L568M1AA
Prep Date.....: 08/25/10
Prep Batch #...: 0238351

Matrix.....: WATER
Analysis Time...: 21:16

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING</u>		
		<u>LIMIT</u>	<u>UNITS</u>	<u>METHOD</u>
Toluene	ND	1.0	ug/L	CFR136A 624
1,2-Dichlorobenzene	ND	1.0	ug/L	CFR136A 624
cis-1,2-Dichloroethene	ND	1.0	ug/L	CFR136A 624
Methylene chloride	ND	1.0	ug/L	CFR136A 624
Tetrachloroethene	ND	1.0	ug/L	CFR136A 624
Trichloroethene	ND	1.0	ug/L	CFR136A 624

<u>SURROGATE</u>	<u>PERCENT RECOVERY</u>	<u>RECOVERY LIMITS</u>
1,2-Dichloroethane-d4	100	(80 - 125)
Toluene-d8	101	(84 - 110)
Bromofluorobenzene	93	(81 - 112)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #...: C0H200413 Work Order #...: L568M1AC Matrix.....: WATER
 LCS Lot-Sample#: A0H260000-351
 Prep Date.....: 08/25/10 Analysis Date...: 08/25/10
 Prep Batch #...: 0238351 Analysis Time...: 20:05
 Dilution Factor: 1

<u>PARAMETER</u>	PERCENT <u>RECOVERY</u>	RECOVERY <u>LIMITS</u>	<u>METHOD</u>
1,2-Dichlorobenzene	97	(18 - 190)	CFR136A 624
Methylene chloride	98	(10 - 221)	CFR136A 624
Tetrachloroethene	96	(64 - 148)	CFR136A 624
Toluene	104	(47 - 150)	CFR136A 624
Trichloroethene	99	(71 - 157)	CFR136A 624
Benzene	103	(37 - 151)	CFR136A 624
Bromodichloromethane	107	(35 - 155)	CFR136A 624
Bromoform	92	(45 - 169)	CFR136A 624
Bromomethane	102	(10 - 242)	CFR136A 624
Carbon tetrachloride	100	(70 - 140)	CFR136A 624
Chlorobenzene	101	(37 - 160)	CFR136A 624
Chloroethane	109	(14 - 230)	CFR136A 624
2-Chloroethyl vinyl ether	108	(10 - 305)	CFR136A 624
Chloroform	108	(51 - 138)	CFR136A 624
Chloromethane	105	(10 - 273)	CFR136A 624
Dibromochloromethane	111	(53 - 149)	CFR136A 624
1,3-Dichlorobenzene	97	(59 - 156)	CFR136A 624
1,4-Dichlorobenzene	94	(18 - 190)	CFR136A 624
1,1-Dichloroethane	104	(59 - 155)	CFR136A 624
1,2-Dichloroethane	103	(49 - 155)	CFR136A 624
1,1-Dichloroethene	104	(10 - 234)	CFR136A 624
trans-1,2-Dichloroethene	102	(54 - 156)	CFR136A 624
1,2-Dichloropropane	103	(10 - 210)	CFR136A 624
cis-1,3-Dichloropropene	105	(10 - 227)	CFR136A 624
trans-1,3-Dichloropropene	110	(17 - 183)	CFR136A 624
Ethylbenzene	99	(37 - 162)	CFR136A 624
1,1,2,2-Tetrachloroethane	103	(46 - 157)	CFR136A 624
1,1,1-Trichloroethane	101	(52 - 162)	CFR136A 624
1,1,2-Trichloroethane	104	(52 - 150)	CFR136A 624
Trichlorofluoromethane	122	(17 - 181)	CFR136A 624
Vinyl chloride	117	(10 - 251)	CFR136A 624

(Continued on next page)

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #...: C0H200413 Work Order #...: L568M1AC Matrix.....: WATER
LCS Lot-Sample#: A0H260000-351

<u>SURROGATE</u>	PERCENT <u>RECOVERY</u>	RECOVERY <u>LIMITS</u>
1,2-Dichloroethane-d4	97	(80 - 125)
Toluene-d8	103	(84 - 110)
Bromofluorobenzene	100	(81 - 112)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

MATRIX SPIKE SAMPLE EVALUATION REPORT

GC/MS Volatiles

Lot-Sample #...: C0H200413 Work Order #...: L51KQ1AC Matrix.....: WATER
 MS Lot-Sample #: A0H230410-002
 Date Sampled...: 08/23/10 Date Received...: 08/23/10
 Prep Date.....: 08/26/10 Analysis Date...: 08/26/10
 Prep Batch #...: 0238351 MS Run #.....: 0238213
 Dilution Factor: 4

<u>PARAMETER</u>	PERCENT <u>RECOVERY</u>	RECOVERY <u>LIMITS</u>	<u>METHOD</u>
1,2-Dichlorobenzene	95	(90 - 115)	CFR136A 624
Methylene chloride	96	(78 - 131)	CFR136A 624
Tetrachloroethene	104	(81 - 112)	CFR136A 624
Toluene	104	(87 - 112)	CFR136A 624
Trichloroethene	103	(85 - 114)	CFR136A 624
Benzene	105	(90 - 114)	CFR136A 624
Bromodichloromethane	112	(78 - 123)	CFR136A 624
Bromoform	101	(40 - 141)	CFR136A 624
Bromomethane	111	(42 - 160)	CFR136A 624
Carbon tetrachloride	90	(61 - 129)	CFR136A 624
Chlorobenzene	101	(90 - 113)	CFR136A 624
Chloroethane	116	(56 - 133)	CFR136A 624
2-Chloroethyl vinyl ether	66	(10 - 185)	CFR136A 624
Chloroform	109	(90 - 118)	CFR136A 624
Chloromethane	111	(37 - 127)	CFR136A 624
Dibromochloromethane	119	(65 - 123)	CFR136A 624
1,3-Dichlorobenzene	96	(90 - 111)	CFR136A 624
1,4-Dichlorobenzene	92	(90 - 112)	CFR136A 624
1,1-Dichloroethane	105	(90 - 114)	CFR136A 624
1,2-Dichloroethane	103	(90 - 123)	CFR136A 624
1,1-Dichloroethene	117	(83 - 129)	CFR136A 624
trans-1,2-Dichloroethene	108	(85 - 116)	CFR136A 624
1,2-Dichloropropane	100	(87 - 119)	CFR136A 624
cis-1,3-Dichloropropene	108	(77 - 115)	CFR136A 624
trans-1,3-Dichloropropene	112	(71 - 114)	CFR136A 624
Ethylbenzene	103	(88 - 111)	CFR136A 624
1,1,2,2-Tetrachloroethane	102	(77 - 133)	CFR136A 624
1,1,1-Trichloroethane	109	(82 - 119)	CFR136A 624
1,1,2-Trichloroethane	100	(89 - 123)	CFR136A 624
Trichlorofluoromethane	146 a	(62 - 110)	CFR136A 624
Vinyl chloride	124 a	(50 - 119)	CFR136A 624

<u>SURROGATE</u>	PERCENT <u>RECOVERY</u>	RECOVERY <u>LIMITS</u>
1,2-Dichloroethane-d4	106	(80 - 125)
Toluene-d8	104	(84 - 110)
Bromofluorobenzene	100	(81 - 112)

(Continued on next page)

MATRIX SPIKE SAMPLE EVALUATION REPORT

GC/MS Volatiles

Lot-Sample #...: C0H200413

Work Order #...: L51KQ1AC

Matrix.....: WATER

MS Lot-Sample #: A0H230410-002

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

a Spiked analyte recovery is outside stated control limits.

Leo Brausch Consulting

Client Sample ID: EFF0810

TOTAL Metals

Lot-Sample #...: C0H200413-001

Matrix.....: WATER

Date Sampled...: 08/18/10

Date Received...: 08/19/10

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING</u>		<u>METHOD</u>	<u>PREPARATION-</u>	<u>WORK</u>
		<u>LIMIT</u>	<u>UNITS</u>		<u>ANALYSIS DATE</u>	<u>ORDER #</u>
Prep Batch #...: 0233040						
Cadmium	ND	5.0	ug/L	MCAWW 200.7	08/21/10	L5WA01AA
		Dilution Factor: 1		Analysis Time..: 23:19	MS Run #.....: 0233018	
		MDL.....: 0.15				
Chromium	ND	5.0	ug/L	MCAWW 200.7	08/21/10	L5WA01AC
		Dilution Factor: 1		Analysis Time..: 23:19	MS Run #.....: 0233018	
		MDL.....: 0.51				

METHOD BLANK REPORT

TOTAL Metals

Client Lot #...: C0H200413

Matrix.....: WATER

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING</u> <u>LIMIT</u>	<u>UNITS</u>	<u>METHOD</u>	<u>PREPARATION-</u> <u>ANALYSIS DATE</u>	<u>WORK</u> <u>ORDER #</u>
MB Lot-Sample #: C0H210000-040		Prep Batch #... : 0233040				
Cadmium	ND	5.0	ug/L	MCAWW 200.7	08/21/10	L50G81AP
		Dilution Factor: 1				
		Analysis Time..: 23:08				
Chromium	ND	5.0	ug/L	MCAWW 200.7	08/21/10	L50G81AQ
		Dilution Factor: 1				
		Analysis Time..: 23:08				

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

LABORATORY CONTROL SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #...: C0H200413

Matrix.....: WATER

<u>PARAMETER</u>	<u>PERCENT RECOVERY</u>	<u>RECOVERY LIMITS</u>	<u>METHOD</u>	<u>PREPARATION- ANALYSIS DATE</u>	<u>WORK ORDER #</u>
LCS Lot-Sample#: C0H210000-040 Prep Batch #...: 0233040					
Cadmium	100	(85 - 115)	MCAWW 200.7	08/21/10	L50G81AT
		Dilution Factor: 1		Analysis Time..: 23:13	
Chromium	99	(85 - 115)	MCAWW 200.7	08/21/10	L50G81AU
		Dilution Factor: 1		Analysis Time..: 23:13	

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

MATRIX SPIKE SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #...: C0H200413

Matrix.....: WATER

Date Sampled...: 08/18/10

Date Received...: 08/19/10

<u>PARAMETER</u>	<u>PERCENT RECOVERY</u>	<u>RECOVERY LIMITS</u>	<u>RPD</u>	<u>RPD LIMITS</u>	<u>METHOD</u>	<u>PREPARATION- ANALYSIS DATE</u>	<u>WORK ORDER #</u>
------------------	-------------------------	------------------------	------------	-------------------	---------------	-----------------------------------	---------------------

MS Lot-Sample #: C0H200414-001 **Prep Batch #...**: 0233040

Cadmium	102	(70 - 130)			MCAWW 200.7	08/21/10	L5WA71A3
	102	(70 - 130)	0.31	(0-20)	MCAWW 200.7	08/21/10	L5WA71A4

Dilution Factor: 1
 Analysis Time...: 23:46
 MS Run #.....: 0233018

Chromium	104	(70 - 130)			MCAWW 200.7	08/21/10	L5WA71A6
	103	(70 - 130)	0.45	(0-20)	MCAWW 200.7	08/21/10	L5WA71A7

Dilution Factor: 1
 Analysis Time...: 23:46
 MS Run #.....: 0233018

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Leo Brausch Consulting

Client Sample ID: EFF0810

General Chemistry

Lot-Sample #...: C0H200413-001
Date Sampled...: 08/18/10

Work Order #...: L5WA0
Date Received...: 08/19/10

Matrix.....: WATER

<u>PARAMETER</u>	<u>RESULT</u>	<u>RL</u>	<u>UNITS</u>	<u>METHOD</u>	<u>PREPARATION- ANALYSIS DATE</u>	<u>PREP BATCH #</u>
pH	7.1	--	--	SM20 4500-H+B	08/21/10	0233042
				Dilution Factor: 1	Analysis Time..: 09:40	MS Run #.....: 0233020
				MDL.....: 0.0		
Total Suspended Solids	ND	4.0	mg/L	SM20 2540D	08/21/10	0233039
				Dilution Factor: 1	Analysis Time..: 12:31	MS Run #.....: 0233017
				MDL.....: 2.0		

METHOD BLANK REPORT

General Chemistry

Client Lot #...: C0H200413

Matrix.....: WATER

<u>PARAMETER</u>	<u>RESULT</u>	<u>REPORTING</u> <u>LIMIT</u>	<u>UNITS</u>	<u>METHOD</u>	<u>PREPARATION-</u> <u>ANALYSIS DATE</u>	<u>PREP</u> <u>BATCH #</u>
Total Suspended Solids	ND	4.0	mg/L	SM20 2540D	08/21/10	0233039
		Work Order #: L50GW1AA		MB Lot-Sample #: C0H210000-039		
		Dilution Factor: 1				
		Analysis Time..: 12:31				

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

LABORATORY CONTROL SAMPLE EVALUATION REPORT

General Chemistry

Client Lot #...: C0H200413

Matrix.....: WATER

<u>PARAMETER</u>	<u>PERCENT RECOVERY</u>	<u>RECOVERY LIMITS</u>	<u>METHOD</u>	<u>PREPARATION- ANALYSIS DATE</u>	<u>PREP BATCH #</u>
pH	100	(99 - 101)	Work Order #: L50HF1AA SM20 4500-H+B Dilution Factor: 1	LCS Lot-Sample#: C0H210000-042 08/21/10 Analysis Time.: 09:32	0233042
Total Suspended Solids	91	(80 - 120)	Work Order #: L50GW1AC SM20 2540D Dilution Factor: 1	LCS Lot-Sample#: C0H210000-039 08/21/10 Analysis Time.: 12:31	0233039

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

SAMPLE DUPLICATE EVALUATION REPORT

General Chemistry

Client Lot #...: C0H200413

Work Order #...: L5XM5-SMP
L5XM5-DUP

Matrix.....: WATER

Date Sampled...: 08/19/10

Date Received..: 08/20/10

<u>PARAM</u>	<u>RESULT</u>	<u>DUPLICATE</u> <u>RESULT</u>	<u>UNITS</u>	<u>RPD</u>	<u>RPD</u> <u>LIMIT</u>	<u>METHOD</u>	<u>PREPARATION-</u> <u>ANALYSIS DATE</u>	<u>PREP</u> <u>BATCH #</u>
Total Suspended Solids	ND	ND	mg/L	29	(0-20)	SM20 2540D	08/21/10	0233039
Dilution Factor: 1						Analysis Time.: 12:31	MS Run Number..: 0233017	
SD Lot-Sample #: C0H200579-001								

SAMPLE DUPLICATE EVALUATION REPORT

General Chemistry

Client Lot #...: C0H200413

Work Order #...: L5V8A-SMP
L5V8A-DUP

Matrix.....: WATER

Date Sampled...: 08/18/10

Date Received..: 08/19/10

<u>PARAM</u>	<u>RESULT</u>	<u>DUPLICATE RESULT</u>	<u>UNITS</u>	<u>RPD</u>	<u>RPD LIMIT</u>	<u>METHOD</u>	<u>PREPARATION- ANALYSIS DATE</u>	<u>PREP BATCH #</u>
pH	7.3	7.3	--	0.14	(0-2.0)	SM20 4500-H+B	08/21/10	0233042
			Dilution Factor: 1			Analysis Time..: 09:34	MS Run Number..: 0233020	
						SD Lot-Sample #: C0H200405-001		