

CBS Corporation

Environmental Remediation PNC Center 20 Stanwix Street, 10th Floor Pittsburgh, PA 15222

March 8, 2011

David P. Locey New York State Department of Environmental Conservation Division of Hazardous Waste Remediation Region 9 270 Michigan Avenue Buffalo, NY 14203-2999

Re: Monthly Operation and Maintenance Report NYSDEC Site 9-15-066, Cheektowaga, New York

Dear Mr. Locey:

On behalf of the Respondents to the Order on Consent and Settlement Agreement, Index No. B9-0381-91-8 (the "Order"), CBS Corporation (CBS) submits this monthly status report for operation and maintenance (O&M) activities at New York State Department of Environmental Conservation (NYSDEC) Site No. 9-15-066 in Cheektowaga, New York (the "Site"). Under an Agreement among the Respondents, CBS is managing the Remedial Program pursuant to the Order. This report covers activities during February 2011 and transmits the discharge monitoring report for this period.

1. Site Activities and Status

- A. On February 6, 2011, CBS submitted to NYSDEC a monthly report on the status of O&M activities at the Site for January 2011. That status report also transmitted the discharge monitoring data for January 2011.
- B. The recovery and treatment system operated throughout February 2011.
- C. Conestoga-Rovers & Associates (CRA) conducted routine and non-routine O&M, and TestAmerica Laboratories, Inc. provided analytical laboratory services, as required.

2. Sampling Results and Other Site Data

- A. In February 2011, the groundwater system recovered and treated an estimated 109,000 gallons.
- B. Attachment A provides the discharge monitoring report for February 2011 based on the effluent sample collected on February 16, 2011. Attachment B provides the analytical laboratory report for this effluent sample.
- C. In reviewing the treatment system effluent monitoring information, please note the following:
 - Flow data are provided via periodic on-site readings. The maximum daily flow was calculated from these data.
 - The pH data are provided via periodic on-site readings and laboratory analysis of the monthly effluent sample. Effluent pH data are reported only for measurements taken while the treatment pump is operating and the system is actively discharging.
 - The reported daily maximum values (pounds per day) are calculated using the maximum observed daily flow and the results of the monthly effluent monitoring, irrespective of whether the actual maximum daily flow occurred on the day of sampling.
- D. For the February 2011 reporting period, the effluent complied with all discharge limitations.

3. Upcoming Activities

- A. CBS will continue required O&M activities.
- B. With NYSDEC approval, CBS will complete the Phase 1 closure of the 002 system by filling and sealing manholes MH-002-09 and MH-002-10.
- C. After closing MH-002-09, and MH-002-10, CRA will conduct additional water level measurements, surface water monitoring, and groundwater monitoring per the *Revised Work Plan* (Rev. 1, February 7, 2008).

4. Operational Problems

A. Previously reported operational problems associated with elevated pH and hardness continue. These operational problems are expected to be largely

- resolved with the phased shutdown of the collection system and limitation of inflows to those associated with Sump 003.
- B. The post-closure monitoring data indicate that the Phase 1 closure of the 001 groundwater collection system has addressed the previously observed high water levels at Sump 001, which had led to periodic overtopping of that manhole. The ongoing periodic overtopping at Sump 002 will be addressed through the partial closure of that portion of the groundwater collection system.
- C. The Phase 1 closure of the 002 system is also expected to reduce the conveyance of groundwater containing VOCs via storm sewers installed by the Niagara Frontier Transportation Authority as part of airport development.
- D. Other operational issues are being addressed in the course of O&M activities.

* * * *

Please contact me if you have questions regarding this status report.

Very truly yours

Leo M. Brausch

Consultant/Project Engineer

LMB:

Attachments

cc: K. P. Lynch, CRA

K. Minkel, NFTA

ATTACHMENT A DISCHARGE MONITORING REPORT FEBRUARY 2011

Discharge Monitoring Data
Outfall 001 - Treated Groundwater Remediation Discharge
NYSDEC Site No. 9-15-006
Cheektowaga, New York

Reporting Month & Year Feb-11

Paramet	ter	Daily Minimum	Daily Maximum	Units	Daily Maximum (lbs/day)	Measurement Frequency	Sample Type
Flow	Monitoring Result		4,302	gpd		Continuous	Meter
	Discharge Limitation		28,800	gpd		Continuous	Meter
pH	Monitoring Result	6.50	7.56	s.u.		6	Grab
	Discharge Limitation	6.5	8.5	s.u.		Weekly	Grab
Total suspended solids	Monitoring Result		16	mg/L	0.6	1	Grab
	Discharge Limitation		20	mg/L		Monthly	Grab
Toluene	Monitoring Result		< 1.0	ug/L	< 0.00004	1	Grab
	Discharge Limitation		5	ug/L		Monthly	Grab
Methylene chloride	Monitoring Result		< 1.0	ug/L	< 0.00004	1	Grab
	Discharge Limitation		10	ug/L		Monthly	Grab
1,2-dichlorobenzene	Monitoring Result		< 1.0	ug/L	< 0.00004	1	Grab
	Discharge Limitation		5	ug/L		Monthly	Grab
cis-1,2-dichloroethylene	Monitoring Result		< 1.0	ug/L	< 0.00004	1	Grab
	Discharge Limitation		10	ug/L		Monthly	Grab
Trichloroethylene	Monitoring Result		< 1.0	ug/L	< 0.00004	1	Grab
	Discharge Limitation		10	ug/L		Monthly	Grab
Tetrachloroethylene	Monitoring Result		< 1.0	ug/L	< 0.00004	1	Grab
	Discharge Limitation		50	ug/L		Monthly	Grab
Cadmium	Monitoring Result		< 0.15	ug/L	< 0.000005	1	Grab
	Discharge Limitation		3	ug/L		Monthly	Grab
Chromium	Monitoring Result		5.4	ug/L	0.00019	1	Grab
	Discharge Limitation		99	ug/L		Monthly	Grab

3/8/2011 Page 1 of 1

ATTACHMENT B ANALYTICAL LABORATORY REPORT FEBRUARY 2011 EFFLUENT SAMPLING



TestAmerica Laboratories, Inc.

ANALYTICAL REPORT

PROJECT NO. LEO BRAUSCH BUF

Leo Brausch Buffalo Airport

Lot #: C1B170481

Leo Brausch

Leo Brausch Consulting 131 Wedgewood Drive Gibsonia, PA 15044

TESTAMERICA LABORATORIES, INC.

Carrie L. Gamber Project Manager

March 1, 2011



NELAC REPORTING:

At the time of analysis the laboratory was in compliance with the current NELAC standards and held accreditation for all analyses performed unless noted by a qualifier. The labs accreditation numbers are listed below. The format and contents of the report meets all applicable NELAC standards except as noted in the narrative and shall not be reproduced except in full, without the written approval of the laboratory. The table below presents a summary of the certifications held by TestAmerica Pittsburgh. Our primary accreditation authority for the Non-potable water and Solid & Hazardous waste programs is Pennsylvania DEP. A more detailed parameter list is available upon request. Please ask your project manager for this information when required.

Certifying State/Program	Certificate #	Program Types	TestAmerica
DoD ELAP	ADE-1442	ww HW	х
US Dept of Agriculture	(#P330-10-00139)	Foreign Soil Import Permit	Χ
Arkansas	(#88-0690)	ww	Χ
		HW	<u> </u>
California – NELAC	04224CA	ww	X
		HW	X
Connecticut	(#PH-0688)	ww	X
		HW I	X
Florida – NELAC	(#E871008)	WW	X
		HW	X
Illinois – NELAC	(#002319)	ww	X
		HW	<u>X</u>
Kansas – NELAC	(#E-10350)	ww	X
		HW	<u> </u>
Louisiana – NELAC	(#04041)	ww	X
	 	HW	X
New Hampshire – NELAC	(#203010)	ww	X
***************************************	<u> </u>		
New Jersey – NELAC	(PA-005)	ww	X
***************************************		HW	X
New York - NELAC	(#11182)	ww	X
		HW	X
North Carolina	(#434)	ww	X
		HW	X
Pennsylvania - NELAC	(#02-00416)	ww	X
		HW	X
South Carolina	(#89014002)	ww	X
		HW	X
Utah – NELAC	(STLP)	ww	X
	(44.40)	HW	X
West Virginia	(#142)	ww	X
		HW HW	<u>X</u>
Wisconsin	998027800	WW	X
	<u> </u>	HW	X

The codes utilized for program types are described below:

HW Hazardous Waste certification

WW Non-potable Water and/or Wastewater certification

X Laboratory has some form of certification under the specific program. Many states certify laboratories for specific parameters or tests within a category. The information in the table indicates the lab is certified in a general category of testing. Please contact the laboratory if parameter specific certification information is required.

Updated: 05/19/10 N:\Reporting\NELAC NARRATIVE Pttsburgh_Updated 051910.doc

CASE NARRATIVE

Leo Brausch Consulting

Lot # C1B170481

Sample Receiving:

TestAmerica's Pittsburgh laboratory received one sample on February 17, 2011. The cooler was received within the proper temperature range.

If project specific QC was not required for samples contained in this report, when batch QC was completed on these samples, anomalous results will be discussed below.

GC/MS Volatiles (624):

TestAmerica's North Canton laboratory performed the 624 analysis.

The method blank had methylene chloride detected at a concentration between the MDL and the reporting limit. The result was flagged with a "B" qualifier. Any sample associated with a method blank that had the same analyte detected had the result flagged with a "J" qualifier.

Metals:

There were no problems associated with the analysis.

General Chemistry:

The test for pH is a field parameter. The laboratory pH analysis was completed at the request of the client.

	SHIPPED IO (Laboratory Name):	ory name):	
OELD SOUR OF DIRECT PARTIES	Test America	رد ۲	No Falo Al-port
MASCE 12/15/1/34	2145		
SAMPLER'S SIGNATURE NAME	Charles Lyll	-	
SEQ. No. DATE TIME SAMPLE No.		SAMPLE SOCIETA	REMARKS
2411 960 EFF0211	7	Vah- 5 111 1 1	
5			
TOTAL NUMBER OF CONTAINERS	ERS	A.E.	#HEALTH/CHEMICAL HAZARDS
RELINGUISIVED BY:	DATE: 3-16-11 TIME: 101.60	RECEIVED BY:	TH- NITT DATE: Wra/11
RELINQUISHED BY:	DATE: TIME:	RECEWED BY:	3
RELINQUISHED BY:	DATE:	RECEIVED BY:	DATE
©	TIME	(9)	TIME
METHOD OF SHIPMENT:		WAY BILL No.	
—Fully Executed Copy —Receiving Laboratory Copy	SAMPLE TEAM:	RECEIVED F	RECEIVED FOR LABORATORY BY: NºCRA 25259
Pink —Sampler Copy —Sampler Copy —		DATE:	TIME:
			1001 (D) APR 28/97(NF) REV. 0 (F-15)

C1B170481

4

of 21

METHODS SUMMARY

C1B170481

<u>PARAMETER</u>		ANALYTICAL METHOD	PREPARATION METHOD			
	•	SM20 4500-H+B CFR136A 624 SM20 2540D MCAWW 200.7	SM20 4500-H B SW846 5030B SM20 2540D MCAWW 200.7			
References:						
CFR136A "Methods for Organic Chemical Analysis of Municipal and Industrial Wastewater", 40CFR, Part 136, Appendix A, October 26, 1984 and subsequent revisions.						

SAMPLE SUMMARY

C1B170481

 WO #
 SAMPLE#
 CLIENT SAMPLE ID
 SAMP
 DATE
 TIME

 MEJPF
 001
 EFF0211
 09:00

NOTE(S):

- The analytical results of the samples listed above are presented on the following pages.
- All calculations are performed before rounding to avoid round-off errors in calculated results.
- Results noted as "ND" were not detected at or above the stated limit.
- This report must not be reproduced, except in full, without the written approval of the laboratory.
- Results for the following parameters are never reported on a dry weight basis: color, corrosivity, density, flashpoint, ignitability, layers, odor, paint filter test, pH, porosity pressure, reactivity, redox potential, specific gravity, spot tests, solids, solubility, temperature, viscosity, and weight.

Leo Brausch Consulting

Client Sample ID: EFF0211

GC/MS Volatiles

Lot-Sample #...: C1B170481-001 Work Order #...: MEJPF1AD Matrix....: WATER Date Sampled...: 02/16/11 Date Received..: 02/17/11 MS Run #....: 1059078

Prep Date....: 02/26/11 Analysis Date..: 02/26/11 Prep Batch #...: 1059139 Analysis Time..: 06:55

84

Dilution Factor: 1

Bromofluorobenzene

Method....: CFR136A 624

(81 - 112)

		REPORTIN	1G	
PARAMETER	RESULT	LIMIT	UNITS	MDL
1,2-Dichlorobenzene	ND	1.0	ug/L	0.13
cis-1,2-Dichloroethene	ND	1.0	ug/L	0.17
Methylene chloride	ND	1.0	ug/L	0.33
Tetrachloroethene	ND	1.0	ug/L	0.29
Toluene	ND	1.0	ug/L	0.13
Trichloroethene	ND	1.0	ug/L	0.17
	PERCENT	RECOVERY	<u> </u>	
SURROGATE	RECOVERY	LIMITS		
1,2-Dichloroethane-d4	96	(80 - 12	25)	
Toluene-d8	99	(84 - 11	LO)	

METHOD BLANK REPORT

GC/MS Volatiles

Client Lot #...: C1B170481 Work Order #...: MEXL41AA Matrix.....: WATER

MB Lot-Sample #: A1B280000-139

Analysis Date..: 02/25/11 **Prep Batch #...:** 1059139

Dilution Factor: 1

		REPORTING	!		
PARAMETER	RESULT	LIMIT	UNITS	METHOD	
1,2-Dichlorobenzene	ND	1.0	ug/L	CFR136A	624
cis-1,2-Dichloroethene	ND	1.0	ug/L	CFR136A	624
Methylene chloride	0.51 J	1.0	ug/L	CFR136A	624
Tetrachloroethene	ND	1.0	ug/L	CFR136A	624
Toluene	ND	1.0	ug/L	CFR136A	624
Trichloroethene	ND	1.0	ug/L	CFR136A	624
	PERCENT	RECOVERY			
SURROGATE	RECOVERY	LIMITS			
1,2-Dichloroethane-d4	88	(80 - 125	()		
Toluene-d8	101	(84 - 110)		
Bromofluorobenzene	88	(81 - 112	!)		

NOTE(S):

J Estimated result. Result is less than RL.

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #...: C1B170481 Work Order #...: MEXL41AC Matrix.....: WATER

LCS Lot-Sample#: A1B280000-139

 Prep Date.....:
 02/25/11
 Analysis Date...:
 02/25/11

 Prep Batch #...:
 1059139
 Analysis Time...:
 18:47

Dilution Factor: 1

	PERCENT	RECOVERY	
PARAMETER	RECOVERY	LIMITS	METHOD
Trichloroethene	110	(71 - 157)	CFR136A 624
1,2-Dichlorobenzene	95	(18 - 190)	CFR136A 624
Methylene chloride	103	(10 - 221)	CFR136A 624
Tetrachloroethene	131	(64 - 148)	CFR136A 624
Toluene	106	(47 - 150)	CFR136A 624
Benzene	101	(37 - 151)	CFR136A 624
Bromodichloromethane	84	(35 - 155)	CFR136A 624
Bromoform	74	(45 - 169)	CFR136A 624
Bromomethane	88	(10 - 242)	CFR136A 624
Carbon tetrachloride	87	(70 - 140)	CFR136A 624
Chlorobenzene	103	(37 - 160)	CFR136A 624
Chloroethane	94	(14 - 230)	CFR136A 624
2-Chloroethyl vinyl ether	92	(10 - 305)	CFR136A 624
Chloroform	101	(51 - 138)	CFR136A 624
Chloromethane	98	(10 - 273)	CFR136A 624
Dibromochloromethane	79	(53 - 149)	CFR136A 624
1,3-Dichlorobenzene	99	(59 - 156)	CFR136A 624
1,4-Dichlorobenzene	94	(18 - 190)	CFR136A 624
1,1-Dichloroethane	104	(59 - 155)	CFR136A 624
1,2-Dichloroethane	95	(49 - 155)	CFR136A 624
1,1-Dichloroethene	105	(10 - 234)	CFR136A 624
trans-1,2-Dichloroethene	110	(54 - 156)	CFR136A 624
1,2-Dichloropropane	105	(10 - 210)	CFR136A 624
cis-1,3-Dichloropropene	96	(10 - 227)	CFR136A 624
trans-1,3-Dichloropropene	106	(17 - 183)	CFR136A 624
Ethylbenzene	104	(37 - 162)	CFR136A 624
1,1,2,2-Tetrachloroethane	79	(46 - 157)	CFR136A 624
1,1,1-Trichloroethane	98	(52 - 162)	CFR136A 624
1,1,2-Trichloroethane	99	(52 - 150)	CFR136A 624
Trichlorofluoromethane	107	(17 - 181)	CFR136A 624
Vinyl chloride	106	(10 - 251)	CFR136A 624

(Continued on next page)

LABORATORY CONTROL SAMPLE EVALUATION REPORT

GC/MS Volatiles

Client Lot #...: C1B170481 Work Order #...: MEXL41AC Matrix.....: WATER

LCS Lot-Sample#: A1B280000-139

	PERCENT	RECOVERY
SURROGATE	RECOVERY	LIMITS
1,2-Dichloroethane-d4	85	(80 - 125)
Toluene-d8	103	(84 - 110)
Bromofluorobenzene	94	(81 - 112)

NOTE(S):

Calculations are performed before rounding to avoid round-off errors in calculated results.

Bold print denotes control parameters

MATRIX SPIKE SAMPLE EVALUATION REPORT

GC/MS Volatiles

Lot-Sample #...: C1B170481 Work Order #...: MEJWR1AD Matrix.....: WATER

MS Lot-Sample #: A1B170509-001

 Date Sampled...:
 02/16/11
 Date Received...:
 02/17/11

 Prep Date.....:
 02/26/11
 Analysis Date...:
 02/26/11

 Prep Batch #...:
 1059139
 MS Run #.....:
 1059078

Dilution Factor: 1

PARAMETER RECOVERY LIMITS METHOD 1,2-Dichlorobenzene 92		PERCENT	RECOVERY	
Methylene chloride	PARAMETER	RECOVERY	<u>LIMITS</u>	METHOD
Methylene chloride 106 (78 - 131) CFR136A 624 Tetrachloroethene 122 a (81 - 112) CFR136A 624 Toluene 105 (87 - 112) CFR136A 624 Trichloroethene 107 (85 - 114) CFR136A 624 Benzene 101 (90 - 114) CFR136A 624 Bromodichloromethane 76 a (78 - 123) CFR136A 624 Bromoform 55 (40 - 141) CFR136A 624 Bromomethane 94 (42 - 160) CFR136A 624 Carbon tetrachloride 64 (61 - 129) CFR136A 624 Chlorobenzene 102 (90 - 113) CFR136A 624 Chloroethane 100 (56 - 133) CFR136A 624 Chloroform 101 (90 - 118) CFR136A 624 Chloroform 101 (90 - 118) CFR136A 624 Chloromethane 103 (37 - 127) CFR136A 624 Chloroform 101 (90 - 118) CFR136A 624 Chloroform 101 (90 - 112) CFR136A 624	1,2-Dichlorobenzene	92	(90 - 115)	CFR136A 624
Toluene 105 (87 - 112) CFR136A 624 Trichloroethene 107 (85 - 114) CFR136A 624 Brazene 101 (90 - 114) CFR136A 624 Bromodichloromethane 76 a (78 - 123) CFR136A 624 Bromoform 55 (40 - 141) CFR136A 624 Bromomethane 94 (42 - 160) CFR136A 624 Carbon tetrachloride 64 (61 - 129) CFR136A 624 Chlorobenzene 102 (90 - 113) CFR136A 624 Chloroethane 100 (56 - 133) CFR136A 624 Chloroethane 100 (56 - 133) CFR136A 624 Chloroethyl vinyl ether 0.0 a (10 - 185) CFR136A 624 Chloromethane 103 (37 - 127) CFR136A 624 Chloromethane 103 (37 - 127) CFR136A 624 Chloromethane 61 a (65 - 123) CFR136A 624 Dibromochloromethane 61 a (65 - 123) CFR136A 624 1,3-Dichlorobenzene 89 a (90 - 111) CFR136A 624 1,1-Dichloroethane 105 (90 - 114) CFR136A 624 1,1-Dichloroethane 105 (90 - 114) CFR136A 624 1,1-Dichloroethane 109 (83 - 129) CFR136A 624 1,1-Dichloroethene 109 (83 - 129) CFR136A 624 trans-1,2-Dichloropropene 106 (87 - 119) CFR136A 624 trans-1,3-Dichloropropene 79 (77 - 115) CFR136A 624 trans-1,3-Dichloropropene 88 (71 - 114) CFR136A 624 trans-1,3-Dichloropropene 88 (71 - 114) CFR136A 624 trans-1,3-Dichloropropene 84 (82 - 119) CFR136A 624 trans-1,1-Trichloroethane 77 (77 - 115) CFR136A 624 1,1,1-Trichloroethane 77 (77 - 115) CFR136A 624 1,1,2-Tetrachloroethane 77 (77 - 133) CFR136A 624 1,1,2-Trichloroethane 99 (62 - 110) CFR136A 624 Trichlorofluoromethane 104 (50 - 119) CFR136A 624 Trichlorofluoromethane 99 (62 - 110) CFR136A 624 Trichlorofluoromethane 99 (62 - 110) CFR136A 624 Trichlorofluoromethane 104 (50 - 119) CFR136A 624	Methylene chloride	106	(78 - 131)	CFR136A 624
Toluene 105 (87 - 112) CFR136A 624 Trichloroethene 107 (85 - 114) CFR136A 624 Brazene 101 (90 - 114) CFR136A 624 Bromodichloromethane 76 a (78 - 123) CFR136A 624 Bromoform 55 (40 - 141) CFR136A 624 Bromomethane 94 (42 - 160) CFR136A 624 Carbon tetrachloride 64 (61 - 129) CFR136A 624 Chlorobenzene 102 (90 - 113) CFR136A 624 Chloroethane 100 (56 - 133) CFR136A 624 Chloroethane 100 (56 - 133) CFR136A 624 Chloroethane 101 (90 - 118) CFR136A 624 Chloromethane 103 (37 - 127) CFR136A 624 Chloromethane 103 (37 - 127) CFR136A 624 Chloromethane 103 (37 - 127) CFR136A 624 Chloromethane 105 (90 - 111) CFR136A 624 1,3-Dichlorobenzene 89 a (90 - 111) CFR136A 624 1,1-Dichloroethane 105 (90 - 114) CFR136A 624 1,1-Dichloroethane 105 (90 - 114) CFR136A 624 1,1-Dichloroethane 109 (83 - 129) CFR136A 624 1,1-Dichloroethene 109 (83 - 129) CFR136A 624 trans-1,2-Dichloropropene 106 (87 - 119) CFR136A 624 trans-1,3-Dichloropropene 79 (77 - 115) CFR136A 624 trans-1,3-Dichloropropene 88 (71 - 114) CFR136A 624 trans-1,3-Dichloropropene 88 (71 - 114) CFR136A 624 trans-1,3-Dichloropropene 84 (82 - 119) CFR136A 624 trans-1,1-Trichloroethane 77 (77 - 115) CFR136A 624 trans-1,2-Tetrachloroethane 77 (77 - 115) CFR136A 624 1,1,2-Tetrachloroethane 84 (82 - 119) CFR136A 624 Trichlorofluoromethane 99 (62 - 110) CFR136A 624	Tetrachloroethene	122 a	(81 - 112)	CFR136A 624
Trichloroethene 107 (85 - 114) CFR136A 624 Benzene 101 (90 - 114) CFR136A 624 Bromodichloromethane 76 a (78 - 123) CFR136A 624 Bromodichloromethane 55 (40 - 141) CFR136A 624 Bromomethane 94 (42 - 160) CFR136A 624 Bromomethane 102 (90 - 113) CFR136A 624 Carbon tetrachloride 64 (61 - 129) CFR136A 624 Chlorobenzene 102 (90 - 113) CFR136A 624 Chloroethane 100 (56 - 133) CFR136A 624 Chloroethyl vinyl ether 0.0 a (10 - 185) CFR136A 624 Chloroform 101 (90 - 118) CFR136A 624 Chloromethane 103 (37 - 127) CFR136A 624 Dibromochloromethane 61 a (65 - 123) CFR136A 624 Dibromochloromethane 61 a (65 - 123) CFR136A 624 1,3-Dichlorobenzene 94 (90 - 111) CFR136A 624 1,4-Dichlorobenzene 89 a (90 - 112) CFR136A 624 1,1-Dichloroethane 105 (90 - 114) CFR136A 624 1,1-Dichloroethane 99 (90 - 123) CFR136A 624 1,1-Dichloroethane 109 (83 - 129) CFR136A 624 1,1-Dichloroethene 109 (85 - 116) CFR136A 624 trans-1,2-Dichloroethene 110 (85 - 116) CFR136A 624 trans-1,3-Dichloropropene 79 (77 - 115) CFR136A 624 trans-1,3-Dichloropropene 88 (71 - 114) CFR136A 624 trans-1,3-Dichloropropene 89 (88 - 111) CFR136A 624 trans-1,3-Dichloropropene 79 (77 - 133) CFR136A 624 trans-1,3-Dichloropropene 89 (88 - 111) CFR136A 624 trans-1,3-Dichloropropene 99 (88 - 111) CFR136A 624 trans-1,3-Dichloropropene 79 (77 - 133) CFR136A 624 trans-1,3-Dichloropropene 99 (88 - 111) CFR136A 624 trans-1,3-Dichloropropene 79 (77 - 115) CFR136A 624 trans-1,3-Dichloropropene 88 (71 - 114) CFR136A 624 trans-1,3-Dichloropropene 88 (71 - 114) CFR136A 624 trans-1,3-Dichloropropene 79 (77 - 115) CFR136A 624 trans-1,3-Dichloropropene 79 (77 - 115) CFR136A 624 trans-1,3-Dichloropropene 79 (77 - 115) CFR136A 624 trans-1,3-Dich	Toluene	105		CFR136A 624
Bromodichloromethane 76 a (78 - 123) CFR136A 624 Bromoform 55 (40 - 141) CFR136A 624 Bromomethane 94 (42 - 160) CFR136A 624 Carbon tetrachloride 64 (61 - 129) CFR136A 624 Chlorobenzene 102 (90 - 113) CFR136A 624 Chloroethane 100 (56 - 133) CFR136A 624 Chloroethyl vinyl ether 0.0 a (10 - 185) CFR136A 624 Chloroform 101 (90 - 118) CFR136A 624 Chloromethane 103 (37 - 127) CFR136A 624 Chloromethane 61 a (65 - 123) CFR136A 624 Chloromethane 61 a (65 - 123) CFR136A 624 CFR1	Trichloroethene	107	(85 - 114)	CFR136A 624
Bromoform 55	Benzene	101	(90 - 114)	CFR136A 624
Bromomethane 94 (42 - 160) CFR136A 624 Carbon tetrachloride 64 (61 - 129) CFR136A 624 Chlorobenzene 102 (90 - 113) CFR136A 624 Chloroethane 100 (56 - 133) CFR136A 624 2-Chloroethyl vinyl ether 0.0 a (10 - 185) CFR136A 624 Chloroform 101 (90 - 118) CFR136A 624 Chloromethane 103 (37 - 127) CFR136A 624 Chloromethane 61 a (65 - 123) CFR136A 624 Dibromochloromethane 61 a (65 - 123) CFR136A 624 1,3-Dichlorobenzene 94 (90 - 111) CFR136A 624 1,4-Dichlorobenzene 89 a (90 - 112) CFR136A 624 1,1-Dichloroethane 105 (90 - 114) CFR136A 624 1,1-Dichloroethane 99 (90 - 123) CFR136A 624 1,1-Dichloroethane 109 (83 - 129) CFR136A 624 1,1-Dichloroethene 110 (85 - 116) CFR136A 624 1,2-Dichloropropane 106 (87 - 119) CFR136A 624 trans-1,3-Dichloropropene 79 (77 - 115) CFR136A 624 trans-1,3-Dichloropropene 88 (71 - 114) CFR136A 624 trans-1,3-Dichloropropene 88 (71 - 114) CFR136A 624 trans-1,2-Tetrachloroethane 77 (77 - 133) CFR136A 624 1,1,2,-Tetrachloroethane 84 (82 - 119) CFR136A 624 1,1,2-Trichloroethane 102 (89 - 123) CFR136A 624 Trichlorofluoromethane 99 (62 - 110) CFR136A 624 Trichlorofluoromethane 99 (62 - 110) CFR136A 624 Trichlorofluoromethane 99 (62 - 110) CFR136A 624 Vinyl chloride 104 (50 - 119) CFR136A 624 Vinyl chloride 104 (50 - 119) CFR136A 624 Vinyl chloride 104 (50 - 119) CFR136A 624	Bromodichloromethane	76 a	(78 - 123)	CFR136A 624
Bromomethane 94 (42 - 160) CFR136A 624 Carbon tetrachloride 64 (61 - 129) CFR136A 624 Chlorobenzene 102 (90 - 113) CFR136A 624 Chloroethane 100 (56 - 133) CFR136A 624 2-Chloroethyl vinyl ether 0.0 a (10 - 185) CFR136A 624 Chloroform 101 (90 - 118) CFR136A 624 Chloromethane 103 (37 - 127) CFR136A 624 Chloromethane 103 (37 - 127) CFR136A 624 Dibromochloromethane 61 a (65 - 123) CFR136A 624 Dibromochloromethane 89 a (90 - 111) CFR136A 624 1,4-Dichlorobenzene 89 a (90 - 111) CFR136A 624 1,1-Dichloroethane 105 (90 - 114) CFR136A 624 1,1-Dichloroethane 105 (90 - 114) CFR136A 624 1,1-Dichloroethane 109 (83 - 129) CFR136A 624 1,1-Dichloroethene 109 (83 - 129) CFR136A 624 1,2-Dichloropropane 106 (87 - 119) CFR136A 624 1,1,2,2-Tetrachloroethane 77 (77 - 115) CFR136A 624 1,1,2,2-Tetrachloroethane 84 (82 - 119) CFR136A 624 1,1,2-Trichloroethane 84 (82 - 119) CFR136A 624 1,1,2-Trichloroethane 102 (89 - 123) CFR136A 624 1,1,2-Trichloroethane 99 (62 - 110) CFR136A 624 1,1,2-Trichloroethane 99 (Bromoform	55	(40 - 141)	CFR136A 624
Carbon tetrachloride 64 (61 - 129) CFR136A 624 Chlorobenzene 102 (90 - 113) CFR136A 624 Chloroethane 100 (56 - 133) CFR136A 624 2-Chloroethyl vinyl ether 0.0 a (10 - 185) CFR136A 624 Chloroform 101 (90 - 118) CFR136A 624 Chloromethane 103 (37 - 127) CFR136A 624 Chloromethane 61 a (65 - 123) CFR136A 624 Dibromochloromethane 61 a (65 - 123) CFR136A 624 1,3-Dichlorobenzene 94 (90 - 111) CFR136A 624 1,4-Dichlorobenzene 89 a (90 - 112) CFR136A 624 1,1-Dichloroethane 105 (90 - 114) CFR136A 624 1,2-Dichloroethane 99 (90 - 123) CFR136A 624 1,1-Dichloroethene 109 (83 - 129) CFR136A 624 1,2-Dichloroethene 110 (85 - 116) CFR136A 624 1,2-Dichloropropene 106 (87 - 119) CFR136A 624 1,2-Dichloropropene 79 (77 - 115) CFR136A 624 trans-1,3-Dichloropropene 88 (71 - 114) CFR136A 624 trans-1,3-Dichloropropene 88 (71 - 114) CFR136A 624 Ethylbenzene 99 (88 - 111) CFR136A 624 1,1,2,2-Tetrachloroethane 77 (77 - 133) CFR136A 624 1,1,2-Trichloroethane 84 (82 - 119) CFR136A 624 1,1,2-Trichloroethane 102 (89 - 123) CFR136A 624 Trichlorofluoromethane 99 (62 - 110) CFR136A 624 Vinyl chloride 104 (50 - 119) CFR136A 624 Vinyl chloride 104 (50 - 119) CFR136A 624 Vinyl chloride 104 (50 - 119) CFR136A 624 Vinyl chloroethane-d4 PERCENT RECOVERY SURROGATE 1,2-Dichloroethane-d4 95 (80 - 125) Toluene-d8	Bromomethane	94		CFR136A 624
Chlorobenzene 102 (90 - 113) CFR136A 624 Chloroethane 100 (56 - 133) CFR136A 624 2-Chloroethyl vinyl ether 0.0 a (10 - 185) CFR136A 624 Chloroform 101 (90 - 118) CFR136A 624 Chloromethane 103 (37 - 127) CFR136A 624 Dibromochloromethane 61 a (65 - 123) CFR136A 624 Dibromochloromethane 61 a (65 - 123) CFR136A 624 1,3-Dichlorobenzene 94 (90 - 111) CFR136A 624 1,4-Dichlorobenzene 89 a (90 - 112) CFR136A 624 1,1-Dichloroethane 105 (90 - 114) CFR136A 624 1,2-Dichloroethane 99 (90 - 123) CFR136A 624 1,1-Dichloroethene 109 (83 - 129) CFR136A 624 1,1-Dichloroethene 110 (85 - 116) CFR136A 624 1,2-Dichloropropane 106 (87 - 119) CFR136A 624 1,2-Dichloropropane 106 (87 - 119) CFR136A 624 cis-1,3-Dichloropropene 79 (77 - 115) CFR136A 624 trans-1,3-Dichloropropene 88 (71 - 114) CFR136A 624 trans-1,3-Dichloropropene 88 (71 - 114) CFR136A 624 Ethylbenzene 99 (88 - 111) CFR136A 624 1,1,2-Tetrachloroethane 77 (77 - 133) CFR136A 624 1,1,2-Trichloroethane 84 (82 - 119) CFR136A 624 1,1,2-Trichloroethane 102 (89 - 123) CFR136A 624 Trichlorofluoromethane 99 (62 - 110) CFR136A 624 Vinyl chloride 104 (50 - 119) CFR136A 624	Carbon tetrachloride			CFR136A 624
Chloroethane 100 (56 - 133) CFR136A 624 2-Chloroethyl vinyl ether 0.0 a (10 - 185) CFR136A 624 Chloroform 101 (90 - 118) CFR136A 624 Chloromethane 103 (37 - 127) CFR136A 624 Dibromochloromethane 61 a (65 - 123) CFR136A 624 1,3-Dichlorobenzene 94 (90 - 111) CFR136A 624 1,4-Dichlorobenzene 89 a (90 - 112) CFR136A 624 1,1-Dichloroethane 105 (90 - 114) CFR136A 624 1,1-Dichloroethane 99 (90 - 123) CFR136A 624 1,1-Dichloroethane 109 (83 - 129) CFR136A 624 1,1-Dichloroethene 110 (85 - 116) CFR136A 624 1,2-Dichloropropane 106 (87 - 119) CFR136A 624 1,2-Dichloropropane 106 (87 - 119) CFR136A 624 cis-1,3-Dichloropropene 79 (77 - 115) CFR136A 624 trans-1,3-Dichloropropene 88 (71 - 114) CFR136A 624 trans-1,3-Dichloropropene 88 (71 - 114) CFR136A 624 trans-1,3-Dichloropropene 84 (82 - 119) CFR136A 624 1,1,2-Tetrachloroethane 77 (77 - 133) CFR136A 624 1,1,1-Trichloroethane 84 (82 - 119) CFR136A 624 1,1,2-Trichloroethane 102 (89 - 123) CFR136A 624 1,1,2-Trichloroethane 99 (62 - 110) CFR136A 624 Trichlorofluoromethane 99 (62 - 110) CFR136A 624 Vinyl chloride 104 (50 - 119) CFR136A 624 Vinyl chloride 104 (50 - 119) CFR136A 624 Vinyl chloride 104 (50 - 119) CFR136A 624 DERCENT RECOVERY SURROGATE LIMITS 1,2-Dichloroethane-d4 95 (80 - 125) Toluene-d8	Chlorobenzene			CFR136A 624
2-Chloroethyl vinyl ether 0.0 a (10 - 185) CFR136A 624 Chloroform 101 (90 - 118) CFR136A 624 Chloromethane 103 (37 - 127) CFR136A 624 Dibromochloromethane 61 a (65 - 123) CFR136A 624 1,3-Dichlorobenzene 94 (90 - 111) CFR136A 624 1,4-Dichlorobenzene 89 a (90 - 112) CFR136A 624 1,1-Dichloroethane 105 (90 - 114) CFR136A 624 1,2-Dichloroethane 99 (90 - 123) CFR136A 624 1,1-Dichloroethene 109 (83 - 129) CFR136A 624 1,2-Dichloroethene 110 (85 - 116) CFR136A 624 1,2-Dichloropropane 106 (87 - 119) CFR136A 624 1,2-Dichloropropane 79 (77 - 115) CFR136A 624 1,3-Dichloropropene 88 (71 - 114) CFR136A 624 1,1,2,2-Tetrachloroethane 77 (77 - 133) CFR136A 624 1,1,1-Trichloroethane 84 (82 - 119) CFR136A 624 1,1,2-Trichloroethane 102 (89 - 123) CFR136A 624 1,1,2-Trichloroethane 102 (89 - 123) CFR136A 624 1,1,2-Trichloroethane 104 (50 - 119) CFR136A 624 1,1,2-Dichloromethane 104 (50 - 119) CFR136A 624 1,1,2-Dichloroethane 104 (50 - 119) CFR136A 624	Chloroethane			CFR136A 624
Chloroform 101 (90 - 118) CFR136A 624 Chloromethane 103 (37 - 127) CFR136A 624 Dibromochloromethane 61 a (65 - 123) CFR136A 624 1,3-Dichlorobenzene 94 (90 - 111) CFR136A 624 1,4-Dichlorobenzene 89 a (90 - 112) CFR136A 624 1,1-Dichloroethane 105 (90 - 114) CFR136A 624 1,2-Dichloroethane 99 (90 - 123) CFR136A 624 1,1-Dichloroethane 109 (83 - 129) CFR136A 624 1,1-Dichloroethene 110 (85 - 116) CFR136A 624 1,2-Dichloropropane 106 (87 - 119) CFR136A 624 1,2-Dichloropropane 106 (87 - 119) CFR136A 624 cis-1,3-Dichloropropene 79 (77 - 115) CFR136A 624 trans-1,3-Dichloropropene 88 (71 - 114) CFR136A 624 Ethylbenzene 99 (88 - 111) CFR136A 624 Ethylbenzene 99 (88 - 111) CFR136A 624 1,1,2-Tetrachloroethane 77 (77 - 133) CFR136A 624 1,1,1-Trichloroethane 84 (82 - 119) CFR136A 624 1,1,2-Trichloroethane 102 (89 - 123) CFR136A 624 Trichlorofluoromethane 99 (62 - 110) CFR136A 624 Vinyl chloride 104 (50 - 119) CFR136A 624 Vinyl chloride 104 (50 - 119) CFR136A 624 PERCENT RECOVERY SURROGATE RECOVERY LIMITS 1,2-Dichloroethane-d4 95 (80 - 125) Toluene-d8	2-Chloroethyl vinyl ether			CFR136A 624
Chloromethane 103 (37 - 127) CFR136A 624 Dibromochloromethane 61 a (65 - 123) CFR136A 624 1,3-Dichlorobenzene 94 (90 - 111) CFR136A 624 1,4-Dichlorobenzene 89 a (90 - 112) CFR136A 624 1,1-Dichloroethane 105 (90 - 114) CFR136A 624 1,2-Dichloroethane 99 (90 - 123) CFR136A 624 1,1-Dichloroethene 109 (83 - 129) CFR136A 624 1,1-Dichloroethene 110 (85 - 116) CFR136A 624 1,2-Dichloropropane 106 (87 - 119) CFR136A 624 1,2-Dichloropropane 79 (77 - 115) CFR136A 624 trans-1,3-Dichloropropene 88 (71 - 114) CFR136A 624 Ethylbenzene 99 (88 - 111) CFR136A 624 Ethylbenzene 99 (88 - 111) CFR136A 624 1,1,2-Trichloroethane 77 (77 - 133) CFR136A 624 1,1,1-Trichloroethane 84 (82 - 119) CFR136A 624 1,1,2-Trichloroethane 102 (89 - 123) CFR136A 624 Trichlorofluoromethane 99 (62 - 110) CFR136A 624 Vinyl chloride 104 (50 - 119) CFR136A 624 SURROGATE RECOVERY SURROGATE RECOVERY 5URROGATE RECOVERY 5UR				CFR136A 624
Dibromochloromethane 61 a (65 - 123) CFR136A 624 1,3-Dichlorobenzene 94 (90 - 111) CFR136A 624 1,4-Dichlorobenzene 89 a (90 - 112) CFR136A 624 1,1-Dichloroethane 105 (90 - 114) CFR136A 624 1,2-Dichloroethane 99 (90 - 123) CFR136A 624 1,1-Dichloroethene 109 (83 - 129) CFR136A 624 1,1-Dichloroethene 110 (85 - 116) CFR136A 624 1,2-Dichloropropane 106 (87 - 119) CFR136A 624 1,2-Dichloropropene 79 (77 - 115) CFR136A 624 trans-1,3-Dichloropropene 88 (71 - 114) CFR136A 624 Ethylbenzene 99 (88 - 111) CFR136A 624 Ethylbenzene 99 (88 - 111) CFR136A 624 1,1,2,2-Tetrachloroethane 77 (77 - 133) CFR136A 624 1,1,1-Trichloroethane 84 (82 - 119) CFR136A 624 1,1,2-Trichloroethane 102 (89 - 123) CFR136A 624 Trichlorofluoromethane 99 (62 - 110) CFR136A 624 Vinyl chloride 104 (50 - 119) CFR136A 624 Vinyl chloride 104 (50 - 119) CFR136A 624 Vinyl chloroethane-d4 95 (80 - 125) Toluene-d8 103 (84 - 110)	Chloromethane	103		CFR136A 624
1,4-Dichlorobenzene 89 a (90 - 112) CFR136A 624 1,1-Dichloroethane 105 (90 - 114) CFR136A 624 1,2-Dichloroethane 99 (90 - 123) CFR136A 624 1,1-Dichloroethene 109 (83 - 129) CFR136A 624 trans-1,2-Dichloroethene 110 (85 - 116) CFR136A 624 1,2-Dichloropropane 106 (87 - 119) CFR136A 624 cis-1,3-Dichloropropene 79 (77 - 115) CFR136A 624 trans-1,3-Dichloropropene 88 (71 - 114) CFR136A 624 Ethylbenzene 99 (88 - 111) CFR136A 624 1,1,2,2-Tetrachloroethane 77 (77 - 133) CFR136A 624 1,1,1-Trichloroethane 84 (82 - 119) CFR136A 624 1,1,2-Trichloroethane 102 (89 - 123) CFR136A 624 Trichlorofluoromethane 99 (62 - 110) CFR136A 624 Vinyl chloride 104 (50 - 119) CFR136A 624 Vinyl chloride 104 (50 - 119) CFR136A 624 Toluene-d8 PERCENT RECOVERY LIMITS 1,2-Dichloroethane-d4 95 (80 - 125) Toluene-d8 103 (84 - 110)	Dibromochloromethane	61 a	(65 - 123)	CFR136A 624
1,1-Dichloroethane 105 (90 - 114) CFR136A 624 1,2-Dichloroethane 99 (90 - 123) CFR136A 624 1,1-Dichloroethene 109 (83 - 129) CFR136A 624 trans-1,2-Dichloroethene 110 (85 - 116) CFR136A 624 1,2-Dichloropropane 106 (87 - 119) CFR136A 624 cis-1,3-Dichloropropene 79 (77 - 115) CFR136A 624 trans-1,3-Dichloropropene 88 (71 - 114) CFR136A 624 Ethylbenzene 99 (88 - 111) CFR136A 624 1,1,2,2-Tetrachloroethane 77 (77 - 133) CFR136A 624 1,1,1-Trichloroethane 84 (82 - 119) CFR136A 624 1,1,2-Trichloroethane 102 (89 - 123) CFR136A 624 Trichlorofluoromethane 99 (62 - 110) CFR136A 624 Vinyl chloride 104 (50 - 119) CFR136A 624 Vinyl chloride 99 (80 - 125) Toluene-d8 103 (84 - 110)	1,3-Dichlorobenzene	94	(90 - 111)	CFR136A 624
1,2-Dichloroethane 99 (90 - 123) CFR136A 624 1,1-Dichloroethene 109 (83 - 129) CFR136A 624 trans-1,2-Dichloroethene 110 (85 - 116) CFR136A 624 1,2-Dichloropropane 106 (87 - 119) CFR136A 624 cis-1,3-Dichloropropene 79 (77 - 115) CFR136A 624 trans-1,3-Dichloropropene 88 (71 - 114) CFR136A 624 Ethylbenzene 99 (88 - 111) CFR136A 624 1,1,2,2-Tetrachloroethane 77 (77 - 133) CFR136A 624 1,1,1-Trichloroethane 84 (82 - 119) CFR136A 624 1,1,2-Trichloroethane 102 (89 - 123) CFR136A 624 Trichlorofluoromethane 99 (62 - 110) CFR136A 624 Vinyl chloride 104 (50 - 119) CFR136A 624 Vinyl chloride 99 (80 - 125) Toluene-d8 103 (84 - 110)	1,4-Dichlorobenzene	89 a	(90 - 112)	CFR136A 624
1,1-Dichloroethene 109 (83 - 129) CFR136A 624 trans-1,2-Dichloroethene 110 (85 - 116) CFR136A 624 1,2-Dichloropropane 106 (87 - 119) CFR136A 624 cis-1,3-Dichloropropene 79 (77 - 115) CFR136A 624 trans-1,3-Dichloropropene 88 (71 - 114) CFR136A 624 Ethylbenzene 99 (88 - 111) CFR136A 624 1,1,2,2-Tetrachloroethane 77 (77 - 133) CFR136A 624 1,1,1-Trichloroethane 84 (82 - 119) CFR136A 624 1,1,2-Trichloroethane 102 (89 - 123) CFR136A 624 Trichlorofluoromethane 99 (62 - 110) CFR136A 624 Vinyl chloride 104 (50 - 119) CFR136A 624 PERCENT RECOVERY SURROGATE RECOVERY 1,2-Dichloroethane-d4 95 (80 - 125) Toluene-d8 103 (84 - 110)	1,1-Dichloroethane	105	(90 - 114)	CFR136A 624
trans-1,2-Dichloroethene 110 (85 - 116) CFR136A 624 1,2-Dichloropropane 106 (87 - 119) CFR136A 624 cis-1,3-Dichloropropene 79 (77 - 115) CFR136A 624 trans-1,3-Dichloropropene 88 (71 - 114) CFR136A 624 Ethylbenzene 99 (88 - 111) CFR136A 624 1,1,2,2-Tetrachloroethane 77 (77 - 133) CFR136A 624 1,1,1-Trichloroethane 84 (82 - 119) CFR136A 624 1,1,2-Trichloroethane 102 (89 - 123) CFR136A 624 Trichlorofluoromethane 99 (62 - 110) CFR136A 624 Vinyl chloride 104 (50 - 119) CFR136A 624 Vinyl chloride 99 (80 - 125) Toluene-d8 103 (84 - 110)	1,2-Dichloroethane	99	(90 - 123)	CFR136A 624
1,2-Dichloropropane 106 (87 - 119) CFR136A 624 cis-1,3-Dichloropropene 79 (77 - 115) CFR136A 624 trans-1,3-Dichloropropene 88 (71 - 114) CFR136A 624 Ethylbenzene 99 (88 - 111) CFR136A 624 1,1,2-Tetrachloroethane 77 (77 - 133) CFR136A 624 1,1,2-Trichloroethane 84 (82 - 119) CFR136A 624 1,1,2-Trichloroethane 102 (89 - 123) CFR136A 624 Trichlorofluoromethane 99 (62 - 110) CFR136A 624 Vinyl chloride 104 (50 - 119) CFR136A 624 Vinyl chloride 99 (80 - 125) Toluene-d8 103 (84 - 110)	1,1-Dichloroethene	109	(83 - 129)	CFR136A 624
1,2-Dichloropropane 106 (87 - 119) CFR136A 624 cis-1,3-Dichloropropene 79 (77 - 115) CFR136A 624 trans-1,3-Dichloropropene 88 (71 - 114) CFR136A 624 Ethylbenzene 99 (88 - 111) CFR136A 624 1,1,2-Tetrachloroethane 77 (77 - 133) CFR136A 624 1,1,2-Trichloroethane 84 (82 - 119) CFR136A 624 1,1,2-Trichloroethane 102 (89 - 123) CFR136A 624 Trichlorofluoromethane 99 (62 - 110) CFR136A 624 Vinyl chloride 104 (50 - 119) CFR136A 624 Vinyl chloride 99 (80 - 125) Toluene-d8 103 (84 - 110)	trans-1,2-Dichloroethene	110	(85 - 116)	CFR136A 624
cis-1,3-Dichloropropene 79 (77 - 115) CFR136A 624 trans-1,3-Dichloropropene 88 (71 - 114) CFR136A 624 Ethylbenzene 99 (88 - 111) CFR136A 624 1,1,2-Tetrachloroethane 77 (77 - 133) CFR136A 624 1,1,1-Trichloroethane 84 (82 - 119) CFR136A 624 1,1,2-Trichloroethane 102 (89 - 123) CFR136A 624 Trichlorofluoromethane 99 (62 - 110) CFR136A 624 Vinyl chloride 104 (50 - 119) CFR136A 624 PERCENT RECOVERY SURROGATE PERCENT RECOVERY 1,2-Dichloroethane-d4 95 (80 - 125) Toluene-d8 103 (84 - 110)		106		CFR136A 624
## Ethylbenzene 99 (88 - 111) CFR136A 624 1,1,2,2-Tetrachloroethane 77 (77 - 133) CFR136A 624 1,1,1-Trichloroethane 84 (82 - 119) CFR136A 624 1,1,2-Trichloroethane 102 (89 - 123) CFR136A 624 Trichlorofluoromethane 99 (62 - 110) CFR136A 624 Vinyl chloride 104 (50 - 119) CFR136A 624 ### PERCENT RECOVERY SURROGATE RECOVERY 1,2-Dichloroethane-d4 95 (80 - 125) Toluene-d8 103 (84 - 110)	cis-1,3-Dichloropropene	79		CFR136A 624
## Ethylbenzene 99 (88 - 111) CFR136A 624 1,1,2,2-Tetrachloroethane 77 (77 - 133) CFR136A 624 1,1,1-Trichloroethane 84 (82 - 119) CFR136A 624 1,1,2-Trichloroethane 102 (89 - 123) CFR136A 624 Trichlorofluoromethane 99 (62 - 110) CFR136A 624 Vinyl chloride 104 (50 - 119) CFR136A 624 ### PERCENT RECOVERY SURROGATE RECOVERY 1,2-Dichloroethane-d4 95 (80 - 125) Toluene-d8 103 (84 - 110)		88	(71 - 114)	CFR136A 624
1,1,1-Trichloroethane 84 (82 - 119) CFR136A 624 1,1,2-Trichloroethane 102 (89 - 123) CFR136A 624 Trichlorofluoromethane 99 (62 - 110) CFR136A 624 Vinyl chloride 104 (50 - 119) CFR136A 624 PERCENT RECOVERY SURROGATE RECOVERY LIMITS 1,2-Dichloroethane-d4 95 (80 - 125) Toluene-d8 103 (84 - 110)		99	(88 - 111)	CFR136A 624
1,1,2-Trichloroethane 102 (89 - 123) CFR136A 624 Trichlorofluoromethane 99 (62 - 110) CFR136A 624 Vinyl chloride 104 (50 - 119) CFR136A 624 PERCENT RECOVERY SURROGATE RECOVERY LIMITS 1,2-Dichloroethane-d4 95 (80 - 125) Toluene-d8 103 (84 - 110)	1,1,2,2-Tetrachloroethane	77	(77 - 133)	CFR136A 624
1,1,2-Trichloroethane 102 (89 - 123) CFR136A 624 Trichlorofluoromethane 99 (62 - 110) CFR136A 624 Vinyl chloride 104 (50 - 119) CFR136A 624 PERCENT RECOVERY SURROGATE RECOVERY LIMITS 1,2-Dichloroethane-d4 95 (80 - 125) Toluene-d8 103 (84 - 110)	1,1,1-Trichloroethane	84	(82 - 119)	CFR136A 624
Trichlorofluoromethane 99 (62 - 110) CFR136A 624 Vinyl chloride 104 (50 - 119) CFR136A 624 PERCENT RECOVERY SURROGATE RECOVERY LIMITS 1,2-Dichloroethane-d4 95 (80 - 125) Toluene-d8 103 (84 - 110)				CFR136A 624
Vinyl chloride 104 (50 - 119) CFR136A 624 PERCENT RECOVERY SURROGATE RECOVERY LIMITS 1,2-Dichloroethane-d4 95 (80 - 125) Toluene-d8 103 (84 - 110)		99		CFR136A 624
PERCENT RECOVERY SURROGATE RECOVERY 1,2-Dichloroethane-d4 95 (80 - 125) Toluene-d8 103 (84 - 110)	Vinyl chloride	104	(50 - 119)	CFR136A 624
SURROGATE RECOVERY LIMITS 1,2-Dichloroethane-d4 95 (80 - 125) Toluene-d8 103 (84 - 110)	-			
1,2-Dichloroethane-d4 95 (80 - 125) Toluene-d8 103 (84 - 110)			PERCENT	RECOVERY
1,2-Dichloroethane-d4 95 (80 - 125) Toluene-d8 103 (84 - 110)	SURROGATE		RECOVERY	LIMITS
	1,2-Dichloroethane-d4		95	
Bromofluorobenzene 94 (81 - 112)	Toluene-d8		103	(84 - 110)
	Bromofluorobenzene		94	(81 - 112)

(Continued on next page)

MATRIX SPIKE SAMPLE EVALUATION REPORT

GC/MS Volatiles

Lot-Sample #...: C1B170481 Work Order #...: MEJWR1AD Matrix.....: WATER

MS Lot-Sample #: A1B170509-001

NOTE(S):

 $\label{lem:calculations} \textbf{Calculations} \ \text{are performed before rounding to avoid round-off errors in calculated results}.$

Bold print denotes control parameters

a Spiked analyte recovery is outside stated control limits.

Leo Brausch Consulting

Client Sample ID: EFF0211

TOTAL Metals

Lot-Sample #...: C1B170481-001 Matrix....: WATER Date Sampled...: 02/16/11 Date Received..: 02/17/11 REPORTING PREPARATION-WORK PARAMETER RESULT LIMIT UNITS METHOD ANALYSIS DATE ORDER # Prep Batch #...: 1049085 Cadmium ND 5.0 ug/L MCAWW 200.7 02/18-02/22/11 MEJPF1AA Dilution Factor: 1 Analysis Time..: 16:46 MS Run #.....: 1049050

MDL.....: 0.15

Chromium 5.4 5.0 ug/L MCAWW 200.7 02/18-02/22/11 MEJPF1AC
Dilution Factor: 1 Analysis Time..: 16:46 MS Run #.....: 1049050

MDL....: 0.51

METHOD BLANK REPORT

TOTAL Metals

Client Lot #...: C1B170481 Matrix.....: WATER

PARAMETER	RESULT	REPORTING LIMIT	UNITS	METHOD	PREPARATION- ANALYSIS DATE	WORK ORDER #
MB Lot-Sample #	#: C1B180000-08	35 Prep Ba	tch #: 1	049085		
Cadmium	ND	5.0	ug/L	MCAWW 200.7	02/18-02/22/11	MEKQ21CJ
	I	ilution Fact	or: 1			
	F	nalysis Time	: 15:57			
Chromium	ND	5.0	ug/L	MCAWW 200.7	02/18-02/22/11	MEKQ21CK
	Ι	ilution Fact	or: 1			
	P	nalysis Time	: 15:57			
NOTE(S):						

LABORATORY CONTROL SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #...: C1B170481 Matrix.....: WATER

PERCENT RECOVERY PREPARATION-

PARAMETER RECOVERY LIMITS METHOD ANALYSIS DATE WORK ORDER #

LCS Lot-Sample#: C1B180000-085 Prep Batch #...: 1049085

Cadmium 104 (85 - 115) MCAWW 200.7 02/18-02/22/11 MEKQ21DF

Dilution Factor: 1 Analysis Time..: 16:02

Chromium 105 (85 - 115) MCAWW 200.7 02/18-02/22/11 MEKQ21DG

Dilution Factor: 1 Analysis Time..: 16:02

NOTE(S):

MATRIX SPIKE SAMPLE EVALUATION REPORT

TOTAL Metals

Client Lot #...: C1B170481 Matrix....: WATER Date Sampled...: 02/16/11 Date Received..: 02/17/11 PERCENT RECOVERY RPD PREPARATION-WORK PARAMETER___ RECOVERY LIMITS RPD LIMITS METHOD ANALYSIS DATE ORDER # MS Lot-Sample #: C1B170429-002 Prep Batch #...: 1049085 Cadmium 102 (70 - 130)MCAWW 200.7 02/18-02/22/11 MEH661EK 103 (70 - 130) 0.99 (0-20) MCAWW 200.7 02/18-02/22/11 MEH661EL Dilution Factor: 1 Analysis Time..: 16:19 MS Run #....: 1049050 Chromium 104 (70 - 130)MCAWW 200.7 02/18-02/22/11 MEH661EN 105 (70 - 130) 0.66 (0-20) MCAWW 200.7 02/18-02/22/11 MEH661EP Dilution Factor: 1 Analysis Time..: 16:19 MS Run #....: 1049050

NOTE(S):

Leo Brausch Consulting

Client Sample ID: EFF0211

General Chemistry

Lot-Sample #...: C1B170481-001 Work Order #...: MEJPF Matrix.....: WATER

Date Sampled...: 02/16/11 Date Received..: 02/17/11

PARAMETER pH	RESULT 6.7	RL Dilution Factor		METHOD SM20 4500-H+B Analysis Time: 15:34	PREPARATION- ANALYSIS DATE 02/17/11 MS Run #	PREP BATCH # 1048335 : 1048189
Total Suspended Solids	16.0	4.0	mg/L	SM20 2540D	02/18-02/19/11	1049126
		Dilution Fact		Analysis Time: 09:10	MS Run #	: 1049071

METHOD BLANK REPORT

General Chemistry

Client Lot #...: C1B170481 Matrix.....: WATER

REPORTING PREPARATION-PREP RESULT LIMIT UNITS METHOD ANALYSIS DATE BATCH # Total Suspended Work Order #: MEKXV1AA MB Lot-Sample #: C1B180000-126 Solids SM20 2540D 02/18-02/19/11 1049126 ND 4.0 mg/L Dilution Factor: 1 Analysis Time..: 09:10

NOTE(S):

LABORATORY CONTROL SAMPLE EVALUATION REPORT

General Chemistry

Client Lot #...: C1B170481 Matrix.....: WATER

PARAMETER PH	PERCENT RECOVERY	RECOVERY LIMITS	METHOD	PREPARATION- <u>ANALYSIS DATE</u> ot-Sample#: C1B170000	PREP BATCH #
ρn	100	(99 - 101)		02/17/11	1048335
Total Suspended Solids		Work Order	#: MEKXV1AC LCS L	ot-Sample#: C1B180000	-126
	103	(80 - 120) Dilution Fact		02/18-02/19/11 Time: 09:10	1049126

NOTE(S):

 $\label{lem:calculations} \textbf{Calculations} \ \text{are performed before rounding to avoid round-off errors in calculated results}.$

SAMPLE DUPLICATE EVALUATION REPORT

General Chemistry

Client Lot #...: C1B170481 Work Order #...: MEJPF-SMP Matrix....: WATER

MEJPF-DUP

Date Sampled...: 02/16/11 Date Received..: 02/17/11

 PARAM RESULT
 RESULT
 UNITS
 RPD
 PREPARATION PREPA

SAMPLE DUPLICATE EVALUATION REPORT

General Chemistry

Client Lot #...: C1B170481 Work Order #...: MEKR3-SMP Matrix....: WATER

MEKR3-DUP

Date Sampled...: 02/17/11 Date Received..: 02/18/11

 PARAM RESULT
 RESULT
 UNITS RPD LIMIT
 METHOD
 ANALYSIS DATE ANALYSIS DATE
 BATCH # BAT