

LIMITED SITE DATA REPORT

BENGART AND MEMEL SITE NYSDEC SITE NO. 9-15-115 BUFFALO (C), ERIE COUNTY



Prepared By:

**NYSDEC REGION 9
DIVISION of ENVIRONMENTAL REMEDIATION
270 Michigan Avenue
Buffalo, New York 14203**

MARCH 2009

David A. Paterson, Governor

Alexander B. Grannis, Commissioner

This page is intentionally blank.

LIMITED SITE DATA REPORT

BENGART AND MEMEL SITE NYSDEC SITE NO. 9-15-115 BUFFALO (C), ERIE COUNTY

This document is NOT part of the contract documents for the remediation of the Bengart and Memel Site. The NYSDEC neither represents that the characteristics of the materials at the site will be the same as in the attached documents nor considers the attached document as being comprehensive and actual listing of contaminants which may be detected at the site. The CONTRACTOR shall be responsible for the accurate and comprehensive characterization of materials to be properly handled, removed, transported and disposed of as part of the remediation work at the site.

CONTENTS

Attachment 1: Limited Site Investigation, NYSDEC, March 2007

Attachment 2: Asbestos Evaluation, Empire Geo-Services, Inc.
December 2008

Attachment 3: Condemnation Notice, City of Buffalo, Dept. of
Economic Development, Permit and Inspection Services, January
2009

Attachment 4: Existing Remediation Design Drawings, Malcolm Pirnie,
Inc., 1982 to 1984

Attachment 5: Record Documentation of Installed Remediation
Systems, Malcolm Pirnie, Inc., December 1982

This page is intentionally blank.

Attachment 1


Limited Site Investigation

NYSDEC, March 2007

This page is intentionally blank.

SITE INVESTIGATION REPORT

BENGART AND MEMEL SITE NYSDEC SITE NO. 9-15-115 BUFFALO (C), ERIE COUNTY



Prepared By:



**270 Michigan Ave.
Buffalo, New York 14207
Phone: (716) 851-7220
Fax: (716) 851-7226**

March 2007

This page is intentionally blank.

TABLE OF CONTENTS

| | |
|---|------------|
| SECTION 1 INTRODUCTION..... | 1-1 |
| 1.1 Purpose | 1-1 |
| 1.2 Objectives | 1-1 |
| 1.3 Background Information | 1-1 |
| 1.4 Site History | 1-2 |
| 1.5 Report Organization | 1-4 |
| SECTION 2 SCOPE OF INVESTIGATION..... | 2-1 |
| 2.1 Subsurface Soil Investigation | 2-1 |
| 2.2 Groundwater Evaluation..... | 2-1 |
| 2.3 Surficial Investigation | 2-2 |
| 2.4 Analytical Program..... | 2-2 |
| SECTION 3 INVESTIGATION RESULTS..... | 3-1 |
| 3.1 Subsurface Soil Investigation | 3-1 |
| 3.1.1 Asphalt Cap Area and Balance of Asphalt Paved Areas..... | 3-1 |
| 3.1.2 Gras Area Adjacent to the Groundwater Treatment System... | 3-1 |
| 3.1.3 Asphalt Cap Area Subsurface Soil | 3-1 |
| 3.1.5 Asphalt Cap Area Groundwater | 3-2 |
| 3.1.5 Balance of Asphalt Paved Area Subsurface Soil | 3-2 |
| 3.1.6 Balance of Asphalt Paved Area Groundwater | 3-3 |
| 3.1.7 Building Area | 3-3 |
| 3.2 Surface Investigation | 3-4 |
| 3.2.1 Surface Soil and Sediments..... | 3-4 |
| 3.2.2 Building Concrete Floor Surface | 3-4 |
| 3.2.3 Surface Waters | 3-5 |
| SECTION 4 CONCLUSIONS | 4-1 |

TABLES

Table 1 – PCBs in Soil
Table 2 – VOCs in Soil
Table 3 – SVOCs in Soil
Table 4 – Metals in Soil

Table 5 – SVOCs and PCBs in Water

Table 6 - VOCs and Metals in Water

APPENDICES

APPENDIX A BORING AND MONITORING WELL LOGS

APPENDIX B LAB DATA RESULTS

LIST OF FIGURES

| | |
|---|-----|
| Figure 1 - Site Location Map | 1-5 |
| Figure 2 - Site Plan | 1-6 |
| Figure 3 - Detailed Site Plan | 1-7 |
| Figure 4 - Site Investigation Plan..... | 2-3 |
| Figure 5 - PCB Results Site Plan | 3-6 |

SECTION 1 INTRODUCTION

1.1 PURPOSE

The following represents a summary of a recent limited site investigation to assess the site for potential residual polychlorinated biphenyls (PCB) levels at the site, and assess the ongoing need to maintain an active groundwater collection and treatment system at the site.

1.2 OBJECTIVES

A focused limited site investigation was performed in mid 2006 at the former Bengart & Memel, Inc. (B&M) site, in the City of Buffalo (see Figure 1), to assess the presence of residual PCBs in soil and groundwater at the site. Additional parameters were evaluated to assess if there are any other chemicals of concern, either residual or from subsequent operations at the site. The investigation was limited to the site as defined as 1079 Clinton St. (99.75 ft by 180 ft. parcel, SBL # 112.77-4-2.1 as indicated on Figures 2 and 3, and herein identified as Lot 2.1). The results of this investigation will be used to assess the need for continued operation and maintenance of the shallow groundwater treatment system or development and implementation of a more comprehensive site remediation so as to eliminate the need for the groundwater collection and treatment system at Lot 2.1.

1.3 BACKGROUND INFORMATION

According to record information for the site, the site (primarily Lot 2.1) was previously remediated by the respondent through a combination of an experimental soil treatment process to treat soil with PCB concentrations in excess of 50 parts per million (ppm) and select removal of soil with PCB concentrations greater than 50 ppm, and installation of a shallow groundwater collection and treatment system to collect and treat groundwater for the removal of PCBs in the shallow groundwater horizon. According to documentation of the PCB cleanup conducted in the mid 1980s, PCB residual levels in site soil and fill are reportedly less than 50 ppm. As part of the planned remediation of the site, the residual PCBs in the soil remain in the soil and groundwater. A groundwater collection and treatment system was installed by the respondent as part of the remediation plan to address the potential migration of residual PCBs in the shallow groundwater. The areas containing the residual PCBs received an asphalt cap system. The remediation of the site by the respondent occur from 1985 to 1986. Following the completion of the planned remediation work and submittal of required documentation, the site was reclassified for a Class 2 site to a Class 4 site in 1987.

The area (Lot 2.1) remediated by the respondent under the Order on Consent (Order) consists of the asphalt capped area, stormwater management and treatment, and groundwater treatment system. The elevation of the asphalt capped is sloped to allow drainage of surface water to a stormdrain in the capped area which is connected to an oil/water separator which drains into the Buffalo Sewer Authority (BSA) combined sewer on Clinton Street. The oil/water separator serves as a treatment device for stormwater runoff from the asphalt capped area. The

groundwater water collection and treatment system consists of a shallow groundwater interceptor trench along the northern and western perimeter of Lot 2.1. The interceptor trench extends onto Lot 2.2. The interceptor trench contains a 6-inch PVC drainpipe that directs intercepted groundwater to a sump. The sump originally contained a submersible pump which pumped collected water to a series of two storage tanks for temporary storage. The water in the tanks batch treated by pumping stored water through two carbon adsorption vessels to remove residual PCBs. The treated water was stored in a third tank for sampling prior to discharge to the BSA combined sewer. The treatment system is located on a concrete containment pad that straddles Lots 2.1 and 2.2. The treatment system is exposed to the elements and none of the system piping and pumps are insulated for cold weather operation.

The elevation of the asphalt capped area is above the elevation of the adjoining roadway right-of-way and sidewalk along Clinton Street by approximately 2 to 3 feet. The abrupt change in elevation from the side walk to the asphalt cap area forms an embankment (see Figure 3 for embankment limits). The embankment features varies, and in some sections consists of several courses of railroad ties stacked to form a low retaining wall. The retaining wall is in poor condition. Exposed soils are at the base and above the top of railroad ties retaining wall. There is no protection from or isolation of PCBs that may be present in surface soils or shallow groundwater that could potentially seep from the embankment.

Currently, the shallow ground water treatment system is not functional, and has not been in operation for a number of years. Documentation on the non-functional status dates back as early as 2001. The collection and treatment system requires major repair/replacement to be operational. Because the groundwater collection and treatment system is not operational, it was uncertain if residual PCBs at the site are currently being released to the environment, especially along the embankment adjacent to the public right-of-way and roadway (Clinton Street). Several attempts were made by the NYSDEC Division of Environmental Remediation (DER) to have the respondent repair the collection and treatment system, and place it back into operation.

As a result of the non-responsiveness from both the respondent and current owner of record, the Division of Environmental Enforcement (DEE) issued a referral in 2005 to DER to take required action at the site. DER has undertaken this investigation as part of the referral action. The investigation data will be used to assess residual PCB levels in the soil and groundwater in Lot 2.1, and assess the need for continued operation and maintenance of the shallow groundwater treatment system or development and implementation of a more comprehensive site remediation so as to eliminate the need for the groundwater collection and treatment system.

1.4 SITE HISTORY

A detailed description of the historical operations at the site is contained in the Order on Consent (Order) dated January 13, 1982. The site subject to the order is not explicit. However, review of the Order and reference to the deed contained in the Order implies that the Order only applies to a portion the industrial site solely owned by the respondent. The portion of the industrial site solely owned by the respondent at the time of the Order was executed was Lot 2.1. The Bengart and Memel business operations included the use of Lot 2.1 and a larger adjoining lot (identified as Lot 2.2). Lots 2.1 and 2.2 were part of a single lot which were subsequently subdivided and separately sold by the respondent. Lot 2.2 was sold to 1091 Clinton, Inc. in 1986 after the Order, and has been sold on two occasions since. Lot 2.1 subsequently sold by the

respondent to 1091 Clinton Inc. in 1989 after execution of the Order. The respondent and the current owner of the site (1091 Clinton, Inc.) has not maintained the cap system and groundwater collection and treatment system at the site.

The site is located in an urban commercial area on the south side of Clinton St. in Buffalo (C), Erie Co., NY. approximately 1/4 mile east of the Fillmore Ave. intersection (see Figure 1). The surrounding land use is a mix of commercial and warehousing operations on the southern side of Clinton St. with residential and commercial on the north side of Clinton St. The southern end of the site is bounded by railroad lines.

The Order involved the achieving regulatory compliance for PCB waste management, modifying an existing collection and treatment system, developing and implementing a remediation plan to treat/remove PCB's above 50 ppm. The site was characterized by several previous investigations as one contiguous lot currently identified as lots SBL #112.77-4-2.1 (Lot 2.1) and 112.77-4-2.2 (Lot 2.2)(see Figure 2). According to the investigation performed at that time, PCB contamination was reportedly confined to lot 2.1 (current address of record is 1079 Clinton St.). At the time of the original investigation, the main site features of the single contiguous lot and contained two concrete block buildings. The balance of land was previously used for non-ferrous scrap metal stockpiling and sorting, and employee parking.

Prior to signing of the Order On Consent in 1982, Lot 2.2 (current address of record is 1091 Clinton St.) containing the larger sprawling building was subdivided and sold. Lot 2.2 was sold several times since the issuance of the Order On Consent, and is currently being utilized by an automobile wrecking operation (Clinton Auto Wrecking, Inc.). The remaining portion of the subdivided site (Lot 2.1) containing a smaller concrete block building and remediation measures remains idle. The 1079 Clinton Street address was subsequently assigned to Lot 2.1.

During B&M operations, scrap metal was processed and sorted. B&M periodically received transformers and capacitors containing PCB oils. According to historic file information, these operations were primarily limited to the northwest portion of the site (Lot 2.1) where PCB contamination was principally detected. The PCB containing oils were spilled on this portion of the site contaminating the soil and shallow groundwater. Runoff from spills containing PCB contaminated oils reached the offsite BSA combined sewer system on Clinton Street. PCB contamination of the combined sewer system was discovered by the BSA, which subsequently prompted the investigation of the B&M site, which ultimately culminated in a Order on Consent from the NYSDEC to remediate the PCBs on the site.

The eventual remediation of Lot 2.1 involved a USEPA demonstration project to reduce PCB contaminant levels in soils at the site to below 50 ppm using a proprietary chemical treatment process. The demonstration remediation project consisted of excavation of PCB contaminated soil characterized in excess of 50 ppm, placement in drums for chemical treatment to reduce PCB levels below 50 ppm, and finally placing treated soils back onto the site. The demonstration project also included in-situ trials in reducing the PCB levels in the soil. The demonstration project was initiated during the summer of 1985 was deemed complete by the consultant in October, 1986.

Since PCB's in soils were not removed, but reportedly reduced to levels below 50 ppm, a shallow groundwater collection system was installed to intercept PCB's that could potentially migrate along the shallow groundwater horizon. Impacted groundwater collected by the

collection system was batch treated by carbon adsorption prior to discharge to the City of Buffalo combined sewer system. The PCB contaminated area was paved with an asphalt cover to preclude contact with soil contaminated with residual PCBs (less than 50 ppm) and reduce infiltration of surface water to limit the generation of PCB contaminated groundwater. The asphalt cover was equipped with surface drains to capture and treat surface water via an oil water separator prior to discharge to the sanitary sewer. Refer to Figure 3 for the features described above.

Following the completion of the soil treatment and installation of the groundwater collection and treatment system, the site subject to the Order was reclassified to a Class 4 site in December, 1987.

The groundwater collection and treatment system was operated by the respondent for a number of years. During a 2001 inspection, the system was found to be non-functional. The current treatment system has major design and operation flaws including a non-automated batch operation system design which requires manual control operation in order for the system to operate and no freeze protection which resulted in operational shutdown during freezing winter months.



Several attempts were made by the NYSDEC to have the respondent repair the treatment system and place it back in operation. All attempts by the NYSDEC to have the respondent and/or current owner of record place the system back in operation have not been successful. The respondent and current owner of record have both failed to respond to DER requests and inquiries.

1.5 REPORT ORGANIZATION

The report is organized into eight sections and ten appendices:

- Section 1 includes the introduction and project background;
- Section 2 describes the scope of the site investigation;
- Section 3 presents a summary of the site investigation results;
- Section 4 presents conclusions of the site investigation.

Appendices A and B contain field data logs and lab data, respectively.



Site Location Plan

Figure 1

Bengart and Memel Site
NYSDEC Site No. 915115
1079-1091 Clinton St.
Buffalo (C), Erie Co. NY



Site Plan

Figure 2

**Bengart and Memel Site
NYSDEC Site No. 915115
1079-1091 Clinton St.
Buffalo (C), Erie Co. NY**

SECTION 2

SCOPE OF INVESTIGATION

2.1 SUBSURFACE SOIL INVESTIGATION

To assess residual PCBs in the site soils as well as other Target Compound List (TCL) compounds and hazardous waste characteristics, approximately 19 soil borings were advanced inside the site fence limits using direct push boring equipment (Geoprobe) to obtain soil samples of fill and native soils (approximately 4 to 8 feet). The boreholes were spaced to provide representative coverage across the parcel and below the building (see Figure 4). Soil cores were retrieved and examined by NYSDEC DER employees. Visual and/or olfactory evidence of contamination was also screened and recorded. Soil sampling and logging was performed in accordance with NYSDEC investigation Standard Operating Procedures (SOPs). Soil samples were collected at the discrete zone consisting of fill. The native soil zone consists of a dense clay layer. Due to previous investigation results showing little to no contamination in the native soil, and lack of visual indication of contamination, the native soil zone was not sampled or characterized for PCB contamination.

To assess PCB contamination in and below a dilapidated structure on the parcel that was historically used for drum storage containing PCB contaminated fluids, four additional borings were advanced inside the existing building on the site using tripod soil sampling arrangement (see Figure 4). The concrete floor of the building was core drilled to simplify sampling of subsurface soils. Subsurface samples below the structure building slab were subsequently collected. Additionally four wipe samples of the concrete flooring were also collected to assess the presence of PCB contamination in the building slab (see Figure 4). Wipe sampling were performed in accordance with the EPA protocols established for assessing surface contamination.

2.2 GROUNDWATER EVALUATION

To assess groundwater residual levels at the site, two of the borings that revealed the potential to yield groundwater were converted to one-inch diameter micro monitoring wellpoints (see Figure 4). Wellpoints were installed at borings B-5 and B-19. Following the installation of the wellpoints, the wellpoints were developed using appropriate well development methods. The wellpoint installation and well development were performed in accordance with NYSDEC SOPs. Groundwater recovery following purging was slow, and it was difficult to collect the required volume of water for chemical analysis.

Following the construction of the wellpoints, groundwater was allowed to stabilize in the wellpoints. Before purging the wellpoints for groundwater sampling, the depth to ground water was measured. At the time of measurement in May 2006, the static groundwater elevation at each wellpoint was shallow. Approximate depths for groundwater were 0.8 feet below ground surface (BGS) at MW B-19 and 1.4 ft. BGS at MW B-5. The groundwater is likely perched water laying in the fill above the native dense clay layer. With groundwater this shallow at the site, the groundwater levels would be above grade level along the low embankment at the northern perimeter adjacent to Clinton Street. No noticeable seeps along the embankment at the edge of the capped fill area were observed.

2.3 SURFICIAL INVESTIGATION

Surficial soil and water samples were collected to assess the presence of PCBs in surface soils near the perimeter of the site along Clinton Street and adjoining property to the west, and PCB levels in the accessible groundwater collection and treatment system components. Soil and sediment samples were initially collected from 11 sample locations at the site. Surface water samples were collected at three locations at the site. Surficial sampling locations are indicated on Figure 4.

In response to elevated PCB levels in surficial sample in the initial round of surficial sampling and analysis, an additional round of surficial soil samples were collected at six additional locations at the site to further delineate surficial soil contamination. Following the receipt of the second round of sampling, eight additional surficial sample locations on adjoining properties were sampled. These samples were located to the north of the site (Laub International warehouse) and to the south of the site (Clinton Auto Wrecking). These surficial sampling locations are also indicated on Figure 4.

2.4 ANALYTICAL PROGRAM

Fill and soil samples from each borehole were collected for analysis of TCL PCBs only (EPA Method 8082). Depending on volatile organic vapor screening results, samples exhibiting elevated volatile organic compound (VOC) headspace sampling results and/or odors were analyzed for TCL VOCs (EPA Method 8260) and/or TCL SVOCs (EPA Method 8270). Soil samples were composited by area (see Figure 3) into two composite samples and analyzed for the following:

- TCL Semi-volatile organic compounds (SVOCs) (EPA Method 8270),
- Total RCRA metals (EPA 6000/7000 Method Series),
- Toxic Characteristic Leaching Procedure (TCLP) metals (EPA Method 1311 and 6000/7000 Method Series),
- Corrosivity (EPA Method 9045), and
- Flashpoint (EPA Method 1010).


Soil samples collected for chemical analysis were collected in accordance with NYSDEC SOPs.

Borehole cuttings were used for sampling. Because of the limited amount of soil cuttings that were obtained, nominal surplus soils were generated. The surplus soils were placed onto a tarp and stored inside the building for storage for subsequent appropriate disposition.

Groundwater samples from developed wellpoints were collected and analyzed for TCL VOCs (EPA Method 8260), TCL SVOCs (EPA Method 8270), TCL Metals (EPA Method 6000/7000 series) and TCL PCB's (EPA Method 8082) on unfiltered samples only. The well points did not produce sufficient quantity of water needed for filtered samples. Water collected from the wells was relatively free of turbidity, precluding the need for filtering of the samples.

Purgewater from well development and sampling was placed in a 5 gallon bucket with lid. The buckets was placed in the onsite building for subsequent appropriate disposition.

Fig



Site Investigation Plan

Figure 4

Bengart and Memel Site
 NYSDEC Site No. 915115
 1079-1091 Clinton St.
 Buffalo (C), Erie Co. NY

SECTION 3 INVESTIGATION RESULTS

3.1 SUBSURFACE SOIL INVESTIGATION

The results of the subsurface soil investigation are as followed. The area subject to the subsurface investigation consisted mainly of advancing 18 borings (B-2 thru B-18) in paved areas within Lot 2.1, one boring in an unpaved area adjacent to the treatment system containment pad (B-1), and four borings inside the dilapidated structure (B-21 thru B-24). The boring locations are indicated on Figure 4. Sample results in excess of recommended soil cleanup objectives and hazardous waste levels for PCBs are identified on Figure 5. Respective boring logs are contained in Appendix A.

3.1.1 Asphalt Cap Area and Balance of Asphalt Paved Areas

The lithology of the paved areas generally consist of an asphalt layer of varying thickness, a gravel base of varying thickness, fill consisting of various native and fill materials of varying thickness, and finally native soil consisting of a dense, firm brown clay. The borings were generally advanced to the native soil horizon. The asphalt varied by area with two distinct areas. The area generally between the dilapidated building and Clinton St. exhibited a thicker section consisting of a topcourse and base course. This area was, based upon a review of the site records, was subject to the PCB remediation efforts. The remediation measure included asphalt capping as part of the Consent Order agreement. This area is here referred to as the asphalt capped area. The field measured thickness of this material did not conform to the proposed asphalt cap presented in the remediation drawings as part of the Consent Order remediation. The asphalt cap was not as thick as specified in the approved remediation plans. The balance of the paved area not subject to the cleanup action consisted mainly of a binder course and was not as thick as the asphalt capped area of the lot.

3.1.2 Gras Area Adjacent to the Groundwater Treatment System

Boring B-1 was advance in a grassy area adjacent to the Groundwater Treatment System and Asphalt Cap Area. The boring profile included a topsoil layer followed by fill layer consisting of slag over the native stiff, brown clay. The fill extended to 2 feet below the surface. Fill materials from this boring was sampled for PCB analysis. The fill sample from B-1 exceeds the TAGM 4046 total PCB subsurface cleanup level of 10,000 ppb (12,000 ppb for total PCB's). PCB results are presented in Table 1. The sampling location with the elevated level of PCBs is indicated on Figure 5.

3.1.3 Asphalt Cap Area Subsurface Soil

The fill in the respective asphalt areas varied in thickness, material and contamination based upon visual, olfactory and field measurement of volatile organic vapors. The fill in the asphalt cap area (B-2 thru B-13) varied considerably and consisted of varying amounts of imported granular fill, concrete and brick rubble, slag, foundry sand (probable), glass and wood debris. Much of this material exhibited dark, black staining and odors associated with undefined volatile and semi-volatile organic substances. The depth of fill generally varied from two to three feet below ground surface. Several borings exhibited fill up to five feet in depth below ground surface.

Fill materials from each boring were sampled for PCB analysis. Fill samples from B-4, B-5, B-6, B-9, and B-10 exceed the TAGM 4046 total PCB subsurface cleanup level of 10,000 ppb (11,000 to 37,200 ppb for total PCB's). Fill samples from B-7, and B-9 exceed the total PCB hazardous waste characteristic level of 50,000 ppb (70,600 and 69,000 ppb respectively). PCB results are presented in Table 1. The sampling locations with the elevated levels of PCBs are indicated on Figure 5.

Additional samples from the asphalt cap area were collected for VOC analysis. Samples were collected from B-6 and B-13 because of odors and headspace readings. None of the soil fill samples from this area exhibited VOC values above TAGM 4046. VOC results are presented in Table 2.

A composite soil sample from the asphalt cap area (Composite Sample A) was collected and analyzed for SVOCs, Metals and Hazardous Waste Characteristics. The composite sample exceeded SVOC TAGM 4046 levels for benzo(a)anthracene(4,600 ppb), benzo(a)pyrene (3,900 ppb), benzo(k)flouranthene (1,600 ppb) and chrysene (4100 ppb). The composite sample also exceeded total metal TAGM 4046 for arsenic (8.6ppm) , cadmium(3.4 ppm), chromium (26 ppm), and mercury (1.3 ppm). The composite sample did not exceed hazardous waste characteristics for TCLP metals, pH, and flashpoint. Results for SVOCs are presented in Table 3, and metal and hazardous characteristic results are presented in Table 4.

3.1.5 Asphalt Cap Area Groundwater

Boring B-5 was the only boring in the asphalt cap area that appeared to contain any appreciable amount of water in the boring. Boring B-5 was converted to a one-inch diameter micro-monitoring well. See Appendix B for the monitoring well construction log. Groundwater from wellpoint B-5 was sampled and analyzed for PCBs, and VOCs. The results for PCBs reveal the total PCB level (28 ppb) is above groundwater standards for total PCBs. PCB results for groundwater are presented in Table 5. The results for VOCs reveal 1,3-dichlorobenzene and 1,4-dichlorobenzene are slightly above groundwater standards for these compounds. VOC results are presented in Table 6.

3.1.5 Balance of Asphalt Paved Area Subsurface Soil

The fill in the balance of asphalt paved area (B-14 thru B-20) varied and consisted of varying amounts of concrete and brick rubble, slag, foundry sand (probable), glass and wood debris. Much of this material exhibited dark, black staining and some with odors associated with undefined volatile and semi-volatile organic substances. The depth of fill generally varied from two to three feet below ground surface. Several borings exhibited fill up to five feet in depth below ground surface.

Fill materials from each boring were sampled for PCB analysis. Fill samples from B-18 and B-19 exceed the total PCB TAGM 4046 subsurface cleanup level of 10,000 ppb (26,900 and 19,000 ppb for total PCB's, respectively). Fill sample from B-16 exceeded the total PCB hazardous waste characteristic level of 50,000 ppb (52,000 ppb). PCB results are presented in Table 1. The sampling locations with the elevated levels of PCBs are indicated on Figure 5.

Additional samples from the asphalt cap area were collected for VOC analysis. Samples were collected from B-14, B-17 and B-19 because of odors and elevated VOC headspace readings.

Fill from B-19 was saturated with water/liquid and exhibited strong VOC/SVOC odors. The liquid contained a visible sheen. Fill soil sample from this area exhibited values above TAGM 4046. B-14 just exceeded the TAGM level for acetone (likely lab contaminant). B-19 exceeded TAGM 4046 levels for 1,2,4-trichlorobenzene (18,000 ppb), 1,3-dichlorobenzene (25,000 ppb), 1,4-dichlorobenzene (110,000 ppb), benzene (200 ppb), carbon tetrachloride (26,000 ppb) and total VOCs (182,890 ppb). VOC results are presented in Table 2.

A composite soil sample from the balance of the asphalt paved area (Composite Sample B) was collected and analyzed for SVOCS, Metals and Hazardous Waste Characteristics. The composite sample exceeded SVOC TAGM 4046 levels for benzo(a)anthracene (4,900 ppm), benzo(a)pyrene (4,200 ppm), benzo(k)fluoranthene (1,600 ppm), chrysene (4100 ppb), and dibenzo(a,h)anthracene (890 ppb). The composite sample also exceeded total metal TAGM 4046 for arsenic (41.6 ppm), barium (388 ppm), cadmium (6.9 ppm), chromium (1090 ppm), lead (1,200 ppm), mercury (1.3 ppm), and selenium (13.2 ppm). The composite sample did not exceed hazardous waste characteristics for TCLP metals, pH, and flashpoint. Results for SVOCs are presented in Table 3, and metal and hazardous characteristic results are presented in Table 4.

3.1.6 Balance of Asphalt Paved Area Groundwater

Boring B-19 was the only boring in the balance of asphalt paved area that appeared to contain any appreciable amount of water in the boring. Boring B-19 was converted to a one-inch diameter micro-monitoring well. See Appendix A for the monitoring well construction log. Development of the wellpoint B-19 yielded a considerable amount of probable non aqueous phase liquid (NAPL) due to its color, viscosity and odor. Groundwater from wellpoint B-19 was sampled and analyzed for PCB's, VOCs, SVOCS, and metals. The results reveal the total PCB level (130 ppb total) is above the groundwater standard for total PCBs. The SVOC results only reveal naphthalene (130 ppb) above the groundwater standard. PCB and SVOC results for groundwater are presented in Table 5. The results for VOCs reveal 1,4-dichlorobenzene, benzene and chlorobenzene are slightly above groundwater standards for these compounds. The metal results did not reveal any parameters above groundwater standards. VOC and metal results are presented in Table 6. The VOC and SVOC results appear to be lower than expected given the amount of probable NAPL that was purged from the wellpoint during well development.

3.1.7 Building Area

The subsurface area of the building was characterized by advancing borings B-21 thru B-24. The lithology of the building area generally consists of a six-inch reinforced concrete floor slab, a subbase of varying thickness consisting of slag and cinder, and finally native soil consisting of a dense, firm brown clay. The borings were generally advanced to the native soil horizon. The depth of fill in this area generally varied from two to three feet below ground surface. Based upon the review of the remediation documentation, no PCB remediation efforts were implemented for this area as part of the Consent Order agreement..

The fill below the building floor area was similar in thickness and composition. The fill material exhibited contamination based upon visual, olfactory and field measurement of volatile organic vapors. Much of this material exhibited dark, black staining and odors associated with undefined volatile or semi-volatile organic substances. Fill materials from each boring were sampled for PCB analysis. Fill samples from B-21 exceeded the total PCB hazardous waste

characteristic level of 50,000 ppb (334,000 ppb). PCB results are presented in Table 1. The sampling locations with the elevated levels of PCBs are indicated on Figure 5.

Additional samples were collected for VOC analysis from B-21, B-22, and B-23 because of odors and headspace readings. None of the soil fill samples from this area exhibited VOC values above TAGM 4046. VOC results are presented in Table 2. An additional fill soil sample from B-22 was collected for SVOC and metals analysis, and hazardous waste characterization. The sample results exceeded SVOC TAGM 4046 levels for benzo(a)anthracene(2,100 ppb), benzo(a)pyrene (1,700 ppb), benzo(b)fluoranthene (2,700 ppb), benzo(k)fluoranthene (2,700 ppb), chrysene (1,900 ppb), and dibenzo(a,h)anthracene (360 ppm). Results for SVOCs are presented in Table 3. The sample only exceeded hazardous waste characteristics for one of TCLP metals (barium at 830 ppm). However, this value is estimated and it appears anomalous to the sample in that this element was below detection limit for the total element. The metal and hazardous characteristic results are presented in Table 4.

3.2 SURFACE INVESTIGATION

Surface soil, sediment and water samples were collected from a total of 22 sampling points. An initial round of eight sampling points were sampled. Because of some elevated PCB levels found in an initial round of surface and sediment sampling, additional surface samples were collected from Lot 2.1. An additional sample consisting of a composite from floor dust inside the building was collected during this effort. Wipe samples were also collected from the concrete floor in the dilapidated building to assess the presence of PCBs in the floor surface. Following the receipt of the additional surface sampling results, eight additional surface sample points were sampled at offsite locations adjacent to Lot 2.1. Refer to Figure 4 for sampling locations.

3.2.1 Surface Soil and Sediments

The results from surface and sediment sample locations at the asphalt cap area drop inlet (8), outside fence at the northeast section of the lot (5), outside fence at the northwest section of the site (7), near the oil water separator manhole (4), tank containment pad sediment (2), lot edge at southwest corner (14), north fence gate (12), soil east of the tank containment pad (13 and 22), and Laub property (15 and 20) reveal PCB levels at and above TAGM 4046 surface cleanup level of 1000 ppb (1,000 to 37,000 ppb). The results from surface and sediment samples from the building floor dust composite, building sump (9), lot edge at building (10), and lot edge at monitoring well (11) exceeded the total PCB hazardous waste characteristic level of 50,000 ppb (334,000 ppb, 91,000 ppb, 74,000 ppb, and 94,000 ppb, respectively). PCB results are presented in Table 1. The sampling locations with the elevated levels of PCBs are indicated on Figure 5.

Metals analysis for a surface sample at the north fence gate (12) reveal some elevated levels for several metal parameters. These results are consistent with past use of the site. The metals results are presented in Table 4.

3.2.2 Building Concrete Floor Surface

Four wipe samples of the concrete floor surface inside the dilapidated building were collected to assess potential PCB contamination of the floor surface (see Figure 4). This was accomplished by taking a cotton swab soaked with a solvent and wiping a 100 cm. sq. surface area.

All four samples reveal PCB contamination of the concrete surface. The sampling locations with the elevated levels of PCBs are indicated on Figure 5.

3.2.3 Surface Waters

Surface water samples were collected from three sample location points including the inactive groundwater collection system sump (3), the oil water separator manhole(6) and the treatment system containment pad (1) and analyzed for PCBs. See Figure 4 for sample locations. The results for PCBs reveal the total PCB levels (82 ppb, 18.2 ppb, and 0.38 ppb, respectively) are above all groundwater and surface water standards for total PCBs (0.09 ppb). PCB results for water samples are presented in Table 5. The sampling locations with the elevated levels of PCBs are indicated on Figure 5.

Figure 5

**Bengart and Memel Site
NYSDEC Site No. 915115
1079-1091 Clinton St.
Buffalo (C), Erie Co. NY**

SECTION 4

CONCLUSIONS

Based upon the results of the limited site investigation of former B&M lot 2.1, there is widespread PCB contamination of surface and subsurface soil/fill materials that are above TAGM 4046 surface and subsurface standards for soil and sediment. Refer to Figure 5 for an overview of sampling locations with the elevated levels of PCBs. Water collected at various points also indicated PCB contamination of groundwater and potential surface water discharges above applicable groundwater and surface water standards. Additionally, there are PCB levels in surface soils, sediments and subsurface soil/fill that render the material as characteristically hazardous waste. Refer to Figure 5 for an overview of sampling locations with the elevated levels of PCBs.

The elevated levels of PCBs at the site is a cause of concern for both groundwater and surface exposure and migration. The existing groundwater collection system at the site that is required to capture PCB contaminated groundwater is not functional. Given the shallow groundwater levels at the site, and elevated grade, contaminated groundwater could potentially seep to the surface during prolonged damp periods and migrate offsite.

The elevated levels of PCBs at site surface areas are another cause for concern exposure and migration. There are either elevated levels above the surface standard and above the hazardous waste threshold in several areas around the lot, near the property boundaries, and areas outside fenced limits that are accessible to the general public. The western perimeter inside the fence limits are both above surface cleanup levels and hazardous waste levels. Sampling of surface soil beyond the Lot 2.1 on adjoining properties including the Laub property, the right-of-way area along the Clinton Street sidewalk, and on the Clinton Auto Wrecking property reveal limited PCBs at the. This represents a significant human health hazard to adjoining property owners due to potential dermal contact and respiratory inhalation of PCB laden dust. Surface samples collected outside the fence lot limits along the Clinton Street pedestrian sidewalk are above surface cleanup levels. This represents a significant human health hazard to the general due to potential dermal contact. Inside the site, there are PCB levels above surface cleanup levels and above hazardous waste levels that represent another human health and environment exposure. The surface material are exposed and uncontrolled and can migrate along the surface from wind and water erosion.

There are elevated levels of PCBs in subsurface horizons that are either above subsurface cleanup levels or above hazardous waste levels in both the remediated and non-remediated areas. Because there are no deed restrictions for the lot, there is no legal mechanism that would preclude disturbance, exposure and safe handling of PCB contaminated material at this site. The proximity of these elevated levels near property boundary formerly owned by B&M (now owned and operated by Clinton Auto Wrecking, a car dismantling operation) suggests that there may potentially be PCB contamination in areas formerly implied as free of PCB contamination. This may have been an assumption that was used by the Consent Order respondent to subdivide the former B&M property and sell off the portion of the site presumed to be absent of PCB contamination.

This page is intentionally blank.

TABLES

This page is intentionally blank.

Table 1
Analytical Results - PCBs in Soil
Bengart & Memel Site
1091 Clinton St.
Buffalo, NY : NYSDEC Site No. 915115

| Analyte | Cleanup | B-1 | B-2 | B-3 | B-4 | B-5 | B-5 | B-6 | B-7 |
|--------------------------|---------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|
| Depth | Objective | 16" - 24" | 21" - 27" | 31" - 35" | 18" - 24" | 32" - 37" | 48" - 56" | 28" - 38" | 32" - 37" |
| Collection Date | (ug/kg) | 5/4/2006 | 5/4/2006 | 5/4/2006 | 5/4/2006 | 5/4/2006 | 5/4/2006 | 5/4/2006 | 5/4/2006 |
| PCBs (ug/kg) soil | | | | | | | | | |
| Aroclor 1016 | | BDL | BDL | BDL | BDL | BDL | BDL | BDL | BDL |
| Aroclor 1221 | | BDL | BDL | BDL | BDL | BDL | BDL | BDL | BDL |
| Aroclor 1232 | | BDL | BDL | BDL | BDL | BDL | BDL | BDL | BDL |
| Aroclor 1242 | | BDL | BDL | BDL | BDL | BDL | BDL | BDL | BDL |
| Aroclor 1248 | | BDL | 390 | BDL | 2200 | BDL | BDL | 1700 | 5600 |
| Aroclor 1254 | | BDL | 2500 | BDL | 14000 | BDL | BDL | 6600 | BDL |
| Aroclor 1260 | Surf/Sub-Surf | 12000 | 1500 | 3700 | 21000 | 41000 | 30000 | 9200 | 65000 |
| Total PCBs | 1000/10000 | 12000 (2) | 4390 | 3700 | 37200 (2) | 41000 (2) | 30000 (2) | 17500 (2) | 70600 (3) |

| Analyte | Cleanup | B-8 | B-9 | B-9 | B-10 | B-12 | B-13 | B-14 | B-15 |
|--------------------------|---------------|-----------|-----------|-----------|-----------|-----------|-----------|-----------|----------|
| Depth | Objective | 52" - 57" | 5" - 9" | 23" - 28" | 24" - 48" | 24" - 29" | 41" - 48" | 35" - 39" | 9" - 39" |
| Collection Date | (ug/kg) | 5/4/2006 | 5/4/2006 | 5/4/2006 | 5/4/2006 | 5/4/2006 | 5/4/2006 | 5/4/2006 | 5/4/2006 |
| PCBs (ug/kg) soil | | | | | | | | | |
| Aroclor 1016 | | BDL | BDL | BDL | BDL | BDL | BDL | BDL | BDL |
| Aroclor 1221 | | BDL | BDL | BDL | BDL | BDL | BDL | BDL | BDL |
| Aroclor 1232 | | BDL | BDL | BDL | BDL | BDL | BDL | BDL | BDL |
| Aroclor 1242 | | BDL | BDL | BDL | BDL | BDL | BDL | BDL | BDL |
| Aroclor 1248 | | 440 | BDL | 4600 | BDL | 25 | 32 | BDL | 100 |
| Aroclor 1254 | | BDL | 34000 | 16000 | BDL | 130 | BDL | 4800 | BDL |
| Aroclor 1260 | Surf/Sub-Surf | 3200 | 25000 | 7100 | 11000 | 340 | 180 | 3000 | 330 |
| Total PCBs | 1000/10000 | 3640 | 69000 (3) | 27700 (2) | 11000 (2) | 495 | 212 | 7800 | 430 |

| Analyte | Cleanup | B-16 | B-17 | B-18 | B-19 | B-20 | B-21 | B-23 | B-24 |
|--------------------------|---------------|-----------|-----------|-----------|-----------|----------|------------|-----------|----------|
| Depth | Objective | 32" - 37" | 30" - 38" | 5" - 23" | 8" - 40" | 8" - 35" | 6" - 24" | 24" - 48" | 6" - 48" |
| Collection Date | (ug/kg) | 5/4/2006 | 5/4/2006 | 5/4/2006 | 5/4/2006 | 5/5/2006 | 5/5/2006 | 5/5/2006 | 5/5/2006 |
| PCBs (ug/kg) soil | | | | | | | | | |
| Aroclor 1016 | | BDL | BDL | BDL | BDL | BDL | BDL | BDL | BDL |
| Aroclor 1221 | | BDL | BDL | BDL | BDL | BDL | BDL | BDL | BDL |
| Aroclor 1232 | | BDL | BDL | BDL | BDL | BDL | BDL | BDL | BDL |
| Aroclor 1242 | | BDL | BDL | BDL | BDL | BDL | BDL | BDL | BDL |
| Aroclor 1248 | | BDL | 280 | 9900 | BDL | 16 J | BDL | BDL | BDL |
| Aroclor 1254 | | 27000 | BDL | BDL | BDL | BDL | BDL | BDL | BDL |
| Aroclor 1260 | Surf/Sub-Surf | 25000 | 1600 | 17000 | 19000 | BDL | 230000 | 2200 | 270 |
| Total PCBs | 1000/10000 | 52000 (3) | 1880 | 26900 (2) | 19000 (2) | 16 | 230000 (3) | 2200 | 270 |

| Analyte | Cleanup | Surf Smpl | Surf Smpl | Surf Smpl | Surf Smpl | Surf Smpl | Surf Smpl | Surf Smpl | Surf Smpl |
|--------------------------|---------------|-----------|-----------|-----------|-----------|------------|------------|-----------|-----------|
| Depth | Objective | DI (8) | Fence (5) | Fill Near | Soil Near | Tank Cont. | Floor | Bldg | Lot Edge |
| Collection Date | (ug/kg) | 5/4/2006 | 5/2/2006 | 5/2/2006 | 5/2/2006 | 5/2/2006 | 5/5/2006 | 5/31/2006 | 5/31/2006 |
| PCBs (ug/kg) soil | | | | | | | | | |
| Aroclor 1016 | | BDL | BDL | BDL | BDL | BDL | BDL | BDL | BDL |
| Aroclor 1221 | | BDL | BDL | BDL | BDL | BDL | BDL | BDL | BDL |
| Aroclor 1232 | | BDL | BDL | BDL | BDL | BDL | BDL | BDL | BDL |
| Aroclor 1242 | | BDL | BDL | BDL | BDL | BDL | BDL | BDL | BDL |
| Aroclor 1248 | | 3600 | 1700 J | BDL | BDL | BDL | 54000 | BDL | BDL |
| Aroclor 1254 | | 9600 | BDL | BDL | BDL | BDL | 190000 | 46000 | 38000 |
| Aroclor 1260 | Surf/Sub-Surf | 19000 | 15000 | 32000 | 7400 | 14000 | 100000 | 45000 | 36000 |
| Total PCBs | 1000/10000 | 32200 (1) | 16700 (1) | 32000 (1) | 7400 (1) | 14000 (1) | 334000 (3) | 91000 (3) | 74000 (3) |

| Analyte | Cleanup | Surf Smpl | Surf Smpl | Surf Smpl | Surf Smpl |
|--------------------------|---------------|-----------|-----------|-------------|--------------|
| Depth | Objective | Lot Edge | Lot Edge | North Fence | Soil East of |
| Collection Date | (ug/kg) | 5/31/2006 | 5/31/2006 | 5/31/2006 | 5/31/2006 |
| PCBs (ug/kg) soil | | | | | |
| Aroclor 1016 | | BDL | BDL | BDL | BDL |
| Aroclor 1221 | | BDL | BDL | BDL | BDL |
| Aroclor 1232 | | BDL | BDL | BDL | BDL |
| Aroclor 1242 | | BDL | BDL | BDL | BDL |
| Aroclor 1248 | | BDL | BDL | BDL | BDL |
| Aroclor 1254 | | BDL | 21000 | 3700 | 5200 |
| Aroclor 1260 | Surf/Sub-Surf | 94000 | 16000 | 12000 | 11000 |
| Total PCBs | 1000/10000 | 94000 (3) | 37000 (1) | 15700 (1) | 16200 (1) |

Notes

- 1) Exceeds Surface Cleanup Objectives of 1000 ppb (TAGM 4046)
- 2) Exceeds Sub-Surface Cleanup Objectives of 10,000 ppb (TAGM 4046)
- 3) Exceeds Listed Hazardous Waste Limit of 50,000 ppb

Data Qualifiers: J - Estimated; D - Secondary Dilution; DE - Secondary Dilution, Exceeded Calibration Range; DJ - Secondary Dilution, Estimated

Data Qualifiers: BJ - Analyte found in associated blank, Estimated;

Acronyms: BDL - Below Detection Limit; ND - Non-detectable value; NV - No Value provided

Table 1 Cont'd.
Analytical Results - PCBs in Offsite Soil
Bengart & Memel Site
1091 Clinton St.
Buffalo, NY : NYSDEC Site No. 915115

| Analyte | Cleanup | LS-1 (15) | LS-1 (15) | LS-2 (16) | LS-2 (16) | LS-3 (17) | LS-3 (17) | LS-4 (18) | LS-5 (19) |
|--------------------------|---------------|------------|------------|------------|------------|--------------|------------|------------|------------|
| Depth | Objective | 2" - 4" | 6" - 8" | 2" - 4" | 12" - 14" | 0" - 4" | 6" - 8" | 10" - 12" | 10" - 12" |
| Collection Date | (ug/kg) | 10/25/2006 | 10/25/2006 | 10/25/2006 | 10/25/2006 | 10/25/2006 | 10/25/2006 | 10/25/2006 | 10/25/2006 |
| PCBs (ug/kg) soil | | | | | | | | | |
| Aroclor 1016 | | BDL | BDL | BDL | BDL | BDL | BDL | BDL | BDL |
| Aroclor 1221 | | BDL | BDL | BDL | BDL | BDL | BDL | BDL | BDL |
| Aroclor 1232 | | BDL | BDL | BDL | BDL | BDL | BDL | BDL | BDL |
| Aroclor 1242 | | BDL | BDL | BDL | BDL | BDL | BDL | BDL | BDL |
| Aroclor 1248 | | BDL | BDL | BDL | BDL | BDL | BDL | 5600 | BDL |
| Aroclor 1254 | | BDL | BDL | BDL | BDL | BDL | BDL | BDL | 250 |
| Aroclor 1260 | Surf/Sub-Surf | 1000 | 63 | 540 | 220 | 620 | 440 | 160 | 320 |
| Total PCBs | 1000/10000 | 1000 | 63 | 540 | 220 | 620 | 440 | 160 | 570 |
| | | | | | | | | | |
| Analyte | Cleanup | LS-6 (20) | LS-6 (20) | LS-7 (21) | LS-7 (21) | East Berm | | | |
| Depth | Objective | 0" - 2" | 8" - 10" | 0" - 2" | 7" - 9" | surface (22) | | | |
| Collection Date | (ug/kg) | 10/25/2006 | 10/25/2006 | 10/25/2006 | 10/25/2006 | 10/25/2006 | | | |
| PCBs (ug/kg) soil | | | | | | | | | |
| Aroclor 1016 | | BDL | BDL | BDL | BDL | BDL | | | |
| Aroclor 1221 | | BDL | BDL | BDL | BDL | BDL | | | |
| Aroclor 1232 | | BDL | BDL | BDL | BDL | BDL | | | |
| Aroclor 1242 | | BDL | BDL | BDL | BDL | BDL | | | |
| Aroclor 1248 | | BDL | BDL | BDL | BDL | BDL | | | |
| Aroclor 1254 | | 340 | BDL | BDL | BDL | BDL | | | |
| Aroclor 1260 | Surf/Sub-Surf | 490 | 1400 | 490 | 120 | 3900 | | | |
| Total PCBs | 1000/10000 | 830 | 1400 (1) | 490 | 120 | 3900 (1) | | | |

Notes

- 1) Exceeds Surface Cleanup Objectives of 1000 ppb (TAGM 4046)
- 2) Exceeds Sub-Surface Cleanup Objectives of 10,000 ppb (TAGM 4046)
- 3) Exceeds Listed Hazardous Waste Limit of 50,000 ppb

Data Qualifiers: J - Estimated; D - Secondary Dilution; DE - Secondary Dilution, Exceeded Calibration Range; DJ - Secondary Dilution, Estimated
Data Qualifiers: BJ - Analyte found in associated blank, Estimated;
Acronyms: BDL - Below Detection Limit; ND - Non-detectable value; NV - No Value provided

Table 2
Analytical Results - VOCs in Soil
Bengart & Memel Site
1091 Clinton St.
Buffalo, NY : NYSDEC Site No. 915115

| Analyte | Cleanup | B-6 | B-13 | B-14 | B-17 | B-19 | B-19 |
|---------------------------------------|-----------|-----------|----------|----------|-----------|----------|-----------|
| Depth | Objective | 28" - 38" | 5" - 43" | 4" - 39" | 38" - 46" | 8" - 36" | replicate |
| Collection Date | (ug/kg) | 5/4/2006 | 5/4/2006 | 5/4/2006 | 5/4/2006 | 5/4/2006 | 5/4/2006 |
| VOCs (ug/kg) | | | | | | | |
| 1,1,1-Trichloroethane | 800 | BDL | BDL | BDL | BDL | BDL | BDL |
| 1,1,2,2-Tetrachloroethane | 600 | BDL | BDL | BDL | BDL | BDL | BDL |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 6000 | BDL | BDL | BDL | BDL | BDL | BDL |
| 1,1,2-Trichloroethane | NV | BDL | BDL | BDL | BDL | BDL | BDL |
| 1,1-Dichloroethane | 200 | BDL | BDL | BDL | BDL | BDL | BDL |
| 1,1-Dichloroethene | 400 | BDL | BDL | BDL | BDL | BDL | BDL |
| 1,2,4-Trichlorobenzene | 3400 | 2J | 5 J | BDL | BDL | BDL | 18000 D |
| 1,2-Dibromo-3-chloropropane | NV | BDL | BDL | BDL | BDL | BDL | 1000 D |
| 1,2-Dibromoethane | NV | BDL | BDL | BDL | BDL | BDL | BDL |
| 1,2-Dichlorobenzene | 7900 | BDL | BDL | BDL | BDL | BDL | 2500 D |
| 1,2-Dichloroethane | 100 | BDL | BDL | BDL | BDL | BDL | BDL |
| 1,2-Dichloroethene (cis) | NV | BDL | BDL | BDL | BDL | BDL | BDL |
| 1,2-Dichloroethene (Total) | 300 | BDL | BDL | BDL | BDL | BDL | BDL |
| 1,2-Dichloroethene (trans) | 300 | BDL | BDL | BDL | BDL | BDL | BDL |
| 1,2-Dichloropropane | 400 | BDL | BDL | BDL | BDL | BDL | BDL |
| 1,3-Dichlorobenzene | 1600 | BDL | BDL | BDL | BDL | BDL | 25000 D |
| 1,3-Dichloropropene (cis) | NV | BDL | BDL | BDL | BDL | BDL | BDL |
| 1,3-Dichloropropene (trans) | NV | BDL | BDL | BDL | BDL | BDL | BDL |
| 1,4-Dichlorobenzene | 8500 | BDL | 4 J | BDL | BDL | BDL | 110000 DE |
| 2-Butanone | 300 | 11 J | BDL | 44 | BDL | 32 | BDL |
| 2-Hexanone | NV | BDL | BDL | BDL | BDL | BDL | BDL |
| 4-Methyl-2-pentanone | 100 | BDL | BDL | BDL | BDL | BDL | BDL |
| Acetone | 200 | 75 | 40 | 220 | 26 J | 170 | BDL |
| Benzene | 60 | BDL | BDL | BDL | BDL | 10 | 200 DJ |
| Bromodichloromethane | NV | BDL | BDL | BDL | BDL | BDL | BDL |
| Bromoform | NV | BDL | BDL | BDL | BDL | BDL | BDL |
| Bromomethane | NV | BDL | BDL | BDL | BDL | BDL | BDL |
| Carbon Disulfide | 2700 | 2 J | BDL | 3 J | 3 J | BDL | BDL |
| Carbon Tetrachloride | 600 | BDL | BDL | BDL | BDL | BDL | 26000 D |
| Chlorobenzene | 1700 | BDL | BDL | BDL | BDL | 490 E | BDL |
| Chloroethane | 1900 | BDL | BDL | BDL | BDL | BDL | BDL |
| Chloroform | 300 | BDL | BDL | BDL | BDL | BDL | BDL |
| Chloromethane | NV | BDL | BDL | BDL | BDL | BDL | BDL |
| Cyclohexane | NV | BDL | BDL | BDL | BDL | BDL | BDL |
| Dibromochloromethane | NV | BDL | BDL | BDL | BDL | BDL | BDL |
| Dichlorodifluoromethane | NV | BDL | BDL | BDL | BDL | BDL | BDL |
| Ethylbenzene | 5500 | BDL | BDL | BDL | BDL | BDL | BDL |
| Isopropylbenzene | NV | BDL | BDL | 2 J | BDL | BDL | BDL |
| Methyl acetate | NV | BDL | BDL | BDL | BDL | BDL | BDL |
| Methylcyclohexane | NV | BDL | 3 J | 5 J | BDL | BDL | BDL |
| Methylene chloride | 100 | 8 B | 8 B | 8 B | 4 BJ | 2 BJ | BDL |
| Methyl-t-Butyl Ether (MTBE) | NV | BDL | BDL | BDL | BDL | BDL | 190 DJ |
| Styrene | NV | BDL | BDL | BDL | BDL | BDL | BDL |
| Tetrachloroethene | 1400 | BDL | BDL | BDL | BDL | BDL | BDL |
| Toluene | 1500 | BDL | BDL | BDL | BDL | 3 J | BDL |
| Trichloroethene | 700 | BDL | BDL | BDL | BDL | BDL | BDL |
| Trichlorofluoromethane | NV | BDL | BDL | BDL | BDL | BDL | BDL |
| Vinyl chloride | 200 | BDL | BDL | BDL | BDL | BDL | BDL |
| Xylenes (Total) | 1200 | BDL | BDL | 5 J | BDL | BDL | BDL |
| Total VOCs | 10000 | 98 | 60 | 287 | 33 | 707 | 182890 |

Notes

1) Exceeds Recommended Soil Cleanup Objective (TAGM 4046).
Data Qualifiers: J - Estimated; D - Secondary Dilution; DE - Secondary Dilution, Exceeded Calibration Range; DJ - Secondary Dilution, Estimated
Data Qualifiers: BJ - Analyte found in associated blank, Estimated;
Acronyms: BDL - Below Detection Limit; ND - Non-detectable value; NV - No Value provided

Table 2 Cont'd.
Analytical Results - VOCs in Soil
Bengart & Memel Site
1091 Clinton St.
Buffalo, NY : NYSDEC Site No. 915115

| Analyte | Cleanup | B-21 | B-22 | B-23 |
|-----------------------------|------------------|-------------|-------------|-------------|
| Depth | Objective | 24" - 48" | 6" - 24" | 6" - 24" |
| Collection Date | (ug/kg) | 5/5/2006 | 5/5/2006 | 5/5/2006 |
| VOCs (ug/kg) | | | | |
| 1,1,1-Trichloroethane | 800 | BDL | BDL | BDL |
| 1,1,2,2-Tetrachloroethane | 600 | BDL | BDL | BDL |
| 1,1,2-Trichloroethane | NV | BDL | BDL | BDL |
| 1,1-Dichloroethane | 200 | BDL | BDL | BDL |
| 1,1-Dichloroethene | 400 | BDL | BDL | BDL |
| 1,2-Dichloroethane | 100 | BDL | BDL | BDL |
| 1,2-Dichloroethene (Total) | 300 | 6 J | BDL | BDL |
| 1,2-Dichloropropane | 400 | BDL | BDL | BDL |
| 1,3-Dichloropropene (cis) | NV | BDL | BDL | BDL |
| 1,3-Dichloropropene (trans) | NV | BDL | BDL | BDL |
| 2-Butanone | 300 | 20 J | BDL | BDL |
| 2-Hexanone | NV | BDL | BDL | BDL |
| 4-Methyl-2-pentanone | 1000 | BDL | BDL | BDL |
| Acetone | 200 | 77 | 6 J | 33 J |
| Benzene | 60 | BDL | BDL | BDL |
| Bromodichloromethane | NV | BDL | BDL | BDL |
| Bromoform | NV | BDL | BDL | BDL |
| Bromomethane | NV | BDL | BDL | BDL |
| Carbon Disulfide | 2700 | 4 J | BDL | BDL |
| Carbon Tetrachloride | 600 | BDL | BDL | BDL |
| Chlorobenzene | 1700 | 3 J | BDL | BDL |
| Chloroethane | 1900 | BDL | BDL | BDL |
| Chloroform | 300 | BDL | BDL | BDL |
| Chloromethane | NV | BDL | BDL | BDL |
| Dibromochloromethane | NV | BDL | BDL | BDL |
| Ethylbenzene | 5500 | 2 J | BDL | BDL |
| Methylene chloride | 100 | 3 BJ | 2 BJ | 4 BJ |
| Styrene | NV | BDL | BDL | BDL |
| Tetrachloroethene | 1400 | 11 | BDL | BDL |
| Toluene | 1500 | 3 J | BDL | BDL |
| Trichloroethene | 700 | 3 J | BDL | BDL |
| Vinyl acetate | NV | BDL | BDL | BDL |
| Vinyl chloride | 200 | 7 J | BDL | BDL |
| Xylenes (Total) | 1200 | 11 J | BDL | BDL |
| Total VOCs | 10000 | 150 | 8 | 37 |

Notes

1) Exceeds Recommended Soil Cleanup Objective (TAGM 4046).

Data Qualifiers: J - Estimated; D - Secondary Dilution; DJ - Secondary Dilution, Estimated

Data Qualifiers: DE - Secondary Dilution, Exceeded Calibration Range

Data Qualifiers: BJ - Analyte found in associated blank, Estimated;

Acronyms: BDL - Below Detection Limit; ND - Non-detectable value; NV - No Value provided

Table 3
Analytical Results - SVOCs in Soil
Bengart & Memel Site
1091 Clinton St.
Buffalo, NY : NYSDEC Site No. 915115

| Analyte | Cleanup | B-22 | COMP A | COMP B |
|-----------------------------|---------------|--------------|--------------|---------------|
| Depth | Objective | 24" - 48" | sub surf | sub surf |
| Collection Date | (ug.kg) | 5/5/2006 | 5/4/2006 | 5/4/2006 |
| SVOCs (ug/kg) | | | | |
| 2,2'-Oxybis(1-Chloropropane | NV | BDL | BDL | BDL |
| 2,4,5-Trichlorophenol | NV | BDL | BDL | BDL |
| 2,4,6-Trichlorophenol | NV | BDL | BDL | BDL |
| 2,4-Dichlorophenol | 400 | BDL | BDL | BDL |
| 2,4-Dimethylphenol | 200 | BDL | BDL | BDL |
| 2,4-Dinitrophenol | NV | BDL | BDL | 36000 |
| 2,4-Dinitrotoluene | 1000 | BDL | BDL | BDL |
| 2,6-Dinitrotoluene | NV | BDL | BDL | BDL |
| 2-Chloronaphthalene | NV | BDL | BDL | BDL |
| 2-Chlorophenol | 800 | BDL | BDL | BDL |
| 2-Methylnaphthalene | 36400 | BDL | BDL | 820 J |
| 2-Methylphenol | 100 | BDL | BDL | BDL |
| 2-Nitroaniline | 430 | BDL | BDL | BDL |
| 2-Nitrophenol | 330 | BDL | BDL | BDL |
| 3,3'-Dichlorobenzidine | NV | BDL | BDL | BDL |
| 3-Nitroaniline | 500 | BDL | BDL | BDL |
| 4,6-Dinitro-2-methylphenol | NV | BDL | BDL | BDL |
| 4-Bromophenyl phenyl ether | NV | BDL | BDL | BDL |
| 4-Chloro-3-methylphenol | 240 | BDL | BDL | BDL |
| 4-Chloroaniline | 220 | BDL | BDL | BDL |
| 4-Chlorophenyl phenyl ether | NV | BDL | BDL | BDL |
| 4-Methylphenol | 900 | BDL | BDL | BDL |
| 4-Nitroaniline | NV | BDL | BDL | BDL |
| 4-Nitrophenol | 100 | BDL | BDL | BDL |
| Acenaphthene | 50000 | 260 J | 1200 J | 1700 J |
| Acenaphthylene | 41000 | BDL | 440 J | 610 J |
| Acetophenone | NV | BDL | BDL | BDL |
| Anthracene | 50000 | 830 J | 2300 J | 2800 J |
| Atrazine | NV | BDL | BDL | BDL |
| Benzaldehyde | NV | BDL | BDL | BDL |
| Benzo(a)anthracene | 224 | 2100 J | 4600 J | 4900 J |
| Benzo(a)pyrene | 61 | 1700 J | 3900 J | 4200 J |
| Benzo(b)fluoranthene | 1100 | 2700 J | BDL | 5100 J |
| Benzo(ghi)perylene | 50000 | 1000 J | BDL | 2800 J |
| Benzo(k)fluoranthene | 1100 | 2700 J | 1600 J | 1600 J |
| Biphenyl | NV | BDL | BDL | BDL |
| Bis(2-chloroethoxy) methane | NV | BDL | BDL | BDL |
| Bis(2-chloroethyl) ether | NV | BDL | BDL | BDL |
| Bis(2-ethylhexyl) phthalate | NV | BDL | BDL | 1200 J |
| Butyl benzyl phthalate | 50000 | BDL | BDL | BDL |
| Caprolactam | NV | BDL | BDL | BDL |
| Carbazole | NV | 300 J | 1300 J | 970 J |
| Chrysene | 400 | 1900 J | 4100 J | 4100 J |
| Dibenzo(a,h)anthracene | 14 | 360 J | BDL | 890 J |
| Dibenzofuran | 6200 | BDL | BDL | 1500 J |
| Diethyl phthalate | 7100 | BDL | BDL | BDL |
| Dimethyl phthalate | 2000 | BDL | 7200 | BDL |
| Di-n-butyl phthalate | 8100 | BDL | BDL | BDL |
| Di-n-octyl phthalate | 50000 | BDL | BDL | BDL |
| Fluoranthene | 50000 | 4200 | 10000 | 9900 |
| Fluorene | 50000 | 320 J | 1500 J | 2200 J |
| Hexachlorobenzene | 410 | BDL | BDL | BDL |
| Hexachlorobutadiene | NV | BDL | BDL | BDL |
| Hexachlorocyclopentadiene | NV | BDL | BDL | BDL |
| Hexachloroethane | NV | BDL | BDL | BDL |
| Indeno(1,2,3-cd)pyrene | 3200 | 970 J | BDL | 2500 J |
| Isophorone | 4400 | BDL | BDL | BDL |
| Naphthalene | 13000 | BDL | BDL | 1800 J |
| Nitrobenzene | 200 | BDL | BDL | BDL |
| N-Nitroso-Di-n-propylamine | NV | BDL | BDL | BDL |
| N-nitrosodiphenylamine | NV | BDL | BDL | BDL |
| Pentachlorophenol | 1000 | BDL | BDL | BDL |
| Phenanthrene | 50000 | 3100 J | 10000 | 10000 |
| Phenol | 30 | BDL | BDL | BDL |
| Pyrene | 50000 | BDL | 8200 | 8000 |
| Total | 500000 | 17040 | 56340 | 120630 |

Notes

1) Exceeds Recommended Soil Cleanup Objective (TAGM 4046).

Data Qualifiers: J - Estimated; D - Secondary Dilution; DJ - Secondary Dilution, Estimated

Data Qualifiers: DE - Secondary Dilution, Exceeded Calibration Range

Data Qualifiers: BJ - Analyte found in associated blank, Estimated;

Acronyms: BDL - Below Detection Limit; ND - Non-detectable value; NV - No Value provided

Table 4
Analytical Results - Metals in Soil
Hazardous Waste Characteristics
Bengart & Memel Site
1091 Clinton St.
Buffalo, NY : NYSDEC Site No. 915115

| Analyte | Cleanup | B-22 | COMP A | COMP B |
|----------------------------|-------------------|-----------|----------|----------|
| Depth | Objective | 24" - 48" | sub surf | sub surf |
| Collection Date | (mg/kg) | 5/5/2006 | 5/4/2006 | 5/4/2006 |
| Metals (mg/kg) Soil | | | | |
| Arsenic - Total | 7.5 or SB | BDL | 8.6 | 41.6 |
| Barium - Total | 300 or SB | BDL | 148 | 388 |
| Cadmium - Total | 1 or SB | BDL | 3.4 | 6.9 |
| Chromium - Total | 10 or SB | BDL | 26.0 | 1090 |
| Lead - Total | SB: 200-500 urban | BDL | 423 | 1200 |
| Mercury - Total | 0.1 | BDL | 1.3 | 1.3 |
| Selenium - Total | 2 | BDL | BDL | 13.2 |
| Silver - Total | SB | BDL | 0.62 | 2.3 |

| | Haz Characteristic | B-22 | COMP A | COMP B |
|----------------------------------|--------------------|-----------|----------|----------|
| | Level | 24" - 48" | sub surf | sub surf |
| Metals (mg/L) Soil TCLP | (mg/L) | 5/5/2006 | 5/4/2006 | 5/4/2006 |
| Arsenic - Total | 5 | BDL | BDL | BDL |
| Barium - Total | 100 | 830 J | BDL | BDL |
| Cadmium - Total | 1 | BDL | 0.042 | 0.11 |
| Chromium - Total | 5 | BDL | BDL | BDL |
| Lead - Total | 5 | BDL | 0.0074 | 0.011 |
| Mercury - Total | 0.2 | BDL | BDL | BDL |
| Selenium - Total | 1 | BDL | 0.72 | 0.85 |
| Silver - Total | 5 | BDL | BDL | BDL |
| Haz Waste Characteristics | | | | |
| Flashpoint °F | | | >200 | >200 |
| Corrosivity (pH) | 2> pH >12 | | 7.95 | 9.05 |

| Analyte | | Wipe 1 | Wipe 2 | Wipe 3 | Wipe 4 |
|---------------------------------|--|----------|----------|----------|----------|
| Collection Date | | 5/5/2006 | 5/5/2006 | 5/5/2006 | 5/5/2006 |
| PCBs Wipe (ug/100 cm sq) | | | | | |
| Aroclor 1016 | | BDL | BDL | BDL | BDL |
| Aroclor 1221 | | BDL | BDL | BDL | BDL |
| Aroclor 1232 | | BDL | BDL | BDL | BDL |
| Aroclor 1242 | | BDL | BDL | BDL | BDL |
| Aroclor 1248 | | BDL | BDL | BDL | BDL |
| Aroclor 1254 | | 480 | 300 | 1400 | 630 |
| Aroclor 1260 | | 400 | 380 | 1900 | BDL |
| Total PCBs | | 880 | 680 | 3300 | 630 |

| Metals (mg/kg) soil | Cleanup | Surf Smpl |
|---------------------|-------------------|--------------|
| Analyte | Objective | North Fence |
| | (mg/kg) | at Gate (12) |
| Collection Date | | 5/31/2006 |
| Aluminum - Total | SB: 33,000 | 13600 |
| Antimony - Total | SB | BDL |
| Arsenic - Total | 7.5 or SB | 8 |
| Barium - Total | 300 or SB | 118 |
| Beryllium - Total | 0.16(HEAST) or SB | 1.1 |
| Cadmium - Total | 1 or SB | 2.6 |
| Calcium - Total | SB: 130-35,000 | 81700 |
| Chromium - Total | 10 or SB | 97.8 |
| Cobalt - Total | 30 or SB | 20.4 |
| Copper - Total | 25 or SB | 1820 |
| Iron - Total | 2000 or SB | 36300 |
| Lead - Total | SB: 200-500 urban | 309 |
| Magnesium - Total | SB: 100-5000 | 14900 |
| Manganese - Total | SB: 50-5000 | 1000 |
| Mercury - Total | 0.1 | 0.92 |
| Nickel - Total | 13 or SB | 338 |
| Potassium - Total | SB: 8500-43000 | 2300 |
| Selenium - Total | 2 or SB | BDL |
| Silver - Total | SB | 1.4 |
| Sodium - Total | SB: 6000-8000 | 468 |
| Thallium - Total | SB | BDL |
| Vanadium - Total | 150 or SB | 29.1 |
| Zinc - Total | 20 or SB | 1100 |

Notes

1) Exceeds Recommended Soil Cleanup Objective TAGM 4046).

2) Exceeds Listed Hazardous Waste Limit

Data Qualifiers: J - Estimated; D - Secondary Dilution; DJ - Secondary Dilution, Estimated

Data Qualifiers: DE - Secondary Dilution, Exceeded Calibration Range

Data Qualifiers: BJ - Analyte found in associated blank, Estimated;

Acronyms: BDL - Below Detection Limit; ND - Non-detectable value; NV - No Value provided

Table 5
Analytical Results: SVOCs and PCBs in Water
Bengart & Memel Site
1091 Clinton St.
Buffalo, NY : NYSDEC Site No. 915115

| Analyte | Cleanup Objective | MW-B5 | MW-B19 | Collection Sump (3) | OVS MH (6) | Tank Contain (1) |
|------------------------------|-------------------|-----------|-----------|---------------------|------------|------------------|
| Collection Date | (ug/L) | 5/17/2006 | 5/16/2006 | 5/2/2006 | 5/2/2006 | 5/2/2006 |
| PCBs (ug/L) liquid | | | | | | |
| Aroclor 1016 | | BDL | BDL | BDL | BDL | BDL |
| Aroclor 1221 | | BDL | BDL | BDL | BDL | BDL |
| Aroclor 1232 | | BDL | BDL | BDL | BDL | BDL |
| Aroclor 1242 | | BDL | BDL | BDL | BDL | BDL |
| Aroclor 1248 | | BDL | BDL | 5.9 | 4.2 | BDL |
| Aroclor 1254 | | BDL | 76 | BDL | BDL | BDL |
| Aroclor 1260 | | 28 | 54 | 82 | 14 | 0.38 J |
| PCBs total | 0.09 | 28 | 130 | 87.9 | 18.2 | 0.38J |
| SVOCs (ug/L) | | | | | | |
| 1,2,4-Trichlorobenzene | 5 | | BDL | | | |
| 1,2-Dichlorobenzene | 3 | | BDL | | | |
| 1,3-Dichlorobenzene | 3 | | BDL | | | |
| 1,4-Dichlorobenzene | 3 | | BDL | | | |
| 2,2'-Oxybis(1-Chloropropane) | NV | | BDL | | | |
| 2,4,5-Trichlorophenol | 1 | | BDL | | | |
| 2,4,6-Trichlorophenol | 1 | | BDL | | | |
| 2,4-Dichlorophenol | 1 | | BDL | | | |
| 2,4-Dimethylphenol | 1 | | BDL | | | |
| 2,4-Dinitrophenol | 1 | | BDL | | | |
| 2,4-Dinitrotoluene | 5 | | BDL | | | |
| 2,6-Dinitrotoluene | 5 | | BDL | | | |
| 2-Chloronaphthalene | 10 | | BDL | | | |
| 2-Chlorophenol | NV | | BDL | | | |
| 2-Methylnaphthalene | NV | | BDL | | | |
| 2-Methylphenol | NV | | 50 | | | |
| 2-Nitroaniline | 5 | | BDL | | | |
| 2-Nitrophenol | 1 | | BDL | | | |
| 3,3'-Dichlorobenzidine | 5 | | BDL | | | |
| 3-Nitroaniline | 5 | | BDL | | | |
| 4,6-Dinitro-2-methylphenol | NV | | BDL | | | |
| 4-Bromophenyl phenyl ether | NV | | BDL | | | |
| 4-Chloro-3-methylphenol | NV | | BDL | | | |
| 4-Chloroaniline | 5 | | BDL | | | |
| 4-Chlorophenyl phenyl ether | NV | | BDL | | | |
| 4-Methylphenol | NV | | 180 | | | |
| 4-Nitroaniline | 5 | | BDL | | | |
| 4-Nitrophenol | 1 | | BDL | | | |
| Acenaphthene | 20 | | BDL | | | |
| Acenaphthylene | NV | | BDL | | | |
| Anthracene | 50 | | BDL | | | |
| Benzo(a)anthracene | 0.002 | | BDL | | | |
| Benzo(a)pyrene | ND | | BDL | | | |
| Benzo(b)fluoranthene | 0.002 | | BDL | | | |
| Benzo(ghi)perylene | NV | | BDL | | | |
| Benzo(k)fluoranthene | 0.002 | | BDL | | | |
| Bis(2-chloroethoxy) methane | NV | | BDL | | | |
| Bis(2-chloroethyl) ether | 1 | | BDL | | | |
| Bis(2-ethylhexyl) phthalate | 5 | | BDL | | | |
| Butyl benzyl phthalate | 50 | | BDL | | | |
| Carbazole | NV | | BDL | | | |
| Chrysene | 0.002 | | BDL | | | |
| Dibenzo(a,h)anthracene | NV | | 53 | | | |
| Dibenzofuran | NV | | BDL | | | |
| Diethyl phthalate | 50 | | BDL | | | |
| Dimethyl phthalate | 50 | | BDL | | | |
| Di-n-butyl phthalate | NV | | BDL | | | |
| Di-n-octyl phthalate | 50 | | BDL | | | |
| Fluoranthene | 50 | | BDL | | | |
| Fluorene | 50 | | BDL | | | |
| Hexachlorobenzene | 0.04 | | BDL | | | |
| Hexachlorobutadiene | 0.5 | | BDL | | | |
| Hexachlorocyclopentadiene | 5 | | BDL | | | |
| Hexachloroethane | 5 | | BDL | | | |
| Indeno(1,2,3-cd)pyrene | 0.002 | | BDL | | | |
| Isophorone | 50 | | BDL | | | |
| Naphthalene | 10 | | 130 | | | |
| Nitrobenzene | 0.4 | | BDL | | | |
| N-Nitroso-Di-n-propylamine | NV | | BDL | | | |
| N-nitrosodiphenylamine | 50 | | BDL | | | |
| Pentachlorophenol | 1 | | BDL | | | |
| Phenanthrene | 50 | | BDL | | | |
| Phenol | 1 | | BDL | | | |
| Pyrene | 50 | | BDL | | | |
| Total | 500000 | | 413 | | | |

Notes

1) Exceeds Recommended Groundwater Standards/Guidelines (DOW Tech Guide 2.1.3).

Data Qualifiers: J - Estimated; D - Secondary Dilution; DJ - Secondary Dilution, Estimated

Data Qualifiers: DE - Secondary Dilution, Exceeded Calibration Range

Data Qualifiers: BJ - Analyte found in associated blank; Estimated;

Acronyms: BDL - Below Detection Limit; ND - Non-detectable value; NV - No Value provided

Table 6
Analytical Results: VOCs and Metals in Water
Bengart & Memel Site
1091 Clinton St.
Buffalo, NY : NYSDEC Site No. 915115

| Analyte | Cleanup Objective | MW-B5 | MW-B19 | MW-B19 R | Trip Blank |
|---------------------------------------|-------------------|-----------|-----------|-----------|------------|
| Collection Date | (ug/L) | 5/17/2006 | 5/16/2006 | 5/17/2006 | 5/17/2006 |
| VOCs (ug/L) | | | | | |
| 1,1,1-Trichloroethane | 5 | BDL | BDL | BDL | BDL |
| 1,1,2,2-Tetrachloroethane | 5 | BDL | BDL | BDL | BDL |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | 5 | BDL | BDL | BDL | BDL |
| 1,1,2-Trichloroethane | 1 | BDL | BDL | BDL | BDL |
| 1,1-Dichloroethane | 5 | BDL | BDL | BDL | BDL |
| 1,1-Dichloroethene | 5 | BDL | BDL | BDL | BDL |
| 1,2,4-Trichlorobenzene | 5 | BDL | BDL | BDL | BDL |
| 1,2-Dibromo-3-chloropropane | 0.04 | BDL | BDL | BDL | BDL |
| 1,2-Dibromoethane | 5 | BDL | BDL | BDL | BDL |
| 1,2-Dichlorobenzene | 3 | BDL | BDL | BDL | BDL |
| 1,2-Dichloroethane | 0.6 | BDL | BDL | BDL | BDL |
| 1,2-Dichloropropane | 1 | BDL | BDL | BDL | BDL |
| 1,3-Dichlorobenzene | 3 | 4.6 J | 2 | BDL | BDL |
| 1,4-Dichlorobenzene | 3 | 7.4 | 6.1 | 2.5J | BDL |
| 2-Butanone | NV | BDL | 3.2 J | BDL | BDL |
| 2-Hexanone | 50 | BDL | BDL | BDL | BDL |
| 4-Methyl-2-pentanone | NV | BDL | BDL | BDL | BDL |
| Acetone | 50 | 30 | 16 | 25 | BDL |
| Benzene | 1 | BDL | 5.4 | 3.0 J | BDL |
| Bromodichloromethane | 50 | BDL | BDL | BDL | BDL |
| Bromoform | 50 | BDL | BDL | BDL | BDL |
| Bromomethane | 5 | BDL | BDL | BDL | BDL |
| Carbon Disulfide | NV | BDL | BDL | BDL | BDL |
| Carbon Tetrachloride | 5 | BDL | BDL | BDL | BDL |
| Chlorobenzene | 5 | BDL | 7.5 | 3.3 J | BDL |
| Chloroethane | 5 | BDL | BDL | BDL | BDL |
| Chloroform | 7 | BDL | BDL | BDL | BDL |
| Chloromethane | NV | BDL | BDL | BDL | BDL |
| cis-1,2-Dichloroethene | 5 | BDL | BDL | BDL | BDL |
| cis-1,3-Dichloropropene | 0.4 | BDL | BDL | BDL | BDL |
| Cyclohexane | NV | BDL | BDL | BDL | BDL |
| Dibromochloromethane | 50 | BDL | BDL | BDL | BDL |
| Dichlorodifluoromethane | 5 | BDL | BDL | BDL | BDL |
| Ethylbenzene | 5 | BDL | BDL | BDL | BDL |
| Isopropylbenzene | 5 | BDL | BDL | BDL | BDL |
| Methyl acetate | NV | BDL | BDL | BDL | BDL |
| Methylcyclohexane | NV | BDL | BDL | BDL | BDL |
| Methylene chloride | 5 | BDL | BDL | BDL | BDL |
| Methyl-t-Butyl Ether (MTBE) | NV | BDL | BDL | BDL | BDL |
| Styrene | 5 | BDL | BDL | BDL | BDL |
| Tetrachloroethene | 5 | BDL | BDL | BDL | BDL |
| Toluene | 5 | BDL | 2.2 | BDL | BDL |
| Total Xylenes | 5 | BDL | 3.2 | BDL | BDL |
| trans-1,2-Dichloroethene | 5 | BDL | BDL | BDL | BDL |
| trans-1,3-Dichloropropene | 0.4 | BDL | BDL | BDL | BDL |
| Trichloroethene | 5 | BDL | BDL | BDL | BDL |
| Trichlorofluoromethane | 5 | BDL | BDL | BDL | BDL |
| Vinyl chloride | 2 | BDL | BDL | BDL | BDL |
| Metals (mg/L) | | | | | |
| Aluminum - Total | NV | | 13.7 | | |
| Antimony - Total | 3 | | BDL | | |
| Arsenic - Total | 25 | | 0.016 | | |
| Barium - Total | 1000 | | 0.39 | | |
| Beryllium - Total | 3 | | BDL | | |
| Cadmium - Total | 5 | | BDL | | |
| Calcium - Total | NV | | 124 | | |
| Chromium - Total | 50 | | 0.029 | | |
| Cobalt - Total | NV | | 0.0096 | | |
| Copper - Total | 200 | | 0.069 | | |
| Iron - Total | 300 | | 37.9 | | |
| Lead - Total | 25 | | 0.14 | | |
| Magnesium - Total | 35000 | | 36.7 | | |
| Manganese - Total | 300 | | 1.2 | | |
| Mercury - Total | 0.7 | | BDL | | |
| Nickel - Total | 100 | | 0.03 | | |
| Potassium - Total | NV | | 31.3 | | |
| Selenium - Total | 10 | | BDL | | |
| Silver - Total | 50 | | BDL | | |
| Sodium - Total | 20000 | | 71.1 | | |
| Thallium - Total | 0.5 | | BDL | | |
| Vanadium - Total | NV | | 0.032 | | |
| Zinc - Total | 5000 | | 0.23 | | |

Notes

1) Exceeds Recommended Groundwater Standards/Guidelines (DOW Tech Guide 2.1.3).
Data Qualifiers: J - Estimated; D - Secondary Dilution; DJ - Secondary Dilution, Estimated
Data Qualifiers: DE - Secondary Dilution, Exceeded Calibration Range
Acronyms: BDL - Below Detection Limit; ND - Non-detectable value; NV - No Value provided

APPENDICES

This page is intentionally blank.

APPENDIX A
BORING AND MONITORING WELL LOGS

This page is intentionally blank.

NYSDEC - Region 9 - Division of Environmental Remediation Stratigraphic and Instrumentation Log



Project Name: **Bengart & Memel Site**
 Site No.: **915115**
 Location: **See Site Plan**
 NYSDEC Staff: **E. Melnyk, D. Szymanski**

Hole Designation: **B-1**
 Date/Time Completed: **5/4/06 1025**
 Drilling Method: **Vibra Core**

| Depth (ft.) BGS | Sample | | | | | Stratigraphic Description | Remarks | Well Details |
|-----------------------|-----------------------|----------------------------|----------------------------|-------------|----------------------------|---|--------------------|-----------------|
| | C O U N T | N U M B E R | N V A L U E | P I D | % R E C O V | | | |
| | | 1 | | Ø | | topsoil-sandy, w/ metal shavings | | |
| 1 | | | | | | | | |
| | | | | | | ~14" | | |
| | | | | | | slag - lt. grey in color | Take sample | |
| 2 | | | | | | 24" | | |
| | | | | | | clay - stiff, damp | | |
| 3 | | | | | | lt. brown in color | | |
| | | | | | | ↓ | | |
| 4 | | | | | 80 | 40" | | |
| | | | | | | | | |
| 5 | | | | | | | | |
| | | | | | | | | |
| 6 | | | | | | | | |
| | | | | | | | | |
| 7 | | | | | | | | |
| | | | | | | | | |
| 8 | | | | | | | | |
| | | | | | | | | |
| 9 | | | | | | | | |
| | | | | | | | | |
| 10 | | | | | | | | |
| | | | | | | | | |
| 11 | | | | | | | | |
| | | | | | | | | |
| 12 | | | | | | | | |
| | | | | | | | | |
| 13 | | | | | | | | |

Notes: Measuring Point Elevations May Change: Refer to Current Elevation Table

Grain Size ○

Water Found ▽

Static Level ▼

NYSDEC - Region 9 - Division of Environmental Remediation
Stratigraphic and Instrumentation Log

Project Name: **Bengart & Memel Site**

Site No.: **915115**

Location: **See Site Plan**

NYSDEC Staff: **E. Melnyk, D. Szymanski**

Hole Designation: **B-2**

Date/Time Completed: **5/4/06 0935**

Drilling Method: **Vibra Core**



| Depth (ft.) BGS | Sample | | | | | Stratigraphic Description | Remarks | Well Details |
|-----------------------|-----------------------|----------------------------|---------------------------------------|-------------|----------------------------|--|---------------|-----------------|
| | C O U N T | N U M B E R | N V A L U E ppm | P J D | % R E C O V | | | |
| | | 1 | | 20 | | 6 asphalt | | |
| 1 | | | | | | 8 crushed stone gravel | | |
| | | | | | | fill - soil/gravel/organic matter | | |
| 2 | | | | | | 21 fill - dark brown/black sand | lab | |
| | | | | | | 27 gravel, glass fragments | sample | |
| 3 | | | | | | 33 wood/peat lense interface | | |
| | | | | | | clay - stiff, lt. brown | | |
| 4 | | | | | | 52 ↓ | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |
| 13 | | | | | | | | |

Notes: Measuring Point Elevations May Change: Refer to Current Elevation Table

Grain Size ○

Water Found ∇

Static Level ▼

NYSDEC - Region 9 - Division of Environmental Remediation

Stratigraphic and Instrumentation Log

Project Name: **Bengart & Memel Site**

Site No.: **915115**

Location: **See Site Plan**

NYSDEC Staff: **E. Melnyk, D. Szymanski**

Hole Designation: **B-3**

Date/Time Completed: **5/4/06 0900**

Drilling Method: **Vibra Core**



| Depth (ft.) BGS | Sample | | | | | Stratigraphic Description | Remarks | Well Details |
|-----------------------|-----------------------|----------------------------|----------------------------|-------------|----------------------------|---|---|-----------------|
| | C O U N T | N U M B E R | N V A L U E | P I D | % R E C O V | | | |
| | | 1 | | 38 | | 5" asphalt | | |
| 1 | | | | | | 8" crushed stone gravel | | |
| | | | | 73 | | fill - brown soil w/ gravel | | |
| 2 | | | | | | | lab sample at interface w/ native soil | |
| | | | | | | 29" clay-stiff, lt. brown w/ black staining at interface | | |
| 3 | | | | | | | | |
| | | | | | | | | |
| 4 | | | | | 80 | | | |
| | | | | | | | | |
| 5 | | | | | | | | |
| | | | | | | | | |
| 6 | | | | | | | | |
| | | | | | | | | |
| 7 | | | | | | | | |
| | | | | | | | | |
| 8 | | | | | | | | |
| | | | | | | | | |
| 9 | | | | | | | | |
| | | | | | | | | |
| 10 | | | | | | | | |
| | | | | | | | | |
| 11 | | | | | | | | |
| | | | | | | | | |
| 12 | | | | | | | | |
| | | | | | | | | |
| 13 | | | | | | | | |

Notes: Measuring Point Elevations May Change: Refer to Current Elevation Table

Grain Size ☐

Water Found ☒

Static Level ☒

NYSDEC - Region 9 - Division of Environmental Remediation Stratigraphic and Instrumentation Log

Project Name: **Bengart & Memel Site**
 Site No.: **915115**
 Location: **See Site Plan**
 NYSDEC Staff: **E. Melnyk, D. Szymanski**

Hole Designation: **B-4**
 Date/Time Completed: **5/4/06 0915**
 Drilling Method: **Vibra Core**



| Depth (ft.) BGS | Sample | | | | | Stratigraphic Description | Remarks | Well Details |
|-----------------------|-----------------------|----------------------------|----------------------------|-------------|----------------------------|---|--------------------|-----------------|
| | C O U N T | N U M B E R | N V A L U E | P I D | % R E C O V | | | |
| | | | | 54 | | 5" asphalt | | |
| 1 | | | | | | 7" crushed stone gravel | | |
| | | | | | | 17" fill - brown soil w/ gravel | | |
| 2 | | | 65 | | | 26" fill - black sand w/ gravel | lab sample damp | |
| | | | | | | clay - stiff, lt. brown w/ black staining at interface | | |
| 3 | | | | | | | | |
| 4 | | | | | 100 48" | ↓ | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |
| 13 | | | | | | | | |

Notes: Measuring Point Elevations May Change: Refer to Current Elevation Table

Grain Size ○

Water Found √

Static Level ▼

NYSDEC - Region 9 - Division of Environmental Remediation Stratigraphic and Instrumentation Log

Project Name: **Bengart & Memel Site**
 Site No.: **915115**
 Location: **See Site Plan**
 NYSDEC Staff: **E. Melnyk, D. Szymanski**

Hole Designation: **B-S**
 Date/Time Completed: **5/4/06 0950**
 Drilling Method: **Vibra Core**



| Depth (ft.) BGS | Sample | | | | | Stratigraphic Description | Remarks | Well Details |
|-----------------------|-----------------------|----------------------------|----------------------------|-------------|----------------------------|--|--|-----------------|
| | C O U N T | N U M B E R | N V A L U E | P I D | % R E C O V | | | |
| | | | | 10 | | 5" asphalt | 2.72' AGS | |
| 1 | | | | | | 9" crushed stone gravel | bentonite plug ↑ | |
| | | | | | | fill - mixed soil w/ rounded stone and crushed stone | #2 silica sand ↓ | |
| 2 | | | | 8.1 | | 21" fill - black sand/slag | lab sample | |
| | | | | | | 27" clay - moist, stiff, lt. brown | | |
| 3 | | | | | | | | |
| | | | | 8.1 | | 34" clay - moist, brown/grey | lab sample | |
| 4 | | | | | | clay - damp, stiff, lt. brown | | |
| | | | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | 1" Ø sch 40 PVC w/ 0.20 slot 5' length | |
| 7 | | | | | | | | |
| 8 | | | | 10.0 | | 96" ↓ | bottom 7.47' BGS ↑ silica sand | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |
| 13 | | | | | | | | |

Notes: Measuring Point Elevations May Change: Refer to Current Elevation Table
 Grain Size ○ Water Found ▽ Static Level ▼

NYSDEC - Region 9 - Division of Environmental Remediation
Stratigraphic and Instrumentation Log



Project Name: **Bengart & Memel Site**

Site No.: **915115**

Location: **See Site Plan**

NYSDEC Staff: **E. Melnyk, D. Szymanski**

Hole Designation: **B-6**

Date/Time Completed: **5/4/06 1135**

Drilling Method: **Vibra Core**

| Depth (ft.) BGS | Sample | | | | | Stratigraphic Description | Remarks | Well Details |
|-----------------------|-----------------------|----------------------------|----------------------------|-------------|----------------------------|---|------------|-----------------|
| | C O U N T | N U M B E R | N V A L U E | P I D | % R E C O V | | | |
| | | | | | 0 | 7" asphalt | | |
| 1 | | | | | | 15" fill - mix brown soil/crushed stone | | |
| 2 | | | | | | fill - grey slag/gravel | | |
| 3 | | | | | | 28" fill - grey/black slag/gravel | moist | |
| | | | | | | 38" clay - stiff, lt brown | lab sample | |
| 4 | | 1 | | | 94 | 45" | damp | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |
| 13 | | | | | | | | |

Notes: Measuring Point Elevations May Change: Refer to Current Elevation Table

Grain Size ○

Water Found ▽

Static Level ▼

NYSDEC - Region 9 - Division of Environmental Remediation Stratigraphic and Instrumentation Log

Project Name: **Bengart & Memel Site**

Site No.: **915115**

Location: **See Site Plan**

NYSDEC Staff: **E. Melnyk, D. Szymanski**

Hole Designation: **B-7**

Date/Time Completed: **5/4/06 1100**

Drilling Method: **Vibra Core**



| Depth (ft.) BGS | Sample | | | | | Stratigraphic Description | Remarks | Well Details |
|-----------------------|-----------------------|----------------------------|----------------------------|-------------|----------------------------|--|------------|-----------------|
| | C O U N T | N U M B E R | N V A L U E | P I D | % R E C O V | | | |
| | | | | 0 | | 4" asphalt | | |
| 1 | | | | | | 8" fill - | | |
| | | | | | | fill - gravel/sand/soil, brown | | |
| 2 | | | | | | 18" fill - black sand/gravel, soil | | |
| | | | | | | 21" fill - grey slag/sand/soil | | |
| 3 | | | | | | 32" fill - black slag/sand | moist | |
| | | | | | | clay - stiff, lt grey w/ black interface | lab sample | |
| 4 | 1 | | | | 100 | 48" | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |
| 13 | | | | | | | | |

Notes: Measuring Point Elevations May Change: Refer to Current Elevation Table

Grain Size ○

Water Found ▽

Static Level ▼

NYSDEC - Region 9 - Division of Environmental Remediation Stratigraphic and Instrumentation Log

Project Name: **Bengart & Memel Site**

Site No.: **915115**

Location: **See Site Plan**

NYSDEC Staff: **E. Melnyk, D. Szymanski**

Hole Designation: **B-8**

Date/Time Completed: **5/4/06 1035**

Drilling Method: **Vibra Core**



| Depth (ft.) BGS | Sample | | | | | Stratigraphic Description | Remarks | Well Details |
|-----------------------|-----------------------|----------------------------|----------------------------|-------------|----------------------------|---------------------------------------|-------------|-----------------|
| | C O U N T | N U M B E R | N V A L U E | P I D | % R E C O V | | | |
| | | | | 0 | | 4" asphalt | | |
| 1 | | | | | | fill - gravel, bnck, soil | | |
| 2 | | | | | | 21" fill - sand w/ trace gravel | | |
| | | | | | | 26" fill - silty sand, brown/grey | | |
| 3 | | | | | | | | |
| 4 | | 1 | | | 64 | | | |
| 5 | | | | | | 55" fill - silty sand, brown/grey | petrol odor | |
| | | | | | | 58" fill - sand, gravel, black, moist | lab sample | |
| 6 | | | | | | clay - stiff, lt. brown, damp | | |
| 7 | | | | | | | | |
| 8 | | 2 | | | 100 | 96" ↓ | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |
| 13 | | | | | | | | |

Notes: Measuring Point Elevations May Change: Refer to Current Elevation Table

Grain Size ○

Water Found ▽

Static Level ▼

NYSDEC - Region 9 - Division of Environmental Remediation
Stratigraphic and Instrumentation Log



Project Name: **Bengart & Memel Site**
 Site No.: **915115**
 Location: **See Site Plan**
 NYSDEC Staff: **E. Melnyk, D. Szymanski**

Hole Designation: **B-9**
 Date/Time Completed: **5/4/06 1310**
 Drilling Method: **Vibra Core**

| Depth (ft.) BGS | Sample | | | | | Stratigraphic Description | Remarks | Well Details |
|-----------------------|-----------------------|----------------------------|----------------------------|-------------|----------------------------|---|-------------------|-----------------|
| | C O U N T | N U M B E R | N V A L U E | P I D | % R E C O V | | | |
| | | | | | | <u>5"</u> asphalt | | |
| 1 | | | | | | <u>11"</u> crushed stone gravel | <u>lab sample</u> | |
| | | | | | | fill - crushed stone / soil | | |
| 2 | | | 4.3 | | | <u>21"</u> <u>23"</u> fill - black sand, slag moist | <u>lab sample</u> | |
| | | | | | | clay - stiff med grey w/ black staining at interface | damp | |
| 3 | | | | | | | | |
| 4 | | 1 | | | 92 | <u>44"</u> | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |
| 13 | | | | | | | | |

Notes: Measuring Point Elevations May Change: Refer to Current Elevation Table

Grain Size ○

Water Found ▽

Static Level ▼

NYSDEC - Region 9 - Division of Environmental Remediation
Stratigraphic and Instrumentation Log

Project Name: **Bengart & Memel Site**

Site No.: **915115**

Location: **See Site Plan**

NYSDEC Staff: **E. Melnyk, D. Szymanski**

Hole Designation: **B-10**

Date/Time Completed: **5/4/06 1150**

Drilling Method: **Vibra Core**

41235



| Depth (ft.) BGS | Sample | | | | | Stratigraphic Description | Remarks | Well Details |
|-----------------------|-----------------------|----------------------------|----------------------------|-------------|----------------------------|--------------------------------------|------------------|-----------------|
| | C O U N T | N U M B E R | N V A L U E | P I D | % R E C O V | | | |
| | | | | | | 5" asphalt | | |
| 1 | | | | | | 8" crushed stone gravel | | |
| | | | | | | fill - slag, gravel, soil, wood | slight petro | |
| 2 | | | | | | plastic | odor - no | |
| | | | | | | 26" | sample | |
| 3 | | | | | | | potential | |
| | | | | | | | rr siding | |
| 4 | | 1 | | | 54 | | | |
| | | | | | | 4" fill - slag, gravel, wood | | |
| 5 | | | | | | clay - lt. brown, stiff | clay layer | |
| | | | | | | black staining at | likely shallower | |
| 6 | | | | | | interface | than observed | |
| | | | | | | | in core | |
| 7 | | | | | | | | |
| | | | | | | | | |
| 8 | | 2 | | | 100 48" | | | |
| | | | | | | | | |
| 9 | | | | | | | | |
| | | | | | | | | |
| 10 | | | | | | obstruction in initial coring (~18") | | |
| | | | | | | required advancing a new | | |
| 11 | | | | | | core at an offset location | | |
| | | | | | | | | |
| 12 | | | | | | | | |
| | | | | | | | | |
| 13 | | | | | | | | |

Notes: Measuring Point Elevations May Change: Refer to Current Elevation Table

Grain Size ○

Water Found ▽

Static Level ▼

NYSDEC - Region 9 - Division of Environmental Remediation
Stratigraphic and Instrumentation Log

Project Name: **Bengart & Memel Site**

Site No.: **915115**

Location: **See Site Plan**

NYSDEC Staff: **E. Melnyk, D. Szymanski**

Hole Designation: **B-12**

Date/Time Completed: **5/4/06 1415**

Drilling Method: **Vibra Core**



| Depth (ft.) BGS | Sample | | | | | Stratigraphic Description | Remarks | Well Details |
|-----------------------|-----------------------|----------------------------|----------------------------|-------------|----------------------------|-----------------------------|------------------------|-----------------|
| | C O U N T | N U M B E R | N V A L U E | P I D | % R E C O V | | | |
| | | | | | | 4" asphalt | | |
| 1 | | | | | | 8" crushed stone gravel | | |
| | | | | | | fill - lt. grey slag | | |
| 2 | | | | | 2.7 | 16" fill - black sand, slag | | |
| | | | | | | 29" clay - stiff, lt brown | 14" sample moist, odor | |
| 4 | | 1 | | | 94 | 45" | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |
| 13 | | | | | | | | |

Notes: Measuring Point Elevations May Change: Refer to Current Elevation Table

Grain Size ○

Water Found ▽

Static Level ▼

NYSDEC - Region 9 - Division of Environmental Remediation
Stratigraphic and Instrumentation Log

Project Name: **Bengart & Memel Site**

Site No.: **915115**

Location: **See Site Plan**

NYSDEC Staff: **E. Melnyk, D. Szymanski**

Hole Designation: **B-13**

Date/Time Completed: **5/4/06 1335**

Drilling Method: **Vibra Core**



| Depth (ft.) BGS | Sample | | | | | Stratigraphic Description | Remarks | Well Details |
|-----------------------|-----------------------|----------------------------|----------------------------|-------------|----------------------------|---|------------|-----------------|
| | C O U N T | N U M B E R | N V A L U E | P I D | % R E C O V | | | |
| 1 | | | | | | 5" asphalt 7" - crushed stone gravel 7'9" fill - clay, lt brown | | |
| 2 | | | | | | 23" fill - gravel/soil lt brown/grey 25" fill - black slag, moist | | |
| 3 | | | | | | 35" fill - black silty sand, moist 41" fill - silty clay, grey/brown | odor | |
| 4 | | 1 | | | 85 | ↓ | lab sample | |
| 5 | | | | | | 55" ↓ clay - stiff, lt. brown | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | 2 | | | 100 | 96" | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |
| 13 | | | | | | | | |

Notes: Measuring Point Elevations May Change: Refer to Current Elevation Table

Grain Size ○

Water Found ▽

Static Level ▼

NYSDEC - Region 9 - Division of Environmental Remediation
Stratigraphic and Instrumentation Log



Project Name: **Bengart & Memel Site**
 Site No.: **915115**
 Location: **See Site Plan**
 NYSDEC Staff: **E. Melnyk, D. Szymanski**

Hole Designation: **B-14**
 Date/Time Completed: **5/4/06 1430**
 Drilling Method: **Vibra Core**

| Depth (ft.) BGS | Sample | | | | | Stratigraphic Description | Remarks | Well Details |
|-----------------------|-----------------------|----------------------------|----------------------------|-------------|----------------------------|---------------------------|------------|-----------------|
| | C O U N T | N U M B E R | N V A L U E | P I D | % R E C O V | | | |
| | | | | | | 5" asphalt | | |
| 1 | | | | | | 9" crushed stone gravel | | |
| | | | | | | fill - black sand/slag | | |
| 2 | | | | | | moist | odor | |
| | | | | | | | | |
| 3 | | | | | | | | |
| | | 1 | | | 100 | 40" | lab sample | |
| 4 | | | | | | obstruction - refusal | | |
| | | | | | | | | |
| 5 | | | | | | | | |
| | | | | | | | | |
| 6 | | | | | | | | |
| | | | | | | | | |
| 7 | | | | | | | | |
| | | | | | | | | |
| 8 | | | | | | | | |
| | | | | | | | | |
| 9 | | | | | | | | |
| | | | | | | | | |
| 10 | | | | | | | | |
| | | | | | | | | |
| 11 | | | | | | | | |
| | | | | | | | | |
| 12 | | | | | | | | |
| | | | | | | | | |
| 13 | | | | | | | | |

Notes: Measuring Point Elevations May Change: Refer to Current Elevation Table
 Grain Size ○ Water Found ▽ Static Level ▼

NYSDEC - Region 9 - Division of Environmental Remediation Stratigraphic and Instrumentation Log

Project Name: **Bengart & Memel Site**

Site No.: **915115**

Location: **See Site Plan**

NYSDEC Staff: **E. Melnyk, D. Szymanski**

Hole Designation: **B-15**

Date/Time Completed: **5/4/06 1505**

Drilling Method: **Vibra Core**



| Depth (ft.) BGS | Sample | | | | | Stratigraphic Description | Remarks | Well Details |
|-----------------------|-----------------------|----------------------------|----------------------------|-------------|----------------------------|--|------------|-----------------|
| | C O U N T | N U M B E R | N V A L U E | P I D | % R E C O V | | | |
| | | | | | | 4" asphalt | | |
| 1 | | | | | | 9" crushed stone gravel | | |
| | | | | | | fill- grey/black sand, slag | odor | |
| 2 | | | | | | | moist | |
| | | | | | | | 196 sample | |
| 3 | | | | | | | | |
| | | 1 | | | 100 | 39" | | |
| 4 | | | | | | obstruction - refusal wood chips, possible rr tie | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |
| 13 | | | | | | | | |

Notes: Measuring Point Elevations May Change: Refer to Current Elevation Table

Grain Size ○

Water Found ▽

Static Level ▼

NYSDEC - Region 9 - Division of Environmental Remediation
Stratigraphic and Instrumentation Log



Project Name: **Bengart & Memel Site**

Site No.: **915115**

Location: **See Site Plan**

NYSDEC Staff: **E. Melnyk, D. Szymanski**

Hole Designation: **B-16**

Date/Time Completed: **5/4/06 1450**

Drilling Method: **Vibra Core**

| Depth (ft.) BGS | Sample | | | | | Stratigraphic Description | Remarks | Well Details |
|-----------------------|-----------------------|----------------------------|----------------------------|-------------|----------------------------|---|-------------------|-----------------|
| | C O U N T | N U M B E R | N V A L U E | P I D | % R E C O V | | | |
| | | | | | | <u>3'</u> asphalt | | |
| 1 | | | | | | <u>2'</u> crushed stone gravel fill - lt grey slag | | |
| 2 | | | | | | <u>2'</u> fill - black sand, brick | | |
| 3 | | | | | | <u>36"</u> | <u>lab sample</u> | |
| | | 1 | | | 100 | <u>42"</u> clay - med grey, damp | | |
| 4 | | | | | | obstruction - refusal | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |
| 13 | | | | | | | | |

Notes: Measuring Point Elevations May Change: Refer to Current Elevation Table

Grain Size ○

Water Found ▽

Static Level ▼

NYSDEC - Region 9 - Division of Environmental Remediation
Stratigraphic and Instrumentation Log

Project Name: **Bengart & Memel Site**

Site No.: **915115**

Location: **See Site Plan**

NYSDEC Staff: **E. Melnyk, D. Szymanski**

Hole Designation: **B-17**

Date/Time Completed: **5/4/06 1530**

Drilling Method: **Vibra Core**



| Depth (ft.) BGS | Sample | | | | | Stratigraphic Description | Remarks | Well Details |
|-----------------------|-----------------------|----------------------------|----------------------------|-------------|----------------------------|--|------------|-----------------|
| | C O U N T | N U M B E R | N V A L U E | P I D | % R E C O V | | | |
| 1 | | | | | | 4" asphalt crushed stone gravel fill - dark grey/black slag w/ gravel and glass wood | | |
| 2 | | | | | | | | |
| 3 | | 1 | | | 79 | | moist | |
| 4 | | | | | | 38" ↓ | lab sample | |
| 5 | | | | | | 57" fill - black sand/slag clay - stiff, lt brown | wet | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | 2 | | | | 96" | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |
| 13 | | | | | | | | |

Notes: Measuring Point Elevations May Change: Refer to Current Elevation Table

Grain Size ○

Water Found

Static Level ▼

NYSDEC - Region 9 - Division of Environmental Remediation
Stratigraphic and Instrumentation Log



Project Name: **Bengart & Memel Site**
 Site No.: **915115**
 Location: **See Site Plan**
 NYSDEC Staff: **E. Melnyk, D. Szymanski**

Hole Designation: **B-18**
 Date/Time Completed: **5/4/06 1615**
 Drilling Method: **Vibra Core**

| Depth (ft.) BGS | Sample | | | | | Stratigraphic Description | Remarks | Well Details |
|-----------------------|-----------------------|----------------------------|----------------------------|-------------|----------------------------|--|------------|-----------------|
| | C O U N T | N U M B E R | N V A L U E | P I D | % R E C O V | | | |
| | | | | | | 4" asphalt crushed stone gravel | | |
| 1 | | | | | | fill - med to lt grey slag and gravel | lab sample | |
| 2 | | | | | | 23" ↓ | | |
| | | | | | | 60 29" clay - stiff, lt brown | | |
| 3 | | | | | | | | |
| 4 | | 1 | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |
| 13 | | | | | | | | |

Notes: Measuring Point Elevations May Change: Refer to Current Elevation Table
 Grain Size ○ Water Found ▽

Static Level ▼

NYSDEC - Region 9 - Division of Environmental Remediation
Stratigraphic and Instrumentation Log

Project Name: **Bengart & Memel Site**

Site No.: **915115**

Location: **See Site Plan**

NYSDEC Staff: **E. Melnyk, D. Szymanski**

Hole Designation: **B-19**

Date/Time Completed: **5/4/06 1630**

Drilling Method: **Vibra Core**



| Depth (ft.) BGS | Sample | | | | | Stratigraphic Description | Remarks | Well Details |
|-----------------------|--------|--------|-------|-----|--------|--|----------------------------|----------------------|
| | COUNT | NUMBER | VALUE | PID | %RECOV | | | |
| | | | | | | | 3.08' AGS | |
| 1 | | | | | | 5' asphalt 8" crushed stone gravel | odor asphalt decomposed | barbwire plug |
| 2 | | | | | | fill - black sand/slag with wood and glass fragments | moist lab sample | 0.83' BGS 5/11/06 |
| 3 | | | | | | | odor | #2 silica sand |
| 4 | 1 | | | | 92 | 40" fill - sand (black) | wet | |
| 5 | | | | | | 55" fill - black sand | wet | |
| 6 | | | | | | clay - stiff, med grey | 1" Ø skh 40 | |
| 7 | | | | | | lt. brown | PVC w/ 0.20 slot 5' length | |
| | | | | | | bottom | 6.97' BGS | |
| 8 | 2 | | | | 83 | 88" | silica sand | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |
| 13 | | | | | | | | |

Notes: Measuring Point Elevations May Change: Refer to Current Elevation Table

Grain Size ○

Water Found ▽

Static Level ▼

NYSDEC - Region 9 - Division of Environmental Remediation Stratigraphic and Instrumentation Log



Project Name: **Bengart & Memel Site**
 Site No.: **915115**
 Location: **See Site Plan**
 NYSDEC Staff: **E. Melnyk, D. Szymanski**


Hole Designation: **B-20**
 Date/Time Completed: **5/4/06 1555**
 Drilling Method: **Vibra Core**

| Depth (ft.) BGS | Sample | | | | | Stratigraphic Description | Remarks | Well Details |
|-----------------------|-----------------------|----------------------------|----------------------------|-------------|----------------------------|--|------------|-----------------|
| | C O U N T | N U M B E R | N V A L U E | P I D | % R E C O V | | | |
| 1 | | | | | | <u>3"</u> asphalt <u>8"</u> crushed stone gravel fill - med grey slag | | |
| 2 | | | | | | <u>18"</u> fill - black sand | lab sample | |
| 3 | | | | | | <u>32"</u> <u>35"</u> clay lense fill - med grey | | |
| 4 | | 1 | | | 100 | <u>39"</u> fill - black gravel/soil w/ wood obstruction - refusal debris (rr tie) | moist | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |
| 13 | | | | | | | | |

Notes: Measuring Point Elevations May Change: Refer to Current Elevation Table
 Grain Size ○ Water Found ∇ Static Level ▼

NYSDEC - Region 9 - Division of Environmental Remediation

Stratigraphic and Instrumentation Log



Project Name: **Bengart & Memel Site**

Site No.: **915115**

Location: **See Site Plan**

NYSDEC Staff: **E. Melnyk, D. Szymanski**

Hole Designation: **B-21**

Date/Time Completed: **5/5/06 1005**

Drilling Method: **Split Spoon via Tripod & Cathead**

| Depth (ft.) BGS | Sample | | | | | Stratigraphic Description | Remarks | Well Details |
|-----------------------|-----------------------|----------------------------|----------------------------|-------------|----------------------------|----------------------------|------------|-----------------|
| | C O U N T | N U M B E R | N V A L U E | P I D | % R E C O V | | | |
| | | | | 120 | | 6" concrete | | |
| 1 | | | | 299 | 50 | 12" fill - cinder/slag | lab sample | |
| | | | | | | | odor | |
| 2 | | 1 | | | | | | |
| | | | | 418 | | 31" fill - cinder/slag | odor | |
| 3 | | | | | | 39" clay - stiff, lt brown | | |
| | | | | | | | | |
| 4 | | 2 | | | 62 | | | |
| | | | | | | | | |
| 5 | | | | | | | | |
| | | | | | | | | |
| 6 | | | | | | | | |
| | | | | | | | | |
| 7 | | | | | | | | |
| | | | | | | | | |
| 8 | | | | | | | | |
| | | | | | | | | |
| 9 | | | | | | | | |
| | | | | | | | | |
| 10 | | | | | | | | |
| | | | | | | | | |
| 11 | | | | | | | | |
| | | | | | | | | |
| 12 | | | | | | | | |
| | | | | | | | | |
| 13 | | | | | | | | |

Notes: Measuring Point Elevations May Change: Refer to Current Elevation Table

Grain Size ○

Water Found ▽

Static Level ▼

NYSDEC - Region 9 - Division of Environmental Remediation Stratigraphic and Instrumentation Log

Project Name: **Bengart & Memel Site**

Site No.: **915115**

Location: **See Site Plan**

NYSDEC Staff: **E. Melnyk, D. Szymanski**

Hole Designation: **B-22**

Date/Time Completed: **5/5/06 0915**

Drilling Method: **Split Spoon via Tripod & Cathead**



| Depth (ft.) BGS | Sample | | | | | Stratigraphic Description | Remarks | Well Details |
|-----------------------|-----------------------|----------------------------|---------------------------------------|-------------|----------------------------|--|------------|-----------------|
| | C O U N T | N U M B E R | N V A L U E ppm | P I D | % R E C O V | | | |
| | | | | | 761 | 6" concrete | | |
| 1 | | | | | 50 | fill - slag/cinder (marginal recovery) | odor | |
| | | | | | 30 | | | |
| 2 | | 1 | | | | 29" | lab sample | |
| | | | | | | | | |
| 3 | | | | | | fill - slag/cinder | odor | |
| | | | | | | 36" | | |
| | | | | | 75 | clay - stiff, lt. brown | | |
| 4 | | 2 | | | | 45" | | |
| | | | | | | | | |
| 5 | | | | | | | | |
| | | | | | | | | |
| 6 | | | | | | | | |
| | | | | | | | | |
| 7 | | | | | | | | |
| | | | | | | | | |
| 8 | | | | | | | | |
| | | | | | | | | |
| 9 | | | | | | | | |
| | | | | | | | | |
| 10 | | | | | | | | |
| | | | | | | | | |
| 11 | | | | | | | | |
| | | | | | | | | |
| 12 | | | | | | | | |
| | | | | | | | | |
| 13 | | | | | | | | |

Notes: Measuring Point Elevations May Change: Refer to Current Elevation Table

Grain Size ○

Water Found ▽

Static Level ▼

NYSDEC - Region 9 - Division of Environmental Remediation Stratigraphic and Instrumentation Log

Project Name: **Bengart & Memel Site**

Site No.: **915115**

Location: **See Site Plan**

NYSDEC Staff: **E. Melnyk, D. Szymanski**

Hole Designation: **B-23**

Date/Time Completed: **5/5/06 1045**

Drilling Method: **Split Spoon via Tripod & Cathead**



| Depth (ft.) BGS | Sample | | | | | Stratigraphic Description | Remarks | Well Details |
|-----------------------|-----------------------|----------------------------|----------------------------|-------------|----------------------------|-------------------------------------|------------|-----------------|
| | C O U N T | N U M B E R | N V A L U E | P I D | % R E C O V | | | |
| | | | | 30 | | 6" concrete | | |
| 1 | | | | | | fill - cinders/slag (black) | odor | |
| | | | | 75 | | 16" wet | lab sample | |
| 2 | | 1 | | 306 | | | | |
| | | | | | | 30" fill - black cinders/slag (wet) | | |
| 3 | | | | 50 | | 36" clay - stiff, lt. brown | | |
| 4 | | 2 | | | | | | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |
| 13 | | | | | | | | |

Notes: Measuring Point Elevations May Change: Refer to Current Elevation Table

Grain Size ○

Water Found ▽

Static Level ▼

NYSDEC - Region 9 - Division of Environmental Remediation Stratigraphic and Instrumentation Log

Project Name: **Bengart & Memel Site**

Site No.: **915115**

Location: **See Site Plan**

NYSDEC Staff: **E. Melnyk, D. Szymanski**

Hole Designation: **B-24**

Date/Time Completed: **5/5/06 1120**

Drilling Method: **Split Spoon via Tripod & Cathead**



| Depth (ft.) BGS | Sample | | | | | Stratigraphic Description | Remarks | Well Details |
|-----------------------|-----------------------|----------------------------|----------------------------|-------------|----------------------------|------------------------------------|---------|-----------------|
| | C O U N T | N U M B E R | N V A L U E | P I D | % R E C O V | | | |
| | | | | | 6 | 6" concrete | — | |
| 1 | | | | | | 12" fill - cinder/slag (black) wet | | |
| | | | | | | clay - stiff, lt brown | lab | |
| 2 | | 1 | | | 100 | 24" | sample | |
| 3 | | | | | | | | |
| 4 | | 2 | | | 100 | 48" | — | |
| 5 | | | | | | | | |
| 6 | | | | | | | | |
| 7 | | | | | | | | |
| 8 | | | | | | | | |
| 9 | | | | | | | | |
| 10 | | | | | | | | |
| 11 | | | | | | | | |
| 12 | | | | | | | | |
| 13 | | | | | | | | |

Notes: Measuring Point Elevations May Change: Refer to Current Elevation Table

Grain Size ☐

Water Found ☒

Static Level ☒

This page is intentionally blank.

APPENDIX B
LAB DATA RESULTS

This page is intentionally blank.



STL

STL Buffalo10 Hazelwood Drive, Suite 106
Amherst, NY 14228Tel: 716 691 2600 Fax: 716 691 7991
www.stl-inc.com

ANALYTICAL REPORT

Job#: A06-5702


STL Project#: NY5A946109

Site Name: NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

Task: NYSDEC Spills - Bengart & Memel Site: 915115

Eugene Melnyk
NYSDEC - Region 9
270 Michigan Ave
Buffalo, NY 14203

STL Buffalo



Brian J. Fischer
Project Manager

05/31/2006

STL Buffalo Current Certifications

As of 4/10/2006

| STATE | Program | Cert # / Lab ID |
|-----------------------|----------------------------------|------------------------|
| AFCEE | AFCEE | |
| Arkansas | SDWA, CWA, RCRA, SOIL | 03-054-D/88-0686 |
| California | NELAP CWA, RCRA | 01169CA |
| Connecticut | SDWA, CWA, RCRA, SOIL | PH-0568 |
| Florida | NELAP CWA, RCRA | E87672 |
| Georgia | SDWA | 956 |
| Illinois | NELAP SDWA, CWA, RCRA | 200003 |
| Iowa | SW/CS | 374 |
| Kansas | NELAP SDWA, CWA, RCRA | E-10187 |
| Kentucky | SDWA | 90029 |
| Kentucky UST | UST | 30 |
| Louisiana | NELAP CWA, RCRA | 2031 |
| Maine | SDWA, CWA | NY044 |
| Maryland | SDWA | 294 |
| Massachusetts | SDWA, CWA | M-NY044 |
| Michigan | SDWA | 9937 |
| Minnesota | SDWA, CWA, RCRA | 036-999-337 |
| New Hampshire | NELAP SDWA, CWA | 233701 |
| New Jersey | SDWA, CWA, RCRA, CLP | NY455 |
| New York | NELAP, AIR, SDWA, CWA, RCRA, ASP | 10026 |
| Oklahoma | CWA, RCRA | 9421 |
| Pennsylvania | Env. Lab Reg. | 68-281 |
| South Carolina | RCRA | 91013 |
| Tennessee | SDWA | 02970 |
| USACE | USACE | |
| USDA | FOREIGN SOIL PERMIT | S-41579 |
| USDOE | Department of Energy | DOECAP-STB |
| Virginia | SDWA | 278 |
| Washington | CWA, RCRA | C1677 |
| West Virginia | CWA, RCRA | 252 |
| Wisconsin | CWA | 998310390 |

SAMPLE SUMMARY

| <u>LAB SAMPLE ID</u> | <u>CLIENT SAMPLE ID</u> | <u>MATRIX</u> | <u>SAMPLED</u> | | <u>RECEIVED</u> | |
|----------------------|-------------------------|---------------|----------------|-------------|-----------------|-------------|
| | | | <u>DATE</u> | <u>TIME</u> | <u>DATE</u> | <u>TIME</u> |
| A6570201 | MW-19 | WATER | 05/16/2006 | 13:15 | 05/18/2006 | 15:55 |
| A6570202 | MW-19R | WATER | 05/17/2006 | 11:45 | 05/18/2006 | 15:55 |
| A6570203 | MW-5 | WATER | 05/17/2006 | 11:30 | 05/18/2006 | 15:55 |
| A6570204 | Trip Blank | WATER | 05/17/2006 | | 05/18/2006 | 15:55 |

METHODS SUMMARY

Job#: A06-5702STL Project#: NY5A946109Site Name: NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

| PARAMETER | ANALYTICAL METHOD |
|--|----------------------|
| NYSDEC - AQUEOUS-SW8463 TCL 8260 | SW8463 8260 |
| NYDEC AQ- 8270 TCL SEMI-VOLATILE ORGANIC | SW8463 8270 |
| METHOD 8082 - POLYCHLORINATED BIPHENYLS | SW8463 8082 |
| Aluminum - Total | SW8463 6010 |
| Antimony - Total | SW8463 6010 |
| Arsenic - Total | SW8463 6010 |
| Barium - Total | SW8463 6010 |
| Beryllium - Total | SW8463 6010 |
| Cadmium - Total | SW8463 6010 |
| Calcium - Total | SW8463 6010 |
| Chromium - Total | SW8463 6010 |
| Cobalt - Total | SW8463 6010 |
| Copper - Total | SW8463 6010 |
| Iron - Total | SW8463 6010 |
| Lead - Total | SW8463 6010 |
| Magnesium - Total | SW8463 6010 |
| Manganese - Total | SW8463 6010 |
| Mercury - Total | SW8463 7470 |
| Nickel - Total | SW8463 6010 |
| Potassium - Total | SW8463 6010 |
| Selenium - Total | SW8463 6010 |
| Silver - Total | SW8463 6010 |
| Sodium - Total | SW8463 6010 |
| Thallium - Total | SW8463 6010 |
| Vanadium - Total | SW8463 6010 |
| Zinc - Total | SW8463 6010 |

SW8463 "Test Methods for Evaluating Solid Waste Physical/Chemical Methods (SW846), Third Edition, 9/86; Update I, 7/92; Update IIA, 8/93; Update II, 9/94; Update IIB, 1/95; Update III, 12/96.

NON-CONFORMANCE SUMMARY

Job#: A06-5702STL Project#: NY5A946109Site Name: NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACTGeneral Comments

The enclosed data may or may not have been reported utilizing data qualifiers (Q) as defined on the Data Comment Page.

Soil, sediment and sludge sample results are reported on "dry weight" basis unless otherwise noted in this data package.

According to 40CFR Part 136.3, pH, Chlorine Residual, Dissolved Oxygen, Sulfite, and Temperature analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field (e.g. pH-Field), they were not analyzed immediately, but as soon as possible after laboratory receipt.

Sample dilutions were performed as indicated on the attached Dilution Log. The rationale for dilution is specified by the 3-digit code and definition.

Sample Receipt Comments

A06-5702

Sample Cooler(s) were received at the following temperature(s); 5.4 °C
All samples were received in good condition.

GC/MS Volatile Data

No deviations from protocol were encountered during the analytical procedures.

GC/MS Semivolatile Data

No deviations from protocol were encountered during the analytical procedures.

GC Extractable Data

For method 8082, sample MW-19 required dilution prior to analysis due to the high concentration of target analytes. The surrogate and spike recoveries are diluted out of all sample extracts with a dilution factor of 10X or greater.

Metals Data

No deviations from protocol were encountered during the analytical procedures.

The results presented in this report relate only to the analytical testing and condition of the sample at receipt. This report pertains to only those samples actually tested. All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.

"I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory Manager or his designee, as verified by the following signature."



Brian J. Fischer
Project Manager

6-1-86

Date

Date: 05/31/2006

Time: 19:54:25

Dilution Log w/Code Information

For Job A06-5702

7/16 Page: 1
Rept: AN1266R

| <u>Client Sample ID</u> | <u>Lab Sample ID</u> | <u>Parameter (Inorganic)/Method (Organic)</u> | <u>Dilution</u> | <u>Code</u> |
|-------------------------|----------------------|---|-----------------|-------------|
| MW-19 | A6570201 | 8082 | 10.00 | 008 |
| MW-19 | A6570201 | 8270 | 5.00 | 008 |
| MW-19R | A6570202 | 8260 | 5.00 | 003 |
| MW-5 | A6570203 | 8082 | 2.00 | 008 |
| MW-5 | A6570203 | 8260 | 5.00 | 003 |

Dilution Code Definition:

- 002 - sample matrix effects
- 003 - excessive foaming
- 004 - high levels of non-target compounds
- 005 - sample matrix resulted in method non-compliance for an Internal Standard
- 006 - sample matrix resulted in method non-compliance for Surrogate
- 007 - nature of the TCLP matrix
- 008 - high concentration of target analyte(s)
- 009 - sample turbidity
- 010 - sample color
- 011 - insufficient volume for lower dilution
- 012 - sample viscosity
- 013 - other



DATA QUALIFIER PAGE

These definitions are provided in the event the data in this report requires the use of one or more of the qualifiers. Not all qualifiers defined below are necessarily used in the accompanying data package.

ORGANIC DATA QUALIFIERS

ND or U Indicates compound was analyzed for, but not detected.

- J Indicates an estimated value. This flag is used either when estimating a concentration for tentatively identified compounds where a 1:1 response is assumed, or when the data indicates the presence of a compound that meets the identification criteria but the result is less than the sample quantitation limit but greater than zero.
- C This flag applies to pesticide results where the identification has been confirmed by GC/MS.
- B This flag is used when the analyte is found in the associated blank, as well as in the sample.
- E This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis.
- D This flag identifies all compounds identified in an analysis at the secondary dilution factor.
- N Indicates presumptive evidence of a compound. This flag is used only for tentatively identified compounds, where the identification is based on the Mass Spectral library search. It is applied to all TIC results.
- P This flag is used for CLP methodology only. For Pesticide/Aroclor target analytes, when a difference for detected concentrations between the two GC columns is greater than 25%, the lower of the two values is reported on the data page and flagged with a "P".
- A This flag indicates that a TIC is a suspected aldol-condensation product.
- ¹ Indicates coelution.
- * Indicates analysis is not within the quality control limits.

INORGANIC DATA QUALIFIERS

- ND or U Indicates element was analyzed for, but not detected. Report with the detection limit value.
- J or B Indicates a value greater than or equal to the instrument detection limit, but less than the quantitation limit.
- N Indicates spike sample recovery is not within the quality control limits.
- S Indicates value determined by the Method of Standard Addition.
- E Indicates a value estimated or not reported due to the presence of interferences.
- H Indicates analytical holding time exceedance. The value obtained should be considered an estimate.
- * Indicates the spike or duplicate analysis is not within the quality control limits.
- + Indicates the correlation coefficient for the Method of Standard Addition is less than 0.995.

Date: 05/31/2006

Time: 19:54:33

NYSDEC

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

NYSDEC Spills - Bengart & Memel Site: 915115

916 Page: 1

Rept: AN1178

Sample ID: MW-19

Lab Sample ID: A6570201

Date Collected: 05/16/2006

Time Collected: 13:15

Date Received: 05/18/2006

Project No: NY5A946109

Client No: L10190

Site No:

| Parameter | Result | Flag | Detection | | Units | Method | Date/Time | | Analyst |
|---------------------------------------|--------|------|-----------|--|-------|--------|------------------|--|---------|
| | | | Limit | | | | Analyzed | | |
| NYSDEC - AQUEOUS-SW8463 TCL 8260 | | | | | | | | | |
| 1,1,1-Trichloroethane | ND | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| 1,1,2,2-Tetrachloroethane | ND | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| 1,1,2-Trichloroethane | ND | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| 1,1-Dichloroethane | ND | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| 1,1-Dichloroethene | ND | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| 1,2,4-Trichlorobenzene | ND | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| 1,2-Dibromo-3-chloropropane | ND | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| 1,2-Dibromoethane | ND | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| 1,2-Dichlorobenzene | ND | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| 1,2-Dichloroethane | ND | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| 1,2-Dichloropropane | ND | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| 1,3-Dichlorobenzene | 1.5 | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| 1,4-Dichlorobenzene | 6.1 | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| 2-Butanone | 3.2 | J | 5.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| 2-Hexanone | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| 4-Methyl-2-pentanone | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| Acetone | 16 | | 5.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| Benzene | 5.4 | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| Bromodichloromethane | ND | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| Bromoform | ND | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| Bromomethane | ND | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| Carbon Disulfide | ND | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| Carbon Tetrachloride | ND | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| Chlorobenzene | 7.5 | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| Chloroethane | ND | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| Chloroform | ND | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| Chloromethane | ND | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| cis-1,2-Dichloroethene | ND | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| cis-1,3-Dichloropropene | ND | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| Cyclohexane | ND | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| Dibromochloromethane | ND | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| Dichlorodifluoromethane | ND | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| Ethylbenzene | ND | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| Isopropylbenzene | ND | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| Methyl acetate | ND | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| Methyl-t-Butyl Ether (MTBE) | ND | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| Methylcyclohexane | ND | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| Methylene chloride | ND | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| Styrene | ND | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| Tetrachloroethene | ND | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| Toluene | 2.2 | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| Total Xylenes | 3.2 | | 3.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| trans-1,2-Dichloroethene | ND | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| trans-1,3-Dichloropropene | ND | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| Trichloroethene | ND | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| Trichlorofluoromethane | ND | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |
| Vinyl chloride | ND | | 1.0 | | UG/L | 8260 | 05/24/2006 16:59 | | MG |

Date: 05/31/2006

Time: 19:54:33

NYSDEC

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

NYSDEC Spills - Bengart & Memel Site: 915115

10/16 Page: 2
Rept: AN1178

Sample ID: MW-19

Lab Sample ID: A6570201

Date Collected: 05/16/2006

Time Collected: 13:15

Date Received: 05/18/2006

Project No: NY5A946109

Client No: L10190

Site No:

| Parameter | Result | Detection | | Units | Method | Date/Time | | Analyst |
|--|--------|-----------|-------|-------|--------|------------|-------|---------|
| | | Flag | Limit | | | Analyzed | | |
| NYDEC AQ- SW8463 8270 - TCL SVOA ORGANIC | | | | | | | | |
| 1,2,4-Trichlorobenzene | ND | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| 1,2-Dichlorobenzene | ND | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| 1,3-Dichlorobenzene | ND | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| 1,4-Dichlorobenzene | ND | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| 2,2'-Oxybis(1-Chloropropane) | ND | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| 2,4,5-Trichlorophenol | ND | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| 2,4,6-Trichlorophenol | ND | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| 2,4-Dichlorophenol | ND | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| 2,4-Dimethylphenol | 92 | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| 2,4-Dinitrophenol | ND | | 240 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| 2,4-Dinitrotoluene | ND | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| 2,6-Dinitrotoluene | ND | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| 2-Chloronaphthalene | ND | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| 2-Chlorophenol | ND | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| 2-Methylnaphthalene | ND | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| 2-Methylphenol | 50 | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| 2-Nitroaniline | ND | | 240 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| 2-Nitrophenol | ND | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| 3,3'-Dichlorobenzidine | ND | | 94 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| 3-Nitroaniline | ND | | 240 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| 4,6-Dinitro-2-methylphenol | ND | | 240 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| 4-Bromophenyl phenyl ether | ND | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| 4-Chloro-3-methylphenol | ND | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| 4-Chloroaniline | ND | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| 4-Chlorophenyl phenyl ether | ND | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| 4-Methylphenol | 180 | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| 4-Nitroaniline | ND | | 240 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| 4-Nitrophenol | ND | | 240 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| Acenaphthene | ND | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| Acenaphthylene | ND | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| Anthracene | ND | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| Benzo(a)anthracene | ND | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| Benzo(a)pyrene | ND | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| Benzo(b)fluoranthene | ND | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| Benzo(ghi)perylene | ND | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| Benzo(k)fluoranthene | ND | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| Bis(2-chloroethoxy) methane | ND | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| Bis(2-chloroethyl) ether | ND | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| Bis(2-ethylhexyl) phthalate | ND | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| Butyl benzyl phthalate | ND | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| Carbazole | ND | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| Chrysene | ND | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| Di-n-butyl phthalate | ND | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| Di-n-octyl phthalate | ND | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| Dibenzo(a,h)anthracene | 53 | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| Dibenzofuran | ND | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| Diethyl phthalate | ND | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| Dimethyl phthalate | ND | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |
| Fluoranthene | ND | | 47 | UG/L | 8270 | 05/23/2006 | 17:09 | MD |

STL Buffalo

Date: 05/31/2006

Time: 19:54:33

NYSDEC

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

NYSDEC Spills - Bengart & Memel Site: 915115

1116 Page: 3
Rept: AN1178

Date Received: 05/18/2006

Project No: NY5A946109

Client No: L10190

Site No:

Sample ID: MW-19
Lab Sample ID: A6570201
Date Collected: 05/16/2006
Time Collected: 13:15

| Parameter | Result | Flag | Detection Limit | Units | Method | Date/Time Analyzed | Analyst |
|--|--------|------|--------------------|-------|--------|-----------------------|---------|
| NYDEC AQ- SW8463 8270 - TCL SVOA ORGANIC | | | | | | | |
| Fluorene | ND | | 47 | UG/L | 8270 | 05/23/2006 17:09 | MD |
| Hexachlorobenzene | ND | | 47 | UG/L | 8270 | 05/23/2006 17:09 | MD |
| Hexachlorobutadiene | ND | | 47 | UG/L | 8270 | 05/23/2006 17:09 | MD |
| Hexachlorocyclopentadiene | ND | | 210 | UG/L | 8270 | 05/23/2006 17:09 | MD |
| Hexachloroethane | ND | | 47 | UG/L | 8270 | 05/23/2006 17:09 | MD |
| Indeno(1,2,3-cd)pyrene | ND | | 47 | UG/L | 8270 | 05/23/2006 17:09 | MD |
| Isophorone | ND | | 47 | UG/L | 8270 | 05/23/2006 17:09 | MD |
| N-Nitroso-Di-n-propylamine | ND | | 47 | UG/L | 8270 | 05/23/2006 17:09 | MD |
| N-nitrosodiphenylamine | ND | | 47 | UG/L | 8270 | 05/23/2006 17:09 | MD |
| Naphthalene | 130 | | 47 | UG/L | 8270 | 05/23/2006 17:09 | MD |
| Nitrobenzene | ND | | 47 | UG/L | 8270 | 05/23/2006 17:09 | MD |
| Pentachlorophenol | ND | | 240 | UG/L | 8270 | 05/23/2006 17:09 | MD |
| Phenanthrene | ND | | 47 | UG/L | 8270 | 05/23/2006 17:09 | MD |
| Phenol | ND | | 47 | UG/L | 8270 | 05/23/2006 17:09 | MD |
| Pyrene | ND | | 47 | UG/L | 8270 | 05/23/2006 17:09 | MD |
| NYSDEC-AQ-SW8463 8082 - PCBs | | | | | | | |
| Aroclor 1016 | ND | | 4.7 | UG/L | 8082 | 05/25/2006 02:56 | GFD |
| Aroclor 1221 | ND | | 4.7 | UG/L | 8082 | 05/25/2006 02:56 | GFD |
| Aroclor 1232 | ND | | 4.7 | UG/L | 8082 | 05/25/2006 02:56 | GFD |
| Aroclor 1242 | ND | | 4.7 | UG/L | 8082 | 05/25/2006 02:56 | GFD |
| Aroclor 1248 | ND | | 4.7 | UG/L | 8082 | 05/25/2006 02:56 | GFD |
| Aroclor 1254 | 76 | | 4.7 | UG/L | 8082 | 05/25/2006 02:56 | GFD |
| Aroclor 1260 | 54 | | 4.7 | UG/L | 8082 | 05/25/2006 02:56 | GFD |
| Metals Analysis | | | | | | | |
| Aluminum - Total | 13.7 | | 0.20 | MG/L | 6010 | 05/24/2006 22:19 | TWS |
| Antimony - Total | ND | | 0.020 | MG/L | 6010 | 05/24/2006 22:19 | TWS |
| Arsenic - Total | 0.016 | | 0.010 | MG/L | 6010 | 05/24/2006 22:19 | TWS |
| Barium - Total | 0.39 | | 0.0020 | MG/L | 6010 | 05/24/2006 22:19 | TWS |
| Beryllium - Total | ND | | 0.0020 | MG/L | 6010 | 05/24/2006 22:19 | TWS |
| Cadmium - Total | ND | | 0.0010 | MG/L | 6010 | 05/24/2006 22:19 | TWS |
| Calcium - Total | 124 | | 0.50 | MG/L | 6010 | 05/24/2006 22:19 | TWS |
| Chromium - Total | 0.029 | | 0.0040 | MG/L | 6010 | 05/24/2006 22:19 | TWS |
| Cobalt - Total | 0.0096 | | 0.0040 | MG/L | 6010 | 05/24/2006 22:19 | TWS |
| Copper - Total | 0.069 | | 0.010 | MG/L | 6010 | 05/24/2006 22:19 | TWS |
| Iron - Total | 37.9 | | 0.050 | MG/L | 6010 | 05/24/2006 22:19 | TWS |
| Lead - Total | 0.14 | | 0.0050 | MG/L | 6010 | 05/24/2006 22:19 | TWS |
| Magnesium - Total | 36.7 | | 0.20 | MG/L | 6010 | 05/24/2006 22:19 | TWS |
| Manganese - Total | 1.2 | | 0.0030 | MG/L | 6010 | 05/24/2006 22:19 | TWS |
| Mercury - Total | ND | | 0.00020 | MG/L | 7470 | 05/22/2006 13:16 | LH |
| Nickel - Total | 0.030 | | 0.010 | MG/L | 6010 | 05/24/2006 22:19 | TWS |
| Potassium - Total | 31.3 | | 0.50 | MG/L | 6010 | 05/24/2006 22:19 | TWS |
| Selenium - Total | ND | | 0.015 | MG/L | 6010 | 05/24/2006 22:19 | TWS |
| Silver - Total | ND | | 0.0030 | MG/L | 6010 | 05/24/2006 22:19 | TWS |
| Sodium - Total | 71.1 | | 1.0 | MG/L | 6010 | 05/24/2006 22:19 | TWS |
| Thallium - Total | ND | | 0.020 | MG/L | 6010 | 05/24/2006 22:19 | TWS |
| Vanadium - Total | 0.032 | | 0.0050 | MG/L | 6010 | 05/24/2006 22:19 | TWS |
| Zinc - Total | 0.23 | | 0.010 | MG/L | 6010 | 05/24/2006 22:19 | TWS |

STL Buffalo

Date: 05/31/2006

Time: 19:54:33

NYSDEC

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

NYSDEC Spills - Bengart & Memel Site: 915115

12/16 Page: 4

Rept: AN1178

Sample ID: MW-19R

Lab Sample ID: A6570202

Date Collected: 05/17/2006

Time Collected: 11:45

Date Received: 05/18/2006

Project No: NY5A946109

Client No: L10190

Site No:

| Parameter | Result | Flag | Detection | | Units | Method | Date/Time | | Analyst |
|---------------------------------------|--------|------|-----------|--|-------|--------|------------|-------|---------|
| | | | Limit | | | | Analyzed | | |
| NYSDEC - AQUEOUS-SW8463 TCL 8260 | | | | | | | | | |
| 1,1,1-Trichloroethane | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| 1,1,2,2-Tetrachloroethane | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| 1,1,2-Trichloroethane | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| 1,1-Dichloroethane | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| 1,1-Dichloroethene | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| 1,2,4-Trichlorobenzene | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| 1,2-Dibromo-3-chloropropane | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| 1,2-Dibromoethane | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| 1,2-Dichlorobenzene | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| 1,2-Dichloroethane | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| 1,2-Dichloropropane | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| 1,3-Dichlorobenzene | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| 1,4-Dichlorobenzene | 2.5 | J | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| 2-Butanone | ND | | 25 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| 2-Hexanone | ND | | 25 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| 4-Methyl-2-pentanone | ND | | 25 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| Acetone | 25 | | 25 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| Benzene | 3.0 | J | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| Bromodichloromethane | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| Bromoform | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| Bromomethane | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| Carbon Disulfide | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| Carbon Tetrachloride | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| Chlorobenzene | 3.3 | J | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| Chloroethane | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| Chloroform | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| Chloromethane | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| cis-1,2-Dichloroethene | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| cis-1,3-Dichloropropene | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| Cyclohexane | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| Dibromochloromethane | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| Dichlorodifluoromethane | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| Ethylbenzene | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| Isopropylbenzene | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| Methyl acetate | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| Methyl-t-Butyl Ether (MTBE) | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| Methylcyclohexane | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| Methylene chloride | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| Styrene | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| Tetrachloroethene | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| Toluene | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| Total Xylenes | ND | | 15 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| trans-1,2-Dichloroethene | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| trans-1,3-Dichloropropene | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| Trichloroethene | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| Trichlorofluoromethane | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |
| Vinyl chloride | ND | | 5.0 | | UG/L | 8260 | 05/24/2006 | 17:23 | MG |

Date: 05/31/2006

Time: 19:54:33

NYSDEC

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

NYSDEC Spills - Bengart & Memel Site: 915115

13/16 Page: 5

Rept: AN1178

Sample ID: MW-5

Lab Sample ID: A6570203

Date Collected: 05/17/2006

Time Collected: 11:30

Date Received: 05/18/2006

Project No: NY5A946109

Client No: L10190

Site No:

| Parameter | Result | Flag | Detection | | Method | Date/Time | | Analyst |
|---------------------------------------|--------|------|-----------|-------|--------|------------|-------|---------|
| | | | Limit | Units | | Analyzed | | |
| NYSDEC - AQUEOUS-SW8463 TCL 8260 | | | | | | | | |
| 1,1,1-Trichloroethane | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| 1,1,2,2-Tetrachloroethane | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| 1,1,2-Trichloroethane | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| 1,1-Dichloroethane | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| 1,1-Dichloroethene | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| 1,2,4-Trichlorobenzene | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| 1,2-Dibromo-3-chloropropane | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| 1,2-Dibromoethane | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| 1,2-Dichlorobenzene | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| 1,2-Dichloroethane | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| 1,2-Dichloropropane | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| 1,3-Dichlorobenzene | 4.6 | J | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| 1,4-Dichlorobenzene | 7.4 | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| 2-Butanone | ND | | 25 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| 2-Hexanone | ND | | 25 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| 4-Methyl-2-pentanone | ND | | 25 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| Acetone | 30 | | 25 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| Benzene | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| Bromodichloromethane | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| Bromoform | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| Bromomethane | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| Carbon Disulfide | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| Carbon Tetrachloride | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| Chlorobenzene | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| Chloroethane | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| Chloroform | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| Chloromethane | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| cis-1,2-Dichloroethene | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| cis-1,3-Dichloropropene | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| Cyclohexane | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| Dibromochloromethane | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| Dichlorodifluoromethane | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| Ethylbenzene | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| Isopropylbenzene | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| Methyl acetate | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| Methyl-t-Butyl Ether (MTBE) | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| Methylcyclohexane | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| Methylene chloride | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| Styrene | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| Tetrachloroethene | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| Toluene | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| Total Xylenes | ND | | 15 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| trans-1,2-Dichloroethene | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| trans-1,3-Dichloropropene | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| Trichloroethene | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| Trichlorofluoromethane | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |
| Vinyl chloride | ND | | 5.0 | UG/L | 8260 | 05/24/2006 | 17:47 | MG |

Date: 05/31/2006

Time: 19:54:33

NYSDEC

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

NYSDEC Spills - Bengart & Memel Site: 915115

14\16 Page: 6
Rept: AN1178

Sample ID: MW-5

Lab Sample ID: A6570203

Date Collected: 05/17/2006

Time Collected: 11:30

Date Received: 05/18/2006

Project No: NY5A946109

Client No: L10190

Site No:

| Parameter | Result | Flag | Detection Limit | Units | Method | Date/Time Analyzed | Analyst |
|------------------------------|--------|------|--------------------|-------|--------|-----------------------|---------|
| NYSDEC-AQ-SW8463 8082 - PCBS | | | | | | | |
| Aroclor 1016 | ND | | 0.94 | UG/L | 8082 | 05/25/2006 03:14 | GFD |
| Aroclor 1221 | ND | | 0.94 | UG/L | 8082 | 05/25/2006 03:14 | GFD |
| Aroclor 1232 | ND | | 0.94 | UG/L | 8082 | 05/25/2006 03:14 | GFD |
| Aroclor 1242 | ND | | 0.94 | UG/L | 8082 | 05/25/2006 03:14 | GFD |
| Aroclor 1248 | ND | | 0.94 | UG/L | 8082 | 05/25/2006 03:14 | GFD |
| Aroclor 1254 | ND | | 0.94 | UG/L | 8082 | 05/25/2006 03:14 | GFD |
| Aroclor 1260 | 28 | | 0.94 | UG/L | 8082 | 05/25/2006 03:14 | GFD |

Date: 05/31/2006

Time: 19:54:33

NYSDEC

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

NYSDEC Spills - Bengart & Memel Site: 915115

15/16 Page: 7

Rept: AN1178

Sample ID: Trip Blank

Lab Sample ID: A6570204

Date Collected: 05/17/2006

Time Collected:

Date Received: 05/18/2006

Project No: NY5A946109

Client No: L10190

Site No:

| Parameter | Result | Flag | Detection | | Method | Date/Time | | Analyst |
|---------------------------------------|--------|------|-----------|-------|--------|------------------|--|---------|
| | | | Limit | Units | | Analyzed | | |
| NYSDEC - AQUEOUS-SW8463 TCL 8260 | | | | | | | | |
| 1,1,1-Trichloroethane | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| 1,1,2,2-Tetrachloroethane | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| 1,1,2-Trichloroethane | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| 1,1-Dichloroethane | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| 1,1-Dichloroethene | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| 1,2,4-Trichlorobenzene | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| 1,2-Dibromo-3-chloropropane | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| 1,2-Dibromoethane | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| 1,2-Dichlorobenzene | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| 1,2-Dichloroethane | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| 1,2-Dichloropropane | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| 1,3-Dichlorobenzene | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| 1,4-Dichlorobenzene | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| 2-Butanone | ND | | 5.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| 2-Hexanone | ND | | 5.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| 4-Methyl-2-pentanone | ND | | 5.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| Acetone | ND | | 5.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| Benzene | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| Bromodichloromethane | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| Bromoform | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| Bromomethane | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| Carbon Disulfide | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| Carbon Tetrachloride | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| Chlorobenzene | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| Chloroethane | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| Chloroform | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| Chloromethane | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| cis-1,2-Dichloroethene | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| cis-1,3-Dichloropropene | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| Cyclohexane | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| Dibromochloromethane | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| Dichlorodifluoromethane | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| Ethylbenzene | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| Isopropylbenzene | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| Methyl acetate | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| Methyl-t-Butyl Ether (MTBE) | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| Methylcyclohexane | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| Methylene chloride | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| Styrene | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| Tetrachloroethene | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| Toluene | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| Total Xylenes | ND | | 3.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| trans-1,2-Dichloroethene | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| trans-1,3-Dichloropropene | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| Trichloroethene | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| Trichlorofluoromethane | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |
| Vinyl chloride | ND | | 1.0 | UG/L | 8260 | 05/24/2006 12:14 | | MG |

THE

Severn Trent Laboratories, Inc.

Chain of Custody Record

STL-4124 (0901)

| | | | |
|-----------------------------|--|----------------|-----------------------------------|
| Client NYSDCL REG. 9 DER | Project Manager ALBENE MELNYK | Date 5/1/06 | Chain of Custody Number 252294 |
| Address 270 Mchigan Ave. | Telephone Number (Area Code)/Fax Number 716-851-7270/851-7226 | Lab Number | Page 1 of 1 |

| | | | | | |
|-----------------------------------|-------|------------|------------------------|--------------|--|
| City | State | Zip Code | Site Contact | Lab. Contact | Analysis (Attach list if more space is needed) |
| Buffalo | Ny | 14203-2999 | Ronald J. Paster | B. Fischer | |
| Project Name and Location (State) | | | Carrier/Waybill Number | | |
| Buffalo, NY | | | 11 4-1-73 | | |

| | | | |
|----------------------------------|--|----------------------------|--------|
| BENGALURU & MEMEL GILLNET 115154 | | Containers & Preservatives | Matrix |
| Contract/Package Order/Quote No: | | C200305 | |

| Sample I.D. No. and Description (Containers for each sample may be combined on one line) | Date | Time | Air | Aqueous | Sed | Soil | Unpres | H ₂ SO ₄ | HNO ₃ | HCl | NaOH | ZnAc | PC | 72 | 72 | 72 |
|---|---------|--------|-----|---------|-----|------|--------|--------------------------------|------------------|-----|------|------|----|----|----|----|
| MW-5 | 5/17/06 | 11:30h | | ✓ | ✓ | | ✓ | ✓ | | ✓ | | | 13 | 72 | 72 | 72 |
| MW-19 | 5/16/06 | 13:50h | | ✓ | ✓ | | ✓ | ✓ | ✓ | | | | 23 | 21 | | |
| MW-19R | 5/17/06 | 11:50h | | ✓ | ✓ | | | | | ✓ | | | 3 | | | |

↓
Received & Tests
Assigned - 05/1

| | | | |
|--------------------------------|--|---|---|
| Possible Hazard Identification | <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input checked="" type="checkbox"/> Poison B <input checked="" type="checkbox"/> Unknown | Sample Disposal <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months | (A fee may be assessed if samples are retained longer than 1 month) |
|--------------------------------|--|---|---|

Turn Around Time Required

| | | | | | |
|-----------------------------------|-----------------------------------|---------------------------------|----------------------------------|----------------------------------|---|
| <input type="checkbox"/> 24 Hours | <input type="checkbox"/> 48 Hours | <input type="checkbox"/> 7 Days | <input type="checkbox"/> 14 Days | <input type="checkbox"/> 21 Days | <input checked="" type="checkbox"/> Other |
|-----------------------------------|-----------------------------------|---------------------------------|----------------------------------|----------------------------------|---|

STANDARD TO DugOC Requirements (Specify)

SEE T/A

| 1. Relinquished By | Date | Time | 2. Received By | Date | Time |
|--------------------|---------|-------|----------------|---------|-------|
| <i>[Signature]</i> | 5/18/06 | 13:55 | SPC Biff Aho | 5/18/06 | 1555- |

| 2. Relinquished By | Date | Time | 2. Received By | Date | Time |
|--------------------|----------------|-------------|----------------|------|------|
| <i>[Signature]</i> | <i>10/1/01</i> | <i>1:00</i> | | | |

| | Date | Time | 3. Received By | Date | Time |
|--------------------------|------|------|----------------|------|------|
| 3. Relinquished By _____ | | | | | |

[illegible]

DISTRIBUTION: WHITE - Returned to Client with Report; CANARY - Stays with the Sample; PINK - Field Copy

5:40c

ANALYTICAL REPORT

Job#: A06-5028,A06-5029,A06-5030,A06-5031

STL Project#: NY5A946109

SDG#: 5029

Site Name: NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

Task: NYSDEC Spills - Bengart & Memel Site: 915115

Eugene Melnyk
NYSDEC - Region 9
270 Michigan Ave
Buffalo, NY 14203

STL Buffalo

Brian J. Fischer
Project Manager

05/22/2006

STL Buffalo Current Certifications

As of 4/10//2006

| STATE | Program | Cert # / Lab ID |
|-----------------------|----------------------------------|------------------------|
| AFCEE | AFCEE | |
| Arkansas | SDWA, CWA, RCRA, SOIL | 03-054-D/88-0686 |
| California | NELAP CWA, RCRA | 01169CA |
| Connecticut | SDWA, CWA, RCRA, SOIL | PH-0568 |
| Florida | NELAP CWA, RCRA | E87672 |
| Georgia | SDWA | 956 |
| Illinois | NELAP SDWA, CWA, RCRA | 200003 |
| Iowa | SW/CS | 374 |
| Kansas | NELAP SDWA, CWA, RCRA | E-10187 |
| Kentucky | SDWA | 90029 |
| Kentucky UST | UST | 30 |
| Louisiana | NELAP CWA, RCRA | 2031 |
| Maine | SDWA, CWA | NY044 |
| Maryland | SDWA | 294 |
| Massachusetts | SDWA, CWA | M-NY044 |
| Michigan | SDWA | 9937 |
| Minnesota | SDWA, CWA, RCRA | 036-999-337 |
| New Hampshire | NELAP SDWA, CWA | 233701 |
| New Jersey | SDWA, CWA, RCRA, CLP | NY455 |
| New York | NELAP, AIR, SDWA, CWA, RCRA, ASP | 10026 |
| Oklahoma | CWA, RCRA | 9421 |
| Pennsylvania | Env. Lab Reg. | 68-281 |
| South Carolina | RCRA | 91013 |
| Tennessee | SDWA | 02970 |
| USACE | USACE | |
| USDA | FOREIGN SOIL PERMIT | S-41579 |
| USDOE | Department of Energy | DOECAP-STB |
| Virginia | SDWA | 278 |
| Washington | CWA, RCRA | C1677 |
| West Virginia | CWA, RCRA | 252 |
| Wisconsin | CWA | 998310390 |

SAMPLE SUMMARY

| LAB SAMPLE ID | CLIENT SAMPLE ID | MATRIX | SAMPLED | | RECEIVED | |
|---------------|----------------------|--------|------------|-------|------------|-------|
| | | | DATE | TIME | DATE | TIME |
| A6502806 | B1 16-24 | SOIL | 05/04/2006 | 10:30 | 05/05/2006 | 13:05 |
| A6502811 | B10 24-28 | SOIL | 05/04/2006 | 13:05 | 05/05/2006 | 13:05 |
| A6502817 | B12 24-29 | SOIL | 05/04/2006 | 14:25 | 05/05/2006 | 13:05 |
| A6502814 | B13 41-48 | SOIL | 05/04/2006 | 13:45 | 05/05/2006 | 13:05 |
| A6502813 | B13 VOC 5-43 | SOIL | 05/04/2006 | 13:40 | 05/05/2006 | 13:05 |
| A6502819 | B14 35-39 | SOIL | 05/04/2006 | 14:50 | 05/05/2006 | 13:05 |
| A6502818 | B14 VOC 4-39 | SOIL | 05/04/2006 | 14:45 | 05/05/2006 | 13:05 |
| A6502901 | B15 9-39 | SOIL | 05/04/2006 | 15:25 | 05/05/2006 | 13:05 |
| A6502820 | B16 32-37 | SOIL | 05/04/2006 | 15:05 | 05/05/2006 | 13:05 |
| A6502904 | B17 30-38 | SOIL | 05/04/2006 | 15:55 | 05/05/2006 | 13:05 |
| A6502903 | B17 VOC 38-46 | SOIL | 05/04/2006 | 15:50 | 05/05/2006 | 13:05 |
| A6502906 | B18 5-23 | SOIL | 05/04/2006 | 16:25 | 05/05/2006 | 13:05 |
| A6502908 | B19 8-40 | SOIL | 05/04/2006 | 16:40 | 05/05/2006 | 13:05 |
| A6502907 | B19 VOC 8-36 | SOIL | 05/04/2006 | 16:35 | 05/05/2006 | 13:05 |
| A6502803 | B2 21-27 | SOIL | 05/04/2006 | 09:40 | 05/05/2006 | 13:05 |
| A6502905 | B20 8-35 | SOIL | 05/04/2006 | 16:05 | 05/05/2006 | 13:05 |
| A6502912 | B21 0-24 | SOIL | 05/05/2006 | 10:10 | 05/05/2006 | 13:05 |
| A6502913 | B21 VOC 24-48 | SOIL | 05/05/2006 | 10:20 | 05/05/2006 | 13:05 |
| A6502911 | B22 SVOC 24-48 | SOIL | 05/05/2006 | 09:35 | 05/05/2006 | 13:05 |
| A6502910 | B22 VOC 0-24 | SOIL | 05/05/2006 | 09:20 | 05/05/2006 | 13:05 |
| A6502915 | B23 24-48 | SOIL | 05/05/2006 | 11:00 | 05/05/2006 | 13:05 |
| A6502914 | B23 VOC 0-24 | SOIL | 05/05/2006 | 10:45 | 05/05/2006 | 13:05 |
| A6502916 | B24 0-48 | SOIL | 05/05/2006 | 11:20 | 05/05/2006 | 13:05 |
| A6502801 | B3 31-35 | SOIL | 05/04/2006 | 09:10 | 05/05/2006 | 13:05 |
| A6502802 | B4 18-24 | SOIL | 05/04/2006 | 09:20 | 05/05/2006 | 13:05 |
| A6502804 | B5 32-37 | SOIL | 05/04/2006 | 09:55 | 05/05/2006 | 13:05 |
| A6502805 | B5 48-56 | SOIL | 05/04/2006 | 10:05 | 05/05/2006 | 13:05 |
| A6502810 | B6 28-38 | SOIL | 05/04/2006 | 11:45 | 05/05/2006 | 13:05 |
| A6502809 | B6 VOC | SOIL | 05/04/2006 | 11:50 | 05/05/2006 | 13:05 |
| A6502808 | B7 32-37 | SOIL | 05/04/2006 | 11:15 | 05/05/2006 | 13:05 |
| A6502807 | B8 37-42 | SOIL | 05/04/2006 | 11:00 | 05/05/2006 | 13:05 |
| A6502815 | B9 23-28 | SOIL | 05/04/2006 | 13:30 | 05/05/2006 | 13:05 |
| A6502812 | B9 5-9 | SOIL | 05/04/2006 | 13:25 | 05/05/2006 | 13:05 |
| A6503002 | COLLECTION SUMP | WATER | 05/02/2006 | 13:45 | 05/03/2006 | 12:10 |
| A6502902 | COMPOSITE AREA A | SOIL | 05/04/2006 | 15:30 | 05/05/2006 | 13:05 |
| A6502909 | COMPOSITE AREA B | SOIL | 05/04/2006 | 16:55 | 05/05/2006 | 13:05 |
| A6502816 | DI SEDIMENT | SOIL | 05/04/2006 | 14:05 | 05/05/2006 | 13:05 |
| A6503101 | FLOOR DUST | SOIL | 05/05/2006 | 11:50 | 05/05/2006 | 13:05 |
| A6503003 | OWS MANHOLE | WATER | 05/02/2006 | 14:30 | 05/03/2006 | 12:10 |
| A6503006 | SURFACE SAMPLE-FENCE | SOIL | 05/02/2006 | 14:10 | 05/03/2006 | 12:10 |
| A6503007 | SURFACE SOIL-FILL AR | SOIL | 05/02/2006 | 15:00 | 05/03/2006 | 12:10 |
| A6503005 | SURFACE SOIL-MH | SOIL | 05/02/2006 | 14:00 | 05/03/2006 | 12:10 |
| A6503001 | TANK CONTAINMENT | WATER | 05/02/2006 | 13:05 | 05/03/2006 | 12:10 |
| A6503004 | TANK CONTAINMENT SED | SEDIM | 05/02/2006 | 13:25 | 05/03/2006 | 12:10 |
| A6503102 | WIPE 1 | WIPE | 05/05/2006 | 11:55 | 05/05/2006 | 13:05 |
| A6503103 | WIPE 2 | WIPE | 05/05/2006 | 12:00 | 05/05/2006 | 13:05 |
| A6503104 | WIPE 3 | WIPE | 05/05/2006 | 12:05 | 05/05/2006 | 13:05 |
| A6503105 | WIPE 4 | WIPE | 05/05/2006 | 12:10 | 05/05/2006 | 13:05 |

METHODS SUMMARY

Job#: A06-5028,A06-5029,A06-5030,A06-5031STL Project#: NY5A946109SDG#: 5029Site Name: NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

| PARAMETER | ANALYTICAL METHOD |
|--|----------------------|
| NYSDEC-SPILLS - METHOD 8260 - TCL VOLATILES - S | SW8463 8260 |
| NYSDEC -S-METHOD 8270 - TCL SEMI-VOLATILE ORGANICS | SW8463 8270 |
| METHOD 8082 - POLYCHLORINATED BIPHENYLS | SW8463 8082 |
| METHOD 8082 - POLYCHLORINATED BIPHENYLS | SW8463 8082W |
| NYSDEC-SPILLS- 8082 - POLYCHLORINATED BIPHENYLS-S | SW8463 8082 |
| Arsenic - Total | SW8463 6010 |
| Barium - Total | SW8463 6010 |
| Cadmium - Total | SW8463 6010 |
| Chromium - Total | SW8463 6010 |
| Lead - Total | SW8463 6010 |
| Mercury - Total | SW8463 7470 |
| Mercury - Total | SW8463 7471 |
| Selenium - Total | SW8463 6010 |
| Silver - Total | SW8463 6010 |
| Corrosivity (pH) | SW8463 9045 |
| Flashpoint | SW8463 1010 |
| Toxicity Characteristic Leaching Procedure | ASP00 1311 |

ASP00 "Analytical Services Protocol", New York State Department of Conservation, June 2000.

SW8463 "Test Methods for Evaluating Solid Waste Physical/Chemical Methods (SW846), Third Edition, 9/86; Update I, 7/92; Update IIA, 8/93; Update II, 9/94; Update IIB, 1/95; Update III, 12/96.

NON-CONFORMANCE SUMMARY

Job#: A06-5028,A06-5029,A06-5030,A06-5031STL Project#: NY5A946109SDG#: 5029Site Name: NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACTGeneral Comments

The enclosed data may or may not have been reported utilizing data qualifiers (Q) as defined on the Data Comment Page.

Soil, sediment and sludge sample results are reported on "dry weight" basis unless otherwise noted in this data package.

According to 40CFR Part 136.3, pH, Chlorine Residual, Dissolved Oxygen, Sulfite, and Temperature analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field (e.g. pH-Field), they were not analyzed immediately, but as soon as possible after laboratory receipt.

Sample dilutions were performed as indicated on the attached Dilution Log. The rationale for dilution is specified by the 3-digit code and definition.

Sample Receipt Comments

A06-5028

Sample Cooler(s) were received at the following temperature(s); 2@2.0 °C
All samples were received in good condition.

A06-5029

Sample Cooler(s) were received at the following temperature(s); 2@2.0 °C
All samples were received in good condition.

A06-5030

Sample Cooler(s) were received at the following temperature(s); 2@2.0 °C
All samples were received in good condition.

A06-5031

Sample Cooler(s) were received at the following temperature(s); 2@2.0 °C
All samples were received in good condition.

GC/MS Volatile Data

The analyte Methylene Chloride was detected in the Method Blank A6B1866502 (VBLK52) at a level below the project established reporting limit. No corrective action is necessary for any values in Method Blanks that are below the requested reporting limits.

GC/MS Semivolatile Data

The surrogate recoveries for Phenol-D5 and p-Terphenyl-d14 were below the laboratory quality control limits for sample COMPOSITE AREA A. Based on US EPA CLP National Functional Guidelines for Data Review, one surrogate in either fraction (base/neutral or acid fraction) may have a recovery outside of the control limit. All analytes associated with that surrogate should be considered biased low.

GC Extractable Data

For method 8082, many samples required dilution prior to analysis due to the heavy matrix present or high concentration of target analytes. The surrogate and spike recoveries are diluted out of all sample extracts with a dilution factor of 10X or greater.

For method 8082, the recovery of surrogate Tetrachloro-m-xylene in sample B24 0-48 is outside of established quality control limits due to the sample matrix. The recovery of surrogate Decachlorobiphenyl is within quality control criteria; no corrective action is required.

For method 8082, the recoveries and the relative percent difference for sample B2 21-27 Matrix Spike and the Matrix Spike duplicate are outside quality control limits for several compounds due to matrix effects and dilution, though the Matrix Spike Blank recoveries are compliant, no action necessary.

For method 8082, the recoveries and the relative percent difference for sample B21 0-24 Matrix Spike and the Matrix Spike duplicate are outside quality control limits for several compounds due to dilution and high level positives, though the Matrix Spike Blank recoveries are compliant, no action necessary.

For method 8082, the recovery of surrogate Decachlorobiphenyl in sample B23 24-48 is outside of established quality control limits due to the sample matrix and dilution. The recovery of surrogate Tetrachloro-m-xylene is within quality control limits; no corrective action is required.

Metals Data

The analyte Barium was detected in the TCLP Extractor Blank (A6B1855201) at a level above the project established reporting limit. However, all samples had levels of Barium greater than ten times that of the Extractor Blank value, therefore, no corrective action was necessary.

The analyte Lead was detected in the TCLP Extractor Blank (A6B1855201) at a concentration above STL's standard quantitation limit. Sample COMPOSITE AREA A was least five times less than the TCLP Regulatory Limit and COMPOSITE AREA B had concentrations of Lead greater than 10X that of the Extractor Blank (A6B1855201) value. The sample data was therefore accepted and no corrective action was performed.

Wet Chemistry Data

No deviations from protocol were encountered during the analytical procedures.

The results presented in this report relate only to the analytical testing and condition of the sample at receipt. This report pertains to only those samples actually tested. All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.

"I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory Manager or his designee, as verified by the following signature."

Brian J. Fischer
Project Manager

Date

| Client Sample ID | Lab Sample ID | Parameter (Inorganic)/Method (Organic) | Dilution | Code |
|----------------------|---------------|--|----------|------|
| B3 31-35 | A6502801 | 8082 | 10.00 | 008 |
| B4 18-24 | A6502802 | 8082 | 100.00 | 008 |
| B2 21-27 | A6502803 | 8082 | 10.00 | 008 |
| B2 21-27 | A6502803MS | 8082 | 10.00 | 008 |
| B2 21-27 | A6502803SD | 8082 | 10.00 | 008 |
| B5 32-37 | A6502804 | 8082 | 100.00 | 008 |
| B5 48-56 | A6502805 | 8082 | 100.00 | 008 |
| B1 16-24 | A6502806 | 8082 | 100.00 | 008 |
| B8 37-42 | A6502807 | 8082 | 20.00 | 008 |
| B7 32-37 | A6502808 | 8082 | 200.00 | 008 |
| B6 28-38 | A6502810 | 8082 | 50.00 | 008 |
| B10 24-28 | A6502811 | 8082 | 50.00 | 008 |
| B9 5-9 | A6502812 | 8082 | 200.00 | 008 |
| B9 23-28 | A6502815 | 8082 | 100.00 | 008 |
| DI SEDIMENT | A6502816 | 8082 | 100.00 | 008 |
| B14 35-39 | A6502819 | 8082 | 50.00 | 008 |
| B16 32-37 | A6502820 | 8082 | 200.00 | 008 |
| B15 9-39 | A6502901 | 8082 | 2.00 | 008 |
| COMPOSITE AREA A | A6502902 | 8270 | 20.00 | 012 |
| COMPOSITE AREA A | A6502902 | Mercury - Total | 5.00 | 008 |
| B17 30-38 | A6502904 | 8082 | 10.00 | 008 |
| B18 5-23 | A6502906 | 8082 | 100.00 | 008 |
| B19 VOC 8-36 | A6502907DL | 8260 | 2.00 | 008 |
| B19 8-40 | A6502908 | 8082 | 100.00 | 008 |
| COMPOSITE AREA B | A6502909 | 8270 | 20.00 | 012 |
| COMPOSITE AREA B | A6502909 | Mercury - Total | 5.00 | 008 |
| B22 SVOC 24-48 | A6502911 | 8270 | 10.00 | 012 |
| B21 0-24 | A6502912 | 8082 | 1000.00 | 008 |
| B21 0-24 | A6502912MS | 8082 | 1000.00 | 008 |
| B21 0-24 | A6502912SD | 8082 | 1000.00 | 008 |
| B23 24-48 | A6502915 | 8082 | 5.00 | 008 |
| COLLECTION SUMP | A6503002 | 8082 | 10.00 | 008 |
| OWS MANHOLE | A6503003 | 8082 | 5.00 | 008 |
| TANK CONTAINMENT SED | A6503004 | 8082 | 50.00 | 008 |
| SURFACE SOIL-MH | A6503005 | 8082 | 50.00 | 008 |
| SURFACE SAMPLE-FENCE | A6503006 | 8082 | 100.00 | 008 |
| SURFACE SOIL-FILL AR | A6503007 | 8082 | 100.00 | 008 |
| FLOOR DUST | A6503101 | 8082 | 1000.00 | 008 |
| WIPE 1 | A6503102 | 8082W | 100.00 | 008 |
| WIPE 2 | A6503103 | 8082W | 200.00 | 008 |

Dilution Code Definition:

- 002 - sample matrix effects
- 003 - excessive foaming
- 004 - high levels of non-target compounds
- 005 - sample matrix resulted in method non-compliance for an Internal Standard
- 006 - sample matrix resulted in method non-compliance for Surrogate
- 007 - nature of the TCLP matrix
- 008 - high concentration of target analyte(s)
- 009 - sample turbidity
- 010 - sample color
- 011 - insufficient volume for lower dilution
- 012 - sample viscosity
- 013 - other

| <u>Client Sample ID</u> | <u>Lab Sample ID</u> | <u>Parameter (Inorganic)/Method (Organic)</u> | <u>Dilution</u> | <u>Code</u> |
|-------------------------|----------------------|---|-----------------|-------------|
| WIPE 3 | A6503104 | 8082W | 500.00 | 008 |
| WIPE 4 | A6503105 | 8082W | 500.00 | 008 |

Dilution Code Definition:

- 002 - sample matrix effects
- 003 - excessive foaming
- 004 - high levels of non-target compounds
- 005 - sample matrix resulted in method non-compliance for an Internal Standard
- 006 - sample matrix resulted in method non-compliance for Surrogate
- 007 - nature of the TCLP matrix
- 008 - high concentration of target analyte(s)
- 009 - sample turbidity
- 010 - sample color
- 011 - insufficient volume for lower dilution
- 012 - sample viscosity
- 013 - other



DATA QUALIFIER PAGE

These definitions are provided in the event the data in this report requires the use of one or more of the qualifiers. Not all qualifiers defined below are necessarily used in the accompanying data package.

ORGANIC DATA QUALIFIERS

ND or U Indicates compound was analyzed for, but not detected.

J Indicates an estimated value. This flag is used either when estimating a concentration for tentatively identified compounds where a 1:1 response is assumed, or when the data indicates the presence of a compound that meets the identification criteria but the result is less than the sample quantitation limit but greater than zero.

C This flag applies to pesticide results where the identification has been confirmed by GC/MS.

B This flag is used when the analyte is found in the associated blank, as well as in the sample.

E This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis.

D This flag identifies all compounds identified in an analysis at the secondary dilution factor.

N Indicates presumptive evidence of a compound. This flag is used only for tentatively identified compounds, where the identification is based on the Mass Spectral library search. It is applied to all TIC results.

P This flag is used for CLP methodology only. For Pesticide/Aroclor target analytes, when a difference for detected concentrations between the two GC columns is greater than 25%, the lower of the two values is reported on the data page and flagged with a "P".

A This flag indicates that a TIC is a suspected aldol-condensation product.

1 Indicates coelution.

* Indicates analysis is not within the quality control limits.

INORGANIC DATA QUALIFIERS

ND or U Indicates element was analyzed for, but not detected. Report with the detection limit value.

J or B Indicates a value greater than or equal to the instrument detection limit, but less than the quantitation limit.

N Indicates spike sample recovery is not within the quality control limits.

S Indicates value determined by the Method of Standard Addition.

E Indicates a value estimated or not reported due to the presence of interferences.

H Indicates analytical holding time exceedance. The value obtained should be considered an estimate.

* Indicates the spike or duplicate analysis is not within the quality control limits.

+ Indicates the correlation coefficient for the Method of Standard Addition is less than 0.995.

Sample ID: B1 16-24
Lab Sample ID: A6502806
Date Collected: 05/04/2006
Time Collected: 10:30

Date Received: 05/05/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | Units | Method | Date/Time | | Analyst |
|---|--------|------|-----------|--|-------|--------|------------------|--|---------|
| | | | Limit | | | | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBs | | | | | | | | | |
| Aroclor 1016 | ND | | 1800 | | UG/KG | 8082 | 05/12/2006 18:25 | | DW |
| Aroclor 1221 | ND | | 1800 | | UG/KG | 8082 | 05/12/2006 18:25 | | DW |
| Aroclor 1232 | ND | | 1800 | | UG/KG | 8082 | 05/12/2006 18:25 | | DW |
| Aroclor 1242 | ND | | 1800 | | UG/KG | 8082 | 05/12/2006 18:25 | | DW |
| Aroclor 1248 | ND | | 1800 | | UG/KG | 8082 | 05/12/2006 18:25 | | DW |
| Aroclor 1254 | ND | | 1800 | | UG/KG | 8082 | 05/12/2006 18:25 | | DW |
| Aroclor 1260 | 12000 | | 1800 | | UG/KG | 8082 | 05/12/2006 18:25 | | DW |

Sample ID: B10 24-28
Lab Sample ID: A6502811
Date Collected: 05/04/2006
Time Collected: 13:05

Date Received: 05/05/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | Units | Method | Date/Time | | Analyst |
|---|--------|------|-----------|--|-------|--------|------------------|--|---------|
| | | | Limit | | | | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBs | | | | | | | | | |
| Aroclor 1016 | ND | | 1000 | | UG/KG | 8082 | 05/12/2006 20:11 | | DW |
| Aroclor 1221 | ND | | 1000 | | UG/KG | 8082 | 05/12/2006 20:11 | | DW |
| Aroclor 1232 | ND | | 1000 | | UG/KG | 8082 | 05/12/2006 20:11 | | DW |
| Aroclor 1242 | ND | | 1000 | | UG/KG | 8082 | 05/12/2006 20:11 | | DW |
| Aroclor 1248 | ND | | 1000 | | UG/KG | 8082 | 05/12/2006 20:11 | | DW |
| Aroclor 1254 | ND | | 1000 | | UG/KG | 8082 | 05/12/2006 20:11 | | DW |
| Aroclor 1260 | 11000 | | 1000 | | UG/KG | 8082 | 05/12/2006 20:11 | | DW |

Sample ID: B12 24-29
Lab Sample ID: A6502817
Date Collected: 05/04/2006
Time Collected: 14:25

Date Received: 05/05/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | Method | Date/Time | | Analyst |
|---|--------|------|-----------|-------|--------|------------------|--|---------|
| | | | Limit | Units | | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBs | | | | | | | | |
| Aroclor 1016 | ND | | 22 | UG/KG | 8082 | 05/12/2006 21:40 | | DW |
| Aroclor 1221 | ND | | 22 | UG/KG | 8082 | 05/12/2006 21:40 | | DW |
| Aroclor 1232 | ND | | 22 | UG/KG | 8082 | 05/12/2006 21:40 | | DW |
| Aroclor 1242 | ND | | 22 | UG/KG | 8082 | 05/12/2006 21:40 | | DW |
| Aroclor 1248 | 25 | | 22 | UG/KG | 8082 | 05/12/2006 21:40 | | DW |
| Aroclor 1254 | 130 | | 22 | UG/KG | 8082 | 05/12/2006 21:40 | | DW |
| Aroclor 1260 | 340 | | 22 | UG/KG | 8082 | 05/12/2006 21:40 | | DW |

Sample ID: B13 41-48
Lab Sample ID: A6502814
Date Collected: 05/04/2006
Time Collected: 13:45

Date Received: 05/05/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | Method | Date/Time | | Analyst |
|---|--------|------|-----------|-------|--------|------------------|--|---------|
| | | | Limit | Units | | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBs | | | | | | | | |
| Aroclor 1016 | ND | | 20 | UG/KG | 8082 | 05/12/2006 20:47 | | DW |
| Aroclor 1221 | ND | | 20 | UG/KG | 8082 | 05/12/2006 20:47 | | DW |
| Aroclor 1232 | ND | | 20 | UG/KG | 8082 | 05/12/2006 20:47 | | DW |
| Aroclor 1242 | ND | | 20 | UG/KG | 8082 | 05/12/2006 20:47 | | DW |
| Aroclor 1248 | 32 | | 20 | UG/KG | 8082 | 05/12/2006 20:47 | | DW |
| Aroclor 1254 | ND | | 20 | UG/KG | 8082 | 05/12/2006 20:47 | | DW |
| Aroclor 1260 | 180 | | 20 | UG/KG | 8082 | 05/12/2006 20:47 | | DW |

Sample ID: B13 VOC 5-43

Date Received: 05/05/2006

Lab Sample ID: A6502813

Project No: NY5A946109

Date Collected: 05/04/2006

Client No: L10190

Time Collected: 13:40

Site No:

| Parameter | Result | Flag | Detection | | Method | Date/Time | | Analyst |
|---|--------|------|-----------|-------|--------|------------------|--|---------|
| | | | Limit | Units | | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8260 - TCL VOLATI | | | | | | | | |
| 1,1,1-Trichloroethane | ND | | 7 | UG/KG | 8260 | 05/08/2006 21:55 | | JLG |
| 1,1,2,2-Tetrachloroethane | ND | | 7 | UG/KG | 8260 | 05/08/2006 21:55 | | JLG |
| 1,1,2-Trichloroethane | ND | | 7 | UG/KG | 8260 | 05/08/2006 21:55 | | JLG |
| 1,1-Dichloroethane | ND | | 7 | UG/KG | 8260 | 05/08/2006 21:55 | | JLG |
| 1,1-Dichloroethene | ND | | 7 | UG/KG | 8260 | 05/08/2006 21:55 | | JLG |
| 1,2-Dichloroethane | ND | | 7 | UG/KG | 8260 | 05/08/2006 21:55 | | JLG |
| 1,2-Dichloroethene (Total) | ND | | 15 | UG/KG | 8260 | 05/08/2006 21:55 | | JLG |
| 1,2-Dichloropropane | ND | | 7 | UG/KG | 8260 | 05/08/2006 21:55 | | JLG |
| 2-Butanone | ND | | 37 | UG/KG | 8260 | 05/08/2006 21:55 | | JLG |
| 2-Hexanone | ND | | 37 | UG/KG | 8260 | 05/08/2006 21:55 | | JLG |
| 4-Methyl-2-pentanone | ND | | 37 | UG/KG | 8260 | 05/08/2006 21:55 | | JLG |
| Acetone | 40 | | 37 | UG/KG | 8260 | 05/08/2006 21:55 | | JLG |
| Benzene | ND | | 7 | UG/KG | 8260 | 05/08/2006 21:55 | | JLG |
| Bromodichloromethane | ND | | 7 | UG/KG | 8260 | 05/08/2006 21:55 | | JLG |
| Bromoform | ND | | 7 | UG/KG | 8260 | 05/08/2006 21:55 | | JLG |
| Bromomethane | ND | | 7 | UG/KG | 8260 | 05/08/2006 21:55 | | JLG |
| Carbon Disulfide | ND | | 7 | UG/KG | 8260 | 05/08/2006 21:55 | | JLG |
| Carbon Tetrachloride | ND | | 7 | UG/KG | 8260 | 05/08/2006 21:55 | | JLG |
| Chlorobenzene | ND | | 7 | UG/KG | 8260 | 05/08/2006 21:55 | | JLG |
| Chloroethane | ND | | 7 | UG/KG | 8260 | 05/08/2006 21:55 | | JLG |
| Chloroform | ND | | 7 | UG/KG | 8260 | 05/08/2006 21:55 | | JLG |
| Chloromethane | ND | | 7 | UG/KG | 8260 | 05/08/2006 21:55 | | JLG |
| cis-1,3-Dichloropropene | ND | | 7 | UG/KG | 8260 | 05/08/2006 21:55 | | JLG |
| Dibromochloromethane | ND | | 7 | UG/KG | 8260 | 05/08/2006 21:55 | | JLG |
| Ethylbenzene | ND | | 7 | UG/KG | 8260 | 05/08/2006 21:55 | | JLG |
| Methylene chloride | 8 | B | 7 | UG/KG | 8260 | 05/08/2006 21:55 | | JLG |
| Styrene | ND | | 7 | UG/KG | 8260 | 05/08/2006 21:55 | | JLG |
| Tetrachloroethene | ND | | 7 | UG/KG | 8260 | 05/08/2006 21:55 | | JLG |
| Toluene | ND | | 7 | UG/KG | 8260 | 05/08/2006 21:55 | | JLG |
| Total Xylenes | ND | | 22 | UG/KG | 8260 | 05/08/2006 21:55 | | JLG |
| trans-1,3-Dichloropropene | ND | | 7 | UG/KG | 8260 | 05/08/2006 21:55 | | JLG |
| Trichloroethene | ND | | 7 | UG/KG | 8260 | 05/08/2006 21:55 | | JLG |
| Vinyl acetate | ND | | 37 | UG/KG | 8260 | 05/08/2006 21:55 | | JLG |
| Vinyl chloride | ND | | 15 | UG/KG | 8260 | 05/08/2006 21:55 | | JLG |

Sample ID: B14 35-39
Lab Sample ID: A6502819
Date Collected: 05/04/2006
Time Collected: 14:50

Date Received: 05/05/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | Units | Method | Date/Time | | Analyst |
|---|--------|------|-----------|--|-------|--------|------------------|--|---------|
| | | | Limit | | | | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBs | | | | | | | | | |
| Aroclor 1016 | ND | | 1000 | | UG/KG | 8082 | 05/12/2006 21:57 | | DW |
| Aroclor 1221 | ND | | 1000 | | UG/KG | 8082 | 05/12/2006 21:57 | | DW |
| Aroclor 1232 | ND | | 1000 | | UG/KG | 8082 | 05/12/2006 21:57 | | DW |
| Aroclor 1242 | ND | | 1000 | | UG/KG | 8082 | 05/12/2006 21:57 | | DW |
| Aroclor 1248 | ND | | 1000 | | UG/KG | 8082 | 05/12/2006 21:57 | | DW |
| Aroclor 1254 | 4800 | | 1000 | | UG/KG | 8082 | 05/12/2006 21:57 | | DW |
| Aroclor 1260 | 3000 | | 1000 | | UG/KG | 8082 | 05/12/2006 21:57 | | DW |

Date: 05/22/2006

NYSDEC

17/67 Page: 7

Time: 22:39:56

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

Rept: AN1178

NYSDEC Spills - Bengart & Memel Site: 915115

Sample ID: B14 VOC 4-39

Date Received: 05/05/2006

Lab Sample ID: A6502818

Project No: NY5A946109

Date Collected: 05/04/2006

Client No: L10190

Time Collected: 14:45

Site No:

| Parameter | Result | Flag | Detection | | Method | Date/Time | | Analyst |
|---|--------|------|-----------|-------|--------|------------------|--|---------|
| | | | Limit | Units | | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8260 - TCL VOLATI | | | | | | | | |
| 1,1,1-Trichloroethane | ND | | 6 | UG/KG | 8260 | 05/08/2006 22:24 | | JLG |
| 1,1,2,2-Tetrachloroethane | ND | | 6 | UG/KG | 8260 | 05/08/2006 22:24 | | JLG |
| 1,1,2-Trichloroethane | ND | | 6 | UG/KG | 8260 | 05/08/2006 22:24 | | JLG |
| 1,1-Dichloroethane | ND | | 6 | UG/KG | 8260 | 05/08/2006 22:24 | | JLG |
| 1,1-Dichloroethene | ND | | 6 | UG/KG | 8260 | 05/08/2006 22:24 | | JLG |
| 1,2-Dichloroethane | ND | | 6 | UG/KG | 8260 | 05/08/2006 22:24 | | JLG |
| 1,2-Dichloroethene (Total) | ND | | 12 | UG/KG | 8260 | 05/08/2006 22:24 | | JLG |
| 1,2-Dichloropropane | ND | | 6 | UG/KG | 8260 | 05/08/2006 22:24 | | JLG |
| 2-Butanone | 44 | | 31 | UG/KG | 8260 | 05/08/2006 22:24 | | JLG |
| 2-Hexanone | ND | | 31 | UG/KG | 8260 | 05/08/2006 22:24 | | JLG |
| 4-Methyl-2-pentanone | ND | | 31 | UG/KG | 8260 | 05/08/2006 22:24 | | JLG |
| Acetone | 220 | | 31 | UG/KG | 8260 | 05/08/2006 22:24 | | JLG |
| Benzene | ND | | 6 | UG/KG | 8260 | 05/08/2006 22:24 | | JLG |
| Bromodichloromethane | ND | | 6 | UG/KG | 8260 | 05/08/2006 22:24 | | JLG |
| Bromoform | ND | | 6 | UG/KG | 8260 | 05/08/2006 22:24 | | JLG |
| Bromomethane | ND | | 6 | UG/KG | 8260 | 05/08/2006 22:24 | | JLG |
| Carbon Disulfide | 3 | J | 6 | UG/KG | 8260 | 05/08/2006 22:24 | | JLG |
| Carbon Tetrachloride | ND | | 6 | UG/KG | 8260 | 05/08/2006 22:24 | | JLG |
| Chlorobenzene | ND | | 6 | UG/KG | 8260 | 05/08/2006 22:24 | | JLG |
| Chloroethane | ND | | 6 | UG/KG | 8260 | 05/08/2006 22:24 | | JLG |
| Chloroform | ND | | 6 | UG/KG | 8260 | 05/08/2006 22:24 | | JLG |
| Chloromethane | ND | | 6 | UG/KG | 8260 | 05/08/2006 22:24 | | JLG |
| cis-1,3-Dichloropropene | ND | | 6 | UG/KG | 8260 | 05/08/2006 22:24 | | JLG |
| Dibromochloromethane | ND | | 6 | UG/KG | 8260 | 05/08/2006 22:24 | | JLG |
| Ethylbenzene | ND | | 6 | UG/KG | 8260 | 05/08/2006 22:24 | | JLG |
| Methylene chloride | 8 | B | 6 | UG/KG | 8260 | 05/08/2006 22:24 | | JLG |
| Styrene | ND | | 6 | UG/KG | 8260 | 05/08/2006 22:24 | | JLG |
| Tetrachloroethene | ND | | 6 | UG/KG | 8260 | 05/08/2006 22:24 | | JLG |
| Toluene | ND | | 6 | UG/KG | 8260 | 05/08/2006 22:24 | | JLG |
| Total Xylenes | 5 | J | 19 | UG/KG | 8260 | 05/08/2006 22:24 | | JLG |
| trans-1,3-Dichloropropene | ND | | 6 | UG/KG | 8260 | 05/08/2006 22:24 | | JLG |
| Trichloroethene | ND | | 6 | UG/KG | 8260 | 05/08/2006 22:24 | | JLG |
| Vinyl acetate | ND | | 31 | UG/KG | 8260 | 05/08/2006 22:24 | | JLG |
| Vinyl chloride | ND | | 12 | UG/KG | 8260 | 05/08/2006 22:24 | | JLG |

Sample ID: B15 9-39
Lab Sample ID: A6502901
Date Collected: 05/04/2006
Time Collected: 15:25

Date Received: 05/05/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | | Date/Time | | Analyst |
|---|--------|------|-----------|-------|--------|------------------|--|---------|
| | | | Limit | Units | Method | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBS | | | | | | | | |
| Aroclor 1016 | ND | | 39 | UG/KG | 8082 | 05/15/2006 22:37 | | LMW |
| Aroclor 1221 | ND | | 39 | UG/KG | 8082 | 05/15/2006 22:37 | | LMW |
| Aroclor 1232 | ND | | 39 | UG/KG | 8082 | 05/15/2006 22:37 | | LMW |
| Aroclor 1242 | ND | | 39 | UG/KG | 8082 | 05/15/2006 22:37 | | LMW |
| Aroclor 1248 | 100 | | 39 | UG/KG | 8082 | 05/15/2006 22:37 | | LMW |
| Aroclor 1254 | ND | | 39 | UG/KG | 8082 | 05/15/2006 22:37 | | LMW |
| Aroclor 1260 | 330 | | 39 | UG/KG | 8082 | 05/15/2006 22:37 | | LMW |

Sample ID: B16 32-37
Lab Sample ID: A6502820
Date Collected: 05/04/2006
Time Collected: 15:05

Date Received: 05/05/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | Method | Date/Time | | Analyst |
|---|--------|------|-----------|-------|--------|------------------|--|---------|
| | | | Limit | Units | | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBs | | | | | | | | |
| Aroclor 1016 | ND | | 4000 | UG/KG | 8082 | 05/12/2006 22:51 | | DW |
| Aroclor 1221 | ND | | 4000 | UG/KG | 8082 | 05/12/2006 22:51 | | DW |
| Aroclor 1232 | ND | | 4000 | UG/KG | 8082 | 05/12/2006 22:51 | | DW |
| Aroclor 1242 | ND | | 4000 | UG/KG | 8082 | 05/12/2006 22:51 | | DW |
| Aroclor 1248 | ND | | 4000 | UG/KG | 8082 | 05/12/2006 22:51 | | DW |
| Aroclor 1254 | 27000 | | 4000 | UG/KG | 8082 | 05/12/2006 22:51 | | DW |
| Aroclor 1260 | 25000 | | 4000 | UG/KG | 8082 | 05/12/2006 22:51 | | DW |

Sample ID: B17 30-38
Lab Sample ID: A6502904
Date Collected: 05/04/2006
Time Collected: 15:55

Date Received: 05/05/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | | Date/Time | | Analyst |
|---|--------|------|-----------|-------|--------|------------------|--|---------|
| | | | Limit | Units | Method | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBS | | | | | | | | |
| Aroclor 1016 | ND | | 210 | UG/KG | 8082 | 05/15/2006 22:55 | | LMW |
| Aroclor 1221 | ND | | 210 | UG/KG | 8082 | 05/15/2006 22:55 | | LMW |
| Aroclor 1232 | ND | | 210 | UG/KG | 8082 | 05/15/2006 22:55 | | LMW |
| Aroclor 1242 | ND | | 210 | UG/KG | 8082 | 05/15/2006 22:55 | | LMW |
| Aroclor 1248 | 280 | | 210 | UG/KG | 8082 | 05/15/2006 22:55 | | LMW |
| Aroclor 1254 | ND | | 210 | UG/KG | 8082 | 05/15/2006 22:55 | | LMW |
| Aroclor 1260 | 1600 | | 210 | UG/KG | 8082 | 05/15/2006 22:55 | | LMW |

Date: 05/22/2006

Time: 22:39:56

NYSDEC

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

NYSDEC Spills - Bengart & Memel Site: 915115

21/67 Page: 11

Rept: AN1178

Sample ID: B17 VOC 38-46

Lab Sample ID: A6502903

Date Collected: 05/04/2006

Time Collected: 15:50

Date Received: 05/05/2006

Project No: NY5A946109

Client No: L10190

Site No:

| Parameter | Result | Flag | Detection | | Method | Date/Time | | Analyst |
|---|--------|------|-----------|-------|--------|------------------|--|---------|
| | | | Limit | Units | | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8260 - TCL VOLATI | | | | | | | | |
| 1,1,1-Trichloroethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:14 | | JLG |
| 1,1,2,2-Tetrachloroethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:14 | | JLG |
| 1,1,2-Trichloroethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:14 | | JLG |
| 1,1-Dichloroethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:14 | | JLG |
| 1,1-Dichloroethene | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:14 | | JLG |
| 1,2-Dichloroethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:14 | | JLG |
| 1,2-Dichloroethene (Total) | ND | | 12 | UG/KG | 8260 | 05/09/2006 04:14 | | JLG |
| 1,2-Dichloropropane | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:14 | | JLG |
| 2-Butanone | ND | | 31 | UG/KG | 8260 | 05/09/2006 04:14 | | JLG |
| 2-Hexanone | ND | | 31 | UG/KG | 8260 | 05/09/2006 04:14 | | JLG |
| 4-Methyl-2-pentanone | ND | | 31 | UG/KG | 8260 | 05/09/2006 04:14 | | JLG |
| Acetone | 26 | J | 31 | UG/KG | 8260 | 05/09/2006 04:14 | | JLG |
| Benzene | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:14 | | JLG |
| Bromodichloromethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:14 | | JLG |
| Bromoform | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:14 | | JLG |
| Bromomethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:14 | | JLG |
| Carbon Disulfide | 3 | J | 6 | UG/KG | 8260 | 05/09/2006 04:14 | | JLG |
| Carbon Tetrachloride | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:14 | | JLG |
| Chlorobenzene | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:14 | | JLG |
| Chloroethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:14 | | JLG |
| Chloroform | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:14 | | JLG |
| Chloromethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:14 | | JLG |
| cis-1,3-Dichloropropene | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:14 | | JLG |
| Dibromochloromethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:14 | | JLG |
| Ethylbenzene | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:14 | | JLG |
| Methylene chloride | 4 | BJ | 6 | UG/KG | 8260 | 05/09/2006 04:14 | | JLG |
| Styrene | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:14 | | JLG |
| Tetrachloroethene | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:14 | | JLG |
| Toluene | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:14 | | JLG |
| Total Xylenes | ND | | 19 | UG/KG | 8260 | 05/09/2006 04:14 | | JLG |
| trans-1,3-Dichloropropene | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:14 | | JLG |
| Trichloroethene | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:14 | | JLG |
| Vinyl acetate | ND | | 31 | UG/KG | 8260 | 05/09/2006 04:14 | | JLG |
| Vinyl chloride | ND | | 12 | UG/KG | 8260 | 05/09/2006 04:14 | | JLG |

Sample ID: B18 5-23
Lab Sample ID: A6502906
Date Collected: 05/04/2006
Time Collected: 16:25

Date Received: 05/05/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | | Date/Time | | Analyst |
|---|--------|------|-----------|-------|--------|------------------|--|---------|
| | | | Limit | Units | Method | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBS | | | | | | | | |
| Aroclor 1016 | ND | | 2000 | UG/KG | 8082 | 05/15/2006 23:31 | | LMW |
| Aroclor 1221 | ND | | 2000 | UG/KG | 8082 | 05/15/2006 23:31 | | LMW |
| Aroclor 1232 | ND | | 2000 | UG/KG | 8082 | 05/15/2006 23:31 | | LMW |
| Aroclor 1242 | ND | | 2000 | UG/KG | 8082 | 05/15/2006 23:31 | | LMW |
| Aroclor 1248 | 9900 | | 2000 | UG/KG | 8082 | 05/15/2006 23:31 | | LMW |
| Aroclor 1254 | ND | | 2000 | UG/KG | 8082 | 05/15/2006 23:31 | | LMW |
| Aroclor 1260 | 17000 | | 2000 | UG/KG | 8082 | 05/15/2006 23:31 | | LMW |

Sample ID: B19 8-40
Lab Sample ID: A6502908
Date Collected: 05/04/2006
Time Collected: 16:40

Date Received: 05/05/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | | Date/Time | | Analyst |
|---|--------|------|-----------|-------|--------|------------------|--|---------|
| | | | Limit | Units | Method | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBS | | | | | | | | |
| Aroclor 1016 | ND | | 1900 | UG/KG | 8082 | 05/15/2006 23:48 | | LMW |
| Aroclor 1221 | ND | | 1900 | UG/KG | 8082 | 05/15/2006 23:48 | | LMW |
| Aroclor 1232 | ND | | 1900 | UG/KG | 8082 | 05/15/2006 23:48 | | LMW |
| Aroclor 1242 | ND | | 1900 | UG/KG | 8082 | 05/15/2006 23:48 | | LMW |
| Aroclor 1248 | ND | | 1900 | UG/KG | 8082 | 05/15/2006 23:48 | | LMW |
| Aroclor 1254 | ND | | 1900 | UG/KG | 8082 | 05/15/2006 23:48 | | LMW |
| Aroclor 1260 | 19000 | | 1900 | UG/KG | 8082 | 05/15/2006 23:48 | | LMW |

Date: 05/22/2006

NYSDEC

24/67 Page: 14

Time: 22:39:56

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

Rept: AN1178

NYSDEC Spills - Bengart & Memel Site: 915115

Sample ID: B19 VOC 8-36

Date Received: 05/05/2006

Lab Sample ID: A6502907

Project No: NY5A946109

Date Collected: 05/04/2006

Client No: L10190

Time Collected: 16:35

Site No:

| Parameter | Result | Flag | Detection | | Method | Date/Time | | Analyst |
|---|--------|------|-----------|-------|--------|------------------|--|---------|
| | | | Limit | Units | | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8260 - TCL VOLATI | | | | | | | | |
| 1,1,1-Trichloroethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:43 | | JLG |
| 1,1,2,2-Tetrachloroethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:43 | | JLG |
| 1,1,2-Trichloroethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:43 | | JLG |
| 1,1-Dichloroethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:43 | | JLG |
| 1,1-Dichloroethene | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:43 | | JLG |
| 1,2-Dichloroethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:43 | | JLG |
| 1,2-Dichloroethene (Total) | ND | | 11 | UG/KG | 8260 | 05/09/2006 04:43 | | JLG |
| 1,2-Dichloropropane | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:43 | | JLG |
| 2-Butanone | 32 | | 28 | UG/KG | 8260 | 05/09/2006 04:43 | | JLG |
| 2-Hexanone | ND | | 28 | UG/KG | 8260 | 05/09/2006 04:43 | | JLG |
| 4-Methyl-2-pentanone | ND | | 28 | UG/KG | 8260 | 05/09/2006 04:43 | | JLG |
| Acetone | 170 | | 28 | UG/KG | 8260 | 05/09/2006 04:43 | | JLG |
| Benzene | 10 | | 6 | UG/KG | 8260 | 05/09/2006 04:43 | | JLG |
| Bromodichloromethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:43 | | JLG |
| Bromoform | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:43 | | JLG |
| Bromomethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:43 | | JLG |
| Carbon Disulfide | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:43 | | JLG |
| Carbon Tetrachloride | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:43 | | JLG |
| Chlorobenzene | 490 | E | 6 | UG/KG | 8260 | 05/09/2006 04:43 | | JLG |
| Chloroethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:43 | | JLG |
| Chloroform | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:43 | | JLG |
| Chloromethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:43 | | JLG |
| cis-1,3-Dichloropropene | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:43 | | JLG |
| Dibromochloromethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:43 | | JLG |
| Ethylbenzene | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:43 | | JLG |
| Methylene chloride | 2 | BJ | 6 | UG/KG | 8260 | 05/09/2006 04:43 | | JLG |
| Styrene | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:43 | | JLG |
| Tetrachloroethene | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:43 | | JLG |
| Toluene | 3 | J | 6 | UG/KG | 8260 | 05/09/2006 04:43 | | JLG |
| Total Xylenes | 5 | J | 17 | UG/KG | 8260 | 05/09/2006 04:43 | | JLG |
| trans-1,3-Dichloropropene | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:43 | | JLG |
| Trichloroethene | ND | | 6 | UG/KG | 8260 | 05/09/2006 04:43 | | JLG |
| Vinyl acetate | ND | | 28 | UG/KG | 8260 | 05/09/2006 04:43 | | JLG |
| Vinyl chloride | ND | | 11 | UG/KG | 8260 | 05/09/2006 04:43 | | JLG |

Sample ID: B19 VOC 8-36

Date Received: 05/05/2006

Lab Sample ID: A6502907DL

Project No: NY5A946109

Date Collected: 05/04/2006

Client No: L10190

Time Collected: 16:35

Site No:

| Parameter | Result | Flag | Detection | | Method | Date/Time | | Analyst |
|---|--------|------|-----------|-------|--------|------------------|--|---------|
| | | | Limit | Units | | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8260 - TCL VOLATI | | | | | | | | |
| 1,1,1-Trichloroethane | ND | | 290 | UG/KG | 8260 | 05/10/2006 15:30 | | LH |
| 1,1,2,2-Tetrachloroethane | ND | | 290 | UG/KG | 8260 | 05/10/2006 15:30 | | LH |
| 1,1,2-Trichloroethane | ND | | 290 | UG/KG | 8260 | 05/10/2006 15:30 | | LH |
| 1,1-Dichloroethane | ND | | 290 | UG/KG | 8260 | 05/10/2006 15:30 | | LH |
| 1,1-Dichloroethene | ND | | 290 | UG/KG | 8260 | 05/10/2006 15:30 | | LH |
| 1,2-Dichloroethane | ND | | 290 | UG/KG | 8260 | 05/10/2006 15:30 | | LH |
| 1,2-Dichloroethene (Total) | ND | | 570 | UG/KG | 8260 | 05/10/2006 15:30 | | LH |
| 1,2-Dichloropropane | ND | | 290 | UG/KG | 8260 | 05/10/2006 15:30 | | LH |
| 2-Butanone | ND | | 1400 | UG/KG | 8260 | 05/10/2006 15:30 | | LH |
| 2-Hexanone | ND | | 1400 | UG/KG | 8260 | 05/10/2006 15:30 | | LH |
| 4-Methyl-2-pentanone | ND | | 1400 | UG/KG | 8260 | 05/10/2006 15:30 | | LH |
| Acetone | ND | | 1400 | UG/KG | 8260 | 05/10/2006 15:30 | | LH |
| Benzene | 200 | DJ | 290 | UG/KG | 8260 | 05/10/2006 15:30 | | LH |
| Bromodichloromethane | ND | | 290 | UG/KG | 8260 | 05/10/2006 15:30 | | LH |
| Bromoform | ND | | 290 | UG/KG | 8260 | 05/10/2006 15:30 | | LH |
| Bromomethane | ND | | 290 | UG/KG | 8260 | 05/10/2006 15:30 | | LH |
| Carbon Disulfide | ND | | 290 | UG/KG | 8260 | 05/10/2006 15:30 | | LH |
| Carbon Tetrachloride | ND | | 290 | UG/KG | 8260 | 05/10/2006 15:30 | | LH |
| Chlorobenzene | 26000 | D | 290 | UG/KG | 8260 | 05/10/2006 15:30 | | LH |
| Chloroethane | ND | | 290 | UG/KG | 8260 | 05/10/2006 15:30 | | LH |
| Chloroform | ND | | 290 | UG/KG | 8260 | 05/10/2006 15:30 | | LH |
| Chloromethane | ND | | 290 | UG/KG | 8260 | 05/10/2006 15:30 | | LH |
| cis-1,3-Dichloropropene | ND | | 290 | UG/KG | 8260 | 05/10/2006 15:30 | | LH |
| Dibromochloromethane | ND | | 290 | UG/KG | 8260 | 05/10/2006 15:30 | | LH |
| Ethylbenzene | ND | | 290 | UG/KG | 8260 | 05/10/2006 15:30 | | LH |
| Methylene chloride | ND | | 290 | UG/KG | 8260 | 05/10/2006 15:30 | | LH |
| Styrene | ND | | 290 | UG/KG | 8260 | 05/10/2006 15:30 | | LH |
| Tetrachloroethene | ND | | 290 | UG/KG | 8260 | 05/10/2006 15:30 | | LH |
| Toluene | ND | | 290 | UG/KG | 8260 | 05/10/2006 15:30 | | LH |
| Total Xylenes | ND | | 860 | UG/KG | 8260 | 05/10/2006 15:30 | | LH |
| trans-1,3-Dichloropropene | ND | | 290 | UG/KG | 8260 | 05/10/2006 15:30 | | LH |
| Trichloroethene | ND | | 290 | UG/KG | 8260 | 05/10/2006 15:30 | | LH |
| Vinyl acetate | ND | | 1400 | UG/KG | 8260 | 05/10/2006 15:30 | | LH |
| Vinyl chloride | ND | | 570 | UG/KG | 8260 | 05/10/2006 15:30 | | LH |

Sample ID: B2 21-27
Lab Sample ID: A6502803
Date Collected: 05/04/2006
Time Collected: 09:40

Date Received: 05/05/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | Units | Method | Date/Time | | Analyst |
|---|--------|------|-----------|--|-------|--------|------------------|--|---------|
| | | | Limit | | | | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBs | | | | | | | | | |
| Aroclor 1016 | ND | | 200 | | UG/KG | 8082 | 05/12/2006 16:56 | | DW |
| Aroclor 1221 | ND | | 200 | | UG/KG | 8082 | 05/12/2006 16:56 | | DW |
| Aroclor 1232 | ND | | 200 | | UG/KG | 8082 | 05/12/2006 16:56 | | DW |
| Aroclor 1242 | ND | | 200 | | UG/KG | 8082 | 05/12/2006 16:56 | | DW |
| Aroclor 1248 | 390 | | 200 | | UG/KG | 8082 | 05/12/2006 16:56 | | DW |
| Aroclor 1254 | 2500 | | 200 | | UG/KG | 8082 | 05/12/2006 16:56 | | DW |
| Aroclor 1260 | 1500 | | 200 | | UG/KG | 8082 | 05/12/2006 16:56 | | DW |

Sample ID: B20 8-35
Lab Sample ID: A6502905
Date Collected: 05/04/2006
Time Collected: 16:05

Date Received: 05/05/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | | Date/Time | | Analyst |
|---|--------|------|-----------|-------|--------|------------------|--|---------|
| | | | Limit | Units | Method | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBS | | | | | | | | |
| Aroclor 1016 | ND | | 21 | UG/KG | 8082 | 05/15/2006 23:13 | | LMW |
| Aroclor 1221 | ND | | 21 | UG/KG | 8082 | 05/15/2006 23:13 | | LMW |
| Aroclor 1232 | ND | | 21 | UG/KG | 8082 | 05/15/2006 23:13 | | LMW |
| Aroclor 1242 | ND | | 21 | UG/KG | 8082 | 05/15/2006 23:13 | | LMW |
| Aroclor 1248 | 16 | J | 21 | UG/KG | 8082 | 05/15/2006 23:13 | | LMW |
| Aroclor 1254 | ND | | 21 | UG/KG | 8082 | 05/15/2006 23:13 | | LMW |
| Aroclor 1260 | ND | | 21 | UG/KG | 8082 | 05/15/2006 23:13 | | LMW |

Sample ID: B21 0-24
Lab Sample ID: A6502912
Date Collected: 05/05/2006
Time Collected: 10:10

Date Received: 05/05/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | | Date/Time | | Analyst |
|---|--------|------|-----------|-------|--------|------------------|-----|---------|
| | | | Limit | Units | Method | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBS | | | | | | | | |
| Aroclor 1016 | ND | | 21000 | UG/KG | 8082 | 05/16/2006 00:06 | LMW | |
| Aroclor 1221 | ND | | 21000 | UG/KG | 8082 | 05/16/2006 00:06 | LMW | |
| Aroclor 1232 | ND | | 21000 | UG/KG | 8082 | 05/16/2006 00:06 | LMW | |
| Aroclor 1242 | ND | | 21000 | UG/KG | 8082 | 05/16/2006 00:06 | LMW | |
| Aroclor 1248 | ND | | 21000 | UG/KG | 8082 | 05/16/2006 00:06 | LMW | |
| Aroclor 1254 | ND | | 21000 | UG/KG | 8082 | 05/16/2006 00:06 | LMW | |
| Aroclor 1260 | 230000 | | 21000 | UG/KG | 8082 | 05/16/2006 00:06 | LMW | |

Date: 05/22/2006

NYSDEC

29/67 Page: 19

Time: 22:39:56

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

Rept: AN1178

NYSDEC Spills - Bengart & Memel Site: 915115

Sample ID: B21 VOC 24-48

Date Received: 05/05/2006

Lab Sample ID: A6502913

Project No: NY5A946109

Date Collected: 05/05/2006

Client No: L10190

Time Collected: 10:20

Site No:

| Parameter | Result | Flag | Detection | | | Date/Time | | Analyst |
|---|--------|------|-----------|-------|--------|------------|-------|---------|
| | | | Limit | Units | Method | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8260 - TCL VOLATI | | | | | | | | |
| 1,1,1-Trichloroethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:41 | JLG |
| 1,1,2,2-Tetrachloroethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:41 | JLG |
| 1,1,2-Trichloroethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:41 | JLG |
| 1,1-Dichloroethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:41 | JLG |
| 1,1-Dichloroethene | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:41 | JLG |
| 1,2-Dichloroethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:41 | JLG |
| 1,2-Dichloroethene (Total) | 6 | J | 13 | UG/KG | 8260 | 05/09/2006 | 05:41 | JLG |
| 1,2-Dichloropropane | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:41 | JLG |
| 2-Butanone | 20 | J | 32 | UG/KG | 8260 | 05/09/2006 | 05:41 | JLG |
| 2-Hexanone | ND | | 32 | UG/KG | 8260 | 05/09/2006 | 05:41 | JLG |
| 4-Methyl-2-pentanone | ND | | 32 | UG/KG | 8260 | 05/09/2006 | 05:41 | JLG |
| Acetone | 77 | | 32 | UG/KG | 8260 | 05/09/2006 | 05:41 | JLG |
| Benzene | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:41 | JLG |
| Bromodichloromethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:41 | JLG |
| Bromoform | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:41 | JLG |
| Bromomethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:41 | JLG |
| Carbon Disulfide | 4 | J | 6 | UG/KG | 8260 | 05/09/2006 | 05:41 | JLG |
| Carbon Tetrachloride | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:41 | JLG |
| Chlorobenzene | 3 | J | 6 | UG/KG | 8260 | 05/09/2006 | 05:41 | JLG |
| Chloroethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:41 | JLG |
| Chloroform | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:41 | JLG |
| Chloromethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:41 | JLG |
| cis-1,3-Dichloropropene | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:41 | JLG |
| Dibromochloromethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:41 | JLG |
| Ethylbenzene | 2 | J | 6 | UG/KG | 8260 | 05/09/2006 | 05:41 | JLG |
| Methylene chloride | 3 | BJ | 6 | UG/KG | 8260 | 05/09/2006 | 05:41 | JLG |
| Styrene | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:41 | JLG |
| Tetrachloroethene | 11 | | 6 | UG/KG | 8260 | 05/09/2006 | 05:41 | JLG |
| Toluene | 3 | J | 6 | UG/KG | 8260 | 05/09/2006 | 05:41 | JLG |
| Total Xylenes | 11 | J | 20 | UG/KG | 8260 | 05/09/2006 | 05:41 | JLG |
| trans-1,3-Dichloropropene | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:41 | JLG |
| Trichloroethene | 3 | J | 6 | UG/KG | 8260 | 05/09/2006 | 05:41 | JLG |
| Vinyl acetate | ND | | 32 | UG/KG | 8260 | 05/09/2006 | 05:41 | JLG |
| Vinyl chloride | 7 | J | 13 | UG/KG | 8260 | 05/09/2006 | 05:41 | JLG |

Sample ID: B22 SVOC 24-48

Date Received: 05/05/2006

Lab Sample ID: A6502911

Project No: NY5A946109

Date Collected: 05/05/2006

Client No: L10190

Time Collected: 09:35

Site No:

| Parameter | Result | Flag | Detection | | Method | Date/Time | | Analyst |
|---|--------|------|-----------|-------|--------|------------|-------|---------|
| | | | Limit | Units | | Analyzed | | |
| NYSDEC -S-SW8463 8270 - TCL SVOA ORGANICS | | | | | | | | |
| 2,2'-Oxybis(1-Chloropropane) | ND | | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| 2,4,5-Trichlorophenol | ND | | 10000 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| 2,4,6-Trichlorophenol | ND | | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| 2,4-Dichlorophenol | ND | | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| 2,4-Dimethylphenol | ND | | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| 2,4-Dinitrophenol | ND | | 20000 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| 2,4-Dinitrotoluene | ND | | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| 2,6-Dinitrotoluene | ND | | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| 2-Chloronaphthalene | ND | | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| 2-Chlorophenol | ND | | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| 2-Methylnaphthalene | ND | | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| 2-Methylphenol | ND | | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| 2-Nitroaniline | ND | | 20000 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| 2-Nitrophenol | ND | | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| 3,3'-Dichlorobenzidine | ND | | 20000 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| 3-Nitroaniline | ND | | 20000 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| 4,6-Dinitro-2-methylphenol | ND | | 20000 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| 4-Bromophenyl phenyl ether | ND | | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| 4-Chloro-3-methylphenol | ND | | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| 4-Chloroaniline | ND | | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| 4-Chlorophenyl phenyl ether | ND | | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| 4-Methylphenol | ND | | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| 4-Nitroaniline | ND | | 20000 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| 4-Nitrophenol | ND | | 20000 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| Acenaphthene | 260 | J | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| Acenaphthylene | ND | | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| Acetophenone | ND | | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| Anthracene | 830 | J | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| Atrazine | ND | | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| Benzaldehyde | ND | | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| Benzo(a)anthracene | 2100 | J | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| Benzo(a)pyrene | 1700 | J | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| Benzo(b)fluoranthene | 2700 | J | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| Benzo(ghi)perylene | 1000 | J | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| Benzo(k)fluoranthene | 2700 | J | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| Biphenyl | ND | | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| Bis(2-chloroethoxy) methane | ND | | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| Bis(2-chloroethyl) ether | ND | | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| Bis(2-ethylhexyl) phthalate | 1200 | J | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| Butyl benzyl phthalate | ND | | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| Caprolactam | ND | | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| Carbazole | 300 | J | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| Chrysene | 1900 | J | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| Di-n-butyl phthalate | ND | | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| Di-n-octyl phthalate | ND | | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| Dibenzo(a,h)anthracene | 360 | J | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| Dibenzofuran | ND | | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| Diethyl phthalate | ND | | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| Dimethyl phthalate | ND | | 4200 | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |

Date: 05/22/2006

Time: 22:39:56

NYSDEC

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

NYSDEC Spills - Bengart & Memel Site: 915115

31/67 Page: 21

Rept: AN1178

Sample ID: B22 SVOC 24-48

Lab Sample ID: A6502911

Date Collected: 05/05/2006

Time Collected: 09:35

Date Received: 05/05/2006

Project No: NY5A946109

Client No: L10190

Site No:

| Parameter | Result | Flag | Detection | | Units | Method | Date/Time | | Analyst |
|---|--------|------|-----------|--|-------|--------|------------|-------|---------|
| | | | Limit | | | | Analyzed | | |
| NYSDEC -S-SW8463 8270 - TCL SVOA ORGANICS | | | | | | | | | |
| Fluoranthene | 4200 | | 4200 | | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| Fluorene | 320 | J | 4200 | | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| Hexachlorobenzene | ND | | 4200 | | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| Hexachlorobutadiene | ND | | 4200 | | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| Hexachlorocyclopentadiene | ND | | 4200 | | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| Hexachloroethane | ND | | 4200 | | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| Indeno(1,2,3-cd)pyrene | 970 | J | 4200 | | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| Isophorone | ND | | 4200 | | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| N-Nitroso-Di-n-propylamine | ND | | 4200 | | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| N-nitrosodiphenylamine | ND | | 4200 | | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| Naphthalene | ND | | 4200 | | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| Nitrobenzene | ND | | 4200 | | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| Pentachlorophenol | ND | | 20000 | | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| Phenanthrene | 3100 | J | 4200 | | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| Phenol | ND | | 4200 | | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |
| Pyrene | 3500 | J | 4200 | | UG/KG | 8270 | 05/15/2006 | 18:51 | MRF |

Date: 05/22/2006

NYSDEC

32/67 Page: 22

Time: 22:39:56

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

Rept: AN1178

NYSDEC Spills - Bengart & Memel Site: 915115

Sample ID: B22 VOC 0-24

Date Received: 05/05/2006

Lab Sample ID: A6502910

Project No: NY5A946109

Date Collected: 05/05/2006

Client No: L10190

Time Collected: 09:20

Site No:

| Parameter | Result | Flag | Detection | | Method | Date/Time | | Analyst |
|---|--------|------|-----------|-------|--------|------------|-------|---------|
| | | | Limit | Units | | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8260 - TCL VOLATI | | | | | | | | |
| 1,1,1-Trichloroethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:12 | JLG |
| 1,1,2,2-Tetrachloroethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:12 | JLG |
| 1,1,2-Trichloroethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:12 | JLG |
| 1,1-Dichloroethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:12 | JLG |
| 1,1-Dichloroethene | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:12 | JLG |
| 1,2-Dichloroethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:12 | JLG |
| 1,2-Dichloroethene (Total) | ND | | 12 | UG/KG | 8260 | 05/09/2006 | 05:12 | JLG |
| 1,2-Dichloropropane | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:12 | JLG |
| 2-Butanone | ND | | 30 | UG/KG | 8260 | 05/09/2006 | 05:12 | JLG |
| 2-Hexanone | ND | | 30 | UG/KG | 8260 | 05/09/2006 | 05:12 | JLG |
| 4-Methyl-2-pentanone | ND | | 30 | UG/KG | 8260 | 05/09/2006 | 05:12 | JLG |
| Acetone | 6 | J | 30 | UG/KG | 8260 | 05/09/2006 | 05:12 | JLG |
| Benzene | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:12 | JLG |
| Bromodichloromethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:12 | JLG |
| Bromoform | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:12 | JLG |
| Bromomethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:12 | JLG |
| Carbon Disulfide | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:12 | JLG |
| Carbon Tetrachloride | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:12 | JLG |
| Chlorobenzene | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:12 | JLG |
| Chloroethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:12 | JLG |
| Chloroform | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:12 | JLG |
| Chloromethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:12 | JLG |
| cis-1,3-Dichloropropene | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:12 | JLG |
| Dibromochloromethane | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:12 | JLG |
| Ethylbenzene | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:12 | JLG |
| Methylene chloride | 2 | BJ | 6 | UG/KG | 8260 | 05/09/2006 | 05:12 | JLG |
| Styrene | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:12 | JLG |
| Tetrachloroethene | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:12 | JLG |
| Toluene | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:12 | JLG |
| Total Xylenes | ND | | 18 | UG/KG | 8260 | 05/09/2006 | 05:12 | JLG |
| trans-1,3-Dichloropropene | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:12 | JLG |
| Trichloroethene | ND | | 6 | UG/KG | 8260 | 05/09/2006 | 05:12 | JLG |
| Vinyl acetate | ND | | 30 | UG/KG | 8260 | 05/09/2006 | 05:12 | JLG |
| Vinyl chloride | ND | | 12 | UG/KG | 8260 | 05/09/2006 | 05:12 | JLG |

Sample ID: B23 24-48
Lab Sample ID: A6502915
Date Collected: 05/05/2006
Time Collected: 11:00

Date Received: 05/05/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | Units | Method | Date/Time | | Analyst |
|---|--------|------|-----------|--|-------|--------|------------------|--|---------|
| | | | Limit | | | | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBS | | | | | | | | | |
| Aroclor 1016 | ND | | 120 | | UG/KG | 8082 | 05/16/2006 01:35 | | LMW |
| Aroclor 1221 | ND | | 120 | | UG/KG | 8082 | 05/16/2006 01:35 | | LMW |
| Aroclor 1232 | ND | | 120 | | UG/KG | 8082 | 05/16/2006 01:35 | | LMW |
| Aroclor 1242 | ND | | 120 | | UG/KG | 8082 | 05/16/2006 01:35 | | LMW |
| Aroclor 1248 | ND | | 120 | | UG/KG | 8082 | 05/16/2006 01:35 | | LMW |
| Aroclor 1254 | ND | | 120 | | UG/KG | 8082 | 05/16/2006 01:35 | | LMW |
| Aroclor 1260 | 2200 | | 120 | | UG/KG | 8082 | 05/16/2006 01:35 | | LMW |

Date: 05/22/2006

Time: 22:39:56

NYSDEC

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

NYSDEC Spills - Bengart & Memel Site: 915115

34/67 Page: 24

Rept: AN1178

Sample ID: B23 VOC 0-24

Lab Sample ID: A6502914

Date Collected: 05/05/2006

Time Collected: 10:45

Date Received: 05/05/2006

Project No: NY5A946109

Client No: L10190

Site No:

| Parameter | Result | Flag | Detection | | Method | Date/Time | | Analyst |
|---|--------|------|-----------|-------|--------|------------------|--|---------|
| | | | Limit | Units | | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8260 - TCL VOLATI | | | | | | | | |
| 1,1,1-Trichloroethane | ND | | 7 | UG/KG | 8260 | 05/09/2006 06:11 | | JLG |
| 1,1,2,2-Tetrachloroethane | ND | | 7 | UG/KG | 8260 | 05/09/2006 06:11 | | JLG |
| 1,1,2-Trichloroethane | ND | | 7 | UG/KG | 8260 | 05/09/2006 06:11 | | JLG |
| 1,1-Dichloroethane | ND | | 7 | UG/KG | 8260 | 05/09/2006 06:11 | | JLG |
| 1,1-Dichloroethene | ND | | 7 | UG/KG | 8260 | 05/09/2006 06:11 | | JLG |
| 1,2-Dichloroethane | ND | | 7 | UG/KG | 8260 | 05/09/2006 06:11 | | JLG |
| 1,2-Dichloroethene (Total) | ND | | 14 | UG/KG | 8260 | 05/09/2006 06:11 | | JLG |
| 1,2-Dichloropropane | ND | | 7 | UG/KG | 8260 | 05/09/2006 06:11 | | JLG |
| 2-Butanone | ND | | 34 | UG/KG | 8260 | 05/09/2006 06:11 | | JLG |
| 2-Hexanone | ND | | 34 | UG/KG | 8260 | 05/09/2006 06:11 | | JLG |
| 4-Methyl-2-pentanone | ND | | 34 | UG/KG | 8260 | 05/09/2006 06:11 | | JLG |
| Acetone | 33 | J | 34 | UG/KG | 8260 | 05/09/2006 06:11 | | JLG |
| Benzene | ND | | 7 | UG/KG | 8260 | 05/09/2006 06:11 | | JLG |
| Bromodichloromethane | ND | | 7 | UG/KG | 8260 | 05/09/2006 06:11 | | JLG |
| Bromoform | ND | | 7 | UG/KG | 8260 | 05/09/2006 06:11 | | JLG |
| Bromomethane | ND | | 7 | UG/KG | 8260 | 05/09/2006 06:11 | | JLG |
| Carbon Disulfide | ND | | 7 | UG/KG | 8260 | 05/09/2006 06:11 | | JLG |
| Carbon Tetrachloride | ND | | 7 | UG/KG | 8260 | 05/09/2006 06:11 | | JLG |
| Chlorobenzene | ND | | 7 | UG/KG | 8260 | 05/09/2006 06:11 | | JLG |
| Chloroethane | ND | | 7 | UG/KG | 8260 | 05/09/2006 06:11 | | JLG |
| Chloroform | ND | | 7 | UG/KG | 8260 | 05/09/2006 06:11 | | JLG |
| Chloromethane | ND | | 7 | UG/KG | 8260 | 05/09/2006 06:11 | | JLG |
| cis-1,3-Dichloropropene | ND | | 7 | UG/KG | 8260 | 05/09/2006 06:11 | | JLG |
| Dibromochloromethane | ND | | 7 | UG/KG | 8260 | 05/09/2006 06:11 | | JLG |
| Ethylbenzene | ND | | 7 | UG/KG | 8260 | 05/09/2006 06:11 | | JLG |
| Methylene chloride | 4 | BJ | 7 | UG/KG | 8260 | 05/09/2006 06:11 | | JLG |
| Styrene | ND | | 7 | UG/KG | 8260 | 05/09/2006 06:11 | | JLG |
| Tetrachloroethene | ND | | 7 | UG/KG | 8260 | 05/09/2006 06:11 | | JLG |
| Toluene | ND | | 7 | UG/KG | 8260 | 05/09/2006 06:11 | | JLG |
| Total Xylenes | ND | | 20 | UG/KG | 8260 | 05/09/2006 06:11 | | JLG |
| trans-1,3-Dichloropropene | ND | | 7 | UG/KG | 8260 | 05/09/2006 06:11 | | JLG |
| Trichloroethene | ND | | 7 | UG/KG | 8260 | 05/09/2006 06:11 | | JLG |
| Vinyl acetate | ND | | 34 | UG/KG | 8260 | 05/09/2006 06:11 | | JLG |
| Vinyl chloride | ND | | 14 | UG/KG | 8260 | 05/09/2006 06:11 | | JLG |

Sample ID: B24 0-48
Lab Sample ID: A6502916
Date Collected: 05/05/2006
Time Collected: 11:20

Date Received: 05/05/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | | Date/Time | | Analyst |
|---|--------|------|-----------|-------|--------|------------------|-----|---------|
| | | | Limit | Units | Method | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBS | | | | | | | | |
| Aroclor 1016 | ND | | 21 | UG/KG | 8082 | 05/16/2006 01:53 | LMW | |
| Aroclor 1221 | ND | | 21 | UG/KG | 8082 | 05/16/2006 01:53 | LMW | |
| Aroclor 1232 | ND | | 21 | UG/KG | 8082 | 05/16/2006 01:53 | LMW | |
| Aroclor 1242 | ND | | 21 | UG/KG | 8082 | 05/16/2006 01:53 | LMW | |
| Aroclor 1248 | ND | | 21 | UG/KG | 8082 | 05/16/2006 01:53 | LMW | |
| Aroclor 1254 | ND | | 21 | UG/KG | 8082 | 05/16/2006 01:53 | LMW | |
| Aroclor 1260 | 270 | | 21 | UG/KG | 8082 | 05/16/2006 01:53 | LMW | |

Sample ID: B3 31-35
Lab Sample ID: A6502801
Date Collected: 05/04/2006
Time Collected: 09:10

Date Received: 05/05/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | Method | Date/Time | | Analyst |
|---|--------|------|-----------|-------|--------|------------------|--|---------|
| | | | Limit | Units | | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBs | | | | | | | | |
| Aroclor 1016 | ND | | 180 | UG/KG | 8082 | 05/12/2006 16:20 | | DW |
| Aroclor 1221 | ND | | 180 | UG/KG | 8082 | 05/12/2006 16:20 | | DW |
| Aroclor 1232 | ND | | 180 | UG/KG | 8082 | 05/12/2006 16:20 | | DW |
| Aroclor 1242 | ND | | 180 | UG/KG | 8082 | 05/12/2006 16:20 | | DW |
| Aroclor 1248 | ND | | 180 | UG/KG | 8082 | 05/12/2006 16:20 | | DW |
| Aroclor 1254 | ND | | 180 | UG/KG | 8082 | 05/12/2006 16:20 | | DW |
| Aroclor 1260 | 3700 | | 180 | UG/KG | 8082 | 05/12/2006 16:20 | | DW |

Sample ID: B4 18-24
Lab Sample ID: A6502802
Date Collected: 05/04/2006
Time Collected: 09:20

Date Received: 05/05/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | | Date/Time | | |
|---|--------|------|-----------|-------|--------|------------------|---------|--|
| | | | Limit | Units | Method | Analyzed | Analyst | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBS | | | | | | | | |
| Aroclor 1016 | ND | | 1700 | UG/KG | 8082 | 05/12/2006 16:38 | DW | |
| Aroclor 1221 | ND | | 1700 | UG/KG | 8082 | 05/12/2006 16:38 | DW | |
| Aroclor 1232 | ND | | 1700 | UG/KG | 8082 | 05/12/2006 16:38 | DW | |
| Aroclor 1242 | ND | | 1700 | UG/KG | 8082 | 05/12/2006 16:38 | DW | |
| Aroclor 1248 | 2200 | | 1700 | UG/KG | 8082 | 05/12/2006 16:38 | DW | |
| Aroclor 1254 | 14000 | | 1700 | UG/KG | 8082 | 05/12/2006 16:38 | DW | |
| Aroclor 1260 | 21000 | | 1700 | UG/KG | 8082 | 05/12/2006 16:38 | DW | |

Sample ID: B5 32-37
Lab Sample ID: A6502804
Date Collected: 05/04/2006
Time Collected: 09:55

Date Received: 05/05/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | Units | Method | Date/Time | | Analyst |
|---|--------|------|-----------|--|-------|--------|------------------|--|---------|
| | | | Limit | | | | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBs | | | | | | | | | |
| Aroclor 1016 | ND | | 2000 | | UG/KG | 8082 | 05/12/2006 17:49 | | DW |
| Aroclor 1221 | ND | | 2000 | | UG/KG | 8082 | 05/12/2006 17:49 | | DW |
| Aroclor 1232 | ND | | 2000 | | UG/KG | 8082 | 05/12/2006 17:49 | | DW |
| Aroclor 1242 | ND | | 2000 | | UG/KG | 8082 | 05/12/2006 17:49 | | DW |
| Aroclor 1248 | ND | | 2000 | | UG/KG | 8082 | 05/12/2006 17:49 | | DW |
| Aroclor 1254 | ND | | 2000 | | UG/KG | 8082 | 05/12/2006 17:49 | | DW |
| Aroclor 1260 | 41000 | | 2000 | | UG/KG | 8082 | 05/12/2006 17:49 | | DW |

Sample ID: B5 48-56
Lab Sample ID: A6502805
Date Collected: 05/04/2006
Time Collected: 10:05

Date Received: 05/05/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | Units | Method | Date/Time | | Analyst |
|---|--------|------|-----------|--|-------|--------|------------------|--|---------|
| | | | Limit | | | | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBs | | | | | | | | | |
| Aroclor 1016 | ND | | 2300 | | UG/KG | 8082 | 05/12/2006 18:07 | | DW |
| Aroclor 1221 | ND | | 2300 | | UG/KG | 8082 | 05/12/2006 18:07 | | DW |
| Aroclor 1232 | ND | | 2300 | | UG/KG | 8082 | 05/12/2006 18:07 | | DW |
| Aroclor 1242 | ND | | 2300 | | UG/KG | 8082 | 05/12/2006 18:07 | | DW |
| Aroclor 1248 | ND | | 2300 | | UG/KG | 8082 | 05/12/2006 18:07 | | DW |
| Aroclor 1254 | ND | | 2300 | | UG/KG | 8082 | 05/12/2006 18:07 | | DW |
| Aroclor 1260 | 30000 | | 2300 | | UG/KG | 8082 | 05/12/2006 18:07 | | DW |

Sample ID: B6 28-38
Lab Sample ID: A6502810
Date Collected: 05/04/2006
Time Collected: 11:45

Date Received: 05/05/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | Method | Date/Time | | Analyst |
|---|--------|------|-----------|-------|--------|------------------|--|---------|
| | | | Limit | Units | | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBs | | | | | | | | |
| Aroclor 1016 | ND | | 1200 | UG/KG | 8082 | 05/12/2006 19:53 | | DW |
| Aroclor 1221 | ND | | 1200 | UG/KG | 8082 | 05/12/2006 19:53 | | DW |
| Aroclor 1232 | ND | | 1200 | UG/KG | 8082 | 05/12/2006 19:53 | | DW |
| Aroclor 1242 | ND | | 1200 | UG/KG | 8082 | 05/12/2006 19:53 | | DW |
| Aroclor 1248 | 1700 | | 1200 | UG/KG | 8082 | 05/12/2006 19:53 | | DW |
| Aroclor 1254 | 6600 | | 1200 | UG/KG | 8082 | 05/12/2006 19:53 | | DW |
| Aroclor 1260 | 9200 | | 1200 | UG/KG | 8082 | 05/12/2006 19:53 | | DW |

Date: 05/22/2006

Time: 22:39:56

NYSDEC

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

NYSDEC Spills - Bengart & Memel Site: 915115

41/67 Page: 31

Rept: AN1178

Sample ID: B6 VOC

Lab Sample ID: A6502809

Date Collected: 05/04/2006

Time Collected: 11:50

Date Received: 05/05/2006

Project No: NY5A946109

Client No: L10190

Site No:

| Parameter | Result | Flag | Detection | | Method | Date/Time | | Analyst |
|---|--------|------|-----------|-------|--------|------------------|--|---------|
| | | | Limit | Units | | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8260 - TCL VOLATI | | | | | | | | |
| 1,1,1-Trichloroethane | ND | | 6 | UG/KG | 8260 | 05/08/2006 21:26 | | JLG |
| 1,1,2,2-Tetrachloroethane | ND | | 6 | UG/KG | 8260 | 05/08/2006 21:26 | | JLG |
| 1,1,2-Trichloroethane | ND | | 6 | UG/KG | 8260 | 05/08/2006 21:26 | | JLG |
| 1,1-Dichloroethane | ND | | 6 | UG/KG | 8260 | 05/08/2006 21:26 | | JLG |
| 1,1-Dichloroethene | ND | | 6 | UG/KG | 8260 | 05/08/2006 21:26 | | JLG |
| 1,2-Dichloroethane | ND | | 6 | UG/KG | 8260 | 05/08/2006 21:26 | | JLG |
| 1,2-Dichloroethene (Total) | ND | | 13 | UG/KG | 8260 | 05/08/2006 21:26 | | JLG |
| 1,2-Dichloropropane | ND | | 6 | UG/KG | 8260 | 05/08/2006 21:26 | | JLG |
| 2-Butanone | 11 | J | 32 | UG/KG | 8260 | 05/08/2006 21:26 | | JLG |
| 2-Hexanone | ND | | 32 | UG/KG | 8260 | 05/08/2006 21:26 | | JLG |
| 4-Methyl-2-pentanone | ND | | 32 | UG/KG | 8260 | 05/08/2006 21:26 | | JLG |
| Acetone | 75 | | 32 | UG/KG | 8260 | 05/08/2006 21:26 | | JLG |
| Benzene | ND | | 6 | UG/KG | 8260 | 05/08/2006 21:26 | | JLG |
| Bromodichloromethane | ND | | 6 | UG/KG | 8260 | 05/08/2006 21:26 | | JLG |
| Bromoform | ND | | 6 | UG/KG | 8260 | 05/08/2006 21:26 | | JLG |
| Bromomethane | ND | | 6 | UG/KG | 8260 | 05/08/2006 21:26 | | JLG |
| Carbon Disulfide | 2 | J | 6 | UG/KG | 8260 | 05/08/2006 21:26 | | JLG |
| Carbon Tetrachloride | ND | | 6 | UG/KG | 8260 | 05/08/2006 21:26 | | JLG |
| Chlorobenzene | ND | | 6 | UG/KG | 8260 | 05/08/2006 21:26 | | JLG |
| Chloroethane | ND | | 6 | UG/KG | 8260 | 05/08/2006 21:26 | | JLG |
| Chloroform | ND | | 6 | UG/KG | 8260 | 05/08/2006 21:26 | | JLG |
| Chloromethane | ND | | 6 | UG/KG | 8260 | 05/08/2006 21:26 | | JLG |
| cis-1,3-Dichloropropene | ND | | 6 | UG/KG | 8260 | 05/08/2006 21:26 | | JLG |
| Dibromochloromethane | ND | | 6 | UG/KG | 8260 | 05/08/2006 21:26 | | JLG |
| Ethylbenzene | ND | | 6 | UG/KG | 8260 | 05/08/2006 21:26 | | JLG |
| Methylene chloride | 8 | B | 6 | UG/KG | 8260 | 05/08/2006 21:26 | | JLG |
| Styrene | ND | | 6 | UG/KG | 8260 | 05/08/2006 21:26 | | JLG |
| Tetrachloroethene | ND | | 6 | UG/KG | 8260 | 05/08/2006 21:26 | | JLG |
| Toluene | ND | | 6 | UG/KG | 8260 | 05/08/2006 21:26 | | JLG |
| Total Xylenes | ND | | 19 | UG/KG | 8260 | 05/08/2006 21:26 | | JLG |
| trans-1,3-Dichloropropene | ND | | 6 | UG/KG | 8260 | 05/08/2006 21:26 | | JLG |
| Trichloroethene | ND | | 6 | UG/KG | 8260 | 05/08/2006 21:26 | | JLG |
| Vinyl acetate | ND | | 32 | UG/KG | 8260 | 05/08/2006 21:26 | | JLG |
| Vinyl chloride | ND | | 13 | UG/KG | 8260 | 05/08/2006 21:26 | | JLG |

Sample ID: B7 32-37
Lab Sample ID: A6502808
Date Collected: 05/04/2006
Time Collected: 11:15

Date Received: 05/05/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | Units | Method | Date/Time | | Analyst |
|---|--------|------|-----------|--|-------|--------|------------------|--|---------|
| | | | Limit | | | | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBs | | | | | | | | | |
| Aroclor 1016 | ND | | 4000 | | UG/KG | 8082 | 05/12/2006 19:36 | | DW |
| Aroclor 1221 | ND | | 4000 | | UG/KG | 8082 | 05/12/2006 19:36 | | DW |
| Aroclor 1232 | ND | | 4000 | | UG/KG | 8082 | 05/12/2006 19:36 | | DW |
| Aroclor 1242 | ND | | 4000 | | UG/KG | 8082 | 05/12/2006 19:36 | | DW |
| Aroclor 1248 | 5600 | | 4000 | | UG/KG | 8082 | 05/12/2006 19:36 | | DW |
| Aroclor 1254 | ND | | 4000 | | UG/KG | 8082 | 05/12/2006 19:36 | | DW |
| Aroclor 1260 | 65000 | | 4000 | | UG/KG | 8082 | 05/12/2006 19:36 | | DW |

Sample ID: B8 37-42
Lab Sample ID: A6502807
Date Collected: 05/04/2006
Time Collected: 11:00

Date Received: 05/05/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | Units | Method | Date/Time | | Analyst |
|---|--------|------|-----------|--|-------|--------|------------------|--|---------|
| | | | Limit | | | | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBs | | | | | | | | | |
| Aroclor 1016 | ND | | 390 | | UG/KG | 8082 | 05/12/2006 19:18 | | DW |
| Aroclor 1221 | ND | | 390 | | UG/KG | 8082 | 05/12/2006 19:18 | | DW |
| Aroclor 1232 | ND | | 390 | | UG/KG | 8082 | 05/12/2006 19:18 | | DW |
| Aroclor 1242 | ND | | 390 | | UG/KG | 8082 | 05/12/2006 19:18 | | DW |
| Aroclor 1248 | 440 | | 390 | | UG/KG | 8082 | 05/12/2006 19:18 | | DW |
| Aroclor 1254 | ND | | 390 | | UG/KG | 8082 | 05/12/2006 19:18 | | DW |
| Aroclor 1260 | 3200 | | 390 | | UG/KG | 8082 | 05/12/2006 19:18 | | DW |

Sample ID: B9 23-28
Lab Sample ID: A6502815
Date Collected: 05/04/2006
Time Collected: 13:30

Date Received: 05/05/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | Method | Date/Time | | Analyst |
|---|--------|------|-----------|-------|--------|------------------|--|---------|
| | | | Limit | Units | | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBs | | | | | | | | |
| Aroclor 1016 | ND | | 2100 | UG/KG | 8082 | 05/12/2006 21:04 | | DW |
| Aroclor 1221 | ND | | 2100 | UG/KG | 8082 | 05/12/2006 21:04 | | DW |
| Aroclor 1232 | ND | | 2100 | UG/KG | 8082 | 05/12/2006 21:04 | | DW |
| Aroclor 1242 | ND | | 2100 | UG/KG | 8082 | 05/12/2006 21:04 | | DW |
| Aroclor 1248 | 4600 | | 2100 | UG/KG | 8082 | 05/12/2006 21:04 | | DW |
| Aroclor 1254 | 16000 | | 2100 | UG/KG | 8082 | 05/12/2006 21:04 | | DW |
| Aroclor 1260 | 7100 | | 2100 | UG/KG | 8082 | 05/12/2006 21:04 | | DW |

Sample ID: B9 5-9
Lab Sample ID: A6502812
Date Collected: 05/04/2006
Time Collected: 13:25

Date Received: 05/05/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | Units | Method | Date/Time | | Analyst |
|---|--------|------|-----------|--|-------|--------|------------------|--|---------|
| | | | Limit | | | | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBS | | | | | | | | | |
| Aroclor 1016 | ND | | 3800 | | UG/KG | 8082 | 05/12/2006 20:29 | | DW |
| Aroclor 1221 | ND | | 3800 | | UG/KG | 8082 | 05/12/2006 20:29 | | DW |
| Aroclor 1232 | ND | | 3800 | | UG/KG | 8082 | 05/12/2006 20:29 | | DW |
| Aroclor 1242 | ND | | 3800 | | UG/KG | 8082 | 05/12/2006 20:29 | | DW |
| Aroclor 1248 | ND | | 3800 | | UG/KG | 8082 | 05/12/2006 20:29 | | DW |
| Aroclor 1254 | 34000 | | 3800 | | UG/KG | 8082 | 05/12/2006 20:29 | | DW |
| Aroclor 1260 | 25000 | | 3800 | | UG/KG | 8082 | 05/12/2006 20:29 | | DW |

Sample ID: COLLECTION SUMP
Lab Sample ID: A6503002
Date Collected: 05/02/2006
Time Collected: 13:45

Date Received: 05/03/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | Units | Method | Date/Time | | Analyst |
|------------------------------|--------|------|-----------|--|-------|--------|------------------|--|---------|
| | | | Limit | | | | Analyzed | | |
| NYSDEC-AQ-SW8463 8082 - PCBs | | | | | | | | | |
| Aroclor 1016 | ND | | 4.8 | | UG/L | 8082 | 05/09/2006 11:48 | | DW |
| Aroclor 1221 | ND | | 4.8 | | UG/L | 8082 | 05/09/2006 11:48 | | DW |
| Aroclor 1232 | ND | | 4.8 | | UG/L | 8082 | 05/09/2006 11:48 | | DW |
| Aroclor 1242 | ND | | 4.8 | | UG/L | 8082 | 05/09/2006 11:48 | | DW |
| Aroclor 1248 | 5.9 | | 4.8 | | UG/L | 8082 | 05/09/2006 11:48 | | DW |
| Aroclor 1254 | ND | | 4.8 | | UG/L | 8082 | 05/09/2006 11:48 | | DW |
| Aroclor 1260 | 82 | | 4.8 | | UG/L | 8082 | 05/09/2006 11:48 | | DW |

Sample ID: COMPOSITE AREA A

Date Received: 05/05/2006

Lab Sample ID: A6502902

Project No: NY5A946109

Date Collected: 05/04/2006

Client No: L10190

Time Collected: 15:30

Site No:

| Parameter | Result | Flag | Detection | | | Date/Time | | Analyst |
|---|--------|------|-----------|-------|--------|------------------|-----|---------|
| | | | Limit | Units | Method | Analyzed | | |
| NYSDEC -S-SW8463 8270 - TCL SVOA ORGANICS | | | | | | | | |
| 2,2'-Oxybis(1-Chloropropane) | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| 2,4,5-Trichlorophenol | ND | | 17000 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| 2,4,6-Trichlorophenol | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| 2,4-Dichlorophenol | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| 2,4-Dimethylphenol | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| 2,4-Dinitrophenol | ND | | 35000 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| 2,4-Dinitrotoluene | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| 2,6-Dinitrotoluene | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| 2-Chloronaphthalene | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| 2-Chlorophenol | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| 2-Methylnaphthalene | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| 2-Methylphenol | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| 2-Nitroaniline | ND | | 35000 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| 2-Nitrophenol | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| 3,3'-Dichlorobenzidine | ND | | 35000 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| 3-Nitroaniline | ND | | 35000 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| 4,6-Dinitro-2-methylphenol | ND | | 35000 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| 4-Bromophenyl phenyl ether | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| 4-Chloro-3-methylphenol | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| 4-Chloroaniline | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| 4-Chlorophenyl phenyl ether | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| 4-Methylphenol | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| 4-Nitroaniline | ND | | 35000 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| 4-Nitrophenol | ND | | 35000 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| Acenaphthene | 1200 | J | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| Acenaphthylene | 440 | J | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| Acetophenone | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| Anthracene | 2300 | J | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| Atrazine | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| Benzaldehyde | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| Benzo(a)anthracene | 4600 | J | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| Benzo(a)pyrene | 3900 | J | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| Benzo(b)fluoranthene | 5100 | J | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| Benzo(ghi)perylene | 2600 | J | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| Benzo(k)fluoranthene | 1600 | J | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| Biphenyl | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| Bis(2-chloroethoxy) methane | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| Bis(2-chloroethyl) ether | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| Bis(2-ethylhexyl) phthalate | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| Butyl benzyl phthalate | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| Caprolactam | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| Carbazole | 1300 | J | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| Chrysene | 4100 | J | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| Di-n-butyl phthalate | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| Di-n-octyl phthalate | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| Dibenzo(a,h)anthracene | 870 | J | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| Dibenzofuran | 860 | J | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| Diethyl phthalate | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |
| Dimethyl phthalate | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | MRF | |

Sample ID: COMPOSITE AREA A

Date Received: 05/05/2006

Lab Sample ID: A6502902

Project No: NY5A946109

Date Collected: 05/04/2006

Client No: L10190

Time Collected: 15:30

Site No:

| Parameter | Result | Flag | Detection | | Method | Date/Time | | Analyst |
|---|--------|------|-----------|-------|--------|------------------|--|---------|
| | | | Limit | Units | | Analyzed | | |
| NYSDEC -S-SW8463 8270 - TCL SVOA ORGANICS | | | | | | | | |
| Fluoranthene | 10000 | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | | MRF |
| Fluorene | 1500 | J | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | | MRF |
| Hexachlorobenzene | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | | MRF |
| Hexachlorobutadiene | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | | MRF |
| Hexachlorocyclopentadiene | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | | MRF |
| Hexachloroethane | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | | MRF |
| Indeno(1,2,3-cd)pyrene | 2400 | J | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | | MRF |
| Isophorone | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | | MRF |
| N-Nitroso-Di-n-propylamine | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | | MRF |
| N-nitrosodiphenylamine | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | | MRF |
| Naphthalene | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | | MRF |
| Nitrobenzene | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | | MRF |
| Pentachlorophenol | ND | | 35000 | UG/KG | 8270 | 05/15/2006 18:01 | | MRF |
| Phenanthrene | 10000 | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | | MRF |
| Phenol | ND | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | | MRF |
| Pyrene | 8200 | | 7200 | UG/KG | 8270 | 05/15/2006 18:01 | | MRF |
| Metals Analysis | | | | | | | | |
| Arsenic - Total | 8.6 | | 2.1 | MG/KG | 6010 | 05/10/2006 04:33 | | TWS |
| Barium - Total | 148 | | 0.52 | MG/KG | 6010 | 05/10/2006 04:33 | | TWS |
| Cadmium - Total | 3.4 | | 0.21 | MG/KG | 6010 | 05/10/2006 04:33 | | TWS |
| Chromium - Total | 26.0 | | 0.52 | MG/KG | 6010 | 05/10/2006 04:33 | | TWS |
| Lead - Total | 423 | | 1.0 | MG/KG | 6010 | 05/10/2006 04:33 | | TWS |
| Mercury - Total | 1.3 | | 0.11 | MG/KG | 7471 | 05/13/2006 13:33 | | LH |
| Selenium - Total | ND | | 4.2 | MG/KG | 6010 | 05/10/2006 04:33 | | TWS |
| Silver - Total | 0.62 | | 0.52 | MG/KG | 6010 | 05/10/2006 04:33 | | TWS |
| TCLP Metals Analysis | | | | | | | | |
| Arsenic - Total | ND | | 0.010 | MG/L | 6010 | 05/12/2006 06:26 | | TWS |
| Barium - Total | 0.72 | | 0.0020 | MG/L | 6010 | 05/12/2006 06:26 | | TWS |
| Cadmium - Total | 0.0074 | | 0.0010 | MG/L | 6010 | 05/12/2006 06:26 | | TWS |
| Chromium - Total | ND | | 0.0040 | MG/L | 6010 | 05/12/2006 06:26 | | TWS |
| Lead - Total | 0.042 | | 0.0050 | MG/L | 6010 | 05/12/2006 06:26 | | TWS |
| Mercury - Total | ND | | 0.00020 | MG/L | 7470 | 05/09/2006 11:44 | | LH |
| Selenium - Total | ND | | 0.015 | MG/L | 6010 | 05/12/2006 06:26 | | TWS |
| Silver - Total | ND | | 0.0030 | MG/L | 6010 | 05/12/2006 06:26 | | TWS |
| Wet Chemistry Analysis | | | | | | | | |
| Corrosivity (pH) | 7.95 | | 0 | S.U. | 9045 | 05/10/2006 11:55 | | KD |
| Flashpoint | >200 | | 0 | °F | 1010 | 05/09/2006 16:00 | | SM |

Sample ID: COMPOSITE AREA B

Date Received: 05/05/2006

Lab Sample ID: A6502909

Project No: NY5A946109

Date Collected: 05/04/2006

Client No: L10190

Time Collected: 16:55

Site No:

| Parameter | Result | Flag | Detection | | Method | Date/Time | | Analyst |
|---|--------|------|-----------|-------|--------|------------|-------|---------|
| | | | Limit | Units | | Analyzed | | |
| NYSDEC -S-SW8463 8270 - TCL SVOA ORGANICS | | | | | | | | |
| 2,2'-Oxybis(1-Chloropropane) | ND | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| 2,4,5-Trichlorophenol | ND | | 18000 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| 2,4,6-Trichlorophenol | ND | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| 2,4-Dichlorophenol | ND | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| 2,4-Dimethylphenol | ND | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| 2,4-Dinitrophenol | ND | | 36000 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| 2,4-Dinitrotoluene | ND | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| 2,6-Dinitrotoluene | ND | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| 2-Chloronaphthalene | ND | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| 2-Chlorophenol | ND | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| 2-Methylnaphthalene | 820 | J | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| 2-Methylphenol | ND | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| 2-Nitroaniline | ND | | 36000 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| 2-Nitrophenol | ND | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| 3,3'-Dichlorobenzidine | ND | | 36000 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| 3-Nitroaniline | ND | | 36000 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| 4,6-Dinitro-2-methylphenol | ND | | 36000 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| 4-Bromophenyl phenyl ether | ND | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| 4-Chloro-3-methylphenol | ND | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| 4-Chloroaniline | ND | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| 4-Chlorophenyl phenyl ether | ND | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| 4-Methylphenol | ND | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| 4-Nitroaniline | ND | | 36000 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| 4-Nitrophenol | ND | | 36000 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Acenaphthene | 1700 | J | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Acenaphthylene | 610 | J | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Acetophenone | ND | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Anthracene | 2800 | J | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Atrazine | ND | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Benzaldehyde | ND | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Benzo(a)anthracene | 4900 | J | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Benzo(a)pyrene | 4200 | J | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Benzo(b)fluoranthene | 5100 | J | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Benzo(ghi)perylene | 2800 | J | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Benzo(k)fluoranthene | 1600 | J | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Biphenyl | ND | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Bis(2-chloroethoxy) methane | ND | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Bis(2-chloroethyl) ether | ND | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Bis(2-ethylhexyl) phthalate | 1200 | J | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Butyl benzyl phthalate | ND | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Caprolactam | ND | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Carbazole | 970 | J | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Chrysene | 4100 | J | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Di-n-butyl phthalate | ND | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Di-n-octyl phthalate | ND | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Dibenzo(a,h)anthracene | 890 | J | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Dibenzofuran | 1500 | J | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Diethyl phthalate | ND | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Dimethyl phthalate | ND | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |

Sample ID: COMPOSITE AREA B

Date Received: 05/05/2006

Lab Sample ID: A6502909

Project No: NY5A946109

Date Collected: 05/04/2006

Client No: L10190

Time Collected: 16:55

Site No:

| Parameter | Result | Flag | Detection | | Method | Date/Time | | Analyst |
|---|--------|------|-----------|-------|--------|------------|-------|---------|
| | | | Limit | Units | | Analyzed | | |
| NYSDEC -S-SW8463 8270 - TCL SVOA ORGANICS | | | | | | | | |
| Fluoranthene | 9900 | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Fluorene | 2200 | J | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Hexachlorobenzene | ND | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Hexachlorobutadiene | ND | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Hexachlorocyclopentadiene | ND | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Hexachloroethane | ND | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Indeno(1,2,3-cd)pyrene | 2500 | J | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Isophorone | ND | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| N-Nitroso-Di-n-propylamine | ND | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| N-nitrosodiphenylamine | ND | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Naphthalene | 1800 | J | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Nitrobenzene | ND | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Pentachlorophenol | ND | | 36000 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Phenanthrene | 10000 | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Phenol | ND | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Pyrene | 8000 | | 7400 | UG/KG | 8270 | 05/15/2006 | 18:26 | MRF |
| Metals Analysis | | | | | | | | |
| Arsenic - Total | 41.6 | | 2.3 | MG/KG | 6010 | 05/10/2006 | 04:59 | TWS |
| Barium - Total | 388 | | 0.57 | MG/KG | 6010 | 05/10/2006 | 04:59 | TWS |
| Cadmium - Total | 6.9 | | 0.23 | MG/KG | 6010 | 05/10/2006 | 04:59 | TWS |
| Chromium - Total | 1090 | | 0.57 | MG/KG | 6010 | 05/10/2006 | 04:59 | TWS |
| Lead - Total | 1200 | | 1.1 | MG/KG | 6010 | 05/10/2006 | 04:59 | TWS |
| Mercury - Total | 1.3 | | 0.10 | MG/KG | 7471 | 05/13/2006 | 13:34 | LH |
| Selenium - Total | 13.2 | | 4.6 | MG/KG | 6010 | 05/10/2006 | 04:59 | TWS |
| Silver - Total | 2.3 | | 0.57 | MG/KG | 6010 | 05/10/2006 | 04:59 | TWS |
| TCLP Metals Analysis | | | | | | | | |
| Arsenic - Total | ND | | 0.010 | MG/L | 6010 | 05/12/2006 | 08:09 | TWS |
| Barium - Total | 0.85 | | 0.0020 | MG/L | 6010 | 05/12/2006 | 08:09 | TWS |
| Cadmium - Total | 0.011 | | 0.0010 | MG/L | 6010 | 05/12/2006 | 08:09 | TWS |
| Chromium - Total | ND | | 0.0040 | MG/L | 6010 | 05/12/2006 | 08:09 | TWS |
| Lead - Total | 0.11 | | 0.0050 | MG/L | 6010 | 05/12/2006 | 08:09 | TWS |
| Mercury - Total | ND | | 0.00020 | MG/L | 7470 | 05/09/2006 | 11:27 | LH |
| Selenium - Total | ND | | 0.015 | MG/L | 6010 | 05/12/2006 | 08:09 | TWS |
| Silver - Total | ND | | 0.0030 | MG/L | 6010 | 05/12/2006 | 08:09 | TWS |
| Wet Chemistry Analysis | | | | | | | | |
| Corrosivity (pH) | 9.05 | | 0 | S.U. | 9045 | 05/10/2006 | 11:55 | KD |
| Flashpoint | >200 | | 0 | °F | 1010 | 05/09/2006 | 16:00 | SM |

Sample ID: DI SEDIMENT
Lab Sample ID: A6502816
Date Collected: 05/04/2006
Time Collected: 14:05

Date Received: 05/05/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | Units | Method | Date/Time | | Analyst |
|---|--------|------|-----------|--|-------|--------|------------------|--|---------|
| | | | Limit | | | | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBs | | | | | | | | | |
| Aroclor 1016 | ND | | 2000 | | UG/KG | 8082 | 05/12/2006 21:22 | | DW |
| Aroclor 1221 | ND | | 2000 | | UG/KG | 8082 | 05/12/2006 21:22 | | DW |
| Aroclor 1232 | ND | | 2000 | | UG/KG | 8082 | 05/12/2006 21:22 | | DW |
| Aroclor 1242 | ND | | 2000 | | UG/KG | 8082 | 05/12/2006 21:22 | | DW |
| Aroclor 1248 | 3600 | | 2000 | | UG/KG | 8082 | 05/12/2006 21:22 | | DW |
| Aroclor 1254 | 9600 | | 2000 | | UG/KG | 8082 | 05/12/2006 21:22 | | DW |
| Aroclor 1260 | 19000 | | 2000 | | UG/KG | 8082 | 05/12/2006 21:22 | | DW |

Sample ID: FLOOR DUST
Lab Sample ID: A6503101
Date Collected: 05/05/2006
Time Collected: 11:50

Date Received: 05/05/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | | Date/Time | | Analyst |
|---|--------|------|-----------|-------|--------|------------------|--|---------|
| | | | Limit | Units | Method | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBS | | | | | | | | |
| Aroclor 1016 | ND | | 17000 | UG/KG | 8082 | 05/16/2006 02:11 | | LMW |
| Aroclor 1221 | ND | | 17000 | UG/KG | 8082 | 05/16/2006 02:11 | | LMW |
| Aroclor 1232 | ND | | 17000 | UG/KG | 8082 | 05/16/2006 02:11 | | LMW |
| Aroclor 1242 | ND | | 17000 | UG/KG | 8082 | 05/16/2006 02:11 | | LMW |
| Aroclor 1248 | 54000 | | 17000 | UG/KG | 8082 | 05/16/2006 02:11 | | LMW |
| Aroclor 1254 | 190000 | | 17000 | UG/KG | 8082 | 05/16/2006 02:11 | | LMW |
| Aroclor 1260 | 100000 | | 17000 | UG/KG | 8082 | 05/16/2006 02:11 | | LMW |

Sample ID: OWS MANHOLE
Lab Sample ID: A6503003
Date Collected: 05/02/2006
Time Collected: 14:30

Date Received: 05/03/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | | Result | Flag | Detection | | Units | Method | Date/Time | | Analyst |
|------------------------------|--|--------|------|-----------|--|-------|--------|------------------|--|---------|
| | | | | Limit | | | | Analyzed | | |
| NYSDEC-AQ-SW8463 8082 - PCBS | | | | | | | | | | |
| Aroclor 1016 | | ND | | 2.4 | | UG/L | 8082 | 05/09/2006 12:06 | | DW |
| Aroclor 1221 | | ND | | 2.4 | | UG/L | 8082 | 05/09/2006 12:06 | | DW |
| Aroclor 1232 | | ND | | 2.4 | | UG/L | 8082 | 05/09/2006 12:06 | | DW |
| Aroclor 1242 | | ND | | 2.4 | | UG/L | 8082 | 05/09/2006 12:06 | | DW |
| Aroclor 1248 | | 4.2 | | 2.4 | | UG/L | 8082 | 05/09/2006 12:06 | | DW |
| Aroclor 1254 | | ND | | 2.4 | | UG/L | 8082 | 05/09/2006 12:06 | | DW |
| Aroclor 1260 | | 14 | | 2.4 | | UG/L | 8082 | 05/09/2006 12:06 | | DW |

Sample ID: SURFACE SAMPLE-FENCE
Lab Sample ID: A6503006
Date Collected: 05/02/2006
Time Collected: 14:10

Date Received: 05/03/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | | Date/Time | | Analyst |
|---|--------|------|-----------|-------|--------|------------------|--|---------|
| | | | Limit | Units | Method | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBs | | | | | | | | |
| Aroclor 1016 | ND | | 2000 | UG/KG | 8082 | 05/09/2006 16:19 | | GFD |
| Aroclor 1221 | ND | | 2000 | UG/KG | 8082 | 05/09/2006 16:19 | | GFD |
| Aroclor 1232 | ND | | 2000 | UG/KG | 8082 | 05/09/2006 16:19 | | GFD |
| Aroclor 1242 | ND | | 2000 | UG/KG | 8082 | 05/09/2006 16:19 | | GFD |
| Aroclor 1248 | 1700 | J | 2000 | UG/KG | 8082 | 05/09/2006 16:19 | | GFD |
| Aroclor 1254 | ND | | 2000 | UG/KG | 8082 | 05/09/2006 16:19 | | GFD |
| Aroclor 1260 | 15000 | | 2000 | UG/KG | 8082 | 05/09/2006 16:19 | | GFD |

Sample ID: SURFACE SOIL-FILL AR
Lab Sample ID: A6503007
Date Collected: 05/02/2006
Time Collected: 15:00

Date Received: 05/03/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | | Date/Time | | |
|---|--------|------|-----------|-------|--------|------------------|---------|--|
| | | | Limit | Units | Method | Analyzed | Analyst | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBS | | | | | | | | |
| Aroclor 1016 | ND | | 1900 | UG/KG | 8082 | 05/09/2006 16:38 | GFD | |
| Aroclor 1221 | ND | | 1900 | UG/KG | 8082 | 05/09/2006 16:38 | GFD | |
| Aroclor 1232 | ND | | 1900 | UG/KG | 8082 | 05/09/2006 16:38 | GFD | |
| Aroclor 1242 | ND | | 1900 | UG/KG | 8082 | 05/09/2006 16:38 | GFD | |
| Aroclor 1248 | ND | | 1900 | UG/KG | 8082 | 05/09/2006 16:38 | GFD | |
| Aroclor 1254 | ND | | 1900 | UG/KG | 8082 | 05/09/2006 16:38 | GFD | |
| Aroclor 1260 | 32000 | | 1900 | UG/KG | 8082 | 05/09/2006 16:38 | GFD | |

Sample ID: SURFACE SOIL-MH
Lab Sample ID: A6503005
Date Collected: 05/02/2006
Time Collected: 14:00

Date Received: 05/03/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | | Date/Time | | Analyst |
|---|--------|------|-----------|-------|--------|------------------|--|---------|
| | | | Limit | Units | Method | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBS | | | | | | | | |
| Aroclor 1016 | ND | | 1000 | UG/KG | 8082 | 05/09/2006 16:01 | | GFD |
| Aroclor 1221 | ND | | 1000 | UG/KG | 8082 | 05/09/2006 16:01 | | GFD |
| Aroclor 1232 | ND | | 1000 | UG/KG | 8082 | 05/09/2006 16:01 | | GFD |
| Aroclor 1242 | ND | | 1000 | UG/KG | 8082 | 05/09/2006 16:01 | | GFD |
| Aroclor 1248 | ND | | 1000 | UG/KG | 8082 | 05/09/2006 16:01 | | GFD |
| Aroclor 1254 | ND | | 1000 | UG/KG | 8082 | 05/09/2006 16:01 | | GFD |
| Aroclor 1260 | 7400 | | 1000 | UG/KG | 8082 | 05/09/2006 16:01 | | GFD |

Sample ID: TANK CONTAINMENT
Lab Sample ID: A6503001
Date Collected: 05/02/2006
Time Collected: 13:05

Date Received: 05/03/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | | Date/Time | | Analyst |
|------------------------------|--------|------|-----------|-------|--------|------------------|--|---------|
| | | | Limit | Units | Method | Analyzed | | |
| NYSDEC-AQ-SW8463 8082 - PCBS | | | | | | | | |
| Aroclor 1016 | ND | | 0.47 | UG/L | 8082 | 05/09/2006 11:30 | | DW |
| Aroclor 1221 | ND | | 0.47 | UG/L | 8082 | 05/09/2006 11:30 | | DW |
| Aroclor 1232 | ND | | 0.47 | UG/L | 8082 | 05/09/2006 11:30 | | DW |
| Aroclor 1242 | ND | | 0.47 | UG/L | 8082 | 05/09/2006 11:30 | | DW |
| Aroclor 1248 | ND | | 0.47 | UG/L | 8082 | 05/09/2006 11:30 | | DW |
| Aroclor 1254 | ND | | 0.47 | UG/L | 8082 | 05/09/2006 11:30 | | DW |
| Aroclor 1260 | 0.38 | J | 0.47 | UG/L | 8082 | 05/09/2006 11:30 | | DW |

Sample ID: TANK CONTAINMENT SED
Lab Sample ID: A6503004
Date Collected: 05/02/2006
Time Collected: 13:25

Date Received: 05/03/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | Units | Method | Date/Time | | Analyst |
|---|--------|------|-----------|--|-------|--------|------------------|--|---------|
| | | | Limit | | | | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBS | | | | | | | | | |
| Aroclor 1016 | ND | | 1400 | | UG/KG | 8082 | 05/11/2006 21:36 | | GFD |
| Aroclor 1221 | ND | | 1400 | | UG/KG | 8082 | 05/11/2006 21:36 | | GFD |
| Aroclor 1232 | ND | | 1400 | | UG/KG | 8082 | 05/11/2006 21:36 | | GFD |
| Aroclor 1242 | ND | | 1400 | | UG/KG | 8082 | 05/11/2006 21:36 | | GFD |
| Aroclor 1248 | ND | | 1400 | | UG/KG | 8082 | 05/11/2006 21:36 | | GFD |
| Aroclor 1254 | ND | | 1400 | | UG/KG | 8082 | 05/11/2006 21:36 | | GFD |
| Aroclor 1260 | 14000 | | 1400 | | UG/KG | 8082 | 05/11/2006 21:36 | | GFD |

Sample ID: WIPE 1
Lab Sample ID: A6503102
Date Collected: 05/05/2006
Time Collected: 11:55

Date Received: 05/05/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | | Date/Time | | Analyst |
|----------------------------------|--------|------|-----------|---------|--------|------------|-------|---------|
| | | | Limit | Units | Method | Analyzed | | |
| NYSDEC - WIPE-SW8463 8082 - PCBS | | | | | | | | |
| Aroclor 1016 | ND | | 50 | UG/WIPE | 8082W | 05/08/2006 | 17:27 | LD |
| Aroclor 1221 | ND | | 50 | UG/WIPE | 8082W | 05/08/2006 | 17:27 | LD |
| Aroclor 1232 | ND | | 50 | UG/WIPE | 8082W | 05/08/2006 | 17:27 | LD |
| Aroclor 1242 | ND | | 50 | UG/WIPE | 8082W | 05/08/2006 | 17:27 | LD |
| Aroclor 1248 | ND | | 50 | UG/WIPE | 8082W | 05/08/2006 | 17:27 | LD |
| Aroclor 1254 | 480 | | 50 | UG/WIPE | 8082W | 05/08/2006 | 17:27 | LD |
| Aroclor 1260 | 400 | | 50 | UG/WIPE | 8082W | 05/08/2006 | 17:27 | LD |

Sample ID: WIPE 2
Lab Sample ID: A6503103
Date Collected: 05/05/2006
Time Collected: 12:00

Date Received: 05/05/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | | Date/Time | | Analyst |
|----------------------------------|--------|------|-----------|---------|--------|------------------|--|---------|
| | | | Limit | Units | Method | Analyzed | | |
| NYSDEC - WIPE-SW8463 8082 - PCBS | | | | | | | | |
| Aroclor 1016 | ND | | 100 | UG/WIPE | 8082W | 05/08/2006 17:47 | | LD |
| Aroclor 1221 | ND | | 100 | UG/WIPE | 8082W | 05/08/2006 17:47 | | LD |
| Aroclor 1232 | ND | | 100 | UG/WIPE | 8082W | 05/08/2006 17:47 | | LD |
| Aroclor 1242 | ND | | 100 | UG/WIPE | 8082W | 05/08/2006 17:47 | | LD |
| Aroclor 1248 | ND | | 100 | UG/WIPE | 8082W | 05/08/2006 17:47 | | LD |
| Aroclor 1254 | 300 | | 100 | UG/WIPE | 8082W | 05/08/2006 17:47 | | LD |
| Aroclor 1260 | 380 | | 100 | UG/WIPE | 8082W | 05/08/2006 17:47 | | LD |

Sample ID: WIPE 3
Lab Sample ID: A6503104
Date Collected: 05/05/2006
Time Collected: 12:05

Date Received: 05/05/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | | Date/Time | | |
|----------------------------------|--------|------|-----------|---------|--------|------------------|---------|--|
| | | | Limit | Units | Method | Analyzed | Analyst | |
| NYSDEC - WIPE-SW8463 8082 - PCBS | | | | | | | | |
| Aroclor 1016 | ND | | 250 | UG/WIPE | 8082W | 05/08/2006 18:07 | LD | |
| Aroclor 1221 | ND | | 250 | UG/WIPE | 8082W | 05/08/2006 18:07 | LD | |
| Aroclor 1232 | ND | | 250 | UG/WIPE | 8082W | 05/08/2006 18:07 | LD | |
| Aroclor 1242 | ND | | 250 | UG/WIPE | 8082W | 05/08/2006 18:07 | LD | |
| Aroclor 1248 | ND | | 250 | UG/WIPE | 8082W | 05/08/2006 18:07 | LD | |
| Aroclor 1254 | 1400 | | 250 | UG/WIPE | 8082W | 05/08/2006 18:07 | LD | |
| Aroclor 1260 | 1900 | | 250 | UG/WIPE | 8082W | 05/08/2006 18:07 | LD | |

Sample ID: WIPE 4
Lab Sample ID: A6503105
Date Collected: 05/05/2006
Time Collected: 12:10

Date Received: 05/05/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | | Date/Time | | Analyst |
|----------------------------------|--------|------|-----------|---------|--------|------------------|--|---------|
| | | | Limit | Units | Method | Analyzed | | |
| NYSDEC - WIPE-SW8463 8082 - PCBS | | | | | | | | |
| Aroclor 1016 | ND | | 250 | UG/WIPE | 8082W | 05/08/2006 18:26 | | LD |
| Aroclor 1221 | ND | | 250 | UG/WIPE | 8082W | 05/08/2006 18:26 | | LD |
| Aroclor 1232 | ND | | 250 | UG/WIPE | 8082W | 05/08/2006 18:26 | | LD |
| Aroclor 1242 | ND | | 250 | UG/WIPE | 8082W | 05/08/2006 18:26 | | LD |
| Aroclor 1248 | ND | | 250 | UG/WIPE | 8082W | 05/08/2006 18:26 | | LD |
| Aroclor 1254 | 630 | | 250 | UG/WIPE | 8082W | 05/08/2006 18:26 | | LD |
| Aroclor 1260 | ND | | 250 | UG/WIPE | 8082W | 05/08/2006 18:26 | | LD |

SEVERN
TRENT
STL
Severn Trent Laboratories, Inc.

| | | | |
|------------------------------|---|-----------------------------|-----------------------------------|
| Client NYSE REGION 9 DER | Project Manager GEWE MEANYK | Date 5/3/06 | Chain of Custody Number 252289 |
| Address 270 Michigan Ave. | Telephone Number (Area Code)/Fax Number 916/851-7226 | Lab Number 1851-7226 Fax | Page 1 of 1 |

| | | | | | | | | | | | | | | |
|-----------------------------------|---------|-------|----|----------|-------|------------------------|--------------------|-------------|-----------|--|--|--|--|--|
| City | Buffalo | State | NY | Zip Code | 14203 | Site Contact | D. Symanski / Gene | Lab Contact | B. Fitzer | Analysis (Attach list if more space is needed) | | | | |
| Project Name and Location (State) | | | | | | Carrier/Maybill Number | | | | | | | | |

| | | | |
|---|--|----------------------------|--------|
| 9/15/15 - BENGAL & MEME - Buffalo, NY | | Containers & Preservatives | Matrix |
| Contract/Purchase Order/Quote No. C200305 | | | |

[illegible][illegible]

Possible Hazard Identification *PCBS < 50 ppm*

☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown

Sample Disposal ☐ Return To Client ☐ Disposal By Lab ☐ Archive For _____ Months (A fee may be assessed if samples are retained longer than 1 month)

Turn Around Time Required *Standard 30 Days* QC Requirements (Specify)

☐ 24 Hours
 ☐ 48 Hours
 ☐ 7 Days
 ☐ 14 Days
 ☐ 21 Days
 ☒ Other 14 days

| | | | | | | | | | | | |
|--------------------|------------------|------|---------------|------|--|----------------|-----------------|------|--------------|------|--------------|
| 1. Relinquished By | <i>DD Sc 3/8</i> | Date | <i>5/3/06</i> | Time | | 1. Received By | <i>Mr. Bell</i> | Date | <i>12/10</i> | Time | <i>12:06</i> |
| 2. Relinquished By | | Date | | Time | | 2. Received By | | Date | | Time | |

| 3. Relinquished By | Date | Time | 3. Received By | Date | Time |
|--------------------|------|------|----------------|------|------|
| | | | | | |

[illegible]

| | |
|---|---------|
| Comments | 202.0°C |
| DISTRIBUTION: WHITE - Returned to Client with Report; CANARY - Stays with the Sample; PINK - Field Copy | |

**SEVERN
TRENT** **STL**
Sewer Trent Laboratories, Inc.

| | | | | | | | |
|---------|-------------------|---|---------------------------|------------|--------|-------------------------|--------|
| Client | NYSDC R9 DER | Project Manager | GENE MEUNYK | Date | 5/5/06 | Chain of Custody Number | 252290 |
| Address | 270 Michigan Ave. | Telephone Number (Area Code)/Fax Number | 716-851-7220/851-7226 fax | Lab Number | | Page | 1 of 4 |

| | | | | | | | | |
|-----------------------------------|-------|------------|------------------------|-------------|--|-----|--|--|
| City | State | Zip Code | Site Contact | Lab Contact | Analysis (Attach list if more space is needed) | | | |
| | | | | | | | | |
| Buffalo | NY | 14203-2999 | D. Szymanski | B. Fischer | 2 | 092 | | |
| Project Name and Location (State) | | | Carrier/Maybill Number | | | | | |

| | | | |
|-----------------------------------|----------------------|--------------------------|----------------------------|
| Project Name and Location (State) | 915115 - BENGAL - NY | Container/waybill Number | 8082 13A8 |
| Contract/Purchase Order Number | C200305 | Matrix | Containers & Preservatives |

| Sample I.D. No. and Description (Containers for each sample may be combined on one line) | Date | Time | Air | Aqueous | Sed. | Soil | Unpres. | H ₂ SO ₄ | HNO ₃ | HCl | NaOH | ZnAc/ NaOH | FCB | TC |
|---|------|------|-----|---------|------|------|---------|--------------------------------|------------------|-----|------|---------------|-----|----|
| B3 31"-33" | | 0910 | | | | ✓ | ✓ | | | | | | ✓ | ✓ |
| B4 18"-24" | | 0920 | | | ✓ | ✓ | ✓ | | | | | | ✓ | |
| B2 21"-27" | | 0940 | | | ✓ | ✓ | ✓ | | | | | | ✓ | |
| B5 32"-37" | | 0955 | | | ✓ | ✓ | ✓ | | | | | | ✓ | |
| B5 48"-56" | | 1005 | | | ✓ | ✓ | ✓ | | | | | | ✓ | |
| B1- 16"-24" | | 1030 | | | ✓ | ✓ | ✓ | | | | | | ✓ | |
| B8 37"-42" | | 1100 | | | ✓ | ✓ | ✓ | | | | | | ✓ | |
| B7 32"-37" | | 1115 | | | ✓ | ✓ | ✓ | | | | | | ✓ | |
| B6 VOC | | 1150 | | | ✓ | ✓ | ✓ | | | | | | ✓ | |
| B6 28"-38" | | 1145 | | | ✓ | ✓ | ✓ | | | | | | ✓ | |
| B10 24"-28" | | 1305 | | | ✓ | ✓ | ✓ | | | | | | ✓ | |
| B9 5"-9" | | 1325 | | | ✓ | ✓ | ✓ | | | | | | ✓ | |

| | | | |
|--------------------------------|---|---|---|
| Possible Hazard Identification | <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input checked="" type="checkbox"/> Poison B <input type="checkbox"/> Unknown | Sample Disposal <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months | (A fee may be assessed if samples are retained longer than 1 month) |
| PCBs ≈ 50 ppm w LCSS | | | |

| Turn Around Time Required | STANDARD 30 | QC Requirements (Specify) |
|---------------------------|-------------|---------------------------|
| | | |

| | | | | | |
|--|-----------------------------------|---------------------------------|----------------------------------|----------------------------------|--|
| <input type="checkbox"/> 24 Hours | <input type="checkbox"/> 48 Hours | <input type="checkbox"/> 7 Days | <input type="checkbox"/> 14 Days | <input type="checkbox"/> 21 Days | <input checked="" type="checkbox"/> Other <u>Day DEC</u> |
| Date <u>1</u> Month <u>1</u> Year <u>1</u> | | | | | |

| i. Acquired by | | i. Received by | |
|--------------------|------|--------------------|------|
| Date | Time | Date | Time |
| 5/5/06 | 1305 | 5/5/03 | 1305 |
| <i>[Signature]</i> | | <i>[Signature]</i> | |

| | | |
|--------------------|---------------|---------------|
| 2. Relinquished By | Date | Time |
| <i>[Signature]</i> | <i>[Date]</i> | <i>[Time]</i> |
| 2. Received By | Date | Time |
| <i>[Signature]</i> | <i>[Date]</i> | <i>[Time]</i> |

| | Date | Time | Received By | Date | Time |
|--------------------|------|------|-------------|------|------|
| 3. Relinquished By | | | | | |

[illegible]

2020

DISTRIBUTION: WHITE - Returned to Client with Report; CANARY - Stays with the Sample; PINK - Field Copy

**SEVERN
TRENT**
STL
Severn Trent Laboratories, Inc.

| | | | |
|------------------------------|--|----------------|-----------------------------------|
| Client NYSDC R9 DER | Project Manager GEVE MEZNYK | Date 5/5/06 | Chain of Custody Number 252291 |
| Address 270 Michigan Ave. | Telephone Number (Area Code)/Fax Number 716-851-7220 / 851-7226 fax | Lab Number | Page 2 of 4 |

| | | | | | | | | | |
|-----------------------------------|-------|------------|------------------------|-------------|--|-----|-------|------|----|
| City | State | Zip Code | Site Contact | Lab Contact | Analysis (Attach list if more space is needed) | | | | |
| Buffalo | NY | 14203-2999 | D. Zygmanski | B. F. Bole | 82 | 260 | MEALS | 8270 | h2 |
| Project Name and Location (State) | | | Carrier/Waybill Number | | | | | | |
| 9/5/15 - BENGAS T & MEAL - NY | | | | | | | | | |

| | |
|-----------------------------------|---------|
| Contract/Purchase Order/Quote No. | C200305 |
| Matrix | |
| Containers & Preservatives | |

| Sample I.D. No. and Description (Containers for each sample may be combined on one line) | Date | Time | Air | Aqueous | Sed. | Soil | Unpres. | H2SO4 | HNO3 | HCl | NaOH | ZnAc/ NaOH | PCr | PCr | Reu | TCC | TCS | TCF | Co2 |
|---|--------|------|-----|---------|------|------|---------|-------|------|-----|------|---------------|-----|-----|-----|-----|-----|-----|-----|
| B13 VOC 5"-43" | 5/4/00 | 1340 | | | ✓ | ✓ | ✓ | | | | | | ✓ | | | | | | |
| B13 41" - 48" | | 1345 | | | ✓ | ✓ | ✓ | | | | | | ✓ | | | | | | |
| B9 23"-28" | | 1330 | | | ✓ | ✓ | ✓ | | | | | | ✓ | | | | | | |
| DI SEDIMENT | | 1405 | | | ✓ | ✓ | ✓ | | | | | | ✓ | | | | | | |
| B12 24"-29" | | 1425 | | | ✓ | ✓ | ✓ | | | | | | ✓ | | | | | | |
| B14 VOC 4"-39" | | 1445 | | | ✓ | ✓ | ✓ | | | | | | ✓ | | | | | | |
| B14 35"-39" | | 1450 | | | ✓ | ✓ | ✓ | | | | | | ✓ | | | | | | |
| B16 32"-37" | | 1505 | | | ✓ | ✓ | ✓ | | | | | | ✓ | | | | | | |
| B15 9"-39" | | 1525 | | | ✓ | ✓ | ✓ | | | | | | ✓ | | | | | | |
| COMPOSITE - AREA "A" | | 1530 | | | ✓ | ✓ | 5 | | | | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| B17 VOC 38"-46" | | 1550 | | | ✓ | ✓ | ✓ | | | | | | ✓ | | | | | | |
| B17 30"-38" | | 1555 | | | ✓ | ✓ | ✓ | | | | | | ✓ | | | | | | |

| | | | |
|--------------------------------|--|---|---|
| Possible Hazard Identification | <input type="checkbox"/> Non-Hazard' <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant' <input checked="" type="checkbox"/> Poison B <input type="checkbox"/> Unknown | Sample Disposal <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months | (A fee may be assessed if samples are retained longer than 1 month) |
| Possible Hazard Identification | PCSS \approx 500 mg or less <input type="checkbox"/> Non-Hazard' <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant' <input checked="" type="checkbox"/> Poison B <input type="checkbox"/> Unknown | Sample Disposal <input type="checkbox"/> Return To Client <input type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months | (A fee may be assessed if samples are retained longer than 1 month) |

| Turn Around Time Required | QC Requirements (Specify) |
|---------------------------|---------------------------|
| 12-24 hrs | 1 |

☐ 24 Hours ☐ 48 Hours ☐ 7 Days ☐ 14 Days ☐ 21 Days ☒ Other Standard

1. Relinquished By _____ Date _____ Time _____

1. Received By _____ Date _____ Time _____

| | | | | | |
|--------------------|----------------------|------|----------------|----------|------|
| 2. Relinquished By | 5/5/06 | 1305 | 407 | 05/05/06 | 1305 |
| | <i>Gregory/Valby</i> | | <i>Gregory</i> | | |
| | Date | Time | 2. Received By | Date | Time |

| 3. Relinquished By | Date | Time | 3. Received By | Date | Time |
|--------------------|------|------|----------------|------|------|
| | | | | | |

[illegible]

2020

DISTRIBUTION: WHITE - Returned to Client with Report; CANARY - Slays with the Sample; PINK - Field Copy

STL-4124 (0901)

Client

MSDEC 29 DER

Project Manager

Gene Melnyk

Chain of Custody Number

252292

Address

270 Michigan Ave.

Telephone Number (Area Code)/Fax Number

716-851-7220 / 851-7226 fax

Date

5/5/06

Lab Number

Page 3 of 4

City

Buffalo

State

NY

Zip Code

14203-2979

Site Contact

D. Szymanski

Lab Contact

B. Fisher

Carrier/Waybill Number

915115 - BENICART + MEMEL - NY

Contract/Purchase Order/Quote No.

C200305

Project Name and Location (State)

915115 - BENICART + MEMEL - NY

Analysis (Attach list if more space is needed)

PCB 8082

PCB 8210

PCB 8215

PCB 8220

PCB 8225

PCB 8230

PCB 8235

PCB 8240

PCB 8245

PCB 8250

PCB 8255

PCB 8260

PCB 8265

PCB 8270

PCB 8275

PCB 8280

PCB 8285

PCB 8290

PCB 8295

PCB 8300

PCB 8305

PCB 8310

PCB 8315

PCB 8320

PCB 8325

PCB 8330

PCB 8335

PCB 8340

PCB 8345

PCB 8350

PCB 8355

PCB 8360

PCB 8365

PCB 8370

PCB 8375

PCB 8380

PCB 8385

PCB 8390

PCB 8395

PCB 8400

PCB 8405

PCB 8410

PCB 8415

PCB 8420

PCB 8425

PCB 8430

PCB 8435

PCB 8440

PCB 8445

PCB 8450

PCB 8455

PCB 8460

PCB 8465

PCB 8470

PCB 8475

PCB 8480

PCB 8485

PCB 8490

PCB 8495

PCB 8500

PCB 8505

PCB 8510

PCB 8515

PCB 8520

PCB 8525

PCB 8530

PCB 8535

PCB 8540

PCB 8545

PCB 8550

PCB 8555

PCB 8560

PCB 8565

PCB 8570

PCB 8575

PCB 8580

PCB 8585

PCB 8590

PCB 8595

PCB 8600

PCB 8605

PCB 8610

PCB 8615

PCB 8620

PCB 8625

PCB 8630

PCB 8635

PCB 8640

PCB 8645

PCB 8650

PCB 8655

PCB 8660

PCB 8665

PCB 8670

PCB 8675

PCB 8680

PCB 8685

PCB 8690

PCB 8695

PCB 8700

PCB 8705

PCB 8710

PCB 8715

PCB 8720

PCB 8725

PCB 8730

PCB 8735

PCB 8740

PCB 8745

PCB 8750

PCB 8755

PCB 8760

PCB 8765

PCB 8770

PCB 8775

PCB 8780

PCB 8785

PCB 8790

PCB 8795

PCB 8800

PCB 8805

PCB 8810

PCB 8815

PCB 8820

PCB 8825

PCB 8830

PCB 8835

PCB 8840

PCB 8845

PCB 8850

PCB 8855

PCB 8860

PCB 8865

PCB 8870

PCB 8875

PCB 8880

PCB 8885

PCB 8890

PCB 8895

PCB 8900

PCB 8905

PCB 8910

PCB 8915

PCB 8920

PCB 8925

PCB 8930

PCB 8935

PCB 8940

PCB 8945

PCB 8950

PCB 8955

PCB 8960

PCB 8965

PCB 8970

PCB 8975

PCB 8980

PCB 8985

PCB 8990

PCB 8995

PCB 9000

PCB 9005

PCB 9010

PCB 9015

PCB 9020

PCB 9025

PCB 9030

PCB 9035

PCB 9040

PCB 9045

PCB 9050

PCB 9055

PCB 9060

PCB 9065

PCB 9070

PCB 9075

PCB 9080

PCB 9085

PCB 9090

PCB 9095

PCB 9100

PCB 9105

PCB 9110

PCB 9115

PCB 9120

PCB 9125

PCB 9130

PCB 9135

PCB 9140

PCB 9145

PCB 9150

PCB 9155

PCB 9160

PCB 9165

PCB 9170

PCB 9175

PCB 9180

PCB 9185

PCB 9190

PCB 9195

PCB 9200

PCB 9205

PCB 9210

PCB 9215

PCB 9220

PCB 9225

PCB 9230

PCB 9235

PCB 9240

PCB 9245

PCB 9250

PCB 9255

PCB 9260

PCB 9265

PCB 9270

PCB 9275

PCB 9280

PCB 9285

PCB 9290

PCB 9295

PCB 9300

PCB 9305

PCB 9310

PCB 9315

PCB 9320

PCB 9325

PCB 9330

PCB 9335

PCB 9340

PCB 9345

PCB 9350

PCB 9355

PCB 9360

PCB 9365

PCB 9370

PCB 9375

PCB 9380

PCB 9385

PCB 9390

PCB 9395

PCB 9400

PCB 9405

PCB 9410

PCB 9415

PCB 9420

PCB 9425

PCB 9430

PCB 9435

PCB 9440

PCB 9445

PCB 9450

PCB 9455

PCB 9460

PCB 9465

PCB 9470

PCB 9475

PCB 9480

PCB 9485

PCB 9490

PCB 9495

PCB 9500

PCB 9505

PCB 9510

PCB 9515

PCB 9520

PCB 9525

PCB 9530

PCB 9535

PCB 9540

PCB 9545

PCB 9550

PCB 9555

PCB 9560

PCB 9565

PCB 9570

PCB 9575

PCB 9580

PCB 9585

PCB 9590

PCB 9595

PCB 9600

PCB 9605

PCB 9610

PCB 9615

PCB 9620

PCB 9625

PCB 9630

PCB 9635

PCB 9640

PCB 9645

PCB 9650

PCB 9655

PCB 9660

PCB 9665

PCB 9670

PCB 9675

PCB 9680

PCB 9685

PCB 9690

PCB 9695

PCB 9700

PCB 9705

PCB 9710

PCB 9715

PCB 9720

PCB 9725

PCB 9730

PCB 9735

PCB 9740

PCB 9745

PCB 9750

PCB 9755

PCB 9760

PCB 9765

PCB 9770

PCB 9775

PCB 9780

PCB 9785

PCB 9790

PCB 9795

PCB 9800

PCB 9805

PCB 9810

PCB 9815

PCB 9820

PCB 9825

PCB 9830

PCB 9835

PCB 9840

PCB 9845

PCB 9850

PCB 9855

PCB 9860

PCB 9865

PCB 9870

PCB 9875

PCB 9880

PCB 9885

PCB 9890

PCB 9895

PCB 9900

PCB 9905

PCB 9910

PCB 9915

PCB 9920

PCB 9925

PCB 9930

PCB 9935

PCB 9940

PCB 9945

PCB 9950

PCB 9955

PCB 9960

PCB 9965

PCB 9970

PCB 9975

PCB 9980

PCB 9985

PCB 9990

PCB 9995

PCB 10000

PCB 10005

PCB 10010

PCB 10015

PCB 10020

PCB 10025

PCB 10030

PCB 10035

PCB 10040

PCB 10045

PCB 10050

PCB 10055

PCB 10060

PCB 10065

PCB 10070

PCB 10075

PCB 10080

PCB 10085

PCB 10090

PCB 10095

PCB 10100

PCB 10105

PCB 10110

PCB 10115

PCB 10120

PCB 10125

PCB 10130

PCB 10135

PCB 10140

PCB 10145

PCB 10150

PCB 10155

PCB 10160

PCB 10165

PCB 10170

PCB 10175

PCB 10180

PCB 10185

PCB 10190

PCB 10195

PCB 10200

PCB 10205

PCB 10210

PCB 10215

PCB 10220

PCB 10225

PCB 10230

PCB 10235

PCB 10240

PCB 10245

PCB 10250

PCB 10255

PCB 10260

PCB 10265

PCB 10270

PCB 10275

PCB 10280

PCB 10285

PCB 10290

PCB 10295

PCB 10300

PCB 10305

PCB 10310

PCB 10315

PCB 10320

PCB 10325

PCB 10330

PCB 10335

PCB 10340

PCB 10345

PCB 10350

PCB 10355

PCB 10360

PCB 10365

PCB 10370

PCB 10375

PCB 10380

PCB 10385

PCB 10390

PCB 10395

PCB 10400

PCB 10405

PCB 10410

PCB 10415

PCB 10420

PCB 10425

PCB 10430

PCB 10435

PCB 10440

PCB 10445

PCB 10450

PCB 10455

PCB 10460

PCB 10465

PCB 10470

PCB 10475

PCB 10480

PCB 10485

PCB 10490

PCB 10495

PCB 10500

PCB 10505

PCB 10510

PCB 10515

PCB 10520

PCB 10525

PCB 10530

PCB 10535

PCB 10540

PCB 10545

PCB 10550

PCB 10555

PCB 10560

PCB 10565

PCB 10570

PCB 10575

PCB 10580

PCB 10585

PCB 10590

PCB 10595

PCB 10600

PCB 10605

PCB 10610

PCB 10615

PCB 10620

PCB 10625

PCB 10630

PCB 10635

PCB 10640

PCB 10645

PCB 10650

PCB 10655

PCB 10660

PCB 10665

PCB 10670

PCB 10675

PCB 10680

PCB 10685

PCB 10690

PCB 10695

PCB 10700

PCB 10705

PCB 10710

PCB 10715

PCB 10720

PCB 10725

PCB 10730

PCB 10735

PCB 10740

PCB 10745

PCB 10750

PCB 10755

PCB 10760

PCB 10765

PCB 10770

PCB 10775

PCB 10780

PCB 10785

PCB 10790

PCB 10795

PCB 10800

PCB 10805

PCB 10810

PCB 10815

PCB 10820

PCB 10825

PCB 10830

PCB 10835

PCB 10840

PCB 10845

PCB 10850

PCB 10855

PCB 10860

PCB 10865

PCB 10870

PCB 10875

PCB 10880

PCB 10885

PCB 10890

PCB 10895

PCB 10900

PCB 10905

PCB 10910

PCB 10915

PCB 10920

PCB 10925

PCB 10930

PCB 10935

PCB 10940

PCB 10945

PCB 10950

PCB 10955

PCB 10960

PCB 10965

PCB 10970

PCB 10975

PCB 10980

PCB 10985

PCB 10990

PCB 10995

PCB 11000

PCB 11005

PCB 11010

PCB 11015

PCB 11020

PCB 11025

PCB 11030

PCB 11035

PCB 11040

PCB 11045

PCB 11050

PCB 11055

PCB 11060

PCB 11065

PCB 11070

PCB 11075

PCB 11080

PCB 11085

PCB 11090

PCB 11095

PCB 11100

PCB 11105

PCB 11110

PCB 11115

PCB 11120

PCB 11125

PCB 11130

PCB 11135

PCB 11140

PCB 11145

PCB 11150

PCB 11155

PCB 11160

PCB 11165

PCB 11170

PCB 11175

PCB 11180

PCB 11185

PCB 11190

PCB 11195

PCB 11200

PCB 11205

PCB 11210

PCB 11215

PCB 11220

PCB 11225

PCB 11230

PCB 11235

PCB 11240

PCB 11245

PCB 11250

PCB 11255

PCB 11260

PCB 11265

PCB 11270

PCB 11275

PCB 11280

PCB 11285

PCB 11290

PCB 11295

PCB 11300

PCB 11305

PCB 11310

PCB 11315

PCB 11320

PCB 11325

PCB 11330

PCB 11335

PCB 11340

PCB 11345

PCB 11350

PCB 11355

PCB 11360

PCB 11365

PCB 11370

PCB 11375

PCB 11380

PCB 11385

PCB 11390

PCB 11395

PCB 11400

PCB 11405

PCB 11410

PCB 11415

PCB 11420

PCB 11425

PCB 11430

PCB 11435

PCB 11440

PCB 11445

PCB 11450

PCB 11455

PCB 11460

PCB 11465

PCB 11470

PCB 11475

PCB 11480

PCB 11485

PCB 11490

PCB 11495

PCB 11500

PCB 11505

PCB 11510

PCB 11515

PCB 11520

PCB 11525

PCB 11530

PCB 11535

PCB 11540

PCB 11545

PCB 11550

PCB 11555

PCB 11560

PCB 11565

PCB 11570

PCB 11575

PCB 11580

PCB 11585

PCB 11590

PCB 11595

PCB 11600

PCB 11605

PCB 11610

PCB 11615

PCB 11620

PCB 11625

PCB 11630

PCB 11635

PCB 11640

PCB 11645

PCB 11650

PCB 11655

PCB 11660

PCB 11665

PCB 11670

PCB 11675

PCB 11680

PCB 11685

PCB 11690

PCB 11695

PCB 11700

PCB 11705

PCB 11710

PCB 11715

PCB 11720

PCB 11725

PCB 11730

PCB 11735

PCB 11740

PCB 11745

PCB 11750

PCB 11755

PCB 11760

PCB 11765

PCB 11770

PCB 11775

PCB 11780

PCB 11785

PCB 11790

PCB 11795

PCB 11800

PCB 11805

PCB 11810

PCB 11815

PCB 11820

PCB 11825

PCB 11830

PCB 11835

PCB 11840

PCB 11845

PCB 11850

PCB 11855

PCB 11860

PCB 11865

PCB 11870

PCB 11875

PCB 11880

PCB 11885

PCB 11890

PCB 11895

PCB 11900

PCB 11905

PCB 11910

PCB 11915

PCB 11920

PCB 11925

PCB 11930

PCB 11935

PCB 11940

PCB 11945

PCB 11950

PCB 11955

PCB 11960

PCB 11965

PCB 11970

PCB 11975

PCB 11980

PCB 11985

PCB 11990

PCB 11995

PCB 12000

PCB 12005

PCB 12010

PCB 12015

PCB 12020

PCB 12025

PCB 12030

PCB 12035

PCB 12040

PCB 12045

PCB 12050

PCB 12055

PCB 12060

PCB 12065

PCB 12070

PCB 12075

PCB 12080

PCB 12085

PCB 12090

PCB 12095

PCB 12100

PCB 12105

PCB 12110

PCB 12115

PCB 12120

PCB 12125

PCB 12130

PCB 12135

PCB 12140

PCB 12145

PCB 12150

PCB 12155

PCB 12160

PCB 12165

PCB 12170

PCB 12175

PCB 12180

PCB 12185

PCB 12190

PCB 12195

PCB 12200

PCB 12205

PCB 12210

PCB 12215

PCB 12220

PCB 12225

PCB 12230

PCB 12235

PCB 12240

PCB 12245

PCB 12250

PCB 12255

PCB 12260

PCB 12265

PCB 12270

PCB 12275

PCB 12280

PCB 12285

PCB 12290

PCB 12295

PCB 12300

PCB 12305

PCB 12310

PCB 12315

PCB 12320

PCB 12325

PCB 12330

PCB 12335

PCB 12340

PCB 12345

PCB 12350

PCB 12355

PCB 12360

PCB 12365

PCB 12370

PCB 12375

PCB 12380

PCB 12385

PCB 12390

PCB 12395

PCB 12400

PCB 12405

PCB 12410

PCB 12415

PCB 12420

PCB 12425

PCB 12430

PCB 12435

PCB 12440

PCB 12445

PCB 12450

PCB 12455

PCB 12460

PCB 12465

PCB 12470

PCB 12475

PCB 12480

PCB 12485

PCB 12490

PCB 12495

PCB 12500

PCB 12505</

Chain of
Custody Record

STL-4124 (0901)

| Client | | Project Manager | | Date | Chain of Custody Number | | | | | | | |
|---|--------|---|------------------------|-------------|--|------|---------|----------------------------|------|-----|------|-----------|
| WYSDER R9 DER | | GENE MEINIK | | 5-5-06 | 252293 | | | | | | | |
| Address | | Telephone Number (Area Code)/Fax Number | | Lab Number | Page 4 of 4 | | | | | | | |
| 270 Michigan Ave. | | 716-857-7220 / 857-7226 fax | | | | | | | | | | |
| City | State | Zip Code | Site Contact | Lab Contact | Analysis (Attach list if more space is needed) | | | | | | | |
| BUFFALO | NY | 14203-2999 | D. Symms | B. Fisher | | | | | | | | |
| Project Name and Location (State) | | | Carrier/Waybill Number | | | | | | | | | |
| 91515 BENGART (M) Mel NY | | | | | | | | | | | | |
| Contract/Rurchase Order/Quote No. | | | C200305 | | | | | | | | | |
| Sample I.D. No. and Description (Containers for each sample may be combined on one line) | Date | Time | Matrix | | | | | Containers & Preservatives | | | | |
| | | | Air | Aqueous | Sed. | Soil | Unpres. | H2SO4 | HNO3 | HCl | NaOH | ZnAc/NaOH |
| FLOOR DUST | 5-5-06 | 1150hrs | | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| WIPE 1 | | 1155 | | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| WIPE 2 | | 1200 | | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| WIPE 3 | | 1205 | | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| WIPE 4 | | 1210 | | | | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| Special Instructions/ Conditions of Receipt | | | | | | | | | | | | |
| WIPE SAMPLES | | | | | | | | | | | | |

| Possible Hazard Identification | | Sample Disposal | |
|-------------------------------------|------------------------------------|---|--|
| <input type="checkbox"/> Non-Hazard | <input type="checkbox"/> Flammable | <input type="checkbox"/> Return To Client | <input type="checkbox"/> Disposal By Lab |
| Turn Around Time Required | | Archive For | |
| <input type="checkbox"/> 24 Hours | <input type="checkbox"/> 48 Hours | <input type="checkbox"/> 7 Days | <input type="checkbox"/> 14 Days |
| 1. Relinquished By | | 2. Relinquished By | |
| 3. Relinquished By | | 3. Relinquished By | |

(A fee may be assessed if samples are retained longer than 1 month)

STANDARD 30 DAY QC Requirements (Specify)

STANDARD 30 DAY QC Requirements (Specify)

Received By: [Signature] Date: 5/5/06 Time: 1305

Received By: [Signature] Date: 5/5/06 Time: 1305

Received By: [Signature] Date: 5/5/06 Time: 1305

Comments: 202.0°C

This page is intentionally blank.

STL Buffalo

10 Hazelwood Drive, Suite 106
Amherst, NY 14228

Tel: 716 691 2600 Fax: 716 691 7991
www.stl-inc.com

ANALYTICAL REPORT

Job#: A06-6259


STL Project#: NY5A946109

Site Name: NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

Task: NYSDEC Spills - Bengart & Memel Site: 915115

Eugene Melnyk
NYSDEC - Region 9
270 Michigan Ave
Buffalo, NY 14203

STL Buffalo


Brian J. Fischer
Project Manager

06/19/2006

STL Buffalo Current Certifications

As of 4/10//2006

| STATE | Program | Cert # / Lab ID |
|-----------------------|----------------------------------|------------------------|
| AFCEE | AFCEE | |
| Arkansas | SDWA, CWA, RCRA, SOIL | 03-054-D/88-0686 |
| California | NELAP CWA, RCRA | 01169CA |
| Connecticut | SDWA, CWA, RCRA, SOIL | PH-0568 |
| Florida | NELAP CWA, RCRA | E87672 |
| Georgia | SDWA | 956 |
| Illinois | NELAP SDWA, CWA, RCRA | 200003 |
| Iowa | SW/CS | 374 |
| Kansas | NELAP SDWA, CWA, RCRA | E-10187 |
| Kentucky | SDWA | 90029 |
| Kentucky UST | UST | 30 |
| Louisiana | NELAP CWA, RCRA | 2031 |
| Maine | SDWA, CWA | NY044 |
| Maryland | SDWA | 294 |
| Massachusetts | SDWA, CWA | M-NY044 |
| Michigan | SDWA | 9937 |
| Minnesota | SDWA, CWA, RCRA | 036-999-337 |
| New Hampshire | NELAP SDWA, CWA | 233701 |
| New Jersey | SDWA, CWA, RCRA, CLP | NY455 |
| New York | NELAP, AIR, SDWA, CWA, RCRA, ASP | 10026 |
| Oklahoma | CWA, RCRA | 9421 |
| Pennsylvania | Env. Lab Reg. | 68-281 |
| South Carolina | RCRA | 91013 |
| Tennessee | SDWA | 02970 |
| USACE | USACE | |
| USDA | FOREIGN SOIL PERMIT | S-41579 |
| USDOE | Department of Energy | DOECAP-STB |
| Virginia | SDWA | 278 |
| Washington | CWA, RCRA | C1677 |
| West Virginia | CWA, RCRA | 252 |
| Wisconsin | CWA | 998310390 |

SAMPLE SUMMARY

| <u>LAB SAMPLE ID</u> | <u>CLIENT SAMPLE ID</u> | <u>MATRIX</u> | <u>SAMPLED</u> | | <u>RECEIVED</u> | |
|----------------------|-------------------------|---------------|----------------|-------------|-----------------|-------------|
| | | | <u>DATE</u> | <u>TIME</u> | <u>DATE</u> | <u>TIME</u> |
| A6625901 | BUILDING SUMP | SOIL | 05/31/2006 | 13:05 | 06/02/2006 | 15:55 |
| A6625902 | LOT EDGE AT BUILDING | SOIL | 05/31/2006 | 13:20 | 06/02/2006 | 15:55 |
| A6625903 | LOT EDGE AT MW | SOIL | 05/31/2006 | 13:30 | 06/02/2006 | 15:55 |
| A6625906 | LOT EDGE AT SW CORN. | SOIL | 05/31/2006 | 14:10 | 06/02/2006 | 15:55 |
| A6625904 | NORTH FENCE AT GATE | SOIL | 05/31/2006 | 13:50 | 06/02/2006 | 15:55 |
| A6625905 | SURFACE SOIL E.CONT. | SOIL | 05/31/2006 | 14:00 | 06/02/2006 | 15:55 |

METHODS SUMMARY

Job#: A06-6259STL Project#: NY5A946109Site Name: NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

| PARAMETER | ANALYTICAL METHOD |
|---|----------------------|
| NYSDEC-SPILLS- 8082 - POLYCHLORINATED BIPHENYLS-S | SW8463 8082 |
| Aluminum - Total | SW8463 6010 |
| Antimony - Total | SW8463 6010 |
| Arsenic - Total | SW8463 6010 |
| Barium - Total | SW8463 6010 |
| Beryllium - Total | SW8463 6010 |
| Cadmium - Total | SW8463 6010 |
| Calcium - Total | SW8463 6010 |
| Chromium - Total | SW8463 6010 |
| Cobalt - Total | SW8463 6010 |
| Copper - Total | SW8463 6010 |
| Iron - Total | SW8463 6010 |
| Lead - Total | SW8463 6010 |
| Magnesium - Total | SW8463 6010 |
| Manganese - Total | SW8463 6010 |
| Mercury - Total | SW8463 7471 |
| Nickel - Total | SW8463 6010 |
| Potassium - Total | SW8463 6010 |
| Selenium - Total | SW8463 6010 |
| Silver - Total | SW8463 6010 |
| Sodium - Total | SW8463 6010 |
| Thallium - Total | SW8463 6010 |
| Vanadium - Total | SW8463 6010 |
| Zinc - Total | SW8463 6010 |

SW8463 "Test Methods for Evaluating Solid Waste Physical/Chemical Methods (SW846), Third Edition, 9/86; Update I, 7/92; Update IIA, 8/93; Update II, 9/94; Update IIB, 1/95; Update III, 12/96.

NON-CONFORMANCE SUMMARY

Job#: A06-6259STL Project#: NY5A946109Site Name: NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACTGeneral Comments

The enclosed data may or may not have been reported utilizing data qualifiers (Q) as defined on the Data Comment Page.

Soil, sediment and sludge sample results are reported on "dry weight" basis unless otherwise noted in this data package.

According to 40CFR Part 136.3, pH, Chlorine Residual, Dissolved Oxygen, Sulfite, and Temperature analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field (e.g. pH-Field), they were not analyzed immediately, but as soon as possible after laboratory receipt.

Sample dilutions were performed as indicated on the attached Dilution Log. The rationale for dilution is specified by the 3-digit code and definition.

Sample Receipt Comments

A06-6259

Sample Cooler(s) were received at the following temperature(s); 7.2 °C

Samples were received at a temperature of 7.2° C. These samples were analyzed as per instructions from the client. Based on EPA data validation guidelines, there is no impact on data usability.

GC Extractable Data

For method 8082, many samples required dilution prior to analysis due to the heavy matrix present or high concentration of target analytes. The surrogate and spike recoveries are diluted out of all sample extracts with a dilution factor of 10X or greater.


Metals Data

The LCS (Lot D051-540) recoveries for Aluminum, Antimony and Iron fell outside of the quality control limits, however, the LCS values were within the manufacturer's recommended acceptance limits. No corrective action was taken.

The analyte Zinc was detected in a bracketing CCB at a level above the project established reporting limit. However, all samples had levels of Zinc greater than ten times that of the Method Blank value, therefore, no corrective action was necessary.

The results presented in this report relate only to the analytical testing and condition of the sample at receipt. This report pertains to only those samples actually tested. All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.

"I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory Manager or his designee, as verified by the following signature."

A handwritten signature in black ink, appearing to read 'Brian J. Fischer', is written over a horizontal line.

Brian J. Fischer
Project Manager

6-20-06

Date

Date: 06/19/2006

Time: 19:25:53

Dilution Log w/Code Information

For Job A06-6259

7/15 Page: 1
Rept: AN1266R

| <u>Client Sample ID</u> | <u>Lab Sample ID</u> | <u>Parameter (Inorganic)/Method (Organic)</u> | <u>Dilution</u> | <u>Code</u> |
|-------------------------|----------------------|---|-----------------|-------------|
| BUILDING SUMP | A6625901 | 8082 | 100.00 | 008 |
| LOT EDGE AT BUILDING | A6625902 | 8082 | 1000.00 | 008 |
| LOT EDGE AT MW | A6625903 | 8082 | 200.00 | 008 |
| NORTH FENCE AT GATE | A6625904 | 8082 | 20.00 | 008 |
| SURFACE SOIL E.CONT. | A6625905 | 8082 | 20.00 | 008 |
| LOT EDGE AT SW CORN. | A6625906 | 8082 | 100.00 | 008 |

Dilution Code Definition:

- 002 - sample matrix effects
- 003 - excessive foaming
- 004 - high levels of non-target compounds
- 005 - sample matrix resulted in method non-compliance for an Internal Standard
- 006 - sample matrix resulted in method non-compliance for Surrogate
- 007 - nature of the TCLP matrix
- 008 - high concentration of target analyte(s)
- 009 - sample turbidity
- 010 - sample color
- 011 - insufficient volume for lower dilution
- 012 - sample viscosity
- 013 - other



DATA QUALIFIER PAGE

These definitions are provided in the event the data in this report requires the use of one or more of the qualifiers. Not all qualifiers defined below are necessarily used in the accompanying data package.

ORGANIC DATA QUALIFIERS

ND or U Indicates compound was analyzed for, but not detected.

- J Indicates an estimated value. This flag is used either when estimating a concentration for tentatively identified compounds where a 1:1 response is assumed, or when the data indicates the presence of a compound that meets the identification criteria but the result is less than the sample quantitation limit but greater than zero.
- C This flag applies to pesticide results where the identification has been confirmed by GC/MS.
- B This flag is used when the analyte is found in the associated blank, as well as in the sample.
- E This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis.
- D This flag identifies all compounds identified in an analysis at the secondary dilution factor.
- N Indicates presumptive evidence of a compound. This flag is used only for tentatively identified compounds, where the identification is based on the Mass Spectral library search. It is applied to all TIC results.
- P This flag is used for CLP methodology only. For Pesticide/Aroclor target analytes, when a difference for detected concentrations between the two GC columns is greater than 25%, the lower of the two values is reported on the data page and flagged with a "P".
- A This flag indicates that a TIC is a suspected aldol-condensation product.
- ¹ Indicates coelution.
- * Indicates analysis is not within the quality control limits.

INORGANIC DATA QUALIFIERS

- ND or U Indicates element was analyzed for, but not detected. Report with the detection limit value.
 - J or B Indicates a value greater than or equal to the instrument detection limit, but less than the quantitation limit.
 - N Indicates spike sample recovery is not within the quality control limits.
 - S Indicates value determined by the Method of Standard Addition.
 - E Indicates a value estimated or not reported due to the presence of interferences.
 - H Indicates analytical holding time exceedance. The value obtained should be considered an estimate.
 - * Indicates the spike or duplicate analysis is not within the quality control limits.
 - +
- Indicates the correlation coefficient for the Method of Standard Addition is less than 0.995.

Date: 06/19/2006

Time: 19:25:57

NYSDEC

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

NYSDEC Spills - Bengart & Memel Site: 915115

9/15 Page: 1

Rept: AN1178

Sample ID: BUILDING SUMP

Lab Sample ID: A6625901

Date Collected: 05/31/2006

Time Collected: 13:05

Date Received: 06/02/2006

Project No: NY5A946109

Client No: L10190

Site No:

| Parameter | Result | Flag | Detection | | | Date/Time | | Analyst |
|---|--------|------|-----------|-------|--------|------------|-------|---------|
| | | | Limit | Units | Method | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBs | | | | | | | | |
| Aroclor 1016 | ND | | 5000 | UG/KG | 8082 | 06/08/2006 | 18:47 | MAN |
| Aroclor 1221 | ND | | 5000 | UG/KG | 8082 | 06/08/2006 | 18:47 | MAN |
| Aroclor 1232 | ND | | 5000 | UG/KG | 8082 | 06/08/2006 | 18:47 | MAN |
| Aroclor 1242 | ND | | 5000 | UG/KG | 8082 | 06/08/2006 | 18:47 | MAN |
| Aroclor 1248 | ND | | 5000 | UG/KG | 8082 | 06/08/2006 | 18:47 | MAN |
| Aroclor 1254 | 46000 | | 5000 | UG/KG | 8082 | 06/08/2006 | 18:47 | MAN |
| Aroclor 1260 | 45000 | | 5000 | UG/KG | 8082 | 06/08/2006 | 18:47 | MAN |

Date: 06/19/2006

Time: 19:25:57

NYSDEC

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

NYSDEC Spills - Bengart & Memel Site: 915115

10/15 Page: 2

Rept: AN1178

Sample ID: LOT EDGE AT BUILDING

Lab Sample ID: A6625902

Date Collected: 05/31/2006

Time Collected: 13:20

Date Received: 06/02/2006

Project No: NY5A946109

Client No: L10190

Site No:

| Parameter | Result | Flag | Detection | | Date/Time | | |
|---|--------|------|-----------|-------|-----------|------------------|---------|
| | | | Limit | Units | Method | Analyzed | Analyst |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBS | | | | | | | |
| Aroclor 1016 | ND | | 18000 | UG/KG | 8082 | 06/08/2006 19:26 | MAN |
| Aroclor 1221 | ND | | 18000 | UG/KG | 8082 | 06/08/2006 19:26 | MAN |
| Aroclor 1232 | ND | | 18000 | UG/KG | 8082 | 06/08/2006 19:26 | MAN |
| Aroclor 1242 | ND | | 18000 | UG/KG | 8082 | 06/08/2006 19:26 | MAN |
| Aroclor 1248 | ND | | 18000 | UG/KG | 8082 | 06/08/2006 19:26 | MAN |
| Aroclor 1254 | 38000 | | 18000 | UG/KG | 8082 | 06/08/2006 19:26 | MAN |
| Aroclor 1260 | 36000 | | 18000 | UG/KG | 8082 | 06/08/2006 19:26 | MAN |

Date: 06/19/2006

Time: 19:25:57

NYSDEC

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

NYSDEC Spills - Bengart & Memel Site: 915115

11/15 Page: 3

Rept: AN1178

Sample ID: LOT EDGE AT MW

Lab Sample ID: A6625903

Date Collected: 05/31/2006

Time Collected: 13:30

Date Received: 06/02/2006

Project No: NY5A946109

Client No: L10190

Site No:

| Parameter | Result | Flag | Detection | | | Date/Time | | Analyst |
|---|--------|------|-----------|-------|--------|------------------|--|---------|
| | | | Limit | Units | Method | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBS | | | | | | | | |
| Aroclor 1016 | ND | | 3600 | UG/KG | 8082 | 06/08/2006 19:46 | | MAN |
| Aroclor 1221 | ND | | 3600 | UG/KG | 8082 | 06/08/2006 19:46 | | MAN |
| Aroclor 1232 | ND | | 3600 | UG/KG | 8082 | 06/08/2006 19:46 | | MAN |
| Aroclor 1242 | ND | | 3600 | UG/KG | 8082 | 06/08/2006 19:46 | | MAN |
| Aroclor 1248 | ND | | 3600 | UG/KG | 8082 | 06/08/2006 19:46 | | MAN |
| Aroclor 1254 | ND | | 3600 | UG/KG | 8082 | 06/08/2006 19:46 | | MAN |
| Aroclor 1260 | 94000 | | 3600 | UG/KG | 8082 | 06/08/2006 19:46 | | MAN |

Date: 06/19/2006

Time: 19:25:57

NYSDEC

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

NYSDEC Spills - Bengart & Memel Site: 915115

12/15 Page: 4

Rept: AN1178

Sample ID: LOT EDGE AT SW CORN.

Lab Sample ID: A6625906

Date Collected: 05/31/2006

Time Collected: 14:10

Date Received: 06/02/2006

Project No: NY5A946109

Client No: L10190

Site No:

| Parameter | Result | Flag | Detection | | Units | Method | Date/Time | | Analyst |
|---|--------|------|-----------|--|-------|--------|------------------|--|---------|
| | | | Limit | | | | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBS | | | | | | | | | |
| Aroclor 1016 | ND | | 1900 | | UG/KG | 8082 | 06/08/2006 20:45 | | MAN |
| Aroclor 1221 | ND | | 1900 | | UG/KG | 8082 | 06/08/2006 20:45 | | MAN |
| Aroclor 1232 | ND | | 1900 | | UG/KG | 8082 | 06/08/2006 20:45 | | MAN |
| Aroclor 1242 | ND | | 1900 | | UG/KG | 8082 | 06/08/2006 20:45 | | MAN |
| Aroclor 1248 | ND | | 1900 | | UG/KG | 8082 | 06/08/2006 20:45 | | MAN |
| Aroclor 1254 | 21000 | | 1900 | | UG/KG | 8082 | 06/08/2006 20:45 | | MAN |
| Aroclor 1260 | 16000 | | 1900 | | UG/KG | 8082 | 06/08/2006 20:45 | | MAN |

Date: 06/19/2006

Time: 19:25:57

NYSDEC

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

NYSDEC Spills - Bengart & Memel Site: 915115

13/15 Page: 5

Rept: AN1178

Sample ID: NORTH FENCE AT GATE

Lab Sample ID: A6625904

Date Collected: 05/31/2006

Time Collected: 13:50

Date Received: 06/02/2006

Project No: NY5A946109

Client No: L10190

Site No:

| Parameter | Result | Flag | Detection | | Method | Date/Time | | Analyst |
|---|--------|------|-----------|-------|--------|------------------|--|---------|
| | | | Limit | Units | | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBs | | | | | | | | |
| Aroclor 1016 | ND | | 410 | UG/KG | 8082 | 06/08/2006 20:05 | | MAN |
| Aroclor 1221 | ND | | 410 | UG/KG | 8082 | 06/08/2006 20:05 | | MAN |
| Aroclor 1232 | ND | | 410 | UG/KG | 8082 | 06/08/2006 20:05 | | MAN |
| Aroclor 1242 | ND | | 410 | UG/KG | 8082 | 06/08/2006 20:05 | | MAN |
| Aroclor 1248 | ND | | 410 | UG/KG | 8082 | 06/08/2006 20:05 | | MAN |
| Aroclor 1254 | 3700 | | 410 | UG/KG | 8082 | 06/08/2006 20:05 | | MAN |
| Aroclor 1260 | 12000 | | 410 | UG/KG | 8082 | 06/08/2006 20:05 | | MAN |
| Metals Analysis | | | | | | | | |
| Aluminum - Total | 13600 | | 12.4 | MG/KG | 6010 | 06/06/2006 05:01 | | TWS |
| Antimony - Total | ND | | 18.6 | MG/KG | 6010 | 06/06/2006 05:01 | | TWS |
| Arsenic - Total | 8.0 | | 2.5 | MG/KG | 6010 | 06/06/2006 05:01 | | TWS |
| Barium - Total | 118 | | 0.62 | MG/KG | 6010 | 06/06/2006 05:01 | | TWS |
| Beryllium - Total | 1.1 | | 0.25 | MG/KG | 6010 | 06/06/2006 05:01 | | TWS |
| Cadmium - Total | 2.6 | | 0.25 | MG/KG | 6010 | 06/06/2006 05:01 | | TWS |
| Calcium - Total | 81700 | | 61.8 | MG/KG | 6010 | 06/06/2006 05:01 | | TWS |
| Chromium - Total | 97.8 | | 0.62 | MG/KG | 6010 | 06/06/2006 05:01 | | TWS |
| Cobalt - Total | 20.4 | | 0.62 | MG/KG | 6010 | 06/06/2006 05:01 | | TWS |
| Copper - Total | 1820 | | 1.2 | MG/KG | 6010 | 06/06/2006 05:01 | | TWS |
| Iron - Total | 36300 | | 12.4 | MG/KG | 6010 | 06/06/2006 05:01 | | TWS |
| Lead - Total | 309 | | 1.2 | MG/KG | 6010 | 06/06/2006 05:01 | | TWS |
| Magnesium - Total | 14900 | | 24.7 | MG/KG | 6010 | 06/06/2006 05:01 | | TWS |
| Manganese - Total | 1000 | | 0.25 | MG/KG | 6010 | 06/06/2006 05:01 | | TWS |
| Mercury - Total | 0.92 | | 0.026 | MG/KG | 7471 | 06/06/2006 15:44 | | MM |
| Nickel - Total | 338 | | 0.62 | MG/KG | 6010 | 06/06/2006 05:01 | | TWS |
| Potassium - Total | 2300 | | 37.1 | MG/KG | 6010 | 06/06/2006 05:01 | | TWS |
| Selenium - Total | ND | | 4.9 | MG/KG | 6010 | 06/06/2006 05:01 | | TWS |
| Silver - Total | 1.4 | | 0.62 | MG/KG | 6010 | 06/06/2006 05:01 | | TWS |
| Sodium - Total | 468 | | 173 | MG/KG | 6010 | 06/06/2006 05:01 | | TWS |
| Thallium - Total | ND | | 7.4 | MG/KG | 6010 | 06/06/2006 05:01 | | TWS |
| Vanadium - Total | 29.1 | | 0.62 | MG/KG | 6010 | 06/06/2006 05:01 | | TWS |
| Zinc - Total | 1100 | | 1.2 | MG/KG | 6010 | 06/06/2006 05:01 | | TWS |

Date: 06/19/2006

Time: 19:25:57

NYSDEC

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

NYSDEC Spills - Bengart & Memel Site: 915115

14/15 Page: 6

Rept: AN1178

Sample ID: SURFACE SOIL E.CONT.

Lab Sample ID: A6625905

Date Collected: 05/31/2006

Time Collected: 14:00

Date Received: 06/02/2006

Project No: NY5A946109

Client No: L10190

Site No:

| Parameter | Result | Flag | Detection | | Units | Method | Date/Time | | Analyst |
|---|--------|------|-----------|--|-------|--------|------------------|--|---------|
| | | | Limit | | | | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBs | | | | | | | | | |
| Aroclor 1016 | ND | | 380 | | UG/KG | 8082 | 06/08/2006 20:25 | | MAN |
| Aroclor 1221 | ND | | 380 | | UG/KG | 8082 | 06/08/2006 20:25 | | MAN |
| Aroclor 1232 | ND | | 380 | | UG/KG | 8082 | 06/08/2006 20:25 | | MAN |
| Aroclor 1242 | ND | | 380 | | UG/KG | 8082 | 06/08/2006 20:25 | | MAN |
| Aroclor 1248 | ND | | 380 | | UG/KG | 8082 | 06/08/2006 20:25 | | MAN |
| Aroclor 1254 | 5200 | | 380 | | UG/KG | 8082 | 06/08/2006 20:25 | | MAN |
| Aroclor 1260 | 11000 | | 380 | | UG/KG | 8082 | 06/08/2006 20:25 | | MAN |

Chain of
Custody Record

STL-4124 (0901)

| | | | | | |
|---|--|---|--|--|--|
| Client NYSDEC REGION 9 DER | | Project Manager EUGENE McEneaney | | Chain of Custody Number 169271 | |
| Address 270 Michigan Ave. | | Telephone Number (Area Code)/Fax Number 766-851-7220 | | Date 5/31/06 | |
| City Buffalo | | State NY | | Lab Number Page 1 of 1 | |
| Zip Code 14203-2999 | | Site Contact Dr. Seymour | | Analysis (Attach list if more space is needed) | |
| Project Name and Location (State) BENGLART & MEMEL 26115, NY | | Carrier/Mailbill Number | | Special Instructions/ Conditions of Receipt | |
| Contract Purchase Order/Quote No. C200305 | | | | | |

| Sample I.D. No. and Description (Containers for each sample may be combined on one line) | Date | Time | Matrix | | | | Containers & Preservatives | | | | | | | | |
|---|---------|---------|--------|---------|-----|------|----------------------------|-------|------|-----|------|------|--|--|--|
| | | | Air | Aqueous | Sed | Soil | Unpres | H2SO4 | HNO3 | HCl | NaOH | ZnAc | | | |
| BUILDING - Sump | 5/31/06 | 1305 hr | | | ✓ | | | ✓ | | | | | | | |
| LOT EDGE AT Building | | 1320 hr | | | ✓ | | | ✓ | | | | | | | |
| LOT EDGE AT MKT | | 1330 hr | | | ✓ | | | ✓ | | | | | | | |
| NORTH FENCE AT GATE | | 1350 hr | | | ✓ | | | ✓ | | | | | | | |
| SURFACE SOIL EAST Containment | | 1400 hr | | | ✓ | | | ✓ | | | | | | | |
| LOT EDGE AT SH CORNER | | 1410 hr | | | ✓ | | | ✓ | | | | | | | |

← single JAL for both analyses.

| | | | | | |
|-------------------------------------|------------------------------------|--|-----------------------------------|----------------------------------|---|
| Possible Hazard Identification | | PCBS > 50ppm | | Sample Disposal | |
| <input type="checkbox"/> Non-Hazard | <input type="checkbox"/> Flammable | <input type="checkbox"/> Skin Irritant | <input type="checkbox"/> Poison B | <input type="checkbox"/> Unknown | <input type="checkbox"/> Return To Client |
| Turn Around Time Required | | 24 Hours <input type="checkbox"/> 48 Hours <input type="checkbox"/> 7 Days <input type="checkbox"/> 14 Days <input type="checkbox"/> 21 Days | | Archive For _____ Months | |
| 1. Relinquished By | | Date | | Time | |
| 2. Relinquished By | | Date | | Time | |
| 3. Relinquished By | | Date | | Time | |

STANDARD QC Requirements (Specify)

1. Received By: E. Seymour / Analyst Date: 6/02/06 Time: 15:30

2. Received By: J. Ball Date: 6/02/06 Time: 15:55

3. Received By: Date: Time:

15/15

This page is intentionally blank.



STL

STL Buffalo10 Hazelwood Drive, Suite 106
Amherst, NY 14228Tel: 716 691 2600 Fax: 716 691 7991
www.stl-inc.com

ANALYTICAL REPORT

Job#: A06-C584

STL Project#: NY5A946109

Site Name: NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

Task: NYSDEC Spills - Bengart & Memel Site: 915115

Eugene Melnyk
NYSDEC - Region 9
270 Michigan Ave
Buffalo, NY 14203

STL Buffalo

A handwritten signature in black ink, appearing to read "Brian J. Fischer", is written over a horizontal line.
Brian J. Fischer
Project Manager

11/02/2006

STL Buffalo Current Certifications

As of 9/28/2006

| STATE | Program | Cert # / Lab ID |
|-----------------------|----------------------------------|------------------------|
| AFCEE | AFCEE | |
| Arkansas | SDWA, CWA, RCRA, SOIL | 88-0686 |
| California | NELAP CWA, RCRA | 01169CA |
| Connecticut | SDWA, CWA, RCRA, SOIL | PH-0568 |
| Florida | NELAP CWA, RCRA | E87672 |
| Georgia | SDWA, NELAP CWA, RCRA | 956 |
| Illinois | NELAP SDWA, CWA, RCRA | 200003 |
| Iowa | SW/CS | 374 |
| Kansas | NELAP SDWA, CWA, RCRA | E-10187 |
| Kentucky | SDWA | 90029 |
| Kentucky UST | UST | 30 |
| Louisiana | NELAP CWA, RCRA | 2031 |
| Maine | SDWA, CWA | NY044 |
| Maryland | SDWA | 294 |
| Massachusetts | SDWA, CWA | M-NY044 |
| Michigan | SDWA | 9937 |
| Minnesota | SDWA, CWA, RCRA | 036-999-337 |
| New Hampshire | NELAP SDWA, CWA | 233701 |
| New Jersey | SDWA, CWA, RCRA, CLP | NY455 |
| New York | NELAP, AIR, SDWA, CWA, RCRA, ASP | 10026 |
| Oklahoma | CWA, RCRA | 9421 |
| Pennsylvania | NELAP CWA, RCRA | 68-00281 |
| South Carolina | RCRA | 91013 |
| Tennessee | SDWA | 02970 |
| USDA | FOREIGN SOIL PERMIT | S-41579 |
| USDOE | Department of Energy | DOECAP-STB |
| Virginia | SDWA | 278 |
| Washington | CWA, RCRA | C1677 |
| West Virginia | CWA, RCRA | 252 |
| Wisconsin | CWA, RCRA | 998310390 |

SAMPLE SUMMARY

| <u>LAB SAMPLE ID</u> | <u>CLIENT SAMPLE ID</u> | <u>MATRIX</u> | <u>SAMPLED</u> | | <u>RECEIVED</u> | |
|----------------------|-------------------------|---------------|----------------|-------------|-----------------|-------------|
| | | | <u>DATE</u> | <u>TIME</u> | <u>DATE</u> | <u>TIME</u> |
| A6C58401 | LS-1.2-4 | SOIL | 10/25/2006 | 13:30 | 10/26/2006 | 11:56 |
| A6C58402 | LS-1.6-8 | SOIL | 10/25/2006 | 13:35 | 10/26/2006 | 11:56 |
| A6C58404 | LS-2.12-14 | SOIL | 10/25/2006 | 13:45 | 10/26/2006 | 11:56 |
| A6C58403 | LS-2.2-4 | SOIL | 10/25/2006 | 13:40 | 10/26/2006 | 11:56 |
| A6C58405 | LS-3.0-4 | SOIL | 10/25/2006 | 14:05 | 10/26/2006 | 11:56 |
| A6C58406 | LS-3.6-8 | SOIL | 10/25/2006 | 14:10 | 10/26/2006 | 11:56 |
| A6C58407 | LS-4.10-12 | SOIL | 10/25/2006 | 14:20 | 10/26/2006 | 11:56 |
| A6C58408 | LS-5.6-8 | SOIL | 10/25/2006 | 14:30 | 10/26/2006 | 11:56 |
| A6C58409 | LS-6.0-2 | SOIL | 10/25/2006 | 14:40 | 10/26/2006 | 11:56 |
| A6C58410 | LS-6.8-10 | SOIL | 10/25/2006 | 14:45 | 10/26/2006 | 11:56 |
| A6C58411 | LS-7.0-2 | SOIL | 10/25/2006 | 15:05 | 10/26/2006 | 11:56 |
| A6C58412 | LS-7.7-9 | SOIL | 10/25/2006 | 15:10 | 10/26/2006 | 11:56 |
| A6C58413 | SURFACE-EAST BERM | SOIL | 10/25/2006 | 15:25 | 10/26/2006 | 11:56 |

METHODS SUMMARY

Job#: A06-C584STL Project#: NY5A946109Site Name: NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

| <u>PARAMETER</u> | <u>ANALYTICAL METHOD</u> |
|---|------------------------------|
| NYSDEC-SPILLS- 8082 - POLYCHLORINATED BIPHENYLS-S | SW8463 8082 |

References:

SW8463 "Test Methods for Evaluating Solid Waste Physical/Chemical Methods (SW846), Third Edition, 9/86; Update I, 7/92; Update IIA, 8/93; Update II, 9/94; Update IIB, 1/95; Update III, 12/96.

NON-CONFORMANCE SUMMARY

Job#: A06-C584STL Project#: NY5A946109Site Name: NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACTGeneral Comments

The enclosed data may or may not have been reported utilizing data qualifiers (Q) as defined on the Data Comment Page.

Soil, sediment and sludge sample results are reported on "dry weight" basis unless otherwise noted in this data package.

According to 40CFR Part 136.3, pH, Chlorine Residual, Dissolved Oxygen, Sulfite, and Temperature analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field (e.g. pH-Field), they were not analyzed immediately, but as soon as possible after laboratory receipt.

Sample dilutions were performed as indicated on the attached Dilution Log. The rationale for dilution is specified by the 3-digit code and definition.

Sample Receipt Comments

A06-C584

Sample Cooler(s) were received at the following temperature(s); 4.2 °C
All samples were received in good condition.

GC Extractable Data

For method 8082, samples LS-6.8-10 and SURFACE EAST BREM required dilution prior to analysis due to the high concentration of target analytes. The surrogate and spike recoveries are diluted out of all sample extracts with a dilution factor of 10X or greater.

The results presented in this report relate only to the analytical testing and condition of the sample at receipt. This report pertains to only those samples actually tested. All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.

"I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory Manager or his designee, as verified by the following signature."



Brian J. Fischer
Project Manager

11-2-06

Date

Date: 11/02/2006
Time: 14:03:25

Dilution Log w/Code Information
For Job A06-C584

7/23 Page: 1
Rept: AN1266R

| <u>Client Sample ID</u> | <u>Lab Sample ID</u> | <u>Parameter (Inorganic)/Method (Organic)</u> | <u>Dilution</u> | <u>Code</u> |
|-------------------------|----------------------|---|-----------------|-------------|
| LS-1.2-4 | A6C58401 | 8082 | 5.00 | 008 |
| LS-2.2-4 | A6C58403 | 8082 | 5.00 | 008 |
| LS-3.0-4 | A6C58405 | 8082 | 2.00 | 008 |
| LS-6.0-2 | A6C58409 | 8082 | 2.00 | 008 |
| LS-6.8-10 | A6C58410 | 8082 | 10.00 | 008 |
| SURFACE-EAST BERM | A6C58413 | 8082 | 20.00 | 008 |

Dilution Code Definition:

- 002 - sample matrix effects
- 003 - excessive foaming
- 004 - high levels of non-target compounds
- 005 - sample matrix resulted in method non-compliance for an Internal Standard
- 006 - sample matrix resulted in method non-compliance for Surrogate
- 007 - nature of the TCLP matrix
- 008 - high concentration of target analyte(s)
- 009 - sample turbidity
- 010 - sample color
- 011 - insufficient volume for lower dilution
- 012 - sample viscosity
- 013 - other



DATA QUALIFIER PAGE

These definitions are provided in the event the data in this report requires the use of one or more of the qualifiers. Not all qualifiers defined below are necessarily used in the accompanying data package.

ORGANIC DATA QUALIFIERS

ND or U Indicates compound was analyzed for, but not detected.

J Indicates an estimated value. This flag is used either when estimating a concentration for tentatively identified compounds where a 1:1 response is assumed, or when the data indicates the presence of a compound that meets the identification criteria but the result is less than the sample quantitation limit but greater than zero.

C This flag applies to pesticide results where the identification has been confirmed by GC/MS.

B This flag is used when the analyte is found in the associated blank, as well as in the sample.

E This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis.

D This flag identifies all compounds identified in an analysis at the secondary dilution factor.

N Indicates presumptive evidence of a compound. This flag is used only for tentatively identified compounds, where the identification is based on the Mass Spectral library search. It is applied to all TIC results.

P This flag is used for CLP methodology only. For Pesticide/Aroclor target analytes, when a difference for detected concentrations between the two GC columns is greater than 25%, the lower of the two values is reported on the data page and flagged with a "P".

A This flag indicates that a TIC is a suspected aldol-condensation product.

¹ Indicates coelution.

* Indicates analysis is not within the quality control limits.

INORGANIC DATA QUALIFIERS

ND or U Indicates element was analyzed for, but not detected. Report with the detection limit value.

J or B Indicates a value greater than or equal to the instrument detection limit, but less than the quantitation limit.

N Indicates spike sample recovery is not within the quality control limits.

S Indicates value determined by the Method of Standard Addition.

E Indicates a value estimated or not reported due to the presence of interferences.

H Indicates analytical holding time exceedance. The value obtained should be considered an estimate.

* Indicates the spike or duplicate analysis is not within the quality control limits.

+ Indicates the correlation coefficient for the Method of Standard Addition is less than 0.995.

Date: 11/02/2006
Time: 14:03:31

NYSDEC
NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT
NYSDEC Spills - Bengart & Memel Site: 915115

9/23 Page: 1
Rept: AN1178

Sample ID: LS-1.2-4
Lab Sample ID: A6C58401
Date Collected: 10/25/2006
Time Collected: 13:30

Date Received: 10/26/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | | Date/Time | | Analyst |
|---|--------|------|-----------|-------|--------|------------------|-----|---------|
| | | | Limit | Units | Method | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBs | | | | | | | | |
| Aroclor 1016 | ND | | 110 | UG/KG | 8082 | 10/30/2006 22:22 | GFD | |
| Aroclor 1221 | ND | | 110 | UG/KG | 8082 | 10/30/2006 22:22 | GFD | |
| Aroclor 1232 | ND | | 110 | UG/KG | 8082 | 10/30/2006 22:22 | GFD | |
| Aroclor 1242 | ND | | 110 | UG/KG | 8082 | 10/30/2006 22:22 | GFD | |
| Aroclor 1248 | ND | | 110 | UG/KG | 8082 | 10/30/2006 22:22 | GFD | |
| Aroclor 1254 | ND | | 110 | UG/KG | 8082 | 10/30/2006 22:22 | GFD | |
| Aroclor 1260 | 1000 | | 110 | UG/KG | 8082 | 10/30/2006 22:22 | GFD | |

Date: 11/02/2006
Time: 14:03:31

NYSDEC
NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT
NYSDEC Spills - Bengart & Memel Site: 915115

10/23 Page: 2
Rept: AN1178

Sample ID: LS-1.6-8
Lab Sample ID: A6C58402
Date Collected: 10/25/2006
Time Collected: 13:35

Date Received: 10/26/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | Units | Method | Date/Time | | Analyst |
|---|--------|------|-----------|--|-------|--------|------------------|--|---------|
| | | | Limit | | | | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBS | | | | | | | | | |
| Aroclor 1016 | ND | | 21 | | UG/KG | 8082 | 10/30/2006 22:41 | | GFD |
| Aroclor 1221 | ND | | 21 | | UG/KG | 8082 | 10/30/2006 22:41 | | GFD |
| Aroclor 1232 | ND | | 21 | | UG/KG | 8082 | 10/30/2006 22:41 | | GFD |
| Aroclor 1242 | ND | | 21 | | UG/KG | 8082 | 10/30/2006 22:41 | | GFD |
| Aroclor 1248 | ND | | 21 | | UG/KG | 8082 | 10/30/2006 22:41 | | GFD |
| Aroclor 1254 | ND | | 21 | | UG/KG | 8082 | 10/30/2006 22:41 | | GFD |
| Aroclor 1260 | 63 | | 21 | | UG/KG | 8082 | 10/30/2006 22:41 | | GFD |

Date: 11/02/2006

Time: 14:03:31

NYSDEC

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

NYSDEC Spills - Bengart & Memel Site: 915115

11/23 Page: 3

Rept: AN1178

Sample ID: LS-2.12-14

Lab Sample ID: A6C58404

Date Collected: 10/25/2006

Time Collected: 13:45

Date Received: 10/26/2006

Project No: NY5A946109

Client No: L10190

Site No:

| Parameter | Result | Flag | Detection | | | Date/Time | | Analyst |
|---|--------|------|-----------|-------|--------|------------|-------|---------|
| | | | Limit | Units | Method | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBS | | | | | | | | |
| Aroclor 1016 | ND | | 23 | UG/KG | 8082 | 10/30/2006 | 23:19 | GFD |
| Aroclor 1221 | ND | | 23 | UG/KG | 8082 | 10/30/2006 | 23:19 | GFD |
| Aroclor 1232 | ND | | 23 | UG/KG | 8082 | 10/30/2006 | 23:19 | GFD |
| Aroclor 1242 | ND | | 23 | UG/KG | 8082 | 10/30/2006 | 23:19 | GFD |
| Aroclor 1248 | ND | | 23 | UG/KG | 8082 | 10/30/2006 | 23:19 | GFD |
| Aroclor 1254 | ND | | 23 | UG/KG | 8082 | 10/30/2006 | 23:19 | GFD |
| Aroclor 1260 | 220 | | 23 | UG/KG | 8082 | 10/30/2006 | 23:19 | GFD |

Date: 11/02/2006

Time: 14:03:31

NYSDEC

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

NYSDEC Spills - Bengart & Memel Site: 915115

12/23 Page: 4

Rept: AN1178

Sample ID: LS-2.2-4

Lab Sample ID: A6C58403

Date Collected: 10/25/2006

Time Collected: 13:40

Date Received: 10/26/2006

Project No: NY5A946109

Client No: L10190

Site No:

| Parameter | Result | Flag | Detection | | | Date/Time | | |
|---|--------|------|-----------|-------|--------|------------------|---------|--|
| | | | Limit | Units | Method | Analyzed | Analyst | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBs | | | | | | | | |
| Aroclor 1016 | ND | | 120 | UG/KG | 8082 | 10/30/2006 23:00 | GFD | |
| Aroclor 1221 | ND | | 120 | UG/KG | 8082 | 10/30/2006 23:00 | GFD | |
| Aroclor 1232 | ND | | 120 | UG/KG | 8082 | 10/30/2006 23:00 | GFD | |
| Aroclor 1242 | ND | | 120 | UG/KG | 8082 | 10/30/2006 23:00 | GFD | |
| Aroclor 1248 | ND | | 120 | UG/KG | 8082 | 10/30/2006 23:00 | GFD | |
| Aroclor 1254 | ND | | 120 | UG/KG | 8082 | 10/30/2006 23:00 | GFD | |
| Aroclor 1260 | 540 | | 120 | UG/KG | 8082 | 10/30/2006 23:00 | GFD | |

Date: 11/02/2006

Time: 14:03:31

NYSDEC

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

NYSDEC Spills - Bengart & Memel site: 915115

13/23 Page: 5

Rept: AN1178

Sample ID: LS-3.0-4

Lab Sample ID: A6C58405

Date Collected: 10/25/2006

Time Collected: 14:05

Date Received: 10/26/2006

Project No: NY5A946109

Client No: L10190

Site No:

| Parameter | Result | Flag | Detection Limit | Units | Method | Date/Time Analyzed | Analyst |
|---|--------|------|--------------------|-------|--------|-----------------------|---------|
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBS | | | | | | | |
| Aroclor 1016 | ND | | 36 | UG/KG | 8082 | 10/30/2006 23:39 | GFD |
| Aroclor 1221 | ND | | 36 | UG/KG | 8082 | 10/30/2006 23:39 | GFD |
| Aroclor 1232 | ND | | 36 | UG/KG | 8082 | 10/30/2006 23:39 | GFD |
| Aroclor 1242 | ND | | 36 | UG/KG | 8082 | 10/30/2006 23:39 | GFD |
| Aroclor 1248 | ND | | 36 | UG/KG | 8082 | 10/30/2006 23:39 | GFD |
| Aroclor 1254 | ND | | 36 | UG/KG | 8082 | 10/30/2006 23:39 | GFD |
| Aroclor 1260 | 620 | | 36 | UG/KG | 8082 | 10/30/2006 23:39 | GFD |

Date: 11/02/2006
Time: 14:03:31

NYSDEC
NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT
NYSDEC Spills - Bengart & Memel Site: 915115

14/23 Page: 6
Rept: AN1178

Sample ID: LS-3.6-8
Lab Sample ID: A6C58406
Date Collected: 10/25/2006
Time Collected: 14:10

Date Received: 10/26/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | | Date/Time | |
|---|--------|------|-----------|-------|--------|------------------|---------|
| | | | Limit | Units | Method | Analyzed | Analyst |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBS | | | | | | | |
| Aroclor 1016 | ND | | 23 | UG/KG | 8082 | 10/31/2006 00:36 | GFD |
| Aroclor 1221 | ND | | 23 | UG/KG | 8082 | 10/31/2006 00:36 | GFD |
| Aroclor 1232 | ND | | 23 | UG/KG | 8082 | 10/31/2006 00:36 | GFD |
| Aroclor 1242 | ND | | 23 | UG/KG | 8082 | 10/31/2006 00:36 | GFD |
| Aroclor 1248 | ND | | 23 | UG/KG | 8082 | 10/31/2006 00:36 | GFD |
| Aroclor 1254 | ND | | 23 | UG/KG | 8082 | 10/31/2006 00:36 | GFD |
| Aroclor 1260 | 440 | | 23 | UG/KG | 8082 | 10/31/2006 00:36 | GFD |

Date: 11/02/2006
Time: 14:03:31

NYSDEC
NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT
NYSDEC Spills - Bengart & Memel Site: 915115

15/23 Page: 7
Rept: AN1178

Sample ID: LS-4.10-12
Lab Sample ID: A6C58407
Date Collected: 10/25/2006
Time Collected: 14:20

Date Received: 10/26/2006
Project No: NY5A946109
Client No: L10190
Site No:

| Parameter | Result | Flag | Detection | | Method | Date/Time | |
|---|--------|------|-----------|-------|--------|------------------|---------|
| | | | Limit | Units | | Analyzed | Analyst |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBS | | | | | | | |
| Aroclor 1016 | ND | | 23 | UG/KG | 8082 | 10/31/2006 00:55 | GFD |
| Aroclor 1221 | ND | | 23 | UG/KG | 8082 | 10/31/2006 00:55 | GFD |
| Aroclor 1232 | ND | | 23 | UG/KG | 8082 | 10/31/2006 00:55 | GFD |
| Aroclor 1242 | ND | | 23 | UG/KG | 8082 | 10/31/2006 00:55 | GFD |
| Aroclor 1248 | ND | | 23 | UG/KG | 8082 | 10/31/2006 00:55 | GFD |
| Aroclor 1254 | ND | | 23 | UG/KG | 8082 | 10/31/2006 00:55 | GFD |
| Aroclor 1260 | 160 | | 23 | UG/KG | 8082 | 10/31/2006 00:55 | GFD |

Date: 11/02/2006

Time: 14:03:31

NYSDEC

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

NYSDEC Spills - Bengart & Memel Site: 915115

16/23 Page: 8

Rept: AN1178

Sample ID: LS-5.6-8

Lab Sample ID: A6C58408

Date Collected: 10/25/2006

Time Collected: 14:30

Date Received: 10/26/2006

Project No: NY5A946109

Client No: L10190

Site No:

| Parameter | Result | Flag | Detection | | | Date/Time | |
|---|--------|------|-----------|-------|--------|------------------|---------|
| | | | Limit | Units | Method | Analyzed | Analyst |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBs | | | | | | | |
| Aroclor 1016 | ND | | 18 | UG/KG | 8082 | 10/31/2006 01:15 | GFD |
| Aroclor 1221 | ND | | 18 | UG/KG | 8082 | 10/31/2006 01:15 | GFD |
| Aroclor 1232 | ND | | 18 | UG/KG | 8082 | 10/31/2006 01:15 | GFD |
| Aroclor 1242 | ND | | 18 | UG/KG | 8082 | 10/31/2006 01:15 | GFD |
| Aroclor 1248 | ND | | 18 | UG/KG | 8082 | 10/31/2006 01:15 | GFD |
| Aroclor 1254 | 250 | | 18 | UG/KG | 8082 | 10/31/2006 01:15 | GFD |
| Aroclor 1260 | 320 | | 18 | UG/KG | 8082 | 10/31/2006 01:15 | GFD |

Date: 11/02/2006

Time: 14:03:31

NYSDEC

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

NYSDEC Spills - Bengart & Memel Site: 915115

17/23 Page: 9

Rept: AN1178

Sample ID: LS-6.0-2

Lab Sample ID: A6C58409

Date Collected: 10/25/2006

Time Collected: 14:40

Date Received: 10/26/2006

Project No: NY5A946109

Client No: L10190

Site No:

| Parameter | Result | Flag | Detection | | Method | Date/Time | | Analyst |
|---|--------|------|-----------|-------|--------|------------------|--|---------|
| | | | Limit | Units | | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBs | | | | | | | | |
| Aroclor 1016 | ND | | 41 | UG/KG | 8082 | 10/31/2006 01:34 | | GFD |
| Aroclor 1221 | ND | | 41 | UG/KG | 8082 | 10/31/2006 01:34 | | GFD |
| Aroclor 1232 | ND | | 41 | UG/KG | 8082 | 10/31/2006 01:34 | | GFD |
| Aroclor 1242 | ND | | 41 | UG/KG | 8082 | 10/31/2006 01:34 | | GFD |
| Aroclor 1248 | ND | | 41 | UG/KG | 8082 | 10/31/2006 01:34 | | GFD |
| Aroclor 1254 | 340 | | 41 | UG/KG | 8082 | 10/31/2006 01:34 | | GFD |
| Aroclor 1260 | 490 | | 41 | UG/KG | 8082 | 10/31/2006 01:34 | | GFD |

Date: 11/02/2006

Time: 14:03:31

NYSDEC

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

NYSDEC Spills - Bengart & Memel Site: 915115

18/23 Page: 10

Rept: AN1178

Sample ID: LS-6.8-10

Lab Sample ID: A6C58410

Date Collected: 10/25/2006

Time Collected: 14:45

Date Received: 10/26/2006

Project No: NY5A946109

Client No: L10190

Site No:

| Parameter | Result | Flag | Detection | | | Date/Time | | Analyst |
|---|--------|------|-----------|-------|--------|------------------|-----|---------|
| | | | Limit | Units | Method | Analyzed | | |
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBS | | | | | | | | |
| Aroclor 1016 | ND | | 190 | UG/KG | 8082 | 10/31/2006 01:53 | GFD | |
| Aroclor 1221 | ND | | 190 | UG/KG | 8082 | 10/31/2006 01:53 | GFD | |
| Aroclor 1232 | ND | | 190 | UG/KG | 8082 | 10/31/2006 01:53 | GFD | |
| Aroclor 1242 | ND | | 190 | UG/KG | 8082 | 10/31/2006 01:53 | GFD | |
| Aroclor 1248 | ND | | 190 | UG/KG | 8082 | 10/31/2006 01:53 | GFD | |
| Aroclor 1254 | ND | | 190 | UG/KG | 8082 | 10/31/2006 01:53 | GFD | |
| Aroclor 1260 | 1400 | | 190 | UG/KG | 8082 | 10/31/2006 01:53 | GFD | |

Date: 11/02/2006

Time: 14:03:31

NYSDEC

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

NYSDEC Spills - Bengart & Memel Site: 915115

19/23 Page: 11

Rept: AN1178

Sample ID: LS-7.0-2

Lab Sample ID: A6C58411

Date Collected: 10/25/2006

Time Collected: 15:05

Date Received: 10/26/2006

Project No: NY5A946109

Client No: L10190

Site No:

| Parameter | Result | Flag | Detection Limit | Units | Method | Date/Time Analyzed | Analyst |
|---|--------|------|--------------------|-------|--------|-----------------------|---------|
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBS | | | | | | | |
| Aroclor 1016 | ND | | 24 | UG/KG | 8082 | 10/31/2006 02:12 | GFD |
| Aroclor 1221 | ND | | 24 | UG/KG | 8082 | 10/31/2006 02:12 | GFD |
| Aroclor 1232 | ND | | 24 | UG/KG | 8082 | 10/31/2006 02:12 | GFD |
| Aroclor 1242 | ND | | 24 | UG/KG | 8082 | 10/31/2006 02:12 | GFD |
| Aroclor 1248 | ND | | 24 | UG/KG | 8082 | 10/31/2006 02:12 | GFD |
| Aroclor 1254 | ND | | 24 | UG/KG | 8082 | 10/31/2006 02:12 | GFD |
| Aroclor 1260 | 490 | | 24 | UG/KG | 8082 | 10/31/2006 02:12 | GFD |

Date: 11/02/2006

Time: 14:03:31

NYSDEC

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

NYSDEC Spills - Bengart & Memel Site: 915115

20/23 Page: 12

Rept: AN1178

Sample ID: LS-7.7-9

Lab Sample ID: A6C58412

Date Collected: 10/25/2006

Time Collected: 15:10

Date Received: 10/26/2006

Project No: NY5A946109

Client No: L10190

Site No:

| Parameter | Result | Flag | Detection Limit | Units | Method | —Date/Time— Analyzed | Analyst |
|---|--------|------|--------------------|-------|--------|-------------------------|---------|
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBs | | | | | | | |
| Aroclor 1016 | ND | | 21 | UG/KG | 8082 | 10/31/2006 02:31 | GFD |
| Aroclor 1221 | ND | | 21 | UG/KG | 8082 | 10/31/2006 02:31 | GFD |
| Aroclor 1232 | ND | | 21 | UG/KG | 8082 | 10/31/2006 02:31 | GFD |
| Aroclor 1242 | ND | | 21 | UG/KG | 8082 | 10/31/2006 02:31 | GFD |
| Aroclor 1248 | ND | | 21 | UG/KG | 8082 | 10/31/2006 02:31 | GFD |
| Aroclor 1254 | ND | | 21 | UG/KG | 8082 | 10/31/2006 02:31 | GFD |
| Aroclor 1260 | 120 | | 21 | UG/KG | 8082 | 10/31/2006 02:31 | GFD |

Date: 11/02/2006

Time: 14:03:31

NYSDEC

NYSDEC - REGION 9 REMEDIATION/SPILLS CONTRACT

NYSDEC Spills - Bengart & Memel Site: 915115

21/23 Page: 13

Rept: AN1178

Sample ID: SURFACE-EAST BERM

Lab Sample ID: A6C58413

Date Collected: 10/25/2006

Time Collected: 15:25

Date Received: 10/26/2006

Project No: NY5A946109

Client No: L10190

Site No:

| Parameter | Result | Flag | Detection Limit | Units | Method | Date/Time Analyzed | Analyst |
|---|--------|------|--------------------|-------|--------|-----------------------|---------|
| NYSDEC-SPILLS - SOIL-SW8463 8082 - PCBs | | | | | | | |
| Aroclor 1016 | ND | | 440 | UG/KG | 8082 | 10/31/2006 02:50 | GFD |
| Aroclor 1221 | ND | | 440 | UG/KG | 8082 | 10/31/2006 02:50 | GFD |
| Aroclor 1232 | ND | | 440 | UG/KG | 8082 | 10/31/2006 02:50 | GFD |
| Aroclor 1242 | ND | | 440 | UG/KG | 8082 | 10/31/2006 02:50 | GFD |
| Aroclor 1248 | ND | | 440 | UG/KG | 8082 | 10/31/2006 02:50 | GFD |
| Aroclor 1254 | ND | | 440 | UG/KG | 8082 | 10/31/2006 02:50 | GFD |
| Aroclor 1260 | 3900 | | 440 | UG/KG | 8082 | 10/31/2006 02:50 | GFD |

Chain of

Custody Record

STL-4124 (0901)

Client

NYSDC Reg. DER

Project Manager

GENE MANN

Chain of Custody Number

169283

Address

20 Michigan Ave

Date

10/25/06

Lab Number

Page 2 of 2

City

BUFFALO

State

NY

Zip Code

14203-2999

Project Name and Location (State)

BENGAULT MEMEL 915115 BUFFALO, NY

Site Contact

DeBrynski

Carrier/Vendor Number

05736

Contract/Purchase Order/Quote No.

C200305

Containers & Preservatives

Unpres

Matrix

Soil

Sample I.D. No. and Description

(Containers for each sample may be combined on one line)

Date

10/25/06

Time

1525h

Surface Sample - EAST BERM

Containers & Preservatives

Unpres

Matrix

Soil

Possible Hazard Identification

Low-level PCBs

Non-Hazard

Flammable

Skin Irritant

Poison B

Unknown

Sample Disposal

Return To Client

Disposal By Lab

Archive For

Months

Turn Around Time Required

24 Hours

48 Hours

7 Days

14 Days

21 Days

Relinquished By

DOB

Relinquished By

DOB

1. Relinquished By

DOB

2. Relinquished By

DOB

3. Relinquished By

DOB

1. Received By

DOB

2. Received By

DOB

3. Received By

DOB

QC Requirements (Specify)

DEC 30-DAY

1. Received By

DOB

2. Received By

DOB

3. Received By

DOB

Comments

DISTRIBUTION: WHITE - Returned to Client with Report; CANARY - Stays with the Sample; PINK - Field Copy

Chain of

Custody Record

STL-4124 (0901)

Client

NYSD&L Reg. 9 DER

270 Michigan Ave.

Buffalo

Project Manager

GENE MELNYK

716-851-7220 / 851-7226

Chain of Custody Number

169282

Date

10/25/06

Lab Number

Page 1 of 2

Address

270 Michigan Ave.

Buffalo

State

NY

Zip Code

14203-2999

City

Buffalo

Site Contact

D. Seymour-Siu

Lab Contact

B. Fiedler

Project Name and Location (State)

BENGLART + MEMEL 915115 Buffalo NY

Contract/Purchase Order/Quote No.

C200305

Containers & Preservatives

Unpres

H2SO4

HNO3

HCl

NaOH

ZnAc

Matrix

Aqueous

Sed

Soil

Sample I.D. No. and Description

(Containers for each sample may be combined on one line)

Date

Time

Analysis (Attach list if more space is needed)

Special Instructions/Conditions of Receipt

LS-1-1,2-4

10-25-06

1330 hrs

✓

LS-1-1,6-8

1335 hrs

✓

LS-2-1,2-4

1340 hrs

✓

LS-2-1,2-14

1345 hrs

✓

LS-3-1,0-4

1405 hrs

✓

LS-3-1,6-8

1410 hrs

✓

LS-4-1,0-12

1420 hrs

✓

LS-5-1,6-8

1430 hrs

✓

LS-6-1,0-2

1440 hrs

✓

LS-6-1,8-10

1445 hrs

✓

LS-7-1,0-2

1505 hrs

✓

LS-7-1,7-9

1510 hrs

✓

Possible Hazard Identification

Low-level PCBs

Non-Hazard

Flammable

Skin Irritant

Poison B

Sample Disposal

Return To Client

Disposal By Lab

Archive For

Turn Around Time Required

24 Hours

48 Hours

7 Days

14 Days

21 Days

Relinquished By

1205, J

10/26/06

11:58

Relinquished By

Michael R. Bell

10/26/06

11:58

Relinquished By

Comments

This page is intentionally blank.

Attachment 2

Asbestos Evaluation

Empire Geo-Services, Inc. December 2008

This page is intentionally blank.

EMPIRE GEO SERVICES, INC.

A SUBSIDIARY OF SJB SERVICES, INC.

December 26, 2008

New York State Department of Environmental Conservation
Region 9 Office
270 Michigan Avenue
Buffalo, New York 14203

Attention: Mr. Eugene Melnyk

Reference: Asbestos Inspection
Bengart & Memel, Inc. Site
1079 Clinton Street, Buffalo, New York
NYSDEC Site 915115; Call Out ID 115137

Dear Mr. Melnyk:

Empire Geo-Services, Inc. (Empire) inspected the building located at the referenced site for the presence of asbestos-containing materials (ACM) on December 12, 2008 and collected four samples of suspect ACM. A sketch of the building and the sample locations is attached.

The structure consists of a deteriorated concrete floor, steel columns, concrete block walls, and a wood-framed roof. No suspect ACM (insulation, fireproofing, etc.) were found on these interior components of the building. Bulk samples were collected on the exterior of the building of suspect ACM-containing roofing materials. The overlying new roofing materials were cut away at each of the two roof sampling locations to expose the older roofing materials. A third sample was collected from a debris pile inside the building that consisted of older materials from a section of the roof that had previously collapsed from deterioration. A fourth sample was collected from caulking material on the building's single window. The samples were analyzed by PLM and/or TEM, as appropriate, by AmeriSci, 13635 Genito Road, Midlothian, Virginia. The laboratory report is attached and indicates that the samples from the debris pile and the window caulk contain chrysotile asbestos in amounts greater than 1%.

ACM must be removed prior to building demolition. If the roof is determined by a licensed professional engineer or code enforcement official to be structurally unsafe, then a controlled demolition with asbestos in place may be completed in accordance with NYSDOL Industrial Code Rule 56-11.5.

If you have any questions or require further assistance, please contact our office.

Respectfully Submitted,
EMPIRE GEO SERVICES INC.

David Verdon *DVS*
David Verdon

NYSDOL Accredited Building Inspector
No. 90-03390

David R. Steiner
David R. Steiner
Project Manager

☒ **CORPORATE/
BUFFALO OFFICE**

5167 South Park Avenue
Hamburg, NY 14075
Phone: (716) 649-8110
Fax: (716) 649-8051

☐ **ALBANY OFFICE**

PO Box 2199
Ballston Spa, NY 12020

5 Knabner Road
Mechanicville, NY 12118
Phone: (518) 899-7491
(518) 899-7496

☐ **CORTLAND OFFICE**

60 Miller Street
Cortland, NY 13045
Phone: (607) 758-7182
Fax: (607) 758-7188

☐ **ROCHESTER OFFICE**

535 Summit Point Drive
Henrietta, NY 14467
Phone: (585) 359-2730
Fax: (585) 359-9668


MEMBER

ACEC New York

American Council of Engineering Companies of New York

EMPIRE GEO-SERVICES, INC.

LAUB INTERNATIONAL, INC.



BENGAET & MEMEL SITE
1099 CLINTON ST.
BUFFALO, NY

- SAMPLES COLLECTED
12-12-08
10:45-11:15AM

NOT TO SCALE

Table 1
Summary of Bulk Asbestos Analysis Results
 1079 Clinton St.

| AmeriSci Sample # | Client Sample# | HG Area | Sample Weight (gram) | Heat Sensitive Organic % | Acid Soluble Inorganic % | Insoluble Non-Asbestos Inorganic % | Asbestos % by PLM/DS | Asbestos % by TEM |
|-------------------|-------------------------------|---------|----------------------|--------------------------|--------------------------|------------------------------------|----------------------|--|
| 01 | S-1 | | 1.127 | 86.5 | 6.0 | 5.5 | NA | NAD |
| Location: | East Oil Center, Roof | | | | | | | |
| 02 | S-2 | | 1.321 | 72.1 | 1.4 | 13.2 | NA | Chrysotile 13.3 |
| Location: | Debris Pile, Interior Roofing | | | | | | | |
| 03 | S-3 | | 2.380 | 50.5 | 9.1 | 40.2 | NA | Chrysotile Trace |
| Location: | NE Corner, Roof | | | | | | | |
| 04 | S-4 | | 2.407 | 13.8 | 19.7 | 53.1 | NA | Chrysotile 13.3 Anthophyllite Trace |
| Location: | Window Caulk | | | | | | | |

Reviewed by:

Date Reviewed:

Analyzed By: Jean L. Mayes

Date Analyzed: 12/17/2008

J. Mayes

Semi-Quantitative Analysis: NAD = no asbestos detected; NA = not analyzed; NA/PS = not analyzed due to positive stop; Trace = <1%;
 PLM analysis by EPA 800/M4-92-02D per 40 CFR 763 (NVLAP Lab Code 101904-0) or NY ELAP 198.1 for New York friable samples (198.6 for NOB samples) (NY ELAP Lab # 10984);
 TEM analysis by EPA 800/R-93/116 (not covered by NVLAP Bulk accreditation); or NY ELAP 198.4 for New York NOB samples (NY ELAP Lab # 10984);

** Warning Notes: Consider PLM fiber diameter limitation, only TEM will resolve fibers <0.25 micrometers in diameter. TEM bulk analysis is representative of the fine grained matrix material and may not be representative of non-uniformly dispersed debris, soils or other heterogeneous materials for which a combination PLM/TEM evaluation is recommended; Quantitation for beginning weights of <0.1 grams should be considered as qualitative only.

This page is intentionally blank.

Attachment 3

Condemnation Notice

City of Buffalo

**Dept. of Economic Development, Permit and
Inspection Services**

January 2009

This page is intentionally blank.



CITY OF BUFFALO
DEPARTMENT OF ECONOMIC DEVELOPMENT,
PERMIT & INSPECTION SERVICES

OFFICE OF THE COMMISSIONER



BYRON W. BROWN
Mayor

JAMES COMERFORD, Jr.
Deputy Commissioner

RECEIVED

January 12, 2009

JAN 16 2009

NYSDEC REG 9
FOIL
☒ REL ☐ UNREL

New York State Department of Labor
Division of Safety and Health
Engineering Services Unit
State Office Building Campus
Albany, New York 12240

Re: 1079 Clinton Street, Buffalo, New York

To whom it may concern,

Upon an Inspection performed by Building Inspector Tracy Krug on January 9, 2009, I have had the opportunity to review the conditions referencing the aforementioned property. At that time the following conditions were noted.


1. Portions of this building are in the state of structural collapse.
2. The building is open to trespass and is subject to convey fire.
- 3 The building is likely to be used for illegal activity.
4. The building is attractive to children for trespass.
5. The Building is between two active businesses

As this building is in partial structural failure, and entering upon these premises is hazardous, the Department of Economic Development, Permit and Inspection Services has determined that this structure is in violation of the "Unsafe Buildings" Section 113 of the Code and Ordinance of the City of Buffalo. By the powers invested in me by The Charter of the City of Buffalo "Duties and Powers", Section 17-2, I have determined that this building be considered condemned and be demolished as soon as humanly possible.

The Department of Economic Development, Permit and Inspection Services is in support of the application for a ICR 56, 11.5, Controlled Demolition / Condemned Buildings, to demolish the structure with the asbestos containing material in place so that it will not place workmen in a dangerous situation.

If you have any questions concerning this matter, please feel free to contact Assistant Director Paul Mielcarek 716-851-4903.

Very truly yours,

A handwritten signature in dark ink, reading "James W. Comerford Jr." in a cursive style.

James W. Comerford Jr.

Commissioner of Economic Development, Permit and Inspection Services

Cc: Tracy Krug, Building Inspector

Paul Mielcarek, Assistant Director of Housing and Property Inspections



CITY OF BUFFALO

DEPARTMENT OF ECONOMIC DEVELOPMENT, PERMIT & INSPECTION SERVICES

Syron W. Brown, Mayor

Richard M. Tobé, Commissioner

DECLARATION OF EMERGENCY

DATE: 1/9/09

TO: \ Assistant Director of Inspections

RE: Property Address: 1079 CLINTON
Necessity for Immediate Emergency Demolition pursuant to Chapter 113 of the Ordinances of the City of Buffalo

Please be advised of the following:

☒ Pursuant to an inspection of the subject property on 1/9/09, I hereby recommend that immediate emergency action is required for the reasons noted in the Checklist report on file in the Division of Inspections, and that the welfare of all concerned would be best served by immediate demolition of the structure.

Dated: 1/9/09

Signed: [Signature]
Building Inspector

☐ Pursuant to my personal review of the inspection report submitted by the Building Inspector named above dated 1-9-09, concerning the subject property, I hereby certify that I concur with the recommendation for immediate demolition of the structure.

Dated: 1-9-09

Signed: [Signature]
Supervisor of Slum & Blight/Chief Building Inspector

☐ Pursuant to the authority vested in me by the Charter of the City of Buffalo and Chapter 113, I hereby declare an emergency to exist at the subject property. Therefore, I direct that immediate action be taken, pursuant to the report by the Building Inspector, verified by the Supervisor of Slum & Blight, each of them having recommended emergency demolition, and I hereby direct that you proceed with the necessary steps to bring about said emergency demolition, either by the owner, or if need be using such assistance as may be necessary to take said structure down immediately to protect the passersby. Moreover, any expenses incurred whatsoever in carrying out this order shall be assessed against the owner(s) of record as provided by existing law.

Dated: 1/12/09

Signed: [Signature]
Commissioner of Economic Development,
Permit & Inspection Services



CITY OF BUFFALO

DEPARTMENT OF ECONOMIC DEVELOPMENT, PERMIT & INSPECTION SERVICES

Byron W. Brown, Mayor

Richard M. Tobs, Commissioner

CHECKLIST PRIOR TO RECOMMENDATION FOR IMMEDIATE/EMERGENCY ACTION

DATE: 1/9/09

In all cases of immediate/emergency action being recommended, the party making the recommendation should review the checklist and make appropriate notations of checks:

RE: Property Address: 1079 CLINTON
 # of buildings on Property: 1
 Which building is to be considered for emergency demolition: 1 GARAGE
 Last inspection date: 1/9/09
 Last known owner (according to City Assessment): 1091 CLINTON INC
 Mailer Add: PO BOX 1011 BUFFALO NY

CONDITION OF BUILDING:

- | | |
|---|--|
| <input checked="" type="checkbox"/> Vacant and deteriorated | <input type="checkbox"/> Between two (2) occupied structures |
| <input checked="" type="checkbox"/> Dilapidated & Open | <input type="checkbox"/> Situated in heavily residential neighborhood |
| <input type="checkbox"/> Rotted and/or fire-damaged | <input type="checkbox"/> Close to Schools, parks, or other public facilities |
| <input checked="" type="checkbox"/> Partially collapsed or strong possibility of collapsing | <input checked="" type="checkbox"/> Available to trespassers and/or criminals |
| <input type="checkbox"/> Other: _____ | <input checked="" type="checkbox"/> Strong blighting effect on neighborhood |
| <input checked="" type="checkbox"/> Pictures taken and on file | <input checked="" type="checkbox"/> Attractive and dangerous nuisance to children and others |
| Taken by: <u>TRACY KRUG</u> | <input type="checkbox"/> Other: _____ |
| Date: _____ | |
| <input type="checkbox"/> Sidewalk Damage Report Filed <u>NO</u> | |

Remarks: SEE REQUESTED DEMO TO CLEAN UP SITE

Dated: 1/9/09

Signed: [Signature]
 Building Inspector

Based on the building inspections Report above, emergency Demolition and/or Immediate action is necessary.

Dated: 1/9/09

Signed: [Signature]
 Supervisor of Slum & Blight/Chief Building Inspector

PLOT PLAN

DEPARTMENT OF INSPECTIONS, LICENSES & PERMITS


1079 CLINTON

DATE: 1/9/09

INDICATE N



DEC



SIDEWALK CONDITION
G: GOOD
C: CRACKED
X: BROKEN

(FRONT)
SF SIDING
(REAR)
SF SIDING

SF SKIRTING
SF ROOF
SF FLAT ROOF

FLOOR TILE

KITCHEN

BATH
HALL
OTHER

SIGNATURE:

Clayton

LF PIPE WRAP

LF DUCT WRAP

LF TRANSITE PIPE

☐ CITY OWNED

☐ CONSENT

☒ DECLARATION

STRUCTURE

TYPE

☐ FRAME
☐ BRICK
☒ MASONRY
☐ CONCRETE
☐ STEEL
☐ OTHER

USE

☐ DWELLING
☐ STORE
☐ COMMERCIAL
☐ FACTORY
☐ WAREHOUSE
☒ GARAGE
☐ SHED

BLDGS

STORIES

APTS

PROPERTY DESCRIPTION

1 MASONRY GARAGE

0 APTS

REMARKS

☐ ASBESTOS SEE BELOW

☒ SEND SAMPLES FOR TESTING

☐ OTHER

☐ NO ASBESTOS

☒ EMERGENCY DEMOLITION

SF PLASTER

OTHER:


This page is intentionally blank.

Attachment 4


Existing Remediation Design Drawings

Malcolm Pirnie, Inc., 1982 to 1984


RECEIVED
JUN 1 1982
M.S. 100
M.S. 100
M.S. 100




PROFILE
SCALE: VERT 1"=2'-0"
HORIZ 1"=20'-0"




8" STORM SEWER
PROFILE
SCALE: VERT 1"=2'-0"
HORIZ 1"=20'-0"



8" PVC UNDERDRAIN SECTION (TYP)
NOT TO SCALE




ASPHALT PAVEMENT SECTION (TYP.)
NOT TO SCALE



PLAN
SCALE: 1"=20'

MALCOLM
PIRNIE
















| REVISIONS | | | | | DES | DWN | CKD |
|-----------|----|------|---------|--|-----|-----|-----|
| NO | BY | DATE | REMARKS | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

DES DWA
DWN LN
CKD RWA

BENGART & MEMEL, INC.
BUFFALO, NEW YORK
REMEDIAL SITE WORK
CONTRACT NOS. 1 & 2
NYSDOT SITE No. 91545

PLAN, PROFILE & DETAILS
SLE AS NOTED

MALCOLM PIRNIE, INC.
DATE MAY 1982
SHEET 1 OF 4
DWG NO. 450-P-82.001-0



MALCOLM
PIRNIE




| REVISIONS | | | | DES | DWN | CHK |
|-----------|----|------|---------|-----|-----|-----|
| NO | BY | DATE | REMARKS | | | |
| 1 | | | | | | |
| 2 | | | | | | |
| 3 | | | | | | |
| 4 | | | | | | |
| 5 | | | | | | |
| 6 | | | | | | |
| 7 | | | | | | |
| 8 | | | | | | |
| 9 | | | | | | |
| 10 | | | | | | |

DES DUB
DWN LA
CHK PAW

BENGART & MEMEL, INC.
BUFFALO, NEW YORK
REMEDIAL SITE WORK
CONTRACT NOS. 1 & 2

DETAILS
NOT TO SCALE


MALCOLM PIRNIE, INC.
DATE MAY 1983
SHEET 2 OF 4
DWG NO. 450-P-82.002-C



LEGEND

| | |
|--|-----------------|
| | BALL VALVE |
| | CHECK VALVE |
| | DIAPHRAGM VALVE |

| | | | | | | | |
|---------------------------|--|-----------|----|-----------------|---|---|---|
| MALCOLM PIRNIE | | REVISIONS | | DES. <i>QWS</i> | BENGART & MEMEL, INC. BUFFALO, NEW YORK REMEDIAL SITE WORK CONTRACT NOS. 1 & 2 | LEACHATE TREATMENT SYSTEM SCHEMATIC NOT TO SCALE | MALCOLM PIRNIE, INC. DATE <i>MAY 1982</i> SHEET <i>3</i> OF <i>4</i> DWG NO. <i>450-P-82.003-0</i> |
| | | NO. | BY | DATE | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | DWN. <i>L.R.</i> | | |
| | | | | | CHKD. <i>P.H.W.</i> | | |




LEGEND


- SIDEWALK AREA NO 1 (SW-1)
- SIDEWALK AREA NO 2 (SW-2)
- SIDEWALK AREA NO 3 (SW-3)
- SIDEWALK AREA NO 4 (SW-4)
- TEST PITS

BASE MAP TAKEN FROM GORDON H. SODERHOLM
CONSULTING ENGINEER DRAWING NO 76547-01, 10/27/78

| | | | | | | |
|---------------------------|--|-----------|---|---|---|---|
| MALCOLM PIRNIE | | REVISIONS | DES <i>DWS</i> DWN <i>LM</i> CND <i>PWS</i> | BENGART & MEMEL, INC. BUFFALO, NEW YORK NYS REG. SITE NO 915115 REMEDIAL SITE WORK CONTRACT NOS. 1 & 2 | TEST PIT LOCATIONS SCALE 1"=30' | MALCOLM PIRNIE, INC. DATE MAY 1982 SHEET 4 OF 4 DWG NO. 450-P-82.004-0 |
| | | NO | | | | |
| | | BY | | | | |
| | | DATE | | | | |



ASPHALT PAVEMENT SECTION (TYP)
NOT TO SCALE



PAVING DETAIL 1
SCALE 1/2" = 1'-0"

OFFICES & WAREHOUSE

FORM PAVEMENT TO MEET
EXISTING GRADE THIS AREA
SEE DETAIL 1

RAISED CONCRETE
PAD W/ TANKS

SUMP CONTROL
PANEL

12" GRATE

GAS PUMPS

34" M.H.
DI

CONCRETE SIDEWALK

6" STORM

8' RAISED GRASSY AREA

OIL & GREASE TRAP

COMBINED STORM / SANITARY SEWER

CLINTON STREET

CLEMO ST

LEGEND

--- 533.0 --- EXISTING CONTOUR
--- 533.0 --- LIMIT OF PAVEMENT

GARAGE

MANHOLE TO BE UNPLUGGED PRIOR
TO PLACEMENT OF PAVEMENT

AREA NO. 1

PROPOSED CATCH BASIN

LEACHATE SAMPLING
MANHOLE

AREA NO. 2

Bengart Memel
Site 915115

NOTES

① CONTRACTOR TO USE FILL STORED
IN DRUMS ON SITE FOR GRADING
AREA NO. 1. CLEAN GRANULAR FILL
MATERIAL FOR AREA NO. 2.

MALCOLM
PIRNIE

| REVISIONS | | | | DES |
|-----------|----|------|---------|-----|
| NO | BY | DATE | REMARKS | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

DES
OWN DRK
CKD

BENGART & MEMEL, INC.
BUFFALO, NEW YORK

REMEDIAL SITE WORK

PAVING PLAN

SCALE 1" = 10'

MALCOLM PIRNIE, INC.
DATE JULY, 1984
SHEET 1 OF 1
DWG NO.

Attachment 5

Record Documentation of Installed Remediation Systems

Malcolm Pirnie, Inc., December 1982

This page is intentionally blank.

MALCOLM
PIRNIE

MALCOLM PIRNIE, INC.
ENVIRONMENTAL ENGINEERS, SCIENTISTS & PLANNERS

December 28, 1982

Erie County Department of
Environment & Planning
95 Franklin Street
Buffalo, New York 14202

Attention: Mr. Ronald A. Entringer

Re: Bengart and Memel Remedial Site Work
Contract No. 1

Gentlemen:

As per our conversation on December 22, 1982 regarding the status of the above-referenced project, we offer the following comments:

1. Installation of 6-inch Perforated P.V.C. Underdrain - 100% complete to date.
2. Installation of 6-inch P.V.C. Storm Sewer - 100% complete to date.
3. Installation of 12-inch Grate - 100% complete to date.
4. Six-inch Cleanout at Stations 0+02, 0+81 and 2+35 - 100% complete to date.
5. Piezometers at Station 0+76 and 2+35 - 100% complete to date.
6. Installation of Leachate Sampling Manhole, Oil and Grease Trap and Catch - 100% complete to date.
7. Concrete Pad and Tank Saddles - 100% complete to date.
8. Relocation of Storage Tanks, Carbon Absorption Tanks, Cartridge Filters and Flowmeter - 100% complete to date.
9. Installation of 1 1/4-inch P.V.C. External Pipe Work, including Ball Valves, Check Valves and Diaphragm Valves - 85% complete to date.
10. Installation of Electrical System including Conduit, Motor Control Panel, Transfer Pump and Motor Starters - 100% complete to date.

The only item remaining to be completed is the installation of the 2-inch submersible pumps. It is our feeling that visual inspection of the external pipe work in this system will be a sufficient means of determining the integrity of the system in lieu of hydrostatic testing.

We trust this meets with your approval.


Very truly yours,

Scott Hackett

SMH/mcm

cc: Howard Popkin
Robert P. McCarty, NYSDEC Remediation Section, Albany
Richard Hoffman, NYSDEC Region 9
File: 450-01, C-6

Hoffman 1/5
Barb 1/5
Peter B. -





STA. 1+62 = 3+00
OIL & GREASE TRAP

STA 3+35
6" CAST IRON STORM SEWER CONNECTS
TO THE 15" COMBINATION
STORM SEWER.

* NOT TO SCALE

SUBJECT Plot Plan of **6" PVC PERFORATE UNDERDRAIN**






NOT TO SCALE

MALCOLM PIRNIE, INC.
 SHEET NO. 1 OF 1
 BY *SPD* DATE 11.11.22
 JOB NO. BENGAL 4 MEHIL #1
 CHKD. BY DATE

MALCOLM
 PIRNIE



INVERTS : 6" PERFORATED PVC UNDERDRAIN

| STA. | INVERT |
|--------|--------|
| 1+21.0 | 529.20 |
| 1+24.0 | 529.12 |
| 1+53.0 | 529.24 |
| 1+64.0 | 529.26 |
| 1+73.0 | 529.28 |
| 1+81.0 | 529.46 |
| 1+92.0 | 529.53 |
| 2+02.0 | 529.58 |
| 2+12.0 | 529.90 |
| 2+22.0 | 529.94 |
| 2+36.5 | 529.96 |

6" PVC STORM LINE

| STA. | INVERT |
|--------|--------|
| 1+70 | 590.10 |
| 1+83 | 590.27 |
| 1+96 | 590.28 |
| 2+09 | 590.42 |
| 2+22 | 590.50 |
| 2+43 | 590.52 |
| 1+63.5 | 590.02 |
| 1+66.5 | 590.03 |

OUTLET TO STORM SEWER : INV: 528.20
 TOP OF GRATE TO CATCH BASIN : INV: 592.51
 BOTM. OF OIL & GREASE TRAP : INV: 526.1

1"=20' V & H

This page is intentionally blank.