



New York State Department of Environmental Conservation

MEMORANDUM

TO: John W. Hyden, Region 9
FROM: Thomas R. Christoffel, Technical Support Section
SUBJECT: Creekside Golf Course

DATE: August 20, 1991

A handwritten signature in cursive script, reading "Thomas R. Christoffel".

Enclosed please find five warning signs to be posted along the shore of Tonawanda Creek, at the Creekside Golf Course site. The purpose of these signs is to alert any boaters using the creek to avoid the shore and sediments adjacent to the site. This will help to prevent any incidents similar to that which happened recently; specifically, when the person in the kayak fell into the creek and encountered a NAPL-like substance from the sediments.

We have discussed this matter with the Department of Health and they have requested that these signs be posted. Please post these signs along the third fairway of the golf course, facing the creek. If you have any questions regarding this request please contact me at (518) 457-5636. Thank you for your attention to this matter.

enclosure

cc: C. Jackson
J. Sciascia, Region 9
A. Wakeman, NYSDOH

11/15/91 5 signs 9/6/91

R E C E I V E D

AUG 21 1991

N.Y.S. DEPT. OF
ENVIRONMENTAL CONSERVATION
— REGION 9

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF HAZARDOUS WASTE REMEDIATION
INSPECTOR'S DAILY REPORT

Site Code No. 915123
Site Name: Crookside Golf Course
Location: Amherst (NY)
Engineer: T. Christo Hel / J. Hyden
Contractor: OCC
Job Phone: ()

Date 4/8/91 I.R. No. 4Sheet 1 of 2

	AM	PM
Weather	<u>OCC</u>	
Temperature	<u>67°</u>	
Wind (Dir. & Vel.)	<u>SW 8</u>	

Health & Safety:Level of protective clothing used: D

Is the level of protection in conformance with the approved Health & Safety Plan?

Yes ☒ No ☐ If no, list the deviations under Items of Concern.Are atmospheric monitoring results at acceptable levels? Yes ☐ No ☐

Attach a copy of the monitoring log.

Description of work performed during this report period:

USPCI loaded remainder of overpacks and drums into trailers 3 & 4 for shipment to Oklahoma disposal site.

Site Visitors	Representing	Entered exclusion zone
J. Hyden	DEC	No
J. Coveney	OCC	No

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF HAZARDOUS WASTE REMEDIATION
INSPECTOR'S DAILY REPORT

Subcontractor A: USPCI worked from 800 to 1130
Subcontractor B: _____ worked from _____ to _____

Contractors' Equipment	Prime	A	B	Not Used	Work Force	Prime	A	B
<u>Lull</u>		<input checked="" type="checkbox"/>			<u>USPCI</u>		<u>3</u>	
<u>backhoe</u>		<input checked="" type="checkbox"/>			<u>Dunn Goussier</u>	<input checked="" type="checkbox"/>		
<u>bobcat</u>		<input checked="" type="checkbox"/>						
<u>Van</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>						

Prime Contractor worked from 800 to 1130

Comments: trailers arrived by 900, loaded and left by 11's. USPCI backlogged area and cleaned up.

Items of concern:

Attachments to this report:

Inspector's Name (Print): James Tuk
Inspector's Signature: James Tuk Date: 4/25/91
Reviewed by: _____ Date: _____

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF HAZARDOUS WASTE REMEDIATION
INSPECTOR'S DAILY REPORT

Site Code No. 9 15 123
Site Name: Crookside Golf Course
Location: Amherst (T)
Engineer: T. Christofel / J. Hyder
Contractor: OCC
Job Phone: () -

Date 4/1/91 I.R. No. 3Sheet 1 of 2

	AM	PM
Weather	<u>Sunny</u>	
Temperature	<u>60</u>	
Wind (Dir. & Vel.)	<u>Windy - 15-20 mph</u>	

Health & Safety:Level of protective clothing used: D

Is the level of protection in conformance with the approved Health & Safety Plan?

Yes ☒ No ☐ If no, list the deviations under Items of Concern.Are atmospheric monitoring results at acceptable levels? Yes ☐ No ☐

Attach a copy of the monitoring log.

Description of work performed during this report period:

USPCT loaded & secured 100 overpacks in
two trailers for shipment to CRLB area
disposal site.

Site Visitors	Representing	Entered exclusion zone
<u>Reporter/Canavan</u>	<u>Channel 4</u>	<u>No</u>
<u>Canavan/Intorn</u>	<u>Channel 7</u>	<u>No</u>
<u>Tom Leach</u>	<u>OCC</u>	<u>No</u>
<u>Joe Sciascia</u>	<u>DEC</u>	<u>No</u>

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF HAZARDOUS WASTE REMEDIATION
INSPECTOR'S DAILY REPORT

Subcontractor A: USPCI worked from 800 to 200
Subcontractor B: _____ worked from _____ to _____

Contractors' Equipment	Prime	A	B	Not Used	Work Force	Prime	A	B
					<u>USPCI</u>		<u>3</u>	
<u>JD 580 Backhoe</u>		<input checked="" type="checkbox"/>			<u>Hunn Gascione</u>	<input checked="" type="checkbox"/>		
<u>T1 605 Lull</u>		<input checked="" type="checkbox"/>						
<u>bobcat</u>		<input checked="" type="checkbox"/>						
<u>Van</u>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>						

Prime Contractor worked from 800 to 200

Comments:

Items of concern: Sibby Campagna of Alameda Lanes questioned
OCC's rep about permission to use access to site.

Attachments to this report:

Inspector's Name (Print): James Tuk
Inspector's Signature: James Tuk Date: 4/25/91
Reviewed by: _____ Date: _____

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF HAZARDOUS WASTE REMEDIATION
INSPECTOR'S DAILY REPORT

Site Code No. 915123
Site Name: Crookside Golf Course
Location: Amherst ONLY
Engineer: T. Chastelet / Jack High
Contractor: OCC
Job Phone: (-) -

Date 4/6/91 I.R. No. 2Sheet 1 of 2

	AM	PM
Weather	OCC 60-65	
Temperature	25	
Wind (Dir. & Vel.)	W 10-15	

Health & Safety:Level of protective clothing used: C

Is the level of protection in conformance with the approved Health & Safety Plan?

Yes ☒ No ☐ If no, list the deviations under Items of Concern.Are atmospheric monitoring results at acceptable levels? Yes ☒ No ☐

Attach a copy of the monitoring log.

Description of work performed during this report period:

DISPET stored remainder of drums from
trailers 1 & 2 (184 total)

Site Visitors	Representing	Entered exclusion zone
Joe Conway	OCC	No
Tom Leach	OCC	No

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF HAZARDOUS WASTE REMEDIATION
INSPECTOR'S DAILY REPORT

Subcontractor A: USPCI worked from 800 to 100
Subcontractor B: _____ worked from _____ to _____

Contractors' Equipment	Prime	A	B	Not Used	Work Force	Prime	A	B
JD580 B'ho		✓			Dunn Co. ✓			
TI 605 Lull		✓			USPCI		3	
Van		✓						
drum grapple		✓						
bobcat		✓						

Prime Contractor worked from 800 to 100

Comments: USPCI Trucks two at 800 & 900 Sunday
and Monday.

Items of concern:

Attachments to this report:

Inspector's Name (Print): James Turk
Inspector's Signature: James Turk Date: 4/25/91
Reviewed by: _____ Date: _____

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF HAZARDOUS WASTE REMEDIATION
INSPECTOR'S DAILY REPORT

Site Code No. 915123
Site Name: Creekside Golf Course
Location: Amherst (T)
Engineer: T. Christoffel, J. Hyden
Contractor: PRP: OCC
Job Phone: (-)

Date 4/5/91 I.R. No. 1
Sheet 1 of 2

	AM	PM
Weather	overcast	
Temperature	47	55
Wind (Dir. & Vel.)		

Health & Safety:

Level of protective clothing used: D

Is the level of protection in conformance with the approved Health & Safety Plan?

Yes ☒ No ☐ If no, list the deviations under Items of Concern.

Are atmospheric monitoring results at acceptable levels? Yes ☒ No ☐

Attach a copy of the monitoring log.

Description of work performed during this report period:

OCC contractor USPCI mobilized for drum removal in A.M. and staged 93 drums from trailer No. 2.

Site Visitors	Representing	Entered exclusion zone
Joe Coveney	OCC	No
Tom Leach	OCC	No
Jack Hyden	DEC	No

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF HAZARDOUS WASTE REMEDIATION
INSPECTOR'S DAILY REPORT

Subcontractor A: USPCI worked from 8 AM to 7:00 PM
Subcontractor B: _____ worked from _____ to _____

Contractors' Equipment	Prime	A	B	Not Used	Work Force	Prime	A	B
					Dunn Geoscience	✓		
JD 580 C Bhee		✓			USPCI		3	
TI 605 "LULL"		✓						
bobcat		✓						

Prime Contractor worked from _____ to _____

Comments: Obtained press release information from Mike Podd at LCPIO.

Items of concern: None

Attachments to this report: _____

Inspector's Name (Print): James Turk
Inspector's Signature: James Turk Date: 4/25/91
Reviewed by: _____ Date: _____

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF HAZARDOUS WASTE REMEDIATION
INSPECTOR'S DAILY REPORT

Site Code No. 915123
Site Name: CREEKSIDE GOLF COURSE
Location: AMHERST, NY (ERIE)
Engineer: DUNN GEOSCIENCE
Contractor: _____
Job Phone: () _____

Date 6/26/90 I.R. No. 3Sheet 1 of 1

	AM	PM
Weather		
Temperature		
Wind (Dir. & Vel.)		

Health & Safety:Level of protective clothing used: N/A

Is the level of protection in conformance with the approved Health & Safety Plan?

Yes ___ No ___ If no, list the deviations under Items of Concern.

Are atmospheric monitoring results at acceptable levels? Yes ___ No ___

Attach a copy of the monitoring log.

Description of work performed during this report period:MEETING ON SITE - PRESENT WERE!TIM YAGLEY - OCCJACK HYDEN - NYSDEC - BUFFALOJOE SCIASCIA - NYSDEC - BUFFALOTOM CHRISTOFFEL - NYSDEC - ALBANYW. ROBLEE - NYSDEC - BUFFALO

DISCUSSION ON SEDIMENT SAMPLING - NYSDEC WANTS
TO SAMPLE SEDIMENT IN 6 AREAS - SCHEDULED FOR
JULY 10th - TIM YAGLEY TO DISCUSS WITH O.C.C. - THEY
PROBABLY WILL GET DUNN GEOSCIENCE TO DO THE
SAMPLING - WILL ADVISE CRAIG JACKSON

QUESTION WHETHER THE CHEMISTRY FOUND IN ~~PREVIOUS~~
SAMPLING WAS TYPICAL OF O.C.C. (RAISED BY O.C.C.)

Site Visitors

Representing

Entered exclusion zone

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF HAZARDOUS WASTE REMEDIATION
INSPECTOR'S DAILY REPORT

Site Code No. 915123
Site Name: CREEKSIDE GOLF COURSE
Location: AMHERST, NY (ERIE)
Engineer: DUNN GEOSCIENCE
Contractor: _____
Job Phone: () _____

Date 6/26/90 I.R. No. 3Sheet 1 of 1

	AM	PM
Weather		
Temperature		
Wind (Dir. & Vel.)		

Health & Safety:Level of protective clothing used: N/A

Is the level of protection in conformance with the approved Health & Safety Plan?

Yes ___ No ___ If no, list the deviations under Items of Concern.

Are atmospheric monitoring results at acceptable levels? Yes ___ No ___

Attach a copy of the monitoring log.

Description of work performed during this report period:MEETING ON SITE - PRESENT WERE!TIM YAGLEY - OCCTACK HYDEN - NYSDEC - BUFFALOJOE SCIASCIA - NYSDEC - BUFFALOTOM CHRISTOFFEL - NYSDEC - ALBANYW. ROBLEE - NYSDEC - BUFFALO

DISCUSSION ON SEDIMENT SAMPLING - NYSDEC WANTS
TO SAMPLE SEDIMENT IN 6 AREAS - SCHEDULED FOR
JULY 10th - TIM YAGLEY TO DISCUSS WITH O.C.C. - THEY
PROBABLY WILL GET DUNN GEOSCIENCE TO DO THE
SAMPLING - WILL ADVISE CRAIG JACKSON

QUESTION WHETHER THE CHEMISTRY FOUND IN ~~PREVIOUS~~
SAMPLING WAS TYPICAL OF O.C.C. (RAISED BY O.C.C.)

Site Visitors

Representing

Entered exclusion zone

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF HAZARDOUS WASTE REMEDIATION
INSPECTOR'S DAILY REPORT

Site Code No. 915123
Site Name: CREEKSIDE GOLF COURSE
Location: AMHERST, NY (ERIE)
Engineer: DUNN GEOSCIENCE
Contractor: _____
Job Phone: () _____

Date 6/26/90 I.R. No. 3Sheet 1 of 1

	AM	PM
Weather		
Temperature		
Wind (Dir. & Vel.)		

Health & Safety:Level of protective clothing used: N/A

Is the level of protection in conformance with the approved Health & Safety Plan?

Yes ___ No ___ If no, list the deviations under Items of Concern.

Are atmospheric monitoring results at acceptable levels? Yes ___ No ___

Attach a copy of the monitoring log.

Description of work performed during this report period:MEETING ON SITE - PRESENT WERE!TIM YAGLEY - OCCTACK HYDEN - NYSDEC - BUFFALOJOE SCIASCIA - NYSDEC - BUFFALOTOM CHRISTOFFEL - NYSDEC - ALBANYW. ROBLEE - NYSDEC - BUFFALO

DISCUSSION ON SEDIMENT SAMPLING - NYSDEC WANTS
TO SAMPLE SEDIMENT IN 6 AREAS - SCHEDULED FOR
JULY 10th - TIM YAGLEY TO DISCUSS WITH O.C.C. - THEY
PROBABLY WILL GET DUNN GEOSCIENCE TO DO THE
SAMPLING - WILL ADVISE CRAIG JACKSON

QUESTION WHETHER THE CHEMISTRY FOUND IN ~~PREVIOUS~~
SAMPLING WAS TYPICAL OF O.C.C. (RAISED BY O.C.C.)

Site Visitors

Representing

Entered exclusion zone

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF HAZARDOUS WASTE REMEDIATION
INSPECTOR'S DAILY REPORT

Site Code No. 915123
Site Name: CREEKSIDE GOLF COURSE
Location: AMHERST, NY (ERIE)
Engineer: DUNN GEOSCIENCE
Contractor: _____
Job Phone: () _____

Date 6/26/90 I.R. No. 3Sheet 1 of 1

	AM	PM
Weather		
Temperature		
Wind (Dir. & Vel.)		

Health & Safety:Level of protective clothing used: N/A

Is the level of protection in conformance with the approved Health & Safety Plan?

Yes ___ No ___ If no, list the deviations under Items of Concern.

Are atmospheric monitoring results at acceptable levels? Yes ___ No ___

Attach a copy of the monitoring log.

Description of work performed during this report period:MEETING ON SITE - PRESENT WERE:TIM YAGLEY - OGCJACK HIDEW - NYSDEC-BUFFALOJOE SCIALOJA - NYSDEC-BUFFALOTOM WILSTOFFEL - NYSDEC-ALBANYW. ROBLEE - NYSDEC-BUFFALO

DISCUSSION ON SEDIMENT SAMPLING - NYSDEC WANTS
TO SAMPLE SEDIMENT IN 6 AREAS - SCHEDULED FOR
JULY 15TH - TIM YAGLEY TO DISCUSS WITH O.G.C. - THEY
PROBABLY WILL GET DUNN GEOSCIENCE TO DO THE
SAMPLING - WILL ADVISE CRAIG JACKSON

DISCUSSION WHETHER THE CHEMISTRY FOUND IN ~~PREVIOUS~~
SAMPLING WAS TYPICAL OF O.G.C. (KNOWN BY O.G.C.)

Site Visitors

Representing

Entered exclusion zone

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF HAZARDOUS WASTE REMEDIATION
INSPECTOR'S DAILY REPORT

Site Code No. 915123
Site Name: CREEKSIDE GOLF COURSE
Location: AMHERST, NY (ERIE)
Engineer: DWIN GEOSCIENCE
Contractor: SAME
Job Phone: ()

Date 2/8/90 I.R. No. 2Sheet 1 of 2

	AM	PM
Weather	<u>Cloudy</u>	<u>SUNNY</u>
Temperature	<u>40</u>	<u>53</u>
Wind (Dir. & Vel.)	<u>LT-SSW</u>	<u>5</u>

Health & Safety:

Level of protective clothing used: _____

Is the level of protection in conformance with the approved Health & Safety Plan?

Yes ___ No ___ If no, list the deviations under Items of Concern.

Are atmospheric monitoring results at acceptable levels? Yes ___ No ___

Attach a copy of the monitoring log.

Description of work performed during this report period:

RETURN TO SITE TO OBTAIN SAMPLES FROM
BOTTOM OF TONAWANDA CREEK (SOUTH SHORE)

PROCEDURE:STIR UP CREEK BOTTOMWAS SAMPLE OF MATERIAL AS IT FLOATS TO SURFACESAMPLE IN CREEK WITH WAVER

SAMPLED IN THE 17100 AREA - ONLY ABLE TO
OBTAIN A SMALL AMOUNT OF THE MATERIAL

Site Visitors

Representing

Entered exclusion zone

TOM CHRISTOFFELINSPEC ALBANGARY KLINE" "

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF HAZARDOUS WASTE REMEDIATION
INSPECTOR'S DAILY REPORT

Subcontractor B: worked from _____ to _____

[illegible]

Prime Contractor worked from _____ to _____

DUHH GEOSCIENCE SPARKING - OGC CHEMIST ALSO
ON SITE - WILL TRY TO CREATE A SPLIT SAMPLE
FROM MATERIAL OBTAINED

Items of concern:

Attachments to this report:

Inspector's Name (Print): WILLIAM ROBERT

Inspector's Signature: William Koller

Date: 2/8/70

Reviewed by: _____ Date: _____

Date: _____

Site Code No. 9/5/23Date 12/2/89 I.R. No. 1Site Name: CREEKSIDE GOLF COURSESheet 1 of 2Location: AMHERST, NY (ERIE)Engineer: DUNN GEOSCIENCEContractor: SAMEJob Phone: ()

Weather

AM

PM

Temperature

Wind (Dir. & Vel.)

PART. SUNNY25 30LT -**Health & Safety:**Level of protective clothing used: N/A

Is the level of protection in conformance with the approved Health & Safety Plan?

Yes No If no, list the deviations under Items of Concern.Are atmospheric monitoring results at acceptable levels? Yes No

Attach a copy of the monitoring log.

Description of work performed during this report period:TO TAKE SAMPLES OF SEDIMENT ALONG SOUTH SIDE
OF TONAWANDA CREEKTOOK 1 SAMPLE WITH HAND AUGER @ GRID
LOCATION 1690-80 - APP. 10' FROM THE SOUTH BANK
TOOK SAMPLE FROM A BOAT -TOOK SAMPLES OF CREEK WATER THAT CONTAINED
BITS OF SEDIMENT THAT HAD BEEN STIRRED UP -
PARTICLES SEEMED TO BE NAPL - SMALL TAR LIKE
GLOBULES - THESE SAMPLES TAKEN FROM 1690 WEST TO
1650 ±

Site Visitors

Representing

Entered exclusion zone

47-15-19(8/88)

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION
DIVISION OF HAZARDOUS WASTE REMEDIATION
INSPECTOR'S DAILY REPORT

Subcontractor A: _____ worked from _____ to _____

Subcontractor B: _____ worked from _____ to _____

[illegible]

Prime Contractor worked from to

Comments:

INVESTIGATED VARIOUS AREAS ALONG THE BANK AND
SOME 20-30' FROM THE BANK - UNABLE TO STIR UP
ANY SEDIMENT

TIM YAGLEY (OCC) ASSISTED WITH SAMPLING

RALPH MORSE & JERRY JONES REPRESENTED DUNN GEOSCIENCE
SAMPLES TO BE SENT TO RAY WESTON LABS

Items of concern:

Attachments to this report:

Inspector's Name (Print): WILLIAM ROBLEE

Inspector's Signature: William Kotler Date: 12/2/89

Reviewed by: _____ Date: _____