



**Groundwater
& Environmental Services, Inc.**

158 Sonwil Drive, Cheektowaga, New York 14225 • TEL (716) 706-0074 • FAX (716) 706-0078

April 9, 2009

Mr. Glenn M. May, CPG Project Manager
New York State Department of Environmental Conservation
270 Michigan Avenue
Buffalo, NY 14203-2999

submitted to the above address and via email as PDF format to: gmmay@gw.dec.state.ny.us

RE: Iroquois Gas/Westwood Pharmaceuticals Site
100 Forest Avenue, Buffalo, NY 14213
Remediation System Quarterly Report
First Quarter 2009
Site # 915141

Dear Mr. May:

On behalf of Bristol-Myers Squibb Company, Groundwater & Environmental Services, Inc. (GES) is pleased to submit the attached Remediation System Quarterly Report. The report covers the groundwater remediation and cap maintenance activities conducted on-site during the first quarter 2009 from January 1, 2009 through March 31, 2009.

Based on the enclosed data and site measurements, the performance of the Pump and Treat System is in accordance with the requirements set forth in the Record of Decision dated March 2004.

On February 23, 2009, GES calibrated the Master Meter MM5 (Multi-Jet Water Meter) per the Pertech Incorporated #MJ09-1CH-AAA-2 calibration procedure reference. The calibration was conducted to verify that the water meter is operating in accordance with the manufacturer's specification. The Certificate of Calibration is attached for your reference.

If you have any questions, please feel free to contact the undersigned at 716-706-0074 (ext 20).

Thank you.

Regards,

Andrew Janik
Project Manager

cc: Dan Darragh, Buchanan Ingersoll, via email: ddarragh@cohenlaw.com
Douglas Morrison, Bristol-Myers Squibb Company, via email: Douglas.Morrison@bms.com
John Alonzo, de maximis, Inc., via email: jjalonzo@demaximis.com

Attachments: (1) Quarterly Data Table
(2) Piezometer, Extraction and Monitoring Well Water Levels 2007-2009 Graph
(3) Quarterly Collection of NAPL Graph
(4) Site Map
(5) Certificate of Calibration
(6) Quarterly Cap Inspection
(7) Monthly Laboratory Analytical Results

QUARTERLY DATA TABLE 2009

Westwood-Squibb Pharmaceuticals Inc., 100 Forest Avenue, Buffalo, New York 14213

Sampling Parameter	Daily Maximum Limit per BSA Permit	8-Jan	27-Jan	20-Feb	23-Feb	5-Mar	18-Mar	25-Mar
pH	5.0-12.0	7.6	NS	NS	7.8	NS	7.3	NS
Total Mercury	0.00003 lbs	0.0000010	NS	NS	0.0000003	NS	0.0000006	NS
Total Zinc	0.75 lbs	0.00005	NS	NS	0.00002	NS	0.00003	NS
Total Cyanide	0.2 lbs	0.00079	NS	NS	0.00009	NS	0.00038	NS
Total Daily Flow	3,600 gallons	1285	365	630	395	507	808	431

Legend:

NS - Not Sampled.

Notes:

1/8 - Performed weekly and monthly O&M, gauging of wells, and collection of monthly BSA sample. Hydrated new carbons.

1/27 - Performed weekly O&M and gauging of wells.

2/20 - Performed weekly O&M and gauging of wells. Brought new carbons online and switched over transfer pump.


2/23 - Performed weekly and monthly O&M, gauging of wells, and collection of monthly BSA sample. Conducted quarterly cap inspection and calibrated the water meter.

3/5 - Performed weekly O&M and gauging of wells.


3/18 - Performed weekly and monthly O&M, gauging of wells, and collected monthly BSA sample. Performed the quarterly sprinkler system inspection, installed new floats in the EQ tank, and oversight for a hazardous waste pickup.

3/25 - Performed weekly O&M and gauging of wells.

Attachment 2 - Piezometer, Extraction and Monitoring Well Water Levels 2007 - 2009




Attachment 3 - Quarterly Collection of NAPL



Quarterly Timeframe

LEGEND

- x—x—x— FENCE
- CONCRETE/RETAINING WALL
- ⊕ MONITORING WELL
- STREAM GAUGE
- ⊙ PIEZOMETER
- ⊗ SOIL VAPOR EXTRACTION WELL



DRAFTED BY: W.G.S. (N.J.)	SITE MAP		
CHECKED BY:	BRISTOL MYERS SQUIBB COMPANY 100 FOREST AVENUE BUFFALO, NEW YORK		
REVIEWED BY:	Groundwater & Environmental Services, Inc.		
NORTH 	SCALE IN FEET 0 APPROXIMATE 100	DATE 04 - 01 - 09	FIGURE 4

Certificate of Calibration

*This Certifies that this instrument was calibrated
according to the Manufacturer's guidelines
on the date indicated.*

Date: February 23, 2009 By: Brent Miller/GES

Location: Westwood Pharmaceuticals. - Wastewater Treatment Building

Instrument: Master Meter MM5 -- 1" Bronze Body Multi-Jet Water Meter with Contact Head & Read
Switch Assembly, 1 gallon per contact


Serial Number / Site I.D. 3475523

Calibration Equipment Used: 5-Gallon graduated bucket, flexible hose and check valve


Calibration Procedure Reference: Pertech Incorporated #MJ09-1CH-AAA-2

Published Accuracy Standards: plus or minus 3% per manufacturer's accuracy

Calibration Results:	AS FOUND	MEASURED	AS LEFT	DEVIATION	PASS/FAIL
Flow (gal)	12.0	12.3	12.3	0.3 (2.5%)	PASS



Technician



Supervisor

ATTACHMENT 6

2009 Quarterly Cap Inspection

DUTY	1Q09 DATE/INITIAL	2Q09 DATE/INITIAL	3Q09 DATE/INITIAL	4Q09 DATE/INITIAL
Inspect clay barrier for cracks and surface channeling	02/23/09 BM	—	—	—
Repair, regrade and/or reseal any surface cracks or imperfections	02/23/09 BM	—	—	—
Inspect asphalt for physical/chemical weathering, cracks, imperfections	02/23/09 BM	—	—	—
Identify and penetration into the surface by animals and roots.	02/23/09 BM	—	—	—
Note any differential settling of cap layers.	02/23/09 BM	—	—	—

Notes:

First Quarter: Cap was mostly snow covered, no deficiencies were noted during the inspection.

Second Quarter:

Third Quarter:

Fourth Quarter:

Analytical Report

Work Order: RSA0267

SDG Number:

Work Order Description: GES - Bristol Myers


For:

Chris Schifferli

Groundwater & Env Svcs Inc - Cheektowaga, NY

158 Sonwil Drive

Cheektowaga, NY 14225



Paul Morrow

Project Manager

Paul.Morrow@testamericainc.com

Monday, February 2, 2009

The test results in this report meet all NELAP requirements for analytes for which accreditation is required or available. Any exception to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory. All questions regarding this test report should be directed to the TestAmerica Project manager who has signed this report.

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSA0267
Project: GES - Bristol Myers - NY5A9483
Project Number: NY5A9483

Received: 01/09/09
Reported: 02/02/09 13:59

TestAmerica Buffalo Current Certifications

As of 1/27/2009

STATE	Program	Cert # / Lab ID
Arkansas	CWA, RCRA, SOIL	88-0686
California*	NELAP CWA, RCRA	01169CA
Connecticut	SDWA, CWA, RCRA, SOIL	PH-0568
Florida*	NELAP CWA, RCRA	E87672
Georgia*	SDWA, NELAP CWA, RCRA	956
Illinois*	NELAP SDWA, CWA, RCRA	200003
Iowa	SW/CS	374
Kansas*	NELAP SDWA, CWA, RCRA	E-10187
Kentucky	SDWA	90029
Kentucky UST	UST	30
Louisiana*	NELAP CWA, RCRA	2031
Maine	SDWA, CWA	NY0044
Maryland	SDWA	294
Massachusetts	SDWA, CWA	M-NY044
Michigan	SDWA	9937
Minnesota	SDWA, CWA, RCRA	036-999-337
New Hampshire*	NELAP SDWA, CWA	233701
New Jersey*	NELAP, SDWA, CWA, RCRA,	NY455
New York*	NELAP, AIR, SDWA, CWA, RCRA, CLP	10026
Oklahoma	CWA, RCRA	9421
Pennsylvania*	NELAP CWA, RCRA	68-00281
Tennessee	SDWA	02970
Texas*	NELAP CWA, RCRA	T10470441208-TX
USDA	FOREIGN SOIL PERMIT	S-41579
USDOE	Department of Energy	DOECAP-STB
Virginia	SDWA	278
Washington*	NELAP CWA, RCRA	C1677
Wisconsin	CWA, RCRA	998310390
West Virginia	CWA, RCRA	252

*As required under the indicated accreditation, the test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report.

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSA0267
Project: GES - Bristol Myers - NY5A9483
Project Number: NY5A9483

Received: 01/09/09
Reported: 02/02/09 13:59

Case Narrative

According to 40CFR part 136.3, pH, Chlorine Residual, Dissolved Oxygen, Sulfite, and Temperature analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field (e.g. field-pH), they were not analyzed immediately, but as soon as possible after laboratory receipt.

A pertinent document is appended to this report, 1 page, is included and is an integral part of this report.

Reproduction of this analytical report is permitted only in its entirety. This report shall not be reproduced except in full without the written approval of the laboratory.

TestAmerica Laboratories, Inc. certifies that the analytical results contained herein apply only to the samples tested as received by our Laboratory.

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSA0267
Project: GES - Bristol Myers - NY5A9483
Project Number: NY5A9483

Received: 01/09/09
Reported: 02/02/09 13:59

DATA QUALIFIERS AND DEFINITIONS

- A-01** Sample was composited prior to analysis.
- H** Sample analysis performed past method-specified holding time.
- J** Estimated value. Analyte detected at a concentration less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL). The user of this data should be aware that this data is of limited reliability.
- L** Laboratory Control Sample and/or Laboratory Control Sample Duplicate recovery was above the acceptance limits. Analyte not detected, data not impacted.

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSA0267
Project: GES - Bristol Myers - NY5A9483
Project Number: NY5A9483

Received: 01/09/09
Reported: 02/02/09 13:59

Executive Summary - Detections

Analyte	Sample Result	Data Qualifiers	Rpt Limit	MDL	Units	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: RSA0267-01 (001 - Water)						Sampled: 01/08/09 14:30		Recvd: 01/09/09 12:40		
Acid and Base/Neutral Extractables by EPA Method 625										
1,2-Dichlorobenzene	1.0	J	11	0.16	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
1,4-Dichlorobenzene	1.6	J	11	0.096	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
Benzo[a]anthracene	0.23	J	5.4	0.046	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
Naphthalene	0.30	J	5.4	0.086	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
General Chemistry Parameters										
Cyanide	0.163		0.0100	0.00500	mg/L	1.00	01/13/09 11:18	jmm	9A13022	335.4
pH	7.59	H	NA	0.00	S.U.	1.00	01/10/09 18:02	RJK	9A13039	4500-H+ B
Volatile Organic Compounds										
1,2-Dichlorobenzene	2.0	A-01,J	5.0	0.44	ug/L	1.00	01/13/09 10:04	TRB	9A12022	624
1,4-Dichlorobenzene	3.1	A-01,J	5.0	0.51	ug/L	1.00	01/13/09 10:04	TRB	9A12022	624
Chlorobenzene	1.9	A-01,J	5.0	0.48	ug/L	1.00	01/13/09 10:04	TRB	9A12022	624

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSA0267
Project: GES - Bristol Myers - NY5A9483
Project Number: NY5A9483

Received: 01/09/09
Reported: 02/02/09 13:59

Sample Summary

SAMPLE IDENTIFICATION	LAB NUMBER	Client Matrix	Date/Time Sampled	Date/Time Received
001	RSA0267-01	Water	01/08/09 14:30	01/09/09 12:40

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSA0267
Project: GES - Bristol Myers - NY5A9483
Project Number: NY5A9483

Received: 01/09/09
Reported: 02/02/09 13:59

Analytical Report

Analyte	Sample Result	Data Qualifiers	Rpt Limit	MDL	Units	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: RSA0267-01 (001 - Water)						Sampled: 01/08/09 14:30		Recvd: 01/09/09 12:40		
Acid and Base/Neutral Extractables by EPA Method 625										
1,2,4-Trichlorobenzene	ND	J	11	0.53	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
1,2-Dichlorobenzene	1.0		11	0.16	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
1,2-Diphenylhydrazine	ND		11	0.068	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
1,3-Dichlorobenzene	ND	J	11	0.074	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
1,4-Dichlorobenzene	1.6		11	0.096	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
2,4,6-Trichlorophenol	ND		5.4	0.25	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
2,4-Dichlorophenol	ND		5.4	0.32	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
2,4-Dimethylphenol	ND		5.4	0.14	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
2,4-Dinitrophenol	ND		11	0.90	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
2,4-Dinitrotoluene	ND		5.4	0.28	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
2,6-Dinitrotoluene	ND		5.4	0.77	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
2-Chloronaphthalene	ND		5.4	0.073	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
2-Chlorophenol	ND		5.4	0.17	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
2-Nitrophenol	ND		5.4	0.15	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
3,3'-Dichlorobenzidine	ND		5.4	0.88	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
4,6-Dinitro-2-methylphenol	ND		11	0.82	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
4-Bromophenyl phenyl ether	ND		5.4	0.12	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
4-Chloro-3-methylphenol	ND		5.4	0.60	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
4-Chlorophenyl phenyl ether	ND		5.4	0.22	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
4-Nitrophenol	ND		11	1.5	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
Acenaphthene	ND		5.4	0.065	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
Acenaphthylene	ND		5.4	0.036	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
Anthracene	ND		5.4	0.056	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
Benzidine	ND		86	2.7	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
Benzo[a]anthracene	0.23	J	5.4	0.046	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
Benzo[a]pyrene	ND		5.4	0.062	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
Benzo[b]fluoranthene	ND		5.4	0.066	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
Benzo[g,h,i]perylene	ND		5.4	0.11	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
Benzo[k]fluoranthene	ND		5.4	0.045	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
Bis(2-chloroethoxy)methane	ND		5.4	0.091	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
Bis(2-chloroethyl)ether	ND		5.4	1.2	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
Bis(2-chloroisopropyl) ether	ND		5.4	0.092	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
Bis(2-ethylhexyl) phthalate	ND		11	0.93	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
Butyl benzyl phthalate	ND		5.4	1.4	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
Chrysene	ND		5.4	0.039	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
Dibenz[a,h]anthracene	ND		5.4	0.059	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
Diethyl phthalate	ND		5.4	0.19	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
Dimethyl phthalate	ND		5.4	0.18	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
Di-n-butyl phthalate	ND		5.4	1.0	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
Di-n-octyl phthalate	ND		5.4	4.8	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
Fluoranthene	ND		5.4	0.12	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
Fluorene	ND		5.4	0.046	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
Hexachlorobenzene	ND		5.4	0.30	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
Hexachlorobutadiene	ND		5.4	0.66	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
Hexachlorocyclopentadiene	ND		5.4	0.49	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
Hexachloroethane	ND		5.4	0.52	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
Indeno[1,2,3-cd]pyrene	ND		5.4	0.20	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
Isophorone	ND		5.4	0.17	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
Naphthalene	0.30	J	5.4	0.086	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
n-Decane	ND		11	1.7	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
Nitrobenzene	ND		5.4	0.12	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
N-Nitrosodimethylamine	ND		11	1.0	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625

TestAmerica Buffalo

10 Hazelwood Drive Amherst, NY 14228 tel 716-691-2600 fax 716-691-7991

www.testamericainc.com

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSA0267
Project: GES - Bristol Myers - NY5A9483
Project Number: NY5A9483

Received: 01/09/09
Reported: 02/02/09 13:59

Analytical Report

Analyte	Sample Result	Data Qualifiers	Rpt Limit	MDL	Units	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: RSA0267-01 (001 - Water) - cont.						Sampled: 01/08/09 14:30		Recvd: 01/09/09 12:40		
Acid and Base/Neutral Extractables by EPA Method 625 - cont.										
N-Nitrosodi-n-propylamine	ND		5.4	0.25	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
N-Nitrosodiphenylamine	ND		5.4	0.43	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
n-Octadecane	ND		11	0.75	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
Pentachlorophenol	ND		11	0.44	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
Phenanthrene	ND		5.4	0.076	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
Phenol	ND		5.4	0.13	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
Pyrene	ND		5.4	0.044	ug/L	1.00	01/13/09 23:53	JLG	9A10009	625
General Chemistry Parameters										
Cyanide	0.163		0.0100	0.00500	mg/L	1.00	01/13/09 11:18	jmm	9A13022	335.4
pH	7.59	H	NA	0.00	S.U.	1.00	01/10/09 18:02	RJK	9A13039	4500-H+ B
Total Metals by EPA 200 Series Methods										
Mercury	ND		0.000200	0.000120	mg/L	1.00	01/13/09 15:24	MM	9A13028	245.1
Zinc	ND		0.0100	0.00360	mg/L	1.00	01/15/09 18:44	AH	9A15022	200.7
Volatile Organic Compounds										
1,1,1-Trichloroethane	ND	A-01	5.0	0.73	ug/L	1.00	01/13/09 10:04	TRB	9A12022	624
1,1,2,2-Tetrachloroethane	ND	A-01	5.0	0.55	ug/L	1.00	01/13/09 10:04	TRB	9A12022	624
1,1,2-Trichloroethane	ND	A-01	5.0	0.48	ug/L	1.00	01/13/09 10:04	TRB	9A12022	624
1,1-Dichloroethane	ND	A-01	5.0	0.59	ug/L	1.00	01/13/09 10:04	TRB	9A12022	624
1,1-Dichloroethene	ND	A-01	5.0	0.85	ug/L	1.00	01/13/09 10:04	TRB	9A12022	624
1,2-Dichlorobenzene	2.0	A-01,J	5.0	0.44	ug/L	1.00	01/13/09 10:04	TRB	9A12022	624
1,2-Dichloroethane	ND	A-01	5.0	0.60	ug/L	1.00	01/13/09 10:04	TRB	9A12022	624
1,2-Dichloroethene, Total	ND	A-01	10	3.2	ug/L	1.00	01/13/09 10:04	TRB	9A12022	624
1,2-Dichloropropane	ND	A-01	5.0	0.61	ug/L	1.00	01/13/09 10:04	TRB	9A12022	624
1,3-Dichlorobenzene	ND	A-01	5.0	0.54	ug/L	1.00	01/13/09 10:04	TRB	9A12022	624
1,4-Dichlorobenzene	3.1	A-01,J	5.0	0.51	ug/L	1.00	01/13/09 10:04	TRB	9A12022	624
2-Chloroethyl vinyl ether	ND	A-01	25	3.7	ug/L	1.00	01/13/09 10:04	TRB	9A12022	624
Acrolein	ND	A-01,L	100	17	ug/L	1.00	01/13/09 10:04	TRB	9A12022	624
Acrylonitrile	ND	A-01	100	4.0	ug/L	1.00	01/13/09 10:04	TRB	9A12022	624
Benzene	ND	A-01	5.0	0.60	ug/L	1.00	01/13/09 10:04	TRB	9A12022	624
Bromodichloromethane	ND	A-01	5.0	0.54	ug/L	1.00	01/13/09 10:04	TRB	9A12022	624
Bromoform	ND	A-01	5.0	0.47	ug/L	1.00	01/13/09 10:04	TRB	9A12022	624
Bromomethane	ND	A-01	5.0	1.2	ug/L	1.00	01/13/09 10:04	TRB	9A12022	624
Carbon Tetrachloride	ND	A-01	5.0	0.83	ug/L	1.00	01/13/09 10:04	TRB	9A12022	624
Chlorobenzene	1.9	A-01,J	5.0	0.48	ug/L	1.00	01/13/09 10:04	TRB	9A12022	624
Chlorodibromomethane	ND	A-01	5.0	0.41	ug/L	1.00	01/13/09 10:04	TRB	9A12022	624
Chloroethane	ND	A-01	5.0	0.87	ug/L	1.00	01/13/09 10:04	TRB	9A12022	624
Chloroform	ND	A-01	5.0	0.54	ug/L	1.00	01/13/09 10:04	TRB	9A12022	624
Chloromethane	ND	A-01	5.0	0.64	ug/L	1.00	01/13/09 10:04	TRB	9A12022	624
cis-1,3-Dichloropropene	ND	A-01	5.0	0.57	ug/L	1.00	01/13/09 10:04	TRB	9A12022	624
Ethyl Methacrylate	ND	A-01	5.0	0.61	ug/L	1.00	01/13/09 10:04	TRB	9A12022	624
Ethylbenzene	ND	A-01	5.0	0.46	ug/L	1.00	01/13/09 10:04	TRB	9A12022	624
Methylene Chloride	ND	A-01	5.0	0.81	ug/L	1.00	01/13/09 10:04	TRB	9A12022	624
Tetrachloroethene	ND	A-01	5.0	0.55	ug/L	1.00	01/13/09 10:04	TRB	9A12022	624
Toluene	ND	A-01	5.0	0.45	ug/L	1.00	01/13/09 10:04	TRB	9A12022	624
trans-1,3-Dichloropropene	ND	A-01	5.0	0.44	ug/L	1.00	01/13/09 10:04	TRB	9A12022	624
Trichloroethene	ND	A-01	5.0	0.60	ug/L	1.00	01/13/09 10:04	TRB	9A12022	624
Trichlorofluoromethane	ND	A-01	5.0	0.79	ug/L	1.00	01/13/09 10:04	TRB	9A12022	624
Vinyl chloride	ND	A-01	5.0	0.75	ug/L	1.00	01/13/09 10:04	TRB	9A12022	624

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSA0267
Project: GES - Bristol Myers - NY5A9483
Project Number: NY5A9483

Received: 01/09/09
Reported: 02/02/09 13:59

SAMPLE EXTRACTION DATA

Parameter	Batch	Lab Number	Wt/Vol Extracted	Extracted Volume	Date	Analyst	Extraction Method
Acid and Base/Neutral Extractables by EPA Method 625							
625	9A10009	RSA0267-01	930	1	01/11/09 08:00	LT	3510C MB
General Chemistry Parameters							
335.4	9A13022	RSA0267-01	50	50	01/12/09 15:00	JFR	Cn Digestion
4500-H+ B	9A13039	RSA0267-01	1	1	01/10/09 18:02	RJK	pH
Total Metals by EPA 200 Series Methods							
200.7	9A15022	RSA0267-01	50	50	01/15/09 10:15	DAN	3005A
245.1	9A13028	RSA0267-01	30	50	01/13/09 13:50	MM	7470A / 245.1
Volatile Organic Compounds							
624	9A12022	RSA0267-01	5	5	01/12/09 12:54	TRB	5030B MS

phone 907.563.9200 fax 907.563.9210

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratories, Inc.

40^u

Analytical Report

Work Order: RSB0743

Work Order Description: BRISTOL-MYERS MONTHLY


For:

Andrew Janik

Groundwater & Env Svcs Inc - Cheektowaga, NY

158 Sonwil Drive

Cheektowaga, NY 14225



Paul Morrow

Project Manager

Paul.Morrow@testamericainc.com

Wednesday, March 4, 2009

The test results in this report meet all NELAP requirements for analytes for which accreditation is required or available. Any exception to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory. All questions regarding this test report should be directed to the TestAmerica Project manager who has signed this report.

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSB0743

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 02/24/09
Reported: 03/04/09 09:27

TestAmerica Buffalo Current Certifications

As of 1/27/2009

STATE	Program	Cert # / Lab ID
Arkansas	CWA, RCRA, SOIL	88-0686
California*	NELAP CWA, RCRA	01169CA
Connecticut	SDWA, CWA, RCRA, SOIL	PH-0568
Florida*	NELAP CWA, RCRA	E87672
Georgia*	SDWA, NELAP CWA, RCRA	956
Illinois*	NELAP SDWA, CWA, RCRA	200003
Iowa	SW/CS	374
Kansas*	NELAP SDWA, CWA, RCRA	E-10187
Kentucky	SDWA	90029
Kentucky UST	UST	30
Louisiana*	NELAP CWA, RCRA	2031
Maine	SDWA, CWA	NY0044
Maryland	SDWA	294
Massachusetts	SDWA, CWA	M-NY044
Michigan	SDWA	9937
Minnesota	SDWA, CWA, RCRA	036-999-337
New Hampshire*	NELAP SDWA, CWA	233701
New Jersey*	NELAP, SDWA, CWA, RCRA,	NY455
New York*	NELAP, AIR, SDWA, CWA, RCRA, CLP	10026
Oklahoma	CWA, RCRA	9421
Pennsylvania*	NELAP CWA, RCRA	68-00281
Tennessee	SDWA	02970
Texas*	NELAP CWA, RCRA	T10470441208-TX
USDA	FOREIGN SOIL PERMIT	S-41579
USDOE	Department of Energy	DOECAP-STB
Virginia	SDWA	278
Washington*	NELAP CWA, RCRA	C1677
Wisconsin	CWA, RCRA	998310390
West Virginia	CWA, RCRA	252

*As required under the indicated accreditation, the test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report.

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSB0743

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 02/24/09

Reported: 03/04/09 09:27

Case Narrative

A pertinent document is appended to this report, 1 page, is included and is an integral part of this report.

Reproduction of this analytical report is permitted only in its entirety. This report shall not be reproduced except in full without the written approval of the laboratory.

TestAmerica Laboratories, Inc. certifies that the analytical results contained herein apply only to the samples tested as received by our Laboratory.

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSB0743

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 02/24/09

Reported: 03/04/09 09:27

DATA QUALIFIERS AND DEFINITIONS

D08 Dilution required due to high concentration of target analyte(s)
J Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL).
Concentrations within this range are estimated.
M8 The MS and/or MSD were below the acceptance limits. See Blank Spike (LCS).
R7 LFB/LFBD RPD exceeded the acceptance limit. Recovery met acceptance criteria.

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSB0743
Project: BRISTOL-MYERS MONTHLY
Project Number: GROUNDEN

Received: 02/24/09
Reported: 03/04/09 09:27

Executive Summary - Detections

Analyte	Sample Result	Data Qualifiers	Rpt Limit	MDL	Units	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: RSB0743-01 (001 - Water)						Sampled: 02/23/09 14:30		Recvd: 02/24/09 14:08		
<u>General Chemistry Parameters</u>										
Total Cyanide	0.0583		0.0100	0.00500	mg/L	1.00	03/03/09 09:01	jmm	9B28009	335.4
pH	7.76		NA	0.00	S.U.	1.00	02/24/09 19:34	RJP	9B24068	4500-H+ B

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSB0743

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 02/24/09

Reported: 03/04/09 09:27

Sample Summary

SAMPLE IDENTIFICATION	LAB NUMBER	Client Matrix	Date/Time Sampled	Date/Time Received
001	RSB0743-01	Water	02/23/09 14:30	02/24/09 11:00

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSB0743

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 02/24/09
Reported: 03/04/09 09:27

Analytical Report

Analyte	Sample Result	Data Qualifiers	Rpt Limit	MDL	Units	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: RSB0743-01 (001 - Water)						Sampled: 02/23/09 14:30		Recvd: 02/24/09 14:08		
Acid and Base/Neutral Extractables by EPA Method 625										
1,2,4-Trichlorobenzene	ND		11	0.53	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
1,2-Dichlorobenzene	ND		11	0.16	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
1,2-Diphenylhydrazine	ND		11	0.068	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
1,3-Dichlorobenzene	ND		11	0.075	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
1,4-Dichlorobenzene	ND		11	0.097	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
2,4,6-Trichlorophenol	ND		5.4	0.25	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
2,4-Dichlorophenol	ND		5.4	0.33	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
2,4-Dimethylphenol	ND		5.4	0.15	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
2,4-Dinitrophenol	ND		11	0.91	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
2,4-Dinitrotoluene	ND		5.4	0.29	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
2,6-Dinitrotoluene	ND		5.4	0.78	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
2-Chloronaphthalene	ND		5.4	0.073	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
2-Chlorophenol	ND		5.4	0.17	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
2-Nitrophenol	ND		5.4	0.16	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
3,3'-Dichlorobenzidine	ND		5.4	0.89	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
4,6-Dinitro-2-methylphenol	ND		11	0.83	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
4-Bromophenyl phenyl ether	ND		5.4	0.12	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
4-Chloro-3-methylphenol	ND		5.4	0.60	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
4-Chlorophenyl phenyl ether	ND		5.4	0.23	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
4-Nitrophenol	ND		11	1.5	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
Acenaphthene	ND		5.4	0.065	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
Acenaphthylene	ND		5.4	0.037	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
Anthracene	ND		5.4	0.057	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
Benzidine	ND		87	2.7	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
Benzo(a)anthracene	ND		5.4	0.047	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
Benzo(a)pyrene	ND		5.4	0.063	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
Benzo(b)fluoranthene	ND		5.4	0.067	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
Benzo(ghi)perylene	ND		5.4	0.11	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
Benzo(k)fluoranthene	ND		5.4	0.045	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
Bis(2-chloroethoxy)methane	ND		5.4	0.092	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
Bis(2-chloroethyl)ether	ND		5.4	1.2	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
2,2'-Oxybis(1-Chloropropane)	ND		5.4	0.093	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
Bis(2-ethylhexyl) phthalate	ND		11	0.94	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
Butyl benzyl phthalate	ND		5.4	1.4	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
Chrysene	ND		5.4	0.039	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
Dibenzo(a,h)anthracene	ND		5.4	0.060	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
Diethyl phthalate	ND		5.4	0.19	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
Dimethyl phthalate	ND		5.4	0.18	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
Di-n-butyl phthalate	ND		5.4	1.0	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
Di-n-octyl phthalate	ND		5.4	4.8	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
Fluoranthene	ND		5.4	0.12	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
Fluorene	ND		5.4	0.046	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
Hexachlorobenzene	ND		5.4	0.30	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
Hexachlorobutadiene	ND		5.4	0.67	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
Hexachlorocyclopentadiene	ND		5.4	0.49	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
Hexachloroethane	ND		5.4	0.52	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
Indeno(1,2,3-cd)pyrene	ND		5.4	0.20	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
Isophorone	ND		5.4	0.17	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
Naphthalene	ND		5.4	0.087	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
Decane	ND		11	1.7	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
Nitrobenzene	ND		5.4	0.12	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625

TestAmerica Buffalo

10 Hazelwood Drive Amherst, NY 14228 tel 716-691-2600 fax 716-691-7991

www.testamericainc.com

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSB0743

Project: BRISTOL-MYERS MONTHLY
Project Number: GROUNDEN

Received: 02/24/09
Reported: 03/04/09 09:27

Analytical Report

Analyte	Sample Result	Data Qualifiers	Rpt Limit	MDL	Units	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: RSB0743-01 (001 - Water) - cont.						Sampled: 02/23/09 14:30		Recvd: 02/24/09 14:08		
Acid and Base/Neutral Extractables by EPA Method 625 - cont.										
N-Nitrosodimethylamine	ND		11	1.0	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
N-Nitrosodi-n-propylamine	ND		5.4	0.25	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
N-Nitrosodiphenylamine	ND		5.4	0.43	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
n-Octadecane	ND		11	0.76	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
Pentachlorophenol	ND		11	0.45	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
Phenanthrene	ND		5.4	0.077	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
Phenol	ND		5.4	0.13	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
Pyrene	ND		5.4	0.044	ug/L	1.00	02/26/09 22:19	JLG	9B24055	625
Surr: 2-Fluorophenol (17-120%)	42 %						02/26/09 22:19	JLG	9B24055	625
Surr: Phenol-d5 (10-120%)	33 %						02/26/09 22:19	JLG	9B24055	625
Surr: Nitrobenzene-d5 (42-120%)	77 %						02/26/09 22:19	JLG	9B24055	625
Surr: 2-Fluorobiphenyl (44-120%)	86 %						02/26/09 22:19	JLG	9B24055	625
Surr: 2,4,6-Tribromophenol (49-122%)	94 %						02/26/09 22:19	JLG	9B24055	625
Surr: p-Terphenyl-d14 (22-125%)	83 %						02/26/09 22:19	JLG	9B24055	625
General Chemistry Parameters										
Total Cyanide	0.0583		0.0100	0.00500	mg/L	1.00	03/03/09 09:01	jmm	9B28009	335.4
pH	7.76		NA	0.00	S.U.	1.00	02/24/09 19:34	RJP	9B24068	4500-H+ B
Total Metals by EPA 200 Series Methods										
Zinc	ND		0.0150	0.00360	mg/L	1.00	02/26/09 23:38	AH	9B26008	200.7
Mercury	ND		0.000200	0.000120	mg/L	1.00	02/25/09 16:49	MM	9B24025	245.1
Volatile Organic Compounds										
1,1,1-Trichloroethane	ND		5.0	0.73	ug/L	1.00	02/27/09 14:00	MF	9B26076	624
1,1,2,2-Tetrachloroethane	ND		5.0	0.55	ug/L	1.00	02/27/09 14:00	MF	9B26076	624
1,1,2-Trichloroethane	ND		5.0	0.48	ug/L	1.00	02/27/09 14:00	MF	9B26076	624
1,1-Dichloroethane	ND		5.0	0.59	ug/L	1.00	02/27/09 14:00	MF	9B26076	624
1,1-Dichloroethene	ND		5.0	0.85	ug/L	1.00	02/27/09 14:00	MF	9B26076	624
1,2-Dichlorobenzene	ND		5.0	0.44	ug/L	1.00	02/27/09 14:00	MF	9B26076	624
1,2-Dichloroethane	ND		5.0	0.60	ug/L	1.00	02/27/09 14:00	MF	9B26076	624
1,2-Dichloroethene, Total	ND		10	3.2	ug/L	1.00	02/27/09 14:00	MF	9B26076	624
1,2-Dichloropropane	ND		5.0	0.61	ug/L	1.00	02/27/09 14:00	MF	9B26076	624
1,3-Dichlorobenzene	ND		5.0	0.54	ug/L	1.00	02/27/09 14:00	MF	9B26076	624
1,4-Dichlorobenzene	ND		5.0	0.51	ug/L	1.00	02/27/09 14:00	MF	9B26076	624
2-Chloroethyl vinyl ether	ND		25	3.7	ug/L	1.00	02/27/09 14:00	MF	9B26076	624
Acrolein	ND		100	17	ug/L	1.00	02/27/09 14:00	MF	9B26076	624
Acrylonitrile	ND		100	4.0	ug/L	1.00	02/27/09 14:00	MF	9B26076	624
Benzene	ND		5.0	0.60	ug/L	1.00	02/27/09 14:00	MF	9B26076	624
Bromodichloromethane	ND		5.0	0.54	ug/L	1.00	02/27/09 14:00	MF	9B26076	624
Bromoform	ND		5.0	0.47	ug/L	1.00	02/27/09 14:00	MF	9B26076	624
Bromomethane	ND		5.0	1.2	ug/L	1.00	02/27/09 14:00	MF	9B26076	624
Carbon Tetrachloride	ND		5.0	0.83	ug/L	1.00	02/27/09 14:00	MF	9B26076	624
Chlorobenzene	ND		5.0	0.48	ug/L	1.00	02/27/09 14:00	MF	9B26076	624
Dibromochloromethane	ND		5.0	0.41	ug/L	1.00	02/27/09 14:00	MF	9B26076	624
Chloroethane	ND		5.0	0.87	ug/L	1.00	02/27/09 14:00	MF	9B26076	624
Chloroform	ND		5.0	0.54	ug/L	1.00	02/27/09 14:00	MF	9B26076	624
Chloromethane	ND		5.0	0.64	ug/L	1.00	02/27/09 14:00	MF	9B26076	624
cis-1,3-Dichloropropene	ND		5.0	0.57	ug/L	1.00	02/27/09 14:00	MF	9B26076	624
Ethyl Methacrylate	ND		5.0	0.61	ug/L	1.00	02/27/09 14:00	MF	9B26076	624
Ethylbenzene	ND		5.0	0.46	ug/L	1.00	02/27/09 14:00	MF	9B26076	624
Methylene Chloride	ND		5.0	0.81	ug/L	1.00	02/27/09 14:00	MF	9B26076	624
Tetrachloroethene	ND		5.0	0.55	ug/L	1.00	02/27/09 14:00	MF	9B26076	624
Toluene	ND		5.0	0.45	ug/L	1.00	02/27/09 14:00	MF	9B26076	624

TestAmerica Buffalo

10 Hazelwood Drive Amherst, NY 14228 tel 716-691-2600 fax 716-691-7991

www.testamericainc.com

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSB0743

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 02/24/09

Reported: 03/04/09 09:27

Analytical Report

Analyte	Sample Result	Data Qualifiers	Rpt Limit	MDL	Units	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: RSB0743-01 (001 - Water) - cont.						Sampled: 02/23/09 14:30		Recvd: 02/24/09 14:08		
Volatile Organic Compounds - cont.										
trans-1,3-Dichloropropene	ND		5.0	0.44	ug/L	1.00	02/27/09 14:00	MF	9B26076	624
Trichloroethene	ND		5.0	0.60	ug/L	1.00	02/27/09 14:00	MF	9B26076	624
Trichlorofluoromethane	ND		5.0	0.79	ug/L	1.00	02/27/09 14:00	MF	9B26076	624
Vinyl chloride	ND		5.0	0.75	ug/L	1.00	02/27/09 14:00	MF	9B26076	624
Surr: 1,2-Dichloroethane-d4 (88-132%)	107 %						02/27/09 14:00	MF	9B26076	624
Surr: 4-Bromofluorobenzene (78-122%)	98 %						02/27/09 14:00	MF	9B26076	624
Surr: Toluene-d8 (87-110%)	97 %						02/27/09 14:00	MF	9B26076	624

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSB0743

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 02/24/09
Reported: 03/04/09 09:27

SAMPLE EXTRACTION DATA

Parameter	Batch	Lab Number	Wt/Vol Extracted	Extract Volume	Date	Analyst	Extraction Method
Acid and Base/Neutral Extractables by EPA Method 625							
625	9B24055	RSB0743-01	920.00	1.00	02/25/09 08:00	CJC	3510C MB
General Chemistry Parameters							
335.4	9B28009	RSB0743-01	50.00	50.00	02/28/09 09:25	JMM	Cn Digestion
4500-H+ B	9B24068	RSB0743-01	1.00	1.00	02/24/09 19:34	RJP	No prep pH
Total Metals by EPA 200 Series Methods							
200.7	9B26008	RSB0743-01	50.00	50.00	02/26/09 09:30	MLD	3005A
245.1	9B24025	RSB0743-01	30.00	50.00	02/25/09 15:00	MM	7470A
Volatile Organic Compounds							
624	9B26076	RSB0743-01	5.00	5.00	02/26/09 20:29	MAF	5030B MS

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSB0743

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 02/24/09

Reported: 03/04/09 09:27

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Spike Level	MRL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Qualifiers
Total Metals by EPA 200 Series Methods											
Mercury	9B24025		0.000200	0.000120	mg/L	ND					

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSB0743

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 02/24/09

Reported: 03/04/09 09:27

LCS QC DATA

Analyte	Seq/ Batch	Spike Level	MRL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Qualifiers
Total Metals by EPA 200 Series Methods											
Mercury	9B24025	0.00333	0.000200	0.000120	mg/L	0.00313	94	85-115			

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSB0743

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 02/24/09
Reported: 03/04/09 09:27

MATRIX SPIKE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	MRL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Qualifiers
Total Metals by EPA 200 Series Methods												
QC Source Sample: RSB0743-01												
Mercury	9B24025	ND	0.00667	0.000200	0.000120	mg/L	0.00658	99	70-130			
QC Source Sample: RSB0743-01												
Mercury	9B24025	ND	0.00667	0.000200	0.000120	mg/L	0.00607	91	70-130	8	20	

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSB0743

Received: 02/24/09
Reported: 03/04/09 09:27

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Spike Level	MRL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Qualifiers
Acid and Base/Neutral Extractables by EPA Method 625											
1,2,4-Trichlorobenzene	9B24055		10	0.49	ug/L	ND					
1,2-Dichlorobenzene	9B24055		10	0.14	ug/L	ND					
1,2-Diphenylhydrazine	9B24055		10	0.063	ug/L	ND					
1,3-Dichlorobenzene	9B24055		10	0.069	ug/L	ND					
1,4-Dichlorobenzene	9B24055		10	0.090	ug/L	ND					
2,4,6-Trichlorophenol	9B24055		5.0	0.23	ug/L	ND					
2,4-Dichlorophenol	9B24055		5.0	0.30	ug/L	ND					
2,4-Dimethylphenol	9B24055		5.0	0.13	ug/L	ND					
2,4-Dinitrophenol	9B24055		10	0.84	ug/L	ND					
2,4-Dinitrotoluene	9B24055		5.0	0.26	ug/L	ND					
2,6-Dinitrotoluene	9B24055		5.0	0.72	ug/L	ND					
2-Chloronaphthalene	9B24055		5.0	0.068	ug/L	ND					
2-Chlorophenol	9B24055		5.0	0.16	ug/L	ND					
2-Nitrophenol	9B24055		5.0	0.14	ug/L	ND					
3,3'-Dichlorobenzidine	9B24055		5.0	0.82	ug/L	ND					
4,6-Dinitro-2-methylphenol	9B24055		10	0.76	ug/L	ND					
4-Bromophenyl phenyl ether	9B24055		5.0	0.11	ug/L	ND					
4-Chloro-3-methylphenol	9B24055		5.0	0.56	ug/L	ND					
4-Chlorophenyl phenyl ether	9B24055		5.0	0.21	ug/L	ND					
4-Nitrophenol	9B24055		10	1.3	ug/L	ND					
Acenaphthene	9B24055		5.0	0.060	ug/L	ND					
Acenaphthylene	9B24055		5.0	0.034	ug/L	ND					
Anthracene	9B24055		5.0	0.052	ug/L	ND					
Benzidine	9B24055		80	2.5	ug/L	ND					
Benzo(a)anthracene	9B24055		5.0	0.043	ug/L	ND					
Benzo(a)pyrene	9B24055		5.0	0.058	ug/L	ND					
Benzo(b)fluoranthene	9B24055		5.0	0.062	ug/L	ND					
Benzo(ghi)perylene	9B24055		5.0	0.10	ug/L	ND					
Benzo(k)fluoranthene	9B24055		5.0	0.042	ug/L	ND					
Bis(2-chloroethoxy)methane	9B24055		5.0	0.085	ug/L	ND					
Bis(2-chloroethyl)ether	9B24055		5.0	1.1	ug/L	ND					
2,2'-Oxybis(1-Chloropropane)	9B24055		5.0	0.086	ug/L	ND					
Bis(2-ethylhexyl) phthalate	9B24055		10	0.86	ug/L	1.7					J
Butyl benzyl phthalate	9B24055		5.0	1.3	ug/L	ND					
Chrysene	9B24055		5.0	0.036	ug/L	ND					
Dibenzo(a,h)anthracene	9B24055		5.0	0.055	ug/L	ND					
Diethyl phthalate	9B24055		5.0	0.17	ug/L	ND					
Dimethyl phthalate	9B24055		5.0	0.17	ug/L	ND					
Di-n-butyl phthalate	9B24055		5.0	0.94	ug/L	ND					

TestAmerica Buffalo

10 Hazelwood Drive Amherst, NY 14228 tel 716-691-2600 fax 716-691-7991

www.testamericainc.com

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSB0743

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 02/24/09
Reported: 03/04/09 09:27

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Spike Level	MRL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Qualifiers
<u>Acid and Base/Neutral Extractables by EPA Method 625</u>											
Di-n-octyl phthalate	9B24055		5.0	4.5	ug/L	ND					
Fluoranthene	9B24055		5.0	0.11	ug/L	ND					
Fluorene	9B24055		5.0	0.043	ug/L	ND					
Hexachlorobenzene	9B24055		5.0	0.28	ug/L	ND					
Hexachlorobutadiene	9B24055		5.0	0.62	ug/L	ND					
Hexachlorocyclopentadiene	9B24055		5.0	0.45	ug/L	ND					
Hexachloroethane	9B24055		5.0	0.48	ug/L	ND					
Indeno(1,2,3-cd)pyrene	9B24055		5.0	0.19	ug/L	ND					
Isophorone	9B24055		5.0	0.16	ug/L	ND					
Naphthalene	9B24055		5.0	0.080	ug/L	ND					
Decane	9B24055		10	1.6	ug/L	ND					
Nitrobenzene	9B24055		5.0	0.11	ug/L	ND					
N-Nitrosodimethylamine	9B24055		10	0.96	ug/L	ND					
N-Nitrosodi-n-propylamine	9B24055		5.0	0.23	ug/L	ND					
N-Nitrosodiphenylamine	9B24055		5.0	0.40	ug/L	ND					
n-Octadecane	9B24055		10	0.70	ug/L	ND					
Pentachlorophenol	9B24055		10	0.41	ug/L	ND					
Phenanthrene	9B24055		5.0	0.071	ug/L	ND					
Phenol	9B24055		5.0	0.12	ug/L	ND					
Pyrene	9B24055		5.0	0.041	ug/L	ND					
Surrogate: 2-Fluorophenol					ug/L		40	17-120			
Surrogate: Phenol-d5					ug/L		32	10-120			
Surrogate: Nitrobenzene-d5					ug/L		74	42-120			
Surrogate: 2-Fluorobiphenyl					ug/L		80	44-120			
Surrogate: 2,4,6-Tribromophenol					ug/L		100	49-122			
Surrogate: p-Terphenyl-d14					ug/L		87	22-125			

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSB0743

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 02/24/09
Reported: 03/04/09 09:27

LCS QC DATA

Analyte	Seq/ Batch	Spike Level	MRL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Qualifiers
Acid and Base/Neutral Extractables by EPA Method 625											
1,2,4-Trichlorobenzene	9B24055	50	10	0.49	ug/L	32	64	44-120			
1,2-Dichlorobenzene	9B24055	50	10	0.14	ug/L	30	61	32-120			
1,2-Diphenylhydrazine	9B24055		10	0.063	ug/L	47		47-146			
1,3-Dichlorobenzene	9B24055	50	10	0.069	ug/L	29	58	14-120			
1,4-Dichlorobenzene	9B24055	50	10	0.090	ug/L	29	59	20-120			
2,4,6-Trichlorophenol	9B24055	50	5.0	0.23	ug/L	47	93	48-136			
2,4-Dichlorophenol	9B24055	50	5.0	0.30	ug/L	42	84	43-123			
2,4-Dimethylphenol	9B24055	50	5.0	0.13	ug/L	41	82	42-120			
2,4-Dinitrophenol	9B24055	50	10	0.84	ug/L	48	95	20-125			
2,4-Dinitrotoluene	9B24055	50	5.0	0.26	ug/L	49	98	51-139			
2,6-Dinitrotoluene	9B24055	50	5.0	0.72	ug/L	53	106	55-144			
2-Chloronaphthalene	9B24055	50	5.0	0.068	ug/L	41	81	30-120			
2-Chlorophenol	9B24055	50	5.0	0.16	ug/L	33	66	31-120			
2-Nitrophenol	9B24055	50	5.0	0.14	ug/L	40	81	34-123			
3,3'-Dichlorobenzidine	9B24055	50	5.0	0.82	ug/L	53	107	35-143			
4,6-Dinitro-2-methylphenol	9B24055	50	10	0.76	ug/L	57	114	32-156			
4-Bromophenyl phenyl ether	9B24055	50	5.0	0.11	ug/L	46	92	53-127			
4-Chloro-3-methylphenol	9B24055	50	5.0	0.56	ug/L	47	93	45-138			
4-Chlorophenyl phenyl ether	9B24055	50	5.0	0.21	ug/L	42	84	43-126			
4-Nitrophenol	9B24055	50	10	1.3	ug/L	22	44	22-120			
Acenaphthene	9B24055	50	5.0	0.060	ug/L	44	88	47-120			
Acenaphthylene	9B24055	50	5.0	0.034	ug/L	45	90	35-129			
Anthracene	9B24055	50	5.0	0.052	ug/L	46	92	49-133			
Benzidine	9B24055	50	80	2.5	ug/L	66	133	1-120			J
Benzo(a)anthracene	9B24055	50	5.0	0.043	ug/L	42	83	50-143			
Benzo(a)pyrene	9B24055	50	5.0	0.058	ug/L	39	77	57-140			
Benzo(b)fluoranthene	9B24055	50	5.0	0.062	ug/L	36	72	59-138			
Benzo(ghi)perylene	9B24055	50	5.0	0.10	ug/L	43	85	44-153			
Benzo(k)fluoranthene	9B24055	50	5.0	0.042	ug/L	34	67	50-143			
Bis(2-chloroethoxy)methane	9B24055	50	5.0	0.085	ug/L	38	75	40-120			
Bis(2-chloroethyl)ether	9B24055	50	5.0	1.1	ug/L	34	68	35-120			
2,2'-Oxybis(1-Chloropropane)	9B24055	50	5.0	0.086	ug/L	34	69	33-120			
Bis(2-ethylhexyl) phthalate	9B24055	50	10	0.86	ug/L	40	80	49-158			
Butyl benzyl phthalate	9B24055	50	5.0	1.3	ug/L	50	99	47-147			
Chrysene	9B24055	50	5.0	0.036	ug/L	42	84	55-146			
Dibenzo(a,h)anthracene	9B24055	50	5.0	0.055	ug/L	40	80	45-153			
Diethyl phthalate	9B24055	50	5.0	0.17	ug/L	47	95	45-135			
Dimethyl phthalate	9B24055	50	5.0	0.17	ug/L	46	91	54-120			
Di-n-butyl phthalate	9B24055	50	5.0	0.94	ug/L	45	89	53-120			

TestAmerica Buffalo

10 Hazelwood Drive Amherst, NY 14228 tel 716-691-2600 fax 716-691-7991

www.testamericainc.com

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSB0743

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 02/24/09
Reported: 03/04/09 09:27

LCS QC DATA

Analyte	Seq/ Batch	Spike Level	MRL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Qualifiers
Acid and Base/Neutral Extractables by EPA Method 625											
Di-n-octyl phthalate	9B24055	50	5.0	4.5	ug/L	33	67	56-146			
Fluoranthene	9B24055	50	5.0	0.11	ug/L	45	90	46-137			
Fluorene	9B24055	50	5.0	0.043	ug/L	45	91	59-121			
Hexachlorobenzene	9B24055	50	5.0	0.28	ug/L	41	81	54-133			
Hexachlorobutadiene	9B24055	50	5.0	0.62	ug/L	30	60	24-120			
Hexachlorocyclopentadiene	9B24055	50	5.0	0.45	ug/L	24	48	5-120			
Hexachloroethane	9B24055	50	5.0	0.48	ug/L	28	57	40-113			
Indeno(1,2,3-cd)pyrene	9B24055	50	5.0	0.19	ug/L	41	82	50-147			
Isophorone	9B24055	50	5.0	0.16	ug/L	41	81	34-120			
Naphthalene	9B24055	50	5.0	0.080	ug/L	39	79	33-120			
Nitrobenzene	9B24055	50	5.0	0.11	ug/L	38	76	35-120			
N-Nitrosodimethylamine	9B24055	50	10	0.96	ug/L	22	45	19-120			
N-Nitrosodi-n-propylamine	9B24055	50	5.0	0.23	ug/L	42	83	40-120			
N-Nitrosodiphenylamine	9B24055		5.0	0.40	ug/L	62		54-125			
Pentachlorophenol	9B24055	50	10	0.41	ug/L	43	85	37-147			
Phenanthrene	9B24055	50	5.0	0.071	ug/L	48	95	56-120			
Phenol	9B24055	50	5.0	0.12	ug/L	18	37	12-120			
Pyrene	9B24055	50	5.0	0.041	ug/L	51	102	52-120			
Surrogate: 2-Fluorophenol					ug/L		38	17-120			
Surrogate: Phenol-d5					ug/L		31	10-120			
Surrogate: Nitrobenzene-d5					ug/L		77	42-120			
Surrogate: 2-Fluorobiphenyl					ug/L		84	44-120			
Surrogate: 2,4,6-Tribromophenol					ug/L		101	49-122			
Surrogate: p-Terphenyl-d14					ug/L		76	22-125			
1,2,4-Trichlorobenzene	9B24055	50	10	0.49	ug/L	32	64	44-120	0	34	
1,2-Dichlorobenzene	9B24055	50	10	0.14	ug/L	30	60	32-120	1	38	
1,2-Diphenylhydrazine	9B24055		10	0.063	ug/L	49		47-146	3	20	
1,3-Dichlorobenzene	9B24055	50	10	0.069	ug/L	30	59	14-120	1	37	
1,4-Dichlorobenzene	9B24055	50	10	0.090	ug/L	30	60	20-120	2	40	
2,4,6-Trichlorophenol	9B24055	50	5.0	0.23	ug/L	47	94	48-136	0	20	
2,4-Dichlorophenol	9B24055	50	5.0	0.30	ug/L	41	81	43-123	3	23	
2,4-Dimethylphenol	9B24055	50	5.0	0.13	ug/L	40	80	42-120	2	18	
2,4-Dinitrophenol	9B24055	50	10	0.84	ug/L	51	102	20-125	6	29	
2,4-Dinitrotoluene	9B24055	50	5.0	0.26	ug/L	50	100	51-139	2	20	
2,6-Dinitrotoluene	9B24055	50	5.0	0.72	ug/L	52	105	55-144	1	17	
2-Chloronaphthalene	9B24055	50	5.0	0.068	ug/L	42	83	30-120	2	30	
2-Chlorophenol	9B24055	50	5.0	0.16	ug/L	33	67	31-120	1	26	
2-Nitrophenol	9B24055	50	5.0	0.14	ug/L	40	80	34-123	1	28	
3,3'-Dichlorobenzidine	9B24055	50	5.0	0.82	ug/L	52	105	35-143	2	31	
4,6-Dinitro-2-methylphenol	9B24055	50	10	0.76	ug/L	66	131	32-156	14	30	
4-Bromophenyl phenyl ether	9B24055	50	5.0	0.11	ug/L	46	93	53-127	1	16	

TestAmerica Buffalo

10 Hazelwood Drive Amherst, NY 14228 tel 716-691-2600 fax 716-691-7991

www.testamericainc.com

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSB0743

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 02/24/09
Reported: 03/04/09 09:27

LCS DUPLICATE QC DATA

Analyte	Seq/ Batch	Spike Level	MRL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Qualifiers
Acid and Base/Neutral Extractables by EPA Method 625											
4-Chloro-3-methylphenol	9B24055	50	5.0	0.56	ug/L	45	90	45-138	3	16	
4-Chlorophenyl phenyl ether	9B24055	50	5.0	0.21	ug/L	42	84	43-126	1	15	
4-Nitrophenol	9B24055	50	10	1.3	ug/L	24	48	22-120	9	24	
Acenaphthene	9B24055	50	5.0	0.060	ug/L	45	90	47-120	2	25	
Acenaphthylene	9B24055	50	5.0	0.034	ug/L	46	93	35-129	3	22	
Anthracene	9B24055	50	5.0	0.052	ug/L	47	95	49-133	4	15	
Benzidine	9B24055	50	80	2.5	ug/L	69	137	1-120	3	50	J
Benzo(a)anthracene	9B24055	50	5.0	0.043	ug/L	44	87	50-143	5	15	
Benzo(a)pyrene	9B24055	50	5.0	0.058	ug/L	42	85	57-140	10	15	
Benzo(b)fluoranthene	9B24055	50	5.0	0.062	ug/L	41	82	59-138	12	17	
Benzo(ghi)perylene	9B24055	50	5.0	0.10	ug/L	43	86	44-153	1	19	
Benzo(k)fluoranthene	9B24055	50	5.0	0.042	ug/L	40	79	50-143	17	19	
Bis(2-chloroethoxy)methane	9B24055	50	5.0	0.085	ug/L	38	75	40-120	0	23	
Bis(2-chloroethyl)ether	9B24055	50	5.0	1.1	ug/L	34	68	35-120	1	33	
2,2'-Oxybis(1-Chloropropane)	9B24055	50	5.0	0.086	ug/L	34	68	33-120	2	36	
Bis(2-ethylhexyl) phthalate	9B24055	50	10	0.86	ug/L	42	85	49-158	6	15	
Butyl benzyl phthalate	9B24055	50	5.0	1.3	ug/L	51	101	47-147	2	15	
Chrysene	9B24055	50	5.0	0.036	ug/L	44	88	55-146	5	15	
Dibenzo(a,h)anthracene	9B24055	50	5.0	0.055	ug/L	40	81	45-153	1	18	
Diethyl phthalate	9B24055	50	5.0	0.17	ug/L	48	96	45-135	2	15	
Dimethyl phthalate	9B24055	50	5.0	0.17	ug/L	47	93	54-120	2	15	
Di-n-butyl phthalate	9B24055	50	5.0	0.94	ug/L	48	96	53-120	7	15	
Di-n-octyl phthalate	9B24055	50	5.0	4.5	ug/L	42	83	56-146	22	15	R7
Fluoranthene	9B24055	50	5.0	0.11	ug/L	50	100	46-137	11	15	
Fluorene	9B24055	50	5.0	0.043	ug/L	47	93	59-121	3	18	
Hexachlorobenzene	9B24055	50	5.0	0.28	ug/L	42	83	54-133	3	15	
Hexachlorobutadiene	9B24055	50	5.0	0.62	ug/L	30	60	24-120	1	50	
Hexachlorocyclopentadiene	9B24055	50	5.0	0.45	ug/L	24	49	5-120	1	50	
Hexachloroethane	9B24055	50	5.0	0.48	ug/L	29	57	40-113	1	43	
Indeno(1,2,3-cd)pyrene	9B24055	50	5.0	0.19	ug/L	42	83	50-147	1	17	
Isophorone	9B24055	50	5.0	0.16	ug/L	41	82	34-120	1	21	
Naphthalene	9B24055	50	5.0	0.080	ug/L	39	79	33-120	0	31	
Nitrobenzene	9B24055	50	5.0	0.11	ug/L	38	77	35-120	1	27	
N-Nitrosodimethylamine	9B24055	50	10	0.96	ug/L	24	48	19-120	6	22	
N-Nitrosodi-n-propylamine	9B24055	50	5.0	0.23	ug/L	40	80	40-120	4	23	
N-Nitrosodiphenylamine	9B24055		5.0	0.40	ug/L	62		54-125	0	15	
Pentachlorophenol	9B24055	50	10	0.41	ug/L	49	98	37-147	13	21	
Phenanthrene	9B24055	50	5.0	0.071	ug/L	49	99	56-120	4	16	
Phenol	9B24055	50	5.0	0.12	ug/L	18	36	12-120	3	36	

TestAmerica Buffalo

10 Hazelwood Drive Amherst, NY 14228 tel 716-691-2600 fax 716-691-7991

www.testamericainc.com

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSB0743

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 02/24/09
Reported: 03/04/09 09:27

LCS DUPLICATE QC DATA

Analyte	Seq/ Batch	Spike Level	MRL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Qualifiers
<u>Acid and Base/Neutral Extractables by EPA Method 625</u>											
Pyrene	9B24055	50	5.0	0.041	ug/L	49	97	52-120	5	15	
Surrogate: 2-Fluorophenol					ug/L		40	17-120			
Surrogate: Phenol-d5					ug/L		30	10-120			
Surrogate: Nitrobenzene-d5					ug/L		77	42-120			
Surrogate: 2-Fluorobiphenyl					ug/L		86	44-120			
Surrogate: 2,4,6-Tribromophenol					ug/L		102	49-122			
Surrogate: p-Terphenyl-d14					ug/L		76	22-125			

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSB0743

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 02/24/09

Reported: 03/04/09 09:27

LCS QC DATA

Analyte	Seq/ Batch	Spike Level	MRL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Qualifiers
<u>General Chemistry Parameters</u>											
pH	9B24068	7.00	N/A	0.00	S.U.	7.00	100	99.3-100.8			

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSB0743

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 02/24/09
Reported: 03/04/09 09:27

LABORATORY DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	MRL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Qualifiers
<u>General Chemistry Parameters</u>												
QC Source Sample: RSB0733-02												
pH	9B24068	6.80		N/A	0.00	S.U.	6.80			0	5	
pH (2)	9B24068	6.80		N/A	NA	S.U.	6.80			0	5	
pH (3)	9B24068	6.80		N/A	NA	S.U.	6.80			0	5	
pH (4)	9B24068	6.80		N/A	NA	S.U.	6.80			0	5	

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSB0743

Received: 02/24/09
Reported: 03/04/09 09:27

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Spike Level	MRL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Qualifiers
Total Metals by EPA 200 Series Methods											
Zinc	9B26008		0.100	0.00360	mg/L	ND					

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSB0743

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 02/24/09

Reported: 03/04/09 09:27

LCS QC DATA

Analyte	Seq/ Batch	Spike Level	MRL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Qualifiers
Total Metals by EPA 200 Series Methods											
Zinc	9B26008	0.200	0.100	0.00360	mg/L	0.195	97	85-115			

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSB0743

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 02/24/09
Reported: 03/04/09 09:27

MATRIX SPIKE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	MRL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Qualifiers
Total Metals by EPA 200 Series Methods												
QC Source Sample: RSB0757-02												
Zinc	9B26008	0.0256	0.200	0.100	0.00360	mg/L	0.223	99	70-130			
QC Source Sample: RSB0757-02												
Zinc	9B26008	0.0256	0.200	0.100	0.00360	mg/L	0.219	97	70-130	2	20	

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSB0743

Received: 02/24/09
Reported: 03/04/09 09:27

Project: BRISTOL-MYERS MONTHLY
Project Number: GROUNDEN

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Spike Level	MRL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Qualifiers
<u>Volatile Organic Compounds</u>											
1,1,1-Trichloroethane	9B26076		5.0	0.73	ug/L	ND					
1,1,2,2-Tetrachloroethane	9B26076		5.0	0.55	ug/L	ND					
1,1,2-Trichloroethane	9B26076		5.0	0.48	ug/L	ND					
1,1-Dichloroethane	9B26076		5.0	0.59	ug/L	ND					
1,1-Dichloroethene	9B26076		5.0	0.85	ug/L	ND					
1,2-Dichlorobenzene	9B26076		5.0	0.44	ug/L	ND					
1,2-Dichloroethane	9B26076		5.0	0.60	ug/L	ND					
1,2-Dichloroethene, Total	9B26076		10	3.2	ug/L	ND					
1,2-Dichloropropane	9B26076		5.0	0.61	ug/L	ND					
1,3-Dichlorobenzene	9B26076		5.0	0.54	ug/L	ND					
1,4-Dichlorobenzene	9B26076		5.0	0.51	ug/L	ND					
2-Chloroethyl vinyl ether	9B26076		25	3.7	ug/L	ND					
Acrolein	9B26076		100	17	ug/L	ND					
Acrylonitrile	9B26076		100	4.0	ug/L	ND					
Benzene	9B26076		5.0	0.60	ug/L	ND					
Bromodichloromethane	9B26076		5.0	0.54	ug/L	ND					
Bromoform	9B26076		5.0	0.47	ug/L	ND					
Bromomethane	9B26076		5.0	1.2	ug/L	ND					
Carbon Tetrachloride	9B26076		5.0	0.83	ug/L	ND					
Chlorobenzene	9B26076		5.0	0.48	ug/L	ND					
Dibromochloromethane	9B26076		5.0	0.41	ug/L	ND					
Chloroethane	9B26076		5.0	0.87	ug/L	ND					
Chloroform	9B26076		5.0	0.54	ug/L	ND					
Chloromethane	9B26076		5.0	0.64	ug/L	ND					
cis-1,3-Dichloropropene	9B26076		5.0	0.57	ug/L	ND					
Ethyl Methacrylate	9B26076		5.0	0.61	ug/L	ND					
Ethylbenzene	9B26076		5.0	0.46	ug/L	ND					
Methylene Chloride	9B26076		5.0	0.81	ug/L	ND					
Tetrachloroethene	9B26076		5.0	0.55	ug/L	ND					
Toluene	9B26076		5.0	0.45	ug/L	ND					
trans-1,3-Dichloropropene	9B26076		5.0	0.44	ug/L	ND					
Trichloroethene	9B26076		5.0	0.60	ug/L	ND					
Trichlorofluoromethane	9B26076		5.0	0.79	ug/L	ND					
Vinyl chloride	9B26076		5.0	0.75	ug/L	ND					
Surrogate: 1,2-Dichloroethane-d4					ug/L		105	88-132			
Surrogate: 4-Bromofluorobenzene					ug/L		97	78-122			
Surrogate: Toluene-d8					ug/L		99	87-110			

TestAmerica Buffalo

10 Hazelwood Drive Amherst, NY 14228 tel 716-691-2600 fax 716-691-7991

www.testamericainc.com

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSB0743

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 02/24/09
Reported: 03/04/09 09:27

LCS QC DATA

Analyte	Seq/ Batch	Spike Level	MRL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Qualifiers
<u>Volatile Organic Compounds</u>											
1,1,1-Trichloroethane	9B26076	20	5.0	0.73	ug/L	17.9	89	75-125			
1,1,2,2-Tetrachloroethane	9B26076	20	5.0	0.55	ug/L	17.8	89	60.5-139.5			
1,1,2-Trichloroethane	9B26076	20	5.0	0.48	ug/L	19.4	97	71-129			
1,1-Dichloroethane	9B26076	20	5.0	0.59	ug/L	19.6	98	72.5-127.5			
1,1-Dichloroethene	9B26076	20	5.0	0.85	ug/L	18.2	91	50.5-149.5			
1,2-Dichlorobenzene	9B26076	20	5.0	0.44	ug/L	19.4	97	63-137			
1,2-Dichloroethane	9B26076	20	5.0	0.60	ug/L	19.9	100	68-132			
1,2-Dichloropropane	9B26076	20	5.0	0.61	ug/L	19.7	99	34-166			
1,3-Dichlorobenzene	9B26076	20	5.0	0.54	ug/L	20.2	101	73-127			
1,4-Dichlorobenzene	9B26076	20	5.0	0.51	ug/L	18.5	93	63-137			
2-Chloroethyl vinyl ether	9B26076	100	25	3.7	ug/L	114	114	1-224			
Acrolein	9B26076	400	100	17	ug/L	809	202	62-141			
Acrylonitrile	9B26076	100	100	4.0	ug/L	93.7	94	53-143			J
Benzene	9B26076	20	5.0	0.60	ug/L	19.9	100	64-136			
Bromodichloromethane	9B26076	20	5.0	0.54	ug/L	18.7	94	65.5-134.5			
Bromoform	9B26076	20	5.0	0.47	ug/L	16.6	83	72.5-129			
Bromomethane	9B26076	20	5.0	1.2	ug/L	18.4	92	14-186			
Carbon Tetrachloride	9B26076	20	5.0	0.83	ug/L	16.9	85	73-127			
Chlorobenzene	9B26076	20	5.0	0.48	ug/L	19.6	98	66-134			
Dibromochloromethane	9B26076	20	5.0	0.41	ug/L	18.4	92	67.5-132.5			
Chloroethane	9B26076	20	5.0	0.87	ug/L	16.4	82	38-162			
Chloroform	9B26076	20	5.0	0.54	ug/L	19.6	98	67.5-132.5			
Chloromethane	9B26076	20	5.0	0.64	ug/L	10.8	54	1-204			
cis-1,3-Dichloropropene	9B26076	20	5.0	0.57	ug/L	19.2	96	24-176			
Ethylbenzene	9B26076	20	5.0	0.46	ug/L	20.0	100	59-141			
Methylene Chloride	9B26076	20	5.0	0.81	ug/L	19.4	97	60.5-139.5			
Tetrachloroethene	9B26076	20	5.0	0.55	ug/L	18.1	91	73.5-126.5			
Toluene	9B26076	20	5.0	0.45	ug/L	18.9	94	74.5-125.5			
trans-1,3-Dichloropropene	9B26076	20	5.0	0.44	ug/L	19.0	95	50-150			
Trichloroethene	9B26076	20	5.0	0.60	ug/L	19.1	96	66.5-133.5			
Trichlorofluoromethane	9B26076	20	5.0	0.79	ug/L	18.4	92	48-152			
Vinyl chloride	9B26076	20	5.0	0.75	ug/L	13.5	67	4-196			
Surrogate: 1,2-Dichloroethane-d4					ug/L		104	88-132			
Surrogate: 4-Bromofluorobenzene					ug/L		98	78-122			
Surrogate: Toluene-d8					ug/L		100	87-110			

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSB0743

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 02/24/09
Reported: 03/04/09 09:27

MATRIX SPIKE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	MRL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Qualifiers
<u>Volatile Organic Compounds</u>												
QC Source Sample: RSB0728-03RE1												
1,1,1-Trichloroethane	9B26076	ND	1000	250	36	ug/L	1070	107	75-125			D08
1,1,2,2-Tetrachloroethane	9B26076	ND	1000	250	27	ug/L	936	94	60.5-139.5			D08
1,1,2-Trichloroethane	9B26076	ND	1000	250	24	ug/L	982	98	71-129			D08
1,1-Dichloroethane	9B26076	ND	1000	250	29	ug/L	1050	105	72.5-127.5			D08
1,1-Dichloroethene	9B26076	ND	1000	250	43	ug/L	1100	110	50.5-149.5			D08
1,2-Dichlorobenzene	9B26076	728	1000	250	22	ug/L	1750	102	63-137			D08
1,2-Dichloroethane	9B26076	46.0	1000	250	30	ug/L	1090	105	68-132			D08
1,2-Dichloropropane	9B26076	ND	1000	250	31	ug/L	1020	102	34-166			D08
1,3-Dichlorobenzene	9B26076	57.0	1000	250	27	ug/L	1130	107	73-127			D08
1,4-Dichlorobenzene	9B26076	1120	1000	250	25	ug/L	2120	100	63-137			D08
2-Chloroethyl vinyl ether	9B26076	ND	5000	1200	180	ug/L	5260	105	1-224			D08
Acrolein	9B26076	ND	20000	5000	870	ug/L	24600	123	62-141			D08
Acrylonitrile	9B26076	ND	5000	5000	200	ug/L	4830	97	53-143			D08,J
Benzene	9B26076	2040	1000	250	30	ug/L	3040	99	64-136			D08
Bromodichloromethane	9B26076	ND	1000	250	27	ug/L	1000	100	65.5-134.5			D08
Bromoform	9B26076	ND	1000	250	23	ug/L	825	82	72.5-129			D08
Bromomethane	9B26076	ND	1000	250	60	ug/L	750	75	14-186			D08
Carbon Tetrachloride	9B26076	ND	1000	250	41	ug/L	1060	106	73-127			D08
Chlorobenzene	9B26076	1900	1000	250	24	ug/L	2860	96	66-134			D08
Dibromochloromethane	9B26076	ND	1000	250	21	ug/L	942	94	67.5-132.5			D08
Chloroethane	9B26076	ND	1000	250	44	ug/L	1120	112	38-162			D08
Chloroform	9B26076	ND	1000	250	27	ug/L	1060	106	67.5-132.5			D08
Chloromethane	9B26076	ND	1000	250	32	ug/L	1100	110	1-204			D08
cis-1,3-Dichloropropene	9B26076	ND	1000	250	28	ug/L	981	98	24-176			D08
Ethylbenzene	9B26076	ND	1000	250	23	ug/L	1090	109	59-141			D08
Methylene Chloride	9B26076	61.5	1000	250	41	ug/L	982	92	60.5-139.5			D08
Tetrachloroethene	9B26076	ND	1000	250	28	ug/L	1080	108	73.5-126.5			D08
Toluene	9B26076	521	1000	250	23	ug/L	1530	101	74.5-125.5			D08
trans-1,3-Dichloropropene	9B26076	ND	1000	250	22	ug/L	969	97	50-150			D08
Trichloroethene	9B26076	ND	1000	250	30	ug/L	1060	106	66.5-133.5			D08
Trichlorofluoromethane	9B26076	ND	1000	250	40	ug/L	1130	113	48-152			D08
Vinyl chloride	9B26076	ND	1000	250	37	ug/L	1120	112	4-196			D08
Surrogate: 1,2-Dichloroethane-d4						ug/L		105	88-132			D08
Surrogate: 4-Bromofluorobenzene						ug/L		98	78-122			D08
Surrogate: Toluene-d8						ug/L		98	87-110			D08
QC Source Sample: RSB0728-03RE1												
1,1,1-Trichloroethane	9B26076	ND	1000	250	36	ug/L	1130	113	75-125	5	15	D08
1,1,2,2-Tetrachloroethane	9B26076	ND	1000	250	27	ug/L	923	92	60.5-139.5	1	15	D08
1,1,2-Trichloroethane	9B26076	ND	1000	250	24	ug/L	1010	101	71-129	3	15	D08
1,1-Dichloroethane	9B26076	ND	1000	250	29	ug/L	1080	108	72.5-127.5	3	15	D08

TestAmerica Buffalo

10 Hazelwood Drive Amherst, NY 14228 tel 716-691-2600 fax 716-691-7991

www.testamericainc.com

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSB0743

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 02/24/09
Reported: 03/04/09 09:27

MATRIX SPIKE DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	MRL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Qualifiers
<u>Volatile Organic Compounds</u>												
QC Source Sample: RSB0728-03RE1												
1,1-Dichloroethene	9B26076	ND	1000	250	43	ug/L	1100	110	50.5-149.5	0	15	D08
1,2-Dichlorobenzene	9B26076	728	1000	250	22	ug/L	1730	101	63-137	1	15	D08
1,2-Dichloroethane	9B26076	46.0	1000	250	30	ug/L	1120	108	68-132	3	15	D08
1,2-Dichloropropane	9B26076	ND	1000	250	31	ug/L	1020	102	34-166	0	15	D08
1,3-Dichlorobenzene	9B26076	57.0	1000	250	27	ug/L	1120	106	73-127	1	15	D08
1,4-Dichlorobenzene	9B26076	1120	1000	250	25	ug/L	2110	99	63-137	0	15	D08
2-Chloroethyl vinyl ether	9B26076	ND	5000	1200	180	ug/L	5170	103	1-224	2	15	D08
Acrolein	9B26076	ND	20000	5000	870	ug/L	22800	114	62-141	8	15	D08
Acrylonitrile	9B26076	ND	5000	5000	200	ug/L	6870	137	53-143	35	15	D08
Benzene	9B26076	2040	1000	250	30	ug/L	3100	106	64-136	2	15	D08
Bromodichloromethane	9B26076	ND	1000	250	27	ug/L	1020	102	65.5-134.5	1	15	D08
Bromoform	9B26076	ND	1000	250	23	ug/L	872	87	72.5-129	6	15	D08
Bromomethane	9B26076	ND	1000	250	60	ug/L	856	86	14-186	13	15	D08
Carbon Tetrachloride	9B26076	ND	1000	250	41	ug/L	1110	111	73-127	5	15	D08
Chlorobenzene	9B26076	1900	1000	250	24	ug/L	2890	98	66-134	1	15	D08
Dibromochloromethane	9B26076	ND	1000	250	21	ug/L	997	100	67.5-132.5	6	15	D08
Chloroethane	9B26076	ND	1000	250	44	ug/L	1160	116	38-162	4	15	D08
Chloroform	9B26076	ND	1000	250	27	ug/L	1080	108	67.5-132.5	2	15	D08
Chloromethane	9B26076	ND	1000	250	32	ug/L	1110	111	1-204	1	15	D08
cis-1,3-Dichloropropene	9B26076	ND	1000	250	28	ug/L	1020	102	24-176	3	15	D08
Ethylbenzene	9B26076	ND	1000	250	23	ug/L	1130	113	59-141	4	15	D08
Methylene Chloride	9B26076	61.5	1000	250	41	ug/L	943	88	60.5-139.5	4	15	D08
Tetrachloroethene	9B26076	ND	1000	250	28	ug/L	1110	111	73.5-126.5	3	15	D08
Toluene	9B26076	521	1000	250	23	ug/L	1560	104	74.5-125.5	2	15	D08
trans-1,3-Dichloropropene	9B26076	ND	1000	250	22	ug/L	1020	102	50-150	5	15	D08
Trichloroethene	9B26076	ND	1000	250	30	ug/L	1100	110	66.5-133.5	3	15	D08
Trichlorofluoromethane	9B26076	ND	1000	250	40	ug/L	1110	111	48-152	2	15	D08
Vinyl chloride	9B26076	ND	1000	250	37	ug/L	1120	112	4-196	0	15	D08
Surrogate: 1,2-Dichloroethane-d4						ug/L		104	88-132			D08
Surrogate: 4-Bromofluorobenzene						ug/L		97	78-122			D08
Surrogate: Toluene-d8						ug/L		100	87-110			D08

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSB0743

Received: 02/24/09
Reported: 03/04/09 09:27

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

LABORATORY BLANK QC DATA

Analyte	Seq/ Batch	Spike Level	MRL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Qualifiers
<u>General Chemistry Parameters</u>											
Total Cyanide	9B28009		0.0100	0.00500	mg/L	ND					

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSB0743

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 02/24/09

Reported: 03/04/09 09:27

LCS QC DATA

Analyte	Seq/ Batch	Spike Level	MRL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Qualifiers
<u>General Chemistry Parameters</u>											
Total Cyanide	9B28009	0.400	0.0100	0.00500	mg/L	0.361	90	90-110			

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSB0743

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 02/24/09
Reported: 03/04/09 09:27

LABORATORY DUPLICATE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	MRL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Qualifiers
<u>General Chemistry Parameters</u>												
QC Source Sample: RSB0722-06												
Total Cyanide	9B28009	ND		0.0100	0.00500	mg/L	0.0808				15	

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSB0743

Project: BRISTOL-MYERS MONTHLY
Project Number: GROUNDEN

Received: 02/24/09
Reported: 03/04/09 09:27

MATRIX SPIKE QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	MRL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Qualifiers
General Chemistry Parameters												
QC Source Sample: RSB0722-04												
Total Cyanide	9B28009	0.0229	0.100	0.0100	0.00500	mg/L	ND	-23	85-115			M8

phone 907.563.9200 fax 907.563.9210

THE LEADER IN ENVIRONMENTAL TESTING

2.0~

Analytical Report

Work Order: RSC0700

Project Description
BRISTOL-MYERS MONTHLY


For:

Andrew Janik

Groundwater & Env Svcs Inc - Cheektowaga, NY

158 Sonwil Drive

Cheektowaga, NY 14225



Paul Morrow

Project Manager

Paul.Morrow@testamericainc.com

Friday, April 3, 2009

The test results in this report meet all NELAP requirements for analytes for which accreditation is required or available. Any exception to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory. All questions regarding this test report should be directed to the TestAmerica Project manager who has signed this report.

TestAmerica Buffalo Current Certifications

As of 1/27/2009

STATE	Program	Cert # / Lab ID
Arkansas	CWA, RCRA, SOIL	88-0686
California*	NELAP CWA, RCRA	01169CA
Connecticut	SDWA, CWA, RCRA, SOIL	PH-0568
Florida*	NELAP CWA, RCRA	E87672
Georgia*	SDWA, NELAP CWA, RCRA	956
Illinois*	NELAP SDWA, CWA, RCRA	200003
Iowa	SW/CS	374
Kansas*	NELAP SDWA, CWA, RCRA	E-10187
Kentucky	SDWA	90029
Kentucky UST	UST	30
Louisiana*	NELAP CWA, RCRA	2031
Maine	SDWA, CWA	NY0044
Maryland	SDWA	294
Massachusetts	SDWA, CWA	M-NY044
Michigan	SDWA	9937
Minnesota	SDWA, CWA, RCRA	036-999-337
New Hampshire*	NELAP SDWA, CWA	233701
New Jersey*	NELAP, SDWA, CWA, RCRA,	NY455
New York*	NELAP, AIR, SDWA, CWA, RCRA, CLP	10026
Oklahoma	CWA, RCRA	9421
Pennsylvania*	NELAP CWA, RCRA	68-00281
Tennessee	SDWA	02970
Texas*	NELAP CWA, RCRA	T10470441208-TX
USDA	FOREIGN SOIL PERMIT	S-41579
USDOE	Department of Energy	DOECAP-STB
Virginia	SDWA	278
Washington*	NELAP CWA, RCRA	C1677
Wisconsin	CWA, RCRA	998310390
West Virginia	CWA, RCRA	252

*As required under the indicated accreditation, the test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report.

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSC0700

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 03/19/09
Reported: 04/03/09 14:21

Case Narrative

According to 40CFR Part 136.3, pH, Chlorine Residual, Dissolved Oxygen, Sulfite, and Temperature analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field (e.g. field-pH), they were not analyzed immediately, but as soon as possible after laboratory receipt.

A pertinent document is appended to this report, 1 page, is included and is an integral part of this report.

Reproduction of this analytical report is permitted only in its entirety. This report shall not be reproduced except in full without the written approval of the laboratory.

TestAmerica Laboratories, Inc. certifies that the analytical results contained herein apply only to the samples tested as received by our Laboratory.

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSC0700

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 03/19/09
Reported: 04/03/09 14:21

DATA QUALIFIERS AND DEFINITIONS

B	Analyte was detected in the associated Method Blank.
D03	Dilution required due to excessive foaming
E	Concentration exceeds the calibration range and therefore result is semi-quantitative.
HFT	The holding time for this test is immediate. It was analyzed in the laboratory as soon as possible after receipt.
J	Analyte detected at a level less than the Reporting Limit (RL) and greater than or equal to the Method Detection Limit (MDL). Concentrations within this range are estimated.
L	Laboratory Control Sample and/or Laboratory Control Sample Duplicate recovery was above the acceptance limits. Analyte not detected, data not impacted.
L5	Analyte recovery outside of specified criteria. Individual analyte criteria exceedences allowed for multi-component analyses without disqualification of data per NELAC Standard, DOD QSM and/or AFCEE QAPP.
Z1	Surrogate recovery was above acceptance limits.

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSC0700

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 03/19/09
Reported: 04/03/09 14:21

Executive Summary - Detections

Analyte	Sample Result	Data Qualifiers	Rpt Limit	MDL	Units	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: RSC0700-01 (001 - Water)						Sampled: 03/18/09 14:20		Recvd: 03/19/09 13:30		
General Chemistry Parameters										
Total Cyanide	0.123		0.0100	0.0050	mg/L	1.00	03/24/09 09:29	JMM	9C20041	335.4
pH	7.3	HFT	NA	0.0	SU	1.00	03/19/09 20:29	JFR	9C19100	4500-H+ B
Volatile Organic Compounds										
Methylene Chloride	0.95	J, B	5.0	0.81	ug/L	1.00	03/24/09 02:06	MF	9C23068	624

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSC0700

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 03/19/09
Reported: 04/03/09 14:21

Sample Summary

SAMPLE IDENTIFICATION	LAB NUMBER	Client Matrix	Date/Time Sampled	Date/Time Received
001	RSC0700-01	Water	03/18/09 14:20	03/19/09 13:30

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSC0700

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 03/19/09
Reported: 04/03/09 14:21

Analytical Report

Analyte	Sample Result	Data Qualifiers	Rpt Limit	MDL	Units	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: RSC0700-01 (001 - Water)						Sampled: 03/18/09 14:20		Recvd: 03/19/09 13:30		
Acid and Base/Neutral Extractables by EPA Method 625										
1,2,4-Trichlorobenzene	ND	L	9.4	0.46	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
1,2-Dichlorobenzene	ND		9.4	0.14	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
1,2-Diphenylhydrazine	ND		9.4	0.059	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
1,3-Dichlorobenzene	ND		9.4	0.065	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
1,4-Dichlorobenzene	ND		9.4	0.085	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
2,4,6-Trichlorophenol	ND		4.7	0.22	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
2,4-Dichlorophenol	ND		4.7	0.28	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
2,4-Dimethylphenol	ND		4.7	0.13	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
2,4-Dinitrophenol	ND		9.4	0.79	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
2,4-Dinitrotoluene	ND		4.7	0.25	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
2,6-Dinitrotoluene	ND		4.7	0.68	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
2-Chloronaphthalene	ND		4.7	0.064	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
2-Chlorophenol	ND		4.7	0.15	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
2-Nitrophenol	ND		4.7	0.14	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
3,3'-Dichlorobenzidine	ND		4.7	0.78	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
4,6-Dinitro-2-methylphenol	ND		9.4	0.72	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
4-Bromophenyl phenyl ether	ND		4.7	0.11	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
4-Chloro-3-methylphenol	ND		4.7	0.52	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
4-Chlorophenyl phenyl ether	ND		4.7	0.20	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
4-Nitrophenol	ND		9.4	1.3	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
Acenaphthene	ND		4.7	0.057	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
Acenaphthylene	ND		4.7	0.032	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
Anthracene	ND		4.7	0.050	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
Benzidine	ND		75	2.4	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
Benzo(a)anthracene	ND		4.7	0.041	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
Benzo(a)pyrene	ND		4.7	0.055	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
Benzo(b)fluoranthene	ND		4.7	0.058	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
Benzo(ghi)perylene	ND		4.7	0.095	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
Benzo(k)fluoranthene	ND		4.7	0.039	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
Bis(2-chloroethoxy)methane	ND		4.7	0.080	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
Bis(2-chloroethyl)ether	ND		4.7	1.0	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
2,2'-Oxybis(1-Chloropropane)	ND		4.7	0.081	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
Bis(2-ethylhexyl) phthalate	ND		9.4	0.81	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
Butyl benzyl phthalate	ND		4.7	1.2	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
Chrysene	ND		4.7	0.034	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
Dibenzo(a,h)anthracene	ND		4.7	0.052	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
Diethyl phthalate	ND		4.7	0.16	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
Dimethyl phthalate	ND		4.7	0.16	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
Di-n-butyl phthalate	ND		4.7	0.88	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
Di-n-octyl phthalate	ND		4.7	4.2	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625
Fluoranthene	ND	4.7	0.10	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625	
Fluorene	ND	4.7	0.040	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625	
Hexachlorobenzene	ND	4.7	0.26	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625	
Hexachlorobutadiene	ND	4.7	0.58	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625	
Hexachlorocyclopentadiene	ND	4.7	0.43	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625	
Hexachloroethane	ND	4.7	0.45	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625	
Indeno(1,2,3-cd)pyrene	ND	4.7	0.18	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625	
Isophorone	ND	4.7	0.15	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625	
Naphthalene	ND	4.7	0.076	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625	
Decane	ND	9.4	1.5	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625	
Nitrobenzene	ND	4.7	0.10	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625	

TestAmerica Buffalo

10 Hazelwood Drive Amherst, NY 14228 tel 716-691-2600 fax 716-691-7991

www.testamericainc.com

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSC0700

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 03/19/09
Reported: 04/03/09 14:21

Analytical Report

Analyte	Sample Result	Data Qualifiers	Rpt Limit	MDL	Units	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method	
Sample ID: RSC0700-01 (001 - Water) - cont.						Sampled: 03/18/09 14:20		Recvd: 03/19/09 13:30			
Acid and Base/Neutral Extractables by EPA Method 625 - cont.											
N-Nitrosodimethylamine	ND	L	9.4	0.91	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625	
N-Nitrosodi-n-propylamine	ND		4.7	0.22	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625	
N-Nitrosodiphenylamine	ND		4.7	0.37	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625	
n-Octadecane	ND		9.4	0.66	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625	
Pentachlorophenol	ND		9.4	0.39	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625	
Phenanthrene	ND	L	4.7	0.067	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625	
Phenol	ND		4.7	0.11	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625	
Pyrene	ND		4.7	0.039	ug/L	1.00	03/26/09 22:07	JLG	9C19086	625	
Surr: 2-Fluorophenol (17-120%)	35 %						03/26/09 22:07	JLG	9C19086	625	
Surr: Phenol-d5 (10-120%)	24 %						03/26/09 22:07	JLG	9C19086	625	
Surr: Nitrobenzene-d5 (42-120%)	71 %					03/26/09 22:07	JLG	9C19086	625		
Surr: 2-Fluorobiphenyl (44-120%)	84 %					03/26/09 22:07	JLG	9C19086	625		
Surr: 2,4,6-Tribromophenol (49-122%)	100 %					03/26/09 22:07	JLG	9C19086	625		
Surr: p-Terphenyl-d14 (22-125%)	106 %					03/26/09 22:07	JLG	9C19086	625		
General Chemistry Parameters											
Total Cyanide	0.123	HFT	0.0100	0.0050	mg/L	1.00	03/24/09 09:29	JMM	9C20041	335.4	
pH	7.3		NA	0.0	SU	1.00	03/19/09 20:29	JFR	9C19100	4500-H+ B	
Total Metals by EPA 200 Series Methods											
Zinc	ND		0.0100	0.0036	mg/L	1.00	03/25/09 21:00	AH	9C23060	200.7	
Mercury	ND		0.0002	0.0001	mg/L	1.00	03/23/09 19:51	MM	9C23031	245.1	
Volatile Organic Compounds											
1,1,1-Trichloroethane	ND	J, B	5.0	0.73	ug/L	1.00	03/24/09 02:06	MF	9C23068	624	
1,1,2,2-Tetrachloroethane	ND		5.0	0.55	ug/L	1.00	03/24/09 02:06	MF	9C23068	624	
1,1,2-Trichloroethane	ND		5.0	0.48	ug/L	1.00	03/24/09 02:06	MF	9C23068	624	
1,1-Dichloroethane	ND		5.0	0.59	ug/L	1.00	03/24/09 02:06	MF	9C23068	624	
1,1-Dichloroethene	ND		5.0	0.85	ug/L	1.00	03/24/09 02:06	MF	9C23068	624	
1,2-Dichlorobenzene	ND		5.0	0.44	ug/L	1.00	03/24/09 02:06	MF	9C23068	624	
1,2-Dichloroethane	ND		5.0	0.60	ug/L	1.00	03/24/09 02:06	MF	9C23068	624	
1,2-Dichloroethene, Total	ND		10	3.2	ug/L	1.00	03/24/09 02:06	MF	9C23068	624	
1,2-Dichloropropane	ND		5.0	0.61	ug/L	1.00	03/24/09 02:06	MF	9C23068	624	
1,3-Dichlorobenzene	ND		5.0	0.54	ug/L	1.00	03/24/09 02:06	MF	9C23068	624	
1,4-Dichlorobenzene	ND		5.0	0.51	ug/L	1.00	03/24/09 02:06	MF	9C23068	624	
2-Chloroethyl vinyl ether	ND		25	3.7	ug/L	1.00	03/24/09 02:06	MF	9C23068	624	
Acrolein	ND		100	17	ug/L	1.00	03/24/09 02:06	MF	9C23068	624	
Acrylonitrile	ND		100	4.0	ug/L	1.00	03/24/09 02:06	MF	9C23068	624	
Benzene	ND		5.0	0.60	ug/L	1.00	03/24/09 02:06	MF	9C23068	624	
Bromodichloromethane	ND		5.0	0.54	ug/L	1.00	03/24/09 02:06	MF	9C23068	624	
Bromoform	ND		5.0	0.47	ug/L	1.00	03/24/09 02:06	MF	9C23068	624	
Bromomethane	ND		5.0	1.2	ug/L	1.00	03/24/09 02:06	MF	9C23068	624	
Carbon Tetrachloride	ND		5.0	0.83	ug/L	1.00	03/24/09 02:06	MF	9C23068	624	
Chlorobenzene	ND		5.0	0.48	ug/L	1.00	03/24/09 02:06	MF	9C23068	624	
Dibromochloromethane	ND		5.0	0.41	ug/L	1.00	03/24/09 02:06	MF	9C23068	624	
Chloroethane	ND		5.0	0.87	ug/L	1.00	03/24/09 02:06	MF	9C23068	624	
Chloroform	ND		5.0	0.54	ug/L	1.00	03/24/09 02:06	MF	9C23068	624	
Chloromethane	ND		5.0	0.64	ug/L	1.00	03/24/09 02:06	MF	9C23068	624	
cis-1,3-Dichloropropene	ND		5.0	0.57	ug/L	1.00	03/24/09 02:06	MF	9C23068	624	
Ethyl Methacrylate	ND		5.0	0.61	ug/L	1.00	03/24/09 02:06	MF	9C23068	624	
Ethylbenzene	ND		5.0	0.46	ug/L	1.00	03/24/09 02:06	MF	9C23068	624	
Methylene Chloride	0.95			5.0	0.81	ug/L	1.00	03/24/09 02:06	MF	9C23068	624
Tetrachloroethene	ND			5.0	0.55	ug/L	1.00	03/24/09 02:06	MF	9C23068	624
Toluene	ND			5.0	0.45	ug/L	1.00	03/24/09 02:06	MF	9C23068	624

TestAmerica Buffalo

10 Hazelwood Drive Amherst, NY 14228 tel 716-691-2600 fax 716-691-7991

www.testamericainc.com

Page 8 of 21

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSC0700

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 03/19/09
Reported: 04/03/09 14:21

Analytical Report

Analyte	Sample Result	Data Qualifiers	Rpt Limit	MDL	Units	Dilution Factor	Date Analyzed	Analyst	Seq/ Batch	Method
Sample ID: RSC0700-01 (001 - Water) - cont.						Sampled: 03/18/09 14:20		Recvd: 03/19/09 13:30		
Volatile Organic Compounds - cont.										
trans-1,3-Dichloropropene	ND		5.0	0.44	ug/L	1.00	03/24/09 02:06	MF	9C23068	624
Trichloroethene	ND		5.0	0.60	ug/L	1.00	03/24/09 02:06	MF	9C23068	624
Trichlorofluoromethane	ND		5.0	0.79	ug/L	1.00	03/24/09 02:06	MF	9C23068	624
Vinyl chloride	ND		5.0	0.75	ug/L	1.00	03/24/09 02:06	MF	9C23068	624
Surr: 1,2-Dichloroethane-d4 (88-132%)	106 %						03/24/09 02:06	MF	9C23068	624
Surr: 4-Bromofluorobenzene (78-122%)	99 %						03/24/09 02:06	MF	9C23068	624
Surr: Toluene-d8 (87-110%)	98 %						03/24/09 02:06	MF	9C23068	624

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSC0700

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 03/19/09
Reported: 04/03/09 14:21

SAMPLE EXTRACTION DATA

Parameter	Batch	Lab Number	Wt/Vol Extracted	Units	Extract Volume	Units	Date	Analyst	Extraction Method
Acid and Base/Neutral Extractables by EPA Method 625									
625	9C19086	RSC0700-01	1,060.00	mL	1.00	mL	03/20/09 08:00	CJM	3510C MB
General Chemistry Parameters									
335.4	9C20041	RSC0700-01	50.00	mL	50.00	mL	03/20/09 11:15	MDM	Cn Digestion
4500-H+ B	9C19100	RSC0700-01	1.00	mL	1.00	mL	03/19/09 20:29	JFR	pH
Total Metals by EPA 200 Series Methods									
200.7	9C23060	RSC0700-01	50.00	mL	50.00	mL	03/24/09 08:30	DAN	3005A
245.1	9C23031	RSC0700-01	30.00	mL	50.00	mL	03/23/09 16:10	MM	7470A
Volatile Organic Compounds									
624	9C23068	RSC0700-01	5.00	mL	5.00	mL	03/23/09 16:56	MAF	5030B MS

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSC0700

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 03/19/09
Reported: 04/03/09 14:21

LABORATORY QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	MRL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Qualifiers
Acid and Base/Neutral Extractables by EPA Method 625												
Blank Analyzed: 03/26/09 (9C19086-BLK1)												
1,2,4-Trichlorobenzene	9C19086			10	0.49	ug/L	ND					
1,2-Dichlorobenzene	9C19086			10	0.14	ug/L	ND					
1,2-Diphenylhydrazine	9C19086			10	0.063	ug/L	ND					
1,3-Dichlorobenzene	9C19086			10	0.069	ug/L	ND					
1,4-Dichlorobenzene	9C19086			10	0.090	ug/L	ND					
2,4,6-Trichlorophenol	9C19086			5.0	0.23	ug/L	ND					
2,4-Dichlorophenol	9C19086			5.0	0.30	ug/L	ND					
2,4-Dimethylphenol	9C19086			5.0	0.13	ug/L	ND					
2,4-Dinitrophenol	9C19086			10	0.84	ug/L	ND					
2,4-Dinitrotoluene	9C19086			5.0	0.26	ug/L	ND					
2,6-Dinitrotoluene	9C19086			5.0	0.72	ug/L	ND					
2-Chloronaphthalene	9C19086			5.0	0.068	ug/L	ND					
2-Chlorophenol	9C19086			5.0	0.16	ug/L	ND					
2-Nitrophenol	9C19086			5.0	0.14	ug/L	ND					
3,3'-Dichlorobenzidine	9C19086			5.0	0.82	ug/L	ND					
4,6-Dinitro-2-methylphenol	9C19086			10	0.76	ug/L	ND					
4-Bromophenyl phenyl ether	9C19086			5.0	0.11	ug/L	ND					
4-Chloro-3-methylphenol	9C19086			5.0	0.56	ug/L	ND					
4-Chlorophenyl phenyl ether	9C19086			5.0	0.21	ug/L	ND					
4-Nitrophenol	9C19086			10	1.3	ug/L	ND					
Acenaphthene	9C19086			5.0	0.060	ug/L	ND					
Acenaphthylene	9C19086			5.0	0.034	ug/L	ND					
Anthracene	9C19086			5.0	0.052	ug/L	ND					
Benzidine	9C19086			80	2.5	ug/L	ND					
Benzo(a)anthracene	9C19086			5.0	0.043	ug/L	ND					
Benzo(a)pyrene	9C19086			5.0	0.058	ug/L	ND					
Benzo(b)fluoranthene	9C19086			5.0	0.062	ug/L	ND					
Benzo(ghi)perylene	9C19086			5.0	0.10	ug/L	ND					
Benzo(k)fluoranthene	9C19086			5.0	0.042	ug/L	ND					
Bis(2-chloroethoxy)methane	9C19086			5.0	0.085	ug/L	ND					
Bis(2-chloroethyl)ether	9C19086			5.0	1.1	ug/L	ND					
2,2'-Oxybis(1-Chloropropane)	9C19086			5.0	0.086	ug/L	ND					
Bis(2-ethylhexyl) phthalate	9C19086			10	0.86	ug/L	ND					
Butyl benzyl phthalate	9C19086			5.0	1.3	ug/L	ND					
Chrysene	9C19086			5.0	0.036	ug/L	ND					
Dibenzo(a,h)anthracene	9C19086			5.0	0.055	ug/L	ND					
Diethyl phthalate	9C19086			5.0	0.17	ug/L	ND					
Dimethyl phthalate	9C19086			5.0	0.17	ug/L	ND					
Di-n-butyl phthalate	9C19086			5.0	0.94	ug/L	ND					
Di-n-octyl phthalate	9C19086			5.0	4.5	ug/L	ND					
Fluoranthene	9C19086			5.0	0.11	ug/L	ND					
Fluorene	9C19086			5.0	0.043	ug/L	ND					
Hexachlorobenzene	9C19086			5.0	0.28	ug/L	ND					
Hexachlorobutadiene	9C19086			5.0	0.62	ug/L	ND					
Hexachlorocyclopentadiene	9C19086			5.0	0.45	ug/L	ND					

TestAmerica Buffalo

10 Hazelwood Drive Amherst, NY 14228 tel 716-691-2600 fax 716-691-7991

www.testamericainc.com

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSC0700

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 03/19/09
Reported: 04/03/09 14:21

LABORATORY QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	MRL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Qualifiers
Acid and Base/Neutral Extractables by EPA Method 625												
Blank Analyzed: 03/26/09 (9C19086-BLK1)												
Hexachloroethane	9C19086			5.0	0.48	ug/L	ND					
Indeno(1,2,3-cd)pyrene	9C19086			5.0	0.19	ug/L	ND					
Isophorone	9C19086			5.0	0.16	ug/L	ND					
Naphthalene	9C19086			5.0	0.080	ug/L	ND					
Decane	9C19086			10	1.6	ug/L	ND					
Nitrobenzene	9C19086			5.0	0.11	ug/L	ND					
N-Nitrosodimethylamine	9C19086			10	0.96	ug/L	ND					
N-Nitrosodi-n-propylamine	9C19086			5.0	0.23	ug/L	ND					
N-Nitrosodiphenylamine	9C19086			5.0	0.40	ug/L	ND					
n-Octadecane	9C19086			10	0.70	ug/L	ND					
Pentachlorophenol	9C19086			10	0.41	ug/L	ND					
Phenanthrene	9C19086			5.0	0.071	ug/L	ND					
Phenol	9C19086			5.0	0.12	ug/L	ND					
Pyrene	9C19086			5.0	0.041	ug/L	ND					
Surrogate: 2-Fluorophenol						ug/L		38	17-120			
Surrogate: Phenol-d5						ug/L		27	10-120			
Surrogate: Nitrobenzene-d5						ug/L		76	42-120			
Surrogate: 2-Fluorobiphenyl						ug/L		86	44-120			
Surrogate: 2,4,6-Tribromophenol						ug/L		86	49-122			
Surrogate: p-Terphenyl-d14						ug/L		100	22-125			
Acid and Base/Neutral Extractables by EPA Method 625												
LCS Analyzed: 03/26/09 (9C19086-BS1)												
1,2,4-Trichlorobenzene	9C19086		50	10	0.49	ug/L	34.2	68	44-120			
1,2-Dichlorobenzene	9C19086		50	10	0.14	ug/L	30.2	60	32-120			
1,2-Diphenylhydrazine	9C19086			10	0.063	ug/L	50.6		47-146			
1,3-Dichlorobenzene	9C19086		50	10	0.069	ug/L	29.5	59	14-120			
1,4-Dichlorobenzene	9C19086		50	10	0.090	ug/L	29.9	60	20-120			
2,4,6-Trichlorophenol	9C19086		50	5.0	0.23	ug/L	49.7	99	48-136			
2,4-Dichlorophenol	9C19086		50	5.0	0.30	ug/L	44.7	89	43-123			
2,4-Dimethylphenol	9C19086		50	5.0	0.13	ug/L	43.3	87	42-120			
2,4-Dinitrophenol	9C19086		50	10	0.84	ug/L	49.3	99	20-125			
2,4-Dinitrotoluene	9C19086		50	5.0	0.26	ug/L	52.9	106	51-139			
2,6-Dinitrotoluene	9C19086		50	5.0	0.72	ug/L	54.7	109	55-144			
2-Chloronaphthalene	9C19086		50	5.0	0.068	ug/L	41.3	83	30-120			
2-Chlorophenol	9C19086		50	5.0	0.16	ug/L	33.1	66	31-120			
2-Nitrophenol	9C19086		50	5.0	0.14	ug/L	40.1	80	34-123			
3,3'-Dichlorobenzidine	9C19086		50	5.0	0.82	ug/L	58.3	117	35-143			
4,6-Dinitro-2-methylphenol	9C19086		50	10	0.76	ug/L	60.8	122	32-156			
4-Bromophenyl phenyl ether	9C19086		50	5.0	0.11	ug/L	52.6	105	53-127			
4-Chloro-3-methylphenol	9C19086		50	5.0	0.56	ug/L	52.1	104	45-138			
4-Chlorophenyl phenyl ether	9C19086		50	5.0	0.21	ug/L	48.7	97	43-126			
4-Nitrophenol	9C19086		50	10	1.3	ug/L	18.9	38	22-120			
Acenaphthene	9C19086		50	5.0	0.060	ug/L	47.6	95	47-120			
Acenaphthylene	9C19086		50	5.0	0.034	ug/L	49.7	99	35-129			
Anthracene	9C19086		50	5.0	0.052	ug/L	51.3	103	49-133			

TestAmerica Buffalo

10 Hazelwood Drive Amherst, NY 14228 tel 716-691-2600 fax 716-691-7991

www.testamericainc.com

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSC0700

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 03/19/09
Reported: 04/03/09 14:21

LABORATORY QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	MRL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Qualifiers
Acid and Base/Neutral Extractables by EPA Method 625												
LCS Analyzed: 03/26/09 (9C19086-BS1)												
Benzidine	9C19086		50	80	2.5	ug/L	98.0	196	1-120			L,E
Benzo(a)anthracene	9C19086		50	5.0	0.043	ug/L	53.6	107	50-143			
Benzo(a)pyrene	9C19086		50	5.0	0.058	ug/L	59.3	119	57-140			
Benzo(b)fluoranthene	9C19086		50	5.0	0.062	ug/L	55.5	111	59-138			
Benzo(ghi)perylene	9C19086		50	5.0	0.10	ug/L	65.0	130	44-153			
Benzo(k)fluoranthene	9C19086		50	5.0	0.042	ug/L	50.8	102	50-143			
Bis(2-chloroethoxy)methane	9C19086		50	5.0	0.085	ug/L	37.4	75	40-120			
Bis(2-chloroethyl)ether	9C19086		50	5.0	1.1	ug/L	31.8	64	35-120			
2,2'-Oxybis(1-Chloropropane)	9C19086		50	5.0	0.086	ug/L	30.7	61	33-120			
Bis(2-ethylhexyl) phthalate	9C19086		50	10	0.86	ug/L	57.1	114	49-158			
Butyl benzyl phthalate	9C19086		50	5.0	1.3	ug/L	58.9	118	47-147			
Chrysene	9C19086		50	5.0	0.036	ug/L	54.6	109	55-146			
Dibenzo(a,h)anthracene	9C19086		50	5.0	0.055	ug/L	67.7	135	45-153			
Diethyl phthalate	9C19086		50	5.0	0.17	ug/L	51.6	103	45-135			
Dimethyl phthalate	9C19086		50	5.0	0.17	ug/L	49.9	100	54-120			
Di-n-butyl phthalate	9C19086		50	5.0	0.94	ug/L	54.1	108	53-120			
Di-n-octyl phthalate	9C19086		50	5.0	4.5	ug/L	53.9	108	56-146			
Fluoranthene	9C19086		50	5.0	0.11	ug/L	52.7	105	46-137			
Fluorene	9C19086		50	5.0	0.043	ug/L	51.0	102	59-121			
Hexachlorobenzene	9C19086		50	5.0	0.28	ug/L	50.9	102	54-133			
Hexachlorobutadiene	9C19086		50	5.0	0.62	ug/L	31.9	64	24-120			
Hexachlorocyclopentadiene	9C19086		50	5.0	0.45	ug/L	33.0	66	5-120			
Hexachloroethane	9C19086		50	5.0	0.48	ug/L	29.2	58	40-113			
Indeno(1,2,3-cd)pyrene	9C19086		50	5.0	0.19	ug/L	68.7	137	50-147			
Isophorone	9C19086		50	5.0	0.16	ug/L	40.3	81	34-120			
Naphthalene	9C19086		50	5.0	0.080	ug/L	38.8	78	33-120			
Nitrobenzene	9C19086		50	5.0	0.11	ug/L	38.1	76	35-120			
N-Nitrosodimethylamine	9C19086		50	10	0.96	ug/L	20.9	42	19-120			
N-Nitrosodi-n-propylamine	9C19086		50	5.0	0.23	ug/L	39.6	79	40-120			
N-Nitrosodiphenylamine	9C19086		50	5.0	0.40	ug/L	67.2	134	54-125			L
Pentachlorophenol	9C19086		50	10	0.41	ug/L	47.0	94	37-147			
Phenanthrene	9C19086		50	5.0	0.071	ug/L	53.5	107	56-120			
Phenol	9C19086		50	5.0	0.12	ug/L	16.9	34	12-120			
Pyrene	9C19086		50	5.0	0.041	ug/L	58.0	116	52-120			
Surrogate: 2-Fluorophenol						ug/L		37	17-120			
Surrogate: Phenol-d5						ug/L		28	10-120			
Surrogate: Nitrobenzene-d5						ug/L		76	42-120			
Surrogate: 2-Fluorobiphenyl						ug/L		88	44-120			
Surrogate: 2,4,6-Tribromophenol						ug/L		107	49-122			
Surrogate: p-Terphenyl-d14						ug/L		103	22-125			
LCS Dup Analyzed: 03/26/09 (9C19086-BS1)												
1,2,4-Trichlorobenzene	9C19086		50	10	0.49	ug/L	35.0	70	44-120	2	34	
1,2-Dichlorobenzene	9C19086		50	10	0.14	ug/L	31.8	64	32-120	5	38	
1,2-Diphenylhydrazine	9C19086			10	0.063	ug/L	51.2		47-146	1	20	
1,3-Dichlorobenzene	9C19086		50	10	0.069	ug/L	31.2	62	14-120	6	37	

TestAmerica Buffalo

10 Hazelwood Drive Amherst, NY 14228 tel 716-691-2600 fax 716-691-7991

www.testamericainc.com

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSC0700

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 03/19/09
Reported: 04/03/09 14:21

LABORATORY QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	MRL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Qualifiers
Acid and Base/Neutral Extractables by EPA Method 625												
LCS Dup Analyzed: 03/26/09 (9C19086-BSD1)												
1,4-Dichlorobenzene	9C19086		50	10	0.090	ug/L	31.3	63	20-120	5	40	
2,4,6-Trichlorophenol	9C19086		50	5.0	0.23	ug/L	51.4	103	48-136	3	20	
2,4-Dichlorophenol	9C19086		50	5.0	0.30	ug/L	44.7	89	43-123	0	23	
2,4-Dimethylphenol	9C19086		50	5.0	0.13	ug/L	43.6	87	42-120	1	18	
2,4-Dinitrophenol	9C19086		50	10	0.84	ug/L	52.2	104	20-125	6	29	
2,4-Dinitrotoluene	9C19086		50	5.0	0.26	ug/L	53.9	108	51-139	2	20	
2,6-Dinitrotoluene	9C19086		50	5.0	0.72	ug/L	56.7	113	55-144	4	17	
2-Chloronaphthalene	9C19086		50	5.0	0.068	ug/L	42.2	84	30-120	2	30	
2-Chlorophenol	9C19086		50	5.0	0.16	ug/L	33.6	67	31-120	2	26	
2-Nitrophenol	9C19086		50	5.0	0.14	ug/L	41.4	83	34-123	3	28	
3,3'-Dichlorobenzidine	9C19086		50	5.0	0.82	ug/L	60.8	122	35-143	4	31	
4,6-Dinitro-2-methylphenol	9C19086		50	10	0.76	ug/L	64.5	129	32-156	6	30	
4-Bromophenyl phenyl ether	9C19086		50	5.0	0.11	ug/L	53.8	108	53-127	2	16	
4-Chloro-3-methylphenol	9C19086		50	5.0	0.56	ug/L	52.6	105	45-138	1	16	
4-Chlorophenyl phenyl ether	9C19086		50	5.0	0.21	ug/L	48.9	98	43-126	1	15	
4-Nitrophenol	9C19086		50	10	1.3	ug/L	19.4	39	22-120	3	24	
Acenaphthene	9C19086		50	5.0	0.060	ug/L	48.4	97	47-120	1	25	
Acenaphthylene	9C19086		50	5.0	0.034	ug/L	50.6	101	35-129	2	22	
Anthracene	9C19086		50	5.0	0.052	ug/L	52.4	105	49-133	2	15	
Benzidine	9C19086		50	80	2.5	ug/L	99.5	199	1-120	2	50	L,E
Benzo(a)anthracene	9C19086		50	5.0	0.043	ug/L	55.1	110	50-143	3	15	
Benzo(a)pyrene	9C19086		50	5.0	0.058	ug/L	58.7	117	57-140	1	15	
Benzo(b)fluoranthene	9C19086		50	5.0	0.062	ug/L	56.0	112	59-138	1	17	
Benzo(ghi)perylene	9C19086		50	5.0	0.10	ug/L	66.5	133	44-153	2	19	
Benzo(k)fluoranthene	9C19086		50	5.0	0.042	ug/L	50.4	101	50-143	1	19	
Bis(2-chloroethoxy)methane	9C19086		50	5.0	0.085	ug/L	36.7	73	40-120	2	23	
Bis(2-chloroethyl)ether	9C19086		50	5.0	1.1	ug/L	32.8	66	35-120	3	33	
2,2'-Oxybis(1-Chloropropane)	9C19086		50	5.0	0.086	ug/L	30.9	62	33-120	1	36	
Bis(2-ethylhexyl) phthalate	9C19086		50	10	0.86	ug/L	58.2	116	49-158	2	15	
Butyl benzyl phthalate	9C19086		50	5.0	1.3	ug/L	60.8	122	47-147	3	15	
Chrysene	9C19086		50	5.0	0.036	ug/L	56.0	112	55-146	3	15	
Dibenzo(a,h)anthracene	9C19086		50	5.0	0.055	ug/L	68.7	137	45-153	1	18	
Diethyl phthalate	9C19086		50	5.0	0.17	ug/L	52.3	105	45-135	1	15	
Dimethyl phthalate	9C19086		50	5.0	0.17	ug/L	51.3	103	54-120	3	15	
Di-n-butyl phthalate	9C19086		50	5.0	0.94	ug/L	55.4	111	53-120	2	15	
Di-n-octyl phthalate	9C19086		50	5.0	4.5	ug/L	53.2	106	56-146	1	15	
Fluoranthene	9C19086		50	5.0	0.11	ug/L	54.0	108	46-137	3	15	
Fluorene	9C19086		50	5.0	0.043	ug/L	51.7	103	59-121	1	18	
Hexachlorobenzene	9C19086		50	5.0	0.28	ug/L	52.7	105	54-133	4	15	
Hexachlorobutadiene	9C19086		50	5.0	0.62	ug/L	33.0	66	24-120	3	50	
Hexachlorocyclopentadiene	9C19086		50	5.0	0.45	ug/L	33.3	67	5-120	1	50	
Hexachloroethane	9C19086		50	5.0	0.48	ug/L	30.2	60	40-113	3	43	
Indeno(1,2,3-cd)pyrene	9C19086		50	5.0	0.19	ug/L	69.4	139	50-147	1	17	
Isophorone	9C19086		50	5.0	0.16	ug/L	39.9	80	34-120	1	21	
Naphthalene	9C19086		50	5.0	0.080	ug/L	39.4	79	33-120	1	31	

TestAmerica Buffalo

10 Hazelwood Drive Amherst, NY 14228 tel 716-691-2600 fax 716-691-7991

www.testamericainc.com

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSC0700

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 03/19/09
Reported: 04/03/09 14:21

LABORATORY QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	MRL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Qualifiers
Acid and Base/Neutral Extractables by EPA Method 625												
LCS Dup Analyzed: 03/26/09 (9C19086-BSD1)												
Nitrobenzene	9C19086		50	5.0	0.11	ug/L	37.6	75	35-120	1	27	
N-Nitrosodimethylamine	9C19086		50	10	0.96	ug/L	22.6	45	19-120	8	22	
N-Nitrosodi-n-propylamine	9C19086		50	5.0	0.23	ug/L	39.7	79	40-120	0	23	
N-Nitrosodiphenylamine	9C19086		50	5.0	0.40	ug/L	70.1	140	54-125	4	15	L
Pentachlorophenol	9C19086		50	10	0.41	ug/L	48.7	97	37-147	4	21	
Phenanthrene	9C19086		50	5.0	0.071	ug/L	55.1	110	56-120	3	16	
Phenol	9C19086		50	5.0	0.12	ug/L	17.5	35	12-120	3	36	
Pyrene	9C19086		50	5.0	0.041	ug/L	60.4	121	52-120	4	15	L
Surrogate: 2-Fluorophenol						ug/L		38	17-120			
Surrogate: Phenol-d5						ug/L		30	10-120			
Surrogate: Nitrobenzene-d5						ug/L		76	42-120			
Surrogate: 2-Fluorobiphenyl						ug/L		88	44-120			
Surrogate: 2,4,6-Tribromophenol						ug/L		114	49-122			
Surrogate: p-Terphenyl-d14						ug/L		107	22-125			

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSC0700

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 03/19/09
Reported: 04/03/09 14:21

LABORATORY QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	MRL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Qualifiers
General Chemistry Parameters												
LCS Analyzed: 03/19/09 (9C19100-BS1)												
pH	9C19100		7.00	N/A	0.0	SU	7.02	100	99.3-100.8			

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSC0700

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 03/19/09
Reported: 04/03/09 14:21

LABORATORY QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	MRL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Qualifiers
<u>General Chemistry Parameters</u>												
Blank Analyzed: 03/24/09 (9C20041-BLK1)												
Total Cyanide	9C20041			0.0100	0.0050	mg/L	ND					
<u>General Chemistry Parameters</u>												
LCS Analyzed: 03/24/09 (9C20041-BS1)												
Total Cyanide	9C20041		0.400	0.0100	0.0050	mg/L	0.382	96	90-110			

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSC0700

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 03/19/09
Reported: 04/03/09 14:21

LABORATORY QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	MRL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Qualifiers
<u>Total Metals by EPA 200 Series Methods</u>												
Blank Analyzed: 03/23/09 (9C23031-BLK1)												
Mercury	9C23031			0.0002	0.0001	mg/L	ND					
<u>Total Metals by EPA 200 Series Methods</u>												
LCS Analyzed: 03/23/09 (9C23031-BS1)												
Mercury	9C23031		0.00333	0.0002	0.0001	mg/L	0.00305	92	85-115			

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSC0700

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 03/19/09
Reported: 04/03/09 14:21

LABORATORY QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	MRL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Qualifiers
<u>Total Metals by EPA 200 Series Methods</u>												
Blank Analyzed: 03/25/09 (9C23060-BLK1)												
Zinc	9C23060			0.0100	0.0036	mg/L	ND					
<u>Total Metals by EPA 200 Series Methods</u>												
LCS Analyzed: 03/25/09 (9C23060-BS1)												
Zinc	9C23060		0.200	0.0100	0.0036	mg/L	0.204	102	85-115			

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSC0700

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 03/19/09
Reported: 04/03/09 14:21

LABORATORY QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	MRL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Qualifiers
<u>Volatile Organic Compounds</u>												
Blank Analyzed: 03/23/09 (9C23068-BLK1)												
1,1,1-Trichloroethane	9C23068			5.0	0.73	ug/L	ND					
1,1,2,2-Tetrachloroethane	9C23068			5.0	0.55	ug/L	ND					
1,1,2-Trichloroethane	9C23068			5.0	0.48	ug/L	ND					
1,1-Dichloroethane	9C23068			5.0	0.59	ug/L	ND					
1,1-Dichloroethene	9C23068			5.0	0.85	ug/L	ND					
1,2-Dichlorobenzene	9C23068			5.0	0.44	ug/L	ND					
1,2-Dichloroethane	9C23068			5.0	0.60	ug/L	ND					
1,2-Dichloroethene, Total	9C23068			10	3.2	ug/L	ND					
1,2-Dichloropropane	9C23068			5.0	0.61	ug/L	ND					
1,3-Dichlorobenzene	9C23068			5.0	0.54	ug/L	ND					
1,4-Dichlorobenzene	9C23068			5.0	0.51	ug/L	ND					
2-Chloroethyl vinyl ether	9C23068			25	3.7	ug/L	ND					
Acrolein	9C23068			100	17	ug/L	ND					
Acrylonitrile	9C23068			100	4.0	ug/L	ND					
Benzene	9C23068			5.0	0.60	ug/L	ND					
Bromodichloromethane	9C23068			5.0	0.54	ug/L	ND					
Bromoform	9C23068			5.0	0.47	ug/L	ND					
Bromomethane	9C23068			5.0	1.2	ug/L	ND					
Carbon Tetrachloride	9C23068			5.0	0.83	ug/L	ND					
Chlorobenzene	9C23068			5.0	0.48	ug/L	ND					
Dibromochloromethane	9C23068			5.0	0.41	ug/L	ND					
Chloroethane	9C23068			5.0	0.87	ug/L	ND					
Chloroform	9C23068			5.0	0.54	ug/L	ND					
Chloromethane	9C23068			5.0	0.64	ug/L	ND					
cis-1,3-Dichloropropene	9C23068			5.0	0.57	ug/L	ND					
Ethyl Methacrylate	9C23068			5.0	0.61	ug/L	ND					
Ethylbenzene	9C23068			5.0	0.46	ug/L	ND					
Methylene Chloride	9C23068			5.0	0.81	ug/L	1.7					B,J
Tetrachloroethene	9C23068			5.0	0.55	ug/L	ND					
Toluene	9C23068			5.0	0.45	ug/L	ND					
trans-1,3-Dichloropropene	9C23068			5.0	0.44	ug/L	ND					
Trichloroethene	9C23068			5.0	0.60	ug/L	ND					
Trichlorofluoromethane	9C23068			5.0	0.79	ug/L	ND					
Vinyl chloride	9C23068			5.0	0.75	ug/L	ND					
Surrogate: 1,2-Dichloroethane-d4						ug/L		105	88-132			
Surrogate: 4-Bromofluorobenzene						ug/L		98	78-122			
Surrogate: Toluene-d8						ug/L		98	87-110			

Volatile Organic Compounds

LCS Analyzed: 03/23/09 (9C23068-BS1)

1,1,1-Trichloroethane	9C23068	20	N/A	NA	ug/L	19.5	98	75-125
1,1,2,2-Tetrachloroethane	9C23068	20	N/A	NA	ug/L	18.0	90	60.5-139.5
1,1,2-Trichloroethane	9C23068	20	N/A	NA	ug/L	18.4	92	71-129
1,1-Dichloroethane	9C23068	20	N/A	NA	ug/L	20.3	102	72.5-127.5
1,1-Dichloroethene	9C23068	20	N/A	NA	ug/L	18.7	94	50.5-149.5
1,2-Dichlorobenzene	9C23068	20	N/A	NA	ug/L	19.8	99	63-137

TestAmerica Buffalo

10 Hazelwood Drive Amherst, NY 14228 tel 716-691-2600 fax 716-691-7991

www.testamericainc.com

Groundwater & Env Svcs Inc - Cheektowaga, NY
158 Sonwil Drive
Cheektowaga, NY 14225

Work Order: RSC0700

Project: BRISTOL-MYERS MONTHLY

Project Number: GROUNDEN

Received: 03/19/09
Reported: 04/03/09 14:21

LABORATORY QC DATA

Analyte	Seq/ Batch	Source Result	Spike Level	MRL	MDL	Units	Result	% REC	% REC Limits	% RPD	RPD Limit	Qualifiers
<u>Volatile Organic Compounds</u>												
LCS Analyzed: 03/23/09 (9C23068-BS1)												
1,2-Dichloroethane	9C23068		20	N/A	NA	ug/L	20.5	103	68-132			
1,2-Dichloropropane	9C23068		20	N/A	NA	ug/L	20.4	102	34-166			
1,3-Dichlorobenzene	9C23068		20	N/A	NA	ug/L	20.3	102	73-127			
1,4-Dichlorobenzene	9C23068		20	N/A	NA	ug/L	19.1	95	63-137			
2-Chloroethyl vinyl ether	9C23068		100	N/A	NA	ug/L	107	107	1-224			
Acrolein	9C23068		400	N/A	NA	ug/L	226	56	62-141			L5
Acrylonitrile	9C23068		100	N/A	NA	ug/L	104	104	53-143			
Benzene	9C23068		20	N/A	NA	ug/L	20.8	104	64-136			
Bromodichloromethane	9C23068		20	N/A	NA	ug/L	19.7	98	65.5-134.5			
Bromoform	9C23068		20	N/A	NA	ug/L	17.7	88	72.5-129			
Bromomethane	9C23068		20	N/A	NA	ug/L	18.8	94	14-186			
Carbon Tetrachloride	9C23068		20	N/A	NA	ug/L	19.1	95	73-127			
Chlorobenzene	9C23068		20	N/A	NA	ug/L	19.8	99	66-134			
Dibromochloromethane	9C23068		20	N/A	NA	ug/L	19.3	96	67.5-132.5			
Chloroethane	9C23068		20	N/A	NA	ug/L	21.4	107	38-162			
Chloroform	9C23068		20	N/A	NA	ug/L	20.4	102	67.5-132.5			
Chloromethane	9C23068		20	N/A	NA	ug/L	23.8	119	1-204			
cis-1,3-Dichloropropene	9C23068		20	N/A	NA	ug/L	19.1	95	24-176			
Ethylbenzene	9C23068		20	N/A	NA	ug/L	20.1	100	59-141			
Methylene Chloride	9C23068		20	N/A	NA	ug/L	19.2	96	60.5-139.5			B
Tetrachloroethene	9C23068		20	N/A	NA	ug/L	19.6	98	73.5-126.5			
Toluene	9C23068		20	N/A	NA	ug/L	20.4	102	74.5-125.5			
trans-1,3-Dichloropropene	9C23068		20	N/A	NA	ug/L	19.4	97	50-150			
Trichloroethene	9C23068		20	N/A	NA	ug/L	20.0	100	66.5-133.5			
Trichlorofluoromethane	9C23068		20	N/A	NA	ug/L	22.2	111	48-152			
Vinyl chloride	9C23068		20	N/A	NA	ug/L	23.6	118	4-196			
Surrogate: 1,2-Dichloroethane-d4						ug/L		103	88-132			
Surrogate: 4-Bromofluorobenzene						ug/L		100	78-122			
Surrogate: Toluene-d8						ug/L		100	87-110			

phone 907.563.9200 fax 907.563.9210

7.0