



Tyco
9 Roszel Road
Princeton, NJ 08540 USA

February 13, 2014

Ms. Laura Surdej
Erie County Department of Environment & Planning
Southtowns Sewage Treatment Plant
S-3690 Lakeshore Boulevard
Buffalo, New York 14219

RE: First Quarter 2014 Discharge Monitoring Report
Scott Technologies, Inc., Groundwater Remediation Site, Lancaster, New York
NYSDEC Site 9-15-149
EC/BPDES Permit No. 11-03-E4045

Dear Ms. Surdej:

Scott Technologies, Inc. is pleased to provide you with the enclosed First Quarter 2014 Discharge Monitoring Report for the Scott Technologies Groundwater Remediation Site located at AVOX Systems Inc., 25A Walter Winter Drive, Lancaster, New York 14086. This report is submitted in partial fulfillment of Erie County/Buffalo Pollution Discharge Elimination System (EC/BPDES) Permit No. 11-03-E4045, effective April 1, 2011.

Scott Technologies commissioned AECOM, with an office located in Amherst, New York, to perform the required EC/BPDES quarterly sampling during the month of January 2014 and to prepare the enclosed report with the results.

We certify under the penalty of law that this document and all attachments were prepared under our direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on our inquiry of the person or persons who manage the system or those directly responsible for gathering the information, the information submitted is, to the best of our knowledge and belief, true, accurate, and complete. We are aware that there are significant penalties for submitting false information, including the possibility of a fine and imprisonment for known violations.

Ms. Laura Surdej
February 13, 2014
Page 2

We will continue to have AECOM monitor the influent and effluent of the active remediation system located at the Site on a quarterly basis. The next scheduled quarterly discharge monitoring report is due by May 31, 2014.

Please note that the current Site EC/BPDES permit expires on March 31, 2014. In 2013, a permit renewal application was submitted to the Buffalo Sewer Authority, which issued a new permit on November 21, 2013 that is effective as of April 1, 2014 (Permit No. 14-04-E4045).

If you have any questions regarding this submittal, please do not hesitate to contact me at the above address or srixman@tyco.com.

Very truly yours,
Scott Technologies, Inc.



Stuart I. Rixman
Manager, EHS Compliance Assurance & Remediation
Tyco International

\enclosures

cc: Mr. Dennis Young, Buffalo Sewer Authority (electronic copy sent by AECOM)
Mr. Glenn May, NYSDEC Region 9 (electronic copy sent by AECOM)
Ms. Jennifer Davide, AVOX Systems Inc. (electronic copy sent by AECOM)
Mr. Joseph Janeczek, Tyco International (electronic copy)
Facility File, Lancaster, NY (hard copy sent by AECOM)

TABLE

**Scott Technologies, Inc. - Groundwater Remediation Site
Lancaster, New York**

EC/BPDES Permit No. 11-03-E4045


**First Quarter 2014 Discharge Monitoring Report
Sample Date - January 21, 2014**

| Parameter | Units | Discharge Limitations Daily Max | Calculated Daily Value | Within Limits? |
|--|-----------------|--|-----------------------------------|---------------------------|
| pH (Method SM 4500 H+ B) | SU | 5 - 12 | 8.28 | Y |
| Total Extractable Hydrocarbons (Method 1664A) | mg/L | 100 | < 4.0 | Y |
| Total Suspended Solids (Method SM 2540D) | mg/L | 250 | 35.6 | Y |
| <u>VOCs (Method 8260C)</u> | | | | |
| Methylene Chloride | lbs/day | 0.12 | < 0.000020 | Y |
| 1,1,1-Trichloroethane | lbs/day | 0.09 | < 0.000020 | Y |
| Trichloroethylene | lbs/day | 0.04 | < 0.000020 | Y |
| Total 1,2-DCE (cis-1,2-DCE and trans-1,2-DCE) | lbs/day | 0.02 | < 0.000020 | Y |
| 1,1-Dichloroethane | lbs/day | 0.0025 | < 0.000020 | Y |
| Chloroethane | lbs/day | 0.025 | < 0.000020 | Y |
| Toluene | lbs/day | 0.004 | < 0.000020 | Y |
| Total Daily Flow (discharge meter reading) | gallons per day | 14,000 | 2,349 | Y |

Notes:


- SU standard units
- mg/L milligrams per liter
- ug/L micrograms per liter
- lbs/day pounds per day
- J Indicates analyte result was reported as an estimated concentration.
- < (value) Indicates calculated concentration less than the reported value,
using effluent reporting limit as maximum possible concentration
- DPE system was not running during sample collection.

FIGURES



LEGEND


- MW 13 MONITORING WELL
- DPE 8 DUAL-PHASE EXTRACTION WELL
- APPROXIMATE PROPERTY BOUNDARY
- GROUNDWATER RECOVERY TRENCH
- SANITARY SEWER



**FIGURE 1
DUAL PHASE EXTRACTION SYSTEM
LOCATION MAP**

FORMER SCOTT AVIATION FACILITY
LANCASTER, NEW YORK

60288479



*PER DISCHARGE PERMIT NO. 11-03-E4045



FIGURE 2
COMBINED DUAL PHASE EXTRACTION
REMEDICATION SYSTEM FLOW DIAGRAM

FORMER SCOTT AVIATION FACILITY
LANCASTER, NEW YORK

60288479

DAILY FIELD LOG

DAILY FIELD LOG



Project Scott Technologies, Inc., Groundwater Remediation Site, Lancaster, NY
Date 21-Jan-14
Weather Clear
Temperature Range 0 deg F
AECOM Personnel on Site Dino Zack
Time on Site 07:00 - 16:30 hrs

Air Stripper Totalizer "During" Sampling* 638,012 gallons 12:30 hrs
Air Stripper Totalizer After Sampling 638,633 gallons 15:30 hrs

Summary of Sample Activities

Time = 7:30 hrs
 pH = 8
 Fill 2, 40-ml vials (preserved with HCl) from influent sample tap. Fill 2, 1-L clear glass bottle (preserved with H₂SO₄) 1/4 full, from influent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from influent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from influent tap. Water quality is clear with slight odor (no sheen).

Fill 2, 40-ml vials (preserved with HCl) from effluent sample tap. Fill 2, 1-L clear glass bottle (preserved with H₂SO₄) 1/4 full, respectively, from effluent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Water quality is clear with no discernable odor or sheen.

Time = 10:00 hrs
 pH = 8
 Fill 2, 40-ml vials (preserved with HCl) from influent sample tap. Fill 2, 1-L clear glass bottle (preserved with H₂SO₄) 1/4 full, from influent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from influent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from influent tap. Water quality is clear with slight odor (no sheen).

Fill 2, 40-ml vials (preserved with HCl) from effluent sample tap. Fill 2, 1-L clear glass bottle (preserved with H₂SO₄) 1/4 full, respectively, from effluent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Water quality is clear with no discernable odor or sheen.

Time = 13:00 hrs
 pH = 8
 Fill 2, 40-ml vials (preserved with HCl) from influent sample tap. Fill 2, 1-L clear glass bottle (preserved with H₂SO₄) 1/4 full, from influent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from influent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from influent tap. Water quality is clear with slight odor (no sheen).

Fill 2, 40-ml vials (preserved with HCl) from effluent sample tap. Fill 2, 1-L clear glass bottle (preserved with H₂SO₄) 1/4 full, respectively, from effluent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Water quality is clear with no discernable odor or sheen.

Time = 15:30 hrs
 pH = 8
 Fill 2, 40-ml vials (preserved with HCl) from influent sample tap. Fill 2, 1-L clear glass bottle (preserved with H₂SO₄) 1/4 full, from influent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from influent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from influent tap. Water quality is clear with slight odor (no sheen).

Fill 2, 40-ml vials (preserved with HCl) from effluent sample tap. Fill 2, 1-L clear glass bottle (preserved with H₂SO₄) 1/4 full, respectively, from effluent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Water quality is clear with no discernable odor or sheen.

Comments

*DPE and GWCT running at time of sample collection. Note AS totalizer not working until 12:30hrs.
 Air sample collected on 1/21/14 at 09:00 hrs from AS effluent for TO-15 analysis (LRP effluent sample port frozen - no sample collected- discussed with NYSDEC at 12:30hr 1/21/14).
 Maintain samples at 4 degrees C. Hand deliver samples to TestAmerica Laboratories, Inc. (Amherst, NY) under COC on 1/23/14 for analysis. Request laboratory to composite 40-ml samples and analyze for VOCs (8260C). Request laboratory to analyze influent and effluent samples for TEH (1664A), TSS (SM 2540D), and pH (SM 4500 H+B).

Signature:


Date: 21-Jan-14

LABORATORY REPORT

ANALYTICAL REPORT

Job Number: 480-53733-1
Job Description: Scott Aviation site
Sampling Event: Influent/Effluent analysis

For:
AECOM, Inc.
100 Corporate Parkway
Suite 341
Amherst, NY 14226
Attention: Mr. Dino Zack



Approved for release.
Joe V Giacomazza
Project Management Assistant II
2/6/2014 11:12 AM

Designee for
Brian J Fischer, Manager of Project Management
10 Hazelwood Drive, Amherst, NY, 14228-2298
(716)504-9835
brian.fischer@testamericainc.com
02/06/2014

The test results in this report meet all NELAP requirements for analytes for which accreditation is required or available. Any exceptions to the NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory. All questions regarding this test report should be directed to the TestAmerica Project Manager who has signed this report. TestAmerica Buffalo NELAC Certifications: CADPH 01169CA, FLDOH E87672, ILEPA 200003, KSDOH E-10187, LADEQ 30708, MDH 036-999-337, NHELAP 2973, NJDEP NY455, NHDOH 10026, ORELAP NY200003, PADEP 68-00281, TXCEQ T-104704412-10-1

TestAmerica Laboratories, Inc.

TestAmerica Buffalo 10 Hazelwood Drive, Amherst, NY 14228-2298
Tel (716) 691-2600 Fax (716) 691-7991 www.testamericainc.com



Table of Contents

| | |
|--------------------------------------|-----|
| Cover Title Page | 1 |
| Data Summaries | 4 |
| Report Narrative | 4 |
| Sample Summary | 5 |
| Executive Summary | 6 |
| Method Summary | 7 |
| Method / Analyst Summary | 8 |
| Sample Datasheets | 9 |
| Surrogate Summary | 17 |
| QC Data Summary | 18 |
| Data Qualifiers | 23 |
| QC Association Summary | 24 |
| Lab Chronicle | 25 |
| Certification Summary | 27 |
| Organic Sample Data | 28 |
| GC/MS VOA | 28 |
| Method 8260C | 28 |
| Method 8260C QC Summary | 29 |
| Method 8260C Sample Data | 36 |
| Standards Data | 56 |
| Method 8260C ICAL Data | 56 |
| Method 8260C CCAL Data | 90 |
| Raw QC Data | 97 |
| Method 8260C Tune Data | 97 |
| Method 8260C Blank Data | 103 |
| Method 8260C LCS/LCSD Data | 110 |

Table of Contents

| | |
|---|------------|
| Method 8260C Run Logs | 116 |
| Method 8260C Prep Data | 118 |
| Inorganic Sample Data | 120 |
| General Chemistry Data | 120 |
| Gen Chem Cover Page | 121 |
| Gen Chem Sample Data | 122 |
| Gen Chem QC Data | 126 |
| Gen Chem ICV/CCV | 126 |
| Gen Chem Blanks | 127 |
| Gen Chem LCS/LCSD | 128 |
| Gen Chem MDL | 129 |
| Gen Chem Preparation Log | 135 |
| Gen Chem Analysis Run Log | 136 |
| Gen Chem Raw Data | 139 |
| Gen Chem Prep Data | 150 |
| Shipping and Receiving Documents | 156 |
| Client Chain of Custody | 157 |
| Sample Receipt Checklist | 158 |

Job Narrative
480-53733-1

Receipt

The samples were received on 1/23/2014 8:00 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 3.4° C.

GC/MS VOA

Method(s) 8260C: The following samples were diluted to bring the concentration of target analytes within the calibration range: INFLUENT (480-53733-2). Elevated reporting limits (RLs) are provided.

Method(s) 8260C: The large number of analytes included in the continuing calibration verification (CCV) for batch 164248 gives a high probability that one or more analytes will be outside acceptance criteria. As indicated in the reference method, analysis may proceed as long as no more than 20% of the analytes of interest are outside the method-defined %D criteria.

No other analytical or quality issues were noted.

General Chemistry

Method(s) SM 4500 H+ B: The following sample(s) was received outside of holding time: EFFLUENT (480-53733-1), INFLUENT (480-53733-2).

No other analytical or quality issues were noted.

SAMPLE SUMMARY

Client: AECOM, Inc.

Job Number: 480-53733-1

| Lab Sample ID | Client Sample ID | Client Matrix | Date/Time Sampled | Date/Time Received |
|----------------------|-------------------------|----------------------|------------------------------|-------------------------------|
| 480-53733-1 | EFFLUENT | Water | 01/21/2014 0730 | 01/23/2014 0800 |
| 480-53733-2 | INFLUENT | Water | 01/21/2014 0730 | 01/23/2014 0800 |
| 480-53733-3TB | Trip Blank | Water | 01/21/2014 0000 | 01/23/2014 0800 |

EXECUTIVE SUMMARY - Detections

Client: AECOM, Inc.

Job Number: 480-53733-1

| Lab Sample ID | Client Sample ID | Result | Qualifier | Reporting Limit | Units | Method |
|------------------------|------------------|--------|-----------|-----------------|-------|--------------|
| 480-53733-1 | EFFLUENT | | | | | |
| Total Suspended Solids | | 35.6 | | 4.0 | mg/L | SM 2540D |
| pH | | 8.28 | HF | 0.100 | SU | SM 4500 H+ B |
| 480-53733-2 | INFLUENT | | | | | |
| 1,1-Dichloroethane | | 1.9 | J | 2.0 | ug/L | 8260C |
| Acetone | | 14 | J | 20 | ug/L | 8260C |
| Chloroethane | | 0.91 | J | 2.0 | ug/L | 8260C |
| cis-1,2-Dichloroethene | | 130 | | 2.0 | ug/L | 8260C |
| Trichloroethene | | 130 | | 2.0 | ug/L | 8260C |
| Total Suspended Solids | | 4.4 | | 4.0 | mg/L | SM 2540D |
| pH | | 8.21 | HF | 0.100 | SU | SM 4500 H+ B |

METHOD SUMMARY

Client: AECOM, Inc.

Job Number: 480-53733-1

| Description | Lab Location | Method | Preparation Method |
|-------------------------------------|--------------|-----------------|--------------------|
| Matrix: Water | | | |
| Volatile Organic Compounds by GC/MS | TAL BUF | SW846 8260C | |
| Purge and Trap | TAL BUF | | SW846 5030C |
| HEM and SGT-HEM | TAL BUF | 1664A 1664A | |
| HEM and SGT-HEM (SPE) | TAL BUF | | 1664A 1664A |
| Solids, Total Suspended (TSS) | TAL BUF | SM SM 2540D | |
| pH | TAL BUF | SM SM 4500 H+ B | |

Lab References:

TAL BUF = TestAmerica Buffalo

Method References:

1664A = EPA-821-98-002

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: AECOM, Inc.

Job Number: 480-53733-1

| Method | Analyst | Analyst ID |
|-----------------|-----------------|-------------------|
| SW846 8260C | Larson, Renee A | RAL |
| 1664A 1664A | Bubb, Richard M | RMB |
| SM SM 2540D | Sobol, Kevin | KS |
| SM SM 4500 H+ B | Sobol, Kevin | KS |

Analytical Data

Client: AECOM, Inc.

Job Number: 480-53733-1

Client Sample ID: EFFLUENT

Lab Sample ID: 480-53733-1

Date Sampled: 01/21/2014 0730

Client Matrix: Water

Date Received: 01/23/2014 0800

8260C Volatile Organic Compounds by GC/MS

| | | | | | |
|------------------|-----------------|-----------------|------------|------------------------|---------|
| Analysis Method: | 8260C | Analysis Batch: | 480-164248 | Instrument ID: | HP5973N |
| Prep Method: | 5030C | Prep Batch: | N/A | Lab File ID: | N4598.D |
| Dilution: | 1.0 | | | Initial Weight/Volume: | 5 mL |
| Analysis Date: | 02/03/2014 1534 | | | Final Weight/Volume: | 5 mL |
| Prep Date: | 02/03/2014 1534 | | | | |

| Analyte | Result (ug/L) | Qualifier | MDL | RL |
|---------------------------------------|---------------|-----------|------|-----|
| 1,1,1-Trichloroethane | ND | | 0.82 | 1.0 |
| 1,1,2,2-Tetrachloroethane | ND | | 0.21 | 1.0 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND | | 0.31 | 1.0 |
| 1,1,2-Trichloroethane | ND | | 0.23 | 1.0 |
| 1,1-Dichloroethane | ND | | 0.38 | 1.0 |
| 1,1-Dichloroethene | ND | | 0.29 | 1.0 |
| 1,2,4-Trichlorobenzene | ND | | 0.41 | 1.0 |
| 1,2-Dibromo-3-Chloropropane | ND | | 0.39 | 1.0 |
| 1,2-Dibromoethane | ND | | 0.73 | 1.0 |
| 1,2-Dichlorobenzene | ND | | 0.79 | 1.0 |
| 1,2-Dichloroethane | ND | | 0.21 | 1.0 |
| 1,2-Dichloropropane | ND | | 0.72 | 1.0 |
| 1,3-Dichlorobenzene | ND | | 0.78 | 1.0 |
| 1,4-Dichlorobenzene | ND | | 0.84 | 1.0 |
| 2-Butanone (MEK) | ND | | 1.3 | 10 |
| 2-Hexanone | ND | | 1.2 | 5.0 |
| 4-Methyl-2-pentanone (MIBK) | ND | | 2.1 | 5.0 |
| Acetone | ND | | 3.0 | 10 |
| Benzene | ND | | 0.41 | 1.0 |
| Bromodichloromethane | ND | | 0.39 | 1.0 |
| Bromoform | ND | | 0.26 | 1.0 |
| Bromomethane | ND | | 0.69 | 1.0 |
| Carbon disulfide | ND | | 0.19 | 1.0 |
| Carbon tetrachloride | ND | | 0.27 | 1.0 |
| Chlorobenzene | ND | | 0.75 | 1.0 |
| Chloroethane | ND | | 0.32 | 1.0 |
| Chloroform | ND | | 0.34 | 1.0 |
| Chloromethane | ND | | 0.35 | 1.0 |
| cis-1,2-Dichloroethene | ND | | 0.81 | 1.0 |
| cis-1,3-Dichloropropene | ND | | 0.36 | 1.0 |
| Cyclohexane | ND | | 0.18 | 1.0 |
| Dibromochloromethane | ND | | 0.32 | 1.0 |
| Dichlorodifluoromethane | ND | | 0.68 | 1.0 |
| Ethylbenzene | ND | | 0.74 | 1.0 |
| Isopropylbenzene | ND | | 0.79 | 1.0 |
| Methyl acetate | ND | | 0.50 | 2.5 |
| Methyl tert-butyl ether | ND | | 0.16 | 1.0 |
| Methylcyclohexane | ND | | 0.16 | 1.0 |
| Methylene Chloride | ND | | 0.44 | 1.0 |
| Styrene | ND | | 0.73 | 1.0 |
| Tetrachloroethene | ND | | 0.36 | 1.0 |
| Toluene | ND | | 0.51 | 1.0 |
| trans-1,2-Dichloroethene | ND | | 0.90 | 1.0 |
| trans-1,3-Dichloropropene | ND | | 0.37 | 1.0 |
| Trichloroethene | ND | | 0.46 | 1.0 |
| Trichlorofluoromethane | ND | | 0.88 | 1.0 |

Analytical Data

Client: AECOM, Inc.

Job Number: 480-53733-1

Client Sample ID: EFFLUENT

Lab Sample ID: 480-53733-1
Client Matrix: Water

Date Sampled: 01/21/2014 0730
Date Received: 01/23/2014 0800

8260C Volatile Organic Compounds by GC/MS

| | | | | | |
|------------------|-----------------|-----------------|------------|------------------------|---------|
| Analysis Method: | 8260C | Analysis Batch: | 480-164248 | Instrument ID: | HP5973N |
| Prep Method: | 5030C | Prep Batch: | N/A | Lab File ID: | N4598.D |
| Dilution: | 1.0 | | | Initial Weight/Volume: | 5 mL |
| Analysis Date: | 02/03/2014 1534 | | | Final Weight/Volume: | 5 mL |
| Prep Date: | 02/03/2014 1534 | | | | |

| Analyte | Result (ug/L) | Qualifier | MDL | RL |
|----------------|---------------|-----------|------|-----|
| Vinyl chloride | ND | | 0.90 | 1.0 |
| Xylenes, Total | ND | | 0.66 | 2.0 |

| Surrogate | %Rec | Qualifier | Acceptance Limits |
|------------------------------|------|-----------|-------------------|
| 1,2-Dichloroethane-d4 (Surr) | 97 | | 66 - 137 |
| 4-Bromofluorobenzene (Surr) | 91 | | 73 - 120 |
| Toluene-d8 (Surr) | 101 | | 71 - 126 |

Analytical Data

Client: AECOM, Inc.

Job Number: 480-53733-1

Client Sample ID: INFLUENT

Lab Sample ID: 480-53733-2

Date Sampled: 01/21/2014 0730

Client Matrix: Water

Date Received: 01/23/2014 0800

8260C Volatile Organic Compounds by GC/MS

| | | | | | |
|------------------|-----------------|-----------------|------------|------------------------|---------|
| Analysis Method: | 8260C | Analysis Batch: | 480-164248 | Instrument ID: | HP5973N |
| Prep Method: | 5030C | Prep Batch: | N/A | Lab File ID: | N4599.D |
| Dilution: | 2.0 | | | Initial Weight/Volume: | 5 mL |
| Analysis Date: | 02/03/2014 1558 | | | Final Weight/Volume: | 5 mL |
| Prep Date: | 02/03/2014 1558 | | | | |

| Analyte | Result (ug/L) | Qualifier | MDL | RL |
|---------------------------------------|---------------|-----------|------|-----|
| 1,1,1-Trichloroethane | ND | | 1.6 | 2.0 |
| 1,1,2,2-Tetrachloroethane | ND | | 0.42 | 2.0 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND | | 0.62 | 2.0 |
| 1,1,2-Trichloroethane | ND | | 0.46 | 2.0 |
| 1,1-Dichloroethane | 1.9 | J | 0.76 | 2.0 |
| 1,1-Dichloroethene | ND | | 0.58 | 2.0 |
| 1,2,4-Trichlorobenzene | ND | | 0.82 | 2.0 |
| 1,2-Dibromo-3-Chloropropane | ND | | 0.78 | 2.0 |
| 1,2-Dibromoethane | ND | | 1.5 | 2.0 |
| 1,2-Dichlorobenzene | ND | | 1.6 | 2.0 |
| 1,2-Dichloroethane | ND | | 0.42 | 2.0 |
| 1,2-Dichloropropane | ND | | 1.4 | 2.0 |
| 1,3-Dichlorobenzene | ND | | 1.6 | 2.0 |
| 1,4-Dichlorobenzene | ND | | 1.7 | 2.0 |
| 2-Butanone (MEK) | ND | | 2.6 | 20 |
| 2-Hexanone | ND | | 2.5 | 10 |
| 4-Methyl-2-pentanone (MIBK) | ND | | 4.2 | 10 |
| Acetone | 14 | J | 6.0 | 20 |
| Benzene | ND | | 0.82 | 2.0 |
| Bromodichloromethane | ND | | 0.78 | 2.0 |
| Bromoform | ND | | 0.52 | 2.0 |
| Bromomethane | ND | | 1.4 | 2.0 |
| Carbon disulfide | ND | | 0.38 | 2.0 |
| Carbon tetrachloride | ND | | 0.54 | 2.0 |
| Chlorobenzene | ND | | 1.5 | 2.0 |
| Chloroethane | 0.91 | J | 0.64 | 2.0 |
| Chloroform | ND | | 0.68 | 2.0 |
| Chloromethane | ND | | 0.70 | 2.0 |
| cis-1,2-Dichloroethene | 130 | | 1.6 | 2.0 |
| cis-1,3-Dichloropropene | ND | | 0.72 | 2.0 |
| Cyclohexane | ND | | 0.36 | 2.0 |
| Dibromochloromethane | ND | | 0.64 | 2.0 |
| Dichlorodifluoromethane | ND | | 1.4 | 2.0 |
| Ethylbenzene | ND | | 1.5 | 2.0 |
| Isopropylbenzene | ND | | 1.6 | 2.0 |
| Methyl acetate | ND | | 1.0 | 5.0 |
| Methyl tert-butyl ether | ND | | 0.32 | 2.0 |
| Methylcyclohexane | ND | | 0.32 | 2.0 |
| Methylene Chloride | ND | | 0.88 | 2.0 |
| Styrene | ND | | 1.5 | 2.0 |
| Tetrachloroethene | ND | | 0.72 | 2.0 |
| Toluene | ND | | 1.0 | 2.0 |
| trans-1,2-Dichloroethene | ND | | 1.8 | 2.0 |
| trans-1,3-Dichloropropene | ND | | 0.74 | 2.0 |
| Trichloroethene | 130 | | 0.92 | 2.0 |
| Trichlorofluoromethane | ND | | 1.8 | 2.0 |

Analytical Data

Client: AECOM, Inc.

Job Number: 480-53733-1

Client Sample ID: INFLUENT

Lab Sample ID: 480-53733-2

Date Sampled: 01/21/2014 0730

Client Matrix: Water

Date Received: 01/23/2014 0800

8260C Volatile Organic Compounds by GC/MS

| | | | | | |
|------------------|-----------------|-----------------|------------|------------------------|---------|
| Analysis Method: | 8260C | Analysis Batch: | 480-164248 | Instrument ID: | HP5973N |
| Prep Method: | 5030C | Prep Batch: | N/A | Lab File ID: | N4599.D |
| Dilution: | 2.0 | | | Initial Weight/Volume: | 5 mL |
| Analysis Date: | 02/03/2014 1558 | | | Final Weight/Volume: | 5 mL |
| Prep Date: | 02/03/2014 1558 | | | | |

| Analyte | Result (ug/L) | Qualifier | MDL | RL |
|----------------|---------------|-----------|-----|-----|
| Vinyl chloride | ND | | 1.8 | 2.0 |
| Xylenes, Total | ND | | 1.3 | 4.0 |

| Surrogate | %Rec | Qualifier | Acceptance Limits |
|------------------------------|------|-----------|-------------------|
| 1,2-Dichloroethane-d4 (Surr) | 96 | | 66 - 137 |
| 4-Bromofluorobenzene (Surr) | 90 | | 73 - 120 |
| Toluene-d8 (Surr) | 101 | | 71 - 126 |

Analytical Data

Client: AECOM, Inc.

Job Number: 480-53733-1

Client Sample ID: Trip Blank

Lab Sample ID: 480-53733-3TB

Date Sampled: 01/21/2014 0000

Client Matrix: Water

Date Received: 01/23/2014 0800

8260C Volatile Organic Compounds by GC/MS

| | | | | | |
|------------------|-----------------|-----------------|------------|------------------------|---------|
| Analysis Method: | 8260C | Analysis Batch: | 480-164248 | Instrument ID: | HP5973N |
| Prep Method: | 5030C | Prep Batch: | N/A | Lab File ID: | N4600.D |
| Dilution: | 1.0 | | | Initial Weight/Volume: | 5 mL |
| Analysis Date: | 02/03/2014 1621 | | | Final Weight/Volume: | 5 mL |
| Prep Date: | 02/03/2014 1621 | | | | |

| Analyte | Result (ug/L) | Qualifier | MDL | RL |
|---------------------------------------|---------------|-----------|------|-----|
| 1,1,1-Trichloroethane | ND | | 0.82 | 1.0 |
| 1,1,2,2-Tetrachloroethane | ND | | 0.21 | 1.0 |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND | | 0.31 | 1.0 |
| 1,1,2-Trichloroethane | ND | | 0.23 | 1.0 |
| 1,1-Dichloroethane | ND | | 0.38 | 1.0 |
| 1,1-Dichloroethene | ND | | 0.29 | 1.0 |
| 1,2,4-Trichlorobenzene | ND | | 0.41 | 1.0 |
| 1,2-Dibromo-3-Chloropropane | ND | | 0.39 | 1.0 |
| 1,2-Dibromoethane | ND | | 0.73 | 1.0 |
| 1,2-Dichlorobenzene | ND | | 0.79 | 1.0 |
| 1,2-Dichloroethane | ND | | 0.21 | 1.0 |
| 1,2-Dichloropropane | ND | | 0.72 | 1.0 |
| 1,3-Dichlorobenzene | ND | | 0.78 | 1.0 |
| 1,4-Dichlorobenzene | ND | | 0.84 | 1.0 |
| 2-Butanone (MEK) | ND | | 1.3 | 10 |
| 2-Hexanone | ND | | 1.2 | 5.0 |
| 4-Methyl-2-pentanone (MIBK) | ND | | 2.1 | 5.0 |
| Acetone | ND | | 3.0 | 10 |
| Benzene | ND | | 0.41 | 1.0 |
| Bromodichloromethane | ND | | 0.39 | 1.0 |
| Bromoform | ND | | 0.26 | 1.0 |
| Bromomethane | ND | | 0.69 | 1.0 |
| Carbon disulfide | ND | | 0.19 | 1.0 |
| Carbon tetrachloride | ND | | 0.27 | 1.0 |
| Chlorobenzene | ND | | 0.75 | 1.0 |
| Chloroethane | ND | | 0.32 | 1.0 |
| Chloroform | ND | | 0.34 | 1.0 |
| Chloromethane | ND | | 0.35 | 1.0 |
| cis-1,2-Dichloroethene | ND | | 0.81 | 1.0 |
| cis-1,3-Dichloropropene | ND | | 0.36 | 1.0 |
| Cyclohexane | ND | | 0.18 | 1.0 |
| Dibromochloromethane | ND | | 0.32 | 1.0 |
| Dichlorodifluoromethane | ND | | 0.68 | 1.0 |
| Ethylbenzene | ND | | 0.74 | 1.0 |
| Isopropylbenzene | ND | | 0.79 | 1.0 |
| Methyl acetate | ND | | 0.50 | 2.5 |
| Methyl tert-butyl ether | ND | | 0.16 | 1.0 |
| Methylcyclohexane | ND | | 0.16 | 1.0 |
| Methylene Chloride | ND | | 0.44 | 1.0 |
| Styrene | ND | | 0.73 | 1.0 |
| Tetrachloroethene | ND | | 0.36 | 1.0 |
| Toluene | ND | | 0.51 | 1.0 |
| trans-1,2-Dichloroethene | ND | | 0.90 | 1.0 |
| trans-1,3-Dichloropropene | ND | | 0.37 | 1.0 |
| Trichloroethene | ND | | 0.46 | 1.0 |
| Trichlorofluoromethane | ND | | 0.88 | 1.0 |

Analytical Data

Client: AECOM, Inc.

Job Number: 480-53733-1

Client Sample ID: Trip Blank

Lab Sample ID: 480-53733-3TB

Date Sampled: 01/21/2014 0000

Client Matrix: Water

Date Received: 01/23/2014 0800

8260C Volatile Organic Compounds by GC/MS

| | | | | | |
|------------------|-----------------|-----------------|------------|------------------------|---------|
| Analysis Method: | 8260C | Analysis Batch: | 480-164248 | Instrument ID: | HP5973N |
| Prep Method: | 5030C | Prep Batch: | N/A | Lab File ID: | N4600.D |
| Dilution: | 1.0 | | | Initial Weight/Volume: | 5 mL |
| Analysis Date: | 02/03/2014 1621 | | | Final Weight/Volume: | 5 mL |
| Prep Date: | 02/03/2014 1621 | | | | |

| Analyte | Result (ug/L) | Qualifier | MDL | RL |
|----------------|---------------|-----------|------|-----|
| Vinyl chloride | ND | | 0.90 | 1.0 |
| Xylenes, Total | ND | | 0.66 | 2.0 |

| Surrogate | %Rec | Qualifier | Acceptance Limits |
|------------------------------|------|-----------|-------------------|
| 1,2-Dichloroethane-d4 (Surr) | 98 | | 66 - 137 |
| 4-Bromofluorobenzene (Surr) | 91 | | 73 - 120 |
| Toluene-d8 (Surr) | 102 | | 71 - 126 |

Client: AECOM, Inc.

Job Number: 480-53733-1

General Chemistry

Client Sample ID: EFFLUENT

Lab Sample ID: 480-53733-1
 Client Matrix: Water

Date Sampled: 01/21/2014 0730
 Date Received: 01/23/2014 0800

| Analyte | Result | Qual | Units | MDL | RL | Dil | Method |
|--------------------------------------|--------|------|-------|-----|-----|-----|--------|
| Total Petroleum Hydrocarbons (1664A) | ND | | mg/L | 1.9 | 5.0 | 1.0 | 1664A |

Analysis Batch: 480-163268 Analysis Date: 01/27/2014 0100
 Prep Batch: 480-163267 Prep Date: 01/27/2014 0100

| Analyte | Result | Qual | Units | RL | RL | Dil | Method |
|------------------------|--------|------|-------|-----|-----|-----|----------|
| Total Suspended Solids | 35.6 | | mg/L | 4.0 | 4.0 | 1.0 | SM 2540D |

Analysis Batch: 480-163198 Analysis Date: 01/24/2014 1620

| | | | | | | | |
|----|------|----|----|-------|-------|-----|--------------|
| pH | 8.28 | HF | SU | 0.100 | 0.100 | 1.0 | SM 4500 H+ B |
|----|------|----|----|-------|-------|-----|--------------|

Analysis Batch: 480-163039 Analysis Date: 01/23/2014 1940

Client: AECOM, Inc.

Job Number: 480-53733-1

General Chemistry

Client Sample ID: INFLUENT

Lab Sample ID: 480-53733-2
 Client Matrix: Water

Date Sampled: 01/21/2014 0730
 Date Received: 01/23/2014 0800

| Analyte | Result | Qual | Units | MDL | RL | Dil | Method |
|--------------------------------------|--------|------|-------|-----|-----|-----|--------|
| Total Petroleum Hydrocarbons (1664A) | ND | | mg/L | 1.9 | 5.0 | 1.0 | 1664A |

Analysis Batch: 480-163268 Analysis Date: 01/27/2014 0100
 Prep Batch: 480-163267 Prep Date: 01/27/2014 0100

| Analyte | Result | Qual | Units | RL | RL | Dil | Method |
|------------------------|--------|------|-------|-----|-----|-----|----------|
| Total Suspended Solids | 4.4 | | mg/L | 4.0 | 4.0 | 1.0 | SM 2540D |

Analysis Batch: 480-163198 Analysis Date: 01/24/2014 1621

| | | | | | | | |
|----|------|----|----|-------|-------|-----|--------------|
| pH | 8.21 | HF | SU | 0.100 | 0.100 | 1.0 | SM 4500 H+ B |
|----|------|----|----|-------|-------|-----|--------------|

Analysis Batch: 480-163039 Analysis Date: 01/23/2014 1943

Shipping and Receiving Documents

Chain of Custody Record

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

Temperature on Receipt _____

Drinking Water? Yes No

TAL-4124 (1007)

Client: **AECOM** Project Manager: **Dino Zack** Date: **1/21/14** Chain of Custody Number: **2633335**

Address: **100 Corporate Plaza Suite 341** Telephone Number (Area Code)/Fax Number: **716-836-4506 ext 15** Lab Number: **Buf** Page: **1** of **1**

City: **Amherst** State: **NY** Site Contact: **D. Zack** Lab Contact: **B. Fischer** Analysis (Attach list if more space is needed):

Project Name and Location (State): **Former South Avonlin IQ14, NY** Carrier/Waybill Number:

Contract/Purchase Order/Quote No.:

| Sample I.D. No. and Description (Containers for each sample may be combined on one line) | Date | Time | Matrix | | | Containers & Preservatives | | | | | Special Instructions/ Conditions of Receipt | | | | | | | | |
|---|---------|------|--------|---------|------|----------------------------|---------|-------|------|-----|--|------|-----------|--|--|--|--|--|--|
| | | | Air | Aqueous | Sed. | Soil | Unpres. | H2SO4 | HNO3 | HCl | | NaOH | ZnAc/NaOH | | | | | | |
| Influent | 1/21/14 | 0730 | X | | | | | Z | Z | 8 | | X | | | | | | | |
| Effluent | 1/21/14 | 0730 | X | | | | | Z | Z | 8 | | X | | | | | | | |
| Trip | 1/21/14 | 0730 | X | | | | | Z | | | | X | | | | | | | |

Possible Hazard Identification:
 Non-Hazard
 Flammable
 Skin Irritant
 Poison B
 Unknown

Sample Disposal:
 Return To Client
 Disposal By Lab
 Archive For _____ Months
 (A fee may be assessed if samples are retained longer than 1 month)

Turn Around Time Required:
 24 Hours
 48 Hours
 7 Days
 14 Days
 21 Days
 Other: **STD**

1. Relinquished By: **Dino Zack** Date: **1/21/14** Time: **1700hrs**
 J. Received By: [Signature] Date: **1/23/14** Time: **080**

2. Relinquished By: _____ Date: _____ Time: _____
 K. Received By: _____ Date: _____ Time: _____

3. Relinquished By: _____ Date: _____ Time: _____
 L. Received By: _____ Date: _____ Time: _____

Comments: **Please Composite Influent GRAS #1, 2, 3, 4 and Effluent GRAS #1, 2, 3, 4**

DISTRIBUTION: WHITE - Returned to Client with Report; CANARY - Stays with the Sample; PINK - Field Copy

Login Sample Receipt Checklist

Client: AECOM, Inc.

Job Number: 480-53733-1

Login Number: 53733
List Number: 1
Creator: Stau, Brandon M

List Source: TestAmerica Buffalo

| Question | Answer | Comment |
|--|--------|---------|
| Radioactivity either was not measured or, if measured, is at or below background | True | |
| The cooler's custody seal, if present, is intact. | True | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature is acceptable. | True | |
| Cooler Temperature is recorded. | True | |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| Is the Field Sampler's name present on COC? | True | |
| There are no discrepancies between the sample IDs on the containers and the COC. | True | |
| Samples are received within Holding Time. | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| Sample Preservation Verified | True | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | |
| VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter. | True | |
| If necessary, staff have been informed of any short hold time or quick TAT needs | True | |
| Multiphasic samples are not present. | True | |
| Samples do not require splitting or compositing. | True | |
| Sampling Company provided. | True | aecom |
| Samples received within 48 hours of sampling. | True | |
| Samples requiring field filtration have been filtered in the field. | N/A | |
| Chlorine Residual checked. | N/A | |