



Tyco
9 Roszel Road
Princeton, NJ 08540 USA

October 31, 2013

Ms. Laura Surdej
Erie County Department of Environment & Planning
Southtowns Sewage Treatment Plant
S-3690 Lakeshore Boulevard
Buffalo, New York 14219

RE: Fourth Quarter 2013 Discharge Monitoring Report
Scott Technologies, Inc., Groundwater Remediation Site, Lancaster, New York
NYSDEC Site 9-15-149
EC/BPDES Permit No. 11-03-E4045

Dear Ms. Surdej:

Scott Technologies, Inc. is pleased to provide you with the enclosed Fourth Quarter 2013 Discharge Monitoring Report for the Scott Technologies Groundwater Remediation Site located at AVOX Systems Inc., 25A Walter Winter Drive, Lancaster, New York 14086. This report is submitted in partial fulfillment of Erie County/Buffalo Pollution Discharge Elimination System (EC/BPDES) Permit No. 11-03-E4045, effective April 1, 2011.

Scott Technologies commissioned AECOM, with an office located in Amherst, New York, to perform the required EC/BPDES quarterly sampling during the month of October 2013 and to prepare the enclosed report with the results.

We certify under the penalty of law that this document and all attachments were prepared under our direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on our inquiry of the person or persons who manage the system or those directly responsible for gathering the information, the information submitted is, to the best of our knowledge and belief, true, accurate, and complete. We are aware that there are significant penalties for submitting false information, including the possibility of a fine and imprisonment for known violations. We will continue to monitor the influent and effluent of the active remediation system located at the Site on a quarterly basis. The next scheduled quarterly discharge monitoring report is due by February 28, 2014.

Ms. Laura Surdej
October 31, 2013
Page 2

If you have any questions regarding this submittal, please do not hesitate to contact me at the above address or srixman@tyco.com.

Very truly yours,
Scott Technologies, Inc.

A handwritten signature in blue ink that reads "Stuart I. Rixman". The signature is written in a cursive, flowing style.

Stuart I. Rixman
Manager, EHS Compliance Assurance & Remediation
Tyco International

\enclosures

cc: Mr. Dennis Young, Buffalo Sewer Authority (electronic copy sent by AECOM)
Mr. Glenn May, NYSDEC Region 9 (electronic copy sent by AECOM)
Ms. Deanna Ripstein, NYSDOH Western Region (electronic copy sent by AECOM)
Ms. Jennifer Davide, AVOX Systems Inc. (electronic copy sent by AECOM)
Mr. Joseph Janeczek, Tyco International (electronic copy)
Facility File, Lancaster, NY (hard copy sent by AECOM)

TABLE

**Scott Technologies, Inc. - Groundwater Remediation Site
Lancaster, New York**

EC/BPDES Permit No. 11-03-E4045

**Fourth Quarter 2013 Discharge Monitoring Report
Sample Date - October 9, 2013**

Parameter	Units	Discharge Limitations Daily Max	Calculated Daily Value	Within Limits?
pH (method 160.1)	SU	5 - 12	8.39	Y
Total Extractable Hydrocarbons (method 1664 SGT)	mg/L	100	< 4.0	Y
Total Suspended Solids (method 160.2)	mg/L	250	7.2	Y
<u>VOCs (ASP00 method 8260)</u>				
Methylene Chloride	lbs/day	0.12	< 0.000012	Y
1,1,1-Trichloroethane	lbs/day	0.09	< 0.000012	Y
Trichloroethylene	lbs/day	0.04	< 0.000012	Y
Total 1,2-DCE (cis-1,2-DCE and trans-1,2-DCE)	lbs/day	0.02	< 0.000012	Y
1,1-Dichloroethane	lbs/day	0.0025	< 0.000012	Y
Chloroethane	lbs/day	0.025	< 0.000012	Y
Toluene	lbs/day	0.004	< 0.000012	Y
Total Daily Flow (discharge meter reading)	gallons per day	14,000	1,494	Y

Notes:

- SU standard units
- mg/L milligrams per liter
- ug/L micrograms per liter
- lbs/day pounds per day
- J Indicates analyte result was reported as an estimated concentration.
- < (value) Indicates calculated concentration less than the reported value,
using effluent reporting limit as maximum possible concentration
- DPE system was not running during sample collection.

FIGURES





FIGURE 1
DUAL PHASE EXTRACTION SYSTEM
LOCATION MAP

FORMER SCOTT AVIATION FACILITY
LANCASTER, NEW YORK

60288479



*PER DISCHARGE PERMIT NO. 11-03-E4045



FIGURE 2
COMBINED DUAL PHASE EXTRACTION
REMEDATION SYSTEM FLOW DIAGRAM

FORMER SCOTT AVIATION FACILITY
LANCASTER, NEW YORK

60288479

DAILY FIELD LOG

DAILY FIELD LOG

AECOM

Project Scott Technologies, Inc., Groundwater Remediation Site, Lancaster, NY
Date 9-Oct-13
Weather Clear
Temperature Range 35 - 55 deg F
AECOM Personnel on Site Dino Zack
Time on Site 07:00 - 16:30 hrs

Air Stripper Totalizer Before Sampling	462,413 gallons	7:30 hrs
Air Stripper Totalizer After Sampling	463,281 gallons	15:30 hrs

Summary of Sample Activities

Time = 7:30 hrs

pH = 8

Fill 2, 40-ml vials (preserved with HCl) from influent sample tap. Fill 1, 1-L clear glass bottle (preserved with H₂SO₄) 1/4 full, from influent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from influent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from influent tap. Water quality is clear with slight odor (no sheen).

Fill 2, 40-ml vials (preserved with HCl) from effluent sample tap. Fill 1, 1-L clear glass bottle (preserved with H₂SO₄) 1/4 full, respectively, from effluent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Water quality is clear with no discernable odor or sheen.

Time = 10:00 hrs

pH = 8

Fill 2, 40-ml vials (preserved with HCl) from influent sample tap. Fill 1, 1-L clear glass bottle (preserved with H₂SO₄) 1/4 full, from influent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from influent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from influent tap. Water quality is clear with slight odor (no sheen).

Fill 2, 40-ml vials (preserved with HCl) from effluent sample tap. Fill 1, 1-L clear glass bottle (preserved with H₂SO₄) 1/4 full, respectively, from effluent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Water quality is clear with no discernable odor or sheen.

Time = 13:00 hrs

pH = 8

Fill 2, 40-ml vials (preserved with HCl) from influent sample tap. Fill 1, 1-L clear glass bottle (preserved with H₂SO₄) 1/4 full, from influent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from influent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from influent tap. Water quality is clear with slight odor (no sheen).

Fill 2, 40-ml vials (preserved with HCl) from effluent sample tap. Fill 1, 1-L clear glass bottle (preserved with H₂SO₄) 1/4 full, respectively, from effluent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Water quality is clear with no discernable odor or sheen.

Time = 15:30 hrs

pH = 8

Fill 2, 40-ml vials (preserved with HCl) from influent sample tap. Fill 1, 1-L clear glass bottle (preserved with H₂SO₄) 1/4 full, from influent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from influent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from influent tap. Water quality is clear with slight odor (no sheen).

Fill 2, 40-ml vials (preserved with HCl) from effluent sample tap. Fill 1, 1-L clear glass bottle (preserved with H₂SO₄) 1/4 full, respectively, from effluent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Water quality is clear with no discernable odor or sheen.

Comments

Only GWCT running at time of sample collection; DPE down for repairs.

Air sample collected on 10/9/13 at 07:50 hrs from AS effluent for TO-15 analysis.

Maintain samples at 4 degrees C. Hand deliver samples to TestAmerica Laboratories, Inc. (Amherst, NY) under COC on 10/10/13 for analysis. Request laboratory to composite 40-ml samples and analyze for VOCs (8260; TCL and STARS). Request laboratory to analyze influent and effluent samples for TEH (1664), TSS (160.2), and pH.

Signature:




Date: 9-Oct-13

LABORATORY REPORT

ANALYTICAL REPORT

Job Number: 480-47638-1
Job Description: Scott Aviation site
Sampling Event: Influent/Effluent analysis

For:
AECOM, Inc.
100 Corporate Parkway
Suite 341
Amherst, NY 14226
Attention: Mr. Dino Zack



Approved for release.
Joe V Giacomazza
Project Administrator
10/25/2013 12:24 PM

Designee for
Brian J Fischer, Project Manager II
10 Hazelwood Drive, Amherst, NY, 14228-2298
(716)504-9835
brian.fischer@testamericainc.com
10/25/2013

cc: Ms. Helen Jones

The test results in this report meet all NELAP requirements for analytes for which accreditation is required or available. Any exceptions to the NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory. All questions regarding this test report should be directed to the TestAmerica Project Manager who has signed this report. TestAmerica Buffalo NELAC Certifications: CADPH 01169CA, FLDOH E87672, ILEPA 200003, KSDOH E-10187, LADEQ 30708, MDH 036-999-337, NHELAP 2973, NJDEP NY455, NHDOH 10026, ORELAP NY200003, PADEP 68-00281, TXCEQ T-104704412-10-1

TestAmerica Laboratories, Inc.

TestAmerica Buffalo 10 Hazelwood Drive, Amherst, NY 14228-2298
Tel (716) 691-2600 Fax (716) 691-7991 www.testamericainc.com



Job Narrative
480-47638-1

Receipt

The samples were received on 10/10/2013 7:55 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 3.2° C.

GC/MS VOA

Method(s) 8260C: The following sample(s) was diluted to bring the concentration of target analytes within the calibration range: INFLUENT (480-47638-1). Elevated reporting limits (RLs) are provided.

Method(s) 8260C: The following sample(s) was composited by the laboratory on 10/21/2013 as requested on the chain-of-custody: EFFLUENT (480-47638-2), INFLUENT (480-47638-1).

No other analytical or quality issues were noted.

General Chemistry

Method(s) SM 4500 H+ B: This analysis is normally performed in the field and has a method-defined holding time of 15 minutes. The following sample(s) has been qualified with the "HF" flag to indicate analysis was performed in the laboratory outside the 15 minute timeframe: EFFLUENT (480-47638-2), INFLUENT (480-47638-1)

No other analytical or quality issues were noted.

SAMPLE SUMMARY

Client: AECOM, Inc.

Job Number: 480-47638-1

Lab Sample ID	Client Sample ID	Client Matrix	Date/Time Sampled	Date/Time Received
480-47638-1	INFLUENT	Water	10/09/2013 0730	10/10/2013 0755
480-47638-2	EFFLUENT	Water	10/09/2013 0730	10/10/2013 0755
480-47638-3TB	Trip Blank	Water	10/09/2013 0730	10/10/2013 0755

EXECUTIVE SUMMARY - Detections

Client: AECOM, Inc.

Job Number: 480-47638-1

Lab Sample ID	Client Sample ID	Result	Qualifier	Reporting Limit	Units	Method
Analyte						
<hr/>						
480-47638-1	INFLUENT					
1,1-Dichloroethane		3.1		2.0	ug/L	8260C
Chloroethane		28		2.0	ug/L	8260C
cis-1,2-Dichloroethene		170		2.0	ug/L	8260C
Trichloroethene		52		2.0	ug/L	8260C
Vinyl chloride		59		2.0	ug/L	8260C
pH		7.88	HF	0.100	SU	SM 4500 H+ B
480-47638-2	EFFLUENT					
Total Suspended Solids		7.2		4.0	mg/L	SM 2540D
pH		8.39	HF	0.100	SU	SM 4500 H+ B

METHOD SUMMARY

Client: AECOM, Inc.

Job Number: 480-47638-1

Description	Lab Location	Method	Preparation Method
Matrix: Water			
Volatile Organic Compounds by GC/MS	TAL BUF	SW846 8260C	
Purge and Trap	TAL BUF		SW846 5030C
HEM and SGT-HEM	TAL BUF	1664A 1664A	
HEM and SGT-HEM (SPE)	TAL BUF		1664A 1664A
Solids, Total Suspended (TSS)	TAL BUF	SM SM 2540D	
pH	TAL BUF	SM SM 4500 H+ B	

Lab References:

TAL BUF = TestAmerica Buffalo

Method References:

1664A = EPA-821-98-002

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

METHOD / ANALYST SUMMARY

Client: AECOM, Inc.

Job Number: 480-47638-1

Method	Analyst	Analyst ID
SW846 8260C	Cwiklinski, Charles D	CDC
1664A 1664A	Bubb, Richard M	RMB
SM SM 2540D	Sobol, Kevin	KS
SM SM 4500 H+ B	Sobol, Kevin	KS

Analytical Data

Client: AECOM, Inc.

Job Number: 480-47638-1

Client Sample ID: INFLUENT

Lab Sample ID: 480-47638-1

Date Sampled: 10/09/2013 0730

Client Matrix: Water

Date Received: 10/10/2013 0755

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	480-146239	Instrument ID:	HP5975D
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	D6715.D
Dilution:	2.0			Initial Weight/Volume:	5 mL
Analysis Date:	10/21/2013 1423			Final Weight/Volume:	5 mL
Prep Date:	10/21/2013 1423				

Analyte	Result (ug/L)	Qualifier	MDL	RL
1,1,1-Trichloroethane	ND		1.6	2.0
1,1,2,2-Tetrachloroethane	ND		0.42	2.0
1,1,2-Trichloroethane	ND		0.46	2.0
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		0.62	2.0
1,1-Dichloroethane	3.1		0.76	2.0
1,1-Dichloroethene	ND		0.58	2.0
1,2,4-Trichlorobenzene	ND		0.82	2.0
1,2-Dibromo-3-Chloropropane	ND		0.78	2.0
1,2-Dibromoethane	ND		1.5	2.0
1,2-Dichlorobenzene	ND		1.6	2.0
1,2-Dichloroethane	ND		0.42	2.0
1,2-Dichloropropane	ND		1.4	2.0
1,3-Dichlorobenzene	ND		1.6	2.0
1,4-Dichlorobenzene	ND		1.7	2.0
2-Hexanone	ND		2.5	10
2-Butanone (MEK)	ND		2.6	20
4-Methyl-2-pentanone (MIBK)	ND		4.2	10
Acetone	ND		6.0	20
Benzene	ND		0.82	2.0
Bromodichloromethane	ND		0.78	2.0
Bromoform	ND		0.52	2.0
Bromomethane	ND		1.4	2.0
Carbon disulfide	ND		0.38	2.0
Carbon tetrachloride	ND		0.54	2.0
Chlorobenzene	ND		1.5	2.0
Dibromochloromethane	ND		0.64	2.0
Chloroethane	28		0.64	2.0
Chloroform	ND		0.68	2.0
Chloromethane	ND		0.70	2.0
cis-1,2-Dichloroethene	170		1.6	2.0
cis-1,3-Dichloropropene	ND		0.72	2.0
Cyclohexane	ND		0.36	2.0
Dichlorodifluoromethane	ND		1.4	2.0
Ethylbenzene	ND		1.5	2.0
Isopropylbenzene	ND		1.6	2.0
Methyl acetate	ND		1.0	2.0
Methyl tert-butyl ether	ND		0.32	2.0
Methylcyclohexane	ND		0.32	2.0
Methylene Chloride	ND		0.88	2.0
Styrene	ND		1.5	2.0
Tetrachloroethene	ND		0.72	2.0
Toluene	ND		1.0	2.0
trans-1,2-Dichloroethene	ND		1.8	2.0
trans-1,3-Dichloropropene	ND		0.74	2.0
Trichloroethene	52		0.92	2.0
Trichlorofluoromethane	ND		1.8	2.0

Analytical Data

Client: AECOM, Inc.

Job Number: 480-47638-1

Client Sample ID: INFLUENT

Lab Sample ID: 480-47638-1

Date Sampled: 10/09/2013 0730

Client Matrix: Water

Date Received: 10/10/2013 0755

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	480-146239	Instrument ID:	HP5975D
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	D6715.D
Dilution:	2.0			Initial Weight/Volume:	5 mL
Analysis Date:	10/21/2013 1423			Final Weight/Volume:	5 mL
Prep Date:	10/21/2013 1423				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Vinyl chloride	59		1.8	2.0
Xylenes, Total	ND		1.3	4.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	109		66 - 137
Toluene-d8 (Surr)	107		71 - 126
4-Bromofluorobenzene (Surr)	103		73 - 120

Analytical Data

Client: AECOM, Inc.

Job Number: 480-47638-1

Client Sample ID: EFFLUENT

Lab Sample ID: 480-47638-2

Date Sampled: 10/09/2013 0730

Client Matrix: Water

Date Received: 10/10/2013 0755

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	480-146239	Instrument ID:	HP5975D
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	D6716.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Analysis Date:	10/21/2013 1444			Final Weight/Volume:	5 mL
Prep Date:	10/21/2013 1444				

Analyte	Result (ug/L)	Qualifier	MDL	RL
1,1,1-Trichloroethane	ND		0.82	1.0
1,1,2,2-Tetrachloroethane	ND		0.21	1.0
1,1,2-Trichloroethane	ND		0.23	1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		0.31	1.0
1,1-Dichloroethane	ND		0.38	1.0
1,1-Dichloroethene	ND		0.29	1.0
1,2,4-Trichlorobenzene	ND		0.41	1.0
1,2-Dibromo-3-Chloropropane	ND		0.39	1.0
1,2-Dibromoethane	ND		0.73	1.0
1,2-Dichlorobenzene	ND		0.79	1.0
1,2-Dichloroethane	ND		0.21	1.0
1,2-Dichloropropane	ND		0.72	1.0
1,3-Dichlorobenzene	ND		0.78	1.0
1,4-Dichlorobenzene	ND		0.84	1.0
2-Hexanone	ND		1.2	5.0
2-Butanone (MEK)	ND		1.3	10
4-Methyl-2-pentanone (MIBK)	ND		2.1	5.0
Acetone	ND		3.0	10
Benzene	ND		0.41	1.0
Bromodichloromethane	ND		0.39	1.0
Bromoform	ND		0.26	1.0
Bromomethane	ND		0.69	1.0
Carbon disulfide	ND		0.19	1.0
Carbon tetrachloride	ND		0.27	1.0
Chlorobenzene	ND		0.75	1.0
Dibromochloromethane	ND		0.32	1.0
Chloroethane	ND		0.32	1.0
Chloroform	ND		0.34	1.0
Chloromethane	ND		0.35	1.0
cis-1,2-Dichloroethene	ND		0.81	1.0
cis-1,3-Dichloropropene	ND		0.36	1.0
Cyclohexane	ND		0.18	1.0
Dichlorodifluoromethane	ND		0.68	1.0
Ethylbenzene	ND		0.74	1.0
Isopropylbenzene	ND		0.79	1.0
Methyl acetate	ND		0.50	1.0
Methyl tert-butyl ether	ND		0.16	1.0
Methylcyclohexane	ND		0.16	1.0
Methylene Chloride	ND		0.44	1.0
Styrene	ND		0.73	1.0
Tetrachloroethene	ND		0.36	1.0
Toluene	ND		0.51	1.0
trans-1,2-Dichloroethene	ND		0.90	1.0
trans-1,3-Dichloropropene	ND		0.37	1.0
Trichloroethene	ND		0.46	1.0
Trichlorofluoromethane	ND		0.88	1.0

Analytical Data

Client: AECOM, Inc.

Job Number: 480-47638-1

Client Sample ID: EFFLUENT

Lab Sample ID: 480-47638-2

Date Sampled: 10/09/2013 0730

Client Matrix: Water

Date Received: 10/10/2013 0755

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	480-146239	Instrument ID:	HP5975D
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	D6716.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Analysis Date:	10/21/2013 1444			Final Weight/Volume:	5 mL
Prep Date:	10/21/2013 1444				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Vinyl chloride	ND		0.90	1.0
Xylenes, Total	ND		0.66	2.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	104		66 - 137
Toluene-d8 (Surr)	100		71 - 126
4-Bromofluorobenzene (Surr)	100		73 - 120

Analytical Data

Client: AECOM, Inc.

Job Number: 480-47638-1

Client Sample ID: Trip Blank

Lab Sample ID: 480-47638-3TB

Date Sampled: 10/09/2013 0730

Client Matrix: Water

Date Received: 10/10/2013 0755

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	480-146239	Instrument ID:	HP5975D
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	D6717.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Analysis Date:	10/21/2013 1505			Final Weight/Volume:	5 mL
Prep Date:	10/21/2013 1505				

Analyte	Result (ug/L)	Qualifier	MDL	RL
1,1,1-Trichloroethane	ND		0.82	1.0
1,1,2,2-Tetrachloroethane	ND		0.21	1.0
1,1,2-Trichloroethane	ND		0.23	1.0
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		0.31	1.0
1,1-Dichloroethane	ND		0.38	1.0
1,1-Dichloroethene	ND		0.29	1.0
1,2,4-Trichlorobenzene	ND		0.41	1.0
1,2-Dibromo-3-Chloropropane	ND		0.39	1.0
1,2-Dibromoethane	ND		0.73	1.0
1,2-Dichlorobenzene	ND		0.79	1.0
1,2-Dichloroethane	ND		0.21	1.0
1,2-Dichloropropane	ND		0.72	1.0
1,3-Dichlorobenzene	ND		0.78	1.0
1,4-Dichlorobenzene	ND		0.84	1.0
2-Hexanone	ND		1.2	5.0
2-Butanone (MEK)	ND		1.3	10
4-Methyl-2-pentanone (MIBK)	ND		2.1	5.0
Acetone	ND		3.0	10
Benzene	ND		0.41	1.0
Bromodichloromethane	ND		0.39	1.0
Bromoform	ND		0.26	1.0
Bromomethane	ND		0.69	1.0
Carbon disulfide	ND		0.19	1.0
Carbon tetrachloride	ND		0.27	1.0
Chlorobenzene	ND		0.75	1.0
Dibromochloromethane	ND		0.32	1.0
Chloroethane	ND		0.32	1.0
Chloroform	ND		0.34	1.0
Chloromethane	ND		0.35	1.0
cis-1,2-Dichloroethene	ND		0.81	1.0
cis-1,3-Dichloropropene	ND		0.36	1.0
Cyclohexane	ND		0.18	1.0
Dichlorodifluoromethane	ND		0.68	1.0
Ethylbenzene	ND		0.74	1.0
Isopropylbenzene	ND		0.79	1.0
Methyl acetate	ND		0.50	1.0
Methyl tert-butyl ether	ND		0.16	1.0
Methylcyclohexane	ND		0.16	1.0
Methylene Chloride	ND		0.44	1.0
Styrene	ND		0.73	1.0
Tetrachloroethene	ND		0.36	1.0
Toluene	ND		0.51	1.0
trans-1,2-Dichloroethene	ND		0.90	1.0
trans-1,3-Dichloropropene	ND		0.37	1.0
Trichloroethene	ND		0.46	1.0
Trichlorofluoromethane	ND		0.88	1.0

Analytical Data

Client: AECOM, Inc.

Job Number: 480-47638-1

Client Sample ID: Trip Blank

Lab Sample ID: 480-47638-3TB

Date Sampled: 10/09/2013 0730

Client Matrix: Water

Date Received: 10/10/2013 0755

8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	480-146239	Instrument ID:	HP5975D
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	D6717.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Analysis Date:	10/21/2013 1505			Final Weight/Volume:	5 mL
Prep Date:	10/21/2013 1505				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Vinyl chloride	ND		0.90	1.0
Xylenes, Total	ND		0.66	2.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	102		66 - 137
Toluene-d8 (Surr)	102		71 - 126
4-Bromofluorobenzene (Surr)	101		73 - 120

Analytical Data

Client: AECOM, Inc.

Job Number: 480-47638-1

General Chemistry**Client Sample ID: INFLUENT**

Lab Sample ID: 480-47638-1

Date Sampled: 10/09/2013 0730

Client Matrix: Water

Date Received: 10/10/2013 0755

Analyte	Result	Qual	Units	MDL	RL	Dil	Method
Total Petroleum Hydrocarbons (1664A)	ND		mg/L	1.9	4.9	1.0	1664A

Analysis Batch: 480-146774

Analysis Date: 10/23/2013 0159

Prep Batch: 480-146772

Prep Date: 10/23/2013 0159

Analyte	Result	Qual	Units	RL	RL	Dil	Method
Total Suspended Solids	ND		mg/L	4.0	4.0	1.0	SM 2540D

Analysis Batch: 480-144103

Analysis Date: 10/10/2013 1732

pH

7.88

HF

SU

0.100

0.100

1.0

SM 4500 H+ B

Analysis Batch: 480-144181

Analysis Date: 10/11/2013 0214

Analytical Data

Client: AECOM, Inc.

Job Number: 480-47638-1

General Chemistry**Client Sample ID: EFFLUENT**

Lab Sample ID: 480-47638-2

Date Sampled: 10/09/2013 0730

Client Matrix: Water

Date Received: 10/10/2013 0755

Analyte	Result	Qual	Units	MDL	RL	Dil	Method
Total Petroleum Hydrocarbons (1664A)	ND		mg/L	1.9	5.0	1.0	1664A

Analysis Batch: 480-146774

Analysis Date: 10/23/2013 0159

Prep Batch: 480-146772

Prep Date: 10/23/2013 0159

Analyte	Result	Qual	Units	RL	RL	Dil	Method
Total Suspended Solids	7.2		mg/L	4.0	4.0	1.0	SM 2540D

Analysis Batch: 480-144103

Analysis Date: 10/10/2013 1734

pH	8.39	HF	SU	0.100	0.100	1.0	SM 4500 H+ B
----	------	----	----	-------	-------	-----	--------------

Analysis Batch: 480-144181

Analysis Date: 10/11/2013 0203

Temperature on Receipt _____

Drinking Water? Yes ☐ No ☒

THE LEADER IN ENVIRONMENTAL TESTING

TAL-4124 (1007)

[illegible]

Comments

DISTRIBUTION: WHITE - Returned to Client with Report; CANARY - Stays with the Sample; PINK - Field Copy

3.2#1

Login Sample Receipt Checklist

Client: AECOM, Inc.

Job Number: 480-47638-1

Login Number: 47638

List Source: TestAmerica Buffalo

List Number: 1

Creator: Robison, Zachary J

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Sampling Company provided.	True	AECOM
Samples received within 48 hours of sampling.	True	
Samples requiring field filtration have been filtered in the field.	N/A	
Chlorine Residual checked.	N/A	