



AECOM
257 West Genesee Street, Suite 400
Buffalo, New York 14202

716-856-5636 tel
716-856-2545 fax

August 12, 2015

Mr. Glenn May
New York State Department of Environmental Conservation, Region 9
270 Michigan Avenue
Buffalo, NY 14203-2999

Subject: **Third Quarter 2015 Groundwater Monitoring Report (4/7/15 – 7/24/15)**
July 2015 Sampling Event
Former Scott Aviation Facility – West of Plant 2
Lancaster, New York
NYSDEC Site Code No. 9-15-149

Dear Mr. May:

On behalf of Scott Figgie LLC (successor to Scott Technologies, Inc.), AECOM Technical Services, Inc. (AECOM) is pleased to provide this Third Quarter 2015 Groundwater Monitoring Report for the former Scott Aviation Facility – West of Plant 2 area (site) located in Lancaster, New York (**Figure 1**). Quarterly groundwater monitoring activities have been performed in accordance with the New York State Department of Environmental Conservation (NYSDEC) Administrative Order on Consent (AOC), Index No. B9-0377095-05, for the former Scott Aviation property (formerly Figgie International), NYSDEC Site Code No. 9-15-149. This report has been developed in accordance with the NYSDEC Division of Environmental Remediation, DER-10 Technical Guidance for Site Investigation and Remediation, dated May 3, 2010.

Groundwater samples were collected from select monitoring wells in fulfillment of the site AOC groundwater monitoring requirements. A new monitoring schedule was implemented based on Table 10 presented in the Periodic Review Report (PRR) (April 7, 2014 through April 7, 2015), dated July 2015, and the wells sampled during this groundwater monitoring event reflect this schedule (with the addition of wells for monitoring the performance of the November 2014 injection pilot study as discussed below). Additionally, a vapor sample was collected from the air stripper discharge sampling port as part of the July 2015 sampling event, to ensure that the treated system effluent was in compliance with NYSDEC vapor discharge guidance criteria. Included in this report are a description of the project background, groundwater and vapor monitoring activities, operation and maintenance (O&M) activities for the groundwater dual phase extraction (DPE) remediation system, and a summary of groundwater quality and vapor effluent results.

Project Background

Scott Aviation, Inc. was sold to Zodiac Acquisitions Corporation in 2004, and the facility is now occupied by AVOX Systems Inc. (AVOX). Responsibility for the DPE groundwater remediation system located at 25A Walter Winter Drive, west of AVOX Plant 2, was retained by Scott Technologies, Inc., the former parent company of Scott Aviation, Inc. Due to an organizational change, Scott Figgie LLC has replaced Scott Technologies, Inc. as the entity responsible for the remediation of the subject site. Scott Figgie has retained the services of AECOM for the ongoing O&M of the DPE remediation system and related groundwater monitoring activities.

AECOM conducted a site investigation during February 2003 in fulfillment of the document "Site Investigation Work Plan" dated December 31, 2002 (NYSDEC approval dated January 15, 2003). A comprehensive "Site Investigation Completion Report" (SICR) was submitted to NYSDEC on June 30, 2003; the report was approved by NYSDEC in August 2003. At the request of NYSDEC, AECOM prepared a "Remedial Design Work Plan" (RDWP) to complete the additional remedial work recommended in the SICR. The RDWP was submitted to NYSDEC on November 21, 2003, and the document was approved by NYSDEC on January 5, 2004.

Per the approved RDWP, a DPE remediation system was installed at the site during the period February 2004 through May 2004, and the DPE system was initially started on May 14, 2004. The DPE system was combined with a pre-existing groundwater collection trench (GWCT) system that was started on March 1, 1996.

The objectives for this combined remediation system (collectively known as the combined DPE remediation system) include:

- Maintaining hydraulic capture of groundwater containing dissolved volatile organic compounds (VOCs) along the western Plant 2 property boundary;
- Inducing a depression in the water table surface and reversing the groundwater flow direction along the western Plant 2 property boundary; and,
- Reducing VOC concentrations in perched groundwater and soil.

Figure 2 depicts the location of site groundwater monitoring wells and piezometers, DPE recovery wells and system piping, enclosed DPE system trailer, and pre-existing GWCT and treatment building. **Figure 3** provides the process and instrumentation diagram for the combined DPE remediation system.

At the conclusion of the initial one-year O&M period (May 14, 2004 to July 19, 2005), a "Remedial Action Engineering Report" (RAER) was prepared to summarize the combined DPE remediation system as-built design, combined DPE remediation system start-up, O&M activities, and quarterly monitoring data, and to provide recommendations for continued system operation, system optimization, sampling frequency, and O&M. The 2005 RAER was submitted to NYSDEC on November 11, 2005. In a letter dated December 13, 2005, NYSDEC accepted the 2005 RAER and requested that site monitoring wells MW-4, MW-8R, and MW-16S be added to the quarterly site sampling schedule.

The second year of combined DPE groundwater remediation system operation was summarized in the 2006 RAER (July 20, 2005 through July 20, 2006) and was submitted to NYSDEC in November 2006. The third year of combined DPE groundwater remediation system operation was summarized in the 2007 RAER (July 21, 2006 through October 15, 2007) and was submitted to NYSDEC in January 2008. The fourth year of combined DPE groundwater remediation system operation was summarized in the 2008 RAER (October 15, 2007 through January 22, 2009) and was submitted to NYSDEC in April 2009. The fifth year of combined DPE groundwater remediation system operation was summarized in the 2009 RAER (January 22, 2009 through April 8, 2010) and was submitted to NYSDEC in June 2010.

Per a letter from NYSDEC dated August 16, 2010, an Institutional Controls/Engineering Controls (IC/EC) certification will, as of that correspondence, be required for the site each calendar year, and it is to include four quarters of groundwater sampling based on the attached **Table 1** (Table 1 is updated quarterly; the attached Table 1 presents the groundwater monitoring schedule for the site from October 2015 through July 2016). The August 2010 NYSDEC letter also stated that, as of that correspondence, the RAER should be revised into a PRR. Therefore, the sixth year of combined

DPE groundwater remediation system operation was summarized in a PRR (April 8, 2010 through April 7, 2011) and submitted to NYSDEC in June 2011. The seventh year of combined DPE groundwater remediation system operation was summarized in a PRR (April 7, 2011 through April 3, 2012) and submitted to NYSDEC in May 2012. The eighth year of combined DPE groundwater remediation system operation was summarized in a PRR (April 3, 2012 through April 3, 2013) and submitted to NYSDEC in July 2013. The ninth year of combined DPE groundwater remediation system operation was summarized in a PRR (April 3, 2013 through April 7, 2014) and submitted to NYSDEC in July 2014. During the past year, the tenth PRR (April 7, 2014 through April 7, 2015) was completed and submitted to NYSDEC on July 30, 2015. An IC/EC certification was included with each PRR with the exception of the most recent PRR; NYSDEC informed AECOM via email on July 22, 2015, that an IC/EC was not auto-generated and to submit the tenth PRR without an EC/IC certification.

Quarterly Groundwater Monitoring Activities – July 2015

AECOM personnel collected quarterly groundwater samples on July 22-24, 2015, in accordance with the procedures outlined in the NYSDEC-approved November 2003 RDWP and the August 2010 letter. Monitoring wells sampled in July 2015 included MW-2, MW-3, MW-4, MW-6, MW-8R, MW-10, MW-11, MW-13S, MW-13D, MW-16S, and MW-16D (**Figure 2**). Note: the GWCT manhole and five DPE wells were also sampled and included DPE-3, DPE-4, DPE-5, DPE-7, and DPE-8. Field forms generated during this sampling event are provided in **Appendix A**. Groundwater samples were analyzed for VOCs by TestAmerica Laboratories, Inc. (Amherst, New York) using United States Environmental Protection Agency (EPA) SW-846 Method 8260C.

Prior to the collection of groundwater samples, a complete round of groundwater levels was measured in all site wells and piezometers. **Table 2** provides a summary of groundwater elevations measured on July 22, 2015. A summary of current and historical groundwater levels and corresponding elevations and hydrographs for each monitoring well and nested piezometer pair is provided in **Appendix B**. Monitoring wells MW-2, MW-3, MW-4, MW-6, MW-8R, MW-9, MW-10, and MW-11, and MW-12 are screened across both the shallow and deep overburden groundwater zones. The nested piezometer pairs (MW-13S/D, MW-14S/D, MW-15S/D, and MW-16S/D) are discretely screened with one piezometer screened in the shallow overburden groundwater zone ('S' designation) and one piezometer screened in the deep overburden groundwater zone ('D' designation). **Figure 4** provides the groundwater surface contours and the corresponding groundwater flow direction using monitoring well and deep piezometer water elevation data collected on July 22, 2015.

Groundwater elevations measured on July 22, 2015 ranged from 686.38 feet above mean sea level (AMSL) at MW-15S to 677.20 feet AMSL at MW-14D. The average groundwater surface elevation across the site was 0.8 feet higher when compared to the prior round of groundwater elevation measurements collected in April 2015. The DPE system was not running during the July 2015 sampling event or during the three months prior to that event. Based on the July 2015 water level measurements, the groundwater surface beneath the site exhibits inward flow towards the GWCT. As **Figure 4** illustrates, the GWCT induces groundwater flow reversal along the western AVOX Plant 2 property boundary. This reversal in groundwater flow provides hydraulic capture of VOCs present in the overburden groundwater that might otherwise migrate off-site.

Groundwater Quality Results – July 2015

Table 3 summarizes VOC data for groundwater samples collected in July 2015 from the monitoring wells, nested piezometer pairs, DPE wells, and GWCT. The table below summarizes VOCs detected in groundwater above their detection limits, their respective concentration ranges, the number of detections, and the number of those detections that exceeded the site-specific Remedial

Action Objectives (RAOs) or the New York Code of Rules and Regulations (NYCRR), Title 6, Parts 702.15(a)(2) and 703.5. Note that in some cases the detection limits for certain VOCs were set above their respective RAO's due to dilution factors (high concentration of target analyte[s]).

Groundwater Quality Results July 2015

VOCs Detected in Groundwater	Concentration Range (micrograms per liter)	Number of Detections	RAO/NYCRR Exceedances
Vinyl Chloride	2.5 – 26,000	14	13
cis-1,2-Dichloroethene	1.1 – 240,000	13	11
Methylene Chloride	0.99 – 5,200	12	10
Acetone	3.8 – 2,700	12	7
1,1-Dichloroethane	1.3 – 2,000	11	9
2-Butanone (MEK)	2.4 – 3,600	9	8
Chloroethane	1 - 340	9	7
1,1-Dichloroethene	3.1 – 1,500	6	5
Trichloroethene	2 – 5,100	4	3
Toluene	0.96 - 28	4	3
trans-1,2-Dichloroethene	6.1 - 36	3	3
1,2-Dichloroethane	0.24 – 2.2	3	2
1,1,1-Trichloroethane	57	1	1
Chloroform	34	1	1
Carbon Disulfide	3.4	1	0
Benzene	0.85	1	0

Sixteen VOCs were detected in groundwater above their associated detection limit during the monitoring period. Fourteen of the 16 VOCs detected exceeded either the site-specific RAOs for groundwater or the NYCRR criteria; note that two laboratory cleaning compounds, acetone and methylene chloride, were detected in 12 of the 14 samples. The occurrences of COCs were detected primarily in the vicinity of the former on-site source area, and VOC concentrations decrease significantly in the vicinity of the perimeter monitoring wells.

An electronic copy of the analytical laboratory data package for the July 2015 groundwater monitoring event is provided in **Appendix C**. A complete hard copy of the analytical data report can be made available to NYSDEC upon request.

The presence and distribution of trichloroethene (TCE) daughter products cis-1,2-dichlorethane (cis-1,2-DCE) and vinyl chloride (VC), and 1,1,1-trichloroethane (1,1,1-TCA) daughter products 1,1-dichlorethane (1,1-DCA) and chloroethane, provides supportive evidence that the attenuation of TCE and 1,1,1-TCA and its daughter products continues to occur on the site, via reductive dechlorination. The occurrence of these daughter products appears to be directly related to the distribution of TCE and 1,1,1-TCA in the subsurface. In addition, the large drop in TCE concentration between second quarter 2015 and the current reporting period can be attributed to the injection pilot test performed in November 2014 and in April/May 2015 using the injectate Anaerobic BioChem and zero valent iron (ABC+®) (refer to the approved 2014 Injection Pilot Test Work Plan dated November 6, 2014 and approved 2015 addendum to the 2014 Injection Pilot Test Work Plan dated April 28, 2015 for details of the injection).

Historical trend plots for the wells sampled during this quarter for concentrations of TCE, cis-1,2-DCE, VC, 1,1,1-TCA, 1,1-DCA, and chloroethane are provided in **Appendix D**. As stated above, the VOC concentrations in groundwater continue to show a degradation trend as a result of naturally occurring reductive dechlorination processes, and as a result of the injection pilot test. Additionally, historical concentrations of VOCs in soil vapor and groundwater are also decreasing as a result of extraction and treatment through the combined DPE remediation system. Because TCE is considered the primary source of groundwater contamination at the site, a summary of historical and current TCE concentrations in groundwater for the nine monitoring wells and piezometers sampled in July 2015 is included in **Table 4**. Recall that the DPE component of the combined remediation system was started May 14, 2004 and the injection of ABC+® occurred in November 2014 and April/May 2015. In addition, a chemical oxidation injection pilot test was performed between July and October 2010, and a second series of chemical oxidation injections was performed between June and October 2011.

During this quarterly groundwater monitoring period, and consistent with previous monitoring periods, TCE was not detected above its RAO in site perimeter monitoring wells MW-2, MW-3, MW-6, MW-10, MW-11 and MW-12.

Table 4 shows a summary of historical and current TCE concentrations. Based on the July 2015 groundwater data, there were decreases in TCE concentration at the four monitoring wells located in the center of the plume from the previous time these wells were sampled (i.e., April 2015). It is important to note that the November 2014 injections were centered on MW-4 and MW-8R while the April/May 2015 injections included an expanded area which also included MW-13S/D and MW-16S/D. Overall, decreases in TCE concentrations observed since the combined DPE groundwater remediation system was installed in May 2004 indicates the system continues to reduce VOC concentrations in overburden groundwater and soil at the site.

Quarterly Combined DPE Remediation System Vapor Effluent Monitoring Activities – July 2015

AECOM personnel collected vapor effluent samples from the combined groundwater remediation system vapor discharge stacks on July 22, 2015. Note the DPE system was not operational during this sampling event due to the May 2015 injection pilot test and, therefore, a vapor sample was not collected from the liquid ring pump (LRP) effluent stack. A Summa canister was used to collect the vapor sample from the permanent sample port located on the air stripper (AS) discharge stack. **Figure 3** shows the location of the vapor sample ports. The vapor sample was analyzed for VOCs using EPA Method TO-15 by TestAmerica Laboratories, Inc., Burlington, Vermont.

Combined DPE Remediation System Effluent Monitoring Results – July 2015

The system vapor effluent results are summarized in **Table 5**, and an electronic copy of the analytical laboratory data package is provided on the enclosed CD in **Appendix C** (complete hard copy available in AECOM's Buffalo, New York office). Fourteen VOCs were detected in the AS unit effluent. The total VOCs discharged were 56 micrograms per cubic meter in the AS unit effluent. The calculated VOC discharge-loading rate for the combined DPE remediation system was approximately 0.00004 pounds per hour (lb/hr), which is below the NYSDEC discharge guidance value of 0.5 lb/hr.

Combined DPE Remediation System Operation and Maintenance

During the reporting period, AECOM monitored system performance, conducted routine O&M, and responded to system alarms and periodic breakdowns of the combined DPE remediation system.

O&M activities conducted in addition to routine O&M activities during the monitoring period included the following:

- AECOM and AECOM's subcontractor Matrix Environmental Technologies, Inc. (Matrix) with Redox Tech, LLC performed a second phase of a groundwater pilot injection test between April 29, 2015 and May 4, 2015; 21 injection points were completed during the second phase.
- During the week of May 25, 2015, AECOM and Matrix completed restoration of the swale and lawn area following the second phase of the pilot study injection. In addition, Matrix repaired three monitoring wells (MW-6, MW-10, and MW-16S/D), decommissioned 10 injection wells (installed for the 2010 injection), and repaired the header piping at DPE-8.
- On June 19, 2015, Matrix disassembled and cleaned the air stripper and totalizer.

The DPE remediation system was intentionally left off throughout the monitoring period due to the April/May 2015 injection pilot test; the GWCT remained operational. Based on a system operational period from April 7, 2015 (second quarter groundwater sampling event) to July 22, 2015, the total combined DPE system runtime was 0 percent. Note: the GWCT runtime was approximately 100% during this period. During this operational period, the estimated total volume of groundwater treated and discharged by the AS unit to the local sanitary sewer was 130,640 gallons at an average flow rate of 0.85 gallons per minute.

Summary


Although the DPE system was down to accommodate the April/May 2015 injection pilot test, the GWCT was fully operational during Third Quarter 2015 groundwater sampling and monitoring activities that occurred on July 22-24, 2015. TCE was not detected above its RAO in site perimeter monitoring wells MW-2, MW-3, MW-6, MW-10, and MW-11. Since January 2015, very significant reductions in TCE concentrations have been measured at MW-4, MW-8R, MW-13S, and MW-16S.

Based on the results of the July 2015 sampling event, the GWCT continues to maintain hydraulic capture of the overburden groundwater. In addition, the system continues to make progress towards the reduction of the concentration of VOCs present in site soil and groundwater. Vapor emissions produced by the system during the Third Quarter 2015 were less than the NYSDEC discharge guidance value of 0.5 lb/hr.

The next monitoring event is scheduled for October 2015; a list of the monitoring wells and piezometers to be sampled is included in **Table 1**.

If you have any questions regarding this submission, please do not hesitate to contact me at (716) 923-1125 or via e-mail at dino.zack@aecom.com.

Yours sincerely,



Dino L. Zack, P.G.
Project Manager
dino.zack@aecom.com

\Enclosures

cc: Joseph Janeczek, Tyco International (Electronic Copy)
Stuart Rixman, GSF Management Company LLC (Electronic copy)
Troy Chute, GSF Management Company LLC (Electronic copy)
Jennifer Davide, AVOX Systems Inc. (Electronic Copy)
AECOM Project File (Electronic Copy)



TABLES

Table 1

Groundwater Monitoring Schedule - October 2015 through July 2016
Former Scott Aviation Facility
NYSDEC Site Code No. 9-15-149
Lancaster, New York

Event Date (Frequency)	Number of Wells/Piezometers Sampled	Wells/Piezometers Sampled				
October 2015 (Quarterly)	10	MW-2 MW-8R MW-13S DPT-3 DPT-8	MW-3 MW-10 MW-13D DPT-4	MW-4 MW-11 MW-16S DPT-5	MW-6 MW-12 MW-16D DPT-7	
January 2016 (Quarterly)	10	MW-2 MW-8R MW-13S	MW-3 MW-10 MW-16S	MW-4 MW-11	MW-6 MW-12	
April 2016 (Annual)	17	MW-2 MW-8R MW-12 MW-14D MW-16D	MW-3 MW-9 MW-13S MW-15S	MW-4 MW-10 MW-13D MW-15D	MW-6 MW-11 MW-14S MW-16S	
July 2016 (Quarterly)	10	MW-2 MW-8R MW-13S	MW-3 MW-10 MW-16S	MW-4 MW-11	MW-6 MW-12	

Notes:

Groundwater monitoring schedule revised per NYSDEC-approved addendum to the 2014 Injection Pilot Test Work Plan (AECOM, April 28, 2015).

Table 2

Quarterly Groundwater Monitoring Water Level Data - July 22, 2015
Former Scott Aviation Facility
NYSDEC Site Code No. 9-15-149
Lancaster, New York

Monitoring Point Identification	Top of Casing Elevation (feet AMSL)	Depth to Water (feet from TOC)	Ground Water Elevation (feet AMSL)
Monitoring Wells			
MW-2	690.35	6.19	684.16
MW-3	687.02	7.98	679.04
MW-4	686.42	7.55	678.87
MW-6	686.53	7.28	679.25
MW-8R	686.21	8.22	677.99
MW-9	688.64	10.72	677.92
MW-10	687.41	6.84	680.57
MW-11	688.65	8.49	680.16
MW-12	686.15	4.82	681.33
Nested Piezometers			
MW-13S	686.60	7.97	678.63
MW-13D	686.73	7.44	679.29
MW-14S	685.70	3.59	682.11
MW-14D	685.82	8.62	677.20
MW-15S	687.52	1.14	686.38
MW-15D	687.62	9.92	677.70
MW-16S	688.75	10.14	678.61
MW-16D	688.78	9.80	678.98
Remedial System			
GWCT Manhole (rim)	687.19	14.47	672.72

Notes:

TOC - Top of Casing

AMSL - Above Mean Sea Level

Table 3

Summary of July 2015 Analytical Data
Former Scott Aviation Facility
NYSDEC Site Code No. 9-15-149
Lancaster, New York

Sample ID	Groundwater	MW-2	MW-3	MW-4	MW-6	MW-8R	MW-10	MW-11	MW-12	MW-13S
Date Collected	RAO/ NYCCR	07/22/15	07/22/15	07/23/15	07/23/15	07/23/15	07/23/15	07/22/15	07/23/15	07/23/15
Lab Sample ID	Objective	480-84562-1	480-84562-2	480-84562-3	480-84562-4	480-84562-13	480-84562-5	480-84562-6	480-84562-7	480-84562-12
Volatile Organic Compounds by Method 8260 ($\mu\text{g/L}$)										
1,1,1-Trichloroethane	5*	1.0 U	1.0 U	100 U	1.0 U	200 U	1.0 U	1.0 U	1.0 U	500 U
1,1-Dichloroethane	5*	1.0 U	3.8	160	1.0 U	200 U	1.0 U	1.0 U	1.0 U	500 U
1,1-Dichloroethene	5	1.0 U	1.0 U	100 U	1.0 U	200 U	1.0 U	1.0 U	1.0 U	210 J
1,2-Dichloroethane	0.6	1.0 U	1.0 U	100 U	1.0 U	200 U	1.0 U	2.2	1.0 U	500 U
2-Butanone (MEK)	50	1.0 U	1.0 U	100 U	2,100	200 U	1.0 U	1.0 U	1.0 U	500 U
Acetone	50	4.1 J	1.0 U	100 U	2,300 U	200 U	4.9 J	1.0 U	3.8 J	500 U
Benzene	1	1.0 U	1.0 U	100 U	1.0 U	200 U	1.0 U	1.0 U	0.85 J	500 U
Carbon Disulfide	60	1.0 U	1.0 U	100 U	1.0 U	200 U	1.0 U	1.0 U	1.0 U	500 U
Chloroethane	5*	1.0	3.1	100 U	1.0 U	200 U	1.0 U	1.0 U	8.5	500 U
Chloroform	7	1.0 U	1.0 U	34 J	1.0 U	200 U	1.0 U	1.0 U	1.0 U	500 U
cis-1,2-Dichloroethene	5*	1.0 U	1.6	990	1.0 U	74,000	1.0 U	6.3	1.0 U	31,000
Methylene Chloride	5	1.0 U	1.0 U	95 J	8.1	2,600	1.0 U	1.0 U	1.0 U	550
Toluene	5*	1.0 U	1.0 U	100 U	1.0 U	200 U	1.0 U	1.0 U	1.0 U	500 U
trans-1,2-Dichloroethene	5	1.0 U	1.0 U	100 U	1.0 U	200 U	1.0 U	1.0 U	1.0 U	500 U
Trichloroethene	5*	1.0 U	1.0 U	100 U	1.0 U	200 U	1.0 U	1.0 U	1.0 U	500 U
Vinyl chloride	5*	1.0 U	7.9	6,500	1.0 U	26,000	1.0 U	2.5	6.6	3,500
Total Volatile Organic Compounds	NA	5	16.4	7,779	4,408	102,600	4.9	11	20	35,260

Table 3

Summary of July 2015 Analytical Data
Former Scott Aviation Facility
NYSDEC Site Code No. 9-15-149
Lancaster, New York

Sample ID	Groundwater	MW-13D	MW-16S	MW-16D	DPE-3	DPE-4	DPE-5	DPE-7	DPE-8	GWCT Manhole
Date Collected	RAO/ NYCRR	07/23/15	07/24/15	07/23/15	07/24/15	07/24/15	07/24/15	07/24/15	07/24/15	07/24/15
Lab Sample ID	Objective	480-84562-14	480-84562-8	480-84562-11	480-84562-16	480-84562-17	480-84562-18	480-84562-19	480-84562-20	480-84562-15
Volatile Organic Compounds by Method 8260 ($\mu\text{g/L}$)										
1,1,1-Trichloroethane	5*	1.0 U	4,000 U	25 U	10 U	10 U	10 U	20 U	57	1.0 U
1,1-Dichloroethane	5*	56	2,000 J	56	24	130	30	250	140	1.3
1,1-Dichloroethene	5	31	1,500 J	25 U	3.1 J	30	10 U	12 J	50 U	1.0 U
1,2-Dichloroethane	0.6	0.24 J	4,000 U	25 U	10 U	2.2 J	10 U	20 U	50 U	1.0 U
2-Butanone (MEK)	50	630 J	4,000 U	3,600	610	65 J	330	150 J	540	2.4 J
Acetone	50	85	4,000 U	2,700	110	46 J	240	1,100	890	7.0 J
Benzene	1	1.0 U	4,000 U	25 U	10 U	10 U	10 U	20 U	50 U	1.0 U
Carbon Disulfide	60	1.0 U	4,000 U	25 U	10 U	3.4 J	10 U	20 U	50 U	1.0 U
Chloroethane	5*	11	4,000 U	340	23	49	51	27	50 U	1.0 U
Chloroform	7	1.0 U	4,000 U	25 U	10 U	10 U	10 U	20 U	50 U	1.0 U
cis-1,2-Dichloroethene	5*	5,300	240,000	25 U	650	30,000	410	820	1,500	1.1
Methylene Chloride	5	0.99 J	5,200	31	6.1 J	8.1 J	4.5 J	11 J	23 J	1.0 U
Toluene	5*	0.96 J	4,000 U	25 U	8.4 J	28	11	20 U	50 U	1.0 U
trans-1,2-Dichloroethene	5	6.1	4,000 U	25 U	10 U	36	11	20 U	50 U	1.0 U
Trichloroethene	5*	2	5,100	25 U	10 U	93	10 U	20 U	230	1.0 U
Vinyl chloride	5*	1,100	5,700	41	240	4,700	180	470	1,400	1.0 U
Total Volatile Organic Compounds	NA	7,223	259,500	6,768	1,675	35,191	1,268	2,840	4,780	12

Notes:

Bold font indicates the analyte was detected.

Bold font and bold outline indicates the screening criteria was exceeded.

* Site-specific RAO per ROD (November 1994)

J - Analyte detected at a level less than the reporting limit and greater than or equal to the method detection limit. Concentrations within this range are estimated.

U - Not detected at or above reporting limit.

Table 4

Summary of Historical and Current Trichloroethene Concentrations - July 2015
Former Scott Aviation Facility
NYSDEC Site Code No. 9-15-149
Lancaster, New York

Well ID	TCE Concentration ($\mu\text{g/L}$)																			
	Apr 2003 ¹	Apr 2004 ²	Oct 2004 ^{3,4}	Jan 2005 ⁴	Apr 2005 ^{4,5}	Jul 2005 ⁴	Oct 2005 ⁴	Jan 2006 ⁴	Apr 2006 ⁴	Jul 2006 ⁴	Oct 2006 ⁴	Jan 2007 ⁴	Apr 2007 ⁴	Jul 2007 ⁴	Oct 2007 ⁴	Jan 2008 ⁴	Apr 2008 ⁴	Jul 2008 ⁴	Oct 2008 ⁴	Jan 2009 ⁴
MW-2	<1	NS	NS	NS	<10	NS	NS	<25	<25	<25	<5	<5	<20	<5	<5	<5	<5	<5	<5	<5
MW-3	<1	NS	NS	NS	<10	NS	NS	<25	<25	<25	<5	<5	<20	<5	<5	<5	<5	<5	<5	<5
MW-4	249	NS	8,100	20,000	NS	NS	NS	6,500	3,200	2,400	2,600	2,800	4,900	1,100	4,800	9,200	5,800	500	6,300	19,000
MW-6	<1	NS	<10	<10	<10	<5	<5	<5	<5	<5	<5	<5	<5	<5	0.63	<5	<5	<5	<5	<5
MW-8R	NA	NS	35,000	23,000	15,000	9,200	13,000	42,000	14,000	16,000	13,000	1,600	19,000	29,000	2,200	38,000	12,000	7,400	22,000	8,400
MW-10	<1	NS	NS	NS	<10	NS	NS	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5	<5
MW-11	NA	NS	NS	NS	<10	NS	NS	2.2	<20	<20	6.8	2.6	0.89	<5	0.71	1.1	0.49	1	0.81	0.77
MW-12	NA	NS	13	<10	<10	<5	<5	<25	<25	<25	NS	<5	<20	<5	<5	<5	<5	<5	<5	NS
MW-13S	NA	10,000	2,100	10,000	760	870	410	NS	NS	17,000	1,300	1,700	4,400	220	570	1,800	580	1,800	5,800	3,400
MW-16S	NA	860,000	200,000	420,000	400,000	480,000	440,000	470,000	260,000	310,000	77,000	44,000	94,000	86,000	130,000	67,000	76,000	58,000	63,000	92,000

Notes:

ND - Not Detected

NS - Not sampled

DPE Remediation System started on May 14, 2004.

¹ - Considered baseline sampling event for MW-2, MW-3, MW-6, and MW-10.² - Considered baseline sampling event for MW-13S and MW-16S.³ - Considered baseline sampling event for MW-4, MW-8R, and MW-12.⁴ - DPE system operational.⁵ - Considered baseline sampling event for MW-11 (TCE = 10 $\mu\text{g/L}$).⁶ - TCE concentration appears to be an anomaly; sample was re-analyzed at 330 $\mu\text{g/L}$.⁷ - DPE system off-line.⁸ - MW-4 and MW-12 not accessible due to snow cover.⁹ - MW-12 not accessible due to snow cover.

Table 4

Summary of Historical and Current Trichloroethene Concentrations - July 2015
Former Scott Aviation Facility
NYSDEC Site Code No. 9-15-149
Lancaster, New York

Well ID	TCE Concentration ($\mu\text{g/L}$)																			
	Apr 2009 ⁴	Jul 2009 ⁴	Oct 2009 ⁴	Jan 2010 ⁴	Apr 2010 ⁴	Jul 2010 ⁴	Oct 2010 ⁴	Jan 2011 ⁴	Apr 2011 ⁴	Jul 2011 ⁷	Oct 2011 ⁷	Jan 2012 ⁴	Apr 2012 ⁴	Jul 2012 ⁴	Oct 2012 ⁴	Jan 2013 ⁴	Apr 2013 ⁴	Jul 2013 ⁴	Oct 2013 ⁷	Jan 2014 ⁸
MW-2	<5	<5	<5	<25	<25	<25	350 ⁶	<1	<1	<1	<1	<1	<1	<1	<1	0.89	<1	<1	<1	<1
MW-3	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1	<1	<1	<1	0.98	<1	<1	<1	<1
MW-4	4,100	2,300	NS	7,400	3,000	NS	7,800	NS	13,000	NS	17,000	NS	39,000	15,000	NS	40,000	12,000	14,000	NS	NS
MW-6	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
MW-8R	13,000	NS	1,400	NS	2,500	19,000	NS	99,000	89,000	36,000	33,000	99,000	99,000	NS	89,000	NS	64,000	NS	100,000	NS
MW-10	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
MW-11	0.95	0.69	0.97	0.77	0.95	1	0.8	NS	1.2	<1	<1	<1	0.51	<1	<1	<1	<1	0.46	<1	<1
MW-12	<5	<5	<5	<5	<5	<5	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	NS
MW-13S	3,400	NS	400	NS	1,400	400	NS	39,000	40,000	31,000	NS	53,000	39,000	NS	41,000	NS	40,000	NS	49,000	NS
MW-16S	130,000	87,000	NS	22,000	220,000	NS	300,000	NS	250,000	NS	190,000	NS	250,000	170,000	NS	240,000	230,000	120,000	NS	110,000

Notes:

ND - Not Detected

NS - Not Sampled

DPE Remediation System started on May 14, 2004.

¹ - Considered baseline sampling event for MW-2, MW-3, MW-6, and MW-10.² - Considered baseline sampling event for MW-13S and MW-16S.³ - Considered baseline sampling event for MW-4, MW-8R, and MW-12.⁴ - DPE system operational.⁵ - Considered baseline sampling event for MW-11 (TCE = 10 $\mu\text{g/L}$).⁶ - TCE concentration appears to be an anomaly; sample was re-analyzed at 330 $\mu\text{g/L}$.⁷ - DPE system off-line.⁸ - MW-4 and MW-12 not accessible due to snow cover.⁹ - MW-12 not accessible due to snow cover.

Table 4

Summary of Historical and Current Trichloroethene Concentrations - July 2015
Former Scott Aviation Facility
NYSDEC Site Code No. 9-15-149
Lancaster, New York

Well ID	TCE Concentration (µg/L)						TCE Reduction - Previous Sampling	TCE Reduction - Baseline Sampling
	Apr 2014 ⁴	Jul 2014 ⁴	Oct 2014 ⁷	Jan 2015 ^{7,9}	Apr 2015 ⁷	Jul 2015 ⁷		
MW-2	<1	<1	ND	ND	<5	<1	ND	ND
MW-3	<1	<1	ND	ND	<1	<1	ND	ND
MW-4	32,000	NS	32,000	18,000	110	<100	ND	ND
MW-6	<1	<1	ND	ND	<1	<1	ND	ND
MW-8R	100,000	110,000	NS	2,100	<2,000	200	90.0%	99.4%
MW-10	<1	<1	ND	ND	<1	<1	ND	ND
MW-11	<1	<1	ND	ND	<1	<1	ND	ND
MW-12	<1	<1	ND	NS	<1	<1	ND	ND
MW-13S	32,000	33,000	NS	19,000	31,000	<500	98.4%	95.0%
MW-16S	61,000	NS	170,000	160,000	26,000	5,100	80.4%	99.4%

Notes:

ND - Not Detected

NS - Not Sampled

DPE Remediation System started on May 14, 2004.


¹ - Considered baseline sampling event for MW-2, MW-3, MW-6, and MW-10.² - Considered baseline sampling event for MW-13S and MW-16S.³ - Considered baseline sampling event for MW-4, MW-8R, and MW-12.⁴ - DPE system operational.⁵ - Considered baseline sampling event for MW-11 (TCE = 10 µg/L).⁶ - TCE concentration appears to be an anomaly; sample was re-analyzed at 330 µg/L.⁷ - DPE system off-line.⁸ - MW-4 and MW-12 not accessible due to snow cover.⁹ - MW-12 not accessible due to snow cover.

Table 5

Vapor Monitoring Results - July 22, 2015
Former Scott Aviation Facility
NYSDEC Site Code No. 9-15-149
Lancaster, New York

Sample ID: Sample Date:	LRP Effluent* Not Sampled	AS Effluent 7/22/2015		
<u>VOCs by Method TO-15 ($\mu\text{g}/\text{m}^3$)</u>				
1,2,4-Trimethylbenzene	-	1.3		
Benzene	-	1.4		
Chloroethane	-	24		
Chloromethane	-	1.0		
Cyclohexane	-	0.73		
Ethylbenzene	-	1.1		
m,p-Xylene	-	4.2		
Methyl Ethyl Ketone	-	1.6		
n-Heptane	-	1.3		
n-Hexane	-	3.1		
Toluene	-	7.8		
Tetrachloroethylene	-	1.6		
Trichlorofluoromethane	-	1.2		
Xylene (total)	-	5.5		
Total Detected VOCs ($\mu\text{g}/\text{m}^3$)	-	56		
Vacuum (inches Hg)	-	6.5		
Air Flow Rate (acf m)	-	190		
VOC discharge loading (lb/hr)	-	0.0000		
Total VOC discharge loading (lb/hr)	0.0000			
Notes:				
* The LRP was not running during sampling event on July 22, 2015.				
The air stripper vacuum measured on April 6, 2015 was 3.5 inches H ₂ O and the flow rate was 190 scfm.				
1. $\mu\text{g}/\text{m}^3$ = micrograms per cubic meter				
2. acfm = actual cubic feet per minute				
3. Hg = Mercury				
4. scfm = standard cubic feet per minute				
5. lb/hr = pounds per hour				
6. LRP Effluent represents the untreated vapor discharge for the Liquid Ring Pump.				
7. AS Effluent represents the untreated vapor discharge for the Air Stripper.				
Qualifiers:				
U - Not detected at or above reporting limit (reporting limit not included in the Total Detected VOCs).				

FIGURES



SOURCE:
1982 GEOLOGIC SURVEY 7.5 X 15 MINUTE TOPOGRAPHIC QUADRANGLE
LANCASTER, NEW YORK

LEGEND


■ AVOX PLANT 3 ADDED AFTER PUBLICATION OF LANCASTER, NEW YORK
TOPOGRAPHIC QUADRANGLE.


0 1000 2000
SCALE IN FEET

FIGURE 1
SITE LOCATION MAP

AECOM

FORMER SCOTT AVIATION FACILITY
LANCASTER, NEW YORK







AECOM

FIGURE 3
PROCESS AND INSTRUMENTATION DIAGRAM
FOR COMBINED DUAL PHASE EXTRACTION
REMEDIATION SYSTEM
 FORMER SCOTT AVIATION FACILITY
 LANCASTER, NEW YORK

Quarterly Groundwater Monitoring Water Level Data - July 22, 2015
 Former Scott Aviation Facility
 NYSDEC Site Code No. 9-15-149
 Lancaster, New York

Monitoring Point Identification	Top of Casing Elevation (feet AMSL)	Depth to Water (feet from TOC)	Ground Water Elevation (feet AMSL)
Monitoring Wells			
MW-2	690.35	6.19	684.16
MW-3	687.02	7.98	679.04
MW-4	686.42	7.55	678.87
MW-6	686.53	7.28	679.25
MW-8R	686.21	8.22	677.99
MW-9	688.64	10.72	677.92
MW-10	687.41	6.84	680.57
MW-11	688.65	8.49	680.16
MW-12	686.15	4.82	681.33
Nested Piezometers			
MW-13S	686.60	7.97	678.63
MW-13D	686.73	7.44	679.29
MW-14S	685.70	3.59	682.11
MW-14D	685.82	8.62	677.20
MW-15S	687.52	1.14	686.38
MW-15D	687.62	9.92	677.70
MW-16S	688.75	10.14	678.61
MW-16D	688.78	9.80	678.98
Remedial System			
GWCT Manhole (rim)	687.19	14.47	672.72

Notes:
 TOC - Top of Casing
 AMSL - Above Mean Sea Level



NOTES

1. GROUNDWATER ELEVATIONS WERE AVERAGED AT SHALLOW AND DEEP PIEZOMETER PAIR LOCATIONS (e.g. MW-15S/D) TO COMPARE TO ELEVATIONS MEASURED IN WELLS SCREENED ACROSS THE ENTIRE OVERBURDEN THICKNESS.
2. GROUNDWATER WATER LEVELS WERE COLLECTED ON JULY 22, 2015.

AECOM

FIGURE 4
 GROUNDWATER SURFACE CONTOUR MAP
 JULY 2015
 AVERAGE OVERBURDEN GROUNDWATER ELEVATIONS
 FORMER SCOTT AVIATION FACILITY
 LANCASTER, NEW YORK



APPENDIX A

Field Forms

GROUNDWATER SAMPLING LOG

Page 1 of 1

Date (mo/day/yr)	7/22/2015		Casing Diameter	2		inches	
Field Personnel	E. Laity & E. Thalhamer		Casing Material	PVC			
Site Name	Former Scott Aviation Site - Lancaster, NY		Measuring Point Elevation	690.35		1/100 ft	
AECOM Job #	60314190		Height of Riser (above land surface)			1/100 ft	
Well ID #	MW-2		Land Surface Elevation			1/100 ft	
	Upgradient	Downgradient	Screened Interval (below land surface)	7-17		1/100 ft	
Weather Conditions	Sunny						
Air Temperature	75 °F						
Total Depth (TWD) Below Top of Casing =	16.4		1/100 ft				
Depth to Groundwater (DGW) Below Top of Casing =	6.16		1/100 ft				
Length of Water Column (LWC) = TWD - DGW =	10.24		1/100 ft				
1 Casing Volume (OCV) = LWC x	0.163	=	1.66912	gal			
3 Casing Volumes =			gal				
Method of Well Evacuation	Peristaltic Pump						
Method of Sample Collection	Peristaltic Pump/Poly Tubing						
Total Volume of Water Removed	8 liter						
FIELD ANALYSES							
Flow Rate (ml/min)	200	125	125	125	125	125	
Time (Military)	15:15	15:20	15:25	15:30	15:35	15:40	
Depth to Groundwater Below Top of Casing (ft)	7.39	8.15	8.41	8.61	8.85	9.03	
Drawdown (ft)	-1.23	-0.76	-0.26	-0.20	-0.24	-0.18	
pH (S.U.)	6.80	6.67	6.66	6.68	6.69	6.68	
Sp. Cond. (mS/cm)	1.794	1.781	1.749	1.712	1.424	1.650	
Turbidity (NTUs)	14.30	14.60	17.1	18.6	18.5	15.7	
Dissolved Oxygen (mg/L)	1.37	0.87	0.70	0.64	0.57	0.55	
Water Temperature (°C)	16.28	16.66	17.07	17.09	17.53	17.29	
ORP (mV)	-102.7	-98.1	-91.0	-78.1	-60.2	-66.8	
Physical appearance at start	Color	Clear		Physical appearance at sampling	Color	Clear	
	Odor	No			Odor	No	
Sheen/Free Product	No		Sheen/Free Product	No			
COMMENTS/OBSERVATIONS	Start Pump - 15:10. Slight iron bacteria at start of pumping. Sampled at 15:50						

GROUNDWATER SAMPLING LOG

Page 1 of 1

Date (mo/day/yr)	7/22/2015		Casing Diameter	2		inches	
Field Personnel	E. Laity & E. Thalhamer		Casing Material	PVC			
Site Name	Former Scott Aviation Site - Lancaster, NY		Measuring Point Elevation	687.02		1/100 ft	
AECOM Job #	60314190		Height of Riser (above land surface)	1.42		1/100 ft	
Well ID #	MW-3		Land Surface Elevation	685.6		1/100 ft	
	Upgradient	Downgradient	Screened Interval (below land surface)	7.5-27.5		1/100 ft	
Weather Conditions	Sunny						
Air Temperature	70 °F						
Total Depth (TWD) Below Top of Casing =	28		1/100 ft				
Depth to Groundwater (DGW) Below Top of Casing =	7.99		1/100 ft				
Length of Water Column (LWC) = TWD - DGW =	20.01		1/100 ft				
1 Casing Volume (OCV) = LWC x	0.163	=	3.26163	gal			
3 Casing Volumes =			gal				
Method of Well Evacuation	Peristaltic Pump						
Method of Sample Collection	Peristaltic Pump/Poly Tubing						
Total Volume of Water Removed	10 liter						
FIELD ANALYSES							
Flow Rate (ml/min)	220	175	175	125	125	125	125
Time (Military)	14:05	14:10	14:15	14:20	14:25	14:30	14:35
Depth to Groundwater Below Top of Casing (ft)	8.90	9.70	10.64	11.40	11.91	12.50	12.97
Drawdown (ft)	-0.89	-0.80	-0.94	-0.76	-0.51	-0.61	-0.47
pH (S.U.)	7.14	6.94	6.95	6.96	6.97	7	6.96
Sp. Cond. (mS/cm)	1.141	1.124	1.127	1.127	1.120	1.120	1.118
Turbidity (NTUs)	2.71	1.01	2.90	4.66	8.70	8.55	7.54
Dissolved Oxygen (mg/L)	2.20	1.45	2.00	2.66	1.86	1.36	1.09
Water Temperature (°C)	12.07	12.65	12.73	12.94	13.60	13.94	13.84
ORP (mV)	-78.9	-79.7	-80.4	-80.7	-78.1	-74.2	-77.0
Physical appearance at start	Color	Clear		Physical appearance at sampling	Color	Clear	
	Odor	No			Odor	No	
Sheen/Free Product	No			Sheen/Free Product	No		
COMMENTS/OBSERVATIONS	Start Pump - 14:00. Sampled at 14:45						

GROUNDWATER SAMPLING LOG

Page 1 of 1

Date (mo/day/yr)	7/23/2015		Casing Diameter	2		inches	
Field Personnel	E. Laity & E. Thalhamer		Casing Material	PVC			
Site Name	Former Scott Aviation Site - Lancaster, NY		Measuring Point Elevation	686.64		1/100 ft	
AECOM Job #	60314190		Height of Riser (above land surface)			1/100 ft	
Well ID #	MW-4		Land Surface Elevation			1/100 ft	
	Upgradient	Downgradient	Screened Interval (below land surface)	15.5 - 25.5		1/100 ft	
Weather Conditions	Partly Cloudy						
Air Temperature	70 °F		Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
Total Depth (TWD) Below Top of Casing =	26 1/100 ft		VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	
Depth to Groundwater (DGW) Below Top of Casing =	7.69 1/100 ft						
Length of Water Column (LWC) = TWD - DGW =	18.31 1/100 ft						
1 Casing Volume (OCV) = LWC x 0.163 = 2.98453 gal							
3 Casing Volumes =							
Method of Well Evacuation	Peristaltic Pump						
Method of Sample Collection	Peristaltic Pump/Poly Tubing						
Total Volume of Water Removed	8 liter						
FIELD ANALYSES							
Flow Rate (ml/min)	225	175	175	175	100	100	100
Time (Military)	12:55	13:00	13:05	13:10	13:15	13:20	13:25
Depth to Groundwater Below Top of Casing (ft)	9.7	10.7	11.65	13.05	14.85	14.65	15.12
Drawdown (ft)	-2.01	-1	-0.95	-1.4	-1.8	0.2	-0.47
pH (S.U.)	6.64	6.83	6.85	6.87	6.9	6.9	6.87
Sp. Cond. (mS/cm)	2.088	1.734	1.716	1.658	1.617	1.618	1.633
Turbidity (NTUs)	6.14	5.27	5.19	5.6	6.61	6.02	5.24
Dissolved Oxygen (mg/L)	2.32	0.45	0.38	0.31	0.28	0.25	0.24
Water Temperature (°C)	13.92	14.16	14.22	14.24	15.03	15.38	15.34
ORP (mV)	-189	-255	-246.2	-247.6	-247	-244	-281.4
Physical appearance at start	Color	Gray (Clear w/ black flecks)		Physical appearance at sampling	Color	Clear w/ black flecks	
	Odor	Yes			Odor	No	
Sheen/Free Product	No			Sheen/Free Product	No		
COMMENTS/OBSERVATIONS	Start Pump - 12:50. Sampled at 13:40. ORP elevated for two readings but lowered at 13:35.						

GROUNDWATER SAMPLING LOG

Page 1 of 1

Date (mo/day/yr)	7/23/2015		Casing Diameter	2		inches	
Field Personnel	E. Laity & E. Thalhamer		Casing Material	PVC			
Site Name	Former Scott Aviation Site - Lancaster, NY		Measuring Point Elevation	686.64		1/100 ft	
AECOM Job #	60314190		Height of Riser (above land surface)			1/100 ft	
Well ID #	MW-4		Land Surface Elevation			1/100 ft	
	Upgradient	Downgradient	Screened Interval (below land surface)	15.5 - 25.5		1/100 ft	
Weather Conditions	Partly Cloudy						
Air Temperature	70 °F		Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
Total Depth (TWD) Below Top of Casing =	26 1/100 ft		VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	
Depth to Groundwater (DGW) Below Top of Casing =	7.69 1/100 ft						
Length of Water Column (LWC) = TWD - DGW =	18.31 1/100 ft						
1 Casing Volume (OCV) = LWC x 0.163 = 2.98453 gal							
3 Casing Volumes =							
Method of Well Evacuation	Peristaltic Pump						
Method of Sample Collection	Peristaltic Pump/Poly Tubing						
Total Volume of Water Removed	8 liter						
FIELD ANALYSES							
Flow Rate (ml/min)	225	175	175	175	100	100	100
Time (Military)	12:55	13:00	13:05	13:10	13:15	13:20	13:25
Depth to Groundwater Below Top of Casing (ft)	9.7	10.7	11.65	13.05	14.85	14.65	15.12
Drawdown (ft)	-2.01	-1	-0.95	-1.4	-1.8	0.2	-0.47
pH (S.U.)	6.64	6.83	6.85	6.87	6.9	6.9	6.87
Sp. Cond. (mS/cm)	2.088	1.734	1.716	1.658	1.617	1.618	1.633
Turbidity (NTUs)	6.14	5.27	5.19	5.6	6.61	6.02	5.24
Dissolved Oxygen (mg/L)	2.32	0.45	0.38	0.31	0.28	0.25	0.24
Water Temperature (°C)	13.92	14.16	14.22	14.24	15.03	15.38	15.34
ORP (mV)	-189	-255	-246.2	-247.6	-247	-244	-281.4
Physical appearance at start	Color	Gray (Clear w/ black flecks)		Physical appearance at sampling	Color	Clear w/ black flecks	
	Odor	Yes			Odor	No	
Sheen/Free Product	No			Sheen/Free Product	No		
COMMENTS/OBSERVATIONS	Start Pump - 12:50. Sampled at 13:40. ORP elevated for two readings but lowered at 13:35.						

GROUNDWATER SAMPLING LOG

Page 1 of 1

Date (mo/day/yr)	7/23/2015		Casing Diameter	2		inches	
Field Personnel	E. Laity & E. Thalhamer		Casing Material	PVC			
Site Name	Former Scott Aviation Site - Lancaster, NY		Measuring Point Elevation	686.53		1/100 ft	
AECOM Job #	60314190		Height of Riser (above land surface)	-0.27		1/100 ft	
Well ID #	MW-6		Land Surface Elevation	686.8		1/100 ft	
	Upgradient	Downgradient	Screened Interval (below land surface)	14.5-24.5		1/100 ft	
Weather Conditions	Slight Breeze, Light Clouds						
Air Temperature	70 °F		Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
Total Depth (TWD) Below Top of Casing =	25		VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	
Depth to Groundwater (DGW) Below Top of Casing =	7.1						
Length of Water Column (LWC) = TWD - DGW =	17.9						
1 Casing Volume (OCV) = LWC x	0.163	=	2.9177	gal			
3 Casing Volumes =			gal				
Method of Well Evacuation	Peristaltic Pump						
Method of Sample Collection	Peristaltic Pump/Poly Tubing						
Total Volume of Water Removed	4 liter						
FIELD ANALYSES							
Flow Rate (ml/min)	175	175	125	125	125	125	125
Time (Military)	9:15	9:20	9:25	9:30	9:35	9:40	9:45
Depth to Groundwater Below Top of Casing (ft)	7.82	9.12	9.24	9.33	9.43	9.49	9.53
Drawdown (ft)	-0.72	-1.30	-0.12	-0.09	-0.10	-0.06	-0.04
pH (S.U.)	10.89	10.96	10.95	10.75	10.5	10.28	10.07
Sp. Cond. (mS/cm)	1.272	1.168	1.155	1.136	1.115	1.107	1.100
Turbidity (NTUs)	25.9	9.82	7.01	7.70	9.18	9.27	9.16
Dissolved Oxygen (mg/L)	1.34	0.60	0.48	0.49	0.44	0.42	0.39
Water Temperature (°C)	13.58	13.39	13.76	13.79	13.90	13.88	13.89
ORP (mV)	-148.7	-151.0	-151.5	-144.8	-141.5	-136.3	-133.7
Physical appearance at start		Color	Clear		Physical appearance at sampling	Color	Clear
		Odor	No			Odor	No
Sheen/Free Product		No			Sheen/Free Product	No	
COMMENTS/OBSERVATIONS	Start Pump - 09:10 Sampled at 09:55						

GROUNDWATER SAMPLING LOG

Page 1 of 2

Date (mo/day/yr)	7/23/2015		Casing Diameter	4		inches		
Field Personnel	E. Laity & E. Thalhamer		Casing Material	PVC				
Site Name	Former Scott Aviation Site - Lancaster, NY		Measuring Point Elevation	685.67		1/100 ft		
AECOM Job #	60314190		Height of Riser (above land surface)			1/100 ft		
Well ID #	MW-8R		Land Surface Elevation			1/100 ft		
	Upgradient	Downgradient	Screened Interval (below land surface)	14-24		1/100 ft		
Weather Conditions	Slight Breeze, Partly Cloudy							
Air Temperature	70		° F					
Total Depth (TWD) Below Top of Casing =	27.5		1/100 ft					
Depth to Groundwater (DGW) Below Top of Casing =	7.68		1/100 ft					
Length of Water Column (LWC) = TWD - DGW =	19.82		1/100 ft					
1 Casing Volume (OCV) = LWC x	0.163	=	3.23066	gal				
3 Casing Volumes =			gal					
Method of Well Evacuation	Peristaltic Pump							
Method of Sample Collection	Peristaltic Pump/Poly Tubing							
Total Volume of Water Removed	8		liter					
FIELD ANALYSES								
Flow Rate (ml/min)	175	175	175	175	175	175	100	
Time (Military)	15:10	15:15	15:20	15:25	15:30	15:35	15:40	
Depth to Groundwater Below Top of Casing (ft)	8.35	9.81	11.24	12.20	13.10	13.70	14.50	
Drawdown (ft)	-0.67	-1.46	-1.43	-0.96	-0.90	-0.60	-0.80	
pH (S.U.)	7.23	7.25	7.30	7.21	7.17	7.14	7.12	
Sp. Cond. (mS/cm)	3.668	3.611	3.707	3.390	3.277	3.162	3.142	
Turbidity (NTUs)	40.9	22.8	20.4	20.8	25.1	26.0	27.2	
Dissolved Oxygen (mg/L)	1.19	0.99	1.14	1.02	0.86	0.67	0.55	
Water Temperature (°C)	14.75	14.02	14.11	14.19	13.96	14.10	14.06	
ORP (mV)	-325.0	-367.9	-387.5	-379.7	-385.1	-368.1	-358.3	
Physical appearance at start	Color	Clear w/ fine black specks		Physical appearance at sampling	Color	Clear		
	Odor	No			Odor	Slight Injectate Smell		
Sheen/Free Product	No		Sheen/Free Product	No				
COMMENTS/OBSERVATIONS	Start Pump - 15:05 Sampled at 15:55. Air bubbles in line at sampling							

GROUNDWATER SAMPLING LOG

Page 2 of 2

Date (mo/day/yr)	7/23/2015			Casing Diameter	4		inches
Field Personnel	E. Laity & E. Thalhamer			Casing Material	PVC		
Site Name	Former Scott Aviation Site - Lancaster, NY			Measuring Point Elevation	685.67		1/100 ft
AECOM Job #	60314190			Height of Riser (above land surface)			1/100 ft
Well ID #	MW-8R			Land Surface Elevation			1/100 ft
Upgradient	Downgradient			Screened Interval (below land surface)	14-24		1/100 ft
Weather Conditions	Slight Breeze, Partly Cloudy						
Air Temperature	70		° F				
Total Depth (TWD) Below Top of Casing =	27.5		1/100 ft				
Depth to Groundwater (DGW) Below Top of Casing =	7.68		1/100 ft				
Length of Water Column (LWC) = TWD - DGW =	19.82		1/100 ft				
1 Casing Volume (OCV) = LWC x	0.163	=	3.23066	gal			
3 Casing Volumes =				gal			
Method of Well Evacuation	Peristaltic Pump						
Method of Sample Collection	Peristaltic Pump/Poly Tubing						
Total Volume of Water Removed	8		liter				
FIELD ANALYSES							
Flow Rate (ml/min)	100						
Time (Military)	15:50						
Depth to Groundwater Below Top of Casing (ft)	15.00						
Drawdown (ft)	-0.20						
pH (S.U.)	7.10						
Sp. Cond. (mS/cm)	3.176						
Turbidity (NTUs)	29.1						
Dissolved Oxygen (mg/L)	0.47						
Water Temperature (°C)	15.96						
ORP (mV)	-371.4						
Physical appearance at start	Color	Clear w/ fine black specks		Physical appearance at sampling	Color	Clear	
	Odor	No			Odor	Slight Injectate Smell	
Sheen/Free Product	No		Sheen/Free Product	No			
COMMENTS/OBSERVATIONS	Start Pump - 15:05 Sampled at 15:55. Air bubbles in line at sampling						

GROUNDWATER SAMPLING LOG

Page 1 of 1

Date (mo/day/yr)	7/22/2015		Casing Diameter	2		inches	
Field Personnel	E. Laity & E. Thalhamer		Casing Material	PVC			
Site Name	Former Scott Aviation Site - Lancaster, NY		Measuring Point Elevation	688.65		1/100 ft	
AECOM Job #	60314190		Height of Riser (above land surface)	-0.25		1/100 ft	
Well ID #	MW-11		Land Surface Elevation	688.9		1/100 ft	
	Upgradient	Downgradient	Screened Interval (below land surface)	8.5-28.5		1/100 ft	
Weather Conditions	Partly Cloudy						
Air Temperature	75 °F		Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
Total Depth (TWD) Below Top of Casing =	28.5		VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	
Depth to Groundwater (DGW) Below Top of Casing =	10.2						
Length of Water Column (LWC) = TWD - DGW =	18.3						
1 Casing Volume (OCV) = LWC x	0.163	=	2.9829	gal			
3 Casing Volumes =				gal			
Method of Well Evacuation	Peristaltic Pump						
Method of Sample Collection	Peristaltic Pump/Poly Tubing						
Total Volume of Water Removed	4 liter						
FIELD ANALYSES							
Flow Rate (ml/min)	150	150	150	150	150		
Time (Military)	16:35	16:40	16:45	16:50	16:55		
Depth to Groundwater Below Top of Casing (ft)	10.32	10.46	10.57	10.64	10.69		
Drawdown (ft)	-0.12	-0.14	-0.11	-0.07	-0.05		
pH (S.U.)	6.78	6.65	6.63	6.61	6.61		
Sp. Cond. (mS/cm)	4.547	4.501	4.475	4.472	4.488		
Turbidity (NTUs)	23.8	11.76	10.63	10.70	11.1		
Dissolved Oxygen (mg/L)	1.45	0.77	0.63	0.64	0.61		
Water Temperature (°C)	15.26	15.13	14.86	14.55	14.75		
ORP (mV)	-5.5	-4.2	-4.8	-7.6	-8.0		
Physical appearance at start	Color	Clear		Physical appearance at sampling	Color	Clear	
	Odor	No			Odor	No	
Sheen/Free Product	No			Sheen/Free Product	No		
COMMENTS/OBSERVATIONS	Start Pump - 16:30 Sampled at 17:00						

GROUNDWATER SAMPLING LOG

Page 1 of 1

Date (mo/day/yr)	7/23/2015		Casing Diameter	2		inches	
Field Personnel	E. Laity & E. Thalhamer		Casing Material	PVC			
Site Name	Former Scott Aviation Site - Lancaster, NY		Measuring Point Elevation	687.41		1/100 ft	
AECOM Job #	60314190		Height of Riser (above land surface)	-0.19		1/100 ft	
Well ID #	MW-10		Land Surface Elevation	687.6		1/100 ft	
	Upgradient	Downgradient	Screened Interval (below land surface)	3.5-23.5		1/100 ft	
Weather Conditions	Slight Breeze						
Air Temperature	70 °F		Container	Analysis (Method)	# Bottles	Preservative	
Total Depth (TWD) Below Top of Casing =	24		VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	
Depth to Groundwater (DGW) Below Top of Casing =	6.95						
Length of Water Column (LWC) = TWD - DGW =	17.05						
1 Casing Volume (OCV) = LWC x	0.163	=	2.77915	gal			
3 Casing Volumes =			gal				
Method of Well Evacuation	Peristaltic Pump						
Method of Sample Collection	Peristaltic Pump/Poly Tubing						
Total Volume of Water Removed	4 liter						
FIELD ANALYSES							
Flow Rate (ml/min)	150	150	150	150	150	150	
Time (Military)	10:20	10:25	10:30	10:35	10:40	10:45	
Depth to Groundwater Below Top of Casing (ft)	7.60	8.15	8.90	9.34	9.59	9.75	
Drawdown (ft)	-0.65	-0.55	-0.75	-0.44	-0.25	-0.16	
pH (S.U.)	7.86	7.58	7.31	7.14	7.09	7.05	
Sp. Cond. (mS/cm)	1.910	1.903	1.903	1.899	1.897	1.886	
Turbidity (NTUs)	24.7	24.9	20.8	13.4	14.2	14.2	
Dissolved Oxygen (mg/L)	2.38	0.90	0.66	0.52	0.48	0.44	
Water Temperature (°C)	14.94	14.49	14.24	14.16	14.43	14.51	
ORP (mV)	54.2	63.7	67.0	67.5	62.3	60.6	
Physical appearance at start	Color	Clear		Physical appearance at sampling	Color	Clear	
	Odor	No			Odor	No	
Sheen/Free Product	No			Sheen/Free Product	No		
COMMENTS/OBSERVATIONS	Start Pump - 10:15 Sampled at 10:50						

GROUNDWATER SAMPLING LOG

Page 1 of 1

Date (mo/day/yr)	7/23/2015		Casing Diameter	4	inches
Field Personnel	E. Laity & E. Thalhamer		Casing Material	PVC	
Site Name	Former Scott Aviation Site - Lancaster, NY		Measuring Point Elevation	686.15	1/100 ft
AECOM Job #	60314190		Height of Riser (above land surface)	-0.35	1/100 ft
Well ID #	MW-12		Land Surface Elevation	686.5	1/100 ft
	Upgradient	Downgradient	Screened Interval (below land surface)	7-27	1/100 ft
Weather Conditions	Slight Breeze, light clouds				
Air Temperature	65 °F		Container	Analysis (Method)	# Bottles
Total Depth (TWD) Below Top of Casing =	27.5 1/100 ft		VOA 40 mL glass	TCL VOCs (8260B)	3
Depth to Groundwater (DGW) Below Top of Casing =	4.95 1/100 ft			HCL, 4°C	
Length of Water Column (LWC) = TWD - DGW =	22.55 1/100 ft				
1 Casing Volume (OCV) = LWC x	0.163	= 3.67565 gal			
3 Casing Volumes =					
Method of Well Evacuation	Peristaltic Pump				
Method of Sample Collection	Peristaltic Pump/Poly Tubing				
Total Volume of Water Removed	4 liter				
FIELD ANALYSES					
Flow Rate (ml/min)	175	100	100	100	
Time (Military)	8:30	8:35	8:40	8:45	8:50
Depth to Groundwater Below Top of Casing (ft)	6.05	6.88	7.17	7.39	7.65
Drawdown (ft)	-1.10	-0.83	-0.29	-0.22	-0.26
pH (S.U.)	6.61	6.56	6.62	6.67	6.66
Sp. Cond. (mS/cm)	1.643	1.602	1.601	1.600	1.600
Turbidity (NTUs)	6.27	2.30	2.01	2.67	1.72
Dissolved Oxygen (mg/L)	3.42	0.83	0.68	0.63	0.53
Water Temperature (°C)	14.61	14.58	15.19	15.45	15.16
ORP (mV)	-93.0	-83.0	-73.2	-89.7	-91.5
Physical appearance at start		Color	Physical appearance at sampling		
		Clear	Color	Clear w/ black flecks	
		Odor	No	Odor	No
Sheen/Free Product		Sheen/Free Product			
No		No			
COMMENTS/OBSERVATIONS	Start Pump - 08:25. Sampled at 08:55.				

GROUNDWATER SAMPLING LOG

Page 1 of 1

Date (mo/day/yr)	7/23/2015		Casing Diameter	1	inches		
Field Personnel	E. Laity & E. Thalhamer		Casing Material	PVC			
Site Name	Former Scott Aviation Site - Lancaster, NY		Measuring Point Elevation	686.6	1/100 ft		
AECOM Job #	60314190		Height of Riser (above land surface)	-0.30	1/100 ft		
Well ID #	MW-13S		Land Surface Elevation	686.9	1/100 ft		
		Upgradient	Downgradient	Screened Interval (below land surface) 8.5-16.5 1/100 ft			
Weather Conditions	Slight Breeze						
Air Temperature	70 °F		Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
Total Depth (TWD) Below Top of Casing =	16.5 1/100 ft		VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	Dup
Depth to Groundwater (DGW) Below Top of Casing =	6.04 1/100 ft						
Length of Water Column (LWC) = TWD - DGW =	10.46 1/100 ft						
1 Casing Volume (OCV) = LWC x	0.163	=	1.70498 gal				
3 Casing Volumes =			gal				
Method of Well Evacuation	Peristaltic Pump						
Method of Sample Collection	Peristaltic Pump/Poly Tubing						
Total Volume of Water Removed	8 liter						
FIELD ANALYSES							
Flow Rate (ml/min)	200	200	200	200	200	200	
Time (Military)	12:05	12:10	12:15	12:20	12:25	12:30	
Depth to Groundwater Below Top of Casing (ft)	8.15	8.5	8.88	9.31	9.51	9.95	
Drawdown (ft)	-2.11	-0.35	-0.38	-0.43	-0.2	-0.44	
pH (S.U.)	6.02	5.92	5.95	5.94	5.95	5.94	
Sp. Cond. (mS/cm)	4.514	4.553	4.596	4.62	4.624	4.618	
Turbidity (NTUs)	33.00	26.40	23.10	25.60	26.20	28.3	
Dissolved Oxygen (mg/L)	0.96	0.50	0.33	0.50	0.27	0.28	
Water Temperature (°C)	14.5	14.15	13.99	13.53	13.33	13.14	
ORP (mV)	-176.7	-182.8	-188.7	-157.8	-162.5	-161.5	
Physical appearance at start		Color	Slightly milky	Physical appearance at sampling		Color	Slightly milky
		Odor	No			Odor	No
Sheen/Free Product		No		Sheen/Free Product		No	
COMMENTS/OBSERVATIONS	Start Pump - 12:00. Sampled at 12:35. Duplicate collected at this well. Sample time listed as 8:00						

GROUNDWATER SAMPLING LOG

Page 1 of 2

Date (mo/day/yr)	7/23/2015		Casing Diameter	1		inches	
Field Personnel	E. Laity & E. Thalhamer		Casing Material	PVC			
Site Name	Former Scott Aviation Site - Lancaster, NY		Measuring Point Elevation	686.73		1/100 ft	
AECOM Job #	60314190		Height of Riser (above land surface)	-0.17		1/100 ft	
Well ID #	MW-13D		Land Surface Elevation	686.9		1/100 ft	
	Upgradient	Downdgradient	Screened Interval (below land surface)	19.5-23.5		1/100 ft	
Weather Conditions	Slight Breeze, Overcast						
Air Temperature	70 ° F		Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
Total Depth (TWD) Below Top of Casing =	23.5 1/100 ft		VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	
Depth to Groundwater (DGW) Below Top of Casing =	7.43 1/100 ft						
Length of Water Column (LWC) = TWD - DGW =	16.07 1/100 ft						
1 Casing Volume (OCV) = LWC x 0.163 = 2.61941 gal							
3 Casing Volumes = _____ gal							
Method of Well Evacuation	Peristaltic Pump						
Method of Sample Collection	Peristaltic Pump/Poly Tubing						
Total Volume of Water Removed	8 liter						
FIELD ANALYSES							
Flow Rate (ml/min)	150	150	150	150	100	100	100
Time (Military)	11:10	11:15	11:20	11:25	11:30	11:35	11:40
Depth to Groundwater Below Top of Casing (ft)	10.41	12	13.1	13.9	13.7	13.8	13.94
Drawdown (ft)	-2.98	-1.59	-1.1	-0.8	0.2	-0.1	-0.14
pH (S.U.)	6.42	6.29	6.14	6.15	6.16	6.17	6.18
Sp. Cond. (mS/cm)	1.359	1.361	3.055	3.551	4.045	4.136	4.148
Turbidity (NTUs)	NA(-148)	9.02	9.8	5.57	6.57	21	662
Dissolved Oxygen (mg/L)	1.12	0.54	0.56	0.5	0.35	0.33	0.43
Water Temperature (°C)	13.67	13.59	13.5	13.29	13.96	13.88	13.73
ORP (mV)	-181.7	-232.2	-241.9	-243.9	-229.2	-232.5	-205.2
Physical appearance at start		Color	Grey		Physical appearance at sampling	Color	Milky
		Odor	Yes			Odor	Slight
Sheen/Free Product		No			Sheen/Free Product	No	
COMMENTS/OBSERVATIONS	Start Pump - 11:05. Sulfur smell throughout. Color transition to Milky at 11:35. Sampled at 12:00						

GROUNDWATER SAMPLING LOG

Page 2 of 2

Date (mo/day/yr)	7/23/2015			Casing Diameter	1		inches
Field Personnel	E. Laity & E. Thalhamer			Casing Material	PVC		
Site Name	Former Scott Aviation Site - Lancaster, NY			Measuring Point Elevation	686.73		1/100 ft
AECOM Job #	60314190			Height of Riser (above land surface)	-0.17		1/100 ft
Well ID #	MW-13D			Land Surface Elevation	686.9		1/100 ft
	Upgradient	Downdgradient		Screened Interval (below land surface)	19.5-23.5		1/100 ft
Weather Conditions	Slight Breeze, Overcast						
Air Temperature	70 °F			Container	Analysis (Method)	# Bottles	Preservative
Total Depth (TWD) Below Top of Casing =	23.5 1/100 ft			VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C
Depth to Groundwater (DGW) Below Top of Casing =	7.43 1/100 ft						
Length of Water Column (LWC) = TWD - DGW =	16.07 1/100 ft						
1 Casing Volume (OCV) = LWC x 0.163 = 2.61941 gal							
3 Casing Volumes =							
Method of Well Evacuation	Peristaltic Pump						
Method of Sample Collection	Peristaltic Pump/Poly Tubing						
Total Volume of Water Removed	8 liter						
FIELD ANALYSES							
Flow Rate (ml/min)	100	100					
Time (Military)	11:50	11:55					
Depth to Groundwater Below Top of Casing (ft)	13.95	13.95					
Drawdown (ft)	0	0					
pH (S.U.)	6.18	6.18					
Sp. Cond. (mS/cm)	4.249	4.271					
Turbidity (NTUs)	901	944					
Dissolved Oxygen (mg/L)	0.78	0.76					
Water Temperature (°C)	13.79	13.99					
ORP (mV)	-168.1	-166.8					
Physical appearance at start		Color	Grey	Physical appearance at sampling		Color	Milky
		Odor	Yes			Odor	Slight
Sheen/Free Product		No		Sheen/Free Product		No	
COMMENTS/OBSERVATIONS	Start Pump - 11:05. Sulfur smell throughout. Color transition to Milky at 11:35. Sampled at 12:00						

GROUNDWATER SAMPLING LOG

Page 1 of 1

Date (mo/day/yr)	7/23/2015		Casing Diameter	1		inches
Field Personnel	E. Laity & E. Thalhamer		Casing Material	PVC		
Site Name	Former Scott Aviation Site - Lancaster, NY		Measuring Point Elevation	685.84		1/100 ft
AECOM Job #	60314190		Height of Riser (above land surface)	-0.56		1/100 ft
Well ID #	MW-16S		Land Surface Elevation	686.4		1/100 ft
	Upgradient	Downgradient	Screened Interval (below land surface)	12 - 18		1/100 ft
Weather Conditions	Partly Cloudy					
Air Temperature	75 °F					
Total Depth (TWD) Below Top of Casing =	15.4		1/100 ft			
Depth to Groundwater (DGW) Below Top of Casing =	7.2		1/100 ft			
Length of Water Column (LWC) = TWD - DGW =	8.2		1/100 ft			
1 Casing Volume (OCV) = LWC x	0.163	= 1.3 liter				
3 Casing Volumes =						
Method of Well Evacuation	Peristaltic Pump					
Method of Sample Collection	Peristaltic Pump/Poly Tubing					
Total Volume of Water Removed	4 liter					
FIELD ANALYSES						
Flow Rate (ml/min)	100	100	100	100	100	
Time (Military)	14:00	14:05	14:10	8:17	8:22	8:27
Depth to Groundwater Below Top of Casing (ft)	9.5	11	12.8	10	11.35	13.7
Drawdown (ft)	-2.3	-1.5	-1.8	-2.71	-1.35	-2.35
pH (S.U.)	6.38	6.29	6.32	6.3	6.29	6.31
Sp. Cond. (mS/cm)	4.158	4.192	4.236	4.114	4.127	4.154
Turbidity (NTUs)	-50	NA	NA	63.7	64.9	60.3
Dissolved Oxygen (mg/L)	1.42	0.68	0.41	9.46	12.31	10.42
Water Temperature (°C)	17.1	17.3	17.12	14.7	14.97	14.74
ORP (mV)	-128.8	-140.9	-148.7	-138.4	-142	-149.8
Physical appearance at start	Color	Slightly milky		Physical appearance at sampling	Color	Cloudy
	Odor	Slight			Odor	Slight (injectate)
Sheen/Free Product	No		Sheen/Free Product	No		
COMMENTS/OBSERVATIONS	Pump start at 13:55. Air bubbles in tubing. Turbidity giving false results due to injectate. Well went dry at 14:10. Petroleum residue on bottom of tubing.					
	7/24/15 - Restart pump @ 8:15, well recharged to 7.29, milky color at start. Sampled at 8:30					

GROUNDWATER SAMPLING LOG

Page 1 of 1

Date (mo/day/yr)	7/23/2015		Casing Diameter	1	inches		
Field Personnel	E. Laity & E. Thalhamer		Casing Material	PVC			
Site Name	Former Scott Aviation Site - Lancaster, NY		Measuring Point Elevation	686.01	1/100 ft		
AECOM Job #	60314190		Height of Riser (above land surface)	-0.39	1/100 ft		
Well ID #	MW-16D		Land Surface Elevation	686.4	1/100 ft		
	Upgradient	Downgradient	Screened Interval (below land surface)	20-24	1/100 ft		
Weather Conditions	Partly cloudy, slight breeze						
Air Temperature	75 °F		Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
Total Depth (TWD) Below Top of Casing =			VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	
Depth to Groundwater (DGW) Below Top of Casing =	10						
Length of Water Column (LWC) = TWD - DGW =							
1 Casing Volume (OCV) = LWC x 0.163 =							
3 Casing Volumes =							
Method of Well Evacuation	Peristaltic Pump						
Method of Sample Collection	Peristaltic Pump/Poly Tubing						
Total Volume of Water Removed	4 liter						
FIELD ANALYSES							
Flow Rate (ml/min)	100	100	100	100	100		
Time (Military)	14:25	14:30	14:35	14:40	14:45		
Depth to Groundwater Below Top of Casing (ft)	12.2	13.5	15.3	16.1	17.1		
Drawdown (ft)	-2.2	-1.3	-1.8	-0.8	-1		
pH (S.U.)	7.3	7.39	7.41	7.22	7.21		
Sp. Cond. (mS/cm)	3.173	3.149	3.14	3.137	3.178		
Turbidity (NTUs)	34	18.5	21.6	25.5	24.4		
Dissolved Oxygen (mg/L)	1.36	0.6	0.57	0.56	0.48		
Water Temperature (°C)	15.76	16.35	16.38	16.08	16.4		
ORP (mV)	-592.1	-605.1	-608.5	-602.5	-595		
Physical appearance at start		Color	Clear w/ black flecks		Physical appearance at sampling	Color	Clear w/ black flecks
		Odor	No			Odor	No
Sheen/Free Product		Slight Sheen-No Free Product		Sheen/Free Product		No	
COMMENTS/OBSERVATIONS	Pump Start at 14:20. Sample at 14:50. Drawdown not stable at sampling.						

GROUNDWATER SAMPLING LOG

Page 1 of 1

Date (mo/day/yr)	7/24/2015		Casing Diameter	2		inches	
Field Personnel	E. Laity & E. Thalhamer		Casing Material	PVC			
Site Name	Former Scott Aviation Site - Lancaster, NY		Measuring Point Elevation			1/100 ft	
AECOM Job #	60314190		Height of Riser (above land surface)			1/100 ft	
Well ID #	DPE-3		Land Surface Elevation			1/100 ft	
	Upgradient	Downgradient	Screened Interval (below land surface)	8.5-16.5		1/100 ft	
Weather Conditions	Sunny						
Air Temperature	80 °F						
Total Depth (TWD) Below Top of Casing =			1/100 ft				
Depth to Groundwater (DGW) Below Top of Casing =	3.4		1/100 ft				
Length of Water Column (LWC) = TWD - DGW =			1/100 ft				
1 Casing Volume (OCV) = LWC x 0.163 =			gal				
3 Casing Volumes =			gal				
Method of Well Evacuation	Peristaltic Pump						
Method of Sample Collection	Peristaltic Pump/Poly Tubing						
Total Volume of Water Removed	6 liter						
FIELD ANALYSES							
Flow Rate (ml/min)	200	200	200	200	110	110	110
Time (Military)	12:55	13:00	13:05	13:10	13:15	13:20	13:25
Depth to Groundwater Below Top of Casing (ft)	4.5	4.7	4.9	6.6	7.5	8.7	8.7
Drawdown (ft)	-1.1	-0.2	-0.2	-1.7	-0.9	-1.2	0
pH (S.U.)	6.59	6.6	6.6	6.64	6.67	6.68	6.6
Sp. Cond. (mS/cm)	3.931	4.001	4.024	4.066	4.099	4.176	4.156
Turbidity (NTUs)	720	730	757	730	738	697	723
Dissolved Oxygen (mg/L)	0.88	0.52	0.42	0.35	0.28	0.28	0.27
Water Temperature (°C)	17.39	16.68	16.72	16.47	17.28	16.9	16.91
ORP (mV)	-175.2	-184.8	-181.1	-185.9	-187.3	-186.6	-183.2
Physical appearance at start	Color	Clear w/ black flecks		Physical appearance at sampling	Color	Clear w/ black flecks	
	Odor	No			Odor	No	
Sheen/Free Product	No			Sheen/Free Product	No		
COMMENTS/OBSERVATIONS	Pump Start at 12:50. Pump turned down at 13:10. Water levels may be inaccurate, meter sticking to side of well. Sample at 13:30.						

GROUNDWATER SAMPLING LOG

Page 1 of 1

Date (mo/day/yr)	7/24/2015		Casing Diameter	2		inches		
Field Personnel	E. Laity & E. Thalhamer		Casing Material	PVC				
Site Name	Former Scott Aviation Site - Lancaster, NY		Measuring Point Elevation			1/100 ft		
AECOM Job #	60314190		Height of Riser (above land surface)			1/100 ft		
Well ID #	DPE-4		Land Surface Elevation			1/100 ft		
Upgradient		Downgradient	Screened Interval (below land surface)	7.7-27.7		1/100 ft		
Weather Conditions	Sunny							
Air Temperature	70 °F							
Total Depth (TWD) Below Top of Casing =			1/100 ft					
Depth to Groundwater (DGW) Below Top of Casing =	5.9		1/100 ft					
Length of Water Column (LWC) = TWD - DGW =			1/100 ft					
1 Casing Volume (OCV) = LWC x	0.163	=	gal					
3 Casing Volumes =			gal					
Method of Well Evacuation	Peristaltic Pump							
Method of Sample Collection	Peristaltic Pump/Poly Tubing							
Total Volume of Water Removed	4 liter							
FIELD ANALYSES								
Flow Rate (ml/min)	100	100	100	100	100			
Time (Military)	10:20	10:25	10:30	10:35	10:40			
Depth to Groundwater Below Top of Casing (ft)	6.65	7.35	8.1	8.15	8.15			
Drawdown (ft)	-0.75	-0.7	-0.75	-0.05	0			
pH (S.U.)	6.8	6.8	6.81	6.83	6.86			
Sp. Cond. (mS/cm)	2.422	2.412	2.419	2.43	2.441			
Turbidity (NTUs)	10	10.13	8.57	8.9	8.48			
Dissolved Oxygen (mg/L)	1.8	0.73	0.5	0.4	0.39			
Water Temperature (°C)	13.85	13.98	13.95	13.86	13.83			
ORP (mV)	-127.7	-143.5	-147.6	-151.9	-154.7			
Physical appearance at start		Color	Clear w/ black flecks		Physical appearance at sampling	Color	Clear w/ black flecks	
		Odor	Slight			Odor	No	
Sheen/Free Product		No			Sheen/Free Product	No		
COMMENTS/OBSERVATIONS	Pump Start at 10:15. Sample at 10:45.							

GROUNDWATER SAMPLING LOG

Page 1 of 1

Date (mo/day/yr)	7/24/2015		Casing Diameter	4		inches	
Field Personnel	E. Laity & E. Thalhamer		Casing Material	PVC			
Site Name	Former Scott Aviation Site - Lancaster, NY		Measuring Point Elevation			1/100 ft	
AECOM Job #	60314190		Height of Riser (above land surface)			1/100 ft	
Well ID #	DPE-5		Land Surface Elevation			1/100 ft	
	Upgradient	Downgradient	Screened Interval (below land surface)	12-18		1/100 ft	
Weather Conditions	Sunny						
Air Temperature	65 °F						
Total Depth (TWD) Below Top of Casing =			1/100 ft				
Depth to Groundwater (DGW) Below Top of Casing =	5.3		1/100 ft				
Length of Water Column (LWC) = TWD - DGW =			1/100 ft				
1 Casing Volume (OCV) = LWC x 0.163 =			gal				
3 Casing Volumes =			gal				
Method of Well Evacuation	Peristaltic Pump						
Method of Sample Collection	Peristaltic Pump/Poly Tubing						
Total Volume of Water Removed	6 liter						
FIELD ANALYSES							
Flow Rate (ml/min)	300	200	200	200	200	150	150
Time (Military)	9:30	9:35	9:40	9:45	9:50	9:55	10:00
Depth to Groundwater Below Top of Casing (ft)	5.75	6.2	6.65	7	7.35	7.52	7.9
Drawdown (ft)	-0.45	-0.45	-0.45	-0.35	-0.35	-0.17	-0.38
pH (S.U.)	6.27	6.11	6.11	6.1	6.09	6.08	6.08
Sp. Cond. (mS/cm)	2.565	2.509	2.517	2.517	2.509	2.512	2.521
Turbidity (NTUs)	NA	10.01	12.6	12	14.8	13.1	14.2
Dissolved Oxygen (mg/L)	2.79	2.58	2.07	1.53	0.95	0.72	0.52
Water Temperature (°C)	13.68	13.97	14.67	14.66	14.98	15.41	15.48
ORP (mV)	-96.5	-82.7	-76.4	-75.5	-75	-73.5	-80.5
Physical appearance at start	Color	Clear w/ black flecks		Physical appearance at sampling	Color	Slightly cloudy w/ black flecks	
	Odor	No			Odor	No	
Sheen/Free Product	No		Sheen/Free Product	No			
COMMENTS/OBSERVATIONS	Pump Start at 9:25. Slight draw down at sampling. Sample at 10:05.						

GROUNDWATER SAMPLING LOG

Page 1 of 1

Date (mo/day/yr)	7/24/2015		Casing Diameter	2		inches	
Field Personnel	E. Laity & E. Thalhamer		Casing Material	PVC			
Site Name	Former Scott Aviation Site - Lancaster, NY		Measuring Point Elevation			1/100 ft	
AECOM Job #	60314190		Height of Riser (above land surface)			1/100 ft	
Well ID #	DPE-7		Land Surface Elevation			1/100 ft	
Upgradient		Downgradient	Screened Interval (below land surface)	19.5-23.5		1/100 ft	
Weather Conditions	Sunny						
Air Temperature	75 °F		Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
Total Depth (TWD) Below Top of Casing =			VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	
Depth to Groundwater (DGW) Below Top of Casing =	7.75						
Length of Water Column (LWC) = TWD - DGW =							
1 Casing Volume (OCV) = LWC x	0.163	=					
3 Casing Volumes =							
Method of Well Evacuation	Peristaltic Pump						
Method of Sample Collection	Peristaltic Pump/Poly Tubing						
Total Volume of Water Removed	6 liter						
FIELD ANALYSES							
Flow Rate (ml/min)	100	100	100	100	100	100	100
Time (Military)	12:00	12:05	12:10	12:15	12:20	12:25	12:30
Depth to Groundwater Below Top of Casing (ft)	8.55	8.8	9.05	9.35	9.5	9.7	9.9
Drawdown (ft)	-0.8	-0.25	-0.25	-0.3	-0.15	-0.2	-0.2
pH (S.U.)	6.09	6.08	6.11	6.13	3.12	6.3	6.35
Sp. Cond. (mS/cm)	1.662	1.661	1.663	1.67	1.682	1.72	1.737
Turbidity (NTUs)	19	13.6	13	14.1	15.1	18.3	19
Dissolved Oxygen (mg/L)	2.56	0.8	0.64	0.5	0.41	0.36	0.33
Water Temperature (°C)	14.39	15.13	14.98	15.02	15.11	15.05	15.01
ORP (mV)	-17.8	-22.1	-28.9	-32.8	-37.3	-62.6	-73.1
Physical appearance at start		Color	Clear w/ black flecks		Physical appearance at sampling	Color	Clear
		Odor	Slight injectate odor			Odor	Slight
Sheen/Free Product		No			Sheen/Free Product	No	
COMMENTS/OBSERVATIONS	Pump Start at 11:55. Sample at 12:40.						

GROUNDWATER SAMPLING LOG

Page 1 of 1

Date (mo/day/yr)	7/24/2015		Casing Diameter	2		inches
Field Personnel	E. Laity & E. Thalhamer		Casing Material	PVC		
Site Name	Former Scott Aviation Site - Lancaster, NY		Measuring Point Elevation			1/100 ft
AECOM Job #	60314190		Height of Riser (above land surface)			1/100 ft
Well ID #	DPE-8		Land Surface Elevation			1/100 ft
	Upgradient	Downgradient	Screened Interval (below land surface)	8.5-16.5		1/100 ft
Weather Conditions	Sunny					
Air Temperature	70 °F					
Total Depth (TWD) Below Top of Casing =			1/100 ft			
Depth to Groundwater (DGW) Below Top of Casing =	4.1		1/100 ft			
Length of Water Column (LWC) = TWD - DGW =			1/100 ft			
1 Casing Volume (OCV) = LWC x 0.163 =			gal			
3 Casing Volumes =			gal			
Method of Well Evacuation	Peristaltic Pump					
Method of Sample Collection	Peristaltic Pump/Poly Tubing					
Total Volume of Water Removed	6 liter					
FIELD ANALYSES						
Flow Rate (ml/min)	125	125	125	125	125	125
Time (Military)	11:00	11:05	11:10	11:15	11:20	11:25
Depth to Groundwater Below Top of Casing (ft)	4.8	5.55	5.95	6.65	7.45	8.1
Drawdown (ft)	-0.7	-0.75	-0.4	-0.7	-0.8	-0.65
pH (S.U.)	5.88	5.83	5.75	5.74	5.7	5.65
Sp. Cond. (mS/cm)	3.288	3.275	3.236	3.191	3.171	3.187
Turbidity (NTUs)	NA	NA	NA	NA	NA	NA
Dissolved Oxygen (mg/L)	1.4	0.86	0.62	0.44	0.4	0.38
Water Temperature (°C)	14.13	14.29	14.58	14.72	14.54	14.31
ORP (mV)	-59.2	-68.4	-61.8	-58.7	-61.1	-63.6
Physical appearance at start	Color	Milky w/ black flecks		Physical appearance at sampling	Color	Milky w/ black flecks
	Odor	No			Odor	No
Sheen/Free Product	No		Sheen/Free Product	No		
COMMENTS/OBSERVATIONS	Pump Start at 10:55.Turbidity meter malfunction due to observable cloudy injection fluid, reading -120ntu for missing readings.					
	Sample at 11:35. Slight drawdown at sampling.					

GROUNDWATER SAMPLING LOG

Page 1 of 1

Date (mo/day/yr)	7/24/2015	Casing Diameter			inches
Field Personnel	E. Laity & E. Thalhamer	Casing Material			
Site Name	Former Scott Aviation Site - Lancaster, NY	Measuring Point Elevation	687.19 (at rim)		1/100 ft
AECOM Job #	60314190	Height of Riser (above land surface)			1/100 ft
Well ID #	GWCT Manhole	Land Surface Elevation			1/100 ft
	Upgradient	Downgradient			Screened Interval (below land surface)
Weather Conditions	Sunny				
Air Temperature	65	° F			
Total Depth (TWD) Below Top of Casing =			1/100 ft		
Depth to Groundwater (DGW) Below Top of Casing =	14.95	1/100 ft			
Length of Water Column (LWC) = TWD - DGW =			1/100 ft		
1 Casing Volume (OCV) = LWC x	0.163	=	gal		
3 Casing Volumes =			gal		
Method of Well Evacuation	Peristaltic Pump				
Method of Sample Collection	Peristaltic Pump/Poly Tubing				
Total Volume of Water Removed	-	liter			
FIELD ANALYSES					
Flow Rate (ml/min)					
Time (Military)					
Depth to Groundwater Below Top of Casing (ft)					
Drawdown (ft)					
pH (S.U.)					
Sp. Cond. (mS/cm)					
Turbidity (NTUs)					
Dissolved Oxygen (mg/L)					
Water Temperature (°C)					
ORP (mV)					
Physical appearance at start		Color	Clear w/ black flecks		
		Odor	No		
Sheen/Free Product		No			
Physical appearance at sampling		Color	Clear w/ black flecks		
		Odor	No		
Sheen/Free Product		No			
COMMENTS/OBSERVATIONS Grab sample @ 9:05. Sample depth ~17ft bgs.					



APPENDIX B

Summary of Groundwater Elevations

MONITORING WELL MW-2
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
11/7/2003	7.29	683.06
4/8/2004	NM	NA
10/12/2004	NM	NA
1/6/2005	5.92	684.43
4/14/2005	6.50	683.85
7/20/2005	7.77	682.58
10/4/2005	6.08	684.27
1/5/2006	9.56	680.79
4/11/2006	6.65	683.70
7/10/2006	7.79	682.56
10/18/2006	6.11	684.24
1/9/2007	6.27	684.08
2/28/2007	5.20	685.15
4/16/2007	5.99	684.36
7/2/2007	7.22	683.13
10/15/2007	8.15	682.20
1/8/2008	5.73	684.62
4/2/2008	5.95	684.40
7/1/2008	4.90	685.45
9/30/2008	7.40	682.95
1/19/2009	6.75	683.60
4/14/2009	6.15	684.20
7/21/2009	6.25	684.10
10/14/2009	5.85	684.50
1/18/2010	7.00	683.35
4/8/2010	5.45	684.90
7/12/2010	6.10	684.25
10/11/2010	7.00	683.35
1/11/2011	6.80	683.55
4/4/2011	5.70	684.65
7/25/2011	4.75	685.60
10/3/2011	4.13	686.22
1/12/2012	6.40	683.95
4/2/2012	6.00	684.35
7/5/2012	6.47	683.88
10/11/2012	7.17	683.18
1/21/2013	6.72	683.63
4/1/2013	6.10	684.25
7/1/2013	6.84	683.51
10/9/2013	6.70	683.65
1/21/2014	6.00	684.35
4/7/2014	4.95	685.40
7/16/2014	6.72	683.63
10/14/2014	6.79	683.56
1/20/2015	7.12	683.23
4/6/2015	5.74	684.61
7/22/2015	6.19	684.16

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing


TOC Elevation - 690.35

DPE and GWCT down on 2/28/07

DPE down on 1/8/08 and 10/9/13

TOC Elevation as of 6/13/08 - 690.35

MONITORING WELL MW-2
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York



MONITORING WELL MW-3
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
11/7/2003	12.76	674.96
4/8/2004	NM	NA
10/12/2004	NM	NA
1/6/2005	11.65	676.07
4/14/2005	12.64	675.08
7/20/2005	12.73	674.99
10/4/2005	7.38	680.34
1/5/2006	11.31	676.41
4/11/2006	11.84	675.88
7/10/2006	12.31	675.41
10/18/2006	10.82	676.9
1/9/2007	10.99	676.73
2/28/2007	3.99	683.73
4/16/2007	11.87	675.85
7/2/2007	13.35	674.37
10/17/2007	13.1	674.62
1/8/2008	7.61	680.11
4/2/2008	11.71	676.01
7/1/2008	10.75	676.27
9/30/2008	11.95	675.07
1/19/2009	10.94	676.08
4/14/2009	10.94	676.08
7/21/2009	11.51	675.51
10/14/2009	10.75	676.27
1/18/2010	12.38	674.64
4/8/2010	11.02	676.00
7/12/2010	9.18	677.84
10/11/2010	10.9	676.12
1/12/2011	11.3	675.72
4/4/2011	10.7	676.32
7/25/2011	4.38	682.64
10/3/2011	3.14	683.88
1/12/2012	10.65	676.37
4/2/2012	9.81	677.21
7/5/2012	8.56	678.46
10/11/2012	9.77	677.25
1/21/2013	11.15	675.87
4/1/2013	8.56	678.46
7/1/2013	11.85	675.17
10/9/2013	10.43	676.59
1/21/2014	10.45	676.57
4/7/2014	11.77	675.25
7/16/2014	10.29	676.73
10/14/2014	9.65	677.37
1/20/2015	10.15	676.87
4/6/2015	8.94	678.08
7/22/2015	7.98	679.04

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing


TOC Elevation - 687.72

DPE and GWCT down on 2/28/07

DPE down on 1/8/08 and 10/9/13

TOC Elevation as of 6/13/08 - 687.02

MONITORING WELL MW-3
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York



MONITORING WELL MW-4
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
11/7/2003	8.54	678.10
4/8/2004	NM	NA
10/12/2004	11.40	675.24
1/6/2005	9.20	677.44
4/14/2005	NM	NA
7/20/2005	NM	NA
10/4/2005	15.24	671.40
1/5/2006	15.71	670.93
4/11/2006	18.56	668.08
7/10/2006	15.02	671.62
10/18/2006	15.21	671.43
1/9/2007	14.00	672.64
2/28/2007	2.54	684.10
4/16/2007	12.45	674.19
7/2/2007	14.89	671.75
10/17/2007	12.91	673.73
1/8/2008	5.59	681.05
4/2/2008	9.31	677.33
7/1/2008	13.91	672.51
9/30/2008	13.55	672.87
1/19/2009	10.78	675.64
4/14/2009	8.90	677.52
7/21/2009	12.35	674.07
10/14/2009	10.40	676.02
1/18/2010	8.90	677.52
4/8/2010	10.90	675.52
7/12/2010	14.00	672.42
10/11/2010	16.69	669.73
1/12/2011	16.35	670.07
4/4/2011	17.67	668.75
7/25/2011	2.32	684.10
10/3/2011	2.98	683.44
1/12/2012	13.26	673.16
4/2/2012	13.10	673.32
7/6/2012	9.66	676.76
10/11/2012	18.60	667.82
1/21/2013	17.04	669.38
4/1/2013	18.65	667.77
7/1/2013	19.10	667.32
10/9/2013	10.10	676.32
1/21/2014	NM*	NA
4/7/2014	18.85	667.57
7/16/2014	10.74	675.68
10/14/2014	8.52	677.90
1/20/2015	10.95	675.47
4/6/2015	9.05	677.37
7/22/2015	7.55	678.87

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing

TOC Elevation - 686.64


DPE and GWCT down on 2/28/07

DPE down on 1/8/08 and 10/9/13

TOC Elevation as of 6/13/08 - 686.42

NM* - Well could not be accessed due to snow cover

MONITORING WELL MW-4
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York



MONITORING WELL MW-6
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
11/7/2003	11.06	675.62
4/8/2004	NM	NA
10/12/2004	9.95	676.73
1/6/2005	13.00	673.68
4/14/2005	11.57	675.11
7/20/2005	12.88	673.80
10/4/2005	8.55	678.13
1/5/2006	12.11	674.57
4/11/2006	11.91	674.77
7/10/2006	12.5	674.18
10/18/2006	11.02	675.66
1/9/2007	11.1	675.58
2/28/2007	4.35	682.33
4/16/2007	11.81	674.87
7/2/2007	12.85	673.83
10/17/2007	13.09	673.59
1/8/2008	7.02	679.66
4/2/2008	11.00	675.68
7/1/2008	10.98	675.55
9/30/2008	11.39	675.14
1/19/2009	9.68	676.85
4/14/2009	10.02	676.51
7/21/2009	11.50	675.03
10/14/2009	10.35	676.18
1/18/2010	11.20	675.33
4/8/2010	10.05	676.48
7/12/2010	9.25	677.28
10/11/2010	9.91	676.62
1/12/2011	10.56	675.97
4/4/2011	10.27	676.26
7/25/2011	4.17	682.36
10/3/2011	3.45	683.08
1/12/2012	9.86	676.67
4/2/2012	9.39	677.14
7/5/2012	7.64	678.89
10/11/2012	10.80	675.73
1/21/2013	10.12	676.41
4/1/2013	8.41	678.12
7/1/2013	11.18	675.35
10/9/2013	9.32	677.21
1/21/2014	9.95	676.58
4/7/2014	10.75	675.78
7/16/2014	9.61	676.92
10/14/2014	8.60	677.93
1/20/2015	9.20	677.33
4/6/2015	8.08	678.45
7/22/2015	7.28	679.25

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing


TOC Elevation - 686.68

DPE and GWCT down on 2/28/07

DPE down on 1/8/08 and 10/9/13

TOC Elevation as of 6/13/08 - 686.53

MONITORING WELL MW-6
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York



MONITORING WELL MW-8R
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	NM	NA
10/12/2004	12.75	672.92
1/6/2005	7.45	678.22
4/14/2005	14.45	671.22
7/20/2005	NM	NA
10/4/2005	NM	NA
1/6/2006	15.51	670.16
4/11/2006	15.65	670.02
7/10/2006	14.9	670.77
10/18/2006	15.72	669.95
1/9/2007	15.76	669.91
2/28/2007	10.78	674.89
4/16/2007	15.60	670.07
7/2/2007	16.29	669.38
10/15/2007	18.50	667.17
1/8/2008	4.99	680.68
4/2/2008	13.19	672.48
7/1/2008	12.15	674.06
9/30/2008	15.83	670.38
1/19/2009	11.55	674.66
4/14/2009	11.20	675.01
7/21/2009	13.57	672.64
10/14/2009	12.76	673.45
1/18/2010	11.26	674.95
4/8/2010	14.95	671.26
7/12/2010	13.74	672.47
10/11/2010	12.34	673.87
1/12/2011	13.10	673.11
4/4/2011	14.88	671.33
7/25/2011	3.25	682.96
10/3/2011	4.50	681.71
1/12/2012	12.96	673.25
4/2/2012	11.70	674.51
7/5/2012	10.34	675.87
10/11/2012	13.38	672.83
1/21/2013	14.90	671.31
4/1/2013	10.82	675.39
7/1/2013	12.70	673.51
10/9/2013	9.25	676.96
1/21/2014	NM*	NA
4/7/2014	14.55	671.66
7/16/2014	8.97	677.24
10/14/2014	5.85	680.36
1/20/2015	9.80	676.41
4/6/2015	7.55	678.66
7/22/2015	8.22	677.99

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing

TOC Elevation - 685.67


DPE and GWCT down on 2/28/07

DPE down on 1/8/08 and 10/9/13

TOC Elevation as of 6/13/08 - 686.21

NM* - Well could not be accessed due to snow cover

MONITORING WELL MW-8R
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York



MONITORING WELL MW-9
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
11/7/2003	13.03	672.4
4/8/2004	NM	NA
10/12/2004	13.68	671.75
1/6/2005	12.89	672.54
4/14/2005	12.74	672.69
7/20/2005	13.88	671.55
10/4/2005	7.22	678.21
1/5/2006	12.79	672.64
4/11/2006	13.50	671.93
7/10/2006	13.24	672.19
10/18/2006	11.00	674.43
1/9/2007	12.24	673.19
2/28/2007	1.66	683.77
4/16/2007	13.15	672.28
7/2/2007	13.00	672.43
10/17/2007	13.95	671.48
1/8/2008	6.70	678.73
4/2/2008	10.61	674.82
7/1/2008	14.25	674.39
9/30/2008	15.67	672.97
1/19/2009	14.48	674.16
4/14/2009	15.48	673.16
7/21/2009	15.20	673.44
10/10/2009	15.06	673.58
1/18/2010	17.00	671.64
4/8/2010	15.40	673.24
7/12/2010	12.42	676.22
10/11/2010	14.21	674.43
1/12/2011	15.29	673.35
4/4/2011	14.55	674.09
7/25/2011	5.75	682.89
10/3/2011	4.58	684.06
1/12/2012	14.75	673.89
4/2/2012	14.52	674.12
7/5/2012	11.48	677.16
10/11/2012	12.66	675.98
1/21/2013	14.44	674.20
4/1/2013	11.87	676.77
7/1/2013	16.54	672.10
10/9/2013	13.68	674.96
1/21/2014	15.38	673.26
4/7/2014	16.30	672.34
7/16/2014	13.71	674.93
10/14/2014	13.09	675.55
1/20/2015	13.92	674.72
4/6/2015	12.41	676.23
7/22/2015	10.72	677.92

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing


TOC Elevation - 685.43

DPE and GWCT down on 2/28/07

DPE down on 1/8/08 and 10/9/13

TOC Elevation as of 6/13/08 - 688.64

MONITORING WELL MW-9
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York



MONITORING WELL MW-10
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
11/7/2003	10.75	676.97
4/8/2004	NM	NA
10/12/2004	NM	NA
1/6/2005	10.28	677.44
4/14/2005	11.50	676.22
7/20/2005	12.43	675.29
10/4/2005	9.58	678.14
1/5/2006	11.28	676.44
4/11/2006	10.91	676.81
7/10/2006	10.90	676.82
10/18/2006	10.13	677.59
1/9/2007	10.21	677.51
2/28/2007	4.30	683.42
4/16/2007	10.93	676.79
7/2/2007	12.21	675.51
10/17/2007	13.15	674.57
1/8/2008	7.03	680.69
4/2/2008	9.91	677.81
7/1/2008	10.04	677.37
9/30/2008	11.05	676.36
1/19/2009	9.74	677.67
4/14/2009	9.14	678.27
7/21/2009	10.56	676.85
10/14/2009	9.37	678.04
1/18/2010	10.59	676.82
4/8/2010	9.35	678.06
7/12/2010	9.12	678.29
10/11/2010	10.20	677.21
1/12/2011	10.00	677.41
4/4/2011	9.61	677.80
7/25/2011	4.45	682.96
10/3/2011	4.25	683.16
1/12/2012	9.82	677.59
4/2/2012	8.51	678.90
7/5/2012	7.55	679.86
10/11/2012	10.65	676.76
1/21/2013	9.59	677.82
4/1/2013	8.30	679.11
7/1/2013	9.77	677.64
10/9/2013	8.65	678.76
1/21/2014	8.73	678.68
4/7/2014	9.25	678.16
7/16/2014	8.65	678.76
10/14/2014	8.02	679.39
1/20/2015	8.50	678.91
4/6/2015	7.40	680.01
7/22/2015	6.84	680.57

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing


TOC Elevation - 687.72

DPE and GWCT down on 2/28/07

DPE down on 1/8/08 and 10/9/13

TOC Elevation as of 6/13/08 - 687.41

MONITORING WELL MW-10
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York



MONITORING WELL MW-11
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	NM	NA
10/12/2004	NM	NA
1/6/2005	15.59	673.02
4/14/2005	11.59	677.02
7/20/2005	17.34	671.27
10/4/2005	10.45	678.16
1/5/2006	16.58	672.03
4/11/2006	13.52	675.09
7/10/2006	13.75	674.86
10/18/2006	14.35	674.26
1/9/2007	15.26	673.35
2/28/2007	6.34	682.27
4/16/2007	11.55	677.06
7/2/2007	17.30	671.31
10/16/2007	17.69	670.92
1/8/2008	11.73	676.88
4/2/2008	14.78	673.83
7/1/2008	13.91	674.74
9/30/2008	15.25	673.40
1/19/2009	13.45	675.20
4/14/2009	13.50	675.15
7/21/2009	14.51	674.14
10/14/2009	13.85	674.80
1/18/2010	16.38	672.27
4/8/2010	13.90	674.75
7/12/2010	12.60	676.05
10/11/2010	14.80	673.85
1/12/2011	NA	
4/4/2011	14.52	674.13
7/25/2011	4.48	684.17
10/3/2011	4.05	684.60
1/12/2012	8.96	679.69
4/2/2012	12.87	675.78
7/5/2012	10.53	678.12
10/11/2012	14.40	674.25
1/21/2013	14.75	673.90
4/1/2013	11.66	676.99
7/1/2013	14.99	673.66
10/9/2013	12.25	676.40
1/21/2014	13.75	674.90
4/7/2014	14.56	674.09
7/16/2014	12.64	676.01
10/14/2014	12.26	676.39
1/20/2015	12.31	676.34
4/6/2015	11.95	676.70
7/22/2015	8.49	680.16

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing


TOC Elevation - 688.61

DPE and GWCT down on 2/28/07

DPE down on 1/8/08 and 10/9/13

TOC Elevation as of 6/13/08 - 688.65

MONITORING WELL MW-11
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York



MONITORING WELL MW-12
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	NM	
10/12/2004	10.64	675.15
1/6/2005	6.18	679.61
4/14/2005	6.80	678.99
7/20/2005	11.95	673.84
10/4/2005	7.36	678.43
1/5/2006	6.80	678.99
4/11/2006	6.76	679.03
7/10/2006	11.35	674.44
10/18/2006	NM*	NA
1/9/2007	6.35	679.44
2/28/2007	NM*	NA
4/16/2007	7.38	678.41
7/2/2007	11.42	674.37
10/15/2007	12.00	673.79
1/8/2008	4.31	681.48
4/2/2008	5.86	679.93
7/1/2008	7.10	679.04
9/30/2008	10.92	675.22
1/19/2009	NM*	NA
4/14/2009	7.14	679
7/21/2009	9.66	676.48
10/14/2009	8.83	677.31
1/18/2010	7.40	678.74
4/8/2010	7.10	679.04
7/12/2010	8.48	677.66
10/11/2010	8.64	677.51
1/12/2011	6.32	679.83
4/4/2011	5.69	680.46
7/25/2011	3.5	682.65
10/3/2011	2.67	683.48
1/12/2012	5.41	680.74
4/2/2012	5.30	680.85
7/5/2012	7.20	678.95
10/11/2012	6.75	679.40
1/21/2013	5.51	680.64
4/1/2013	5.07	681.08
7/1/2013	7.88	678.27
10/9/2013	5.20	680.95
1/21/2014	NM*	NA
4/7/2014	5.76	680.39
7/16/2014	6.60	679.55
10/14/2014	5.15	681.00
1/20/2015	NM*	NA
4/6/2015	4.10	682.05
7/22/2015	4.82	681.33

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing

TOC Elevation - 685.79


NM* - Well could not be accessed due to snow cover

DPE and GWCT down on 2/28/07

DPE down on 1/8/08 and 10/9/13

TOC Elevation as of 6/13/08 - 686.15

MONITORING WELL MW-12
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York



MONITORING WELL MW-13S
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	7.01	679.56
10/12/2004	13.47	673.10
1/6/2005	7.24	679.33
4/14/2005	13.91	672.66
7/20/2005	12.81	673.76
10/4/2005	13.35	673.22
1/5/2006	13.79	672.78
4/11/2006	12.45	674.12
7/10/2006	13.02	673.55
10/18/2006	10.99	675.58
1/9/2007	11.35	675.22
2/28/2007	3.49	683.08
4/16/2007	12.01	674.56
7/2/2007	13.20	673.37
10/18/2007	12.77	673.80
1/8/2008	5.08	681.49
4/2/2008	5.45	681.12
7/1/2008	9.70	676.90
9/30/2008	11.80	674.80
1/19/2009	8.70	677.90
4/14/2009	8.64	677.96
7/21/2009	10.91	675.69
10/14/2009	9.18	677.42
1/18/2010	9.80	676.80
4/8/2010	8.30	678.30
7/12/2010	9.96	676.64
10/11/2010	10.29	676.31
1/12/2011	7.53	679.07
4/4/2011	8.00	678.60
7/25/2011	2.55	684.05
10/3/2011	1.81	684.79
1/12/2012	8.11	678.49
4/2/2012	8.06	678.54
7/5/2012	8.71	677.89
10/11/2012	9.57	677.03
1/21/2013	13.85	672.75
4/1/2013	6.44	680.16
7/1/2013	6.44	680.16
10/9/2013	4.10	682.50
1/21/2014	4.95	681.65
4/7/2014	6.02	680.58
7/16/2014	5.42	681.18
10/14/2014	4.41	682.19
1/20/2015	6.10	680.50
4/6/2015	4.69	681.91
7/22/2015	7.97	678.63

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing


TOC Elevation - 686.57

DPE and GWCT down on 2/28/07

DPE down on 1/8/08 and 10/9/13

TOC Elevation as of 6/13/08 - 686.60

MONITORING WELL MW-13S
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York



MONITORING WELL MW-13D
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	13.28	673.43
10/12/2004	14.87	671.84
1/6/2005	14.55	672.16
4/14/2005	15.32	671.39
7/20/2005	15.65	671.06
10/4/2005	9.44	677.27
1/5/2006	15.83	670.88
4/11/2006	15.41	671.30
7/10/2006	13.79	672.92
10/18/2006	13.17	673.54
1/9/2007	14.41	672.30
2/28/2007	3.28	683.43
4/16/2007	14.66	672.05
7/2/2007	15.68	671.03
10/18/2007	15.80	670.91
1/8/2008	8.69	678.02
4/2/2008	12.86	673.85
7/1/2008	12.55	674.18
9/30/2008	13.89	672.84
1/19/2009	12.10	674.63
4/14/2009	11.78	674.95
7/21/2009	12.86	673.87
10/14/2009	11.59	675.14
1/18/2010	13.88	672.85
4/8/2010	12.00	674.73
7/12/2010	11.90	674.83
10/11/2010	13.34	673.39
1/12/2011	13.2	673.53
4/4/2011	13.13	673.60
7/25/2011	3.33	683.40
10/3/2011	2.55	684.18
1/12/2012	12.34	674.39
4/2/2012	11.76	674.97
7/5/2012	9.25	677.48
10/11/2012	13.00	673.73
1/21/2013	13.85	672.88
4/1/2013	11.01	675.72
7/1/2013	14.26	672.47
10/9/2013	10.36	676.37
1/21/2014	11.45	675.28
4/7/2014	13.65	673.08
7/16/2014	10.74	675.99
10/14/2014	9.41	677.32
1/20/2015	11.02	675.71
4/6/2015	9.35	677.38
7/22/2015	7.44	679.29

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing


TOC Elevation - 686.71

DPE and GWCT down on 2/28/07

DPE down on 1/8/08 and 10/9/13

TOC Elevation as of 6/13/08 - 686.73

MONITORING WELL MW-13D
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York



MONITORING WELL MW-14S
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	5.14	680.17
10/12/2004	8.57	676.74
1/6/2005	6.27	679.04
4/14/2005	5.16	680.15
7/20/2005	8.32	676.99
10/4/2005	6.14	679.17
1/5/2006	8.41	676.90
4/11/2006	7.75	677.56
7/10/2006	8.18	677.13
10/18/2006	9.00	676.31
1/9/2007	6.61	678.70
2/28/2007	1.50	683.81
4/16/2007	3.45	681.86
7/2/2007	8.36	676.95
10/15/2007	9.45	675.86
1/8/2008	4.65	680.66
4/2/2008	4.47	680.84
7/1/2008	6.37	679.33
9/30/2008	8.90	676.80
1/19/2009	6.15	679.55
4/14/2009	7.70	678.00
7/21/2009	7.25	678.45
10/14/2009	7.05	678.65
1/18/2010	NM	
4/8/2010	6.50	678.81
7/12/2010	6.54	678.77
10/11/2010	5.90	679.80
1/12/2011	6.83	678.87
4/4/2011	6.34	679.36
7/25/2011	2.59	683.11
10/3/2011	1.98	683.72
1/12/2012	5.10	680.60
4/2/2012	4.55	681.15
7/5/2012	7.15	678.55
10/11/2012	6.67	679.03
1/21/2013	5.15	680.55
4/1/2013	5.05	680.65
7/1/2013	6.81	678.89
10/9/2013	5.60	680.10
1/21/2014	5.68	680.02
4/7/2014	6.03	679.67
7/16/2014	5.49	680.21
10/14/2014	5.61	680.09
1/20/2015	5.55	680.15
4/6/2015	4.58	681.12
7/22/2015	3.59	682.11

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing


TOC Elevation - 685.31

DPE and GWCT down on 2/28/07

DPE down on 1/8/08 and 10/9/13

TOC Elevation as of 6/13/08 - 685.70

MONITORING WELL MW-14S
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York



MONITORING WELL MW-14D
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	13.21	672.22
10/12/2004	14.55	670.88
1/6/2005	15.97	669.46
4/14/2005	13.25	672.18
7/20/2005	18.20	667.23
10/4/2005	13.26	672.17
1/5/2006	19.08	666.35
4/11/2006	19.79	665.64
7/10/2006	17.16	668.27
10/18/2006	19.44	665.99
1/9/2007	14.71	670.72
2/28/2007	2.67	682.76
4/16/2007	19.74	665.69
7/2/2007	19.68	665.75
10/15/2007	19.76	665.67
1/8/2008	7.92	677.51
4/2/2008	14.41	671.02
7/1/2008	14.45	671.37
9/30/2008	15.39	670.43
1/19/2009	13.55	672.27
4/14/2009	20.10	665.72
7/21/2009	15.15	670.67
10/14/2009	20.27	665.55
1/18/2010	20.40	665.42
4/8/2010	15.40	670.42
7/12/2010	17.15	668.67
10/11/2010	14.40	671.42
1/12/2011	17.92	667.90
4/4/2011	16.23	669.59
7/25/2011	3.10	682.72
10/3/2011	2.72	683.10
1/12/2012	15.30	670.52
4/2/2012	16.50	669.32
7/5/2012	12.81	673.01
10/11/2012	14.55	671.27
1/21/2013	13.45	672.37
4/1/2013	10.78	675.04
7/1/2013	19.85	665.97
10/9/2013	10.02	675.80
1/21/2014	18.20	667.62
4/7/2014	17.95	667.87
7/16/2014	12.99	672.83
10/14/2014	10.70	675.12
1/20/2015	13.49	672.33
4/6/2015	11.30	674.52
7/22/2015	8.62	677.20

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing


TOC Elevation - 685.43

DPE and GWCT down on 2/28/07

DPE down on 1/8/08 and 10/9/13

TOC Elevation as of 6/13/08 - 685.82

MONITORING WELL MW-14D
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York



MONITORING WELL MW-15S
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	1.20	685.44
10/12/2004	5.26	681.38
1/6/2005	0.35	686.29
4/14/2005	2.31	684.33
7/20/2005	4.78	681.86
10/4/2005	2.22	684.42
1/5/2006	0.70	685.94
4/11/2006	2.00	684.64
7/10/2006	4.75	681.89
1/9/2007	0.05	686.59
2/28/2007	0.00	686.64
4/16/2007	0.50	686.14
7/2/2007	4.67	681.97
10/16/2007	4.80	681.84
1/8/2008	0.70	685.94
4/2/2008	0.00	686.64
7/1/2008	0.50	687.02
9/30/2008	3.14	684.38
1/19/2009	1.50	686.02
4/14/2009	1.60	685.92
7/21/2009	1.11	686.41
10/14/2009	1.11	686.41
1/18/2010	0.80	686.72
4/8/2010	2.00	685.52
7/12/2010	2.80	684.72
10/11/2010	3.14	684.38
1/12/2011	1.40	686.12
4/4/2011	0.50	687.02
7/25/2011	2.51	685.01
10/3/2011	0.20	687.32
1/12/2012	0.50	687.02
4/2/2012	1.40	686.12
7/5/2012	3.90	683.62
10/1/2012	3.18	684.34
1/21/2013	0.00	687.52
4/1/2013	0.50	687.02
7/1/2013	1.73	685.79
10/9/2013	2.10	685.42
1/21/2014	1.75	685.77
4/7/2014	0.90	686.62
7/16/2014	1.91	685.61
10/14/2014	2.00	685.52
1/20/2015	1.60	685.92
4/6/2015	0.51	687.01
7/22/2015	1.41	686.11

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing


TOC Elevation - 686.64'

DPE and GWCT down on 2/28/07

DPE down on 1/8/08 and 10/9/13

TOC Elevation as of 6/13/08 - 687.52'

MONITORING WELL MW-15S
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York



MONITORING WELL MW-15D
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	15.70	671.61
10/12/2004	17.42	669.89
1/6/2005	15.74	671.57
4/14/2005	16.99	670.32
7/20/2005	17.31	670.00
10/4/2005	8.94	678.37
1/5/2006	16.16	671.15
4/11/2006	16.90	670.41
7/10/2006	15.78	671.53
10/18/2006	15.50	671.81
1/9/2007	15.80	671.51
2/28/2007	4.10	683.21
4/16/2007	16.61	670.70
7/2/2007	17.20	670.11
10/16/2007	16.70	670.61
1/8/2008	8.99	678.32
4/2/2008	15.01	672.30
7/1/2008	14.64	672.98
9/30/2008	16.24	671.38
1/19/2009	15.00	672.62
4/14/2009	14.21	673.41
7/21/2009	14.61	673.01
10/14/2009	14.81	672.81
1/18/2010	16.89	670.73
4/8/2010	15.00	672.62
7/12/2010	13.00	674.62
10/11/2010	13.00	674.62
1/12/2011	15.65	671.97
4/4/2011	15.51	672.11
7/25/2011	3.73	683.89
10/3/2011	3.05	684.57
1/12/2012	15.50	672.12
4/2/2012	14.30	673.32
7/5/2012	9.81	677.81
10/11/2012	13.70	673.92
1/21/2013	15.90	671.72
4/1/2013	11.08	676.54
7/1/2013	16.04	671.58
10/9/2013	13.95	673.67
1/21/2014	15.05	672.57
4/7/2014	15.84	671.78
7/16/2014	13.51	674.11
10/14/2014	12.49	675.13
1/20/2015	15.04	672.58
4/6/2015	13.15	674.47
7/22/2015	9.92	677.70

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing


TOC Elevation - 687.31'

DPE and GWCT down on 2/28/07

DPE down on 1/8/08 and 10/9/13

TOC Elevation as of 6/13/08 - 687.62'

MONITORING WELL MW-15D
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York



MONITORING WELL MW-16S
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	5.09	680.75
10/12/2004	12.09	673.75
1/6/2005	4.75	681.09
4/14/2005	10.15	675.69
7/20/2005	14.56	671.28
10/4/2005	11.50	674.34
1/5/2006	11.41	674.43
4/11/2006	12.90	672.94
7/10/2006	11.54	674.30
10/18/2006	12.50	673.34
1/9/2007	13.82	672.02
2/28/2007	2.90	682.94
4/16/2007	13.07	672.77
7/2/2007	12.50	673.34
10/18/2007	15.23	670.61
1/8/2008	5.60	680.24
4/2/2008	12.40	673.44
7/1/2008	15.70	674.67
9/30/2008	19.34	671.03
1/19/2009	17.80	672.57
4/14/2009	18.22	672.15
7/21/2009	19.95	670.42
10/14/2009	17.77	672.60
1/18/2010	16.45	673.92
4/8/2010	18.60	671.77
7/12/2010	18.45	671.92
10/11/2010	13.51	676.86
1/12/2011	NA	
4/7/2011	8.55	677.29
7/25/2011	1.45	684.39
10/3/2011	0.60	685.24
1/12/2012	3.80	682.04
4/2/2012	5.85	679.99
7/5/2012	9.12	676.72
10/11/2012	6.36	679.48
1/21/2013	7.85	677.99
4/1/2013	10.15	675.69
7/1/2013	9.18	676.66
10/9/2013	3.80	682.04
1/21/2014	9.55	676.29
4/7/2014	9.60	676.24
7/16/2014	9.05	676.79
10/14/2014	3.10	682.74
1/20/2015	6.90	678.94
4/6/2015	5.50	680.34
7/22/2015	10.14	678.05

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing

TOC Elevation - 685.84'

DPE and GWCT down on 2/28/07


DPE down on 1/8/08 and 10/9/13

TOC Elevation as of 6/13/08 - 690.37'

TOC Elevation as of 4/7/2011 - 685.84'

TOC Elevation as of 6/2015 - 688.19

MONITORING WELL MW-16S
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York



MONITORING WELL MW-16D
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	13.62	672.39
10/12/2004	15.51	670.50
1/6/2005	13.70	672.31
4/14/2005	16.09	669.92
7/20/2005	16.65	669.36
10/4/2005	9.89	676.12
1/5/2006	17.21	668.80
4/11/2006	17.1	668.91
7/10/2006	10.61	675.4
10/18/2006	15.41	670.6
1/9/2007	15.6	670.41
2/28/2007	2.74	683.27
4/16/2007	16.35	669.66
7/2/2007	16.85	669.16
10/18/2007	17.17	668.84
1/8/2008	8.32	677.69
4/2/2008	13.44	672.57
7/1/2008	17.72	672.83
9/30/2008	19.29	671.26
1/19/2009	17.95	672.60
4/14/2009	17.21	673.34
7/21/2009	18.28	672.27
10/14/2009	17.60	672.95
1/18/2010	19.51	671.04
4/8/2010	17.19	673.36
7/12/2010	17.15	673.40
10/11/2010	18.63	671.92
1/12/2011	NA	NA
4/7/2011	13.67	672.34
7/25/2011	2.46	683.55
10/3/2011	1.70	684.31
1/12/2012	13.55	672.46
4/2/2012	12.61	673.40
7/5/2012	8.90	677.11
10/11/2012	13.38	672.63
1/21/2013	15.44	670.57
4/1/2013	12.31	673.70
7/1/2013	16.25	669.76
10/9/2013	11.40	674.61
1/21/2014	13.35	672.66
4/7/2014	15.54	670.47
7/16/2014	11.73	674.28
10/14/2014	10.04	675.97
1/20/2015	12.31	673.70
4/6/2015	10.30	675.71
7/22/2015	9.80	678.59

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing

TOC Elevation - 686.01'

DPE and GWCT down on 2/28/07


DPE down on 1/8/08 and 10/9/13

TOC Elevation as of 6/13/08 - 690.55'

TOC Elevation as of 4/7/2011 - 686.01'

TOC Elevation as of 6/2015 - 688.39

MONITORING WELL MW-16D
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York





APPENDIX C

**Analytical Laboratory Data
(Full data reports contained on attached CD ROM)**

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Buffalo

10 Hazelwood Drive

Amherst, NY 14228-2298

Tel: (716)691-2600

TestAmerica Job ID: 480-84562-1

Client Project/Site: Scott Aviation site

For:

AECOM, Inc.

257 West Genesse St.

Suite 400

Buffalo, New York 14202-2657

Attn: Mr. Dino Zack



Authorized for release by:

8/6/2015 3:27:08 PM

Brian Fischer, Manager of Project Management

(716)504-9835

brian.fischer@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?

Ask
The
Expert

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Client Sample Results	6
Lab Chronicle	51
Certification Summary	55
Method Summary	56
Sample Summary	57
Receipt Checklists	58
Chain of Custody	59

Definitions/Glossary

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
B	Compound was found in the blank and sample.
F1	MS and/or MSD Recovery is outside acceptance limits.
E	Result exceeded calibration range.
*	LCS or LCSD is outside acceptance limits.
^	ICV,CCV,ICB,CCB, ISA, ISB, CRI, CRA, DLCK or MRL standard: Instrument related QC is outside acceptance limits.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Job ID: 480-84562-1

Laboratory: TestAmerica Buffalo

Narrative

Job Narrative 480-84562-1

Comments

No additional comments.

Receipt

The samples were received on 7/24/2015 4:45 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 4.0° C.

GC/MS VOA

Method(s) 8260C: The following samples were diluted to bring the concentration of target analytes within the calibration range: MW-16S (480-84562-8), Duplicate (480-84562-9), MW-16D (480-84562-11), MW-13S (480-84562-12), MW-8R (480-84562-13), (480-84562-A-11 MS) and (480-84562-A-11 MSD). Elevated reporting limits (RLs) are provided.

Method(s) 8260C: The continuing calibration verification (CCV) associated with batch 480-256310 recovered above the upper control limit for Carbon tetrachloride, Chlorodibromomethane, and 1,1,1-Trichloroethane. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The following samples are impacted: MW-2 (480-84562-1), MW-3 (480-84562-2), MW-6 (480-84562-4), MW-10 (480-84562-5), MW-12 (480-84562-7), MW-16S (480-84562-8), Duplicate (480-84562-9), Rinse Blank (480-84562-10), MW-16D (480-84562-11), MW-13S (480-84562-12), MW-8R (480-84562-13) and MW-13D (480-84562-14).

Method(s) 8260C: The continuing calibration verification (CCV) associated with batch 480-256365 recovered above the upper control limit for 1,1,1-Trichloroethane, Carbon tetrachloride, Dibromochloromethane and Trichlorofluoromethane. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The following samples are impacted: MW-4 (480-84562-3), MW-6 (480-84562-4), MW-11 (480-84562-6), GWCT MANHOLE (480-84562-15), DPE-4 (480-84562-17) and Trip Blank (480-84562-21).

Method(s) 8260C: The laboratory control sample/laboratory control sample duplicate (LCS/LCSD) for batch 480-256365 exceeded control limits for the following analyte: 2-Butanone. Unlike the calibration standards, this is due to the coelution with Ethyl Acetate in the spiking solution. This does not indicate a performance issue with the spike recovery, but rather the laboratory's ability to measure the two analytes together in a combined spiking solution. Through the use of spectral analysis, the two compounds can be distinguished from one another if present in a client sample. The following samples are impacted: MW-4 (480-84562-3), MW-6 (480-84562-4), MW-11 (480-84562-6), GWCT MANHOLE (480-84562-15), DPE-4 (480-84562-17) and Trip Blank (480-84562-21).

Method(s) 8260C: The laboratory control sample (LCS) for analytical batch 480-256365 recovered outside control limits for the following analytes: 1,1,1-Trichloroethane, Carbon tetrachloride and Bromodichloromethane. These analytes were biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported. The following samples are impacted: MW-4 (480-84562-3), MW-6 (480-84562-4), MW-11 (480-84562-6), GWCT MANHOLE (480-84562-15), DPE-4 (480-84562-17) and Trip Blank (480-84562-21).

Method(s) 8260C: The following samples were diluted to bring the concentration of target analytes within the calibration range: MW-4 (480-84562-3), MW-6 (480-84562-4) and DPE-4 (480-84562-17). Elevated reporting limits (RLs) are provided.

Method(s) 8260C: The method blank for analytical batch 480-256310 contained Methylene Chloride above the method detection limit. This target analyte concentration was less than the reporting limit (RL); therefore, re-extraction and/or re-analysis of samples was not performed. The following samples are impacted: MW-2 (480-84562-1), MW-3 (480-84562-2), MW-6 (480-84562-4), MW-10 (480-84562-5), MW-12 (480-84562-7), MW-16S (480-84562-8), Duplicate (480-84562-9), Rinse Blank (480-84562-10), MW-16D (480-84562-11), MW-13S (480-84562-12), MW-8R (480-84562-13) and MW-13D (480-84562-14).

Method(s) 8260C: The following samples were collected in properly preserved vials for analysis of volatile organic compounds (VOCs). However, the pH was outside the required criteria when verified by the laboratory, and corrective action was not possible: MW-16S (480-84562-8), Duplicate (480-84562-9), MW-13S (480-84562-12), MW-8R (480-84562-13) and MW-13D (480-84562-14).

Method(s) 8260C: The following sample(s) were collected in properly preserved vials for analysis of volatile organic compounds (VOCs). However, the pH was outside the required criteria when verified by the laboratory, and corrective action was not possible: MW-13D

Case Narrative

Client: AECOM, Inc.

Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Job ID: 480-84562-1 (Continued)

Laboratory: TestAmerica Buffalo (Continued)

(480-84562-14), DPE-3 (480-84562-16), DPE-4 (480-84562-17) and DPE-8 (480-84562-20).

Method(s) 8260C: The following samples was diluted to bring the concentration of target analytes within the calibration range: MW-13D (480-84562-14), DPE-3 (480-84562-16), DPE-4 (480-84562-17), DPE-5 (480-84562-18), DPE-7 (480-84562-19) and DPE-8 (480-84562-20). Elevated reporting limits (RLs) are provided.

Method(s) 8260C: The continuing calibration verification (CCV) analyzed in batch 480-257057 was outside the method criteria for the following analyte(s): 1,1,1-Trichloroethane. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analyte(s) is considered estimated. DPE-8 (480-84562-20).

Method(s) 8260C: The continuing calibration verification (CCV) associated with batch 480-257057 recovered above the upper control limit for Carbon tetrachloride, Dibromochloromethane, and Trichlorofluoromethane. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The following sample is impacted: DPE-8 (480-84562-20).

Method(s) 8260C: The continuing calibration verification (CCV) associated with batch 480-257057 recovered above the upper control limit for 1,1,1-Trichloroethane, Carbon tetrachloride, Dibromochloromethane, and Trichlorofluoromethane. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The following samples are impacted: MW-13D (480-84562-14), DPE-3 (480-84562-16), DPE-4 (480-84562-17), DPE-5 (480-84562-18) and DPE-7 (480-84562-19).

Method(s) 8260C: The following volatile sample was analyzed with significant headspace in the sample vial: MW-13D (480-84562-14). Significant headspace is defined as a bubble greater than 6 mm in diameter.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: MW-2

Date Collected: 07/22/15 15:50

Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-1

Matrix: Ground Water

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			07/30/15 23:21	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			07/30/15 23:21	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			07/30/15 23:21	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			07/30/15 23:21	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			07/30/15 23:21	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			07/30/15 23:21	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			07/30/15 23:21	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			07/30/15 23:21	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			07/30/15 23:21	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			07/30/15 23:21	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			07/30/15 23:21	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			07/30/15 23:21	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			07/30/15 23:21	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			07/30/15 23:21	1
2-Butanone (MEK)	ND		10	1.3	ug/L			07/30/15 23:21	1
2-Hexanone	ND		5.0	1.2	ug/L			07/30/15 23:21	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			07/30/15 23:21	1
Acetone	4.1 J		10	3.0	ug/L			07/30/15 23:21	1
Benzene	ND		1.0	0.41	ug/L			07/30/15 23:21	1
Bromodichloromethane	ND		1.0	0.39	ug/L			07/30/15 23:21	1
Bromoform	ND		1.0	0.26	ug/L			07/30/15 23:21	1
Bromomethane	ND		1.0	0.69	ug/L			07/30/15 23:21	1
Carbon disulfide	ND		1.0	0.19	ug/L			07/30/15 23:21	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			07/30/15 23:21	1
Chlorobenzene	ND		1.0	0.75	ug/L			07/30/15 23:21	1
Chloroethane	1.0		1.0	0.32	ug/L			07/30/15 23:21	1
Chloroform	ND		1.0	0.34	ug/L			07/30/15 23:21	1
Chloromethane	ND		1.0	0.35	ug/L			07/30/15 23:21	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			07/30/15 23:21	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			07/30/15 23:21	1
Cyclohexane	ND		1.0	0.18	ug/L			07/30/15 23:21	1
Dibromochloromethane	ND		1.0	0.32	ug/L			07/30/15 23:21	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			07/30/15 23:21	1
Ethylbenzene	ND		1.0	0.74	ug/L			07/30/15 23:21	1
Isopropylbenzene	ND		1.0	0.79	ug/L			07/30/15 23:21	1
Methyl acetate	ND		2.5	1.3	ug/L			07/30/15 23:21	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			07/30/15 23:21	1
Methylcyclohexane	ND		1.0	0.16	ug/L			07/30/15 23:21	1
Methylene Chloride	ND		1.0	0.44	ug/L			07/30/15 23:21	1
Styrene	ND		1.0	0.73	ug/L			07/30/15 23:21	1
Tetrachloroethene	ND		1.0	0.36	ug/L			07/30/15 23:21	1
Toluene	ND		1.0	0.51	ug/L			07/30/15 23:21	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			07/30/15 23:21	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			07/30/15 23:21	1
Trichloroethene	ND		1.0	0.46	ug/L			07/30/15 23:21	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			07/30/15 23:21	1
Vinyl chloride	ND		1.0	0.90	ug/L			07/30/15 23:21	1
Xylenes, Total	ND		2.0	0.66	ug/L			07/30/15 23:21	1

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: MW-2

Date Collected: 07/22/15 15:50

Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-1

Matrix: Ground Water

Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	123		66 - 137
4-Bromofluorobenzene (Surr)	104		73 - 120
Toluene-d8 (Surr)	92		71 - 126

Prepared	Analyzed	Dil Fac
	07/30/15 23:21	1
	07/30/15 23:21	1
	07/30/15 23:21	1

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: MW-3

Date Collected: 07/22/15 14:45
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-2

Matrix: Ground Water

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			07/30/15 23:44	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			07/30/15 23:44	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			07/30/15 23:44	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			07/30/15 23:44	1
1,1-Dichloroethane	3.8		1.0	0.38	ug/L			07/30/15 23:44	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			07/30/15 23:44	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			07/30/15 23:44	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			07/30/15 23:44	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			07/30/15 23:44	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			07/30/15 23:44	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			07/30/15 23:44	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			07/30/15 23:44	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			07/30/15 23:44	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			07/30/15 23:44	1
2-Butanone (MEK)	ND		10	1.3	ug/L			07/30/15 23:44	1
2-Hexanone	ND		5.0	1.2	ug/L			07/30/15 23:44	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			07/30/15 23:44	1
Acetone	ND		10	3.0	ug/L			07/30/15 23:44	1
Benzene	ND		1.0	0.41	ug/L			07/30/15 23:44	1
Bromodichloromethane	ND		1.0	0.39	ug/L			07/30/15 23:44	1
Bromoform	ND		1.0	0.26	ug/L			07/30/15 23:44	1
Bromomethane	ND		1.0	0.69	ug/L			07/30/15 23:44	1
Carbon disulfide	ND		1.0	0.19	ug/L			07/30/15 23:44	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			07/30/15 23:44	1
Chlorobenzene	ND		1.0	0.75	ug/L			07/30/15 23:44	1
Chloroethane	3.1		1.0	0.32	ug/L			07/30/15 23:44	1
Chloroform	ND		1.0	0.34	ug/L			07/30/15 23:44	1
Chloromethane	ND		1.0	0.35	ug/L			07/30/15 23:44	1
cis-1,2-Dichloroethene	1.6		1.0	0.81	ug/L			07/30/15 23:44	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			07/30/15 23:44	1
Cyclohexane	ND		1.0	0.18	ug/L			07/30/15 23:44	1
Dibromochloromethane	ND		1.0	0.32	ug/L			07/30/15 23:44	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			07/30/15 23:44	1
Ethylbenzene	ND		1.0	0.74	ug/L			07/30/15 23:44	1
Isopropylbenzene	ND		1.0	0.79	ug/L			07/30/15 23:44	1
Methyl acetate	ND		2.5	1.3	ug/L			07/30/15 23:44	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			07/30/15 23:44	1
Methylcyclohexane	ND		1.0	0.16	ug/L			07/30/15 23:44	1
Methylene Chloride	ND		1.0	0.44	ug/L			07/30/15 23:44	1
Styrene	ND		1.0	0.73	ug/L			07/30/15 23:44	1
Tetrachloroethene	ND		1.0	0.36	ug/L			07/30/15 23:44	1
Toluene	ND		1.0	0.51	ug/L			07/30/15 23:44	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			07/30/15 23:44	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			07/30/15 23:44	1
Trichloroethene	ND		1.0	0.46	ug/L			07/30/15 23:44	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			07/30/15 23:44	1
Vinyl chloride	7.9		1.0	0.90	ug/L			07/30/15 23:44	1
Xylenes, Total	ND		2.0	0.66	ug/L			07/30/15 23:44	1

1

2

3

4

5

6

7

8

9

10

11

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: MW-3

Date Collected: 07/22/15 14:45

Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-2

Matrix: Ground Water

Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	116		66 - 137
4-Bromofluorobenzene (Surr)	106		73 - 120
Toluene-d8 (Surr)	94		71 - 126

Prepared	Analyzed	Dil Fac
	07/30/15 23:44	1
	07/30/15 23:44	1
	07/30/15 23:44	1

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: MW-4

Date Collected: 07/23/15 13:40

Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-3

Matrix: Ground Water

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND	*	100	82	ug/L			07/31/15 15:03	100
1,1,2,2-Tetrachloroethane	ND		100	21	ug/L			07/31/15 15:03	100
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		100	31	ug/L			07/31/15 15:03	100
1,1,2-Trichloroethane	ND		100	23	ug/L			07/31/15 15:03	100
1,1-Dichloroethane	160		100	38	ug/L			07/31/15 15:03	100
1,1-Dichloroethene	ND		100	29	ug/L			07/31/15 15:03	100
1,2,4-Trichlorobenzene	ND		100	41	ug/L			07/31/15 15:03	100
1,2-Dibromo-3-Chloropropane	ND		100	39	ug/L			07/31/15 15:03	100
1,2-Dibromoethane	ND		100	73	ug/L			07/31/15 15:03	100
1,2-Dichlorobenzene	ND		100	79	ug/L			07/31/15 15:03	100
1,2-Dichloroethane	ND		100	21	ug/L			07/31/15 15:03	100
1,2-Dichloropropane	ND		100	72	ug/L			07/31/15 15:03	100
1,3-Dichlorobenzene	ND		100	78	ug/L			07/31/15 15:03	100
1,4-Dichlorobenzene	ND		100	84	ug/L			07/31/15 15:03	100
2-Butanone (MEK)	ND	*	1000	130	ug/L			07/31/15 15:03	100
2-Hexanone	ND		500	120	ug/L			07/31/15 15:03	100
4-Methyl-2-pentanone (MIBK)	ND		500	210	ug/L			07/31/15 15:03	100
Acetone	ND		1000	300	ug/L			07/31/15 15:03	100
Benzene	ND		100	41	ug/L			07/31/15 15:03	100
Bromodichloromethane	ND	*	100	39	ug/L			07/31/15 15:03	100
Bromoform	ND		100	26	ug/L			07/31/15 15:03	100
Bromomethane	ND		100	69	ug/L			07/31/15 15:03	100
Carbon disulfide	ND		100	19	ug/L			07/31/15 15:03	100
Carbon tetrachloride	ND	*	100	27	ug/L			07/31/15 15:03	100
Chlorobenzene	ND		100	75	ug/L			07/31/15 15:03	100
Chloroethane	ND		100	32	ug/L			07/31/15 15:03	100
Chloroform	34 J		100	34	ug/L			07/31/15 15:03	100
Chloromethane	ND		100	35	ug/L			07/31/15 15:03	100
cis-1,2-Dichloroethene	990		100	81	ug/L			07/31/15 15:03	100
cis-1,3-Dichloropropene	ND		100	36	ug/L			07/31/15 15:03	100
Cyclohexane	ND		100	18	ug/L			07/31/15 15:03	100
Dibromochloromethane	ND		100	32	ug/L			07/31/15 15:03	100
Dichlorodifluoromethane	ND		100	68	ug/L			07/31/15 15:03	100
Ethylbenzene	ND		100	74	ug/L			07/31/15 15:03	100
Isopropylbenzene	ND		100	79	ug/L			07/31/15 15:03	100
Methyl acetate	ND		250	130	ug/L			07/31/15 15:03	100
Methyl tert-butyl ether	ND		100	16	ug/L			07/31/15 15:03	100
Methylcyclohexane	ND		100	16	ug/L			07/31/15 15:03	100
Methylene Chloride	95 J		100	44	ug/L			07/31/15 15:03	100
Styrene	ND		100	73	ug/L			07/31/15 15:03	100
Tetrachloroethene	ND		100	36	ug/L			07/31/15 15:03	100
Toluene	ND		100	51	ug/L			07/31/15 15:03	100
trans-1,2-Dichloroethene	ND		100	90	ug/L			07/31/15 15:03	100
trans-1,3-Dichloropropene	ND		100	37	ug/L			07/31/15 15:03	100
Trichloroethene	ND		100	46	ug/L			07/31/15 15:03	100
Trichlorofluoromethane	ND		100	88	ug/L			07/31/15 15:03	100
Vinyl chloride	6500		100	90	ug/L			07/31/15 15:03	100
Xylenes, Total	ND		200	66	ug/L			07/31/15 15:03	100

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: MW-4

Date Collected: 07/23/15 13:40

Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-3

Matrix: Ground Water

Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	115		66 - 137
4-Bromofluorobenzene (Surr)	112		73 - 120
Toluene-d8 (Surr)	91		71 - 126

Prepared	Analyzed	Dil Fac
	07/31/15 15:03	100
	07/31/15 15:03	100
	07/31/15 15:03	100

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: MW-6

Date Collected: 07/23/15 09:55

Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-4

Matrix: Ground Water

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			07/31/15 00:32	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			07/31/15 00:32	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			07/31/15 00:32	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			07/31/15 00:32	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			07/31/15 00:32	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			07/31/15 00:32	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			07/31/15 00:32	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			07/31/15 00:32	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			07/31/15 00:32	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			07/31/15 00:32	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			07/31/15 00:32	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			07/31/15 00:32	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			07/31/15 00:32	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			07/31/15 00:32	1
2-Butanone (MEK)	2000	E	10	1.3	ug/L			07/31/15 00:32	1
2-Hexanone	ND		5.0	1.2	ug/L			07/31/15 00:32	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			07/31/15 00:32	1
Acetone	2100	E	10	3.0	ug/L			07/31/15 00:32	1
Benzene	ND		1.0	0.41	ug/L			07/31/15 00:32	1
Bromodichloromethane	ND		1.0	0.39	ug/L			07/31/15 00:32	1
Bromoform	ND		1.0	0.26	ug/L			07/31/15 00:32	1
Bromomethane	ND		1.0	0.69	ug/L			07/31/15 00:32	1
Carbon disulfide	ND		1.0	0.19	ug/L			07/31/15 00:32	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			07/31/15 00:32	1
Chlorobenzene	ND		1.0	0.75	ug/L			07/31/15 00:32	1
Chloroethane	ND		1.0	0.32	ug/L			07/31/15 00:32	1
Chloroform	ND		1.0	0.34	ug/L			07/31/15 00:32	1
Chloromethane	ND		1.0	0.35	ug/L			07/31/15 00:32	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			07/31/15 00:32	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			07/31/15 00:32	1
Cyclohexane	ND		1.0	0.18	ug/L			07/31/15 00:32	1
Dibromochloromethane	ND		1.0	0.32	ug/L			07/31/15 00:32	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			07/31/15 00:32	1
Ethylbenzene	ND		1.0	0.74	ug/L			07/31/15 00:32	1
Isopropylbenzene	ND		1.0	0.79	ug/L			07/31/15 00:32	1
Methyl acetate	ND		2.5	1.3	ug/L			07/31/15 00:32	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			07/31/15 00:32	1
Methylcyclohexane	ND		1.0	0.16	ug/L			07/31/15 00:32	1
Methylene Chloride	ND		1.0	0.44	ug/L			07/31/15 00:32	1
Styrene	ND		1.0	0.73	ug/L			07/31/15 00:32	1
Tetrachloroethene	ND		1.0	0.36	ug/L			07/31/15 00:32	1
Toluene	ND		1.0	0.51	ug/L			07/31/15 00:32	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			07/31/15 00:32	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			07/31/15 00:32	1
Trichloroethene	ND		1.0	0.46	ug/L			07/31/15 00:32	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			07/31/15 00:32	1
Vinyl chloride	ND		1.0	0.90	ug/L			07/31/15 00:32	1
Xylenes, Total	ND		2.0	0.66	ug/L			07/31/15 00:32	1

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: MW-6

Date Collected: 07/23/15 09:55

Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-4

Matrix: Ground Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	122		66 - 137		07/31/15 00:32	1
4-Bromofluorobenzene (Surr)	108		73 - 120		07/31/15 00:32	1
Toluene-d8 (Surr)	93		71 - 126		07/31/15 00:32	1

Method: 8260C - Volatile Organic Compounds by GC/MS - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND *		10	8.2	ug/L			07/31/15 15:27	10
1,1,2,2-Tetrachloroethane	ND		10	2.1	ug/L			07/31/15 15:27	10
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		10	3.1	ug/L			07/31/15 15:27	10
1,1,2-Trichloroethane	ND		10	2.3	ug/L			07/31/15 15:27	10
1,1-Dichloroethane	ND		10	3.8	ug/L			07/31/15 15:27	10
1,1-Dichloroethene	ND		10	2.9	ug/L			07/31/15 15:27	10
1,2,4-Trichlorobenzene	ND		10	4.1	ug/L			07/31/15 15:27	10
1,2-Dibromo-3-Chloropropane	ND		10	3.9	ug/L			07/31/15 15:27	10
1,2-Dibromoethane	ND		10	7.3	ug/L			07/31/15 15:27	10
1,2-Dichlorobenzene	ND		10	7.9	ug/L			07/31/15 15:27	10
1,2-Dichloroethane	ND		10	2.1	ug/L			07/31/15 15:27	10
1,2-Dichloropropane	ND		10	7.2	ug/L			07/31/15 15:27	10
1,3-Dichlorobenzene	ND		10	7.8	ug/L			07/31/15 15:27	10
1,4-Dichlorobenzene	ND		10	8.4	ug/L			07/31/15 15:27	10
2-Butanone (MEK)	2100 *		100	13	ug/L			07/31/15 15:27	10
2-Hexanone	ND		50	12	ug/L			07/31/15 15:27	10
4-Methyl-2-pentanone (MIBK)	ND		50	21	ug/L			07/31/15 15:27	10
Acetone	2300		100	30	ug/L			07/31/15 15:27	10
Benzene	ND		10	4.1	ug/L			07/31/15 15:27	10
Bromodichloromethane	ND *		10	3.9	ug/L			07/31/15 15:27	10
Bromoform	ND		10	2.6	ug/L			07/31/15 15:27	10
Bromomethane	ND		10	6.9	ug/L			07/31/15 15:27	10
Carbon disulfide	ND		10	1.9	ug/L			07/31/15 15:27	10
Carbon tetrachloride	ND *		10	2.7	ug/L			07/31/15 15:27	10
Chlorobenzene	ND		10	7.5	ug/L			07/31/15 15:27	10
Chloroethane	ND		10	3.2	ug/L			07/31/15 15:27	10
Chloroform	ND		10	3.4	ug/L			07/31/15 15:27	10
Chloromethane	ND		10	3.5	ug/L			07/31/15 15:27	10
cis-1,2-Dichloroethene	ND		10	8.1	ug/L			07/31/15 15:27	10
cis-1,3-Dichloropropene	ND		10	3.6	ug/L			07/31/15 15:27	10
Cyclohexane	ND		10	1.8	ug/L			07/31/15 15:27	10
Dibromochloromethane	ND		10	3.2	ug/L			07/31/15 15:27	10
Dichlorodifluoromethane	ND		10	6.8	ug/L			07/31/15 15:27	10
Ethylbenzene	ND		10	7.4	ug/L			07/31/15 15:27	10
Isopropylbenzene	ND		10	7.9	ug/L			07/31/15 15:27	10
Methyl acetate	ND		25	13	ug/L			07/31/15 15:27	10
Methyl tert-butyl ether	ND		10	1.6	ug/L			07/31/15 15:27	10
Methylcyclohexane	ND		10	1.6	ug/L			07/31/15 15:27	10
Methylene Chloride	8.1 J		10	4.4	ug/L			07/31/15 15:27	10
Styrene	ND		10	7.3	ug/L			07/31/15 15:27	10
Tetrachloroethene	ND		10	3.6	ug/L			07/31/15 15:27	10
Toluene	ND		10	5.1	ug/L			07/31/15 15:27	10
trans-1,2-Dichloroethene	ND		10	9.0	ug/L			07/31/15 15:27	10
trans-1,3-Dichloropropene	ND		10	3.7	ug/L			07/31/15 15:27	10

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: MW-6
Date Collected: 07/23/15 09:55
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-4
Matrix: Ground Water

Method: 8260C - Volatile Organic Compounds by GC/MS - DL (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Trichloroethene	ND		10	4.6	ug/L			07/31/15 15:27	10
Trichlorofluoromethane	ND		10	8.8	ug/L			07/31/15 15:27	10
Vinyl chloride	ND		10	9.0	ug/L			07/31/15 15:27	10
Xylenes, Total	ND		20	6.6	ug/L			07/31/15 15:27	10
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		66 - 137					07/31/15 15:27	10
4-Bromofluorobenzene (Surr)	110		73 - 120					07/31/15 15:27	10
Toluene-d8 (Surr)	88		71 - 126					07/31/15 15:27	10

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: MW-10
Date Collected: 07/23/15 10:50
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-5
Matrix: Ground Water

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			07/31/15 00:56	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			07/31/15 00:56	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			07/31/15 00:56	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			07/31/15 00:56	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			07/31/15 00:56	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			07/31/15 00:56	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			07/31/15 00:56	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			07/31/15 00:56	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			07/31/15 00:56	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			07/31/15 00:56	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			07/31/15 00:56	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			07/31/15 00:56	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			07/31/15 00:56	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			07/31/15 00:56	1
2-Butanone (MEK)	ND		10	1.3	ug/L			07/31/15 00:56	1
2-Hexanone	ND		5.0	1.2	ug/L			07/31/15 00:56	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			07/31/15 00:56	1
Acetone	4.9 J		10	3.0	ug/L			07/31/15 00:56	1
Benzene	ND		1.0	0.41	ug/L			07/31/15 00:56	1
Bromodichloromethane	ND		1.0	0.39	ug/L			07/31/15 00:56	1
Bromoform	ND		1.0	0.26	ug/L			07/31/15 00:56	1
Bromomethane	ND		1.0	0.69	ug/L			07/31/15 00:56	1
Carbon disulfide	ND		1.0	0.19	ug/L			07/31/15 00:56	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			07/31/15 00:56	1
Chlorobenzene	ND		1.0	0.75	ug/L			07/31/15 00:56	1
Chloroethane	ND		1.0	0.32	ug/L			07/31/15 00:56	1
Chloroform	ND		1.0	0.34	ug/L			07/31/15 00:56	1
Chloromethane	ND		1.0	0.35	ug/L			07/31/15 00:56	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			07/31/15 00:56	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			07/31/15 00:56	1
Cyclohexane	ND		1.0	0.18	ug/L			07/31/15 00:56	1
Dibromochloromethane	ND		1.0	0.32	ug/L			07/31/15 00:56	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			07/31/15 00:56	1
Ethylbenzene	ND		1.0	0.74	ug/L			07/31/15 00:56	1
Isopropylbenzene	ND		1.0	0.79	ug/L			07/31/15 00:56	1
Methyl acetate	ND		2.5	1.3	ug/L			07/31/15 00:56	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			07/31/15 00:56	1
Methylcyclohexane	ND		1.0	0.16	ug/L			07/31/15 00:56	1
Methylene Chloride	ND		1.0	0.44	ug/L			07/31/15 00:56	1
Styrene	ND		1.0	0.73	ug/L			07/31/15 00:56	1
Tetrachloroethene	ND		1.0	0.36	ug/L			07/31/15 00:56	1
Toluene	ND		1.0	0.51	ug/L			07/31/15 00:56	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			07/31/15 00:56	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			07/31/15 00:56	1
Trichloroethene	ND		1.0	0.46	ug/L			07/31/15 00:56	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			07/31/15 00:56	1
Vinyl chloride	ND		1.0	0.90	ug/L			07/31/15 00:56	1
Xylenes, Total	ND		2.0	0.66	ug/L			07/31/15 00:56	1

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: MW-10
Date Collected: 07/23/15 10:50
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-5
Matrix: Ground Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	125		66 - 137		07/31/15 00:56	1
4-Bromofluorobenzene (Surr)	105		73 - 120		07/31/15 00:56	1
Toluene-d8 (Surr)	92		71 - 126		07/31/15 00:56	1

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: MW-11
Date Collected: 07/22/15 17:00
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-6
Matrix: Ground Water

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND	*	1.0	0.82	ug/L			07/31/15 15:50	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			07/31/15 15:50	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			07/31/15 15:50	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			07/31/15 15:50	1
1,1-Dichloroethane	2.2		1.0	0.38	ug/L			07/31/15 15:50	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			07/31/15 15:50	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			07/31/15 15:50	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			07/31/15 15:50	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			07/31/15 15:50	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			07/31/15 15:50	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			07/31/15 15:50	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			07/31/15 15:50	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			07/31/15 15:50	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			07/31/15 15:50	1
2-Butanone (MEK)	ND	*	10	1.3	ug/L			07/31/15 15:50	1
2-Hexanone	ND		5.0	1.2	ug/L			07/31/15 15:50	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			07/31/15 15:50	1
Acetone	ND		10	3.0	ug/L			07/31/15 15:50	1
Benzene	ND		1.0	0.41	ug/L			07/31/15 15:50	1
Bromodichloromethane	ND	*	1.0	0.39	ug/L			07/31/15 15:50	1
Bromoform	ND		1.0	0.26	ug/L			07/31/15 15:50	1
Bromomethane	ND		1.0	0.69	ug/L			07/31/15 15:50	1
Carbon disulfide	ND		1.0	0.19	ug/L			07/31/15 15:50	1
Carbon tetrachloride	ND	*	1.0	0.27	ug/L			07/31/15 15:50	1
Chlorobenzene	ND		1.0	0.75	ug/L			07/31/15 15:50	1
Chloroethane	ND		1.0	0.32	ug/L			07/31/15 15:50	1
Chloroform	ND		1.0	0.34	ug/L			07/31/15 15:50	1
Chloromethane	ND		1.0	0.35	ug/L			07/31/15 15:50	1
cis-1,2-Dichloroethene	6.3		1.0	0.81	ug/L			07/31/15 15:50	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			07/31/15 15:50	1
Cyclohexane	ND		1.0	0.18	ug/L			07/31/15 15:50	1
Dibromochloromethane	ND		1.0	0.32	ug/L			07/31/15 15:50	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			07/31/15 15:50	1
Ethylbenzene	ND		1.0	0.74	ug/L			07/31/15 15:50	1
Isopropylbenzene	ND		1.0	0.79	ug/L			07/31/15 15:50	1
Methyl acetate	ND		2.5	1.3	ug/L			07/31/15 15:50	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			07/31/15 15:50	1
Methylcyclohexane	ND		1.0	0.16	ug/L			07/31/15 15:50	1
Methylene Chloride	ND		1.0	0.44	ug/L			07/31/15 15:50	1
Styrene	ND		1.0	0.73	ug/L			07/31/15 15:50	1
Tetrachloroethene	ND		1.0	0.36	ug/L			07/31/15 15:50	1
Toluene	ND		1.0	0.51	ug/L			07/31/15 15:50	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			07/31/15 15:50	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			07/31/15 15:50	1
Trichloroethene	ND		1.0	0.46	ug/L			07/31/15 15:50	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			07/31/15 15:50	1
Vinyl chloride	2.5		1.0	0.90	ug/L			07/31/15 15:50	1
Xylenes, Total	ND		2.0	0.66	ug/L			07/31/15 15:50	1

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: MW-11
Date Collected: 07/22/15 17:00
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-6
Matrix: Ground Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		66 - 137		07/31/15 15:50	1
4-Bromofluorobenzene (Surr)	109		73 - 120		07/31/15 15:50	1
Toluene-d8 (Surr)	87		71 - 126		07/31/15 15:50	1

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: MW-12
Date Collected: 07/23/15 08:55
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-7
Matrix: Ground Water

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			07/31/15 01:44	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			07/31/15 01:44	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			07/31/15 01:44	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			07/31/15 01:44	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			07/31/15 01:44	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			07/31/15 01:44	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			07/31/15 01:44	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			07/31/15 01:44	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			07/31/15 01:44	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			07/31/15 01:44	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			07/31/15 01:44	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			07/31/15 01:44	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			07/31/15 01:44	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			07/31/15 01:44	1
2-Butanone (MEK)	ND		10	1.3	ug/L			07/31/15 01:44	1
2-Hexanone	ND		5.0	1.2	ug/L			07/31/15 01:44	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			07/31/15 01:44	1
Acetone	3.8 J		10	3.0	ug/L			07/31/15 01:44	1
Benzene	0.85 J		1.0	0.41	ug/L			07/31/15 01:44	1
Bromodichloromethane	ND		1.0	0.39	ug/L			07/31/15 01:44	1
Bromoform	ND		1.0	0.26	ug/L			07/31/15 01:44	1
Bromomethane	ND		1.0	0.69	ug/L			07/31/15 01:44	1
Carbon disulfide	ND		1.0	0.19	ug/L			07/31/15 01:44	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			07/31/15 01:44	1
Chlorobenzene	ND		1.0	0.75	ug/L			07/31/15 01:44	1
Chloroethane	8.5		1.0	0.32	ug/L			07/31/15 01:44	1
Chloroform	ND		1.0	0.34	ug/L			07/31/15 01:44	1
Chloromethane	ND		1.0	0.35	ug/L			07/31/15 01:44	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			07/31/15 01:44	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			07/31/15 01:44	1
Cyclohexane	ND		1.0	0.18	ug/L			07/31/15 01:44	1
Dibromochloromethane	ND		1.0	0.32	ug/L			07/31/15 01:44	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			07/31/15 01:44	1
Ethylbenzene	ND		1.0	0.74	ug/L			07/31/15 01:44	1
Isopropylbenzene	ND		1.0	0.79	ug/L			07/31/15 01:44	1
Methyl acetate	ND		2.5	1.3	ug/L			07/31/15 01:44	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			07/31/15 01:44	1
Methylcyclohexane	ND		1.0	0.16	ug/L			07/31/15 01:44	1
Methylene Chloride	ND		1.0	0.44	ug/L			07/31/15 01:44	1
Styrene	ND		1.0	0.73	ug/L			07/31/15 01:44	1
Tetrachloroethene	ND		1.0	0.36	ug/L			07/31/15 01:44	1
Toluene	ND		1.0	0.51	ug/L			07/31/15 01:44	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			07/31/15 01:44	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			07/31/15 01:44	1
Trichloroethene	ND		1.0	0.46	ug/L			07/31/15 01:44	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			07/31/15 01:44	1
Vinyl chloride	6.6		1.0	0.90	ug/L			07/31/15 01:44	1
Xylenes, Total	ND		2.0	0.66	ug/L			07/31/15 01:44	1

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: MW-12

Date Collected: 07/23/15 08:55

Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-7

Matrix: Ground Water

Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	115		66 - 137
4-Bromofluorobenzene (Surr)	103		73 - 120
Toluene-d8 (Surr)	92		71 - 126

Prepared	Analyzed	Dil Fac
	07/31/15 01:44	1
	07/31/15 01:44	1
	07/31/15 01:44	1

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: MW-16S

Date Collected: 07/24/15 08:30

Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-8

Matrix: Ground Water

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		4000	3300	ug/L			07/31/15 02:08	4000
1,1,2,2-Tetrachloroethane	ND		4000	840	ug/L			07/31/15 02:08	4000
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		4000	1200	ug/L			07/31/15 02:08	4000
1,1,2-Trichloroethane	ND		4000	920	ug/L			07/31/15 02:08	4000
1,1-Dichloroethane	2000	J	4000	1500	ug/L			07/31/15 02:08	4000
1,1-Dichloroethene	1500	J	4000	1200	ug/L			07/31/15 02:08	4000
1,2,4-Trichlorobenzene	ND		4000	1600	ug/L			07/31/15 02:08	4000
1,2-Dibromo-3-Chloropropane	ND		4000	1600	ug/L			07/31/15 02:08	4000
1,2-Dibromoethane	ND		4000	2900	ug/L			07/31/15 02:08	4000
1,2-Dichlorobenzene	ND		4000	3200	ug/L			07/31/15 02:08	4000
1,2-Dichloroethane	ND		4000	840	ug/L			07/31/15 02:08	4000
1,2-Dichloropropane	ND		4000	2900	ug/L			07/31/15 02:08	4000
1,3-Dichlorobenzene	ND		4000	3100	ug/L			07/31/15 02:08	4000
1,4-Dichlorobenzene	ND		4000	3400	ug/L			07/31/15 02:08	4000
2-Butanone (MEK)	ND		40000	5300	ug/L			07/31/15 02:08	4000
2-Hexanone	ND		20000	5000	ug/L			07/31/15 02:08	4000
4-Methyl-2-pentanone (MIBK)	ND		20000	8400	ug/L			07/31/15 02:08	4000
Acetone	ND		40000	12000	ug/L			07/31/15 02:08	4000
Benzene	ND		4000	1600	ug/L			07/31/15 02:08	4000
Bromodichloromethane	ND		4000	1600	ug/L			07/31/15 02:08	4000
Bromoform	ND		4000	1000	ug/L			07/31/15 02:08	4000
Bromomethane	ND		4000	2800	ug/L			07/31/15 02:08	4000
Carbon disulfide	ND		4000	760	ug/L			07/31/15 02:08	4000
Carbon tetrachloride	ND		4000	1100	ug/L			07/31/15 02:08	4000
Chlorobenzene	ND		4000	3000	ug/L			07/31/15 02:08	4000
Chloroethane	ND		4000	1300	ug/L			07/31/15 02:08	4000
Chloroform	ND		4000	1400	ug/L			07/31/15 02:08	4000
Chloromethane	ND		4000	1400	ug/L			07/31/15 02:08	4000
cis-1,2-Dichloroethene	240000		4000	3200	ug/L			07/31/15 02:08	4000
cis-1,3-Dichloropropene	ND		4000	1400	ug/L			07/31/15 02:08	4000
Cyclohexane	ND		4000	720	ug/L			07/31/15 02:08	4000
Dibromochloromethane	ND		4000	1300	ug/L			07/31/15 02:08	4000
Dichlorodifluoromethane	ND		4000	2700	ug/L			07/31/15 02:08	4000
Ethylbenzene	ND		4000	3000	ug/L			07/31/15 02:08	4000
Isopropylbenzene	ND		4000	3200	ug/L			07/31/15 02:08	4000
Methyl acetate	ND		10000	5200	ug/L			07/31/15 02:08	4000
Methyl tert-butyl ether	ND		4000	640	ug/L			07/31/15 02:08	4000
Methylcyclohexane	ND		4000	640	ug/L			07/31/15 02:08	4000
Methylene Chloride	5200	B	4000	1800	ug/L			07/31/15 02:08	4000
Styrene	ND		4000	2900	ug/L			07/31/15 02:08	4000
Tetrachloroethene	ND		4000	1400	ug/L			07/31/15 02:08	4000
Toluene	ND		4000	2000	ug/L			07/31/15 02:08	4000
trans-1,2-Dichloroethene	ND		4000	3600	ug/L			07/31/15 02:08	4000
trans-1,3-Dichloropropene	ND		4000	1500	ug/L			07/31/15 02:08	4000
Trichloroethene	5100		4000	1800	ug/L			07/31/15 02:08	4000
Trichlorofluoromethane	ND		4000	3500	ug/L			07/31/15 02:08	4000
Vinyl chloride	5700		4000	3600	ug/L			07/31/15 02:08	4000
Xylenes, Total	ND		8000	2600	ug/L			07/31/15 02:08	4000

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: MW-16S
Date Collected: 07/24/15 08:30
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-8
Matrix: Ground Water

Surrogate	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	109		66 - 137
4-Bromofluorobenzene (Surr)	103		73 - 120
Toluene-d8 (Surr)	90		71 - 126

Prepared	Analyzed	Dil Fac
	07/31/15 02:08	4000
	07/31/15 02:08	4000
	07/31/15 02:08	4000

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: Duplicate

Date Collected: 07/23/15 08:00
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-9

Matrix: Water

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1000	820	ug/L			07/31/15 02:32	1000
1,1,2,2-Tetrachloroethane	ND		1000	210	ug/L			07/31/15 02:32	1000
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1000	310	ug/L			07/31/15 02:32	1000
1,1,2-Trichloroethane	ND		1000	230	ug/L			07/31/15 02:32	1000
1,1-Dichloroethane	ND		1000	380	ug/L			07/31/15 02:32	1000
1,1-Dichloroethene	ND		1000	290	ug/L			07/31/15 02:32	1000
1,2,4-Trichlorobenzene	ND		1000	410	ug/L			07/31/15 02:32	1000
1,2-Dibromo-3-Chloropropane	ND		1000	390	ug/L			07/31/15 02:32	1000
1,2-Dibromoethane	ND		1000	730	ug/L			07/31/15 02:32	1000
1,2-Dichlorobenzene	ND		1000	790	ug/L			07/31/15 02:32	1000
1,2-Dichloroethane	ND		1000	210	ug/L			07/31/15 02:32	1000
1,2-Dichloropropane	ND		1000	720	ug/L			07/31/15 02:32	1000
1,3-Dichlorobenzene	ND		1000	780	ug/L			07/31/15 02:32	1000
1,4-Dichlorobenzene	ND		1000	840	ug/L			07/31/15 02:32	1000
2-Butanone (MEK)	ND		10000	1300	ug/L			07/31/15 02:32	1000
2-Hexanone	ND		5000	1200	ug/L			07/31/15 02:32	1000
4-Methyl-2-pentanone (MIBK)	ND		5000	2100	ug/L			07/31/15 02:32	1000
Acetone	ND		10000	3000	ug/L			07/31/15 02:32	1000
Benzene	ND		1000	410	ug/L			07/31/15 02:32	1000
Bromodichloromethane	ND		1000	390	ug/L			07/31/15 02:32	1000
Bromoform	ND		1000	260	ug/L			07/31/15 02:32	1000
Bromomethane	ND		1000	690	ug/L			07/31/15 02:32	1000
Carbon disulfide	ND		1000	190	ug/L			07/31/15 02:32	1000
Carbon tetrachloride	ND		1000	270	ug/L			07/31/15 02:32	1000
Chlorobenzene	ND		1000	750	ug/L			07/31/15 02:32	1000
Chloroethane	ND		1000	320	ug/L			07/31/15 02:32	1000
Chloroform	ND		1000	340	ug/L			07/31/15 02:32	1000
Chloromethane	ND		1000	350	ug/L			07/31/15 02:32	1000
cis-1,2-Dichloroethene	28000		1000	810	ug/L			07/31/15 02:32	1000
cis-1,3-Dichloropropene	ND		1000	360	ug/L			07/31/15 02:32	1000
Cyclohexane	ND		1000	180	ug/L			07/31/15 02:32	1000
Dibromochloromethane	ND		1000	320	ug/L			07/31/15 02:32	1000
Dichlorodifluoromethane	ND		1000	680	ug/L			07/31/15 02:32	1000
Ethylbenzene	ND		1000	740	ug/L			07/31/15 02:32	1000
Isopropylbenzene	ND		1000	790	ug/L			07/31/15 02:32	1000
Methyl acetate	ND		2500	1300	ug/L			07/31/15 02:32	1000
Methyl tert-butyl ether	ND		1000	160	ug/L			07/31/15 02:32	1000
Methylcyclohexane	ND		1000	160	ug/L			07/31/15 02:32	1000
Methylene Chloride	1000	B	1000	440	ug/L			07/31/15 02:32	1000
Styrene	ND		1000	730	ug/L			07/31/15 02:32	1000
Tetrachloroethene	ND		1000	360	ug/L			07/31/15 02:32	1000
Toluene	ND		1000	510	ug/L			07/31/15 02:32	1000
trans-1,2-Dichloroethene	ND		1000	900	ug/L			07/31/15 02:32	1000
trans-1,3-Dichloropropene	ND		1000	370	ug/L			07/31/15 02:32	1000
Trichloroethene	ND		1000	460	ug/L			07/31/15 02:32	1000
Trichlorofluoromethane	ND		1000	880	ug/L			07/31/15 02:32	1000
Vinyl chloride	3300		1000	900	ug/L			07/31/15 02:32	1000
Xylenes, Total	ND		2000	660	ug/L			07/31/15 02:32	1000

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: Duplicate
Date Collected: 07/23/15 08:00
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-9
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	113		66 - 137		07/31/15 02:32	1000
4-Bromofluorobenzene (Surr)	106		73 - 120		07/31/15 02:32	1000
Toluene-d8 (Surr)	91		71 - 126		07/31/15 02:32	1000

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: Rinse Blank

Date Collected: 07/23/15 16:10
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-10

Matrix: Water

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			07/31/15 02:56	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			07/31/15 02:56	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			07/31/15 02:56	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			07/31/15 02:56	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			07/31/15 02:56	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			07/31/15 02:56	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			07/31/15 02:56	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			07/31/15 02:56	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			07/31/15 02:56	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			07/31/15 02:56	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			07/31/15 02:56	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			07/31/15 02:56	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			07/31/15 02:56	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			07/31/15 02:56	1
2-Butanone (MEK)	ND		10	1.3	ug/L			07/31/15 02:56	1
2-Hexanone	ND		5.0	1.2	ug/L			07/31/15 02:56	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			07/31/15 02:56	1
Acetone	ND		10	3.0	ug/L			07/31/15 02:56	1
Benzene	ND		1.0	0.41	ug/L			07/31/15 02:56	1
Bromodichloromethane	ND		1.0	0.39	ug/L			07/31/15 02:56	1
Bromoform	ND		1.0	0.26	ug/L			07/31/15 02:56	1
Bromomethane	ND		1.0	0.69	ug/L			07/31/15 02:56	1
Carbon disulfide	ND		1.0	0.19	ug/L			07/31/15 02:56	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			07/31/15 02:56	1
Chlorobenzene	ND		1.0	0.75	ug/L			07/31/15 02:56	1
Chloroethane	ND		1.0	0.32	ug/L			07/31/15 02:56	1
Chloroform	ND		1.0	0.34	ug/L			07/31/15 02:56	1
Chloromethane	ND		1.0	0.35	ug/L			07/31/15 02:56	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			07/31/15 02:56	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			07/31/15 02:56	1
Cyclohexane	ND		1.0	0.18	ug/L			07/31/15 02:56	1
Dibromochloromethane	ND		1.0	0.32	ug/L			07/31/15 02:56	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			07/31/15 02:56	1
Ethylbenzene	ND		1.0	0.74	ug/L			07/31/15 02:56	1
Isopropylbenzene	ND		1.0	0.79	ug/L			07/31/15 02:56	1
Methyl acetate	ND		2.5	1.3	ug/L			07/31/15 02:56	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			07/31/15 02:56	1
Methylcyclohexane	ND		1.0	0.16	ug/L			07/31/15 02:56	1
Methylene Chloride	0.49 J B		1.0	0.44	ug/L			07/31/15 02:56	1
Styrene	ND		1.0	0.73	ug/L			07/31/15 02:56	1
Tetrachloroethene	ND		1.0	0.36	ug/L			07/31/15 02:56	1
Toluene	ND		1.0	0.51	ug/L			07/31/15 02:56	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			07/31/15 02:56	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			07/31/15 02:56	1
Trichloroethene	ND		1.0	0.46	ug/L			07/31/15 02:56	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			07/31/15 02:56	1
Vinyl chloride	ND		1.0	0.90	ug/L			07/31/15 02:56	1
Xylenes, Total	ND		2.0	0.66	ug/L			07/31/15 02:56	1

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: Rinse Blank

Date Collected: 07/23/15 16:10
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-10

Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	117		66 - 137		07/31/15 02:56	1
4-Bromofluorobenzene (Surr)	106		73 - 120		07/31/15 02:56	1
Toluene-d8 (Surr)	92		71 - 126		07/31/15 02:56	1

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: MW-16D

Date Collected: 07/23/15 14:50

Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-11

Matrix: Ground Water

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND	F1	25	21	ug/L			07/31/15 03:19	25
1,1,2,2-Tetrachloroethane	ND		25	5.3	ug/L			07/31/15 03:19	25
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		25	7.8	ug/L			07/31/15 03:19	25
1,1,2-Trichloroethane	ND		25	5.8	ug/L			07/31/15 03:19	25
1,1-Dichloroethane	56		25	9.5	ug/L			07/31/15 03:19	25
1,1-Dichloroethene	ND		25	7.3	ug/L			07/31/15 03:19	25
1,2,4-Trichlorobenzene	ND		25	10	ug/L			07/31/15 03:19	25
1,2-Dibromo-3-Chloropropane	ND		25	9.8	ug/L			07/31/15 03:19	25
1,2-Dibromoethane	ND		25	18	ug/L			07/31/15 03:19	25
1,2-Dichlorobenzene	ND		25	20	ug/L			07/31/15 03:19	25
1,2-Dichloroethane	ND		25	5.3	ug/L			07/31/15 03:19	25
1,2-Dichloropropane	ND		25	18	ug/L			07/31/15 03:19	25
1,3-Dichlorobenzene	ND		25	20	ug/L			07/31/15 03:19	25
1,4-Dichlorobenzene	ND		25	21	ug/L			07/31/15 03:19	25
2-Butanone (MEK)	3600		250	33	ug/L			07/31/15 03:19	25
2-Hexanone	ND		130	31	ug/L			07/31/15 03:19	25
4-Methyl-2-pentanone (MIBK)	ND		130	53	ug/L			07/31/15 03:19	25
Acetone	2700		250	75	ug/L			07/31/15 03:19	25
Benzene	ND		25	10	ug/L			07/31/15 03:19	25
Bromodichloromethane	ND		25	9.8	ug/L			07/31/15 03:19	25
Bromoform	ND	F1	25	6.5	ug/L			07/31/15 03:19	25
Bromomethane	ND		25	17	ug/L			07/31/15 03:19	25
Carbon disulfide	ND		25	4.8	ug/L			07/31/15 03:19	25
Carbon tetrachloride	ND	F1	25	6.8	ug/L			07/31/15 03:19	25
Chlorobenzene	ND		25	19	ug/L			07/31/15 03:19	25
Chloroethane	340		25	8.0	ug/L			07/31/15 03:19	25
Chloroform	ND		25	8.5	ug/L			07/31/15 03:19	25
Chloromethane	ND		25	8.8	ug/L			07/31/15 03:19	25
cis-1,2-Dichloroethene	ND		25	20	ug/L			07/31/15 03:19	25
cis-1,3-Dichloropropene	ND		25	9.0	ug/L			07/31/15 03:19	25
Cyclohexane	ND		25	4.5	ug/L			07/31/15 03:19	25
Dibromochloromethane	ND	F1	25	8.0	ug/L			07/31/15 03:19	25
Dichlorodifluoromethane	ND		25	17	ug/L			07/31/15 03:19	25
Ethylbenzene	ND		25	19	ug/L			07/31/15 03:19	25
Isopropylbenzene	ND		25	20	ug/L			07/31/15 03:19	25
Methyl acetate	ND		63	33	ug/L			07/31/15 03:19	25
Methyl tert-butyl ether	ND		25	4.0	ug/L			07/31/15 03:19	25
Methylcyclohexane	ND		25	4.0	ug/L			07/31/15 03:19	25
Methylene Chloride	31	B	25	11	ug/L			07/31/15 03:19	25
Styrene	ND		25	18	ug/L			07/31/15 03:19	25
Tetrachloroethene	ND		25	9.0	ug/L			07/31/15 03:19	25
Toluene	ND		25	13	ug/L			07/31/15 03:19	25
trans-1,2-Dichloroethene	ND		25	23	ug/L			07/31/15 03:19	25
trans-1,3-Dichloropropene	ND		25	9.3	ug/L			07/31/15 03:19	25
Trichloroethene	ND		25	12	ug/L			07/31/15 03:19	25
Trichlorofluoromethane	ND		25	22	ug/L			07/31/15 03:19	25
Vinyl chloride	41		25	23	ug/L			07/31/15 03:19	25
Xylenes, Total	ND		50	17	ug/L			07/31/15 03:19	25

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: MW-16D
Date Collected: 07/23/15 14:50
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-11
Matrix: Ground Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	110		66 - 137		07/31/15 03:19	25
4-Bromofluorobenzene (Surr)	107		73 - 120		07/31/15 03:19	25
Toluene-d8 (Surr)	90		71 - 126		07/31/15 03:19	25

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: MW-13S

Date Collected: 07/23/15 12:35

Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-12

Matrix: Ground Water

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		500	410	ug/L			07/31/15 03:43	500
1,1,2,2-Tetrachloroethane	ND		500	110	ug/L			07/31/15 03:43	500
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		500	160	ug/L			07/31/15 03:43	500
1,1,2-Trichloroethane	ND		500	120	ug/L			07/31/15 03:43	500
1,1-Dichloroethane	ND		500	190	ug/L			07/31/15 03:43	500
1,1-Dichloroethene	210	J	500	150	ug/L			07/31/15 03:43	500
1,2,4-Trichlorobenzene	ND		500	210	ug/L			07/31/15 03:43	500
1,2-Dibromo-3-Chloropropane	ND		500	200	ug/L			07/31/15 03:43	500
1,2-Dibromoethane	ND		500	370	ug/L			07/31/15 03:43	500
1,2-Dichlorobenzene	ND		500	400	ug/L			07/31/15 03:43	500
1,2-Dichloroethane	ND		500	110	ug/L			07/31/15 03:43	500
1,2-Dichloropropane	ND		500	360	ug/L			07/31/15 03:43	500
1,3-Dichlorobenzene	ND		500	390	ug/L			07/31/15 03:43	500
1,4-Dichlorobenzene	ND		500	420	ug/L			07/31/15 03:43	500
2-Butanone (MEK)	ND		5000	660	ug/L			07/31/15 03:43	500
2-Hexanone	ND		2500	620	ug/L			07/31/15 03:43	500
4-Methyl-2-pentanone (MIBK)	ND		2500	1100	ug/L			07/31/15 03:43	500
Acetone	ND		5000	1500	ug/L			07/31/15 03:43	500
Benzene	ND		500	210	ug/L			07/31/15 03:43	500
Bromodichloromethane	ND		500	200	ug/L			07/31/15 03:43	500
Bromoform	ND		500	130	ug/L			07/31/15 03:43	500
Bromomethane	ND		500	350	ug/L			07/31/15 03:43	500
Carbon disulfide	ND		500	95	ug/L			07/31/15 03:43	500
Carbon tetrachloride	ND		500	140	ug/L			07/31/15 03:43	500
Chlorobenzene	ND		500	380	ug/L			07/31/15 03:43	500
Chloroethane	ND		500	160	ug/L			07/31/15 03:43	500
Chloroform	ND		500	170	ug/L			07/31/15 03:43	500
Chloromethane	ND		500	180	ug/L			07/31/15 03:43	500
cis-1,2-Dichloroethene	31000		500	410	ug/L			07/31/15 03:43	500
cis-1,3-Dichloropropene	ND		500	180	ug/L			07/31/15 03:43	500
Cyclohexane	ND		500	90	ug/L			07/31/15 03:43	500
Dibromochloromethane	ND		500	160	ug/L			07/31/15 03:43	500
Dichlorodifluoromethane	ND		500	340	ug/L			07/31/15 03:43	500
Ethylbenzene	ND		500	370	ug/L			07/31/15 03:43	500
Isopropylbenzene	ND		500	400	ug/L			07/31/15 03:43	500
Methyl acetate	ND		1300	650	ug/L			07/31/15 03:43	500
Methyl tert-butyl ether	ND		500	80	ug/L			07/31/15 03:43	500
Methylcyclohexane	ND		500	80	ug/L			07/31/15 03:43	500
Methylene Chloride	550	B	500	220	ug/L			07/31/15 03:43	500
Styrene	ND		500	370	ug/L			07/31/15 03:43	500
Tetrachloroethene	ND		500	180	ug/L			07/31/15 03:43	500
Toluene	ND		500	260	ug/L			07/31/15 03:43	500
trans-1,2-Dichloroethene	ND		500	450	ug/L			07/31/15 03:43	500
trans-1,3-Dichloropropene	ND		500	190	ug/L			07/31/15 03:43	500
Trichloroethene	ND		500	230	ug/L			07/31/15 03:43	500
Trichlorofluoromethane	ND		500	440	ug/L			07/31/15 03:43	500
Vinyl chloride	3500		500	450	ug/L			07/31/15 03:43	500
Xylenes, Total	ND		1000	330	ug/L			07/31/15 03:43	500

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: MW-13S
Date Collected: 07/23/15 12:35
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-12
Matrix: Ground Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	120		66 - 137		07/31/15 03:43	500
4-Bromofluorobenzene (Surr)	105		73 - 120		07/31/15 03:43	500
Toluene-d8 (Surr)	93		71 - 126		07/31/15 03:43	500

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: MW-8R
Date Collected: 07/23/15 15:55
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-13
Matrix: Ground Water

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		2000	1600	ug/L			07/31/15 04:07	2000
1,1,2,2-Tetrachloroethane	ND		2000	420	ug/L			07/31/15 04:07	2000
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		2000	620	ug/L			07/31/15 04:07	2000
1,1,2-Trichloroethane	ND		2000	460	ug/L			07/31/15 04:07	2000
1,1-Dichloroethane	ND		2000	760	ug/L			07/31/15 04:07	2000
1,1-Dichloroethene	ND		2000	580	ug/L			07/31/15 04:07	2000
1,2,4-Trichlorobenzene	ND		2000	820	ug/L			07/31/15 04:07	2000
1,2-Dibromo-3-Chloropropane	ND		2000	780	ug/L			07/31/15 04:07	2000
1,2-Dibromoethane	ND		2000	1500	ug/L			07/31/15 04:07	2000
1,2-Dichlorobenzene	ND		2000	1600	ug/L			07/31/15 04:07	2000
1,2-Dichloroethane	ND		2000	420	ug/L			07/31/15 04:07	2000
1,2-Dichloropropane	ND		2000	1400	ug/L			07/31/15 04:07	2000
1,3-Dichlorobenzene	ND		2000	1600	ug/L			07/31/15 04:07	2000
1,4-Dichlorobenzene	ND		2000	1700	ug/L			07/31/15 04:07	2000
2-Butanone (MEK)	ND		20000	2600	ug/L			07/31/15 04:07	2000
2-Hexanone	ND		10000	2500	ug/L			07/31/15 04:07	2000
4-Methyl-2-pentanone (MIBK)	ND		10000	4200	ug/L			07/31/15 04:07	2000
Acetone	ND		20000	6000	ug/L			07/31/15 04:07	2000
Benzene	ND		2000	820	ug/L			07/31/15 04:07	2000
Bromodichloromethane	ND		2000	780	ug/L			07/31/15 04:07	2000
Bromoform	ND		2000	520	ug/L			07/31/15 04:07	2000
Bromomethane	ND		2000	1400	ug/L			07/31/15 04:07	2000
Carbon disulfide	ND		2000	380	ug/L			07/31/15 04:07	2000
Carbon tetrachloride	ND		2000	540	ug/L			07/31/15 04:07	2000
Chlorobenzene	ND		2000	1500	ug/L			07/31/15 04:07	2000
Chloroethane	ND		2000	640	ug/L			07/31/15 04:07	2000
Chloroform	ND		2000	680	ug/L			07/31/15 04:07	2000
Chloromethane	ND		2000	700	ug/L			07/31/15 04:07	2000
cis-1,2-Dichloroethene	74000		2000	1600	ug/L			07/31/15 04:07	2000
cis-1,3-Dichloropropene	ND		2000	720	ug/L			07/31/15 04:07	2000
Cyclohexane	ND		2000	360	ug/L			07/31/15 04:07	2000
Dibromochloromethane	ND		2000	640	ug/L			07/31/15 04:07	2000
Dichlorodifluoromethane	ND		2000	1400	ug/L			07/31/15 04:07	2000
Ethylbenzene	ND		2000	1500	ug/L			07/31/15 04:07	2000
Isopropylbenzene	ND		2000	1600	ug/L			07/31/15 04:07	2000
Methyl acetate	ND		5000	2600	ug/L			07/31/15 04:07	2000
Methyl tert-butyl ether	ND		2000	320	ug/L			07/31/15 04:07	2000
Methylcyclohexane	ND		2000	320	ug/L			07/31/15 04:07	2000
Methylene Chloride	2600	B	2000	880	ug/L			07/31/15 04:07	2000
Styrene	ND		2000	1500	ug/L			07/31/15 04:07	2000
Tetrachloroethene	ND		2000	720	ug/L			07/31/15 04:07	2000
Toluene	ND		2000	1000	ug/L			07/31/15 04:07	2000
trans-1,2-Dichloroethene	ND		2000	1800	ug/L			07/31/15 04:07	2000
trans-1,3-Dichloropropene	ND		2000	740	ug/L			07/31/15 04:07	2000
Trichloroethene	ND		2000	920	ug/L			07/31/15 04:07	2000
Trichlorofluoromethane	ND		2000	1800	ug/L			07/31/15 04:07	2000
Vinyl chloride	26000		2000	1800	ug/L			07/31/15 04:07	2000
Xylenes, Total	ND		4000	1300	ug/L			07/31/15 04:07	2000

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: MW-8R
Date Collected: 07/23/15 15:55
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-13
Matrix: Ground Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	116		66 - 137		07/31/15 04:07	2000
4-Bromofluorobenzene (Surr)	108		73 - 120		07/31/15 04:07	2000
Toluene-d8 (Surr)	93		71 - 126		07/31/15 04:07	2000

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: MW-13D
Date Collected: 07/23/15 12:00
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-14
Matrix: Ground Water

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			07/31/15 04:31	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			07/31/15 04:31	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			07/31/15 04:31	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			07/31/15 04:31	1
1,1-Dichloroethane	56		1.0	0.38	ug/L			07/31/15 04:31	1
1,1-Dichloroethene	31		1.0	0.29	ug/L			07/31/15 04:31	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			07/31/15 04:31	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			07/31/15 04:31	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			07/31/15 04:31	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			07/31/15 04:31	1
1,2-Dichloroethane	0.24 J		1.0	0.21	ug/L			07/31/15 04:31	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			07/31/15 04:31	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			07/31/15 04:31	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			07/31/15 04:31	1
2-Butanone (MEK)	710 E		10	1.3	ug/L			07/31/15 04:31	1
2-Hexanone	ND		5.0	1.2	ug/L			07/31/15 04:31	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			07/31/15 04:31	1
Acetone	85		10	3.0	ug/L			07/31/15 04:31	1
Benzene	ND		1.0	0.41	ug/L			07/31/15 04:31	1
Bromodichloromethane	ND		1.0	0.39	ug/L			07/31/15 04:31	1
Bromoform	ND		1.0	0.26	ug/L			07/31/15 04:31	1
Bromomethane	ND		1.0	0.69	ug/L			07/31/15 04:31	1
Carbon disulfide	ND		1.0	0.19	ug/L			07/31/15 04:31	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			07/31/15 04:31	1
Chlorobenzene	ND		1.0	0.75	ug/L			07/31/15 04:31	1
Chloroethane	11		1.0	0.32	ug/L			07/31/15 04:31	1
Chloroform	ND		1.0	0.34	ug/L			07/31/15 04:31	1
Chloromethane	ND		1.0	0.35	ug/L			07/31/15 04:31	1
cis-1,2-Dichloroethene	2700 E		1.0	0.81	ug/L			07/31/15 04:31	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			07/31/15 04:31	1
Cyclohexane	ND		1.0	0.18	ug/L			07/31/15 04:31	1
Dibromochloromethane	ND		1.0	0.32	ug/L			07/31/15 04:31	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			07/31/15 04:31	1
Ethylbenzene	ND		1.0	0.74	ug/L			07/31/15 04:31	1
Isopropylbenzene	ND		1.0	0.79	ug/L			07/31/15 04:31	1
Methyl acetate	ND		2.5	1.3	ug/L			07/31/15 04:31	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			07/31/15 04:31	1
Methylcyclohexane	ND		1.0	0.16	ug/L			07/31/15 04:31	1
Methylene Chloride	0.99 J B		1.0	0.44	ug/L			07/31/15 04:31	1
Styrene	ND		1.0	0.73	ug/L			07/31/15 04:31	1
Tetrachloroethene	ND		1.0	0.36	ug/L			07/31/15 04:31	1
Toluene	0.96 J		1.0	0.51	ug/L			07/31/15 04:31	1
trans-1,2-Dichloroethene	6.1		1.0	0.90	ug/L			07/31/15 04:31	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			07/31/15 04:31	1
Trichloroethene	2.0		1.0	0.46	ug/L			07/31/15 04:31	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			07/31/15 04:31	1
Vinyl chloride	1100 E		1.0	0.90	ug/L			07/31/15 04:31	1
Xylenes, Total	ND		2.0	0.66	ug/L			07/31/15 04:31	1

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: MW-13D
Date Collected: 07/23/15 12:00
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-14
Matrix: Ground Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	111		66 - 137		07/31/15 04:31	1
4-Bromofluorobenzene (Surr)	101		73 - 120		07/31/15 04:31	1
Toluene-d8 (Surr)	88		71 - 126		07/31/15 04:31	1

Method: 8260C - Volatile Organic Compounds by GC/MS - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		100	82	ug/L			08/05/15 12:05	100
1,1,2,2-Tetrachloroethane	ND		100	21	ug/L			08/05/15 12:05	100
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		100	31	ug/L			08/05/15 12:05	100
1,1,2-Trichloroethane	ND		100	23	ug/L			08/05/15 12:05	100
1,1-Dichloroethane	57 J		100	38	ug/L			08/05/15 12:05	100
1,1-Dichloroethene	38 J		100	29	ug/L			08/05/15 12:05	100
1,2,4-Trichlorobenzene	ND		100	41	ug/L			08/05/15 12:05	100
1,2-Dibromo-3-Chloropropane	ND		100	39	ug/L			08/05/15 12:05	100
1,2-Dibromoethane	ND		100	73	ug/L			08/05/15 12:05	100
1,2-Dichlorobenzene	ND		100	79	ug/L			08/05/15 12:05	100
1,2-Dichloroethane	ND		100	21	ug/L			08/05/15 12:05	100
1,2-Dichloropropane	ND		100	72	ug/L			08/05/15 12:05	100
1,3-Dichlorobenzene	ND		100	78	ug/L			08/05/15 12:05	100
1,4-Dichlorobenzene	ND		100	84	ug/L			08/05/15 12:05	100
2-Butanone (MEK)	630 J		1000	130	ug/L			08/05/15 12:05	100
2-Hexanone	ND		500	120	ug/L			08/05/15 12:05	100
4-Methyl-2-pentanone (MIBK)	ND		500	210	ug/L			08/05/15 12:05	100
Acetone	ND		1000	300	ug/L			08/05/15 12:05	100
Benzene	ND		100	41	ug/L			08/05/15 12:05	100
Bromodichloromethane	ND		100	39	ug/L			08/05/15 12:05	100
Bromoform	ND		100	26	ug/L			08/05/15 12:05	100
Bromomethane	ND		100	69	ug/L			08/05/15 12:05	100
Carbon disulfide	ND		100	19	ug/L			08/05/15 12:05	100
Carbon tetrachloride	ND		100	27	ug/L			08/05/15 12:05	100
Chlorobenzene	ND		100	75	ug/L			08/05/15 12:05	100
Chloroethane	ND		100	32	ug/L			08/05/15 12:05	100
Chloroform	ND		100	34	ug/L			08/05/15 12:05	100
Chloromethane	ND		100	35	ug/L			08/05/15 12:05	100
cis-1,2-Dichloroethene	5300		100	81	ug/L			08/05/15 12:05	100
cis-1,3-Dichloropropene	ND		100	36	ug/L			08/05/15 12:05	100
Cyclohexane	ND		100	18	ug/L			08/05/15 12:05	100
Dibromochloromethane	ND		100	32	ug/L			08/05/15 12:05	100
Dichlorodifluoromethane	ND		100	68	ug/L			08/05/15 12:05	100
Ethylbenzene	ND		100	74	ug/L			08/05/15 12:05	100
Isopropylbenzene	ND		100	79	ug/L			08/05/15 12:05	100
Methyl acetate	ND		250	130	ug/L			08/05/15 12:05	100
Methyl tert-butyl ether	ND		100	16	ug/L			08/05/15 12:05	100
Methylcyclohexane	ND		100	16	ug/L			08/05/15 12:05	100
Methylene Chloride	55 J		100	44	ug/L			08/05/15 12:05	100
Styrene	ND		100	73	ug/L			08/05/15 12:05	100
Tetrachloroethene	ND		100	36	ug/L			08/05/15 12:05	100
Toluene	ND		100	51	ug/L			08/05/15 12:05	100
trans-1,2-Dichloroethene	ND		100	90	ug/L			08/05/15 12:05	100
trans-1,3-Dichloropropene	ND		100	37	ug/L			08/05/15 12:05	100

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: MW-13D
Date Collected: 07/23/15 12:00
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-14
Matrix: Ground Water

Method: 8260C - Volatile Organic Compounds by GC/MS - DL (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Trichloroethene	ND		100	46	ug/L			08/05/15 12:05	100
Trichlorofluoromethane	ND		100	88	ug/L			08/05/15 12:05	100
Vinyl chloride	1100		100	90	ug/L			08/05/15 12:05	100
Xylenes, Total	ND		200	66	ug/L			08/05/15 12:05	100
Surrogate	%Recovery	Qualifier		Limits			Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109			66 - 137				08/05/15 12:05	100
4-Bromofluorobenzene (Surr)	100			73 - 120				08/05/15 12:05	100
Toluene-d8 (Surr)	80			71 - 126				08/05/15 12:05	100

Client Sample Results

Client: AECOM, Inc.

Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: GWCT MANHOLE

Lab Sample ID: 480-84562-15

Matrix: Water

Date Collected: 07/24/15 09:05

Date Received: 07/24/15 16:45

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND	*	1.0	0.82	ug/L			07/31/15 16:38	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			07/31/15 16:38	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			07/31/15 16:38	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			07/31/15 16:38	1
1,1-Dichloroethane	1.3		1.0	0.38	ug/L			07/31/15 16:38	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			07/31/15 16:38	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			07/31/15 16:38	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			07/31/15 16:38	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			07/31/15 16:38	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			07/31/15 16:38	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			07/31/15 16:38	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			07/31/15 16:38	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			07/31/15 16:38	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			07/31/15 16:38	1
2-Butanone (MEK)	2.4 J*		10	1.3	ug/L			07/31/15 16:38	1
2-Hexanone	ND		5.0	1.2	ug/L			07/31/15 16:38	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			07/31/15 16:38	1
Acetone	7.0 J		10	3.0	ug/L			07/31/15 16:38	1
Benzene	ND		1.0	0.41	ug/L			07/31/15 16:38	1
Bromodichloromethane	ND	*	1.0	0.39	ug/L			07/31/15 16:38	1
Bromoform	ND		1.0	0.26	ug/L			07/31/15 16:38	1
Bromomethane	ND		1.0	0.69	ug/L			07/31/15 16:38	1
Carbon disulfide	ND		1.0	0.19	ug/L			07/31/15 16:38	1
Carbon tetrachloride	ND	*	1.0	0.27	ug/L			07/31/15 16:38	1
Chlorobenzene	ND		1.0	0.75	ug/L			07/31/15 16:38	1
Chloroethane	ND		1.0	0.32	ug/L			07/31/15 16:38	1
Chloroform	ND		1.0	0.34	ug/L			07/31/15 16:38	1
Chloromethane	ND		1.0	0.35	ug/L			07/31/15 16:38	1
cis-1,2-Dichloroethene	1.1		1.0	0.81	ug/L			07/31/15 16:38	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			07/31/15 16:38	1
Cyclohexane	ND		1.0	0.18	ug/L			07/31/15 16:38	1
Dibromochloromethane	ND		1.0	0.32	ug/L			07/31/15 16:38	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			07/31/15 16:38	1
Ethylbenzene	ND		1.0	0.74	ug/L			07/31/15 16:38	1
Isopropylbenzene	ND		1.0	0.79	ug/L			07/31/15 16:38	1
Methyl acetate	ND		2.5	1.3	ug/L			07/31/15 16:38	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			07/31/15 16:38	1
Methylcyclohexane	ND		1.0	0.16	ug/L			07/31/15 16:38	1
Methylene Chloride	ND		1.0	0.44	ug/L			07/31/15 16:38	1
Styrene	ND		1.0	0.73	ug/L			07/31/15 16:38	1
Tetrachloroethene	ND		1.0	0.36	ug/L			07/31/15 16:38	1
Toluene	ND		1.0	0.51	ug/L			07/31/15 16:38	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			07/31/15 16:38	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			07/31/15 16:38	1
Trichloroethene	ND		1.0	0.46	ug/L			07/31/15 16:38	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			07/31/15 16:38	1
Vinyl chloride	ND		1.0	0.90	ug/L			07/31/15 16:38	1
Xylenes, Total	ND		2.0	0.66	ug/L			07/31/15 16:38	1

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: GWCT MANHOLE

Lab Sample ID: 480-84562-15

Matrix: Water

Date Collected: 07/24/15 09:05
Date Received: 07/24/15 16:45

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	115		66 - 137		07/31/15 16:38	1
4-Bromofluorobenzene (Surr)	111		73 - 120		07/31/15 16:38	1
Toluene-d8 (Surr)	87		71 - 126		07/31/15 16:38	1

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: DPE-3
Date Collected: 07/24/15 13:30
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-16
Matrix: Water

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		10	8.2	ug/L			08/05/15 12:29	10
1,1,2,2-Tetrachloroethane	ND		10	2.1	ug/L			08/05/15 12:29	10
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		10	3.1	ug/L			08/05/15 12:29	10
1,1,2-Trichloroethane	ND		10	2.3	ug/L			08/05/15 12:29	10
1,1-Dichloroethane	24		10	3.8	ug/L			08/05/15 12:29	10
1,1-Dichloroethene	3.1 J		10	2.9	ug/L			08/05/15 12:29	10
1,2,4-Trichlorobenzene	ND		10	4.1	ug/L			08/05/15 12:29	10
1,2-Dibromo-3-Chloropropane	ND		10	3.9	ug/L			08/05/15 12:29	10
1,2-Dibromoethane	ND		10	7.3	ug/L			08/05/15 12:29	10
1,2-Dichlorobenzene	ND		10	7.9	ug/L			08/05/15 12:29	10
1,2-Dichloroethane	ND		10	2.1	ug/L			08/05/15 12:29	10
1,2-Dichloropropane	ND		10	7.2	ug/L			08/05/15 12:29	10
1,3-Dichlorobenzene	ND		10	7.8	ug/L			08/05/15 12:29	10
1,4-Dichlorobenzene	ND		10	8.4	ug/L			08/05/15 12:29	10
2-Butanone (MEK)	610		100	13	ug/L			08/05/15 12:29	10
2-Hexanone	ND		50	12	ug/L			08/05/15 12:29	10
4-Methyl-2-pentanone (MIBK)	ND		50	21	ug/L			08/05/15 12:29	10
Acetone	110		100	30	ug/L			08/05/15 12:29	10
Benzene	ND		10	4.1	ug/L			08/05/15 12:29	10
Bromodichloromethane	ND		10	3.9	ug/L			08/05/15 12:29	10
Bromoform	ND		10	2.6	ug/L			08/05/15 12:29	10
Bromomethane	ND		10	6.9	ug/L			08/05/15 12:29	10
Carbon disulfide	ND		10	1.9	ug/L			08/05/15 12:29	10
Carbon tetrachloride	ND		10	2.7	ug/L			08/05/15 12:29	10
Chlorobenzene	ND		10	7.5	ug/L			08/05/15 12:29	10
Chloroethane	23		10	3.2	ug/L			08/05/15 12:29	10
Chloroform	ND		10	3.4	ug/L			08/05/15 12:29	10
Chloromethane	ND		10	3.5	ug/L			08/05/15 12:29	10
cis-1,2-Dichloroethene	650		10	8.1	ug/L			08/05/15 12:29	10
cis-1,3-Dichloropropene	ND		10	3.6	ug/L			08/05/15 12:29	10
Cyclohexane	ND		10	1.8	ug/L			08/05/15 12:29	10
Dibromochloromethane	ND		10	3.2	ug/L			08/05/15 12:29	10
Dichlorodifluoromethane	ND		10	6.8	ug/L			08/05/15 12:29	10
Ethylbenzene	ND		10	7.4	ug/L			08/05/15 12:29	10
Isopropylbenzene	ND		10	7.9	ug/L			08/05/15 12:29	10
Methyl acetate	ND		25	13	ug/L			08/05/15 12:29	10
Methyl tert-butyl ether	ND		10	1.6	ug/L			08/05/15 12:29	10
Methylcyclohexane	ND		10	1.6	ug/L			08/05/15 12:29	10
Methylene Chloride	6.1 J		10	4.4	ug/L			08/05/15 12:29	10
Styrene	ND		10	7.3	ug/L			08/05/15 12:29	10
Tetrachloroethene	ND		10	3.6	ug/L			08/05/15 12:29	10
Toluene	8.4 J		10	5.1	ug/L			08/05/15 12:29	10
trans-1,2-Dichloroethene	ND		10	9.0	ug/L			08/05/15 12:29	10
trans-1,3-Dichloropropene	ND		10	3.7	ug/L			08/05/15 12:29	10
Trichloroethene	ND		10	4.6	ug/L			08/05/15 12:29	10
Trichlorofluoromethane	ND		10	8.8	ug/L			08/05/15 12:29	10
Vinyl chloride	240		10	9.0	ug/L			08/05/15 12:29	10
Xylenes, Total	ND		20	6.6	ug/L			08/05/15 12:29	10

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: DPE-3
Date Collected: 07/24/15 13:30
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-16
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		66 - 137		08/05/15 12:29	10
4-Bromofluorobenzene (Surr)	96		73 - 120		08/05/15 12:29	10
Toluene-d8 (Surr)	80		71 - 126		08/05/15 12:29	10

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: DPE-4
Date Collected: 07/24/15 10:45
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-17
Matrix: Water

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND	*	10	8.2	ug/L			07/31/15 17:26	10
1,1,2,2-Tetrachloroethane	ND		10	2.1	ug/L			07/31/15 17:26	10
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		10	3.1	ug/L			07/31/15 17:26	10
1,1,2-Trichloroethane	ND		10	2.3	ug/L			07/31/15 17:26	10
1,1-Dichloroethane	130		10	3.8	ug/L			07/31/15 17:26	10
1,1-Dichloroethene	30		10	2.9	ug/L			07/31/15 17:26	10
1,2,4-Trichlorobenzene	ND		10	4.1	ug/L			07/31/15 17:26	10
1,2-Dibromo-3-Chloropropane	ND		10	3.9	ug/L			07/31/15 17:26	10
1,2-Dibromoethane	ND		10	7.3	ug/L			07/31/15 17:26	10
1,2-Dichlorobenzene	ND		10	7.9	ug/L			07/31/15 17:26	10
1,2-Dichloroethane	2.2 J		10	2.1	ug/L			07/31/15 17:26	10
1,2-Dichloropropane	ND		10	7.2	ug/L			07/31/15 17:26	10
1,3-Dichlorobenzene	ND		10	7.8	ug/L			07/31/15 17:26	10
1,4-Dichlorobenzene	ND		10	8.4	ug/L			07/31/15 17:26	10
2-Butanone (MEK)	65 J*		100	13	ug/L			07/31/15 17:26	10
2-Hexanone	ND		50	12	ug/L			07/31/15 17:26	10
4-Methyl-2-pentanone (MIBK)	ND		50	21	ug/L			07/31/15 17:26	10
Acetone	46 J		100	30	ug/L			07/31/15 17:26	10
Benzene	ND		10	4.1	ug/L			07/31/15 17:26	10
Bromodichloromethane	ND	*	10	3.9	ug/L			07/31/15 17:26	10
Bromoform	ND		10	2.6	ug/L			07/31/15 17:26	10
Bromomethane	ND		10	6.9	ug/L			07/31/15 17:26	10
Carbon disulfide	3.4 J		10	1.9	ug/L			07/31/15 17:26	10
Carbon tetrachloride	ND	*	10	2.7	ug/L			07/31/15 17:26	10
Chlorobenzene	ND		10	7.5	ug/L			07/31/15 17:26	10
Chloroethane	49		10	3.2	ug/L			07/31/15 17:26	10
Chloroform	ND		10	3.4	ug/L			07/31/15 17:26	10
Chloromethane	ND		10	3.5	ug/L			07/31/15 17:26	10
cis-1,2-Dichloroethene	21000 E		10	8.1	ug/L			07/31/15 17:26	10
cis-1,3-Dichloropropene	ND		10	3.6	ug/L			07/31/15 17:26	10
Cyclohexane	ND		10	1.8	ug/L			07/31/15 17:26	10
Dibromochloromethane	ND		10	3.2	ug/L			07/31/15 17:26	10
Dichlorodifluoromethane	ND		10	6.8	ug/L			07/31/15 17:26	10
Ethylbenzene	ND		10	7.4	ug/L			07/31/15 17:26	10
Isopropylbenzene	ND		10	7.9	ug/L			07/31/15 17:26	10
Methyl acetate	ND		25	13	ug/L			07/31/15 17:26	10
Methyl tert-butyl ether	ND		10	1.6	ug/L			07/31/15 17:26	10
Methylcyclohexane	ND		10	1.6	ug/L			07/31/15 17:26	10
Methylene Chloride	8.1 J		10	4.4	ug/L			07/31/15 17:26	10
Styrene	ND		10	7.3	ug/L			07/31/15 17:26	10
Tetrachloroethene	ND		10	3.6	ug/L			07/31/15 17:26	10
Toluene	28		10	5.1	ug/L			07/31/15 17:26	10
trans-1,2-Dichloroethene	36		10	9.0	ug/L			07/31/15 17:26	10
trans-1,3-Dichloropropene	ND		10	3.7	ug/L			07/31/15 17:26	10
Trichloroethene	93		10	4.6	ug/L			07/31/15 17:26	10
Trichlorofluoromethane	ND		10	8.8	ug/L			07/31/15 17:26	10
Vinyl chloride	4100 E		10	9.0	ug/L			07/31/15 17:26	10
Xylenes, Total	ND		20	6.6	ug/L			07/31/15 17:26	10

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: DPE-4
Date Collected: 07/24/15 10:45
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-17
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		66 - 137		07/31/15 17:26	10
4-Bromofluorobenzene (Surr)	111		73 - 120		07/31/15 17:26	10
Toluene-d8 (Surr)	90		71 - 126		07/31/15 17:26	10

Method: 8260C - Volatile Organic Compounds by GC/MS - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1000	820	ug/L			08/05/15 12:53	1000
1,1,2,2-Tetrachloroethane	ND		1000	210	ug/L			08/05/15 12:53	1000
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1000	310	ug/L			08/05/15 12:53	1000
1,1,2-Trichloroethane	ND		1000	230	ug/L			08/05/15 12:53	1000
1,1-Dichloroethane	ND		1000	380	ug/L			08/05/15 12:53	1000
1,1-Dichloroethene	ND		1000	290	ug/L			08/05/15 12:53	1000
1,2,4-Trichlorobenzene	ND		1000	410	ug/L			08/05/15 12:53	1000
1,2-Dibromo-3-Chloropropane	ND		1000	390	ug/L			08/05/15 12:53	1000
1,2-Dibromoethane	ND		1000	730	ug/L			08/05/15 12:53	1000
1,2-Dichlorobenzene	ND		1000	790	ug/L			08/05/15 12:53	1000
1,2-Dichloroethane	ND		1000	210	ug/L			08/05/15 12:53	1000
1,2-Dichloropropane	ND		1000	720	ug/L			08/05/15 12:53	1000
1,3-Dichlorobenzene	ND		1000	780	ug/L			08/05/15 12:53	1000
1,4-Dichlorobenzene	ND		1000	840	ug/L			08/05/15 12:53	1000
2-Butanone (MEK)	ND		10000	1300	ug/L			08/05/15 12:53	1000
2-Hexanone	ND		5000	1200	ug/L			08/05/15 12:53	1000
4-Methyl-2-pentanone (MIBK)	ND		5000	2100	ug/L			08/05/15 12:53	1000
Acetone	ND		10000	3000	ug/L			08/05/15 12:53	1000
Benzene	ND		1000	410	ug/L			08/05/15 12:53	1000
Bromodichloromethane	ND		1000	390	ug/L			08/05/15 12:53	1000
Bromoform	ND		1000	260	ug/L			08/05/15 12:53	1000
Bromomethane	ND		1000	690	ug/L			08/05/15 12:53	1000
Carbon disulfide	ND		1000	190	ug/L			08/05/15 12:53	1000
Carbon tetrachloride	ND		1000	270	ug/L			08/05/15 12:53	1000
Chlorobenzene	ND		1000	750	ug/L			08/05/15 12:53	1000
Chloroethane	ND		1000	320	ug/L			08/05/15 12:53	1000
Chloroform	ND		1000	340	ug/L			08/05/15 12:53	1000
Chloromethane	ND		1000	350	ug/L			08/05/15 12:53	1000
cis-1,2-Dichloroethene	30000		1000	810	ug/L			08/05/15 12:53	1000
cis-1,3-Dichloropropene	ND		1000	360	ug/L			08/05/15 12:53	1000
Cyclohexane	ND		1000	180	ug/L			08/05/15 12:53	1000
Dibromochloromethane	ND		1000	320	ug/L			08/05/15 12:53	1000
Dichlorodifluoromethane	ND		1000	680	ug/L			08/05/15 12:53	1000
Ethylbenzene	ND		1000	740	ug/L			08/05/15 12:53	1000
Isopropylbenzene	ND		1000	790	ug/L			08/05/15 12:53	1000
Methyl acetate	ND		2500	1300	ug/L			08/05/15 12:53	1000
Methyl tert-butyl ether	ND		1000	160	ug/L			08/05/15 12:53	1000
Methylcyclohexane	ND		1000	160	ug/L			08/05/15 12:53	1000
Methylene Chloride	ND		1000	440	ug/L			08/05/15 12:53	1000
Styrene	ND		1000	730	ug/L			08/05/15 12:53	1000
Tetrachloroethene	ND		1000	360	ug/L			08/05/15 12:53	1000
Toluene	ND		1000	510	ug/L			08/05/15 12:53	1000
trans-1,2-Dichloroethene	ND		1000	900	ug/L			08/05/15 12:53	1000
trans-1,3-Dichloropropene	ND		1000	370	ug/L			08/05/15 12:53	1000

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: DPE-4
Date Collected: 07/24/15 10:45
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-17
Matrix: Water

Method: 8260C - Volatile Organic Compounds by GC/MS - DL (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Trichloroethene	ND		1000	460	ug/L			08/05/15 12:53	1000
Trichlorofluoromethane	ND		1000	880	ug/L			08/05/15 12:53	1000
Vinyl chloride	4700		1000	900	ug/L			08/05/15 12:53	1000
Xylenes, Total	ND		2000	660	ug/L			08/05/15 12:53	1000
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	114		66 - 137					08/05/15 12:53	1000
4-Bromofluorobenzene (Surr)	97		73 - 120					08/05/15 12:53	1000
Toluene-d8 (Surr)	77		71 - 126					08/05/15 12:53	1000

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: DPE-5
Date Collected: 07/24/15 10:05
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-18
Matrix: Water

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		10	8.2	ug/L			08/05/15 13:16	10
1,1,2,2-Tetrachloroethane	ND		10	2.1	ug/L			08/05/15 13:16	10
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		10	3.1	ug/L			08/05/15 13:16	10
1,1,2-Trichloroethane	ND		10	2.3	ug/L			08/05/15 13:16	10
1,1-Dichloroethane	30		10	3.8	ug/L			08/05/15 13:16	10
1,1-Dichloroethene	ND		10	2.9	ug/L			08/05/15 13:16	10
1,2,4-Trichlorobenzene	ND		10	4.1	ug/L			08/05/15 13:16	10
1,2-Dibromo-3-Chloropropane	ND		10	3.9	ug/L			08/05/15 13:16	10
1,2-Dibromoethane	ND		10	7.3	ug/L			08/05/15 13:16	10
1,2-Dichlorobenzene	ND		10	7.9	ug/L			08/05/15 13:16	10
1,2-Dichloroethane	ND		10	2.1	ug/L			08/05/15 13:16	10
1,2-Dichloropropane	ND		10	7.2	ug/L			08/05/15 13:16	10
1,3-Dichlorobenzene	ND		10	7.8	ug/L			08/05/15 13:16	10
1,4-Dichlorobenzene	ND		10	8.4	ug/L			08/05/15 13:16	10
2-Butanone (MEK)	330		100	13	ug/L			08/05/15 13:16	10
2-Hexanone	ND		50	12	ug/L			08/05/15 13:16	10
4-Methyl-2-pentanone (MIBK)	ND		50	21	ug/L			08/05/15 13:16	10
Acetone	240		100	30	ug/L			08/05/15 13:16	10
Benzene	ND		10	4.1	ug/L			08/05/15 13:16	10
Bromodichloromethane	ND		10	3.9	ug/L			08/05/15 13:16	10
Bromoform	ND		10	2.6	ug/L			08/05/15 13:16	10
Bromomethane	ND		10	6.9	ug/L			08/05/15 13:16	10
Carbon disulfide	ND		10	1.9	ug/L			08/05/15 13:16	10
Carbon tetrachloride	ND		10	2.7	ug/L			08/05/15 13:16	10
Chlorobenzene	ND		10	7.5	ug/L			08/05/15 13:16	10
Chloroethane	51		10	3.2	ug/L			08/05/15 13:16	10
Chloroform	ND		10	3.4	ug/L			08/05/15 13:16	10
Chloromethane	ND		10	3.5	ug/L			08/05/15 13:16	10
cis-1,2-Dichloroethene	410		10	8.1	ug/L			08/05/15 13:16	10
cis-1,3-Dichloropropene	ND		10	3.6	ug/L			08/05/15 13:16	10
Cyclohexane	ND		10	1.8	ug/L			08/05/15 13:16	10
Dibromochloromethane	ND		10	3.2	ug/L			08/05/15 13:16	10
Dichlorodifluoromethane	ND		10	6.8	ug/L			08/05/15 13:16	10
Ethylbenzene	ND		10	7.4	ug/L			08/05/15 13:16	10
Isopropylbenzene	ND		10	7.9	ug/L			08/05/15 13:16	10
Methyl acetate	ND		25	13	ug/L			08/05/15 13:16	10
Methyl tert-butyl ether	ND		10	1.6	ug/L			08/05/15 13:16	10
Methylcyclohexane	ND		10	1.6	ug/L			08/05/15 13:16	10
Methylene Chloride	4.5 J		10	4.4	ug/L			08/05/15 13:16	10
Styrene	ND		10	7.3	ug/L			08/05/15 13:16	10
Tetrachloroethene	ND		10	3.6	ug/L			08/05/15 13:16	10
Toluene	11		10	5.1	ug/L			08/05/15 13:16	10
trans-1,2-Dichloroethene	11		10	9.0	ug/L			08/05/15 13:16	10
trans-1,3-Dichloropropene	ND		10	3.7	ug/L			08/05/15 13:16	10
Trichloroethene	ND		10	4.6	ug/L			08/05/15 13:16	10
Trichlorofluoromethane	ND		10	8.8	ug/L			08/05/15 13:16	10
Vinyl chloride	180		10	9.0	ug/L			08/05/15 13:16	10
Xylenes, Total	ND		20	6.6	ug/L			08/05/15 13:16	10

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: DPE-5

Date Collected: 07/24/15 10:05

Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-18

Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		66 - 137		08/05/15 13:16	10
4-Bromofluorobenzene (Surr)	99		73 - 120		08/05/15 13:16	10
Toluene-d8 (Surr)	81		71 - 126		08/05/15 13:16	10

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: DPE-7
Date Collected: 07/24/15 12:40
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-19
Matrix: Water

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		20	16	ug/L			08/05/15 13:40	20
1,1,2,2-Tetrachloroethane	ND		20	4.2	ug/L			08/05/15 13:40	20
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		20	6.2	ug/L			08/05/15 13:40	20
1,1,2-Trichloroethane	ND		20	4.6	ug/L			08/05/15 13:40	20
1,1-Dichloroethane	250		20	7.6	ug/L			08/05/15 13:40	20
1,1-Dichloroethene	12 J		20	5.8	ug/L			08/05/15 13:40	20
1,2,4-Trichlorobenzene	ND		20	8.2	ug/L			08/05/15 13:40	20
1,2-Dibromo-3-Chloropropane	ND		20	7.8	ug/L			08/05/15 13:40	20
1,2-Dibromoethane	ND		20	15	ug/L			08/05/15 13:40	20
1,2-Dichlorobenzene	ND		20	16	ug/L			08/05/15 13:40	20
1,2-Dichloroethane	ND		20	4.2	ug/L			08/05/15 13:40	20
1,2-Dichloropropane	ND		20	14	ug/L			08/05/15 13:40	20
1,3-Dichlorobenzene	ND		20	16	ug/L			08/05/15 13:40	20
1,4-Dichlorobenzene	ND		20	17	ug/L			08/05/15 13:40	20
2-Butanone (MEK)	150 J		200	26	ug/L			08/05/15 13:40	20
2-Hexanone	ND		100	25	ug/L			08/05/15 13:40	20
4-Methyl-2-pentanone (MIBK)	ND		100	42	ug/L			08/05/15 13:40	20
Acetone	1100		200	60	ug/L			08/05/15 13:40	20
Benzene	ND		20	8.2	ug/L			08/05/15 13:40	20
Bromodichloromethane	ND		20	7.8	ug/L			08/05/15 13:40	20
Bromoform	ND		20	5.2	ug/L			08/05/15 13:40	20
Bromomethane	ND		20	14	ug/L			08/05/15 13:40	20
Carbon disulfide	ND		20	3.8	ug/L			08/05/15 13:40	20
Carbon tetrachloride	ND		20	5.4	ug/L			08/05/15 13:40	20
Chlorobenzene	ND		20	15	ug/L			08/05/15 13:40	20
Chloroethane	27		20	6.4	ug/L			08/05/15 13:40	20
Chloroform	ND		20	6.8	ug/L			08/05/15 13:40	20
Chloromethane	ND		20	7.0	ug/L			08/05/15 13:40	20
cis-1,2-Dichloroethene	820		20	16	ug/L			08/05/15 13:40	20
cis-1,3-Dichloropropene	ND		20	7.2	ug/L			08/05/15 13:40	20
Cyclohexane	ND		20	3.6	ug/L			08/05/15 13:40	20
Dibromochloromethane	ND		20	6.4	ug/L			08/05/15 13:40	20
Dichlorodifluoromethane	ND		20	14	ug/L			08/05/15 13:40	20
Ethylbenzene	ND		20	15	ug/L			08/05/15 13:40	20
Isopropylbenzene	ND		20	16	ug/L			08/05/15 13:40	20
Methyl acetate	ND		50	26	ug/L			08/05/15 13:40	20
Methyl tert-butyl ether	ND		20	3.2	ug/L			08/05/15 13:40	20
Methylcyclohexane	ND		20	3.2	ug/L			08/05/15 13:40	20
Methylene Chloride	11 J		20	8.8	ug/L			08/05/15 13:40	20
Styrene	ND		20	15	ug/L			08/05/15 13:40	20
Tetrachloroethene	ND		20	7.2	ug/L			08/05/15 13:40	20
Toluene	ND		20	10	ug/L			08/05/15 13:40	20
trans-1,2-Dichloroethene	ND		20	18	ug/L			08/05/15 13:40	20
trans-1,3-Dichloropropene	ND		20	7.4	ug/L			08/05/15 13:40	20
Trichloroethene	ND		20	9.2	ug/L			08/05/15 13:40	20
Trichlorofluoromethane	ND		20	18	ug/L			08/05/15 13:40	20
Vinyl chloride	470		20	18	ug/L			08/05/15 13:40	20
Xylenes, Total	ND		40	13	ug/L			08/05/15 13:40	20

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: DPE-7
Date Collected: 07/24/15 12:40
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-19
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	112		66 - 137		08/05/15 13:40	20
4-Bromofluorobenzene (Surr)	93		73 - 120		08/05/15 13:40	20
Toluene-d8 (Surr)	78		71 - 126		08/05/15 13:40	20

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: DPE-8
Date Collected: 07/24/15 11:35
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-20
Matrix: Water

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	57	^	50	41	ug/L			08/05/15 14:04	50
1,1,2,2-Tetrachloroethane	ND		50	11	ug/L			08/05/15 14:04	50
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		50	16	ug/L			08/05/15 14:04	50
1,1,2-Trichloroethane	ND		50	12	ug/L			08/05/15 14:04	50
1,1-Dichloroethane	140		50	19	ug/L			08/05/15 14:04	50
1,1-Dichloroethene	ND		50	15	ug/L			08/05/15 14:04	50
1,2,4-Trichlorobenzene	ND		50	21	ug/L			08/05/15 14:04	50
1,2-Dibromo-3-Chloropropane	ND		50	20	ug/L			08/05/15 14:04	50
1,2-Dibromoethane	ND		50	37	ug/L			08/05/15 14:04	50
1,2-Dichlorobenzene	ND		50	40	ug/L			08/05/15 14:04	50
1,2-Dichloroethane	ND		50	11	ug/L			08/05/15 14:04	50
1,2-Dichloropropane	ND		50	36	ug/L			08/05/15 14:04	50
1,3-Dichlorobenzene	ND		50	39	ug/L			08/05/15 14:04	50
1,4-Dichlorobenzene	ND		50	42	ug/L			08/05/15 14:04	50
2-Butanone (MEK)	540		500	66	ug/L			08/05/15 14:04	50
2-Hexanone	ND		250	62	ug/L			08/05/15 14:04	50
4-Methyl-2-pentanone (MIBK)	ND		250	110	ug/L			08/05/15 14:04	50
Acetone	890		500	150	ug/L			08/05/15 14:04	50
Benzene	ND		50	21	ug/L			08/05/15 14:04	50
Bromodichloromethane	ND		50	20	ug/L			08/05/15 14:04	50
Bromoform	ND		50	13	ug/L			08/05/15 14:04	50
Bromomethane	ND		50	35	ug/L			08/05/15 14:04	50
Carbon disulfide	ND		50	9.5	ug/L			08/05/15 14:04	50
Carbon tetrachloride	ND		50	14	ug/L			08/05/15 14:04	50
Chlorobenzene	ND		50	38	ug/L			08/05/15 14:04	50
Chloroethane	ND		50	16	ug/L			08/05/15 14:04	50
Chloroform	ND		50	17	ug/L			08/05/15 14:04	50
Chloromethane	ND		50	18	ug/L			08/05/15 14:04	50
cis-1,2-Dichloroethene	1500		50	41	ug/L			08/05/15 14:04	50
cis-1,3-Dichloropropene	ND		50	18	ug/L			08/05/15 14:04	50
Cyclohexane	ND		50	9.0	ug/L			08/05/15 14:04	50
Dibromochloromethane	ND		50	16	ug/L			08/05/15 14:04	50
Dichlorodifluoromethane	ND		50	34	ug/L			08/05/15 14:04	50
Ethylbenzene	ND		50	37	ug/L			08/05/15 14:04	50
Isopropylbenzene	ND		50	40	ug/L			08/05/15 14:04	50
Methyl acetate	ND		130	65	ug/L			08/05/15 14:04	50
Methyl tert-butyl ether	ND		50	8.0	ug/L			08/05/15 14:04	50
Methylcyclohexane	ND		50	8.0	ug/L			08/05/15 14:04	50
Methylene Chloride	23	J	50	22	ug/L			08/05/15 14:04	50
Styrene	ND		50	37	ug/L			08/05/15 14:04	50
Tetrachloroethene	ND		50	18	ug/L			08/05/15 14:04	50
Toluene	ND		50	26	ug/L			08/05/15 14:04	50
trans-1,2-Dichloroethene	ND		50	45	ug/L			08/05/15 14:04	50
trans-1,3-Dichloropropene	ND		50	19	ug/L			08/05/15 14:04	50
Trichloroethene	230		50	23	ug/L			08/05/15 14:04	50
Trichlorofluoromethane	ND		50	44	ug/L			08/05/15 14:04	50
Vinyl chloride	1400		50	45	ug/L			08/05/15 14:04	50
Xylenes, Total	ND		100	33	ug/L			08/05/15 14:04	50

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: DPE-8

Date Collected: 07/24/15 11:35

Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-20

Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		66 - 137		08/05/15 14:04	50
4-Bromofluorobenzene (Surr)	97		73 - 120		08/05/15 14:04	50
Toluene-d8 (Surr)	81		71 - 126		08/05/15 14:04	50

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: Trip Blank

Date Collected: 07/22/15 00:00

Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-21

Matrix: Water

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND	*	1.0	0.82	ug/L			07/31/15 12:16	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			07/31/15 12:16	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			07/31/15 12:16	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			07/31/15 12:16	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			07/31/15 12:16	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			07/31/15 12:16	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			07/31/15 12:16	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			07/31/15 12:16	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			07/31/15 12:16	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			07/31/15 12:16	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			07/31/15 12:16	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			07/31/15 12:16	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			07/31/15 12:16	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			07/31/15 12:16	1
2-Butanone (MEK)	ND	*	10	1.3	ug/L			07/31/15 12:16	1
2-Hexanone	ND		5.0	1.2	ug/L			07/31/15 12:16	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			07/31/15 12:16	1
Acetone	ND		10	3.0	ug/L			07/31/15 12:16	1
Benzene	ND		1.0	0.41	ug/L			07/31/15 12:16	1
Bromodichloromethane	ND	*	1.0	0.39	ug/L			07/31/15 12:16	1
Bromoform	ND		1.0	0.26	ug/L			07/31/15 12:16	1
Bromomethane	ND		1.0	0.69	ug/L			07/31/15 12:16	1
Carbon disulfide	ND		1.0	0.19	ug/L			07/31/15 12:16	1
Carbon tetrachloride	ND	*	1.0	0.27	ug/L			07/31/15 12:16	1
Chlorobenzene	ND		1.0	0.75	ug/L			07/31/15 12:16	1
Chloroethane	ND		1.0	0.32	ug/L			07/31/15 12:16	1
Chloroform	ND		1.0	0.34	ug/L			07/31/15 12:16	1
Chloromethane	ND		1.0	0.35	ug/L			07/31/15 12:16	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			07/31/15 12:16	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			07/31/15 12:16	1
Cyclohexane	ND		1.0	0.18	ug/L			07/31/15 12:16	1
Dibromochloromethane	ND		1.0	0.32	ug/L			07/31/15 12:16	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			07/31/15 12:16	1
Ethylbenzene	ND		1.0	0.74	ug/L			07/31/15 12:16	1
Isopropylbenzene	ND		1.0	0.79	ug/L			07/31/15 12:16	1
Methyl acetate	ND		2.5	1.3	ug/L			07/31/15 12:16	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			07/31/15 12:16	1
Methylcyclohexane	ND		1.0	0.16	ug/L			07/31/15 12:16	1
Methylene Chloride	0.55	J	1.0	0.44	ug/L			07/31/15 12:16	1
Styrene	ND		1.0	0.73	ug/L			07/31/15 12:16	1
Tetrachloroethene	ND		1.0	0.36	ug/L			07/31/15 12:16	1
Toluene	ND		1.0	0.51	ug/L			07/31/15 12:16	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			07/31/15 12:16	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			07/31/15 12:16	1
Trichloroethene	ND		1.0	0.46	ug/L			07/31/15 12:16	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			07/31/15 12:16	1
Vinyl chloride	ND		1.0	0.90	ug/L			07/31/15 12:16	1
Xylenes, Total	ND		2.0	0.66	ug/L			07/31/15 12:16	1

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: Trip Blank
Date Collected: 07/22/15 00:00
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-21
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		66 - 137		07/31/15 12:16	1
4-Bromofluorobenzene (Surr)	107		73 - 120		07/31/15 12:16	1
Toluene-d8 (Surr)	89		71 - 126		07/31/15 12:16	1

Lab Chronicle

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: MW-2

Date Collected: 07/22/15 15:50
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-1

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	256310	07/30/15 23:21	GTG	TAL BUF

Client Sample ID: MW-3

Date Collected: 07/22/15 14:45
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-2

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	256310	07/30/15 23:44	GTG	TAL BUF

Client Sample ID: MW-4

Date Collected: 07/23/15 13:40
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-3

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		100	256365	07/31/15 15:03	SWO	TAL BUF

Client Sample ID: MW-6

Date Collected: 07/23/15 09:55
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-4

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	256310	07/31/15 00:32	GTG	TAL BUF
Total/NA	Analysis	8260C	DL	10	256365	07/31/15 15:27	SWO	TAL BUF

Client Sample ID: MW-10

Date Collected: 07/23/15 10:50
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-5

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	256310	07/31/15 00:56	GTG	TAL BUF

Client Sample ID: MW-11

Date Collected: 07/22/15 17:00
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-6

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	256365	07/31/15 15:50	SWO	TAL BUF

TestAmerica Buffalo

Lab Chronicle

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: MW-12

Date Collected: 07/23/15 08:55
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-7

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	256310	07/31/15 01:44	GTG	TAL BUF

Client Sample ID: MW-16S

Date Collected: 07/24/15 08:30
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-8

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		4000	256310	07/31/15 02:08	GTG	TAL BUF

Client Sample ID: Duplicate

Date Collected: 07/23/15 08:00
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-9

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1000	256310	07/31/15 02:32	GTG	TAL BUF

Client Sample ID: Rinse Blank

Date Collected: 07/23/15 16:10
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-10

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	256310	07/31/15 02:56	GTG	TAL BUF

Client Sample ID: MW-16D

Date Collected: 07/23/15 14:50
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-11

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		25	256310	07/31/15 03:19	GTG	TAL BUF

Client Sample ID: MW-13S

Date Collected: 07/23/15 12:35
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-12

Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		500	256310	07/31/15 03:43	GTG	TAL BUF

Lab Chronicle

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: MW-8R
Date Collected: 07/23/15 15:55
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-13
Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		2000	256310	07/31/15 04:07	GTG	TAL BUF

Client Sample ID: MW-13D
Date Collected: 07/23/15 12:00
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-14
Matrix: Ground Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	256310	07/31/15 04:31	GTG	TAL BUF
Total/NA	Analysis	8260C	DL	100	257057	08/05/15 12:05	GTG	TAL BUF

Client Sample ID: GWCT MANHOLE
Date Collected: 07/24/15 09:05
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-15
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	256365	07/31/15 16:38	SWO	TAL BUF

Client Sample ID: DPE-3
Date Collected: 07/24/15 13:30
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-16
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		10	257057	08/05/15 12:29	GTG	TAL BUF

Client Sample ID: DPE-4
Date Collected: 07/24/15 10:45
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-17
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		10	256365	07/31/15 17:26	SWO	TAL BUF
Total/NA	Analysis	8260C	DL	1000	257057	08/05/15 12:53	GTG	TAL BUF

Client Sample ID: DPE-5
Date Collected: 07/24/15 10:05
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-18
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		10	257057	08/05/15 13:16	GTG	TAL BUF

TestAmerica Buffalo

Lab Chronicle

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Client Sample ID: DPE-7
Date Collected: 07/24/15 12:40
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-19
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		20	257057	08/05/15 13:40	GTG	TAL BUF

Client Sample ID: DPE-8
Date Collected: 07/24/15 11:35
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-20
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		50	257057	08/05/15 14:04	GTG	TAL BUF

Client Sample ID: Trip Blank
Date Collected: 07/22/15 00:00
Date Received: 07/24/15 16:45

Lab Sample ID: 480-84562-21
Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	256365	07/31/15 12:16	SWO	TAL BUF

Laboratory References:

TAL BUF = TestAmerica Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

Certification Summary

Client: AECOM, Inc.

Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Laboratory: TestAmerica Buffalo

The certifications listed below are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
New York	NELAP	2	10026	03-31-16

1

2

3

4

5

6

7

8

9

10

11

Method Summary

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Method	Method Description	Protocol	Laboratory
8260C	Volatile Organic Compounds by GC/MS	SW846	TAL BUF

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL BUF = TestAmerica Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

1

2

3

4

5

6

7

8

9

10

11

Sample Summary

Client: AECOM, Inc.

Project/Site: Scott Aviation site

TestAmerica Job ID: 480-84562-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
480-84562-1	MW-2	Ground Water	07/22/15 15:50	07/24/15 16:45
480-84562-2	MW-3	Ground Water	07/22/15 14:45	07/24/15 16:45
480-84562-3	MW-4	Ground Water	07/23/15 13:40	07/24/15 16:45
480-84562-4	MW-6	Ground Water	07/23/15 09:55	07/24/15 16:45
480-84562-5	MW-10	Ground Water	07/23/15 10:50	07/24/15 16:45
480-84562-6	MW-11	Ground Water	07/22/15 17:00	07/24/15 16:45
480-84562-7	MW-12	Ground Water	07/23/15 08:55	07/24/15 16:45
480-84562-8	MW-16S	Ground Water	07/24/15 08:30	07/24/15 16:45
480-84562-9	Duplicate	Water	07/23/15 08:00	07/24/15 16:45
480-84562-10	Rinse Blank	Water	07/23/15 16:10	07/24/15 16:45
480-84562-11	MW-16D	Ground Water	07/23/15 14:50	07/24/15 16:45
480-84562-12	MW-13S	Ground Water	07/23/15 12:35	07/24/15 16:45
480-84562-13	MW-8R	Ground Water	07/23/15 15:55	07/24/15 16:45
480-84562-14	MW-13D	Ground Water	07/23/15 12:00	07/24/15 16:45
480-84562-15	GWCT MANHOLE	Water	07/24/15 09:05	07/24/15 16:45
480-84562-16	DPE-3	Water	07/24/15 13:30	07/24/15 16:45
480-84562-17	DPE-4	Water	07/24/15 10:45	07/24/15 16:45
480-84562-18	DPE-5	Water	07/24/15 10:05	07/24/15 16:45
480-84562-19	DPE-7	Water	07/24/15 12:40	07/24/15 16:45
480-84562-20	DPE-8	Water	07/24/15 11:35	07/24/15 16:45
480-84562-21	Trip Blank	Water	07/22/15 00:00	07/24/15 16:45

TestAmerica Buffalo

Login Sample Receipt Checklist

Client: AECOM, Inc.

Job Number: 480-84562-1

Login Number: 84562

List Source: TestAmerica Buffalo

List Number: 1

Creator: Janish, Carl M

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Sampling Company provided.	True	AECOM
Samples received within 48 hours of sampling.	True	
Samples requiring field filtration have been filtered in the field.	N/A	
Chlorine Residual checked.	N/A	

TestAmerica Buffalo

Athenier, NY 14228-2298
Phone (716) 691-2600 Fax (716) 691-7991

Chain of Custody Record

Client Information		Sampler: Emily Lai, IV		Lab P#: Fischer, Brian J		E-Mail: brian.fischer@testamericainc.co		480-84562 Chain of Custody		Analysis Requested		Preservation Codes:	
Address:	257 West Genesee St. Suite 400	TAT Requested (days):	7-22-15 - 3312	City: Buffalo	State, Zip: NY, 14202-2657	Phone: dino.zack@aeom.com	Project Name: Scott Aviation site	Site: New York	PO #: Purchase Order not required	WO #: Project #: 48002539	SSSN#:	Total Number of Contaminants: 2	M - Hexane N - None O - Ascorbic Acid P - Na2CO3 Q - Na2SCN R - Na2S2O3 S - H2SO4 T - TSP Dodecylamine U - Acetone V - MCAA W - pH 4-5 Z - other (specify): Other:
Sample Identification		Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Sample Matrix (Water, S=solid, O=water, B=tissue, A=air)	Preservation Code:	Special Instructions/Note:						
MW-2	7-22-15	14:45	G	Water	3								
MW-3	7-22-15	14:45	G	Water	3								
MW-4	7-23-15	13:40	G	Water	3								
MW-6	7-23-15	9:55	G	Water	3								
MW-10	7-23-15	10:50	G	Water	3								
MW-11	7-23-15	17:00	G	Water	3								
MW-12	7-23-15	8:55	G	Water	3								
MW-16S	7-24-15	8:30	G	Water	3								
Duplicate	7-23-15	8:00	G	Water	3								
Rinse	7-23-15	16:10	G	Water	3								
MW-16D	7-23-15	14:50	G	Water	3								
Possible Hazard/Identification	<input type="checkbox"/> Non-Hazard	<input type="checkbox"/> Flammable	<input type="checkbox"/> Skin Irritant	<input type="checkbox"/> Poison B	<input type="checkbox"/> Unknown	<input type="checkbox"/> Radiological	Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)						
Deliverable Requested: I, II, III, IV, Other (specify):	per contract						<input type="checkbox"/> Return To Client	<input type="checkbox"/> Disposal By Lab					
Empty Kit Relinquished by:	Date/Time: 7-24-15 16:45						Method of Shipment:						
Relinquished by: <i>Emily Lai, IV</i>	Company						Received by: <i>Mark Kolt</i>	Date/Time: 07/24/15 16:45					
Relinquished by:	Company						Received by: <i>Mark Kolt</i>	Date/Time: Company					
Custody Seals Intact: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	Custody Seal No.: <i>480-84562</i>						Cooler Temperature(s) °C and Other Remarks: <i>40.0</i>						

Chain of Custody Record

卷之三

卷之三

卷之三

1
2
3
4
5
6
7
8
9
10
11

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING



ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Burlington
30 Community Drive
Suite 11
South Burlington, VT 05403
Tel: (802)660-1990

TestAmerica Job ID: 200-29030-1

Client Project/Site: Scott Aviation site

For:

AECOM, Inc.
257 West Genesse St.
Suite 400
Buffalo, New York 14202-2657

Attn: Mr. Dino Zack

Authorized for release by:

7/31/2015 10:31:40 AM

Joe Giacomazza, Project Management Assistant II
joe.giacomazza@testamericainc.com

Designee for

Brian Fischer, Manager of Project Management
(716)504-9835
brian.fischer@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?

Ask
The
Expert

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Client Sample Results	5
Lab Chronicle	8
Certification Summary	9
Method Summary	10
Sample Summary	11
Chain of Custody	12
Receipt Checklists	14

Definitions/Glossary

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 200-29030-1

Qualifiers

Air - GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation **These commonly used abbreviations may or may not be present in this report.**

□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

1

2

3

4

5

6

7

8

9

10

11

Case Narrative

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 200-29030-1

Job ID: 200-29030-1

Laboratory: TestAmerica Burlington

Narrative

Job Narrative 200-29030-1

Receipt

The sample was received on 7/24/2015 10:25 AM; the sample arrived in good condition, properly preserved and, where required, on ice.

Receipt Exceptions

The container label for the following sample(s) did not match the information listed on the Chain-of-Custody (COC):
AS EfFLUENT (200-29030-1).

Sample collection date has year of 2014, client label has 2015. Used collection end time from COC with correct year, 2015, from client label.

Air Toxics

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Client Sample Results

Client: AECOM, Inc.

Project/Site: Scott Aviation site

TestAmerica Job ID: 200-29030-1

Client Sample ID: AS EFFLUENT

Date Collected: 07/22/15 08:26

Date Received: 07/24/15 10:25

Sample Container: Summa Canister 6L

Lab Sample ID: 200-29030-1

Matrix: Air

Method: TO-15 - Volatile Organic Compounds in Ambient Air

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.20	U	0.20	0.20	ppb v/v		07/30/15 05:46		1
1,1,2,2-Tetrachloroethane	0.20	U	0.20	0.20	ppb v/v		07/30/15 05:46		1
1,1,2-Trichloroethane	0.20	U	0.20	0.20	ppb v/v		07/30/15 05:46		1
1,1-Dichloroethane	0.20	U	0.20	0.20	ppb v/v		07/30/15 05:46		1
1,1-Dichloroethene	0.20	U	0.20	0.20	ppb v/v		07/30/15 05:46		1
1,2,4-Trichlorobenzene	0.50	U	0.50	0.50	ppb v/v		07/30/15 05:46		1
1,2,4-Trimethylbenzene	0.26		0.20	0.20	ppb v/v		07/30/15 05:46		1
1,2-Dibromoethane	0.20	U	0.20	0.20	ppb v/v		07/30/15 05:46		1
1,2-Dichlorobenzene	0.20	U	0.20	0.20	ppb v/v		07/30/15 05:46		1
1,2-Dichloroethane	0.20	U	0.20	0.20	ppb v/v		07/30/15 05:46		1
1,2-Dichloroethene, Total	0.40	U	0.40	0.40	ppb v/v		07/30/15 05:46		1
1,2-Dichloropropane	0.20	U	0.20	0.20	ppb v/v		07/30/15 05:46		1
1,2-Dichlortetrafluoroethane	0.20	U	0.20	0.20	ppb v/v		07/30/15 05:46		1
1,3,5-Trimethylbenzene	0.20	U	0.20	0.20	ppb v/v		07/30/15 05:46		1
1,3-Butadiene	0.20	U	0.20	0.20	ppb v/v		07/30/15 05:46		1
1,3-Dichlorobenzene	0.20	U	0.20	0.20	ppb v/v		07/30/15 05:46		1
1,4-Dichlorobenzene	0.20	U	0.20	0.20	ppb v/v		07/30/15 05:46		1
1,4-Dioxane	5.0	U	5.0	5.0	ppb v/v		07/30/15 05:46		1
2,2,4-Trimethylpentane	0.20	U	0.20	0.20	ppb v/v		07/30/15 05:46		1
2-Chlorotoluene	0.20	U	0.20	0.20	ppb v/v		07/30/15 05:46		1
3-Chloropropene	0.50	U	0.50	0.50	ppb v/v		07/30/15 05:46		1
4-Ethyltoluene	0.20	U	0.20	0.20	ppb v/v		07/30/15 05:46		1
Acetone	5.0	U	5.0	5.0	ppb v/v		07/30/15 05:46		1
Benzene	0.45		0.20	0.20	ppb v/v		07/30/15 05:46		1
Bromodichloromethane	0.20	U	0.20	0.20	ppb v/v		07/30/15 05:46		1
Bromoethene(Vinyl Bromide)	0.20	U	0.20	0.20	ppb v/v		07/30/15 05:46		1
Bromoform	0.20	U	0.20	0.20	ppb v/v		07/30/15 05:46		1
Bromomethane	0.20	U	0.20	0.20	ppb v/v		07/30/15 05:46		1
Carbon disulfide	0.50	U	0.50	0.50	ppb v/v		07/30/15 05:46		1
Carbon tetrachloride	0.20	U	0.20	0.20	ppb v/v		07/30/15 05:46		1
Chlorobenzene	0.20	U	0.20	0.20	ppb v/v		07/30/15 05:46		1
Chloroethane	9.0		0.50	0.50	ppb v/v		07/30/15 05:46		1
Chloroform	0.20	U	0.20	0.20	ppb v/v		07/30/15 05:46		1
Chloromethane	0.50		0.50	0.50	ppb v/v		07/30/15 05:46		1
cis-1,2-Dichloroethene	0.20	U	0.20	0.20	ppb v/v		07/30/15 05:46		1
cis-1,3-Dichloropropene	0.20	U	0.20	0.20	ppb v/v		07/30/15 05:46		1
Cyclohexane	0.21		0.20	0.20	ppb v/v		07/30/15 05:46		1
Dibromochloromethane	0.20	U	0.20	0.20	ppb v/v		07/30/15 05:46		1
Dichlorodifluoromethane	0.50	U	0.50	0.50	ppb v/v		07/30/15 05:46		1
Ethylbenzene	0.26		0.20	0.20	ppb v/v		07/30/15 05:46		1
Freon TF	0.20	U	0.20	0.20	ppb v/v		07/30/15 05:46		1
Hexachlorobutadiene	0.20	U	0.20	0.20	ppb v/v		07/30/15 05:46		1
Isopropyl alcohol	5.0	U	5.0	5.0	ppb v/v		07/30/15 05:46		1
m,p-Xylene	0.96		0.50	0.50	ppb v/v		07/30/15 05:46		1
Methyl Butyl Ketone (2-Hexanone)	0.50	U	0.50	0.50	ppb v/v		07/30/15 05:46		1
Methyl Ethyl Ketone	0.53		0.50	0.50	ppb v/v		07/30/15 05:46		1
methyl isobutyl ketone	0.50	U	0.50	0.50	ppb v/v		07/30/15 05:46		1
Methyl tert-butyl ether	0.20	U	0.20	0.20	ppb v/v		07/30/15 05:46		1

TestAmerica Burlington

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 200-29030-1

Client Sample ID: AS EFFLUENT

Date Collected: 07/22/15 08:26

Date Received: 07/24/15 10:25

Sample Container: Summa Canister 6L

Lab Sample ID: 200-29030-1

Matrix: Air

Method: TO-15 - Volatile Organic Compounds in Ambient Air (Continued)

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Methylene Chloride	0.50	U	0.50	0.50	ppb v/v			07/30/15 05:46	1
n-Heptane	0.31		0.20	0.20	ppb v/v			07/30/15 05:46	1
n-Hexane	0.87		0.20	0.20	ppb v/v			07/30/15 05:46	1
Styrene	0.20	U	0.20	0.20	ppb v/v			07/30/15 05:46	1
tert-Butyl alcohol	5.0	U	5.0	5.0	ppb v/v			07/30/15 05:46	1
Tetrachloroethene	0.24		0.20	0.20	ppb v/v			07/30/15 05:46	1
Tetrahydrofuran	5.0	U	5.0	5.0	ppb v/v			07/30/15 05:46	1
Toluene	2.1		0.20	0.20	ppb v/v			07/30/15 05:46	1
trans-1,2-Dichloroethene	0.20	U	0.20	0.20	ppb v/v			07/30/15 05:46	1
trans-1,3-Dichloropropene	0.20	U	0.20	0.20	ppb v/v			07/30/15 05:46	1
Trichloroethene	0.20	U	0.20	0.20	ppb v/v			07/30/15 05:46	1
Trichlorofluoromethane	0.21		0.20	0.20	ppb v/v			07/30/15 05:46	1
Vinyl chloride	0.20	U	0.20	0.20	ppb v/v			07/30/15 05:46	1
Xylene (total)	1.3		0.70	0.70	ppb v/v			07/30/15 05:46	1
Xylene, o-	0.31		0.20	0.20	ppb v/v			07/30/15 05:46	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.1	U	1.1	1.1	ug/m ³			07/30/15 05:46	1
1,1,2,2-Tetrachloroethane	1.4	U	1.4	1.4	ug/m ³			07/30/15 05:46	1
1,1,2-Trichloroethane	1.1	U	1.1	1.1	ug/m ³			07/30/15 05:46	1
1,1-Dichloroethane	0.81	U	0.81	0.81	ug/m ³			07/30/15 05:46	1
1,1-Dichloroethene	0.79	U	0.79	0.79	ug/m ³			07/30/15 05:46	1
1,2,4-Trichlorobenzene	3.7	U	3.7	3.7	ug/m ³			07/30/15 05:46	1
1,2,4-Trimethylbenzene	1.3		0.98	0.98	ug/m ³			07/30/15 05:46	1
1,2-Dibromoethane	1.5	U	1.5	1.5	ug/m ³			07/30/15 05:46	1
1,2-Dichlorobenzene	1.2	U	1.2	1.2	ug/m ³			07/30/15 05:46	1
1,2-Dichloroethane	0.81	U	0.81	0.81	ug/m ³			07/30/15 05:46	1
1,2-Dichloroethene, Total	1.6	U	1.6	1.6	ug/m ³			07/30/15 05:46	1
1,2-Dichloropropane	0.92	U	0.92	0.92	ug/m ³			07/30/15 05:46	1
1,2-Dichlortetrafluoroethane	1.4	U	1.4	1.4	ug/m ³			07/30/15 05:46	1
1,3,5-Trimethylbenzene	0.98	U	0.98	0.98	ug/m ³			07/30/15 05:46	1
1,3-Butadiene	0.44	U	0.44	0.44	ug/m ³			07/30/15 05:46	1
1,3-Dichlorobenzene	1.2	U	1.2	1.2	ug/m ³			07/30/15 05:46	1
1,4-Dichlorobenzene	1.2	U	1.2	1.2	ug/m ³			07/30/15 05:46	1
1,4-Dioxane	18	U	18	18	ug/m ³			07/30/15 05:46	1
2,2,4-Trimethylpentane	0.93	U	0.93	0.93	ug/m ³			07/30/15 05:46	1
2-Chlorotoluene	1.0	U	1.0	1.0	ug/m ³			07/30/15 05:46	1
3-Chloropropene	1.6	U	1.6	1.6	ug/m ³			07/30/15 05:46	1
4-Ethyltoluene	0.98	U	0.98	0.98	ug/m ³			07/30/15 05:46	1
Acetone	12	U	12	12	ug/m ³			07/30/15 05:46	1
Benzene	1.4		0.64	0.64	ug/m ³			07/30/15 05:46	1
Bromodichloromethane	1.3	U	1.3	1.3	ug/m ³			07/30/15 05:46	1
Bromoethene(Vinyl Bromide)	0.87	U	0.87	0.87	ug/m ³			07/30/15 05:46	1
Bromoform	2.1	U	2.1	2.1	ug/m ³			07/30/15 05:46	1
Bromomethane	0.78	U	0.78	0.78	ug/m ³			07/30/15 05:46	1
Carbon disulfide	1.6	U	1.6	1.6	ug/m ³			07/30/15 05:46	1
Carbon tetrachloride	1.3	U	1.3	1.3	ug/m ³			07/30/15 05:46	1
Chlorobenzene	0.92	U	0.92	0.92	ug/m ³			07/30/15 05:46	1
Chloroethane	24		1.3	1.3	ug/m ³			07/30/15 05:46	1

TestAmerica Burlington

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 200-29030-1

Client Sample ID: AS EFFLUENT
Date Collected: 07/22/15 08:26
Date Received: 07/24/15 10:25
Sample Container: Summa Canister 6L

Lab Sample ID: 200-29030-1
Matrix: Air

Method: TO-15 - Volatile Organic Compounds in Ambient Air (Continued)	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloroform	0.98	U	0.98	0.98	ug/m ³		07/30/15 05:46		1
Chloromethane	1.0		1.0	1.0	ug/m ³		07/30/15 05:46		1
cis-1,2-Dichloroethene	0.79	U	0.79	0.79	ug/m ³		07/30/15 05:46		1
cis-1,3-Dichloropropene	0.91	U	0.91	0.91	ug/m ³		07/30/15 05:46		1
Cyclohexane	0.73		0.69	0.69	ug/m ³		07/30/15 05:46		1
Dibromochloromethane	1.7	U	1.7	1.7	ug/m ³		07/30/15 05:46		1
Dichlorodifluoromethane	2.5	U	2.5	2.5	ug/m ³		07/30/15 05:46		1
Ethylbenzene	1.1		0.87	0.87	ug/m ³		07/30/15 05:46		1
Freon TF	1.5	U	1.5	1.5	ug/m ³		07/30/15 05:46		1
Hexachlorobutadiene	2.1	U	2.1	2.1	ug/m ³		07/30/15 05:46		1
Isopropyl alcohol	12	U	12	12	ug/m ³		07/30/15 05:46		1
m,p-Xylene	4.2		2.2	2.2	ug/m ³		07/30/15 05:46		1
Methyl Butyl Ketone (2-Hexanone)	2.0	U	2.0	2.0	ug/m ³		07/30/15 05:46		1
Methyl Ethyl Ketone	1.6		1.5	1.5	ug/m ³		07/30/15 05:46		1
methyl isobutyl ketone	2.0	U	2.0	2.0	ug/m ³		07/30/15 05:46		1
Methyl tert-butyl ether	0.72	U	0.72	0.72	ug/m ³		07/30/15 05:46		1
Methylene Chloride	1.7	U	1.7	1.7	ug/m ³		07/30/15 05:46		1
n-Heptane	1.3		0.82	0.82	ug/m ³		07/30/15 05:46		1
n-Hexane	3.1		0.70	0.70	ug/m ³		07/30/15 05:46		1
Styrene	0.85	U	0.85	0.85	ug/m ³		07/30/15 05:46		1
tert-Butyl alcohol	15	U	15	15	ug/m ³		07/30/15 05:46		1
Tetrachloroethene	1.6		1.4	1.4	ug/m ³		07/30/15 05:46		1
Tetrahydrofuran	15	U	15	15	ug/m ³		07/30/15 05:46		1
Toluene	7.8		0.75	0.75	ug/m ³		07/30/15 05:46		1
trans-1,2-Dichloroethene	0.79	U	0.79	0.79	ug/m ³		07/30/15 05:46		1
trans-1,3-Dichloropropene	0.91	U	0.91	0.91	ug/m ³		07/30/15 05:46		1
Trichloroethene	1.1	U	1.1	1.1	ug/m ³		07/30/15 05:46		1
Trichlorofluoromethane	1.2		1.1	1.1	ug/m ³		07/30/15 05:46		1
Vinyl chloride	0.51	U	0.51	0.51	ug/m ³		07/30/15 05:46		1
Xylene (total)	5.5		3.0	3.0	ug/m ³		07/30/15 05:46		1
Xylene, o-	1.3		0.87	0.87	ug/m ³		07/30/15 05:46		1

Lab Chronicle

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 200-29030-1

Client Sample ID: AS EFFLUENT

Date Collected: 07/22/15 08:26

Date Received: 07/24/15 10:25

Lab Sample ID: 200-29030-1

Matrix: Air

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	TO-15		1	92001	07/30/15 05:46	WRD	TAL BUR

Laboratory References:

TAL BUR = TestAmerica Burlington, 30 Community Drive, Suite 11, South Burlington, VT 05403, TEL (802)660-1990

1

2

3

4

5

6

7

8

9

10

11

Certification Summary

Client: AECOM, Inc.

Project/Site: Scott Aviation site

TestAmerica Job ID: 200-29030-1

Laboratory: TestAmerica Burlington

All certifications held by this laboratory are listed. Not all certifications are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Connecticut	State Program	1	PH-0751	09-30-15
DE Haz. Subst. Cleanup Act (HSCA)	State Program	3	NA	02-13-16
Florida	NELAP	4	E87467	06-30-16
L-A-B	DoD ELAP		L2336	02-26-17
Maine	State Program	1	VT00008	04-17-17
Minnesota	NELAP	5	050-999-436	12-31-15
New Hampshire	NELAP	1	2006	12-18-15
New Jersey	NELAP	2	VT972	09-30-15
New York	NELAP	2	10391	03-31-16
Pennsylvania	NELAP	3	68-00489	04-30-16
Rhode Island	State Program	1	LAO00298	12-30-15
US Fish & Wildlife	Federal		LE-058448-0	02-28-16
USDA	Federal		P330-11-00093	10-28-16
Vermont	State Program	1	VT-4000	12-31-15
Virginia	NELAP	3	460209	12-14-15

Laboratory: TestAmerica Buffalo

The certifications listed below are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
New York	NELAP	2	10026	03-31-16

Method Summary

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 200-29030-1

Method	Method Description	Protocol	Laboratory
TO-15	Volatile Organic Compounds in Ambient Air	EPA	TAL BUR

Protocol References:

EPA = US Environmental Protection Agency

Laboratory References:

TAL BUR = TestAmerica Burlington, 30 Community Drive, Suite 11, South Burlington, VT 05403, TEL (802)660-1990

1

2

3

4

5

6

7

8

9

10

11

Sample Summary

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 200-29030-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
200-29030-1	AS EFFLUENT	Air	07/22/15 08:26	07/24/15 10:25

1
2
3
4
5
6
7
8
9
10
11

TestAmerica Burlington

Canister Samples Chain of Custody Record

TestAmerica Analytical Testing Corp. assumes no liability with respect to the collection and shipment of these samples.

Client Contact Information		Project Manager: Dino Zack.		Samples Collected By: 1 of 1 cocs	
Company: AECOM	Phone: Email: dino.zack@aecom.com				
Address: 257 W. Genesee St.	City/State/Zip: BUSKIRK NY 14921				
Phone: 716 - 356 - 5636	FAX:				
Project Name: Scott Auction Plant 2	Site Contact: Dino Zack Brian Fischer				
Site: Scott Auction	TA Contact: PO #				
Analysis Turnaround Time					
Standard (Specify)					
Rush (Specify)					
Sample Identification		Sample Date(s)	Time Start	Time Stop	Canister Vacuum in Field, Hg (Start)
					Canister Vacuum in Field, Hg (Stop)
					Flow Controller ID
					Canister ID
A5 Esslent		7/22/14	8:25	8:26 -298	4826 X
Temperature (Fahrenheit)					
	Interior	Ambient			
	Start				
	Stop				
Pressure (inches of Hg)					
	Interior	Ambient			
	Start				
	Stop				
200-29030 Chain of Custody					
Special Instructions/QC Requirements & Comments:					
Samples Shipped by Emily Lantz Date/Time: 7/22/15 1800		Samples Received by: Cust. Coks Date/Time: 7/22/15 1800			
Samples Relinquished by Emily Lantz Date/Time: 7/23/15 1700		Received by: Jeanne Date/Time: 7/24/15 1025			
Relinquished by: Emily Lantz Date/Time: 7/23/15 1700		Received by: Jeanne Date/Time: 7/24/15 1025			
Open to Inspection by Shippeneck Condition Good					

1
2
3
4
5
6
7
8
9
10
11


ORIGIN ID:DKKA (716) 504-9848
KEN KINECKI
TESTAMERICA LABS
10 HAZELWOOD DRIVE
AMHERST, NY 14228
UNITED STATES US

SHIP DATE: 23JUL15
ACTWGT: 6.8 LB
CAD: 846654/CAFE2807

BILL RECIPIENT

TO: SAMPLE MGT.
TA BURLINGTON
30 COMMUNITY DRIVE
SUITE 11
SOUTH BURLINGTON VT 05403
(802) 660-1990
DEPT: SAMPLE CONTROL

REF: BURLINGTON



FP1C1/RFCG/SFR3

FRI - 24 JUL AA


TRK# 5657 0118 7700

STANDARD OVERNIGHT

XH BTVA

05403
VT-US BTV

Part # 156148V-434 RIT2 04/15 ..



Login Sample Receipt Checklist

Client: AECOM, Inc.

Job Number: 200-29030-1

Login Number: 29030

List Source: TestAmerica Burlington

List Number: 1

Creator: Goodrich, Kenneth L

Question	Answer	Comment	
Radioactivity wasn't checked or is </= background as measured by a survey meter.	True	Lab does not accept radioactive samples.	6
The cooler's custody seal, if present, is intact.	True	455668	7
Sample custody seals, if present, are intact.	True		8
The cooler or samples do not appear to have been compromised or tampered with.	True		9
Samples were received on ice.	N/A	Thermal preservation not required.	10
Cooler Temperature is acceptable.	True		11
Cooler Temperature is recorded.	N/A	Thermal preservation not required.	
COC is present.	True		
COC is filled out in ink and legible.	True		
COC is filled out with all pertinent information.	True		
Is the Field Sampler's name present on COC?	True		
There are no discrepancies between the containers received and the COC.	False	Refer to Job Narrative for details.	
Samples are received within Holding Time.	True		
Sample containers have legible labels.	True		
Containers are not broken or leaking.	True		
Sample collection date/times are provided.	True		
Appropriate sample containers are used.	True		
Sample bottles are completely filled.	N/A		
Sample Preservation Verified.	True		
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True		
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True		
Multiphasic samples are not present.	True		
Samples do not require splitting or compositing.	True		
Residual Chlorine Checked.	N/A		

Login Sample Receipt Checklist

Client: AECOM, Inc.

Job Number: 200-29030-1

Login Number: 29030

List Source: TestAmerica Burlington

List Number: 2

Creator: Goodrich, Kenneth L

Question

Answer

Comment

Radioactivity either was not measured or, if measured, is at or below background

The cooler's custody seal, if present, is intact.

The cooler or samples do not appear to have been compromised or tampered with.

Samples were received on ice.

Cooler Temperature is acceptable.

Cooler Temperature is recorded.

COC is present.

COC is filled out in ink and legible.

COC is filled out with all pertinent information.

Is the Field Sampler's name present on COC?

There are no discrepancies between the sample IDs on the containers and the COC.

Samples are received within Holding Time.

Sample containers have legible labels.

Containers are not broken or leaking.

Sample collection date/times are provided.

Appropriate sample containers are used.

Sample bottles are completely filled.

Sample Preservation Verified

There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs

VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.

If necessary, staff have been informed of any short hold time or quick TAT needs

Multiphasic samples are not present.

Samples do not require splitting or compositing.

Sampling Company provided.

Samples received within 48 hours of sampling.

Samples requiring field filtration have been filtered in the field.

Chlorine Residual checked.




APPENDIX D

Historical and Current Summary of VOCs in Groundwater

MONITORING WELL MW-2
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results ($\mu\text{g/L}$)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/14/2005	< 10	< 10	< 10	29	< 10	< 10
1/5/2006	< 25	< 25	< 25	16	< 25	< 25
4/14/2006	< 25	< 25	< 25	27	< 25	< 25
7/10/2006	< 25	< 25	< 25	23	< 25	< 25
10/19/2006	< 5	< 5	< 5	20	< 5	< 5
1/9/2007	< 5	< 5	< 5	42	< 5	< 5
4/16/2007	< 20	< 20	< 20	45	< 20	< 20
7/2/2007	< 5	< 5	< 5	< 5	< 5	< 5
10/15/2007	< 5	< 5	< 5	19	< 5	< 5
1/8/2008	< 5	< 5	< 5	26	< 5	< 5
4/2/2008	< 5	0.48	< 5	23	1	< 5
7/1/2008	< 5	< 5	< 5	46	0.65	< 5
10/1/2008	< 5	< 5	< 5	21	< 5	< 5
1/20/2009	< 5	0	< 5	16	< 5	< 5
4/15/2009	< 5	0	< 5	14	< 5	< 5
7/22/2009	< 5	< 5	< 5	12	< 5	< 5
10/12/2009	< 5	< 5	< 5	12	< 5	< 5
1/18/2010	< 25	< 25	< 25	18	< 25	< 25
4/7/2010	< 25	< 25	< 25	21	< 25	< 25
7/12/2010	< 25	< 25	< 25	14	< 25	< 25
10/11/2010	350	25	< 25	13	< 25	< 25
1/12/2011	< 1	< 1	< 1	10	< 1	< 1
4/4/2011	< 1	< 1	< 1	5.4	< 1	< 1
7/25/2011	< 1	< 1	< 1	4.5	< 1	< 1
10/3/2011	< 1	< 1	< 1	2.1	< 1	< 1
1/11/2012	< 1	< 1	< 1	2	< 1	< 1
4/2/2012	< 1	< 1	< 1	5.8	< 1	< 1
7/5/2012	< 1	< 1	< 1	6.3	< 1	< 1
10/11/2012	< 1	< 1	< 1	2.4	< 1	< 1
4/1/2013	< 1	< 1	< 1	8.8	< 1	< 1
7/1/2013	< 1	< 1	< 1	3.6	< 1	< 1
10/9/2013	< 1	< 1	< 1	3.9	< 1	< 1
1/21/2014	< 1	< 1	< 1	1.9	0.67	< 1
4/7/2014	< 1	< 1	< 1	0.68	< 1	< 1
7/16/2014	< 1	< 1	< 1	0.94	< 1	< 1
10/14/2014	< 1	< 1	< 1	1.1	< 1	< 1
1/20/2015	< 5	< 5	< 5	< 5	< 5	< 5
4/7/2015	< 5	< 5	< 5	< 5	< 5	< 5
7/22/2015	< 1	< 1	< 1	1	< 1	< 1


MONITORING WELL MW-2
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York



MONITORING WELL MW-3
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results ($\mu\text{g/L}$)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/14/2005	< 10	4	22	16	8	<10
1/5/2006	< 25	4.4	4.6	< 25	10	< 25
4/14/2006	< 25	< 25	< 25	2.8	4.9	< 25
7/10/2006	< 25	2.6	6.5	4.8	7	< 25
10/18/2006	< 5	1.3	9.8	8.2	4.3	< 5
1/10/2007	< 5	2.8	9.8	12	7	< 5
4/16/2007	< 20	< 20	< 20	< 20	5.3	< 20
7/2/2007	< 5	2	5.7	< 5	7.5	< 5
10/17/2007	5	12	4	25	14	25
1/9/2008	< 5	0.9	4.2	1.2	9.7	<5
4/3/2008	<5	3	19	4.1	11	<5
7/1/2008	<5	2	15	6	5.3	<5
10/1/2008	<5	3.2	73	16	8.4	<5
1/21/2009	<5	4.5	21	3.6	17	<5
4/15/2009	<5	1.3	6	1.4	6.9	<5
7/22/2009	<5	2.5	23	4.5	10	<5
10/12/2009	<5	2.5	23	4.5	10	<5
1/18/2010	<5	3.4	31	4.6	15	<5
4/7/2010	<5	1.7	4.6	<5	10	<5
7/13/2010	<5	2.6	20	4.5	7.7	<5
10/11/2010	<5	3.2	55	7.2	12	<5
1/12/2011	<1	2.8	38	9.4	8.4	<1
4/4/2011	<1	3.1	19	4.2	11	<1
7/26/2011	<1	0.98	9.1	1.5	1.8	<1
10/3/2011	<1	1.1	18	4.4	1.2	<1
1/13/2012	<1	2.5	13	2.5	11	<1
4/2/2012	<1	<1	<1	<1	7.9	<1
7/5/2012	<1	2.7	7.2	5.6	4.9	<1
10/11/2012	<1	2.8	44	9.5	6.6	<1
4/1/2013	<1	1.3	4	<1	9.6	<1
7/1/2013	<1	3.5	10	3.6	10	<1
10/10/2013	<1	3.3	9.1	3.8	7.9	<1
1/21/2014	<1	2.3	2.3	<1	6.9	<1
4/7/2014	<1	1.5	2.5	0.82	8.9	<1
7/17/2014	<1	2.4	7.8	1.7	8.1	<1
10/14/2014	<1	0.93	20	4.3	2	<1
1/20/2015	<1	<1	1.5	0.64	4.9	<1
4/7/2015	<1	1.4	7.1	2.8	8.4	<1
7/22/2015	<1	1.6	7.9	3.1	3.8	<1


MONITORING WELL MW-3
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York



MONITORING WELL MW-4
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
11/7/2003	270	9,100	3,700	< 10	320	28
10/13/2004	8,100	26,000	3,300	< 1000	560	220
1/7/2005	20,000	57,000	5,500	< 2000	1,600	4,400
1/6/2006	6,500	22,000	1,000	< 2000	370	520
4/14/2006	3,200	6,800	280	<500	120	<500
7/10/2006	2,400	7,600	250	<500	120	68
10/18/2006	2,600	9,800	600	<5	130	52
1/10/2007	2,800	4,500	220	<400	56	66
4/17/2007	4,900	6,200	360	<500	<500	<500
7/3/2007	1,100	2,900	260	<200	37	<200
10/17/2007	4,800	5,800	280	<500	68	460
1/9/2008	9,200	21,000	1,700	<500	320	660
4/3/2008	5,800	16,000	940	<1200	250	400
7/2/2008	500	6,600	530	<500	120	57
10/2/2008	6,300	16,000	1,200	<500	260	210
1/22/2009	1,800	27,000	1,800	72	520	970
4/15/2009	4,100	7,600	710	<200	160	380
7/22/2009	2,300	4,700	410	<250	<250	110
1/19/2010	7,400	1,100	670	<1000	230	410
4/8/2010	3,000	7,200	560	<500	110	<500
10/11/2010	7,800	43,000	3,000	<4,000	790	<4,000
4/6/2011	13,000	39,000	3,500	<40	700	45
10/4/2011	17,000	97,000	5,700	71	1700	<1
4/3/2012	39,000	120,000	9,400	<200	2000	<200
7/6/2012	15,000	78,000	6,200	<1000	990	<1000
1/21/2013	40,000	95,000	5,100	100	1600	98
4/2/2013	12,000	57,000	480	<40	850	<40
7/1/2013	14,000	58,000	300	<100	700	<100
4/7/2014	32,000	69,000	3,900	<1000	880	<1000
10/14/2014	32,000	62,000	3,500	<1000	880	<1000
1/21/2015	1,800	170,000	5,700	<1000	1,600	<1000
4/7/2015	110	3,600	480	<80	37	<80
7/23/2015	<100	990	6,500	<100	160	<100

MONITORING WELL MW-4
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York




Note: LNAPL was present in MW-4 during the October 2004 and January 2005 groundwater sampling events.

MONITORING WELL MW-6
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results ($\mu\text{g/L}$)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
11/7/2003	< 10	< 10	< 10	< 10	< 10	< 6
10/12/2004	< 10	< 10	< 10	< 10	< 10	< 10
1/6/2005	< 10	< 10	< 10	< 10	< 10	< 10
4/14/2005	< 10	< 10	< 10	< 10	< 10	< 10
7/21/2005	< 5	< 5	< 5	< 5	< 5	< 5
10/4/2005	< 5	< 5	< 5	< 5	< 5	< 5
1/5/2006	< 5	< 5	< 5	< 5	< 5	< 5
4/14/2006	< 5	< 5	< 5	< 5	< 5	< 5
7/10/2006	< 5	< 5	< 5	< 5	< 5	< 5
10/18/2006	< 5	< 5	< 5	< 5	< 5	< 5
1/10/2007	< 5	< 5	< 5	< 5	< 5	< 5
4/16/2007	< 5	< 5	< 5	< 5	< 5	< 5
7/2/2007	< 5	< 5	< 5	< 5	< 5	< 5
10/17/2007	0.63	1.4	< 5	< 5	< 5	< 5
1/8/2008	<5	<5	<5	<5	<5	<5
4/3/2008	<5	0.42	<5	<5	<5	<5
7/1/2008	<5	<5	<5	<5	<5	<5
10/1/2008	<5	<5	<5	<5	<5	<5
1/20/2009	<5	<5	<5	<5	<5	<5
4/15/2009	<5	<5	<5	<5	<5	<5
7/21/2009	<5	<5	<5	<5	<5	<5
10/13/2009	<5	<5	<5	<5	<5	<5
1/18/2010	<5	<5	<5	<5	<5	<5
4/7/2010	<5	<5	<5	<5	<5	<5
7/13/2010	<5	<5	<5	<5	<5	<5
10/11/2010	<5	<5	<5	<5	<5	<5
1/12/2011	<1	<1	<1	<1	<1	<1
4/4/2011	<1	<1	<1	<1	<1	<1
7/26/2011	<1	<1	<1	<1	<1	<1
1/12/2012	<1	<1	<1	<1	<1	<1
4/2/2012	<1	<1	<1	<1	<1	<1
7/5/2012	<1	<1	<1	<1	<1	<1
10/11/2012	<1	<1	<1	<1	<1	<1
1/21/2013	<1	<1	<1	<1	<1	<1
4/1/2013	<1	<1	<1	<1	<1	<1
7/1/2013	<1	<1	<1	<1	<1	<1
10/10/2013	<1	<1	<1	<1	<1	<1
1/22/2014	<1	<1	<1	<1	<1	<1
4/7/2014	<1	<1	<1	<1	<1	<1
7/17/2014	<1	<1	<1	<1	<1	<1
10/14/2014	<1	<1	<1	<1	<1	<1
1/20/2015	<1	<1	<1	<1	<1	<1
4/6/2015	<1	<1	<1	<1	<1	<1
7/23/2015	<1	<1	<1	<1	<1	<1


MONITORING WELL MW-6
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York



MONITORING WELL MW-8R
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
10/13/2004	35,000	22,000	3,400	160	< 5,000	810
1/7/2005	23,000	28,000	4,000	< 2,000	1,100	1,300
4/14/2005	15,000	11,000	1,300	380	360	240
7/21/2005	9,200	6,200	600	390	200	52
10/5/2005	13,000	10,000	830	< 1,000	300	<1,000
1/6/2006	42,000	38,000	2,300	150	1100	820
4/14/2006	14,000	7,400	1,200	220	200	< 1,000
7/10/2006	16,000	13,000	2,200	300	320	< 1,000
10/18/2006	13,000	8,900	1,400	300	200	32
1/10/2007	1,600	2,500	120	24	52	26
4/17/2007	19,000	11,000	670	< 1,000	< 1,000	< 1,000
7/3/2007	29,000	12,000	890	< 1,000	290	< 1,000
10/15/2007	2,200	1,600	60	< 200	33	< 200
1/8/2008	38,000	22,000	2,000	76	620	740
4/3/2008	12,000	8,100	820	77	140	72
7/2/2008	7,400	6,000	790	100	130	72
10/2/2008	22,000	15,000	1,200	70	320	340
1/22/2009	8,400	4,600	510	56	76	<100
4/15/2009	13,000	6,800	700	49	99	27
10/13/2009	13,000	6,800	700	49	99	27
4/8/2010	2,500	1,300	84	<100	19	<100
7/12/2010	19,000	14,000	1,000	64	160	<100
1/12/2011	99,000	54,000	2,500	<2000	<2000	<2000
4/6/2011	89,000	49,000	2,500	<800	470	<800
7/26/2011	36,000	26,000	<800	80	510	1.2
10/4/2011	33,000	21,000	<400	<400	560	<400
1/13/2012	99,000	56,000	2,700	<800	520	<800
4/3/2012	99,000	54,000	2,600	<2000	<2000	<2000
10/12/2012	89,000	48,000	2,000	<800	340	<800
4/2/2013	64,000	37,000	1,900	<1000	<1000	<1000
10/10/2013	100,000	57,000	2,700	<1000	<1000	<1000
4/7/2014	100,000	56,000	1,900	<1000	<1000	<1000
7/17/2014	110,000	58,000	2,300	<1000	<1000	<1000
1/21/2015	2,100	54,000	<2000	<2000	<2000	<2000
4/6/2015	<2000	55,000	8,500	<2000	<2000	<2000
7/23/2015	<200	74,000	26,000	<200	<200	<200

MONITORING WELL MW-8R
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York




Note: LNAPL was present in MW-4 during the October 2004 and January 2005 groundwater sampling events.

MONITORING WELL MW-9
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
11/7/2003	6	21	140	130	60	< 10
10/13/2004	< 10	4	190	110	47	< 10
1/6/2005	< 10	19	220	180	90	< 10
4/14/2005	< 10	5	51	190	80	< 10
7/21/2005	< 5	2	92	220	70	< 5
10/5/2005	< 5	8	38	58	96	0.68
7/10/2006	1.3	56	250	280	150	< 5
10/17/2007	2.6	60	170	410	140	< 25
1/21/2009	<5	59	87	33	140	0.81
4/7/2010	<5	17	19	16	99	< 5
4/4/2011	<1	21	34	17	78	<1
4/2/2012	<1	19	1.8	1.5	90	<1
4/1/2013	<1	16	17	5.9	62	<1
4/7/2014	<1	21	75	22	73	<1
4/7/2015	<1	4.1	<1	<1	43	<1


MONITORING WELL MW-9
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York



MONITORING WELL MW-10
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/14/2005	< 10	< 10	< 10	< 10	< 10	< 10
1/5/2006	< 5	< 5	< 5	< 5	< 5	< 5
4/14/2006	< 5	< 5	< 5	< 5	< 5	< 5
7/10/2006	< 5	< 5	< 5	< 5	< 5	< 5
10/18/2006	< 5	< 5	< 5	< 5	< 5	< 5
1/9/2007	< 5	< 5	< 5	< 5	< 5	< 5
4/16/2007	< 5	< 5	< 5	< 5	< 5	< 5
7/2/2007	< 5	< 5	< 5	< 5	< 5	< 5
10/17/2007	< 5	< 5	< 5	< 5	< 5	< 5
1/9/2008	< 5	< 5	< 5	< 5	< 5	< 5
4/3/2008	< 5	< 5	< 5	< 5	< 5	< 5
7/1/2008	< 5	< 5	< 5	< 5	< 5	< 5
10/1/2008	< 5	< 5	< 5	< 5	< 5	< 5
1/20/2008	< 5	< 5	< 5	< 5	< 5	< 5
4/15/2009	< 5	< 5	< 5	< 5	< 5	< 5
7/21/2009	< 5	< 5	< 5	< 5	< 5	< 5
10/13/2009	< 5	< 5	< 5	< 5	< 5	< 5
1/18/2010	< 5	< 5	< 5	< 5	< 5	< 5
4/7/2010	< 5	< 5	< 5	< 5	< 5	< 5
7/13/2010	< 5	< 5	< 5	< 5	< 5	< 5
10/11/2010	< 5	< 5	< 5	< 5	< 5	< 5
1/12/2011	<1	<1	<1	<1	<1	<1
4/4/2011	<1	<1	<1	<1	<1	<1
7/26/2011	<1	<1	<1	<1	<1	<1
10/3/2011	<1	<1	<1	<1	<1	<1
1/12/2012	<1	<1	<1	<1	<1	<1
4/2/2012	<1	<1	<1	<1	<1	<1
7/5/2012	<1	<1	<1	<1	<1	<1
10/11/2012	<1	<1	<1	<1	<1	<1
4/1/2013	<1	<1	<1	<1	<1	<1
7/1/2013	<1	<1	<1	<1	<1	<1
10/10/2013	<1	<1	<1	<1	<1	<1
1/22/2014	<1	<1	<1	<1	<1	<1
4/7/2014	<1	<1	<1	<1	<1	<1
7/17/2014	<1	<1	<1	<1	<1	<1
10/14/2014	<1	<1	<1	<1	<1	<1
1/20/2015	<1	<1	<1	<1	<1	<1
4/6/2015	<1	<1	<1	<1	<1	<1
7/23/2015	<1	<1	<1	<1	<1	<1


MONITORING WELL MW-10
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York



MONITORING WELL MW-11
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/14/2005	< 10	7	< 10	33	3	< 10
1/5/2006	2.2	6.7	3.9	31	6.7	< 20
4/14/2006	< 20	9	4	16	4.1	< 20
7/10/2006	< 20	7.8	3.9	23	3.6	< 20
10/19/2006	6.8	23	7.9	25	5.7	1.7
1/9/2007	2.6	31	6.7	38	8.5	2.3
4/16/2007	0.89	9.8	4.1	22	3.4	< 5
7/2/2007	< 5	13	6.1	< 5	4.8	0.84
10/16/2007	0.71	27	11	27	8.6	1.7
1/8/2008	1.1	38	18	29	12	3.4
4/2/2008	0.49	30	4.3	16	7.4	1.6
7/1/2008	1	42	14	32	11	2.8
10/2/2008	0.81	42	13	23	10	2.4
1/20/2009	0.77	36	11	16	8.7	1.9
4/14/2009	0.95	45	17	21	11	3
7/22/2009	0.69	37	9.9	16	< 5	2
10/13/2009	0.69	37	9.9	16	< 5	2
1/18/2010	0.77	51	1.7	25	13	2.9
4/7/2010	0.95	60	17	25	13	2.4
7/12/2010	1	65	18	21	13	2.6
10/11/2010	0.8	63	21	15	16	2.2
4/5/2011	1.2	64	14	20	12	4.6
7/25/2011	< 1	45	21	9.5	13	1.5
10/3/2011	< 1	69	23	10	16	2.6
1/12/2012	< 1	33	16	5.4	9.8	0.88
4/2/2012	0.51	39	17	9.1	9.8	1.2
7/5/2012	< 1	38	19	5	12	1.9
10/11/2012	< 1	36	16	6.6	9.3	1.1
1/21/2013	< 1	23	6	8.2	0.64	< 1
7/1/2013	0.46	55	20	21	13	1.4
10/9/2013	< 1	27	14	5.5	6.9	< 1
1/21/2014	< 1	38	13	3.8	9.4	0.85
4/7/2014	< 1	26	4.3	2.3	7.1	< 1
7/16/2014	< 1	36	14	4.5	8.8	1.4
10/14/2014	< 1	25	9.8	2.5	6.1	< 1
1/20/2015	< 5	17	7.4	< 5	5.0	< 5
4/6/2015	< 2	19	6.7	2.4	4.7	< 2
7/22/2015	< 1	6.3	2.5	< 1	< 1	< 1


MONITORING WELL MW-11
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York



MONITORING WELL MW-12
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results ($\mu\text{g/L}$)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
10/12/2004	13	3	24	52	4	< 10
1/6/2005	< 10	< 10	39	82	6	< 10
4/14/2005	< 10	< 10	5	170	4	< 10
7/21/2005	< 5	< 5	14	87	3	<
10/5/2005	< 5	< 5	1.2	78	0.43	< 5
1/5/2006	< 25	< 25	7.2	43	5.8	< 25
4/14/2006	< 25	< 25	6.3	28	6.9	< 25
7/10/2006	< 25	< 25	15	69	5	< 25
1/9/2007	< 5	< 5	0.83	38	< 5	< 5
4/16/2007	< 20	< 20	< 20	29	< 20	< 20
7/2/2007	< 5	< 5	45	82	4.6	< 5
10/15/2007	< 5	< 5	42	87	5.2	< 5
1/8/2008	< 5	< 5	< 5	26	< 5	< 5
4/2/2008	< 5	< 5	< 5	23	< 5	< 5
7/1/2008	< 5	< 5	0.64	14	0.55	< 5
10/1/2008	< 5	< 5	7.8	20	2.1	< 5
4/14/2009	< 5	< 5	6.8	23	< 5	< 5
7/22/2009	< 5	< 5	3.6	9.2	0.79	< 5
10/12/2009	< 5	< 5	3.6	9.2	0.79	< 5
1/18/2010	< 5	< 5	3.6	33	< 5	< 5
4/7/2010	< 5	< 5	< 5	23	< 5	< 5
7/13/2010	< 5	< 5	6.4	26	< 5	< 5
10/11/2010	< 5	< 5	8.1	33	< 5	< 5
1/12/2011	< 1	< 1	1.3	36	< 1	< 1
4/4/2011	< 1	< 1	1.1	22	< 1	< 1
7/26/2011	< 1	< 1	8.9	23	< 1	< 1
10/4/2011	< 1	< 1	3.9	21	< 1	< 1
1/12/2012	< 1	< 1	1.4	19	< 1	< 1
4/2/2012	< 1	< 1	< 1	17	< 1	< 1
10/11/2012	< 1	< 1	2.1	20	0.49	< 1
1/21/2013	< 1	< 1	< 1	38	< 1	< 1
4/1/2013	< 1	< 1	1.1	22	< 1	< 1
7/1/2013	< 1	< 1	6.6	38	< 1	< 1
10/10/2013	< 1	< 1	0.95	16	< 1	< 1
4/7/2014	< 1	< 1	1.2	11	< 1	< 1
7/17/2014	< 1	< 1	3.3	9.4	< 1	< 1
10/14/2014	< 1	< 1	7.1	12	< 1	< 1
4/6/2015	< 1	< 1	7.2	11	< 1	< 1
7/23/2015	< 1	< 1	6.6	8.5	< 1	< 1


MONITORING WELL MW-12
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York



PIEZOMETER MW-13S
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results ($\mu\text{g/L}$)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/8/2004	10,000	9,000	320	< 100	< 100	< 100
10/12/2004	2,100	2,300	< 200	< 200	< 200	56
1/6/2005	10,000	9,400	720	< 200	75	62
4/15/2005	760	700	28	< 50	9	20
7/20/2005	870	990	37	< 40	16	49
10/4/2005	410	280	9.1	< 40	< 40	3.4
7/10/2006	17,000	9,400	300	9	65	88
10/19/2006	1,300	1,700	50	<100	19	36
1/10/2007	1,500	1,800	58	<100	24	41
4/17/2007	4,400	2,200	90	< 250	< 250	250
7/3/2007	220	410	11	< 25	5.7	7.2
10/18/2007	570	800	14	< 25	8.5	15
1/9/2008	1800	2300	330	7.3	32	68
4/3/2008	580	610	21	<50	8.5	9.5
7/2/2008	1,800	1,500	38	<120	14	13
10/2/2008	5,800	5,000	190	<120	36	27
1/20/2009	3,400	2,500	150	<10	30	28
4/15/2009	3,400	3,700	290	<40	<40	30
10/13/2009	3,400	3,700	290	<40	<40	30
4/7/2010	1,400	1,600	45	<50	16	10
7/13/2010	400	870	30	<50	7.9	<50
1/12/2011	39,000	25,000	<500	9.4	19	<1
4/6/2011	40,000	23,000	<800	4.7	<800	<800
7/2/2011	31,000	19,000	<800	2.9	95	2.9
1/13/2012	53,000	30,000	770	<800	1400	<800
4/3/2012	39,000	21,000	320	3.7	110	<1
10/12/2012	41,000	24,000	<800	<800	<800	<800
4/2/2013	40,000	22,000	140	3.9	100	<1
10/10/2013	49,000	31,000	<1	<1	<1	<1
4/7/2014	32,000	18,000	<500	<500	<500	<500
7/17/2014	33,000	17,000	<500	<500	<500	<500
1/21/2015	19,000	22,000	<500	<500	150	<500
4/7/2015	31,000	32,000	<500	<500	<500	<500
7/23/2015	<500	31,000	3500	<500	<500	<500


MONITORING WELL MW-13S
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York



PIEZOMETER MW-13D
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results ($\mu\text{g/L}$)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/8/2004	17	2	< 10	< 10	< 10	< 10
10/12/2004	7	2	< 10	< 10	< 10	< 10
1/6/2005	< 10	< 10	< 10	< 10	< 10	< 10
4/15/2005	8	4	< 10	< 10	< 10	< 10
7/20/2005	1	2	< 5	< 5	< 5	< 5
10/4/2005	1.4	1.5	< 5	< 5	< 5	< 5
7/10/2006	2	1.6	2.6	< 5	< 5	< 5
10/18/2007	<5	0.55	1.1	< 5	< 5	< 5
1/20/2009	<5	<5	<5	<5	<5	<5
4/7/2010	<5	<5	<5	<5	<5	<5
4/6/2011	22	23	<1	<1	<1	<1
4/3/2012	62	89	2.3	<1	<1	<1
4/1/2013	53	44	2.9	<1	<1	<1
4/7/2014	30	28	1.9	<1	<1	<1
4/7/2015	40	37	<1	<1	<1	<1
7/23/2015	2	5300	1100	11	56	<1


PIEZOMETER MW-13D
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York



PIEZOMETER MW-14S
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York


Sample Date	Analytical Results ($\mu\text{g/L}$)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/8/2004	21	78	290	530	80	< 20
10/12/2004	< 10	100	140	640	94	< 10
1/6/2005	< 10	59	22	82	48	< 10
4/15/2005	< 10	35	15	180	27	< 10
7/20/2005	< 5	39	36	76	42	< 5
10/5/2005	< 5	35	59	160	56	< 5
7/10/2006	5.7	17	13	36	20	< 25
10/15/2007	< 5	63	16	5.7	52	1.3
1/21/2009	0.38	36	7.9	0.87	33	0.63
4/8/2010	< 5	4	< 5	0.62	5.9	< 5
4/5/2011	< 1	1.1	< 1	< 1	1.9	< 1
4/2/2012	1.3	30	21	11	27	< 1
4/1/2013	< 1	< 1	< 1	< 1	< 1	< 1
4/7/2014	< 1	25	19	14	19	< 1
4/7/2015	< 1	16	14	18	6.8	< 1

PIEZOMETER MW-14S
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York



PIEZOMETER MW-14D
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York


PIEZOMETER MW-14D
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York



PIEZOMETER MW-15S
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results ($\mu\text{g/L}$)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/8/2004	280	1,700	770	240	1,500	< 250
10/12/2004	460	2,300	940	170	1,700	< 250
1/7/2005	340	2,000	760	170	1,300	< 250
4/15/2005	400	2,000	790	700	1,400	< 200
7/21/2005	430	2,600	1,000	490	1,800	< 120
10/5/2005	330	2,700	750	330	1,400	< 100
7/10/2006	400	3,800	1,500	100	2,600	< 25
10/16/2007	400	3400	1300	190	2000	< 200
1/21/2009	180	1300	360	240	840	< 5
4/8/2010	270	1900	690	700	1400	< 10
4/7/2011	200	1700	450	330	850	< 1
4/3/2012	240	1400	540	360	1100	< 1
4/1/2013	140	1100	420	560	780	< 20
4/7/2014	160	1000	350	250	730	< 20
4/6/2015	85	600	210	220	450	< 20


PIEZOMETER MW-15S
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York



PIEZOMETER MW-15D
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results ($\mu\text{g/L}$)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/8/2004	21	740	180	180	120	< 10
10/12/2004	14	730	150	120	120	< 50
1/7/2005	18	590	200	140	100	< 50
4/15/2005	< 50	460	170	1,400	150	< 50
7/21/2005	15	610	230	1,200	190	< 25
10/5/2005	10	520	260	1,000	180	<50
7/10/2006	4.9	280	320	1,400	140	< 5
10/16/2007	3.6	210	99	620	66	< 5
1/21/2009	<25	22	32	1000	<25	<25
4/8/2010	<5	1700	19	<5	12	<5
4/5/2011	<8	38	26	400	13	<8
4/3/2012	<10	<10	<10	900	<10	<10
4/1/2013	<8	<8	240	1400	16	<8
4/7/2014	<20	<20	<20	1200	<20	<20
4/6/2015	<20	<20	<20	560	<20	<20


PIEZOMETER MW-15D
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York



PIEZOMETER MW-16S
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results ($\mu\text{g/L}$)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/8/2004	860,000	62,000	< 20,000	< 20,000	5,000	14,000
10/12/2004	200,000	46,000	< 10,000	< 10,000	2,900	< 10,000
1/7/2005	420,000	64,000	< 10,000	< 10,000	3,800	3,300
4/15/2005	400,000	71,000	< 25,000	< 25,000	< 25,000	< 25,000
7/21/2005	480,000	76,000	1,500	2,200	4,400	2,700
10/5/2005	440,000	74,000	< 25,000	< 25,000	4,100	< 25,000
1/6/2006	470,000	82,000	2,600	< 20,000	3,300	5,200
4/14/2006	260,000	56,000	3,900	< 20,000	2,600	< 20,000
7/10/2006	310,000	78,000	4,000	< 20,000	3,500	< 20,000
10/19/2006	77,000	22,000	1,300	< 5,000	940	< 5,000
1/10/2007	44,000	18,000	1,900	< 2,500	840	< 2,500
4/17/2007	94,000	36,000	3,300	1,800	1,500	< 5,000
1/21/2013	240,000	79,000	9,300	2,900	2,200	7,200
7/1/2013	120,000	65,000	5,400	1,200	1,200	2,600
1/22/2014	110,000	43,000	3,700	<2,000	830	2,700
4/7/2014	61,000	24,000	1,600	<1000	500	1,000
10/14/2014	170,000	51,000	3,800	360	980	3,500
1/26/2015	160,000	160,000	4,700	<4000	2,100	<4000
4/7/2015	26,000	220,000	<4000	<4000	<4000	<4000
7/24/2015	5,100	240,000	5,700	<4000	2,000	<4000

MONITORING WELL MW-16S
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York



PIEZOMETER MW-16D
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/8/2004	6,900	490	< 500	< 500	< 500	< 500
10/12/2004	12,000	1,000	< 500	< 500	91	< 500
1/6/2005	9	27	39	22	15	< 10
4/15/2005	32	36	17	100	10	< 10
7/21/2005	25	12	4	84	2	< 10
10/5/2005	1.3	16	10	41	5	<5
7/10/2006	6.1	27	21	1,000	9.7	< 5
10/18/2007	6	48	39	250	16	< 20
1/22/2009	52	92	39	90	21	1.9
4/8/2010	12	6.9	3.6	240	8.7	< 10
4/7/2011	22	59	33	59	27	1.2
4/3/2012	42	66	46	110	35	<1
4/1/2013	57	2900	1100	190	260	<1
4/7/2014	<25	1700	390	110	99	<25
4/7/2015	<25	650	380	170	94	<25
7/23/2015	<25	<25	41	340	56	<25

PIEZOMETER MW-16D
SUMMARY OF VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

