

Scott Figgie LLC

Scott Figgie LLC

c/o GSF Management Company
34407 DuPont Boulevard, Suite 6
Frankford, DE 19945

January 21, 2016

Ms. Laura Surdej
Erie County Department of Environment and Planning
Division of Sewerage Management
Erie County Sewer District # 6
260 Lehigh Avenue
Lackawanna, New York 14218

**RE: First Quarter 2016 Discharge Monitoring Report
Former Scott Technologies, Inc. Groundwater Remediation Site, Lancaster, New York
NYSDEC Site 9-15-149
EC/BPDES Permit No. 15-10-E4054**

Dear Ms. Surdej:

Scott Figgie LLC has been assigned and has assumed certain environmental liabilities of Scott Technologies, Inc. Scott Figgie LLC is pleased to provide you with the enclosed First Quarter 2016 Discharge Monitoring Report for the former Scott Technologies Groundwater Remediation Site located at AVOX Systems Inc., 25A Walter Winter Drive, Lancaster, New York 14086. This report is submitted in partial fulfillment of Erie County/Buffalo Pollution Discharge Elimination System (EC/BPDES) Permit No. 15-10-E4054, effective October 1, 2015.

Due to a recent organizational change, including the assignment and assumption referenced above, Scott Figgie LLC is now the entity with the legal responsibility for compliance with EC/BPDES Permit No. 15-10-E4054. An affiliated entity, GSF Management Company LLC (GSF), is managing the remediation of the Lancaster site on behalf of Scott Figgie LLC.

Scott Figgie LLC commissioned AECOM, with an office located in Buffalo, New York, to perform the required EC/BPDES quarterly sampling during the month of January 2016 and to prepare the enclosed report with the results.

I certify under the penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the systems, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of a fine and imprisonment for known violations.

Scott Figgie LLC will continue to monitor the influent and effluent of the active remediation system located at the site on a quarterly basis. The next scheduled quarterly discharge monitoring report is due by May 31, 2016.

Ms. Laura Surdej
January 21, 2016
Page 2

If you have any questions regarding this submittal, please do not hesitate to contact me or Troy Chute at the above address, or to send an email either to me at stuart.rixman@gsfmanagementco.com or to Mr. Chute at troy.chute@gsfmanagementco.com.

Very truly yours,
Scott Figgie LLC

A handwritten signature in blue ink that reads "Stuart I. Rixman". The signature is written in a cursive, flowing style.

Stuart I. Rixman
Project Manager, GSF Management Company

\enclosures

cc: Mr. Al Alagna, Buffalo Sewer Authority (electronic copy sent by AECOM)
Mr. Glenn May, NYSDEC Region 9 (electronic copy sent by AECOM)
Mr. Troy Chute, GSF Management Co LLC (electronic copy sent by AECOM)
Ms. Jennifer Davide, AVOX Systems Inc. (electronic copy sent by AECOM)
Facility File, Lancaster, NY (hard copy sent by AECOM)

TABLE

**Scott Technologies, Inc. - Groundwater Remediation Site
Lancaster, New York**

EC/BPDES Permit No. 15-10-E4054


**First Quarter 2016 Discharge Monitoring Report
Sample Date - January 5, 2016**


Parameter	Units	Total Maximum Daily Load (pounds per day)	Measured or Calculated Daily Load (Pounds per day)	Within Limits?
pH (Method SM 4500 H+ B)	SU	5 - 12	8.17	Y
Total Extractable Hydrocarbons (Method 1664A)	mg/L	100	2.0	Y
Total Suspended Solids (Method SM 2540D)	mg/L	250	< 4.0	Y
<u>VOCs (Method 8260C)</u>				
Methylene Chloride	lbs/day	0.12	< 0.000011	Y
1,1,1-Trichloroethane	lbs/day	0.09	< 0.000011	Y
Trichloroethylene	lbs/day	0.04	< 0.000011	Y
Total 1,2-DCE (cis-1,2-DCE and trans-1,2-DCE)	lbs/day	0.02	< 0.00001	Y
1,1-Dichloroethane	lbs/day	0.0025	< 0.000011	Y
Chloroethane	lbs/day	0.025	< 0.000011	Y
Toluene	lbs/day	0.004	< 0.000011	Y
Total Daily Flow (discharge meter reading)	gallons per day	14,000	1,358	Y

Notes:

- SU standard units
- mg/L milligrams per liter
- ug/L micrograms per liter
- lbs/day pounds per day
- J Indicates analyte result was reported as an estimated concentration.
- < (value) Indicates calculated concentration less than the reported value,
using effluent reporting limit as maximum possible concentration.
- DPE system was not running during sample collection.

FIGURES





*PER DISCHARGE PERMIT NO. 14-04-E4045



FIGURE 2
COMBINED DUAL PHASE EXTRACTION
REMEDATION SYSTEM FLOW DIAGRAM

FORMER SCOTT AVIATION FACILITY
LANCASTER, NEW YORK

60288479

DAILY FIELD LOG

DAILY FIELD LOG

AECOM

Project Scott Technologies, Inc., Groundwater Remediation Site, Lancaster, NY
Date 5-Jan-16
Weather
Temperature Range
AECOM Personnel on Site Dino Zack
Time on Site 07:30 - 17:00 hrs

Air Stripper Totalizer Start Sampling* 5,949,053 gallons 8:00 hrs
Air Stripper Totalizer After Sampling* 5,949,858 gallons 16:30 hrs

Summary of Sample Activities

Time = 08:00 hrs
 pH = 8
 Fill 2, 40-ml vials (preserved with HCl) from influent sample tap. Fill 2, 1-L clear glass bottle (preserved with H₂SO₄) 1/4 full, from influent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from influent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from influent tap. Water quality is clear with slight odor (no sheen).

Fill 2, 40-ml vials (preserved with HCl) from effluent sample tap. Fill 2, 1-L clear glass bottle (preserved with H₂SO₄) 1/4 full, respectively, from effluent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Water quality is clear with no discernable odor or sheen.

Time = 10:30 hrs
 pH = 8
 Fill 2, 40-ml vials (preserved with HCl) from influent sample tap. Fill 2, 1-L clear glass bottle (preserved with H₂SO₄) 1/4 full, from influent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from influent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from influent tap. Water quality is clear with slight odor (no sheen).

Fill 2, 40-ml vials (preserved with HCl) from effluent sample tap. Fill 2, 1-L clear glass bottle (preserved with H₂SO₄) 1/4 full, respectively, from effluent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Water quality is clear with no discernable odor or sheen.

Time = 14:00 hrs
 pH = 8
 Fill 2, 40-ml vials (preserved with HCl) from influent sample tap. Fill 2, 1-L clear glass bottle (preserved with H₂SO₄) 1/4 full, from influent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from influent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from influent tap. Water quality is clear with slight odor (no sheen).

Fill 2, 40-ml vials (preserved with HCl) from effluent sample tap. Fill 2, 1-L clear glass bottle (preserved with H₂SO₄) 1/4 full, respectively, from effluent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Water quality is clear with no discernable odor or sheen.

Time = 16:30 hrs
 pH = 8
 Fill 2, 40-ml vials (preserved with HCl) from influent sample tap. Fill 2, 1-L clear glass bottle (preserved with H₂SO₄) 1/4 full, from influent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from influent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from influent tap. Water quality is clear with slight odor (no sheen).


Fill 2, 40-ml vials (preserved with HCl) from effluent sample tap. Fill 2, 1-L clear glass bottle (preserved with H₂SO₄) 1/4 full, respectively, from effluent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Water quality is clear with no discernable odor or sheen.

Comments

GWCT running at time of sample collection; DPE off due to November 2014 and April/May 2015 injection.
 Air sample collected on 1/5/16 at 10:00 hrs from AS effluent for TO-15 analysis.

Maintain samples at 4 degrees C. Hand deliver samples to TestAmerica Laboratories, Inc. (Amherst, NY) under COC for analysis. Request laboratory to composite 40-ml samples and analyze for VOCs (8260C). Request laboratory to analyze influent and effluent samples for TEH (1664A), TSS (SM 2540D), and pH (SM 4500 H+B).

Signature:



Date: 5-Jan-16

LABORATORY REPORT

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Buffalo

10 Hazelwood Drive

Amherst, NY 14228-2298

Tel: (716)691-2600

TestAmerica Job ID: 480-93537-1

Client Project/Site: Scott Aviation site

Sampling Event: Influent/Effluent analysis

For:


AECOM, Inc.

257 West Genesee St.

Suite 400

Buffalo, New York 14202-2657

Attn: Mr. Dino Zack



Authorized for release by:

1/18/2016 2:40:42 PM

Joe Giacomazza, Project Management Assistant II

joe.giacomazza@testamericainc.com

Designee for

Brian Fischer, Manager of Project Management

(716)504-9835

brian.fischer@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Client Sample Results	5
Lab Chronicle	11
Certification Summary	12
Method Summary	13
Sample Summary	14
Receipt Checklists	15
Chain of Custody	16



Definitions/Glossary

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-93537-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

General Chemistry

Qualifier	Qualifier Description
HF	Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.
B	Compound was found in the blank and sample.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-93537-1

Job ID: 480-93537-1

Laboratory: TestAmerica Buffalo

Narrative

Job Narrative 480-93537-1

Receipt

The samples were received on 1/6/2016 2:41 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 3.0° C.

GC/MS VOA

Method(s) 8260C: The continuing calibration verification (CCV) associated with batch 480-282786 recovered outside acceptance criteria, low biased, for Chloromethane and Vinyl chloride. A reporting limit (RL) standard was analyzed, and the target analyte was detected. Since the associated sample was non-detect for this analyte, the data have been reported. Trip Blank (480-93537-3).

Method(s) 8260C: The following Volatile samples was composited by the laboratory on 1-11-2016 as requested by the client: EFFLUENT (480-93537-1) and INFLUENT (480-93537-2). Regulatory defined guidance for in-laboratory compositing of samples, is currently not available. Laboratory sample compositing was performed using established project specifications and laboratory standard operating procedures.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

General Chemistry

Method(s) 9040C, SM 4500 H+ B: This analysis is normally performed in the field and has a method-defined holding time of 15 minutes. The following samples has been qualified with the "HF" flag to indicate analysis was performed in the laboratory outside the 15 minute timeframe: EFFLUENT (480-93537-1) and INFLUENT (480-93537-2).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-93537-1

Client Sample ID: EFFLUENT

Date Collected: 01/05/16 07:30

Date Received: 01/06/16 14:41

Lab Sample ID: 480-93537-1

Matrix: Water

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			01/11/16 16:09	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			01/11/16 16:09	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			01/11/16 16:09	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			01/11/16 16:09	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			01/11/16 16:09	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			01/11/16 16:09	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			01/11/16 16:09	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			01/11/16 16:09	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			01/11/16 16:09	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			01/11/16 16:09	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			01/11/16 16:09	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			01/11/16 16:09	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			01/11/16 16:09	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			01/11/16 16:09	1
2-Butanone (MEK)	ND		10	1.3	ug/L			01/11/16 16:09	1
2-Hexanone	ND		5.0	1.2	ug/L			01/11/16 16:09	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			01/11/16 16:09	1
Acetone	ND		10	3.0	ug/L			01/11/16 16:09	1
Benzene	ND		1.0	0.41	ug/L			01/11/16 16:09	1
Bromodichloromethane	ND		1.0	0.39	ug/L			01/11/16 16:09	1
Bromoform	ND		1.0	0.26	ug/L			01/11/16 16:09	1
Bromomethane	ND		1.0	0.69	ug/L			01/11/16 16:09	1
Carbon disulfide	ND		1.0	0.19	ug/L			01/11/16 16:09	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			01/11/16 16:09	1
Chlorobenzene	ND		1.0	0.75	ug/L			01/11/16 16:09	1
Chloroethane	ND		1.0	0.32	ug/L			01/11/16 16:09	1
Chloroform	ND		1.0	0.34	ug/L			01/11/16 16:09	1
Chloromethane	ND		1.0	0.35	ug/L			01/11/16 16:09	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			01/11/16 16:09	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			01/11/16 16:09	1
Cyclohexane	ND		1.0	0.18	ug/L			01/11/16 16:09	1
Dibromochloromethane	ND		1.0	0.32	ug/L			01/11/16 16:09	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			01/11/16 16:09	1
Ethylbenzene	ND		1.0	0.74	ug/L			01/11/16 16:09	1
Isopropylbenzene	ND		1.0	0.79	ug/L			01/11/16 16:09	1
Methyl acetate	ND		2.5	1.3	ug/L			01/11/16 16:09	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			01/11/16 16:09	1
Methylcyclohexane	ND		1.0	0.16	ug/L			01/11/16 16:09	1
Methylene Chloride	ND		1.0	0.44	ug/L			01/11/16 16:09	1
Styrene	ND		1.0	0.73	ug/L			01/11/16 16:09	1
Tetrachloroethene	ND		1.0	0.36	ug/L			01/11/16 16:09	1
Toluene	ND		1.0	0.51	ug/L			01/11/16 16:09	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			01/11/16 16:09	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			01/11/16 16:09	1
Trichloroethene	ND		1.0	0.46	ug/L			01/11/16 16:09	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			01/11/16 16:09	1
Vinyl chloride	ND		1.0	0.90	ug/L			01/11/16 16:09	1
Xylenes, Total	ND		2.0	0.66	ug/L			01/11/16 16:09	1

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-93537-1

Client Sample ID: EFFLUENT

Date Collected: 01/05/16 07:30

Date Received: 01/06/16 14:41

Lab Sample ID: 480-93537-1

Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		66 - 137		01/11/16 16:09	1
4-Bromofluorobenzene (Surr)	109		73 - 120		01/11/16 16:09	1
Toluene-d8 (Surr)	97		71 - 126		01/11/16 16:09	1

General Chemistry									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Petroleum Hydrocarbons (1664A)	2.0	J B	5.0	1.9	mg/L		01/13/16 10:15	01/13/16 17:48	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids	ND		4.0	4.0	mg/L			01/06/16 17:10	1
pH	8.17	HF	0.100	0.100	SU			01/07/16 13:35	1

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-93537-1

Client Sample ID: INFLUENT

Date Collected: 01/05/16 07:30

Date Received: 01/06/16 14:41

Lab Sample ID: 480-93537-2

Matrix: Water

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			01/11/16 16:34	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			01/11/16 16:34	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			01/11/16 16:34	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			01/11/16 16:34	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			01/11/16 16:34	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			01/11/16 16:34	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			01/11/16 16:34	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			01/11/16 16:34	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			01/11/16 16:34	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			01/11/16 16:34	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			01/11/16 16:34	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			01/11/16 16:34	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			01/11/16 16:34	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			01/11/16 16:34	1
2-Butanone (MEK)	ND		10	1.3	ug/L			01/11/16 16:34	1
2-Hexanone	ND		5.0	1.2	ug/L			01/11/16 16:34	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			01/11/16 16:34	1
Acetone	ND		10	3.0	ug/L			01/11/16 16:34	1
Benzene	ND		1.0	0.41	ug/L			01/11/16 16:34	1
Bromodichloromethane	ND		1.0	0.39	ug/L			01/11/16 16:34	1
Bromoform	ND		1.0	0.26	ug/L			01/11/16 16:34	1
Bromomethane	ND		1.0	0.69	ug/L			01/11/16 16:34	1
Carbon disulfide	ND		1.0	0.19	ug/L			01/11/16 16:34	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			01/11/16 16:34	1
Chlorobenzene	ND		1.0	0.75	ug/L			01/11/16 16:34	1
Chloroethane	43		1.0	0.32	ug/L			01/11/16 16:34	1
Chloroform	ND		1.0	0.34	ug/L			01/11/16 16:34	1
Chloromethane	ND		1.0	0.35	ug/L			01/11/16 16:34	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			01/11/16 16:34	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			01/11/16 16:34	1
Cyclohexane	ND		1.0	0.18	ug/L			01/11/16 16:34	1
Dibromochloromethane	ND		1.0	0.32	ug/L			01/11/16 16:34	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			01/11/16 16:34	1
Ethylbenzene	ND		1.0	0.74	ug/L			01/11/16 16:34	1
Isopropylbenzene	ND		1.0	0.79	ug/L			01/11/16 16:34	1
Methyl acetate	ND		2.5	1.3	ug/L			01/11/16 16:34	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			01/11/16 16:34	1
Methylcyclohexane	ND		1.0	0.16	ug/L			01/11/16 16:34	1
Methylene Chloride	ND		1.0	0.44	ug/L			01/11/16 16:34	1
Styrene	ND		1.0	0.73	ug/L			01/11/16 16:34	1
Tetrachloroethene	ND		1.0	0.36	ug/L			01/11/16 16:34	1
Toluene	0.73 J		1.0	0.51	ug/L			01/11/16 16:34	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			01/11/16 16:34	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			01/11/16 16:34	1
Trichloroethene	ND		1.0	0.46	ug/L			01/11/16 16:34	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			01/11/16 16:34	1
Vinyl chloride	ND		1.0	0.90	ug/L			01/11/16 16:34	1
Xylenes, Total	ND		2.0	0.66	ug/L			01/11/16 16:34	1

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-93537-1

Client Sample ID: INFLUENT

Date Collected: 01/05/16 07:30

Date Received: 01/06/16 14:41

Lab Sample ID: 480-93537-2

Matrix: Water

<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>				<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
1,2-Dichloroethane-d4 (Surr)	103		66 - 137					01/11/16 16:34	1
4-Bromofluorobenzene (Surr)	109		73 - 120					01/11/16 16:34	1
Toluene-d8 (Surr)	98		71 - 126					01/11/16 16:34	1

General Chemistry									
<i>Analyte</i>	<i>Result</i>	<i>Qualifier</i>	<i>RL</i>	<i>MDL</i>	<i>Unit</i>	<i>D</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Total Petroleum Hydrocarbons (1664A)	ND		5.0	1.9	mg/L		01/13/16 10:15	01/13/16 17:48	1
<i>Analyte</i>	<i>Result</i>	<i>Qualifier</i>	<i>RL</i>	<i>RL</i>	<i>Unit</i>	<i>D</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
Total Suspended Solids	ND		4.0	4.0	mg/L			01/06/16 17:10	1
pH	7.46	HF	0.100	0.100	SU			01/07/16 13:38	1

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-93537-1

Client Sample ID: Trip Blank

Date Collected: 01/05/16 00:00

Date Received: 01/06/16 14:41

Lab Sample ID: 480-93537-3

Matrix: Water

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			01/08/16 16:09	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			01/08/16 16:09	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			01/08/16 16:09	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			01/08/16 16:09	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			01/08/16 16:09	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			01/08/16 16:09	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			01/08/16 16:09	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			01/08/16 16:09	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			01/08/16 16:09	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			01/08/16 16:09	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			01/08/16 16:09	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			01/08/16 16:09	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			01/08/16 16:09	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			01/08/16 16:09	1
2-Butanone (MEK)	ND		10	1.3	ug/L			01/08/16 16:09	1
2-Hexanone	ND		5.0	1.2	ug/L			01/08/16 16:09	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			01/08/16 16:09	1
Acetone	ND		10	3.0	ug/L			01/08/16 16:09	1
Benzene	ND		1.0	0.41	ug/L			01/08/16 16:09	1
Bromodichloromethane	ND		1.0	0.39	ug/L			01/08/16 16:09	1
Bromoform	ND		1.0	0.26	ug/L			01/08/16 16:09	1
Bromomethane	ND		1.0	0.69	ug/L			01/08/16 16:09	1
Carbon disulfide	ND		1.0	0.19	ug/L			01/08/16 16:09	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			01/08/16 16:09	1
Chlorobenzene	ND		1.0	0.75	ug/L			01/08/16 16:09	1
Chloroethane	ND		1.0	0.32	ug/L			01/08/16 16:09	1
Chloroform	ND		1.0	0.34	ug/L			01/08/16 16:09	1
Chloromethane	ND		1.0	0.35	ug/L			01/08/16 16:09	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			01/08/16 16:09	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			01/08/16 16:09	1
Cyclohexane	ND		1.0	0.18	ug/L			01/08/16 16:09	1
Dibromochloromethane	ND		1.0	0.32	ug/L			01/08/16 16:09	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			01/08/16 16:09	1
Ethylbenzene	ND		1.0	0.74	ug/L			01/08/16 16:09	1
Isopropylbenzene	ND		1.0	0.79	ug/L			01/08/16 16:09	1
Methyl acetate	ND		2.5	1.3	ug/L			01/08/16 16:09	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			01/08/16 16:09	1
Methylcyclohexane	ND		1.0	0.16	ug/L			01/08/16 16:09	1
Methylene Chloride	ND		1.0	0.44	ug/L			01/08/16 16:09	1
Styrene	ND		1.0	0.73	ug/L			01/08/16 16:09	1
Tetrachloroethene	ND		1.0	0.36	ug/L			01/08/16 16:09	1
Toluene	ND		1.0	0.51	ug/L			01/08/16 16:09	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			01/08/16 16:09	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			01/08/16 16:09	1
Trichloroethene	ND		1.0	0.46	ug/L			01/08/16 16:09	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			01/08/16 16:09	1
Vinyl chloride	ND		1.0	0.90	ug/L			01/08/16 16:09	1
Xylenes, Total	ND		2.0	0.66	ug/L			01/08/16 16:09	1

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-93537-1

Client Sample ID: Trip Blank

Date Collected: 01/05/16 00:00

Date Received: 01/06/16 14:41

Lab Sample ID: 480-93537-3

Matrix: Water

<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
1,2-Dichloroethane-d4 (Surr)	89		66 - 137		01/08/16 16:09	1
4-Bromofluorobenzene (Surr)	91		73 - 120		01/08/16 16:09	1
Toluene-d8 (Surr)	100		71 - 126		01/08/16 16:09	1

Lab Chronicle

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-93537-1

Client Sample ID: EFFLUENT

Date Collected: 01/05/16 07:30

Date Received: 01/06/16 14:41

Lab Sample ID: 480-93537-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	282958	01/11/16 16:09	GTG	TAL BUF
Total/NA	Prep	1664A			283446	01/13/16 10:15	DSC	TAL BUF
Total/NA	Analysis	1664A		1	283449	01/13/16 17:48	DSC	TAL BUF
Total/NA	Analysis	SM 2540D		1	282534	01/06/16 17:10	MGH	TAL BUF
Total/NA	Analysis	SM 4500 H+ B		1	282649	01/07/16 13:35	JJK	TAL BUF

Client Sample ID: INFLUENT

Date Collected: 01/05/16 07:30

Date Received: 01/06/16 14:41

Lab Sample ID: 480-93537-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	282958	01/11/16 16:34	GTG	TAL BUF
Total/NA	Prep	1664A			283446	01/13/16 10:15	DSC	TAL BUF
Total/NA	Analysis	1664A		1	283449	01/13/16 17:48	DSC	TAL BUF
Total/NA	Analysis	SM 2540D		1	282534	01/06/16 17:10	MGH	TAL BUF
Total/NA	Analysis	SM 4500 H+ B		1	282649	01/07/16 13:38	JJK	TAL BUF

Client Sample ID: Trip Blank

Date Collected: 01/05/16 00:00

Date Received: 01/06/16 14:41

Lab Sample ID: 480-93537-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	282786	01/08/16 16:09	GTG	TAL BUF

Laboratory References:

TAL BUF = TestAmerica Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

Certification Summary

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-93537-1

Laboratory: TestAmerica Buffalo

Unless otherwise noted, all analytes for this laboratory were covered under each certification below.

Authority	Program	EPA Region	Certification ID	Expiration Date
New York	NELAP	2	10026	03-31-16

The following analytes are included in this report, but certification is not offered by the governing authority:

Analysis Method	Prep Method	Matrix	Analyte
SM 4500 H+ B		Water	pH

Method Summary

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-93537-1

Method	Method Description	Protocol	Laboratory
8260C	Volatile Organic Compounds by GC/MS	SW846	TAL BUF
1664A	HEM and SGT-HEM	1664A	TAL BUF
SM 2540D	Solids, Total Suspended (TSS)	SM	TAL BUF
SM 4500 H+ B	pH	SM	TAL BUF

Protocol References:

1664A = EPA-821-98-002

SM = "Standard Methods For The Examination Of Water And Wastewater",

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL BUF = TestAmerica Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

Sample Summary

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-93537-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
480-93537-1	EFFLUENT	Water	01/05/16 07:30	01/06/16 14:41
480-93537-2	INFLUENT	Water	01/05/16 07:30	01/06/16 14:41
480-93537-3	Trip Blank	Water	01/05/16 00:00	01/06/16 14:41

Login Sample Receipt Checklist

Client: AECOM, Inc.

Job Number: 480-93537-1

Login Number: 93537

List Source: TestAmerica Buffalo

List Number: 1

Creator: Wallace, Cameron

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Sampling Company provided.	True	
Samples received within 48 hours of sampling.	True	
Samples requiring field filtration have been filtered in the field.	True	
Chlorine Residual checked.	N/A	

