Scott Figgie LLC

Scott Figgie LLC

c/o GSF Management Company 34407 DuPont Boulevard, Suite 6 Frankford, DE 19945

April 26, 2016

Ms. Laura Surdej Erie County Department of Environment and Planning Division of Sewerage Management Erie County Sewer District # 6 260 Lehigh Avenue Lackawanna, New York 14218

RE: Second Quarter 2016 Discharge Monitoring Report Former Scott Technologies, Inc. Groundwater Remediation Site, Lancaster, New York NYSDEC Site 9-15-149 EC/BPDES Permit No. 15-10-E4054

Dear Ms. Surdej:

Scott Figgie LLC has been assigned and has assumed certain environmental liabilities of Scott Technologies, Inc. Scott Figgie LLC is pleased to provide you with the enclosed Second Quarter 2016 Discharge Monitoring Report for the former Scott Technologies Groundwater Remediation Site located at AVOX Systems Inc., 25A Walter Winter Drive, Lancaster, New York 14086. This report is submitted in partial fulfillment of Erie County/Buffalo Pollution Discharge Elimination System (EC/BPDES) Permit No. 15-10-E4054, effective October 1, 2015.

As indicated above, Scott Figgie LLC is now the entity with the legal responsibility for compliance with EC/BPDES Permit No. 15-10-E4054. An affiliated entity, GSF Management Company LLC (GSF), is managing the remediation of the Lancaster site on behalf of Scott Figgie. Scott Figgie/GSF commissioned AECOM Technical Services, Inc. (AECOM), with an office located in Buffalo, New York, to perform the required EC/BPDES quarterly sampling during the month of April 2016 and to prepare the enclosed report with the results.

Figures 1 and 2 in the report depict the entire groundwater collection and treatment system that is covered by the subject permit. However, during the second quarter the entire dual-phase extraction portion of that system was not in operation, due to a continuing pilot test which involves in-situ destruction of the chemicals of environmental concern. As a result, the average daily flow was significantly below the permitted volume (and the volume which would be expected if the DPE system had been in operation).

I certify under the penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the systems, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of a fine and imprisonment for known violations.

Scott Figgie LLC will continue to monitor the influent and effluent of the active remediation system located at the site on a quarterly basis. The next scheduled quarterly discharge monitoring report is due by August 31, 2016.

Ms. Laura Surdej April 26, 2016 Page 2

If you have any questions regarding this submittal, please do not hesitate to contact me or Troy Chute at the above address, or to send an email either to me at stuart.rixman@gsfmanagementco.com or to Mr. Chute at troy.chute@gsfmanagementco.com or to Mr.

Very truly yours, Scott Figgie LLC

Stuart l. Rixman

Stuart I. Rixman Project Manager, GSF Management Company

\enclosures

cc: Mr. Al Alagna, Buffalo Sewer Authority (electronic copy sent by AECOM) Mr. Glenn May, NYSDEC Region 9 (electronic copy sent by AECOM) Mr. Troy Chute, GSF Management Co LLC (electronic copy sent by AECOM) Ms. Jennifer Davide, AVOX Systems Inc. (electronic copy sent by AECOM) Facility File, Lancaster, NY (hard copy sent by AECOM) TABLE

Scott Technologies, Inc. - Groundwater Remediation Site Lancaster, New York

EC/BPDES Permit No. 15-10-E4054

Second Quarter 2016 Discharge Monitoring Report Sample Date - April 4, 2016

Parameter	Units	Total Maxium Daily Load (pounds per day)	Measured or Calculated Daily Load (Pounds per day)	Within Limits?
pH (Method SM 4500 H+ B)	SU	5 - 12	8.23	Y
Total Extractable Hydrocarbons				
(Method 1664A)	mg/L	100	2.1	Y
Total Suspended Solids (Method SM 2540D)	mg/L	250	< 4.0	Y
VOCs (Method 8260C)				
Methylene Chloride	lbs/day	0.12	< 0.000015	Y
1,1,1-Trichloroethane	lbs/day	0.09	< 0.000015	Y
Trichloroethylene	lbs/day	0.04	< 0.000015	Y
Total 1,2-DCE (cis-1,2-DCE and trans-1,2-DCE)	lbs/day	0.02	< 0.00002	Y
1,1-Dichloroethane	lbs/day	0.0025	< 0.000015	Y
Chloroethane	lbs/day	0.025	< 0.000015	Y
Toluene	lbs/day	0.004	< 0.000015	Y
Total Daily Flow (discharge meter reading)	gallons per day	14,000	1,846	Y

Notes:

SU standard units

mg/L milligrams per liter


ug/L micrograms per liter


lbs/day pounds per day

J Indicates analyte result was reported as an estimated concentration.

< (value) Indicates calculated concentration less than the reported value,

using effluent reporting limit as maximum possible concentration. DPE system was not running during sample collection. FIGURES





DAILY FIELD LOG

DAILY FIELD LOG

AECOM

Project Date Weather Temperature Range AECOM Personnel on Site Time on Site	Scott Technologies, Inc., Groundwater Remediation Site, Lancaster, NY 4-Apr-16 Cloudy with snow 25-30 degrees F Dino Zack 07:00 - 17:30 hrs
Air Stripper Totalizer Start Sampling* Air Stripper Totalizer After Sampling*	6,115,360 gallons8:00 hrs6,115,964 gallons16:00 hrs
Summary of Sample Activities	$\begin{array}{llllllllllllllllllllllllllllllllllll$
	Fill 2, 40-ml vials (preserved with HCl) from effluent sample tap. Fill 2, 1-L clear glass bottle (preserved with H_2SO_4) 1/4 full, respectively, from effluent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Water quality is clear with no discernable odor or sheen.
	$\begin{array}{llllllllllllllllllllllllllllllllllll$
	Fill 2, 40-ml vials (preserved with HCl) from effluent sample tap. Fill 2, 1-L clear glass bottle (preserved with H_2SO_4) 1/4 full, respectively, from effluent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Water quality is clear with no discernable odor or sheen.
	Time =14:20 hrs $pH =$ 8Fill 2, 40-ml vials (preserved with HCl) from influent sample tap. Fill 2, 1-L clear glass bottle (preserved with H2SO4) 1/4 full, from influent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from influent tap. Fill 1 250- ml plastic bottle (unpreserved) 1/4 full from influent tap. Water quality is clear with slight odor (no sheen).
	Fill 2, 40-ml vials (preserved with HCl) from effluent sample tap. Fill 2, 1-L clear glass bottle (preserved with H_2SO_4) 1/4 full, respectively, from effluent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Water quality is clear with no discernable odor or sheen. Time = 16:00 hrs
	$ pH = 8 \\ Fill 2, 40-ml vials (preserved with HCl) from influent sample tap. Fill 2, 1-L clear glass bottle (preserved with H_2SO_4) 1/4 full, from influent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from influent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from influent tap. Water quality is clear with slight odor (no sheen). \\ $
	Fill 2, 40-ml vials (preserved with HCl) from effluent sample tap. Fill 2, 1-L clear glass bottle (preserved with H_2SO_4) 1/4 full, respectively, from effluent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Water quality is clear with no discernable odor or sheen.
Comments	GWCT running at time of sample collection; DPE off due to November 2014 and April/May 2015 injection. Air sample collected on 4/4/16 at 08:00 hrs from AS effluent for TO-15 analysis.
	Maintain samples at 4 degrees C. Hand deliver samples to TestAmerica Laboratories, Inc. (Amherst, NY) under COC for analysis. Request laboratory to composite 40-ml samples and analyze for VOCs (8260C). Request laboratory to analyze influent and effluent samples for TEH (1664A), TSS (SM 2540D), and pH (SM 4500 H+B).

Signature:

Dino J. Jack

Date: 4-Apr-16

LABORATORY REPORT



THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Buffalo 10 Hazelwood Drive Amherst, NY 14228-2298 Tel: (716)691-2600

TestAmerica Job ID: 480-97611-1 Client Project/Site: Scott Aviation site

Client Project/Site: Scott Aviation

For:

AECOM, Inc. 257 West Genesee Street Suite 400 Buffalo, New York 14202-2657

Attn: Mr. Dino Zack

Joeph V. Gisconage

Authorized for release by: 4/15/2016 11:26:36 AM Joe Giacomazza, Project Management Assistant II joe.giacomazza@testamericainc.com

Designee for

Brian Fischer, Manager of Project Management (716)504-9835 brian.fischer@testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.




Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Client Sample Results	5
Lab Chronicle	11
Certification Summary	12
Method Summary	13
Sample Summary	14
Receipt Checklists	15
Chain of Custody	16

Qualifiers

General Chemistry

Qualifiers		3
General Ch	emistry	Λ
Qualifier	Qualifier Description	
HF	Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.	5
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.	5
Glossary		6

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.	
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis	
%R	Percent Recovery	8
CFL	Contains Free Liquid	
CNF	Contains no Free Liquid	9
DER	Duplicate error ratio (normalized absolute difference)	
Dil Fac	Dilution Factor	
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample	
DLC	Decision level concentration	
MDA	Minimum detectable activity	
EDL	Estimated Detection Limit	
MDC	Minimum detectable concentration	
MDL	Method Detection Limit	
ML	Minimum Level (Dioxin)	
NC	Not Calculated	
ND	Not detected at the reporting limit (or MDL or EDL if shown)	
PQL	Practical Quantitation Limit	
QC	Quality Control	
RER	Relative error ratio	
RL	Reporting Limit or Requested Limit (Radiochemistry)	
RPD	Relative Percent Difference, a measure of the relative difference between two points	
TEF	Toxicity Equivalent Factor (Dioxin)	
TEQ	Toxicity Equivalent Quotient (Dioxin)	

Job ID: 480-97611-1

Laboratory: TestAmerica Buffalo

Narrative

Job Narrative 480-97611-1

Receipt

The samples were received on 4/5/2016 3:58 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 3.0° C.

GC/MS VOA

Method(s) 8260C: The continuing calibration verification (CCV) associated with batch 480-295456 recovered outside acceptance criteria, low biased, for Chloromethane. A reporting limit (RL) standard was analyzed, and the target analyte was detected. Since the associated samples were non-detect for this analyte, the data have been reported. The following samples are impacted: EFFLUENT (480-97611-1), INFLUENT (480-97611-6) and Trip Blank (480-97611-1).

Method(s) 8260C: The following Volatile samples were composited by the laboratory on 4/12/2016 as requested by the client: EFFLUENT (480-97611-1) and INFLUENT (480-97611-6). Regulatory defined guidance for in-laboratory compositing of samples, is currently not available. Laboratory sample compositing was performed using established project specifications and/or laboratory standard operating procedures.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

General Chemistry

Method(s) 9040C, SM 4500 H+ B: This analysis is normally performed in the field and has a method-defined holding time of 15 minutes. The following samples has been qualified with the "HF" flag to indicate analysis was performed in the laboratory outside the 15 minute timeframe: EFFLUENT (480-97611-1) and INFLUENT (480-97611-6).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Client Sample ID: EFFLUENT

Date Collected: 04/04/16 07:00 Date Received: 04/05/16 15:58

Method: 8260C - Volatile Organic C Analyte	Result Qualifier	RL	MDL	Unit	D Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND	1.0	0.82			04/13/16 05:41	1
1,1,2,2-Tetrachloroethane	ND	1.0		ug/L		04/13/16 05:41	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		ug/L		04/13/16 05:41	1
1,1,2-Trichloroethane	ND	1.0	0.23	ug/L		04/13/16 05:41	1
1,1-Dichloroethane	ND	1.0	0.38	ug/L		04/13/16 05:41	1
1,1-Dichloroethene	ND	1.0	0.29	ug/L		04/13/16 05:41	1
1,2,4-Trichlorobenzene	ND	1.0		ug/L		04/13/16 05:41	1
1,2-Dibromo-3-Chloropropane	ND	1.0	0.39	ug/L		04/13/16 05:41	1
1,2-Dibromoethane	ND	1.0	0.73	ug/L		04/13/16 05:41	1
1,2-Dichlorobenzene	ND	1.0	0.79	ug/L		04/13/16 05:41	1
1,2-Dichloroethane	ND	1.0	0.21	ug/L		04/13/16 05:41	1
1,2-Dichloropropane	ND	1.0	0.72	ug/L		04/13/16 05:41	1
1,3-Dichlorobenzene	ND	1.0	0.78	ug/L		04/13/16 05:41	1
1,4-Dichlorobenzene	ND	1.0		ug/L		04/13/16 05:41	1
2-Butanone (MEK)	ND	10		ug/L		04/13/16 05:41	1
2-Hexanone	ND	5.0		ug/L		04/13/16 05:41	1
4-Methyl-2-pentanone (MIBK)	ND	5.0	2.1	ug/L		04/13/16 05:41	1
Acetone	ND	10	3.0	ug/L		04/13/16 05:41	1
Benzene	ND	1.0	0.41	ug/L		04/13/16 05:41	1
Bromodichloromethane	ND	1.0	0.39	ug/L		04/13/16 05:41	1
Bromoform	ND	1.0	0.26	ug/L		04/13/16 05:41	1
Bromomethane	ND	1.0	0.69	ug/L		04/13/16 05:41	1
Carbon disulfide	ND	1.0	0.19	ug/L		04/13/16 05:41	1
Carbon tetrachloride	ND	1.0	0.27	ug/L		04/13/16 05:41	1
Chlorobenzene	ND	1.0	0.75	ug/L		04/13/16 05:41	1
Chloroethane	ND	1.0	0.32	ug/L		04/13/16 05:41	1
Chloroform	ND	1.0		ug/L		04/13/16 05:41	1
Chloromethane	ND	1.0	0.35	ug/L		04/13/16 05:41	1
cis-1,2-Dichloroethene	ND	1.0	0.81	ug/L		04/13/16 05:41	1
cis-1,3-Dichloropropene	ND	1.0	0.36	ug/L		04/13/16 05:41	1
Cyclohexane	ND	1.0	0.18	ug/L		04/13/16 05:41	1
Dibromochloromethane	ND	1.0	0.32			04/13/16 05:41	1
Dichlorodifluoromethane	ND	1.0		ug/L		04/13/16 05:41	1
Ethylbenzene	ND	1.0		ug/L		04/13/16 05:41	1
Isopropylbenzene	ND	1.0	0.79	ug/L		04/13/16 05:41	1
Methyl acetate	ND	2.5	1.3	ug/L		04/13/16 05:41	1
Methyl tert-butyl ether	ND	1.0	0.16	ug/L		04/13/16 05:41	1
Methylcyclohexane	ND	1.0	0.16			04/13/16 05:41	1
Methylene Chloride	ND	1.0		ug/L		04/13/16 05:41	1
Styrene	ND	1.0	0.73	ug/L		04/13/16 05:41	1
Tetrachloroethene	ND	1.0	0.36			04/13/16 05:41	1
Toluene	ND	1.0		ug/L		04/13/16 05:41	1
trans-1,2-Dichloroethene	ND	1.0	0.90	ug/L		04/13/16 05:41	1
trans-1,3-Dichloropropene	ND	1.0		ug/L		04/13/16 05:41	1
Trichloroethene	ND	1.0	0.46	-		04/13/16 05:41	1
Trichlorofluoromethane	ND	1.0	0.88			04/13/16 05:41	1
Vinyl chloride	ND	1.0	0.90			04/13/16 05:41	1
Xylenes, Total	ND	2.0		ug/L		04/13/16 05:41	1

Lab Sample ID: 480-97611-1 Matrix: Water

Limits

66 - 137

73 - 120

71 - 126

RL

5.0

RL

4.0

0.100

MDL Unit

RL Unit

1.9

4.0 mg/L

0.100 SU

mg/L

%Recovery Qualifier

94

93

95

2.1 J

ND

8.23 HF

Result Qualifier

Result Qualifier

Client Sample ID: EFFLUENT

Date Collected: 04/04/16 07:00 Date Received: 04/05/16 15:58

1,2-Dichloroethane-d4 (Surr)

4-Bromofluorobenzene (Surr)

Total Petroleum Hydrocarbons

Surrogate

Analyte

(1664A) Analyte

рΗ

Toluene-d8 (Surr)

General Chemistry

Total Suspended Solids

TestAmerica Job ID: 480-97611-1

Lab Sample ID: 480-97611-1 Matrix: Water

Analyzed

04/13/16 05:41

04/13/16 05:41

04/13/16 05:41

Analyzed

04/07/16 19:41

Analyzed

04/07/16 10:19

04/06/16 13:24

Prepared

Prepared

04/07/16 15:09

Prepared

D

D

Dil Fac

Dil Fac

Dil Fac

1

1

1

1

1

Client Sample ID: INFLUENT

Date Collected: 04/04/16 07:00 Date Received: 04/05/16 15:58

Method: 8260C - Volatile Organic C Analyte	Result Qualifier	RL	MDL	Unit	D Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND	1.0		ug/L		04/13/16 06:03	1
1,1,2,2-Tetrachloroethane	ND	1.0		ug/L		04/13/16 06:03	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		ug/L		04/13/16 06:03	1
1,1,2-Trichloroethane	ND	1.0		ug/L		04/13/16 06:03	1
1,1-Dichloroethane	ND	1.0	0.38			04/13/16 06:03	1
1,1-Dichloroethene	ND	1.0	0.29			04/13/16 06:03	1
1,2,4-Trichlorobenzene	ND	1.0		ug/L		04/13/16 06:03	
1,2-Dibromo-3-Chloropropane	ND	1.0		ug/L		04/13/16 06:03	1
1,2-Dibromoethane	ND	1.0		ug/L		04/13/16 06:03	1
1,2-Dichlorobenzene	ND	1.0	0.79	ug/L		04/13/16 06:03	
1,2-Dichloroethane	ND	1.0		ug/L		04/13/16 06:03	1
1,2-Dichloropropane	ND	1.0		ug/L		04/13/16 06:03	1
1,3-Dichlorobenzene	ND	1.0	0.78			04/13/16 06:03	
1,4-Dichlorobenzene	ND	1.0		ug/L		04/13/16 06:03	1
2-Butanone (MEK)	ND	10		ug/L		04/13/16 06:03	1
2-Hexanone	ND	5.0		ug/L		04/13/16 06:03	1
4-Methyl-2-pentanone (MIBK)	ND	5.0		ug/L		04/13/16 06:03	1
Acetone	ND	10	3.0	ug/L		04/13/16 06:03	1
Benzene	ND	1.0		ug/L		04/13/16 06:03	1
Bromodichloromethane	ND	1.0		ug/L		04/13/16 06:03	1
Bromoform	ND	1.0	0.26	-		04/13/16 06:03	1
Bromomethane	ND	1.0		ug/L		04/13/16 06:03	1
Carbon disulfide	ND	1.0		ug/L		04/13/16 06:03	1
Carbon tetrachloride	ND	1.0	0.27	-		04/13/16 06:03	1
Chlorobenzene	ND	1.0		ug/L		04/13/16 06:03	1
Chloroethane	42	1.0	0.32	ug/L		04/13/16 06:03	1
Chloroform	ND	1.0		ug/L		04/13/16 06:03	1
Chloromethane	ND	1.0	0.35	ug/L		04/13/16 06:03	1
cis-1,2-Dichloroethene	ND	1.0	0.81	ug/L		04/13/16 06:03	1
cis-1,3-Dichloropropene	ND	1.0	0.36	ug/L		04/13/16 06:03	1
Cyclohexane	ND	1.0	0.18	ug/L		04/13/16 06:03	1
Dibromochloromethane	ND	1.0	0.32			04/13/16 06:03	1
Dichlorodifluoromethane	ND	1.0		ug/L		04/13/16 06:03	1
Ethylbenzene	ND	1.0	0.74	ug/L		04/13/16 06:03	1
Isopropylbenzene	ND	1.0	0.79	ug/L		04/13/16 06:03	1
Methyl acetate	ND	2.5	1.3	ug/L		04/13/16 06:03	1
Methyl tert-butyl ether	ND	1.0		ug/L		04/13/16 06:03	1
Methylcyclohexane	ND	1.0	0.16			04/13/16 06:03	1
Methylene Chloride	ND	1.0	0.44	-		04/13/16 06:03	1
Styrene	ND	1.0	0.73			04/13/16 06:03	1
Tetrachloroethene	ND	1.0	0.36			04/13/16 06:03	1
Toluene	ND	1.0		ug/L		04/13/16 06:03	1
trans-1,2-Dichloroethene	ND	1.0	0.90	ug/L		04/13/16 06:03	1
trans-1,3-Dichloropropene	ND	1.0		ug/L		04/13/16 06:03	1
Trichloroethene	ND	1.0		ug/L		04/13/16 06:03	1
Trichlorofluoromethane	ND	1.0	0.88			04/13/16 06:03	
Vinyl chloride	ND	1.0	0.90			04/13/16 06:03	1
Xylenes, Total	ND	2.0	0.66	•		04/13/16 06:03	1

Lab Sample ID: 480-97611-6

Matrix: Water

5

Client Sample ID: INFLUENT

Lab Sample ID: 480-97611-6 Matrix: Water

5

Date Received: 04/05/16 15:58

Surrogate 1,2-Dichloroethane-d4 (Surr) 4-Bromofluorobenzene (Surr) Toluene-d8 (Surr)	% Recovery 91 94 95	Qualifier	Limits 66 - 137 73 - 120 71 - 126				Prepared	Analyzed 04/13/16 06:03 04/13/16 06:03 04/13/16 06:03	Dil Fac 1 1 1
General Chemistry Analyte Total Petroleum Hydrocarbons (1664A)	Result	Qualifier	RL 5.0	MDL 1.9		D	Prepared 04/07/16 15:09	Analyzed 04/07/16 19:41	Dil Fac
Analyte Total Suspended Solids pH	Result ND 7.62	Qualifier HF	RL 4.0 0.100		Unit mg/L SU	<u>D</u>	Prepared	Analyzed 04/07/16 10:19 04/06/16 13:30	Dil Fac 1 1

Client Sample ID: Trip Blank

Date Collected: 04/04/16 00:00 Date Received: 04/05/16 15:58

Method: 8260C - Volatile Organic Analyte	Result Qualifier	RL	MDL	Unit	D Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND ND	RL					1
1,1,2,2-Tetrachloroethane	ND	1.0	0.82	-		04/13/16 01:29	1
1,1,2,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	0.21			04/13/16 01:29	1
1,1,2-Trichloroethane	ND	1.0		ug/L		04/13/16 01:29	1
1,1-Dichloroethane	ND	1.0	0.23	•		04/13/16 01:29	1
1,1-Dichloroethene	ND	1.0	0.29			04/13/16 01:29	1
1,2,4-Trichlorobenzene	ND	1.0		ug/L		04/13/16 01:29	
1,2,-Dibromo-3-Chloropropane	ND	1.0	0.39	-		04/13/16 01:29	1
1,2-Dibromoethane	ND	1.0	0.33	•		04/13/16 01:29	1
1,2-Dichlorobenzene	ND	1.0		ug/L		04/13/16 01:29	1
1,2-Dichloroethane	ND	1.0	0.73	-		04/13/16 01:29	1
1,2-Dichloropropane	ND	1.0	0.21	-		04/13/16 01:29	1
1,3-Dichlorobenzene	ND	1.0		ug/L		04/13/16 01:29	1
1,4-Dichlorobenzene	ND	1.0	0.78	-		04/13/16 01:29	1
2-Butanone (MEK)	ND	1.0		ug/L ug/L		04/13/16 01:29	1
2-Hexanone	ND	5.0		ug/L		04/13/16 01:29	· · · · · · · · · 1
4-Methyl-2-pentanone (MIBK)	ND	5.0		ug/L		04/13/16 01:29	1
Acetone	ND	10		ug/L		04/13/16 01:29	1
Benzene	ND	1.0		ug/L		04/13/16 01:29	
Bromodichloromethane	ND	1.0	0.41	-		04/13/16 01:29	1
Bromoform	ND	1.0		ug/L		04/13/16 01:29	1
Bromomethane	ND	1.0		ug/L		04/13/16 01:29	1
Carbon disulfide	ND	1.0		ug/L		04/13/16 01:29	1
Carbon tetrachloride	ND	1.0		ug/L		04/13/16 01:29	1
Chlorobenzene	ND	1.0		ug/L		04/13/16 01:29	1
Chloroethane	ND	1.0	0.32	-		04/13/16 01:29	1
Chloroform	ND	1.0		ug/L		04/13/16 01:29	1
Chloromethane	ND	1.0		ug/L		04/13/16 01:29	1
cis-1,2-Dichloroethene	ND	1.0		ug/L		04/13/16 01:29	1
cis-1,3-Dichloropropene	ND	1.0	0.36	-		04/13/16 01:29	1
Cyclohexane	ND	1.0		ug/L ug/L		04/13/16 01:29	· · · · · · · · 1
Dibromochloromethane	ND	1.0	0.10			04/13/16 01:29	1
Dichlorodifluoromethane	ND	1.0	0.52			04/13/16 01:29	1
Ethylbenzene	ND	1.0		ug/L		04/13/16 01:29	· · · · · · · · · · · · · · · · · · ·
Isopropylbenzene	ND	1.0	0.74	-		04/13/16 01:29	1
Methyl acetate	ND	2.5		ug/L		04/13/16 01:29	1
		2.5 1.0					1
Methyl tert-butyl ether	ND ND	1.0		ug/L ug/L		04/13/16 01:29	1
Methylcyclohexane	ND	1.0		-		04/13/16 01:29 04/13/16 01:29	1
Methylene Chloride Styrene	ND	1.0		ug/L ug/L		04/13/16 01:29	1
-	ND	1.0					
Tetrachloroethene Toluene		1.0	0.36 0.51			04/13/16 01:29	1
	ND					04/13/16 01:29	۱ ۰۰۰۰۰۰
trans-1,2-Dichloroethene	ND ND	1.0 1.0	0.90	ug/L		04/13/16 01:29 04/13/16 01:29	1
trans-1,3-Dichloropropene	ND			•			1
Trichloroethene		1.0	0.46			04/13/16 01:29	1
Trichlorofluoromethane	ND	1.0		ug/L		04/13/16 01:29	1
Vinyl chloride	ND	1.0	0.90	-		04/13/16 01:29	Т 4
Xylenes, Total	ND	2.0	0.66	ug/L		04/13/16 01:29	1

Lab Sample ID: 480-97611-11

Matrix: Water

8 9

Client Sample ID: Trip Blank Date Collected: 04/04/16 00:00 Date Received: 04/05/16 15:58

Lab Sample	ID:	480-976	11-11
		Matrix:	Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac	5
1,2-Dichloroethane-d4 (Surr)	93		66 - 137		04/13/16 01:29	1	5
4-Bromofluorobenzene (Surr)	95		73 - 120		04/13/16 01:29	1	0
Toluene-d8 (Surr)	95		71 - 126		04/13/16 01:29	1	0

Dilution

Factor

1

1

1

1

Batch

Number

295456

294647

294649

294503

294348

Prepared

or Analyzed

04/13/16 05:41

04/07/16 15:09

04/07/16 19:41

04/07/16 10:19

04/06/16 13:24

Analyst

SWO

DSC

DSC

EKB

KMF

Lab

TAL BUF

TAL BUF

TAL BUF

TAL BUF

TAL BUF

Date Collected: 04/04/16 07:00

Date Received: 04/05/16 15:58

Prep Type

Total/NA

Total/NA

Total/NA

Total/NA

Total/NA

Client Sample ID: EFFLUENT

Batch

Туре

Prep

Analysis

Analysis

Analysis

Analysis

Batch

Method

8260C

1664A

1664A

SM 2540D

SM 4500 H+ B

Lab Sample ID: 480-97611-1

Matrix: Water

5 6

Lab Sample ID: 480-97611-6 Matrix: Water

Run

Date Received:	04/05/16 15:58	
_		

Client Sample ID: INFLUENT

Date Collected: 04/04/16 07:00

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	295456	04/13/16 06:03	SWO	TAL BUF
Total/NA	Prep	1664A			294647	04/07/16 15:09	DSC	TAL BUF
Total/NA	Analysis	1664A		1	294649	04/07/16 19:41	DSC	TAL BUF
Total/NA	Analysis	SM 2540D		1	294503	04/07/16 10:19	EKB	TAL BUF
Total/NA	Analysis	SM 4500 H+ B		1	294348	04/06/16 13:30	KMF	TAL BUF

Client Sample ID: Trip Blank

Date Collected: 04/04/16 00:00 Date Received: 04/05/16 15:58

Lab Sample ID: 480-97611-11

ater

Lab	Jampie	ю.	400-370	•••
			Matrix:	W

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	295456	04/13/16 01:29	SWO	TAL BUF

Laboratory References:

TAL BUF = TestAmerica Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

Certification Summary

Laboratory: TestAmerica Buffalo

Unless otherwise noted, all analytes for this laboratory were covered under each certification below.

Authority	Program		EPA Region	Certification ID	Expiration Date
New York	NELAP		2	10026	03-31-17
The following analytes	are included in this report. bu	ut certification is not off	ered by the governing a	authority:	
The following analytes	are included in this report, bu	ut certification is not off	ered by the governing	authority:	
The following analytes Analysis Method	are included in this report, bu Prep Method	ut certification is not off Matrix	ered by the governing a Analy		

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Client: AECOM, Inc. Project/Site: Scott Aviation site

pН

1664A = EPA-821-98-002

Method Description

HEM and SGT-HEM

Volatile Organic Compounds by GC/MS

SM = "Standard Methods For The Examination Of Water And Wastewater",

TAL BUF = TestAmerica Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

Solids, Total Suspended (TSS)

Method

8260C

1664A

SM 2540D

SM 4500 H+ B

Protocol References:

Laboratory References:

Protocol SW846

1664A

SM

SM

Laboratory

TAL BUF

TAL BUF

TAL BUF

TAL BUF

	5
_	
	8
	9

Matrix

Water

Water

Water

Client: AECOM, Inc. Project/Site: Scott Aviation site

Client Sample ID

EFFLUENT

INFLUENT

Trip Blank

Lab Sample ID

480-97611-1

480-97611-6

480-97611-11

Received

04/05/16 15:58

04/05/16 15:58

04/05/16 15:58

Collected

04/04/16 07:00

04/04/16 07:00

04/04/16 00:00

5	
8	
9)
	2

Login Sample Receipt Checklist

Client: AECOM, Inc.

Login Number: 97611 List Number: 1

Creator: Janish, Carl M

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time (Excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Sampling Company provided.	True	
Samples received within 48 hours of sampling.	True	
Samples requiring field filtration have been filtered in the field.	N/A	
Chlorine Residual checked.	N/A	

Job Number: 480-97611-1

List Source: TestAmerica Buffalo

lica	ITAL TESTING	14/16 Chain of Custody Number	ft lo Page_		Special Instructions/	Conditions of Receipt	· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·				480-97611 Chain of Custody		(A fee may be assessed if samples are retained s fonger than 1 month)	14 0'2	4/5/14 12:28	- and still the start	Date	#1 #2, #3, # Y - Call W/Gueshis	2
Temperature on ReceiptTestAmerico	Drinking Water? Yes□ No□ THE LEADER IN ENVIRONMENTAL TESTING	Sino Zack Date	mber (Area Code) Fax Number アドム ちんん ちててし	Site Contact $Lab Contact$ Lab Contact Analysis (Attach list if $D, Z_{ac} C$ $R, C_{i,S_{c}} h_{\mathcal{S}}$ more space is needed)	ll Number	Matrix Containers & Containers	D SSL D SSL D DCP DHd HOEN HOEN HOEN HOEN HOEN HOEN HOEN HOEN	X 22 0 X X X	X Z Z Z					480-97611	Samle Disnes	ient 🗧		4/4/16 [1700his] 1. Received By Nam Mark	United 1 Time 2. Received By NWW &	båte 1º Time 3. Received By	,"", and compate Ether & Grad	PINK - Field Copy
	y necolu	Clien AECOM	Address 257 Wart Cenesee St	State Zip Code	n(State) Di Zailo - Lancarter NY	e No.	Sample I.D. No. and Description (Containers for each sample may be combined on one line)	Effluent 4/1/160	n Fluen + 9/4/10 0700	Pag	 6 of	16			Described to word to addition tion	mable 🗌 Skin Irritant 🔲 Poison B	Turm Around Time Required	22 QL	2. Relinquished By	thed By		DISTRIBUTION: WHITE - Returned to Client with Report, CANARY - Stays with the Sample;

TABLE

Scott Technologies, Inc. - Groundwater Remediation Site Lancaster, New York

EC/BPDES Permit No. 15-10-E4054

Second Quarter 2016 Discharge Monitoring Report Sample Date - April 4, 2016

Parameter	Units	Total Maxium Daily Load (pounds per day)	Measured or Calculated Daily Load (Pounds per day)	Within Limits?
pH (Method SM 4500 H+ B)	SU	5 - 12	8.23	Y
Total Extractable Hydrocarbons				
(Method 1664A)	mg/L	100	2.1	Y
Total Suspended Solids (Method SM 2540D)	mg/L	250	< 4.0	Y
VOCs (Method 8260C)				
Methylene Chloride	lbs/day	0.12	< 0.000015	Y
1,1,1-Trichloroethane	lbs/day	0.09	< 0.000015	Y
Trichloroethylene	lbs/day	0.04	< 0.000015	Y
Total 1,2-DCE (cis-1,2-DCE and trans-1,2-DCE)	lbs/day	0.02	< 0.00002	Y
1,1-Dichloroethane	lbs/day	0.0025	< 0.000015	Y
Chloroethane	lbs/day	0.025	< 0.000015	Y
Toluene	lbs/day	0.004	< 0.000015	Y
Total Daily Flow (discharge meter reading)	gallons per day	14,000	1,846	Y

Notes:

SU standard units

mg/L milligrams per liter


ug/L micrograms per liter


lbs/day pounds per day

J Indicates analyte result was reported as an estimated concentration.

< (value) Indicates calculated concentration less than the reported value,

using effluent reporting limit as maximum possible concentration. DPE system was not running during sample collection. FIGURES





DAILY FIELD LOG

DAILY FIELD LOG

AECOM

Project Date Weather Temperature Range AECOM Personnel on Site Time on Site	Scott Technologies, Inc., Groundwater Remediation Site, Lancaster, NY 4-Apr-16 Cloudy with snow 25-30 degrees F Dino Zack 07:00 - 17:30 hrs
Air Stripper Totalizer Start Sampling* Air Stripper Totalizer After Sampling*	6,115,360 gallons8:00 hrs6,115,964 gallons16:00 hrs
Summary of Sample Activities	$\begin{array}{llllllllllllllllllllllllllllllllllll$
	Fill 2, 40-ml vials (preserved with HCl) from effluent sample tap. Fill 2, 1-L clear glass bottle (preserved with H_2SO_4) 1/4 full, respectively, from effluent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Water quality is clear with no discernable odor or sheen.
	$\begin{array}{llllllllllllllllllllllllllllllllllll$
	Fill 2, 40-ml vials (preserved with HCl) from effluent sample tap. Fill 2, 1-L clear glass bottle (preserved with H_2SO_4) 1/4 full, respectively, from effluent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Water quality is clear with no discernable odor or sheen.
	Time =14:20 hrs $pH =$ 8Fill 2, 40-ml vials (preserved with HCl) from influent sample tap. Fill 2, 1-L clear glass bottle (preserved with H2SO4) 1/4 full, from influent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from influent tap. Fill 1 250- ml plastic bottle (unpreserved) 1/4 full from influent tap. Water quality is clear with slight odor (no sheen).
	Fill 2, 40-ml vials (preserved with HCl) from effluent sample tap. Fill 2, 1-L clear glass bottle (preserved with H_2SO_4) 1/4 full, respectively, from effluent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Water quality is clear with no discernable odor or sheen. Time = 16:00 hrs
	pH = 8 Fill 2, 40-ml vials (preserved with HCl) from influent sample tap. Fill 2, 1-L clear glass bottle (preserved with H ₂ SO ₄) 1/4 full, from influent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from influent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from influent tap. Water quality is clear with slight odor (no sheen).
	Fill 2, 40-ml vials (preserved with HCl) from effluent sample tap. Fill 2, 1-L clear glass bottle (preserved with H_2SO_4) 1/4 full, respectively, from effluent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Water quality is clear with no discernable odor or sheen.
Comments	GWCT running at time of sample collection; DPE off due to November 2014 and April/May 2015 injection. Air sample collected on 4/4/16 at 08:00 hrs from AS effluent for TO-15 analysis.
	Maintain samples at 4 degrees C. Hand deliver samples to TestAmerica Laboratories, Inc. (Amherst, NY) under COC for analysis. Request laboratory to composite 40-ml samples and analyze for VOCs (8260C). Request laboratory to analyze influent and effluent samples for TEH (1664A), TSS (SM 2540D), and pH (SM 4500 H+B).

Signature:

Dino J. Jack

Date: 4-Apr-16

LABORATORY REPORT



THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Buffalo 10 Hazelwood Drive Amherst, NY 14228-2298 Tel: (716)691-2600

TestAmerica Job ID: 480-97611-1 Client Project/Site: Scott Aviation site

Client Project/Site: Scott Aviation

For:

AECOM, Inc. 257 West Genesee Street Suite 400 Buffalo, New York 14202-2657

Attn: Mr. Dino Zack

Joeph V. Gisconage

Authorized for release by: 4/15/2016 11:26:36 AM Joe Giacomazza, Project Management Assistant II joe.giacomazza@testamericainc.com

Designee for

Brian Fischer, Manager of Project Management (716)504-9835 brian.fischer@testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.




Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Client Sample Results	5
Lab Chronicle	11
Certification Summary	12
Method Summary	13
Sample Summary	14
Receipt Checklists	15
Chain of Custody	16

Qualifiers

General Chemistry

Qualifiers				
General Ch	emistry	Λ		
Qualifier	Qualifier Description			
HF	Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.	5		
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.	5		
Glossary		6		

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.	
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis	
%R	Percent Recovery	8
CFL	Contains Free Liquid	
CNF	Contains no Free Liquid	9
DER	Duplicate error ratio (normalized absolute difference)	
Dil Fac	Dilution Factor	
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample	
DLC	Decision level concentration	
MDA	Minimum detectable activity	
EDL	Estimated Detection Limit	
MDC	Minimum detectable concentration	
MDL	Method Detection Limit	
ML	Minimum Level (Dioxin)	
NC	Not Calculated	
ND	Not detected at the reporting limit (or MDL or EDL if shown)	
PQL	Practical Quantitation Limit	
QC	Quality Control	
RER	Relative error ratio	
RL	Reporting Limit or Requested Limit (Radiochemistry)	
RPD	Relative Percent Difference, a measure of the relative difference between two points	
TEF	Toxicity Equivalent Factor (Dioxin)	
TEQ	Toxicity Equivalent Quotient (Dioxin)	

Job ID: 480-97611-1

Laboratory: TestAmerica Buffalo

Narrative

Job Narrative 480-97611-1

Receipt

The samples were received on 4/5/2016 3:58 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 3.0° C.

GC/MS VOA

Method(s) 8260C: The continuing calibration verification (CCV) associated with batch 480-295456 recovered outside acceptance criteria, low biased, for Chloromethane. A reporting limit (RL) standard was analyzed, and the target analyte was detected. Since the associated samples were non-detect for this analyte, the data have been reported. The following samples are impacted: EFFLUENT (480-97611-1), INFLUENT (480-97611-6) and Trip Blank (480-97611-1).

Method(s) 8260C: The following Volatile samples were composited by the laboratory on 4/12/2016 as requested by the client: EFFLUENT (480-97611-1) and INFLUENT (480-97611-6). Regulatory defined guidance for in-laboratory compositing of samples, is currently not available. Laboratory sample compositing was performed using established project specifications and/or laboratory standard operating procedures.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

General Chemistry

Method(s) 9040C, SM 4500 H+ B: This analysis is normally performed in the field and has a method-defined holding time of 15 minutes. The following samples has been qualified with the "HF" flag to indicate analysis was performed in the laboratory outside the 15 minute timeframe: EFFLUENT (480-97611-1) and INFLUENT (480-97611-6).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Client Sample ID: EFFLUENT

Date Collected: 04/04/16 07:00 Date Received: 04/05/16 15:58

Method: 8260C - Volatile Organic C Analyte	Result Qualifier	RL	MDL	Unit	D Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND	1.0	0.82			04/13/16 05:41	1
1,1,2,2-Tetrachloroethane	ND	1.0		ug/L		04/13/16 05:41	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		ug/L		04/13/16 05:41	1
1,1,2-Trichloroethane	ND	1.0	0.23	ug/L		04/13/16 05:41	1
1,1-Dichloroethane	ND	1.0	0.38	ug/L		04/13/16 05:41	1
1,1-Dichloroethene	ND	1.0	0.29	ug/L		04/13/16 05:41	1
1,2,4-Trichlorobenzene	ND	1.0		ug/L		04/13/16 05:41	1
1,2-Dibromo-3-Chloropropane	ND	1.0	0.39	ug/L		04/13/16 05:41	1
1,2-Dibromoethane	ND	1.0	0.73	ug/L		04/13/16 05:41	1
1,2-Dichlorobenzene	ND	1.0	0.79	ug/L		04/13/16 05:41	1
1,2-Dichloroethane	ND	1.0	0.21	ug/L		04/13/16 05:41	1
1,2-Dichloropropane	ND	1.0	0.72	ug/L		04/13/16 05:41	1
1,3-Dichlorobenzene	ND	1.0	0.78	ug/L		04/13/16 05:41	1
1,4-Dichlorobenzene	ND	1.0		ug/L		04/13/16 05:41	1
2-Butanone (MEK)	ND	10		ug/L		04/13/16 05:41	1
2-Hexanone	ND	5.0		ug/L		04/13/16 05:41	1
4-Methyl-2-pentanone (MIBK)	ND	5.0	2.1	ug/L		04/13/16 05:41	1
Acetone	ND	10	3.0	ug/L		04/13/16 05:41	1
Benzene	ND	1.0	0.41	ug/L		04/13/16 05:41	1
Bromodichloromethane	ND	1.0	0.39	ug/L		04/13/16 05:41	1
Bromoform	ND	1.0	0.26	ug/L		04/13/16 05:41	1
Bromomethane	ND	1.0	0.69	ug/L		04/13/16 05:41	1
Carbon disulfide	ND	1.0	0.19	ug/L		04/13/16 05:41	1
Carbon tetrachloride	ND	1.0	0.27	ug/L		04/13/16 05:41	1
Chlorobenzene	ND	1.0	0.75	ug/L		04/13/16 05:41	1
Chloroethane	ND	1.0	0.32	ug/L		04/13/16 05:41	1
Chloroform	ND	1.0		ug/L		04/13/16 05:41	1
Chloromethane	ND	1.0	0.35	ug/L		04/13/16 05:41	1
cis-1,2-Dichloroethene	ND	1.0	0.81	ug/L		04/13/16 05:41	1
cis-1,3-Dichloropropene	ND	1.0	0.36	ug/L		04/13/16 05:41	1
Cyclohexane	ND	1.0	0.18	ug/L		04/13/16 05:41	1
Dibromochloromethane	ND	1.0	0.32			04/13/16 05:41	1
Dichlorodifluoromethane	ND	1.0		ug/L		04/13/16 05:41	1
Ethylbenzene	ND	1.0		ug/L		04/13/16 05:41	1
Isopropylbenzene	ND	1.0	0.79	ug/L		04/13/16 05:41	1
Methyl acetate	ND	2.5	1.3	ug/L		04/13/16 05:41	1
Methyl tert-butyl ether	ND	1.0	0.16	ug/L		04/13/16 05:41	1
Methylcyclohexane	ND	1.0	0.16			04/13/16 05:41	1
Methylene Chloride	ND	1.0		ug/L		04/13/16 05:41	1
Styrene	ND	1.0	0.73	ug/L		04/13/16 05:41	1
Tetrachloroethene	ND	1.0	0.36			04/13/16 05:41	1
Toluene	ND	1.0		ug/L		04/13/16 05:41	1
trans-1,2-Dichloroethene	ND	1.0	0.90	ug/L		04/13/16 05:41	1
trans-1,3-Dichloropropene	ND	1.0		ug/L		04/13/16 05:41	1
Trichloroethene	ND	1.0	0.46	-		04/13/16 05:41	1
Trichlorofluoromethane	ND	1.0	0.88			04/13/16 05:41	1
Vinyl chloride	ND	1.0	0.90			04/13/16 05:41	1
Xylenes, Total	ND	2.0		ug/L		04/13/16 05:41	1

Lab Sample ID: 480-97611-1 Matrix: Water

Limits

66 - 137

73 - 120

71 - 126

RL

5.0

RL

4.0

0.100

MDL Unit

RL Unit

1.9

4.0 mg/L

0.100 SU

mg/L

%Recovery Qualifier

94

93

95

2.1 J

ND

8.23 HF

Result Qualifier

Result Qualifier

Client Sample ID: EFFLUENT

Date Collected: 04/04/16 07:00 Date Received: 04/05/16 15:58

1,2-Dichloroethane-d4 (Surr)

4-Bromofluorobenzene (Surr)

Total Petroleum Hydrocarbons

Surrogate

Analyte

(1664A) Analyte

рΗ

Toluene-d8 (Surr)

General Chemistry

Total Suspended Solids

TestAmerica Job ID: 480-97611-1

Lab Sample ID: 480-97611-1 Matrix: Water

Analyzed

04/13/16 05:41

04/13/16 05:41

04/13/16 05:41

Analyzed

04/07/16 19:41

Analyzed

04/07/16 10:19

04/06/16 13:24

Prepared

Prepared

04/07/16 15:09

Prepared

D

D

Dil Fac

Dil Fac

Dil Fac

1

1

1

1

1

Client Sample ID: INFLUENT

Date Collected: 04/04/16 07:00 Date Received: 04/05/16 15:58

Method: 8260C - Volatile Organic C Analyte	Result Qualifier	RL	MDL	Unit	D Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND	1.0		ug/L		04/13/16 06:03	1
1,1,2,2-Tetrachloroethane	ND	1.0		ug/L		04/13/16 06:03	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND	1.0		ug/L		04/13/16 06:03	1
1,1,2-Trichloroethane	ND	1.0		ug/L		04/13/16 06:03	1
1,1-Dichloroethane	ND	1.0	0.38			04/13/16 06:03	1
1,1-Dichloroethene	ND	1.0	0.29			04/13/16 06:03	1
1,2,4-Trichlorobenzene	ND	1.0		ug/L		04/13/16 06:03	
1,2-Dibromo-3-Chloropropane	ND	1.0		ug/L		04/13/16 06:03	1
1,2-Dibromoethane	ND	1.0		ug/L		04/13/16 06:03	1
1,2-Dichlorobenzene	ND	1.0	0.79	ug/L		04/13/16 06:03	
1,2-Dichloroethane	ND	1.0		ug/L		04/13/16 06:03	1
1,2-Dichloropropane	ND	1.0		ug/L		04/13/16 06:03	1
1,3-Dichlorobenzene	ND	1.0	0.78			04/13/16 06:03	
1,4-Dichlorobenzene	ND	1.0		ug/L		04/13/16 06:03	1
2-Butanone (MEK)	ND	10		ug/L		04/13/16 06:03	1
2-Hexanone	ND	5.0		ug/L		04/13/16 06:03	1
4-Methyl-2-pentanone (MIBK)	ND	5.0		ug/L		04/13/16 06:03	1
Acetone	ND	10	3.0	ug/L		04/13/16 06:03	1
Benzene	ND	1.0		ug/L		04/13/16 06:03	1
Bromodichloromethane	ND	1.0		ug/L		04/13/16 06:03	1
Bromoform	ND	1.0	0.26	-		04/13/16 06:03	1
Bromomethane	ND	1.0		ug/L		04/13/16 06:03	1
Carbon disulfide	ND	1.0		ug/L		04/13/16 06:03	1
Carbon tetrachloride	ND	1.0	0.27	-		04/13/16 06:03	1
Chlorobenzene	ND	1.0		ug/L		04/13/16 06:03	1
Chloroethane	42	1.0	0.32	ug/L		04/13/16 06:03	1
Chloroform	ND	1.0		ug/L		04/13/16 06:03	1
Chloromethane	ND	1.0	0.35	ug/L		04/13/16 06:03	1
cis-1,2-Dichloroethene	ND	1.0	0.81	ug/L		04/13/16 06:03	1
cis-1,3-Dichloropropene	ND	1.0	0.36	ug/L		04/13/16 06:03	1
Cyclohexane	ND	1.0	0.18	ug/L		04/13/16 06:03	1
Dibromochloromethane	ND	1.0	0.32			04/13/16 06:03	1
Dichlorodifluoromethane	ND	1.0		ug/L		04/13/16 06:03	1
Ethylbenzene	ND	1.0	0.74	ug/L		04/13/16 06:03	1
Isopropylbenzene	ND	1.0	0.79	ug/L		04/13/16 06:03	1
Methyl acetate	ND	2.5	1.3	ug/L		04/13/16 06:03	1
Methyl tert-butyl ether	ND	1.0		ug/L		04/13/16 06:03	1
Methylcyclohexane	ND	1.0	0.16			04/13/16 06:03	1
Methylene Chloride	ND	1.0	0.44	-		04/13/16 06:03	1
Styrene	ND	1.0	0.73			04/13/16 06:03	1
Tetrachloroethene	ND	1.0	0.36			04/13/16 06:03	1
Toluene	ND	1.0		ug/L		04/13/16 06:03	1
trans-1,2-Dichloroethene	ND	1.0	0.90	ug/L		04/13/16 06:03	1
trans-1,3-Dichloropropene	ND	1.0		ug/L		04/13/16 06:03	1
Trichloroethene	ND	1.0		ug/L		04/13/16 06:03	1
Trichlorofluoromethane	ND	1.0	0.88			04/13/16 06:03	
Vinyl chloride	ND	1.0	0.90			04/13/16 06:03	1
Xylenes, Total	ND	2.0	0.66	•		04/13/16 06:03	1

Lab Sample ID: 480-97611-6

Matrix: Water

5

Client Sample ID: INFLUENT

Lab Sample ID: 480-97611-6 Matrix: Water

5

Date Received: 04/05/16 15:58

Surrogate 1,2-Dichloroethane-d4 (Surr) 4-Bromofluorobenzene (Surr) Toluene-d8 (Surr)	%Recovery 91 94 95	Qualifier	Limits 66 - 137 73 - 120 71 - 126				Prepared	Analyzed 04/13/16 06:03 04/13/16 06:03 04/13/16 06:03	Dil Fac 1 1 1
General Chemistry Analyte Total Petroleum Hydrocarbons (1664A)	Result	Qualifier	RL 5.0	MDL 1.9		D	Prepared 04/07/16 15:09	Analyzed 04/07/16 19:41	Dil Fac
Analyte Total Suspended Solids pH	Result ND 7.62	Qualifier HF	RL 4.0 0.100		Unit mg/L SU	<u>D</u>	Prepared	Analyzed 04/07/16 10:19 04/06/16 13:30	Dil Fac 1 1

Client Sample ID: Trip Blank

Date Collected: 04/04/16 00:00 Date Received: 04/05/16 15:58

Method: 8260C - Volatile Organic Analyte	Result Qualifier	RL	MDL	Unit	D Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND ND	RL					1
1,1,2,2-Tetrachloroethane	ND	1.0	0.82	-		04/13/16 01:29	1
1,1,2,2-Trichloro-1,2,2-trifluoroethane	ND	1.0	0.21			04/13/16 01:29	1
1,1,2-Trichloroethane	ND	1.0		ug/L		04/13/16 01:29	1
1,1-Dichloroethane	ND	1.0	0.23	•		04/13/16 01:29	1
1,1-Dichloroethene	ND	1.0	0.29			04/13/16 01:29	1
1,2,4-Trichlorobenzene	ND	1.0		ug/L		04/13/16 01:29	
1,2,-Dibromo-3-Chloropropane	ND	1.0	0.39	-		04/13/16 01:29	1
1,2-Dibromoethane	ND	1.0	0.33	•		04/13/16 01:29	1
1,2-Dichlorobenzene	ND	1.0		ug/L		04/13/16 01:29	1
1,2-Dichloroethane	ND	1.0	0.73	-		04/13/16 01:29	1
1,2-Dichloropropane	ND	1.0	0.21	-		04/13/16 01:29	1
1,3-Dichlorobenzene	ND	1.0		ug/L		04/13/16 01:29	1
1,4-Dichlorobenzene	ND	1.0	0.78	-		04/13/16 01:29	1
2-Butanone (MEK)	ND	1.0		ug/L ug/L		04/13/16 01:29	1
2-Hexanone	ND	5.0		ug/L		04/13/16 01:29	· · · · · · · · · 1
4-Methyl-2-pentanone (MIBK)	ND	5.0		ug/L		04/13/16 01:29	1
Acetone	ND	10		ug/L		04/13/16 01:29	1
Benzene	ND	1.0		ug/L		04/13/16 01:29	
Bromodichloromethane	ND	1.0	0.41	-		04/13/16 01:29	1
Bromoform	ND	1.0		ug/L		04/13/16 01:29	1
Bromomethane	ND	1.0		ug/L		04/13/16 01:29	1
Carbon disulfide	ND	1.0		ug/L		04/13/16 01:29	1
Carbon tetrachloride	ND	1.0		ug/L		04/13/16 01:29	1
Chlorobenzene	ND	1.0		ug/L		04/13/16 01:29	1
Chloroethane	ND	1.0	0.32	-		04/13/16 01:29	1
Chloroform	ND	1.0		ug/L		04/13/16 01:29	1
Chloromethane	ND	1.0		ug/L		04/13/16 01:29	1
cis-1,2-Dichloroethene	ND	1.0		ug/L		04/13/16 01:29	1
cis-1,3-Dichloropropene	ND	1.0	0.36	-		04/13/16 01:29	1
Cyclohexane	ND	1.0		ug/L ug/L		04/13/16 01:29	· · · · · · · · 1
Dibromochloromethane	ND	1.0	0.10			04/13/16 01:29	1
Dichlorodifluoromethane	ND	1.0	0.52			04/13/16 01:29	1
Ethylbenzene	ND	1.0		ug/L		04/13/16 01:29	· · · · · · · · · · · · · · · · · · ·
Isopropylbenzene	ND	1.0	0.74	-		04/13/16 01:29	1
Methyl acetate	ND	2.5		ug/L		04/13/16 01:29	1
		2.5 1.0					1
Methyl tert-butyl ether	ND ND	1.0		ug/L ug/L		04/13/16 01:29	1
Methylcyclohexane	ND	1.0		-		04/13/16 01:29 04/13/16 01:29	1
Methylene Chloride Styrene	ND	1.0		ug/L ug/L		04/13/16 01:29	1
-	ND	1.0					
Tetrachloroethene Toluene		1.0	0.36 0.51			04/13/16 01:29	1
	ND					04/13/16 01:29	۱ ۰۰۰۰۰۰
trans-1,2-Dichloroethene	ND ND	1.0 1.0	0.90	ug/L		04/13/16 01:29 04/13/16 01:29	1
trans-1,3-Dichloropropene	ND			•			1
Trichloroethene		1.0	0.46			04/13/16 01:29	1
Trichlorofluoromethane	ND	1.0		ug/L		04/13/16 01:29	1
Vinyl chloride	ND	1.0	0.90	-		04/13/16 01:29	Т 4
Xylenes, Total	ND	2.0	0.66	ug/L		04/13/16 01:29	1

Lab Sample ID: 480-97611-11

Matrix: Water

8 9

Client Sample ID: Trip Blank Date Collected: 04/04/16 00:00 Date Received: 04/05/16 15:58

Lab Sample	ID:	480-976	11-11
		Matrix:	Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac	5
1,2-Dichloroethane-d4 (Surr)	93		66 - 137		04/13/16 01:29	1	5
4-Bromofluorobenzene (Surr)	95		73 - 120		04/13/16 01:29	1	0
Toluene-d8 (Surr)	95		71 - 126		04/13/16 01:29	1	0

Dilution

Factor

1

1

1

1

Batch

Number

295456

294647

294649

294503

294348

Prepared

or Analyzed

04/13/16 05:41

04/07/16 15:09

04/07/16 19:41

04/07/16 10:19

04/06/16 13:24

Analyst

SWO

DSC

DSC

EKB

KMF

Lab

TAL BUF

TAL BUF

TAL BUF

TAL BUF

TAL BUF

Date Collected: 04/04/16 07:00

Date Received: 04/05/16 15:58

Prep Type

Total/NA

Total/NA

Total/NA

Total/NA

Total/NA

Client Sample ID: EFFLUENT

Batch

Туре

Prep

Analysis

Analysis

Analysis

Analysis

Batch

Method

8260C

1664A

1664A

SM 2540D

SM 4500 H+ B

Lab Sample ID: 480-97611-1

Matrix: Water

5 6

Lab Sample ID: 480-97611-6 Matrix: Water

Run

Date Received:	04/05/16 15:58	
_		

Client Sample ID: INFLUENT

Date Collected: 04/04/16 07:00

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	295456	04/13/16 06:03	SWO	TAL BUF
Total/NA	Prep	1664A			294647	04/07/16 15:09	DSC	TAL BUF
Total/NA	Analysis	1664A		1	294649	04/07/16 19:41	DSC	TAL BUF
Total/NA	Analysis	SM 2540D		1	294503	04/07/16 10:19	EKB	TAL BUF
Total/NA	Analysis	SM 4500 H+ B		1	294348	04/06/16 13:30	KMF	TAL BUF

Client Sample ID: Trip Blank

Date Collected: 04/04/16 00:00 Date Received: 04/05/16 15:58

Lab Sample ID: 480-97611-11

ater

Lab	Jampie	ю.	400-370	•••
			Matrix:	W

	Batch	Batch		Dilution	Batch	Prepared		
Prep Type	Туре	Method	Run	Factor	Number	or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	295456	04/13/16 01:29	SWO	TAL BUF

Laboratory References:

TAL BUF = TestAmerica Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

Certification Summary

Laboratory: TestAmerica Buffalo

Unless otherwise noted, all analytes for this laboratory were covered under each certification below.

Authority	Program		EPA Region	Certification ID	Expiration Date
New York	NELAP		2	10026	03-31-17
The following analytes	are included in this report. bu	t certification is not off	ered by the governing a	authority:	
The following analytes	are included in this report, bu	t certification is not off	ered by the governing	authority:	
The following analytes Analysis Method	are included in this report, bu Prep Method	it certification is not off Matrix	ered by the governing a Analy		

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Client: AECOM, Inc. Project/Site: Scott Aviation site

pН

1664A = EPA-821-98-002

Method Description

HEM and SGT-HEM

Volatile Organic Compounds by GC/MS

SM = "Standard Methods For The Examination Of Water And Wastewater",

TAL BUF = TestAmerica Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

Solids, Total Suspended (TSS)

Method

8260C

1664A

SM 2540D

SM 4500 H+ B

Protocol References:

Laboratory References:

Protocol SW846

1664A

SM

SM

Laboratory

TAL BUF

TAL BUF

TAL BUF

TAL BUF

	5
_	
	8
	9

Matrix

Water

Water

Water

Client: AECOM, Inc. Project/Site: Scott Aviation site

Client Sample ID

EFFLUENT

INFLUENT

Trip Blank

Lab Sample ID

480-97611-1

480-97611-6

480-97611-11

Received

04/05/16 15:58

04/05/16 15:58

04/05/16 15:58

Collected

04/04/16 07:00

04/04/16 07:00

04/04/16 00:00

5	
8	
9)
	2

Login Sample Receipt Checklist

Client: AECOM, Inc.

Login Number: 97611 List Number: 1

Creator: Janish, Carl M

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time (Excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Sampling Company provided.	True	
Samples received within 48 hours of sampling.	True	
Samples requiring field filtration have been filtered in the field.	N/A	
Chlorine Residual checked.	N/A	

List Source: TestAmerica Buffalo

lica	ITAL TESTING	14/16 Chain of Custody Number	ft lo Page_		Special Instructions/	Conditions of Receipt	· · · · · · · · · · · · · · · · · · ·			· · · · · · · · · · · · · · · · · · ·				480-97611 Chain of Custody		(A fee may be assessed if samples are retained s fonger than 1 month)	14 0'2	4/5/14 12:28	- and still the start	Date	#1 #2, #3, # Y - Call W/Gueshis	2
Temperature on ReceiptTestAmerico	Drinking Water? Yes□ No□ THE LEADER IN ENVIRONMENTAL TESTING	Sino Zack Date	mber (Area Code) Fax Number アドム ちんん ちててし	Site Contact $Lab Contact$ Lab Contact Analysis (Attach list if $D, Z_{ac} C$ $R, C_{i,S_{c}} h_{\mathcal{S}}$ more space is needed)	ll Number	Matrix Containers & Containers	D SSL D SSL D DCP DHd HOEN HOEN HOEN HOEN HOEN HOEN HOEN HOEN	X ZZ O X X X X	X Z Z Z					480-97611	Samle Disnocal	ient 🗧		4/4/16 [1700his] 1. Received By Nam Mark	United 1 Time 2. Received By NWW &	Date 1º Time 3. Received By	,"", and compate Ether & Grad	PINK - Field Copy
	y necolu	Clien AECOM	Address 257 Wart Cenesee St	State Zip Code	n(State) Di Zailo - Lancarter NY	e No.	Sample I.D. No. and Description (Containers for each sample may be combined on one line)	Effluent 4/1/160	n Fluen + 9/4/10 0700	Pag	 6 of	16			Describle La zant lefontitionion	mable 🗌 Skin Irritant 🔲 Poison B	Turm Around Time Required	22 QL	2. Relinquished By	thed By		DISTRIBUTION: WHITE - Returned to Client with Report, CANARY - Stays with the Sample;