

Scott Figgie LLC

Scott Figgie LLC

c/o GSF Management Company
34407 DuPont Boulevard, Suite 6
Frankford, DE 19945

November 15, 2016

Ms. Laura Surdej
Erie County Department of Environment and Planning
Division of Sewerage Management
Erie County Sewer District # 6
260 Lehigh Avenue
Lackawanna, New York 14218

**RE: Fourth Quarter 2016 Discharge Monitoring Report
Former Scott Technologies, Inc. Groundwater Remediation Site, Lancaster, New York
NYSDEC Site 9-15-149
EC/BPDES Permit No. 15-10-E4054**

Dear Ms. Surdej:

Scott Figgie LLC has been assigned and has assumed certain environmental liabilities of Scott Technologies, Inc. Scott Figgie LLC is pleased to provide you with the enclosed Fourth Quarter 2016 Discharge Monitoring Report for the former Scott Technologies Groundwater Remediation Site located at AVOX Systems Inc., 25A Walter Winter Drive, Lancaster, New York 14086. This report is submitted in partial fulfillment of Erie County/Buffalo Pollution Discharge Elimination System (EC/BPDES) Permit No. 15-10-E4054, effective October 1, 2015.

As indicated above, Scott Figgie LLC is now the entity with the legal responsibility for compliance with EC/BPDES Permit No. 15-10-E4054. An affiliated entity, GSF Management Company LLC (GSF), is managing the remediation of the Lancaster site on behalf of Scott Figgie. Scott Figgie/GSF commissioned AECOM Technical Services, Inc. (AECOM), with an office located in Buffalo, New York, to perform the required EC/BPDES quarterly sampling during the month of October 2016 and to prepare the enclosed report with the results.

Figures 1 and 2 in the report depict the entire groundwater collection and treatment system that is covered by the subject permit.

I certify under the penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the systems, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of a fine and imprisonment for known violations.

Scott Figgie LLC will continue to monitor the influent and effluent of the active remediation system located at the site on a quarterly basis. The next scheduled quarterly discharge monitoring report is due by February 28, 2017.

Ms. Laura Surdej
November 15, 2016
Page 2

If you have any questions regarding this submittal, please do not hesitate to contact me or Troy Chute at the above address, or to send an email either to me at stuart.rixman@gsfmanagementco.com or to Mr. Chute at troy.chute@gsfmanagementco.com.

Very truly yours,
Scott Figgie LLC

A handwritten signature in blue ink that reads "Stuart I. Rixman". The signature is written in a cursive style with a large initial 'S'.

Stuart I. Rixman
Project Manager, GSF Management Company

\enclosures

cc: Mr. Al Alagna, Buffalo Sewer Authority (electronic copy sent by AECOM)
Mr. Glenn May, NYSDEC Region 9 (electronic copy sent by AECOM)
Mr. Troy Chute, GSF Management Co LLC (electronic copy sent by AECOM)
Ms. Jennifer Davide, AVOX Systems Inc. (electronic copy sent by AECOM)
Facility File, Lancaster, NY (hard copy sent by AECOM)

TABLE

**Scott Technologies, Inc. - Groundwater Remediation Site
Lancaster, New York**

EC/BPDES Permit No. 15-10-E4054


**Fourth Quarter 2016 Discharge Monitoring Report
Sample Date - October 24, 2016**

Parameter	Units	Total Maximum Daily Load (pounds per day)	Measured or Calculated Daily Load (Pounds per day)	Within Limits?
pH (Method SM 4500 H+ B)	SU	5 - 12	8.2	Y
Total Extractable Hydrocarbons (Method 1664A)	mg/L	100	J 2.9	Y
Total Suspended Solids (Method SM 2540D)	mg/L	250	10.8	Y
<u>VOCs (Method 8260C)</u>				
Methylene Chloride	lbs/day	0.12	J 0.000005	Y
1,1,1-Trichloroethane	lbs/day	0.09	< 0.000006	Y
Trichloroethylene	lbs/day	0.04	< 0.000006	Y
Total 1,2-DCE (cis-1,2-DCE and trans-1,2-DCE)	lbs/day	0.02	< 0.00001	Y
1,1-Dichloroethane	lbs/day	0.0025	< 0.000006	Y
Chloroethane	lbs/day	0.025	< 0.000006	Y
Toluene	lbs/day	0.004	< 0.000006	Y
Total Daily Flow (discharge meter reading)	gallons per day	14,000	744	Y

Notes:


- SU standard units
- mg/L milligrams per liter
- ug/L micrograms per liter
- lbs/day pounds per day
- J Indicates analyte result was reported as an estimated concentration.
- < (value) Indicates calculated concentration less than the reported value,
using effluent reporting limit as maximum possible concentration.

FIGURES



LEGEND


- MW 13 MONITORING WELL
- DPE 8 DUAL-PHASE EXTRACTION WELL
- APPROXIMATE PROPERTY BOUNDARY
- GROUNDWATER RECOVERY TRENCH
- SANITARY SEWER



**FIGURE 1
DUAL PHASE EXTRACTION SYSTEM
LOCATION MAP**

FORMER SCOTT AVIATION FACILITY
LANCASTER, NEW YORK

60288479



*PER DISCHARGE PERMIT NO. 14-04-E4045



FIGURE 2
COMBINED DUAL PHASE EXTRACTION
REMEDATION SYSTEM FLOW DIAGRAM

FORMER SCOTT AVIATION FACILITY
 LANCASTER, NEW YORK

60288479

DAILY FIELD LOG

DAILY FIELD LOG

Project Scott Technologies, Inc., Groundwater Remediation Site, Lancaster, NY
 Date 24-Oct-16
 Weather Rain
 Temperature Range 35 degrees F
 AECOM Personnel on Site Dino Zack
 Time on Site 07:30 - 17:30 hrs

Air Stripper Totalizer Start Sampling 745,164 gallons 7:00 hrs
 Air Stripper Totalizer After Sampling 746,886 gallons 15:30 hrs

Summary of Sample Activities

Time = 07:30 hrs
 pH = 8
 Fill 2, 40-ml vials (preserved with HCl) from influent sample tap. Fill 2, 1-L clear glass bottle (preserved with H₂SO₄) 1/4 full, from influent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from influent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from influent tap. Water quality is clear with slight odor (no sheen).
 Fill 2, 40-ml vials (preserved with HCl) from effluent sample tap. Fill 2, 1-L clear glass bottle (preserved with H₂SO₄) 1/4 full, respectively, from effluent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Water quality is clear with no discernable odor or sheen.


Time = 10:30 hrs
 pH = 8
 Fill 2, 40-ml vials (preserved with HCl) from influent sample tap. Fill 2, 1-L clear glass bottle (preserved with H₂SO₄) 1/4 full, from influent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from influent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from influent tap. Water quality is clear with slight odor (no sheen).
 Fill 2, 40-ml vials (preserved with HCl) from effluent sample tap. Fill 2, 1-L clear glass bottle (preserved with H₂SO₄) 1/4 full, respectively, from effluent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Water quality is clear with no discernable odor or sheen.

Time = 12:20 hrs
 pH = 8
 Fill 2, 40-ml vials (preserved with HCl) from influent sample tap. Fill 2, 1-L clear glass bottle (preserved with H₂SO₄) 1/4 full, from influent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from influent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from influent tap. Water quality is clear with slight odor (no sheen).
 Fill 2, 40-ml vials (preserved with HCl) from effluent sample tap. Fill 2, 1-L clear glass bottle (preserved with H₂SO₄) 1/4 full, respectively, from effluent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Water quality is clear with no discernable odor or sheen.

Time = 15:30 hrs
 pH = 8
 Fill 2, 40-ml vials (preserved with HCl) from influent sample tap. Fill 2, 1-L clear glass bottle (preserved with H₂SO₄) 1/4 full, from influent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from influent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from influent tap. Water quality is clear with slight odor (no sheen).
 Fill 2, 40-ml vials (preserved with HCl) from effluent sample tap. Fill 2, 1-L clear glass bottle (preserved with H₂SO₄) 1/4 full, respectively, from effluent tap. Fill 1, 500-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Fill 1 250-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Water quality is clear with no discernable odor or sheen.

Comments

DPE and GWCT running at time of sample collection.
 Air sample collected on 10/24/16 at 07:00 hrs from AS effluent for TO-15 analysis.
 Maintain samples at 4 degrees C. Hand deliver samples to TestAmerica Laboratories, Inc. (Amherst, NY) under COC for analysis. Request laboratory to composite 40-ml samples and analyze for VOCs (8260C). Request laboratory to analyze influent and effluent samples for TEH (1664A), TSS (SM 2540D), and pH (SM 4500 H+B).

Signature: 

Date: 24-Oct-16

LABORATORY REPORT

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Buffalo

10 Hazelwood Drive

Amherst, NY 14228-2298

Tel: (716)691-2600

TestAmerica Job ID: 480-108457-1

Client Project/Site: Scott Aviation site

For:

AECOM, Inc.

257 West Genesee Street

Suite 400

Buffalo, New York 14202-2657

Attn: Mr. Dino Zack



Authorized for release by:

11/7/2016 9:33:18 AM

Brian Fischer, Manager of Project Management

(716)504-9835

brian.fischer@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1

2

3

4

5

6

7

8

9

10

11



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Client Sample Results	5
Lab Chronicle	11
Certification Summary	12
Method Summary	13
Sample Summary	14
Receipt Checklists	15
Chain of Custody	16

Definitions/Glossary

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-108457-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

General Chemistry

Qualifier	Qualifier Description
F1	MS and/or MSD Recovery is outside acceptance limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
HF	Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

Case Narrative

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-108457-1

Job ID: 480-108457-1

Laboratory: TestAmerica Buffalo

Narrative

Job Narrative
480-108457-1

Comments

No additional comments.

Receipt

The samples were received on 10/26/2016 12:25 PM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperature of the cooler at receipt was 4.0° C.

GC/MS VOA

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

General Chemistry

Method(s) 9040C, SM 4500 H+ B: This analysis is normally performed in the field and has a method-defined holding time of 15 minutes. The following samples has been qualified with the "HF" flag to indicate analysis was performed in the laboratory outside the 15 minute timeframe: EFFLUENT (480-108457-1) and INFLUENT (480-108457-2).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.



Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-108457-1

Client Sample ID: EFFLUENT

Lab Sample ID: 480-108457-1

Date Collected: 10/24/16 07:30

Matrix: Water

Date Received: 10/26/16 12:25

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			11/04/16 16:09	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			11/04/16 16:09	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			11/04/16 16:09	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			11/04/16 16:09	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			11/04/16 16:09	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			11/04/16 16:09	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			11/04/16 16:09	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			11/04/16 16:09	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			11/04/16 16:09	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			11/04/16 16:09	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			11/04/16 16:09	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			11/04/16 16:09	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			11/04/16 16:09	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			11/04/16 16:09	1
2-Butanone (MEK)	ND		10	1.3	ug/L			11/04/16 16:09	1
2-Hexanone	ND		5.0	1.2	ug/L			11/04/16 16:09	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			11/04/16 16:09	1
Acetone	3.8	J	10	3.0	ug/L			11/04/16 16:09	1
Benzene	ND		1.0	0.41	ug/L			11/04/16 16:09	1
Bromodichloromethane	ND		1.0	0.39	ug/L			11/04/16 16:09	1
Bromoform	ND		1.0	0.26	ug/L			11/04/16 16:09	1
Bromomethane	ND		1.0	0.69	ug/L			11/04/16 16:09	1
Carbon disulfide	0.29	J	1.0	0.19	ug/L			11/04/16 16:09	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			11/04/16 16:09	1
Chlorobenzene	ND		1.0	0.75	ug/L			11/04/16 16:09	1
Chloroethane	ND		1.0	0.32	ug/L			11/04/16 16:09	1
Chloroform	ND		1.0	0.34	ug/L			11/04/16 16:09	1
Chloromethane	ND		1.0	0.35	ug/L			11/04/16 16:09	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			11/04/16 16:09	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			11/04/16 16:09	1
Cyclohexane	ND		1.0	0.18	ug/L			11/04/16 16:09	1
Dibromochloromethane	ND		1.0	0.32	ug/L			11/04/16 16:09	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			11/04/16 16:09	1
Ethylbenzene	ND		1.0	0.74	ug/L			11/04/16 16:09	1
Isopropylbenzene	ND		1.0	0.79	ug/L			11/04/16 16:09	1
Methyl acetate	ND		2.5	1.3	ug/L			11/04/16 16:09	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			11/04/16 16:09	1
Methylcyclohexane	ND		1.0	0.16	ug/L			11/04/16 16:09	1
Methylene Chloride	0.77	J	1.0	0.44	ug/L			11/04/16 16:09	1
Styrene	ND		1.0	0.73	ug/L			11/04/16 16:09	1
Tetrachloroethene	ND		1.0	0.36	ug/L			11/04/16 16:09	1
Toluene	ND		1.0	0.51	ug/L			11/04/16 16:09	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			11/04/16 16:09	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			11/04/16 16:09	1
Trichloroethene	ND		1.0	0.46	ug/L			11/04/16 16:09	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			11/04/16 16:09	1
Vinyl chloride	ND		1.0	0.90	ug/L			11/04/16 16:09	1
Xylenes, Total	ND		2.0	0.66	ug/L			11/04/16 16:09	1

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-108457-1

Client Sample ID: EFFLUENT

Lab Sample ID: 480-108457-1

Date Collected: 10/24/16 07:30

Matrix: Water

Date Received: 10/26/16 12:25

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		77 - 120		11/04/16 16:09	1
4-Bromofluorobenzene (Surr)	102		73 - 120		11/04/16 16:09	1
Toluene-d8 (Surr)	97		80 - 120		11/04/16 16:09	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Petroleum Hydrocarbons (1664A)	2.9	J F1	4.9	1.9	mg/L		10/27/16 01:01	10/27/16 03:24	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids	10.8		4.0	4.0	mg/L			10/31/16 06:21	1
pH	8.2	HF	0.1	0.1	SU			10/27/16 09:29	1

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-108457-1

Client Sample ID: INFLUENT

Lab Sample ID: 480-108457-2

Date Collected: 10/24/16 07:30

Matrix: Water

Date Received: 10/26/16 12:25

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			11/04/16 16:32	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			11/04/16 16:32	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			11/04/16 16:32	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			11/04/16 16:32	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			11/04/16 16:32	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			11/04/16 16:32	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			11/04/16 16:32	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			11/04/16 16:32	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			11/04/16 16:32	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			11/04/16 16:32	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			11/04/16 16:32	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			11/04/16 16:32	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			11/04/16 16:32	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			11/04/16 16:32	1
2-Butanone (MEK)	3.1	J	10	1.3	ug/L			11/04/16 16:32	1
2-Hexanone	ND		5.0	1.2	ug/L			11/04/16 16:32	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			11/04/16 16:32	1
Acetone	11		10	3.0	ug/L			11/04/16 16:32	1
Benzene	ND		1.0	0.41	ug/L			11/04/16 16:32	1
Bromodichloromethane	ND		1.0	0.39	ug/L			11/04/16 16:32	1
Bromoform	ND		1.0	0.26	ug/L			11/04/16 16:32	1
Bromomethane	ND		1.0	0.69	ug/L			11/04/16 16:32	1
Carbon disulfide	0.41	J	1.0	0.19	ug/L			11/04/16 16:32	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			11/04/16 16:32	1
Chlorobenzene	ND		1.0	0.75	ug/L			11/04/16 16:32	1
Chloroethane	22		1.0	0.32	ug/L			11/04/16 16:32	1
Chloroform	ND		1.0	0.34	ug/L			11/04/16 16:32	1
Chloromethane	ND		1.0	0.35	ug/L			11/04/16 16:32	1
cis-1,2-Dichloroethene	8.1		1.0	0.81	ug/L			11/04/16 16:32	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			11/04/16 16:32	1
Cyclohexane	ND		1.0	0.18	ug/L			11/04/16 16:32	1
Dibromochloromethane	ND		1.0	0.32	ug/L			11/04/16 16:32	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			11/04/16 16:32	1
Ethylbenzene	ND		1.0	0.74	ug/L			11/04/16 16:32	1
Isopropylbenzene	ND		1.0	0.79	ug/L			11/04/16 16:32	1
Methyl acetate	ND		2.5	1.3	ug/L			11/04/16 16:32	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			11/04/16 16:32	1
Methylcyclohexane	ND		1.0	0.16	ug/L			11/04/16 16:32	1
Methylene Chloride	0.95	J	1.0	0.44	ug/L			11/04/16 16:32	1
Styrene	ND		1.0	0.73	ug/L			11/04/16 16:32	1
Tetrachloroethene	ND		1.0	0.36	ug/L			11/04/16 16:32	1
Toluene	ND		1.0	0.51	ug/L			11/04/16 16:32	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			11/04/16 16:32	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			11/04/16 16:32	1
Trichloroethene	ND		1.0	0.46	ug/L			11/04/16 16:32	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			11/04/16 16:32	1
Vinyl chloride	ND		1.0	0.90	ug/L			11/04/16 16:32	1
Xylenes, Total	ND		2.0	0.66	ug/L			11/04/16 16:32	1

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-108457-1

Client Sample ID: INFLUENT

Lab Sample ID: 480-108457-2

Date Collected: 10/24/16 07:30

Matrix: Water

Date Received: 10/26/16 12:25

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	109		77 - 120		11/04/16 16:32	1
4-Bromofluorobenzene (Surr)	103		73 - 120		11/04/16 16:32	1
Toluene-d8 (Surr)	97		80 - 120		11/04/16 16:32	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Petroleum Hydrocarbons (1664A)	ND		5.0	1.9	mg/L		10/27/16 16:26	10/27/16 17:26	1
Total Suspended Solids	12.8		4.0	4.0	mg/L			10/31/16 06:21	1
pH	7.9	HF	0.1	0.1	SU			10/27/16 09:31	1

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-108457-1

Client Sample ID: Trip Blank

Lab Sample ID: 480-108457-3

Date Collected: 10/24/16 07:30

Matrix: Water

Date Received: 10/26/16 12:25

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			11/04/16 16:55	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			11/04/16 16:55	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			11/04/16 16:55	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			11/04/16 16:55	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			11/04/16 16:55	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			11/04/16 16:55	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			11/04/16 16:55	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			11/04/16 16:55	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			11/04/16 16:55	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			11/04/16 16:55	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			11/04/16 16:55	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			11/04/16 16:55	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			11/04/16 16:55	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			11/04/16 16:55	1
2-Butanone (MEK)	ND		10	1.3	ug/L			11/04/16 16:55	1
2-Hexanone	ND		5.0	1.2	ug/L			11/04/16 16:55	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			11/04/16 16:55	1
Acetone	ND		10	3.0	ug/L			11/04/16 16:55	1
Benzene	ND		1.0	0.41	ug/L			11/04/16 16:55	1
Bromodichloromethane	ND		1.0	0.39	ug/L			11/04/16 16:55	1
Bromoform	ND		1.0	0.26	ug/L			11/04/16 16:55	1
Bromomethane	ND		1.0	0.69	ug/L			11/04/16 16:55	1
Carbon disulfide	0.26	J	1.0	0.19	ug/L			11/04/16 16:55	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			11/04/16 16:55	1
Chlorobenzene	ND		1.0	0.75	ug/L			11/04/16 16:55	1
Chloroethane	ND		1.0	0.32	ug/L			11/04/16 16:55	1
Chloroform	ND		1.0	0.34	ug/L			11/04/16 16:55	1
Chloromethane	ND		1.0	0.35	ug/L			11/04/16 16:55	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			11/04/16 16:55	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			11/04/16 16:55	1
Cyclohexane	ND		1.0	0.18	ug/L			11/04/16 16:55	1
Dibromochloromethane	ND		1.0	0.32	ug/L			11/04/16 16:55	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			11/04/16 16:55	1
Ethylbenzene	ND		1.0	0.74	ug/L			11/04/16 16:55	1
Isopropylbenzene	ND		1.0	0.79	ug/L			11/04/16 16:55	1
Methyl acetate	ND		2.5	1.3	ug/L			11/04/16 16:55	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			11/04/16 16:55	1
Methylcyclohexane	ND		1.0	0.16	ug/L			11/04/16 16:55	1
Methylene Chloride	ND		1.0	0.44	ug/L			11/04/16 16:55	1
Styrene	ND		1.0	0.73	ug/L			11/04/16 16:55	1
Tetrachloroethene	ND		1.0	0.36	ug/L			11/04/16 16:55	1
Toluene	ND		1.0	0.51	ug/L			11/04/16 16:55	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			11/04/16 16:55	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			11/04/16 16:55	1
Trichloroethene	ND		1.0	0.46	ug/L			11/04/16 16:55	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			11/04/16 16:55	1
Vinyl chloride	ND		1.0	0.90	ug/L			11/04/16 16:55	1
Xylenes, Total	ND		2.0	0.66	ug/L			11/04/16 16:55	1

TestAmerica Buffalo

Client Sample Results

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-108457-1

Client Sample ID: Trip Blank

Lab Sample ID: 480-108457-3

Date Collected: 10/24/16 07:30

Matrix: Water

Date Received: 10/26/16 12:25

<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
1,2-Dichloroethane-d4 (Surr)	105		77 - 120		11/04/16 16:55	1
4-Bromofluorobenzene (Surr)	103		73 - 120		11/04/16 16:55	1
Toluene-d8 (Surr)	98		80 - 120		11/04/16 16:55	1

Lab Chronicle

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-108457-1

Client Sample ID: EFFLUENT

Lab Sample ID: 480-108457-1

Date Collected: 10/24/16 07:30

Matrix: Water

Date Received: 10/26/16 12:25

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	329644	11/04/16 16:09	RRS	TAL BUF
Total/NA	Prep	1664A			327956	10/27/16 01:01	DJS	TAL BUF
Total/NA	Analysis	1664A		1	327959	10/27/16 03:24	DJS	TAL BUF
Total/NA	Analysis	SM 2540D		1	328603	10/31/16 06:21	EKB	TAL BUF
Total/NA	Analysis	SM 4500 H+ B		1	328054	10/27/16 09:29	CEA	TAL BUF

Client Sample ID: INFLUENT

Lab Sample ID: 480-108457-2

Date Collected: 10/24/16 07:30

Matrix: Water

Date Received: 10/26/16 12:25

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	329644	11/04/16 16:32	RRS	TAL BUF
Total/NA	Prep	1664A			328168	10/27/16 16:26	DSC	TAL BUF
Total/NA	Analysis	1664A		1	328189	10/27/16 17:26	DSC	TAL BUF
Total/NA	Analysis	SM 2540D		1	328603	10/31/16 06:21	EKB	TAL BUF
Total/NA	Analysis	SM 4500 H+ B		1	328054	10/27/16 09:31	CEA	TAL BUF

Client Sample ID: Trip Blank

Lab Sample ID: 480-108457-3

Date Collected: 10/24/16 07:30

Matrix: Water

Date Received: 10/26/16 12:25

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	329644	11/04/16 16:55	RRS	TAL BUF

Laboratory References:

TAL BUF = TestAmerica Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

Certification Summary

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-108457-1

Laboratory: TestAmerica Buffalo

Unless otherwise noted, all analytes for this laboratory were covered under each certification below.

Authority	Program	EPA Region	Certification ID	Expiration Date
New York	NELAP	2	10026	03-31-17

The following analytes are included in this report, but certification is not offered by the governing authority:

Analysis Method	Prep Method	Matrix	Analyte
SM 4500 H+ B		Water	pH

Method Summary

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-108457-1

Method	Method Description	Protocol	Laboratory
8260C	Volatile Organic Compounds by GC/MS	SW846	TAL BUF
1664A	HEM and SGT-HEM	1664A	TAL BUF
SM 2540D	Solids, Total Suspended (TSS)	SM	TAL BUF
SM 4500 H+ B	pH	SM	TAL BUF

Protocol References:

1664A = EPA-821-98-002

SM = "Standard Methods For The Examination Of Water And Wastewater",

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL BUF = TestAmerica Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600



Sample Summary

Client: AECOM, Inc.
Project/Site: Scott Aviation site

TestAmerica Job ID: 480-108457-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
480-108457-1	EFFLUENT	Water	10/24/16 07:30	10/26/16 12:25
480-108457-2	INFLUENT	Water	10/24/16 07:30	10/26/16 12:25
480-108457-3	Trip Blank	Water	10/24/16 07:30	10/26/16 12:25

1

2

3

4

5

6

7

8

9

10

11

Login Sample Receipt Checklist

Client: AECOM, Inc.

Job Number: 480-108457-1

Login Number: 108457

List Number: 1

Creator: Kolb, Chris M

List Source: TestAmerica Buffalo

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time (Excluding tests with immediate HTs)..	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Sampling Company provided.	True	AECOM
Samples received within 48 hours of sampling.	True	
Samples requiring field filtration have been filtered in the field.	True	
Chlorine Residual checked.	N/A	

Chain of Custody Record

Client Information Company: AECOM, Inc. Address: 257 West Genesee Street Suite 400 City: Buffalo State/Zip: NY, 14202-2657 Phone: 716-866-8222 Email: dino.zack@aecom.com Project Name: Scott Aviation site/ Event Desc: Influent/Effluent analysis Site: New York		Lab PM: Fischer, Brian J E-Mail: brian.fischer@testamericainc.com Client Contact: Mr. Dino Zack Phone: 716-866-8222		COC No: 480-87409-1955.1 Page: Page 1 of 1 Job #:	
Due Date Requested: TAT Requested (days): STANDARD PO #: Purchase Order not requir WO #:		Center Tracking No(s): Analysis Requested 1664A, Calc - Total Petroleum Hydrocarbons (1664A) 2640D - Total Suspended Solids SM4500_H+ - pH 8260C - TCL list OLM04.2		Preservation Codes: A - HCL B - NaOH C - Zn / D - Nitri E - Nat F - Mec G - Am H - Asc I - Ice J - DI V K - ED1 L - EDA Other:	
Matrix (W=water, S=solid, O=volatile) Sample Type (C=Comp, G=grab) Sample Time Sample Date 10/24/16 0730 C 10/24/16 0730 C 10/24/16 0730 C		Field Filtered Sample (Yes or No) Perform MS/MSD (Yes or No) S N I A X X X X X X X X X X X X		Special Instructions/Note: Total Number of containers	
Possible Hazard Identification <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant Deliverable Requested: I, II, III, IV, Other (specify)		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months		Special Instructions/QC Requirements:	
Empty Kit Relinquished by: Dino Zack Relinquished by: Dino Zack Relinquished by: Dino Zack Relinquished by:		Method of Shipment: Received by: Dino Zack Received by: Dino Zack Received by:		Date/Time: 10/24/16 17:00hrs Date/Time: 10/25/16 12:05 Date/Time:	
Custody Seals Intact Yes <input type="checkbox"/> No <input type="checkbox"/>		Cooler Temperature(s) °C and Other Remarks: 4°C		Company: TAP Company: TAP Company:	

