



AECOM  
257 West Genesee Street, Suite 400  
Buffalo, New York 14202

716-856-5636    tel  
716-856-2545    fax

**November 11, 2020**

Mr. Glenn May, PG  
New York State Department of Environmental Conservation, Region 9  
270 Michigan Avenue  
Buffalo, NY 14203-2999

**Subject:** **Fiscal Fourth Quarter 2020 Groundwater Monitoring Report (07/23/20-10/14/20)**  
**October 2020 Sampling Event**  
**Former Scott Aviation Facility – West of Plant 2**  
**Lancaster, New York**  
**NYSDEC Site Code No. 9-15-149**

Dear Mr. May:

On behalf of Scott Figgie LLC (successor to Scott Technologies, Inc.), AECOM Technical Services, Inc. (AECOM) is pleased to provide this Fiscal Fourth Quarter 2020 Groundwater Monitoring Report for the former Scott Aviation Facility – West of Plant 2 area (site) located in Lancaster, New York (**Figure 1**). Quarterly groundwater monitoring activities have been performed in accordance with the New York State Department of Environmental Conservation (NYSDEC) Administrative Order on Consent (AOC), Index No. B9-0377095-05, for the former Scott Aviation facility (formerly Figgie International), NYSDEC Site Code No. 9-15-149. This report has been developed in accordance with the NYSDEC Division of Environmental Remediation, DER-10 Technical Guidance for Site Investigation and Remediation, dated May 3, 2010.

Groundwater samples were collected from select monitoring wells in fulfillment of the site AOC for groundwater monitoring requirements. A revised monitoring schedule was implemented based on Table 13 presented in the Periodic Review Report (PRR) (April 8, 2019 through April 10, 2020), dated June 25, 2020, and the analyses performed on the groundwater sampled during this monitoring event reflect this schedule. Additionally, vapor samples were collected from the air stripper and dual phase extraction (DPE) vacuum pump sampling discharge ports as part of the October 2020 sampling event, to ensure that the treated system effluent was in compliance with NYSDEC vapor discharge guidance criteria. Included in this report are a description of the project background, groundwater and vapor monitoring activities, operation and maintenance (O&M) activities for the groundwater DPE remediation system, and a summary of groundwater quality and vapor effluent results.

### **Project Background**

Scott Aviation, Inc. was sold to Zodiac Acquisition Corporation in 2004, and the facility is now occupied by AVOX Systems Inc. (AVOX). Per the purchase and sale agreement, the responsibility for the DPE groundwater remediation system located at 25A Walter Winter Drive, west of AVOX Plant 2, was retained for a designated period of years by Scott Technologies, Inc., the former parent company of Scott Aviation, Inc. Due to an organizational change, Scott Figgie LLC has replaced Scott Technologies, Inc. as the entity responsible under that agreement for the remediation of the subject site until the designated period ends. Scott Figgie has retained the services of AECOM for the ongoing O&M of the DPE remediation system and related groundwater monitoring activities.

AECOM conducted a site investigation during February 2003 in fulfillment of the document Site Investigation Work Plan dated December 31, 2002 (NYSDEC approval dated January 15, 2003). A comprehensive "Site Investigation Completion Report" (SICR) was submitted to NYSDEC on June 30, 2003; the report was approved by NYSDEC in August 2003. At the request of NYSDEC, AECOM prepared a "Remedial Design Work Plan" (RDWP) to complete the additional remedial work recommended in the SICR. The RDWP was submitted to NYSDEC on November 21, 2003, and the document was approved by NYSDEC on January 5, 2004.

Per the approved RDWP, a DPE remediation system was installed at the site during the period February 2004 through May 2004, and the DPE system was initially started on May 14, 2004. The DPE system was combined with a pre-existing groundwater collection trench (GWCT) system that was started on March 1, 1996.

The objectives for this combined remediation system (collectively known as the combined DPE remediation system) include:

- Maintaining hydraulic capture of groundwater containing dissolved volatile organic compounds (VOCs) along the western Plant 2 property boundary;
- Inducing a depression in the water table surface and reversing the groundwater flow direction along the western Plant 2 property boundary; and,
- Reducing VOC concentrations in perched groundwater and soil.

**Figure 2** depicts the location of site groundwater monitoring wells and piezometers, DPE recovery wells and system piping, enclosed DPE system trailer, GWCT, and treatment building. **Figure 3** provides the process and instrumentation diagram for the combined DPE remediation system.

At the conclusion of the initial one-year O&M period (May 14, 2004 to July 19, 2005), a "Remedial Action Engineering Report" (RAER) was prepared to summarize the combined DPE remediation system as-built design, combined DPE remediation system start-up, O&M activities, and quarterly monitoring data, and to provide recommendations for continued system operation, system optimization, sampling frequency, and O&M. The 2005 RAER was submitted to NYSDEC on November 11, 2005. In a letter dated December 13, 2005, NYSDEC accepted the 2005 RAER and requested that site monitoring wells MW-4, MW-8R, and MW-16S be added to the quarterly site sampling schedule.

The second year of combined DPE groundwater remediation system operation was summarized in the 2006 RAER (July 20, 2005 through July 20, 2006) and was submitted to NYSDEC in November 2006. The third year of combined DPE groundwater remediation system operation was summarized in the 2007 RAER (July 21, 2006 through October 15, 2007) and was submitted to NYSDEC in January 2008. The fourth year of combined DPE groundwater remediation system operation was summarized in the 2008 RAER (October 15, 2007 through January 22, 2009) and was submitted to NYSDEC in April 2009. The fifth year of combined DPE groundwater remediation system operation was summarized in the 2009 RAER (January 22, 2009 through April 8, 2010) and was submitted to NYSDEC in June 2010.

Per a letter from NYSDEC dated August 16, 2010, an Institutional Controls/Engineering Controls (IC/EC) certification has been, as of that correspondence, required for the site each calendar year, and is to include four quarters of groundwater sampling based on the current **Table 1**. **Table 1** is updated quarterly; the attached **Table 1** presents the groundwater monitoring schedule for the site from January 2021 through October 2021. The August 2010 NYSDEC letter also stated that, as of that correspondence, the RAER should be revised into a Periodic Review Report (PRR). Therefore, the sixth year of combined DPE groundwater remediation system operation was summarized in a PRR (April 8, 2010 through April 7, 2011) and submitted to NYSDEC in June 2011. The seventh

year of combined DPE groundwater remediation system operation was summarized in a PRR (April 7, 2011 through April 3, 2012) and submitted to NYSDEC in May 2012. The eighth year of combined DPE groundwater remediation system operation was summarized in a PRR (April 3, 2012 through April 3, 2013) and submitted to NYSDEC in July 2013. The ninth year of combined DPE groundwater remediation system operation was summarized in a PRR (April 3, 2013 through April 7, 2014) and submitted to NYSDEC in July 2014. The tenth year of combined DPE groundwater remediation system operation was summarized in a PRR (April 7, 2014 through April 7, 2015) and submitted to NYSDEC in July 2015. The eleventh year of combined DPE groundwater remediation system operation was summarized in a PRR (April 7, 2015 through April 7, 2016) and submitted to NYSDEC in November 2016. The twelfth year of combined DPE groundwater remediation system operation was summarized in a PRR (April 7, 2016 through April 20, 2017) and submitted to NYSDEC on May 30, 2017. The thirteenth year of combined DPE groundwater remediation system operation was summarized in a PRR (April 20, 2017 through April 18, 2018) and submitted to NYSDEC on May 31, 2018. During the past year, the fourteenth PRR (April 18, 2018 through April 8, 2019) was completed and submitted to NYSDEC on June 15, 2019; per NYSDEC comment letter dated August 2, 2019, the fourteenth PRR was revised and resubmitted on August 8, 2019. The fourteenth PRR was approved via email by NYSDEC on December 31, 2019. On June 25, 2020, AECOM submitted the fifteenth PRR to NYSDEC which summarized the combined DPE groundwater remediation system operation between April 8, 2019 through April 10, 2020. An IC/EC certification was included with each PRR except #10 through #14; NYSDEC informed AECOM via email that an IC/EC certification form was not auto-generated by the NYSDEC during those years and therefore to submit those PRRs without an IC/EC certification. In 2020, PRR #15 contains an IC/EC certification.

### **Quarterly Groundwater Monitoring Activities – October 2020**

AECOM personnel collected quarterly groundwater samples on October 13 through 14, 2020 (vapor samples were collected on October 7, 2020), in accordance with the procedures outlined in the NYSDEC-approved November 2003 RDWP and the August 2010 letter. October 2020 groundwater samples were collected from nine monitoring wells and piezometers (MW-2, MW-3, MW-4, MW-8R, MW-11, MW-13S, MW-13D, MW-16S, MW-16D), the GWCT, and eight DPE wells (DPE-1, DPE-2, DPE-3, DPE-4, DPE-5, DPE-6, DPE-7, and DPE-8) (**Figure 2**). Field forms generated during this sampling event are provided in **Appendix A**. Groundwater samples were analyzed for VOCs and total organic carbon (TOC) by Eurofins TestAmerica Laboratories, Inc. (Amherst, New York) using United States Environmental Protection Agency (EPA) SW-846 Method 8260C and SW-846 Method 9060A respectively. Six wells were also sampled for monitored natural attenuation parameters.

Prior to the collection of groundwater samples, a complete round of groundwater levels was measured in all site monitoring wells and piezometers. **Table 2** provides a summary of groundwater elevations measured on October 13, 2020. A summary of current and historical groundwater levels and corresponding elevations and hydrographs for each active monitoring well and nested piezometer pair is provided in **Appendix B**. Monitoring well MW-2 is screened across the shallow overburden groundwater zone while MW-3, MW-4, MW-8R, MW-9, and MW-11 are screened across both the shallow and deep overburden groundwater zones. The nested piezometer pairs (MW-13S/D, MW-14S/D, MW-15S/D, and MW-16S/D) are discretely screened with one piezometer screened in the shallow overburden groundwater zone ('S' designation) and one piezometer screened in the deep overburden groundwater zone ('D' designation). DPE wells DPE-1, DPE-3, DPE-5, DPE-6, and DPE-8 are screened in the shallow water-bearing unit, while DPE-2, DPE-4, and DPE-7 are screened in the deep water-bearing unit. The GWCT is installed in the deep overburden water-bearing unit.

Two groundwater surface contour maps for October 2020 are provided. The average water levels calculated for the nested piezometer pairs and monitoring wells, in conjunction with GWCT water level data, were used to generate the groundwater surface contours presented in **Figure 4**.

**Figure 5** illustrates the groundwater surface contours using only monitoring well and deep piezometer and GWCT water level data.

Groundwater elevations measured from monitoring wells and piezometers on October 13, 2020 ranged from 684.19 feet above mean sea level (AMSL) at MW-15S to 666.57 feet AMSL at MW-14D. The average groundwater surface elevation across the site was 2.15 feet lower when compared to the prior round of groundwater elevation measurements collected in July 2020. The decrease in groundwater elevations may be attributable to seasonal variations. Note: the DPE system and the GWCT were on-line during the October 2020 groundwater sampling event. Based on the October 2020 groundwater level measurements, the groundwater surface beneath the Site continues to exhibit inward flow towards the GWCT. As **Figures 4** and **5** illustrate, the GWCT induces groundwater flow reversal along the western AVOX Plant 2 property boundary. This reversal in groundwater flow provides hydraulic capture of VOCs present in the shallow and deep overburden groundwater that might otherwise migrate off-site.

### Groundwater Quality Results – October 2020

**Tables 3, 4 and 5** summarize VOC data for groundwater samples collected in October 2020 from the monitoring wells and piezometers, DPE wells, and GWCT, respectively. The table below summarizes VOCs detected in groundwater above their detection limits, their respective concentration ranges, the number of detections, and the number of those detections that exceeded the site-specific Remedial Action Objectives (RAOs) or the guidance values in New York Code, Rules, and Regulations (NYCRR), Title 6, Parts 702.15(a)(2) and 703.5. Note that in some cases the detection limits for certain VOCs were set above their respective RAO's due to dilution factors (high concentration of target analyte[s]). Consistent with previous quarterly reports, the table below summarizes only monitoring wells and piezometers (GWCT and DPE well results are not included).

#### Groundwater Quality Results October 2020

| VOCs Detected in Groundwater | Concentration Range (micrograms per liter) | Number of Detections | RAO/NYCRR Exceedances |
|------------------------------|--|----------------------|-----------------------|
| Chloroethane                 | 3.0 – 2,000                                | 6                    | 4                     |
| Vinyl Chloride               | 1.5 – 60,000                               | 5                    | 4                     |
| cis-1,2-Dichloroethene       | 1.4 – 24,000                               | 5                    | 3                     |
| Acetone                      | 4.3 – 20                                   | 4                    | 0                     |
| Toluene                      | 4.2 – 680                                  | 3                    | 2                     |
| 1,1-Dichloroethane           | 0.64 – 23                                  | 3                    | 1                     |
| Methylene Chloride           | 0.46 – 0.52                                | 2                    | 0                     |
| Trichloroethane              | 0.60                                       | 1                    | 0                     |
| 1,2-Dichloroethane           | 0.47                                       | 1                    | 0                     |
| 2-Hexanone                   | 10   | 1                    | 0                     |

Ten VOCs were detected in groundwater from monitoring wells and piezometers sampled above their associated detection limits during the monitoring period. Five of the ten VOCs detected exceeded either the site-specific RAOs for groundwater or the NYCRR criteria. Note that acetone or methylene chloride, laboratory cleaning compounds, were detected in six of the nine samples. The occurrences of constituents of potential concern were detected primarily in the vicinity of the

former on-site source area. VOC concentrations decrease significantly in the vicinity of the perimeter monitoring wells.

An electronic copy of the analytical laboratory data package for the October 2020 groundwater monitoring event is provided in **Appendix C**. A complete hard copy of the analytical data report can be made available to NYSDEC upon request.

The presence and distribution of trichloroethene (TCE) degradation products cis-1,2-dichlorethane (cis-1,2-DCE) and vinyl chloride (VC), and of 1,1,1-trichloroethane (1,1,1-TCA) degradation products 1,1-dichlorethane (1,1-DCA) and chloroethane, provides supportive evidence that the attenuation of TCE and 1,1,1-TCA continues to occur on the site via reductive dechlorination. The occurrence of these degradation products appears to be directly related to the historic distribution of TCE and 1,1,1-TCA in the subsurface. In addition, the virtual elimination of TCE and 1,1,1-TCA concentrations between Third Quarter 2015 and the current reporting period can be attributed to the injection pilot test performed in November 2014 using the injectate Anaerobic BioChem and zero valent iron (ABC+®), the injection treatment in April/May 2015 using ABC+®, and the most recent injection treatment in November 2018 using ABC-Ole+® (ABC-Ole+® is a mixture of Anaerobic BioChem, zero valent iron, and emulsified fatty acids). For details of the injection programs, refer to the NYSDEC-approved 2014 Injection Pilot Test Work Plan dated November 6, 2014, the NYSDEC-approved 2015 addendum to the 2014 Injection Pilot Test Work Plan dated April 28, 2015, and the NYSDEC-approved 2018 Injection Pilot Test Work Plan dated October 31, 2018. A summary of the November 2018 injection program was included in the 2019 PRR (August 8, 2019).

Historical trend plots for the wells sampled during this quarter for concentrations of TCE, cis-1,2-DCE, VC, 1,1,1-TCA, 1,1-DCA, and chloroethane are provided in **Appendix D**. As stated above, the VOC concentrations in groundwater continue to show a degradation trend both as a result of naturally occurring reductive dechlorination processes, and as a result of the injection programs. Additionally, historical concentrations of VOCs in soil vapor and groundwater are also decreasing as a result of extraction and treatment through the combined DPE remediation system. Because TCE has been considered the primary source of groundwater contamination at the site, a summary of historical and current TCE concentrations in groundwater for six of the nine monitoring wells and piezometers sampled in October 2020 is included in **Table 6**. Recall that the DPE component of the combined remediation system was started May 14, 2004 and the injection of ABC+® occurred in November 2014 and April/May 2015, with a follow up injection of ABC-Ole+® in November 2018. In addition, a chemical oxidation injection pilot test was performed between July and October 2010, and a second series of chemical oxidation injections was performed between June and October 2011.

**Table 6** shows a summary of historical and current TCE concentrations. Based on the October 2020 groundwater data, there was one detection of TCE (MW-13S at 0.60 micrograms per liter) but well below the site-specific RAOs for groundwater. Note: there were detections of TCE in three of the eight DPE wells (DPE-3, DPE-4, and DPE-8), all three detections exceeded the site-specific RAOs for groundwater; refer to **Table 4** for a summary of the DPE groundwater analytical data. It is important to note that the November 2014 injections were centered on MW-4 and MW-8R, while the April/May 2015 and November 2018 injections included an expanded area which also included MW-13S/D and MW-16S/D. Overall, decreases in TCE concentrations observed since the combined DPE groundwater remediation system was installed in May 2004 indicate that the system continues to reduce VOC concentrations in overburden groundwater and soil at the site. Based on the decreases in concentration of TCE at these locations, as well as other locations with historical detections of TCE, the previous injections appear to be contributing to the ongoing degradation of TCE. This is most clearly demonstrated on the TCE trend plots in **Figures 6 through 9** for monitoring wells MW-4, MW-8R, MW-13S, and MW-16S.

## Quarterly Combined DPE Remediation System Vapor Effluent Monitoring Activities – October 2020

AECOM personnel collected vapor effluent samples from the combined groundwater remediation system vapor discharge stacks on October 7, 2020. Summa canisters were used to collect the vapor samples from the permanent sample port located on the air stripper discharge stack and from the DPE vacuum pump discharge stack. **Figure 3** shows the location of the vapor sample ports. The vapor samples were analyzed for VOCs using EPA Method TO-15 by Eurofins TestAmerica Laboratories, Inc., Burlington, Vermont.

### Combined DPE Remediation System Effluent Monitoring Results – October 2020

The system vapor effluent results are summarized in **Table 7**, and an electronic copy of the analytical laboratory data package is provided on the enclosed CD in **Appendix C**. Twelve VOCs were detected in the AS unit effluent and five VOCs were detected in the DPE vacuum pump effluent. The total VOCs discharged were 94 micrograms per cubic meter in the combined AS and DPE vacuum pump unit effluents. The calculated VOC discharge-loading rate for the combined DPE remediation system was approximately 0.00006 pounds per hour (lb/hr), which is well below the NYSDEC discharge guidance value of 0.5 lb/hr.

### Combined DPE Remediation System Operation and Maintenance

Throughout the duration of the reporting period, AECOM monitored system performance, conducted routine O&M, and responded to potential system alarms and periodic breakdowns of the combined DPE remediation system.

- On September 28, 2020 AECOM met with subcontractor Matrix Environmental Technologies, Inc. (Matrix) to troubleshoot the GWCT and DPE remediation systems; debris was removed from the air stripper effluent check valve, and the Moyno pump on the knockout tank was not working properly (i.e., the stator was damaged). A new stator was ordered.
- On October 5, 2020, AECOM oversaw Matrix replace the knockout tank transfer pump stator; the DPE system was restarted.

Based on a system operational period from July 21, 2020 (Third Quarter 2020 BSA compliance sampling event) to October 7, 2020 (Fourth Quarter 2020 BSA compliance sampling event), the estimated total volume of groundwater (including potential water collected in the remediation building sump) treated and discharged by the AS unit to the local sanitary sewer was 88,760 gallons, at an average flow rate of 0.8 gallons per minute.

### Summary


The combined DPE remediation system was fully operational during the Fourth Quarter 2020 sampling event. TCE was not detected above its RAO in site perimeter monitoring wells MW-2, MW-3, and MW-11. Following the November 2014 injection pilot test, and the subsequent April/May 2015 and November 2018 injection treatments, significant reductions in TCE concentrations have been measured at MW-4, MW-8R, MW-13S, and MW-16S.

Based on the results of the October 2020 sampling event, the combined DPE remediation system continues to maintain hydraulic capture of the overburden groundwater. In addition, the system continues to make progress towards the reduction of the concentration of VOCs present in site soil and groundwater. Vapor emissions produced by the system during the Fourth Quarter 2020 event were well below the NYSDEC discharge guidance value of 0.5 lb/hr.

The next monitoring event, the First Quarter sampling event, is planned for January 2021; a list of the monitoring wells and piezometers to be sampled is included in **Table 1**.

If you have any questions regarding this submission, please do not hesitate to contact me at (716) 923-1125 or via e-mail at [dino.zack@aecom.com](mailto:dino.zack@aecom.com).

Yours sincerely,



Dino L. Zack, PG, STS  
Project Manager  
[dino.zack@aecom.com](mailto:dino.zack@aecom.com)

\Enclosures

cc: Mr. Stuart Rixman, GSF Management Company, LLC (electronic copy)  
Mr. Troy Chute, GSF Management Company, LLC (electronic copy)  
Mr. Raymond DeCarlo, AVOX Systems Inc. (electronic copy)  
Mr. Allen Thomalla, AVOX Systems Inc. (electronic copy)  
Project File 60538931

## Tables

**Table 1**

**Proposed Groundwater Monitoring Schedule - January 2021 through October 2021**  
**Former Scott Aviation Facility**  
**NYSDEC Site Code No. 9-15-149**  
**Lancaster, New York**

| Event Date   | Number of Locations Scheduled for Sampling | Locations Scheduled for Sampling                                 |  |   |  |
|--|--|--|--|---|--|
| <b>Quarterly Groundwater Monitoring</b>            |  |  |  |   |  |
| January 2021                                       | 18   | MW-2<br>MW-11<br>MW-16D<br>DPE-4<br>DPE-8                        | MW-3<br>MW-13S<br>DPE-1<br>DPE-5<br>GWCT             | MW-4<br>MW-13D<br>DPE-2<br>DPE-6                                  | MW-8R<br>MW-16S<br>DPE-3<br>DPE-7            |
| <b>Comprehensive Annual Groundwater Monitoring</b> |  |  |  |   |  |
| April 2021   | 23   | MW-2<br>MW-9<br>MW-14S<br>MW-16S* <sup>^</sup><br>DPE-3<br>DPE-7 | MW-3<br>MW-11*<br>MW-14D<br>MW-16D<br>DPE-4<br>DPE-8 | MW-4* <sup>^</sup><br>MW-13S*<br>MW-15S<br>DPE-1<br>DPE-5<br>GWCT | MW-8R*<br>MW-13D<br>MW-15D<br>DPE-2<br>DPE-6 |
| <b>Quarterly Groundwater Monitoring</b>            |  |  |  |   |  |
| July 2021  | 18   | MW-2<br>MW-11<br>MW-16D<br>DPE-4<br>DPE-8                        | MW-3<br>MW-13S<br>DPE-1<br>DPE-5<br>GWCT             | MW-4<br>MW-13D<br>DPE-2<br>DPE-6                                  | MW-8R<br>MW-16S<br>DPE-3<br>DPE-7            |
| October 2021                                       | 18   | MW-2<br>MW-11*<br>MW-16D<br>DPE-4<br>DPE-8                       | MW-3<br>MW-13S*<br>DPE-1<br>DPE-5<br>GWCT            | MW-4*<br>MW-13D<br>DPE-2<br>DPE-6                                 | MW-8R*<br>MW-16S*<br>DPE-3<br>DPE-7          |

DPE-## - Dual Phase Extraction Well

GWCT - Groundwater Collection Trench

\* - Locations to be included for MNA sampling

^ - Locations tentatively to be included for dechlorinating bacteria sampling

**Table 2**

**Quarterly Groundwater Monitoring Water Level Data - October 13, 2020**  
**Former Scott Aviation Facility**  
**NYSDEC Site Code No. 9-15-149**  
**Lancaster, New York**

| Monitoring Point Identification | Top of Casing Elevation (feet AMSL) | Depth to Water (feet from TOC) | Ground Water Elevation (feet AMSL) |
|---------------------------------|-------------------------------------|--------------------------------|------------------------------------|
| <b>Monitoring Wells</b>         |                                     |                                |                                    |
| MW-2                            | 688.62                              | 6.50                           | 682.12                             |
| MW-3                            | 687.05                              | 10.41                          | 676.64                             |
| MW-4                            | 686.50                              | 11.72                          | 674.78                             |
| MW-8R                           | 686.29                              | 10.39                          | 675.90                             |
| MW-9                            | 689.57                              | 14.72                          | 674.85                             |
| MW-11                           | 688.61                              | 11.81                          | 676.80                             |
| <b>Nested Piezometers</b>       |                                     |                                |                                    |
| MW-13S                          | 686.65                              | 8.84                           | 677.81                             |
| MW-13D                          | 686.78                              | 10.16                          | 676.62                             |
| MW-14S                          | 685.74                              | 6.18                           | 679.56                             |
| MW-14D                          | 685.88                              | 19.31                          | 666.57                             |
| MW-15S                          | 687.17                              | 2.98                           | 684.19                             |
| MW-15D                          | 687.87                              | 13.55                          | 674.32                             |
| MW-16S                          | 688.15                              | 10.38                          | 677.77                             |
| MW-16D                          | 688.16                              | 13.30                          | 674.86                             |
| <b>Remedial System</b>          |                                     |                                |                                    |
| GWCT Manhole (rim)              | 687.22                              | 21.95                          | 665.27                             |

**Notes:**

TOC - Top of Casing

AMSL - Above Mean Sea Level

GWCT - Groundwater Collection Trench

GWCT is 200 feet long with a 0.01 foot/foot slope to the collection manhole

Locations re-surveyed on February 23, 2016

**Table 3**

**Summary of Monitoring Well Analytical Data - October 2020**  
**Former Scott Aviation Facility**  
**NYSDEC Site Code No. 9-15-149**  
**Lancaster, New York**

| Sample ID  | Groundwater | MW-2         | MW-3         | MW-4         | MW-8R        | MW-11        | MW-13S       | MW-13D       | MW-16S       | MW-16D       |
|--|-------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|--------------|
| Date Collected                                   | RAO/NYCRR   | 10/14/20     | 10/13/20     | 10/14/20     | 10/14/20     | 10/13/20     | 10/13/20     | 10/13/20     | 10/14/20     | 10/14/20     |
| Lab Sample ID                                    | Objective   | 480-176566-3 | 480-176470-1 | 480-176566-1 | 480-176566-2 | 480-176470-2 | 480-176470-3 | 480-176470-4 | 480-176566-4 | 480-176566-5 |
| Volatile Organic Compounds by Method 8260 (µg/L) |             |              |              |              |              |              |              |              |              |              |
| 1,1-Dichloroethane                               | 5*          | < 2.0        | U            | 23           | < 4.0        | U            | 1.9 J        | 0.64 J       | < 1.0 U      | < 1.0 U      |
| 1,2-Dichloroethane                               | 0.6         | < 2.0        | U            | 0.47 J       | < 4.0        | U            | < 2.0 U      | < 1.0 U      | < 1.0 U      | < 1.0 U      |
| 2-Hexanone                                       | 50          | < 10         | U            | < 5.0 U      | 10 J         | < 10 U       | < 5.0 U      | < 5.0 U      | < 5,000 U    | < 5.0 U      |
| Acetone  | 50          | < 20         | U            | < 10 U       | 20 J         | 13 J         | < 10 U       | < 10 U       | 16           | < 10,000 U   |
| Chloroethane                                     | 5*          | < 2.0        | U            | 3.0          | 73           | 18           | < 1.0 U      | 3.8          | 3.5          | 2,000        |
| cis-1,2-Dichloroethene                           | 5*          | < 2.0        | U            | 4.4          | < 4.0 U      | 170          | 1.4          | 12           | < 1.0 U      | 24,000       |
| Methylene Chloride                               | 5           | < 2.0        | U            | 0.52 J       | < 4.0 U      | < 2.0 U      | 0.46 J       | < 1.0 U      | 0.66 J       | < 1,000 U    |
| Toluene  | 5*          | < 2.0        | U            | < 1.0 U      | 4.2          | 12           | < 1.0 U      | < 1.0 U      | 680 J        | < 1.0 U      |
| Trichloroethene                                  | 5*          | < 2.0        | U            | < 1.0 U      | < 4.0 U      | < 2.0 U      | < 1.0 U      | 0.60 J       | < 1.0 U      | < 1,000 U    |
| Vinyl chloride                                   | 5*          | < 2.0        | U            | 41           | < 4.0 U      | 82           | 1.5          | 12           | < 1.0 U      | 60,000       |
| Total Volatile Organic Compound                  | NL          | 0.0          |              | 72           | 49           | 297          | 4.0          | 28           | 20           | 86,680       |
|  |             |              |              |              |              |              |              |              |              | 35           |

**Table 4**

**Summary of Dual Phase Extraction Well Groundwater Analytical Data  
Former Scott Aviation Facility - West of Plant 2  
NYSDEC Site Code No. 9-15-149  
Lancaster, New York**

| Sample ID  | Groundwater RAO/ NCRR Objective | DPE-1 04/17/14 | DPE-1 04/06/16 | DPE-1 07/06/16 | DPE-1 10/27/16 | DPE-1 01/16/17 | DPE-1 04/18/17 | DPE-1 07/11/17 | DPE-1 10/19/17 | DPE-1 01/10/18 | DPE-1 07/22/19 | DPE-1 10/14/19 | DPE-1 01/06/20 | DPE-1 04/06/20 | DPE-1 07/22/20 | DPE-1 10/13/20 |      |  |
|--|---------------------------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|------|--|
| Lab Sample ID                                    |                                 | 480-58303-1    | 480-97989-10   | 480-102662-9   | 480-108538-3   | 480-112334-10  | 480-116720-17  | 480-121042-17  | 480-126348-2   | 480-129995-14  | 480-156622-8   | 480-160839-8   | 480-165026-10  | 480-168383-8   | 480-172827-7   | 480-176470-5   |      |  |
| Volatile Organic Compounds by Method 8260 (ug/L) |                                 |                |                |                |                |                |                |                |                |                |                |                |                |                |                |                |      |  |
| 1,1,1-Trichloroethane                            | 5 <sup>*</sup>                  | 10 U           | 20 U           | 10 U           | 5.0 U          | 20 U           | 7.7            | 1.0 U          | 1.0 U          | 10 U           | 20 U           | 20 U           | 20 U           | 10 U           | 10 U           | 10 U           |      |  |
| 1,1-Dichloroethane                               | 5 <sup>*</sup>                  | <b>69</b>      | <b>130</b>     | 10 U           | <b>21</b>      | <b>20</b>      | 5.0 U          | 2.8            | 2.4            | <b>67</b>      | 10 U           | <b>78</b>      | <b>94</b>      | <b>120</b>     | <b>100</b>     | 10 U           | 10 U |  |
| 1,1-Dichloroethene                               | 5                               | 10 U           | 20 U           | 10 U           | 5.0 U          | 20 U           | 5.0 U          | 1.0 U          | 1.0 U          | 0.98 J         | 10 U           | 20 U           | 20 U           | 20 U           | 10 U           | 10 U           | 10 U |  |
| 1,2-Dichloroethane                               | 0.6                             | 10 U           | 20 U           | 10 U           | <b>1.1 J</b>   | 20 U           | 5.0 U          | 1.0 U          | 1.0 U          | 1.0 U          | 10 U           | 20 U           | 20 U           | 20 U           | 10 U           | 10 U           | 10 U |  |
| 2-Butanone (MEK)                                 | 50                              | <b>140</b>     | 200 U          | 100 U          | <b>24 J</b>    | 200 U          | 50 U           | <b>10</b>      | <b>33 J</b>    | <b>58</b>      | 100 U          | 200 U          | <b>72 U</b>    | <b>91 J</b>    | 100 U          | <b>32 J</b>    |      |  |
| 2-Hexanone                                       | 50                              | 50 U           | 100 U          | 50 U           | 25 U           | 100 U          | 25 U           | 5.0 U          | 5.0 U          | 2.6 J          | 50 U           | 100 U          | 100 U          | 100 U          | 50 U           | 50 U           |      |  |
| Ethylbenzene                                     | 5                               | 10 U           | 20 U           | 10 U           | 5.0 U          | 20 U           | 5.0 U          | 1.0 U          | 0.51 J         | 2.3            | 10 U           | 20 U           | 20 U           | 20 U           | 10 U           | 10 U           |      |  |
| Acetone  | 50                              | <b>310</b>     | 200 U          | 100 U          | <b>64</b>      | <b>65 J</b>    | 50 U           | <b>36</b>      | 84             | <b>160</b>     | 36 J           | <b>83 J</b>    | <b>200 J</b>   | <b>320</b>     | <b>93 J</b>    | <b>150</b>     |      |  |
| Benzene  | 1                               | 10 U           | 20 U           | 10 U           | 5.0 U          | 20 U           | 5.0 U          | 1.0 U          | 1.0 U          | <b>1.6</b>     | 10 U           | 20 U           | 20 U           | 20 U           | 10 U           | 10 U           |      |  |
| Carbon Disulfide                                 | 60                              | 10 U           | 20 U           | 10 U           | 5.0 U          | 20 U           | 5.0 U          | 1.0 U          | 0.57           | <b>1.0</b>     | 10 U           | 20 U           | 20 U           | 20 U           | 10 U           | 10 U           |      |  |
| Chloroethane                                     | 5 <sup>*</sup>                  | <b>15</b>      | 20 U           | 10 U           | <b>9.2</b>     | <b>15 J</b>    | <b>24</b>      | <b>4.1</b>     | <b>7.6</b>     | <b>20</b>      | 10 U           | 20 U           | <b>16 J</b>    | 20 U           | <b>14</b>      | 10 U           |      |  |
| Chloromethane                                    | 5                               | 10 U           | <b>18 J</b>    | 10 U           | 5.0 U          | 20 U           | 5.0 U          | 1.0 U          | 1.0 U          | 1.0 U          | 10 U           | 20 U           | 20 U           | 20 U           | 10 U           | 10 U           |      |  |
| cis-1,2-Dichloroethene                           | 5 <sup>*</sup>                  | <b>71</b>      | <b>130</b>     | 10 U           | <b>25</b>      | <b>16 J</b>    | <b>12</b>      | <b>2.4</b>     | <b>5.3</b>     | <b>58</b>      | 10 U           | <b>73</b>      | <b>90</b>      | <b>140</b>     | <b>120</b>     | 10 U           |      |  |
| Methylene Chloride                               | 5                               | 10 U           | 20 U           | 10 U           | 4.3 J          | 20 U           | 5.0 U          | 1.0 U          | 5.0 U          | 1.0 U          | 10 U           | <b>24</b>      | 20 U           | 20 U           | 10 U           | <b>12</b>      |      |  |
| Toluene  | 5 <sup>*</sup>                  | <b>18</b>      | <b>29</b>      | 10 U           | <b>5.7</b>     | 20 U           | <b>3.8 J</b>   | <b>0.74 J</b>  | <b>3.6</b>     | <b>14</b>      | 10 U           | <b>13 J</b>    | <b>13 J</b>    | <b>19 J</b>    | <b>18</b>      | 10 U           |      |  |
| trans-1,2-Dichloroethene                         | 5                               | 10 U           | 20 U           | 10 U           | 5.0 U          | 20 U           | 5.0 U          | 1.0 U          | 1.0 U          | <b>1.0</b>     | 10 U           | 20 U           | 20 U           | 20 U           | 10 U           | 10 U           |      |  |
| Trichloroethene                                  | 5 <sup>*</sup>                  | <b>23</b>      | <b>18 J</b>    | 10 U           | <b>4.7 J</b>   | 20 U           | <b>1.3 J</b>   | 1.0 U          | 1.0 U          | <b>10</b>      | 10 U           | 20 U           | 20 U           | <b>20</b>      | <b>13</b>      | 10 U           |      |  |
| Vinyl chloride                                   | 5 <sup>*</sup>                  | <b>15</b>      | <b>31</b>      | 10 U           | <b>6.8</b>     | 20 U           | 5.0 U          | 1.0 U          | 1.1            | <b>15</b>      | 10 U           | <b>20</b>      | <b>25</b>      | <b>35</b>      | <b>32</b>      | 10 U           |      |  |
| Xylenes, Total                                   | 5                               | 20 U           | 40 U           | 20 U           | 10 U           | 40 U           | 10 U           | 2.0 U          | 2.0 U          | 6.9            | 20 U           | 40 U           | 40 U           | 40 U           | 20 U           | 20 U           |      |  |

Notes:

The DPE system was put back on line following the third quarter 2016 sampling event.

The injection of ABC-Ole® occurred in November 2014 and April/May 2015.

The injection of ABC-Ole® with ZVI occurred in November 2018.

Bold font indicates the analyte was detected.

Bold font and bold outline indicates the screening criteria was exceeded.

\* Site-specific RAO per ROD (November 1994)

J - Analyte detected at a level less than the reporting limit and greater than or equal to the method detection limit; concentrations estimated.

U - Not detected at or above reporting limit.

NS - Not sampled.

**Table 4**

**Summary of Dual Phase Extraction Well Groundwater Analytical Data  
Former Scott Aviation Facility - West of Plant 2  
NYSDEC Site Code No. 9-15-149  
Lancaster, New York**

| Sample ID  | Groundwater RAO/ NYCR Objective | DPE-2 04/17/14 | DPE-2 04/06/16 | DPE-2 07/06/16 | DPE-2 01/16/17 | DPE-2 04/18/17 | DPE-2 07/11/17 | DPE-2 10/23/17 | DPE-2 01/10/18 | DPE-2 04/13/18 | DPE-2 07/12/18 | DPE-2 10/25/18 | DPE-2 01/09/19 | DPE-2 04/08/19 | DPE-2 07/22/19 | DPE-2 10/14/01 | DPE-2 01/06/20 | DPE-2 04/06/20 | DPE-2 07/22/20 | DPE-2 10/13/20 |            |           |           |           |   |     |   |     |   |     |           |
|--|---------------------------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|------------|-----------|-----------|-----------|---|-----|---|-----|---|-----|-----------|
| Date Collected                                   |                                 |                |                |                |                |                |                |                |                |                |                |                |                |                |                |                |                |                |                |                |            |           |           |           |   |     |   |     |   |     |           |
| Volatile Organic Compounds by Method 8260 (µg/L) |                                 |                |                |                |                |                |                |                |                |                |                |                |                |                |                |                |                |                |                |                |            |           |           |           |   |     |   |     |   |     |           |
| 1,1-Dichloroethane                               | 5*                              | <b>4.4</b>     | 5.0            | U              | 5.0            | U              | 1.0            | U              | 5.0            | U              | 1.0            | U              | 0.49           | J              | 1.0            | U              | <b>0.65</b>    | J              | 2.0            | U              | 1.0        | U         |           |           |   |     |   |     |   |     |           |
| 2-Butanone (MEK)                                 | 50                              | 50             | U              | 50             | U              | 50             | U              | <b>3.2</b>     | J              | 50             | U              | 10             | U              | 10             | U              | 10             | U              | 20             | U              | 10             | U          | 10        | U         |           |   |     |   |     |   |     |           |
| Acetone  | 50                              | 50             | U              | 50             | U              | 50             | U              | 10             | U              | 50             | U              | <b>6.0</b>     | J              | <b>3.4</b>     | J              | 10             | U              | 10             | U              | 20             | U          | 10        | U         |           |   |     |   |     |   |     |           |
| Benzene  | 1                               | 5.0            | U              | 5.0            | U              | 5.0            | U              | 1.0            | U              | 5.0            | U              | 1.0            | U              | 1.0            | U              | 1.0            | U              | <b>0.47</b>    | J              | 2.0            | U          | 1.0       | U         |           |   |     |   |     |   |     |           |
| Carbon Disulfide                                 | 60                              | 5.0            | U              | 5.0            | U              | 5.0            | U              | 1.0            | U              | 5.0            | U              | <b>0.33</b>    | J              | 1.0            | U              | 1.0            | U              | <b>0.32</b>    | J              | 1.0            | U          | 2.0       | U         |           |   |     |   |     |   |     |           |
| Chloroethane                                     | 5*                              | 5.0            | U              | 5.0            | U              | 5.0            | U              | <b>2.5</b>     |                | <b>3.5</b>     | J              | 1.0            | U              | 1.0            | U              | 1.0            | U              | <b>2.7</b>     |                | <b>3.5</b>     |            | <b>11</b> | <b>16</b> | <b>13</b> |   |     |   |     |   |     |           |
| Chloromethane                                    | 5                               | 5.0            | U              | 5.0            | U              | 5.0            | U              | 1.0            | U              | 5.0            | U              | <b>1.7</b>     |                | <b>3.2</b>     | J              | <b>11</b>      |                | 1.0            | U              | 1.0            | U          | 1.0       | U         | 1.0       | U |     |   |     |   |     |           |
| cis-1,2-Dichloroethene                           | 5*                              | <b>240</b>     | 5.0            | U              | 5.0            | U              | 1.0            | U              | <b>2.4</b>     | J              | 1.0            | U              | 1.0            | U              | <b>1.0</b>     | U              | <b>1.1</b>     |                | 1.0            | U              | 2.0        | U         | 1.0       | U         |   |     |   |     |   |     |           |
| Methylene Chloride                               | 5                               | 5.0            | U              | 5.0            | U              | 5.0            | U              | <b>0.51</b>    | J              | 5.0            | U              | 1.0            | U              | <b>5.2</b>     |                | 1.0            | U              | 1.0            | U              | 2.0            | U          | 1.0       | U         | 1.0       | U |     |   |     |   |     |           |
| Trichloroethene                                  | 5*                              | <b>5.9</b>     | 5.0            | U              | 5.0            | U              | 1.0            | U              | 5.0            | U              | 1.0            | U              | 1.0            | U              | 1.0            | U              | 1.0            | U              | 2.0            | U              | 1.0        | U         | 1.0       | U         |   |     |   |     |   |     |           |
| Vinyl chloride                                   | 5*                              | <b>54</b>      | 5.0            | U              | 5.0            | U              | 1.0            | U              | 5.0            | U              | 1.0            | U              | <b>0.85</b>    | J              | 1.7            |                | 1.0            | U              | <b>9.9</b>     |                | <b>4.2</b> |           | <b>11</b> | 2.0       | U | 2.0 | U | 1.0 | U | 2.2 | <b>10</b> |

Notes:

The DPE system was put back on line following the third quarter 2016 sampling event.

The injection of ABC+® occurred in November 2014 and April/May 2015

The injection of ABC-Ole® with ZVI occurred in November 2018.

Bold font indicates the analyte was detected.

Bold font and bold outline indicates the screening criteria was exceeded.

\* Site-specific RAO per ROD (November 1994)

J - Analyte detected at a level less than the reporting limit and greater than or equal to the method detection limit; concentrations estimated.

U - Not detected at or above reporting limit.

NS - Not sampled.

**Table 4**

**Summary of Dual Phase Extraction Well Groundwater Analytical Data**  
**Former Scott Aviation Facility - West of Plant 2**  
**NYSDEC Site Code No. 9-15-149**  
**Lancaster, New York**

| Sample ID<br>Date Collected<br>Lab Sample ID     | Groundwater<br>RAO/ NYCCR<br>Objective | DPE-3<br>04/17/14<br>480-58303-2 | DPE-3<br>07/24/15<br>480-84562-16 | DPE-3<br>10/21/15<br>480-98674-15 | DPE-3<br>04/06/16<br>480-97989-12 | DPE-3<br>07/07/16<br>480-102824-3 | DPE-3<br>10/27/16<br>480-112334-12 | DPE-3<br>01/16/17<br>480-116720-19 | DPE-3<br>04/18/17<br>480-121042-19 | DPE-3<br>07/11/17<br>480-126420-15 | DPE-3<br>10/24/17<br>480-134234-2 | DPE-3<br>04/13/18<br>480-138781-8 | DPE-3<br>07/12/18<br>480-144170-19 | DPE-3<br>10/25/18<br>480-147748-19 | DPE-3<br>01/09/19<br>480-147748-19 | DPE-3<br>04/08/19<br>480-151560-8 | DPE-3<br>10/14/19<br>480-160839-1 | DPE-3<br>01/06/20<br>480-165026-12 | DPE-3<br>04/06/20<br>480-168383-10 | DPE-3<br>07/22/20<br>480-172827-9 | DPE-3<br>10/13/20<br>480-176470-7 |
|--|--|----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|-----------------------------------|-----------------------------------|------------------------------------|------------------------------------|------------------------------------|-----------------------------------|-----------------------------------|------------------------------------|------------------------------------|-----------------------------------|-----------------------------------|
| Volatile Organic Compounds by Method 8260 (µg/L) |  |                                  |                                   |                                   |                                   |                                   |                                    |                                    |                                    |                                    |                                   |                                   |                                    |                                    |                                    |                                   |                                   |                                    |                                    |                                   |                                   |
| 1,1,1-Trichloroethane                            | 5*                                     | <b>43</b>                        | 10 U                              | 20 U                              | 5.0 U                             | 10 U                              | 5.0 U                              | 20 U                               | <b>5.4</b>                         | 20 U                               | 20 U                              | 25 U                              | 10 U                               | <b>11</b>                          | 100 U                              | 20 U                              | 10 U                              | 10 U                               | 4.0 U                              | <b>5.2</b>                        | 25 U                              |
| 1,1-Dichloroethane                               | 5*                                     | <b>42</b>                        | 24                                | 20 U                              | 5.0 U                             | 10 U                              | 5.0 U                              | 20 U                               | <b>14</b>                          | <b>92</b>                          | 34                                | 25 U                              | <b>15</b>                          | <b>88</b>                          | <b>180</b>                         | <b>18</b> J                       | 10 U                              | 10 U                               | <b>4.6</b>                         | <b>8.7</b>                        | <b>18</b> J                       |
| 1,1-Dichloroethene                               | 5                                      | <b>26</b>                        | 3.1 J                             | 20 U                              | 5.0 U                             | 10 U                              | 5.0 U                              | 20 U                               | <b>20</b>                          | <b>53</b>                          | 11 J                              | 25 U                              | <b>3.5</b> J                       | <b>38</b> J                        | 100 U                              | 20 U                              | 10 U                              | 10 U                               | 4.0 U                              | <b>1.6</b> J                      | 25 U                              |
| 2-Butanone (MEK)                                 | 50                                     | 100 U                            | <b>610</b>                        | <b>220</b>                        | 50 U                              | 100 U                             | 50 U                               | 200 U                              | <b>10</b>                          | 200 U                              | 1,000 U                           | 250 U                             | 100 U                              | 100 U                              | 1,000 U                            | 200 U                             | 100 U                             | 100 U                              | <b>250</b>                         | 40 U                              | 250 U                             |
| Acetone  | 50                                     | 50 U                             | <b>110</b>                        | <b>110</b> J                      | 50 U                              | 100 U                             | 50 U                               | 200 U                              | <b>28</b>                          | 200 U                              | 500 U                             | 250 U                             | 100 U                              | <b>37</b> J                        | 1,000 U                            | 200 U                             | <b>63</b> J                       | 100 U                              | <b>620</b>                         | 40 U                              | 250 U                             |
| Carbon Disulfide                                 | 60                                     | 10 U                             | 10 U                              | 20 U                              | 5.0 U                             | 10 U                              | 5.0 U                              | 20 U                               | <b>0.5</b> J                       | 20 U                               | 20 U                              | 10 U                              | 10 U                               | 10 U                               | 100 U                              | 20 U                              | 10 U                              | 10 U                               | 4.0 U                              | 4.0 U                             | 25 U                              |
| Chloroethane                                     | 5*                                     | 10 U                             | <b>23</b>                         | 20 U                              | 5.0 U                             | 10 U                              | 5.0 U                              | 20 U                               | <b>5.5</b>                         | 20 U                               | <b>14</b> J                       | 25 U                              | 10 U                               | 10 U                               | 100 U                              | 20 U                              | <b>16</b>                         | <b>12</b>                          | 4.0 U                              | 4.0 U                             | 25 U                              |
| cis-1,2-Dichloroethene                           | 5*                                     | <b>2,700</b>                     | <b>650</b>                        | <b>70</b>                         | <b>18</b>                         | <b>8.7</b> J                      | 5.0 U                              | 20 U                               | <b>4,300</b>                       | <b>11,000</b>                      | <b>1,700</b>                      | <b>78</b>                         | <b>740</b>                         | <b>10,000</b>                      | <b>6,400</b>                       | <b>150</b>                        | <b>19</b>                         | 10 U                               | <b>210</b>                         | <b>340</b>                        | <b>1,400</b>                      |
| Methylene Chloride                               |  | 10 U                             | <b>6.1</b> J                      | 20 U                              | <b>7.5</b>                        | 10 U                              | 5.0 U                              | 20 U                               | 1.0 U                              | 20 U                               | 100 U                             | 25 U                              | 10 U                               | 10 U                               | 100 U                              | 20 U                              | <b>10</b>                         | 10 U                               | 4.0 U                              | 4.0 U                             | <b>25</b>                         |
| Toluene  | 5*                                     | <b>8.0</b> J                     | <b>8.4</b> J                      | 20 U                              | 5.0 U                             | 10 U                              | 5.0 U                              | 20 U                               | <b>4.5</b>                         | <b>12</b> J                        | 20 U                              | 25 U                              | 10 U                               | <b>40</b>                          | 100 U                              | <b>15</b> J                       | <b>5.3</b> J                      | <b>5.3</b> J                       | 4.0 U                              | 4.0 U                             | 4.0 U                             |
| trans-1,2-Dichloroethene                         | 5                                      | 10 U                             | 10 U                              | 20 U                              | 5.0 U                             | 10 U                              | 5.0 U                              | 20 U                               | <b>4.5</b>                         | <b>22</b>                          | 19 J                              | 25 U                              | 10 U                               | <b>44</b>                          | 100 U                              | 20 U                              | 10 U                              | 10 U                               | 4.0 U                              | 4.0 U                             | 4.0 U                             |
| Trichloroethene                                  | 5*                                     | <b>6,500</b>                     | 10 U                              | 20 U                              | 5.0 U                             | 10 U                              | 3.1 J                              | 20 U                               | <b>190</b>                         | <b>69</b>                          | <b>430</b>                        | 25 U                              | <b>31</b>                          | <b>120</b>                         | 100 U                              | 20 U                              | 10 U                              | 10 U                               | <b>63</b>                          | <b>35</b>                         | <b>320</b>                        |
| Vinyl chloride                                   | 5*                                     | 120                              | <b>240</b>                        | 20 U                              | 12                                | <b>43</b>                         | 10                                 | <b>45</b>                          | 480                                | 10,000                             | 430                               | 35                                | 360                                | 2,700                              | 9,100                              | <b>430</b>                        | <b>29</b>                         | 10 U                               | <b>23</b>                          | <b>63</b>                         | <b>240</b>                        |

Notes:

The DPE system was put back on line following the third quarter 2016 sampling event.  
The injection of ABC-O<sub>6</sub> occurred in November 2014 and April/May 2015.

The injection of ABC-O<sub>6</sub> with ZVI occurred in November 2018.

Bold font indicates the analyte was detected.

Bold font and bold outline indicates the screening criteria was exceeded.

\* Site-specific RAO per ROD (November 1994)

J - Analyte detected at a level less than the reporting limit and greater than or equal to the method detection limit; concentrations estimated.

U - Not detected at or above reporting limit.

**Table 4**

**Summary of Dual Phase Extraction Well Groundwater Analytical Data  
Former Scott Aviation Facility - West of Plant 2  
NYSDEC Site Code No. 9-15-149  
Lancaster, New York**

| Sample ID  | Groundwater RAO/ NYCCR Objective | DPE-4 04/17/14 480-58303-3 | DPE-4 07/24/15 480-84562-17 | DPE-4 10/21/15 480-89674-16 | DPE-4 07/06/16 480-102662-10 | DPE-4 10/27/16 480-108538-5 | DPE-4 01/16/17 480-112334-13 | DPE-4 04/18/17 480-116720-20 | DPE-4 10/23/17 480-126420-8 | DPE-4 01/10/18 480-12995-16 | DPE-4 04/13/18 480-134234-4 | DPE-4 07/12/18 480-138781-9 | DPE-4 02/25/18 480-144170-20 | DPE-4 01/09/19 480-147748-20 | DPE-4 04/08/19 480-151560-9 | DPE-4 07/22/19 480-156622-2 | DPE-4 10/14/19 480-160839-2 | DPE-4 01/06/20 480-165026-13 | DPE-4 04/06/20 480-168383-11 | DPE-4 07/22/20 480-172827-10 | DPE-4 10/13/20 480-176470-8 |
|--|----------------------------------|----------------------------|-----------------------------|-----------------------------|------------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|------------------------------|------------------------------|-----------------------------|
| Volatile Organic Compounds by Method 8260 (µg/L) |                                  |                            |                             |                             |                              |                             |                              |                              |                             |                             |                             |                             |                              |                              |                             |                             |                             |                              |                              |                              |                             |
| 1,1,1-Trichloroethane                            | 5*                               | 10 U                       | 10 U                        | 100 U                       | 400 U                        | 1.0 U                       | 100 U                        | 20 U                         | 50 U                        | 50 U                        | 10 U                        | 10 U                        | 1.2                          | 3.0                          | 10 U                        | 10 U                        | 10 U                        | 10 U                         | 10 U                         | 10 U                         |                             |
| 1,1-Dichloroethane                               | 5*                               | 8.1                        | 130                         | 450                         | 400 U                        | 2.5                         | 100 U                        | 20                           | 22 J                        | 50 U                        | 10 U                        | 8.4 J                       | 1.0                          | 8.0 U                        | 10                          | 9.8                         | 14                          | 12                           | 6.3 J                        | 10                           |                             |
| 1,1-Dichloroethene                               | 5                                | 10 U                       | 30                          | 460                         | 400 U                        | 1.0 U                       | 100 U                        | 17 J                         | 34 J                        | 50 U                        | 10 U                        | 7.0 J                       | 1.0                          | 8.0 U                        | 10                          | 0.51 J                      | 10                          | 10 U                         | 10 U                         | 10 U                         |                             |
| 1,2-Dichloroethane                               | 0.6                              | 10 U                       | 2.2 J                       | 100 U                       | 400 U                        | 1.0 U                       | 100 U                        | 20 U                         | 50 U                        | 50 U                        | 10 U                        | 0.65 J                      | 15                           | 1.0 U                        | 1.0                         | 1.0 U                       | 10 U                        | 10 U                         | 10 U                         |                              |                             |
| 2-Butanone (MEK)                                 | 50                               | 50 U                       | 65 J                        | 1,000 U                     | 4,000 U                      | 10 U                        | 1,000 U                      | 200 U                        | 2,500 U                     | 500 U                       | 100 U                       | 100 U                       | 2.7 J                        | 5.7 J                        | 100 U                       | 100 U                       | 100 U                       | 100 U                        | 100 U                        | 100 U                        |                             |
| Acetone  | 50                               | 50 U                       | 46 J                        | 1,000 U                     | 4,000 U                      | 6.9 J                       | 1,000 U                      | 200 U                        | 1,300 U                     | 190 J                       | 100 U                       | 100 U                       | 10 U                         | 80 U                         | 5.9 J                       | 16                          | 100 U                       | 100 U                        | 100 U                        | 61 J                         |                             |
| Carbon Disulfide                                 | 60                               | 10 U                       | 3.4 J                       | 100 U                       | 400 U                        | 2.1                         | 100 U                        | 20 U                         | 50 U                        | 50 U                        | 10 U                        | 10 U                        | 8.0 U                        | 0.96 J                       | 0.36 J                      | 10 U                        | 10 U                        | 10 U                         | 10 U                         |                              |                             |
| Chloroethane                                     | 5*                               | 10 U                       | 49                          | 110                         | 400 U                        | 4.6                         | 100 U                        | 8 J                          | 50 U                        | 50 U                        | 10 U                        | 10 U                        | 8.0 U                        | 2.5                          | 2.6                         | 10 U                        | 10 U                        | 10 U                         | 8.1 J                        |                              |                             |
| Chloromethane                                    | 5                                | 10 U                       | 10 U                        | 230                         | 400 U                        | 1.0 U                       | 100 U                        | 20 U                         | 50 U                        | 50 U                        | 10 U                        | 10 U                        | 8.0 U                        | 1.0 U                        | 1.0 U                       | 10 U                        | 10 U                        | 10 U                         | 10 U                         |                              |                             |
| cis-1,2-Dichloroethene                           | 5*                               | 610                        | 30,000                      | 130,000                     | 25,000                       | 130                         | 4,300                        | 4,400                        | 6,000                       | 2,100                       | 320                         | 2,600                       | 29                           | 48                           | 28                          | 130                         | 87                          | 92                           | 310                          | 870                          | 490                         |
| Methylene Chloride                               | 5                                | 10 U                       | J                           | 100 U                       | 280 J                        | 5.7 J                       | U                            | 200 U                        | 300 U                       | 300 U                       | 10 U                        | 8.0 U                       | 1.0 U                        | 1.0 U                        | 1.0 U                       | 10 U                        | 10 U                        | 10 U                         | 10 U                         | 10 U                         |                             |
| Toluene  | 5*                               | 10 U                       | 28                          | 140                         | 400 U                        | 1.0 U                       | 100 U                        | 7 J                          | 50 U                        | 50 U                        | 10 U                        | 10 U                        | 8.0 U                        | 1.2                          | 0.84 J                      | 10 U                        | 10 U                        | 10 U                         | 10 U                         | 10 U                         |                             |
| trans-1,2-Dichloroethene                         | 5                                | 10 U                       | 36                          | 100                         | 400 U                        | 1.0 U                       | 100 U                        | 76                           | 50 U                        | 50 U                        | 10 U                        | 10 U                        | 8.0 U                        | 1.1                          | 1.4                         | 10 U                        | 10 U                        | 10 U                         | 10 U                         | 10 U                         |                             |
| Trichloroethene                                  | 5*                               | 630                        | 93                          | 120                         | 400                          | 1.4                         | 100 U                        | 120                          | 13 J                        | 47 J                        | 10 U                        | 34                          | 1.0 U                        | 8.0 U                        | 1.9                         | 18                          | 10 U                        | 6.2                          | 24                           | 22                           | 13                          |
| Vinyl chloride                                   | 5*                               | 31                         | 4,700                       | 37,000                      | 12,000                       | 44                          | 1,100                        | 1,400                        | 3,700                       | 430                         | 62                          | 810                         | 18                           | 500                          | 20                          | 79                          | 34                          | 39                           | 470                          | 1,300                        | 700                         |

Notes:

The DPE system was put back on line following the third quarter 2016 sampling event.

The injection of ABC-Oil® occurred in November 2014 and April/May 2015

The injection of ABC-Oil® with ZVI occurred in November 2018.

Bold font indicates the analyte was detected.

Bold font and bold outline indicates the screening criteria was exceeded.

\* Site-specific RAO per ROD (November 1994)

J - Analyte detected at a level less than the reporting limit and greater than or equal to the method detection limit; concentrations estimated.

U - Not detected at or above reporting limit.

N - Not sampled.

**Table 4**

**Summary of Dual Phase Extraction Well Groundwater Analytical Data**  
**Former Scott Aviation Facility - West of Plant 2**  
**NYSDEC Site Code No. 9-15-149**  
**Lancaster, New York**

| Sample ID  | Groundwater RAO/ NYCCR Objective | DPE-5 04/17/14 | DPE-5 07/24/15 | DPE-5 10/21/15 | DPE-5 07/06/16 | DPE-5 10/27/16 | DPE-5 01/16/17 | DPE-5 04/18/17 | DPE-5 07/11/17 | DPE-5 10/19/17 | DPE-5 01/10/18 | DPE-5 04/13/18 | DPE-5 07/12/18 | DPE-5 10/25/18 | DPE-5 01/09/19 | DPE-5 04/08/19 | DPE-5 07/22/19 | DPE-5 10/14/19 | DPE-5 01/06/20 | DPE-5 04/06/20 | DPE-5 07/22/20 | DPE-5 10/13/20 |             |              |     |   |
|--|----------------------------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|-------------|--------------|-----|---|
| Lab Sample ID                                    |                                  | 480-58303-4    | 480-84562-1B   | 480-89674-17   | 480-102662-13  | 480-108538-6   | 480-112334-14  | 480-116720-21  | 480-121042-21  | 480-126348-1   | 480-129995-17  | 480-134234-5   | 480-138781-10  | 480-144170-21  | 480-147748-20  | 480-151586-8   | 480-156622-3   | 480-160839-3   | 480-165026-14  | 480-168383-12  | 480-172827-11  | 480-178470-9   |             |              |     |   |
| Volatile Organic Compounds by Method 8260 (µg/L) |                                  |                |                |                |                |                |                |                |                |                |                |                |                |                |                |                |                |                |                |                |                |                |             |              |     |   |
| 1,1-Dichloroethane                               | 5*                               | <b>160</b>     | 30             | <b>59</b>      | 17             | <b>110</b>     | <b>150</b>     | 44             | <b>45</b>      | 100            | 66             | <b>140</b>     | <b>87</b>      | 50             | U              | <b>35</b>      | 22             | <b>6.5</b>     | 10             | U              | <b>23</b>      | <b>18</b>      | <b>17</b>   |              |     |   |
| 1,1-Dichloroethene                               | 5                                | <b>2.9</b> J   | 10             | U              | 10             | U              | 10             | U              | <b>82</b>      | 20             | U              | 8.0            | U              | 1.0            | U              | <b>15</b> J    | <b>50</b> U    | 50             | U              | 10             | U              | 10             | U           |              |     |   |
| 1,2-Dichloroethane                               | 0.6                              | U              | 10             | U              | 10             | U              | 10             | U              | <b>9.3</b> J   | 20             | U              | 8.0            | U              | 1.0            | U              | 10             | U              | 50             | U              | 10             | U              | 10             | U           |              |     |   |
| 2-Butanone (MEK)                                 | 50                               | <b>26</b> J    | <b>330</b>     | <b>660</b>     | <b>76</b>      | J              | 100            | U              | 500            | U              | 200            | U              | 80             | U              | <b>240</b>     | 21             | J              | 400            | U              | 500            | U              | 20             | J           | 39           | J   |   |
| 2-Hexanone                                       | 50                               | 50             | U              | 100            | U              | 40             | U              | 5.0            | U              | 200            | U              | 250            | U              | 50             | U           | <b>6.8</b>   |     |   |
| Ethylbenzene                                     | 5                                | 10             | U              | 10             | U              | 10             | U              | 10             | U              | 50             | U              | 20             | U              | 8.0            | U              | <b>1.8</b> U   | 10             | U              | 40             | U              | 50             | U              | 10          | U            |     |   |
| Acetone  | 50                               | <b>120</b>     | <b>240</b>     | <b>340</b>     | <b>120</b>     | J              | <b>180</b>     | <b>160</b> J   | 200            | U              | <b>200</b>     | U              | 25             | U              | <b>99</b> J    | <b>120</b> J   | 500            | U              | 500            | U              | 40             | J              | <b>91</b> J | <b>160</b>   |     |   |
| Benzene  | 1                                | 10             | U              | 10             | U              | 10             | U              | 10             | U              | 50             | U              | 20             | U              | 8.0            | U              | <b>0.52</b> J  | 10             | J              | 40             | J              | 50             | U              | 10          | J            | 10  | J |
| Carbon Disulfide                                 | 60                               | 10             | U              | 20             | U              | 12             | 3.0            | <b>3.1</b> J   | 40             | J              | 50             | U              | 3.1            | J              | 10          | U            | 1.5 |   |
| Chloroethane                                     | 5*                               | <b>46</b>      | <b>51</b>      | <b>81</b>      | <b>87</b>      |                | <b>120</b>     | <b>130</b>     | <b>38</b>      | 60             | <b>84</b>      | <b>150</b>     | <b>100</b>     | 50             | U              | <b>32</b>      | <b>68</b>      | <b>86</b>      | <b>53</b>      | <b>46</b>      | <b>57</b>      | <b>83</b>      | <b>63</b>   |              |     |   |
| cis-1,2-Dichloroethene                           | 5*                               | <b>320</b>     | <b>410</b>     | <b>610</b>     | <b>120</b>     | 2,800          | <b>33,000</b>  | <b>2,000</b>   | <b>290</b>     | <b>1,400</b>   | <b>480</b>     | <b>3,500</b>   | <b>2,100</b>   | <b>1,100</b>   | <b>830</b>     | <b>230</b>     | <b>52</b>      | 10             | U              | <b>670</b>     | <b>250</b>     | <b>110</b>     |             |              |     |   |
| Methylene Chloride                               | 5                                | 10             | U              | <b>4.5</b> J   | 10             | U              | 10             | U              | <b>26</b> J    | 20             | U              | 8.0            | U              | 5.0            | U              | 10             | U              | 40             | U              | 50             | U              | 10             | U           | <b>6.6</b> J |     |   |
| Toluene  | 5*                               | <b>30</b>      | <b>11</b>      | <b>9.2</b>     |                | 10             | U              | <b>12</b>      | <b>37</b> J    | <b>7.8</b> J   | 8.0            | U              | <b>5.7</b>     | <b>9.6</b> J   | <b>20</b> J    | 50             | U              | 50             | U              | <b>6.4</b> J   | <b>6.6</b> J   | <b>5.5</b>     |             |              |     |   |
| trans-1,2-Dichloroethene                         | 5                                | 10             | U              | <b>11</b>      | <b>20</b>      |                | 10             | U              | 10             | U              | 24             |                | 8.0            | U              | <b>22</b>      | 10             |                | 40             | U              | 50             | U              | 10             | U           | 2.1          |     |   |
| Trichloroethene                                  | 5*                               | <b>160</b>     | 10             | U              | 10             | U              | 10             | U              | <b>14</b>      | <b>250</b>     | <b>5.5</b> J   | 8.0            | U              | 1.0            | U              | <b>6.7</b> J   | 40             | U              | 50             | U              | <b>8.5</b> J   | <b>6.2</b> J   | <b>4.9</b>  |              |     |   |
| Vinyl chloride                                   | 5*                               | <b>71</b>      | <b>180</b>     | <b>170</b>     | <b>71</b>      | 1,600          | <b>6,400</b>   | <b>570</b>     | <b>190</b>     | <b>1,600</b>   | <b>250</b>     | <b>2,200</b>   | <b>1,700</b>   | <b>660</b>     | <b>410</b>     | <b>39</b>      | <b>53</b>      | 10             | U              | 10             | U              | <b>490</b>     | <b>390</b>  | <b>430</b>   |     |   |
| Xylenes, Total                                   | 5                                | 50             | U              | 100            | U              | 40             | U              | 2.3            | J              | 20             | U              | 80             | U              | 100            | U           | 20           | U   |   |

Notes:

The DPE system was put back on line following the third quarter 2016 sampling event.

The injection of ABC-P® occurred in November 2014 and April/May 2015

The injection of ABC-Ole® with ZVI occurred in November 2016.

Bold font indicates the analyte was detected.

Bold font and bold outline indicates the screening criteria was exceeded.

\* Site-specific RAO per ROD (November 1994)

J - Analyte detected at a level less than the reporting limit and greater than or equal to the method detection limit; concentrations estimated.

U - Not detected at or above reporting limit.

NS - Not sampled.

**Table 4**

**Summary of Dual Phase Extraction Well Groundwater Analytical Data**  
**Former Scott Aviation Facility - West of Plant 2**  
**NYSDEC Site Code No. 9-15-149**  
**Lancaster, New York**

| Sample ID<br>Date Collected<br>Lab Sample ID     | Groundwater<br>RAO/ NYCR<br>Objective | DPE-6<br>10/25/18<br>480-144170-4 | DPE-6<br>01/09/19<br>480-147748-20 | DPE-6<br>04/08/19<br>480-151586-4 | DPE-6<br>07/22/19<br>480-156622-4 | DPE-6<br>10/14/19<br>480-160839-4 | DPE-6<br>01/06/20<br>480-165026-15 | DPE-6<br>04/06/20<br>480-168383-13 | DPE-6<br>07/22/20<br>480-172827-12 | DPE-6<br>10/13/20<br>480-176470-10 |   |
|--|---------------------------------------|-----------------------------------|------------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|---|
| Volatile Organic Compounds by Method 8260 (µg/L) |                                       |                                   |                                    |                                   |                                   |                                   |                                    |                                    |                                    |                                    |   |
| 1,1-Dichloroethane                               | 5*                                    | <b>700</b>                        | <b>13</b>                          | <b>5.9</b>                        | <b>0.81</b>                       | J                                 | 1.0                                | U                                  | 1.0                                | U                                  |   |
| 1,1-Dichloroethene                               | 5                                     | <b>47</b>                         | J                                  | 1.0                               | U                                 | 1.0                               | U                                  | 1.0                                | U                                  | 1.0                                | U |
| 2-Butanone (MEK)                                 | 50                                    | <b>380</b>                        | 10                                 | U                                 | 10                                | U                                 | 10                                 | U                                  | 10                                 | U                                  |   |
| 4-Methyl-2-pentanone (MIBK)                      | NL                                    | <b>42</b>                         | J                                  | 5.0                               | U                                 | 5.0                               | U                                  | 5.0                                | U                                  | 5.0                                | U |
| Acetone  | 50                                    | <b>1,700</b>                      | 10                                 | U                                 | 10                                | U                                 | 10                                 | U                                  | 10                                 | U                                  |   |
| Carbon Disulfide                                 | 60                                    | 20                                | U                                  | 1.0                               | U                                 | <b>0.20</b>                       | J                                  | 1.0                                | U                                  | 1.0                                | U |
| cis-1,2-Dichloroethene                           | 5*                                    | <b>310</b>                        | <b>7.2</b>                         | <b>4.3</b>                        | <b>1.0</b>                        | 1.0                               | U                                  | 1.0                                | U                                  | 1.0                                | U |
| Methylene Chloride                               | 5                                     | <b>12</b>                         | J                                  | 1.0                               | U                                 | 1.0                               | U                                  | 1.0                                | U                                  | <b>15</b>                          | J |
| Toluene  | 5*                                    | <b>13</b>                         | J                                  | 1.0                               | U                                 | 1.0                               | U                                  | 1.0                                | U                                  | 1.0                                | U |
| Trichloroethene                                  | 5*                                    | <b>17</b>                         | J                                  | 1.3                               | 1.1                               | <b>0.51</b>                       | J                                  | 1.0                                | U                                  | 1.0                                | U |
| Vinyl chloride                                   | 5*                                    | <b>180</b>                        | 3.3                                | 1.0                               | U                                 | 1.0                               | U                                  | 1.0                                | U                                  | 1.0                                | U |

## Notes:

The DPE system was put back on line following the third quarter 2016 sampling event.

The injection of ABC+® occurred in November 2014 and April/May 2015

The injection of ABC-Ole® with ZVI occurred in November 2018.

Bold font indicates the analyte was detected.

Bold font and bold outline indicates the screening criteria was exceeded.

\* Site-specific RAO per ROD (November 1994)

J - Analyte detected at a level less than the reporting limit and greater than or equal to the method detection limit; concentrations estimated.

U - Not detected at or above reporting limit.

NS - Not sampled.

**Table 4**

**Summary of Dual Phase Extraction Well Groundwater Analytical Data  
Former Scott Aviation Facility - West of Plant 2  
NYSDEC Site Code No. 9-15-149  
Lancaster, New York**

| Sample ID<br>Date Collected<br>Lab Sample ID     | Groundwater<br>RAO/ NYCRR<br>Objective | DPE-7<br>04/17/14<br>480-58303-5 | DPE-7<br>07/24/15<br>480-84562-19 | DPE-7<br>10/21/15<br>480-89674-18 | DPE-7<br>07/07/16<br>480-102824-4 | DPE-7<br>10/27/16<br>480-108538-7 | DPE-7<br>01/16/17<br>480-112334-15 | DPE-7<br>04/18/17<br>480-116720-23 | DPE-7<br>07/11/17<br>480-121042-22 | DPE-7<br>10/23/17<br>480-126420-5 | DPE-7<br>01/10/18<br>480-129995-18 | DPE-7<br>04/13/18<br>480-134234-6 | DPE-7<br>07/12/18<br>480-138781-11 | DPE-7<br>10/25/18<br>480-144170-5 | DPE-7<br>01/09/19<br>480-151586-5 | DPE-7<br>04/08/19<br>480-15622-5 | DPE-7<br>07/22/19<br>480-160839-5 | DPE-7<br>10/14/19<br>480-165026-16 | DPE-7<br>01/06/20<br>480-168383-14 | DPE-7<br>04/06/20<br>480-172827-13 | DPE-7<br>07/22/20<br>480-176470-11 | DPE-7<br>10/13/20<br>480-176470-11 |       |
|--|--|----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|------------------------------------|------------------------------------|------------------------------------|-----------------------------------|------------------------------------|-----------------------------------|------------------------------------|-----------------------------------|-----------------------------------|----------------------------------|-----------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|------------------------------------|-------|
| Volatile Organic Compounds by Method 8260 (µg/L) |  |                                  |                                   |                                   |                                   |                                   |                                    |                                    |                                    |                                   |                                    |                                   |                                    |                                   |                                   |                                  |                                   |                                    |                                    |                                    |                                    |                                    |       |
| 1,1-Dichloroethane                               | 5*                                     | 460                              | 250                               | 390                               | 63                                | 20 U                              | 91                                 | 120                                | 45                                 | 67                                | 10 U                               | 65                                | 28                                 | 10 U                              | 2.0 U                             | 1.8 J                            | 0.88 J                            | 40 U                               | 40 U                               | 120                                | 91                                 | 67                                 |       |
| 1,1-Dichloroethene                               | 5                                      | 47                               | J                                 | 12                                | J                                 | 20 U                              | 20 U                               | 20 U                               | 0.48 J                             | 20 U                              | 1.0 U                              | 10 U                              | 20 U                               | 10 U                              | 10 U                              | 2.0 U                            | 2.0 U                             | 40 U                               | 40 U                               | 40 U                               | 10 U                               | 10 U                               |       |
| 1,2-Dichloroethane                               | 0.6                                    | 10 U                             | 20 U                              | 20 U                              | 20 U                              | 20 U                              | 20 U                               | 0.41 J                             | 20 U                               | 1.0 U                             | 10 U                               | 20 U                              | 10 U                               | 10 U                              | 7.7                               | 2.0 U                            | 2.0 U                             | 40 U                               | 40 U                               | 40 U                               | 10 U                               | 10 U                               |       |
| 2-Butanone (MEK)                                 | 50                                     | 50                               | J                                 | 150                               | J                                 | 940                               | 530                                | 210                                | 270                                | 280                               | 120 J                              | 67                                | 100 U                              | 130 J                             | 50 J                              | 18 J                             | 25                                | 11 J                               | 21                                 | 400 U                              | 400 U                              | 100 U                              | 100 U |
| 2-Hexanone                                       | 50                                     | 50 U                             | 100 U                              | 100 U                              | 5.0 U                              | 5.0 U                             | 100 U                              | 50 U                              | 100 U                              | 50 U                              | 6.9 J                             | 10 U                             | 6.2 J                             | 200 U                              | 200 U                              | 50 U                               | 50 U                               |                                    |       |
| Acetone  | 50                                     | 50 U                             | 1,100                             | 530                               | 230                               | 130 J                             | 140 J                              | 150                                | 130 J                              | 30                                | 100 U                              | 81 J                              | 37 J                               | 100 U                             | 23                                | 17 J                             | 38                                | 400 U                              | 400 U                              | 400 U                              | 100 U                              | 100 U                              |       |
| Benzene  | 1                                      | 10 U                             | 20 U                              | 20 U                              | 20 U                              | 20 U                              | 20 U                               | 20 U                               | 1.0                                | 0.66 J                            | 10 U                               | 20 U                              | 10 U                               | 10 U                              | 2.0 U                             | 2.0 U                            | 2.0 U                             | 40 U                               | 40 U                               | 10 U                               | 10 U                               |                                    |       |
| Chloroethane                                     | 5*                                     | 11                               | 27                                | 260                               | 260                               | 110                               | 530                                | 360                                | 450                                | 340                               | 340                                | 390                               | 320                                | 190                               | 120                               | 87                               | 28                                | 40 U                               | 30                                 | 450                                | 350                                | 300                                |       |
| cis-1,2-Dichloroethene                           | 5*                                     | 11,000                           | 820                               | 680                               | 26                                | 27                                | 20 U                               | 67                                 | 20 U                               | 1.3                               | 10                                 | 20 U                              | 10 U                               | 10 U                              | 56                                | 25                               | 12                                | 40 U                               | 40 U                               | 83                                 | 35                                 | 45                                 |       |
| Methylene Chloride                               | 5                                      | 10 U                             | 11 J                              | 20 U                              | 20 U                              | 20 U                              | 12 J                               | 1.0 U                              | 20 U                               | 5.8 J                             | 10 U                               | 5.8 J                             | 2.0 U                              | 2.0 U                             | 2.0 U                             | 66                               | 40 U                              | 40 U                               | 7.3 J                              | 6.9 J                              | 6.2 J                              |                                    |       |
| Toluene  | 5*                                     | 10 U                             | 20 U                              | 20 U                              | 20 U                              | 20 U                              | 20 U                               | 20 U                               | 2.0                                | 2.0                               | 10 U                               | 2.0 U                             | 10 U                               | 10 U                              | 2.8                               | 2.2                              | 1.7                               | 40 U                               | 40 U                               | 6.2 J                              | 6.2 J                              |                                    |       |
| trans-1,2-Dichloroethene                         | 5                                      | 10 U                             | 20 U                              | 20 U                              | 20 U                              | 20 U                              | 20 U                               | 20 U                               | 4.1 J                              | 20 U                              | 1.3                                | 10 U                              | 20 U                               | 10 U                              | 2.0 U                             | 2.0 U                            | 2.0 U                             | 40 U                               | 40 U                               | 10 U                               | 10 U                               |                                    |       |
| Trichloroethene                                  | 5*                                     | 1,300                            | 20 U                              | 12 J                              | 20 U                              | 20 U                              | 20 U                               | 20 U                               | 0.93 J                             | 20 U                              | 0.46 J                             | 10 U                              | 20 U                               | 10 U                              | 10 U                              | 5.1                              | 2.5                               | 2.2                                | 40 U                               | 40 U                               | 5.6 J                              | 5.6 J                              |       |
| Vinyl chloride                                   | 5*                                     | 560                              | 470                               | 780                               | 300                               | 40 U                              | 50                                 | 270                                | 110                                | 25                                | 20 U                               | 59                                | 130                                | 20 U                              | 23                                | 4.0                              | 3.8                               | 80 U                               | 80 U                               | 1,400                              | 370                                | 950                                |       |

Notes:

The DPE system was put back on line following the third quarter 2016 sampling event.

The injection of ABC-Ole® occurred in November 2014 and April/May 2015.

The injection of ABC-Ole® with ZVI occurred in November 2018.

Bold font indicates the analyte was detected.

Bold font and bold outline indicates the screening criteria was exceeded.

\* Site-specific RAO per ROD (November 1994)

J - Analyte detected at a level less than the reporting limit and greater than or equal to the method detection limit; concentrations estimated.

U - Not detected at or above reporting limit.

NS - Not sampled.

**Table 4**

**Summary of Dual Phase Extraction Well Groundwater Analytical Data  
Former Scott Aviation Facility - West of Plant 2  
NYSDEC Site Code No. 9-15-149  
Lancaster, New York**

| Sample ID   | Groundwater RAO/ NYCR Objective | DPE-8 07/24/15 | DPE-8 10/21/15 | DPE-8 07/07/16 | DPE-8 10/27/16 | DPE-8 01/16/17 | DPE-8 04/18/17 | DPE-8 07/11/17 | DPE-8 10/23/17 | DPE-8 01/10/18 | DPE-8 04/13/18 | DPE-8 07/12/18 | DPE-8 10/25/18 | DPE-8 01/09/19 | DPE-8 04/09/19 | DPE-8 07/22/19 | DPE-8 10/14/19 | DPE-8 01/06/20 | DPE-8 04/06/20 | DPE-8 07/22/20 | DPE-8 10/13/20 |     |
|---|---------------------------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|-----|
|   | Lab Sample ID                   | 480-84562-20   | 480-89674-19   | 480-102824-5   | 480-108538-1   | 480-112334-16  | 480-116720-24  | 480-121042-20  | 480-126420-6   | 480-129995-19  | 480-134234-7   | 480-138781-3   | 480-144170-5   | 480-147748-7   | 480-151586-8   | 480-156622-5   | 480-160839-6   | 480-165026-17  | 480-166383-15  | 480-172827-14  | 480-176470-12  |     |
| <b>Volatile Organic Compounds by Method 8260 (µg/L)</b> |                                 |                |                |                |                |                |                |                |                |                |                |                |                |                |                |                |                |                |                |                |                |     |
| 1,1,1-Trichloroethane                                   | 5*                              | 57             | 170            | 39             | 21             | 170            | 55             | 100            | U              | 4.8            | 20             | U              | 75             | 30             | 20             | U              | 20             | U              | 20             | U              | 20             |     |
| 1,1-Dichloroethane                                      | 5*                              | 140            | 590            | 58             | 22             | 130            | 50             | U              | 310            | 4.4            | 50             | 71             | 28             | 330            | 240            | 160            | 54             | 20             | U              | 47             | 35             |     |
| 1,1-Dichloroethene                                      | 5                               | 50             | U              | 20             | 5.0            | U              | 4.0            | J              | 27             | J              | 50             | U              | 100            | U              | 1.6            | 8.2            | J              | 6.5            | J              | 20             | U              |     |
| 2-Butanone (MEK)  | 50                              | 540            | 260            | 50             | 50             | U              | 400            | U              | 500            | U              | 1,000          | U              | 50             | U              | 200            | U              | 200            | U              | 100            | U              | 100            |     |
| Acetone   | 50                              | 890            | 220            | 50             | U              | 50             | U              | 400            | U              | 500            | U              | 1,000          | U              | 25             | U              | 200            | U              | 200            | U              | 200            | U              |     |
| Carbon Disulfide  | 60                              | 50             | U              | 11             | 5.0            | U              | 5.0            | U              | 40             | U              | 50             | U              | 51             | J              | 1.0            | U              | 20             | U              | 20             | U              | 10             |     |
| Chloroethane  | 5*                              | 50             | U              | 54             | 44             | 12             | 40             | U              | 50             | U              | 100            | U              | 1.8            | 22             | 30             | 20             | U              | 62             | 20             | U              | 14             |     |
| cis-1,2-Dichloroethene                                  | 5*                              | 1,500          | 2,300          | 5.0            | U              | 650            | 4,100          | 4,800          | 8,500          | 110            | 540            | 1,600          | 1,000          | 19,000         | 10,000         | 650            | 430            | 20             | U              | 7.0            | J              |     |
| Methylene Chloride                                      | 5                               | 23             | J              | 20             | U              | 5.0            | U              | 5.0            | U              | 40             | U              | 50             | U              | 100            | U              | 5.0            | U              | 20             | U              | 3,000          | 2,600          |     |
| Toluene   | 5*                              | 50             | U              | 20             | U              | 5.0            | U              | 40             | U              | 50             | U              | 100            | U              | 1.0            | U              | 20             | U              | 20             | U              | 50             | U              |     |
| trans-1,2-Dichloroethene                                | 5                               | 50             | U              | 55             | 8.1            | 5.0            | U              | 40             | U              | 50             | U              | 100            | U              | 0.99           | 20             | U              | 20             | U              | 34             | 27             | 24             |     |
| Trichloroethene   | 5*                              | 230            | 92             | 5.4            | 8.4            | 98             | 36             | J              | 100            | U              | 6.6            | 11             | J              | 65             | J              | 40             | 20             | U              | 13             | J              | 20             | U   |
| Vinyl chloride  | 5*                              | 1,400          | 1,700          | 110            | 140            | 920            | 460            | 2,300          | 1.0            | U              | 410            | 460            | 120            | 1,800          | 2,800          | 710            | 370            | 40             | U              | 360            | 260            | 890 |

Notes:

The DPE system was put back on line following the third quarter 2016 sampling event.

The injection of ABC-C<sub>6</sub> occurred in November 2014 and April/May 2015.

The injection of ABC-C<sub>6</sub> with ZVI occurred in November 2018.

Bold font indicates the analyte was detected.

Bold font and bold outline indicates the screening criteria was exceeded.

\* Site-specific RAO per ROD (November 1994)

J - Analyte detected at a level less than the reporting limit and greater than or equal to the method detection limit; concentrations estimated.

U - Not detected at or above reporting limit.

Ns - Not sampled.

**Table 5**

**Summary of Groundwater Collection Trench Analytical Data**  
**Former Scott Aviation Facility**  
**NYSDEC Site Code No. 9-15-149**  
**Lancaster, New York**

| Sample ID<br>Date Collected<br>Lab Sample ID                  | Groundwater<br>RAO/ NYCRR<br>Objective | GWCT Manhole<br>07/24/15<br>480-84562-15 | GWCT Manhole<br>10/19/15<br>480-89674-20 | GWCT Manhole<br>01/05/16<br>480-93630-15 | GWCT Manhole<br>04/04/16<br>480-84562-15 | GWCT Manhole<br>07/05/16<br>480-102662-4 | GWCT Manhole<br>10/27/16<br>480-108538-2 | GWCT Manhole<br>01/16/17<br>480-112334-8 |
|---|--|--|--|--|--|--|--|--|
| Volatile Organic Compounds by Method 8260 ( $\mu\text{g/L}$ ) |  |  |  |  |  |  |  |  |
| 1,1-Dichloroethane  | 5*                                     | 1.3                                      | 0.7                                      | < 1.0 U                                  | 0.4 J                                    | < 1.0 U                                  | < 1.0 U                                  | < 1.0 U                                  |
| 2-Butanone (MEK)  | 50                                     | 2.4 J                                    | < 10 U                                   | < 10 U                                   | < 10 U                                   | < 1.0 U                                  | < 1.0 U                                  | < 1.0 U                                  |
| Acetone   | 50                                     | 7.0 J                                    | < 10 U                                   | < 10 U                                   | < 10 U                                   | < 1.0 U                                  | < 1.0 U                                  | < 1.0 U                                  |
| Carbon disulfide  | 1                                      | < 1.0 U                                  |
| Chloroethane  | 5*                                     | < 1.0 U                                  | < 1.0 U                                  | 62                                       | 44                                       | 70                                       | 34                                       | 45                                       |
| Chlormethane  | 5                                      | < 1.0 U                                  |
| cis-1,2-Dichloroethene  | 5*                                     | 1.1                                      | < 1.0 U                                  |
| Ethylbenzene  | 5                                      | < 1.0 U                                  |
| Toluene   | 5*                                     | < 1.0 U                                  | < 1.0 U                                  | 0.99 J                                   | < 1.0 U                                  | < 1.0 U                                  | < 1.0 U                                  | < 1.0 U                                  |
| trans-1,2-Dichloroethene                                      | 5                                      | < 1.0 U                                  |
| Vinyl chloride  | 5*                                     | < 1.0 U                                  |
| Xylenes, Total  | 5*                                     | < 2.0 U                                  |
| Total Volatile Organic Compounds                              | NA                                     | 12.8                                     | 0.7                                      | 63                                       | 44                                       | 70                                       | 34                                       | 45                                       |

**Table 5**

**Summary of Groundwater Collection Trench Analytical Data**  
**Former Scott Aviation Facility**  
**NYSDEC Site Code No. 9-15-149**  
**Lancaster, New York**

| Sample ID   | Groundwater<br>RAO/ NYCR | GWCT Manhole<br>04/20/17<br>480-116720-15 | GWCT Manhole<br>07/11/17<br>480-121042-15 | GWCT Manhole<br>10/23/17<br>480-126420-1 | GWCT Manhole<br>01/08/18<br>480-129995-13 | GWCT Manhole<br>04/13/18<br>480-134234-8 | GWCT Manhole<br>07/12/18<br>480-138781-4 | GWCT Manhole<br>10/24/18<br>480-144170-15 |
|---|--------------------------|---|---|--|---|--|--|---|
| Volatile Organic Compounds by Method 8260 ( $\mu\text{g/L}$ ) |                          |   |   |  |   |  |  |   |
| 1,1-Dichloroethane  | 5*                       | <b>0.74</b> J                             | < 1.0 U                                   | < 1.0 U                                  | < 1.0 U                                   | <b>0.52</b> J                            | < 1.0 U                                  | < 1.0 U                                   |
| 2-Butanone (MEK)  | 50                       | < 10 U                                    | < 10 U                                    | < 10 U                                   | < 10 U                                    | < 10 U                                   | < 10 U                                   | < 10 U                                    |
| Acetone   | 50                       | < 10 U                                    | < 10 U                                    | < 10 U                                   | < 10 U                                    | <b>10</b> J                              | < 10 U                                   | < 10 U                                    |
| Carbon disulfide  | 1                        | < 1.0 U                                   | < 1.0 U                                   | < 1.0 U                                  | < 1.0 U                                   | < 1.0 U                                  | < 1.0 U                                  | < 1.0 U                                   |
| Chloroethane  | 5*                       | <b>26</b>                                 | <b>65</b>                                 | <b>45</b>                                | <b>64</b>                                 | <b>53</b>                                | <b>49</b>                                | <b>38</b>                                 |
| Chlormethane  | 5                        | < 1.0 U                                   | < 1.0 U                                   | < 1.0 U                                  | < 1.0 U                                   | < 1.0 U                                  | < 1.0 U                                  | < 1.0 U                                   |
| cis-1,2-Dichloroethene  | 5*                       | <b>0.74</b> J                             | < 1.0 U                                   | < 1.0 U                                  | <b>5.1</b>                                | < 1.0 U                                  | < 1.0 U                                  | < 1.0 U                                   |
| Ethylbenzene  | 5                        | < 1.0 U                                   | < 1.0 U                                   | <b>0.19</b> J                            | < 1.0 U                                   | < 1.0 U                                  | < 1.0 U                                  | < 1.0 U                                   |
| Toluene   | 5*                       | < 1.0 U                                   | < 1.0 U                                   | <b>0.25</b> J                            | < 1.0 U                                   | < 1.0 U                                  | < 1.0 U                                  | < 1.0 U                                   |
| trans-1,2-Dichloroethene                                      | 5                        | < 1.0 U                                   | < 1.0 U                                   | <b>0.34</b> J                            | < 1.0 U                                   | < 1.0 U                                  | < 1.0 U                                  | < 1.0 U                                   |
| Vinyl chloride  | 5*                       | < 1.0 U                                   | < 1.0 U                                   | < 1.0 U                                  | < 1.0 U                                   | < 1.0 U                                  | < 1.0 U                                  | < 1.0 U                                   |
| Xylenes, Total  | 5*                       | < 2.0 U                                   | < 2.0 U                                   | <b>0.67</b> J                            | < 2.0 U                                   | < 2.0 U                                  | < 2.0 U                                  | < 2.0 U                                   |
| Total Volatile Organic Compounds                              | NA                       | 27  | 65  | 45                                       | 69  | 64                                       | 49                                       | 38  |

**Table 5**

**Summary of Groundwater Collection Trench Analytical Data**  
**Former Scott Aviation Facility**  
**NYSDEC Site Code No. 9-15-149**  
**Lancaster, New York**

| Sample ID  | Groundwater<br>RAO/ NYCRR<br>Objective | GWCT Manhole<br>01/09/19<br>480-147748-15 | GWCT Manhole<br>04/08/19<br>480-151586-12 | GWCT Manhole<br>07/23/19<br>480-156622-7 | GWCT Manhole<br>10/14/19<br>480-160839-7 | GWCT Manhole<br>01/06/20<br>480-165026-18 | GWCT Manhole<br>04/06/20<br>480-168383-16 | GWCT Manhole<br>07/22/20<br>480-172827-15 | GWCT Manhole<br>10/13/20<br>480-176470-13 |
|--|--|---|---|--|--|---|---|---|---|
| Volatile Organic Compounds by Method 8260 (µg/L) |  |   |   |  |  |   |   |   |   |
| 1,1-Dichloroethane                               | 5*                                     | <b>0.38</b> J                             | <b>0.48</b> J                             | < 1.0 U                                  | < 1.0 U                                  | 0.5 J                                     | < 1.0 U                                   | < 1.0 U                                   | < 1.0 U                                   |
| 2-Butanone (MEK)                                 | 50                                     | < 10 U                                    | < 10 U                                    | < 1.0 U                                  | < 1.0 U                                  | < 1.0 U                                   | < 1.0 U                                   | < 1.0 U                                   | < 1.0 U                                   |
| Acetone  | 50                                     | < 10 U                                    | < 10 U                                    | < 1.0 U                                  | < 1.0 U                                  | < 1.0 U                                   | < 1.0 U                                   | < 1.0 U                                   | < 1.0 U                                   |
| Carbon disulfide                                 | 1                                      | < 1.0 U                                   | <b>0.20</b> J                             | < 1.0 U                                  | < 1.0 U                                  | < 1.0 U                                   | < 1.0 U                                   | < 1.0 U                                   | < 1.0 U                                   |
| Chloroethane                                     | 5*                                     | <b>28</b>                                 | <b>48</b>                                 | <b>48</b>                                | <b>28</b>                                | <b>34</b>                                 | <b>52</b>                                 | <b>37</b>                                 | <b>34</b>                                 |
| Chloromethane                                    | 5                                      | < 1.0 U                                   | < 1.0 U                                   | < 1.0 U                                  | < 1.0 U                                  | < 1.0 U                                   | < 1.0 U                                   | <b>0.42</b> J                             | < 1.0 U                                   |
| cis-1,2-Dichloroethene                           | 5*                                     | <b>0.93</b> J                             | <b>1.20</b>                               | < 1.0 U                                  | < 1.0 U                                  | < 1.0 U                                   | < 1.0 U                                   | < 1.0 U                                   | < 1.0 U                                   |
| Ethylbenzene                                     | 5                                      | < 1.0 U                                   | < 1.0 U                                   | < 1.0 U                                  | < 1.0 U                                  | < 1.0 U                                   | < 1.0 U                                   | < 1.0 U                                   | < 1.0 U                                   |
| Toluene  | 5*                                     | <b>0.80</b> J                             | <b>0.60</b> J                             | < 1.0 U                                  | < 1.0 U                                  | < 1.0 U                                   | < 1.0 U                                   | < 1.0 U                                   | < 1.0 U                                   |
| trans-1,2-Dichloroethene                         | 5                                      | < 1.0 U                                   | < 1.0 U                                   | < 1.0 U                                  | < 1.0 U                                  | < 1.0 U                                   | < 1.0 U                                   | < 1.0 U                                   | < 1.0 U                                   |
| Vinyl chloride                                   | 5*                                     | < 1.0 U                                   | <b>1.4</b>                                | < 1.0 U                                  | < 1.0 U                                  | < 1.0 U                                   | < 1.0 U                                   | <b>1.2</b> U                              | < 1.0 U                                   |
| Xylenes, Total                                   | 5*                                     | < 2.0 U                                   | < 2.0 U                                   | < 2.0 U                                  | < 2.0 U                                  | < 2.0 U                                   | < 2.0 U                                   | < 2.0 U                                   | < 2.0 U                                   |
| Total Volatile Organic Compounds                 | NA                                     | 30  | 52  | 48                                       | 28                                       | 34  | 52  | 39  | 34  |

Notes:

Bold font indicates the analyte was detected.

Bold font and bold outline indicates the screening criteria was exceeded.

\* Site-specific RAO per ROD (November 1994)

J - Result is less than the reporting limit but greater than or equal to the method detection limit and the concentration is an approximate value.

U - Not detected at or above reporting limit.

NA - Not applicable

Table 6

**Summary of Trichloroethene Concentrations Following November 2014 Injection Pilot Study - October 2020**  
**Former Scott Aviation Facility - West of Plant 2 Site**  
**NYSDEC Site Code No. 9-15-149**  
**Lancaster, New York**

| Well ID              | Jan<br>2015 <sup>(1)</sup> | Apr<br>2015 | Jul<br>2015 | Oct<br>2015 | Jan<br>2016 | Apr<br>2016 | Jul<br>2016 | Oct<br>2016 | Jan<br>2017 | Apr<br>2017 | Jul<br>2017 | Oct<br>2017 | Jan<br>2018 | Apr<br>2018 | Jul<br>2018 | Oct<br>2018 | Jan<br>2019 | April<br>2019 | July<br>2019 | Oct<br>2019 | Jan<br>2020 | Apr<br>2020 | July<br>2020 | Oct<br>2020 | TCE<br>Reduction -<br>Previous<br>Sampling | TCE<br>Reduction -<br>Baseline<br>Sampling |    |
|----------------------|----------------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|---------------|--------------|-------------|-------------|-------------|--------------|-------------|--|--|----|
| MW-2                 | <1                         | <5          | <1          | <1          | <1          | <1          | <1          | <1          | <1          | <1          | <1          | <1          | <1          | <1          | <1          | <1          | <1          | <1            | <2           | <1          | <1          | <1          | <1           | <1          | <2   | ND   | ND |
| MW-3                 | <1                         | <1          | <1          | <1          | <1          | <1          | <1          | <1          | <1          | <1          | <1          | <1          | <1          | <1          | <1          | <1          | <1          | <1            | <1           | <1          | <1          | <1          | <1           | <1          | <1   | ND   | ND |
| MW-4                 | 18,000                     | 110         | <100        | <100        | <100        | <100        | <20         | <20         | <20         | <5          | <20         | <20         | <5          | <20         | <5          | <20         | 5.2         | 2.1           | 2.6          | <4          | <4          | <4          | <4           | <4          | <4   | ND   | ND |
| MW-6 <sup>(2)</sup>  | <1                         | <1          | <1          | <1          | <1          | <1          | <1          | <1          | <1          | <1          | <1          | <1          | <1          | NS          | NS          | NS          | NS          | NS            | NS           | NS          | NS          | NS          | NS           | NS          | NS   | NA   | NA |
| MW-8R                | 2,100                      | <2,000      | 200         | <25         | <1,000      | <1,000      | 24          | <100        | <100        | 14          | <400        | 7.7         | NS          | 13          | <10         | <10         | 9.9         | <40           | <8           | <10         | <10         | <2          | <4           | <2          | ND   | ND   |    |
| MW-10 <sup>(2)</sup> | <1                         | <1          | <1          | <1          | <1          | <1          | <1          | <1          | <1          | <1          | <1          | <1          | <1          | NS          | NS          | NS          | NS          | NS            | NS           | NS          | NS          | NS          | NS           | NS          | NA   | NA   |    |
| MW-11                | <1                         | <1          | <1          | <1          | <1          | <1          | <1          | <1          | <1          | <1          | <1          | <1          | <1          | <2          | <1          | <4          | <1          | <1            | <1           | <1          | <1          | <1          | <1           | <1          | <1   | ND   | ND |
| MW-12 <sup>(2)</sup> | NS                         | <1          | <1          | <1          | <1          | <5          | <5          | <1          | <4          | <1          | <1          | <1          | <1          | <4          | <5          | NS          | NS          | NS            | NS           | NS          | NS          | NS          | NS           | NS          | NS   | NA   | NA |
| MW-13S               | 19,000                     | 31,000      | <500        | <10         | 41          | <100        | <4          | <2          | 2.1         | 0.26        | <2          | <5          | <40         | <40         | <40         | <40         | <40         | 0.7           | NS           | NS          | 0.64        | <1          | <1           | 0.60        | Increase                                   | 99.99%                                     |    |
| MW-16S               | 160,000                    | 26,000      | 5,100       | <4,000      | <4,000      | <4,000      | <2,000      | <500        | <500        | 86          | <1,000      | <500        | <1,000      | <1,000      | <1,000      | <1,000      | 550         | <1,000        | <2,500       | <1,000      | <1,000      | <1,000      | <1,000       | <1,000      | ND   | ND   |    |

**Notes:**

(1) New baseline established following November 2014 injection pilot study.

(2) Well was decommissioned.

The injection of ABC+® occurred in November 2014 and April/May 2015.

The injection of ABC-Ole® with ZVI occurred in November 2018.

ND - Not Detected

NA - Not Available


NS - Not Sampled

**Table 7**

**Vapor Monitoring Results - October 2020**  
**Former Scott Aviation Facility - West of Plant 2**  
**NYSDEC Site Code No. 9-15-149**  
**Lancaster, New York**

|   | Sample ID:<br>Sample Date:  | LRP Effluent<br>10/7/2020 | AS Effluent<br>10/7/2020 |  |  |  |
|---|---|---------------------------|--------------------------|--|--|--|
| <b>VOCs by Method TO-15 (<math>\mu\text{g}/\text{m}^3</math>)</b>                                       |   |                           |                          |  |  |  |
| 1,1,1-Trichloroethane   | 7.9   | -                         | U                        |  |  |  |
| 1,1-Dichloroethane  | 10  | -                         | U                        |  |  |  |
| 1,1-Dichloroethene  | 2.5   | -                         | U                        |  |  |  |
| 1,2-Dichloroethene, Total   | 1.9   | 4.8                       |                          |  |  |  |
| 1,3-Dichlorobenzene   | 3.3   | 2.0                       |                          |  |  |  |
| 1,2,4-Trimethylbenzene  | 1.0   | -                         | U                        |  |  |  |
| Benzene   | 0.84  | -                         | U                        |  |  |  |
| Carbon disulfide  | -   | U                         | 5.4                      |  |  |  |
| Chloroethane  | 15  | -                         | U                        |  |  |  |
| Methyl Ethyl Ketone   | 2.4   | -                         | U                        |  |  |  |
| Toluene   | 4.5   | 1.9                       |                          |  |  |  |
| Trichloroethene   | 31  | -                         | U                        |  |  |  |
| Total Detected VOCs ( $\mu\text{g}/\text{m}^3$ )  | 80  | 14                        |                          |  |  |  |
| Vacuum (inches Hg)  | 20  | 5.5                       |                          |  |  |  |
| Air Flow Rate (acf m)   | 162   | 307                       |                          |  |  |  |
| VOC discharge loading (lb/hr)   | 0.000049  | 0.000016                  |                          |  |  |  |
| <b>Total VOC discharge loading (lb/hr)</b>  | <b>0.000065</b>   |                           |                          |  |  |  |
| <b>Notes:</b>   |   |                           |                          |  |  |  |
| 1.  | $\mu\text{g}/\text{m}^3$ = micrograms per cubic meter                           |                           |                          |  |  |  |
| 2.  | acf m = actual cubic feet per minute  |                           |                          |  |  |  |
| 3.  | Hg = Mercury  |                           |                          |  |  |  |
| 4.  | lb/hr = pounds per hour   |                           |                          |  |  |  |
| 5.  | LRP Effluent represents the untreated vapor discharge for the Liquid Ring Pump. |                           |                          |  |  |  |
| 6.  | AS Effluent represents the untreated vapor discharge for the Air Stripper.      |                           |                          |  |  |  |
| <b>Qualifiers:</b>  |   |                           |                          |  |  |  |
| U - Not detected at or above reporting limit (reporting limit not included in the Total Detected VOCs). |   |                           |                          |  |  |  |

## **Figures**



SOURCE:  
1982 GEOLOGIC SURVEY 7.5 X 15 MINUTE TOPOGRAPHIC QUADRANGLE  
LANCASTER, NEW YORK

LEGEND


■ AVOX PLANT 3 ADDED AFTER PUBLICATION OF LANCASTER, NEW YORK  
TOPOGRAPHIC QUADRANGLE.

0 1000 2000  
SCALE IN FEET

FIGURE 1  
SITE LOCATION MAP

**AECOM**


FORMER SCOTT AVIATION FACILITY  
LANCASTER, NEW YORK



**AECOM**

## FIGURE 2 SITE FEATURES MAP

FORMER SCOTT AVIATION FACILITY  
LANCASTER, NEW YORK



**AECOM**

FIGURE 3  
PROCESS AND INSTRUMENTATION DIAGRAM  
FOR COMBINED DUAL PHASE EXTRACTION  
REMEDIATION SYSTEM  
FORMER SCOTT AVIATION FACILITY  
LANCASTER, NEW YORK

Quarterly Groundwater Monitoring Water Level Data - October 13, 2020

Former Scott Aviation Facility  
NYSDEC Site Code No. 9-15-149  
Lancaster, New York

| Monitoring Point Identification | Top of Casing Elevation (feet AMSL) | Depth to Water (feet from TOC) | Ground Water Elevation (feet AMSL) |
|---------------------------------|-------------------------------------|--------------------------------|------------------------------------|
| <b>Monitoring Wells</b>         |                                     |                                |                                    |
| MW-2                            | 688.62                              | 6.50                           | 682.12                             |
| MW-3                            | 687.05                              | 10.41                          | 676.64                             |
| MW-4                            | 686.50                              | 11.72                          | 674.78                             |
| MW-8R                           | 686.29                              | 10.39                          | 675.90                             |
| MW-9                            | 689.57                              | 14.72                          | 674.85                             |
| MW-11                           | 688.61                              | 11.81                          | 676.80                             |
| <b>Nested Piezometers</b>       |                                     |                                |                                    |
| MW-13S                          | 686.65                              | 8.84                           | 677.81                             |
| MW-13D                          | 686.78                              | 10.16                          | 676.62                             |
| MW-14S                          | 685.74                              | 6.18                           | 679.56                             |
| MW-14D                          | 685.88                              | 19.31                          | 666.57                             |
| MW-15S                          | 687.17                              | 2.98                           | 684.19                             |
| MW-15D                          | 687.87                              | 13.55                          | 674.32                             |
| MW-16S                          | 688.15                              | 10.38                          | 677.77                             |
| MW-16D                          | 688.16                              | 13.30                          | 674.86                             |
| <b>Remedial System</b>          |                                     |                                |                                    |
| GWCT Manhole (rim)              | 687.22                              | 21.95                          | 665.27                             |

**Notes:**



TOC - Top of Casing

AMSL - Above Mean Sea Level

GWCT - Groundwater Collection Trench

GWCT is 200 feet long with a 0.01 foot/foot slope to the collection manhole

Locations re-surveyed on February 23, 2016



Quarterly Groundwater Monitoring Water Level Data - October 13, 2020

Former Scott Aviation Facility  
NYSDEC Site Code No. 9-15-149  
Lancaster, New York

| Monitoring Point Identification | Top of Casing Elevation (feet AMSL) | Depth to Water (feet from TOC) | Ground Water Elevation (feet AMSL) |
|---------------------------------|-------------------------------------|--------------------------------|------------------------------------|
| <b>Monitoring Wells</b>         |                                     |                                |                                    |
| MW-2                            | 688.62                              | 6.50                           | 682.12                             |
| MW-3                            | 687.05                              | 10.41                          | 676.64                             |
| MW-4                            | 686.50                              | 11.72                          | 674.78                             |
| MW-8R                           | 686.29                              | 10.39                          | 675.90                             |
| MW-9                            | 689.57                              | 14.72                          | 674.85                             |
| MW-11                           | 688.61                              | 11.81                          | 676.80                             |
| <b>Nested Piezometers</b>       |                                     |                                |                                    |
| MW-13S                          | 686.65                              | 8.84                           | 677.81                             |
| MW-13D                          | 686.78                              | 10.16                          | 676.62                             |
| MW-14S                          | 685.74                              | 6.18                           | 679.56                             |
| MW-14D                          | 685.88                              | 19.31                          | 666.57                             |
| MW-15S                          | 687.17                              | 2.98                           | 684.19                             |
| MW-15D                          | 687.87                              | 13.55                          | 674.32                             |
| MW-16S                          | 688.15                              | 10.38                          | 677.77                             |
| MW-16D                          | 688.16                              | 13.30                          | 674.86                             |
| <b>Remedial System</b>          |                                     |                                |                                    |
| GWCT Manhole (rim)              | 687.22                              | 21.95                          | 665.27                             |

**Notes:**



TOC - Top of Casing

AMSL - Above Mean Sea Level


GWCT - Groundwater Collection Trench

GWCT is 200 feet long with a 0.01 foot/foot slope to the collection manhole

Locations re-surveyed on February 23, 2016




**FIGURE 6**  
**MONITORING WELL MW-4**  
**HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER**  
**Former Scott Aviation Site**  
**Lancaster, New York**




Note: LNAPL was present in MW-4 during the October 2004 and January 2005 groundwater sampling events.  
TCE has not been detected since January 2019.

**FIGURE 7**  
**MONITORING WELL MW-8R**  
**HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER**  
**Former Scott Aviation Site**  
**Lancaster, New York**




Note: LNAPL was present in MW-4 during the October 2004 and January 2005 groundwater sampling events.  
TCE has not been detected since January 2019.

**FIGURE 8**  
**MONITORING WELL MW-13S**  
**HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER**  
**Former Scott Aviation Site**  
**Lancaster, New York**



**FIGURE 9**  
**MONITORING WELL MW-16S**  
**HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER**  
**Former Scott Aviation Site**  
**Lancaster, New York**



TCE has not been detected since January 2019.

## **Appendix A**

### **October 2020 Field Forms**

## GROUNDWATER SAMPLING LOG

Page 1 of 1

|  |  |  |                                      |                   |           |                                 |              |  |
|--|--|--|--------------------------------------|-------------------|-----------|---------------------------------|--------------|--|
| Date (mo/day/yr)                                 | 10/14/2020                                 |  | Casing Diameter                      | 2                 |           | inches                          |              |  |
| Field Personnel                                  | C. Bourne                                  |  | Casing Material                      | PVC               |           |                                 |              |  |
| Site Name  | Former Scott Aviation Site - Lancaster, NY |  | Measuring Point Elevation            | 688.62            |           | 1/100 ft                        |              |  |
| Job #  | 60538931                                   |  | Height of Riser (above land surface) | 3.32              |           | 1/100 ft                        |              |  |
| Well ID #  | MW-2                                       |  | Land Surface Elevation               | 685.3             |           | 1/100 ft                        |              |  |
| <input checked="" type="checkbox"/> Upgradient   | Downgradient                               | Screened Interval (below land surface) |                                      | 7-17              |           | 1/100 ft                        |              |  |
| Weather Conditions                               | Sunny                                      |  |                                      |                   |           |                                 |              |  |
| Air Temperature                                  | 57   |  | Container                            | Analysis (Method) | # Bottles | Preservative                    | Dup - MS/MSD |  |
| Total Depth (TWD) Below Top of Casing =          | 16   |  | VOA 40 mL glass                      | TCL VOCs (8260C)  | 3         | HCL, 4°C                        |              |  |
| Depth to Groundwater (DGW) Below Top of Casing = | 6.53                                       |  | VOA 40 mL glass                      | TOC (9060A)       | 2         | HCL, 4°C                        |              |  |
| Length of Water Column (LWC) = TWD - DGW =       | 9.47                                       |  |                                      |                   |           |                                 |              |  |
| 1 Casing Volume (OCV) = LWC x                    | 0.163                                      | =                                      | 1.5                                  | gal               |           |                                 |              |  |
| 3 Casing Volumes =                               | 4.6  |  | gal                                  |                   |           |                                 |              |  |
| Method of Well Evacuation                        | Peristaltic Pump                           |  |                                      |                   |           |                                 |              |  |
| Method of Sample Collection                      | Peristaltic Pump/Poly Tubing               |  |                                      |                   |           |                                 |              |  |
| Total Volume of Water Removed                    | 4.5  |  | gal                                  |                   |           |                                 |              |  |
| FIELD ANALYSES                                   |  |  |                                      |                   |           |                                 |              |  |
| Flow Rate (ml/min)                               | 300  | 300                                    | 300                                  | 300               | 300       | 300                             | 300          |  |
| Time (Military)                                  | 10:22                                      | 10:27                                  | 10:32                                | 10:37             | 10:42     | 10:47                           | 10:52        |  |
| Depth to Groundwater<br>Below Top of Casing (ft) | 7.95                                       | 8.40                                   | 9.00                                 | 9.54              | 10.10     | 10.70                           | 11.31        |  |
| Drawdown (ft)                                    | 1.42                                       | 1.87                                   | 2.47                                 | 3.01              | 3.57      | 4.17                            | 4.78         |  |
| pH (S.U.)  | 6.53                                       | 6.56                                   | 6.82                                 | 6.80              | 6.51      | 6.55                            | 6.56         |  |
| Sp. Cond. (uS/cm)                                | 1.089                                      | 0.917                                  | 0.705                                | 0.695             | 0.726     | 0.741                           | 0.797        |  |
| Turbidity (NTUs)                                 | 9.25                                       | 8.42                                   | 6.22                                 | 10.44             | 10.21     | 8.06                            | 7.95         |  |
| Dissolved Oxygen (mg/L)                          | 2.64                                       | 1.37                                   | 0.63                                 | 0.64              | 0.58      | 0.57                            | 0.4          |  |
| Water Temperature (°C)                           | 15.40                                      | 15.80                                  | 16.10                                | 16.00             | 16.20     | 16.10                           | 16.1         |  |
| ORP (mV)   | 211.6                                      | 158.3                                  | 81.5                                 | 41.7              | 22.1      | -12.1                           | -21.3        |  |
| Physical appearance at start                     |  |  | Color                                | Clear             |           | Physical appearance at sampling |              |  |
|  |  |  | Odor                                 | None              |           | Color                           | Clear        |  |
|  |  |  | Sheen/Free Product                   | None              |           | Odor                            | None         |  |
| COMMENTS/OBSERVATIONS                            |  | Began purge at 1021                    |                                      |                   |           |                                 |              |  |
|  |  | Began sampling at 1102                 |                                      |                   |           |                                 |              |  |

## GROUNDWATER SAMPLING LOG

Page 1 of 1

| Date (mo/day/yr)  | 10/13/2020                                 |  | Casing Diameter                        | 2            |                    | inches                          |       |         |           |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|---|--|--|--|--------------|--------------------|---------------------------------|-------|---------|-----------|-------------------|-----------|--------------|--------------|-----------------|------------------|---|----------|--|-----------------|-------------|---|----------|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| Field Personnel   | C. Bourne                                  |  | Casing Material                        | PVC          |                    |                                 |       |         |           |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Site Name   | Former Scott Aviation Site - Lancaster, NY |  | Measuring Point Elevation              | 687.05       |                    | 1/100 ft                        |       |         |           |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Job #   | 60538931                                   |  | Height of Riser (above land surface)   | 1.15         |                    | 1/100 ft                        |       |         |           |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Well ID #   | MW-3                                       |  | Land Surface Elevation                 | 685.9        |                    | 1/100 ft                        |       |         |           |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|   | <input type="checkbox"/> Upgradient        | <input checked="" type="checkbox"/> Downgradient | Screened Interval (below land surface) | 7.5 - 27.5   |                    | 1/100 ft                        |       |         |           |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Weather Conditions  | Sunny                                      |  |  |              |                    |                                 |       |         |           |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Air Temperature   | 60   |  |  |              |                    |                                 |       |         |           |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Total Depth (TWD) Below Top of Casing =   | 28   |  | 1/100 ft                               |              |                    |                                 |       |         |           |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Depth to Groundwater (DGW) Below Top of Casing =  | 10.33                                      |  | 1/100 ft                               |              |                    |                                 |       |         |           |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Length of Water Column (LWC) = TWD - DGW =  | 17.67                                      |  | 1/100 ft                               |              |                    |                                 |       |         |           |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 1 Casing Volume (OCV) = LWC x   | 0.163                                      | =  | 2.9                                    | gal          |                    |                                 |       |         |           |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| 3 Casing Volumes =  | 8.6  |  | gal                                    |              |                    |                                 |       |         |           |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Method of Well Evacuation   | Peristaltic Pump                           |  |  |              |                    |                                 |       |         |           |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Method of Sample Collection   | Peristaltic Pump/Poly Tubing               |  |  |              |                    |                                 |       |         |           |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Total Volume of Water Removed   | 2.5  |  | gal                                    |              |                    |                                 |       |         |           |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| <table border="1"> <thead> <tr> <th>Container</th> <th>Analysis (Method)</th> <th># Bottles</th> <th>Preservative</th> <th>Dup - MS/MSD</th> </tr> </thead> <tbody> <tr> <td>VOA 40 mL glass</td> <td>TCL VOCs (8260C)</td> <td>3</td> <td>HCL, 4°C</td> <td></td> </tr> <tr> <td>VOA 40 mL glass</td> <td>TOC (9060A)</td> <td>2</td> <td>HCL, 4°C</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> |  |  |  |              |                    |                                 |       |         | Container | Analysis (Method) | # Bottles | Preservative | Dup - MS/MSD | VOA 40 mL glass | TCL VOCs (8260C) | 3 | HCL, 4°C |  | VOA 40 mL glass | TOC (9060A) | 2 | HCL, 4°C |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Container   | Analysis (Method)                          | # Bottles  | Preservative                           | Dup - MS/MSD |                    |                                 |       |         |           |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| VOA 40 mL glass   | TCL VOCs (8260C)                           | 3  | HCL, 4°C                               |              |                    |                                 |       |         |           |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| VOA 40 mL glass   | TOC (9060A)                                | 2  | HCL, 4°C                               |              |                    |                                 |       |         |           |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|   |  |  |  |              |                    |                                 |       |         |           |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|   |  |  |  |              |                    |                                 |       |         |           |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|   |  |  |  |              |                    |                                 |       |         |           |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|   |  |  |  |              |                    |                                 |       |         |           |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|   |  |  |  |              |                    |                                 |       |         |           |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|   |  |  |  |              |                    |                                 |       |         |           |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|   |  |  |  |              |                    |                                 |       |         |           |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| FIELD ANALYSES  |  |  |  |              |                    |                                 |       |         |           |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Flow Rate (ml/min)  | 325  | 325  | 325                                    | 325          | 325                | 325                             | 350   | 350     | 350       |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Time (Military)   | 14:40                                      | 14:45  | 14:50                                  | 14:55        | 15:00              | 15:05                           | 15:10 | 15:15   | 15:20     |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Depth to Groundwater<br>Below Top of Casing (ft)  | 10.82                                      | 12.55  | 13.30                                  | 13.78        | 14.11              | 14.59                           | 15.08 | 15.55   | 15.94     |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Drawdown (ft)   | 0.49                                       | 2.22   | 2.97                                   | 3.45         | 3.78               | 4.26                            | 4.75  | 5.22    | 5.61      |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| pH (S.U.)   | 7.34                                       | 6.94   | 7.04                                   | 7.04         | 7.04               | 7.03                            | 6.95  | 6.92    | 6.94      |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Sp. Cond. (uS/cm)   | 0.822                                      | 0.813  | 0.810                                  | 0.806        | 0.794              | 0.825                           | 0.869 | .876    | .860      |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Turbidity (NTUs)  | 19.50                                      | 17.20  | 8.04                                   | 7.71         | 7.42               | 5.41                            | 5.11  | 4.85    | 3.94      |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Dissolved Oxygen (mg/L)   | 1.54                                       | 0.64   | 0.47                                   | 0.41         | 0.56               | 0.95                            | 0.82  | .78     | .74       |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Water Temperature (°C)  | 12.80                                      | 12.80  | 13.00                                  | 13.30        | 13.50              | 13.60                           | 13.50 | 13.5    | 13.3      |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| ORP (mV)  | 5.2  | -2.3   | -19.3                                  | -32.6        | -36.8              | -34.8                           | -27.0 | (-)23.6 | -31       |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Physical appearance at start  |  |  | Color                                  | Clear        |                    | Physical appearance at sampling |       |         | Color     | Clear             |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|   |  |  | Odor                                   | None         |                    |                                 |       |         | Odor      | None              |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Sheen/Free Product  |  |  | None                                   |              | Sheen/Free Product |                                 |       | None    |           |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| COMMENTS/OBSERVATIONS   |  | Began purge at 1439                              |  |              |                    |                                 |       |         |           |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
|   |  | Began sampling at 1520                           |  |              |                    |                                 |       |         |           |                   |           |              |              |                 |                  |   |          |  |                 |             |   |          |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |  |



## **GROUNDWATER SAMPLING LOG**

Page 1 of 1

|  |  |                                       |  |             |                                 |          |        |
|--|--|---------------------------------------|--|-------------|---------------------------------|----------|--------|
| Date (mo/day/yr)                                 | 10/14/2020                                     |                                       | Casing Diameter                        | 2           |                                 | inches   |        |
| Field Personnel                                  | C. Bourne                                      |                                       | Casing Material                        | PVC         |                                 |          |        |
| Site Name  | Former Scott Aviation Site - Lancaster, NY     |                                       | Measuring Point Elevation              | 686.5       |                                 | 1/100 ft |        |
| Job #  | 60538931                                       |                                       | Height of Riser (above land surface)   | -0.39       |                                 | 1/100 ft |        |
| Well ID #  | MW-4   |                                       | Land Surface Elevation                 | 686.89      |                                 | 1/100 ft |        |
|  | <input checked="" type="checkbox"/> Upgradient | <input type="checkbox"/> Downgradient | Screened Interval (below land surface) | 15.5 - 25.5 |                                 | 1/100 ft |        |
| Weather Conditions                               | Sunny  |                                       |  |             |                                 |          |        |
| Air Temperature                                  | 57   |                                       |  |             |                                 |          |        |
| Total Depth (TWD) Below Top of Casing =          | 26   |                                       | 1/100 ft                               |             |                                 |          |        |
| Depth to Groundwater (DGW) Below Top of Casing = | 11.41  |                                       | 1/100 ft                               |             |                                 |          |        |
| Length of Water Column (LWC) = TWD - DGW =       | 14.59  |                                       | 1/100 ft                               |             |                                 |          |        |
| 1 Casing Volume (OCV) = LWC x                    | 0.163  | =                                     | 2.38                                   | gal         |                                 |          |        |
| 3 Casing Volumes =                               | 7.1  |                                       | gal                                    |             |                                 |          |        |
| Method of Well Evacuation                        | Peristaltic Pump                               |                                       |  |             |                                 |          |        |
| Method of Sample Collection                      | Peristaltic Pump/Poly Tubing                   |                                       |  |             |                                 |          |        |
| Total Volume of Water Removed                    | 2.0  |                                       | gal                                    |             |                                 |          |        |
| <b>FIELD ANALYSES</b>                            |  |                                       |  |             |                                 |          |        |
| Flow Rate (ml/min)                               | 300  | 200                                   | 200                                    | 150         | 150                             | 150      | 150    |
| Time (Military)                                  | 11:28  | 11:33                                 | 11:38                                  | 11:43       | 11:48                           | 11:53    | 11:58  |
| Depth to Groundwater<br>Below Top of Casing (ft) | 12.10  | 13.59                                 | 14.50                                  | 15.82       | 16.12                           | 16.22    | 16.22  |
| Drawdown (ft)                                    | 0.69   | 2.18                                  | 3.09                                   | 4.41        | 4.71                            | 4.81     | 4.81   |
| pH (S.U.)  | 6.86   | 7.02                                  | 7.16                                   | 7.23        | 7.31                            | 7.34     | 7.39   |
| Sp. Cond. (uS/cm)                                | 2.248  | 2.249                                 | 2.248                                  | 2.257       | 2.250                           | 2.251    | 2.249  |
| Turbidity (NTUs)                                 | 11.50  | 10.94                                 | 10.27                                  | 11.10       | 11.01                           | 10.94    | 10.44  |
| Dissolved Oxygen (mg/L)                          | 1.65   | 0.99                                  | 0.65                                   | 0.58        | 0.51                            | 0.47     | 0.45   |
| Water Temperature (°C)                           | 13.80  | 14.10                                 | 14.20                                  | 14.30       | 14.40                           | 14.4     | 14.4   |
| ORP (mV)   | -7.2   | -90.6                                 | -108.0                                 | -114.9      | -111.5                          | -116.6   | -117.3 |
|  | Physical appearance at start                   |                                       | Color                                  | Clear       |                                 |          |        |
|  |  |                                       | Odor                                   | None        |                                 |          |        |
|  |  |                                       |  |             | Physical appearance at sampling |          | Color  |
|  |  |                                       |  |             |                                 |          | Clear  |
|  |  |                                       |  |             |                                 |          | Odor   |
|  |  |                                       |  |             |                                 |          | None   |
|  | Sheen/Free Product                             |                                       |  |             | Sheen/Free Product              |          |        |
| COMMENTS/OBSERVATIONS                            | Began purge at 1127                            |                                       |  |             |                                 |          |        |
|  | Began sampling at 1158                         |                                       |  |             |                                 |          |        |

## GROUNDWATER SAMPLING LOG

Page 1 of 1

|  |  |  |  |                   |           |              |        |
|--|--|--|--|-------------------|-----------|--------------|--------|
| Date (mo/day/yr)                                 | 10/14/2020                                 |  | Casing Diameter                        | 4                 |           | inches       |        |
| Field Personnel                                  | C. Bourne                                  |  | Casing Material                        | PVC               |           |              |        |
| Site Name  | Former Scott Aviation Site - Lancaster, NY |  | Measuring Point Elevation              | 686.29            |           | 1/100 ft     |        |
| Job #  | 60538931                                   |  | Height of Riser (above land surface)   | -0.29             |           | 1/100 ft     |        |
| Well ID #  | MW-8R                                      |  | Land Surface Elevation                 | 686.58            |           | 1/100 ft     |        |
|  | <input type="checkbox"/> Upgradient        | <input checked="" type="checkbox"/> Downgradient | Screened Interval (below land surface) | 14 - 24           |           | 1/100 ft     |        |
| Weather Conditions                               | Sunny                                      |  |  |                   |           |              |        |
| Air Temperature                                  | 61   |  | Container                              | Analysis (Method) | # Bottles | Preservative |        |
| Total Depth (TWD) Below Top of Casing =          | 22.03                                      |  | VOA 40 mL glass                        | TCL VOCs (8260C)  | 3         | HCL, 4°C     |        |
| Depth to Groundwater (DGW) Below Top of Casing = | 10.02                                      |  | VOA 40 mL glass                        | TOC (9060A)       | 2         | HCL, 4°C     |        |
| Length of Water Column (LWC) = TWD - DGW =       | 12.01                                      |  | Various                                | MNA               | multiple  | Various      |        |
| 1 Casing Volume (OCV) = LWC x                    | 0.163                                      | = 2.0 gal  |  |                   |           |              |        |
| 3 Casing Volumes =                               | 5.9 gal                                    |  |  |                   |           |              |        |
| Method of Well Evacuation                        | Peristaltic Pump                           |  |  |                   |           |              |        |
| Method of Sample Collection                      | Peristaltic Pump/Poly Tubing               |  |  |                   |           |              |        |
| Total Volume of Water Removed                    | 2.5 gal                                    |  |  |                   |           |              |        |
| <b>FIELD ANALYSES</b>                            |  |  |  |                   |           |              |        |
| Flow Rate (ml/min)                               | 300  | 300  | 250                                    | 175               | 175       | 175          | 175    |
| Time (Military)                                  | 12:51                                      | 12:56  | 13:01                                  | 13:06             | 13:11     | 13:16        | 13:21  |
| Depth to Groundwater<br>Below Top of Casing (ft) | 11.08                                      | 12.52  | 14.55                                  | 14.80             | 14.85     | 15.15        | 16.11  |
| Drawdown (ft)                                    | 1.06                                       | 2.50   | 4.53                                   | 4.78              | 4.83      | 5.13         | 6.09   |
| pH (S.U.)  | 7.57                                       | 7.56   | 7.53                                   | 7.55              | 7.57      | 7.55         | 7.5    |
| Sp. Cond. (uS/cm)                                | 1.340                                      | 1.335  | 1.342                                  | 1.343             | 1.351     | 1.359        | 1.366  |
| Turbidity (NTUs)                                 | Out of Range                               | Out of Range                                     | 602au                                  | 40.00             | 39.10     | 38.91        | 38.42  |
| Dissolved Oxygen (g/L)                           | 0.74                                       | 0.51   | 0.40                                   | 0.39              | 0.37      | 0.34         | 0.33   |
| Water Temperature (°C)                           | 14.50                                      | 14.80  | 15.20                                  | 15.40             | 15.40     | 15.30        | 15.60  |
| ORP (mV)   | -131.5                                     | -144.4   | -149.7                                 | -149.9            | -151.8    | -152.2       | -146.0 |
| Physical appearance at start                     |  |  |  | Color             | Clear     |              |        |
|  |  |  |  | Odor              | None      |              |        |
| Sheen/Free Product                               |  |  |  | None              |           |              |        |
| COMMENTS/OBSERVATIONS                            | Began purge at 1250                        |  |  |                   |           |              |        |
|  | Began sampling at 1326                     |  |  |                   |           |              |        |

## GROUNDWATER SAMPLING LOG

Page 1 of 1

|  |   |              |  |            |       |          |
|--|---|--------------|--|------------|-------|----------|
| Date (mo/day/yr)                                 | 10/13/2020  |              | Casing Diameter                        | 2          |       | inches   |
| Field Personnel                                  | C. Bourne   |              | Casing Material                        | PVC        |       |          |
| Site Name  | Former Scott Aviation Site - Lancaster, NY            |              | Measuring Point Elevation              | 688.61     |       | 1/100 ft |
| Job #  | 60538931  |              | Height of Riser (above land surface)   | -0.26      |       | 1/100 ft |
| Well ID #  | MW-11   |              | Land Surface Elevation                 | 688.87     |       | 1/100 ft |
| X  | Upgradient  | Downgradient | Screened Interval (below land surface) | 8.5 - 28.5 |       | 1/100 ft |
| Weather Conditions                               | Sunny   |              |  |            |       |          |
| Air Temperature                                  | 57  |              |  |            |       |          |
| Total Depth (TWD) Below Top of Casing =          | 28.5  |              | 1/100 ft                               |            |       |          |
| Depth to Groundwater (DGW) Below Top of Casing = | 11.81   |              | 1/100 ft                               |            |       |          |
| Length of Water Column (LWC) = TWD - DGW =       | 16.69   |              | 1/100 ft                               |            |       |          |
| 1 Casing Volume (OCV) = LWC x                    | 0.163   | =            | 2.7                                    | gal        |       |          |
| 3 Casing Volumes =                               | 8.2   |              | gal                                    |            |       |          |
| Method of Well Evacuation                        | Peristaltic Pump                                      |              |  |            |       |          |
| Method of Sample Collection                      | Peristaltic Pump/Poly Tubing                          |              |  |            |       |          |
| Total Volume of Water Removed                    | 4.0   |              | gal                                    |            |       |          |
| FIELD ANALYSES                                   |   |              |  |            |       |          |
| Flow Rate (ml/min)                               | 300   | 300          | 300                                    | 300        | 300   | 300      |
| Time (Military)                                  | 11:05   | 11:10        | 11:15                                  | 11:20      | 11:25 | 11:30    |
| Depth to Groundwater<br>Below Top of Casing (ft) | 12.25   | 12.49        | 12.76                                  | 13.00      | 13.20 | 13.38    |
| Drawdown (ft)                                    | 0.44  | 0.68         | 0.95                                   | 1.19       | 1.39  | 1.57     |
| pH (S.U.)  | 6.51  | 6.51         | 6.53                                   | 6.53       | 6.54  | 6.59     |
| Sp. Cond. (uS/cm)                                | 2.768   | 2.747        | 2.744                                  | 2.740      | 2.740 | 2.734    |
| Turbidity (NTUs)                                 | 2.94  | 2.79         | 2.63                                   | 2.57       | 1.44  | 1.31     |
| Dissolved Oxygen (mg/L)                          | 0.36  | 0.71         | 0.53                                   | 0.41       | 0.39  | 0.37     |
| Water Temperature (°C)                           | 13.80   | 13.90        | 14.00                                  | 13.90      | 14.00 | 14.1     |
| ORP (mV)   | 0.2   | -4.7         | -8.2                                   | -11.1      | -13.1 | -14.8    |
| Physical appearance at start                     |   |              | Color                                  | Clear      |       |          |
|  |   |              | Odor                                   | None       |       |          |
| Sheen/Free Product                               |   |              |  |            |       |          |
| COMMENTS/OBSERVATIONS                            | Began purge at 1103                                   |              |  |            |       |          |
|  | Began sampling at 1135 ; Duplicate collected for VOCs |              |  |            |       |          |

## GROUNDWATER SAMPLING LOG

Page 1 of 1

Date (mo/day/yr) 10/13/2020  
 Field Personnel C. Bourne

Site Name Former Scott Aviation Site - Lancaster, NYJob # 60538931Well ID # MW-13S           Upgradient X DowngradientWeather Conditions SunnyAir Temperature 59Total Depth (TWD) Below Top of Casing = 16 1/100 ftDepth to Groundwater (DGW) Below Top of Casing = 5.56 1/100 ftLength of Water Column (LWC) = TWD - DGW = 10.44 1/100 ft1 Casing Volume (OCV) = LWC x 0.041 = 0.45 gal3 Casing Volumes = 1.4 galMethod of Well Evacuation Peristaltic PumpMethod of Sample Collection Peristaltic Pump/Poly TubingTotal Volume of Water Removed 0.3 galCasing Diameter 1 inchesCasing Material PVCMeasuring Point Elevation 685.74 1/100 ftHeight of Riser (above land surface) -0.50 1/100 ftLand Surface Elevation 686.24 1/100 ftScreened Interval (below land surface) 8.5-16.5 1/100 ft

| Container       | Analysis (Method) | # Bottles | Preservative | Dup - MS/MSD |
|-----------------|-------------------|-----------|--------------|--------------|
| VOA 40 mL glass | TCL VOCs (8260C)  | 3         | HCL, 4°C     |              |
| VOA 40 mL glass | TOC (9060A)       | 2         | HCL, 4°C     |              |
| Various         | MNA               | multiple  | Various      |              |
|                 |                   |           |              |              |
|                 |                   |           |              |              |
|                 |                   |           |              |              |
|                 |                   |           |              |              |
|                 |                   |           |              |              |

## FIELD ANALYSES

Flow Rate (ml/min)

|  | 200    | 175    | 175    | 175    | 175     | 175     |  |
|--|--------|--------|--------|--------|---------|---------|--|
| Time (Military)                                  | 12:43  | 12:48  | 12:53  | 12:58  | 13:03   | 13:08   |  |
| Depth to Groundwater<br>Below Top of Casing (ft) | 6.35   | 8.57   | 9.15   | 9.55   | 9.85    | 10.60   |  |
| Drawdown (ft)                                    | 0.79   | 3.01   | 3.59   | 3.99   | 4.29    | 5.04    |  |
| pH (S.U.)  | 6.49   | 6.49   | 6.53   | 6.55   | 6.57    | 6.60    |  |
| Sp. Cond. (mS/cm)                                | 1.060  | 1.057  | 1.061  | 1.097  | 1.107   | 1.096   |  |
| Turbidity (NTUs)                                 | -      | 88.30  | 41.40  | 38.4   | 31.20   | 28.20   |  |
| Dissolved Oxygen (mg/L)                          | 2.78   | 0.90   | 0.72   | 0.56   | 0.47    | 0.44    |  |
| Water Temperature (°C)                           | 14.30  | 14.50  | 14.60  | 14.50  | 14.60   | 14.50   |  |
| ORP (mV)   | -50.60 | -75.90 | -88.70 | -97.30 | -101.60 | -104.80 |  |

Physical appearance at start Color ClearOdor NonePhysical appearance at sampling Color ClearOdor NoneSheen/Free Product           Sheen/Free Product           

COMMENTS/OBSERVATIONS

Began purge at 1242Sampled at 1308

## GROUNDWATER SAMPLING LOG

Page 1 of 1

Date (mo/day/yr) 10/13/2020  
 Field Personnel C. Bourne  
 Site Name Former Scott Aviation Site - Lancaster, NY  
 Job # 60538931  
 Well ID # MW-13D  
           Upgradient X Downgradient  
 Weather Conditions Sunny  
 Air Temperature 59  
 Total Depth (TWD) Below Top of Casing = 23.5 1/100 ft  
 Depth to Groundwater (DGW) Below Top of Casing = 10.1 1/100 ft  
 Length of Water Column (LWC) = TWD - DGW = 13.4 1/100 ft  
 1 Casing Volume (OCV) = LWC x 0.041 = 0.5 gal  
 3 Casing Volumes = 1.6 gal  
 Method of Well Evacuation Peristaltic Pump  
 Method of Sample Collection Peristaltic Pump/Poly Tubing  
 Total Volume of Water Removed 0.5 gal

Casing Diameter 1 inches  
 Casing Material PVC  
 Measuring Point Elevation 685.88 1/100 ft  
 Height of Riser (above land surface) -0.36 1/100 ft  
 Land Surface Elevation 686.24 1/100 ft  
 Screened Interval (below land surface) 19.5-23.5 1/100 ft

| Container       | Analysis (Method) | # Bottles | Preservative | Dup - MS/MSD |
|-----------------|-------------------|-----------|--------------|--------------|
| VOA 40 mL glass | TCL VOCs (8260C)  | 3         | HCL, 4°C     |              |
| VOA 40 mL glass | TOC (9060A)       | 2         | HCL, 4°C     |              |
| Various         | MNA               | multiple  | Various      |              |
|                 |                   |           |              |              |
|                 |                   |           |              |              |
|                 |                   |           |              |              |
|                 |                   |           |              |              |
|                 |                   |           |              |              |
|                 |                   |           |              |              |

## FIELD ANALYSES

|                          | 250   | 250   | 250   | 250   | 250   | 200   |  |  |
|--------------------------|-------|-------|-------|-------|-------|-------|--|--|
| Flow Rate (ml/min)       | 13:47 | 13:52 | 13:57 | 14:02 | 14:07 | 14:12 |  |  |
| Time (Military)          |       |       |       |       |       |       |  |  |
| Depth to Groundwater     | 11.53 | 13.70 | NA    | NA    | NA    | NA    |  |  |
| Below Top of Casing (ft) |       |       |       |       |       |       |  |  |
| Drawdown (ft)            | 1.43  | 3.60  | NA    | NA    | NA    | NA    |  |  |
| pH (S.U.)                | 6.87  | 6.74  | 6.71  | 6.78  | 6.74  | 6.77  |  |  |
| Sp. Cond. (mS/cm)        | 1.341 | 1.347 | 1.351 | 1.375 | 1.370 | 1.369 |  |  |
| Turbidity (NTUs)         | 28.2  | 25.1  | 21.7  | 19.9  | 17.5  | 15.1  |  |  |
| Dissolved Oxygen (mg/L)  | 2.16  | 0.67  | 0.61  | 0.72  | 0.57  | 0.58  |  |  |
| Water Temperature (°C)   | 14.10 | 13.70 | 13.60 | 13.00 | 13.00 | 13.70 |  |  |
| ORP (mV)                 | -7.5  | -59.4 | -64.4 | -73.7 | -80.4 | -82.4 |  |  |

Physical appearance at start Color Clear  
 Odor None

Physical appearance at sampling Color Clear  
 Odor None

Sheen/Free Product None

Sheen/Free Product None

COMMENTS/OBSERVATIONS Began purge at 1346  
Began sampling at 1417

## GROUNDWATER SAMPLING LOG

Page 1 of 1

Date (mo/day/yr) 10/13/2020  
 Field Personnel C. Bourne  
 Site Name Former Scott Aviation Site - Lancaster, NY  
 Job # 60538931  
 Well ID # MW-16S  
           Upgradient X Downgradient  
 Weather Conditions Sunny  
 Air Temperature 60  
 Total Depth (TWD) Below Top of Casing = 15.5 1/100 ft  
 Depth to Groundwater (DGW) Below Top of Casing = 10.38 1/100 ft  
 Length of Water Column (LWC) = TWD - DGW = 5.12 1/100 ft  
 1 Casing Volume (OCV) = LWC x 0.041 = 0.2 gal  
 3 Casing Volumes = 0.6 gal  
 Method of Well Evacuation Peristaltic Pump  
 Method of Sample Collection Peristaltic Pump/Poly Tubing  
 Total Volume of Water Removed 0.5 gal

Casing Diameter 1 inches  
 Casing Material PVC  
 Measuring Point Elevation 688.15 1/100 ft  
 Height of Riser (above land surface) 2.46 1/100 ft  
 Land Surface Elevation 685.69 1/100 ft  
 Screened Interval (below land surface) 12 - 18 1/100 ft

| Container       | Analysis (Method) | # Bottles | Preservative | Dup - MS/MSD |
|-----------------|-------------------|-----------|--------------|--------------|
| VOA 40 mL glass | TCL VOCs (8260C)  | 3         | HCL, 4°C     |              |
| VOA 40 mL glass | TOC (9060A)       | 2         | HCL, 4°C     |              |
| Various         | MNA               | multiple  | Various      |              |
|                 |                   |           |              |              |
|                 |                   |           |              |              |
|                 |                   |           |              |              |
|                 |                   |           |              |              |
|                 |                   |           |              |              |
|                 |                   |           |              |              |

## FIELD ANALYSES

|   |       |       |       |  |  |  |  |
|---|-------|-------|-------|--|--|--|--|
| Flow Rate (ml/min)                            | 175   | 150   | 150   |  |  |  |  |
| Time (Military)                               | 9:58  | 10:03 | 10:08 |  |  |  |  |
| Depth to Groundwater Below Top of Casing (ft) | 11.60 | 13.82 | NA    |  |  |  |  |
| Drawdown (ft)                                 | 1.22  | 3.44  | NA    |  |  |  |  |
| pH (S.U.)                                     | 6.10  | 6.17  | 6.23  |  |  |  |  |
| Sp. Cond. (uS/cm)                             | 2.523 | 2.478 | 2.459 |  |  |  |  |
| Turbidity (NTUs)                              | 18.40 | 17.60 | NA    |  |  |  |  |
| Dissolved Oxygen (mg/L)                       | 2.04  | 1.02  | 0.99  |  |  |  |  |
| Water Temperature (°C)                        | 13.70 | 13.70 | 13.70 |  |  |  |  |
| ORP (mV)                                      | 190.6 | 130.4 | 90.3  |  |  |  |  |

Physical appearance at start Color Clear  
 Odor Slight

Physical appearance at sampling Color Clear  
 Odor Slight

Sheen/Free Product None

Sheen/Free Product None

COMMENTS/OBSERVATIONS Purged dry on 10/12/20, Dry @1006 on 10/13/20  
Sampled on 10/14/20 @ 0840, Dry @ 0910

## GROUNDWATER SAMPLING LOG

Page 1 of 1

Date (mo/day/yr) 10/13/2020  
 Field Personnel C. Bourne

Site Name Former Scott Aviation Site - Lancaster, NYJob # 60538931Well ID # MW-16D           Upgradient X DowngradientWeather Conditions sunnyAir Temperature 60Total Depth (TWD) Below Top of Casing = 24 1/100 ftDepth to Groundwater (DGW) Below Top of Casing = 13.3 1/100 ftLength of Water Column (LWC) = TWD - DGW = 10.7 1/100 ft1 Casing Volume (OCV) = LWC x 0.041 = 0.4 gal3 Casing Volumes = 1.3 galMethod of Well Evacuation Peristaltic PumpMethod of Sample Collection Peristaltic Pump/Poly TubingTotal Volume of Water Removed 0.75 gal

Casing Diameter 1 inches  
 Casing Material PVC  
 Measuring Point Elevation 688.16 1/100 ft  
 Height of Riser (above land surface) 2.47 1/100 ft  
 Land Surface Elevation 685.69 1/100 ft  
 Screened Interval (below land surface) 20-24 1/100 ft

| Container       | Analysis (Method) | # Bottles | Preservative | Dup - MS/MSD |
|-----------------|-------------------|-----------|--------------|--------------|
| VOA 40 mL glass | TCL VOCs (8260C)  | 3         | HCL, 4°C     |              |
| VOA 40 mL glass | TOC (9060A)       | 2         | HCL, 4°C     |              |
| Various         | MNA               | multiple  | Various      |              |
|                 |                   |           |              |              |
|                 |                   |           |              |              |
|                 |                   |           |              |              |
|                 |                   |           |              |              |
|                 |                   |           |              |              |

## FIELD ANALYSES

Flow Rate (ml/min)

|       |       |       |        |        |        |  |  |
|-------|-------|-------|--------|--------|--------|--|--|
| 275   | 150   | 150   | 150    | 150    | 150    |  |  |
| 10:25 | 10:30 | 10:35 | 10:40  | 10:45  | 10:50  |  |  |
| 15.25 | 17.94 | 19.58 | 21.20  | 21.85  | 22.10  |  |  |
| 1.95  | 4.64  | 6.28  | 7.90   | 8.55   | 8.80   |  |  |
| 6.57  | 6.75  | 6.89  | 6.98   | 7.07   | 7.15   |  |  |
| 0.882 | 0.873 | 0.872 | 0.886  | 0.887  | 0.884  |  |  |
| 25.00 | 23.10 | 10.90 | 8.41   | 7.94   | 7.15   |  |  |
| 0.57  | 0.32  | 0.25  | 0.23   | 0.23   | 0.23   |  |  |
| 12.40 | 12.40 | 12.20 | 12.10  | 12.10  | 12.00  |  |  |
| 69.2  | 10.2  | -74.6 | -107.8 | -121.5 | -135.8 |  |  |

Physical appearance at start Color ClearOdor NonePhysical appearance at sampling Color ClearOdor NoneSheen/Free Product NoneSheen/Free Product None

COMMENTS/OBSERVATIONS

Purged Dry on 10/12/20, 10/13/20

Sampled on 10/14/20 @ 0920

## **Appendix B**

### **Current and Historical Summary of Groundwater Elevations**

**MONITORING WELL MW-2**  
**SUMMARY OF GROUNDWATER ELEVATIONS**  
**Former Scott Aviation Site**  
**Lancaster, New York**

| Date       | Depth to Water from TOC<br>(ft) | Groundwater Elevation (ft<br>MSL) |
|------------|---------------------------------|-----------------------------------|
| 11/7/2003  | 7.29                            | 683.06                            |
| 4/8/2004   | NM                              | NA                                |
| 10/12/2004 | NM                              | NA                                |
| 1/6/2005   | 5.92                            | 684.43                            |
| 4/14/2005  | 6.50                            | 683.85                            |
| 7/20/2005  | 7.77                            | 682.58                            |
| 10/4/2005  | 6.08                            | 684.27                            |
| 1/5/2006   | 9.56                            | 680.79                            |
| 4/11/2006  | 6.65                            | 683.70                            |
| 7/10/2006  | 7.79                            | 682.56                            |
| 10/18/2006 | 6.11                            | 684.24                            |
| 1/9/2007   | 6.27                            | 684.08                            |
| 2/28/2007  | 5.20                            | 685.15                            |
| 4/16/2007  | 5.99                            | 684.36                            |
| 7/2/2007   | 7.22                            | 683.13                            |
| 10/15/2007 | 8.15                            | 682.20                            |
| 1/8/2008   | 5.73                            | 684.62                            |
| 4/2/2008   | 5.95                            | 684.40                            |
| 7/1/2008   | 4.90                            | 685.45                            |
| 9/30/2008  | 7.40                            | 682.95                            |
| 1/19/2009  | 6.75                            | 683.60                            |
| 4/14/2009  | 6.15                            | 684.20                            |
| 7/21/2009  | 6.25                            | 684.10                            |
| 10/14/2009 | 5.85                            | 684.50                            |
| 1/18/2010  | 7.00                            | 683.35                            |
| 4/8/2010   | 5.45                            | 684.90                            |
| 7/12/2010  | 6.10                            | 684.25                            |
| 10/11/2010 | 7.00                            | 683.35                            |
| 1/11/2011  | 6.80                            | 683.55                            |
| 4/4/2011   | 5.70                            | 684.65                            |
| 7/25/2011  | 4.75                            | 685.60                            |
| 10/3/2011  | 4.13                            | 686.22                            |
| 1/12/2012  | 6.40                            | 683.95                            |
| 4/2/2012   | 6.00                            | 684.35                            |
| 7/5/2012   | 6.47                            | 683.88                            |
| 10/11/2012 | 7.17                            | 683.18                            |
| 1/21/2013  | 6.72                            | 683.63                            |
| 4/1/2013   | 6.10                            | 684.25                            |
| 7/1/2013   | 6.84                            | 683.51                            |
| 10/9/2013  | 6.70                            | 683.65                            |
| 1/21/2014  | 6.00                            | 684.35                            |
| 4/7/2014   | 4.95                            | 685.40                            |
| 7/16/2014  | 6.72                            | 683.63                            |
| 10/14/2014 | 6.79                            | 683.56                            |
| 1/20/2015  | 7.12                            | 683.23                            |
| 4/6/2015   | 5.74                            | 684.61                            |
| 7/22/2015  | 6.19                            | 684.16                            |
| 10/19/2015 | 5.79                            | 684.56                            |
| 1/5/2016   | 6.41                            | 683.94                            |
| 4/4/2016   | 5.68                            | 681.42                            |
| 7/5/2016   | 5.56                            | 683.12                            |
| 10/24/2016 | 5.56                            | 683.12                            |
| 1/16/2017  | 6.21                            | 682.47                            |
| 4/18/2017  | 6.06                            | 682.47                            |
| 7/11/2017  | 6.92                            | 681.76                            |
| 10/23/2017 | 6.59                            | 682.09                            |
| 1/8/2018   | 6.61                            | 680.39                            |
| 4/11/2018  | 5.12                            | 681.88                            |
| 7/12/2018  | 6.71                            | 680.29                            |
| 10/19/2018 | 6.44                            | 680.56                            |
| 1/9/2019   | 5.65                            | 681.35                            |
| 4/8/2019   | 5.28                            | 681.72                            |
| 7/22/2019  | 6.30                            | 680.70                            |
| 10/14/2019 | 7.56                            | 679.44                            |
| 1/6/2020   | 7.39                            | 679.61                            |
| 4/6/2020   | 7.40                            | 679.60                            |
| 7/21/2020  | 6.10                            | 680.90                            |
| 10/13/2020 | 6.50                            | 680.50                            |

**NOTES:**

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing

TOC Elevation - 690.35

DPE and GWCT off line for repairs in February 2007.

DPE off line for repairs in January 2008.

DPE off line for repairs in October 2013.


TOC Elevation re-measured June 13, 2008 at 687.1.

DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).

DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the ABC+ injection pilot test (note shading on graph).

DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).

**MONITORING WELL MW-2**  
**SUMMARY OF GROUNDWATER ELEVATIONS**  
**Former Scott Aviation Site**  
**Lancaster, New York**



**MONITORING WELL MW-3**  
**SUMMARY OF GROUNDWATER ELEVATIONS**  
**Former Scott Aviation Site**  
**Lancaster, New York**

| Date       | Depth to Water from TOC<br>(ft) | Groundwater Elevation<br>(ft MSL) |
|------------|---------------------------------|-----------------------------------|
| 11/7/2003  | 12.76                           | 674.96                            |
| 4/8/2004   | NM                              | NA                                |
| 10/12/2004 | NM                              | NA                                |
| 1/6/2005   | 11.65                           | 676.07                            |
| 4/14/2005  | 12.64                           | 675.08                            |
| 7/20/2005  | 12.73                           | 674.99                            |
| 10/4/2005  | 7.38                            | 680.34                            |
| 1/5/2006   | 11.31                           | 676.41                            |
| 4/11/2006  | 11.84                           | 675.88                            |
| 7/10/2006  | 12.31                           | 675.41                            |
| 10/18/2006 | 10.82                           | 676.9                             |
| 1/9/2007   | 10.99                           | 676.73                            |
| 2/28/2007  | 3.99                            | 683.73                            |
| 4/16/2007  | 11.87                           | 675.85                            |
| 7/2/2007   | 13.35                           | 674.37                            |
| 10/17/2007 | 13.1                            | 674.62                            |
| 1/8/2008   | 7.61                            | 680.11                            |
| 4/2/2008   | 11.71                           | 676.01                            |
| 7/1/2008   | 10.75                           | 676.27                            |
| 9/30/2008  | 11.95                           | 675.07                            |
| 1/19/2009  | 10.94                           | 676.08                            |
| 4/14/2009  | 10.94                           | 676.08                            |
| 7/21/2009  | 11.51                           | 675.51                            |
| 10/14/2009 | 10.75                           | 676.27                            |
| 1/18/2010  | 12.38                           | 674.64                            |
| 4/8/2010   | 11.02                           | 676.00                            |
| 7/12/2010  | 9.18                            | 677.84                            |
| 10/11/2010 | 10.9                            | 676.12                            |
| 1/12/2011  | 11.3                            | 675.72                            |
| 4/4/2011   | 10.7                            | 676.32                            |
| 7/25/2011  | 4.38                            | 682.64                            |
| 10/3/2011  | 3.14                            | 683.88                            |
| 1/12/2012  | 10.65                           | 676.37                            |
| 4/2/2012   | 9.81                            | 677.21                            |
| 7/5/2012   | 8.56                            | 678.46                            |
| 10/11/2012 | 9.77                            | 677.25                            |
| 1/21/2013  | 11.15                           | 675.87                            |
| 4/1/2013   | 8.56                            | 678.46                            |
| 7/1/2013   | 11.85                           | 675.17                            |
| 10/9/2013  | 10.43                           | 676.59                            |
| 1/21/2014  | 10.45                           | 676.57                            |
| 4/7/2014   | 11.77                           | 675.25                            |
| 7/16/2014  | 10.29                           | 676.73                            |
| 10/14/2014 | 9.65                            | 677.37                            |
| 1/20/2015  | 10.15                           | 676.87                            |
| 4/6/2015   | 8.94                            | 678.08                            |
| 7/22/2015  | 7.98                            | 679.04                            |
| 10/19/2015 | 5.15                            | 681.87                            |
| 1/5/2016   | 9.01                            | 678.01                            |
| 4/4/2016   | 8.00                            | 679.05                            |
| 7/5/2016   | 5.86                            | 681.19                            |
| 10/24/2016 | 5.86                            | 681.19                            |
| 1/16/2017  | 10.58                           | 676.47                            |
| 4/18/2017  | 12.29                           | 674.76                            |
| 7/11/2017  | 12.65                           | 674.40                            |
| 10/23/2017 | 11.80                           | 675.25                            |
| 1/8/2018   | 10.12                           | 676.93                            |
| 4/11/2018  | 9.58                            | 677.47                            |
| 7/12/2018  | 10.98                           | 676.07                            |
| 10/19/2018 | 13.40                           | 673.65                            |
| 1/9/2019   | 12.32                           | 674.73                            |
| 4/8/2019   | 10.09                           | 676.96                            |
| 7/22/2019  | 9.24                            | 677.81                            |
| 10/14/2019 | 8.61                            | 678.44                            |
| 1/6/2020   | 8.14                            | 678.91                            |
| 4/6/2020   | 8.93                            | 678.12                            |
| 7/21/2020  | 9.14                            | 677.91                            |
| 10/13/2020 | 10.41                           | 676.64                            |

**NOTES:**

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing

TOC Elevation - 687.72

DPE and GWCT off line for repairs in February 2007.

DPE off line for repairs in January 2008.

DPE off line for repairs in October 2013.


TOC Elevation re-measured June 13, 2008 at 687.02

DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).

DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the ABC+ injection pilot test (note shading on graph).

DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).

**MONITORING WELL MW-3**  
**SUMMARY OF GROUNDWATER ELEVATIONS**  
**Former Scott Aviation Site**  
**Lancaster, New York**



**MONITORING WELL MW-4**  
**SUMMARY OF GROUNDWATER ELEVATIONS**  
**Former Scott Aviation Site**  
**Lancaster, New York**

| Date       | Depth to Water from TOC<br>(ft) | Groundwater Elevation<br>(ft MSL) |
|------------|---------------------------------|-----------------------------------|
| 11/7/2003  | 8.54                            | 678.10                            |
| 4/8/2004   | NM                              | NA                                |
| 10/12/2004 | 11.40                           | 675.24                            |
| 1/6/2005   | 9.20                            | 677.44                            |
| 4/14/2005  | NM                              | NA                                |
| 7/20/2005  | NM                              | NA                                |
| 10/4/2005  | 15.24                           | 671.40                            |
| 1/5/2006   | 15.71                           | 670.93                            |
| 4/11/2006  | 18.56                           | 668.08                            |
| 7/10/2006  | 15.02                           | 671.62                            |
| 10/18/2006 | 15.21                           | 671.43                            |
| 1/9/2007   | 14.00                           | 672.64                            |
| 2/28/2007  | 2.54                            | 684.10                            |
| 4/16/2007  | 12.45                           | 674.19                            |
| 7/2/2007   | 14.89                           | 671.75                            |
| 10/17/2007 | 12.91                           | 673.73                            |
| 1/8/2008   | 5.59                            | 681.05                            |
| 4/2/2008   | 9.31                            | 677.33                            |
| 7/1/2008   | 13.91                           | 672.51                            |
| 9/30/2008  | 13.55                           | 672.87                            |
| 1/19/2009  | 10.78                           | 675.64                            |
| 4/14/2009  | 8.90                            | 677.52                            |
| 7/21/2009  | 12.35                           | 674.07                            |
| 10/14/2009 | 10.40                           | 676.02                            |
| 1/18/2010  | 8.90                            | 677.52                            |
| 4/8/2010   | 10.90                           | 675.52                            |
| 7/12/2010  | 14.00                           | 672.42                            |
| 10/11/2010 | 16.69                           | 669.73                            |
| 1/12/2011  | 16.35                           | 670.07                            |
| 4/4/2011   | 17.67                           | 668.75                            |
| 7/25/2011  | 2.32                            | 684.10                            |
| 10/3/2011  | 2.98                            | 683.44                            |
| 1/12/2012  | 13.26                           | 673.16                            |
| 4/2/2012   | 13.10                           | 673.32                            |
| 7/6/2012   | 9.66                            | 676.76                            |
| 10/11/2012 | 18.60                           | 667.82                            |
| 1/21/2013  | 17.04                           | 669.38                            |
| 4/1/2013   | 18.65                           | 667.77                            |
| 7/1/2013   | 19.10                           | 667.32                            |
| 10/9/2013  | 10.10                           | 676.32                            |
| 1/21/2014  | NM                              | NA                                |
| 4/7/2014   | 18.85                           | 667.57                            |
| 7/16/2014  | 10.74                           | 675.68                            |
| 10/14/2014 | 8.52                            | 677.90                            |
| 1/20/2015  | 10.95                           | 675.47                            |
| 4/6/2015   | 9.05                            | 677.37                            |
| 7/22/2015  | 7.55                            | 678.87                            |
| 10/19/2015 | 4.59                            | 681.83                            |
| 1/5/2016   | 9.92                            | 676.50                            |
| 4/4/2016   | 8.20                            | 678.30                            |
| 7/5/2016   | 4.94                            | 681.56                            |
| 10/24/2016 | 4.94                            | 681.56                            |
| 1/16/2017  | 10.80                           | 675.70                            |
| 4/18/2017  | 11.92                           | 675.70                            |
| 7/11/2017  | 11.30                           | 675.20                            |
| 10/23/2017 | 13.06                           | 673.44                            |
| 1/8/2018   | 10.45                           | 676.05                            |
| 4/11/2018  | 10.55                           | 675.95                            |
| 7/12/2018  | 11.57                           | 674.93                            |
| 10/19/2018 | 11.57                           | 674.93                            |
| 1/9/2019   | 9.95                            | 676.55                            |
| 4/8/2019   | 8.83                            | 677.67                            |
| 7/22/2019  | 9.15                            | 677.35                            |
| 10/14/2019 | 8.39                            | 678.11                            |
| 1/6/2020   | 8.57                            | 677.93                            |
| 4/6/2020   | 8.57                            | 677.93                            |
| 7/21/2020  | 9.11                            | 677.39                            |
| 10/13/2020 | 11.72                           | 674.78                            |

**NOTES:**

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC Casing

TOC Elevation - 686.64

DPE and GWCT off line for repairs in February 2007.

DPE off line for repairs in January 2008.

DPE off line for repairs in October 2013.


TOC Elevation re-measured on June 13, 2008 at 686.42.

DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).

DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the ABC+ injection pilot test (note shading on graph).

DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).

**MONITORING WELL MW-4**  
**SUMMARY OF GROUNDWATER ELEVATIONS**  
**Former Scott Aviation Site**  
**Lancaster, New York**



**MONITORING WELL MW-8R**  
**SUMMARY OF GROUNDWATER ELEVATIONS**  
**Former Scott Aviation Site**  
**Lancaster, New York**

| Date       | Depth to Water from TOC<br>(ft) | Groundwater Elevation<br>(ft MSL) |
|------------|---------------------------------|-----------------------------------|
| 4/8/2004   | NM                              | NA                                |
| 10/12/2004 | 12.75                           | 672.92                            |
| 1/6/2005   | 7.45                            | 678.22                            |
| 4/14/2005  | 14.45                           | 671.22                            |
| 7/20/2005  | NM                              | NA                                |
| 10/4/2005  | NM                              | NA                                |
| 1/6/2006   | 15.51                           | 670.16                            |
| 4/11/2006  | 15.65                           | 670.02                            |
| 7/10/2006  | 14.9                            | 670.77                            |
| 10/18/2006 | 15.72                           | 669.95                            |
| 1/9/2007   | 15.76                           | 669.91                            |
| 2/28/2007  | 10.78                           | 674.89                            |
| 4/16/2007  | 15.60                           | 670.07                            |
| 7/2/2007   | 16.29                           | 669.38                            |
| 10/15/2007 | 18.50                           | 667.17                            |
| 1/8/2008   | 4.99                            | 680.68                            |
| 4/2/2008   | 13.19                           | 672.48                            |
| 7/1/2008   | 12.15                           | 674.06                            |
| 9/30/2008  | 15.83                           | 670.38                            |
| 1/19/2009  | 11.55                           | 674.66                            |
| 4/14/2009  | 11.20                           | 675.01                            |
| 7/21/2009  | 13.57                           | 672.64                            |
| 10/14/2009 | 12.76                           | 673.45                            |
| 1/18/2010  | 11.26                           | 674.95                            |
| 4/8/2010   | 14.95                           | 671.26                            |
| 7/12/2010  | 13.74                           | 672.47                            |
| 10/11/2010 | 12.34                           | 673.87                            |
| 1/12/2011  | 13.10                           | 673.11                            |
| 4/4/2011   | 14.88                           | 671.33                            |
| 7/25/2011  | 3.25                            | 682.96                            |
| 10/3/2011  | 4.50                            | 681.71                            |
| 1/12/2012  | 12.96                           | 673.25                            |
| 4/2/2012   | 11.70                           | 674.51                            |
| 7/5/2012   | 10.34                           | 675.87                            |
| 10/11/2012 | 13.38                           | 672.83                            |
| 1/21/2013  | 14.90                           | 671.31                            |
| 4/1/2013   | 10.82                           | 675.39                            |
| 7/1/2013   | 12.70                           | 673.51                            |
| 10/9/2013  | 9.25                            | 676.96                            |
| 1/21/2014  | NM                              | NA                                |
| 4/7/2014   | 14.55                           | 671.66                            |
| 7/16/2014  | 8.97                            | 677.24                            |
| 10/14/2014 | 5.85                            | 680.36                            |
| 1/20/2015  | 9.80                            | 676.41                            |
| 4/6/2015   | 7.55                            | 678.66                            |
| 7/22/2015  | 8.22                            | 677.99                            |
| 10/19/2015 | 4.90                            | 681.31                            |
| 1/5/2016   | 8.95                            | 677.26                            |
| 4/4/2016   | 8.10                            | 678.19                            |
| 7/5/2016   | 4.99                            | 681.30                            |
| 10/24/2016 | 4.99                            | 681.30                            |
| 1/16/2017  | 10.35                           | 675.94                            |
| 4/18/2017  | 13.68                           | 675.94                            |
| 7/11/2017  | 11.60                           | 674.69                            |
| 10/23/2017 | 12.06                           | 674.23                            |
| 4/11/2018  | 10.05                           | 676.16                            |
| 7/12/2018  | 18.78                           | 667.43                            |
| 10/19/2018 | 18.60                           | 667.61                            |
| 1/9/2019   | 7.95                            | 678.26                            |
| 4/8/2019   | 6.80                            | 679.41                            |
| 7/22/2019  | 8.00                            | 678.21                            |
| 10/14/2019 | 9.91                            | 676.30                            |
| 1/6/2020   | 6.81                            | 679.40                            |
| 4/6/2020   | 8.71                            | 677.50                            |
| 7/21/2020  | 8.15                            | 678.06                            |
| 10/13/2020 | 10.39                           | 675.82                            |

**NOTES:**

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing

TOC Elevation - 685.67

DPE and GWCT off line for repairs in February 2007.

DPE off line for repairs in January 2008.

DPE off line for repairs in October 2013.


TOC Elevation re-measured on June 13, 2008 at 686.21.

DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).

DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the ABC+ injection pilot test (note shading on graph).

DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).

**MONITORING WELL MW-8R**  
**SUMMARY OF GROUNDWATER ELEVATIONS**  
**Former Scott Aviation Site**  
**Lancaster, New York**



**MONITORING WELL MW-9**  
**SUMMARY OF GROUNDWATER ELEVATIONS**  
**Former Scott Aviation Site**  
**Lancaster, New York**

| Date       | Depth to Water from TOC<br>(ft) | Groundwater Elevation (ft<br>MSL) |
|------------|---------------------------------|-----------------------------------|
| 11/7/2003  | 13.03                           | 672.4                             |
| 4/8/2004   | NM                              | NA                                |
| 10/12/2004 | 13.68                           | 671.75                            |
| 1/6/2005   | 12.89                           | 672.54                            |
| 4/14/2005  | 12.74                           | 672.69                            |
| 7/20/2005  | 13.88                           | 671.55                            |
| 10/4/2005  | 7.22                            | 678.21                            |
| 1/5/2006   | 12.79                           | 672.64                            |
| 4/11/2006  | 13.50                           | 671.93                            |
| 7/10/2006  | 13.24                           | 672.19                            |
| 10/18/2006 | 11.00                           | 674.43                            |
| 1/9/2007   | 12.24                           | 673.19                            |
| 2/28/2007  | 1.66                            | 683.77                            |
| 4/16/2007  | 13.15                           | 672.28                            |
| 7/2/2007   | 13.00                           | 672.43                            |
| 10/17/2007 | 13.95                           | 671.48                            |
| 1/8/2008   | 6.70                            | 678.73                            |
| 4/2/2008   | 10.61                           | 674.82                            |
| 7/1/2008   | 14.25                           | 674.39                            |
| 9/30/2008  | 15.67                           | 672.97                            |
| 1/19/2009  | 14.48                           | 674.16                            |
| 4/14/2009  | 15.48                           | 673.16                            |
| 7/21/2009  | 15.20                           | 673.44                            |
| 10/10/2009 | 15.06                           | 673.58                            |
| 1/18/2010  | 17.00                           | 671.64                            |
| 4/8/2010   | 15.40                           | 673.24                            |
| 7/12/2010  | 12.42                           | 676.22                            |
| 10/11/2010 | 14.21                           | 674.43                            |
| 1/12/2011  | 15.29                           | 673.35                            |
| 4/4/2011   | 14.55                           | 674.09                            |
| 7/25/2011  | 5.75                            | 682.89                            |
| 10/3/2011  | 4.58                            | 684.06                            |
| 1/12/2012  | 14.75                           | 673.89                            |
| 4/2/2012   | 14.52                           | 674.12                            |
| 7/5/2012   | 11.48                           | 677.16                            |
| 10/11/2012 | 12.66                           | 675.98                            |
| 1/21/2013  | 14.44                           | 674.20                            |
| 4/1/2013   | 11.87                           | 676.77                            |
| 7/1/2013   | 16.54                           | 672.10                            |
| 10/9/2013  | 13.68                           | 674.96                            |
| 1/21/2014  | 15.38                           | 673.26                            |
| 4/7/2014   | 16.30                           | 672.34                            |
| 7/16/2014  | 13.71                           | 674.93                            |
| 10/14/2014 | 13.09                           | 675.55                            |
| 1/20/2015  | 13.92                           | 674.72                            |
| 4/6/2015   | 12.41                           | 676.23                            |
| 7/22/2015  | 10.72                           | 677.92                            |
| 10/19/2015 | 7.06                            | 681.58                            |
| 1/5/2016   | 12.09                           | 676.55                            |
| 4/4/2016   | 11.38                           | 678.19                            |
| 7/5/2016   | 7.41                            | 682.16                            |
| 10/24/2016 | 7.41                            | 682.16                            |
| 1/16/2017  | 13.72                           | 675.85                            |
| 4/18/2017  | 14.24                           | 675.85                            |
| 7/11/2017  | 15.00                           | 674.57                            |
| 10/23/2017 | 14.84                           | 674.73                            |
| 1/8/2018   | 13.04                           | 676.53                            |
| 4/11/2018  | 13.20                           | 676.37                            |
| 7/12/2018  | 14.49                           | 675.08                            |
| 10/19/2018 | 14.21                           | 675.36                            |
| 1/9/2019   | 13.49                           | 676.08                            |
| 4/8/2019   | 12.85                           | 676.72                            |
| 7/22/2019  | 12.61                           | 676.96                            |
| 10/14/2019 | 11.83                           | 677.74                            |
| 1/6/2020   | 10.81                           | 678.76                            |
| 4/6/2020   | 12.25                           | 677.32                            |
| 7/21/2020  | 12.50                           | 677.07                            |
| 10/13/2020 | 14.72                           | 674.85                            |

**NOTES:**

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing

TOC Elevation - 685.43

DPE and GWCT off line for repairs in February 2007.

DPE off line for repairs in January 2008.

DPE off line for repairs in October 2013.


TOC Elevation re-measured on June 13, 2008 at 688.64.

DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).

DPE system off line between November 2014 and August 2016 to accommodate first and second phase of the ABC+ injection pilot test (note shading on graph).

DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).

**MONITORING WELL MW-9**  
**SUMMARY OF GROUNDWATER ELEVATIONS**  
**Former Scott Aviation Site**  
**Lancaster, New York**




**MONITORING WELL MW-11**  
**SUMMARY OF GROUNDWATER ELEVATIONS**  
**Former Scott Aviation Site**  
**Lancaster, New York**

| Date       | Depth to Water from TOC<br>(ft) | Groundwater Elevation<br>(ft MSL) |
|------------|---------------------------------|-----------------------------------|
| 4/8/2004   | NM                              | NA                                |
| 10/12/2004 | NM                              | NA                                |
| 1/6/2005   | 15.59                           | 673.02                            |
| 4/14/2005  | 11.59                           | 677.02                            |
| 7/20/2005  | 17.34                           | 671.27                            |
| 10/4/2005  | 10.45                           | 678.16                            |
| 1/5/2006   | 16.58                           | 672.03                            |
| 4/11/2006  | 13.52                           | 675.09                            |
| 7/10/2006  | 13.75                           | 674.86                            |
| 10/18/2006 | 14.35                           | 674.26                            |
| 1/9/2007   | 15.26                           | 673.35                            |
| 2/28/2007  | 6.34                            | 682.27                            |
| 4/16/2007  | 11.55                           | 677.06                            |
| 7/2/2007   | 17.30                           | 671.31                            |
| 10/16/2007 | 17.69                           | 670.92                            |
| 1/8/2008   | 11.73                           | 676.88                            |
| 4/2/2008   | 14.78                           | 673.83                            |
| 7/1/2008   | 13.91                           | 674.74                            |
| 9/30/2008  | 15.25                           | 673.40                            |
| 1/19/2009  | 13.45                           | 675.20                            |
| 4/14/2009  | 13.50                           | 675.15                            |
| 7/21/2009  | 14.51                           | 674.14                            |
| 10/14/2009 | 13.85                           | 674.80                            |
| 1/18/2010  | 16.38                           | 672.27                            |
| 4/8/2010   | 13.90                           | 674.75                            |
| 7/12/2010  | 12.60                           | 676.05                            |
| 10/11/2010 | 14.80                           | 673.85                            |
| 1/12/2011  | NM                              | NA                                |
| 4/4/2011   | 14.52                           | 674.13                            |
| 7/25/2011  | 4.48                            | 684.17                            |
| 10/3/2011  | 4.05                            | 684.60                            |
| 1/12/2012  | 8.96                            | 679.69                            |
| 4/2/2012   | 12.87                           | 675.78                            |
| 7/5/2012   | 10.53                           | 678.12                            |
| 10/11/2012 | 14.40                           | 674.25                            |
| 1/21/2013  | 14.75                           | 673.90                            |
| 4/1/2013   | 11.66                           | 676.99                            |
| 7/1/2013   | 14.99                           | 673.66                            |
| 10/9/2013  | 12.25                           | 676.40                            |
| 1/21/2014  | 13.75                           | 674.90                            |
| 4/7/2014   | 14.56                           | 674.09                            |
| 7/16/2014  | 12.64                           | 676.01                            |
| 10/14/2014 | 12.26                           | 676.39                            |
| 1/20/2015  | 12.31                           | 676.34                            |
| 4/6/2015   | 11.95                           | 676.70                            |
| 7/22/2015  | 8.49                            | 680.16                            |
| 10/19/2015 | 8.75                            | 679.90                            |
| 1/5/2016   | 12.53                           | 676.12                            |
| 4/4/2016   | 10.84                           | 677.77                            |
| 7/5/2016   | 9.37                            | 679.24                            |
| 10/24/2016 | 9.37                            | 679.24                            |
| 1/16/2017  | 9.60                            | 679.01                            |
| 4/18/2017  | 11.98                           | 679.01                            |
| 7/11/2017  | 13.75                           | 674.86                            |
| 10/23/2017 | 12.83                           | 675.78                            |
| 1/8/2018   | 11.79                           | 676.82                            |
| 4/11/2018  | 10.75                           | 677.86                            |
| 7/12/2018  | 13.21                           | 675.40                            |
| 10/19/2018 | 12.40                           | 676.21                            |
| 1/9/2019   | 12.27                           | 676.34                            |
| 4/8/2019   | 11.66                           | 676.95                            |
| 7/22/2019  | 11.45                           | 677.16                            |
| 10/14/2019 | 11.59                           | 677.02                            |
| 1/6/2019   | 11.59                           | 677.02                            |
| 4/6/2020   | 11.79                           | 676.82                            |
| 7/21/2020  | 11.82                           | 676.79                            |
| 10/13/2020 | 11.81                           | 676.80                            |

**NOTES:**

ft MSL - feet mean sea level  
NA - Not Available  
NM - Not Measured  
TOC - top of PVC casing  
TOC Elevation - 688.61  
DPE and GWCT off line for repairs in February 2007.  
DPE off line for repairs in January 2008.  
DPE off line for repairs in October 2013.  
TOC Elevation re-measured on June 13, 2008 at 688.65.  
DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).  
DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the ABC+ injection pilot test (note shading on graph).  
DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).

**MONITORING WELL MW-11**  
**SUMMARY OF GROUNDWATER ELEVATIONS**  
**Former Scott Aviation Site**  
**Lancaster, New York**




**MONITORING WELL MW-13S**  
**SUMMARY OF GROUNDWATER ELEVATIONS**  
**Former Scott Aviation Site**  
**Lancaster, New York**

| Date       | Depth to Water from TOC<br>(ft) | Groundwater Elevation (ft<br>MSL) |
|------------|---------------------------------|-----------------------------------|
| 4/8/2004   | 7.01                            | 679.56                            |
| 10/12/2004 | 13.47                           | 673.10                            |
| 1/6/2005   | 7.24                            | 679.33                            |
| 4/14/2005  | 13.91                           | 672.66                            |
| 7/20/2005  | 12.81                           | 673.76                            |
| 10/4/2005  | 13.35                           | 673.22                            |
| 1/5/2006   | 13.79                           | 672.78                            |
| 4/11/2006  | 12.45                           | 674.12                            |
| 7/10/2006  | 13.02                           | 673.55                            |
| 10/18/2006 | 10.99                           | 675.58                            |
| 1/9/2007   | 11.35                           | 675.22                            |
| 2/28/2007  | 3.49                            | 683.08                            |
| 4/16/2007  | 12.01                           | 674.56                            |
| 7/2/2007   | 13.20                           | 673.37                            |
| 10/18/2007 | 12.77                           | 673.80                            |
| 1/8/2008   | 5.08                            | 681.49                            |
| 4/2/2008   | 5.45                            | 681.12                            |
| 7/1/2008   | 9.70                            | 676.90                            |
| 9/30/2008  | 11.80                           | 674.80                            |
| 1/19/2009  | 8.70                            | 677.90                            |
| 4/14/2009  | 8.64                            | 677.96                            |
| 7/21/2009  | 10.91                           | 675.69                            |
| 10/14/2009 | 9.18                            | 677.42                            |
| 1/18/2010  | 9.80                            | 676.80                            |
| 4/8/2010   | 8.30                            | 678.30                            |
| 7/12/2010  | 9.96                            | 676.64                            |
| 10/11/2010 | 10.29                           | 676.31                            |
| 1/12/2011  | 7.53                            | 679.07                            |
| 4/4/2011   | 8.00                            | 678.60                            |
| 7/25/2011  | 2.55                            | 684.05                            |
| 10/3/2011  | 1.81                            | 684.79                            |
| 1/12/2012  | 8.11                            | 678.49                            |
| 4/2/2012   | 8.06                            | 678.54                            |
| 7/5/2012   | 8.71                            | 677.89                            |
| 10/11/2012 | 9.57                            | 677.03                            |
| 1/21/2013  | 13.85                           | 672.75                            |
| 4/1/2013   | 6.44                            | 680.16                            |
| 7/1/2013   | 6.44                            | 680.16                            |
| 10/9/2013  | 4.10                            | 682.50                            |
| 1/21/2014  | 4.95                            | 681.65                            |
| 4/7/2014   | 6.02                            | 680.58                            |
| 7/16/2014  | 5.42                            | 681.18                            |
| 10/14/2014 | 4.41                            | 682.19                            |
| 1/20/2015  | 6.10                            | 680.50                            |
| 4/6/2015   | 4.69                            | 681.91                            |
| 7/22/2015  | 7.97                            | 678.63                            |
| 10/19/2015 | 3.95                            | 682.65                            |
| 1/5/2016   | 5.90                            | 680.70                            |
| 4/4/2016   | 5.05                            | 681.60                            |
| 7/5/2016   | 3.90                            | 682.75                            |
| 10/24/2016 | 3.90                            | 682.75                            |
| 1/16/2017  | 7.20                            | 679.45                            |
| 4/18/2017  | 6.11                            | 679.45                            |
| 7/11/2017  | 8.60                            | 678.05                            |
| 10/23/2017 | 6.42                            | 680.23                            |
| 1/8/2018   | 4.73                            | 681.92                            |
| 4/11/2018  | 4.20                            | 682.45                            |
| 7/12/2018  | 7.02                            | 679.63                            |
| 10/19/2018 | 15.86                           | 670.79                            |
| 1/9/2019   | 9.71                            | 676.94                            |
| 4/8/2019   | 5.35                            | 681.30                            |
| 7/22/2019  | 16.50                           | 670.15                            |
| 10/14/2019 | 16.50                           | 670.15                            |
| 1/6/2020   | 10.21                           | 676.44                            |
| 4/6/2020   | 8.36                            | 678.29                            |
| 7/21/2020  | 5.50                            | 681.15                            |
| 10/13/2020 | 8.84                            | 677.81                            |

**NOTES:**

ft MSL - feet mean sea level  
NA - Not Available  
NM - Not Measured  
TOC - top of PVC casing  
TOC Elevation - 686.57  
DPE and GWCT off line for repairs in February 2007.  
DPE off line for repairs in January 2008.  
DPE off line for repairs in October 2013.  
TOC Elevation re-measured on June 13, 2008 at 686.60.  
DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).  
DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the ABC+ injection pilot test (note shading on graph).  
DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).

**MONITORING WELL MW-13S**  
**SUMMARY OF GROUNDWATER ELEVATIONS**  
**Former Scott Aviation Site**  
**Lancaster, New York**




**MONITORING WELL MW-13D**  
**SUMMARY OF GROUNDWATER ELEVATIONS**  
**Former Scott Aviation Site**  
**Lancaster, New York**

| Date       | Depth to Water from TOC<br>(ft) | Groundwater Elevation (ft<br>MSL) |
|------------|---------------------------------|-----------------------------------|
| 4/8/2004   | 13.28                           | 673.43                            |
| 10/12/2004 | 14.87                           | 671.84                            |
| 1/6/2005   | 14.55                           | 672.16                            |
| 4/14/2005  | 15.32                           | 671.39                            |
| 7/20/2005  | 15.65                           | 671.06                            |
| 10/4/2005  | 9.44                            | 677.27                            |
| 1/5/2006   | 15.83                           | 670.88                            |
| 4/11/2006  | 15.41                           | 671.30                            |
| 7/10/2006  | 13.79                           | 672.92                            |
| 10/18/2006 | 13.17                           | 673.54                            |
| 1/9/2007   | 14.41                           | 672.30                            |
| 2/28/2007  | 3.28                            | 683.43                            |
| 4/16/2007  | 14.66                           | 672.05                            |
| 7/2/2007   | 15.68                           | 671.03                            |
| 10/18/2007 | 15.80                           | 670.91                            |
| 1/8/2008   | 8.69                            | 678.02                            |
| 4/2/2008   | 12.86                           | 673.85                            |
| 7/1/2008   | 12.55                           | 674.18                            |
| 9/30/2008  | 13.89                           | 672.84                            |
| 1/19/2009  | 12.10                           | 674.63                            |
| 4/14/2009  | 11.78                           | 674.95                            |
| 7/21/2009  | 12.86                           | 673.87                            |
| 10/14/2009 | 11.59                           | 675.14                            |
| 1/18/2010  | 13.88                           | 672.85                            |
| 4/8/2010   | 12.00                           | 674.73                            |
| 7/12/2010  | 11.90                           | 674.83                            |
| 10/11/2010 | 13.34                           | 673.39                            |
| 1/12/2011  | 13.2                            | 673.53                            |
| 4/4/2011   | 13.13                           | 673.60                            |
| 7/25/2011  | 3.33                            | 683.40                            |
| 10/3/2011  | 2.55                            | 684.18                            |
| 1/12/2012  | 12.34                           | 674.39                            |
| 4/2/2012   | 11.76                           | 674.97                            |
| 7/5/2012   | 9.25                            | 677.48                            |
| 10/11/2012 | 13.00                           | 673.73                            |
| 1/21/2013  | 13.85                           | 672.88                            |
| 4/1/2013   | 11.01                           | 675.72                            |
| 7/1/2013   | 14.26                           | 672.47                            |
| 10/9/2013  | 10.36                           | 676.37                            |
| 1/21/2014  | 11.45                           | 675.28                            |
| 4/7/2014   | 13.65                           | 673.08                            |
| 7/16/2014  | 10.74                           | 675.99                            |
| 10/14/2014 | 9.41                            | 677.32                            |
| 1/20/2015  | 11.02                           | 675.71                            |
| 4/6/2015   | 9.35                            | 677.38                            |
| 7/22/2015  | 7.44                            | 679.29                            |
| 10/19/2015 | 4.55                            | 682.18                            |
| 1/5/2016   | 10.31                           | 676.42                            |
| 4/4/2016   | 8.65                            | 678.13                            |
| 7/5/2016   | 5.06                            | 681.72                            |
| 10/24/2016 | 5.06                            | 681.72                            |
| 1/16/2017  | 12.50                           | 674.28                            |
| 4/18/2017  | 10.10                           | 674.28                            |
| 7/11/2017  | 11.15                           | 675.63                            |
| 10/23/2017 | 10.87                           | 675.91                            |
| 1/8/2018   | 9.12                            | 677.66                            |
| 4/11/2018  | 8.70                            | 678.08                            |
| 7/12/2018  | 10.91                           | 675.87                            |
| 10/19/2018 | 10.86                           | 675.92                            |
| 1/9/2019   | 9.85                            | 676.93                            |
| 4/8/2019   | 9.00                            | 677.78                            |
| 7/22/2019  | 9.79                            | 676.99                            |
| 10/14/2019 | 8.87                            | 677.91                            |
| 1/6/2020   | 7.69                            | 679.09                            |
| 4/6/2020   | 8.54                            | 678.24                            |
| 7/21/2020  | 9.00                            | 677.78                            |
| 10/13/2020 | 10.16                           | 676.62                            |

**NOTES:**

ft MSL - feet mean sea level  
NA - Not Available  
NM - Not Measured  
TOC - top of PVC casing  
TOC Elevation - 686.71  
DPE and GWCT off line for repairs in February 2007.  
DPE off line for repairs in January 2008.  
DPE off line for repairs in October 2013.  
TOC Elevation re-measured on June 13, 2008 at 686.73.  
DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).  
DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the ABC+ injection pilot test (note shading on graph).  
DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).

**MONITORING WELL MW-13D**  
**SUMMARY OF GROUNDWATER ELEVATIONS**  
**Former Scott Aviation Site**  
**Lancaster, New York**



**MONITORING WELL MW-14S**  
**SUMMARY OF GROUNDWATER ELEVATIONS**  
**Former Scott Aviation Site**  
**Lancaster, New York**

| Date       | Depth to Water from TOC<br>(ft) | Groundwater Elevation (ft<br>MSL) |
|------------|---------------------------------|-----------------------------------|
| 4/8/2004   | 5.14                            | 680.17                            |
| 10/12/2004 | 8.57                            | 676.74                            |
| 1/6/2005   | 6.27                            | 679.04                            |
| 4/14/2005  | 5.16                            | 680.15                            |
| 7/20/2005  | 8.32                            | 676.99                            |
| 10/4/2005  | 6.14                            | 679.17                            |
| 1/5/2006   | 8.41                            | 676.90                            |
| 4/11/2006  | 7.75                            | 677.56                            |
| 7/10/2006  | 8.18                            | 677.13                            |
| 10/18/2006 | 9.00                            | 676.31                            |
| 1/9/2007   | 6.61                            | 678.70                            |
| 2/28/2007  | 1.50                            | 683.81                            |
| 4/16/2007  | 3.45                            | 681.86                            |
| 7/2/2007   | 8.36                            | 676.95                            |
| 10/15/2007 | 9.45                            | 675.86                            |
| 1/8/2008   | 4.65                            | 680.66                            |
| 4/2/2008   | 4.47                            | 680.84                            |
| 7/1/2008   | 6.37                            | 679.33                            |
| 9/30/2008  | 8.90                            | 676.80                            |
| 1/19/2009  | 6.15                            | 679.55                            |
| 4/14/2009  | 7.70                            | 678.00                            |
| 7/21/2009  | 7.25                            | 678.45                            |
| 10/14/2009 | 7.05                            | 678.65                            |
| 1/18/2010  | NM                              | NA                                |
| 4/8/2010   | 6.50                            | 678.81                            |
| 7/12/2010  | 6.54                            | 678.77                            |
| 10/11/2010 | 5.90                            | 679.80                            |
| 1/12/2011  | 6.83                            | 678.87                            |
| 4/4/2011   | 6.34                            | 679.36                            |
| 7/25/2011  | 2.59                            | 683.11                            |
| 10/3/2011  | 1.98                            | 683.72                            |
| 1/12/2012  | 5.10                            | 680.60                            |
| 4/2/2012   | 4.55                            | 681.15                            |
| 7/5/2012   | 7.15                            | 678.55                            |
| 10/11/2012 | 6.67                            | 679.03                            |
| 1/21/2013  | 5.15                            | 680.55                            |
| 4/1/2013   | 5.05                            | 680.65                            |
| 7/1/2013   | 6.81                            | 678.89                            |
| 10/9/2013  | 5.60                            | 680.10                            |
| 1/21/2014  | 5.68                            | 680.02                            |
| 4/7/2014   | 6.03                            | 679.67                            |
| 7/16/2014  | 5.49                            | 680.21                            |
| 10/14/2014 | 5.61                            | 680.09                            |
| 1/20/2015  | 5.55                            | 680.15                            |
| 4/6/2015   | 4.58                            | 681.12                            |
| 7/22/2015  | 3.59                            | 682.11                            |
| 10/19/2015 | 3.70                            | 682.00                            |
| 1/5/2016   | 3.92                            | 681.78                            |
| 4/4/2016   | 8.80                            | 676.90                            |
| 7/5/2016   | 3.80                            | 681.90                            |
| 10/24/2016 | 3.80                            | 681.90                            |
| 1/16/2017  | 5.10                            | 680.60                            |
| 4/18/2017  | 5.44                            | 680.26                            |
| 7/11/2017  | 7.50                            | 678.20                            |
| 10/23/2017 | 7.18                            | 678.52                            |
| 1/8/2018   | 5.39                            | 680.35                            |
| 4/11/2018  | 5.14                            | 680.60                            |
| 7/12/2018  | 7.25                            | 678.49                            |
| 10/19/2018 | 6.89                            | 678.85                            |
| 1/9/2019   | 4.30                            | 681.44                            |
| 4/8/2019   | 4.40                            | 681.34                            |
| 7/22/2019  | 8.60                            | 677.14                            |
| 10/14/2019 | 5.14                            | 680.60                            |
| 1/6/2020   | 4.42                            | 681.32                            |
| 4/6/2020   | 4.31                            | 681.43                            |
| 7/21/2020  | 5.30                            | 680.44                            |
| 10/13/2020 | 6.18                            | 679.56                            |

**NOTES:**

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing

TOC Elevation - 685.31

DPE and GWCT off line for repairs in February 2007.

DPE off line for repairs in January 2008.

DPE off line for repairs in October 2013.


TOC Elevation re-measured on June 13, 2008 at 685.70.

DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).

DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the ABC+ injection pilot test (note shading on graph).

DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).

**MONITORING WELL MW-14S**  
**SUMMARY OF GROUNDWATER ELEVATIONS**  
**Former Scott Aviation Site**  
**Lancaster, New York**




**MONITORING WELL MW-14D**  
**SUMMARY OF GROUNDWATER ELEVATIONS**  
**Former Scott Aviation Site**  
**Lancaster, New York**

| Date       | Depth to Water from TOC<br>(ft) | Groundwater Elevation<br>(ft MSL) |
|------------|---------------------------------|-----------------------------------|
| 4/8/2004   | 13.21                           | 672.22                            |
| 10/12/2004 | 14.55                           | 670.88                            |
| 1/6/2005   | 15.97                           | 669.46                            |
| 4/14/2005  | 13.25                           | 672.18                            |
| 7/20/2005  | 18.20                           | 667.23                            |
| 10/4/2005  | 13.26                           | 672.17                            |
| 1/5/2006   | 19.08                           | 666.35                            |
| 4/11/2006  | 19.79                           | 665.64                            |
| 7/10/2006  | 17.16                           | 668.27                            |
| 10/18/2006 | 19.44                           | 665.99                            |
| 1/9/2007   | 14.71                           | 670.72                            |
| 2/28/2007  | 2.67                            | 682.76                            |
| 4/16/2007  | 19.74                           | 665.69                            |
| 7/2/2007   | 19.68                           | 665.75                            |
| 10/15/2007 | 19.76                           | 665.67                            |
| 1/8/2008   | 7.92                            | 677.51                            |
| 4/2/2008   | 14.41                           | 671.02                            |
| 7/1/2008   | 14.45                           | 671.37                            |
| 9/30/2008  | 15.39                           | 670.43                            |
| 1/19/2009  | 13.55                           | 672.27                            |
| 4/14/2009  | 20.10                           | 665.72                            |
| 7/21/2009  | 15.15                           | 670.67                            |
| 10/14/2009 | 20.27                           | 665.55                            |
| 1/18/2010  | 20.40                           | 665.42                            |
| 4/8/2010   | 15.40                           | 670.42                            |
| 7/12/2010  | 17.15                           | 668.67                            |
| 10/11/2010 | 14.40                           | 671.42                            |
| 1/12/2011  | 17.92                           | 667.90                            |
| 4/4/2011   | 16.23                           | 669.59                            |
| 7/25/2011  | 3.10                            | 682.72                            |
| 10/3/2011  | 2.72                            | 683.10                            |
| 1/12/2012  | 15.30                           | 670.52                            |
| 4/2/2012   | 16.50                           | 669.32                            |
| 7/5/2012   | 12.81                           | 673.01                            |
| 10/11/2012 | 14.55                           | 671.27                            |
| 1/21/2013  | 13.45                           | 672.37                            |
| 4/1/2013   | 10.78                           | 675.04                            |
| 7/1/2013   | 19.85                           | 665.97                            |
| 10/9/2013  | 10.02                           | 675.80                            |
| 1/21/2014  | 18.20                           | 667.62                            |
| 4/7/2014   | 17.95                           | 667.87                            |
| 7/16/2014  | 12.99                           | 672.83                            |
| 10/14/2014 | 10.70                           | 675.12                            |
| 1/20/2015  | 13.49                           | 672.33                            |
| 4/6/2015   | 11.30                           | 674.52                            |
| 7/22/2015  | 8.62                            | 677.20                            |
| 10/19/2015 | 4.10                            | 681.72                            |
| 1/5/2016   | 11.70                           | 674.12                            |
| 4/4/2016   | 17.98                           | 667.90                            |
| 7/5/2016   | 4.67                            | 681.21                            |
| 10/24/2016 | 4.67                            | 681.21                            |
| 1/16/2017  | 15.89                           | 669.99                            |
| 4/18/2017  | 12.45                           | 669.99                            |
| 7/11/2017  | 14.74                           | 671.14                            |
| 10/23/2017 | 17.02                           | 668.86                            |
| 1/8/2018   | 17.69                           | 668.19                            |
| 4/11/2018  | 15.95                           | 669.93                            |
| 7/12/2018  | 16.90                           | 668.98                            |
| 10/19/2018 | 15.69                           | 670.19                            |
| 1/9/2019   | 12.62                           | 673.26                            |
| 4/8/2019   | 11.80                           | 674.08                            |
| 7/22/2019  | 11.35                           | 674.53                            |
| 10/14/2019 | 11.88                           | 674.00                            |
| 1/6/2020   | 9.44                            | 676.44                            |
| 4/6/2020   | 13.00                           | 672.88                            |
| 7/21/2020  | 12.31                           | 673.57                            |
| 10/13/2020 | 19.31                           | 666.57                            |

**NOTES:**

ft MSL - feet mean sea level  
NA - Not Available  
NM - Not Measured  
TOC - top of PVC casing  
TOC Elevation - 685.43  
DPE and GWCT off line for repairs in February 2007.  
DPE off line for repairs in January 2008.  
DPE off line for repairs in October 2013.  
TOC Elevation re-measured on June 13, 2008 at 685.82  
DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).  
DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the ABC+ injection pilot test (note shading on graph).  
DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).

**MONITORING WELL MW-14D**  
**SUMMARY OF GROUNDWATER ELEVATIONS**  
**Former Scott Aviation Site**  
**Lancaster, New York**



**MONITORING WELL MW-15S**  
**SUMMARY OF GROUNDWATER ELEVATIONS**  
**Former Scott Aviation Site**  
**Lancaster, New York**

| Date       | Depth to Water from TOC<br>(ft) | Groundwater Elevation<br>(ft MSL) |
|------------|---------------------------------|-----------------------------------|
| 4/8/2004   | 1.20                            | 685.44                            |
| 10/12/2004 | 5.26                            | 681.38                            |
| 1/6/2005   | 0.35                            | 686.29                            |
| 4/14/2005  | 2.31                            | 684.33                            |
| 7/20/2005  | 4.78                            | 681.86                            |
| 10/4/2005  | 2.22                            | 684.42                            |
| 1/5/2006   | 0.70                            | 685.94                            |
| 4/11/2006  | 2.00                            | 684.64                            |
| 7/10/2006  | 4.75                            | 681.89                            |
| 1/9/2007   | 0.05                            | 686.59                            |
| 2/28/2007  | 0.00                            | 686.64                            |
| 4/16/2007  | 0.50                            | 686.14                            |
| 7/2/2007   | 4.67                            | 681.97                            |
| 10/16/2007 | 4.80                            | 681.84                            |
| 1/8/2008   | 0.70                            | 685.94                            |
| 4/2/2008   | 0.00                            | 686.64                            |
| 7/1/2008   | 0.50                            | 687.02                            |
| 9/30/2008  | 3.14                            | 684.38                            |
| 1/19/2009  | 1.50                            | 686.02                            |
| 4/14/2009  | 1.60                            | 685.92                            |
| 7/21/2009  | 1.11                            | 686.41                            |
| 10/14/2009 | 1.11                            | 686.41                            |
| 1/18/2010  | 0.80                            | 686.72                            |
| 4/8/2010   | 2.00                            | 685.52                            |
| 7/12/2010  | 2.80                            | 684.72                            |
| 10/11/2010 | 3.14                            | 684.38                            |
| 1/12/2011  | 1.40                            | 686.12                            |
| 4/4/2011   | 0.50                            | 687.02                            |
| 7/25/2011  | 2.51                            | 685.01                            |
| 10/3/2011  | 0.20                            | 687.32                            |
| 1/12/2012  | 0.50                            | 687.02                            |
| 4/2/2012   | 1.40                            | 686.12                            |
| 7/5/2012   | 3.90                            | 683.62                            |
| 10/1/2012  | 3.18                            | 684.34                            |
| 1/21/2013  | 0.00                            | 687.52                            |
| 4/1/2013   | 0.50                            | 687.02                            |
| 7/1/2013   | 1.73                            | 685.79                            |
| 10/9/2013  | 2.10                            | 685.42                            |
| 1/21/2014  | 1.75                            | 685.77                            |
| 4/7/2014   | 0.90                            | 686.62                            |
| 7/16/2014  | 1.91                            | 685.61                            |
| 10/14/2014 | 2.00                            | 685.52                            |
| 1/20/2015  | 1.60                            | 685.92                            |
| 4/6/2015   | 0.51                            | 687.01                            |
| 7/22/2015  | 1.41                            | 686.11                            |
| 10/19/2015 | 2.20                            | 685.32                            |
| 1/5/2016   | 1.15                            | 686.37                            |
| 4/4/2016   | 0.70                            | 687.17                            |
| 7/5/2016   | 3.61                            | 683.56                            |
| 10/24/2016 | 3.61                            | 683.56                            |
| 1/16/2017  | 1.20                            | 685.97                            |
| 4/18/2017  | 0.90                            | 685.97                            |
| 7/11/2017  | 4.30                            | 682.87                            |
| 10/23/2017 | 2.55                            | 684.62                            |
| 1/8/2018   | 0.00                            | 687.17                            |
| 4/11/2018  | 0.00                            | 687.17                            |
| 7/12/2018  | 0.35                            | 686.82                            |
| 10/19/2018 | 0.44                            | 686.73                            |
| 1/9/2019   | 0.22                            | 686.95                            |
| 4/8/2019   | 0.00                            | 687.17                            |
| 7/22/2019  | 2.95                            | 684.22                            |
| 10/14/2019 | 1.32                            | 685.85                            |
| 1/6/2020   | 0.04                            | 687.13                            |
| 4/6/2020   | 0.02                            | 687.15                            |
| 7/21/2020  | 0.48                            | 686.69                            |
| 10/13/2020 | 2.98                            | 684.19                            |

**NOTES:**

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing

TOC Elevation - 686.64

DPE and GWCT off line for repairs in February 2007.

DPE off line for repairs in January 2008.

DPE off line for repairs in October 2013.

Measured from ground surface on April 4, 2016 at 687.87.


TOC Elevation re-measured on June 13, 2008 at 687.52.

DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).

DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the ABC+ injection pilot test (note shading on graph).

DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).

**MONITORING WELL MW-15S**  
**SUMMARY OF GROUNDWATER ELEVATIONS**  
**Former Scott Aviation Site**  
**Lancaster, New York**



**MONITORING WELL MW-15D**  
**SUMMARY OF GROUNDWATER ELEVATIONS**  
**Former Scott Aviation Site**  
**Lancaster, New York**

| Date       | Depth to Water from TOC<br>(ft) | Groundwater Elevation<br>(ft MSL) |
|------------|---------------------------------|-----------------------------------|
| 4/8/2004   | 15.70                           | 671.61                            |
| 10/12/2004 | 17.42                           | 669.89                            |
| 1/6/2005   | 15.74                           | 671.57                            |
| 4/14/2005  | 16.99                           | 670.32                            |
| 7/20/2005  | 17.31                           | 670.00                            |
| 10/4/2005  | 8.94                            | 678.37                            |
| 1/5/2006   | 16.16                           | 671.15                            |
| 4/11/2006  | 16.90                           | 670.41                            |
| 7/10/2006  | 15.78                           | 671.53                            |
| 10/18/2006 | 15.50                           | 671.81                            |
| 1/9/2007   | 15.80                           | 671.51                            |
| 2/28/2007  | 4.10                            | 683.21                            |
| 4/16/2007  | 16.61                           | 670.70                            |
| 7/2/2007   | 17.20                           | 670.11                            |
| 10/16/2007 | 16.70                           | 670.61                            |
| 1/8/2008   | 8.99                            | 678.32                            |
| 4/2/2008   | 15.01                           | 672.30                            |
| 7/1/2008   | 14.64                           | 672.98                            |
| 9/30/2008  | 16.24                           | 671.38                            |
| 1/19/2009  | 15.00                           | 672.62                            |
| 4/14/2009  | 14.21                           | 673.41                            |
| 7/21/2009  | 14.61                           | 673.01                            |
| 10/14/2009 | 14.81                           | 672.81                            |
| 1/18/2010  | 16.89                           | 670.73                            |
| 4/8/2010   | 15.00                           | 672.62                            |
| 7/12/2010  | 13.00                           | 674.62                            |
| 10/11/2010 | 13.00                           | 674.62                            |
| 1/12/2011  | 15.65                           | 671.97                            |
| 4/4/2011   | 15.51                           | 672.11                            |
| 7/25/2011  | 3.73                            | 683.89                            |
| 10/3/2011  | 3.05                            | 684.57                            |
| 1/12/2012  | 15.50                           | 672.12                            |
| 4/2/2012   | 14.30                           | 673.32                            |
| 7/5/2012   | 9.81                            | 677.81                            |
| 10/11/2012 | 13.70                           | 673.92                            |
| 1/21/2013  | 15.90                           | 671.72                            |
| 4/1/2013   | 11.08                           | 676.54                            |
| 7/1/2013   | 16.04                           | 671.58                            |
| 10/9/2013  | 13.95                           | 673.67                            |
| 1/21/2014  | 15.05                           | 672.57                            |
| 4/7/2014   | 15.84                           | 671.78                            |
| 7/16/2014  | 13.51                           | 674.11                            |
| 10/14/2014 | 12.49                           | 675.13                            |
| 1/20/2015  | 15.04                           | 672.58                            |
| 4/6/2015   | 13.15                           | 674.47                            |
| 7/22/2015  | 9.92                            | 677.70                            |
| 10/19/2015 | 6.50                            | 681.12                            |
| 1/5/2016   | 13.65                           | 673.97                            |
| 4/4/2016   | 11.70                           | 676.17                            |
| 7/5/2016   | 5.85                            | 681.52                            |
| 10/24/2016 | 5.85                            | 681.52                            |
| 1/16/2017  | 13.56                           | 673.81                            |
| 4/18/2017  | 13.40                           | 673.97                            |
| 7/11/2017  | 14.06                           | 673.31                            |
| 10/23/2017 | 14.21                           | 673.16                            |
| 1/8/2018   | 13.08                           | 674.79                            |
| 4/11/2018  | 11.70                           | 676.17                            |
| 7/12/2018  | 14.19                           | 673.68                            |
| 10/19/2018 | 13.83                           | 674.04                            |
| 1/9/2019   | 13.17                           | 674.70                            |
| 4/8/2019   | 12.80                           | 675.07                            |
| 7/22/2019  | 12.66                           | 675.21                            |
| 10/14/2019 | 11.97                           | 675.90                            |
| 1/6/2020   | 10.79                           | 677.08                            |
| 4/6/2020   | 11.85                           | 676.02                            |
| 7/21/2020  | 12.61                           | 675.26                            |
| 10/13/2020 | 13.55                           | 674.32                            |

**NOTES:**

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing

TOC Elevation - 687.31'

DPE and GWCT off line for repairs in February 2007.

DPE off line for repairs in January 2008.

DPE off line for repairs in October 2013.

TOC Elevation re-measured on June 13, 2008 at 687.62.


Measured from ground surface on April 4, 2016 at 687.87.

DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).

DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the ABC+ injection pilot test (note shading on graph).

DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).

**MONITORING WELL MW-15D**  
**SUMMARY OF GROUNDWATER ELEVATIONS**  
**Former Scott Aviation Site**  
**Lancaster, New York**



**MONITORING WELL MW-16S**  
**SUMMARY OF GROUNDWATER ELEVATIONS**  
**Former Scott Aviation Site**  
**Lancaster, New York**

| Date       | Depth to Water from TOC<br>(ft) | Groundwater Elevation<br>(ft MSL) |
|------------|---------------------------------|-----------------------------------|
| 4/8/2004   | 5.09                            | 680.75                            |
| 10/12/2004 | 12.09                           | 673.75                            |
| 1/6/2005   | 4.75                            | 681.09                            |
| 4/14/2005  | 10.15                           | 675.69                            |
| 7/20/2005  | 14.56                           | 671.28                            |
| 10/4/2005  | 11.50                           | 674.34                            |
| 1/5/2006   | 11.41                           | 674.43                            |
| 4/11/2006  | 12.90                           | 672.94                            |
| 7/10/2006  | 11.54                           | 674.30                            |
| 10/18/2006 | 12.50                           | 673.34                            |
| 1/9/2007   | 13.82                           | 672.02                            |
| 2/28/2007  | 2.90                            | 682.94                            |
| 4/16/2007  | 13.07                           | 672.77                            |
| 7/2/2007   | 12.50                           | 673.34                            |
| 10/18/2007 | 15.23                           | 670.61                            |
| 1/8/2008   | 5.60                            | 680.24                            |
| 4/2/2008   | 12.40                           | 673.44                            |
| 7/1/2008   | 15.70                           | 674.67                            |
| 9/30/2008  | 19.34                           | 671.03                            |
| 1/19/2009  | 17.80                           | 672.57                            |
| 4/14/2009  | 18.22                           | 672.15                            |
| 7/21/2009  | 19.95                           | 670.42                            |
| 10/14/2009 | 17.77                           | 672.60                            |
| 1/18/2010  | 16.45                           | 673.92                            |
| 4/8/2010   | 18.60                           | 671.77                            |
| 7/12/2010  | 18.45                           | 671.92                            |
| 10/11/2010 | 13.51                           | 676.86                            |
| 4/7/2011   | 8.55                            | 677.29                            |
| 7/25/2011  | 1.45                            | 684.39                            |
| 10/3/2011  | 0.60                            | 685.24                            |
| 1/12/2012  | 3.80                            | 682.04                            |
| 4/2/2012   | 5.85                            | 679.99                            |
| 7/5/2012   | 9.12                            | 676.72                            |
| 10/11/2012 | 6.36                            | 679.48                            |
| 1/21/2013  | 7.85                            | 677.99                            |
| 4/1/2013   | 10.15                           | 675.69                            |
| 7/1/2013   | 9.18                            | 676.66                            |
| 10/9/2013  | 3.80                            | 682.04                            |
| 1/21/2014  | 9.55                            | 676.29                            |
| 4/7/2014   | 9.60                            | 676.24                            |
| 7/16/2014  | 9.05                            | 676.79                            |
| 10/14/2014 | 3.10                            | 682.74                            |
| 1/20/2015  | 6.90                            | 678.94                            |
| 4/6/2015   | 5.50                            | 680.34                            |
| 7/22/2015  | 10.14                           | 678.05                            |
| 10/19/2015 | 5.00                            | 683.19                            |
| 1/5/2016   | 7.05                            | 681.14                            |
| 4/4/2016   | 6.38                            | 681.77                            |
| 7/5/2016   | 5.23                            | 682.92                            |
| 10/24/2016 | 5.23                            | 682.92                            |
| 1/16/2017  | 8.25                            | 679.90                            |
| 4/18/2017  | 7.28                            | 679.90                            |
| 7/11/2017  | 10.36                           | 677.79                            |
| 10/23/2017 | 8.66                            | 679.49                            |
| 1/8/2018   | 6.29                            | 681.86                            |
| 4/11/2018  | 6.71                            | 681.44                            |
| 7/12/2018  | 8.99                            | 679.16                            |
| 10/19/2018 | 10.42                           | 677.73                            |
| 1/9/2019   | 6.86                            | 681.29                            |
| 4/8/2019   | 6.02                            | 682.13                            |
| 7/22/2019  | 6.91                            | 681.24                            |
| 10/14/2019 | 6.02                            | 682.13                            |
| 1/6/2020   | 5.51                            | 682.64                            |
| 4/6/2020   | 6.83                            | 681.32                            |
| 7/21/2020  | 6.14                            | 682.01                            |
| 10/12/2020 | 8.00                            | 680.15                            |

**NOTES:**

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing

TOC Elevation - 685.84

DPE and GWCT off line for repairs in February 2007.

DPE off line for repairs in January 2008.

DPE off line for repairs in October 2013.

TOC Elevation re-measured on June 13, 2008 at 690.37.

TOC Elevation re-measured on April 7, 2011 at 685.84.

TOC Elevation re-measured on June 1, 2015 at 688.19.


TOC Elevation re-measured on February 23, 2016 at 688.15.

DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).

DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the ABC+ injection pilot test (note shading on graph).

DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).

**MONITORING WELL MW-16S**  
**SUMMARY OF GROUNDWATER ELEVATIONS**  
**Former Scott Aviation Site**  
**Lancaster, New York**



**MONITORING WELL MW-16D**  
**SUMMARY OF GROUNDWATER ELEVATIONS**  
**Former Scott Aviation Site**  
**Lancaster, New York**

| Date       | Depth to Water from TOC<br>(ft) | Groundwater Elevation<br>(ft MSL) |
|------------|---------------------------------|-----------------------------------|
| 4/8/2004   | 13.62                           | 672.39                            |
| 10/12/2004 | 15.51                           | 670.50                            |
| 1/6/2005   | 13.70                           | 672.31                            |
| 4/14/2005  | 16.09                           | 669.92                            |
| 7/20/2005  | 16.65                           | 669.36                            |
| 10/4/2005  | 9.89                            | 676.12                            |
| 1/5/2006   | 17.21                           | 668.80                            |
| 4/11/2006  | 17.1                            | 668.91                            |
| 7/10/2006  | 10.61                           | 675.4                             |
| 10/18/2006 | 15.41                           | 670.6                             |
| 1/9/2007   | 15.6                            | 670.41                            |
| 2/28/2007  | 2.74                            | 683.27                            |
| 4/16/2007  | 16.35                           | 669.66                            |
| 7/2/2007   | 16.85                           | 669.16                            |
| 10/18/2007 | 17.17                           | 668.84                            |
| 1/8/2008   | 8.32                            | 677.69                            |
| 4/2/2008   | 13.44                           | 672.57                            |
| 7/1/2008   | 17.72                           | 672.83                            |
| 9/30/2008  | 19.29                           | 671.26                            |
| 1/19/2009  | 17.95                           | 672.60                            |
| 4/14/2009  | 17.21                           | 673.34                            |
| 7/21/2009  | 18.28                           | 672.27                            |
| 10/14/2009 | 17.60                           | 672.95                            |
| 1/18/2010  | 19.51                           | 671.04                            |
| 4/8/2010   | 17.19                           | 673.36                            |
| 7/12/2010  | 17.15                           | 673.40                            |
| 10/11/2010 | 18.63                           | 671.92                            |
| 4/7/2011   | 13.67                           | 672.34                            |
| 7/25/2011  | 2.46                            | 683.55                            |
| 10/3/2011  | 1.70                            | 684.31                            |
| 1/12/2012  | 13.55                           | 672.46                            |
| 4/2/2012   | 12.61                           | 673.40                            |
| 7/5/2012   | 8.90                            | 677.11                            |
| 10/11/2012 | 13.38                           | 672.63                            |
| 1/21/2013  | 15.44                           | 670.57                            |
| 4/1/2013   | 12.31                           | 673.70                            |
| 7/1/2013   | 16.25                           | 669.76                            |
| 10/9/2013  | 11.40                           | 674.61                            |
| 1/21/2014  | 13.35                           | 672.66                            |
| 4/7/2014   | 15.54                           | 670.47                            |
| 7/16/2014  | 11.73                           | 674.28                            |
| 10/14/2014 | 10.04                           | 675.97                            |
| 1/20/2015  | 12.31                           | 673.70                            |
| 4/6/2015   | 10.30                           | 675.71                            |
| 7/22/2015  | 9.80                            | 678.59                            |
| 10/19/2015 | 6.40                            | 681.99                            |
| 1/5/2016   | 13.00                           | 675.39                            |
| 4/4/2016   | 11.35                           | 676.81                            |
| 7/5/2016   | 6.49                            | 681.67                            |
| 10/24/2016 | 6.49                            | 681.67                            |
| 1/16/2017  | 14.28                           | 673.88                            |
| 4/18/2017  | 13.24                           | 673.88                            |
| 7/11/2017  | 14.25                           | 673.91                            |
| 10/23/2017 | 14.72                           | 673.44                            |
| 1/8/2018   | 12.38                           | 675.78                            |
| 4/11/2018  | 11.67                           | 676.49                            |
| 7/12/2018  | 14.20                           | 673.96                            |
| 10/19/2018 | 14.32                           | 673.84                            |
| 1/9/2019   | 12.82                           | 675.34                            |
| 4/8/2019   | 11.78                           | 676.38                            |
| 7/22/2019  | 12.13                           | 676.03                            |
| 10/14/2019 | 11.32                           | 676.84                            |
| 1/6/2020   | 10.29                           | 677.87                            |
| 4/6/2020   | 11.54                           | 676.62                            |
| 7/21/2020  | 11.96                           | 676.20                            |
| 10/12/2020 | 13.19                           | 674.97                            |

**NOTES:**

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing

TOC Elevation - 686.01

DPE and GWCT off line for repairs in February 2007.

DPE off line for repairs in January 2008.

DPE off line for repairs in October 2013.

TOC Elevation re-measured on June 13, 2008 at 690.55.

TOC Elevation re-measured on April 7, 2011 at 688.01.

TOC Elevation re-measured on June 1, 2015 at 688.39.


TOC Elevation re-measured on February 23, 2016 at 688.16.

DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).

DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the ABC+ injection pilot test (note shading on graph).

DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).

**MONITORING WELL MW-16D**  
**SUMMARY OF GROUNDWATER ELEVATIONS**  
**Former Scott Aviation Site**  
**Lancaster, New York**



**Appendix C**  
**Analytical Laboratory Data Packages**  
**(Provided on CD)**



## Environment Testing America



# ANALYTICAL REPORT

Eurofins TestAmerica, Buffalo  
10 Hazelwood Drive  
Amherst, NY 14228-2298  
Tel: (716)691-2600

Laboratory Job ID: 480-176470-1

Client Project/Site: Scott Figgie West of Plant 2

For:  
AECOM  
257 West Genesee Street  
Suite 400  
Buffalo, New York 14202-2657

Attn: Mr. Dino Zack

Authorized for release by:  
11/3/2020 5:43:39 PM  
Rebecca Jones, Project Management Assistant I  
[Rebecca.Jones@Eurofinset.com](mailto:Rebecca.Jones@Eurofinset.com)

Designee for  
Brian Fischer, Manager of Project Management  
(716)504-9835  
[Brian.Fischer@Eurofinset.com](mailto:Brian.Fischer@Eurofinset.com)

### LINKS

Review your project  
results through

**TotalAccess**

Have a Question?

Ask  
The  
Expert

Visit us at:

[www.eurofinsus.com/Env](http://www.eurofinsus.com/Env)

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1

2

3

4

5

6

7

8

9

10

11

# Table of Contents

|                             |    |
|-----------------------------|----|
| Cover Page .....            | 1  |
| Table of Contents .....     | 2  |
| Definitions/Glossary .....  | 3  |
| Case Narrative .....        | 4  |
| Client Sample Results ..... | 6  |
| Lab Chronicle .....         | 51 |
| Certification Summary ..... | 58 |
| Method Summary .....        | 59 |
| Sample Summary .....        | 60 |
| Receipt Checklists .....    | 61 |
| Chain of Custody .....      | 65 |

# Definitions/Glossary

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

## Qualifiers

### GC/MS VOA

| Qualifier | Qualifier Description  |
|-----------|--|
| E         | Result exceeded calibration range.   |
| F1        | MS and/or MSD recovery exceeds control limits.   |
| J         | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |

### GC VOA

| Qualifier | Qualifier Description  |
|-----------|--|
| J         | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |

### Metals

| Qualifier | Qualifier Description  |
|-----------|--|
| J         | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |

### General Chemistry

| Qualifier | Qualifier Description  |
|-----------|--|
| B         | Compound was found in the blank and sample.  |
| HF        | Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.           |
| J         | Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value. |

## Glossary

| Abbreviation   | These commonly used abbreviations may or may not be present in this report.                                 |
|----------------|---|
| ¤              | Listed under the "D" column to designate that the result is reported on a dry weight basis                  |
| %R             | Percent Recovery  |
| CFL            | Contains Free Liquid  |
| CFU            | Colony Forming Unit   |
| CNF            | Contains No Free Liquid   |
| DER            | Duplicate Error Ratio (normalized absolute difference)  |
| Dil Fac        | Dilution Factor   |
| DL             | Detection Limit (DoD/DOE)   |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC            | Decision Level Concentration (Radiochemistry)   |
| EDL            | Estimated Detection Limit (Dioxin)  |
| LOD            | Limit of Detection (DoD/DOE)  |
| LOQ            | Limit of Quantitation (DoD/DOE)   |
| MCL            | EPA recommended "Maximum Contaminant Level"   |
| MDA            | Minimum Detectable Activity (Radiochemistry)  |
| MDC            | Minimum Detectable Concentration (Radiochemistry)   |
| MDL            | Method Detection Limit  |
| ML             | Minimum Level (Dioxin)  |
| MPN            | Most Probable Number  |
| MQL            | Method Quantitation Limit   |
| NC             | Not Calculated  |
| ND             | Not Detected at the reporting limit (or MDL or EDL if shown)  |
| NEG            | Negative / Absent   |
| POS            | Positive / Present  |
| PQL            | Practical Quantitation Limit  |
| PRES           | Presumptive   |
| QC             | Quality Control   |
| RER            | Relative Error Ratio (Radiochemistry)   |
| RL             | Reporting Limit or Requested Limit (Radiochemistry)   |
| RPD            | Relative Percent Difference, a measure of the relative difference between two points                        |
| TEF            | Toxicity Equivalent Factor (Dioxin)   |
| TEQ            | Toxicity Equivalent Quotient (Dioxin)   |
| TNTC           | Too Numerous To Count   |

# Case Narrative

Client: AECOM  
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

## Job ID: 480-176470-1

Laboratory: Eurofins TestAmerica, Buffalo

### Narrative

#### Job Narrative 480-176470-1

### Comments

No additional comments.

### Receipt

The samples were received on 10/13/2020 4:40 PM and 10/14/2020 3:45 PM; the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 3.5° C and 4.6° C.

### GC/MS VOA

Method 8260C: The continuing calibration verification (CCV) associated with batch 480-553907 recovered outside acceptance criteria, low biased, for Carbon disulfide. A reporting limit (RL) standard was analyzed, and the target analyte was detected. Since the associated samples were non-detect for this analyte, the data have been reported.

Method 8260C: The following volatiles samples were diluted due to foaming at the time of purging during the original sample analysis: DPE-1 (480-176470-5) and DPE-6 (480-176470-10). Elevated reporting limits (RLs) are provided.

Method 8260C: The following samples were diluted to bring the concentration of target analytes within the calibration range: DPE-3 (480-176470-7), DPE-4 (480-176470-8), DPE-5 (480-176470-9), DPE-7 (480-176470-11), DPE-8 (480-176470-12), (480-176470-A-7 MS) and (480-176470-A-7 MSD). Elevated reporting limits (RLs) are provided.

Method 8260C: The following sample(s) was collected in a properly preserved vial; however, the pH was outside the required criteria when verified by the laboratory. The samples were analyzed within the 7-day holding time specified for unpreserved samples: DPE-8 (480-176470-12) and Duplicate (480-176470-14). Sample pH is 7.

Method 8260C: The following sample(s) was collected in a properly preserved vial; however, the pH was outside the required criteria when verified by the laboratory. The sample was analyzed within the 7-day holding time specified for unpreserved samples: DPE-8 (480-176470-12). pH is 7.

Method 8260C: The following sample was diluted to bring the concentration of target analytes within the calibration range: DPE-8 (480-176470-12). Elevated reporting limits (RLs) are provided.

Method 8260C: The continuing calibration verification (CCV) associated with batch 480-553980 recovered above the upper control limit for 2-Butanone and 2-Hexanone. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The associated sample is impacted: DPE-8 (480-176470-12).

Method 8260C: The following volatiles samples were diluted due to foaming at the time of purging during the original sample analysis: MW-4 (480-176566-1) and MW-2 (480-176566-3). Elevated reporting limits (RLs) are provided.

Method 8260C: The following sample was diluted to bring the concentration of target analytes within the calibration range: MW-16S (480-176566-4). Elevated reporting limits (RLs) are provided.

Method 8260C: The continuing calibration verification (CCV) associated with batch 480-554397 recovered outside acceptance criteria, low biased, for Cyclohexane. A reporting limit (RL) standard was analyzed, and the target analyte was detected. Since the associated samples were non-detect for this analyte, the data have been reported. The associated sample is impacted: MW-8R (480-176566-2).

Method 8260C: The following sample was diluted to bring the concentration of target analytes within the calibration range: MW-8R (480-176566-2). Elevated reporting limits (RLs) are provided.

Method 8260C: The continuing calibration verification (CCV) associated with batch 480-553978 recovered outside acceptance criteria, low biased, for 1,1,2-Trichloro-1,2,2-trifluoroethane and Cyclohexane. A reporting limit (RL) standard was analyzed, and the target analytes were detected. Since the associated sample was non-detect for these analytes, the data have been reported. The associated sample is impacted: Trip Blank (480-176470-16).

# Case Narrative

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

## Job ID: 480-176470-1 (Continued)

### Laboratory: Eurofins TestAmerica, Buffalo (Continued)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

#### HPLC/IC

Method 300.0: The following samples were diluted to bring the concentration of target analytes within the calibration range: MW-11 (480-176470-2) and MW-13S (480-176470-3). Elevated reporting limits (RLs) are provided.

Method 300.0: The following samples were diluted to bring the concentration of target analytes within the calibration range: MW-4 (480-176566-1), MW-8R (480-176566-2), MW-16S (480-176566-4) and MW-16D (480-176566-5). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

#### GC VOA

Method RSK-175: The following samples were diluted to bring the concentration of target analytes within the calibration range: MW-11 (480-176470-2) and MW-13S (480-176470-3). Elevated reporting limits (RLs) are provided.

Method RSK-175: The following samples were diluted to bring the concentration of target analytes within the calibration range: MW-4 (480-176566-1), MW-8R (480-176566-2), MW-16S (480-176566-4) and MW-16D (480-176566-5). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

#### Metals

Method 6010C: The interference check standard solution (ICSA) associated with the following samples showed results for Barium at a level greater than 2 times the limit of detection (LOD). It is believed that the solution contains trace impurities of this element / these elements and the results are not due to matrix interference. These results are consistent with those found by the manufacturer of the ICSA solution. (ICSAB 480-555744/9)

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

#### General Chemistry

Method 353.2: The results reported for the following sample do not concur with results previously reported for this site: MW-13S (480-176470-3). Reanalysis was performed, and the result(s) confirmed.

Method 353.2: The continuing calibration verification (CCV) associated with batch 480-553965 recovered above the upper control limit for NO<sub>3</sub>. The samples associated with this CCV were non-detects or below reporting limits for the affected analyte; therefore, the data have been reported. The associated sample is impacted: MW-11 (480-176470-2).

Method SM 3500 FE D: This analysis is normally performed in the field and has a method-defined holding time of 15 minutes. The following samples has been qualified with the "HF" flag to indicate analysis was performed in the laboratory outside the 15 minute timeframe: MW-11 (480-176470-2), MW-13S (480-176470-3), MW-4 (480-176566-1), MW-8R (480-176566-2), MW-16S (480-176566-4) and MW-16D (480-176566-5).

Method SM 4500 S2 F: The following samples were improperly preserved in the field: MW-4 (480-176566-1), MW-8R (480-176566-2), MW-16S (480-176566-4) and MW-16D (480-176566-5). The preservative was added before analysis.

Method 9060A: The reference method requires samples to be preserved to a pH below two. The following sample was received with insufficient preservation at a pH above two: DPE-8 (480-176470-12). The sample(s) was preserved to the appropriate pH in the laboratory prior to analysis.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

# Client Sample Results

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: MW3**

Date Collected: 10/13/20 15:20

Date Received: 10/13/20 16:40

**Lab Sample ID: 480-176470-1**

Matrix: Water

**Method: 8260C - Volatile Organic Compounds by GC/MS**

| Analyte                               | Result        | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------------|---------------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane                 | ND            |           | 1.0 | 0.82 | ug/L |   |          | 10/14/20 23:38 | 1       |
| 1,1,2,2-Tetrachloroethane             | ND            |           | 1.0 | 0.21 | ug/L |   |          | 10/14/20 23:38 | 1       |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND            |           | 1.0 | 0.31 | ug/L |   |          | 10/14/20 23:38 | 1       |
| 1,1,2-Trichloroethane                 | ND            |           | 1.0 | 0.23 | ug/L |   |          | 10/14/20 23:38 | 1       |
| <b>1,1-Dichloroethane</b>             | <b>23</b>     |           | 1.0 | 0.38 | ug/L |   |          | 10/14/20 23:38 | 1       |
| 1,1-Dichloroethene                    | ND            |           | 1.0 | 0.29 | ug/L |   |          | 10/14/20 23:38 | 1       |
| 1,2,4-Trichlorobenzene                | ND            |           | 1.0 | 0.41 | ug/L |   |          | 10/14/20 23:38 | 1       |
| 1,2-Dibromo-3-Chloropropane           | ND            |           | 1.0 | 0.39 | ug/L |   |          | 10/14/20 23:38 | 1       |
| 1,2-Dibromoethane                     | ND            |           | 1.0 | 0.73 | ug/L |   |          | 10/14/20 23:38 | 1       |
| 1,2-Dichlorobenzene                   | ND            |           | 1.0 | 0.79 | ug/L |   |          | 10/14/20 23:38 | 1       |
| <b>1,2-Dichloroethane</b>             | <b>0.47 J</b> |           | 1.0 | 0.21 | ug/L |   |          | 10/14/20 23:38 | 1       |
| 1,2-Dichloropropane                   | ND            |           | 1.0 | 0.72 | ug/L |   |          | 10/14/20 23:38 | 1       |
| 1,3-Dichlorobenzene                   | ND            |           | 1.0 | 0.78 | ug/L |   |          | 10/14/20 23:38 | 1       |
| 1,4-Dichlorobenzene                   | ND            |           | 1.0 | 0.84 | ug/L |   |          | 10/14/20 23:38 | 1       |
| 2-Butanone (MEK)                      | ND            |           | 10  | 1.3  | ug/L |   |          | 10/14/20 23:38 | 1       |
| 2-Hexanone                            | ND            |           | 5.0 | 1.2  | ug/L |   |          | 10/14/20 23:38 | 1       |
| 4-Methyl-2-pentanone (MIBK)           | ND            |           | 5.0 | 2.1  | ug/L |   |          | 10/14/20 23:38 | 1       |
| Acetone                               | ND            |           | 10  | 3.0  | ug/L |   |          | 10/14/20 23:38 | 1       |
| Benzene                               | ND            |           | 1.0 | 0.41 | ug/L |   |          | 10/14/20 23:38 | 1       |
| Bromodichloromethane                  | ND            |           | 1.0 | 0.39 | ug/L |   |          | 10/14/20 23:38 | 1       |
| Bromoform                             | ND            |           | 1.0 | 0.26 | ug/L |   |          | 10/14/20 23:38 | 1       |
| Bromomethane                          | ND            |           | 1.0 | 0.69 | ug/L |   |          | 10/14/20 23:38 | 1       |
| Carbon disulfide                      | ND            |           | 1.0 | 0.19 | ug/L |   |          | 10/14/20 23:38 | 1       |
| Carbon tetrachloride                  | ND            |           | 1.0 | 0.27 | ug/L |   |          | 10/14/20 23:38 | 1       |
| Chlorobenzene                         | ND            |           | 1.0 | 0.75 | ug/L |   |          | 10/14/20 23:38 | 1       |
| <b>Chloroethane</b>                   | <b>3.0</b>    |           | 1.0 | 0.32 | ug/L |   |          | 10/14/20 23:38 | 1       |
| Chloroform                            | ND            |           | 1.0 | 0.34 | ug/L |   |          | 10/14/20 23:38 | 1       |
| Chloromethane                         | ND            |           | 1.0 | 0.35 | ug/L |   |          | 10/14/20 23:38 | 1       |
| <b>cis-1,2-Dichloroethene</b>         | <b>4.4</b>    |           | 1.0 | 0.81 | ug/L |   |          | 10/14/20 23:38 | 1       |
| cis-1,3-Dichloropropene               | ND            |           | 1.0 | 0.36 | ug/L |   |          | 10/14/20 23:38 | 1       |
| Cyclohexane                           | ND            |           | 1.0 | 0.18 | ug/L |   |          | 10/14/20 23:38 | 1       |
| Dibromochloromethane                  | ND            |           | 1.0 | 0.32 | ug/L |   |          | 10/14/20 23:38 | 1       |
| Dichlorodifluoromethane               | ND            |           | 1.0 | 0.68 | ug/L |   |          | 10/14/20 23:38 | 1       |
| Ethylbenzene                          | ND            |           | 1.0 | 0.74 | ug/L |   |          | 10/14/20 23:38 | 1       |
| Isopropylbenzene                      | ND            |           | 1.0 | 0.79 | ug/L |   |          | 10/14/20 23:38 | 1       |
| Methyl acetate                        | ND            |           | 2.5 | 1.3  | ug/L |   |          | 10/14/20 23:38 | 1       |
| Methyl tert-butyl ether               | ND            |           | 1.0 | 0.16 | ug/L |   |          | 10/14/20 23:38 | 1       |
| Methylcyclohexane                     | ND            |           | 1.0 | 0.16 | ug/L |   |          | 10/14/20 23:38 | 1       |
| <b>Methylene Chloride</b>             | <b>0.52 J</b> |           | 1.0 | 0.44 | ug/L |   |          | 10/14/20 23:38 | 1       |
| Styrene                               | ND            |           | 1.0 | 0.73 | ug/L |   |          | 10/14/20 23:38 | 1       |
| Tetrachloroethene                     | ND            |           | 1.0 | 0.36 | ug/L |   |          | 10/14/20 23:38 | 1       |
| Toluene                               | ND            |           | 1.0 | 0.51 | ug/L |   |          | 10/14/20 23:38 | 1       |
| trans-1,2-Dichloroethene              | ND            |           | 1.0 | 0.90 | ug/L |   |          | 10/14/20 23:38 | 1       |
| trans-1,3-Dichloropropene             | ND            |           | 1.0 | 0.37 | ug/L |   |          | 10/14/20 23:38 | 1       |
| Trichloroethene                       | ND            |           | 1.0 | 0.46 | ug/L |   |          | 10/14/20 23:38 | 1       |
| Trichlorofluoromethane                | ND            |           | 1.0 | 0.88 | ug/L |   |          | 10/14/20 23:38 | 1       |
| <b>Vinyl chloride</b>                 | <b>41</b>     |           | 1.0 | 0.90 | ug/L |   |          | 10/14/20 23:38 | 1       |
| Xylenes, Total                        | ND            |           | 2.0 | 0.66 | ug/L |   |          | 10/14/20 23:38 | 1       |

Eurofins TestAmerica, Buffalo

# Client Sample Results

Client: AECOM

Job ID: 480-176470-1

Project/Site: Scott Figgie West of Plant 2

**Client Sample ID: MW3****Lab Sample ID: 480-176470-1**

Date Collected: 10/13/20 15:20

Matrix: Water

Date Received: 10/13/20 16:40

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 107       |           | 77 - 120 |          | 10/14/20 23:38 | 1       |
| 4-Bromofluorobenzene (Surr)  | 99        |           | 73 - 120 |          | 10/14/20 23:38 | 1       |
| Toluene-d8 (Surr)            | 106       |           | 80 - 120 |          | 10/14/20 23:38 | 1       |
| Dibromofluoromethane (Surr)  | 102       |           | 75 - 123 |          | 10/14/20 23:38 | 1       |

## General Chemistry

| Analyte              | Result | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|----------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| Total Organic Carbon | 3.9    |           | 1.0 | 0.43 | mg/L |   |          | 10/24/20 17:39 | 1       |

# Client Sample Results

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: MW-11**

Date Collected: 10/13/20 11:35

Date Received: 10/13/20 16:40

**Lab Sample ID: 480-176470-2**

Matrix: Water

**Method: 8260C - Volatile Organic Compounds by GC/MS**

| Analyte                               | Result      | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------------|-------------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane                 | ND          |           | 1.0 | 0.82 | ug/L |   |          | 10/15/20 00:03 | 1       |
| 1,1,2,2-Tetrachloroethane             | ND          |           | 1.0 | 0.21 | ug/L |   |          | 10/15/20 00:03 | 1       |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND          |           | 1.0 | 0.31 | ug/L |   |          | 10/15/20 00:03 | 1       |
| 1,1,2-Trichloroethane                 | ND          |           | 1.0 | 0.23 | ug/L |   |          | 10/15/20 00:03 | 1       |
| <b>1,1-Dichloroethane</b>             | <b>0.64</b> | <b>J</b>  | 1.0 | 0.38 | ug/L |   |          | 10/15/20 00:03 | 1       |
| 1,1-Dichloroethene                    | ND          |           | 1.0 | 0.29 | ug/L |   |          | 10/15/20 00:03 | 1       |
| 1,2,4-Trichlorobenzene                | ND          |           | 1.0 | 0.41 | ug/L |   |          | 10/15/20 00:03 | 1       |
| 1,2-Dibromo-3-Chloropropane           | ND          |           | 1.0 | 0.39 | ug/L |   |          | 10/15/20 00:03 | 1       |
| 1,2-Dibromoethane                     | ND          |           | 1.0 | 0.73 | ug/L |   |          | 10/15/20 00:03 | 1       |
| 1,2-Dichlorobenzene                   | ND          |           | 1.0 | 0.79 | ug/L |   |          | 10/15/20 00:03 | 1       |
| 1,2-Dichloroethane                    | ND          |           | 1.0 | 0.21 | ug/L |   |          | 10/15/20 00:03 | 1       |
| 1,2-Dichloropropane                   | ND          |           | 1.0 | 0.72 | ug/L |   |          | 10/15/20 00:03 | 1       |
| 1,3-Dichlorobenzene                   | ND          |           | 1.0 | 0.78 | ug/L |   |          | 10/15/20 00:03 | 1       |
| 1,4-Dichlorobenzene                   | ND          |           | 1.0 | 0.84 | ug/L |   |          | 10/15/20 00:03 | 1       |
| 2-Butanone (MEK)                      | ND          |           | 10  | 1.3  | ug/L |   |          | 10/15/20 00:03 | 1       |
| 2-Hexanone                            | ND          |           | 5.0 | 1.2  | ug/L |   |          | 10/15/20 00:03 | 1       |
| 4-Methyl-2-pentanone (MIBK)           | ND          |           | 5.0 | 2.1  | ug/L |   |          | 10/15/20 00:03 | 1       |
| Acetone                               | ND          |           | 10  | 3.0  | ug/L |   |          | 10/15/20 00:03 | 1       |
| Benzene                               | ND          |           | 1.0 | 0.41 | ug/L |   |          | 10/15/20 00:03 | 1       |
| Bromodichloromethane                  | ND          |           | 1.0 | 0.39 | ug/L |   |          | 10/15/20 00:03 | 1       |
| Bromoform                             | ND          |           | 1.0 | 0.26 | ug/L |   |          | 10/15/20 00:03 | 1       |
| Bromomethane                          | ND          |           | 1.0 | 0.69 | ug/L |   |          | 10/15/20 00:03 | 1       |
| Carbon disulfide                      | ND          |           | 1.0 | 0.19 | ug/L |   |          | 10/15/20 00:03 | 1       |
| Carbon tetrachloride                  | ND          |           | 1.0 | 0.27 | ug/L |   |          | 10/15/20 00:03 | 1       |
| Chlorobenzene                         | ND          |           | 1.0 | 0.75 | ug/L |   |          | 10/15/20 00:03 | 1       |
| Chloroethane                          | ND          |           | 1.0 | 0.32 | ug/L |   |          | 10/15/20 00:03 | 1       |
| Chloroform                            | ND          |           | 1.0 | 0.34 | ug/L |   |          | 10/15/20 00:03 | 1       |
| Chloromethane                         | ND          |           | 1.0 | 0.35 | ug/L |   |          | 10/15/20 00:03 | 1       |
| <b>cis-1,2-Dichloroethene</b>         | <b>1.4</b>  |           | 1.0 | 0.81 | ug/L |   |          | 10/15/20 00:03 | 1       |
| cis-1,3-Dichloropropene               | ND          |           | 1.0 | 0.36 | ug/L |   |          | 10/15/20 00:03 | 1       |
| Cyclohexane                           | ND          |           | 1.0 | 0.18 | ug/L |   |          | 10/15/20 00:03 | 1       |
| Dibromochloromethane                  | ND          |           | 1.0 | 0.32 | ug/L |   |          | 10/15/20 00:03 | 1       |
| Dichlorodifluoromethane               | ND          |           | 1.0 | 0.68 | ug/L |   |          | 10/15/20 00:03 | 1       |
| Ethylbenzene                          | ND          |           | 1.0 | 0.74 | ug/L |   |          | 10/15/20 00:03 | 1       |
| Isopropylbenzene                      | ND          |           | 1.0 | 0.79 | ug/L |   |          | 10/15/20 00:03 | 1       |
| Methyl acetate                        | ND          |           | 2.5 | 1.3  | ug/L |   |          | 10/15/20 00:03 | 1       |
| Methyl tert-butyl ether               | ND          |           | 1.0 | 0.16 | ug/L |   |          | 10/15/20 00:03 | 1       |
| Methylcyclohexane                     | ND          |           | 1.0 | 0.16 | ug/L |   |          | 10/15/20 00:03 | 1       |
| <b>Methylene Chloride</b>             | <b>0.46</b> | <b>J</b>  | 1.0 | 0.44 | ug/L |   |          | 10/15/20 00:03 | 1       |
| Styrene                               | ND          |           | 1.0 | 0.73 | ug/L |   |          | 10/15/20 00:03 | 1       |
| Tetrachloroethene                     | ND          |           | 1.0 | 0.36 | ug/L |   |          | 10/15/20 00:03 | 1       |
| Toluene                               | ND          |           | 1.0 | 0.51 | ug/L |   |          | 10/15/20 00:03 | 1       |
| trans-1,2-Dichloroethene              | ND          |           | 1.0 | 0.90 | ug/L |   |          | 10/15/20 00:03 | 1       |
| trans-1,3-Dichloropropene             | ND          |           | 1.0 | 0.37 | ug/L |   |          | 10/15/20 00:03 | 1       |
| Trichloroethene                       | ND          |           | 1.0 | 0.46 | ug/L |   |          | 10/15/20 00:03 | 1       |
| Trichlorofluoromethane                | ND          |           | 1.0 | 0.88 | ug/L |   |          | 10/15/20 00:03 | 1       |
| <b>Vinyl chloride</b>                 | <b>1.5</b>  |           | 1.0 | 0.90 | ug/L |   |          | 10/15/20 00:03 | 1       |
| Xylenes, Total                        | ND          |           | 2.0 | 0.66 | ug/L |   |          | 10/15/20 00:03 | 1       |

Eurofins TestAmerica, Buffalo

# Client Sample Results

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: MW-11**

Date Collected: 10/13/20 11:35

Date Received: 10/13/20 16:40

**Lab Sample ID: 480-176470-2**

Matrix: Water

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 106       |           | 77 - 120 |          | 10/15/20 00:03 | 1       |
| 4-Bromofluorobenzene (Surr)  | 102       |           | 73 - 120 |          | 10/15/20 00:03 | 1       |
| Toluene-d8 (Surr)            | 99        |           | 80 - 120 |          | 10/15/20 00:03 | 1       |
| Dibromofluoromethane (Surr)  | 102       |           | 75 - 123 |          | 10/15/20 00:03 | 1       |

**Method: RSK-175 - Dissolved Gases (GC)**

| Analyte        | Result | Qualifier | RL   | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|----------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| Carbon dioxide | 100000 |           | 5000 | 4000 | ug/L |   |          | 10/20/20 18:32 | 1       |
| Ethane         | 4.8 J  |           | 7.5  | 1.5  | ug/L |   |          | 10/14/20 18:56 | 1       |
| Ethene         | ND     |           | 7.0  | 1.5  | ug/L |   |          | 10/14/20 18:56 | 1       |

**Method: RSK-175 - Dissolved Gases (GC) - DL**

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------|--------|-----------|----|-----|------|---|----------|----------------|---------|
| Methane | 1200   |           | 88 | 22  | ug/L |   |          | 10/14/20 22:23 | 22      |

**Method: 200.7 Rev 4.4 - Metals (ICP)**

| Analyte | Result | Qualifier | RL    | MDL   | Unit | D | Prepared       | Analyzed       | Dil Fac |
|---------|--------|-----------|-------|-------|------|---|----------------|----------------|---------|
| Iron    | 1.4    |           | 0.050 | 0.019 | mg/L |   | 10/19/20 11:02 | 10/19/20 23:28 | 1       |

**Method: 200.7 Rev 4.4 - Metals (ICP) - Dissolved**

| Analyte | Result  | Qualifier | RL    | MDL   | Unit | D | Prepared       | Analyzed       | Dil Fac |
|---------|---------|-----------|-------|-------|------|---|----------------|----------------|---------|
| Iron    | 0.023 J |           | 0.050 | 0.019 | mg/L |   | 10/23/20 08:13 | 10/23/20 23:39 | 1       |

**Method: 6010C - Metals (ICP)**

| Analyte   | Result | Qualifier | RL     | MDL     | Unit | D | Prepared       | Analyzed       | Dil Fac |
|-----------|--------|-----------|--------|---------|------|---|----------------|----------------|---------|
| Manganese | 1.1    |           | 0.0030 | 0.00040 | mg/L |   | 10/16/20 10:37 | 10/16/20 19:26 | 1       |

**Method: 6010C - Metals (ICP) - Dissolved**

| Analyte   | Result | Qualifier | RL     | MDL     | Unit | D | Prepared       | Analyzed       | Dil Fac |
|-----------|--------|-----------|--------|---------|------|---|----------------|----------------|---------|
| Manganese | 1.1    |           | 0.0030 | 0.00040 | mg/L |   | 10/23/20 08:20 | 10/24/20 11:37 | 1       |

**General Chemistry**

| Analyte              | Result  | Qualifier | RL    | MDL    | Unit | D | Prepared | Analyzed       | Dil Fac |
|----------------------|---------|-----------|-------|--------|------|---|----------|----------------|---------|
| Chloride             | 939     |           | 5.0   | 2.8    | mg/L |   |          | 10/22/20 02:32 | 10      |
| Sulfate              | 6.5 J   |           | 20.0  | 3.5    | mg/L |   |          | 10/22/20 02:32 | 10      |
| Alkalinity, Total    | 384     |           | 60.0  | 24.0   | mg/L |   |          | 10/15/20 14:43 | 6       |
| Ammonia              | 0.17    |           | 0.020 | 0.0090 | mg/L |   |          | 10/15/20 08:27 | 1       |
| Nitrate as N         | 0.044 J |           | 0.050 | 0.020  | mg/L |   |          | 10/14/20 20:35 | 1       |
| Nitrite as N         | ND      |           | 0.050 | 0.020  | mg/L |   |          | 10/14/20 20:35 | 1       |
| Total Organic Carbon | 3.2     |           | 1.0   | 0.43   | mg/L |   |          | 10/24/20 23:13 | 1       |
| Ferric Iron          | 1.4     |           | 0.10  | 0.075  | mg/L |   |          | 10/26/20 18:10 | 1       |
| Ferrous Iron         | ND HF   |           | 0.10  | 0.075  | mg/L |   |          | 10/15/20 16:30 | 1       |
| Sulfide              | ND      |           | 1.0   | 0.67   | mg/L |   |          | 10/15/20 13:30 | 1       |

# Client Sample Results

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: MW-13S**

Date Collected: 10/13/20 13:08

Date Received: 10/13/20 16:40

**Lab Sample ID: 480-176470-3**

Matrix: Water

## Method: 8260C - Volatile Organic Compounds by GC/MS

| Analyte                               | Result        | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------------|---------------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane                 | ND            |           | 1.0 | 0.82 | ug/L |   |          | 10/15/20 00:27 | 1       |
| 1,1,2,2-Tetrachloroethane             | ND            |           | 1.0 | 0.21 | ug/L |   |          | 10/15/20 00:27 | 1       |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND            |           | 1.0 | 0.31 | ug/L |   |          | 10/15/20 00:27 | 1       |
| 1,1,2-Trichloroethane                 | ND            |           | 1.0 | 0.23 | ug/L |   |          | 10/15/20 00:27 | 1       |
| 1,1-Dichloroethane                    | ND            |           | 1.0 | 0.38 | ug/L |   |          | 10/15/20 00:27 | 1       |
| 1,1-Dichloroethene                    | ND            |           | 1.0 | 0.29 | ug/L |   |          | 10/15/20 00:27 | 1       |
| 1,2,4-Trichlorobenzene                | ND            |           | 1.0 | 0.41 | ug/L |   |          | 10/15/20 00:27 | 1       |
| 1,2-Dibromo-3-Chloropropane           | ND            |           | 1.0 | 0.39 | ug/L |   |          | 10/15/20 00:27 | 1       |
| 1,2-Dibromoethane                     | ND            |           | 1.0 | 0.73 | ug/L |   |          | 10/15/20 00:27 | 1       |
| 1,2-Dichlorobenzene                   | ND            |           | 1.0 | 0.79 | ug/L |   |          | 10/15/20 00:27 | 1       |
| 1,2-Dichloroethane                    | ND            |           | 1.0 | 0.21 | ug/L |   |          | 10/15/20 00:27 | 1       |
| 1,2-Dichloropropane                   | ND            |           | 1.0 | 0.72 | ug/L |   |          | 10/15/20 00:27 | 1       |
| 1,3-Dichlorobenzene                   | ND            |           | 1.0 | 0.78 | ug/L |   |          | 10/15/20 00:27 | 1       |
| 1,4-Dichlorobenzene                   | ND            |           | 1.0 | 0.84 | ug/L |   |          | 10/15/20 00:27 | 1       |
| 2-Butanone (MEK)                      | ND            |           | 10  | 1.3  | ug/L |   |          | 10/15/20 00:27 | 1       |
| 2-Hexanone                            | ND            |           | 5.0 | 1.2  | ug/L |   |          | 10/15/20 00:27 | 1       |
| 4-Methyl-2-pentanone (MIBK)           | ND            |           | 5.0 | 2.1  | ug/L |   |          | 10/15/20 00:27 | 1       |
| Acetone                               | ND            |           | 10  | 3.0  | ug/L |   |          | 10/15/20 00:27 | 1       |
| Benzene                               | ND            |           | 1.0 | 0.41 | ug/L |   |          | 10/15/20 00:27 | 1       |
| Bromodichloromethane                  | ND            |           | 1.0 | 0.39 | ug/L |   |          | 10/15/20 00:27 | 1       |
| Bromoform                             | ND            |           | 1.0 | 0.26 | ug/L |   |          | 10/15/20 00:27 | 1       |
| Bromomethane                          | ND            |           | 1.0 | 0.69 | ug/L |   |          | 10/15/20 00:27 | 1       |
| Carbon disulfide                      | ND            |           | 1.0 | 0.19 | ug/L |   |          | 10/15/20 00:27 | 1       |
| Carbon tetrachloride                  | ND            |           | 1.0 | 0.27 | ug/L |   |          | 10/15/20 00:27 | 1       |
| Chlorobenzene                         | ND            |           | 1.0 | 0.75 | ug/L |   |          | 10/15/20 00:27 | 1       |
| <b>Chloroethane</b>                   | <b>3.8</b>    |           | 1.0 | 0.32 | ug/L |   |          | 10/15/20 00:27 | 1       |
| Chloroform                            | ND            |           | 1.0 | 0.34 | ug/L |   |          | 10/15/20 00:27 | 1       |
| Chloromethane                         | ND            |           | 1.0 | 0.35 | ug/L |   |          | 10/15/20 00:27 | 1       |
| <b>cis-1,2-Dichloroethene</b>         | <b>12</b>     |           | 1.0 | 0.81 | ug/L |   |          | 10/15/20 00:27 | 1       |
| cis-1,3-Dichloropropene               | ND            |           | 1.0 | 0.36 | ug/L |   |          | 10/15/20 00:27 | 1       |
| Cyclohexane                           | ND            |           | 1.0 | 0.18 | ug/L |   |          | 10/15/20 00:27 | 1       |
| Dibromochloromethane                  | ND            |           | 1.0 | 0.32 | ug/L |   |          | 10/15/20 00:27 | 1       |
| Dichlorodifluoromethane               | ND            |           | 1.0 | 0.68 | ug/L |   |          | 10/15/20 00:27 | 1       |
| Ethylbenzene                          | ND            |           | 1.0 | 0.74 | ug/L |   |          | 10/15/20 00:27 | 1       |
| Isopropylbenzene                      | ND            |           | 1.0 | 0.79 | ug/L |   |          | 10/15/20 00:27 | 1       |
| Methyl acetate                        | ND            |           | 2.5 | 1.3  | ug/L |   |          | 10/15/20 00:27 | 1       |
| Methyl tert-butyl ether               | ND            |           | 1.0 | 0.16 | ug/L |   |          | 10/15/20 00:27 | 1       |
| Methylcyclohexane                     | ND            |           | 1.0 | 0.16 | ug/L |   |          | 10/15/20 00:27 | 1       |
| Methylene Chloride                    | ND            |           | 1.0 | 0.44 | ug/L |   |          | 10/15/20 00:27 | 1       |
| Styrene                               | ND            |           | 1.0 | 0.73 | ug/L |   |          | 10/15/20 00:27 | 1       |
| Tetrachloroethene                     | ND            |           | 1.0 | 0.36 | ug/L |   |          | 10/15/20 00:27 | 1       |
| Toluene                               | ND            |           | 1.0 | 0.51 | ug/L |   |          | 10/15/20 00:27 | 1       |
| trans-1,2-Dichloroethene              | ND            |           | 1.0 | 0.90 | ug/L |   |          | 10/15/20 00:27 | 1       |
| trans-1,3-Dichloropropene             | ND            |           | 1.0 | 0.37 | ug/L |   |          | 10/15/20 00:27 | 1       |
| <b>Trichloroethene</b>                | <b>0.60 J</b> |           | 1.0 | 0.46 | ug/L |   |          | 10/15/20 00:27 | 1       |
| Trichlorofluoromethane                | ND            |           | 1.0 | 0.88 | ug/L |   |          | 10/15/20 00:27 | 1       |
| <b>Vinyl chloride</b>                 | <b>12</b>     |           | 1.0 | 0.90 | ug/L |   |          | 10/15/20 00:27 | 1       |
| Xylenes, Total                        | ND            |           | 2.0 | 0.66 | ug/L |   |          | 10/15/20 00:27 | 1       |

Eurofins TestAmerica, Buffalo

# Client Sample Results

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: MW-13S****Lab Sample ID: 480-176470-3**

Date Collected: 10/13/20 13:08

Matrix: Water

Date Received: 10/13/20 16:40

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 107       |           | 77 - 120 |          | 10/15/20 00:27 | 1       |
| 4-Bromofluorobenzene (Surr)  | 102       |           | 73 - 120 |          | 10/15/20 00:27 | 1       |
| Toluene-d8 (Surr)            | 99        |           | 80 - 120 |          | 10/15/20 00:27 | 1       |
| Dibromofluoromethane (Surr)  | 104       |           | 75 - 123 |          | 10/15/20 00:27 | 1       |

**Method: RSK-175 - Dissolved Gases (GC)**

| Analyte        | Result | Qualifier | RL   | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|----------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| Carbon dioxide | 100000 |           | 5000 | 4000 | ug/L |   |          | 10/20/20 18:41 | 1       |
| Ethane         | 360 J  |           | 830  | 170  | ug/L |   |          | 10/14/20 19:33 | 110     |
| Ethene         | ND     |           | 770  | 170  | ug/L |   |          | 10/14/20 19:33 | 110     |
| Methane        | 19000  |           | 440  | 110  | ug/L |   |          | 10/14/20 19:33 | 110     |

**Method: 200.7 Rev 4.4 - Metals (ICP)**

| Analyte | Result | Qualifier | RL    | MDL   | Unit | D | Prepared       | Analyzed       | Dil Fac |
|---------|--------|-----------|-------|-------|------|---|----------------|----------------|---------|
| Iron    | 14.1   |           | 0.050 | 0.019 | mg/L |   | 10/19/20 11:02 | 10/19/20 23:43 | 1       |

**Method: 200.7 Rev 4.4 - Metals (ICP) - Dissolved**

| Analyte | Result | Qualifier | RL    | MDL   | Unit | D | Prepared       | Analyzed       | Dil Fac |
|---------|--------|-----------|-------|-------|------|---|----------------|----------------|---------|
| Iron    | 0.20   |           | 0.050 | 0.019 | mg/L |   | 10/23/20 08:13 | 10/24/20 00:18 | 1       |

**Method: 6010C - Metals (ICP)**

| Analyte   | Result | Qualifier | RL     | MDL     | Unit | D | Prepared       | Analyzed       | Dil Fac |
|-----------|--------|-----------|--------|---------|------|---|----------------|----------------|---------|
| Manganese | 0.22   |           | 0.0030 | 0.00040 | mg/L |   | 10/16/20 10:37 | 10/16/20 19:30 | 1       |

**Method: 6010C - Metals (ICP) - Dissolved**

| Analyte   | Result | Qualifier | RL     | MDL     | Unit | D | Prepared       | Analyzed       | Dil Fac |
|-----------|--------|-----------|--------|---------|------|---|----------------|----------------|---------|
| Manganese | 0.13   |           | 0.0030 | 0.00040 | mg/L |   | 10/23/20 08:20 | 10/24/20 11:49 | 1       |

**General Chemistry**

| Analyte              | Result    | Qualifier | RL    | MDL    | Unit | D | Prepared | Analyzed       | Dil Fac |
|----------------------|-----------|-----------|-------|--------|------|---|----------|----------------|---------|
| Chloride             | 174       |           | 2.5   | 1.4    | mg/L |   |          | 10/22/20 02:47 | 5       |
| Sulfate              | 4.2 J     |           | 10.0  | 1.7    | mg/L |   |          | 10/22/20 02:47 | 5       |
| Alkalinity, Total    | 574       |           | 60.0  | 24.0   | mg/L |   |          | 10/15/20 14:43 | 6       |
| Ammonia              | 0.62      |           | 0.020 | 0.0090 | mg/L |   |          | 10/15/20 08:28 | 1       |
| Nitrate as N         | 0.059     |           | 0.050 | 0.020  | mg/L |   |          | 10/14/20 21:58 | 1       |
| Nitrite as N         | 0.023 J B |           | 0.050 | 0.020  | mg/L |   |          | 10/14/20 21:58 | 1       |
| Total Organic Carbon | 6.1       |           | 1.0   | 0.43   | mg/L |   |          | 10/25/20 00:08 | 1       |
| Ferric Iron          | 14.0      |           | 0.10  | 0.075  | mg/L |   |          | 10/26/20 18:10 | 1       |
| Ferrous Iron         | 0.14 HF   |           | 0.10  | 0.075  | mg/L |   |          | 10/15/20 16:30 | 1       |
| Sulfide              | ND        |           | 1.0   | 0.67   | mg/L |   |          | 10/15/20 13:30 | 1       |

Eurofins TestAmerica, Buffalo

# Client Sample Results

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: MW-13D**

Date Collected: 10/13/20 14:17

Date Received: 10/13/20 16:40

**Lab Sample ID: 480-176470-4**

Matrix: Water

## Method: 8260C - Volatile Organic Compounds by GC/MS

| Analyte                               | Result        | Qualifier | RL  | MDL  | Unit | D    | Prepared | Analyzed       | Dil Fac |
|---------------------------------------|---------------|-----------|-----|------|------|------|----------|----------------|---------|
| 1,1,1-Trichloroethane                 | ND            |           | 1.0 | 0.82 | ug/L |      |          | 10/15/20 00:52 | 1       |
| 1,1,2,2-Tetrachloroethane             | ND            |           | 1.0 | 0.21 | ug/L |      |          | 10/15/20 00:52 | 1       |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND            |           | 1.0 | 0.31 | ug/L |      |          | 10/15/20 00:52 | 1       |
| 1,1,2-Trichloroethane                 | ND            |           | 1.0 | 0.23 | ug/L |      |          | 10/15/20 00:52 | 1       |
| 1,1-Dichloroethane                    | ND            |           | 1.0 | 0.38 | ug/L |      |          | 10/15/20 00:52 | 1       |
| 1,1-Dichloroethene                    | ND            |           | 1.0 | 0.29 | ug/L |      |          | 10/15/20 00:52 | 1       |
| 1,2,4-Trichlorobenzene                | ND            |           | 1.0 | 0.41 | ug/L |      |          | 10/15/20 00:52 | 1       |
| 1,2-Dibromo-3-Chloropropane           | ND            |           | 1.0 | 0.39 | ug/L |      |          | 10/15/20 00:52 | 1       |
| 1,2-Dibromoethane                     | ND            |           | 1.0 | 0.73 | ug/L |      |          | 10/15/20 00:52 | 1       |
| 1,2-Dichlorobenzene                   | ND            |           | 1.0 | 0.79 | ug/L |      |          | 10/15/20 00:52 | 1       |
| 1,2-Dichloroethane                    | ND            |           | 1.0 | 0.21 | ug/L |      |          | 10/15/20 00:52 | 1       |
| 1,2-Dichloropropane                   | ND            |           | 1.0 | 0.72 | ug/L |      |          | 10/15/20 00:52 | 1       |
| 1,3-Dichlorobenzene                   | ND            |           | 1.0 | 0.78 | ug/L |      |          | 10/15/20 00:52 | 1       |
| 1,4-Dichlorobenzene                   | ND            |           | 1.0 | 0.84 | ug/L |      |          | 10/15/20 00:52 | 1       |
| 2-Butanone (MEK)                      | ND            |           | 10  | 1.3  | ug/L |      |          | 10/15/20 00:52 | 1       |
| 2-Hexanone                            | ND            |           | 5.0 | 1.2  | ug/L |      |          | 10/15/20 00:52 | 1       |
| 4-Methyl-2-pentanone (MIBK)           | ND            |           | 5.0 | 2.1  | ug/L |      |          | 10/15/20 00:52 | 1       |
| <b>Acetone</b>                        | <b>16</b>     |           |     | 10   | 3.0  | ug/L |          | 10/15/20 00:52 | 1       |
| Benzene                               | ND            |           | 1.0 | 0.41 | ug/L |      |          | 10/15/20 00:52 | 1       |
| Bromodichloromethane                  | ND            |           | 1.0 | 0.39 | ug/L |      |          | 10/15/20 00:52 | 1       |
| Bromoform                             | ND            |           | 1.0 | 0.26 | ug/L |      |          | 10/15/20 00:52 | 1       |
| Bromomethane                          | ND            |           | 1.0 | 0.69 | ug/L |      |          | 10/15/20 00:52 | 1       |
| Carbon disulfide                      | ND            |           | 1.0 | 0.19 | ug/L |      |          | 10/15/20 00:52 | 1       |
| Carbon tetrachloride                  | ND            |           | 1.0 | 0.27 | ug/L |      |          | 10/15/20 00:52 | 1       |
| Chlorobenzene                         | ND            |           | 1.0 | 0.75 | ug/L |      |          | 10/15/20 00:52 | 1       |
| <b>Chloroethane</b>                   | <b>3.5</b>    |           |     | 1.0  | 0.32 | ug/L |          | 10/15/20 00:52 | 1       |
| Chloroform                            | ND            |           | 1.0 | 0.34 | ug/L |      |          | 10/15/20 00:52 | 1       |
| Chloromethane                         | ND            |           | 1.0 | 0.35 | ug/L |      |          | 10/15/20 00:52 | 1       |
| cis-1,2-Dichloroethene                | ND            |           | 1.0 | 0.81 | ug/L |      |          | 10/15/20 00:52 | 1       |
| cis-1,3-Dichloropropene               | ND            |           | 1.0 | 0.36 | ug/L |      |          | 10/15/20 00:52 | 1       |
| Cyclohexane                           | ND            |           | 1.0 | 0.18 | ug/L |      |          | 10/15/20 00:52 | 1       |
| Dibromochloromethane                  | ND            |           | 1.0 | 0.32 | ug/L |      |          | 10/15/20 00:52 | 1       |
| Dichlorodifluoromethane               | ND            |           | 1.0 | 0.68 | ug/L |      |          | 10/15/20 00:52 | 1       |
| Ethylbenzene                          | ND            |           | 1.0 | 0.74 | ug/L |      |          | 10/15/20 00:52 | 1       |
| Isopropylbenzene                      | ND            |           | 1.0 | 0.79 | ug/L |      |          | 10/15/20 00:52 | 1       |
| Methyl acetate                        | ND            |           | 2.5 | 1.3  | ug/L |      |          | 10/15/20 00:52 | 1       |
| Methyl tert-butyl ether               | ND            |           | 1.0 | 0.16 | ug/L |      |          | 10/15/20 00:52 | 1       |
| Methylcyclohexane                     | ND            |           | 1.0 | 0.16 | ug/L |      |          | 10/15/20 00:52 | 1       |
| <b>Methylene Chloride</b>             | <b>0.66 J</b> |           |     | 1.0  | 0.44 | ug/L |          | 10/15/20 00:52 | 1       |
| Styrene                               | ND            |           | 1.0 | 0.73 | ug/L |      |          | 10/15/20 00:52 | 1       |
| Tetrachloroethene                     | ND            |           | 1.0 | 0.36 | ug/L |      |          | 10/15/20 00:52 | 1       |
| Toluene                               | ND            |           | 1.0 | 0.51 | ug/L |      |          | 10/15/20 00:52 | 1       |
| trans-1,2-Dichloroethene              | ND            |           | 1.0 | 0.90 | ug/L |      |          | 10/15/20 00:52 | 1       |
| trans-1,3-Dichloropropene             | ND            |           | 1.0 | 0.37 | ug/L |      |          | 10/15/20 00:52 | 1       |
| Trichloroethene                       | ND            |           | 1.0 | 0.46 | ug/L |      |          | 10/15/20 00:52 | 1       |
| Trichlorofluoromethane                | ND            |           | 1.0 | 0.88 | ug/L |      |          | 10/15/20 00:52 | 1       |
| Vinyl chloride                        | ND            |           | 1.0 | 0.90 | ug/L |      |          | 10/15/20 00:52 | 1       |
| Xylenes, Total                        | ND            |           | 2.0 | 0.66 | ug/L |      |          | 10/15/20 00:52 | 1       |

Eurofins TestAmerica, Buffalo

# Client Sample Results

Client: AECOM

Job ID: 480-176470-1

Project/Site: Scott Figgie West of Plant 2

**Client Sample ID: MW-13D****Lab Sample ID: 480-176470-4**

Date Collected: 10/13/20 14:17

Matrix: Water

Date Received: 10/13/20 16:40

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 115       |           | 77 - 120 |          | 10/15/20 00:52 | 1       |
| 4-Bromofluorobenzene (Surr)  | 101       |           | 73 - 120 |          | 10/15/20 00:52 | 1       |
| Toluene-d8 (Surr)            | 103       |           | 80 - 120 |          | 10/15/20 00:52 | 1       |
| Dibromofluoromethane (Surr)  | 122       |           | 75 - 123 |          | 10/15/20 00:52 | 1       |

## General Chemistry

| Analyte              | Result | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|----------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| Total Organic Carbon | 7.9    |           | 1.0 | 0.43 | mg/L |   |          | 10/24/20 18:35 | 1       |

# Client Sample Results

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: DPE-1**

Date Collected: 10/13/20 08:00

Date Received: 10/13/20 16:40

**Lab Sample ID: 480-176470-5**

Matrix: Water

## Method: 8260C - Volatile Organic Compounds by GC/MS

| Analyte                               | Result      | Qualifier | RL  | MDL | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------------|-------------|-----------|-----|-----|------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane                 | ND          |           | 10  | 8.2 | ug/L |   |          | 10/15/20 01:16 | 10      |
| 1,1,2,2-Tetrachloroethane             | ND          |           | 10  | 2.1 | ug/L |   |          | 10/15/20 01:16 | 10      |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND          |           | 10  | 3.1 | ug/L |   |          | 10/15/20 01:16 | 10      |
| 1,1,2-Trichloroethane                 | ND          |           | 10  | 2.3 | ug/L |   |          | 10/15/20 01:16 | 10      |
| 1,1-Dichloroethane                    | ND          |           | 10  | 3.8 | ug/L |   |          | 10/15/20 01:16 | 10      |
| 1,1-Dichloroethene                    | ND          |           | 10  | 2.9 | ug/L |   |          | 10/15/20 01:16 | 10      |
| 1,2,4-Trichlorobenzene                | ND          |           | 10  | 4.1 | ug/L |   |          | 10/15/20 01:16 | 10      |
| 1,2-Dibromo-3-Chloropropane           | ND          |           | 10  | 3.9 | ug/L |   |          | 10/15/20 01:16 | 10      |
| 1,2-Dibromoethane                     | ND          |           | 10  | 7.3 | ug/L |   |          | 10/15/20 01:16 | 10      |
| 1,2-Dichlorobenzene                   | ND          |           | 10  | 7.9 | ug/L |   |          | 10/15/20 01:16 | 10      |
| 1,2-Dichloroethane                    | ND          |           | 10  | 2.1 | ug/L |   |          | 10/15/20 01:16 | 10      |
| 1,2-Dichloropropane                   | ND          |           | 10  | 7.2 | ug/L |   |          | 10/15/20 01:16 | 10      |
| 1,3-Dichlorobenzene                   | ND          |           | 10  | 7.8 | ug/L |   |          | 10/15/20 01:16 | 10      |
| 1,4-Dichlorobenzene                   | ND          |           | 10  | 8.4 | ug/L |   |          | 10/15/20 01:16 | 10      |
| <b>2-Butanone (MEK)</b>               | <b>32 J</b> |           | 100 | 13  | ug/L |   |          | 10/15/20 01:16 | 10      |
| 2-Hexanone                            | ND          |           | 50  | 12  | ug/L |   |          | 10/15/20 01:16 | 10      |
| 4-Methyl-2-pentanone (MIBK)           | ND          |           | 50  | 21  | ug/L |   |          | 10/15/20 01:16 | 10      |
| <b>Acetone</b>                        | <b>150</b>  |           | 100 | 30  | ug/L |   |          | 10/15/20 01:16 | 10      |
| Benzene                               | ND          |           | 10  | 4.1 | ug/L |   |          | 10/15/20 01:16 | 10      |
| Bromodichloromethane                  | ND          |           | 10  | 3.9 | ug/L |   |          | 10/15/20 01:16 | 10      |
| Bromoform                             | ND          |           | 10  | 2.6 | ug/L |   |          | 10/15/20 01:16 | 10      |
| Bromomethane                          | ND          |           | 10  | 6.9 | ug/L |   |          | 10/15/20 01:16 | 10      |
| Carbon disulfide                      | ND          |           | 10  | 1.9 | ug/L |   |          | 10/15/20 01:16 | 10      |
| Carbon tetrachloride                  | ND          |           | 10  | 2.7 | ug/L |   |          | 10/15/20 01:16 | 10      |
| Chlorobenzene                         | ND          |           | 10  | 7.5 | ug/L |   |          | 10/15/20 01:16 | 10      |
| Chloroethane                          | ND          |           | 10  | 3.2 | ug/L |   |          | 10/15/20 01:16 | 10      |
| Chloroform                            | ND          |           | 10  | 3.4 | ug/L |   |          | 10/15/20 01:16 | 10      |
| Chloromethane                         | ND          |           | 10  | 3.5 | ug/L |   |          | 10/15/20 01:16 | 10      |
| cis-1,2-Dichloroethene                | ND          |           | 10  | 8.1 | ug/L |   |          | 10/15/20 01:16 | 10      |
| cis-1,3-Dichloropropene               | ND          |           | 10  | 3.6 | ug/L |   |          | 10/15/20 01:16 | 10      |
| Cyclohexane                           | ND          |           | 10  | 1.8 | ug/L |   |          | 10/15/20 01:16 | 10      |
| Dibromochloromethane                  | ND          |           | 10  | 3.2 | ug/L |   |          | 10/15/20 01:16 | 10      |
| Dichlorodifluoromethane               | ND          |           | 10  | 6.8 | ug/L |   |          | 10/15/20 01:16 | 10      |
| Ethylbenzene                          | ND          |           | 10  | 7.4 | ug/L |   |          | 10/15/20 01:16 | 10      |
| Isopropylbenzene                      | ND          |           | 10  | 7.9 | ug/L |   |          | 10/15/20 01:16 | 10      |
| Methyl acetate                        | ND          |           | 25  | 13  | ug/L |   |          | 10/15/20 01:16 | 10      |
| Methyl tert-butyl ether               | ND          |           | 10  | 1.6 | ug/L |   |          | 10/15/20 01:16 | 10      |
| Methylcyclohexane                     | ND          |           | 10  | 1.6 | ug/L |   |          | 10/15/20 01:16 | 10      |
| <b>Methylene Chloride</b>             | <b>12</b>   |           | 10  | 4.4 | ug/L |   |          | 10/15/20 01:16 | 10      |
| Styrene                               | ND          |           | 10  | 7.3 | ug/L |   |          | 10/15/20 01:16 | 10      |
| Tetrachloroethene                     | ND          |           | 10  | 3.6 | ug/L |   |          | 10/15/20 01:16 | 10      |
| Toluene                               | ND          |           | 10  | 5.1 | ug/L |   |          | 10/15/20 01:16 | 10      |
| trans-1,2-Dichloroethene              | ND          |           | 10  | 9.0 | ug/L |   |          | 10/15/20 01:16 | 10      |
| trans-1,3-Dichloropropene             | ND          |           | 10  | 3.7 | ug/L |   |          | 10/15/20 01:16 | 10      |
| Trichloroethene                       | ND          |           | 10  | 4.6 | ug/L |   |          | 10/15/20 01:16 | 10      |
| Trichlorofluoromethane                | ND          |           | 10  | 8.8 | ug/L |   |          | 10/15/20 01:16 | 10      |
| Vinyl chloride                        | ND          |           | 10  | 9.0 | ug/L |   |          | 10/15/20 01:16 | 10      |
| Xylenes, Total                        | ND          |           | 20  | 6.6 | ug/L |   |          | 10/15/20 01:16 | 10      |

Eurofins TestAmerica, Buffalo

# Client Sample Results

Client: AECOM

Job ID: 480-176470-1

Project/Site: Scott Figgie West of Plant 2

**Client Sample ID: DPE-1****Lab Sample ID: 480-176470-5**

Date Collected: 10/13/20 08:00

Matrix: Water

Date Received: 10/13/20 16:40

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 106       |           | 77 - 120 |          | 10/15/20 01:16 | 10      |
| 4-Bromofluorobenzene (Surr)  | 97        |           | 73 - 120 |          | 10/15/20 01:16 | 10      |
| Toluene-d8 (Surr)            | 92        |           | 80 - 120 |          | 10/15/20 01:16 | 10      |
| Dibromofluoromethane (Surr)  | 101       |           | 75 - 123 |          | 10/15/20 01:16 | 10      |

## General Chemistry

| Analyte              | Result | Qualifier | RL  | MDL | Unit | D | Prepared | Analyzed       | Dil Fac |
|----------------------|--------|-----------|-----|-----|------|---|----------|----------------|---------|
| Total Organic Carbon | 131    |           | 4.0 | 1.7 | mg/L |   |          | 10/24/20 19:03 | 4       |

# Client Sample Results

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: DPE-2**

Date Collected: 10/13/20 12:00

Date Received: 10/13/20 16:40

**Lab Sample ID: 480-176470-6**

Matrix: Water

## Method: 8260C - Volatile Organic Compounds by GC/MS

| Analyte                               | Result     | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------------|------------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane                 | ND         |           | 1.0 | 0.82 | ug/L |   |          | 10/15/20 01:40 | 1       |
| 1,1,2,2-Tetrachloroethane             | ND         |           | 1.0 | 0.21 | ug/L |   |          | 10/15/20 01:40 | 1       |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND         |           | 1.0 | 0.31 | ug/L |   |          | 10/15/20 01:40 | 1       |
| 1,1,2-Trichloroethane                 | ND         |           | 1.0 | 0.23 | ug/L |   |          | 10/15/20 01:40 | 1       |
| 1,1-Dichloroethane                    | ND         |           | 1.0 | 0.38 | ug/L |   |          | 10/15/20 01:40 | 1       |
| 1,1-Dichloroethene                    | ND         |           | 1.0 | 0.29 | ug/L |   |          | 10/15/20 01:40 | 1       |
| 1,2,4-Trichlorobenzene                | ND         |           | 1.0 | 0.41 | ug/L |   |          | 10/15/20 01:40 | 1       |
| 1,2-Dibromo-3-Chloropropane           | ND         |           | 1.0 | 0.39 | ug/L |   |          | 10/15/20 01:40 | 1       |
| 1,2-Dibromoethane                     | ND         |           | 1.0 | 0.73 | ug/L |   |          | 10/15/20 01:40 | 1       |
| 1,2-Dichlorobenzene                   | ND         |           | 1.0 | 0.79 | ug/L |   |          | 10/15/20 01:40 | 1       |
| 1,2-Dichloroethane                    | ND         |           | 1.0 | 0.21 | ug/L |   |          | 10/15/20 01:40 | 1       |
| 1,2-Dichloropropane                   | ND         |           | 1.0 | 0.72 | ug/L |   |          | 10/15/20 01:40 | 1       |
| 1,3-Dichlorobenzene                   | ND         |           | 1.0 | 0.78 | ug/L |   |          | 10/15/20 01:40 | 1       |
| 1,4-Dichlorobenzene                   | ND         |           | 1.0 | 0.84 | ug/L |   |          | 10/15/20 01:40 | 1       |
| 2-Butanone (MEK)                      | ND         |           | 10  | 1.3  | ug/L |   |          | 10/15/20 01:40 | 1       |
| 2-Hexanone                            | ND         |           | 5.0 | 1.2  | ug/L |   |          | 10/15/20 01:40 | 1       |
| 4-Methyl-2-pentanone (MIBK)           | ND         |           | 5.0 | 2.1  | ug/L |   |          | 10/15/20 01:40 | 1       |
| Acetone                               | ND         |           | 10  | 3.0  | ug/L |   |          | 10/15/20 01:40 | 1       |
| Benzene                               | ND         |           | 1.0 | 0.41 | ug/L |   |          | 10/15/20 01:40 | 1       |
| Bromodichloromethane                  | ND         |           | 1.0 | 0.39 | ug/L |   |          | 10/15/20 01:40 | 1       |
| Bromoform                             | ND         |           | 1.0 | 0.26 | ug/L |   |          | 10/15/20 01:40 | 1       |
| Bromomethane                          | ND         |           | 1.0 | 0.69 | ug/L |   |          | 10/15/20 01:40 | 1       |
| Carbon disulfide                      | ND         |           | 1.0 | 0.19 | ug/L |   |          | 10/15/20 01:40 | 1       |
| Carbon tetrachloride                  | ND         |           | 1.0 | 0.27 | ug/L |   |          | 10/15/20 01:40 | 1       |
| Chlorobenzene                         | ND         |           | 1.0 | 0.75 | ug/L |   |          | 10/15/20 01:40 | 1       |
| Chloroethane                          | ND         |           | 1.0 | 0.32 | ug/L |   |          | 10/15/20 01:40 | 1       |
| Chloroform                            | ND         |           | 1.0 | 0.34 | ug/L |   |          | 10/15/20 01:40 | 1       |
| Chloromethane                         | ND         |           | 1.0 | 0.35 | ug/L |   |          | 10/15/20 01:40 | 1       |
| <b>cis-1,2-Dichloroethene</b>         | <b>1.1</b> |           | 1.0 | 0.81 | ug/L |   |          | 10/15/20 01:40 | 1       |
| cis-1,3-Dichloropropene               | ND         |           | 1.0 | 0.36 | ug/L |   |          | 10/15/20 01:40 | 1       |
| Cyclohexane                           | ND         |           | 1.0 | 0.18 | ug/L |   |          | 10/15/20 01:40 | 1       |
| Dibromochloromethane                  | ND         |           | 1.0 | 0.32 | ug/L |   |          | 10/15/20 01:40 | 1       |
| Dichlorodifluoromethane               | ND         |           | 1.0 | 0.68 | ug/L |   |          | 10/15/20 01:40 | 1       |
| Ethylbenzene                          | ND         |           | 1.0 | 0.74 | ug/L |   |          | 10/15/20 01:40 | 1       |
| Isopropylbenzene                      | ND         |           | 1.0 | 0.79 | ug/L |   |          | 10/15/20 01:40 | 1       |
| Methyl acetate                        | ND         |           | 2.5 | 1.3  | ug/L |   |          | 10/15/20 01:40 | 1       |
| Methyl tert-butyl ether               | ND         |           | 1.0 | 0.16 | ug/L |   |          | 10/15/20 01:40 | 1       |
| Methylcyclohexane                     | ND         |           | 1.0 | 0.16 | ug/L |   |          | 10/15/20 01:40 | 1       |
| Methylene Chloride                    | ND         |           | 1.0 | 0.44 | ug/L |   |          | 10/15/20 01:40 | 1       |
| Styrene                               | ND         |           | 1.0 | 0.73 | ug/L |   |          | 10/15/20 01:40 | 1       |
| Tetrachloroethene                     | ND         |           | 1.0 | 0.36 | ug/L |   |          | 10/15/20 01:40 | 1       |
| Toluene                               | ND         |           | 1.0 | 0.51 | ug/L |   |          | 10/15/20 01:40 | 1       |
| trans-1,2-Dichloroethene              | ND         |           | 1.0 | 0.90 | ug/L |   |          | 10/15/20 01:40 | 1       |
| trans-1,3-Dichloropropene             | ND         |           | 1.0 | 0.37 | ug/L |   |          | 10/15/20 01:40 | 1       |
| Trichloroethene                       | ND         |           | 1.0 | 0.46 | ug/L |   |          | 10/15/20 01:40 | 1       |
| Trichlorofluoromethane                | ND         |           | 1.0 | 0.88 | ug/L |   |          | 10/15/20 01:40 | 1       |
| <b>Vinyl chloride</b>                 | <b>10</b>  |           | 1.0 | 0.90 | ug/L |   |          | 10/15/20 01:40 | 1       |
| Xylenes, Total                        | ND         |           | 2.0 | 0.66 | ug/L |   |          | 10/15/20 01:40 | 1       |

Eurofins TestAmerica, Buffalo

# Client Sample Results

Client: AECOM

Job ID: 480-176470-1

Project/Site: Scott Figgie West of Plant 2

**Client Sample ID: DPE-2****Lab Sample ID: 480-176470-6**

Date Collected: 10/13/20 12:00

Matrix: Water

Date Received: 10/13/20 16:40

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 105       |           | 77 - 120 |          | 10/15/20 01:40 | 1       |
| 4-Bromofluorobenzene (Surr)  | 101       |           | 73 - 120 |          | 10/15/20 01:40 | 1       |
| Toluene-d8 (Surr)            | 101       |           | 80 - 120 |          | 10/15/20 01:40 | 1       |
| Dibromofluoromethane (Surr)  | 96        |           | 75 - 123 |          | 10/15/20 01:40 | 1       |

## General Chemistry

| Analyte              | Result | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|----------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| Total Organic Carbon | 7.2    |           | 1.0 | 0.43 | mg/L |   |          | 10/24/20 19:30 | 1       |

# Client Sample Results

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: DPE-3**

Date Collected: 10/13/20 08:30

Date Received: 10/13/20 16:40

**Lab Sample ID: 480-176470-7**

Matrix: Water

## Method: 8260C - Volatile Organic Compounds by GC/MS

| Analyte                               | Result      | Qualifier | RL  | MDL | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------------|-------------|-----------|-----|-----|------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane                 | ND          |           | 25  | 21  | ug/L |   |          | 10/15/20 02:04 | 25      |
| 1,1,2,2-Tetrachloroethane             | ND          |           | 25  | 5.3 | ug/L |   |          | 10/15/20 02:04 | 25      |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND          |           | 25  | 7.8 | ug/L |   |          | 10/15/20 02:04 | 25      |
| 1,1,2-Trichloroethane                 | ND          |           | 25  | 5.8 | ug/L |   |          | 10/15/20 02:04 | 25      |
| <b>1,1-Dichloroethane</b>             | <b>18</b>   | <b>J</b>  | 25  | 9.5 | ug/L |   |          | 10/15/20 02:04 | 25      |
| 1,1-Dichloroethene                    | ND          |           | 25  | 7.3 | ug/L |   |          | 10/15/20 02:04 | 25      |
| 1,2,4-Trichlorobenzene                | ND          |           | 25  | 10  | ug/L |   |          | 10/15/20 02:04 | 25      |
| 1,2-Dibromo-3-Chloropropane           | ND          |           | 25  | 9.8 | ug/L |   |          | 10/15/20 02:04 | 25      |
| 1,2-Dibromoethane                     | ND          |           | 25  | 18  | ug/L |   |          | 10/15/20 02:04 | 25      |
| 1,2-Dichlorobenzene                   | ND          |           | 25  | 20  | ug/L |   |          | 10/15/20 02:04 | 25      |
| 1,2-Dichloroethane                    | ND          |           | 25  | 5.3 | ug/L |   |          | 10/15/20 02:04 | 25      |
| 1,2-Dichloropropane                   | ND          |           | 25  | 18  | ug/L |   |          | 10/15/20 02:04 | 25      |
| 1,3-Dichlorobenzene                   | ND          |           | 25  | 20  | ug/L |   |          | 10/15/20 02:04 | 25      |
| 1,4-Dichlorobenzene                   | ND          |           | 25  | 21  | ug/L |   |          | 10/15/20 02:04 | 25      |
| 2-Butanone (MEK)                      | ND          |           | 250 | 33  | ug/L |   |          | 10/15/20 02:04 | 25      |
| 2-Hexanone                            | ND          |           | 130 | 31  | ug/L |   |          | 10/15/20 02:04 | 25      |
| 4-Methyl-2-pentanone (MIBK)           | ND          |           | 130 | 53  | ug/L |   |          | 10/15/20 02:04 | 25      |
| Acetone                               | ND          |           | 250 | 75  | ug/L |   |          | 10/15/20 02:04 | 25      |
| Benzene                               | ND          |           | 25  | 10  | ug/L |   |          | 10/15/20 02:04 | 25      |
| Bromodichloromethane                  | ND          |           | 25  | 9.8 | ug/L |   |          | 10/15/20 02:04 | 25      |
| Bromoform                             | ND          |           | 25  | 6.5 | ug/L |   |          | 10/15/20 02:04 | 25      |
| Bromomethane                          | ND          |           | 25  | 17  | ug/L |   |          | 10/15/20 02:04 | 25      |
| Carbon disulfide                      | ND          |           | 25  | 4.8 | ug/L |   |          | 10/15/20 02:04 | 25      |
| Carbon tetrachloride                  | ND          |           | 25  | 6.8 | ug/L |   |          | 10/15/20 02:04 | 25      |
| Chlorobenzene                         | ND          |           | 25  | 19  | ug/L |   |          | 10/15/20 02:04 | 25      |
| Chloroethane                          | ND          |           | 25  | 8.0 | ug/L |   |          | 10/15/20 02:04 | 25      |
| Chloroform                            | ND          |           | 25  | 8.5 | ug/L |   |          | 10/15/20 02:04 | 25      |
| Chloromethane                         | ND          |           | 25  | 8.8 | ug/L |   |          | 10/15/20 02:04 | 25      |
| <b>cis-1,2-Dichloroethene</b>         | <b>1400</b> | <b>F1</b> | 25  | 20  | ug/L |   |          | 10/15/20 02:04 | 25      |
| cis-1,3-Dichloropropene               | ND          |           | 25  | 9.0 | ug/L |   |          | 10/15/20 02:04 | 25      |
| Cyclohexane                           | ND          |           | 25  | 4.5 | ug/L |   |          | 10/15/20 02:04 | 25      |
| Dibromochloromethane                  | ND          |           | 25  | 8.0 | ug/L |   |          | 10/15/20 02:04 | 25      |
| Dichlorodifluoromethane               | ND          |           | 25  | 17  | ug/L |   |          | 10/15/20 02:04 | 25      |
| Ethylbenzene                          | ND          |           | 25  | 19  | ug/L |   |          | 10/15/20 02:04 | 25      |
| Isopropylbenzene                      | ND          |           | 25  | 20  | ug/L |   |          | 10/15/20 02:04 | 25      |
| Methyl acetate                        | ND          |           | 63  | 33  | ug/L |   |          | 10/15/20 02:04 | 25      |
| Methyl tert-butyl ether               | ND          |           | 25  | 4.0 | ug/L |   |          | 10/15/20 02:04 | 25      |
| Methylcyclohexane                     | ND          |           | 25  | 4.0 | ug/L |   |          | 10/15/20 02:04 | 25      |
| <b>Methylene Chloride</b>             | <b>25</b>   |           | 25  | 11  | ug/L |   |          | 10/15/20 02:04 | 25      |
| Styrene                               | ND          |           | 25  | 18  | ug/L |   |          | 10/15/20 02:04 | 25      |
| Tetrachloroethene                     | ND          |           | 25  | 9.0 | ug/L |   |          | 10/15/20 02:04 | 25      |
| Toluene                               | ND          |           | 25  | 13  | ug/L |   |          | 10/15/20 02:04 | 25      |
| trans-1,2-Dichloroethene              | ND          |           | 25  | 23  | ug/L |   |          | 10/15/20 02:04 | 25      |
| trans-1,3-Dichloropropene             | ND          |           | 25  | 9.3 | ug/L |   |          | 10/15/20 02:04 | 25      |
| <b>Trichloroethene</b>                | <b>320</b>  |           | 25  | 12  | ug/L |   |          | 10/15/20 02:04 | 25      |
| Trichlorofluoromethane                | ND          |           | 25  | 22  | ug/L |   |          | 10/15/20 02:04 | 25      |
| <b>Vinyl chloride</b>                 | <b>240</b>  |           | 25  | 23  | ug/L |   |          | 10/15/20 02:04 | 25      |
| Xylenes, Total                        | ND          |           | 50  | 17  | ug/L |   |          | 10/15/20 02:04 | 25      |

Eurofins TestAmerica, Buffalo

# Client Sample Results

Client: AECOM

Job ID: 480-176470-1

Project/Site: Scott Figgie West of Plant 2

**Client Sample ID: DPE-3****Lab Sample ID: 480-176470-7**

Date Collected: 10/13/20 08:30

Matrix: Water

Date Received: 10/13/20 16:40

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 102       |           | 77 - 120 |          | 10/15/20 02:04 | 25      |
| 4-Bromofluorobenzene (Surr)  | 107       |           | 73 - 120 |          | 10/15/20 02:04 | 25      |
| Toluene-d8 (Surr)            | 101       |           | 80 - 120 |          | 10/15/20 02:04 | 25      |
| Dibromofluoromethane (Surr)  | 107       |           | 75 - 123 |          | 10/15/20 02:04 | 25      |

## General Chemistry

| Analyte              | Result | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|----------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| Total Organic Carbon | 28.1   |           | 1.0 | 0.43 | mg/L |   |          | 10/24/20 19:58 | 1       |

# Client Sample Results

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: DPE-4**

Date Collected: 10/13/20 09:00

Date Received: 10/13/20 16:40

**Lab Sample ID: 480-176470-8**

Matrix: Water

## Method: 8260C - Volatile Organic Compounds by GC/MS

| Analyte                               | Result     | Qualifier | RL  | MDL | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------------|------------|-----------|-----|-----|------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane                 | ND         |           | 10  | 8.2 | ug/L |   |          | 10/15/20 02:28 | 10      |
| 1,1,2,2-Tetrachloroethane             | ND         |           | 10  | 2.1 | ug/L |   |          | 10/15/20 02:28 | 10      |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND         |           | 10  | 3.1 | ug/L |   |          | 10/15/20 02:28 | 10      |
| 1,1,2-Trichloroethane                 | ND         |           | 10  | 2.3 | ug/L |   |          | 10/15/20 02:28 | 10      |
| 1,1-Dichloroethane                    | ND         |           | 10  | 3.8 | ug/L |   |          | 10/15/20 02:28 | 10      |
| 1,1-Dichloroethene                    | ND         |           | 10  | 2.9 | ug/L |   |          | 10/15/20 02:28 | 10      |
| 1,2,4-Trichlorobenzene                | ND         |           | 10  | 4.1 | ug/L |   |          | 10/15/20 02:28 | 10      |
| 1,2-Dibromo-3-Chloropropane           | ND         |           | 10  | 3.9 | ug/L |   |          | 10/15/20 02:28 | 10      |
| 1,2-Dibromoethane                     | ND         |           | 10  | 7.3 | ug/L |   |          | 10/15/20 02:28 | 10      |
| 1,2-Dichlorobenzene                   | ND         |           | 10  | 7.9 | ug/L |   |          | 10/15/20 02:28 | 10      |
| 1,2-Dichloroethane                    | ND         |           | 10  | 2.1 | ug/L |   |          | 10/15/20 02:28 | 10      |
| 1,2-Dichloropropane                   | ND         |           | 10  | 7.2 | ug/L |   |          | 10/15/20 02:28 | 10      |
| 1,3-Dichlorobenzene                   | ND         |           | 10  | 7.8 | ug/L |   |          | 10/15/20 02:28 | 10      |
| 1,4-Dichlorobenzene                   | ND         |           | 10  | 8.4 | ug/L |   |          | 10/15/20 02:28 | 10      |
| 2-Butanone (MEK)                      | ND         |           | 100 | 13  | ug/L |   |          | 10/15/20 02:28 | 10      |
| 2-Hexanone                            | ND         |           | 50  | 12  | ug/L |   |          | 10/15/20 02:28 | 10      |
| 4-Methyl-2-pentanone (MIBK)           | ND         |           | 50  | 21  | ug/L |   |          | 10/15/20 02:28 | 10      |
| <b>Acetone</b>                        | <b>34</b>  | <b>J</b>  | 100 | 30  | ug/L |   |          | 10/15/20 02:28 | 10      |
| Benzene                               | ND         |           | 10  | 4.1 | ug/L |   |          | 10/15/20 02:28 | 10      |
| Bromodichloromethane                  | ND         |           | 10  | 3.9 | ug/L |   |          | 10/15/20 02:28 | 10      |
| Bromoform                             | ND         |           | 10  | 2.6 | ug/L |   |          | 10/15/20 02:28 | 10      |
| Bromomethane                          | ND         |           | 10  | 6.9 | ug/L |   |          | 10/15/20 02:28 | 10      |
| Carbon disulfide                      | ND         |           | 10  | 1.9 | ug/L |   |          | 10/15/20 02:28 | 10      |
| Carbon tetrachloride                  | ND         |           | 10  | 2.7 | ug/L |   |          | 10/15/20 02:28 | 10      |
| Chlorobenzene                         | ND         |           | 10  | 7.5 | ug/L |   |          | 10/15/20 02:28 | 10      |
| Chloroethane                          | ND         |           | 10  | 3.2 | ug/L |   |          | 10/15/20 02:28 | 10      |
| Chloroform                            | ND         |           | 10  | 3.4 | ug/L |   |          | 10/15/20 02:28 | 10      |
| Chloromethane                         | ND         |           | 10  | 3.5 | ug/L |   |          | 10/15/20 02:28 | 10      |
| <b>cis-1,2-Dichloroethene</b>         | <b>490</b> |           | 10  | 8.1 | ug/L |   |          | 10/15/20 02:28 | 10      |
| cis-1,3-Dichloropropene               | ND         |           | 10  | 3.6 | ug/L |   |          | 10/15/20 02:28 | 10      |
| Cyclohexane                           | ND         |           | 10  | 1.8 | ug/L |   |          | 10/15/20 02:28 | 10      |
| Dibromochloromethane                  | ND         |           | 10  | 3.2 | ug/L |   |          | 10/15/20 02:28 | 10      |
| Dichlorodifluoromethane               | ND         |           | 10  | 6.8 | ug/L |   |          | 10/15/20 02:28 | 10      |
| Ethylbenzene                          | ND         |           | 10  | 7.4 | ug/L |   |          | 10/15/20 02:28 | 10      |
| Isopropylbenzene                      | ND         |           | 10  | 7.9 | ug/L |   |          | 10/15/20 02:28 | 10      |
| Methyl acetate                        | ND         |           | 25  | 13  | ug/L |   |          | 10/15/20 02:28 | 10      |
| Methyl tert-butyl ether               | ND         |           | 10  | 1.6 | ug/L |   |          | 10/15/20 02:28 | 10      |
| Methylcyclohexane                     | ND         |           | 10  | 1.6 | ug/L |   |          | 10/15/20 02:28 | 10      |
| <b>Methylene Chloride</b>             | <b>10</b>  |           | 10  | 4.4 | ug/L |   |          | 10/15/20 02:28 | 10      |
| Styrene                               | ND         |           | 10  | 7.3 | ug/L |   |          | 10/15/20 02:28 | 10      |
| Tetrachloroethene                     | ND         |           | 10  | 3.6 | ug/L |   |          | 10/15/20 02:28 | 10      |
| Toluene                               | ND         |           | 10  | 5.1 | ug/L |   |          | 10/15/20 02:28 | 10      |
| trans-1,2-Dichloroethene              | ND         |           | 10  | 9.0 | ug/L |   |          | 10/15/20 02:28 | 10      |
| trans-1,3-Dichloropropene             | ND         |           | 10  | 3.7 | ug/L |   |          | 10/15/20 02:28 | 10      |
| <b>Trichloroethene</b>                | <b>13</b>  |           | 10  | 4.6 | ug/L |   |          | 10/15/20 02:28 | 10      |
| Trichlorofluoromethane                | ND         |           | 10  | 8.8 | ug/L |   |          | 10/15/20 02:28 | 10      |
| <b>Vinyl chloride</b>                 | <b>700</b> |           | 10  | 9.0 | ug/L |   |          | 10/15/20 02:28 | 10      |
| Xylenes, Total                        | ND         |           | 20  | 6.6 | ug/L |   |          | 10/15/20 02:28 | 10      |

Eurofins TestAmerica, Buffalo

# Client Sample Results

Client: AECOM

Job ID: 480-176470-1

Project/Site: Scott Figgie West of Plant 2

**Client Sample ID: DPE-4****Lab Sample ID: 480-176470-8**

Date Collected: 10/13/20 09:00

Matrix: Water

Date Received: 10/13/20 16:40

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 108       |           | 77 - 120 |          | 10/15/20 02:28 | 10      |
| 4-Bromofluorobenzene (Surr)  | 99        |           | 73 - 120 |          | 10/15/20 02:28 | 10      |
| Toluene-d8 (Surr)            | 96        |           | 80 - 120 |          | 10/15/20 02:28 | 10      |
| Dibromofluoromethane (Surr)  | 101       |           | 75 - 123 |          | 10/15/20 02:28 | 10      |

## General Chemistry

| Analyte              | Result | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|----------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| Total Organic Carbon | 29.5   |           | 1.0 | 0.43 | mg/L |   |          | 10/31/20 01:19 | 1       |

# Client Sample Results

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: DPE-5**

Date Collected: 10/13/20 09:30

Date Received: 10/13/20 16:40

**Lab Sample ID: 480-176470-9**

Matrix: Water

## Method: 8260C - Volatile Organic Compounds by GC/MS

| Analyte                               | Result       | Qualifier | RL  | MDL | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------------|--------------|-----------|-----|-----|------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane                 | ND           |           | 10  | 8.2 | ug/L |   |          | 10/15/20 02:52 | 10      |
| 1,1,2,2-Tetrachloroethane             | ND           |           | 10  | 2.1 | ug/L |   |          | 10/15/20 02:52 | 10      |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND           |           | 10  | 3.1 | ug/L |   |          | 10/15/20 02:52 | 10      |
| 1,1,2-Trichloroethane                 | ND           |           | 10  | 2.3 | ug/L |   |          | 10/15/20 02:52 | 10      |
| <b>1,1-Dichloroethane</b>             | <b>17</b>    |           | 10  | 3.8 | ug/L |   |          | 10/15/20 02:52 | 10      |
| 1,1-Dichloroethene                    | ND           |           | 10  | 2.9 | ug/L |   |          | 10/15/20 02:52 | 10      |
| 1,2,4-Trichlorobenzene                | ND           |           | 10  | 4.1 | ug/L |   |          | 10/15/20 02:52 | 10      |
| 1,2-Dibromo-3-Chloropropane           | ND           |           | 10  | 3.9 | ug/L |   |          | 10/15/20 02:52 | 10      |
| 1,2-Dibromoethane                     | ND           |           | 10  | 7.3 | ug/L |   |          | 10/15/20 02:52 | 10      |
| 1,2-Dichlorobenzene                   | ND           |           | 10  | 7.9 | ug/L |   |          | 10/15/20 02:52 | 10      |
| 1,2-Dichloroethane                    | ND           |           | 10  | 2.1 | ug/L |   |          | 10/15/20 02:52 | 10      |
| 1,2-Dichloropropane                   | ND           |           | 10  | 7.2 | ug/L |   |          | 10/15/20 02:52 | 10      |
| 1,3-Dichlorobenzene                   | ND           |           | 10  | 7.8 | ug/L |   |          | 10/15/20 02:52 | 10      |
| 1,4-Dichlorobenzene                   | ND           |           | 10  | 8.4 | ug/L |   |          | 10/15/20 02:52 | 10      |
| 2-Butanone (MEK)                      | ND           |           | 100 | 13  | ug/L |   |          | 10/15/20 02:52 | 10      |
| 2-Hexanone                            | ND           |           | 50  | 12  | ug/L |   |          | 10/15/20 02:52 | 10      |
| 4-Methyl-2-pentanone (MIBK)           | ND           |           | 50  | 21  | ug/L |   |          | 10/15/20 02:52 | 10      |
| Acetone                               | ND           |           | 100 | 30  | ug/L |   |          | 10/15/20 02:52 | 10      |
| Benzene                               | ND           |           | 10  | 4.1 | ug/L |   |          | 10/15/20 02:52 | 10      |
| Bromodichloromethane                  | ND           |           | 10  | 3.9 | ug/L |   |          | 10/15/20 02:52 | 10      |
| Bromoform                             | ND           |           | 10  | 2.6 | ug/L |   |          | 10/15/20 02:52 | 10      |
| Bromomethane                          | ND           |           | 10  | 6.9 | ug/L |   |          | 10/15/20 02:52 | 10      |
| Carbon disulfide                      | ND           |           | 10  | 1.9 | ug/L |   |          | 10/15/20 02:52 | 10      |
| Carbon tetrachloride                  | ND           |           | 10  | 2.7 | ug/L |   |          | 10/15/20 02:52 | 10      |
| Chlorobenzene                         | ND           |           | 10  | 7.5 | ug/L |   |          | 10/15/20 02:52 | 10      |
| <b>Chloroethane</b>                   | <b>63</b>    |           | 10  | 3.2 | ug/L |   |          | 10/15/20 02:52 | 10      |
| Chloroform                            | ND           |           | 10  | 3.4 | ug/L |   |          | 10/15/20 02:52 | 10      |
| Chloromethane                         | ND           |           | 10  | 3.5 | ug/L |   |          | 10/15/20 02:52 | 10      |
| <b>cis-1,2-Dichloroethene</b>         | <b>110</b>   |           | 10  | 8.1 | ug/L |   |          | 10/15/20 02:52 | 10      |
| cis-1,3-Dichloropropene               | ND           |           | 10  | 3.6 | ug/L |   |          | 10/15/20 02:52 | 10      |
| Cyclohexane                           | ND           |           | 10  | 1.8 | ug/L |   |          | 10/15/20 02:52 | 10      |
| Dibromochloromethane                  | ND           |           | 10  | 3.2 | ug/L |   |          | 10/15/20 02:52 | 10      |
| Dichlorodifluoromethane               | ND           |           | 10  | 6.8 | ug/L |   |          | 10/15/20 02:52 | 10      |
| Ethylbenzene                          | ND           |           | 10  | 7.4 | ug/L |   |          | 10/15/20 02:52 | 10      |
| Isopropylbenzene                      | ND           |           | 10  | 7.9 | ug/L |   |          | 10/15/20 02:52 | 10      |
| Methyl acetate                        | ND           |           | 25  | 13  | ug/L |   |          | 10/15/20 02:52 | 10      |
| Methyl tert-butyl ether               | ND           |           | 10  | 1.6 | ug/L |   |          | 10/15/20 02:52 | 10      |
| Methylcyclohexane                     | ND           |           | 10  | 1.6 | ug/L |   |          | 10/15/20 02:52 | 10      |
| <b>Methylene Chloride</b>             | <b>6.6 J</b> |           | 10  | 4.4 | ug/L |   |          | 10/15/20 02:52 | 10      |
| Styrene                               | ND           |           | 10  | 7.3 | ug/L |   |          | 10/15/20 02:52 | 10      |
| Tetrachloroethene                     | ND           |           | 10  | 3.6 | ug/L |   |          | 10/15/20 02:52 | 10      |
| Toluene                               | ND           |           | 10  | 5.1 | ug/L |   |          | 10/15/20 02:52 | 10      |
| trans-1,2-Dichloroethene              | ND           |           | 10  | 9.0 | ug/L |   |          | 10/15/20 02:52 | 10      |
| trans-1,3-Dichloropropene             | ND           |           | 10  | 3.7 | ug/L |   |          | 10/15/20 02:52 | 10      |
| Trichloroethene                       | ND           |           | 10  | 4.6 | ug/L |   |          | 10/15/20 02:52 | 10      |
| Trichlorofluoromethane                | ND           |           | 10  | 8.8 | ug/L |   |          | 10/15/20 02:52 | 10      |
| <b>Vinyl chloride</b>                 | <b>430</b>   |           | 10  | 9.0 | ug/L |   |          | 10/15/20 02:52 | 10      |
| Xylenes, Total                        | ND           |           | 20  | 6.6 | ug/L |   |          | 10/15/20 02:52 | 10      |

Eurofins TestAmerica, Buffalo

# Client Sample Results

Client: AECOM

Job ID: 480-176470-1

Project/Site: Scott Figgie West of Plant 2

**Client Sample ID: DPE-5****Lab Sample ID: 480-176470-9**

Date Collected: 10/13/20 09:30

Matrix: Water

Date Received: 10/13/20 16:40

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 102       |           | 77 - 120 |          | 10/15/20 02:52 | 10      |
| 4-Bromofluorobenzene (Surr)  | 92        |           | 73 - 120 |          | 10/15/20 02:52 | 10      |
| Toluene-d8 (Surr)            | 97        |           | 80 - 120 |          | 10/15/20 02:52 | 10      |
| Dibromofluoromethane (Surr)  | 99        |           | 75 - 123 |          | 10/15/20 02:52 | 10      |

## General Chemistry

| Analyte              | Result | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|----------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| Total Organic Carbon | 66.4   |           | 1.0 | 0.43 | mg/L |   |          | 10/24/20 20:54 | 1       |

# Client Sample Results

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: DPE-6**

Date Collected: 10/13/20 10:00

Date Received: 10/13/20 16:40

**Lab Sample ID: 480-176470-10**

Matrix: Water

## Method: 8260C - Volatile Organic Compounds by GC/MS

| Analyte                               | Result    | Qualifier | RL  | MDL | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------------|-----------|-----------|-----|-----|------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane                 | ND        |           | 20  | 16  | ug/L |   |          | 10/15/20 03:16 | 20      |
| 1,1,2,2-Tetrachloroethane             | ND        |           | 20  | 4.2 | ug/L |   |          | 10/15/20 03:16 | 20      |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND        |           | 20  | 6.2 | ug/L |   |          | 10/15/20 03:16 | 20      |
| 1,1,2-Trichloroethane                 | ND        |           | 20  | 4.6 | ug/L |   |          | 10/15/20 03:16 | 20      |
| 1,1-Dichloroethane                    | ND        |           | 20  | 7.6 | ug/L |   |          | 10/15/20 03:16 | 20      |
| 1,1-Dichloroethene                    | ND        |           | 20  | 5.8 | ug/L |   |          | 10/15/20 03:16 | 20      |
| 1,2,4-Trichlorobenzene                | ND        |           | 20  | 8.2 | ug/L |   |          | 10/15/20 03:16 | 20      |
| 1,2-Dibromo-3-Chloropropane           | ND        |           | 20  | 7.8 | ug/L |   |          | 10/15/20 03:16 | 20      |
| 1,2-Dibromoethane                     | ND        |           | 20  | 15  | ug/L |   |          | 10/15/20 03:16 | 20      |
| 1,2-Dichlorobenzene                   | ND        |           | 20  | 16  | ug/L |   |          | 10/15/20 03:16 | 20      |
| 1,2-Dichloroethane                    | ND        |           | 20  | 4.2 | ug/L |   |          | 10/15/20 03:16 | 20      |
| 1,2-Dichloropropane                   | ND        |           | 20  | 14  | ug/L |   |          | 10/15/20 03:16 | 20      |
| 1,3-Dichlorobenzene                   | ND        |           | 20  | 16  | ug/L |   |          | 10/15/20 03:16 | 20      |
| 1,4-Dichlorobenzene                   | ND        |           | 20  | 17  | ug/L |   |          | 10/15/20 03:16 | 20      |
| 2-Butanone (MEK)                      | ND        |           | 200 | 26  | ug/L |   |          | 10/15/20 03:16 | 20      |
| 2-Hexanone                            | ND        |           | 100 | 25  | ug/L |   |          | 10/15/20 03:16 | 20      |
| 4-Methyl-2-pentanone (MIBK)           | ND        |           | 100 | 42  | ug/L |   |          | 10/15/20 03:16 | 20      |
| Acetone                               | ND        |           | 200 | 60  | ug/L |   |          | 10/15/20 03:16 | 20      |
| Benzene                               | ND        |           | 20  | 8.2 | ug/L |   |          | 10/15/20 03:16 | 20      |
| Bromodichloromethane                  | ND        |           | 20  | 7.8 | ug/L |   |          | 10/15/20 03:16 | 20      |
| Bromoform                             | ND        |           | 20  | 5.2 | ug/L |   |          | 10/15/20 03:16 | 20      |
| Bromomethane                          | ND        |           | 20  | 14  | ug/L |   |          | 10/15/20 03:16 | 20      |
| Carbon disulfide                      | ND        |           | 20  | 3.8 | ug/L |   |          | 10/15/20 03:16 | 20      |
| Carbon tetrachloride                  | ND        |           | 20  | 5.4 | ug/L |   |          | 10/15/20 03:16 | 20      |
| Chlorobenzene                         | ND        |           | 20  | 15  | ug/L |   |          | 10/15/20 03:16 | 20      |
| Chloroethane                          | ND        |           | 20  | 6.4 | ug/L |   |          | 10/15/20 03:16 | 20      |
| Chloroform                            | ND        |           | 20  | 6.8 | ug/L |   |          | 10/15/20 03:16 | 20      |
| Chloromethane                         | ND        |           | 20  | 7.0 | ug/L |   |          | 10/15/20 03:16 | 20      |
| cis-1,2-Dichloroethene                | ND        |           | 20  | 16  | ug/L |   |          | 10/15/20 03:16 | 20      |
| cis-1,3-Dichloropropene               | ND        |           | 20  | 7.2 | ug/L |   |          | 10/15/20 03:16 | 20      |
| Cyclohexane                           | ND        |           | 20  | 3.6 | ug/L |   |          | 10/15/20 03:16 | 20      |
| Dibromochloromethane                  | ND        |           | 20  | 6.4 | ug/L |   |          | 10/15/20 03:16 | 20      |
| Dichlorodifluoromethane               | ND        |           | 20  | 14  | ug/L |   |          | 10/15/20 03:16 | 20      |
| Ethylbenzene                          | ND        |           | 20  | 15  | ug/L |   |          | 10/15/20 03:16 | 20      |
| Isopropylbenzene                      | ND        |           | 20  | 16  | ug/L |   |          | 10/15/20 03:16 | 20      |
| Methyl acetate                        | ND        |           | 50  | 26  | ug/L |   |          | 10/15/20 03:16 | 20      |
| Methyl tert-butyl ether               | ND        |           | 20  | 3.2 | ug/L |   |          | 10/15/20 03:16 | 20      |
| Methylcyclohexane                     | ND        |           | 20  | 3.2 | ug/L |   |          | 10/15/20 03:16 | 20      |
| <b>Methylene Chloride</b>             | <b>15</b> | <b>J</b>  | 20  | 8.8 | ug/L |   |          | 10/15/20 03:16 | 20      |
| Styrene                               | ND        |           | 20  | 15  | ug/L |   |          | 10/15/20 03:16 | 20      |
| Tetrachloroethene                     | ND        |           | 20  | 7.2 | ug/L |   |          | 10/15/20 03:16 | 20      |
| Toluene                               | ND        |           | 20  | 10  | ug/L |   |          | 10/15/20 03:16 | 20      |
| trans-1,2-Dichloroethene              | ND        |           | 20  | 18  | ug/L |   |          | 10/15/20 03:16 | 20      |
| trans-1,3-Dichloropropene             | ND        |           | 20  | 7.4 | ug/L |   |          | 10/15/20 03:16 | 20      |
| Trichloroethene                       | ND        |           | 20  | 9.2 | ug/L |   |          | 10/15/20 03:16 | 20      |
| Trichlorofluoromethane                | ND        |           | 20  | 18  | ug/L |   |          | 10/15/20 03:16 | 20      |
| Vinyl chloride                        | ND        |           | 20  | 18  | ug/L |   |          | 10/15/20 03:16 | 20      |
| Xylenes, Total                        | ND        |           | 40  | 13  | ug/L |   |          | 10/15/20 03:16 | 20      |

Eurofins TestAmerica, Buffalo

# Client Sample Results

Client: AECOM

Job ID: 480-176470-1

Project/Site: Scott Figgie West of Plant 2

**Client Sample ID: DPE-6****Lab Sample ID: 480-176470-10**

Date Collected: 10/13/20 10:00

Matrix: Water

Date Received: 10/13/20 16:40

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 105       |           | 77 - 120 |          | 10/15/20 03:16 | 20      |
| 4-Bromofluorobenzene (Surr)  | 100       |           | 73 - 120 |          | 10/15/20 03:16 | 20      |
| Toluene-d8 (Surr)            | 102       |           | 80 - 120 |          | 10/15/20 03:16 | 20      |
| Dibromofluoromethane (Surr)  | 100       |           | 75 - 123 |          | 10/15/20 03:16 | 20      |

## General Chemistry

| Analyte              | Result | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|----------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| Total Organic Carbon | 5.4    |           | 1.0 | 0.43 | mg/L |   |          | 10/25/20 01:05 | 1       |

# Client Sample Results

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: DPE-7**

Date Collected: 10/13/20 10:30

Date Received: 10/13/20 16:40

**Lab Sample ID: 480-176470-11**

Matrix: Water

## Method: 8260C - Volatile Organic Compounds by GC/MS

| Analyte                               | Result       | Qualifier | RL  | MDL | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------------|--------------|-----------|-----|-----|------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane                 | ND           |           | 10  | 8.2 | ug/L |   |          | 10/15/20 03:40 | 10      |
| 1,1,2,2-Tetrachloroethane             | ND           |           | 10  | 2.1 | ug/L |   |          | 10/15/20 03:40 | 10      |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND           |           | 10  | 3.1 | ug/L |   |          | 10/15/20 03:40 | 10      |
| 1,1,2-Trichloroethane                 | ND           |           | 10  | 2.3 | ug/L |   |          | 10/15/20 03:40 | 10      |
| <b>1,1-Dichloroethane</b>             | <b>67</b>    |           | 10  | 3.8 | ug/L |   |          | 10/15/20 03:40 | 10      |
| 1,1-Dichloroethene                    | ND           |           | 10  | 2.9 | ug/L |   |          | 10/15/20 03:40 | 10      |
| 1,2,4-Trichlorobenzene                | ND           |           | 10  | 4.1 | ug/L |   |          | 10/15/20 03:40 | 10      |
| 1,2-Dibromo-3-Chloropropane           | ND           |           | 10  | 3.9 | ug/L |   |          | 10/15/20 03:40 | 10      |
| 1,2-Dibromoethane                     | ND           |           | 10  | 7.3 | ug/L |   |          | 10/15/20 03:40 | 10      |
| 1,2-Dichlorobenzene                   | ND           |           | 10  | 7.9 | ug/L |   |          | 10/15/20 03:40 | 10      |
| 1,2-Dichloroethane                    | ND           |           | 10  | 2.1 | ug/L |   |          | 10/15/20 03:40 | 10      |
| 1,2-Dichloropropane                   | ND           |           | 10  | 7.2 | ug/L |   |          | 10/15/20 03:40 | 10      |
| 1,3-Dichlorobenzene                   | ND           |           | 10  | 7.8 | ug/L |   |          | 10/15/20 03:40 | 10      |
| 1,4-Dichlorobenzene                   | ND           |           | 10  | 8.4 | ug/L |   |          | 10/15/20 03:40 | 10      |
| 2-Butanone (MEK)                      | ND           |           | 100 | 13  | ug/L |   |          | 10/15/20 03:40 | 10      |
| 2-Hexanone                            | ND           |           | 50  | 12  | ug/L |   |          | 10/15/20 03:40 | 10      |
| 4-Methyl-2-pentanone (MIBK)           | ND           |           | 50  | 21  | ug/L |   |          | 10/15/20 03:40 | 10      |
| Acetone                               | ND           |           | 100 | 30  | ug/L |   |          | 10/15/20 03:40 | 10      |
| Benzene                               | ND           |           | 10  | 4.1 | ug/L |   |          | 10/15/20 03:40 | 10      |
| Bromodichloromethane                  | ND           |           | 10  | 3.9 | ug/L |   |          | 10/15/20 03:40 | 10      |
| Bromoform                             | ND           |           | 10  | 2.6 | ug/L |   |          | 10/15/20 03:40 | 10      |
| Bromomethane                          | ND           |           | 10  | 6.9 | ug/L |   |          | 10/15/20 03:40 | 10      |
| Carbon disulfide                      | ND           |           | 10  | 1.9 | ug/L |   |          | 10/15/20 03:40 | 10      |
| Carbon tetrachloride                  | ND           |           | 10  | 2.7 | ug/L |   |          | 10/15/20 03:40 | 10      |
| Chlorobenzene                         | ND           |           | 10  | 7.5 | ug/L |   |          | 10/15/20 03:40 | 10      |
| <b>Chloroethane</b>                   | <b>300</b>   |           | 10  | 3.2 | ug/L |   |          | 10/15/20 03:40 | 10      |
| Chloroform                            | ND           |           | 10  | 3.4 | ug/L |   |          | 10/15/20 03:40 | 10      |
| Chloromethane                         | ND           |           | 10  | 3.5 | ug/L |   |          | 10/15/20 03:40 | 10      |
| <b>cis-1,2-Dichloroethene</b>         | <b>45</b>    |           | 10  | 8.1 | ug/L |   |          | 10/15/20 03:40 | 10      |
| cis-1,3-Dichloropropene               | ND           |           | 10  | 3.6 | ug/L |   |          | 10/15/20 03:40 | 10      |
| Cyclohexane                           | ND           |           | 10  | 1.8 | ug/L |   |          | 10/15/20 03:40 | 10      |
| Dibromochloromethane                  | ND           |           | 10  | 3.2 | ug/L |   |          | 10/15/20 03:40 | 10      |
| Dichlorodifluoromethane               | ND           |           | 10  | 6.8 | ug/L |   |          | 10/15/20 03:40 | 10      |
| Ethylbenzene                          | ND           |           | 10  | 7.4 | ug/L |   |          | 10/15/20 03:40 | 10      |
| Isopropylbenzene                      | ND           |           | 10  | 7.9 | ug/L |   |          | 10/15/20 03:40 | 10      |
| Methyl acetate                        | ND           |           | 25  | 13  | ug/L |   |          | 10/15/20 03:40 | 10      |
| Methyl tert-butyl ether               | ND           |           | 10  | 1.6 | ug/L |   |          | 10/15/20 03:40 | 10      |
| Methylcyclohexane                     | ND           |           | 10  | 1.6 | ug/L |   |          | 10/15/20 03:40 | 10      |
| <b>Methylene Chloride</b>             | <b>8.9 J</b> |           | 10  | 4.4 | ug/L |   |          | 10/15/20 03:40 | 10      |
| Styrene                               | ND           |           | 10  | 7.3 | ug/L |   |          | 10/15/20 03:40 | 10      |
| Tetrachloroethene                     | ND           |           | 10  | 3.6 | ug/L |   |          | 10/15/20 03:40 | 10      |
| <b>Toluene</b>                        | <b>6.7 J</b> |           | 10  | 5.1 | ug/L |   |          | 10/15/20 03:40 | 10      |
| trans-1,2-Dichloroethene              | ND           |           | 10  | 9.0 | ug/L |   |          | 10/15/20 03:40 | 10      |
| trans-1,3-Dichloropropene             | ND           |           | 10  | 3.7 | ug/L |   |          | 10/15/20 03:40 | 10      |
| Trichloroethene                       | ND           |           | 10  | 4.6 | ug/L |   |          | 10/15/20 03:40 | 10      |
| Trichlorofluoromethane                | ND           |           | 10  | 8.8 | ug/L |   |          | 10/15/20 03:40 | 10      |
| <b>Vinyl chloride</b>                 | <b>950</b>   |           | 10  | 9.0 | ug/L |   |          | 10/15/20 03:40 | 10      |
| Xylenes, Total                        | ND           |           | 20  | 6.6 | ug/L |   |          | 10/15/20 03:40 | 10      |

Eurofins TestAmerica, Buffalo

# Client Sample Results

Client: AECOM

Job ID: 480-176470-1

Project/Site: Scott Figgie West of Plant 2

**Client Sample ID: DPE-7****Lab Sample ID: 480-176470-11**

Date Collected: 10/13/20 10:30

Matrix: Water

Date Received: 10/13/20 16:40

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 111       |           | 77 - 120 |          | 10/15/20 03:40 | 10      |
| 4-Bromofluorobenzene (Surr)  | 95        |           | 73 - 120 |          | 10/15/20 03:40 | 10      |
| Toluene-d8 (Surr)            | 92        |           | 80 - 120 |          | 10/15/20 03:40 | 10      |
| Dibromofluoromethane (Surr)  | 101       |           | 75 - 123 |          | 10/15/20 03:40 | 10      |

## General Chemistry

| Analyte              | Result | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|----------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| Total Organic Carbon | 23.6   |           | 2.0 | 0.87 | mg/L |   |          | 10/25/20 01:32 | 2       |

# Client Sample Results

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: DPE-8**

Date Collected: 10/13/20 12:30

Date Received: 10/13/20 16:40

**Lab Sample ID: 480-176470-12**

Matrix: Water

## Method: 8260C - Volatile Organic Compounds by GC/MS

| Analyte                               | Result      | Qualifier | RL  | MDL | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------------|-------------|-----------|-----|-----|------|---|----------|----------------|---------|
| <b>1,1,1-Trichloroethane</b>          | <b>69</b>   |           | 10  | 8.2 | ug/L |   |          | 10/15/20 04:05 | 10      |
| 1,1,2,2-Tetrachloroethane             | ND          |           | 10  | 2.1 | ug/L |   |          | 10/15/20 04:05 | 10      |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND          |           | 10  | 3.1 | ug/L |   |          | 10/15/20 04:05 | 10      |
| 1,1,2-Trichloroethane                 | ND          |           | 10  | 2.3 | ug/L |   |          | 10/15/20 04:05 | 10      |
| <b>1,1-Dichloroethane</b>             | <b>48</b>   |           | 10  | 3.8 | ug/L |   |          | 10/15/20 04:05 | 10      |
| <b>1,1-Dichloroethene</b>             | <b>16</b>   |           | 10  | 2.9 | ug/L |   |          | 10/15/20 04:05 | 10      |
| 1,2,4-Trichlorobenzene                | ND          |           | 10  | 4.1 | ug/L |   |          | 10/15/20 04:05 | 10      |
| 1,2-Dibromo-3-Chloropropane           | ND          |           | 10  | 3.9 | ug/L |   |          | 10/15/20 04:05 | 10      |
| 1,2-Dibromoethane                     | ND          |           | 10  | 7.3 | ug/L |   |          | 10/15/20 04:05 | 10      |
| 1,2-Dichlorobenzene                   | ND          |           | 10  | 7.9 | ug/L |   |          | 10/15/20 04:05 | 10      |
| 1,2-Dichloroethane                    | ND          |           | 10  | 2.1 | ug/L |   |          | 10/15/20 04:05 | 10      |
| 1,2-Dichloropropane                   | ND          |           | 10  | 7.2 | ug/L |   |          | 10/15/20 04:05 | 10      |
| 1,3-Dichlorobenzene                   | ND          |           | 10  | 7.8 | ug/L |   |          | 10/15/20 04:05 | 10      |
| 1,4-Dichlorobenzene                   | ND          |           | 10  | 8.4 | ug/L |   |          | 10/15/20 04:05 | 10      |
| 2-Butanone (MEK)                      | ND          |           | 100 | 13  | ug/L |   |          | 10/15/20 04:05 | 10      |
| 2-Hexanone                            | ND          |           | 50  | 12  | ug/L |   |          | 10/15/20 04:05 | 10      |
| 4-Methyl-2-pentanone (MIBK)           | ND          |           | 50  | 21  | ug/L |   |          | 10/15/20 04:05 | 10      |
| Acetone                               | ND          |           | 100 | 30  | ug/L |   |          | 10/15/20 04:05 | 10      |
| Benzene                               | ND          |           | 10  | 4.1 | ug/L |   |          | 10/15/20 04:05 | 10      |
| Bromodichloromethane                  | ND          |           | 10  | 3.9 | ug/L |   |          | 10/15/20 04:05 | 10      |
| Bromoform                             | ND          |           | 10  | 2.6 | ug/L |   |          | 10/15/20 04:05 | 10      |
| Bromomethane                          | ND          |           | 10  | 6.9 | ug/L |   |          | 10/15/20 04:05 | 10      |
| Carbon disulfide                      | ND          |           | 10  | 1.9 | ug/L |   |          | 10/15/20 04:05 | 10      |
| Carbon tetrachloride                  | ND          |           | 10  | 2.7 | ug/L |   |          | 10/15/20 04:05 | 10      |
| Chlorobenzene                         | ND          |           | 10  | 7.5 | ug/L |   |          | 10/15/20 04:05 | 10      |
| <b>Chloroethane</b>                   | <b>20</b>   |           | 10  | 3.2 | ug/L |   |          | 10/15/20 04:05 | 10      |
| Chloroform                            | ND          |           | 10  | 3.4 | ug/L |   |          | 10/15/20 04:05 | 10      |
| Chloromethane                         | ND          |           | 10  | 3.5 | ug/L |   |          | 10/15/20 04:05 | 10      |
| <b>cis-1,2-Dichloroethene</b>         | <b>3500</b> | <b>E</b>  | 10  | 8.1 | ug/L |   |          | 10/15/20 04:05 | 10      |
| cis-1,3-Dichloropropene               | ND          |           | 10  | 3.6 | ug/L |   |          | 10/15/20 04:05 | 10      |
| Cyclohexane                           | ND          |           | 10  | 1.8 | ug/L |   |          | 10/15/20 04:05 | 10      |
| Dibromochloromethane                  | ND          |           | 10  | 3.2 | ug/L |   |          | 10/15/20 04:05 | 10      |
| Dichlorodifluoromethane               | ND          |           | 10  | 6.8 | ug/L |   |          | 10/15/20 04:05 | 10      |
| Ethylbenzene                          | ND          |           | 10  | 7.4 | ug/L |   |          | 10/15/20 04:05 | 10      |
| Isopropylbenzene                      | ND          |           | 10  | 7.9 | ug/L |   |          | 10/15/20 04:05 | 10      |
| Methyl acetate                        | ND          |           | 25  | 13  | ug/L |   |          | 10/15/20 04:05 | 10      |
| Methyl tert-butyl ether               | ND          |           | 10  | 1.6 | ug/L |   |          | 10/15/20 04:05 | 10      |
| Methylcyclohexane                     | ND          |           | 10  | 1.6 | ug/L |   |          | 10/15/20 04:05 | 10      |
| <b>Methylene Chloride</b>             | <b>10</b>   |           | 10  | 4.4 | ug/L |   |          | 10/15/20 04:05 | 10      |
| Styrene                               | ND          |           | 10  | 7.3 | ug/L |   |          | 10/15/20 04:05 | 10      |
| Tetrachloroethene                     | ND          |           | 10  | 3.6 | ug/L |   |          | 10/15/20 04:05 | 10      |
| <b>Toluene</b>                        | <b>5.1</b>  | <b>J</b>  | 10  | 5.1 | ug/L |   |          | 10/15/20 04:05 | 10      |
| trans-1,2-Dichloroethene              | ND          |           | 10  | 9.0 | ug/L |   |          | 10/15/20 04:05 | 10      |
| trans-1,3-Dichloropropene             | ND          |           | 10  | 3.7 | ug/L |   |          | 10/15/20 04:05 | 10      |
| <b>Trichloroethene</b>                | <b>87</b>   |           | 10  | 4.6 | ug/L |   |          | 10/15/20 04:05 | 10      |
| Trichlorofluoromethane                | ND          |           | 10  | 8.8 | ug/L |   |          | 10/15/20 04:05 | 10      |
| <b>Vinyl chloride</b>                 | <b>890</b>  |           | 10  | 9.0 | ug/L |   |          | 10/15/20 04:05 | 10      |
| Xylenes, Total                        | ND          |           | 20  | 6.6 | ug/L |   |          | 10/15/20 04:05 | 10      |

Eurofins TestAmerica, Buffalo

# Client Sample Results

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: DPE-8**

Date Collected: 10/13/20 12:30

Date Received: 10/13/20 16:40

**Lab Sample ID: 480-176470-12**

Matrix: Water

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 109       |           | 77 - 120 |          | 10/15/20 04:05 | 10      |
| 4-Bromofluorobenzene (Surr)  | 97        |           | 73 - 120 |          | 10/15/20 04:05 | 10      |
| Toluene-d8 (Surr)            | 100       |           | 80 - 120 |          | 10/15/20 04:05 | 10      |
| Dibromofluoromethane (Surr)  | 107       |           | 75 - 123 |          | 10/15/20 04:05 | 10      |

## Method: 8260C - Volatile Organic Compounds by GC/MS - DL

| Analyte                               | Result      | Qualifier | RL   | MDL | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------------|-------------|-----------|------|-----|------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane                 | ND          |           | 130  | 100 | ug/L |   |          | 10/15/20 11:08 | 125     |
| 1,1,2,2-Tetrachloroethane             | ND          |           | 130  | 26  | ug/L |   |          | 10/15/20 11:08 | 125     |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND          |           | 130  | 39  | ug/L |   |          | 10/15/20 11:08 | 125     |
| 1,1,2-Trichloroethane                 | ND          |           | 130  | 29  | ug/L |   |          | 10/15/20 11:08 | 125     |
| 1,1-Dichloroethane                    | ND          |           | 130  | 48  | ug/L |   |          | 10/15/20 11:08 | 125     |
| 1,1-Dichloroethene                    | ND          |           | 130  | 36  | ug/L |   |          | 10/15/20 11:08 | 125     |
| 1,2,4-Trichlorobenzene                | ND          |           | 130  | 51  | ug/L |   |          | 10/15/20 11:08 | 125     |
| 1,2-Dibromo-3-Chloropropane           | ND          |           | 130  | 49  | ug/L |   |          | 10/15/20 11:08 | 125     |
| 1,2-Dibromoethane                     | ND          |           | 130  | 91  | ug/L |   |          | 10/15/20 11:08 | 125     |
| 1,2-Dichlorobenzene                   | ND          |           | 130  | 99  | ug/L |   |          | 10/15/20 11:08 | 125     |
| 1,2-Dichloroethane                    | ND          |           | 130  | 26  | ug/L |   |          | 10/15/20 11:08 | 125     |
| 1,2-Dichloropropane                   | ND          |           | 130  | 90  | ug/L |   |          | 10/15/20 11:08 | 125     |
| 1,3-Dichlorobenzene                   | ND          |           | 130  | 98  | ug/L |   |          | 10/15/20 11:08 | 125     |
| 1,4-Dichlorobenzene                   | ND          |           | 130  | 110 | ug/L |   |          | 10/15/20 11:08 | 125     |
| 2-Butanone (MEK)                      | ND          |           | 1300 | 170 | ug/L |   |          | 10/15/20 11:08 | 125     |
| 2-Hexanone                            | ND          |           | 630  | 160 | ug/L |   |          | 10/15/20 11:08 | 125     |
| 4-Methyl-2-pentanone (MIBK)           | ND          |           | 630  | 260 | ug/L |   |          | 10/15/20 11:08 | 125     |
| Acetone                               | ND          |           | 1300 | 380 | ug/L |   |          | 10/15/20 11:08 | 125     |
| Benzene                               | ND          |           | 130  | 51  | ug/L |   |          | 10/15/20 11:08 | 125     |
| Bromodichloromethane                  | ND          |           | 130  | 49  | ug/L |   |          | 10/15/20 11:08 | 125     |
| Bromoform                             | ND          |           | 130  | 33  | ug/L |   |          | 10/15/20 11:08 | 125     |
| Bromomethane                          | ND          |           | 130  | 86  | ug/L |   |          | 10/15/20 11:08 | 125     |
| Carbon disulfide                      | ND          |           | 130  | 24  | ug/L |   |          | 10/15/20 11:08 | 125     |
| Carbon tetrachloride                  | ND          |           | 130  | 34  | ug/L |   |          | 10/15/20 11:08 | 125     |
| Chlorobenzene                         | ND          |           | 130  | 94  | ug/L |   |          | 10/15/20 11:08 | 125     |
| Chloroethane                          | ND          |           | 130  | 40  | ug/L |   |          | 10/15/20 11:08 | 125     |
| Chloroform                            | ND          |           | 130  | 43  | ug/L |   |          | 10/15/20 11:08 | 125     |
| Chloromethane                         | ND          |           | 130  | 44  | ug/L |   |          | 10/15/20 11:08 | 125     |
| <b>cis-1,2-Dichloroethene</b>         | <b>3000</b> |           | 130  | 100 | ug/L |   |          | 10/15/20 11:08 | 125     |
| cis-1,3-Dichloropropene               | ND          |           | 130  | 45  | ug/L |   |          | 10/15/20 11:08 | 125     |
| Cyclohexane                           | ND          |           | 130  | 23  | ug/L |   |          | 10/15/20 11:08 | 125     |
| Dibromochloromethane                  | ND          |           | 130  | 40  | ug/L |   |          | 10/15/20 11:08 | 125     |
| Dichlorodifluoromethane               | ND          |           | 130  | 85  | ug/L |   |          | 10/15/20 11:08 | 125     |
| Ethylbenzene                          | ND          |           | 130  | 93  | ug/L |   |          | 10/15/20 11:08 | 125     |
| Isopropylbenzene                      | ND          |           | 130  | 99  | ug/L |   |          | 10/15/20 11:08 | 125     |
| Methyl acetate                        | ND          |           | 310  | 160 | ug/L |   |          | 10/15/20 11:08 | 125     |
| Methyl tert-butyl ether               | ND          |           | 130  | 20  | ug/L |   |          | 10/15/20 11:08 | 125     |
| Methylcyclohexane                     | ND          |           | 130  | 20  | ug/L |   |          | 10/15/20 11:08 | 125     |
| Methylene Chloride                    | ND          |           | 130  | 55  | ug/L |   |          | 10/15/20 11:08 | 125     |
| Styrene                               | ND          |           | 130  | 91  | ug/L |   |          | 10/15/20 11:08 | 125     |
| Tetrachloroethene                     | ND          |           | 130  | 45  | ug/L |   |          | 10/15/20 11:08 | 125     |
| Toluene                               | ND          |           | 130  | 64  | ug/L |   |          | 10/15/20 11:08 | 125     |
| trans-1,2-Dichloroethene              | ND          |           | 130  | 110 | ug/L |   |          | 10/15/20 11:08 | 125     |

Eurofins TestAmerica, Buffalo

# Client Sample Results

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: DPE-8**

Date Collected: 10/13/20 12:30

Date Received: 10/13/20 16:40

**Lab Sample ID: 480-176470-12**

Matrix: Water

## Method: 8260C - Volatile Organic Compounds by GC/MS - DL (Continued)

| Analyte                      | Result     | Qualifier | RL       | MDL | Unit | D | Prepared | Analyzed       | Dil Fac |
|------------------------------|------------|-----------|----------|-----|------|---|----------|----------------|---------|
| trans-1,3-Dichloropropene    | ND         |           | 130      | 46  | ug/L |   |          | 10/15/20 11:08 | 125     |
| Trichloroethene              | ND         |           | 130      | 58  | ug/L |   |          | 10/15/20 11:08 | 125     |
| Trichlorofluoromethane       | ND         |           | 130      | 110 | ug/L |   |          | 10/15/20 11:08 | 125     |
| <b>Vinyl chloride</b>        | <b>940</b> |           | 130      | 110 | ug/L |   |          | 10/15/20 11:08 | 125     |
| Xylenes, Total               | ND         |           | 250      | 83  | ug/L |   |          | 10/15/20 11:08 | 125     |
| Surrogate                    | %Recovery  | Qualifier | Limits   |     |      |   | Prepared | Analyzed       | Dil Fac |
| 1,2-Dichloroethane-d4 (Surr) | 108        |           | 77 - 120 |     |      |   |          | 10/15/20 11:08 | 125     |
| 4-Bromofluorobenzene (Surr)  | 102        |           | 73 - 120 |     |      |   |          | 10/15/20 11:08 | 125     |
| Toluene-d8 (Surr)            | 99         |           | 80 - 120 |     |      |   |          | 10/15/20 11:08 | 125     |
| Dibromofluoromethane (Surr)  | 98         |           | 75 - 123 |     |      |   |          | 10/15/20 11:08 | 125     |

## General Chemistry

| Analyte              | Result      | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|----------------------|-------------|-----------|-----|------|------|---|----------|----------------|---------|
| Total Organic Carbon | <b>11.8</b> |           | 1.0 | 0.43 | mg/L |   |          | 10/25/20 02:00 | 1       |

# Client Sample Results

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: GWCT**

Date Collected: 10/13/20 11:00

Date Received: 10/13/20 16:40

**Lab Sample ID: 480-176470-13**

Matrix: Water

## Method: 8260C - Volatile Organic Compounds by GC/MS

| Analyte                               | Result    | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------------|-----------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane                 | ND        |           | 1.0 | 0.82 | ug/L |   |          | 10/15/20 04:29 | 1       |
| 1,1,2,2-Tetrachloroethane             | ND        |           | 1.0 | 0.21 | ug/L |   |          | 10/15/20 04:29 | 1       |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND        |           | 1.0 | 0.31 | ug/L |   |          | 10/15/20 04:29 | 1       |
| 1,1,2-Trichloroethane                 | ND        |           | 1.0 | 0.23 | ug/L |   |          | 10/15/20 04:29 | 1       |
| 1,1-Dichloroethane                    | ND        |           | 1.0 | 0.38 | ug/L |   |          | 10/15/20 04:29 | 1       |
| 1,1-Dichloroethene                    | ND        |           | 1.0 | 0.29 | ug/L |   |          | 10/15/20 04:29 | 1       |
| 1,2,4-Trichlorobenzene                | ND        |           | 1.0 | 0.41 | ug/L |   |          | 10/15/20 04:29 | 1       |
| 1,2-Dibromo-3-Chloropropane           | ND        |           | 1.0 | 0.39 | ug/L |   |          | 10/15/20 04:29 | 1       |
| 1,2-Dibromoethane                     | ND        |           | 1.0 | 0.73 | ug/L |   |          | 10/15/20 04:29 | 1       |
| 1,2-Dichlorobenzene                   | ND        |           | 1.0 | 0.79 | ug/L |   |          | 10/15/20 04:29 | 1       |
| 1,2-Dichloroethane                    | ND        |           | 1.0 | 0.21 | ug/L |   |          | 10/15/20 04:29 | 1       |
| 1,2-Dichloropropane                   | ND        |           | 1.0 | 0.72 | ug/L |   |          | 10/15/20 04:29 | 1       |
| 1,3-Dichlorobenzene                   | ND        |           | 1.0 | 0.78 | ug/L |   |          | 10/15/20 04:29 | 1       |
| 1,4-Dichlorobenzene                   | ND        |           | 1.0 | 0.84 | ug/L |   |          | 10/15/20 04:29 | 1       |
| 2-Butanone (MEK)                      | ND        |           | 10  | 1.3  | ug/L |   |          | 10/15/20 04:29 | 1       |
| 2-Hexanone                            | ND        |           | 5.0 | 1.2  | ug/L |   |          | 10/15/20 04:29 | 1       |
| 4-Methyl-2-pentanone (MIBK)           | ND        |           | 5.0 | 2.1  | ug/L |   |          | 10/15/20 04:29 | 1       |
| Acetone                               | ND        |           | 10  | 3.0  | ug/L |   |          | 10/15/20 04:29 | 1       |
| Benzene                               | ND        |           | 1.0 | 0.41 | ug/L |   |          | 10/15/20 04:29 | 1       |
| Bromodichloromethane                  | ND        |           | 1.0 | 0.39 | ug/L |   |          | 10/15/20 04:29 | 1       |
| Bromoform                             | ND        |           | 1.0 | 0.26 | ug/L |   |          | 10/15/20 04:29 | 1       |
| Bromomethane                          | ND        |           | 1.0 | 0.69 | ug/L |   |          | 10/15/20 04:29 | 1       |
| Carbon disulfide                      | ND        |           | 1.0 | 0.19 | ug/L |   |          | 10/15/20 04:29 | 1       |
| Carbon tetrachloride                  | ND        |           | 1.0 | 0.27 | ug/L |   |          | 10/15/20 04:29 | 1       |
| Chlorobenzene                         | ND        |           | 1.0 | 0.75 | ug/L |   |          | 10/15/20 04:29 | 1       |
| <b>Chloroethane</b>                   | <b>34</b> |           | 1.0 | 0.32 | ug/L |   |          | 10/15/20 04:29 | 1       |
| Chloroform                            | ND        |           | 1.0 | 0.34 | ug/L |   |          | 10/15/20 04:29 | 1       |
| Chloromethane                         | ND        |           | 1.0 | 0.35 | ug/L |   |          | 10/15/20 04:29 | 1       |
| cis-1,2-Dichloroethene                | ND        |           | 1.0 | 0.81 | ug/L |   |          | 10/15/20 04:29 | 1       |
| cis-1,3-Dichloropropene               | ND        |           | 1.0 | 0.36 | ug/L |   |          | 10/15/20 04:29 | 1       |
| Cyclohexane                           | ND        |           | 1.0 | 0.18 | ug/L |   |          | 10/15/20 04:29 | 1       |
| Dibromochloromethane                  | ND        |           | 1.0 | 0.32 | ug/L |   |          | 10/15/20 04:29 | 1       |
| Dichlorodifluoromethane               | ND        |           | 1.0 | 0.68 | ug/L |   |          | 10/15/20 04:29 | 1       |
| Ethylbenzene                          | ND        |           | 1.0 | 0.74 | ug/L |   |          | 10/15/20 04:29 | 1       |
| Isopropylbenzene                      | ND        |           | 1.0 | 0.79 | ug/L |   |          | 10/15/20 04:29 | 1       |
| Methyl acetate                        | ND        |           | 2.5 | 1.3  | ug/L |   |          | 10/15/20 04:29 | 1       |
| Methyl tert-butyl ether               | ND        |           | 1.0 | 0.16 | ug/L |   |          | 10/15/20 04:29 | 1       |
| Methylcyclohexane                     | ND        |           | 1.0 | 0.16 | ug/L |   |          | 10/15/20 04:29 | 1       |
| Methylene Chloride                    | ND        |           | 1.0 | 0.44 | ug/L |   |          | 10/15/20 04:29 | 1       |
| Styrene                               | ND        |           | 1.0 | 0.73 | ug/L |   |          | 10/15/20 04:29 | 1       |
| Tetrachloroethene                     | ND        |           | 1.0 | 0.36 | ug/L |   |          | 10/15/20 04:29 | 1       |
| Toluene                               | ND        |           | 1.0 | 0.51 | ug/L |   |          | 10/15/20 04:29 | 1       |
| trans-1,2-Dichloroethene              | ND        |           | 1.0 | 0.90 | ug/L |   |          | 10/15/20 04:29 | 1       |
| trans-1,3-Dichloropropene             | ND        |           | 1.0 | 0.37 | ug/L |   |          | 10/15/20 04:29 | 1       |
| Trichloroethene                       | ND        |           | 1.0 | 0.46 | ug/L |   |          | 10/15/20 04:29 | 1       |
| Trichlorofluoromethane                | ND        |           | 1.0 | 0.88 | ug/L |   |          | 10/15/20 04:29 | 1       |
| Vinyl chloride                        | ND        |           | 1.0 | 0.90 | ug/L |   |          | 10/15/20 04:29 | 1       |
| Xylenes, Total                        | ND        |           | 2.0 | 0.66 | ug/L |   |          | 10/15/20 04:29 | 1       |

Eurofins TestAmerica, Buffalo

# Client Sample Results

Client: AECOM

Job ID: 480-176470-1

Project/Site: Scott Figgie West of Plant 2

**Client Sample ID: GWCT****Lab Sample ID: 480-176470-13**

Date Collected: 10/13/20 11:00

Matrix: Water

Date Received: 10/13/20 16:40

**Surrogate**

|                              | %Recovery | Qualifier | Limits   |
|------------------------------|-----------|-----------|----------|
| 1,2-Dichloroethane-d4 (Surr) | 108       |           | 77 - 120 |
| 4-Bromofluorobenzene (Surr)  | 93        |           | 73 - 120 |
| Toluene-d8 (Surr)            | 95        |           | 80 - 120 |
| Dibromofluoromethane (Surr)  | 107       |           | 75 - 123 |

**Prepared**

10/15/20 04:29

1

**General Chemistry****Analyte****Total Organic Carbon****Result****3.5****Qualifier**

|  | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|--|-----|------|------|---|----------|----------------|---------|
|  | 1.0 | 0.43 | mg/L |   |          | 10/25/20 02:29 | 1       |

**Prepared**

10/25/20 02:29

1

**Analyzed**

10/25/20 02:29

1

# Client Sample Results

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: Duplicate-101320**

**Lab Sample ID: 480-176470-14**

**Matrix: Water**

Date Collected: 10/13/20 09:06

Date Received: 10/13/20 16:40

## Method: 8260C - Volatile Organic Compounds by GC/MS

| Analyte                               | Result      | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------------|-------------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane                 | ND          |           | 1.0 | 0.82 | ug/L |   |          | 10/15/20 04:53 | 1       |
| 1,1,2,2-Tetrachloroethane             | ND          |           | 1.0 | 0.21 | ug/L |   |          | 10/15/20 04:53 | 1       |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND          |           | 1.0 | 0.31 | ug/L |   |          | 10/15/20 04:53 | 1       |
| 1,1,2-Trichloroethane                 | ND          |           | 1.0 | 0.23 | ug/L |   |          | 10/15/20 04:53 | 1       |
| <b>1,1-Dichloroethane</b>             | <b>0.66</b> | <b>J</b>  | 1.0 | 0.38 | ug/L |   |          | 10/15/20 04:53 | 1       |
| 1,1-Dichloroethene                    | ND          |           | 1.0 | 0.29 | ug/L |   |          | 10/15/20 04:53 | 1       |
| 1,2,4-Trichlorobenzene                | ND          |           | 1.0 | 0.41 | ug/L |   |          | 10/15/20 04:53 | 1       |
| 1,2-Dibromo-3-Chloropropane           | ND          |           | 1.0 | 0.39 | ug/L |   |          | 10/15/20 04:53 | 1       |
| 1,2-Dibromoethane                     | ND          |           | 1.0 | 0.73 | ug/L |   |          | 10/15/20 04:53 | 1       |
| 1,2-Dichlorobenzene                   | ND          |           | 1.0 | 0.79 | ug/L |   |          | 10/15/20 04:53 | 1       |
| 1,2-Dichloroethane                    | ND          |           | 1.0 | 0.21 | ug/L |   |          | 10/15/20 04:53 | 1       |
| 1,2-Dichloropropane                   | ND          |           | 1.0 | 0.72 | ug/L |   |          | 10/15/20 04:53 | 1       |
| 1,3-Dichlorobenzene                   | ND          |           | 1.0 | 0.78 | ug/L |   |          | 10/15/20 04:53 | 1       |
| 1,4-Dichlorobenzene                   | ND          |           | 1.0 | 0.84 | ug/L |   |          | 10/15/20 04:53 | 1       |
| 2-Butanone (MEK)                      | ND          |           | 10  | 1.3  | ug/L |   |          | 10/15/20 04:53 | 1       |
| 2-Hexanone                            | ND          |           | 5.0 | 1.2  | ug/L |   |          | 10/15/20 04:53 | 1       |
| 4-Methyl-2-pentanone (MIBK)           | ND          |           | 5.0 | 2.1  | ug/L |   |          | 10/15/20 04:53 | 1       |
| Acetone                               | ND          |           | 10  | 3.0  | ug/L |   |          | 10/15/20 04:53 | 1       |
| Benzene                               | ND          |           | 1.0 | 0.41 | ug/L |   |          | 10/15/20 04:53 | 1       |
| Bromodichloromethane                  | ND          |           | 1.0 | 0.39 | ug/L |   |          | 10/15/20 04:53 | 1       |
| Bromoform                             | ND          |           | 1.0 | 0.26 | ug/L |   |          | 10/15/20 04:53 | 1       |
| Bromomethane                          | ND          |           | 1.0 | 0.69 | ug/L |   |          | 10/15/20 04:53 | 1       |
| Carbon disulfide                      | ND          |           | 1.0 | 0.19 | ug/L |   |          | 10/15/20 04:53 | 1       |
| Carbon tetrachloride                  | ND          |           | 1.0 | 0.27 | ug/L |   |          | 10/15/20 04:53 | 1       |
| Chlorobenzene                         | ND          |           | 1.0 | 0.75 | ug/L |   |          | 10/15/20 04:53 | 1       |
| Chloroethane                          | ND          |           | 1.0 | 0.32 | ug/L |   |          | 10/15/20 04:53 | 1       |
| Chloroform                            | ND          |           | 1.0 | 0.34 | ug/L |   |          | 10/15/20 04:53 | 1       |
| Chloromethane                         | ND          |           | 1.0 | 0.35 | ug/L |   |          | 10/15/20 04:53 | 1       |
| <b>cis-1,2-Dichloroethene</b>         | <b>1.3</b>  |           | 1.0 | 0.81 | ug/L |   |          | 10/15/20 04:53 | 1       |
| cis-1,3-Dichloropropene               | ND          |           | 1.0 | 0.36 | ug/L |   |          | 10/15/20 04:53 | 1       |
| Cyclohexane                           | ND          |           | 1.0 | 0.18 | ug/L |   |          | 10/15/20 04:53 | 1       |
| Dibromochloromethane                  | ND          |           | 1.0 | 0.32 | ug/L |   |          | 10/15/20 04:53 | 1       |
| Dichlorodifluoromethane               | ND          |           | 1.0 | 0.68 | ug/L |   |          | 10/15/20 04:53 | 1       |
| Ethylbenzene                          | ND          |           | 1.0 | 0.74 | ug/L |   |          | 10/15/20 04:53 | 1       |
| Isopropylbenzene                      | ND          |           | 1.0 | 0.79 | ug/L |   |          | 10/15/20 04:53 | 1       |
| Methyl acetate                        | ND          |           | 2.5 | 1.3  | ug/L |   |          | 10/15/20 04:53 | 1       |
| Methyl tert-butyl ether               | ND          |           | 1.0 | 0.16 | ug/L |   |          | 10/15/20 04:53 | 1       |
| Methylcyclohexane                     | ND          |           | 1.0 | 0.16 | ug/L |   |          | 10/15/20 04:53 | 1       |
| Methylene Chloride                    | ND          |           | 1.0 | 0.44 | ug/L |   |          | 10/15/20 04:53 | 1       |
| Styrene                               | ND          |           | 1.0 | 0.73 | ug/L |   |          | 10/15/20 04:53 | 1       |
| Tetrachloroethene                     | ND          |           | 1.0 | 0.36 | ug/L |   |          | 10/15/20 04:53 | 1       |
| Toluene                               | ND          |           | 1.0 | 0.51 | ug/L |   |          | 10/15/20 04:53 | 1       |
| trans-1,2-Dichloroethene              | ND          |           | 1.0 | 0.90 | ug/L |   |          | 10/15/20 04:53 | 1       |
| trans-1,3-Dichloropropene             | ND          |           | 1.0 | 0.37 | ug/L |   |          | 10/15/20 04:53 | 1       |
| Trichloroethene                       | ND          |           | 1.0 | 0.46 | ug/L |   |          | 10/15/20 04:53 | 1       |
| Trichlorofluoromethane                | ND          |           | 1.0 | 0.88 | ug/L |   |          | 10/15/20 04:53 | 1       |
| <b>Vinyl chloride</b>                 | <b>1.5</b>  |           | 1.0 | 0.90 | ug/L |   |          | 10/15/20 04:53 | 1       |
| Xylenes, Total                        | ND          |           | 2.0 | 0.66 | ug/L |   |          | 10/15/20 04:53 | 1       |

Eurofins TestAmerica, Buffalo

# Client Sample Results

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: Duplicate-101320**

Date Collected: 10/13/20 09:06

Date Received: 10/13/20 16:40

**Lab Sample ID: 480-176470-14**

Matrix: Water

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 108       |           | 77 - 120 |          | 10/15/20 04:53 | 1       |
| 4-Bromofluorobenzene (Surr)  | 96        |           | 73 - 120 |          | 10/15/20 04:53 | 1       |
| Toluene-d8 (Surr)            | 95        |           | 80 - 120 |          | 10/15/20 04:53 | 1       |
| Dibromofluoromethane (Surr)  | 101       |           | 75 - 123 |          | 10/15/20 04:53 | 1       |

# Client Sample Results

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: Rinse Blank-101320**

**Lab Sample ID: 480-176470-15**

**Matrix: Water**

Date Collected: 10/13/20 15:35

Date Received: 10/13/20 16:40

## Method: 8260C - Volatile Organic Compounds by GC/MS

| Analyte                               | Result      | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------------|-------------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane                 | ND          |           | 1.0 | 0.82 | ug/L |   |          | 10/15/20 05:18 | 1       |
| 1,1,2,2-Tetrachloroethane             | ND          |           | 1.0 | 0.21 | ug/L |   |          | 10/15/20 05:18 | 1       |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND          |           | 1.0 | 0.31 | ug/L |   |          | 10/15/20 05:18 | 1       |
| 1,1,2-Trichloroethane                 | ND          |           | 1.0 | 0.23 | ug/L |   |          | 10/15/20 05:18 | 1       |
| 1,1-Dichloroethane                    | ND          |           | 1.0 | 0.38 | ug/L |   |          | 10/15/20 05:18 | 1       |
| 1,1-Dichloroethene                    | ND          |           | 1.0 | 0.29 | ug/L |   |          | 10/15/20 05:18 | 1       |
| 1,2,4-Trichlorobenzene                | ND          |           | 1.0 | 0.41 | ug/L |   |          | 10/15/20 05:18 | 1       |
| 1,2-Dibromo-3-Chloropropane           | ND          |           | 1.0 | 0.39 | ug/L |   |          | 10/15/20 05:18 | 1       |
| 1,2-Dibromoethane                     | ND          |           | 1.0 | 0.73 | ug/L |   |          | 10/15/20 05:18 | 1       |
| 1,2-Dichlorobenzene                   | ND          |           | 1.0 | 0.79 | ug/L |   |          | 10/15/20 05:18 | 1       |
| 1,2-Dichloroethane                    | ND          |           | 1.0 | 0.21 | ug/L |   |          | 10/15/20 05:18 | 1       |
| 1,2-Dichloropropane                   | ND          |           | 1.0 | 0.72 | ug/L |   |          | 10/15/20 05:18 | 1       |
| 1,3-Dichlorobenzene                   | ND          |           | 1.0 | 0.78 | ug/L |   |          | 10/15/20 05:18 | 1       |
| 1,4-Dichlorobenzene                   | ND          |           | 1.0 | 0.84 | ug/L |   |          | 10/15/20 05:18 | 1       |
| 2-Butanone (MEK)                      | ND          |           | 10  | 1.3  | ug/L |   |          | 10/15/20 05:18 | 1       |
| 2-Hexanone                            | ND          |           | 5.0 | 1.2  | ug/L |   |          | 10/15/20 05:18 | 1       |
| 4-Methyl-2-pentanone (MIBK)           | ND          |           | 5.0 | 2.1  | ug/L |   |          | 10/15/20 05:18 | 1       |
| Acetone                               | ND          |           | 10  | 3.0  | ug/L |   |          | 10/15/20 05:18 | 1       |
| Benzene                               | ND          |           | 1.0 | 0.41 | ug/L |   |          | 10/15/20 05:18 | 1       |
| Bromodichloromethane                  | ND          |           | 1.0 | 0.39 | ug/L |   |          | 10/15/20 05:18 | 1       |
| Bromoform                             | ND          |           | 1.0 | 0.26 | ug/L |   |          | 10/15/20 05:18 | 1       |
| Bromomethane                          | ND          |           | 1.0 | 0.69 | ug/L |   |          | 10/15/20 05:18 | 1       |
| Carbon disulfide                      | ND          |           | 1.0 | 0.19 | ug/L |   |          | 10/15/20 05:18 | 1       |
| Carbon tetrachloride                  | ND          |           | 1.0 | 0.27 | ug/L |   |          | 10/15/20 05:18 | 1       |
| Chlorobenzene                         | ND          |           | 1.0 | 0.75 | ug/L |   |          | 10/15/20 05:18 | 1       |
| Chloroethane                          | ND          |           | 1.0 | 0.32 | ug/L |   |          | 10/15/20 05:18 | 1       |
| Chloroform                            | ND          |           | 1.0 | 0.34 | ug/L |   |          | 10/15/20 05:18 | 1       |
| Chloromethane                         | ND          |           | 1.0 | 0.35 | ug/L |   |          | 10/15/20 05:18 | 1       |
| cis-1,2-Dichloroethene                | ND          |           | 1.0 | 0.81 | ug/L |   |          | 10/15/20 05:18 | 1       |
| cis-1,3-Dichloropropene               | ND          |           | 1.0 | 0.36 | ug/L |   |          | 10/15/20 05:18 | 1       |
| Cyclohexane                           | ND          |           | 1.0 | 0.18 | ug/L |   |          | 10/15/20 05:18 | 1       |
| Dibromochloromethane                  | ND          |           | 1.0 | 0.32 | ug/L |   |          | 10/15/20 05:18 | 1       |
| Dichlorodifluoromethane               | ND          |           | 1.0 | 0.68 | ug/L |   |          | 10/15/20 05:18 | 1       |
| Ethylbenzene                          | ND          |           | 1.0 | 0.74 | ug/L |   |          | 10/15/20 05:18 | 1       |
| Isopropylbenzene                      | ND          |           | 1.0 | 0.79 | ug/L |   |          | 10/15/20 05:18 | 1       |
| Methyl acetate                        | ND          |           | 2.5 | 1.3  | ug/L |   |          | 10/15/20 05:18 | 1       |
| Methyl tert-butyl ether               | ND          |           | 1.0 | 0.16 | ug/L |   |          | 10/15/20 05:18 | 1       |
| Methylcyclohexane                     | ND          |           | 1.0 | 0.16 | ug/L |   |          | 10/15/20 05:18 | 1       |
| <b>Methylene Chloride</b>             | <b>0.48</b> | <b>J</b>  | 1.0 | 0.44 | ug/L |   |          | 10/15/20 05:18 | 1       |
| Styrene                               | ND          |           | 1.0 | 0.73 | ug/L |   |          | 10/15/20 05:18 | 1       |
| Tetrachloroethene                     | ND          |           | 1.0 | 0.36 | ug/L |   |          | 10/15/20 05:18 | 1       |
| Toluene                               | ND          |           | 1.0 | 0.51 | ug/L |   |          | 10/15/20 05:18 | 1       |
| trans-1,2-Dichloroethene              | ND          |           | 1.0 | 0.90 | ug/L |   |          | 10/15/20 05:18 | 1       |
| trans-1,3-Dichloropropene             | ND          |           | 1.0 | 0.37 | ug/L |   |          | 10/15/20 05:18 | 1       |
| Trichloroethene                       | ND          |           | 1.0 | 0.46 | ug/L |   |          | 10/15/20 05:18 | 1       |
| Trichlorofluoromethane                | ND          |           | 1.0 | 0.88 | ug/L |   |          | 10/15/20 05:18 | 1       |
| Vinyl chloride                        | ND          |           | 1.0 | 0.90 | ug/L |   |          | 10/15/20 05:18 | 1       |
| Xylenes, Total                        | ND          |           | 2.0 | 0.66 | ug/L |   |          | 10/15/20 05:18 | 1       |

Eurofins TestAmerica, Buffalo

# Client Sample Results

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: Rinse Blank-101320**

**Lab Sample ID: 480-176470-15**

**Matrix: Water**

Date Collected: 10/13/20 15:35

Date Received: 10/13/20 16:40

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 114       |           | 77 - 120 |          | 10/15/20 05:18 | 1       |
| 4-Bromofluorobenzene (Surr)  | 115       |           | 73 - 120 |          | 10/15/20 05:18 | 1       |
| Toluene-d8 (Surr)            | 102       |           | 80 - 120 |          | 10/15/20 05:18 | 1       |
| Dibromofluoromethane (Surr)  | 104       |           | 75 - 123 |          | 10/15/20 05:18 | 1       |

# Client Sample Results

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: Trip Blank-101220**

Date Collected: 10/12/20 07:00

Date Received: 10/13/20 16:40

**Lab Sample ID: 480-176470-16**

Matrix: Water

## Method: 8260C - Volatile Organic Compounds by GC/MS

| Analyte                               | Result | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane                 | ND     |           | 1.0 | 0.82 | ug/L |   |          | 10/15/20 18:07 | 1       |
| 1,1,2,2-Tetrachloroethane             | ND     |           | 1.0 | 0.21 | ug/L |   |          | 10/15/20 18:07 | 1       |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND     |           | 1.0 | 0.31 | ug/L |   |          | 10/15/20 18:07 | 1       |
| 1,1,2-Trichloroethane                 | ND     |           | 1.0 | 0.23 | ug/L |   |          | 10/15/20 18:07 | 1       |
| 1,1-Dichloroethane                    | ND     |           | 1.0 | 0.38 | ug/L |   |          | 10/15/20 18:07 | 1       |
| 1,1-Dichloroethene                    | ND     |           | 1.0 | 0.29 | ug/L |   |          | 10/15/20 18:07 | 1       |
| 1,2,4-Trichlorobenzene                | ND     |           | 1.0 | 0.41 | ug/L |   |          | 10/15/20 18:07 | 1       |
| 1,2-Dibromo-3-Chloropropane           | ND     |           | 1.0 | 0.39 | ug/L |   |          | 10/15/20 18:07 | 1       |
| 1,2-Dibromoethane                     | ND     |           | 1.0 | 0.73 | ug/L |   |          | 10/15/20 18:07 | 1       |
| 1,2-Dichlorobenzene                   | ND     |           | 1.0 | 0.79 | ug/L |   |          | 10/15/20 18:07 | 1       |
| 1,2-Dichloroethane                    | ND     |           | 1.0 | 0.21 | ug/L |   |          | 10/15/20 18:07 | 1       |
| 1,2-Dichloropropane                   | ND     |           | 1.0 | 0.72 | ug/L |   |          | 10/15/20 18:07 | 1       |
| 1,3-Dichlorobenzene                   | ND     |           | 1.0 | 0.78 | ug/L |   |          | 10/15/20 18:07 | 1       |
| 1,4-Dichlorobenzene                   | ND     |           | 1.0 | 0.84 | ug/L |   |          | 10/15/20 18:07 | 1       |
| 2-Butanone (MEK)                      | ND     |           | 10  | 1.3  | ug/L |   |          | 10/15/20 18:07 | 1       |
| 2-Hexanone                            | ND     |           | 5.0 | 1.2  | ug/L |   |          | 10/15/20 18:07 | 1       |
| 4-Methyl-2-pentanone (MIBK)           | ND     |           | 5.0 | 2.1  | ug/L |   |          | 10/15/20 18:07 | 1       |
| Acetone                               | ND     |           | 10  | 3.0  | ug/L |   |          | 10/15/20 18:07 | 1       |
| Benzene                               | ND     |           | 1.0 | 0.41 | ug/L |   |          | 10/15/20 18:07 | 1       |
| Bromodichloromethane                  | ND     |           | 1.0 | 0.39 | ug/L |   |          | 10/15/20 18:07 | 1       |
| Bromoform                             | ND     |           | 1.0 | 0.26 | ug/L |   |          | 10/15/20 18:07 | 1       |
| Bromomethane                          | ND     |           | 1.0 | 0.69 | ug/L |   |          | 10/15/20 18:07 | 1       |
| Carbon disulfide                      | ND     |           | 1.0 | 0.19 | ug/L |   |          | 10/15/20 18:07 | 1       |
| Carbon tetrachloride                  | ND     |           | 1.0 | 0.27 | ug/L |   |          | 10/15/20 18:07 | 1       |
| Chlorobenzene                         | ND     |           | 1.0 | 0.75 | ug/L |   |          | 10/15/20 18:07 | 1       |
| Chloroethane                          | ND     |           | 1.0 | 0.32 | ug/L |   |          | 10/15/20 18:07 | 1       |
| Chloroform                            | ND     |           | 1.0 | 0.34 | ug/L |   |          | 10/15/20 18:07 | 1       |
| Chloromethane                         | ND     |           | 1.0 | 0.35 | ug/L |   |          | 10/15/20 18:07 | 1       |
| cis-1,2-Dichloroethene                | ND     |           | 1.0 | 0.81 | ug/L |   |          | 10/15/20 18:07 | 1       |
| cis-1,3-Dichloropropene               | ND     |           | 1.0 | 0.36 | ug/L |   |          | 10/15/20 18:07 | 1       |
| Cyclohexane                           | ND     |           | 1.0 | 0.18 | ug/L |   |          | 10/15/20 18:07 | 1       |
| Dibromochloromethane                  | ND     |           | 1.0 | 0.32 | ug/L |   |          | 10/15/20 18:07 | 1       |
| Dichlorodifluoromethane               | ND     |           | 1.0 | 0.68 | ug/L |   |          | 10/15/20 18:07 | 1       |
| Ethylbenzene                          | ND     |           | 1.0 | 0.74 | ug/L |   |          | 10/15/20 18:07 | 1       |
| Isopropylbenzene                      | ND     |           | 1.0 | 0.79 | ug/L |   |          | 10/15/20 18:07 | 1       |
| Methyl acetate                        | ND     |           | 2.5 | 1.3  | ug/L |   |          | 10/15/20 18:07 | 1       |
| Methyl tert-butyl ether               | ND     |           | 1.0 | 0.16 | ug/L |   |          | 10/15/20 18:07 | 1       |
| Methylcyclohexane                     | ND     |           | 1.0 | 0.16 | ug/L |   |          | 10/15/20 18:07 | 1       |
| Methylene Chloride                    | ND     |           | 1.0 | 0.44 | ug/L |   |          | 10/15/20 18:07 | 1       |
| Styrene                               | ND     |           | 1.0 | 0.73 | ug/L |   |          | 10/15/20 18:07 | 1       |
| Tetrachloroethene                     | ND     |           | 1.0 | 0.36 | ug/L |   |          | 10/15/20 18:07 | 1       |
| Toluene                               | ND     |           | 1.0 | 0.51 | ug/L |   |          | 10/15/20 18:07 | 1       |
| trans-1,2-Dichloroethene              | ND     |           | 1.0 | 0.90 | ug/L |   |          | 10/15/20 18:07 | 1       |
| trans-1,3-Dichloropropene             | ND     |           | 1.0 | 0.37 | ug/L |   |          | 10/15/20 18:07 | 1       |
| Trichloroethene                       | ND     |           | 1.0 | 0.46 | ug/L |   |          | 10/15/20 18:07 | 1       |
| Trichlorofluoromethane                | ND     |           | 1.0 | 0.88 | ug/L |   |          | 10/15/20 18:07 | 1       |
| Vinyl chloride                        | ND     |           | 1.0 | 0.90 | ug/L |   |          | 10/15/20 18:07 | 1       |
| Xylenes, Total                        | ND     |           | 2.0 | 0.66 | ug/L |   |          | 10/15/20 18:07 | 1       |

Eurofins TestAmerica, Buffalo

# Client Sample Results

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: Trip Blank-101220**

Date Collected: 10/12/20 07:00

Date Received: 10/13/20 16:40

**Lab Sample ID: 480-176470-16**

Matrix: Water

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 101       |           | 77 - 120 |          | 10/15/20 18:07 | 1       |
| 4-Bromofluorobenzene (Surr)  | 102       |           | 73 - 120 |          | 10/15/20 18:07 | 1       |
| Toluene-d8 (Surr)            | 102       |           | 80 - 120 |          | 10/15/20 18:07 | 1       |
| Dibromofluoromethane (Surr)  | 100       |           | 75 - 123 |          | 10/15/20 18:07 | 1       |

# Client Sample Results

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: MW-4**

Date Collected: 10/14/20 11:58

Date Received: 10/14/20 15:45

**Lab Sample ID: 480-176566-1**

Matrix: Ground Water

## Method: 8260C - Volatile Organic Compounds by GC/MS

| Analyte                               | Result      | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------------|-------------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane                 | ND          |           | 4.0 | 3.3  | ug/L |   |          | 10/17/20 02:58 | 4       |
| 1,1,2,2-Tetrachloroethane             | ND          |           | 4.0 | 0.84 | ug/L |   |          | 10/17/20 02:58 | 4       |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND          |           | 4.0 | 1.2  | ug/L |   |          | 10/17/20 02:58 | 4       |
| 1,1,2-Trichloroethane                 | ND          |           | 4.0 | 0.92 | ug/L |   |          | 10/17/20 02:58 | 4       |
| 1,1-Dichloroethane                    | ND          |           | 4.0 | 1.5  | ug/L |   |          | 10/17/20 02:58 | 4       |
| 1,1-Dichloroethene                    | ND          |           | 4.0 | 1.2  | ug/L |   |          | 10/17/20 02:58 | 4       |
| 1,2,4-Trichlorobenzene                | ND          |           | 4.0 | 1.6  | ug/L |   |          | 10/17/20 02:58 | 4       |
| 1,2-Dibromo-3-Chloropropane           | ND          |           | 4.0 | 1.6  | ug/L |   |          | 10/17/20 02:58 | 4       |
| 1,2-Dibromoethane                     | ND          |           | 4.0 | 2.9  | ug/L |   |          | 10/17/20 02:58 | 4       |
| 1,2-Dichlorobenzene                   | ND          |           | 4.0 | 3.2  | ug/L |   |          | 10/17/20 02:58 | 4       |
| 1,2-Dichloroethane                    | ND          |           | 4.0 | 0.84 | ug/L |   |          | 10/17/20 02:58 | 4       |
| 1,2-Dichloropropane                   | ND          |           | 4.0 | 2.9  | ug/L |   |          | 10/17/20 02:58 | 4       |
| 1,3-Dichlorobenzene                   | ND          |           | 4.0 | 3.1  | ug/L |   |          | 10/17/20 02:58 | 4       |
| 1,4-Dichlorobenzene                   | ND          |           | 4.0 | 3.4  | ug/L |   |          | 10/17/20 02:58 | 4       |
| 2-Butanone (MEK)                      | ND          |           | 40  | 5.3  | ug/L |   |          | 10/17/20 02:58 | 4       |
| <b>2-Hexanone</b>                     | <b>10 J</b> |           | 20  | 5.0  | ug/L |   |          | 10/17/20 02:58 | 4       |
| 4-Methyl-2-pentanone (MIBK)           | ND          |           | 20  | 8.4  | ug/L |   |          | 10/17/20 02:58 | 4       |
| <b>Acetone</b>                        | <b>20 J</b> |           | 40  | 12   | ug/L |   |          | 10/17/20 02:58 | 4       |
| Benzene                               | ND          |           | 4.0 | 1.6  | ug/L |   |          | 10/17/20 02:58 | 4       |
| Bromodichloromethane                  | ND          |           | 4.0 | 1.6  | ug/L |   |          | 10/17/20 02:58 | 4       |
| Bromoform                             | ND          |           | 4.0 | 1.0  | ug/L |   |          | 10/17/20 02:58 | 4       |
| Bromomethane                          | ND          |           | 4.0 | 2.8  | ug/L |   |          | 10/17/20 02:58 | 4       |
| Carbon disulfide                      | ND          |           | 4.0 | 0.76 | ug/L |   |          | 10/17/20 02:58 | 4       |
| Carbon tetrachloride                  | ND          |           | 4.0 | 1.1  | ug/L |   |          | 10/17/20 02:58 | 4       |
| Chlorobenzene                         | ND          |           | 4.0 | 3.0  | ug/L |   |          | 10/17/20 02:58 | 4       |
| <b>Chloroethane</b>                   | <b>73</b>   |           | 4.0 | 1.3  | ug/L |   |          | 10/17/20 02:58 | 4       |
| Chloroform                            | ND          |           | 4.0 | 1.4  | ug/L |   |          | 10/17/20 02:58 | 4       |
| Chloromethane                         | ND          |           | 4.0 | 1.4  | ug/L |   |          | 10/17/20 02:58 | 4       |
| cis-1,2-Dichloroethene                | ND          |           | 4.0 | 3.2  | ug/L |   |          | 10/17/20 02:58 | 4       |
| cis-1,3-Dichloropropene               | ND          |           | 4.0 | 1.4  | ug/L |   |          | 10/17/20 02:58 | 4       |
| Cyclohexane                           | ND          |           | 4.0 | 0.72 | ug/L |   |          | 10/17/20 02:58 | 4       |
| Dibromochloromethane                  | ND          |           | 4.0 | 1.3  | ug/L |   |          | 10/17/20 02:58 | 4       |
| Dichlorodifluoromethane               | ND          |           | 4.0 | 2.7  | ug/L |   |          | 10/17/20 02:58 | 4       |
| Ethylbenzene                          | ND          |           | 4.0 | 3.0  | ug/L |   |          | 10/17/20 02:58 | 4       |
| Isopropylbenzene                      | ND          |           | 4.0 | 3.2  | ug/L |   |          | 10/17/20 02:58 | 4       |
| Methyl acetate                        | ND          |           | 10  | 5.2  | ug/L |   |          | 10/17/20 02:58 | 4       |
| Methyl tert-butyl ether               | ND          |           | 4.0 | 0.64 | ug/L |   |          | 10/17/20 02:58 | 4       |
| Methylcyclohexane                     | ND          |           | 4.0 | 0.64 | ug/L |   |          | 10/17/20 02:58 | 4       |
| Methylene Chloride                    | ND          |           | 4.0 | 1.8  | ug/L |   |          | 10/17/20 02:58 | 4       |
| Styrene                               | ND          |           | 4.0 | 2.9  | ug/L |   |          | 10/17/20 02:58 | 4       |
| Tetrachloroethene                     | ND          |           | 4.0 | 1.4  | ug/L |   |          | 10/17/20 02:58 | 4       |
| <b>Toluene</b>                        | <b>4.2</b>  |           | 4.0 | 2.0  | ug/L |   |          | 10/17/20 02:58 | 4       |
| trans-1,2-Dichloroethene              | ND          |           | 4.0 | 3.6  | ug/L |   |          | 10/17/20 02:58 | 4       |
| trans-1,3-Dichloropropene             | ND          |           | 4.0 | 1.5  | ug/L |   |          | 10/17/20 02:58 | 4       |
| Trichloroethene                       | ND          |           | 4.0 | 1.8  | ug/L |   |          | 10/17/20 02:58 | 4       |
| Trichlorofluoromethane                | ND          |           | 4.0 | 3.5  | ug/L |   |          | 10/17/20 02:58 | 4       |
| Vinyl chloride                        | ND          |           | 4.0 | 3.6  | ug/L |   |          | 10/17/20 02:58 | 4       |
| Xylenes, Total                        | ND          |           | 8.0 | 2.6  | ug/L |   |          | 10/17/20 02:58 | 4       |

Eurofins TestAmerica, Buffalo

# Client Sample Results

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: MW-4**

Date Collected: 10/14/20 11:58

Date Received: 10/14/20 15:45

**Lab Sample ID: 480-176566-1**

Matrix: Ground Water

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 103       |           | 77 - 120 |          | 10/17/20 02:58 | 4       |
| 4-Bromofluorobenzene (Surr)  | 98        |           | 73 - 120 |          | 10/17/20 02:58 | 4       |
| Toluene-d8 (Surr)            | 102       |           | 80 - 120 |          | 10/17/20 02:58 | 4       |
| Dibromofluoromethane (Surr)  | 103       |           | 75 - 123 |          | 10/17/20 02:58 | 4       |

**Method: RSK-175 - Dissolved Gases (GC)**

| Analyte        | Result | Qualifier | RL   | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|----------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| Carbon dioxide | 70000  |           | 5000 | 4000 | ug/L |   |          | 10/20/20 21:56 | 1       |
| Ethane         | 230    | J         | 660  | 130  | ug/L |   |          | 10/16/20 11:58 | 88      |
| Ethene         | 400    | J         | 620  | 130  | ug/L |   |          | 10/16/20 11:58 | 88      |
| Methane        | 13000  |           | 350  | 88   | ug/L |   |          | 10/16/20 11:58 | 88      |

**Method: 200.7 Rev 4.4 - Metals (ICP)**

| Analyte | Result | Qualifier | RL    | MDL   | Unit | D | Prepared       | Analyzed       | Dil Fac |
|---------|--------|-----------|-------|-------|------|---|----------------|----------------|---------|
| Iron    | 48.1   |           | 0.050 | 0.019 | mg/L |   | 10/20/20 10:03 | 10/21/20 15:38 | 1       |

**Method: 200.7 Rev 4.4 - Metals (ICP) - Dissolved**

| Analyte | Result | Qualifier | RL    | MDL   | Unit | D | Prepared       | Analyzed       | Dil Fac |
|---------|--------|-----------|-------|-------|------|---|----------------|----------------|---------|
| Iron    | 2.4    |           | 0.050 | 0.019 | mg/L |   | 10/23/20 08:13 | 10/23/20 23:59 | 1       |

**Method: 6010C - Metals (ICP)**

| Analyte   | Result | Qualifier | RL     | MDL     | Unit | D | Prepared       | Analyzed       | Dil Fac |
|-----------|--------|-----------|--------|---------|------|---|----------------|----------------|---------|
| Manganese | 0.086  |           | 0.0030 | 0.00040 | mg/L |   | 10/19/20 09:38 | 10/20/20 01:33 | 1       |

**Method: 6010C - Metals (ICP) - Dissolved**

| Analyte   | Result | Qualifier | RL     | MDL     | Unit | D | Prepared       | Analyzed       | Dil Fac |
|-----------|--------|-----------|--------|---------|------|---|----------------|----------------|---------|
| Manganese | 0.023  |           | 0.0030 | 0.00040 | mg/L |   | 10/23/20 08:20 | 10/24/20 11:41 | 1       |

**General Chemistry**

| Analyte              | Result | Qualifier | RL    | MDL    | Unit | D | Prepared | Analyzed       | Dil Fac |
|----------------------|--------|-----------|-------|--------|------|---|----------|----------------|---------|
| Chloride             | 556    |           | 5.0   | 2.8    | mg/L |   |          | 10/23/20 16:26 | 10      |
| Sulfate              | ND     |           | 20.0  | 3.5    | mg/L |   |          | 10/23/20 16:26 | 10      |
| Alkalinity, Total    | 1080   |           | 110   | 44.0   | mg/L |   |          | 10/19/20 23:35 | 11      |
| Ammonia              | 0.12   |           | 0.020 | 0.0090 | mg/L |   |          | 10/16/20 10:42 | 1       |
| Nitrate as N         | 0.020  | J         | 0.050 | 0.020  | mg/L |   |          | 10/15/20 16:59 | 1       |
| Nitrite as N         | ND     |           | 0.050 | 0.020  | mg/L |   |          | 10/15/20 16:59 | 1       |
| Total Organic Carbon | 72.2   |           | 1.0   | 0.43   | mg/L |   |          | 10/31/20 07:21 | 1       |
| Ferric Iron          | 47.8   |           | 0.10  | 0.075  | mg/L |   |          | 10/26/20 18:11 | 1       |
| Ferrous Iron         | 0.35   | HF        | 0.10  | 0.075  | mg/L |   |          | 10/15/20 16:30 | 1       |
| Sulfide              | 1.6    |           | 1.0   | 0.67   | mg/L |   |          | 10/20/20 11:00 | 1       |

Eurofins TestAmerica, Buffalo

# Client Sample Results

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: MW-8R**

Date Collected: 10/14/20 13:26

Date Received: 10/14/20 15:45

**Lab Sample ID: 480-176566-2**

Matrix: Ground Water

## Method: 8260C - Volatile Organic Compounds by GC/MS

| Analyte                               | Result     | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------------|------------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane                 | ND         |           | 2.0 | 1.6  | ug/L |   |          | 10/17/20 12:05 | 2       |
| 1,1,2,2-Tetrachloroethane             | ND         |           | 2.0 | 0.42 | ug/L |   |          | 10/17/20 12:05 | 2       |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND         |           | 2.0 | 0.62 | ug/L |   |          | 10/17/20 12:05 | 2       |
| 1,1,2-Trichloroethane                 | ND         |           | 2.0 | 0.46 | ug/L |   |          | 10/17/20 12:05 | 2       |
| <b>1,1-Dichloroethane</b>             | <b>1.9</b> | <b>J</b>  | 2.0 | 0.76 | ug/L |   |          | 10/17/20 12:05 | 2       |
| 1,1-Dichloroethene                    | ND         |           | 2.0 | 0.58 | ug/L |   |          | 10/17/20 12:05 | 2       |
| 1,2,4-Trichlorobenzene                | ND         |           | 2.0 | 0.82 | ug/L |   |          | 10/17/20 12:05 | 2       |
| 1,2-Dibromo-3-Chloropropane           | ND         |           | 2.0 | 0.78 | ug/L |   |          | 10/17/20 12:05 | 2       |
| 1,2-Dibromoethane                     | ND         |           | 2.0 | 1.5  | ug/L |   |          | 10/17/20 12:05 | 2       |
| 1,2-Dichlorobenzene                   | ND         |           | 2.0 | 1.6  | ug/L |   |          | 10/17/20 12:05 | 2       |
| 1,2-Dichloroethane                    | ND         |           | 2.0 | 0.42 | ug/L |   |          | 10/17/20 12:05 | 2       |
| 1,2-Dichloropropane                   | ND         |           | 2.0 | 1.4  | ug/L |   |          | 10/17/20 12:05 | 2       |
| 1,3-Dichlorobenzene                   | ND         |           | 2.0 | 1.6  | ug/L |   |          | 10/17/20 12:05 | 2       |
| 1,4-Dichlorobenzene                   | ND         |           | 2.0 | 1.7  | ug/L |   |          | 10/17/20 12:05 | 2       |
| 2-Butanone (MEK)                      | ND         |           | 20  | 2.6  | ug/L |   |          | 10/17/20 12:05 | 2       |
| 2-Hexanone                            | ND         |           | 10  | 2.5  | ug/L |   |          | 10/17/20 12:05 | 2       |
| 4-Methyl-2-pentanone (MIBK)           | ND         |           | 10  | 4.2  | ug/L |   |          | 10/17/20 12:05 | 2       |
| <b>Acetone</b>                        | <b>13</b>  | <b>J</b>  | 20  | 6.0  | ug/L |   |          | 10/17/20 12:05 | 2       |
| Benzene                               | ND         |           | 2.0 | 0.82 | ug/L |   |          | 10/17/20 12:05 | 2       |
| Bromodichloromethane                  | ND         |           | 2.0 | 0.78 | ug/L |   |          | 10/17/20 12:05 | 2       |
| Bromoform                             | ND         |           | 2.0 | 0.52 | ug/L |   |          | 10/17/20 12:05 | 2       |
| Bromomethane                          | ND         |           | 2.0 | 1.4  | ug/L |   |          | 10/17/20 12:05 | 2       |
| Carbon disulfide                      | ND         |           | 2.0 | 0.38 | ug/L |   |          | 10/17/20 12:05 | 2       |
| Carbon tetrachloride                  | ND         |           | 2.0 | 0.54 | ug/L |   |          | 10/17/20 12:05 | 2       |
| Chlorobenzene                         | ND         |           | 2.0 | 1.5  | ug/L |   |          | 10/17/20 12:05 | 2       |
| <b>Chloroethane</b>                   | <b>18</b>  |           | 2.0 | 0.64 | ug/L |   |          | 10/17/20 12:05 | 2       |
| Chloroform                            | ND         |           | 2.0 | 0.68 | ug/L |   |          | 10/17/20 12:05 | 2       |
| Chloromethane                         | ND         |           | 2.0 | 0.70 | ug/L |   |          | 10/17/20 12:05 | 2       |
| <b>cis-1,2-Dichloroethene</b>         | <b>170</b> |           | 2.0 | 1.6  | ug/L |   |          | 10/17/20 12:05 | 2       |
| cis-1,3-Dichloropropene               | ND         |           | 2.0 | 0.72 | ug/L |   |          | 10/17/20 12:05 | 2       |
| Cyclohexane                           | ND         |           | 2.0 | 0.36 | ug/L |   |          | 10/17/20 12:05 | 2       |
| Dibromochloromethane                  | ND         |           | 2.0 | 0.64 | ug/L |   |          | 10/17/20 12:05 | 2       |
| Dichlorodifluoromethane               | ND         |           | 2.0 | 1.4  | ug/L |   |          | 10/17/20 12:05 | 2       |
| Ethylbenzene                          | ND         |           | 2.0 | 1.5  | ug/L |   |          | 10/17/20 12:05 | 2       |
| Isopropylbenzene                      | ND         |           | 2.0 | 1.6  | ug/L |   |          | 10/17/20 12:05 | 2       |
| Methyl acetate                        | ND         |           | 5.0 | 2.6  | ug/L |   |          | 10/17/20 12:05 | 2       |
| Methyl tert-butyl ether               | ND         |           | 2.0 | 0.32 | ug/L |   |          | 10/17/20 12:05 | 2       |
| Methylcyclohexane                     | ND         |           | 2.0 | 0.32 | ug/L |   |          | 10/17/20 12:05 | 2       |
| Methylene Chloride                    | ND         |           | 2.0 | 0.88 | ug/L |   |          | 10/17/20 12:05 | 2       |
| Styrene                               | ND         |           | 2.0 | 1.5  | ug/L |   |          | 10/17/20 12:05 | 2       |
| Tetrachloroethene                     | ND         |           | 2.0 | 0.72 | ug/L |   |          | 10/17/20 12:05 | 2       |
| <b>Toluene</b>                        | <b>12</b>  |           | 2.0 | 1.0  | ug/L |   |          | 10/17/20 12:05 | 2       |
| trans-1,2-Dichloroethene              | ND         |           | 2.0 | 1.8  | ug/L |   |          | 10/17/20 12:05 | 2       |
| trans-1,3-Dichloropropene             | ND         |           | 2.0 | 0.74 | ug/L |   |          | 10/17/20 12:05 | 2       |
| Trichloroethene                       | ND         |           | 2.0 | 0.92 | ug/L |   |          | 10/17/20 12:05 | 2       |
| Trichlorofluoromethane                | ND         |           | 2.0 | 1.8  | ug/L |   |          | 10/17/20 12:05 | 2       |
| <b>Vinyl chloride</b>                 | <b>82</b>  |           | 2.0 | 1.8  | ug/L |   |          | 10/17/20 12:05 | 2       |
| Xylenes, Total                        | ND         |           | 4.0 | 1.3  | ug/L |   |          | 10/17/20 12:05 | 2       |

Eurofins TestAmerica, Buffalo

# Client Sample Results

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: MW-8R**

Date Collected: 10/14/20 13:26

Date Received: 10/14/20 15:45

**Lab Sample ID: 480-176566-2**

Matrix: Ground Water

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 97        |           | 77 - 120 |          | 10/17/20 12:05 | 2       |
| 4-Bromofluorobenzene (Surr)  | 100       |           | 73 - 120 |          | 10/17/20 12:05 | 2       |
| Toluene-d8 (Surr)            | 103       |           | 80 - 120 |          | 10/17/20 12:05 | 2       |
| Dibromofluoromethane (Surr)  | 99        |           | 75 - 123 |          | 10/17/20 12:05 | 2       |

**Method: RSK-175 - Dissolved Gases (GC)**

| Analyte        | Result | Qualifier | RL   | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|----------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| Carbon dioxide | 50000  |           | 5000 | 4000 | ug/L |   |          | 10/20/20 22:05 | 1       |
| Ethane         | ND     |           | 1700 | 330  | ug/L |   |          | 10/16/20 12:17 | 220     |
| Ethene         | ND     |           | 1500 | 330  | ug/L |   |          | 10/16/20 12:17 | 220     |
| Methane        | 12000  |           | 880  | 220  | ug/L |   |          | 10/16/20 12:17 | 220     |

**Method: 200.7 Rev 4.4 - Metals (ICP)**

| Analyte | Result | Qualifier | RL    | MDL   | Unit | D | Prepared       | Analyzed       | Dil Fac |
|---------|--------|-----------|-------|-------|------|---|----------------|----------------|---------|
| Iron    | 61.5   |           | 0.050 | 0.019 | mg/L |   | 10/20/20 10:03 | 10/21/20 15:42 | 1       |

**Method: 200.7 Rev 4.4 - Metals (ICP) - Dissolved**

| Analyte | Result | Qualifier | RL    | MDL   | Unit | D | Prepared       | Analyzed       | Dil Fac |
|---------|--------|-----------|-------|-------|------|---|----------------|----------------|---------|
| Iron    | 1.1    |           | 0.050 | 0.019 | mg/L |   | 10/23/20 08:13 | 10/24/20 00:03 | 1       |

**Method: 6010C - Metals (ICP)**

| Analyte   | Result | Qualifier | RL     | MDL     | Unit | D | Prepared       | Analyzed       | Dil Fac |
|-----------|--------|-----------|--------|---------|------|---|----------------|----------------|---------|
| Manganese | 0.16   |           | 0.0030 | 0.00040 | mg/L |   | 10/19/20 09:38 | 10/20/20 01:37 | 1       |

**Method: 6010C - Metals (ICP) - Dissolved**

| Analyte   | Result | Qualifier | RL     | MDL     | Unit | D | Prepared       | Analyzed       | Dil Fac |
|-----------|--------|-----------|--------|---------|------|---|----------------|----------------|---------|
| Manganese | 0.017  |           | 0.0030 | 0.00040 | mg/L |   | 10/23/20 08:20 | 10/24/20 11:45 | 1       |

**General Chemistry**

| Analyte              | Result | Qualifier | RL    | MDL    | Unit | D | Prepared | Analyzed       | Dil Fac |
|----------------------|--------|-----------|-------|--------|------|---|----------|----------------|---------|
| Chloride             | 348    |           | 5.0   | 2.8    | mg/L |   |          | 10/23/20 16:41 | 10      |
| Sulfate              | ND     |           | 20.0  | 3.5    | mg/L |   |          | 10/23/20 16:41 | 10      |
| Alkalinity, Total    | 535    |           | 60.0  | 24.0   | mg/L |   |          | 10/19/20 23:36 | 6       |
| Ammonia              | 0.18   |           | 0.020 | 0.0090 | mg/L |   |          | 10/16/20 10:43 | 1       |
| Nitrate as N         | ND     |           | 0.050 | 0.020  | mg/L |   |          | 10/15/20 17:00 | 1       |
| Nitrite as N         | ND     |           | 0.050 | 0.020  | mg/L |   |          | 10/15/20 17:00 | 1       |
| Total Organic Carbon | 58.8   |           | 4.0   | 1.7    | mg/L |   |          | 10/25/20 07:36 | 4       |
| Ferric Iron          | 61.5   |           | 0.10  | 0.075  | mg/L |   |          | 10/26/20 18:11 | 1       |
| Ferrous Iron         | ND HF  |           | 1.0   | 0.75   | mg/L |   |          | 10/15/20 16:30 | 10      |
| Sulfide              | 0.80 J |           | 1.0   | 0.67   | mg/L |   |          | 10/20/20 11:00 | 1       |

Eurofins TestAmerica, Buffalo

# Client Sample Results

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: MW-2**

Date Collected: 10/14/20 11:02

Date Received: 10/14/20 15:45

**Lab Sample ID: 480-176566-3**

Matrix: Ground Water

## Method: 8260C - Volatile Organic Compounds by GC/MS

| Analyte                               | Result | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane                 | ND     |           | 2.0 | 1.6  | ug/L |   |          | 10/17/20 03:45 | 2       |
| 1,1,2,2-Tetrachloroethane             | ND     |           | 2.0 | 0.42 | ug/L |   |          | 10/17/20 03:45 | 2       |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND     |           | 2.0 | 0.62 | ug/L |   |          | 10/17/20 03:45 | 2       |
| 1,1,2-Trichloroethane                 | ND     |           | 2.0 | 0.46 | ug/L |   |          | 10/17/20 03:45 | 2       |
| 1,1-Dichloroethane                    | ND     |           | 2.0 | 0.76 | ug/L |   |          | 10/17/20 03:45 | 2       |
| 1,1-Dichloroethene                    | ND     |           | 2.0 | 0.58 | ug/L |   |          | 10/17/20 03:45 | 2       |
| 1,2,4-Trichlorobenzene                | ND     |           | 2.0 | 0.82 | ug/L |   |          | 10/17/20 03:45 | 2       |
| 1,2-Dibromo-3-Chloropropane           | ND     |           | 2.0 | 0.78 | ug/L |   |          | 10/17/20 03:45 | 2       |
| 1,2-Dibromoethane                     | ND     |           | 2.0 | 1.5  | ug/L |   |          | 10/17/20 03:45 | 2       |
| 1,2-Dichlorobenzene                   | ND     |           | 2.0 | 1.6  | ug/L |   |          | 10/17/20 03:45 | 2       |
| 1,2-Dichloroethane                    | ND     |           | 2.0 | 0.42 | ug/L |   |          | 10/17/20 03:45 | 2       |
| 1,2-Dichloropropane                   | ND     |           | 2.0 | 1.4  | ug/L |   |          | 10/17/20 03:45 | 2       |
| 1,3-Dichlorobenzene                   | ND     |           | 2.0 | 1.6  | ug/L |   |          | 10/17/20 03:45 | 2       |
| 1,4-Dichlorobenzene                   | ND     |           | 2.0 | 1.7  | ug/L |   |          | 10/17/20 03:45 | 2       |
| 2-Butanone (MEK)                      | ND     |           | 20  | 2.6  | ug/L |   |          | 10/17/20 03:45 | 2       |
| 2-Hexanone                            | ND     |           | 10  | 2.5  | ug/L |   |          | 10/17/20 03:45 | 2       |
| 4-Methyl-2-pentanone (MIBK)           | ND     |           | 10  | 4.2  | ug/L |   |          | 10/17/20 03:45 | 2       |
| Acetone                               | ND     |           | 20  | 6.0  | ug/L |   |          | 10/17/20 03:45 | 2       |
| Benzene                               | ND     |           | 2.0 | 0.82 | ug/L |   |          | 10/17/20 03:45 | 2       |
| Bromodichloromethane                  | ND     |           | 2.0 | 0.78 | ug/L |   |          | 10/17/20 03:45 | 2       |
| Bromoform                             | ND     |           | 2.0 | 0.52 | ug/L |   |          | 10/17/20 03:45 | 2       |
| Bromomethane                          | ND     |           | 2.0 | 1.4  | ug/L |   |          | 10/17/20 03:45 | 2       |
| Carbon disulfide                      | ND     |           | 2.0 | 0.38 | ug/L |   |          | 10/17/20 03:45 | 2       |
| Carbon tetrachloride                  | ND     |           | 2.0 | 0.54 | ug/L |   |          | 10/17/20 03:45 | 2       |
| Chlorobenzene                         | ND     |           | 2.0 | 1.5  | ug/L |   |          | 10/17/20 03:45 | 2       |
| Chloroethane                          | ND     |           | 2.0 | 0.64 | ug/L |   |          | 10/17/20 03:45 | 2       |
| Chloroform                            | ND     |           | 2.0 | 0.68 | ug/L |   |          | 10/17/20 03:45 | 2       |
| Chloromethane                         | ND     |           | 2.0 | 0.70 | ug/L |   |          | 10/17/20 03:45 | 2       |
| cis-1,2-Dichloroethene                | ND     |           | 2.0 | 1.6  | ug/L |   |          | 10/17/20 03:45 | 2       |
| cis-1,3-Dichloropropene               | ND     |           | 2.0 | 0.72 | ug/L |   |          | 10/17/20 03:45 | 2       |
| Cyclohexane                           | ND     |           | 2.0 | 0.36 | ug/L |   |          | 10/17/20 03:45 | 2       |
| Dibromochloromethane                  | ND     |           | 2.0 | 0.64 | ug/L |   |          | 10/17/20 03:45 | 2       |
| Dichlorodifluoromethane               | ND     |           | 2.0 | 1.4  | ug/L |   |          | 10/17/20 03:45 | 2       |
| Ethylbenzene                          | ND     |           | 2.0 | 1.5  | ug/L |   |          | 10/17/20 03:45 | 2       |
| Isopropylbenzene                      | ND     |           | 2.0 | 1.6  | ug/L |   |          | 10/17/20 03:45 | 2       |
| Methyl acetate                        | ND     |           | 5.0 | 2.6  | ug/L |   |          | 10/17/20 03:45 | 2       |
| Methyl tert-butyl ether               | ND     |           | 2.0 | 0.32 | ug/L |   |          | 10/17/20 03:45 | 2       |
| Methylcyclohexane                     | ND     |           | 2.0 | 0.32 | ug/L |   |          | 10/17/20 03:45 | 2       |
| Methylene Chloride                    | ND     |           | 2.0 | 0.88 | ug/L |   |          | 10/17/20 03:45 | 2       |
| Styrene                               | ND     |           | 2.0 | 1.5  | ug/L |   |          | 10/17/20 03:45 | 2       |
| Tetrachloroethene                     | ND     |           | 2.0 | 0.72 | ug/L |   |          | 10/17/20 03:45 | 2       |
| Toluene                               | ND     |           | 2.0 | 1.0  | ug/L |   |          | 10/17/20 03:45 | 2       |
| trans-1,2-Dichloroethene              | ND     |           | 2.0 | 1.8  | ug/L |   |          | 10/17/20 03:45 | 2       |
| trans-1,3-Dichloropropene             | ND     |           | 2.0 | 0.74 | ug/L |   |          | 10/17/20 03:45 | 2       |
| Trichloroethene                       | ND     |           | 2.0 | 0.92 | ug/L |   |          | 10/17/20 03:45 | 2       |
| Trichlorofluoromethane                | ND     |           | 2.0 | 1.8  | ug/L |   |          | 10/17/20 03:45 | 2       |
| Vinyl chloride                        | ND     |           | 2.0 | 1.8  | ug/L |   |          | 10/17/20 03:45 | 2       |
| Xylenes, Total                        | ND     |           | 4.0 | 1.3  | ug/L |   |          | 10/17/20 03:45 | 2       |

Eurofins TestAmerica, Buffalo

# Client Sample Results

Client: AECOM

Job ID: 480-176470-1

Project/Site: Scott Figgie West of Plant 2

**Client Sample ID: MW-2****Lab Sample ID: 480-176566-3**

Date Collected: 10/14/20 11:02

Matrix: Ground Water

Date Received: 10/14/20 15:45

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 104       |           | 77 - 120 |          | 10/17/20 03:45 | 2       |
| 4-Bromofluorobenzene (Surr)  | 101       |           | 73 - 120 |          | 10/17/20 03:45 | 2       |
| Toluene-d8 (Surr)            | 101       |           | 80 - 120 |          | 10/17/20 03:45 | 2       |
| Dibromofluoromethane (Surr)  | 103       |           | 75 - 123 |          | 10/17/20 03:45 | 2       |

## General Chemistry

| Analyte              | Result | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|----------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| Total Organic Carbon | 22.8   |           | 1.0 | 0.43 | mg/L |   |          | 10/25/20 08:03 | 1       |

# Client Sample Results

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: MW-16S**

Date Collected: 10/14/20 08:40

Date Received: 10/14/20 15:45

**Lab Sample ID: 480-176566-4**

Matrix: Ground Water

## Method: 8260C - Volatile Organic Compounds by GC/MS

| Analyte                               | Result       | Qualifier | RL    | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------------|--------------|-----------|-------|------|------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane                 | ND           |           | 1000  | 820  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| 1,1,2,2-Tetrachloroethane             | ND           |           | 1000  | 210  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND           |           | 1000  | 310  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| 1,1,2-Trichloroethane                 | ND           |           | 1000  | 230  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| 1,1-Dichloroethane                    | ND           |           | 1000  | 380  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| 1,1-Dichloroethene                    | ND           |           | 1000  | 290  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| 1,2,4-Trichlorobenzene                | ND           |           | 1000  | 410  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| 1,2-Dibromo-3-Chloropropane           | ND           |           | 1000  | 390  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| 1,2-Dibromoethane                     | ND           |           | 1000  | 730  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| 1,2-Dichlorobenzene                   | ND           |           | 1000  | 790  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| 1,2-Dichloroethane                    | ND           |           | 1000  | 210  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| 1,2-Dichloropropane                   | ND           |           | 1000  | 720  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| 1,3-Dichlorobenzene                   | ND           |           | 1000  | 780  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| 1,4-Dichlorobenzene                   | ND           |           | 1000  | 840  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| 2-Butanone (MEK)                      | ND           |           | 10000 | 1300 | ug/L |   |          | 10/17/20 04:08 | 1000    |
| 2-Hexanone                            | ND           |           | 5000  | 1200 | ug/L |   |          | 10/17/20 04:08 | 1000    |
| 4-Methyl-2-pentanone (MIBK)           | ND           |           | 5000  | 2100 | ug/L |   |          | 10/17/20 04:08 | 1000    |
| Acetone                               | ND           |           | 10000 | 3000 | ug/L |   |          | 10/17/20 04:08 | 1000    |
| Benzene                               | ND           |           | 1000  | 410  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| Bromodichloromethane                  | ND           |           | 1000  | 390  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| Bromoform                             | ND           |           | 1000  | 260  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| Bromomethane                          | ND           |           | 1000  | 690  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| Carbon disulfide                      | ND           |           | 1000  | 190  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| Carbon tetrachloride                  | ND           |           | 1000  | 270  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| Chlorobenzene                         | ND           |           | 1000  | 750  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| <b>Chloroethane</b>                   | <b>2000</b>  |           | 1000  | 320  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| Chloroform                            | ND           |           | 1000  | 340  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| Chloromethane                         | ND           |           | 1000  | 350  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| <b>cis-1,2-Dichloroethene</b>         | <b>24000</b> |           | 1000  | 810  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| cis-1,3-Dichloropropene               | ND           |           | 1000  | 360  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| Cyclohexane                           | ND           |           | 1000  | 180  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| Dibromochloromethane                  | ND           |           | 1000  | 320  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| Dichlorodifluoromethane               | ND           |           | 1000  | 680  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| Ethylbenzene                          | ND           |           | 1000  | 740  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| Isopropylbenzene                      | ND           |           | 1000  | 790  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| Methyl acetate                        | ND           |           | 2500  | 1300 | ug/L |   |          | 10/17/20 04:08 | 1000    |
| Methyl tert-butyl ether               | ND           |           | 1000  | 160  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| Methylcyclohexane                     | ND           |           | 1000  | 160  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| Methylene Chloride                    | ND           |           | 1000  | 440  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| Styrene                               | ND           |           | 1000  | 730  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| Tetrachloroethene                     | ND           |           | 1000  | 360  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| <b>Toluene</b>                        | <b>680 J</b> |           | 1000  | 510  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| trans-1,2-Dichloroethene              | ND           |           | 1000  | 900  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| trans-1,3-Dichloropropene             | ND           |           | 1000  | 370  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| Trichloroethene                       | ND           |           | 1000  | 460  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| Trichlorofluoromethane                | ND           |           | 1000  | 880  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| <b>Vinyl chloride</b>                 | <b>60000</b> |           | 1000  | 900  | ug/L |   |          | 10/17/20 04:08 | 1000    |
| Xylenes, Total                        | ND           |           | 2000  | 660  | ug/L |   |          | 10/17/20 04:08 | 1000    |

Eurofins TestAmerica, Buffalo

# Client Sample Results

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: MW-16S**

Date Collected: 10/14/20 08:40

Date Received: 10/14/20 15:45

**Lab Sample ID: 480-176566-4**

Matrix: Ground Water

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 101       |           | 77 - 120 |          | 10/17/20 04:08 | 1000    |
| 4-Bromofluorobenzene (Surr)  | 97        |           | 73 - 120 |          | 10/17/20 04:08 | 1000    |
| Toluene-d8 (Surr)            | 99        |           | 80 - 120 |          | 10/17/20 04:08 | 1000    |
| Dibromofluoromethane (Surr)  | 100       |           | 75 - 123 |          | 10/17/20 04:08 | 1000    |

**Method: RSK-175 - Dissolved Gases (GC)**

| Analyte        | Result | Qualifier | RL   | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|----------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| Carbon dioxide | 140000 |           | 5000 | 4000 | ug/L |   |          | 10/20/20 22:14 | 1       |
| Ethane         | 440    | J         | 830  | 170  | ug/L |   |          | 10/16/20 12:36 | 110     |
| Ethene         | 51000  |           | 770  | 170  | ug/L |   |          | 10/16/20 12:36 | 110     |
| Methane        | 11000  |           | 440  | 110  | ug/L |   |          | 10/16/20 12:36 | 110     |

**Method: 200.7 Rev 4.4 - Metals (ICP)**

| Analyte | Result | Qualifier | RL    | MDL   | Unit | D | Prepared       | Analyzed       | Dil Fac |
|---------|--------|-----------|-------|-------|------|---|----------------|----------------|---------|
| Iron    | 71.8   |           | 0.050 | 0.019 | mg/L |   | 10/20/20 10:03 | 10/21/20 15:46 | 1       |

**Method: 200.7 Rev 4.4 - Metals (ICP) - Dissolved**

| Analyte | Result | Qualifier | RL    | MDL   | Unit | D | Prepared       | Analyzed       | Dil Fac |
|---------|--------|-----------|-------|-------|------|---|----------------|----------------|---------|
| Iron    | 4.8    |           | 0.050 | 0.019 | mg/L |   | 10/23/20 08:13 | 10/24/20 00:21 | 1       |

**Method: 6010C - Metals (ICP)**

| Analyte   | Result | Qualifier | RL     | MDL     | Unit | D | Prepared       | Analyzed       | Dil Fac |
|-----------|--------|-----------|--------|---------|------|---|----------------|----------------|---------|
| Manganese | 0.18   |           | 0.0030 | 0.00040 | mg/L |   | 10/19/20 09:38 | 10/20/20 01:52 | 1       |

**Method: 6010C - Metals (ICP) - Dissolved**

| Analyte   | Result | Qualifier | RL     | MDL     | Unit | D | Prepared       | Analyzed       | Dil Fac |
|-----------|--------|-----------|--------|---------|------|---|----------------|----------------|---------|
| Manganese | 0.17   |           | 0.0030 | 0.00040 | mg/L |   | 10/23/20 08:20 | 10/24/20 11:52 | 1       |

**General Chemistry**

| Analyte              | Result | Qualifier | RL    | MDL    | Unit | D | Prepared | Analyzed       | Dil Fac |
|----------------------|--------|-----------|-------|--------|------|---|----------|----------------|---------|
| Chloride             | 890    |           | 5.0   | 2.8    | mg/L |   |          | 10/23/20 16:56 | 10      |
| Sulfate              | ND     |           | 20.0  | 3.5    | mg/L |   |          | 10/23/20 16:56 | 10      |
| Alkalinity, Total    | 474    |           | 50.0  | 20.0   | mg/L |   |          | 10/19/20 23:37 | 5       |
| Ammonia              | 0.25   |           | 0.020 | 0.0090 | mg/L |   |          | 10/16/20 10:44 | 1       |
| Nitrate as N         | 0.022  | J         | 0.050 | 0.020  | mg/L |   |          | 10/15/20 17:01 | 1       |
| Nitrite as N         | ND     |           | 0.050 | 0.020  | mg/L |   |          | 10/15/20 17:01 | 1       |
| Total Organic Carbon | 237    |           | 5.0   | 2.2    | mg/L |   |          | 10/27/20 22:00 | 5       |
| Ferric Iron          | 67.9   |           | 0.10  | 0.075  | mg/L |   |          | 10/26/20 18:11 | 1       |
| Ferrous Iron         | 3.9    | HF        | 0.20  | 0.15   | mg/L |   |          | 10/15/20 16:30 | 2       |
| Sulfide              | ND     |           | 1.0   | 0.67   | mg/L |   |          | 10/20/20 11:00 | 1       |

# Client Sample Results

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: MW-16D**

Date Collected: 10/14/20 09:20

Date Received: 10/14/20 15:45

**Lab Sample ID: 480-176566-5**

Matrix: Ground Water

**Method: 8260C - Volatile Organic Compounds by GC/MS**

| Analyte                               | Result     | Qualifier | RL  | MDL  | Unit | D    | Prepared | Analyzed       | Dil Fac |
|---------------------------------------|------------|-----------|-----|------|------|------|----------|----------------|---------|
| 1,1,1-Trichloroethane                 | ND         |           | 1.0 | 0.82 | ug/L |      |          | 10/18/20 11:07 | 1       |
| 1,1,2,2-Tetrachloroethane             | ND         |           | 1.0 | 0.21 | ug/L |      |          | 10/18/20 11:07 | 1       |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND         |           | 1.0 | 0.31 | ug/L |      |          | 10/18/20 11:07 | 1       |
| 1,1,2-Trichloroethane                 | ND         |           | 1.0 | 0.23 | ug/L |      |          | 10/18/20 11:07 | 1       |
| 1,1-Dichloroethane                    | ND         |           | 1.0 | 0.38 | ug/L |      |          | 10/18/20 11:07 | 1       |
| 1,1-Dichloroethene                    | ND         |           | 1.0 | 0.29 | ug/L |      |          | 10/18/20 11:07 | 1       |
| 1,2,4-Trichlorobenzene                | ND         |           | 1.0 | 0.41 | ug/L |      |          | 10/18/20 11:07 | 1       |
| 1,2-Dibromo-3-Chloropropane           | ND         |           | 1.0 | 0.39 | ug/L |      |          | 10/18/20 11:07 | 1       |
| 1,2-Dibromoethane                     | ND         |           | 1.0 | 0.73 | ug/L |      |          | 10/18/20 11:07 | 1       |
| 1,2-Dichlorobenzene                   | ND         |           | 1.0 | 0.79 | ug/L |      |          | 10/18/20 11:07 | 1       |
| 1,2-Dichloroethane                    | ND         |           | 1.0 | 0.21 | ug/L |      |          | 10/18/20 11:07 | 1       |
| 1,2-Dichloropropane                   | ND         |           | 1.0 | 0.72 | ug/L |      |          | 10/18/20 11:07 | 1       |
| 1,3-Dichlorobenzene                   | ND         |           | 1.0 | 0.78 | ug/L |      |          | 10/18/20 11:07 | 1       |
| 1,4-Dichlorobenzene                   | ND         |           | 1.0 | 0.84 | ug/L |      |          | 10/18/20 11:07 | 1       |
| 2-Butanone (MEK)                      | ND         |           | 10  | 1.3  | ug/L |      |          | 10/18/20 11:07 | 1       |
| 2-Hexanone                            | ND         |           | 5.0 | 1.2  | ug/L |      |          | 10/18/20 11:07 | 1       |
| 4-Methyl-2-pentanone (MIBK)           | ND         |           | 5.0 | 2.1  | ug/L |      |          | 10/18/20 11:07 | 1       |
| <b>Acetone</b>                        | <b>4.3</b> | <b>J</b>  |     | 10   | 3.0  | ug/L |          | 10/18/20 11:07 | 1       |
| Benzene                               | ND         |           | 1.0 | 0.41 | ug/L |      |          | 10/18/20 11:07 | 1       |
| Bromodichloromethane                  | ND         |           | 1.0 | 0.39 | ug/L |      |          | 10/18/20 11:07 | 1       |
| Bromoform                             | ND         |           | 1.0 | 0.26 | ug/L |      |          | 10/18/20 11:07 | 1       |
| Bromomethane                          | ND         |           | 1.0 | 0.69 | ug/L |      |          | 10/18/20 11:07 | 1       |
| Carbon disulfide                      | ND         |           | 1.0 | 0.19 | ug/L |      |          | 10/18/20 11:07 | 1       |
| Carbon tetrachloride                  | ND         |           | 1.0 | 0.27 | ug/L |      |          | 10/18/20 11:07 | 1       |
| Chlorobenzene                         | ND         |           | 1.0 | 0.75 | ug/L |      |          | 10/18/20 11:07 | 1       |
| <b>Chloroethane</b>                   | <b>31</b>  |           |     | 1.0  | 0.32 | ug/L |          | 10/18/20 11:07 | 1       |
| Chloroform                            | ND         |           | 1.0 | 0.34 | ug/L |      |          | 10/18/20 11:07 | 1       |
| Chloromethane                         | ND         |           | 1.0 | 0.35 | ug/L |      |          | 10/18/20 11:07 | 1       |
| cis-1,2-Dichloroethene                | ND         |           | 1.0 | 0.81 | ug/L |      |          | 10/18/20 11:07 | 1       |
| cis-1,3-Dichloropropene               | ND         |           | 1.0 | 0.36 | ug/L |      |          | 10/18/20 11:07 | 1       |
| Cyclohexane                           | ND         |           | 1.0 | 0.18 | ug/L |      |          | 10/18/20 11:07 | 1       |
| Dibromochloromethane                  | ND         |           | 1.0 | 0.32 | ug/L |      |          | 10/18/20 11:07 | 1       |
| Dichlorodifluoromethane               | ND         |           | 1.0 | 0.68 | ug/L |      |          | 10/18/20 11:07 | 1       |
| Ethylbenzene                          | ND         |           | 1.0 | 0.74 | ug/L |      |          | 10/18/20 11:07 | 1       |
| Isopropylbenzene                      | ND         |           | 1.0 | 0.79 | ug/L |      |          | 10/18/20 11:07 | 1       |
| Methyl acetate                        | ND         |           | 2.5 | 1.3  | ug/L |      |          | 10/18/20 11:07 | 1       |
| Methyl tert-butyl ether               | ND         |           | 1.0 | 0.16 | ug/L |      |          | 10/18/20 11:07 | 1       |
| Methylcyclohexane                     | ND         |           | 1.0 | 0.16 | ug/L |      |          | 10/18/20 11:07 | 1       |
| Methylene Chloride                    | ND         |           | 1.0 | 0.44 | ug/L |      |          | 10/18/20 11:07 | 1       |
| Styrene                               | ND         |           | 1.0 | 0.73 | ug/L |      |          | 10/18/20 11:07 | 1       |
| Tetrachloroethene                     | ND         |           | 1.0 | 0.36 | ug/L |      |          | 10/18/20 11:07 | 1       |
| Toluene                               | ND         |           | 1.0 | 0.51 | ug/L |      |          | 10/18/20 11:07 | 1       |
| trans-1,2-Dichloroethene              | ND         |           | 1.0 | 0.90 | ug/L |      |          | 10/18/20 11:07 | 1       |
| trans-1,3-Dichloropropene             | ND         |           | 1.0 | 0.37 | ug/L |      |          | 10/18/20 11:07 | 1       |
| Trichloroethene                       | ND         |           | 1.0 | 0.46 | ug/L |      |          | 10/18/20 11:07 | 1       |
| Trichlorofluoromethane                | ND         |           | 1.0 | 0.88 | ug/L |      |          | 10/18/20 11:07 | 1       |
| Vinyl chloride                        | ND         |           | 1.0 | 0.90 | ug/L |      |          | 10/18/20 11:07 | 1       |
| Xylenes, Total                        | ND         |           | 2.0 | 0.66 | ug/L |      |          | 10/18/20 11:07 | 1       |

Eurofins TestAmerica, Buffalo

# Client Sample Results

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: MW-16D**

Date Collected: 10/14/20 09:20

Date Received: 10/14/20 15:45

**Lab Sample ID: 480-176566-5**

Matrix: Ground Water

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 105       |           | 77 - 120 |          | 10/18/20 11:07 | 1       |
| 4-Bromofluorobenzene (Surr)  | 102       |           | 73 - 120 |          | 10/18/20 11:07 | 1       |
| Toluene-d8 (Surr)            | 100       |           | 80 - 120 |          | 10/18/20 11:07 | 1       |
| Dibromofluoromethane (Surr)  | 105       |           | 75 - 123 |          | 10/18/20 11:07 | 1       |

**Method: RSK-175 - Dissolved Gases (GC)**

| Analyte        | Result | Qualifier | RL   | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|----------------|--------|-----------|------|------|------|---|----------|----------------|---------|
| Carbon dioxide | 14000  |           | 5000 | 4000 | ug/L |   |          | 10/20/20 22:23 | 1       |
| Ethane         | ND     |           | 830  | 170  | ug/L |   |          | 10/16/20 12:55 | 110     |
| Ethene         | ND     |           | 770  | 170  | ug/L |   |          | 10/16/20 12:55 | 110     |
| Methane        | 19000  |           | 440  | 110  | ug/L |   |          | 10/16/20 12:55 | 110     |

**Method: 200.7 Rev 4.4 - Metals (ICP)**

| Analyte | Result | Qualifier | RL    | MDL   | Unit | D | Prepared       | Analyzed       | Dil Fac |
|---------|--------|-----------|-------|-------|------|---|----------------|----------------|---------|
| Iron    | 13.0   |           | 0.050 | 0.019 | mg/L |   | 10/20/20 10:03 | 10/21/20 15:50 | 1       |

**Method: 200.7 Rev 4.4 - Metals (ICP) - Dissolved**

| Analyte | Result | Qualifier | RL    | MDL   | Unit | D | Prepared       | Analyzed       | Dil Fac |
|---------|--------|-----------|-------|-------|------|---|----------------|----------------|---------|
| Iron    | 0.057  |           | 0.050 | 0.019 | mg/L |   | 10/23/20 08:13 | 10/24/20 00:26 | 1       |

**Method: 6010C - Metals (ICP)**

| Analyte   | Result | Qualifier | RL     | MDL     | Unit | D | Prepared       | Analyzed       | Dil Fac |
|-----------|--------|-----------|--------|---------|------|---|----------------|----------------|---------|
| Manganese | 0.057  |           | 0.0030 | 0.00040 | mg/L |   | 10/19/20 09:38 | 10/20/20 01:56 | 1       |

**Method: 6010C - Metals (ICP) - Dissolved**

| Analyte   | Result | Qualifier | RL     | MDL     | Unit | D | Prepared       | Analyzed       | Dil Fac |
|-----------|--------|-----------|--------|---------|------|---|----------------|----------------|---------|
| Manganese | 0.0065 |           | 0.0030 | 0.00040 | mg/L |   | 10/23/20 08:20 | 10/24/20 12:07 | 1       |

**General Chemistry**

| Analyte              | Result | Qualifier | RL    | MDL   | Unit | D | Prepared | Analyzed       | Dil Fac |
|----------------------|--------|-----------|-------|-------|------|---|----------|----------------|---------|
| Chloride             | 215    |           | 5.0   | 2.8   | mg/L |   |          | 10/23/20 17:10 | 10      |
| Sulfate              | ND     |           | 20.0  | 3.5   | mg/L |   |          | 10/23/20 17:10 | 10      |
| Alkalinity, Total    | 323    |           | 50.0  | 20.0  | mg/L |   |          | 10/19/20 23:37 | 5       |
| Ammonia              | 2.5    |           | 0.040 | 0.018 | mg/L |   |          | 10/16/20 11:23 | 2       |
| Nitrate as N         | ND     |           | 0.050 | 0.020 | mg/L |   |          | 10/15/20 17:02 | 1       |
| Nitrite as N         | ND     |           | 0.050 | 0.020 | mg/L |   |          | 10/15/20 17:02 | 1       |
| Total Organic Carbon | 1.8    |           | 1.0   | 0.43  | mg/L |   |          | 10/31/20 05:01 | 1       |
| Ferric Iron          | 13.0   |           | 0.10  | 0.075 | mg/L |   |          | 10/26/20 18:11 | 1       |
| Ferrous Iron         | ND HF  |           | 0.10  | 0.075 | mg/L |   |          | 10/15/20 16:30 | 1       |
| Sulfide              | ND     |           | 1.0   | 0.67  | mg/L |   |          | 10/20/20 11:00 | 1       |

# Client Sample Results

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: Trip Blank-101420**

Date Collected: 10/12/20 07:00

Date Received: 10/14/20 15:45

**Lab Sample ID: 480-176566-6**

Matrix: Water

## Method: 8260C - Volatile Organic Compounds by GC/MS

| Analyte                               | Result | Qualifier | RL  | MDL  | Unit | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------------|--------|-----------|-----|------|------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane                 | ND     |           | 1.0 | 0.82 | ug/L |   |          | 10/17/20 04:54 | 1       |
| 1,1,2,2-Tetrachloroethane             | ND     |           | 1.0 | 0.21 | ug/L |   |          | 10/17/20 04:54 | 1       |
| 1,1,2-Trichloro-1,2,2-trifluoroethane | ND     |           | 1.0 | 0.31 | ug/L |   |          | 10/17/20 04:54 | 1       |
| 1,1,2-Trichloroethane                 | ND     |           | 1.0 | 0.23 | ug/L |   |          | 10/17/20 04:54 | 1       |
| 1,1-Dichloroethane                    | ND     |           | 1.0 | 0.38 | ug/L |   |          | 10/17/20 04:54 | 1       |
| 1,1-Dichloroethene                    | ND     |           | 1.0 | 0.29 | ug/L |   |          | 10/17/20 04:54 | 1       |
| 1,2,4-Trichlorobenzene                | ND     |           | 1.0 | 0.41 | ug/L |   |          | 10/17/20 04:54 | 1       |
| 1,2-Dibromo-3-Chloropropane           | ND     |           | 1.0 | 0.39 | ug/L |   |          | 10/17/20 04:54 | 1       |
| 1,2-Dibromoethane                     | ND     |           | 1.0 | 0.73 | ug/L |   |          | 10/17/20 04:54 | 1       |
| 1,2-Dichlorobenzene                   | ND     |           | 1.0 | 0.79 | ug/L |   |          | 10/17/20 04:54 | 1       |
| 1,2-Dichloroethane                    | ND     |           | 1.0 | 0.21 | ug/L |   |          | 10/17/20 04:54 | 1       |
| 1,2-Dichloropropane                   | ND     |           | 1.0 | 0.72 | ug/L |   |          | 10/17/20 04:54 | 1       |
| 1,3-Dichlorobenzene                   | ND     |           | 1.0 | 0.78 | ug/L |   |          | 10/17/20 04:54 | 1       |
| 1,4-Dichlorobenzene                   | ND     |           | 1.0 | 0.84 | ug/L |   |          | 10/17/20 04:54 | 1       |
| 2-Butanone (MEK)                      | ND     |           | 10  | 1.3  | ug/L |   |          | 10/17/20 04:54 | 1       |
| 2-Hexanone                            | ND     |           | 5.0 | 1.2  | ug/L |   |          | 10/17/20 04:54 | 1       |
| 4-Methyl-2-pentanone (MIBK)           | ND     |           | 5.0 | 2.1  | ug/L |   |          | 10/17/20 04:54 | 1       |
| Acetone                               | ND     |           | 10  | 3.0  | ug/L |   |          | 10/17/20 04:54 | 1       |
| Benzene                               | ND     |           | 1.0 | 0.41 | ug/L |   |          | 10/17/20 04:54 | 1       |
| Bromodichloromethane                  | ND     |           | 1.0 | 0.39 | ug/L |   |          | 10/17/20 04:54 | 1       |
| Bromoform                             | ND     |           | 1.0 | 0.26 | ug/L |   |          | 10/17/20 04:54 | 1       |
| Bromomethane                          | ND     |           | 1.0 | 0.69 | ug/L |   |          | 10/17/20 04:54 | 1       |
| Carbon disulfide                      | ND     |           | 1.0 | 0.19 | ug/L |   |          | 10/17/20 04:54 | 1       |
| Carbon tetrachloride                  | ND     |           | 1.0 | 0.27 | ug/L |   |          | 10/17/20 04:54 | 1       |
| Chlorobenzene                         | ND     |           | 1.0 | 0.75 | ug/L |   |          | 10/17/20 04:54 | 1       |
| Chloroethane                          | ND     |           | 1.0 | 0.32 | ug/L |   |          | 10/17/20 04:54 | 1       |
| Chloroform                            | ND     |           | 1.0 | 0.34 | ug/L |   |          | 10/17/20 04:54 | 1       |
| Chloromethane                         | ND     |           | 1.0 | 0.35 | ug/L |   |          | 10/17/20 04:54 | 1       |
| cis-1,2-Dichloroethene                | ND     |           | 1.0 | 0.81 | ug/L |   |          | 10/17/20 04:54 | 1       |
| cis-1,3-Dichloropropene               | ND     |           | 1.0 | 0.36 | ug/L |   |          | 10/17/20 04:54 | 1       |
| Cyclohexane                           | ND     |           | 1.0 | 0.18 | ug/L |   |          | 10/17/20 04:54 | 1       |
| Dibromochloromethane                  | ND     |           | 1.0 | 0.32 | ug/L |   |          | 10/17/20 04:54 | 1       |
| Dichlorodifluoromethane               | ND     |           | 1.0 | 0.68 | ug/L |   |          | 10/17/20 04:54 | 1       |
| Ethylbenzene                          | ND     |           | 1.0 | 0.74 | ug/L |   |          | 10/17/20 04:54 | 1       |
| Isopropylbenzene                      | ND     |           | 1.0 | 0.79 | ug/L |   |          | 10/17/20 04:54 | 1       |
| Methyl acetate                        | ND     |           | 2.5 | 1.3  | ug/L |   |          | 10/17/20 04:54 | 1       |
| Methyl tert-butyl ether               | ND     |           | 1.0 | 0.16 | ug/L |   |          | 10/17/20 04:54 | 1       |
| Methylcyclohexane                     | ND     |           | 1.0 | 0.16 | ug/L |   |          | 10/17/20 04:54 | 1       |
| Methylene Chloride                    | ND     |           | 1.0 | 0.44 | ug/L |   |          | 10/17/20 04:54 | 1       |
| Styrene                               | ND     |           | 1.0 | 0.73 | ug/L |   |          | 10/17/20 04:54 | 1       |
| Tetrachloroethene                     | ND     |           | 1.0 | 0.36 | ug/L |   |          | 10/17/20 04:54 | 1       |
| Toluene                               | ND     |           | 1.0 | 0.51 | ug/L |   |          | 10/17/20 04:54 | 1       |
| trans-1,2-Dichloroethene              | ND     |           | 1.0 | 0.90 | ug/L |   |          | 10/17/20 04:54 | 1       |
| trans-1,3-Dichloropropene             | ND     |           | 1.0 | 0.37 | ug/L |   |          | 10/17/20 04:54 | 1       |
| Trichloroethene                       | ND     |           | 1.0 | 0.46 | ug/L |   |          | 10/17/20 04:54 | 1       |
| Trichlorofluoromethane                | ND     |           | 1.0 | 0.88 | ug/L |   |          | 10/17/20 04:54 | 1       |
| Vinyl chloride                        | ND     |           | 1.0 | 0.90 | ug/L |   |          | 10/17/20 04:54 | 1       |
| Xylenes, Total                        | ND     |           | 2.0 | 0.66 | ug/L |   |          | 10/17/20 04:54 | 1       |

Eurofins TestAmerica, Buffalo

# Client Sample Results

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: Trip Blank-101420**

Date Collected: 10/12/20 07:00

Date Received: 10/14/20 15:45

**Lab Sample ID: 480-176566-6**

Matrix: Water

| Surrogate                    | %Recovery | Qualifier | Limits   | Prepared | Analyzed       | Dil Fac |
|------------------------------|-----------|-----------|----------|----------|----------------|---------|
| 1,2-Dichloroethane-d4 (Surr) | 102       |           | 77 - 120 |          | 10/17/20 04:54 | 1       |
| 4-Bromofluorobenzene (Surr)  | 99        |           | 73 - 120 |          | 10/17/20 04:54 | 1       |
| Toluene-d8 (Surr)            | 102       |           | 80 - 120 |          | 10/17/20 04:54 | 1       |
| Dibromofluoromethane (Surr)  | 102       |           | 75 - 123 |          | 10/17/20 04:54 | 1       |

# Lab Chronicle

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: MW3**

Date Collected: 10/13/20 15:20

Date Received: 10/13/20 16:40

**Lab Sample ID: 480-176470-1**

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260C        |     | 1               | 553907       | 10/14/20 23:38       | AMM     | TAL BUF |
| Total/NA  | Analysis   | 9060A        |     | 1               | 555986       | 10/24/20 17:39       | CLA     | TAL BUF |

**Client Sample ID: MW-11**

Date Collected: 10/13/20 11:35

Date Received: 10/13/20 16:40

**Lab Sample ID: 480-176470-2**

Matrix: Water

| Prep Type | Batch Type | Batch Method  | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|---------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260C         |     | 1               | 553907       | 10/15/20 00:03       | AMM     | TAL BUF |
| Total/NA  | Analysis   | RSK-175       |     | 1               | 160185       | 10/20/20 18:32       | MJZ     | TAL BUR |
| Total/NA  | Analysis   | RSK-175       |     | 1               | 553916       | 10/14/20 18:56       | DSC     | TAL BUF |
| Total/NA  | Analysis   | RSK-175       | DL  | 22              | 553916       | 10/14/20 22:23       | DSC     | TAL BUF |
| Dissolved | Filtration | FILTRATION    |     |                 | 555274       | 10/22/20 14:42       | BEB     | TAL BUF |
| Dissolved | Prep       | 200.7         |     |                 | 555380       | 10/23/20 08:13       | BEB     | TAL BUF |
| Dissolved | Analysis   | 200.7 Rev 4.4 |     | 1               | 555546       | 10/23/20 23:39       | LMH     | TAL BUF |
| Total/NA  | Prep       | 200.7         |     |                 | 554577       | 10/19/20 11:02       | ADM     | TAL BUF |
| Total/NA  | Analysis   | 200.7 Rev 4.4 |     | 1               | 554744       | 10/19/20 23:28       | LMH     | TAL BUF |
| Dissolved | Filtration | FILTRATION    |     |                 | 555274       | 10/22/20 14:42       | BEB     | TAL BUF |
| Dissolved | Prep       | 3005A         |     |                 | 555391       | 10/23/20 08:20       | BEB     | TAL BUF |
| Dissolved | Analysis   | 6010C         |     | 1               | 555744       | 10/24/20 11:37       | LMH     | TAL BUF |
| Total/NA  | Prep       | 3005A         |     |                 | 554032       | 10/16/20 10:37       | ADM     | TAL BUF |
| Total/NA  | Analysis   | 6010C         |     | 1               | 554469       | 10/16/20 19:26       | LMH     | TAL BUF |
| Total/NA  | Analysis   | 300.0         |     | 10              | 555038       | 10/22/20 02:32       | RJS     | TAL BUF |
| Total/NA  | Analysis   | 310.2         |     | 6               | 554196       | 10/15/20 14:43       | SRW     | TAL BUF |
| Total/NA  | Analysis   | 350.1         |     | 1               | 554031       | 10/15/20 08:27       | CLT     | TAL BUF |
| Total/NA  | Analysis   | 353.2         |     | 1               | 553967       | 10/14/20 20:35       | ALT     | TAL BUF |
| Total/NA  | Analysis   | 353.2         |     | 1               | 553969       | 10/14/20 20:35       | ALT     | TAL BUF |
| Total/NA  | Analysis   | 9060A         |     | 1               | 555986       | 10/24/20 23:13       | CLA     | TAL BUF |
| Total/NA  | Analysis   | SM 3500       |     | 1               | 555854       | 10/26/20 18:10       | LMH     | TAL BUF |
| Total/NA  | Analysis   | SM 3500 FE D  |     | 1               | 554191       | 10/15/20 16:30       | CSS     | TAL BUF |
| Total/NA  | Analysis   | SM 4500 S2 F  |     | 1               | 554133       | 10/15/20 13:30       | MJB     | TAL BUF |

**Client Sample ID: MW-13S**

Date Collected: 10/13/20 13:08

Date Received: 10/13/20 16:40

**Lab Sample ID: 480-176470-3**

Matrix: Water

| Prep Type | Batch Type | Batch Method  | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|---------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260C         |     | 1               | 553907       | 10/15/20 00:27       | AMM     | TAL BUF |
| Total/NA  | Analysis   | RSK-175       |     | 1               | 160185       | 10/20/20 18:41       | MJZ     | TAL BUR |
| Total/NA  | Analysis   | RSK-175       |     | 110             | 553916       | 10/14/20 19:33       | DSC     | TAL BUF |
| Dissolved | Filtration | FILTRATION    |     |                 | 555274       | 10/22/20 14:42       | BEB     | TAL BUF |
| Dissolved | Prep       | 200.7         |     |                 | 555380       | 10/23/20 08:13       | BEB     | TAL BUF |
| Dissolved | Analysis   | 200.7 Rev 4.4 |     | 1               | 555546       | 10/24/20 00:18       | LMH     | TAL BUF |

Eurofins TestAmerica, Buffalo

# Lab Chronicle

Client: AECOM  
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: MW-13S**

**Lab Sample ID: 480-176470-3**

**Matrix: Water**

Date Collected: 10/13/20 13:08

Date Received: 10/13/20 16:40

| Prep Type | Batch Type | Batch Method  | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|---------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Prep       | 200.7         |     |                 | 554577       | 10/19/20 11:02       | ADM     | TAL BUF |
| Total/NA  | Analysis   | 200.7 Rev 4.4 |     | 1               | 554744       | 10/19/20 23:43       | LMH     | TAL BUF |
| Dissolved | Filtration | FILTRATION    |     |                 | 555274       | 10/22/20 14:42       | BEB     | TAL BUF |
| Dissolved | Prep       | 3005A         |     |                 | 555391       | 10/23/20 08:20       | BEB     | TAL BUF |
| Dissolved | Analysis   | 6010C         |     | 1               | 555744       | 10/24/20 11:49       | LMH     | TAL BUF |
| Total/NA  | Prep       | 3005A         |     |                 | 554032       | 10/16/20 10:37       | ADM     | TAL BUF |
| Total/NA  | Analysis   | 6010C         |     | 1               | 554469       | 10/16/20 19:30       | LMH     | TAL BUF |
| Total/NA  | Analysis   | 300.0         |     | 5               | 555038       | 10/22/20 02:47       | RJS     | TAL BUF |
| Total/NA  | Analysis   | 310.2         |     | 6               | 554196       | 10/15/20 14:43       | SRW     | TAL BUF |
| Total/NA  | Analysis   | 350.1         |     | 1               | 554031       | 10/15/20 08:28       | CLT     | TAL BUF |
| Total/NA  | Analysis   | 353.2         |     | 1               | 553967       | 10/14/20 21:58       | ALT     | TAL BUF |
| Total/NA  | Analysis   | 353.2         |     | 1               | 553966       | 10/14/20 21:58       | ALT     | TAL BUF |
| Total/NA  | Analysis   | 9060A         |     | 1               | 555986       | 10/25/20 00:08       | CLA     | TAL BUF |
| Total/NA  | Analysis   | SM 3500       |     | 1               | 555854       | 10/26/20 18:10       | LMH     | TAL BUF |
| Total/NA  | Analysis   | SM 3500 FE D  |     | 1               | 554191       | 10/15/20 16:30       | CSS     | TAL BUF |
| Total/NA  | Analysis   | SM 4500 S2 F  |     | 1               | 554133       | 10/15/20 13:30       | MJB     | TAL BUF |

**Client Sample ID: MW-13D**

**Lab Sample ID: 480-176470-4**

**Matrix: Water**

Date Collected: 10/13/20 14:17

Date Received: 10/13/20 16:40

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260C        |     | 1               | 553907       | 10/15/20 00:52       | AMM     | TAL BUF |
| Total/NA  | Analysis   | 9060A        |     | 1               | 555986       | 10/24/20 18:35       | CLA     | TAL BUF |

**Client Sample ID: DPE-1**

**Lab Sample ID: 480-176470-5**

**Matrix: Water**

Date Collected: 10/13/20 08:00

Date Received: 10/13/20 16:40

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260C        |     | 10              | 553907       | 10/15/20 01:16       | AMM     | TAL BUF |
| Total/NA  | Analysis   | 9060A        |     | 4               | 555986       | 10/24/20 19:03       | CLA     | TAL BUF |

**Client Sample ID: DPE-2**

**Lab Sample ID: 480-176470-6**

**Matrix: Water**

Date Collected: 10/13/20 12:00

Date Received: 10/13/20 16:40

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260C        |     | 1               | 553907       | 10/15/20 01:40       | AMM     | TAL BUF |
| Total/NA  | Analysis   | 9060A        |     | 1               | 555986       | 10/24/20 19:30       | CLA     | TAL BUF |

Eurofins TestAmerica, Buffalo

# Lab Chronicle

Client: AECOM  
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

## **Client Sample ID: DPE-3**

Date Collected: 10/13/20 08:30

Date Received: 10/13/20 16:40

## **Lab Sample ID: 480-176470-7**

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260C        |     | 25              | 553907       | 10/15/20 02:04       | AMM     | TAL BUF |
| Total/NA  | Analysis   | 9060A        |     | 1               | 555986       | 10/24/20 19:58       | CLA     | TAL BUF |

## **Client Sample ID: DPE-4**

Date Collected: 10/13/20 09:00

Date Received: 10/13/20 16:40

## **Lab Sample ID: 480-176470-8**

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260C        |     | 10              | 553907       | 10/15/20 02:28       | AMM     | TAL BUF |
| Total/NA  | Analysis   | 9060A        |     | 1               | 556814       | 10/31/20 01:19       | CLA     | TAL BUF |

## **Client Sample ID: DPE-5**

Date Collected: 10/13/20 09:30

Date Received: 10/13/20 16:40

## **Lab Sample ID: 480-176470-9**

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260C        |     | 10              | 553907       | 10/15/20 02:52       | AMM     | TAL BUF |
| Total/NA  | Analysis   | 9060A        |     | 1               | 555986       | 10/24/20 20:54       | CLA     | TAL BUF |

## **Client Sample ID: DPE-6**

Date Collected: 10/13/20 10:00

Date Received: 10/13/20 16:40

## **Lab Sample ID: 480-176470-10**

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260C        |     | 20              | 553907       | 10/15/20 03:16       | AMM     | TAL BUF |
| Total/NA  | Analysis   | 9060A        |     | 1               | 555986       | 10/25/20 01:05       | CLA     | TAL BUF |

## **Client Sample ID: DPE-7**

Date Collected: 10/13/20 10:30

Date Received: 10/13/20 16:40

## **Lab Sample ID: 480-176470-11**

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260C        |     | 10              | 553907       | 10/15/20 03:40       | AMM     | TAL BUF |
| Total/NA  | Analysis   | 9060A        |     | 2               | 555986       | 10/25/20 01:32       | CLA     | TAL BUF |

## **Client Sample ID: DPE-8**

Date Collected: 10/13/20 12:30

Date Received: 10/13/20 16:40

## **Lab Sample ID: 480-176470-12**

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260C        |     | 10              | 553907       | 10/15/20 04:05       | AMM     | TAL BUF |
| Total/NA  | Analysis   | 8260C        | DL  | 125             | 553980       | 10/15/20 11:08       | LCH     | TAL BUF |
| Total/NA  | Analysis   | 9060A        |     | 1               | 555986       | 10/25/20 02:00       | CLA     | TAL BUF |

Eurofins TestAmerica, Buffalo

# Lab Chronicle

Client: AECOM  
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

## **Client Sample ID: GWCT**

Date Collected: 10/13/20 11:00

Date Received: 10/13/20 16:40

## **Lab Sample ID: 480-176470-13**

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260C        |     | 1               | 553907       | 10/15/20 04:29       | AMM     | TAL BUF |
| Total/NA  | Analysis   | 9060A        |     | 1               | 555986       | 10/25/20 02:29       | CLA     | TAL BUF |

## **Client Sample ID: Duplicate-101320**

Date Collected: 10/13/20 09:06

Date Received: 10/13/20 16:40

## **Lab Sample ID: 480-176470-14**

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260C        |     | 1               | 553907       | 10/15/20 04:53       | AMM     | TAL BUF |

## **Client Sample ID: Rinse Blank-101320**

Date Collected: 10/13/20 15:35

Date Received: 10/13/20 16:40

## **Lab Sample ID: 480-176470-15**

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260C        |     | 1               | 553907       | 10/15/20 05:18       | AMM     | TAL BUF |

## **Client Sample ID: Trip Blank-101220**

Date Collected: 10/12/20 07:00

Date Received: 10/13/20 16:40

## **Lab Sample ID: 480-176470-16**

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260C        |     | 1               | 553978       | 10/15/20 18:07       | RJF     | TAL BUF |

## **Client Sample ID: MW-4**

Date Collected: 10/14/20 11:58

Date Received: 10/14/20 15:45

## **Lab Sample ID: 480-176566-1**

Matrix: Ground Water

| Prep Type | Batch Type | Batch Method  | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|---------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260C         |     | 4               | 554338       | 10/17/20 02:58       | AMM     | TAL BUF |
| Total/NA  | Analysis   | RSK-175       |     | 1               | 160185       | 10/20/20 21:56       | MJZ     | TAL BUR |
| Total/NA  | Analysis   | RSK-175       |     | 88              | 554247       | 10/16/20 11:58       | MAN     | TAL BUF |
| Dissolved | Filtration | FILTRATION    |     |                 | 555274       | 10/22/20 14:42       | BEB     | TAL BUF |
| Dissolved | Prep       | 200.7         |     |                 | 555380       | 10/23/20 08:13       | BEB     | TAL BUF |
| Dissolved | Analysis   | 200.7 Rev 4.4 |     | 1               | 555546       | 10/23/20 23:59       | LMH     | TAL BUF |
| Total/NA  | Prep       | 200.7         |     |                 | 554639       | 10/20/20 10:03       | KMP     | TAL BUF |
| Total/NA  | Analysis   | 200.7 Rev 4.4 |     | 1               | 555164       | 10/21/20 15:38       | LMH     | TAL BUF |
| Dissolved | Filtration | FILTRATION    |     |                 | 555274       | 10/22/20 14:42       | BEB     | TAL BUF |
| Dissolved | Prep       | 3005A         |     |                 | 555391       | 10/23/20 08:20       | BEB     | TAL BUF |
| Dissolved | Analysis   | 6010C         |     | 1               | 555744       | 10/24/20 11:41       | LMH     | TAL BUF |
| Total/NA  | Prep       | 3005A         |     |                 | 554571       | 10/19/20 09:38       | ADM     | TAL BUF |
| Total/NA  | Analysis   | 6010C         |     | 1               | 554756       | 10/20/20 01:33       | LMH     | TAL BUF |
| Total/NA  | Analysis   | 300.0         |     | 10              | 555432       | 10/23/20 16:26       | RJS     | TAL BUF |
| Total/NA  | Analysis   | 310.2         |     | 11              | 554684       | 10/19/20 23:35       | SRW     | TAL BUF |
| Total/NA  | Analysis   | 350.1         |     | 1               | 554304       | 10/16/20 10:42       | CLT     | TAL BUF |

Eurofins TestAmerica, Buffalo

# Lab Chronicle

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: MW-4**

Date Collected: 10/14/20 11:58

Date Received: 10/14/20 15:45

**Lab Sample ID: 480-176566-1**

Matrix: Ground Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 353.2        |     | 1               | 554192       | 10/15/20 16:59       | ALT     | TAL BUF |
| Total/NA  | Analysis   | 353.2        |     | 1               | 554194       | 10/15/20 16:59       | ALT     | TAL BUF |
| Total/NA  | Analysis   | 9060A        |     | 1               | 556814       | 10/31/20 07:21       | CLA     | TAL BUF |
| Total/NA  | Analysis   | SM 3500      |     | 1               | 555854       | 10/26/20 18:11       | LMH     | TAL BUF |
| Total/NA  | Analysis   | SM 3500 FE D |     | 1               | 554191       | 10/15/20 16:30       | CSS     | TAL BUF |
| Total/NA  | Analysis   | SM 4500 S2 F |     | 1               | 554807       | 10/20/20 11:00       | MJB     | TAL BUF |

**Client Sample ID: MW-8R**

Date Collected: 10/14/20 13:26

Date Received: 10/14/20 15:45

**Lab Sample ID: 480-176566-2**

Matrix: Ground Water

| Prep Type | Batch Type | Batch Method  | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|---------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260C         |     | 2               | 554397       | 10/17/20 12:05       | AMM     | TAL BUF |
| Total/NA  | Analysis   | RSK-175       |     | 1               | 160185       | 10/20/20 22:05       | MJZ     | TAL BUR |
| Total/NA  | Analysis   | RSK-175       |     | 220             | 554247       | 10/16/20 12:17       | MAN     | TAL BUF |
| Dissolved | Filtration | FILTRATION    |     |                 | 555274       | 10/22/20 14:42       | BEB     | TAL BUF |
| Dissolved | Prep       | 200.7         |     |                 | 555380       | 10/23/20 08:13       | BEB     | TAL BUF |
| Dissolved | Analysis   | 200.7 Rev 4.4 |     | 1               | 555546       | 10/24/20 00:03       | LMH     | TAL BUF |
| Total/NA  | Prep       | 200.7         |     |                 | 554639       | 10/20/20 10:03       | KMP     | TAL BUF |
| Total/NA  | Analysis   | 200.7 Rev 4.4 |     | 1               | 555164       | 10/21/20 15:42       | LMH     | TAL BUF |
| Dissolved | Filtration | FILTRATION    |     |                 | 555274       | 10/22/20 14:42       | BEB     | TAL BUF |
| Dissolved | Prep       | 3005A         |     |                 | 555391       | 10/23/20 08:20       | BEB     | TAL BUF |
| Dissolved | Analysis   | 6010C         |     | 1               | 555744       | 10/24/20 11:45       | LMH     | TAL BUF |
| Total/NA  | Prep       | 3005A         |     |                 | 554571       | 10/19/20 09:38       | ADM     | TAL BUF |
| Total/NA  | Analysis   | 6010C         |     | 1               | 554756       | 10/20/20 01:37       | LMH     | TAL BUF |
| Total/NA  | Analysis   | 300.0         |     | 10              | 555432       | 10/23/20 16:41       | RJS     | TAL BUF |
| Total/NA  | Analysis   | 310.2         |     | 6               | 554684       | 10/19/20 23:36       | SRW     | TAL BUF |
| Total/NA  | Analysis   | 350.1         |     | 1               | 554304       | 10/16/20 10:43       | CLT     | TAL BUF |
| Total/NA  | Analysis   | 353.2         |     | 1               | 554192       | 10/15/20 17:00       | ALT     | TAL BUF |
| Total/NA  | Analysis   | 353.2         |     | 1               | 554194       | 10/15/20 17:00       | ALT     | TAL BUF |
| Total/NA  | Analysis   | 9060A         |     | 4               | 555986       | 10/25/20 07:36       | CLA     | TAL BUF |
| Total/NA  | Analysis   | SM 3500       |     | 1               | 555854       | 10/26/20 18:11       | LMH     | TAL BUF |
| Total/NA  | Analysis   | SM 3500 FE D  |     | 10              | 554191       | 10/15/20 16:30       | CSS     | TAL BUF |
| Total/NA  | Analysis   | SM 4500 S2 F  |     | 1               | 554807       | 10/20/20 11:00       | MJB     | TAL BUF |

**Client Sample ID: MW-2**

Date Collected: 10/14/20 11:02

Date Received: 10/14/20 15:45

**Lab Sample ID: 480-176566-3**

Matrix: Ground Water

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260C        |     | 2               | 554338       | 10/17/20 03:45       | AMM     | TAL BUF |
| Total/NA  | Analysis   | 9060A        |     | 1               | 555986       | 10/25/20 08:03       | CLA     | TAL BUF |

Eurofins TestAmerica, Buffalo

# Lab Chronicle

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: MW-16S**

**Date Collected: 10/14/20 08:40**

**Date Received: 10/14/20 15:45**

**Lab Sample ID: 480-176566-4**

**Matrix: Ground Water**

| Prep Type | Batch Type | Batch Method  | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|---------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260C         |     | 1000            | 554338       | 10/17/20 04:08       | AMM     | TAL BUF |
| Total/NA  | Analysis   | RSK-175       |     | 1               | 160185       | 10/20/20 22:14       | MJZ     | TAL BUR |
| Total/NA  | Analysis   | RSK-175       |     | 110             | 554247       | 10/16/20 12:36       | MAN     | TAL BUF |
| Dissolved | Filtration | FILTRATION    |     |                 | 555274       | 10/22/20 14:42       | BEB     | TAL BUF |
| Dissolved | Prep       | 200.7         |     |                 | 555380       | 10/23/20 08:13       | BEB     | TAL BUF |
| Dissolved | Analysis   | 200.7 Rev 4.4 |     | 1               | 555546       | 10/24/20 00:21       | LMH     | TAL BUF |
| Total/NA  | Prep       | 200.7         |     |                 | 554639       | 10/20/20 10:03       | KMP     | TAL BUF |
| Total/NA  | Analysis   | 200.7 Rev 4.4 |     | 1               | 555164       | 10/21/20 15:46       | LMH     | TAL BUF |
| Dissolved | Filtration | FILTRATION    |     |                 | 555274       | 10/22/20 14:42       | BEB     | TAL BUF |
| Dissolved | Prep       | 3005A         |     |                 | 555391       | 10/23/20 08:20       | BEB     | TAL BUF |
| Dissolved | Analysis   | 6010C         |     | 1               | 555744       | 10/24/20 11:52       | LMH     | TAL BUF |
| Total/NA  | Prep       | 3005A         |     |                 | 554571       | 10/19/20 09:38       | ADM     | TAL BUF |
| Total/NA  | Analysis   | 6010C         |     | 1               | 554756       | 10/20/20 01:52       | LMH     | TAL BUF |
| Total/NA  | Analysis   | 300.0         |     | 10              | 555432       | 10/23/20 16:56       | RJS     | TAL BUF |
| Total/NA  | Analysis   | 310.2         |     | 5               | 554684       | 10/19/20 23:37       | SRW     | TAL BUF |
| Total/NA  | Analysis   | 350.1         |     | 1               | 554304       | 10/16/20 10:44       | CLT     | TAL BUF |
| Total/NA  | Analysis   | 353.2         |     | 1               | 554192       | 10/15/20 17:01       | ALT     | TAL BUF |
| Total/NA  | Analysis   | 353.2         |     | 1               | 554194       | 10/15/20 17:01       | ALT     | TAL BUF |
| Total/NA  | Analysis   | 9060A         |     | 5               | 556257       | 10/27/20 22:00       | CLA     | TAL BUF |
| Total/NA  | Analysis   | SM 3500       |     | 1               | 555854       | 10/26/20 18:11       | LMH     | TAL BUF |
| Total/NA  | Analysis   | SM 3500 FE D  |     | 2               | 554191       | 10/15/20 16:30       | CSS     | TAL BUF |
| Total/NA  | Analysis   | SM 4500 S2 F  |     | 1               | 554807       | 10/20/20 11:00       | MJB     | TAL BUF |

**Client Sample ID: MW-16D**

**Date Collected: 10/14/20 09:20**

**Date Received: 10/14/20 15:45**

**Lab Sample ID: 480-176566-5**

**Matrix: Ground Water**

| Prep Type | Batch Type | Batch Method  | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|---------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260C         |     | 1               | 554482       | 10/18/20 11:07       | AMM     | TAL BUF |
| Total/NA  | Analysis   | RSK-175       |     | 1               | 160185       | 10/20/20 22:23       | MJZ     | TAL BUR |
| Total/NA  | Analysis   | RSK-175       |     | 110             | 554247       | 10/16/20 12:55       | MAN     | TAL BUF |
| Dissolved | Filtration | FILTRATION    |     |                 | 555274       | 10/22/20 14:42       | BEB     | TAL BUF |
| Dissolved | Prep       | 200.7         |     |                 | 555380       | 10/23/20 08:13       | BEB     | TAL BUF |
| Dissolved | Analysis   | 200.7 Rev 4.4 |     | 1               | 555546       | 10/24/20 00:26       | LMH     | TAL BUF |
| Total/NA  | Prep       | 200.7         |     |                 | 554639       | 10/20/20 10:03       | KMP     | TAL BUF |
| Total/NA  | Analysis   | 200.7 Rev 4.4 |     | 1               | 555164       | 10/21/20 15:50       | LMH     | TAL BUF |
| Dissolved | Filtration | FILTRATION    |     |                 | 555274       | 10/22/20 14:42       | BEB     | TAL BUF |
| Dissolved | Prep       | 3005A         |     |                 | 555391       | 10/23/20 08:20       | BEB     | TAL BUF |
| Dissolved | Analysis   | 6010C         |     | 1               | 555744       | 10/24/20 12:07       | LMH     | TAL BUF |
| Total/NA  | Prep       | 3005A         |     |                 | 554571       | 10/19/20 09:38       | ADM     | TAL BUF |
| Total/NA  | Analysis   | 6010C         |     | 1               | 554756       | 10/20/20 01:56       | LMH     | TAL BUF |
| Total/NA  | Analysis   | 300.0         |     | 10              | 555432       | 10/23/20 17:10       | RJS     | TAL BUF |
| Total/NA  | Analysis   | 310.2         |     | 5               | 554684       | 10/19/20 23:37       | SRW     | TAL BUF |

Eurofins TestAmerica, Buffalo

# Lab Chronicle

Client: AECOM  
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

**Client Sample ID: MW-16D**  
**Date Collected: 10/14/20 09:20**  
**Date Received: 10/14/20 15:45**

**Lab Sample ID: 480-176566-5**  
**Matrix: Ground Water**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 350.1        |     | 2               | 554304       | 10/16/20 11:23       | CLT     | TAL BUF |
| Total/NA  | Analysis   | 353.2        |     | 1               | 554192       | 10/15/20 17:02       | ALT     | TAL BUF |
| Total/NA  | Analysis   | 353.2        |     | 1               | 554194       | 10/15/20 17:02       | ALT     | TAL BUF |
| Total/NA  | Analysis   | 9060A        |     | 1               | 556814       | 10/31/20 05:01       | CLA     | TAL BUF |
| Total/NA  | Analysis   | SM 3500      |     | 1               | 555854       | 10/26/20 18:11       | LMH     | TAL BUF |
| Total/NA  | Analysis   | SM 3500 FE D |     | 1               | 554191       | 10/15/20 16:30       | CSS     | TAL BUF |
| Total/NA  | Analysis   | SM 4500 S2 F |     | 1               | 554807       | 10/20/20 11:00       | MJB     | TAL BUF |

**Client Sample ID: Trip Blank-101420**

**Lab Sample ID: 480-176566-6**  
**Matrix: Water**

**Date Collected: 10/12/20 07:00**  
**Date Received: 10/14/20 15:45**

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | 8260C        |     | 1               | 554338       | 10/17/20 04:54       | AMM     | TAL BUF |

## Laboratory References:

TAL BUF = Eurofins TestAmerica, Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

TAL BUR = Eurofins TestAmerica, Burlington, 30 Community Drive, Suite 11, South Burlington, VT 05403, TEL (802)660-1990

# Accreditation/Certification Summary

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

## Laboratory: Eurofins TestAmerica, Buffalo

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

| Authority | Program | Identification Number | Expiration Date |
|-----------|---------|-----------------------|-----------------|
| New York  | NELAP   | 10026                 | 04-01-21        |

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

| Analysis Method | Prep Method | Matrix       | Analyte      |
|-----------------|-------------|--------------|--------------|
| SM 3500         |             | Ground Water | Ferric Iron  |
| SM 3500         |             | Water        | Ferric Iron  |
| SM 3500 FE D    |             | Ground Water | Ferrous Iron |
| SM 3500 FE D    |             | Water        | Ferrous Iron |

## Laboratory: Eurofins TestAmerica, Burlington

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

| Authority                         | Program               | Identification Number | Expiration Date |
|-----------------------------------|-----------------------|-----------------------|-----------------|
| ANAB                              | Dept. of Defense ELAP | L2336                 | 02-25-23        |
| Connecticut                       | State                 | PH-0751               | 09-30-21        |
| DE Haz. Subst. Cleanup Act (HSCA) | State                 | N/A                   | 05-16-21        |
| Florida                           | NELAP                 | E87467                | 06-30-21        |
| Minnesota                         | NELAP                 | 050-999-436           | 12-31-20        |
| New Hampshire                     | NELAP                 | 2006                  | 12-18-20        |
| New Jersey                        | NELAP                 | VT972                 | 06-30-21        |
| New York                          | NELAP                 | 10391                 | 04-01-21        |
| Pennsylvania                      | NELAP                 | 68-00489              | 04-30-21        |
| Rhode Island                      | State                 | LAO00298              | 12-30-20        |
| US Fish & Wildlife                | US Federal Programs   | 058448                | 07-31-21        |
| Vermont                           | State                 | VT4000                | 12-31-20        |
| Virginia                          | NELAP                 | 460209                | 12-14-20        |
| Wisconsin                         | State                 | 399133350             | 08-31-21        |

# Method Summary

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

| Method        | Method Description                                 | Protocol | Laboratory |
|---------------|--|----------|------------|
| 8260C         | Volatile Organic Compounds by GC/MS                | SW846    | TAL BUF    |
| RSK-175       | Dissolved Gases (GC)                               | RSK      | TAL BUF    |
| RSK-175       | Dissolved Gases (GC)                               | RSK      | TAL BUR    |
| 200.7 Rev 4.4 | Metals (ICP)                                       | EPA      | TAL BUF    |
| 6010C         | Metals (ICP)                                       | SW846    | TAL BUF    |
| 300.0         | Anions, Ion Chromatography                         | MCAWW    | TAL BUF    |
| 310.2         | Alkalinity   | MCAWW    | TAL BUF    |
| 350.1         | Nitrogen, Ammonia                                  | MCAWW    | TAL BUF    |
| 353.2         | Nitrate  | EPA      | TAL BUF    |
| 353.2         | Nitrogen, Nitrite                                  | MCAWW    | TAL BUF    |
| 9060A         | Organic Carbon, Total (TOC)                        | SW846    | TAL BUF    |
| SM 3500       | Iron, Ferric                                       | SM       | TAL BUF    |
| SM 3500 FE D  | Iron, Ferrous and Ferric                           | SM       | TAL BUF    |
| SM 4500 S2 F  | Sulfide, Total                                     | SM       | TAL BUF    |
| 200.7         | Preparation, Total Metals                          | EPA      | TAL BUF    |
| 3005A         | Preparation, Total Metals                          | SW846    | TAL BUF    |
| 3005A         | Preparation, Total Recoverable or Dissolved Metals | SW846    | TAL BUF    |
| 5030C         | Purge and Trap                                     | SW846    | TAL BUF    |
| FILTRATION    | Sample Filtration                                  | None     | TAL BUF    |

## Protocol References:

EPA = US Environmental Protection Agency

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

None = None

RSK = Sample Prep And Calculations For Dissolved Gas Analysis In Water Samples Using A GC Headspace Equilibration Technique, RSKSOP-175, Rev. 0, 8/11/94, USEPA Research Lab

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

## Laboratory References:

TAL BUF = Eurofins TestAmerica, Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

TAL BUR = Eurofins TestAmerica, Burlington, 30 Community Drive, Suite 11, South Burlington, VT 05403, TEL (802)660-1990

# Sample Summary

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-176470-1

| Lab Sample ID | Client Sample ID   | Matrix       | Collected      | Received       | Asset ID |
|---------------|--------------------|--------------|----------------|----------------|----------|
| 480-176470-1  | MW3                | Water        | 10/13/20 15:20 | 10/13/20 16:40 |          |
| 480-176470-2  | MW-11              | Water        | 10/13/20 11:35 | 10/13/20 16:40 |          |
| 480-176470-3  | MW-13S             | Water        | 10/13/20 13:08 | 10/13/20 16:40 |          |
| 480-176470-4  | MW-13D             | Water        | 10/13/20 14:17 | 10/13/20 16:40 |          |
| 480-176470-5  | DPE-1              | Water        | 10/13/20 08:00 | 10/13/20 16:40 |          |
| 480-176470-6  | DPE-2              | Water        | 10/13/20 12:00 | 10/13/20 16:40 |          |
| 480-176470-7  | DPE-3              | Water        | 10/13/20 08:30 | 10/13/20 16:40 |          |
| 480-176470-8  | DPE-4              | Water        | 10/13/20 09:00 | 10/13/20 16:40 |          |
| 480-176470-9  | DPE-5              | Water        | 10/13/20 09:30 | 10/13/20 16:40 |          |
| 480-176470-10 | DPE-6              | Water        | 10/13/20 10:00 | 10/13/20 16:40 |          |
| 480-176470-11 | DPE-7              | Water        | 10/13/20 10:30 | 10/13/20 16:40 |          |
| 480-176470-12 | DPE-8              | Water        | 10/13/20 12:30 | 10/13/20 16:40 |          |
| 480-176470-13 | GWCT               | Water        | 10/13/20 11:00 | 10/13/20 16:40 |          |
| 480-176470-14 | Duplicate-101320   | Water        | 10/13/20 09:06 | 10/13/20 16:40 |          |
| 480-176470-15 | Rinse Blank-101320 | Water        | 10/13/20 15:35 | 10/13/20 16:40 |          |
| 480-176470-16 | Trip Blank-101220  | Water        | 10/12/20 07:00 | 10/13/20 16:40 |          |
| 480-176566-1  | MW-4               | Ground Water | 10/14/20 11:58 | 10/14/20 15:45 |          |
| 480-176566-2  | MW-8R              | Ground Water | 10/14/20 13:26 | 10/14/20 15:45 |          |
| 480-176566-3  | MW-2               | Ground Water | 10/14/20 11:02 | 10/14/20 15:45 |          |
| 480-176566-4  | MW-16S             | Ground Water | 10/14/20 08:40 | 10/14/20 15:45 |          |
| 480-176566-5  | MW-16D             | Ground Water | 10/14/20 09:20 | 10/14/20 15:45 |          |
| 480-176566-6  | Trip Blank-101420  | Water        | 10/12/20 07:00 | 10/14/20 15:45 |          |

## Login Sample Receipt Checklist

Client: AECOM

Job Number: 480-176470-1

**Login Number:** 176470

**List Source:** Eurofins TestAmerica, Buffalo

**List Number:** 1

**Creator:** Stopa, Erik S

| Question   | Answer | Comment |
|--|--------|---------|
| Radioactivity either was not measured or, if measured, is at or below background | True   |         |
| The cooler's custody seal, if present, is intact.                                | True   |         |
| The cooler or samples do not appear to have been compromised or tampered with.   | True   |         |
| Samples were received on ice.  | True   |         |
| Cooler Temperature is acceptable.  | True   |         |
| Cooler Temperature is recorded.  | True   |         |
| COC is present.  | True   |         |
| COC is filled out in ink and legible.  | True   |         |
| COC is filled out with all pertinent information.                                | True   |         |
| Is the Field Sampler's name present on COC?                                      | True   |         |
| There are no discrepancies between the sample IDs on the containers and the COC. | True   |         |
| Samples are received within Holding Time (Excluding tests with immediate HTs)..  | True   |         |
| Sample containers have legible labels.   | True   |         |
| Containers are not broken or leaking.  | True   |         |
| Sample collection date/times are provided.                                       | True   |         |
| Appropriate sample containers are used.  | True   |         |
| Sample bottles are completely filled.  | True   |         |
| Sample Preservation Verified   | True   |         |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True   |         |
| VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.     | True   |         |
| If necessary, staff have been informed of any short hold time or quick TAT needs | True   |         |
| Multiphasic samples are not present.   | True   |         |
| Samples do not require splitting or compositing.                                 | True   |         |
| Sampling Company provided.   | True   | AECOM   |
| Samples received within 48 hours of sampling.                                    | True   |         |
| Samples requiring field filtration have been filtered in the field.              | N/A    |         |
| Chlorine Residual checked.   | N/A    |         |

## Login Sample Receipt Checklist

Client: AECOM

Job Number: 480-176470-1

**Login Number:** 176470

**List Source:** Eurofins TestAmerica, Burlington

**List Number:** 2

**List Creation:** 10/16/20 11:22 AM

**Creator:** Jaffe, Nat S

| Question   | Answer | Comment                                  |    |
|--|--------|--|----|
| Radioactivity wasn't checked or is </= background as measured by a survey meter. | N/A    | Lab does not accept radioactive samples. | 6  |
| The cooler's custody seal, if present, is intact.                                | True   | 1207694                                  | 7  |
| Sample custody seals, if present, are intact.                                    | True   |  | 8  |
| The cooler or samples do not appear to have been compromised or tampered with.   | True   |  | 9  |
| Samples were received on ice.  | True   |  | 10 |
| Cooler Temperature is acceptable.  | True   |  |    |
| Cooler Temperature is recorded.  | True   | 0.2°C                                    | 11 |
| COC is present.  | True   |  |    |
| COC is filled out in ink and legible.  | True   |  |    |
| COC is filled out with all pertinent information.                                | True   |  |    |
| Is the Field Sampler's name present on COC?                                      | N/A    | Received project as a subcontract.       |    |
| There are no discrepancies between the containers received and the COC.          | True   |  |    |
| Samples are received within Holding Time (excluding tests with immediate HTs)    | True   |  |    |
| Sample containers have legible labels.   | True   |  |    |
| Containers are not broken or leaking.  | True   |  |    |
| Sample collection date/times are provided.                                       | True   |  |    |
| Appropriate sample containers are used.  | True   |  |    |
| Sample bottles are completely filled.  | True   |  |    |
| Sample Preservation Verified.  | True   |  |    |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True   |  |    |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").  | True   |  |    |
| Multiphasic samples are not present.   | True   |  |    |
| Samples do not require splitting or compositing.                                 | True   |  |    |
| Residual Chlorine Checked.   | N/A    |  |    |

## Login Sample Receipt Checklist

Client: AECOM

Job Number: 480-176470-1

**Login Number:** 176566

**List Source:** Eurofins TestAmerica, Buffalo

**List Number:** 1

**Creator:** Sabuda, Brendan D

| Question   | Answer | Comment    |
|--|--------|------------|
| Radioactivity either was not measured or, if measured, is at or below background | True   |            |
| The cooler's custody seal, if present, is intact.                                | True   |            |
| The cooler or samples do not appear to have been compromised or tampered with.   | True   |            |
| Samples were received on ice.  | True   |            |
| Cooler Temperature is acceptable.  | True   |            |
| Cooler Temperature is recorded.  | True   | 4.6 #1 ICE |
| COC is present.  | True   |            |
| COC is filled out in ink and legible.  | True   |            |
| COC is filled out with all pertinent information.                                | True   |            |
| Is the Field Sampler's name present on COC?                                      | True   |            |
| There are no discrepancies between the sample IDs on the containers and the COC. | True   |            |
| Samples are received within Holding Time (Excluding tests with immediate HTs)..  | True   |            |
| Sample containers have legible labels.   | True   |            |
| Containers are not broken or leaking.  | True   |            |
| Sample collection date/times are provided.                                       | True   |            |
| Appropriate sample containers are used.  | True   |            |
| Sample bottles are completely filled.  | True   |            |
| Sample Preservation Verified   | True   |            |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True   |            |
| VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.     | True   |            |
| If necessary, staff have been informed of any short hold time or quick TAT needs | True   |            |
| Multiphasic samples are not present.   | True   |            |
| Samples do not require splitting or compositing.                                 | True   |            |
| Sampling Company provided.   | True   |            |
| Samples received within 48 hours of sampling.                                    | True   |            |
| Samples requiring field filtration have been filtered in the field.              | True   |            |
| Chlorine Residual checked.   | N/A    |            |

## Login Sample Receipt Checklist

Client: AECOM

Job Number: 480-176470-1

**Login Number:** 176566

**List Source:** Eurofins TestAmerica, Burlington

**List Number:** 2

**List Creation:** 10/17/20 12:40 PM

**Creator:** Khudaier, Zahraa

| Question   | Answer | Comment                                  |    |
|--|--------|--|----|
| Radioactivity wasn't checked or is </= background as measured by a survey meter. | N/A    | Lab does not accept radioactive samples. | 6  |
| The cooler's custody seal, if present, is intact.                                | True   | 1207702                                  | 7  |
| Sample custody seals, if present, are intact.                                    | True   |  | 8  |
| The cooler or samples do not appear to have been compromised or tampered with.   | True   |  | 9  |
| Samples were received on ice.  | True   |  | 10 |
| Cooler Temperature is acceptable.  | True   |  |    |
| Cooler Temperature is recorded.  | True   | 1.8°C                                    | 11 |
| COC is present.  | True   |  |    |
| COC is filled out in ink and legible.  | True   |  |    |
| COC is filled out with all pertinent information.                                | True   |  |    |
| Is the Field Sampler's name present on COC?                                      | True   |  |    |
| There are no discrepancies between the containers received and the COC.          | True   |  |    |
| Samples are received within Holding Time (excluding tests with immediate HTs)    | True   |  |    |
| Sample containers have legible labels.   | True   |  |    |
| Containers are not broken or leaking.  | True   |  |    |
| Sample collection date/times are provided.                                       | True   |  |    |
| Appropriate sample containers are used.  | True   |  |    |
| Sample bottles are completely filled.  | True   |  |    |
| Sample Preservation Verified.  | True   |  |    |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True   |  |    |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").  | True   |  |    |
| Multiphasic samples are not present.   | True   |  |    |
| Samples do not require splitting or compositing.                                 | True   |  |    |
| Residual Chlorine Checked.   | N/A    |  |    |



## Chain of Custody Record

| Client Information   |             | Sampler: Chris Bawle |             | Lab PM: Fischer, Brian J              |                    | Carrier Tracking No(s): 480-150352-34502 |          |                       |             |             |             |        |                    |                     |       |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |      |          |      |   |       |         |          |          |                     |          |      |   |       |         |          |          |                       |          |      |   |       |       |          |          |                      |          |      |   |       |       |          |          |
|--|-------------|----------------------|-------------|---------------------------------------|--------------------|--|----------|-----------------------|-------------|-------------|-------------|--------|--------------------|---------------------|-------|-------|----------|------|---|-------|---------|----------|----------|-------|----------|------|---|-------|---------|----------|----------|-------|----------|------|---|-------|---------|----------|----------|-------|----------|------|---|-------|---------|----------|----------|-------|----------|------|---|-------|---------|----------|----------|-------|----------|------|---|-------|---------|----------|----------|------|----------|------|---|-------|---------|----------|----------|---------------------|----------|------|---|-------|---------|----------|----------|-----------------------|----------|------|---|-------|-------|----------|----------|----------------------|----------|------|---|-------|-------|----------|----------|
| Client Contact:<br>Mr. Dino Zack<br>Company: AECOM   |             | Phone: 716-783-6286  |             | E-Mail: Brian.Fischer@Eurofinsset.com |                    | Page: 2 of 2<br>Job#:                    |          |                       |             |             |             |        |                    |                     |       |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |      |          |      |   |       |         |          |          |                     |          |      |   |       |         |          |          |                       |          |      |   |       |       |          |          |                      |          |      |   |       |       |          |          |
| Analysis Requested   |             |                      |             |                                       |                    |  |          |                       |             |             |             |        |                    |                     |       |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |      |          |      |   |       |         |          |          |                     |          |      |   |       |         |          |          |                       |          |      |   |       |       |          |          |                      |          |      |   |       |       |          |          |
| <p><b>Total Number of Contaminants:</b></p> <p><b>Preservation Codes:</b></p> <ul style="list-style-type: none"> <li>A - HCl M - Hexane</li> <li>B - NaOH N - None</li> <li>C - Zn Acetate O - AsNaO2</li> <li>D - Nitric Acid P - Na2O4S</li> <li>E - NaHSO4 Q - Na2SO3</li> <li>F - MeOH R - Na2S2O3</li> <li>G - Amchlor S - H2SO4</li> <li>H - Ascorbic Acid T - TSP Dodecanydrate</li> <li>I - Ice U - Acetone</li> <li>J - DI Water V - MCAA</li> <li>K - EDTA W - pH 4-5</li> <li>L - EDA Z - other (specify)</li> <li>Other:</li> </ul> <p><b>Special Instructions/Note:</b></p>   |             |                      |             |                                       |                    |  |          |                       |             |             |             |        |                    |                     |       |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |      |          |      |   |       |         |          |          |                     |          |      |   |       |         |          |          |                       |          |      |   |       |       |          |          |                      |          |      |   |       |       |          |          |
| <p>8260C - (MOD) TCL 11st OLM04.2</p> <p>9060A - (MOD) Local Method</p> <p>8260C - TCL 11st OLM04.2</p> <p>Perform MSMSD (Yes or No)</p> <p>Field Filtered Sample (Yes or No)</p> <p>Field Filtered Sample (Yes or No)</p>   |             |                      |             |                                       |                    |  |          |                       |             |             |             |        |                    |                     |       |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |      |          |      |   |       |         |          |          |                     |          |      |   |       |         |          |          |                       |          |      |   |       |       |          |          |                      |          |      |   |       |       |          |          |
| <table border="1"> <thead> <tr> <th>Sample Identification</th> <th>Sample Date</th> <th>Sample Time</th> <th>Sample Type</th> <th>Matrix</th> <th>Preservation Code:</th> <th>Method of Shipment:</th> <th>Time:</th> </tr> </thead> <tbody> <tr> <td>DPE-3</td> <td>10/13/20</td> <td>0830</td> <td>C</td> <td>Water</td> <td>N/N 3 2</td> <td>10/13/20</td> <td>10:00 AM</td> </tr> <tr> <td>DPE-4</td> <td>10/13/20</td> <td>0900</td> <td>C</td> <td>Water</td> <td>N/N 3 2</td> <td>10/13/20</td> <td>10:00 AM</td> </tr> <tr> <td>DPE-5</td> <td>10/13/20</td> <td>0930</td> <td>C</td> <td>Water</td> <td>N/N 3 2</td> <td>10/13/20</td> <td>10:00 AM</td> </tr> <tr> <td>DPE-6</td> <td>10/13/20</td> <td>1000</td> <td>C</td> <td>Water</td> <td>N/N 3 2</td> <td>10/13/20</td> <td>10:00 AM</td> </tr> <tr> <td>DPE-7</td> <td>10/13/20</td> <td>1030</td> <td>C</td> <td>Water</td> <td>N/N 3 2</td> <td>10/13/20</td> <td>10:00 AM</td> </tr> <tr> <td>DPE-8</td> <td>10/13/20</td> <td>1230</td> <td>C</td> <td>Water</td> <td>N/N 3 2</td> <td>10/13/20</td> <td>12:30 PM</td> </tr> <tr> <td>GWCT</td> <td>10/13/20</td> <td>1100</td> <td>C</td> <td>Water</td> <td>N/N 3 2</td> <td>10/13/20</td> <td>11:00 AM</td> </tr> <tr> <td>DUPLICATE ~10/13/20</td> <td>10/13/20</td> <td>0906</td> <td>G</td> <td>Water</td> <td>N/N 3 2</td> <td>10/13/20</td> <td>09:06 AM</td> </tr> <tr> <td>RINSE BLANK ~10/13/20</td> <td>10/13/20</td> <td>1535</td> <td>G</td> <td>Water</td> <td>N/N 3</td> <td>10/13/20</td> <td>15:35 PM</td> </tr> <tr> <td>Trip Blank ~10/13/20</td> <td>10/13/20</td> <td>0700</td> <td>G</td> <td>Water</td> <td>N/N 1</td> <td>10/13/20</td> <td>07:00 AM</td> </tr> </tbody> </table> |             |                      |             |                                       |                    |  |          | Sample Identification | Sample Date | Sample Time | Sample Type | Matrix | Preservation Code: | Method of Shipment: | Time: | DPE-3 | 10/13/20 | 0830 | C | Water | N/N 3 2 | 10/13/20 | 10:00 AM | DPE-4 | 10/13/20 | 0900 | C | Water | N/N 3 2 | 10/13/20 | 10:00 AM | DPE-5 | 10/13/20 | 0930 | C | Water | N/N 3 2 | 10/13/20 | 10:00 AM | DPE-6 | 10/13/20 | 1000 | C | Water | N/N 3 2 | 10/13/20 | 10:00 AM | DPE-7 | 10/13/20 | 1030 | C | Water | N/N 3 2 | 10/13/20 | 10:00 AM | DPE-8 | 10/13/20 | 1230 | C | Water | N/N 3 2 | 10/13/20 | 12:30 PM | GWCT | 10/13/20 | 1100 | C | Water | N/N 3 2 | 10/13/20 | 11:00 AM | DUPLICATE ~10/13/20 | 10/13/20 | 0906 | G | Water | N/N 3 2 | 10/13/20 | 09:06 AM | RINSE BLANK ~10/13/20 | 10/13/20 | 1535 | G | Water | N/N 3 | 10/13/20 | 15:35 PM | Trip Blank ~10/13/20 | 10/13/20 | 0700 | G | Water | N/N 1 | 10/13/20 | 07:00 AM |
| Sample Identification  | Sample Date | Sample Time          | Sample Type | Matrix                                | Preservation Code: | Method of Shipment:                      | Time:    |                       |             |             |             |        |                    |                     |       |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |      |          |      |   |       |         |          |          |                     |          |      |   |       |         |          |          |                       |          |      |   |       |       |          |          |                      |          |      |   |       |       |          |          |
| DPE-3  | 10/13/20    | 0830                 | C           | Water                                 | N/N 3 2            | 10/13/20                                 | 10:00 AM |                       |             |             |             |        |                    |                     |       |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |      |          |      |   |       |         |          |          |                     |          |      |   |       |         |          |          |                       |          |      |   |       |       |          |          |                      |          |      |   |       |       |          |          |
| DPE-4  | 10/13/20    | 0900                 | C           | Water                                 | N/N 3 2            | 10/13/20                                 | 10:00 AM |                       |             |             |             |        |                    |                     |       |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |      |          |      |   |       |         |          |          |                     |          |      |   |       |         |          |          |                       |          |      |   |       |       |          |          |                      |          |      |   |       |       |          |          |
| DPE-5  | 10/13/20    | 0930                 | C           | Water                                 | N/N 3 2            | 10/13/20                                 | 10:00 AM |                       |             |             |             |        |                    |                     |       |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |      |          |      |   |       |         |          |          |                     |          |      |   |       |         |          |          |                       |          |      |   |       |       |          |          |                      |          |      |   |       |       |          |          |
| DPE-6  | 10/13/20    | 1000                 | C           | Water                                 | N/N 3 2            | 10/13/20                                 | 10:00 AM |                       |             |             |             |        |                    |                     |       |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |      |          |      |   |       |         |          |          |                     |          |      |   |       |         |          |          |                       |          |      |   |       |       |          |          |                      |          |      |   |       |       |          |          |
| DPE-7  | 10/13/20    | 1030                 | C           | Water                                 | N/N 3 2            | 10/13/20                                 | 10:00 AM |                       |             |             |             |        |                    |                     |       |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |      |          |      |   |       |         |          |          |                     |          |      |   |       |         |          |          |                       |          |      |   |       |       |          |          |                      |          |      |   |       |       |          |          |
| DPE-8  | 10/13/20    | 1230                 | C           | Water                                 | N/N 3 2            | 10/13/20                                 | 12:30 PM |                       |             |             |             |        |                    |                     |       |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |      |          |      |   |       |         |          |          |                     |          |      |   |       |         |          |          |                       |          |      |   |       |       |          |          |                      |          |      |   |       |       |          |          |
| GWCT   | 10/13/20    | 1100                 | C           | Water                                 | N/N 3 2            | 10/13/20                                 | 11:00 AM |                       |             |             |             |        |                    |                     |       |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |      |          |      |   |       |         |          |          |                     |          |      |   |       |         |          |          |                       |          |      |   |       |       |          |          |                      |          |      |   |       |       |          |          |
| DUPLICATE ~10/13/20  | 10/13/20    | 0906                 | G           | Water                                 | N/N 3 2            | 10/13/20                                 | 09:06 AM |                       |             |             |             |        |                    |                     |       |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |      |          |      |   |       |         |          |          |                     |          |      |   |       |         |          |          |                       |          |      |   |       |       |          |          |                      |          |      |   |       |       |          |          |
| RINSE BLANK ~10/13/20  | 10/13/20    | 1535                 | G           | Water                                 | N/N 3              | 10/13/20                                 | 15:35 PM |                       |             |             |             |        |                    |                     |       |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |      |          |      |   |       |         |          |          |                     |          |      |   |       |         |          |          |                       |          |      |   |       |       |          |          |                      |          |      |   |       |       |          |          |
| Trip Blank ~10/13/20   | 10/13/20    | 0700                 | G           | Water                                 | N/N 1              | 10/13/20                                 | 07:00 AM |                       |             |             |             |        |                    |                     |       |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |      |          |      |   |       |         |          |          |                     |          |      |   |       |         |          |          |                       |          |      |   |       |       |          |          |                      |          |      |   |       |       |          |          |
| <p><b>Possible Hazard Identification</b></p> <p><input checked="" type="checkbox"/> Non-Hazard   <input type="checkbox"/> Flammable   <input type="checkbox"/> Skin Irritant   <input type="checkbox"/> Poison B   <input type="checkbox"/> Unknown   <input type="checkbox"/> Radiological</p> <p>Deliverable Requested: I, II, III, IV, Other (specify)</p> <p><b>Empty Kit Relinquished by:</b></p> <p>Relinquished by: <u>Chris Bawle</u>   Date/Time: <u>10/13/20</u>   Company: <u>AECOM</u>   Received by: <u>Chris Bawle</u>   Date/Time: <u>10/13/20</u>   Company: <u>AECOM</u></p> <p>Relinquished by:   Date/Time:   Company:   Received by:   Date/Time:   Company:</p> <p>Relinquished by:   Date/Time:   Company:   Received by:   Date/Time:   Company:</p> <p><b>Special Instructions/QC Requirements:</b></p> <p><input type="checkbox"/> Disposal To Client   <input checked="" type="checkbox"/> Disposal By Lab   <input type="checkbox"/> Archive For Months</p> <p><b>Sample Disposal ( A fee may be assessed if samples are retained longer than 1 month)</b></p> <p><input type="checkbox"/> Return To Client   <input checked="" type="checkbox"/> Disposal By Lab</p> <p>Cooler Temperature(s) °C and Other Remarks:</p>  |             |                      |             |                                       |                    |  |          |                       |             |             |             |        |                    |                     |       |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |       |          |      |   |       |         |          |          |      |          |      |   |       |         |          |          |                     |          |      |   |       |         |          |          |                       |          |      |   |       |       |          |          |                      |          |      |   |       |       |          |          |







Environment Testing  
TestAmerica

Part # 159A69-434


RIT 07/13

ORIGIN ID:DKKA (716) 691-2600  
SAMPLE RECEIPT  
EUROFINS TESTAMERICA BUFFALO  
10 HAZELWOOD DR  
AMHERST, NY 14228  
UNITED STATES US

SHIP DATE: 14 OCT 20  
ACTWGT: 10.45 LB  
CRD: 8466542 CAFE3406  
DIMS: 19x15x10 IN

BILL RECIPIENT

TO **SAMPLE MGT.**  
**TA BURLINGTON**  
**30 COMMUNITY DRIVE**  
**SUITE 11**  
**SOUTH BURLINGTON VT 05403**  
(802) 660-1990  
REF: TA BURLINGTON



FedEx  
Express  
E

THU - 15 OCT 10:30A  
PRIORITY OVERNIGHT

TRK# 1888 3861 9869  
0201

05403  
VT-US BTV

XH BTVA





## Environment Testing America



### ANALYTICAL REPORT

Eurofins TestAmerica, Burlington  
30 Community Drive  
Suite 11  
South Burlington, VT 05403  
Tel: (802)660-1990

Laboratory Job ID: 200-55482-1  
Client Project/Site: Scott Figgie West of Plant 2

For:  
AECOM  
257 West Genesee Street  
Suite 400  
Buffalo, New York 14202-2657

Attn: Mr. Dino Zack

Authorized for release by:  
10/12/2020 4:09:02 PM  
Rebecca Jones, Project Management Assistant I  
[Rebecca.Jones@Eurofinset.com](mailto:Rebecca.Jones@Eurofinset.com)

Designee for  
Brian Fischer, Manager of Project Management  
(716)504-9835  
[Brian.Fischer@Eurofinset.com](mailto:Brian.Fischer@Eurofinset.com)

#### LINKS

Review your project  
results through

**TotalAccess**

Have a Question?

Ask  
The  
Expert

Visit us at:

[www.eurofinsus.com/Env](http://www.eurofinsus.com/Env)

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11

# Table of Contents

|                             |    |
|-----------------------------|----|
| Cover Page .....            | 1  |
| Table of Contents .....     | 2  |
| Definitions/Glossary .....  | 3  |
| Case Narrative .....        | 4  |
| Client Sample Results ..... | 5  |
| Lab Chronicle .....         | 11 |
| Certification Summary ..... | 12 |
| Method Summary .....        | 13 |
| Sample Summary .....        | 14 |
| Chain of Custody .....      | 15 |
| Receipt Checklists .....    | 17 |

# Definitions/Glossary

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 200-55482-1

## Qualifiers

### Air - GC/MS VOA

| Qualifier | Qualifier Description   |
|-----------|---|
| D         | Sample results are obtained from a dilution; the surrogate or matrix spike recoveries reported are calculated from diluted samples. |
| U         | Indicates the analyte was analyzed for but not detected.  |

## Glossary

| Abbreviation   | These commonly used abbreviations may or may not be present in this report.                                 |
|----------------|---|
| □              | Listed under the "D" column to designate that the result is reported on a dry weight basis                  |
| %R             | Percent Recovery  |
| CFL            | Contains Free Liquid  |
| CFU            | Colony Forming Unit   |
| CNF            | Contains No Free Liquid   |
| DER            | Duplicate Error Ratio (normalized absolute difference)  |
| Dil Fac        | Dilution Factor   |
| DL             | Detection Limit (DoD/DOE)   |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC            | Decision Level Concentration (Radiochemistry)   |
| EDL            | Estimated Detection Limit (Dioxin)  |
| LOD            | Limit of Detection (DoD/DOE)  |
| LOQ            | Limit of Quantitation (DoD/DOE)   |
| MCL            | EPA recommended "Maximum Contaminant Level"   |
| MDA            | Minimum Detectable Activity (Radiochemistry)  |
| MDC            | Minimum Detectable Concentration (Radiochemistry)   |
| MDL            | Method Detection Limit  |
| ML             | Minimum Level (Dioxin)  |
| MPN            | Most Probable Number  |
| MQL            | Method Quantitation Limit   |
| NC             | Not Calculated  |
| ND             | Not Detected at the reporting limit (or MDL or EDL if shown)  |
| NEG            | Negative / Absent   |
| POS            | Positive / Present  |
| PQL            | Practical Quantitation Limit  |
| PRES           | Presumptive   |
| QC             | Quality Control   |
| RER            | Relative Error Ratio (Radiochemistry)   |
| RL             | Reporting Limit or Requested Limit (Radiochemistry)   |
| RPD            | Relative Percent Difference, a measure of the relative difference between two points                        |
| TEF            | Toxicity Equivalent Factor (Dioxin)   |
| TEQ            | Toxicity Equivalent Quotient (Dioxin)   |
| TNTC           | Too Numerous To Count   |

# Case Narrative

Client: AECOM  
Project/Site: Scott Figgie West of Plant 2

Job ID: 200-55482-1

## Job ID: 200-55482-1

Laboratory: Eurofins TestAmerica, Burlington

### Narrative

Job Narrative  
200-55482-1

### Comments

No additional comments.

### Receipt

The samples were received on 10/8/2020 10:30 AM; the samples arrived in good condition, and where required, properly preserved and on ice.

### Air Toxics

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

# Client Sample Results

Client: AECOM  
Project/Site: Scott Figgie West of Plant 2

Job ID: 200-55482-1

**Client Sample ID: AS 4Q20**

**Lab Sample ID: 200-55482-1**

Date Collected: 10/07/20 08:03

Matrix: Air

Date Received: 10/08/20 12:23

Sample Container: Summa Canister 6L

## Method: TO-15 - Volatile Organic Compounds in Ambient Air

| Analyte                          | Result      | Qualifier | RL   | RL   | Unit    | D | Prepared | Analyzed       | Dil Fac |
|----------------------------------|-------------|-----------|------|------|---------|---|----------|----------------|---------|
| 1,1,1-Trichloroethane            | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| 1,1,2,2-Tetrachloroethane        | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| 1,1,2-Trichloroethane            | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| 1,1-Dichloroethane               | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| 1,1-Dichloroethene               | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| 1,2,4-Trichlorobenzene           | 0.50        | U         | 0.50 | 0.50 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| 1,2,4-Trimethylbenzene           | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| 1,2-Dibromoethane                | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| 1,2-Dichlorobenzene              | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| 1,2-Dichloroethane               | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| <b>1,2-Dichloroethene, Total</b> | <b>1.2</b>  |           | 0.40 | 0.40 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| 1,2-Dichloropropane              | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| 1,2-Dichlortetrafluoroethane     | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| 1,3,5-Trimethylbenzene           | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| 1,3-Butadiene                    | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| <b>1,3-Dichlorobenzene</b>       | <b>0.33</b> |           | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| 1,4-Dichlorobenzene              | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| 1,4-Dioxane                      | 5.0         | U         | 5.0  | 5.0  | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| 2,2,4-Trimethylpentane           | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| 2-Chlorotoluene                  | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| 3-Chloropropene                  | 0.50        | U         | 0.50 | 0.50 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| 4-Ethyltoluene                   | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| Acetone                          | 5.0         | U         | 5.0  | 5.0  | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| Benzene                          | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| Bromodichloromethane             | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| Bromoethene(Vinyl Bromide)       | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| Bromoform                        | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| Bromomethane                     | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| <b>Carbon disulfide</b>          | <b>1.7</b>  |           | 0.50 | 0.50 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| Carbon tetrachloride             | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| Chlorobenzene                    | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| Chloroethane                     | 0.50        | U         | 0.50 | 0.50 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| Chloroform                       | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| Chloromethane                    | 0.50        | U         | 0.50 | 0.50 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| <b>cis-1,2-Dichloroethene</b>    | <b>1.2</b>  |           | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| cis-1,3-Dichloropropene          | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| Cyclohexane                      | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| Dibromochloromethane             | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| Dichlorodifluoromethane          | 0.50        | U         | 0.50 | 0.50 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| Ethylbenzene                     | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| Freon TF                         | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| Hexachlorobutadiene              | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| Isopropyl alcohol                | 5.0         | U         | 5.0  | 5.0  | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| m,p-Xylene                       | 0.50        | U         | 0.50 | 0.50 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| Methyl Butyl Ketone (2-Hexanone) | 0.50        | U         | 0.50 | 0.50 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| Methyl Ethyl Ketone              | 0.50        | U         | 0.50 | 0.50 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| methyl isobutyl ketone           | 0.50        | U         | 0.50 | 0.50 | ppb v/v |   |          | 10/09/20 16:42 | 1       |
| Methyl tert-butyl ether          | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 16:42 | 1       |

Eurofins TestAmerica, Burlington

# Client Sample Results

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 200-55482-1

**Client Sample ID: AS 4Q20**

Date Collected: 10/07/20 08:03

Date Received: 10/08/20 12:23

Sample Container: Summa Canister 6L

**Lab Sample ID: 200-55482-1**

Matrix: Air

## Method: TO-15 - Volatile Organic Compounds in Ambient Air (Continued)

| Analyte                          | Result      | Qualifier | RL   | RL   | Unit              | D | Prepared | Analyzed       | Dil Fac |
|----------------------------------|-------------|-----------|------|------|-------------------|---|----------|----------------|---------|
| Methylene Chloride               | 0.50        | U         | 0.50 | 0.50 | ppb v/v           |   |          | 10/09/20 16:42 | 1       |
| n-Heptane                        | 0.20        | U         | 0.20 | 0.20 | ppb v/v           |   |          | 10/09/20 16:42 | 1       |
| n-Hexane                         | 0.20        | U         | 0.20 | 0.20 | ppb v/v           |   |          | 10/09/20 16:42 | 1       |
| Styrene                          | 0.20        | U         | 0.20 | 0.20 | ppb v/v           |   |          | 10/09/20 16:42 | 1       |
| tert-Butyl alcohol               | 5.0         | U         | 5.0  | 5.0  | ppb v/v           |   |          | 10/09/20 16:42 | 1       |
| Tetrachloroethene                | 0.20        | U         | 0.20 | 0.20 | ppb v/v           |   |          | 10/09/20 16:42 | 1       |
| Tetrahydrofuran                  | 5.0         | U         | 5.0  | 5.0  | ppb v/v           |   |          | 10/09/20 16:42 | 1       |
| <b>Toluene</b>                   | <b>0.49</b> |           | 0.20 | 0.20 | ppb v/v           |   |          | 10/09/20 16:42 | 1       |
| trans-1,2-Dichloroethene         | 0.20        | U         | 0.20 | 0.20 | ppb v/v           |   |          | 10/09/20 16:42 | 1       |
| trans-1,3-Dichloropropene        | 0.20        | U         | 0.20 | 0.20 | ppb v/v           |   |          | 10/09/20 16:42 | 1       |
| Trichloroethene                  | 0.20        | U         | 0.20 | 0.20 | ppb v/v           |   |          | 10/09/20 16:42 | 1       |
| Trichlorofluoromethane           | 0.20        | U         | 0.20 | 0.20 | ppb v/v           |   |          | 10/09/20 16:42 | 1       |
| Vinyl chloride                   | 0.20        | U         | 0.20 | 0.20 | ppb v/v           |   |          | 10/09/20 16:42 | 1       |
| Xylene (total)                   | 0.70        | U         | 0.70 | 0.70 | ppb v/v           |   |          | 10/09/20 16:42 | 1       |
| Xylene, o-                       | 0.20        | U         | 0.20 | 0.20 | ppb v/v           |   |          | 10/09/20 16:42 | 1       |
| Analyte                          | Result      | Qualifier | RL   | RL   | Unit              | D | Prepared | Analyzed       | Dil Fac |
| 1,1,1-Trichloroethane            | 1.1         | U         | 1.1  | 1.1  | ug/m <sup>3</sup> |   |          | 10/09/20 16:42 | 1       |
| 1,1,2,2-Tetrachloroethane        | 1.4         | U         | 1.4  | 1.4  | ug/m <sup>3</sup> |   |          | 10/09/20 16:42 | 1       |
| 1,1,2-Trichloroethane            | 1.1         | U         | 1.1  | 1.1  | ug/m <sup>3</sup> |   |          | 10/09/20 16:42 | 1       |
| 1,1-Dichloroethane               | 0.81        | U         | 0.81 | 0.81 | ug/m <sup>3</sup> |   |          | 10/09/20 16:42 | 1       |
| 1,1-Dichloroethene               | 0.79        | U         | 0.79 | 0.79 | ug/m <sup>3</sup> |   |          | 10/09/20 16:42 | 1       |
| 1,2,4-Trichlorobenzene           | 3.7         | U         | 3.7  | 3.7  | ug/m <sup>3</sup> |   |          | 10/09/20 16:42 | 1       |
| 1,2,4-Trimethylbenzene           | 0.98        | U         | 0.98 | 0.98 | ug/m <sup>3</sup> |   |          | 10/09/20 16:42 | 1       |
| 1,2-Dibromoethane                | 1.5         | U         | 1.5  | 1.5  | ug/m <sup>3</sup> |   |          | 10/09/20 16:42 | 1       |
| 1,2-Dichlorobenzene              | 1.2         | U         | 1.2  | 1.2  | ug/m <sup>3</sup> |   |          | 10/09/20 16:42 | 1       |
| 1,2-Dichloroethane               | 0.81        | U         | 0.81 | 0.81 | ug/m <sup>3</sup> |   |          | 10/09/20 16:42 | 1       |
| <b>1,2-Dichloroethene, Total</b> | <b>4.8</b>  |           | 1.6  | 1.6  | ug/m <sup>3</sup> |   |          | 10/09/20 16:42 | 1       |
| 1,2-Dichloropropane              | 0.92        | U         | 0.92 | 0.92 | ug/m <sup>3</sup> |   |          | 10/09/20 16:42 | 1       |
| 1,2-Dichlorotetrafluoroethane    | 1.4         | U         | 1.4  | 1.4  | ug/m <sup>3</sup> |   |          | 10/09/20 16:42 | 1       |
| 1,3,5-Trimethylbenzene           | 0.98        | U         | 0.98 | 0.98 | ug/m <sup>3</sup> |   |          | 10/09/20 16:42 | 1       |
| 1,3-Butadiene                    | 0.44        | U         | 0.44 | 0.44 | ug/m <sup>3</sup> |   |          | 10/09/20 16:42 | 1       |
| <b>1,3-Dichlorobenzene</b>       | <b>2.0</b>  |           | 1.2  | 1.2  | ug/m <sup>3</sup> |   |          | 10/09/20 16:42 | 1       |
| 1,4-Dichlorobenzene              | 1.2         | U         | 1.2  | 1.2  | ug/m <sup>3</sup> |   |          | 10/09/20 16:42 | 1       |
| 1,4-Dioxane                      | 18          | U         | 18   | 18   | ug/m <sup>3</sup> |   |          | 10/09/20 16:42 | 1       |
| 2,2,4-Trimethylpentane           | 0.93        | U         | 0.93 | 0.93 | ug/m <sup>3</sup> |   |          | 10/09/20 16:42 | 1       |
| 2-Chlorotoluene                  | 1.0         | U         | 1.0  | 1.0  | ug/m <sup>3</sup> |   |          | 10/09/20 16:42 | 1       |
| 3-Chloropropene                  | 1.6         | U         | 1.6  | 1.6  | ug/m <sup>3</sup> |   |          | 10/09/20 16:42 | 1       |
| 4-Ethyltoluene                   | 0.98        | U         | 0.98 | 0.98 | ug/m <sup>3</sup> |   |          | 10/09/20 16:42 | 1       |
| Acetone                          | 12          | U         | 12   | 12   | ug/m <sup>3</sup> |   |          | 10/09/20 16:42 | 1       |
| Benzene                          | 0.64        | U         | 0.64 | 0.64 | ug/m <sup>3</sup> |   |          | 10/09/20 16:42 | 1       |
| Bromodichloromethane             | 1.3         | U         | 1.3  | 1.3  | ug/m <sup>3</sup> |   |          | 10/09/20 16:42 | 1       |
| Bromoethene(Vinyl Bromide)       | 0.87        | U         | 0.87 | 0.87 | ug/m <sup>3</sup> |   |          | 10/09/20 16:42 | 1       |
| Bromoform                        | 2.1         | U         | 2.1  | 2.1  | ug/m <sup>3</sup> |   |          | 10/09/20 16:42 | 1       |
| Bromomethane                     | 0.78        | U         | 0.78 | 0.78 | ug/m <sup>3</sup> |   |          | 10/09/20 16:42 | 1       |
| <b>Carbon disulfide</b>          | <b>5.4</b>  |           | 1.6  | 1.6  | ug/m <sup>3</sup> |   |          | 10/09/20 16:42 | 1       |
| Carbon tetrachloride             | 1.3         | U         | 1.3  | 1.3  | ug/m <sup>3</sup> |   |          | 10/09/20 16:42 | 1       |
| Chlorobenzene                    | 0.92        | U         | 0.92 | 0.92 | ug/m <sup>3</sup> |   |          | 10/09/20 16:42 | 1       |
| Chloroethane                     | 1.3         | U         | 1.3  | 1.3  | ug/m <sup>3</sup> |   |          | 10/09/20 16:42 | 1       |

Eurofins TestAmerica, Burlington

# Client Sample Results

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 200-55482-1

**Client Sample ID: AS 4Q20**

Date Collected: 10/07/20 08:03

Date Received: 10/08/20 12:23

Sample Container: Summa Canister 6L

**Lab Sample ID: 200-55482-1**

Matrix: Air

## Method: TO-15 - Volatile Organic Compounds in Ambient Air (Continued)

| Analyte                          | Result     | Qualifier | RL   | RL   | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------------------------------|------------|-----------|------|------|-------|---|----------|----------------|---------|
| Chloroform                       | 0.98       | U         | 0.98 | 0.98 | ug/m3 |   |          | 10/09/20 16:42 | 1       |
| Chloromethane                    | 1.0        | U         | 1.0  | 1.0  | ug/m3 |   |          | 10/09/20 16:42 | 1       |
| <b>cis-1,2-Dichloroethene</b>    | <b>4.7</b> |           | 0.79 | 0.79 | ug/m3 |   |          | 10/09/20 16:42 | 1       |
| cis-1,3-Dichloropropene          | 0.91       | U         | 0.91 | 0.91 | ug/m3 |   |          | 10/09/20 16:42 | 1       |
| Cyclohexane                      | 0.69       | U         | 0.69 | 0.69 | ug/m3 |   |          | 10/09/20 16:42 | 1       |
| Dibromochloromethane             | 1.7        | U         | 1.7  | 1.7  | ug/m3 |   |          | 10/09/20 16:42 | 1       |
| Dichlorodifluoromethane          | 2.5        | U         | 2.5  | 2.5  | ug/m3 |   |          | 10/09/20 16:42 | 1       |
| Ethylbenzene                     | 0.87       | U         | 0.87 | 0.87 | ug/m3 |   |          | 10/09/20 16:42 | 1       |
| Freon TF                         | 1.5        | U         | 1.5  | 1.5  | ug/m3 |   |          | 10/09/20 16:42 | 1       |
| Hexachlorobutadiene              | 2.1        | U         | 2.1  | 2.1  | ug/m3 |   |          | 10/09/20 16:42 | 1       |
| Isopropyl alcohol                | 12         | U         | 12   | 12   | ug/m3 |   |          | 10/09/20 16:42 | 1       |
| m,p-Xylene                       | 2.2        | U         | 2.2  | 2.2  | ug/m3 |   |          | 10/09/20 16:42 | 1       |
| Methyl Butyl Ketone (2-Hexanone) | 2.0        | U         | 2.0  | 2.0  | ug/m3 |   |          | 10/09/20 16:42 | 1       |
| Methyl Ethyl Ketone              | 1.5        | U         | 1.5  | 1.5  | ug/m3 |   |          | 10/09/20 16:42 | 1       |
| methyl isobutyl ketone           | 2.0        | U         | 2.0  | 2.0  | ug/m3 |   |          | 10/09/20 16:42 | 1       |
| Methyl tert-butyl ether          | 0.72       | U         | 0.72 | 0.72 | ug/m3 |   |          | 10/09/20 16:42 | 1       |
| Methylene Chloride               | 1.7        | U         | 1.7  | 1.7  | ug/m3 |   |          | 10/09/20 16:42 | 1       |
| n-Heptane                        | 0.82       | U         | 0.82 | 0.82 | ug/m3 |   |          | 10/09/20 16:42 | 1       |
| n-Hexane                         | 0.70       | U         | 0.70 | 0.70 | ug/m3 |   |          | 10/09/20 16:42 | 1       |
| Styrene                          | 0.85       | U         | 0.85 | 0.85 | ug/m3 |   |          | 10/09/20 16:42 | 1       |
| tert-Butyl alcohol               | 15         | U         | 15   | 15   | ug/m3 |   |          | 10/09/20 16:42 | 1       |
| Tetrachloroethene                | 1.4        | U         | 1.4  | 1.4  | ug/m3 |   |          | 10/09/20 16:42 | 1       |
| Tetrahydrofuran                  | 15         | U         | 15   | 15   | ug/m3 |   |          | 10/09/20 16:42 | 1       |
| <b>Toluene</b>                   | <b>1.9</b> |           | 0.75 | 0.75 | ug/m3 |   |          | 10/09/20 16:42 | 1       |
| trans-1,2-Dichloroethene         | 0.79       | U         | 0.79 | 0.79 | ug/m3 |   |          | 10/09/20 16:42 | 1       |
| trans-1,3-Dichloropropene        | 0.91       | U         | 0.91 | 0.91 | ug/m3 |   |          | 10/09/20 16:42 | 1       |
| Trichloroethene                  | 1.1        | U         | 1.1  | 1.1  | ug/m3 |   |          | 10/09/20 16:42 | 1       |
| Trichlorofluoromethane           | 1.1        | U         | 1.1  | 1.1  | ug/m3 |   |          | 10/09/20 16:42 | 1       |
| Vinyl chloride                   | 0.51       | U         | 0.51 | 0.51 | ug/m3 |   |          | 10/09/20 16:42 | 1       |
| Xylene (total)                   | 3.0        | U         | 3.0  | 3.0  | ug/m3 |   |          | 10/09/20 16:42 | 1       |
| Xylene, o-                       | 0.87       | U         | 0.87 | 0.87 | ug/m3 |   |          | 10/09/20 16:42 | 1       |

# Client Sample Results

Client: AECOM  
Project/Site: Scott Figgie West of Plant 2

Job ID: 200-55482-1

**Client Sample ID: LRP 4Q20**

**Lab Sample ID: 200-55482-2**

Date Collected: 10/07/20 08:05

Matrix: Air

Date Received: 10/08/20 12:23

Sample Container: Summa Canister 6L

## Method: TO-15 - Volatile Organic Compounds in Ambient Air

| Analyte                          | Result      | Qualifier | RL   | RL   | Unit    | D | Prepared | Analyzed       | Dil Fac |
|----------------------------------|-------------|-----------|------|------|---------|---|----------|----------------|---------|
| <b>1,1,1-Trichloroethane</b>     | <b>1.5</b>  |           | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| 1,1,2,2-Tetrachloroethane        | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| 1,1,2-Trichloroethane            | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| <b>1,1-Dichloroethane</b>        | <b>2.5</b>  |           | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| <b>1,1-Dichloroethene</b>        | <b>0.62</b> |           | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| 1,2,4-Trichlorobenzene           | 0.50        | U         | 0.50 | 0.50 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| <b>1,2,4-Trimethylbenzene</b>    | <b>0.21</b> |           | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| 1,2-Dibromoethane                | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| 1,2-Dichlorobenzene              | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| 1,2-Dichloroethane               | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| 1,2-Dichloropropane              | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| 1,2-Dichlortetrafluoroethane     | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| 1,3,5-Trimethylbenzene           | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| 1,3-Butadiene                    | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| <b>1,3-Dichlorobenzene</b>       | <b>0.55</b> |           | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| 1,4-Dichlorobenzene              | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| 1,4-Dioxane                      | 5.0         | U         | 5.0  | 5.0  | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| 2,2,4-Trimethylpentane           | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| 2-Chlorotoluene                  | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| 3-Chloropropene                  | 0.50        | U         | 0.50 | 0.50 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| 4-Ethyltoluene                   | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| Acetone                          | 5.0         | U         | 5.0  | 5.0  | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| <b>Benzene</b>                   | <b>0.26</b> |           | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| Bromodichloromethane             | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| Bromoethene(Vinyl Bromide)       | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| Bromoform                        | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| Bromomethane                     | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| Carbon disulfide                 | 0.50        | U         | 0.50 | 0.50 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| Carbon tetrachloride             | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| Chlorobenzene                    | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| <b>Chloroethane</b>              | <b>5.6</b>  |           | 0.50 | 0.50 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| Chloroform                       | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| Chloromethane                    | 0.50        | U         | 0.50 | 0.50 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| cis-1,3-Dichloropropene          | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| Cyclohexane                      | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| Dibromochloromethane             | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| Dichlorodifluoromethane          | 0.50        | U         | 0.50 | 0.50 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| Ethylbenzene                     | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| Freon TF                         | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| Hexachlorobutadiene              | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| Isopropyl alcohol                | 5.0         | U         | 5.0  | 5.0  | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| m,p-Xylene                       | 0.50        | U         | 0.50 | 0.50 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| Methyl Butyl Ketone (2-Hexanone) | 0.50        | U         | 0.50 | 0.50 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| <b>Methyl Ethyl Ketone</b>       | <b>0.80</b> |           | 0.50 | 0.50 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| methyl isobutyl ketone           | 0.50        | U         | 0.50 | 0.50 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| Methyl tert-butyl ether          | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| Methylene Chloride               | 0.50        | U         | 0.50 | 0.50 | ppb v/v |   |          | 10/09/20 17:37 | 1       |
| n-Heptane                        | 0.20        | U         | 0.20 | 0.20 | ppb v/v |   |          | 10/09/20 17:37 | 1       |

Eurofins TestAmerica, Burlington

# Client Sample Results

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 200-55482-1

**Client Sample ID: LRP 4Q20****Lab Sample ID: 200-55482-2**

Date Collected: 10/07/20 08:05

Matrix: Air

Date Received: 10/08/20 12:23

Sample Container: Summa Canister 6L

**Method: TO-15 - Volatile Organic Compounds in Ambient Air (Continued)**

| Analyte                         | Result      | Qualifier | RL   | RL   | Unit              | D | Prepared | Analyzed       | Dil Fac |
|---------------------------------|-------------|-----------|------|------|-------------------|---|----------|----------------|---------|
| n-Hexane                        | 0.20        | U         | 0.20 | 0.20 | ppb v/v           |   |          | 10/09/20 17:37 | 1       |
| Styrene                         | 0.20        | U         | 0.20 | 0.20 | ppb v/v           |   |          | 10/09/20 17:37 | 1       |
| tert-Butyl alcohol              | 5.0         | U         | 5.0  | 5.0  | ppb v/v           |   |          | 10/09/20 17:37 | 1       |
| Tetrachloroethene               | 0.20        | U         | 0.20 | 0.20 | ppb v/v           |   |          | 10/09/20 17:37 | 1       |
| Tetrahydrofuran                 | 5.0         | U         | 5.0  | 5.0  | ppb v/v           |   |          | 10/09/20 17:37 | 1       |
| <b>Toluene</b>                  | <b>1.2</b>  |           | 0.20 | 0.20 | ppb v/v           |   |          | 10/09/20 17:37 | 1       |
| <b>trans-1,2-Dichloroethene</b> | <b>0.47</b> |           | 0.20 | 0.20 | ppb v/v           |   |          | 10/09/20 17:37 | 1       |
| trans-1,3-Dichloropropene       | 0.20        | U         | 0.20 | 0.20 | ppb v/v           |   |          | 10/09/20 17:37 | 1       |
| <b>Trichloroethene</b>          | <b>5.8</b>  |           | 0.20 | 0.20 | ppb v/v           |   |          | 10/09/20 17:37 | 1       |
| Trichlorofluoromethane          | 0.20        | U         | 0.20 | 0.20 | ppb v/v           |   |          | 10/09/20 17:37 | 1       |
| Xylene (total)                  | 0.70        | U         | 0.70 | 0.70 | ppb v/v           |   |          | 10/09/20 17:37 | 1       |
| Xylene, o-                      | 0.20        | U         | 0.20 | 0.20 | ppb v/v           |   |          | 10/09/20 17:37 | 1       |
| Analyte                         | Result      | Qualifier | RL   | RL   | Unit              | D | Prepared | Analyzed       | Dil Fac |
| <b>1,1,1-Trichloroethane</b>    | <b>7.9</b>  |           | 1.1  | 1.1  | ug/m <sup>3</sup> |   |          | 10/09/20 17:37 | 1       |
| 1,1,2,2-Tetrachloroethane       | 1.4         | U         | 1.4  | 1.4  | ug/m <sup>3</sup> |   |          | 10/09/20 17:37 | 1       |
| 1,1,2-Trichloroethane           | 1.1         | U         | 1.1  | 1.1  | ug/m <sup>3</sup> |   |          | 10/09/20 17:37 | 1       |
| <b>1,1-Dichloroethane</b>       | <b>10</b>   |           | 0.81 | 0.81 | ug/m <sup>3</sup> |   |          | 10/09/20 17:37 | 1       |
| <b>1,1-Dichloroethene</b>       | <b>2.5</b>  |           | 0.79 | 0.79 | ug/m <sup>3</sup> |   |          | 10/09/20 17:37 | 1       |
| 1,2,4-Trichlorobenzene          | 3.7         | U         | 3.7  | 3.7  | ug/m <sup>3</sup> |   |          | 10/09/20 17:37 | 1       |
| <b>1,2,4-Trimethylbenzene</b>   | <b>1.0</b>  |           | 0.98 | 0.98 | ug/m <sup>3</sup> |   |          | 10/09/20 17:37 | 1       |
| 1,2-Dibromoethane               | 1.5         | U         | 1.5  | 1.5  | ug/m <sup>3</sup> |   |          | 10/09/20 17:37 | 1       |
| 1,2-Dichlorobenzene             | 1.2         | U         | 1.2  | 1.2  | ug/m <sup>3</sup> |   |          | 10/09/20 17:37 | 1       |
| 1,2-Dichloroethane              | 0.81        | U         | 0.81 | 0.81 | ug/m <sup>3</sup> |   |          | 10/09/20 17:37 | 1       |
| 1,2-Dichloropropane             | 0.92        | U         | 0.92 | 0.92 | ug/m <sup>3</sup> |   |          | 10/09/20 17:37 | 1       |
| 1,2-Dichlortetrafluoroethane    | 1.4         | U         | 1.4  | 1.4  | ug/m <sup>3</sup> |   |          | 10/09/20 17:37 | 1       |
| 1,3,5-Trimethylbenzene          | 0.98        | U         | 0.98 | 0.98 | ug/m <sup>3</sup> |   |          | 10/09/20 17:37 | 1       |
| 1,3-Butadiene                   | 0.44        | U         | 0.44 | 0.44 | ug/m <sup>3</sup> |   |          | 10/09/20 17:37 | 1       |
| <b>1,3-Dichlorobenzene</b>      | <b>3.3</b>  |           | 1.2  | 1.2  | ug/m <sup>3</sup> |   |          | 10/09/20 17:37 | 1       |
| 1,4-Dichlorobenzene             | 1.2         | U         | 1.2  | 1.2  | ug/m <sup>3</sup> |   |          | 10/09/20 17:37 | 1       |
| 1,4-Dioxane                     | 18          | U         | 18   | 18   | ug/m <sup>3</sup> |   |          | 10/09/20 17:37 | 1       |
| 2,2,4-Trimethylpentane          | 0.93        | U         | 0.93 | 0.93 | ug/m <sup>3</sup> |   |          | 10/09/20 17:37 | 1       |
| 2-Chlorotoluene                 | 1.0         | U         | 1.0  | 1.0  | ug/m <sup>3</sup> |   |          | 10/09/20 17:37 | 1       |
| 3-Chloropropene                 | 1.6         | U         | 1.6  | 1.6  | ug/m <sup>3</sup> |   |          | 10/09/20 17:37 | 1       |
| 4-Ethyltoluene                  | 0.98        | U         | 0.98 | 0.98 | ug/m <sup>3</sup> |   |          | 10/09/20 17:37 | 1       |
| Acetone                         | 12          | U         | 12   | 12   | ug/m <sup>3</sup> |   |          | 10/09/20 17:37 | 1       |
| <b>Benzene</b>                  | <b>0.84</b> |           | 0.64 | 0.64 | ug/m <sup>3</sup> |   |          | 10/09/20 17:37 | 1       |
| Bromodichloromethane            | 1.3         | U         | 1.3  | 1.3  | ug/m <sup>3</sup> |   |          | 10/09/20 17:37 | 1       |
| Bromoethene(Vinyl Bromide)      | 0.87        | U         | 0.87 | 0.87 | ug/m <sup>3</sup> |   |          | 10/09/20 17:37 | 1       |
| Bromoform                       | 2.1         | U         | 2.1  | 2.1  | ug/m <sup>3</sup> |   |          | 10/09/20 17:37 | 1       |
| Bromomethane                    | 0.78        | U         | 0.78 | 0.78 | ug/m <sup>3</sup> |   |          | 10/09/20 17:37 | 1       |
| Carbon disulfide                | 1.6         | U         | 1.6  | 1.6  | ug/m <sup>3</sup> |   |          | 10/09/20 17:37 | 1       |
| Carbon tetrachloride            | 1.3         | U         | 1.3  | 1.3  | ug/m <sup>3</sup> |   |          | 10/09/20 17:37 | 1       |
| Chlorobenzene                   | 0.92        | U         | 0.92 | 0.92 | ug/m <sup>3</sup> |   |          | 10/09/20 17:37 | 1       |
| <b>Chloroethane</b>             | <b>15</b>   |           | 1.3  | 1.3  | ug/m <sup>3</sup> |   |          | 10/09/20 17:37 | 1       |
| Chloroform                      | 0.98        | U         | 0.98 | 0.98 | ug/m <sup>3</sup> |   |          | 10/09/20 17:37 | 1       |
| Chloromethane                   | 1.0         | U         | 1.0  | 1.0  | ug/m <sup>3</sup> |   |          | 10/09/20 17:37 | 1       |
| cis-1,3-Dichloropropene         | 0.91        | U         | 0.91 | 0.91 | ug/m <sup>3</sup> |   |          | 10/09/20 17:37 | 1       |
| Cyclohexane                     | 0.69        | U         | 0.69 | 0.69 | ug/m <sup>3</sup> |   |          | 10/09/20 17:37 | 1       |

Eurofins TestAmerica, Burlington

# Client Sample Results

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 200-55482-1

**Client Sample ID: LRP 4Q20****Lab Sample ID: 200-55482-2**

Date Collected: 10/07/20 08:05

Matrix: Air

Date Received: 10/08/20 12:23

Sample Container: Summa Canister 6L

**Method: TO-15 - Volatile Organic Compounds in Ambient Air (Continued)**

| Analyte                          | Result     | Qualifier | RL | RL   | Unit  | D | Prepared | Analyzed       | Dil Fac |
|----------------------------------|------------|-----------|----|------|-------|---|----------|----------------|---------|
| Dibromochloromethane             | 1.7        | U         |    | 1.7  | ug/m3 |   |          | 10/09/20 17:37 | 1       |
| Dichlorodifluoromethane          | 2.5        | U         |    | 2.5  | ug/m3 |   |          | 10/09/20 17:37 | 1       |
| Ethylbenzene                     | 0.87       | U         |    | 0.87 | ug/m3 |   |          | 10/09/20 17:37 | 1       |
| Freon TF                         | 1.5        | U         |    | 1.5  | ug/m3 |   |          | 10/09/20 17:37 | 1       |
| Hexachlorobutadiene              | 2.1        | U         |    | 2.1  | ug/m3 |   |          | 10/09/20 17:37 | 1       |
| Isopropyl alcohol                | 12         | U         |    | 12   | ug/m3 |   |          | 10/09/20 17:37 | 1       |
| m,p-Xylene                       | 2.2        | U         |    | 2.2  | ug/m3 |   |          | 10/09/20 17:37 | 1       |
| Methyl Butyl Ketone (2-Hexanone) | 2.0        | U         |    | 2.0  | ug/m3 |   |          | 10/09/20 17:37 | 1       |
| <b>Methyl Ethyl Ketone</b>       | <b>2.4</b> |           |    | 1.5  | ug/m3 |   |          | 10/09/20 17:37 | 1       |
| methyl isobutyl ketone           | 2.0        | U         |    | 2.0  | ug/m3 |   |          | 10/09/20 17:37 | 1       |
| Methyl tert-butyl ether          | 0.72       | U         |    | 0.72 | ug/m3 |   |          | 10/09/20 17:37 | 1       |
| Methylene Chloride               | 1.7        | U         |    | 1.7  | ug/m3 |   |          | 10/09/20 17:37 | 1       |
| n-Heptane                        | 0.82       | U         |    | 0.82 | ug/m3 |   |          | 10/09/20 17:37 | 1       |
| n-Hexane                         | 0.70       | U         |    | 0.70 | ug/m3 |   |          | 10/09/20 17:37 | 1       |
| Styrene                          | 0.85       | U         |    | 0.85 | ug/m3 |   |          | 10/09/20 17:37 | 1       |
| tert-Butyl alcohol               | 15         | U         |    | 15   | ug/m3 |   |          | 10/09/20 17:37 | 1       |
| Tetrachloroethene                | 1.4        | U         |    | 1.4  | ug/m3 |   |          | 10/09/20 17:37 | 1       |
| Tetrahydrofuran                  | 15         | U         |    | 15   | ug/m3 |   |          | 10/09/20 17:37 | 1       |
| <b>Toluene</b>                   | <b>4.5</b> |           |    | 0.75 | ug/m3 |   |          | 10/09/20 17:37 | 1       |
| <b>trans-1,2-Dichloroethene</b>  | <b>1.9</b> |           |    | 0.79 | ug/m3 |   |          | 10/09/20 17:37 | 1       |
| trans-1,3-Dichloropropene        | 0.91       | U         |    | 0.91 | ug/m3 |   |          | 10/09/20 17:37 | 1       |
| <b>Trichloroethene</b>           | <b>31</b>  |           |    | 1.1  | ug/m3 |   |          | 10/09/20 17:37 | 1       |
| Trichlorofluoromethane           | 1.1        | U         |    | 1.1  | ug/m3 |   |          | 10/09/20 17:37 | 1       |
| Xylene (total)                   | 3.0        | U         |    | 3.0  | ug/m3 |   |          | 10/09/20 17:37 | 1       |
| Xylene, o-                       | 0.87       | U         |    | 0.87 | ug/m3 |   |          | 10/09/20 17:37 | 1       |

**Method: TO-15 - Volatile Organic Compounds in Ambient Air - DL**

| Analyte                          | Result     | Qualifier | RL | RL  | Unit    | D | Prepared | Analyzed       | Dil Fac |
|----------------------------------|------------|-----------|----|-----|---------|---|----------|----------------|---------|
| <b>1,2-Dichloroethene, Total</b> | <b>100</b> | <b>D</b>  |    | 2.0 | ppb v/v |   |          | 10/09/20 18:31 | 5       |
| <b>cis-1,2-Dichloroethene</b>    | <b>100</b> | <b>D</b>  |    | 1.0 | ppb v/v |   |          | 10/09/20 18:31 | 5       |
| <b>Vinyl chloride</b>            | <b>79</b>  | <b>D</b>  |    | 1.0 | ppb v/v |   |          | 10/09/20 18:31 | 5       |
| Analyte                          | Result     | Qualifier | RL | RL  | Unit    | D | Prepared | Analyzed       | Dil Fac |
| <b>1,2-Dichloroethene, Total</b> | <b>400</b> | <b>D</b>  |    | 7.9 | ug/m3   |   |          | 10/09/20 18:31 | 5       |
| <b>cis-1,2-Dichloroethene</b>    | <b>400</b> | <b>D</b>  |    | 4.0 | ug/m3   |   |          | 10/09/20 18:31 | 5       |
| <b>Vinyl chloride</b>            | <b>200</b> | <b>D</b>  |    | 2.6 | ug/m3   |   |          | 10/09/20 18:31 | 5       |

# Lab Chronicle

Client: AECOM  
Project/Site: Scott Figgie West of Plant 2

Job ID: 200-55482-1

**Client Sample ID: AS 4Q20**

**Lab Sample ID: 200-55482-1**

Matrix: Air

Date Collected: 10/07/20 08:03

Date Received: 10/08/20 12:23

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | TO-15        |     | 1               | 159766       | 10/09/20 16:42       | TPB     | TAL BUR |

**Client Sample ID: LRP 4Q20**

**Lab Sample ID: 200-55482-2**

Matrix: Air

Date Collected: 10/07/20 08:05

Date Received: 10/08/20 12:23

| Prep Type | Batch Type | Batch Method | Run | Dilution Factor | Batch Number | Prepared or Analyzed | Analyst | Lab     |
|-----------|------------|--------------|-----|-----------------|--------------|----------------------|---------|---------|
| Total/NA  | Analysis   | TO-15        |     | 1               | 159766       | 10/09/20 17:37       | TPB     | TAL BUR |
| Total/NA  | Analysis   | TO-15        | DL  | 5               | 159766       | 10/09/20 18:31       | TPB     | TAL BUR |

## Laboratory References:

TAL BUR = Eurofins TestAmerica, Burlington, 30 Community Drive, Suite 11, South Burlington, VT 05403, TEL (802)660-1990

# Accreditation/Certification Summary

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 200-55482-1

## Laboratory: Eurofins TestAmerica, Burlington

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

| Authority                         | Program               | Identification Number | Expiration Date |
|-----------------------------------|-----------------------|-----------------------|-----------------|
| ANAB                              | Dept. of Defense ELAP | L2336                 | 02-25-23        |
| Connecticut                       | State                 | PH-0751               | 09-30-21        |
| DE Haz. Subst. Cleanup Act (HSCA) | State                 | N/A                   | 05-16-21        |
| Florida                           | NELAP                 | E87467                | 06-30-21        |
| Minnesota                         | NELAP                 | 050-999-436           | 12-31-20        |
| New Hampshire                     | NELAP                 | 2006                  | 12-18-20        |
| New Jersey                        | NELAP                 | VT972                 | 06-30-21        |
| New York                          | NELAP                 | 10391                 | 04-01-21        |
| Pennsylvania                      | NELAP                 | 68-00489              | 04-30-21        |
| Rhode Island                      | State                 | LAO00298              | 12-30-20        |
| US Fish & Wildlife                | US Federal Programs   | 058448                | 07-31-21        |
| USDA                              | US Federal Programs   | P330-17-00272         | 08-09-20 *      |
| Vermont                           | State                 | VT4000                | 12-31-20        |
| Virginia                          | NELAP                 | 460209                | 12-14-20        |
| Wisconsin                         | State                 | 399133350             | 08-31-21        |

\* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Eurofins TestAmerica, Burlington

## Method Summary

Client: AECOM  
Project/Site: Scott Figgie West of Plant 2

Job ID: 200-55482-1

| Method | Method Description                        | Protocol | Laboratory |
|--------|---|----------|------------|
| TO-15  | Volatile Organic Compounds in Ambient Air | EPA      | TAL BUR    |

**Protocol References:**

EPA = US Environmental Protection Agency

**Laboratory References:**

TAL BUR = Eurofins TestAmerica, Burlington, 30 Community Drive, Suite 11, South Burlington, VT 05403, TEL (802)660-1990

## Sample Summary

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 200-55482-1

| Lab Sample ID | Client Sample ID | Matrix | Collected      | Received       | Asset ID                     |
|---------------|------------------|--------|----------------|----------------|------------------------------|
| 200-55482-1   | AS 4Q20          | Air    | 10/07/20 08:03 | 10/08/20 12:23 | Air Canister (6-Liter) #3373 |
| 200-55482-2   | LRP 4Q20         | Air    | 10/07/20 08:05 | 10/08/20 12:23 | Air Canister (6-Liter) #8294 |

1

2

3

4

5

6

7

8

9

10

11

**Eurofins TestAmerica, Burlington**

10 Community Drive

Suite 11  
South Burlington, VT 05403-6809  
Phone 802.660.1990 fax 802.660.1911

## Canister Samples Chain of Custody Record

TestAmerica Laboratories, Inc. assumes no liability with respect to the collection and shipment of these samples.



Environment Testing  
TestAmerica

Part # 159465-B4-3481R1220 EXP 2/12/20


ORIGIN ID: DDKA (716) 691-2600  
SAMPLE RECEIPT  
EUROFINS TESTAMERICA BUFFALO  
10 HAZELWOOD DR

SHIP DATE: 07 OCT 20  
ACT WGT: 13.05 LB  
CAD: 846654/CAFE3406

AMHERST, NY 14228  
UNITED STATES US

BILL RECIPIENT

TO **SAMPLE MGT.**  
**TA BURLINGTON**  
**30 COMMUNITY DRIVE**  
**SUITE 11**  
**SOUTH BURLINGTON VT 05403**  
(802) 660-1990  
REF: TA BURLINGTON



FedEx  
Express



SGC24242458

## Login Sample Receipt Checklist

Client: AECOM

Job Number: 200-55482-1

**Login Number: 55482**

**List Source: Eurofins TestAmerica, Burlington**

**List Number: 1**

**Creator: Lavigne, Scott M**

| Question   | Answer | Comment                                     |
|--|--------|---|
| Radioactivity either was not measured or, if measured, is at or below background | True   | NA: Lab does not accept radioactive samples |
| The cooler's custody seal, if present, is intact.                                | True   | No: Not present                             |
| The cooler or samples do not appear to have been compromised or tampered with.   | True   |   |
| Samples were received on ice.  | N/A    | No: Thermal preservation not required       |
| Cooler Temperature is acceptable.  | True   |   |
| Cooler Temperature is recorded.  | N/A    | No: Thermal preservation not required       |
| COC is present.  | True   |   |
| COC is filled out in ink and legible.  | True   |   |
| COC is filled out with all pertinent information.                                | True   |   |
| Is the Field Sampler's name present on COC?                                      | True   |   |
| There are no discrepancies between the sample IDs on the containers and the COC. | True   |   |
| Samples are received within Holding Time (Excluding tests with immediate HTs)..  | True   |   |
| Sample containers have legible labels.   | True   |   |
| Containers are not broken or leaking.  | True   |   |
| Sample collection date/times are provided.                                       | True   |   |
| Appropriate sample containers are used.  | True   |   |
| Sample bottles are completely filled.  | N/A    |   |
| Sample Preservation Verified   | True   |   |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True   |   |
| VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.     | True   |   |
| If necessary, staff have been informed of any short hold time or quick TAT needs | True   |   |
| Multiphasic samples are not present.   | True   |   |
| Samples do not require splitting or compositing.                                 | True   |   |
| Sampling Company provided.   | True   |   |
| Samples received within 48 hours of sampling.                                    | True   |   |
| Samples requiring field filtration have been filtered in the field.              | True   |   |
| Chlorine Residual checked.   | N/A    |   |


## **Appendix D**

### **Current and Historical Summary of VOCs in Groundwater**

**MONITORING WELL MW-2**  
**HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER**  
**Former Scott Aviation Site**  
**Lancaster, New York**

| Sample Date | Analytical Results (µg/L) |                        |                |              |                    |                       |
|-------------|---------------------------|------------------------|----------------|--------------|--------------------|-----------------------|
|             | Trichloroethene           | cis-1,2-Dichloroethene | Vinyl chloride | Chloroethane | 1,1-Dichloroethane | 1,1,1-Trichloroethane |
| 4/14/2005   | < 10                      | < 10                   | < 10           | 29           | < 10               | <10                   |
| 1/5/2006    | < 25                      | < 25                   | < 25           | 16           | < 25               | < 25                  |
| 4/14/2006   | < 25                      | < 25                   | < 25           | 27           | < 25               | < 25                  |
| 7/10/2006   | < 25                      | < 25                   | < 25           | 23           | < 25               | < 25                  |
| 10/19/2006  | < 5                       | < 5                    | < 5            | 20           | < 5                | < 5                   |
| 1/9/2007    | < 5                       | < 5                    | < 5            | 42           | < 5                | < 5                   |
| 4/16/2007   | < 20                      | < 20                   | < 20           | 45           | < 20               | < 20                  |
| 7/2/2007    | < 5                       | < 5                    | < 5            | < 5          | < 5                | < 5                   |
| 10/15/2007  | < 5                       | < 5                    | < 5            | 19           | < 5                | < 5                   |
| 1/8/2008    | < 5                       | < 5                    | < 5            | 26           | < 5                | < 5                   |
| 4/2/2008    | < 5                       | 0.48                   | < 5            | 23           | 1                  | < 5                   |
| 7/1/2008    | < 5                       | < 5                    | < 5            | 46           | 0.65               | < 5                   |
| 10/1/2008   | < 5                       | < 5                    | < 5            | 21           | <5                 | < 5                   |
| 1/20/2009   | < 5                       | < 5                    | < 5            | 16           | <5                 | < 5                   |
| 4/15/2009   | < 5                       | < 5                    | < 5            | 14           | <5                 | < 5                   |
| 7/22/2009   | < 5                       | < 5                    | < 5            | 12           | <5                 | < 5                   |
| 10/12/2009  | < 5                       | < 5                    | < 5            | 12           | <5                 | < 5                   |
| 1/18/2010   | < 25                      | < 25                   | < 25           | 18           | < 25               | < 25                  |
| 4/7/2010    | < 25                      | < 25                   | < 25           | 21           | < 25               | < 25                  |
| 7/12/2010   | < 25                      | < 25                   | < 25           | 14           | < 25               | < 25                  |
| 10/11/2010  | < 25                      | < 25                   | < 25           | 13           | < 25               | < 25                  |
| 1/12/2011   | <1                        | <1                     | <1             | 10           | <1                 | <1                    |
| 4/4/2011    | <1                        | <1                     | <1             | 5.4          | <1                 | <1                    |
| 7/25/2011   | <1                        | <1                     | <1             | 4.5          | <1                 | <1                    |
| 10/3/2011   | <1                        | <1                     | <1             | 2.1          | <1                 | <1                    |
| 1/11/2012   | <1                        | <1                     | <1             | 2            | <1                 | <1                    |
| 4/2/2012    | <1                        | <1                     | <1             | 5.8          | <1                 | <1                    |
| 7/5/2012    | <1                        | <1                     | <1             | 6.3          | <1                 | <1                    |
| 10/11/2012  | <1                        | <1                     | <1             | 2.4          | <1                 | <1                    |
| 4/1/2013    | <1                        | <1                     | <1             | 8.8          | <1                 | <1                    |
| 7/1/2013    | <1                        | <1                     | <1             | 3.6          | <1                 | <1                    |
| 10/9/2013   | <1                        | <1                     | <1             | 3.9          | <1                 | <1                    |
| 1/21/2014   | <1                        | <1                     | <1             | 1.9          | 0.67               | <1                    |
| 4/7/2014    | <1                        | <1                     | <1             | 0.68         | <1                 | <1                    |
| 7/16/2014   | <1                        | <1                     | <1             | 0.94         | <1                 | <1                    |
| 10/14/2014  | <1                        | <1                     | <1             | 1.1          | <1                 | <1                    |
| 1/20/2015   | <5                        | <5                     | <5             | <5           | <5                 | <5                    |
| 4/7/2015    | <5                        | <5                     | <5             | <5           | <5                 | <5                    |
| 7/22/2015   | <1                        | <1                     | <1             | 1            | <1                 | <1                    |
| 10/19/2015  | <1                        | <1                     | <1             | 1            | <1                 | <1                    |
| 1/5/2016    | <1                        | <1                     | <1             | 1            | <1                 | <1                    |
| 4/4/2016    | <1                        | <1                     | <1             | 1            | <1                 | <1                    |
| 7/5/2016    | <1                        | <1                     | <1             | <1           | <1                 | <1                    |
| 10/24/2016  | <1                        | <1                     | <1             | <1           | <1                 | <1                    |
| 1/17/2016   | <1                        | <1                     | <1             | 1.7          | <1                 | <1                    |
| 4/20/2017   | <1                        | <1                     | <1             | 1.4          | <1                 | <1                    |
| 7/12/2017   | <1                        | <1                     | <1             | 1.2          | <1                 | <1                    |
| 10/23/2017  | <1                        | <1                     | <1             | 3.5          | <1                 | <1                    |
| 1/8/2018    | <1                        | <1                     | <1             | 1.3          | <1                 | <1                    |
| 4/17/2018   | <1                        | <1                     | <1             | 0.65         | <1                 | <1                    |
| 7/13/2018   | <1                        | <1                     | <1             | 1.2          | <1                 | <1                    |
| 10/24/2018  | <1                        | <1                     | <1             | 3.3          | <1                 | <1                    |
| 1/9/2019    | <1                        | <1                     | <1             | 1            | <1                 | <1                    |
| 4/8/2019    | <1                        | <1                     | <1             | 1            | <1                 | <1                    |
| 7/23/2019   | <2                        | <2                     | <2             | <2           | <2                 | <2                    |
| 10/15/2019  | <1                        | <1                     | <1             | 1            | <1                 | <1                    |
| 1/7/2020    | <1                        | <1                     | <1             | 1            | <1                 | <1                    |
| 4/6/2020    | <1                        | <1                     | <1             | 1            | <1                 | <1                    |
| 7/21/2020   | <1                        | <1                     | <1             | 0.52         | <1                 | <1                    |
| 10/14/2020  | <2                        | <2                     | <2             | <2           | <2                 | <2                    |

**MONITORING WELL MW-2**  
**HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER**  
**Former Scott Aviation Site**  
**Lancaster, New York**




Note TCE data from 10/11/10 was reported in error as 350  $\mu\text{g/L}$  and cis-1,2-DCE was reported as 25  $\mu\text{g/L}$ .

**MONITORING WELL MW-3**  
**HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER**  
**Former Scott Aviation Site**  
**Lancaster, New York**

| Sample Date | Analytical Results (µg/L) |                        |                |              |                    |                       |
|-------------|---------------------------|------------------------|----------------|--------------|--------------------|-----------------------|
|             | Trichloroethene           | cis-1,2-Dichloroethene | Vinyl chloride | Chloroethane | 1,1-Dichloroethane | 1,1,1-Trichloroethane |
| 4/14/2005   | < 10                      | 4                      | 22             | 16           | 8                  | <10                   |
| 1/5/2006    | < 25                      | 4.4                    | 4.6            | < 25         | 10                 | < 25                  |
| 4/14/2006   | < 25                      | < 25                   | < 25           | 2.8          | 4.9                | < 25                  |
| 7/10/2006   | < 25                      | 2.6                    | 6.5            | 4.8          | 7                  | < 25                  |
| 10/18/2006  | < 5                       | 1.3                    | 9.8            | 8.2          | 4.3                | < 5                   |
| 1/10/2007   | < 5                       | 2.8                    | 9.8            | 12           | 7                  | < 5                   |
| 4/16/2007   | < 20                      | < 20                   | < 20           | < 20         | 5.3                | < 20                  |
| 7/2/2007    | < 5                       | 2                      | 5.7            | < 5          | 7.5                | < 5                   |
| 10/17/2007  | 5                         | 12                     | 4              | 25           | 14                 | 25                    |
| 1/9/2008    | < 5                       | 0.9                    | 4.2            | 1.2          | 9.7                | < 5                   |
| 4/3/2008    | < 5                       | 3                      | 19             | 4.1          | 11                 | < 5                   |
| 7/1/2008    | < 5                       | 2                      | 15             | 6            | 5.3                | < 5                   |
| 10/1/2008   | < 5                       | 3.2                    | 73             | 16           | 8.4                | < 5                   |
| 1/21/2009   | < 5                       | 4.5                    | 21             | 3.6          | 17                 | < 5                   |
| 4/15/2009   | < 5                       | 1.3                    | 6              | 1.4          | 6.9                | < 5                   |
| 7/22/2009   | < 5                       | 2.5                    | 23             | 4.5          | 10                 | < 5                   |
| 10/12/2009  | < 5                       | 2.5                    | 23             | 4.5          | 10                 | < 5                   |
| 1/18/2010   | < 5                       | 3.4                    | 31             | 4.6          | 15                 | < 5                   |
| 4/7/2010    | < 5                       | 1.7                    | 4.6            | < 5          | 10                 | < 5                   |
| 7/13/2010   | < 5                       | 2.6                    | 20             | 4.5          | 7.7                | < 5                   |
| 10/11/2010  | < 5                       | 3.2                    | 55             | 7.2          | 12                 | < 5                   |
| 1/12/2011   | < 1                       | 2.8                    | 38             | 9.4          | 8.4                | < 1                   |
| 4/4/2011    | < 1                       | 3.1                    | 19             | 4.2          | 11                 | < 1                   |
| 7/26/2011   | < 1                       | 0.98                   | 9.1            | 1.5          | 1.8                | < 1                   |
| 10/3/2011   | < 1                       | 1.1                    | 18             | 4.4          | 1.2                | < 1                   |
| 1/13/2012   | < 1                       | 2.5                    | 13             | 2.5          | 11                 | < 1                   |
| 4/2/2012    | < 1                       | < 1                    | < 1            | < 1          | 7.9                | < 1                   |
| 7/5/2012    | < 1                       | 2.7                    | 7.2            | 5.6          | 4.9                | < 1                   |
| 10/11/2012  | < 1                       | 2.8                    | 44             | 9.5          | 6.6                | < 1                   |
| 4/1/2013    | < 1                       | 1.3                    | 4              | < 1          | 9.6                | < 1                   |
| 7/1/2013    | < 1                       | 3.5                    | 10             | 3.6          | 10                 | < 1                   |
| 10/10/2013  | < 1                       | 3.3                    | 9.1            | 3.8          | 7.9                | < 1                   |
| 1/21/2014   | < 1                       | 2.3                    | 2.3            | < 1          | 6.9                | < 1                   |
| 4/7/2014    | < 1                       | 1.5                    | 2.5            | 0.82         | 8.9                | < 1                   |
| 7/17/2014   | < 1                       | 2.4                    | 7.8            | 1.7          | 8.1                | < 1                   |
| 10/14/2014  | < 1                       | 0.93                   | 20             | 4.3          | 2                  | < 1                   |
| 1/20/2015   | < 1                       | < 1                    | 1.5            | 0.64         | 4.9                | < 1                   |
| 4/7/2015    | < 1                       | 1.4                    | 7.1            | 2.8          | 8.4                | < 1                   |
| 7/22/2015   | < 1                       | 1.6                    | 7.9            | 3.1          | 3.8                | < 1                   |
| 10/21/2015  | < 1                       | 1.3                    | 20             | 5.7          | 1.5                | < 1                   |
| 1/6/2016    | < 1                       | 3                      | 4.2            | 0.83         | 9.5                | < 1                   |
| 4/5/2016    | < 1                       | 0.98                   | 2.6            | 0.58         | 8                  | < 1                   |
| 7/5/2016    | < 1                       | 1.3                    | 6.9            | 1.9          | 2.8                | < 1                   |
| 10/25/2016  | < 1                       | 0.81                   | 14             | 2.2          | 1.6                | < 1                   |
| 1/19/2017   | < 1                       | 3.7                    | 38             | 7.5          | 13                 | < 1                   |
| 4/20/2017   | < 1                       | 1.2                    | 21             | 1.8          | 5.1                | < 1                   |
| 7/12/2017   | < 1                       | 3.0                    | 29             | 2.7          | 16                 | < 1                   |
| 10/23/2017  | < 1                       | 1.3                    | 11             | 1.4          | 7.8                | < 1                   |
| 1/10/2018   | < 1                       | 3.1                    | 11             | 0.72         | 12                 | < 1                   |
| 4/17/2018   | < 1                       | 1.9                    | 22             | 1.3          | 10                 | < 1                   |
| 7/13/2018   | < 1                       | 2.2                    | 28             | < 1          | 11                 | < 1                   |
| 10/24/2018  | < 1                       | 1.1                    | 24             | 2.4          | 7.8                | < 1                   |
| 1/9/2019    | < 1                       | 1.3                    | 24             | 2.1          | 7.4                | < 1                   |
| 4/8/2019    | < 1                       | 1.3                    | 21             | < 1          | 8.7                | < 1                   |
| 7/24/2019   | < 1                       | 1.4                    | 27             | 1.6          | 8.6                | < 1                   |
| 10/15/2019  | < 1                       | 3.2                    | 34             | 1.8          | 15                 | < 1                   |
| 1/7/2020    | < 1                       | 2.0                    | 16             | 1.1          | 9.3                | < 1                   |
| 4/6/2020    | < 1                       | 3.0                    | 23             | 1.4          | 13                 | < 1                   |
| 7/21/2020   | < 1                       | 1.6                    | 18             | 1.0          | 7.4                | < 1                   |
| 10/13/2020  | < 1                       | 4.4                    | 41             | 3.0          | 0.47               | < 1                   |


**MONITORING WELL MW-3**  
**HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER**  
**Former Scott Aviation Site**  
**Lancaster, New York**



**MONITORING WELL MW-4**  
**HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER**  
**Former Scott Aviation Site**  
**Lancaster, New York**

| Sample Date | Analytical Results (µg/L) |                        |                |              |                    |                       |
|-------------|---------------------------|------------------------|----------------|--------------|--------------------|-----------------------|
|             | Trichloroethene           | cis-1,2-Dichloroethene | Vinyl chloride | Chloroethane | 1,1-Dichloroethane | 1,1,1-Trichloroethane |
| 11/7/2003   | 270                       | 9,100                  | 3,700          | < 10         | 320                | 28                    |
| 10/13/2004  | 8,100                     | 26,000                 | 3,300          | < 1000       | 560                | 220                   |
| 1/7/2005    | 20,000                    | 57,000                 | 5,500          | < 2000       | 1,600              | 4,400                 |
| 1/6/2006    | 6,500                     | 22,000                 | 1,000          | < 2000       | 370                | 520                   |
| 4/14/2006   | 3,200                     | 6,800                  | 280            | <500         | 120                | <500                  |
| 7/10/2006   | 2,400                     | 7,600                  | 250            | <500         | 120                | 68                    |
| 10/18/2006  | 2,600                     | 9,800                  | 600            | <5           | 130                | 52                    |
| 1/10/2007   | 2,800                     | 4,500                  | 220            | <400         | 56                 | 66                    |
| 4/17/2007   | 4,900                     | 6,200                  | 360            | <500         | <500               | <500                  |
| 7/3/2007    | 1,100                     | 2,900                  | 260            | <200         | 37                 | <200                  |
| 10/17/2007  | 4,800                     | 5,800                  | 280            | <500         | 68                 | 460                   |
| 1/9/2008    | 9,200                     | 21,000                 | 1,700          | <500         | 320                | 660                   |
| 4/3/2008    | 5,800                     | 16,000                 | 940            | <1200        | 250                | 400                   |
| 7/2/2008    | 500                       | 6,600                  | 530            | <500         | 120                | 57                    |
| 10/2/2008   | 6,300                     | 16,000                 | 1,200          | <500         | 260                | 210                   |
| 1/22/2009   | 1,800                     | 27,000                 | 1,800          | 72           | 520                | 970                   |
| 4/15/2009   | 4,100                     | 7,600                  | 710            | <200         | 160                | 380                   |
| 7/22/2009   | 2,300                     | 4,700                  | 410            | <250         | <250               | 110                   |
| 1/19/2010   | 7,400                     | 1,100                  | 670            | <1000        | 230                | 410                   |
| 4/8/2010    | 3,000                     | 7,200                  | 560            | <500         | 110                | <500                  |
| 10/11/2010  | 7,800                     | 43,000                 | 3,000          | <4,000       | 790                | <4,000                |
| 4/6/2011    | 13,000                    | 39,000                 | 3,500          | <40          | 700                | 45                    |
| 10/4/2011   | 17,000                    | 97,000                 | 5,700          | 71           | 1700               | <1                    |
| 4/3/2012    | 39,000                    | 120,000                | 9,400          | <200         | 2000               | <200                  |
| 7/6/2012    | 15,000                    | 78,000                 | 6,200          | <1000        | 990                | <1000                 |
| 1/21/2013   | 40,000                    | 95,000                 | 5,100          | 100          | 1600               | 98                    |
| 4/2/2013    | 12,000                    | 57,000                 | 480            | <40          | 850                | <40                   |
| 7/1/2013    | 14,000                    | 58,000                 | 300            | <100         | 700                | <100                  |
| 4/7/2014    | 32,000                    | 69,000                 | 3,900          | <1000        | 880                | <1000                 |
| 10/14/2014  | 32,000                    | 62,000                 | 3,500          | <1000        | 880                | <1000                 |
| 1/21/2015   | 1,800                     | 170,000                | 5700           | <1,000       | 1,600              | <1000                 |
| 4/7/2015    | 110                       | 3,600                  | 480            | <80          | 37                 | <80                   |
| 7/23/2015   | <100                      | 990                    | 6500           | <100         | 160                | <100                  |
| 10/20/2015  | <100                      | 1,900                  | 7600           | <100         | 560                | <100                  |
| 1/6/2016    | <100                      | 100                    | 6800           | 41           | 270                | <100                  |
| 4/6/2016    | <100                      | <100                   | 7200           | 310          | 790                | <100                  |
| 7/8/2016    | <20                       | 30                     | 95             | 870          | 130                | <20                   |
| 10/25/2016  | <20                       | 38                     | 150            | 830          | 78                 | <20                   |
| 1/19/2017   | <20                       | <20                    | 7              | 1,000        | 120                | <20                   |
| 4/18/2017   | <5                        | 8                      | 610            | 450          | 71                 | <5                    |
| 7/13/2017   | <20                       | 18                     | 1,000          | 1,200        | 93                 | <20                   |
| 10/23/2017  | <20                       | 7                      | 18             | 600          | 31                 | <20                   |
| 1/8/2018    | <5                        | 6                      | 46             | 490          | 8                  | <5                    |
| 4/17/2018   | <20                       | 30                     | 1,600          | 440          | 11                 | <20                   |
| 7/13/2018   | <5                        | <5                     | 37             | 490          | 2.5                | <5                    |
| 10/24/2018  | <20                       | <20                    | <20            | 420          | <20                | <20                   |
| 1/10/2019   | 7.3                       | 22                     | 140            | 200          | 42                 | <4                    |
| 4/8/2019    | 2.1                       | 15                     | 71             | 84           | 25                 | <4                    |
| 7/22/2019   | 2.6                       | 9                      | 13             | 210          | <4                 | <4                    |
| 10/17/2019  | <4                        | 4.6                    | 14             | 120          | 2.7                | <4                    |
| 1/8/2020    | <4                        | <4                     | 6.8            | 59           | 3.1                | <4                    |
| 4/8/2020    | <4                        | 4.4                    | 13.0           | 93           | <4                 | <4                    |
| 7/23/2020   | <4                        | <4                     | 4.9            | 89           | <4                 | <4                    |
| 10/14/2020  | <4                        | <4                     | <4             | 73.0         | <4                 | <4                    |

**MONITORING WELL MW-4**  
**HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER**  
**Former Scott Aviation Site**  
**Lancaster, New York**




Note: LNAPL was present in MW-4 during the October 2004 and January 2005 groundwater sampling events.

**MONITORING WELL MW-6**  
**HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER**  
**Former Scott Aviation Site**  
**Lancaster, New York**

| Sample Date | Analytical Results (µg/L) |                        |                |              |                    |                       |
|-------------|---------------------------|------------------------|----------------|--------------|--------------------|-----------------------|
|             | Trichloroethene           | cis-1,2-Dichloroethene | Vinyl chloride | Chloroethane | 1,1-Dichloroethane | 1,1,1-Trichloroethane |
| 11/7/2003   | < 10                      | < 10                   | < 10           | < 10         | < 10               | < 6                   |
| 10/12/2004  | < 10                      | < 10                   | < 10           | < 10         | < 10               | < 10                  |
| 1/6/2005    | < 10                      | < 10                   | < 10           | < 10         | < 10               | < 10                  |
| 4/14/2005   | < 10                      | < 10                   | < 10           | < 10         | < 10               | < 10                  |
| 7/21/2005   | < 5                       | < 5                    | < 5            | < 5          | < 5                | < 5                   |
| 10/4/2005   | < 5                       | < 5                    | < 5            | < 5          | < 5                | < 5                   |
| 1/5/2006    | < 5                       | < 5                    | < 5            | < 5          | < 5                | < 5                   |
| 4/14/2006   | < 5                       | < 5                    | < 5            | < 5          | < 5                | < 5                   |
| 7/10/2006   | < 5                       | < 5                    | < 5            | < 5          | < 5                | < 5                   |
| 10/18/2006  | < 5                       | < 5                    | < 5            | < 5          | < 5                | < 5                   |
| 1/10/2007   | < 5                       | < 5                    | < 5            | < 5          | < 5                | < 5                   |
| 4/16/2007   | < 5                       | < 5                    | < 5            | < 5          | < 5                | < 5                   |
| 7/2/2007    | < 5                       | < 5                    | < 5            | < 5          | < 5                | < 5                   |
| 10/17/2007  | 0.63                      | 1.4                    | < 5            | < 5          | < 5                | < 5                   |
| 1/8/2008    | <5                        | <5                     | <5             | <5           | <5                 | <5                    |
| 4/3/2008    | <5                        | 0.42                   | <5             | <5           | <5                 | <5                    |
| 7/1/2008    | <5                        | <5                     | <5             | <5           | <5                 | <5                    |
| 10/1/2008   | <5                        | <5                     | <5             | <5           | <5                 | <5                    |
| 1/20/2009   | <5                        | <5                     | <5             | <5           | <5                 | <5                    |
| 4/15/2009   | <5                        | <5                     | <5             | <5           | <5                 | <5                    |
| 7/21/2009   | <5                        | <5                     | <5             | <5           | <5                 | <5                    |
| 10/13/2009  | <5                        | <5                     | <5             | <5           | <5                 | <5                    |
| 1/18/2010   | <5                        | <5                     | <5             | <5           | <5                 | <5                    |
| 4/7/2010    | <5                        | <5                     | <5             | <5           | <5                 | <5                    |
| 7/13/2010   | <5                        | <5                     | <5             | <5           | <5                 | <5                    |
| 10/11/2010  | <5                        | <5                     | <5             | <5           | <5                 | <5                    |
| 1/12/2011   | <1                        | <1                     | <1             | <1           | <1                 | <1                    |
| 4/4/2011    | <1                        | <1                     | <1             | <1           | <1                 | <1                    |
| 7/26/2011   | <1                        | <1                     | <1             | <1           | <1                 | <1                    |
| 1/12/2012   | <1                        | <1                     | <1             | <1           | <1                 | <1                    |
| 4/2/2012    | <1                        | <1                     | <1             | <1           | <1                 | <1                    |
| 7/5/2012    | <1                        | <1                     | <1             | <1           | <1                 | <1                    |
| 10/11/2012  | <1                        | <1                     | <1             | <1           | <1                 | <1                    |
| 1/21/2013   | <1                        | <1                     | <1             | <1           | <1                 | <1                    |
| 4/1/2013    | <1                        | <1                     | <1             | <1           | <1                 | <1                    |
| 7/1/2013    | <1                        | <1                     | <1             | <1           | <1                 | <1                    |
| 10/10/2013  | <1                        | <1                     | <1             | <1           | <1                 | <1                    |
| 1/22/2014   | <1                        | <1                     | <1             | <1           | <1                 | <1                    |
| 4/7/2014    | <1                        | <1                     | <1             | <1           | <1                 | <1                    |
| 7/17/2014   | <1                        | <1                     | <1             | <1           | <1                 | <1                    |
| 10/14/2014  | <1                        | <1                     | <1             | <1           | <1                 | <1                    |
| 1/20/2015   | <1                        | <1                     | <1             | <1           | <1                 | <1                    |
| 4/6/2015    | <1                        | <1                     | <1             | <1           | <1                 | <1                    |
| 7/23/2015   | <1                        | <1                     | <1             | <1           | <1                 | <1                    |
| 10/19/2015  | <1                        | <1                     | <1             | <1           | <1                 | <1                    |
| 1/6/2016    | <1                        | <1                     | <1             | <1           | <1                 | <1                    |
| 4/4/2016    | <1                        | <1                     | <1             | <1           | <1                 | <1                    |
| 7/7/2016    | <1                        | <1                     | <1             | <1           | <1                 | <1                    |
| 10/24/2016  | <1                        | <1                     | <1             | <1           | <1                 | <1                    |
| 1/17/2017   | <1                        | <1                     | <1             | <1           | <1                 | <1                    |
| 4/19/2017   | <1                        | <1                     | <1             | <1           | <1                 | <1                    |
| 7/12/2017   | <1                        | <1                     | <1             | <1           | <1                 | <1                    |
| 10/20/2017  | <1                        | <1                     | 0.44           | <1           | <1                 | <1                    |
| 1/8/2018    | <1                        | <1                     | <1             | <1           | <1                 | <1                    |

Note well was decommissioned following the January 2018 sampling event.

**MONITORING WELL MW-6**  
**HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER**  
**Former Scott Aviation Site**  
**Lancaster, New York**




**MONITORING WELL MW-8R**  
**HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER**  
**Former Scott Aviation Site**  
**Lancaster, New York**

| Sample Date | Analytical Results (µg/L) |                        |                |              |                    |                       |
|-------------|---------------------------|------------------------|----------------|--------------|--------------------|-----------------------|
|             | Trichloroethene           | cis-1,2-Dichloroethene | Vinyl chloride | Chloroethane | 1,1-Dichloroethane | 1,1,1-Trichloroethane |
| 10/13/2004  | 35,000                    | 22,000                 | 3,400          | 160          | < 5,000            | 810                   |
| 1/7/2005    | 23,000                    | 28,000                 | 4,000          | < 2,000      | 1,100              | 1,300                 |
| 4/14/2005   | 15,000                    | 11,000                 | 1,300          | 380          | 360                | 240                   |
| 7/21/2005   | 9,200                     | 6,200                  | 600            | 390          | 200                | 52                    |
| 10/5/2005   | 13,000                    | 10,000                 | 830            | < 1,000      | 300                | <1,000                |
| 1/6/2006    | 42,000                    | 38,000                 | 2,300          | 150          | 1100               | 820                   |
| 4/14/2006   | 14,000                    | 7,400                  | 1,200          | 220          | 200                | < 1,000               |
| 7/10/2006   | 16,000                    | 13,000                 | 2,200          | 300          | 320                | < 1,000               |
| 10/18/2006  | 13,000                    | 8,900                  | 1,400          | 300          | 200                | 32                    |
| 1/10/2007   | 1,600                     | 2,500                  | 120            | 24           | 52                 | 26                    |
| 4/17/2007   | 19,000                    | 11,000                 | 670            | < 1,000      | < 1,000            | < 1,000               |
| 7/3/2007    | 29,000                    | 12,000                 | 890            | < 1,000      | 290                | < 1,000               |
| 10/15/2007  | 2,200                     | 1,600                  | 60             | < 200        | 33                 | < 200                 |
| 1/8/2008    | 38,000                    | 22,000                 | 2,000          | 76           | 620                | 740                   |
| 4/3/2008    | 12,000                    | 8,100                  | 820            | 77           | 140                | 72                    |
| 7/2/2008    | 7,400                     | 6,000                  | 790            | 100          | 130                | 72                    |
| 10/2/2008   | 22,000                    | 15,000                 | 1,200          | 70           | 320                | 340                   |
| 1/22/2009   | 8,400                     | 4,600                  | 510            | 56           | 76                 | <100                  |
| 4/15/2009   | 13,000                    | 6,800                  | 700            | 49           | 99                 | 27                    |
| 10/13/2009  | 13,000                    | 6,800                  | 700            | 49           | 99                 | 27                    |
| 4/8/2010    | 2,500                     | 1,300                  | 84             | <100         | 19                 | <100                  |
| 7/12/2010   | 19,000                    | 14,000                 | 1,000          | 64           | 160                | <100                  |
| 1/12/2011   | 99,000                    | 54,000                 | 2,500          | <2000        | <2000              | <2000                 |
| 4/6/2011    | 89,000                    | 49,000                 | 2,500          | <800         | 470                | <800                  |
| 7/26/2011   | 36,000                    | 26,000                 | <800           | 80           | 510                | 1.2                   |
| 10/4/2011   | 33,000                    | 21,000                 | <400           | <400         | 560                | <400                  |
| 1/13/2012   | 99,000                    | 56,000                 | 2,700          | <800         | 520                | <800                  |
| 4/3/2012    | 99,000                    | 54,000                 | 2,600          | <2000        | <2000              | <2000                 |
| 10/12/2012  | 89,000                    | 48,000                 | 2,000          | <800         | 340                | <800                  |
| 4/2/2013    | 64,000                    | 37,000                 | 1,900          | <1000        | <1000              | <1000                 |
| 10/10/2013  | 100,000                   | 57,000                 | 2,700          | <1000        | <1000              | <1000                 |
| 4/7/2014    | 100,000                   | 56,000                 | 1,900          | <1000        | <1000              | <1000                 |
| 7/17/2014   | 110,000                   | 58,000                 | 2,300          | <1000        | <1000              | <1000                 |
| 1/21/2015   | 2,100                     | 54,000                 | <2000          | <2000        | <2000              | <2000                 |
| 4/6/2015    | <2000                     | 55,000                 | 8,500          | <2000        | <2000              | <2000                 |
| 7/23/2015   | <200                      | 74,000                 | 26,000         | <200         | <200               | <200                  |
| 10/21/2015  | <25                       | 240                    | 2,400          | 39           | 290                | <25                   |
| 1/6/2016    | <1,000                    | 21,000                 | 12,000         | <1,000       | <1,000             | <1,000                |
| 4/6/2016    | <1,000                    | 19,000                 | 26,000         | <1,000       | <1,000             | <1,000                |
| 7/8/2016    | 24                        | 530                    | 820            | <20          | 160                | <20                   |
| 10/25/2016  | <100                      | 710                    | 4,700          | <100         | 170                | <100                  |
| 1/17/2017   | <100                      | 24,000                 | 18,000         | <100         | 200                | <100                  |
| 4/18/2017   | 14                        | 7,100                  | 7,500          | 35           | 86                 | <50                   |
| 7/13/2017   | <400                      | <400                   | 840            | <400         | <400               | <400                  |
| 10/24/2017  | 7.7                       | 500                    | 1,200          | 19           | 54                 | <10                   |
| 4/18/2018   | 13                        | 5,700                  | 4,300          | 44           | 53                 | <20                   |
| 7/13/2018   | <10                       | 30                     | 190            | 47           | 9.8                | <10                   |
| 10/24/2018  | <10                       | <10                    | <10            | 38           | 5.0                | <10                   |
| 1/10/2019   | 12                        | 2,700                  | 1,900          | 17           | 36                 | <10                   |
| 4/8/2019    | <40                       | 880                    | 1,900          | <40          | 39                 | <40                   |
| 7/22/2019   | <8                        | 290                    | 270            | 20           | 12                 | <8                    |
| 10/15/2019  | <10                       | 370                    | 620            | 24           | 19                 | <10                   |
| 1/8/2020    | <10                       | 110                    | 230            | 22           | 9.9                | <10                   |
| 4/8/2020    | <2                        | 89                     | 100            | 14           | 1.6                | <2                    |
| 7/22/2020   | <2                        | 110                    | 370            | 27           | 5.8                | <2                    |
| 10/14/2020  | <2                        | 170                    | 82             | 18           | 1.9                | <2                    |

Note well was not accessible during the January 2018 sampling event.

**MONITORING WELL MW-8R**  
**HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER**  
**Former Scott Aviation Site**  
**Lancaster, New York**




Note: LNAPL was present in MW-4 during the October 2004 and January 2005 groundwater sampling events.

**MONITORING WELL MW-9**  
**HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER**  
**Former Scott Aviation Site**  
**Lancaster, New York**

| Sample Date | Analytical Results ( $\mu\text{g}/\text{L}$ ) |                        |                |              |                    |                       |
|-------------|---|------------------------|----------------|--------------|--------------------|-----------------------|
|             | Trichloroethene                               | cis-1,2-Dichloroethene | Vinyl chloride | Chloroethane | 1,1-Dichloroethane | 1,1,1-Trichloroethane |
| 11/7/2003   | 6   | 21                     | 140            | 130          | 60                 | < 10                  |
| 10/13/2004  | < 10  | 4                      | 190            | 110          | 47                 | < 10                  |
| 1/6/2005    | < 10  | 19                     | 220            | 180          | 90                 | < 10                  |
| 4/14/2005   | < 10  | 5                      | 51             | 190          | 80                 | < 10                  |
| 7/21/2005   | < 5   | 2                      | 92             | 220          | 70                 | < 5                   |
| 10/5/2005   | < 5   | 8                      | 38             | 58           | 96                 | 0.68                  |
| 7/10/2006   | 1.3   | 56                     | 250            | 280          | 150                | < 5                   |
| 10/17/2007  | 2.6   | 60                     | 170            | 410          | 140                | < 25                  |
| 1/21/2009   | <5  | 59                     | 87             | 33           | 140                | 0.81                  |
| 4/7/2010    | <5  | 17                     | 19             | 16           | 99                 | < 5                   |
| 4/4/2011    | <1  | 21                     | 34             | 17           | 78                 | <1                    |
| 4/2/2012    | <1  | 19                     | 1.8            | 1.5          | 90                 | <1                    |
| 4/1/2013    | <1  | 16                     | 17             | 5.9          | 62                 | <1                    |
| 4/7/2014    | <1  | 21                     | 75             | 22           | 73                 | <1                    |
| 4/7/2015    | <1  | 4.1                    | <1             | <1           | 43                 | <1                    |
| 4/5/2016    | <1  | 41                     | <1             | <1           | 59                 | <1                    |
| 4/20/2017   | <1  | 41                     | 80             | 17           | 51                 | 0.6                   |
| 4/17/2018   | <1  | 12                     | 7.2            | <1           | 29                 | <1                    |
| 4/8/2019    | <1  | 1.6                    | 1.6            | <1           | 29                 | <1                    |
| 4/7/2020    | <1  | 32                     | 35             | <1           | 37                 | <1                    |

**MONITORING WELL MW-9**  
**HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER**  
**Former Scott Aviation Site**  
**Lancaster, New York**




**MONITORING WELL MW-10**  
**HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER**  
**Former Scott Aviation Site**  
**Lancaster, New York**

| Sample Date | Analytical Results (µg/L) |                        |                |              |                      |                       |
|-------------|---------------------------|------------------------|----------------|--------------|----------------------|-----------------------|
|             | Trichloroethene           | cis-1,2-Dichloroethene | Vinyl chloride | Chloroethane | 1,1,1-Dichloroethane | 1,1,1-Trichloroethane |
| 4/14/2005   | < 10                      | < 10                   | < 10           | < 10         | < 10                 | < 10                  |
| 1/5/2006    | < 5                       | < 5                    | < 5            | < 5          | < 5                  | < 5                   |
| 4/14/2006   | < 5                       | < 5                    | < 5            | < 5          | < 5                  | < 5                   |
| 7/10/2006   | < 5                       | < 5                    | < 5            | < 5          | < 5                  | < 5                   |
| 10/18/2006  | < 5                       | < 5                    | < 5            | < 5          | < 5                  | < 5                   |
| 1/9/2007    | < 5                       | < 5                    | < 5            | < 5          | < 5                  | < 5                   |
| 4/16/2007   | < 5                       | < 5                    | < 5            | < 5          | < 5                  | < 5                   |
| 7/2/2007    | < 5                       | < 5                    | < 5            | < 5          | < 5                  | < 5                   |
| 10/17/2007  | < 5                       | < 5                    | < 5            | < 5          | < 5                  | < 5                   |
| 1/9/2008    | < 5                       | < 5                    | < 5            | < 5          | < 5                  | < 5                   |
| 4/3/2008    | < 5                       | < 5                    | < 5            | < 5          | < 5                  | < 5                   |
| 7/1/2008    | < 5                       | < 5                    | < 5            | < 5          | < 5                  | < 5                   |
| 10/1/2008   | < 5                       | < 5                    | < 5            | < 5          | < 5                  | < 5                   |
| 1/20/2008   | < 5                       | < 5                    | < 5            | < 5          | < 5                  | < 5                   |
| 4/15/2009   | < 5                       | < 5                    | < 5            | < 5          | < 5                  | < 5                   |
| 7/21/2009   | < 5                       | < 5                    | < 5            | < 5          | < 5                  | < 5                   |
| 10/13/2009  | < 5                       | < 5                    | < 5            | < 5          | < 5                  | < 5                   |
| 1/18/2010   | < 5                       | < 5                    | < 5            | < 5          | < 5                  | < 5                   |
| 4/7/2010    | < 5                       | < 5                    | < 5            | < 5          | < 5                  | < 5                   |
| 7/13/2010   | < 5                       | < 5                    | < 5            | < 5          | < 5                  | < 5                   |
| 10/11/2010  | < 5                       | < 5                    | < 5            | < 5          | < 5                  | < 5                   |
| 1/12/2011   | <1                        | <1                     | <1             | <1           | <1                   | <1                    |
| 4/4/2011    | <1                        | <1                     | <1             | <1           | <1                   | <1                    |
| 7/26/2011   | <1                        | <1                     | <1             | <1           | <1                   | <1                    |
| 10/3/2011   | <1                        | <1                     | <1             | <1           | <1                   | <1                    |
| 1/12/2012   | <1                        | <1                     | <1             | <1           | <1                   | <1                    |
| 4/2/2012    | <1                        | <1                     | <1             | <1           | <1                   | <1                    |
| 7/5/2012    | <1                        | <1                     | <1             | <1           | <1                   | <1                    |
| 10/11/2012  | <1                        | <1                     | <1             | <1           | <1                   | <1                    |
| 4/1/2013    | <1                        | <1                     | <1             | <1           | <1                   | <1                    |
| 7/1/2013    | <1                        | <1                     | <1             | <1           | <1                   | <1                    |
| 10/10/2013  | <1                        | <1                     | <1             | <1           | <1                   | <1                    |
| 1/22/2014   | <1                        | <1                     | <1             | <1           | <1                   | <1                    |
| 4/7/2014    | <1                        | <1                     | <1             | <1           | <1                   | <1                    |
| 7/17/2014   | <1                        | <1                     | <1             | <1           | <1                   | <1                    |
| 10/14/2014  | <1                        | <1                     | <1             | <1           | <1                   | <1                    |
| 1/20/2015   | <1                        | <1                     | <1             | <1           | <1                   | <1                    |
| 4/6/2015    | <1                        | <1                     | <1             | <1           | <1                   | <1                    |
| 7/23/2015   | <1                        | <1                     | <1             | <1           | <1                   | <1                    |
| 10/19/2015  | <1                        | <1                     | <1             | <1           | <1                   | <1                    |
| 1/6/2016    | <1                        | <1                     | <1             | <1           | <1                   | <1                    |
| 4/4/2016    | <1                        | <1                     | <1             | <1           | <1                   | <1                    |
| 7/7/2016    | <1                        | <1                     | <1             | <1           | <1                   | <1                    |
| 10/24/2016  | <1                        | <1                     | <1             | <1           | <1                   | <1                    |
| 1/17/2017   | <1                        | <1                     | <1             | <1           | <1                   | <1                    |
| 4/19/2017   | <1                        | <1                     | <1             | <1           | <1                   | <1                    |
| 7/12/2017   | <1                        | <1                     | <1             | <1           | <1                   | <1                    |
| 10/20/2017  | <1                        | <1                     | <1             | <1           | <1                   | <1                    |
| 1/8/2018    | <1                        | <1                     | <1             | <1           | <1                   | <1                    |
| 4/17/2018   | <1                        | <1                     | <1             | <1           | <1                   | <1                    |
| 7/13/2018   | <1                        | <1                     | <1             | <1           | <1                   | <1                    |

Note well was decommissioned following the July 2018 sampling event.


**MONITORING WELL MW-10**  
**HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER**  
**Former Scott Aviation Site**  
**Lancaster, New York**



**MONITORING WELL MW-11**  
**HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER**  
**Former Scott Aviation Site**  
**Lancaster, New York**

| Sample Date | Analytical Results ( $\mu\text{g/L}$ ) |                        |                |              |                    |                       |
|-------------|--|------------------------|----------------|--------------|--------------------|-----------------------|
|             | Trichloroethene                        | cis-1,2-Dichloroethene | Vinyl chloride | Chloroethane | 1,1-Dichloroethane | 1,1,1-Trichloroethane |
| 4/14/2005   | < 10                                   | 7                      | < 10           | 33           | 3                  | < 10                  |
| 1/5/2006    | 2.2                                    | 6.7                    | 3.9            | 31           | 6.7                | <20                   |
| 4/14/2006   | < 20                                   | 9                      | 4              | 16           | 4.1                | < 20                  |
| 7/10/2006   | < 20                                   | 7.8                    | 3.9            | 23           | 3.6                | < 20                  |
| 10/19/2006  | 6.8                                    | 23                     | 7.9            | 25           | 5.7                | 1.7                   |
| 1/9/2007    | 2.6                                    | 31                     | 6.7            | 38           | 8.5                | 2.3                   |
| 4/16/2007   | 0.89                                   | 9.8                    | 4.1            | 22           | 3.4                | <5                    |
| 7/2/2007    | < 5                                    | 13                     | 6.1            | < 5          | 4.8                | 0.84                  |
| 10/16/2007  | 0.71                                   | 27                     | 11             | 27           | 8.6                | 1.7                   |
| 1/8/2008    | 1.1                                    | 38                     | 18             | 29           | 12                 | 3.4                   |
| 4/2/2008    | 0.49                                   | 30                     | 4.3            | 16           | 7.4                | 1.6                   |
| 7/1/2008    | 1                                      | 42                     | 14             | 32           | 11                 | 2.8                   |
| 10/2/2008   | 0.81                                   | 42                     | 13             | 23           | 10                 | 2.4                   |
| 1/20/2009   | 0.77                                   | 36                     | 11             | 16           | 8.7                | 1.9                   |
| 4/14/2009   | 0.95                                   | 45                     | 17             | 21           | 11                 | 3                     |
| 7/22/2009   | 0.69                                   | 37                     | 9.9            | 16           | <5                 | 2                     |
| 10/13/2009  | 0.69                                   | 37                     | 9.9            | 16           | <5                 | 2                     |
| 1/18/2010   | 0.77                                   | 51                     | 1.7            | 25           | 13                 | 2.9                   |
| 4/7/2010    | 0.95                                   | 60                     | 17             | 25           | 13                 | 2.4                   |
| 7/12/2010   | 1                                      | 65                     | 18             | 21           | 13                 | 2.6                   |
| 10/11/2010  | 0.8                                    | 63                     | 21             | 15           | 16                 | 2.2                   |
| 4/5/2011    | 1.2                                    | 64                     | 14             | 20           | 12                 | 4.6                   |
| 7/25/2011   | <1                                     | 45                     | 21             | 9.5          | 13                 | 1.5                   |
| 10/3/2011   | <1                                     | 69                     | 23             | 10           | 16                 | 2.6                   |
| 1/12/2012   | <1                                     | 33                     | 16             | 5.4          | 9.8                | 0.88                  |
| 4/2/2012    | 0.51                                   | 39                     | 17             | 9.1          | 9.8                | 1.2                   |
| 7/5/2012    | <1                                     | 38                     | 19             | 5            | 12                 | 1.9                   |
| 10/11/2012  | <1                                     | 36                     | 16             | 6.6          | 9.3                | 1.1                   |
| 1/21/2013   | <1                                     | 23                     | 6              | 8.2          | 0.64               | <1                    |
| 7/1/2013    | 0.46                                   | 55                     | 20             | 21           | 13                 | 1.4                   |
| 10/9/2013   | <1                                     | 27                     | 14             | 5.5          | 6.9                | <1                    |
| 1/21/2014   | <1                                     | 38                     | 13             | 3.8          | 9.4                | 0.85                  |
| 4/7/2014    | <1                                     | 26                     | 4.3            | 2.3          | 7.1                | <1                    |
| 7/16/2014   | <1                                     | 36                     | 14             | 4.5          | 8.8                | 1.4                   |
| 10/14/2014  | <1                                     | 25                     | 9.8            | 2.5          | 6.1                | <1                    |
| 1/20/2015   | <5                                     | 17                     | 7.4            | <5           | 5.0                | <5                    |
| 4/6/2015    | <2                                     | 19                     | 6.7            | 2.4          | 4.7                | <2                    |
| 7/22/2015   | <1                                     | 6.3                    | 2.5            | <1           | <1                 | <1                    |
| 10/26/2015  | <1                                     | 4.2                    | 3.9            | <1           | 1.7                | <1                    |
| 1/6/2016    | <1                                     | 10                     | 3.6            | 0.89         | 2.9                | <1                    |
| 4/4/2016    | <1                                     | <1                     | 4.1            | <1           | 2.5                | <1                    |
| 7/5/2016    | <1                                     | 1.3                    | 3.4            | <1           | 1.3                | <1                    |
| 10/24/2016  | <1                                     | <1                     | 7.7            | 7.9          | <1                 | <1                    |
| 1/17/2017   | <1                                     | 3.8                    | 2.5            | <1           | 1.3                | <1                    |
| 4/18/2017   | <1                                     | 3.2                    | 2.1            | <1           | 1                  | <1                    |
| 7/12/2017   | <1                                     | 1.7                    | 1.3            | <1           | 0.78               | <1                    |
| 10/20/2017  | <1                                     | 1.5                    | 2.2            | <1           | 0.79               | <1                    |
| 1/8/2018    | <1                                     | 2.4                    | 2.1            | <1           | 0.99               | <1                    |
| 4/18/2018   | <2                                     | <2                     | <2             | <2           | <2                 | <2                    |
| 7/12/2018   | <1                                     | 1.6                    | 1.6            | <1           | 0.68               | <1                    |
| 10/24/2018  | <4                                     | <4                     | <4             | <4           | <4                 | <4                    |
| 1/9/2019    | <1                                     | 3.0                    | 1.8            | <1           | 1.2                | <1                    |
| 4/8/2019    | <1                                     | 1.6                    | 1.9            | <1           | 0.75               | <1                    |
| 7/23/2019   | <1                                     | 2.0                    | 1.7            | <1           | 0.68               | <1                    |
| 10/15/2019  | <1                                     | <1                     | 1.9            | <1           | 0.82               | <1                    |
| 1/7/2020    | <1                                     | 1.3                    | 1.4            | <1           | 0.54               | <1                    |
| 4/6/2020    | <1                                     | 1.5                    | 1.3            | <1           | 0.54               | <1                    |
| 7/21/2020   | <1                                     | 1.2                    | 1.4            | <1           | 0.59               | <1                    |
| 10/13/2020  | <1                                     | 1.4                    | 1.5            | <1           | 0.64               | <1                    |

**MONITORING WELL MW-11**  
**HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER**  
**Former Scott Aviation Site**  
**Lancaster, New York**




**MONITORING WELL MW-12**  
**HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER**  
**Former Scott Aviation Site**  
**Lancaster, New York**

| Sample Date | Analytical Results (µg/L) |                        |                |              |                    |                       |
|-------------|---------------------------|------------------------|----------------|--------------|--------------------|-----------------------|
|             | Trichloroethene           | cis-1,2-Dichloroethene | Vinyl chloride | Chloroethane | 1,1-Dichloroethane | 1,1,1-Trichloroethane |
| 10/12/2004  | 13                        | 3                      | 24             | 52           | 4                  | < 10                  |
| 1/6/2005    | < 10                      | < 10                   | 39             | 82           | 6                  | < 10                  |
| 4/14/2005   | < 10                      | < 10                   | 5              | 170          | 4                  | < 10                  |
| 7/21/2005   | < 5                       | < 5                    | 14             | 87           | 3                  | <                     |
| 10/5/2005   | < 5                       | < 5                    | 1.2            | 78           | 0.43               | < 5                   |
| 1/5/2006    | < 25                      | < 25                   | 7.2            | 43           | 5.8                | < 25                  |
| 4/14/2006   | < 25                      | < 25                   | 6.3            | 28           | 6.9                | < 25                  |
| 7/10/2006   | < 25                      | < 25                   | 15             | 69           | 5                  | < 25                  |
| 1/9/2007    | < 5                       | < 5                    | 0.83           | 38           | < 5                | < 5                   |
| 4/16/2007   | < 20                      | < 20                   | < 20           | 29           | < 20               | < 20                  |
| 7/2/2007    | < 5                       | < 5                    | 45             | 82           | 4.6                | < 5                   |
| 10/15/2007  | < 5                       | < 5                    | 42             | 87           | 5.2                | < 5                   |
| 1/8/2008    | < 5                       | < 5                    | < 5            | 26           | < 5                | < 5                   |
| 4/2/2008    | < 5                       | < 5                    | < 5            | 23           | < 5                | < 5                   |
| 7/1/2008    | < 5                       | < 5                    | 0.64           | 14           | 0.55               | < 5                   |
| 10/1/2008   | < 5                       | < 5                    | 7.8            | 20           | 2.1                | < 5                   |
| 4/14/2009   | < 5                       | < 5                    | 6.8            | 23           | < 5                | < 5                   |
| 7/22/2009   | < 5                       | < 5                    | 3.6            | 9.2          | 0.79               | < 5                   |
| 10/12/2009  | < 5                       | < 5                    | 3.6            | 9.2          | 0.79               | < 5                   |
| 1/18/2010   | < 5                       | < 5                    | 3.6            | 33           | < 5                | < 5                   |
| 4/7/2010    | < 5                       | < 5                    | < 5            | 23           | < 5                | < 5                   |
| 7/13/2010   | < 5                       | < 5                    | 6.4            | 26           | < 5                | < 5                   |
| 10/11/2010  | < 5                       | < 5                    | 8.1            | 33           | < 5                | < 5                   |
| 1/12/2011   | < 1                       | < 1                    | 1.3            | 36           | < 1                | < 1                   |
| 4/4/2011    | < 1                       | < 1                    | 1.1            | 22           | < 1                | < 1                   |
| 7/26/2011   | < 1                       | < 1                    | 8.9            | 23           | < 1                | < 1                   |
| 10/4/2011   | < 1                       | < 1                    | 3.9            | 21           | < 1                | < 1                   |
| 1/12/2012   | < 1                       | < 1                    | 1.4            | 19           | < 1                | < 1                   |
| 4/2/2012    | < 1                       | < 1                    | < 1            | 17           | < 1                | < 1                   |
| 10/11/2012  | < 1                       | < 1                    | 2.1            | 20           | 0.49               | < 1                   |
| 1/21/2013   | < 1                       | < 1                    | < 1            | 38           | < 1                | < 1                   |
| 4/1/2013    | < 1                       | < 1                    | 1.1            | 22           | < 1                | < 1                   |
| 7/1/2013    | < 1                       | < 1                    | 6.6            | 38           | < 1                | < 1                   |
| 10/10/2013  | < 1                       | < 1                    | 0.95           | 16           | < 1                | < 1                   |
| 4/7/2014    | < 1                       | < 1                    | 1.2            | 11           | < 1                | < 1                   |
| 7/17/2014   | < 1                       | < 1                    | 3.3            | 9.4          | < 1                | < 1                   |
| 10/14/2014  | < 1                       | < 1                    | 7.1            | 12           | < 1                | < 1                   |
| 4/6/2015    | < 1                       | < 1                    | 7.2            | 11           | < 1                | < 1                   |
| 7/23/2015   | < 1                       | < 1                    | 6.6            | 8.5          | < 1                | < 1                   |
| 10/19/2015  | < 1                       | 0.88                   | 6.7            | 7.4          | < 1                | < 1                   |
| 1/6/2016    | < 1                       | < 1                    | 1.5            | 9            | < 1                | < 1                   |
| 4/5/2016    | < 5                       | < 5                    | < 5            | 6.8          | < 5                | < 5                   |
| 7/6/2016    | < 5                       | < 5                    | 9.4            | 4.7          | < 5                | < 5                   |
| 10/24/2016  | < 1                       | < 1                    | 7.7            | 7.9          | < 1                | < 1                   |
| 1/19/2017   | < 1                       | < 1                    | 6.5            | 13           | < 1                | < 1                   |
| 4/18/2017   | < 1                       | 0.36                   | 2.6            | 6.2          | < 1                | < 1                   |
| 7/12/2017   | < 1                       | < 1                    | 5.8            | 8.1          | < 1                | < 1                   |
| 10/23/2017  | < 1                       | 0.24                   | 2.9            | 6.8          | < 1                | < 1                   |
| 4/18/2018   | < 4                       | < 4                    | < 4            | 4.1          | < 4                | < 4                   |
| 7/13/2018   | < 5                       | < 5                    | 6.1            | 9.1          | < 5                | < 5                   |

Note well was decommissioned following the July 2018 sampling event.

**MONITORING WELL MW-12**  
**HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER**  
**Former Scott Aviation Site**  
**Lancaster, New York**

Trend Plot




**PIEZOMETER MW-13S**  
**HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER**  
**Former Scott Aviation Site**  
**Lancaster, New York**

| Sample Date | Analytical Results (µg/L) |                        |                |              |                    |                       |
|-------------|---------------------------|------------------------|----------------|--------------|--------------------|-----------------------|
|             | Trichloroethene           | cis-1,2-Dichloroethene | Vinyl chloride | Chloroethane | 1,1-Dichloroethane | 1,1,1-Trichloroethane |
| 4/8/2004    | 10,000                    | 9,000                  | 320            | < 100        | < 100              | < 100                 |
| 10/12/2004  | 2,100                     | 2,300                  | < 200          | < 200        | < 200              | 56                    |
| 1/6/2005    | 10,000                    | 9,400                  | 720            | < 200        | 75                 | 62                    |
| 4/15/2005   | 760                       | 700                    | 28             | < 50         | 9                  | 20                    |
| 7/20/2005   | 870                       | 990                    | 37             | < 40         | 16                 | 49                    |
| 10/4/2005   | 410                       | 280                    | 9.1            | < 40         | < 40               | 3.4                   |
| 7/10/2006   | 17,000                    | 9,400                  | 300            | 9            | 65                 | 88                    |
| 10/19/2006  | 1,300                     | 1,700                  | 50             | <100         | 19                 | 36                    |
| 1/10/2007   | 1,500                     | 1,800                  | 58             | <100         | 24                 | 41                    |
| 4/17/2007   | 4,400                     | 2,200                  | 90             | < 250        | < 250              | 250                   |
| 7/3/2007    | 220                       | 410                    | 11             | < 25         | 5.7                | 7.2                   |
| 10/18/2007  | 570                       | 800                    | 14             | < 25         | 8.5                | 15                    |
| 1/9/2008    | 1800                      | 2300                   | 330            | 7.3          | 32                 | 68                    |
| 4/3/2008    | 580                       | 610                    | 21             | <50          | 8.5                | 9.5                   |
| 7/2/2008    | 1,800                     | 1,500                  | 38             | <120         | 14                 | 13                    |
| 10/2/2008   | 5,800                     | 5,000                  | 190            | <120         | 36                 | 27                    |
| 1/20/2009   | 3,400                     | 2,500                  | 150            | <10          | 30                 | 28                    |
| 4/15/2009   | 3,400                     | 3,700                  | 290            | <40          | <40                | 30                    |
| 10/13/2009  | 3,400                     | 3,700                  | 290            | <40          | <40                | 30                    |
| 4/7/2010    | 1,400                     | 1,600                  | 45             | <50          | 16                 | 10                    |
| 7/13/2010   | 400                       | 870                    | 30             | <50          | 7.9                | <50                   |
| 1/12/2011   | 39,000                    | 25,000                 | <500           | 9.4          | 19                 | <1                    |
| 4/6/2011    | 40,000                    | 23,000                 | <800           | 4.7          | <800               | <800                  |
| 7/2/2011    | 31,000                    | 19,000                 | <800           | 2.9          | 95                 | 2.9                   |
| 1/13/2012   | 53,000                    | 30,000                 | 770            | <800         | 1400               | <800                  |
| 4/3/2012    | 39,000                    | 21,000                 | 320            | 3.7          | 110                | <1                    |
| 10/12/2012  | 41,000                    | 24,000                 | <800           | <800         | <800               | <800                  |
| 4/2/2013    | 40,000                    | 22,000                 | 140            | 3.9          | 100                | <1                    |
| 10/10/2013  | 49,000                    | 31,000                 | <1             | <1           | <1                 | <1                    |
| 4/7/2014    | 32,000                    | 18,000                 | <500           | <500         | <500               | <500                  |
| 7/17/2014   | 33,000                    | 17,000                 | <500           | <500         | <500               | <500                  |
| 1/21/2015   | 19,000                    | 22,000                 | <500           | <500         | 150                | <500                  |
| 4/7/2015    | 31,000                    | 32,000                 | <500           | <500         | <500               | <500                  |
| 7/23/2015   | <500                      | 31,000                 | 3,500          | <500         | <500               | <500                  |
| 10/20/2015  | <10                       | 640                    | 1,700          | 46           | 260                | <10                   |
| 1/6/2016    | 41                        | 150                    | 1,600          | 38           | 70                 | <25                   |
| 4/5/2016    | <100                      | 5,000                  | 6,100          | 390          | 240                | <100                  |
| 7/6/2016    | <4                        | <4                     | <4             | 35           | <4                 | <4                    |
| 10/25/2016  | <2                        | 100                    | 190            | 32           | 8.5                | <2                    |
| 1/19/2017   | 2.1                       | 12                     | 44             | 20           | <2                 | <2                    |
| 4/19/2017   | <1                        | 54                     | 85             | 12           | 2.4                | <1                    |
| 7/13/2017   | <2                        | 35                     | 95             | 11           | 0.89               | <2                    |
| 10/24/2017  | <5                        | 630                    | 240            | 10           | 5.1                | <5                    |
| 1/9/2018    | <40                       | 1,200                  | 440            | <40          | <40                | <40                   |
| 4/17/2018   | <40                       | 4,400                  | 3,600          | <40          | 16                 | <40                   |
| 7/13/2018   | <40                       | 1,500                  | 880            | <40          | 15                 | <40                   |
| 10/24/2018  | <40                       | 2,500                  | 940            | <40          | <40                | <40                   |
| 1/9/2019    | <40                       | 2,200                  | 1,800          | <40          | 22                 | <40                   |
| 4/8/2019    | 0.7                       | 3.2                    | 4              | 6.3          | 0.48               | <1                    |
| 1/8/2020    | 0.64                      | 19                     | 94             | 13           | 4.4                | <1                    |
| 4/8/2020    | <1                        | 1.5                    | 1.6            | 4.8          | <1                 | <1                    |
| 7/22/2020   | <1                        | 4.3                    | 13             | 4.8          | <1                 | <1                    |
| 10/13/2020  | 0.60                      | 12                     | 12             | 3.8          | <1                 | <1                    |

Note well was dry during the July 2019 and October 2019 sampling events.


**MONITORING WELL MW-13S**  
**HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER**  
**Former Scott Aviation Site**  
**Lancaster, New York**



**PIEZOMETER MW-13D**  
**HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER**  
**Former Scott Aviation Site**  
**Lancaster, New York**

| Sample Date | Analytical Results (µg/L) |                        |                |              |                    |                       |
|-------------|---------------------------|------------------------|----------------|--------------|--------------------|-----------------------|
|             | Trichloroethene           | cis-1,2-Dichloroethene | Vinyl chloride | Chloroethane | 1,1-Dichloroethane | 1,1,1-Trichloroethane |
| 4/8/2004    | 17                        | 2                      | < 10           | < 10         | < 10               | < 10                  |
| 10/12/2004  | 7                         | 2                      | < 10           | < 10         | < 10               | < 10                  |
| 1/6/2005    | < 10                      | < 10                   | < 10           | < 10         | < 10               | < 10                  |
| 4/15/2005   | 8                         | 4                      | < 10           | < 10         | < 10               | < 10                  |
| 7/20/2005   | 1                         | 2                      | < 5            | < 5          | < 5                | < 5                   |
| 10/4/2005   | 1.4                       | 1.5                    | < 5            | < 5          | < 5                | < 5                   |
| 7/10/2006   | 2                         | 1.6                    | 2.6            | < 5          | < 5                | < 5                   |
| 10/18/2007  | <5                        | 0.55                   | 1.1            | < 5          | < 5                | < 5                   |
| 1/20/2009   | <5                        | <5                     | <5             | <5           | <5                 | <5                    |
| 4/7/2010    | <5                        | <5                     | <5             | <5           | <5                 | <5                    |
| 4/6/2011    | 22                        | 23                     | <1             | <1           | <1                 | <1                    |
| 4/3/2012    | 62                        | 89                     | 2.3            | <1           | <1                 | <1                    |
| 4/1/2013    | 53                        | 44                     | 2.9            | <1           | <1                 | <1                    |
| 4/7/2014    | 30                        | 28                     | 1.9            | <1           | <1                 | <1                    |
| 4/7/2015    | 40                        | 37                     | <1             | <1           | <1                 | <1                    |
| 7/23/2015   | 2                         | 5300                   | 1100           | 11           | 56                 | <1                    |
| 10/20/2015  | <100                      | 3200                   | 920            | <100         | 42                 | <100                  |
| 1/6/2016    | <10                       | 15                     | 47             | 38           | 12                 | <10                   |
| 4/6/2016    | <10                       | <10                    | <10            | 36           | <10                | <10                   |
| 7/6/2016    | <10                       | 34                     | 360            | 51           | 7.8                | <10                   |
| 10/25/2016  | 0.47                      | 1                      | <1             | 12           | <1                 | <1                    |
| 1/19/2017   | <1                        | <1                     | <1             | 25           | <1                 | <1                    |
| 4/19/2017   | <1                        | 0.87                   | <1             | 9            | <1                 | <1                    |
| 7/13/2017   | <1                        | <1                     | <1             | 13           | <1                 | <1                    |
| 10/24/2017  | <1                        | <1                     | <1             | 6.9          | <1                 | <1                    |
| 1/9/2018    | <1                        | 1.1                    | 39             | 9.9          | 0.73               | <1                    |
| 4/18/2018   | <1                        | 1                      | 39             | 6.5          | <1                 | <1                    |
| 7/13/2018   | <1                        | <1                     | <1             | 5.5          | <1                 | <1                    |
| 10/24/2018  | <1                        | <1                     | <1             | 4.2          | <1                 | <1                    |
| 1/10/2019   | <1                        | 1.6                    | 1.2            | 7.4          | <1                 | <1                    |
| 4/8/2019    | <1                        | <1                     | 18             | 9.8          | <1                 | <1                    |
| 7/24/2019   | <1                        | <1                     | <1             | 0.73         | <1                 | <1                    |
| 10/15/2019  | <1                        | <1                     | <1             | 4.5          | <1                 | <1                    |
| 1/8/2020    | <1                        | <1                     | <1             | 2.5          | <1                 | <1                    |
| 4/8/2020    | <1                        | <1                     | 4.0            | 2.9          | <1                 | <1                    |
| 7/22/2020   | <1                        | <1                     | <1             | 2.8          | <1                 | <1                    |
| 10/13/2020  | <1                        | <1                     | <1             | 3.5          | <1                 | <1                    |

**PIEZOMETER MW-13D**  
**HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER**  
**Former Scott Aviation Site**  
**Lancaster, New York**




**PIEZOMETER MW-14S**  
**HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER**  
**Former Scott Aviation Site**  
**Lancaster, New York**

| Sample Date | Analytical Results (µg/L) |                        |                |              |                    |                       |
|-------------|---------------------------|------------------------|----------------|--------------|--------------------|-----------------------|
|             | Trichloroethene           | cis-1,2-Dichloroethene | Vinyl chloride | Chloroethane | 1,1-Dichloroethane | 1,1,1-Trichloroethane |
| 4/8/2004    | 21                        | 78                     | 290            | 530          | 80                 | < 20                  |
| 10/12/2004  | < 10                      | 100                    | 140            | 640          | 94                 | < 10                  |
| 1/6/2005    | < 10                      | 59                     | 22             | 82           | 48                 | < 10                  |
| 4/15/2005   | < 10                      | 35                     | 15             | 180          | 27                 | < 10                  |
| 7/20/2005   | < 5                       | 39                     | 36             | 76           | 42                 | < 5                   |
| 10/5/2005   | < 5                       | 35                     | 59             | 160          | 56                 | < 5                   |
| 7/10/2006   | 5.7                       | 17                     | 13             | 36           | 20                 | < 25                  |
| 10/15/2007  | < 5                       | 63                     | 16             | 5.7          | 52                 | 1.3                   |
| 1/21/2009   | 0.38                      | 36                     | 7.9            | 0.87         | 33                 | 0.63                  |
| 4/8/2010    | < 5                       | 4                      | < 5            | 0.62         | 5.9                | < 5                   |
| 4/5/2011    | < 1                       | 1.1                    | < 1            | < 1          | 1.9                | < 1                   |
| 4/2/2012    | 1.3                       | 30                     | 21             | 11           | 27                 | < 1                   |
| 4/1/2013    | < 1                       | < 1                    | < 1            | < 1          | < 1                | < 1                   |
| 4/7/2014    | < 1                       | 25                     | 19             | 14           | 19                 | < 1                   |
| 4/7/2015    | < 1                       | 16                     | 14             | 18           | 6.8                | < 1                   |
| 4/5/2016    | < 1                       | 9.6                    | 8.9            | 6.3          | 4.4                | < 1                   |
| 4/18/2017   | < 1                       | 15                     | 7.8            | 2.8          | 8.1                | < 1                   |
| 4/10/2019   | < 1                       | 14                     | 12             | 2.7          | 8.9                | < 1                   |
| 4/7/2020    | < 1                       | 19                     | 10             | 1.8          | 14                 | < 1                   |

Well was flooded and not sampled in April 2018.

**PIEZOMETER MW-14S**  
**HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER**  
**Former Scott Aviation Site**  
**Lancaster, New York**




**PIEZOMETER MW-14D**  
**HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER**  
**Former Scott Aviation Site**  
**Lancaster, New York**

| Sample Date | Analytical Results (µg/L) |                        |                |              |                    |                       |
|-------------|---------------------------|------------------------|----------------|--------------|--------------------|-----------------------|
|             | Trichloroethene           | cis-1,2-Dichloroethene | Vinyl chloride | Chloroethane | 1,1-Dichloroethane | 1,1,1-Trichloroethane |
| 4/8/2004    | 21                        | 8                      | < 10           | 4            | < 10               | < 10                  |
| 10/12/2004  | 4                         | 4                      | < 10           | < 10         | < 10               | < 10                  |
| 1/6/2005    | 20                        | 190                    | 45             | 3            | 8                  | 2                     |
| 4/15/2005   | 10                        | 140                    | 18             | 6            | 4                  | < 10                  |
| 7/20/2005   | 26                        | 200                    | 31             | 4            | 7                  | 2                     |
| 10/5/2005   | < 10                      | 460                    | 42             | 7.2          | 9.9                | < 10                  |
| 7/10/2006   | 0.96                      | 7.2                    | 12             | 0.82         | < 5                | < 5                   |
| 10/15/2007  | < 5                       | 47                     | 66             | 1.8          | 2.2                | < 5                   |
| 1/21/2009   | < 5                       | 2                      | 1.4            | 0.91         | 1.3                | < 5                   |
| 4/8/2010    | 9.4                       | 99                     | 21             | 1.5          | 2                  | < 5                   |
| 4/5/2011    | 0.97                      | 5.6                    | 2.6            | 1.5          | < 1                | < 1                   |
| 4/2/2012    | 0.64                      | 13                     | 9.9            | < 1          | 0.44               | < 1                   |
| 4/1/2013    | 0.99                      | 28                     | 19             | 4.6          | 21                 | < 1                   |
| 4/7/2014    | < 1                       | 28                     | 17             | < 1          | 0.82               | < 1                   |
| 4/7/2015    | < 1                       | < 1                    | < 1            | < 1          | < 1                | < 1                   |
| 4/5/2016    | < 1                       | < 1                    | < 1            | < 1          | < 1                | < 1                   |
| 4/18/2017   | < 1                       | 0.65                   | < 1            | < 1          | < 1                | < 1                   |
| 4/10/2019   | < 1                       | < 1                    | < 1            | < 1          | < 1                | < 1                   |
| 4/7/2020    | < 1                       | < 1                    | 1.7            | < 1          | < 1                | < 1                   |

Well was flooded and not sampled in April 2018.


**PIEZOMETER MW-14D**  
**HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER**  
**Former Scott Aviation Site**  
**Lancaster, New York**



**PIEZOMETER MW-15S**  
**HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER**  
**Former Scott Aviation Site**  
**Lancaster, New York**

| Sample Date | Analytical Results (µg/L) |                        |                |              |                    |                       |
|-------------|---------------------------|------------------------|----------------|--------------|--------------------|-----------------------|
|             | Trichloroethene           | cis-1,2-Dichloroethene | Vinyl chloride | Chloroethane | 1,1-Dichloroethane | 1,1,1-Trichloroethane |
| 4/8/2004    | 280                       | 1,700                  | 770            | 240          | 1,500              | < 250                 |
| 10/12/2004  | 460                       | 2,300                  | 940            | 170          | 1,700              | < 250                 |
| 1/7/2005    | 340                       | 2,000                  | 760            | 170          | 1,300              | < 250                 |
| 4/15/2005   | 400                       | 2,000                  | 790            | 700          | 1,400              | < 200                 |
| 7/21/2005   | 430                       | 2,600                  | 1,000          | 490          | 1,800              | < 120                 |
| 10/5/2005   | 330                       | 2,700                  | 750            | 330          | 1,400              | < 100                 |
| 7/10/2006   | 400                       | 3,800                  | 1,500          | 100          | 2,600              | < 25                  |
| 10/16/2007  | 400                       | 3400                   | 1300           | 190          | 2000               | < 200                 |
| 1/21/2009   | 180                       | 1300                   | 360            | 240          | 840                | < 5                   |
| 4/8/2010    | 270                       | 1900                   | 690            | 700          | 1400               | < 10                  |
| 4/7/2011    | 200                       | 1700                   | 450            | 330          | 850                | < 1                   |
| 4/3/2012    | 240                       | 1400                   | 540            | 360          | 1100               | < 1                   |
| 4/1/2013    | 140                       | 1100                   | 420            | 560          | 780                | < 20                  |
| 4/7/2014    | 160                       | 1000                   | 350            | 250          | 730                | < 20                  |
| 4/6/2015    | 85                        | 600                    | 210            | 220          | 450                | < 20                  |
| 4/6/2016    | 110                       | 810                    | 230            | 290          | 540                | < 20                  |
| 4/19/2017   | 70                        | 650                    | 180            | 180          | 450                | < 5                   |
| 4/18/2018   | 85                        | 900                    | 350            | 190          | 750                | < 20                  |
| 4/10/2019   | 98                        | 840                    | 280            | 120          | 580                | < 20                  |
| 4/10/2020   | 95                        | 670                    | 200            | 130          | 490                | < 20                  |


**PIEZOMETER MW-15S**  
**HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER**  
**Former Scott Aviation Site**  
**Lancaster, New York**



**PIEZOMETER MW-15D**  
**HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER**  
**Former Scott Aviation Site**  
**Lancaster, New York**

| Sample Date | Analytical Results (µg/L) |                        |                |              |                    |                       |
|-------------|---------------------------|------------------------|----------------|--------------|--------------------|-----------------------|
|             | Trichloroethene           | cis-1,2-Dichloroethene | Vinyl chloride | Chloroethane | 1,1-Dichloroethane | 1,1,1-Trichloroethane |
| 4/8/2004    | 21                        | 740                    | 180            | 180          | 120                | < 10                  |
| 10/12/2004  | 14                        | 730                    | 150            | 120          | 120                | < 50                  |
| 1/7/2005    | 18                        | 590                    | 200            | 140          | 100                | < 50                  |
| 4/15/2005   | < 50                      | 460                    | 170            | 1,400        | 150                | < 50                  |
| 7/21/2005   | 15                        | 610                    | 230            | 1,200        | 190                | < 25                  |
| 10/5/2005   | 10                        | 520                    | 260            | 1,000        | 180                | < 50                  |
| 7/10/2006   | 4.9                       | 280                    | 320            | 1,400        | 140                | < 5                   |
| 10/16/2007  | 3.6                       | 210                    | 99             | 620          | 66                 | < 5                   |
| 1/21/2009   | <25                       | 22                     | 32             | 1000         | <25                | <25                   |
| 4/8/2010    | <5                        | 1700                   | 19             | <5           | 12                 | <5                    |
| 4/5/2011    | <8                        | 38                     | 26             | 400          | 13                 | <8                    |
| 4/3/2012    | <10                       | <10                    | <10            | 900          | <10                | <10                   |
| 4/1/2013    | <8                        | <8                     | 240            | 1400         | 16                 | <8                    |
| 4/7/2014    | <20                       | <20                    | <20            | 1200         | <20                | <20                   |
| 4/6/2015    | <20                       | <20                    | <20            | 560          | <20                | <20                   |
| 4/6/2016    | <5                        | <5                     | <5             | 250          | <5                 | <5                    |
| 4/19/2017   | <1                        | <1                     | <1             | 390          | 0.35               | <1                    |
| 4/19/2018   | <5                        | <5                     | <5             | 770          | <5                 | <5                    |
| 4/10/2019   | <8                        | <8                     | <8             | 250          | <8                 | <8                    |
| 4/6/2020    | <2                        | <2                     | <2             | 120          | <2                 | <2                    |


**PIEZOMETER MW-15D**  
**HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER**  
**Former Scott Aviation Site**  
**Lancaster, New York**



**PIEZOMETER MW-16S**  
**HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER**  
**Former Scott Aviation Site**  
**Lancaster, New York**

| Sample Date | Analytical Results (µg/L) |                        |                |              |                    |                       |
|-------------|---------------------------|------------------------|----------------|--------------|--------------------|-----------------------|
|             | Trichloroethene           | cis-1,2-Dichloroethene | Vinyl chloride | Chloroethane | 1,1-Dichloroethane | 1,1,1-Trichloroethane |
| 4/8/2004    | 860,000                   | 62,000                 | < 20,000       | < 20,000     | 5,000              | 14,000                |
| 10/12/2004  | 200,000                   | 46,000                 | < 10,000       | < 10,000     | 2,900              | < 10,000              |
| 1/7/2005    | 420,000                   | 64,000                 | < 10,000       | < 10,000     | 3,800              | 3,300                 |
| 4/15/2005   | 400,000                   | 71,000                 | < 25,000       | < 25,000     | < 25,000           | < 25,000              |
| 7/21/2005   | 480,000                   | 76,000                 | 1,500          | 2,200        | 4,400              | 2,700                 |
| 10/5/2005   | 440,000                   | 74,000                 | < 25,000       | < 25,000     | 4,100              | < 25,000              |
| 1/6/2006    | 470,000                   | 82,000                 | 2,600          | < 20,000     | 3,300              | 5,200                 |
| 4/14/2006   | 260,000                   | 56,000                 | 3,900          | < 20,000     | 2,600              | < 20,000              |
| 7/10/2006   | 310,000                   | 78,000                 | 4,000          | < 20,000     | 3,500              | < 20,000              |
| 10/19/2006  | 77,000                    | 22,000                 | 1,300          | < 5,000      | 940                | < 5,000               |
| 1/10/2007   | 44,000                    | 18,000                 | 1,900          | < 2,500      | 840                | < 2,500               |
| 4/17/2007   | 94,000                    | 36,000                 | 3,300          | 1,800        | 1,500              | < 5,000               |
| 7/3/2007    | 86,000                    | 38,000                 | 3,000          | < 5,000      | 1,400              | < 5,000               |
| 10/18/2007  | 130000                    | 47000                  | 2800           | 2600         | 1600               | 820                   |
| 1/8/2008    | 67000                     | 30000                  | 3200           | < 5000       | 1100               | < 5000                |
| 4/3/2008    | 76,000                    | 35,000                 | 2,900          | 710          | 1,300              | 500                   |
| 7/2/2008    | 58,000                    | 26,000                 | 2,400          | 570          | 830                | <5000                 |
| 10/2/2008   | 63,000                    | 26,000                 | 3,100          | 690          | 920                | <5000                 |
| 1/22/2009   | 92,000                    | 51,000                 | 4,200          | 730          | 1,800              | 490                   |
| 4/15/2009   | 130,000                   | 61,000                 | 4,200          | <2000        | 1,800              | 900                   |
| 7/22/2009   | 87,000                    | 45,000                 | 3,000          | 650          | 1,500              | 740                   |
| 1/19/2010   | 22,000                    | 18,000                 | 2,600          | 1,100        | 670                | 340                   |
| 4/8/2010    | 220,000                   | 99,000                 | 6,800          | 1,100        | 3,000              | 2,000                 |
| 10/11/2010  | 300,000                   | 90,000                 | 6,300          | <20,000      | 3,100              | 5,000                 |
| 4/7/2011    | 250,000                   | 74,000                 | 7,100          | <4,000       | <4,000             | 5,600                 |
| 10/4/2011   | 190,000                   | 67,000                 | 3,700          | <800         | 1,400              | 4,600                 |
| 4/3/2012    | 250,000                   | 84,000                 | 8,400          | 960          | 1,700              | 4,900                 |
| 7/6/2012    | 170,000                   | 72,000                 | 3,900          | <2000        | 1,200              | 2,400                 |
| 1/21/2013   | 240,000                   | 79,000                 | 9,300          | 2,900        | 2,200              | 7,200                 |
| 7/1/2013    | 120,000                   | 65,000                 | 5,400          | 1,200        | 1,200              | 2,600                 |
| 1/22/2014   | 110,000                   | 43,000                 | 3,700          | <2,000       | 830                | 2,700                 |
| 4/7/2014    | 61,000                    | 24,000                 | 1,600          | <1000        | 500                | 1,000                 |
| 10/14/2014  | 170,000                   | 51,000                 | 3,800          | 360          | 980                | 3,500                 |
| 1/26/2015   | 160,000                   | 160,000                | 4,700          | <4,000       | 2,100              | <4,000                |
| 4/7/2015    | 26,000                    | 220,000                | <4,000         | <4,000       | <4,000             | <4,000                |
| 7/24/2015   | 5,100                     | 240,000                | 5,700          | <4,000       | 2,000              | <4,000                |
| 10/20/2015  | <4,000                    | 290,000                | 10,000         | <4,000       | <4,000             | <4,000                |
| 1/6/2016    | <4,000                    | 290,000                | 76,000         | <4,000       | 2,500              | <4,000                |
| 4/7/2016    | <4,000                    | 64,000                 | 280,000        | <4,000       | 2,800              | <4,000                |
| 7/5/2016    | <2,000                    | <2,000                 | 80,000         | <2,000       | 2,000              | <2,000                |
| 10/26/2016  | <500                      | 420                    | 35,000         | 1,600        | 670                | <500                  |
| 1/19/2017   | <500                      | 29,000                 | 72,000         | 1,900        | 1,000              | <500                  |
| 4/20/2017   | 86                        | 75,000                 | 72,000         | 1,400        | 1,000              | <200                  |
| 7/13/2017   | <1,000                    | 59,000                 | 180,000        | 2,800        | 1,200              | <200                  |
| 10/24/2017  | <500                      | 14,000                 | 73,000         | 1,800        | 430                | <500                  |
| 1/9/2018    | <1,000                    | 9,600                  | 54,000         | 1,800        | <1,000             | <1,000                |
| 4/18/2018   | <1,000                    | 140,000                | 92,000         | 1,400        | 960                | <1,000                |
| 7/13/2018   | <1,000                    | 93,000                 | 91,000         | <1,000       | 880                | <1,000                |
| 10/25/2018  | <1,000                    | 73,000                 | 59,000         | 1,500        | 700                | <1,000                |
| 1/9/2019    | 550                       | 50,000                 | 76,000         | 870          | 930                | <1,000                |
| 4/9/2019    | <1,000                    | 46,000                 | 92,000         | 920          | 1,300              | <1,000                |
| 7/23/2019   | <2,500                    | 22,000                 | 62,000         | <2,500       | <2,500             | <2,500                |
| 10/17/2019  | <1,000                    | 14,000                 | 32,000         | 1,100        | 620                | <1,000                |
| 1/9/2020    | <1,000                    | 30,000                 | 40,000         | 1,700        | 550                | <1,000                |
| 4/10/2020   | <1                        | 40,000                 | 9,300          | 780          | 420                | <1                    |
| 7/23/2020   | <1                        | 34,000                 | 66,000         | 1,300        | 530                | <1                    |
| 10/14/2020  | <1,000                    | 24,000                 | 60,000         | 2,000        | <1,000             | <1,000                |

**MONITORING WELL MW-16S**  
**HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER**  
**Former Scott Aviation Site**  
**Lancaster, New York**



**PIEZOMETER MW-16D**  
**HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER**  
**Former Scott Aviation Site**  
**Lancaster, New York**

| Sample Date | Analytical Results (µg/L) |                        |                |              |                    |                       |
|-------------|---------------------------|------------------------|----------------|--------------|--------------------|-----------------------|
|             | Trichloroethene           | cis-1,2-Dichloroethene | Vinyl chloride | Chloroethane | 1,1-Dichloroethane | 1,1,1-Trichloroethane |
| 4/8/2004    | 6,900                     | 490                    | < 500          | < 500        | < 500              | < 500                 |
| 10/12/2004  | 12,000                    | 1,000                  | < 500          | < 500        | 91                 | < 500                 |
| 1/6/2005    | 9                         | 27                     | 39             | 22           | 15                 | < 10                  |
| 4/15/2005   | 32                        | 36                     | 17             | 100          | 10                 | < 10                  |
| 7/21/2005   | 25                        | 12                     | 4              | 84           | 2                  | < 10                  |
| 10/5/2005   | 1.3                       | 16                     | 10             | 41           | 5                  | <5                    |
| 7/10/2006   | 6.1                       | 27                     | 21             | 1,000        | 9.7                | < 5                   |
| 10/18/2007  | 6                         | 48                     | 39             | 250          | 16                 | < 20                  |
| 1/22/2009   | 52                        | 92                     | 39             | 90           | 21                 | 1.9                   |
| 4/8/2010    | 12                        | 6.9                    | 3.6            | 240          | 8.7                | < 10                  |
| 4/7/2011    | 22                        | 59                     | 33             | 59           | 27                 | 1.2                   |
| 4/3/2012    | 42                        | 66                     | 46             | 110          | 35                 | <1                    |
| 4/1/2013    | 57                        | 2900                   | 1100           | 190          | 260                | <1                    |
| 4/7/2014    | <25                       | 1700                   | 390            | 110          | 99                 | <25                   |
| 4/7/2015    | <25                       | 650                    | 380            | 170          | 94                 | <25                   |
| 7/23/2015   | <25                       | <25                    | 41             | 340          | 56                 | <25                   |
| 10/20/2015  | <10                       | 24                     | 9.2            | <10          | 15                 | <10                   |
| 1/6/2016    | <5                        | <5                     | 9.2            | 140          | 2.9                | <5                    |
| 4/7/2016    | <10                       | <10                    | 50             | 370          | <10                | <10                   |
| 7/5/2016    | <10                       | <10                    | 13             | 320          | 33                 | <10                   |
| 10/26/2016  | <10                       | 31                     | 13             | 310          | 16                 | <10                   |
| 1/19/2017   | <10                       | <10                    | 23             | 290          | <10                | <10                   |
| 4/20/2017   | <1                        | 24                     | 27             | 350          | 37                 | <1                    |
| 7/13/2017   | <5                        | 57                     | 140            | 130          | 30                 | <5                    |
| 10/24/2017  | <1                        | 9.6                    | 24             | 98           | 6                  | <1                    |
| 1/8/2018    | <1                        | 4.1                    | 9.0            | 110          | 4.1                | <1                    |
| 4/18/2018   | <1                        | 1.5                    | 15             | 52           | 0.78               | <1                    |
| 7/13/2018   | <1                        | 3.3                    | 22             | 53           | 2.0                | <1                    |
| 10/25/2018  | <1                        | 2.3                    | 17             | 38           | 1.2                | <1                    |
| 1/10/2019   | 1.9                       | 37                     | 20             | 150          | 10.0               | <1                    |
| 4/8/2019    | <2                        | 5.0                    | 37             | 72           | 3.6                | <2                    |
| 7/22/2019   | <1                        | 2.0                    | 6.5            | 39           | 2.1                | <1                    |
| 10/17/2019  | <1                        | 1.8                    | 2.3            | 76           | 1.3                | <1                    |
| 1/9/2020    | <1                        | 4.0                    | 2.5            | 86           | 1.4                | <1                    |
| 4/9/2020    | <1                        | 2.8                    | 1.6            | 58           | <1                 | <1                    |
| 7/23/2020   | <1                        | 5.0                    | 2.4            | 59           | 1.5                | <1                    |
| 10/14/2020  | <1                        | <1                     | <1             | 31           | <1                 | <1                    |

**PIEZOMETER MW-16D**  
**HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER**  
**Former Scott Aviation Site**  
**Lancaster, New York**

