

February 18, 2022

Mr. Glenn May, PG
New York State Department of
Environmental Conservation, Region 9
270 Michigan Avenue
Buffalo, NY 14203-2999

**Subject: Fiscal First Quarter 2022 Groundwater Monitoring Report (10/20/21-01/20/22)
January 2022 Sampling Event
Former Scott Aviation Facility – West of Plant 2
Lancaster, New York
NYSDEC Site Code No. 9-15-149**

Dear Mr. May:

On behalf of Scott Figgie LLC (successor to Scott Technologies, Inc.), AECOM Technical Services, Inc. (AECOM) is pleased to provide this Fiscal First Quarter 2022 Groundwater Monitoring Report for the former Scott Aviation Facility – West of Plant 2 area (site) located in Lancaster, New York (**Figure 1**). Quarterly groundwater monitoring activities have been performed in accordance with the New York State Department of Environmental Conservation (NYSDEC) Administrative Order on Consent (AOC), Index No. B9-0377095-05, for the former Scott Aviation facility (formerly Figgie International), NYSDEC Site Code No. 9-15-149. This report has been developed in accordance with the NYSDEC Division of Environmental Remediation, DER-10 Technical Guidance for Site Investigation and Remediation, dated May 3, 2010.

Groundwater samples were collected from select monitoring wells in fulfillment of the site AOC for groundwater monitoring requirements. A monitoring schedule was implemented based on Table 13 presented in the Periodic Review Report (PRR) (April 10, 2020 through April 9, 2021), dated June 29, 2021, and the analyses performed on the groundwater sampled during this monitoring event reflect this schedule. Additionally, vapor samples were collected from the air stripper and dual phase extraction (DPE) liquid ring vacuum pump sampling discharge ports as part of the January 2022 sampling event, to ensure that the treated system effluent was in compliance with NYSDEC vapor discharge guidance criteria. Included in this report are a description of the project background, groundwater and vapor monitoring activities, operation and maintenance (O&M) activities for the groundwater DPE remediation system, and a summary of groundwater quality and vapor effluent results.

Project Background

Scott Aviation, Inc. was sold to Zodiac Acquisition Corporation in 2004, and the facility is now occupied by AVOX Systems Inc (AVOX). Per the purchase and sale agreement, the responsibility for the DPE groundwater remediation system located at 25A Walter Winter Drive, west of AVOX Plant 2, was retained for a designated period of years by Scott Technologies, Inc., the former parent company of Scott Aviation, Inc. Due to an organizational change, Scott Figgie LLC has replaced Scott Technologies, Inc. as the entity responsible under that agreement for the remediation of the subject site until the designated period ends. Scott Figgie has retained the services of AECOM for the ongoing O&M of the DPE remediation system and related groundwater monitoring activities.

AECOM conducted a site investigation during February 2003 in fulfillment of the document Site Investigation Work Plan dated December 31, 2002 (NYSDEC approval dated January 15, 2003). A comprehensive "Site Investigation Completion Report" (SICR) was submitted to NYSDEC on June 30, 2003; the report was approved by NYSDEC in August 2003. At the request of NYSDEC, AECOM prepared a "Remedial Design Work Plan" (RDWP) to complete the

additional remedial work recommended in the SICR. The RDWP was submitted to NYSDEC on November 21, 2003, and the document was approved by NYSDEC on January 5, 2004.

Per the approved RDWP, a DPE remediation system was installed at the site during the period February 2004 through May 2004, and the DPE system was initially started on May 14, 2004. The DPE system was combined with a pre-existing groundwater collection trench (GWCT) system that was started on March 1, 1996.

The objectives for this combined remediation system (collectively known as the combined DPE remediation system) include:

- Maintaining hydraulic capture of groundwater containing dissolved volatile organic compounds (VOCs) along the western Plant 2 property boundary,
- Inducing a depression in the water table surface and reversing the groundwater flow direction along the western Plant 2 property boundary, and
- Reducing VOC concentrations in perched groundwater and soil.

Figure 2 depicts the location of site groundwater monitoring wells and piezometers, DPE recovery wells and system piping, enclosed DPE system trailer, GWCT, and treatment building. **Figure 3** provides the process and instrumentation diagram for the combined DPE remediation system.

At the conclusion of the initial one-year O&M period (May 14, 2004 to July 19, 2005), a “Remedial Action Engineering Report” (RAER) was prepared to summarize the combined DPE remediation system as-built design, combined DPE remediation system start-up, O&M activities, and quarterly monitoring data, and to provide recommendations for continued system operation, system optimization, sampling frequency, and O&M. The 2005 RAER was submitted to NYSDEC on November 11, 2005. In a letter dated December 13, 2005, NYSDEC accepted the 2005 RAER and requested that site monitoring wells MW-4, MW-8R, and MW-16S be added to the quarterly site sampling schedule.

The second year of combined DPE groundwater remediation system operation was summarized in the 2006 RAER (July 20, 2005 through July 20, 2006) and was submitted to NYSDEC in November 2006. The third year of combined DPE groundwater remediation system operation was summarized in the 2007 RAER (July 21, 2006 through October 15, 2007) and was submitted to NYSDEC in January 2008. The fourth year of combined DPE groundwater remediation system operation was summarized in the 2008 RAER (October 15, 2007 through January 22, 2009) and was submitted to NYSDEC in April 2009. The fifth year of combined DPE groundwater remediation system operation was summarized in the 2009 RAER (January 22, 2009 through April 8, 2010) and was submitted to NYSDEC in June 2010.

Per a letter from NYSDEC dated August 16, 2010, an Institutional Controls/Engineering Controls (IC/EC) certification has been, as of that correspondence, required for the site each calendar year, and is to include four quarters of groundwater sampling based on the current **Table 1**. **Table 1** is updated quarterly; the attached **Table 1** presents the groundwater monitoring schedule for the site from April 2022 through January 2023. The August 2010 NYSDEC letter also stated that, as of that correspondence, the RAER should be revised into a Periodic Review Report (PRR). Therefore, the sixth year of combined DPE groundwater remediation system operation was summarized in a PRR (April 8, 2010 through April 7, 2011) and submitted to NYSDEC in June 2011. The seventh year of combined DPE groundwater remediation system operation was summarized in a PRR (April 7, 2011 through April 3, 2012) and submitted to NYSDEC in May 2012. The eighth year of combined DPE groundwater remediation system operation was summarized in a PRR (April 3, 2012 through April 3, 2013) and submitted to NYSDEC in July 2013. The ninth year of combined DPE groundwater remediation system operation was summarized in a PRR (April 3, 2013 through April 7, 2014) and submitted to NYSDEC in July 2014. The tenth year of combined DPE groundwater remediation system operation was summarized in a PRR (April 7, 2014 through April 7, 2015) and submitted to NYSDEC in July 2015. The eleventh year of combined DPE groundwater remediation system operation was summarized in a PRR (April 7, 2015 through April 7, 2016) and submitted to NYSDEC in November 2016. The twelfth year of combined DPE groundwater remediation system operation was summarized in a PRR (April 7, 2016 through April 20, 2017) and submitted to NYSDEC on May 30, 2017. The thirteenth year of combined DPE groundwater remediation system

operation was summarized in a PRR (April 20, 2017 through April 18, 2018) and submitted to NYSDEC on May 31, 2018. The fourteenth PRR (April 18, 2018 through April 8, 2019) was completed and submitted to NYSDEC on June 15, 2019; per NYSDEC comment letter dated August 2, 2019, the fourteenth PRR was revised and resubmitted on August 8, 2019. The fourteenth PRR was approved via email by NYSDEC on December 31, 2019. On June 25, 2020, AECOM submitted the fifteenth PRR to NYSDEC which summarized the combined DPE groundwater remediation system operation between April 8, 2019 through April 10, 2020. On June 29, 2021, AECOM submitted the sixteenth PRR to NYSDEC, summarizing the combined DPE groundwater remediation system operation from April 10, 2020 through April 9, 2021. An IC/EC certification was included with each PRR except #10 through #14; NYSDEC informed AECOM via email that an IC/EC certification form was not auto-generated by the NYSDEC during those years and therefore to submit those PRRs without an IC/EC certification.

Quarterly Groundwater Monitoring Activities – January 2022

AECOM personnel collected quarterly groundwater samples on January 18, 2022 through January 20, 2022 (the vapor samples were collected on January 19, 2022), in accordance with the procedures outlined in the NYSDEC-approved November 2003 RDWP and the August 2010 letter. January 2022 groundwater samples were collected from nine monitoring wells and piezometers (MW-2, MW-3, MW-4, MW-8R, MW-11, MW-13S, MW-13D, MW-16S, MW-16D), the GWCT, and eight DPE wells (DPE-1, DPE-2, DPE-3, DPE-4, DPE-5, DPE-6, DPE-7, and DPE-8) (**Figure 2**). In addition, quality assurance/quality control samples were collected for VOC analysis including a duplicate sample (collected at MW-11), trip blank, and equipment blank. Field forms generated during this sampling event are provided in **Appendix A**. Groundwater samples were analyzed for VOCs and total organic carbon (TOC) by Eurofins Environment Testing Northeast, LLC (EETNE) in Amherst, New York using United States Environmental Protection Agency (EPA) SW-846 Method 8260C and SW-846 Method 9060A, respectively.

Prior to the collection of groundwater samples, a complete round of groundwater levels was measured in all site monitoring wells and piezometers. **Table 2** provides a summary of groundwater elevations measured on January 18, 2022. A summary of current and historical groundwater levels and corresponding elevations and hydrographs for each active monitoring well and nested piezometer pair is provided in **Appendix B**. Monitoring well MW-2 is screened across the shallow overburden groundwater zone while MW-3, MW-4, MW-8R, MW-9, and MW-11 are screened across both the shallow and deep overburden groundwater zones. The nested piezometer pairs (MW-13S/D, MW-14S/D, MW-15S/D, and MW-16S/D) are discretely screened with one piezometer screened in the shallow overburden groundwater zone ('S' designation) and one piezometer screened in the deep overburden groundwater zone ('D' designation). DPE wells DPE-1, DPE-3, DPE-5, DPE-6, and DPE-8 are screened in the shallow water-bearing unit, while DPE-2, DPE-4, and DPE-7 are screened in the deep water-bearing unit. The GWCT is installed in the deep overburden water-bearing unit.

Two groundwater surface contour maps for January 2022 are provided. The average water levels calculated for the nested piezometer pairs and monitoring wells, in conjunction with GWCT water level data, were used to generate the groundwater surface contours presented in **Figure 4**. **Figure 5** illustrates the groundwater surface contours using only monitoring well and deep piezometer and GWCT water level data.

Groundwater elevations measured from monitoring wells and piezometers on January 18, 2022 ranged from 687.87 feet above mean sea level (AMSL) at MW-15S to 667.87 feet AMSL at MW-14D. The average groundwater surface elevation across the site was 0.8 feet lower when compared to the prior round of groundwater elevation measurements collected in October 2021. The decrease in groundwater elevations may be attributable to seasonal variations and the remedial systems being brought partially on-line following the October 2021 groundwater sampling event; note the remedial systems were previously taken off-line to accommodate the September 2021 bioaugmentation injection event. Based on the January 2022 groundwater level measurements, the groundwater surface beneath the Site continues to exhibit inward flow towards the GWCT. As **Figures 4** and **5** illustrate, the GWCT induces groundwater flow reversal along the western AVOX Plant 2 property boundary. This reversal in groundwater flow provides hydraulic capture of VOCs present in the shallow and deep overburden groundwater that might otherwise migrate off site.

Groundwater Quality Results – January 2022

Tables 3, 4 and 5 summarize VOC data for groundwater samples collected in January 2022 from the monitoring wells and piezometers, DPE wells, and GWCT, respectively. Note the duplicate sample was collected from MW-11, and both the trip blanks and the rinse blank were non-detect for VOCs. The table below summarizes VOCs detected in groundwater above their detection limits, their respective concentration ranges, the number of detections, and the number of those detections that exceeded Site-specific groundwater Remedial Action Objectives (RAO) or groundwater criteria presented in NYSDEC Technical and Operational Guidance Series (TOGS) 1.1.1 (NYSDEC, June 1998, January 1999 errata sheet, April 2000 addendum, June 2004 addendum) protection for source of drinking water (groundwater) standards (i.e., water class GA); herein referred to as TOGS 1.1.1 groundwater standards. Note that in some cases the detection limits for certain VOCs were set above their respective RAO due to dilution factors (high concentration of target analyte[s]). Consistent with previous quarterly reports, the table below summarizes only monitoring wells and piezometers (GWCT and DPE well results are not included).

Groundwater Quality Results January 2022

VOCs Detected in Groundwater	Concentration Range (micrograms per liter)	Number of Detections	RAO/TOGS 1.1.1 Exceedances
Vinyl Chloride	1.3 – 19,000	6	5
Chloroethane	3.3 – 1,100	6	5
cis-1,2-Dichloroethene	0.86 – 8,700	5	3
1,1-Dichloroethane	0.54 – 280	4	2
Toluene	0.7 – 430	3	1

Five VOCs were detected in groundwater from monitoring wells and piezometers sampled above their associated detection limits during the monitoring period. The five VOCs detected exceeded either the Site-specific RAOs or the TOGS 1.1.1 criteria for groundwater. The occurrences of constituents of potential concern were detected primarily in the vicinity of the former on-site source area. VOC concentrations decrease significantly in the vicinity of the perimeter monitoring wells.

An electronic copy of the analytical laboratory data package for the January 2022 groundwater monitoring event is provided in **Appendix C**. A complete hard copy of the analytical data report can be made available to NYSDEC upon request.

The presence and distribution of trichloroethene (TCE) degradation products cis-1,2-dichloroethene (cis-1,2-DCE) and vinyl chloride (VC), and of 1,1,1-trichloroethane (1,1,1-TCA) degradation products 1,1-dichloroethane (1,1-DCA) and chloroethane, provides supportive evidence that the attenuation of TCE and 1,1,1-TCA continues to occur on the site via reductive dechlorination. The occurrence of these degradation products appears to be directly related to the historic distribution of TCE and 1,1,1-TCA in the subsurface. In addition, the virtual elimination of TCE and 1,1,1-TCA concentrations between Third Quarter 2015 and the current reporting period can be attributed to the injection pilot test performed in November 2014 using the injectate Anaerobic BioChem and zero valent iron (ABC+[®]), the injection treatment in April/May 2015 using ABC+[®], the injection treatment in November 2018 using ABC-Ole+[®] (ABC-Ole+[®] is a mixture of Anaerobic BioChem, zero valent iron, and emulsified fatty acids), and the September 2021 bioaugmentation injection using KB-1[®] Plus. For details of the various injection programs, refer to the NYSDEC-approved 2014 Injection Pilot Test Work Plan dated November 6, 2014, the NYSDEC-approved 2015 addendum to the 2014 Injection Pilot Test Work Plan dated April 28, 2015, and the NYSDEC-approved 2018 Injection Pilot Test Work Plan dated October 31, 2018. A summary of the November 2018 injection program was included in the 2019 PRR (August 8, 2019). A Work Plan for the September 2021 bioaugmentation injection event was submitted to the NYSDEC on September 1, 2021, and a summary of that event was submitted to the NYSDEC on December 28, 2021.

Historical trend plots for the wells sampled during this quarter for concentrations of TCE, cis-1,2-DCE, VC, 1,1,1-TCA, 1,1-DCA, and chloroethane are provided in **Appendix D**. As stated above, the VOC concentrations in groundwater continue to show a degradation trend both as a result of naturally occurring reductive dechlorination processes, and as a result of the injection programs. Additionally, historical concentrations of VOCs in soil vapor and groundwater are also decreasing as a result of extraction and treatment through the combined DPE remediation system. Because TCE has been considered the primary source of groundwater contamination at the site, a summary of historical and current TCE concentrations in groundwater for six of the nine monitoring wells and piezometers sampled in January 2022 is included in **Table 6** (TCE has never been reported in MW-2, MW-3, or MW-11.) Recall that the DPE component of the combined remediation system was started May 14, 2004 and the injection of ABC+[®] occurred in November 2014 and April/May 2015, with a follow up injection of ABC-Ole+[®] in November 2018. In addition, a chemical oxidation injection pilot test was performed between July and October 2010, and a second series of chemical oxidation injections was performed between June and October 2011. Most recently, a bioaugmentation injection was performed in September 2021.

Table 6 shows a summary of historical and current TCE concentrations. Based on the January 2022 groundwater data, there were no detections of TCE in the monitoring wells, piezometers, or GWCT. Note: there were detections of TCE in three of the eight DPE wells of 5.6 micrograms per liter (µg/L), 6.3 µg/L, and 1.7 µg/L at DPE-1, DPE-4, and DPE-6, respectively; refer to **Table 4** for a summary of the DPE groundwater analytical data. It is important to note that the November 2014 injections were centered on MW-4 and MW-8R, while the April/May 2015 and November 2018 injections included an expanded treatment area which also included MW-13S/D and MW-16S/D. The September 2021 bioaugmentation injections were centered on monitoring wells MW-8R and MW-16S/D, and DPE wells DPE-3, DPE-4, DPE-7, and DPE-8. Overall, decreases in TCE concentrations observed since the combined DPE groundwater remediation system was installed in May 2004, and the subsequent injections, indicate that the system continues to reduce VOC concentrations in overburden groundwater and soil at the site. Based on the decreases in concentration of TCE at these locations, as well as other locations with historical detections of TCE, the previous injections appear to be contributing to the ongoing degradation of TCE. This is most clearly demonstrated on the TCE trend plots in **Figures 6** through **9** for monitoring wells MW-4, MW-8R, MW-13S, and MW-16S.

Quarterly Combined DPE Remediation System Vapor Effluent Monitoring Activities – January 2022

AECOM personnel collected vapor effluent samples from the combined groundwater remediation system vapor discharge stacks on January 19, 2022. Summa canisters were used to collect the vapor samples from the permanent sample port located on the air stripper discharge stack and from the DPE liquid ring vacuum pump discharge stack. **Figure 3** shows the location of the vapor sample ports. The vapor samples were analyzed for VOCs using EPA Method TO-15 by EETNE in Burlington, Vermont.

Combined DPE Remediation System Effluent Monitoring Results – January 2022

The system vapor effluent results are summarized in **Table 7**, and an electronic copy of the analytical laboratory data package is provided on the enclosed CD in **Appendix C**. Nine VOCs were detected in the AS unit effluent, and 11 VOCs were detected in the DPE liquid ring vacuum pump effluent. The total VOCs discharged during the sampling event were 217.67 micrograms per cubic meter in the combined AS and DPE liquid ring vacuum pump unit effluents. The calculated VOC discharge-loading rate for the combined DPE remediation system was approximately 0.00012 pounds per hour (lb/hr), which is well below the NYSDEC discharge guidance value of 0.5 lb/hr.

Combined DPE Remediation System Operation and Maintenance

Throughout the duration of the reporting period, AECOM monitored system performance, conducted routine O&M, and responded to potential system alarms and periodic breakdowns of the combined DPE remediation system.

- On November 23, 2021, AECOM and AECOM's subcontractor Matrix Environmental Technologies Inc. brought three of the eight DPE wells (DPE-1, DPE-2, and DPE-5) back on-line following the September 2021 injection program and performed O&M activities including the following: removed solids from the knockout tank and hold tank, added oil and greased the liquid ring vacuum pump, changed bag filters, cleaned totalizers, replaced the

sump pump in the remediation building, and managed a hazardous waste satellite accumulation drum for future disposal. Recall the GWCT was brought back on-line during the week of October 4, 2021 following being taken off-line, along with all DPE wells, during the week of September 13, 2021, to accommodate the bioaugmentation injection program.

- AECOM performed the post-bioaugmentation injection sampling for Volatile Fatty Acids and Gene-Trac® analysis on December 9, 2021 at MW-8R and MW-16S. Samples were submitted to SiREM in Knoxville, Tennessee for analysis.
- AECOM submitted the bioaugmentation injection summary report to NYSDEC on December 28, 2021.
- AECOM oversaw a hazardous waste drum pick up by Heritage Environmental Services on December 27, 2021.

Based on a system operational period from October 18, 2021 (Fourth Quarter 2021 Buffalo Sewer Authority [BSA] compliance sampling event) to January 19, 2022 (First Quarter 2022 BSA compliance sampling event), the estimated total volume of groundwater (including potential water collected in the remediation building sump) treated and discharged by the AS unit to the local sanitary sewer was 191,280 gallons, at an average flow rate of 1.4 gallons per minute.

Summary


The GWCT was on-line and the DPE remediation system was partially on-line during the First Quarter 2022 sampling event. TCE was not detected in site perimeter monitoring wells MW-2, MW-3, and MW-11. Following the November 2014, April/May 2015 and November 2018 injection treatments, and the September 2021 bioaugmentation injection event, significant reductions in TCE concentrations have been measured at MW-4, MW-8R, MW-13S, and MW-16S.

Based on the results of the January 2022 sampling event, the combined DPE remediation system continues to maintain hydraulic capture of the overburden groundwater. In addition, the system continues to make progress towards the reduction of the concentration of VOCs present in site soil and groundwater. Vapor emissions produced by the system during the First Quarter 2022 event were well below the NYSDEC discharge guidance value of 0.5 lb/hr.

The next monitoring event, the Second Quarter 2022 sampling event, is planned for April 2022; a list of the monitoring wells and piezometers to be sampled is included in **Table 1**.

If you have any questions regarding this submission, please do not hesitate to contact me at (716) 923-1125 or via e-mail at dino.zack@aecom.com.

Yours sincerely,




Dino L. Zack, PG, STS
Project Manager
dino.zack@aecom.com

\Enclosures


cc: Mr. Stuart Rixman, GSF Management Company, LLC (electronic copy)
Mr. Troy Chute, GSF Management Company, LLC (electronic copy)
Mr. Raymond DeCarlo, AVOX Systems Inc (electronic copy)
Mr. Allen Thomalla, AVOX Systems Inc (electronic copy)
Mr. Hunter Bogdan, AVOX Systems Inc (electronic copy)
Project File 60676130


Figures



SOURCE:
 1982 GEOLOGIC SURVEY 7.5 X 15 MINUTE TOPOGRAPHIC QUADRANGLE
 LANCASTER, NEW YORK

LEGEND

 AVOX PLANT 3 ADDED AFTER PUBLICATION OF LANCASTER, NEW YORK TOPOGRAPHIC QUADRANGLE.



AECOM

**FIGURE 1
 SITE LOCATION MAP**

FORMER SCOTT AVIATION FACILITY
 LANCASTER, NEW YORK





FIGURE 2
WEST OF PLANT 2 SITE FEATURES MAP

FORMER SCOTT AVIATION FACILITY
LANCASTER, NEW YORK



LEGEND

- DUAL PHASE EXTRACTION TRAILER
- GROUNDWATER TREATMENT BUILDING
- WATER
- - - AIR
- - - ELECTRIC
- HH HIGH HIGH
- HL HIGH LOW
- LL LOW LOW
- (T) TEMPERATURE GAUGE
- (P) PRESSURE GAUGE
- (G) FLOW GAUGE
- (V) VACUUM GAUGE
- (F) FLOW METER
- (S) SAMPLING PORT (MANUAL)
- (Ball Valve Symbol) BALL VALVE
- (Check Valve Symbol) CHECK VALVE




FIGURE 3
PROCESS AND INSTRUMENTATION DIAGRAM
FOR COMBINED DUAL PHASE EXTRACTION
REMEDATION SYSTEM
 FORMER SCOTT AVIATION FACILITY
 LANCASTER, NEW YORK

Groundwater Monitoring Water Level Data - January 18, 2022
Former Scott Aviation Facility
NYSDEC Site Code No. 9-15-149
Lancaster, New York


Monitoring Point Identification	Top of Casing Elevation (feet AMSL)	Depth to Water (feet from TOC)	Ground Water Elevation (feet AMSL)
Monitoring Wells			
MW-2	687.10	6.07	681.03
MW-3	687.05	8.89	678.16
MW-4	686.50	7.99	678.51
MW-8R	686.29	15.03	671.26
MW-9	689.57	13.30	676.27
MW-11	688.61	10.22	678.39
Nested Piezometers			
MW-13S	686.65	3.52	683.13
MW-13D	686.78	8.75	678.03
MW-14S	685.74	5.23	680.51
MW-14D	685.88	18.85	667.03
MW-15S	687.87	0.00	687.87
MW-15D	687.87	11.85	676.02
MW-16S	688.15	5.42	682.73
MW-16D	688.16	11.33	676.83

Remedial System			
GWCT Manhole (rim)	687.22	19.50	667.72

Notes:
 TOC - Top of Casing
 AMSL - Above Mean Sea Level
 GWCT - Groundwater Collection Trench
 GWCT is 200 feet long with a 0.01 foot/foot slope to the manhole
 Locations re-surveyed on February 23, 2016



GRAVEL PARKING LOT



FORMER SCOTT AVIATION PLANT 2

LEGEND

- MW-13S/D NESTED PIEZOMETER LOCATION
- MW-9 MONITORING WELL LOCATION
- DPE-1 DUAL-PHASE EXTRACTION WELL LOCATION (ACTIVELY EXTRACTING)
- DPE-6 DUAL-PHASE EXTRACTION WELL LOCATION (OFF-LINE)
- [678.39] GROUNDWATER SURFACE ELEVATION IN FEET AMSL
- ESTIMATED GROUNDWATER SURFACE CONTOUR IN FEET AMSL
- GROUNDWATER FLOW DIRECTION
- (S) SHALLOW PIEZOMETER/DPE
- (D) DEEP PIEZOMETER/DPE
- GROUNDWATER COLLECTION TRENCH (GWCT)
- APPROXIMATE PROPERTY BOUNDARY

NOTES

1. GROUNDWATER ELEVATIONS WERE AVERAGED AT SHALLOW AND DEEP PIEZOMETER PAIR LOCATIONS (e.g. MW-15S/D) TO COMPARE TO ELEVATIONS MEASURED IN WELLS SCREENED ACROSS THE ENTIRE OVERBURDEN THICKNESS.
2. GROUNDWATER WATER LEVELS WERE COLLECTED ON JANUARY 18, 2022.



FIGURE 4
AVERAGE GROUNDWATER ELEVATIONS
JANUARY 18, 2022


FORMER SCOTT AVIATION FACILITY
 LANCASTER, NEW YORK

Groundwater Monitoring Water Level Data - January 18, 2022
Former Scott Aviation Facility
NYSDEC Site Code No. 9-15-149
Lancaster, New York

Monitoring Point Identification	Top of Casing Elevation (feet AMSL)	Depth to Water (feet from TOC)	Ground Water Elevation (feet AMSL)
Monitoring Wells			
MW-2	687.10	6.07	681.03
MW-3	687.05	8.89	678.16
MW-4	686.50	7.99	678.51
MW-8R	686.29	15.03	671.26
MW-9	689.57	13.30	676.27
MW-11	688.61	10.22	678.39
Nested Piezometers			
MW-13S	686.65	3.52	683.13
MW-13D	686.78	8.75	678.03
MW-14S	685.74	5.23	680.51
MW-14D	685.88	18.85	667.03
MW-15S	687.87	0.00	687.87
MW-15D	687.87	11.85	676.02
MW-16S	688.15	5.42	682.73
MW-16D	688.16	11.33	676.83


Remedial System			
GWCT Manhole (rim)	687.22	19.50	667.72

Notes:
 TOC - Top of Casing
 AMSL - Above Mean Sea Level
 GWCT - Groundwater Collection Trench
 GWCT is 200 feet long with a 0.01 foot/foot slope to the manhole
 Locations re-surveyed on February 23, 2016



GRAVEL PARKING LOT

ASPHALT PARKING LOT



LEGEND

- MW-13S/D NESTED PIEZOMETER LOCATION
- MW-9 MONITORING WELL LOCATION
- DPE-1 DUAL-PHASE EXTRACTION WELL LOCATION (ACTIVELY EXTRACTING)
- DPE-6 DUAL-PHASE EXTRACTION WELL LOCATION (OFF-LINE)
- [678.39] GROUNDWATER SURFACE ELEVATION IN FEET AMSL
- 678 ESTIMATED GROUNDWATER SURFACE CONTOUR IN FEET AMSL
- GROUNDWATER FLOW DIRECTION
- (S) SHALLOW PIEZOMETER/DPE
- (D) DEEP PIEZOMETER/DPE
- GROUNDWATER COLLECTION TRENCH (GWCT)
- APPROXIMATE PROPERTY BOUNDARY

NOTE
 1. GROUNDWATER WATER LEVELS WERE COLLECTED ON JANUARY 18, 2022.





FIGURE 5
DEEP GROUNDWATER ELEVATIONS
JANUARY 2022
 FORMER SCOTT AVIATION FACILITY
 LANCASTER, NEW YORK


FIGURE 6
MONITORING WELL MW-4
HISTORICAL AND CURRENT SUMMARY OF TRICHLOROETHENE IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York



Notes: Trichloroethene has not been detected in the monitoring well since January 20, 2021 (1.0 µg/L).


Trichloroethene has not exceeded screening criteria in the monitoring well since January 10, 2019 (7.3 µg/L).

FIGURE 7
MONITORING WELL MW-8R
HISTORICAL AND CURRENT SUMMARY OF TRICHLOROETHENE IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York




Notes: Trichloroethene has not been detected in the monitoring well since January 20, 2021 (1.0 $\mu\text{g/L}$).
 Trichloroethene has not exceeded screening criteria in the monitoring well since January 10, 2019 (13 $\mu\text{g/L}$).

FIGURE 8
MONITORING WELL MW-13S
HISTORICAL AND CURRENT SUMMARY OF TRICHLOROETHENE IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York



Notes: Trichloroethene has not been detected in the monitoring well since April 7, 2021 (0.77 µg/L).
 Trichloroethene has not exceeded screening criteria in the monitoring well since January 6, 2016 (41 µg/L).

FIGURE 9
MONITORING WELL MW-16S
HISTORICAL AND CURRENT SUMMARY OF TRICHLOROETHENE IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York



Notes: Trichloroethene has not been detected in the monitoring well since January 9, 2019 (550 µg/L).
 Trichloroethene has not exceeded screening criteria in the monitoring well since January 9, 2019 (550 µg/L).

Tables

Table 1

**Proposed Groundwater Monitoring Schedule - April 2022 through January 2023
Former Scott Aviation Facility
NYSDEC Site Code No. 9-15-149
Lancaster, New York**

Event Date	Number of Locations Scheduled for Sampling	Locations Scheduled for Sampling			
Comprehensive Annual Groundwater Monitoring					
April 2022	23	MW-2 MW-9 MW-14S MW-16S*^ DPE-3 DPE-7	MW-3 MW-11* MW-14D MW-16D DPE-4 DPE-8	MW-4*^ MW-13S* MW-15S DPE-1 DPE-5 GWCT	MW-8R* MW-13D MW-15D DPE-2 DPE-6
Quarterly Groundwater Monitoring					
July 2022	18	MW-2 MW-11 MW-16D DPE-4 DPE-8	MW-3 MW-13S DPE-1 DPE-5 GWCT	MW-4 MW-13D DPE-2 DPE-6	MW-8R MW-16S DPE-3 DPE-7
October 2022	18	MW-2 MW-11 MW-16D DPE-4 DPE-8	MW-3 MW-13S DPE-1 DPE-5 GWCT	MW-4 MW-13D DPE-2 DPE-6	MW-8R MW-16S DPE-3 DPE-7
January 2023	18	MW-2 MW-11 MW-16D DPE-4 DPE-8	MW-3 MW-13S DPE-1 DPE-5 GWCT	MW-4 MW-13D DPE-2 DPE-6	MW-8R MW-16S DPE-3 DPE-7

Notes:

MW-## - Monitoring Well

MW-##S - Shallow Piezometer

MW-##D - Deep Piezometer

DPE-## - Dual Phase Extraction Well

GWCT - Groundwater Collection Trench

* - Locations to be included for MNA sampling

^ - Locations to be included for VFA and Gen Trac sampling

Table 2

**Groundwater Monitoring Water Level Data - January 18, 2022
Former Scott Aviation Facility
NYSDEC Site Code No. 9-15-149
Lancaster, New York**

Monitoring Point Identification	Top of Casing Elevation (feet AMSL)	Depth to Water (feet from TOC)	Ground Water Elevation (feet AMSL)
Monitoring Wells			
MW-2	687.10	6.07	681.03
MW-3	687.05	8.89	678.16
MW-4	686.50	7.99	678.51
MW-8R	686.29	15.03	671.26
MW-9	689.57	13.30	676.27
MW-11	688.61	10.22	678.39
Nested Piezometers			
MW-13S	686.65	3.52	683.13
MW-13D	686.78	8.75	678.03
MW-14S	685.74	5.23	680.51
MW-14D	685.88	18.85	667.03
MW-15S	687.87	0.00	687.87
MW-15D	687.87	11.85	676.02
MW-16S	688.15	5.42	682.73
MW-16D	688.16	11.33	676.83
Remedial System			
GWCT Manhole (rim)	687.22	19.50	667.72

Notes:

TOC - Top of Casing

AMSL - Above Mean Sea Level

GWCT - Groundwater Collection Trench

GWCT is 200 feet long with a 0.01 foot/foot slope to the manhole

Locations re-surveyed on February 23, 2016

Table 3

**Summary of Monitoring Well Analytical Data - January 2022
Former Scott Aviation Facility
NYSDEC Site Code No. 9-15-149
Lancaster, New York**

Sample ID	Groundwater	MW-2	MW-3	MW-4	MW-8R	MW-11	Duplicate^
Date Collected	RAO/TOGS 1.1.1	01/19/22	01/19/22	01/18/22	01/18/22	01/19/22	01/19/22
Lab Sample ID	Objective	480-194344-1	480-194344-4	480-194344-2	480-194344-3	480-194344-5	480-194344-19
Volatile Organic Compounds by Method 8260 (µg/L)							
1,1-Dichloroethane	5*	< 2.0 U	8.4	< 4.0 U	< 25 U	0.54 J	0.48 J
Chloroethane	5*	< 2.0 U	< 1.0 U	29	12 J	< 1.0 U	< 1.0 U
cis-1,2-Dichloroethene	5*	< 2.0 U	0.86 J	< 4.0 U	180	1.3	1.2
Toluene	5*	< 2.0 U	< 1.0 U	2.4 J	< 25 U	< 1.0 U	< 1.0 U
Vinyl chloride	5*	< 2.0 U	14	< 4.0 U	630	1.3	1.1
Total Volatile Organic Compounds	NL	0.0	23	31	822	3.1	2.8
Total Organic Carbon (mg/L)	NL	23.4	3.7	35.4	22.4	4.1	NS

Table 3

**Summary of Monitoring Well Analytical Data - January 2022
Former Scott Aviation Facility
NYSDEC Site Code No. 9-15-149
Lancaster, New York**

Sample ID	Groundwater	MW-13S	MW-13D	MW-16S	MW-16D
Date Collected	RAO/TOGS 1.1.1	01/18/22	01/18/22	01/20/22	01/20/22
Lab Sample ID	Objective	480-194344-6	480-194344-7	480-194344-8	480-194344-9
Volatile Organic Compounds by Method 8260 (µg/L)					
1,1-Dichloroethane	5*	< 2.0 U	< 1.0 U	280 J	1.5 J
Chloroethane	5*	3.3	19	1,100	160
cis-1,2-Dichloroethene	5*	7.4	< 1.0 U	8,700	< 1.0 U
Toluene	5*	< 2.0 U	< 1.0 U	430 J	0.70 J
Vinyl chloride	5*	19	9.2	19,000	< 1.0 U
Total Volatile Organic Compounds	NL	29.7	28.2	29,080	162
Total Organic Carbon (mg/L)	NL	5.2	4.7	222	4.9

Notes:

Bold font indicates the analyte was detected.

Bold font and bold outline indicates the screening criteria was exceeded.

^ - Duplicate collected at MW-11.

* Site-specific RAO per ROD (November 1994).

Site-specific RAO's 1,1,1-Trichloroethane, Ethylbenzene, Trichloroethene, and Xylenes were not detected above the reporting limit.

Total Organic Carbon by Method 9060A.

J - Result is less than the reporting limit but greater than or equal to the method detection limit and the concentration is an approximate value.

U - Not detected at or above reporting limit.

NL - Not listed.

Table 4

**Summary of Dual Phase Extraction Well Groundwater Analytical Data
Former Scott Aviation Facility - West of Plant 2
NYSDEC Site Code No. 9-15-149
Lancaster, New York**

Sample ID	Groundwater	DPE-1	DPE-2	DPE-3	DPE-4	DPE-5	DPE-6	DPE-7	DPE-8
Date Collected	RAO/TOGS 1.1.1	01/19/22	01/19/22	01/19/22	01/19/22	01/19/22	01/19/22	01/19/22	01/19/22
Lab Sample ID	Objective	480-194344-10	480-194344-11	480-194344-12	480-194344-13	480-194344-14	480-194344-15	480-194344-16	480-194344-17
Volatile Organic Compounds by Method 8260 (µg/L)									
1,1-Dichloroethane	5*	41	1.0 U	8.0 U	1.5 J	0.78 J	8.3	2.0 U	160
2-Butanone (MEK)	50	73 J	10 U	80 U	40 U	20 U	10 U	20 U	1,000 U
Acetone	50	410	5.2 J	80 U	40 U	9.5 J	3.9 J	20 U	1,000 U
Chloroethane	5*	3.4 J	0.57 J	8.0 U	4.0 U	5.7	1.0 U	50	48 J
cis-1,2-Dichloroethene	5*	52	1.0 U	9.8	97	5.9	9.0	2.1	2,800
Toluene	5*	6.3 J	1.0 U	8.0 U	4.0 U	1.3 J	1.0 U	2.0 U	100 U
Trichloroethene	5*	5.6 J	1.0 U	8.0 U	6.3	2.0 U	1.7	2.0 U	100 U
Vinyl chloride	5*	11	4.8	9.1	120	2.0 U	4.1	2.9	2,900
Total Volatile Organic Compounds	NL	602	10.6	19	225	9.5	27	55.0	5,908
Total Organic Carbon (mg/L)	NL	93.1	7.3	19.9	9.8	28.1	6.7	12.8	25.3

Notes:

Bold font indicates the analyte was detected.

Bold font and bold outline indicates the screening criteria was exceeded.

* Site-specific RAO per ROD (November 1994).

Total Organic Carbon by Method 9060A.

J - Result is less than the reporting limit but greater than or equal to the method detection limit and the concentration is an approximate value.

U - Not detected at or above reporting limit.

NS - Not sampled.

Table 5

**Summary of Groundwater Collection Trench Analytical Data
Former Scott Aviation Facility
NYSDEC Site Code No. 9-15-149
Lancaster, New York**

Sample ID Date Collected Lab Sample ID	Groundwater RAO/TOGS 1.1.1 Objective	GWCT Manhole 07/24/15 480-84562-15	GWCT Manhole 10/19/15 480-89674-20	GWCT Manhole 01/05/16 480-93630-15	GWCT Manhole 04/04/16 480-84562-15	GWCT Manhole 07/05/16 480-102662-4	GWCT Manhole 10/27/16 480-108538-2	GWCT Manhole 01/16/17 480-112334-8	GWCT Manhole 04/20/17 480-116720-15
Volatile Organic Compounds by Method 8260 (µg/L)									
1,1-Dichloroethane	5*	1.3	0.7	< 1.0 U	0.4 J	< 1.0 U	< 1.0 U	< 1.0 U	0.74 J
2-Butanone (MEK)	50	2.4 J	< 10 U	< 10 U	< 10 U	< 1.0 U	< 1.0 U	< 1.0 U	< 10 U
Acetone	50	7.0 J	< 10 U	< 10 U	< 10 U	< 1.0 U	< 1.0 U	< 1.0 U	< 10 U
Carbon disulfide	1	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
Chloroethane	5*	< 1.0 U	< 1.0 U	62	44	70	34	45	26
Chlormethane	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
cis-1,2-Dichloroethene	5*	1.1	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	0.74 J
Ethylbenzene	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
Toluene	5*	< 1.0 U	< 1.0 U	0.99 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
trans-1,2-Dichloroethene	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
Vinyl chloride	5*	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
Xylenes, Total	5*	< 2.0 U	< 2.0 U	< 2.0 U	< 2.0 U	< 2.0 U	< 2.0 U	< 2.0 U	< 2.0 U
Total Volatile Organic Compounds	NA	12.8	0.7	63	44	70	34	45	27

Table 5

**Summary of Groundwater Collection Trench Analytical Data
Former Scott Aviation Facility
NYSDEC Site Code No. 9-15-149
Lancaster, New York**

Sample ID	Groundwater	GWCT Manhole	GWCT Manhole	GWCT Manhole	GWCT Manhole	GWCT Manhole	GWCT Manhole	GWCT Manhole	GWCT Manhole	GWCT Manhole
Date Collected	RAO/TOGS 1.1.1	07/11/17	10/23/17	01/08/18	04/13/18	07/12/18	10/24/18	01/09/19	04/08/19	07/23/19
Lab Sample ID	Objective	480-121042-15	480-126420-1	480-129995-13	480-134234-8	480-138781-4	480-144170-15	480-147748-15	480-151586-12	480-156622-7
Volatile Organic Compounds by Method 8260 (µg/L)										
1,1-Dichloroethane	5*	< 1.0 U	< 1.0 U	< 1.0 U	0.52 J	< 1.0 U	< 1.0 U	0.38 J	0.48 J	< 1.0 U
2-Butanone (MEK)	50	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 1.0 U
Acetone	50	< 10 U	< 10 U	< 10 U	10 J	< 10 U	< 10 U	< 10 U	< 10 U	< 1.0 U
Carbon disulfide	1	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	0.20 J	< 1.0 U
Chloroethane	5*	65	45	64	53	49	38	28	48	48
Chlormethane	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
cis-1,2-Dichloroethene	5*	< 1.0 U	< 1.0 U	5.1	< 1.0 U	< 1.0 U	< 1.0 U	0.93 J	1.20	< 1.0 U
Ethylbenzene	5	< 1.0 U	0.19 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
Toluene	5*	< 1.0 U	0.25 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	0.80 J	0.60 J	< 1.0 U
trans-1,2-Dichloroethene	5	< 1.0 U	0.34 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
Vinyl chloride	5*	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	1.4	< 1.0 U
Xylenes, Total	5*	< 2.0 U	0.67 J	< 2.0 U	< 2.0 U	< 2.0 U	< 2.0 U	< 2.0 U	< 2.0 U	< 2.0 U
Total Volatile Organic Compounds	NA	65	45	69	64	49	38	30	52	48

Table 5

**Summary of Groundwater Collection Trench Analytical Data
Former Scott Aviation Facility
NYSDEC Site Code No. 9-15-149
Lancaster, New York**

Sample ID Date Collected Lab Sample ID	Groundwater RAO/ TOGS 1.1.1 Objective	GWCT Manhole 10/14/19 480-160839-7	GWCT Manhole 01/06/20 480-165026-18	GWCT Manhole 04/06/20 480-168383-16	GWCT Manhole 07/22/20 480-172827-15	GWCT Manhole 10/13/20 480-176470-13	GWCT Manhole 01/20/21 480-180395-15	GWCT Manhole 04/07/21 480-182978-13	GWCT Manhole 07/15/21 480-187292-18	GWCT Manhole 10/19/21 480-191095-10	GWCT Manhole 01/19/22 480-194344-18	
Volatile Organic Compounds by Method 8260 (µg/L)												
1,1-Dichloroethane	5*	< 1.0 U	0.45 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	0.44 J	< 1.0 U
2-Butanone (MEK)	50	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
Acetone	50	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
Carbon disulfide	1	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
Chloroethane	5*	28	34	52	37	34	24	29	37	32	28	
Chloromethane	5	< 1.0 U	< 1.0 U	< 1.0 U	0.42 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
cis-1,2-Dichloroethene	5*	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
Ethylbenzene	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
Toluene	5*	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
trans-1,2-Dichloroethene	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
Vinyl chloride	5*	< 1.0 U	< 1.0 U	< 1.0 U	1.2 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
Xylenes, Total	5*	< 2.0 U	< 2.0 U	< 2.0 U	< 2.0 U	< 2.0 U	< 2.0 U	< 2.0 U	< 2.0 U	< 2.0 U	< 2.0 U	< 2.0 U
Total Volatile Organic Compounds	NA	28	34	52	39	34	24	29	37	32	28	

Notes:

Bold font indicates the analyte was detected.

Bold font and bold outline indicates the screening criteria was exceeded.

* Site-specific RAO per ROD (November 1994)

J - Result is less than the reporting limit but greater than or equal to the method detection limit and the concentration is an approximate value.

U - Not detected at or above reporting limit.

NA - Not applicable

Table 6

**Summary of Trichloroethene Concentrations Following November 2014 Injection Pilot Study
Former Scott Aviation Facility - West of Plant 2 Site
NYSDEC Site Code No. 9-15-149
Lancaster, New York**

Well ID	Jan 2015 ⁽¹⁾	Apr 2015	Jul 2015	Oct 2015	Jan 2016	Apr 2016	Jul 2016	Oct 2016	Jan 2017	Apr 2017	Jul 2017	Oct 2017	Jan 2018	Apr 2018	Jul 2018	Oct 2018	Jan 2019	April 2019	July 2019	Oct 2019	Jan 2020	Apr 2020	July 2020	Oct 2020	Jan 2021	Apr 2021	July 2021	Oct 2021	Jan 2022	TCE Reduction - Previous Sampling	TCE Reduction - Baseline Sampling
MW-2	<1	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<1	<1	<1	<2	<1	<1	<2	<1	<2	ND	ND
MW-3	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	ND	ND
MW-4	18,000	110	<100	<100	<100	<100	<20	<20	<20	<5	<20	<20	<5	<20	<5	<20	5.2	2.1	2.6	<4	<4	<4	<4	<4	1.0	<4	<4	<4	<4	ND	ND
MW-6 ⁽²⁾	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NA	NA
MW-8R	2,100	<2,000	200	<25	<1,000	<1,000	24	<100	<100	14	<400	7.7	NS	13	<10	<10	9.9	<40	<8	<10	<10	<2	<4	<2	1.4	<10	<8	<25	<25	ND	ND
MW-10 ⁽²⁾	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NA	NA
MW- 11	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<4	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	ND	ND
MW-12 ⁽²⁾	NS	<1	<1	<1	<1	<5	<5	<1	<4	<1	<1	<1	<1	<4	<5	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NA	NA
MW-13S	19,000	31,000	<500	<10	41	<100	<4	<2	2.1	0.26	<2	<5	<40	<40	<40	<40	<40	0.7	NS	NS	0.64	<1	<1	0.60	<1	0.77	<2	<2	<2	ND	ND
MW-16S	160,000	26,000	5,100	<4,000	<4,000	<4,000	<2,000	<500	<500	86	<1,000	<500	<1,000	<1,000	<1,000	<1,000	550	<1,000	<2,500	<1,000	<1,000	<1	<1,000	<1,000	<1,000	<1,000	<1,000	<1,000	<1,000	ND	ND

Notes:

(1) New baseline established following November 2014 injection pilot study.

(2) Well was decommissioned.

The injection of ABC+[®] occurred in November 2014 and April/May 2015.

The injection of ABC-Ole[®] with ZVI occurred in November 2018.

The bioaugmentation injection of KB-1[®] Plus and KB-1[®] Primer in September 2021.

ND - Not Detected

NA - Not Available

NS - Not Sampled

Table 7

Summary of Vapor Monitoring Results - January 2022
Former Scott Aviation Facility - West of Plant 2
NYSDEC Site Code No. 9-15-149
Lancaster, New York

	Sample ID: LRP Effluent 1Q22 Sample Date: 1/19/2022	AS Effluent 1Q22 1/19/2022
<u>VOCs by Method TO-15 (µg/m³)</u>		
1,2-Dichloroethene, Total	1.7	U
1,4-Dioxane	31	U
Acetone	25	13
Benzene	0.72	0.82
Carbon disulfide	44	2.1
Chloroethane	2.2	71
Chloromethane	1.3	1.2
Methyl Ethyl Ketone	5.2	2.6
Toluene	1.1	2.0
Trichlorofluoromethane	1.2	1.2
Vinyl chloride	9.6	0.73
Total Detected VOCs (µg/m ³)	123.02	94.65
Vacuum (inches Hg)	23	0.405
Air Flow Rate (acfm)	32.25	294.49
VOC discharge loading (lb/hr)	0.000015	0.000104
Total VOC discharge loading (lb/hr)	0.00012	
Notes:		
1. µg/m ³ = micrograms per cubic meter		
2. acfm = actual cubic feet per minute		
3. Hg = Mercury		
4. scfm = standard cubic feet per minute		
5. lb/hr = pounds per hour		
6. LRP Effluent represents the untreated vapor discharge for the Liquid Ring Pump. Note only DPE-1, -2, and -5 are on-line to accommodate the September 2021 bioaugmentation injections.		
7. AS Effluent represents the untreated vapor discharge for the Air Stripper.		
Qualifiers:		
U - Not detected at or above reporting limit (reporting limit not included in the Total Detected VOCs).		

Appendix A
January 2022 Field Forms

Date (mo/day/yr) <u>1/19/2022</u>	Casing Diameter <u>2</u> inches
Field Personnel <u>Ann Marie Kropovitch</u>	Casing Material <u>PVC</u>
Site Name <u>Former Scott Aviation Site - Lancaster, NY</u>	Measuring Point Elevation <u>687.1</u> 1/100 ft
Job # <u>60538931</u>	Height of Riser (above land surface) <u>1.80</u> 1/100 ft
Well ID # <u>MW-2</u>	Land Surface Elevation <u>685.3</u> 1/100 ft
<input type="checkbox"/> Upgradient <input checked="" type="checkbox"/> Downgradient	Screened Interval (below land surface) <u>7-17</u> 1/100 ft
Weather Conditions <u>cloudy, windy</u>	
Air Temperature <u>38</u> ° F	
Total Depth (TWD) Below Top of Casing = <u>16.4</u> 1/100 ft	
Depth to Groundwater (DGW) Below Top of Casing = <u>6.07</u> 1/100 ft	
Length of Water Column (LWC) = TWD - DGW = <u>10.33</u> 1/100 ft	
1 Casing Volume (OCV) = LWC x <u>0.163</u> = <u>1.7</u> gal	
3 Casing Volumes = <u>5.1</u> gal	
Method of Well Evacuation <u>Peristaltic Pump</u>	
Method of Sample Collection <u>Peristaltic Pump/Poly Tubing</u>	
Total Volume of Water Removed <u>2.2</u> gal	

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	
VOA 40 mL glass	TOC (9060A)	2	HCL, 4°C	

FIELD ANALYSES

Flow Rate (ml/min)	240	240	240	240	240	240	240	240
Time (Military)	14:30	14:35	14:40	14:45	14:50	14:55	15:00	15:05
Depth to Groundwater Below Top of Casing (ft)	6.07	7.98	8.70	9.74	10.13	10.69	11.41	11.87
Drawdown (ft)	0.00	-1.91	-0.72	-1.04	-0.39	-0.56	-0.72	-0.46
pH (S.U.)	6.76	6.76	6.74	6.71	6.70	6.71	6.71	6.72
Sp. Cond. (mS/cm)	1.33	1.36	1.34	1.34	1.39	1.40	1.42	1.431
Turbidity (NTUs)	44.00	35.70	29.90	13.90	6.63	6.26	3.39	3.8
Dissolved Oxygen (mg/L)	2.92	0.95	0.93	0.86	0.85	0.84	0.80	0.83
Water Temperature (°C)	10.10	10.90	10.70	10.70	10.50	10.60	10.70	10.1
ORP (mV)	-14.50	-19.30	-20.20	-22.60	-28.70	-33.20	-37.90	-39.9

Physical appearance at start	Color <u>clear</u>	Physical appearance at sampling	Color <u>clear</u>
	Odor <u>none</u>		Odor <u>none</u>
Sheen/Free Product <u>no</u>		Sheen/Free Product <u>no</u>	

COMMENTS/OBSERVATIONS Sample time 15:05 hrs.
YSI Pro SS meter (ID# 46287) used to collect field parameters.

Date (mo/day/yr) <u>1/19/2022</u>	Casing Diameter <u>2</u> inches
Field Personnel <u>Ann Marie Kropovitch</u>	Casing Material <u>PVC</u>
Site Name <u>Former Scott Aviation Site - Lancaster, NY</u>	Measuring Point Elevation <u>687.05</u> 1/100 ft
Job # <u>60538931</u>	Height of Riser (above land surface) <u>1.45</u> 1/100 ft
Well ID # <u>MW-3</u>	Land Surface Elevation <u>685.60</u> 1/100 ft
<input type="checkbox"/> Upgradient <input checked="" type="checkbox"/> Downgradient	Screened Interval (below land surface) <u>7.5 - 27.5</u> 1/100 ft
Weather Conditions <u>cloudy, windy</u>	
Air Temperature <u>38</u> ° F	
Total Depth (TWD) Below Top of Casing = <u>28</u> 1/100 ft	
Depth to Groundwater (DGW) Below Top of Casing = <u>8.89</u> 1/100 ft	
Length of Water Column (LWC) = TWD - DGW = <u>19.11</u> 1/100 ft	
1 Casing Volume (OCV) = LWC x <u>0.163</u> = <u>3.1</u> gal	
3 Casing Volumes = <u>9.6</u> gal	
Method of Well Evacuation <u>Peristaltic Pump</u>	
Method of Sample Collection <u>Peristaltic Pump/Poly Tubing</u>	
Total Volume of Water Removed <u>3.8</u> gal	

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	
VOA 40 mL glass	TOC (9060A)	2	HCL, 4°C	

FIELD ANALYSES

Flow Rate (ml/min)	240	240	240	240	240	240	240	240
Time (Military)	12:10	12:15	12:20	12:25	12:30	12:35	12:40	12:45
Depth to Groundwater Below Top of Casing (ft)	8.89	11.65	13.01	13.34	13.61	14.02	14.43	14.98
Drawdown (ft)	0.00	-2.76	-1.36	-0.33	-0.27	-0.41	-0.41	-0.55
pH (S.U.)	7.34	7.25	7.21	7.19	7.15	7.14	7.13	7.14
Sp. Cond. (mS/cm)	1.195	1.183	1.178	1.175	1.180	1.178	1.178	1.174
Turbidity (NTUs)	14.80	11.20	16.30	13.60	24.90	31.70	27.30	26.90
Dissolved Oxygen (mg/L)	2.00	1.24	1.06	1.03	0.96	0.99	1.01	0.93
Water Temperature (°C)	10.7	10.7	10.6	10.5	10.6	10.5	10.5	10.6
ORP (mV)	73.9	62.3	55.7	45.1	26.5	17.8	11.6	-8.5

Physical appearance at start	Color <u>clear</u>	Physical appearance at sampling	Color <u>clear</u>
	Odor <u>none</u>		Odor <u>none</u>
Sheen/Free Product <u>no</u>		Sheen/Free Product <u>no</u>	

COMMENTS/OBSERVATIONS Sample time 13:10 hrs.
YSI Pro SS meter (ID# 46287) used to collect field parameters.

Date (mo/day/yr) <u>1/19/2022</u> Field Personnel <u>Ann Marie Kropovitch</u> Site Name <u>Former Scott Aviation Site - Lancaster, NY</u> Job # <u>60538931</u> Well ID # <u>MW-3</u> _____ Upgradient _____ Downgradient Weather Conditions <u>cloudy, windy</u> Air Temperature <u>38</u> ° F Total Depth (TWD) Below Top of Casing = <u>28</u> 1/100 ft Depth to Groundwater (DGW) Below Top of Casing = <u>8.89</u> 1/100 ft Length of Water Column (LWC) = TWD - DGW = <u>19.11</u> 1/100 ft 1 Casing Volume (OCV) = LWC x <u>0.163</u> = <u>3.1</u> gal 3 Casing Volumes = <u>9.6</u> gal Method of Well Evacuation <u>Peristaltic Pump</u> Method of Sample Collection <u>Peristaltic Pump/Poly Tubing</u> Total Volume of Water Removed <u>3.8</u> gal	Casing Diameter <u>2</u> inches Casing Material <u>PVC</u> Measuring Point Elevation <u>687.05</u> 1/100 ft Height of Riser (above land surface) <u>1.45</u> 1/100 ft Land Surface Elevation <u>685.60</u> 1/100 ft Screened Interval (below land surface) <u>7.5 - 27.5</u> 1/100 ft
---	--

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	
VOA 40 mL glass	TOC (9060A)	2	HCL, 4°C	

FIELD ANALYSES

Flow Rate (ml/min)	240	240	240				
Time (Military)	12:50	13:00	13:10				
Depth to Groundwater Below Top of Casing (ft)	15.56	16.15	16.85				
Drawdown (ft)	-0.58	-0.59	-0.70				
pH (S.U.)	7.20	7.26	7.30				
Sp. Cond. (mS/cm)	1.163	1.145	1.093				
Turbidity (NTUs)	28.10	20.86	19.20				
Dissolved Oxygen (mg/L)	0.89	0.86	0.83				
Water Temperature (°C)	10.6	10.6	10.7				
ORP (mV)	-27.0	-43.0	-46.9				

Physical appearance at start	Color <u>clear</u>	Physical appearance at sampling	Color <u>clear</u>
	Odor <u>none</u>		Odor <u>none</u>
Sheen/Free Product <u>no</u>		Sheen/Free Product <u>no</u>	

COMMENTS/OBSERVATIONS Sample time 13:10 hrs.
YSI Pro SS meter (ID# 46287) used to collect field parameters.

Date (mo/day/yr) <u>1/18/2022</u>	Casing Diameter <u>2</u> inches
Field Personnel <u>Ann Marie Kropovitch</u>	Casing Material <u>PVC</u>
Site Name <u>Former Scott Aviation Site - Lancaster, NY</u>	Measuring Point Elevation <u>686.5</u> 1/100 ft
Job # <u>60538931</u>	Height of Riser (above land surface) <u>-0.39</u> 1/100 ft
Well ID # <u>MW-4</u>	Land Surface Elevation <u>686.89</u> 1/100 ft
<input type="checkbox"/> Upgradient <input checked="" type="checkbox"/> Downgradient	Screened Interval (below land surface) <u>15.5 - 25.5</u> 1/100 ft
Weather Conditions <u>Cloudy</u>	
Air Temperature <u>23</u> ° F	
Total Depth (TWD) Below Top of Casing = <u>26</u> 1/100 ft	
Depth to Groundwater (DGW) Below Top of Casing = <u>7.99</u> 1/100 ft	
Length of Water Column (LWC) = TWD - DGW = <u>18.01</u> 1/100 ft	
1 Casing Volume (OCV) = LWC x <u>0.163</u> = <u>2.94</u> gal	
3 Casing Volumes = <u>8.61</u> gal	
Method of Well Evacuation <u>Peristaltic Pump</u>	
Method of Sample Collection <u>Peristaltic Pump/Poly Tubing</u>	
Total Volume of Water Removed <u>3.2</u> gal	

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	
VOA 40 mL glass	TOC (9060A)	2	HCL, 4°C	

	200	200	200	200	200	200	200	200
Flow Rate (ml/min)	200	200	200	200	200	200	200	200
Time (Military)	10:02	10:07	10:12	10:17	10:22	10:27	10:32	10:37
Depth to Groundwater Below Top of Casing (ft)	7.99	12.41	13.24	13.68	14.85	15.98	17.56	18.24
Drawdown (ft)	0.00	-4.42	-0.83	-0.44	-1.17	-1.13	-1.58	-0.68
pH (S.U.)	8.01	8.01	7.99	7.98	7.97	7.93	7.85	7.79
Sp. Cond. (mS/cm)	2.408	2.431	2.451	2.475	2.488	2.470	2.530	2.526
Turbidity (NTUs)	0.40	21.23	7.01	14.00	50.90	7.46	34.50	50.40
Dissolved Oxygen (mg/L)	1.18	1.08	0.99	0.95	1.10	0.95	0.86	0.84
Water Temperature (°C)	11.0	9.8	10.1	10.1	9.7	10.2	10.0	9.8
ORP (mV)	-142.8	-147.7	-150.2	-150.5	-148.9	-146.3	-142.1	-136.7
Physical appearance at start	Color <u>clear</u>		Physical appearance at sampling		Color <u>clear</u>			
	Odor <u>slight</u>				Odor <u>slight</u>			
Sheen/Free Product	<u>no</u>		Sheen/Free Product		<u>no</u>			

COMMENTS/OBSERVATIONS Sample time 11:02 hrs.

YSI Pro SS meter (ID# 46287) used to collect field parameters.

Date (mo/day/yr) <u>1/18/2022</u>	Casing Diameter <u>2</u> inches
Field Personnel <u>Ann Marie Kropovitch</u>	Casing Material <u>PVC</u>
Site Name <u>Former Scott Aviation Site - Lancaster, NY</u>	Measuring Point Elevation <u>686.5</u> 1/100 ft
Job # <u>60538931</u>	Height of Riser (above land surface) <u>-0.39</u> 1/100 ft
Well ID # <u>MW-4</u>	Land Surface Elevation <u>686.89</u> 1/100 ft
<input type="checkbox"/> Upgradient <input checked="" type="checkbox"/> Downgradient	Screened Interval (below land surface) <u>15.5 - 25.5</u> 1/100 ft
Weather Conditions <u>Cloudy</u>	
Air Temperature <u>23</u> ° F	
Total Depth (TWD) Below Top of Casing = <u>26</u> 1/100 ft	
Depth to Groundwater (DGW) Below Top of Casing = <u>7.99</u> 1/100 ft	
Length of Water Column (LWC) = TWD - DGW = <u>18.01</u> 1/100 ft	
1 Casing Volume (OCV) = LWC x <u>0.163</u> = <u>2.94</u> gal	
3 Casing Volumes = <u>8.61</u> gal	
Method of Well Evacuation <u>Peristaltic Pump</u>	
Method of Sample Collection <u>Peristaltic Pump/Poly Tubing</u>	
Total Volume of Water Removed <u>3.2</u> gal	

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	
VOA 40 mL glass	TOC (9060A)	2	HCL, 4°C	

FIELD ANALYSES

Flow Rate (ml/min)	200	200	200				
Time (Military)	10:42	10:47	11:02				
Depth to Groundwater Below Top of Casing (ft)	18.07	19.88	19.98				
Drawdown (ft)	0.17	-1.81	-0.10				
pH (S.U.)	7.74	7.68	7.70				
Sp. Cond. (mS/cm)	2.530	2.552	2.431				
Turbidity (NTUs)	26.80	30.50	36.50				
Dissolved Oxygen (mg/L)	0.82	0.84	0.81				
Water Temperature (°C)	10.0	9.4	9.5				
ORP (mV)	-134.0	-131.2	-137.5				

Physical appearance at start	Color <u>clear</u>	Physical appearance at sampling	Color <u>clear</u>
	Odor <u>slight</u>		Odor <u>slight</u>
Sheen/Free Product <u>no</u>		Sheen/Free Product <u>no</u>	

COMMENTS/OBSERVATIONS Sample time 11:02 hrs.
YSI Pro SS meter (ID# 46287) used to collect field parameters.

Date (mo/day/yr) 1/18/2022 Casing Diameter 4 inches
 Field Personnel Ann Marie Kropovitch Casing Material PVC
 Site Name Former Scott Aviation Site - Lancaster, NY Measuring Point Elevation 686.29 1/100 ft
 Job # 60538931 Height of Riser (above land surface) -0.29 1/100 ft
 Well ID # MW-8R Land Surface Elevation 686.58 1/100 ft
 _____ Upgradient Downgradient

Weather Conditions Cloudy
 Air Temperature 24 ° F
 Total Depth (TWD) Below Top of Casing = 27.5 1/100 ft
 Depth to Groundwater (DGW) Below Top of Casing = 15.03 1/100 ft
 Length of Water Column (LWC) = TWD - DGW = 13.36 1/100 ft
 1 Casing Volume (OCV) = LWC x 0.163 = 2.2 gal
 3 Casing Volumes = 6.6 gal
 Method of Well Evacuation Peristaltic Pump
 Method of Sample Collection Peristaltic Pump/Poly Tubing
 Total Volume of Water Removed 2.4 gal

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	
VOA 40 mL glass	TOC (9060A)	2	HCL, 4°C	

FIELD ANALYSES

Flow Rate (ml/min)	225	225	225	225	225	225	225	225
Time (Military)	12:05	12:10	12:15	12:20	12:25	12:30	12:35	12:40
Depth to Groundwater Below Top of Casing (ft)	15.03	15.27	16.59	18.04	18.2	18.38	18.93	19.79
Drawdown (ft)	0.00	-0.24	-1.32	-1.45	-0.16	-0.18	-0.55	-0.86
pH (S.U.)	7.68	7.69	7.69	7.70	7.70	7.70	7.70	7.69
Sp. Cond. (S/cm)	1.891	1.881	1.867	1.858	1.860	1.860	1.845	1.829
Turbidity (NTUs)	295.0	240.8	127.3	135.8	137.2	142.4	145.9	152.8
Dissolved Oxygen (g/L)	1.15	1.04	0.93	0.90	0.90	0.88	0.88	0.85
Water Temperature (°C)	10.7	10.3	10.3	10.4	10.3	10.2	9.9	9.9
ORP (mV)	-128.2	-129.2	-130.6	-132.7	-132.8	-133.0	-132.6	-133.5

Physical appearance at start Color dark, muddy
 Odor slight odor

Physical appearance at sampling Color clear/gray
 Odor slight odor

Sheen/Free Product no

Sheen/Free Product no

COMMENTS/OBSERVATIONS Sample time 12:45 hrs.
YSI Pro SS meter (ID# 46287) used to collect field parameters.

Date (mo/day/yr) <u>1/19/2022</u>	Casing Diameter <u>4</u> inches
Field Personnel <u>Ann Marie Kropovitch</u>	Casing Material <u>PVC</u>
Site Name <u>Former Scott Aviation Site - Lancaster, NY</u>	Measuring Point Elevation <u>688.61</u> 1/100 ft
Job # <u>60538931</u>	Height of Riser (above land surface) <u>-0.26</u> 1/100 ft
Well ID # <u>MW-11</u>	Land Surface Elevation <u>688.87</u> 1/100 ft
<input checked="" type="checkbox"/> Upgradient <input type="checkbox"/> Downgradient	Screened Interval (below land surface) <u>8.5 - 28.5</u> 1/100 ft
Weather Conditions <u>cloudy, slight wind</u>	
Air Temperature <u>37</u>	
Total Depth (TWD) Below Top of Casing = <u>28.5</u> 1/100 ft	
Depth to Groundwater (DGW) Below Top of Casing = <u>10.22</u> 1/100 ft	
Length of Water Column (LWC) = TWD - DGW = <u>18.28</u> 1/100 ft	
1 Casing Volume (OCV) = LWC x <u>0.163</u> = <u>3.0</u> gal	
3 Casing Volumes = <u>9</u> gal	
Method of Well Evacuation <u>Peristaltic Pump</u>	
Method of Sample Collection <u>Peristaltic Pump/Poly Tubing</u>	
Total Volume of Water Removed <u>2.7</u> gal	

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	Dup
VOA 40 mL glass	TOC (9060A)	2	HCL, 4°C	

	225	225	225	225	225	225	225	225
Flow Rate (ml/min)	225	225	225	225	225	225	225	225
Time (Military)	09:22	09:27	09:32	09:37	09:42	09:47	09:52	09:57
Depth to Groundwater Below Top of Casing (ft)	10.22	10.79	11.56	11.89	12.11	12.34	12.41	12.45
Drawdown (ft)	0.00	-0.57	-0.77	-0.33	-0.22	-0.23	-0.07	-0.04
pH (S.U.)	6.61	6.60	6.60	6.61	6.62	6.67	6.68	6.71
Sp. Cond. (S/cm)	3.680	3.700	3.708	3.685	3.671	3.329	3.167	2.979
Turbidity (NTUs)	2.70	5.11	3.80	2.40	4.47	5.52	4.82	3.57
Dissolved Oxygen (g/L)	1.38	1.12	1.00	0.91	0.91	0.90	0.91	1.19
Water Temperature (°C)	10.4	11.3	11.7	11.5	11.6	11.3	11.3	11.8
ORP (mV)	46.7	45.9	45.5	45.4	45.5	40.7	38.1	27.1
Physical appearance at start	Color <u>clear</u>		Physical appearance at sampling		Color <u>clear</u>			
	Odor <u>none</u>				Odor <u>none</u>			
Sheen/Free Product	<u>no</u>		Sheen/Free Product		<u>no</u>			

COMMENTS/OBSERVATIONS Sample time 10:07 hrs. FD this location - VOCs only

YSI Pro SS meter (ID# 46287) used to collect field parameters.

Date (mo/day/yr) <u>1/19/2022</u>	Casing Diameter <u>4</u> inches
Field Personnel <u>Ann Marie Kropovitch</u>	Casing Material <u>PVC</u>
Site Name <u>Former Scott Aviation Site - Lancaster, NY</u>	Measuring Point Elevation <u>688.61</u> 1/100 ft
Job # <u>60538931</u>	Height of Riser (above land surface) <u>-0.26</u> 1/100 ft
Well ID # <u>MW-11</u>	Land Surface Elevation <u>688.87</u> 1/100 ft
_____ Upgradient _____ Downgradient	Screened Interval (below land surface) <u>8.5 - 28.5</u> 1/100 ft
Weather Conditions <u>cloudy, slight wind</u>	
Air Temperature <u>37</u>	
Total Depth (TWD) Below Top of Casing = <u>28.5</u> 1/100 ft	
Depth to Groundwater (DGW) Below Top of Casing = <u>10.22</u> 1/100 ft	
Length of Water Column (LWC) = TWD - DGW = <u>18.28</u> 1/100 ft	
1 Casing Volume (OCV) = LWC x <u>0.163</u> = <u>3.0</u> gal	
3 Casing Volumes = <u>9</u> gal	
Method of Well Evacuation <u>Peristaltic Pump</u>	
Method of Sample Collection <u>Peristaltic Pump/Poly Tubing</u>	
Total Volume of Water Removed <u>2.7</u> gal	

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	Dup
VOA 40 mL glass	TOC (9060A)	2	HCL, 4°C	

FIELD ANALYSES

	1	2	3	4	5	6	7	8
Flow Rate (ml/min)	225	225						
Time (Military)	10:02	10:07						
Depth to Groundwater Below Top of Casing (ft)	12.50	12.52						
Drawdown (ft)	-0.05	-0.02						
pH (S.U.)	6.71	6.67						
Sp. Cond. (S/cm)	2.980	3.047						
Turbidity (NTUs)	3.05	0.98						
Dissolved Oxygen (g/L)	1.20	1.22						
Water Temperature (°C)	11.9	9.5						
ORP (mV)	25.7	24.2						
Physical appearance at start	Color <u>clear</u>	Color <u>clear</u>	Physical appearance at sampling	Color <u>clear</u>				
	Odor <u>none</u>	Odor <u>none</u>		Odor <u>none</u>				
Sheen/Free Product	<u>no</u>	<u>no</u>	Sheen/Free Product	<u>no</u>				

COMMENTS/OBSERVATIONS Sample time 10:07 hrs. FD this location - VOCs only
YSI Pro SS meter (ID# 46287) used to collect field parameters.

Date (mo/day/yr) 1/18/2022
 Field Personnel Ann Marie Kropovitch
 Site Name Former Scott Aviation Site - Lancaster, NY
 Job # 60538931
 Well ID # MW-13S
 _____ Upgradient X Downgradient
 Weather Conditions Cloudy, cold
 Air Temperature 24 ° F
 Total Depth (TWD) Below Top of Casing = 16.5 1/100 ft
 Depth to Groundwater (DGW) Below Top of Casing = 3.52 1/100 ft
 Length of Water Column (LWC) = TWD - DGW = 12.98 1/100 ft
 1 Casing Volume (OCV) = LWC x 0.041 = 0.5 gal
 3 Casing Volumes = 1.5 gal
 Method of Well Evacuation Peristaltic Pump
 Method of Sample Collection Peristaltic Pump/Poly Tubing
 Total Volume of Water Removed 2.1 gal

Casing Diameter 1 inches
 Casing Material PVC
 Measuring Point Elevation 686.65 1/100 ft
 Height of Riser (above land surface) -0.25 1/100 ft
 Land Surface Elevation 686.90 1/100 ft
 Screened Interval (below land surface) 8.5-16.5 1/100 ft

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	
VOA 40 mL glass	TOC (9060A)	2	HCL, 4°C	

FIELD ANALYSES

Flow Rate (ml/min)	230	230	230	230	230	230	230	230
Time (Military)	14:25	14:30	14:35	14:40	14:45	14:50	14:55	15:00
Depth to Groundwater Below Top of Casing (ft)	3.52	8.71	8.88	9.62	10.49	11.37	11.95	13.41
Drawdown (ft)	0.00	-5.19	-0.17	-0.74	-0.87	-0.88	-0.58	-1.46
pH (S.U.)	7.04	7.05	7.09	7.03	7.03	7.03	7.06	7.07
Sp. Cond. (mS/cm)	1.394	1.387	1.397	1.409	1.409	1.407	1.404	1.394
Turbidity (NTUs)	12.68	36.22	17.91	38.07	41.90	52.30	51.70	68.70
Dissolved Oxygen (mg/L)	1.45	1.07	0.97	0.88	0.85	0.84	0.85	0.83
Water Temperature (°C)	10.0	10.6	10.4	10.6	10.6	10.8	10.9	11.0
ORP (mV)	-57.4	-63.9	-71.3	-73.1	-76.0	74.2	-75.0	-92.3

Physical appearance at start Color clear
 Odor none
 Sheen/Free Product no

Physical appearance at sampling Color clear
 Odor none
 Sheen/Free Product no

COMMENTS/OBSERVATIONS Sample time: 15:00 hrs.
YSI Pro SS meter (ID# 46287) used to collect field parameters.

Date (mo/day/yr) <u>1/18/2022</u> Field Personnel <u>Ann Marie Kropovitch/Lindsey Hunka</u> Site Name <u>Former Scott Aviation Site - Lancaster, NY</u> Job # <u>60538931</u> Well ID # <u>MW-13D</u> _____ Upgradient <u>X</u> Downgradient Weather Conditions <u>Cloudy, cold</u> Air Temperature <u>22</u> ° F Total Depth (TWD) Below Top of Casing = <u>23.5</u> 1/100 ft Depth to Groundwater (DGW) Below Top of Casing = <u>8.75</u> 1/100 ft Length of Water Column (LWC) = TWD - DGW = <u>14.75</u> 1/100 ft 1 Casing Volume (OCV) = LWC x <u>0.041</u> = <u>0.6</u> gal 3 Casing Volumes = <u>1.8</u> gal Method of Well Evacuation <u>Peristaltic Pump</u> Method of Sample Collection <u>Peristaltic Pump/Poly Tubing</u> Total Volume of Water Removed <u>1.9</u> gal	Casing Diameter <u>1</u> inches Casing Material <u>PVC</u> Measuring Point Elevation <u>686.78</u> 1/100 ft Height of Riser (above land surface) <u>-0.12</u> 1/100 ft Land Surface Elevation <u>686.90</u> 1/100 ft Screened Interval (below land surface) <u>19.5-23.5</u> 1/100 ft
---	--

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	
VOA 40 mL glass	TOC (9060A)	2	HCL, 4°C	

FIELD ANALYSES

Flow Rate (ml/min)	200	200	200	200	200	200	200	200
Time (Military)	15:40	15:45	15:50	15:55	16:00	16:05	16:10	16:15
Depth to Groundwater Below Top of Casing (ft)	8.75	14.14	16.68	17.72	18.51	19.30	20.24	20.68
Drawdown (ft)	0.00	-5.39	-2.54	-1.04	-0.79	-0.79	-0.94	-0.44
pH (S.U.)	7.39	7.46	7.56	7.56	7.56	7.55	7.53	7.52
Sp. Cond. (mS/cm)	1.538	1.547	1.549	1.548	1.544	1.547	1.552	1.552
Turbidity (NTUs)	14.26	0.21	0.84	0.89	3.15	0.66	0.57	0.24
Dissolved Oxygen (mg/L)	2.09	0.92	0.83	0.82	0.82	0.80	0.79	0.79
Water Temperature (°C)	10.2	10.2	10.0	9.4	9.3	9.6	9.3	8.7
ORP (mV)	-112.8	-101.6	-117.2	-119.7	-120.0	-120.7	-119.0	-119.0

Physical appearance at start	Color <u>clear</u>	Physical appearance at sampling	Color <u>clear</u>
	Odor <u>slight</u>		Odor <u>none</u>
Sheen/Free Product <u>no</u>		Sheen/Free Product <u>no</u>	

COMMENTS/OBSERVATIONS Sample time 16:15
YSI Pro SS meter (ID# 46287) used to collect field parameters.

Date (mo/day/yr) <u>1/20/2022</u>	Casing Diameter <u>1</u> inches
Field Personnel <u>Ann Marie Kropovitch</u>	Casing Material <u>PVC</u>
Site Name <u>Former Scott Aviation Site - Lancaster, NY</u>	Measuring Point Elevation <u>688.15</u> 1/100 ft
Job # <u>60538931</u>	Height of Riser (above land surface) <u>2.46</u> 1/100 ft
Well ID # <u>MW-16S</u>	Land Surface Elevation <u>685.69</u> 1/100 ft
<input type="checkbox"/> Upgradient <input checked="" type="checkbox"/> Downgradient	Screened Interval (below land surface) <u>12 - 18</u> 1/100 ft
Weather Conditions <u>cloudy, cold</u>	
Air Temperature <u>10</u> ° F	
Total Depth (TWD) Below Top of Casing = <u>15.4</u> 1/100 ft	
Depth to Groundwater (DGW) Below Top of Casing = <u>5.42</u> 1/100 ft	
Length of Water Column (LWC) = TWD - DGW = <u>6.71</u> 1/100 ft	
1 Casing Volume (OCV) = LWC x <u>0.041</u> = <u>0.3</u> gal	
3 Casing Volumes = <u>0.9</u> gal	
Method of Well Evacuation <u>Peristaltic Pump</u>	
Method of Sample Collection <u>Peristaltic Pump/Poly Tubing</u>	
Total Volume of Water Removed <u>1.1</u> gal	

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260C)	3	HCL, 4°C	
VOA 40 mL glass	TOC (9060A)	2	HCL, 4°C	

FIELD ANALYSES

Flow Rate (ml/min)	200	200	200	200	200	200		
Time (Military)	11:25	11:30	11:35	13:00	13:05	13:10		
Depth to Groundwater Below Top of Casing (ft)	5.42	13.45	Well went dry	13.75	15.12	16.72		
Drawdown (ft)	0.00	-8.03		0.00	-1.37	-1.60		
pH (S.U.)	6.85	6.77		6.80	6.78	6.78		
Sp. Cond. (mS/cm)	2.801	2.979		2.718	2.612	2.700		
Turbidity (NTUs)	27.5	31.1		42.0	37.5	32.4		
Dissolved Oxygen (mg/L)	2.93	1.30		1.35	1.25	1.18		
Water Temperature (°C)	8.5	7.3		7.8	7.5	7.5		
ORP (mV)	-62.2	-53.4		-57.1	-60.2	-62.4		

Physical appearance at start	Color <u>clear</u>	Physical appearance at sampling	Color <u>clear</u>
	Odor <u>slight odor</u>		Odor <u>slight odor</u>
Sheen/Free Product <u>no</u>		Sheen/Free Product <u>no</u>	

COMMENTS/OBSERVATIONS Sample time 13:10 hrs. Well went dry at 11:35 - returned at 13:00 to continue purging and sample
YSI Pro SS meter (ID# 46287) used to collect field parameters.

Date (mo/day/yr) <u>1/20/2022</u>	Casing Diameter <u>1</u> inches
Field Personnel <u>Ann Marie Kropovitch</u>	Casing Material <u>PVC</u>
Site Name <u>Former Scott Aviation Site - Lancaster, NY</u>	Measuring Point Elevation <u>688.16</u> 1/100 ft
Job # <u>60538931</u>	Height of Riser (above land surface) <u>2.47</u> 1/100 ft
Well ID # <u>MW-16D</u>	Land Surface Elevation <u>685.69</u> 1/100 ft
<input type="checkbox"/> Upgradient <input checked="" type="checkbox"/> Downgradient	Screened Interval (below land surface) <u>20-24</u> 1/100 ft
Weather Conditions <u>cloudy, cold</u>	
Air Temperature <u>12</u> ° F	
Total Depth (TWD) Below Top of Casing = <u>24</u> 1/100 ft	
Depth to Groundwater (DGW) Below Top of Casing = <u>11.33</u> 1/100 ft	
Length of Water Column (LWC) = TWD - DGW = <u>12.67</u> 1/100 ft	
1 Casing Volume (OCV) = LWC x <u>0.041</u> = <u>0.5</u> gal	
3 Casing Volumes = <u>1.8</u> gal	
Method of Well Evacuation <u>Peristaltic Pump</u>	
Method of Sample Collection <u>Peristaltic Pump/Poly Tubing</u>	
Total Volume of Water Removed <u>1.5</u> gal	

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	
VOA 40 mL glass	TOC (9060A)	2	HCL, 4°C	

FIELD ANALYSES

Flow Rate (ml/min)	225	225	225	225	225	225		
Time (Military)	11:50	11:55	12:00	12:05	12:10	12:15		
Depth to Groundwater Below Top of Casing (ft)	11.33	19.27	21.28	21.93	22.43	22.87		
Drawdown (ft)	0.00	-7.94	-2.01	-0.65	-0.50	-0.44		
pH (S.U.)	7.66	7.68	7.64	7.60	7.65	7.67		
Sp. Cond. (mS/cm)	1.377	1.375	1.395	1.378	1.388	1.412		
Turbidity (NTUs)	4.27	11.44	13.60	0.89	0.58	0.71		
Dissolved Oxygen (g/L)	1.73	1.08	1.01	0.97	0.89	0.87		
Water Temperature (°C)	10.3	9.6	9.3	9.1	9.9	9.9		
ORP (mV)	-86.9	-104.4	-105.7	-104.1	-119.1	-121.5		

Physical appearance at start	Color <u>clear</u>	Physical appearance at sampling	Color <u>clear</u>
	Odor <u>slight odor</u>		Odor <u>slight odor</u>
Sheen/Free Product <u>no</u>		Sheen/Free Product <u>no</u>	

COMMENTS/OBSERVATIONS Sample time 12:15 hrs.

YSI Pro SS meter (ID# 46287) used to collect field parameters.

Appendix B

Current and Historical Summary of Groundwater Elevations

**MONITORING WELL MW-2
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York**

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
11/7/2003	7.29	683.06
4/8/2004	NM	NA
10/12/2004	NM	NA
1/6/2005	5.92	684.43
4/14/2005	6.50	683.85
7/20/2005	7.77	682.58
10/4/2005	6.08	684.27
1/5/2006	9.56	680.79
4/11/2006	6.65	683.70
7/10/2006	7.79	682.56
10/18/2006	6.11	684.24
1/9/2007	6.27	684.08
2/28/2007	5.20	685.15
4/16/2007	5.99	684.36
7/2/2007	7.22	683.13
10/15/2007	8.15	682.20
1/8/2008	5.73	684.62
4/2/2008	5.95	684.40
7/1/2008	4.90	685.45
9/30/2008	7.40	682.95
1/19/2009	6.75	683.60
4/14/2009	6.15	684.20
7/21/2009	6.25	684.10
10/14/2009	5.85	684.50
1/18/2010	7.00	683.35
4/8/2010	5.45	684.90
7/12/2010	6.10	684.25
10/11/2010	7.00	683.35
1/11/2011	6.80	683.55
4/4/2011	5.70	684.65
7/25/2011	4.75	685.60
10/3/2011	4.13	686.22
1/12/2012	6.40	683.95
4/2/2012	6.00	684.35
7/5/2012	6.47	683.88
10/11/2012	7.17	683.18
1/21/2013	6.72	683.63
4/1/2013	6.10	684.25
7/1/2013	6.84	683.51
10/9/2013	6.70	683.65
1/21/2014	6.00	684.35
4/7/2014	4.95	685.40
7/16/2014	6.72	683.63
10/14/2014	6.79	683.56
1/20/2015	7.12	683.23
4/6/2015	5.74	684.61
7/22/2015	6.19	684.16
10/19/2015	5.79	684.56
1/5/2016	6.41	683.94
4/4/2016	5.68	681.42
7/5/2016	5.56	683.12
10/24/2016	5.56	683.12
1/16/2017	6.21	682.47
4/18/2017	6.06	682.47
7/11/2017	6.92	681.76
10/23/2017	6.59	682.09
1/8/2018	6.61	680.39
4/11/2018	5.12	681.88
7/12/2018	6.71	680.29
10/19/2018	6.44	680.56
1/9/2019	5.65	681.35
4/8/2019	5.28	681.72
7/22/2019	6.30	680.70
10/14/2019	7.56	679.44
1/6/2020	7.39	679.61
4/6/2020	7.40	679.60
7/21/2020	6.10	680.90
10/13/2020	6.50	680.50
1/19/2021	6.53	680.47
4/6/2021	5.56	681.44
7/13/2021	6.80	680.20
10/18/2021	5.97	681.03
1/18/2022	6.07	680.93

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing

TOC Elevation - 690.35

DPE and GWCT off line for repairs in February 2007.

DPE off line for repairs in January 2008.

DPE off line for repairs in October 2013.

TOC Elevation re-measured June 13, 2008 at 687.1.

DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).


DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the ABC+ injection pilot test (note shading on graph).

DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).

DPE-3, -4, -6, -7, -8 off line beginning September 2021 to accommodate bioaugmentation injection.

MONITORING WELL MW-2
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Hydrograph for MW-2



◆ Groundwater Elevation (ft MSL)

**MONITORING WELL MW-3
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York**


Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft) MSL
11/7/2003	12.76	674.96
4/8/2004	NM	NA
10/12/2004	NM	NA
1/6/2005	11.65	676.07
4/14/2005	12.64	675.08
7/20/2005	12.73	674.99
10/4/2005	7.38	680.34
1/5/2006	11.31	676.41
4/11/2006	11.84	675.88
7/10/2006	12.31	675.41
10/18/2006	10.82	676.9
1/9/2007	10.99	676.73
2/28/2007	3.99	683.73
4/16/2007	11.87	675.85
7/2/2007	13.35	674.37
10/17/2007	13.1	674.62
1/8/2008	7.61	680.11
4/2/2008	11.71	676.01
7/1/2008	10.75	676.27
9/30/2008	11.95	675.07
1/19/2009	10.94	676.08
4/14/2009	10.94	676.08
7/21/2009	11.51	675.51
10/14/2009	10.75	676.27
1/18/2010	12.38	674.64
4/8/2010	11.02	676.00
7/12/2010	9.18	677.84
10/11/2010	10.9	676.12
1/12/2011	11.3	675.72
4/4/2011	10.7	676.32
7/25/2011	4.38	682.64
10/3/2011	3.14	683.88
1/12/2012	10.65	676.37
4/2/2012	9.81	677.21
7/5/2012	8.56	678.46
10/11/2012	9.77	677.25
1/21/2013	11.15	675.87
4/1/2013	8.56	678.46
7/1/2013	11.85	675.17
10/9/2013	10.43	676.59
1/21/2014	10.45	676.57
4/7/2014	11.77	675.25
7/16/2014	10.29	676.73
10/14/2014	9.65	677.37
1/20/2015	10.15	676.87
4/6/2015	8.94	678.08
7/22/2015	7.98	679.04
10/19/2015	5.15	681.87
1/5/2016	9.01	678.01
4/4/2016	8.00	679.05
7/5/2016	5.86	681.19
10/24/2016	5.86	681.19
1/16/2017	10.58	676.47
4/18/2017	12.29	674.76
7/11/2017	12.65	674.40
10/23/2017	11.80	675.25
1/8/2018	10.12	676.93
4/11/2018	9.58	677.47
7/12/2018	10.98	676.07
10/19/2018	13.40	673.65
1/9/2019	12.32	674.73
4/8/2019	10.09	676.96
7/22/2019	9.24	677.81
10/14/2019	8.61	678.44
1/6/2020	8.14	678.91
4/6/2020	8.93	678.12
7/21/2020	9.14	677.91
10/13/2020	10.41	676.64
1/19/2021	8.73	678.32
4/6/2021	8.10	678.95
7/13/2021	9.10	677.95
10/18/2021	8.41	678.64
1/18/2022	8.89	678.16

NOTES:

ft MSL - feet mean sea level
NA - Not Available
NM - Not Measured
TOC - top of PVC casing
TOC Elevation - 687.72
DPE and GWCT off line for repairs in February 2007.
DPE off line for repairs in January 2008.
DPE off line for repairs in October 2013.
TOC Elevation re-measured June 13, 2008 at 687.02
DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).
DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the ABC+ injection pilot test (note shading on graph).
DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).
DPE-3, -4, -6, -7, -8 off line beginning September 2021 to accommodate bioaugmentation injection.

**MONITORING WELL MW-3
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York**

Hydrograph for MW-3



MONITORING WELL MW-4
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York


Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
11/7/2003	8.54	678.10
4/8/2004	NM	NA
10/12/2004	11.40	675.24
1/6/2005	9.20	677.44
4/14/2005	NM	NA
7/20/2005	NM	NA
10/4/2005	15.24	671.40
1/5/2006	15.71	670.93
4/11/2006	18.56	668.08
7/10/2006	15.02	671.62
10/18/2006	15.21	671.43
1/9/2007	14.00	672.64
2/28/2007	2.54	684.10
4/16/2007	12.45	674.19
7/2/2007	14.89	671.75
10/17/2007	12.91	673.73
1/8/2008	5.59	681.05
4/2/2008	9.31	677.33
7/1/2008	13.91	672.51
9/30/2008	13.55	672.87
1/19/2009	10.78	675.64
4/14/2009	8.90	677.52
7/21/2009	12.35	674.07
10/14/2009	10.40	676.02
1/18/2010	8.90	677.52
4/8/2010	10.90	675.52
7/12/2010	14.00	672.42
10/11/2010	16.69	669.73
1/12/2011	16.35	670.07
4/4/2011	17.67	668.75
7/25/2011	2.32	684.10
10/3/2011	2.98	683.44
1/12/2012	13.26	673.16
4/2/2012	13.10	673.32
7/6/2012	9.66	676.76
10/11/2012	18.60	667.82
1/21/2013	17.04	669.38
4/1/2013	18.65	667.77
7/1/2013	19.10	667.32
10/9/2013	10.10	676.32
1/21/2014	NM	NA
4/7/2014	18.85	667.57
7/16/2014	10.74	675.68
10/14/2014	8.52	677.90
1/20/2015	10.95	675.47
4/6/2015	9.05	677.37
7/22/2015	7.55	678.87
10/19/2015	4.59	681.83
1/5/2016	9.92	676.50
4/4/2016	8.20	678.30
7/5/2016	4.94	681.56
10/24/2016	4.94	681.56
1/16/2017	10.80	675.70
4/18/2017	11.92	675.70
7/11/2017	11.30	675.20
10/23/2017	13.06	673.44
1/8/2018	10.45	676.05
4/11/2018	10.55	675.95
7/12/2018	11.57	674.93
10/19/2018	11.57	674.93
1/9/2019	9.95	676.55
4/8/2019	8.83	677.67
7/22/2019	9.15	677.35
10/14/2019	8.39	678.11
1/6/2020	8.57	677.93
4/6/2020	8.57	677.93
7/21/2020	9.11	677.39
10/13/2020	11.72	674.78
1/19/2021	9.78	676.72
4/6/2021	8.84	677.66
7/13/2021	11.85	674.65
10/18/2021	7.65	678.85
1/18/2022	7.99	678.51

NOTES:

ft MSL - feet mean sea level
NA - Not Available
NM - Not Measured
TOC - top of PVC casing
TOC Elevation - 686.64
DPE and GWCT off line for repairs in February 2007.
DPE off line for repairs in January 2008.
DPE off line for repairs in October 2013.
TOC Elevation re-measured on June 13, 2008 at 686.42.
DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).
DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the ABC+ injection pilot test (note shading on graph).
DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).
DPE-3, -4, -6, -7, -8 off line beginning September 2021 to accommodate bioaugmentation injection.

MONITORING WELL MW-4
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Hydrograph for MW-4



**MONITORING WELL MW-8R
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York**


Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft) MSL)
4/8/2004	NM	NA
10/12/2004	12.75	672.92
1/6/2005	7.45	678.22
4/14/2005	14.45	671.22
7/20/2005	NM	NA
10/4/2005	NM	NA
1/6/2006	15.51	670.16
4/11/2006	15.65	670.02
7/10/2006	14.9	670.77
10/18/2006	15.72	669.95
1/9/2007	15.76	669.91
2/28/2007	10.78	674.89
4/16/2007	15.60	670.07
7/2/2007	16.29	669.38
10/15/2007	18.50	667.17
1/8/2008	4.99	680.68
4/2/2008	13.19	672.48
7/1/2008	12.15	674.06
9/30/2008	15.83	670.38
1/19/2009	11.55	674.66
4/14/2009	11.20	675.01
7/21/2009	13.57	672.64
10/14/2009	12.76	673.45
1/18/2010	11.26	674.95
4/8/2010	14.95	671.26
7/12/2010	13.74	672.47
10/11/2010	12.34	673.87
1/12/2011	13.10	673.11
4/4/2011	14.88	671.33
7/25/2011	3.25	682.96
10/3/2011	4.50	681.71
1/12/2012	12.96	673.25
4/2/2012	11.70	674.51
7/5/2012	10.34	675.87
10/11/2012	13.38	672.83
1/21/2013	14.90	671.31
4/1/2013	10.82	675.39
7/1/2013	12.70	673.51
10/9/2013	9.25	676.96
1/21/2014	NM	NA
4/7/2014	14.55	671.66
7/16/2014	8.97	677.24
10/14/2014	5.85	680.36
1/20/2015	9.80	676.41
4/6/2015	7.55	678.66
7/22/2015	8.22	677.99
10/19/2015	4.90	681.31
1/5/2016	8.95	677.26
4/4/2016	8.10	678.19
7/5/2016	4.99	681.30
10/24/2016	4.99	681.30
1/16/2017	10.35	675.94
4/18/2017	13.68	675.94
7/11/2017	11.60	674.69
10/23/2017	12.06	674.23
4/11/2018	10.05	676.16
7/12/2018	18.78	667.43
10/19/2018	18.60	667.61
1/9/2019	7.95	678.26
4/8/2019	6.80	679.41
7/22/2019	8.00	678.21
10/14/2019	9.91	676.30
1/6/2020	6.81	679.40
4/6/2020	8.71	677.50
7/21/2020	8.15	678.06
10/13/2020	10.39	675.82
1/20/2021	8.89	677.32
4/6/2021	7.55	678.66
7/13/2021	8.40	677.81
10/18/2021	12.45	673.76
1/18/2022	15.03	671.18

NOTES:

ft MSL - feet mean sea level
 NA - Not Available
 NM - Not Measured
 TOC - top of PVC casing
 TOC Elevation - 685.67
 DPE and GWCT off line for repairs in February 2007.
 DPE off line for repairs in January 2008.
 DPE off line for repairs in October 2013.
 TOC Elevation re-measured on June 13, 2008 at 686.21.
 DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).
 DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the ABC+ injection pilot test (note shading on graph).
 DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).
 DPE-3, -4, -6, -7, -8 off line beginning September 2021 to accommodate bioaugmentation injection.

MONITORING WELL MW-8R
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Hydrograph for MW-8R




**MONITORING WELL MW-9
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York**

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
11/7/2003	13.03	672.4
4/8/2004	NM	NA
10/12/2004	13.68	671.75
1/6/2005	12.89	672.54
4/14/2005	12.74	672.69
7/20/2005	13.88	671.55
10/4/2005	7.22	678.21
1/5/2006	12.79	672.64
4/11/2006	13.50	671.93
7/10/2006	13.24	672.19
10/18/2006	11.00	674.43
1/9/2007	12.24	673.19
2/28/2007	1.66	683.77
4/16/2007	13.15	672.28
7/2/2007	13.00	672.43
10/17/2007	13.95	671.48
1/8/2008	6.70	678.73
4/2/2008	10.61	674.82
7/1/2008	14.25	674.39
9/30/2008	15.67	672.97
1/19/2009	14.48	674.16
4/14/2009	15.48	673.16
7/21/2009	15.20	673.44
10/10/2009	15.06	673.58
1/18/2010	17.00	671.64
4/8/2010	15.40	673.24
7/12/2010	12.42	676.22
10/11/2010	14.21	674.43
1/12/2011	15.29	673.35
4/4/2011	14.55	674.09
7/25/2011	5.75	682.89
10/3/2011	4.58	684.06
1/12/2012	14.75	673.89
4/2/2012	14.52	674.12
7/5/2012	11.48	677.16
10/11/2012	12.66	675.98
1/21/2013	14.44	674.20
4/1/2013	11.87	676.77
7/1/2013	16.54	672.10
10/9/2013	13.68	674.96
1/21/2014	15.38	673.26
4/7/2014	16.30	672.34
7/16/2014	13.71	674.93
10/14/2014	13.09	675.55
1/20/2015	13.92	674.72
4/6/2015	12.41	676.23
7/22/2015	10.72	677.92
10/19/2015	7.06	681.58
1/5/2016	12.09	676.55
4/4/2016	11.38	678.19
7/5/2016	7.41	682.16
10/24/2016	7.41	682.16
1/16/2017	13.72	675.85
4/18/2017	14.24	675.85
7/11/2017	15.00	674.57
10/23/2017	14.84	674.73
1/8/2018	13.04	676.53
4/11/2018	13.20	676.37
7/12/2018	14.49	675.08
10/19/2018	14.21	675.36
1/9/2019	13.49	676.08
4/8/2019	12.85	676.72
7/22/2019	12.61	676.96
10/14/2019	11.83	677.74
1/6/2020	10.81	678.76
4/6/2020	12.25	677.32
7/21/2020	12.50	677.07
10/13/2020	14.72	674.85
1/19/2021	12.14	677.43
4/6/2021	11.26	678.31
7/13/2021	12.55	677.02
10/18/2021	11.69	677.88
1/18/2022	13.30	676.27

NOTES:

ft MSL - feet mean sea level
 NA - Not Available
 NM - Not Measured
 TOC - top of PVC casing
 TOC Elevation - 685.43
 DPE and GWCT off line for repairs in February 2007.
 DPE off line for repairs in January 2008.
 DPE off line for repairs in October 2013.
 TOC Elevation re-measured on June 13, 2008 at 688.64.
 DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).
 DPE system off line between November 2014 and August 2016 to accommodate first and second phase of the ABC+ injection pilot test (note shading on graph).
 DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).
 DPE-3, -4, -6, -7, -8 off line beginning September 2021 to accommodate bioaugmentation injection.

MONITORING WELL MW-9
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York



**MONITORING WELL MW-11
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York**

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft) MSL)
4/8/2004	NM	NA
10/12/2004	NM	NA
1/6/2005	15.59	673.02
4/14/2005	11.59	677.02
7/20/2005	17.34	671.27
10/4/2005	10.45	678.16
1/5/2006	16.58	672.03
4/11/2006	13.52	675.09
7/10/2006	13.75	674.86
10/18/2006	14.35	674.26
1/9/2007	15.26	673.35
2/28/2007	6.34	682.27
4/16/2007	11.55	677.06
7/2/2007	17.30	671.31
10/16/2007	17.69	670.92
1/8/2008	11.73	676.88
4/2/2008	14.78	673.83
7/1/2008	13.91	674.74
9/30/2008	15.25	673.40
1/19/2009	13.45	675.20
4/14/2009	13.50	675.15
7/21/2009	14.51	674.14
10/14/2009	13.85	674.80
1/18/2010	16.38	672.27
4/8/2010	13.90	674.75
7/12/2010	12.60	676.05
10/11/2010	14.80	673.85
1/12/2011	NM	NA
4/4/2011	14.52	674.13
7/25/2011	4.48	684.17
10/3/2011	4.05	684.60
1/12/2012	8.96	679.69
4/2/2012	12.87	675.78
7/5/2012	10.53	678.12
10/11/2012	14.40	674.25
1/21/2013	14.75	673.90
4/1/2013	11.66	676.99
7/1/2013	14.99	673.66
10/9/2013	12.25	676.40
1/21/2014	13.75	674.90
4/7/2014	14.56	674.09
7/16/2014	12.64	676.01
10/14/2014	12.26	676.39
1/20/2015	12.31	676.34
4/6/2015	11.95	676.70
7/22/2015	8.49	680.16
10/19/2015	8.75	679.90
1/5/2016	12.53	676.12
4/4/2016	10.84	677.77
7/5/2016	9.37	679.24
10/24/2016	9.37	679.24
1/16/2017	9.60	679.01
4/18/2017	11.98	679.01
7/11/2017	13.75	674.86
10/23/2017	12.83	675.78
1/8/2018	11.79	676.82
4/11/2018	10.75	677.86
7/12/2018	13.21	675.40
10/19/2018	12.40	676.21
1/9/2019	12.27	676.34
4/8/2019	11.66	676.95
7/22/2019	11.45	677.16
10/14/2019	11.59	677.02
1/6/2019	11.59	677.02
4/6/2020	11.79	676.82
7/21/2020	11.82	676.79
10/13/2020	11.81	676.80
1/19/2021	10.17	678.44
4/6/2021	9.81	678.80
7/13/2021	10.50	678.11
10/18/2021	9.68	678.93
1/18/2022	10.22	678.39

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing

TOC Elevation - 688.61

DPE and GWCT off line for repairs in February 2007.

DPE off line for repairs in January 2008.

DPE off line for repairs in October 2013.

TOC Elevation re-measured on June 13, 2008 at 688.65.

DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical

oxidation injection pilot test (note shading on graph).

DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the ABC+

injection pilot test (note shading on graph).


DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note

shading on graph).

DPE-3, -4, -6, -7, -8 off line beginning September 2021 to accommodate bioaugmentation injection.

MONITORING WELL MW-11
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Hydrograph for MW-11



MONITORING WELL MW-13S
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	7.01	679.56
10/12/2004	13.47	673.10
1/6/2005	7.24	679.33
4/14/2005	13.91	672.66
7/20/2005	12.81	673.76
10/4/2005	13.35	673.22
1/5/2006	13.79	672.78
4/11/2006	12.45	674.12
7/10/2006	13.02	673.55
10/18/2006	10.99	675.58
1/9/2007	11.35	675.22
2/28/2007	3.49	683.08
4/16/2007	12.01	674.56
7/2/2007	13.20	673.37
10/18/2007	12.77	673.80
1/8/2008	5.08	681.49
4/2/2008	5.45	681.12
7/1/2008	9.70	676.90
9/30/2008	11.80	674.80
1/19/2009	8.70	677.90
4/14/2009	8.64	677.96
7/21/2009	10.91	675.69
10/14/2009	9.18	677.42
1/18/2010	9.80	676.80
4/8/2010	8.30	678.30
7/12/2010	9.96	676.64
10/11/2010	10.29	676.31
1/12/2011	7.53	679.07
4/4/2011	8.00	678.60
7/25/2011	2.55	684.05
10/3/2011	1.81	684.79
1/12/2012	8.11	678.49
4/2/2012	8.06	678.54
7/5/2012	8.71	677.89
10/11/2012	9.57	677.03
1/21/2013	13.85	672.75
4/1/2013	6.44	680.16
7/1/2013	6.44	680.16
10/9/2013	4.10	682.50
1/21/2014	4.95	681.65
4/7/2014	6.02	680.58
7/16/2014	5.42	681.18
10/14/2014	4.41	682.19
1/20/2015	6.10	680.50
4/6/2015	4.69	681.91
7/22/2015	7.97	678.63
10/19/2015	3.95	682.65
1/5/2016	5.90	680.70
4/4/2016	5.05	681.60
7/5/2016	3.90	682.75
10/24/2016	3.90	682.75
1/16/2017	7.20	679.45
4/18/2017	6.11	679.45
7/11/2017	8.60	678.05
10/23/2017	6.42	680.23
1/8/2018	4.73	681.92
4/11/2018	4.20	682.45
7/12/2018	7.02	679.63
10/19/2018	15.86	670.79
1/9/2019	9.71	676.94
4/8/2019	5.35	681.30
7/22/2019	16.50	670.15
10/14/2019	16.50	670.15
1/6/2020	10.21	676.44
4/6/2020	8.36	678.29
7/21/2020	5.50	681.15
10/13/2020	8.84	677.81
1/19/2021	9.78	676.87
4/6/2021	3.67	682.98
7/13/2021	5.95	680.70
10/18/2021	9.31	677.34
1/18/2022	3.52	683.13

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing

TOC Elevation - 686.57

DPE and GWCT off line for repairs in February 2007.

DPE off line for repairs in January 2008.

DPE off line for repairs in October 2013.

TOC Elevation re-measured on June 13, 2008 at 686.60.

DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).


DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the ABC+ injection pilot test (note shading on graph).

DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).

DPE-3, -4, -6, -7, -8 off line beginning September 2021 to accommodate bioaugmentation injection.

MONITORING WELL MW-13S
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Hydrograph for MW-13S



MONITORING WELL MW-13D
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York


Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft) MSL
4/8/2004	13.28	673.43
10/12/2004	14.87	671.84
1/6/2005	14.55	672.16
4/14/2005	15.32	671.39
7/20/2005	15.65	671.06
10/4/2005	9.44	677.27
1/5/2006	15.83	670.88
4/11/2006	15.41	671.30
7/10/2006	13.79	672.92
10/18/2006	13.17	673.54
1/9/2007	14.41	672.30
2/28/2007	3.28	683.43
4/16/2007	14.66	672.05
7/2/2007	15.68	671.03
10/18/2007	15.80	670.91
1/8/2008	8.69	678.02
4/2/2008	12.86	673.85
7/1/2008	12.55	674.18
9/30/2008	13.89	672.84
1/19/2009	12.10	674.63
4/14/2009	11.78	674.95
7/21/2009	12.86	673.87
10/14/2009	11.59	675.14
1/18/2010	13.88	672.85
4/8/2010	12.00	674.73
7/12/2010	11.90	674.83
10/11/2010	13.34	673.39
1/12/2011	13.2	673.53
4/4/2011	13.13	673.60
7/25/2011	3.33	683.40
10/3/2011	2.55	684.18
1/12/2012	12.34	674.39
4/2/2012	11.76	674.97
7/5/2012	9.25	677.48
10/11/2012	13.00	673.73
1/21/2013	13.85	672.88
4/1/2013	11.01	675.72
7/1/2013	14.26	672.47
10/9/2013	10.36	676.37
1/21/2014	11.45	675.28
4/7/2014	13.65	673.08
7/16/2014	10.74	675.99
10/14/2014	9.41	677.32
1/20/2015	11.02	675.71
4/6/2015	9.35	677.38
7/22/2015	7.44	679.29
10/19/2015	4.55	682.18
1/5/2016	10.31	676.42
4/4/2016	8.65	678.13
7/5/2016	5.06	681.72
10/24/2016	5.06	681.72
1/16/2017	12.50	674.28
4/18/2017	10.10	674.28
7/11/2017	11.15	675.63
10/23/2017	10.87	675.91
1/8/2018	9.12	677.66
4/11/2018	8.70	678.08
7/12/2018	10.91	675.87
10/19/2018	10.86	675.92
1/9/2019	9.85	676.93
4/8/2019	9.00	677.78
7/22/2019	9.79	676.99
10/14/2019	8.87	677.91
1/6/2020	7.69	679.09
4/6/2020	8.54	678.24
7/21/2020	9.00	677.78
10/13/2020	10.16	676.62
1/19/2021	9.02	677.76
4/6/2021	7.90	678.88
7/13/2021	9.05	677.73
10/18/2021	8.45	678.33
1/18/2022	8.75	678.03

NOTES:

- ft MSL - feet mean sea level
- NA - Not Available
- NM - Not Measured
- TOC - top of PVC casing
- TOC Elevation - 686.71
- DPE and GWCT off line for repairs in February 2007.
- DPE off line for repairs in January 2008.
- DPE off line for repairs in October 2013.
- TOC Elevation re-measured on June 13, 2008 at 686.73.
- DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).
- DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the ABC+ injection pilot test (note shading on graph).
- DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).
- DPE-3, -4, -6, -7, -8 off line beginning September 2021 to accommodate bioaugmentation injection.

MONITORING WELL MW-13D
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Hydrograph for MW-13D



MONITORING WELL MW-14S
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York


Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft) MSL
4/8/2004	5.14	680.17
10/12/2004	8.57	676.74
1/6/2005	6.27	679.04
4/14/2005	5.16	680.15
7/20/2005	8.32	676.99
10/4/2005	6.14	679.17
1/5/2006	8.41	676.90
4/11/2006	7.75	677.56
7/10/2006	8.18	677.13
10/18/2006	9.00	676.31
1/9/2007	6.61	678.70
2/28/2007	1.50	683.81
4/16/2007	3.45	681.86
7/2/2007	8.36	676.95
10/15/2007	9.45	675.86
1/8/2008	4.65	680.66
4/2/2008	4.47	680.84
7/1/2008	6.37	679.33
9/30/2008	8.90	676.80
1/19/2009	6.15	679.55
4/14/2009	7.70	678.00
7/21/2009	7.25	678.45
10/14/2009	7.05	678.65
1/18/2010	NM	NA
4/8/2010	6.50	678.81
7/12/2010	6.54	678.77
10/11/2010	5.90	679.80
1/12/2011	6.83	678.87
4/4/2011	6.34	679.36
7/25/2011	2.59	683.11
10/3/2011	1.98	683.72
1/12/2012	5.10	680.60
4/2/2012	4.55	681.15
7/5/2012	7.15	678.55
10/11/2012	6.67	679.03
1/21/2013	5.15	680.55
4/1/2013	5.05	680.65
7/1/2013	6.81	678.89
10/9/2013	5.60	680.10
1/21/2014	5.68	680.02
4/7/2014	6.03	679.67
7/16/2014	5.49	680.21
10/14/2014	5.61	680.09
1/20/2015	5.55	680.15
4/6/2015	4.58	681.12
7/22/2015	3.59	682.11
10/19/2015	3.70	682.00
1/5/2016	3.92	681.78
4/4/2016	8.80	676.90
7/5/2016	3.80	681.90
10/24/2016	3.80	681.90
1/16/2017	5.10	680.60
4/18/2017	5.44	680.26
7/11/2017	7.50	678.20
10/23/2017	7.18	678.52
1/8/2018	5.39	680.35
4/11/2018	5.14	680.60
7/12/2018	7.25	678.49
10/19/2018	6.89	678.85
1/9/2019	4.30	681.44
4/8/2019	4.40	681.34
7/22/2019	8.60	677.14
10/14/2019	5.14	680.60
1/6/2020	4.42	681.32
4/6/2020	4.31	681.43
7/21/2020	5.30	680.44
10/13/2020	6.18	679.56
1/19/2021	5.28	680.46
4/6/2021	4.75	680.99
7/13/2021	5.35	680.39
10/18/2021	5.41	680.33
1/18/2022	5.23	680.51

NOTES:

ft MSL - feet mean sea level
NA - Not Available
NM - Not Measured
TOC - top of PVC casing
TOC Elevation - 685.31
DPE and GWCT off line for repairs in February 2007.
DPE off line for repairs in January 2008.
DPE off line for repairs in October 2013.
TOC Elevation re-measured on June 13, 2008 at 685.70.
DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).
DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the ABC+ injection pilot test (note shading on graph).
DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).
DPE-3, -4, -6, -7, -8 off line beginning September 2021 to accommodate bioaugmentation injection.

MONITORING WELL MW-14S
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Hydrograph for MW-14S



MONITORING WELL MW-14D
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft) MSL
4/8/2004	13.21	672.22
10/12/2004	14.55	670.88
1/6/2005	15.97	669.46
4/14/2005	13.25	672.18
7/20/2005	18.20	667.23
10/4/2005	13.26	672.17
1/5/2006	19.08	666.35
4/11/2006	19.79	665.64
7/10/2006	17.16	668.27
10/18/2006	19.44	665.99
1/9/2007	14.71	670.72
2/28/2007	2.67	682.76
4/16/2007	19.74	665.69
7/2/2007	19.68	665.75
10/15/2007	19.76	665.67
1/8/2008	7.92	677.51
4/2/2008	14.41	671.02
7/1/2008	14.45	671.37
9/30/2008	15.39	670.43
1/19/2009	13.55	672.27
4/14/2009	20.10	665.72
7/21/2009	15.15	670.67
10/14/2009	20.27	665.55
1/18/2010	20.40	665.42
4/8/2010	15.40	670.42
7/12/2010	17.15	668.67
10/11/2010	14.40	671.42
1/12/2011	17.92	667.90
4/4/2011	16.23	669.59
7/25/2011	3.10	682.72
10/3/2011	2.72	683.10
1/12/2012	15.30	670.52
4/2/2012	16.50	669.32
7/5/2012	12.81	673.01
10/11/2012	14.55	671.27
1/21/2013	13.45	672.37
4/1/2013	10.78	675.04
7/1/2013	19.85	665.97
10/9/2013	10.02	675.80
1/21/2014	18.20	667.62
4/7/2014	17.95	667.87
7/16/2014	12.99	672.83
10/14/2014	10.70	675.12
1/20/2015	13.49	672.33
4/6/2015	11.30	674.52
7/22/2015	8.62	677.20
10/19/2015	4.10	681.72
1/5/2016	11.70	674.12
4/4/2016	17.98	667.90
7/5/2016	4.67	681.21
10/24/2016	4.67	681.21
1/16/2017	15.89	669.99
4/18/2017	12.45	669.99
7/11/2017	14.74	671.14
10/23/2017	17.02	668.86
1/8/2018	17.69	668.19
4/11/2018	15.95	669.93
7/12/2018	16.90	668.98
10/19/2018	15.69	670.19
1/9/2019	12.62	673.26
4/8/2019	11.80	674.08
7/22/2019	11.35	674.53
10/14/2019	11.88	674.00
1/6/2020	9.44	676.44
4/6/2020	13.00	672.88
7/21/2020	12.31	673.57
10/13/2020	19.31	666.57
1/19/2021	12.24	673.64
4/6/2021	10.28	675.60
7/13/2021	12.80	673.08
10/18/2021	10.13	675.75
1/18/2022	18.85	667.03

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing

TOC Elevation - 685.43

DPE and GWCT off line for repairs in February 2007.

DPE off line for repairs in January 2008.

DPE off line for repairs in October 2013.

TOC Elevation re-measured on June 13, 2008 at 685.82.

DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical

oxidation injection pilot test (note shading on graph).

DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the ABC+

injection pilot test (note shading on graph).


DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note

shading on graph).

DPE-3, -4, -6, -7, -8 off line beginning September 2021 to accommodate bioaugmentation injection.

MONITORING WELL MW-14D
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Hydrograph for MW-14D



MONITORING WELL MW-15S
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft) MSL
4/8/2004	1.20	685.44
10/12/2004	5.26	681.38
1/6/2005	0.35	686.29
4/14/2005	2.31	684.33
7/20/2005	4.78	681.86
10/4/2005	2.22	684.42
1/5/2006	0.70	685.94
4/11/2006	2.00	684.64
7/10/2006	4.75	681.89
1/9/2007	0.05	686.59
2/28/2007	0.00	686.64
4/16/2007	0.50	686.14
7/2/2007	4.67	681.97
10/16/2007	4.80	681.84
1/8/2008	0.70	685.94
4/2/2008	0.00	686.64
7/1/2008	0.50	687.02
9/30/2008	3.14	684.38
1/19/2009	1.50	686.02
4/14/2009	1.60	685.92
7/21/2009	1.11	686.41
10/14/2009	1.11	686.41
1/18/2010	0.80	686.72
4/8/2010	2.00	685.52
7/12/2010	2.80	684.72
10/11/2010	3.14	684.38
1/12/2011	1.40	686.12
4/4/2011	0.50	687.02
7/25/2011	2.51	685.01
10/3/2011	0.20	687.32
1/12/2012	0.50	687.02
4/2/2012	1.40	686.12
7/5/2012	3.90	683.62
10/1/2012	3.18	684.34
1/21/2013	0.00	687.52
4/1/2013	0.50	687.02
7/1/2013	1.73	685.79
10/9/2013	2.10	685.42
1/21/2014	1.75	685.77
4/7/2014	0.90	686.62
7/16/2014	1.91	685.61
10/14/2014	2.00	685.52
1/20/2015	1.60	685.92
4/6/2015	0.51	687.01
7/22/2015	1.41	686.11
10/19/2015	2.20	685.32
1/5/2016	1.15	686.37
4/4/2016	0.70	687.17
7/5/2016	3.61	683.56
10/24/2016	3.61	683.56
1/16/2017	1.20	685.97
4/18/2017	0.90	685.97
7/11/2017	4.30	682.87
10/23/2017	2.55	684.62
1/8/2018	0.00	687.17
4/11/2018	0.00	687.17
7/12/2018	0.35	686.82
10/19/2018	0.44	686.73
1/9/2019	0.22	686.95
4/8/2019	0.00	687.17
7/22/2019	2.95	684.22
10/14/2019	1.32	685.85
1/6/2020	0.04	687.13
4/6/2020	0.02	687.15
7/21/2020	0.48	686.69
10/13/2020	2.98	684.19
1/19/2021	0.49	686.68
4/6/2021	0.98	686.19
7/13/2021	3.25	683.92
10/18/2021	0.87	686.30
1/18/2022	0.00	687.17

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing

TOC Elevation - 686.64

DPE and GWCT off line for repairs in February 2007.

DPE off line for repairs in January 2008.

DPE off line for repairs in October 2013.

Measured from ground surface on April 4, 2016 at 687.87.

TOC Elevation re-measured on June 13, 2008 at 687.52.

DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).


DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the ABC+ injection pilot test (note shading on graph).

DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).

DPE-3, -4, -6, -7, -8 off line beginning September 2021 to accommodate bioaugmentation injection.

MONITORING WELL MW-15S
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Hydrograph for MW-15S



—◆— Groundwater Elevation (ft MSL)

**MONITORING WELL MW-15D
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York**


Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	15.70	671.61
10/12/2004	17.42	669.89
1/6/2005	15.74	671.57
4/14/2005	16.99	670.32
7/20/2005	17.31	670.00
10/4/2005	8.94	678.37
1/5/2006	16.16	671.15
4/11/2006	16.90	670.41
7/10/2006	15.78	671.53
10/18/2006	15.50	671.81
1/9/2007	15.80	671.51
2/28/2007	4.10	683.21
4/16/2007	16.61	670.70
7/2/2007	17.20	670.11
10/16/2007	16.70	670.61
1/8/2008	8.99	678.32
4/2/2008	15.01	672.30
7/1/2008	14.64	672.98
9/30/2008	16.24	671.38
1/19/2009	15.00	672.62
4/14/2009	14.21	673.41
7/21/2009	14.61	673.01
10/14/2009	14.81	672.81
1/18/2010	16.89	670.73
4/8/2010	15.00	672.62
7/12/2010	13.00	674.62
10/11/2010	13.00	674.62
1/12/2011	15.65	671.97
4/4/2011	15.51	672.11
7/25/2011	3.73	683.89
10/3/2011	3.05	684.57
1/12/2012	15.50	672.12
4/2/2012	14.30	673.32
7/5/2012	9.81	677.81
10/11/2012	13.70	673.92
1/21/2013	15.90	671.72
4/1/2013	11.08	676.54
7/1/2013	16.04	671.58
10/9/2013	13.95	673.67
1/21/2014	15.05	672.57
4/7/2014	15.84	671.78
7/16/2014	13.51	674.11
10/14/2014	12.49	675.13
1/20/2015	15.04	672.58
4/6/2015	13.15	674.47
7/22/2015	9.92	677.70
10/19/2015	6.50	681.12
1/5/2016	13.65	673.97
4/4/2016	11.70	676.17
7/5/2016	5.85	681.52
10/24/2016	5.85	681.52
1/16/2017	13.56	673.81
4/18/2017	13.40	673.97
7/11/2017	14.06	673.31
10/23/2017	14.21	673.16
1/8/2018	13.08	674.79
4/11/2018	11.70	676.17
7/12/2018	14.19	673.68
10/19/2018	13.83	674.04
1/9/2019	13.17	674.70
4/8/2019	12.80	675.07
7/22/2019	12.66	675.21
10/14/2019	11.97	675.90
1/6/2020	10.79	677.08
4/6/2020	11.85	676.02
7/21/2020	12.61	675.26
10/13/2020	13.55	674.32
1/19/2021	8.76	679.11
4/6/2021	11.31	676.56
7/13/2021	13.10	674.77
10/18/2021	11.72	676.15
1/18/2022	11.85	676.02

NOTES:

ft MSL - feet mean sea level
NA - Not Available
NM - Not Measured
TOC - top of PVC casing
TOC Elevation - 687.31'
DPE and GWCT off line for repairs in February 2007.
DPE off line for repairs in January 2008.
DPE off line for repairs in October 2013.
TOC Elevation re-measured on June 13, 2008 at 687.62.
Measured from ground surface on April 4, 2016 at 687.87.
DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).
DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the ABC+ injection pilot test (note shading on graph).
DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).
DPE-3, -4, -6, -7, -8 off line beginning September 2021 to accommodate bioaugmentation injection.

MONITORING WELL MW-15D
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Hydrograph for MW-15D



MONITORING WELL MW-16S
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft) MSL
4/8/2004	5.09	680.75
10/12/2004	12.09	673.75
1/6/2005	4.75	681.09
4/14/2005	10.15	675.69
7/20/2005	14.56	671.28
10/4/2005	11.50	674.34
1/5/2006	11.41	674.43
4/11/2006	12.90	672.94
7/10/2006	11.54	674.30
10/18/2006	12.50	673.34
1/9/2007	13.82	672.02
2/28/2007	2.90	682.94
4/16/2007	13.07	672.77
7/2/2007	12.50	673.34
10/18/2007	15.23	670.61
1/8/2008	5.60	680.24
4/2/2008	12.40	673.44
7/1/2008	15.70	674.67
9/30/2008	19.34	671.03
1/19/2009	17.80	672.57
4/14/2009	18.22	672.15
7/21/2009	19.95	670.42
10/14/2009	17.77	672.60
1/18/2010	16.45	673.92
4/8/2010	18.60	671.77
7/12/2010	18.45	671.92
10/11/2010	13.51	676.86
4/7/2011	8.55	677.29
7/25/2011	1.45	684.39
10/3/2011	0.60	685.24
1/12/2012	3.80	682.04
4/2/2012	5.85	679.99
7/5/2012	9.12	676.72
10/11/2012	6.36	679.48
1/21/2013	7.85	677.99
4/1/2013	10.15	675.69
7/1/2013	9.18	676.66
10/9/2013	3.80	682.04
1/21/2014	9.55	676.29
4/7/2014	9.60	676.24
7/16/2014	9.05	676.79
10/14/2014	3.10	682.74
1/20/2015	6.90	678.94
4/6/2015	5.50	680.34
7/22/2015	10.14	678.05
10/19/2015	5.00	683.19
1/5/2016	7.05	681.14
4/4/2016	6.38	681.77
7/5/2016	5.23	682.92
10/24/2016	5.23	682.92
1/16/2017	8.25	679.90
4/18/2017	7.28	679.90
7/11/2017	10.36	677.79
10/23/2017	8.66	679.49
1/8/2018	6.29	681.86
4/11/2018	6.71	681.44
7/12/2018	8.99	679.16
10/19/2018	10.42	677.73
1/9/2019	6.86	681.29
4/8/2019	6.02	682.13
7/22/2019	6.91	681.24
10/14/2019	6.02	682.13
1/6/2020	5.51	682.64
4/6/2020	6.83	681.32
7/21/2020	6.14	682.01
10/12/2020	8.00	680.15
1/19/2021	6.89	681.26
4/6/2021	6.60	681.55
7/13/2021	6.90	681.25
10/18/2021	3.87	684.28
1/18/2022	5.42	682.73

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing

TOC Elevation - 685.84

DPE and GWCT off line for repairs in February 2007.

DPE off line for repairs in January 2008.

DPE off line for repairs in October 2013.

TOC Elevation re-measured on June 13, 2008 at 690.37.

TOC Elevation re-measured on April 7, 2011 at 685.84.

TOC Elevation re-measured on June 1, 2015 at 688.19.

TOC Elevation re-measured on February 23, 2016 at 688.15.

DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).


DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the ABC+ injection pilot test (note shading on graph).

DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).

DPE-3, -4, -6, -7, -8 off line beginning September 2021 to accommodate bioaugmentation injection.

MONITORING WELL MW-16S
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Hydrograph for MW-16S



—◆— Groundwater Elevation (ft MSL)

**MONITORING WELL MW-16D
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York**

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	13.62	672.39
10/12/2004	15.51	670.50
1/6/2005	13.70	672.31
4/14/2005	16.09	669.92
7/20/2005	16.65	669.36
10/4/2005	9.89	676.12
1/5/2006	17.21	668.80
4/11/2006	17.1	668.91
7/10/2006	10.61	675.40
10/18/2006	15.41	670.60
1/9/2007	15.6	670.41
2/28/2007	2.74	683.27
4/16/2007	16.35	669.66
7/2/2007	16.85	669.16
10/18/2007	17.17	668.84
1/8/2008	8.32	677.69
4/2/2008	13.44	672.57
7/1/2008	17.72	672.83
9/30/2008	19.29	671.26
1/19/2009	17.95	672.60
4/14/2009	17.21	673.34
7/21/2009	18.28	672.27
10/14/2009	17.60	672.95
1/18/2010	19.51	671.04
4/8/2010	17.19	673.36
7/12/2010	17.15	673.40
10/11/2010	18.63	671.92
4/7/2011	13.67	672.34
7/25/2011	2.46	683.55
10/3/2011	1.70	684.31
1/12/2012	13.55	672.46
4/2/2012	12.61	673.40
7/5/2012	8.90	677.11
10/11/2012	13.38	672.63
1/21/2013	15.44	670.57
4/1/2013	12.31	673.70
7/1/2013	16.25	669.76
10/9/2013	11.40	674.61
1/21/2014	13.35	672.66
4/7/2014	15.54	670.47
7/16/2014	11.73	674.28
10/14/2014	10.04	675.97
1/20/2015	12.31	673.70
4/6/2015	10.30	675.71
7/22/2015	9.80	678.59
10/19/2015	6.40	681.99
1/5/2016	13.00	675.39
4/4/2016	11.35	676.81
7/5/2016	6.49	681.67
10/24/2016	6.49	681.67
1/16/2017	14.28	673.88
4/18/2017	13.24	673.88
7/11/2017	14.25	673.91
10/23/2017	14.72	673.44
1/8/2018	12.38	675.78
4/11/2018	11.67	676.49
7/12/2018	14.20	673.96
10/19/2018	14.32	673.84
1/9/2019	12.82	675.34
4/8/2019	11.78	676.38
7/22/2019	12.13	676.03
10/14/2019	11.32	676.84
1/6/2020	10.29	677.87
4/6/2020	11.54	676.62
7/21/2020	11.96	676.20
10/12/2020	13.19	674.97
1/19/2021	8.96	679.20
4/6/2021	10.81	677.35
7/13/2021	12.10	676.06
10/18/2021	9.55	678.61
1/18/2022	11.33	676.83

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing

TOC Elevation - 686.01

DPE and GWCT off line for repairs in February 2007.

DPE off line for repairs in January 2008.

DPE off line for repairs in October 2013.

TOC Elevation re-measured on June 13, 2008 at 690.55.

TOC Elevation re-measured on April 7, 2011 at 686.01.

TOC Elevation re-measured on June 1, 2015 at 688.39.

TOC Elevation re-measured on February 23, 2016 at 688.16.

DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).


DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the ABC+ injection pilot test (note shading on graph).

DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).

DPE-3, -4, -6, -7, -8 off line beginning September 2021 to accommodate bioaugmentation injection.

MONITORING WELL MW-16D
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site
Lancaster, New York

Hydrograph for MW-16D



Date

◆ Groundwater Elevation (ft MSL)

Appendix C
Analytical Laboratory Data Packages
(Provided on CD)

ANALYTICAL REPORT

Eurofins Buffalo
10 Hazelwood Drive
Amherst, NY 14228-2298
Tel: (716)691-2600

Laboratory Job ID: 480-194344-1
Client Project/Site: Scott Figgie West of Plant 2

For:
AECOM
One John James Audubon Parkway
Suite 210
Amherst, New York 14228

Attn: Mr. Dino Zack



Authorized for release by:
2/3/2022 12:01:42 PM
Rebecca Jones, Project Management Assistant I
Rebecca.Jones@Eurofinset.com
Designee for
Brian Fischer, Manager of Project Management
(716)504-9835
Brian.Fischer@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:
www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Client Sample Results	5
Lab Chronicle	48
Certification Summary	52
Method Summary	53
Sample Summary	54
Receipt Checklists	55
Chain of Custody	56

Definitions/Glossary

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
*+	LCS and/or LCSD is outside acceptance limits, high biased.
*1	LCS/LCSD RPD exceeds control limits.
E	Result exceeded calibration range.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Job ID: 480-194344-1

Laboratory: Eurofins Buffalo

Narrative

Job Narrative 480-194344-1

Comments

No additional comments.

Receipt

The samples were received on 1/20/2022 2:45 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 2.4° C.

GC/MS VOA

Method 8260C: The RPD of the laboratory control sample (LCS) and laboratory control sample duplicate (LCSD) for analytical batch 480-612372 recovered outside control limits for the following analytes: Bromomethane.

Method 8260C: The following volatiles samples were diluted due to foaming at the time of purging during the original sample analysis: MW-2 (480-194344-1), MW-13S (480-194344-6), DPE-1 (480-194344-10), DPE-3 (480-194344-12) and DPE-5 (480-194344-14). Elevated reporting limits (RLs) are provided.

Method 8260C: The following sample was diluted due to the nature of the sample matrix: MW-4 (480-194344-2). Elevated reporting limits (RLs) are provided.

Method 8260C: The following samples were diluted to bring the concentration of target analytes within the calibration range: MW-8R (480-194344-3), DPE-4 (480-194344-13), DPE-7 (480-194344-16) and DPE-8 (480-194344-17). Elevated reporting limits (RLs) are provided.

Method 8260C: The following sample(s) was collected in a properly preserved vial; however, the pH was outside the required criteria when verified by the laboratory. The sample was analyzed within the 7-day holding time specified for unpreserved samples: DPE-1 (480-194344-10). pH is 7.

Method 8260C: The following sample(s) was collected in a properly preserved vial; however, the pH was outside the required criteria when verified by the laboratory. The sample was analyzed within the 7-day holding time specified for unpreserved samples: DPE-2 (480-194344-11). pH is 4.

Method 8260C: The following samples were diluted to bring the concentration of target analytes within the calibration range: MW-16D (480-194344-9). Elevated reporting limits (RLs) are provided.

Method 8260C: The continuing calibration verification (CCV) associated with batch 480-612547 recovered above the upper control limit for Carbon tetrachloride and Trichlorofluoromethane. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The associated samples are impacted: MW-16S (480-194344-8) and MW-16D (480-194344-9).

Method 8260C: Due to the co-elution of Ethyl Acetate with 2-Butanone in the full spike solution, 2-Butanone exceeded control limits in the laboratory control sample (LCS) and/or laboratory control sample duplicate (LCSD) associated with batch 480-612547. The following samples are impacted: MW-16S (480-194344-8) and MW-16D (480-194344-9).

Method 8260C: The following sample was diluted to bring the concentration of target analytes within the calibration range: MW-16S (480-194344-8). Elevated reporting limits (RLs) are provided.

Method 8260C: The continuing calibration verification (CCV) associated with batch 480-612671 recovered above the upper control limit for Carbon tetrachloride and Trichlorofluoromethane. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The associated sample is impacted: MW-16S (480-194344-8).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

General Chemistry

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: MW-2

Lab Sample ID: 480-194344-1

Date Collected: 01/19/22 15:05

Matrix: Water

Date Received: 01/21/22 14:45

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		2.0	1.6	ug/L			01/21/22 12:24	2
1,1,2,2-Tetrachloroethane	ND		2.0	0.42	ug/L			01/21/22 12:24	2
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		2.0	0.62	ug/L			01/21/22 12:24	2
1,1,2-Trichloroethane	ND		2.0	0.46	ug/L			01/21/22 12:24	2
1,1-Dichloroethane	ND		2.0	0.76	ug/L			01/21/22 12:24	2
1,1-Dichloroethene	ND		2.0	0.58	ug/L			01/21/22 12:24	2
1,2,4-Trichlorobenzene	ND		2.0	0.82	ug/L			01/21/22 12:24	2
1,2-Dibromo-3-Chloropropane	ND		2.0	0.78	ug/L			01/21/22 12:24	2
1,2-Dibromoethane	ND		2.0	1.5	ug/L			01/21/22 12:24	2
1,2-Dichlorobenzene	ND		2.0	1.6	ug/L			01/21/22 12:24	2
1,2-Dichloroethane	ND		2.0	0.42	ug/L			01/21/22 12:24	2
1,2-Dichloropropane	ND		2.0	1.4	ug/L			01/21/22 12:24	2
1,3-Dichlorobenzene	ND		2.0	1.6	ug/L			01/21/22 12:24	2
1,4-Dichlorobenzene	ND		2.0	1.7	ug/L			01/21/22 12:24	2
2-Butanone (MEK)	ND		20	2.6	ug/L			01/21/22 12:24	2
2-Hexanone	ND		10	2.5	ug/L			01/21/22 12:24	2
4-Methyl-2-pentanone (MIBK)	ND		10	4.2	ug/L			01/21/22 12:24	2
Acetone	ND		20	6.0	ug/L			01/21/22 12:24	2
Benzene	ND		2.0	0.82	ug/L			01/21/22 12:24	2
Bromodichloromethane	ND		2.0	0.78	ug/L			01/21/22 12:24	2
Bromoform	ND		2.0	0.52	ug/L			01/21/22 12:24	2
Bromomethane	ND	*1	2.0	1.4	ug/L			01/21/22 12:24	2
Carbon disulfide	ND		2.0	0.38	ug/L			01/21/22 12:24	2
Carbon tetrachloride	ND		2.0	0.54	ug/L			01/21/22 12:24	2
Chlorobenzene	ND		2.0	1.5	ug/L			01/21/22 12:24	2
Chloroethane	ND		2.0	0.64	ug/L			01/21/22 12:24	2
Chloroform	ND		2.0	0.68	ug/L			01/21/22 12:24	2
Chloromethane	ND		2.0	0.70	ug/L			01/21/22 12:24	2
cis-1,2-Dichloroethene	ND		2.0	1.6	ug/L			01/21/22 12:24	2
cis-1,3-Dichloropropene	ND		2.0	0.72	ug/L			01/21/22 12:24	2
Cyclohexane	ND		2.0	0.36	ug/L			01/21/22 12:24	2
Dibromochloromethane	ND		2.0	0.64	ug/L			01/21/22 12:24	2
Dichlorodifluoromethane	ND		2.0	1.4	ug/L			01/21/22 12:24	2
Ethylbenzene	ND		2.0	1.5	ug/L			01/21/22 12:24	2
Isopropylbenzene	ND		2.0	1.6	ug/L			01/21/22 12:24	2
Methyl acetate	ND		5.0	2.6	ug/L			01/21/22 12:24	2
Methyl tert-butyl ether	ND		2.0	0.32	ug/L			01/21/22 12:24	2
Methylcyclohexane	ND		2.0	0.32	ug/L			01/21/22 12:24	2
Methylene Chloride	ND		2.0	0.88	ug/L			01/21/22 12:24	2
Styrene	ND		2.0	1.5	ug/L			01/21/22 12:24	2
Tetrachloroethene	ND		2.0	0.72	ug/L			01/21/22 12:24	2
Toluene	ND		2.0	1.0	ug/L			01/21/22 12:24	2
trans-1,2-Dichloroethene	ND		2.0	1.8	ug/L			01/21/22 12:24	2
trans-1,3-Dichloropropene	ND		2.0	0.74	ug/L			01/21/22 12:24	2
Trichloroethene	ND		2.0	0.92	ug/L			01/21/22 12:24	2
Trichlorofluoromethane	ND		2.0	1.8	ug/L			01/21/22 12:24	2
Vinyl chloride	ND		2.0	1.8	ug/L			01/21/22 12:24	2
Xylenes, Total	ND		4.0	1.3	ug/L			01/21/22 12:24	2

Client Sample Results

Client: AECOM
 Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: MW-2

Lab Sample ID: 480-194344-1

Date Collected: 01/19/22 15:05

Matrix: Water

Date Received: 01/21/22 14:45

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	81		77 - 120		01/21/22 12:24	2
4-Bromofluorobenzene (Surr)	102		73 - 120		01/21/22 12:24	2
Toluene-d8 (Surr)	88		80 - 120		01/21/22 12:24	2
Dibromofluoromethane (Surr)	84		75 - 123		01/21/22 12:24	2

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	23.4		1.0	0.43	mg/L			01/25/22 15:06	1

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: MW-4

Lab Sample ID: 480-194344-2

Date Collected: 01/18/22 11:02

Matrix: Water

Date Received: 01/21/22 14:45

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		4.0	3.3	ug/L			01/21/22 12:46	4
1,1,2,2-Tetrachloroethane	ND		4.0	0.84	ug/L			01/21/22 12:46	4
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		4.0	1.2	ug/L			01/21/22 12:46	4
1,1,2-Trichloroethane	ND		4.0	0.92	ug/L			01/21/22 12:46	4
1,1-Dichloroethane	ND		4.0	1.5	ug/L			01/21/22 12:46	4
1,1-Dichloroethene	ND		4.0	1.2	ug/L			01/21/22 12:46	4
1,2,4-Trichlorobenzene	ND		4.0	1.6	ug/L			01/21/22 12:46	4
1,2-Dibromo-3-Chloropropane	ND		4.0	1.6	ug/L			01/21/22 12:46	4
1,2-Dibromoethane	ND		4.0	2.9	ug/L			01/21/22 12:46	4
1,2-Dichlorobenzene	ND		4.0	3.2	ug/L			01/21/22 12:46	4
1,2-Dichloroethane	ND		4.0	0.84	ug/L			01/21/22 12:46	4
1,2-Dichloropropane	ND		4.0	2.9	ug/L			01/21/22 12:46	4
1,3-Dichlorobenzene	ND		4.0	3.1	ug/L			01/21/22 12:46	4
1,4-Dichlorobenzene	ND		4.0	3.4	ug/L			01/21/22 12:46	4
2-Butanone (MEK)	ND		40	5.3	ug/L			01/21/22 12:46	4
2-Hexanone	ND		20	5.0	ug/L			01/21/22 12:46	4
4-Methyl-2-pentanone (MIBK)	ND		20	8.4	ug/L			01/21/22 12:46	4
Acetone	ND		40	12	ug/L			01/21/22 12:46	4
Benzene	ND		4.0	1.6	ug/L			01/21/22 12:46	4
Bromodichloromethane	ND		4.0	1.6	ug/L			01/21/22 12:46	4
Bromoform	ND		4.0	1.0	ug/L			01/21/22 12:46	4
Bromomethane	ND	*1	4.0	2.8	ug/L			01/21/22 12:46	4
Carbon disulfide	ND		4.0	0.76	ug/L			01/21/22 12:46	4
Carbon tetrachloride	ND		4.0	1.1	ug/L			01/21/22 12:46	4
Chlorobenzene	ND		4.0	3.0	ug/L			01/21/22 12:46	4
Chloroethane	29		4.0	1.3	ug/L			01/21/22 12:46	4
Chloroform	ND		4.0	1.4	ug/L			01/21/22 12:46	4
Chloromethane	ND		4.0	1.4	ug/L			01/21/22 12:46	4
cis-1,2-Dichloroethene	ND		4.0	3.2	ug/L			01/21/22 12:46	4
cis-1,3-Dichloropropene	ND		4.0	1.4	ug/L			01/21/22 12:46	4
Cyclohexane	ND		4.0	0.72	ug/L			01/21/22 12:46	4
Dibromochloromethane	ND		4.0	1.3	ug/L			01/21/22 12:46	4
Dichlorodifluoromethane	ND		4.0	2.7	ug/L			01/21/22 12:46	4
Ethylbenzene	ND		4.0	3.0	ug/L			01/21/22 12:46	4
Isopropylbenzene	ND		4.0	3.2	ug/L			01/21/22 12:46	4
Methyl acetate	ND		10	5.2	ug/L			01/21/22 12:46	4
Methyl tert-butyl ether	ND		4.0	0.64	ug/L			01/21/22 12:46	4
Methylcyclohexane	ND		4.0	0.64	ug/L			01/21/22 12:46	4
Methylene Chloride	ND		4.0	1.8	ug/L			01/21/22 12:46	4
Styrene	ND		4.0	2.9	ug/L			01/21/22 12:46	4
Tetrachloroethene	ND		4.0	1.4	ug/L			01/21/22 12:46	4
Toluene	2.4	J	4.0	2.0	ug/L			01/21/22 12:46	4
trans-1,2-Dichloroethene	ND		4.0	3.6	ug/L			01/21/22 12:46	4
trans-1,3-Dichloropropene	ND		4.0	1.5	ug/L			01/21/22 12:46	4
Trichloroethene	ND		4.0	1.8	ug/L			01/21/22 12:46	4
Trichlorofluoromethane	ND		4.0	3.5	ug/L			01/21/22 12:46	4
Vinyl chloride	ND		4.0	3.6	ug/L			01/21/22 12:46	4
Xylenes, Total	ND		8.0	2.6	ug/L			01/21/22 12:46	4

Client Sample Results

Client: AECOM
 Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: MW-4

Lab Sample ID: 480-194344-2

Date Collected: 01/18/22 11:02

Matrix: Water

Date Received: 01/21/22 14:45

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	84		77 - 120		01/21/22 12:46	4
4-Bromofluorobenzene (Surr)	96		73 - 120		01/21/22 12:46	4
Toluene-d8 (Surr)	87		80 - 120		01/21/22 12:46	4
Dibromofluoromethane (Surr)	87		75 - 123		01/21/22 12:46	4

General Chemistry									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	35.4		1.0	0.43	mg/L			01/25/22 16:02	1

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: MW-8R

Lab Sample ID: 480-194344-3

Date Collected: 01/18/22 12:45

Matrix: Water

Date Received: 01/21/22 14:45

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		25	21	ug/L			01/21/22 13:09	25
1,1,2,2-Tetrachloroethane	ND		25	5.3	ug/L			01/21/22 13:09	25
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		25	7.8	ug/L			01/21/22 13:09	25
1,1,2-Trichloroethane	ND		25	5.8	ug/L			01/21/22 13:09	25
1,1-Dichloroethane	ND		25	9.5	ug/L			01/21/22 13:09	25
1,1-Dichloroethene	ND		25	7.3	ug/L			01/21/22 13:09	25
1,2,4-Trichlorobenzene	ND		25	10	ug/L			01/21/22 13:09	25
1,2-Dibromo-3-Chloropropane	ND		25	9.8	ug/L			01/21/22 13:09	25
1,2-Dibromoethane	ND		25	18	ug/L			01/21/22 13:09	25
1,2-Dichlorobenzene	ND		25	20	ug/L			01/21/22 13:09	25
1,2-Dichloroethane	ND		25	5.3	ug/L			01/21/22 13:09	25
1,2-Dichloropropane	ND		25	18	ug/L			01/21/22 13:09	25
1,3-Dichlorobenzene	ND		25	20	ug/L			01/21/22 13:09	25
1,4-Dichlorobenzene	ND		25	21	ug/L			01/21/22 13:09	25
2-Butanone (MEK)	ND		250	33	ug/L			01/21/22 13:09	25
2-Hexanone	ND		130	31	ug/L			01/21/22 13:09	25
4-Methyl-2-pentanone (MIBK)	ND		130	53	ug/L			01/21/22 13:09	25
Acetone	ND		250	75	ug/L			01/21/22 13:09	25
Benzene	ND		25	10	ug/L			01/21/22 13:09	25
Bromodichloromethane	ND		25	9.8	ug/L			01/21/22 13:09	25
Bromoform	ND		25	6.5	ug/L			01/21/22 13:09	25
Bromomethane	ND	*1	25	17	ug/L			01/21/22 13:09	25
Carbon disulfide	ND		25	4.8	ug/L			01/21/22 13:09	25
Carbon tetrachloride	ND		25	6.8	ug/L			01/21/22 13:09	25
Chlorobenzene	ND		25	19	ug/L			01/21/22 13:09	25
Chloroethane	12	J	25	8.0	ug/L			01/21/22 13:09	25
Chloroform	ND		25	8.5	ug/L			01/21/22 13:09	25
Chloromethane	ND		25	8.8	ug/L			01/21/22 13:09	25
cis-1,2-Dichloroethene	180		25	20	ug/L			01/21/22 13:09	25
cis-1,3-Dichloropropene	ND		25	9.0	ug/L			01/21/22 13:09	25
Cyclohexane	ND		25	4.5	ug/L			01/21/22 13:09	25
Dibromochloromethane	ND		25	8.0	ug/L			01/21/22 13:09	25
Dichlorodifluoromethane	ND		25	17	ug/L			01/21/22 13:09	25
Ethylbenzene	ND		25	19	ug/L			01/21/22 13:09	25
Isopropylbenzene	ND		25	20	ug/L			01/21/22 13:09	25
Methyl acetate	ND		63	33	ug/L			01/21/22 13:09	25
Methyl tert-butyl ether	ND		25	4.0	ug/L			01/21/22 13:09	25
Methylcyclohexane	ND		25	4.0	ug/L			01/21/22 13:09	25
Methylene Chloride	ND		25	11	ug/L			01/21/22 13:09	25
Styrene	ND		25	18	ug/L			01/21/22 13:09	25
Tetrachloroethene	ND		25	9.0	ug/L			01/21/22 13:09	25
Toluene	ND		25	13	ug/L			01/21/22 13:09	25
trans-1,2-Dichloroethene	ND		25	23	ug/L			01/21/22 13:09	25
trans-1,3-Dichloropropene	ND		25	9.3	ug/L			01/21/22 13:09	25
Trichloroethene	ND		25	12	ug/L			01/21/22 13:09	25
Trichlorofluoromethane	ND		25	22	ug/L			01/21/22 13:09	25
Vinyl chloride	630		25	23	ug/L			01/21/22 13:09	25
Xylenes, Total	ND		50	17	ug/L			01/21/22 13:09	25

Client Sample Results

Client: AECOM
 Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: MW-8R

Lab Sample ID: 480-194344-3

Date Collected: 01/18/22 12:45

Matrix: Water

Date Received: 01/21/22 14:45

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	80		77 - 120		01/21/22 13:09	25
4-Bromofluorobenzene (Surr)	104		73 - 120		01/21/22 13:09	25
Toluene-d8 (Surr)	90		80 - 120		01/21/22 13:09	25
Dibromofluoromethane (Surr)	80		75 - 123		01/21/22 13:09	25

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	22.4		1.0	0.43	mg/L			01/25/22 16:58	1

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: MW-3

Lab Sample ID: 480-194344-4

Date Collected: 01/19/22 13:10

Matrix: Water

Date Received: 01/21/22 14:45

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			01/21/22 13:30	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			01/21/22 13:30	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			01/21/22 13:30	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			01/21/22 13:30	1
1,1-Dichloroethane	8.4		1.0	0.38	ug/L			01/21/22 13:30	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			01/21/22 13:30	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			01/21/22 13:30	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			01/21/22 13:30	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			01/21/22 13:30	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			01/21/22 13:30	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			01/21/22 13:30	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			01/21/22 13:30	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			01/21/22 13:30	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			01/21/22 13:30	1
2-Butanone (MEK)	ND		10	1.3	ug/L			01/21/22 13:30	1
2-Hexanone	ND		5.0	1.2	ug/L			01/21/22 13:30	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			01/21/22 13:30	1
Acetone	ND		10	3.0	ug/L			01/21/22 13:30	1
Benzene	ND		1.0	0.41	ug/L			01/21/22 13:30	1
Bromodichloromethane	ND		1.0	0.39	ug/L			01/21/22 13:30	1
Bromoform	ND		1.0	0.26	ug/L			01/21/22 13:30	1
Bromomethane	ND	*1	1.0	0.69	ug/L			01/21/22 13:30	1
Carbon disulfide	ND		1.0	0.19	ug/L			01/21/22 13:30	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			01/21/22 13:30	1
Chlorobenzene	ND		1.0	0.75	ug/L			01/21/22 13:30	1
Chloroethane	ND		1.0	0.32	ug/L			01/21/22 13:30	1
Chloroform	ND		1.0	0.34	ug/L			01/21/22 13:30	1
Chloromethane	ND		1.0	0.35	ug/L			01/21/22 13:30	1
cis-1,2-Dichloroethene	0.86	J	1.0	0.81	ug/L			01/21/22 13:30	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			01/21/22 13:30	1
Cyclohexane	ND		1.0	0.18	ug/L			01/21/22 13:30	1
Dibromochloromethane	ND		1.0	0.32	ug/L			01/21/22 13:30	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			01/21/22 13:30	1
Ethylbenzene	ND		1.0	0.74	ug/L			01/21/22 13:30	1
Isopropylbenzene	ND		1.0	0.79	ug/L			01/21/22 13:30	1
Methyl acetate	ND		2.5	1.3	ug/L			01/21/22 13:30	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			01/21/22 13:30	1
Methylcyclohexane	ND		1.0	0.16	ug/L			01/21/22 13:30	1
Methylene Chloride	ND		1.0	0.44	ug/L			01/21/22 13:30	1
Styrene	ND		1.0	0.73	ug/L			01/21/22 13:30	1
Tetrachloroethene	ND		1.0	0.36	ug/L			01/21/22 13:30	1
Toluene	ND		1.0	0.51	ug/L			01/21/22 13:30	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			01/21/22 13:30	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			01/21/22 13:30	1
Trichloroethene	ND		1.0	0.46	ug/L			01/21/22 13:30	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			01/21/22 13:30	1
Vinyl chloride	14		1.0	0.90	ug/L			01/21/22 13:30	1
Xylenes, Total	ND		2.0	0.66	ug/L			01/21/22 13:30	1

Client Sample Results

Client: AECOM
 Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: MW-3

Lab Sample ID: 480-194344-4

Date Collected: 01/19/22 13:10

Matrix: Water

Date Received: 01/21/22 14:45

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	82		77 - 120		01/21/22 13:30	1
4-Bromofluorobenzene (Surr)	99		73 - 120		01/21/22 13:30	1
Toluene-d8 (Surr)	88		80 - 120		01/21/22 13:30	1
Dibromofluoromethane (Surr)	84		75 - 123		01/21/22 13:30	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	3.7		1.0	0.43	mg/L			01/25/22 17:55	1

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: MW-11

Lab Sample ID: 480-194344-5

Date Collected: 01/19/22 10:07

Matrix: Water

Date Received: 01/21/22 14:45

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			01/21/22 13:53	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			01/21/22 13:53	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			01/21/22 13:53	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			01/21/22 13:53	1
1,1-Dichloroethane	0.54	J	1.0	0.38	ug/L			01/21/22 13:53	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			01/21/22 13:53	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			01/21/22 13:53	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			01/21/22 13:53	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			01/21/22 13:53	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			01/21/22 13:53	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			01/21/22 13:53	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			01/21/22 13:53	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			01/21/22 13:53	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			01/21/22 13:53	1
2-Butanone (MEK)	ND		10	1.3	ug/L			01/21/22 13:53	1
2-Hexanone	ND		5.0	1.2	ug/L			01/21/22 13:53	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			01/21/22 13:53	1
Acetone	ND		10	3.0	ug/L			01/21/22 13:53	1
Benzene	ND		1.0	0.41	ug/L			01/21/22 13:53	1
Bromodichloromethane	ND		1.0	0.39	ug/L			01/21/22 13:53	1
Bromoform	ND		1.0	0.26	ug/L			01/21/22 13:53	1
Bromomethane	ND	*1	1.0	0.69	ug/L			01/21/22 13:53	1
Carbon disulfide	ND		1.0	0.19	ug/L			01/21/22 13:53	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			01/21/22 13:53	1
Chlorobenzene	ND		1.0	0.75	ug/L			01/21/22 13:53	1
Chloroethane	ND		1.0	0.32	ug/L			01/21/22 13:53	1
Chloroform	ND		1.0	0.34	ug/L			01/21/22 13:53	1
Chloromethane	ND		1.0	0.35	ug/L			01/21/22 13:53	1
cis-1,2-Dichloroethene	1.3		1.0	0.81	ug/L			01/21/22 13:53	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			01/21/22 13:53	1
Cyclohexane	ND		1.0	0.18	ug/L			01/21/22 13:53	1
Dibromochloromethane	ND		1.0	0.32	ug/L			01/21/22 13:53	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			01/21/22 13:53	1
Ethylbenzene	ND		1.0	0.74	ug/L			01/21/22 13:53	1
Isopropylbenzene	ND		1.0	0.79	ug/L			01/21/22 13:53	1
Methyl acetate	ND		2.5	1.3	ug/L			01/21/22 13:53	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			01/21/22 13:53	1
Methylcyclohexane	ND		1.0	0.16	ug/L			01/21/22 13:53	1
Methylene Chloride	ND		1.0	0.44	ug/L			01/21/22 13:53	1
Styrene	ND		1.0	0.73	ug/L			01/21/22 13:53	1
Tetrachloroethene	ND		1.0	0.36	ug/L			01/21/22 13:53	1
Toluene	ND		1.0	0.51	ug/L			01/21/22 13:53	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			01/21/22 13:53	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			01/21/22 13:53	1
Trichloroethene	ND		1.0	0.46	ug/L			01/21/22 13:53	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			01/21/22 13:53	1
Vinyl chloride	1.3		1.0	0.90	ug/L			01/21/22 13:53	1
Xylenes, Total	ND		2.0	0.66	ug/L			01/21/22 13:53	1

Client Sample Results

Client: AECOM
 Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: MW-11
Date Collected: 01/19/22 10:07
Date Received: 01/21/22 14:45

Lab Sample ID: 480-194344-5
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	82		77 - 120		01/21/22 13:53	1
4-Bromofluorobenzene (Surr)	101		73 - 120		01/21/22 13:53	1
Toluene-d8 (Surr)	88		80 - 120		01/21/22 13:53	1
Dibromofluoromethane (Surr)	83		75 - 123		01/21/22 13:53	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	4.1		1.0	0.43	mg/L			01/25/22 18:24	1

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: MW-13S

Lab Sample ID: 480-194344-6

Date Collected: 01/18/22 15:00

Matrix: Water

Date Received: 01/21/22 14:45

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		2.0	1.6	ug/L			01/21/22 14:15	2
1,1,2,2-Tetrachloroethane	ND		2.0	0.42	ug/L			01/21/22 14:15	2
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		2.0	0.62	ug/L			01/21/22 14:15	2
1,1,2-Trichloroethane	ND		2.0	0.46	ug/L			01/21/22 14:15	2
1,1-Dichloroethane	ND		2.0	0.76	ug/L			01/21/22 14:15	2
1,1-Dichloroethene	ND		2.0	0.58	ug/L			01/21/22 14:15	2
1,2,4-Trichlorobenzene	ND		2.0	0.82	ug/L			01/21/22 14:15	2
1,2-Dibromo-3-Chloropropane	ND		2.0	0.78	ug/L			01/21/22 14:15	2
1,2-Dibromoethane	ND		2.0	1.5	ug/L			01/21/22 14:15	2
1,2-Dichlorobenzene	ND		2.0	1.6	ug/L			01/21/22 14:15	2
1,2-Dichloroethane	ND		2.0	0.42	ug/L			01/21/22 14:15	2
1,2-Dichloropropane	ND		2.0	1.4	ug/L			01/21/22 14:15	2
1,3-Dichlorobenzene	ND		2.0	1.6	ug/L			01/21/22 14:15	2
1,4-Dichlorobenzene	ND		2.0	1.7	ug/L			01/21/22 14:15	2
2-Butanone (MEK)	ND		20	2.6	ug/L			01/21/22 14:15	2
2-Hexanone	ND		10	2.5	ug/L			01/21/22 14:15	2
4-Methyl-2-pentanone (MIBK)	ND		10	4.2	ug/L			01/21/22 14:15	2
Acetone	ND		20	6.0	ug/L			01/21/22 14:15	2
Benzene	ND		2.0	0.82	ug/L			01/21/22 14:15	2
Bromodichloromethane	ND		2.0	0.78	ug/L			01/21/22 14:15	2
Bromoform	ND		2.0	0.52	ug/L			01/21/22 14:15	2
Bromomethane	ND	*1	2.0	1.4	ug/L			01/21/22 14:15	2
Carbon disulfide	ND		2.0	0.38	ug/L			01/21/22 14:15	2
Carbon tetrachloride	ND		2.0	0.54	ug/L			01/21/22 14:15	2
Chlorobenzene	ND		2.0	1.5	ug/L			01/21/22 14:15	2
Chloroethane	3.3		2.0	0.64	ug/L			01/21/22 14:15	2
Chloroform	ND		2.0	0.68	ug/L			01/21/22 14:15	2
Chloromethane	ND		2.0	0.70	ug/L			01/21/22 14:15	2
cis-1,2-Dichloroethene	7.4		2.0	1.6	ug/L			01/21/22 14:15	2
cis-1,3-Dichloropropene	ND		2.0	0.72	ug/L			01/21/22 14:15	2
Cyclohexane	ND		2.0	0.36	ug/L			01/21/22 14:15	2
Dibromochloromethane	ND		2.0	0.64	ug/L			01/21/22 14:15	2
Dichlorodifluoromethane	ND		2.0	1.4	ug/L			01/21/22 14:15	2
Ethylbenzene	ND		2.0	1.5	ug/L			01/21/22 14:15	2
Isopropylbenzene	ND		2.0	1.6	ug/L			01/21/22 14:15	2
Methyl acetate	ND		5.0	2.6	ug/L			01/21/22 14:15	2
Methyl tert-butyl ether	ND		2.0	0.32	ug/L			01/21/22 14:15	2
Methylcyclohexane	ND		2.0	0.32	ug/L			01/21/22 14:15	2
Methylene Chloride	ND		2.0	0.88	ug/L			01/21/22 14:15	2
Styrene	ND		2.0	1.5	ug/L			01/21/22 14:15	2
Tetrachloroethene	ND		2.0	0.72	ug/L			01/21/22 14:15	2
Toluene	ND		2.0	1.0	ug/L			01/21/22 14:15	2
trans-1,2-Dichloroethene	ND		2.0	1.8	ug/L			01/21/22 14:15	2
trans-1,3-Dichloropropene	ND		2.0	0.74	ug/L			01/21/22 14:15	2
Trichloroethene	ND		2.0	0.92	ug/L			01/21/22 14:15	2
Trichlorofluoromethane	ND		2.0	1.8	ug/L			01/21/22 14:15	2
Vinyl chloride	19		2.0	1.8	ug/L			01/21/22 14:15	2
Xylenes, Total	ND		4.0	1.3	ug/L			01/21/22 14:15	2

Client Sample Results

Client: AECOM
 Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: MW-13S

Lab Sample ID: 480-194344-6

Date Collected: 01/18/22 15:00

Matrix: Water

Date Received: 01/21/22 14:45

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	80		77 - 120		01/21/22 14:15	2
4-Bromofluorobenzene (Surr)	92		73 - 120		01/21/22 14:15	2
Toluene-d8 (Surr)	85		80 - 120		01/21/22 14:15	2
Dibromofluoromethane (Surr)	82		75 - 123		01/21/22 14:15	2

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	5.2		1.0	0.43	mg/L			01/25/22 19:49	1

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: MW-13D

Lab Sample ID: 480-194344-7

Date Collected: 01/18/22 16:15

Matrix: Water

Date Received: 01/21/22 14:45

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			01/21/22 14:37	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			01/21/22 14:37	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			01/21/22 14:37	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			01/21/22 14:37	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			01/21/22 14:37	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			01/21/22 14:37	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			01/21/22 14:37	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			01/21/22 14:37	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			01/21/22 14:37	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			01/21/22 14:37	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			01/21/22 14:37	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			01/21/22 14:37	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			01/21/22 14:37	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			01/21/22 14:37	1
2-Butanone (MEK)	ND		10	1.3	ug/L			01/21/22 14:37	1
2-Hexanone	ND		5.0	1.2	ug/L			01/21/22 14:37	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			01/21/22 14:37	1
Acetone	ND		10	3.0	ug/L			01/21/22 14:37	1
Benzene	ND		1.0	0.41	ug/L			01/21/22 14:37	1
Bromodichloromethane	ND		1.0	0.39	ug/L			01/21/22 14:37	1
Bromoform	ND		1.0	0.26	ug/L			01/21/22 14:37	1
Bromomethane	ND	*1	1.0	0.69	ug/L			01/21/22 14:37	1
Carbon disulfide	ND		1.0	0.19	ug/L			01/21/22 14:37	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			01/21/22 14:37	1
Chlorobenzene	ND		1.0	0.75	ug/L			01/21/22 14:37	1
Chloroethane	19		1.0	0.32	ug/L			01/21/22 14:37	1
Chloroform	ND		1.0	0.34	ug/L			01/21/22 14:37	1
Chloromethane	ND		1.0	0.35	ug/L			01/21/22 14:37	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			01/21/22 14:37	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			01/21/22 14:37	1
Cyclohexane	ND		1.0	0.18	ug/L			01/21/22 14:37	1
Dibromochloromethane	ND		1.0	0.32	ug/L			01/21/22 14:37	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			01/21/22 14:37	1
Ethylbenzene	ND		1.0	0.74	ug/L			01/21/22 14:37	1
Isopropylbenzene	ND		1.0	0.79	ug/L			01/21/22 14:37	1
Methyl acetate	ND		2.5	1.3	ug/L			01/21/22 14:37	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			01/21/22 14:37	1
Methylcyclohexane	ND		1.0	0.16	ug/L			01/21/22 14:37	1
Methylene Chloride	ND		1.0	0.44	ug/L			01/21/22 14:37	1
Styrene	ND		1.0	0.73	ug/L			01/21/22 14:37	1
Tetrachloroethene	ND		1.0	0.36	ug/L			01/21/22 14:37	1
Toluene	ND		1.0	0.51	ug/L			01/21/22 14:37	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			01/21/22 14:37	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			01/21/22 14:37	1
Trichloroethene	ND		1.0	0.46	ug/L			01/21/22 14:37	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			01/21/22 14:37	1
Vinyl chloride	9.2		1.0	0.90	ug/L			01/21/22 14:37	1
Xylenes, Total	ND		2.0	0.66	ug/L			01/21/22 14:37	1

Client Sample Results

Client: AECOM
 Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: MW-13D

Lab Sample ID: 480-194344-7

Date Collected: 01/18/22 16:15

Matrix: Water

Date Received: 01/21/22 14:45

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	81		77 - 120		01/21/22 14:37	1
4-Bromofluorobenzene (Surr)	104		73 - 120		01/21/22 14:37	1
Toluene-d8 (Surr)	89		80 - 120		01/21/22 14:37	1
Dibromofluoromethane (Surr)	83		75 - 123		01/21/22 14:37	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	4.7		1.0	0.43	mg/L			01/25/22 20:45	1

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: MW-16S

Lab Sample ID: 480-194344-8

Date Collected: 01/20/22 13:10

Matrix: Water

Date Received: 01/21/22 14:45

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		500	410	ug/L			01/25/22 21:11	500
1,1,2,2-Tetrachloroethane	ND		500	110	ug/L			01/25/22 21:11	500
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		500	160	ug/L			01/25/22 21:11	500
1,1,2-Trichloroethane	ND		500	120	ug/L			01/25/22 21:11	500
1,1-Dichloroethane	280	J	500	190	ug/L			01/25/22 21:11	500
1,1-Dichloroethene	ND		500	150	ug/L			01/25/22 21:11	500
1,2,4-Trichlorobenzene	ND		500	210	ug/L			01/25/22 21:11	500
1,2-Dibromo-3-Chloropropane	ND		500	200	ug/L			01/25/22 21:11	500
1,2-Dibromoethane	ND		500	370	ug/L			01/25/22 21:11	500
1,2-Dichlorobenzene	ND		500	400	ug/L			01/25/22 21:11	500
1,2-Dichloroethane	ND		500	110	ug/L			01/25/22 21:11	500
1,2-Dichloropropane	ND		500	360	ug/L			01/25/22 21:11	500
1,3-Dichlorobenzene	ND		500	390	ug/L			01/25/22 21:11	500
1,4-Dichlorobenzene	ND		500	420	ug/L			01/25/22 21:11	500
2-Butanone (MEK)	ND		5000	660	ug/L			01/25/22 21:11	500
2-Hexanone	ND		2500	620	ug/L			01/25/22 21:11	500
4-Methyl-2-pentanone (MIBK)	ND		2500	1100	ug/L			01/25/22 21:11	500
Acetone	ND		5000	1500	ug/L			01/25/22 21:11	500
Benzene	ND		500	210	ug/L			01/25/22 21:11	500
Bromodichloromethane	ND		500	200	ug/L			01/25/22 21:11	500
Bromoform	ND		500	130	ug/L			01/25/22 21:11	500
Bromomethane	ND		500	350	ug/L			01/25/22 21:11	500
Carbon disulfide	ND		500	95	ug/L			01/25/22 21:11	500
Carbon tetrachloride	ND		500	140	ug/L			01/25/22 21:11	500
Chlorobenzene	ND		500	380	ug/L			01/25/22 21:11	500
Chloroethane	1100		500	160	ug/L			01/25/22 21:11	500
Chloroform	ND		500	170	ug/L			01/25/22 21:11	500
Chloromethane	ND		500	180	ug/L			01/25/22 21:11	500
cis-1,2-Dichloroethene	8700		500	410	ug/L			01/25/22 21:11	500
cis-1,3-Dichloropropene	ND		500	180	ug/L			01/25/22 21:11	500
Cyclohexane	ND		500	90	ug/L			01/25/22 21:11	500
Dibromochloromethane	ND		500	160	ug/L			01/25/22 21:11	500
Dichlorodifluoromethane	ND		500	340	ug/L			01/25/22 21:11	500
Ethylbenzene	ND		500	370	ug/L			01/25/22 21:11	500
Isopropylbenzene	ND		500	400	ug/L			01/25/22 21:11	500
Methyl acetate	ND		1300	650	ug/L			01/25/22 21:11	500
Methyl tert-butyl ether	ND		500	80	ug/L			01/25/22 21:11	500
Methylcyclohexane	ND		500	80	ug/L			01/25/22 21:11	500
Methylene Chloride	ND		500	220	ug/L			01/25/22 21:11	500
Styrene	ND		500	370	ug/L			01/25/22 21:11	500
Tetrachloroethene	ND		500	180	ug/L			01/25/22 21:11	500
Toluene	430	J	500	260	ug/L			01/25/22 21:11	500
trans-1,2-Dichloroethene	ND		500	450	ug/L			01/25/22 21:11	500
trans-1,3-Dichloropropene	ND		500	190	ug/L			01/25/22 21:11	500
Trichloroethene	ND		500	230	ug/L			01/25/22 21:11	500
Trichlorofluoromethane	ND		500	440	ug/L			01/25/22 21:11	500
Vinyl chloride	19000		500	450	ug/L			01/25/22 21:11	500
Xylenes, Total	ND		1000	330	ug/L			01/25/22 21:11	500

Client Sample Results

Client: AECOM
 Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: MW-16S

Lab Sample ID: 480-194344-8

Date Collected: 01/20/22 13:10

Matrix: Water

Date Received: 01/21/22 14:45

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		77 - 120		01/25/22 21:11	500
4-Bromofluorobenzene (Surr)	105		73 - 120		01/25/22 21:11	500
Toluene-d8 (Surr)	101		80 - 120		01/25/22 21:11	500
Dibromofluoromethane (Surr)	105		75 - 123		01/25/22 21:11	500

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	222		5.0	2.2	mg/L			01/25/22 21:44	5

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: MW-16D

Lab Sample ID: 480-194344-9

Date Collected: 01/20/22 12:15

Matrix: Water

Date Received: 01/21/22 14:45

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			01/21/22 15:20	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			01/21/22 15:20	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			01/21/22 15:20	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			01/21/22 15:20	1
1,1-Dichloroethane	1.5		1.0	0.38	ug/L			01/21/22 15:20	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			01/21/22 15:20	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			01/21/22 15:20	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			01/21/22 15:20	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			01/21/22 15:20	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			01/21/22 15:20	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			01/21/22 15:20	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			01/21/22 15:20	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			01/21/22 15:20	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			01/21/22 15:20	1
2-Butanone (MEK)	ND		10	1.3	ug/L			01/21/22 15:20	1
2-Hexanone	ND		5.0	1.2	ug/L			01/21/22 15:20	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			01/21/22 15:20	1
Acetone	ND		10	3.0	ug/L			01/21/22 15:20	1
Benzene	ND		1.0	0.41	ug/L			01/21/22 15:20	1
Bromodichloromethane	ND		1.0	0.39	ug/L			01/21/22 15:20	1
Bromoform	ND		1.0	0.26	ug/L			01/21/22 15:20	1
Bromomethane	ND	*1	1.0	0.69	ug/L			01/21/22 15:20	1
Carbon disulfide	ND		1.0	0.19	ug/L			01/21/22 15:20	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			01/21/22 15:20	1
Chlorobenzene	ND		1.0	0.75	ug/L			01/21/22 15:20	1
Chloroethane	120	E	1.0	0.32	ug/L			01/21/22 15:20	1
Chloroform	ND		1.0	0.34	ug/L			01/21/22 15:20	1
Chloromethane	ND		1.0	0.35	ug/L			01/21/22 15:20	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			01/21/22 15:20	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			01/21/22 15:20	1
Cyclohexane	ND		1.0	0.18	ug/L			01/21/22 15:20	1
Dibromochloromethane	ND		1.0	0.32	ug/L			01/21/22 15:20	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			01/21/22 15:20	1
Ethylbenzene	ND		1.0	0.74	ug/L			01/21/22 15:20	1
Isopropylbenzene	ND		1.0	0.79	ug/L			01/21/22 15:20	1
Methyl acetate	ND		2.5	1.3	ug/L			01/21/22 15:20	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			01/21/22 15:20	1
Methylcyclohexane	ND		1.0	0.16	ug/L			01/21/22 15:20	1
Methylene Chloride	ND		1.0	0.44	ug/L			01/21/22 15:20	1
Styrene	ND		1.0	0.73	ug/L			01/21/22 15:20	1
Tetrachloroethene	ND		1.0	0.36	ug/L			01/21/22 15:20	1
Toluene	0.70	J	1.0	0.51	ug/L			01/21/22 15:20	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			01/21/22 15:20	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			01/21/22 15:20	1
Trichloroethene	ND		1.0	0.46	ug/L			01/21/22 15:20	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			01/21/22 15:20	1
Vinyl chloride	ND		1.0	0.90	ug/L			01/21/22 15:20	1
Xylenes, Total	ND		2.0	0.66	ug/L			01/21/22 15:20	1

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: MW-16D

Lab Sample ID: 480-194344-9

Date Collected: 01/20/22 12:15

Matrix: Water

Date Received: 01/21/22 14:45

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	82		77 - 120		01/21/22 15:20	1
4-Bromofluorobenzene (Surr)	103		73 - 120		01/21/22 15:20	1
Toluene-d8 (Surr)	88		80 - 120		01/21/22 15:20	1
Dibromofluoromethane (Surr)	84		75 - 123		01/21/22 15:20	1

Method: 8260C - Volatile Organic Compounds by GC/MS - DL

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		2.0	1.6	ug/L			01/24/22 13:05	2
1,1,2,2-Tetrachloroethane	ND		2.0	0.42	ug/L			01/24/22 13:05	2
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		2.0	0.62	ug/L			01/24/22 13:05	2
1,1,2-Trichloroethane	ND		2.0	0.46	ug/L			01/24/22 13:05	2
1,1-Dichloroethane	5.3		2.0	0.76	ug/L			01/24/22 13:05	2
1,1-Dichloroethene	ND		2.0	0.58	ug/L			01/24/22 13:05	2
1,2,4-Trichlorobenzene	ND		2.0	0.82	ug/L			01/24/22 13:05	2
1,2-Dibromo-3-Chloropropane	ND		2.0	0.78	ug/L			01/24/22 13:05	2
1,2-Dibromoethane	ND		2.0	1.5	ug/L			01/24/22 13:05	2
1,2-Dichlorobenzene	ND		2.0	1.6	ug/L			01/24/22 13:05	2
1,2-Dichloroethane	ND		2.0	0.42	ug/L			01/24/22 13:05	2
1,2-Dichloropropane	ND		2.0	1.4	ug/L			01/24/22 13:05	2
1,3-Dichlorobenzene	ND		2.0	1.6	ug/L			01/24/22 13:05	2
1,4-Dichlorobenzene	ND		2.0	1.7	ug/L			01/24/22 13:05	2
2-Butanone (MEK)	ND	*+	20	2.6	ug/L			01/24/22 13:05	2
2-Hexanone	ND		10	2.5	ug/L			01/24/22 13:05	2
4-Methyl-2-pentanone (MIBK)	ND		10	4.2	ug/L			01/24/22 13:05	2
Acetone	ND		20	6.0	ug/L			01/24/22 13:05	2
Benzene	ND		2.0	0.82	ug/L			01/24/22 13:05	2
Bromodichloromethane	ND		2.0	0.78	ug/L			01/24/22 13:05	2
Bromoform	ND		2.0	0.52	ug/L			01/24/22 13:05	2
Bromomethane	ND		2.0	1.4	ug/L			01/24/22 13:05	2
Carbon disulfide	ND		2.0	0.38	ug/L			01/24/22 13:05	2
Carbon tetrachloride	ND		2.0	0.54	ug/L			01/24/22 13:05	2
Chlorobenzene	ND		2.0	1.5	ug/L			01/24/22 13:05	2
Chloroethane	160		2.0	0.64	ug/L			01/24/22 13:05	2
Chloroform	ND		2.0	0.68	ug/L			01/24/22 13:05	2
Chloromethane	ND		2.0	0.70	ug/L			01/24/22 13:05	2
cis-1,2-Dichloroethene	1.9	J	2.0	1.6	ug/L			01/24/22 13:05	2
cis-1,3-Dichloropropene	ND		2.0	0.72	ug/L			01/24/22 13:05	2
Cyclohexane	ND		2.0	0.36	ug/L			01/24/22 13:05	2
Dibromochloromethane	ND		2.0	0.64	ug/L			01/24/22 13:05	2
Dichlorodifluoromethane	ND		2.0	1.4	ug/L			01/24/22 13:05	2
Ethylbenzene	ND		2.0	1.5	ug/L			01/24/22 13:05	2
Isopropylbenzene	ND		2.0	1.6	ug/L			01/24/22 13:05	2
Methyl acetate	ND		5.0	2.6	ug/L			01/24/22 13:05	2
Methyl tert-butyl ether	ND		2.0	0.32	ug/L			01/24/22 13:05	2
Methylcyclohexane	ND		2.0	0.32	ug/L			01/24/22 13:05	2
Methylene Chloride	ND		2.0	0.88	ug/L			01/24/22 13:05	2
Styrene	ND		2.0	1.5	ug/L			01/24/22 13:05	2
Tetrachloroethene	ND		2.0	0.72	ug/L			01/24/22 13:05	2
Toluene	1.1	J	2.0	1.0	ug/L			01/24/22 13:05	2
trans-1,2-Dichloroethene	ND		2.0	1.8	ug/L			01/24/22 13:05	2

Eurofins Buffalo

Client Sample Results

Client: AECOM
 Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: MW-16D

Lab Sample ID: 480-194344-9

Date Collected: 01/20/22 12:15

Matrix: Water

Date Received: 01/21/22 14:45

Method: 8260C - Volatile Organic Compounds by GC/MS - DL (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
trans-1,3-Dichloropropene	ND		2.0	0.74	ug/L			01/24/22 13:05	2
Trichloroethene	ND		2.0	0.92	ug/L			01/24/22 13:05	2
Trichlorofluoromethane	ND		2.0	1.8	ug/L			01/24/22 13:05	2
Vinyl chloride	2.4		2.0	1.8	ug/L			01/24/22 13:05	2
Xylenes, Total	ND		4.0	1.3	ug/L			01/24/22 13:05	2

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		77 - 120		01/24/22 13:05	2
4-Bromofluorobenzene (Surr)	113		73 - 120		01/24/22 13:05	2
Toluene-d8 (Surr)	100		80 - 120		01/24/22 13:05	2
Dibromofluoromethane (Surr)	106		75 - 123		01/24/22 13:05	2

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	4.9		1.0	0.43	mg/L			01/25/22 22:12	1

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: DPE-1

Lab Sample ID: 480-194344-10

Date Collected: 01/19/22 07:00

Matrix: Water

Date Received: 01/21/22 14:45

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		8.0	6.6	ug/L			01/21/22 15:42	8
1,1,2,2-Tetrachloroethane	ND		8.0	1.7	ug/L			01/21/22 15:42	8
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		8.0	2.5	ug/L			01/21/22 15:42	8
1,1,2-Trichloroethane	ND		8.0	1.8	ug/L			01/21/22 15:42	8
1,1-Dichloroethane	41		8.0	3.0	ug/L			01/21/22 15:42	8
1,1-Dichloroethene	ND		8.0	2.3	ug/L			01/21/22 15:42	8
1,2,4-Trichlorobenzene	ND		8.0	3.3	ug/L			01/21/22 15:42	8
1,2-Dibromo-3-Chloropropane	ND		8.0	3.1	ug/L			01/21/22 15:42	8
1,2-Dibromoethane	ND		8.0	5.8	ug/L			01/21/22 15:42	8
1,2-Dichlorobenzene	ND		8.0	6.3	ug/L			01/21/22 15:42	8
1,2-Dichloroethane	ND		8.0	1.7	ug/L			01/21/22 15:42	8
1,2-Dichloropropane	ND		8.0	5.8	ug/L			01/21/22 15:42	8
1,3-Dichlorobenzene	ND		8.0	6.2	ug/L			01/21/22 15:42	8
1,4-Dichlorobenzene	ND		8.0	6.7	ug/L			01/21/22 15:42	8
2-Butanone (MEK)	73 J		80	11	ug/L			01/21/22 15:42	8
2-Hexanone	ND		40	9.9	ug/L			01/21/22 15:42	8
4-Methyl-2-pentanone (MIBK)	ND		40	17	ug/L			01/21/22 15:42	8
Acetone	410		80	24	ug/L			01/21/22 15:42	8
Benzene	ND		8.0	3.3	ug/L			01/21/22 15:42	8
Bromodichloromethane	ND		8.0	3.1	ug/L			01/21/22 15:42	8
Bromoform	ND		8.0	2.1	ug/L			01/21/22 15:42	8
Bromomethane	ND	*1	8.0	5.5	ug/L			01/21/22 15:42	8
Carbon disulfide	ND		8.0	1.5	ug/L			01/21/22 15:42	8
Carbon tetrachloride	ND		8.0	2.2	ug/L			01/21/22 15:42	8
Chlorobenzene	ND		8.0	6.0	ug/L			01/21/22 15:42	8
Chloroethane	3.4 J		8.0	2.6	ug/L			01/21/22 15:42	8
Chloroform	ND		8.0	2.7	ug/L			01/21/22 15:42	8
Chloromethane	ND		8.0	2.8	ug/L			01/21/22 15:42	8
cis-1,2-Dichloroethene	52		8.0	6.5	ug/L			01/21/22 15:42	8
cis-1,3-Dichloropropene	ND		8.0	2.9	ug/L			01/21/22 15:42	8
Cyclohexane	ND		8.0	1.4	ug/L			01/21/22 15:42	8
Dibromochloromethane	ND		8.0	2.6	ug/L			01/21/22 15:42	8
Dichlorodifluoromethane	ND		8.0	5.4	ug/L			01/21/22 15:42	8
Ethylbenzene	ND		8.0	5.9	ug/L			01/21/22 15:42	8
Isopropylbenzene	ND		8.0	6.3	ug/L			01/21/22 15:42	8
Methyl acetate	ND		20	10	ug/L			01/21/22 15:42	8
Methyl tert-butyl ether	ND		8.0	1.3	ug/L			01/21/22 15:42	8
Methylcyclohexane	ND		8.0	1.3	ug/L			01/21/22 15:42	8
Methylene Chloride	ND		8.0	3.5	ug/L			01/21/22 15:42	8
Styrene	ND		8.0	5.8	ug/L			01/21/22 15:42	8
Tetrachloroethene	ND		8.0	2.9	ug/L			01/21/22 15:42	8
Toluene	6.3 J		8.0	4.1	ug/L			01/21/22 15:42	8
trans-1,2-Dichloroethene	ND		8.0	7.2	ug/L			01/21/22 15:42	8
trans-1,3-Dichloropropene	ND		8.0	3.0	ug/L			01/21/22 15:42	8
Trichloroethene	5.6 J		8.0	3.7	ug/L			01/21/22 15:42	8
Trichlorofluoromethane	ND		8.0	7.0	ug/L			01/21/22 15:42	8
Vinyl chloride	11		8.0	7.2	ug/L			01/21/22 15:42	8
Xylenes, Total	ND		16	5.3	ug/L			01/21/22 15:42	8

Client Sample Results

Client: AECOM
 Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: DPE-1

Lab Sample ID: 480-194344-10

Date Collected: 01/19/22 07:00

Matrix: Water

Date Received: 01/21/22 14:45

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	80		77 - 120		01/21/22 15:42	8
4-Bromofluorobenzene (Surr)	101		73 - 120		01/21/22 15:42	8
Toluene-d8 (Surr)	87		80 - 120		01/21/22 15:42	8
Dibromofluoromethane (Surr)	81		75 - 123		01/21/22 15:42	8

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	93.1		4.0	1.7	mg/L			01/25/22 22:42	4

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: DPE-2

Lab Sample ID: 480-194344-11

Date Collected: 01/19/22 13:30

Matrix: Water

Date Received: 01/21/22 14:45

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			01/21/22 16:04	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			01/21/22 16:04	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			01/21/22 16:04	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			01/21/22 16:04	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			01/21/22 16:04	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			01/21/22 16:04	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			01/21/22 16:04	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			01/21/22 16:04	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			01/21/22 16:04	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			01/21/22 16:04	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			01/21/22 16:04	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			01/21/22 16:04	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			01/21/22 16:04	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			01/21/22 16:04	1
2-Butanone (MEK)	ND		10	1.3	ug/L			01/21/22 16:04	1
2-Hexanone	ND		5.0	1.2	ug/L			01/21/22 16:04	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			01/21/22 16:04	1
Acetone	5.2	J	10	3.0	ug/L			01/21/22 16:04	1
Benzene	ND		1.0	0.41	ug/L			01/21/22 16:04	1
Bromodichloromethane	ND		1.0	0.39	ug/L			01/21/22 16:04	1
Bromoform	ND		1.0	0.26	ug/L			01/21/22 16:04	1
Bromomethane	ND	*1	1.0	0.69	ug/L			01/21/22 16:04	1
Carbon disulfide	ND		1.0	0.19	ug/L			01/21/22 16:04	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			01/21/22 16:04	1
Chlorobenzene	ND		1.0	0.75	ug/L			01/21/22 16:04	1
Chloroethane	0.57	J	1.0	0.32	ug/L			01/21/22 16:04	1
Chloroform	ND		1.0	0.34	ug/L			01/21/22 16:04	1
Chloromethane	ND		1.0	0.35	ug/L			01/21/22 16:04	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			01/21/22 16:04	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			01/21/22 16:04	1
Cyclohexane	ND		1.0	0.18	ug/L			01/21/22 16:04	1
Dibromochloromethane	ND		1.0	0.32	ug/L			01/21/22 16:04	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			01/21/22 16:04	1
Ethylbenzene	ND		1.0	0.74	ug/L			01/21/22 16:04	1
Isopropylbenzene	ND		1.0	0.79	ug/L			01/21/22 16:04	1
Methyl acetate	ND		2.5	1.3	ug/L			01/21/22 16:04	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			01/21/22 16:04	1
Methylcyclohexane	ND		1.0	0.16	ug/L			01/21/22 16:04	1
Methylene Chloride	ND		1.0	0.44	ug/L			01/21/22 16:04	1
Styrene	ND		1.0	0.73	ug/L			01/21/22 16:04	1
Tetrachloroethene	ND		1.0	0.36	ug/L			01/21/22 16:04	1
Toluene	ND		1.0	0.51	ug/L			01/21/22 16:04	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			01/21/22 16:04	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			01/21/22 16:04	1
Trichloroethene	ND		1.0	0.46	ug/L			01/21/22 16:04	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			01/21/22 16:04	1
Vinyl chloride	4.8		1.0	0.90	ug/L			01/21/22 16:04	1
Xylenes, Total	ND		2.0	0.66	ug/L			01/21/22 16:04	1

Client Sample Results

Client: AECOM
 Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: DPE-2

Lab Sample ID: 480-194344-11

Date Collected: 01/19/22 13:30

Matrix: Water

Date Received: 01/21/22 14:45

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	80		77 - 120		01/21/22 16:04	1
4-Bromofluorobenzene (Surr)	94		73 - 120		01/21/22 16:04	1
Toluene-d8 (Surr)	83		80 - 120		01/21/22 16:04	1
Dibromofluoromethane (Surr)	83		75 - 123		01/21/22 16:04	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	7.3		1.0	0.43	mg/L			01/25/22 23:11	1

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: DPE-3

Lab Sample ID: 480-194344-12

Date Collected: 01/19/22 13:45

Matrix: Water

Date Received: 01/21/22 14:45

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		8.0	6.6	ug/L			01/21/22 16:26	8
1,1,2,2-Tetrachloroethane	ND		8.0	1.7	ug/L			01/21/22 16:26	8
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		8.0	2.5	ug/L			01/21/22 16:26	8
1,1,2-Trichloroethane	ND		8.0	1.8	ug/L			01/21/22 16:26	8
1,1-Dichloroethane	ND		8.0	3.0	ug/L			01/21/22 16:26	8
1,1-Dichloroethene	ND		8.0	2.3	ug/L			01/21/22 16:26	8
1,2,4-Trichlorobenzene	ND		8.0	3.3	ug/L			01/21/22 16:26	8
1,2-Dibromo-3-Chloropropane	ND		8.0	3.1	ug/L			01/21/22 16:26	8
1,2-Dibromoethane	ND		8.0	5.8	ug/L			01/21/22 16:26	8
1,2-Dichlorobenzene	ND		8.0	6.3	ug/L			01/21/22 16:26	8
1,2-Dichloroethane	ND		8.0	1.7	ug/L			01/21/22 16:26	8
1,2-Dichloropropane	ND		8.0	5.8	ug/L			01/21/22 16:26	8
1,3-Dichlorobenzene	ND		8.0	6.2	ug/L			01/21/22 16:26	8
1,4-Dichlorobenzene	ND		8.0	6.7	ug/L			01/21/22 16:26	8
2-Butanone (MEK)	ND		80	11	ug/L			01/21/22 16:26	8
2-Hexanone	ND		40	9.9	ug/L			01/21/22 16:26	8
4-Methyl-2-pentanone (MIBK)	ND		40	17	ug/L			01/21/22 16:26	8
Acetone	ND		80	24	ug/L			01/21/22 16:26	8
Benzene	ND		8.0	3.3	ug/L			01/21/22 16:26	8
Bromodichloromethane	ND		8.0	3.1	ug/L			01/21/22 16:26	8
Bromoform	ND		8.0	2.1	ug/L			01/21/22 16:26	8
Bromomethane	ND	*1	8.0	5.5	ug/L			01/21/22 16:26	8
Carbon disulfide	ND		8.0	1.5	ug/L			01/21/22 16:26	8
Carbon tetrachloride	ND		8.0	2.2	ug/L			01/21/22 16:26	8
Chlorobenzene	ND		8.0	6.0	ug/L			01/21/22 16:26	8
Chloroethane	ND		8.0	2.6	ug/L			01/21/22 16:26	8
Chloroform	ND		8.0	2.7	ug/L			01/21/22 16:26	8
Chloromethane	ND		8.0	2.8	ug/L			01/21/22 16:26	8
cis-1,2-Dichloroethene	9.8		8.0	6.5	ug/L			01/21/22 16:26	8
cis-1,3-Dichloropropene	ND		8.0	2.9	ug/L			01/21/22 16:26	8
Cyclohexane	ND		8.0	1.4	ug/L			01/21/22 16:26	8
Dibromochloromethane	ND		8.0	2.6	ug/L			01/21/22 16:26	8
Dichlorodifluoromethane	ND		8.0	5.4	ug/L			01/21/22 16:26	8
Ethylbenzene	ND		8.0	5.9	ug/L			01/21/22 16:26	8
Isopropylbenzene	ND		8.0	6.3	ug/L			01/21/22 16:26	8
Methyl acetate	ND		20	10	ug/L			01/21/22 16:26	8
Methyl tert-butyl ether	ND		8.0	1.3	ug/L			01/21/22 16:26	8
Methylcyclohexane	ND		8.0	1.3	ug/L			01/21/22 16:26	8
Methylene Chloride	ND		8.0	3.5	ug/L			01/21/22 16:26	8
Styrene	ND		8.0	5.8	ug/L			01/21/22 16:26	8
Tetrachloroethene	ND		8.0	2.9	ug/L			01/21/22 16:26	8
Toluene	ND		8.0	4.1	ug/L			01/21/22 16:26	8
trans-1,2-Dichloroethene	ND		8.0	7.2	ug/L			01/21/22 16:26	8
trans-1,3-Dichloropropene	ND		8.0	3.0	ug/L			01/21/22 16:26	8
Trichloroethene	ND		8.0	3.7	ug/L			01/21/22 16:26	8
Trichlorofluoromethane	ND		8.0	7.0	ug/L			01/21/22 16:26	8
Vinyl chloride	9.1		8.0	7.2	ug/L			01/21/22 16:26	8
Xylenes, Total	ND		16	5.3	ug/L			01/21/22 16:26	8

Client Sample Results

Client: AECOM
 Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: DPE-3

Lab Sample ID: 480-194344-12

Date Collected: 01/19/22 13:45

Matrix: Water

Date Received: 01/21/22 14:45

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	78		77 - 120		01/21/22 16:26	8
4-Bromofluorobenzene (Surr)	91		73 - 120		01/21/22 16:26	8
Toluene-d8 (Surr)	83		80 - 120		01/21/22 16:26	8
Dibromofluoromethane (Surr)	81		75 - 123		01/21/22 16:26	8

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	19.9		1.0	0.43	mg/L			01/25/22 23:39	1

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: DPE-4

Lab Sample ID: 480-194344-13

Date Collected: 01/19/22 07:30

Matrix: Water

Date Received: 01/21/22 14:45

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		4.0	3.3	ug/L			01/21/22 16:49	4
1,1,2,2-Tetrachloroethane	ND		4.0	0.84	ug/L			01/21/22 16:49	4
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		4.0	1.2	ug/L			01/21/22 16:49	4
1,1,2-Trichloroethane	ND		4.0	0.92	ug/L			01/21/22 16:49	4
1,1-Dichloroethane	1.5	J	4.0	1.5	ug/L			01/21/22 16:49	4
1,1-Dichloroethene	ND		4.0	1.2	ug/L			01/21/22 16:49	4
1,2,4-Trichlorobenzene	ND		4.0	1.6	ug/L			01/21/22 16:49	4
1,2-Dibromo-3-Chloropropane	ND		4.0	1.6	ug/L			01/21/22 16:49	4
1,2-Dibromoethane	ND		4.0	2.9	ug/L			01/21/22 16:49	4
1,2-Dichlorobenzene	ND		4.0	3.2	ug/L			01/21/22 16:49	4
1,2-Dichloroethane	ND		4.0	0.84	ug/L			01/21/22 16:49	4
1,2-Dichloropropane	ND		4.0	2.9	ug/L			01/21/22 16:49	4
1,3-Dichlorobenzene	ND		4.0	3.1	ug/L			01/21/22 16:49	4
1,4-Dichlorobenzene	ND		4.0	3.4	ug/L			01/21/22 16:49	4
2-Butanone (MEK)	ND		40	5.3	ug/L			01/21/22 16:49	4
2-Hexanone	ND		20	5.0	ug/L			01/21/22 16:49	4
4-Methyl-2-pentanone (MIBK)	ND		20	8.4	ug/L			01/21/22 16:49	4
Acetone	ND		40	12	ug/L			01/21/22 16:49	4
Benzene	ND		4.0	1.6	ug/L			01/21/22 16:49	4
Bromodichloromethane	ND		4.0	1.6	ug/L			01/21/22 16:49	4
Bromoform	ND		4.0	1.0	ug/L			01/21/22 16:49	4
Bromomethane	ND	*1	4.0	2.8	ug/L			01/21/22 16:49	4
Carbon disulfide	ND		4.0	0.76	ug/L			01/21/22 16:49	4
Carbon tetrachloride	ND		4.0	1.1	ug/L			01/21/22 16:49	4
Chlorobenzene	ND		4.0	3.0	ug/L			01/21/22 16:49	4
Chloroethane	ND		4.0	1.3	ug/L			01/21/22 16:49	4
Chloroform	ND		4.0	1.4	ug/L			01/21/22 16:49	4
Chloromethane	ND		4.0	1.4	ug/L			01/21/22 16:49	4
cis-1,2-Dichloroethene	97		4.0	3.2	ug/L			01/21/22 16:49	4
cis-1,3-Dichloropropene	ND		4.0	1.4	ug/L			01/21/22 16:49	4
Cyclohexane	ND		4.0	0.72	ug/L			01/21/22 16:49	4
Dibromochloromethane	ND		4.0	1.3	ug/L			01/21/22 16:49	4
Dichlorodifluoromethane	ND		4.0	2.7	ug/L			01/21/22 16:49	4
Ethylbenzene	ND		4.0	3.0	ug/L			01/21/22 16:49	4
Isopropylbenzene	ND		4.0	3.2	ug/L			01/21/22 16:49	4
Methyl acetate	ND		10	5.2	ug/L			01/21/22 16:49	4
Methyl tert-butyl ether	ND		4.0	0.64	ug/L			01/21/22 16:49	4
Methylcyclohexane	ND		4.0	0.64	ug/L			01/21/22 16:49	4
Methylene Chloride	ND		4.0	1.8	ug/L			01/21/22 16:49	4
Styrene	ND		4.0	2.9	ug/L			01/21/22 16:49	4
Tetrachloroethene	ND		4.0	1.4	ug/L			01/21/22 16:49	4
Toluene	ND		4.0	2.0	ug/L			01/21/22 16:49	4
trans-1,2-Dichloroethene	ND		4.0	3.6	ug/L			01/21/22 16:49	4
trans-1,3-Dichloropropene	ND		4.0	1.5	ug/L			01/21/22 16:49	4
Trichloroethene	6.3		4.0	1.8	ug/L			01/21/22 16:49	4
Trichlorofluoromethane	ND		4.0	3.5	ug/L			01/21/22 16:49	4
Vinyl chloride	120		4.0	3.6	ug/L			01/21/22 16:49	4
Xylenes, Total	ND		8.0	2.6	ug/L			01/21/22 16:49	4

Client Sample Results

Client: AECOM
 Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: DPE-4

Lab Sample ID: 480-194344-13

Date Collected: 01/19/22 07:30

Matrix: Water

Date Received: 01/21/22 14:45

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	79		77 - 120		01/21/22 16:49	4
4-Bromofluorobenzene (Surr)	107		73 - 120		01/21/22 16:49	4
Toluene-d8 (Surr)	87		80 - 120		01/21/22 16:49	4
Dibromofluoromethane (Surr)	81		75 - 123		01/21/22 16:49	4

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	9.8		1.0	0.43	mg/L			01/26/22 00:07	1

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: DPE-5

Lab Sample ID: 480-194344-14

Date Collected: 01/19/22 08:00

Matrix: Water

Date Received: 01/21/22 14:45

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		2.0	1.6	ug/L			01/21/22 17:11	2
1,1,1,2-Tetrachloroethane	ND		2.0	0.42	ug/L			01/21/22 17:11	2
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		2.0	0.62	ug/L			01/21/22 17:11	2
1,1,2-Trichloroethane	ND		2.0	0.46	ug/L			01/21/22 17:11	2
1,1-Dichloroethane	0.78	J	2.0	0.76	ug/L			01/21/22 17:11	2
1,1-Dichloroethene	ND		2.0	0.58	ug/L			01/21/22 17:11	2
1,2,4-Trichlorobenzene	ND		2.0	0.82	ug/L			01/21/22 17:11	2
1,2-Dibromo-3-Chloropropane	ND		2.0	0.78	ug/L			01/21/22 17:11	2
1,2-Dibromoethane	ND		2.0	1.5	ug/L			01/21/22 17:11	2
1,2-Dichlorobenzene	ND		2.0	1.6	ug/L			01/21/22 17:11	2
1,2-Dichloroethane	ND		2.0	0.42	ug/L			01/21/22 17:11	2
1,2-Dichloropropane	ND		2.0	1.4	ug/L			01/21/22 17:11	2
1,3-Dichlorobenzene	ND		2.0	1.6	ug/L			01/21/22 17:11	2
1,4-Dichlorobenzene	ND		2.0	1.7	ug/L			01/21/22 17:11	2
2-Butanone (MEK)	ND		20	2.6	ug/L			01/21/22 17:11	2
2-Hexanone	ND		10	2.5	ug/L			01/21/22 17:11	2
4-Methyl-2-pentanone (MIBK)	ND		10	4.2	ug/L			01/21/22 17:11	2
Acetone	9.5	J	20	6.0	ug/L			01/21/22 17:11	2
Benzene	ND		2.0	0.82	ug/L			01/21/22 17:11	2
Bromodichloromethane	ND		2.0	0.78	ug/L			01/21/22 17:11	2
Bromoform	ND		2.0	0.52	ug/L			01/21/22 17:11	2
Bromomethane	ND	*1	2.0	1.4	ug/L			01/21/22 17:11	2
Carbon disulfide	ND		2.0	0.38	ug/L			01/21/22 17:11	2
Carbon tetrachloride	ND		2.0	0.54	ug/L			01/21/22 17:11	2
Chlorobenzene	ND		2.0	1.5	ug/L			01/21/22 17:11	2
Chloroethane	5.7		2.0	0.64	ug/L			01/21/22 17:11	2
Chloroform	ND		2.0	0.68	ug/L			01/21/22 17:11	2
Chloromethane	ND		2.0	0.70	ug/L			01/21/22 17:11	2
cis-1,2-Dichloroethene	5.9		2.0	1.6	ug/L			01/21/22 17:11	2
cis-1,3-Dichloropropene	ND		2.0	0.72	ug/L			01/21/22 17:11	2
Cyclohexane	ND		2.0	0.36	ug/L			01/21/22 17:11	2
Dibromochloromethane	ND		2.0	0.64	ug/L			01/21/22 17:11	2
Dichlorodifluoromethane	ND		2.0	1.4	ug/L			01/21/22 17:11	2
Ethylbenzene	ND		2.0	1.5	ug/L			01/21/22 17:11	2
Isopropylbenzene	ND		2.0	1.6	ug/L			01/21/22 17:11	2
Methyl acetate	ND		5.0	2.6	ug/L			01/21/22 17:11	2
Methyl tert-butyl ether	ND		2.0	0.32	ug/L			01/21/22 17:11	2
Methylcyclohexane	ND		2.0	0.32	ug/L			01/21/22 17:11	2
Methylene Chloride	ND		2.0	0.88	ug/L			01/21/22 17:11	2
Styrene	ND		2.0	1.5	ug/L			01/21/22 17:11	2
Tetrachloroethene	ND		2.0	0.72	ug/L			01/21/22 17:11	2
Toluene	1.3	J	2.0	1.0	ug/L			01/21/22 17:11	2
trans-1,2-Dichloroethene	ND		2.0	1.8	ug/L			01/21/22 17:11	2
trans-1,3-Dichloropropene	ND		2.0	0.74	ug/L			01/21/22 17:11	2
Trichloroethene	ND		2.0	0.92	ug/L			01/21/22 17:11	2
Trichlorofluoromethane	ND		2.0	1.8	ug/L			01/21/22 17:11	2
Vinyl chloride	ND		2.0	1.8	ug/L			01/21/22 17:11	2
Xylenes, Total	ND		4.0	1.3	ug/L			01/21/22 17:11	2

Client Sample Results

Client: AECOM
 Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: DPE-5

Lab Sample ID: 480-194344-14

Date Collected: 01/19/22 08:00

Matrix: Water

Date Received: 01/21/22 14:45

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	80		77 - 120		01/21/22 17:11	2
4-Bromofluorobenzene (Surr)	104		73 - 120		01/21/22 17:11	2
Toluene-d8 (Surr)	88		80 - 120		01/21/22 17:11	2
Dibromofluoromethane (Surr)	81		75 - 123		01/21/22 17:11	2

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	28.1		1.0	0.43	mg/L			01/26/22 02:30	1

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: DPE-6

Lab Sample ID: 480-194344-15

Date Collected: 01/19/22 14:15

Matrix: Water

Date Received: 01/21/22 14:45

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			01/21/22 17:33	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			01/21/22 17:33	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			01/21/22 17:33	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			01/21/22 17:33	1
1,1-Dichloroethane	8.3		1.0	0.38	ug/L			01/21/22 17:33	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			01/21/22 17:33	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			01/21/22 17:33	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			01/21/22 17:33	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			01/21/22 17:33	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			01/21/22 17:33	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			01/21/22 17:33	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			01/21/22 17:33	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			01/21/22 17:33	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			01/21/22 17:33	1
2-Butanone (MEK)	ND		10	1.3	ug/L			01/21/22 17:33	1
2-Hexanone	ND		5.0	1.2	ug/L			01/21/22 17:33	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			01/21/22 17:33	1
Acetone	3.9 J		10	3.0	ug/L			01/21/22 17:33	1
Benzene	ND		1.0	0.41	ug/L			01/21/22 17:33	1
Bromodichloromethane	ND		1.0	0.39	ug/L			01/21/22 17:33	1
Bromoform	ND		1.0	0.26	ug/L			01/21/22 17:33	1
Bromomethane	ND	*1	1.0	0.69	ug/L			01/21/22 17:33	1
Carbon disulfide	ND		1.0	0.19	ug/L			01/21/22 17:33	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			01/21/22 17:33	1
Chlorobenzene	ND		1.0	0.75	ug/L			01/21/22 17:33	1
Chloroethane	ND		1.0	0.32	ug/L			01/21/22 17:33	1
Chloroform	ND		1.0	0.34	ug/L			01/21/22 17:33	1
Chloromethane	ND		1.0	0.35	ug/L			01/21/22 17:33	1
cis-1,2-Dichloroethene	9.0		1.0	0.81	ug/L			01/21/22 17:33	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			01/21/22 17:33	1
Cyclohexane	ND		1.0	0.18	ug/L			01/21/22 17:33	1
Dibromochloromethane	ND		1.0	0.32	ug/L			01/21/22 17:33	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			01/21/22 17:33	1
Ethylbenzene	ND		1.0	0.74	ug/L			01/21/22 17:33	1
Isopropylbenzene	ND		1.0	0.79	ug/L			01/21/22 17:33	1
Methyl acetate	ND		2.5	1.3	ug/L			01/21/22 17:33	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			01/21/22 17:33	1
Methylcyclohexane	ND		1.0	0.16	ug/L			01/21/22 17:33	1
Methylene Chloride	ND		1.0	0.44	ug/L			01/21/22 17:33	1
Styrene	ND		1.0	0.73	ug/L			01/21/22 17:33	1
Tetrachloroethene	ND		1.0	0.36	ug/L			01/21/22 17:33	1
Toluene	ND		1.0	0.51	ug/L			01/21/22 17:33	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			01/21/22 17:33	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			01/21/22 17:33	1
Trichloroethene	1.7		1.0	0.46	ug/L			01/21/22 17:33	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			01/21/22 17:33	1
Vinyl chloride	4.1		1.0	0.90	ug/L			01/21/22 17:33	1
Xylenes, Total	ND		2.0	0.66	ug/L			01/21/22 17:33	1

Client Sample Results

Client: AECOM
 Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: DPE-6

Lab Sample ID: 480-194344-15

Date Collected: 01/19/22 14:15

Matrix: Water

Date Received: 01/21/22 14:45

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	79		77 - 120		01/21/22 17:33	1
4-Bromofluorobenzene (Surr)	99		73 - 120		01/21/22 17:33	1
Toluene-d8 (Surr)	86		80 - 120		01/21/22 17:33	1
Dibromofluoromethane (Surr)	80		75 - 123		01/21/22 17:33	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	6.7		1.0	0.43	mg/L			01/26/22 03:26	1

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: DPE-7

Lab Sample ID: 480-194344-16

Date Collected: 01/19/22 08:30

Matrix: Water

Date Received: 01/21/22 14:45

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		2.0	1.6	ug/L			01/21/22 17:56	2
1,1,2,2-Tetrachloroethane	ND		2.0	0.42	ug/L			01/21/22 17:56	2
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		2.0	0.62	ug/L			01/21/22 17:56	2
1,1,2-Trichloroethane	ND		2.0	0.46	ug/L			01/21/22 17:56	2
1,1-Dichloroethane	ND		2.0	0.76	ug/L			01/21/22 17:56	2
1,1-Dichloroethene	ND		2.0	0.58	ug/L			01/21/22 17:56	2
1,2,4-Trichlorobenzene	ND		2.0	0.82	ug/L			01/21/22 17:56	2
1,2-Dibromo-3-Chloropropane	ND		2.0	0.78	ug/L			01/21/22 17:56	2
1,2-Dibromoethane	ND		2.0	1.5	ug/L			01/21/22 17:56	2
1,2-Dichlorobenzene	ND		2.0	1.6	ug/L			01/21/22 17:56	2
1,2-Dichloroethane	ND		2.0	0.42	ug/L			01/21/22 17:56	2
1,2-Dichloropropane	ND		2.0	1.4	ug/L			01/21/22 17:56	2
1,3-Dichlorobenzene	ND		2.0	1.6	ug/L			01/21/22 17:56	2
1,4-Dichlorobenzene	ND		2.0	1.7	ug/L			01/21/22 17:56	2
2-Butanone (MEK)	ND		20	2.6	ug/L			01/21/22 17:56	2
2-Hexanone	ND		10	2.5	ug/L			01/21/22 17:56	2
4-Methyl-2-pentanone (MIBK)	ND		10	4.2	ug/L			01/21/22 17:56	2
Acetone	ND		20	6.0	ug/L			01/21/22 17:56	2
Benzene	ND		2.0	0.82	ug/L			01/21/22 17:56	2
Bromodichloromethane	ND		2.0	0.78	ug/L			01/21/22 17:56	2
Bromoform	ND		2.0	0.52	ug/L			01/21/22 17:56	2
Bromomethane	ND	*1	2.0	1.4	ug/L			01/21/22 17:56	2
Carbon disulfide	ND		2.0	0.38	ug/L			01/21/22 17:56	2
Carbon tetrachloride	ND		2.0	0.54	ug/L			01/21/22 17:56	2
Chlorobenzene	ND		2.0	1.5	ug/L			01/21/22 17:56	2
Chloroethane	50		2.0	0.64	ug/L			01/21/22 17:56	2
Chloroform	ND		2.0	0.68	ug/L			01/21/22 17:56	2
Chloromethane	ND		2.0	0.70	ug/L			01/21/22 17:56	2
cis-1,2-Dichloroethene	2.1		2.0	1.6	ug/L			01/21/22 17:56	2
cis-1,3-Dichloropropene	ND		2.0	0.72	ug/L			01/21/22 17:56	2
Cyclohexane	ND		2.0	0.36	ug/L			01/21/22 17:56	2
Dibromochloromethane	ND		2.0	0.64	ug/L			01/21/22 17:56	2
Dichlorodifluoromethane	ND		2.0	1.4	ug/L			01/21/22 17:56	2
Ethylbenzene	ND		2.0	1.5	ug/L			01/21/22 17:56	2
Isopropylbenzene	ND		2.0	1.6	ug/L			01/21/22 17:56	2
Methyl acetate	ND		5.0	2.6	ug/L			01/21/22 17:56	2
Methyl tert-butyl ether	ND		2.0	0.32	ug/L			01/21/22 17:56	2
Methylcyclohexane	ND		2.0	0.32	ug/L			01/21/22 17:56	2
Methylene Chloride	ND		2.0	0.88	ug/L			01/21/22 17:56	2
Styrene	ND		2.0	1.5	ug/L			01/21/22 17:56	2
Tetrachloroethene	ND		2.0	0.72	ug/L			01/21/22 17:56	2
Toluene	ND		2.0	1.0	ug/L			01/21/22 17:56	2
trans-1,2-Dichloroethene	ND		2.0	1.8	ug/L			01/21/22 17:56	2
trans-1,3-Dichloropropene	ND		2.0	0.74	ug/L			01/21/22 17:56	2
Trichloroethene	ND		2.0	0.92	ug/L			01/21/22 17:56	2
Trichlorofluoromethane	ND		2.0	1.8	ug/L			01/21/22 17:56	2
Vinyl chloride	2.9		2.0	1.8	ug/L			01/21/22 17:56	2
Xylenes, Total	ND		4.0	1.3	ug/L			01/21/22 17:56	2

Client Sample Results

Client: AECOM
 Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: DPE-7

Lab Sample ID: 480-194344-16

Date Collected: 01/19/22 08:30

Matrix: Water

Date Received: 01/21/22 14:45

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	79		77 - 120		01/21/22 17:56	2
4-Bromofluorobenzene (Surr)	102		73 - 120		01/21/22 17:56	2
Toluene-d8 (Surr)	85		80 - 120		01/21/22 17:56	2
Dibromofluoromethane (Surr)	82		75 - 123		01/21/22 17:56	2

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	12.8		1.0	0.43	mg/L			01/26/22 04:24	1

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: DPE-8

Lab Sample ID: 480-194344-17

Date Collected: 01/19/22 09:00

Matrix: Water

Date Received: 01/21/22 14:45

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		100	82	ug/L			01/21/22 18:17	100
1,1,2,2-Tetrachloroethane	ND		100	21	ug/L			01/21/22 18:17	100
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		100	31	ug/L			01/21/22 18:17	100
1,1,2-Trichloroethane	ND		100	23	ug/L			01/21/22 18:17	100
1,1-Dichloroethane	160		100	38	ug/L			01/21/22 18:17	100
1,1-Dichloroethene	ND		100	29	ug/L			01/21/22 18:17	100
1,2,4-Trichlorobenzene	ND		100	41	ug/L			01/21/22 18:17	100
1,2-Dibromo-3-Chloropropane	ND		100	39	ug/L			01/21/22 18:17	100
1,2-Dibromoethane	ND		100	73	ug/L			01/21/22 18:17	100
1,2-Dichlorobenzene	ND		100	79	ug/L			01/21/22 18:17	100
1,2-Dichloroethane	ND		100	21	ug/L			01/21/22 18:17	100
1,2-Dichloropropane	ND		100	72	ug/L			01/21/22 18:17	100
1,3-Dichlorobenzene	ND		100	78	ug/L			01/21/22 18:17	100
1,4-Dichlorobenzene	ND		100	84	ug/L			01/21/22 18:17	100
2-Butanone (MEK)	ND		1000	130	ug/L			01/21/22 18:17	100
2-Hexanone	ND		500	120	ug/L			01/21/22 18:17	100
4-Methyl-2-pentanone (MIBK)	ND		500	210	ug/L			01/21/22 18:17	100
Acetone	ND		1000	300	ug/L			01/21/22 18:17	100
Benzene	ND		100	41	ug/L			01/21/22 18:17	100
Bromodichloromethane	ND		100	39	ug/L			01/21/22 18:17	100
Bromoform	ND		100	26	ug/L			01/21/22 18:17	100
Bromomethane	ND	*1	100	69	ug/L			01/21/22 18:17	100
Carbon disulfide	ND		100	19	ug/L			01/21/22 18:17	100
Carbon tetrachloride	ND		100	27	ug/L			01/21/22 18:17	100
Chlorobenzene	ND		100	75	ug/L			01/21/22 18:17	100
Chloroethane	48 J		100	32	ug/L			01/21/22 18:17	100
Chloroform	ND		100	34	ug/L			01/21/22 18:17	100
Chloromethane	ND		100	35	ug/L			01/21/22 18:17	100
cis-1,2-Dichloroethene	2800		100	81	ug/L			01/21/22 18:17	100
cis-1,3-Dichloropropene	ND		100	36	ug/L			01/21/22 18:17	100
Cyclohexane	ND		100	18	ug/L			01/21/22 18:17	100
Dibromochloromethane	ND		100	32	ug/L			01/21/22 18:17	100
Dichlorodifluoromethane	ND		100	68	ug/L			01/21/22 18:17	100
Ethylbenzene	ND		100	74	ug/L			01/21/22 18:17	100
Isopropylbenzene	ND		100	79	ug/L			01/21/22 18:17	100
Methyl acetate	ND		250	130	ug/L			01/21/22 18:17	100
Methyl tert-butyl ether	ND		100	16	ug/L			01/21/22 18:17	100
Methylcyclohexane	ND		100	16	ug/L			01/21/22 18:17	100
Methylene Chloride	ND		100	44	ug/L			01/21/22 18:17	100
Styrene	ND		100	73	ug/L			01/21/22 18:17	100
Tetrachloroethene	ND		100	36	ug/L			01/21/22 18:17	100
Toluene	ND		100	51	ug/L			01/21/22 18:17	100
trans-1,2-Dichloroethene	ND		100	90	ug/L			01/21/22 18:17	100
trans-1,3-Dichloropropene	ND		100	37	ug/L			01/21/22 18:17	100
Trichloroethene	ND		100	46	ug/L			01/21/22 18:17	100
Trichlorofluoromethane	ND		100	88	ug/L			01/21/22 18:17	100
Vinyl chloride	2900		100	90	ug/L			01/21/22 18:17	100
Xylenes, Total	ND		200	66	ug/L			01/21/22 18:17	100

Client Sample Results

Client: AECOM
 Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: DPE-8

Lab Sample ID: 480-194344-17

Date Collected: 01/19/22 09:00

Matrix: Water

Date Received: 01/21/22 14:45

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	79		77 - 120		01/21/22 18:17	100
4-Bromofluorobenzene (Surr)	99		73 - 120		01/21/22 18:17	100
Toluene-d8 (Surr)	84		80 - 120		01/21/22 18:17	100
Dibromofluoromethane (Surr)	83		75 - 123		01/21/22 18:17	100

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	25.3		1.0	0.43	mg/L			01/26/22 04:52	1

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: GWCT

Lab Sample ID: 480-194344-18

Date Collected: 01/19/22 14:00

Matrix: Water

Date Received: 01/21/22 14:45

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			01/21/22 18:40	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			01/21/22 18:40	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			01/21/22 18:40	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			01/21/22 18:40	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			01/21/22 18:40	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			01/21/22 18:40	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			01/21/22 18:40	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			01/21/22 18:40	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			01/21/22 18:40	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			01/21/22 18:40	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			01/21/22 18:40	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			01/21/22 18:40	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			01/21/22 18:40	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			01/21/22 18:40	1
2-Butanone (MEK)	ND		10	1.3	ug/L			01/21/22 18:40	1
2-Hexanone	ND		5.0	1.2	ug/L			01/21/22 18:40	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			01/21/22 18:40	1
Acetone	ND		10	3.0	ug/L			01/21/22 18:40	1
Benzene	ND		1.0	0.41	ug/L			01/21/22 18:40	1
Bromodichloromethane	ND		1.0	0.39	ug/L			01/21/22 18:40	1
Bromoform	ND		1.0	0.26	ug/L			01/21/22 18:40	1
Bromomethane	ND	*1	1.0	0.69	ug/L			01/21/22 18:40	1
Carbon disulfide	ND		1.0	0.19	ug/L			01/21/22 18:40	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			01/21/22 18:40	1
Chlorobenzene	ND		1.0	0.75	ug/L			01/21/22 18:40	1
Chloroethane	28		1.0	0.32	ug/L			01/21/22 18:40	1
Chloroform	ND		1.0	0.34	ug/L			01/21/22 18:40	1
Chloromethane	ND		1.0	0.35	ug/L			01/21/22 18:40	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			01/21/22 18:40	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			01/21/22 18:40	1
Cyclohexane	ND		1.0	0.18	ug/L			01/21/22 18:40	1
Dibromochloromethane	ND		1.0	0.32	ug/L			01/21/22 18:40	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			01/21/22 18:40	1
Ethylbenzene	ND		1.0	0.74	ug/L			01/21/22 18:40	1
Isopropylbenzene	ND		1.0	0.79	ug/L			01/21/22 18:40	1
Methyl acetate	ND		2.5	1.3	ug/L			01/21/22 18:40	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			01/21/22 18:40	1
Methylcyclohexane	ND		1.0	0.16	ug/L			01/21/22 18:40	1
Methylene Chloride	ND		1.0	0.44	ug/L			01/21/22 18:40	1
Styrene	ND		1.0	0.73	ug/L			01/21/22 18:40	1
Tetrachloroethene	ND		1.0	0.36	ug/L			01/21/22 18:40	1
Toluene	ND		1.0	0.51	ug/L			01/21/22 18:40	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			01/21/22 18:40	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			01/21/22 18:40	1
Trichloroethene	ND		1.0	0.46	ug/L			01/21/22 18:40	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			01/21/22 18:40	1
Vinyl chloride	ND		1.0	0.90	ug/L			01/21/22 18:40	1
Xylenes, Total	ND		2.0	0.66	ug/L			01/21/22 18:40	1

Client Sample Results

Client: AECOM
 Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: GWCT

Lab Sample ID: 480-194344-18

Date Collected: 01/19/22 14:00

Matrix: Water

Date Received: 01/21/22 14:45

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	79		77 - 120		01/21/22 18:40	1
4-Bromofluorobenzene (Surr)	103		73 - 120		01/21/22 18:40	1
Toluene-d8 (Surr)	87		80 - 120		01/21/22 18:40	1
Dibromofluoromethane (Surr)	82		75 - 123		01/21/22 18:40	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	3.1		1.0	0.43	mg/L			01/26/22 05:21	1

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: Duplicate

Lab Sample ID: 480-194344-19

Date Collected: 01/19/22 00:00

Matrix: Water

Date Received: 01/21/22 14:45

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			01/21/22 19:01	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			01/21/22 19:01	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			01/21/22 19:01	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			01/21/22 19:01	1
1,1-Dichloroethane	0.48	J	1.0	0.38	ug/L			01/21/22 19:01	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			01/21/22 19:01	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			01/21/22 19:01	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			01/21/22 19:01	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			01/21/22 19:01	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			01/21/22 19:01	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			01/21/22 19:01	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			01/21/22 19:01	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			01/21/22 19:01	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			01/21/22 19:01	1
2-Butanone (MEK)	ND		10	1.3	ug/L			01/21/22 19:01	1
2-Hexanone	ND		5.0	1.2	ug/L			01/21/22 19:01	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			01/21/22 19:01	1
Acetone	ND		10	3.0	ug/L			01/21/22 19:01	1
Benzene	ND		1.0	0.41	ug/L			01/21/22 19:01	1
Bromodichloromethane	ND		1.0	0.39	ug/L			01/21/22 19:01	1
Bromoform	ND		1.0	0.26	ug/L			01/21/22 19:01	1
Bromomethane	ND	*1	1.0	0.69	ug/L			01/21/22 19:01	1
Carbon disulfide	ND		1.0	0.19	ug/L			01/21/22 19:01	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			01/21/22 19:01	1
Chlorobenzene	ND		1.0	0.75	ug/L			01/21/22 19:01	1
Chloroethane	ND		1.0	0.32	ug/L			01/21/22 19:01	1
Chloroform	ND		1.0	0.34	ug/L			01/21/22 19:01	1
Chloromethane	ND		1.0	0.35	ug/L			01/21/22 19:01	1
cis-1,2-Dichloroethene	1.2		1.0	0.81	ug/L			01/21/22 19:01	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			01/21/22 19:01	1
Cyclohexane	ND		1.0	0.18	ug/L			01/21/22 19:01	1
Dibromochloromethane	ND		1.0	0.32	ug/L			01/21/22 19:01	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			01/21/22 19:01	1
Ethylbenzene	ND		1.0	0.74	ug/L			01/21/22 19:01	1
Isopropylbenzene	ND		1.0	0.79	ug/L			01/21/22 19:01	1
Methyl acetate	ND		2.5	1.3	ug/L			01/21/22 19:01	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			01/21/22 19:01	1
Methylcyclohexane	ND		1.0	0.16	ug/L			01/21/22 19:01	1
Methylene Chloride	ND		1.0	0.44	ug/L			01/21/22 19:01	1
Styrene	ND		1.0	0.73	ug/L			01/21/22 19:01	1
Tetrachloroethene	ND		1.0	0.36	ug/L			01/21/22 19:01	1
Toluene	ND		1.0	0.51	ug/L			01/21/22 19:01	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			01/21/22 19:01	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			01/21/22 19:01	1
Trichloroethene	ND		1.0	0.46	ug/L			01/21/22 19:01	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			01/21/22 19:01	1
Vinyl chloride	1.1		1.0	0.90	ug/L			01/21/22 19:01	1
Xylenes, Total	ND		2.0	0.66	ug/L			01/21/22 19:01	1

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: Duplicate

Lab Sample ID: 480-194344-19

Date Collected: 01/19/22 00:00

Matrix: Water

Date Received: 01/21/22 14:45

<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
1,2-Dichloroethane-d4 (Surr)	77		77 - 120		01/21/22 19:01	1
4-Bromofluorobenzene (Surr)	101		73 - 120		01/21/22 19:01	1
Toluene-d8 (Surr)	83		80 - 120		01/21/22 19:01	1
Dibromofluoromethane (Surr)	81		75 - 123		01/21/22 19:01	1

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: Rinse Blank

Lab Sample ID: 480-194344-20

Date Collected: 01/20/22 13:45

Matrix: Water

Date Received: 01/21/22 14:45

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			01/21/22 19:24	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			01/21/22 19:24	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			01/21/22 19:24	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			01/21/22 19:24	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			01/21/22 19:24	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			01/21/22 19:24	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			01/21/22 19:24	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			01/21/22 19:24	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			01/21/22 19:24	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			01/21/22 19:24	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			01/21/22 19:24	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			01/21/22 19:24	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			01/21/22 19:24	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			01/21/22 19:24	1
2-Butanone (MEK)	ND		10	1.3	ug/L			01/21/22 19:24	1
2-Hexanone	ND		5.0	1.2	ug/L			01/21/22 19:24	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			01/21/22 19:24	1
Acetone	ND		10	3.0	ug/L			01/21/22 19:24	1
Benzene	ND		1.0	0.41	ug/L			01/21/22 19:24	1
Bromodichloromethane	ND		1.0	0.39	ug/L			01/21/22 19:24	1
Bromoform	ND		1.0	0.26	ug/L			01/21/22 19:24	1
Bromomethane	ND	*1	1.0	0.69	ug/L			01/21/22 19:24	1
Carbon disulfide	ND		1.0	0.19	ug/L			01/21/22 19:24	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			01/21/22 19:24	1
Chlorobenzene	ND		1.0	0.75	ug/L			01/21/22 19:24	1
Chloroethane	ND		1.0	0.32	ug/L			01/21/22 19:24	1
Chloroform	ND		1.0	0.34	ug/L			01/21/22 19:24	1
Chloromethane	ND		1.0	0.35	ug/L			01/21/22 19:24	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			01/21/22 19:24	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			01/21/22 19:24	1
Cyclohexane	ND		1.0	0.18	ug/L			01/21/22 19:24	1
Dibromochloromethane	ND		1.0	0.32	ug/L			01/21/22 19:24	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			01/21/22 19:24	1
Ethylbenzene	ND		1.0	0.74	ug/L			01/21/22 19:24	1
Isopropylbenzene	ND		1.0	0.79	ug/L			01/21/22 19:24	1
Methyl acetate	ND		2.5	1.3	ug/L			01/21/22 19:24	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			01/21/22 19:24	1
Methylcyclohexane	ND		1.0	0.16	ug/L			01/21/22 19:24	1
Methylene Chloride	ND		1.0	0.44	ug/L			01/21/22 19:24	1
Styrene	ND		1.0	0.73	ug/L			01/21/22 19:24	1
Tetrachloroethene	ND		1.0	0.36	ug/L			01/21/22 19:24	1
Toluene	ND		1.0	0.51	ug/L			01/21/22 19:24	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			01/21/22 19:24	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			01/21/22 19:24	1
Trichloroethene	ND		1.0	0.46	ug/L			01/21/22 19:24	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			01/21/22 19:24	1
Vinyl chloride	ND		1.0	0.90	ug/L			01/21/22 19:24	1
Xylenes, Total	ND		2.0	0.66	ug/L			01/21/22 19:24	1

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: Rinse Blank

Lab Sample ID: 480-194344-20

Date Collected: 01/20/22 13:45

Matrix: Water

Date Received: 01/21/22 14:45

<u>Surrogate</u>	<u>%Recovery</u>	<u>Qualifier</u>	<u>Limits</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Dil Fac</u>
1,2-Dichloroethane-d4 (Surr)	80		77 - 120		01/21/22 19:24	1
4-Bromofluorobenzene (Surr)	97		73 - 120		01/21/22 19:24	1
Toluene-d8 (Surr)	82		80 - 120		01/21/22 19:24	1
Dibromofluoromethane (Surr)	83		75 - 123		01/21/22 19:24	1

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: Trip Blank

Lab Sample ID: 480-194344-21

Date Collected: 01/20/22 00:00

Matrix: Water

Date Received: 01/21/22 14:45

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			01/21/22 19:46	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			01/21/22 19:46	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			01/21/22 19:46	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			01/21/22 19:46	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			01/21/22 19:46	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			01/21/22 19:46	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			01/21/22 19:46	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			01/21/22 19:46	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			01/21/22 19:46	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			01/21/22 19:46	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			01/21/22 19:46	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			01/21/22 19:46	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			01/21/22 19:46	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			01/21/22 19:46	1
2-Butanone (MEK)	ND		10	1.3	ug/L			01/21/22 19:46	1
2-Hexanone	ND		5.0	1.2	ug/L			01/21/22 19:46	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			01/21/22 19:46	1
Acetone	ND		10	3.0	ug/L			01/21/22 19:46	1
Benzene	ND		1.0	0.41	ug/L			01/21/22 19:46	1
Bromodichloromethane	ND		1.0	0.39	ug/L			01/21/22 19:46	1
Bromoform	ND		1.0	0.26	ug/L			01/21/22 19:46	1
Bromomethane	ND	*1	1.0	0.69	ug/L			01/21/22 19:46	1
Carbon disulfide	ND		1.0	0.19	ug/L			01/21/22 19:46	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			01/21/22 19:46	1
Chlorobenzene	ND		1.0	0.75	ug/L			01/21/22 19:46	1
Chloroethane	ND		1.0	0.32	ug/L			01/21/22 19:46	1
Chloroform	ND		1.0	0.34	ug/L			01/21/22 19:46	1
Chloromethane	ND		1.0	0.35	ug/L			01/21/22 19:46	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			01/21/22 19:46	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			01/21/22 19:46	1
Cyclohexane	ND		1.0	0.18	ug/L			01/21/22 19:46	1
Dibromochloromethane	ND		1.0	0.32	ug/L			01/21/22 19:46	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			01/21/22 19:46	1
Ethylbenzene	ND		1.0	0.74	ug/L			01/21/22 19:46	1
Isopropylbenzene	ND		1.0	0.79	ug/L			01/21/22 19:46	1
Methyl acetate	ND		2.5	1.3	ug/L			01/21/22 19:46	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			01/21/22 19:46	1
Methylcyclohexane	ND		1.0	0.16	ug/L			01/21/22 19:46	1
Methylene Chloride	0.71	J	1.0	0.44	ug/L			01/21/22 19:46	1
Styrene	ND		1.0	0.73	ug/L			01/21/22 19:46	1
Tetrachloroethene	ND		1.0	0.36	ug/L			01/21/22 19:46	1
Toluene	ND		1.0	0.51	ug/L			01/21/22 19:46	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			01/21/22 19:46	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			01/21/22 19:46	1
Trichloroethene	ND		1.0	0.46	ug/L			01/21/22 19:46	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			01/21/22 19:46	1
Vinyl chloride	ND		1.0	0.90	ug/L			01/21/22 19:46	1
Xylenes, Total	ND		2.0	0.66	ug/L			01/21/22 19:46	1

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: Trip Blank

Lab Sample ID: 480-194344-21

Date Collected: 01/20/22 00:00

Matrix: Water

Date Received: 01/21/22 14:45

<u>Surrogate</u>	<u>%Recovery</u>	<u>Qualifier</u>	<u>Limits</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Dil Fac</u>
1,2-Dichloroethane-d4 (Surr)	82		77 - 120		01/21/22 19:46	1
4-Bromofluorobenzene (Surr)	107		73 - 120		01/21/22 19:46	1
Toluene-d8 (Surr)	86		80 - 120		01/21/22 19:46	1
Dibromofluoromethane (Surr)	86		75 - 123		01/21/22 19:46	1

Lab Chronicle

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: MW-2

Lab Sample ID: 480-194344-1

Date Collected: 01/19/22 15:05

Matrix: Water

Date Received: 01/21/22 14:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		2	612372	01/21/22 12:24	LCH	TAL BUF
Total/NA	Analysis	9060A		1	613067	01/25/22 15:06	IMZ	TAL BUF

Client Sample ID: MW-4

Lab Sample ID: 480-194344-2

Date Collected: 01/18/22 11:02

Matrix: Water

Date Received: 01/21/22 14:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		4	612372	01/21/22 12:46	LCH	TAL BUF
Total/NA	Analysis	9060A		1	613067	01/25/22 16:02	IMZ	TAL BUF

Client Sample ID: MW-8R

Lab Sample ID: 480-194344-3

Date Collected: 01/18/22 12:45

Matrix: Water

Date Received: 01/21/22 14:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		25	612372	01/21/22 13:09	LCH	TAL BUF
Total/NA	Analysis	9060A		1	613067	01/25/22 16:58	IMZ	TAL BUF

Client Sample ID: MW-3

Lab Sample ID: 480-194344-4

Date Collected: 01/19/22 13:10

Matrix: Water

Date Received: 01/21/22 14:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	612372	01/21/22 13:30	LCH	TAL BUF
Total/NA	Analysis	9060A		1	613067	01/25/22 17:55	IMZ	TAL BUF

Client Sample ID: MW-11

Lab Sample ID: 480-194344-5

Date Collected: 01/19/22 10:07

Matrix: Water

Date Received: 01/21/22 14:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	612372	01/21/22 13:53	LCH	TAL BUF
Total/NA	Analysis	9060A		1	613067	01/25/22 18:24	IMZ	TAL BUF

Client Sample ID: MW-13S

Lab Sample ID: 480-194344-6

Date Collected: 01/18/22 15:00

Matrix: Water

Date Received: 01/21/22 14:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		2	612372	01/21/22 14:15	LCH	TAL BUF
Total/NA	Analysis	9060A		1	613067	01/25/22 19:49	IMZ	TAL BUF

Lab Chronicle

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: MW-13D

Lab Sample ID: 480-194344-7

Date Collected: 01/18/22 16:15

Matrix: Water

Date Received: 01/21/22 14:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	612372	01/21/22 14:37	LCH	TAL BUF
Total/NA	Analysis	9060A		1	613067	01/25/22 20:45	IMZ	TAL BUF

Client Sample ID: MW-16S

Lab Sample ID: 480-194344-8

Date Collected: 01/20/22 13:10

Matrix: Water

Date Received: 01/21/22 14:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		500	612671	01/25/22 21:11	AXK	TAL BUF
Total/NA	Analysis	9060A		5	613067	01/25/22 21:44	IMZ	TAL BUF

Client Sample ID: MW-16D

Lab Sample ID: 480-194344-9

Date Collected: 01/20/22 12:15

Matrix: Water

Date Received: 01/21/22 14:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C	DL	2	612547	01/24/22 13:05	AXK	TAL BUF
Total/NA	Analysis	8260C		1	612372	01/21/22 15:20	LCH	TAL BUF
Total/NA	Analysis	9060A		1	613067	01/25/22 22:12	IMZ	TAL BUF

Client Sample ID: DPE-1

Lab Sample ID: 480-194344-10

Date Collected: 01/19/22 07:00

Matrix: Water

Date Received: 01/21/22 14:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		8	612372	01/21/22 15:42	LCH	TAL BUF
Total/NA	Analysis	9060A		4	613067	01/25/22 22:42	IMZ	TAL BUF

Client Sample ID: DPE-2

Lab Sample ID: 480-194344-11

Date Collected: 01/19/22 13:30

Matrix: Water

Date Received: 01/21/22 14:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	612372	01/21/22 16:04	LCH	TAL BUF
Total/NA	Analysis	9060A		1	613067	01/25/22 23:11	IMZ	TAL BUF

Client Sample ID: DPE-3

Lab Sample ID: 480-194344-12

Date Collected: 01/19/22 13:45

Matrix: Water

Date Received: 01/21/22 14:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		8	612372	01/21/22 16:26	LCH	TAL BUF
Total/NA	Analysis	9060A		1	613067	01/25/22 23:39	IMZ	TAL BUF

Lab Chronicle

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: DPE-4

Lab Sample ID: 480-194344-13

Date Collected: 01/19/22 07:30

Matrix: Water

Date Received: 01/21/22 14:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		4	612372	01/21/22 16:49	LCH	TAL BUF
Total/NA	Analysis	9060A		1	613067	01/26/22 00:07	IMZ	TAL BUF

Client Sample ID: DPE-5

Lab Sample ID: 480-194344-14

Date Collected: 01/19/22 08:00

Matrix: Water

Date Received: 01/21/22 14:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		2	612372	01/21/22 17:11	LCH	TAL BUF
Total/NA	Analysis	9060A		1	613067	01/26/22 02:30	IMZ	TAL BUF

Client Sample ID: DPE-6

Lab Sample ID: 480-194344-15

Date Collected: 01/19/22 14:15

Matrix: Water

Date Received: 01/21/22 14:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	612372	01/21/22 17:33	LCH	TAL BUF
Total/NA	Analysis	9060A		1	613067	01/26/22 03:26	IMZ	TAL BUF

Client Sample ID: DPE-7

Lab Sample ID: 480-194344-16

Date Collected: 01/19/22 08:30

Matrix: Water

Date Received: 01/21/22 14:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		2	612372	01/21/22 17:56	LCH	TAL BUF
Total/NA	Analysis	9060A		1	613067	01/26/22 04:24	IMZ	TAL BUF

Client Sample ID: DPE-8

Lab Sample ID: 480-194344-17

Date Collected: 01/19/22 09:00

Matrix: Water

Date Received: 01/21/22 14:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		100	612372	01/21/22 18:17	LCH	TAL BUF
Total/NA	Analysis	9060A		1	613067	01/26/22 04:52	IMZ	TAL BUF

Client Sample ID: GWCT

Lab Sample ID: 480-194344-18

Date Collected: 01/19/22 14:00

Matrix: Water

Date Received: 01/21/22 14:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	612372	01/21/22 18:40	LCH	TAL BUF
Total/NA	Analysis	9060A		1	613067	01/26/22 05:21	IMZ	TAL BUF

Lab Chronicle

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194344-1

Client Sample ID: Duplicate

Lab Sample ID: 480-194344-19

Date Collected: 01/19/22 00:00

Matrix: Water

Date Received: 01/21/22 14:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	612372	01/21/22 19:01	LCH	TAL BUF

Client Sample ID: Rinse Blank

Lab Sample ID: 480-194344-20

Date Collected: 01/20/22 13:45

Matrix: Water

Date Received: 01/21/22 14:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	612372	01/21/22 19:24	LCH	TAL BUF

Client Sample ID: Trip Blank

Lab Sample ID: 480-194344-21

Date Collected: 01/20/22 00:00

Matrix: Water

Date Received: 01/21/22 14:45

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	612372	01/21/22 19:46	LCH	TAL BUF

Laboratory References:

TAL BUF = Eurofins Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

Accreditation/Certification Summary

Client: AECOM

Job ID: 480-194344-1

Project/Site: Scott Figgie West of Plant 2

Laboratory: Eurofins Buffalo

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
New York	NELAP	10026	04-01-22

1

2

3

4

5

6

7

8

9

10

11

Method Summary

Client: AECOM

Job ID: 480-194344-1

Project/Site: Scott Figgie West of Plant 2

Method	Method Description	Protocol	Laboratory
8260C	Volatile Organic Compounds by GC/MS	SW846	TAL BUF
9060A	Organic Carbon, Total (TOC)	SW846	TAL BUF
5030C	Purge and Trap	SW846	TAL BUF

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL BUF = Eurofins Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600



Sample Summary

Client: AECOM

Job ID: 480-194344-1

Project/Site: Scott Figgie West of Plant 2

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
480-194344-1	MW-2	Water	01/19/22 15:05	01/21/22 14:45
480-194344-2	MW-4	Water	01/18/22 11:02	01/21/22 14:45
480-194344-3	MW-8R	Water	01/18/22 12:45	01/21/22 14:45
480-194344-4	MW-3	Water	01/19/22 13:10	01/21/22 14:45
480-194344-5	MW-11	Water	01/19/22 10:07	01/21/22 14:45
480-194344-6	MW-13S	Water	01/18/22 15:00	01/21/22 14:45
480-194344-7	MW-13D	Water	01/18/22 16:15	01/21/22 14:45
480-194344-8	MW-16S	Water	01/20/22 13:10	01/21/22 14:45
480-194344-9	MW-16D	Water	01/20/22 12:15	01/21/22 14:45
480-194344-10	DPE-1	Water	01/19/22 07:00	01/21/22 14:45
480-194344-11	DPE-2	Water	01/19/22 13:30	01/21/22 14:45
480-194344-12	DPE-3	Water	01/19/22 13:45	01/21/22 14:45
480-194344-13	DPE-4	Water	01/19/22 07:30	01/21/22 14:45
480-194344-14	DPE-5	Water	01/19/22 08:00	01/21/22 14:45
480-194344-15	DPE-6	Water	01/19/22 14:15	01/21/22 14:45
480-194344-16	DPE-7	Water	01/19/22 08:30	01/21/22 14:45
480-194344-17	DPE-8	Water	01/19/22 09:00	01/21/22 14:45
480-194344-18	GWCT	Water	01/19/22 14:00	01/21/22 14:45
480-194344-19	Duplicate	Water	01/19/22 00:00	01/21/22 14:45
480-194344-20	Rinse Blank	Water	01/20/22 13:45	01/21/22 14:45
480-194344-21	Trip Blank	Water	01/20/22 00:00	01/21/22 14:45

Login Sample Receipt Checklist

Client: AECOM

Job Number: 480-194344-1

Login Number: 194344

List Number: 1

Creator: Wallace, Cameron

List Source: Eurofins Buffalo

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time (Excluding tests with immediate HTs)..	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Sampling Company provided.	True	AECOM
Samples received within 48 hours of sampling.	True	
Samples requiring field filtration have been filtered in the field.	True	
Chlorine Residual checked.	N/A	

Chain of Custody Record

Client Information		Lab PM: Fischer, Brian J		Carrier Tracking No(s):		COC No: 480-169067-3450.1	
Company: AECOM		E-Mail: Brian.Fischer@Eurofinset.com		State of Origin: NY		Page: Page 1 of 2	
Address: One John James Audubon Parkway, Suite 210		City: Amherst		State: NY		Job #:	
City: Amherst		State: NY		State: NY		Job #:	
Phone: 716 866 8222		TAT Requested (days): STD TAT		Compliance Project: Per PO		Preservation Codes:	
Email: dino.zack@aecom.com		Project #: 48002539		PO #: 716 866 8222		A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - NaHSO4 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4.5 Z - other (specify)	
Project Name: Scott Figgie - GW		SSOW#:		Due Date Requested: Per PO		Analysis Requested:	
Site: New York		Sample Date		Sample Time		Sample Type (C=Comp, G=grab)	
Sample Identification		Sample Date		Sample Time		Sample Type (C=Comp, G=grab)	
MW-2	11/19/22	1505	G	Water	Matrix (W=water, S=soil, O=water/soil, A=air)	Preservation Code:	Field Filtered Sample (Yes or No)
MW-4	11/18/22	1102	G	Water			
MW-8R	11/18/22	1245	G	Water			
MW-3	11/19/22	1310	G	Water			
MW-11	11/19/22	1007	G	Water			
MW-13S	11/18/22	1500	G	Water			
MW-13D	11/18/22	1615	G	Water			
MW-16S	12/01/22	1310	G	Water			
MW-16D	11/18/22	1215	G	Water			
DPE-1	11/19/22	0700	G	Water			
DPE-2	↓	1330	↓	Water			
Possible Hazard Identification <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological Deliverable Requested: I, II, III, IV, Other (specify)							
Special Instructions/QC Requirements: PO 141583 / AECOM 60676130-1 <input type="checkbox"/> Return To Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For Months							
Empty Kit Relinquished by:		Date:		Time:		Method of Shipment:	
Relinquished by: [Signature]		Date/Time: 12/22/22 1445		Company: AECOM		Received by: [Signature]	
Relinquished by:		Date/Time:		Company:		Received by:	
Relinquished by:		Date/Time:		Company:		Received by:	
Custody Seals Intact: Δ Yes Δ No		Custody Seal No.:		Cooler Temperature(s) °C and Other Remarks: 51.2°C			



Client Information		Sampler: <u>AMK</u>		Lab PM: Fischer, Brian J		Camer Tracking No(s):		COC No: 480-169067-3450 2					
Client Contact: Mr. Dino Zack		Phone:		E-Mail: Brian.Fischer@Eurolinset.com		State of Origin: <u>NY</u>		Page 2 of 2					
Company: AECOM		PWSID:		Analysis Requested		Job #:		Preservation Codes:					
Address: One John James Audubon Parkway Suite 210		Due Date Requested: <u>Per PO</u>		Field Filtered Sample (Yes or No)		Total Number of Containers		Special Instructions/Note:					
City: Amherst		TAT Requested (days): <u>STD TAT</u>		From MS/MSD (Yes or No)				A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA M - Hexane N - None O - AsNaO2 P - Na2OAS Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 Z - other (specify)					
State, Zip: NY, 14228		Compliance Project: <u>Per PO</u>		960A - (MOD) Local Method									
Phone: <u>716 866 8222</u>		PO # <u>141583</u>		960C - TCL list OLM4.2									
Email: dino.zack@aecom.com		WO #		960D - (MOD) Local Method									
Project Name: Scott Figgie - GW		Project #: 48002539		960E - (MOD) Local Method									
Site: New York		SSOW#		960F - (MOD) Local Method									
Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=soil, T=tissue, A=air)	Preservation Code	Field Filtered Sample (Yes or No)	From MS/MSD (Yes or No)	960A - (MOD) Local Method	960C - TCL list OLM4.2	960D - (MOD) Local Method	960E - (MOD) Local Method	960F - (MOD) Local Method	Special Instructions/Note:
DPE-3	11/19/22	1345	G	Water		X	X	X	X	X	X	X	
DPE-4		0730		Water		X	X	X	X	X	X	X	
DPE-5		0900		Water		X	X	X	X	X	X	X	
DPE-6		1415		Water		X	X	X	X	X	X	X	
DPE-7		0835		Water		X	X	X	X	X	X	X	
DPE-8		0900		Water		X	X	X	X	X	X	X	
GWCT	11/19/22	1400		Water		X	X	X	X	X	X	X	
DUPLICATE	11/19/22	0000	G	Water		X	X	X	X	X	X	X	
RINSE BLANK	12/02/22	1345	G	Water		X	X	X	X	X	X	X	
Trip Blank	12/02/22	0000		Water		X	X	X	X	X	X	X	
Possible Hazard Identification													
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological Deliverable Requested: I, II, III, IV, Other (specify)													
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)													
<input type="checkbox"/> Return To Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months Special Instructions/QC Requirements: <u>PO 141583/AECOM 60676130-1</u>													
Empty Kit Relinquished by:													
Relinquished by: <u>[Signature]</u> Date/Time: <u>12/02/22 1445</u> Company: <u>AECOM</u>													
Relinquished by: <u>[Signature]</u> Date/Time: <u>12/02/22 1445</u> Company: <u>AECOM</u>													
Relinquished by: _____ Date/Time: _____ Company: _____													
Custody Seals Intact: <u>Per PO</u> Cooler Temperature(s) °C and Other Remarks: _____													
<input type="checkbox"/> Yes <input type="checkbox"/> No <input type="checkbox"/> Δ													



ANALYTICAL REPORT

Eurofins Buffalo
10 Hazelwood Drive
Amherst, NY 14228-2298
Tel: (716)691-2600

Laboratory Job ID: 480-194378-1
Client Project/Site: Scott Figgie West of Plant 2

For:
AECOM
One John James Audubon Parkway
Suite 210
Amherst, New York 14228

Attn: Mr. Dino Zack



Authorized for release by:
2/3/2022 5:41:00 PM
Rebecca Jones, Project Management Assistant I
Rebecca.Jones@Eurofinset.com
Designee for
Brian Fischer, Manager of Project Management
(716)504-9835
Brian.Fischer@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Client Sample Results	5
Lab Chronicle	11
Certification Summary	12
Method Summary	13
Sample Summary	14
Receipt Checklists	15
Chain of Custody	16

Definitions/Glossary

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194378-1

Qualifiers

Air - GC/MS VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194378-1

Job ID: 480-194378-1

Laboratory: Eurofins Buffalo

Narrative

Job Narrative
480-194378-1

Comments

No additional comments.

Receipt

The samples were received on 1/21/2022 11:00 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice.

Air Toxics

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.



Client Sample Results

Client: AECOM
 Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194378-1

Client Sample ID: IQ22 AS

Lab Sample ID: 480-194378-1

Date Collected: 01/19/22 08:00

Matrix: Air

Date Received: 01/21/22 11:00

Sample Container: Summa Canister 6L

Method: TO-15 - Volatile Organic Compounds in Ambient Air

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1
1,1,2,2-Tetrachloroethane	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1
1,1,2-Trichloroethane	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1
1,1-Dichloroethane	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1
1,1-Dichloroethene	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1
1,2,4-Trichlorobenzene	0.50	U	0.50	0.50	ppb v/v			02/03/22 00:44	1
1,2,4-Trimethylbenzene	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1
1,2-Dibromoethane	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1
1,2-Dichlorobenzene	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1
1,2-Dichloroethane	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1
1,2-Dichloroethene, Total	0.40	U	0.40	0.40	ppb v/v			02/03/22 00:44	1
1,2-Dichloropropane	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1
1,2-Dichlorotetrafluoroethane	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1
1,3,5-Trimethylbenzene	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1
1,3-Butadiene	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1
1,3-Dichlorobenzene	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1
1,4-Dichlorobenzene	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1
1,4-Dioxane	5.0	U	5.0	5.0	ppb v/v			02/03/22 00:44	1
2,2,4-Trimethylpentane	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1
2-Chlorotoluene	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1
3-Chloropropene	0.50	U	0.50	0.50	ppb v/v			02/03/22 00:44	1
4-Ethyltoluene	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1
Acetone	5.6		5.0	5.0	ppb v/v			02/03/22 00:44	1
Benzene	0.26		0.20	0.20	ppb v/v			02/03/22 00:44	1
Bromodichloromethane	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1
Bromoethene(Vinyl Bromide)	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1
Bromoform	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1
Bromomethane	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1
Carbon disulfide	0.68		0.50	0.50	ppb v/v			02/03/22 00:44	1
Carbon tetrachloride	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1
Chlorobenzene	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1
Chloroethane	27		0.50	0.50	ppb v/v			02/03/22 00:44	1
Chloroform	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1
Chloromethane	0.57		0.50	0.50	ppb v/v			02/03/22 00:44	1
cis-1,2-Dichloroethene	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1
cis-1,3-Dichloropropene	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1
Cyclohexane	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1
Dibromochloromethane	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1
Dichlorodifluoromethane	0.50	U	0.50	0.50	ppb v/v			02/03/22 00:44	1
Ethylbenzene	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1
Freon TF	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1
Hexachlorobutadiene	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1
Isopropyl alcohol	5.0	U	5.0	5.0	ppb v/v			02/03/22 00:44	1
m,p-Xylene	0.50	U	0.50	0.50	ppb v/v			02/03/22 00:44	1
Methyl Butyl Ketone (2-Hexanone)	0.50	U	0.50	0.50	ppb v/v			02/03/22 00:44	1
Methyl Ethyl Ketone	0.89		0.50	0.50	ppb v/v			02/03/22 00:44	1
methyl isobutyl ketone	0.50	U	0.50	0.50	ppb v/v			02/03/22 00:44	1
Methyl tert-butyl ether	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1

Euromins Buffalo

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194378-1

Client Sample ID: IQ22 AS

Lab Sample ID: 480-194378-1

Date Collected: 01/19/22 08:00

Matrix: Air

Date Received: 01/21/22 11:00

Sample Container: Summa Canister 6L

Method: TO-15 - Volatile Organic Compounds in Ambient Air (Continued)

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Methylene Chloride	0.50	U	0.50	0.50	ppb v/v			02/03/22 00:44	1
n-Heptane	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1
n-Hexane	0.50	U	0.50	0.50	ppb v/v			02/03/22 00:44	1
Styrene	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1
tert-Butyl alcohol	5.0	U	5.0	5.0	ppb v/v			02/03/22 00:44	1
Tetrachloroethene	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1
Tetrahydrofuran	5.0	U	5.0	5.0	ppb v/v			02/03/22 00:44	1
Toluene	0.53		0.20	0.20	ppb v/v			02/03/22 00:44	1
trans-1,2-Dichloroethene	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1
trans-1,3-Dichloropropene	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1
Trichloroethene	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1
Trichlorofluoromethane	0.21		0.20	0.20	ppb v/v			02/03/22 00:44	1
Vinyl chloride	0.28		0.20	0.20	ppb v/v			02/03/22 00:44	1
Xylene (total)	0.70	U	0.70	0.70	ppb v/v			02/03/22 00:44	1
Xylene, o-	0.20	U	0.20	0.20	ppb v/v			02/03/22 00:44	1

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.1	U	1.1	1.1	ug/m3			02/03/22 00:44	1
1,1,1,2-Tetrachloroethane	1.4	U	1.4	1.4	ug/m3			02/03/22 00:44	1
1,1,2-Trichloroethane	1.1	U	1.1	1.1	ug/m3			02/03/22 00:44	1
1,1-Dichloroethane	0.81	U	0.81	0.81	ug/m3			02/03/22 00:44	1
1,1-Dichloroethene	0.79	U	0.79	0.79	ug/m3			02/03/22 00:44	1
1,2,4-Trichlorobenzene	3.7	U	3.7	3.7	ug/m3			02/03/22 00:44	1
1,2,4-Trimethylbenzene	0.98	U	0.98	0.98	ug/m3			02/03/22 00:44	1
1,2-Dibromoethane	1.5	U	1.5	1.5	ug/m3			02/03/22 00:44	1
1,2-Dichlorobenzene	1.2	U	1.2	1.2	ug/m3			02/03/22 00:44	1
1,2-Dichloroethane	0.81	U	0.81	0.81	ug/m3			02/03/22 00:44	1
1,2-Dichloroethene, Total	1.6	U	1.6	1.6	ug/m3			02/03/22 00:44	1
1,2-Dichloropropane	0.92	U	0.92	0.92	ug/m3			02/03/22 00:44	1
1,2-Dichlorotetrafluoroethane	1.4	U	1.4	1.4	ug/m3			02/03/22 00:44	1
1,3,5-Trimethylbenzene	0.98	U	0.98	0.98	ug/m3			02/03/22 00:44	1
1,3-Butadiene	0.44	U	0.44	0.44	ug/m3			02/03/22 00:44	1
1,3-Dichlorobenzene	1.2	U	1.2	1.2	ug/m3			02/03/22 00:44	1
1,4-Dichlorobenzene	1.2	U	1.2	1.2	ug/m3			02/03/22 00:44	1
1,4-Dioxane	18	U	18	18	ug/m3			02/03/22 00:44	1
2,2,4-Trimethylpentane	0.93	U	0.93	0.93	ug/m3			02/03/22 00:44	1
2-Chlorotoluene	1.0	U	1.0	1.0	ug/m3			02/03/22 00:44	1
3-Chloropropene	1.6	U	1.6	1.6	ug/m3			02/03/22 00:44	1
4-Ethyltoluene	0.98	U	0.98	0.98	ug/m3			02/03/22 00:44	1
Acetone	13		12	12	ug/m3			02/03/22 00:44	1
Benzene	0.82		0.64	0.64	ug/m3			02/03/22 00:44	1
Bromodichloromethane	1.3	U	1.3	1.3	ug/m3			02/03/22 00:44	1
Bromoethene(Vinyl Bromide)	0.87	U	0.87	0.87	ug/m3			02/03/22 00:44	1
Bromoform	2.1	U	2.1	2.1	ug/m3			02/03/22 00:44	1
Bromomethane	0.78	U	0.78	0.78	ug/m3			02/03/22 00:44	1
Carbon disulfide	2.1		1.6	1.6	ug/m3			02/03/22 00:44	1
Carbon tetrachloride	1.3	U	1.3	1.3	ug/m3			02/03/22 00:44	1
Chlorobenzene	0.92	U	0.92	0.92	ug/m3			02/03/22 00:44	1
Chloroethane	71		1.3	1.3	ug/m3			02/03/22 00:44	1

Eurofins Buffalo

Client Sample Results

Client: AECOM
 Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194378-1

Client Sample ID: IQ22 AS

Lab Sample ID: 480-194378-1

Date Collected: 01/19/22 08:00

Matrix: Air

Date Received: 01/21/22 11:00

Sample Container: Summa Canister 6L

Method: TO-15 - Volatile Organic Compounds in Ambient Air (Continued)

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloroform	0.98	U	0.98	0.98	ug/m3			02/03/22 00:44	1
Chloromethane	1.2		1.0	1.0	ug/m3			02/03/22 00:44	1
cis-1,2-Dichloroethene	0.79	U	0.79	0.79	ug/m3			02/03/22 00:44	1
cis-1,3-Dichloropropene	0.91	U	0.91	0.91	ug/m3			02/03/22 00:44	1
Cyclohexane	0.69	U	0.69	0.69	ug/m3			02/03/22 00:44	1
Dibromochloromethane	1.7	U	1.7	1.7	ug/m3			02/03/22 00:44	1
Dichlorodifluoromethane	2.5	U	2.5	2.5	ug/m3			02/03/22 00:44	1
Ethylbenzene	0.87	U	0.87	0.87	ug/m3			02/03/22 00:44	1
Freon TF	1.5	U	1.5	1.5	ug/m3			02/03/22 00:44	1
Hexachlorobutadiene	2.1	U	2.1	2.1	ug/m3			02/03/22 00:44	1
Isopropyl alcohol	12	U	12	12	ug/m3			02/03/22 00:44	1
m,p-Xylene	2.2	U	2.2	2.2	ug/m3			02/03/22 00:44	1
Methyl Butyl Ketone (2-Hexanone)	2.0	U	2.0	2.0	ug/m3			02/03/22 00:44	1
Methyl Ethyl Ketone	2.6		1.5	1.5	ug/m3			02/03/22 00:44	1
methyl isobutyl ketone	2.0	U	2.0	2.0	ug/m3			02/03/22 00:44	1
Methyl tert-butyl ether	0.72	U	0.72	0.72	ug/m3			02/03/22 00:44	1
Methylene Chloride	1.7	U	1.7	1.7	ug/m3			02/03/22 00:44	1
n-Heptane	0.82	U	0.82	0.82	ug/m3			02/03/22 00:44	1
n-Hexane	1.8	U	1.8	1.8	ug/m3			02/03/22 00:44	1
Styrene	0.85	U	0.85	0.85	ug/m3			02/03/22 00:44	1
tert-Butyl alcohol	15	U	15	15	ug/m3			02/03/22 00:44	1
Tetrachloroethene	1.4	U	1.4	1.4	ug/m3			02/03/22 00:44	1
Tetrahydrofuran	15	U	15	15	ug/m3			02/03/22 00:44	1
Toluene	2.0		0.75	0.75	ug/m3			02/03/22 00:44	1
trans-1,2-Dichloroethene	0.79	U	0.79	0.79	ug/m3			02/03/22 00:44	1
trans-1,3-Dichloropropene	0.91	U	0.91	0.91	ug/m3			02/03/22 00:44	1
Trichloroethene	1.1	U	1.1	1.1	ug/m3			02/03/22 00:44	1
Trichlorofluoromethane	1.2		1.1	1.1	ug/m3			02/03/22 00:44	1
Vinyl chloride	0.73		0.51	0.51	ug/m3			02/03/22 00:44	1
Xylene (total)	3.0	U	3.0	3.0	ug/m3			02/03/22 00:44	1
Xylene, o-	0.87	U	0.87	0.87	ug/m3			02/03/22 00:44	1

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194378-1

Client Sample ID: IQ22 DPE

Lab Sample ID: 480-194378-2

Date Collected: 01/19/22 08:10

Matrix: Air

Date Received: 01/21/22 11:00

Sample Container: Summa Canister 6L

Method: TO-15 - Volatile Organic Compounds in Ambient Air

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1
1,1,1,2-Tetrachloroethane	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1
1,1,2-Trichloroethane	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1
1,1-Dichloroethane	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1
1,1-Dichloroethene	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1
1,2,4-Trichlorobenzene	0.50	U	0.50	0.50	ppb v/v			02/03/22 01:36	1
1,2,4-Trimethylbenzene	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1
1,2-Dibromoethane	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1
1,2-Dichlorobenzene	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1
1,2-Dichloroethane	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1
1,2-Dichloroethene, Total	0.42		0.40	0.40	ppb v/v			02/03/22 01:36	1
1,2-Dichloropropane	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1
1,2-Dichlorotetrafluoroethane	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1
1,3,5-Trimethylbenzene	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1
1,3-Butadiene	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1
1,3-Dichlorobenzene	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1
1,4-Dichlorobenzene	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1
1,4-Dioxane	8.7		5.0	5.0	ppb v/v			02/03/22 01:36	1
2,2,4-Trimethylpentane	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1
2-Chlorotoluene	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1
3-Chloropropene	0.50	U	0.50	0.50	ppb v/v			02/03/22 01:36	1
4-Ethyltoluene	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1
Acetone	10		5.0	5.0	ppb v/v			02/03/22 01:36	1
Benzene	0.23		0.20	0.20	ppb v/v			02/03/22 01:36	1
Bromodichloromethane	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1
Bromoethene(Vinyl Bromide)	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1
Bromoform	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1
Bromomethane	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1
Carbon disulfide	14		0.50	0.50	ppb v/v			02/03/22 01:36	1
Carbon tetrachloride	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1
Chlorobenzene	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1
Chloroethane	0.83		0.50	0.50	ppb v/v			02/03/22 01:36	1
Chloroform	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1
Chloromethane	0.61		0.50	0.50	ppb v/v			02/03/22 01:36	1
cis-1,2-Dichloroethene	0.42		0.20	0.20	ppb v/v			02/03/22 01:36	1
cis-1,3-Dichloropropene	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1
Cyclohexane	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1
Dibromochloromethane	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1
Dichlorodifluoromethane	0.50	U	0.50	0.50	ppb v/v			02/03/22 01:36	1
Ethylbenzene	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1
Freon TF	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1
Hexachlorobutadiene	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1
Isopropyl alcohol	5.0	U	5.0	5.0	ppb v/v			02/03/22 01:36	1
m,p-Xylene	0.50	U	0.50	0.50	ppb v/v			02/03/22 01:36	1
Methyl Butyl Ketone (2-Hexanone)	0.50	U	0.50	0.50	ppb v/v			02/03/22 01:36	1
Methyl Ethyl Ketone	1.8		0.50	0.50	ppb v/v			02/03/22 01:36	1
methyl isobutyl ketone	0.50	U	0.50	0.50	ppb v/v			02/03/22 01:36	1
Methyl tert-butyl ether	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1

Euromins Buffalo

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194378-1

Client Sample ID: IQ22 DPE

Lab Sample ID: 480-194378-2

Date Collected: 01/19/22 08:10

Matrix: Air

Date Received: 01/21/22 11:00

Sample Container: Summa Canister 6L

Method: TO-15 - Volatile Organic Compounds in Ambient Air (Continued)

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Methylene Chloride	0.50	U	0.50	0.50	ppb v/v			02/03/22 01:36	1
n-Heptane	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1
n-Hexane	0.50	U	0.50	0.50	ppb v/v			02/03/22 01:36	1
Styrene	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1
tert-Butyl alcohol	5.0	U	5.0	5.0	ppb v/v			02/03/22 01:36	1
Tetrachloroethene	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1
Tetrahydrofuran	5.0	U	5.0	5.0	ppb v/v			02/03/22 01:36	1
Toluene	0.30		0.20	0.20	ppb v/v			02/03/22 01:36	1
trans-1,2-Dichloroethene	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1
trans-1,3-Dichloropropene	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1
Trichloroethene	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1
Trichlorofluoromethane	0.21		0.20	0.20	ppb v/v			02/03/22 01:36	1
Vinyl chloride	3.7		0.20	0.20	ppb v/v			02/03/22 01:36	1
Xylene (total)	0.70	U	0.70	0.70	ppb v/v			02/03/22 01:36	1
Xylene, o-	0.20	U	0.20	0.20	ppb v/v			02/03/22 01:36	1

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.1	U	1.1	1.1	ug/m3			02/03/22 01:36	1
1,1,2,2-Tetrachloroethane	1.4	U	1.4	1.4	ug/m3			02/03/22 01:36	1
1,1,2-Trichloroethane	1.1	U	1.1	1.1	ug/m3			02/03/22 01:36	1
1,1-Dichloroethane	0.81	U	0.81	0.81	ug/m3			02/03/22 01:36	1
1,1-Dichloroethene	0.79	U	0.79	0.79	ug/m3			02/03/22 01:36	1
1,2,4-Trichlorobenzene	3.7	U	3.7	3.7	ug/m3			02/03/22 01:36	1
1,2,4-Trimethylbenzene	0.98	U	0.98	0.98	ug/m3			02/03/22 01:36	1
1,2-Dibromoethane	1.5	U	1.5	1.5	ug/m3			02/03/22 01:36	1
1,2-Dichlorobenzene	1.2	U	1.2	1.2	ug/m3			02/03/22 01:36	1
1,2-Dichloroethane	0.81	U	0.81	0.81	ug/m3			02/03/22 01:36	1
1,2-Dichloroethene, Total	1.7		1.6	1.6	ug/m3			02/03/22 01:36	1
1,2-Dichloropropane	0.92	U	0.92	0.92	ug/m3			02/03/22 01:36	1
1,2-Dichlorotetrafluoroethane	1.4	U	1.4	1.4	ug/m3			02/03/22 01:36	1
1,3,5-Trimethylbenzene	0.98	U	0.98	0.98	ug/m3			02/03/22 01:36	1
1,3-Butadiene	0.44	U	0.44	0.44	ug/m3			02/03/22 01:36	1
1,3-Dichlorobenzene	1.2	U	1.2	1.2	ug/m3			02/03/22 01:36	1
1,4-Dichlorobenzene	1.2	U	1.2	1.2	ug/m3			02/03/22 01:36	1
1,4-Dioxane	31		18	18	ug/m3			02/03/22 01:36	1
2,2,4-Trimethylpentane	0.93	U	0.93	0.93	ug/m3			02/03/22 01:36	1
2-Chlorotoluene	1.0	U	1.0	1.0	ug/m3			02/03/22 01:36	1
3-Chloropropene	1.6	U	1.6	1.6	ug/m3			02/03/22 01:36	1
4-Ethyltoluene	0.98	U	0.98	0.98	ug/m3			02/03/22 01:36	1
Acetone	25		12	12	ug/m3			02/03/22 01:36	1
Benzene	0.72		0.64	0.64	ug/m3			02/03/22 01:36	1
Bromodichloromethane	1.3	U	1.3	1.3	ug/m3			02/03/22 01:36	1
Bromoethene(Vinyl Bromide)	0.87	U	0.87	0.87	ug/m3			02/03/22 01:36	1
Bromoform	2.1	U	2.1	2.1	ug/m3			02/03/22 01:36	1
Bromomethane	0.78	U	0.78	0.78	ug/m3			02/03/22 01:36	1
Carbon disulfide	44		1.6	1.6	ug/m3			02/03/22 01:36	1
Carbon tetrachloride	1.3	U	1.3	1.3	ug/m3			02/03/22 01:36	1
Chlorobenzene	0.92	U	0.92	0.92	ug/m3			02/03/22 01:36	1
Chloroethane	2.2		1.3	1.3	ug/m3			02/03/22 01:36	1

Eurofins Buffalo

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194378-1

Client Sample ID: IQ22 DPE

Lab Sample ID: 480-194378-2

Date Collected: 01/19/22 08:10

Matrix: Air

Date Received: 01/21/22 11:00

Sample Container: Summa Canister 6L

Method: TO-15 - Volatile Organic Compounds in Ambient Air (Continued)

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloroform	0.98	U	0.98	0.98	ug/m3			02/03/22 01:36	1
Chloromethane	1.3		1.0	1.0	ug/m3			02/03/22 01:36	1
cis-1,2-Dichloroethene	1.7		0.79	0.79	ug/m3			02/03/22 01:36	1
cis-1,3-Dichloropropene	0.91	U	0.91	0.91	ug/m3			02/03/22 01:36	1
Cyclohexane	0.69	U	0.69	0.69	ug/m3			02/03/22 01:36	1
Dibromochloromethane	1.7	U	1.7	1.7	ug/m3			02/03/22 01:36	1
Dichlorodifluoromethane	2.5	U	2.5	2.5	ug/m3			02/03/22 01:36	1
Ethylbenzene	0.87	U	0.87	0.87	ug/m3			02/03/22 01:36	1
Freon TF	1.5	U	1.5	1.5	ug/m3			02/03/22 01:36	1
Hexachlorobutadiene	2.1	U	2.1	2.1	ug/m3			02/03/22 01:36	1
Isopropyl alcohol	12	U	12	12	ug/m3			02/03/22 01:36	1
m,p-Xylene	2.2	U	2.2	2.2	ug/m3			02/03/22 01:36	1
Methyl Butyl Ketone (2-Hexanone)	2.0	U	2.0	2.0	ug/m3			02/03/22 01:36	1
Methyl Ethyl Ketone	5.2		1.5	1.5	ug/m3			02/03/22 01:36	1
methyl isobutyl ketone	2.0	U	2.0	2.0	ug/m3			02/03/22 01:36	1
Methyl tert-butyl ether	0.72	U	0.72	0.72	ug/m3			02/03/22 01:36	1
Methylene Chloride	1.7	U	1.7	1.7	ug/m3			02/03/22 01:36	1
n-Heptane	0.82	U	0.82	0.82	ug/m3			02/03/22 01:36	1
n-Hexane	1.8	U	1.8	1.8	ug/m3			02/03/22 01:36	1
Styrene	0.85	U	0.85	0.85	ug/m3			02/03/22 01:36	1
tert-Butyl alcohol	15	U	15	15	ug/m3			02/03/22 01:36	1
Tetrachloroethene	1.4	U	1.4	1.4	ug/m3			02/03/22 01:36	1
Tetrahydrofuran	15	U	15	15	ug/m3			02/03/22 01:36	1
Toluene	1.1		0.75	0.75	ug/m3			02/03/22 01:36	1
trans-1,2-Dichloroethene	0.79	U	0.79	0.79	ug/m3			02/03/22 01:36	1
trans-1,3-Dichloropropene	0.91	U	0.91	0.91	ug/m3			02/03/22 01:36	1
Trichloroethene	1.1	U	1.1	1.1	ug/m3			02/03/22 01:36	1
Trichlorofluoromethane	1.2		1.1	1.1	ug/m3			02/03/22 01:36	1
Vinyl chloride	9.6		0.51	0.51	ug/m3			02/03/22 01:36	1
Xylene (total)	3.0	U	3.0	3.0	ug/m3			02/03/22 01:36	1
Xylene, o-	0.87	U	0.87	0.87	ug/m3			02/03/22 01:36	1

Lab Chronicle

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-194378-1

Client Sample ID: IQ22 AS

Date Collected: 01/19/22 08:00

Date Received: 01/21/22 11:00

Lab Sample ID: 480-194378-1

Matrix: Air

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	TO-15		1	176402	02/03/22 00:44	A1B	TAL BUR

Client Sample ID: IQ22 DPE

Date Collected: 01/19/22 08:10

Date Received: 01/21/22 11:00

Lab Sample ID: 480-194378-2

Matrix: Air

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	TO-15		1	176402	02/03/22 01:36	A1B	TAL BUR

Laboratory References:

TAL BUR = Eurofins Burlington, 530 Community Drive, Suite 11, South Burlington, VT 05403, TEL (802)660-1990

Accreditation/Certification Summary

Client: AECOM

Job ID: 480-194378-1

Project/Site: Scott Figgie West of Plant 2

Laboratory: Eurofins Burlington

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
ANAB	Dept. of Defense ELAP	L2336	02-25-23
Connecticut	State	PH-0751	09-30-21 *
DE Haz. Subst. Cleanup Act (HSCA)	State	N/A	05-17-22
Florida	NELAP	E87467	06-30-22
Minnesota	NELAP	050-999-436	12-31-22
New Hampshire	NELAP	2006	12-18-22
New Jersey	NELAP	VT972	06-30-22
New York	NELAP	10391	04-01-22
Pennsylvania	NELAP	68-00489	04-30-22
Rhode Island	State	LAO00298	12-30-22
US Fish & Wildlife	US Federal Programs	058448	07-31-22
USDA	US Federal Programs	P330-17-00272	10-30-23
Vermont	State	VT4000	02-10-22
Virginia	NELAP	460209	12-14-22
Wisconsin	State	399133350	08-31-22

* Accreditation/Certification renewal pending - accreditation/certification considered valid.

Method Summary

Client: AECOM

Job ID: 480-194378-1

Project/Site: Scott Figgie West of Plant 2

Method	Method Description	Protocol	Laboratory
TO-15	Volatile Organic Compounds in Ambient Air	EPA	TAL BUR

Protocol References:

EPA = US Environmental Protection Agency

Laboratory References:

TAL BUR = Eurofins Burlington, 530 Community Drive, Suite 11, South Burlington, VT 05403, TEL (802)660-1990



Sample Summary

Client: AECOM

Job ID: 480-194378-1

Project/Site: Scott Figgie West of Plant 2

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
480-194378-1	IQ22 AS	Air	01/19/22 08:00	01/21/22 11:00	Air Canister (6-Liter) #4455
480-194378-2	IQ22 DPE	Air	01/19/22 08:10	01/21/22 11:00	Air Canister (6-Liter) #4561

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11

Login Sample Receipt Checklist

Client: AECOM

Job Number: 480-194378-1

Login Number: 194378

List Source: Eurofins Buffalo

List Number: 1

Creator: Cunningham, Caroline R

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	N/A	NA: Lab does not accept radioactive samples
The cooler's custody seal, if present, is intact.	True	1534873, 1534872
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	No: Thermal preservation not required
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	N/A	No: Thermal preservation not required
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time (Excluding tests with immediate HTs)..	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	N/A	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Sampling Company provided.	True	
Samples received within 48 hours of sampling.	True	
Samples requiring field filtration have been filtered in the field.	True	
Chlorine Residual checked.	N/A	

Eurofins TestAmerica, Burlington
 530 Community Drive
 Suite 11
 South Burlington, VT 05403-6809
 phone 802.660.1990 fax 802.660.1919

Canister Samples Chain of Custody Record

TestAmerica Laboratories, Inc. assumes no liability with respect to the collection and shipment of these samples.



TestAmerica Laboratories, Inc. d/b/a Eurofins TestAmerica


Client Contact Information Company Name: <u>AECOM</u> Address: <u>One John James Audubon</u> City/State/Zip: <u>Amherst NY 14226</u> Phone: <u>716 866 8222</u> FAX: Project Name: <u>West Plant 2</u> Site/Location: <u>Lancaster, NY</u> P.O.#: <u>141583</u>		Client Project Manager: <u>Dino Zuck</u> Phone: <u>716 866 8222</u> Email: <u>Dino.Zuck@aecocom.com</u> Site Contact: <u>B. Fisher</u> Tel/Fax: Analysis Turnaround Time Standard (Specific): <u>STD TAT</u> Rush (Specify):		Samples Collected By: <u>Dino Zuck</u> COC No: _____ of _____ COCs TALS Project #: For Lab Use Only: Walk-in Client: Lab Sampling: Job / SDG No.: (See below for Add'l Items)																			
Sample Information Sample Identification <u>1Q22 AS</u> <u>1Q22 DPE</u>		Time Start <u>1/19/22 0800</u> <u>1/19/22 0810</u>		Sample End Date <u>1/19/22 0800</u> <u>1/19/22 0810</u>		Time Stop <u>0800</u> <u>0810</u>		Canister Vacuum in Field, "Hg (Start) <u>-24.4</u> <u>-24.4</u>		Canister Vacuum in Field, "Hg (Stop) <u>NA</u> <u>NA</u>		Flow Controller ID <u>NA</u> <u>NA</u>		Canister ID <u>4455</u> <u>4561</u>		TO-14/15 (Standard / Low Level) <u>X</u> <u>X</u>		TO-15 SIM <u>EPA 3C</u> <u>EPA 25C</u> <u>ASTM D-1946</u> <u>EPA 15/16</u>		Other (Please specify in notes section) <u>Sample Type</u> <u>Indoor Air/Ambient Air</u> <u>Sub-Slab</u> <u>Soil Gas</u> <u>Soil Vapor Extraction (SVE)</u> <u>Landfill Gas</u> Other (Please specify in notes section)		Sample Specific Notes: <u>TO-15 per PO</u> <u>TO-15 per PO</u>	
Special Instructions/QC Requirements & Comments: <u>TO-15 per PO 141583 / AECOM Project No. 60676130-1</u> <u>11800 TAPM</u>																							
Samples Shipped by: <u>D.D. Zuck</u> Date / Time: <u>1/19/22 0830h</u>										Samples Received by: Received by: Date / Time:													
Samples Relinquished by:										Relinquished by:													
Lab Use Only: Shipper Name:										Opened by:													
Condition:										Condition:													



Appendix D
Current and Historical Summary of VOCs in Groundwater

MONITORING WELL MW-2
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York


Trend Plot



MONITORING WELL MW-3
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/14/2005	< 10	4	22	16	8	<10
1/5/2006	< 25	4.4	4.6	< 25	10	< 25
4/14/2006	< 25	< 25	< 25	2.8	4.9	< 25
7/10/2006	< 25	2.6	6.5	4.8	7	< 25
10/18/2006	< 5	1.3	9.8	8.2	4.3	< 5
1/10/2007	< 5	2.8	9.8	12	7	< 5
4/16/2007	< 20	< 20	< 20	< 20	5.3	< 20
7/2/2007	< 5	2	5.7	< 5	7.5	< 5
10/17/2007	5	12	4	25	14	25
1/9/2008	< 5	0.9	4.2	1.2	9.7	< 5
4/3/2008	< 5	3	19	4.1	11	< 5
7/1/2008	< 5	2	15	6	5.3	< 5
10/1/2008	< 5	3.2	73	16	8.4	< 5
1/21/2009	< 5	4.5	21	3.6	17	< 5
4/15/2009	< 5	1.3	6	1.4	6.9	< 5
7/22/2009	< 5	2.5	23	4.5	10	< 5
10/12/2009	< 5	2.5	23	4.5	10	< 5
1/18/2010	< 5	3.4	31	4.6	15	< 5
4/7/2010	< 5	1.7	4.6	< 5	10	< 5
7/13/2010	< 5	2.6	20	4.5	7.7	< 5
10/11/2010	< 5	3.2	55	7.2	12	< 5
1/12/2011	< 1	2.8	38	9.4	8.4	< 1
4/4/2011	< 1	3.1	19	4.2	11	< 1
7/26/2011	< 1	0.98	9.1	1.5	1.8	< 1
10/3/2011	< 1	1.1	18	4.4	1.2	< 1
1/13/2012	< 1	2.5	13	2.5	11	< 1
4/2/2012	< 1	< 1	< 1	< 1	7.9	< 1
7/5/2012	< 1	2.7	7.2	5.6	4.9	< 1
10/11/2012	< 1	2.8	44	9.5	6.6	< 1
4/1/2013	< 1	1.3	4	< 1	9.6	< 1
7/1/2013	< 1	3.5	10	3.6	10	< 1
10/10/2013	< 1	3.3	9.1	3.8	7.9	< 1
1/21/2014	< 1	2.3	2.3	< 1	6.9	< 1
4/7/2014	< 1	1.5	2.5	0.82	8.9	< 1
7/17/2014	< 1	2.4	7.8	1.7	8.1	< 1
10/14/2014	< 1	0.93	20	4.3	2	< 1
1/20/2015	< 1	< 1	1.5	0.64	4.9	< 1
4/7/2015	< 1	1.4	7.1	2.8	8.4	< 1
7/22/2015	< 1	1.6	7.9	3.1	3.8	< 1
10/21/2015	< 1	1.3	20	5.7	1.5	< 1
1/6/2016	< 1	3	4.2	0.83	9.5	< 1
4/5/2016	< 1	0.98	2.6	0.58	8	< 1
7/5/2016	< 1	1.3	6.9	1.9	2.8	< 1
10/25/2016	< 1	0.81	14	2.2	1.6	< 1
1/19/2017	< 1	3.7	38	7.5	13	< 1
4/20/2017	< 1	1.2	21	1.8	5.1	< 1
7/12/2017	< 1	3.0	29	2.7	16	< 1
10/23/2017	< 1	1.3	11	1.4	7.8	< 1
1/10/2018	< 1	3.1	11	0.72	12	< 1
4/17/2018	< 1	1.9	22	1.3	10	< 1
7/13/2018	< 1	2.2	28	< 1	11	< 1
10/24/2018	< 1	1.1	24	2.4	7.8	< 1
1/9/2019	< 1	1.3	24	2.1	7.4	< 1
4/8/2019	< 1	1.3	21	< 1	8.7	< 1
7/24/2019	< 1	1.4	27	1.6	8.6	< 1
10/15/2019	< 1	3.2	34	1.8	15	< 1
1/7/2020	< 1	2.0	16	1.1	9.3	< 1
4/6/2020	< 1	3.0	23	1.4	13	< 1
7/21/2020	< 1	1.6	18	1.0	7.4	< 1
10/13/2020	< 1	4.4	41	3.0	0.47	< 1
1/19/2021	< 1	2.0	11	< 1	11	< 1
4/6/2021	< 1	1.9	14	0.70	9.8	< 1
7/13/2021	< 1	3.0	9.6	< 1	11	< 1
10/18/2021	< 1	1.8	5.5	< 1	8.2	< 1
1/19/2022	< 1	0.86	14	< 1	8.4	< 1


MONITORING WELL MW-3
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York



**MONITORING WELL MW-4
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York**

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
11/7/2003	270	9,100	3,700	< 10	320	28
10/13/2004	8,100	26,000	3,300	< 1000	560	220
1/7/2005	20,000	57,000	5,500	< 2000	1,600	4,400
1/6/2006	6,500	22,000	1,000	< 2000	370	520
4/14/2006	3,200	6,800	280	<500	120	<500
7/10/2006	2,400	7,600	250	<500	120	68
10/18/2006	2,600	9,800	600	<5	130	52
1/10/2007	2,800	4,500	220	<400	56	66
4/17/2007	4,900	6,200	360	<500	<500	<500
7/3/2007	1,100	2,900	260	<200	37	<200
10/17/2007	4,800	5,800	280	<500	68	460
1/9/2008	9,200	21,000	1,700	<500	320	660
4/3/2008	5,800	16,000	940	<1200	250	400
7/2/2008	500	6,600	530	<500	120	57
10/2/2008	6,300	16,000	1,200	<500	260	210
1/22/2009	1,800	27,000	1,800	72	520	970
4/15/2009	4,100	7,600	710	<200	160	380
7/22/2009	2,300	4,700	410	<250	<250	110
1/19/2010	7,400	1,100	670	<1000	230	410
4/8/2010	3,000	7,200	560	<500	110	<500
10/11/2010	7,800	43,000	3,000	<4,000	790	<4,000
4/6/2011	13,000	39,000	3,500	<40	700	45
10/4/2011	17,000	97,000	5,700	71	1700	<1
4/3/2012	39,000	120,000	9,400	<200	2000	<200
7/6/2012	15,000	78,000	6,200	<1000	990	<1000
1/21/2013	40,000	95,000	5,100	100	1600	98
4/2/2013	12,000	57,000	480	<40	850	<40
7/1/2013	14,000	58,000	300	<100	700	<100
4/7/2014	32,000	69,000	3,900	<1000	880	<1000
10/14/2014	32,000	62,000	3,500	<1000	880	<1000
1/21/2015	1,800	170,000	5,700	<1,000	1,600	<1000
4/7/2015	110	3,600	480	<80	37	<80
7/23/2015	<100	990	6,500	<100	160	<100
10/20/2015	<100	1,900	7,600	<100	560	<100
1/6/2016	<100	100	6,800	41	270	<100
4/6/2016	<100	<100	7,200	310	790	<100
7/8/2016	<20	30	95	870	130	<20
10/25/2016	<20	38	150	830	78	<20
1/19/2017	<20	<20	7	1,000	120	<20
4/18/2017	<5	8	610	450	71	<5
7/13/2017	<20	18	1,000	1,200	93	<20
10/23/2017	<20	7	18	600	31	<20
1/8/2018	<5	6	46	490	8	<5
4/17/2018	<20	30	1,600	440	11	<20
7/13/2018	<5	<5	37	490	2.5	<5
10/24/2018	<20	<20	<20	420	<20	<20
1/10/2019	7.3	22	140	200	42	<4
4/8/2019	2.1	15	71	84	25	<4
7/22/2019	2.6	9	13	210	<4	<4
10/17/2019	<4	4.6	14	120	2.7	<4
1/8/2020	<4	<4	6.8	59	3.1	<4
4/8/2020	<4	4.4	13.0	93	<4	<4
7/23/2020	<4	<4	4.9	89	<4	<4
10/14/2020	<4	<4	<4	73	<4	<4
1/20/2021	1.0	3.2	2.2	76	<1	<1
4/8/2021	<4	5.0	3.7	92	<4	<4
7/15/2021	<4	<4	12	91	<4	<4
10/19/2021	<4	<4	9	42	<4	<4
1/18/2022	<4	<4	<4	29	<4	<4

MONITORING WELL MW-4
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York




**MONITORING WELL MW-8R
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York**

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
10/13/2004	35,000	22,000	3,400	160	< 5,000	810
1/7/2005	23,000	28,000	4,000	< 2,000	1,100	1,300
4/14/2005	15,000	11,000	1,300	380	360	240
7/21/2005	9,200	6,200	600	390	200	52
10/5/2005	13,000	10,000	830	< 1,000	300	<1,000
1/6/2006	42,000	38,000	2,300	150	1100	820
4/14/2006	14,000	7,400	1,200	220	200	< 1,000
7/10/2006	16,000	13,000	2,200	300	320	< 1,000
10/18/2006	13,000	8,900	1,400	300	200	32
1/10/2007	1,600	2,500	120	24	52	26
4/17/2007	19,000	11,000	670	< 1,000	< 1,000	< 1,000
7/3/2007	29,000	12,000	890	< 1,000	290	< 1,000
10/15/2007	2,200	1,600	60	< 200	33	< 200
1/8/2008	38,000	22,000	2,000	76	620	740
4/3/2008	12,000	8,100	820	77	140	72
7/2/2008	7,400	6,000	790	100	130	72
10/2/2008	22,000	15,000	1,200	70	320	340
1/22/2009	8,400	4,600	510	56	76	<100
4/15/2009	13,000	6,800	700	49	99	27
10/13/2009	13,000	6,800	700	49	99	27
4/8/2010	2,500	1,300	84	<100	19	<100
7/12/2010	19,000	14,000	1,000	64	160	<100
1/12/2011	99,000	54,000	2,500	<2000	<2000	<2000
4/6/2011	89,000	49,000	2,500	<800	470	<800
7/26/2011	36,000	26,000	<800	80	510	1.2
10/4/2011	33,000	21,000	<400	<400	560	<400
1/13/2012	99,000	56,000	2,700	<800	520	<800
4/3/2012	99,000	54,000	2,600	<2000	<2000	<2000
10/12/2012	89,000	48,000	2,000	<800	340	<800
4/2/2013	64,000	37,000	1,900	<1000	<1000	<1000
10/10/2013	100,000	57,000	2,700	<1000	<1000	<1000
4/7/2014	100,000	56,000	1,900	<1000	<1000	<1000
7/17/2014	110,000	58,000	2,300	<1000	<1000	<1000
1/21/2015	2,100	54,000	<2000	<2000	<2000	<2000
4/6/2015	<2000	55,000	8,500	<2000	<2000	<2000
7/23/2015	<200	74,000	26,000	<200	<200	<200
10/21/2015	<25	240	2,400	39	290	<25
1/6/2016	<1,000	21,000	12,000	<1,000	<1,000	<1,000
4/6/2016	<1,000	19,000	26,000	<1,000	<1,000	<1,000
7/8/2016	24	530	820	<20	160	<20
10/25/2016	<100	710	4,700	<100	170	<100
1/17/2017	<100	24,000	18,000	<100	200	<100
4/18/2017	14	7,100	7,500	35	86	<50
7/13/2017	<400	<400	840	<400	<400	<400
10/24/2017	7.7	500	1,200	19	54	<10
4/18/2018	13	5,700	4,300	44	53	<20
7/13/2018	<10	30	190	47	9.8	<10
10/24/2018	<10	<10	<10	38	5.0	<10
1/10/2019	12	2,700	1,900	17	36	<10
4/8/2019	<40	880	1,900	<40	39	<40
7/22/2019	<8	290	270	20	12	<8
10/15/2019	<10	370	620	24	19	<10
1/8/2020	<10	110	230	22	9.9	<10
4/8/2020	<2	89	100	14	1.6	<2
7/22/2020	<2	110	370	27	5.8	<2
10/14/2020	<2	170	82	18	1.9	<2
1/20/2021	1	250	730	24	4.6	<1
4/7/2021	<10	300	400	20	4.1	<10
7/14/2021	<8	1,700	2,000	26	7.1	<8
10/19/2021	<25	120	1,000	<25	<25	<25
1/18/2022	<25	180	630	12	<25	<25

Note well was not accessible during the January 2018 sampling event.

MONITORING WELL MW-8R
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York




MONITORING WELL MW-11
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/14/2005	< 10	7	< 10	33	3	< 10
1/5/2006	2.2	6.7	3.9	31	6.7	<20
4/14/2006	< 20	9	4	16	4.1	< 20
7/10/2006	< 20	7.8	3.9	23	3.6	< 20
10/19/2006	6.8	23	7.9	25	5.7	1.7
1/9/2007	2.6	31	6.7	38	8.5	2.3
4/16/2007	0.89	9.8	4.1	22	3.4	<5
7/2/2007	< 5	13	6.1	< 5	4.8	0.84
10/16/2007	0.71	27	11	27	8.6	1.7
1/8/2008	1.1	38	18	29	12	3.4
4/2/2008	0.49	30	4.3	16	7.4	1.6
7/1/2008	1	42	14	32	11	2.8
10/2/2008	0.81	42	13	23	10	2.4
1/20/2009	0.77	36	11	16	8.7	1.9
4/14/2009	0.95	45	17	21	11	3
7/22/2009	0.69	37	9.9	16	<5	2
10/13/2009	0.69	37	9.9	16	<5	2
1/18/2010	0.77	51	1.7	25	13	2.9
4/7/2010	0.95	60	17	25	13	2.4
7/12/2010	1	65	18	21	13	2.6
10/11/2010	0.8	63	21	15	16	2.2
4/5/2011	1.2	64	14	20	12	4.6
7/25/2011	<1	45	21	9.5	13	1.5
10/3/2011	<1	69	23	10	16	2.6
1/12/2012	<1	33	16	5.4	9.8	0.88
4/2/2012	0.51	39	17	9.1	9.8	1.2
7/5/2012	<1	38	19	5	12	1.9
10/11/2012	<1	36	16	6.6	9.3	1.1
1/21/2013	<1	23	6	8.2	0.64	<1
7/1/2013	0.46	55	20	21	13	1.4
10/9/2013	<1	27	14	5.5	6.9	<1
1/21/2014	<1	38	13	3.8	9.4	0.85
4/7/2014	<1	26	4.3	2.3	7.1	<1
7/16/2014	<1	36	14	4.5	8.8	1.4
10/14/2014	<1	25	9.8	2.5	6.1	<1
1/20/2015	<5	17	7.4	<5	5.0	<5
4/6/2015	<2	19	6.7	2.4	4.7	<2
7/22/2015	<1	6.3	2.5	<1	<1	<1
10/26/2015	<1	4.2	3.9	<1	1.7	<1
1/6/2016	<1	10	3.6	0.89	2.9	<1
4/4/2016	<1	<1	4.1	<1	2.5	<1
7/5/2016	<1	1.3	3.4	<1	1.3	<1
10/24/2016	<1	<1	7.7	7.9	<1	<1
1/17/2017	<1	3.8	2.5	<1	1.3	<1
4/18/2017	<1	3.2	2.1	<1	1	<1
7/12/2017	<1	1.7	1.3	<1	0.78	<1
10/20/2017	<1	1.5	2.2	<1	0.79	<1
1/8/2018	<1	2.4	2.1	<1	0.99	<1
4/18/2018	<2	<2	<2	<2	<2	<2
7/12/2018	<1	1.6	1.6	<1	0.68	<1
10/24/2018	<4	<4	<4	<4	<4	<4
1/9/2019	<1	3.0	1.8	<1	1.2	<1
4/8/2019	<1	1.6	1.9	<1	0.75	<1
7/23/2019	<1	2.0	1.7	<1	0.68	<1
10/15/2019	<1	<1	1.9	<1	0.82	<1
1/7/2020	<1	1.3	1.4	<1	0.54	<1
4/6/2020	<1	1.5	1.3	<1	0.54	<1
7/21/2020	<1	1.2	1.4	<1	0.59	<1
10/13/2020	<1	1.4	1.5	<1	0.64	<1
1/19/2021	<1	1.1	1.5	<1	0.58	<1
4/6/2021	<1	1.8	2.1	<1	0.66	<1
7/13/2021	<1	1.6	2.2	<1	0.61	<1
10/18/2021	<1	1.6	2.2	<1	0.61	<1
1/19/2022	<1	1.3	1.3	<1	0.54	<1

MONITORING WELL MW-11
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Trend Plot




**PIEZOMETER MW-13S
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York**

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/8/2004	10,000	9,000	320	< 100	< 100	< 100
10/12/2004	2,100	2,300	< 200	< 200	< 200	56
1/6/2005	10,000	9,400	720	< 200	75	62
4/15/2005	760	700	28	< 50	9	20
7/20/2005	870	990	37	< 40	16	49
10/4/2005	410	280	9.1	< 40	< 40	3.4
7/10/2006	17,000	9,400	300	9	65	88
10/19/2006	1,300	1,700	50	<100	19	36
1/10/2007	1,500	1,800	58	<100	24	41
4/17/2007	4,400	2,200	90	< 250	< 250	250
7/3/2007	220	410	11	< 25	5.7	7.2
10/18/2007	570	800	14	< 25	8.5	15
1/9/2008	1800	2300	330	7.3	32	68
4/3/2008	580	610	21	<50	8.5	9.5
7/2/2008	1,800	1,500	38	<120	14	13
10/2/2008	5,800	5,000	190	<120	36	27
1/20/2009	3,400	2,500	150	<10	30	28
4/15/2009	3,400	3,700	290	<40	<40	30
10/13/2009	3,400	3,700	290	<40	<40	30
4/7/2010	1,400	1,600	45	<50	16	10
7/13/2010	400	870	30	<50	7.9	<50
1/12/2011	39,000	25,000	<500	9.4	19	<1
4/6/2011	40,000	23,000	<800	4.7	<800	<800
7/2/2011	31,000	19,000	<800	2.9	95	2.9
1/13/2012	53,000	30,000	770	<800	1400	<800
4/3/2012	39,000	21,000	320	3.7	110	<1
10/12/2012	41,000	24,000	<800	<800	<800	<800
4/2/2013	40,000	22,000	140	3.9	100	<1
10/10/2013	49,000	31,000	<1	<1	<1	<1
4/7/2014	32,000	18,000	<500	<500	<500	<500
7/17/2014	33,000	17,000	<500	<500	<500	<500
1/21/2015	19,000	22,000	<500	<500	150	<500
4/7/2015	31,000	32,000	<500	<500	<500	<500
7/23/2015	<500	31,000	3,500	<500	<500	<500
10/20/2015	<10	640	1,700	46	260	<10
1/6/2016	41	150	1,600	38	70	<25
4/5/2016	<100	5,000	6,100	390	240	<100
7/6/2016	<4	<4	<4	35	<4	<4
10/25/2016	<2	100	190	32	8.5	<2
1/19/2017	2.1	12	44	20	<2	<2
4/19/2017	<1	54	85	12	2.4	<1
7/13/2017	<2	35	95	11	0.89	<2
10/24/2017	<5	630	240	10	5.1	<5
1/9/2018	<40	1,200	440	<40	<40	<40
4/17/2018	<40	4,400	3,600	<40	16	<40
7/13/2018	<40	1,500	880	<40	15	<40
10/24/2018	<40	2,500	940	<40	<40	<40
1/9/2019	<40	2,200	1,800	<40	22	<40
4/8/2019	0.7	3.2	4	6.3	0.48	<1
1/8/2020	0.64	19	94	13	4.4	<1
4/8/2020	<1	1.5	1.6	4.8	<1	<1
7/22/2020	<1	4.3	13	4.8	<1	<1
10/13/2020	0.60	12	12	3.8	<1	<1
1/20/2021	<1	7.3	6.8	3.7	<1	<1
4/7/2021	0.77	1.8	7.1	3.3	0.40	<1
7/14/2021	<2	<2	3.5	2.7	<2	<2
10/19/2021	<2	<2	3.5	2.7	<2	<2
1/18/2022	<2	7.4	19	3.3	<2	<2

Note well was dry during the July 2019 and October 2019 sampling events.

MONITORING WELL MW-13S
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York


Trend Plot



PIEZOMETER MW-13D
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/8/2004	17	2	< 10	< 10	< 10	< 10
10/12/2004	7	2	< 10	< 10	< 10	< 10
1/6/2005	< 10	< 10	< 10	< 10	< 10	< 10
4/15/2005	8	4	< 10	< 10	< 10	< 10
7/20/2005	1	2	< 5	< 5	< 5	< 5
10/4/2005	1.4	1.5	< 5	< 5	< 5	< 5
7/10/2006	2	1.6	2.6	< 5	< 5	< 5
10/18/2007	<5	0.55	1.1	< 5	< 5	< 5
1/20/2009	<5	<5	<5	<5	<5	<5
4/7/2010	<5	<5	<5	<5	<5	<5
4/6/2011	22	23	<1	<1	<1	<1
4/3/2012	62	89	2.3	<1	<1	<1
4/1/2013	53	44	2.9	<1	<1	<1
4/7/2014	30	28	1.9	<1	<1	<1
4/7/2015	40	37	<1	<1	<1	<1
7/23/2015	2	5300	1100	11	56	<1
10/20/2015	<100	3200	920	<100	42	<100
1/6/2016	<10	15	47	38	12	<10
4/6/2016	<10	<10	<10	36	<10	<10
7/6/2016	<10	34	360	51	7.8	<10
10/25/2016	0.47	1	<1	12	<1	<1
1/19/2017	<1	<1	<1	25	<1	<1
4/19/2017	<1	0.87	<1	9	<1	<1
7/13/2017	<1	<1	<1	13	<1	<1
10/24/2017	<1	<1	<1	6.9	<1	<1
1/9/2018	<1	1.1	39	9.9	0.73	<1
4/18/2018	<1	1	39	6.5	<1	<1
7/13/2018	<1	<1	<1	5.5	<1	<1
10/24/2018	<1	<1	<1	4.2	<1	<1
1/10/2019	<1	1.6	1.2	7.4	<1	<1
4/8/2019	<1	<1	18	9.8	<1	<1
7/24/2019	<1	<1	<1	0.73	<1	<1
10/15/2019	<1	<1	<1	4.5	<1	<1
1/8/2020	<1	<1	<1	2.5	<1	<1
4/8/2020	<1	<1	4.0	2.9	<1	<1
7/22/2020	<1	<1	<1	2.8	<1	<1
10/13/2020	<1	<1	<1	3.5	<1	<1
1/20/2021	<1	<1	<1	2.4	<1	<1
4/15/2021	<1	<1	<1	2.6	<1	<1
7/14/2021	<1	<1	<1	2.2	<1	<1
10/19/2021	<1	<1	<1	2.2	<1	<1
1/18/2022	<1	<1	9.2	19	<1	<1

PIEZOMETER MW-13D
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York




PIEZOMETER MW-16S
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/8/2004	860,000	62,000	< 20,000	< 20,000	5,000	14,000
10/12/2004	200,000	46,000	< 10,000	< 10,000	2,900	< 10,000
1/7/2005	420,000	64,000	< 10,000	< 10,000	3,800	3,300
4/15/2005	400,000	71,000	< 25,000	< 25,000	< 25,000	< 25,000
7/21/2005	480,000	76,000	1,500	2,200	4,400	2,700
10/5/2005	440,000	74,000	< 25,000	< 25,000	4,100	< 25,000
1/6/2006	470,000	82,000	2,600	< 20,000	3,300	5,200
4/14/2006	260,000	56,000	3,900	< 20,000	2,600	< 20,000
7/10/2006	310,000	78,000	4,000	< 20,000	3,500	< 20,000
10/19/2006	77,000	22,000	1,300	< 5,000	940	< 5,000
1/10/2007	44,000	18,000	1,900	< 2,500	840	< 2,500
4/17/2007	94,000	36,000	3,300	1,800	1,500	< 5,000
7/3/2007	86,000	38,000	3,000	< 5,000	1,400	< 5,000
10/18/2007	130000	47000	2800	2600	1600	820
1/8/2008	67000	30000	3200	< 5000	1100	< 5000
4/3/2008	76,000	35,000	2,900	710	1,300	500
7/2/2008	58,000	26,000	2,400	570	830	<5000
10/2/2008	63,000	26,000	3,100	690	920	<5000
1/22/2009	92,000	51,000	4,200	730	1,800	490
4/15/2009	130,000	61,000	4,200	<2000	1,800	900
7/22/2009	87,000	45,000	3,000	650	1,500	740
1/19/2010	22,000	18,000	2,600	1,100	670	340
4/8/2010	220,000	99,000	6,800	1,100	3,000	2,000
10/11/2010	300,000	90,000	6,300	<20,000	3,100	5,000
4/7/2011	250,000	74,000	7,100	<4,000	<4,000	5,600
10/4/2011	190,000	67,000	3,700	<800	1,400	4,600
4/3/2012	250,000	84,000	8,400	960	1,700	4,900
7/6/2012	170,000	72,000	3,900	<2000	1,200	2,400
1/21/2013	240,000	79,000	9,300	2,900	2,200	7,200
7/1/2013	120,000	65,000	5,400	1,200	1,200	2,600
1/22/2014	110,000	43,000	3,700	<2,000	830	2,700
4/7/2014	61,000	24,000	1,600	<1000	500	1,000
10/14/2014	170,000	51,000	3,800	360	980	3,500
1/26/2015	160,000	160,000	4,700	<4,000	2,100	<4,000
4/7/2015	26,000	220,000	<4,000	<4,000	<4,000	<4,000
7/24/2015	5,100	240,000	5,700	<4,000	2,000	<4,000
10/20/2015	<4,000	290,000	10,000	<4,000	<4,000	<4,000
1/6/2016	<4,000	290,000	76,000	<4,000	2,500	<4,000
4/7/2016	<4,000	64,000	280,000	<4,000	2,800	<4,000
7/5/2016	<2,000	<2,000	80,000	<2,000	2,000	<2,000
10/26/2016	<500	420	35,000	1,600	670	<500
1/19/2017	<500	29,000	72,000	1,900	1,000	<500
4/20/2017	86	75,000	72,000	1,400	1,000	<200
7/13/2017	<1,000	59,000	180,000	2,800	1,200	<200
10/24/2017	<500	14,000	73,000	1,800	430	<500
1/9/2018	<1,000	9,600	54,000	1,800	<1,000	<1,000
4/18/2018	<1,000	140,000	92,000	1,400	960	<1,000
7/13/2018	<1,000	93,000	91,000	<1,000	880	<1,000
10/25/2018	<1,000	73,000	59,000	1,500	700	<1,000
1/9/2019	550	50,000	76,000	870	930	<1,000
4/9/2019	<1,000	46,000	92,000	920	1,300	<1,000
7/23/2019	<2,500	22,000	62,000	<2,500	<2,500	<2,500
10/17/2019	<1,000	14,000	32,000	1,100	620	<1,000
1/9/2020	<1,000	30,000	40,000	1,700	550	<1,000
4/10/2020	<1	40,000	49,000	780	420	<1
7/23/2020	<1	34,000	66,000	1,300	530	<1
10/14/2020	<1,000	24,000	60,000	2,000	<1,000	<1,000
1/20/2021	<1,000	46,000	85,000	<1,000	<1,000	<1,000
4/7/2021	<1,000	57,000	71,000	1,300	440	<1,000
7/14/2021	<1,000	34,000	58,000	1,700	510	<1,000
10/20/2021	<1,000	5,600	35,000	1,500	430	<1,000
1/20/2022	<1,000	8,700	19,000	1,100	280	<1,000

MONITORING WELL MW-16S
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Trend Plot



PIEZOMETER MW-16D
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/8/2004	6,900	490	< 500	< 500	< 500	< 500
10/12/2004	12,000	1,000	< 500	< 500	91	< 500
1/6/2005	9	27	39	22	15	< 10
4/15/2005	32	36	17	100	10	< 10
7/21/2005	25	12	4	84	2	< 10
10/5/2005	1.3	16	10	41	5	<5
7/10/2006	6.1	27	21	1,000	9.7	< 5
10/18/2007	6	48	39	250	16	< 20
1/22/2009	52	92	39	90	21	1.9
4/8/2010	12	6.9	3.6	240	8.7	< 10
4/7/2011	22	59	33	59	27	1.2
4/3/2012	42	66	46	110	35	<1
4/1/2013	57	2900	1100	190	260	<1
4/7/2014	<25	1700	390	110	99	<25
4/7/2015	<25	650	380	170	94	<25
7/23/2015	<25	<25	41	340	56	<25
10/20/2015	<10	24	9.2	<10	15	<10
1/6/2016	<5	<5	9.2	140	2.9	<5
4/7/2016	<10	<10	50	370	<10	<10
7/5/2016	<10	<10	13	320	33	<10
10/26/2016	<10	31	13	310	16	<10
1/19/2017	<10	<10	23	290	<10	<10
4/20/2017	<1	24	27	350	37	<1
7/13/2017	<5	57	140	130	30	<5
10/24/2017	<1	9.6	24	98	6	<1
1/8/2018	<1	4.1	9.0	110	4.1	<1
4/18/2018	<1	1.5	15	52	0.78	<1
7/13/2018	<1	3.3	22	53	2.0	<1
10/25/2018	<1	2.3	17	38	1.2	<1
1/10/2019	1.9	37	20	150	10.0	<1
4/8/2019	<2	5.0	37	72	3.6	<2
7/22/2019	<1	2.0	6.5	39	2.1	<1
10/17/2019	<1	1.8	2.3	76	1.3	<1
1/9/2020	<1	4.0	2.5	86	1.4	<1
4/9/2020	<1	2.8	1.6	58	<1	<1
7/23/2020	<1	5.0	2.4	59	1.5	<1
10/14/2020	<1	<1	<1	31	<1	<1
1/20/2021	0.85	10	3.3	34	1.2	<1
4/7/2021	<1	2.5	2.7	50	0.84	<1
7/14/2021	1.5	12	16	73	2	<1
10/20/2021	1.5	12	16	73	2	<1
1/20/2022	<1	<1	<1	160	1.5	<1

**PIEZOMETER MW-16D
 HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
 Former Scott Aviation Site
 Lancaster, New York**

