

Scott Figgie LLC

Scott Figgie LLC

c/o GSF Management Company LLC
34407 DuPont Boulevard, Suite 6
Frankford, DE 19945

July 26, 2022

Ms. Laura Surdej
Erie County Department of Environment and Planning
Division of Sewerage Management
Erie County Sewer District # 6
260 Lehigh Avenue
Lackawanna, New York 14218

**RE: Third Quarter 2022 Discharge Monitoring Report
Groundwater Remediation Operation
25A Walter Winter Drive, Lancaster, New York 14086
NYSDEC Site 9-15-149
EC/BPDES Permit No. 21-10-E4054**

Dear Ms. Surdej:

AVOX Systems Inc owns the subject property. Scott Figgie LLC (Scott Figgie) is currently responsible for certain environmental activities at that property, including compliance with Erie County/Buffalo Pollution Discharge Elimination System (EC/BPDES) Permit No. 21-10-E4054. Scott Figgie is pleased to provide you with the enclosed Third Quarter 2022 Discharge Monitoring Report for the groundwater remediation operation located on that property. This report is submitted in partial fulfillment of EC/BPDES Permit No. 21-10-E4054, effective October 1, 2021.

GSF Management Company LLC (GSF), an affiliate of Scott Figgie, is managing the remediation of groundwater on the subject property on behalf of Scott Figgie. Scott Figgie/GSF commissioned AECOM Technical Services, Inc. (AECOM), with an office located in Amherst, New York, to perform the required EC/BPDES quarterly sampling during the month of July 2022 and to prepare the enclosed report with the results.

Figures 1 and 2 in the report depict the entire groundwater collection and treatment system that is covered by the subject permit.

I certify under the penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the systems, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of a fine and imprisonment for known violations.

Scott Figgie or AVOX Systems Inc will continue to monitor the influent and effluent of the active remediation system located at the site on a quarterly basis. The next quarterly discharge monitoring report is due by November 30, 2022.

Ms. Laura Surdej
July 26, 2022
Page 2

If you have any questions regarding this submittal, please do not hesitate to contact me or Troy Chute at the above address, or to send an email either to me at stuart.rixman@gsfmanagementco.com or to Mr. Chute at troy.chute@gsfmanagementco.com.

Very truly yours,
Scott Figgie LLC

A handwritten signature in blue ink that reads "Stuart I. Rixman". The signature is written in a cursive style with a large, stylized 'S' and 'R'.

Stuart I. Rixman
Project Manager, GSF Management Company

\enclosures

cc: Mr. Al Alagna, Buffalo Sewer Authority (electronic copy sent by AECOM)
Mr. Glenn May, NYSDEC Region 9 (electronic copy sent by AECOM)
Mr. Troy Chute, GSF Management Company LLC (electronic copy sent by AECOM)
Mr. Raymond DeCarlo, AVOX Systems Inc (electronic copy sent by AECOM)
Mr. Allan Thomalla, AVOX Systems Inc (electronic copy sent by AECOM)
Mr. Hunter Bogdan, AVOX Systems Inc (electronic copy sent by AECOM)
Facility File, Lancaster, NY (hard copy sent by AECOM)

TABLE

**Scott Technologies, Inc. - Groundwater Remediation Site
Lancaster, New York**

EC/BPDES Permit No. 21-10-E4054


**Third Quarter 2022 Discharge Monitoring Report
Sample Date - July 7, 2022**

Parameter	Units	Total Maximum Daily Load per Permit (pounds per day)	Measured or Calculated Daily Load (pounds per day)	Within Limits?
pH (Method SM 4500 H+ B)	SU	5 - 12	8.4	Y
Total Extractable Hydrocarbons (Method 1664B)	mg/L	100	< 5.0	Y
Total Suspended Solids (Method SM 2540D)	mg/L	250	< 4.0	Y
<u>VOCs (Method 8260C)</u>				
Methylene Chloride	lbs/day	0.12	< 0.000013	Y
1,1,1-Trichloroethane	lbs/day	0.09	< 0.000013	Y
Trichloroethylene	lbs/day	0.04	< 0.000013	Y
Total 1,2-DCE (cis-1,2-DCE and trans-1,2-DCE)	lbs/day	0.02	< 0.000013	Y
1,1-Dichloroethane	lbs/day	0.0025	< 0.000013	Y
Chloroethane	lbs/day	0.025	< 0.000013	Y
Toluene	lbs/day	0.04	< 0.000013	Y
Total Daily Flow (discharge meter reading)	gallons per day	14,000	1,513	Y

Notes:

SU standard units
mg/L milligrams per liter
ug/L micrograms per liter
lbs/day pounds per day
< (value) Indicates calculated concentration less than the reported value, using effluent reporting limit as maximum possible concentration.


FIGURES



AECOM

FIGURE 1
WEST OF PLANT 2 SITE FEATURES MAP

FORMER SCOTT AVIATION FACILITY
 LANCASTER, NEW YORK



AECOM

FIGURE 2
PROCESS AND INSTRUMENTATION DIAGRAM
FOR COMBINED DUAL PHASE EXTRACTION
REMEDIATION SYSTEM
 FORMER SCOTT AVIATION FACILITY
 LANCASTER, NEW YORK

DAILY FIELD LOG

DAILY FIELD LOG

Project Scott Figgie LLC, West of Plant 2 Groundwater Remediation Site, Lancaster, NY
Date 7/7/2022
Weather Sunny
Temperature Range 60-80 degrees F
AECOM Personnel on Site Dino Zack
Time on Site 06:30 hrs - 17:00 hrs

AS Totalizer Start Sampling (06:30 hrs) 2,188,130 gallons
AS Totalizer After Sampling (15:00 hrs) 2,189,080 gallons

Summary of Sample Activities

Time = 06:30hrs
 pH = 8
 Filled 2, 40-ml vials (preserved with HCl) from influent sample tap. Filled 2, 1-L amber glass bottle (preserved with H₂SO₄) 1/4 full, from influent tap. Filled 1, 500-ml plastic bottle (unpreserved) 1/4 full from influent tap. Filled 1 250-ml plastic bottle (unpreserved) 1/4 full from influent tap. Water quality was clear with slight odor (no sheen).
 Filled 2, 40-ml vials (preserved with HCl) from effluent sample tap. Filled 2, 1-L amber glass bottle (preserved with H₂SO₄) 1/4 full from effluent tap. Filled 1, 500-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Filled 1 250-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Water quality is clear with no discernable odor or sheen.

Time = 09:30hrs
 pH = 8
 Filled 2, 40-ml vials (preserved with HCl) from influent sample tap. Filled 2, 1-L amber glass bottle (preserved with H₂SO₄) 1/4 full, from influent tap. Filled 1, 500-ml plastic bottle (unpreserved) 1/4 full from influent tap. Filled 1 250-ml plastic bottle (unpreserved) 1/4 full from influent tap. Water quality was clear with slight odor (no sheen).
 Filled 2, 40-ml vials (preserved with HCl) from effluent sample tap. Filled 2, 1-L amber glass bottle (preserved with H₂SO₄) 1/4 full from effluent tap. Filled 1, 500-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Filled 1 250-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Water quality is clear with no discernable odor or sheen.

Time = 12:30hrs
 pH = 8
 Filled 2, 40-ml vials (preserved with HCl) from influent sample tap. Filled 2, 1-L amber glass bottle (preserved with H₂SO₄) 1/4 full, from influent tap. Filled 1, 500-ml plastic bottle (unpreserved) 1/4 full from influent tap. Filled 1 250-ml plastic bottle (unpreserved) 1/4 full from influent tap. Water quality was clear with slight odor (no sheen).
 Filled 2, 40-ml vials (preserved with HCl) from effluent sample tap. Filled 2, 1-L amber glass bottle (preserved with H₂SO₄) 1/4 full from effluent tap. Filled 1, 500-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Filled 1 250-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Water quality is clear with no discernable odor or sheen.


Time = 15:00hrs
 pH = 8
 Filled 2, 40-ml vials (preserved with HCl) from influent sample tap. Filled 2, 1-L amber glass bottle (preserved with H₂SO₄) 1/4 full, from influent tap. Filled 1, 500-ml plastic bottle (unpreserved) 1/4 full from influent tap. Filled 1 250-ml plastic bottle (unpreserved) 1/4 full from influent tap. Water quality was clear with slight odor (no sheen).
 Filled 2, 40-ml vials (preserved with HCl) from effluent sample tap. Filled 2, 1-L amber glass bottle (preserved with H₂SO₄) 1/4 full from effluent tap. Filled 1, 500-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Filled 1 250-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Water quality is clear with no discernable odor or sheen.

Comments

GWCT remedial system running at time of sample collection. The DPE system was partially off line to accommodate the September 2021 bioaugmentation injection. Samples collected at equally spaced intervals over an 8-hour period.

Maintained samples at <4 degrees C. Hand delivered samples to Eurofins Environment Testing Northeast, LLC (Amherst, NY) under COC for analysis. Requested laboratory to composite 40-ml samples and analyze for VOCs (8260C). Requested laboratory to analyze influent and effluent samples for TEH (1664A), TSS (SM 2540D), and pH (SM 4500 H+).

Signature:



Date: 7-Jul-22

LABORATORY REPORT

ANALYTICAL REPORT

Eurofins Buffalo
10 Hazelwood Drive
Amherst, NY 14228-2298
Tel: (716)691-2600

Laboratory Job ID: 480-199606-1

Client Project/Site: Scott Figgie West of Plant 2

For:

AECOM
One John James Audubon Parkway
Suite 210
Amherst, New York 14228

Attn: Mr. Dino Zack



Authorized for release by:

7/19/2022 11:13:59 AM

Rebecca Jones, Project Management Assistant I
(716)504-9884

Rebecca.Jones@et.eurofinsus.com

Designee for

Brian Fischer, Manager of Project Management
(716)504-9835

Brian.Fischer@et.eurofinsus.com

LINKS

Review your project
results through



Have a Question?



Visit us at:

www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Client Sample Results	5
Lab Chronicle	11
Certification Summary	12
Method Summary	13
Sample Summary	14
Receipt Checklists	15
Chain of Custody	16



Definitions/Glossary

Client: AECOM

Job ID: 480-199606-1

Project/Site: Scott Figgie West of Plant 2

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
*-	LCS and/or LCSD is outside acceptance limits, low biased.

General Chemistry

Qualifier	Qualifier Description
HF	Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-199606-1

Job ID: 480-199606-1

Laboratory: Eurofins Buffalo

Narrative

Job Narrative 480-199606-1

Comments

No additional comments.

Receipt

The samples were received on 7/7/2022 3:15 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 3.2° C.

GC/MS VOA

Method 8260C: The following Volatile samples were composited by the laboratory on 7/8/2022 as requested by the client: EFFLUENT (480-199606-1) and INFLUENT (480-199606-2). Regulatory defined guidance for in-laboratory compositing of samples, is currently not available. Laboratory sample compositing was performed using established project specifications and/or laboratory standard operating procedures.

Method 8260C: The laboratory control sample and/or the laboratory control sample duplicate (LCS/LCSD) for analytical batch 480-632921 recovered outside control limits for the following analyte(s): 4-Methyl-2-pentanone (MIBK). 4-Methyl-2-pentanone (MIBK) has been identified as a poor performing analyte when analyzed using this method; therefore, re-extraction/re-analysis was not performed. The associated samples are impacted: EFFLUENT (480-199606-1), INFLUENT (480-199606-2) and TB (480-199606-3).

Method 8260C: The continuing calibration verification (CCV) associated with batch 480-632921 recovered above the upper control limit for Trichlorofluoromethane. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The associated samples are impacted: EFFLUENT (480-199606-1), INFLUENT (480-199606-2) and TB (480-199606-3).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

General Chemistry

Method 1664B: Analysis for Hexane Extractable Material (HEM) was performed for the following sample: INFLUENT (480-199606-2). Since the HEM result(s) was below the reporting limit (RL), the result(s) for Silica Gel Treated - Hexane Extractable Material (SGT-HEM) was reported as a non-detect. All HEM quality control criteria were met.

Methods 9040C, SM 4500 H+ B: This analysis is normally performed in the field and has a method-defined holding time of 15 minutes. The following samples has been qualified with the "HF" flag to indicate analysis was performed in the laboratory outside the 15 minute timeframe: EFFLUENT (480-199606-1) and INFLUENT (480-199606-2).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-199606-1

Client Sample ID: EFFLUENT

Lab Sample ID: 480-199606-1

Date Collected: 07/07/22 06:30

Matrix: Water

Date Received: 07/07/22 15:15

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			07/08/22 18:00	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			07/08/22 18:00	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			07/08/22 18:00	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			07/08/22 18:00	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			07/08/22 18:00	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			07/08/22 18:00	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			07/08/22 18:00	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			07/08/22 18:00	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			07/08/22 18:00	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			07/08/22 18:00	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			07/08/22 18:00	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			07/08/22 18:00	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			07/08/22 18:00	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			07/08/22 18:00	1
2-Butanone (MEK)	ND		10	1.3	ug/L			07/08/22 18:00	1
2-Hexanone	ND		5.0	1.2	ug/L			07/08/22 18:00	1
4-Methyl-2-pentanone (MIBK)	ND	*-	5.0	2.1	ug/L			07/08/22 18:00	1
Acetone	ND		10	3.0	ug/L			07/08/22 18:00	1
Benzene	ND		1.0	0.41	ug/L			07/08/22 18:00	1
Bromodichloromethane	ND		1.0	0.39	ug/L			07/08/22 18:00	1
Bromoform	ND		1.0	0.26	ug/L			07/08/22 18:00	1
Bromomethane	ND		1.0	0.69	ug/L			07/08/22 18:00	1
Carbon disulfide	ND		1.0	0.19	ug/L			07/08/22 18:00	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			07/08/22 18:00	1
Chlorobenzene	ND		1.0	0.75	ug/L			07/08/22 18:00	1
Chloroethane	ND		1.0	0.32	ug/L			07/08/22 18:00	1
Chloroform	ND		1.0	0.34	ug/L			07/08/22 18:00	1
Chloromethane	ND		1.0	0.35	ug/L			07/08/22 18:00	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			07/08/22 18:00	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			07/08/22 18:00	1
Cyclohexane	ND		1.0	0.18	ug/L			07/08/22 18:00	1
Dibromochloromethane	ND		1.0	0.32	ug/L			07/08/22 18:00	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			07/08/22 18:00	1
Ethylbenzene	ND		1.0	0.74	ug/L			07/08/22 18:00	1
Isopropylbenzene	ND		1.0	0.79	ug/L			07/08/22 18:00	1
Methyl acetate	ND		2.5	1.3	ug/L			07/08/22 18:00	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			07/08/22 18:00	1
Methylcyclohexane	ND		1.0	0.16	ug/L			07/08/22 18:00	1
Methylene Chloride	ND		1.0	0.44	ug/L			07/08/22 18:00	1
Styrene	ND		1.0	0.73	ug/L			07/08/22 18:00	1
Tetrachloroethene	ND		1.0	0.36	ug/L			07/08/22 18:00	1
Toluene	ND		1.0	0.51	ug/L			07/08/22 18:00	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			07/08/22 18:00	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			07/08/22 18:00	1
Trichloroethene	ND		1.0	0.46	ug/L			07/08/22 18:00	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			07/08/22 18:00	1
Vinyl chloride	ND		1.0	0.90	ug/L			07/08/22 18:00	1
Xylenes, Total	ND		2.0	0.66	ug/L			07/08/22 18:00	1

Eurofins Buffalo

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-199606-1

Client Sample ID: EFFLUENT

Lab Sample ID: 480-199606-1

Date Collected: 07/07/22 06:30

Matrix: Water

Date Received: 07/07/22 15:15

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	112		77 - 120		07/08/22 18:00	1
4-Bromofluorobenzene (Surr)	120		73 - 120		07/08/22 18:00	1
Toluene-d8 (Surr)	95		80 - 120		07/08/22 18:00	1
Dibromofluoromethane (Surr)	115		75 - 123		07/08/22 18:00	1

General Chemistry									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Petroleum Hydrocarbons (1664A)	ND		5.0	1.9	mg/L		07/11/22 08:13	07/11/22 11:20	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids	ND		4.0	4.0	mg/L			07/13/22 09:05	1
pH	8.4	HF	0.1	0.1	SU			07/12/22 19:49	1
Temperature	21.2	HF	0.001	0.001	Degrees C			07/12/22 19:49	1

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-199606-1

Client Sample ID: INFLUENT

Lab Sample ID: 480-199606-2

Date Collected: 07/07/22 06:30

Matrix: Water

Date Received: 07/07/22 15:15

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			07/08/22 18:22	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			07/08/22 18:22	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			07/08/22 18:22	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			07/08/22 18:22	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			07/08/22 18:22	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			07/08/22 18:22	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			07/08/22 18:22	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			07/08/22 18:22	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			07/08/22 18:22	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			07/08/22 18:22	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			07/08/22 18:22	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			07/08/22 18:22	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			07/08/22 18:22	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			07/08/22 18:22	1
2-Butanone (MEK)	ND		10	1.3	ug/L			07/08/22 18:22	1
2-Hexanone	ND		5.0	1.2	ug/L			07/08/22 18:22	1
4-Methyl-2-pentanone (MIBK)	ND	*-	5.0	2.1	ug/L			07/08/22 18:22	1
Acetone	ND		10	3.0	ug/L			07/08/22 18:22	1
Benzene	ND		1.0	0.41	ug/L			07/08/22 18:22	1
Bromodichloromethane	ND		1.0	0.39	ug/L			07/08/22 18:22	1
Bromoform	ND		1.0	0.26	ug/L			07/08/22 18:22	1
Bromomethane	ND		1.0	0.69	ug/L			07/08/22 18:22	1
Carbon disulfide	ND		1.0	0.19	ug/L			07/08/22 18:22	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			07/08/22 18:22	1
Chlorobenzene	ND		1.0	0.75	ug/L			07/08/22 18:22	1
Chloroethane	ND		1.0	0.32	ug/L			07/08/22 18:22	1
Chloroform	ND		1.0	0.34	ug/L			07/08/22 18:22	1
Chloromethane	ND		1.0	0.35	ug/L			07/08/22 18:22	1
cis-1,2-Dichloroethene	1.1		1.0	0.81	ug/L			07/08/22 18:22	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			07/08/22 18:22	1
Cyclohexane	ND		1.0	0.18	ug/L			07/08/22 18:22	1
Dibromochloromethane	ND		1.0	0.32	ug/L			07/08/22 18:22	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			07/08/22 18:22	1
Ethylbenzene	ND		1.0	0.74	ug/L			07/08/22 18:22	1
Isopropylbenzene	ND		1.0	0.79	ug/L			07/08/22 18:22	1
Methyl acetate	ND		2.5	1.3	ug/L			07/08/22 18:22	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			07/08/22 18:22	1
Methylcyclohexane	ND		1.0	0.16	ug/L			07/08/22 18:22	1
Methylene Chloride	ND		1.0	0.44	ug/L			07/08/22 18:22	1
Styrene	ND		1.0	0.73	ug/L			07/08/22 18:22	1
Tetrachloroethene	ND		1.0	0.36	ug/L			07/08/22 18:22	1
Toluene	ND		1.0	0.51	ug/L			07/08/22 18:22	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			07/08/22 18:22	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			07/08/22 18:22	1
Trichloroethene	ND		1.0	0.46	ug/L			07/08/22 18:22	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			07/08/22 18:22	1
Vinyl chloride	ND		1.0	0.90	ug/L			07/08/22 18:22	1
Xylenes, Total	ND		2.0	0.66	ug/L			07/08/22 18:22	1

Eurofins Buffalo

Client Sample Results

Client: AECOM

Job ID: 480-199606-1

Project/Site: Scott Figgie West of Plant 2

Client Sample ID: INFLUENT

Lab Sample ID: 480-199606-2

Date Collected: 07/07/22 06:30

Matrix: Water

Date Received: 07/07/22 15:15

Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	112		77 - 120					07/08/22 18:22	1
4-Bromofluorobenzene (Surr)	117		73 - 120					07/08/22 18:22	1
Toluene-d8 (Surr)	95		80 - 120					07/08/22 18:22	1
Dibromofluoromethane (Surr)	114		75 - 123					07/08/22 18:22	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Petroleum Hydrocarbons (1664A)	ND		4.9	1.9	mg/L		07/11/22 08:13	07/11/22 11:20	1

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids	ND		4.0	4.0	mg/L			07/13/22 09:05	1
pH	8.3	HF	0.1	0.1	SU			07/12/22 19:52	1
Temperature	21.1	HF	0.001	0.001	Degrees C			07/12/22 19:52	1

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-199606-1

Client Sample ID: TB

Lab Sample ID: 480-199606-3

Date Collected: 07/07/22 06:30

Matrix: Water

Date Received: 07/07/22 15:15

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			07/08/22 18:43	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			07/08/22 18:43	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			07/08/22 18:43	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			07/08/22 18:43	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			07/08/22 18:43	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			07/08/22 18:43	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			07/08/22 18:43	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			07/08/22 18:43	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			07/08/22 18:43	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			07/08/22 18:43	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			07/08/22 18:43	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			07/08/22 18:43	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			07/08/22 18:43	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			07/08/22 18:43	1
2-Butanone (MEK)	ND		10	1.3	ug/L			07/08/22 18:43	1
2-Hexanone	ND		5.0	1.2	ug/L			07/08/22 18:43	1
4-Methyl-2-pentanone (MIBK)	ND	*-	5.0	2.1	ug/L			07/08/22 18:43	1
Acetone	ND		10	3.0	ug/L			07/08/22 18:43	1
Benzene	ND		1.0	0.41	ug/L			07/08/22 18:43	1
Bromodichloromethane	ND		1.0	0.39	ug/L			07/08/22 18:43	1
Bromoform	ND		1.0	0.26	ug/L			07/08/22 18:43	1
Bromomethane	ND		1.0	0.69	ug/L			07/08/22 18:43	1
Carbon disulfide	ND		1.0	0.19	ug/L			07/08/22 18:43	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			07/08/22 18:43	1
Chlorobenzene	ND		1.0	0.75	ug/L			07/08/22 18:43	1
Chloroethane	ND		1.0	0.32	ug/L			07/08/22 18:43	1
Chloroform	ND		1.0	0.34	ug/L			07/08/22 18:43	1
Chloromethane	ND		1.0	0.35	ug/L			07/08/22 18:43	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			07/08/22 18:43	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			07/08/22 18:43	1
Cyclohexane	ND		1.0	0.18	ug/L			07/08/22 18:43	1
Dibromochloromethane	ND		1.0	0.32	ug/L			07/08/22 18:43	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			07/08/22 18:43	1
Ethylbenzene	ND		1.0	0.74	ug/L			07/08/22 18:43	1
Isopropylbenzene	ND		1.0	0.79	ug/L			07/08/22 18:43	1
Methyl acetate	ND		2.5	1.3	ug/L			07/08/22 18:43	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			07/08/22 18:43	1
Methylcyclohexane	ND		1.0	0.16	ug/L			07/08/22 18:43	1
Methylene Chloride	ND		1.0	0.44	ug/L			07/08/22 18:43	1
Styrene	ND		1.0	0.73	ug/L			07/08/22 18:43	1
Tetrachloroethene	ND		1.0	0.36	ug/L			07/08/22 18:43	1
Toluene	ND		1.0	0.51	ug/L			07/08/22 18:43	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			07/08/22 18:43	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			07/08/22 18:43	1
Trichloroethene	ND		1.0	0.46	ug/L			07/08/22 18:43	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			07/08/22 18:43	1
Vinyl chloride	ND		1.0	0.90	ug/L			07/08/22 18:43	1
Xylenes, Total	ND		2.0	0.66	ug/L			07/08/22 18:43	1

Eurofins Buffalo

Client Sample Results

Client: AECOM

Job ID: 480-199606-1

Project/Site: Scott Figgie West of Plant 2

Client Sample ID: TB

Lab Sample ID: 480-199606-3

Date Collected: 07/07/22 06:30

Matrix: Water

Date Received: 07/07/22 15:15

<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
1,2-Dichloroethane-d4 (Surr)	115		77 - 120		07/08/22 18:43	1
4-Bromofluorobenzene (Surr)	120		73 - 120		07/08/22 18:43	1
Toluene-d8 (Surr)	98		80 - 120		07/08/22 18:43	1
Dibromofluoromethane (Surr)	117		75 - 123		07/08/22 18:43	1

Lab Chronicle

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-199606-1

Client Sample ID: EFFLUENT

Lab Sample ID: 480-199606-1

Date Collected: 07/07/22 06:30

Matrix: Water

Date Received: 07/07/22 15:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	632921	07/08/22 18:00	CRL	TAL BUF
Total/NA	Prep	1664B			633044	07/11/22 08:13	ARR	TAL BUF
Total/NA	Analysis	1664B		1	633083	07/11/22 11:20	ARR	TAL BUF
Total/NA	Analysis	SM 2540D		1	633374	07/13/22 09:05	SAK	TAL BUF
Total/NA	Analysis	SM 4500 H+ B		1	633429	07/12/22 19:49	DSC	TAL BUF

Client Sample ID: INFLUENT

Lab Sample ID: 480-199606-2

Date Collected: 07/07/22 06:30

Matrix: Water

Date Received: 07/07/22 15:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	632921	07/08/22 18:22	CRL	TAL BUF
Total/NA	Prep	1664B			633044	07/11/22 08:13	ARR	TAL BUF
Total/NA	Analysis	1664B		1	633083	07/11/22 11:20	ARR	TAL BUF
Total/NA	Analysis	SM 2540D		1	633374	07/13/22 09:05	SAK	TAL BUF
Total/NA	Analysis	SM 4500 H+ B		1	633429	07/12/22 19:52	DSC	TAL BUF

Client Sample ID: TB

Lab Sample ID: 480-199606-3

Date Collected: 07/07/22 06:30

Matrix: Water

Date Received: 07/07/22 15:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8260C		1	632921	07/08/22 18:43	CRL	TAL BUF

Laboratory References:

TAL BUF = Eurofins Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

Accreditation/Certification Summary

Client: AECOM

Job ID: 480-199606-1

Project/Site: Scott Figgie West of Plant 2

Laboratory: Eurofins Buffalo

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
New York	NELAP	10026	03-31-23

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
SM 4500 H+ B		Water	pH
SM 4500 H+ B		Water	Temperature

Method Summary

Client: AECOM

Job ID: 480-199606-1

Project/Site: Scott Figgie West of Plant 2

Method	Method Description	Protocol	Laboratory
8260C	Volatile Organic Compounds by GC/MS	SW846	TAL BUF
1664B	HEM and SGT-HEM	1664B	TAL BUF
SM 2540D	Solids, Total Suspended (TSS)	SM	TAL BUF
SM 4500 H+ B	pH	SM	TAL BUF
1664B	HEM and SGT-HEM (Aqueous)	1664B	TAL BUF
5030C	Purge and Trap	SW846	TAL BUF

Protocol References:

1664B = EPA-821-98-002

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL BUF = Eurofins Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

Sample Summary

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-199606-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
480-199606-1	EFFLUENT	Water	07/07/22 06:30	07/07/22 15:15
480-199606-2	INFLUENT	Water	07/07/22 06:30	07/07/22 15:15
480-199606-3	TB	Water	07/07/22 06:30	07/07/22 15:15

1

2

3

4

5

6

7

8

9

10

11

Login Sample Receipt Checklist

Client: AECOM

Job Number: 480-199606-1

Login Number: 199606

List Source: Eurofins Buffalo

List Number: 1

Creator: Stopa, Erik S

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time (Excluding tests with immediate HTs)..	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Sampling Company provided.	True	aecom
Samples received within 48 hours of sampling.	True	
Samples requiring field filtration have been filtered in the field.	N/A	
Chlorine Residual checked.	N/A	

Chain of Custody Record



Client Information Client Contact: Mr. Dino Zack Company: AECOM Address: One John James Audubon Parkway Suite 210 City: Amherst State, Zip: NY, 14228 Phone: _____ Email: dino.zack@aecom.com Project Name: Scott Figgie - Inf/Eff Event Desc: Influent/Effluent analysis Site: New York		Sampler: <u>Dino Zack</u> Phone: <u>716 866 8222</u> PW/SID: _____ Lab PM: Fischer, Brian J E-Mail: Brian.Fischer@eurofins.com	Carrier Tracking No(s): _____ State of Origin: <u>NY</u> Page 1 of 1 Job #: _____	CQC No: 480-174697-1955.1 Preservation Codes: A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Anchlor M - Hexane N - None O - AsNaO2 P - Na2OAS Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Dodecahydrate
Due Date Requested: _____ TAT Requested (days): <u>STD; 48</u> Compliance Project: <u>Δ Yes Δ No</u> PO #: _____ Purchase Order not requir WO #: _____ Project #: 48002539 SSOW#: _____		Analysis Requested 1664A - Calc - Total Petroleum Hydrocarbons (1664A) 2640D - Total Suspended Solids SM4500 - H+ - pH 8260C - TCL list OLM04.2 Field Filtered Sample (Yes or No) <input checked="" type="checkbox"/> Perform MS/MSD (Yes or No) <input checked="" type="checkbox"/> Matrix (W=water, S=solid, O=water/solid, AT=Tissue, A=Air) Sample Type (C=Comp, G=grab) <input checked="" type="checkbox"/> Sample Time <input checked="" type="checkbox"/> Sample Date <input checked="" type="checkbox"/> Preservation Code: <input checked="" type="checkbox"/> Special Instructions/Note: <u>Comp. Grabs #1,2,3,4 for VOC</u> <u>Comp. Grabs #1,2,3,4 for VOC</u>		
Sample Identification EFFLUENT INFLUENT Trip Blank		Total Num <input checked="" type="checkbox"/> Special Instructions/Note: <u>Comp. Grabs #1,2,3,4 for VOC</u> <u>Comp. Grabs #1,2,3,4 for VOC</u>		
Possible Hazard Identification <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown <input type="checkbox"/> Radiological		Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return To Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months		
Deliverable Requested: I, II, III, IV, Other (specify) I II III IV Other (specify)		Special Instructions/QC Requirements: Cooler Temperature(s) °C and Other Remarks: <u>3.2 #1 ICE</u>		
Relinquished by: <u>Dino Zack</u> Date/Time: <u>7/7/22 1515</u> Company: <u>AECOM</u>		Received by: _____ Date/Time: _____ Company: _____		
Relinquished by: _____ Date/Time: _____ Company: _____		Received by: _____ Date/Time: _____ Company: _____		
Relinquished by: _____ Date/Time: _____ Company: _____		Received by: _____ Date/Time: _____ Company: _____		
Custody Seal No.: <u>Δ Yes Δ No</u>		Cooler Temperature(s) °C and Other Remarks: <u>3.2 #1 ICE</u>		