# **Scott Figgie LLC**

Scott Figgie LLC

c/o GSF Management Company LLC 34407 DuPont Boulevard, Suite 6 Frankford, DE 19945

August 8, 2023

Ms. Laura Surdej
Erie County Department of Environment and Planning
Division of Sewerage Management
Erie County Sewer District # 6
260 Lehigh Avenue
Lackawanna, New York 14218

RE: Third Quarter 2023 Discharge Monitoring Report
Groundwater Remediation Operation
25A Walter Winter Drive, Lancaster, New York 14086
NYSDEC Site 9-15-149
EC/BPDES Permit No. 21-10-E4054

Dear Ms. Surdej:

AVOX Systems Inc owns the subject property. Scott Figgie LLC (Scott Figgie) is currently responsible for certain environmental activities at that property, including compliance with Erie County/Buffalo Pollution Discharge Elimination System (EC/BPDES) Permit No. 21-10-E4054. Scott Figgie is pleased to provide you with the enclosed Third Quarter 2023 Discharge Monitoring Report for the groundwater remediation operation located on that property. This report is submitted in partial fulfillment of EC/BPDES Permit No. 21-10-E4054, effective October 1, 2021.

GSF Management Company LLC (GSF), an affiliate of Scott Figgie, is managing the remediation of groundwater on the subject property on behalf of Scott Figgie. Scott Figgie/GSF commissioned AECOM Technical Services, Inc. (AECOM), with an office located in Buffalo, New York, to perform the required EC/BPDES quarterly sampling during the month of July 2023 and to prepare the enclosed report with the results.

Figures 1 and 2 in the report depict the entire groundwater collection and treatment system that is covered by the subject permit.

I certify under the penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the systems, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of a fine and imprisonment for known violations.

Scott Figgie or AVOX Systems Inc will continue to monitor the influent and effluent of the active remediation system located at the site on a quarterly basis. The next quarterly discharge monitoring report is due by November 30, 2023.

Ms. Laura Surdej August 8, 2023 Page 2

If you have any questions regarding this submittal, please do not hesitate to contact me or Troy Chute at the above address, or to send an email either to me at <a href="mailto:stuart.rixman@gsfmanagementco.com">stuart.rixman@gsfmanagementco.com</a> or to Mr. Chute at <a href="mailto:troy.chute@gsfmanagementco.com">troy.chute@gsfmanagementco.com</a>.

Very truly yours, Scott Figgie LLC

Stuart I. Rixman

Project Manager, GSF Management Company

Stuart l. Rixman

#### \enclosures

cc: Mr. Al Alagna, Buffalo Sewer Authority (electronic copy sent by AECOM)


Mr. Glenn May, NYSDEC Region 9 (electronic copy sent by AECOM)

Mr. Troy Chute, GSF Management Company LLC (electronic copy sent by AECOM)

Mr. Raymond DeCarlo, AVOX Systems Inc (electronic copy sent by AECOM)

Mr. Allan Thomalla, AVOX Systems Inc (electronic copy sent by AECOM)

Mr. Joshua Gehan, AVOX Systems Inc (electronic copy) Facility File, Lancaster, NY (hard copy sent by AECOM)



# Scott Technologies, Inc. - Groundwater Remediation Site Lancaster, New York

EC/BPDES Permit No. 21-10-E4054

# Third Quarter 2023 Discharge Monitoring Report Sample Date - July 27, 2023

Parameter	Units	Total Maxium Daily Load per Permit (pounds per day)	Measured or Calculated Daily Load (pounds per day)	Within Limits?
pH (Method SM 4500 H+ B)	SU	5 - 12	7.6	Υ
Total Extractable Hydrocarbons (Method 1664B)	mg/L	100	< 4.8	Y
Total Suspended Solids (Method SM 2540D)	mg/L	250	< 4.0	Υ
VOCs (Method 8260C) Methylene Chloride 1,1,1-Trichloroethane Trichloroethylene Total 1,2-DCE (cis-1,2-DCE and trans-1,2-DCE) 1,1-Dichloroethane Chloroethane Toluene	lbs/day lbs/day lbs/day lbs/day lbs/day lbs/day lbs/day	0.12 0.09 0.04 0.02 0.0025 0.025 0.04	< 0.000017 < 0.000017 < 0.000017 < 0.000017 < 0.000017 < 0.000017 < 0.000017	Y Y Y Y Y
Total Daily Flow (discharge meter reading)	gallons per day	14,000	2,087	Υ

#### Notes:

SU standard units


mg/L milligrams per liter


ug/L micrograms per liter

lbs/day pounds per day

J Indicates analyte result was reported as an estimated concentration.

< (value) Indicates calculated concentration less than the reported value, using effluent reporting limit as maximum possible concentration.









WEST OF PLANT 2 SITE FEATURES MAP

FORMER SCOTT AVIATION FACILITY LANCASTER, NEW YORK





#### **DAILY FIELD LOG**

 Project
 Scott Figgie LLC, West of Plant 2 Groundwater Remediation Site, Lancaster, NY Date

 Vizilo23

 Weather
 Party sunny

 Temperature Range
 45 degrees F

 AECOM Personnel on Site
 Dino Zack

 Time on Site
 06:00 hrs - 15:30 hrs

 AS Totalizer Start Sampling (06:00 hrs)
 30,569,150 gallons

 AS Totalizer After Sampling (14:00 hrs)
 30,569,800 gallons

#### **Summary of Sample Activities**

Comments

Time = 06:00hrs

pH = 8

Filled 2, 40-ml vials (preserved with HCl) from influent sample tap. Filled 2, 1-L amber glass bottle (preserved with  $H_2SO_4$ ) 1/4 full, from influent tap. Filled 1, 500-ml plastic bottle (unpreserved) 1/4 full from influent tap. Filled 1 250-ml plastic bottle (unpreserved) 1/4 full from influent tap. Water quality was clear with slight odor (no sheen).

Filled 2, 40-ml vials (preserved with HCl) from effluent sample tap. Fill 2, 1-L amber glass bottle (preserved with  $H_2SO_4$ ) 1/4 full from effluent tap. Filled 1, 500-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Filled 1 250-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Water quality is clear with no discernable odor or sheen.

Time = 8:30hrs

pH = 8

Filled 2, 40-ml vials (preserved with HCl) from influent sample tap. Filled 2, 1-L amber glass bottle (preserved with  $H_2SO_4$ ) 1/4 full, from influent tap. Filled 1, 500-ml plastic bottle (unpreserved) 1/4 full from influent tap. Filled 1 250-ml plastic bottle (unpreserved) 1/4 full from influent tap. Water quality was clear with slight odor (no sheen).

Filled 2, 40-ml vials (preserved with HCl) from effluent sample tap. Filled 2, 1-L amber glass bottle (preserved with  $H_2SO_4$ ) 1/4 full from effluent tap. Filled 1, 500-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Filled 1 250-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Water quality is clear with no discernable odor or sheen.

Time = 11:30hrs

8 = Hq

Filled 2, 40-ml vials (preserved with HCl) from influent sample tap. Filed 2, 1-L amber glass bottle (preserved with H<sub>2</sub>SO<sub>4</sub>) 1/4 full, from influent tap. Filled 1, 500-ml plastic bottle (unpreserved) 1/4 full from influent tap. Filled 1 250-ml plastic bottle (unpreserved) 1/4 full from influent tap. Water quality was clear with slight odor (no sheen).

Filled 2, 40-ml vials (preserved with HCl) from effluent sample tap. Filled 2, 1-L amber glass bottle (preserved with  $H_2SO_4$ ) 1/4 full from effluent tap. Filled 1, 500-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Filled 1 250-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Water quality is clear with no discernable odor or sheen.

Time = 14:00hrs

Dino J. Back

pH = 8

Filled 2, 40-ml vials (preserved with HCl) from influent sample tap. Filled 2, 1-L amber glass bottle (preserved with  $H_2SO_4$ ) 1/4 full, from influent tap. Filled 1, 500-ml plastic bottle (unpreserved) 1/4 full from influent tap. Filled 1 250-ml plastic bottle (unpreserved) 1/4 full from influent tap. Water quality was clear with slight odor (no sheen).

Filled 2, 40-ml vials (preserved with HCl) from effluent sample tap. Filled 2, 1-L amber glass bottle (preserved with  $H_2SO_4$ ) 1/4 full from effluent tap. Filled 1, 500-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Filled 1 250-ml plastic bottle (unpreserved) 1/4 full from effluent tap. Water quality is clear with no discernable odor or sheen.

DPE and GWCT remedial system running at time of sample collection. Samples collected at equally spaced intervals over an 8-hour period.

Maintained samples at <4 degrees C. Hand delivered samples to Eurofins Environment Testing Northeast, LLC (Amherst, NY) under COC for analysis. Requested laboratory to composite 40-ml samples and analyze for VOCs (8260C). Requested laboratory to analyze influent and effluent samples for TEH (1664A), TSS (SM 2540D), and pH (SM 4500 H+).

Signature:

**Date:** 27-Jul-23



# **ANALYTICAL REPORT**

# PREPARED FOR

Attn: Mr. Dino Zack AECOM 50 Lakefront Bouelvard Suite 111 Buffalo, New York 14202

Generated 8/3/2023 11:04:00 AM

# **JOB DESCRIPTION**

Scott Figgie West of Plant 2

# **JOB NUMBER**

480-211255-1

Eurofins Buffalo 10 Hazelwood Drive Amherst NY 14228-2298



# **Eurofins Buffalo**

### **Job Notes**

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Northeast, LLC Project Manager.

# **Authorization**

Generated 8/3/2023 11:04:00 AM

Authorized for release by Rebecca Jones, Project Management Assistant I Rebecca.Jones@et.eurofinsus.com Designee for Brian Fischer, Manager of Project Management Brian.Fischer@et.eurofinsus.com (716)504-9835 9

3

4

6

9

10

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Laboratory Job ID: 480-211255-1

# **Table of Contents**

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
Lab Chronicle	12
Certification Summary	13
Method Summary	14
Sample Summary	15
Receipt Checklists	16
Chain of Custody	17

### **Definitions/Glossary**

Client: AECOM Job ID: 480-211255-1

Project/Site: Scott Figgie West of Plant 2

#### **Qualifiers**

#### **GC/MS VOA**

Qualifier Qualifier Description

J Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

### **General Chemistry**

HF Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.

### **Glossary**

Abbreviation These commonly used abbreviations may or may not be present in this report.

Listed under the "D" column to designate that the result is reported on a dry weight basis

%R Percent Recovery
CFL Contains Free Liquid
CFU Colony Forming Unit
CNF Contains No Free Liquid

DER Duplicate Error Ratio (normalized absolute difference)

Dil Fac Dilution Factor

DL Detection Limit (DoD/DOE)

DL, RA, RE, IN Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample

DLC Decision Level Concentration (Radiochemistry)

EDL Estimated Detection Limit (Dioxin)

LOD Limit of Detection (DoD/DOE)

LOQ Limit of Quantitation (DoD/DOE)

MCL EPA recommended "Maximum Contaminant Level"

MDA Minimum Detectable Activity (Radiochemistry)

MDC Minimum Detectable Concentration (Radiochemistry)

MDL Method Detection Limit
ML Minimum Level (Dioxin)
MPN Most Probable Number
MQL Method Quantitation Limit

NC Not Calculated

ND Not Detected at the reporting limit (or MDL or EDL if shown)

NEG Negative / Absent
POS Positive / Present
PQL Practical Quantitation Limit

PRES Presumptive
QC Quality Control

RER Relative Error Ratio (Radiochemistry)

RL Reporting Limit or Requested Limit (Radiochemistry)

RPD Relative Percent Difference, a measure of the relative difference between two points

TEF Toxicity Equivalent Factor (Dioxin)
TEQ Toxicity Equivalent Quotient (Dioxin)

TNTC Too Numerous To Count

5

0

0

9

10

4 -

### **Case Narrative**

Client: AECOM Job ID: 480-211255-1

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211255-1

**Laboratory: Eurofins Buffalo** 

**Narrative** 

Job Narrative 480-211255-1

#### Comments

No additional comments.

#### Receipt

The samples were received on 7/27/2023 3:50 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 4.1° C.

#### GC/MS VOA

Method 8260C: The following Volatile samples were composited by the laboratory on 07/28/2023 as requested by the client: EFFLUENT (480-211255-1) and INFLUENT (480-211255-6). Regulatory defined guidance for in-laboratory compositing of samples, is currently not available. Laboratory sample compositing was performed using established project specifications and/or laboratory standard operating procedures.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

#### **General Chemistry**

Methods 9040C, SM 4500 H+ B: This analysis is normally performed in the field and has a method-defined holding time of 15 minutes. The following samples has been qualified with the "HF" flag to indicate analysis was performed in the laboratory outside the 15 minute timeframe: EFFLUENT (480-211255-1) and INFLUENT (480-211255-6).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

3

4

E

6

4

10

Eurofins Buffalo 8/3/2023

Client: AECOM Job ID: 480-211255-1

Project/Site: Scott Figgie West of Plant 2

### **Client Sample ID: EFFLUENT**

Lab Sample ID: 480-211255-1 Date Collected: 07/27/23 06:00

Matrix: Water

Date Received: 07/27/23 15:50

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fa
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			07/28/23 21:59	
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			07/28/23 21:59	
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			07/28/23 21:59	
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			07/28/23 21:59	
1,1-Dichloroethane	ND		1.0	0.38	ug/L			07/28/23 21:59	
1,1-Dichloroethene	ND		1.0	0.29	ug/L			07/28/23 21:59	
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			07/28/23 21:59	
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			07/28/23 21:59	
1,2-Dibromoethane	ND		1.0	0.73	ug/L			07/28/23 21:59	
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			07/28/23 21:59	
1,2-Dichloroethane	ND		1.0	0.21	ug/L			07/28/23 21:59	
1,2-Dichloropropane	ND		1.0	0.72	ug/L			07/28/23 21:59	
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			07/28/23 21:59	
1,4-Dichlorobenzene	ND		1.0	0.84				07/28/23 21:59	
2-Butanone (MEK)	9.7	J	10		ug/L			07/28/23 21:59	
2-Hexanone	ND		5.0		ug/L			07/28/23 21:59	
4-Methyl-2-pentanone (MIBK)	ND		5.0		ug/L			07/28/23 21:59	
Acetone	16		10		ug/L			07/28/23 21:59	
Benzene	ND		1.0		ug/L			07/28/23 21:59	
Bromodichloromethane	ND		1.0	0.39	-			07/28/23 21:59	
Bromoform	ND		1.0	0.26				07/28/23 21:59	
Bromomethane	ND		1.0	0.69				07/28/23 21:59	
Carbon disulfide	ND		1.0	0.19				07/28/23 21:59	
Carbon tetrachloride	ND		1.0		ug/L			07/28/23 21:59	
Chlorobenzene	ND		1.0		ug/L			07/28/23 21:59	
Chloroethane	ND		1.0	0.32	_			07/28/23 21:59	
Chloroform	ND		1.0	0.34				07/28/23 21:59	
Chloromethane	ND		1.0		ug/L			07/28/23 21:59	
cis-1,2-Dichloroethene	ND		1.0		ug/L			07/28/23 21:59	
cis-1,3-Dichloropropene	ND		1.0		ug/L			07/28/23 21:59	
Cyclohexane	ND		1.0		ug/L			07/28/23 21:59	
Dibromochloromethane	ND		1.0		ug/L ug/L			07/28/23 21:59	
Dichlorodifluoromethane	ND		1.0		ug/L			07/28/23 21:59	
Ethylbenzene	ND		1.0		ug/L ug/L			07/28/23 21:59	
Isopropylbenzene	ND		1.0		ug/L			07/28/23 21:59	
Methyl acetate	ND		2.5		ug/L			07/28/23 21:59	
Methyl tert-butyl ether	ND			0.16				07/28/23 21:59	
Methylcyclohexane	ND ND		1.0 1.0		ug/L ug/L			07/28/23 21:59	
					ug/L ug/L			07/28/23 21:59	
Methylene Chloride	ND		1.0					07/28/23 21:59	
Styrene	ND		1.0		ug/L				
Tetrachloroethene Toluene	ND ND		1.0 1.0		ug/L ug/L			07/28/23 21:59 07/28/23 21:59	
trans-1,2-Dichloroethene	ND		1.0		ug/L			07/28/23 21:59	
trans-1,3-Dichloropropene	ND		1.0		ug/L			07/28/23 21:59	
Trichloroethene	ND		1.0		ug/L			07/28/23 21:59	
Trichlorofluoromethane	ND		1.0		ug/L			07/28/23 21:59	
Vinyl chloride Xylenes, Total	ND		1.0 2.0	0.90	ug/L			07/28/23 21:59 07/28/23 21:59	

Eurofins Buffalo

Client: AECOM Job ID: 480-211255-1

Project/Site: Scott Figgie West of Plant 2

**Client Sample ID: EFFLUENT** 

Date Received: 07/27/23 15:50

Lab Sample ID: 480-211255-1 Date Collected: 07/27/23 06:00

Matrix: Water

Surrogate %Recovery Qualifier Limits Prepared Dil Fac Analyzed 1,2-Dichloroethane-d4 (Surr) 99 77 - 120 07/28/23 21:59 4-Bromofluorobenzene (Surr) 102 73 - 120 07/28/23 21:59 07/28/23 21:59 Toluene-d8 (Surr) 116 80 - 120 Dibromofluoromethane (Surr) 07/28/23 21:59

	91		75 - 123					01/20/23 21.39	,
General Chemistry									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Petroleum Hydrocarbons (1664A) (1664B)	ND		4.8	1.8	mg/L		07/28/23 10:01	07/28/23 13:24	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids (SM 2540D)	ND		4.0	4.0	mg/L			07/31/23 10:19	1
pH (SM 4500 H+ B)	7.6	HF	0.1	0.1	SU			08/01/23 20:07	1
Temperature (SM 4500 H+ B)	18.4	HF	0.001	0.001	Degrees C			08/01/23 20:07	1
Temperature (SM 4500 H+ B)	18.4	HF	0.001	0.001	Degrees C			08/01/23 20:07	

Client: AECOM Job ID: 480-211255-1

Project/Site: Scott Figgie West of Plant 2

**Client Sample ID: INFLUENT** 

Lab Sample ID: 480-211255-6 Date Collected: 07/27/23 06:00

Matrix: Water

Date Received: 07/27/23 15:50

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fa
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			07/28/23 22:22	
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			07/28/23 22:22	
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			07/28/23 22:22	
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			07/28/23 22:22	
1,1-Dichloroethane	ND		1.0	0.38	ug/L			07/28/23 22:22	
1,1-Dichloroethene	ND		1.0	0.29	ug/L			07/28/23 22:22	
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			07/28/23 22:22	
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			07/28/23 22:22	
1,2-Dibromoethane	ND		1.0	0.73	ug/L			07/28/23 22:22	
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			07/28/23 22:22	
1,2-Dichloroethane	ND		1.0	0.21	ug/L			07/28/23 22:22	
1,2-Dichloropropane	ND		1.0	0.72	ug/L			07/28/23 22:22	
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			07/28/23 22:22	
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			07/28/23 22:22	
2-Butanone (MEK)	54		10	1.3	ug/L			07/28/23 22:22	
2-Hexanone	ND		5.0	1.2	ug/L			07/28/23 22:22	
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			07/28/23 22:22	
Acetone	51		10	3.0	ug/L			07/28/23 22:22	
Benzene	ND		1.0		ug/L			07/28/23 22:22	
Bromodichloromethane	ND		1.0	0.39	_			07/28/23 22:22	
Bromoform	ND		1.0	0.26				07/28/23 22:22	
Bromomethane	ND		1.0		ug/L			07/28/23 22:22	
Carbon disulfide	0.38	J	1.0	0.19				07/28/23 22:22	
Carbon tetrachloride	ND		1.0		ug/L			07/28/23 22:22	
Chlorobenzene	ND		1.0		ug/L			07/28/23 22:22	
Chloroethane	ND		1.0	0.32				07/28/23 22:22	
Chloroform	ND		1.0		ug/L			07/28/23 22:22	
Chloromethane	ND		1.0	0.35				07/28/23 22:22	
cis-1,2-Dichloroethene	3.6		1.0		ug/L			07/28/23 22:22	
cis-1,3-Dichloropropene	ND		1.0		ug/L			07/28/23 22:22	
Cyclohexane	ND		1.0	0.18				07/28/23 22:22	
Dibromochloromethane	ND		1.0	0.32				07/28/23 22:22	
Dichlorodifluoromethane	ND		1.0		ug/L			07/28/23 22:22	
Ethylbenzene	ND		1.0	0.74				07/28/23 22:22	
, Isopropylbenzene	ND		1.0	0.79				07/28/23 22:22	
Methyl acetate	ND		2.5		ug/L			07/28/23 22:22	
Methyl tert-butyl ether	ND		1.0		ug/L			07/28/23 22:22	
Methylcyclohexane	ND		1.0		ug/L			07/28/23 22:22	
Methylene Chloride	ND		1.0		ug/L			07/28/23 22:22	
Styrene	ND		1.0		ug/L			07/28/23 22:22	
Tetrachloroethene	ND		1.0		ug/L			07/28/23 22:22	
Toluene	ND		1.0		ug/L			07/28/23 22:22	
trans-1,2-Dichloroethene	ND		1.0		ug/L			07/28/23 22:22	
trans-1,3-Dichloropropene	ND		1.0		ug/L			07/28/23 22:22	
Trichloroethene	ND		1.0		ug/L			07/28/23 22:22	
Trichlorofluoromethane	ND		1.0		ug/L			07/28/23 22:22	
Vinyl chloride	ND		1.0		ug/L			07/28/23 22:22	
Xylenes, Total	ND		2.0		ug/L			07/28/23 22:22	

Eurofins Buffalo

Client: AECOM Job ID: 480-211255-1

Project/Site: Scott Figgie West of Plant 2

**Client Sample ID: INFLUENT** 

Lab Sample ID: 480-211255-6 Date Collected: 07/27/23 06:00

Matrix: Water

Date Received: 07/27/23 15:50

Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		77 - 120					07/28/23 22:22	1
4-Bromofluorobenzene (Surr)	96		73 - 120					07/28/23 22:22	1
Toluene-d8 (Surr)	114		80 - 120					07/28/23 22:22	1
Dibromofluoromethane (Surr)	92		75 - 123					07/28/23 22:22	1
General Chemistry									
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Petroleum Hydrocarbons (1664A) (1664B)	ND		5.3	2.0	mg/L		07/28/23 10:01	07/28/23 13:24	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total Suspended Solids (SM 2540D)	24.0		4.0	4.0	mg/L			07/31/23 10:19	1
pH (SM 4500 H+ B)	6.9	HF	0.1	0.1	SU			08/01/23 20:10	1
Temperature (SM 4500 H+ B)	18.6	HF	0.001	0.001	Degrees C			08/01/23 20:10	1

Client: AECOM Job ID: 480-211255-1

Project/Site: Scott Figgie West of Plant 2

Client Sample ID: Trip Blank

Date Received: 07/27/23 15:50

Trichlorofluoromethane

Vinyl chloride

Xylenes, Total

Lab Sample ID: 480-211255-11 Date Collected: 07/27/23 06:00

**Matrix: Water** 

Method: SW846 8260C - Volatile Organic Compounds by GC/MS Analyte Result Qualifier RL MDL Unit D Prepared Analyzed Dil Fac ND 1.0 0.82 07/28/23 22:45 1.1.1-Trichloroethane ug/L 1,1,2,2-Tetrachloroethane ND 1.0 0.21 ug/L 07/28/23 22:45 1,1,2-Trichloro-1,2,2-trifluoroethane ND 1.0 0.31 ug/L 07/28/23 22:45 1,1,2-Trichloroethane ND 1.0 0.23 ug/L 07/28/23 22:45 1,1-Dichloroethane ND 1.0 0.38 ug/L 07/28/23 22:45 1.1-Dichloroethene ND 07/28/23 22:45 1.0 0.29 ug/L 1,2,4-Trichlorobenzene ND 1.0 0.41 ug/L 07/28/23 22:45 1,2-Dibromo-3-Chloropropane ND 1.0 0.39 07/28/23 22:45 ug/L 1,2-Dibromoethane ND 1.0 0.73 ug/L 07/28/23 22:45 1.2-Dichlorobenzene ND 0.79 07/28/23 22:45 1.0 ug/L 1,2-Dichloroethane ND 1.0 07/28/23 22:45 0.21 ug/L 1,2-Dichloropropane ND 07/28/23 22:45 1.0 0.72 ug/L 1,3-Dichlorobenzene ND 1.0 0.78 ug/L 07/28/23 22:45 1,4-Dichlorobenzene ND 07/28/23 22:45 1.0 0.84 ug/L 2-Butanone (MEK) ND 10 1.3 ug/L 07/28/23 22:45 2-Hexanone ND 5.0 1.2 ug/L 07/28/23 22:45 ND 4-Methyl-2-pentanone (MIBK) 5.0 2.1 ug/L 07/28/23 22:45 07/28/23 22:45 Acetone ND 10 3.0 ug/L Benzene ND 1.0 0.41 ug/L 07/28/23 22:45 Bromodichloromethane ND 1.0 0.39 ug/L 07/28/23 22:45 Bromoform ND 0.26 07/28/23 22:45 1.0 ug/L Bromomethane ND 1.0 0.69 07/28/23 22:45 ug/L Carbon disulfide ND 1.0 0.19 ug/L 07/28/23 22:45 Carbon tetrachloride ND 1.0 0.27 ug/L 07/28/23 22:45 ND 1.0 0.75 07/28/23 22:45 Chlorobenzene ug/L Chloroethane ND 1.0 0.32 ug/L 07/28/23 22:45 Chloroform ND 1.0 0.34 ug/L 07/28/23 22:45 Chloromethane ND 1.0 0.35 ug/L 07/28/23 22:45 cis-1,2-Dichloroethene ND 1.0 0.81 ug/L 07/28/23 22:45 cis-1,3-Dichloropropene ND 1.0 0.36 ug/L 07/28/23 22:45 Cyclohexane ND 1.0 0.18 ug/L 07/28/23 22:45 ug/L Dibromochloromethane ND 0.32 07/28/23 22:45 1.0 Dichlorodifluoromethane ND 1.0 0.68 ug/L 07/28/23 22:45 07/28/23 22:45 Ethylbenzene NΠ 1.0 0.74 ug/L Isopropylbenzene ND 1.0 07/28/23 22:45 ug/L ND 2.5 07/28/23 22:45 Methyl acetate 1.3 ug/L Methyl tert-butyl ether ND 1.0 0.16 ug/L 07/28/23 22:45 Methylcyclohexane ND 1.0 07/28/23 22:45 0.16 ug/L Methylene Chloride ND 1.0 0.44 ug/L 07/28/23 22:45 Styrene ND 1.0 0.73 07/28/23 22:45 ug/L Tetrachloroethene ND 1.0 0.36 ug/L 07/28/23 22:45 Toluene ND 1.0 0.51 ug/L 07/28/23 22:45 trans-1,2-Dichloroethene ND 1.0 0.90 ug/L 07/28/23 22:45 trans-1,3-Dichloropropene ND 1.0 0.37 ug/L 07/28/23 22:45 Trichloroethene ND 1.0 0.46 ug/L 07/28/23 22:45

**Eurofins Buffalo** 

8/3/2023

07/28/23 22:45

07/28/23 22:45

07/28/23 22:45

1.0

1.0

2.0

88.0 ug/L

0.90 ug/L

0.66 ug/L

ND

ND

ND

Client: AECOM Job ID: 480-211255-1

Project/Site: Scott Figgie West of Plant 2

**Client Sample ID: Trip Blank** 

Lab Sample ID: 480-211255-11 Date Collected: 07/27/23 06:00

Matrix: Water

Date Received: 07/27/23 15:50

Surrogate	%Recovery Qua	ualifier Limits	Pr	repared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99	77 - 120		07.	/28/23 22:45	1
4-Bromofluorobenzene (Surr)	97	73 - 120		07.	/28/23 22:45	1
Toluene-d8 (Surr)	115	80 - 120		07.	/28/23 22:45	1
Dibromofluoromethane (Surr)	91	75 - 123		07.	/28/23 22:45	1

#### Lab Chronicle

Client: AECOM Job ID: 480-211255-1

Project/Site: Scott Figgie West of Plant 2

**Client Sample ID: EFFLUENT** 

Lab Sample ID: 480-211255-1 Date Collected: 07/27/23 06:00

**Matrix: Water** 

Date Received: 07/27/23 15:50

	Batch	Batch		Dilution	Batch			Prepared
Prep Type	Type	Method	Run	Factor	Number	Analyst	Lab	or Analyzed
Total/NA	Analysis	8260C		1	678190	AXK	EET BUF	07/28/23 21:59
Total/NA	Prep	1664B			678152	CRM	EET BUF	07/28/23 10:01
Total/NA	Analysis	1664B		1	678191	CRM	EET BUF	07/28/23 13:24
Total/NA	Analysis	SM 2540D		1	678330	SF	EET BUF	07/31/23 10:19
Total/NA	Analysis	SM 4500 H+ B		1	678681	DSC	EET BUF	08/01/23 20:07

**Client Sample ID: INFLUENT** 

Lab Sample ID: 480-211255-6 Date Collected: 07/27/23 06:00

**Matrix: Water** 

Date Received: 07/27/23 15:50

Batch Dilution Batch Prepared Prep Type Туре Method Run Factor **Number Analyst** or Analyzed Lab Total/NA 8260C 678190 AXK EET BUF 07/28/23 22:22 Analysis Total/NA Prep 1664B 678152 CRM EET BUF 07/28/23 10:01 Total/NA Analysis 1664B 678191 CRM EET BUF 07/28/23 13:24 Total/NA SM 2540D 678330 SF EET BUF 07/31/23 10:19 Analysis 1 Total/NA Analysis SM 4500 H+ B 678681 DSC **EET BUF** 08/01/23 20:10

Client Sample ID: Trip Blank

Lab Sample ID: 480-211255-11 Date Collected: 07/27/23 06:00

**Matrix: Water** 

Date Received: 07/27/23 15:50

	Batch	Batch		Dilution	Batch			Prepared
Prep Type	Туре	Method	Run	Factor	Number	Analyst	Lab	or Analyzed
Total/NA	Analysis	8260C		1	678190	AXK	EET BUF	07/28/23 22:45

**Laboratory References:** 

EET BUF = Eurofins Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

**Eurofins Buffalo** 

## **Accreditation/Certification Summary**

Client: AECOM Job ID: 480-211255-1

Project/Site: Scott Figgie West of Plant 2

### **Laboratory: Eurofins Buffalo**

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Pr	ogram	Identification Number	Expiration Date	
New York	NI	ELAP	10026	03-31-24	
The following analytes	are included in this report. bu	ut the laboratory is not certifi	ied by the governing authority. This list ma	av include analytes for w	
0 ,		,	, 9,	,	
the agency does not of		,		-,	
the agency does not of Analysis Method		Matrix	Analyte	.,	
9 ,	fer certification.	,	, , ,		

## **Method Summary**

Client: AECOM Job ID: 480-211255-1

Project/Site: Scott Figgie West of Plant 2

Method	Method Description	Protocol	Laboratory
8260C	Volatile Organic Compounds by GC/MS	SW846	EET BUF
1664B	HEM and SGT-HEM	1664B	EET BUF
SM 2540D	Solids, Total Suspended (TSS)	SM	EET BUF
SM 4500 H+ B	pH	SM	EET BUF
1664B	HEM and SGT-HEM (Aqueous)	1664B	EET BUF
5030C	Purge and Trap	SW846	EET BUF

#### **Protocol References:**

1664B = EPA-821-98-002

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

#### Laboratory References:

EET BUF = Eurofins Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

4

5

7

8

9

10

## **Sample Summary**

Client: AECOM Job ID: 480-211255-1

Project/Site: Scott Figgie West of Plant 2

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
480-211255-1	EFFLUENT	Water	07/27/23 06:00	07/27/23 15:50
480-211255-6	INFLUENT	Water	07/27/23 06:00	07/27/23 15:50
480-211255-11	Trip Blank	Water	07/27/23 06:00	07/27/23 15:50

## **Login Sample Receipt Checklist**

Client: AECOM Job Number: 480-211255-1

Login Number: 211255 List Source: Eurofins Buffalo

List Number: 1

Creator: Sabuda, Brendan D

orditor. Subdud, Brondan B		
Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	4.1 #1
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time (Excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Sampling Company provided.	True	
Samples received within 48 hours of sampling.	True	
Samples requiring field filtration have been filtered in the field.	True	
Chlorine Residual checked.	True	

5

F

6

8

10 Hazelwood Drive

Amherst, NY 14228-2298

# **Chain of Custody Record**

.0%			•	
	eu	ro	TII	ns

**Environment Testing** 

Phone: 716-691-2600 Fax: 716-691-7991																		
Client Information Client Contact:	Sampler:	13 2	3 Zach Lab PM: Fischer			Car cher, Brian J					Carrie	Carrier Tracking No(s):				COC No: 480-186544-1955.1		
Mr. Dino Zack	Phone: 7/6	Phone: E-Mail:								State	State of Origin:				Page: Page 1 of 1			
Company: AECOM			PWSID:						Analy	/sis R	equest	ted				Job #:		
Address	Due Date Request	~ ~	r Po		50 N						İ				120	Preservation Code	es:	
50 Lakefront Bouelvard Suite 111	TAT Requested (d	ave).			- 23 8	E .									뫮	A - HCL	M - Hexane N - None	
City: Buffalo State, Zip:	TAT REGUESICO (C	P	Po			A A										B - NaOH C · Zn Acetate	O - AsNaO2	
State, Zip:	Compliance Proje				-86	19									20	D - Nitric Acid E - NaHSO4	P - Na2O4S Q - Na2SO3	
NY, 14202 Phone	PO#	ct. A res	Δ NO		- 88	P og								1 1		F - MeOH	R - Na2S2O3 S - H2SO4	
116-866-8222	Purchase Orde	r not requir			- 6	OC B		li								G - Amchlor H - Ascorbic Acid	T - TSP Dodecahydrat	
Email: dino.zack@aecom.com	WO #:				ō (	Ly d										I - Ice J - DI Water	U - Acetone V - MCAA	
Project Name.	Project #:				(Xes	5	Solid								ners	K - EDTA	W - pH 4-5 Y - Trizma	
Scott Figgie - Inf/Eff Event Desc: Influent/Effluent analysis	48002539				15	to do	Pep		77						containers	L - EDA	Z - other (specify)	
Site: New York	SSOW#:				Ē	a e	pen		) LW							Other:		
, ·				Matrice	Spa	- Total Petroleum Hydrocarbons (1664A)	- Total Suspended Solids	Hd.	- TCL list OLM04.2						oer of			
			Sample Type	Matrix (w=water,	Iter	Calc	Tota	±,	걸						Total Number			
		Sample	(C=comp,	S=solid, O=waste/oil,	면 면	4	8	SM4500_H+	ò						- Z			
Sample Identification	Sample Date	Time		BT=Tissue, A=4		1664A	2540D	SM	8260C						Tot	Special In:	structions/Note:	
		><	Preserva	ation Code:	X	s	N	N	4	142 6	4	期認			X			
EFFLUENT	7/27/23	0600	C	Water			X	X	X						25	10ma 60	L H( H2 H3	
INFLUENT	7/27/23	0600	C	Water	П	X	Y	X	X							(un - 600h	41,42,43	
Trip Blank	7/27/23	060)	6	Water					X							D-10		
					Ш													
													100000	. ,    01001101	) 	tiffile time		
																	i <b>i</b> i i i i i i i i i i i i i i i i i	
					++	+					++	-			Ш			
					++	-	-	$\vdash$			+						<i>                                     </i>	
					Ш								480-211	255 C	hair	of Custody	aure aun issi	
												1				- Journal of the second of the		
					++	+					++				100		_	
					++	+	-	$\vdash$	_	-	+	_			725			
															TE.			
Possible Hazard Identification  Non-Hazard Flammable Skin Irritant Po					s	ampl	e Dis	oosal	( A fee	may be	assess	sed if sa	mples	are reta	aine	ed longer than 1	month)	
Non-Hazard Flammable Skin Irritant Po	ison B Unkr	own 🗀	Radiologica	1				To C		- O	Dispos	al By La	ab		rchi	ive For	Months	
Deliverable Requested: I, II, III, IV, Other (specify)					s	pecia	Instr	uction	s/QC R	equirem	nents:							
Empty Kit Relinquished by:		Date:			Time	:		_			P	Method of	Shipment	:	_			
Relinquished by:	Date/Time:	/-	144	Company		Rec	eived b	y.		_			Date/Tim	ne:	_		Company	
Relinquished by:	Date/Time	123/	1410h	Company	m	Ren	eived b	ar A					Date/Ti-					
		/				Kec	eiveu D	1.				,	Date/Tim	ie.			Company	
Refinquished by:	Date/Time:			Company		Rec	eived b		hink	W	luo	6	Date/Tip	21	) []	173 100	Company A	
Custody Seals Intact: Custody Seal No.:						Coo	ler Tem		re(s) °C a			-	11		<u>ا را</u>	#1	- 101	

8/3/202

Ver: 06/08/2021