

August 28, 2023

Mr. Glenn May, PG
New York State Department of
Environmental Conservation, Region 9
700 Delaware Avenue
Buffalo, NY 14209

**Subject: Fiscal Third Quarter 2023 Groundwater Monitoring Report (04/12/23-07/28/23)
July 2023 Sampling Event
Former Scott Aviation Facility – West of Plant 2
Lancaster, New York
NYSDEC Site Code No. 9-15-149**

Dear Mr. May:

On behalf of Scott Figgie LLC (successor to Scott Technologies, Inc.), AECOM Technical Services, Inc. (AECOM) is pleased to provide this Fiscal First Quarter 2023 Groundwater Monitoring Report for the former Scott Aviation Facility – West of Plant 2 area (site) located in Lancaster, New York (**Figure 1**). Quarterly groundwater monitoring activities have been performed in accordance with the New York State Department of Environmental Conservation (NYSDEC) Administrative Order on Consent (AOC), Index No. B9-0377095-05, for the former Scott Aviation facility (formerly Figgie International), NYSDC Site Code No. 9-15-149. This report has been developed in accordance with the NYSDC Division of Environmental Remediation, DER-10 Technical Guidance for Site Investigation and Remediation, dated May 3, 2010.

Groundwater samples were collected from select monitoring wells in fulfillment of the site AOC for groundwater monitoring requirements. A monitoring schedule was implemented based on Table 16 presented in the Periodic Review Report (PRR) (April 8, 2022, through April 12, 2023), dated June 14, 2023, and the analyses performed on the groundwater sampled during this monitoring event were included in Table 15 of the June 14, 2023 PRR. Additionally, vapor samples were collected from the air stripper and dual phase extraction (DPE) liquid ring vacuum pump sampling discharge ports as part of the July 2023 sampling event, to ensure that the vapor effluent was in compliance with NYSDC vapor discharge guidance criteria. Included in this report are a description of the project background, groundwater and vapor monitoring activities, operation and maintenance (O&M) activities for the combined groundwater DPE remediation system, and a summary of groundwater quality and vapor effluent results.

Project Background

Scott Aviation, Inc. was sold to Zodiac Acquisition Corporation in 2004, and the facility is now occupied by AVOX Systems Inc (AVOX). Per the purchase and sale agreement, the responsibility for the DPE groundwater remediation system located at 25A Walter Winter Drive, west of AVOX Plant 2, was retained for a designated period of years by Scott Technologies, Inc., the former parent company of Scott Aviation, Inc. Due to an organizational change, Scott Figgie LLC has replaced Scott Technologies, Inc. as the entity responsible under that agreement for the remediation of the subject site until the designated period ends. Scott Figgie has retained the services of AECOM for the ongoing O&M of the combined DPE remediation system and related groundwater monitoring activities.

AECOM conducted a site investigation during February 2003 in fulfillment of the document Site Investigation Work Plan dated December 31, 2002 (NYSDEC approval dated January 15, 2003). A comprehensive "Site Investigation Completion Report" (SICR) was submitted to NYSDC on June 30, 2003; the report was approved by NYSDC in August 2003. At the request of NYSDC, AECOM prepared a "Remedial Design Work Plan" (RDWP) to complete the

additional remedial work recommended in the SICR. The RDWP was submitted to NYSDEC on November 21, 2003, and the document was approved by NYSDEC on January 5, 2004.

Per the approved RDWP, a DPE remediation system was installed at the site during the period February 2004 through May 2004, and the DPE system was initially started on May 14, 2004. The DPE system was combined with a pre-existing groundwater collection trench (GWCT) system that was started on March 1, 1996.

The objectives for this combined remediation system (collectively known as the combined DPE remediation system) include:

- Maintaining hydraulic capture of groundwater containing dissolved volatile organic compounds (VOCs) along the western Plant 2 property boundary,
- Inducing a depression in the water table surface and reversing the groundwater flow direction along the western Plant 2 property boundary, and
- Reducing VOC concentrations in perched groundwater and soil.

Figure 2 depicts the location of site groundwater monitoring wells and piezometers, DPE recovery wells and system piping, enclosed DPE system trailer, GWCT, and treatment building. **Figure 3** provides the process and instrumentation diagram for the combined DPE remediation system.

At the conclusion of the initial one-year O&M period (May 14, 2004, to July 19, 2005), a "Remedial Action Engineering Report" (RAER) was prepared to summarize the combined DPE remediation system as-built design, combined DPE remediation system start-up, O&M activities, and quarterly monitoring data, and to provide recommendations for continued system operation, system optimization, sampling frequency, and O&M. The 2005 RAER was submitted to NYSDEC on November 11, 2005. In a letter dated December 13, 2005, NYSDEC accepted the 2005 RAER and requested that site monitoring wells MW-4, MW-8R, and MW-16S be added to the quarterly site sampling schedule.

The second year of combined DPE groundwater remediation system operation was summarized in the 2006 RAER (July 20, 2005, through July 20, 2006) and was submitted to NYSDEC in November 2006. The third year of combined DPE groundwater remediation system operation was summarized in the 2007 RAER (July 21, 2006, through October 15, 2007) and was submitted to NYSDEC in January 2008. The fourth year of combined DPE groundwater remediation system operation was summarized in the 2008 RAER (October 15, 2007, through January 22, 2009) and was submitted to NYSDEC in April 2009. The fifth year of combined DPE groundwater remediation system operation was summarized in the 2009 RAER (January 22, 2009, through April 8, 2010) and was submitted to NYSDEC in June 2010.

Per a letter from NYSDEC dated August 16, 2010, an Institutional Controls/Engineering Controls (IC/EC) certification has been, as of that correspondence, required for the site each calendar year, and is to include four quarters of groundwater sampling based on the current **Table 1**. **Table 1** is updated quarterly; the attached **Table 1** presents the groundwater monitoring schedule for the site from October 2023 through July 2024. The August 2010 NYSDEC letter also stated that, as of that correspondence, the RAER should be revised into a Periodic Review Report (PRR). Therefore, the sixth year of combined DPE groundwater remediation system operation was summarized in a PRR (April 8, 2010, through April 7, 2011) and submitted to NYSDEC in June 2011. The seventh year of combined DPE groundwater remediation system operation was summarized in a PRR (April 7, 2011, through April 3, 2012) and submitted to NYSDEC in May 2012. The eighth year of combined DPE groundwater remediation system operation was summarized in a PRR (April 3, 2012, through April 3, 2013) and submitted to NYSDEC in July 2013. The ninth year of combined DPE groundwater remediation system operation was summarized in a PRR (April 3, 2013, through April 7, 2014) and submitted to NYSDEC in July 2014. The tenth year of combined DPE groundwater remediation system operation was summarized in a PRR (April 7, 2014, through April 7, 2015) and submitted to NYSDEC in July 2015. The eleventh year of combined DPE groundwater remediation system operation was summarized in a PRR (April 7, 2015, through April 7, 2016) and submitted to NYSDEC in November 2016. The twelfth year of combined DPE groundwater remediation system operation was summarized in a PRR (April 7, 2016, through April 20, 2017) and submitted to NYSDEC on May 30, 2017. The thirteenth year of combined DPE groundwater remediation system

operation was summarized in a PRR (April 20, 2017, through April 18, 2018) and submitted to NYSDEC on May 31, 2018. The fourteenth PRR (April 18, 2018, through April 8, 2019) was completed and submitted to NYSDEC on June 15, 2019; per NYSDEC comment letter dated August 2, 2019, the fourteenth PRR was revised and resubmitted on August 8, 2019. The fourteenth PRR was approved via email by NYSDEC on December 31, 2019. On June 25, 2020, AECOM submitted the fifteenth PRR to NYSDEC, which summarized the combined DPE groundwater remediation system operation between April 8, 2019, through April 10, 2020. On June 29, 2021, AECOM submitted the sixteenth PRR to NYSDEC, summarizing the combined DPE groundwater remediation system operation from April 10, 2020, through April 9, 2021. On June 3, 2022, AECOM submitted the seventeenth PRR to NYSDEC, which summarized the combined DPE groundwater remediation system operation between April 9, 2021, through April 8, 2022. The most recent PRR (#18) was submitted on June 14, 2023 and summarized the combined DPE groundwater remediation system operation between April 8, 2022 through April 12, 2023. An IC/EC certification was included with each PRR except #15 through #18; NYSDEC informed AECOM via email that an IC/EC certification form was not auto-generated by the NYSDEC during those years; therefore, AECOM was asked to submit those PRRs using an edited version of the IC/EC certification issued for the period between April 8, 2019, through April 10, 2020.

Quarterly Groundwater Monitoring Activities – July 2023

AECOM personnel collected quarterly groundwater samples on July 26, 27, and 28, 2023 (the vapor samples were collected on July 26, 2023), in accordance with the procedures outlined in the NYSDEC-approved November 2003 RDWP and the NYSDEC August 2010 letter. July 2023 groundwater samples were collected from nine monitoring wells and piezometers (MW-2, MW-3, MW-4, MW-8R, MW-11, MW-13S, MW-13D, MW-16S, MW-16D), the GWCT, and the eight DPE wells (DPE-1, DPE-2, DPE-3, DPE-4, DPE-5, DPE-6, DPE-7, and DPE-8) (**Figure 2**). In addition, quality assurance/quality control samples were collected for VOC analysis including a duplicate sample (collected at MW-11), trip blank, and equipment blank. Field forms generated during this sampling event are provided in **Appendix A**. Groundwater samples were analyzed for VOCs and total organic carbon (TOC) by Eurofins Environment Testing Northeast, LLC (EETNE) in Amherst, New York using United States Environmental Protection Agency (EPA) SW-846 Method 8260C and SW-846 Method 9060A, respectively.

Prior to the collection of groundwater samples, a complete round of groundwater levels was measured in all site monitoring wells and piezometers. **Table 2** provides a summary of groundwater elevations measured on July 26, 2023. A summary of current and historical groundwater levels and corresponding elevations and hydrographs for each active monitoring well and nested piezometer pair is provided in **Appendix B**. Monitoring well MW-2 is screened across the shallow overburden groundwater zone while MW-3, MW-4, MW-8R, MW-9, and MW-11 are screened across both the shallow and deep overburden groundwater zones. The nested piezometer pairs (MW-13S/D, MW-14S/D, MW-15S/D, and MW-16S/D) are discretely screened with one piezometer screened in the shallow overburden groundwater zone ('S' designation) and one piezometer screened in the deep overburden groundwater zone ('D' designation). DPE wells DPE-1, DPE-3, DPE-5, DPE-6, and DPE-8 are screened in the shallow water-bearing unit, while DPE-2, DPE-4, and DPE-7 are screened in the deep water-bearing unit. The GWCT is installed in the deep overburden water-bearing unit.

Two groundwater surface contour figures for the July 2023 monitoring event are provided. The average water levels calculated for the nested piezometer pairs and monitoring wells, in conjunction with GWCT water level data, were used to generate the groundwater surface contours presented in **Figure 4**. **Figure 5** illustrates the groundwater surface contours using only monitoring well and deep piezometer and GWCT water level data.

Groundwater elevations measured from monitoring wells and piezometers on July 26, 2023, ranged from 683.77 feet above mean sea level (AMSL) at MW-15S to 672.61 feet AMSL at MW-14D. The average groundwater surface elevation across the site was 1.77 feet lower in July 2023 when compared to the prior round of groundwater elevation measurements collected in April 2023. The decrease in groundwater elevations may be attributable to seasonal variations. Based on the July 2023 groundwater level measurements, the groundwater surface beneath the Site continues to exhibit inward flow towards the GWCT. As **Figures 4** and **5** illustrate, the GWCT induces groundwater flow reversal along the western AVOX Plant 2 property boundary. This reversal in groundwater flow provides hydraulic capture of VOCs present in the shallow and deep overburden groundwater that might otherwise migrate off site.

Groundwater Quality Results – July 2023

Tables 3, 4 and 5 summarize VOC data for groundwater samples collected in July 2023 from the monitoring wells and piezometers, DPE wells, and GWCT, respectively. Note the duplicate sample was collected from MW-11, and both the trip blanks and the rinse blank were non-detect for VOCs. The table below summarizes VOCs detected in groundwater above their detection limits, their respective concentration ranges, the number of detections, and the number of those detections that exceeded Site-specific groundwater Remedial Action Objectives (RAO) or groundwater criteria presented in NYSDEC Technical and Operational Guidance Series (TOGS) 1.1.1 (NYSDEC, June 1998, January 1999 errata sheet, April 2000 addendum, June 2004 addendum) protection for source of drinking water (groundwater) standards (i.e., water class GA); herein referred to as TOGS 1.1.1 groundwater standards. Note that in some cases the detection limits for certain VOCs were set above their respective RAO due to dilution factors (high concentration of target analyte[s]). Consistent with previous quarterly reports, the table below summarizes only monitoring wells and piezometers (DPE well and GWCT results are not included).

Groundwater Quality Results July 2023

VOCs Detected in Groundwater	Concentration Range (micrograms per liter)	Number of Detections	RAO/TOGS 1.1.1 Exceedances
Vinyl Chloride	1.5 – 39,000	5	4
cis-1,2-Dichloroethene	1.2 – 26,000	5	3
2-Butanone (MEK)	250 – 6,100	3	3
Chloroethane	3.6 – 6.0	2	1
Acetone	61	1	1
1,1-Dichloroethane	13	1	1

Six VOCs were detected in groundwater from monitoring wells and piezometers sampled above their associated detection limits during the monitoring period. Six of the six VOCs detected exceeded either the Site-specific RAOs or the TOGS 1.1.1 criteria for groundwater. Note that acetone, a laboratory cleaning compound, was detected in one of the nine monitoring wells and piezometers sampled. The occurrences of constituents of potential concern were detected primarily in the vicinity of the former on-site source area. VOC concentrations decrease significantly in the vicinity of the perimeter monitoring wells.

An electronic copy of the analytical laboratory data package for the July 2023 groundwater monitoring event is provided in **Appendix C**. A complete hard copy of the analytical data report can be made available to NYSDEC upon request.

The presence and distribution of trichloroethene (TCE) degradation products cis-1,2-dichloroethene (cis-1,2-DCE) and vinyl chloride (VC), and of 1,1,1-trichloroethane (1,1,1-TCA) degradation products 1,1-dichloroethane (1,1-DCA) and chloroethane, provides supportive evidence that the attenuation of TCE and 1,1,1-TCA continues to occur on the site via reductive dechlorination. The occurrence of these degradation products appears to be directly related to the historic distribution of TCE and 1,1,1-TCA in the subsurface. In addition, the virtual elimination of TCE and 1,1,1-TCA concentrations between Third Quarter 2015 and the current reporting period can be attributed to the injection pilot test performed in November 2014 using the injectate Anaerobic BioChem and zero valent iron (ABC+®), the injection treatment in April/May 2015 using ABC+®, the injection treatment in November 2018 using ABC-Ole+® (ABC-Ole+® is a mixture of Anaerobic BioChem, zero valent iron, and emulsified fatty acids), and the September 2021 bioaugmentation injection event using KB-1® Plus. For details of the various injection programs, refer to the NYSDEC-approved 2014 Injection Pilot Test Work Plan dated November 6, 2014, the NYSDEC-approved 2015 addendum to the 2014 Injection Pilot Test Work Plan dated April 28, 2015, and the NYSDEC-approved 2018 Injection Pilot Test Work Plan dated October 31, 2018. A summary of the November 2018 injection program was included in the 2019 PRR (August 8, 2019). A Work Plan for the September 2021 bioaugmentation injection event was submitted

to the NYSDEC on September 1, 2021, and a summary of that event was submitted to the NYSDEC on December 28, 2021. Most recently, AECOM performed an electron donor injection per the NYSDEC-approved work plan dated March 2, 2023; a summary of the injection program was included in the 2023 PRR (June 14, 2023).

Historical trend plots for the wells sampled during this quarter for concentrations of TCE, cis-1,2-DCE, VC, 1,1,1-TCA, 1,1-DCA, and chloroethane are provided in **Appendix D**. As stated above, the VOC concentrations in groundwater continue to show a degradation trend both as a result of naturally occurring reductive dechlorination processes, and as a result of the injection programs. Additionally, historical concentrations of VOCs in soil vapor and groundwater are also decreasing as a result of extraction and treatment through the combined DPE remediation system. Because TCE has been considered the primary source of groundwater contamination at the site, a summary of historical and current TCE concentrations in groundwater for six of the nine monitoring wells and piezometers sampled in July 2023 is included in **Table 6** (TCE has never been reported in MW-2, MW-3, or MW-11.) Recall that the DPE component of the combined remediation system was started May 14, 2004 and the injection of ABC+® occurred in November 2014 and April/May 2015, with a follow up injection of ABC-Ole+® in November 2018. A bioaugmentation injection was performed in September 2021. In addition, a chemical oxidation injection pilot test was performed between July and October 2010, and a second series of chemical oxidation injections was performed between June and October 2011. Most recently, an electron donor injection was performed between March and June 2023.

Table 6 shows a summary of historical and current TCE concentrations. Based on the July 2023 groundwater data, there were no detections of TCE at the eight monitoring wells and piezometers sampled. Note: there were detections of TCE in two of the seven DPE wells samples at 8.0 micrograms per liter (µg/L) and 12 µg/L at DPE-4 and DPE-1, respectively; refer to **Table 4** for a summary of the DPE groundwater analytical data. It is important to note that the November 2014 injections were centered on MW-4 and MW-8R, while the April/May 2015 and November 2018 injections included an expanded treatment area which also included MW-13S/D and MW-16S/D. The September 2021 bioaugmentation injections were centered on monitoring wells MW-8R and MW-16S/D, and DPE wells DPE-3, DPE-4, DPE-7, and DPE-8. The 2023 electron donor injection program centered around MW-16S and included injections at DPE-3, DPE-5, DPE-8 and two shallow overburden injection wells located upgradient of MW-16S/D. Overall, decreases in TCE concentrations observed since the combined DPE groundwater remediation system was installed in May 2004, and the subsequent injection events, indicate that the DPE system continues to reduce VOC concentrations in overburden groundwater and soil at the site. In addition, based on the decreases in concentration of TCE at these targeted locations, as well as other locations with historical detections of TCE, the previous injection events appear to be contributing to the ongoing degradation of TCE. This is most clearly demonstrated on the TCE trend plots in **Figures 6** through **9** for monitoring wells MW-4, MW-8R, MW-13S, and MW-16S, respectively.

Total Organic Carbon

Samples were collected for TOC analysis to monitor the concentration of organic carbon source available for optimum microbial growth. TOC analysis indicated that the 2023 electron donor injection program, which was centered around MW-16S, caused a large increase in TOC concentrations down gradient of the injection points. As a result, the location with the highest historical concentrations of contaminants of concern (MW-16S) has a TOC concentration of 11,900 milligrams per liter [mg/L], which is well above the minimum TOC concentration of 20 mg/L that is generally required to maintain effective enhanced reductive dechlorination. MW-8R has a TOC concentration of 2,190 mg/L. Refer to **Table 3** and **Table 4** for TOC concentrations detected in July 2023 from monitoring wells, piezometers, and DPE wells.

Dechlorinating Bacteria Analysis

During the July 2023 groundwater sampling event, AECOM collected samples at MW-8R and MW-16S and submitted the samples to SiREM in Knoxville, Tennessee for analysis for volatile fatty acids (VFA) (MW-8R and MW-16S) and Gene-Trac® analysis (MW-8R and MW-16S); note Gene-Trac® analysis has not previously been performed at MW-8R. The following sections summarize the VFA and Gene-Trac® analyses.

Volatile Fatty Acids

In addition to a TOC concentration greater than 20 mg/L, the quantification of VFAs is useful to assess the form of TOC present and its availability to promote the reductive dechlorination process. VFAs are fermented by a variety of pathways to produce the hydrogen necessary for complete reductive dechlorination of chlorinated VOCs to occur. In general, VFAs should be in excess of 10 to 20 mg/L to be useful. Pre- and post-injection VFA data is summarized in **Table 7**; the associated laboratory data reports are included in **Appendix C**.

SiREM analyzed for six VFAs during the pre-bioaugmentation injection sampling event in August 2021 and subsequent post-injection monitoring events in December 2021, April 2022, October 2022, April 2023, and July 2023. The following compares the pre-bioaugmentation injection concentrations with the most recent post-bioaugmentation injection sampling event performed in July 2023.

Lactate is a component of the ABC-Ole' that was injected at the Site in November 2018. Lactate ferments to the VFAs acetate and propionate. Lactate can be used as a measure of the remaining unused reducing potential of the previously injected ABC-Ole'. For monitoring well MW-8R, lactate reduced from a low detected concentration of 1.2 mg/L in August 2021 down to the detection limit (<0.62 mg/L) in both April 2023 and July 2023. This indicates the depletion of this VFA at this well. For monitoring well MW-16S, lactate was non-detect at <0.39 mg/L and non-detect at <0.62 mg/L in both April 2023 and July 2023, which also indicates depletion of this VFA. For the electron donor program initiated at the site in March 2023, the carbon substrates being added (i.e., EDS-QR™ and EDS-ER™) do not contain lactate, so the concentration of lactate detected in MW-16S is not expected to increase.

Acetate is fermented from lactate, ABC-Ole', EDS-QR™, EDS-ER™, and sugars. *Dehalobacter* (Dhb) can use acetate as a low energy source while *Dehalococcoides* (Dhc) cannot. Dhb is implicated in the biodegradation of chlorinated ethenes such as tetrachloroethene (PCE) and TCE to cis-1,2-DCE and in the biodegradation of the chlorinated ethane 1,1,1-TCA to 1,1-DCA and subsequently to chloroethane. As a result, the presence of acetate indicates that partial reductive dechlorination can occur. However, complete reductive dechlorination to ethene and ethane will not occur without the presence of other VFAs and Dhc. Acetate increased in MW-8R (70 mg/L to 520 mg/L) and also increased in MW-16S (495 mg/L to 595 mg/L). The increase in acetate in both MW-8R and MW-16S is likely the result of the electron donor program using EDS-QR™ and EDS-ER™ and the subsequent formation of acetate during the breakdown of these products.

Propionate is fermented from lactate, ABC-Ole', EDS-QR™, EDS-ER™, and alcohols. Propionate subsequently ferments to produce hydrogen and formate. Hydrogen is the preferred electron acceptor for reductive dechlorination because of its high energy yield. Dhc can only use hydrogen as an energy source. Slow fermentation of propionate results in efficient reductive dechlorination (less methanogenesis) and optimal Dhc growth. Propionate was not detected in MW-8R in August 2021 but increased substantially to 352 mg/L in July 2023. It has never previously been detected in MW-8R and is likely the result of the electron donor program initiated in March 2023. Propionate concentration increased by an order of magnitude in MW-16S from 12 mg/L in August 2021 to 240 mg/L in April 2023 but decreased to non-detect in July 2023. More time is needed to determine the trend for propionate in both wells as it relates to the electron donor program.

Formate is created from the fermentation of propionate. Formate is fermented to produce hydrogen and bicarbonate. Formate was not detected in MW-8R; however, it was detected at 776 mg/L in MW-16S in July 2023. Formate has never previously been detected in either MW-8R or MW-16S. The large increase in the detection of formate in MW-16S in July 2023 is likely the result of the fermentation of the propionate that was previously detected in this well in April 2023.

Butyrate is created from the fermentation of ABC-Ole', EDS-QR™, EDS-ER™, and alcohols. Butyrate ferments to produce hydrogen and acetate. Slow fermentation of butyrate results in efficient reductive dechlorination (less methanogenesis) and optimal Dhc growth. Butyrate was not detected in MW-8R in August 2021 or April 2023, but it was detected at 212 mg/L in July 2023. Butyrate was detected at MW-16S in August 2021 (81 mg/L), increased to 137 mg/L in April 2023 following the initiation of the electron donor program in March 2023, and increased further to 351 mg/L in July 2023. The increase in butyrate detected at both wells is likely the result of the electron donor

program. The increase in acetate detected at both MW-8R and MW-16S may also be attributable to the fermentation of butyrate.

Pyruvate is created from the fermentation of sugars. Pyruvate is subsequently fermented to propionate and acetate with some hydrogen production. Pyruvate was not detected in MW-8R during the August 2021 or July 2023 sampling event. Pyruvate was detected (0.71 mg/L) in MW-16S in August 2021 and was not detected in July 2023. More time is needed to determine if the electron donor program initiated in March 2023 will produce any appreciable amounts of pyruvate at either well.

Overall, the July 2023 VFA results for MW-8R indicate that TOC detected in the vicinity of this well has increased substantially from 16.1 mg/L in April 2023 to 2,190 mg/L in July 2023, and TOC detected in MW-16S has increased substantially from 656 mg/L to 11,900 mg/L during the same timeframe as a result of the electron donor program. These concentrations of TOC combined with the elevated detections of acetate, propionate, and butyrate indicate that groundwater conditions near both wells are conducive for enhanced reductive dechlorination of the targeted chlorinated VOCs to occur if Dhc is present in sufficient quantity. A discussion of Dhc, Dhb, and reductase results is provided in the next subsection.

Gene-Trac®

Gene-Trac® Dhc is used to detect Dhc in a groundwater sample. The detection of Dhc is significant as Dhc contains the greatest number of reductive dehalogenase genes of any microbial group. Dhc is capable of the reductive dechlorination of PCE, TCE, cis-1,2-DCE, 1,1-dichloroethene, trans-1,2-dichloroethene, and VC. Pre- and post-injection Gene-Trac® data for MW-16S is summarized in **Table 8**; laboratory data reports are included in **Appendix C**. Note that Gene-Trac® analysis was completed for MW-8R; however, there is no previous Gene-Trac® data for this well. MW-8R results are presented on **Table 8** for completeness.

Gene-Trac® microbes in MW-16S were analyzed by SiREM during the pre-bioaugmentation injection in August 2021 and subsequent post-injection monitoring events in December 2021, April 2022, October 2022, April 2023, and July 2023; the following compares the pre-bioaugmentation injection concentrations with the most recent post-electron donor injection sampling event in performed in July 2023.

The post-injection Gene-Trac® Dhc results increased back to 1×10^9 Dhc gene copies per liter from 7×10^8 gene copies per liter in April 2023. Per the technical notes from SiREM regarding interpretation of data, when the density of Dhc gene copies per liter is 1×10^7 or higher, this concentration is generally associated with significant rates of dechlorination.

Gene-Trac® *vcrA*, *bvcA*, and *tceA* gene analysis quantifies genes that code for reductase enzymes that dechlorinate chlorinated ethenes and other compounds. The *vcrA*, *bvcA*, and *tceA* genes play specific roles in reductive dechlorination. Specifically, the Gene-Trac® *vcrA* and *bvcA* test quantifies VC-reductase genes that produce enzymes that convert VC to ethene. The *vcrA* reductase gene is reported to be the most commonly identified VC reductase gene in the environment, whereas *bvcA* is generally less common but can predominate in more oxidizing groundwater and possibly where DCE is dominant. The Gene-Trac® *tceA* test quantifies the TCE reductase gene that produces an enzyme that primarily converts TCE to cis-1,2-DCE and VC.

The *vcrA* reductase gene was detected in MW-16S at 1×10^9 gene copies per liter in the August 2021 pre-injection sample, decreased to 8×10^8 gene copies per liter in April 2023, and increased to 2×10^9 gene copies per liter in July 2023 following the completion of the electron donor injection program. The *bvcA* reductase gene was detected in MW-16S at 1×10^8 gene copies per liter in August 2021, decreased to 8×10^7 gene copies per liter in the April 2023, and increased back to 1×10^8 gene copies per liter in July 2023. The *tceA* reductase gene was detected in MW-16S at 1×10^9 gene copies per liter in August 2021 and decreased to 1×10^8 gene copies per liter in July 2023; which was an order of magnitude increase from the April 2023 result of 8×10^7 gene copies per liter. Per the technical notes from SiREM, the potential for complete dechlorination is very high when Dhc, *vcrA*, *bvcA*, and *tceA* are present at greater than or equal to 1×10^7 gene copies per liter. Additionally, VC stall is unlikely when *vcrA* is greater than 1×10^7 gene copies per liter, and ethene is detectable. Ethene was detected at 33,000 µg/L and 47,000 µg/L in August 2021 and April 2023, respectively; MNA analysis was not performed in July 2023.

Gene-Trac® Dhb is used to detect Dhb in a groundwater sample. Dhb is implicated in the biodegradation of PCE and TCE to cis-1,2-DCE. The detection of Dhb indicates that dechlorination activities attributed to Dhb may be active. Increasing concentrations of Dhb are indicative of increased potential for degradation. Dhb was detected at 5×10^7 gene copies per liter in August 2021 and at 9×10^5 gene copies per liter in July 2023. This continues a decreasing trend observed in the concentration of Dhb detected in MW-16S.

In addition to performing Gene-Trac® analysis at MW-16S, Gene-Trac® analysis was also performed at MW-8R. Although there are no pre-injection Gene-Trac® data available at MW-8R, the July 2023 data indicated 1×10^7 gene copies per liter for Dhc, 2×10^5 gene copies per liter for Dhb, 1×10^7 gene copies per liter *vcrA*, 1×10^6 gene copies per liter for *bvcA*, and 4×10^6 gene copies per liter for *tceA*.

In summary, Dhc, *vcrA*, *bvcA*, and *tceA* are present at MW-16S at concentrations that continue to indicate a very high potential for complete reductive dechlorination to occur. While the *bvcA* and *tceA* gene copies per liter are an order of magnitude lower than the very high potential for complete reductive dechlorination to occur at MW-8R, the numbers detected still indicate a high potential for reductive dechlorination to occur at this well. Because the electron donor program was completed in early July 2023 and this sampling event occurred in late July 2023, additional time is needed to evaluate the overall impact of the program in the vicinity of these MW-8R and MW-16S.

Quarterly Combined DPE Remediation System Vapor Effluent Monitoring Activities – July 2023

AECOM personnel collected vapor effluent samples from the combined groundwater remediation system vapor discharge stacks on July 26, 2023. Summa canisters were used to collect the vapor samples from the permanent sample port located on the air stripper discharge stack and from the DPE liquid ring vacuum pump discharge stack. **Figure 3** shows the location of the vapor sample ports. The vapor samples were analyzed for VOCs using EPA Method TO-15 by EETNE in Burlington, Vermont.

Combined DPE Remediation System Effluent Monitoring Results – July 2023

The system vapor effluent results are summarized in **Table 9**, and an electronic copy of the analytical laboratory data package is provided on the enclosed CD in **Appendix C**. Twelve VOCs were detected in the DPE liquid ring pump vacuum effluent, and nine VOCs were detected in the AS unit effluent. The total VOCs discharged during the sampling event were approximately 605.60 micrograms per cubic meter in the combined DPE liquid ring vacuum pump and AS unit effluents. The calculated VOC discharge-loading rate for the combined DPE remediation system was approximately 0.0003 pounds per hour (lb/hr), which is well below the NYSDEC discharge guidance value of 0.5 lb/hr.

Combined DPE Remediation System Operation and Maintenance

Throughout the duration of the reporting period, AECOM monitored system performance, conducted routine O&M, and responded to potential system alarms and periodic breakdowns of the combined DPE remediation system.

- AECOM completed the electron donor injection program just prior to the Third Quarter 2023 sampling event; recall the injections associated with the program began in March 2023.
- During the week of July 24, 2023, following the electron donor injection program and prior to the Third Quarter 2023 sampling event, AECOM redeveloped DPE-3, DPE-5, DPE-8, MW-4, MW-8R, MW-16S, and MW-16D due to potential biofouling of the well screens.

Based on a system operational period from April 12, 2023 (Second Quarter 2023 Buffalo Sewer Authority [BSA] compliance sampling event) to July 27, 2023 (Third Quarter 2023 BSA compliance sampling event), the estimated total volume of groundwater (including potential water collected in the remediation building sump) treated and discharged by the AS unit to the local sanitary sewer was 233,690 gallons, at an average flow rate of 1.5 gallons per minute

Summary


The GWCT and the DPE remediation system were on-line during the Third Quarter 2023 sampling event. TCE was not detected in site monitoring wells or piezometers sampled (MW-2, MW-3, MW-4, MW-8R, MW-11, MW-13S, MW-13D, MW-16S, and MW-16D). Following the November 2014, April/May 2015 and November 2018 injection treatments, the September 2021 bioaugmentation injection event and the most recent electron donor injection program, significant reductions in TCE concentrations have been measured at MW-4, MW-8R, MW-13S, and MW-16S.

Based on the results of the July 2023 sampling event, the combined DPE remediation system continues to maintain hydraulic capture of the overburden groundwater. In addition, the system continues to make progress towards the reduction of the concentration of VOCs present in site soil and groundwater. Vapor emissions produced by the system during the Third Quarter 2023 sampling event were well below the NYSDEC discharge guidance value of 0.5 lb/hr.

The next monitoring event, the Fourth Quarter 2023 sampling event, is planned for October 2023; a list of the proposed monitoring wells and piezometers to be sampled is included in **Table 1**.

If you have any questions regarding this submission, please do not hesitate to contact me at (716) 923-1125 or via e-mail at dino.zack@aecom.com.


Yours sincerely,



Dino L. Zack, PG, STS
Project Manager
dino.zack@aecom.com

\Enclosures

cc: Mr. Stuart Rixman, GSF Management Company, LLC (electronic copy)
Mr. Troy Chute, GSF Management Company, LLC (electronic copy)
Mr. Raymond DeCarlo, AVOX Systems Inc (electronic copy)
Mr. Allen Thomalla, AVOX Systems Inc (electronic copy)
Mr. Joshua Gehan, AVOX Systems Inc (electronic copy)
Project File 60676130



SOURCE:
1982 GEOLOGIC SURVEY 7.5 X 15 MINUTE TOPOGRAPHIC QUADRANGLE
LANCASTER, NEW YORK

LEGEND




AVOX PLANT 3 ADDED AFTER PUBLICATION OF LANCASTER, NEW YORK
TOPOGRAPHIC QUADRANGLE.

0 1000 2000
SCALE IN FEET

AECOM

FIGURE 1
SITE LOCATION MAP


FORMER SCOTT AVIATION FACILITY
LANCASTER, NEW YORK



AECOM

FIGURE 2
WEST OF PLANT 2 SITE FEATURES MAP


FORMER SCOTT AVIATION FACILITY
 LANCASTER, NEW YORK



AECOM

FIGURE 3
PROCESS AND INSTRUMENTATION DIAGRAM
FOR COMBINED DUAL PHASE EXTRACTION
REMEDICATION SYSTEM
 FORMER SCOTT AVIATION FACILITY
 LANCASTER, NEW YORK

Groundwater Monitoring Water Level Data - July 26, 2023 Former Scott Aviation Facility NYSDEC Site Code No. 9-15-149 Lancaster, New York			
Monitoring Point Identification	Top of Casing Elevation (feet AMSL)	Depth to Water (feet from TOC)	Ground Water Elevation (feet AMSL)
Monitoring Wells			
MW-2	687.10	6.61	680.49
MW-3	687.05	9.65	677.40
MW-4	686.50	12.15	674.35
MW-8R	686.29	9.85	676.44
MW-9	689.57	13.08	676.49
MW-11	688.61	10.31	678.30
Nested Piezometers			
MW-13S	686.65	7.71	678.94
MW-13D	686.78	8.70	678.08
MW-14S	685.74	5.64	680.10
MW-14D	685.88	13.27	672.61
MW-15S	687.17	3.40	683.77
MW-15D	687.37	11.85	675.52
MW-16S	688.15	10.74	677.41
MW-16D	688.16	11.60	676.56
Remedial System			
GWCT Manhole (rim)	687.22	21.49	665.73
DPE Wells*			
DPE-1	687.17		687.17
DPE-2	685.32		685.32
DPE-3	685.98		685.98
DPE-4	686.00		686.00
DPE-5	686.91		686.91
DPE-6	687.53		NA
DPE-7	685.92		685.92
DPE-8	686.03		686.03
Notes:			
TOC - Top of Casing			
AMSL - Above Mean Sea Level			
NM - Not Measured (well vault flooded)			
NA - Not Available			
GWCT - Groundwater Collection Trench			
GWCT is 200 feet long with a 0.01 foot/foot slope to the manhole			
* All DPE wells, except DPE-6, actively pumping during the collection of water levels			



LEGEND

MW-13S/D NESTED PIEZOMETER LOCATION

MW-9 MONITORING WELL LOCATION

DPE-1 DUAL-PHASE EXTRACTION WELL LOCATION (ACTIVELY EXTRACTING)

DPE-6 DUAL-PHASE EXTRACTION WELL LOCATION (OFF-LINE)

[686.91] GROUNDWATER SURFACE ELEVATION IN FEET AMSL

678 ESTIMATED GROUNDWATER SURFACE CONTOUR IN FEET AMSL

GROUNDWATER FLOW DIRECTION

(S) SHALLOW PIEZOMETER/DPE

(D) DEEP PIEZOMETER/DPE

GROUNDWATER COLLECTION TRENCH (GWCT)

APPROXIMATE PROPERTY BOUNDARY

- ### NOTES
- GROUNDWATER ELEVATIONS WERE AVERAGED AT SHALLOW AND DEEP PIEZOMETER PAIR LOCATIONS (e.g. MW-15S/D) TO COMPARE TO ELEVATIONS MEASURED IN WELLS SCREENED ACROSS THE ENTIRE OVERBURDEN THICKNESS.
 - GROUNDWATER WATER LEVELS WERE COLLECTED ON JULY 26, 2023.




FIGURE 4
AVERAGE GROUNDWATER ELEVATIONS
JULY 26, 2023

FORMER SCOTT AVIATION FACILITY
LANCASTER, NEW YORK



Groundwater Monitoring Water Level Data - July 26, 2023 Former Scott Aviation Facility NYSDEC Site Code No. 9-15-149 Lancaster, New York			
Monitoring Point Identification	Top of Casing (feet AMSL)	Depth to Water (feet from TOC)	Ground Water Elevation (feet AMSL)
Monitoring Wells			
MW-2	687.10	6.61	680.49
MW-3	687.05	9.65	677.40
MW-4	686.50	12.15	674.35
MW-8R	686.29	9.85	676.44
MW-9	689.57	13.08	676.49
MW-11	688.61	10.31	678.30
Nested Piezometers			
MW-13S	686.65	7.71	678.94
MW-13D	686.78	8.70	678.08
MW-14S	685.74	5.64	680.10
MW-14D	685.88	13.27	672.61
MW-15S	687.17	3.40	683.77
MW-15D	687.37	11.85	675.52
MW-16S	688.15	10.74	677.41
MW-16D	688.16	11.60	676.56
Remedial System			
GWCT Manhole (rim)	687.22	21.49	665.73
DPE Wells*			
DPE-1	687.17		687.17
DPE-2	685.32		685.32
DPE-3	685.98		685.98
DPE-4	686.00		686.00
DPE-5	686.91		686.91
DPE-6	687.53		NA
DPE-7	685.92		685.92
DPE-8	686.03		686.03
Notes:			
TOC - Top of Casing			
AMSL - Above Mean Sea Level			
NM - Not Measured (well vault flooded)			
NA - Not Available			
GWCT - Groundwater Collection Trench			
GWCT is 200 feet long with a 0.01 foot/foot slope to the manhole			
* All DPE wells, except DPE-6, actively pumping during the collection of water levels			



LEGEND

- MW-13S/D NESTED PIEZOMETER LOCATION
- MW-9 MONITORING WELL LOCATION
- DPE-1 DUAL-PHASE EXTRACTION WELL LOCATION (ACTIVELY EXTRACTING)
- DPE-6 DUAL-PHASE EXTRACTION WELL LOCATION (OFF-LINE)
- [675.52] GROUNDWATER SURFACE ELEVATION IN FEET AMSL
- 678 ESTIMATED GROUNDWATER SURFACE CONTOUR IN FEET AMSL
- GROUNDWATER FLOW DIRECTION
- (S) SHALLOW PIEZOMETER/DPE
- (D) DEEP PIEZOMETER/DPE
- GROUNDWATER COLLECTION TRENCH (GWCT)
- APPROXIMATE PROPERTY BOUNDARY

NOTE


1. GROUNDWATER WATER LEVELS WERE COLLECTED ON JULY 26, 2023.



FIGURE 5
DEEP GROUNDWATER ELEVATIONS
JULY 26, 2023


FORMER SCOTT AVIATION FACILITY
LANCASTER, NEW YORK

FIGURE 6
MONITORING WELL MW-4
HISTORICAL AND CURRENT SUMMARY OF TRICHLOROETHENE IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York




Note: TCE has not been detected since January 20, 2021.

FIGURE 7
MONITORING WELL MW-8R
HISTORICAL AND CURRENT SUMMARY OF TRICHLOROETHENE IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York




Note: TCE has not been detected since January 20, 2021.

FIGURE 8
MONITORING WELL MW-13S
HISTORICAL AND CURRENT SUMMARY OF TRICHLOROETHENE IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York



Note: TCE was detected last on July 7, 2022 at 2.2 µg/L.

FIGURE 9
MONITORING WELL MW-16S
HISTORICAL AND CURRENT SUMMARY OF TRICHLOROETHENE IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York



Note: TCE has not been detected since January 9, 2019.

Table 1

Proposed Groundwater Monitoring Schedule - October 2023 through July 2024
Former Scott Aviation Facility - West of Plant 2
NYSDEC Site Code No. 9-15-149
Lancaster, New York

Event Date	Number of Locations Scheduled for Sampling	Locations Scheduled for Sampling			
Quarterly Groundwater Monitoring					
October 2023	18	MW-2 MW-11* MW-16D* DPE-4 DPE-8	MW-3 MW-13S* DPE-1 DPE-5 GWCT	MW-4* MW-13D DPE-2 DPE-6	MW-8R** MW-16S**+ DPE-3 DPE-7
January 2024	18	MW-2 MW-11 MW-16D DPE-4 DPE-8	MW-3 MW-13S DPE-1 DPE-5 GWCT	MW-4 MW-13D DPE-2 DPE-6	MW-8R MW-16S DPE-3 DPE-7
Comprehensive Annual Groundwater Monitoring					
April 2024	23	MW-2 MW-9 MW-14S MW-16S** DPE-3 DPE-7	MW-3 MW-11* MW-14D MW-16D DPE-4 DPE-8	MW-4* MW-13S* MW-15S DPE-1 DPE-5 GWCT	MW-8R** MW-13D MW-15D DPE-2 DPE-6
Quarterly Groundwater Monitoring					
July 2024	18	MW-2 MW-11 MW-16D DPE-4 DPE-8	MW-3 MW-13S DPE-1 DPE-5 GWCT	MW-4 MW-13D DPE-2 DPE-6	MW-8R MW-16S DPE-3 DPE-7

Notes:

MW-## - Monitoring Well

MW-##S - Shallow Piezometer

MW-##D - Deep Piezometer

DPE-## - Dual Phase Extraction Well

GWCT - Groundwater Collection Trench

* - Locations to be included for Monitored Natural Attenuation sampling

^ - Locations to be included for Volatile Fatty Acids sampling

+ - Location to be included for Gene-Trac (DHC, FGA, DHB) sampling

Table 2

**Groundwater Monitoring Water Level Data - July 26, 2023
Former Scott Aviation Facility - West of Plant 2
NYSDEC Site Code No. 9-15-149
Lancaster, New York**

Monitoring Point Identification	Top of Casing Elevation (feet AMSL)	Depth to Water (feet from TOC)	Ground Water Elevation (feet AMSL)
Monitoring Wells			
MW-2	687.10	6.61	680.49
MW-3	687.05	9.65	677.40
MW-4	686.50	12.15	674.35
MW-8R	686.29	9.85	676.44
MW-9	689.57	13.08	676.49
MW-11	688.61	10.31	678.30
Nested Piezometers			
MW-13S	686.65	7.71	678.94
MW-13D	686.78	8.70	678.08
MW-14S	685.74	5.64	680.10
MW-14D	685.88	13.27	672.61
MW-15S	687.17	3.40	683.77
MW-15D	687.37	11.85	675.52
MW-16S	688.15	10.74	677.41
MW-16D	688.16	11.60	676.56
Remedial System			
GWCT Manhole (rim)	687.22	21.49	665.73

Notes:

TOC - Top of Casing

AMSL - Above Mean Sea Level

GWCT - Groundwater Collection Trench

GWCT is 200 feet long with a 0.01 foot/foot slope to the manhole

* All DPE wells, except DPE-6, actively pumping during the collection of water levels

Table 3

Summary of Monitoring Well Analytical Data - July 2023
Former Scott Aviation Facility - West of Plant 2
NYSDEC Site Code No. 9-15-149
Lancaster, New York

Sample ID	Groundwater	MW-2	MW-3	MW-4	MW-8R	MW-11	Duplicate ^A
Date Collected	RAO/TOGS 1.1.1	07/26/23	07/26/23	07/28/23	07/27/23	07/26/23	07/26/23
Lab Sample ID	Objective	480-211209-1	480-211209-3	480-211309-3	480-211257-1	480-211209-4	480-211209-2
Volatile Organic Compounds by Method 8260 (µg/L)							
1,1-Dichloroethane	5*	< 1.0 U	13	< 20 U	< 40 U	< 1.0 U	0.53 J
2-Butanone (MEK)	50	< 10 U	< 10 U	6,100	250 J	< 10 U	< 10 U
Acetone	50	< 10 U	< 10 U	61 J	< 400 U	< 10 U	< 10 U
Chloroethane	5*	< 1.0 U	< 1.0 U	< 20 U	< 40 U	< 1.0 U	< 1.0 U
cis-1,2-Dichloroethene	5*	< 1.0 U	3.5	< 20 U	120	1.2	1.1
Vinyl chloride	5*	< 1.0 U	9.7	< 20 U	2,700	1.5	1.4
Total Volatile Organic Compounds	NL	0.0	26	84	3,070	2.7	3.0
Total Organic Carbon	NL	23.8	3.5	5,860	2,190 B	3.8	NS

Table 3

Summary of Monitoring Well Analytical Data - July 2023
Former Scott Aviation Facility - West of Plant 2
NYSDEC Site Code No. 9-15-149
Lancaster, New York

Sample ID	Groundwater	MW-13S	MW-13D	MW-16S	MW-16D
Date Collected	RAO/TOGS 1.1.1	07/27/23	07/27/23	07/28/23	07/28/23
Lab Sample ID	Objective	480-211257-2	480-211257-3	480-211309-1	480-211309-2
Volatile Organic Compounds by Method 8260 (µg/L)					
1,1-Dichloroethane	5*	< 2.0 U	< 1.0 U	< 1,000 U	< 40 U
2-Butanone (MEK)	50	< 20 U	< 10 U	< 10,000 U	1,000
Acetone	50	< 20 U	< 10 U	< 10,000 U	< 400 U
Chloroethane	5*	6.0	3.6	< 1,000 U	< 40 U
cis-1,2-Dichloroethene	5*	8.9	< 1.0 U	26,000	< 40 U
Vinyl chloride	5*	20	< 1.0 U	39,000	< 40 U
Total Volatile Organic Compounds	NL	35	3.6	65,000	1,000
Total Organic Carbon	NL	7.7	3.3	11,900	2,870

Notes:

Bold font indicates the analyte was detected.

Bold font and bold outline indicates the screening criteria was exceeded.

^ - Duplicate collected at MW-11.

* Site-specific RAO per ROD (November 1994).

Site-specific RAO's 1,1,1-Trichloroethane and Ethylbenzene were not detected above the reporting limit.

J - Result is less than the reporting limit but greater than or equal to the method detection limit and the concentration is an approximate value.

U - Not detected at or above reporting limit.

B - Compound was found in the blank and sample.

NL - Not listed.

NS - Not sampled.

Table 4

Summary of Dual Phase Extraction Well Groundwater Analytical Data - July 2023
Former Scott Aviation Facility - West of Plant 2
NYSDEC Site Code No. 9-15-149
Lancaster, New York

Sample ID	Groundwater	DPE-1	DPE-2	DPE-3	DPE-4	DPE-5	DPE-7	DPE-8
Date Collected	RAO/TOGS 1.1.1	07/27/23	07/27/23	07/27/23	07/27/23	07/27/23	07/27/23	07/27/23
Lab Sample ID	Objective	480-211257-4	480-211257-5	480-211257-6	480-211257-7	480-211257-8	480-211257-9	480-211257-10
Volatile Organic Compounds by Method 8260 (µg/L)								
1,1-Dichloroethane	5*	93	1.0 U	10 U	8.0 U	15 J	2.0 U	400 U
2-Butanone (MEK)	50	400	3.5 J	540	80 U	340	130	10,000
2-Hexanone	50	100 U	5.0 U	24 J	40 U	100 U	6.4 J	2,000 U
Acetone	50	1,300	6.8 J	130	80 U	74 J	140	4,000 U
Carbon Disulfide	60	20 U	1.0 U	10 U	8.0 U	20 U	0.41 J	400 U
Chloroethane	5*	20 U	1.0 U	10 U	8.0 U	23	39	400 U
cis-1,2-Dichloroethene	5*	140	1.0 U	29	110	34	2.0 U	1,200
Toluene	5*	13 J	1.0 U	10 U	8.0 U	20 U	2.0 U	400 U
Trichloroethene	5*	12 J	1.0 U	10 U	8.0	20 U	2.0 U	400 U
Vinyl chloride	5*	20 U	2.3	22	130	20 U	3.7	1,500
Total Volatile Organic Compounds	NL	1,958	12.6	745	248	397	313	12,700
Total Organic Carbon (mg/L)	NL	292	8.4	4,290	21.0	1,640	109	8,970

Notes:

Bold font indicates the analyte was detected.

Bold font and bold outline indicates the screening criteria was exceeded.

* Site-specific RAO per ROD (November 1994).

Total Organic Carbon by Method 9060A.

J - Result is less than the reporting limit but greater than or equal to the method detection limit and the concentration is an approximate value.

U - Not detected at or above reporting limit.

NL - Not listed.

Table 5

Summary of Groundwater Collection Trench Analytical Data through July 2023
Former Scott Aviation Facility - West of Plant 2
NYSDEC Site Code No. 9-15-149
Lancaster, New York

Sample ID	Groundwater	GWCT Manhole	GWCT Manhole	GWCT Manhole	GWCT Manhole	GWCT Manhole	GWCT Manhole	GWCT Manhole	GWCT Manhole
Date Collected	RAO/TOGS 1.1.1	07/24/15	10/19/15	01/05/16	04/04/16	07/05/16	10/27/16	01/16/17	04/20/17
Lab Sample ID	Objective	480-84562-15	480-89674-20	480-93630-15	480-84562-15	480-102662-4	480-108538-2	480-112334-8	480-116720-15
Volatile Organic Compounds by Method 8260 (µg/L)									
1,1-Dichloroethane	5*	1.3	0.7	< 1.0 U	0.4 J	< 1.0 U	< 1.0 U	< 1.0 U	0.74 J
2-Butanone (MEK)	50	2.4 J	< 10 U	< 10 U	< 10 U	< 1.0 U	< 1.0 U	< 1.0 U	< 10 U
Acetone	50	7.0 J	< 10 U	< 10 U	< 10 U	< 1.0 U	< 1.0 U	< 1.0 U	< 10 U
Carbon disulfide	1	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
Chloroethane	5*	< 1.0 U	< 1.0 U	62	44	70	34	45	26
Chlormethane	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
cis-1,2-Dichloroethene	5*	1.1	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	0.74 J
Ethylbenzene	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
Toluene	5*	< 1.0 U	< 1.0 U	0.99 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
trans-1,2-Dichloroethene	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
Vinyl chloride	5*	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
Xylenes, Total	5*	< 2.0 U	< 2.0 U	< 2.0 U	< 2.0 U	< 2.0 U	< 2.0 U	< 2.0 U	< 2.0 U
Total Volatile Organic Compounds	NA	12.8	0.7	63	44	70	34	45	27

Table 5

Summary of Groundwater Collection Trench Analytical Data through July 2023
Former Scott Aviation Facility - West of Plant 2
NYSDEC Site Code No. 9-15-149
Lancaster, New York

Sample ID	Groundwater	GWCT Manhole	GWCT Manhole	GWCT Manhole	GWCT Manhole	GWCT Manhole	GWCT Manhole	GWCT Manhole	GWCT Manhole
Date Collected	RAO/TOGS 1.1.1	07/11/17	10/23/17	01/08/18	04/13/18	07/12/18	10/24/18	01/09/19	04/08/19
Lab Sample ID	Objective	480-121042-15	480-126420-1	480-129995-13	480-134234-8	480-138781-4	480-144170-15	480-147748-15	480-151586-12
Volatile Organic Compounds by Method 8260 (µg/L)									
1,1-Dichloroethane	5*	< 1.0 U	< 1.0 U	< 1.0 U	0.52 J	< 1.0 U	< 1.0 U	0.38 J	0.48 J
2-Butanone (MEK)	50	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U	< 10 U
Acetone	50	< 10 U	< 10 U	< 10 U	10 J	< 10 U	< 10 U	< 10 U	< 10 U
Carbon disulfide	1	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	0.20 J
Chloroethane	5*	65	45	64	53	49	38	28	48
Chloromethane	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
cis-1,2-Dichloroethene	5*	< 1.0 U	< 1.0 U	5.1	< 1.0 U	< 1.0 U	< 1.0 U	0.93 J	1.20
Ethylbenzene	5	< 1.0 U	0.19 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
Toluene	5*	< 1.0 U	0.25 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	0.80 J	0.60 J
trans-1,2-Dichloroethene	5	< 1.0 U	0.34 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
Vinyl chloride	5*	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	1.4
Xylenes, Total	5*	< 2.0 U	0.67 J	< 2.0 U	< 2.0 U	< 2.0 U	< 2.0 U	< 2.0 U	< 2.0 U
Total Volatile Organic Compounds	NA	65	45	69	64	49	38	30	52

Table 5

Summary of Groundwater Collection Trench Analytical Data through July 2023
Former Scott Aviation Facility - West of Plant 2
NYSDEC Site Code No. 9-15-149
Lancaster, New York

Sample ID	Groundwater	GWCT Manhole	GWCT Manhole	GWCT Manhole	GWCT Manhole	GWCT Manhole	GWCT Manhole	GWCT Manhole	GWCT Manhole
Date Collected	RAO/ TOGS 1.1.1	07/23/19	10/14/19	01/06/20	04/06/20	07/22/20	10/13/20	01/20/21	04/07/21
Lab Sample ID	Objective	480-156622-7	480-160839-7	480-165026-18	480-168383-16	480-172827-15	480-176470-13	480-180395-15	480-182978-13
Volatile Organic Compounds by Method 8260 (µg/L)									
1,1-Dichloroethane	5*	< 1.0 U	< 1.0 U	0.45 J	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
2-Butanone (MEK)	50	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
Acetone	50	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
Carbon disulfide	1	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
Chloroethane	5*	48	28	34	52	37	34	24	29
Chloromethane	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	0.42 J	< 1.0 U	< 1.0 U	< 1.0 U
cis-1,2-Dichloroethene	5*	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
Ethylbenzene	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
Toluene	5*	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
trans-1,2-Dichloroethene	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
Vinyl chloride	5*	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	1.2 U	< 1.0 U	< 1.0 U	< 1.0 U
Xylenes, Total	5*	< 2.0 U	< 2.0 U	< 2.0 U	< 2.0 U	< 2.0 U	< 2.0 U	< 2.0 U	< 2.0 U
Total Volatile Organic Compounds	NA	48	28	34	52	39	34	24	29

Table 5

Summary of Groundwater Collection Trench Analytical Data through July 2023
Former Scott Aviation Facility - West of Plant 2
NYSDEC Site Code No. 9-15-149
Lancaster, New York

Sample ID	Groundwater	GWCT Manhole	GWCT Manhole	GWCT Manhole	GWCT Manhole	GWCT Manhole	GWCT Manhole
Date Collected	RAO/ TOGS 1.1.1	07/15/21	10/19/21	01/19/22	04/06/22	04/04/23	07/26/23
Lab Sample ID	Objective	480-187292-18	480-191095-10	480-194344-18	480-196479-18	480-207495-10	480-211209-5
Volatile Organic Compounds by Method 8260 (µg/L)							
1,1-Dichloroethane	5*	< 1.0 U	0.44 J	< 1.0 U	< 1.0 U	0.58 J	< 1.0 U
2-Butanone (MEK)	50	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
Acetone	50	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
Carbon disulfide	1	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
Chloroethane	5*	37	32	28	24	8.6	19
Chloromethane	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
cis-1,2-Dichloroethene	5*	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
Ethylbenzene	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
Toluene	5*	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	0.71 J
trans-1,2-Dichloroethene	5	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
Vinyl chloride	5*	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U	< 1.0 U
Xylenes, Total	5*	< 2.0 U	< 2.0 U	< 2.0 U	< 2.0 U	< 2.0 U	< 2.0 U
Total Volatile Organic Compounds	NA	37	32	28	24	8.6	19.7

Notes:

Bold font indicates the analyte was detected.

Bold font and bold outline indicates the screening criteria was exceeded.

* Site-specific RAO per ROD (November 1994)

J - Result is less than the reporting limit but greater than or equal to the method detection limit and the concentration is an approximate value.

U - Not detected at or above reporting limit.

NA - Not applicable

Table 6

**Summary of Trichloroethene Concentrations Following November 2014 Injection Pilot Study
Former Scott Aviation Facility - West of Plant 2 Site
NYSDEC Site Code No. 9-15-149
Lancaster, New York**

Well ID	Jan 2015 ⁽¹⁾	Apr 2015	Jul 2015	Oct 2015	Jan 2016	Apr 2016	Jul 2016	Oct 2016	Jan 2017	Apr 2017	Jul 2017	Oct 2017	Jan 2018	Apr 2018	Jul 2018	Oct 2018	Jan 2019	April 2019	July 2019
MW-2	<1	<5	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2
MW-3	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1
MW-4	18,000	110	<100	<100	<100	<100	<20	<20	<20	<5	<20	<20	<5	<20	<5	<20	5.2	2.1	2.6
MW-6 ⁽²⁾	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	NS	NS	NS	NS	NS	NS
MW-8R	2,100	<2,000	200	<25	<1,000	<1,000	24	<100	<100	14	<400	7.7	NS	13	<10	<10	9.9	<40	<8
MW-10 ⁽²⁾	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	NS	NS	NS	NS
MW- 11	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<2	<1	<4	<1	<1	<1
MW-12 ⁽²⁾	NS	<1	<1	<1	<1	<5	<5	<1	<4	<1	<1	<1	<1	<4	<5	NS	NS	NS	NS
MW-13S	19,000	31,000	<500	<10	41	<100	<4	<2	2.1	0.26	<2	<5	<40	<40	<40	<40	<40	0.7	NS
MW-16S	160,000	26,000	5,100	<4,000	<4,000	<4,000	<2,000	<500	<500	86	<1,000	<500	<1,000	<1,000	<1,000	<1,000	550	<1,000	<2,500

Well ID	Oct 2019	Jan 2020	Apr 2020	Jul 2020	Oct 2020	Jan 2021	Apr 2021	Jul 2021	Oct 2021	Jan 2022	Apr 2022	Jul 2022	Oct 2022	Jan 2023	Apr 2023	Jul 2023	TCE Reduction - Previous Sampling	TCE Reduction - Baseline Sampling
MW-2	<1	<1	<1	<1	<2	<1	<1	<2	<1	<2	<1	<2	<2	<2	<2	<1	ND	ND
MW-3	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	ND	ND
MW-4	<4	<4	<4	<4	<4	1.0	<4	<4	<4	<4	<1	<4	<4	<4	<4	<4	ND	ND
MW-6 ⁽²⁾	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NA	NA
MW-8R	<10	<10	<2	<4	<2	1.4	<10	<8	<25	<25	<8	5.5	<40	<40	<40	<40	ND	ND
MW-10 ⁽²⁾	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NA	NA
MW- 11	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	<1	ND	ND
MW-12 ⁽²⁾	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NS	NA	NA
MW-13S	NS	0.64	<1	<1	0.60	<1	0.77	<2	<2	<2	<2	2.2	<2	<2	<2	<2	ND	ND
MW-16S	<1,000	<1,000	<1	<1,000	<1,000	<1,000	<1,000	<1,000	<1,000	<1,000	<2,000	<2,000	<2,000	<2,000	<2,000	<2,000	ND	ND

Notes:

(1) New baseline established following November 2014 injection pilot study.

(2) Well was decommissioned.

The injection of ABC+[®] occurred in November 2014 and April/May 2015.

The injection of ABC-Ole[®] with ZVI occurred in November 2018.

The bioaugmentation injection of KB-1[®] Plus and KB-1 [®] Primer in September 2021.

The electron donor injection program was performed between March and July 2023.

ND - Not Detected

NA - Not Available

NS - Not Sampled

Table 7

**Pre- and Post-Bioaugmentation Injection VFA Data Comparison
Former Scott Aviation Facility - West of Plant 2
NYSDEC Site Code No. 9-15-149
Lancaster, New York**

Sample ID	Sample Date	Sample Dilution Factor	Lactate	Acetate	Propionate	Formate	Butyrate	Pyruvate
			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-8R	8/26/2021	50	1.2	70	<0.31	<0.22	<0.41	<0.69
MW-8R	12/9/2021	50	<0.39	28	<0.31	<0.22	<0.41	<0.69
MW-8R	4/6/2022	50	<0.39	37	<0.31	<0.22	<0.41	<0.69
MW-8R	10/10/2022	50	1.4	145	<0.13	<0.22	1.2	<0.69
MW-8R	4/12/2023	50	<0.62	2.2	<0.10	<1.3	<0.06	<0.15
MW-8R	7/28/2023	50	<0.62	520	352	<1.3	212.0	<0.15
MW-16S	8/26/2021	50	<0.39	495	12	<0.22	81	0.71
MW-16S	12/9/2021	1000	<7.8	921	14	<4.4	98	<13.8
MW-16S	4/7/2022	1000	<7.8	532	<6.2	<4.4	48	<0.69
MW-16S	10/10/2022	50	1.0	427	<0.13	<0.22	<0.41	<0.69
MW-16S	4/12/2023	50	<0.62	347	240	<1.3	137	2.10
MW-16S	7/28/2023	50	<0.62	595	<0.10	776.0	351	<0.15

Notes:

VFA - Volatile fatty acid

mg/L - milligram per liter

The bioaugmentation injection was performed on September 15 and 16, 2021.

The electron donor injection was performed between March and July 2023.

Table 8

Pre- and Post-Bioaugmentation Injection Gene-Trac Data
Former Scott Aviation Facility - West of Plant 2
NYSDEC Site Code No. 9-15-149
Lancaster, New York

Sample ID	Sample Date	Dehalococcoides (Dhc)		Dehalobacter (Dhb)		VC Reductase (vcrA)		BAV1 VC Reductase (bvcA)		TCE Reductase (tceA)	
		Percent Dhc	Enumeration/Liter	Percent Dhb	Gene Copies/Liter	Percent vcrA	Gene Copies/Liter	Percent bvcA	Gene Copies/Liter	Percent tceA	Gene Copies/Liter
MW-16S	8/26/2021	8 - 23 %	1×10^9	0.3 - 1 %	5×10^7	8 - 22 %	1×10^9	1 - 3 %	1×10^8	7 - 18 %	1×10^9
MW-16S	12/9/2021	6 - 17 %	1×10^9	0.08 - 0.2 %	2×10^7	5 - 15 %	1×10^9	0.3 - 1 %	6×10^7	2 - 5 %	3×10^8
MW-16S	4/7/2022	31 - 67 %	5×10^9	0.07 - 0.2 %	1×10^7	33 - 71 %	6×10^9	0.3 - 0.8 %	4×10^7	1 - 3 %	2×10^8
MW-16S	10/10/2022	39 - 80 %	3×10^9	0.08 - 0.2 %	5×10^6	28 - 63 %	2×10^9	2 - 4 %	9×10^7	3 - 8 %	2×10^8
MW-16S	4/12/2023	6 - 17 %	7×10^8	0.09 - 0.23 %	1×10^6	7 - 19 %	8×10^8	0.8 - 2 %	8×10^7	0.7 - 2 %	8×10^7
MW-16S	7/28/2023	2 - 5 %	1×10^9	0.001 - 0.004 %	9×10^5	2 - 7 %	2×10^9	0.2 - 0.5 %	1×10^8	0.2 - 0.5 %	1×10^8
MW-8R	7/28/2023	0.03 - 0.08 %	1×10^7	0.0004 - 0.001 %	2×10^5	0.02 - 0.07 %	1×10^7	0.0008 - 0.002 %	1×10^6	0.007 - 0.02 %	4×10^6

Notes:

The bioaugmentation was performed on September 15 and 16, 2021.

The electron donor injection was performed between March and July 2023.

Table 9

Summary of Vapor Monitoring Results - July 2023
Former Scott Aviation Facility - West of Plant 2
NYSDEC Site Code No. 9-15-149
Lancaster, New York

	Sample ID: LRP Effluent 3Q23 Sample Date: 7/27/2023	AS Effluent 3Q23 7/27/2023
<u>VOCs by Method TO-15 (µg/m³)</u>		
1,1-Dichloroethane	6.1	U
1,2-Dichloroethene, Total	150	19
1,2,4-Trimethylbenzene	1.4	U
Acetone	32	18
Carbon disulfide	U	6.6
Chloroethane	18	2.8
Chloromethane	1.2	1.2
Methyl Ethyl Ketone	160	40
n-Heptane	5.5	1.4
n-Hexane	3.0	U
Toluene	31	1.0
Trichloroethene	4.7	U
Vinyl chloride	100	2.70
Total Detected VOCs (µg/m³)	512.9	92.70
Vacuum (inches Hg)	17	1.434
Air Flow Rate (acfm)	127.73	131.03
VOC discharge loading (lb/hr)	0.0002454	0.0000455
Total VOC discharge loading (lb/hr)	0.000291	
Notes: 1. µg/m³ = micrograms per cubic meter 2. acfm = actual cubic feet per minute 3. Hg = Mercury 4. scfm = standard cubic feet per minute 5. lb/hr = pounds per hour 6. AS Effluent represents the untreated vapor discharge for the Air Stripper.		
Qualifiers: U - Not detected at or above reporting limit (reporting limit not included in the Total Detected VOCs).		

Appendix A

July 2023 Field Forms

Date (mo/day/yr)
7/26/2023

Field Personnel
Alyssa Sands & Dino Zack

Site Name
Former Scott Aviation Site - Lancaster, NY

Job #
60538931

Well ID #
MW-2

Upgradient
X
Downgradient

Weather Conditions
Mostly Cloudy

Air Temperature
80°F

Total Depth (TWD) Below Top of Casing =
16.4
1/100 ft

Depth to Groundwater (DGW) Below Top of Casing =
6.47
1/100 ft

Length of Water Column (LWC) = TWD - DGW =
9.93
1/100 ft

1 Casing Volume (OCV) = LWC x
0.163
=
1.6
gal

3 Casing Volumes =
4.9
gal

Method of Well Evacuation
Peristaltic Pump

Method of Sample Collection
Peristaltic Pump/Poly Tubing

Total Volume of Water Removed
0.5
gal

Casing Diameter
2
inches

Casing Material
PVC

Measuring Point Elevation
687.1
1/100 ft

Height of Riser (above land surface)
1.80
1/100 ft

Land Surface Elevation
685.3
1/100 ft

Screened Interval (below land surface)
7-17
1/100 ft

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	
VOA 40 mL glass	TOC (9060A)	3	H ₂ SO ₄ , 4°C	

FIELD ANALYSES

Flow Rate (ml/min)	275	200	200	200	225	225	225	225
Time (Military)	1150	1155	1200	1205	1210	1215	1220	1225
Depth to Groundwater Below Top of Casing (ft)	6.47	8.16	8.70	9.13	9.46	9.92	10.22	10.57
Drawdown (ft)	0.00	-1.69	-0.54	-0.43	-0.33	-0.46	-0.30	-0.35
pH (S.U.)	6.93	6.95	6.92	6.89	6.88	6.86	6.78	6.72
Sp. Cond. (mS/cm)	1561	1564	1483	1451	1375	1316	1138	1136
Turbidity (NTUs)	61.20	52.40	49.00	42.80	40.40	37.90	14.50	3.91
Dissolved Oxygen (mg/L)	4.93	4.59	4.29	4.16	4.23	3.86	1.68	0.49
Water Temperature (°C)	16.50	16.60	17.90	17.90	18.10	18.20	18.20	18.5
ORP (mV)	-52.0	-47.30	-45.30	-41.20	-38.20	-35.70	-28.60	-45.1

Physical appearance at start
Color
Yellow Tint

Physical appearance at sampling
Color
Colorless

Odor
Odorless

Odor
Odorless

Sheen/Free Product
Faint Sheen Observed

Sheen/Free Product
Faint Sheen Observed

COMMENTS/OBSERVATIONS
Started purge at 1150 end 1225

Sample time 1235 - 1240

Date (mo/day/yr) 7/26/2023
 Field Personnel Alyssa Sands & Dino Zack
 Site Name Former Scott Aviation Site - Lancaster, NY
 Job # 60538931
 Well ID # MW-3

 Upgradient X Downgradient

Weather Conditions Mostly Cloudy

Air Temperature 80°F

Total Depth (TWD) Below Top of Casing = 28 1/100 ft

Depth to Groundwater (DGW) Below Top of Casing = 9.63 1/100 ft

Length of Water Column (LWC) = TWD - DGW = 18.37 1/100 ft

1 Casing Volume (OCV) = LWC x 0.163 = 3.0 gal

3 Casing Volumes = 9.0 gal

Method of Well Evacuation Peristaltic Pump

Method of Sample Collection Peristaltic Pump/Poly Tubing

Total Volume of Water Removed 0.5 gal

Casing Diameter 2 inches

Casing Material PVC

Measuring Point Elevation 687.05 1/100 ft

Height of Riser (above land surface) 1.45 1/100 ft

Land Surface Elevation 685.60 1/100 ft

Screened Interval (below land surface) 7.5 - 27.5 1/100 ft

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	
VOA 40 mL glass	TOC (9060A)	3	H ₂ SO ₄ , 4°C	

FIELD ANALYSES

Flow Rate (ml/min)	275	225	225	225	225	225	225
Time (Military)	1315	1320	1325	1330	1335	1340	1350
Depth to Groundwater Below Top of Casing (ft)	9.63	12.17	13.16	13.24	13.52	13.79	14.32
Drawdown (ft)	0.00	-2.54	-0.99	-0.08	-0.28	-0.27	-0.31
pH (S.U.)	7.28	7.38	7.36	7.36	7.44	7.36	7.29
Sp. Cond. (mS/cm)	1048	1019	1021	1012	1006	1007	1031
Turbidity (NTUs)	21.60	19.20	18.70	12.00	10.30	8.88	5.40
Dissolved Oxygen (mg/L)	1.54	0.37	0.35	0.40	0.53	0.59	0.62
Water Temperature (°C)	14.2	14.4	14.6	15.0	14.4	14.5	14.8
ORP (mV)	-21.2	-47.3	-44.4	-41.1	-43.9	-37.1	-15.2

Physical appearance at start Color Colorless

Odor Odorless

Sheen/Free Product No Sheen

Physical appearance at sampling Color Colorless

Odor Odorless

Sheen/Free Product No Sheen

COMMENTS/OBSERVATIONS Started purge at 1315 end at 1350

Sampled at 1340 - 1355

Date (mo/day/yr) 7/28/2023
 Field Personnel Alyssa Sands & Dino Zack
 Site Name Former Scott Aviation Site - Lancaster, NY
 Job # 60538931
 Well ID # MW-4

Casing Diameter 2 inches
 Casing Material PVC
 Measuring Point Elevation 686.5 1/100 ft
 Height of Riser (above land surface) -0.39 1/100 ft
 Land Surface Elevation 686.89 1/100 ft
 Screened Interval (below land surface) 15.5 - 25.5 1/100 ft

☐ Upgradient ☒ X ☐ Downgradient

Weather Conditions Mostly Sunny

Air Temperature 75°F

Total Depth (TWD) Below Top of Casing = 26 1/100 ft

Depth to Groundwater (DGW) Below Top of Casing = 11.20 1/100 ft

Length of Water Column (LWC) = TWD - DGW = 14.8 1/100 ft

1 Casing Volume (OCV) = LWC x 0.163 = 2.41 gal

3 Casing Volumes = 7.26 gal

Method of Well Evacuation Peristaltic Pump

Method of Sample Collection Peristaltic Pump/Poly Tubing

Total Volume of Water Removed 0.5 gal

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	
VOA 40 mL glass	TOC (9060A)	3	H ₂ SO ₄ , 4°C	

FIELD ANALYSES

Flow Rate (ml/min)	250	250	250	200	200	200	200	200
Time (Military)	0945	0950	0955	1000	1005	1010	1015	1020
Depth to Groundwater Below Top of Casing (ft)	11.20	11.69	12.25	14.61	15.94	16.25	16.33	16.35
Drawdown (ft)	0.00	-0.49	-0.56	-2.36	-1.33	-0.31	-0.08	-0.02
pH (S.U.)	5.60	5.51	5.47	5.45	5.44	5.43	5.43	5.43
Sp. Cond. (mS/cm)	5493	5410	5106	4691	4463	4374	4371	4320
Turbidity (NTUs)	OR	OR	OR	OR	OR	OR	OR	OR
Dissolved Oxygen (mg/L)	1.64	0.31	0.15	0.09	0.06	0.06	0.07	0.06
Water Temperature (°C)	14.3	14.4	14.2	14.5	14.5	14.7	14.8	14.9
ORP (mV)	-52.6	-62.0	-63.8	-63.2	-63.8	65.3	-66.1	68.7

Physical appearance at start Color Gray

Odor Injection Odor

Sheen/Free Product No Sheen

Physical appearance at sampling Color Gray

Odor Injection Odor

Sheen/Free Product No Sheen

COMMENTS/OBSERVATIONS Started purge at: 0945 end 1020

Sampled at: 1025 - 1030

Date (mo/day/yr) 7/27/2023
 Field Personnel Alyssa Sands & Dino Zack
 Site Name Former Scott Aviation Site - Lancaster, NY
 Job # 60538931
 Well ID # MW-8R

Casing Diameter 4 inches
 Casing Material PVC
 Measuring Point Elevation 686.29 1/100 ft
 Height of Riser (above land surface) -0.29 1/100 ft
 Land Surface Elevation 686.58 1/100 ft
 Screened Interval (below land surface) 14 - 24 1/100 ft

Weather Conditions Mostly Cloudy/Windy
 Air Temperature 75°F

Total Depth (TWD) Below Top of Casing = 27.5 1/100 ft
 Depth to Groundwater (DGW) Below Top of Casing = 10.13 1/100 ft
 Length of Water Column (LWC) = TWD - DGW = 17.37 1/100 ft
 1 Casing Volume (OCV) = LWC x 0.163 = 2.8 gal
 3 Casing Volumes = 8.4 gal
 Method of Well Evacuation Peristaltic Pump
 Method of Sample Collection Peristaltic Pump/Poly Tubing
 Total Volume of Water Removed 0.5 gal

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	
VOA 40 mL glass	TOC (9060A)	3	H ₂ SO ₄ , 4°C	

FIELD ANALYSES

Flow Rate (ml/min)	300	300	210	210	200	250	250	250
Time (Military)	1115	1120	1125	1130	1135	1140	1145	1150
Depth to Groundwater Below Top of Casing (ft)	10.13	13.90	14.25	14.21	14.32	14.53	14.56	14.49
Drawdown (ft)	0.00	-3.77	-0.35	0.04	-0.11	-0.21	-0.03	0.07
pH (S.U.)	6.10	6.20	6.15	6.87	6.18	6.12	6.09	5.98
Sp. Cond. (S/cm)	49.1	38.1	34.3	34.3	31.9	48.8	36.7	48.7
Turbidity (NTUs)	OR	OR	OR	OR	OR	OR	OR	OR
Dissolved Oxygen (g/L)	5.88	5.63	6.02	6.86	6.74	3.78	3.89	4.18
Water Temperature (°C)	13.7	13.6	15.4	15.5	15.0	13.7	13.4	14.0
ORP (mV)	-69.9	-62.6	-43.2	-34.3	-50.1	-84.1	-74.9	-73.6

Physical appearance at start Color Colorless
 Odor Oderless

Physical appearance at sampling Color Colorless
 Odor Oderless

Sheen/Free Product No Sheen

Sheen/Free Product No Sheen

COMMENTS/OBSERVATIONS Started purge at 1115 end 1150

Sampled at 1155 - 1200

Date (mo/day/yr) 7/26/2023
 Field Personnel Alyssa Sands & Dino Zack
 Site Name Former Scott Aviation Site - Lancaster, NY
 Job # 60538931
 Well ID # MW-11

☒ Upgradient ☐ Downgradient

Weather Conditions Clear/partly cloudy

Air Temperature 76°F

Total Depth (TWD) Below Top of Casing = 28.5 1/100 ft

Depth to Groundwater (DGW) Below Top of Casing = 10.37 1/100 ft

Length of Water Column (LWC) = TWD - DGW = 18.13 1/100 ft

1 Casing Volume (OCV) = LWC x 0.163 = 3.0 gal

3 Casing Volumes = 9 gal

Method of Well Evacuation Peristaltic Pump

Method of Sample Collection Peristaltic Pump/Poly Tubing

Total Volume of Water Removed 0.5 gal

Casing Diameter 4

Casing Material PVC

Measuring Point Elevation 688.61

Height of Riser (above land surface) -0.26

Land Surface Elevation 688.87

Screened Interval (below land surface) 8.5 - 28.5

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	Dup
VOA 40 mL glass	TOC (9060A)	3	H ₂ SO ₄ , 4°C	

FIELD ANALYSES

Flow Rate (ml/min)	200	225	225	225	225	225	225
Time (Military)	1000	1005	1010	1015	1020	1025	1035
Depth to Groundwater Below Top of Casing (ft)	10.84	11.40	11.61	11.74	11.93	12.02	12.21
Drawdown (ft)	-0.47	-0.56	-0.21	-0.13	-0.19	-0.09	-0.16
pH (S.U.)	6.78	6.76	6.76	6.76	6.75	6.76	6.77
Sp. Cond. (S/cm)	4952	4931	4907	4869	4819	4727	4546
Turbidity (NTUs)	15.40	27.90	13.50	10.30	9.01	8.36	6.46
Dissolved Oxygen (g/L)	0.47	0.28	0.22	0.22	0.24	0.39	0.86
Water Temperature (°C)	14.3	14.8	14.9	15.1	15.0	15.0	15.2
ORP (mV)	-77.9	-89.9	-90.3	-90.9	-90.01	-85.8	-74.4

Physical appearance at start Color Red Tint

Odor Odorless

Sheen/Free Product No Sheen

Physical appearance at sampling Color Colorless

Odor Odorless

Sheen/Free Product No Sheen

COMMENTS/OBSERVATIONS Started purge at 0955 stop at 1035

Sampled at 1040 - 1045

Date (mo/day/yr) 7/27/2023

Field Personnel Alyssa Sands & Dino Zack

Site Name Former Scott Aviation Site - Lancaster, NY

Job # 60538931

Well ID # MW-13S

☐ Upgradient ☒ Downgradient

Weather Conditions Rainy

Air Temperature 78°F ° F

Total Depth (TWD) Below Top of Casing = 16.5 1/100 ft

Depth to Groundwater (DGW) Below Top of Casing = 6.26 1/100 ft

Length of Water Column (LWC) = TWD - DGW = 10.24 1/100 ft

1 Casing Volume (OCV) = LWC x 0.041 = 0.4 gal

3 Casing Volumes = 1.26 gal

Method of Well Evacuation Peristaltic Pump

Method of Sample Collection Peristaltic Pump/Poly Tubing

Total Volume of Water Removed 0.3 gal

Casing Diameter 1 inches

Casing Material PVC

Measuring Point Elevation 686.65 1/100 ft

Height of Riser (above land surface) -0.25 1/100 ft

Land Surface Elevation 686.90 1/100 ft

Screened Interval (below land surface) 8.5-16.5 1/100 ft

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	
VOA 40 mL glass	TOC (9060A)	3	H ₂ SO ₄ , 4°C	

FIELD ANALYSES

Flow Rate (ml/min)	200	200	200	200	250	250	250	250
Time (Military)	1250	1255	1300	1305	1310	1315	1320	1325
Depth to Groundwater Below Top of Casing (ft)	6.26	9.25	9.70	10.41	11.94	12.35	12.95	13.52
Drawdown (ft)	0.00	-2.99	-0.45	-0.71	-1.53	-0.41	-0.60	-0.57
pH (S.U.)	7.17	7.19	7.22	7.15	7.21	7.29	7.37	7.49
Sp. Cond. (mS/cm)	1260	1264	1285	1303	1311	1283	1252	1498
Turbidity (NTUs)	429.00	157.00	142.00	106.00	212.00	329.00	342.00	370.00
Dissolved Oxygen (mg/L)	0.43	0.26	0.19	0.16	0.14	0.13	0.14	0.14
Water Temperature (°C)	15.7	15.4	15.2	15.3	15.2	15.6	15.3	15.1
ORP (mV)	-111.0	-114.5	-119.5	-113.8	-114.3	-119.9	-126.6	-139.1

Physical appearance at start Color Gray

Odor Vegatable Oil

Physical appearance at sampling Color Gray Tint

Odor No Odor

Sheen/Free Product Biological Sheen

Sheen/Free Product No

COMMENTS/OBSERVATIONS Started purge at 1250 end at 1325

Sampled at 1335

Date (mo/day/yr) 7/27/2023

Field Personnel Alyssa Sands & Dino Zack

Site Name Former Scott Aviation Site - Lancaster, NY

Job # 60538931

Well ID # MW-13D

☐ Upgradient ☒ Downgradient

Weather Conditions Cloudy/Windy

Air Temperature 80°F ° F

Total Depth (TWD) Below Top of Casing = 23.5 1/100 ft

Depth to Groundwater (DGW) Below Top of Casing = 8.53 1/100 ft

Length of Water Column (LWC) = TWD - DGW = 14.97 1/100 ft

1 Casing Volume (OCV) = LWC x 0.041 = 0.6 gal

3 Casing Volumes = 1.8 gal

Method of Well Evacuation Peristaltic Pump

Method of Sample Collection Peristaltic Pump/Poly Tubing

Total Volume of Water Removed 0.5 gal

Casing Diameter 1 inches

Casing Material PVC

Measuring Point Elevation 686.78 1/100 ft

Height of Riser (above land surface) -0.12 1/100 ft

Land Surface Elevation 686.90 1/100 ft

Screened Interval (below land surface) 19.5-23.5 1/100 ft

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260B)	3	HCL, 4°C	
VOA 40 mL glass	TOC (9060A)	3	H ₂ SO ₄ , 4°C	

FIELD ANALYSES

Flow Rate (ml/min)	180	200	250	250	250	200	200	200
Time (Military)	1420	1425	1430	1435	1440	1445	1450	1455
Depth to Groundwater Below Top of Casing (ft)	10.63	11.71	13.80	16.05	18.12	19.16	19.85	20.02
Drawdown (ft)	-2.10	-1.08	-2.09	-2.25	-2.07	-1.04	-0.69	-0.17
pH (S.U.)	7.25	7.37	7.40	7.41	7.42	7.43	7.44	7.46
Sp. Cond. (mS/cm)	1312	1260	1248	1243	1240	1251	1252	1260
Turbidity (NTUs)	119.00	39.00	18.10	17.60	36.80	22.40	19.80	17.80
Dissolved Oxygen (mg/L)	1.42	0.25	0.16	0.14	0.15	0.14	0.12	0.13
Water Temperature (°C)	15.1	14.4	13.9	13.9	14.0	14.5	14.7	14.7
ORP (mV)	-70.2	-90.7	-101.5	-105.4	-104.3	-107.4	-114.5	-120.0

Physical appearance at start Color Colorless

Odor Odorless

Physical appearance at sampling Color Colorless

Odor Odorless

Sheen/Free Product No Sheen

Sheen/Free Product No Sheen

COMMENTS/OBSERVATIONS Started purge at 1420 end 1455

Sampled at 1510 - 1515

Date (mo/day/yr) 7/28/2023

Field Personnel Alyssa Sands & Dino Zack

Site Name Former Scott Aviation Site - Lancaster, NY

Job # 60538931

Well ID # MW-16S

☐ Upgradient ☒ Downgradient

Weather Conditions Mostly Sunny

Air Temperature 75° F ° F

Total Depth (TWD) Below Top of Casing = 15.4 1/100 ft

Depth to Groundwater (DGW) Below Top of Casing = 9.26 1/100 ft

Length of Water Column (LWC) = TWD - DGW = 6.71 1/100 ft

1 Casing Volume (OCV) = LWC x 0.041 = 0.3 gal

3 Casing Volumes = 0.9 gal

Method of Well Evacuation Peristaltic Pump

Method of Sample Collection Peristaltic Pump/Poly Tubing

Total Volume of Water Removed 0.2 gal

Casing Diameter 1 inches

Casing Material PVC

Measuring Point Elevation 688.15 1/100 ft

Height of Riser (above land surface) 2.46 1/100 ft

Land Surface Elevation 685.69 1/100 ft

Screened Interval (below land surface) 12 - 18 1/100 ft

Container	Analysis (Method)	# Bottles	Preservative	Dup - MS/MSD
VOA 40 mL glass	TCL VOCs (8260C)	3	HCL, 4°C	
VOA 40 mL glass	TOC (9060A)	3	H ₂ SO ₄ , 4°C	

FIELD ANALYSES

Flow Rate (ml/min)	200	200	200				
Time (Military)	1105	1110	1115				
Depth to Groundwater Below Top of Casing (ft)	9.26	14.95	17.43				
Drawdown (ft)	0.00	-5.69	-2.48				
pH (S.U.)	5.55	5.68	5.71				
Sp. Cond. (mS/cm)	7133	7175	7185				
Turbidity (NTUs)	393	495	394				
Dissolved Oxygen (mg/L)	1.71	0.11	0.08				
Water Temperature (°C)	14.7	15.8	15.7				
ORP (mV)	-62.3	-81.4	-88.0				

Physical appearance at start Color Grayish

Odor Vegatable Oil

Sheen/Free Product No Sheen

Physical appearance at sampling Color Grayish

Odor No

Sheen/Free Product No Sheen

COMMENTS/OBSERVATIONS Purge started at 1105-1115 well went dry at 1140.

Sampled at 1235

Appendix B

Current and Historical Summary of Groundwater Elevations

MONITORING WELL MW-2
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site - West of Plant 2
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
11/7/2003	7.29	683.06
4/8/2004	NM	NA
10/12/2004	NM	NA
1/6/2005	5.92	684.43
4/14/2005	6.50	683.85
7/20/2005	7.77	682.58
10/4/2005	6.08	684.27
1/5/2006	9.56	680.79
4/11/2006	6.65	683.70
7/10/2006	7.79	682.56
10/18/2006	6.11	684.24
1/9/2007	6.27	684.08
2/28/2007	5.20	685.15
4/16/2007	5.99	684.36
7/2/2007	7.22	683.13
10/15/2007	8.15	682.20
1/8/2008	5.73	684.62
4/2/2008	5.95	684.40
7/1/2008	4.90	685.45
9/30/2008	7.40	682.95
1/19/2009	6.75	683.60
4/14/2009	6.15	684.20
7/21/2009	6.25	684.10
10/14/2009	5.85	684.50
1/18/2010	7.00	683.35
4/8/2010	5.45	684.90
7/12/2010	6.10	684.25
10/11/2010	7.00	683.35
1/11/2011	6.80	683.55
4/4/2011	5.70	684.65
7/25/2011	4.75	685.60
10/3/2011	4.13	686.22
1/12/2012	6.40	683.95
4/2/2012	6.00	684.35
7/5/2012	6.47	683.88
10/11/2012	7.17	683.18
1/21/2013	6.72	683.63
4/1/2013	6.10	684.25
7/1/2013	6.84	683.51
10/9/2013	6.70	683.65
1/21/2014	6.00	684.35
4/7/2014	4.95	685.40
7/16/2014	6.72	683.63
10/14/2014	6.79	683.56
1/20/2015	7.12	683.23
4/6/2015	5.74	684.61
7/22/2015	6.19	684.16
10/19/2015	5.79	684.56
1/5/2016	6.41	683.94
4/4/2016	5.68	681.42
7/5/2016	5.56	683.12
10/24/2016	5.56	683.12
1/16/2017	6.21	682.47
4/18/2017	6.06	682.47
7/11/2017	6.92	681.76
10/23/2017	6.59	682.09
1/8/2018	6.61	680.39
4/11/2018	5.12	681.88
7/12/2018	6.71	680.29
10/19/2018	6.44	680.56
1/9/2019	5.65	681.35
4/8/2019	5.28	681.72
7/22/2019	6.30	680.70
10/14/2019	7.56	679.44
1/6/2020	7.39	679.61
4/6/2020	7.40	679.60
7/21/2020	6.10	680.90
10/13/2020	6.50	680.50
1/19/2021	6.53	680.47
4/6/2021	5.56	681.44
7/13/2021	6.80	680.20
10/18/2021	5.97	681.03
1/18/2022	6.07	680.93
4/4/2022	5.25	681.75
7/7/2022	6.62	680.38
10/3/2022	6.24	680.76
1/17/2023	5.52	681.48
4/3/2023	4.99	682.11
7/26/2023	6.61	680.49

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing

TOC Elevation - 690.35

DPE and GWCT off line for repairs in February 2007.

DPE off line for repairs in January 2008.

DPE off line for repairs in October 2013.

TOC Elevation re-measured June 13, 2008 at 687.1.

DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).


DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the

ABC+ injection pilot test (note shading on graph).

DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).

DPE-3, -4, -6, -7, -8 off line between September 2021 and June 2022 to accommodate bioaugmentation injection.

MONITORING WELL MW-2
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site - West of Plant 2
Lancaster, New York



MONITORING WELL MW-3
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site - West of Plant 2
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
11/7/2003	12.76	674.96
4/8/2004	NM	NA
10/12/2004	NM	NA
1/6/2005	11.65	676.07
4/14/2005	12.64	675.08
7/20/2005	12.73	674.99
10/4/2005	7.38	680.34
1/5/2006	11.31	676.41
4/11/2006	11.84	675.88
7/10/2006	12.31	675.41
10/18/2006	10.82	676.9
1/9/2007	10.99	676.73
2/28/2007	3.99	683.73
4/16/2007	11.87	675.85
7/2/2007	13.35	674.37
10/17/2007	13.1	674.62
1/8/2008	7.61	680.11
4/2/2008	11.71	676.01
7/1/2008	10.75	676.27
9/30/2008	11.95	675.07
1/19/2009	10.94	676.08
4/14/2009	10.94	676.08
7/21/2009	11.51	675.51
10/14/2009	10.75	676.27
1/18/2010	12.38	674.64
4/8/2010	11.02	676.00
7/12/2010	9.18	677.84
10/11/2010	10.90	676.12
1/12/2011	11.30	675.72
4/4/2011	10.70	676.32
7/25/2011	4.38	682.64
10/3/2011	3.14	683.88
1/12/2012	10.65	676.37
4/2/2012	9.81	677.21
7/5/2012	8.56	678.46
10/11/2012	9.77	677.25
1/21/2013	11.15	675.87
4/1/2013	8.56	678.46
7/1/2013	11.85	675.17
10/9/2013	10.43	676.59
1/21/2014	10.45	676.57
4/7/2014	11.77	675.25
7/16/2014	10.29	676.73
10/14/2014	9.65	677.37
1/20/2015	10.15	676.87
4/6/2015	8.94	678.08
7/22/2015	7.98	679.04
10/19/2015	5.15	681.87
1/5/2016	9.01	678.01
4/4/2016	8.00	679.05
7/5/2016	5.86	681.19
10/24/2016	5.86	681.19
1/16/2017	10.58	676.47
4/18/2017	12.29	674.76
7/11/2017	12.65	674.40
10/23/2017	11.80	675.25
1/8/2018	10.12	676.93
4/11/2018	9.58	677.47
7/12/2018	10.98	676.07
10/19/2018	13.40	673.65
1/9/2019	12.32	674.73
4/8/2019	10.09	676.96
7/22/2019	9.24	677.81
10/14/2019	8.61	678.44
1/6/2020	8.14	678.91
4/6/2020	8.93	678.12
7/21/2020	9.14	677.91
10/13/2020	10.41	676.64
1/19/2021	8.73	678.32
4/6/2021	8.10	678.95
7/13/2021	9.10	677.95
10/18/2021	8.41	678.64
1/18/2022	8.89	678.16
4/4/2022	8.24	678.81
7/7/2022	9.69	677.36
10/3/2022	9.33	677.72
1/17/2023	8.56	678.49
4/3/2023	8.33	678.72
7/26/2023	9.65	677.40

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing

TOC Elevation - 687.72

DPE and GWCT off line for repairs in February 2007.

DPE off line for repairs in January 2008.

DPE off line for repairs in October 2013.

TOC Elevation re-measured June 13, 2008 at 687.02

DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).


DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the ABC+ injection pilot test (note shading on graph).

DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).

DPE-3, -4, -6, -7, -8 off line between September 2021 and June 2022 to accommodate bioaugmentation injection.

MONITORING WELL MW-3
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site - West of Plant 2
Lancaster, New York

Hydrograph for MW-3



MONITORING WELL MW-4
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site - West of Plant 2
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
11/7/2003	8.54	678.10
4/8/2004	NM	NA
10/12/2004	11.40	675.24
1/6/2005	9.20	677.44
4/14/2005	NM	NA
7/20/2005	NM	NA
10/4/2005	15.24	671.40
1/5/2006	15.71	670.93
4/11/2006	18.56	668.08
7/10/2006	15.02	671.62
10/18/2006	15.21	671.43
1/9/2007	14.00	672.64
2/28/2007	2.54	684.10
4/16/2007	12.45	674.19
7/2/2007	14.89	671.75
10/17/2007	12.91	673.73
1/8/2008	5.59	681.05
4/2/2008	9.31	677.33
7/1/2008	13.91	672.51
9/30/2008	13.55	672.87
1/19/2009	10.78	675.64
4/14/2009	8.90	677.52
7/21/2009	12.35	674.07
10/14/2009	10.40	676.02
1/18/2010	8.90	677.52
4/8/2010	10.90	675.52
7/12/2010	14.00	672.42
10/11/2010	16.69	669.73
1/12/2011	16.35	670.07
4/4/2011	17.67	668.75
7/25/2011	2.32	684.10
10/3/2011	2.98	683.44
1/12/2012	13.26	673.16
4/2/2012	13.10	673.32
7/6/2012	9.66	676.76
10/11/2012	18.60	667.82
1/21/2013	17.04	669.38
4/1/2013	18.65	667.77
7/1/2013	19.10	667.32
10/9/2013	10.10	676.32
1/21/2014	NM	NA
4/7/2014	18.85	667.57
7/16/2014	10.74	675.68
10/14/2014	8.52	677.90
1/20/2015	10.95	675.47
4/6/2015	9.05	677.37
7/22/2015	7.55	678.87
10/19/2015	4.59	681.83
1/5/2016	9.92	676.50
4/4/2016	8.20	678.30
7/5/2016	4.94	681.56
10/24/2016	4.94	681.56
1/16/2017	10.80	675.70
4/18/2017	11.92	675.70
7/11/2017	11.30	675.20
10/23/2017	13.06	673.44
1/8/2018	10.45	676.05
4/11/2018	10.55	675.95
7/12/2018	11.57	674.93
10/19/2018	11.57	674.93
1/9/2019	9.95	676.55
4/8/2019	8.83	677.67
7/22/2019	9.15	677.35
10/14/2019	8.39	678.11
1/6/2020	8.57	677.93
4/6/2020	8.57	677.93
7/21/2020	9.11	677.39
10/13/2020	11.72	674.78
1/19/2021	9.78	676.72
4/6/2021	8.84	677.66
7/13/2021	11.85	674.65
10/18/2021	7.65	678.85
1/18/2022	7.99	678.51
4/4/2022	7.67	678.83
7/7/2022	9.89	676.61
10/3/2022	8.35	678.15
1/17/2023	8.70	677.80
4/3/2023	8.93	677.57
7/28/2023	12.15	674.35

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing

TOC Elevation - 686.64

DPE and GWCT off line for repairs in February 2007.

DPE off line for repairs in January 2008.

DPE off line for repairs in October 2013.

TOC Elevation re-measured on June 13, 2008 at 686.42.


DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).

DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the ABC+ injection pilot test (note shading on graph).

DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).

DPE-3, -4, -6, -7, -8 off line between September 2021 and June 2022 to accommodate bioaugmentation injection.

MONITORING WELL MW-4
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site - West of Plant 2
Lancaster, New York



MONITORING WELL MW-8R
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site - West of Plant 2
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	NM	NA
10/12/2004	12.75	672.92
1/6/2005	7.45	678.22
4/14/2005	14.45	671.22
7/20/2005	NM	NA
10/4/2005	NM	NA
1/6/2006	15.51	670.16
4/11/2006	15.65	670.02
7/10/2006	14.9	670.77
10/18/2006	15.72	669.95
1/9/2007	15.76	669.91
2/28/2007	10.78	674.89
4/16/2007	15.60	670.07
7/2/2007	16.29	669.38
10/15/2007	18.50	667.17
1/8/2008	4.99	680.68
4/2/2008	13.19	672.48
7/1/2008	12.15	674.06
9/30/2008	15.83	670.38
1/19/2009	11.55	674.66
4/14/2009	11.20	675.01
7/21/2009	13.57	672.64
10/14/2009	12.76	673.45
1/18/2010	11.26	674.95
4/8/2010	14.95	671.26
7/12/2010	13.74	672.47
10/11/2010	12.34	673.87
1/12/2011	13.10	673.11
4/4/2011	14.88	671.33
7/25/2011	3.25	682.96
10/3/2011	4.50	681.71
1/12/2012	12.96	673.25
4/2/2012	11.70	674.51
7/5/2012	10.34	675.87
10/11/2012	13.38	672.83
1/21/2013	14.90	671.31
4/1/2013	10.82	675.39
7/1/2013	12.70	673.51
10/9/2013	9.25	676.96
1/21/2014	NM	NA
4/7/2014	14.55	671.66
7/16/2014	8.97	677.24
10/14/2014	5.85	680.36
1/20/2015	9.80	676.41
4/6/2015	7.55	678.66
7/22/2015	8.22	677.99
10/19/2015	4.90	681.31
1/5/2016	8.95	677.26
4/4/2016	8.10	678.19
7/5/2016	4.99	681.30
10/24/2016	4.99	681.30
1/16/2017	10.35	675.94
4/18/2017	13.68	675.94
7/11/2017	11.60	674.69
10/23/2017	12.06	674.23
4/11/2018	10.05	676.16
7/12/2018	18.78	667.43
10/19/2018	18.60	667.61
1/9/2019	7.95	678.26
4/8/2019	6.80	679.41
7/22/2019	8.00	678.21
10/14/2019	9.91	676.30
1/6/2020	6.81	679.40
4/6/2020	8.71	677.50
7/21/2020	8.15	678.06
10/13/2020	10.39	675.82
1/20/2021	8.89	677.32
4/6/2021	7.55	678.66
7/13/2021	8.40	677.81
10/18/2021	12.45	673.76
1/18/2022	15.03	671.18
4/4/2022	14.52	671.69
7/7/2022	8.40	677.81
10/3/2022	7.36	678.93
1/17/2023	7.90	678.31
4/3/2023	6.90	679.39
7/27/2023	9.85	676.44

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing

TOC Elevation - 685.67

DPE and GWCT off line for repairs in February 2007.

DPE off line for repairs in January 2008.

DPE off line for repairs in October 2013.

TOC Elevation re-measured on June 13, 2008 at 686.21.

DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).


DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the ABC+ injection pilot test (note shading on graph).

DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).

DPE-3, -4, -6, -7, -8 off line between September 2021 and June 2022 to accommodate bioaugmentation injection.

MONITORING WELL MW-8R
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site - West of Plant 2
Lancaster, New York

Hydrograph for MW-8R



MONITORING WELL MW-9
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site - West of Plant 2
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
11/7/2003	13.03	672.40
4/8/2004	NM	NA
10/12/2004	13.68	671.75
1/6/2005	12.89	672.54
4/14/2005	12.74	672.69
7/20/2005	13.88	671.55
10/4/2005	7.22	678.21
1/5/2006	12.79	672.64
4/11/2006	13.50	671.93
7/10/2006	13.24	672.19
10/18/2006	11.00	674.43
1/9/2007	12.24	673.19
2/28/2007	1.66	683.77
4/16/2007	13.15	672.28
7/2/2007	13.00	672.43
10/17/2007	13.95	671.48
1/8/2008	6.70	678.73
4/2/2008	10.61	674.82
7/1/2008	14.25	674.39
9/30/2008	15.67	672.97
1/19/2009	14.48	674.16
4/14/2009	15.48	673.16
7/21/2009	15.20	673.44
10/10/2009	15.06	673.58
1/18/2010	17.00	671.64
4/8/2010	15.40	673.24
7/12/2010	12.42	676.22
10/11/2010	14.21	674.43
1/12/2011	15.29	673.35
4/4/2011	14.55	674.09
7/25/2011	5.75	682.89
10/3/2011	4.58	684.06
1/12/2012	14.75	673.89
4/2/2012	14.52	674.12
7/5/2012	11.48	677.16
10/11/2012	12.66	675.98
1/21/2013	14.44	674.20
4/1/2013	11.87	676.77
7/1/2013	16.54	672.10
10/9/2013	13.68	674.96
1/21/2014	15.38	673.26
4/7/2014	16.30	672.34
7/16/2014	13.71	674.93
10/14/2014	13.09	675.55
1/20/2015	13.92	674.72
4/6/2015	12.41	676.23
7/22/2015	10.72	677.92
10/19/2015	7.06	681.58
1/5/2016	12.09	676.55
4/4/2016	11.38	678.19
7/5/2016	7.41	682.16
10/24/2016	7.41	682.16
1/16/2017	13.72	675.85
4/18/2017	14.24	675.85
7/11/2017	15.00	674.57
10/23/2017	14.84	674.73
1/8/2018	13.04	676.53
4/11/2018	13.20	676.37
7/12/2018	14.49	675.08
10/19/2018	14.21	675.36
1/9/2019	13.49	676.08
4/8/2019	12.85	676.72
7/22/2019	12.61	676.96
10/14/2019	11.83	677.74
1/6/2020	10.81	678.76
4/6/2020	12.25	677.32
7/21/2020	12.50	677.07
10/13/2020	14.72	674.85
1/19/2021	12.14	677.43
4/6/2021	11.26	678.31
7/13/2021	12.55	677.02
10/18/2021	11.69	677.88
1/18/2022	13.30	676.27
4/4/2022	12.10	677.47
7/7/2022	13.27	676.30
10/3/2022	12.42	677.15
1/17/2023	12.38	677.19
4/3/2023	12.38	677.19
7/28/2023	13.08	676.49

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing

TOC Elevation - 685.43

DPE and GWCT off line for repairs in February 2007.

DPE off line for repairs in January 2008.

DPE off line for repairs in October 2013.

TOC Elevation re-measured on June 13, 2008 at 688.64.


DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).

DPE system off line between November 2014 and August 2016 to accommodate first and second phase of the ABC+ injection pilot test (note shading on graph).

DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).

DPE-3, -4, -6, -7, -8 off line between September 2021 and June 2022 to accommodate bioaugmentation injection.

MONITORING WELL MW-9
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site - West of Plant 2
Lancaster, New York



MONITORING WELL MW-11
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site - West of Plant 2
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	NM	NA
10/12/2004	NM	NA
1/6/2005	15.59	673.02
4/14/2005	11.59	677.02
7/20/2005	17.34	671.27
10/4/2005	10.45	678.16
1/5/2006	16.58	672.03
4/11/2006	13.52	675.09
7/10/2006	13.75	674.86
10/18/2006	14.35	674.26
1/9/2007	15.26	673.35
2/28/2007	6.34	682.27
4/16/2007	11.55	677.06
7/2/2007	17.30	671.31
10/16/2007	17.69	670.92
1/8/2008	11.73	676.88
4/2/2008	14.78	673.83
7/1/2008	13.91	674.74
9/30/2008	15.25	673.40
1/19/2009	13.45	675.20
4/14/2009	13.50	675.15
7/21/2009	14.51	674.14
10/14/2009	13.85	674.80
1/18/2010	16.38	672.27
4/8/2010	13.90	674.75
7/12/2010	12.60	676.05
10/11/2010	14.80	673.85
1/12/2011	NM	NA
4/4/2011	14.52	674.13
7/25/2011	4.48	684.17
10/3/2011	4.05	684.60
1/12/2012	8.96	679.69
4/2/2012	12.87	675.78
7/5/2012	10.53	678.12
10/11/2012	14.40	674.25
1/21/2013	14.75	673.90
4/1/2013	11.66	676.99
7/1/2013	14.99	673.66
10/9/2013	12.25	676.40
1/21/2014	13.75	674.90
4/7/2014	14.56	674.09
7/16/2014	12.64	676.01
10/14/2014	12.26	676.39
1/20/2015	12.31	676.34
4/6/2015	11.95	676.70
7/22/2015	8.49	680.16
10/19/2015	8.75	679.90
1/5/2016	12.53	676.12
4/4/2016	10.84	677.77
7/5/2016	9.37	679.24
10/24/2016	9.37	679.24
1/16/2017	9.60	679.01
4/18/2017	11.98	679.01
7/11/2017	13.75	674.86
10/23/2017	12.83	675.78
1/8/2018	11.79	676.82
4/11/2018	10.75	677.86
7/12/2018	13.21	675.40
10/19/2018	12.40	676.21
1/9/2019	12.27	676.34
4/8/2019	11.66	676.95
7/22/2019	11.45	677.16
10/14/2019	11.59	677.02
1/6/2019	11.59	677.02
4/6/2020	11.79	676.82
7/21/2020	11.82	676.79
10/13/2020	11.81	676.80
1/19/2021	10.17	678.44
4/6/2021	9.81	678.80
7/13/2021	10.50	678.11
10/18/2021	9.68	678.93
1/18/2022	10.22	678.39
4/4/2022	9.14	679.47
7/7/2022	11.01	677.60
10/3/2022	10.12	678.49
1/17/2023	7.98	680.63
4/3/2023	9.01	679.60
7/26/2023	10.31	678.30

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing

TOC Elevation - 688.61

DPE and GWCT off line for repairs in February 2007.

DPE off line for repairs in January 2008.

DPE off line for repairs in October 2013.

TOC Elevation re-measured on June 13, 2008 at 688.65.

DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).


DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the ABC+ injection pilot test (note shading on graph).

DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).

DPE-3, -4, -6, -7, -8 off line between September 2021 and June 2022 to accommodate bioaugmentation injection.

MONITORING WELL MW-11
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site - West of Plant 2
Lancaster, New York

Hydrograph for MW-11



MONITORING WELL MW-13S
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site - West of Plant 2
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	7.01	679.56
10/12/2004	13.47	673.10
1/6/2005	7.24	679.33
4/14/2005	13.91	672.66
7/20/2005	12.81	673.76
10/4/2005	13.35	673.22
1/5/2006	13.79	672.78
4/11/2006	12.45	674.12
7/10/2006	13.02	673.55
10/18/2006	10.99	675.58
1/9/2007	11.35	675.22
2/28/2007	3.49	683.08
4/16/2007	12.01	674.56
7/2/2007	13.20	673.37
10/18/2007	12.77	673.80
1/8/2008	5.08	681.49
4/2/2008	5.45	681.12
7/1/2008	9.70	676.90
9/30/2008	11.80	674.80
1/19/2009	8.70	677.90
4/14/2009	8.64	677.96
7/21/2009	10.91	675.69
10/14/2009	9.18	677.42
1/18/2010	9.80	676.80
4/8/2010	8.30	678.30
7/12/2010	9.96	676.64
10/11/2010	10.29	676.31
1/12/2011	7.53	679.07
4/4/2011	8.00	678.60
7/25/2011	2.55	684.05
10/3/2011	1.81	684.79
1/12/2012	8.11	678.49
4/2/2012	8.06	678.54
7/5/2012	8.71	677.89
10/11/2012	9.57	677.03
1/21/2013	13.85	672.75
4/1/2013	6.44	680.16
7/1/2013	6.44	680.16
10/9/2013	4.10	682.50
1/21/2014	4.95	681.65
4/7/2014	6.02	680.58
7/16/2014	5.42	681.18
10/14/2014	4.41	682.19
1/20/2015	6.10	680.50
4/6/2015	4.69	681.91
7/22/2015	7.97	678.63
10/19/2015	3.95	682.65
1/5/2016	5.90	680.70
4/4/2016	5.05	681.60
7/5/2016	3.90	682.75
10/24/2016	3.90	682.75
1/16/2017	7.20	679.45
4/18/2017	6.11	679.45
7/11/2017	8.60	678.05
10/23/2017	6.42	680.23
1/8/2018	4.73	681.92
4/11/2018	4.20	682.45
7/12/2018	7.02	679.63
10/19/2018	15.86	670.79
1/9/2019	9.71	676.94
4/8/2019	5.35	681.30
7/22/2019	16.50	670.15
10/14/2019	16.50	670.15
1/6/2020	10.21	676.44
4/6/2020	8.36	678.29
7/21/2020	5.50	681.15
10/13/2020	8.84	677.81
1/19/2021	9.78	676.87
4/6/2021	3.67	682.98
7/13/2021	5.95	680.70
10/18/2021	9.31	677.34
1/18/2022	3.52	683.13
4/4/2022	2.97	683.68
7/7/2022	5.20	681.45
10/3/2022	5.04	681.61
1/17/2023	3.20	683.45
4/3/2023	9.20	677.45
7/27/2023	7.71	678.94

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing

TOC Elevation - 686.57

DPE and GWCT off line for repairs in February 2007.

DPE off line for repairs in January 2008.

DPE off line for repairs in October 2013.

TOC Elevation re-measured on June 13, 2008 at 686.60.


DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).

DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the ABC+ injection pilot test (note shading on graph).

DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).

DPE-3, -4, -6, -7, -8 off line between September 2021 and June 2022 to accommodate bioaugmentation injection.

MONITORING WELL MW-13S
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site - West of Plant 2
Lancaster, New York



MONITORING WELL MW-13D
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site - West of Plant 2
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	13.28	673.43
10/12/2004	14.87	671.84
1/6/2005	14.55	672.16
4/14/2005	15.32	671.39
7/20/2005	15.65	671.06
10/4/2005	9.44	677.27
1/5/2006	15.83	670.88
4/11/2006	15.41	671.30
7/10/2006	13.79	672.92
10/18/2006	13.17	673.54
1/9/2007	14.41	672.30
2/28/2007	3.28	683.43
4/16/2007	14.66	672.05
7/2/2007	15.68	671.03
10/18/2007	15.80	670.91
1/8/2008	8.69	678.02
4/2/2008	12.86	673.85
7/1/2008	12.55	674.18
9/30/2008	13.89	672.84
1/19/2009	12.10	674.63
4/14/2009	11.78	674.95
7/21/2009	12.86	673.87
10/14/2009	11.59	675.14
1/18/2010	13.88	672.85
4/8/2010	12.00	674.73
7/12/2010	11.90	674.83
10/11/2010	13.34	673.39
1/12/2011	13.20	673.53
4/4/2011	13.13	673.60
7/25/2011	3.33	683.40
10/3/2011	2.55	684.18
1/12/2012	12.34	674.39
4/2/2012	11.76	674.97
7/5/2012	9.25	677.48
10/11/2012	13.00	673.73
1/21/2013	13.85	672.88
4/1/2013	11.01	675.72
7/1/2013	14.26	672.47
10/9/2013	10.36	676.37
1/21/2014	11.45	675.28
4/7/2014	13.65	673.08
7/16/2014	10.74	675.99
10/14/2014	9.41	677.32
1/20/2015	11.02	675.71
4/6/2015	9.35	677.38
7/22/2015	7.44	679.29
10/19/2015	4.55	682.18
1/5/2016	10.31	676.42
4/4/2016	8.65	678.13
7/5/2016	5.06	681.72
10/24/2016	5.06	681.72
1/16/2017	12.50	674.28
4/18/2017	10.10	674.28
7/11/2017	11.15	675.63
10/23/2017	10.87	675.91
1/8/2018	9.12	677.66
4/11/2018	8.70	678.08
7/12/2018	10.91	675.87
10/19/2018	10.86	675.92
1/9/2019	9.85	676.93
4/8/2019	9.00	677.78
7/22/2019	9.79	676.99
10/14/2019	8.87	677.91
1/6/2020	7.69	679.09
4/6/2020	8.54	678.24
7/21/2020	9.00	677.78
10/13/2020	10.16	676.62
1/19/2021	9.02	677.76
4/6/2021	7.90	678.88
7/13/2021	9.05	677.73
10/18/2021	8.45	678.33
1/18/2022	8.75	678.03
4/4/2022	7.52	679.26
7/7/2022	9.20	677.58
10/3/2022	8.38	678.40
1/17/2023	7.72	679.06
4/3/2023	7.35	679.43
7/27/2023	8.70	678.08

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing

TOC Elevation - 686.71

DPE and GWCT off line for repairs in February 2007.

DPE off line for repairs in January 2008.

DPE off line for repairs in October 2013.

TOC Elevation re-measured on June 13, 2008 at 686.73.


DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).

DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the ABC+ injection pilot test (note shading on graph).

DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).

DPE-3, -4, -6, -7, -8 off line between September 2021 and June 2022 to accommodate bioaugmentation injection.

MONITORING WELL MW-13D
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site - West of Plant 2
Lancaster, New York



MONITORING WELL MW-14S
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site - West of Plant 2
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	5.14	680.17
10/12/2004	8.57	676.74
1/6/2005	6.27	679.04
4/14/2005	5.16	680.15
7/20/2005	8.32	676.99
10/4/2005	6.14	679.17
1/5/2006	8.41	676.90
4/11/2006	7.75	677.56
7/10/2006	8.18	677.13
10/18/2006	9.00	676.31
1/9/2007	6.61	678.70
2/28/2007	1.50	683.81
4/16/2007	3.45	681.86
7/2/2007	8.36	676.95
10/15/2007	9.45	675.86
1/8/2008	4.65	680.66
4/2/2008	4.47	680.84
7/1/2008	6.37	679.33
9/30/2008	8.90	676.80
1/19/2009	6.15	679.55
4/14/2009	7.70	678.00
7/21/2009	7.25	678.45
10/14/2009	7.05	678.65
1/18/2010	NM	NA
4/8/2010	6.50	678.81
7/12/2010	6.54	678.77
10/11/2010	5.90	679.80
1/12/2011	6.83	678.87
4/4/2011	6.34	679.36
7/25/2011	2.59	683.11
10/3/2011	1.98	683.72
1/12/2012	5.10	680.60
4/2/2012	4.55	681.15
7/5/2012	7.15	678.55
10/11/2012	6.67	679.03
1/21/2013	5.15	680.55
4/1/2013	5.05	680.65
7/1/2013	6.81	678.89
10/9/2013	5.60	680.10
1/21/2014	5.68	680.02
4/7/2014	6.03	679.67
7/16/2014	5.49	680.21
10/14/2014	5.61	680.09
1/20/2015	5.55	680.15
4/6/2015	4.58	681.12
7/22/2015	3.59	682.11
10/19/2015	3.70	682.00
1/5/2016	3.92	681.78
4/4/2016	8.80	676.90
7/5/2016	3.80	681.90
10/24/2016	3.80	681.90
1/16/2017	5.10	680.60
4/18/2017	5.44	680.26
7/11/2017	7.50	678.20
10/23/2017	7.18	678.52
1/8/2018	5.39	680.35
4/11/2018	5.14	680.60
7/12/2018	7.25	678.49
10/19/2018	6.89	678.85
1/9/2019	4.30	681.44
4/8/2019	4.40	681.34
7/22/2019	8.60	677.14
10/14/2019	5.14	680.60
1/6/2020	4.42	681.32
4/6/2020	4.31	681.43
7/21/2020	5.30	680.44
10/13/2020	6.18	679.56
1/19/2021	5.28	680.46
4/6/2021	4.75	680.99
7/13/2021	5.35	680.39
10/18/2021	5.41	680.33
1/18/2022	5.23	680.51
4/4/2022	4.86	680.88
7/7/2022	6.53	679.21
10/3/2022	4.64	681.10
1/17/2023	4.60	681.14
4/3/2023	4.34	681.40
7/28/2023	4.64	681.10

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing

TOC Elevation - 685.31

DPE and GWCT off line for repairs in February 2007.

DPE off line for repairs in January 2008.

DPE off line for repairs in October 2013.

TOC Elevation re-measured on June 13, 2008 at 685.70.

DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).


DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the ABC+ injection pilot test (note shading on graph).

DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).

DPE-3, -4, -6, -7, -8 off line between September 2021 and June 2022 to accommodate bioaugmentation injection.

MONITORING WELL MW-14S
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site - West of Plant 2
Lancaster, New York

Hydrograph for MW-14S



MONITORING WELL MW-14D
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site - West of Plant 2
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	13.21	672.22
10/12/2004	14.55	670.88
1/6/2005	15.97	669.46
4/14/2005	13.25	672.18
7/20/2005	18.20	667.23
10/4/2005	13.26	672.17
1/5/2006	19.08	666.35
4/11/2006	19.79	665.64
7/10/2006	17.16	668.27
10/18/2006	19.44	665.99
1/9/2007	14.71	670.72
2/28/2007	2.67	682.76
4/16/2007	19.74	665.69
7/2/2007	19.68	665.75
10/15/2007	19.76	665.67
1/8/2008	7.92	677.51
4/2/2008	14.41	671.02
7/1/2008	14.45	671.37
9/30/2008	15.39	670.43
1/19/2009	13.55	672.27
4/14/2009	20.10	665.72
7/21/2009	15.15	670.67
10/14/2009	20.27	665.55
1/18/2010	20.40	665.42
4/8/2010	15.40	670.42
7/12/2010	17.15	668.67
10/11/2010	14.40	671.42
1/12/2011	17.92	667.90
4/4/2011	16.23	669.59
7/25/2011	3.10	682.72
10/3/2011	2.72	683.10
1/12/2012	15.30	670.52
4/2/2012	16.50	669.32
7/5/2012	12.81	673.01
10/11/2012	14.55	671.27
1/21/2013	13.45	672.37
4/1/2013	10.78	675.04
7/1/2013	19.85	665.97
10/9/2013	10.02	675.80
1/21/2014	18.20	667.62
4/7/2014	17.95	667.87
7/16/2014	12.99	672.83
10/14/2014	10.70	675.12
1/20/2015	13.49	672.33
4/6/2015	11.30	674.52
7/22/2015	8.62	677.20
10/19/2015	4.10	681.72
1/5/2016	11.70	674.12
4/4/2016	17.98	667.90
7/5/2016	4.67	681.21
10/24/2016	4.67	681.21
1/16/2017	15.89	669.99
4/18/2017	12.45	669.99
7/11/2017	14.74	671.14
10/23/2017	17.02	668.86
1/8/2018	17.69	668.19
4/11/2018	15.95	669.93
7/12/2018	16.90	668.98
10/19/2018	15.69	670.19
1/9/2019	12.62	673.26
4/8/2019	11.80	674.08
7/22/2019	11.35	674.53
10/14/2019	11.88	674.00
1/6/2020	9.44	676.44
4/6/2020	13.00	672.88
7/21/2020	12.31	673.57
10/13/2020	19.31	666.57
1/19/2021	12.24	673.64
4/6/2021	10.28	675.60
7/13/2021	12.80	673.08
10/18/2021	10.13	675.75
1/18/2022	18.85	667.03
4/4/2022	11.49	674.39
7/7/2022	12.35	673.53
10/3/2022	18.49	667.39
1/17/2023	9.80	676.08
4/3/2023	12.68	673.20
7/28/2023	13.27	672.61

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing

TOC Elevation - 685.43

DPE and GWCT off line for repairs in February 2007.

DPE off line for repairs in January 2008.

DPE off line for repairs in October 2013.

TOC Elevation re-measured on June 13, 2008 at 685.82.

DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).


DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the ABC+ injection pilot test (note shading on graph).

DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).

DPE-3, -4, -6, -7, -8 off line between September 2021 and June 2022 to accommodate bioaugmentation injection.

MONITORING WELL MW-14D
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site - West of Plant 2
Lancaster, New York

Hydrograph for MW-14D



MONITORING WELL MW-15S
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site - West of Plant 2
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	1.20	685.44
10/12/2004	5.26	681.38
1/6/2005	0.35	686.29
4/14/2005	2.31	684.33
7/20/2005	4.78	681.86
10/4/2005	2.22	684.42
1/5/2006	0.70	685.94
4/11/2006	2.00	684.64
7/10/2006	4.75	681.89
1/9/2007	0.05	686.59
2/28/2007	0.00	686.64
4/16/2007	0.50	686.14
7/2/2007	4.67	681.97
10/16/2007	4.80	681.84
1/8/2008	0.70	685.94
4/2/2008	0.00	686.64
7/1/2008	0.50	687.02
9/30/2008	3.14	684.38
1/19/2009	1.50	686.02
4/14/2009	1.60	685.92
7/21/2009	1.11	686.41
10/14/2009	1.11	686.41
1/18/2010	0.80	686.72
4/8/2010	2.00	685.52
7/12/2010	2.80	684.72
10/11/2010	3.14	684.38
1/12/2011	1.40	686.12
4/4/2011	0.50	687.02
7/25/2011	2.51	685.01
10/3/2011	0.20	687.32
1/12/2012	0.50	687.02
4/2/2012	1.40	686.12
7/5/2012	3.90	683.62
10/1/2012	3.18	684.34
1/21/2013	0.00	687.52
4/1/2013	0.50	687.02
7/1/2013	1.73	685.79
10/9/2013	2.10	685.42
1/21/2014	1.75	685.77
4/7/2014	0.90	686.62
7/16/2014	1.91	685.61
10/14/2014	2.00	685.52
1/20/2015	1.60	685.92
4/6/2015	0.51	687.01
7/22/2015	1.41	686.11
10/19/2015	2.20	685.32
1/5/2016	1.15	686.37
4/4/2016	0.70	687.17
7/5/2016	3.61	684.26
10/24/2016	3.61	684.26
1/16/2017	1.20	686.67
4/18/2017	0.90	686.97
7/11/2017	4.30	683.57
10/23/2017	2.55	685.32
1/8/2018	0.00	687.87
4/11/2018	0.00	687.87
7/12/2018	0.35	687.52
10/19/2018	0.44	687.43
1/9/2019	0.22	687.65
4/8/2019	0.00	687.87
7/22/2019	2.95	684.92
10/14/2019	1.32	686.55
1/6/2020	0.04	687.83
4/6/2020	0.02	687.85
7/21/2020	0.48	687.39
10/13/2020	2.98	684.89
1/19/2021	0.49	687.38
4/6/2021	0.98	686.89
7/13/2021	3.25	684.62
10/18/2021	0.87	687.00
1/18/2022	0.00	687.87
4/4/2022	0.90	686.97
7/7/2022	0.61	687.26
10/3/2022	0.77	687.10
1/17/2023	0.00	687.87
4/3/2023	0.00	687.87
7/28/2023	3.40	684.47

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing

TOC Elevation - 686.64

DPE and GWCT off line for repairs in February 2007.

DPE off line for repairs in January 2008.

DPE off line for repairs in October 2013.

Measured from ground surface on April 4, 2016 at 687.87.

TOC Elevation re-measured on June 13, 2008 at 687.52.


DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).

DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the ABC+ injection pilot test (note shading on graph).

DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).

DPE-3, -4, -6, -7, -8 off line between September 2021 and June 2022 to accommodate bioaugmentation injection.

MONITORING WELL MW-15S
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site - West of Plant 2
Lancaster, New York



MONITORING WELL MW-15D
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site - West of Plant 2
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	15.70	671.61
10/12/2004	17.42	669.89
1/6/2005	15.74	671.57
4/14/2005	16.99	670.32
7/20/2005	17.31	670.00
10/4/2005	8.94	678.37
1/5/2006	16.16	671.15
4/11/2006	16.90	670.41
7/10/2006	15.78	671.53
10/18/2006	15.50	671.81
1/9/2007	15.80	671.51
2/28/2007	4.10	683.21
4/16/2007	16.61	670.70
7/2/2007	17.20	670.11
10/16/2007	16.70	670.61
1/8/2008	8.99	678.32
4/2/2008	15.01	672.30
7/1/2008	14.64	672.98
9/30/2008	16.24	671.38
1/19/2009	15.00	672.62
4/14/2009	14.21	673.41
7/21/2009	14.61	673.01
10/14/2009	14.81	672.81
1/18/2010	16.89	670.73
4/8/2010	15.00	672.62
7/12/2010	13.00	674.62
10/11/2010	13.00	674.62
1/12/2011	15.65	671.97
4/4/2011	15.51	672.11
7/25/2011	3.73	683.89
10/3/2011	3.05	684.57
1/12/2012	15.50	672.12
4/2/2012	14.30	673.32
7/5/2012	9.81	677.81
10/11/2012	13.70	673.92
1/21/2013	15.90	671.72
4/1/2013	11.08	676.54
7/1/2013	16.04	671.58
10/9/2013	13.95	673.67
1/21/2014	15.05	672.57
4/7/2014	15.84	671.78
7/16/2014	13.51	674.11
10/14/2014	12.49	675.13
1/20/2015	15.04	672.58
4/6/2015	13.15	674.47
7/22/2015	9.92	677.70
10/19/2015	6.50	681.12
1/5/2016	13.65	673.97
4/4/2016	11.70	676.17
7/5/2016	5.85	681.52
10/24/2016	5.85	681.52
1/16/2017	13.56	673.81
4/18/2017	13.40	673.97
7/11/2017	14.06	673.31
10/23/2017	14.21	673.16
1/8/2018	13.08	674.79
4/11/2018	11.70	676.17
7/12/2018	14.19	673.68
10/19/2018	13.83	674.04
1/9/2019	13.17	674.70
4/8/2019	12.80	675.07
7/22/2019	12.66	675.21
10/14/2019	11.97	675.90
1/6/2020	10.79	677.08
4/6/2020	11.85	676.02
7/21/2020	12.61	675.26
10/13/2020	13.55	674.32
1/19/2021	8.76	679.11
4/6/2021	11.31	676.56
7/13/2021	13.10	674.77
10/18/2021	11.72	676.15
1/18/2022	11.85	676.02
4/4/2022	10.80	677.07
7/7/2022	12.30	675.57
10/3/2022	12.31	675.56
1/17/2023	11.72	676.15
4/3/2023	10.98	676.39
7/28/2023	11.85	675.52

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing

TOC Elevation - 687.31'

DPE and GWCT off line for repairs in February 2007.

DPE off line for repairs in January 2008.

DPE off line for repairs in October 2013.

TOC Elevation re-measured on June 13, 2008 at 687.62.

Measured from ground surface on April 4, 2016 at 687.87.


DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).

DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the ABC+ injection pilot test (note shading on graph).

DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).

DPE-3, -4, -6, -7, -8 off line between September 2021 and June 2022 to accommodate bioaugmentation injection.

MONITORING WELL MW-15D
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site - West of Plant 2
Lancaster, New York



MONITORING WELL MW-16S
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site - West of Plant 2
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	5.09	680.75
10/12/2004	12.09	673.75
1/6/2005	4.75	681.09
4/14/2005	10.15	675.69
7/20/2005	14.56	671.28
10/4/2005	11.50	674.34
1/5/2006	11.41	674.43
4/11/2006	12.90	672.94
7/10/2006	11.54	674.30
10/18/2006	12.50	673.34
1/9/2007	13.82	672.02
2/28/2007	2.90	682.94
4/16/2007	13.07	672.77
7/2/2007	12.50	673.34
10/18/2007	15.23	670.61
1/8/2008	5.60	680.24
4/2/2008	12.40	673.44
7/1/2008	15.70	674.67
9/30/2008	19.34	671.03
1/19/2009	17.80	672.57
4/14/2009	18.22	672.15
7/21/2009	19.95	670.42
10/14/2009	17.77	672.60
1/18/2010	16.45	673.92
4/8/2010	18.60	671.77
7/12/2010	18.45	671.92
10/11/2010	13.51	676.86
4/7/2011	8.55	677.29
7/25/2011	1.45	684.39
10/3/2011	0.60	685.24
1/12/2012	3.80	682.04
4/2/2012	5.85	679.99
7/5/2012	9.12	676.72
10/11/2012	6.36	679.48
1/21/2013	7.85	677.99
4/1/2013	10.15	675.69
7/1/2013	9.18	676.66
10/9/2013	3.80	682.04
1/21/2014	9.55	676.29
4/7/2014	9.60	676.24
7/16/2014	9.05	676.79
10/14/2014	3.10	682.74
1/20/2015	6.90	678.94
4/6/2015	5.50	680.34
7/22/2015	10.14	678.05
10/19/2015	5.00	683.19
1/5/2016	7.05	681.14
4/4/2016	6.38	681.77
7/5/2016	5.23	682.92
10/24/2016	5.23	682.92
1/16/2017	8.25	679.90
4/18/2017	7.28	679.90
7/11/2017	10.36	677.79
10/23/2017	8.66	679.49
1/8/2018	6.29	681.86
4/11/2018	6.71	681.44
7/12/2018	8.99	679.16
10/19/2018	10.42	677.73
1/9/2019	6.86	681.29
4/8/2019	6.02	682.13
7/22/2019	6.91	681.24
10/14/2019	6.02	682.13
1/6/2020	5.51	682.64
4/6/2020	6.83	681.32
7/21/2020	6.14	682.01
10/12/2020	8.00	680.15
1/19/2021	6.89	681.26
4/6/2021	6.60	681.55
7/13/2021	6.90	681.25
10/18/2021	3.87	684.28
1/18/2022	5.42	682.73
4/4/2022	4.95	683.20
7/7/2022	8.21	679.94
10/3/2022	5.57	682.58
1/17/2023	5.55	682.60
4/3/2023	4.49	683.66
7/28/2023	10.74	677.41

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing

TOC Elevation - 685.84

DPE and GWCT off line for repairs in February 2007.

DPE off line for repairs in January 2008.

DPE off line for repairs in October 2013.

TOC Elevation re-measured on June 13, 2008 at 690.37.

TOC Elevation re-measured on April 7, 2011 at 685.84.

TOC Elevation re-measured on June 1, 2015 at 688.19.

TOC Elevation re-measured on February 23, 2016 at 688.15.


DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).

DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the ABC+ injection pilot test (note shading on graph).

DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).

DPE-3, -4, -6, -7, -8 off line between September 2021 and June 2022 to accommodate bioaugmentation injection.

MONITORING WELL MW-16S
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site - West of Plant 2
Lancaster, New York



MONITORING WELL MW-16D
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site - West of Plant 2
Lancaster, New York

Date	Depth to Water from TOC (ft)	Groundwater Elevation (ft MSL)
4/8/2004	13.62	672.39
10/12/2004	15.51	670.50
1/6/2005	13.70	672.31
4/14/2005	16.09	669.92
7/20/2005	16.65	669.36
10/4/2005	9.89	676.12
1/5/2006	17.21	668.80
4/11/2006	17.10	668.91
7/10/2006	10.61	675.40
10/18/2006	15.41	670.60
1/9/2007	15.6	670.41
2/28/2007	2.74	683.27
4/16/2007	16.35	669.66
7/2/2007	16.85	669.16
10/18/2007	17.17	668.84
1/8/2008	8.32	677.69
4/2/2008	13.44	672.57
7/1/2008	17.72	672.83
9/30/2008	19.29	671.26
1/19/2009	17.95	672.60
4/14/2009	17.21	673.34
7/21/2009	18.28	672.27
10/14/2009	17.60	672.95
1/18/2010	19.51	671.04
4/8/2010	17.19	673.36
7/12/2010	17.15	673.40
10/11/2010	18.63	671.92
4/7/2011	13.67	672.34
7/25/2011	2.46	683.55
10/3/2011	1.70	684.31
1/12/2012	13.55	672.46
4/2/2012	12.61	673.40
7/5/2012	8.90	677.11
10/11/2012	13.38	672.63
1/21/2013	15.44	670.57
4/1/2013	12.31	673.70
7/1/2013	16.25	669.76
10/9/2013	11.40	674.61
1/21/2014	13.35	672.66
4/7/2014	15.54	670.47
7/16/2014	11.73	674.28
10/14/2014	10.04	675.97
1/20/2015	12.31	673.70
4/6/2015	10.30	675.71
7/22/2015	9.80	678.59
10/19/2015	6.40	681.99
1/5/2016	13.00	675.39
4/4/2016	11.35	676.81
7/5/2016	6.49	681.67
10/24/2016	6.49	681.67
1/16/2017	14.28	673.88
4/18/2017	13.24	673.88
7/11/2017	14.25	673.91
10/23/2017	14.72	673.44
1/8/2018	12.38	675.78
4/11/2018	11.67	676.49
7/12/2018	14.20	673.96
10/19/2018	14.32	673.84
1/9/2019	12.82	675.34
4/8/2019	11.78	676.38
7/22/2019	12.13	676.03
10/14/2019	11.32	676.84
1/6/2020	10.29	677.87
4/6/2020	11.54	676.62
7/21/2020	11.96	676.20
10/12/2020	13.19	674.97
1/19/2021	8.96	679.20
4/6/2021	10.81	677.35
7/13/2021	12.10	676.06
10/18/2021	9.55	678.61
1/18/2022	11.33	676.83
4/4/2022	10.25	677.91
7/7/2022	11.96	676.20
10/3/2022	11.14	677.02
1/17/2023	11.00	677.16
4/3/2023	10.17	677.99
7/28/2023	11.60	676.56

NOTES:

ft MSL - feet mean sea level

NA - Not Available

NM - Not Measured

TOC - top of PVC casing

TOC Elevation - 686.01

DPE and GWCT off line for repairs in February 2007.

DPE off line for repairs in January 2008.

DPE off line for repairs in October 2013.

TOC Elevation re-measured on June 13, 2008 at 690.55.

TOC Elevation re-measured on April 7, 2011 at 686.01.

TOC Elevation re-measured on June 1, 2015 at 688.39.

TOC Elevation re-measured on February 23, 2016 at 688.16.

DPE system off line between June 2011 and November 2011 to accommodate the second phase of the chemical oxidation injection pilot test (note shading on graph).


DPE system off line between November 2014 and August 2016 to accommodate first and second phases of the ABC+ injection pilot test (note shading on graph).

DPE system off line between November 2018 and March 2020 to accommodate ABC+ OLE injection pilot test (note shading on graph).

DPE-3, -4, -6, -7, -8 off line between September 2021 and June 2022 to accommodate bioaugmentation injection.

MONITORING WELL MW-16D
SUMMARY OF GROUNDWATER ELEVATIONS
Former Scott Aviation Site - West of Plant 2
Lancaster, New York

Hydrograph for MW-16D



Appendix C
Analytical Laboratory Data Packages
(Provided on CD)

ANALYTICAL REPORT

PREPARED FOR

Attn: Mr. Dino Zack
AECOM
50 Lakefront Boulevard
Suite 111
Buffalo, New York 14202
Generated 8/10/2023 12:28:17 PM

JOB DESCRIPTION

Scott Figgie West of Plant 2

JOB NUMBER

480-211209-1


Eurofins Buffalo

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Northeast, LLC Project Manager.

Authorization



Generated
8/10/2023 12:28:17 PM

Authorized for release by
Rebecca Jones, Project Management Assistant I
Rebecca.Jones@et.eurofinsus.com
Designee for
Brian Fischer, Manager of Project Management
Brian.Fischer@et.eurofinsus.com
(716)504-9835

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	7
Lab Chronicle	47
Certification Summary	51
Method Summary	52
Sample Summary	53
Receipt Checklists	54
Chain of Custody	57



Definitions/Glossary

Client: AECOM

Job ID: 480-211209-1

Project/Site: Scott Figgie West of Plant 2

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
*+	LCS and/or LCSD is outside acceptance limits, high biased.
F1	MS and/or MSD recovery exceeds control limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

General Chemistry

Qualifier	Qualifier Description
^2	Calibration Blank (ICB and/or CCB) is outside acceptance limits.
B	Compound was found in the blank and sample.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Job ID: 480-211209-1

Laboratory: Eurofins Buffalo

Narrative

Job Narrative 480-211209-1

Comments

No additional comments.

Receipt

The samples were received on 7/26/2023 3:40 PM, 7/27/2023 3:50 PM and 7/28/2023 2:15 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 3 coolers at receipt time were 4.6° C, 4.8° C and 5.2° C.

GC/MS VOA

Method 8260C: The following volatiles sample was diluted due to foaming at the time of purging during the original sample analysis: MW-2 (480-211209-1). Elevated reporting limits (RLs) are provided.

Method 8260C: The continuing calibration verification (CCV) associated with batch 480-677907 recovered above the upper control limit for 1,1,2-Trichloro-1,2,2-trifluoroethane, Chloromethane, Dichlorodifluoromethane, Trichlorofluoromethane and Vinyl chloride. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The associated samples are impacted: MW-2 (480-211209-1) and GWTC (480-211209-5).

Method 8260C: The laboratory control sample (LCS) for analytical batch 480-677907 recovered outside control limits for the following analytes: Dichlorodifluoromethane, Chloromethane and Vinyl chloride. These analytes were biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported. The associated samples are impacted: MW-2 (480-211209-1) and GWTC (480-211209-5).

Method 8260C: The continuing calibration verification (CCV) associated with batch 480-678079 recovered above the upper control limit for Chloromethane, Methylene Chloride, and Vinyl Chloride. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The associated samples are impacted: MW-13D (480-211257-3), DPE-1 (480-211257-4) and DPE-5 (480-211257-8).

Method 8260C: The continuing calibration verification (CCV) associated with batch 480-678079 recovered above the upper control limit for Chloromethane and Methylene Chloride. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The associated samples are impacted: MW-8R (480-211257-1), MW-13S (480-211257-2), DPE-2 (480-211257-5), DPE-3 (480-211257-6) and DPE-4 (480-211257-7).

Method 8260C: The continuing calibration verification (CCV) analyzed in 480-678079 was outside the method criteria for the following analyte: Vinyl chloride. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analyte is considered estimated. The associated samples are impacted: MW-8R (480-211257-1), MW-13S (480-211257-2), DPE-2 (480-211257-5), DPE-3 (480-211257-6) and DPE-4 (480-211257-7).

Method 8260C: The following volatiles samples were diluted due to foaming at the time of purging during the original sample analysis: MW-13S (480-211257-2), DPE-4 (480-211257-7), DPE-5 (480-211257-8), (480-211257-A-8 MS) and (480-211257-A-8 MSD). Elevated reporting limits (RLs) are provided.

Method 8260C: The following samples were diluted to bring the concentration of target analytes within the calibration range: MW-8R (480-211257-1), DPE-1 (480-211257-4) and DPE-3 (480-211257-6). Elevated reporting limits (RLs) are provided.

Method 8260C: Due to the amount of sediment present in the sample vials, volumes from two separate vials were combined for sample: DPE-7 (480-211257-9).

Method 8260C: The following samples were collected in a properly preserved vial; however, the pH was outside the required criteria when verified by the laboratory. The samples were analyzed within the 7-day holding time specified for unpreserved samples: DPE-7 (480-211257-9), DPE-8 (480-211257-10), (480-211257-A-10 MS) and (480-211257-A-10 MSD).

Method 8260C: The following volatiles sample was diluted due to foaming at the time of purging during the original sample analysis:

Case Narrative

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Job ID: 480-211209-1 (Continued)

Laboratory: Eurofins Buffalo (Continued)

DPE-7 (480-211257-9). Elevated reporting limits (RLs) are provided.

Method 8260C: The following samples were diluted due to the abundance of non-target analytes: DPE-8 (480-211257-10), (480-211257-A-10 MS) and (480-211257-A-10 MSD). Elevated reporting limits (RLs) are provided.

Method 8260C: The following samples were collected in a properly preserved vial; however, the pH was outside the required criteria when verified by the laboratory. The samples were analyzed within the 7-day holding time specified for unpreserved samples: MW-8R (480-211257-1), DPE-3 (480-211257-6), DPE-5 (480-211257-8), (480-211257-A-8 MS) and (480-211257-A-8 MSD).

Method 8260C: The laboratory control sample (LCS) and / or laboratory control sample duplicate (LCSD) for analytical batch 480-678615 recovered outside control limits for the following analytes: Chloromethane. These analytes were biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported. The associated samples are impacted: MW-16S (480-211309-1), MW-16D (480-211309-2), MW-4 (480-211309-3) and Trip Blank (480-211309-4).

Method 8260C: The continuing calibration verification (CCV) associated with batch 480-678615 recovered above the upper control limit for Chloromethane and Trichlorofluoromethane. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The associated samples are impacted: MW-16S (480-211309-1), MW-16D (480-211309-2), MW-4 (480-211309-3) and Trip Blank (480-211309-4).

Method 8260C: The continuing calibration verification (CCV) associated with batch 480-678615 recovered outside acceptance criteria, low biased, for 1,1,2-Trichloro-1,2,2-trifluoroethane and Carbon disulfide. A reporting limit (RL) standard was analyzed, and the target analytes are detected. Since the associated samples were non-detect for the analyte(s), the data are reported. The associated samples are impacted: MW-16S (480-211309-1), MW-16D (480-211309-2), MW-4 (480-211309-3) and Trip Blank (480-211309-4).

Method 8260C: The following samples were diluted to bring the concentration of target analytes within the calibration range: MW-16S (480-211309-1) and MW-4 (480-211309-3). Elevated reporting limits (RLs) are provided.

Method 8260C: The following volatiles sample was diluted due to foaming at the time of purging during the original sample analysis: MW-16D (480-211309-2). Elevated reporting limits (RLs) are provided.

Method 8260C: The following sample(s) was collected in a properly preserved vial; however, the pH was outside the required criteria when verified by the laboratory. The samples were analyzed within the 7-day holding time specified for unpreserved samples: MW-16S (480-211309-1), MW-16D (480-211309-2) and MW-4 (480-211309-3).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

General Chemistry

Methods 9060A, SM 5310C: The continuing calibration blank (CCB) for analytical batch 480-678770 contained Total Organic Carbon (TOC) above the reporting limit (RL). All reported samples associated with this CCB were either ND for this analyte or contained this analyte at a concentration greater than 10X the value found in the CCB; therefore, re-analysis of samples was not performed.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: MW-2

Lab Sample ID: 480-211209-1

Date Collected: 07/26/23 12:40

Matrix: Water

Date Received: 07/26/23 15:40

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		2.0	1.6	ug/L			07/27/23 10:59	2
1,1,2,2-Tetrachloroethane	ND		2.0	0.42	ug/L			07/27/23 10:59	2
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		2.0	0.62	ug/L			07/27/23 10:59	2
1,1,2-Trichloroethane	ND		2.0	0.46	ug/L			07/27/23 10:59	2
1,1-Dichloroethane	ND		2.0	0.76	ug/L			07/27/23 10:59	2
1,1-Dichloroethene	ND		2.0	0.58	ug/L			07/27/23 10:59	2
1,2,4-Trichlorobenzene	ND		2.0	0.82	ug/L			07/27/23 10:59	2
1,2-Dibromo-3-Chloropropane	ND		2.0	0.78	ug/L			07/27/23 10:59	2
1,2-Dibromoethane	ND		2.0	1.5	ug/L			07/27/23 10:59	2
1,2-Dichlorobenzene	ND		2.0	1.6	ug/L			07/27/23 10:59	2
1,2-Dichloroethane	ND		2.0	0.42	ug/L			07/27/23 10:59	2
1,2-Dichloropropane	ND		2.0	1.4	ug/L			07/27/23 10:59	2
1,3-Dichlorobenzene	ND		2.0	1.6	ug/L			07/27/23 10:59	2
1,4-Dichlorobenzene	ND		2.0	1.7	ug/L			07/27/23 10:59	2
2-Butanone (MEK)	ND		20	2.6	ug/L			07/27/23 10:59	2
2-Hexanone	ND		10	2.5	ug/L			07/27/23 10:59	2
4-Methyl-2-pentanone (MIBK)	ND		10	4.2	ug/L			07/27/23 10:59	2
Acetone	ND		20	6.0	ug/L			07/27/23 10:59	2
Benzene	ND		2.0	0.82	ug/L			07/27/23 10:59	2
Bromodichloromethane	ND		2.0	0.78	ug/L			07/27/23 10:59	2
Bromoform	ND		2.0	0.52	ug/L			07/27/23 10:59	2
Bromomethane	ND		2.0	1.4	ug/L			07/27/23 10:59	2
Carbon disulfide	ND		2.0	0.38	ug/L			07/27/23 10:59	2
Carbon tetrachloride	ND		2.0	0.54	ug/L			07/27/23 10:59	2
Chlorobenzene	ND		2.0	1.5	ug/L			07/27/23 10:59	2
Chloroethane	ND		2.0	0.64	ug/L			07/27/23 10:59	2
Chloroform	ND		2.0	0.68	ug/L			07/27/23 10:59	2
Chloromethane	ND	+	2.0	0.70	ug/L			07/27/23 10:59	2
cis-1,2-Dichloroethene	ND		2.0	1.6	ug/L			07/27/23 10:59	2
cis-1,3-Dichloropropene	ND		2.0	0.72	ug/L			07/27/23 10:59	2
Cyclohexane	ND		2.0	0.36	ug/L			07/27/23 10:59	2
Dibromochloromethane	ND		2.0	0.64	ug/L			07/27/23 10:59	2
Dichlorodifluoromethane	ND	+	2.0	1.4	ug/L			07/27/23 10:59	2
Ethylbenzene	ND		2.0	1.5	ug/L			07/27/23 10:59	2
Isopropylbenzene	ND		2.0	1.6	ug/L			07/27/23 10:59	2
Methyl acetate	ND		5.0	2.6	ug/L			07/27/23 10:59	2
Methyl tert-butyl ether	ND		2.0	0.32	ug/L			07/27/23 10:59	2
Methylcyclohexane	ND		2.0	0.32	ug/L			07/27/23 10:59	2
Methylene Chloride	ND		2.0	0.88	ug/L			07/27/23 10:59	2
Styrene	ND		2.0	1.5	ug/L			07/27/23 10:59	2
Tetrachloroethene	ND		2.0	0.72	ug/L			07/27/23 10:59	2
Toluene	ND		2.0	1.0	ug/L			07/27/23 10:59	2
trans-1,2-Dichloroethene	ND		2.0	1.8	ug/L			07/27/23 10:59	2
trans-1,3-Dichloropropene	ND		2.0	0.74	ug/L			07/27/23 10:59	2
Trichloroethene	ND		2.0	0.92	ug/L			07/27/23 10:59	2
Trichlorofluoromethane	ND		2.0	1.8	ug/L			07/27/23 10:59	2
Vinyl chloride	ND	+	2.0	1.8	ug/L			07/27/23 10:59	2
Xylenes, Total	ND		4.0	1.3	ug/L			07/27/23 10:59	2

Eurofins Buffalo

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: MW-2

Date Collected: 07/26/23 12:40

Date Received: 07/26/23 15:40

Lab Sample ID: 480-211209-1

Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		77 - 120		07/27/23 10:59	2
4-Bromofluorobenzene (Surr)	103		73 - 120		07/27/23 10:59	2
Toluene-d8 (Surr)	99		80 - 120		07/27/23 10:59	2
Dibromofluoromethane (Surr)	102		75 - 123		07/27/23 10:59	2

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon (SW846 9060A)	23.8		1.0	0.43	mg/L			07/29/23 16:17	1

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: Duplicate

Lab Sample ID: 480-211209-2

Date Collected: 07/26/23 08:00

Matrix: Water

Date Received: 07/26/23 15:40

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			07/27/23 18:08	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			07/27/23 18:08	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			07/27/23 18:08	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			07/27/23 18:08	1
1,1-Dichloroethane	0.53	J	1.0	0.38	ug/L			07/27/23 18:08	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			07/27/23 18:08	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			07/27/23 18:08	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			07/27/23 18:08	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			07/27/23 18:08	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			07/27/23 18:08	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			07/27/23 18:08	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			07/27/23 18:08	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			07/27/23 18:08	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			07/27/23 18:08	1
2-Butanone (MEK)	ND		10	1.3	ug/L			07/27/23 18:08	1
2-Hexanone	ND		5.0	1.2	ug/L			07/27/23 18:08	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			07/27/23 18:08	1
Acetone	ND		10	3.0	ug/L			07/27/23 18:08	1
Benzene	ND		1.0	0.41	ug/L			07/27/23 18:08	1
Bromodichloromethane	ND		1.0	0.39	ug/L			07/27/23 18:08	1
Bromoform	ND		1.0	0.26	ug/L			07/27/23 18:08	1
Bromomethane	ND		1.0	0.69	ug/L			07/27/23 18:08	1
Carbon disulfide	ND		1.0	0.19	ug/L			07/27/23 18:08	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			07/27/23 18:08	1
Chlorobenzene	ND		1.0	0.75	ug/L			07/27/23 18:08	1
Chloroethane	ND		1.0	0.32	ug/L			07/27/23 18:08	1
Chloroform	ND		1.0	0.34	ug/L			07/27/23 18:08	1
Chloromethane	ND		1.0	0.35	ug/L			07/27/23 18:08	1
cis-1,2-Dichloroethene	1.1		1.0	0.81	ug/L			07/27/23 18:08	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			07/27/23 18:08	1
Cyclohexane	ND		1.0	0.18	ug/L			07/27/23 18:08	1
Dibromochloromethane	ND		1.0	0.32	ug/L			07/27/23 18:08	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			07/27/23 18:08	1
Ethylbenzene	ND		1.0	0.74	ug/L			07/27/23 18:08	1
Isopropylbenzene	ND		1.0	0.79	ug/L			07/27/23 18:08	1
Methyl acetate	ND		2.5	1.3	ug/L			07/27/23 18:08	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			07/27/23 18:08	1
Methylcyclohexane	ND		1.0	0.16	ug/L			07/27/23 18:08	1
Methylene Chloride	ND		1.0	0.44	ug/L			07/27/23 18:08	1
Styrene	ND		1.0	0.73	ug/L			07/27/23 18:08	1
Tetrachloroethene	ND		1.0	0.36	ug/L			07/27/23 18:08	1
Toluene	ND		1.0	0.51	ug/L			07/27/23 18:08	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			07/27/23 18:08	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			07/27/23 18:08	1
Trichloroethene	ND		1.0	0.46	ug/L			07/27/23 18:08	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			07/27/23 18:08	1
Vinyl chloride	1.4		1.0	0.90	ug/L			07/27/23 18:08	1
Xylenes, Total	ND		2.0	0.66	ug/L			07/27/23 18:08	1

Eurofins Buffalo

Client Sample Results

Client: AECOM

Job ID: 480-211209-1

Project/Site: Scott Figgie West of Plant 2

Client Sample ID: Duplicate

Lab Sample ID: 480-211209-2

Date Collected: 07/26/23 08:00

Matrix: Water

Date Received: 07/26/23 15:40

<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
1,2-Dichloroethane-d4 (Surr)	99		77 - 120		07/27/23 18:08	1
4-Bromofluorobenzene (Surr)	102		73 - 120		07/27/23 18:08	1
Toluene-d8 (Surr)	111		80 - 120		07/27/23 18:08	1
Dibromofluoromethane (Surr)	93		75 - 123		07/27/23 18:08	1

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: MW-3

Lab Sample ID: 480-211209-3

Date Collected: 07/26/23 14:00

Matrix: Water

Date Received: 07/26/23 15:40

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			07/27/23 18:31	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			07/27/23 18:31	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			07/27/23 18:31	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			07/27/23 18:31	1
1,1-Dichloroethane	13		1.0	0.38	ug/L			07/27/23 18:31	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			07/27/23 18:31	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			07/27/23 18:31	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			07/27/23 18:31	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			07/27/23 18:31	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			07/27/23 18:31	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			07/27/23 18:31	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			07/27/23 18:31	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			07/27/23 18:31	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			07/27/23 18:31	1
2-Butanone (MEK)	ND		10	1.3	ug/L			07/27/23 18:31	1
2-Hexanone	ND		5.0	1.2	ug/L			07/27/23 18:31	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			07/27/23 18:31	1
Acetone	ND		10	3.0	ug/L			07/27/23 18:31	1
Benzene	ND		1.0	0.41	ug/L			07/27/23 18:31	1
Bromodichloromethane	ND		1.0	0.39	ug/L			07/27/23 18:31	1
Bromoform	ND		1.0	0.26	ug/L			07/27/23 18:31	1
Bromomethane	ND		1.0	0.69	ug/L			07/27/23 18:31	1
Carbon disulfide	ND		1.0	0.19	ug/L			07/27/23 18:31	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			07/27/23 18:31	1
Chlorobenzene	ND		1.0	0.75	ug/L			07/27/23 18:31	1
Chloroethane	ND		1.0	0.32	ug/L			07/27/23 18:31	1
Chloroform	ND		1.0	0.34	ug/L			07/27/23 18:31	1
Chloromethane	ND		1.0	0.35	ug/L			07/27/23 18:31	1
cis-1,2-Dichloroethene	3.5		1.0	0.81	ug/L			07/27/23 18:31	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			07/27/23 18:31	1
Cyclohexane	ND		1.0	0.18	ug/L			07/27/23 18:31	1
Dibromochloromethane	ND		1.0	0.32	ug/L			07/27/23 18:31	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			07/27/23 18:31	1
Ethylbenzene	ND		1.0	0.74	ug/L			07/27/23 18:31	1
Isopropylbenzene	ND		1.0	0.79	ug/L			07/27/23 18:31	1
Methyl acetate	ND		2.5	1.3	ug/L			07/27/23 18:31	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			07/27/23 18:31	1
Methylcyclohexane	ND		1.0	0.16	ug/L			07/27/23 18:31	1
Methylene Chloride	ND		1.0	0.44	ug/L			07/27/23 18:31	1
Styrene	ND		1.0	0.73	ug/L			07/27/23 18:31	1
Tetrachloroethene	ND		1.0	0.36	ug/L			07/27/23 18:31	1
Toluene	ND		1.0	0.51	ug/L			07/27/23 18:31	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			07/27/23 18:31	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			07/27/23 18:31	1
Trichloroethene	ND		1.0	0.46	ug/L			07/27/23 18:31	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			07/27/23 18:31	1
Vinyl chloride	9.7		1.0	0.90	ug/L			07/27/23 18:31	1
Xylenes, Total	ND		2.0	0.66	ug/L			07/27/23 18:31	1

Euofins Buffalo

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: MW-3

Lab Sample ID: 480-211209-3

Date Collected: 07/26/23 14:00

Matrix: Water

Date Received: 07/26/23 15:40

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		77 - 120		07/27/23 18:31	1
4-Bromofluorobenzene (Surr)	103		73 - 120		07/27/23 18:31	1
Toluene-d8 (Surr)	112		80 - 120		07/27/23 18:31	1
Dibromofluoromethane (Surr)	94		75 - 123		07/27/23 18:31	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon (SW846 9060A)	3.5		1.0	0.43	mg/L			07/29/23 16:47	1

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: MW-11

Lab Sample ID: 480-211209-4

Date Collected: 07/26/23 10:45

Matrix: Water

Date Received: 07/26/23 15:40

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			07/27/23 18:54	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			07/27/23 18:54	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			07/27/23 18:54	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			07/27/23 18:54	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			07/27/23 18:54	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			07/27/23 18:54	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			07/27/23 18:54	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			07/27/23 18:54	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			07/27/23 18:54	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			07/27/23 18:54	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			07/27/23 18:54	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			07/27/23 18:54	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			07/27/23 18:54	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			07/27/23 18:54	1
2-Butanone (MEK)	ND		10	1.3	ug/L			07/27/23 18:54	1
2-Hexanone	ND		5.0	1.2	ug/L			07/27/23 18:54	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			07/27/23 18:54	1
Acetone	ND		10	3.0	ug/L			07/27/23 18:54	1
Benzene	ND		1.0	0.41	ug/L			07/27/23 18:54	1
Bromodichloromethane	ND		1.0	0.39	ug/L			07/27/23 18:54	1
Bromoform	ND		1.0	0.26	ug/L			07/27/23 18:54	1
Bromomethane	ND		1.0	0.69	ug/L			07/27/23 18:54	1
Carbon disulfide	ND		1.0	0.19	ug/L			07/27/23 18:54	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			07/27/23 18:54	1
Chlorobenzene	ND		1.0	0.75	ug/L			07/27/23 18:54	1
Chloroethane	ND		1.0	0.32	ug/L			07/27/23 18:54	1
Chloroform	ND		1.0	0.34	ug/L			07/27/23 18:54	1
Chloromethane	ND		1.0	0.35	ug/L			07/27/23 18:54	1
cis-1,2-Dichloroethene	1.2		1.0	0.81	ug/L			07/27/23 18:54	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			07/27/23 18:54	1
Cyclohexane	ND		1.0	0.18	ug/L			07/27/23 18:54	1
Dibromochloromethane	ND		1.0	0.32	ug/L			07/27/23 18:54	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			07/27/23 18:54	1
Ethylbenzene	ND		1.0	0.74	ug/L			07/27/23 18:54	1
Isopropylbenzene	ND		1.0	0.79	ug/L			07/27/23 18:54	1
Methyl acetate	ND		2.5	1.3	ug/L			07/27/23 18:54	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			07/27/23 18:54	1
Methylcyclohexane	ND		1.0	0.16	ug/L			07/27/23 18:54	1
Methylene Chloride	ND		1.0	0.44	ug/L			07/27/23 18:54	1
Styrene	ND		1.0	0.73	ug/L			07/27/23 18:54	1
Tetrachloroethene	ND		1.0	0.36	ug/L			07/27/23 18:54	1
Toluene	ND		1.0	0.51	ug/L			07/27/23 18:54	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			07/27/23 18:54	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			07/27/23 18:54	1
Trichloroethene	ND		1.0	0.46	ug/L			07/27/23 18:54	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			07/27/23 18:54	1
Vinyl chloride	1.5		1.0	0.90	ug/L			07/27/23 18:54	1
Xylenes, Total	ND		2.0	0.66	ug/L			07/27/23 18:54	1

Euofins Buffalo

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: MW-11

Date Collected: 07/26/23 10:45

Date Received: 07/26/23 15:40

Lab Sample ID: 480-211209-4

Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		77 - 120		07/27/23 18:54	1
4-Bromofluorobenzene (Surr)	105		73 - 120		07/27/23 18:54	1
Toluene-d8 (Surr)	109		80 - 120		07/27/23 18:54	1
Dibromofluoromethane (Surr)	94		75 - 123		07/27/23 18:54	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon (SW846 9060A)	3.8		1.0	0.43	mg/L			07/29/23 17:16	1

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: GWTC

Lab Sample ID: 480-211209-5

Date Collected: 07/26/23 14:45

Matrix: Water

Date Received: 07/26/23 15:40

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			07/27/23 12:27	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			07/27/23 12:27	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			07/27/23 12:27	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			07/27/23 12:27	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			07/27/23 12:27	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			07/27/23 12:27	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			07/27/23 12:27	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			07/27/23 12:27	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			07/27/23 12:27	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			07/27/23 12:27	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			07/27/23 12:27	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			07/27/23 12:27	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			07/27/23 12:27	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			07/27/23 12:27	1
2-Butanone (MEK)	ND		10	1.3	ug/L			07/27/23 12:27	1
2-Hexanone	ND		5.0	1.2	ug/L			07/27/23 12:27	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			07/27/23 12:27	1
Acetone	ND		10	3.0	ug/L			07/27/23 12:27	1
Benzene	ND		1.0	0.41	ug/L			07/27/23 12:27	1
Bromodichloromethane	ND		1.0	0.39	ug/L			07/27/23 12:27	1
Bromoform	ND		1.0	0.26	ug/L			07/27/23 12:27	1
Bromomethane	ND		1.0	0.69	ug/L			07/27/23 12:27	1
Carbon disulfide	ND		1.0	0.19	ug/L			07/27/23 12:27	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			07/27/23 12:27	1
Chlorobenzene	ND		1.0	0.75	ug/L			07/27/23 12:27	1
Chloroethane	19		1.0	0.32	ug/L			07/27/23 12:27	1
Chloroform	ND		1.0	0.34	ug/L			07/27/23 12:27	1
Chloromethane	ND	+	1.0	0.35	ug/L			07/27/23 12:27	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			07/27/23 12:27	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			07/27/23 12:27	1
Cyclohexane	ND		1.0	0.18	ug/L			07/27/23 12:27	1
Dibromochloromethane	ND		1.0	0.32	ug/L			07/27/23 12:27	1
Dichlorodifluoromethane	ND	+	1.0	0.68	ug/L			07/27/23 12:27	1
Ethylbenzene	ND		1.0	0.74	ug/L			07/27/23 12:27	1
Isopropylbenzene	ND		1.0	0.79	ug/L			07/27/23 12:27	1
Methyl acetate	ND		2.5	1.3	ug/L			07/27/23 12:27	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			07/27/23 12:27	1
Methylcyclohexane	ND		1.0	0.16	ug/L			07/27/23 12:27	1
Methylene Chloride	ND		1.0	0.44	ug/L			07/27/23 12:27	1
Styrene	ND		1.0	0.73	ug/L			07/27/23 12:27	1
Tetrachloroethene	ND		1.0	0.36	ug/L			07/27/23 12:27	1
Toluene	0.71	J	1.0	0.51	ug/L			07/27/23 12:27	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			07/27/23 12:27	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			07/27/23 12:27	1
Trichloroethene	ND		1.0	0.46	ug/L			07/27/23 12:27	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			07/27/23 12:27	1
Vinyl chloride	ND	+	1.0	0.90	ug/L			07/27/23 12:27	1
Xylenes, Total	ND		2.0	0.66	ug/L			07/27/23 12:27	1

Euofins Buffalo

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: GWTC

Date Collected: 07/26/23 14:45

Date Received: 07/26/23 15:40

Lab Sample ID: 480-211209-5

Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		77 - 120		07/27/23 12:27	1
4-Bromofluorobenzene (Surr)	105		73 - 120		07/27/23 12:27	1
Toluene-d8 (Surr)	101		80 - 120		07/27/23 12:27	1
Dibromofluoromethane (Surr)	104		75 - 123		07/27/23 12:27	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon (SW846 9060A)	2.5		1.0	0.43	mg/L			07/29/23 17:45	1

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: MW-8R

Lab Sample ID: 480-211257-1

Date Collected: 07/27/23 12:00

Matrix: Water

Date Received: 07/27/23 15:50

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		40	33	ug/L			07/28/23 17:03	40
1,1,2,2-Tetrachloroethane	ND		40	8.4	ug/L			07/28/23 17:03	40
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		40	12	ug/L			07/28/23 17:03	40
1,1,2-Trichloroethane	ND		40	9.2	ug/L			07/28/23 17:03	40
1,1-Dichloroethane	ND		40	15	ug/L			07/28/23 17:03	40
1,1-Dichloroethene	ND		40	12	ug/L			07/28/23 17:03	40
1,2,4-Trichlorobenzene	ND		40	16	ug/L			07/28/23 17:03	40
1,2-Dibromo-3-Chloropropane	ND		40	16	ug/L			07/28/23 17:03	40
1,2-Dibromoethane	ND		40	29	ug/L			07/28/23 17:03	40
1,2-Dichlorobenzene	ND		40	32	ug/L			07/28/23 17:03	40
1,2-Dichloroethane	ND		40	8.4	ug/L			07/28/23 17:03	40
1,2-Dichloropropane	ND		40	29	ug/L			07/28/23 17:03	40
1,3-Dichlorobenzene	ND		40	31	ug/L			07/28/23 17:03	40
1,4-Dichlorobenzene	ND		40	34	ug/L			07/28/23 17:03	40
2-Butanone (MEK)	250	J	400	53	ug/L			07/28/23 17:03	40
2-Hexanone	ND		200	50	ug/L			07/28/23 17:03	40
4-Methyl-2-pentanone (MIBK)	ND		200	84	ug/L			07/28/23 17:03	40
Acetone	ND		400	120	ug/L			07/28/23 17:03	40
Benzene	ND		40	16	ug/L			07/28/23 17:03	40
Bromodichloromethane	ND		40	16	ug/L			07/28/23 17:03	40
Bromoform	ND		40	10	ug/L			07/28/23 17:03	40
Bromomethane	ND		40	28	ug/L			07/28/23 17:03	40
Carbon disulfide	ND		40	7.6	ug/L			07/28/23 17:03	40
Carbon tetrachloride	ND		40	11	ug/L			07/28/23 17:03	40
Chlorobenzene	ND		40	30	ug/L			07/28/23 17:03	40
Chloroethane	ND		40	13	ug/L			07/28/23 17:03	40
Chloroform	ND		40	14	ug/L			07/28/23 17:03	40
Chloromethane	ND		40	14	ug/L			07/28/23 17:03	40
cis-1,2-Dichloroethene	120		40	32	ug/L			07/28/23 17:03	40
cis-1,3-Dichloropropene	ND		40	14	ug/L			07/28/23 17:03	40
Cyclohexane	ND		40	7.2	ug/L			07/28/23 17:03	40
Dibromochloromethane	ND		40	13	ug/L			07/28/23 17:03	40
Dichlorodifluoromethane	ND		40	27	ug/L			07/28/23 17:03	40
Ethylbenzene	ND		40	30	ug/L			07/28/23 17:03	40
Isopropylbenzene	ND		40	32	ug/L			07/28/23 17:03	40
Methyl acetate	ND		100	52	ug/L			07/28/23 17:03	40
Methyl tert-butyl ether	ND		40	6.4	ug/L			07/28/23 17:03	40
Methylcyclohexane	ND		40	6.4	ug/L			07/28/23 17:03	40
Methylene Chloride	ND		40	18	ug/L			07/28/23 17:03	40
Styrene	ND		40	29	ug/L			07/28/23 17:03	40
Tetrachloroethene	ND		40	14	ug/L			07/28/23 17:03	40
Toluene	ND		40	20	ug/L			07/28/23 17:03	40
trans-1,2-Dichloroethene	ND		40	36	ug/L			07/28/23 17:03	40
trans-1,3-Dichloropropene	ND		40	15	ug/L			07/28/23 17:03	40
Trichloroethene	ND		40	18	ug/L			07/28/23 17:03	40
Trichlorofluoromethane	ND		40	35	ug/L			07/28/23 17:03	40
Vinyl chloride	2700		40	36	ug/L			07/28/23 17:03	40
Xylenes, Total	ND		80	26	ug/L			07/28/23 17:03	40

Eurofins Buffalo

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: MW-8R

Date Collected: 07/27/23 12:00

Date Received: 07/27/23 15:50

Lab Sample ID: 480-211257-1

Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		77 - 120		07/28/23 17:03	40
4-Bromofluorobenzene (Surr)	81		73 - 120		07/28/23 17:03	40
Toluene-d8 (Surr)	83		80 - 120		07/28/23 17:03	40
Dibromofluoromethane (Surr)	102		75 - 123		07/28/23 17:03	40

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon (SW846 9060A)	2190	B	40.0	17.4	mg/L			08/06/23 00:32	40

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: MW-13S

Lab Sample ID: 480-211257-2

Date Collected: 07/27/23 13:40

Matrix: Water

Date Received: 07/27/23 15:50

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		2.0	1.6	ug/L			07/28/23 17:28	2
1,1,2,2-Tetrachloroethane	ND		2.0	0.42	ug/L			07/28/23 17:28	2
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		2.0	0.62	ug/L			07/28/23 17:28	2
1,1,2-Trichloroethane	ND		2.0	0.46	ug/L			07/28/23 17:28	2
1,1-Dichloroethane	ND		2.0	0.76	ug/L			07/28/23 17:28	2
1,1-Dichloroethene	ND		2.0	0.58	ug/L			07/28/23 17:28	2
1,2,4-Trichlorobenzene	ND		2.0	0.82	ug/L			07/28/23 17:28	2
1,2-Dibromo-3-Chloropropane	ND		2.0	0.78	ug/L			07/28/23 17:28	2
1,2-Dibromoethane	ND		2.0	1.5	ug/L			07/28/23 17:28	2
1,2-Dichlorobenzene	ND		2.0	1.6	ug/L			07/28/23 17:28	2
1,2-Dichloroethane	ND		2.0	0.42	ug/L			07/28/23 17:28	2
1,2-Dichloropropane	ND		2.0	1.4	ug/L			07/28/23 17:28	2
1,3-Dichlorobenzene	ND		2.0	1.6	ug/L			07/28/23 17:28	2
1,4-Dichlorobenzene	ND		2.0	1.7	ug/L			07/28/23 17:28	2
2-Butanone (MEK)	ND		20	2.6	ug/L			07/28/23 17:28	2
2-Hexanone	ND		10	2.5	ug/L			07/28/23 17:28	2
4-Methyl-2-pentanone (MIBK)	ND		10	4.2	ug/L			07/28/23 17:28	2
Acetone	ND		20	6.0	ug/L			07/28/23 17:28	2
Benzene	ND		2.0	0.82	ug/L			07/28/23 17:28	2
Bromodichloromethane	ND		2.0	0.78	ug/L			07/28/23 17:28	2
Bromoform	ND		2.0	0.52	ug/L			07/28/23 17:28	2
Bromomethane	ND		2.0	1.4	ug/L			07/28/23 17:28	2
Carbon disulfide	ND		2.0	0.38	ug/L			07/28/23 17:28	2
Carbon tetrachloride	ND		2.0	0.54	ug/L			07/28/23 17:28	2
Chlorobenzene	ND		2.0	1.5	ug/L			07/28/23 17:28	2
Chloroethane	6.0		2.0	0.64	ug/L			07/28/23 17:28	2
Chloroform	ND		2.0	0.68	ug/L			07/28/23 17:28	2
Chloromethane	ND		2.0	0.70	ug/L			07/28/23 17:28	2
cis-1,2-Dichloroethene	8.9		2.0	1.6	ug/L			07/28/23 17:28	2
cis-1,3-Dichloropropene	ND		2.0	0.72	ug/L			07/28/23 17:28	2
Cyclohexane	ND		2.0	0.36	ug/L			07/28/23 17:28	2
Dibromochloromethane	ND		2.0	0.64	ug/L			07/28/23 17:28	2
Dichlorodifluoromethane	ND		2.0	1.4	ug/L			07/28/23 17:28	2
Ethylbenzene	ND		2.0	1.5	ug/L			07/28/23 17:28	2
Isopropylbenzene	ND		2.0	1.6	ug/L			07/28/23 17:28	2
Methyl acetate	ND		5.0	2.6	ug/L			07/28/23 17:28	2
Methyl tert-butyl ether	ND		2.0	0.32	ug/L			07/28/23 17:28	2
Methylcyclohexane	ND		2.0	0.32	ug/L			07/28/23 17:28	2
Methylene Chloride	ND		2.0	0.88	ug/L			07/28/23 17:28	2
Styrene	ND		2.0	1.5	ug/L			07/28/23 17:28	2
Tetrachloroethene	ND		2.0	0.72	ug/L			07/28/23 17:28	2
Toluene	ND		2.0	1.0	ug/L			07/28/23 17:28	2
trans-1,2-Dichloroethene	ND		2.0	1.8	ug/L			07/28/23 17:28	2
trans-1,3-Dichloropropene	ND		2.0	0.74	ug/L			07/28/23 17:28	2
Trichloroethene	ND		2.0	0.92	ug/L			07/28/23 17:28	2
Trichlorofluoromethane	ND		2.0	1.8	ug/L			07/28/23 17:28	2
Vinyl chloride	20		2.0	1.8	ug/L			07/28/23 17:28	2
Xylenes, Total	ND		4.0	1.3	ug/L			07/28/23 17:28	2

Eurofins Buffalo

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: MW-13S

Lab Sample ID: 480-211257-2

Date Collected: 07/27/23 13:40

Matrix: Water

Date Received: 07/27/23 15:50

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		77 - 120		07/28/23 17:28	2
4-Bromofluorobenzene (Surr)	82		73 - 120		07/28/23 17:28	2
Toluene-d8 (Surr)	85		80 - 120		07/28/23 17:28	2
Dibromofluoromethane (Surr)	100		75 - 123		07/28/23 17:28	2

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon (SW846 9060A)	7.7		1.0	0.43	mg/L			08/03/23 22:18	1

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: MW-13D

Lab Sample ID: 480-211257-3

Date Collected: 07/27/23 15:05

Matrix: Water

Date Received: 07/27/23 15:50

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			07/28/23 17:52	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			07/28/23 17:52	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			07/28/23 17:52	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			07/28/23 17:52	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			07/28/23 17:52	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			07/28/23 17:52	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			07/28/23 17:52	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			07/28/23 17:52	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			07/28/23 17:52	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			07/28/23 17:52	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			07/28/23 17:52	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			07/28/23 17:52	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			07/28/23 17:52	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			07/28/23 17:52	1
2-Butanone (MEK)	ND		10	1.3	ug/L			07/28/23 17:52	1
2-Hexanone	ND		5.0	1.2	ug/L			07/28/23 17:52	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			07/28/23 17:52	1
Acetone	ND		10	3.0	ug/L			07/28/23 17:52	1
Benzene	ND		1.0	0.41	ug/L			07/28/23 17:52	1
Bromodichloromethane	ND		1.0	0.39	ug/L			07/28/23 17:52	1
Bromoform	ND		1.0	0.26	ug/L			07/28/23 17:52	1
Bromomethane	ND		1.0	0.69	ug/L			07/28/23 17:52	1
Carbon disulfide	ND		1.0	0.19	ug/L			07/28/23 17:52	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			07/28/23 17:52	1
Chlorobenzene	ND		1.0	0.75	ug/L			07/28/23 17:52	1
Chloroethane	3.6		1.0	0.32	ug/L			07/28/23 17:52	1
Chloroform	ND		1.0	0.34	ug/L			07/28/23 17:52	1
Chloromethane	ND		1.0	0.35	ug/L			07/28/23 17:52	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			07/28/23 17:52	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			07/28/23 17:52	1
Cyclohexane	ND		1.0	0.18	ug/L			07/28/23 17:52	1
Dibromochloromethane	ND		1.0	0.32	ug/L			07/28/23 17:52	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			07/28/23 17:52	1
Ethylbenzene	ND		1.0	0.74	ug/L			07/28/23 17:52	1
Isopropylbenzene	ND		1.0	0.79	ug/L			07/28/23 17:52	1
Methyl acetate	ND		2.5	1.3	ug/L			07/28/23 17:52	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			07/28/23 17:52	1
Methylcyclohexane	ND		1.0	0.16	ug/L			07/28/23 17:52	1
Methylene Chloride	ND		1.0	0.44	ug/L			07/28/23 17:52	1
Styrene	ND		1.0	0.73	ug/L			07/28/23 17:52	1
Tetrachloroethene	ND		1.0	0.36	ug/L			07/28/23 17:52	1
Toluene	ND		1.0	0.51	ug/L			07/28/23 17:52	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			07/28/23 17:52	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			07/28/23 17:52	1
Trichloroethene	ND		1.0	0.46	ug/L			07/28/23 17:52	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			07/28/23 17:52	1
Vinyl chloride	ND		1.0	0.90	ug/L			07/28/23 17:52	1
Xylenes, Total	ND		2.0	0.66	ug/L			07/28/23 17:52	1

Eurofins Buffalo

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: MW-13D

Lab Sample ID: 480-211257-3

Date Collected: 07/27/23 15:05

Matrix: Water

Date Received: 07/27/23 15:50

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		77 - 120		07/28/23 17:52	1
4-Bromofluorobenzene (Surr)	75		73 - 120		07/28/23 17:52	1
Toluene-d8 (Surr)	82		80 - 120		07/28/23 17:52	1
Dibromofluoromethane (Surr)	97		75 - 123		07/28/23 17:52	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon (SW846 9060A)	3.3		1.0	0.43	mg/L			08/03/23 22:47	1

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: DPE-1

Lab Sample ID: 480-211257-4

Date Collected: 07/27/23 10:10

Matrix: Water

Date Received: 07/27/23 15:50

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		20	16	ug/L			07/28/23 18:16	20
1,1,2,2-Tetrachloroethane	ND		20	4.2	ug/L			07/28/23 18:16	20
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		20	6.2	ug/L			07/28/23 18:16	20
1,1,2-Trichloroethane	ND		20	4.6	ug/L			07/28/23 18:16	20
1,1-Dichloroethane	93		20	7.6	ug/L			07/28/23 18:16	20
1,1-Dichloroethene	ND		20	5.8	ug/L			07/28/23 18:16	20
1,2,4-Trichlorobenzene	ND		20	8.2	ug/L			07/28/23 18:16	20
1,2-Dibromo-3-Chloropropane	ND		20	7.8	ug/L			07/28/23 18:16	20
1,2-Dibromoethane	ND		20	15	ug/L			07/28/23 18:16	20
1,2-Dichlorobenzene	ND		20	16	ug/L			07/28/23 18:16	20
1,2-Dichloroethane	ND		20	4.2	ug/L			07/28/23 18:16	20
1,2-Dichloropropane	ND		20	14	ug/L			07/28/23 18:16	20
1,3-Dichlorobenzene	ND		20	16	ug/L			07/28/23 18:16	20
1,4-Dichlorobenzene	ND		20	17	ug/L			07/28/23 18:16	20
2-Butanone (MEK)	400		200	26	ug/L			07/28/23 18:16	20
2-Hexanone	ND		100	25	ug/L			07/28/23 18:16	20
4-Methyl-2-pentanone (MIBK)	ND		100	42	ug/L			07/28/23 18:16	20
Acetone	1300		200	60	ug/L			07/28/23 18:16	20
Benzene	ND		20	8.2	ug/L			07/28/23 18:16	20
Bromodichloromethane	ND		20	7.8	ug/L			07/28/23 18:16	20
Bromoform	ND		20	5.2	ug/L			07/28/23 18:16	20
Bromomethane	ND		20	14	ug/L			07/28/23 18:16	20
Carbon disulfide	ND		20	3.8	ug/L			07/28/23 18:16	20
Carbon tetrachloride	ND		20	5.4	ug/L			07/28/23 18:16	20
Chlorobenzene	ND		20	15	ug/L			07/28/23 18:16	20
Chloroethane	ND		20	6.4	ug/L			07/28/23 18:16	20
Chloroform	ND		20	6.8	ug/L			07/28/23 18:16	20
Chloromethane	ND		20	7.0	ug/L			07/28/23 18:16	20
cis-1,2-Dichloroethene	140		20	16	ug/L			07/28/23 18:16	20
cis-1,3-Dichloropropene	ND		20	7.2	ug/L			07/28/23 18:16	20
Cyclohexane	ND		20	3.6	ug/L			07/28/23 18:16	20
Dibromochloromethane	ND		20	6.4	ug/L			07/28/23 18:16	20
Dichlorodifluoromethane	ND		20	14	ug/L			07/28/23 18:16	20
Ethylbenzene	ND		20	15	ug/L			07/28/23 18:16	20
Isopropylbenzene	ND		20	16	ug/L			07/28/23 18:16	20
Methyl acetate	ND		50	26	ug/L			07/28/23 18:16	20
Methyl tert-butyl ether	ND		20	3.2	ug/L			07/28/23 18:16	20
Methylcyclohexane	ND		20	3.2	ug/L			07/28/23 18:16	20
Methylene Chloride	ND		20	8.8	ug/L			07/28/23 18:16	20
Styrene	ND		20	15	ug/L			07/28/23 18:16	20
Tetrachloroethene	ND		20	7.2	ug/L			07/28/23 18:16	20
Toluene	13 J		20	10	ug/L			07/28/23 18:16	20
trans-1,2-Dichloroethene	ND		20	18	ug/L			07/28/23 18:16	20
trans-1,3-Dichloropropene	ND		20	7.4	ug/L			07/28/23 18:16	20
Trichloroethene	12 J		20	9.2	ug/L			07/28/23 18:16	20
Trichlorofluoromethane	ND		20	18	ug/L			07/28/23 18:16	20
Vinyl chloride	ND		20	18	ug/L			07/28/23 18:16	20
Xylenes, Total	ND		40	13	ug/L			07/28/23 18:16	20

Eurofins Buffalo

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: DPE-1

Date Collected: 07/27/23 10:10

Date Received: 07/27/23 15:50

Lab Sample ID: 480-211257-4

Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	101		77 - 120		07/28/23 18:16	20
4-Bromofluorobenzene (Surr)	83		73 - 120		07/28/23 18:16	20
Toluene-d8 (Surr)	86		80 - 120		07/28/23 18:16	20
Dibromofluoromethane (Surr)	99		75 - 123		07/28/23 18:16	20

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon (SW846 9060A)	292	^2	4.0	1.7	mg/L			08/02/23 13:07	4

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: DPE-2

Lab Sample ID: 480-211257-5

Date Collected: 07/27/23 09:30

Matrix: Water

Date Received: 07/27/23 15:50

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			07/28/23 18:41	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			07/28/23 18:41	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			07/28/23 18:41	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			07/28/23 18:41	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			07/28/23 18:41	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			07/28/23 18:41	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			07/28/23 18:41	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			07/28/23 18:41	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			07/28/23 18:41	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			07/28/23 18:41	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			07/28/23 18:41	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			07/28/23 18:41	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			07/28/23 18:41	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			07/28/23 18:41	1
2-Butanone (MEK)	3.5	J	10	1.3	ug/L			07/28/23 18:41	1
2-Hexanone	ND		5.0	1.2	ug/L			07/28/23 18:41	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			07/28/23 18:41	1
Acetone	6.8	J	10	3.0	ug/L			07/28/23 18:41	1
Benzene	ND		1.0	0.41	ug/L			07/28/23 18:41	1
Bromodichloromethane	ND		1.0	0.39	ug/L			07/28/23 18:41	1
Bromoform	ND		1.0	0.26	ug/L			07/28/23 18:41	1
Bromomethane	ND		1.0	0.69	ug/L			07/28/23 18:41	1
Carbon disulfide	ND		1.0	0.19	ug/L			07/28/23 18:41	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			07/28/23 18:41	1
Chlorobenzene	ND		1.0	0.75	ug/L			07/28/23 18:41	1
Chloroethane	ND		1.0	0.32	ug/L			07/28/23 18:41	1
Chloroform	ND		1.0	0.34	ug/L			07/28/23 18:41	1
Chloromethane	ND		1.0	0.35	ug/L			07/28/23 18:41	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			07/28/23 18:41	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			07/28/23 18:41	1
Cyclohexane	ND		1.0	0.18	ug/L			07/28/23 18:41	1
Dibromochloromethane	ND		1.0	0.32	ug/L			07/28/23 18:41	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			07/28/23 18:41	1
Ethylbenzene	ND		1.0	0.74	ug/L			07/28/23 18:41	1
Isopropylbenzene	ND		1.0	0.79	ug/L			07/28/23 18:41	1
Methyl acetate	ND		2.5	1.3	ug/L			07/28/23 18:41	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			07/28/23 18:41	1
Methylcyclohexane	ND		1.0	0.16	ug/L			07/28/23 18:41	1
Methylene Chloride	ND		1.0	0.44	ug/L			07/28/23 18:41	1
Styrene	ND		1.0	0.73	ug/L			07/28/23 18:41	1
Tetrachloroethene	ND		1.0	0.36	ug/L			07/28/23 18:41	1
Toluene	ND		1.0	0.51	ug/L			07/28/23 18:41	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			07/28/23 18:41	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			07/28/23 18:41	1
Trichloroethene	ND		1.0	0.46	ug/L			07/28/23 18:41	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			07/28/23 18:41	1
Vinyl chloride	2.3		1.0	0.90	ug/L			07/28/23 18:41	1
Xylenes, Total	ND		2.0	0.66	ug/L			07/28/23 18:41	1

Eurofins Buffalo

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: DPE-2

Date Collected: 07/27/23 09:30

Date Received: 07/27/23 15:50

Lab Sample ID: 480-211257-5

Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		77 - 120		07/28/23 18:41	1
4-Bromofluorobenzene (Surr)	80		73 - 120		07/28/23 18:41	1
Toluene-d8 (Surr)	85		80 - 120		07/28/23 18:41	1
Dibromofluoromethane (Surr)	99		75 - 123		07/28/23 18:41	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon (SW846 9060A)	8.4		1.0	0.43	mg/L			08/03/23 23:16	1

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: DPE-3

Lab Sample ID: 480-211257-6

Date Collected: 07/27/23 09:15

Matrix: Water

Date Received: 07/27/23 15:50

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		10	8.2	ug/L			07/28/23 19:05	10
1,1,2,2-Tetrachloroethane	ND		10	2.1	ug/L			07/28/23 19:05	10
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		10	3.1	ug/L			07/28/23 19:05	10
1,1,2-Trichloroethane	ND		10	2.3	ug/L			07/28/23 19:05	10
1,1-Dichloroethane	ND		10	3.8	ug/L			07/28/23 19:05	10
1,1-Dichloroethene	ND		10	2.9	ug/L			07/28/23 19:05	10
1,2,4-Trichlorobenzene	ND		10	4.1	ug/L			07/28/23 19:05	10
1,2-Dibromo-3-Chloropropane	ND		10	3.9	ug/L			07/28/23 19:05	10
1,2-Dibromoethane	ND		10	7.3	ug/L			07/28/23 19:05	10
1,2-Dichlorobenzene	ND		10	7.9	ug/L			07/28/23 19:05	10
1,2-Dichloroethane	ND		10	2.1	ug/L			07/28/23 19:05	10
1,2-Dichloropropane	ND		10	7.2	ug/L			07/28/23 19:05	10
1,3-Dichlorobenzene	ND		10	7.8	ug/L			07/28/23 19:05	10
1,4-Dichlorobenzene	ND		10	8.4	ug/L			07/28/23 19:05	10
2-Butanone (MEK)	540		100	13	ug/L			07/28/23 19:05	10
2-Hexanone	24	J	50	12	ug/L			07/28/23 19:05	10
4-Methyl-2-pentanone (MIBK)	ND		50	21	ug/L			07/28/23 19:05	10
Acetone	130		100	30	ug/L			07/28/23 19:05	10
Benzene	ND		10	4.1	ug/L			07/28/23 19:05	10
Bromodichloromethane	ND		10	3.9	ug/L			07/28/23 19:05	10
Bromoform	ND		10	2.6	ug/L			07/28/23 19:05	10
Bromomethane	ND		10	6.9	ug/L			07/28/23 19:05	10
Carbon disulfide	ND		10	1.9	ug/L			07/28/23 19:05	10
Carbon tetrachloride	ND		10	2.7	ug/L			07/28/23 19:05	10
Chlorobenzene	ND		10	7.5	ug/L			07/28/23 19:05	10
Chloroethane	ND		10	3.2	ug/L			07/28/23 19:05	10
Chloroform	ND		10	3.4	ug/L			07/28/23 19:05	10
Chloromethane	ND		10	3.5	ug/L			07/28/23 19:05	10
cis-1,2-Dichloroethene	29		10	8.1	ug/L			07/28/23 19:05	10
cis-1,3-Dichloropropene	ND		10	3.6	ug/L			07/28/23 19:05	10
Cyclohexane	ND		10	1.8	ug/L			07/28/23 19:05	10
Dibromochloromethane	ND		10	3.2	ug/L			07/28/23 19:05	10
Dichlorodifluoromethane	ND		10	6.8	ug/L			07/28/23 19:05	10
Ethylbenzene	ND		10	7.4	ug/L			07/28/23 19:05	10
Isopropylbenzene	ND		10	7.9	ug/L			07/28/23 19:05	10
Methyl acetate	ND		25	13	ug/L			07/28/23 19:05	10
Methyl tert-butyl ether	ND		10	1.6	ug/L			07/28/23 19:05	10
Methylcyclohexane	ND		10	1.6	ug/L			07/28/23 19:05	10
Methylene Chloride	ND		10	4.4	ug/L			07/28/23 19:05	10
Styrene	ND		10	7.3	ug/L			07/28/23 19:05	10
Tetrachloroethene	ND		10	3.6	ug/L			07/28/23 19:05	10
Toluene	ND		10	5.1	ug/L			07/28/23 19:05	10
trans-1,2-Dichloroethene	ND		10	9.0	ug/L			07/28/23 19:05	10
trans-1,3-Dichloropropene	ND		10	3.7	ug/L			07/28/23 19:05	10
Trichloroethene	ND		10	4.6	ug/L			07/28/23 19:05	10
Trichlorofluoromethane	ND		10	8.8	ug/L			07/28/23 19:05	10
Vinyl chloride	22		10	9.0	ug/L			07/28/23 19:05	10
Xylenes, Total	ND		20	6.6	ug/L			07/28/23 19:05	10

Eurofins Buffalo

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: DPE-3

Date Collected: 07/27/23 09:15

Date Received: 07/27/23 15:50

Lab Sample ID: 480-211257-6

Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		77 - 120		07/28/23 19:05	10
4-Bromofluorobenzene (Surr)	83		73 - 120		07/28/23 19:05	10
Toluene-d8 (Surr)	86		80 - 120		07/28/23 19:05	10
Dibromofluoromethane (Surr)	100		75 - 123		07/28/23 19:05	10

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon (SW846 9060A)	4290		100	43.4	mg/L			08/03/23 23:45	100

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: DPE-4

Lab Sample ID: 480-211257-7

Date Collected: 07/27/23 09:45

Matrix: Water

Date Received: 07/27/23 15:50

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		8.0	6.6	ug/L			07/28/23 19:29	8
1,1,2,2-Tetrachloroethane	ND		8.0	1.7	ug/L			07/28/23 19:29	8
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		8.0	2.5	ug/L			07/28/23 19:29	8
1,1,2-Trichloroethane	ND		8.0	1.8	ug/L			07/28/23 19:29	8
1,1-Dichloroethane	ND		8.0	3.0	ug/L			07/28/23 19:29	8
1,1-Dichloroethene	ND		8.0	2.3	ug/L			07/28/23 19:29	8
1,2,4-Trichlorobenzene	ND		8.0	3.3	ug/L			07/28/23 19:29	8
1,2-Dibromo-3-Chloropropane	ND		8.0	3.1	ug/L			07/28/23 19:29	8
1,2-Dibromoethane	ND		8.0	5.8	ug/L			07/28/23 19:29	8
1,2-Dichlorobenzene	ND		8.0	6.3	ug/L			07/28/23 19:29	8
1,2-Dichloroethane	ND		8.0	1.7	ug/L			07/28/23 19:29	8
1,2-Dichloropropane	ND		8.0	5.8	ug/L			07/28/23 19:29	8
1,3-Dichlorobenzene	ND		8.0	6.2	ug/L			07/28/23 19:29	8
1,4-Dichlorobenzene	ND		8.0	6.7	ug/L			07/28/23 19:29	8
2-Butanone (MEK)	ND		80	11	ug/L			07/28/23 19:29	8
2-Hexanone	ND		40	9.9	ug/L			07/28/23 19:29	8
4-Methyl-2-pentanone (MIBK)	ND		40	17	ug/L			07/28/23 19:29	8
Acetone	ND		80	24	ug/L			07/28/23 19:29	8
Benzene	ND		8.0	3.3	ug/L			07/28/23 19:29	8
Bromodichloromethane	ND		8.0	3.1	ug/L			07/28/23 19:29	8
Bromoform	ND		8.0	2.1	ug/L			07/28/23 19:29	8
Bromomethane	ND		8.0	5.5	ug/L			07/28/23 19:29	8
Carbon disulfide	ND		8.0	1.5	ug/L			07/28/23 19:29	8
Carbon tetrachloride	ND		8.0	2.2	ug/L			07/28/23 19:29	8
Chlorobenzene	ND		8.0	6.0	ug/L			07/28/23 19:29	8
Chloroethane	ND		8.0	2.6	ug/L			07/28/23 19:29	8
Chloroform	ND		8.0	2.7	ug/L			07/28/23 19:29	8
Chloromethane	ND		8.0	2.8	ug/L			07/28/23 19:29	8
cis-1,2-Dichloroethene	110		8.0	6.5	ug/L			07/28/23 19:29	8
cis-1,3-Dichloropropene	ND		8.0	2.9	ug/L			07/28/23 19:29	8
Cyclohexane	ND		8.0	1.4	ug/L			07/28/23 19:29	8
Dibromochloromethane	ND		8.0	2.6	ug/L			07/28/23 19:29	8
Dichlorodifluoromethane	ND		8.0	5.4	ug/L			07/28/23 19:29	8
Ethylbenzene	ND		8.0	5.9	ug/L			07/28/23 19:29	8
Isopropylbenzene	ND		8.0	6.3	ug/L			07/28/23 19:29	8
Methyl acetate	ND		20	10	ug/L			07/28/23 19:29	8
Methyl tert-butyl ether	ND		8.0	1.3	ug/L			07/28/23 19:29	8
Methylcyclohexane	ND		8.0	1.3	ug/L			07/28/23 19:29	8
Methylene Chloride	ND		8.0	3.5	ug/L			07/28/23 19:29	8
Styrene	ND		8.0	5.8	ug/L			07/28/23 19:29	8
Tetrachloroethene	ND		8.0	2.9	ug/L			07/28/23 19:29	8
Toluene	ND		8.0	4.1	ug/L			07/28/23 19:29	8
trans-1,2-Dichloroethene	ND		8.0	7.2	ug/L			07/28/23 19:29	8
trans-1,3-Dichloropropene	ND		8.0	3.0	ug/L			07/28/23 19:29	8
Trichloroethene	8.0		8.0	3.7	ug/L			07/28/23 19:29	8
Trichlorofluoromethane	ND		8.0	7.0	ug/L			07/28/23 19:29	8
Vinyl chloride	130		8.0	7.2	ug/L			07/28/23 19:29	8
Xylenes, Total	ND		16	5.3	ug/L			07/28/23 19:29	8

Eurofins Buffalo

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: DPE-4

Date Collected: 07/27/23 09:45

Date Received: 07/27/23 15:50

Lab Sample ID: 480-211257-7

Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	103		77 - 120		07/28/23 19:29	8
4-Bromofluorobenzene (Surr)	76		73 - 120		07/28/23 19:29	8
Toluene-d8 (Surr)	82		80 - 120		07/28/23 19:29	8
Dibromofluoromethane (Surr)	100		75 - 123		07/28/23 19:29	8

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon (SW846 9060A)	21.0	^2	1.0	0.43	mg/L			08/02/23 14:35	1

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: DPE-5

Lab Sample ID: 480-211257-8

Date Collected: 07/27/23 08:30

Matrix: Water

Date Received: 07/27/23 15:50

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		20	16	ug/L			07/28/23 19:54	20
1,1,2,2-Tetrachloroethane	ND		20	4.2	ug/L			07/28/23 19:54	20
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		20	6.2	ug/L			07/28/23 19:54	20
1,1,2-Trichloroethane	ND		20	4.6	ug/L			07/28/23 19:54	20
1,1-Dichloroethane	15	J F1	20	7.6	ug/L			07/28/23 19:54	20
1,1-Dichloroethene	ND		20	5.8	ug/L			07/28/23 19:54	20
1,2,4-Trichlorobenzene	ND		20	8.2	ug/L			07/28/23 19:54	20
1,2-Dibromo-3-Chloropropane	ND		20	7.8	ug/L			07/28/23 19:54	20
1,2-Dibromoethane	ND		20	15	ug/L			07/28/23 19:54	20
1,2-Dichlorobenzene	ND		20	16	ug/L			07/28/23 19:54	20
1,2-Dichloroethane	ND		20	4.2	ug/L			07/28/23 19:54	20
1,2-Dichloropropane	ND	F1	20	14	ug/L			07/28/23 19:54	20
1,3-Dichlorobenzene	ND		20	16	ug/L			07/28/23 19:54	20
1,4-Dichlorobenzene	ND		20	17	ug/L			07/28/23 19:54	20
2-Butanone (MEK)	340		200	26	ug/L			07/28/23 19:54	20
2-Hexanone	ND		100	25	ug/L			07/28/23 19:54	20
4-Methyl-2-pentanone (MIBK)	ND		100	42	ug/L			07/28/23 19:54	20
Acetone	74	J	200	60	ug/L			07/28/23 19:54	20
Benzene	ND		20	8.2	ug/L			07/28/23 19:54	20
Bromodichloromethane	ND		20	7.8	ug/L			07/28/23 19:54	20
Bromoform	ND		20	5.2	ug/L			07/28/23 19:54	20
Bromomethane	ND		20	14	ug/L			07/28/23 19:54	20
Carbon disulfide	ND		20	3.8	ug/L			07/28/23 19:54	20
Carbon tetrachloride	ND		20	5.4	ug/L			07/28/23 19:54	20
Chlorobenzene	ND		20	15	ug/L			07/28/23 19:54	20
Chloroethane	23		20	6.4	ug/L			07/28/23 19:54	20
Chloroform	ND		20	6.8	ug/L			07/28/23 19:54	20
Chloromethane	ND	F1	20	7.0	ug/L			07/28/23 19:54	20
cis-1,2-Dichloroethene	34		20	16	ug/L			07/28/23 19:54	20
cis-1,3-Dichloropropene	ND		20	7.2	ug/L			07/28/23 19:54	20
Cyclohexane	ND		20	3.6	ug/L			07/28/23 19:54	20
Dibromochloromethane	ND		20	6.4	ug/L			07/28/23 19:54	20
Dichlorodifluoromethane	ND		20	14	ug/L			07/28/23 19:54	20
Ethylbenzene	ND		20	15	ug/L			07/28/23 19:54	20
Isopropylbenzene	ND		20	16	ug/L			07/28/23 19:54	20
Methyl acetate	ND		50	26	ug/L			07/28/23 19:54	20
Methyl tert-butyl ether	ND		20	3.2	ug/L			07/28/23 19:54	20
Methylcyclohexane	ND		20	3.2	ug/L			07/28/23 19:54	20
Methylene Chloride	ND	F1	20	8.8	ug/L			07/28/23 19:54	20
Styrene	ND		20	15	ug/L			07/28/23 19:54	20
Tetrachloroethene	ND		20	7.2	ug/L			07/28/23 19:54	20
Toluene	ND		20	10	ug/L			07/28/23 19:54	20
trans-1,2-Dichloroethene	ND		20	18	ug/L			07/28/23 19:54	20
trans-1,3-Dichloropropene	ND		20	7.4	ug/L			07/28/23 19:54	20
Trichloroethene	ND		20	9.2	ug/L			07/28/23 19:54	20
Trichlorofluoromethane	ND		20	18	ug/L			07/28/23 19:54	20
Vinyl chloride	ND		20	18	ug/L			07/28/23 19:54	20
Xylenes, Total	ND		40	13	ug/L			07/28/23 19:54	20

Eurofins Buffalo

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: DPE-5

Date Collected: 07/27/23 08:30

Date Received: 07/27/23 15:50

Lab Sample ID: 480-211257-8

Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		77 - 120		07/28/23 19:54	20
4-Bromofluorobenzene (Surr)	83		73 - 120		07/28/23 19:54	20
Toluene-d8 (Surr)	86		80 - 120		07/28/23 19:54	20
Dibromofluoromethane (Surr)	102		75 - 123		07/28/23 19:54	20

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon (SW846 9060A)	1640		40.0	17.4	mg/L			08/04/23 04:37	40

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: DPE-7

Lab Sample ID: 480-211257-9

Date Collected: 07/27/23 09:00

Matrix: Water

Date Received: 07/27/23 15:50

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		2.0	1.6	ug/L			07/28/23 23:08	2
1,1,2,2-Tetrachloroethane	ND		2.0	0.42	ug/L			07/28/23 23:08	2
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		2.0	0.62	ug/L			07/28/23 23:08	2
1,1,2-Trichloroethane	ND		2.0	0.46	ug/L			07/28/23 23:08	2
1,1-Dichloroethane	ND		2.0	0.76	ug/L			07/28/23 23:08	2
1,1-Dichloroethene	ND		2.0	0.58	ug/L			07/28/23 23:08	2
1,2,4-Trichlorobenzene	ND		2.0	0.82	ug/L			07/28/23 23:08	2
1,2-Dibromo-3-Chloropropane	ND		2.0	0.78	ug/L			07/28/23 23:08	2
1,2-Dibromoethane	ND		2.0	1.5	ug/L			07/28/23 23:08	2
1,2-Dichlorobenzene	ND		2.0	1.6	ug/L			07/28/23 23:08	2
1,2-Dichloroethane	ND		2.0	0.42	ug/L			07/28/23 23:08	2
1,2-Dichloropropane	ND		2.0	1.4	ug/L			07/28/23 23:08	2
1,3-Dichlorobenzene	ND		2.0	1.6	ug/L			07/28/23 23:08	2
1,4-Dichlorobenzene	ND		2.0	1.7	ug/L			07/28/23 23:08	2
2-Butanone (MEK)	130		20	2.6	ug/L			07/28/23 23:08	2
2-Hexanone	6.4	J	10	2.5	ug/L			07/28/23 23:08	2
4-Methyl-2-pentanone (MIBK)	ND		10	4.2	ug/L			07/28/23 23:08	2
Acetone	140		20	6.0	ug/L			07/28/23 23:08	2
Benzene	ND		2.0	0.82	ug/L			07/28/23 23:08	2
Bromodichloromethane	ND		2.0	0.78	ug/L			07/28/23 23:08	2
Bromoform	ND		2.0	0.52	ug/L			07/28/23 23:08	2
Bromomethane	ND		2.0	1.4	ug/L			07/28/23 23:08	2
Carbon disulfide	0.41	J	2.0	0.38	ug/L			07/28/23 23:08	2
Carbon tetrachloride	ND		2.0	0.54	ug/L			07/28/23 23:08	2
Chlorobenzene	ND		2.0	1.5	ug/L			07/28/23 23:08	2
Chloroethane	39		2.0	0.64	ug/L			07/28/23 23:08	2
Chloroform	ND		2.0	0.68	ug/L			07/28/23 23:08	2
Chloromethane	ND		2.0	0.70	ug/L			07/28/23 23:08	2
cis-1,2-Dichloroethene	ND		2.0	1.6	ug/L			07/28/23 23:08	2
cis-1,3-Dichloropropene	ND		2.0	0.72	ug/L			07/28/23 23:08	2
Cyclohexane	ND		2.0	0.36	ug/L			07/28/23 23:08	2
Dibromochloromethane	ND		2.0	0.64	ug/L			07/28/23 23:08	2
Dichlorodifluoromethane	ND		2.0	1.4	ug/L			07/28/23 23:08	2
Ethylbenzene	ND		2.0	1.5	ug/L			07/28/23 23:08	2
Isopropylbenzene	ND		2.0	1.6	ug/L			07/28/23 23:08	2
Methyl acetate	ND		5.0	2.6	ug/L			07/28/23 23:08	2
Methyl tert-butyl ether	ND		2.0	0.32	ug/L			07/28/23 23:08	2
Methylcyclohexane	ND		2.0	0.32	ug/L			07/28/23 23:08	2
Methylene Chloride	ND		2.0	0.88	ug/L			07/28/23 23:08	2
Styrene	ND		2.0	1.5	ug/L			07/28/23 23:08	2
Tetrachloroethene	ND		2.0	0.72	ug/L			07/28/23 23:08	2
Toluene	ND		2.0	1.0	ug/L			07/28/23 23:08	2
trans-1,2-Dichloroethene	ND		2.0	1.8	ug/L			07/28/23 23:08	2
trans-1,3-Dichloropropene	ND		2.0	0.74	ug/L			07/28/23 23:08	2
Trichloroethene	ND		2.0	0.92	ug/L			07/28/23 23:08	2
Trichlorofluoromethane	ND		2.0	1.8	ug/L			07/28/23 23:08	2
Vinyl chloride	3.7		2.0	1.8	ug/L			07/28/23 23:08	2
Xylenes, Total	ND		4.0	1.3	ug/L			07/28/23 23:08	2

Eurofins Buffalo

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: DPE-7

Date Collected: 07/27/23 09:00

Date Received: 07/27/23 15:50

Lab Sample ID: 480-211257-9

Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		77 - 120		07/28/23 23:08	2
4-Bromofluorobenzene (Surr)	99		73 - 120		07/28/23 23:08	2
Toluene-d8 (Surr)	112		80 - 120		07/28/23 23:08	2
Dibromofluoromethane (Surr)	94		75 - 123		07/28/23 23:08	2

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon (SW846 9060A)	109		5.0	2.2	mg/L			08/04/23 05:06	5

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: DPE-8

Lab Sample ID: 480-211257-10

Date Collected: 07/27/23 08:45

Matrix: Water

Date Received: 07/27/23 15:50

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		400	330	ug/L			07/28/23 23:31	400
1,1,2,2-Tetrachloroethane	ND		400	84	ug/L			07/28/23 23:31	400
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		400	120	ug/L			07/28/23 23:31	400
1,1,2-Trichloroethane	ND		400	92	ug/L			07/28/23 23:31	400
1,1-Dichloroethane	ND		400	150	ug/L			07/28/23 23:31	400
1,1-Dichloroethene	ND		400	120	ug/L			07/28/23 23:31	400
1,2,4-Trichlorobenzene	ND		400	160	ug/L			07/28/23 23:31	400
1,2-Dibromo-3-Chloropropane	ND		400	160	ug/L			07/28/23 23:31	400
1,2-Dibromoethane	ND		400	290	ug/L			07/28/23 23:31	400
1,2-Dichlorobenzene	ND		400	320	ug/L			07/28/23 23:31	400
1,2-Dichloroethane	ND		400	84	ug/L			07/28/23 23:31	400
1,2-Dichloropropane	ND		400	290	ug/L			07/28/23 23:31	400
1,3-Dichlorobenzene	ND		400	310	ug/L			07/28/23 23:31	400
1,4-Dichlorobenzene	ND		400	340	ug/L			07/28/23 23:31	400
2-Butanone (MEK)	10000		4000	530	ug/L			07/28/23 23:31	400
2-Hexanone	ND		2000	500	ug/L			07/28/23 23:31	400
4-Methyl-2-pentanone (MIBK)	ND		2000	840	ug/L			07/28/23 23:31	400
Acetone	ND		4000	1200	ug/L			07/28/23 23:31	400
Benzene	ND		400	160	ug/L			07/28/23 23:31	400
Bromodichloromethane	ND		400	160	ug/L			07/28/23 23:31	400
Bromoform	ND		400	100	ug/L			07/28/23 23:31	400
Bromomethane	ND		400	280	ug/L			07/28/23 23:31	400
Carbon disulfide	ND		400	76	ug/L			07/28/23 23:31	400
Carbon tetrachloride	ND		400	110	ug/L			07/28/23 23:31	400
Chlorobenzene	ND		400	300	ug/L			07/28/23 23:31	400
Chloroethane	ND		400	130	ug/L			07/28/23 23:31	400
Chloroform	ND		400	140	ug/L			07/28/23 23:31	400
Chloromethane	ND		400	140	ug/L			07/28/23 23:31	400
cis-1,2-Dichloroethene	1200		400	320	ug/L			07/28/23 23:31	400
cis-1,3-Dichloropropene	ND		400	140	ug/L			07/28/23 23:31	400
Cyclohexane	ND		400	72	ug/L			07/28/23 23:31	400
Dibromochloromethane	ND		400	130	ug/L			07/28/23 23:31	400
Dichlorodifluoromethane	ND		400	270	ug/L			07/28/23 23:31	400
Ethylbenzene	ND		400	300	ug/L			07/28/23 23:31	400
Isopropylbenzene	ND		400	320	ug/L			07/28/23 23:31	400
Methyl acetate	ND		1000	520	ug/L			07/28/23 23:31	400
Methyl tert-butyl ether	ND		400	64	ug/L			07/28/23 23:31	400
Methylcyclohexane	ND		400	64	ug/L			07/28/23 23:31	400
Methylene Chloride	ND		400	180	ug/L			07/28/23 23:31	400
Styrene	ND		400	290	ug/L			07/28/23 23:31	400
Tetrachloroethene	ND		400	140	ug/L			07/28/23 23:31	400
Toluene	ND		400	200	ug/L			07/28/23 23:31	400
trans-1,2-Dichloroethene	ND		400	360	ug/L			07/28/23 23:31	400
trans-1,3-Dichloropropene	ND		400	150	ug/L			07/28/23 23:31	400
Trichloroethene	ND		400	180	ug/L			07/28/23 23:31	400
Trichlorofluoromethane	ND		400	350	ug/L			07/28/23 23:31	400
Vinyl chloride	1500		400	360	ug/L			07/28/23 23:31	400
Xylenes, Total	ND		800	260	ug/L			07/28/23 23:31	400

Euofins Buffalo

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: DPE-8

Date Collected: 07/27/23 08:45

Date Received: 07/27/23 15:50

Lab Sample ID: 480-211257-10

Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		77 - 120		07/28/23 23:31	400
4-Bromofluorobenzene (Surr)	99		73 - 120		07/28/23 23:31	400
Toluene-d8 (Surr)	115		80 - 120		07/28/23 23:31	400
Dibromofluoromethane (Surr)	92		75 - 123		07/28/23 23:31	400

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon (SW846 9060A)	8970		200	86.8	mg/L			08/04/23 05:35	200

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: Rinse Blank

Lab Sample ID: 480-211257-11

Date Collected: 07/27/23 00:00

Matrix: Water

Date Received: 07/27/23 15:50

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			07/28/23 23:55	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			07/28/23 23:55	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			07/28/23 23:55	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			07/28/23 23:55	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			07/28/23 23:55	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			07/28/23 23:55	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			07/28/23 23:55	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			07/28/23 23:55	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			07/28/23 23:55	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			07/28/23 23:55	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			07/28/23 23:55	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			07/28/23 23:55	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			07/28/23 23:55	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			07/28/23 23:55	1
2-Butanone (MEK)	ND		10	1.3	ug/L			07/28/23 23:55	1
2-Hexanone	ND		5.0	1.2	ug/L			07/28/23 23:55	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			07/28/23 23:55	1
Acetone	ND		10	3.0	ug/L			07/28/23 23:55	1
Benzene	ND		1.0	0.41	ug/L			07/28/23 23:55	1
Bromodichloromethane	ND		1.0	0.39	ug/L			07/28/23 23:55	1
Bromoform	ND		1.0	0.26	ug/L			07/28/23 23:55	1
Bromomethane	ND		1.0	0.69	ug/L			07/28/23 23:55	1
Carbon disulfide	ND		1.0	0.19	ug/L			07/28/23 23:55	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			07/28/23 23:55	1
Chlorobenzene	ND		1.0	0.75	ug/L			07/28/23 23:55	1
Chloroethane	ND		1.0	0.32	ug/L			07/28/23 23:55	1
Chloroform	ND		1.0	0.34	ug/L			07/28/23 23:55	1
Chloromethane	ND		1.0	0.35	ug/L			07/28/23 23:55	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			07/28/23 23:55	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			07/28/23 23:55	1
Cyclohexane	ND		1.0	0.18	ug/L			07/28/23 23:55	1
Dibromochloromethane	ND		1.0	0.32	ug/L			07/28/23 23:55	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			07/28/23 23:55	1
Ethylbenzene	ND		1.0	0.74	ug/L			07/28/23 23:55	1
Isopropylbenzene	ND		1.0	0.79	ug/L			07/28/23 23:55	1
Methyl acetate	ND		2.5	1.3	ug/L			07/28/23 23:55	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			07/28/23 23:55	1
Methylcyclohexane	ND		1.0	0.16	ug/L			07/28/23 23:55	1
Methylene Chloride	ND		1.0	0.44	ug/L			07/28/23 23:55	1
Styrene	ND		1.0	0.73	ug/L			07/28/23 23:55	1
Tetrachloroethene	ND		1.0	0.36	ug/L			07/28/23 23:55	1
Toluene	ND		1.0	0.51	ug/L			07/28/23 23:55	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			07/28/23 23:55	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			07/28/23 23:55	1
Trichloroethene	ND		1.0	0.46	ug/L			07/28/23 23:55	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			07/28/23 23:55	1
Vinyl chloride	ND		1.0	0.90	ug/L			07/28/23 23:55	1
Xylenes, Total	ND		2.0	0.66	ug/L			07/28/23 23:55	1

Euofins Buffalo

Client Sample Results

Client: AECOM

Job ID: 480-211209-1

Project/Site: Scott Figgie West of Plant 2

Client Sample ID: Rinse Blank

Lab Sample ID: 480-211257-11

Date Collected: 07/27/23 00:00

Matrix: Water

Date Received: 07/27/23 15:50

<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
1,2-Dichloroethane-d4 (Surr)	99		77 - 120		07/28/23 23:55	1
4-Bromofluorobenzene (Surr)	97		73 - 120		07/28/23 23:55	1
Toluene-d8 (Surr)	113		80 - 120		07/28/23 23:55	1
Dibromofluoromethane (Surr)	90		75 - 123		07/28/23 23:55	1

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: MW-16S

Lab Sample ID: 480-211309-1

Date Collected: 07/28/23 00:00

Matrix: Water

Date Received: 07/28/23 14:15

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1000	820	ug/L			08/02/23 16:27	1000
1,1,2,2-Tetrachloroethane	ND		1000	210	ug/L			08/02/23 16:27	1000
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1000	310	ug/L			08/02/23 16:27	1000
1,1,2-Trichloroethane	ND		1000	230	ug/L			08/02/23 16:27	1000
1,1-Dichloroethane	ND		1000	380	ug/L			08/02/23 16:27	1000
1,1-Dichloroethene	ND		1000	290	ug/L			08/02/23 16:27	1000
1,2,4-Trichlorobenzene	ND		1000	410	ug/L			08/02/23 16:27	1000
1,2-Dibromo-3-Chloropropane	ND		1000	390	ug/L			08/02/23 16:27	1000
1,2-Dibromoethane	ND		1000	730	ug/L			08/02/23 16:27	1000
1,2-Dichlorobenzene	ND		1000	790	ug/L			08/02/23 16:27	1000
1,2-Dichloroethane	ND		1000	210	ug/L			08/02/23 16:27	1000
1,2-Dichloropropane	ND		1000	720	ug/L			08/02/23 16:27	1000
1,3-Dichlorobenzene	ND		1000	780	ug/L			08/02/23 16:27	1000
1,4-Dichlorobenzene	ND		1000	840	ug/L			08/02/23 16:27	1000
2-Butanone (MEK)	ND		10000	1300	ug/L			08/02/23 16:27	1000
2-Hexanone	ND		5000	1200	ug/L			08/02/23 16:27	1000
4-Methyl-2-pentanone (MIBK)	ND		5000	2100	ug/L			08/02/23 16:27	1000
Acetone	ND		10000	3000	ug/L			08/02/23 16:27	1000
Benzene	ND		1000	410	ug/L			08/02/23 16:27	1000
Bromodichloromethane	ND		1000	390	ug/L			08/02/23 16:27	1000
Bromoform	ND		1000	260	ug/L			08/02/23 16:27	1000
Bromomethane	ND		1000	690	ug/L			08/02/23 16:27	1000
Carbon disulfide	ND		1000	190	ug/L			08/02/23 16:27	1000
Carbon tetrachloride	ND		1000	270	ug/L			08/02/23 16:27	1000
Chlorobenzene	ND		1000	750	ug/L			08/02/23 16:27	1000
Chloroethane	ND		1000	320	ug/L			08/02/23 16:27	1000
Chloroform	ND		1000	340	ug/L			08/02/23 16:27	1000
Chloromethane	ND	+	1000	350	ug/L			08/02/23 16:27	1000
cis-1,2-Dichloroethene	26000		1000	810	ug/L			08/02/23 16:27	1000
cis-1,3-Dichloropropene	ND		1000	360	ug/L			08/02/23 16:27	1000
Cyclohexane	ND		1000	180	ug/L			08/02/23 16:27	1000
Dibromochloromethane	ND		1000	320	ug/L			08/02/23 16:27	1000
Dichlorodifluoromethane	ND		1000	680	ug/L			08/02/23 16:27	1000
Ethylbenzene	ND		1000	740	ug/L			08/02/23 16:27	1000
Isopropylbenzene	ND		1000	790	ug/L			08/02/23 16:27	1000
Methyl acetate	ND		2500	1300	ug/L			08/02/23 16:27	1000
Methyl tert-butyl ether	ND		1000	160	ug/L			08/02/23 16:27	1000
Methylcyclohexane	ND		1000	160	ug/L			08/02/23 16:27	1000
Methylene Chloride	ND		1000	440	ug/L			08/02/23 16:27	1000
Styrene	ND		1000	730	ug/L			08/02/23 16:27	1000
Tetrachloroethene	ND		1000	360	ug/L			08/02/23 16:27	1000
Toluene	ND		1000	510	ug/L			08/02/23 16:27	1000
trans-1,2-Dichloroethene	ND		1000	900	ug/L			08/02/23 16:27	1000
trans-1,3-Dichloropropene	ND		1000	370	ug/L			08/02/23 16:27	1000
Trichloroethene	ND		1000	460	ug/L			08/02/23 16:27	1000
Trichlorofluoromethane	ND		1000	880	ug/L			08/02/23 16:27	1000
Vinyl chloride	39000		1000	900	ug/L			08/02/23 16:27	1000
Xylenes, Total	ND		2000	660	ug/L			08/02/23 16:27	1000

Eurofins Buffalo

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: MW-16S

Lab Sample ID: 480-211309-1

Date Collected: 07/28/23 00:00

Matrix: Water

Date Received: 07/28/23 14:15

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		77 - 120		08/02/23 16:27	1000
4-Bromofluorobenzene (Surr)	81		73 - 120		08/02/23 16:27	1000
Toluene-d8 (Surr)	83		80 - 120		08/02/23 16:27	1000
Dibromofluoromethane (Surr)	100		75 - 123		08/02/23 16:27	1000

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon (SW846 9060A)	11900		200	86.8	mg/L			08/08/23 09:55	200

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: MW-16D

Lab Sample ID: 480-211309-2

Date Collected: 07/28/23 00:00

Matrix: Water

Date Received: 07/28/23 14:15

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		40	33	ug/L			08/02/23 16:51	40
1,1,2,2-Tetrachloroethane	ND		40	8.4	ug/L			08/02/23 16:51	40
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		40	12	ug/L			08/02/23 16:51	40
1,1,2-Trichloroethane	ND		40	9.2	ug/L			08/02/23 16:51	40
1,1-Dichloroethane	ND		40	15	ug/L			08/02/23 16:51	40
1,1-Dichloroethene	ND		40	12	ug/L			08/02/23 16:51	40
1,2,4-Trichlorobenzene	ND		40	16	ug/L			08/02/23 16:51	40
1,2-Dibromo-3-Chloropropane	ND		40	16	ug/L			08/02/23 16:51	40
1,2-Dibromoethane	ND		40	29	ug/L			08/02/23 16:51	40
1,2-Dichlorobenzene	ND		40	32	ug/L			08/02/23 16:51	40
1,2-Dichloroethane	ND		40	8.4	ug/L			08/02/23 16:51	40
1,2-Dichloropropane	ND		40	29	ug/L			08/02/23 16:51	40
1,3-Dichlorobenzene	ND		40	31	ug/L			08/02/23 16:51	40
1,4-Dichlorobenzene	ND		40	34	ug/L			08/02/23 16:51	40
2-Butanone (MEK)	1000		400	53	ug/L			08/02/23 16:51	40
2-Hexanone	ND		200	50	ug/L			08/02/23 16:51	40
4-Methyl-2-pentanone (MIBK)	ND		200	84	ug/L			08/02/23 16:51	40
Acetone	ND		400	120	ug/L			08/02/23 16:51	40
Benzene	ND		40	16	ug/L			08/02/23 16:51	40
Bromodichloromethane	ND		40	16	ug/L			08/02/23 16:51	40
Bromoform	ND		40	10	ug/L			08/02/23 16:51	40
Bromomethane	ND		40	28	ug/L			08/02/23 16:51	40
Carbon disulfide	ND		40	7.6	ug/L			08/02/23 16:51	40
Carbon tetrachloride	ND		40	11	ug/L			08/02/23 16:51	40
Chlorobenzene	ND		40	30	ug/L			08/02/23 16:51	40
Chloroethane	ND		40	13	ug/L			08/02/23 16:51	40
Chloroform	ND		40	14	ug/L			08/02/23 16:51	40
Chloromethane	ND	+	40	14	ug/L			08/02/23 16:51	40
cis-1,2-Dichloroethene	ND		40	32	ug/L			08/02/23 16:51	40
cis-1,3-Dichloropropene	ND		40	14	ug/L			08/02/23 16:51	40
Cyclohexane	ND		40	7.2	ug/L			08/02/23 16:51	40
Dibromochloromethane	ND		40	13	ug/L			08/02/23 16:51	40
Dichlorodifluoromethane	ND		40	27	ug/L			08/02/23 16:51	40
Ethylbenzene	ND		40	30	ug/L			08/02/23 16:51	40
Isopropylbenzene	ND		40	32	ug/L			08/02/23 16:51	40
Methyl acetate	ND		100	52	ug/L			08/02/23 16:51	40
Methyl tert-butyl ether	ND		40	6.4	ug/L			08/02/23 16:51	40
Methylcyclohexane	ND		40	6.4	ug/L			08/02/23 16:51	40
Methylene Chloride	ND		40	18	ug/L			08/02/23 16:51	40
Styrene	ND		40	29	ug/L			08/02/23 16:51	40
Tetrachloroethene	ND		40	14	ug/L			08/02/23 16:51	40
Toluene	ND		40	20	ug/L			08/02/23 16:51	40
trans-1,2-Dichloroethene	ND		40	36	ug/L			08/02/23 16:51	40
trans-1,3-Dichloropropene	ND		40	15	ug/L			08/02/23 16:51	40
Trichloroethene	ND		40	18	ug/L			08/02/23 16:51	40
Trichlorofluoromethane	ND		40	35	ug/L			08/02/23 16:51	40
Vinyl chloride	ND		40	36	ug/L			08/02/23 16:51	40
Xylenes, Total	ND		80	26	ug/L			08/02/23 16:51	40

Eurofins Buffalo

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: MW-16D

Lab Sample ID: 480-211309-2

Date Collected: 07/28/23 00:00

Matrix: Water

Date Received: 07/28/23 14:15

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		77 - 120		08/02/23 16:51	40
4-Bromofluorobenzene (Surr)	82		73 - 120		08/02/23 16:51	40
Toluene-d8 (Surr)	84		80 - 120		08/02/23 16:51	40
Dibromofluoromethane (Surr)	102		75 - 123		08/02/23 16:51	40

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon (SW846 9060A)	2870		100	43.4	mg/L			08/04/23 03:09	100

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: MW-4

Lab Sample ID: 480-211309-3

Date Collected: 07/28/23 00:00

Matrix: Water

Date Received: 07/28/23 14:15

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		20	16	ug/L			08/02/23 17:16	20
1,1,2,2-Tetrachloroethane	ND		20	4.2	ug/L			08/02/23 17:16	20
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		20	6.2	ug/L			08/02/23 17:16	20
1,1,2-Trichloroethane	ND		20	4.6	ug/L			08/02/23 17:16	20
1,1-Dichloroethane	ND		20	7.6	ug/L			08/02/23 17:16	20
1,1-Dichloroethene	ND		20	5.8	ug/L			08/02/23 17:16	20
1,2,4-Trichlorobenzene	ND		20	8.2	ug/L			08/02/23 17:16	20
1,2-Dibromo-3-Chloropropane	ND		20	7.8	ug/L			08/02/23 17:16	20
1,2-Dibromoethane	ND		20	15	ug/L			08/02/23 17:16	20
1,2-Dichlorobenzene	ND		20	16	ug/L			08/02/23 17:16	20
1,2-Dichloroethane	ND		20	4.2	ug/L			08/02/23 17:16	20
1,2-Dichloropropane	ND		20	14	ug/L			08/02/23 17:16	20
1,3-Dichlorobenzene	ND		20	16	ug/L			08/02/23 17:16	20
1,4-Dichlorobenzene	ND		20	17	ug/L			08/02/23 17:16	20
2-Butanone (MEK)	6100		200	26	ug/L			08/02/23 17:16	20
2-Hexanone	ND		100	25	ug/L			08/02/23 17:16	20
4-Methyl-2-pentanone (MIBK)	ND		100	42	ug/L			08/02/23 17:16	20
Acetone	61 J		200	60	ug/L			08/02/23 17:16	20
Benzene	ND		20	8.2	ug/L			08/02/23 17:16	20
Bromodichloromethane	ND		20	7.8	ug/L			08/02/23 17:16	20
Bromoform	ND		20	5.2	ug/L			08/02/23 17:16	20
Bromomethane	ND		20	14	ug/L			08/02/23 17:16	20
Carbon disulfide	ND		20	3.8	ug/L			08/02/23 17:16	20
Carbon tetrachloride	ND		20	5.4	ug/L			08/02/23 17:16	20
Chlorobenzene	ND		20	15	ug/L			08/02/23 17:16	20
Chloroethane	ND		20	6.4	ug/L			08/02/23 17:16	20
Chloroform	ND		20	6.8	ug/L			08/02/23 17:16	20
Chloromethane	ND	+	20	7.0	ug/L			08/02/23 17:16	20
cis-1,2-Dichloroethene	ND		20	16	ug/L			08/02/23 17:16	20
cis-1,3-Dichloropropene	ND		20	7.2	ug/L			08/02/23 17:16	20
Cyclohexane	ND		20	3.6	ug/L			08/02/23 17:16	20
Dibromochloromethane	ND		20	6.4	ug/L			08/02/23 17:16	20
Dichlorodifluoromethane	ND		20	14	ug/L			08/02/23 17:16	20
Ethylbenzene	ND		20	15	ug/L			08/02/23 17:16	20
Isopropylbenzene	ND		20	16	ug/L			08/02/23 17:16	20
Methyl acetate	ND		50	26	ug/L			08/02/23 17:16	20
Methyl tert-butyl ether	ND		20	3.2	ug/L			08/02/23 17:16	20
Methylcyclohexane	ND		20	3.2	ug/L			08/02/23 17:16	20
Methylene Chloride	ND		20	8.8	ug/L			08/02/23 17:16	20
Styrene	ND		20	15	ug/L			08/02/23 17:16	20
Tetrachloroethene	ND		20	7.2	ug/L			08/02/23 17:16	20
Toluene	ND		20	10	ug/L			08/02/23 17:16	20
trans-1,2-Dichloroethene	ND		20	18	ug/L			08/02/23 17:16	20
trans-1,3-Dichloropropene	ND		20	7.4	ug/L			08/02/23 17:16	20
Trichloroethene	ND		20	9.2	ug/L			08/02/23 17:16	20
Trichlorofluoromethane	ND		20	18	ug/L			08/02/23 17:16	20
Vinyl chloride	ND		20	18	ug/L			08/02/23 17:16	20
Xylenes, Total	ND		40	13	ug/L			08/02/23 17:16	20

Eurofins Buffalo

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: MW-4

Date Collected: 07/28/23 00:00

Date Received: 07/28/23 14:15

Lab Sample ID: 480-211309-3

Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		77 - 120		08/02/23 17:16	20
4-Bromofluorobenzene (Surr)	79		73 - 120		08/02/23 17:16	20
Toluene-d8 (Surr)	80		80 - 120		08/02/23 17:16	20
Dibromofluoromethane (Surr)	100		75 - 123		08/02/23 17:16	20

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon (SW846 9060A)	5860		200	86.8	mg/L			08/04/23 04:07	200

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: Trip Blank

Lab Sample ID: 480-211309-4

Date Collected: 07/28/23 07:00

Matrix: Water

Date Received: 07/28/23 14:15

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			08/02/23 17:40	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			08/02/23 17:40	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			08/02/23 17:40	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			08/02/23 17:40	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			08/02/23 17:40	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			08/02/23 17:40	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			08/02/23 17:40	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			08/02/23 17:40	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			08/02/23 17:40	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			08/02/23 17:40	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			08/02/23 17:40	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			08/02/23 17:40	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			08/02/23 17:40	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			08/02/23 17:40	1
2-Butanone (MEK)	ND		10	1.3	ug/L			08/02/23 17:40	1
2-Hexanone	ND		5.0	1.2	ug/L			08/02/23 17:40	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			08/02/23 17:40	1
Acetone	ND		10	3.0	ug/L			08/02/23 17:40	1
Benzene	ND		1.0	0.41	ug/L			08/02/23 17:40	1
Bromodichloromethane	ND		1.0	0.39	ug/L			08/02/23 17:40	1
Bromoform	ND		1.0	0.26	ug/L			08/02/23 17:40	1
Bromomethane	ND		1.0	0.69	ug/L			08/02/23 17:40	1
Carbon disulfide	ND		1.0	0.19	ug/L			08/02/23 17:40	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			08/02/23 17:40	1
Chlorobenzene	ND		1.0	0.75	ug/L			08/02/23 17:40	1
Chloroethane	ND		1.0	0.32	ug/L			08/02/23 17:40	1
Chloroform	ND		1.0	0.34	ug/L			08/02/23 17:40	1
Chloromethane	ND	+	1.0	0.35	ug/L			08/02/23 17:40	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			08/02/23 17:40	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			08/02/23 17:40	1
Cyclohexane	ND		1.0	0.18	ug/L			08/02/23 17:40	1
Dibromochloromethane	ND		1.0	0.32	ug/L			08/02/23 17:40	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			08/02/23 17:40	1
Ethylbenzene	ND		1.0	0.74	ug/L			08/02/23 17:40	1
Isopropylbenzene	ND		1.0	0.79	ug/L			08/02/23 17:40	1
Methyl acetate	ND		2.5	1.3	ug/L			08/02/23 17:40	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			08/02/23 17:40	1
Methylcyclohexane	ND		1.0	0.16	ug/L			08/02/23 17:40	1
Methylene Chloride	ND		1.0	0.44	ug/L			08/02/23 17:40	1
Styrene	ND		1.0	0.73	ug/L			08/02/23 17:40	1
Tetrachloroethene	ND		1.0	0.36	ug/L			08/02/23 17:40	1
Toluene	ND		1.0	0.51	ug/L			08/02/23 17:40	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			08/02/23 17:40	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			08/02/23 17:40	1
Trichloroethene	ND		1.0	0.46	ug/L			08/02/23 17:40	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			08/02/23 17:40	1
Vinyl chloride	ND		1.0	0.90	ug/L			08/02/23 17:40	1
Xylenes, Total	ND		2.0	0.66	ug/L			08/02/23 17:40	1

Eurofins Buffalo

Client Sample Results

Client: AECOM

Job ID: 480-211209-1

Project/Site: Scott Figgie West of Plant 2

Client Sample ID: Trip Blank

Lab Sample ID: 480-211309-4

Date Collected: 07/28/23 07:00

Matrix: Water

Date Received: 07/28/23 14:15

<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
1,2-Dichloroethane-d4 (Surr)	106		77 - 120		08/02/23 17:40	1
4-Bromofluorobenzene (Surr)	83		73 - 120		08/02/23 17:40	1
Toluene-d8 (Surr)	86		80 - 120		08/02/23 17:40	1
Dibromofluoromethane (Surr)	101		75 - 123		08/02/23 17:40	1

Lab Chronicle

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: MW-2

Date Collected: 07/26/23 12:40

Date Received: 07/26/23 15:40

Lab Sample ID: 480-211209-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		2	677907	AXK	EET BUF	07/27/23 10:59
Total/NA	Analysis	9060A		1	678284	AF	EET BUF	07/29/23 16:17

Client Sample ID: Duplicate

Date Collected: 07/26/23 08:00

Date Received: 07/26/23 15:40

Lab Sample ID: 480-211209-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		1	677996	ATG	EET BUF	07/27/23 18:08

Client Sample ID: MW-3

Date Collected: 07/26/23 14:00

Date Received: 07/26/23 15:40

Lab Sample ID: 480-211209-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		1	677996	ATG	EET BUF	07/27/23 18:31
Total/NA	Analysis	9060A		1	678284	AF	EET BUF	07/29/23 16:47

Client Sample ID: MW-11

Date Collected: 07/26/23 10:45

Date Received: 07/26/23 15:40

Lab Sample ID: 480-211209-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		1	677996	ATG	EET BUF	07/27/23 18:54
Total/NA	Analysis	9060A		1	678284	AF	EET BUF	07/29/23 17:16

Client Sample ID: GWTC

Date Collected: 07/26/23 14:45

Date Received: 07/26/23 15:40

Lab Sample ID: 480-211209-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		1	677907	AXK	EET BUF	07/27/23 12:27
Total/NA	Analysis	9060A		1	678284	AF	EET BUF	07/29/23 17:45

Client Sample ID: MW-8R

Date Collected: 07/27/23 12:00

Date Received: 07/27/23 15:50

Lab Sample ID: 480-211257-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		40	678079	ZN	EET BUF	07/28/23 17:03
Total/NA	Analysis	9060A		40	679111	AF	EET BUF	08/06/23 00:32

Lab Chronicle

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: MW-13S

Date Collected: 07/27/23 13:40

Date Received: 07/27/23 15:50

Lab Sample ID: 480-211257-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		2	678079	ZN	EET BUF	07/28/23 17:28
Total/NA	Analysis	9060A		1	679011	AF	EET BUF	08/03/23 22:18

Client Sample ID: MW-13D

Date Collected: 07/27/23 15:05

Date Received: 07/27/23 15:50

Lab Sample ID: 480-211257-3

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		1	678079	ZN	EET BUF	07/28/23 17:52
Total/NA	Analysis	9060A		1	679011	AF	EET BUF	08/03/23 22:47

Client Sample ID: DPE-1

Date Collected: 07/27/23 10:10

Date Received: 07/27/23 15:50

Lab Sample ID: 480-211257-4

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		20	678079	ZN	EET BUF	07/28/23 18:16
Total/NA	Analysis	9060A		4	678770	AF	EET BUF	08/02/23 13:07

Client Sample ID: DPE-2

Date Collected: 07/27/23 09:30

Date Received: 07/27/23 15:50

Lab Sample ID: 480-211257-5

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		1	678079	ZN	EET BUF	07/28/23 18:41
Total/NA	Analysis	9060A		1	679011	AF	EET BUF	08/03/23 23:16

Client Sample ID: DPE-3

Date Collected: 07/27/23 09:15

Date Received: 07/27/23 15:50

Lab Sample ID: 480-211257-6

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		10	678079	ZN	EET BUF	07/28/23 19:05
Total/NA	Analysis	9060A		100	679011	AF	EET BUF	08/03/23 23:45

Client Sample ID: DPE-4

Date Collected: 07/27/23 09:45

Date Received: 07/27/23 15:50

Lab Sample ID: 480-211257-7

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		8	678079	ZN	EET BUF	07/28/23 19:29
Total/NA	Analysis	9060A		1	678770	AF	EET BUF	08/02/23 14:35

Lab Chronicle

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Client Sample ID: DPE-5

Date Collected: 07/27/23 08:30

Date Received: 07/27/23 15:50

Lab Sample ID: 480-211257-8

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		20	678079	ZN	EET BUF	07/28/23 19:54
Total/NA	Analysis	9060A		40	679011	AF	EET BUF	08/04/23 04:37

Client Sample ID: DPE-7

Date Collected: 07/27/23 09:00

Date Received: 07/27/23 15:50

Lab Sample ID: 480-211257-9

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		2	678190	AXK	EET BUF	07/28/23 23:08
Total/NA	Analysis	9060A		5	679011	AF	EET BUF	08/04/23 05:06

Client Sample ID: DPE-8

Date Collected: 07/27/23 08:45

Date Received: 07/27/23 15:50

Lab Sample ID: 480-211257-10

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		400	678190	AXK	EET BUF	07/28/23 23:31
Total/NA	Analysis	9060A		200	679011	AF	EET BUF	08/04/23 05:35

Client Sample ID: Rinse Blank

Date Collected: 07/27/23 00:00

Date Received: 07/27/23 15:50

Lab Sample ID: 480-211257-11

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		1	678190	AXK	EET BUF	07/28/23 23:55

Client Sample ID: MW-16S

Date Collected: 07/28/23 00:00

Date Received: 07/28/23 14:15

Lab Sample ID: 480-211309-1

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		1000	678615	ZN	EET BUF	08/02/23 16:27
Total/NA	Analysis	9060A		200	679317	AF	EET BUF	08/08/23 09:55

Client Sample ID: MW-16D

Date Collected: 07/28/23 00:00

Date Received: 07/28/23 14:15

Lab Sample ID: 480-211309-2

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		40	678615	ZN	EET BUF	08/02/23 16:51
Total/NA	Analysis	9060A		100	679011	AF	EET BUF	08/04/23 03:09

Eurofins Buffalo

Lab Chronicle

Client: AECOM

Job ID: 480-211209-1

Project/Site: Scott Figgie West of Plant 2

Client Sample ID: MW-4

Lab Sample ID: 480-211309-3

Date Collected: 07/28/23 00:00

Matrix: Water

Date Received: 07/28/23 14:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		20	678615	ZN	EET BUF	08/02/23 17:16
Total/NA	Analysis	9060A		200	679011	AF	EET BUF	08/04/23 04:07

Client Sample ID: Trip Blank

Lab Sample ID: 480-211309-4

Date Collected: 07/28/23 07:00

Matrix: Water

Date Received: 07/28/23 14:15

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		1	678615	ZN	EET BUF	08/02/23 17:40

Laboratory References:

EET BUF = Eurofins Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

Accreditation/Certification Summary

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211209-1

Laboratory: Eurofins Buffalo

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
New York	NELAP	10026	03-31-24

1
2
3
4
5
6
7
8
9
10
11

Method Summary

Client: AECOM

Job ID: 480-211209-1

Project/Site: Scott Figgie West of Plant 2

Method	Method Description	Protocol	Laboratory
8260C	Volatile Organic Compounds by GC/MS	SW846	EET BUF
9060A	Organic Carbon, Total (TOC)	SW846	EET BUF
5030C	Purge and Trap	SW846	EET BUF

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET BUF = Eurofins Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

Sample Summary

Client: AECOM

Job ID: 480-211209-1

Project/Site: Scott Figgie West of Plant 2

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
480-211209-1	MW-2	Water	07/26/23 12:40	07/26/23 15:40
480-211209-2	Duplicate	Water	07/26/23 08:00	07/26/23 15:40
480-211209-3	MW-3	Water	07/26/23 14:00	07/26/23 15:40
480-211209-4	MW-11	Water	07/26/23 10:45	07/26/23 15:40
480-211209-5	GWTC	Water	07/26/23 14:45	07/26/23 15:40
480-211257-1	MW-8R	Water	07/27/23 12:00	07/27/23 15:50
480-211257-2	MW-13S	Water	07/27/23 13:40	07/27/23 15:50
480-211257-3	MW-13D	Water	07/27/23 15:05	07/27/23 15:50
480-211257-4	DPE-1	Water	07/27/23 10:10	07/27/23 15:50
480-211257-5	DPE-2	Water	07/27/23 09:30	07/27/23 15:50
480-211257-6	DPE-3	Water	07/27/23 09:15	07/27/23 15:50
480-211257-7	DPE-4	Water	07/27/23 09:45	07/27/23 15:50
480-211257-8	DPE-5	Water	07/27/23 08:30	07/27/23 15:50
480-211257-9	DPE-7	Water	07/27/23 09:00	07/27/23 15:50
480-211257-10	DPE-8	Water	07/27/23 08:45	07/27/23 15:50
480-211257-11	Rinse Blank	Water	07/27/23 00:00	07/27/23 15:50
480-211309-1	MW-16S	Water	07/28/23 00:00	07/28/23 14:15
480-211309-2	MW-16D	Water	07/28/23 00:00	07/28/23 14:15
480-211309-3	MW-4	Water	07/28/23 00:00	07/28/23 14:15
480-211309-4	Trip Blank	Water	07/28/23 07:00	07/28/23 14:15

Login Sample Receipt Checklist

Client: AECOM

Job Number: 480-211209-1

Login Number: 211209

List Number: 1

Creator: Yeager, Brian A

List Source: Eurofins Buffalo

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time (Excluding tests with immediate HTs)..	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Sampling Company provided.	True	AECOM
Samples received within 48 hours of sampling.	True	
Samples requiring field filtration have been filtered in the field.	True	
Chlorine Residual checked.	N/A	

Login Sample Receipt Checklist

Client: AECOM

Job Number: 480-211209-1

Login Number: 211257

List Number: 1

Creator: Stopa, Erik S

List Source: Eurofins Buffalo

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time (Excluding tests with immediate HTs)..	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Sampling Company provided.	True	AECOM
Samples received within 48 hours of sampling.	True	
Samples requiring field filtration have been filtered in the field.	N/A	
Chlorine Residual checked.	N/A	

Login Sample Receipt Checklist

Client: AECOM

Job Number: 480-211209-1

Login Number: 211309

List Source: Eurofins Buffalo

List Number: 1

Creator: Stopa, Erik S

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time (Excluding tests with immediate HTs)..	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Sampling Company provided.	True	AECOM
Samples received within 48 hours of sampling.	True	
Samples requiring field filtration have been filtered in the field.	N/A	
Chlorine Residual checked.	N/A	

Eurofins Buffalo

10 Hazelwood Drive
Amherst, NY 14228-2298
Phone: 716-691-2600 Fax: 716-691-7991

Chain of Custody Record



Environment Testing

Client Information		Sampler: <u>Alyssa Sands</u>		Lab PM: Fischer, Brian J		Carrier Tracking No(s):		COC No: 480-186546-3450.1									
Client Contact: Mr. Dino Zack		Phone: <u>716 866 8222</u>		E-Mail: Brian.Fischer@et.eurofinsus.com		State of Origin: <u>NY</u>		Page: Page 1 of 1									
Company: AECOM		PWSID:		Analysis Requested													
Address: 50 Lakefront Boulevard Suite 111		Due Date Requested: <u>Per PO</u>		<table border="1"> <tr> <td rowspan="4">Field Filtered Sample (Yes or No)</td> <td rowspan="4">Perform MS/MSD (Yes or No)</td> <td rowspan="4">8260C - TCL list OL M04.2</td> <td rowspan="4">9060A - (MOD) Local Method</td> <td rowspan="4">8260C - (MOD) TCL list OL M04.2</td> <td rowspan="4">Total Number of containers</td> </tr> <tr><tr><tr><tr></tr></tr></tr></tr></table>						Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	8260C - TCL list OL M04.2	9060A - (MOD) Local Method	8260C - (MOD) TCL list OL M04.2	Total Number of containers	Preservation Codes:	
Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	8260C - TCL list OL M04.2	9060A - (MOD) Local Method													8260C - (MOD) TCL list OL M04.2	Total Number of containers
City: Buffalo		TAT Requested (days): <u>Per PO</u>		A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA		M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 Y - Trizma Z - other (specify)											
State, Zip: NY, 14202		Compliance Project: ☐ Yes ☐ No		Job #		Other:											
Phone: <u>716 866 8222</u>		PO #:		Purchase Order not requir													
Email: dino.zack@aecom.com		WO #:															
Project Name: Scott Figgie - GW		Project #:		48002539													
Site: New York		SSOW#:															
Sample Identification		Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=wastewater, BT=Tissue, A=Air)	Special Instructions/Note:											
MW-2		7/26/23	1240	G	Water	X	X										
MW-4					Water												
MW-6R <u>duplicate</u>		7/26/23	0800	G	Water	X											
MW-3		7/26/23	1400	G	Water	X	X										
MW-11		7/26/23	1045	G	Water	X	X										
MW-13S <u>GWTC</u>		7/26/23	1445	G	Water	X	X										
MW-13D					Water												
MW-16S					Water												
MW-16D					Water												
BPE-1					Water												
DPE-2					Water												
Possible Hazard Identification					Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)												
☒ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological					☐ Return To Client ☒ Disposal By Lab ☐ Archive For _____ Months												
Deliverable Requested: I, II, III, IV, Other (specify)					Special Instructions/QC Requirements:												
Empty Kit Relinquished by:		Date:		Time:		Method of Shipment:											
Relinquished by: <u>Alyssa Sands</u>		Date/Time: <u>1505 7/26/23</u>		Company: <u>AECOM</u>		Received by: <u>Munkew</u>		Date/Time: <u>7/26/23 1540 PA</u>									
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:									
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:									
Custody Seals Intact: ☐ Yes ☐ No		Custody Seal No.:		Cooler Temperature(s) °C and Other Remarks: <u>52 ICE</u>													



480-211209 Chain of Custody

Ver: 06/08/2021



Eurofins Buffalo

10 Hazelwood Drive

Amherst, NY 14228-2298

Phone: 716-691-2800 Fax: 716-691-7991

Chain of Custody Record




Environment Testing

Client Information		Sampler: <u>Alyssa Sands</u>		Lab PM: <u>Fischer, Brian J</u>		Carrier Tracking No(s):		COC No: <u>480-186546-3450.1</u>	
Client Contact: <u>Mr. Dino Zack</u>		Phone: <u>(607) 760-3657</u>		E-Mail: <u>Brian.Fischer@eurofinsus.com</u>		State of Origin: <u>NY</u>		Page: <u>Page 1 of 2</u>	
Company: <u>AECOM</u>		PW5ID:		Analysis Requested					
Address: <u>50 Lakefront Boulevard Suite 111</u>		Due Date Requested: <u>Per PO</u>		Field Filtered Sample (Yes or No) ☒ Yes ☐ No Form 159 (Yes or No) ☒ Yes ☐ No 8290C - TCL list OLM04.2 9060A - (MOD) Local Method 8290G - (MOD) TCL list OLM04.2					
City: <u>Buffalo</u>		TAT Requested (days): <u>Per PO</u>							
State, Zip: <u>NY, 14202</u>		Compliance Project: ☐ Yes ☐ No							
Phone: <u>716 866 8222</u>		PO #: <u>Purchase Order not requir</u>							
Email: <u>dino.zack@aecom.com</u>		WO #:							
Project Name: <u>Scott Figgle - GW</u>		Project #: <u>48002539</u>		Total Number of containers ☒ Preservation Codes: A - HCL M - Hexane B - NaOH N - None C - Zn Acetate O - AsNaO2 D - Nitric Acid P - Na2O4S E - NaHSO4 Q - Na2SO3 F - MeOH R - Na2S2O3 G - Amchlor S - H2SO4 H - Ascorbic Acid T - TSP Dodecahydrate I - Ice U - Acetone J - DI Water V - MCAA K - EDTA W - pH 4-5 L - EDA Y - Trizma Z - other (specify)					
Site: <u>New York</u>		SSOW#:							
Sample Identification		Sample Date							
Sample Time		Sample Type (C=comp, G=grab)							
Matrix (Water, Solid, Other)		ST=Thios, Anal							
Preservation Code:									
MW-2		Water		 480-211257 Chain of Custody					
MW-4		Water							
MW-8R		7/27/23 1200 G Water							
MW-3		Water							
MW-11		Water							
MW-13S		7/27/23 1340 G Water							
MW-13D		7/27/23 1505 G Water							
MW-16S		Water							
MW-16D		Water							
DPE-1		7/27/23 1010 G Water							
DPE-2		7/27/23 0930 G Water							
Possible Hazard Identification ☒ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological				Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) ☐ Return To Client ☒ Disposal By Lab ☐ Archive For _____ Months					
Deliverable Requested: I, II, III, IV, Other (specify)				Special Instructions/QC Requirements:					
Empty Kit Relinquished by:				Date:		Time:		Method of Shipment:	
Relinquished by: <u>Alyssa Sands</u>		Date/Time: <u>1550 07/27/23</u>		Company: <u>AECOM</u>		Received by: <u>Chun-Ken Lu</u>		Date/Time: <u>7/27/23 1550</u>	
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:	
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:	
Custody Seals Intact: ☐ Yes ☐ No		Custody Seal No.:		Cooler Temperature(s) °C and Other Remarks: <u>4.6 # 1106</u>					

Ver: 06/08/2021

Chain of Custody Record

Client Information		Sampler: AS		Lab PM: Fischer, Brian J		Carrier Tracking No(s):		COC No: 480-186546-3450.2	
Client Contact: Mr. Dino Zack		Phone:		E-Mail: Brian.Fischer@et.eurofinsus.com		State of Origin: NY		Page: Page 2 of 2 1 of 1	
Company: AECOM		PWSID:		Analysis Requested		Job #:		Preservation Codes:	
Address: 50 Lakefront Boulevard Suite 111		Due Date Requested:		Field Filtered Sample (Yes or No) Performs MSD (Yes or No) 8260C - TCL list OLM04.2 9060A - (MOD) Local Method 8260C - (MOD) TCL list OLM04.2		Total Number of containers		A - HCL B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ice J - DI Water K - EDTA L - EDA M - Hexane N - None O - AsNaO2 P - Na2O4S Q - Na2SO3 R - Na2S2O3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 Y - Trizma Z - other (specify)	
City: Buffalo		TAT Requested (days): Per PO							
State, Zip: NY, 14202		Compliance Project: ☐ Yes ☐ No							
Phone: 716-866-8222		PO #:							
Email: dino.zack@aecom.com		Purchase Order not requir		WO #:					
Project Name: Scott Figgie - GW		Project #:		Project #:					
Site: New York		SSOW#:		SSOW#:					
Sample Identification		Sample Date		Sample Time		Sample Type (C=Comp, G=grab)		Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air)	
						Preservation Code:			
DPE-3 mw-165		7/28/23				G		Water	
DPE-4 mw-160		7/28/23				G		Water	
DPE-5 mw-4		7/28/23				G		Water	
DPE-6								Water	
DPE-7								Water	
DPE-8								Water	
GWGT								Water	
Trip Blank		7/28/23 0700		G				Water	
Rinse Blank								Water	
Duplicate								Water	
Possible Hazard Identification									
☒ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown ☐ Radiological									
Deliverable Requested: I, II, III, IV, Other (specify)									
Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)									
☐ Return To Client ☒ Disposal By Lab ☐ Archive For _____ Months									
Special Instructions/QC Requirements:									
Empty Kit Relinquished by:									
Date:									
Time:									
Method of Shipment:									
Relinquished by: Alyssa Sands		Date/Time: 07/28/23		Company:		Received by: Unkown		Date/Time: 7/28/23 1415	
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:	
Relinquished by:		Date/Time:		Company:		Received by:		Date/Time:	
Custody Seals Intact: ☐ Yes ☐ No		Custody Seal No.:		Cooler Temperature(s) °C and Other Remarks:					



480-211309 Chain of Custody

ANALYTICAL REPORT

PREPARED FOR

Attn: Mr. Dino Zack
AECOM
50 Lakefront Boulevard
Suite 111
Buffalo, New York 14202
Generated 8/2/2023 6:30:04 PM

JOB DESCRIPTION

Scott Figgie West of Plant 2

JOB NUMBER

480-211311-1


Eurofins Buffalo

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Northeast, LLC Project Manager.

Authorization



Generated
8/2/2023 6:30:04 PM

Authorized for release by
Rebecca Jones, Project Management Assistant I
Rebecca.Jones@et.eurofinsus.com
Designee for
Brian Fischer, Manager of Project Management
Brian.Fischer@et.eurofinsus.com
(716)504-9835

Table of Contents

Cover Page	1
Table of Contents	3
Definitions/Glossary	4
Case Narrative	5
Client Sample Results	6
Lab Chronicle	15
Certification Summary	16
Method Summary	17
Sample Summary	18
Receipt Checklists	19
Chain of Custody	21



Definitions/Glossary

Client: AECOM

Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211311-1

Qualifiers

Air - GC/MS VOA

Qualifier	Qualifier Description
D	Sample results are obtained from a dilution; the surrogate or matrix spike recoveries reported are calculated from diluted samples.
E	Result exceeded calibration range.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211311-1

Job ID: 480-211311-1

Laboratory: Eurofins Buffalo

Narrative

Job Narrative
480-211311-1

Comments

No additional comments.

Receipt

The samples were received on 7/29/2023 9:50 AM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice.

Air Toxics

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211311-1

Client Sample ID: 3Q23 LRP

Lab Sample ID: 480-211311-1

Date Collected: 07/27/23 06:45

Matrix: Air

Date Received: 07/29/23 09:50

Sample Container: Summa Canister 6L

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.20	U	0.20	0.20	ppb v/v			08/01/23 16:34	1
1,1,1,2-Tetrachloroethane	0.20	U	0.20	0.20	ppb v/v			08/01/23 16:34	1
1,1,2-Trichloroethane	0.20	U	0.20	0.20	ppb v/v			08/01/23 16:34	1
1,1-Dichloroethane	1.5		0.20	0.20	ppb v/v			08/01/23 16:34	1
1,1-Dichloroethene	0.20	U	0.20	0.20	ppb v/v			08/01/23 16:34	1
1,2,4-Trichlorobenzene	0.50	U	0.50	0.50	ppb v/v			08/01/23 16:34	1
1,2,4-Trimethylbenzene	0.28		0.20	0.20	ppb v/v			08/01/23 16:34	1
1,2-Dibromoethane	0.20	U	0.20	0.20	ppb v/v			08/01/23 16:34	1
1,2-Dichlorobenzene	0.20	U	0.20	0.20	ppb v/v			08/01/23 16:34	1
1,2-Dichloroethane	0.20	U	0.20	0.20	ppb v/v			08/01/23 16:34	1
1,2-Dichloroethene, Total	37		0.40	0.40	ppb v/v			08/01/23 16:34	1
1,2-Dichloropropane	0.20	U	0.20	0.20	ppb v/v			08/01/23 16:34	1
1,2-Dichlorotetrafluoroethane	0.20	U	0.20	0.20	ppb v/v			08/01/23 16:34	1
1,3,5-Trimethylbenzene	0.20	U	0.20	0.20	ppb v/v			08/01/23 16:34	1
1,3-Butadiene	0.20	U	0.20	0.20	ppb v/v			08/01/23 16:34	1
1,3-Dichlorobenzene	0.20	U	0.20	0.20	ppb v/v			08/01/23 16:34	1
1,4-Dichlorobenzene	0.20	U	0.20	0.20	ppb v/v			08/01/23 16:34	1
1,4-Dioxane	5.0	U	5.0	5.0	ppb v/v			08/01/23 16:34	1
2,2,4-Trimethylpentane	0.20	U	0.20	0.20	ppb v/v			08/01/23 16:34	1
2-Chlorotoluene	0.20	U	0.20	0.20	ppb v/v			08/01/23 16:34	1
3-Chloropropene	0.50	U	0.50	0.50	ppb v/v			08/01/23 16:34	1
4-Ethyltoluene	0.20	U	0.20	0.20	ppb v/v			08/01/23 16:34	1
Acetone	13		5.0	5.0	ppb v/v			08/01/23 16:34	1
Benzene	0.20	U	0.20	0.20	ppb v/v			08/01/23 16:34	1
Bromodichloromethane	0.20	U	0.20	0.20	ppb v/v			08/01/23 16:34	1
Bromoethene(Vinyl Bromide)	0.20	U	0.20	0.20	ppb v/v			08/01/23 16:34	1
Bromoform	0.20	U	0.20	0.20	ppb v/v			08/01/23 16:34	1
Bromomethane	0.20	U	0.20	0.20	ppb v/v			08/01/23 16:34	1
Carbon disulfide	0.50	U	0.50	0.50	ppb v/v			08/01/23 16:34	1
Carbon tetrachloride	0.20	U	0.20	0.20	ppb v/v			08/01/23 16:34	1
Chlorobenzene	0.20	U	0.20	0.20	ppb v/v			08/01/23 16:34	1
Chloroethane	6.7		0.50	0.50	ppb v/v			08/01/23 16:34	1
Chloroform	0.20	U	0.20	0.20	ppb v/v			08/01/23 16:34	1
Chloromethane	0.58		0.50	0.50	ppb v/v			08/01/23 16:34	1
cis-1,2-Dichloroethene	37		0.20	0.20	ppb v/v			08/01/23 16:34	1
cis-1,3-Dichloropropene	0.20	U	0.20	0.20	ppb v/v			08/01/23 16:34	1
Cyclohexane	0.20	U	0.20	0.20	ppb v/v			08/01/23 16:34	1
Dibromochloromethane	0.20	U	0.20	0.20	ppb v/v			08/01/23 16:34	1
Dichlorodifluoromethane	0.50	U	0.50	0.50	ppb v/v			08/01/23 16:34	1
Ethylbenzene	0.20	U	0.20	0.20	ppb v/v			08/01/23 16:34	1
Freon TF	0.20	U	0.20	0.20	ppb v/v			08/01/23 16:34	1
Hexachlorobutadiene	0.20	U	0.20	0.20	ppb v/v			08/01/23 16:34	1
Isopropyl alcohol	5.0	U	5.0	5.0	ppb v/v			08/01/23 16:34	1
m,p-Xylene	0.50	U	0.50	0.50	ppb v/v			08/01/23 16:34	1
Methyl Butyl Ketone (2-Hexanone)	0.50	U	0.50	0.50	ppb v/v			08/01/23 16:34	1
Methyl Ethyl Ketone	55 E		0.50	0.50	ppb v/v			08/01/23 16:34	1
methyl isobutyl ketone	0.50	U	0.50	0.50	ppb v/v			08/01/23 16:34	1
Methyl tert-butyl ether	0.20	U	0.20	0.20	ppb v/v			08/01/23 16:34	1

Eurofins Buffalo

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211311-1

Client Sample ID: 3Q23 LRP

Lab Sample ID: 480-211311-1

Date Collected: 07/27/23 06:45

Matrix: Air

Date Received: 07/29/23 09:50

Sample Container: Summa Canister 6L

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air (Continued)

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Methylene Chloride	0.50	U	0.50	0.50	ppb v/v			08/01/23 16:34	1
n-Heptane	1.3		0.20	0.20	ppb v/v			08/01/23 16:34	1
n-Hexane	0.86		0.50	0.50	ppb v/v			08/01/23 16:34	1
Styrene	0.20	U	0.20	0.20	ppb v/v			08/01/23 16:34	1
tert-Butyl alcohol	5.0	U	5.0	5.0	ppb v/v			08/01/23 16:34	1
Tetrachloroethene	0.20	U	0.20	0.20	ppb v/v			08/01/23 16:34	1
Tetrahydrofuran	5.0	U	5.0	5.0	ppb v/v			08/01/23 16:34	1
Toluene	8.3		0.20	0.20	ppb v/v			08/01/23 16:34	1
trans-1,2-Dichloroethene	0.20	U	0.20	0.20	ppb v/v			08/01/23 16:34	1
trans-1,3-Dichloropropene	0.20	U	0.20	0.20	ppb v/v			08/01/23 16:34	1
Trichloroethene	0.88		0.20	0.20	ppb v/v			08/01/23 16:34	1
Trichlorofluoromethane	0.20	U	0.20	0.20	ppb v/v			08/01/23 16:34	1
Vinyl chloride	40		0.20	0.20	ppb v/v			08/01/23 16:34	1
Xylene (total)	0.70	U	0.70	0.70	ppb v/v			08/01/23 16:34	1
Xylene, o-	0.20	U	0.20	0.20	ppb v/v			08/01/23 16:34	1

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.1	U	1.1	1.1	ug/m3			08/01/23 16:34	1
1,1,2,2-Tetrachloroethane	1.4	U	1.4	1.4	ug/m3			08/01/23 16:34	1
1,1,2-Trichloroethane	1.1	U	1.1	1.1	ug/m3			08/01/23 16:34	1
1,1-Dichloroethane	6.1		0.81	0.81	ug/m3			08/01/23 16:34	1
1,1-Dichloroethene	0.79	U	0.79	0.79	ug/m3			08/01/23 16:34	1
1,2,4-Trichlorobenzene	3.7	U	3.7	3.7	ug/m3			08/01/23 16:34	1
1,2,4-Trimethylbenzene	1.4		0.98	0.98	ug/m3			08/01/23 16:34	1
1,2-Dibromoethane	1.5	U	1.5	1.5	ug/m3			08/01/23 16:34	1
1,2-Dichlorobenzene	1.2	U	1.2	1.2	ug/m3			08/01/23 16:34	1
1,2-Dichloroethane	0.81	U	0.81	0.81	ug/m3			08/01/23 16:34	1
1,2-Dichloroethene, Total	150		1.6	1.6	ug/m3			08/01/23 16:34	1
1,2-Dichloropropane	0.92	U	0.92	0.92	ug/m3			08/01/23 16:34	1
1,2-Dichlorotetrafluoroethane	1.4	U	1.4	1.4	ug/m3			08/01/23 16:34	1
1,3,5-Trimethylbenzene	0.98	U	0.98	0.98	ug/m3			08/01/23 16:34	1
1,3-Butadiene	0.44	U	0.44	0.44	ug/m3			08/01/23 16:34	1
1,3-Dichlorobenzene	1.2	U	1.2	1.2	ug/m3			08/01/23 16:34	1
1,4-Dichlorobenzene	1.2	U	1.2	1.2	ug/m3			08/01/23 16:34	1
1,4-Dioxane	18	U	18	18	ug/m3			08/01/23 16:34	1
2,2,4-Trimethylpentane	0.93	U	0.93	0.93	ug/m3			08/01/23 16:34	1
2-Chlorotoluene	1.0	U	1.0	1.0	ug/m3			08/01/23 16:34	1
3-Chloropropene	1.6	U	1.6	1.6	ug/m3			08/01/23 16:34	1
4-Ethyltoluene	0.98	U	0.98	0.98	ug/m3			08/01/23 16:34	1
Acetone	32		12	12	ug/m3			08/01/23 16:34	1
Benzene	0.64	U	0.64	0.64	ug/m3			08/01/23 16:34	1
Bromodichloromethane	1.3	U	1.3	1.3	ug/m3			08/01/23 16:34	1
Bromoethene(Vinyl Bromide)	0.87	U	0.87	0.87	ug/m3			08/01/23 16:34	1
Bromoform	2.1	U	2.1	2.1	ug/m3			08/01/23 16:34	1
Bromomethane	0.78	U	0.78	0.78	ug/m3			08/01/23 16:34	1
Carbon disulfide	1.6	U	1.6	1.6	ug/m3			08/01/23 16:34	1
Carbon tetrachloride	1.3	U	1.3	1.3	ug/m3			08/01/23 16:34	1
Chlorobenzene	0.92	U	0.92	0.92	ug/m3			08/01/23 16:34	1
Chloroethane	18		1.3	1.3	ug/m3			08/01/23 16:34	1

Eurolins Buffalo

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211311-1

Client Sample ID: 3Q23 LRP

Lab Sample ID: 480-211311-1

Date Collected: 07/27/23 06:45

Matrix: Air

Date Received: 07/29/23 09:50

Sample Container: Summa Canister 6L

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air (Continued)

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloroform	0.98	U	0.98	0.98	ug/m3			08/01/23 16:34	1
Chloromethane	1.2		1.0	1.0	ug/m3			08/01/23 16:34	1
cis-1,2-Dichloroethene	150		0.79	0.79	ug/m3			08/01/23 16:34	1
cis-1,3-Dichloropropene	0.91	U	0.91	0.91	ug/m3			08/01/23 16:34	1
Cyclohexane	0.69	U	0.69	0.69	ug/m3			08/01/23 16:34	1
Dibromochloromethane	1.7	U	1.7	1.7	ug/m3			08/01/23 16:34	1
Dichlorodifluoromethane	2.5	U	2.5	2.5	ug/m3			08/01/23 16:34	1
Ethylbenzene	0.87	U	0.87	0.87	ug/m3			08/01/23 16:34	1
Freon TF	1.5	U	1.5	1.5	ug/m3			08/01/23 16:34	1
Hexachlorobutadiene	2.1	U	2.1	2.1	ug/m3			08/01/23 16:34	1
Isopropyl alcohol	12	U	12	12	ug/m3			08/01/23 16:34	1
m,p-Xylene	2.2	U	2.2	2.2	ug/m3			08/01/23 16:34	1
Methyl Butyl Ketone (2-Hexanone)	2.0	U	2.0	2.0	ug/m3			08/01/23 16:34	1
Methyl Ethyl Ketone	160	E	1.5	1.5	ug/m3			08/01/23 16:34	1
methyl isobutyl ketone	2.0	U	2.0	2.0	ug/m3			08/01/23 16:34	1
Methyl tert-butyl ether	0.72	U	0.72	0.72	ug/m3			08/01/23 16:34	1
Methylene Chloride	1.7	U	1.7	1.7	ug/m3			08/01/23 16:34	1
n-Heptane	5.5		0.82	0.82	ug/m3			08/01/23 16:34	1
n-Hexane	3.0		1.8	1.8	ug/m3			08/01/23 16:34	1
Styrene	0.85	U	0.85	0.85	ug/m3			08/01/23 16:34	1
tert-Butyl alcohol	15	U	15	15	ug/m3			08/01/23 16:34	1
Tetrachloroethene	1.4	U	1.4	1.4	ug/m3			08/01/23 16:34	1
Tetrahydrofuran	15	U	15	15	ug/m3			08/01/23 16:34	1
Toluene	31		0.75	0.75	ug/m3			08/01/23 16:34	1
trans-1,2-Dichloroethene	0.79	U	0.79	0.79	ug/m3			08/01/23 16:34	1
trans-1,3-Dichloropropene	0.91	U	0.91	0.91	ug/m3			08/01/23 16:34	1
Trichloroethene	4.7		1.1	1.1	ug/m3			08/01/23 16:34	1
Trichlorofluoromethane	1.1	U	1.1	1.1	ug/m3			08/01/23 16:34	1
Vinyl chloride	100		0.51	0.51	ug/m3			08/01/23 16:34	1
Xylene (total)	3.0	U	3.0	3.0	ug/m3			08/01/23 16:34	1
Xylene, o-	0.87	U	0.87	0.87	ug/m3			08/01/23 16:34	1

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air - DL

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.80	U	0.80	0.80	ppb v/v			08/01/23 17:26	4
1,1,2,2-Tetrachloroethane	0.80	U	0.80	0.80	ppb v/v			08/01/23 17:26	4
1,1,2-Trichloroethane	0.80	U	0.80	0.80	ppb v/v			08/01/23 17:26	4
1,1-Dichloroethane	1.5	D	0.80	0.80	ppb v/v			08/01/23 17:26	4
1,1-Dichloroethene	0.80	U	0.80	0.80	ppb v/v			08/01/23 17:26	4
1,2,4-Trichlorobenzene	2.0	U	2.0	2.0	ppb v/v			08/01/23 17:26	4
1,2,4-Trimethylbenzene	0.80	U	0.80	0.80	ppb v/v			08/01/23 17:26	4
1,2-Dibromoethane	0.80	U	0.80	0.80	ppb v/v			08/01/23 17:26	4
1,2-Dichlorobenzene	0.80	U	0.80	0.80	ppb v/v			08/01/23 17:26	4
1,2-Dichloroethane	0.80	U	0.80	0.80	ppb v/v			08/01/23 17:26	4
1,2-Dichloroethene, Total	38	D	1.6	1.6	ppb v/v			08/01/23 17:26	4
1,2-Dichloropropane	0.80	U	0.80	0.80	ppb v/v			08/01/23 17:26	4
1,2-Dichlorotetrafluoroethane	0.80	U	0.80	0.80	ppb v/v			08/01/23 17:26	4
1,3,5-Trimethylbenzene	0.80	U	0.80	0.80	ppb v/v			08/01/23 17:26	4
1,3-Butadiene	0.80	U	0.80	0.80	ppb v/v			08/01/23 17:26	4

Eurofins Buffalo

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211311-1

Client Sample ID: 3Q23 LRP

Lab Sample ID: 480-211311-1

Date Collected: 07/27/23 06:45

Matrix: Air

Date Received: 07/29/23 09:50

Sample Container: Summa Canister 6L

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air - DL (Continued)

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,3-Dichlorobenzene	0.80	U	0.80	0.80	ppb v/v			08/01/23 17:26	4
1,4-Dichlorobenzene	0.80	U	0.80	0.80	ppb v/v			08/01/23 17:26	4
1,4-Dioxane	20	U	20	20	ppb v/v			08/01/23 17:26	4
2,2,4-Trimethylpentane	0.80	U	0.80	0.80	ppb v/v			08/01/23 17:26	4
2-Chlorotoluene	0.80	U	0.80	0.80	ppb v/v			08/01/23 17:26	4
3-Chloropropene	2.0	U	2.0	2.0	ppb v/v			08/01/23 17:26	4
4-Ethyltoluene	0.80	U	0.80	0.80	ppb v/v			08/01/23 17:26	4
Acetone	20	U	20	20	ppb v/v			08/01/23 17:26	4
Benzene	0.80	U	0.80	0.80	ppb v/v			08/01/23 17:26	4
Bromodichloromethane	0.80	U	0.80	0.80	ppb v/v			08/01/23 17:26	4
Bromoethene(Vinyl Bromide)	0.80	U	0.80	0.80	ppb v/v			08/01/23 17:26	4
Bromoform	0.80	U	0.80	0.80	ppb v/v			08/01/23 17:26	4
Bromomethane	0.80	U	0.80	0.80	ppb v/v			08/01/23 17:26	4
Carbon disulfide	2.0	U	2.0	2.0	ppb v/v			08/01/23 17:26	4
Carbon tetrachloride	0.80	U	0.80	0.80	ppb v/v			08/01/23 17:26	4
Chlorobenzene	0.80	U	0.80	0.80	ppb v/v			08/01/23 17:26	4
Chloroethane	6.6	D	2.0	2.0	ppb v/v			08/01/23 17:26	4
Chloroform	0.80	U	0.80	0.80	ppb v/v			08/01/23 17:26	4
Chloromethane	2.0	U	2.0	2.0	ppb v/v			08/01/23 17:26	4
cis-1,2-Dichloroethene	38	D	0.80	0.80	ppb v/v			08/01/23 17:26	4
cis-1,3-Dichloropropene	0.80	U	0.80	0.80	ppb v/v			08/01/23 17:26	4
Cyclohexane	0.80	U	0.80	0.80	ppb v/v			08/01/23 17:26	4
Dibromochloromethane	0.80	U	0.80	0.80	ppb v/v			08/01/23 17:26	4
Dichlorodifluoromethane	2.0	U	2.0	2.0	ppb v/v			08/01/23 17:26	4
Ethylbenzene	0.80	U	0.80	0.80	ppb v/v			08/01/23 17:26	4
Freon TF	0.80	U	0.80	0.80	ppb v/v			08/01/23 17:26	4
Hexachlorobutadiene	0.80	U	0.80	0.80	ppb v/v			08/01/23 17:26	4
Isopropyl alcohol	20	U	20	20	ppb v/v			08/01/23 17:26	4
m,p-Xylene	2.0	U	2.0	2.0	ppb v/v			08/01/23 17:26	4
Methyl Butyl Ketone (2-Hexanone)	2.0	U	2.0	2.0	ppb v/v			08/01/23 17:26	4
Methyl Ethyl Ketone	56	D	2.0	2.0	ppb v/v			08/01/23 17:26	4
methyl isobutyl ketone	2.0	U	2.0	2.0	ppb v/v			08/01/23 17:26	4
Methyl tert-butyl ether	0.80	U	0.80	0.80	ppb v/v			08/01/23 17:26	4
Methylene Chloride	2.0	U	2.0	2.0	ppb v/v			08/01/23 17:26	4
n-Heptane	1.1	D	0.80	0.80	ppb v/v			08/01/23 17:26	4
n-Hexane	2.0	U	2.0	2.0	ppb v/v			08/01/23 17:26	4
Styrene	0.80	U	0.80	0.80	ppb v/v			08/01/23 17:26	4
tert-Butyl alcohol	20	U	20	20	ppb v/v			08/01/23 17:26	4
Tetrachloroethene	0.80	U	0.80	0.80	ppb v/v			08/01/23 17:26	4
Tetrahydrofuran	20	U	20	20	ppb v/v			08/01/23 17:26	4
Toluene	7.7	D	0.80	0.80	ppb v/v			08/01/23 17:26	4
trans-1,2-Dichloroethene	0.80	U	0.80	0.80	ppb v/v			08/01/23 17:26	4
trans-1,3-Dichloropropene	0.80	U	0.80	0.80	ppb v/v			08/01/23 17:26	4
Trichloroethene	0.91	D	0.80	0.80	ppb v/v			08/01/23 17:26	4
Trichlorofluoromethane	0.80	U	0.80	0.80	ppb v/v			08/01/23 17:26	4
Vinyl chloride	40	D	0.80	0.80	ppb v/v			08/01/23 17:26	4
Xylene (total)	2.8	U	2.8	2.8	ppb v/v			08/01/23 17:26	4
Xylene, o-	0.80	U	0.80	0.80	ppb v/v			08/01/23 17:26	4

Eurofins Buffalo

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211311-1

Client Sample ID: 3Q23 LRP

Lab Sample ID: 480-211311-1

Date Collected: 07/27/23 06:45

Matrix: Air

Date Received: 07/29/23 09:50

Sample Container: Summa Canister 6L

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	4.4	U	4.4	4.4	ug/m3			08/01/23 17:26	4
1,1,2,2-Tetrachloroethane	5.5	U	5.5	5.5	ug/m3			08/01/23 17:26	4
1,1,2-Trichloroethane	4.4	U	4.4	4.4	ug/m3			08/01/23 17:26	4
1,1-Dichloroethane	5.9	D	3.2	3.2	ug/m3			08/01/23 17:26	4
1,1-Dichloroethene	3.2	U	3.2	3.2	ug/m3			08/01/23 17:26	4
1,2,4-Trichlorobenzene	15	U	15	15	ug/m3			08/01/23 17:26	4
1,2,4-Trimethylbenzene	3.9	U	3.9	3.9	ug/m3			08/01/23 17:26	4
1,2-Dibromoethane	6.1	U	6.1	6.1	ug/m3			08/01/23 17:26	4
1,2-Dichlorobenzene	4.8	U	4.8	4.8	ug/m3			08/01/23 17:26	4
1,2-Dichloroethane	3.2	U	3.2	3.2	ug/m3			08/01/23 17:26	4
1,2-Dichloroethene, Total	150	D	6.3	6.3	ug/m3			08/01/23 17:26	4
1,2-Dichloropropane	3.7	U	3.7	3.7	ug/m3			08/01/23 17:26	4
1,2-Dichlorotetrafluoroethane	5.6	U	5.6	5.6	ug/m3			08/01/23 17:26	4
1,3,5-Trimethylbenzene	3.9	U	3.9	3.9	ug/m3			08/01/23 17:26	4
1,3-Butadiene	1.8	U	1.8	1.8	ug/m3			08/01/23 17:26	4
1,3-Dichlorobenzene	4.8	U	4.8	4.8	ug/m3			08/01/23 17:26	4
1,4-Dichlorobenzene	4.8	U	4.8	4.8	ug/m3			08/01/23 17:26	4
1,4-Dioxane	72	U	72	72	ug/m3			08/01/23 17:26	4
2,2,4-Trimethylpentane	3.7	U	3.7	3.7	ug/m3			08/01/23 17:26	4
2-Chlorotoluene	4.1	U	4.1	4.1	ug/m3			08/01/23 17:26	4
3-Chloropropene	6.3	U	6.3	6.3	ug/m3			08/01/23 17:26	4
4-Ethyltoluene	3.9	U	3.9	3.9	ug/m3			08/01/23 17:26	4
Acetone	48	U	48	48	ug/m3			08/01/23 17:26	4
Benzene	2.6	U	2.6	2.6	ug/m3			08/01/23 17:26	4
Bromodichloromethane	5.4	U	5.4	5.4	ug/m3			08/01/23 17:26	4
Bromoethene(Vinyl Bromide)	3.5	U	3.5	3.5	ug/m3			08/01/23 17:26	4
Bromoform	8.3	U	8.3	8.3	ug/m3			08/01/23 17:26	4
Bromomethane	3.1	U	3.1	3.1	ug/m3			08/01/23 17:26	4
Carbon disulfide	6.2	U	6.2	6.2	ug/m3			08/01/23 17:26	4
Carbon tetrachloride	5.0	U	5.0	5.0	ug/m3			08/01/23 17:26	4
Chlorobenzene	3.7	U	3.7	3.7	ug/m3			08/01/23 17:26	4
Chloroethane	17	D	5.3	5.3	ug/m3			08/01/23 17:26	4
Chloroform	3.9	U	3.9	3.9	ug/m3			08/01/23 17:26	4
Chloromethane	4.1	U	4.1	4.1	ug/m3			08/01/23 17:26	4
cis-1,2-Dichloroethene	150	D	3.2	3.2	ug/m3			08/01/23 17:26	4
cis-1,3-Dichloropropene	3.6	U	3.6	3.6	ug/m3			08/01/23 17:26	4
Cyclohexane	2.8	U	2.8	2.8	ug/m3			08/01/23 17:26	4
Dibromochloromethane	6.8	U	6.8	6.8	ug/m3			08/01/23 17:26	4
Dichlorodifluoromethane	9.9	U	9.9	9.9	ug/m3			08/01/23 17:26	4
Ethylbenzene	3.5	U	3.5	3.5	ug/m3			08/01/23 17:26	4
Freon TF	6.1	U	6.1	6.1	ug/m3			08/01/23 17:26	4
Hexachlorobutadiene	8.5	U	8.5	8.5	ug/m3			08/01/23 17:26	4
Isopropyl alcohol	49	U	49	49	ug/m3			08/01/23 17:26	4
m,p-Xylene	8.7	U	8.7	8.7	ug/m3			08/01/23 17:26	4
Methyl Butyl Ketone (2-Hexanone)	8.2	U	8.2	8.2	ug/m3			08/01/23 17:26	4
Methyl Ethyl Ketone	160	D	5.9	5.9	ug/m3			08/01/23 17:26	4
methyl isobutyl ketone	8.2	U	8.2	8.2	ug/m3			08/01/23 17:26	4
Methyl tert-butyl ether	2.9	U	2.9	2.9	ug/m3			08/01/23 17:26	4
Methylene Chloride	6.9	U	6.9	6.9	ug/m3			08/01/23 17:26	4

Eurolins Buffalo

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211311-1

Client Sample ID: 3Q23 LRP

Lab Sample ID: 480-211311-1

Date Collected: 07/27/23 06:45

Matrix: Air

Date Received: 07/29/23 09:50

Sample Container: Summa Canister 6L

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air - DL (Continued)

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
n-Heptane	4.6	D	3.3	3.3	ug/m3			08/01/23 17:26	4
n-Hexane	7.0	U	7.0	7.0	ug/m3			08/01/23 17:26	4
Styrene	3.4	U	3.4	3.4	ug/m3			08/01/23 17:26	4
tert-Butyl alcohol	61	U	61	61	ug/m3			08/01/23 17:26	4
Tetrachloroethene	5.4	U	5.4	5.4	ug/m3			08/01/23 17:26	4
Tetrahydrofuran	59	U	59	59	ug/m3			08/01/23 17:26	4
Toluene	29	D	3.0	3.0	ug/m3			08/01/23 17:26	4
trans-1,2-Dichloroethene	3.2	U	3.2	3.2	ug/m3			08/01/23 17:26	4
trans-1,3-Dichloropropene	3.6	U	3.6	3.6	ug/m3			08/01/23 17:26	4
Trichloroethene	4.9	D	4.3	4.3	ug/m3			08/01/23 17:26	4
Trichlorofluoromethane	4.5	U	4.5	4.5	ug/m3			08/01/23 17:26	4
Vinyl chloride	100	D	2.0	2.0	ug/m3			08/01/23 17:26	4
Xylene (total)	12	U	12	12	ug/m3			08/01/23 17:26	4
Xylene, o-	3.5	U	3.5	3.5	ug/m3			08/01/23 17:26	4

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211311-1

Client Sample ID: 3Q23 AS

Lab Sample ID: 480-211311-2

Date Collected: 07/27/23 06:30

Matrix: Air

Date Received: 07/29/23 09:50

Sample Container: Summa Canister 6L

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
1,1,2,2-Tetrachloroethane	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
1,1,2-Trichloroethane	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
1,1-Dichloroethane	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
1,1-Dichloroethene	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
1,2,4-Trichlorobenzene	0.50	U	0.50	0.50	ppb v/v			08/01/23 15:42	1
1,2,4-Trimethylbenzene	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
1,2-Dibromoethane	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
1,2-Dichlorobenzene	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
1,2-Dichloroethane	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
1,2-Dichloroethene, Total	4.9		0.40	0.40	ppb v/v			08/01/23 15:42	1
1,2-Dichloropropane	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
1,2-Dichlorotetrafluoroethane	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
1,3,5-Trimethylbenzene	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
1,3-Butadiene	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
1,3-Dichlorobenzene	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
1,4-Dichlorobenzene	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
1,4-Dioxane	5.0	U	5.0	5.0	ppb v/v			08/01/23 15:42	1
2,2,4-Trimethylpentane	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
2-Chlorotoluene	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
3-Chloropropene	0.50	U	0.50	0.50	ppb v/v			08/01/23 15:42	1
4-Ethyltoluene	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
Acetone	7.4		5.0	5.0	ppb v/v			08/01/23 15:42	1
Benzene	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
Bromodichloromethane	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
Bromoethene(Vinyl Bromide)	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
Bromoform	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
Bromomethane	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
Carbon disulfide	2.1		0.50	0.50	ppb v/v			08/01/23 15:42	1
Carbon tetrachloride	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
Chlorobenzene	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
Chloroethane	1.0		0.50	0.50	ppb v/v			08/01/23 15:42	1
Chloroform	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
Chloromethane	0.58		0.50	0.50	ppb v/v			08/01/23 15:42	1
cis-1,2-Dichloroethene	4.9		0.20	0.20	ppb v/v			08/01/23 15:42	1
cis-1,3-Dichloropropene	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
Cyclohexane	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
Dibromochloromethane	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
Dichlorodifluoromethane	0.50	U	0.50	0.50	ppb v/v			08/01/23 15:42	1
Ethylbenzene	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
Freon TF	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
Hexachlorobutadiene	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
Isopropyl alcohol	5.0	U	5.0	5.0	ppb v/v			08/01/23 15:42	1
m,p-Xylene	0.50	U	0.50	0.50	ppb v/v			08/01/23 15:42	1
Methyl Butyl Ketone (2-Hexanone)	0.50	U	0.50	0.50	ppb v/v			08/01/23 15:42	1
Methyl Ethyl Ketone	13		0.50	0.50	ppb v/v			08/01/23 15:42	1
methyl isobutyl ketone	0.50	U	0.50	0.50	ppb v/v			08/01/23 15:42	1
Methyl tert-butyl ether	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1

Eurofins Buffalo

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211311-1

Client Sample ID: 3Q23 AS

Lab Sample ID: 480-211311-2

Date Collected: 07/27/23 06:30

Matrix: Air

Date Received: 07/29/23 09:50

Sample Container: Summa Canister 6L

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air (Continued)

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Methylene Chloride	0.50	U	0.50	0.50	ppb v/v			08/01/23 15:42	1
n-Heptane	0.35		0.20	0.20	ppb v/v			08/01/23 15:42	1
n-Hexane	0.50	U	0.50	0.50	ppb v/v			08/01/23 15:42	1
Styrene	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
tert-Butyl alcohol	5.0	U	5.0	5.0	ppb v/v			08/01/23 15:42	1
Tetrachloroethene	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
Tetrahydrofuran	5.0	U	5.0	5.0	ppb v/v			08/01/23 15:42	1
Toluene	0.27		0.20	0.20	ppb v/v			08/01/23 15:42	1
trans-1,2-Dichloroethene	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
trans-1,3-Dichloropropene	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
Trichloroethene	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
Trichlorofluoromethane	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
Vinyl chloride	1.0		0.20	0.20	ppb v/v			08/01/23 15:42	1
Xylene (total)	0.70	U	0.70	0.70	ppb v/v			08/01/23 15:42	1
Xylene, o-	0.20	U	0.20	0.20	ppb v/v			08/01/23 15:42	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.1	U	1.1	1.1	ug/m3			08/01/23 15:42	1
1,1,1,2-Tetrachloroethane	1.4	U	1.4	1.4	ug/m3			08/01/23 15:42	1
1,1,2-Trichloroethane	1.1	U	1.1	1.1	ug/m3			08/01/23 15:42	1
1,1-Dichloroethane	0.81	U	0.81	0.81	ug/m3			08/01/23 15:42	1
1,1-Dichloroethene	0.79	U	0.79	0.79	ug/m3			08/01/23 15:42	1
1,2,4-Trichlorobenzene	3.7	U	3.7	3.7	ug/m3			08/01/23 15:42	1
1,2,4-Trimethylbenzene	0.98	U	0.98	0.98	ug/m3			08/01/23 15:42	1
1,2-Dibromoethane	1.5	U	1.5	1.5	ug/m3			08/01/23 15:42	1
1,2-Dichlorobenzene	1.2	U	1.2	1.2	ug/m3			08/01/23 15:42	1
1,2-Dichloroethane	0.81	U	0.81	0.81	ug/m3			08/01/23 15:42	1
1,2-Dichloroethene, Total	19		1.6	1.6	ug/m3			08/01/23 15:42	1
1,2-Dichloropropane	0.92	U	0.92	0.92	ug/m3			08/01/23 15:42	1
1,2-Dichlorotetrafluoroethane	1.4	U	1.4	1.4	ug/m3			08/01/23 15:42	1
1,3,5-Trimethylbenzene	0.98	U	0.98	0.98	ug/m3			08/01/23 15:42	1
1,3-Butadiene	0.44	U	0.44	0.44	ug/m3			08/01/23 15:42	1
1,3-Dichlorobenzene	1.2	U	1.2	1.2	ug/m3			08/01/23 15:42	1
1,4-Dichlorobenzene	1.2	U	1.2	1.2	ug/m3			08/01/23 15:42	1
1,4-Dioxane	18	U	18	18	ug/m3			08/01/23 15:42	1
2,2,4-Trimethylpentane	0.93	U	0.93	0.93	ug/m3			08/01/23 15:42	1
2-Chlorotoluene	1.0	U	1.0	1.0	ug/m3			08/01/23 15:42	1
3-Chloropropene	1.6	U	1.6	1.6	ug/m3			08/01/23 15:42	1
4-Ethyltoluene	0.98	U	0.98	0.98	ug/m3			08/01/23 15:42	1
Acetone	18		12	12	ug/m3			08/01/23 15:42	1
Benzene	0.64	U	0.64	0.64	ug/m3			08/01/23 15:42	1
Bromodichloromethane	1.3	U	1.3	1.3	ug/m3			08/01/23 15:42	1
Bromoethene(Vinyl Bromide)	0.87	U	0.87	0.87	ug/m3			08/01/23 15:42	1
Bromoform	2.1	U	2.1	2.1	ug/m3			08/01/23 15:42	1
Bromomethane	0.78	U	0.78	0.78	ug/m3			08/01/23 15:42	1
Carbon disulfide	6.6		1.6	1.6	ug/m3			08/01/23 15:42	1
Carbon tetrachloride	1.3	U	1.3	1.3	ug/m3			08/01/23 15:42	1
Chlorobenzene	0.92	U	0.92	0.92	ug/m3			08/01/23 15:42	1
Chloroethane	2.8		1.3	1.3	ug/m3			08/01/23 15:42	1

Eurofins Buffalo

Client Sample Results

Client: AECOM
Project/Site: Scott Figgie West of Plant 2

Job ID: 480-211311-1

Client Sample ID: 3Q23 AS

Lab Sample ID: 480-211311-2

Date Collected: 07/27/23 06:30

Matrix: Air

Date Received: 07/29/23 09:50

Sample Container: Summa Canister 6L

Method: EPA TO-15 - Volatile Organic Compounds in Ambient Air (Continued)

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Chloroform	0.98	U	0.98	0.98	ug/m3			08/01/23 15:42	1
Chloromethane	1.2		1.0	1.0	ug/m3			08/01/23 15:42	1
cis-1,2-Dichloroethene	19		0.79	0.79	ug/m3			08/01/23 15:42	1
cis-1,3-Dichloropropene	0.91	U	0.91	0.91	ug/m3			08/01/23 15:42	1
Cyclohexane	0.69	U	0.69	0.69	ug/m3			08/01/23 15:42	1
Dibromochloromethane	1.7	U	1.7	1.7	ug/m3			08/01/23 15:42	1
Dichlorodifluoromethane	2.5	U	2.5	2.5	ug/m3			08/01/23 15:42	1
Ethylbenzene	0.87	U	0.87	0.87	ug/m3			08/01/23 15:42	1
Freon TF	1.5	U	1.5	1.5	ug/m3			08/01/23 15:42	1
Hexachlorobutadiene	2.1	U	2.1	2.1	ug/m3			08/01/23 15:42	1
Isopropyl alcohol	12	U	12	12	ug/m3			08/01/23 15:42	1
m,p-Xylene	2.2	U	2.2	2.2	ug/m3			08/01/23 15:42	1
Methyl Butyl Ketone (2-Hexanone)	2.0	U	2.0	2.0	ug/m3			08/01/23 15:42	1
Methyl Ethyl Ketone	40		1.5	1.5	ug/m3			08/01/23 15:42	1
methyl isobutyl ketone	2.0	U	2.0	2.0	ug/m3			08/01/23 15:42	1
Methyl tert-butyl ether	0.72	U	0.72	0.72	ug/m3			08/01/23 15:42	1
Methylene Chloride	1.7	U	1.7	1.7	ug/m3			08/01/23 15:42	1
n-Heptane	1.4		0.82	0.82	ug/m3			08/01/23 15:42	1
n-Hexane	1.8	U	1.8	1.8	ug/m3			08/01/23 15:42	1
Styrene	0.85	U	0.85	0.85	ug/m3			08/01/23 15:42	1
tert-Butyl alcohol	15	U	15	15	ug/m3			08/01/23 15:42	1
Tetrachloroethene	1.4	U	1.4	1.4	ug/m3			08/01/23 15:42	1
Tetrahydrofuran	15	U	15	15	ug/m3			08/01/23 15:42	1
Toluene	1.0		0.75	0.75	ug/m3			08/01/23 15:42	1
trans-1,2-Dichloroethene	0.79	U	0.79	0.79	ug/m3			08/01/23 15:42	1
trans-1,3-Dichloropropene	0.91	U	0.91	0.91	ug/m3			08/01/23 15:42	1
Trichloroethene	1.1	U	1.1	1.1	ug/m3			08/01/23 15:42	1
Trichlorofluoromethane	1.1	U	1.1	1.1	ug/m3			08/01/23 15:42	1
Vinyl chloride	2.7		0.51	0.51	ug/m3			08/01/23 15:42	1
Xylene (total)	3.0	U	3.0	3.0	ug/m3			08/01/23 15:42	1
Xylene, o-	0.87	U	0.87	0.87	ug/m3			08/01/23 15:42	1

Lab Chronicle

Client: AECOM

Job ID: 480-211311-1

Project/Site: Scott Figgie West of Plant 2

Client Sample ID: 3Q23 LRP

Lab Sample ID: 480-211311-1

Date Collected: 07/27/23 06:45

Matrix: Air

Date Received: 07/29/23 09:50

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	TO-15		1	194085	A1B	EET BUR	08/01/23 16:34
Total/NA	Analysis	TO-15	DL	4	194085	A1B	EET BUR	08/01/23 17:26

Client Sample ID: 3Q23 AS

Lab Sample ID: 480-211311-2

Date Collected: 07/27/23 06:30

Matrix: Air

Date Received: 07/29/23 09:50

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	TO-15		1	194085	A1B	EET BUR	08/01/23 15:42

Laboratory References:

EET BUR = Eurofins Burlington, 530 Community Drive, Suite 11, South Burlington, VT 05403, TEL (802)660-1990

Accreditation/Certification Summary

Client: AECOM

Job ID: 480-211311-1

Project/Site: Scott Figgie West of Plant 2

Laboratory: Eurofins Burlington

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
ANAB	Dept. of Defense ELAP	L2336	02-25-26
Connecticut	State	PH-0751	09-30-23
DE Haz. Subst. Cleanup Act (HSCA)	State	N/A	05-18-24
Florida	NELAP	E87467	06-30-24
Minnesota	NELAP	050-999-436	12-31-23
New Hampshire	NELAP	2006	12-18-23
New Jersey	NELAP	VT972	06-30-24
New York	NELAP	10391	03-31-24
Pennsylvania	NELAP	68-00489	04-30-24
Rhode Island	State	LAO00298	12-31-24
US Fish & Wildlife	US Federal Programs	058448	07-31-24
USDA	US Federal Programs	P330-17-00272	10-30-23
Vermont	State	VT4000	02-10-24
Virginia	NELAP	460209	12-14-23
Wisconsin	State	399133350	08-31-23

Method Summary

Client: AECOM

Job ID: 480-211311-1

Project/Site: Scott Figgie West of Plant 2

Method	Method Description	Protocol	Laboratory
TO-15	Volatile Organic Compounds in Ambient Air	EPA	EET BUR

Protocol References:

EPA = US Environmental Protection Agency

Laboratory References:

EET BUR = Eurofins Burlington, 530 Community Drive, Suite 11, South Burlington, VT 05403, TEL (802)660-1990

Sample Summary

Client: AECOM

Job ID: 480-211311-1

Project/Site: Scott Figgie West of Plant 2

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Asset ID
480-211311-1	3Q23 LRP	Air	07/27/23 06:45	07/29/23 09:50	Air Canister (6-Liter) #2603
480-211311-2	3Q23 AS	Air	07/27/23 06:30	07/29/23 09:50	Air Canister (6-Liter) #5127

1

2

3

4

5

6

7

8

9

10

11

Login Sample Receipt Checklist

Client: AECOM

Job Number: 480-211311-1

Login Number: 211311

List Source: Eurofins Buffalo

List Number: 1

Creator: Campbell, Adrik

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	N/A	NA: Lab does not accept radioactive samples
The cooler's custody seal, if present, is intact.	True	2343292
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	No: Thermal preservation not required
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	N/A	No: Thermal preservation not required
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time (Excluding tests with immediate HTs)..	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	N/A	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	N/A	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Sampling Company provided.	True	
Samples received within 48 hours of sampling.	True	
Samples requiring field filtration have been filtered in the field.	True	
Chlorine Residual checked.	N/A	

Login Sample Receipt Checklist

Client: AECOM

Job Number: 480-211311-1

Login Number: 211311

List Number: 2

Creator: Campbell, Adrik

List Source: Eurofins Burlington

List Creation: 07/29/23 11:04 AM

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	N/A	Lab does not accept radioactive samples.
The cooler's custody seal, if present, is intact.	True	2343292
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	N/A	Thermal preservation not required.
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	N/A	Thermal preservation not required.
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	N/A	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

South Burlington, VT 05403-6809
phone 802.660.1990 fax 802.660.1919

480-211311 Chain of Custody

nent Testing

AMERICA

TestAmerica Laboratories, Inc. d/b/a Eurofins TestAmerica

[illegible]

Form No. CA-C-WI-003, Rev. 2.28, dated 1/8/2021

Page 21 of 22


8/2/2023

Age Group	Number of People
1	2
2	3
3	4
4	5
5	6
6	7
7	8
8	9
9	10
10	11
11	12

SHIP DATE: 28JUL23
ACTWGT: 19.95 LB
CAD: 846654/CAFE3709

BILL RECIPIENT

583C4/6AE4/FE2D



SATURDAY 12:00P
PRIORITY OVERNIGHT

05403
VT-US BTV



Analytical Results

SiREM File Reference: S-9950

Client: AECOM
Client Project Number: 60676130-1
Date Samples Received: July 28, 2023
Date Samples Analyzed: August 2, 2023

Client Sample ID	SiREM Reference ID	Client Sample Date	Sample Dilution Factor	Lactate	Acetate	Propionate	Formate	Butyrate	Pyruvate
				mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
MW-16S	23-14730	27-Jul-23	50x	<0.62	595	<0.10	776	351	<0.15
MW-8R	23-14731	27-Jul-23	50x	<0.62	520	352	<1.3	212	<0.15
QL				50	0.62	1.4	0.10	1.3	0.06
RL				50	2.0	2.0	2.0	2.0	2.0

Comments:

Method: Ion Chromatography with Electrical Conductivity Detection

QL = Quantitation limit

RL = Reporting Limit

< = compound analysed for but not detected, associated value is QL. Sample QL is corrected for dilution.

Analyst:

Brooke Rapien

Brooke Rapien, B.Sc.
Laboratory Technician II

Results approved:

Kela Ashworth

Kela Ashworth, B.Sc.
Scientist


Date:

8-Aug-23



Lab #
S-9950

Please note: The SiREM Knoxville location does not have a loading dock. For large volume shipments a truck with a lift gate is required.

Lab #
S-9950

Please note: The SiREM Knoxville location does not have a loading dock. For large volume shipments a truck with a lift gate is required.

6.5°C
upon reception
@ Guelph

COC001

Gene-Trac® Certificate of Analysis

Customer: Dino Zack

Email: Dino.Zack@aecom.com

Phone: 716-866-8222

Company: AECOM

Project Name: West Plant 2

Method Reference: SOP-002, 019, 108, 114, & 116

Batch Reference: S-9950

Report Date: 14-Aug-23

Certificate Number: CAG-0638

Test Location(s): Knoxville and Guelph

Customer Reference: 60676130-1

The results included herein only apply to the samples described within and are applicable to the items as received. This certificate is not to be reproduced unless in full.

SOP-116 (DNA Extraction), SOP-114 (DNA Quantification), and SOP-108 (Dhc testing) were performed at SiREM Knoxville, the remainder of testing was performed at SiREM Guelph.



Certificate of Analysis: Gene-Trac® *Dehalococcoides* Assay

Certificate Number: CAG-0638

Data File(s): QS3K-DHCT-TM-QPCR-2194


Run Date(s): 8-Aug-23

Table 1a: Test Results

Sample ID	<i>Dehalococcoides</i> (Dhc)	
	Percent Dhc ⁽¹⁾	Enumeration/Liter ^(2,3)
MW-16S	2 - 5 %	1 x 10 ⁹
MW-8R	0.03 - 0.08 %	1 x 10 ⁷

See final page for notes.

Analyst: 
KJ Elipse-Cruz, B.Sc.
Laboratory Technician II

Approved: 
Jen Wilkinson
Senior Genetic Testing Specialist

Certificate of Analysis: Gene-Trac® Functional Gene Assay

Certificate Number: CAG-0638

Data File(s): QS3A-FGA-QPCR-1417

Run Date(s): 10-Aug-23

Table 1b: Test Results

Sample ID	VC Reductase (<i>vcrA</i>)		BAV1 VC Reductase (<i>bvcA</i>)		TCE Reductase (<i>tceA</i>)	
	Percent <i>vcrA</i> ⁽⁴⁾	Gene Copies/Liter ⁽²⁾	Percent <i>bvcA</i> ⁽⁴⁾	Gene Copies/Liter ⁽²⁾	Percent <i>tceA</i> ⁽⁴⁾	Gene Copies/Liter ⁽²⁾
MW-16S	2 - 7 %	2 x 10 ⁹	0.2 - 0.5 %	1 x 10 ⁸	0.2 - 0.5 %	1 x 10 ⁸
MW-8R	0.02 - 0.07 %	1 x 10 ⁷	0.0008 - 0.002 %	4 x 10 ⁵	0.007 - 0.02 %	4 x 10 ⁶

See final page for notes.

Analyst: 
KJ Elipse-Cruz, B.Sc.
Laboratory Technician II

Approved: 
Jen Wilkinson
Senior Genetic Testing Specialist

Certificate of Analysis: Gene-Trac® *Dehalobacter* Assay

Certificate Number: CAG-0638

Data File(s): QS3B-DHB-QPCR-0649

Run Date(s): 10-Aug-23

Table 1c: Test Results

Sample ID	<i>Dehalobacter</i> (Dhb)	
	Percent Dhb ⁽¹⁾	Dhb Gene Copies/liter ⁽²⁾
MW-16S	0.001 - 0.004 %	9×10^5
MW-8R	0.0004 - 0.001 %	2×10^5

See final page for notes.

Analyst: 
KJ Elipse-Cruz, B.Sc.
Laboratory Technician II

Approved: 
Jen Wilkinson
Senior Genetic Testing Specialist

Table 2: Detailed Test Parameters, Test Certificate CAG-0638

Customer Sample ID	MW-16S	MW-8R
Date Sampled ⁽⁵⁾	27-Jul-23	27-Jul-23
Matrix	Groundwater	Groundwater
Date Received ⁽⁵⁾	28-Jul-23	28-Jul-23
Sample Temperature	4.7 °C	4.7 °C
Filtration Date ⁽⁵⁾	28-Jul-23	28-Jul-23
Volume Used for DNA Extraction	5 mL	20 mL
DNA Extraction Date	7-Aug-23	7-Aug-23
DNA Concentration in Sample (extractable)	134,550 ng/L	105,713 ng/L
PCR Amplifiable DNA	Detected	Detected
DNA Extraction Control ⁽⁶⁾	Passed	Passed
Detection Limit (copies/L)	7×10^4	2×10^4
Quantitation Limit (copies/L)	1×10^5	3×10^4
qPCR Controls (see Tables 3 - 5)	Passed	Passed
Comments	--	--

See final page for notes.

Table 3: Gene-Trac Dhc Control Results, Test Reference CAG-0638

Laboratory Control	Analysis Date	Control Description	Dhc 16S rRNA		Comments
			Spiked Gene Copies per Liter	Recovered Gene Copies per Liter	
Positive Control Low Concentration	8-Aug-23	Synthetic DNA (CSLD-1832)	2.1×10^6	2.3×10^6	Passed
Positive Control High Concentration	8-Aug-23	Synthetic DNA (CSHD-1832)	2.1×10^8	2.2×10^8	Passed
DNA Extraction Blank	8-Aug-23	Sterile Water (FB-4457)	0	6.6×10^2 U	Passed
Negative Control	8-Aug-23	Reagent Blank (TBD-1791)	0	6.6×10^2 U	Passed

See final page for notes.

Table 4: Gene-Trac FGA Control Results, Test Reference CAG-0638

Laboratory Control	Analysis Date	Control Description	<i>vcrA</i>		<i>bvcA</i>		<i>tceA</i>		Comments
			Spiked Gene Copies per Liter	Recovered Gene Copies per Liter	Spiked Gene Copies per Liter	Recovered Gene Copies per Liter	Spiked Gene Copies per Liter	Recovered Gene Copies per Liter	
Positive Control Low Concentration	10-Aug-23	Synthetic DNA (CSLF-1285)	1.2×10^7	8.4×10^6	1.1×10^7	8.4×10^6	1.3×10^7	7.5×10^6	Passed
Positive Control High Concentration	10-Aug-23	Synthetic DNA (CSHF-1285)	1.1×10^9	8.9×10^8	1.1×10^9	9.7×10^8	1.1×10^9	7.6×10^8	Passed
DNA Extraction Blank	14-Aug-23	Sterile Water (FB-4457)	0	6.6×10^2 U	0	6.6×10^2 U	0	6.6×10^2 U	Passed
Negative Control	10-Aug-23	Reagent Blank (TBF-1256)	0	6.6×10^2 U	0	6.6×10^2 U	0	6.6×10^2 U	Passed

See final page for notes.

Table 5: Gene-Trac Dhb Control Results, Test Reference CAG-0638

Laboratory Control	Analysis Date	Control Description	Dhb 16S rRNA		Comments
			Spiked Gene Copies per Liter	Recovered Gene Copies per Liter	
Positive Control Low Concentration	10-Aug-23	Synthetic DNA (CSLDB-0608)	1.3×10^7	1.3×10^7	Passed
Positive Control High Concentration	10-Aug-23	Synthetic DNA (CSHDB-0608)	1.3×10^9	1.3×10^9	Passed
DNA Extraction Blank	10-Aug-23	Sterile Water (FB-4457)	0	6.6×10^2 U	Passed
Negative Control	10-Aug-23	Reagent Blank (TBDB-0608)	0	6.6×10^2 U	Passed

See final page for notes.

Notes:

Dhc = *Dehalococcoides*

vcrA = VC reductase

bvcA = BAV1 VC reductase

tceA = TCE reductase

FGA = functional gene assay

Dhb = *Dehalobacter*

M Non-specific amplification was observed via melt curve analysis

J The associated value is an estimated quantity between the detection limit and quantitation limit.

U Not detected, associated value is the detection limit.

B Analyte was detected in the method blank within an order of magnitude of the test sample.

E Extracted genomic DNA was not detected in the sample.

I Sample inhibited the test reaction based on inability to PCR amplify extracted DNA with universal primers.

ng/L = nanograms per liter

mL = milliliter

NA = not applicable

ND = not detected

DNA = deoxyribonucleic acid

16S rRNA = 16S ribosomal ribonucleic acid

PCR = polymerase chain reaction

qPCR = quantitative PCR

°C = degrees Celsius

¹ Percent *Dehalococcoides* (Dhc) or *Dehalobacter* (Dhb) in microbial population. This value is calculated by dividing the number of 16S ribosomal ribonucleic acid (rRNA) gene copies by the total number of bacteria as estimated by the mass of DNA extracted from the sample. Range represents normal variation in Dhc or Dhb enumeration.

² Target quantitation is subject to the variability of the method, this variability has been demonstrated to be +/- 60%.

³ Based on quantification of Dhc 16S rRNA gene copies. Dhc are generally reported to contain one 16S rRNA gene copy per cell; therefore, this number is often interpreted to represent the number of Dhc cells present in the sample.

⁴ Percent of functional gene in microbial population. This value is calculated by dividing the functional gene copies quantified by the total number of estimated prokaryotes in the sample (based on the total quantity of DNA extracted from the sample). A value of 100% would suggest that all microbes in the sample contain the gene.

⁵ Samples are stabilized by freezing at -80 °C upon sample reception (field filters) or in-lab filtration (groundwater). Hold time not exceeded if sampling date is within 14 days of date received or filtration date.

⁶ DNA is extracted from a standardized bacterial culture sample once per week and Total Bacteria qPCR is performed using standard methods. A recovery greater than 25% of the expected value is deemed acceptable.

⁷ Control was outside recovery limit guidelines (+/- 50%), however, test results are deemed acceptable if one of two positive controls fall within the recovery limit guidelines.



Lab #
S-9950

Please note: The SiREM Knoxville location does not have a loading dock. For large volume shipments a truck with a lift gate is required.


Appendix D

Current and Historical Summary of VOCs in Groundwater

MONITORING WELL MW-2
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/14/2005	< 10	< 10	< 10	29	< 10	<10
1/5/2006	< 25	< 25	< 25	16	< 25	< 25
4/14/2006	< 25	< 25	< 25	27	< 25	< 25
7/10/2006	< 25	< 25	< 25	23	< 25	< 25
10/19/2006	< 5	< 5	< 5	20	< 5	< 5
1/9/2007	< 5	< 5	< 5	42	< 5	< 5
4/16/2007	< 20	< 20	< 20	45	< 20	< 20
7/2/2007	< 5	< 5	< 5	< 5	< 5	< 5
10/15/2007	< 5	< 5	< 5	19	< 5	< 5
1/8/2008	< 5	< 5	< 5	26	< 5	< 5
4/2/2008	< 5	0.48	< 5	23	0.71	< 5
7/1/2008	< 5	< 5	< 5	46	0.65	< 5
10/1/2008	< 5	< 5	< 5	21	< 5	< 5
1/20/2009	< 5	< 5	< 5	16	< 5	< 5
4/15/2009	< 5	< 5	< 5	14	< 5	< 5
7/22/2009	< 5	< 5	< 5	12	< 5	< 5
10/12/2009	< 5	< 5	< 5	12	< 5	< 5
1/18/2010	< 25	< 25	< 25	18	< 25	< 25
4/7/2010	< 25	< 25	< 25	21	< 25	< 25
7/12/2010	< 25	< 25	< 25	14	< 25	< 25
10/11/2010	< 25	< 25	< 25	13	< 25	< 25
1/12/2011	<1	<1	<1	10	<1	<1
4/4/2011	<1	<1	<1	5.4	<1	<1
7/25/2011	<1	<1	<1	4.5	<1	<1
10/3/2011	<1	<1	<1	2.1	<1	<1
1/11/2012	<1	<1	<1	2.0	<1	<1
4/2/2012	<1	<1	<1	5.8	<1	<1
7/5/2012	<1	<1	<1	6.3	<1	<1
10/11/2012	<1	<1	<1	2.4	<1	<1
4/1/2013	<1	<1	<1	8.8	<1	<1
7/1/2013	<1	<1	<1	3.6	<1	<1
10/9/2013	<1	<1	<1	3.9	<1	<1
1/21/2014	<1	<1	<1	1.9	0.67	<1
4/7/2014	<1	<1	<1	0.68	<1	<1
7/16/2014	<1	<1	<1	0.94	<1	<1
10/14/2014	<1	<1	<1	1.1	<1	<1
1/20/2015	<5	<5	<5	<5	<5	<5
4/7/2015	<5	<5	<5	<5	<5	<5
7/22/2015	<1	<1	<1	<1	<1	<1
10/19/2015	<1	<1	<1	<1	<1	<1
1/5/2016	<1	<1	<1	<1	<1	<1
4/4/2016	<1	<1	<1	<1	<1	<1
7/5/2016	<1	<1	<1	<1	<1	<1
10/24/2016	<1	<1	<1	<1	<1	<1
1/17/2016	<1	<1	<1	1.7	<1	<1
4/20/2017	<1	<1	<1	1.4	<1	<1
7/12/2017	<1	<1	<1	1.2	<1	<1
10/23/2017	<1	<1	<1	3.5	<1	<1
1/8/2018	<1	<1	<1	1.3	<1	<1
4/17/2018	<1	<1	<1	0.65	<1	<1
7/13/2018	<1	<1	<1	1.2	<1	<1
10/24/2018	<1	<1	<1	3.3	<1	<1
1/9/2019	<1	<1	<1	<1	<1	<1
4/8/2019	<1	<1	<1	<1	<1	<1
7/23/2019	<2	<2	<2	<2	<2	<2
10/15/2019	<1	<1	<1	<1	<1	<1
1/7/2020	<1	<1	<1	<1	<1	<1
4/6/2020	<1	<1	<1	<1	<1	<1
7/21/2020	<1	<1	<1	0.52	<1	<1
10/14/2020	<2	<2	<2	<2	<2	<2
1/19/2021	<1	<1	<1	<1	<1	<1
4/6/2021	<1	<1	<1	<1	<1	<1
7/13/2021	<2	<2	<2	<2	<2	<2
10/18/2021	<2	<2	<2	<2	<2	<2
1/19/2022	<2	<2	<2	<2	<2	<2
4/4/2022	<1	<1	<1	<1	<1	<1
7/7/2022	<2	<2	<2	<2	<2	<2
10/3/2022	<2	<2	<2	<2	<2	<2
1/18/2023	<2	<2	<2	<2	<2	<2
4/3/2023	<2	<2	<2	<2	<2	<2
7/26/2023	<1	<1	<1	<1	<1	<1

MONITORING WELL MW-2
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York




Note TCE data from 10/11/10 was reported in error as 350 µg/L and cis-1,2-DCE was reported as 25 µg/L.

MONITORING WELL MW-3
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/14/2005	< 10	4.0	22	16	8.0	<10
1/5/2006	< 25	4.4	4.6	< 25	10	< 25
4/14/2006	< 25	< 25	< 25	2.8	4.9	< 25
7/10/2006	< 25	2.6	6.5	4.8	7.0	< 25
10/18/2006	< 5	1.3	9.8	8.2	4.3	< 5
1/10/2007	< 5	2.8	9.8	12	7.0	< 5
4/16/2007	< 20	< 20	< 20	< 20	5.3	< 20
7/2/2007	< 5	2.0	5.7	< 5	7.5	< 5
10/17/2007	5.0	12	4.0	25	14	25
1/9/2008	< 5	0.9	4.2	1.2	9.7	<5
4/3/2008	<5	3.0	19	4.1	11	<5
7/1/2008	<5	2.0	15	6.0	5.3	<5
10/1/2008	<5	3.2	73	16	8.4	<5
1/21/2009	<5	4.5	21	3.6	17	<5
4/15/2009	<5	1.3	6.0	1.4	6.9	<5
7/22/2009	<5	2.5	23	4.5	10	<5
10/12/2009	<5	2.5	23	4.5	10	<5
1/18/2010	<5	3.4	31	4.6	15	<5
4/7/2010	<5	1.7	4.6	<5	10	<5
7/13/2010	<5	2.6	20	4.5	7.7	<5
10/11/2010	<5	3.2	55	7.2	12	<5
1/12/2011	<1	2.8	38	9.4	8.4	<1
4/4/2011	<1	3.1	19	4.2	11	<1
7/26/2011	<1	0.98	9.1	1.5	1.8	<1
10/3/2011	<1	1.1	18	4.4	1.2	<1
1/13/2012	<1	2.5	13	2.5	11	<1
4/2/2012	<1	<1	<1	<1	7.9	<1
7/5/2012	<1	2.7	7.2	5.6	4.9	<1
10/11/2012	<1	2.8	44	9.5	6.6	<1
4/1/2013	<1	1.3	4.0	<1	9.6	<1
7/1/2013	<1	3.5	10	3.6	10	<1
10/10/2013	<1	3.3	9.1	3.8	7.9	<1
1/21/2014	<1	2.3	2.3	<1	6.9	<1
4/7/2014	<1	1.5	2.5	0.82	8.9	<1
7/17/2014	<1	2.4	7.8	1.7	8.1	<1
10/14/2014	<1	0.93	20	4.3	2.0	<1
1/20/2015	<1	<1	1.5	0.64	4.9	<1
4/7/2015	<1	1.4	7.1	2.8	8.4	<1
7/22/2015	<1	1.6	7.9	3.1	3.8	<1
10/21/2015	<1	1.3	20	5.7	1.5	<1
1/6/2016	<1	3.0	4.2	0.83	9.5	<1
4/5/2016	<1	0.98	2.6	0.58	8	<1
7/5/2016	<1	1.3	6.9	1.9	2.8	<1
10/25/2016	<1	0.81	14	2.2	1.6	<1
1/19/2017	<1	3.7	38	7.5	13	<1
4/20/2017	<1	1.2	21	1.8	5.1	<1
7/12/2017	<1	3.0	29	2.7	16	<1
10/23/2017	<1	1.3	11	1.4	7.8	<1
1/10/2018	<1	3.1	11	0.72	12	<1
4/17/2018	<1	1.9	22	1.3	10	<1
7/13/2018	<1	2.2	28	<1	11	<1
10/24/2018	<1	1.1	24	2.4	7.8	<1
1/9/2019	<1	1.3	24	2.1	7.4	<1
4/8/2019	<1	1.3	21	<1	8.7	<1
7/24/2019	<1	1.4	27	1.6	8.6	<1
10/15/2019	<1	3.2	34	1.8	15	<1
1/7/2020	<1	2.0	16	1.1	9.3	<1
4/6/2020	<1	3.0	23	1.4	13	<1
7/21/2020	<1	1.6	18	1.0	7.4	<1
10/13/2020	<1	4.4	41	3.0	0.47	<1
1/19/2021	<1	2.0	11	<1	11	<1
4/6/2021	<1	1.9	14	0.70	9.8	<1
7/13/2021	<1	3.0	9.6	<1	11	<1
10/18/2021	<1	1.8	5.5	<1	8.2	<1
1/19/2022	<1	0.86	14	<1	8.4	<1
4/4/2022	<1	2.6	27	<1	17	<1
7/7/2022	<1	2.0	6.7	<1	11	<1
10/3/2022	<1	3.7	7.9	<1	13	<1
1/18/2023	<1	0.82	1.6	<1	17	<1
4/3/2023	<1	1.8	1.6	<1	17	<1
7/26/2023	<1	3.5	9.7	<1	13	<1


MONITORING WELL MW-3
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York



MONITORING WELL MW-4
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
11/7/2003	270	9,100	3,700	< 10	320	28
10/13/2004	8,100	26,000	3,300	< 1000	560	220
1/7/2005	20,000	57,000	5,500	< 2000	1,600	4,400
1/6/2006	6,500	22,000	1,000	< 2000	370	520
4/14/2006	3,200	6,800	280	<500	120	<500
7/10/2006	2,400	7,600	250	<500	120	68
10/18/2006	2,600	9,800	600	<5	130	52
1/10/2007	2,800	4,500	220	<400	56	66
4/17/2007	4,900	6,200	360	<500	<500	<500
7/3/2007	1,100	2,900	260	<200	37	<200
10/17/2007	4,800	5,800	280	<500	68	460
1/9/2008	9,200	21,000	1,700	<500	320	660
4/3/2008	5,800	16,000	940	<1200	250	400
7/2/2008	500	6,600	530	<500	120	57
10/2/2008	6,300	16,000	1,200	<500	260	210
1/22/2009	1,800	27,000	1,800	72	520	970
4/15/2009	4,100	7,600	710	<200	160	380
7/22/2009	2,300	4,700	410	<250	<250	110
1/19/2010	7,400	1,100	670	<1000	230	410
4/8/2010	3,000	7,200	560	<500	110	<500
10/11/2010	7,800	43,000	3,000	<4,000	790	<4,000
4/6/2011	13,000	39,000	3,500	<40	700	45
10/4/2011	17,000	97,000	5,700	71	1700	<1
4/3/2012	39,000	120,000	9,400	<200	2000	<200
7/6/2012	15,000	78,000	6,200	<1000	990	<1000
1/21/2013	40,000	95,000	5,100	100	1600	98
4/2/2013	12,000	57,000	480	<40	850	<40
7/1/2013	14,000	58,000	300	<100	700	<100
4/7/2014	32,000	69,000	3,900	<1000	880	<1000
10/14/2014	32,000	62,000	3,500	<1000	880	<1000
1/21/2015	1,800	170,000	5,700	<1,000	1,600	<1000
4/7/2015	110	3,600	480	<80	37	<80
7/23/2015	<100	990	6,500	<100	160	<100
10/20/2015	<100	1,900	7,600	<100	560	<100
1/6/2016	<100	100	6,800	41	270	<100
4/6/2016	<100	<100	7,200	310	790	<100
7/8/2016	<20	30	95	870	130	<20
10/25/2016	<20	38	150	830	78	<20
1/19/2017	<20	<20	6.5	1,000	120	<20
4/18/2017	<5	8.0	610	450	71	<5
7/13/2017	<20	18	1,000	1,200	93	<20
10/23/2017	<20	6.8	18	600	31	<20
1/8/2018	<5	6.0	46	490	8.0	<5
4/17/2018	<20	30	1,600	440	11	<20
7/13/2018	<5	<5	37	490	2.5	<5
10/24/2018	<20	<20	<20	420	<20	<20
1/10/2019	7.3	22	140	200	42	<4
4/8/2019	2.1	15	71	84	25	<4
7/22/2019	2.6	8.8	13	210	<4	<4
10/17/2019	<4	4.6	14	120	2.7	<4
1/8/2020	<4	<4	6.8	59	3.1	<4
4/8/2020	<4	4.4	13	93	<4	<4
7/23/2020	<4	<4	4.9	89	<4	<4
10/14/2020	<4	<4	<4	73	<4	<4
1/20/2021	1.0	3.2	2.2	76	<1	<1
4/8/2021	<4	5.0	3.7	92	<4	<4
7/15/2021	<4	<4	12	91	<4	<4
10/19/2021	<4	<4	9.0	42	<4	<4
1/18/2022	<4	<4	<4	29	<4	<4
4/6/2022	<4	<4	9.1	62	2.2	<4
7/8/2022	<4	3.7	<4	66	<4	<4
10/3/2022	<4	<4	<4	46	<4	<4
1/18/2023	<4	<4	5.1	54	<4	<4
4/4/2023	<4	3.9	5.6	52	<4	<4
7/28/2023	<20	<20	<20	<20	<20	<20

MONITORING WELL MW-4
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York




Note: LNAPL was present in MW-4 during the October 2004 and January 2005 groundwater sampling events.

MONITORING WELL MW-8R
PERIODIC AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
10/13/2004	35,000	22,000	3,400	160	< 5,000	810
1/7/2005	23,000	28,000	4,000	< 2,000	1,100	1,300
4/14/2005	15,000	11,000	1,300	380	360	240
7/21/2005	9,200	6,200	600	390	200	52
10/5/2005	13,000	10,000	830	< 1,000	300	<1,000
1/6/2006	42,000	38,000	2,300	150	1100	820
4/14/2006	14,000	7,400	1,200	220	200	< 1,000
7/10/2006	16,000	13,000	2,200	300	320	< 1,000
10/18/2006	13,000	8,900	1,400	300	200	32
1/10/2007	1,600	2,500	120	24	52	26
4/17/2007	19,000	11,000	670	< 1,000	< 1,000	< 1,000
7/3/2007	29,000	12,000	890	< 1,000	290	< 1,000
10/15/2007	2,200	1,600	60	< 200	33	< 200
1/8/2008	38,000	22,000	2,000	76	620	740
4/3/2008	12,000	8,100	820	77	140	72
7/2/2008	7,400	6,000	790	100	130	72
10/2/2008	22,000	15,000	1,200	70	320	340
1/22/2009	8,400	4,600	510	56	76	<100
4/15/2009	13,000	6,800	700	49	99	27
10/13/2009	13,000	6,800	700	49	99	27
4/8/2010	2,500	1,300	84	<100	19	<100
7/12/2010	19,000	14,000	1,000	64	160	<100
1/12/2011	99,000	54,000	2,500	<2000	<2000	<2000
4/6/2011	89,000	49,000	2,500	<800	470	<800
7/26/2011	36,000	26,000	<800	80	510	1.2
10/4/2011	33,000	21,000	<400	<400	560	<400
1/13/2012	99,000	56,000	2,700	<800	520	<800
4/3/2012	99,000	54,000	2,600	<2000	<2000	<2000
10/12/2012	89,000	48,000	2,000	<800	340	<800
4/2/2013	64,000	37,000	1,900	<1000	<1000	<1000
10/10/2013	100,000	57,000	2,700	<1000	<1000	<1000
4/7/2014	100,000	56,000	1,900	<1000	<1000	<1000
7/17/2014	110,000	58,000	2,300	<1000	<1000	<1000
1/21/2015	2,100	54,000	<2000	<2000	<2000	<2000
4/6/2015	<2000	55,000	8,500	<2000	<2000	<2000
7/23/2015	<200	74,000	26,000	<200	<200	<200
10/21/2015	<25	240	2,400	39	290	<25
1/6/2016	<1,000	21,000	12,000	<1,000	<1,000	<1,000
4/6/2016	<1,000	19,000	26,000	<1,000	<1,000	<1,000
7/8/2016	24	530	820	<20	160	<20
10/25/2016	<100	710	4,700	<100	170	<100
1/17/2017	<100	24,000	18,000	<100	200	<100
4/18/2017	14	7,100	7,500	35	86	<50
7/13/2017	<400	<400	840	<400	<400	<400
10/24/2017	7.7	500	1,200	19	54	<10
4/18/2018	13	5,700	4,300	44	53	<20
7/13/2018	<10	30	190	47	9.8	<10
10/24/2018	<10	<10	<10	38	5.0	<10
1/10/2019	12	2,700	1,900	17	36	<10
4/8/2019	<40	880	1,900	<40	39	<40
7/22/2019	<8	290	270	20	12	<8
10/15/2019	<10	370	620	24	19	<10
1/8/2020	<10	110	230	22	9.9	<10
4/8/2020	<2	89	100	14	1.6	<2
7/22/2020	<2	110	370	27	5.8	<2
10/14/2020	<2	170	82	18	1.9	<2
1/20/2021	1.4	250	730	24	4.6	<1
4/7/2021	<10	300	400	20	4.1	<10
7/14/2021	<8	1,700	2,000	26	7.1	<8
10/19/2021	<25	120	1,000	<25	<25	<25
1/18/2022	<25	180	630	12	<25	<25
4/6/2022	<8	65	520	29	4.1	<8
7/8/2022	5.5	63	6,000	42	14.0	<8
10/3/2022	<40	45	2,100	59	<40	<40
1/18/2023	<40	6,900	15,000	76	45.0	<40
4/4/2023	<40	130	2,800	<40	<40	<40
7/27/2023	<40	120	2,700	<40	<40	<40

Note well was not accessible during the January 2018 sampling event.

MONITORING WELL MW-8R
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York




Note: LNAPL was present in MW-4 during the October 2004 and January 2005 groundwater sampling events.

MONITORING WELL MW-9
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
11/7/2003	6	21	140	130	60	< 10
10/13/2004	< 10	4.0	190	110	47	< 10
1/6/2005	< 10	19	220	180	90	< 10
4/14/2005	< 10	5.0	51	190	80	< 10
7/21/2005	< 5	2.0	92	220	70	< 5
10/5/2005	< 5	8.0	38	58	96	0.68
7/10/2006	1.3	56	250	280	150	< 5
10/17/2007	2.6	60	170	410	140	< 25
1/21/2009	<5	59	87	33	140	0.81
4/7/2010	<5	17	19	16	99	< 5
4/4/2011	<1	21	34	17	78	<1
4/2/2012	<1	19	1.8	1.5	90	<1
4/1/2013	<1	16	17	5.9	62	<1
4/7/2014	<1	21	75	22	73	<1
4/7/2015	<1	4.1	<1	<1	43	<1
4/5/2016	<1	41	<1	<1	59	<1
4/20/2017	<1	41	80	17	51	0.6
4/17/2018	<1	12	7.2	<1	29	<1
4/8/2019	<1	1.6	1.6	<1	29	<1
4/7/2020	<1	32	35	<1	37	<1
4/6/2021	<1	8.7	<1	<1	15	<1
4/4/2022	<1	14	3.2	<1	20	<1
4/3/2023	<1	25	86	2.4	39	<1

MONITORING WELL MW-9
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Trend Plot




MONITORING WELL MW-11
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/14/2005	< 10	7.0	< 10	33	3.0	< 10
1/5/2006	2.2	6.7	3.9	31	6.7	<20
4/14/2006	< 20	9.0	4.0	16	4.1	< 20
7/10/2006	< 20	7.8	3.9	23	3.6	< 20
10/19/2006	6.8	23	7.9	25	5.7	1.7
1/9/2007	2.6	31	6.7	38	8.5	2.3
4/16/2007	0.89	9.8	4.1	22	3.4	<5
7/2/2007	< 5	13	6.1	< 5	4.8	0.84
10/16/2007	0.71	27	11	27	8.6	1.7
1/8/2008	1.1	38	18	29	12	3.4
4/2/2008	0.49	30	4.3	16	7.4	1.6
7/1/2008	1.0	42	14	32	11	2.8
10/2/2008	0.81	42	13	23	10	2.4
1/20/2009	0.77	36	11	16	8.7	1.9
4/14/2009	0.95	45	17	21	11	3.0
7/22/2009	0.69	37	9.9	16	<5	2.0
10/13/2009	0.69	37	9.9	16	<5	2.0
1/18/2010	0.77	51	1.7	25	13	2.9
4/7/2010	0.95	60	17	25	13	2.4
7/12/2010	1.0	65	18	21	13	2.6
10/11/2010	0.8	63	21	15	16	2.2
4/5/2011	1.2	64	14	20	12	4.6
7/25/2011	<1	45	21	9.5	13	1.5
10/3/2011	<1	69	23	10	16	2.6
1/12/2012	<1	33	16	5.4	9.8	0.88
4/2/2012	0.51	39	17	9.1	9.8	1.2
7/5/2012	<1	38	19	5.0	12	1.9
10/11/2012	<1	36	16	6.6	9.3	1.1
1/21/2013	<1	23	6.0	8.2	0.64	<1
7/1/2013	0.46	55	20	21	13	1.4
10/9/2013	<1	27	14	5.5	6.9	<1
1/21/2014	<1	38	13	3.8	9.4	0.85
4/7/2014	<1	26	4.3	2.3	7.1	<1
7/16/2014	<1	36	14	4.5	8.8	1.4
10/14/2014	<1	25	9.8	2.5	6.1	<1
1/20/2015	<5	17	7.4	<5	5.0	<5
4/6/2015	<2	19	6.7	2.4	4.7	<2
7/22/2015	<1	6.3	2.5	<1	<1	<1
10/26/2015	<1	4.2	3.9	<1	1.7	<1
1/6/2016	<1	10	3.6	0.89	2.9	<1
4/4/2016	<1	<1	4.1	<1	2.5	<1
7/5/2016	<1	1.3	3.4	<1	1.3	<1
10/24/2016	<1	<1	7.7	7.9	<1	<1
1/17/2017	<1	3.8	2.5	<1	1.3	<1
4/18/2017	<1	3.2	2.1	<1	1.0	<1
7/12/2017	<1	1.7	1.3	<1	0.78	<1
10/20/2017	<1	1.5	2.2	<1	0.79	<1
1/8/2018	<1	2.4	2.1	<1	0.99	<1
4/18/2018	<2	<2	<2	<2	<2	<2
7/12/2018	<1	1.6	1.6	<1	0.68	<1
10/24/2018	<4	<4	<4	<4	<4	<4
1/9/2019	<1	3.0	1.8	<1	1.2	<1
4/8/2019	<1	1.6	1.9	<1	0.75	<1
7/23/2019	<1	2.0	1.7	<1	0.68	<1
10/15/2019	<1	<1	1.9	<1	0.82	<1
1/7/2020	<1	1.3	1.4	<1	0.54	<1
4/6/2020	<1	1.5	1.3	<1	0.54	<1
7/21/2020	<1	1.2	1.4	<1	0.59	<1
10/13/2020	<1	1.4	1.5	<1	0.64	<1
1/19/2021	<1	1.1	1.5	<1	0.58	<1
4/6/2021	<1	1.8	2.1	<1	0.66	<1
7/13/2021	<1	1.6	2.2	<1	0.61	<1
10/18/2021	<1	1.6	2.2	<1	0.61	<1
1/19/2022	<1	1.3	1.3	<1	0.54	<1
4/5/2022	<1	1.3	1.4	<1	0.52	<1
7/7/2022	<1	1.5	1.3	<1	0.59	<1
10/3/2022	<1	1.4	1.1	<1	0.61	<1
1/18/2023	<1	1.1	1.4	<1	0.46	<1
4/4/2023	<1	1.3	1.3	<1	0.52	<1
7/26/2023	<1	1.2	1.5	<1	<1	<1

MONITORING WELL MW-11
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Trend Plot




PIEZOMETER MW-13S
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/8/2004	10,000	9,000	320	< 100	< 100	< 100
10/12/2004	2,100	2,300	< 200	< 200	< 200	56
1/6/2005	10,000	9,400	720	< 200	75	62
4/15/2005	760	700	28	< 50	9.0	20
7/20/2005	870	990	37	< 40	16	49
10/4/2005	410	280	9.1	< 40	< 40	3.4
7/10/2006	17,000	9,400	300	9.0	65	88
10/19/2006	1,300	1,700	50	<100	19	36
1/10/2007	1,500	1,800	58	<100	24	41
4/17/2007	4,400	2,200	90	< 250	< 250	250
7/3/2007	220	410	11	< 25	5.7	7.2
10/18/2007	570	800	14	< 25	8.5	15
1/9/2008	1800	2300	330	7.3	32	68
4/3/2008	580	610	21	<50	8.5	9.5
7/2/2008	1,800	1,500	38	<120	14	13
10/2/2008	5,800	5,000	190	<120	36	27
1/20/2009	3,400	2,500	150	<10	30	28
4/15/2009	3,400	3,700	290	<40	<40	30
10/13/2009	3,400	3,700	290	<40	<40	30
4/7/2010	1,400	1,600	45	<50	16	10
7/13/2010	400	870	30	<50	7.9	<50
1/12/2011	39,000	25,000	<500	9.4	19	<1
4/6/2011	40,000	23,000	<800	4.7	<800	<800
7/2/2011	31,000	19,000	<800	2.9	95	2.9
1/13/2012	53,000	30,000	770	<800	1400	<800
4/3/2012	39,000	21,000	320	3.7	110	<1
10/12/2012	41,000	24,000	<800	<800	<800	<800
4/2/2013	40,000	22,000	140	3.9	100	<1
10/10/2013	49,000	31,000	<1	<1	<1	<1
4/7/2014	32,000	18,000	<500	<500	<500	<500
7/17/2014	33,000	17,000	<500	<500	<500	<500
1/21/2015	19,000	22,000	<500	<500	150	<500
4/7/2015	31,000	32,000	<500	<500	<500	<500
7/23/2015	<500	31,000	3,500	<500	<500	<500
10/20/2015	<10	640	1,700	46	260	<10
1/6/2016	41	150	1,600	38	70	<25
4/5/2016	<100	5,000	6,100	390	240	<100
7/6/2016	<4	<4	<4	35	<4	<4
10/25/2016	<2	100	190	32	8.5	<2
1/19/2017	2.1	12	44	20	<2	<2
4/19/2017	<1	54	85	12	2.4	<1
7/13/2017	<2	35	95	11	0.89	<2
10/24/2017	<5	630	240	10	5.1	<5
1/9/2018	<40	1,200	440	<40	<40	<40
4/17/2018	<40	4,400	3,600	<40	16	<40
7/13/2018	<40	1,500	880	<40	15	<40
10/24/2018	<40	2,500	940	<40	<40	<40
1/9/2019	<40	2,200	1,800	<40	22	<40
4/8/2019	0.7	3.2	3.6	6.3	0.48	<1
1/8/2020	0.64	19	94	13	4.4	<1
4/8/2020	<1	1.5	1.6	4.8	<1	<1
7/22/2020	<1	4.3	13	4.8	<1	<1
10/13/2020	0.60	12	12	3.8	<1	<1
1/20/2021	<1	7.3	6.8	3.7	<1	<1
4/7/2021	0.77	1.8	7.1	3.3	0.40	<1
7/14/2021	<2	<2	3.5	2.7	<2	<2
10/19/2021	<2	<2	3.5	2.7	<2	<2
1/18/2022	<2	7.4	19	3.3	<2	<2
4/5/2022	<2	33	43	4.5	0.90	<2
7/7/2022	2.2	5.2	14	2.0	<1	<1
10/4/2022	<2	<2	18	<2	<2	<2
1/19/2023	<2	<2	9.4	2.0	<2	<2
4/4/2023	<1	10	61	5.3	<1	<1
7/27/2023	<2	8.9	20	6.0	<2	<2

Note well was dry during the July 2019 and October 2019 sampling events.

MONITORING WELL MW-13S
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Trend Plot



PIEZOMETER MW-13D
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York


Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/8/2004	17	2.0	<10	<10	<10	<10
10/12/2004	7.0	2.0	<10	<10	<10	<10
1/6/2005	<10	<10	<10	<10	<10	<10
4/15/2005	8.0	4.0	<10	<10	<10	<10
7/20/2005	1.0	2.0	<5	<5	<5	<5
10/4/2005	1.4	1.5	<5	<5	<5	<5
7/10/2006	2.0	1.6	2.6	<5	<5	<5
10/18/2007	<5	0.55	1.1	<5	<5	<5
1/20/2009	<5	<5	<5	<5	<5	<5
4/7/2010	<5	<5	<5	<5	<5	<5
4/6/2011	22	23	<1	<1	<1	<1
4/3/2012	62	89	2.3	<1	<1	<1
4/1/2013	53	44	2.9	<1	<1	<1
4/7/2014	30	28	1.9	<1	<1	<1
4/7/2015	40	37	<1	<1	<1	<1
7/23/2015	2	5300	1100	11	56	<1
10/20/2015	<100	3200	920	<100	42	<100
1/6/2016	<10	15	47	38	12	<10
4/6/2016	<10	<10	<10	36	<10	<10
7/6/2016	<10	34	360	51	7.8	<10
10/25/2016	0.47	<1	<1	12	<1	<1
1/19/2017	<1	<1	<1	25	<1	<1
4/19/2017	<1	0.87	<1	9	<1	<1
7/13/2017	<1	<1	<1	13	<1	<1
10/24/2017	<1	<1	<1	6.9	<1	<1
1/9/2018	<1	1.1	39	9.9	0.73	<1
4/18/2018	<1	<1	39	6.5	<1	<1
7/13/2018	<1	<1	<1	5.5	<1	<1
10/24/2018	<1	<1	<1	4.2	<1	<1
1/10/2019	<1	1.6	1.2	7.4	<1	<1
4/8/2019	<1	<1	18	9.8	<1	<1
7/24/2019	<1	<1	<1	0.73	<1	<1
10/15/2019	<1	<1	<1	4.5	<1	<1
1/8/2020	<1	<1	<1	2.5	<1	<1
4/8/2020	<1	<1	4.0	2.9	<1	<1
7/22/2020	<1	<1	<1	2.8	<1	<1
10/13/2020	<1	<1	<1	3.5	<1	<1
1/20/2021	<1	<1	<1	2.4	<1	<1
4/15/2021	<1	<1	<1	2.6	<1	<1
7/14/2021	<1	<1	<1	2.2	<1	<1
10/19/2021	<1	<1	<1	2.2	<1	<1
1/18/2022	<1	<1	9.2	19	<1	<1
4/5/2022	<1	<1	1.4	12	<1	<1
7/7/2022	<1	<1	<1	7.8	<1	<1
10/4/2022	<1	<1	<1	<1	<1	<1
1/19/2023	<1	<1	<1	4.7	<1	<1
4/4/2023	<1	<1	<1	4.3	<1	<1

PIEZOMETER MW-13D
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

7/27/2023	<1	<1	<1	3.6	<1	<1
-----------	----	----	----	-----	----	----

PIEZOMETER MW-13D
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Trend Plot




PIEZOMETER MW-14S
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/8/2004	21	78	290	530	80	<20
10/12/2004	<10	100	140	640	94	<10
1/6/2005	<10	59	22	82	48	<10
4/15/2005	<10	35	15	180	27	<10
7/20/2005	<5	39	36	76	42	<5
10/5/2005	<5	35	59	160	56	<5
7/10/2006	5.7	17	13	36	20	< 25
10/15/2007	< 5	63	16	5.7	52	1.3
1/21/2009	0.38	36	7.9	0.87	33	0.63
4/8/2010	<5	4	< 5	0.62	5.9	<5
4/5/2011	<1	1.1	<1	<1	1.9	<1
4/2/2012	1.3	30	21	11	27	<1
4/1/2013	<1	<1	<1	<1	<1	<1
4/7/2014	<1	25	19	14	19	<1
4/7/2015	<1	16	14	18	6.8	<1
4/5/2016	<1	9.6	8.9	6.3	4.4	<1
4/18/2017	<1	15	7.8	2.8	8.1	<1
4/10/2019	<1	14	12	2.7	8.9	<1
4/7/2020	<1	19	10	1.8	14	<1
4/7/2021	<1	10	6.0	1.9	13	<1
4/4/2022	<1	18	7.2	<1	14	<1
4/3/2023	<1	17	4.6	<1	15	<1

Well was flooded and not sampled in April 2018.

PIEZOMETER MW-14S
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Trend Plot




PIEZOMETER MW-14D
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/8/2004	21	8.0	<10	4.0	<10	<10
10/12/2004	4.0	4.0	<10	<10	<10	<10
1/6/2005	20	190	45	3.0	8.0	2.0
4/15/2005	10	140	18	6.0	4.0	<10
7/20/2005	26	200	31	4.0	7.0	2.0
10/5/2005	<10	460	42	7.2	9.9	<10
7/10/2006	0.96	7.2	12	0.82	<5	<5
10/15/2007	<5	47	66	1.8	2.2	<5
1/21/2009	<5	2.0	1.4	0.91	1.3	<5
4/8/2010	9.4	99	21	1.5	2.0	<5
4/5/2011	0.97	5.6	2.6	1.5	<1	<1
4/2/2012	0.64	13	9.9	<1	0.44	<1
4/1/2013	0.99	28	19	4.6	21	<1
4/7/2014	<1	28	17	<1	0.82	<1
4/7/2015	<1	<1	<1	<1	<1	<1
4/5/2016	<1	<1	<1	<1	<1	<1
4/18/2017	<1	0.65	<1	<1	<1	<1
4/10/2019	<1	<1	<1	<1	<1	<1
4/7/2020	<1	<1	1.7	<1	<1	<1
4/7/2021	<1	<1	<1	<1	<1	<1
4/4/2022	<1	<1	1.7	<1	<1	<1
4/4/2023	<1	<1	<1	<1	<1	<1

Well was flooded and not sampled in April 2018.

PIEZOMETER MW-14D
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Trend Plot




PIEZOMETER MW-15S
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/8/2004	280	1,700	770	240	1,500	<250
10/12/2004	460	2,300	940	170	1,700	<250
1/7/2005	340	2,000	760	170	1,300	<250
4/15/2005	400	2,000	790	700	1,400	<200
7/21/2005	430	2,600	1,000	490	1,800	<120
10/5/2005	330	2,700	750	330	1,400	<100
7/10/2006	400	3,800	1,500	100	2,600	<25
10/16/2007	400	3400	1300	190	2000	<200
1/21/2009	180	1300	360	240	840	<5
4/8/2010	270	1900	690	700	1400	<10
4/7/2011	200	1700	450	330	850	<1
4/3/2012	240	1400	540	360	1100	<1
4/1/2013	140	1100	420	560	780	<20
4/7/2014	160	1000	350	250	730	<20
4/6/2015	85	600	210	220	450	<20
4/6/2016	110	810	230	290	540	<20
4/19/2017	70	650	180	180	450	<5
4/18/2018	85	900	350	190	750	<20
4/10/2019	98	840	280	120	580	<20
4/10/2020	95	670	200	130	490	<20
4/8/2021	58	500	100	190	330	<20
4/5/2022	47	300	60	95	190	<20
4/3/2023	31	280	65	170	200	<20

PIEZOMETER MW-15S
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Trend Plot




PIEZOMETER MW-15D
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/8/2004	21	740	180	180	120	<10
10/12/2004	14	730	150	120	120	<50
1/7/2005	18	590	200	140	100	<50
4/15/2005	<50	460	170	1,400	150	<50
7/21/2005	15	610	230	1,200	190	<25
10/5/2005	10	520	260	1,000	180	<50
7/10/2006	4.9	280	320	1,400	140	<5
10/16/2007	3.6	210	99	620	66	<5
1/21/2009	<25	22	32	1,000	<25	<25
4/8/2010	<5	1,700	19	<5	12	<5
4/5/2011	<8	38	26	400	13	<8
4/3/2012	<10	<10	<10	900	<10	<10
4/1/2013	<8	<8	240	1,400	16	<8
4/7/2014	<20	<20	<20	1,200	<20	<20
4/6/2015	<20	<20	<20	560	<20	<20
4/6/2016	<5	<5	<5	250	<5	<5
4/19/2017	<1	<1	<1	390	0.35	<1
4/19/2018	<5	<5	<5	770	<5	<5
4/10/2019	<8	<8	<8	250	<8	<8
4/6/2020	<2	<2	<2	120	<2	<2
4/8/2021	<2	<2	<2	110	<2	<2
4/5/2022	<2	<2	<2	130	<2	<2
4/3/2023	<2	<2	<2	160	<2	<2

PIEZOMETER MW-15D
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Trend Plot




PIEZOMETER MW-16S
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/8/2004	860,000	62,000	<20,000	<20,000	5,000	14,000
10/12/2004	200,000	46,000	<10,000	<10,000	2,900	<10,000
1/7/2005	420,000	64,000	<10,000	<10,000	3,800	3,300
4/15/2005	400,000	71,000	<25,000	<25,000	<25,000	<25,000
7/21/2005	480,000	76,000	1,500	2,200	4,400	2,700
10/5/2005	440,000	74,000	<25,000	<25,000	4,100	<25,000
1/6/2006	470,000	82,000	2,600	<20,000	3,300	5,200
4/14/2006	260,000	56,000	3,900	<20,000	2,600	<20,000
7/10/2006	310,000	78,000	4,000	<20,000	3,500	<20,000
10/19/2006	77,000	22,000	1,300	<5,000	940	<5,000
1/10/2007	44,000	18,000	1,900	<2,500	840	<2,500
4/17/2007	94,000	36,000	3,300	1,800	1,500	<5,000
7/3/2007	86,000	38,000	3,000	<5,000	1,400	<5,000
10/18/2007	130,000	47,000	2,800	2,600	1,600	820
1/8/2008	67,000	30,000	3,200	<5,000	1,100	<5,000
4/3/2008	76,000	35,000	2,900	710	1,300	500
7/2/2008	58,000	26,000	2,400	570	830	<5,000
10/2/2008	63,000	26,000	3,100	690	920	<5,000
1/22/2009	92,000	51,000	4,200	730	1,800	490
4/15/2009	130,000	61,000	4,200	<2,000	1,800	900
7/22/2009	87,000	45,000	3,000	650	1,500	740
1/19/2010	22,000	18,000	2,600	1,100	670	340
4/8/2010	220,000	99,000	6,800	1,100	3,000	2,000
10/11/2010	300,000	90,000	6,300	<20,000	3,100	5,000
4/7/2011	250,000	74,000	7,100	<4,000	<4,000	5,600
10/4/2011	190,000	67,000	3,700	<800	1,400	4,600
4/3/2012	250,000	84,000	8,400	960	1,700	4,900
7/6/2012	170,000	72,000	3,900	<2000	1,200	2,400
1/21/2013	240,000	79,000	9,300	2,900	2,200	7,200
7/1/2013	120,000	65,000	5,400	1,200	1,200	2,600
1/22/2014	110,000	43,000	3,700	<2,000	830	2,700
4/7/2014	61,000	24,000	1,600	<1000	500	1,000
10/14/2014	170,000	51,000	3,800	360	980	3,500
1/26/2015	160,000	160,000	4,700	<4,000	2,100	<4,000
4/7/2015	26,000	220,000	<4,000	<4,000	<4,000	<4,000
7/24/2015	5,100	240,000	5,700	<4,000	2,000	<4,000
10/20/2015	<4,000	290,000	10,000	<4,000	<4,000	<4,000
1/6/2016	<4,000	290,000	76,000	<4,000	2,500	<4,000
4/7/2016	<4,000	64,000	280,000	<4,000	2,800	<4,000
7/5/2016	<2,000	<2,000	80,000	<2,000	2,000	<2,000
10/26/2016	<500	420	35,000	1,600	670	<500
1/19/2017	<500	29,000	72,000	1,900	1,000	<500
4/20/2017	86	75,000	72,000	1,400	1,000	<200
7/13/2017	<1,000	59,000	180,000	2,800	1,200	<200
10/24/2017	<500	14,000	73,000	1,800	430	<500
1/9/2018	<1,000	9,600	54,000	1,800	<1,000	<1,000
4/18/2018	<1,000	140,000	92,000	1,400	960	<1,000
7/13/2018	<1,000	93,000	91,000	<1,000	880	<1,000
10/25/2018	<1,000	73,000	59,000	1,500	700	<1,000
1/9/2019	550	50,000	76,000	870	930	<1,000
4/9/2019	<1,000	46,000	92,000	920	1,300	<1,000
7/23/2019	<2,500	22,000	62,000	<2,500	<2,500	<2,500
10/17/2019	<1,000	14,000	32,000	1,100	620	<1,000
1/9/2020	<1,000	30,000	40,000	1,700	550	<1,000
4/10/2020	<1	40,000	49,000	780	420	<1
7/23/2020	<1,000	34,000	66,000	1,300	530	<1,000
10/14/2020	<1,000	24,000	60,000	2,000	<1,000	<1,000
1/20/2021	<1,000	46,000	85,000	<1,000	<1,000	<1,000
4/7/2021	<1,000	57,000	71,000	1,300	440	<1,000
7/14/2021	<1,000	34,000	58,000	1,700	510	<1,000
10/20/2021	<1,000	5,600	35,000	1,500	430	<1,000
1/20/2022	<1,000	8,700	19,000	1,100	280	<1,000
4/7/2022	<2,000	86,000	76,000	<2,000	<2,000	<2,000
7/8/2022	<1,000	79,000	100,000	1,700	<1,000	<1,000
10/4/2022	<2,000	56,000	99,000	<2,000	<2,000	<2,000
1/19/2023	<2,000	57,000	82,000	<2,000	<2,000	<2,000
4/4/2023	<2,000	150,000	95,000	<2,000	820	<2,000
7/28/2023	<1,000	26,000	39,000	<1,000	<1,000	<1,000

MONITORING WELL MW-16S
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Trend Plot



PIEZOMETER MW-16D
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

Sample Date	Analytical Results (µg/L)					
	Trichloroethene	cis-1,2-Dichloroethene	Vinyl chloride	Chloroethane	1,1-Dichloroethane	1,1,1-Trichloroethane
4/8/2004	6,900	490	<500	<500	<500	<500
10/12/2004	12,000	1,000	<500	<500	91	<500
1/6/2005	9.0	27	39	22	15	<10
4/15/2005	32	36	17	100	10	<10
7/21/2005	25	12	4.0	84	2.0	<10
10/5/2005	1.3	16	10	41	5.0	<5
7/10/2006	6.1	27	21	1,000	9.7	<5
10/18/2007	6.0	48	39	250	16	<20
1/22/2009	52	92	39	90	21	1.9
4/8/2010	12	6.9	3.6	240	8.7	<10
4/7/2011	22	59	33	59	27	1.2
4/3/2012	42	66	46	110	35	<1
4/1/2013	57	2900	1100	190	260	<1
4/7/2014	<25	1700	390	110	99	<25
4/7/2015	<25	650	380	170	94	<25
7/23/2015	<25	<25	41	340	56	<25
10/20/2015	<10	24	9.2	<10	15	<10
1/6/2016	<5	<5	9.2	140	2.9	<5
4/7/2016	<10	<10	50	370	<10	<10
7/5/2016	<10	<10	13	320	33	<10
10/26/2016	<10	31	13	310	16	<10
1/19/2017	<10	<10	23	290	<10	<10
4/20/2017	<1	24	27	350	37	<1
7/13/2017	<5	57	140	130	30	<5
10/24/2017	<1	9.6	24	98	6.0	<1
1/8/2018	<1	4.1	9.0	110	4.1	<1
4/18/2018	<1	1.5	15	52	0.78	<1
7/13/2018	<1	3.3	22	53	2.0	<1
10/25/2018	<1	2.3	17	38	1.2	<1
1/10/2019	1.9	37	20	150	10	<1
4/8/2019	<2	5.0	37	72	3.6	<2
7/22/2019	<1	2.0	6.5	39	2.1	<1
10/17/2019	<1	1.8	2.3	76	1.3	<1
1/9/2020	<1	4.0	2.5	86	1.4	<1
4/9/2020	<1	2.8	1.6	58	<1	<1
7/23/2020	<1	5.0	2.4	59	1.5	<1
10/14/2020	<1	<1	<1	31	<1	<1
1/20/2021	0.85	10	3.3	34	1.2	<1
4/7/2021	<1	2.5	2.7	50	0.84	<1
7/14/2021	1.5	12	16	73	2.0	<1
10/20/2021	<1	0.91	1.5	58	0.91	<1
1/20/2022	<1	<1	<1	160	1.5	<1
4/6/2022	<2	<2	<2	89	24	<2
7/8/2022	<1	2.9	1.8	110	0.88	<1
10/4/2022	<2	36	53	68	<2	<2
1/18/2023	<1	1.4	<1	81	0.91	<1
4/4/2023	<1	4.2	2.4	65	0.60	<1
7/28/2023	<40	<40	<40	<40	<40	<40

PIEZOMETER MW-16D
HISTORICAL AND CURRENT SUMMARY OF CHLORINATED VOCs IN GROUNDWATER
Former Scott Aviation Site
Lancaster, New York

