ERM

One Beacon Street
5th Floor
Boston, MA 02108

T +1 617 646 7800

erm.com

New York Department of Environmental Conservation
Megan Kuczka
Division of Environmental Remediation
700 Delaware Avenue
Buffalo, NY 14209

DATE
4 May 2026

SUBJECT
November 2025 and March 2026 Sewer Sampling Report

REFERENCE
Site No. 915156

Dear Ms. Kuczka:

On behalf of Leica Microsystems, Inc. (Leica), ERM Consulting & Engineering, Inc. (ERM) has prepared this Sewer Sampling Report for the former Leica facility located at 203 Eggert Road in Cheektowaga, New York (the Site). The Site is listed in the Registry of Inactive Hazardous Waste Disposal Sites in New York State as Site Number 915156.

1. BACKGROUND

New York Department of Environmental Conservation (NYSDEC) sent a letter to Leica on 19 August 2025 requesting a remedial alternative to the existing bedrock groundwater extraction system (GWES) to address remaining groundwater impacts in the southeast corner of the Site and in the downgradient off-Site area. During a meeting on 15 October 2025 between NYSDEC, Leica, and ERM, ERM presented data collected from 1993 to present in this area and noted that there are limited potential risks associated with remaining impacts in this area. During the meeting, NYSDEC expressed concern regarding the mobility of volatile organic compounds (VOCs) in groundwater from this area into the downgradient off-Site area. NYSDEC noted that the sanitary and storm sewer utilities located east of the Site represent a potential migration pathway for VOCs in groundwater and requested that Leica collect additional sewer water samples to augment data collected in September 2020 and discussed in the D*ata Gap Investigation Status Report* (ERM 2022) to further evaluate the potential migration pathway under different seasonal conditions.

2. SAMPLING ACTIVITIES

On 18 November 2025, ERM collected water samples from the 15 storm and sanitary sewer maintenance holes[1] during a period of relatively low groundwater elevations when the utilities were largely above the water table. On 24 March 2026, ERM collected water samples from the storm and sanitary sewer maintenance holes during a period of relatively high groundwater elevations, when the utilities were largely submerged below the water table.

Samples were collected from the storm and sanitary sewers beginning with the northernmost locations on-Site and ending with the southernmost locations in the neighborhood area (**Figure 1**). ERM recorded the weather conditions at the start of the field day. A water level

[1] ERM did not collect a sample from STM-11 because it is within the 50-foot buffer of the Site building.

© Copyright 2026 by The ERM International Group Limited and/or its affiliates ('ERM'). All Rights Reserved.
No part of this work may be reproduced or transmitted in any form or by any means, without prior written permission of ERM.

indicator was used to record the depth to water below the ground surface of the manhole, and the total depth to the bottom of the pipe, as well as depth to water measurements in wells near the utilities. ERM recorded these data and observations such as flow direction, color, odor, and floating debris on field sampling forms, included as **Attachment A**. If the sampling location had sufficient water level, ERM lowered a bailer into the maintenance hole to collect a water sample, which was then transferred into the laboratory-provided sample bottles. If sufficient water was not present for use of a bailer, ERM lowered high density polyethylene tubing into the maintenance hole, and a water sample was collected using a peristaltic pump directly into the laboratory-provided sample bottles. After sample collection, the water samples were placed into a cooler with ice for submission to Eurofins Environment Testing in Amherst, New York under standard chain-of custody procedures for analysis of VOCs by United States Environmental Protection Agency Method 8260C.

The following weather conditions were recorded for the two sampling events:

- 18 November 2025: temperature of approximately 40 degrees Fahrenheit, partly cloudy, with approximately 50 percent humidity, with winds out of the west-northwest winds at approximately 10 miles per hour.
- 24 March 2026: temperature of approximately 30 degrees Fahrenheit, sunny, approximately 75 percent humidity, with winds out of the southwest at approximately 5 miles per hour.

3. ANALYTICAL RESULTS

Sanitary sewer and storm sewer water sample analytical results from 2020, 2025, and 2026 are presented in **Table 1** and shown on **Figure 2**, and the laboratory analytical reports for the November 2025 and March 2026 samples are provided in **Attachment B**. The 2020 sampling results represent a period when the GWES was operational and the building occupied, and the 2025 and 2026 sampling results represent low- and high-water periods, respectively, when the GWES was non-operational and the building unoccupied. The primary constituents of concern (COCs) consistently detected in both groundwater in the southeast corner of the Site and the sewer water samples collected during 2020, 2025, and 2026 are cis-1,2-dichloroethene (cis-1,2-DCE) and trichloroethene[2].

The primary COC concentrations detected in the sanitary sewer samples were relatively consistent during all three sampling events (**Table 1**). The highest primary COC concentrations were detected in SAN-01, SAN-07 and SAN-08, which are the northernmost (i.e., most upgradient) sample locations, all of which are on the Site itself. Primary COC concentrations generally decreased from north to south (**Figure 2**). In general, the primary COCs were not detected in storm sewer samples, except for STM-09, which is located on the Site itself (**Figure 2**). Primary COC concentrations detected within the sanitary and storm sewer samples were generally below the Site-specific groundwater remedial action objectives (RAOs) of 5 micrograms per liter (µg/L), except for cis-1,2-DCE at SAN-01 in 2026 (5.1 µg/L) and at SAN-08 in 2020 (10 µg/L) and 2025 (primary and duplicate sample results of 5.7 µg/L and 5.4

[2] Vinyl chloride was detected in one sample (SAN-07) collected in November 2025.

© Copyright 2026 by The ERM International Group Limited and/or its affiliates ('ERM'). All Rights Reserved.
No part of this work may be reproduced or transmitted in any form or by any means, without prior written permission of ERM.

µg/L), which are located on the Site itself. All off-Site sanitary and storm sewer samples exhibited primary COC concentrations below the Site-specific groundwater RAOs.

The primary reason for conducting this sampling was to support an argument for permanently discontinuing operation of the GWES. Data were collected during operation of the GWES in 2020 and while it was shut down in 2025 and 2026. The data from all three sampling events demonstrate that COCs in groundwater in the southeast corner of the Site are not entering the sewers through documented deficiencies in the sewer pipes (**ERM 2022**), as COC concentrations did not increase within the sewers as they transect this area. The data were generally consistent independent of GWES operation and seasonal changes in groundwater elevations, demonstrating that these conditions do not significantly affect sewer water quality.

As requested by NYSDEC, ERM prepared a north-south-oriented cross section along the sanitary sewer corridor and an east-west-oriented cross section perpendicular to the sanitary and storm sewer corridor. The locations of these cross sections are shown on **Figures 3a and 4a**. The cross sections present a compilation of the various data collected in the southeast corner of the Site from March 2019 through March 2026, including: groundwater elevation data, groundwater analytical data, deficiencies in the sanitary sewer and storm sewer pipes, sanitary and/or storm sewer water sample data, sanitary sewer vapor sample data, and residential sub-slab soil vapor sample data. November 2025 groundwater elevations are shown on **Figures 3b and 4b,** and March 2026 groundwater elevations are shown on **Figures 3c and 4c.**

4. QA/QC

During the November 2025 and March 2026 sampling events, ERM collected quality assurance/quality control samples in accordance with the Site-specific Quality Assurance Project Plan included as Appendix G of the *Site Management Plan* (ERM 2020), including two equipment blanks, one matrix spike/matrix spike duplicate, one field duplicate, and one trip blank. The equipment blank samples were collected by pouring laboratory-provided VOC-free water through a clean section of silicone tubing and over a clean bailer to confirm that the sampling equipment did not contribute VOCs to the samples. The field duplicate sample was collected at location SAN-08 during both events. ERM placed one trip blank in the sample cooler for both events to verify that no cross-contamination occurred during transport.

VOCs were not detected in either of the equipment blank samples nor the trip blank for the November 2025 event. In March 2026, chloroform was detected in EB-01, EB-02, and the trip blank at 1.1, 1.0, and 1.0 µg/L, respectively. There were detections of chloroform in STM-01, STM-09, and SAN-06, at 0.38, 1.8, and 1.2 µg/L, respectively. However, it is stated by the lab in the report Case Narrative that "this compound [chloroform] is considered a common laboratory contaminant. The associated sample(s) was not reextracted and/or re-analyzed because the concentration of the common lab contaminant in the blank was less than 5 times the RL", therefore there is little concern for the chloroform detections to have occurred from cross contamination. The relative percent differences of the blind duplicates and original sample results were within acceptable limits (25%) for both events. The sewer water analytical results were validated by a third-party and the Data Useability Summary Reports (DUSRs) are

© Copyright 2026 by The ERM International Group Limited and/or its affiliates ('ERM'). All Rights Reserved.
No part of this work may be reproduced or transmitted in any form or by any means, without prior written permission of ERM.

presented in **Attachment C**. The data validation process ultimately negated these detections of chloroform at SAN-06, STM-01, and STM-09 due to the detections within QA/QC samples.

CONCLUSIONS

The data obtained from this sampling program indicate that the sanitary and storm sewer utilities located in the southeast corner of the Site do not represent a complete exposure pathway. The primary COC concentrations detected in sewer water samples collected from the downgradient residential area are below the Site-specific RAOs. Collectively, these data support Leica's position that continued operation of the GWES is unnecessary.

Sincerely,

Joe Fiacco
Partner

Tim Daniluk
Project Manager

References

ERM. 2020. Site Management Plan. 17 September.

ERM. 2022. *Data Gap Investigation Status Report*. 11 November.

ERM. 2025. *Sewer Sampling Work Plan*. 24 October.

List of Attached Tables

Table 1: Sewer and Sanitary Line Sampling Analytical Results – 2020-2026

List of Attached Figures

Figure 1: Sewer Water Sample Locations

Figure 2: COCs in Sewer Water – 2020, 2025 and 2026

Figure 3a: Transects SAN and STM

Figure 3b: Sewer Cross Sections - 2025

Figure 3c: Sewer Cross Sections - 2026

Figure 4a: Transect B

© Copyright 2026 by The ERM International Group Limited and/or its affiliates ('ERM'). All Rights Reserved.
No part of this work may be reproduced or transmitted in any form or by any means, without prior written permission of ERM.

Figure 4b: Geologic Cross Section - 2025

Figure 4c: Geologic Cross Section - 2026

Attachment A: Field Sampling Forms

Attachment B: Laboratory Analytical Reports

Attachment C: DUSRs

© Copyright 2026 by The ERM International Group Limited and/or its affiliates ('ERM'). All Rights Reserved.
No part of this work may be reproduced or transmitted in any form or by any means, without prior written permission of ERM.

One Beacon Street
5th Floor
Boston, MA 02108

T +1 617 646 7800

erm.com

Tables

© Copyright 2026 by The ERM International Group Limited and/or its affiliates ('ERM'). All Rights Reserved.
No part of this work may be reproduced or transmitted in any form or by any means, without prior written permission of ERM.

Table 1
Sewer and Sanitary Line Sampling Analytical Results - 2020-2026
Former Leica Microsystems, Inc.
Cheektowaga, New York

Analyte	Location	SAN-01	SAN-01	SAN-01	SAN-04	SAN-04	SAN-04	SAN-05	SAN-05	SAN-05	SAN-06	SAN-06	SAN-06	SAN-07	SAN-07	SAN-07
	Sample Date	09/10/2020	11/18/2025	03/24/2026	09/10/2020	11/18/2025	03/24/2026	09/10/2020	11/18/2025	03/24/2026	09/10/2020	11/18/2025	03/24/2026	09/10/2020	11/18/2025	03/24/2026
	Sample Type	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
	Unit															
1,1,1-Trichloroethane	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 0.82
1,1,2,2-Tetrachloroethane	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 0.21
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 0.31
1,1,2-Trichloroethane	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 0.23
1,1-Dichloroethane	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 0.38
1,1-Dichloroethene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 0.29
1,2,4-Trichlorobenzene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 0.41
1,2-Dibromo-3-chloropropane	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 0.39
1,2-Dichlorobenzene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 0.79
1,2-Dichloroethane	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 0.21
1,2-Dichloropropane	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 0.72
1,3-Dichlorobenzene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 0.78
1,4-Dichlorobenzene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 0.84
2-Butanone (Methyl ethyl ketone)	ug/L	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	4.3 J	< 10	< 1.3
2-Hexanone	ug/L	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 1.2
4-Methyl-2-pentanone	ug/L	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 2.1
Acetone	ug/L	< 10	< 10	< 10	< 10	< 10	< 10	4.1 J	< 10	< 10	4.7 J	16	< 10	13	4.7 J	< 3.0
Benzene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 0.41
Bromodichloromethane	ug/L	< 1.0	0.40 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.47 J	< 1.0	< 1.0	< 1.0	< 1.0	< 0.39
Bromoform	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 0.26
Bromomethane	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 0.69
Carbon disulfide	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.24 J	< 1.0	< 0.19
Carbon tetrachloride	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 0.27
Chlorobenzene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 0.75
Chloroethane	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 0.32
Chloroform	ug/L	< 1.0	2.1	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	1.7	< 1.0	< 1.2	< 1.0	< 1.0	< 0.34
Chloromethane	ug/L	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0 J	< 0.35
cis-1,2-Dichloroethene	ug/L	4.9	< 1.0	5.1	3.6	1.6	2.4	2.3	1.3	2.1	1.4	0.95 J	1.7	4.0	3.9	4.2
cis-1,3-Dichloropropene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 0.36
Cyclohexane	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.25 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 0.18
Dibromochloromethane	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 0.32
Dichlorodifluoromethane (Freon 12)	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 0.68
Ethylbenzene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	1.1	< 1.0	< 1.0	< 1.0	< 1.0	< 0.74
Ethylene dibromide	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 0.73
Isopropylbenzene (Cumene)	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 0.79
Methyl acetate	ug/L	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 1.3
Methyl tert-butyl ether	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 0.16
Methylcyclohexane	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	0.55 J	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 0.16
Methylene chloride	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 0.44
Styrene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 0.73
Tetrachloroethene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 0.36
Toluene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	2.2	< 1.0	< 1.0	< 1.0	< 1.0	< 0.51
trans-1,2-Dichloroethene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 0.90
trans-1,3-Dichloropropene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 0.37
Trichloroethene	ug/L	0.82 J	< 1.0	0.83 J	0.55 J	< 1.0	1.3	0.54 J	< 1.0	0.86 J	< 1.0 J	< 1.0	0.69 J	< 1.0 J	< 1.0	< 0.46
Trichlorofluoromethane (Freon 11)	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 0.88
Vinyl chloride	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	1.2	< 0.90
Xylene, Total	ug/L	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 0.66

Notes:
< = Analyte not detected above the laboratory reporting detection limit. The laboratory reporting detection limit is shown.
J = The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
N = Normal Environmental Sample
FD = Field Duplicate Sample
ug/L = micrograms per liter
SAN = Sanitary sewer location
STM = Storm sewer location

Table 1
Sewer and Sanitary Line Sampling Analytical Results - 2020-2026
Former Leica Microsystems, Inc.
Cheektowaga, New York

Analyte	Location	SAN-08	SAN-08	SAN-08	SAN-08	SAN-08	STM-01	STM-01	STM-01	STM-02	STM-02	STM-02	STM-03	STM-03	STM-03
	Sample Date	09/10/2020	11/18/2025	11/18/2025	03/24/2026	03/24/2026	09/10/2020	11/18/2025	03/24/2026	09/10/2020	11/18/2025	03/24/2026	09/10/2020	11/18/2025	03/24/2026
	Sample Type	N	N	FD	N	FD	N	N	N	N	N	N	N	N	N
	Unit														
1,1,1-Trichloroethane	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0
1,1,2,2-Tetrachloroethane	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0
1,1,2-Trichloroethane	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0
1,1-Dichloroethane	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0
1,1-Dichloroethene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0
1,2,4-Trichlorobenzene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0
1,2-Dibromo-3-chloropropane	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0
1,2-Dichlorobenzene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0
1,2-Dichloroethane	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0
1,2-Dichloropropane	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0
1,3-Dichlorobenzene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0
1,4-Dichlorobenzene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0
2-Butanone (Methyl ethyl ketone)	ug/L	< 10	< 10	< 10	< 10	< 10	< 40	< 10	< 10	< 40	< 10	< 10	< 40	< 10	< 10
2-Hexanone	ug/L	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 20	< 5.0	< 5.0	< 20	< 5.0	< 5.0	< 20	< 5.0	< 5.0
4-Methyl-2-pentanone	ug/L	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 20	< 5.0	< 5.0	< 20	< 5.0	< 5.0	< 20	< 5.0	< 5.0
Acetone	ug/L	< 10	< 10	< 10	< 10	< 10	< 40	< 10	< 10	< 40	< 10	< 10	< 40	< 10	< 10
Benzene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0
Bromodichloromethane	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	1.0	< 1.0	< 4.0	0.98 J	< 1.0	< 4.0	0.92 J	< 1.0
Bromoform	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0
Bromomethane	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0
Carbon disulfide	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0
Carbon tetrachloride	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0
Chlorobenzene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0
Chloroethane	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0
Chloroform	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	1.6	< 1.0	< 4.0	2.5	< 1.0	< 4.0	2.8	< 1.0
Chloromethane	ug/L	< 1.0	< 1.0 J	< 1.0 J	< 1.0	< 1.0	< 4.0	< 1.0 J	< 1.0	< 4.0	< 1.0 J	< 1.0	< 4.0	< 1.0 J	< 1.0
cis-1,2-Dichloroethene	ug/L	10	5.7	5.4	4.7	4.6	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	3.3 J	< 1.0	< 1.0
cis-1,3-Dichloropropene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0
Cyclohexane	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0
Dibromochloromethane	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	0.47 J	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0
Dichlorodifluoromethane (Freon 12)	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0
Ethylbenzene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0
Ethylene dibromide	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0
Isopropylbenzene (Cumene)	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0
Methyl acetate	ug/L	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 10	< 2.5	< 2.5	< 10	< 2.5	< 2.5	< 10	< 2.5	< 2.5
Methyl tert-butyl ether	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0
Methylcyclohexane	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0
Methylene chloride	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.1	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0
Styrene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0
Tetrachloroethene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0
Toluene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0
trans-1,2-Dichloroethene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0
trans-1,3-Dichloropropene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0
Trichloroethene	ug/L	1.1 J	0.96 J	1.0	0.93 J	0.89 J	< 4.0 J	< 1.0	< 1.0	< 4.0 J	< 1.0	< 1.0	3.6 J	< 1.0	< 1.0
Trichlorofluoromethane (Freon 11)	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0
Vinyl chloride	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0
Xylene, Total	ug/L	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 8.0	< 2.0	< 2.0	< 8.0	< 2.0	< 2.0	< 8.0	< 2.0	< 2.0

Notes:
< = Analyte not detected above the laboratory reporting detection limit. The laboratory reporting detection limit is shown.
J = The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
N = Normal Environmental Sample
FD = Field Duplicate Sample
ug/L = micrograms per liter
SAN = Sanitary sewer location
STM = Storm sewer location

Table 1
Sewer and Sanitary Line Sampling Analytical Results - 2020-2026
Former Leica Microsystems, Inc.
Cheektowaga, New York

Analyte	Location	STM-04	STM-04	STM-04	STM-05	STM-05	STM-05	STM-06	STM-06	STM-06	STM-07	STM-07	STM-07	STM-08	STM-08	STM-08
	Sample Date	09/10/2020	11/18/2025	03/24/2026	09/10/2020	11/18/2025	03/24/2026	09/10/2020	11/18/2025	03/24/2026	09/10/2020	11/18/2025	03/24/2026	09/10/2020	11/18/2025	03/24/2026
	Sample Type	N	N	N	N	N	N	N	N	N	N	N	N	N	N	N
	Unit															
1,1,1-Trichloroethane	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,1,2,2-Tetrachloroethane	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,1,2-Trichloroethane	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,1-Dichloroethane	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,1-Dichloroethene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,2,4-Trichlorobenzene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,2-Dibromo-3-chloropropane	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,2-Dichlorobenzene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,2-Dichloroethane	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	4.2	< 1.0	< 1.0
1,2-Dichloropropane	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,3-Dichlorobenzene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
1,4-Dichlorobenzene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
2-Butanone (Methyl ethyl ketone)	ug/L	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 40	< 10	< 10	< 10	< 10	< 10
2-Hexanone	ug/L	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 20	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0
4-Methyl-2-pentanone	ug/L	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0	< 20	< 5.0	< 5.0	< 5.0	< 5.0	< 5.0
Acetone	ug/L	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 10	< 40	< 10	< 10	< 10	< 10	< 10
Benzene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Bromodichloromethane	ug/L	< 1.0	0.68 J	< 1.0	5.1	0.46 J	< 1.0	0.95 J	0.50 J	< 1.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Bromoform	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Bromomethane	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Carbon disulfide	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	0.20 J	< 1.0	< 1.0
Carbon tetrachloride	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Chlorobenzene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Chloroethane	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Chloroform	ug/L	< 1.0	1.9	< 1.0	26	1.3	< 1.0	2.8	1.6	< 1.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Chloromethane	ug/L	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0 J	< 1.0	< 4.0	< 1.0 J	< 1.0	< 1.0	< 1.0 J	< 1.0
cis-1,2-Dichloroethene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
cis-1,3-Dichloropropene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Cyclohexane	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	0.20 J	< 1.0	< 1.0
Dibromochloromethane	ug/L	< 1.0	< 1.0	< 1.0	1.5	< 1.0	< 1.0	0.47 J	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Dichlorodifluoromethane (Freon 12)	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Ethylbenzene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Ethylene dibromide	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Isopropylbenzene (Cumene)	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Methyl acetate	ug/L	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5	< 10	< 2.5	< 2.5	< 2.5	< 2.5	< 2.5
Methyl tert-butyl ether	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Methylcyclohexane	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	0.27 J	< 1.0	< 1.0
Methylene chloride	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Styrene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Tetrachloroethene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Toluene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
trans-1,2-Dichloroethene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
trans-1,3-Dichloropropene	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Trichloroethene	ug/L	< 1.0 J	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0	< 4.0 J	< 1.0	< 1.0	< 1.0 J	< 1.0	< 1.0
Trichlorofluoromethane (Freon 11)	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Vinyl chloride	ug/L	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0	< 4.0	< 1.0	< 1.0	< 1.0	< 1.0	< 1.0
Xylene, Total	ug/L	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0	< 8.0	< 2.0	< 2.0	< 2.0	< 2.0	< 2.0

Notes:
< = Analyte not detected above the laboratory reporting detection limit. The laboratory reporting detection limit is shown.
J = The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
N = Normal Environmental Sample
FD = Field Duplicate Sample
ug/L = micrograms per liter
SAN = Sanitary sewer location
STM = Storm sewer location

Table 1
Sewer and Sanitary Line Sampling Analytical Results - 2020-2026
Former Leica Microsystems, Inc.
Cheektowaga, New York

Analyte	Location	STM-09	STM-09	STM-09
	Sample Date	09/10/2020	11/18/2025	03/24/2026
	Sample Type	N	N	N
	Unit			
1,1,1-Trichloroethane	ug/L	< 1.0	< 1.0	< 1.0
1,1,2,2-Tetrachloroethane	ug/L	< 1.0	< 1.0	< 1.0
1,1,2-Trichloro-1,2,2-trifluoroethane (Freon 113)	ug/L	< 1.0	< 1.0	< 1.0
1,1,2-Trichloroethane	ug/L	< 1.0	< 1.0	< 1.0
1,1-Dichloroethane	ug/L	< 1.0	< 1.0	< 1.0
1,1-Dichloroethene	ug/L	< 1.0	< 1.0	< 1.0
1,2,4-Trichlorobenzene	ug/L	< 1.0	< 1.0	< 1.0
1,2-Dibromo-3-chloropropane	ug/L	< 1.0	< 1.0	< 1.0
1,2-Dichlorobenzene	ug/L	< 1.0	< 1.0	< 1.0
1,2-Dichloroethane	ug/L	< 1.0	< 1.0	< 1.0
1,2-Dichloropropane	ug/L	< 1.0	< 1.0	< 1.0
1,3-Dichlorobenzene	ug/L	< 1.0	< 1.0	< 1.0
1,4-Dichlorobenzene	ug/L	< 1.0	< 1.0	< 1.0
2-Butanone (Methyl ethyl ketone)	ug/L	< 10	< 10	< 10
2-Hexanone	ug/L	< 5.0	< 5.0	< 5.0
4-Methyl-2-pentanone	ug/L	< 5.0	< 5.0	< 5.0
Acetone	ug/L	< 10	< 10	< 10
Benzene	ug/L	< 1.0	< 1.0	< 1.0
Bromodichloromethane	ug/L	< 1.0	< 1.0	< 1.0
Bromoform	ug/L	< 1.0	< 1.0	< 1.0
Bromomethane	ug/L	< 1.0	< 1.0	< 1.0
Carbon disulfide	ug/L	< 1.0	< 1.0	< 1.0
Carbon tetrachloride	ug/L	< 1.0	< 1.0	< 1.0
Chlorobenzene	ug/L	< 1.0	< 1.0	< 1.0
Chloroethane	ug/L	< 1.0	< 1.0	< 1.0
Chloroform	ug/L	< 1.0	< 1.0	< 1.8
Chloromethane	ug/L	< 1.0	< 1.0 J	< 1.0
cis-1,2-Dichloroethene	ug/L	1.1	< 1.0	5.0
cis-1,3-Dichloropropene	ug/L	< 1.0	< 1.0	< 1.0
Cyclohexane	ug/L	< 1.0	< 1.0	< 1.0
Dibromochloromethane	ug/L	< 1.0	< 1.0	0.42 J
Dichlorodifluoromethane (Freon 12)	ug/L	< 1.0	< 1.0	< 1.0
Ethylbenzene	ug/L	< 1.0	< 1.0	< 1.0
Ethylene dibromide	ug/L	< 1.0	< 1.0	< 1.0
Isopropylbenzene (Cumene)	ug/L	< 1.0	< 1.0	< 1.0
Methyl acetate	ug/L	< 2.5	< 2.5	< 2.5
Methyl tert-butyl ether	ug/L	< 1.0	< 1.0	< 1.0
Methylcyclohexane	ug/L	< 1.0	< 1.0	< 1.0
Methylene chloride	ug/L	< 1.0	< 1.0	< 1.0
Styrene	ug/L	< 1.0	< 1.0	< 1.0
Tetrachloroethene	ug/L	< 1.0	< 1.0	< 1.0
Toluene	ug/L	< 1.0	< 1.0	< 1.0
trans-1,2-Dichloroethene	ug/L	< 1.0	< 1.0	< 1.0
trans-1,3-Dichloropropene	ug/L	< 1.0	< 1.0	< 1.0
Trichloroethene	ug/L	0.57 J	0.49 J	1.6
Trichlorofluoromethane (Freon 11)	ug/L	< 1.0	< 1.0	< 1.0
Vinyl chloride	ug/L	< 1.0	< 1.0	< 1.0
Xylene, Total	ug/L	< 2.0	< 2.0	< 2.0

Notes:
< = Analyte not detected above the laboratory reporting detection limit. The laboratory reporting detection limit is shown.
J = The result is an estimated quantity. The associated numerical value is the approximate concentration of the analyte in the sample.
N = Normal Environmental Sample
FD = Field Duplicate Sample
ug/L = micrograms per liter
SAN = Sanitary sewer location
STM = Storm sewer location

Figures


© Copyright 2026 by The ERM International Group Limited and/or its affiliates ('ERM'). All Rights Reserved.
No part of this work may be reproduced or transmitted in any form or by any means, without prior written permission of ERM.

DRAWN BY: GIS

STM-08
SAN-08
STM-07
SAN-07
STM-01
STM-09
SAN-01
STM-11*
STM-02
STM-03
SAN-04
STM-04
STM-05
SAN-05
STM-06
SAN-06

N

0 80 160 Feet



Legend

- Sanitary Sewer
- Stormwater Sewer

Utilities

- Sanitary
- Storm
- Building Outline
- Site Property Boundary

Notes:
- * = Stormwater sewer not accessible/ sampled in 2025 and 2026
- Sewer water was collected on 18 November 2025 and 24 March 2026.

Figure 1
Sewer Water Sample Locations - November 2025 and March 2026
Former Leica, Inc. Facility
203 Eggert Road
Cheektowaga, New York

ERM

Source: Esri - World Topographic Map; NAD 1983 StatePlane New York West FIPS 3103 Feet

FILE: M:\US\Projects\D-F\Danaher\CheektowagaNY\MXD\Sewers_Evalutation_2026\Sewers_Evalutation_2026.aprx | REVISED: 04/01/2026 | SCALE: 1:1,293 when printed at 11x17

DRAWN BY: GIS

STM-08
STM-07
SAN-08 11.10
SAN-08 6.66
SAN-08 5.63
SAN-07 4.00
SAN-07 5.10
SAN-07 4.20
STM-09 1.67
STM-09 0.49
STM-09 6.60
STM-01
SAN-01
SAN-01 5.72
SAN-01 5.93
SAN-02
STM-02
STM-11
SAN-03
STM-03 6.90
STM-03
MW-11A
SAN-04 4.15
SAN-04 1.60
SAN-04 3.70
STM-04
STM-05
SAN-05 2.84
SAN-05 1.30
SAN-05 2.96
STM-06
SAN-06 4.70
SAN-06 0.95
SAN-06 2.39

N

0 80 160 Feet

Notes:
- µg/L = micrograms per liter
- COCs = contaminants of concern
- Sewer water was collected on 10 September 2020, 18 November 2025 and 24 March 2026.
- The sum of site-specific remedial action objective (RAO) compounds identified in Table 2-1 of the Site Management Plan are shown.

0 0.75 1.5 Miles

Legend

COCs in Sewer Water (µg/L)

<10 >10

- Trichloroethene
- cis-1,2-Dichloroethene
- Vinyl chloride
- Toluene
- Ethylbenzene

- Sewer Water Sampled in 2020
- Sewer Water Sampled in 2025
- Sewer Water Sampled in 2026
- Non-Detect in 2020, 2025 and/or 2026
- Not Accessible/Sampled in 2020, 2025 and 2026
- Extraction Well

Utilities

- Sanitary
- Storm
- Building Outline
- Site Property Boundary

Figure 2
COCs in Sewer Water - 2020, 2025 and 2026
Former Leica, Inc. Facility
203 Eggert Road
Cheektowaga, New York

ERM

Source: Esri - World Topographic Map; NAD 1983 StatePlane New York West FIPS 3103 Feet

FILE: M:\US\Projects\D-F\Danaher\Cheektowaga\NY\MXD\Sewers_Evalutation_2026\Sewers_Evalutation_2026.aprx | REVISED: 04/14/2026 | SCALE: 1:1,293 when printed at 11x17

DRAWN BY: GIS

FILE: M:\US\Projects\D-F\Danaher\CheektowagaNY\MXD\CrossSections\Sewer_CrossSections_October2025\Sewer_CrossSections_October2025.aprx | REVISED: 02/03/2026 | SCALE: 1:1,293 when printed at 11x17

N

STM

SAN

STM-01

SAN-01

SAN-02

STM-02

SAN-03

MW-47

STM-03

MW-10

SV-12S

MW-13A

SAN-04

MW-13

SV-11

SV-10S

MW-14A

SV-10D

MW-14

SV-09S

SV-06S

MW-22

MW-22A

STM-04

SV-08S

ROWAN ROAD

MW-26

MW-25

MW-26A

STM-05

MW-25A

SAN-05

OS-SV-002

OS-SV-005

OS-SV-006

MW-28A

OS-SV-001

OS-SV-003

MW-28

OS-SV-007

OS-SV-004

MW-29

SSV-001

MW-29A

STM-06

SAN-06

STM'

SAN'

SAINT JOHNS CEMETERY

IVANHOE ROAD

MARNE ROAD

CAROL DRIVE

PRESTON ROAD

0 80 160 Feet

0 0.75 1.5 Miles

Legend

- Monitoring Well
- Manhole
- Soil Vapor Point
- Transect SAN
- Transect STM

Utilities

- Sanitary
- Storm
- Building Outline
- Site Property Boundary

Figure 3a
Transects SAN and STM
Former Leica, Inc. Facility
203 Eggert Road
Cheektowaga, New York

ERM

Source: Esri - World Topographic Map; NAD 1983 StatePlane New York West FIPS 3103 Feet






Figure 3b: Sewer Cross Sections
Former Leica, Inc. Facility
203 Eggert Road
Cheektowaga, New York

ERM


M:\US\Projects\0-Planned\Cheektowaga\NY\MXD\CrossSections\Sewer_CrossSections_2026\Sewer_CrossSections_2026.aprx - Olivia.bolding - 4/14/2026





Legend

COCs in Groundwater (µg/L), Soil Vapor (µg/m³), and Sewer Water (µg/L)




- Trichloroethene
- cis-1,2-Dichloroethene
- trans-1,2-Dichloroethene
- Vinyl chloride
- 1,1,1-Trichloroethane
- Toluene
- Ethylbenzene
- Xylene, Total

- Sewer Water Sampled in 2026
- Soil Vapor Sample
- Non-Detect
- Monitoring Well
- Manhole
- Soil Vapor Point
- Water Level - March 2026
- Surface Profile
- Soil Boring Trace
- Borehole
- Open Borehole Interval
- Well Trace
- Well Screen
- Soil Vapor Trace
- Sewer Trace
- Approximate Sewer Location
- Geology Inferred

Lithology

- Organic Silt
- Silt/Clay
- Silty Sand
- Till
- Bedrock
- Sewer Observation




NOTES:
- µg/L = micrograms per liter
- µg/m³ = micrograms per cubic meter
- COCs = contaminants of concern
- Most Recent Analytical Data is shown: Analytical data taken in March 2019 for OS-SV-001, OS-SV-002, OS-SV-003, OS-SV-004; April 2019 for OS-SV-005, OS-SV-006. OS-SV-007; July 2020 for SV-06S, SV-09S, SV-10S, SV-11, SV-12S; September 2020 for SV-08S, SV-10D; March 2022 for SSV-001; September 2024 for MW-14A; October 2024 for MW-14, MW-14A, MW-25, MW-25A, MW-26, MW-26A, MW-28, MW-28A, MW-29, MW-29A, MW-47; and March 2026 for SAN-01, SAN-04, SAN-05, SAN-06, STM-01, STM-02, STM-03, STM-04, STM-05, STM-06.
- Groundwater results are shown since 2021.
- Gauging calculations taken 3/23/2026.
- Sewer observation from Bloodhound October 2019 camera survey.
- The sum of site-specific Remedial Action Objective (RAO) compounds identified in Table 2-1 of the Site Management Plan are shown.

Figure 3c: Sewer Cross Sections
Former Leica, Inc. Facility
203 Eggert Road
Cheektowaga, New York

ERM

M:\DS\Projects\D-FLeica\en\Cheektowaga\NY\MXD\CrossSections\Sewer_CrossSections\Sewer_CrossSections_2026\Sewer_CrossSections_2026.aprx - Olivia.bolding - 4/14/2026

DRAWN BY: GIS
FILE: M:\US\Projects\D-F\Danaher\CheektowagaNY\MXD\CrossSections\Sewer_CrossSections\Sewer_CrossSections_October2025.aprx, REVISED: 02/10/2026 , SCALE: 1:447 when printed at 11x17
Sewer_CrossSections_October2025\Sewer_CrossSections_October2025





Legend

- Monitoring Well
- Manhole
- Soil Vapor Point
- Transect B

Utilities

- Sanitary
- Storm
- Site Property Boundary


Figure 4a
Transect B
Former Leica, Inc. Facility
203 Eggert Road
Cheektowaga, New York


ERM

Source: Esri - World Topographic Map; NAD 1983 StatePlane New York West FIPS 3103 Feet

B (West)


B' (East)





Legend

COCs in Groundwater (µg/L), Soil Vapor (µg/m³), and Sewer Water (µg/L)



- Trichloroethene
- cis-1,2-Dichloroethene
- trans-1,2-Dichloroethene
- Vinyl chloride
- 1,1,1-Trichloroethane
- Toluene
- Ethylbenzene
- Xylene, Total
- Sewer Water Sampled in 2025
- Soil Vapor Sample
- Non-Detect
- Monitoring Well
- Manhole
- Soil Vapor Point
- Water Level - October 2025
- Surface Line
- Soil Boring Trace
- Borehole
- Open Borehole Interval
- Well Trace
- Well Screen
- Soil Vapor Trace
- Sewer Trace

Utilities

- Sanitary
- Storm
- Inferred Geology

Lithology

- Organic Silt
- Silt/Clay
- Silty Sand
- Till
- Bedrock

NOTES:

- µg/L = micrograms per liter
- µg/m³ = micrograms per cubic meter
- COCs = contaminants of concern
- Most Recent Analytical Data is shown: Analytical data taken in March 2019 for OS-SV-002; April 2019 for OS-SV-005; May 2024 for MW-23; October 2024 for MW-25, MW-25A, MW-26, MW-26A, MW-27, MW-27A; July 2020 for SV-06S, SV-09S; September 2020 for SV-08S and; November 2025 for SAN-05, STM-04, STM-05.
- Groundwater results shown since 2021.
- Gauging calculations taken 10/13/2025.
- The sum of site-specific Remedial Action Objective (RAO) compounds identified in Table 2-1 of the Site Management Plan are shown.


Figure 4b: Geologic Cross Section
Former Leica, Inc. Facility
203 Eggert Road
Cheektowaga, New York


ERM

M:\US\Projects\US-FTL\Buffalo\Cheektowaga\NY1MAD\CrossSections\Sewer_CrossSections\Sewer_CrossSections_2026.aprx - Olivia.Bolling - 4/1/2026

B (West)


B' (East)





Legend

COCs in Groundwater (µg/L), Soil Vapor (µg/m³), and Sewer Water (µg/L)



- Trichloroethene
- cis-1,2-Dichloroethene
- trans-1,2-Dichloroethene
- Vinyl chloride
- 1,1,1-Trichloroethane
- Toluene
- Ethylbenzene
- Xylene, Total
- Sewer Water Sampled in 2026
- Soil Vapor Sample
- Non-Detect
- Monitoring Well
- Manhole
- Soil Vapor Point
- Water Level - March 2026
- Surface Line
- Soil Boring Trace
- Borehole
- Open Borehole Interval
- Well Trace
- Well Screen
- Soil Vapor Trace
- Sewer Trace

Utilities

- Sanitary
- Storm
- Inferred Geology

Lithology

- Organic Silt
- Silt/Clay
- Silty Sand
- Till
- Bedrock

NOTES:

- µg/L = micrograms per liter
- µg/m³ = micrograms per cubic meter
- COCs = contaminants of concern
- Most Recent Analytical Data is shown: Analytical data taken in March 2019 for OS-SV-002; April 2019 for OS-SV-005; May 2024 for MW-23; October 2024 for MW-25, MW-25A, MW-26, MW-26A, MW-27, MW-27A; July 2020 for SV-06S, SV-09S; September 2020 for SV-08S and; March 2026 for SAN-05, STM-04, STM-05.
- Groundwater results shown since 2021.
- Gauging calculations taken 3/23/2026.
- The sum of site-specific Remedial Action Objective (RAO) compounds identified in Table 2-1 of the Site Management Plan are shown.

Figure 4c: Geologic Cross Section
Former Leica, Inc. Facility
203 Eggert Road
Cheektowaga, New York

ERM

M:\US\Projects\US-FtLdnam\Cheektowaga\NY1MXD\CrossSections\Sewer_CrossSections\Sewer_CrossSections_2026.aprx - Olivia.bolling - 4/1/2026

DATE
4 May 2026

REFERENCE
Site No. 915156

Attachment A
Field Sampling Forms

© Copyright 2026 by The ERM International Group Limited and/or its affiliates ('ERM'). All Rights Reserved.
No part of this work may be reproduced or transmitted in any form or by any means, without prior written permission of ERM.

Sewer Sampling Field Record

Site Name: Leica Cheektowaga

Project No.: 0757185

Samplers Name(s): Calista N & Christian W

Date: 11/18/2025

Weather: 41F mostly cloudy

Sample ID: SAN-01-20251118

Time of Collection: 12:05

Sample Type: Sewer water

Sampling Method: peristaltic pump

Description of Sample Location onsite east of conex

Adjacent Sample Location(s): STM-01

Depth to Water (ft bgs): 7.94

Total Depth (ft bgs): 8.08

Flow Direction: undetectable/stagnant

Sampling Description:

Suspended Matter: sediment/algae

Color/Opacity: Clear

Odor: None

Other:

Analyze For: VOCs

Comments: roots in water

Photos:



Sewer Sampling Field Record

Site Name: Leica Cheektowaga

Project No.: 0757185

Samplers Name(s): Calista N & Christian W

Date: 11/18/2025

Weather: 43F mostly cloudy

Sample ID: SAN-04-20251118

Time of Collection: 13:25

Sample Type: Sewer water

Sampling Method: perstaltic pump

Description of Sample Location: Offsite forested area near side gate

Adjacent Sample Location(s): STM-03, STM-04

Depth to Water (ft bgs): 7.15

Total Depth (ft bgs): 7.20

Flow Direction: N-S

Sampling Description:

Suspended Matter: silght floating debris

Color/Opacity: Clear

Odor: None

Other:

Analyze For: VOCs

Comments: Flowing quickly

Photos:



Sewer Sampling Field Record

Site Name: Leica Cheektowaga

Project No.: 0757185

Samplers Name(s): Calista N & Christian W

Date: 11/18/2025

Weather: 42F mostly cloudy

Sample ID: SAN-05-20251118

Time of Collection: 14:55

Sample Type: Sewer water

Sampling Method: peristaltic pump

Description of Sample Location North side of neighborhood in sidewalk on east side of road

Adjacent Sample Location(s): STM-05

Depth to Water (ft bgs): 7.40

Total Depth (ft bgs): ~7.41, undetectable difference from DTW

Flow Direction: N-S

Sampling Description:

Suspended Matter: None

Color/Opacity: Clear

Odor: None

Other:

Analyze For: VOCs

Comments:

Photos:



Sewer Sampling Field Record

Site Name: Leica Cheektowaga

Project No.: 0757185

Samplers Name(s): Calista N & Christian W

Date: 11/18/2025

Weather: 42F mostly cloudy

Sample ID: SAN-06-20251118

Time of Collection: 15:25

Sample Type: Sewer water

Sampling Method: perstaltic pump

Description of Sample Location: Neighborhood in sidewalk on east side

Adjacent Sample Location(s): STM-06

Depth to Water (ft bgs): 5.40

Total Depth (ft bgs): 5.42

Flow Direction: N-S

Sampling Description:

Suspended Matter: some toilet paper fragments

Color/Opacity: Clear

Odor: None

Other:

Analyze For: VOCs

Comments: hair observed after pulling up tubing

Photos:



Sewer Sampling Field Record

Site Name: Leica Cheektowaga

Project No.: 0757185

Samplers Name(s): Calista N & Christian W

Date: 11/18/2025

Weather: 40F mostly cloudy

Sample ID: SAN-07-20251118

Time of Collection: 11:00

Sample Type: Sewer water

Sampling Method: Bailer

Description of Sample Location: Middle of north parking lot adjacent to Sugar Rd

Adjacent Sample Location(s): SAN-08, STM-08, STM-07

Depth to Water (ft bgs): 7.90

Total Depth (ft bgs): 8.15

Flow Direction: undetectable/stagnant

Sampling Description:

Suspended Matter: fine black sediment

Color/Opacity: black, cloudy


Odor: organic-like

Other:

Analyze For: VOCs

Comments: black sludge on bottom with stagnant water

Photos:



Sewer Sampling Field Record

Site Name: Leica Cheektowaga

Project No.: 0757185

Samplers Name(s): Calista N & Christian W

Date: 11/18/2025

Weather: 40F mostly cloudy

Sample ID: SAN-08-20251118 / DUP-20251118

Time of Collection: 10:35 / 12:00

Sample Type: Sewer water

Sampling Method: peristaltic pump

Description of Sample Location: Middle of north parking lot adjacent to Sugar Rd

Adjacent Sample Location(s): STM-08, STM-07, SAN-07

Depth to Water (ft bgs): 8.04

Total Depth (ft bgs): ~8.04, undetectable difference from DTW

Flow Direction: South

Sampling Description:

Suspended Matter: some brown sediment

Color/Opacity: yellowish/cloudy

Odor: None

Other:

Analyze For: VOCs

Comments: sediment on bottom, water appears to be infiltrating from the east

Photos:



Sewer Sampling Field Record

Site Name: Leica Cheektowaga

Project No.: 0757185

Samplers Name(s): Calista N & Christian W

Date: 11/18/2025

Weather: 41F mostly cloudy

Sample ID: STM-01-20251118

Time of Collection: 11:50

Sample Type: Sewer water

Sampling Method: Bailer

Description of Sample Location onsite large manhole east of conex

Adjacent Sample Location(s): SAN-01

Depth to Water (ft bgs): 6.34

Total Depth (ft bgs): 6.62

Flow Direction: N-S

Sampling Description:

Suspended Matter: None

Color/Opacity: Clear

Odor: None

Other:

Analyze For: VOCs

Comments: flow N-S but other drainage coming from a conveyange pipe on west side, possibly from sewer grate nearby. Larger cover (~3ft diamter)

Photos:





Sewer Sampling Field Record

Site Name: Leica Cheektowaga

Project No.: 0757185

Samplers Name(s): Calista N & Christian W

Date: 11/18/2025

Weather: 43F mostly coudy

Sample ID: STM-02-20251118

Time of Collection: 12:50

Sample Type: Sewer water

Sampling Method: bailer

Description of Sample Location: North side of offsite forested area

Adjacent Sample Location(s): STM-03

Depth to Water (ft bgs): 4.85

Total Depth (ft bgs): 5.20

Flow Direction: N-S

Sampling Description:

Suspended Matter: None

Color/Opacity: Clear

Odor: None

Other:

Analyze For: VOCs

Comments: No lid on manhole, open to air. Appears recent tree clearing (fresh sawdust and cut trees)

Photos:





Sewer Sampling Field Record

Site Name: Leica Cheektowaga

Project No.: 0757185

Samplers Name(s): Calista N & Christian W

Date: 11/18/2025

Weather: 43F mostly cloudy

Sample ID: STM-03-20251118

Time of Collection: 13:15

Sample Type: Sewer water

Sampling Method: peristaltic pump

Description of Sample Location: Offsite forested area near side gate

Adjacent Sample Location(s): STM-02, SAN-04

Depth to Water (ft bgs): 4.03

Total Depth (ft bgs): 4.12

Flow Direction: N-S

Sampling Description:

Suspended Matter: None

Color/Opacity: Clear

Odor: None

Other:

Analyze For: VOCs

Comments: Roots in water

Photos:



Sewer Sampling Field Record

Site Name: Leica Cheektowaga

Project No.: 0757185

Samplers Name(s): Calista N & Christian W

Date: 11/18/2025

Weather: 42F mostly cloudy

Sample ID: STM-04-20251118

Time of Collection: 14:15

Sample Type: Sewer water

Sampling Method: Bailer

Description of Sample Location: Offsite forested area near neighborhood gate

Adjacent Sample Location(s): STM-05, SAN-05 (other side of fence in neighborhood)

Depth to Water (ft bgs): 4.60

Total Depth (ft bgs): 5.00

Flow Direction: N-S

Sampling Description:

Suspended Matter: some floating debris

Color/Opacity: clear

Odor: None

Other:

Analyze For: VOCs

Comments: very slow flow. Area surronded by tree debris, broken glass, and trash.

Photos:



Sewer Sampling Field Record

Site Name: Leica Cheektowaga

Project No.: 0757185

Samplers Name(s): Calista N & Christian W

Date: 11/18/2025

Weather: 42F mostly cloudy

Sample ID: STM-05-20251118

Time of Collection: 14:40

Sample Type: Sewer water

Sampling Method: peristaltic pump

Description of Sample Location: North side of neighborhood in road

Adjacent Sample Location(s): SAN-05

Depth to Water (ft bgs): 5.35

Total Depth (ft bgs): 5.70

Flow Direction: N-S

Sampling Description:

Suspended Matter: None

Color/Opacity: Clear

Odor: None

Other:

Analyze For: VOCs

Comments:

Photos:



Sewer Sampling Field Record

Site Name: Leica Cheektowaga

Project No.: 0757185

Samplers Name(s): Calista N & Christian W

Date: 11/18/2025

Weather: 42F mostly cloudy

Sample ID: STM-06-20251118

Time of Collection: 15:10

Sample Type: Sewer water

Sampling Method: persitaltic pump

Description of Sample Location Neighborhood in road

Adjacent Sample Location(s): SAN-06

Depth to Water (ft bgs): 6.08

Total Depth (ft bgs): 6.11

Flow Direction: N-S

Sampling Description:

Suspended Matter: None

Color/Opacity: Clear

Odor: None

Other:

Analyze For: VOCs

Comments:

Photos:



Sewer Sampling Field Record

Site Name: Leica Cheektowaga

Project No.: 0757185

Samplers Name(s): Calista N & Christian W

Date: 11/18/2025

Weather: 40F mostly cloudy

Sample ID: STM-07-20251118

Time of Collection: 11:15

Sample Type: Sewer water

Sampling Method: Bailer

Description of Sample Location: Middle of north parking lot adjacent to Sugar Rd

Adjacent Sample Location(s): SAN-08, STM-08, SAN-07

Depth to Water (ft bgs): 6.98

Total Depth (ft bgs): ~7.50*

Flow Direction: N-S

Sampling Description:

Suspended Matter: small pieces of algae

Color/Opacity: Clear

Odor: None

Other:

Analyze For: VOCs

Comments: *TD varies, large rocks on bottom, difficult to get accurate total depth with probe

Photos:



Sewer Sampling Field Record

Site Name: Leica Cheektowaga

Project No.: 0757185

Samplers Name(s): Calista N & Christian W

Date: 11/18/2025

Weather: 40F mostly cloudy

Sample ID: STM-08-20251118

Time of Collection: 10:05

Sample Type: Sewer water

Sampling Method: perstaltic pump

Description of Sample Location: Middle of north parking lot adjacent to Sugar Rd

Adjacent Sample Location(s): SAN-08, STM-07, SAN-07

Depth to Water (ft bgs): 7.05

Total Depth (ft bgs): ~7.05, undetectable difference from DTW

Flow Direction: N-S

Sampling Description:

Suspended Matter: None

Color/Opacity: Clear

Odor: None

Other:

Analyze For: VOCs

Comments: MS/MSD sample sets taken from this location

Photos:



Sewer Sampling Field Record

Site Name: Leica Cheektowaga

Project No.: 0757185

Samplers Name(s): Calista N & Christian W

Date: 11/18/2025

Weather: 41F mostly cloudy

Sample ID: STM-09-20251118

Time of Collection: 12:25

Sample Type: Sewer water

Sampling Method: Bailer

Description of Sample Location: Onsite west of conex in some brush

Adjacent Sample Location(s): STM-01, SAN-01

Depth to Water (ft bgs): 5.49

Total Depth (ft bgs): 5.86

Flow Direction: very slow, appears to be W-E

Sampling Description:

Suspended Matter: None

Color/Opacity: Clear

Odor: None

Other:

Analyze For: VOCs

Comments:

Photos:



Sewer Sampling Field Record

Site Name: Leica Cheektowaga

Project No.: 0639846

Samplers Name(s): Olivia B & Christian W

Date: 3/24/2026

Weather: 30F, sunny, 5 mph winds from SW

Sample ID: SAN-01-20260324

Time of Collection: 11:35

Sample Type: Sewer water

Sampling Method: Bailer

Description of Sample Location: Onsite east of conex

Adjacent Sample Location(s): STM-01

Depth to Water (ft bgs): 7.90

Total Depth (ft bgs): 8.05

Flow Direction: Undetectable/stagnant

Sampling Description:

Suspended Matter: Sediment/algae

Color/Opacity: Clear/yellow tinge from algae

Odor: None

Other:

Analyze For: VOCs

Comments:

Photos:



Sewer Sampling Field Record

Site Name: Leica Cheektowaga

Project No.: 0639846

Samplers Name(s): Olivia B & Christian W

Date: 3/24/2026

Weather: 30F, sunny, 5 mph winds from SW

Sample ID: SAN-04-20260324

Time of Collection: 13:25

Sample Type: Sewer water

Sampling Method: Peristaltic pump

Description of Sample Location: Offsite forested area near side gate

Adjacent Sample Location(s): STM-03, STM-04

Depth to Water (ft bgs): 7.23

Total Depth (ft bgs): 7.26

Flow Direction: N-S

Sampling Description:

Suspended Matter: None

Color/Opacity: Clear

Odor: None

Other:

Analyze For: VOCs

Comments:

Photos:



Sewer Sampling Field Record

Site Name: Leica Cheektowaga

Project No.: 0639846

Samplers Name(s): Olivia B & Christian W

Date: 3/24/2026

Weather: 30F, sunny, 5 mph winds from SW

Sample ID: SAN-05-20260324

Time of Collection: 14:45

Sample Type: Sewer water

Sampling Method: Peristaltic pump

Description of Sample Location: North side of neighborhood in sidewalk on east side of road

Adjacent Sample Location(s): STM-05

Depth to Water (ft bgs): 7.56

Total Depth (ft bgs): 7.57

Flow Direction: N-S

Sampling Description:

Suspended Matter: None

Color/Opacity: Clear


Odor: None

Other:

Analyze For: VOCs

Comments:

Photos:



Sewer Sampling Field Record

Site Name: Leica Cheektowaga

Project No.: 0639846

Samplers Name(s): Olivia B & Christian W

Date: 3/24/2026

Weather: 30F, sunny, 5 mph winds from SW

Sample ID: SAN-06-20260324

Time of Collection: 15:20

Sample Type: Sewer water

Sampling Method: Peristaltic pump

Description of Sample Location: Neighborhood in sidewalk on east side

Adjacent Sample Location(s): STM-06

Depth to Water (ft bgs): 8.50

Total Depth (ft bgs): 8.57 in channel

Flow Direction: N-S

Sampling Description:

Suspended Matter: White/yellow solids

Color/Opacity: Cloudy

Odor: Organic-like

Other:

Analyze For: VOCs

Comments:

Photos:



Sewer Sampling Field Record

Site Name: Leica Cheektowaga

Project No.: 0639846

Samplers Name(s): Olivia B & Christian W

Date: 3/24/2026

Weather: 30F, sunny, 5 mph winds from SW

Sample ID: SAN-07-20260324

Time of Collection: 10:35

Sample Type: Sewer water

Sampling Method: Bailer

Description of Sample Location: Middle of north parking lot adjacent to Sugar Rd

Adjacent Sample Location(s): SAN-08, STM-08, STM-07

Depth to Water (ft bgs): 7.90

Total Depth (ft bgs): 8.15

Flow Direction: Undetectable/stagnant

Sampling Description:

Suspended Matter: Black flecks

Color/Opacity: Dark brown


Odor: Organic-like

Other:

Analyze For: VOCs

Comments:

Photos:



Sewer Sampling Field Record

Site Name: Leica Cheektowaga

Project No.: 0639846

Samplers Name(s): Olivia B & Christian W

Date: 3/24/2026

Weather: 30F, sunny, 5 mph winds from SW

Sample ID: SAN-08-20260324

Time of Collection: 10:50 / 12:00

Sample Type: Sewer water

Sampling Method: Peristaltic pump

Description of Sample Location: Middle of north parking lot adjacent to Sugar Rd

Adjacent Sample Location(s): STM-08, STM-07, SAN-07

Depth to Water (ft bgs): 8.11

Total Depth (ft bgs): 8.12

Flow Direction: N-S, almost stagnant

Sampling Description:

Suspended Matter: Black flecks

Color/Opacity: Brown


Odor: None

Other:

Analyze For: VOCs

Comments: Duplicate sample set taken from this location

Photos:



Sewer Sampling Field Record

Site Name: Leica Cheektowaga

Project No.: 0639846

Samplers Name(s): Olivia B & Christian W

Date: 3/24/2026

Weather: 30F, sunny, 5 mph winds from SW

Sample ID: STM-01-20260324

Time of Collection: 11:30

Sample Type: Sewer water

Sampling Method: Bailer

Description of Sample Location: Onsite large manhole east of conex

Adjacent Sample Location(s): SAN-01

Depth to Water (ft bgs): 6.30

Total Depth (ft bgs): 6.64

Flow Direction: N-S

Sampling Description:

Suspended Matter: None

Color/Opacity: Clear


Odor: Organic -like

Other:

Analyze For: VOCs

Comments: Flow N-S but other drainage coming from a conveyange pipe on west side, possibly from sewer grate nearby. Larger cover (~3ft diamter).

Photos:



Sewer Sampling Field Record

Site Name: Leica Cheektowaga

Project No.: 0639846

Samplers Name(s): Olivia B & Christian W

Date: 3/24/2026

Weather: 30F, sunny, 5 mph winds from SW

Sample ID: STM-02-20260324

Time of Collection: 13:10

Sample Type: Sewer water

Sampling Method: Bailer

Description of Sample Location: North side of offsite forested area

Adjacent Sample Location(s): STM-03

Depth to Water (ft bgs): 6.05 from top of manhole lid

Total Depth (ft bgs): 5.72 from top of manhole lid

Flow Direction: N-S

Sampling Description:

Suspended Matter: Black flecks

Color/Opacity: Clear

Odor: None

Other:

Analyze For: VOCs

Comments: Lid on manhole. Measurements now taken from top of lid.

Photos:





Sewer Sampling Field Record

Site Name: Leica Cheektowaga

Project No.: 0639846

Samplers Name(s): Olivia B & Christian W

Date: 3/24/2026

Weather: 30F, sunny, 5 mph winds from SW

Sample ID: STM-03-20260324

Time of Collection: 13:45

Sample Type: Sewer water

Sampling Method: Bailer

Description of Sample Location: Offsite forested area near side gate

Adjacent Sample Location(s): STM-02, SAN-04

Depth to Water (ft bgs): 4.79

Total Depth (ft bgs): 4.90

Flow Direction: N-S

Sampling Description:

Suspended Matter: None

Color/Opacity: Clear


Odor: None

Other:

Analyze For: VOCs

Comments: Roots in water

Photos:



Sewer Sampling Field Record

Site Name: Leica Cheektowaga

Project No.: 0639846

Samplers Name(s): Olivia B & Christian W

Date: 3/24/2026

Weather: 30F, sunny, 5 mph winds from SW

Sample ID: STM-04-20260324

Time of Collection: 13:55

Sample Type: Sewer water

Sampling Method: Bailer

Description of Sample Location: Onsite forested area near neighborhood gate

Adjacent Sample Location(s): STM-05, SAN-05 (other side of fence in neighborhood)

Depth to Water (ft bgs): 4.54

Total Depth (ft bgs): 5.09

Flow Direction: N-S

Sampling Description:

Suspended Matter: None

Color/Opacity: Clear

Odor: None. Organic-like when first opened manhole.

Other:

Analyze For: VOCs

Comments:

Photos:



Sewer Sampling Field Record

Site Name: Leica Cheektowaga

Project No.: 0639846

Samplers Name(s): Olivia B & Christian W

Date: 3/24/2026

Weather: 30F, sunny, 5 mph winds from SW

Sample ID: STM-05-20260324

Time of Collection: 14:30

Sample Type: Sewer water

Sampling Method: Bailer

Description of Sample Location: North side of neighborhood in road

Adjacent Sample Location(s): SAN-05

Depth to Water (ft bgs): 5.40

Total Depth (ft bgs): 6.05 in water channel

Flow Direction: N-S

Sampling Description:

Suspended Matter: None

Color/Opacity: Clear

Odor: None

Other:

Analyze For: VOCs

Comments:

Photos:



Sewer Sampling Field Record

Site Name: Leica Cheektowaga

Project No.: 0639846

Samplers Name(s): Olivia B & Christian W

Date: 3/24/2026

Weather: 30F, sunny, 5 mph winds from SW

Sample ID: STM-06-20260324

Time of Collection: 15:05

Sample Type: Sewer water

Sampling Method: Peristaltic pump

Description of Sample Location: Neighborhood in road

Adjacent Sample Location(s): SAN-06

Depth to Water (ft bgs): 5.97

Total Depth (ft bgs): 6.19

Flow Direction: N-S

Sampling Description:

Suspended Matter: None

Color/Opacity: Clear

Odor: None

Other:

Analyze For: VOCs

Comments:

Photos:



Sewer Sampling Field Record

Site Name: Leica Cheektowaga

Project No.: 0639846

Samplers Name(s): Olivia B & Christian W

Date: 3/24/2026

Weather: 30F, sunny, 5 mph winds from SW

Sample ID: STM-07-20260324

Time of Collection: 10:15

Sample Type: Sewer water

Sampling Method: Bailer

Description of Sample Location: Middle of north parking lot adjacent to Sugar Rd

Adjacent Sample Location(s): SAN-08, STM-08, SAN-07

Depth to Water (ft bgs): 6.92

Total Depth (ft bgs): 7.00

Flow Direction: N-S

Sampling Description:

Suspended Matter: None

Color/Opacity: Clear

Odor: None

Other:

Analyze For: VOCs

Comments: MS/MSD sample sets taken from this location

Photos:



Sewer Sampling Field Record

Site Name: Leica Cheektowaga

Project No.: 0639846

Samplers Name(s): Olivia B & Christian W

Date: 3/24/2026

Weather: 30F, sunny, 5 mph winds from SW

Sample ID: STM-08-20260324

Time of Collection: 09:55

Sample Type: Sewer water

Sampling Method: Bailer

Description of Sample Location: Middle of north parking lot adjacent to Sugar Rd

Adjacent Sample Location(s): SAN-08, STM-07, SAN-07

Depth to Water (ft bgs): 6.94

Total Depth (ft bgs): 7.21

Flow Direction: N-S

Sampling Description:

Suspended Matter: Black flecks

Color/Opacity: Clear

Odor: None

Other:

Analyze For: VOCs

Comments:

Photos:



Sewer Sampling Field Record

Site Name: Leica Cheektowaga

Project No.: 0639846

Samplers Name(s): Olivia B & Christian W

Date: 3/24/2026

Weather: 30F, sunny, 5 mph winds from SW

Sample ID: STM-09-20260324

Time of Collection: 11:55

Sample Type: Sewer water

Sampling Method: Bailer

Description of Sample Location: Onsite west of conex in some brush

Adjacent Sample Location(s): STM-01, SAN-01

Depth to Water (ft bgs): 5.51

Total Depth (ft bgs): 5.82

Flow Direction: Stagnant

Sampling Description:

Suspended Matter: Black flecks

Color/Opacity: Clear


Odor: None

Other:

Analyze For: VOCs

Comments:

Photos:



DATE
4 May 2026

REFERENCE
Site No. 915156

Attachment B
Laboratory Analytical Reports

© Copyright 2026 by The ERM International Group Limited and/or its affiliates ('ERM'). All Rights Reserved.
No part of this work may be reproduced or transmitted in any form or by any means, without prior written permission of ERM.

eurofins | Environment Testing

ANALYTICAL REPORT

PREPARED FOR

Attn: Tim Daniluk
ERM-Northeast
5784 Widewaters Pkwy
Dewitt, New York 13214

Generated 11/25/2025 2:19:10 AM

JOB DESCRIPTION

Leica - Cheektowaga

JOB NUMBER

480-234626-1

Eurofins Buffalo
10 Hazelwood Drive
Amherst NY 14228-2298

See page two for job notes and contact information.

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Northeast, LLC Project Manager.

Authorization



Generated
11/25/2025 2:19:10 AM

Authorized for release by
John Schove, Project Manager II
John.Schove@et.eurofinsus.com
(716)504-9838

Table of Contents

Cover Page 1
Table of Contents 3
Definitions/Glossary 4
Case Narrative 5
Detection Summary 6
Client Sample Results 8
Surrogate Summary 46
QC Sample Results 47
QC Association Summary 52
Lab Chronicle 53
Certification Summary 56
Method Summary 57
Sample Summary 58
Chain of Custody 59
Receipt Checklists 61

Definitions/Glossary

Client: ERM-Northeast
Job ID: 480-234626-1
Project/Site: Leica - Cheektowaga

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
*+	LCS and/or LCSD is outside acceptance limits, high biased.
B	Compound was found in the blank and sample.
F1	MS and/or MSD recovery exceeds control limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Job Narrative
480-234626-1

Receipt
The samples were received on 11/18/2025 5:40 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 3.4º C.

GC/MS VOA
Method 8260C: The matrix spike / matrix spike duplicate (MS/MSD) recoveries for analytical batch 480-763216 were outside control limits for one or more analytes. See QC Sample Results for detail.

Method 8260C: The continuing calibration verification (CCV) associated with batch 480-763216 recovered above the upper control limit for Chloromethane. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The associated samples are:TB-01-20251118 (480-234626-1), DUP-20251118 (480-234626-2), EB-01-20251118 (480-234626-3), EB-02-20251118 (480-234626-4), STM-08-20251118 (480-234626-5), SAN-08-20251118 (480-234626-6), SAN-07-20251118 (480-234626-7), STM-07-20251118 (480-234626-8), STM-01-20251118 (480-234626-9), SAN-01-20251118 (480-234626-10), STM-09-20251118 (480-234626-11), STM-02-20251118 (480-234626-12), STM-03-20251118 (480-234626-13), SAN-04-20251118 (480-234626-14), STM-04-20251118 (480-234626-15), STM-05-20251118 (480-234626-16), SAN-05-20251118 (480-234626-17), STM-06-20251118 (480-234626-18) and SAN-06-20251118 (480-234626-19).

Method 8260C: The laboratory control sample (LCS) for analytical batch 480-763216 recovered outside control limits for the following analyte: Chloromethane. This analyte was biased high in the LCS and was not detected in the associated samples; therefore, the data have been reported. The associated samples are:TB-01-20251118 (480-234626-1), DUP-20251118 (480-234626-2), EB-01-20251118 (480-234626-3), EB-02-20251118 (480-234626-4), STM-08-20251118 (480-234626-5), SAN-08-20251118 (480-234626-6), SAN-07-20251118 (480-234626-7), STM-07-20251118 (480-234626-8), STM-01-20251118 (480-234626-9), SAN-01-20251118 (480-234626-10), STM-09-20251118 (480-234626-11), STM-02-20251118 (480-234626-12), STM-03-20251118 (480-234626-13), SAN-04-20251118 (480-234626-14), STM-04-20251118 (480-234626-15), STM-05-20251118 (480-234626-16), SAN-05-20251118 (480-234626-17), STM-06-20251118 (480-234626-18) and SAN-06-20251118 (480-234626-19).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Detection Summary

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-234626-1

Client Sample ID: TB-01-20251118 — Lab Sample ID: 480-234626-1

No Detections.

Client Sample ID: DUP-20251118 — Lab Sample ID: 480-234626-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	5.4		1.0	0.81	ug/L	1		8260C	Total/NA
Trichloroethene	1.0		1.0	0.46	ug/L	1		8260C	Total/NA

Client Sample ID: EB-01-20251118 — Lab Sample ID: 480-234626-3

No Detections.

Client Sample ID: EB-02-20251118 — Lab Sample ID: 480-234626-4

No Detections.

Client Sample ID: STM-08-20251118 — Lab Sample ID: 480-234626-5

No Detections.

Client Sample ID: SAN-08-20251118 — Lab Sample ID: 480-234626-6

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	5.7		1.0	0.81	ug/L	1		8260C	Total/NA
Trichloroethene	0.96	J	1.0	0.46	ug/L	1		8260C	Total/NA

Client Sample ID: SAN-07-20251118 — Lab Sample ID: 480-234626-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acetone	4.7	J	10	3.0	ug/L	1		8260C	Total/NA
cis-1,2-Dichloroethene	3.9		1.0	0.81	ug/L	1		8260C	Total/NA
Vinyl chloride	1.2		1.0	0.90	ug/L	1		8260C	Total/NA

Client Sample ID: STM-07-20251118 — Lab Sample ID: 480-234626-8

No Detections.

Client Sample ID: STM-01-20251118 — Lab Sample ID: 480-234626-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Dichlorobromomethane	1.0		1.0	0.39	ug/L	1		8260C	Total/NA
Chlorodibromomethane	0.47	J	1.0	0.32	ug/L	1		8260C	Total/NA
Chloroform	1.6	B	1.0	0.34	ug/L	1		8260C	Total/NA

Client Sample ID: SAN-01-20251118 — Lab Sample ID: 480-234626-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Dichlorobromomethane	0.40	J	1.0	0.39	ug/L	1		8260C	Total/NA
Chloroform	2.1	B	1.0	0.34	ug/L	1		8260C	Total/NA

Client Sample ID: STM-09-20251118 — Lab Sample ID: 480-234626-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Trichloroethene	0.49	J	1.0	0.46	ug/L	1		8260C	Total/NA

Client Sample ID: STM-02-20251118 — Lab Sample ID: 480-234626-12

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Dichlorobromomethane	0.98	J	1.0	0.39	ug/L	1		8260C	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Buffalo

Client Sample ID: STM-02-20251118 (Continued) — Lab Sample ID: 480-234626-12

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloroform	2.5	B	1.0	0.34	ug/L	1		8260C	Total/NA

Client Sample ID: STM-03-20251118 — Lab Sample ID: 480-234626-13

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Dichlorobromomethane	0.92	J	1.0	0.39	ug/L	1		8260C	Total/NA
Chloroform	2.8	B	1.0	0.34	ug/L	1		8260C	Total/NA

Client Sample ID: SAN-04-20251118 — Lab Sample ID: 480-234626-14

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloroform	0.66	J B	1.0	0.34	ug/L	1		8260C	Total/NA
cis-1,2-Dichloroethene	1.6		1.0	0.81	ug/L	1		8260C	Total/NA

Client Sample ID: STM-04-20251118 — Lab Sample ID: 480-234626-15

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Dichlorobromomethane	0.68	J	1.0	0.39	ug/L	1		8260C	Total/NA
Chloroform	1.9	B	1.0	0.34	ug/L	1		8260C	Total/NA

Client Sample ID: STM-05-20251118 — Lab Sample ID: 480-234626-16

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Dichlorobromomethane	0.46	J	1.0	0.39	ug/L	1		8260C	Total/NA
Chloroform	1.3	B	1.0	0.34	ug/L	1		8260C	Total/NA

Client Sample ID: SAN-05-20251118 — Lab Sample ID: 480-234626-17

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloroform	0.48	J B	1.0	0.34	ug/L	1		8260C	Total/NA
cis-1,2-Dichloroethene	1.3		1.0	0.81	ug/L	1		8260C	Total/NA

Client Sample ID: STM-06-20251118 — Lab Sample ID: 480-234626-18

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Dichlorobromomethane	0.50	J	1.0	0.39	ug/L	1		8260C	Total/NA
Chloroform	1.6	B	1.0	0.34	ug/L	1		8260C	Total/NA

Client Sample ID: SAN-06-20251118 — Lab Sample ID: 480-234626-19

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Acetone	16		10	3.0	ug/L	1		8260C	Total/NA
Chloroform	0.58	J B	1.0	0.34	ug/L	1		8260C	Total/NA
cis-1,2-Dichloroethene	0.95	J	1.0	0.81	ug/L	1		8260C	Total/NA

This Detection Summary does not include radiochemical test results.

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-234626-1

Client Sample ID: TB-01-20251118
Date Collected: 11/18/25 09:30
Date Received: 11/18/25 17:40

Lab Sample ID: 480-234626-1
Matrix: Water

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			11/22/25 03:29	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			11/22/25 03:29	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			11/22/25 03:29	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			11/22/25 03:29	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			11/22/25 03:29	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			11/22/25 03:29	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			11/22/25 03:29	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			11/22/25 03:29	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			11/22/25 03:29	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			11/22/25 03:29	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			11/22/25 03:29	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			11/22/25 03:29	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			11/22/25 03:29	1
2-Butanone (MEK)	ND		10	1.3	ug/L			11/22/25 03:29	1
2-Hexanone	ND		5.0	1.2	ug/L			11/22/25 03:29	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			11/22/25 03:29	1
Acetone	ND		10	3.0	ug/L			11/22/25 03:29	1
Benzene	ND		1.0	0.41	ug/L			11/22/25 03:29	1
Dichlorobromomethane	ND		1.0	0.39	ug/L			11/22/25 03:29	1
Bromoform	ND		1.0	0.26	ug/L			11/22/25 03:29	1
Bromomethane	ND		1.0	0.69	ug/L			11/22/25 03:29	1
Carbon disulfide	ND		1.0	0.19	ug/L			11/22/25 03:29	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			11/22/25 03:29	1
Chlorobenzene	ND		1.0	0.75	ug/L			11/22/25 03:29	1
Chlorodibromomethane	ND		1.0	0.32	ug/L			11/22/25 03:29	1
Chloroethane	ND		1.0	0.32	ug/L			11/22/25 03:29	1
Chloroform	ND		1.0	0.34	ug/L			11/22/25 03:29	1
Chloromethane	ND	*+	1.0	0.35	ug/L			11/22/25 03:29	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			11/22/25 03:29	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			11/22/25 03:29	1
Cyclohexane	ND		1.0	0.18	ug/L			11/22/25 03:29	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			11/22/25 03:29	1
Ethylbenzene	ND		1.0	0.74	ug/L			11/22/25 03:29	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			11/22/25 03:29	1
Isopropylbenzene	ND		1.0	0.79	ug/L			11/22/25 03:29	1
Methyl acetate	ND		2.5	1.3	ug/L			11/22/25 03:29	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			11/22/25 03:29	1
Methylcyclohexane	ND		1.0	0.16	ug/L			11/22/25 03:29	1
Methylene Chloride	ND		1.0	0.44	ug/L			11/22/25 03:29	1
Styrene	ND		1.0	0.73	ug/L			11/22/25 03:29	1
Tetrachloroethene	ND		1.0	0.36	ug/L			11/22/25 03:29	1
Toluene	ND		1.0	0.51	ug/L			11/22/25 03:29	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			11/22/25 03:29	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			11/22/25 03:29	1
Trichloroethene	ND		1.0	0.46	ug/L			11/22/25 03:29	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			11/22/25 03:29	1
Vinyl chloride	ND		1.0	0.90	ug/L			11/22/25 03:29	1
Xylenes, Total	ND		2.0	0.66	ug/L			11/22/25 03:29	1

Client: ERM-Northeast
Job ID: 480-234626-1
Project/Site: Leica - Cheektowaga

Client Sample ID: TB-01-20251118
Lab Sample ID: 480-234626-1
Date Collected: 11/18/25 09:30
Matrix: Water
Date Received: 11/18/25 17:40

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	89		80 - 120		11/22/25 03:29	1
1,2-Dichloroethane-d4 (Surr)	84		77 - 120		11/22/25 03:29	1
4-Bromofluorobenzene (Surr)	89		73 - 120		11/22/25 03:29	1
Dibromofluoromethane (Surr)	89		75 - 123		11/22/25 03:29	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-234626-1

Client Sample ID: DUP-20251118
Date Collected: 11/18/25 12:00
Date Received: 11/18/25 17:40

Lab Sample ID: 480-234626-2
Matrix: Water

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			11/22/25 03:53	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			11/22/25 03:53	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			11/22/25 03:53	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			11/22/25 03:53	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			11/22/25 03:53	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			11/22/25 03:53	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			11/22/25 03:53	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			11/22/25 03:53	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			11/22/25 03:53	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			11/22/25 03:53	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			11/22/25 03:53	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			11/22/25 03:53	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			11/22/25 03:53	1
2-Butanone (MEK)	ND		10	1.3	ug/L			11/22/25 03:53	1
2-Hexanone	ND		5.0	1.2	ug/L			11/22/25 03:53	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			11/22/25 03:53	1
Acetone	ND		10	3.0	ug/L			11/22/25 03:53	1
Benzene	ND		1.0	0.41	ug/L			11/22/25 03:53	1
Dichlorobromomethane	ND		1.0	0.39	ug/L			11/22/25 03:53	1
Bromoform	ND		1.0	0.26	ug/L			11/22/25 03:53	1
Bromomethane	ND		1.0	0.69	ug/L			11/22/25 03:53	1
Carbon disulfide	ND		1.0	0.19	ug/L			11/22/25 03:53	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			11/22/25 03:53	1
Chlorobenzene	ND		1.0	0.75	ug/L			11/22/25 03:53	1
Chlorodibromomethane	ND		1.0	0.32	ug/L			11/22/25 03:53	1
Chloroethane	ND		1.0	0.32	ug/L			11/22/25 03:53	1
Chloroform	ND		1.0	0.34	ug/L			11/22/25 03:53	1
Chloromethane	ND	*+	1.0	0.35	ug/L			11/22/25 03:53	1
cis-1,2-Dichloroethene	**5.4**		1.0	0.81	ug/L			11/22/25 03:53	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			11/22/25 03:53	1
Cyclohexane	ND		1.0	0.18	ug/L			11/22/25 03:53	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			11/22/25 03:53	1
Ethylbenzene	ND		1.0	0.74	ug/L			11/22/25 03:53	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			11/22/25 03:53	1
Isopropylbenzene	ND		1.0	0.79	ug/L			11/22/25 03:53	1
Methyl acetate	ND		2.5	1.3	ug/L			11/22/25 03:53	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			11/22/25 03:53	1
Methylcyclohexane	ND		1.0	0.16	ug/L			11/22/25 03:53	1
Methylene Chloride	ND		1.0	0.44	ug/L			11/22/25 03:53	1
Styrene	ND		1.0	0.73	ug/L			11/22/25 03:53	1
Tetrachloroethene	ND		1.0	0.36	ug/L			11/22/25 03:53	1
Toluene	ND		1.0	0.51	ug/L			11/22/25 03:53	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			11/22/25 03:53	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			11/22/25 03:53	1
Trichloroethene	**1.0**		1.0	0.46	ug/L			11/22/25 03:53	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			11/22/25 03:53	1
Vinyl chloride	ND		1.0	0.90	ug/L			11/22/25 03:53	1
Xylenes, Total	ND		2.0	0.66	ug/L			11/22/25 03:53	1

Client: ERM-Northeast
Job ID: 480-234626-1
Project/Site: Leica - Cheektowaga

Client Sample ID: DUP-20251118
Lab Sample ID: 480-234626-2
Date Collected: 11/18/25 12:00
Matrix: Water
Date Received: 11/18/25 17:40

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	87		80 - 120		11/22/25 03:53	1
1,2-Dichloroethane-d4 (Surr)	83		77 - 120		11/22/25 03:53	1
4-Bromofluorobenzene (Surr)	90		73 - 120		11/22/25 03:53	1
Dibromofluoromethane (Surr)	88		75 - 123		11/22/25 03:53	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-234626-1

Client Sample ID: EB-01-20251118
Date Collected: 11/18/25 09:35
Date Received: 11/18/25 17:40

Lab Sample ID: 480-234626-3
Matrix: Water

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			11/22/25 04:17	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			11/22/25 04:17	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			11/22/25 04:17	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			11/22/25 04:17	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			11/22/25 04:17	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			11/22/25 04:17	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			11/22/25 04:17	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			11/22/25 04:17	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			11/22/25 04:17	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			11/22/25 04:17	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			11/22/25 04:17	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			11/22/25 04:17	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			11/22/25 04:17	1
2-Butanone (MEK)	ND		10	1.3	ug/L			11/22/25 04:17	1
2-Hexanone	ND		5.0	1.2	ug/L			11/22/25 04:17	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			11/22/25 04:17	1
Acetone	ND		10	3.0	ug/L			11/22/25 04:17	1
Benzene	ND		1.0	0.41	ug/L			11/22/25 04:17	1
Dichlorobromomethane	ND		1.0	0.39	ug/L			11/22/25 04:17	1
Bromoform	ND		1.0	0.26	ug/L			11/22/25 04:17	1
Bromomethane	ND		1.0	0.69	ug/L			11/22/25 04:17	1
Carbon disulfide	ND		1.0	0.19	ug/L			11/22/25 04:17	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			11/22/25 04:17	1
Chlorobenzene	ND		1.0	0.75	ug/L			11/22/25 04:17	1
Chlorodibromomethane	ND		1.0	0.32	ug/L			11/22/25 04:17	1
Chloroethane	ND		1.0	0.32	ug/L			11/22/25 04:17	1
Chloroform	ND		1.0	0.34	ug/L			11/22/25 04:17	1
Chloromethane	ND	*+	1.0	0.35	ug/L			11/22/25 04:17	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			11/22/25 04:17	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			11/22/25 04:17	1
Cyclohexane	ND		1.0	0.18	ug/L			11/22/25 04:17	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			11/22/25 04:17	1
Ethylbenzene	ND		1.0	0.74	ug/L			11/22/25 04:17	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			11/22/25 04:17	1
Isopropylbenzene	ND		1.0	0.79	ug/L			11/22/25 04:17	1
Methyl acetate	ND		2.5	1.3	ug/L			11/22/25 04:17	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			11/22/25 04:17	1
Methylcyclohexane	ND		1.0	0.16	ug/L			11/22/25 04:17	1
Methylene Chloride	ND		1.0	0.44	ug/L			11/22/25 04:17	1
Styrene	ND		1.0	0.73	ug/L			11/22/25 04:17	1
Tetrachloroethene	ND		1.0	0.36	ug/L			11/22/25 04:17	1
Toluene	ND		1.0	0.51	ug/L			11/22/25 04:17	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			11/22/25 04:17	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			11/22/25 04:17	1
Trichloroethene	ND		1.0	0.46	ug/L			11/22/25 04:17	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			11/22/25 04:17	1
Vinyl chloride	ND		1.0	0.90	ug/L			11/22/25 04:17	1
Xylenes, Total	ND		2.0	0.66	ug/L			11/22/25 04:17	1

Client: ERM-Northeast
Job ID: 480-234626-1
Project/Site: Leica - Cheektowaga

Client Sample ID: EB-01-20251118
Lab Sample ID: 480-234626-3
Date Collected: 11/18/25 09:35
Matrix: Water
Date Received: 11/18/25 17:40

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	90		80 - 120		11/22/25 04:17	1
1,2-Dichloroethane-d4 (Surr)	86		77 - 120		11/22/25 04:17	1
4-Bromofluorobenzene (Surr)	93		73 - 120		11/22/25 04:17	1
Dibromofluoromethane (Surr)	90		75 - 123		11/22/25 04:17	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-234626-1

Client Sample ID: EB-02-20251118
Date Collected: 11/18/25 09:40
Date Received: 11/18/25 17:40

Lab Sample ID: 480-234626-4
Matrix: Water

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			11/22/25 04:41	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			11/22/25 04:41	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			11/22/25 04:41	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			11/22/25 04:41	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			11/22/25 04:41	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			11/22/25 04:41	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			11/22/25 04:41	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			11/22/25 04:41	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			11/22/25 04:41	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			11/22/25 04:41	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			11/22/25 04:41	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			11/22/25 04:41	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			11/22/25 04:41	1
2-Butanone (MEK)	ND		10	1.3	ug/L			11/22/25 04:41	1
2-Hexanone	ND		5.0	1.2	ug/L			11/22/25 04:41	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			11/22/25 04:41	1
Acetone	ND		10	3.0	ug/L			11/22/25 04:41	1
Benzene	ND		1.0	0.41	ug/L			11/22/25 04:41	1
Dichlorobromomethane	ND		1.0	0.39	ug/L			11/22/25 04:41	1
Bromoform	ND		1.0	0.26	ug/L			11/22/25 04:41	1
Bromomethane	ND		1.0	0.69	ug/L			11/22/25 04:41	1
Carbon disulfide	ND		1.0	0.19	ug/L			11/22/25 04:41	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			11/22/25 04:41	1
Chlorobenzene	ND		1.0	0.75	ug/L			11/22/25 04:41	1
Chlorodibromomethane	ND		1.0	0.32	ug/L			11/22/25 04:41	1
Chloroethane	ND		1.0	0.32	ug/L			11/22/25 04:41	1
Chloroform	ND		1.0	0.34	ug/L			11/22/25 04:41	1
Chloromethane	ND	*+	1.0	0.35	ug/L			11/22/25 04:41	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			11/22/25 04:41	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			11/22/25 04:41	1
Cyclohexane	ND		1.0	0.18	ug/L			11/22/25 04:41	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			11/22/25 04:41	1
Ethylbenzene	ND		1.0	0.74	ug/L			11/22/25 04:41	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			11/22/25 04:41	1
Isopropylbenzene	ND		1.0	0.79	ug/L			11/22/25 04:41	1
Methyl acetate	ND		2.5	1.3	ug/L			11/22/25 04:41	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			11/22/25 04:41	1
Methylcyclohexane	ND		1.0	0.16	ug/L			11/22/25 04:41	1
Methylene Chloride	ND		1.0	0.44	ug/L			11/22/25 04:41	1
Styrene	ND		1.0	0.73	ug/L			11/22/25 04:41	1
Tetrachloroethene	ND		1.0	0.36	ug/L			11/22/25 04:41	1
Toluene	ND		1.0	0.51	ug/L			11/22/25 04:41	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			11/22/25 04:41	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			11/22/25 04:41	1
Trichloroethene	ND		1.0	0.46	ug/L			11/22/25 04:41	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			11/22/25 04:41	1
Vinyl chloride	ND		1.0	0.90	ug/L			11/22/25 04:41	1
Xylenes, Total	ND		2.0	0.66	ug/L			11/22/25 04:41	1

Client: ERM-Northeast
Job ID: 480-234626-1
Project/Site: Leica - Cheektowaga

Client Sample ID: EB-02-20251118
Lab Sample ID: 480-234626-4
Date Collected: 11/18/25 09:40
Matrix: Water
Date Received: 11/18/25 17:40

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	89		80 - 120		11/22/25 04:41	1
1,2-Dichloroethane-d4 (Surr)	84		77 - 120		11/22/25 04:41	1
4-Bromofluorobenzene (Surr)	89		73 - 120		11/22/25 04:41	1
Dibromofluoromethane (Surr)	89		75 - 123		11/22/25 04:41	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-234626-1

Client Sample ID: STM-08-20251118
Date Collected: 11/18/25 10:05
Date Received: 11/18/25 17:40

Lab Sample ID: 480-234626-5
Matrix: Water

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			11/22/25 05:05	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			11/22/25 05:05	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			11/22/25 05:05	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			11/22/25 05:05	1
1,1-Dichloroethane	ND	F1	1.0	0.38	ug/L			11/22/25 05:05	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			11/22/25 05:05	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			11/22/25 05:05	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			11/22/25 05:05	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			11/22/25 05:05	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			11/22/25 05:05	1
1,2-Dichloropropane	ND	F1	1.0	0.72	ug/L			11/22/25 05:05	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			11/22/25 05:05	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			11/22/25 05:05	1
2-Butanone (MEK)	ND		10	1.3	ug/L			11/22/25 05:05	1
2-Hexanone	ND		5.0	1.2	ug/L			11/22/25 05:05	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			11/22/25 05:05	1
Acetone	ND		10	3.0	ug/L			11/22/25 05:05	1
Benzene	ND		1.0	0.41	ug/L			11/22/25 05:05	1
Dichlorobromomethane	ND		1.0	0.39	ug/L			11/22/25 05:05	1
Bromoform	ND		1.0	0.26	ug/L			11/22/25 05:05	1
Bromomethane	ND		1.0	0.69	ug/L			11/22/25 05:05	1
Carbon disulfide	ND		1.0	0.19	ug/L			11/22/25 05:05	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			11/22/25 05:05	1
Chlorobenzene	ND		1.0	0.75	ug/L			11/22/25 05:05	1
Chlorodibromomethane	ND		1.0	0.32	ug/L			11/22/25 05:05	1
Chloroethane	ND		1.0	0.32	ug/L			11/22/25 05:05	1
Chloroform	ND		1.0	0.34	ug/L			11/22/25 05:05	1
Chloromethane	ND	F1 *+	1.0	0.35	ug/L			11/22/25 05:05	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			11/22/25 05:05	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			11/22/25 05:05	1
Cyclohexane	ND		1.0	0.18	ug/L			11/22/25 05:05	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			11/22/25 05:05	1
Ethylbenzene	ND		1.0	0.74	ug/L			11/22/25 05:05	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			11/22/25 05:05	1
Isopropylbenzene	ND		1.0	0.79	ug/L			11/22/25 05:05	1
Methyl acetate	ND		2.5	1.3	ug/L			11/22/25 05:05	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			11/22/25 05:05	1
Methylcyclohexane	ND		1.0	0.16	ug/L			11/22/25 05:05	1
Methylene Chloride	ND	F1	1.0	0.44	ug/L			11/22/25 05:05	1
Styrene	ND		1.0	0.73	ug/L			11/22/25 05:05	1
Tetrachloroethene	ND		1.0	0.36	ug/L			11/22/25 05:05	1
Toluene	ND		1.0	0.51	ug/L			11/22/25 05:05	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			11/22/25 05:05	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			11/22/25 05:05	1
Trichloroethene	ND		1.0	0.46	ug/L			11/22/25 05:05	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			11/22/25 05:05	1
Vinyl chloride	ND		1.0	0.90	ug/L			11/22/25 05:05	1
Xylenes, Total	ND		2.0	0.66	ug/L			11/22/25 05:05	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-234626-1

Client Sample ID: STM-08-20251118
Date Collected: 11/18/25 10:05
Date Received: 11/18/25 17:40

Lab Sample ID: 480-234626-5
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	87		80 - 120		11/22/25 05:05	1
1,2-Dichloroethane-d4 (Surr)	84		77 - 120		11/22/25 05:05	1
4-Bromofluorobenzene (Surr)	88		73 - 120		11/22/25 05:05	1
Dibromofluoromethane (Surr)	89		75 - 123		11/22/25 05:05	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-234626-1

Client Sample ID: SAN-08-20251118
Date Collected: 11/18/25 10:35
Date Received: 11/18/25 17:40

Lab Sample ID: 480-234626-6
Matrix: Water

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			11/22/25 05:29	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			11/22/25 05:29	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			11/22/25 05:29	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			11/22/25 05:29	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			11/22/25 05:29	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			11/22/25 05:29	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			11/22/25 05:29	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			11/22/25 05:29	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			11/22/25 05:29	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			11/22/25 05:29	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			11/22/25 05:29	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			11/22/25 05:29	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			11/22/25 05:29	1
2-Butanone (MEK)	ND		10	1.3	ug/L			11/22/25 05:29	1
2-Hexanone	ND		5.0	1.2	ug/L			11/22/25 05:29	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			11/22/25 05:29	1
Acetone	ND		10	3.0	ug/L			11/22/25 05:29	1
Benzene	ND		1.0	0.41	ug/L			11/22/25 05:29	1
Dichlorobromomethane	ND		1.0	0.39	ug/L			11/22/25 05:29	1
Bromoform	ND		1.0	0.26	ug/L			11/22/25 05:29	1
Bromomethane	ND		1.0	0.69	ug/L			11/22/25 05:29	1
Carbon disulfide	ND		1.0	0.19	ug/L			11/22/25 05:29	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			11/22/25 05:29	1
Chlorobenzene	ND		1.0	0.75	ug/L			11/22/25 05:29	1
Chlorodibromomethane	ND		1.0	0.32	ug/L			11/22/25 05:29	1
Chloroethane	ND		1.0	0.32	ug/L			11/22/25 05:29	1
Chloroform	ND		1.0	0.34	ug/L			11/22/25 05:29	1
Chloromethane	ND	*+	1.0	0.35	ug/L			11/22/25 05:29	1
cis-1,2-Dichloroethene	**5.7**		1.0	0.81	ug/L			11/22/25 05:29	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			11/22/25 05:29	1
Cyclohexane	ND		1.0	0.18	ug/L			11/22/25 05:29	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			11/22/25 05:29	1
Ethylbenzene	ND		1.0	0.74	ug/L			11/22/25 05:29	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			11/22/25 05:29	1
Isopropylbenzene	ND		1.0	0.79	ug/L			11/22/25 05:29	1
Methyl acetate	ND		2.5	1.3	ug/L			11/22/25 05:29	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			11/22/25 05:29	1
Methylcyclohexane	ND		1.0	0.16	ug/L			11/22/25 05:29	1
Methylene Chloride	ND		1.0	0.44	ug/L			11/22/25 05:29	1
Styrene	ND		1.0	0.73	ug/L			11/22/25 05:29	1
Tetrachloroethene	ND		1.0	0.36	ug/L			11/22/25 05:29	1
Toluene	ND		1.0	0.51	ug/L			11/22/25 05:29	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			11/22/25 05:29	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			11/22/25 05:29	1
Trichloroethene	**0.96**	**J**	1.0	0.46	ug/L			11/22/25 05:29	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			11/22/25 05:29	1
Vinyl chloride	ND		1.0	0.90	ug/L			11/22/25 05:29	1
Xylenes, Total	ND		2.0	0.66	ug/L			11/22/25 05:29	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-234626-1

Client Sample ID: SAN-08-20251118
Date Collected: 11/18/25 10:35
Date Received: 11/18/25 17:40

Lab Sample ID: 480-234626-6
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	87		80 - 120		11/22/25 05:29	1
1,2-Dichloroethane-d4 (Surr)	84		77 - 120		11/22/25 05:29	1
4-Bromofluorobenzene (Surr)	87		73 - 120		11/22/25 05:29	1
Dibromofluoromethane (Surr)	90		75 - 123		11/22/25 05:29	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-234626-1

Client Sample ID: SAN-07-20251118
Date Collected: 11/18/25 11:00
Date Received: 11/18/25 17:40

Lab Sample ID: 480-234626-7
Matrix: Water

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			11/22/25 05:53	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			11/22/25 05:53	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			11/22/25 05:53	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			11/22/25 05:53	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			11/22/25 05:53	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			11/22/25 05:53	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			11/22/25 05:53	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			11/22/25 05:53	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			11/22/25 05:53	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			11/22/25 05:53	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			11/22/25 05:53	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			11/22/25 05:53	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			11/22/25 05:53	1
2-Butanone (MEK)	ND		10	1.3	ug/L			11/22/25 05:53	1
2-Hexanone	ND		5.0	1.2	ug/L			11/22/25 05:53	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			11/22/25 05:53	1
Acetone	**4.7**	**J**	10	3.0	ug/L			11/22/25 05:53	1
Benzene	ND		1.0	0.41	ug/L			11/22/25 05:53	1
Dichlorobromomethane	ND		1.0	0.39	ug/L			11/22/25 05:53	1
Bromoform	ND		1.0	0.26	ug/L			11/22/25 05:53	1
Bromomethane	ND		1.0	0.69	ug/L			11/22/25 05:53	1
Carbon disulfide	ND		1.0	0.19	ug/L			11/22/25 05:53	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			11/22/25 05:53	1
Chlorobenzene	ND		1.0	0.75	ug/L			11/22/25 05:53	1
Chlorodibromomethane	ND		1.0	0.32	ug/L			11/22/25 05:53	1
Chloroethane	ND		1.0	0.32	ug/L			11/22/25 05:53	1
Chloroform	ND		1.0	0.34	ug/L			11/22/25 05:53	1
Chloromethane	ND	*+	1.0	0.35	ug/L			11/22/25 05:53	1
cis-1,2-Dichloroethene	**3.9**		1.0	0.81	ug/L			11/22/25 05:53	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			11/22/25 05:53	1
Cyclohexane	ND		1.0	0.18	ug/L			11/22/25 05:53	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			11/22/25 05:53	1
Ethylbenzene	ND		1.0	0.74	ug/L			11/22/25 05:53	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			11/22/25 05:53	1
Isopropylbenzene	ND		1.0	0.79	ug/L			11/22/25 05:53	1
Methyl acetate	ND		2.5	1.3	ug/L			11/22/25 05:53	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			11/22/25 05:53	1
Methylcyclohexane	ND		1.0	0.16	ug/L			11/22/25 05:53	1
Methylene Chloride	ND		1.0	0.44	ug/L			11/22/25 05:53	1
Styrene	ND		1.0	0.73	ug/L			11/22/25 05:53	1
Tetrachloroethene	ND		1.0	0.36	ug/L			11/22/25 05:53	1
Toluene	ND		1.0	0.51	ug/L			11/22/25 05:53	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			11/22/25 05:53	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			11/22/25 05:53	1
Trichloroethene	ND		1.0	0.46	ug/L			11/22/25 05:53	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			11/22/25 05:53	1
Vinyl chloride	**1.2**		1.0	0.90	ug/L			11/22/25 05:53	1
Xylenes, Total	ND		2.0	0.66	ug/L			11/22/25 05:53	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-234626-1

Client Sample ID: SAN-07-20251118
Date Collected: 11/18/25 11:00
Date Received: 11/18/25 17:40

Lab Sample ID: 480-234626-7
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	85		80 - 120		11/22/25 05:53	1
1,2-Dichloroethane-d4 (Surr)	83		77 - 120		11/22/25 05:53	1
4-Bromofluorobenzene (Surr)	81		73 - 120		11/22/25 05:53	1
Dibromofluoromethane (Surr)	90		75 - 123		11/22/25 05:53	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-234626-1

Client Sample ID: STM-07-20251118
Date Collected: 11/18/25 11:15
Date Received: 11/18/25 17:40

Lab Sample ID: 480-234626-8
Matrix: Water

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			11/22/25 06:17	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			11/22/25 06:17	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			11/22/25 06:17	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			11/22/25 06:17	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			11/22/25 06:17	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			11/22/25 06:17	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			11/22/25 06:17	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			11/22/25 06:17	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			11/22/25 06:17	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			11/22/25 06:17	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			11/22/25 06:17	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			11/22/25 06:17	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			11/22/25 06:17	1
2-Butanone (MEK)	ND		10	1.3	ug/L			11/22/25 06:17	1
2-Hexanone	ND		5.0	1.2	ug/L			11/22/25 06:17	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			11/22/25 06:17	1
Acetone	ND		10	3.0	ug/L			11/22/25 06:17	1
Benzene	ND		1.0	0.41	ug/L			11/22/25 06:17	1
Dichlorobromomethane	ND		1.0	0.39	ug/L			11/22/25 06:17	1
Bromoform	ND		1.0	0.26	ug/L			11/22/25 06:17	1
Bromomethane	ND		1.0	0.69	ug/L			11/22/25 06:17	1
Carbon disulfide	ND		1.0	0.19	ug/L			11/22/25 06:17	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			11/22/25 06:17	1
Chlorobenzene	ND		1.0	0.75	ug/L			11/22/25 06:17	1
Chlorodibromomethane	ND		1.0	0.32	ug/L			11/22/25 06:17	1
Chloroethane	ND		1.0	0.32	ug/L			11/22/25 06:17	1
Chloroform	ND		1.0	0.34	ug/L			11/22/25 06:17	1
Chloromethane	ND	*+	1.0	0.35	ug/L			11/22/25 06:17	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			11/22/25 06:17	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			11/22/25 06:17	1
Cyclohexane	ND		1.0	0.18	ug/L			11/22/25 06:17	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			11/22/25 06:17	1
Ethylbenzene	ND		1.0	0.74	ug/L			11/22/25 06:17	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			11/22/25 06:17	1
Isopropylbenzene	ND		1.0	0.79	ug/L			11/22/25 06:17	1
Methyl acetate	ND		2.5	1.3	ug/L			11/22/25 06:17	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			11/22/25 06:17	1
Methylcyclohexane	ND		1.0	0.16	ug/L			11/22/25 06:17	1
Methylene Chloride	ND		1.0	0.44	ug/L			11/22/25 06:17	1
Styrene	ND		1.0	0.73	ug/L			11/22/25 06:17	1
Tetrachloroethene	ND		1.0	0.36	ug/L			11/22/25 06:17	1
Toluene	ND		1.0	0.51	ug/L			11/22/25 06:17	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			11/22/25 06:17	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			11/22/25 06:17	1
Trichloroethene	ND		1.0	0.46	ug/L			11/22/25 06:17	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			11/22/25 06:17	1
Vinyl chloride	ND		1.0	0.90	ug/L			11/22/25 06:17	1
Xylenes, Total	ND		2.0	0.66	ug/L			11/22/25 06:17	1

Client: ERM-Northeast
Job ID: 480-234626-1
Project/Site: Leica - Cheektowaga

Client Sample ID: STM-07-20251118
Lab Sample ID: 480-234626-8
Date Collected: 11/18/25 11:15
Matrix: Water
Date Received: 11/18/25 17:40

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	88		80 - 120		11/22/25 06:17	1
1,2-Dichloroethane-d4 (Surr)	85		77 - 120		11/22/25 06:17	1
4-Bromofluorobenzene (Surr)	85		73 - 120		11/22/25 06:17	1
Dibromofluoromethane (Surr)	92		75 - 123		11/22/25 06:17	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-234626-1

Client Sample ID: STM-01-20251118
Date Collected: 11/18/25 11:50
Date Received: 11/18/25 17:40

Lab Sample ID: 480-234626-9
Matrix: Water

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			11/22/25 06:40	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			11/22/25 06:40	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			11/22/25 06:40	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			11/22/25 06:40	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			11/22/25 06:40	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			11/22/25 06:40	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			11/22/25 06:40	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			11/22/25 06:40	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			11/22/25 06:40	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			11/22/25 06:40	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			11/22/25 06:40	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			11/22/25 06:40	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			11/22/25 06:40	1
2-Butanone (MEK)	ND		10	1.3	ug/L			11/22/25 06:40	1
2-Hexanone	ND		5.0	1.2	ug/L			11/22/25 06:40	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			11/22/25 06:40	1
Acetone	ND		10	3.0	ug/L			11/22/25 06:40	1
Benzene	ND		1.0	0.41	ug/L			11/22/25 06:40	1
Dichlorobromomethane	**1.0**		1.0	0.39	ug/L			11/22/25 06:40	1
Bromoform	ND		1.0	0.26	ug/L			11/22/25 06:40	1
Bromomethane	ND		1.0	0.69	ug/L			11/22/25 06:40	1
Carbon disulfide	ND		1.0	0.19	ug/L			11/22/25 06:40	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			11/22/25 06:40	1
Chlorobenzene	ND		1.0	0.75	ug/L			11/22/25 06:40	1
Chlorodibromomethane	**0.47**	**J**	1.0	0.32	ug/L			11/22/25 06:40	1
Chloroethane	ND		1.0	0.32	ug/L			11/22/25 06:40	1
Chloroform	**1.6**	**B**	1.0	0.34	ug/L			11/22/25 06:40	1
Chloromethane	ND	*+	1.0	0.35	ug/L			11/22/25 06:40	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			11/22/25 06:40	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			11/22/25 06:40	1
Cyclohexane	ND		1.0	0.18	ug/L			11/22/25 06:40	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			11/22/25 06:40	1
Ethylbenzene	ND		1.0	0.74	ug/L			11/22/25 06:40	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			11/22/25 06:40	1
Isopropylbenzene	ND		1.0	0.79	ug/L			11/22/25 06:40	1
Methyl acetate	ND		2.5	1.3	ug/L			11/22/25 06:40	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			11/22/25 06:40	1
Methylcyclohexane	ND		1.0	0.16	ug/L			11/22/25 06:40	1
Methylene Chloride	ND		1.0	0.44	ug/L			11/22/25 06:40	1
Styrene	ND		1.0	0.73	ug/L			11/22/25 06:40	1
Tetrachloroethene	ND		1.0	0.36	ug/L			11/22/25 06:40	1
Toluene	ND		1.0	0.51	ug/L			11/22/25 06:40	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			11/22/25 06:40	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			11/22/25 06:40	1
Trichloroethene	ND		1.0	0.46	ug/L			11/22/25 06:40	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			11/22/25 06:40	1
Vinyl chloride	ND		1.0	0.90	ug/L			11/22/25 06:40	1
Xylenes, Total	ND		2.0	0.66	ug/L			11/22/25 06:40	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-234626-1

Client Sample ID: STM-01-20251118
Date Collected: 11/18/25 11:50
Date Received: 11/18/25 17:40

Lab Sample ID: 480-234626-9
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	88		80 - 120		11/22/25 06:40	1
1,2-Dichloroethane-d4 (Surr)	89		77 - 120		11/22/25 06:40	1
4-Bromofluorobenzene (Surr)	92		73 - 120		11/22/25 06:40	1
Dibromofluoromethane (Surr)	96		75 - 123		11/22/25 06:40	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-234626-1

Client Sample ID: SAN-01-20251118
Date Collected: 11/18/25 12:05
Date Received: 11/18/25 17:40

Lab Sample ID: 480-234626-10
Matrix: Water

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			11/22/25 07:04	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			11/22/25 07:04	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			11/22/25 07:04	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			11/22/25 07:04	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			11/22/25 07:04	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			11/22/25 07:04	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			11/22/25 07:04	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			11/22/25 07:04	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			11/22/25 07:04	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			11/22/25 07:04	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			11/22/25 07:04	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			11/22/25 07:04	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			11/22/25 07:04	1
2-Butanone (MEK)	ND		10	1.3	ug/L			11/22/25 07:04	1
2-Hexanone	ND		5.0	1.2	ug/L			11/22/25 07:04	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			11/22/25 07:04	1
Acetone	ND		10	3.0	ug/L			11/22/25 07:04	1
Benzene	ND		1.0	0.41	ug/L			11/22/25 07:04	1
Dichlorobromomethane	**0.40**	**J**	1.0	0.39	ug/L			11/22/25 07:04	1
Bromoform	ND		1.0	0.26	ug/L			11/22/25 07:04	1
Bromomethane	ND		1.0	0.69	ug/L			11/22/25 07:04	1
Carbon disulfide	ND		1.0	0.19	ug/L			11/22/25 07:04	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			11/22/25 07:04	1
Chlorobenzene	ND		1.0	0.75	ug/L			11/22/25 07:04	1
Chlorodibromomethane	ND		1.0	0.32	ug/L			11/22/25 07:04	1
Chloroethane	ND		1.0	0.32	ug/L			11/22/25 07:04	1
Chloroform	**2.1**	**B**	1.0	0.34	ug/L			11/22/25 07:04	1
Chloromethane	ND	*+	1.0	0.35	ug/L			11/22/25 07:04	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			11/22/25 07:04	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			11/22/25 07:04	1
Cyclohexane	ND		1.0	0.18	ug/L			11/22/25 07:04	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			11/22/25 07:04	1
Ethylbenzene	ND		1.0	0.74	ug/L			11/22/25 07:04	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			11/22/25 07:04	1
Isopropylbenzene	ND		1.0	0.79	ug/L			11/22/25 07:04	1
Methyl acetate	ND		2.5	1.3	ug/L			11/22/25 07:04	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			11/22/25 07:04	1
Methylcyclohexane	ND		1.0	0.16	ug/L			11/22/25 07:04	1
Methylene Chloride	ND		1.0	0.44	ug/L			11/22/25 07:04	1
Styrene	ND		1.0	0.73	ug/L			11/22/25 07:04	1
Tetrachloroethene	ND		1.0	0.36	ug/L			11/22/25 07:04	1
Toluene	ND		1.0	0.51	ug/L			11/22/25 07:04	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			11/22/25 07:04	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			11/22/25 07:04	1
Trichloroethene	ND		1.0	0.46	ug/L			11/22/25 07:04	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			11/22/25 07:04	1
Vinyl chloride	ND		1.0	0.90	ug/L			11/22/25 07:04	1
Xylenes, Total	ND		2.0	0.66	ug/L			11/22/25 07:04	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-234626-1

Client Sample ID: SAN-01-20251118
Date Collected: 11/18/25 12:05
Date Received: 11/18/25 17:40

Lab Sample ID: 480-234626-10
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	84		80 - 120		11/22/25 07:04	1
1,2-Dichloroethane-d4 (Surr)	81		77 - 120		11/22/25 07:04	1
4-Bromofluorobenzene (Surr)	85		73 - 120		11/22/25 07:04	1
Dibromofluoromethane (Surr)	90		75 - 123		11/22/25 07:04	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-234626-1

Client Sample ID: STM-09-20251118
Date Collected: 11/18/25 12:25
Date Received: 11/18/25 17:40

Lab Sample ID: 480-234626-11
Matrix: Water

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			11/22/25 07:29	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			11/22/25 07:29	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			11/22/25 07:29	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			11/22/25 07:29	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			11/22/25 07:29	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			11/22/25 07:29	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			11/22/25 07:29	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			11/22/25 07:29	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			11/22/25 07:29	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			11/22/25 07:29	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			11/22/25 07:29	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			11/22/25 07:29	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			11/22/25 07:29	1
2-Butanone (MEK)	ND		10	1.3	ug/L			11/22/25 07:29	1
2-Hexanone	ND		5.0	1.2	ug/L			11/22/25 07:29	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			11/22/25 07:29	1
Acetone	ND		10	3.0	ug/L			11/22/25 07:29	1
Benzene	ND		1.0	0.41	ug/L			11/22/25 07:29	1
Dichlorobromomethane	ND		1.0	0.39	ug/L			11/22/25 07:29	1
Bromoform	ND		1.0	0.26	ug/L			11/22/25 07:29	1
Bromomethane	ND		1.0	0.69	ug/L			11/22/25 07:29	1
Carbon disulfide	ND		1.0	0.19	ug/L			11/22/25 07:29	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			11/22/25 07:29	1
Chlorobenzene	ND		1.0	0.75	ug/L			11/22/25 07:29	1
Chlorodibromomethane	ND		1.0	0.32	ug/L			11/22/25 07:29	1
Chloroethane	ND		1.0	0.32	ug/L			11/22/25 07:29	1
Chloroform	ND		1.0	0.34	ug/L			11/22/25 07:29	1
Chloromethane	ND	*+	1.0	0.35	ug/L			11/22/25 07:29	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			11/22/25 07:29	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			11/22/25 07:29	1
Cyclohexane	ND		1.0	0.18	ug/L			11/22/25 07:29	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			11/22/25 07:29	1
Ethylbenzene	ND		1.0	0.74	ug/L			11/22/25 07:29	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			11/22/25 07:29	1
Isopropylbenzene	ND		1.0	0.79	ug/L			11/22/25 07:29	1
Methyl acetate	ND		2.5	1.3	ug/L			11/22/25 07:29	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			11/22/25 07:29	1
Methylcyclohexane	ND		1.0	0.16	ug/L			11/22/25 07:29	1
Methylene Chloride	ND		1.0	0.44	ug/L			11/22/25 07:29	1
Styrene	ND		1.0	0.73	ug/L			11/22/25 07:29	1
Tetrachloroethene	ND		1.0	0.36	ug/L			11/22/25 07:29	1
Toluene	ND		1.0	0.51	ug/L			11/22/25 07:29	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			11/22/25 07:29	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			11/22/25 07:29	1
Trichloroethene	**0.49**	**J**	1.0	0.46	ug/L			11/22/25 07:29	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			11/22/25 07:29	1
Vinyl chloride	ND		1.0	0.90	ug/L			11/22/25 07:29	1
Xylenes, Total	ND		2.0	0.66	ug/L			11/22/25 07:29	1

Client: ERM-Northeast
Job ID: 480-234626-1
Project/Site: Leica - Cheektowaga

Client Sample ID: STM-09-20251118
Lab Sample ID: 480-234626-11
Date Collected: 11/18/25 12:25
Matrix: Water
Date Received: 11/18/25 17:40

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	89		80 - 120		11/22/25 07:29	1
1,2-Dichloroethane-d4 (Surr)	84		77 - 120		11/22/25 07:29	1
4-Bromofluorobenzene (Surr)	91		73 - 120		11/22/25 07:29	1
Dibromofluoromethane (Surr)	89		75 - 123		11/22/25 07:29	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-234626-1

Client Sample ID: STM-02-20251118
Date Collected: 11/18/25 12:50
Date Received: 11/18/25 17:40

Lab Sample ID: 480-234626-12
Matrix: Water

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			11/22/25 07:52	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			11/22/25 07:52	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			11/22/25 07:52	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			11/22/25 07:52	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			11/22/25 07:52	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			11/22/25 07:52	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			11/22/25 07:52	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			11/22/25 07:52	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			11/22/25 07:52	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			11/22/25 07:52	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			11/22/25 07:52	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			11/22/25 07:52	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			11/22/25 07:52	1
2-Butanone (MEK)	ND		10	1.3	ug/L			11/22/25 07:52	1
2-Hexanone	ND		5.0	1.2	ug/L			11/22/25 07:52	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			11/22/25 07:52	1
Acetone	ND		10	3.0	ug/L			11/22/25 07:52	1
Benzene	ND		1.0	0.41	ug/L			11/22/25 07:52	1
Dichlorobromomethane	**0.98**	**J**	1.0	0.39	ug/L			11/22/25 07:52	1
Bromoform	ND		1.0	0.26	ug/L			11/22/25 07:52	1
Bromomethane	ND		1.0	0.69	ug/L			11/22/25 07:52	1
Carbon disulfide	ND		1.0	0.19	ug/L			11/22/25 07:52	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			11/22/25 07:52	1
Chlorobenzene	ND		1.0	0.75	ug/L			11/22/25 07:52	1
Chlorodibromomethane	ND		1.0	0.32	ug/L			11/22/25 07:52	1
Chloroethane	ND		1.0	0.32	ug/L			11/22/25 07:52	1
Chloroform	**2.5**	**B**	1.0	0.34	ug/L			11/22/25 07:52	1
Chloromethane	ND	*+	1.0	0.35	ug/L			11/22/25 07:52	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			11/22/25 07:52	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			11/22/25 07:52	1
Cyclohexane	ND		1.0	0.18	ug/L			11/22/25 07:52	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			11/22/25 07:52	1
Ethylbenzene	ND		1.0	0.74	ug/L			11/22/25 07:52	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			11/22/25 07:52	1
Isopropylbenzene	ND		1.0	0.79	ug/L			11/22/25 07:52	1
Methyl acetate	ND		2.5	1.3	ug/L			11/22/25 07:52	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			11/22/25 07:52	1
Methylcyclohexane	ND		1.0	0.16	ug/L			11/22/25 07:52	1
Methylene Chloride	ND		1.0	0.44	ug/L			11/22/25 07:52	1
Styrene	ND		1.0	0.73	ug/L			11/22/25 07:52	1
Tetrachloroethene	ND		1.0	0.36	ug/L			11/22/25 07:52	1
Toluene	ND		1.0	0.51	ug/L			11/22/25 07:52	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			11/22/25 07:52	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			11/22/25 07:52	1
Trichloroethene	ND		1.0	0.46	ug/L			11/22/25 07:52	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			11/22/25 07:52	1
Vinyl chloride	ND		1.0	0.90	ug/L			11/22/25 07:52	1
Xylenes, Total	ND		2.0	0.66	ug/L			11/22/25 07:52	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-234626-1

Client Sample ID: STM-02-20251118
Date Collected: 11/18/25 12:50
Date Received: 11/18/25 17:40

Lab Sample ID: 480-234626-12
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	87		80 - 120		11/22/25 07:52	1
1,2-Dichloroethane-d4 (Surr)	85		77 - 120		11/22/25 07:52	1
4-Bromofluorobenzene (Surr)	86		73 - 120		11/22/25 07:52	1
Dibromofluoromethane (Surr)	90		75 - 123		11/22/25 07:52	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-234626-1

Client Sample ID: STM-03-20251118
Date Collected: 11/18/25 13:15
Date Received: 11/18/25 17:40

Lab Sample ID: 480-234626-13
Matrix: Water

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			11/22/25 08:16	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			11/22/25 08:16	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			11/22/25 08:16	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			11/22/25 08:16	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			11/22/25 08:16	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			11/22/25 08:16	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			11/22/25 08:16	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			11/22/25 08:16	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			11/22/25 08:16	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			11/22/25 08:16	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			11/22/25 08:16	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			11/22/25 08:16	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			11/22/25 08:16	1
2-Butanone (MEK)	ND		10	1.3	ug/L			11/22/25 08:16	1
2-Hexanone	ND		5.0	1.2	ug/L			11/22/25 08:16	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			11/22/25 08:16	1
Acetone	ND		10	3.0	ug/L			11/22/25 08:16	1
Benzene	ND		1.0	0.41	ug/L			11/22/25 08:16	1
Dichlorobromomethane	**0.92**	**J**	1.0	0.39	ug/L			11/22/25 08:16	1
Bromoform	ND		1.0	0.26	ug/L			11/22/25 08:16	1
Bromomethane	ND		1.0	0.69	ug/L			11/22/25 08:16	1
Carbon disulfide	ND		1.0	0.19	ug/L			11/22/25 08:16	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			11/22/25 08:16	1
Chlorobenzene	ND		1.0	0.75	ug/L			11/22/25 08:16	1
Chlorodibromomethane	ND		1.0	0.32	ug/L			11/22/25 08:16	1
Chloroethane	ND		1.0	0.32	ug/L			11/22/25 08:16	1
Chloroform	**2.8**	**B**	1.0	0.34	ug/L			11/22/25 08:16	1
Chloromethane	ND	*+	1.0	0.35	ug/L			11/22/25 08:16	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			11/22/25 08:16	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			11/22/25 08:16	1
Cyclohexane	ND		1.0	0.18	ug/L			11/22/25 08:16	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			11/22/25 08:16	1
Ethylbenzene	ND		1.0	0.74	ug/L			11/22/25 08:16	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			11/22/25 08:16	1
Isopropylbenzene	ND		1.0	0.79	ug/L			11/22/25 08:16	1
Methyl acetate	ND		2.5	1.3	ug/L			11/22/25 08:16	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			11/22/25 08:16	1
Methylcyclohexane	ND		1.0	0.16	ug/L			11/22/25 08:16	1
Methylene Chloride	ND		1.0	0.44	ug/L			11/22/25 08:16	1
Styrene	ND		1.0	0.73	ug/L			11/22/25 08:16	1
Tetrachloroethene	ND		1.0	0.36	ug/L			11/22/25 08:16	1
Toluene	ND		1.0	0.51	ug/L			11/22/25 08:16	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			11/22/25 08:16	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			11/22/25 08:16	1
Trichloroethene	ND		1.0	0.46	ug/L			11/22/25 08:16	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			11/22/25 08:16	1
Vinyl chloride	ND		1.0	0.90	ug/L			11/22/25 08:16	1
Xylenes, Total	ND		2.0	0.66	ug/L			11/22/25 08:16	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-234626-1

Client Sample ID: STM-03-20251118
Date Collected: 11/18/25 13:15
Date Received: 11/18/25 17:40

Lab Sample ID: 480-234626-13
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	87		80 - 120		11/22/25 08:16	1
1,2-Dichloroethane-d4 (Surr)	87		77 - 120		11/22/25 08:16	1
4-Bromofluorobenzene (Surr)	84		73 - 120		11/22/25 08:16	1
Dibromofluoromethane (Surr)	90		75 - 123		11/22/25 08:16	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-234626-1

Client Sample ID: SAN-04-20251118
Date Collected: 11/18/25 13:25
Date Received: 11/18/25 17:40

Lab Sample ID: 480-234626-14
Matrix: Water

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			11/22/25 08:40	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			11/22/25 08:40	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			11/22/25 08:40	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			11/22/25 08:40	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			11/22/25 08:40	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			11/22/25 08:40	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			11/22/25 08:40	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			11/22/25 08:40	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			11/22/25 08:40	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			11/22/25 08:40	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			11/22/25 08:40	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			11/22/25 08:40	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			11/22/25 08:40	1
2-Butanone (MEK)	ND		10	1.3	ug/L			11/22/25 08:40	1
2-Hexanone	ND		5.0	1.2	ug/L			11/22/25 08:40	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			11/22/25 08:40	1
Acetone	ND		10	3.0	ug/L			11/22/25 08:40	1
Benzene	ND		1.0	0.41	ug/L			11/22/25 08:40	1
Dichlorobromomethane	ND		1.0	0.39	ug/L			11/22/25 08:40	1
Bromoform	ND		1.0	0.26	ug/L			11/22/25 08:40	1
Bromomethane	ND		1.0	0.69	ug/L			11/22/25 08:40	1
Carbon disulfide	ND		1.0	0.19	ug/L			11/22/25 08:40	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			11/22/25 08:40	1
Chlorobenzene	ND		1.0	0.75	ug/L			11/22/25 08:40	1
Chlorodibromomethane	ND		1.0	0.32	ug/L			11/22/25 08:40	1
Chloroethane	ND		1.0	0.32	ug/L			11/22/25 08:40	1
Chloroform	**0.66**	**J B**	1.0	0.34	ug/L			11/22/25 08:40	1
Chloromethane	ND	*+	1.0	0.35	ug/L			11/22/25 08:40	1
cis-1,2-Dichloroethene	**1.6**		1.0	0.81	ug/L			11/22/25 08:40	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			11/22/25 08:40	1
Cyclohexane	ND		1.0	0.18	ug/L			11/22/25 08:40	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			11/22/25 08:40	1
Ethylbenzene	ND		1.0	0.74	ug/L			11/22/25 08:40	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			11/22/25 08:40	1
Isopropylbenzene	ND		1.0	0.79	ug/L			11/22/25 08:40	1
Methyl acetate	ND		2.5	1.3	ug/L			11/22/25 08:40	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			11/22/25 08:40	1
Methylcyclohexane	ND		1.0	0.16	ug/L			11/22/25 08:40	1
Methylene Chloride	ND		1.0	0.44	ug/L			11/22/25 08:40	1
Styrene	ND		1.0	0.73	ug/L			11/22/25 08:40	1
Tetrachloroethene	ND		1.0	0.36	ug/L			11/22/25 08:40	1
Toluene	ND		1.0	0.51	ug/L			11/22/25 08:40	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			11/22/25 08:40	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			11/22/25 08:40	1
Trichloroethene	ND		1.0	0.46	ug/L			11/22/25 08:40	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			11/22/25 08:40	1
Vinyl chloride	ND		1.0	0.90	ug/L			11/22/25 08:40	1
Xylenes, Total	ND		2.0	0.66	ug/L			11/22/25 08:40	1

Client: ERM-Northeast
Job ID: 480-234626-1
Project/Site: Leica - Cheektowaga

Client Sample ID: SAN-04-20251118
Lab Sample ID: 480-234626-14
Date Collected: 11/18/25 13:25
Matrix: Water
Date Received: 11/18/25 17:40

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	87		80 - 120		11/22/25 08:40	1
1,2-Dichloroethane-d4 (Surr)	85		77 - 120		11/22/25 08:40	1
4-Bromofluorobenzene (Surr)	88		73 - 120		11/22/25 08:40	1
Dibromofluoromethane (Surr)	87		75 - 123		11/22/25 08:40	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-234626-1

Client Sample ID: STM-04-20251118
Date Collected: 11/18/25 14:15
Date Received: 11/18/25 17:40

Lab Sample ID: 480-234626-15
Matrix: Water

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			11/22/25 09:05	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			11/22/25 09:05	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			11/22/25 09:05	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			11/22/25 09:05	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			11/22/25 09:05	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			11/22/25 09:05	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			11/22/25 09:05	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			11/22/25 09:05	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			11/22/25 09:05	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			11/22/25 09:05	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			11/22/25 09:05	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			11/22/25 09:05	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			11/22/25 09:05	1
2-Butanone (MEK)	ND		10	1.3	ug/L			11/22/25 09:05	1
2-Hexanone	ND		5.0	1.2	ug/L			11/22/25 09:05	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			11/22/25 09:05	1
Acetone	ND		10	3.0	ug/L			11/22/25 09:05	1
Benzene	ND		1.0	0.41	ug/L			11/22/25 09:05	1
Dichlorobromomethane	**0.68**	**J**	1.0	0.39	ug/L			11/22/25 09:05	1
Bromoform	ND		1.0	0.26	ug/L			11/22/25 09:05	1
Bromomethane	ND		1.0	0.69	ug/L			11/22/25 09:05	1
Carbon disulfide	ND		1.0	0.19	ug/L			11/22/25 09:05	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			11/22/25 09:05	1
Chlorobenzene	ND		1.0	0.75	ug/L			11/22/25 09:05	1
Chlorodibromomethane	ND		1.0	0.32	ug/L			11/22/25 09:05	1
Chloroethane	ND		1.0	0.32	ug/L			11/22/25 09:05	1
Chloroform	**1.9**	**B**	1.0	0.34	ug/L			11/22/25 09:05	1
Chloromethane	ND	*+	1.0	0.35	ug/L			11/22/25 09:05	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			11/22/25 09:05	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			11/22/25 09:05	1
Cyclohexane	ND		1.0	0.18	ug/L			11/22/25 09:05	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			11/22/25 09:05	1
Ethylbenzene	ND		1.0	0.74	ug/L			11/22/25 09:05	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			11/22/25 09:05	1
Isopropylbenzene	ND		1.0	0.79	ug/L			11/22/25 09:05	1
Methyl acetate	ND		2.5	1.3	ug/L			11/22/25 09:05	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			11/22/25 09:05	1
Methylcyclohexane	ND		1.0	0.16	ug/L			11/22/25 09:05	1
Methylene Chloride	ND		1.0	0.44	ug/L			11/22/25 09:05	1
Styrene	ND		1.0	0.73	ug/L			11/22/25 09:05	1
Tetrachloroethene	ND		1.0	0.36	ug/L			11/22/25 09:05	1
Toluene	ND		1.0	0.51	ug/L			11/22/25 09:05	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			11/22/25 09:05	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			11/22/25 09:05	1
Trichloroethene	ND		1.0	0.46	ug/L			11/22/25 09:05	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			11/22/25 09:05	1
Vinyl chloride	ND		1.0	0.90	ug/L			11/22/25 09:05	1
Xylenes, Total	ND		2.0	0.66	ug/L			11/22/25 09:05	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-234626-1

Client Sample ID: STM-04-20251118
Date Collected: 11/18/25 14:15
Date Received: 11/18/25 17:40

Lab Sample ID: 480-234626-15
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	87		80 - 120		11/22/25 09:05	1
1,2-Dichloroethane-d4 (Surr)	90		77 - 120		11/22/25 09:05	1
4-Bromofluorobenzene (Surr)	87		73 - 120		11/22/25 09:05	1
Dibromofluoromethane (Surr)	90		75 - 123		11/22/25 09:05	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-234626-1

Client Sample ID: STM-05-20251118
Date Collected: 11/18/25 14:40
Date Received: 11/18/25 17:40

Lab Sample ID: 480-234626-16
Matrix: Water

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			11/22/25 09:28	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			11/22/25 09:28	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			11/22/25 09:28	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			11/22/25 09:28	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			11/22/25 09:28	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			11/22/25 09:28	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			11/22/25 09:28	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			11/22/25 09:28	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			11/22/25 09:28	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			11/22/25 09:28	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			11/22/25 09:28	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			11/22/25 09:28	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			11/22/25 09:28	1
2-Butanone (MEK)	ND		10	1.3	ug/L			11/22/25 09:28	1
2-Hexanone	ND		5.0	1.2	ug/L			11/22/25 09:28	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			11/22/25 09:28	1
Acetone	ND		10	3.0	ug/L			11/22/25 09:28	1
Benzene	ND		1.0	0.41	ug/L			11/22/25 09:28	1
Dichlorobromomethane	**0.46**	**J**	1.0	0.39	ug/L			11/22/25 09:28	1
Bromoform	ND		1.0	0.26	ug/L			11/22/25 09:28	1
Bromomethane	ND		1.0	0.69	ug/L			11/22/25 09:28	1
Carbon disulfide	ND		1.0	0.19	ug/L			11/22/25 09:28	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			11/22/25 09:28	1
Chlorobenzene	ND		1.0	0.75	ug/L			11/22/25 09:28	1
Chlorodibromomethane	ND		1.0	0.32	ug/L			11/22/25 09:28	1
Chloroethane	ND		1.0	0.32	ug/L			11/22/25 09:28	1
Chloroform	**1.3**	**B**	1.0	0.34	ug/L			11/22/25 09:28	1
Chloromethane	ND	*+	1.0	0.35	ug/L			11/22/25 09:28	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			11/22/25 09:28	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			11/22/25 09:28	1
Cyclohexane	ND		1.0	0.18	ug/L			11/22/25 09:28	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			11/22/25 09:28	1
Ethylbenzene	ND		1.0	0.74	ug/L			11/22/25 09:28	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			11/22/25 09:28	1
Isopropylbenzene	ND		1.0	0.79	ug/L			11/22/25 09:28	1
Methyl acetate	ND		2.5	1.3	ug/L			11/22/25 09:28	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			11/22/25 09:28	1
Methylcyclohexane	ND		1.0	0.16	ug/L			11/22/25 09:28	1
Methylene Chloride	ND		1.0	0.44	ug/L			11/22/25 09:28	1
Styrene	ND		1.0	0.73	ug/L			11/22/25 09:28	1
Tetrachloroethene	ND		1.0	0.36	ug/L			11/22/25 09:28	1
Toluene	ND		1.0	0.51	ug/L			11/22/25 09:28	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			11/22/25 09:28	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			11/22/25 09:28	1
Trichloroethene	ND		1.0	0.46	ug/L			11/22/25 09:28	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			11/22/25 09:28	1
Vinyl chloride	ND		1.0	0.90	ug/L			11/22/25 09:28	1
Xylenes, Total	ND		2.0	0.66	ug/L			11/22/25 09:28	1

Client: ERM-Northeast
Job ID: 480-234626-1
Project/Site: Leica - Cheektowaga

Client Sample ID: STM-05-20251118
Lab Sample ID: 480-234626-16
Date Collected: 11/18/25 14:40
Matrix: Water
Date Received: 11/18/25 17:40

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	86		80 - 120		11/22/25 09:28	1
1,2-Dichloroethane-d4 (Surr)	82		77 - 120		11/22/25 09:28	1
4-Bromofluorobenzene (Surr)	86		73 - 120		11/22/25 09:28	1
Dibromofluoromethane (Surr)	88		75 - 123		11/22/25 09:28	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-234626-1

Client Sample ID: SAN-05-20251118
Date Collected: 11/18/25 14:55
Date Received: 11/18/25 17:40

Lab Sample ID: 480-234626-17
Matrix: Water

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			11/22/25 09:52	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			11/22/25 09:52	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			11/22/25 09:52	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			11/22/25 09:52	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			11/22/25 09:52	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			11/22/25 09:52	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			11/22/25 09:52	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			11/22/25 09:52	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			11/22/25 09:52	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			11/22/25 09:52	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			11/22/25 09:52	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			11/22/25 09:52	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			11/22/25 09:52	1
2-Butanone (MEK)	ND		10	1.3	ug/L			11/22/25 09:52	1
2-Hexanone	ND		5.0	1.2	ug/L			11/22/25 09:52	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			11/22/25 09:52	1
Acetone	ND		10	3.0	ug/L			11/22/25 09:52	1
Benzene	ND		1.0	0.41	ug/L			11/22/25 09:52	1
Dichlorobromomethane	ND		1.0	0.39	ug/L			11/22/25 09:52	1
Bromoform	ND		1.0	0.26	ug/L			11/22/25 09:52	1
Bromomethane	ND		1.0	0.69	ug/L			11/22/25 09:52	1
Carbon disulfide	ND		1.0	0.19	ug/L			11/22/25 09:52	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			11/22/25 09:52	1
Chlorobenzene	ND		1.0	0.75	ug/L			11/22/25 09:52	1
Chlorodibromomethane	ND		1.0	0.32	ug/L			11/22/25 09:52	1
Chloroethane	ND		1.0	0.32	ug/L			11/22/25 09:52	1
Chloroform	**0.48**	**J B**	1.0	0.34	ug/L			11/22/25 09:52	1
Chloromethane	ND	*+	1.0	0.35	ug/L			11/22/25 09:52	1
cis-1,2-Dichloroethene	**1.3**		1.0	0.81	ug/L			11/22/25 09:52	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			11/22/25 09:52	1
Cyclohexane	ND		1.0	0.18	ug/L			11/22/25 09:52	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			11/22/25 09:52	1
Ethylbenzene	ND		1.0	0.74	ug/L			11/22/25 09:52	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			11/22/25 09:52	1
Isopropylbenzene	ND		1.0	0.79	ug/L			11/22/25 09:52	1
Methyl acetate	ND		2.5	1.3	ug/L			11/22/25 09:52	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			11/22/25 09:52	1
Methylcyclohexane	ND		1.0	0.16	ug/L			11/22/25 09:52	1
Methylene Chloride	ND		1.0	0.44	ug/L			11/22/25 09:52	1
Styrene	ND		1.0	0.73	ug/L			11/22/25 09:52	1
Tetrachloroethene	ND		1.0	0.36	ug/L			11/22/25 09:52	1
Toluene	ND		1.0	0.51	ug/L			11/22/25 09:52	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			11/22/25 09:52	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			11/22/25 09:52	1
Trichloroethene	ND		1.0	0.46	ug/L			11/22/25 09:52	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			11/22/25 09:52	1
Vinyl chloride	ND		1.0	0.90	ug/L			11/22/25 09:52	1
Xylenes, Total	ND		2.0	0.66	ug/L			11/22/25 09:52	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-234626-1

Client Sample ID: SAN-05-20251118
Date Collected: 11/18/25 14:55
Date Received: 11/18/25 17:40

Lab Sample ID: 480-234626-17
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	88		80 - 120		11/22/25 09:52	1
1,2-Dichloroethane-d4 (Surr)	87		77 - 120		11/22/25 09:52	1
4-Bromofluorobenzene (Surr)	89		73 - 120		11/22/25 09:52	1
Dibromofluoromethane (Surr)	90		75 - 123		11/22/25 09:52	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-234626-1

Client Sample ID: STM-06-20251118
Date Collected: 11/18/25 15:10
Date Received: 11/18/25 17:40

Lab Sample ID: 480-234626-18
Matrix: Water

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			11/22/25 10:16	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			11/22/25 10:16	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			11/22/25 10:16	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			11/22/25 10:16	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			11/22/25 10:16	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			11/22/25 10:16	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			11/22/25 10:16	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			11/22/25 10:16	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			11/22/25 10:16	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			11/22/25 10:16	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			11/22/25 10:16	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			11/22/25 10:16	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			11/22/25 10:16	1
2-Butanone (MEK)	ND		10	1.3	ug/L			11/22/25 10:16	1
2-Hexanone	ND		5.0	1.2	ug/L			11/22/25 10:16	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			11/22/25 10:16	1
Acetone	ND		10	3.0	ug/L			11/22/25 10:16	1
Benzene	ND		1.0	0.41	ug/L			11/22/25 10:16	1
Dichlorobromomethane	**0.50**	**J**	1.0	0.39	ug/L			11/22/25 10:16	1
Bromoform	ND		1.0	0.26	ug/L			11/22/25 10:16	1
Bromomethane	ND		1.0	0.69	ug/L			11/22/25 10:16	1
Carbon disulfide	ND		1.0	0.19	ug/L			11/22/25 10:16	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			11/22/25 10:16	1
Chlorobenzene	ND		1.0	0.75	ug/L			11/22/25 10:16	1
Chlorodibromomethane	ND		1.0	0.32	ug/L			11/22/25 10:16	1
Chloroethane	ND		1.0	0.32	ug/L			11/22/25 10:16	1
Chloroform	**1.6**	**B**	1.0	0.34	ug/L			11/22/25 10:16	1
Chloromethane	ND	*+	1.0	0.35	ug/L			11/22/25 10:16	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			11/22/25 10:16	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			11/22/25 10:16	1
Cyclohexane	ND		1.0	0.18	ug/L			11/22/25 10:16	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			11/22/25 10:16	1
Ethylbenzene	ND		1.0	0.74	ug/L			11/22/25 10:16	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			11/22/25 10:16	1
Isopropylbenzene	ND		1.0	0.79	ug/L			11/22/25 10:16	1
Methyl acetate	ND		2.5	1.3	ug/L			11/22/25 10:16	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			11/22/25 10:16	1
Methylcyclohexane	ND		1.0	0.16	ug/L			11/22/25 10:16	1
Methylene Chloride	ND		1.0	0.44	ug/L			11/22/25 10:16	1
Styrene	ND		1.0	0.73	ug/L			11/22/25 10:16	1
Tetrachloroethene	ND		1.0	0.36	ug/L			11/22/25 10:16	1
Toluene	ND		1.0	0.51	ug/L			11/22/25 10:16	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			11/22/25 10:16	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			11/22/25 10:16	1
Trichloroethene	ND		1.0	0.46	ug/L			11/22/25 10:16	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			11/22/25 10:16	1
Vinyl chloride	ND		1.0	0.90	ug/L			11/22/25 10:16	1
Xylenes, Total	ND		2.0	0.66	ug/L			11/22/25 10:16	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-234626-1

Client Sample ID: STM-06-20251118
Date Collected: 11/18/25 15:10
Date Received: 11/18/25 17:40

Lab Sample ID: 480-234626-18
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	87		80 - 120		11/22/25 10:16	1
1,2-Dichloroethane-d4 (Surr)	84		77 - 120		11/22/25 10:16	1
4-Bromofluorobenzene (Surr)	86		73 - 120		11/22/25 10:16	1
Dibromofluoromethane (Surr)	90		75 - 123		11/22/25 10:16	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-234626-1

Client Sample ID: SAN-06-20251118
Date Collected: 11/18/25 15:25
Date Received: 11/18/25 17:40

Lab Sample ID: 480-234626-19
Matrix: Water

Method: SW846 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			11/22/25 10:40	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			11/22/25 10:40	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			11/22/25 10:40	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			11/22/25 10:40	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			11/22/25 10:40	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			11/22/25 10:40	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			11/22/25 10:40	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			11/22/25 10:40	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			11/22/25 10:40	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			11/22/25 10:40	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			11/22/25 10:40	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			11/22/25 10:40	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			11/22/25 10:40	1
2-Butanone (MEK)	ND		10	1.3	ug/L			11/22/25 10:40	1
2-Hexanone	ND		5.0	1.2	ug/L			11/22/25 10:40	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			11/22/25 10:40	1
Acetone	**16**		10	3.0	ug/L			11/22/25 10:40	1
Benzene	ND		1.0	0.41	ug/L			11/22/25 10:40	1
Dichlorobromomethane	ND		1.0	0.39	ug/L			11/22/25 10:40	1
Bromoform	ND		1.0	0.26	ug/L			11/22/25 10:40	1
Bromomethane	ND		1.0	0.69	ug/L			11/22/25 10:40	1
Carbon disulfide	ND		1.0	0.19	ug/L			11/22/25 10:40	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			11/22/25 10:40	1
Chlorobenzene	ND		1.0	0.75	ug/L			11/22/25 10:40	1
Chlorodibromomethane	ND		1.0	0.32	ug/L			11/22/25 10:40	1
Chloroethane	ND		1.0	0.32	ug/L			11/22/25 10:40	1
Chloroform	**0.58**	**J B**	1.0	0.34	ug/L			11/22/25 10:40	1
Chloromethane	ND	*+	1.0	0.35	ug/L			11/22/25 10:40	1
cis-1,2-Dichloroethene	**0.95**	**J**	1.0	0.81	ug/L			11/22/25 10:40	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			11/22/25 10:40	1
Cyclohexane	ND		1.0	0.18	ug/L			11/22/25 10:40	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			11/22/25 10:40	1
Ethylbenzene	ND		1.0	0.74	ug/L			11/22/25 10:40	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			11/22/25 10:40	1
Isopropylbenzene	ND		1.0	0.79	ug/L			11/22/25 10:40	1
Methyl acetate	ND		2.5	1.3	ug/L			11/22/25 10:40	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			11/22/25 10:40	1
Methylcyclohexane	ND		1.0	0.16	ug/L			11/22/25 10:40	1
Methylene Chloride	ND		1.0	0.44	ug/L			11/22/25 10:40	1
Styrene	ND		1.0	0.73	ug/L			11/22/25 10:40	1
Tetrachloroethene	ND		1.0	0.36	ug/L			11/22/25 10:40	1
Toluene	ND		1.0	0.51	ug/L			11/22/25 10:40	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			11/22/25 10:40	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			11/22/25 10:40	1
Trichloroethene	ND		1.0	0.46	ug/L			11/22/25 10:40	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			11/22/25 10:40	1
Vinyl chloride	ND		1.0	0.90	ug/L			11/22/25 10:40	1
Xylenes, Total	ND		2.0	0.66	ug/L			11/22/25 10:40	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-234626-1

Client Sample ID: SAN-06-20251118
Date Collected: 11/18/25 15:25
Date Received: 11/18/25 17:40

Lab Sample ID: 480-234626-19
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	84		80 - 120		11/22/25 10:40	1
1,2-Dichloroethane-d4 (Surr)	86		77 - 120		11/22/25 10:40	1
4-Bromofluorobenzene (Surr)	86		73 - 120		11/22/25 10:40	1
Dibromofluoromethane (Surr)	90		75 - 123		11/22/25 10:40	1

Surrogate Summary

Client: ERM-Northeast
Job ID: 480-234626-1
Project/Site: Leica - Cheektowaga

Method: 8260C - Volatile Organic Compounds by GC/MS

Matrix: Water **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)			
		TOL	DCA	BFB	DBFM
Lab Sample ID	Client Sample ID	(80-120)	(77-120)	(73-120)	(75-123)
480-234626-1	TB-01-20251118	89	84	89	89
480-234626-2	DUP-20251118	87	83	90	88
480-234626-3	EB-01-20251118	90	86	93	90
480-234626-4	EB-02-20251118	89	84	89	89
480-234626-5	STM-08-20251118	87	84	88	89
480-234626-5 MS	STM-08-20251118	90	85	91	93
480-234626-5 MSD	STM-08-20251118	88	84	89	89
480-234626-6	SAN-08-20251118	87	84	87	90
480-234626-7	SAN-07-20251118	85	83	81	90
480-234626-8	STM-07-20251118	88	85	85	92
480-234626-9	STM-01-20251118	88	89	92	96
480-234626-10	SAN-01-20251118	84	81	85	90
480-234626-11	STM-09-20251118	89	84	91	89
480-234626-12	STM-02-20251118	87	85	86	90
480-234626-13	STM-03-20251118	87	87	84	90
480-234626-14	SAN-04-20251118	87	85	88	87
480-234626-15	STM-04-20251118	87	90	87	90
480-234626-16	STM-05-20251118	86	82	86	88
480-234626-17	SAN-05-20251118	88	87	89	90
480-234626-18	STM-06-20251118	87	84	86	90
480-234626-19	SAN-06-20251118	84	86	86	90
LCS 480-763216/6	Lab Control Sample	89	89	94	90
MB 480-763216/8	Method Blank	88	87	91	93

Surrogate Legend

TOL = Toluene-d8 (Surr)
DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: 8260C - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 480-763216/8
Matrix: Water
Analysis Batch: 763216

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	ND		1.0	0.82	ug/L			11/22/25 03:04	1
1,1,2,2-Tetrachloroethane	ND		1.0	0.21	ug/L			11/22/25 03:04	1
1,1,2-Trichloroethane	ND		1.0	0.23	ug/L			11/22/25 03:04	1
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31	ug/L			11/22/25 03:04	1
1,1-Dichloroethane	ND		1.0	0.38	ug/L			11/22/25 03:04	1
1,1-Dichloroethene	ND		1.0	0.29	ug/L			11/22/25 03:04	1
1,2,4-Trichlorobenzene	ND		1.0	0.41	ug/L			11/22/25 03:04	1
1,2-Dibromo-3-Chloropropane	ND		1.0	0.39	ug/L			11/22/25 03:04	1
1,2-Dichlorobenzene	ND		1.0	0.79	ug/L			11/22/25 03:04	1
1,2-Dichloroethane	ND		1.0	0.21	ug/L			11/22/25 03:04	1
1,2-Dichloropropane	ND		1.0	0.72	ug/L			11/22/25 03:04	1
1,3-Dichlorobenzene	ND		1.0	0.78	ug/L			11/22/25 03:04	1
1,4-Dichlorobenzene	ND		1.0	0.84	ug/L			11/22/25 03:04	1
2-Butanone (MEK)	ND		10	1.3	ug/L			11/22/25 03:04	1
2-Hexanone	ND		5.0	1.2	ug/L			11/22/25 03:04	1
4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1	ug/L			11/22/25 03:04	1
Acetone	ND		10	3.0	ug/L			11/22/25 03:04	1
Benzene	ND		1.0	0.41	ug/L			11/22/25 03:04	1
Dichlorobromomethane	ND		1.0	0.39	ug/L			11/22/25 03:04	1
Bromoform	ND		1.0	0.26	ug/L			11/22/25 03:04	1
Bromomethane	ND		1.0	0.69	ug/L			11/22/25 03:04	1
Carbon disulfide	ND		1.0	0.19	ug/L			11/22/25 03:04	1
Carbon tetrachloride	ND		1.0	0.27	ug/L			11/22/25 03:04	1
Chlorobenzene	ND		1.0	0.75	ug/L			11/22/25 03:04	1
Chlorodibromomethane	ND		1.0	0.32	ug/L			11/22/25 03:04	1
Chloroethane	ND		1.0	0.32	ug/L			11/22/25 03:04	1
Chloroform	0.852	J	1.0	0.34	ug/L			11/22/25 03:04	1
Chloromethane	ND		1.0	0.35	ug/L			11/22/25 03:04	1
cis-1,2-Dichloroethene	ND		1.0	0.81	ug/L			11/22/25 03:04	1
cis-1,3-Dichloropropene	ND		1.0	0.36	ug/L			11/22/25 03:04	1
Cyclohexane	ND		1.0	0.18	ug/L			11/22/25 03:04	1
Dichlorodifluoromethane	ND		1.0	0.68	ug/L			11/22/25 03:04	1
Ethylbenzene	ND		1.0	0.74	ug/L			11/22/25 03:04	1
1,2-Dibromoethane	ND		1.0	0.73	ug/L			11/22/25 03:04	1
Isopropylbenzene	ND		1.0	0.79	ug/L			11/22/25 03:04	1
Methyl acetate	ND		2.5	1.3	ug/L			11/22/25 03:04	1
Methyl tert-butyl ether	ND		1.0	0.16	ug/L			11/22/25 03:04	1
Methylcyclohexane	ND		1.0	0.16	ug/L			11/22/25 03:04	1
Methylene Chloride	ND		1.0	0.44	ug/L			11/22/25 03:04	1
Styrene	ND		1.0	0.73	ug/L			11/22/25 03:04	1
Tetrachloroethene	ND		1.0	0.36	ug/L			11/22/25 03:04	1
Toluene	ND		1.0	0.51	ug/L			11/22/25 03:04	1
trans-1,2-Dichloroethene	ND		1.0	0.90	ug/L			11/22/25 03:04	1
trans-1,3-Dichloropropene	ND		1.0	0.37	ug/L			11/22/25 03:04	1
Trichloroethene	ND		1.0	0.46	ug/L			11/22/25 03:04	1
Trichlorofluoromethane	ND		1.0	0.88	ug/L			11/22/25 03:04	1
Vinyl chloride	ND		1.0	0.90	ug/L			11/22/25 03:04	1
Xylenes, Total	ND		2.0	0.66	ug/L			11/22/25 03:04	1

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 480-763216/8
Matrix: Water
Analysis Batch: 763216

Client Sample ID: Method Blank
Prep Type: Total/NA

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	*88*		*80 - 120*		*11/22/25 03:04*	*1*
1,2-Dichloroethane-d4 (Surr)	*87*		*77 - 120*		*11/22/25 03:04*	*1*
4-Bromofluorobenzene (Surr)	*91*		*73 - 120*		*11/22/25 03:04*	*1*
Dibromofluoromethane (Surr)	*93*		*75 - 123*		*11/22/25 03:04*	*1*

Lab Sample ID: LCS 480-763216/6
Matrix: Water
Analysis Batch: 763216

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1,1-Trichloroethane	25.0	24.5		ug/L		98	73 - 126
1,1,2,2-Tetrachloroethane	25.0	22.0		ug/L		88	76 - 120
1,1,2-Trichloroethane	25.0	23.9		ug/L		96	76 - 122
1,1,2-Trichloro-1,2,2-trifluoroethane	25.0	20.9		ug/L		84	61 - 148
1,1-Dichloroethane	25.0	26.0		ug/L		104	77 - 120
1,1-Dichloroethene	25.0	25.2		ug/L		101	66 - 127
1,2,4-Trichlorobenzene	25.0	22.2		ug/L		89	79 - 122
1,2-Dibromo-3-Chloropropane	25.0	19.4		ug/L		78	56 - 134
1,2-Dichlorobenzene	25.0	22.1		ug/L		89	80 - 124
1,2-Dichloroethane	25.0	22.1		ug/L		89	75 - 120
1,2-Dichloropropane	25.0	26.3		ug/L		105	76 - 120
1,3-Dichlorobenzene	25.0	21.9		ug/L		87	77 - 120
1,4-Dichlorobenzene	25.0	22.6		ug/L		90	80 - 120
2-Butanone (MEK)	125	140		ug/L		112	57 - 140
2-Hexanone	125	125		ug/L		100	65 - 127
4-Methyl-2-pentanone (MIBK)	125	127		ug/L		102	71 - 125
Acetone	125	143		ug/L		115	56 - 142
Benzene	25.0	24.7		ug/L		99	71 - 124
Dichlorobromomethane	25.0	23.5		ug/L		94	80 - 122
Bromoform	25.0	25.4		ug/L		102	61 - 132
Bromomethane	25.0	23.0		ug/L		92	55 - 144
Carbon disulfide	25.0	22.9		ug/L		92	59 - 134
Carbon tetrachloride	25.0	25.0		ug/L		100	72 - 134
Chlorobenzene	25.0	22.9		ug/L		91	80 - 120
Chlorodibromomethane	25.0	24.8		ug/L		99	75 - 125
Chloroethane	25.0	27.5		ug/L		110	69 - 136
Chloroform	25.0	23.4		ug/L		94	73 - 127
Chloromethane	25.0	32.3	*+	ug/L		129	68 - 124
cis-1,2-Dichloroethene	25.0	24.7		ug/L		99	74 - 124
cis-1,3-Dichloropropene	25.0	23.7		ug/L		95	74 - 124
Cyclohexane	25.0	25.0		ug/L		100	59 - 135
Dichlorodifluoromethane	25.0	25.1		ug/L		100	59 - 135
Ethylbenzene	25.0	23.0		ug/L		92	77 - 123
1,2-Dibromoethane	25.0	22.4		ug/L		90	77 - 120
Isopropylbenzene	25.0	22.8		ug/L		91	77 - 122
Methyl acetate	50.0	54.5		ug/L		109	74 - 133
Methyl tert-butyl ether	25.0	23.5		ug/L		94	77 - 120
Methylcyclohexane	25.0	24.2		ug/L		97	68 - 134

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 480-763216/6
Matrix: Water
Analysis Batch: 763216

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
Methylene Chloride			25.0	26.3		ug/L		105	75 - 124		
Styrene			25.0	23.0		ug/L		92	80 - 120		
Tetrachloroethene			25.0	23.8		ug/L		95	74 - 122		
Toluene			25.0	23.8		ug/L		95	80 - 122		
trans-1,2-Dichloroethene			25.0	24.4		ug/L		97	73 - 127		
trans-1,3-Dichloropropene			25.0	22.2		ug/L		89	80 - 120		
Trichloroethene			25.0	23.5		ug/L		94	74 - 123		
Trichlorofluoromethane			25.0	22.8		ug/L		91	62 - 150		
Vinyl chloride			25.0	27.8		ug/L		111	65 - 133		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
Toluene-d8 (Surr)	*89*		*80 - 120*
1,2-Dichloroethane-d4 (Surr)	*89*		*77 - 120*
4-Bromofluorobenzene (Surr)	*94*		*73 - 120*
Dibromofluoromethane (Surr)	*90*		*75 - 123*

Lab Sample ID: 480-234626-5 MS
Matrix: Water
Analysis Batch: 763216

Client Sample ID: STM-08-20251118
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
1,1,1-Trichloroethane	ND		25.0	28.8		ug/L		115	73 - 126		
1,1,2,2-Tetrachloroethane	ND		25.0	24.8		ug/L		99	76 - 120		
1,1,2-Trichloroethane	ND		25.0	27.6		ug/L		110	76 - 122		
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		25.0	26.4		ug/L		105	61 - 148		
1,1-Dichloroethane	ND	F1	25.0	30.4	F1	ug/L		121	77 - 120		
1,1-Dichloroethene	ND		25.0	31.2		ug/L		125	66 - 127		
1,2,4-Trichlorobenzene	ND		25.0	25.2		ug/L		101	79 - 122		
1,2-Dibromo-3-Chloropropane	ND		25.0	22.2		ug/L		89	56 - 134		
1,2-Dichlorobenzene	ND		25.0	24.4		ug/L		98	80 - 124		
1,2-Dichloroethane	ND		25.0	26.1		ug/L		104	75 - 120		
1,2-Dichloropropane	ND	F1	25.0	30.8	F1	ug/L		123	76 - 120		
1,3-Dichlorobenzene	ND		25.0	24.4		ug/L		98	77 - 120		
1,4-Dichlorobenzene	ND		25.0	24.9		ug/L		99	78 - 124		
2-Butanone (MEK)	ND		125	155		ug/L		124	57 - 140		
2-Hexanone	ND		125	139		ug/L		112	65 - 127		
4-Methyl-2-pentanone (MIBK)	ND		125	144		ug/L		115	71 - 125		
Acetone	ND		125	156		ug/L		125	56 - 142		
Benzene	ND		25.0	29.3		ug/L		117	71 - 124		
Dichlorobromomethane	ND		25.0	27.3		ug/L		109	80 - 122		
Bromoform	ND		25.0	27.8		ug/L		111	61 - 132		
Bromomethane	ND		25.0	27.0		ug/L		108	55 - 144		
Carbon disulfide	ND		25.0	28.1		ug/L		112	59 - 134		
Carbon tetrachloride	ND		25.0	29.3		ug/L		117	72 - 134		
Chlorobenzene	ND		25.0	26.1		ug/L		105	80 - 120		
Chlorodibromomethane	ND		25.0	26.8		ug/L		107	75 - 125		
Chloroethane	ND		25.0	30.9		ug/L		124	69 - 136		
Chloroform	ND		25.0	26.7		ug/L		107	73 - 127		

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 480-234626-5 MS
Matrix: Water
Analysis Batch: 763216

Client Sample ID: STM-08-20251118
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloromethane	ND	F1 *+	25.0	39.2	F1	ug/L		157	68 - 124
cis-1,2-Dichloroethene	ND		25.0	29.4		ug/L		117	74 - 124
cis-1,3-Dichloropropene	ND		25.0	26.5		ug/L		106	74 - 124
Cyclohexane	ND		25.0	30.4		ug/L		121	59 - 135
Dichlorodifluoromethane	ND		25.0	28.5		ug/L		114	59 - 135
Ethylbenzene	ND		25.0	26.3		ug/L		105	77 - 123
1,2-Dibromoethane	ND		25.0	25.2		ug/L		101	77 - 120
Isopropylbenzene	ND		25.0	25.4		ug/L		102	77 - 122
Methyl acetate	ND		50.0	56.6		ug/L		113	74 - 133
Methyl tert-butyl ether	ND		25.0	26.8		ug/L		107	77 - 120
Methylcyclohexane	ND		25.0	28.3		ug/L		113	68 - 134
Methylene Chloride	ND	F1	25.0	32.2	F1	ug/L		129	75 - 124
Styrene	ND		25.0	26.4		ug/L		105	80 - 120
Tetrachloroethene	ND		25.0	27.6		ug/L		110	74 - 122
Toluene	ND		25.0	27.0		ug/L		108	80 - 122
trans-1,2-Dichloroethene	ND		25.0	29.5		ug/L		118	73 - 127
trans-1,3-Dichloropropene	ND		25.0	24.2		ug/L		97	80 - 120
Trichloroethene	ND		25.0	27.5		ug/L		110	74 - 123
Trichlorofluoromethane	ND		25.0	26.4		ug/L		106	62 - 150
Vinyl chloride	ND		25.0	32.6		ug/L		131	65 - 133

Surrogate	*MS %Recovery*	*MS Qualifier*	*Limits*
Toluene-d8 (Surr)	*90*		*80 - 120*
1,2-Dichloroethane-d4 (Surr)	*85*		*77 - 120*
4-Bromofluorobenzene (Surr)	*91*		*73 - 120*
Dibromofluoromethane (Surr)	*93*		*75 - 123*

Lab Sample ID: 480-234626-5 MSD
Matrix: Water
Analysis Batch: 763216

Client Sample ID: STM-08-20251118
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1,1-Trichloroethane	ND		25.0	28.7		ug/L		115	73 - 126	1	15
1,1,2,2-Tetrachloroethane	ND		25.0	25.5		ug/L		102	76 - 120	3	15
1,1,2-Trichloroethane	ND		25.0	26.1		ug/L		105	76 - 122	5	15
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		25.0	25.2		ug/L		101	61 - 148	5	20
1,1-Dichloroethane	ND	F1	25.0	29.7		ug/L		119	77 - 120	2	20
1,1-Dichloroethene	ND		25.0	30.1		ug/L		120	66 - 127	4	16
1,2,4-Trichlorobenzene	ND		25.0	25.5		ug/L		102	79 - 122	1	20
1,2-Dibromo-3-Chloropropane	ND		25.0	22.5		ug/L		90	56 - 134	1	15
1,2-Dichlorobenzene	ND		25.0	25.0		ug/L		100	80 - 124	3	20
1,2-Dichloroethane	ND		25.0	25.1		ug/L		101	75 - 120	4	20
1,2-Dichloropropane	ND	F1	25.0	29.7		ug/L		119	76 - 120	4	20
1,3-Dichlorobenzene	ND		25.0	25.3		ug/L		101	77 - 120	4	20
1,4-Dichlorobenzene	ND		25.0	26.1		ug/L		104	78 - 124	5	20
2-Butanone (MEK)	ND		125	150		ug/L		120	57 - 140	3	20
2-Hexanone	ND		125	134		ug/L		107	65 - 127	4	15
4-Methyl-2-pentanone (MIBK)	ND		125	137		ug/L		109	71 - 125	5	35

Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 480-234626-5 MSD
Matrix: Water
Analysis Batch: 763216

Client Sample ID: STM-08-20251118
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Acetone	ND		125	143		ug/L		115	56 - 142	9	15
Benzene	ND		25.0	28.2		ug/L		113	71 - 124	4	13
Dichlorobromomethane	ND		25.0	25.9		ug/L		104	80 - 122	5	15
Bromoform	ND		25.0	27.4		ug/L		110	61 - 132	1	15
Bromomethane	ND		25.0	25.4		ug/L		102	55 - 144	6	15
Carbon disulfide	ND		25.0	26.6		ug/L		106	59 - 134	5	15
Carbon tetrachloride	ND		25.0	28.5		ug/L		114	72 - 134	3	15
Chlorobenzene	ND		25.0	25.2		ug/L		101	80 - 120	4	25
Chlorodibromomethane	ND		25.0	25.9		ug/L		103	75 - 125	4	15
Chloroethane	ND		25.0	30.7		ug/L		123	69 - 136	1	15
Chloroform	ND		25.0	25.7		ug/L		103	73 - 127	4	20
Chloromethane	ND	F1 *+	25.0	37.1	F1	ug/L		148	68 - 124	5	15
cis-1,2-Dichloroethene	ND		25.0	27.9		ug/L		112	74 - 124	5	15
cis-1,3-Dichloropropene	ND		25.0	25.0		ug/L		100	74 - 124	6	15
Cyclohexane	ND		25.0	29.8		ug/L		119	59 - 135	2	20
Dichlorodifluoromethane	ND		25.0	26.7		ug/L		107	59 - 135	7	20
Ethylbenzene	ND		25.0	25.6		ug/L		103	77 - 123	3	15
1,2-Dibromoethane	ND		25.0	23.9		ug/L		96	77 - 120	5	15
Isopropylbenzene	ND		25.0	26.5		ug/L		106	77 - 122	4	20
Methyl acetate	ND		50.0	51.7		ug/L		103	74 - 133	9	20
Methyl tert-butyl ether	ND		25.0	25.5		ug/L		102	77 - 120	5	37
Methylcyclohexane	ND		25.0	27.6		ug/L		111	68 - 134	3	20
Methylene Chloride	ND	F1	25.0	30.0		ug/L		120	75 - 124	7	15
Styrene	ND		25.0	25.6		ug/L		102	80 - 120	3	20
Tetrachloroethene	ND		25.0	26.5		ug/L		106	74 - 122	4	20
Toluene	ND		25.0	26.7		ug/L		107	80 - 122	1	15
trans-1,2-Dichloroethene	ND		25.0	28.6		ug/L		115	73 - 127	3	20
trans-1,3-Dichloropropene	ND		25.0	23.3		ug/L		93	80 - 120	4	15
Trichloroethene	ND		25.0	26.6		ug/L		106	74 - 123	3	16
Trichlorofluoromethane	ND		25.0	25.5		ug/L		102	62 - 150	3	20
Vinyl chloride	ND		25.0	31.9		ug/L		127	65 - 133	2	15

Surrogate	*MSD %Recovery*	*MSD Qualifier*	*Limits*
Toluene-d8 (Surr)	*88*		*80 - 120*
1,2-Dichloroethane-d4 (Surr)	*84*		*77 - 120*
4-Bromofluorobenzene (Surr)	*89*		*73 - 120*
Dibromofluoromethane (Surr)	*89*		*75 - 123*

QC Association Summary

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-234626-1

GC/MS VOA

Analysis Batch: 763216

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-234626-1	TB-01-20251118	Total/NA	Water	8260C	
480-234626-2	DUP-20251118	Total/NA	Water	8260C	
480-234626-3	EB-01-20251118	Total/NA	Water	8260C	
480-234626-4	EB-02-20251118	Total/NA	Water	8260C	
480-234626-5	STM-08-20251118	Total/NA	Water	8260C	
480-234626-6	SAN-08-20251118	Total/NA	Water	8260C	
480-234626-7	SAN-07-20251118	Total/NA	Water	8260C	
480-234626-8	STM-07-20251118	Total/NA	Water	8260C	
480-234626-9	STM-01-20251118	Total/NA	Water	8260C	
480-234626-10	SAN-01-20251118	Total/NA	Water	8260C	
480-234626-11	STM-09-20251118	Total/NA	Water	8260C	
480-234626-12	STM-02-20251118	Total/NA	Water	8260C	
480-234626-13	STM-03-20251118	Total/NA	Water	8260C	
480-234626-14	SAN-04-20251118	Total/NA	Water	8260C	
480-234626-15	STM-04-20251118	Total/NA	Water	8260C	
480-234626-16	STM-05-20251118	Total/NA	Water	8260C	
480-234626-17	SAN-05-20251118	Total/NA	Water	8260C	
480-234626-18	STM-06-20251118	Total/NA	Water	8260C	
480-234626-19	SAN-06-20251118	Total/NA	Water	8260C	
MB 480-763216/8	Method Blank	Total/NA	Water	8260C	
LCS 480-763216/6	Lab Control Sample	Total/NA	Water	8260C	
480-234626-5 MS	STM-08-20251118	Total/NA	Water	8260C	
480-234626-5 MSD	STM-08-20251118	Total/NA	Water	8260C	

Lab Chronicle

Client: ERM-Northeast
Job ID: 480-234626-1
Project/Site: Leica - Cheektowaga

Client Sample ID: TB-01-20251118
Lab Sample ID: 480-234626-1
Date Collected: 11/18/25 09:30
Matrix: Water
Date Received: 11/18/25 17:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		1	763216	AXK	EET BUF	11/22/25 03:29

Client Sample ID: DUP-20251118
Lab Sample ID: 480-234626-2
Date Collected: 11/18/25 12:00
Matrix: Water
Date Received: 11/18/25 17:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		1	763216	AXK	EET BUF	11/22/25 03:53

Client Sample ID: EB-01-20251118
Lab Sample ID: 480-234626-3
Date Collected: 11/18/25 09:35
Matrix: Water
Date Received: 11/18/25 17:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		1	763216	AXK	EET BUF	11/22/25 04:17

Client Sample ID: EB-02-20251118
Lab Sample ID: 480-234626-4
Date Collected: 11/18/25 09:40
Matrix: Water
Date Received: 11/18/25 17:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		1	763216	AXK	EET BUF	11/22/25 04:41

Client Sample ID: STM-08-20251118
Lab Sample ID: 480-234626-5
Date Collected: 11/18/25 10:05
Matrix: Water
Date Received: 11/18/25 17:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		1	763216	AXK	EET BUF	11/22/25 05:05

Client Sample ID: SAN-08-20251118
Lab Sample ID: 480-234626-6
Date Collected: 11/18/25 10:35
Matrix: Water
Date Received: 11/18/25 17:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		1	763216	AXK	EET BUF	11/22/25 05:29

Client Sample ID: SAN-07-20251118
Lab Sample ID: 480-234626-7
Date Collected: 11/18/25 11:00
Matrix: Water
Date Received: 11/18/25 17:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		1	763216	AXK	EET BUF	11/22/25 05:53

Lab Chronicle

Client: ERM-Northeast
Job ID: 480-234626-1
Project/Site: Leica - Cheektowaga

Client Sample ID: STM-07-20251118
Lab Sample ID: 480-234626-8
Date Collected: 11/18/25 11:15
Matrix: Water
Date Received: 11/18/25 17:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		1	763216	AXK	EET BUF	11/22/25 06:17

Client Sample ID: STM-01-20251118
Lab Sample ID: 480-234626-9
Date Collected: 11/18/25 11:50
Matrix: Water
Date Received: 11/18/25 17:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		1	763216	AXK	EET BUF	11/22/25 06:40

Client Sample ID: SAN-01-20251118
Lab Sample ID: 480-234626-10
Date Collected: 11/18/25 12:05
Matrix: Water
Date Received: 11/18/25 17:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		1	763216	AXK	EET BUF	11/22/25 07:04

Client Sample ID: STM-09-20251118
Lab Sample ID: 480-234626-11
Date Collected: 11/18/25 12:25
Matrix: Water
Date Received: 11/18/25 17:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		1	763216	AXK	EET BUF	11/22/25 07:29

Client Sample ID: STM-02-20251118
Lab Sample ID: 480-234626-12
Date Collected: 11/18/25 12:50
Matrix: Water
Date Received: 11/18/25 17:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		1	763216	AXK	EET BUF	11/22/25 07:52

Client Sample ID: STM-03-20251118
Lab Sample ID: 480-234626-13
Date Collected: 11/18/25 13:15
Matrix: Water
Date Received: 11/18/25 17:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		1	763216	AXK	EET BUF	11/22/25 08:16

Client Sample ID: SAN-04-20251118
Lab Sample ID: 480-234626-14
Date Collected: 11/18/25 13:25
Matrix: Water
Date Received: 11/18/25 17:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		1	763216	AXK	EET BUF	11/22/25 08:40

Lab Chronicle

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-234626-1

Client Sample ID: STM-04-20251118
Lab Sample ID: 480-234626-15
Date Collected: 11/18/25 14:15
Matrix: Water
Date Received: 11/18/25 17:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		1	763216	AXK	EET BUF	11/22/25 09:05

Client Sample ID: STM-05-20251118
Lab Sample ID: 480-234626-16
Date Collected: 11/18/25 14:40
Matrix: Water
Date Received: 11/18/25 17:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		1	763216	AXK	EET BUF	11/22/25 09:28

Client Sample ID: SAN-05-20251118
Lab Sample ID: 480-234626-17
Date Collected: 11/18/25 14:55
Matrix: Water
Date Received: 11/18/25 17:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		1	763216	AXK	EET BUF	11/22/25 09:52

Client Sample ID: STM-06-20251118
Lab Sample ID: 480-234626-18
Date Collected: 11/18/25 15:10
Matrix: Water
Date Received: 11/18/25 17:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		1	763216	AXK	EET BUF	11/22/25 10:16

Client Sample ID: SAN-06-20251118
Lab Sample ID: 480-234626-19
Date Collected: 11/18/25 15:25
Matrix: Water
Date Received: 11/18/25 17:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	8260C		1	763216	AXK	EET BUF	11/22/25 10:40

Laboratory References:

EET BUF = Eurofins Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

Accreditation/Certification Summary

Client: ERM-Northeast
Job ID: 480-234626-1
Project/Site: Leica - Cheektowaga

Laboratory: Eurofins Buffalo

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
New York	NELAP	10026	03-31-26

Method Summary

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-234626-1

Method	Method Description	Protocol	Laboratory
8260C	Volatile Organic Compounds by GC/MS	SW846	EET BUF
5030C	Purge and Trap	SW846	EET BUF

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET BUF = Eurofins Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

Sample Summary

Client: ERM-Northeast
Job ID: 480-234626-1
Project/Site: Leica - Cheektowaga

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
480-234626-1	TB-01-20251118	Water	11/18/25 09:30	11/18/25 17:40	New York
480-234626-2	DUP-20251118	Water	11/18/25 12:00	11/18/25 17:40	New York
480-234626-3	EB-01-20251118	Water	11/18/25 09:35	11/18/25 17:40	New York
480-234626-4	EB-02-20251118	Water	11/18/25 09:40	11/18/25 17:40	New York
480-234626-5	STM-08-20251118	Water	11/18/25 10:05	11/18/25 17:40	New York
480-234626-6	SAN-08-20251118	Water	11/18/25 10:35	11/18/25 17:40	New York
480-234626-7	SAN-07-20251118	Water	11/18/25 11:00	11/18/25 17:40	New York
480-234626-8	STM-07-20251118	Water	11/18/25 11:15	11/18/25 17:40	New York
480-234626-9	STM-01-20251118	Water	11/18/25 11:50	11/18/25 17:40	New York
480-234626-10	SAN-01-20251118	Water	11/18/25 12:05	11/18/25 17:40	New York
480-234626-11	STM-09-20251118	Water	11/18/25 12:25	11/18/25 17:40	New York
480-234626-12	STM-02-20251118	Water	11/18/25 12:50	11/18/25 17:40	New York
480-234626-13	STM-03-20251118	Water	11/18/25 13:15	11/18/25 17:40	New York
480-234626-14	SAN-04-20251118	Water	11/18/25 13:25	11/18/25 17:40	New York
480-234626-15	STM-04-20251118	Water	11/18/25 14:15	11/18/25 17:40	New York
480-234626-16	STM-05-20251118	Water	11/18/25 14:40	11/18/25 17:40	New York
480-234626-17	SAN-05-20251118	Water	11/18/25 14:55	11/18/25 17:40	New York
480-234626-18	STM-06-20251118	Water	11/18/25 15:10	11/18/25 17:40	New York
480-234626-19	SAN-06-20251118	Water	11/18/25 15:25	11/18/25 17:40	New York

Amherst, NY 14228-2298
Phone: 716-691-2600 Fax: 716-691-7991

Chain of Custody Record

Syracuse eurofins Environment Testing

#225

Client Information	Sampler: Colleen / Christian N	Lab PM: Schove, John R	Carrier Tracking No(s):	COC No: 480-209267-40856.1
Client Contact: Tim Daniluk	Phone: 630-214-9559	E-Mail: John.Schove@et.eurofinsus.com	State of Origin: NY	Page: Page 1 of 2
Company: ERM-Northeast	PWSID:			Job #: 0757185
Address: 5784 Widewaters Pkwy	Due Date Requested:			
City: Dewitt	TAT Requested (days): Standard			
State, Zip: NY, 13214	Compliance Project: Δ Yes Δ No			
Phone: 630-214-9559	PO #: PN# 0709858			
Email: tim.daniluk@erm.com edd@erm.com team.herrera@erm.com	WO #: 0757185			
Project Name: LEICA-CHEEKTOWAGA	Project #: 48018461			
Site: New York	SSOW#:			

Analysis Requested

480-234626 Chain of Custody

Preservation Codes: A - HCL

Sample Identification	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air, DW=Drinking Water)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	8260C - TCL VOCs	Total Number of containers	Special Instructions/Note:
			Preservation Code:				A		
TB-01-20251118	11/18/25	9:30	~~G~~	Water	N	N	X	2	
DUP-20251118		12:00	~~X~~ G	Water	N	N	X	3	
EB-01-20251118		9:35	G	Water	N	N	X	3	
EB-02-20251118		9:40	G	Water	N	N	X	3	
STM-08-20251118		10:05	G	Water	N	Y	X	9	MS/MSD
SAN-08-20251118		10:35	G	Water	N	N	X	3	MS/MSD (N)
SAN-07-20251118		11:40	G	Water	N	N	X	3	
STM-07-20251118		11:15	G	Water	N	N	X	3	
STM-01-20251118		11:50	G	Water	N	N	X	3	
SAN-01-20251118		12:05	G	Water	N	N	X	3	
STM-09-20251118	11/18/25	12:25	G	Water	N	N	X	3	

Possible Hazard Identification
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☒ Unknown ☐ Radiological

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
☐ Return To Client ☒ Disposal By Lab ☐ Archive For _____ Months

Deliverable Requested: I, II, III, IV, Other (specify) NYSDEC Category B Level IV ERM EQuIS EDD

Special Instructions/QC Requirements:

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:

	Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
		11/18/25 17:40	ERM		11-18-25 1740	
	Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
	Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company

Custody Seals Intact: Δ Yes Δ No | Custody Seal No.:

Cooler Temperature(s) °C and Other Remarks: 3.4 IR Gun Ice

Ver: 10/10/2024

Client Information

Client Contact: Tim Daniluk	Sampler: Gillen/Christian W	Lab PM: Schove, John R	Carrier Tracking No(s): #225	COC No: 480-209267-40856.2
Company: ERM-Northeast	Phone: (614)-214-9559	E-Mail: John.Schove@et.eurofinsus.com	State of Origin: NY	Page: Page 2 of 2
Address: 5784 Widewaters Pkwy	PWSID:	Due Date Requested:		Job #: 0757185
City: Dewitt		TAT Requested (days): Standard		
State, Zip: NY, 13214		Compliance Project: Δ Yes Δ No		
Phone: (614)-214-9559		PO #: PN# 0709858		
Email: tim.daniluk@erm.com EDD@erm.com, EnvWorker@erm		WO #: 0757185		
Project Name: LEICA-CHEEKTOWAGA		Project #: 48018461		
Site: New York		SSOW#:		

Analysis Requested

Preservation Codes: A - HCL

Other:

Sample Identification	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air, DW=Drinking Water)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	8260C - TCL VOCs	Total Number of containers	Special Instructions/Note:
			Preservation Code:				A		
STM-02-20251118	11/18/25	12:50	G	Water	N	N	X	3	
STM-03-20251118		13:15	G	Water	N	N	X	3	
SAN-04-20251118		13:25	G	Water	N	N	X	3	
STM-04-20251118		14:15	G	Water	N	N	X	3	
STM-05-20251118		14:40	G	Water	N	N	X	3	
SAN-05-20251118		14:55	G	Water	N	N	X	3	
STM-06-20251118		15:10	G	Water	N	N	X	3	
SAN-06-20251118	11/18/25	15:25	G	Water	N	N	X	3	
				Water					
				Water					
				Water					

Possible Hazard Identification

☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☒ Unknown ☐ Radiological

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

☐ Return To Client ☒ Disposal By Lab ☐ Archive For _____ Months

Deliverable Requested: I, II, III, IV, Other (specify) AIP (24 B level IV

Special Instructions/QC Requirements: ERM Equis EDD

Empty Kit Relinquished by:		Date:	Time:	Method of Shipment:		
Relinquished by:	Date/Time: 11/18/25 DW	Company: ERM	Received by:	Date/Time: 11-18-25 1740	Company	
Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company	
Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company	

Custody Seals Intact: Δ Yes Δ No | Custody Seal No.: | Cooler Temperature(s) °C and Other Remarks:

Ver: 10/10/2024

Login Sample Receipt Checklist

Client: ERM-Northeast

Job Number: 480-234626-1

Login Number: 234626

List Source: Eurofins Buffalo

List Number: 1

Creator: Kolb, Chris M

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time (Excluding tests with immediate HTs)..	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Sampling Company provided.	True	ERM
Samples received within 48 hours of sampling.	True	
Samples requiring field filtration have been filtered in the field.	True	
Chlorine Residual checked.	N/A	

eurofins | Environment Testing

ANALYTICAL REPORT

PREPARED FOR

Attn: Tim Daniluk
ERM-Northeast
5784 Widewaters Pkwy
Dewitt, New York 13214

Generated 3/30/2026 8:28:32 AM

JOB DESCRIPTION

Leica - Cheektowaga

JOB NUMBER

480-237156-1

Eurofins Buffalo
10 Hazelwood Drive
Amherst NY 14228-2298


See page two for job notes and contact information.

Job Notes

This report may not be reproduced except in full, and with written approval from the laboratory. The results relate only to the samples tested. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

The test results in this report relate only to the samples as received by the laboratory and will meet all requirements of the methodology, with any exceptions noted. This report shall not be reproduced except in full, without the express written approval of the laboratory. All questions should be directed to the Eurofins Environment Testing Northeast, LLC Project Manager.

Authorization



Generated
3/30/2026 8:28:32 AM

Authorized for release by
Anton Gruning, Project Management Assistant I
Anton.Gruning@et.eurofinsus.com
(716)691-2600

Table of Contents

Cover Page 1
Table of Contents 3
Definitions/Glossary 4
Case Narrative 5
Detection Summary 6
Client Sample Results 8
Surrogate Summary 46
QC Sample Results 47
QC Association Summary 52
Lab Chronicle 53
Certification Summary 56
Method Summary 57
Sample Summary 58
Chain of Custody 59
Receipt Checklists 61

Definitions/Glossary

Client: ERM-Northeast
Job ID: 480-237156-1
Project/Site: Leica - Cheektowaga

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Reported value is estimated.
T	Indicated that a quality control parameter has exceeded laboratory limits
TH	QC Recovey is outside acceptable limits biased High.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
☼	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Job ID: 480-237156-1 Eurofins Buffalo

Job Narrative
480-237156-1

The analytical test results presented in this report meet all requirements of the associated regulatory program listed on the Accreditation/Certification Summary Page, unless otherwise noted. Data qualifiers and/or narrative comments are included to explain any exceptions, if applicable. Regulated compliance samples (e.g. SDWA, NPDES) must comply with associated agency requirements/permits.

- Matrix-specific batch QC (e.g., MS, MSD, SD) may not be reported when insufficient sample volume is available or when site-specific QC samples are not submitted. In such cases, a Laboratory Control Sample Duplicate (LCSD) may be analyzed to provide precision data for the batch.
- For samples analyzed using surrogate and/or isotope dilution analytes, any recoveries falling outside of established acceptance criteria are re-prepared and/or re-analyzed to confirm results, unless the deviation is due to sample dilution or otherwise explained in the case narrative.

Receipt
The samples were received on 3/24/2026 4:40 PM. Unless otherwise noted below, the samples arrived in good condition, and, where required, properly preserved and on ice. The temperature of the cooler at receipt time was 7.0°C.

GC/MS VOA
Method EPA 8260D: The Trip blank (TB), EB-01 and EB-02 for analytical batch 480-770882 contained Chloroform above the reporting limit (RL). This compound is considered a common laboratory contaminant. The associated sample(s) was not re-extracted and/or re-analyzed because the concentration of the common lab contaminant in the blank was less than 5 times the RL.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/ Glossary page.

Detection Summary

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-237156-1

Client Sample ID: TB-20260324-01 — Lab Sample ID: 480-237156-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloroform	1.0		1.0	0.34	ug/L	1		EPA 8260D	Total/NA

Client Sample ID: EB-01-20260324-01 — Lab Sample ID: 480-237156-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloroform	1.1		1.0	0.34	ug/L	1		EPA 8260D	Total/NA

Client Sample ID: EB-02-20260324-01 — Lab Sample ID: 480-237156-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloroform	1.0		1.0	0.34	ug/L	1		EPA 8260D	Total/NA

Client Sample ID: DUP-20260324-01 — Lab Sample ID: 480-237156-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	4.6		1.0	0.81	ug/L	1		EPA 8260D	Total/NA
Trichloroethene	0.89	J	1.0	0.46	ug/L	1		EPA 8260D	Total/NA

Client Sample ID: STM-08-20260324-01 — Lab Sample ID: 480-237156-5

No Detections.

Client Sample ID: STM-07-20260324-01 — Lab Sample ID: 480-237156-6

No Detections.

Client Sample ID: SAN-07-20260324-01 — Lab Sample ID: 480-237156-7

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	4.2		1.0	0.81	ug/L	1		EPA 8260D	Total/NA

Client Sample ID: SAN-08-20260324-01 — Lab Sample ID: 480-237156-8

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	4.7		1.0	0.81	ug/L	1		EPA 8260D	Total/NA
Trichloroethene	0.93	J	1.0	0.46	ug/L	1		EPA 8260D	Total/NA

Client Sample ID: STM-01-20260324-01 — Lab Sample ID: 480-237156-9

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloroform	0.38	J	1.0	0.34	ug/L	1		EPA 8260D	Total/NA

Client Sample ID: SAN-01-20260324-01 — Lab Sample ID: 480-237156-10

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	5.1		1.0	0.81	ug/L	1		EPA 8260D	Total/NA
Trichloroethene	0.83	J	1.0	0.46	ug/L	1		EPA 8260D	Total/NA

Client Sample ID: STM-09-20260324-01 — Lab Sample ID: 480-237156-11

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chlorodibromomethane	0.42	J	1.0	0.32	ug/L	1		EPA 8260D	Total/NA
Chloroform	1.8		1.0	0.34	ug/L	1		EPA 8260D	Total/NA
cis-1,2-Dichloroethene	5.0		1.0	0.81	ug/L	1		EPA 8260D	Total/NA
Trichloroethene	1.6		1.0	0.46	ug/L	1		EPA 8260D	Total/NA

This Detection Summary does not include radiochemical test results.

Detection Summary

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-237156-1

Client Sample ID: STM-02-20260324-01 — Lab Sample ID: 480-237156-12

No Detections.

Client Sample ID: SAN-04-20260324-01 — Lab Sample ID: 480-237156-13

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	2.4		1.0	0.81	ug/L	1		EPA 8260D	Total/NA
Trichloroethene	1.3		1.0	0.46	ug/L	1		EPA 8260D	Total/NA

Client Sample ID: STM-03-20260324-01 — Lab Sample ID: 480-237156-14

No Detections.

Client Sample ID: STM-04-20260324-01 — Lab Sample ID: 480-237156-15

No Detections.

Client Sample ID: STM-05-20260324-01 — Lab Sample ID: 480-237156-16

No Detections.

Client Sample ID: SAN-05-20260324-01 — Lab Sample ID: 480-237156-17

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	2.1		1.0	0.81	ug/L	1		EPA 8260D	Total/NA
Trichloroethene	0.86	J	1.0	0.46	ug/L	1		EPA 8260D	Total/NA

Client Sample ID: STM-06-20260324-01 — Lab Sample ID: 480-237156-18

No Detections.

Client Sample ID: SAN-06-20260324-01 — Lab Sample ID: 480-237156-19

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Chloroform	1.2		1.0	0.34	ug/L	1		EPA 8260D	Total/NA
cis-1,2-Dichloroethene	1.7		1.0	0.81	ug/L	1		EPA 8260D	Total/NA
Trichloroethene	0.69	J	1.0	0.46	ug/L	1		EPA 8260D	Total/NA

This Detection Summary does not include radiochemical test results.

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-237156-1

Client Sample ID: TB-20260324-01
Date Collected: 03/24/26 09:35
Date Received: 03/24/26 16:40

Lab Sample ID: 480-237156-1
Matrix: Water

Method: SW846 EPA 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.82	U	1.0	0.82	ug/L			03/25/26 13:15	1
1,1,2,2-Tetrachloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 13:15	1
1,1,2-Trichloroethane	0.23	U	1.0	0.23	ug/L			03/25/26 13:15	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31	ug/L			03/25/26 13:15	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			03/25/26 13:15	1
1,1-Dichloroethene	0.29	U	1.0	0.29	ug/L			03/25/26 13:15	1
1,2,4-Trichlorobenzene	0.41	U	1.0	0.41	ug/L			03/25/26 13:15	1
1,2-Dibromo-3-Chloropropane	0.39	U	1.0	0.39	ug/L			03/25/26 13:15	1
1,2-Dichlorobenzene	0.79	U	1.0	0.79	ug/L			03/25/26 13:15	1
1,2-Dichloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 13:15	1
1,2-Dichloropropane	0.72	U	1.0	0.72	ug/L			03/25/26 13:15	1
1,3-Dichlorobenzene	0.78	U	1.0	0.78	ug/L			03/25/26 13:15	1
1,4-Dichlorobenzene	0.84	U	1.0	0.84	ug/L			03/25/26 13:15	1
2-Butanone (MEK)	1.3	U	10	1.3	ug/L			03/25/26 13:15	1
2-Hexanone	1.2	U	5.0	1.2	ug/L			03/25/26 13:15	1
4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1	ug/L			03/25/26 13:15	1
Acetone	3.0	U	10	3.0	ug/L			03/25/26 13:15	1
Benzene	0.41	U	1.0	0.41	ug/L			03/25/26 13:15	1
Dichlorobromomethane	0.39	U	1.0	0.39	ug/L			03/25/26 13:15	1
Bromoform	0.26	U	1.0	0.26	ug/L			03/25/26 13:15	1
Bromomethane	0.69	U	1.0	0.69	ug/L			03/25/26 13:15	1
Carbon disulfide	0.19	U	1.0	0.19	ug/L			03/25/26 13:15	1
Carbon tetrachloride	0.27	U	1.0	0.27	ug/L			03/25/26 13:15	1
Chlorobenzene	0.75	U	1.0	0.75	ug/L			03/25/26 13:15	1
Chlorodibromomethane	0.32	U	1.0	0.32	ug/L			03/25/26 13:15	1
Chloroethane	0.32	U	1.0	0.32	ug/L			03/25/26 13:15	1
Chloroform	**1.0**		1.0	0.34	ug/L			03/25/26 13:15	1
Chloromethane	0.35	U	1.0	0.35	ug/L			03/25/26 13:15	1
cis-1,2-Dichloroethene	0.81	U	1.0	0.81	ug/L			03/25/26 13:15	1
cis-1,3-Dichloropropene	0.36	U	1.0	0.36	ug/L			03/25/26 13:15	1
Cyclohexane	0.18	U	1.0	0.18	ug/L			03/25/26 13:15	1
Dichlorodifluoromethane	0.68	U	1.0	0.68	ug/L			03/25/26 13:15	1
Ethylbenzene	0.74	U	1.0	0.74	ug/L			03/25/26 13:15	1
1,2-Dibromoethane	0.73	U	1.0	0.73	ug/L			03/25/26 13:15	1
Isopropylbenzene	0.79	U	1.0	0.79	ug/L			03/25/26 13:15	1
Methyl acetate	1.3	U	2.5	1.3	ug/L			03/25/26 13:15	1
Methyl tert-butyl ether	0.16	U	1.0	0.16	ug/L			03/25/26 13:15	1
Methylcyclohexane	0.16	U	1.0	0.16	ug/L			03/25/26 13:15	1
Methylene Chloride	0.44	U	1.0	0.44	ug/L			03/25/26 13:15	1
Styrene	0.73	U	1.0	0.73	ug/L			03/25/26 13:15	1
Tetrachloroethene	0.36	U	1.0	0.36	ug/L			03/25/26 13:15	1
Toluene	0.51	U	1.0	0.51	ug/L			03/25/26 13:15	1
trans-1,2-Dichloroethene	0.90	U	1.0	0.90	ug/L			03/25/26 13:15	1
trans-1,3-Dichloropropene	0.37	U	1.0	0.37	ug/L			03/25/26 13:15	1
Trichloroethene	0.46	U	1.0	0.46	ug/L			03/25/26 13:15	1
Trichlorofluoromethane	0.88	U	1.0	0.88	ug/L			03/25/26 13:15	1
Vinyl chloride	0.90	U	1.0	0.90	ug/L			03/25/26 13:15	1
Xylenes, Total	0.66	U	2.0	0.66	ug/L			03/25/26 13:15	1

Client: ERM-Northeast
Job ID: 480-237156-1
Project/Site: Leica - Cheektowaga

Client Sample ID: TB-20260324-01
Lab Sample ID: 480-237156-1
Date Collected: 03/24/26 09:35
Matrix: Water
Date Received: 03/24/26 16:40

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	106		80 - 120		03/25/26 13:15	1
1,2-Dichloroethane-d4 (Surr)	105		77 - 120		03/25/26 13:15	1
4-Bromofluorobenzene (Surr)	85		73 - 120		03/25/26 13:15	1
Dibromofluoromethane (Surr)	105		75 - 123		03/25/26 13:15	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-237156-1

Client Sample ID: EB-01-20260324-01
Date Collected: 03/24/26 09:40
Date Received: 03/24/26 16:40

Lab Sample ID: 480-237156-2
Matrix: Water

Method: SW846 EPA 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.82	U	1.0	0.82	ug/L			03/25/26 13:38	1
1,1,2,2-Tetrachloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 13:38	1
1,1,2-Trichloroethane	0.23	U	1.0	0.23	ug/L			03/25/26 13:38	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31	ug/L			03/25/26 13:38	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			03/25/26 13:38	1
1,1-Dichloroethene	0.29	U	1.0	0.29	ug/L			03/25/26 13:38	1
1,2,4-Trichlorobenzene	0.41	U	1.0	0.41	ug/L			03/25/26 13:38	1
1,2-Dibromo-3-Chloropropane	0.39	U	1.0	0.39	ug/L			03/25/26 13:38	1
1,2-Dichlorobenzene	0.79	U	1.0	0.79	ug/L			03/25/26 13:38	1
1,2-Dichloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 13:38	1
1,2-Dichloropropane	0.72	U	1.0	0.72	ug/L			03/25/26 13:38	1
1,3-Dichlorobenzene	0.78	U	1.0	0.78	ug/L			03/25/26 13:38	1
1,4-Dichlorobenzene	0.84	U	1.0	0.84	ug/L			03/25/26 13:38	1
2-Butanone (MEK)	1.3	U	10	1.3	ug/L			03/25/26 13:38	1
2-Hexanone	1.2	U	5.0	1.2	ug/L			03/25/26 13:38	1
4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1	ug/L			03/25/26 13:38	1
Acetone	3.0	U	10	3.0	ug/L			03/25/26 13:38	1
Benzene	0.41	U	1.0	0.41	ug/L			03/25/26 13:38	1
Dichlorobromomethane	0.39	U	1.0	0.39	ug/L			03/25/26 13:38	1
Bromoform	0.26	U	1.0	0.26	ug/L			03/25/26 13:38	1
Bromomethane	0.69	U	1.0	0.69	ug/L			03/25/26 13:38	1
Carbon disulfide	0.19	U	1.0	0.19	ug/L			03/25/26 13:38	1
Carbon tetrachloride	0.27	U	1.0	0.27	ug/L			03/25/26 13:38	1
Chlorobenzene	0.75	U	1.0	0.75	ug/L			03/25/26 13:38	1
Chlorodibromomethane	0.32	U	1.0	0.32	ug/L			03/25/26 13:38	1
Chloroethane	0.32	U	1.0	0.32	ug/L			03/25/26 13:38	1
Chloroform	**1.1**		1.0	0.34	ug/L			03/25/26 13:38	1
Chloromethane	0.35	U	1.0	0.35	ug/L			03/25/26 13:38	1
cis-1,2-Dichloroethene	0.81	U	1.0	0.81	ug/L			03/25/26 13:38	1
cis-1,3-Dichloropropene	0.36	U	1.0	0.36	ug/L			03/25/26 13:38	1
Cyclohexane	0.18	U	1.0	0.18	ug/L			03/25/26 13:38	1
Dichlorodifluoromethane	0.68	U	1.0	0.68	ug/L			03/25/26 13:38	1
Ethylbenzene	0.74	U	1.0	0.74	ug/L			03/25/26 13:38	1
1,2-Dibromoethane	0.73	U	1.0	0.73	ug/L			03/25/26 13:38	1
Isopropylbenzene	0.79	U	1.0	0.79	ug/L			03/25/26 13:38	1
Methyl acetate	1.3	U	2.5	1.3	ug/L			03/25/26 13:38	1
Methyl tert-butyl ether	0.16	U	1.0	0.16	ug/L			03/25/26 13:38	1
Methylcyclohexane	0.16	U	1.0	0.16	ug/L			03/25/26 13:38	1
Methylene Chloride	0.44	U	1.0	0.44	ug/L			03/25/26 13:38	1
Styrene	0.73	U	1.0	0.73	ug/L			03/25/26 13:38	1
Tetrachloroethene	0.36	U	1.0	0.36	ug/L			03/25/26 13:38	1
Toluene	0.51	U	1.0	0.51	ug/L			03/25/26 13:38	1
trans-1,2-Dichloroethene	0.90	U	1.0	0.90	ug/L			03/25/26 13:38	1
trans-1,3-Dichloropropene	0.37	U	1.0	0.37	ug/L			03/25/26 13:38	1
Trichloroethene	0.46	U	1.0	0.46	ug/L			03/25/26 13:38	1
Trichlorofluoromethane	0.88	U	1.0	0.88	ug/L			03/25/26 13:38	1
Vinyl chloride	0.90	U	1.0	0.90	ug/L			03/25/26 13:38	1
Xylenes, Total	0.66	U	2.0	0.66	ug/L			03/25/26 13:38	1

Client: ERM-Northeast
Job ID: 480-237156-1
Project/Site: Leica - Cheektowaga

Client Sample ID: EB-01-20260324-01
Lab Sample ID: 480-237156-2
Date Collected: 03/24/26 09:40
Matrix: Water
Date Received: 03/24/26 16:40

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	108		80 - 120		03/25/26 13:38	1
1,2-Dichloroethane-d4 (Surr)	105		77 - 120		03/25/26 13:38	1
4-Bromofluorobenzene (Surr)	85		73 - 120		03/25/26 13:38	1
Dibromofluoromethane (Surr)	105		75 - 123		03/25/26 13:38	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-237156-1

Client Sample ID: EB-02-20260324-01
Date Collected: 03/24/26 09:45
Date Received: 03/24/26 16:40

Lab Sample ID: 480-237156-3
Matrix: Water

Method: SW846 EPA 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.82	U	1.0	0.82	ug/L			03/25/26 14:00	1
1,1,2,2-Tetrachloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 14:00	1
1,1,2-Trichloroethane	0.23	U	1.0	0.23	ug/L			03/25/26 14:00	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31	ug/L			03/25/26 14:00	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			03/25/26 14:00	1
1,1-Dichloroethene	0.29	U	1.0	0.29	ug/L			03/25/26 14:00	1
1,2,4-Trichlorobenzene	0.41	U	1.0	0.41	ug/L			03/25/26 14:00	1
1,2-Dibromo-3-Chloropropane	0.39	U	1.0	0.39	ug/L			03/25/26 14:00	1
1,2-Dichlorobenzene	0.79	U	1.0	0.79	ug/L			03/25/26 14:00	1
1,2-Dichloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 14:00	1
1,2-Dichloropropane	0.72	U	1.0	0.72	ug/L			03/25/26 14:00	1
1,3-Dichlorobenzene	0.78	U	1.0	0.78	ug/L			03/25/26 14:00	1
1,4-Dichlorobenzene	0.84	U	1.0	0.84	ug/L			03/25/26 14:00	1
2-Butanone (MEK)	1.3	U	10	1.3	ug/L			03/25/26 14:00	1
2-Hexanone	1.2	U	5.0	1.2	ug/L			03/25/26 14:00	1
4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1	ug/L			03/25/26 14:00	1
Acetone	3.0	U	10	3.0	ug/L			03/25/26 14:00	1
Benzene	0.41	U	1.0	0.41	ug/L			03/25/26 14:00	1
Dichlorobromomethane	0.39	U	1.0	0.39	ug/L			03/25/26 14:00	1
Bromoform	0.26	U	1.0	0.26	ug/L			03/25/26 14:00	1
Bromomethane	0.69	U	1.0	0.69	ug/L			03/25/26 14:00	1
Carbon disulfide	0.19	U	1.0	0.19	ug/L			03/25/26 14:00	1
Carbon tetrachloride	0.27	U	1.0	0.27	ug/L			03/25/26 14:00	1
Chlorobenzene	0.75	U	1.0	0.75	ug/L			03/25/26 14:00	1
Chlorodibromomethane	0.32	U	1.0	0.32	ug/L			03/25/26 14:00	1
Chloroethane	0.32	U	1.0	0.32	ug/L			03/25/26 14:00	1
Chloroform	**1.0**		1.0	0.34	ug/L			03/25/26 14:00	1
Chloromethane	0.35	U	1.0	0.35	ug/L			03/25/26 14:00	1
cis-1,2-Dichloroethene	0.81	U	1.0	0.81	ug/L			03/25/26 14:00	1
cis-1,3-Dichloropropene	0.36	U	1.0	0.36	ug/L			03/25/26 14:00	1
Cyclohexane	0.18	U	1.0	0.18	ug/L			03/25/26 14:00	1
Dichlorodifluoromethane	0.68	U	1.0	0.68	ug/L			03/25/26 14:00	1
Ethylbenzene	0.74	U	1.0	0.74	ug/L			03/25/26 14:00	1
1,2-Dibromoethane	0.73	U	1.0	0.73	ug/L			03/25/26 14:00	1
Isopropylbenzene	0.79	U	1.0	0.79	ug/L			03/25/26 14:00	1
Methyl acetate	1.3	U	2.5	1.3	ug/L			03/25/26 14:00	1
Methyl tert-butyl ether	0.16	U	1.0	0.16	ug/L			03/25/26 14:00	1
Methylcyclohexane	0.16	U	1.0	0.16	ug/L			03/25/26 14:00	1
Methylene Chloride	0.44	U	1.0	0.44	ug/L			03/25/26 14:00	1
Styrene	0.73	U	1.0	0.73	ug/L			03/25/26 14:00	1
Tetrachloroethene	0.36	U	1.0	0.36	ug/L			03/25/26 14:00	1
Toluene	0.51	U	1.0	0.51	ug/L			03/25/26 14:00	1
trans-1,2-Dichloroethene	0.90	U	1.0	0.90	ug/L			03/25/26 14:00	1
trans-1,3-Dichloropropene	0.37	U	1.0	0.37	ug/L			03/25/26 14:00	1
Trichloroethene	0.46	U	1.0	0.46	ug/L			03/25/26 14:00	1
Trichlorofluoromethane	0.88	U	1.0	0.88	ug/L			03/25/26 14:00	1
Vinyl chloride	0.90	U	1.0	0.90	ug/L			03/25/26 14:00	1
Xylenes, Total	0.66	U	2.0	0.66	ug/L			03/25/26 14:00	1

Client: ERM-Northeast
Job ID: 480-237156-1
Project/Site: Leica - Cheektowaga

Client Sample ID: EB-02-20260324-01
Lab Sample ID: 480-237156-3
Date Collected: 03/24/26 09:45
Matrix: Water
Date Received: 03/24/26 16:40

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	105		80 - 120		03/25/26 14:00	1
1,2-Dichloroethane-d4 (Surr)	103		77 - 120		03/25/26 14:00	1
4-Bromofluorobenzene (Surr)	86		73 - 120		03/25/26 14:00	1
Dibromofluoromethane (Surr)	102		75 - 123		03/25/26 14:00	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-237156-1

Client Sample ID: DUP-20260324-01
Date Collected: 03/24/26 12:00
Date Received: 03/24/26 16:40

Lab Sample ID: 480-237156-4
Matrix: Water

Method: SW846 EPA 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.82	U	1.0	0.82	ug/L			03/25/26 14:22	1
1,1,2,2-Tetrachloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 14:22	1
1,1,2-Trichloroethane	0.23	U	1.0	0.23	ug/L			03/25/26 14:22	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31	ug/L			03/25/26 14:22	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			03/25/26 14:22	1
1,1-Dichloroethene	0.29	U	1.0	0.29	ug/L			03/25/26 14:22	1
1,2,4-Trichlorobenzene	0.41	U	1.0	0.41	ug/L			03/25/26 14:22	1
1,2-Dibromo-3-Chloropropane	0.39	U	1.0	0.39	ug/L			03/25/26 14:22	1
1,2-Dichlorobenzene	0.79	U	1.0	0.79	ug/L			03/25/26 14:22	1
1,2-Dichloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 14:22	1
1,2-Dichloropropane	0.72	U	1.0	0.72	ug/L			03/25/26 14:22	1
1,3-Dichlorobenzene	0.78	U	1.0	0.78	ug/L			03/25/26 14:22	1
1,4-Dichlorobenzene	0.84	U	1.0	0.84	ug/L			03/25/26 14:22	1
2-Butanone (MEK)	1.3	U	10	1.3	ug/L			03/25/26 14:22	1
2-Hexanone	1.2	U	5.0	1.2	ug/L			03/25/26 14:22	1
4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1	ug/L			03/25/26 14:22	1
Acetone	3.0	U	10	3.0	ug/L			03/25/26 14:22	1
Benzene	0.41	U	1.0	0.41	ug/L			03/25/26 14:22	1
Dichlorobromomethane	0.39	U	1.0	0.39	ug/L			03/25/26 14:22	1
Bromoform	0.26	U	1.0	0.26	ug/L			03/25/26 14:22	1
Bromomethane	0.69	U	1.0	0.69	ug/L			03/25/26 14:22	1
Carbon disulfide	0.19	U	1.0	0.19	ug/L			03/25/26 14:22	1
Carbon tetrachloride	0.27	U	1.0	0.27	ug/L			03/25/26 14:22	1
Chlorobenzene	0.75	U	1.0	0.75	ug/L			03/25/26 14:22	1
Chlorodibromomethane	0.32	U	1.0	0.32	ug/L			03/25/26 14:22	1
Chloroethane	0.32	U	1.0	0.32	ug/L			03/25/26 14:22	1
Chloroform	0.34	U	1.0	0.34	ug/L			03/25/26 14:22	1
Chloromethane	0.35	U	1.0	0.35	ug/L			03/25/26 14:22	1
cis-1,2-Dichloroethene	**4.6**		1.0	0.81	ug/L			03/25/26 14:22	1
cis-1,3-Dichloropropene	0.36	U	1.0	0.36	ug/L			03/25/26 14:22	1
Cyclohexane	0.18	U	1.0	0.18	ug/L			03/25/26 14:22	1
Dichlorodifluoromethane	0.68	U	1.0	0.68	ug/L			03/25/26 14:22	1
Ethylbenzene	0.74	U	1.0	0.74	ug/L			03/25/26 14:22	1
1,2-Dibromoethane	0.73	U	1.0	0.73	ug/L			03/25/26 14:22	1
Isopropylbenzene	0.79	U	1.0	0.79	ug/L			03/25/26 14:22	1
Methyl acetate	1.3	U	2.5	1.3	ug/L			03/25/26 14:22	1
Methyl tert-butyl ether	0.16	U	1.0	0.16	ug/L			03/25/26 14:22	1
Methylcyclohexane	0.16	U	1.0	0.16	ug/L			03/25/26 14:22	1
Methylene Chloride	0.44	U	1.0	0.44	ug/L			03/25/26 14:22	1
Styrene	0.73	U	1.0	0.73	ug/L			03/25/26 14:22	1
Tetrachloroethene	0.36	U	1.0	0.36	ug/L			03/25/26 14:22	1
Toluene	0.51	U	1.0	0.51	ug/L			03/25/26 14:22	1
trans-1,2-Dichloroethene	0.90	U	1.0	0.90	ug/L			03/25/26 14:22	1
trans-1,3-Dichloropropene	0.37	U	1.0	0.37	ug/L			03/25/26 14:22	1
Trichloroethene	**0.89**	**J**	1.0	0.46	ug/L			03/25/26 14:22	1
Trichlorofluoromethane	0.88	U	1.0	0.88	ug/L			03/25/26 14:22	1
Vinyl chloride	0.90	U	1.0	0.90	ug/L			03/25/26 14:22	1
Xylenes, Total	0.66	U	2.0	0.66	ug/L			03/25/26 14:22	1

Client: ERM-Northeast
Job ID: 480-237156-1
Project/Site: Leica - Cheektowaga

Client Sample ID: DUP-20260324-01
Lab Sample ID: 480-237156-4
Date Collected: 03/24/26 12:00
Matrix: Water
Date Received: 03/24/26 16:40

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	105		80 - 120		03/25/26 14:22	1
1,2-Dichloroethane-d4 (Surr)	104		77 - 120		03/25/26 14:22	1
4-Bromofluorobenzene (Surr)	89		73 - 120		03/25/26 14:22	1
Dibromofluoromethane (Surr)	102		75 - 123		03/25/26 14:22	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-237156-1

Client Sample ID: STM-08-20260324-01
Date Collected: 03/24/26 09:55
Date Received: 03/24/26 16:40

Lab Sample ID: 480-237156-5
Matrix: Water

Method: SW846 EPA 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.82	U	1.0	0.82	ug/L			03/25/26 14:44	1
1,1,2,2-Tetrachloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 14:44	1
1,1,2-Trichloroethane	0.23	U	1.0	0.23	ug/L			03/25/26 14:44	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31	ug/L			03/25/26 14:44	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			03/25/26 14:44	1
1,1-Dichloroethene	0.29	U	1.0	0.29	ug/L			03/25/26 14:44	1
1,2,4-Trichlorobenzene	0.41	U	1.0	0.41	ug/L			03/25/26 14:44	1
1,2-Dibromo-3-Chloropropane	0.39	U	1.0	0.39	ug/L			03/25/26 14:44	1
1,2-Dichlorobenzene	0.79	U	1.0	0.79	ug/L			03/25/26 14:44	1
1,2-Dichloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 14:44	1
1,2-Dichloropropane	0.72	U	1.0	0.72	ug/L			03/25/26 14:44	1
1,3-Dichlorobenzene	0.78	U	1.0	0.78	ug/L			03/25/26 14:44	1
1,4-Dichlorobenzene	0.84	U	1.0	0.84	ug/L			03/25/26 14:44	1
2-Butanone (MEK)	1.3	U	10	1.3	ug/L			03/25/26 14:44	1
2-Hexanone	1.2	U	5.0	1.2	ug/L			03/25/26 14:44	1
4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1	ug/L			03/25/26 14:44	1
Acetone	3.0	U	10	3.0	ug/L			03/25/26 14:44	1
Benzene	0.41	U	1.0	0.41	ug/L			03/25/26 14:44	1
Dichlorobromomethane	0.39	U	1.0	0.39	ug/L			03/25/26 14:44	1
Bromoform	0.26	U	1.0	0.26	ug/L			03/25/26 14:44	1
Bromomethane	0.69	U	1.0	0.69	ug/L			03/25/26 14:44	1
Carbon disulfide	0.19	U	1.0	0.19	ug/L			03/25/26 14:44	1
Carbon tetrachloride	0.27	U	1.0	0.27	ug/L			03/25/26 14:44	1
Chlorobenzene	0.75	U	1.0	0.75	ug/L			03/25/26 14:44	1
Chlorodibromomethane	0.32	U	1.0	0.32	ug/L			03/25/26 14:44	1
Chloroethane	0.32	U	1.0	0.32	ug/L			03/25/26 14:44	1
Chloroform	0.34	U	1.0	0.34	ug/L			03/25/26 14:44	1
Chloromethane	0.35	U	1.0	0.35	ug/L			03/25/26 14:44	1
cis-1,2-Dichloroethene	0.81	U	1.0	0.81	ug/L			03/25/26 14:44	1
cis-1,3-Dichloropropene	0.36	U	1.0	0.36	ug/L			03/25/26 14:44	1
Cyclohexane	0.18	U	1.0	0.18	ug/L			03/25/26 14:44	1
Dichlorodifluoromethane	0.68	U	1.0	0.68	ug/L			03/25/26 14:44	1
Ethylbenzene	0.74	U	1.0	0.74	ug/L			03/25/26 14:44	1
1,2-Dibromoethane	0.73	U	1.0	0.73	ug/L			03/25/26 14:44	1
Isopropylbenzene	0.79	U	1.0	0.79	ug/L			03/25/26 14:44	1
Methyl acetate	1.3	U	2.5	1.3	ug/L			03/25/26 14:44	1
Methyl tert-butyl ether	0.16	U	1.0	0.16	ug/L			03/25/26 14:44	1
Methylcyclohexane	0.16	U	1.0	0.16	ug/L			03/25/26 14:44	1
Methylene Chloride	0.44	U	1.0	0.44	ug/L			03/25/26 14:44	1
Styrene	0.73	U	1.0	0.73	ug/L			03/25/26 14:44	1
Tetrachloroethene	0.36	U	1.0	0.36	ug/L			03/25/26 14:44	1
Toluene	0.51	U	1.0	0.51	ug/L			03/25/26 14:44	1
trans-1,2-Dichloroethene	0.90	U	1.0	0.90	ug/L			03/25/26 14:44	1
trans-1,3-Dichloropropene	0.37	U	1.0	0.37	ug/L			03/25/26 14:44	1
Trichloroethene	0.46	U	1.0	0.46	ug/L			03/25/26 14:44	1
Trichlorofluoromethane	0.88	U	1.0	0.88	ug/L			03/25/26 14:44	1
Vinyl chloride	0.90	U	1.0	0.90	ug/L			03/25/26 14:44	1
Xylenes, Total	0.66	U	2.0	0.66	ug/L			03/25/26 14:44	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-237156-1

Client Sample ID: STM-08-20260324-01
Date Collected: 03/24/26 09:55
Date Received: 03/24/26 16:40

Lab Sample ID: 480-237156-5
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	107		80 - 120		03/25/26 14:44	1
1,2-Dichloroethane-d4 (Surr)	106		77 - 120		03/25/26 14:44	1
4-Bromofluorobenzene (Surr)	88		73 - 120		03/25/26 14:44	1
Dibromofluoromethane (Surr)	104		75 - 123		03/25/26 14:44	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-237156-1

Client Sample ID: STM-07-20260324-01
Date Collected: 03/24/26 10:15
Date Received: 03/24/26 16:40

Lab Sample ID: 480-237156-6
Matrix: Water

Method: SW846 EPA 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.82	U TH T	1.0	0.82	ug/L			03/25/26 15:07	1
1,1,2,2-Tetrachloroethane	0.21	U TH T	1.0	0.21	ug/L			03/25/26 15:07	1
1,1,2-Trichloroethane	0.23	U T	1.0	0.23	ug/L			03/25/26 15:07	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31	ug/L			03/25/26 15:07	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			03/25/26 15:07	1
1,1-Dichloroethene	0.29	U TH T	1.0	0.29	ug/L			03/25/26 15:07	1
1,2,4-Trichlorobenzene	0.41	U TH T	1.0	0.41	ug/L			03/25/26 15:07	1
1,2-Dibromo-3-Chloropropane	0.39	U TH	1.0	0.39	ug/L			03/25/26 15:07	1
1,2-Dichlorobenzene	0.79	U TH	1.0	0.79	ug/L			03/25/26 15:07	1
1,2-Dichloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 15:07	1
1,2-Dichloropropane	0.72	U	1.0	0.72	ug/L			03/25/26 15:07	1
1,3-Dichlorobenzene	0.78	U	1.0	0.78	ug/L			03/25/26 15:07	1
1,4-Dichlorobenzene	0.84	U	1.0	0.84	ug/L			03/25/26 15:07	1
2-Butanone (MEK)	1.3	U	10	1.3	ug/L			03/25/26 15:07	1
2-Hexanone	1.2	U	5.0	1.2	ug/L			03/25/26 15:07	1
4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1	ug/L			03/25/26 15:07	1
Acetone	3.0	U T	10	3.0	ug/L			03/25/26 15:07	1
Benzene	0.41	U T	1.0	0.41	ug/L			03/25/26 15:07	1
Dichlorobromomethane	0.39	U T	1.0	0.39	ug/L			03/25/26 15:07	1
Bromoform	0.26	U	1.0	0.26	ug/L			03/25/26 15:07	1
Bromomethane	0.69	U T	1.0	0.69	ug/L			03/25/26 15:07	1
Carbon disulfide	0.19	U T	1.0	0.19	ug/L			03/25/26 15:07	1
Carbon tetrachloride	0.27	U TH T	1.0	0.27	ug/L			03/25/26 15:07	1
Chlorobenzene	0.75	U	1.0	0.75	ug/L			03/25/26 15:07	1
Chlorodibromomethane	0.32	U T	1.0	0.32	ug/L			03/25/26 15:07	1
Chloroethane	0.32	U T	1.0	0.32	ug/L			03/25/26 15:07	1
Chloroform	0.34	U	1.0	0.34	ug/L			03/25/26 15:07	1
Chloromethane	0.35	U	1.0	0.35	ug/L			03/25/26 15:07	1
cis-1,2-Dichloroethene	0.81	U T	1.0	0.81	ug/L			03/25/26 15:07	1
cis-1,3-Dichloropropene	0.36	U	1.0	0.36	ug/L			03/25/26 15:07	1
Cyclohexane	0.18	U	1.0	0.18	ug/L			03/25/26 15:07	1
Dichlorodifluoromethane	0.68	U	1.0	0.68	ug/L			03/25/26 15:07	1
Ethylbenzene	0.74	U T	1.0	0.74	ug/L			03/25/26 15:07	1
1,2-Dibromoethane	0.73	U T	1.0	0.73	ug/L			03/25/26 15:07	1
Isopropylbenzene	0.79	U TH	1.0	0.79	ug/L			03/25/26 15:07	1
Methyl acetate	1.3	U	2.5	1.3	ug/L			03/25/26 15:07	1
Methyl tert-butyl ether	0.16	U	1.0	0.16	ug/L			03/25/26 15:07	1
Methylcyclohexane	0.16	U	1.0	0.16	ug/L			03/25/26 15:07	1
Methylene Chloride	0.44	U T	1.0	0.44	ug/L			03/25/26 15:07	1
Styrene	0.73	U	1.0	0.73	ug/L			03/25/26 15:07	1
Tetrachloroethene	0.36	U TH	1.0	0.36	ug/L			03/25/26 15:07	1
Toluene	0.51	U TH T	1.0	0.51	ug/L			03/25/26 15:07	1
trans-1,2-Dichloroethene	0.90	U	1.0	0.90	ug/L			03/25/26 15:07	1
trans-1,3-Dichloropropene	0.37	U T	1.0	0.37	ug/L			03/25/26 15:07	1
Trichloroethene	0.46	U	1.0	0.46	ug/L			03/25/26 15:07	1
Trichlorofluoromethane	0.88	U	1.0	0.88	ug/L			03/25/26 15:07	1
Vinyl chloride	0.90	U T	1.0	0.90	ug/L			03/25/26 15:07	1
Xylenes, Total	0.66	U T	2.0	0.66	ug/L			03/25/26 15:07	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-237156-1

Client Sample ID: STM-07-20260324-01
Date Collected: 03/24/26 10:15
Date Received: 03/24/26 16:40

Lab Sample ID: 480-237156-6
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	104		80 - 120		03/25/26 15:07	1
1,2-Dichloroethane-d4 (Surr)	105		77 - 120		03/25/26 15:07	1
4-Bromofluorobenzene (Surr)	89		73 - 120		03/25/26 15:07	1
Dibromofluoromethane (Surr)	103		75 - 123		03/25/26 15:07	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-237156-1

Client Sample ID: SAN-07-20260324-01
Date Collected: 03/24/26 10:35
Date Received: 03/24/26 16:40

Lab Sample ID: 480-237156-7
Matrix: Water

Method: SW846 EPA 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.82	U	1.0	0.82	ug/L			03/25/26 15:29	1
1,1,2,2-Tetrachloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 15:29	1
1,1,2-Trichloroethane	0.23	U	1.0	0.23	ug/L			03/25/26 15:29	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31	ug/L			03/25/26 15:29	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			03/25/26 15:29	1
1,1-Dichloroethene	0.29	U	1.0	0.29	ug/L			03/25/26 15:29	1
1,2,4-Trichlorobenzene	0.41	U	1.0	0.41	ug/L			03/25/26 15:29	1
1,2-Dibromo-3-Chloropropane	0.39	U	1.0	0.39	ug/L			03/25/26 15:29	1
1,2-Dichlorobenzene	0.79	U	1.0	0.79	ug/L			03/25/26 15:29	1
1,2-Dichloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 15:29	1
1,2-Dichloropropane	0.72	U	1.0	0.72	ug/L			03/25/26 15:29	1
1,3-Dichlorobenzene	0.78	U	1.0	0.78	ug/L			03/25/26 15:29	1
1,4-Dichlorobenzene	0.84	U	1.0	0.84	ug/L			03/25/26 15:29	1
2-Butanone (MEK)	1.3	U	10	1.3	ug/L			03/25/26 15:29	1
2-Hexanone	1.2	U	5.0	1.2	ug/L			03/25/26 15:29	1
4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1	ug/L			03/25/26 15:29	1
Acetone	3.0	U	10	3.0	ug/L			03/25/26 15:29	1
Benzene	0.41	U	1.0	0.41	ug/L			03/25/26 15:29	1
Dichlorobromomethane	0.39	U	1.0	0.39	ug/L			03/25/26 15:29	1
Bromoform	0.26	U	1.0	0.26	ug/L			03/25/26 15:29	1
Bromomethane	0.69	U	1.0	0.69	ug/L			03/25/26 15:29	1
Carbon disulfide	0.19	U	1.0	0.19	ug/L			03/25/26 15:29	1
Carbon tetrachloride	0.27	U	1.0	0.27	ug/L			03/25/26 15:29	1
Chlorobenzene	0.75	U	1.0	0.75	ug/L			03/25/26 15:29	1
Chlorodibromomethane	0.32	U	1.0	0.32	ug/L			03/25/26 15:29	1
Chloroethane	0.32	U	1.0	0.32	ug/L			03/25/26 15:29	1
Chloroform	0.34	U	1.0	0.34	ug/L			03/25/26 15:29	1
Chloromethane	0.35	U	1.0	0.35	ug/L			03/25/26 15:29	1
cis-1,2-Dichloroethene	**4.2**		1.0	0.81	ug/L			03/25/26 15:29	1
cis-1,3-Dichloropropene	0.36	U	1.0	0.36	ug/L			03/25/26 15:29	1
Cyclohexane	0.18	U	1.0	0.18	ug/L			03/25/26 15:29	1
Dichlorodifluoromethane	0.68	U	1.0	0.68	ug/L			03/25/26 15:29	1
Ethylbenzene	0.74	U	1.0	0.74	ug/L			03/25/26 15:29	1
1,2-Dibromoethane	0.73	U	1.0	0.73	ug/L			03/25/26 15:29	1
Isopropylbenzene	0.79	U	1.0	0.79	ug/L			03/25/26 15:29	1
Methyl acetate	1.3	U	2.5	1.3	ug/L			03/25/26 15:29	1
Methyl tert-butyl ether	0.16	U	1.0	0.16	ug/L			03/25/26 15:29	1
Methylcyclohexane	0.16	U	1.0	0.16	ug/L			03/25/26 15:29	1
Methylene Chloride	0.44	U	1.0	0.44	ug/L			03/25/26 15:29	1
Styrene	0.73	U	1.0	0.73	ug/L			03/25/26 15:29	1
Tetrachloroethene	0.36	U	1.0	0.36	ug/L			03/25/26 15:29	1
Toluene	0.51	U	1.0	0.51	ug/L			03/25/26 15:29	1
trans-1,2-Dichloroethene	0.90	U	1.0	0.90	ug/L			03/25/26 15:29	1
trans-1,3-Dichloropropene	0.37	U	1.0	0.37	ug/L			03/25/26 15:29	1
Trichloroethene	0.46	U	1.0	0.46	ug/L			03/25/26 15:29	1
Trichlorofluoromethane	0.88	U	1.0	0.88	ug/L			03/25/26 15:29	1
Vinyl chloride	0.90	U	1.0	0.90	ug/L			03/25/26 15:29	1
Xylenes, Total	0.66	U	2.0	0.66	ug/L			03/25/26 15:29	1

Client: ERM-Northeast
Job ID: 480-237156-1
Project/Site: Leica - Cheektowaga

Client Sample ID: SAN-07-20260324-01
Lab Sample ID: 480-237156-7
Date Collected: 03/24/26 10:35
Matrix: Water
Date Received: 03/24/26 16:40

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	104		80 - 120		03/25/26 15:29	1
1,2-Dichloroethane-d4 (Surr)	106		77 - 120		03/25/26 15:29	1
4-Bromofluorobenzene (Surr)	90		73 - 120		03/25/26 15:29	1
Dibromofluoromethane (Surr)	103		75 - 123		03/25/26 15:29	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-237156-1

Client Sample ID: SAN-08-20260324-01
Date Collected: 03/24/26 10:50
Date Received: 03/24/26 16:40

Lab Sample ID: 480-237156-8
Matrix: Water

Method: SW846 EPA 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.82	U	1.0	0.82	ug/L			03/25/26 15:51	1
1,1,2,2-Tetrachloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 15:51	1
1,1,2-Trichloroethane	0.23	U	1.0	0.23	ug/L			03/25/26 15:51	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31	ug/L			03/25/26 15:51	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			03/25/26 15:51	1
1,1-Dichloroethene	0.29	U	1.0	0.29	ug/L			03/25/26 15:51	1
1,2,4-Trichlorobenzene	0.41	U	1.0	0.41	ug/L			03/25/26 15:51	1
1,2-Dibromo-3-Chloropropane	0.39	U	1.0	0.39	ug/L			03/25/26 15:51	1
1,2-Dichlorobenzene	0.79	U	1.0	0.79	ug/L			03/25/26 15:51	1
1,2-Dichloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 15:51	1
1,2-Dichloropropane	0.72	U	1.0	0.72	ug/L			03/25/26 15:51	1
1,3-Dichlorobenzene	0.78	U	1.0	0.78	ug/L			03/25/26 15:51	1
1,4-Dichlorobenzene	0.84	U	1.0	0.84	ug/L			03/25/26 15:51	1
2-Butanone (MEK)	1.3	U	10	1.3	ug/L			03/25/26 15:51	1
2-Hexanone	1.2	U	5.0	1.2	ug/L			03/25/26 15:51	1
4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1	ug/L			03/25/26 15:51	1
Acetone	3.0	U	10	3.0	ug/L			03/25/26 15:51	1
Benzene	0.41	U	1.0	0.41	ug/L			03/25/26 15:51	1
Dichlorobromomethane	0.39	U	1.0	0.39	ug/L			03/25/26 15:51	1
Bromoform	0.26	U	1.0	0.26	ug/L			03/25/26 15:51	1
Bromomethane	0.69	U	1.0	0.69	ug/L			03/25/26 15:51	1
Carbon disulfide	0.19	U	1.0	0.19	ug/L			03/25/26 15:51	1
Carbon tetrachloride	0.27	U	1.0	0.27	ug/L			03/25/26 15:51	1
Chlorobenzene	0.75	U	1.0	0.75	ug/L			03/25/26 15:51	1
Chlorodibromomethane	0.32	U	1.0	0.32	ug/L			03/25/26 15:51	1
Chloroethane	0.32	U	1.0	0.32	ug/L			03/25/26 15:51	1
Chloroform	0.34	U	1.0	0.34	ug/L			03/25/26 15:51	1
Chloromethane	0.35	U	1.0	0.35	ug/L			03/25/26 15:51	1
cis-1,2-Dichloroethene	**4.7**		1.0	0.81	ug/L			03/25/26 15:51	1
cis-1,3-Dichloropropene	0.36	U	1.0	0.36	ug/L			03/25/26 15:51	1
Cyclohexane	0.18	U	1.0	0.18	ug/L			03/25/26 15:51	1
Dichlorodifluoromethane	0.68	U	1.0	0.68	ug/L			03/25/26 15:51	1
Ethylbenzene	0.74	U	1.0	0.74	ug/L			03/25/26 15:51	1
1,2-Dibromoethane	0.73	U	1.0	0.73	ug/L			03/25/26 15:51	1
Isopropylbenzene	0.79	U	1.0	0.79	ug/L			03/25/26 15:51	1
Methyl acetate	1.3	U	2.5	1.3	ug/L			03/25/26 15:51	1
Methyl tert-butyl ether	0.16	U	1.0	0.16	ug/L			03/25/26 15:51	1
Methylcyclohexane	0.16	U	1.0	0.16	ug/L			03/25/26 15:51	1
Methylene Chloride	0.44	U	1.0	0.44	ug/L			03/25/26 15:51	1
Styrene	0.73	U	1.0	0.73	ug/L			03/25/26 15:51	1
Tetrachloroethene	0.36	U	1.0	0.36	ug/L			03/25/26 15:51	1
Toluene	0.51	U	1.0	0.51	ug/L			03/25/26 15:51	1
trans-1,2-Dichloroethene	0.90	U	1.0	0.90	ug/L			03/25/26 15:51	1
trans-1,3-Dichloropropene	0.37	U	1.0	0.37	ug/L			03/25/26 15:51	1
Trichloroethene	**0.93**	**J**	1.0	0.46	ug/L			03/25/26 15:51	1
Trichlorofluoromethane	0.88	U	1.0	0.88	ug/L			03/25/26 15:51	1
Vinyl chloride	0.90	U	1.0	0.90	ug/L			03/25/26 15:51	1
Xylenes, Total	0.66	U	2.0	0.66	ug/L			03/25/26 15:51	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-237156-1

Client Sample ID: SAN-08-20260324-01
Date Collected: 03/24/26 10:50
Date Received: 03/24/26 16:40

Lab Sample ID: 480-237156-8
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	105		80 - 120		03/25/26 15:51	1
1,2-Dichloroethane-d4 (Surr)	105		77 - 120		03/25/26 15:51	1
4-Bromofluorobenzene (Surr)	89		73 - 120		03/25/26 15:51	1
Dibromofluoromethane (Surr)	103		75 - 123		03/25/26 15:51	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-237156-1

Client Sample ID: STM-01-20260324-01
Date Collected: 03/24/26 11:30
Date Received: 03/24/26 16:40

Lab Sample ID: 480-237156-9
Matrix: Water

Method: SW846 EPA 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.82	U	1.0	0.82	ug/L			03/25/26 16:14	1
1,1,2,2-Tetrachloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 16:14	1
1,1,2-Trichloroethane	0.23	U	1.0	0.23	ug/L			03/25/26 16:14	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31	ug/L			03/25/26 16:14	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			03/25/26 16:14	1
1,1-Dichloroethene	0.29	U	1.0	0.29	ug/L			03/25/26 16:14	1
1,2,4-Trichlorobenzene	0.41	U	1.0	0.41	ug/L			03/25/26 16:14	1
1,2-Dibromo-3-Chloropropane	0.39	U	1.0	0.39	ug/L			03/25/26 16:14	1
1,2-Dichlorobenzene	0.79	U	1.0	0.79	ug/L			03/25/26 16:14	1
1,2-Dichloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 16:14	1
1,2-Dichloropropane	0.72	U	1.0	0.72	ug/L			03/25/26 16:14	1
1,3-Dichlorobenzene	0.78	U	1.0	0.78	ug/L			03/25/26 16:14	1
1,4-Dichlorobenzene	0.84	U	1.0	0.84	ug/L			03/25/26 16:14	1
2-Butanone (MEK)	1.3	U	10	1.3	ug/L			03/25/26 16:14	1
2-Hexanone	1.2	U	5.0	1.2	ug/L			03/25/26 16:14	1
4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1	ug/L			03/25/26 16:14	1
Acetone	3.0	U	10	3.0	ug/L			03/25/26 16:14	1
Benzene	0.41	U	1.0	0.41	ug/L			03/25/26 16:14	1
Dichlorobromomethane	0.39	U	1.0	0.39	ug/L			03/25/26 16:14	1
Bromoform	0.26	U	1.0	0.26	ug/L			03/25/26 16:14	1
Bromomethane	0.69	U	1.0	0.69	ug/L			03/25/26 16:14	1
Carbon disulfide	0.19	U	1.0	0.19	ug/L			03/25/26 16:14	1
Carbon tetrachloride	0.27	U	1.0	0.27	ug/L			03/25/26 16:14	1
Chlorobenzene	0.75	U	1.0	0.75	ug/L			03/25/26 16:14	1
Chlorodibromomethane	0.32	U	1.0	0.32	ug/L			03/25/26 16:14	1
Chloroethane	0.32	U	1.0	0.32	ug/L			03/25/26 16:14	1
Chloroform	**0.38**	**J**	1.0	0.34	ug/L			03/25/26 16:14	1
Chloromethane	0.35	U	1.0	0.35	ug/L			03/25/26 16:14	1
cis-1,2-Dichloroethene	0.81	U	1.0	0.81	ug/L			03/25/26 16:14	1
cis-1,3-Dichloropropene	0.36	U	1.0	0.36	ug/L			03/25/26 16:14	1
Cyclohexane	0.18	U	1.0	0.18	ug/L			03/25/26 16:14	1
Dichlorodifluoromethane	0.68	U	1.0	0.68	ug/L			03/25/26 16:14	1
Ethylbenzene	0.74	U	1.0	0.74	ug/L			03/25/26 16:14	1
1,2-Dibromoethane	0.73	U	1.0	0.73	ug/L			03/25/26 16:14	1
Isopropylbenzene	0.79	U	1.0	0.79	ug/L			03/25/26 16:14	1
Methyl acetate	1.3	U	2.5	1.3	ug/L			03/25/26 16:14	1
Methyl tert-butyl ether	0.16	U	1.0	0.16	ug/L			03/25/26 16:14	1
Methylcyclohexane	0.16	U	1.0	0.16	ug/L			03/25/26 16:14	1
Methylene Chloride	0.44	U	1.0	0.44	ug/L			03/25/26 16:14	1
Styrene	0.73	U	1.0	0.73	ug/L			03/25/26 16:14	1
Tetrachloroethene	0.36	U	1.0	0.36	ug/L			03/25/26 16:14	1
Toluene	0.51	U	1.0	0.51	ug/L			03/25/26 16:14	1
trans-1,2-Dichloroethene	0.90	U	1.0	0.90	ug/L			03/25/26 16:14	1
trans-1,3-Dichloropropene	0.37	U	1.0	0.37	ug/L			03/25/26 16:14	1
Trichloroethene	0.46	U	1.0	0.46	ug/L			03/25/26 16:14	1
Trichlorofluoromethane	0.88	U	1.0	0.88	ug/L			03/25/26 16:14	1
Vinyl chloride	0.90	U	1.0	0.90	ug/L			03/25/26 16:14	1
Xylenes, Total	0.66	U	2.0	0.66	ug/L			03/25/26 16:14	1

Client: ERM-Northeast
Job ID: 480-237156-1
Project/Site: Leica - Cheektowaga

Client Sample ID: STM-01-20260324-01
Lab Sample ID: 480-237156-9
Date Collected: 03/24/26 11:30
Matrix: Water
Date Received: 03/24/26 16:40

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	105		80 - 120		03/25/26 16:14	1
1,2-Dichloroethane-d4 (Surr)	107		77 - 120		03/25/26 16:14	1
4-Bromofluorobenzene (Surr)	88		73 - 120		03/25/26 16:14	1
Dibromofluoromethane (Surr)	103		75 - 123		03/25/26 16:14	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-237156-1

Client Sample ID: SAN-01-20260324-01
Date Collected: 03/24/26 11:35
Date Received: 03/24/26 16:40

Lab Sample ID: 480-237156-10
Matrix: Water

Method: SW846 EPA 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.82	U	1.0	0.82	ug/L			03/25/26 16:36	1
1,1,2,2-Tetrachloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 16:36	1
1,1,2-Trichloroethane	0.23	U	1.0	0.23	ug/L			03/25/26 16:36	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31	ug/L			03/25/26 16:36	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			03/25/26 16:36	1
1,1-Dichloroethene	0.29	U	1.0	0.29	ug/L			03/25/26 16:36	1
1,2,4-Trichlorobenzene	0.41	U	1.0	0.41	ug/L			03/25/26 16:36	1
1,2-Dibromo-3-Chloropropane	0.39	U	1.0	0.39	ug/L			03/25/26 16:36	1
1,2-Dichlorobenzene	0.79	U	1.0	0.79	ug/L			03/25/26 16:36	1
1,2-Dichloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 16:36	1
1,2-Dichloropropane	0.72	U	1.0	0.72	ug/L			03/25/26 16:36	1
1,3-Dichlorobenzene	0.78	U	1.0	0.78	ug/L			03/25/26 16:36	1
1,4-Dichlorobenzene	0.84	U	1.0	0.84	ug/L			03/25/26 16:36	1
2-Butanone (MEK)	1.3	U	10	1.3	ug/L			03/25/26 16:36	1
2-Hexanone	1.2	U	5.0	1.2	ug/L			03/25/26 16:36	1
4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1	ug/L			03/25/26 16:36	1
Acetone	3.0	U	10	3.0	ug/L			03/25/26 16:36	1
Benzene	0.41	U	1.0	0.41	ug/L			03/25/26 16:36	1
Dichlorobromomethane	0.39	U	1.0	0.39	ug/L			03/25/26 16:36	1
Bromoform	0.26	U	1.0	0.26	ug/L			03/25/26 16:36	1
Bromomethane	0.69	U	1.0	0.69	ug/L			03/25/26 16:36	1
Carbon disulfide	0.19	U	1.0	0.19	ug/L			03/25/26 16:36	1
Carbon tetrachloride	0.27	U	1.0	0.27	ug/L			03/25/26 16:36	1
Chlorobenzene	0.75	U	1.0	0.75	ug/L			03/25/26 16:36	1
Chlorodibromomethane	0.32	U	1.0	0.32	ug/L			03/25/26 16:36	1
Chloroethane	0.32	U	1.0	0.32	ug/L			03/25/26 16:36	1
Chloroform	0.34	U	1.0	0.34	ug/L			03/25/26 16:36	1
Chloromethane	0.35	U	1.0	0.35	ug/L			03/25/26 16:36	1
cis-1,2-Dichloroethene	**5.1**		1.0	0.81	ug/L			03/25/26 16:36	1
cis-1,3-Dichloropropene	0.36	U	1.0	0.36	ug/L			03/25/26 16:36	1
Cyclohexane	0.18	U	1.0	0.18	ug/L			03/25/26 16:36	1
Dichlorodifluoromethane	0.68	U	1.0	0.68	ug/L			03/25/26 16:36	1
Ethylbenzene	0.74	U	1.0	0.74	ug/L			03/25/26 16:36	1
1,2-Dibromoethane	0.73	U	1.0	0.73	ug/L			03/25/26 16:36	1
Isopropylbenzene	0.79	U	1.0	0.79	ug/L			03/25/26 16:36	1
Methyl acetate	1.3	U	2.5	1.3	ug/L			03/25/26 16:36	1
Methyl tert-butyl ether	0.16	U	1.0	0.16	ug/L			03/25/26 16:36	1
Methylcyclohexane	0.16	U	1.0	0.16	ug/L			03/25/26 16:36	1
Methylene Chloride	0.44	U	1.0	0.44	ug/L			03/25/26 16:36	1
Styrene	0.73	U	1.0	0.73	ug/L			03/25/26 16:36	1
Tetrachloroethene	0.36	U	1.0	0.36	ug/L			03/25/26 16:36	1
Toluene	0.51	U	1.0	0.51	ug/L			03/25/26 16:36	1
trans-1,2-Dichloroethene	0.90	U	1.0	0.90	ug/L			03/25/26 16:36	1
trans-1,3-Dichloropropene	0.37	U	1.0	0.37	ug/L			03/25/26 16:36	1
Trichloroethene	**0.83**	**J**	1.0	0.46	ug/L			03/25/26 16:36	1
Trichlorofluoromethane	0.88	U	1.0	0.88	ug/L			03/25/26 16:36	1
Vinyl chloride	0.90	U	1.0	0.90	ug/L			03/25/26 16:36	1
Xylenes, Total	0.66	U	2.0	0.66	ug/L			03/25/26 16:36	1

Client: ERM-Northeast
Job ID: 480-237156-1
Project/Site: Leica - Cheektowaga

Client Sample ID: SAN-01-20260324-01
Lab Sample ID: 480-237156-10
Date Collected: 03/24/26 11:35
Matrix: Water
Date Received: 03/24/26 16:40

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	109		80 - 120		03/25/26 16:36	1
1,2-Dichloroethane-d4 (Surr)	108		77 - 120		03/25/26 16:36	1
4-Bromofluorobenzene (Surr)	87		73 - 120		03/25/26 16:36	1
Dibromofluoromethane (Surr)	106		75 - 123		03/25/26 16:36	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-237156-1

Client Sample ID: STM-09-20260324-01
Date Collected: 03/24/26 11:55
Date Received: 03/24/26 16:40

Lab Sample ID: 480-237156-11
Matrix: Water

Method: SW846 EPA 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.82	U	1.0	0.82	ug/L			03/25/26 16:59	1
1,1,2,2-Tetrachloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 16:59	1
1,1,2-Trichloroethane	0.23	U	1.0	0.23	ug/L			03/25/26 16:59	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31	ug/L			03/25/26 16:59	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			03/25/26 16:59	1
1,1-Dichloroethene	0.29	U	1.0	0.29	ug/L			03/25/26 16:59	1
1,2,4-Trichlorobenzene	0.41	U	1.0	0.41	ug/L			03/25/26 16:59	1
1,2-Dibromo-3-Chloropropane	0.39	U	1.0	0.39	ug/L			03/25/26 16:59	1
1,2-Dichlorobenzene	0.79	U	1.0	0.79	ug/L			03/25/26 16:59	1
1,2-Dichloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 16:59	1
1,2-Dichloropropane	0.72	U	1.0	0.72	ug/L			03/25/26 16:59	1
1,3-Dichlorobenzene	0.78	U	1.0	0.78	ug/L			03/25/26 16:59	1
1,4-Dichlorobenzene	0.84	U	1.0	0.84	ug/L			03/25/26 16:59	1
2-Butanone (MEK)	1.3	U	10	1.3	ug/L			03/25/26 16:59	1
2-Hexanone	1.2	U	5.0	1.2	ug/L			03/25/26 16:59	1
4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1	ug/L			03/25/26 16:59	1
Acetone	3.0	U	10	3.0	ug/L			03/25/26 16:59	1
Benzene	0.41	U	1.0	0.41	ug/L			03/25/26 16:59	1
Dichlorobromomethane	0.39	U	1.0	0.39	ug/L			03/25/26 16:59	1
Bromoform	0.26	U	1.0	0.26	ug/L			03/25/26 16:59	1
Bromomethane	0.69	U	1.0	0.69	ug/L			03/25/26 16:59	1
Carbon disulfide	0.19	U	1.0	0.19	ug/L			03/25/26 16:59	1
Carbon tetrachloride	0.27	U	1.0	0.27	ug/L			03/25/26 16:59	1
Chlorobenzene	0.75	U	1.0	0.75	ug/L			03/25/26 16:59	1
Chlorodibromomethane	**0.42**	**J**	1.0	0.32	ug/L			03/25/26 16:59	1
Chloroethane	0.32	U	1.0	0.32	ug/L			03/25/26 16:59	1
Chloroform	**1.8**		1.0	0.34	ug/L			03/25/26 16:59	1
Chloromethane	0.35	U	1.0	0.35	ug/L			03/25/26 16:59	1
cis-1,2-Dichloroethene	**5.0**		1.0	0.81	ug/L			03/25/26 16:59	1
cis-1,3-Dichloropropene	0.36	U	1.0	0.36	ug/L			03/25/26 16:59	1
Cyclohexane	0.18	U	1.0	0.18	ug/L			03/25/26 16:59	1
Dichlorodifluoromethane	0.68	U	1.0	0.68	ug/L			03/25/26 16:59	1
Ethylbenzene	0.74	U	1.0	0.74	ug/L			03/25/26 16:59	1
1,2-Dibromoethane	0.73	U	1.0	0.73	ug/L			03/25/26 16:59	1
Isopropylbenzene	0.79	U	1.0	0.79	ug/L			03/25/26 16:59	1
Methyl acetate	1.3	U	2.5	1.3	ug/L			03/25/26 16:59	1
Methyl tert-butyl ether	0.16	U	1.0	0.16	ug/L			03/25/26 16:59	1
Methylcyclohexane	0.16	U	1.0	0.16	ug/L			03/25/26 16:59	1
Methylene Chloride	0.44	U	1.0	0.44	ug/L			03/25/26 16:59	1
Styrene	0.73	U	1.0	0.73	ug/L			03/25/26 16:59	1
Tetrachloroethene	0.36	U	1.0	0.36	ug/L			03/25/26 16:59	1
Toluene	0.51	U	1.0	0.51	ug/L			03/25/26 16:59	1
trans-1,2-Dichloroethene	0.90	U	1.0	0.90	ug/L			03/25/26 16:59	1
trans-1,3-Dichloropropene	0.37	U	1.0	0.37	ug/L			03/25/26 16:59	1
Trichloroethene	**1.6**		1.0	0.46	ug/L			03/25/26 16:59	1
Trichlorofluoromethane	0.88	U	1.0	0.88	ug/L			03/25/26 16:59	1
Vinyl chloride	0.90	U	1.0	0.90	ug/L			03/25/26 16:59	1
Xylenes, Total	0.66	U	2.0	0.66	ug/L			03/25/26 16:59	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-237156-1

Client Sample ID: STM-09-20260324-01
Date Collected: 03/24/26 11:55
Date Received: 03/24/26 16:40

Lab Sample ID: 480-237156-11
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	105		80 - 120		03/25/26 16:59	1
1,2-Dichloroethane-d4 (Surr)	107		77 - 120		03/25/26 16:59	1
4-Bromofluorobenzene (Surr)	88		73 - 120		03/25/26 16:59	1
Dibromofluoromethane (Surr)	105		75 - 123		03/25/26 16:59	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-237156-1

Client Sample ID: STM-02-20260324-01
Date Collected: 03/24/26 13:10
Date Received: 03/24/26 16:40

Lab Sample ID: 480-237156-12
Matrix: Water

Method: SW846 EPA 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.82	U	1.0	0.82	ug/L			03/25/26 17:21	1
1,1,2,2-Tetrachloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 17:21	1
1,1,2-Trichloroethane	0.23	U	1.0	0.23	ug/L			03/25/26 17:21	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31	ug/L			03/25/26 17:21	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			03/25/26 17:21	1
1,1-Dichloroethene	0.29	U	1.0	0.29	ug/L			03/25/26 17:21	1
1,2,4-Trichlorobenzene	0.41	U	1.0	0.41	ug/L			03/25/26 17:21	1
1,2-Dibromo-3-Chloropropane	0.39	U	1.0	0.39	ug/L			03/25/26 17:21	1
1,2-Dichlorobenzene	0.79	U	1.0	0.79	ug/L			03/25/26 17:21	1
1,2-Dichloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 17:21	1
1,2-Dichloropropane	0.72	U	1.0	0.72	ug/L			03/25/26 17:21	1
1,3-Dichlorobenzene	0.78	U	1.0	0.78	ug/L			03/25/26 17:21	1
1,4-Dichlorobenzene	0.84	U	1.0	0.84	ug/L			03/25/26 17:21	1
2-Butanone (MEK)	1.3	U	10	1.3	ug/L			03/25/26 17:21	1
2-Hexanone	1.2	U	5.0	1.2	ug/L			03/25/26 17:21	1
4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1	ug/L			03/25/26 17:21	1
Acetone	3.0	U	10	3.0	ug/L			03/25/26 17:21	1
Benzene	0.41	U	1.0	0.41	ug/L			03/25/26 17:21	1
Dichlorobromomethane	0.39	U	1.0	0.39	ug/L			03/25/26 17:21	1
Bromoform	0.26	U	1.0	0.26	ug/L			03/25/26 17:21	1
Bromomethane	0.69	U	1.0	0.69	ug/L			03/25/26 17:21	1
Carbon disulfide	0.19	U	1.0	0.19	ug/L			03/25/26 17:21	1
Carbon tetrachloride	0.27	U	1.0	0.27	ug/L			03/25/26 17:21	1
Chlorobenzene	0.75	U	1.0	0.75	ug/L			03/25/26 17:21	1
Chlorodibromomethane	0.32	U	1.0	0.32	ug/L			03/25/26 17:21	1
Chloroethane	0.32	U	1.0	0.32	ug/L			03/25/26 17:21	1
Chloroform	0.34	U	1.0	0.34	ug/L			03/25/26 17:21	1
Chloromethane	0.35	U	1.0	0.35	ug/L			03/25/26 17:21	1
cis-1,2-Dichloroethene	0.81	U	1.0	0.81	ug/L			03/25/26 17:21	1
cis-1,3-Dichloropropene	0.36	U	1.0	0.36	ug/L			03/25/26 17:21	1
Cyclohexane	0.18	U	1.0	0.18	ug/L			03/25/26 17:21	1
Dichlorodifluoromethane	0.68	U	1.0	0.68	ug/L			03/25/26 17:21	1
Ethylbenzene	0.74	U	1.0	0.74	ug/L			03/25/26 17:21	1
1,2-Dibromoethane	0.73	U	1.0	0.73	ug/L			03/25/26 17:21	1
Isopropylbenzene	0.79	U	1.0	0.79	ug/L			03/25/26 17:21	1
Methyl acetate	1.3	U	2.5	1.3	ug/L			03/25/26 17:21	1
Methyl tert-butyl ether	0.16	U	1.0	0.16	ug/L			03/25/26 17:21	1
Methylcyclohexane	0.16	U	1.0	0.16	ug/L			03/25/26 17:21	1
Methylene Chloride	0.44	U	1.0	0.44	ug/L			03/25/26 17:21	1
Styrene	0.73	U	1.0	0.73	ug/L			03/25/26 17:21	1
Tetrachloroethene	0.36	U	1.0	0.36	ug/L			03/25/26 17:21	1
Toluene	0.51	U	1.0	0.51	ug/L			03/25/26 17:21	1
trans-1,2-Dichloroethene	0.90	U	1.0	0.90	ug/L			03/25/26 17:21	1
trans-1,3-Dichloropropene	0.37	U	1.0	0.37	ug/L			03/25/26 17:21	1
Trichloroethene	0.46	U	1.0	0.46	ug/L			03/25/26 17:21	1
Trichlorofluoromethane	0.88	U	1.0	0.88	ug/L			03/25/26 17:21	1
Vinyl chloride	0.90	U	1.0	0.90	ug/L			03/25/26 17:21	1
Xylenes, Total	0.66	U	2.0	0.66	ug/L			03/25/26 17:21	1

Client: ERM-Northeast
Job ID: 480-237156-1
Project/Site: Leica - Cheektowaga

Client Sample ID: STM-02-20260324-01
Lab Sample ID: 480-237156-12
Date Collected: 03/24/26 13:10
Matrix: Water
Date Received: 03/24/26 16:40

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	108		80 - 120		03/25/26 17:21	1
1,2-Dichloroethane-d4 (Surr)	106		77 - 120		03/25/26 17:21	1
4-Bromofluorobenzene (Surr)	87		73 - 120		03/25/26 17:21	1
Dibromofluoromethane (Surr)	105		75 - 123		03/25/26 17:21	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-237156-1

Client Sample ID: SAN-04-20260324-01
Date Collected: 03/24/26 13:25
Date Received: 03/24/26 16:40

Lab Sample ID: 480-237156-13
Matrix: Water

Method: SW846 EPA 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.82	U	1.0	0.82	ug/L			03/25/26 17:43	1
1,1,2,2-Tetrachloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 17:43	1
1,1,2-Trichloroethane	0.23	U	1.0	0.23	ug/L			03/25/26 17:43	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31	ug/L			03/25/26 17:43	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			03/25/26 17:43	1
1,1-Dichloroethene	0.29	U	1.0	0.29	ug/L			03/25/26 17:43	1
1,2,4-Trichlorobenzene	0.41	U	1.0	0.41	ug/L			03/25/26 17:43	1
1,2-Dibromo-3-Chloropropane	0.39	U	1.0	0.39	ug/L			03/25/26 17:43	1
1,2-Dichlorobenzene	0.79	U	1.0	0.79	ug/L			03/25/26 17:43	1
1,2-Dichloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 17:43	1
1,2-Dichloropropane	0.72	U	1.0	0.72	ug/L			03/25/26 17:43	1
1,3-Dichlorobenzene	0.78	U	1.0	0.78	ug/L			03/25/26 17:43	1
1,4-Dichlorobenzene	0.84	U	1.0	0.84	ug/L			03/25/26 17:43	1
2-Butanone (MEK)	1.3	U	10	1.3	ug/L			03/25/26 17:43	1
2-Hexanone	1.2	U	5.0	1.2	ug/L			03/25/26 17:43	1
4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1	ug/L			03/25/26 17:43	1
Acetone	3.0	U	10	3.0	ug/L			03/25/26 17:43	1
Benzene	0.41	U	1.0	0.41	ug/L			03/25/26 17:43	1
Dichlorobromomethane	0.39	U	1.0	0.39	ug/L			03/25/26 17:43	1
Bromoform	0.26	U	1.0	0.26	ug/L			03/25/26 17:43	1
Bromomethane	0.69	U	1.0	0.69	ug/L			03/25/26 17:43	1
Carbon disulfide	0.19	U	1.0	0.19	ug/L			03/25/26 17:43	1
Carbon tetrachloride	0.27	U	1.0	0.27	ug/L			03/25/26 17:43	1
Chlorobenzene	0.75	U	1.0	0.75	ug/L			03/25/26 17:43	1
Chlorodibromomethane	0.32	U	1.0	0.32	ug/L			03/25/26 17:43	1
Chloroethane	0.32	U	1.0	0.32	ug/L			03/25/26 17:43	1
Chloroform	0.34	U	1.0	0.34	ug/L			03/25/26 17:43	1
Chloromethane	0.35	U	1.0	0.35	ug/L			03/25/26 17:43	1
cis-1,2-Dichloroethene	**2.4**		1.0	0.81	ug/L			03/25/26 17:43	1
cis-1,3-Dichloropropene	0.36	U	1.0	0.36	ug/L			03/25/26 17:43	1
Cyclohexane	0.18	U	1.0	0.18	ug/L			03/25/26 17:43	1
Dichlorodifluoromethane	0.68	U	1.0	0.68	ug/L			03/25/26 17:43	1
Ethylbenzene	0.74	U	1.0	0.74	ug/L			03/25/26 17:43	1
1,2-Dibromoethane	0.73	U	1.0	0.73	ug/L			03/25/26 17:43	1
Isopropylbenzene	0.79	U	1.0	0.79	ug/L			03/25/26 17:43	1
Methyl acetate	1.3	U	2.5	1.3	ug/L			03/25/26 17:43	1
Methyl tert-butyl ether	0.16	U	1.0	0.16	ug/L			03/25/26 17:43	1
Methylcyclohexane	0.16	U	1.0	0.16	ug/L			03/25/26 17:43	1
Methylene Chloride	0.44	U	1.0	0.44	ug/L			03/25/26 17:43	1
Styrene	0.73	U	1.0	0.73	ug/L			03/25/26 17:43	1
Tetrachloroethene	0.36	U	1.0	0.36	ug/L			03/25/26 17:43	1
Toluene	0.51	U	1.0	0.51	ug/L			03/25/26 17:43	1
trans-1,2-Dichloroethene	0.90	U	1.0	0.90	ug/L			03/25/26 17:43	1
trans-1,3-Dichloropropene	0.37	U	1.0	0.37	ug/L			03/25/26 17:43	1
Trichloroethene	**1.3**		1.0	0.46	ug/L			03/25/26 17:43	1
Trichlorofluoromethane	0.88	U	1.0	0.88	ug/L			03/25/26 17:43	1
Vinyl chloride	0.90	U	1.0	0.90	ug/L			03/25/26 17:43	1
Xylenes, Total	0.66	U	2.0	0.66	ug/L			03/25/26 17:43	1

Client: ERM-Northeast
Job ID: 480-237156-1
Project/Site: Leica - Cheektowaga

Client Sample ID: SAN-04-20260324-01
Lab Sample ID: 480-237156-13
Date Collected: 03/24/26 13:25
Matrix: Water
Date Received: 03/24/26 16:40

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	106		80 - 120		03/25/26 17:43	1
1,2-Dichloroethane-d4 (Surr)	106		77 - 120		03/25/26 17:43	1
4-Bromofluorobenzene (Surr)	87		73 - 120		03/25/26 17:43	1
Dibromofluoromethane (Surr)	104		75 - 123		03/25/26 17:43	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-237156-1

Client Sample ID: STM-03-20260324-01
Date Collected: 03/24/26 13:45
Date Received: 03/24/26 16:40

Lab Sample ID: 480-237156-14
Matrix: Water

Method: SW846 EPA 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.82	U	1.0	0.82	ug/L			03/25/26 18:05	1
1,1,2,2-Tetrachloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 18:05	1
1,1,2-Trichloroethane	0.23	U	1.0	0.23	ug/L			03/25/26 18:05	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31	ug/L			03/25/26 18:05	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			03/25/26 18:05	1
1,1-Dichloroethene	0.29	U	1.0	0.29	ug/L			03/25/26 18:05	1
1,2,4-Trichlorobenzene	0.41	U	1.0	0.41	ug/L			03/25/26 18:05	1
1,2-Dibromo-3-Chloropropane	0.39	U	1.0	0.39	ug/L			03/25/26 18:05	1
1,2-Dichlorobenzene	0.79	U	1.0	0.79	ug/L			03/25/26 18:05	1
1,2-Dichloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 18:05	1
1,2-Dichloropropane	0.72	U	1.0	0.72	ug/L			03/25/26 18:05	1
1,3-Dichlorobenzene	0.78	U	1.0	0.78	ug/L			03/25/26 18:05	1
1,4-Dichlorobenzene	0.84	U	1.0	0.84	ug/L			03/25/26 18:05	1
2-Butanone (MEK)	1.3	U	10	1.3	ug/L			03/25/26 18:05	1
2-Hexanone	1.2	U	5.0	1.2	ug/L			03/25/26 18:05	1
4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1	ug/L			03/25/26 18:05	1
Acetone	3.0	U	10	3.0	ug/L			03/25/26 18:05	1
Benzene	0.41	U	1.0	0.41	ug/L			03/25/26 18:05	1
Dichlorobromomethane	0.39	U	1.0	0.39	ug/L			03/25/26 18:05	1
Bromoform	0.26	U	1.0	0.26	ug/L			03/25/26 18:05	1
Bromomethane	0.69	U	1.0	0.69	ug/L			03/25/26 18:05	1
Carbon disulfide	0.19	U	1.0	0.19	ug/L			03/25/26 18:05	1
Carbon tetrachloride	0.27	U	1.0	0.27	ug/L			03/25/26 18:05	1
Chlorobenzene	0.75	U	1.0	0.75	ug/L			03/25/26 18:05	1
Chlorodibromomethane	0.32	U	1.0	0.32	ug/L			03/25/26 18:05	1
Chloroethane	0.32	U	1.0	0.32	ug/L			03/25/26 18:05	1
Chloroform	0.34	U	1.0	0.34	ug/L			03/25/26 18:05	1
Chloromethane	0.35	U	1.0	0.35	ug/L			03/25/26 18:05	1
cis-1,2-Dichloroethene	0.81	U	1.0	0.81	ug/L			03/25/26 18:05	1
cis-1,3-Dichloropropene	0.36	U	1.0	0.36	ug/L			03/25/26 18:05	1
Cyclohexane	0.18	U	1.0	0.18	ug/L			03/25/26 18:05	1
Dichlorodifluoromethane	0.68	U	1.0	0.68	ug/L			03/25/26 18:05	1
Ethylbenzene	0.74	U	1.0	0.74	ug/L			03/25/26 18:05	1
1,2-Dibromoethane	0.73	U	1.0	0.73	ug/L			03/25/26 18:05	1
Isopropylbenzene	0.79	U	1.0	0.79	ug/L			03/25/26 18:05	1
Methyl acetate	1.3	U	2.5	1.3	ug/L			03/25/26 18:05	1
Methyl tert-butyl ether	0.16	U	1.0	0.16	ug/L			03/25/26 18:05	1
Methylcyclohexane	0.16	U	1.0	0.16	ug/L			03/25/26 18:05	1
Methylene Chloride	0.44	U	1.0	0.44	ug/L			03/25/26 18:05	1
Styrene	0.73	U	1.0	0.73	ug/L			03/25/26 18:05	1
Tetrachloroethene	0.36	U	1.0	0.36	ug/L			03/25/26 18:05	1
Toluene	0.51	U	1.0	0.51	ug/L			03/25/26 18:05	1
trans-1,2-Dichloroethene	0.90	U	1.0	0.90	ug/L			03/25/26 18:05	1
trans-1,3-Dichloropropene	0.37	U	1.0	0.37	ug/L			03/25/26 18:05	1
Trichloroethene	0.46	U	1.0	0.46	ug/L			03/25/26 18:05	1
Trichlorofluoromethane	0.88	U	1.0	0.88	ug/L			03/25/26 18:05	1
Vinyl chloride	0.90	U	1.0	0.90	ug/L			03/25/26 18:05	1
Xylenes, Total	0.66	U	2.0	0.66	ug/L			03/25/26 18:05	1

Client: ERM-Northeast
Job ID: 480-237156-1
Project/Site: Leica - Cheektowaga

Client Sample ID: STM-03-20260324-01
Lab Sample ID: 480-237156-14
Date Collected: 03/24/26 13:45
Matrix: Water
Date Received: 03/24/26 16:40

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	106		80 - 120		03/25/26 18:05	1
1,2-Dichloroethane-d4 (Surr)	106		77 - 120		03/25/26 18:05	1
4-Bromofluorobenzene (Surr)	85		73 - 120		03/25/26 18:05	1
Dibromofluoromethane (Surr)	106		75 - 123		03/25/26 18:05	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-237156-1

Client Sample ID: STM-04-20260324-01
Date Collected: 03/24/26 13:55
Date Received: 03/24/26 16:40

Lab Sample ID: 480-237156-15
Matrix: Water

Method: SW846 EPA 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.82	U	1.0	0.82	ug/L			03/25/26 18:28	1
1,1,2,2-Tetrachloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 18:28	1
1,1,2-Trichloroethane	0.23	U	1.0	0.23	ug/L			03/25/26 18:28	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31	ug/L			03/25/26 18:28	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			03/25/26 18:28	1
1,1-Dichloroethene	0.29	U	1.0	0.29	ug/L			03/25/26 18:28	1
1,2,4-Trichlorobenzene	0.41	U	1.0	0.41	ug/L			03/25/26 18:28	1
1,2-Dibromo-3-Chloropropane	0.39	U	1.0	0.39	ug/L			03/25/26 18:28	1
1,2-Dichlorobenzene	0.79	U	1.0	0.79	ug/L			03/25/26 18:28	1
1,2-Dichloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 18:28	1
1,2-Dichloropropane	0.72	U	1.0	0.72	ug/L			03/25/26 18:28	1
1,3-Dichlorobenzene	0.78	U	1.0	0.78	ug/L			03/25/26 18:28	1
1,4-Dichlorobenzene	0.84	U	1.0	0.84	ug/L			03/25/26 18:28	1
2-Butanone (MEK)	1.3	U	10	1.3	ug/L			03/25/26 18:28	1
2-Hexanone	1.2	U	5.0	1.2	ug/L			03/25/26 18:28	1
4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1	ug/L			03/25/26 18:28	1
Acetone	3.0	U	10	3.0	ug/L			03/25/26 18:28	1
Benzene	0.41	U	1.0	0.41	ug/L			03/25/26 18:28	1
Dichlorobromomethane	0.39	U	1.0	0.39	ug/L			03/25/26 18:28	1
Bromoform	0.26	U	1.0	0.26	ug/L			03/25/26 18:28	1
Bromomethane	0.69	U	1.0	0.69	ug/L			03/25/26 18:28	1
Carbon disulfide	0.19	U	1.0	0.19	ug/L			03/25/26 18:28	1
Carbon tetrachloride	0.27	U	1.0	0.27	ug/L			03/25/26 18:28	1
Chlorobenzene	0.75	U	1.0	0.75	ug/L			03/25/26 18:28	1
Chlorodibromomethane	0.32	U	1.0	0.32	ug/L			03/25/26 18:28	1
Chloroethane	0.32	U	1.0	0.32	ug/L			03/25/26 18:28	1
Chloroform	0.34	U	1.0	0.34	ug/L			03/25/26 18:28	1
Chloromethane	0.35	U	1.0	0.35	ug/L			03/25/26 18:28	1
cis-1,2-Dichloroethene	0.81	U	1.0	0.81	ug/L			03/25/26 18:28	1
cis-1,3-Dichloropropene	0.36	U	1.0	0.36	ug/L			03/25/26 18:28	1
Cyclohexane	0.18	U	1.0	0.18	ug/L			03/25/26 18:28	1
Dichlorodifluoromethane	0.68	U	1.0	0.68	ug/L			03/25/26 18:28	1
Ethylbenzene	0.74	U	1.0	0.74	ug/L			03/25/26 18:28	1
1,2-Dibromoethane	0.73	U	1.0	0.73	ug/L			03/25/26 18:28	1
Isopropylbenzene	0.79	U	1.0	0.79	ug/L			03/25/26 18:28	1
Methyl acetate	1.3	U	2.5	1.3	ug/L			03/25/26 18:28	1
Methyl tert-butyl ether	0.16	U	1.0	0.16	ug/L			03/25/26 18:28	1
Methylcyclohexane	0.16	U	1.0	0.16	ug/L			03/25/26 18:28	1
Methylene Chloride	0.44	U	1.0	0.44	ug/L			03/25/26 18:28	1
Styrene	0.73	U	1.0	0.73	ug/L			03/25/26 18:28	1
Tetrachloroethene	0.36	U	1.0	0.36	ug/L			03/25/26 18:28	1
Toluene	0.51	U	1.0	0.51	ug/L			03/25/26 18:28	1
trans-1,2-Dichloroethene	0.90	U	1.0	0.90	ug/L			03/25/26 18:28	1
trans-1,3-Dichloropropene	0.37	U	1.0	0.37	ug/L			03/25/26 18:28	1
Trichloroethene	0.46	U	1.0	0.46	ug/L			03/25/26 18:28	1
Trichlorofluoromethane	0.88	U	1.0	0.88	ug/L			03/25/26 18:28	1
Vinyl chloride	0.90	U	1.0	0.90	ug/L			03/25/26 18:28	1
Xylenes, Total	0.66	U	2.0	0.66	ug/L			03/25/26 18:28	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-237156-1

Client Sample ID: STM-04-20260324-01
Date Collected: 03/24/26 13:55
Date Received: 03/24/26 16:40

Lab Sample ID: 480-237156-15
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	107		80 - 120		03/25/26 18:28	1
1,2-Dichloroethane-d4 (Surr)	106		77 - 120		03/25/26 18:28	1
4-Bromofluorobenzene (Surr)	85		73 - 120		03/25/26 18:28	1
Dibromofluoromethane (Surr)	105		75 - 123		03/25/26 18:28	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-237156-1

Client Sample ID: STM-05-20260324-01
Date Collected: 03/24/26 14:30
Date Received: 03/24/26 16:40

Lab Sample ID: 480-237156-16
Matrix: Water

Method: SW846 EPA 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.82	U	1.0	0.82	ug/L			03/25/26 18:50	1
1,1,2,2-Tetrachloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 18:50	1
1,1,2-Trichloroethane	0.23	U	1.0	0.23	ug/L			03/25/26 18:50	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31	ug/L			03/25/26 18:50	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			03/25/26 18:50	1
1,1-Dichloroethene	0.29	U	1.0	0.29	ug/L			03/25/26 18:50	1
1,2,4-Trichlorobenzene	0.41	U	1.0	0.41	ug/L			03/25/26 18:50	1
1,2-Dibromo-3-Chloropropane	0.39	U	1.0	0.39	ug/L			03/25/26 18:50	1
1,2-Dichlorobenzene	0.79	U	1.0	0.79	ug/L			03/25/26 18:50	1
1,2-Dichloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 18:50	1
1,2-Dichloropropane	0.72	U	1.0	0.72	ug/L			03/25/26 18:50	1
1,3-Dichlorobenzene	0.78	U	1.0	0.78	ug/L			03/25/26 18:50	1
1,4-Dichlorobenzene	0.84	U	1.0	0.84	ug/L			03/25/26 18:50	1
2-Butanone (MEK)	1.3	U	10	1.3	ug/L			03/25/26 18:50	1
2-Hexanone	1.2	U	5.0	1.2	ug/L			03/25/26 18:50	1
4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1	ug/L			03/25/26 18:50	1
Acetone	3.0	U	10	3.0	ug/L			03/25/26 18:50	1
Benzene	0.41	U	1.0	0.41	ug/L			03/25/26 18:50	1
Dichlorobromomethane	0.39	U	1.0	0.39	ug/L			03/25/26 18:50	1
Bromoform	0.26	U	1.0	0.26	ug/L			03/25/26 18:50	1
Bromomethane	0.69	U	1.0	0.69	ug/L			03/25/26 18:50	1
Carbon disulfide	0.19	U	1.0	0.19	ug/L			03/25/26 18:50	1
Carbon tetrachloride	0.27	U	1.0	0.27	ug/L			03/25/26 18:50	1
Chlorobenzene	0.75	U	1.0	0.75	ug/L			03/25/26 18:50	1
Chlorodibromomethane	0.32	U	1.0	0.32	ug/L			03/25/26 18:50	1
Chloroethane	0.32	U	1.0	0.32	ug/L			03/25/26 18:50	1
Chloroform	0.34	U	1.0	0.34	ug/L			03/25/26 18:50	1
Chloromethane	0.35	U	1.0	0.35	ug/L			03/25/26 18:50	1
cis-1,2-Dichloroethene	0.81	U	1.0	0.81	ug/L			03/25/26 18:50	1
cis-1,3-Dichloropropene	0.36	U	1.0	0.36	ug/L			03/25/26 18:50	1
Cyclohexane	0.18	U	1.0	0.18	ug/L			03/25/26 18:50	1
Dichlorodifluoromethane	0.68	U	1.0	0.68	ug/L			03/25/26 18:50	1
Ethylbenzene	0.74	U	1.0	0.74	ug/L			03/25/26 18:50	1
1,2-Dibromoethane	0.73	U	1.0	0.73	ug/L			03/25/26 18:50	1
Isopropylbenzene	0.79	U	1.0	0.79	ug/L			03/25/26 18:50	1
Methyl acetate	1.3	U	2.5	1.3	ug/L			03/25/26 18:50	1
Methyl tert-butyl ether	0.16	U	1.0	0.16	ug/L			03/25/26 18:50	1
Methylcyclohexane	0.16	U	1.0	0.16	ug/L			03/25/26 18:50	1
Methylene Chloride	0.44	U	1.0	0.44	ug/L			03/25/26 18:50	1
Styrene	0.73	U	1.0	0.73	ug/L			03/25/26 18:50	1
Tetrachloroethene	0.36	U	1.0	0.36	ug/L			03/25/26 18:50	1
Toluene	0.51	U	1.0	0.51	ug/L			03/25/26 18:50	1
trans-1,2-Dichloroethene	0.90	U	1.0	0.90	ug/L			03/25/26 18:50	1
trans-1,3-Dichloropropene	0.37	U	1.0	0.37	ug/L			03/25/26 18:50	1
Trichloroethene	0.46	U	1.0	0.46	ug/L			03/25/26 18:50	1
Trichlorofluoromethane	0.88	U	1.0	0.88	ug/L			03/25/26 18:50	1
Vinyl chloride	0.90	U	1.0	0.90	ug/L			03/25/26 18:50	1
Xylenes, Total	0.66	U	2.0	0.66	ug/L			03/25/26 18:50	1

Client: ERM-Northeast
Job ID: 480-237156-1
Project/Site: Leica - Cheektowaga

Client Sample ID: STM-05-20260324-01
Lab Sample ID: 480-237156-16
Date Collected: 03/24/26 14:30
Matrix: Water
Date Received: 03/24/26 16:40

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	107		80 - 120		03/25/26 18:50	1
1,2-Dichloroethane-d4 (Surr)	106		77 - 120		03/25/26 18:50	1
4-Bromofluorobenzene (Surr)	84		73 - 120		03/25/26 18:50	1
Dibromofluoromethane (Surr)	105		75 - 123		03/25/26 18:50	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-237156-1

Client Sample ID: SAN-05-20260324-01
Date Collected: 03/24/26 14:45
Date Received: 03/24/26 16:40

Lab Sample ID: 480-237156-17
Matrix: Water

Method: SW846 EPA 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.82	U	1.0	0.82	ug/L			03/25/26 19:13	1
1,1,2,2-Tetrachloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 19:13	1
1,1,2-Trichloroethane	0.23	U	1.0	0.23	ug/L			03/25/26 19:13	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31	ug/L			03/25/26 19:13	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			03/25/26 19:13	1
1,1-Dichloroethene	0.29	U	1.0	0.29	ug/L			03/25/26 19:13	1
1,2,4-Trichlorobenzene	0.41	U	1.0	0.41	ug/L			03/25/26 19:13	1
1,2-Dibromo-3-Chloropropane	0.39	U	1.0	0.39	ug/L			03/25/26 19:13	1
1,2-Dichlorobenzene	0.79	U	1.0	0.79	ug/L			03/25/26 19:13	1
1,2-Dichloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 19:13	1
1,2-Dichloropropane	0.72	U	1.0	0.72	ug/L			03/25/26 19:13	1
1,3-Dichlorobenzene	0.78	U	1.0	0.78	ug/L			03/25/26 19:13	1
1,4-Dichlorobenzene	0.84	U	1.0	0.84	ug/L			03/25/26 19:13	1
2-Butanone (MEK)	1.3	U	10	1.3	ug/L			03/25/26 19:13	1
2-Hexanone	1.2	U	5.0	1.2	ug/L			03/25/26 19:13	1
4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1	ug/L			03/25/26 19:13	1
Acetone	3.0	U	10	3.0	ug/L			03/25/26 19:13	1
Benzene	0.41	U	1.0	0.41	ug/L			03/25/26 19:13	1
Dichlorobromomethane	0.39	U	1.0	0.39	ug/L			03/25/26 19:13	1
Bromoform	0.26	U	1.0	0.26	ug/L			03/25/26 19:13	1
Bromomethane	0.69	U	1.0	0.69	ug/L			03/25/26 19:13	1
Carbon disulfide	0.19	U	1.0	0.19	ug/L			03/25/26 19:13	1
Carbon tetrachloride	0.27	U	1.0	0.27	ug/L			03/25/26 19:13	1
Chlorobenzene	0.75	U	1.0	0.75	ug/L			03/25/26 19:13	1
Chlorodibromomethane	0.32	U	1.0	0.32	ug/L			03/25/26 19:13	1
Chloroethane	0.32	U	1.0	0.32	ug/L			03/25/26 19:13	1
Chloroform	0.34	U	1.0	0.34	ug/L			03/25/26 19:13	1
Chloromethane	0.35	U	1.0	0.35	ug/L			03/25/26 19:13	1
cis-1,2-Dichloroethene	**2.1**		1.0	0.81	ug/L			03/25/26 19:13	1
cis-1,3-Dichloropropene	0.36	U	1.0	0.36	ug/L			03/25/26 19:13	1
Cyclohexane	0.18	U	1.0	0.18	ug/L			03/25/26 19:13	1
Dichlorodifluoromethane	0.68	U	1.0	0.68	ug/L			03/25/26 19:13	1
Ethylbenzene	0.74	U	1.0	0.74	ug/L			03/25/26 19:13	1
1,2-Dibromoethane	0.73	U	1.0	0.73	ug/L			03/25/26 19:13	1
Isopropylbenzene	0.79	U	1.0	0.79	ug/L			03/25/26 19:13	1
Methyl acetate	1.3	U	2.5	1.3	ug/L			03/25/26 19:13	1
Methyl tert-butyl ether	0.16	U	1.0	0.16	ug/L			03/25/26 19:13	1
Methylcyclohexane	0.16	U	1.0	0.16	ug/L			03/25/26 19:13	1
Methylene Chloride	0.44	U	1.0	0.44	ug/L			03/25/26 19:13	1
Styrene	0.73	U	1.0	0.73	ug/L			03/25/26 19:13	1
Tetrachloroethene	0.36	U	1.0	0.36	ug/L			03/25/26 19:13	1
Toluene	0.51	U	1.0	0.51	ug/L			03/25/26 19:13	1
trans-1,2-Dichloroethene	0.90	U	1.0	0.90	ug/L			03/25/26 19:13	1
trans-1,3-Dichloropropene	0.37	U	1.0	0.37	ug/L			03/25/26 19:13	1
Trichloroethene	**0.86**	**J**	1.0	0.46	ug/L			03/25/26 19:13	1
Trichlorofluoromethane	0.88	U	1.0	0.88	ug/L			03/25/26 19:13	1
Vinyl chloride	0.90	U	1.0	0.90	ug/L			03/25/26 19:13	1
Xylenes, Total	0.66	U	2.0	0.66	ug/L			03/25/26 19:13	1

Client: ERM-Northeast
Job ID: 480-237156-1
Project/Site: Leica - Cheektowaga

Client Sample ID: SAN-05-20260324-01
Lab Sample ID: 480-237156-17
Date Collected: 03/24/26 14:45
Matrix: Water
Date Received: 03/24/26 16:40

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	104		80 - 120		03/25/26 19:13	1
1,2-Dichloroethane-d4 (Surr)	107		77 - 120		03/25/26 19:13	1
4-Bromofluorobenzene (Surr)	88		73 - 120		03/25/26 19:13	1
Dibromofluoromethane (Surr)	105		75 - 123		03/25/26 19:13	1

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-237156-1

Client Sample ID: STM-06-20260324-01
Date Collected: 03/24/26 15:05
Date Received: 03/24/26 16:40

Lab Sample ID: 480-237156-18
Matrix: Water

Method: SW846 EPA 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.82	U	1.0	0.82	ug/L			03/25/26 19:35	1
1,1,2,2-Tetrachloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 19:35	1
1,1,2-Trichloroethane	0.23	U	1.0	0.23	ug/L			03/25/26 19:35	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31	ug/L			03/25/26 19:35	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			03/25/26 19:35	1
1,1-Dichloroethene	0.29	U	1.0	0.29	ug/L			03/25/26 19:35	1
1,2,4-Trichlorobenzene	0.41	U	1.0	0.41	ug/L			03/25/26 19:35	1
1,2-Dibromo-3-Chloropropane	0.39	U	1.0	0.39	ug/L			03/25/26 19:35	1
1,2-Dichlorobenzene	0.79	U	1.0	0.79	ug/L			03/25/26 19:35	1
1,2-Dichloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 19:35	1
1,2-Dichloropropane	0.72	U	1.0	0.72	ug/L			03/25/26 19:35	1
1,3-Dichlorobenzene	0.78	U	1.0	0.78	ug/L			03/25/26 19:35	1
1,4-Dichlorobenzene	0.84	U	1.0	0.84	ug/L			03/25/26 19:35	1
2-Butanone (MEK)	1.3	U	10	1.3	ug/L			03/25/26 19:35	1
2-Hexanone	1.2	U	5.0	1.2	ug/L			03/25/26 19:35	1
4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1	ug/L			03/25/26 19:35	1
Acetone	3.0	U	10	3.0	ug/L			03/25/26 19:35	1
Benzene	0.41	U	1.0	0.41	ug/L			03/25/26 19:35	1
Dichlorobromomethane	0.39	U	1.0	0.39	ug/L			03/25/26 19:35	1
Bromoform	0.26	U	1.0	0.26	ug/L			03/25/26 19:35	1
Bromomethane	0.69	U	1.0	0.69	ug/L			03/25/26 19:35	1
Carbon disulfide	0.19	U	1.0	0.19	ug/L			03/25/26 19:35	1
Carbon tetrachloride	0.27	U	1.0	0.27	ug/L			03/25/26 19:35	1
Chlorobenzene	0.75	U	1.0	0.75	ug/L			03/25/26 19:35	1
Chlorodibromomethane	0.32	U	1.0	0.32	ug/L			03/25/26 19:35	1
Chloroethane	0.32	U	1.0	0.32	ug/L			03/25/26 19:35	1
Chloroform	0.34	U	1.0	0.34	ug/L			03/25/26 19:35	1
Chloromethane	0.35	U	1.0	0.35	ug/L			03/25/26 19:35	1
cis-1,2-Dichloroethene	0.81	U	1.0	0.81	ug/L			03/25/26 19:35	1
cis-1,3-Dichloropropene	0.36	U	1.0	0.36	ug/L			03/25/26 19:35	1
Cyclohexane	0.18	U	1.0	0.18	ug/L			03/25/26 19:35	1
Dichlorodifluoromethane	0.68	U	1.0	0.68	ug/L			03/25/26 19:35	1
Ethylbenzene	0.74	U	1.0	0.74	ug/L			03/25/26 19:35	1
1,2-Dibromoethane	0.73	U	1.0	0.73	ug/L			03/25/26 19:35	1
Isopropylbenzene	0.79	U	1.0	0.79	ug/L			03/25/26 19:35	1
Methyl acetate	1.3	U	2.5	1.3	ug/L			03/25/26 19:35	1
Methyl tert-butyl ether	0.16	U	1.0	0.16	ug/L			03/25/26 19:35	1
Methylcyclohexane	0.16	U	1.0	0.16	ug/L			03/25/26 19:35	1
Methylene Chloride	0.44	U	1.0	0.44	ug/L			03/25/26 19:35	1
Styrene	0.73	U	1.0	0.73	ug/L			03/25/26 19:35	1
Tetrachloroethene	0.36	U	1.0	0.36	ug/L			03/25/26 19:35	1
Toluene	0.51	U	1.0	0.51	ug/L			03/25/26 19:35	1
trans-1,2-Dichloroethene	0.90	U	1.0	0.90	ug/L			03/25/26 19:35	1
trans-1,3-Dichloropropene	0.37	U	1.0	0.37	ug/L			03/25/26 19:35	1
Trichloroethene	0.46	U	1.0	0.46	ug/L			03/25/26 19:35	1
Trichlorofluoromethane	0.88	U	1.0	0.88	ug/L			03/25/26 19:35	1
Vinyl chloride	0.90	U	1.0	0.90	ug/L			03/25/26 19:35	1
Xylenes, Total	0.66	U	2.0	0.66	ug/L			03/25/26 19:35	1

Client: ERM-Northeast
Job ID: 480-237156-1
Project/Site: Leica - Cheektowaga

Client Sample ID: STM-06-20260324-01
Lab Sample ID: 480-237156-18
Date Collected: 03/24/26 15:05
Matrix: Water
Date Received: 03/24/26 16:40

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	107		80 - 120		03/25/26 19:35	1
1,2-Dichloroethane-d4 (Surr)	106		77 - 120		03/25/26 19:35	1
4-Bromofluorobenzene (Surr)	85		73 - 120		03/25/26 19:35	1
Dibromofluoromethane (Surr)	105		75 - 123		03/25/26 19:35	1

Client: ERM-Northeast
Job ID: 480-237156-1
Project/Site: Leica - Cheektowaga

Client Sample ID: SAN-06-20260324-01
Lab Sample ID: 480-237156-19
Date Collected: 03/24/26 15:20
Matrix: Water
Date Received: 03/24/26 16:40

Method: SW846 EPA 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.82	U	1.0	0.82	ug/L			03/25/26 19:58	1
1,1,2,2-Tetrachloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 19:58	1
1,1,2-Trichloroethane	0.23	U	1.0	0.23	ug/L			03/25/26 19:58	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31	ug/L			03/25/26 19:58	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			03/25/26 19:58	1
1,1-Dichloroethene	0.29	U	1.0	0.29	ug/L			03/25/26 19:58	1
1,2,4-Trichlorobenzene	0.41	U	1.0	0.41	ug/L			03/25/26 19:58	1
1,2-Dibromo-3-Chloropropane	0.39	U	1.0	0.39	ug/L			03/25/26 19:58	1
1,2-Dichlorobenzene	0.79	U	1.0	0.79	ug/L			03/25/26 19:58	1
1,2-Dichloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 19:58	1
1,2-Dichloropropane	0.72	U	1.0	0.72	ug/L			03/25/26 19:58	1
1,3-Dichlorobenzene	0.78	U	1.0	0.78	ug/L			03/25/26 19:58	1
1,4-Dichlorobenzene	0.84	U	1.0	0.84	ug/L			03/25/26 19:58	1
2-Butanone (MEK)	1.3	U	10	1.3	ug/L			03/25/26 19:58	1
2-Hexanone	1.2	U	5.0	1.2	ug/L			03/25/26 19:58	1
4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1	ug/L			03/25/26 19:58	1
Acetone	3.0	U	10	3.0	ug/L			03/25/26 19:58	1
Benzene	0.41	U	1.0	0.41	ug/L			03/25/26 19:58	1
Dichlorobromomethane	0.39	U	1.0	0.39	ug/L			03/25/26 19:58	1
Bromoform	0.26	U	1.0	0.26	ug/L			03/25/26 19:58	1
Bromomethane	0.69	U	1.0	0.69	ug/L			03/25/26 19:58	1
Carbon disulfide	0.19	U	1.0	0.19	ug/L			03/25/26 19:58	1
Carbon tetrachloride	0.27	U	1.0	0.27	ug/L			03/25/26 19:58	1
Chlorobenzene	0.75	U	1.0	0.75	ug/L			03/25/26 19:58	1
Chlorodibromomethane	0.32	U	1.0	0.32	ug/L			03/25/26 19:58	1
Chloroethane	0.32	U	1.0	0.32	ug/L			03/25/26 19:58	1
Chloroform	**1.2**		1.0	0.34	ug/L			03/25/26 19:58	1
Chloromethane	0.35	U	1.0	0.35	ug/L			03/25/26 19:58	1
cis-1,2-Dichloroethene	**1.7**		1.0	0.81	ug/L			03/25/26 19:58	1
cis-1,3-Dichloropropene	0.36	U	1.0	0.36	ug/L			03/25/26 19:58	1
Cyclohexane	0.18	U	1.0	0.18	ug/L			03/25/26 19:58	1
Dichlorodifluoromethane	0.68	U	1.0	0.68	ug/L			03/25/26 19:58	1
Ethylbenzene	0.74	U	1.0	0.74	ug/L			03/25/26 19:58	1
1,2-Dibromoethane	0.73	U	1.0	0.73	ug/L			03/25/26 19:58	1
Isopropylbenzene	0.79	U	1.0	0.79	ug/L			03/25/26 19:58	1
Methyl acetate	1.3	U	2.5	1.3	ug/L			03/25/26 19:58	1
Methyl tert-butyl ether	0.16	U	1.0	0.16	ug/L			03/25/26 19:58	1
Methylcyclohexane	0.16	U	1.0	0.16	ug/L			03/25/26 19:58	1
Methylene Chloride	0.44	U	1.0	0.44	ug/L			03/25/26 19:58	1
Styrene	0.73	U	1.0	0.73	ug/L			03/25/26 19:58	1
Tetrachloroethene	0.36	U	1.0	0.36	ug/L			03/25/26 19:58	1
Toluene	0.51	U	1.0	0.51	ug/L			03/25/26 19:58	1
trans-1,2-Dichloroethene	0.90	U	1.0	0.90	ug/L			03/25/26 19:58	1
trans-1,3-Dichloropropene	0.37	U	1.0	0.37	ug/L			03/25/26 19:58	1
Trichloroethene	**0.69**	**J**	1.0	0.46	ug/L			03/25/26 19:58	1
Trichlorofluoromethane	0.88	U	1.0	0.88	ug/L			03/25/26 19:58	1
Vinyl chloride	0.90	U	1.0	0.90	ug/L			03/25/26 19:58	1
Xylenes, Total	0.66	U	2.0	0.66	ug/L			03/25/26 19:58	1

Client: ERM-Northeast
Job ID: 480-237156-1
Project/Site: Leica - Cheektowaga

Client Sample ID: SAN-06-20260324-01
Lab Sample ID: 480-237156-19
Date Collected: 03/24/26 15:20
Matrix: Water
Date Received: 03/24/26 16:40

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	106		80 - 120		03/25/26 19:58	1
1,2-Dichloroethane-d4 (Surr)	107		77 - 120		03/25/26 19:58	1
4-Bromofluorobenzene (Surr)	86		73 - 120		03/25/26 19:58	1
Dibromofluoromethane (Surr)	105		75 - 123		03/25/26 19:58	1

Surrogate Summary

Client: ERM-Northeast
Job ID: 480-237156-1
Project/Site: Leica - Cheektowaga

Method: EPA 8260D - Volatile Organic Compounds by GC/MS

Matrix: Water **Prep Type: Total/NA**

		Percent Surrogate Recovery (Acceptance Limits)			
		TOL	DCA	BFB	DBFM
Lab Sample ID	Client Sample ID	(80-120)	(77-120)	(73-120)	(75-123)
480-237156-1	TB-20260324-01	106	105	85	105
480-237156-2	EB-01-20260324-01	108	105	85	105
480-237156-3	EB-02-20260324-01	105	103	86	102
480-237156-4	DUP-20260324-01	105	104	89	102
480-237156-5	STM-08-20260324-01	107	106	88	104
480-237156-6	STM-07-20260324-01	104	105	89	103
480-237156-6 MS	STM-07-20260324-01	106	102	82	101
480-237156-6 MSD	STM-07-20260324-01	104	103	82	102
480-237156-7	SAN-07-20260324-01	104	106	90	103
480-237156-8	SAN-08-20260324-01	105	105	89	103
480-237156-9	STM-01-20260324-01	105	107	88	103
480-237156-10	SAN-01-20260324-01	109	108	87	106
480-237156-11	STM-09-20260324-01	105	107	88	105
480-237156-12	STM-02-20260324-01	108	106	87	105
480-237156-13	SAN-04-20260324-01	106	106	87	104
480-237156-14	STM-03-20260324-01	106	106	85	106
480-237156-15	STM-04-20260324-01	107	106	85	105
480-237156-16	STM-05-20260324-01	107	106	84	105
480-237156-17	SAN-05-20260324-01	104	107	88	105
480-237156-18	STM-06-20260324-01	107	106	85	105
480-237156-19	SAN-06-20260324-01	106	107	86	105
LCS 480-770882/6	Lab Control Sample	106	104	83	103
MB 480-770882/8	Method Blank	107	105	87	104

Surrogate Legend

TOL = Toluene-d8 (Surr)
DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene (Surr)
DBFM = Dibromofluoromethane (Surr)

Method: EPA 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 480-770882/8
Matrix: Water
Analysis Batch: 770882

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	0.82	U	1.0	0.82	ug/L			03/25/26 11:45	1
1,1,2,2-Tetrachloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 11:45	1
1,1,2-Trichloroethane	0.23	U	1.0	0.23	ug/L			03/25/26 11:45	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31	ug/L			03/25/26 11:45	1
1,1-Dichloroethane	0.38	U	1.0	0.38	ug/L			03/25/26 11:45	1
1,1-Dichloroethene	0.29	U	1.0	0.29	ug/L			03/25/26 11:45	1
1,2,4-Trichlorobenzene	0.41	U	1.0	0.41	ug/L			03/25/26 11:45	1
1,2-Dibromo-3-Chloropropane	0.39	U	1.0	0.39	ug/L			03/25/26 11:45	1
1,2-Dichlorobenzene	0.79	U	1.0	0.79	ug/L			03/25/26 11:45	1
1,2-Dichloroethane	0.21	U	1.0	0.21	ug/L			03/25/26 11:45	1
1,2-Dichloropropane	0.72	U	1.0	0.72	ug/L			03/25/26 11:45	1
1,3-Dichlorobenzene	0.78	U	1.0	0.78	ug/L			03/25/26 11:45	1
1,4-Dichlorobenzene	0.84	U	1.0	0.84	ug/L			03/25/26 11:45	1
2-Butanone (MEK)	1.3	U	10	1.3	ug/L			03/25/26 11:45	1
2-Hexanone	1.2	U	5.0	1.2	ug/L			03/25/26 11:45	1
4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1	ug/L			03/25/26 11:45	1
Acetone	3.0	U	10	3.0	ug/L			03/25/26 11:45	1
Benzene	0.41	U	1.0	0.41	ug/L			03/25/26 11:45	1
Dichlorobromomethane	0.39	U	1.0	0.39	ug/L			03/25/26 11:45	1
Bromoform	0.26	U	1.0	0.26	ug/L			03/25/26 11:45	1
Bromomethane	0.69	U	1.0	0.69	ug/L			03/25/26 11:45	1
Carbon disulfide	0.19	U	1.0	0.19	ug/L			03/25/26 11:45	1
Carbon tetrachloride	0.27	U	1.0	0.27	ug/L			03/25/26 11:45	1
Chlorobenzene	0.75	U	1.0	0.75	ug/L			03/25/26 11:45	1
Chlorodibromomethane	0.32	U	1.0	0.32	ug/L			03/25/26 11:45	1
Chloroethane	0.32	U	1.0	0.32	ug/L			03/25/26 11:45	1
Chloroform	0.34	U	1.0	0.34	ug/L			03/25/26 11:45	1
Chloromethane	0.35	U	1.0	0.35	ug/L			03/25/26 11:45	1
cis-1,2-Dichloroethene	0.81	U	1.0	0.81	ug/L			03/25/26 11:45	1
cis-1,3-Dichloropropene	0.36	U	1.0	0.36	ug/L			03/25/26 11:45	1
Cyclohexane	0.18	U	1.0	0.18	ug/L			03/25/26 11:45	1
Dichlorodifluoromethane	0.68	U	1.0	0.68	ug/L			03/25/26 11:45	1
Ethylbenzene	0.74	U	1.0	0.74	ug/L			03/25/26 11:45	1
1,2-Dibromoethane	0.73	U	1.0	0.73	ug/L			03/25/26 11:45	1
Isopropylbenzene	0.79	U	1.0	0.79	ug/L			03/25/26 11:45	1
Methyl acetate	1.3	U	2.5	1.3	ug/L			03/25/26 11:45	1
Methyl tert-butyl ether	0.16	U	1.0	0.16	ug/L			03/25/26 11:45	1
Methylcyclohexane	0.16	U	1.0	0.16	ug/L			03/25/26 11:45	1
Methylene Chloride	0.44	U	1.0	0.44	ug/L			03/25/26 11:45	1
Styrene	0.73	U	1.0	0.73	ug/L			03/25/26 11:45	1
Tetrachloroethene	0.36	U	1.0	0.36	ug/L			03/25/26 11:45	1
Toluene	0.51	U	1.0	0.51	ug/L			03/25/26 11:45	1
trans-1,2-Dichloroethene	0.90	U	1.0	0.90	ug/L			03/25/26 11:45	1
trans-1,3-Dichloropropene	0.37	U	1.0	0.37	ug/L			03/25/26 11:45	1
Trichloroethene	0.46	U	1.0	0.46	ug/L			03/25/26 11:45	1
Trichlorofluoromethane	0.88	U	1.0	0.88	ug/L			03/25/26 11:45	1
Vinyl chloride	0.90	U	1.0	0.90	ug/L			03/25/26 11:45	1
Xylenes, Total	0.66	U	2.0	0.66	ug/L			03/25/26 11:45	1

Method: EPA 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 480-770882/8
Matrix: Water
Analysis Batch: 770882

Client Sample ID: Method Blank
Prep Type: Total/NA

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Toluene-d8 (Surr)	*107*		*80 - 120*		*03/25/26 11:45*	*1*
1,2-Dichloroethane-d4 (Surr)	*105*		*77 - 120*		*03/25/26 11:45*	*1*
4-Bromofluorobenzene (Surr)	*87*		*73 - 120*		*03/25/26 11:45*	*1*
Dibromofluoromethane (Surr)	*104*		*75 - 123*		*03/25/26 11:45*	*1*

Lab Sample ID: LCS 480-770882/6
Matrix: Water
Analysis Batch: 770882

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,1,1-Trichloroethane	25.0	26.0		ug/L		104	73 - 126
1,1,2,2-Tetrachloroethane	25.0	24.0		ug/L		96	76 - 120
1,1,2-Trichloroethane	25.0	23.0		ug/L		92	76 - 122
1,1,2-Trichloro-1,2,2-trifluoroethane	25.0	26.2		ug/L		105	61 - 148
1,1-Dichloroethane	25.0	24.4		ug/L		98	77 - 120
1,1-Dichloroethene	25.0	26.6		ug/L		106	66 - 127
1,2,4-Trichlorobenzene	25.0	28.3		ug/L		113	79 - 122
1,2-Dibromo-3-Chloropropane	25.0	29.0		ug/L		116	56 - 134
1,2-Dichlorobenzene	25.0	24.6		ug/L		98	80 - 124
1,2-Dichloroethane	25.0	23.2		ug/L		93	75 - 120
1,2-Dichloropropane	25.0	23.4		ug/L		93	76 - 120
1,3-Dichlorobenzene	25.0	22.9		ug/L		92	77 - 120
1,4-Dichlorobenzene	25.0	22.6		ug/L		90	80 - 120
2-Butanone (MEK)	125	111		ug/L		89	57 - 140
2-Hexanone	125	100		ug/L		80	65 - 127
4-Methyl-2-pentanone (MIBK)	125	116		ug/L		93	71 - 125
Acetone	125	95.8		ug/L		77	56 - 142
Benzene	25.0	23.7		ug/L		95	71 - 124
Dichlorobromomethane	25.0	23.6		ug/L		95	80 - 122
Bromoform	25.0	21.5		ug/L		86	61 - 132
Bromomethane	25.0	25.8		ug/L		103	55 - 144
Carbon disulfide	25.0	27.0		ug/L		108	59 - 134
Carbon tetrachloride	25.0	27.9		ug/L		112	72 - 134
Chlorobenzene	25.0	22.8		ug/L		91	80 - 120
Chlorodibromomethane	25.0	25.1		ug/L		100	75 - 125
Chloroethane	25.0	23.3		ug/L		93	69 - 136
Chloroform	25.0	23.5		ug/L		94	73 - 127
Chloromethane	25.0	23.5		ug/L		94	68 - 124
cis-1,2-Dichloroethene	25.0	23.6		ug/L		95	74 - 124
cis-1,3-Dichloropropene	25.0	23.4		ug/L		94	74 - 124
Cyclohexane	25.0	25.9		ug/L		103	59 - 135
Dichlorodifluoromethane	25.0	25.4		ug/L		101	59 - 135
Ethylbenzene	25.0	23.8		ug/L		95	77 - 123
1,2-Dibromoethane	25.0	22.2		ug/L		89	77 - 120
Isopropylbenzene	25.0	29.2		ug/L		117	77 - 122
Methyl acetate	50.0	45.8		ug/L		92	74 - 133
Methyl tert-butyl ether	25.0	22.8		ug/L		91	77 - 120
Methylcyclohexane	25.0	25.5		ug/L		102	68 - 134

Method: EPA 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 480-770882/6
Matrix: Water
Analysis Batch: 770882

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits		
Methylene Chloride			25.0	24.5		ug/L		98	75 - 124		
Styrene			25.0	21.0		ug/L		84	80 - 120		
Tetrachloroethene			25.0	25.5		ug/L		102	74 - 122		
Toluene			25.0	24.7		ug/L		99	80 - 122		
trans-1,2-Dichloroethene			25.0	25.2		ug/L		101	73 - 127		
trans-1,3-Dichloropropene			25.0	24.2		ug/L		97	80 - 120		
Trichloroethene			25.0	24.2		ug/L		97	74 - 123		
Trichlorofluoromethane			25.0	28.3		ug/L		113	62 - 150		
Vinyl chloride			25.0	25.1		ug/L		101	65 - 133		

Surrogate	*LCS %Recovery*	*LCS Qualifier*	*Limits*
Toluene-d8 (Surr)	*106*		*80 - 120*
1,2-Dichloroethane-d4 (Surr)	*104*		*77 - 120*
4-Bromofluorobenzene (Surr)	*83*		*73 - 120*
Dibromofluoromethane (Surr)	*103*		*75 - 123*

Lab Sample ID: 480-237156-6 MS
Matrix: Water
Analysis Batch: 770882

Client Sample ID: STM-07-20260324-01
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits		
1,1,1-Trichloroethane	0.82	U TH T	25.0	31.7	TH	ug/L		127	73 - 126		
1,1,2,2-Tetrachloroethane	0.21	U TH T	25.0	30.3	TH	ug/L		121	76 - 120		
1,1,2-Trichloroethane	0.23	U T	25.0	28.1		ug/L		112	76 - 122		
1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	25.0	28.7		ug/L		115	61 - 148		
1,1-Dichloroethane	0.38	U	25.0	30.0		ug/L		120	77 - 120		
1,1-Dichloroethene	0.29	U TH T	25.0	32.2	TH	ug/L		129	66 - 127		
1,2,4-Trichlorobenzene	0.41	U TH T	25.0	36.4	TH	ug/L		146	79 - 122		
1,2-Dibromo-3-Chloropropane	0.39	U TH	25.0	37.3	TH	ug/L		149	56 - 134		
1,2-Dichlorobenzene	0.79	U TH	25.0	31.5	TH	ug/L		126	80 - 124		
1,2-Dichloroethane	0.21	U	25.0	26.9		ug/L		107	75 - 120		
1,2-Dichloropropane	0.72	U	25.0	28.0		ug/L		112	76 - 120		
1,3-Dichlorobenzene	0.78	U	25.0	28.4		ug/L		114	77 - 120		
1,4-Dichlorobenzene	0.84	U	25.0	27.6		ug/L		110	78 - 124		
2-Butanone (MEK)	1.3	U	125	125		ug/L		100	57 - 140		
2-Hexanone	1.2	U	125	125		ug/L		100	65 - 127		
4-Methyl-2-pentanone (MIBK)	2.1	U	125	147		ug/L		117	71 - 125		
Acetone	3.0	U T	125	110		ug/L		88	56 - 142		
Benzene	0.41	U T	25.0	28.3		ug/L		113	71 - 124		
Dichlorobromomethane	0.39	U T	25.0	28.7		ug/L		115	80 - 122		
Bromoform	0.26	U	25.0	25.1		ug/L		101	61 - 132		
Bromomethane	0.69	U T	25.0	34.6		ug/L		138	55 - 144		
Carbon disulfide	0.19	U T	25.0	30.1		ug/L		120	59 - 134		
Carbon tetrachloride	0.27	U TH T	25.0	33.7	TH	ug/L		135	72 - 134		
Chlorobenzene	0.75	U	25.0	28.1		ug/L		112	80 - 120		
Chlorodibromomethane	0.32	U T	25.0	30.6		ug/L		122	75 - 125		
Chloroethane	0.32	U T	25.0	30.5		ug/L		122	69 - 136		
Chloroform	0.34	U	25.0	28.8		ug/L		115	73 - 127		

Method: EPA 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 480-237156-6 MS
Matrix: Water
Analysis Batch: 770882

Client Sample ID: STM-07-20260324-01
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Chloromethane	0.35	U	25.0	30.9		ug/L		124	68 - 124
cis-1,2-Dichloroethene	0.81	U T	25.0	28.5		ug/L		114	74 - 124
cis-1,3-Dichloropropene	0.36	U	25.0	26.9		ug/L		107	74 - 124
Cyclohexane	0.18	U	25.0	29.3		ug/L		117	59 - 135
Dichlorodifluoromethane	0.68	U	25.0	29.2		ug/L		117	59 - 135
Ethylbenzene	0.74	U T	25.0	29.4		ug/L		117	77 - 123
1,2-Dibromoethane	0.73	U T	25.0	27.2		ug/L		109	77 - 120
Isopropylbenzene	0.79	U TH	25.0	36.4	TH	ug/L		146	77 - 122
Methyl acetate	1.3	U	50.0	52.4		ug/L		105	74 - 133
Methyl tert-butyl ether	0.16	U	25.0	27.4		ug/L		110	77 - 120
Methylcyclohexane	0.16	U	25.0	28.0		ug/L		112	68 - 134
Methylene Chloride	0.44	U T	25.0	29.8		ug/L		119	75 - 124
Styrene	0.73	U	25.0	25.5		ug/L		102	80 - 120
Tetrachloroethene	0.36	U TH	25.0	31.1	TH	ug/L		125	74 - 122
Toluene	0.51	U TH T	25.0	31.0	TH	ug/L		124	80 - 122
trans-1,2-Dichloroethene	0.90	U	25.0	30.4		ug/L		122	73 - 127
trans-1,3-Dichloropropene	0.37	U T	25.0	28.5		ug/L		114	80 - 120
Trichloroethene	0.46	U	25.0	29.0		ug/L		116	74 - 123
Trichlorofluoromethane	0.88	U	25.0	35.1		ug/L		141	62 - 150
Vinyl chloride	0.90	U T	25.0	32.7		ug/L		131	65 - 133

Surrogate	*MS %Recovery*	*MS Qualifier*	*Limits*
Toluene-d8 (Surr)	*106*		*80 - 120*
1,2-Dichloroethane-d4 (Surr)	*102*		*77 - 120*
4-Bromofluorobenzene (Surr)	*82*		*73 - 120*
Dibromofluoromethane (Surr)	*101*		*75 - 123*

Lab Sample ID: 480-237156-6 MSD
Matrix: Water
Analysis Batch: 770882

Client Sample ID: STM-07-20260324-01
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1,1-Trichloroethane	0.82	U TH T	25.0	26.9	T	ug/L		107	73 - 126	16	15
1,1,2,2-Tetrachloroethane	0.21	U TH T	25.0	25.9	T	ug/L		104	76 - 120	16	15
1,1,2-Trichloroethane	0.23	U T	25.0	23.7	T	ug/L		95	76 - 122	17	15
1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	25.0	24.5		ug/L		98	61 - 148	16	20
1,1-Dichloroethane	0.38	U	25.0	25.0		ug/L		100	77 - 120	18	20
1,1-Dichloroethene	0.29	U TH T	25.0	26.5	T	ug/L		106	66 - 127	19	16
1,2,4-Trichlorobenzene	0.41	U TH T	25.0	29.6	T	ug/L		119	79 - 122	21	20
1,2-Dibromo-3-Chloropropane	0.39	U TH	25.0	32.0		ug/L		128	56 - 134	15	15
1,2-Dichlorobenzene	0.79	U TH	25.0	26.2		ug/L		105	80 - 124	18	20
1,2-Dichloroethane	0.21	U	25.0	23.5		ug/L		94	75 - 120	13	20
1,2-Dichloropropane	0.72	U	25.0	24.0		ug/L		96	76 - 120	15	20
1,3-Dichlorobenzene	0.78	U	25.0	24.3		ug/L		97	77 - 120	15	20
1,4-Dichlorobenzene	0.84	U	25.0	23.7		ug/L		95	78 - 124	15	20
2-Butanone (MEK)	1.3	U	125	108		ug/L		86	57 - 140	15	20
2-Hexanone	1.2	U	125	108		ug/L		86	65 - 127	15	15
4-Methyl-2-pentanone (MIBK)	2.1	U	125	123		ug/L		98	71 - 125	18	35

Method: EPA 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: 480-237156-6 MSD
Matrix: Water
Analysis Batch: 770882

Client Sample ID: STM-07-20260324-01
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Acetone	3.0	U T	125	92.5	T	ug/L		74	56 - 142	18	15
Benzene	0.41	U T	25.0	24.2	T	ug/L		97	71 - 124	16	13
Dichlorobromomethane	0.39	U T	25.0	24.4	T	ug/L		97	80 - 122	16	15
Bromoform	0.26	U	25.0	21.8		ug/L		87	61 - 132	14	15
Bromomethane	0.69	U T	25.0	26.8	T	ug/L		107	55 - 144	25	15
Carbon disulfide	0.19	U T	25.0	24.7	T	ug/L		99	59 - 134	20	15
Carbon tetrachloride	0.27	U TH T	25.0	28.7	T	ug/L		115	72 - 134	16	15
Chlorobenzene	0.75	U	25.0	23.8		ug/L		95	80 - 120	16	25
Chlorodibromomethane	0.32	U T	25.0	25.9	T	ug/L		104	75 - 125	16	15
Chloroethane	0.32	U T	25.0	25.2	T	ug/L		101	69 - 136	19	15
Chloroform	0.34	U	25.0	24.2		ug/L		97	73 - 127	17	20
Chloromethane	0.35	U	25.0	26.6		ug/L		106	68 - 124	15	15
cis-1,2-Dichloroethene	0.81	U T	25.0	23.9	T	ug/L		96	74 - 124	18	15
cis-1,3-Dichloropropene	0.36	U	25.0	23.2		ug/L		93	74 - 124	15	15
Cyclohexane	0.18	U	25.0	25.1		ug/L		100	59 - 135	15	20
Dichlorodifluoromethane	0.68	U	25.0	25.1		ug/L		100	59 - 135	15	20
Ethylbenzene	0.74	U T	25.0	24.8	T	ug/L		99	77 - 123	17	15
1,2-Dibromoethane	0.73	U T	25.0	23.0	T	ug/L		92	77 - 120	17	15
Isopropylbenzene	0.79	U TH	25.0	30.8	TH	ug/L		123	77 - 122	17	20
Methyl acetate	1.3	U	50.0	44.0		ug/L		88	74 - 133	17	20
Methyl tert-butyl ether	0.16	U	25.0	22.9		ug/L		91	77 - 120	18	37
Methylcyclohexane	0.16	U	25.0	24.0		ug/L		96	68 - 134	15	20
Methylene Chloride	0.44	U T	25.0	24.8	T	ug/L		99	75 - 124	18	15
Styrene	0.73	U	25.0	21.5		ug/L		86	80 - 120	17	20
Tetrachloroethene	0.36	U TH	25.0	26.2		ug/L		105	74 - 122	17	20
Toluene	0.51	U TH T	25.0	25.7	T	ug/L		103	80 - 122	19	15
trans-1,2-Dichloroethene	0.90	U	25.0	25.5		ug/L		102	73 - 127	18	20
trans-1,3-Dichloropropene	0.37	U T	25.0	24.1	T	ug/L		96	80 - 120	17	15
Trichloroethene	0.46	U	25.0	24.7		ug/L		99	74 - 123	16	16
Trichlorofluoromethane	0.88	U	25.0	29.8		ug/L		119	62 - 150	16	20
Vinyl chloride	0.90	U T	25.0	27.7	T	ug/L		111	65 - 133	17	15

Surrogate	*MSD %Recovery*	*MSD Qualifier*	*Limits*
Toluene-d8 (Surr)	*104*		*80 - 120*
1,2-Dichloroethane-d4 (Surr)	*103*		*77 - 120*
4-Bromofluorobenzene (Surr)	*82*		*73 - 120*
Dibromofluoromethane (Surr)	*102*		*75 - 123*

QC Association Summary

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-237156-1

GC/MS VOA

Analysis Batch: 770882

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
480-237156-1	TB-20260324-01	Total/NA	Water	EPA 8260D	
480-237156-2	EB-01-20260324-01	Total/NA	Water	EPA 8260D	
480-237156-3	EB-02-20260324-01	Total/NA	Water	EPA 8260D	
480-237156-4	DUP-20260324-01	Total/NA	Water	EPA 8260D	
480-237156-5	STM-08-20260324-01	Total/NA	Water	EPA 8260D	
480-237156-6	STM-07-20260324-01	Total/NA	Water	EPA 8260D	
480-237156-7	SAN-07-20260324-01	Total/NA	Water	EPA 8260D	
480-237156-8	SAN-08-20260324-01	Total/NA	Water	EPA 8260D	
480-237156-9	STM-01-20260324-01	Total/NA	Water	EPA 8260D	
480-237156-10	SAN-01-20260324-01	Total/NA	Water	EPA 8260D	
480-237156-11	STM-09-20260324-01	Total/NA	Water	EPA 8260D	
480-237156-12	STM-02-20260324-01	Total/NA	Water	EPA 8260D	
480-237156-13	SAN-04-20260324-01	Total/NA	Water	EPA 8260D	
480-237156-14	STM-03-20260324-01	Total/NA	Water	EPA 8260D	
480-237156-15	STM-04-20260324-01	Total/NA	Water	EPA 8260D	
480-237156-16	STM-05-20260324-01	Total/NA	Water	EPA 8260D	
480-237156-17	SAN-05-20260324-01	Total/NA	Water	EPA 8260D	
480-237156-18	STM-06-20260324-01	Total/NA	Water	EPA 8260D	
480-237156-19	SAN-06-20260324-01	Total/NA	Water	EPA 8260D	
MB 480-770882/8	Method Blank	Total/NA	Water	EPA 8260D	
LCS 480-770882/6	Lab Control Sample	Total/NA	Water	EPA 8260D	
480-237156-6 MS	STM-07-20260324-01	Total/NA	Water	EPA 8260D	
480-237156-6 MSD	STM-07-20260324-01	Total/NA	Water	EPA 8260D	

Lab Chronicle

Client: ERM-Northeast
Job ID: 480-237156-1
Project/Site: Leica - Cheektowaga

Client Sample ID: TB-20260324-01
Lab Sample ID: 480-237156-1
Date Collected: 03/24/26 09:35
Matrix: Water
Date Received: 03/24/26 16:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 8260D		1	770882	AXK	EET BUF	03/25/26 13:15

Client Sample ID: EB-01-20260324-01
Lab Sample ID: 480-237156-2
Date Collected: 03/24/26 09:40
Matrix: Water
Date Received: 03/24/26 16:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 8260D		1	770882	AXK	EET BUF	03/25/26 13:38

Client Sample ID: EB-02-20260324-01
Lab Sample ID: 480-237156-3
Date Collected: 03/24/26 09:45
Matrix: Water
Date Received: 03/24/26 16:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 8260D		1	770882	AXK	EET BUF	03/25/26 14:00

Client Sample ID: DUP-20260324-01
Lab Sample ID: 480-237156-4
Date Collected: 03/24/26 12:00
Matrix: Water
Date Received: 03/24/26 16:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 8260D		1	770882	AXK	EET BUF	03/25/26 14:22

Client Sample ID: STM-08-20260324-01
Lab Sample ID: 480-237156-5
Date Collected: 03/24/26 09:55
Matrix: Water
Date Received: 03/24/26 16:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 8260D		1	770882	AXK	EET BUF	03/25/26 14:44

Client Sample ID: STM-07-20260324-01
Lab Sample ID: 480-237156-6
Date Collected: 03/24/26 10:15
Matrix: Water
Date Received: 03/24/26 16:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 8260D		1	770882	AXK	EET BUF	03/25/26 15:07

Client Sample ID: SAN-07-20260324-01
Lab Sample ID: 480-237156-7
Date Collected: 03/24/26 10:35
Matrix: Water
Date Received: 03/24/26 16:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 8260D		1	770882	AXK	EET BUF	03/25/26 15:29

Lab Chronicle

Client: ERM-Northeast
Job ID: 480-237156-1
Project/Site: Leica - Cheektowaga

Client Sample ID: SAN-08-20260324-01
Lab Sample ID: 480-237156-8
Date Collected: 03/24/26 10:50
Matrix: Water
Date Received: 03/24/26 16:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 8260D		1	770882	AXK	EET BUF	03/25/26 15:51

Client Sample ID: STM-01-20260324-01
Lab Sample ID: 480-237156-9
Date Collected: 03/24/26 11:30
Matrix: Water
Date Received: 03/24/26 16:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 8260D		1	770882	AXK	EET BUF	03/25/26 16:14

Client Sample ID: SAN-01-20260324-01
Lab Sample ID: 480-237156-10
Date Collected: 03/24/26 11:35
Matrix: Water
Date Received: 03/24/26 16:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 8260D		1	770882	AXK	EET BUF	03/25/26 16:36

Client Sample ID: STM-09-20260324-01
Lab Sample ID: 480-237156-11
Date Collected: 03/24/26 11:55
Matrix: Water
Date Received: 03/24/26 16:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 8260D		1	770882	AXK	EET BUF	03/25/26 16:59

Client Sample ID: STM-02-20260324-01
Lab Sample ID: 480-237156-12
Date Collected: 03/24/26 13:10
Matrix: Water
Date Received: 03/24/26 16:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 8260D		1	770882	AXK	EET BUF	03/25/26 17:21

Client Sample ID: SAN-04-20260324-01
Lab Sample ID: 480-237156-13
Date Collected: 03/24/26 13:25
Matrix: Water
Date Received: 03/24/26 16:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 8260D		1	770882	AXK	EET BUF	03/25/26 17:43

Client Sample ID: STM-03-20260324-01
Lab Sample ID: 480-237156-14
Date Collected: 03/24/26 13:45
Matrix: Water
Date Received: 03/24/26 16:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 8260D		1	770882	AXK	EET BUF	03/25/26 18:05

Lab Chronicle

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-237156-1

Client Sample ID: STM-04-20260324-01

Lab Sample ID: 480-237156-15

Date Collected: 03/24/26 13:55

Matrix: Water

Date Received: 03/24/26 16:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 8260D		1	770882	AXK	EET BUF	03/25/26 18:28

Client Sample ID: STM-05-20260324-01

Lab Sample ID: 480-237156-16

Date Collected: 03/24/26 14:30

Matrix: Water

Date Received: 03/24/26 16:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 8260D		1	770882	AXK	EET BUF	03/25/26 18:50

Client Sample ID: SAN-05-20260324-01

Lab Sample ID: 480-237156-17

Date Collected: 03/24/26 14:45

Matrix: Water

Date Received: 03/24/26 16:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 8260D		1	770882	AXK	EET BUF	03/25/26 19:13

Client Sample ID: STM-06-20260324-01

Lab Sample ID: 480-237156-18

Date Collected: 03/24/26 15:05

Matrix: Water

Date Received: 03/24/26 16:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 8260D		1	770882	AXK	EET BUF	03/25/26 19:35

Client Sample ID: SAN-06-20260324-01

Lab Sample ID: 480-237156-19

Date Collected: 03/24/26 15:20

Matrix: Water

Date Received: 03/24/26 16:40

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Analysis	EPA 8260D		1	770882	AXK	EET BUF	03/25/26 19:58

Laboratory References:

EET BUF = Eurofins Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

Accreditation/Certification Summary

Client: ERM-Northeast
Job ID: 480-237156-1
Project/Site: Leica - Cheektowaga

Laboratory: Eurofins Buffalo

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
New York	NELAP	10026	03-31-26

Method Summary

Client: ERM-Northeast
Project/Site: Leica - Cheektowaga

Job ID: 480-237156-1

Method	Method Description	Protocol	Laboratory
EPA 8260D	Volatile Organic Compounds by GC/MS	SW846	EET BUF
5030C	Purge and Trap	SW846	EET BUF

Protocol References:

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET BUF = Eurofins Buffalo, 10 Hazelwood Drive, Amherst, NY 14228-2298, TEL (716)691-2600

Sample Summary

Client: ERM-Northeast
Job ID: 480-237156-1
Project/Site: Leica - Cheektowaga

Lab Sample ID	Client Sample ID	Matrix	Collected	Received	Sample Origin
480-237156-1	TB-20260324-01	Water	03/24/26 09:35	03/24/26 16:40	New York
480-237156-2	EB-01-20260324-01	Water	03/24/26 09:40	03/24/26 16:40	New York
480-237156-3	EB-02-20260324-01	Water	03/24/26 09:45	03/24/26 16:40	New York
480-237156-4	DUP-20260324-01	Water	03/24/26 12:00	03/24/26 16:40	New York
480-237156-5	STM-08-20260324-01	Water	03/24/26 09:55	03/24/26 16:40	New York
480-237156-6	STM-07-20260324-01	Water	03/24/26 10:15	03/24/26 16:40	New York
480-237156-7	SAN-07-20260324-01	Water	03/24/26 10:35	03/24/26 16:40	New York
480-237156-8	SAN-08-20260324-01	Water	03/24/26 10:50	03/24/26 16:40	New York
480-237156-9	STM-01-20260324-01	Water	03/24/26 11:30	03/24/26 16:40	New York
480-237156-10	SAN-01-20260324-01	Water	03/24/26 11:35	03/24/26 16:40	New York
480-237156-11	STM-09-20260324-01	Water	03/24/26 11:55	03/24/26 16:40	New York
480-237156-12	STM-02-20260324-01	Water	03/24/26 13:10	03/24/26 16:40	New York
480-237156-13	SAN-04-20260324-01	Water	03/24/26 13:25	03/24/26 16:40	New York
480-237156-14	STM-03-20260324-01	Water	03/24/26 13:45	03/24/26 16:40	New York
480-237156-15	STM-04-20260324-01	Water	03/24/26 13:55	03/24/26 16:40	New York
480-237156-16	STM-05-20260324-01	Water	03/24/26 14:30	03/24/26 16:40	New York
480-237156-17	SAN-05-20260324-01	Water	03/24/26 14:45	03/24/26 16:40	New York
480-237156-18	STM-06-20260324-01	Water	03/24/26 15:05	03/24/26 16:40	New York
480-237156-19	SAN-06-20260324-01	Water	03/24/26 15:20	03/24/26 16:40	New York

Amherst, NY 14228-2298
Phone: 716-691-2600 Fax: 716-691-7991

#225

Client Information	Sampler: O.Botting/C.Werner	Lab PM: Schove, John R	Carrier Tracking No(s):	COC No: 480-212428-40856.1
Client Contact: Tim Daniluk	Phone: 315-552-8484	E-Mail: John.Schove@et.eurofinsus.com	State of Origin: NY	Page: Page 1 of 3
Company: ERM-Northeast	PWSID:	Analysis Requested		Job #: 0639846
Address: 5784 Widewaters Pkwy	Due Date Requested:			Preservation Codes: A - HCL
City: Dewitt	TAT Requested (days): Standard			
State, Zip: NY, 13214	Compliance Project: Δ Yes Δ No			
Phone: 315-445-2554	PO #: PN#-0700858- 0639846 (CB)			
Email: melissa.lawsmith@erm.com tim.daniluk@erm.com edd@erm.com Kevin.Warner@erm.com	WO #:			
Project Name: LEICA-CHEEKTOWAGA	Project #: 48018461			
Site: New York	SSOW#:			

480-237158 Chain of Custody

Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=grab)	Matrix (W=water, S=solid, O=waste/oil, BT=Tissue, A=Air, DW=Drinking Water)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	8260C - TCL VOCs	Special Instructions/Note:
			Preservation Code:				A	
TB-20260324-01	3/24/26	0935	G	Water	N	N	X	2
EB-01-20260324-01		0940	G	Water	N	N	X	3
EB-02-20260324-01		0945	G	Water	N	N	X	3
DUP-20260324-01		1200	G	Water	N	N	X	3
STM-08-20260324-01		0955	G	Water	N	N	X	3
STM-07-20260324-01		1015	G	Water	N	Y	X	4
SAN-07-20260324-01		1035	G	Water	N	N	X	3
SAN-08-20260324-01		1050	G	Water	N	N	X	3
STM-01-20260324-01		1130	G	Water	N	N	X	3
SAN-01-20260324-01		1135	G	Water	N	N	X	3
STM-09-20260324-01	↓	1155	G	Water	N	N	X	3

Possible Hazard Identification
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☒ Unknown ☐ Radiological

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
☐ Return To Client ☒ Disposal By Lab ☐ Archive For ____ Months

Deliverable Requested: I, II, III, IV, Other (specify): ASP CAT B, Level IV

Special Instructions/QC Requirements: ERM EQUIS EDD

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:

	Date/Time	Company		Date/Time	Company
Relinquished by:	3/24/26 1640	ERM	Received by: VS	3-24-26 1640	
Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company

Custody Seals Intact: Δ Yes Δ No | Custody Seal No.:

Cooler Temperature(s) °C and Other Remarks: 7.0 IR#5C Ice

Ver: 10/10/2024

3/30/2026

Eurofins Buffalo
10 Hazelwood Drive
Amherst, NY 14228-2298
Phone: 716-691-2600 Fax: 716-691-7991

Chain of Custody Record

Syracuse | eurofins | Environment Testing

#225

Client Information	Sampler: O.Botting / C. Werner	Lab PM: Schove, John R	Carrier Tracking No(s):	COC No: 480-212423-40856.2
Client Contact: Tim Daniluk	Phone: 315-552-8484	E-Mail: John.Schove@et.eurofinsus.com	State of Origin: NY	Page: Page 2 of 2 (83)
Company: ERM-Northeast	PWSID:	Analysis Requested		Job #: 0639846
Address: 5784 Widewaters Pkwy	Due Date Requested:			Preservation Codes: A - HCL
City: Dewitt	TAT Requested (days): Standard			
State, Zip: NY, 13214	Compliance Project: Δ Yes Δ No			
Phone: 315-445-2554	PO #: PN# 0708858 0639846 (82)			
Email: melissa.amanti@erm.com tim.daniluk@erm.com kevin.warner@erm.com	WO #:			Other:
Project Name: LEICA-CHEEKTOWAGA edd@erm.com	Project #: 48018461			
Site: New York	SSOW#:			

Sample Identification	Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Matrix (W=water, S=solid, O=wipe/oil, BT=Tissue, A=Air, DW=Drinking water)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	8260C - TCL VOCs	Total Number of containers	Special Instructions/Note:
			Preservation Code:		X	X	A		
STM-02-20260324-01	3/24/26	1310	G	Water	N	N	X	3	
SAN-04-20260324-01		1325	G	Water	N	N	X	3	
STM-03-20260324-01		1345	G	Water	N	N	X	3	
STM-04-20260324-01		1355	G	Water	N	N	X	3	
STM-05-20260324-01		1430	G	Water	N	N	X	3	
SAN-05-20260324-01		1445	G	Water	N	N	X	3	
STM-06-20260324-01		1505	G	Water	N	N	X	3	
SAN-06-20260324-01		1520	G	Water	N	N	X	3	
				Water					
				Water					
				Water					

Possible Hazard Identification
☐ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☒ Unknown ☐ Radiological

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
☐ Return To Client ☒ Disposal By Lab ☐ Archive For Months

Deliverable Requested: I, II, III, IV, Other (specify) ASP CATB, Level IV

Special Instructions/QC Requirements: ERM EQUIS EDD

Empty Kit Relinquished by:	Date:	Time:	Method of Shipment:

Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
Olivia Ball	3/24/26 1640	ERM	See pg1		
Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company
Relinquished by:	Date/Time:	Company	Received by:	Date/Time:	Company

Custody Seals Intact: Δ Yes Δ No	Custody Seal No.:	Cooler Temperature(s) °C and Other Remarks:

Ver: 10/10/2024

Login Sample Receipt Checklist

Client: ERM-Northeast

Job Number: 480-237156-1

Login Number: 237156

List Source: Eurofins Buffalo

List Number: 1

Creator: Stapleton, Kaitlyn

Question	Answer	Comment
Radioactivity either was not measured or, if measured, is at or below background	True	
The cooler's custody seal, if present, is intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	7.0 IR#SC ice
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the sample IDs on the containers and the COC.	True	
Samples are received within Holding Time (Excluding tests with immediate HTs)..	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
VOA sample vials do not have headspace or bubble is <6mm (1/4") in diameter.	True	
If necessary, staff have been informed of any short hold time or quick TAT needs	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Sampling Company provided.	True	ERM-Northeast
Samples received within 48 hours of sampling.	True	
Samples requiring field filtration have been filtered in the field.	True	
Chlorine Residual checked.	N/A	

DATE
4 May 2026

REFERENCE
Site No. 915156

Attachment C
Data Usability Summary Reports (DUSRs)

© Copyright 2026 by The ERM International Group Limited and/or its affiliates ('ERM'). All Rights Reserved.
No part of this work may be reproduced or transmitted in any form or by any means, without prior written permission of ERM.

1050 SW 6th Avenue
Suite 1650
Portland, OR 97204

T +1 503 488 5282

erm.com

MEMO

TO	Tim Daniluk
FROM	Jack James
DATE	2025-12-04
REFERENCE	0757185
SUBJECT	Data Review of Former Leica, Inc. Site, Waste Water Samples. Samples Collected Novemeber 18, 2025: Eurofins, Data Package(s) 480-234626-1.

This memorandum summarizes the findings of a data usability summary review (DUSR) for fifteen waste water, one field duplicate, two equipment blanks, and one trip blank sample collected on November 18, 2025 at the Former Leica Site in Cheektowaga, New York, listed in the attached Table 1. The samples were shipped under chain of custody and analyzed by Eurofins Environment Testing Northeast (Eurofins) located at 10 Hazelwood Drive in Amherst, New York.

The findings offered in this report are based on a review of the following criteria. The analytical data have been evaluated according to the protocols and quality control (QC) requirements of the analytical method, *USEPA SOP Number QA-HWSS-A-004, March 2022, Standard Operating Procedure for the Validation of Volatile Data*, and the reviewer's professional judgment.

ERM reviewed the following items as part of this review.

- **Chain of Custody:** The chains of custody were reviewed for proper completion and that the laboratory performed the requested methods and reported the requested target analytes for each sample.
- **Dilutions and Reanalysis:** Dilutions, calibration ranges, and reanalyses were reviewed as applicable. The best result was chosen when more than one result was reported as final.
- **Case Narrative:** The case narrative was reviewed for comments and any necessary qualifiers added.
- **Sample Preservation:** The appropriate temperature and chemical preservation requirements were reviewed. Headspace for volatile sample analysis was reviewed, if applicable.
- **Holding Times:** The period of time between collection of the sample and preparation/analysis of the sample was evaluated.

© Copyright 2025 by The ERM International Group Limited and/or its affiliates ('ERM'). All Rights Reserved.
No part of this work may be reproduced or transmitted in any form or by any means, without prior written permission of ERM.

- **Instrument Tuning:** Instrument tuning and performance check frequency and results were reviewed.
- **Calibration:** The initial calibration type, fit, number of standards, and minimum response factors were evaluated. Additionally, the frequency and percent recoveries for initial and continuing calibration verification standards and blanks were evaluated.
- **Laboratory Blank Samples:** The preparation and analysis of reagent (contaminant-free) water was evaluated, along with the required frequency.
- **Field Blank Samples:** The collection and analysis of field blanks was evaluated. The reviewed data package(s) included the following associated field blanks: trip and equipment.
- **Laboratory Control Spike Samples:** Laboratory control spike sample preparation frequency and recoveries were reviewed as applicable.
- **Matrix Spike Samples:** Matrix spike and post digestion spike sample preparation frequency and recoveries were reviewed as applicable.
- **Surrogate Spikes:** The addition of appropriate surrogates and their recoveries were evaluated.
- **Internal standards:** The presence and recoveries of internal standards and their appropriate association to target analytes were reviewed.
- **Field Duplicate Samples:** Field duplicate recoveries and/or absolute differences were reviewed as applicable.
- **Recalculation:** Selected target analyte results in project samples were recalculated.

Data validation findings are summarized in the sections below. As necessary, the following data quality flags were applied during validation. Professional judgment was used when multiple flags were applied to one result; therefore, the final flag may differ from the one presented in an individual table.

- J = estimated concentration
- UJ = estimated reporting limit
- U = evaluated to be non-detected at the reporting limit
- R = rejected, data not usable
- NJ = tentative identification and estimated concentration

Validation outliers and any necessary data qualifications are summarized in tables at the end of this memo. The table below indicates the included validation tables with findings.

List of Attached Tables	
Table 1:	Sample Summary
Table 2:	Calibration Verification Evaluation
Table 3:	Laboratory Blank Evaluation
Table 4:	Laboratory Control Spike Evaluation
Table 5:	Matrix Spike Evaluation
Table 6:	Field Duplicate Evaluation

CHAIN-OF-CUSTODY DISCREPANCIES

The laboratory did not note discrepancies between the chains-of-custody and the received sample containers.

SAMPLES WITH NON-PREFERRED RESULTS

All samples had only one final result reported for each analyte and method combination. All results are considered preferred.

CASE NARRATIVE EVALUATION

The laboratory did not note issues in the case narrative that warranted further explanation.

PRESERVATION EVALUATION

The laboratory received the sample shipments in good condition, within the method-prescribed temperature preservation requirements of less than 6°C, with acceptable sample pH values, and, as applicable, all vials for volatile analysis were received with no documented headspace.

HOLDING TIME EVALUATION

The samples were prepared and analyzed within the method-prescribed time period from the date of collection, with appropriate considerations for sample preservation requirements.

INSTRUMENT TUNING EVALUATION

All instrument tuning criteria met method acceptance criteria.

INITIAL CALIBRATION EVALUATION

The initial calibrations met the minimum number of calibration standards, required percent standard deviation (%RSD), relative correlation coefficient (r^2), and/or minimum relative response factor (RRF) limits (as applicable to the methods) for target analytes.

CALIBRATION VERIFICATION EVALUATION

The initial and continuing calibration verifications were within required percent difference (%D) or percent recoveries (%R) and RRF limits (as applicable to the methods) for target analytes, with the exceptions and any necessary qualifications noted in Table 2.

ICV and CCV situations requiring additional professional judgement are detailed below.

- Outliers for non-target analytes were not included in the review or presented.

LABORATORY BLANK EVALUATION

The laboratory blank sample results were non-detected for each of the target analytes, with the exceptions and any necessary qualifications noted in Table 3.

FIELD BLANK EVALUATION

The trip and equipment blank sample results were non-detected for each of the target analytes. The blank results indicate that contaminants were not introduced to the samples during collection, shipment, handling, and storage.

LABORATORY CONTROL SPIKE EVALUATION

The laboratory control sample (LCS) recoveries and, if included, the laboratory control sample duplicate (LCSD) recoveries and relative percent differences (RPD) were within the laboratory's limits of acceptance, with the exceptions and any necessary qualifications noted in Table 4. Results were not qualified if the paired spiked sample recovery was acceptable, if high recoveries or RPDs were associated with non-detected results, or if the exception was not associated with reported results.

MATRIX SPIKE EVALUATION

The matrix spike (MS) recoveries and, if included, the matrix spike duplicate (MSD) recoveries and RPDs were within the laboratory's limits of acceptance for target analytes for spiked project samples, with the exceptions and any necessary qualifications noted in Table 5. MS/MSDs performed on non-project parent samples, if included, are not representative of the matrix for this project and were therefore not reviewed or presented. Results were not qualified if the paired spiked sample recovery was acceptable, if high recoveries or RPDs were associated with non-detected results, if the parent sample result was greater than four times that of the spike, if the spike was diluted out, or if the exception was not associated with reported results.

SURROGATE EVALUATION

The surrogate recoveries were within the laboratory limits of acceptance. The acceptable surrogate recoveries indicate minimal matrix interference in the samples.

INTERNAL STANDARD EVALUATION

The internal standard responses for reported results were within acceptable limits. The acceptable internal standard responses indicate that the instrument sensitivity and responses were stable during each analysis.

FIELD DUPLICATE EVALUATION

One or more samples were submitted to the laboratory as field duplicates. RPDs were calculated as appropriate for detected results. The RPDs were within the criterion of 50, with any exceptions and necessary qualifications noted in Table 6.

CALIBRATION RANGE EVALUATION

All results were reported within each instrument’s calibration range.

RECALCULATION

All result recalculations performed agreed with reported results.

PROFESSIONAL JUDGEMENT EVALUATION

Additional qualifiers using the validator’s professional judgement were not necessary.

OVERALL ASSESSMENT

None of the data required rejection. All the data, including any qualified data, can be used for decision-making purposes; however, the limitations indicated by the applied qualifiers should be considered when using the data. The quality of the data generated during this investigation is acceptable for the preparation of technically defensible documents.

Table 1
Sample Summary
Groundwater Samples
Former Leica, Inc. Site
Cheektowaga, New York

ANALYTIC_METHOD				SW8260C
FRACTION				N
COC ID	Lab ID	Date	Type	VOCs
480-229258-1				
DUP-20251118	480-234626-2	2025/11/18	FD	X
EB-01-20251118	480-234626-3	2025/11/18	EB	X
EB-02-20251118	480-234626-4	2025/11/18	EB	X
SAN-01-20251118	480-234626-10	2025/11/18	N	X
SAN-04-20251118	480-234626-14	2025/11/18	N	X
SAN-05-20251118	480-234626-17	2025/11/18	N	X
SAN-06-20251118	480-234626-19	2025/11/18	N	X
SAN-07-20251118	480-234626-7	2025/11/18	N	X
SAN-08-20251118	480-234626-6	2025/11/18	N	X
STM-01-20251118	480-234626-9	2025/11/18	N	X
STM-02-20251118	480-234626-12	2025/11/18	N	X
STM-03-20251118	480-234626-13	2025/11/18	N	X
STM-04-20251118	480-234626-15	2025/11/18	N	X
STM-05-20251118	480-234626-16	2025/11/18	N	X
STM-06-20251118	480-234626-18	2025/11/18	N	X
STM-07-20251118	480-234626-8	2025/11/18	N	X
STM-08-20251118	480-234626-5	2025/11/18	N	X

Table 1
Sample Summary
Groundwater Samples
Former Leica, Inc. Site
Cheektowaga, New York

ANALYTIC_METHOD				SW8260C
FRACTION				N
COC ID	Lab ID	Date	Type	VOCs
STM-09-20251118	480-234626-11	2025/11/18	N	X
TB-01-20251118	480-234626-1	2025/11/18	TB	X

Sample Type:

EB = equipment blank sample

FD = field duplicate sample

N = primary sample

TB = trip blank sample

Fraction:

N = not applicable

Analytes:

VOCs = volatile organic compounds

Table 2
Calibration Verification Evaluation
Groundwater Samples
Former Leica, Inc. Site
Cheektowaga, New York

Lab Package	ICV/CCV Sample ID	Analyte	ICV/CCV (%)	ICV/CCV RRF	Limits	Associated Sample	Result	Units	ERM Qualifier
480-234626-1	CCVIS 480-763216/4	Chloromethane	33.0 %D	--	±20 %D	DUP-20251118	ND	µg/L	UJ
						EB-01-20251118	ND	µg/L	UJ
						EB-02-20251118	ND	µg/L	UJ
						SAN-01-20251118	ND	µg/L	UJ
						SAN-04-20251118	ND	µg/L	UJ
						SAN-05-20251118	ND	µg/L	UJ
						SAN-06-20251118	ND	µg/L	UJ
						SAN-07-20251118	ND	µg/L	UJ
						SAN-08-20251118	ND	µg/L	UJ
						STM-01-20251118	ND	µg/L	UJ
						STM-02-20251118	ND	µg/L	UJ
						STM-03-20251118	ND	µg/L	UJ
						STM-04-20251118	ND	µg/L	UJ
						STM-05-20251118	ND	µg/L	UJ
						STM-06-20251118	ND	µg/L	UJ
						STM-07-20251118	ND	µg/L	UJ
						STM-08-20251118	ND	µg/L	UJ
						STM-09-20251118	ND	µg/L	UJ
						TB-01-20251118	ND	µg/L	UJ

Notes:
-- = not applicable; associated data not affected
CCV = continuing calibration verification
ICV = initial calibration verification
µg/L = micrograms per liter
ND = not detected
RRF = relative response factor
r^2 = correlation coefficient
UJ = non-detected, estimated report limit

Table 3
Laboratory Blank Evaluation
Groundwater Samples
Former Leica, Inc. Site
Cheektowaga, New York

Lab Package	Blank ID	Analyte	Reported Blank Conc.	Blank RL	Associated Sample	Assoc. Sample Result	Assoc. Sample RL	Units	ERM Qualifier
480-234626-1	MB 480-763216-8	Chloroform	0.852	1.0	SAN-04-20251118	0.66	1.0	µg/L	1.0 U
					SAN-05-20251118	0.48	1.0	µg/L	1.0 U
					SAN-06-20251118	0.58	1.0	µg/L	1.0 U

Notes:
Conc. = concentration
MB = method blank
µg/L = micrograms per liter
RL = reporting limit
U = non-detected

Table 4
Laboratory Control Spike Evaluation
Groundwater Samples
Former Leica, Inc. Site
Cheektowaga, New York

Lab Package	Spike Sample ID	Associated Sample	Analyte	Recovery (%)	Limit (%)	RPD	RPD Limit	Result	Units	ERM Qualifier
480-234626-1	LCS 480-763216/6	None for qualification, samples ND	Chloromethane	129	68-124	--	--	--	--	--

Notes:
-- = not applicable; associated data not affected
LCS = laboratory control sample
µg/L = micrograms per liter
ND = not detected
RPD = relative percent difference

Table 5
Matrix Spike Evaluation
Groundwater Samples
Former Leica, Inc. Site
Cheektowaga, New York

Lab Package	Spike Sample ID	Associated Sample	Analyte	Recovery (%)	Limit (%)	RPD	RPD Limit	Result	Units	ERM Qualifier
480-234626-1	STM-08-20251118 MS/MSD	None for qualification, parent sample ND	1,1-Dichloroethane	121/Pass	77-120	Pass	20	--	--	--
			1,2-Dichloropropane	123/Pass	76-120	Pass	20	--	--	--
			Chloromethane	157/148	68-124	Pass	15	--	--	--
			Methylene Chloride	129/Pass	75-124	Pass	15	--	--	--

Notes:
-- = not applicable; associated data not affected
MS = matrix spike
MSD = matrix spike duplicate
ND = not detected
RPD = relative percent difference

Table 6
Field Duplicate Evaluation
Groundwater Samples
Former Leica, Inc. Site
Cheektowaga, New York

Lab Package	Primary/Duplicate Sample ID	Analyte	Concentration		Report Limit		Units	AbD	RPD	Limit	ERM Qualifier
			Sample	Duplicate	Sample	Duplicate					
480-234626-1	SAN-08-20251118 DUP-20251118	Trichloroethene	0.96	1.0	1.0	1.0	µg/L	NA	4.1	50	--
		cis-1,2-Dichloroethene	5.7	5.4	1.0	1.0	µg/L	NA	5.4	50	--

Notes:
-- = not applicable; associated data not affected
AbD = absolute difference
µg/L = micrograms per liter
NA = not applicable
RPD = relative percent difference

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-234626-1

SDG No.:

Client Sample ID: TB-01-20251118 | Lab Sample ID: 480-234626-1

Matrix: Water | Lab File ID: L1562.D

Analysis Method: 8260C | Date Collected: 11/18/2025 09:30

Sample wt/vol: 5(mL) | Date Analyzed: 11/22/2025 03:29

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (30) VOA ID: 0.25(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 763216 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5977L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.21
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31
75-34-3	1,1-Dichloroethane	ND		1.0	0.38
75-35-4	1,1-Dichloroethene	ND		1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	ND		1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	ND		1.0	0.39
95-50-1	1,2-Dichlorobenzene	ND		1.0	0.79
107-06-2	1,2-Dichloroethane	ND		1.0	0.21
78-87-5	1,2-Dichloropropane	ND		1.0	0.72
541-73-1	1,3-Dichlorobenzene	ND		1.0	0.78
106-46-7	1,4-Dichlorobenzene	ND		1.0	0.84
78-93-3	2-Butanone (MEK)	ND		10	1.3
591-78-6	2-Hexanone	ND		5.0	1.2
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1
67-64-1	Acetone	ND		10	3.0
71-43-2	Benzene	ND		1.0	0.41
75-27-4	Dichlorobromomethane	ND		1.0	0.39
75-25-2	Bromoform	ND		1.0	0.26
74-83-9	Bromomethane	ND		1.0	0.69
75-15-0	Carbon disulfide	ND		1.0	0.19
56-23-5	Carbon tetrachloride	ND		1.0	0.27
108-90-7	Chlorobenzene	ND		1.0	0.75
124-48-1	Chlorodibromomethane	ND		1.0	0.32
75-00-3	Chloroethane	ND		1.0	0.32
67-66-3	Chloroform	ND		1.0	0.34
74-87-3	Chloromethane	ND	~~*+~~ U	1.0	0.35
156-59-2	cis-1,2-Dichloroethene	ND		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.36
110-82-7	Cyclohexane	ND		1.0	0.18
75-71-8	Dichlorodifluoromethane	ND		1.0	0.68

JAJ
12/4/25

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-234626-1

SDG No.:

Client Sample ID: TB-01-20251118 | Lab Sample ID: 480-234626-1

Matrix: Water | Lab File ID: L1562.D

Analysis Method: 8260C | Date Collected: 11/18/2025 09:30

Sample wt/vol: 5(mL) | Date Analyzed: 11/22/2025 03:29

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (30) VOA ID: 0.25(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 763216 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5977L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
100-41-4	Ethylbenzene	ND		1.0	0.74
106-93-4	1,2-Dibromoethane	ND		1.0	0.73
98-82-8	Isopropylbenzene	ND		1.0	0.79
79-20-9	Methyl acetate	ND		2.5	1.3
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.16
108-87-2	Methylcyclohexane	ND		1.0	0.16
75-09-2	Methylene Chloride	ND		1.0	0.44
100-42-5	Styrene	ND		1.0	0.73
127-18-4	Tetrachloroethene	ND		1.0	0.36
108-88-3	Toluene	ND		1.0	0.51
156-60-5	trans-1,2-Dichloroethene	ND		1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.37
79-01-6	Trichloroethene	ND		1.0	0.46
75-69-4	Trichlorofluoromethane	ND		1.0	0.88
75-01-4	Vinyl chloride	ND		1.0	0.90
1330-20-7	Xylenes, Total	ND		2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
2037-26-5	Toluene-d8 (Surr)	89		80-120
17060-07-0	1,2-Dichloroethane-d4 (Surr)	84		77-120
460-00-4	4-Bromofluorobenzene (Surr)	89		73-120
1868-53-7	Dibromofluoromethane (Surr)	89		75-123

JAJ
12/4/25

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-234626-1

SDG No.:

Client Sample ID: DUP-20251118 | Lab Sample ID: 480-234626-2

Matrix: Water | Lab File ID: L1563.D

Analysis Method: 8260C | Date Collected: 11/18/2025 12:00

Sample wt/vol: 5(mL) | Date Analyzed: 11/22/2025 03:53

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (30) VOA ID: 0.25(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 763216 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5977L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.21
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31
75-34-3	1,1-Dichloroethane	ND		1.0	0.38
75-35-4	1,1-Dichloroethene	ND		1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	ND		1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	ND		1.0	0.39
95-50-1	1,2-Dichlorobenzene	ND		1.0	0.79
107-06-2	1,2-Dichloroethane	ND		1.0	0.21
78-87-5	1,2-Dichloropropane	ND		1.0	0.72
541-73-1	1,3-Dichlorobenzene	ND		1.0	0.78
106-46-7	1,4-Dichlorobenzene	ND		1.0	0.84
78-93-3	2-Butanone (MEK)	ND		10	1.3
591-78-6	2-Hexanone	ND		5.0	1.2
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1
67-64-1	Acetone	ND		10	3.0
71-43-2	Benzene	ND		1.0	0.41
75-27-4	Dichlorobromomethane	ND		1.0	0.39
75-25-2	Bromoform	ND		1.0	0.26
74-83-9	Bromomethane	ND		1.0	0.69
75-15-0	Carbon disulfide	ND		1.0	0.19
56-23-5	Carbon tetrachloride	ND		1.0	0.27
108-90-7	Chlorobenzene	ND		1.0	0.75
124-48-1	Chlorodibromomethane	ND		1.0	0.32
75-00-3	Chloroethane	ND		1.0	0.32
67-66-3	Chloroform	ND		1.0	0.34
74-87-3	Chloromethane	ND	*+ UJ	1.0	0.35
156-59-2	cis-1,2-Dichloroethene	5.4		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.36
110-82-7	Cyclohexane	ND		1.0	0.18
75-71-8	Dichlorodifluoromethane	ND		1.0	0.68

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-234626-1

SDG No.:

Client Sample ID: DUP-20251118 | Lab Sample ID: 480-234626-2

Matrix: Water | Lab File ID: L1563.D

Analysis Method: 8260C | Date Collected: 11/18/2025 12:00

Sample wt/vol: 5(mL) | Date Analyzed: 11/22/2025 03:53

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (30) VOA ID: 0.25(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 763216 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5977L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
100-41-4	Ethylbenzene	ND		1.0	0.74
106-93-4	1,2-Dibromoethane	ND		1.0	0.73
98-82-8	Isopropylbenzene	ND		1.0	0.79
79-20-9	Methyl acetate	ND		2.5	1.3
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.16
108-87-2	Methylcyclohexane	ND		1.0	0.16
75-09-2	Methylene Chloride	ND		1.0	0.44
100-42-5	Styrene	ND		1.0	0.73
127-18-4	Tetrachloroethene	ND		1.0	0.36
108-88-3	Toluene	ND		1.0	0.51
156-60-5	trans-1,2-Dichloroethene	ND		1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.37
79-01-6	Trichloroethene	1.0		1.0	0.46
75-69-4	Trichlorofluoromethane	ND		1.0	0.88
75-01-4	Vinyl chloride	ND		1.0	0.90
1330-20-7	Xylenes, Total	ND		2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
2037-26-5	Toluene-d8 (Surr)	87		80-120
17060-07-0	1,2-Dichloroethane-d4 (Surr)	83		77-120
460-00-4	4-Bromofluorobenzene (Surr)	90		73-120
1868-53-7	Dibromofluoromethane (Surr)	88		75-123

JAJ
12/4/25

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-234626-1

SDG No.:

Client Sample ID: EB-01-20251118 | Lab Sample ID: 480-234626-3

Matrix: Water | Lab File ID: L1564.D

Analysis Method: 8260C | Date Collected: 11/18/2025 09:35

Sample wt/vol: 5(mL) | Date Analyzed: 11/22/2025 04:17

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (30) VOA ID: 0.25(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 763216 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5977L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.21
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31
75-34-3	1,1-Dichloroethane	ND		1.0	0.38
75-35-4	1,1-Dichloroethene	ND		1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	ND		1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	ND		1.0	0.39
95-50-1	1,2-Dichlorobenzene	ND		1.0	0.79
107-06-2	1,2-Dichloroethane	ND		1.0	0.21
78-87-5	1,2-Dichloropropane	ND		1.0	0.72
541-73-1	1,3-Dichlorobenzene	ND		1.0	0.78
106-46-7	1,4-Dichlorobenzene	ND		1.0	0.84
78-93-3	2-Butanone (MEK)	ND		10	1.3
591-78-6	2-Hexanone	ND		5.0	1.2
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1
67-64-1	Acetone	ND		10	3.0
71-43-2	Benzene	ND		1.0	0.41
75-27-4	Dichlorobromomethane	ND		1.0	0.39
75-25-2	Bromoform	ND		1.0	0.26
74-83-9	Bromomethane	ND		1.0	0.69
75-15-0	Carbon disulfide	ND		1.0	0.19
56-23-5	Carbon tetrachloride	ND		1.0	0.27
108-90-7	Chlorobenzene	ND		1.0	0.75
124-48-1	Chlorodibromomethane	ND		1.0	0.32
75-00-3	Chloroethane	ND		1.0	0.32
67-66-3	Chloroform	ND		1.0	0.34
74-87-3	Chloromethane	ND	*+ UJ	1.0	0.35
156-59-2	cis-1,2-Dichloroethene	ND		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.36
110-82-7	Cyclohexane	ND		1.0	0.18
75-71-8	Dichlorodifluoromethane	ND		1.0	0.68

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-234626-1

SDG No.:

Client Sample ID: EB-01-20251118 | Lab Sample ID: 480-234626-3

Matrix: Water | Lab File ID: L1564.D

Analysis Method: 8260C | Date Collected: 11/18/2025 09:35

Sample wt/vol: 5(mL) | Date Analyzed: 11/22/2025 04:17

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (30) VOA ID: 0.25(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 763216 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5977L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
100-41-4	Ethylbenzene	ND		1.0	0.74
106-93-4	1,2-Dibromoethane	ND		1.0	0.73
98-82-8	Isopropylbenzene	ND		1.0	0.79
79-20-9	Methyl acetate	ND		2.5	1.3
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.16
108-87-2	Methylcyclohexane	ND		1.0	0.16
75-09-2	Methylene Chloride	ND		1.0	0.44
100-42-5	Styrene	ND		1.0	0.73
127-18-4	Tetrachloroethene	ND		1.0	0.36
108-88-3	Toluene	ND		1.0	0.51
156-60-5	trans-1,2-Dichloroethene	ND		1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.37
79-01-6	Trichloroethene	ND		1.0	0.46
75-69-4	Trichlorofluoromethane	ND		1.0	0.88
75-01-4	Vinyl chloride	ND		1.0	0.90
1330-20-7	Xylenes, Total	ND		2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
2037-26-5	Toluene-d8 (Surr)	90		80-120
17060-07-0	1,2-Dichloroethane-d4 (Surr)	86		77-120
460-00-4	4-Bromofluorobenzene (Surr)	93		73-120
1868-53-7	Dibromofluoromethane (Surr)	90		75-123

JAJ
12/4/25

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-234626-1

SDG No.:

Client Sample ID: EB-02-20251118 | Lab Sample ID: 480-234626-4

Matrix: Water | Lab File ID: L1565.D

Analysis Method: 8260C | Date Collected: 11/18/2025 09:40

Sample wt/vol: 5(mL) | Date Analyzed: 11/22/2025 04:41

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (30) VOA ID: 0.25(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 763216 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5977L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.21
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31
75-34-3	1,1-Dichloroethane	ND		1.0	0.38
75-35-4	1,1-Dichloroethene	ND		1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	ND		1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	ND		1.0	0.39
95-50-1	1,2-Dichlorobenzene	ND		1.0	0.79
107-06-2	1,2-Dichloroethane	ND		1.0	0.21
78-87-5	1,2-Dichloropropane	ND		1.0	0.72
541-73-1	1,3-Dichlorobenzene	ND		1.0	0.78
106-46-7	1,4-Dichlorobenzene	ND		1.0	0.84
78-93-3	2-Butanone (MEK)	ND		10	1.3
591-78-6	2-Hexanone	ND		5.0	1.2
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1
67-64-1	Acetone	ND		10	3.0
71-43-2	Benzene	ND		1.0	0.41
75-27-4	Dichlorobromomethane	ND		1.0	0.39
75-25-2	Bromoform	ND		1.0	0.26
74-83-9	Bromomethane	ND		1.0	0.69
75-15-0	Carbon disulfide	ND		1.0	0.19
56-23-5	Carbon tetrachloride	ND		1.0	0.27
108-90-7	Chlorobenzene	ND		1.0	0.75
124-48-1	Chlorodibromomethane	ND		1.0	0.32
75-00-3	Chloroethane	ND		1.0	0.32
67-66-3	Chloroform	ND		1.0	0.34
74-87-3	Chloromethane	ND	*+ UJ	1.0	0.35
156-59-2	cis-1,2-Dichloroethene	ND		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.36
110-82-7	Cyclohexane	ND		1.0	0.18
75-71-8	Dichlorodifluoromethane	ND		1.0	0.68

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo Job No.: 480-234626-1

SDG No.:

Client Sample ID: EB-02-20251118 Lab Sample ID: 480-234626-4

Matrix: Water Lab File ID: L1565.D

Analysis Method: 8260C Date Collected: 11/18/2025 09:40

Sample wt/vol: 5(mL) Date Analyzed: 11/22/2025 04:41

Soil Aliquot Vol: Dilution Factor: 1

Soil Extract Vol.: GC Column: ZB-624 (30) VOA ID: 0.25(mm)

Purge Volume: 5.0(mL) Heated Purge: (Y/N) N pH:

% Moisture: % Solids: Level: (low/med) Low

Analysis Batch No.: 763216 Units: ug/L

Preparation Batch No.: Instrument ID: HP5977L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
100-41-4	Ethylbenzene	ND		1.0	0.74
106-93-4	1,2-Dibromoethane	ND		1.0	0.73
98-82-8	Isopropylbenzene	ND		1.0	0.79
79-20-9	Methyl acetate	ND		2.5	1.3
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.16
108-87-2	Methylcyclohexane	ND		1.0	0.16
75-09-2	Methylene Chloride	ND		1.0	0.44
100-42-5	Styrene	ND		1.0	0.73
127-18-4	Tetrachloroethene	ND		1.0	0.36
108-88-3	Toluene	ND		1.0	0.51
156-60-5	trans-1,2-Dichloroethene	ND		1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.37
79-01-6	Trichloroethene	ND		1.0	0.46
75-69-4	Trichlorofluoromethane	ND		1.0	0.88
75-01-4	Vinyl chloride	ND		1.0	0.90
1330-20-7	Xylenes, Total	ND		2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
2037-26-5	Toluene-d8 (Surr)	89		80-120
17060-07-0	1,2-Dichloroethane-d4 (Surr)	84		77-120
460-00-4	4-Bromofluorobenzene (Surr)	89		73-120
1868-53-7	Dibromofluoromethane (Surr)	89		75-123

SAS
12/4/25

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-234626-1

SDG No.:

Client Sample ID: STM-08-20251118 | Lab Sample ID: 480-234626-5

Matrix: Water | Lab File ID: L1566.D

Analysis Method: 8260C | Date Collected: 11/18/2025 10:05

Sample wt/vol: 5(mL) | Date Analyzed: 11/22/2025 05:05

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (30) VOA ID: 0.25(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 763216 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5977L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.21
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31
75-34-3	1,1-Dichloroethane	ND	~~F1~~	1.0	0.38
75-35-4	1,1-Dichloroethene	ND		1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	ND		1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	ND		1.0	0.39
95-50-1	1,2-Dichlorobenzene	ND		1.0	0.79
107-06-2	1,2-Dichloroethane	ND		1.0	0.21
78-87-5	1,2-Dichloropropane	ND	~~F1~~	1.0	0.72
541-73-1	1,3-Dichlorobenzene	ND		1.0	0.78
106-46-7	1,4-Dichlorobenzene	ND		1.0	0.84
78-93-3	2-Butanone (MEK)	ND		10	1.3
591-78-6	2-Hexanone	ND		5.0	1.2
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1
67-64-1	Acetone	ND		10	3.0
71-43-2	Benzene	ND		1.0	0.41
75-27-4	Dichlorobromomethane	ND		1.0	0.39
75-25-2	Bromoform	ND		1.0	0.26
74-83-9	Bromomethane	ND		1.0	0.69
75-15-0	Carbon disulfide	ND		1.0	0.19
56-23-5	Carbon tetrachloride	ND		1.0	0.27
108-90-7	Chlorobenzene	ND		1.0	0.75
124-48-1	Chlorodibromomethane	ND		1.0	0.32
75-00-3	Chloroethane	ND		1.0	0.32
67-66-3	Chloroform	ND		1.0	0.34
74-87-3	Chloromethane	ND	~~F1 *+~~ UJ	1.0	0.35
156-59-2	cis-1,2-Dichloroethene	ND		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.36
110-82-7	Cyclohexane	ND		1.0	0.18
75-71-8	Dichlorodifluoromethane	ND		1.0	0.68

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-234626-1

SDG No.:

Client Sample ID: STM-08-20251118 | Lab Sample ID: 480-234626-5

Matrix: Water | Lab File ID: L1566.D

Analysis Method: 8260C | Date Collected: 11/18/2025 10:05

Sample wt/vol: 5(mL) | Date Analyzed: 11/22/2025 05:05

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (30) VOA ID: 0.25(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 763216 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5977L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
100-41-4	Ethylbenzene	ND		1.0	0.74
106-93-4	1,2-Dibromoethane	ND		1.0	0.73
98-82-8	Isopropylbenzene	ND		1.0	0.79
79-20-9	Methyl acetate	ND		2.5	1.3
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.16
108-87-2	Methylcyclohexane	ND		1.0	0.16
75-09-2	Methylene Chloride	ND	F1	1.0	0.44
100-42-5	Styrene	ND		1.0	0.73
127-18-4	Tetrachloroethene	ND		1.0	0.36
108-88-3	Toluene	ND		1.0	0.51
156-60-5	trans-1,2-Dichloroethene	ND		1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.37
79-01-6	Trichloroethene	ND		1.0	0.46
75-69-4	Trichlorofluoromethane	ND		1.0	0.88
75-01-4	Vinyl chloride	ND		1.0	0.90
1330-20-7	Xylenes, Total	ND		2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
2037-26-5	Toluene-d8 (Surr)	87		80-120
17060-07-0	1,2-Dichloroethane-d4 (Surr)	84		77-120
460-00-4	4-Bromofluorobenzene (Surr)	88		73-120
1868-53-7	Dibromofluoromethane (Surr)	89		75-123

JAJ
12/4/25

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-234626-1

SDG No.:

Client Sample ID: SAN-08-20251118 | Lab Sample ID: 480-234626-6

Matrix: Water | Lab File ID: L1567.D

Analysis Method: 8260C | Date Collected: 11/18/2025 10:35

Sample wt/vol: 5(mL) | Date Analyzed: 11/22/2025 05:29

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (30) VOA ID: 0.25(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 763216 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5977L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.21
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31
75-34-3	1,1-Dichloroethane	ND		1.0	0.38
75-35-4	1,1-Dichloroethene	ND		1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	ND		1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	ND		1.0	0.39
95-50-1	1,2-Dichlorobenzene	ND		1.0	0.79
107-06-2	1,2-Dichloroethane	ND		1.0	0.21
78-87-5	1,2-Dichloropropane	ND		1.0	0.72
541-73-1	1,3-Dichlorobenzene	ND		1.0	0.78
106-46-7	1,4-Dichlorobenzene	ND		1.0	0.84
78-93-3	2-Butanone (MEK)	ND		10	1.3
591-78-6	2-Hexanone	ND		5.0	1.2
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1
67-64-1	Acetone	ND		10	3.0
71-43-2	Benzene	ND		1.0	0.41
75-27-4	Dichlorobromomethane	ND		1.0	0.39
75-25-2	Bromoform	ND		1.0	0.26
74-83-9	Bromomethane	ND		1.0	0.69
75-15-0	Carbon disulfide	ND		1.0	0.19
56-23-5	Carbon tetrachloride	ND		1.0	0.27
108-90-7	Chlorobenzene	ND		1.0	0.75
124-48-1	Chlorodibromomethane	ND		1.0	0.32
75-00-3	Chloroethane	ND		1.0	0.32
67-66-3	Chloroform	ND		1.0	0.34
74-87-3	Chloromethane	ND	*+ UJ	1.0	0.35
156-59-2	cis-1,2-Dichloroethene	5.7		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.36
110-82-7	Cyclohexane	ND		1.0	0.18
75-71-8	Dichlorodifluoromethane	ND		1.0	0.68

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-234626-1

SDG No.:

Client Sample ID: SAN-08-20251118 | Lab Sample ID: 480-234626-6

Matrix: Water | Lab File ID: L1567.D

Analysis Method: 8260C | Date Collected: 11/18/2025 10:35

Sample wt/vol: 5(mL) | Date Analyzed: 11/22/2025 05:29

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (30) VOA ID: 0.25(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 763216 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5977L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
100-41-4	Ethylbenzene	ND		1.0	0.74
106-93-4	1,2-Dibromoethane	ND		1.0	0.73
98-82-8	Isopropylbenzene	ND		1.0	0.79
79-20-9	Methyl acetate	ND		2.5	1.3
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.16
108-87-2	Methylcyclohexane	ND		1.0	0.16
75-09-2	Methylene Chloride	ND		1.0	0.44
100-42-5	Styrene	ND		1.0	0.73
127-18-4	Tetrachloroethene	ND		1.0	0.36
108-88-3	Toluene	ND		1.0	0.51
156-60-5	trans-1,2-Dichloroethene	ND		1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.37
79-01-6	Trichloroethene	0.96	J	1.0	0.46
75-69-4	Trichlorofluoromethane	ND		1.0	0.88
75-01-4	Vinyl chloride	ND		1.0	0.90
1330-20-7	Xylenes, Total	ND		2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
2037-26-5	Toluene-d8 (Surr)	87		80-120
17060-07-0	1,2-Dichloroethane-d4 (Surr)	84		77-120
460-00-4	4-Bromofluorobenzene (Surr)	87		73-120
1868-53-7	Dibromofluoromethane (Surr)	90		75-123

JAJ
12/4/25

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-234626-1

SDG No.:

Client Sample ID: SAN-07-20251118 | Lab Sample ID: 480-234626-7

Matrix: Water | Lab File ID: L1568.D

Analysis Method: 8260C | Date Collected: 11/18/2025 11:00

Sample wt/vol: 5(mL) | Date Analyzed: 11/22/2025 05:53

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (30) VOA ID: 0.25(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 763216 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5977L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.21
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31
75-34-3	1,1-Dichloroethane	ND		1.0	0.38
75-35-4	1,1-Dichloroethene	ND		1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	ND		1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	ND		1.0	0.39
95-50-1	1,2-Dichlorobenzene	ND		1.0	0.79
107-06-2	1,2-Dichloroethane	ND		1.0	0.21
78-87-5	1,2-Dichloropropane	ND		1.0	0.72
541-73-1	1,3-Dichlorobenzene	ND		1.0	0.78
106-46-7	1,4-Dichlorobenzene	ND		1.0	0.84
78-93-3	2-Butanone (MEK)	ND		10	1.3
591-78-6	2-Hexanone	ND		5.0	1.2
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1
67-64-1	Acetone	4.7	J	10	3.0
71-43-2	Benzene	ND		1.0	0.41
75-27-4	Dichlorobromomethane	ND		1.0	0.39
75-25-2	Bromoform	ND		1.0	0.26
74-83-9	Bromomethane	ND		1.0	0.69
75-15-0	Carbon disulfide	ND		1.0	0.19
56-23-5	Carbon tetrachloride	ND		1.0	0.27
108-90-7	Chlorobenzene	ND		1.0	0.75
124-48-1	Chlorodibromomethane	ND		1.0	0.32
75-00-3	Chloroethane	ND		1.0	0.32
67-66-3	Chloroform	ND		1.0	0.34
74-87-3	Chloromethane	ND	*+ UJ	1.0	0.35
156-59-2	cis-1,2-Dichloroethene	3.9		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.36
110-82-7	Cyclohexane	ND		1.0	0.18
75-71-8	Dichlorodifluoromethane	ND		1.0	0.68

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-234626-1

SDG No.:

Client Sample ID: SAN-07-20251118 | Lab Sample ID: 480-234626-7

Matrix: Water | Lab File ID: L1568.D

Analysis Method: 8260C | Date Collected: 11/18/2025 11:00

Sample wt/vol: 5(mL) | Date Analyzed: 11/22/2025 05:53

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (30) VOA ID: 0.25(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 763216 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5977L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
100-41-4	Ethylbenzene	ND		1.0	0.74
106-93-4	1,2-Dibromoethane	ND		1.0	0.73
98-82-8	Isopropylbenzene	ND		1.0	0.79
79-20-9	Methyl acetate	ND		2.5	1.3
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.16
108-87-2	Methylcyclohexane	ND		1.0	0.16
75-09-2	Methylene Chloride	ND		1.0	0.44
100-42-5	Styrene	ND		1.0	0.73
127-18-4	Tetrachloroethene	ND		1.0	0.36
108-88-3	Toluene	ND		1.0	0.51
156-60-5	trans-1,2-Dichloroethene	ND		1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.37
79-01-6	Trichloroethene	ND		1.0	0.46
75-69-4	Trichlorofluoromethane	ND		1.0	0.88
75-01-4	Vinyl chloride	1.2		1.0	0.90
1330-20-7	Xylenes, Total	ND		2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
2037-26-5	Toluene-d8 (Surr)	85		80-120
17060-07-0	1,2-Dichloroethane-d4 (Surr)	83		77-120
460-00-4	4-Bromofluorobenzene (Surr)	81		73-120
1868-53-7	Dibromofluoromethane (Surr)	90		75-123

JAJ
12/4/25

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-234626-1

SDG No.:

Client Sample ID: STM-07-20251118 | Lab Sample ID: 480-234626-8

Matrix: Water | Lab File ID: L1569.D

Analysis Method: 8260C | Date Collected: 11/18/2025 11:15

Sample wt/vol: 5(mL) | Date Analyzed: 11/22/2025 06:17

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (30) VOA ID: 0.25(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 763216 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5977L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.21
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31
75-34-3	1,1-Dichloroethane	ND		1.0	0.38
75-35-4	1,1-Dichloroethene	ND		1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	ND		1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	ND		1.0	0.39
95-50-1	1,2-Dichlorobenzene	ND		1.0	0.79
107-06-2	1,2-Dichloroethane	ND		1.0	0.21
78-87-5	1,2-Dichloropropane	ND		1.0	0.72
541-73-1	1,3-Dichlorobenzene	ND		1.0	0.78
106-46-7	1,4-Dichlorobenzene	ND		1.0	0.84
78-93-3	2-Butanone (MEK)	ND		10	1.3
591-78-6	2-Hexanone	ND		5.0	1.2
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1
67-64-1	Acetone	ND		10	3.0
71-43-2	Benzene	ND		1.0	0.41
75-27-4	Dichlorobromomethane	ND		1.0	0.39
75-25-2	Bromoform	ND		1.0	0.26
74-83-9	Bromomethane	ND		1.0	0.69
75-15-0	Carbon disulfide	ND		1.0	0.19
56-23-5	Carbon tetrachloride	ND		1.0	0.27
108-90-7	Chlorobenzene	ND		1.0	0.75
124-48-1	Chlorodibromomethane	ND		1.0	0.32
75-00-3	Chloroethane	ND		1.0	0.32
67-66-3	Chloroform	ND		1.0	0.34
74-87-3	Chloromethane	ND	~~*+~~ UJ	1.0	0.35
156-59-2	cis-1,2-Dichloroethene	ND		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.36
110-82-7	Cyclohexane	ND		1.0	0.18
75-71-8	Dichlorodifluoromethane	ND		1.0	0.68

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-234626-1

SDG No.:

Client Sample ID: STM-07-20251118 | Lab Sample ID: 480-234626-8

Matrix: Water | Lab File ID: L1569.D

Analysis Method: 8260C | Date Collected: 11/18/2025 11:15

Sample wt/vol: 5(mL) | Date Analyzed: 11/22/2025 06:17

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (30) VOA ID: 0.25(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 763216 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5977L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
100-41-4	Ethylbenzene	ND		1.0	0.74
106-93-4	1,2-Dibromoethane	ND		1.0	0.73
98-82-8	Isopropylbenzene	ND		1.0	0.79
79-20-9	Methyl acetate	ND		2.5	1.3
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.16
108-87-2	Methylcyclohexane	ND		1.0	0.16
75-09-2	Methylene Chloride	ND		1.0	0.44
100-42-5	Styrene	ND		1.0	0.73
127-18-4	Tetrachloroethene	ND		1.0	0.36
108-88-3	Toluene	ND		1.0	0.51
156-60-5	trans-1,2-Dichloroethene	ND		1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.37
79-01-6	Trichloroethene	ND		1.0	0.46
75-69-4	Trichlorofluoromethane	ND		1.0	0.88
75-01-4	Vinyl chloride	ND		1.0	0.90
1330-20-7	Xylenes, Total	ND		2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
2037-26-5	Toluene-d8 (Surr)	88		80-120
17060-07-0	1,2-Dichloroethane-d4 (Surr)	85		77-120
460-00-4	4-Bromofluorobenzene (Surr)	85		73-120
1868-53-7	Dibromofluoromethane (Surr)	92		75-123

JAJ
12/4/25

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-234626-1

SDG No.:

Client Sample ID: STM-01-20251118 | Lab Sample ID: 480-234626-9

Matrix: Water | Lab File ID: L1570.D

Analysis Method: 8260C | Date Collected: 11/18/2025 11:50

Sample wt/vol: 5(mL) | Date Analyzed: 11/22/2025 06:40

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (30) VOA ID: 0.25(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 763216 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5977L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.21
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31
75-34-3	1,1-Dichloroethane	ND		1.0	0.38
75-35-4	1,1-Dichloroethene	ND		1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	ND		1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	ND		1.0	0.39
95-50-1	1,2-Dichlorobenzene	ND		1.0	0.79
107-06-2	1,2-Dichloroethane	ND		1.0	0.21
78-87-5	1,2-Dichloropropane	ND		1.0	0.72
541-73-1	1,3-Dichlorobenzene	ND		1.0	0.78
106-46-7	1,4-Dichlorobenzene	ND		1.0	0.84
78-93-3	2-Butanone (MEK)	ND		10	1.3
591-78-6	2-Hexanone	ND		5.0	1.2
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1
67-64-1	Acetone	ND		10	3.0
71-43-2	Benzene	ND		1.0	0.41
75-27-4	Dichlorobromomethane	1.0		1.0	0.39
75-25-2	Bromoform	ND		1.0	0.26
74-83-9	Bromomethane	ND		1.0	0.69
75-15-0	Carbon disulfide	ND		1.0	0.19
56-23-5	Carbon tetrachloride	ND		1.0	0.27
108-90-7	Chlorobenzene	ND		1.0	0.75
124-48-1	Chlorodibromomethane	0.47	J	1.0	0.32
75-00-3	Chloroethane	ND		1.0	0.32
67-66-3	Chloroform	1.6	B	1.0	0.34
74-87-3	Chloromethane	ND	*+ UJ	1.0	0.35
156-59-2	cis-1,2-Dichloroethene	ND		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.36
110-82-7	Cyclohexane	ND		1.0	0.18
75-71-8	Dichlorodifluoromethane	ND		1.0	0.68

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-234626-1

SDG No.:

Client Sample ID: STM-01-20251118 | Lab Sample ID: 480-234626-9

Matrix: Water | Lab File ID: L1570.D

Analysis Method: 8260C | Date Collected: 11/18/2025 11:50

Sample wt/vol: 5(mL) | Date Analyzed: 11/22/2025 06:40

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (30) VOA ID: 0.25(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 763216 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5977L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
100-41-4	Ethylbenzene	ND		1.0	0.74
106-93-4	1,2-Dibromoethane	ND		1.0	0.73
98-82-8	Isopropylbenzene	ND		1.0	0.79
79-20-9	Methyl acetate	ND		2.5	1.3
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.16
108-87-2	Methylcyclohexane	ND		1.0	0.16
75-09-2	Methylene Chloride	ND		1.0	0.44
100-42-5	Styrene	ND		1.0	0.73
127-18-4	Tetrachloroethene	ND		1.0	0.36
108-88-3	Toluene	ND		1.0	0.51
156-60-5	trans-1,2-Dichloroethene	ND		1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.37
79-01-6	Trichloroethene	ND		1.0	0.46
75-69-4	Trichlorofluoromethane	ND		1.0	0.88
75-01-4	Vinyl chloride	ND		1.0	0.90
1330-20-7	Xylenes, Total	ND		2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
2037-26-5	Toluene-d8 (Surr)	88		80-120
17060-07-0	1,2-Dichloroethane-d4 (Surr)	89		77-120
460-00-4	4-Bromofluorobenzene (Surr)	92		73-120
1868-53-7	Dibromofluoromethane (Surr)	96		75-123

JAJ
12/4/25

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-234626-1

SDG No.:

Client Sample ID: SAN-01-20251118 | Lab Sample ID: 480-234626-10

Matrix: Water | Lab File ID: L1571.D

Analysis Method: 8260C | Date Collected: 11/18/2025 12:05

Sample wt/vol: 5(mL) | Date Analyzed: 11/22/2025 07:04

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (30) VOA ID: 0.25(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 763216 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5977L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.21
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31
75-34-3	1,1-Dichloroethane	ND		1.0	0.38
75-35-4	1,1-Dichloroethene	ND		1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	ND		1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	ND		1.0	0.39
95-50-1	1,2-Dichlorobenzene	ND		1.0	0.79
107-06-2	1,2-Dichloroethane	ND		1.0	0.21
78-87-5	1,2-Dichloropropane	ND		1.0	0.72
541-73-1	1,3-Dichlorobenzene	ND		1.0	0.78
106-46-7	1,4-Dichlorobenzene	ND		1.0	0.84
78-93-3	2-Butanone (MEK)	ND		10	1.3
591-78-6	2-Hexanone	ND		5.0	1.2
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1
67-64-1	Acetone	ND		10	3.0
71-43-2	Benzene	ND		1.0	0.41
75-27-4	Dichlorobromomethane	0.40	J	1.0	0.39
75-25-2	Bromoform	ND		1.0	0.26
74-83-9	Bromomethane	ND		1.0	0.69
75-15-0	Carbon disulfide	ND		1.0	0.19
56-23-5	Carbon tetrachloride	ND		1.0	0.27
108-90-7	Chlorobenzene	ND		1.0	0.75
124-48-1	Chlorodibromomethane	ND		1.0	0.32
75-00-3	Chloroethane	ND		1.0	0.32
67-66-3	Chloroform	2.1	B	1.0	0.34
74-87-3	Chloromethane	ND	*+ UJ	1.0	0.35
156-59-2	cis-1,2-Dichloroethene	ND		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.36
110-82-7	Cyclohexane	ND		1.0	0.18
75-71-8	Dichlorodifluoromethane	ND		1.0	0.68

JAJ
12/4/25

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-234626-1

SDG No.:

Client Sample ID: SAN-01-20251118 | Lab Sample ID: 480-234626-10

Matrix: Water | Lab File ID: L1571.D

Analysis Method: 8260C | Date Collected: 11/18/2025 12:05

Sample wt/vol: 5(mL) | Date Analyzed: 11/22/2025 07:04

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (30) VOA ID: 0.25(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 763216 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5977L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
100-41-4	Ethylbenzene	ND		1.0	0.74
106-93-4	1,2-Dibromoethane	ND		1.0	0.73
98-82-8	Isopropylbenzene	ND		1.0	0.79
79-20-9	Methyl acetate	ND		2.5	1.3
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.16
108-87-2	Methylcyclohexane	ND		1.0	0.16
75-09-2	Methylene Chloride	ND		1.0	0.44
100-42-5	Styrene	ND		1.0	0.73
127-18-4	Tetrachloroethene	ND		1.0	0.36
108-88-3	Toluene	ND		1.0	0.51
156-60-5	trans-1,2-Dichloroethene	ND		1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.37
79-01-6	Trichloroethene	ND		1.0	0.46
75-69-4	Trichlorofluoromethane	ND		1.0	0.88
75-01-4	Vinyl chloride	ND		1.0	0.90
1330-20-7	Xylenes, Total	ND		2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
2037-26-5	Toluene-d8 (Surr)	84		80-120
17060-07-0	1,2-Dichloroethane-d4 (Surr)	81		77-120
460-00-4	4-Bromofluorobenzene (Surr)	85		73-120
1868-53-7	Dibromofluoromethane (Surr)	90		75-123

JAJ
12/4/25

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-234626-1

SDG No.:

Client Sample ID: STM-09-20251118 | Lab Sample ID: 480-234626-11

Matrix: Water | Lab File ID: L1572.D

Analysis Method: 8260C | Date Collected: 11/18/2025 12:25

Sample wt/vol: 5(mL) | Date Analyzed: 11/22/2025 07:29

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (30) VOA ID: 0.25(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 763216 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5977L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.21
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31
75-34-3	1,1-Dichloroethane	ND		1.0	0.38
75-35-4	1,1-Dichloroethene	ND		1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	ND		1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	ND		1.0	0.39
95-50-1	1,2-Dichlorobenzene	ND		1.0	0.79
107-06-2	1,2-Dichloroethane	ND		1.0	0.21
78-87-5	1,2-Dichloropropane	ND		1.0	0.72
541-73-1	1,3-Dichlorobenzene	ND		1.0	0.78
106-46-7	1,4-Dichlorobenzene	ND		1.0	0.84
78-93-3	2-Butanone (MEK)	ND		10	1.3
591-78-6	2-Hexanone	ND		5.0	1.2
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1
67-64-1	Acetone	ND		10	3.0
71-43-2	Benzene	ND		1.0	0.41
75-27-4	Dichlorobromomethane	ND		1.0	0.39
75-25-2	Bromoform	ND		1.0	0.26
74-83-9	Bromomethane	ND		1.0	0.69
75-15-0	Carbon disulfide	ND		1.0	0.19
56-23-5	Carbon tetrachloride	ND		1.0	0.27
108-90-7	Chlorobenzene	ND		1.0	0.75
124-48-1	Chlorodibromomethane	ND		1.0	0.32
75-00-3	Chloroethane	ND		1.0	0.32
67-66-3	Chloroform	ND		1.0	0.34
74-87-3	Chloromethane	ND	*+ UJ	1.0	0.35
156-59-2	cis-1,2-Dichloroethene	ND		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.36
110-82-7	Cyclohexane	ND		1.0	0.18
75-71-8	Dichlorodifluoromethane	ND		1.0	0.68

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-234626-1

SDG No.:

Client Sample ID: STM-09-20251118 | Lab Sample ID: 480-234626-11

Matrix: Water | Lab File ID: L1572.D

Analysis Method: 8260C | Date Collected: 11/18/2025 12:25

Sample wt/vol: 5(mL) | Date Analyzed: 11/22/2025 07:29

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (30) VOA ID: 0.25(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 763216 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5977L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
100-41-4	Ethylbenzene	ND		1.0	0.74
106-93-4	1,2-Dibromoethane	ND		1.0	0.73
98-82-8	Isopropylbenzene	ND		1.0	0.79
79-20-9	Methyl acetate	ND		2.5	1.3
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.16
108-87-2	Methylcyclohexane	ND		1.0	0.16
75-09-2	Methylene Chloride	ND		1.0	0.44
100-42-5	Styrene	ND		1.0	0.73
127-18-4	Tetrachloroethene	ND		1.0	0.36
108-88-3	Toluene	ND		1.0	0.51
156-60-5	trans-1,2-Dichloroethene	ND		1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.37
79-01-6	Trichloroethene	0.49	J	1.0	0.46
75-69-4	Trichlorofluoromethane	ND		1.0	0.88
75-01-4	Vinyl chloride	ND		1.0	0.90
1330-20-7	Xylenes, Total	ND		2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
2037-26-5	Toluene-d8 (Surr)	89		80-120
17060-07-0	1,2-Dichloroethane-d4 (Surr)	84		77-120
460-00-4	4-Bromofluorobenzene (Surr)	91		73-120
1868-53-7	Dibromofluoromethane (Surr)	89		75-123

JAJ
12/4/25

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-234626-1

SDG No.:

Client Sample ID: STM-02-20251118 | Lab Sample ID: 480-234626-12

Matrix: Water | Lab File ID: L1573.D

Analysis Method: 8260C | Date Collected: 11/18/2025 12:50

Sample wt/vol: 5(mL) | Date Analyzed: 11/22/2025 07:52

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (30) VOA ID: 0.25(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 763216 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5977L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.21
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31
75-34-3	1,1-Dichloroethane	ND		1.0	0.38
75-35-4	1,1-Dichloroethene	ND		1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	ND		1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	ND		1.0	0.39
95-50-1	1,2-Dichlorobenzene	ND		1.0	0.79
107-06-2	1,2-Dichloroethane	ND		1.0	0.21
78-87-5	1,2-Dichloropropane	ND		1.0	0.72
541-73-1	1,3-Dichlorobenzene	ND		1.0	0.78
106-46-7	1,4-Dichlorobenzene	ND		1.0	0.84
78-93-3	2-Butanone (MEK)	ND		10	1.3
591-78-6	2-Hexanone	ND		5.0	1.2
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1
67-64-1	Acetone	ND		10	3.0
71-43-2	Benzene	ND		1.0	0.41
75-27-4	Dichlorobromomethane	0.98	J	1.0	0.39
75-25-2	Bromoform	ND		1.0	0.26
74-83-9	Bromomethane	ND		1.0	0.69
75-15-0	Carbon disulfide	ND		1.0	0.19
56-23-5	Carbon tetrachloride	ND		1.0	0.27
108-90-7	Chlorobenzene	ND		1.0	0.75
124-48-1	Chlorodibromomethane	ND		1.0	0.32
75-00-3	Chloroethane	ND		1.0	0.32
67-66-3	Chloroform	2.5	~~B~~	1.0	0.34
74-87-3	Chloromethane	ND	~~*+~~ UJ	1.0	0.35
156-59-2	cis-1,2-Dichloroethene	ND		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.36
110-82-7	Cyclohexane	ND		1.0	0.18
75-71-8	Dichlorodifluoromethane	ND		1.0	0.68

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-234626-1

SDG No.:

Client Sample ID: STM-02-20251118 | Lab Sample ID: 480-234626-12

Matrix: Water | Lab File ID: L1573.D

Analysis Method: 8260C | Date Collected: 11/18/2025 12:50

Sample wt/vol: 5(mL) | Date Analyzed: 11/22/2025 07:52

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (30) VOA ID: 0.25(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 763216 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5977L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
100-41-4	Ethylbenzene	ND		1.0	0.74
106-93-4	1,2-Dibromoethane	ND		1.0	0.73
98-82-8	Isopropylbenzene	ND		1.0	0.79
79-20-9	Methyl acetate	ND		2.5	1.3
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.16
108-87-2	Methylcyclohexane	ND		1.0	0.16
75-09-2	Methylene Chloride	ND		1.0	0.44
100-42-5	Styrene	ND		1.0	0.73
127-18-4	Tetrachloroethene	ND		1.0	0.36
108-88-3	Toluene	ND		1.0	0.51
156-60-5	trans-1,2-Dichloroethene	ND		1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.37
79-01-6	Trichloroethene	ND		1.0	0.46
75-69-4	Trichlorofluoromethane	ND		1.0	0.88
75-01-4	Vinyl chloride	ND		1.0	0.90
1330-20-7	Xylenes, Total	ND		2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
2037-26-5	Toluene-d8 (Surr)	87		80-120
17060-07-0	1,2-Dichloroethane-d4 (Surr)	85		77-120
460-00-4	4-Bromofluorobenzene (Surr)	86		73-120
1868-53-7	Dibromofluoromethane (Surr)	90		75-123

JAJ
12/4/25

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-234626-1

SDG No.:

Client Sample ID: STM-03-20251118 | Lab Sample ID: 480-234626-13

Matrix: Water | Lab File ID: L1574.D

Analysis Method: 8260C | Date Collected: 11/18/2025 13:15

Sample wt/vol: 5(mL) | Date Analyzed: 11/22/2025 08:16

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (30) VOA ID: 0.25(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 763216 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5977L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.21
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31
75-34-3	1,1-Dichloroethane	ND		1.0	0.38
75-35-4	1,1-Dichloroethene	ND		1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	ND		1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	ND		1.0	0.39
95-50-1	1,2-Dichlorobenzene	ND		1.0	0.79
107-06-2	1,2-Dichloroethane	ND		1.0	0.21
78-87-5	1,2-Dichloropropane	ND		1.0	0.72
541-73-1	1,3-Dichlorobenzene	ND		1.0	0.78
106-46-7	1,4-Dichlorobenzene	ND		1.0	0.84
78-93-3	2-Butanone (MEK)	ND		10	1.3
591-78-6	2-Hexanone	ND		5.0	1.2
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1
67-64-1	Acetone	ND		10	3.0
71-43-2	Benzene	ND		1.0	0.41
75-27-4	Dichlorobromomethane	0.92	J	1.0	0.39
75-25-2	Bromoform	ND		1.0	0.26
74-83-9	Bromomethane	ND		1.0	0.69
75-15-0	Carbon disulfide	ND		1.0	0.19
56-23-5	Carbon tetrachloride	ND		1.0	0.27
108-90-7	Chlorobenzene	ND		1.0	0.75
124-48-1	Chlorodibromomethane	ND		1.0	0.32
75-00-3	Chloroethane	ND		1.0	0.32
67-66-3	Chloroform	2.8	B	1.0	0.34
74-87-3	Chloromethane	ND	*+ UJ	1.0	0.35
156-59-2	cis-1,2-Dichloroethene	ND		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.36
110-82-7	Cyclohexane	ND		1.0	0.18
75-71-8	Dichlorodifluoromethane	ND		1.0	0.68

JAJ
12/14/25

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-234626-1

SDG No.:

Client Sample ID: STM-03-20251118 | Lab Sample ID: 480-234626-13

Matrix: Water | Lab File ID: L1574.D

Analysis Method: 8260C | Date Collected: 11/18/2025 13:15

Sample wt/vol: 5(mL) | Date Analyzed: 11/22/2025 08:16

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (30) VOA ID: 0.25(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 763216 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5977L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
100-41-4	Ethylbenzene	ND		1.0	0.74
106-93-4	1,2-Dibromoethane	ND		1.0	0.73
98-82-8	Isopropylbenzene	ND		1.0	0.79
79-20-9	Methyl acetate	ND		2.5	1.3
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.16
108-87-2	Methylcyclohexane	ND		1.0	0.16
75-09-2	Methylene Chloride	ND		1.0	0.44
100-42-5	Styrene	ND		1.0	0.73
127-18-4	Tetrachloroethene	ND		1.0	0.36
108-88-3	Toluene	ND		1.0	0.51
156-60-5	trans-1,2-Dichloroethene	ND		1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.37
79-01-6	Trichloroethene	ND		1.0	0.46
75-69-4	Trichlorofluoromethane	ND		1.0	0.88
75-01-4	Vinyl chloride	ND		1.0	0.90
1330-20-7	Xylenes, Total	ND		2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
2037-26-5	Toluene-d8 (Surr)	87		80-120
17060-07-0	1,2-Dichloroethane-d4 (Surr)	87		77-120
460-00-4	4-Bromofluorobenzene (Surr)	84		73-120
1868-53-7	Dibromofluoromethane (Surr)	90		75-123

JAJ
12/4/25

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-234626-1

SDG No.:

Client Sample ID: SAN-04-20251118 | Lab Sample ID: 480-234626-14

Matrix: Water | Lab File ID: L1575.D

Analysis Method: 8260C | Date Collected: 11/18/2025 13:25

Sample wt/vol: 5(mL) | Date Analyzed: 11/22/2025 08:40

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (30) VOA ID: 0.25(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 763216 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5977L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.21
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31
75-34-3	1,1-Dichloroethane	ND		1.0	0.38
75-35-4	1,1-Dichloroethene	ND		1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	ND		1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	ND		1.0	0.39
95-50-1	1,2-Dichlorobenzene	ND		1.0	0.79
107-06-2	1,2-Dichloroethane	ND		1.0	0.21
78-87-5	1,2-Dichloropropane	ND		1.0	0.72
541-73-1	1,3-Dichlorobenzene	ND		1.0	0.78
106-46-7	1,4-Dichlorobenzene	ND		1.0	0.84
78-93-3	2-Butanone (MEK)	ND		10	1.3
591-78-6	2-Hexanone	ND		5.0	1.2
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1
67-64-1	Acetone	ND		10	3.0
71-43-2	Benzene	ND		1.0	0.41
75-27-4	Dichlorobromomethane	ND		1.0	0.39
75-25-2	Bromoform	ND		1.0	0.26
74-83-9	Bromomethane	ND		1.0	0.69
75-15-0	Carbon disulfide	ND		1.0	0.19
56-23-5	Carbon tetrachloride	ND		1.0	0.27
108-90-7	Chlorobenzene	ND		1.0	0.75
124-48-1	Chlorodibromomethane	ND		1.0	0.32
75-00-3	Chloroethane	ND		1.0	0.32
67-66-3	Chloroform	0.66	~~J B~~ U	1.0	0.34
74-87-3	Chloromethane	ND	~~*+~~ UJ	1.0	0.35
156-59-2	cis-1,2-Dichloroethene	1.6		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.36
110-82-7	Cyclohexane	ND		1.0	0.18
75-71-8	Dichlorodifluoromethane	ND		1.0	0.68

JAS
12/4/25

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-234626-1

SDG No.:

Client Sample ID: SAN-04-20251118 | Lab Sample ID: 480-234626-14

Matrix: Water | Lab File ID: L1575.D

Analysis Method: 8260C | Date Collected: 11/18/2025 13:25

Sample wt/vol: 5(mL) | Date Analyzed: 11/22/2025 08:40

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (30) VOA ID: 0.25(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 763216 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5977L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
100-41-4	Ethylbenzene	ND		1.0	0.74
106-93-4	1,2-Dibromoethane	ND		1.0	0.73
98-82-8	Isopropylbenzene	ND		1.0	0.79
79-20-9	Methyl acetate	ND		2.5	1.3
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.16
108-87-2	Methylcyclohexane	ND		1.0	0.16
75-09-2	Methylene Chloride	ND		1.0	0.44
100-42-5	Styrene	ND		1.0	0.73
127-18-4	Tetrachloroethene	ND		1.0	0.36
108-88-3	Toluene	ND		1.0	0.51
156-60-5	trans-1,2-Dichloroethene	ND		1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.37
79-01-6	Trichloroethene	ND		1.0	0.46
75-69-4	Trichlorofluoromethane	ND		1.0	0.88
75-01-4	Vinyl chloride	ND		1.0	0.90
1330-20-7	Xylenes, Total	ND		2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
2037-26-5	Toluene-d8 (Surr)	87		80-120
17060-07-0	1,2-Dichloroethane-d4 (Surr)	85		77-120
460-00-4	4-Bromofluorobenzene (Surr)	88		73-120
1868-53-7	Dibromofluoromethane (Surr)	87		75-123

JAJ
12/14/25

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-234626-1

SDG No.:

Client Sample ID: STM-04-20251118 | Lab Sample ID: 480-234626-15

Matrix: Water | Lab File ID: L1576.D

Analysis Method: 8260C | Date Collected: 11/18/2025 14:15

Sample wt/vol: 5(mL) | Date Analyzed: 11/22/2025 09:05

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (30) VOA ID: 0.25(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 763216 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5977L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.21
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31
75-34-3	1,1-Dichloroethane	ND		1.0	0.38
75-35-4	1,1-Dichloroethene	ND		1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	ND		1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	ND		1.0	0.39
95-50-1	1,2-Dichlorobenzene	ND		1.0	0.79
107-06-2	1,2-Dichloroethane	ND		1.0	0.21
78-87-5	1,2-Dichloropropane	ND		1.0	0.72
541-73-1	1,3-Dichlorobenzene	ND		1.0	0.78
106-46-7	1,4-Dichlorobenzene	ND		1.0	0.84
78-93-3	2-Butanone (MEK)	ND		10	1.3
591-78-6	2-Hexanone	ND		5.0	1.2
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1
67-64-1	Acetone	ND		10	3.0
71-43-2	Benzene	ND		1.0	0.41
75-27-4	Dichlorobromomethane	0.68	J	1.0	0.39
75-25-2	Bromoform	ND		1.0	0.26
74-83-9	Bromomethane	ND		1.0	0.69
75-15-0	Carbon disulfide	ND		1.0	0.19
56-23-5	Carbon tetrachloride	ND		1.0	0.27
108-90-7	Chlorobenzene	ND		1.0	0.75
124-48-1	Chlorodibromomethane	ND		1.0	0.32
75-00-3	Chloroethane	ND		1.0	0.32
67-66-3	Chloroform	1.9	~~B~~	1.0	0.34
74-87-3	Chloromethane	ND	~~*+~~ UJ	1.0	0.35
156-59-2	cis-1,2-Dichloroethene	ND		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.36
110-82-7	Cyclohexane	ND		1.0	0.18
75-71-8	Dichlorodifluoromethane	ND		1.0	0.68

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-234626-1

SDG No.:

Client Sample ID: STM-04-20251118 | Lab Sample ID: 480-234626-15

Matrix: Water | Lab File ID: L1576.D

Analysis Method: 8260C | Date Collected: 11/18/2025 14:15

Sample wt/vol: 5(mL) | Date Analyzed: 11/22/2025 09:05

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (30) VOA ID: 0.25(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 763216 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5977L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
100-41-4	Ethylbenzene	ND		1.0	0.74
106-93-4	1,2-Dibromoethane	ND		1.0	0.73
98-82-8	Isopropylbenzene	ND		1.0	0.79
79-20-9	Methyl acetate	ND		2.5	1.3
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.16
108-87-2	Methylcyclohexane	ND		1.0	0.16
75-09-2	Methylene Chloride	ND		1.0	0.44
100-42-5	Styrene	ND		1.0	0.73
127-18-4	Tetrachloroethene	ND		1.0	0.36
108-88-3	Toluene	ND		1.0	0.51
156-60-5	trans-1,2-Dichloroethene	ND		1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.37
79-01-6	Trichloroethene	ND		1.0	0.46
75-69-4	Trichlorofluoromethane	ND		1.0	0.88
75-01-4	Vinyl chloride	ND		1.0	0.90
1330-20-7	Xylenes, Total	ND		2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
2037-26-5	Toluene-d8 (Surr)	87		80-120
17060-07-0	1,2-Dichloroethane-d4 (Surr)	90		77-120
460-00-4	4-Bromofluorobenzene (Surr)	87		73-120
1868-53-7	Dibromofluoromethane (Surr)	90		75-123

JAJ
12/4/25

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-234626-1

SDG No.:

Client Sample ID: STM-05-20251118 | Lab Sample ID: 480-234626-16

Matrix: Water | Lab File ID: L1577.D

Analysis Method: 8260C | Date Collected: 11/18/2025 14:40

Sample wt/vol: 5(mL) | Date Analyzed: 11/22/2025 09:28

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (30) VOA ID: 0.25(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 763216 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5977L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.21
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31
75-34-3	1,1-Dichloroethane	ND		1.0	0.38
75-35-4	1,1-Dichloroethene	ND		1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	ND		1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	ND		1.0	0.39
95-50-1	1,2-Dichlorobenzene	ND		1.0	0.79
107-06-2	1,2-Dichloroethane	ND		1.0	0.21
78-87-5	1,2-Dichloropropane	ND		1.0	0.72
541-73-1	1,3-Dichlorobenzene	ND		1.0	0.78
106-46-7	1,4-Dichlorobenzene	ND		1.0	0.84
78-93-3	2-Butanone (MEK)	ND		10	1.3
591-78-6	2-Hexanone	ND		5.0	1.2
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1
67-64-1	Acetone	ND		10	3.0
71-43-2	Benzene	ND		1.0	0.41
75-27-4	Dichlorobromomethane	0.46	J	1.0	0.39
75-25-2	Bromoform	ND		1.0	0.26
74-83-9	Bromomethane	ND		1.0	0.69
75-15-0	Carbon disulfide	ND		1.0	0.19
56-23-5	Carbon tetrachloride	ND		1.0	0.27
108-90-7	Chlorobenzene	ND		1.0	0.75
124-48-1	Chlorodibromomethane	ND		1.0	0.32
75-00-3	Chloroethane	ND		1.0	0.32
67-66-3	Chloroform	1.3	~~B~~	1.0	0.34
74-87-3	Chloromethane	ND	~~*+~~ UJ	1.0	0.35
156-59-2	cis-1,2-Dichloroethene	ND		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.36
110-82-7	Cyclohexane	ND		1.0	0.18
75-71-8	Dichlorodifluoromethane	ND		1.0	0.68

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-234626-1

SDG No.:

Client Sample ID: STM-05-20251118 | Lab Sample ID: 480-234626-16

Matrix: Water | Lab File ID: L1577.D

Analysis Method: 8260C | Date Collected: 11/18/2025 14:40

Sample wt/vol: 5(mL) | Date Analyzed: 11/22/2025 09:28

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (30) VOA ID: 0.25(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 763216 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5977L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
100-41-4	Ethylbenzene	ND		1.0	0.74
106-93-4	1,2-Dibromoethane	ND		1.0	0.73
98-82-8	Isopropylbenzene	ND		1.0	0.79
79-20-9	Methyl acetate	ND		2.5	1.3
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.16
108-87-2	Methylcyclohexane	ND		1.0	0.16
75-09-2	Methylene Chloride	ND		1.0	0.44
100-42-5	Styrene	ND		1.0	0.73
127-18-4	Tetrachloroethene	ND		1.0	0.36
108-88-3	Toluene	ND		1.0	0.51
156-60-5	trans-1,2-Dichloroethene	ND		1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.37
79-01-6	Trichloroethene	ND		1.0	0.46
75-69-4	Trichlorofluoromethane	ND		1.0	0.88
75-01-4	Vinyl chloride	ND		1.0	0.90
1330-20-7	Xylenes, Total	ND		2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
2037-26-5	Toluene-d8 (Surr)	86		80-120
17060-07-0	1,2-Dichloroethane-d4 (Surr)	82		77-120
460-00-4	4-Bromofluorobenzene (Surr)	86		73-120
1868-53-7	Dibromofluoromethane (Surr)	88		75-123

JAJ
12/4/25

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-234626-1

SDG No.:

Client Sample ID: SAN-05-20251118 | Lab Sample ID: 480-234626-17

Matrix: Water | Lab File ID: L1578.D

Analysis Method: 8260C | Date Collected: 11/18/2025 14:55

Sample wt/vol: 5(mL) | Date Analyzed: 11/22/2025 09:52

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (30) VOA ID: 0.25(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 763216 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5977L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.21
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31
75-34-3	1,1-Dichloroethane	ND		1.0	0.38
75-35-4	1,1-Dichloroethene	ND		1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	ND		1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	ND		1.0	0.39
95-50-1	1,2-Dichlorobenzene	ND		1.0	0.79
107-06-2	1,2-Dichloroethane	ND		1.0	0.21
78-87-5	1,2-Dichloropropane	ND		1.0	0.72
541-73-1	1,3-Dichlorobenzene	ND		1.0	0.78
106-46-7	1,4-Dichlorobenzene	ND		1.0	0.84
78-93-3	2-Butanone (MEK)	ND		10	1.3
591-78-6	2-Hexanone	ND		5.0	1.2
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1
67-64-1	Acetone	ND		10	3.0
71-43-2	Benzene	ND		1.0	0.41
75-27-4	Dichlorobromomethane	ND		1.0	0.39
75-25-2	Bromoform	ND		1.0	0.26
74-83-9	Bromomethane	ND		1.0	0.69
75-15-0	Carbon disulfide	ND		1.0	0.19
56-23-5	Carbon tetrachloride	ND		1.0	0.27
108-90-7	Chlorobenzene	ND		1.0	0.75
124-48-1	Chlorodibromomethane	ND		1.0	0.32
75-00-3	Chloroethane	ND		1.0	0.32
67-66-3	Chloroform	0.48	~~J~~ B U	1.0	0.34
74-87-3	Chloromethane	ND	~~*+~~ UJ	1.0	0.35
156-59-2	cis-1,2-Dichloroethene	1.3		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.36
110-82-7	Cyclohexane	ND		1.0	0.18
75-71-8	Dichlorodifluoromethane	ND		1.0	0.68

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-234626-1

SDG No.:

Client Sample ID: SAN-05-20251118 | Lab Sample ID: 480-234626-17

Matrix: Water | Lab File ID: L1578.D

Analysis Method: 8260C | Date Collected: 11/18/2025 14:55

Sample wt/vol: 5(mL) | Date Analyzed: 11/22/2025 09:52

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (30) VOA ID: 0.25(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 763216 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5977L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
100-41-4	Ethylbenzene	ND		1.0	0.74
106-93-4	1,2-Dibromoethane	ND		1.0	0.73
98-82-8	Isopropylbenzene	ND		1.0	0.79
79-20-9	Methyl acetate	ND		2.5	1.3
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.16
108-87-2	Methylcyclohexane	ND		1.0	0.16
75-09-2	Methylene Chloride	ND		1.0	0.44
100-42-5	Styrene	ND		1.0	0.73
127-18-4	Tetrachloroethene	ND		1.0	0.36
108-88-3	Toluene	ND		1.0	0.51
156-60-5	trans-1,2-Dichloroethene	ND		1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.37
79-01-6	Trichloroethene	ND		1.0	0.46
75-69-4	Trichlorofluoromethane	ND		1.0	0.88
75-01-4	Vinyl chloride	ND		1.0	0.90
1330-20-7	Xylenes, Total	ND		2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
2037-26-5	Toluene-d8 (Surr)	88		80-120
17060-07-0	1,2-Dichloroethane-d4 (Surr)	87		77-120
460-00-4	4-Bromofluorobenzene (Surr)	89		73-120
1868-53-7	Dibromofluoromethane (Surr)	90		75-123

JAJ
12/4/25

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-234626-1

SDG No.:

Client Sample ID: STM-06-20251118 | Lab Sample ID: 480-234626-18

Matrix: Water | Lab File ID: L1579.D

Analysis Method: 8260C | Date Collected: 11/18/2025 15:10

Sample wt/vol: 5(mL) | Date Analyzed: 11/22/2025 10:16

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (30) VOA ID: 0.25(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 763216 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5977L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.21
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31
75-34-3	1,1-Dichloroethane	ND		1.0	0.38
75-35-4	1,1-Dichloroethene	ND		1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	ND		1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	ND		1.0	0.39
95-50-1	1,2-Dichlorobenzene	ND		1.0	0.79
107-06-2	1,2-Dichloroethane	ND		1.0	0.21
78-87-5	1,2-Dichloropropane	ND		1.0	0.72
541-73-1	1,3-Dichlorobenzene	ND		1.0	0.78
106-46-7	1,4-Dichlorobenzene	ND		1.0	0.84
78-93-3	2-Butanone (MEK)	ND		10	1.3
591-78-6	2-Hexanone	ND		5.0	1.2
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1
67-64-1	Acetone	ND		10	3.0
71-43-2	Benzene	ND		1.0	0.41
75-27-4	Dichlorobromomethane	0.50	J	1.0	0.39
75-25-2	Bromoform	ND		1.0	0.26
74-83-9	Bromomethane	ND		1.0	0.69
75-15-0	Carbon disulfide	ND		1.0	0.19
56-23-5	Carbon tetrachloride	ND		1.0	0.27
108-90-7	Chlorobenzene	ND		1.0	0.75
124-48-1	Chlorodibromomethane	ND		1.0	0.32
75-00-3	Chloroethane	ND		1.0	0.32
67-66-3	Chloroform	1.6	~~B~~	1.0	0.34
74-87-3	Chloromethane	ND	~~*+~~ UJ	1.0	0.35
156-59-2	cis-1,2-Dichloroethene	ND		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.36
110-82-7	Cyclohexane	ND		1.0	0.18
75-71-8	Dichlorodifluoromethane	ND		1.0	0.68

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-234626-1

SDG No.:

Client Sample ID: STM-06-20251118 | Lab Sample ID: 480-234626-18

Matrix: Water | Lab File ID: L1579.D

Analysis Method: 8260C | Date Collected: 11/18/2025 15:10

Sample wt/vol: 5(mL) | Date Analyzed: 11/22/2025 10:16

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (30) VOA ID: 0.25(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 763216 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5977L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
100-41-4	Ethylbenzene	ND		1.0	0.74
106-93-4	1,2-Dibromoethane	ND		1.0	0.73
98-82-8	Isopropylbenzene	ND		1.0	0.79
79-20-9	Methyl acetate	ND		2.5	1.3
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.16
108-87-2	Methylcyclohexane	ND		1.0	0.16
75-09-2	Methylene Chloride	ND		1.0	0.44
100-42-5	Styrene	ND		1.0	0.73
127-18-4	Tetrachloroethene	ND		1.0	0.36
108-88-3	Toluene	ND		1.0	0.51
156-60-5	trans-1,2-Dichloroethene	ND		1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.37
79-01-6	Trichloroethene	ND		1.0	0.46
75-69-4	Trichlorofluoromethane	ND		1.0	0.88
75-01-4	Vinyl chloride	ND		1.0	0.90
1330-20-7	Xylenes, Total	ND		2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
2037-26-5	Toluene-d8 (Surr)	87		80-120
17060-07-0	1,2-Dichloroethane-d4 (Surr)	84		77-120
460-00-4	4-Bromofluorobenzene (Surr)	86		73-120
1868-53-7	Dibromofluoromethane (Surr)	90		75-123

JAJ
12/4/25

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-234626-1

SDG No.:

Client Sample ID: SAN-06-20251118 | Lab Sample ID: 480-234626-19

Matrix: Water | Lab File ID: L1580.D

Analysis Method: 8260C | Date Collected: 11/18/2025 15:25

Sample wt/vol: 5(mL) | Date Analyzed: 11/22/2025 10:40

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (30) VOA ID: 0.25(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 763216 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5977L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	ND		1.0	0.21
79-00-5	1,1,2-Trichloroethane	ND		1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	0.31
75-34-3	1,1-Dichloroethane	ND		1.0	0.38
75-35-4	1,1-Dichloroethene	ND		1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	ND		1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	ND		1.0	0.39
95-50-1	1,2-Dichlorobenzene	ND		1.0	0.79
107-06-2	1,2-Dichloroethane	ND		1.0	0.21
78-87-5	1,2-Dichloropropane	ND		1.0	0.72
541-73-1	1,3-Dichlorobenzene	ND		1.0	0.78
106-46-7	1,4-Dichlorobenzene	ND		1.0	0.84
78-93-3	2-Butanone (MEK)	ND		10	1.3
591-78-6	2-Hexanone	ND		5.0	1.2
108-10-1	4-Methyl-2-pentanone (MIBK)	ND		5.0	2.1
67-64-1	Acetone	16		10	3.0
71-43-2	Benzene	ND		1.0	0.41
75-27-4	Dichlorobromomethane	ND		1.0	0.39
75-25-2	Bromoform	ND		1.0	0.26
74-83-9	Bromomethane	ND		1.0	0.69
75-15-0	Carbon disulfide	ND		1.0	0.19
56-23-5	Carbon tetrachloride	ND		1.0	0.27
108-90-7	Chlorobenzene	ND		1.0	0.75
124-48-1	Chlorodibromomethane	ND		1.0	0.32
75-00-3	Chloroethane	ND		1.0	0.32
67-66-3	Chloroform	0.58	~~J B~~ U	1.0	0.34
74-87-3	Chloromethane	ND	~~*+~~ UJ	1.0	0.35
156-59-2	cis-1,2-Dichloroethene	0.95	J	1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	ND		1.0	0.36
110-82-7	Cyclohexane	ND		1.0	0.18
75-71-8	Dichlorodifluoromethane	ND		1.0	0.68

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-234626-1

SDG No.:

Client Sample ID: SAN-06-20251118 | Lab Sample ID: 480-234626-19

Matrix: Water | Lab File ID: L1580.D

Analysis Method: 8260C | Date Collected: 11/18/2025 15:25

Sample wt/vol: 5(mL) | Date Analyzed: 11/22/2025 10:40

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (30) VOA ID: 0.25(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 763216 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5977L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
100-41-4	Ethylbenzene	ND		1.0	0.74
106-93-4	1,2-Dibromoethane	ND		1.0	0.73
98-82-8	Isopropylbenzene	ND		1.0	0.79
79-20-9	Methyl acetate	ND		2.5	1.3
1634-04-4	Methyl tert-butyl ether	ND		1.0	0.16
108-87-2	Methylcyclohexane	ND		1.0	0.16
75-09-2	Methylene Chloride	ND		1.0	0.44
100-42-5	Styrene	ND		1.0	0.73
127-18-4	Tetrachloroethene	ND		1.0	0.36
108-88-3	Toluene	ND		1.0	0.51
156-60-5	trans-1,2-Dichloroethene	ND		1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	ND		1.0	0.37
79-01-6	Trichloroethene	ND		1.0	0.46
75-69-4	Trichlorofluoromethane	ND		1.0	0.88
75-01-4	Vinyl chloride	ND		1.0	0.90
1330-20-7	Xylenes, Total	ND		2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
2037-26-5	Toluene-d8 (Surr)	84		80-120
17060-07-0	1,2-Dichloroethane-d4 (Surr)	86		77-120
460-00-4	4-Bromofluorobenzene (Surr)	86		73-120
1868-53-7	Dibromofluoromethane (Surr)	90		75-123

JAJ
12/4/25

1050 SW 6th Avenue
Suite 1650
Portland, OR 97204

T +1 503 488 5282

erm.com

MEMO

TO	Tim Daniluk
FROM	Rachel James
DATE	2026-04-07
REFERENCE	0810093
SUBJECT	Data Review of Former Leica, Inc. Site, Groundwater Samples. Samples Collected March 24, 2026: Eurofins, Data Package(s) 480-237156-1.

This memorandum summarizes the findings of a data usability summary review (DUSR) for 16 groundwater, two equipment blanks, and one trip blank sample collected on March 24, 2026 at the Former Leica Site in Cheektowaga, New York, listed in the attached Table 1. The samples were shipped under chain of custody and analyzed by Eurofins Environment Testing Northeast (Eurofins) located at 10 Hazelwood Drive in Amherst, New York.

The findings offered in this report are based on a review of the following criteria. The analytical data have been evaluated according to the protocols and quality control (QC) requirements of the analytical method, *USEPA SOP Number QA-HWSS-A-004, March 2022, Standard Operating Procedure for the Validation of Volatile Data*, and the reviewer's professional judgment.

ERM reviewed the following items as part of the data validation.

- **Chain of Custody:** The chains of custody were reviewed for proper completion and that the laboratory performed the requested methods and reported the requested target analytes for each sample.
- **Dilutions and Reanalysis:** Dilutions, calibration ranges, and reanalyses were reviewed as applicable. The best result was chosen when more than one result was reported as final.
- **Case Narrative:** The case narrative was reviewed for comments and any necessary qualifiers added.
- **Sample Preservation:** The appropriate temperature and chemical preservation requirements were reviewed. Headspace for volatile sample analysis was reviewed, if applicable.
- **Holding Times:** The period of time between collection of the sample and preparation/analysis of the sample was evaluated.

© Copyright 2025 by The ERM International Group Limited and/or its affiliates ('ERM'). All Rights Reserved.
No part of this work may be reproduced or transmitted in any form or by any means, without prior written permission of ERM.

- **Instrument Tuning:** Instrument tuning and performance check frequency and results were reviewed.
- **Calibration:** The initial calibration type, fit, number of standards, and minimum response factors were evaluated. Additionally, the frequency and percent recoveries for initial and continuing calibration verification standards and blanks were evaluated.
- **Laboratory Blank Samples:** The preparation and analysis of reagent (contaminant-free) water was evaluated, along with the required frequency.
- **Field Blank Samples:** The collection and analysis of field blanks was evaluated. The reviewed data package(s) included the following associated field blanks: trip and equipment.
- **Laboratory Control Spike Samples:** Laboratory control spike sample preparation frequency and recoveries were reviewed as applicable.
- **Matrix Spike Samples:** Matrix spike and post digestion spike sample preparation frequency and recoveries were reviewed as applicable.
- **Surrogate Spikes:** The addition of appropriate surrogates and their recoveries were evaluated.
- **Internal standards:** The presence and recoveries of internal standards and their appropriate association to target analytes were reviewed.
- **Field Duplicate Samples:** Field duplicate recoveries and/or absolute differences were reviewed as applicable.
- **Recalculation:** Selected target analyte results in project samples were recalculated.

Data validation findings are summarized in the sections below. As necessary, the following data quality flags were applied during validation. Professional judgment was used when multiple flags were applied to one result; therefore, the final flag may differ from the one presented in an individual table.

- J = estimated concentration
- UJ = estimated reporting limit
- U = evaluated to be non-detected at the reporting limit
- R = rejected, data not usable
- NJ = tentative identification and estimated concentration

Validation outliers and any necessary data qualifications are summarized in tables at the end of this memo. The table below indicates the included validation tables with findings.

List of Attached Tables	
Table 1:	Sample Summary
Table 2:	Field Blank Evaluation
Table 3:	Matrix Spike Evaluation
Table 4:	Field Duplicate Evaluation

CHAIN-OF-CUSTODY DISCREPANCIES

The laboratory did not note discrepancies between the chains-of-custody and the received sample containers.

SAMPLES WITH NON-PREFERRED RESULTS

All samples had only one final result reported for each analyte and method combination. All results are considered preferred.

CASE NARRATIVE EVALUATION

The laboratory did not note issues in the case narrative that warranted further explanation.

PRESERVATION EVALUATION

The laboratory received the sample shipments in good condition, within the method-prescribed temperature preservation requirements of less than 6°C, with acceptable sample pH values, and, as applicable, all vials for volatile analysis were received with no documented headspace.

Sample preservation situations requiring additional professional judgement are detailed below.

- The samples were received at temperatures greater than 6°C; however, they were received on the day of collection and were on ice, indicating that the cooling process had begun. Qualification was not necessary.

HOLDING TIME EVALUATION

The samples were prepared and analyzed within the method-prescribed time period from the date of collection, with appropriate considerations for sample preservation requirements.

INSTRUMENT TUNING EVALUATION

All instrument tuning criteria met method acceptance criteria.

INITIAL CALIBRATION EVALUATION

The initial calibrations met the minimum number of calibration standards, required percent standard deviation (%RSD), relative correlation coefficient (r^2), and/or minimum relative response factor (RRF) limits (as applicable to the methods) for target analytes.

CALIBRATION VERIFICATION EVALUATION

The initial and continuing calibration verifications were within required percent difference (%D) or percent recoveries (%R) and relative response factor (RRF) limits (as applicable to the methods) for target analytes.

LABORATORY BLANK EVALUATION

The laboratory blank sample results were non-detected for each of the target analytes. The blank results indicate that contaminants were not introduced to the samples during processing or analysis in the laboratory.

FIELD BLANK EVALUATION

The trip and equipment blank sample results were non-detected for each of the target analytes, with the exceptions and any necessary qualifications noted in Table 2. Any field blank detections associated with laboratory blank contamination and qualified as non-detected (U) are not included in Table 2. The following criteria were taken into consideration when assessing blank contamination and applying any necessary qualifications:

- Non-detected results or results greater than five times the blank concentration (ten times for inorganics or common laboratory contaminants) were considered not affected by contamination and were not qualified.
- If results were associated with more than one blank, the greater of the two blank concentrations was used for applying qualifications.
- Results less than the reporting limit were qualified as non-detect (U) at the sample reporting limit.
- Results within five times the blank concentration (ten times for inorganics or common laboratory contaminants), greater than the reporting limit, but less than the blank concentration were qualified as non-detect (U) at the sample concentration.

- Results within five times the blank concentration (ten times for inorganics or common laboratory contaminants), greater than the reporting limit, and greater than the blank concentration were qualified as estimates with a high bias (J+).
- Equipment and field blank results associated with method blank contamination were attributed to and qualified for laboratory introduced contamination. No additional qualifications were made to sample results based on the equipment and/or field blanks in these instances.

LABORATORY CONTROL SPIKE EVALUATION

The laboratory control sample (LCS) recoveries and, if included, the laboratory control sample duplicate (LCSD) recoveries and relative percent differences (RPD) were within the laboratory's limits of acceptance. The LCS/LCSD recoveries and RPDs indicate acceptable laboratory accuracy and precision.

MATRIX SPIKE EVALUATION

The matrix spike (MS) recoveries and, if included, the matrix spike duplicate (MSD) recoveries and RPDs were within the laboratory's limits of acceptance for target analytes for spiked project samples, with the exceptions and any necessary qualifications noted in Table 3. MS/MSDs performed on non-project parent samples, if included, are not representative of the matrix for this project and were therefore not reviewed or presented. Results were not qualified if the paired spiked sample recovery was acceptable, if high recoveries or RPDs were associated with non-detected results, if the parent sample result was greater than four times that of the spike, if the spike was diluted out, or if the exception was not associated with reported results.

SURROGATE EVALUATION

The surrogate recoveries were within the laboratory limits of acceptance. The acceptable surrogate recoveries indicate minimal matrix interference in the samples.

INTERNAL STANDARD EVALUATION

The internal standard responses for reported results were within acceptable limits. The acceptable internal standard responses indicate that the instrument sensitivity and responses were stable during each analysis.

FIELD DUPLICATE EVALUATION

One or more samples were submitted to the laboratory as field duplicates. RPDs were calculated as appropriate for detected results. The RPDs were within the criterion of 50, with any exceptions and necessary qualifications noted in Table 4.

CALIBRATION RANGE EVALUATION

All results were reported within each instrument's calibration range.

RECALCULATION

All result recalculations performed agreed with reported results.

PROFESSIONAL JUDGEMENT EVALUATION

Additional qualifiers using the validator’s professional judgement were not necessary.

OVERALL ASSESSMENT

None of the data required rejection. All the data, including any qualified data, can be used for decision-making purposes; however, the limitations indicated by the applied qualifiers should be considered when using the data. The quality of the data generated during this investigation is acceptable for the preparation of technically defensible documents.

Table 1
Sample Summary
Groundwater Samples
Former Leica, Inc. Site
Cheektowaga, New York

ANALYTIC_METHOD				SW8260C
FRACTION				N
COC ID	Lab ID	Date	Type	VOCs
480-237156-1				
TB-20260324-01	480-237156-1	3/24/2026	TB	X
EB-01-20260324-01	480-237156-2	3/24/2026	EB	X
EB-02-20260324-01	480-237156-3	3/24/2026	EB	X
DUP-20260324-01	480-237156-4	3/24/2026	FD	X
STM-08-20260324-01	480-237156-5	3/24/2026	N	X
STM-07-20260324-01	480-237156-6	3/24/2026	N	X
SAN-07-20260324-01	480-237156-7	3/24/2026	N	X
SAN-08-20260324-01	480-237156-8	3/24/2026	N	X
STM-01-20260324-01	480-237156-9	3/24/2026	N	X
SAN-01-20260324-01	480-237156-10	3/24/2026	N	X
STM-09-20260324-01	480-237156-11	3/24/2026	N	X
STM-02-20260324-01	480-237156-12	3/24/2026	N	X
SAN-04-20260324-01	480-237156-13	3/24/2026	N	X
STM-03-20260324-01	480-237156-14	3/24/2026	N	X
STM-04-20260324-01	480-237156-15	3/24/2026	N	X
STM-05-20260324-01	480-237156-16	3/24/2026	N	X
SAN-05-20260324-01	480-237156-17	3/24/2026	N	X
STM-06-20260324-01	480-237156-18	3/24/2026	N	X
SAN-06-20260324-01	480-237156-19	3/24/2026	N	X

Sample Type:
EB = equipment blank sample
FD = field duplicate sample
N = primary sample
TB = trip blank sample

Fraction:
N = not applicable

Analytes:
VOCs = volatile organic compounds

Table 2
Field Blank Evaluation
Groundwater Samples
Former Leica, Inc. Site
Cheektowaga, New York

Lab Package	Blank ID	Analyte	Reported Blank Conc.	Blank RL	Associated Sample	Assoc. Sample Result	Assoc. Sample RL	Units	ERM Qualifier
480-237156-1	TB-20260324-01	Chloroform	1.0	1.0	None for qualification, samples assessed based upon higher EB-01 detection	--	--	µg/L	--
	EB-02-20260324-01	Chloroform	1.0	1.0		--	--	µg/L	--
	EB-01-20260324-01	Chloroform	1.1	1.0	STM-01-20260324-01	0.38	1.0	µg/L	1.0 U
					STM-09-20260324-01	1.8	1.0	µg/L	1.8 U
					SAN-06-20260324-01	1.2	1.0	µg/L	1.2 U

Notes:
-- = not applicable; associated data not affected
Conc. = concentration
EB = equipment blank
J+ = detected results are estimated with a high bias
µg/L = micrograms per liter
RL = reporting limit
TB = trip blank
U = non-detected

Table 3
Matrix Spike Evaluation
Groundwater Samples
Former Leica, Inc. Site
Cheektowaga, New York

Lab Package	Spike Sample ID	Associated Sample	Analyte	Recovery (%)	Limit (%)	RPD	RPD Limit	Result	Units	ERM Qualifier
480-237156-1	STM-07-20260324-01 MS/MSD	None for qualification, parent sample ND	1,1,1-Trichloroethane	127/Pass	73-126	16	15	ND	µg/L	--
			1,1,2,2-Tetrachloroethane	121/Pass	76-120	16	15			
			1,1,2-Trichloroethane	Pass/Pass	76-122	17	15			
			1,1-Dichloroethene	129/Pass	66-127	19	16			
			1,2,4-Trichlorobenzene	146/Pass	79-122	21	20			
			1,2-Dibromo-3-Chloropropane	149/Pass	56-134	Pass	15			
			1,2-Dichlorobenzene	126/Pass	80-124	Pass	20			
			Acetone	Pass/Pass	56-142	18	15			
			Benzene	Pass/Pass	71-124	16	13			
			Dichlorobromomethane	Pass/Pass	80-122	16	15			
			Bromomethane	Pass/Pass	55-144	25	15			
			Carbon disulfide	Pass/Pass	59-134	20	15			
			Carbon tetrachloride	135/Pass	72-134	16	15			
			Chlorodibromomethane	Pass/Pass	75-125	16	15			
			Chloroethane	Pass/Pass	69-136	19	15			
			cis-1,2-Dichloroethene	Pass/Pass	74-124	18	15			
			Ethylbenzene	Pass/Pass	77-123	17	15			
			1,2-Dibromoethane	Pass/Pass	77-120	17	15			
			Isopropylbenzene	146/123	77-122	17	20			
			Tetrachloroethene	125/Pass	74-122	Pass	20			
			Methylene Chloride	Pass/Pass	75-124	18	15			
			Toluene	124/Pass	80-122	19	15			
			trans-1,3-Dichloropropene	Pass/Pass	80-120	17	15			
			Vinyl chloride	Pass/Pass	65-133	17	15			

Notes:
-- = not applicable; associated data not affected
MS = matrix spike
MSD = matrix spike duplicate
µg/L = micrograms per liter
ND = not detected
RPD = relative percent difference

Table 4
Field Duplicate Evaluation
Groundwater Samples
Former Leica, Inc. Site
Cheektowaga, New York

Lab Package	Primary/Duplicate Sample ID	Analyte	Concentration		Report Limit		Units	AbD	RPD	Limit	ERM Qualifier
			Sample	Duplicate	Sample	Duplicate					
480-237156-1	SAN-08-20260324-01/ DUP-20260324-01	cis-1,2-Dichloroethene	4.7	4.6	1.0	1.0	µg/L	NA	2.2	50	--
		Trichloroethene	0.93	0.89	1.0	1.0	µg/L	NA	4.4	50	--

Notes:
-- = not applicable; associated data not affected
AbD = absolute difference
µg/L = micrograms per liter
RPD = relative percent difference

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-237156-1

SDG No.:

Client Sample ID: TB-20260324-01 | Lab Sample ID: 480-237156-1

Matrix: Water | Lab File ID: D00569.d

Analysis Method: EPA 8260D | Date Collected: 03/24/2026 09:35

Sample wt/vol: 5(mL) | Date Analyzed: 03/25/2026 13:15

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (20) ID: 0.18(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 770882 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5975D

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	0.82	U	1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	0.21	U	1.0	0.21
79-00-5	1,1,2-Trichloroethane	0.23	U	1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31
75-34-3	1,1-Dichloroethane	0.38	U	1.0	0.38
75-35-4	1,1-Dichloroethene	0.29	U	1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	0.41	U	1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	0.39	U	1.0	0.39
95-50-1	1,2-Dichlorobenzene	0.79	U	1.0	0.79
107-06-2	1,2-Dichloroethane	0.21	U	1.0	0.21
78-87-5	1,2-Dichloropropane	0.72	U	1.0	0.72
541-73-1	1,3-Dichlorobenzene	0.78	U	1.0	0.78
106-46-7	1,4-Dichlorobenzene	0.84	U	1.0	0.84
78-93-3	2-Butanone (MEK)	1.3	U	10	1.3
591-78-6	2-Hexanone	1.2	U	5.0	1.2
108-10-1	4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1
67-64-1	Acetone	3.0	U	10	3.0
71-43-2	Benzene	0.41	U	1.0	0.41
75-27-4	Dichlorobromomethane	0.39	U	1.0	0.39
75-25-2	Bromoform	0.26	U	1.0	0.26
74-83-9	Bromomethane	0.69	U	1.0	0.69
75-15-0	Carbon disulfide	0.19	U	1.0	0.19
56-23-5	Carbon tetrachloride	0.27	U	1.0	0.27
108-90-7	Chlorobenzene	0.75	U	1.0	0.75
124-48-1	Chlorodibromomethane	0.32	U	1.0	0.32
75-00-3	Chloroethane	0.32	U	1.0	0.32
67-66-3	Chloroform	1.0		1.0	0.34
74-87-3	Chloromethane	0.35	U	1.0	0.35
156-59-2	cis-1,2-Dichloroethene	0.81	U	1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	0.36	U	1.0	0.36
110-82-7	Cyclohexane	0.18	U	1.0	0.18
75-71-8	Dichlorodifluoromethane	0.68	U	1.0	0.68

RJ 4/7/26

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-237156-1

SDG No.:

Client Sample ID: TB-20260324-01 | Lab Sample ID: 480-237156-1

Matrix: Water | Lab File ID: D00569.d

Analysis Method: EPA 8260D | Date Collected: 03/24/2026 09:35

Sample wt/vol: 5(mL) | Date Analyzed: 03/25/2026 13:15

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (20) ID: 0.18(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 770882 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5975D

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
100-41-4	Ethylbenzene	0.74	U	1.0	0.74
106-93-4	1,2-Dibromoethane	0.73	U	1.0	0.73
98-82-8	Isopropylbenzene	0.79	U	1.0	0.79
79-20-9	Methyl acetate	1.3	U	2.5	1.3
1634-04-4	Methyl tert-butyl ether	0.16	U	1.0	0.16
108-87-2	Methylcyclohexane	0.16	U	1.0	0.16
75-09-2	Methylene Chloride	0.44	U	1.0	0.44
100-42-5	Styrene	0.73	U	1.0	0.73
127-18-4	Tetrachloroethene	0.36	U	1.0	0.36
108-88-3	Toluene	0.51	U	1.0	0.51
156-60-5	trans-1,2-Dichloroethene	0.90	U	1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	0.37	U	1.0	0.37
79-01-6	Trichloroethene	0.46	U	1.0	0.46
75-69-4	Trichlorofluoromethane	0.88	U	1.0	0.88
75-01-4	Vinyl chloride	0.90	U	1.0	0.90
1330-20-7	Xylenes, Total	0.66	U	2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
2037-26-5	Toluene-d8 (Surr)	106		80-120
17060-07-0	1,2-Dichloroethane-d4 (Surr)	105		77-120
460-00-4	4-Bromofluorobenzene (Surr)	85		73-120
1868-53-7	Dibromofluoromethane (Surr)	105		75-123

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-237156-1

SDG No.:

Client Sample ID: EB-01-20260324-01 | Lab Sample ID: 480-237156-2

Matrix: Water | Lab File ID: D00570.d

Analysis Method: EPA 8260D | Date Collected: 03/24/2026 09:40

Sample wt/vol: 5(mL) | Date Analyzed: 03/25/2026 13:38

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (20) ID: 0.18(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 770882 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5975D

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	0.82	U	1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	0.21	U	1.0	0.21
79-00-5	1,1,2-Trichloroethane	0.23	U	1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31
75-34-3	1,1-Dichloroethane	0.38	U	1.0	0.38
75-35-4	1,1-Dichloroethene	0.29	U	1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	0.41	U	1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	0.39	U	1.0	0.39
95-50-1	1,2-Dichlorobenzene	0.79	U	1.0	0.79
107-06-2	1,2-Dichloroethane	0.21	U	1.0	0.21
78-87-5	1,2-Dichloropropane	0.72	U	1.0	0.72
541-73-1	1,3-Dichlorobenzene	0.78	U	1.0	0.78
106-46-7	1,4-Dichlorobenzene	0.84	U	1.0	0.84
78-93-3	2-Butanone (MEK)	1.3	U	10	1.3
591-78-6	2-Hexanone	1.2	U	5.0	1.2
108-10-1	4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1
67-64-1	Acetone	3.0	U	10	3.0
71-43-2	Benzene	0.41	U	1.0	0.41
75-27-4	Dichlorobromomethane	0.39	U	1.0	0.39
75-25-2	Bromoform	0.26	U	1.0	0.26
74-83-9	Bromomethane	0.69	U	1.0	0.69
75-15-0	Carbon disulfide	0.19	U	1.0	0.19
56-23-5	Carbon tetrachloride	0.27	U	1.0	0.27
108-90-7	Chlorobenzene	0.75	U	1.0	0.75
124-48-1	Chlorodibromomethane	0.32	U	1.0	0.32
75-00-3	Chloroethane	0.32	U	1.0	0.32
67-66-3	Chloroform	1.1		1.0	0.34
74-87-3	Chloromethane	0.35	U	1.0	0.35
156-59-2	cis-1,2-Dichloroethene	0.81	U	1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	0.36	U	1.0	0.36
110-82-7	Cyclohexane	0.18	U	1.0	0.18
75-71-8	Dichlorodifluoromethane	0.68	U	1.0	0.68

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-237156-1

SDG No.:

Client Sample ID: EB-01-20260324-01 | Lab Sample ID: 480-237156-2

Matrix: Water | Lab File ID: D00570.d

Analysis Method: EPA 8260D | Date Collected: 03/24/2026 09:40

Sample wt/vol: 5(mL) | Date Analyzed: 03/25/2026 13:38

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (20) ID: 0.18(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 770882 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5975D

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
100-41-4	Ethylbenzene	0.74	U	1.0	0.74
106-93-4	1,2-Dibromoethane	0.73	U	1.0	0.73
98-82-8	Isopropylbenzene	0.79	U	1.0	0.79
79-20-9	Methyl acetate	1.3	U	2.5	1.3
1634-04-4	Methyl tert-butyl ether	0.16	U	1.0	0.16
108-87-2	Methylcyclohexane	0.16	U	1.0	0.16
75-09-2	Methylene Chloride	0.44	U	1.0	0.44
100-42-5	Styrene	0.73	U	1.0	0.73
127-18-4	Tetrachloroethene	0.36	U	1.0	0.36
108-88-3	Toluene	0.51	U	1.0	0.51
156-60-5	trans-1,2-Dichloroethene	0.90	U	1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	0.37	U	1.0	0.37
79-01-6	Trichloroethene	0.46	U	1.0	0.46
75-69-4	Trichlorofluoromethane	0.88	U	1.0	0.88
75-01-4	Vinyl chloride	0.90	U	1.0	0.90
1330-20-7	Xylenes, Total	0.66	U	2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
2037-26-5	Toluene-d8 (Surr)	108		80-120
17060-07-0	1,2-Dichloroethane-d4 (Surr)	105		77-120
460-00-4	4-Bromofluorobenzene (Surr)	85		73-120
1868-53-7	Dibromofluoromethane (Surr)	105		75-123

RS 4/7/26

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-237156-1

SDG No.:

Client Sample ID: EB-02-20260324-01 | Lab Sample ID: 480-237156-3

Matrix: Water | Lab File ID: D00571.d

Analysis Method: EPA 8260D | Date Collected: 03/24/2026 09:45

Sample wt/vol: 5(mL) | Date Analyzed: 03/25/2026 14:00

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (20) ID: 0.18(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 770882 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5975D

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	0.82	U	1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	0.21	U	1.0	0.21
79-00-5	1,1,2-Trichloroethane	0.23	U	1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31
75-34-3	1,1-Dichloroethane	0.38	U	1.0	0.38
75-35-4	1,1-Dichloroethene	0.29	U	1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	0.41	U	1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	0.39	U	1.0	0.39
95-50-1	1,2-Dichlorobenzene	0.79	U	1.0	0.79
107-06-2	1,2-Dichloroethane	0.21	U	1.0	0.21
78-87-5	1,2-Dichloropropane	0.72	U	1.0	0.72
541-73-1	1,3-Dichlorobenzene	0.78	U	1.0	0.78
106-46-7	1,4-Dichlorobenzene	0.84	U	1.0	0.84
78-93-3	2-Butanone (MEK)	1.3	U	10	1.3
591-78-6	2-Hexanone	1.2	U	5.0	1.2
108-10-1	4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1
67-64-1	Acetone	3.0	U	10	3.0
71-43-2	Benzene	0.41	U	1.0	0.41
75-27-4	Dichlorobromomethane	0.39	U	1.0	0.39
75-25-2	Bromoform	0.26	U	1.0	0.26
74-83-9	Bromomethane	0.69	U	1.0	0.69
75-15-0	Carbon disulfide	0.19	U	1.0	0.19
56-23-5	Carbon tetrachloride	0.27	U	1.0	0.27
108-90-7	Chlorobenzene	0.75	U	1.0	0.75
124-48-1	Chlorodibromomethane	0.32	U	1.0	0.32
75-00-3	Chloroethane	0.32	U	1.0	0.32
67-66-3	Chloroform	1.0		1.0	0.34
74-87-3	Chloromethane	0.35	U	1.0	0.35
156-59-2	cis-1,2-Dichloroethene	0.81	U	1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	0.36	U	1.0	0.36
110-82-7	Cyclohexane	0.18	U	1.0	0.18
75-71-8	Dichlorodifluoromethane	0.68	U	1.0	0.68

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-237156-1

SDG No.:

Client Sample ID: EB-02-20260324-01 | Lab Sample ID: 480-237156-3

Matrix: Water | Lab File ID: D00571.d

Analysis Method: EPA 8260D | Date Collected: 03/24/2026 09:45

Sample wt/vol: 5(mL) | Date Analyzed: 03/25/2026 14:00

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (20) ID: 0.18(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 770882 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5975D

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
100-41-4	Ethylbenzene	0.74	U	1.0	0.74
106-93-4	1,2-Dibromoethane	0.73	U	1.0	0.73
98-82-8	Isopropylbenzene	0.79	U	1.0	0.79
79-20-9	Methyl acetate	1.3	U	2.5	1.3
1634-04-4	Methyl tert-butyl ether	0.16	U	1.0	0.16
108-87-2	Methylcyclohexane	0.16	U	1.0	0.16
75-09-2	Methylene Chloride	0.44	U	1.0	0.44
100-42-5	Styrene	0.73	U	1.0	0.73
127-18-4	Tetrachloroethene	0.36	U	1.0	0.36
108-88-3	Toluene	0.51	U	1.0	0.51
156-60-5	trans-1,2-Dichloroethene	0.90	U	1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	0.37	U	1.0	0.37
79-01-6	Trichloroethene	0.46	U	1.0	0.46
75-69-4	Trichlorofluoromethane	0.88	U	1.0	0.88
75-01-4	Vinyl chloride	0.90	U	1.0	0.90
1330-20-7	Xylenes, Total	0.66	U	2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
2037-26-5	Toluene-d8 (Surr)	105		80-120
17060-07-0	1,2-Dichloroethane-d4 (Surr)	103		77-120
460-00-4	4-Bromofluorobenzene (Surr)	86		73-120
1868-53-7	Dibromofluoromethane (Surr)	102		75-123

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-237156-1

SDG No.:

Client Sample ID: DUP-20260324-01 | Lab Sample ID: 480-237156-4

Matrix: Water | Lab File ID: D00572.d

Analysis Method: EPA 8260D | Date Collected: 03/24/2026 12:00

Sample wt/vol: 5(mL) | Date Analyzed: 03/25/2026 14:22

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (20) ID: 0.18(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 770882 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5975D

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	0.82	U	1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	0.21	U	1.0	0.21
79-00-5	1,1,2-Trichloroethane	0.23	U	1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31
75-34-3	1,1-Dichloroethane	0.38	U	1.0	0.38
75-35-4	1,1-Dichloroethene	0.29	U	1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	0.41	U	1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	0.39	U	1.0	0.39
95-50-1	1,2-Dichlorobenzene	0.79	U	1.0	0.79
107-06-2	1,2-Dichloroethane	0.21	U	1.0	0.21
78-87-5	1,2-Dichloropropane	0.72	U	1.0	0.72
541-73-1	1,3-Dichlorobenzene	0.78	U	1.0	0.78
106-46-7	1,4-Dichlorobenzene	0.84	U	1.0	0.84
78-93-3	2-Butanone (MEK)	1.3	U	10	1.3
591-78-6	2-Hexanone	1.2	U	5.0	1.2
108-10-1	4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1
67-64-1	Acetone	3.0	U	10	3.0
71-43-2	Benzene	0.41	U	1.0	0.41
75-27-4	Dichlorobromomethane	0.39	U	1.0	0.39
75-25-2	Bromoform	0.26	U	1.0	0.26
74-83-9	Bromomethane	0.69	U	1.0	0.69
75-15-0	Carbon disulfide	0.19	U	1.0	0.19
56-23-5	Carbon tetrachloride	0.27	U	1.0	0.27
108-90-7	Chlorobenzene	0.75	U	1.0	0.75
124-48-1	Chlorodibromomethane	0.32	U	1.0	0.32
75-00-3	Chloroethane	0.32	U	1.0	0.32
67-66-3	Chloroform	0.34	U	1.0	0.34
74-87-3	Chloromethane	0.35	U	1.0	0.35
156-59-2	cis-1,2-Dichloroethene	4.6		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	0.36	U	1.0	0.36
110-82-7	Cyclohexane	0.18	U	1.0	0.18
75-71-8	Dichlorodifluoromethane	0.68	U	1.0	0.68

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-237156-1

SDG No.:

Client Sample ID: DUP-20260324-01 | Lab Sample ID: 480-237156-4

Matrix: Water | Lab File ID: D00572.d

Analysis Method: EPA 8260D | Date Collected: 03/24/2026 12:00

Sample wt/vol: 5(mL) | Date Analyzed: 03/25/2026 14:22

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (20) ID: 0.18(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 770882 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5975D

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
100-41-4	Ethylbenzene	0.74	U	1.0	0.74
106-93-4	1,2-Dibromoethane	0.73	U	1.0	0.73
98-82-8	Isopropylbenzene	0.79	U	1.0	0.79
79-20-9	Methyl acetate	1.3	U	2.5	1.3
1634-04-4	Methyl tert-butyl ether	0.16	U	1.0	0.16
108-87-2	Methylcyclohexane	0.16	U	1.0	0.16
75-09-2	Methylene Chloride	0.44	U	1.0	0.44
100-42-5	Styrene	0.73	U	1.0	0.73
127-18-4	Tetrachloroethene	0.36	U	1.0	0.36
108-88-3	Toluene	0.51	U	1.0	0.51
156-60-5	trans-1,2-Dichloroethene	0.90	U	1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	0.37	U	1.0	0.37
79-01-6	Trichloroethene	0.89	J	1.0	0.46
75-69-4	Trichlorofluoromethane	0.88	U	1.0	0.88
75-01-4	Vinyl chloride	0.90	U	1.0	0.90
1330-20-7	Xylenes, Total	0.66	U	2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
2037-26-5	Toluene-d8 (Surr)	105		80-120
17060-07-0	1,2-Dichloroethane-d4 (Surr)	104		77-120
460-00-4	4-Bromofluorobenzene (Surr)	89		73-120
1868-53-7	Dibromofluoromethane (Surr)	102		75-123

RJ 4/7/26

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-237156-1

SDG No.:

Client Sample ID: STM-08-20260324-01 | Lab Sample ID: 480-237156-5

Matrix: Water | Lab File ID: D00573.d

Analysis Method: EPA 8260D | Date Collected: 03/24/2026 09:55

Sample wt/vol: 5(mL) | Date Analyzed: 03/25/2026 14:44

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (20) ID: 0.18(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 770882 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5975D

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	0.82	U	1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	0.21	U	1.0	0.21
79-00-5	1,1,2-Trichloroethane	0.23	U	1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31
75-34-3	1,1-Dichloroethane	0.38	U	1.0	0.38
75-35-4	1,1-Dichloroethene	0.29	U	1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	0.41	U	1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	0.39	U	1.0	0.39
95-50-1	1,2-Dichlorobenzene	0.79	U	1.0	0.79
107-06-2	1,2-Dichloroethane	0.21	U	1.0	0.21
78-87-5	1,2-Dichloropropane	0.72	U	1.0	0.72
541-73-1	1,3-Dichlorobenzene	0.78	U	1.0	0.78
106-46-7	1,4-Dichlorobenzene	0.84	U	1.0	0.84
78-93-3	2-Butanone (MEK)	1.3	U	10	1.3
591-78-6	2-Hexanone	1.2	U	5.0	1.2
108-10-1	4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1
67-64-1	Acetone	3.0	U	10	3.0
71-43-2	Benzene	0.41	U	1.0	0.41
75-27-4	Dichlorobromomethane	0.39	U	1.0	0.39
75-25-2	Bromoform	0.26	U	1.0	0.26
74-83-9	Bromomethane	0.69	U	1.0	0.69
75-15-0	Carbon disulfide	0.19	U	1.0	0.19
56-23-5	Carbon tetrachloride	0.27	U	1.0	0.27
108-90-7	Chlorobenzene	0.75	U	1.0	0.75
124-48-1	Chlorodibromomethane	0.32	U	1.0	0.32
75-00-3	Chloroethane	0.32	U	1.0	0.32
67-66-3	Chloroform	0.34	U	1.0	0.34
74-87-3	Chloromethane	0.35	U	1.0	0.35
156-59-2	cis-1,2-Dichloroethene	0.81	U	1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	0.36	U	1.0	0.36
110-82-7	Cyclohexane	0.18	U	1.0	0.18
75-71-8	Dichlorodifluoromethane	0.68	U	1.0	0.68

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-237156-1

SDG No.:

Client Sample ID: STM-08-20260324-01 | Lab Sample ID: 480-237156-5

Matrix: Water | Lab File ID: D00573.d

Analysis Method: EPA 8260D | Date Collected: 03/24/2026 09:55

Sample wt/vol: 5(mL) | Date Analyzed: 03/25/2026 14:44

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (20) ID: 0.18(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 770882 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5975D

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
100-41-4	Ethylbenzene	0.74	U	1.0	0.74
106-93-4	1,2-Dibromoethane	0.73	U	1.0	0.73
98-82-8	Isopropylbenzene	0.79	U	1.0	0.79
79-20-9	Methyl acetate	1.3	U	2.5	1.3
1634-04-4	Methyl tert-butyl ether	0.16	U	1.0	0.16
108-87-2	Methylcyclohexane	0.16	U	1.0	0.16
75-09-2	Methylene Chloride	0.44	U	1.0	0.44
100-42-5	Styrene	0.73	U	1.0	0.73
127-18-4	Tetrachloroethene	0.36	U	1.0	0.36
108-88-3	Toluene	0.51	U	1.0	0.51
156-60-5	trans-1,2-Dichloroethene	0.90	U	1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	0.37	U	1.0	0.37
79-01-6	Trichloroethene	0.46	U	1.0	0.46
75-69-4	Trichlorofluoromethane	0.88	U	1.0	0.88
75-01-4	Vinyl chloride	0.90	U	1.0	0.90
1330-20-7	Xylenes, Total	0.66	U	2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
2037-26-5	Toluene-d8 (Surr)	107		80-120
17060-07-0	1,2-Dichloroethane-d4 (Surr)	106		77-120
460-00-4	4-Bromofluorobenzene (Surr)	88		73-120
1868-53-7	Dibromofluoromethane (Surr)	104		75-123

RJ 4/7/26

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-237156-1

SDG No.:

Client Sample ID: STM-07-20260324-01 | Lab Sample ID: 480-237156-6

Matrix: Water | Lab File ID: D00574.d

Analysis Method: EPA 8260D | Date Collected: 03/24/2026 10:15

Sample wt/vol: 5(mL) | Date Analyzed: 03/25/2026 15:07

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (20) ID: 0.18(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 770882 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5975D

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	0.82	U TH T	1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	0.21	U TH T	1.0	0.21
79-00-5	1,1,2-Trichloroethane	0.23	U T	1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31
75-34-3	1,1-Dichloroethane	0.38	U	1.0	0.38
75-35-4	1,1-Dichloroethene	0.29	U TH T	1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	0.41	U TH T	1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	0.39	U TH	1.0	0.39
95-50-1	1,2-Dichlorobenzene	0.79	U TH	1.0	0.79
107-06-2	1,2-Dichloroethane	0.21	U	1.0	0.21
78-87-5	1,2-Dichloropropane	0.72	U	1.0	0.72
541-73-1	1,3-Dichlorobenzene	0.78	U	1.0	0.78
106-46-7	1,4-Dichlorobenzene	0.84	U	1.0	0.84
78-93-3	2-Butanone (MEK)	1.3	U	10	1.3
591-78-6	2-Hexanone	1.2	U	5.0	1.2
108-10-1	4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1
67-64-1	Acetone	3.0	U T	10	3.0
71-43-2	Benzene	0.41	U T	1.0	0.41
75-27-4	Dichlorobromomethane	0.39	U T	1.0	0.39
75-25-2	Bromoform	0.26	U	1.0	0.26
74-83-9	Bromomethane	0.69	U T	1.0	0.69
75-15-0	Carbon disulfide	0.19	U T	1.0	0.19
56-23-5	Carbon tetrachloride	0.27	U TH T	1.0	0.27
108-90-7	Chlorobenzene	0.75	U	1.0	0.75
124-48-1	Chlorodibromomethane	0.32	U T	1.0	0.32
75-00-3	Chloroethane	0.32	U T	1.0	0.32
67-66-3	Chloroform	0.34	U	1.0	0.34
74-87-3	Chloromethane	0.35	U	1.0	0.35
156-59-2	cis-1,2-Dichloroethene	0.81	U T	1.0	0.81

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-237156-1

SDG No.:

Client Sample ID: STM-07-20260324-01 | Lab Sample ID: 480-237156-6

Matrix: Water | Lab File ID: D00574.d

Analysis Method: EPA 8260D | Date Collected: 03/24/2026 10:15

Sample wt/vol: 5(mL) | Date Analyzed: 03/25/2026 15:07

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (20) ID: 0.18(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 770882 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5975D

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
10061-01-5	cis-1,3-Dichloropropene	0.36	U	1.0	0.36
110-82-7	Cyclohexane	0.18	U	1.0	0.18
75-71-8	Dichlorodifluoromethane	0.68	U	1.0	0.68
100-41-4	Ethylbenzene	0.74	U T	1.0	0.74
106-93-4	1,2-Dibromoethane	0.73	U T	1.0	0.73
98-82-8	Isopropylbenzene	0.79	U TH	1.0	0.79
79-20-9	Methyl acetate	1.3	U	2.5	1.3
1634-04-4	Methyl tert-butyl ether	0.16	U	1.0	0.16
108-87-2	Methylcyclohexane	0.16	U	1.0	0.16
75-09-2	Methylene Chloride	0.44	U T	1.0	0.44
100-42-5	Styrene	0.73	U	1.0	0.73
127-18-4	Tetrachloroethene	0.36	U TH	1.0	0.36
108-88-3	Toluene	0.51	U TH T	1.0	0.51
156-60-5	trans-1,2-Dichloroethene	0.90	U	1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	0.37	U T	1.0	0.37
79-01-6	Trichloroethene	0.46	U	1.0	0.46
75-69-4	Trichlorofluoromethane	0.88	U	1.0	0.88
75-01-4	Vinyl chloride	0.90	U T	1.0	0.90
1330-20-7	Xylenes, Total	0.66	U T	2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
2037-26-5	Toluene-d8 (Surr)	104		80-120
17060-07-0	1,2-Dichloroethane-d4 (Surr)	105		77-120
460-00-4	4-Bromofluorobenzene (Surr)	89		73-120
1868-53-7	Dibromofluoromethane (Surr)	103		75-123

RS 4/7/26

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-237156-1

SDG No.:

Client Sample ID: SAN-07-20260324-01 | Lab Sample ID: 480-237156-7

Matrix: Water | Lab File ID: D00575.d

Analysis Method: EPA 8260D | Date Collected: 03/24/2026 10:35

Sample wt/vol: 5(mL) | Date Analyzed: 03/25/2026 15:29

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (20) ID: 0.18(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 770882 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5975D

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	0.82	U	1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	0.21	U	1.0	0.21
79-00-5	1,1,2-Trichloroethane	0.23	U	1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31
75-34-3	1,1-Dichloroethane	0.38	U	1.0	0.38
75-35-4	1,1-Dichloroethene	0.29	U	1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	0.41	U	1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	0.39	U	1.0	0.39
95-50-1	1,2-Dichlorobenzene	0.79	U	1.0	0.79
107-06-2	1,2-Dichloroethane	0.21	U	1.0	0.21
78-87-5	1,2-Dichloropropane	0.72	U	1.0	0.72
541-73-1	1,3-Dichlorobenzene	0.78	U	1.0	0.78
106-46-7	1,4-Dichlorobenzene	0.84	U	1.0	0.84
78-93-3	2-Butanone (MEK)	1.3	U	10	1.3
591-78-6	2-Hexanone	1.2	U	5.0	1.2
108-10-1	4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1
67-64-1	Acetone	3.0	U	10	3.0
71-43-2	Benzene	0.41	U	1.0	0.41
75-27-4	Dichlorobromomethane	0.39	U	1.0	0.39
75-25-2	Bromoform	0.26	U	1.0	0.26
74-83-9	Bromomethane	0.69	U	1.0	0.69
75-15-0	Carbon disulfide	0.19	U	1.0	0.19
56-23-5	Carbon tetrachloride	0.27	U	1.0	0.27
108-90-7	Chlorobenzene	0.75	U	1.0	0.75
124-48-1	Chlorodibromomethane	0.32	U	1.0	0.32
75-00-3	Chloroethane	0.32	U	1.0	0.32
67-66-3	Chloroform	0.34	U	1.0	0.34
74-87-3	Chloromethane	0.35	U	1.0	0.35
156-59-2	cis-1,2-Dichloroethene	4.2		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	0.36	U	1.0	0.36
110-82-7	Cyclohexane	0.18	U	1.0	0.18
75-71-8	Dichlorodifluoromethane	0.68	U	1.0	0.68

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-237156-1

SDG No.:

Client Sample ID: SAN-07-20260324-01 | Lab Sample ID: 480-237156-7

Matrix: Water | Lab File ID: D00575.d

Analysis Method: EPA 8260D | Date Collected: 03/24/2026 10:35

Sample wt/vol: 5(mL) | Date Analyzed: 03/25/2026 15:29

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (20) ID: 0.18(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 770882 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5975D

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
100-41-4	Ethylbenzene	0.74	U	1.0	0.74
106-93-4	1,2-Dibromoethane	0.73	U	1.0	0.73
98-82-8	Isopropylbenzene	0.79	U	1.0	0.79
79-20-9	Methyl acetate	1.3	U	2.5	1.3
1634-04-4	Methyl tert-butyl ether	0.16	U	1.0	0.16
108-87-2	Methylcyclohexane	0.16	U	1.0	0.16
75-09-2	Methylene Chloride	0.44	U	1.0	0.44
100-42-5	Styrene	0.73	U	1.0	0.73
127-18-4	Tetrachloroethene	0.36	U	1.0	0.36
108-88-3	Toluene	0.51	U	1.0	0.51
156-60-5	trans-1,2-Dichloroethene	0.90	U	1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	0.37	U	1.0	0.37
79-01-6	Trichloroethene	0.46	U	1.0	0.46
75-69-4	Trichlorofluoromethane	0.88	U	1.0	0.88
75-01-4	Vinyl chloride	0.90	U	1.0	0.90
1330-20-7	Xylenes, Total	0.66	U	2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
2037-26-5	Toluene-d8 (Surr)	104		80-120
17060-07-0	1,2-Dichloroethane-d4 (Surr)	106		77-120
460-00-4	4-Bromofluorobenzene (Surr)	90		73-120
1868-53-7	Dibromofluoromethane (Surr)	103		75-123

RJ 4/7/26

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-237156-1

SDG No.:

Client Sample ID: SAN-08-20260324-01 | Lab Sample ID: 480-237156-8

Matrix: Water | Lab File ID: D00576.d

Analysis Method: EPA 8260D | Date Collected: 03/24/2026 10:50

Sample wt/vol: 5(mL) | Date Analyzed: 03/25/2026 15:51

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (20) ID: 0.18(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 770882 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5975D

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	0.82	U	1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	0.21	U	1.0	0.21
79-00-5	1,1,2-Trichloroethane	0.23	U	1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31
75-34-3	1,1-Dichloroethane	0.38	U	1.0	0.38
75-35-4	1,1-Dichloroethene	0.29	U	1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	0.41	U	1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	0.39	U	1.0	0.39
95-50-1	1,2-Dichlorobenzene	0.79	U	1.0	0.79
107-06-2	1,2-Dichloroethane	0.21	U	1.0	0.21
78-87-5	1,2-Dichloropropane	0.72	U	1.0	0.72
541-73-1	1,3-Dichlorobenzene	0.78	U	1.0	0.78
106-46-7	1,4-Dichlorobenzene	0.84	U	1.0	0.84
78-93-3	2-Butanone (MEK)	1.3	U	10	1.3
591-78-6	2-Hexanone	1.2	U	5.0	1.2
108-10-1	4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1
67-64-1	Acetone	3.0	U	10	3.0
71-43-2	Benzene	0.41	U	1.0	0.41
75-27-4	Dichlorobromomethane	0.39	U	1.0	0.39
75-25-2	Bromoform	0.26	U	1.0	0.26
74-83-9	Bromomethane	0.69	U	1.0	0.69
75-15-0	Carbon disulfide	0.19	U	1.0	0.19
56-23-5	Carbon tetrachloride	0.27	U	1.0	0.27
108-90-7	Chlorobenzene	0.75	U	1.0	0.75
124-48-1	Chlorodibromomethane	0.32	U	1.0	0.32
75-00-3	Chloroethane	0.32	U	1.0	0.32
67-66-3	Chloroform	0.34	U	1.0	0.34
74-87-3	Chloromethane	0.35	U	1.0	0.35
156-59-2	cis-1,2-Dichloroethene	4.7		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	0.36	U	1.0	0.36
110-82-7	Cyclohexane	0.18	U	1.0	0.18
75-71-8	Dichlorodifluoromethane	0.68	U	1.0	0.68

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-237156-1

SDG No.:

Client Sample ID: SAN-08-20260324-01 | Lab Sample ID: 480-237156-8

Matrix: Water | Lab File ID: D00576.d

Analysis Method: EPA 8260D | Date Collected: 03/24/2026 10:50

Sample wt/vol: 5(mL) | Date Analyzed: 03/25/2026 15:51

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (20) ID: 0.18(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 770882 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5975D

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
100-41-4	Ethylbenzene	0.74	U	1.0	0.74
106-93-4	1,2-Dibromoethane	0.73	U	1.0	0.73
98-82-8	Isopropylbenzene	0.79	U	1.0	0.79
79-20-9	Methyl acetate	1.3	U	2.5	1.3
1634-04-4	Methyl tert-butyl ether	0.16	U	1.0	0.16
108-87-2	Methylcyclohexane	0.16	U	1.0	0.16
75-09-2	Methylene Chloride	0.44	U	1.0	0.44
100-42-5	Styrene	0.73	U	1.0	0.73
127-18-4	Tetrachloroethene	0.36	U	1.0	0.36
108-88-3	Toluene	0.51	U	1.0	0.51
156-60-5	trans-1,2-Dichloroethene	0.90	U	1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	0.37	U	1.0	0.37
79-01-6	Trichloroethene	0.93	J	1.0	0.46
75-69-4	Trichlorofluoromethane	0.88	U	1.0	0.88
75-01-4	Vinyl chloride	0.90	U	1.0	0.90
1330-20-7	Xylenes, Total	0.66	U	2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
2037-26-5	Toluene-d8 (Surr)	105		80-120
17060-07-0	1,2-Dichloroethane-d4 (Surr)	105		77-120
460-00-4	4-Bromofluorobenzene (Surr)	89		73-120
1868-53-7	Dibromofluoromethane (Surr)	103		75-123

RS 4/7/26

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-237156-1

SDG No.:

Client Sample ID: STM-01-20260324-01 | Lab Sample ID: 480-237156-9

Matrix: Water | Lab File ID: D00577.d

Analysis Method: EPA 8260D | Date Collected: 03/24/2026 11:30

Sample wt/vol: 5(mL) | Date Analyzed: 03/25/2026 16:14

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (20) ID: 0.18(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 770882 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5975D

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	0.82	U	1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	0.21	U	1.0	0.21
79-00-5	1,1,2-Trichloroethane	0.23	U	1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31
75-34-3	1,1-Dichloroethane	0.38	U	1.0	0.38
75-35-4	1,1-Dichloroethene	0.29	U	1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	0.41	U	1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	0.39	U	1.0	0.39
95-50-1	1,2-Dichlorobenzene	0.79	U	1.0	0.79
107-06-2	1,2-Dichloroethane	0.21	U	1.0	0.21
78-87-5	1,2-Dichloropropane	0.72	U	1.0	0.72
541-73-1	1,3-Dichlorobenzene	0.78	U	1.0	0.78
106-46-7	1,4-Dichlorobenzene	0.84	U	1.0	0.84
78-93-3	2-Butanone (MEK)	1.3	U	10	1.3
591-78-6	2-Hexanone	1.2	U	5.0	1.2
108-10-1	4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1
67-64-1	Acetone	3.0	U	10	3.0
71-43-2	Benzene	0.41	U	1.0	0.41
75-27-4	Dichlorobromomethane	0.39	U	1.0	0.39
75-25-2	Bromoform	0.26	U	1.0	0.26
74-83-9	Bromomethane	0.69	U	1.0	0.69
75-15-0	Carbon disulfide	0.19	U	1.0	0.19
56-23-5	Carbon tetrachloride	0.27	U	1.0	0.27
108-90-7	Chlorobenzene	0.75	U	1.0	0.75
124-48-1	Chlorodibromomethane	0.32	U	1.0	0.32
75-00-3	Chloroethane	0.32	U	1.0	0.32
67-66-3	Chloroform	0.38	~~J~~ U	1.0	0.34
74-87-3	Chloromethane	0.35	U	1.0	0.35
156-59-2	cis-1,2-Dichloroethene	0.81	U	1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	0.36	U	1.0	0.36
110-82-7	Cyclohexane	0.18	U	1.0	0.18
75-71-8	Dichlorodifluoromethane	0.68	U	1.0	0.68

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-237156-1

SDG No.:

Client Sample ID: STM-01-20260324-01 | Lab Sample ID: 480-237156-9

Matrix: Water | Lab File ID: D00577.d

Analysis Method: EPA 8260D | Date Collected: 03/24/2026 11:30

Sample wt/vol: 5(mL) | Date Analyzed: 03/25/2026 16:14

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (20) ID: 0.18(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 770882 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5975D

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
100-41-4	Ethylbenzene	0.74	U	1.0	0.74
106-93-4	1,2-Dibromoethane	0.73	U	1.0	0.73
98-82-8	Isopropylbenzene	0.79	U	1.0	0.79
79-20-9	Methyl acetate	1.3	U	2.5	1.3
1634-04-4	Methyl tert-butyl ether	0.16	U	1.0	0.16
108-87-2	Methylcyclohexane	0.16	U	1.0	0.16
75-09-2	Methylene Chloride	0.44	U	1.0	0.44
100-42-5	Styrene	0.73	U	1.0	0.73
127-18-4	Tetrachloroethene	0.36	U	1.0	0.36
108-88-3	Toluene	0.51	U	1.0	0.51
156-60-5	trans-1,2-Dichloroethene	0.90	U	1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	0.37	U	1.0	0.37
79-01-6	Trichloroethene	0.46	U	1.0	0.46
75-69-4	Trichlorofluoromethane	0.88	U	1.0	0.88
75-01-4	Vinyl chloride	0.90	U	1.0	0.90
1330-20-7	Xylenes, Total	0.66	U	2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
2037-26-5	Toluene-d8 (Surr)	105		80-120
17060-07-0	1,2-Dichloroethane-d4 (Surr)	107		77-120
460-00-4	4-Bromofluorobenzene (Surr)	88		73-120
1868-53-7	Dibromofluoromethane (Surr)	103		75-123

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-237156-1

SDG No.:

Client Sample ID: SAN-01-20260324-01 | Lab Sample ID: 480-237156-10

Matrix: Water | Lab File ID: D00578.d

Analysis Method: EPA 8260D | Date Collected: 03/24/2026 11:35

Sample wt/vol: 5(mL) | Date Analyzed: 03/25/2026 16:36

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (20) ID: 0.18(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 770882 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5975D

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	0.82	U	1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	0.21	U	1.0	0.21
79-00-5	1,1,2-Trichloroethane	0.23	U	1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31
75-34-3	1,1-Dichloroethane	0.38	U	1.0	0.38
75-35-4	1,1-Dichloroethene	0.29	U	1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	0.41	U	1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	0.39	U	1.0	0.39
95-50-1	1,2-Dichlorobenzene	0.79	U	1.0	0.79
107-06-2	1,2-Dichloroethane	0.21	U	1.0	0.21
78-87-5	1,2-Dichloropropane	0.72	U	1.0	0.72
541-73-1	1,3-Dichlorobenzene	0.78	U	1.0	0.78
106-46-7	1,4-Dichlorobenzene	0.84	U	1.0	0.84
78-93-3	2-Butanone (MEK)	1.3	U	10	1.3
591-78-6	2-Hexanone	1.2	U	5.0	1.2
108-10-1	4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1
67-64-1	Acetone	3.0	U	10	3.0
71-43-2	Benzene	0.41	U	1.0	0.41
75-27-4	Dichlorobromomethane	0.39	U	1.0	0.39
75-25-2	Bromoform	0.26	U	1.0	0.26
74-83-9	Bromomethane	0.69	U	1.0	0.69
75-15-0	Carbon disulfide	0.19	U	1.0	0.19
56-23-5	Carbon tetrachloride	0.27	U	1.0	0.27
108-90-7	Chlorobenzene	0.75	U	1.0	0.75
124-48-1	Chlorodibromomethane	0.32	U	1.0	0.32
75-00-3	Chloroethane	0.32	U	1.0	0.32
67-66-3	Chloroform	0.34	U	1.0	0.34
74-87-3	Chloromethane	0.35	U	1.0	0.35
156-59-2	cis-1,2-Dichloroethene	5.1		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	0.36	U	1.0	0.36
110-82-7	Cyclohexane	0.18	U	1.0	0.18
75-71-8	Dichlorodifluoromethane	0.68	U	1.0	0.68

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-237156-1

SDG No.:

Client Sample ID: SAN-01-20260324-01 | Lab Sample ID: 480-237156-10

Matrix: Water | Lab File ID: D00578.d

Analysis Method: EPA 8260D | Date Collected: 03/24/2026 11:35

Sample wt/vol: 5(mL) | Date Analyzed: 03/25/2026 16:36

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (20) ID: 0.18(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 770882 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5975D

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
100-41-4	Ethylbenzene	0.74	U	1.0	0.74
106-93-4	1,2-Dibromoethane	0.73	U	1.0	0.73
98-82-8	Isopropylbenzene	0.79	U	1.0	0.79
79-20-9	Methyl acetate	1.3	U	2.5	1.3
1634-04-4	Methyl tert-butyl ether	0.16	U	1.0	0.16
108-87-2	Methylcyclohexane	0.16	U	1.0	0.16
75-09-2	Methylene Chloride	0.44	U	1.0	0.44
100-42-5	Styrene	0.73	U	1.0	0.73
127-18-4	Tetrachloroethene	0.36	U	1.0	0.36
108-88-3	Toluene	0.51	U	1.0	0.51
156-60-5	trans-1,2-Dichloroethene	0.90	U	1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	0.37	U	1.0	0.37
79-01-6	Trichloroethene	0.83	J	1.0	0.46
75-69-4	Trichlorofluoromethane	0.88	U	1.0	0.88
75-01-4	Vinyl chloride	0.90	U	1.0	0.90
1330-20-7	Xylenes, Total	0.66	U	2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
2037-26-5	Toluene-d8 (Surr)	109		80-120
17060-07-0	1,2-Dichloroethane-d4 (Surr)	108		77-120
460-00-4	4-Bromofluorobenzene (Surr)	87		73-120
1868-53-7	Dibromofluoromethane (Surr)	106		75-123

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-237156-1

SDG No.:

Client Sample ID: STM-09-20260324-01 | Lab Sample ID: 480-237156-11

Matrix: Water | Lab File ID: D00579.d

Analysis Method: EPA 8260D | Date Collected: 03/24/2026 11:55

Sample wt/vol: 5(mL) | Date Analyzed: 03/25/2026 16:59

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (20) ID: 0.18(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 770882 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5975D

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	0.82	U	1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	0.21	U	1.0	0.21
79-00-5	1,1,2-Trichloroethane	0.23	U	1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31
75-34-3	1,1-Dichloroethane	0.38	U	1.0	0.38
75-35-4	1,1-Dichloroethene	0.29	U	1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	0.41	U	1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	0.39	U	1.0	0.39
95-50-1	1,2-Dichlorobenzene	0.79	U	1.0	0.79
107-06-2	1,2-Dichloroethane	0.21	U	1.0	0.21
78-87-5	1,2-Dichloropropane	0.72	U	1.0	0.72
541-73-1	1,3-Dichlorobenzene	0.78	U	1.0	0.78
106-46-7	1,4-Dichlorobenzene	0.84	U	1.0	0.84
78-93-3	2-Butanone (MEK)	1.3	U	10	1.3
591-78-6	2-Hexanone	1.2	U	5.0	1.2
108-10-1	4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1
67-64-1	Acetone	3.0	U	10	3.0
71-43-2	Benzene	0.41	U	1.0	0.41
75-27-4	Dichlorobromomethane	0.39	U	1.0	0.39
75-25-2	Bromoform	0.26	U	1.0	0.26
74-83-9	Bromomethane	0.69	U	1.0	0.69
75-15-0	Carbon disulfide	0.19	U	1.0	0.19
56-23-5	Carbon tetrachloride	0.27	U	1.0	0.27
108-90-7	Chlorobenzene	0.75	U	1.0	0.75
124-48-1	Chlorodibromomethane	0.42	J	1.0	0.32
75-00-3	Chloroethane	0.32	U	1.0	0.32
67-66-3	Chloroform	1.8	U	~~1.0~~ 1.8	0.34
74-87-3	Chloromethane	0.35	U	1.0	0.35
156-59-2	cis-1,2-Dichloroethene	5.0		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	0.36	U	1.0	0.36
110-82-7	Cyclohexane	0.18	U	1.0	0.18
75-71-8	Dichlorodifluoromethane	0.68	U	1.0	0.68

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-237156-1

SDG No.:

Client Sample ID: STM-09-20260324-01 | Lab Sample ID: 480-237156-11

Matrix: Water | Lab File ID: D00579.d

Analysis Method: EPA 8260D | Date Collected: 03/24/2026 11:55

Sample wt/vol: 5(mL) | Date Analyzed: 03/25/2026 16:59

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (20) ID: 0.18(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 770882 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5975D

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
100-41-4	Ethylbenzene	0.74	U	1.0	0.74
106-93-4	1,2-Dibromoethane	0.73	U	1.0	0.73
98-82-8	Isopropylbenzene	0.79	U	1.0	0.79
79-20-9	Methyl acetate	1.3	U	2.5	1.3
1634-04-4	Methyl tert-butyl ether	0.16	U	1.0	0.16
108-87-2	Methylcyclohexane	0.16	U	1.0	0.16
75-09-2	Methylene Chloride	0.44	U	1.0	0.44
100-42-5	Styrene	0.73	U	1.0	0.73
127-18-4	Tetrachloroethene	0.36	U	1.0	0.36
108-88-3	Toluene	0.51	U	1.0	0.51
156-60-5	trans-1,2-Dichloroethene	0.90	U	1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	0.37	U	1.0	0.37
79-01-6	Trichloroethene	1.6		1.0	0.46
75-69-4	Trichlorofluoromethane	0.88	U	1.0	0.88
75-01-4	Vinyl chloride	0.90	U	1.0	0.90
1330-20-7	Xylenes, Total	0.66	U	2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
2037-26-5	Toluene-d8 (Surr)	105		80-120
17060-07-0	1,2-Dichloroethane-d4 (Surr)	107		77-120
460-00-4	4-Bromofluorobenzene (Surr)	88		73-120
1868-53-7	Dibromofluoromethane (Surr)	105		75-123

RS 4/7/26

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-237156-1

SDG No.:

Client Sample ID: STM-02-20260324-01 | Lab Sample ID: 480-237156-12

Matrix: Water | Lab File ID: D00580.d

Analysis Method: EPA 8260D | Date Collected: 03/24/2026 13:10

Sample wt/vol: 5(mL) | Date Analyzed: 03/25/2026 17:21

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (20) ID: 0.18(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 770882 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5975D

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	0.82	U	1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	0.21	U	1.0	0.21
79-00-5	1,1,2-Trichloroethane	0.23	U	1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31
75-34-3	1,1-Dichloroethane	0.38	U	1.0	0.38
75-35-4	1,1-Dichloroethene	0.29	U	1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	0.41	U	1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	0.39	U	1.0	0.39
95-50-1	1,2-Dichlorobenzene	0.79	U	1.0	0.79
107-06-2	1,2-Dichloroethane	0.21	U	1.0	0.21
78-87-5	1,2-Dichloropropane	0.72	U	1.0	0.72
541-73-1	1,3-Dichlorobenzene	0.78	U	1.0	0.78
106-46-7	1,4-Dichlorobenzene	0.84	U	1.0	0.84
78-93-3	2-Butanone (MEK)	1.3	U	10	1.3
591-78-6	2-Hexanone	1.2	U	5.0	1.2
108-10-1	4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1
67-64-1	Acetone	3.0	U	10	3.0
71-43-2	Benzene	0.41	U	1.0	0.41
75-27-4	Dichlorobromomethane	0.39	U	1.0	0.39
75-25-2	Bromoform	0.26	U	1.0	0.26
74-83-9	Bromomethane	0.69	U	1.0	0.69
75-15-0	Carbon disulfide	0.19	U	1.0	0.19
56-23-5	Carbon tetrachloride	0.27	U	1.0	0.27
108-90-7	Chlorobenzene	0.75	U	1.0	0.75
124-48-1	Chlorodibromomethane	0.32	U	1.0	0.32
75-00-3	Chloroethane	0.32	U	1.0	0.32
67-66-3	Chloroform	0.34	U	1.0	0.34
74-87-3	Chloromethane	0.35	U	1.0	0.35
156-59-2	cis-1,2-Dichloroethene	0.81	U	1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	0.36	U	1.0	0.36
110-82-7	Cyclohexane	0.18	U	1.0	0.18
75-71-8	Dichlorodifluoromethane	0.68	U	1.0	0.68

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-237156-1

SDG No.:

Client Sample ID: STM-02-20260324-01 | Lab Sample ID: 480-237156-12

Matrix: Water | Lab File ID: D00580.d

Analysis Method: EPA 8260D | Date Collected: 03/24/2026 13:10

Sample wt/vol: 5(mL) | Date Analyzed: 03/25/2026 17:21

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (20) ID: 0.18(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 770882 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5975D

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
100-41-4	Ethylbenzene	0.74	U	1.0	0.74
106-93-4	1,2-Dibromoethane	0.73	U	1.0	0.73
98-82-8	Isopropylbenzene	0.79	U	1.0	0.79
79-20-9	Methyl acetate	1.3	U	2.5	1.3
1634-04-4	Methyl tert-butyl ether	0.16	U	1.0	0.16
108-87-2	Methylcyclohexane	0.16	U	1.0	0.16
75-09-2	Methylene Chloride	0.44	U	1.0	0.44
100-42-5	Styrene	0.73	U	1.0	0.73
127-18-4	Tetrachloroethene	0.36	U	1.0	0.36
108-88-3	Toluene	0.51	U	1.0	0.51
156-60-5	trans-1,2-Dichloroethene	0.90	U	1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	0.37	U	1.0	0.37
79-01-6	Trichloroethene	0.46	U	1.0	0.46
75-69-4	Trichlorofluoromethane	0.88	U	1.0	0.88
75-01-4	Vinyl chloride	0.90	U	1.0	0.90
1330-20-7	Xylenes, Total	0.66	U	2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
2037-26-5	Toluene-d8 (Surr)	108		80-120
17060-07-0	1,2-Dichloroethane-d4 (Surr)	106		77-120
460-00-4	4-Bromofluorobenzene (Surr)	87		73-120
1868-53-7	Dibromofluoromethane (Surr)	105		75-123

RS 4/7/26

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-237156-1

SDG No.:

Client Sample ID: SAN-04-20260324-01 | Lab Sample ID: 480-237156-13

Matrix: Water | Lab File ID: D00581.d

Analysis Method: EPA 8260D | Date Collected: 03/24/2026 13:25

Sample wt/vol: 5(mL) | Date Analyzed: 03/25/2026 17:43

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (20) ID: 0.18(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 770882 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5975D

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	0.82	U	1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	0.21	U	1.0	0.21
79-00-5	1,1,2-Trichloroethane	0.23	U	1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31
75-34-3	1,1-Dichloroethane	0.38	U	1.0	0.38
75-35-4	1,1-Dichloroethene	0.29	U	1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	0.41	U	1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	0.39	U	1.0	0.39
95-50-1	1,2-Dichlorobenzene	0.79	U	1.0	0.79
107-06-2	1,2-Dichloroethane	0.21	U	1.0	0.21
78-87-5	1,2-Dichloropropane	0.72	U	1.0	0.72
541-73-1	1,3-Dichlorobenzene	0.78	U	1.0	0.78
106-46-7	1,4-Dichlorobenzene	0.84	U	1.0	0.84
78-93-3	2-Butanone (MEK)	1.3	U	10	1.3
591-78-6	2-Hexanone	1.2	U	5.0	1.2
108-10-1	4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1
67-64-1	Acetone	3.0	U	10	3.0
71-43-2	Benzene	0.41	U	1.0	0.41
75-27-4	Dichlorobromomethane	0.39	U	1.0	0.39
75-25-2	Bromoform	0.26	U	1.0	0.26
74-83-9	Bromomethane	0.69	U	1.0	0.69
75-15-0	Carbon disulfide	0.19	U	1.0	0.19
56-23-5	Carbon tetrachloride	0.27	U	1.0	0.27
108-90-7	Chlorobenzene	0.75	U	1.0	0.75
124-48-1	Chlorodibromomethane	0.32	U	1.0	0.32
75-00-3	Chloroethane	0.32	U	1.0	0.32
67-66-3	Chloroform	0.34	U	1.0	0.34
74-87-3	Chloromethane	0.35	U	1.0	0.35
156-59-2	cis-1,2-Dichloroethene	2.4		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	0.36	U	1.0	0.36
110-82-7	Cyclohexane	0.18	U	1.0	0.18
75-71-8	Dichlorodifluoromethane	0.68	U	1.0	0.68

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-237156-1

SDG No.:

Client Sample ID: SAN-04-20260324-01 | Lab Sample ID: 480-237156-13

Matrix: Water | Lab File ID: D00581.d

Analysis Method: EPA 8260D | Date Collected: 03/24/2026 13:25

Sample wt/vol: 5(mL) | Date Analyzed: 03/25/2026 17:43

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (20) ID: 0.18(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 770882 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5975D

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
100-41-4	Ethylbenzene	0.74	U	1.0	0.74
106-93-4	1,2-Dibromoethane	0.73	U	1.0	0.73
98-82-8	Isopropylbenzene	0.79	U	1.0	0.79
79-20-9	Methyl acetate	1.3	U	2.5	1.3
1634-04-4	Methyl tert-butyl ether	0.16	U	1.0	0.16
108-87-2	Methylcyclohexane	0.16	U	1.0	0.16
75-09-2	Methylene Chloride	0.44	U	1.0	0.44
100-42-5	Styrene	0.73	U	1.0	0.73
127-18-4	Tetrachloroethene	0.36	U	1.0	0.36
108-88-3	Toluene	0.51	U	1.0	0.51
156-60-5	trans-1,2-Dichloroethene	0.90	U	1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	0.37	U	1.0	0.37
79-01-6	Trichloroethene	1.3		1.0	0.46
75-69-4	Trichlorofluoromethane	0.88	U	1.0	0.88
75-01-4	Vinyl chloride	0.90	U	1.0	0.90
1330-20-7	Xylenes, Total	0.66	U	2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
2037-26-5	Toluene-d8 (Surr)	106		80-120
17060-07-0	1,2-Dichloroethane-d4 (Surr)	106		77-120
460-00-4	4-Bromofluorobenzene (Surr)	87		73-120
1868-53-7	Dibromofluoromethane (Surr)	104		75-123

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-237156-1

SDG No.:

Client Sample ID: STM-03-20260324-01 | Lab Sample ID: 480-237156-14

Matrix: Water | Lab File ID: D00582.d

Analysis Method: EPA 8260D | Date Collected: 03/24/2026 13:45

Sample wt/vol: 5(mL) | Date Analyzed: 03/25/2026 18:05

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (20) ID: 0.18(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 770882 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5975D

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	0.82	U	1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	0.21	U	1.0	0.21
79-00-5	1,1,2-Trichloroethane	0.23	U	1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31
75-34-3	1,1-Dichloroethane	0.38	U	1.0	0.38
75-35-4	1,1-Dichloroethene	0.29	U	1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	0.41	U	1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	0.39	U	1.0	0.39
95-50-1	1,2-Dichlorobenzene	0.79	U	1.0	0.79
107-06-2	1,2-Dichloroethane	0.21	U	1.0	0.21
78-87-5	1,2-Dichloropropane	0.72	U	1.0	0.72
541-73-1	1,3-Dichlorobenzene	0.78	U	1.0	0.78
106-46-7	1,4-Dichlorobenzene	0.84	U	1.0	0.84
78-93-3	2-Butanone (MEK)	1.3	U	10	1.3
591-78-6	2-Hexanone	1.2	U	5.0	1.2
108-10-1	4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1
67-64-1	Acetone	3.0	U	10	3.0
71-43-2	Benzene	0.41	U	1.0	0.41
75-27-4	Dichlorobromomethane	0.39	U	1.0	0.39
75-25-2	Bromoform	0.26	U	1.0	0.26
74-83-9	Bromomethane	0.69	U	1.0	0.69
75-15-0	Carbon disulfide	0.19	U	1.0	0.19
56-23-5	Carbon tetrachloride	0.27	U	1.0	0.27
108-90-7	Chlorobenzene	0.75	U	1.0	0.75
124-48-1	Chlorodibromomethane	0.32	U	1.0	0.32
75-00-3	Chloroethane	0.32	U	1.0	0.32
67-66-3	Chloroform	0.34	U	1.0	0.34
74-87-3	Chloromethane	0.35	U	1.0	0.35
156-59-2	cis-1,2-Dichloroethene	0.81	U	1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	0.36	U	1.0	0.36
110-82-7	Cyclohexane	0.18	U	1.0	0.18
75-71-8	Dichlorodifluoromethane	0.68	U	1.0	0.68

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-237156-1

SDG No.:

Client Sample ID: STM-03-20260324-01 | Lab Sample ID: 480-237156-14

Matrix: Water | Lab File ID: D00582.d

Analysis Method: EPA 8260D | Date Collected: 03/24/2026 13:45

Sample wt/vol: 5(mL) | Date Analyzed: 03/25/2026 18:05

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (20) ID: 0.18(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 770882 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5975D

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
100-41-4	Ethylbenzene	0.74	U	1.0	0.74
106-93-4	1,2-Dibromoethane	0.73	U	1.0	0.73
98-82-8	Isopropylbenzene	0.79	U	1.0	0.79
79-20-9	Methyl acetate	1.3	U	2.5	1.3
1634-04-4	Methyl tert-butyl ether	0.16	U	1.0	0.16
108-87-2	Methylcyclohexane	0.16	U	1.0	0.16
75-09-2	Methylene Chloride	0.44	U	1.0	0.44
100-42-5	Styrene	0.73	U	1.0	0.73
127-18-4	Tetrachloroethene	0.36	U	1.0	0.36
108-88-3	Toluene	0.51	U	1.0	0.51
156-60-5	trans-1,2-Dichloroethene	0.90	U	1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	0.37	U	1.0	0.37
79-01-6	Trichloroethene	0.46	U	1.0	0.46
75-69-4	Trichlorofluoromethane	0.88	U	1.0	0.88
75-01-4	Vinyl chloride	0.90	U	1.0	0.90
1330-20-7	Xylenes, Total	0.66	U	2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
2037-26-5	Toluene-d8 (Surr)	106		80-120
17060-07-0	1,2-Dichloroethane-d4 (Surr)	106		77-120
460-00-4	4-Bromofluorobenzene (Surr)	85		73-120
1868-53-7	Dibromofluoromethane (Surr)	106		75-123

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-237156-1

SDG No.:

Client Sample ID: STM-04-20260324-01 | Lab Sample ID: 480-237156-15

Matrix: Water | Lab File ID: D00583.d

Analysis Method: EPA 8260D | Date Collected: 03/24/2026 13:55

Sample wt/vol: 5(mL) | Date Analyzed: 03/25/2026 18:28

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (20) ID: 0.18(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 770882 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5975D

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	0.82	U	1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	0.21	U	1.0	0.21
79-00-5	1,1,2-Trichloroethane	0.23	U	1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31
75-34-3	1,1-Dichloroethane	0.38	U	1.0	0.38
75-35-4	1,1-Dichloroethene	0.29	U	1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	0.41	U	1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	0.39	U	1.0	0.39
95-50-1	1,2-Dichlorobenzene	0.79	U	1.0	0.79
107-06-2	1,2-Dichloroethane	0.21	U	1.0	0.21
78-87-5	1,2-Dichloropropane	0.72	U	1.0	0.72
541-73-1	1,3-Dichlorobenzene	0.78	U	1.0	0.78
106-46-7	1,4-Dichlorobenzene	0.84	U	1.0	0.84
78-93-3	2-Butanone (MEK)	1.3	U	10	1.3
591-78-6	2-Hexanone	1.2	U	5.0	1.2
108-10-1	4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1
67-64-1	Acetone	3.0	U	10	3.0
71-43-2	Benzene	0.41	U	1.0	0.41
75-27-4	Dichlorobromomethane	0.39	U	1.0	0.39
75-25-2	Bromoform	0.26	U	1.0	0.26
74-83-9	Bromomethane	0.69	U	1.0	0.69
75-15-0	Carbon disulfide	0.19	U	1.0	0.19
56-23-5	Carbon tetrachloride	0.27	U	1.0	0.27
108-90-7	Chlorobenzene	0.75	U	1.0	0.75
124-48-1	Chlorodibromomethane	0.32	U	1.0	0.32
75-00-3	Chloroethane	0.32	U	1.0	0.32
67-66-3	Chloroform	0.34	U	1.0	0.34
74-87-3	Chloromethane	0.35	U	1.0	0.35
156-59-2	cis-1,2-Dichloroethene	0.81	U	1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	0.36	U	1.0	0.36
110-82-7	Cyclohexane	0.18	U	1.0	0.18
75-71-8	Dichlorodifluoromethane	0.68	U	1.0	0.68

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-237156-1

SDG No.:

Client Sample ID: STM-04-20260324-01 | Lab Sample ID: 480-237156-15

Matrix: Water | Lab File ID: D00583.d

Analysis Method: EPA 8260D | Date Collected: 03/24/2026 13:55

Sample wt/vol: 5(mL) | Date Analyzed: 03/25/2026 18:28

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (20) ID: 0.18(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 770882 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5975D

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
100-41-4	Ethylbenzene	0.74	U	1.0	0.74
106-93-4	1,2-Dibromoethane	0.73	U	1.0	0.73
98-82-8	Isopropylbenzene	0.79	U	1.0	0.79
79-20-9	Methyl acetate	1.3	U	2.5	1.3
1634-04-4	Methyl tert-butyl ether	0.16	U	1.0	0.16
108-87-2	Methylcyclohexane	0.16	U	1.0	0.16
75-09-2	Methylene Chloride	0.44	U	1.0	0.44
100-42-5	Styrene	0.73	U	1.0	0.73
127-18-4	Tetrachloroethene	0.36	U	1.0	0.36
108-88-3	Toluene	0.51	U	1.0	0.51
156-60-5	trans-1,2-Dichloroethene	0.90	U	1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	0.37	U	1.0	0.37
79-01-6	Trichloroethene	0.46	U	1.0	0.46
75-69-4	Trichlorofluoromethane	0.88	U	1.0	0.88
75-01-4	Vinyl chloride	0.90	U	1.0	0.90
1330-20-7	Xylenes, Total	0.66	U	2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
2037-26-5	Toluene-d8 (Surr)	107		80-120
17060-07-0	1,2-Dichloroethane-d4 (Surr)	106		77-120
460-00-4	4-Bromofluorobenzene (Surr)	85		73-120
1868-53-7	Dibromofluoromethane (Surr)	105		75-123

RS 4/7/26

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-237156-1

SDG No.:

Client Sample ID: STM-05-20260324-01 | Lab Sample ID: 480-237156-16

Matrix: Water | Lab File ID: D00584.d

Analysis Method: EPA 8260D | Date Collected: 03/24/2026 14:30

Sample wt/vol: 5(mL) | Date Analyzed: 03/25/2026 18:50

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (20) ID: 0.18(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 770882 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5975D

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	0.82	U	1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	0.21	U	1.0	0.21
79-00-5	1,1,2-Trichloroethane	0.23	U	1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31
75-34-3	1,1-Dichloroethane	0.38	U	1.0	0.38
75-35-4	1,1-Dichloroethene	0.29	U	1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	0.41	U	1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	0.39	U	1.0	0.39
95-50-1	1,2-Dichlorobenzene	0.79	U	1.0	0.79
107-06-2	1,2-Dichloroethane	0.21	U	1.0	0.21
78-87-5	1,2-Dichloropropane	0.72	U	1.0	0.72
541-73-1	1,3-Dichlorobenzene	0.78	U	1.0	0.78
106-46-7	1,4-Dichlorobenzene	0.84	U	1.0	0.84
78-93-3	2-Butanone (MEK)	1.3	U	10	1.3
591-78-6	2-Hexanone	1.2	U	5.0	1.2
108-10-1	4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1
67-64-1	Acetone	3.0	U	10	3.0
71-43-2	Benzene	0.41	U	1.0	0.41
75-27-4	Dichlorobromomethane	0.39	U	1.0	0.39
75-25-2	Bromoform	0.26	U	1.0	0.26
74-83-9	Bromomethane	0.69	U	1.0	0.69
75-15-0	Carbon disulfide	0.19	U	1.0	0.19
56-23-5	Carbon tetrachloride	0.27	U	1.0	0.27
108-90-7	Chlorobenzene	0.75	U	1.0	0.75
124-48-1	Chlorodibromomethane	0.32	U	1.0	0.32
75-00-3	Chloroethane	0.32	U	1.0	0.32
67-66-3	Chloroform	0.34	U	1.0	0.34
74-87-3	Chloromethane	0.35	U	1.0	0.35
156-59-2	cis-1,2-Dichloroethene	0.81	U	1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	0.36	U	1.0	0.36
110-82-7	Cyclohexane	0.18	U	1.0	0.18
75-71-8	Dichlorodifluoromethane	0.68	U	1.0	0.68

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-237156-1

SDG No.:

Client Sample ID: STM-05-20260324-01 | Lab Sample ID: 480-237156-16

Matrix: Water | Lab File ID: D00584.d

Analysis Method: EPA 8260D | Date Collected: 03/24/2026 14:30

Sample wt/vol: 5(mL) | Date Analyzed: 03/25/2026 18:50

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (20) ID: 0.18(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 770882 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5975D

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
100-41-4	Ethylbenzene	0.74	U	1.0	0.74
106-93-4	1,2-Dibromoethane	0.73	U	1.0	0.73
98-82-8	Isopropylbenzene	0.79	U	1.0	0.79
79-20-9	Methyl acetate	1.3	U	2.5	1.3
1634-04-4	Methyl tert-butyl ether	0.16	U	1.0	0.16
108-87-2	Methylcyclohexane	0.16	U	1.0	0.16
75-09-2	Methylene Chloride	0.44	U	1.0	0.44
100-42-5	Styrene	0.73	U	1.0	0.73
127-18-4	Tetrachloroethene	0.36	U	1.0	0.36
108-88-3	Toluene	0.51	U	1.0	0.51
156-60-5	trans-1,2-Dichloroethene	0.90	U	1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	0.37	U	1.0	0.37
79-01-6	Trichloroethene	0.46	U	1.0	0.46
75-69-4	Trichlorofluoromethane	0.88	U	1.0	0.88
75-01-4	Vinyl chloride	0.90	U	1.0	0.90
1330-20-7	Xylenes, Total	0.66	U	2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
2037-26-5	Toluene-d8 (Surr)	107		80-120
17060-07-0	1,2-Dichloroethane-d4 (Surr)	106		77-120
460-00-4	4-Bromofluorobenzene (Surr)	84		73-120
1868-53-7	Dibromofluoromethane (Surr)	105		75-123

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-237156-1

SDG No.:

Client Sample ID: SAN-05-20260324-01 | Lab Sample ID: 480-237156-17

Matrix: Water | Lab File ID: D00585.d

Analysis Method: EPA 8260D | Date Collected: 03/24/2026 14:45

Sample wt/vol: 5(mL) | Date Analyzed: 03/25/2026 19:13

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (20) ID: 0.18(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 770882 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5975D

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	0.82	U	1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	0.21	U	1.0	0.21
79-00-5	1,1,2-Trichloroethane	0.23	U	1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31
75-34-3	1,1-Dichloroethane	0.38	U	1.0	0.38
75-35-4	1,1-Dichloroethene	0.29	U	1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	0.41	U	1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	0.39	U	1.0	0.39
95-50-1	1,2-Dichlorobenzene	0.79	U	1.0	0.79
107-06-2	1,2-Dichloroethane	0.21	U	1.0	0.21
78-87-5	1,2-Dichloropropane	0.72	U	1.0	0.72
541-73-1	1,3-Dichlorobenzene	0.78	U	1.0	0.78
106-46-7	1,4-Dichlorobenzene	0.84	U	1.0	0.84
78-93-3	2-Butanone (MEK)	1.3	U	10	1.3
591-78-6	2-Hexanone	1.2	U	5.0	1.2
108-10-1	4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1
67-64-1	Acetone	3.0	U	10	3.0
71-43-2	Benzene	0.41	U	1.0	0.41
75-27-4	Dichlorobromomethane	0.39	U	1.0	0.39
75-25-2	Bromoform	0.26	U	1.0	0.26
74-83-9	Bromomethane	0.69	U	1.0	0.69
75-15-0	Carbon disulfide	0.19	U	1.0	0.19
56-23-5	Carbon tetrachloride	0.27	U	1.0	0.27
108-90-7	Chlorobenzene	0.75	U	1.0	0.75
124-48-1	Chlorodibromomethane	0.32	U	1.0	0.32
75-00-3	Chloroethane	0.32	U	1.0	0.32
67-66-3	Chloroform	0.34	U	1.0	0.34
74-87-3	Chloromethane	0.35	U	1.0	0.35
156-59-2	cis-1,2-Dichloroethene	2.1		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	0.36	U	1.0	0.36
110-82-7	Cyclohexane	0.18	U	1.0	0.18
75-71-8	Dichlorodifluoromethane	0.68	U	1.0	0.68

RS 4/7/26

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-237156-1

SDG No.:

Client Sample ID: SAN-05-20260324-01 | Lab Sample ID: 480-237156-17

Matrix: Water | Lab File ID: D00585.d

Analysis Method: EPA 8260D | Date Collected: 03/24/2026 14:45

Sample wt/vol: 5(mL) | Date Analyzed: 03/25/2026 19:13

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (20) ID: 0.18(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 770882 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5975D

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
100-41-4	Ethylbenzene	0.74	U	1.0	0.74
106-93-4	1,2-Dibromoethane	0.73	U	1.0	0.73
98-82-8	Isopropylbenzene	0.79	U	1.0	0.79
79-20-9	Methyl acetate	1.3	U	2.5	1.3
1634-04-4	Methyl tert-butyl ether	0.16	U	1.0	0.16
108-87-2	Methylcyclohexane	0.16	U	1.0	0.16
75-09-2	Methylene Chloride	0.44	U	1.0	0.44
100-42-5	Styrene	0.73	U	1.0	0.73
127-18-4	Tetrachloroethene	0.36	U	1.0	0.36
108-88-3	Toluene	0.51	U	1.0	0.51
156-60-5	trans-1,2-Dichloroethene	0.90	U	1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	0.37	U	1.0	0.37
79-01-6	Trichloroethene	0.86	J	1.0	0.46
75-69-4	Trichlorofluoromethane	0.88	U	1.0	0.88
75-01-4	Vinyl chloride	0.90	U	1.0	0.90
1330-20-7	Xylenes, Total	0.66	U	2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
2037-26-5	Toluene-d8 (Surr)	104		80-120
17060-07-0	1,2-Dichloroethane-d4 (Surr)	107		77-120
460-00-4	4-Bromofluorobenzene (Surr)	88		73-120
1868-53-7	Dibromofluoromethane (Surr)	105		75-123

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-237156-1

SDG No.:

Client Sample ID: STM-06-20260324-01 | Lab Sample ID: 480-237156-18

Matrix: Water | Lab File ID: D00586.d

Analysis Method: EPA 8260D | Date Collected: 03/24/2026 15:05

Sample wt/vol: 5(mL) | Date Analyzed: 03/25/2026 19:35

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (20) ID: 0.18(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 770882 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5975D

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	0.82	U	1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	0.21	U	1.0	0.21
79-00-5	1,1,2-Trichloroethane	0.23	U	1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31
75-34-3	1,1-Dichloroethane	0.38	U	1.0	0.38
75-35-4	1,1-Dichloroethene	0.29	U	1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	0.41	U	1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	0.39	U	1.0	0.39
95-50-1	1,2-Dichlorobenzene	0.79	U	1.0	0.79
107-06-2	1,2-Dichloroethane	0.21	U	1.0	0.21
78-87-5	1,2-Dichloropropane	0.72	U	1.0	0.72
541-73-1	1,3-Dichlorobenzene	0.78	U	1.0	0.78
106-46-7	1,4-Dichlorobenzene	0.84	U	1.0	0.84
78-93-3	2-Butanone (MEK)	1.3	U	10	1.3
591-78-6	2-Hexanone	1.2	U	5.0	1.2
108-10-1	4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1
67-64-1	Acetone	3.0	U	10	3.0
71-43-2	Benzene	0.41	U	1.0	0.41
75-27-4	Dichlorobromomethane	0.39	U	1.0	0.39
75-25-2	Bromoform	0.26	U	1.0	0.26
74-83-9	Bromomethane	0.69	U	1.0	0.69
75-15-0	Carbon disulfide	0.19	U	1.0	0.19
56-23-5	Carbon tetrachloride	0.27	U	1.0	0.27
108-90-7	Chlorobenzene	0.75	U	1.0	0.75
124-48-1	Chlorodibromomethane	0.32	U	1.0	0.32
75-00-3	Chloroethane	0.32	U	1.0	0.32
67-66-3	Chloroform	0.34	U	1.0	0.34
74-87-3	Chloromethane	0.35	U	1.0	0.35
156-59-2	cis-1,2-Dichloroethene	0.81	U	1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	0.36	U	1.0	0.36
110-82-7	Cyclohexane	0.18	U	1.0	0.18
75-71-8	Dichlorodifluoromethane	0.68	U	1.0	0.68

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-237156-1

SDG No.:

Client Sample ID: STM-06-20260324-01 | Lab Sample ID: 480-237156-18

Matrix: Water | Lab File ID: D00586.d

Analysis Method: EPA 8260D | Date Collected: 03/24/2026 15:05

Sample wt/vol: 5(mL) | Date Analyzed: 03/25/2026 19:35

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (20) ID: 0.18(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 770882 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5975D

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
100-41-4	Ethylbenzene	0.74	U	1.0	0.74
106-93-4	1,2-Dibromoethane	0.73	U	1.0	0.73
98-82-8	Isopropylbenzene	0.79	U	1.0	0.79
79-20-9	Methyl acetate	1.3	U	2.5	1.3
1634-04-4	Methyl tert-butyl ether	0.16	U	1.0	0.16
108-87-2	Methylcyclohexane	0.16	U	1.0	0.16
75-09-2	Methylene Chloride	0.44	U	1.0	0.44
100-42-5	Styrene	0.73	U	1.0	0.73
127-18-4	Tetrachloroethene	0.36	U	1.0	0.36
108-88-3	Toluene	0.51	U	1.0	0.51
156-60-5	trans-1,2-Dichloroethene	0.90	U	1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	0.37	U	1.0	0.37
79-01-6	Trichloroethene	0.46	U	1.0	0.46
75-69-4	Trichlorofluoromethane	0.88	U	1.0	0.88
75-01-4	Vinyl chloride	0.90	U	1.0	0.90
1330-20-7	Xylenes, Total	0.66	U	2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
2037-26-5	Toluene-d8 (Surr)	107		80-120
17060-07-0	1,2-Dichloroethane-d4 (Surr)	106		77-120
460-00-4	4-Bromofluorobenzene (Surr)	85		73-120
1868-53-7	Dibromofluoromethane (Surr)	105		75-123

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-237156-1

SDG No.:

Client Sample ID: SAN-06-20260324-01 | Lab Sample ID: 480-237156-19

Matrix: Water | Lab File ID: D00587.d

Analysis Method: EPA 8260D | Date Collected: 03/24/2026 15:20

Sample wt/vol: 5(mL) | Date Analyzed: 03/25/2026 19:58

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (20) ID: 0.18(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 770882 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5975D

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	0.82	U	1.0	0.82
79-34-5	1,1,2,2-Tetrachloroethane	0.21	U	1.0	0.21
79-00-5	1,1,2-Trichloroethane	0.23	U	1.0	0.23
76-13-1	1,1,2-Trichloro-1,2,2-trifluoroethane	0.31	U	1.0	0.31
75-34-3	1,1-Dichloroethane	0.38	U	1.0	0.38
75-35-4	1,1-Dichloroethene	0.29	U	1.0	0.29
120-82-1	1,2,4-Trichlorobenzene	0.41	U	1.0	0.41
96-12-8	1,2-Dibromo-3-Chloropropane	0.39	U	1.0	0.39
95-50-1	1,2-Dichlorobenzene	0.79	U	1.0	0.79
107-06-2	1,2-Dichloroethane	0.21	U	1.0	0.21
78-87-5	1,2-Dichloropropane	0.72	U	1.0	0.72
541-73-1	1,3-Dichlorobenzene	0.78	U	1.0	0.78
106-46-7	1,4-Dichlorobenzene	0.84	U	1.0	0.84
78-93-3	2-Butanone (MEK)	1.3	U	10	1.3
591-78-6	2-Hexanone	1.2	U	5.0	1.2
108-10-1	4-Methyl-2-pentanone (MIBK)	2.1	U	5.0	2.1
67-64-1	Acetone	3.0	U	10	3.0
71-43-2	Benzene	0.41	U	1.0	0.41
75-27-4	Dichlorobromomethane	0.39	U	1.0	0.39
75-25-2	Bromoform	0.26	U	1.0	0.26
74-83-9	Bromomethane	0.69	U	1.0	0.69
75-15-0	Carbon disulfide	0.19	U	1.0	0.19
56-23-5	Carbon tetrachloride	0.27	U	1.0	0.27
108-90-7	Chlorobenzene	0.75	U	1.0	0.75
124-48-1	Chlorodibromomethane	0.32	U	1.0	0.32
75-00-3	Chloroethane	0.32	U	1.0	0.32
67-66-3	Chloroform	1.2	U	~~1.0~~ 1.2	0.34
74-87-3	Chloromethane	0.35	U	1.0	0.35
156-59-2	cis-1,2-Dichloroethene	1.7		1.0	0.81
10061-01-5	cis-1,3-Dichloropropene	0.36	U	1.0	0.36
110-82-7	Cyclohexane	0.18	U	1.0	0.18
75-71-8	Dichlorodifluoromethane	0.68	U	1.0	0.68

RS 4/7/26

FORM I
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: Eurofins Buffalo | Job No.: 480-237156-1

SDG No.:

Client Sample ID: SAN-06-20260324-01 | Lab Sample ID: 480-237156-19

Matrix: Water | Lab File ID: D00587.d

Analysis Method: EPA 8260D | Date Collected: 03/24/2026 15:20

Sample wt/vol: 5(mL) | Date Analyzed: 03/25/2026 19:58

Soil Aliquot Vol: | Dilution Factor: 1

Soil Extract Vol.: | GC Column: ZB-624 (20) ID: 0.18(mm)

Purge Volume: 5.0(mL) | Heated Purge: (Y/N) N pH:

% Moisture: % Solids: | Level: (low/med) Low

Analysis Batch No.: 770882 | Units: ug/L

Preparation Batch No.: | Instrument ID: HP5975D

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
100-41-4	Ethylbenzene	0.74	U	1.0	0.74
106-93-4	1,2-Dibromoethane	0.73	U	1.0	0.73
98-82-8	Isopropylbenzene	0.79	U	1.0	0.79
79-20-9	Methyl acetate	1.3	U	2.5	1.3
1634-04-4	Methyl tert-butyl ether	0.16	U	1.0	0.16
108-87-2	Methylcyclohexane	0.16	U	1.0	0.16
75-09-2	Methylene Chloride	0.44	U	1.0	0.44
100-42-5	Styrene	0.73	U	1.0	0.73
127-18-4	Tetrachloroethene	0.36	U	1.0	0.36
108-88-3	Toluene	0.51	U	1.0	0.51
156-60-5	trans-1,2-Dichloroethene	0.90	U	1.0	0.90
10061-02-6	trans-1,3-Dichloropropene	0.37	U	1.0	0.37
79-01-6	Trichloroethene	0.69	J	1.0	0.46
75-69-4	Trichlorofluoromethane	0.88	U	1.0	0.88
75-01-4	Vinyl chloride	0.90	U	1.0	0.90
1330-20-7	Xylenes, Total	0.66	U	2.0	0.66

CAS NO.	SURROGATE	%REC	Q	LIMITS
2037-26-5	Toluene-d8 (Surr)	106		80-120
17060-07-0	1,2-Dichloroethane-d4 (Surr)	107		77-120
460-00-4	4-Bromofluorobenzene (Surr)	86		73-120
1868-53-7	Dibromofluoromethane (Surr)	105		75-123

RS 4/7/26