



ecology and environment engineering, p.c.

BUFFALO CORPORATE CENTER
368 Pleasant View Drive, Lancaster, New York 14086
Tel: 716/684-8060, Fax: 716/684-0844

April 11, 2006

Mr. David Chiusano, Project Manager
New York State Department of Environmental Conservation
Division of Environmental Remediation
Bureau of Construction Services
625 Broadway, 12th Floor
Albany, New York 12233 - 7010

Re: Mr. C's Dry Cleaners Site, Contract # D003493-27.5, Site # 9-15-157
April 2006 Operations, Maintenance, and Monitoring Report

Dear Mr. Chiusano:

Ecology and Environment Engineering, P.C. (EEEEPC) is pleased to provide this March 2006 Operation, Maintenance, and Monitoring (OM&M) Report for the Mr. C's Dry Cleaners Site, NYSDEC Site # 9-15-157, located in East Aurora, New York. Copies of weekly inspection reports from EEEEEPC's subcontractor O&M Enterprises, Inc. (OMEI) are provided as Attachment A. Selected pages from the individual analytical data packages prepared by Severn - Trent Laboratories (STL) is provided as Attachment B. All analytical results for the report were analyzed at the lowest detection limits in accordance with the standard method. Remedial treatment system utility costs are provided as Attachment C.

In review of the on-site treatment system operations, monitoring and maintenance for April 2006, EEEEEPC offers the following comments and highlights:

Operational Summary

- The treatment system was operational for 100.0% of the period between 3/6/06 and 4/3/06. Table 1 is provided to indicate the monthly operational time of the treatment equipment from the time of system startup.
- The effluent totalizer readings for the month of March 2006 indicate that approximately 1,838,541 gallons of groundwater were processed through the treatment system for the period 3/6/06 and 4/3/06. Table 2 provides a summary of groundwater volume treated since system start-up. Historical volumes are based on totalizer readings provided by the O&M subcontractor's weekly inspection forms.
- Filters in the influent bag filter unit were replaced during weekly inspections on 3/6/06, 3/13/06, 3/21/06, 3/27/06 and 4/3/06.

Mr. Dave Chiusano, Project Manager

April 11, 2006

Page 2 of 3

- Checklists for weekly system inspections from OMEI are provided as Attachment A for 3/6/06, 3/13/06, 3/21/06, 3/27/06 and 4/3/06. Weekly system checks indicated that the air stripper differential pressure was between 25 and 28 inches of water during the month of March 2006.
- The feed rate for the sequestering agent remained set at 5.0 ml/min to allow for additional removal of mineral deposits on the stripping trays. This short term adjustment in feed rate will be evaluated during the following month.
- Pressure washing was performed on the stripper trays via access ports on March 27, 2006, resulting in an increase in influent flow to approximately 78.5 gpm.
- The Agway/Matrix system remains in operation since start up occurred in April 2005. OMEI continues to review the system operations on a weekly basis. The air sparge system continues to be functional except four out of the eight injection points cannot inject air to the lower injection zones. Pressure is still provided throughout the distribution system and to the individual heads, but air cannot be injected due to blockage below grade. No repairs are anticipated at the present time.
- The month of March report for the Agway site is as follows: The vacuum pressure on the air sparge / vapor extraction treatment system maintained 13-15 inches of water vacuum and ranged between 90 and 120 pounds per square inch of air pressure. 4 out of the 8 sparge points were injecting an average of 2.875 standard CFM of air to the remaining operational sparge points. The system remains operational pending further NYSDEC review.
- A temporary repair at a broken monitoring well in front of Mr. C's was made on November 28, 2005. The well was cut even with the top of the sidewalk and capped to prevent injury to passersby. Due to cold temperatures final repairs are not expected until April 2006.
- Snow fencing and associated line posts utilized to protect pumping wells PW-2 and PW-3 has been removed for the season.
- The Influent Feed water pump rate was adjusted on March 6, 2006. This adjustment allows a continuous flow of influent to enter the stripper trays instead of batch treatment as been performed previously.
- The April compliance sampling is planned to take place on April 3, 2006 with results in 14 days from receipt of samples.
- A copy of the site utility costs from EEEPC operations from December 2004 to March 2006 are provided as Attachment C.

Analytical Summary – Groundwater

- EEEPC and OMEI personnel collected samples of influent and effluent groundwater for the reporting period 3/6/06 to 4/3/06 on March 13, 2006 as part of the normal weekly O&M services. The analytical results for the March 13, 2006 sampling event are presented in Table 3.

Mr. Dave Chiusano, Project Manager

April 11, 2006


Page 3 of 3

- The March 2006 monthly analytical results indicate that the treated groundwater effluent remains below the site specific Effluent Discharge Limitation Requirements for all compounds.
- Approximately 22.43 pounds of VOCs were removed from the influent groundwater based on calculations using the effluent discharge analytical results during the reporting period. A summary of the calculated pounds of VOC's by month and by date are located in Table 5. These values are calculated based on effluent totalizer readings and assumes that non-detect values given in the analytical data package = 0 µg/L and that the monthly samples are indicative of the influent characteristics and system performance for the entire reporting period.

If you have any questions regarding the March 2006 O&M report summary submitted, please call me a 716-684-8060.

Very Truly Yours,

Ecology and Environment Engineering, P. C.



Michael G. Steffan
Project Manager

cc: D. Szymanski, Region 9, NYSDEC - Buffalo w/ attachments
R. Becken, O&M Enterprises w/ attachments
D. Miller, E&E-Buffalo w/ attachments
CTF- 000699.NY06.05

Table 1
Mr. C's Dry Cleaners Site Remediation
Site #9-15-157
System Operational Time

Month	Reporting Hours	Operational Up-time
September 2002	576	100%
October 2002	744	99.33%
November 2002	720	93.41%
December 2002	744	80.65%
January 2003	744	59.15%
February 2003	672	63.39%
March 2003	744	82.39%
April 2003	720	100%
May 2003	744	100%
June 2003	720	90.00%
July 2003	744	100%
August 2003	744	100%
September 1-4, 2003	96	100%
October 22 -29, 2003	168	100%
October 29 - November 25, 2003	648	99%
November 25 - December 29, 2003	816	100%
December 29, 2003 - January 26, 2004	672	100%
January 26 - February 24, 2004	696	100%
February 24 - March 29, 2004	816	99.97%
March 29 - April 26, 2004	672	99.70%
April 26 - May 24, 2004	696	73.70%
May 24 - June 21, 2004	696	99.43%
June 22 - July 26, 2004	840	100%
July 27 - August 23, 2004	672	100%
August 23 - September 27, 2004	840	97.62%
September 27 - October 25, 2004	672	90.33%
October 25 - November 23, 2004	696	92.17%
November 23 - December 27, 2004	816	97.06%
December 27, 2004 - January 31, 2005	840	100%
January 31, 2005 - February 28, 2005	660	98.20%
February 28, 2005 - April 4, 2005	828	98.60%
April 4, 2005 - May 2, 2005	696	87.50%
May 2, 2005 - June 6, 2005	840	91.43%
June 6, 2005 - July 6, 2005	744	86.60%
July 6, 2005 - August 1, 2005	605.5	97.00%
August 1, 2005 - August 29, 2005	696	100.00%
August 29, 2005 - October 3, 2005	864	100.00%
October 3, 2005 - October 31, 2005	672	100.00%
October 31, 2005 - November 28, 2005	672	98.06%
November 28, 2005 - January 3, 2006	854	98.84%
January 3, 2006 - February 6, 2006	816	100.00%
February 6, 2006 - March 6, 2006	696	100.00%
March 6, 2006 - April 3, 2006	696	100.00%

Average Operational Up-time = 94.73%

NOTES:

1. Up-time based as percentage of total reporting hours
2. Treatment system operated by the Tyree Organization Ltd. from 9/02-9/03.
3. Treatment system operated by O&M Enterprises Inc. from 10/03 - present.

Table 2
Mr. C's Dry Cleaners Site Remediation
Site #9-15-157
Monthly Process Water Volumes

Month	Actual Period	Gallons
September 2002 ¹	9/5/02 - 10/2/02	4,362,477
October 2002 ¹	10/2/02 - 11/4/02	4,290,429
November 2002 ¹	11/4/02 - 12/2/02	3,326,126
December 2002 ¹	12/2/02 - 1/7/03	3,349,029
January 2003 ¹	1/7/03 - 2/3/03	1,973,144
February 2003 ¹	2/3/03 - 3/10/03	2,158,771
March 2003 ¹	3/10/03 - 4/7/03	3,263,897
April 2003 ¹	4/7/03 - 5/2/03	2,574,928
May 2003 ¹	5/2/03 - 6/2/03	1,652,538
June 2003 ¹	6/2/03 - 6/30/03	2,002,990
July 2003 ¹	6/30/03 - 7/29/03	2,543,978
August 2003 ¹	7/29/03 - 8/25/03	2,042,424
September 2003 ¹	8/25/03 - 10/22/03	370,446
October 2003 ²	10/22/03 - 10/29/03	67,424
November 2003 ²	10/29/03 - 11/25/03	224,278
December 2003 ²	11/25/03 - 12/29/03	1,496,271
January 2004 ²	12/29/03 - 01/26/04	688,034
February 2004 ²	01/26/04 - 02/24/04	736,288
March 2004 ²	02/24/04 - 03/29/04	2,164,569
April 2004 ²	03/29/04 - 04/26/04	1,741,730
May 2004 ²	4/26/2004 - 5/24/2004	1,408,095
June 2004 ²	5/24/2004 - 6/21/2004	972,132
July 2004 ²	6/22/2004 - 7/26/2004	1,858,790
August 2004 ²	7/27/04 - 8/23/04	1,289,960
September 2004 ²	8/23/04 - 9/27/04	1,201,913
October 2004 ²	9/27/04 - 10/25/04	937,560
November 2004 ²	10/25/04 - 11/23/04	1,098,158
December 2004 ²	11/23/04 - 12/27/04	1,556,063
January 2005 ²	12/27/04 - 1/31/05	1,798,238
February 2005 ²	1/31/05 - 2/28/05	1,271,562
March 2005 ²	2/28/05 - 4/4/05	1,295,692
April 2005 ²	4/4/05 - 5/2/05	1,652,510
May 2005 ²	5/2/05 - 6/6/05	1,423,099
June 2005 ²	6/6/05 - 7/6/05	877,988
July 2005 ²	7/6/05 - 8/1/05	1,283,302
August 2005 ²	8/1/05 - 8/29/05	1,443,195
September 2005 ²	8/29/05 - 10/3/05	1,591,248
October 2005 ²	10/3/05 - 10/31/05	1,204,074
November 2005 ²	10/31/05 - 11/28/05	1,038,170
December 2005 ²	11/28/05 - 1/3/06	1,182,854
January 2006 ²	1/3/06 - 2/6/06	1,401,821
February 2006 ²	2/6/06 - 3/6/06	1,927,556
March 2006 ²	2/6/06 - 3/6/06	1,838,541
Total		72,582,292

NOTES:

1. System operated by Tyree Organization Ltd. From 9/02 - 9/03
2. System operated by O&M Enterprises from 10/03 - present

Table 4
Mr. C's Dry Cleaners Site Remediation
Site #9-15-157
Effluent Discharge Criteria & Analytical Compliance Results

Parameter/Analyte	Daily Maximum ¹	Units	March 13, 2006 Effluent Analytical Values - Compliance
Flow	216,000	gpd	63398 gpd ⁶
pH	6.0 - 9.0	standard units	8.3
1,1 Dichloroethene	10	µg/L	ND (<1.0)
1,2 Dichloroethane	10	µg/L	ND (<1.0)
Trichloroethene	10	µg/L	ND (<1.0)
Tetrachloroethene	10	µg/L	2
Vinyl Chloride	10	µg/L	ND (<1.0)
Benzene	5	µg/L	ND (<1.0)
Ethylbenzene	5	µg/L	ND (<1.0)
Methylene Chloride	10	µg/L	ND (<1.0)
1,1,1 Trichloroethane	10	µg/L	ND (<1.0)
Toluene	5	µg/L	ND (<1.0)
Methyl-t-Butyl Ether (MTBE)	NA	µg/L	ND (<1.0)
o-Xylene ³	5	µg/L	NA
m, p-Xylene ³	10	µg/L	NA
Total Xylenes	NA	µg/L	ND (<3.0)
Iron, total	600	µg/L	NA
Aluminum	4,000	µg/L	NA
Copper	48	µg/L	NA
Lead	11	µg/L	NA
Manganese	2,000	µg/L	NA
Silver	100	µg/L	NA
Vanadium	28	µg/L	NA
Zinc	230	µg/L	NA
Total Dissolved Solids	850	mg/L	NA
Total Suspended Solids	20	mg/L	NA
Hardness	N/A	mg/l	520
Cyanide, Free	10	µg/L	NA

NOTES:

1. "Daily Maximum" excerpted from Attachment E of Addendum 1 to the Construction Contract Documents.
2. Analytical report did not differentiate between o-Xylene and m, p-Xylene. Total Xylene value reported is given in each line.
3. Shaded cells indicate that analytical value exceeds the "Daily Maximum"
4. "ND" indicates that the compound was not detected and lists the practical quantitation limit in parentheses.
5. "NA" indicates that analyses were not performed and data is unavailable.
6. Average flows based on effluent readings taken March 6, 2006 through April 4, 2006. Total gallons: 1,838,541 divided by 29 operating days.
7. "J" indicates an estimated value below the detection limit.
8. "B" indicates analyte found in the associated blank.

15 Indicates non-compliance with the NYSDEC effluent discharge requirements

Table 3
 Mr. C's Dry Cleaners Site Remediation
 NYSDEC Site #9-15-157
 March 2006 VOC Analytical Summary

Compound	March 13, 2006		
	Influent Concentration* (ug/L)	Effluent Concentration* (ug/L)	Cleanup Efficiency (%)
Acetone	ND (<100)	7.9	NA
Benzene	ND (<20)	ND(<1.0)	NA
2-Butanone	ND (<100)	ND (<5.0)	NA
cis-1, 2-Dichloroethene	10 (<20)	J	100%
Methylene chloride	ND (<20)	ND(<1.0)	NA
Methyl tert-butyl ether	14 (<20)	J	100%
Tetrachloroethene	1400	2	99.86%
Toluene	ND (<20)	ND(<1.0)	NA
Trichloroethene	48	ND(<1.0)	100%
Total Xylenes	ND (<60)	J	NA
March TOTAL (in ug/L) =	1472.0	9.9	99.86%

Notes:

1. "NA" = Not applicable
2. "ND" = Non-detect and lists the detection limit in parentheses
3. "J" indicates an estimated value below the practical quantitation limit but above the method detection limit.
4. Non-detect values are assumed to be equal to zero for calculation of monthly average concentrations.
5. "D" = Compounds identified in analysis required secondary dilution factoring.

* (<50) - Detection Limit

Table 5
Mr. C's Dry Cleaners Site Remediation
Site #9-15-157
Monthly VOCs Removed From Groundwater

Month	Actual Period	Influent VOCs (µg/L)	Effluent VOCs (µg/L)	VOCs Removed (lbs.)
September 2002 ⁶	9/5/02 - 10/2/02	1297	1	47.2
October 2002 ⁶	10/2/02 - 11/4/02	2000	1	71.6
November 2002 ⁶	11/4/02 - 12/2/02	1685	0	46.8
December 2002 ⁶	12/2/02 - 1/7/03	1586	9	44.1
January 2003 ⁶	1/7/03 - 2/3/03	1803	10	29.5
February 2003 ⁶	2/3/03 - 3/10/03	1985	3	35.7
March 2003 ⁶	3/10/03 - 4/7/03	1990	5	54.1
April 2003 ⁶	4/7/03 - 5/2/03	1656	3	35.5 ^a
May 2003 ⁶	5/2/03 - 6/2/03	1623	7	22.3
June 2003 ⁶	6/2/03 - 6/30/03	5787	6	96.6
July 2003 ⁶	6/30/03 - 7/29/03	1356	1	28.8
August 2003 ⁶	7/29/03 - 8/25/03	1263	3	21.5
September 2003 ⁶	8/25/03 - 10/22/03	1263	3	3.9
October 2003 ⁷	10/22/03 - 10/29/03	1693.69	1.47	1.0
November 2003 ⁷	10/29/03 - 11/25/03	2510.83	4.4	4.7
December 2003 ⁷	11/25/03 - 12/29/03	503.3	10.5	6.2
January 2004 ⁷	12/29/03 - 01/26/04	3667	15.8	21.0
February 2004 ⁷	01/26/04 - 02/24/04	3348.6	26.7	20.4
March 2004 ⁷	02/24/04 - 03/29/04	1939.3	4.96	34.9
April 2004 ⁷	03/29/04 - 04/26/04	2255	0.0	32.8
May 2004 ⁷	4/26/2004 - 5/24/2004	2641	13.3	30.9
June 2004 ⁷	5/24/2004 - 6/21/2004	1454	1.7	22.5
July 2004 ⁷	6/22/2004 - 7/26/2004	1313	3.6	20.3
August 2004 ⁷	7/27/04 - 8/23/04	2305	7.4	24.7
September 2004 ⁷	8/23/04 - 9/27/04	1453	6.7	14.5
October 2004 ⁷	9/27/04 - 10/25/04	1504	14.3	11.7
November 2004 ⁷	10/25/04 - 11/23/04	1480	36.42	13.2
December 2004 ^{7, 8}	11/23/04 - 12/27/04	1562	132.21	18.6
January 2005 ⁷	12/27/04 - 1/31/05	1264	47.5	18.3
February 2005 ⁹	1/31/05 - 2/28/05	1538	53.2	15.8
March 2005 ⁹	2/28/05 - 4/4/05	931	56.0	9.5
April 2005 ⁹	4/4/05 - 5/2/05	1269	111.7	15.96
May 2005 ⁹	5/2/05 - 6/6/05	1431	319.0	13.20
June 2005 ⁹	6/6/05 - 7/6/05	1126	12	8.16
July 2005 ⁹	7/6/05 - 8/1/05	1575	5.90	16.80
August 2005 ⁹	8/1/05 - 8/29/05	1359	51.26	15.70
September 2005 ⁹	8/29/05 - 10/3/05	1239	0.47	16.50
October 2005 ⁹	10/3/05 - 10/31/05	1454	0.81	14.60
November 2005 ⁹	10/31/05 - 11/28/05	2266	6.80	22.60
December 2005	11/28/05 - 1/3/06	1166	1.30	11.50
January 2006	1/3/06 - 2/6/06	1679	11.87	13.62
February 2006	2/6/06 - 3/6/06	1465	90.20	16.56
March 2006	3/6/06 - 4/4/06	1475	2.00	22.43
Total pounds of VOCs removed from inception =				1045.85

NOTES:

- Calculations are based on monthly water samples and assumes samples are representative of the entire reporting period.
- Calculations assume that non-detect values = 0 µg/L.
- Total VOCs summations include estimated "J" values.
- Calculations are based on effluent totalizer readings.
- "Influent VOCs" and "Effluent VOCs" values given above is the summation of values for individual compounds given in monthly analytical reports.
- No samples were collected in September 2003. August 2003 values are used.
- Treatment system operated by Tyree Organization, Ltd. from 9/02 to 9/03.
- Treatment system operated by O&M Enterprises from 10/03 to present.

CONVERSIONS:

1 pound = 453.5924 grams
 1 gallon = 3.785 liters

Based on the Analytical Results from March 13, 2006:

Pounds of VOCs removed calculated by the following formula:
 $(1472 \text{ µg/L} - 9.9 \text{ µg/L}) * (1 \text{ g}/10^6 \text{ µg}) * (1 \text{ lb}/453.5924 \text{ g}) * 1,838,541 \text{ gallons} * (3.785 \text{ L/gallon}) \sim 22.43 \text{ lbs}$

where 1,838,541 gallons is the monthly process water volume.

Attachment A
OMEI Weekly Inspection Reports
March 2006

Including:

3/6/06

3/13/06

3/21/06

3/27/06

4/3/06

Mr. C's Dry Cleaners Site
NYSDEC Site #9-15-157
System Inspection Form

Date/Time 3/6/2006 8:45

Inspection personnel R C Becken

Other personnel on site _____

Weather Conditions overcast 24 degrees

Are all well pumps operating in auto? (YES) NO
If "NO", provide explanation

Provide water level readings on control panel

RW-1	(ON)	OFF	<u>6</u>	ft
PW-2	ON	(OFF)	<u>7</u>	ft
PW-3	ON	(OFF)	<u>6</u>	ft
PW-4	(ON)	OFF	<u>3</u>	ft
PW-5	(ON)	OFF	<u>8</u>	ft
PW-6	ON	(OFF)	<u>7</u>	ft
PW-7	(ON)	OFF	<u>7</u>	ft
PW-8	(ON)	OFF	<u>6</u>	ft
Equalization tank			<u>4</u>	ft

Influent Flow Rate 50.15 gpm

Influent Totalizer Reading 7119084 gallons

Sequestering agent drum level ~3 in.

Amount of sequestering agent remaining ~5 gallons

Sequestering agent feed rate 5 ml/min.

Sequestering agent metering Pump Pressure 1 psi

Bag filter top pressure 5 5 psi

Bag filter bottom pressure 0 0 psi

**Mr. C's Dry Cleaners Site
NYSDEC Site #9-15-157
System Inspection Form**

Influent feed pump in use #1 (#2)

Influent Pump Pressure _____ 4 psi

Air stripper blower in use #1 (#2)

Air stripper differential pressure _____ 4.5 inches H₂O

Air stripper r Pressure _____ 26 inches H₂O

Effluent feed pump in use #1 (#2)

Effluent feed pump pressure _____ 7 psi

Effluent flow rate _____ 81.7 gpm

Effluent Totalizer reading _____ 2188370 gallons

Are building heaters in use? (YES) NO

Ambient air temperature _____ 52.1 degrees F

Are any leaks present? YES (NO)

Is sump pump in use? YES (NO)

Water level in sump _____ 4

Is treatment building clean and organized? (YES) NO

Samples collected? YES (NO)

	Sample ID	Time of Sampling	pH	Turbidity	Temp.
Air stripper influent					
Air stripper effluent					
GAC influent	_____		NA	NA	
GAC effluent	_____		NA	NA	

Is there evidence of tampering/vandalism of wells? YES (NO)

Were manholes inspected? (YES) NO

Were electrical boxes inspected? YES (NO)

Is water present in any manholes or electrical boxes? (YES) NO

(If yes, provide manhole/electric box ID and description of any corrective measures on the following page.)

Mr. C's Dry Cleaners Site
NYSDEC Site #9-15-157
System Inspection Form

Other observations: _____

Agway

vacuum 15
air pressure 105 psi

Bank 1

SP-1 0 scfm SP-2 3 scfm SIP-3 4 scfm SP-4 4 scfm


SP-5 0 scfm SP-6 4 scfm SP-7 0 scfm SP-8 0 scfm

Describe any other system maintenance performed

Changed filters after which the influent flow increased to 70.56

Slowed water flow from influent feed pump so that there is a continuous flow of water entering the stripper tray instead of batch treating of the water. Received two drums of Redox 380.

Signature



**Mr. C's Dry Cleaners Site
 NYSDEC Site #9-15-157
 Piezometer Water Level Log**

Date 3/6/2006

Measurements taken by RC Becken

RW-1	<u>22.9</u>	ft	Comments _____
PZ-1A	<u>11.7</u>	ft	Comments _____
PZ-1B	<u>11.36</u>	ft	Comments _____
PZ-1C	<u>12.53</u>	ft	Comments _____
PZ-1D	<u>12.66</u>	ft	Comments _____
PW-2	<u>23.1</u>	ft	Comments _____
PZ-2A	<u>11.11</u>	ft	Comments _____
PZ-2B	_____	ft	Comments <u>could not find well</u>
PZ-2C	<u>10.86</u>	ft	Comments _____
PZ-2D	_____	ft	Comments _____
PW-3	<u>19.05</u>	ft	Comments _____
PZ-3A	<u>11.69</u>	ft	Comments _____
PZ-3B	<u>11.71</u>	ft	Comments _____
PZ-3C	<u>12.24</u>	ft	Comments _____
PZ-3D	_____	ft	Comments <u>could not find well</u>
PW-4	<u>24.92</u>	ft	Comments _____
PZ-4A	<u>11.74</u>	ft	Comments _____
PZ-4B	<u>11.21</u>	ft	Comments _____
PZ-4C	<u>11.43</u>	ft	Comments _____
PZ-4D	<u>10.72</u>	ft	Comments _____

RW-1 pump on during measurements? (YES) NO
 PW-2 pump on during measurements? YES (NO)
 PW-3 pump on during measurements? (YES) NO
 PW-4 pump on during measurements? YES (NO)

**Mr. C's Dry Cleaners Site
NYSDEC Site #9-15-157
Piezometer Water Level Log**

Date 3/6/2006

Measurements taken by RC Becken

PW-5	<u>20.51</u>	ft	Comments _____
PZ-5A	<u>11.03</u>	ft	Comments _____
PZ-5B	<u>11.1</u>	ft	Comments _____
PZ-5C	_____	ft	Comments <u>could not find well</u>
PZ-5D	_____	ft	Comments <u>could not find well</u>
PW-6	<u>19.1</u>	ft	Comments _____
PZ-6A	_____	ft	Comments <u>could not find well</u>
PZ-6B	<u>11.7</u>	ft	Comments _____
PZ-6C	_____	ft	Comments <u>could not find well</u>
PZ-6D	<u>11.61</u>	ft	Comments _____
PW-7	<u>20.4</u>	ft	Comments _____
OW-C	<u>11.65</u>	ft	Comments _____
PZ-7B	<u>12.14</u>	ft	Comments _____
MPI-6S	<u>11.3</u>	ft	Comments _____
PZ-7D	<u>11.56</u>	ft	Comments _____
PW-8	<u>21.47</u>	ft	Comments _____
PZ-8A	<u>8.45</u>	ft	Comments _____
PZ-8B	<u>8.4</u>	ft	Comments _____
PZ-8C	<u>7</u>	ft	Comments _____
PZ-8D	<u>8.04</u>	ft	Comments _____

PW-5 pump on during measurements? YES (NO)
 PW-6 pump on during measurements? (YES) NO
 PW-7 pump on during measurements? (YES) NO
 PW-8 pump on during measurements? YES (NO)

**Mr. C's Dry Cleaners Site
NYSDEC Site #9-15-157
System Inspection Form**

Date/Time 3/13/2006 9:30

Inspection personnel R C Becken

Other personnel on site _____

Weather Conditions 63 degrees light rain

Are all well pumps operating in auto? (YES) NO
If "NO", provide explanation

Provide water level readings on control panel

RW-1	(ON)	OFF	<u>7</u>	ft
PW-2	ON	(OFF)	<u>5</u>	ft
PW-3	ON	(OFF)	<u>5</u>	ft
PW-4	(ON)	OFF	<u>6</u>	ft
PW-5	(ON)	OFF	<u>8</u>	ft
PW-6	(ON)	OFF	<u>7</u>	ft
PW-7	(ON)	OFF	<u>8</u>	ft
PW-8	(ON)	OFF	<u>4</u>	ft
Equalization tank			<u>4</u>	ft

Influent Flow Rate 48.84 gpm

Influent Totalizer Reading 7587821 gallons

Sequestering agent drum level ~30 in.

Amount of sequestering agent remaining ~50 gallons

Sequestering agent feed rate 5 ml/min.

Sequestering agent metering Pump Pressure 1 psi

Bag filter top pressure 5 15 psi

Bag filter bottom pressure 0 0 psi

**Mr. C's Dry Cleaners Site
NYSDEC Site #9-15-157
System Inspection Form**

Influent feed pump in use #1 (#2)
Influent Pump Pressure _____ 28 psi
Air stripper blower in use #1 (#2)
Air stripper differential pressure _____ 4.5 inches H₂O
Air stripper r Pressure _____ 27 inches H₂O
Effluent feed pump in use #1 (#2)
Effluent feed pump pressure _____ 7 psi
Effluent flow rate _____ 93.6 gpm
Effluent Totalizer reading _____ 22170410 gallons
Are building heaters in use? (YES) NO
Ambient air temperature _____ 65.9 degrees F
Are any leaks present? YES (NO)
Is sump pump in use? YES (NO)
Water level in sump _____ 4
Is treatment building clean and organized? (YES) NO
Samples collected? (YES) NO

	Sample ID	Time of Sampling	pH	Turbidity	Temp.
Air stripper influent		10:10	7.31	3.89	53.7
Air stripper effluent		10:15	7.9	4.17	52
GAC influent	_____		NA	NA	
GAC effluent	_____		NA	NA	

Is there evidence of tampering/vandalism of wells? YES (NO)
Were manholes inspected? (YES) NO
Were electrical boxes inspected? YES (NO)
Is water present in any manholes or electrical boxes? (YES) NO

(If yes, provide manhole/electric box ID and description of any corrective measures on the following page.)

Mr. C's Dry Cleaners Site
NYSDEC Site #9-15-157
System Inspection Form

Other observations: _____

Agway _____

vacuum 14 _____

air pressure 120 psi _____

Bank 1 _____


SP-1 0 scfm SP-2 3 scfm SP-3 3 scfm SP-4 0 scfm _____

SP-5 0 scfm SP-6 4 scfm SP-7 0 scfm SP-8 0 scfm _____

Describe any other system maintenance performed

Changed filters after which the influent flow increased to 56.77

Signature



Mr. C's Dry Cleaners Site
NYSDEC Site #9-15-157
System Inspection Form

Date/Time 3/21/2006 9:15

Inspection personnel R C Becken

Other personnel on site _____

Weather Conditions 29 degrees clear

Are all well pumps operating in auto? (YES) NO
If "NO", provide explanation

Provide water level readings on control panel

RW-1	(ON)	OFF	<u>4</u>	ft
PW-2	ON	(OFF)	<u>5</u>	ft
PW-3	ON	(OFF)	<u>6</u>	ft
PW-4	ON	(OFF)	<u>5</u>	ft
PW-5	(ON)	OFF	<u>8</u>	ft
PW-6	ON	(OFF)	<u>6</u>	ft
PW-7	(ON)	OFF	<u>7</u>	ft
PW-8	ON	(OFF)	<u>4</u>	ft
Equalization tank			<u>4</u>	ft

Influent Flow Rate 50.55 gpm

Influent Totalizer Reading 8126716 gallons

Sequestering agent drum level ~15 in.

Amount of sequestering agent remaining ~25 gallons

Sequestering agent feed rate 5 ml/min.

Sequestering agent metering Pump Pressure 1 psi

Bag filter top pressure 5 15 psi

Bag filter bottom pressure 0 0 psi

**Mr. C's Dry Cleaners Site
NYSDEC Site #9-15-157
System Inspection Form**

Influent feed pump in use #1 (#2)

Influent Pump Pressure 28 psi

Air stripper blower in use #1 (#2)

Air stripper differential pressure 5 inches H₂O

Air stripper r Pressure 28 inches H₂O

Effluent feed pump in use #1 (#2)

Effluent feed pump pressure 7 psi

Effluent flow rate 96.1 gpm

Effluent Totalizer reading 22501740 gallons

Are building heaters in use? (YES) NO

Ambient air temperature 49.5 degrees F

Are any leaks present? YES (NO)

Is sump pump in use? YES (NO)

Water level in sump 4

Is treatment building clean and organized? (YES) NO

Samples collected? YES (NO)

	Sample ID	Time of Sampling	pH	Turbidity	Temp.
Air stripper influent					
Air stripper effluent					
GAC influent	<u> </u>		NA	NA	
GAC effluent	<u> </u>		NA	NA	

Is there evidence of tampering/vandalism of wells? YES (NO)

Were manholes inspected? YES (NO)

Were electrical boxes inspected? YES (NO)

Is water present in any manholes or electrical boxes? (YES) NO

(If yes, provide manhole/electric box ID and description of any corrective measures on the following page.)

Mr. C's Dry Cleaners Site
NYSDEC Site #9-15-157
System Inspection Form

Other observations: _____

Agway _____

vacuum 15 _____

air pressure 90 psi _____


Bank 1 _____

SP-1 0 scfm SP-2 3 scfm SP-3 4 scfm SP-4 0 scfm _____

SP-5 0 scfm SP-6 4 scfm SP-7 0 scfm SP-8 0 scfm _____

Describe any other system maintenance performed _____

Changed filters after which the influent flow increased to 80.06 _____

Signature  _____

**Mr. C's Dry Cleaners Site
NYSDEC Site #9-15-157
System Inspection Form**

Date/Time 3/27/2006 10:00

Inspection personnel R C Becken

Other personnel on site Maurice Moore

Weather Conditions 45 sunny

Are all well pumps operating in auto? (YES) NO
If "NO", provide explanation

Provide water level readings on control panel

RW-1	(ON)	OFF	<u>6</u>	ft
PW-2	ON	(OFF)	<u>7</u>	ft
PW-3	ON	(OFF)	<u>5</u>	ft
PW-4	(ON)	OFF	<u>4</u>	ft
PW-5	(ON)	OFF	<u>5</u>	ft
PW-6	ON	(OFF)	<u>7</u>	ft
PW-7	(ON)	OFF	<u>7</u>	ft
PW-8	(ON)	OFF	<u>7</u>	ft
Equalization tank			<u>4</u>	ft

Influent Flow Rate 49.4 gpm

Influent Totalizer Reading 8529373 gallons

Sequestering agent drum level ~12 in.

Amount of sequestering agent remaining ~20 gallons

Sequestering agent feed rate 5 ml/min.

Sequestering agent metering Pump Pressure 1 psi

Bag filter top pressure 3 13 psi

Bag filter bottom pressure 0 0 psi

**Mr. C's Dry Cleaners Site
NYSDEC Site #9-15-157
System Inspection Form**

Influent feed pump in use #1 (#2)

Influent Pump Pressure 28 psi

Air stripper blower in use #1 (#2)

Air stripper differential pressure 2 inches H₂O

Air stripper r Pressure 27 Inches H₂O

Effluent feed pump in use #1 (#2)

Effluent feed pump pressure 7 psi

Effluent flow rate 96.1 gpm

Effluent Totalizer reading 22751989 gallons

Are building heaters in use? (YES) NO

Ambient air temperature 52.7 degrees F

Are any leaks present? YES (NO)

Is sump pump in use? YES (NO)

Water level in sump 4

Is treatment building clean and organized? (YES) NO

Samples collected? YES (NO)

	Sample ID	Time of Sampling	pH	Turbidity	Temp.
Air stripper influent					
Air stripper effluent					
GAC influent	<u> </u>		NA	NA	
GAC effluent	<u> </u>		NA	NA	

Is there evidence of tampering/vandalism of wells? YES (NO)

Were manholes inspected? YES (NO)

Were electrical boxes inspected? YES (NO)

Is water present in any manholes or electrical boxes? (YES) NO

(If yes, provide manhole/electric box ID and description of any corrective measures on the following page.)

**Mr. C's Dry Cleaners Site
NYSDEC Site #9-15-157
System Inspection Form**

Other observations: _____

Agway _____

vacuum 13 _____

air pressure 80 psi _____

Bank 1 _____

SP-1 0 scfm SP-2 3 scfm SP-3 3 scfm SP-4 0 scfm _____

SP-5 0 scfm SP-6 3 scfm SP-7 0 scfm SP-8 0 scfm _____

Describe any other system maintenance performed


Changed filters after which the influent flow increased to 78.56

Shipped 9 empty Redox drums back to the manufacturer.

Took down snow fence surrounding PW-2 and PW-3 and pulled the fence posts.

Pressure washed the stripper tray, after starting the system back up I had a foaming problem after calling Mike Steffan at E&E I then called Gordon Clark at NEEP. His only recommendation was to empty the influent tank as much as possible and start fresh with new groundwater.

The original water in the influent tank was very foamy??? For some unknown reason.

Signature  _____

FAX RECEIVED

APR 10 2006

TIME: 16:47

O&M ENTERPRISES

Specialists In Treatment Plant Operations And Maintenance

7134 Marigold Drive
North Tonawanda, NY 14120
Telephone: (716) 731-5322
Home Office: (716) 694-4977
Cell (716) 435-8500
Fax: (716) 731-5424
E mail richbome@aol.com

FACSIMILE

To: Mike Steffan ^{-Cover Page-} Firm: E+J

Facsimile No: _____
Date: _____ Time: _____

Number of pages 4 Including cover page

Notes

Copy To: _____ Sent By: Puck

Please call (716) 731- 5322 if there is a problem with this fax transmission.

Mr. C's Dry Cleaners Site
NYSDEC Site #9-15-157
System Inspection Form

Date/Time 4/3/2006 8:15

Inspection personnel R C Becken

Other personnel on site _____

Weather Conditions clear 55 degrees

Are all well pumps operating in auto? (YES) NO
If "NO", provide explanation

Provide water level readings on control panel

RW-1	(ON)	OFF	<u>8</u>	ft
PW-2	ON	(OFF)	<u>5</u>	ft
PW-3	(ON)	OFF	<u>5</u>	ft
PW-4	(ON)	OFF	<u>3</u>	ft
PW-5	(ON)	OFF	<u>8</u>	ft
PW-6	ON	(OFF)	<u>6</u>	ft
PW-7	(ON)	OFF	<u>8</u>	ft
PW-8	(ON)	OFF	<u>4</u>	ft
Equalization tank			<u>4</u>	ft

Influent Flow Rate 40.7 gpm

Influent Totalizer Reading 8957625 gallons

Sequestering agent drum level ~2 in.

Amount of sequestering agent remaining ~3 gallons

Sequestering agent feed rate 5 ml/min.

Sequestering agent metering Pump Pressure 1 psi

Bag filter top pressure 10 16 psi

Bag filter bottom pressure 0 0 psi

**Mr. C's Dry Cleaners Site
NYSDEC Site #9-15-157
System Inspection Form**

Influent feed pump in use #1 (#2)

Influent Pump Pressure _____ 27 psi

Air stripper blower in use #1 (#2)

Air stripper differential pressure _____ 4 inches H₂O

Air stripper r Pressure _____ 25 inches H₂O

Effluent feed pump in use #1 (#2)

Effluent feed pump pressure _____ 7 psi

Effluent flow rate _____ 95.4 gpm

Effluent Totalizer reading _____ 23014635 gallons

Are building heaters in use? (YES) NO

Ambient air temperature _____ 63.2 degrees F

Are any leaks present? YES (NO)

Is sump pump in use? YES (NO)

Water level in sump _____ 4

Is treatment building clean and organized? (YES) NO

Samples collected? (YES) NO

	Sample ID	Time of Sampling	pH	Turbidity	Temp.
Air stripper influent		9:53	7.32	8.13	55.5
Air stripper effluent		10:05	7.61	4.98	56.5
GAC influent	_____		NA	NA	
GAC effluent	_____		NA	NA	

Is there evidence of tampering/vandalism of wells? YES (NO)

Were manholes inspected? YES (NO)

Were electrical boxes inspected? YES (NO)

Is water present in any manholes or electrical boxes? (YES) NO

(If yes, provide manhole/electric box ID and description of any corrective measures on the following page.)

Mr. C's Dry Cleaners Site
NYSDEC Site #9-15-157
System Inspection Form

Other observations: _____

Agway _____

vacuum 13 _____

air pressure 120 psi _____


Bank 1 _____

SP-1 0 scfm SP-2 3 scfm SP-3 3 scfm SP-4 0 scfm _____

SP-5 0 scfm SP-6 4 scfm SP-7 0 scfm SP-8 0 scfm _____

Describe any other system maintenance performed _____

Changed filters after which the influent flow increased to 80.5 gpm. _____

Signature  _____

**Mr. C's Dry Cleaners Site
 NYSDEC Site #9-15-157
 Piezometer Water Level Log**

Date 4/3/2006

Measurements taken by RC Becken

RW-1	<u>23.1</u>	ft	Comments _____
PZ-1A	<u>11.53</u>	ft	Comments _____
PZ-1B	<u>11.24</u>	ft	Comments _____
PZ-1C	<u>12.37</u>	ft	Comments _____
PZ-1D	<u>12.48</u>	ft	Comments _____
PW-2	<u>24.32</u>	ft	Comments _____
PZ-2A	<u>11</u>	ft	Comments _____
PZ-2B	<u>11.36</u>	ft	Comments _____
PZ-2C	<u>10.82</u>	ft	Comments _____
PZ-2D	_____	ft	Comments _____
PW-3	<u>21.78</u>	ft	Comments _____
PZ-3A	<u>12.1</u>	ft	Comments _____
PZ-3B	<u>11.6</u>	ft	Comments _____
PZ-3C	<u>11.55</u>	ft	Comments _____
PZ-3D	<u>11.59</u>	ft	Comments _____
PW-4	<u>22.1</u>	ft	Comments _____
PZ-4A	<u>11.79</u>	ft	Comments _____
PZ-4B	<u>11.25</u>	ft	Comments _____
PZ-4C	<u>11.37</u>	ft	Comments _____
PZ-4D	<u>10.61</u>	ft	Comments _____

RW-1 pump on during measurements? (YES) NO
 PW-2 pump on during measurements? (YES) NO
 PW-3 pump on during measurements? (YES) NO
 PW-4 pump on during measurements? YES (NO)

**Mr. C's Dry Cleaners Site
 NYSDEC Site #9-15-157
 Piezometer Water Level Log**

Date 4/3/2006 Measurements taken by RC Becken

PW-5	<u>20.62</u>	ft	Comments _____
PZ-5A	<u>10.88</u>	ft	Comments _____
PZ-5B	<u>10.94</u>	ft	Comments _____
PZ-5C	<u>10.48</u>	ft	Comments _____
PZ-5D	<u>11.3</u>	ft	Comments _____
PW-6	_____	ft	Comments <u>car parked on well</u>
PZ-6A	<u>11.71</u>	ft	Comments _____
PZ-6B	_____	ft	Comments <u>car parked on well</u>
PZ-6C	<u>11.76</u>	ft	Comments _____
PZ-6D	<u>11.46</u>	ft	Comments _____
PW-7	<u>19.8</u>	ft	Comments _____
OW-C	<u>11.15</u>	ft	Comments _____
PZ-7B	<u>11.89</u>	ft	Comments _____
MPI-6S	<u>11.46</u>	ft	Comments _____
PZ-7D	<u>11.6</u>	ft	Comments _____
PW-8	<u>22.5</u>	ft	Comments _____
PZ-8A	<u>8.33</u>	ft	Comments _____
PZ-8B	<u>8.45</u>	ft	Comments _____
PZ-8C	<u>7.65</u>	ft	Comments _____
PZ-8D	<u>8.14</u>	ft	Comments _____

PW-5 pump on during measurements? (YES) NO
 PW-6 pump on during measurements? (YES) NO
 PW-7 pump on during measurements? (YES) NO
 PW-8 pump on during measurements? YES (NO)

Attachment B
Analytical Report from
Severn-Trent Laboratory
Analytical Data Package #A06-2628
Sampled: March 13, 2006

**STL**

STL Buffalo
10 Hazelwood Drive, Suite 106
Amherst, NY 14228

Tel: 716 691 2600 Fax: 716 691 7991
www.stl-inc.com

ANALYTICAL REPORT


Job#: A06-2628

STL Project#: NY5A9393.3

Site Name: Ecology and Environment NYSDEC StandbyTask: Mr. C's Site-000699.NY06

Mr. Mike Steffan
Ecology and Environment
368 Pleasant View Drive
Lancaster, NY 14086

STL Buffalo



Anthony H. Bogolin
Project Manager

03/20/2006

STL Buffalo Current Certifications

As of 12/28/2005

STATE	Program	Cert # / Lab ID
AFCEE	AFCEE	
Arkansas	SDWA, CWA, RCRA, SOIL	03-054-D/88-0686
California	NELAP CWA, RCRA	01169CA
Connecticut	SDWA, CWA, RCRA, SOIL	PH-0568
Florida	NELAP CWA, RCRA	E87672
Georgia	SDWA	956
Illinois	NELAP SDWA, CWA, RCRA	200003
Iowa	SW/CS	374
Kansas	NELAP SDWA, CWA, RCRA	E-10187
Kentucky	SDWA	90029
Kentucky UST	UST	30
Louisiana	NELAP CWA, RCRA	2031
Maine	SDWA, CWA	NY044
Maryland	SDWA	294
Massachusetts	SDWA, CWA	M-NY044
Michigan	SDWA	9937
Minnesota	SDWA, CWA, RCRA	036-999-337
New Hampshire	NELAP SDWA, CWA	233701
New Jersey	SDWA, CWA, RCRA, CLP	NY455
New York	NELAP, AIR, SDWA, CWA, RCRA	10026
Oklahoma	CWA, RCRA	9421
Pennsylvania	Env. Lab Reg.	68-281
South Carolina	RCRA	91013
Tennessee	SDWA	02970
USACE	USACE	
USDA	FOREIGN SOIL PERMIT	S-41579
USDOE	Department of Energy	DOECAP-STB
Virginia	SDWA	278
Washington	CWA, RCRA	C254
West Virginia	CWA, RCRA	252
Wisconsin	CWA	998310390

SAMPLE SUMMARY

<u>LAB SAMPLE ID</u>	<u>CLIENT SAMPLE ID</u>	<u>MATRIX</u>	<u>SAMPLED</u>		<u>RECEIVED</u>	
			<u>DATE</u>	<u>TIME</u>	<u>DATE</u>	<u>TIME</u>
A6262801	Effluent	WATER	03/13/2006	10:15	03/13/2006	11:20
A6262802	Influent	WATER	03/13/2006	10:10	03/13/2006	11:20
A6262803	TRIP BLANK	WATER	03/13/2006		03/13/2006	11:20

METHODS SUMMARY

Job#: A06-2628STL Project#: NY5A9393.3Site Name: Ecology and Environment NYSDEC Standby

PARAMETER	ANALYTICAL METHOD
METHOD 8260 - TCL VOLATILE ORGANICS	SW8463 8260
pH	MCAWW 150.1
Total Hardness	MCAWW 130.2

MCAWW "Methods for Chemical Analysis of Water and Wastes", EPA/600/4-79-020 (Mar 1983) with updates and supplements EPA/600/4-91-010 (Jun 1991), EPA/600/R-92-129 (Aug 1992) and EPA/600/R-93-100 (Aug 1993)

SW8463 "Test Methods for Evaluating Solid Waste Physical/Chemical Methods (SW846), Third Edition, 9/86; Update I, 7/92; Update IIA, 8/93; Update II, 9/94; Update IIB, 1/95; Update III, 12/96.

NON-CONFORMANCE SUMMARY

Job#: A06-2628STL Project#: NY5A9393.3Site Name: Ecology and Environment NYSDEC StandbyGeneral Comments

The enclosed data may or may not have been reported utilizing data qualifiers (Q) as defined on the Data Comment Page.

Soil, sediment and sludge sample results are reported on "dry weight" basis unless otherwise noted in this data package.

According to 40CFR Part 136.3, pH, Chlorine Residual, Dissolved Oxygen, Sulfite, and Temperature analyses are to be performed immediately after aqueous sample collection. When these parameters are not indicated as field (e.g. pH-Field), they were not analyzed immediately, but as soon as possible after laboratory receipt.

Sample dilutions were performed as indicated on the attached Dilution Log. The rationale for dilution is specified by the 3-digit code and definition.

Sample Receipt Comments

A06-2628

Sample Cooler(s) were received at the following temperature(s); 13.0 °C
All samples were received in good condition.

GC/MS Volatile Data

No deviations from protocol were encountered during the analytical procedures.

Wet Chemistry Data

No deviations from protocol were encountered during the analytical procedures.

The results presented in this report relate only to the analytical testing and condition of the sample at receipt. This report pertains to only those samples actually tested. All pages of this report are integral parts of the analytical data. Therefore, this report should be reproduced only in its entirety.

<u>Client Sample ID</u>	<u>Lab Sample ID</u>	<u>Parameter (Inorganic)/Method (Organic)</u>	<u>Dilution</u>	<u>Code</u>
Influent	A6262802	8260	20.00	008
Influent	A6262802MS	8260	20.00	008
Influent	A6262802SD	8260	20.00	008

Dilution Code Definition:

- 002 - sample matrix effects
- 003 - excessive foaming
- 004 - high levels of non-target compounds
- 005 - sample matrix resulted in method non-compliance for an Internal Standard
- 006 - sample matrix resulted in method non-compliance for surrogate
- 007 - nature of the TCLP matrix
- 008 - high concentration of target analyte(s)
- 009 - sample turbidity
- 010 - sample color
- 011 - insufficient volume for lower dilution
- 012 - sample viscosity
- 013 - other



DATA QUALIFIER PAGE

These definitions are provided in the event the data in this report requires the use of one or more of the qualifiers. Not all qualifiers defined below are necessarily used in the accompanying data package.

ORGANIC DATA QUALIFIERS

- ND or U Indicates compound was analyzed for, but not detected.
- J Indicates an estimated value. This flag is used either when estimating a concentration for tentatively identified compounds where a 1:1 response is assumed, or when the data indicates the presence of a compound that meets the identification criteria but the result is less than the sample quantitation limit but greater than zero.
- C This flag applies to pesticide results where the identification has been confirmed by GC/MS.
- B This flag is used when the analyte is found in the associated blank, as well as in the sample.
- E This flag identifies compounds whose concentrations exceed the calibration range of the instrument for that specific analysis.
- D This flag identifies all compounds identified in an analysis at the secondary dilution factor.
- N Indicates presumptive evidence of a compound. This flag is used only for tentatively identified compounds, where the identification is based on the Mass Spectral library search. It is applied to all TIC results.
- P This flag is used for CLP methodology only. For Pesticide/Aroclor target analytes, when a difference for detected concentrations between the two GC columns is greater than 25%, the lower of the two values is reported on the data page and flagged with a "P".
- A This flag indicates that a TIC is a suspected aldol-condensation product.
- 1 Indicates coelution.
- * Indicates analysis is not within the quality control limits.

INORGANIC DATA QUALIFIERS

- ND or U Indicates element was analyzed for, but not detected. Report with the detection limit value.
- J or B Indicates a value greater than or equal to the instrument detection limit, but less than the quantitation limit.
- N Indicates spike sample recovery is not within the quality control limits.
- S Indicates value determined by the Method of Standard Addition.
- E Indicates a value estimated or not reported due to the presence of interferences.
- H Indicates analytical holding time exceedance. The value obtained should be considered an estimate.
- * Indicates the spike or duplicate analysis is not within the quality control limits.
- + Indicates the correlation coefficient for the Method of Standard Addition is less than 0.995.

Sample ID: Effluent
Lab Sample ID: A6262801
Date Collected: 03/13/2006
Time Collected: 10:15Date Received: 03/13/2006
Project No: NY5A9393.3
Client No: 397714
Site No:

Parameter	Result	Flag	Detection Limit	Units	Method	Date/Time		Analyst
						Analyzed		
AQUEOUS-SW8463 8260 - TCL VOLATILES								
1,1,1-Trichloroethane	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
1,1,2,2-Tetrachloroethane	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
1,1,2-Trichloroethane	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
1,1-Dichloroethane	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
1,1-Dichloroethene	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
1,2,4-Trichlorobenzene	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
1,2-Dibromo-3-chloropropane	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
1,2-Dibromoethane	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
1,2-Dichlorobenzene	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
1,2-Dichloroethane	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
1,2-Dichloropropane	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
1,3-Dichlorobenzene	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
1,4-Dichlorobenzene	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
2-Butanone	ND		5.0	UG/L	8260	03/14/2006	15:30	BJ
2-Hexanone	ND		5.0	UG/L	8260	03/14/2006	15:30	BJ
4-Methyl-2-pentanone	ND		5.0	UG/L	8260	03/14/2006	15:30	BJ
Acetone	7.9		5.0	UG/L	8260	03/14/2006	15:30	BJ
Benzene	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
Bromodichloromethane	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
Bromoform	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
Bromomethane	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
Carbon Disulfide	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
Carbon Tetrachloride	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
Chlorobenzene	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
Chloroethane	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
Chloroform	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
Chloromethane	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
cis-1,2-Dichloroethene	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
cis-1,3-Dichloropropene	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
Cyclohexane	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
Dibromochloromethane	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
Dichlorodifluoromethane	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
Ethylbenzene	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
Isopropylbenzene	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
Methyl acetate	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
Methyl-t-Butyl Ether (MTBE)	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
Methylcyclohexane	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
Methylene chloride	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
Styrene	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
Tetrachloroethene	2.0		1.0	UG/L	8260	03/14/2006	15:30	BJ
Toluene	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
Total Xylenes	ND		3.0	UG/L	8260	03/14/2006	15:30	BJ
trans-1,2-Dichloroethene	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
trans-1,3-Dichloropropene	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
Trichloroethene	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
Trichlorofluoromethane	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ
Vinyl chloride	ND		1.0	UG/L	8260	03/14/2006	15:30	BJ

Date: 03/20/2006

Time: 14:02:30

Ecology and Environment NYSDEC Standby
Mr. C's Site-000699.NY06

9/28

Page: 2

Rept: AN1178

Sample ID: Effluent

Lab Sample ID: A6262801

Date Collected: 03/13/2006

Time Collected: 10:15

Date Received: 03/13/2006

Project No: NY5A9393.3

Client No: 397714

Site No:

Parameter	Result	Flag	Detection Limit	Units	Method	Date/Time		Analyst
						Analyzed		
Wet Chemistry Analysis								
pH	8.28		0.500	S.U.	150.1	03/14/2006	09:24	LRM
Total Hardness	520		2.0	MG/L	130.2	03/14/2006	11:45	LRM

Sample ID: Influent

Lab Sample ID: A6262802

Date Collected: 03/13/2006

Time Collected: 10:10

Date Received: 03/13/2006

Project No: NY5A9393.3

Client No: 397714

Site No:

Parameter	Result	Flag	Detection	Units	Method	Date/Time		Analyst
			Limit			Analyzed		
AQUEOUS-SW8463 8260 - TCL VOLATILES								
1,1,1-Trichloroethane	ND		20	UG/L	8260	03/14/2006	15:53	BJ
1,1,2,2-Tetrachloroethane	ND		20	UG/L	8260	03/14/2006	15:53	BJ
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		20	UG/L	8260	03/14/2006	15:53	BJ
1,1,2-Trichloroethane	ND		20	UG/L	8260	03/14/2006	15:53	BJ
1,1-Dichloroethane	ND		20	UG/L	8260	03/14/2006	15:53	BJ
1,1-Dichloroethene	ND		20	UG/L	8260	03/14/2006	15:53	BJ
1,2,4-Trichlorobenzene	ND		20	UG/L	8260	03/14/2006	15:53	BJ
1,2-Dibromo-3-chloropropane	ND		20	UG/L	8260	03/14/2006	15:53	BJ
1,2-Dibromoethane	ND		20	UG/L	8260	03/14/2006	15:53	BJ
1,2-Dichlorobenzene	ND		20	UG/L	8260	03/14/2006	15:53	BJ
1,2-Dichloroethane	ND		20	UG/L	8260	03/14/2006	15:53	BJ
1,2-Dichloropropane	ND		20	UG/L	8260	03/14/2006	15:53	BJ
1,3-Dichlorobenzene	ND		20	UG/L	8260	03/14/2006	15:53	BJ
1,4-Dichlorobenzene	ND		20	UG/L	8260	03/14/2006	15:53	BJ
2-Butanone	ND		100	UG/L	8260	03/14/2006	15:53	BJ
2-Hexanone	ND		100	UG/L	8260	03/14/2006	15:53	BJ
4-Methyl-2-pentanone	ND		100	UG/L	8260	03/14/2006	15:53	BJ
Acetone	ND		100	UG/L	8260	03/14/2006	15:53	BJ
Benzene	ND		20	UG/L	8260	03/14/2006	15:53	BJ
Bromodichloromethane	ND		20	UG/L	8260	03/14/2006	15:53	BJ
Bromoform	ND		20	UG/L	8260	03/14/2006	15:53	BJ
Bromomethane	ND		20	UG/L	8260	03/14/2006	15:53	BJ
Carbon Disulfide	ND		20	UG/L	8260	03/14/2006	15:53	BJ
Carbon Tetrachloride	ND		20	UG/L	8260	03/14/2006	15:53	BJ
Chlorobenzene	ND		20	UG/L	8260	03/14/2006	15:53	BJ
Chloroethane	ND		20	UG/L	8260	03/14/2006	15:53	BJ
Chloroform	ND		20	UG/L	8260	03/14/2006	15:53	BJ
Chloromethane	ND		20	UG/L	8260	03/14/2006	15:53	BJ
cis-1,2-Dichloroethene	10	J	20	UG/L	8260	03/14/2006	15:53	BJ
cis-1,3-Dichloropropene	ND		20	UG/L	8260	03/14/2006	15:53	BJ
Cyclohexane	ND		20	UG/L	8260	03/14/2006	15:53	BJ
Dibromochloromethane	ND		20	UG/L	8260	03/14/2006	15:53	BJ
Dichlorodifluoromethane	ND		20	UG/L	8260	03/14/2006	15:53	BJ
Ethylbenzene	ND		20	UG/L	8260	03/14/2006	15:53	BJ
Isopropylbenzene	ND		20	UG/L	8260	03/14/2006	15:53	BJ
Methyl acetate	ND		20	UG/L	8260	03/14/2006	15:53	BJ
Methyl-t-Butyl Ether (MTBE)	14	J	20	UG/L	8260	03/14/2006	15:53	BJ
Methylcyclohexane	ND		20	UG/L	8260	03/14/2006	15:53	BJ
Methylene chloride	ND		20	UG/L	8260	03/14/2006	15:53	BJ
Styrene	ND		20	UG/L	8260	03/14/2006	15:53	BJ
Tetrachloroethene	1400		20	UG/L	8260	03/14/2006	15:53	BJ
Toluene	ND		20	UG/L	8260	03/14/2006	15:53	BJ
Total Xylenes	ND		60	UG/L	8260	03/14/2006	15:53	BJ
trans-1,2-Dichloroethene	ND		20	UG/L	8260	03/14/2006	15:53	BJ
trans-1,3-Dichloropropene	ND		20	UG/L	8260	03/14/2006	15:53	BJ
Trichloroethene	48		20	UG/L	8260	03/14/2006	15:53	BJ
Trichlorofluoromethane	ND		20	UG/L	8260	03/14/2006	15:53	BJ
Vinyl chloride	ND		20	UG/L	8260	03/14/2006	15:53	BJ

Date: 03/20/2006

Time: 14:02:30

Ecology and Environment NYSDEC Standby
Mr. C's Site-000699.NY06

11/28

Page: 4
Rept: AN1178

Sample ID: Influent
Lab Sample ID: A6262802
Date Collected: 03/13/2006
Time Collected: 10:10

Date Received: 03/13/2006
Project No: NY5A9393.3
Client No: 397714
Site No:

Parameter	Result	Flag	Detection Limit	Units	Method	Date/Time		Analyst
						Analyzed		
Wet Chemistry Analysis								
pH	7.23		0.500	S.U.	150.1	03/14/2006	09:24	LRM
Total Hardness	560		2.0	MG/L	130.2	03/14/2006	11:45	LRM

Sample ID: TRIP BLANK

Lab Sample ID: A6262803

Date Collected: 03/13/2006

Time Collected: :

Date Received: 03/13/2006

Project No: NY5A9393.3

Client No: 397714

Site No:

Parameter	Result	Flag	Detection	Units	Method	Date/Time		Analyst
			Limit			Analyzed		
AQUEOUS-SWB463 8260 - TCL VOLATILES								
1,1,1-Trichloroethane	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
1,1,1,2-Tetrachloroethane	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
1,1,2-Trichloro-1,2,2-trifluoroethane	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
1,1,2-Trichloroethane	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
1,1-Dichloroethane	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
1,1-Dichloroethene	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
1,2,4-Trichlorobenzene	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
1,2-Dibromo-3-chloropropane	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
1,2-Dibromoethane	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
1,2-Dichlorobenzene	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
1,2-Dichloroethane	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
1,2-Dichloropropane	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
1,3-Dichlorobenzene	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
1,4-Dichlorobenzene	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
2-Butanone	ND		5.0	UG/L	8260	03/14/2006	01:40	CDC
2-Hexanone	ND		5.0	UG/L	8260	03/14/2006	01:40	CDC
4-Methyl-2-pentanone	ND		5.0	UG/L	8260	03/14/2006	01:40	CDC
Acetone	ND		5.0	UG/L	8260	03/14/2006	01:40	CDC
Benzene	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
Bromodichloromethane	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
Bromoform	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
Bromomethane	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
Carbon Disulfide	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
Carbon Tetrachloride	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
Chlorobenzene	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
Chloroethane	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
Chloroform	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
Chloromethane	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
cis-1,2-Dichloroethene	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
cis-1,3-Dichloropropene	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
Cyclohexane	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
Dibromochloromethane	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
Dichlorodifluoromethane	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
Ethylbenzene	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
Isopropylbenzene	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
Methyl acetate	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
Methyl-t-Butyl Ether (MTBE)	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
Methylcyclohexane	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
Methylene chloride	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
Styrene	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
Tetrachloroethene	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
Toluene	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
Total Xylenes	ND		3.0	UG/L	8260	03/14/2006	01:40	CDC
trans-1,2-Dichloroethene	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
trans-1,3-Dichloropropene	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
Trichloroethene	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
Trichlorofluoromethane	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC
Vinyl chloride	ND		1.0	UG/L	8260	03/14/2006	01:40	CDC

Batch Quality Control Data

Date: 03/20/2006 14:17:08
 Batch No: A6B15196

MS/MSD Batch QC Results

Rept: AM1392

Lab Sample ID: A6259101 A6259101MS A6259101SD

Analyte	Units of Measure	Sample	Concentration		Spike Amount		% Recovery		% RPD	QC LIMITS RPD REC.
			Matrix Spike	Spike Duplicate	MS	MSD	MS	MSD		
WET CHEMISTRY ANALYSIS AFCEE - METHOD 130.2 - TOTAL HARDNESS	MG/L	300.0	650.0	650.0	400.0	400.0	88 *	88 *	0	20.0 91-112

* Indicates Result is outside QC Limits
 NC = Not Calculated ND = Not Detected

Chronology and QC
Summary Package

Ecology and Environment NYSDEC standby
Mr. C's Site-000699.NY06
METHOD 8260 - TCL VOLATILE ORGANICS

Date: 03/20/2006
Time: 14:02:39

Client ID Job No Sample Date	Lab ID	Units	vb1k10 A06-2628	A6B152440Z	vb1k12 A06-2628	A6B152460Z	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Analyte			Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Acetone		UG/L	ND	5.0	ND	5.0	NA	5.0	NA	5.0	NA	5.0
Benzene		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
Bromodichloromethane		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
Bromoform		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
Bromomethane		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
2-Butanone		UG/L	ND	5.0	ND	5.0	NA	5.0	NA	5.0	NA	5.0
Carbon Disulfide		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
Carbon Tetrachloride		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
Chlorobenzene		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
Chloroethane		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
Chloroform		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
Chloromethane		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
Cyclohexane		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
1,2-Dibromoethane		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
Dibromochloromethane		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
1,2-Dibromo-3-chloropropane		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
1,2-Dichlorobenzene		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
1,3-Dichlorobenzene		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
1,4-Dichlorobenzene		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
Dichlorodifluoromethane		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
1,1-Dichloroethane		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
1,2-Dichloroethane		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
1,1-Dichloroethene		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
cis-1,2-Dichloroethene		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
trans-1,2-Dichloroethene		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
1,2-Dichloropropane		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
cis-1,3-Dichloropropene		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
trans-1,3-Dichloropropene		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
Ethylbenzene		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
2-Hexanone		UG/L	ND	5.0	ND	5.0	NA	5.0	NA	5.0	NA	5.0
Isopropylbenzene		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
Methyl acetate		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
Methylcyclohexane		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
Methylene chloride		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
4-Methyl-2-pentanone		UG/L	ND	5.0	ND	5.0	NA	5.0	NA	5.0	NA	5.0
Methyl-t-Butyl Ether (MTBE)		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
Styrene		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
1,1,2,2-Tetrachloroethane		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
Tetrachloroethene		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
Toluene		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
1,2,4-Trichlorobenzene		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
1,1,1-Trichloroethane		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
1,1,2-Trichloroethane		UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0

NA = Not Applicable ND = Not Detected

STL Buffalo

Date: 03/20/2006
Time: 14:02:59

Ecology and Environment NYSDEC standby
Mr. C's Site-000699.NY06
METHOD 8260 - TCL VOLATILE ORGANICS

Rept: AN1247

Client ID	Lab ID	vb1k10 A06-2628	A6B1524402	vb1k12 A06-2628	A6B1524602	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
1,1,2-Trichloro-1,2,2-trifluor	UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
Trichlorofluoromethane	UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
Trichloroethene	UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
Vinyl chloride	UG/L	ND	1.0	ND	1.0	NA	1.0	NA	1.0	NA	1.0
Total Xylenes	UG/L	ND	3.0	ND	3.0	NA	3.0	NA	3.0	NA	3.0
IS/SURROGATE(S)											
Chlorobenzene-D5	%	82	50-200	107	50-200	NA	50-200	NA	50-200	NA	50-200
1,4-Difluorobenzene	%	82	50-200	112	50-200	NA	50-200	NA	50-200	NA	50-200
1,4-Dichlorobenzene-D4	%	76	50-200	90	50-200	NA	50-200	NA	50-200	NA	50-200
Toluene-D8	%	94	76-122	93	76-122	NA	76-122	NA	76-122	NA	76-122
p-Bromofluorobenzene	%	96	73-120	94	73-120	NA	73-120	NA	73-120	NA	73-120
1,2-Dichloroethane-D4	%	109	72-143	105	72-143	NA	72-143	NA	72-143	NA	72-143

Client ID Job No Sample Date	Lab ID	Method Blank A06-2628		A6B151960Z	
		Sample Value	Reporting Limit	Sample Value	Reporting Limit
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Total Hardness	MG/L	ND	2.0	NA	NA
				NA	NA

Client Sample ID: Influent
 Lab Sample ID: A6262802

Influent
 A6262802MS

Influent
 A6262802SD

Analyte	Units of Measure	Sample	Concentration		Spike Amount		% Recovery		% RPD	QC LIMITS RPD REC.
			Matrix Spike	Spike Duplicate	MS	MSD	MS	MSD		
METHOD 8260 - TCL VOLATILE ORGANICS										
1,1-Dichloroethene	UG/L	0	610	579	500	500	122	116	5	16.0 65-142
Trichloroethene	UG/L	47.7	583	557	500	500	107	102	5	16.0 71-120
Benzene	UG/L	0	542	537	500	500	108	108	0	13.0 67-126
Toluene	UG/L	0	505	499	500	500	101	100	1	18.0 69-120
Chlorobenzene	UG/L	0	521	521	500	500	104	104	0	19.0 73-120

* Indicates Result is outside QC Limits
 NC = Not Calculated ND = Not Detected

msb10
A681524401

Client Sample ID: vblk10
Lab Sample ID: A681524402

Analyte	Units of Measure	Concentration		% Recovery	GC LIMITS
		Blank spike	Spike Amount		
METHOD 8260 - TCL VOLATILE ORGANICS					
1,1-dichloroethene	UG/L	26.1	25.0	105	65-142
Trichloroethene	UG/L	25.5	25.0	102	71-120
Benzene	UG/L	25.2	25.0	101	67-126
Toluene	UG/L	24.0	25.0	96	69-120
Chlorobenzene	UG/L	24.2	25.0	97	73-120

* Indicates Result is outside GC Limits
NC = Not Calculated ND = Not Detected

msb12
A681524601Client sample ID: vblk12
Lab Sample ID: A681524602

Analyte	Units of Measure	Concentration		% Recovery Blank Spike	QC LIMITS
		Blank Spike	Spike Amount		
METHOD-8260 - TCL VOLATILE ORGANICS					
1,1-Dichloroethene	UG/L	30.7	25.0	123	65-142
Trichloroethene	UG/L	28.4	25.0	114	71-120
Benzene	UG/L	28.4	25.0	114	67-126
Toluene	UG/L	27.7	25.0	111	69-120
Chlorobenzene	UG/L	27.9	25.0	112	73-120

Client Sample ID: Method Blank LCS
 Lab Sample ID: A6B1519602 A6B1519601

Analyte	Units of Measure	Concentration Blank Spike	Spike Amount	% Recovery Blank Spike	QC LIMITS
WET CHEMISTRY ANALYSIS METHOD 130.2 - TOTAL HARDNESS AS CaCO3	Mg/L	204.0	208.0	98	90-110

* Indicates Result is outside QC Limits
 NC = Not Calculated ND = Not Detected

SAMPLE CHRONOLOGY

METHOD 8260 - TCL VOLATILE ORGANICS

Client Sample ID Job No & Lab Sample ID	Effluent A06-2628 A6262801	Influent A06-2628 A6262802
Sample Date Received Date Extraction Date Analysis Date Extraction HT Met? Analytical HT Met? Sample Matrix Dilution Factor Sample wt/vol % Dry	03/13/2006 10:15 03/13/2006 11:20 03/14/2006 15:30 - YES WATER 1.0 0.005 LITERS	03/13/2006 10:10 03/13/2006 11:20 03/14/2006 15:53 - YES WATER 20.0 0.005 LITERS

METHOD 8260 - TCL VOLATILE ORGANICS

Client Sample ID Job No & Lab Sample ID	TRIP BLANK A06-2628 AGZ62803			
Sample Date Received Date Extraction Date Analysis Date Extraction HI Met? Analytical HI Met? Sample Matrix Dilution Factor Sample wt/vol % Dry	03/13/2006 03/13/2006 11:20 03/14/2006 01:40 - YES WATER 1.0 0.005 LITERS			

QC SAMPLE CHRONOLOGY

METHOD 8260 - TCL VOLATILE ORGANICS

Client Sample ID Job No & Lab Sample ID	vb1k10 A06-2628 A6B1524402	vb1k12 A06-2628 A6B1524602	
Sample Date	03/14/2006 00:22	03/14/2006 12:03	
Received Date	-	-	
Extraction Date	-	-	
Analysis Date	-	-	
Extraction HT Met?	-	-	
Analytical HT Met?	-	-	
Sample Matrix	WATER	WATER	
Dilution Factor	1.0	1.0	
Sample wt/vol	0.005 LITERS	0.005 LITERS	
% Dry			

Date: 03/20/2006 14:03
 Job No: A06-2628

MR. C'S SITE-000699-NY06
 SAMPLE CHRONOLOGY

Rept: AN1250
 Page: 1

Lab ID	Sample ID	Lab	Analyte	Method	DF	Sample wt/vol g/L	Sample Date	Receive Date	TCLP Date	T H	Analysis Date	ANL INI	A H Matrix
A6262801	Effluent	RECNY	pH	150.1	1.0		03/13/06 10:15	03/13 11:20	NA		03/14 09:24	LRM Y	WATER
		RECNY	Total Hardness	130.2	1.0		03/13/06 10:15	03/13 11:20	NA		03/14 11:45	LRM Y	WATER
A6262802	Influent	RECNY	pH	150.1	1.0		03/13/06 10:10	03/13 11:20	NA		03/14 09:24	LRM Y	WATER
		RECNY	Total Hardness	130.2	1.0		03/13/06 10:10	03/13 11:20	NA		03/14 11:45	LRM Y	WATER

26/28

STL Buffalo

AH = Analysis Holding Time Met
 TH = TCLP Holding Time Met
 NA = Not Applicable
 ANL INI = Analyst Initials
 DF = Dilution Factor

Lab ID	Sample ID	Lab	Analyte	Method	DF	Sample wt/vol g/L	Sample Date	Receive Date	TCLP Date	I H	Analysis Date	ANL A INI H Matrix
A6B1519602	Method Blank	RECNY	Total Hardness	130.2	1.0	-	-	-	NA		03/14 11:45	LRM Y WATER

27/28

AH = Analysis Holding Time Met
 TH = TCLP Holding Time Met
 NA = Not Applicable
 ANL INI = Analyst Initials
 DF = Dilution Factor

Chain of Custody Record



Severn Trent Laboratories, Inc.

STL-4124 (0901)

Client: Ecology + Environment, Inc.
 Address: 368 Pleasant Views Dr.
 City: Lancaster
 State: NY Zip Code: 14086
 Project Name and Location (State): Mr. C's Monthly East Arover, NY
 Contract/Purchase Order/Quote No.: 000699 NY 06.05

Project Manager: Mike Steffan
 Telephone Number (Area Code)/Fax Number: 716 684-8060 / 716 684-0844
 Date: 3/13/06
 Chain of Custody Number: 2513399

Site Contact: Rick Becken, Tony
 Lab Contact: Tony Becken
 Carrier/Waybill Number: OJM Enterprises Inc.
 Page: 1 of 1

Sample I.D. No. and Description (Containers for each sample may be combined on one line)	Date	Time	Matrix				Containers & Preservatives					Analysis (Attach list if more space is needed)	Special Instructions/ Conditions of Receipt											
			Air	Aqueous	Sed.	Soil	Unpres.	H2SO4	HNO3	HCl	NaOH			ZnAc	NaOH									
Influent	3/13/06	1010	X							1	1	3	1											
Effluent	3/13/06	1015	X							1	1	3	1											

Possible Hazard Identification
 Non-Hazard Flammable Skin Irritant Poison B Unknown Return To Client Disposal By Lab Archive For _____ Months (A fee may be assessed if samples are retained longer than 1 month)

Turn Around Time Required
 24 Hours 48 Hours 7 Days 14 Days 21 Days Other _____

QC Requirements (Specify)
 1. Relinquished By: Rick Becken Date: 3/13/06 Time: 1120
 2. Relinquished By: _____ Date: _____ Time: _____
 3. Relinquished By: _____ Date: _____ Time: _____

Comments: 13-00 SAME DAY

Attachment C
Summary of Site Utility Costs and Projections
October 2004 to March 2006

Mr. C's Dry Cleaners Site - Remedial Treatment Utility Costs														ATTACHMENT C		
NYSDEC Work Assignment #27.5														Utility Budget:		
12 Months of System Operation and Maintenance														Electric:	\$24,024.00	
March 2006 Report														Telephone:	\$980.00	
Gas and Electric														Gas	\$1,100.00	
Utility Provider	Account #	E&E Cost Center	Description	October '05	November '05	December '05	January '06	February '06	March '06	April '06	May '06	Total:	\$25,804.00			
New York State E&G	106-311-11-002616-26	000699.NY06.05	Mr. C's Electric Costs	\$ 1,871.38	\$ 1,813.41	\$ 1,446.70	\$ 1,762.12	\$ 1,908.70	\$ 2,459.47	\$ 2,113.40		\$				
New York State E&G	76-311-11-015900-18		Agway Site - Electric	\$ 294.32	\$ 227.81	\$ 314.54	\$267.23	\$ 316.73	\$ 356.57	\$ 315.85		\$				
National Fuel Gas	5819628-05	000699.NY06.05	Mr. C's Natural Gas Costs	\$ 8.61	\$ 8.61	\$ 181.57		\$ 159.08	\$ 93.57	\$ 149.49		\$				
			Totals	\$ 2,165.70	\$ 2,049.83	\$ 1,942.81	\$2,029.35	\$ 2,384.51	\$ 2,909.61	\$ 2,578.74		\$				
				June '06	July '06	August '06	September '06	October '06	November	December	January '06		Ave./Month			
			Mr. C's Electric Costs										\$ 2,229.20			
			Agway Electric										\$ 299.01			
			Mr. C's Natural Gas Costs										\$ 118.46			
			Totals	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ 0.00	\$	\$ 2,646.67			
			Electric	\$ 13,375.18												
			Natural Gas	\$ 592.32												
			Grand Total - NYSE&G/National Fuel Gas Costs To Date	\$ 13,967.50												
Overbilled natural gas costs																
Estimated Reading																
Utility Provider	Phone #	E&E Cost Center	Location Description	October '05	November '05	December '05	January '06	February '06	March '06	April '06	May '06					
Verizon	716-652-0094	000699.NY06.05	Mr. C's Telephone Costs	\$ -	\$ 38.60	\$ 38.71	\$ 38.94	\$ 38.86	\$ 38.56	\$ -						
Account#																
716 652 0094 416 26 2																
				June '06	July '06	August	September	October	November	December			Ave./Month			
				\$ -	\$ -	\$ -	\$ -	\$ -	\$ -	\$ -			\$ 32.45			
			Grand Total - Verizon Costs to Date	\$ 194.67												
			Grand Total All Utilities To Date	\$ 14,162.17												

****This includes initial connection fees for the phone company of approximately \$180.

Mr. C's Dry Cleaners Site - Remedial Treatment Utility Costs

NYSDEC Work Assignment #27.4		Budget Remaining:		Electric:	\$10,648.82
12 Months of System Operation and Maintenance				Telephone:	\$485.33
March 2006 Report				Gas	\$507.68
				Total:	\$11,641.83

Monthly Treatment System Operational Time by O&M Services

Month	Possible OP Hours	Actual OP Hours	Up-Time Percent	Percent Capacity*
September-03	96	96	100.00%	58%
October-03	168	168	100.00%	6%
November-03	720	720	100.00%	5%
December-03	744	744	100.00%	28%
January-04	672	672	100.00%	16%
February-04	696	696	100.00%	21%
March-04	816	815	99.88%	51%
April-04	672	670	99.70%	50%
May-04	686	513	73.71%	43%
June-04	696	692	99.43%	30%
July-04	840	840	100.00%	47%
August-04	672	672	100.00%	42%
September-04	840	820	97.62%	31%
October-04	672	607	90.33%	33%
November-04	696	641.5	92.17%	37%
December-04	816	792	97.06%	42%
January-05	840	840	100.00%	46%
February-05	672	660	98.21%	41%
March-05	840	828	98.57%	33%
April-05	696	609	87.50%	58%
May-05	840	768	91.43%	98%
June-05	744	644	86.56%	30%
July-05	624	605.5	97.04%	44%
August-05	696	696	100.00%	44%
September-05	864	864	100.00%	40%
October-05	672	672	100.00%	39%
November-05	672	659	98.07%	34%
December-05	864	854	98.84%	29.6%
January-06	816	816	100.00%	36.7%
February-06	696	696	100.00%	54.8%
March-06	696	696	100.00%	56.4%
Totals to Date	21744	21066	96.88%	

* Percent Capacity is based on initial operating groundwater flows from the eight installed pumps from 9/02. Evaluated on total gallons discharged for monthly operating time. Maximum pump discharges calculated as an average of 78 gpm as the total for all 8 pumps at the site if all pumps operate 100%. With the exception of groundwater pump RW-1 all other pumps run a batch basis.

Projected Utility Costs for the O&M year (10/05 to 4/06)		
Mr. C's Electric	\$ 2,229.20	
Agway Electric	\$ 299.01	
Mr. C's Gas	\$ 118.46	
Mr. C's Telephone	\$ 32.45	
Ave. Utility Cost Total	\$ 2,679.11	12 month Estimate
		\$34,828.47