



# ecology and environment engineering and geology, p.c.

Environmental Specialists

---

## BUFFALO CORPORATE CENTER

368 Pleasant View Drive

Lancaster, New York 14086

Tel: (716) 684-8060, Fax: (716) 684-0844

December 14, 2020

Mr. Payson Long, Project Manager  
New York State Department of Environmental Conservation  
Division of Environmental Remediation  
625 Broadway, 12th Floor  
Albany, New York 12233 - 7013

Re: Mr. C's Dry Cleaners Site, Contract # D009807, Site # 915157  
October 2020 Operations, Maintenance, and Monitoring Report

Dear Mr. Long:

Ecology and Environment Engineering and Geology, P.C. (E&E) is pleased to provide the October 2020 Operations, Maintenance, and Monitoring (OM&M) Report for the Mr. C's Dry Cleaners Site, NYSDEC Site # 915157, located in the Village of East Aurora, New York.


During the October 2020 reporting period, the treatment system was in operation from September 29, 2020 through November 2, 2020. The October monthly OM&M sampling was performed on October 1, 2020, and the results were received from Eurofins on October 7, 2020 (See [Attachment A](#)). A summary of field activities prepared by E&E's subcontractor, IYER Environmental Group, PLLC. (IEG), is provided in [Attachment B](#).

In review of the on-site treatment system operations, monitoring and maintenance from IEG for October 2020, E&E offers the following comments and highlights:


### **Operational Summary:**

- Based on inspection reports prepared by IEG, the remedial treatment system for the period of September 29, 2020 through November 2, 2020, had an approximate operational up-time of 92.86%, and 111,305 gallons of contaminated groundwater were treated during the reporting period. The treated effluent volumes and operational up-time can be seen in [Table 1](#).
- The compliance samples from October 1, 2020 collected from the effluent sampling port met all requirements of the SPDES Equivalency permit. The effluent results are provided in [Table 2](#). Cleaning of the air stripper occurred from October 14-16, 2020 to address September 2020 effluent results that exceeded the SPDES Equivalency permit requirements.
- The analytical summary results of the October 1, 2020 samples revealed the total volatile organic contaminant concentrations of the influent to be 5,372.0 µg/L and the concentration of total volatile organic contaminants in the effluent was 0.0 µg/L. The summary of influent and effluent contaminant concentrations for the October 2020 sampling are presented in [Table 3](#). [Figure 1](#) shows the influent and effluent VOC concentrations during each sampling event in 2018, 2019, and 2020.

- The Mr. C's treatment system, based on the total flows from the uptime operations, removed 4.99 lbs. of targeted contaminants from the groundwater between September 29, 2020 through November 2, 2020. The cleanup effectiveness for September 2020 was approximately 100%. The calculations and data for the month are presented in Table 3. The mass of VOCs removed each month throughout 2018, 2019 and 2020 is shown in Figure 2.



**Figure 1:** Monthly Influent and Effluent VOC concentrations - 2018 - 2020.



**Figure 2:** Mass of VOCs removed each month - 2018 - 2020.

If you have questions regarding the October 2020 OM&M report summary, please do not hesitate to contact me at 716-684-8060 or [ashlee.smith@wsp.com](mailto:ashlee.smith@wsp.com).

**Mr. Payson Long, Project Manager**

**December 14, 2020**

**Page 3 of 3**

Very Truly Yours,

**Ecology and Environment Engineering and Geology, P. C.**

A handwritten signature in black ink, appearing to read "Ashlee Smith", followed by a horizontal line.

Ashlee Smith, P.E.

Project Manager

cc: M. Kuczka, Region 9, NYSDEC – Buffalo w/ attachments

**Table 1**  
**Mr. C's Dry Cleaners Site Remediation**  
**Site #915157**  
**System Operation and Management**

Month	Sample Date	Up-time (Reporting Period)		Treated Effluent (gallons)	VOC Removal		
		Reporting Hours	Operational Up-time		Influent VOCs (µg/L)	Effluent VOCs (µg/L)	VOCs Removed (lbs.)
<b>(Treatment System Up-time from 9/5/02 to 01/03/20)</b>		<b>147,266</b>	<b>91.54%</b>	<b>134,339,311</b>	<b>NA</b>	<b>NA</b>	<b>1,794.68</b>
January 03, 2020 to February 07, 2020	February 6, 2020	672	77.78%	92,500	3,439.0	5.00	2.65
February 08, 2020 to March 02, 2020	March 2, 2020	576	100.00%	129,217	4,267.7	0.00	4.60
March 03, 2020 to April 06, 2020	April 6, 2020	840	100.00%	142,390	4,040	0.00	4.80
April 07, 2020 to May 04, 2020	May 4, 2020	672	100.00%	103,085	3,761	0.00	3.24
May 05, 2020 to June 03, 2020	June 3, 2020	720	100.00%	98,755	4,199	0.00	3.46
June 04, 2020 to August 03, 2020	July 14, 2020	1320	90.16%	172,706	4,280	0.00	6.17
August 04, 2020 to August 31, 2020	August 3, 2020	672	100.00%	93,458	3,525	0.90	2.75
September 01, 2020 to September 28, 2020	September 2, 2020	672	100.00%	91,163	1,662	78.50	1.26
September 29, 2020 to November 02, 2020	October 1, 2020	612	92.86%	111,305	5,372	0.00	4.99
<i>Total in 2020</i>		<b>6,756</b>	<b>94.59%</b>	<b>1,034,579</b>	<b>NA</b>	<b>NA</b>	<b>33.92</b>
<i>Total from startup</i>		<b>154,022</b>	<b>91.69%</b>	<b>135,373,890</b>	<b>NA</b>	<b>NA</b>	<b>1,828.60</b>

NOTES:

1. Up-time based as percentage of total reporting hours.
2. Treatment system operated by Iyer Environmental Group from 07/07/2016 to 2/24/2020 and 6/17/20 to present. GES operated the system from 2/24/20 to 6/17/20.
3. VOC removal calculations are based on monthly water samples and assumes samples are representative of the entire reporting period.
4. VOC removal calculations assume that non-detect values = 0 ug/L.
5. Total VOCs summations include estimated "J" values.
6. VOC removal calculations are based on effluent totalizer readings.
7. "Influent VOCs" and "Effluent VOCs" values given above is the summation of values for individual compounds given in monthly analytical reports.
8. Unit conversion: 1 pound = 453.5924 grams, 1 gallon = 3.785 liters
9. Formula for the VOC removal calculation:

$$(VOCs_{Influent} - VOCs_{Effluent})(\mu g/L) \cdot (1g/10^6 \mu g) \cdot (1 \text{ lb}/453.5924 \text{ g}) \cdot (Monthly \text{ process water})(gal) \cdot (3.785 \text{ L/gallon})$$

µg/L = micrograms per liter

lbs = pounds

**Table 2**  
**Mr. C's Dry Cleaners Site Remediation**  
**Site #915157**  
**Effluent Discharge Criteria & Analytical Compliance Results**

Parameter/Analyte	Daily Maximum <sup>1</sup>	Units	October 1, 2020 Effluent Analytical Values Compliance
Flow (Average) <sup>2</sup>	N/A	gpd	3,425
pH	6.0 - 9.0	standard units	8.3
1,1 Dichloroethene	10	µg/L	ND(<1.0)
cis-1,2-dichloroethene	10	µg/L	ND(<1.0)
Trichloroethene	10	µg/L	ND(<1.0)
Tetrachloroethene	10	µg/L	ND(<1.0)
Vinyl Chloride	10	µg/L	ND(<1.0)
Benzene	5	µg/L	ND(<1.0)
Ethylbenzene	5	µg/L	ND(<1.0)
Methylene Chloride	10	µg/L	ND (<1.0)
1,1,1 Trichloroethane	10	µg/L	ND (<1.0)
Toluene	5	µg/L	ND(<1.0)
Methyl-t-Butyl Ether (MTBE)	NA	ug/L	ND(<1.0)
o-Xylene <sup>3</sup>	5	µg/L	ND(<2.0)
m, p-Xylene <sup>3</sup>	10	µg/L	ND(<2.0)
Total Xylenes	NA	ug/L	ND(<2.0)
Iron, total <sup>4</sup>	600	µg/L	NA <sup>4</sup>
Aluminum <sup>4</sup>	4,000	µg/L	NA <sup>4</sup>
Copper <sup>4</sup>	48	µg/L	NA <sup>4</sup>
Lead <sup>4</sup>	11	µg/L	NA <sup>4</sup>
Manganese <sup>4</sup>	2,000	µg/L	NA <sup>4</sup>
Silver <sup>4</sup>	100	µg/L	NA <sup>4</sup>
Vanadium <sup>4</sup>	28	µg/L	NA <sup>4</sup>
Zinc <sup>4</sup>	230	µg/L	NA <sup>4</sup>
Total Dissolved Solids <sup>4</sup>	850	mg/L	NA <sup>4</sup>
Total Suspended Solids <sup>4</sup>	20	mg/L	NA <sup>4</sup>
Hardness	N/A	mg/L	524
Cyanide, Free <sup>4</sup>	10	µg/L	NA <sup>4</sup>

**NOTES:**

1. "Daily Maximum" excerpted from Attachment E of Addendum 1 to the Construction Contract Documents dated October 2000.
2. Average flows based on effluent readings:  
**September 29, 2020 through November 2, 2020 = 3,425 gallons per day**
3. Analytical report did not differentiate between o-Xylene and m, p-Xylene. Total Xylene value reported is given in each line.
4. Removed from the required analysis list by NYSDEC Region 9 in February 2005.
5. Dark shaded cells indicate that analytical value exceeds the "Daily Maximum."
6. "ND" indicates that the compound was not detected and lists the practical quantitation limit in parentheses.
7. "NA" indicates that analyses were not performed and data is unavailable.
8. "J" indicates an estimated value below the detection limit.
9. "B" indicates analyte found in the associated blank.
10. "NS" indicates that the parameter analysis was not sampled.

40

NR

Indicates non-compliance with the NYSDEC effluent discharge requirements

Indicates Not Reported by Lab

**Table 3**  
**Mr. C's Dry Cleaners Site Remediation**  
**NYSDEC Site #915157**  
**October 2020 VOC Analytical Summary**

Compound	Based on the October 1, 2020 Effluent Analytical Results				
	Influent Concentration		Effluent Concentration		Treatment Efficiency*
	(ug/L)		(ug/L)		(%)
Acetone	ND(<400)	U	ND(<10)	U	NA
Benzene	ND(<40)	U	ND(<1.0)	U	NA
2-Butanone	ND(<400)	U	ND(<10)	U	NA
1,1-Dichloroethene	ND (<40)	U	ND(<1.0)	U	NA
cis-1, 2-Dichloroethene	2,200		ND(<1.0)	U	100.00%
Chloroform	ND(<40)	U	ND(<1.0)	U	NA
Chloromethane	ND(<40)	U	ND(<1.0)	U	NA
Methylene chloride	ND(<40)	U	ND (<1.0)	U	NA
Methyl tert-butyl ether (MTBE)	12	J	ND(<1.0)	U	100.00%
Methyl acetate	ND(<100)	U	ND(<2.5)	U	NA
Tetrachloroethene (PCE)	2,400		ND(<1.0)	U	100.00%
Toluene	ND(<40)	U	ND(<1.0)	U	NA
Trichloroethene (TCE)	570		ND(<1.0)	U	100.00%
Carbon Disulfide	ND(<40)	U	ND(<1.0)	U	NA
1,1,2 Trichloro-1,2,2-trifluoroethane	ND(<40)	U	ND(<1.0)	U	NA
2-Hexanone	ND(<200)	U	ND(<5.0)	U	NA
4-Methyl-2-pentanone	ND(<200)	U	ND(<5.0)	U	NA
Cyclohexane	ND(<40)	U	ND(<1.0)	U	NA
trans-1,2-dichloroethene	ND(<40)	U	ND(<1.0)	U	NA
Chlorobenzene	ND(<40)	U	ND(<1.0)	U	NA
Methylcyclohexane	ND(<40)	U	ND(<1.0)	U	NA
Ethylbenzene	ND(<40)	U	ND(<1.0)	U	NA
Vinyl Chloride	190		ND(<1.0)	U	100.00%
Total Xylenes	ND(<80)	U	ND(<2.0)	U	NA
<b>TOTAL:</b>	<b>5,372</b>		<b>0.0</b>		<b>100.00%</b>

**Notes:**

1. The efficiency cleanup values are calculated based on the October 1, 2020 results
2. "NA" = Not applicable
3. "U" = Compound analyzed, but was not detected. Detection limit in parentheses.
4. "DJ" or "J" indicates an estimated value below the practical quantitation limit but above the method detection limit.
5. "F1"=MS and/or MSD recovery exceeds control limits.
6. Non-detect values are assumed to be equal to zero for calculation of monthly average concentrations.
7. "S" indicates an estimated value and suspected lab contamination.
8. "Bold" - exceeds the SPDES Equivalency Permit Requirements.

\* Contaminants of Concern only

**Attachment A**  
**Excerpts from the**  
**Groundwater Treatment System**  
**Analytical Report from**  
**Eurofins TestAmerica**

**Analytical Data Package Work Order ID: J175878**  
**Sampled by IEG: October 1, 2020**  
**Report Received: October 7, 2020**

## ANALYTICAL REPORT

Eurofins TestAmerica, Buffalo  
10 Hazelwood Drive  
Amherst, NY 14228-2298  
Tel: (716)691-2600

Laboratory Job ID: 480-175878-1  
Client Project/Site: Mr. C's Dry Cleaner

**For:**

Ecology and Environment, Inc.  
368 Pleasant View Drive  
Lancaster, New York 14086

Attn: Ashlee Smith



Authorized for release by:  
10/7/2020 10:55:22 AM

Rebecca Jones, Project Management Assistant I  
[Rebecca.Jones@Eurofinset.com](mailto:Rebecca.Jones@Eurofinset.com)

Designee for

John Schove, Project Manager II  
(716)504-9838  
[John.Schove@Eurofinset.com](mailto:John.Schove@Eurofinset.com)

### LINKS

Review your project  
results through

**TotalAccess**

Have a Question?



Visit us at:

[www.eurofinsus.com/Env](http://www.eurofinsus.com/Env)

*The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.*

*This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.*

*Results relate only to the items tested and the sample(s) as received by the laboratory.*



## Definitions/Glossary

Client: Ecology and Environment, Inc.  
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-175878-1

### Qualifiers

#### GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

#### General Chemistry

Qualifier	Qualifier Description
HF	Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.
U	Indicates the analyte was analyzed for but not detected.

### Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

# Case Narrative

Client: Ecology and Environment, Inc.  
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-175878-1

**Job ID: 480-175878-1**

**Laboratory: Eurofins TestAmerica, Buffalo**

## Narrative

### Job Narrative 480-175878-1

## Comments

No additional comments.

## Receipt

The samples were received on 10/1/2020 12:30 PM; the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 9.6° C.

## GC/MS VOA

Method 8260C: The following sample was diluted to bring the concentration of target analytes within the calibration range: INFLUENT (480-175878-1). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

## General Chemistry

Methods 9040C, SM 4500 H+ B: This analysis is normally performed in the field and has a method-defined holding time of 15 minutes. The following samples has been qualified with the "HF" flag to indicate analysis was performed in the laboratory outside the 15 minute timeframe: INFLUENT (480-175878-1) and EFFLUENT (480-175878-2).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

## Detection Summary

Client: Ecology and Environment, Inc.  
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-175878-1

### Client Sample ID: INFLUENT

Lab Sample ID: 480-175878-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	2200		40	32	ug/L	40		8260C	Total/NA
Methyl tert-butyl ether	12	J	40	6.4	ug/L	40		8260C	Total/NA
Tetrachloroethene	2400		40	14	ug/L	40		8260C	Total/NA
Trichloroethene	570		40	18	ug/L	40		8260C	Total/NA
Vinyl chloride	190		40	36	ug/L	40		8260C	Total/NA
Hardness as calcium carbonate	516		4.0	1.1	mg/L	1		SM 2340C	Total/NA
pH	7.3	HF	0.1	0.1	SU	1		SM 4500 H+ B	Total/NA
Temperature	17.3	HF	0.001	0.001	Degrees C	1		SM 4500 H+ B	Total/NA

### Client Sample ID: EFFLUENT

Lab Sample ID: 480-175878-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Hardness as calcium carbonate	524		4.0	1.1	mg/L	1		SM 2340C	Total/NA
pH	8.3	HF	0.1	0.1	SU	1		SM 4500 H+ B	Total/NA
Temperature	17.9	HF	0.001	0.001	Degrees C	1		SM 4500 H+ B	Total/NA

### Client Sample ID: DISCHARGE

Lab Sample ID: 480-175878-3

No Detections.

# Client Sample Results

Client: Ecology and Environment, Inc.  
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-175878-1

Client Sample ID: INFLUENT

Lab Sample ID: 480-175878-1

Date Collected: 10/01/20 10:30

Matrix: Water

Date Received: 10/01/20 12:30

## Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	40	U	40	33	ug/L			10/05/20 11:48	40
1,1,2,2-Tetrachloroethane	40	U	40	8.4	ug/L			10/05/20 11:48	40
1,1,2-Trichloro-1,2,2-trifluoroethane	40	U	40	12	ug/L			10/05/20 11:48	40
1,1,2-Trichloroethane	40	U	40	9.2	ug/L			10/05/20 11:48	40
1,1-Dichloroethane	40	U	40	15	ug/L			10/05/20 11:48	40
1,1-Dichloroethene	40	U	40	12	ug/L			10/05/20 11:48	40
1,2,4-Trichlorobenzene	40	U	40	16	ug/L			10/05/20 11:48	40
1,2-Dibromo-3-Chloropropane	40	U	40	16	ug/L			10/05/20 11:48	40
1,2-Dibromoethane	40	U	40	29	ug/L			10/05/20 11:48	40
1,2-Dichlorobenzene	40	U	40	32	ug/L			10/05/20 11:48	40
1,2-Dichloroethane	40	U	40	8.4	ug/L			10/05/20 11:48	40
1,2-Dichloropropane	40	U	40	29	ug/L			10/05/20 11:48	40
1,3-Dichlorobenzene	40	U	40	31	ug/L			10/05/20 11:48	40
1,4-Dichlorobenzene	40	U	40	34	ug/L			10/05/20 11:48	40
2-Butanone (MEK)	400	U	400	53	ug/L			10/05/20 11:48	40
2-Hexanone	200	U	200	50	ug/L			10/05/20 11:48	40
4-Methyl-2-pentanone (MIBK)	200	U	200	84	ug/L			10/05/20 11:48	40
Acetone	400	U	400	120	ug/L			10/05/20 11:48	40
Benzene	40	U	40	16	ug/L			10/05/20 11:48	40
Bromodichloromethane	40	U	40	16	ug/L			10/05/20 11:48	40
Bromoform	40	U	40	10	ug/L			10/05/20 11:48	40
Bromomethane	40	U	40	28	ug/L			10/05/20 11:48	40
Carbon disulfide	40	U	40	7.6	ug/L			10/05/20 11:48	40
Carbon tetrachloride	40	U	40	11	ug/L			10/05/20 11:48	40
Chlorobenzene	40	U	40	30	ug/L			10/05/20 11:48	40
Chloroethane	40	U	40	13	ug/L			10/05/20 11:48	40
Chloroform	40	U	40	14	ug/L			10/05/20 11:48	40
Chloromethane	40	U	40	14	ug/L			10/05/20 11:48	40
cis-1,2-Dichloroethene	2200		40	32	ug/L			10/05/20 11:48	40
cis-1,3-Dichloropropene	40	U	40	14	ug/L			10/05/20 11:48	40
Cyclohexane	40	U	40	7.2	ug/L			10/05/20 11:48	40
Dibromochloromethane	40	U	40	13	ug/L			10/05/20 11:48	40
Dichlorodifluoromethane	40	U	40	27	ug/L			10/05/20 11:48	40
Ethylbenzene	40	U	40	30	ug/L			10/05/20 11:48	40
Isopropylbenzene	40	U	40	32	ug/L			10/05/20 11:48	40
Methyl acetate	100	U	100	52	ug/L			10/05/20 11:48	40
Methyl tert-butyl ether	12	J	40	6.4	ug/L			10/05/20 11:48	40
Methylcyclohexane	40	U	40	6.4	ug/L			10/05/20 11:48	40
Methylene Chloride	40	U	40	18	ug/L			10/05/20 11:48	40
Styrene	40	U	40	29	ug/L			10/05/20 11:48	40
Tetrachloroethene	2400		40	14	ug/L			10/05/20 11:48	40
Toluene	40	U	40	20	ug/L			10/05/20 11:48	40
trans-1,2-Dichloroethene	40	U	40	36	ug/L			10/05/20 11:48	40
trans-1,3-Dichloropropene	40	U	40	15	ug/L			10/05/20 11:48	40
Trichloroethene	570		40	18	ug/L			10/05/20 11:48	40
Trichlorofluoromethane	40	U	40	35	ug/L			10/05/20 11:48	40
Vinyl chloride	190		40	36	ug/L			10/05/20 11:48	40
Xylenes, Total	80	U	80	26	ug/L			10/05/20 11:48	40

Eurofins TestAmerica, Buffalo

# Client Sample Results

Client: Ecology and Environment, Inc.  
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-175878-1

## Client Sample ID: INFLUENT

Lab Sample ID: 480-175878-1

Date Collected: 10/01/20 10:30

Matrix: Water

Date Received: 10/01/20 12:30

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	112		77 - 120		10/05/20 11:48	40
4-Bromofluorobenzene (Surr)	108		73 - 120		10/05/20 11:48	40
Dibromofluoromethane (Surr)	113		75 - 123		10/05/20 11:48	40
Toluene-d8 (Surr)	97		80 - 120		10/05/20 11:48	40

### General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Hardness as calcium carbonate	516		4.0	1.1	mg/L			10/05/20 12:06	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	7.3	HF	0.1	0.1	SU			10/04/20 11:55	1
Temperature	17.3	HF	0.001	0.001	Degrees C			10/04/20 11:55	1

## Client Sample ID: EFFLUENT

Lab Sample ID: 480-175878-2

Date Collected: 10/01/20 10:30

Matrix: Water

Date Received: 10/01/20 12:30

### Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0	0.82	ug/L			10/05/20 12:12	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0	0.21	ug/L			10/05/20 12:12	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0	0.31	ug/L			10/05/20 12:12	1
1,1,2-Trichloroethane	1.0	U	1.0	0.23	ug/L			10/05/20 12:12	1
1,1-Dichloroethane	1.0	U	1.0	0.38	ug/L			10/05/20 12:12	1
1,1-Dichloroethene	1.0	U	1.0	0.29	ug/L			10/05/20 12:12	1
1,2,4-Trichlorobenzene	1.0	U	1.0	0.41	ug/L			10/05/20 12:12	1
1,2-Dibromo-3-Chloropropane	1.0	U	1.0	0.39	ug/L			10/05/20 12:12	1
1,2-Dibromoethane	1.0	U	1.0	0.73	ug/L			10/05/20 12:12	1
1,2-Dichlorobenzene	1.0	U	1.0	0.79	ug/L			10/05/20 12:12	1
1,2-Dichloroethane	1.0	U	1.0	0.21	ug/L			10/05/20 12:12	1
1,2-Dichloropropane	1.0	U	1.0	0.72	ug/L			10/05/20 12:12	1
1,3-Dichlorobenzene	1.0	U	1.0	0.78	ug/L			10/05/20 12:12	1
1,4-Dichlorobenzene	1.0	U	1.0	0.84	ug/L			10/05/20 12:12	1
2-Butanone (MEK)	10	U	10	1.3	ug/L			10/05/20 12:12	1
2-Hexanone	5.0	U	5.0	1.2	ug/L			10/05/20 12:12	1
4-Methyl-2-pentanone (MIBK)	5.0	U	5.0	2.1	ug/L			10/05/20 12:12	1
Acetone	10	U	10	3.0	ug/L			10/05/20 12:12	1
Benzene	1.0	U	1.0	0.41	ug/L			10/05/20 12:12	1
Bromodichloromethane	1.0	U	1.0	0.39	ug/L			10/05/20 12:12	1
Bromoform	1.0	U	1.0	0.26	ug/L			10/05/20 12:12	1
Bromomethane	1.0	U	1.0	0.69	ug/L			10/05/20 12:12	1
Carbon disulfide	1.0	U	1.0	0.19	ug/L			10/05/20 12:12	1
Carbon tetrachloride	1.0	U	1.0	0.27	ug/L			10/05/20 12:12	1
Chlorobenzene	1.0	U	1.0	0.75	ug/L			10/05/20 12:12	1
Chloroethane	1.0	U	1.0	0.32	ug/L			10/05/20 12:12	1
Chloroform	1.0	U	1.0	0.34	ug/L			10/05/20 12:12	1
Chloromethane	1.0	U	1.0	0.35	ug/L			10/05/20 12:12	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.81	ug/L			10/05/20 12:12	1
cis-1,3-Dichloropropene	1.0	U	1.0	0.36	ug/L			10/05/20 12:12	1
Cyclohexane	1.0	U	1.0	0.18	ug/L			10/05/20 12:12	1
Dibromochloromethane	1.0	U	1.0	0.32	ug/L			10/05/20 12:12	1

Eurofins TestAmerica, Buffalo

# Client Sample Results

Client: Ecology and Environment, Inc.  
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-175878-1

**Client Sample ID: EFFLUENT**

**Lab Sample ID: 480-175878-2**

Date Collected: 10/01/20 10:30

Matrix: Water

Date Received: 10/01/20 12:30

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dichlorodifluoromethane	1.0	U	1.0	0.68	ug/L			10/05/20 12:12	1
Ethylbenzene	1.0	U	1.0	0.74	ug/L			10/05/20 12:12	1
Isopropylbenzene	1.0	U	1.0	0.79	ug/L			10/05/20 12:12	1
Methyl acetate	2.5	U	2.5	1.3	ug/L			10/05/20 12:12	1
Methyl tert-butyl ether	1.0	U	1.0	0.16	ug/L			10/05/20 12:12	1
Methylcyclohexane	1.0	U	1.0	0.16	ug/L			10/05/20 12:12	1
Methylene Chloride	1.0	U	1.0	0.44	ug/L			10/05/20 12:12	1
Styrene	1.0	U	1.0	0.73	ug/L			10/05/20 12:12	1
Tetrachloroethene	1.0	U	1.0	0.36	ug/L			10/05/20 12:12	1
Toluene	1.0	U	1.0	0.51	ug/L			10/05/20 12:12	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.90	ug/L			10/05/20 12:12	1
trans-1,3-Dichloropropene	1.0	U	1.0	0.37	ug/L			10/05/20 12:12	1
Trichloroethene	1.0	U	1.0	0.46	ug/L			10/05/20 12:12	1
Trichlorofluoromethane	1.0	U	1.0	0.88	ug/L			10/05/20 12:12	1
Vinyl chloride	1.0	U	1.0	0.90	ug/L			10/05/20 12:12	1
Xylenes, Total	2.0	U	2.0	0.66	ug/L			10/05/20 12:12	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	108		77 - 120		10/05/20 12:12	1
4-Bromofluorobenzene (Surr)	103		73 - 120		10/05/20 12:12	1
Dibromofluoromethane (Surr)	99		75 - 123		10/05/20 12:12	1
Toluene-d8 (Surr)	98		80 - 120		10/05/20 12:12	1

## General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Hardness as calcium carbonate	524		4.0	1.1	mg/L			10/05/20 12:06	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	8.3	HF	0.1	0.1	SU			10/04/20 11:59	1
Temperature	17.9	HF	0.001	0.001	Degrees C			10/04/20 11:59	1

**Client Sample ID: DISCHARGE**

**Lab Sample ID: 480-175878-3**

Date Collected: 10/01/20 10:30

Matrix: Water

Date Received: 10/01/20 12:30

## Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0	0.82	ug/L			10/05/20 12:36	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0	0.21	ug/L			10/05/20 12:36	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0	0.31	ug/L			10/05/20 12:36	1
1,1,2-Trichloroethane	1.0	U	1.0	0.23	ug/L			10/05/20 12:36	1
1,1-Dichloroethane	1.0	U	1.0	0.38	ug/L			10/05/20 12:36	1
1,1-Dichloroethene	1.0	U	1.0	0.29	ug/L			10/05/20 12:36	1
1,2,4-Trichlorobenzene	1.0	U	1.0	0.41	ug/L			10/05/20 12:36	1
1,2-Dibromo-3-Chloropropane	1.0	U	1.0	0.39	ug/L			10/05/20 12:36	1
1,2-Dibromoethane	1.0	U	1.0	0.73	ug/L			10/05/20 12:36	1
1,2-Dichlorobenzene	1.0	U	1.0	0.79	ug/L			10/05/20 12:36	1
1,2-Dichloroethane	1.0	U	1.0	0.21	ug/L			10/05/20 12:36	1
1,2-Dichloropropane	1.0	U	1.0	0.72	ug/L			10/05/20 12:36	1
1,3-Dichlorobenzene	1.0	U	1.0	0.78	ug/L			10/05/20 12:36	1
1,4-Dichlorobenzene	1.0	U	1.0	0.84	ug/L			10/05/20 12:36	1

Eurofins TestAmerica, Buffalo

# Client Sample Results

Client: Ecology and Environment, Inc.  
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-175878-1

Client Sample ID: DISCHARGE

Lab Sample ID: 480-175878-3

Date Collected: 10/01/20 10:30

Matrix: Water

Date Received: 10/01/20 12:30

## Method: 8260C - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2-Butanone (MEK)	10	U	10	1.3	ug/L			10/05/20 12:36	1
2-Hexanone	5.0	U	5.0	1.2	ug/L			10/05/20 12:36	1
4-Methyl-2-pentanone (MIBK)	5.0	U	5.0	2.1	ug/L			10/05/20 12:36	1
Acetone	10	U	10	3.0	ug/L			10/05/20 12:36	1
Benzene	1.0	U	1.0	0.41	ug/L			10/05/20 12:36	1
Bromodichloromethane	1.0	U	1.0	0.39	ug/L			10/05/20 12:36	1
Bromoform	1.0	U	1.0	0.26	ug/L			10/05/20 12:36	1
Bromomethane	1.0	U	1.0	0.69	ug/L			10/05/20 12:36	1
Carbon disulfide	1.0	U	1.0	0.19	ug/L			10/05/20 12:36	1
Carbon tetrachloride	1.0	U	1.0	0.27	ug/L			10/05/20 12:36	1
Chlorobenzene	1.0	U	1.0	0.75	ug/L			10/05/20 12:36	1
Chloroethane	1.0	U	1.0	0.32	ug/L			10/05/20 12:36	1
Chloroform	1.0	U	1.0	0.34	ug/L			10/05/20 12:36	1
Chloromethane	1.0	U	1.0	0.35	ug/L			10/05/20 12:36	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.81	ug/L			10/05/20 12:36	1
cis-1,3-Dichloropropene	1.0	U	1.0	0.36	ug/L			10/05/20 12:36	1
Cyclohexane	1.0	U	1.0	0.18	ug/L			10/05/20 12:36	1
Dibromochloromethane	1.0	U	1.0	0.32	ug/L			10/05/20 12:36	1
Dichlorodifluoromethane	1.0	U	1.0	0.68	ug/L			10/05/20 12:36	1
Ethylbenzene	1.0	U	1.0	0.74	ug/L			10/05/20 12:36	1
Isopropylbenzene	1.0	U	1.0	0.79	ug/L			10/05/20 12:36	1
Methyl acetate	2.5	U	2.5	1.3	ug/L			10/05/20 12:36	1
Methyl tert-butyl ether	1.0	U	1.0	0.16	ug/L			10/05/20 12:36	1
Methylcyclohexane	1.0	U	1.0	0.16	ug/L			10/05/20 12:36	1
Methylene Chloride	1.0	U	1.0	0.44	ug/L			10/05/20 12:36	1
Styrene	1.0	U	1.0	0.73	ug/L			10/05/20 12:36	1
Tetrachloroethene	1.0	U	1.0	0.36	ug/L			10/05/20 12:36	1
Toluene	1.0	U	1.0	0.51	ug/L			10/05/20 12:36	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.90	ug/L			10/05/20 12:36	1
trans-1,3-Dichloropropene	1.0	U	1.0	0.37	ug/L			10/05/20 12:36	1
Trichloroethene	1.0	U	1.0	0.46	ug/L			10/05/20 12:36	1
Trichlorofluoromethane	1.0	U	1.0	0.88	ug/L			10/05/20 12:36	1
Vinyl chloride	1.0	U	1.0	0.90	ug/L			10/05/20 12:36	1
Xylenes, Total	2.0	U	2.0	0.66	ug/L			10/05/20 12:36	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		77 - 120		10/05/20 12:36	1
4-Bromofluorobenzene (Surr)	107		73 - 120		10/05/20 12:36	1
Dibromofluoromethane (Surr)	103		75 - 123		10/05/20 12:36	1
Toluene-d8 (Surr)	96		80 - 120		10/05/20 12:36	1



# TestAmerica

## Chain of Custody Custody Record

Temperature on Receipt \_\_\_\_\_  
Drinking Water? Yes ☐ No ☒

THE LEADER IN ENVIRONMENTAL TESTING

TAL-4124 (1007)

Client <b>Ecology and Environment</b>		Project Manager <b>Ashlee Smith</b>	Date <b>Oct 1, 2020</b>	Chain of Custody Number <b>291670</b>
Address <b>368 Pleasantview Dr</b>		Telephone Number (Area Code)/Fax Number <b>(716) 684-8060 ext 2710</b>	Lab Number	Page <b>1</b> of <b>1</b>
City <b>Lancaster</b>	State <b>NY</b>	Zip Code <b>14086</b>	Site Contact <b>R. Allen</b>	Lab Contact <b>John Schove</b>
Project Name and Location (State) <b>MRCs OM&amp;M (NY)</b>		Carrier/Maybill Number		

Sample I.D. No. and Description (Containers for each sample may be combined on one line)	Date	Time	Matrix				Containers & Preservatives				Analysis (Attach list if more space is needed)	Special Instructions/ Conditions of Receipt		
			Aqueous	Sed	Soil	Unpres.	H2SO4	HNO3	HCl	NaOH			ZnAc	
INFLUENT	10/1/20	10:30A	✓				1							
INFLUENT			✓											
INFLUENT			✓											
EFFLUENT			✓											
EFFLUENT			✓											
DISCHARGE			✓											



480-175878 Chain of Custody

Possible Hazard Identification <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown	Sample Disposal <input type="checkbox"/> Return To Client <input checked="" type="checkbox"/> Disposal By Lab <input type="checkbox"/> Archive For _____ Months	(A fee may be assessed if samples are retained longer than 1 month)
---	--	---

Turn Around Time Required <input type="checkbox"/> 24 Hours <input type="checkbox"/> 48 Hours <input checked="" type="checkbox"/> 7 Days <input type="checkbox"/> 14 Days <input type="checkbox"/> 21 Days <input type="checkbox"/> Other _____	QC Requirements (Specify)
1. Relinquished By <b>Richard C Allen Jr</b> Date <b>10/1/20</b> Time _____	1. Received By Date _____ Time _____
2. Relinquished By Date _____ Time _____	2. Received By Date _____ Time _____
3. Relinquished By Date _____ Time _____	3. Received By Date <b>10/1/20</b> Time <b>1230</b>

9.4 #1 ICE

DISTRIBUTION: WHITE - Returned to Client with Report; CANARY - Stays with the Sample; PINK - Field Copy



**Attachment B**  
**IEG Summary of Field Activities**  
**October 2020**

# Mr. C's CLEANERS OM&M

## SUMMARY OF FIELD ACTIVITIES BY IEG - Oct 2020

DATE	ACTIVITY
1-Oct-20	Monthly Treatment Room Sampling. Monthly Time and Expenses.
5-Oct-20	OM&M Weekly Inspection. Took delivery of Redux shipment. October End of Month Summaries.
7-Oct-20	Checked System. Changed Bag Filters. Office work.
12-Oct-20	OM&M Weekly Inspection. Mixed new drum of Redux Solution. Mobilized and dropped off Air Stripper cleaning equipment. Loaded and moved equipment to IEG Shed that is not needed.
14-Oct-20	Turned System OFF. Got supplies. Cleaned Air Stripper with acid solution.
15-Oct-20	Flushed out acid application system. Cleaned Air Stripper with power sprayer. Demobilized cleaning equipment.
16-Oct-20	Moved IEG Equipment to Shed. Moved IEG equipment to Treatment Room. Cleaned Air Stripper with Vacuum. Replaced broken band on Air Stripper access port. Turned System ON
18-Oct-20	Checked System. Swept up leaves in front of Treatment Room.
19-Oct-20	OM&M Weekly Inspection. Moved tools and instruments out of Treatment Room to make room for E&E, Inc sampling operation.
24-Oct-20	Checked System. Drained 586 Building SVE System.
26-Oct-20	OM&M Weekly Inspection.
29-Oct-20	Piezometer Readings. Mixed new batch of Redux Solution.
30-Oct-20	Piezometer Readings.

**MR. C's DRY CLEANERS SITE**  
**NYSDEC Site #9-15-157**  
**OM&M: SITE INSPECTION FORM**

DATE: <b>12-Oct-20</b>		ACTIVITIES: <b>Site Inspection</b>								
INSPECTION PERSONNEL: <b>R. Allen</b>		OTHER PERSONNEL: <b>Caroll Heating</b>								
WEATHER CONDITIONS: <b>Partly cloudy, warm</b>		OUTSIDE TEMPERATURE (° F): <b>70</b>								
ARE WELL PUMPS OPERATING IN AUTO: YES: <input type="checkbox"/> NO: <input checked="" type="checkbox"/> If "NO", provide explanation below <b>RW-1, PW-2 and PW-3 are manually set to OFF position; PW-4 through PW-8 are on AUTO</b>										
PROVIDE WATER LEVEL READINGS ON CONTROL PANEL										
RW-1	ON: <input checked="" type="checkbox"/>	OFF: <input type="checkbox"/> <b>13</b> ft	PW-5							
PW-2	ON: <input type="checkbox"/>	OFF: <input checked="" type="checkbox"/> <b>10</b> ft	PW-6							
PW-3	ON: <input checked="" type="checkbox"/>	OFF: <input type="checkbox"/> <b>11</b> ft	PW-7							
PW-4	ON: <input type="checkbox"/>	OFF: <input checked="" type="checkbox"/> <b>7</b> ft	PW-8							
EQUALIZATION TANK: <b>3</b> ft		Last Alarm D/T/Condition: <b>6/23/2020 Air Stripper Low Pressure</b>								
NOTES:										
INFLUENT FLOW RATE: <b>0</b> gpm		INFLUENT TOTALIZER READING: <b>20279845</b> gallons								
SEQUESTERING AGENT DRUM LEVEL: <b>32</b> inches		(x 1.7=) AMOUNT OF AGENT REMAINING: <b>55</b> gallons								
SEQUESTERING AGENT FEED RATE: <b>-----</b> ml/min		METERING PUMP PRESSURE: <b>-----</b> psi								
BAG FILTER PRESSURES:										
	LEFT: <table border="1" style="display: inline-table; vertical-align: middle;"> <tr><td>Top</td><td>Bottom</td></tr> <tr><td><b>0</b></td><td><b>0</b></td></tr> </table> psi	Top	Bottom	<b>0</b>	<b>0</b>	RIGHT: <table border="1" style="display: inline-table; vertical-align: middle;"> <tr><td>Top</td><td>Bottom</td></tr> <tr><td><b>6</b></td><td><b>0</b></td></tr> </table> psi	Top	Bottom	<b>6</b>	<b>0</b>
Top	Bottom									
<b>0</b>	<b>0</b>									
Top	Bottom									
<b>6</b>	<b>0</b>									
INFLUENT FEED PUMP IN USE: #1 <input checked="" type="checkbox"/> #2 <input type="checkbox"/>		INFLUENT PUMP PRESSURE: <b>7</b> psi								
AIR STRIPPER BLOWER IN USE: #1 <input checked="" type="checkbox"/> #2 <input type="checkbox"/>		AIR STRIPPER PRESSURE: <b>1.0 (27.7)</b> in. H <sub>2</sub> O								
AIR STRIPPER DIFFERENTIAL PRESSURE: <b>broken</b> in. H <sub>2</sub> O		DISCHARGE PRESSURE: <b>2.1</b> in. H <sub>2</sub> O								
AIR FLOW: <b>1400</b> fpm X 1.4 = <b>1960</b> CFM		AIR SPARGER LEFT <b>6.8</b> RIGHT <b>2.8</b> CFM								
AIR TEMP: <b>97.1</b> °F										
EFFLUENT PUMP IN USE: #1 <input type="checkbox"/> #2 <input checked="" type="checkbox"/>		EFFLUENT FEED PUMP PRESSURE: <b>4</b> psi								
EFFLUENT FLOW RATE: <b>86</b> gpm		EFFLUENT TOTALIZER READING: <b>86,847,238</b> broken gallons								
ARE BUILDING HEATERS IN USE? YES: <input type="checkbox"/> NO: <input checked="" type="checkbox"/>		INSIDE TEMPERATURE (° F): <b>77</b>								
IS SUMP PUMP IN USE: YES: <input checked="" type="checkbox"/> NO: <input type="checkbox"/>		ARE ANY LEAKS PRESENT? YES: <input type="checkbox"/> NO: <input checked="" type="checkbox"/>								
WATER LEVEL IN SUMP: <b>6.5</b> in.		TREATMENT BUILDING CLEAN & ORGANIZED? YES: <input checked="" type="checkbox"/> NO: <input type="checkbox"/>								

MR. C's DRY CLEANERS SITE  
NYSDEC Site #90150157  
SITE INSPECTION FORM

12-Oct-20

SAMPLES COLLECTED?    YES: \_\_\_\_\_    NO:   ✓

Sample ID

Time of Sampling

pH

Turbidity

Temp.

Sp. Cond.

AIR STRIPPER INFLUENT:

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

AIR STRIPPER EFFLUENT:

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

IS THERE EVIDENCE OF TAMPERING/VANDALISM OF WELLS: ?

YES: \_\_\_\_\_

NO:   ✓

WERE MANHOLES INSPECTED?

YES:   ✓

NO: \_\_\_\_\_

WERE ELECTRICAL BOXES INSPECTED?

YES:   ✓

NO: \_\_\_\_\_

IS WATER PRESENT IN ANY MANHOLES OR ELECTRICAL BOXES?

YES: \_\_\_\_\_

NO:   ✓

If yes, provide manhole/electric box ID and description of any corrective measures below:

RW-1 inner ring is corroded. MPI-5S and MW-8 inner rings are damaged.

SUBSLAB SYSTEMS

TREATMENT ROOM

MANOMETER:   1.4   in. WC

west

east

NOTES:   cfm = 0.05 x fpm (3" PVC)

(Fan Inlet)

FLOW (fpm): \_\_\_\_\_

\_\_\_\_\_

CONDENSATE   0.5   gallon

FLOW (cfm): \_\_\_\_\_

\_\_\_\_\_

DRAINED   Yes

VACUUM GAUGE (in WC)

\_\_\_\_\_

OTHER LOCATIONS

586 Building SVE CONDENSATE drained:   YES     ✓

VOLUME:   0.5   gallon

INCLUDE REMARKS & DESCRIBE ANY OTHER SYSTEM MAINTENANCE PERFORMED ON MR. C's SITE

Remarks:

Other Actions: Mixed new drum of Redux solution.

Shut OFF System Oct 14. Cleaned Air Stripper with Meuriatic Acid, Power Washer and vacuum.

Turned System ON Oct 16.

**MR. C's DRY CLEANERS SITE**  
**NYSDEC Site #9-15-157**  
**OM&M: SITE INSPECTION FORM**

<b>DATE:</b> <u>26-Oct-20</u>		<b>ACTIVITIES:</b> <u>Site Inspection</u>	
<b>INSPECTION PERSONNEL:</b> <u>R. Allen</u>		<b>OTHER PERSONNEL:</b> <u>E&amp;E, Inc</u>	
<b>WEATHER CONDITIONS:</b> <u>Cloudy, drizzle, cool</u>		<b>OUTSIDE TEMPERATURE (° F):</b> <u>45</u>	
<hr/>			
<b>ARE WELL PUMPS OPERATING IN AUTO:</b>		<b>YES:</b> <input type="checkbox"/> <b>NO:</b> <input checked="" type="checkbox"/>	
<b>If "NO", provide explanation below</b>			
<u>RW-1, PW-2 and PW-3 are manually set to OFF position; PW-4 through PW-8 are on AUTO</u>			
<hr/>			
<b>PROVIDE WATER LEVEL READINGS ON CONTROL PANEL</b>			
RW-1	ON: <input checked="" type="checkbox"/>	OFF: <input type="checkbox"/>	<u>14</u> ft
PW-2	ON: <input type="checkbox"/>	OFF: <input checked="" type="checkbox"/>	<u>10</u> ft
PW-3	ON: <input checked="" type="checkbox"/>	OFF: <input type="checkbox"/>	<u>11</u> ft
PW-4	ON: <input type="checkbox"/>	OFF: <input checked="" type="checkbox"/>	<u>3</u> ft
PW-5	ON: <input checked="" type="checkbox"/>	OFF: <input type="checkbox"/>	<u>6</u> ft
PW-6	ON: <input type="checkbox"/>	OFF: <input checked="" type="checkbox"/>	<u>6</u> ft
PW-7	ON: <input type="checkbox"/>	OFF: <input checked="" type="checkbox"/>	<u>6</u> ft
PW-8	ON: <input type="checkbox"/>	OFF: <input checked="" type="checkbox"/>	<u>5</u> ft
<b>EQUALIZATION TANK:</b> <u>4</u> ft		<b>Last Alarm D/T/Condition:</b> <u>6/23/2020 Air Stripper Low Pressure</u>	
<b>NOTES:</b> _____			
<hr/>			
<b>INFLUENT FLOW RATE:</b> <u>0</u> gpm		<b>INFLUENT TOTALIZER READING:</b> <u>20338683</u> gallons	
<hr/>			
<b>SEQUESTERING AGENT DRUM LEVEL:</b> <u>11</u> inches		<b>(x 1.7=) AMOUNT OF AGENT REMAINING:</b> <u>19</u> gallons	
<b>SEQUESTERING AGENT FEED RATE:</b> <u>-----</u> ml/min		<b>METERING PUMP PRESSURE:</b> <u>-----</u> psi	
<hr/>			
<b>BAG FILTER PRESSURES:</b>		<b>BAG FILTER PRESSURES:</b>	
	LEFT: <u>0</u> <u>0</u> psi		RIGHT: <u>6</u> <u>0</u> psi
<hr/>			
<b>INFLUENT FEED PUMP IN USE:</b> #1 <input checked="" type="checkbox"/> #2 <input type="checkbox"/>		<b>INFLUENT PUMP PRESSURE:</b> <u>7</u> psi	
<hr/>			
<b>AIR STRIPPER BLOWER IN USE:</b> #1 <input checked="" type="checkbox"/> #2 <input type="checkbox"/>		<b>AIR STRIPPER PRESSURE:</b> <u>0.9 (24.9)</u> in. H <sub>2</sub> O	
<b>AIR STRIPPER DIFFERENTIAL PRESSURE:</b> <u>broken</u> in. H <sub>2</sub> O		<b>DISCHARGE PRESSURE:</b> <u>2.9</u> in. H <sub>2</sub> O	
<b>AIR FLOW:</b> <u>1450</u> fpm X 1.4 = <u>2030</u> CFM		<b>AIR SPARGER LEFT RIGHT</b> <u>6.9</u> <u>3.0</u> CFM	
<b>AIR TEMP:</b> <u>84.2</u> °F			
<hr/>			
<b>EFFLUENT PUMP IN USE:</b> #1 <input type="checkbox"/> #2 <input checked="" type="checkbox"/>		<b>EFFLUENT FEED PUMP PRESSURE:</b> <u>5</u> psi	
<b>EFFLUENT FLOW RATE:</b> <u>85</u> gpm		<b>EFFLUENT TOTALIZER READING:</b> <u>86,886,041</u> <u>broken</u> gallons	
<hr/>			
<b>ARE BUILDING HEATERS IN USE?</b> YES: <input type="checkbox"/> NO: <input checked="" type="checkbox"/>		<b>INSIDE TEMPERATURE (° F):</b> <u>66</u>	
<hr/>			
<b>IS SUMP PUMP IN USE:</b> YES: <input checked="" type="checkbox"/> NO: <input type="checkbox"/>		<b>ARE ANY LEAKS PRESENT?</b> YES: <input checked="" type="checkbox"/> NO: <input type="checkbox"/>	
<b>WATER LEVEL IN SUMP:</b> <u>2.0</u> in.		<b>TREATMENT BUILDING CLEAN &amp; ORGANIZED?</b> YES: <input type="checkbox"/> NO: <input checked="" type="checkbox"/>	

MR. C's DRY CLEANERS SITE  
NYSDEC Site #90150157  
SITE INSPECTION FORM

26-Oct-20

SAMPLES COLLECTED?

YES:

NO: ☒

	Sample ID	Time of Sampling	pH	Turbidity	Temp.	Sp. Cond.
AIR STRIPPER INFLUENT:						
AIR STRIPPER EFFLUENT:						

IS THERE EVIDENCE OF TAMPERING/VANDALISM OF WELLS: ?

YES:

NO: ☒

WERE MANHOLES INSPECTED?

YES: ☒

NO:

WERE ELECTRICAL BOXES INSPECTED?

YES: ☒

NO:

IS WATER PRESENT IN ANY MANHOLES OR ELECTRICAL BOXES?

YES: ☒

NO:

If yes, provide manhole/electric box ID and description of any corrective measures below:

RW-1 inner ring is corroded. MPI-5S and MW-8 inner rings are damaged.

SUBSLAB SYSTEMS

TREATMENT ROOM

MANOMETER:	1.3	in. WC	west	east	NOTES:	cfm = 0.05 x fpm (3" PVC)
(Fan Inlet)						
CONDENSATE	-----	gallon	FLOW (fpm):			
			FLOW (cfm):			
DRAINED	No		VACUUM GAUGE (in WC)			

OTHER LOCATIONS

586 Building SVE CONDENSATE drained: NO

VOLUME: ----- gallon

INCLUDE REMARKS & DESCRIBE ANY OTHER SYSTEM MAINTENANCE PERFORMED ON MR. C's SITE

Remarks: There is a slow drip around the Air Stripper exhaust vent going through the roof during an all day rain event.

Other Actions: E&E, Inc is on site for Piezometer Well sampling.

Mixed new batch of Redux solution; 1 Redux : 2 Water.

Completed Piezometer Readings.

**MR. C's DRY CLEANERS SITE**  
**NYSDEC Site #9-15-157**  
**OM&M: SITE INSPECTION FORM**

<b>DATE:</b> <u>2-Nov-20</u>		<b>ACTIVITIES:</b> <u>Site Inspection</u>	
<b>INSPECTION PERSONNEL:</b> <u>R. Allen</u>		<b>OTHER PERSONNEL:</b> _____	
<b>WEATHER CONDITIONS:</b> <u>Cloudy, cool, windy</u>		<b>OUTSIDE TEMPERATURE (° F):</b> <u>35</u>	
<hr/>			
<b>ARE WELL PUMPS OPERATING IN AUTO:</b>		<b>YES:</b>	<b>NO:</b> <u>✓</u>
If "NO", provide explanation below			
<u>RW-1, PW-2 and PW-3 are manually set to OFF position; PW-4 through PW-8 are on AUTO</u>			
<hr/>			
<b>PROVIDE WATER LEVEL READINGS ON CONTROL PANEL</b>			
RW-1	ON: <u>✓</u>	OFF: _____	<u>14</u> ft
PW-2	ON: _____	OFF: <u>✓</u>	<u>11</u> ft
PW-3	ON: <u>✓</u>	OFF: _____	<u>11</u> ft
PW-4	ON: _____	OFF: <u>✓</u>	<u>5</u> ft
PW-5	ON: <u>✓</u>	OFF: _____	<u>4</u> ft
PW-6	ON: _____	OFF: <u>✓</u>	<u>4</u> ft
PW-7	ON: _____	OFF: <u>✓</u>	<u>6</u> ft
PW-8	ON: _____	OFF: <u>✓</u>	<u>4</u> ft
<b>EQUALIZATION TANK:</b> <u>4</u> ft		Last Alarm D/T/Condition: <u>6/23/2020 Air Stripper Low Pressure</u>	
<b>NOTES:</b> _____			
<hr/>			
<b>INFLUENT FLOW RATE:</b> <u>0</u> gpm		<b>INFLUENT TOTALIZER READING:</b> <u>20377573</u> gallons	
<hr/>			
<b>SEQUESTERING AGENT DRUM LEVEL:</b> <u>27</u> inches		(x 1.7=)	<b>AMOUNT OF AGENT REMAINING:</b> <u>46</u> gallons
<b>SEQUESTERING AGENT FEED RATE:</b> <u>-----</u> ml/min		<b>METERING PUMP PRESSURE:</b> <u>-----</u> psi	
<hr/>			
<b>BAG FILTER PRESSURES:</b>		<b>LEFT:</b>	<b>RIGHT:</b>
	<b>Top</b>	<b>Bottom</b>	<b>Top</b>
	<u>0</u>	<u>0</u> psi	<u>8</u>
			<b>Bottom</b>
			<u>0</u> psi
<hr/>			
<b>INFLUENT FEED PUMP IN USE:</b>		<b>#1</b> <u>✓</u>	<b>#2</b> _____
<b>INFLUENT PUMP PRESSURE:</b>		<u>7</u> psi	
<hr/>			
<b>AIR STRIPPER BLOWER IN USE:</b>		<b>#1</b> <u>✓</u>	<b>#2</b> _____
<b>AIR STRIPPER PRESSURE:</b>		<u>0.9 (24.9)</u> in. H <sub>2</sub> O	
<b>AIR STRIPPER DIFFERENTIAL PRESSURE:</b>		<u>broken</u> in. H <sub>2</sub> O	
<b>DISCHARGE PRESSURE:</b>		<u>2.7</u> in. H <sub>2</sub> O	
<b>AIR FLOW:</b> <u>1300</u> fpm X 1.4 = <u>1820</u> CFM		<b>AIR SPARGER</b>	
<b>AIR TEMP:</b> <u>89.5</u> °F		<b>LEFT</b> <u>6.8</u>	<b>RIGHT</b> <u>2.9</u> CFM
<hr/>			
<b>EFFLUENT PUMP IN USE:</b>		<b>#1</b> _____	<b>#2</b> <u>✓</u>
<b>EFFLUENT FEED PUMP PRESSURE:</b>		<u>4</u> psi	
<b>EFFLUENT FLOW RATE:</b> <u>85</u> gpm		<b>EFFLUENT TOTALIZER READING:</b> <u>86,911,871</u> broken gallons	
<hr/>			
<b>ARE BUILDING HEATERS IN USE?</b>		<b>YES:</b> <u>✓</u>	<b>NO:</b> _____
<b>INSIDE TEMPERATURE (° F):</b>		<u>66</u>	
<hr/>			
<b>IS SUMP PUMP IN USE:</b>		<b>YES:</b> <u>✓</u>	<b>NO:</b> _____
<b>ARE ANY LEAKS PRESENT?</b>		<b>YES:</b> _____	<b>NO:</b> <u>✓</u>
<b>WATER LEVEL IN SUMP:</b> <u>2.0</u> in.		<b>TREATMENT BUILDING CLEAN &amp; ORGANIZED?</b>	
<b>YES:</b> <u>✓</u>		<b>NO:</b> _____	

MR. C's DRY CLEANERS SITE  
NYSDEC Site #90150157  
SITE INSPECTION FORM

2-Nov-20

SAMPLES COLLECTED?    YES:   ✓      NO:               Sampling Nov 3

	Sample ID	Time of Sampling	pH	Turbidity	Temp.	Sp. Cond.
AIR STRIPPER INFLUENT:	<u>  INF  </u>	<u>  10:00 am  </u>	<u>  6.7  </u>	<u>  7.2  </u>	<u>  12.5  </u>	<u>  1860  </u>
AIR STRIPPER EFFLUENT:	<u>  EFF  </u>	<u>  10:00 am  </u>	<u>  7.8  </u>	<u>  9.2  </u>	<u>  12.7  </u>	<u>  1860  </u>

IS THERE EVIDENCE OF TAMPERING/VANDALISM OF WELLS: ?

YES:               NO:   ✓

WERE MANHOLES INSPECTED?

YES:   ✓      NO:

WERE ELECTRICAL BOXES INSPECTED?

YES:   ✓      NO:

IS WATER PRESENT IN ANY MANHOLES OR ELECTRICAL BOXES?

YES:   ✓      NO:

If yes, provide manhole/electric box ID and description of any corrective measures below:

RW-1 inner ring is corroded. MPI-5S and MW-8 inner rings are damaged.

SUBSLAB SYSTEMS

TREATMENT ROOM

MANOMETER:   1.3   in. WC

(Fan Inlet)

CONDENSATE   0.5   gallon

DRAINED    Yes    VACUUM GAUGE (in WC)

west

east

FLOW (fpm):

FLOW (cfm):

NOTES:   cfm = 0.05 x fpm (3" PVC)

OTHER LOCATIONS

586 Building SVE CONDENSATE drained: YES   ✓      VOLUME:   0.5   gallon

INCLUDE REMARKS & DESCRIBE ANY OTHER SYSTEM MAINTENANCE PERFORMED ON MR. C's SITE

Remarks:

Other Actions: Returned IEG equipment from shed to Treatment Room.

Poured decanted E&E, Inc piezometer sampling water into sump box.

Changed Bag Filters.



**MR. C's DRY CLEANERS SITE**  
**NYSDEC Site #9-15-157**  
**OM&M: PIEZOMETER WATER LEVEL LOG**

Date: 30-Oct-20

Measurements taken by: R. Allen

RW-1	10.90 ft	Comments:		PW-5	16.40 ft	Comments:	
PZ-1A	11.00 ft	Comments:		PZ-5A	10.40 ft	Comments:	
PZ-1B	10.70 ft	Comments:		PZ-5B	10.43 ft	Comments:	
PZ-1C	11.92 ft	Comments:		PZ-5C	10.04 ft	Comments:	
PZ-1D	12.05 ft	Comments:		PZ-5D	10.85 ft	Comments:	
PW-2	10.60 ft	Comments:		PW-6	19.30 ft	Comments:	
PZ-2A	10.55 ft	Comments:		PZ-6A	11.39 ft	Comments:	
PZ-2B	10.91 ft	Comments:		PZ-6B	11.26 ft	Comments:	
PZ-2C	10.38 ft	Comments:		PZ-6C	11.56 ft	Comments:	
MW-7	10.89 ft	Comments:	Substitute for 2D	PZ-6D	11.28 ft	Comments:	Shown as RW-2 on map
PW-3	11.00 ft	Comments:		PW-7	20.70 ft	Comments:	
PZ-3A	11.07 ft	Comments:		MPI-6S	11.06 ft	Comments:	
PZ-3B	11.12 ft	Comments:		PZ-7B	11.32 ft	Comments:	
PZ-3C	11.48 ft	Comments:		OW-B	11.01 ft	Comments:	
PZ-3D	11.11 ft	Comments:		PZ-7D	10.76 ft	Comments:	
PW-4	18.10 ft	Comments:		PW-8	21.90 ft	Comments:	
PZ-4A	11.30 ft	Comments:		PZ-8A	7.96 ft	Comments:	
PZ-4B	10.89 ft	Comments:		PZ-8B	7.87 ft	Comments:	
PZ-4C	----- ft	Comments:	sealed over	PZ-8C	7.65 ft	Comments:	
PZ-4D	10.13 ft	Comments:		PZ-8D	7.77 ft	Comments:	

PUMPS IN OPERATION DURING MEASUREMENTS							
RW-1 pump on?	Yes	√	No	PW-5 pump on?	Yes	√	No
PW-2 pump on?	Yes	√	No	PW-6 pump on?	Yes	√	No
PW-3 pump on?	Yes	√	No	PW-7 pump on?	Yes	√	No
PW-4 pump on?	Yes	√	No	PW-8 pump on?	Yes	√	No