ecology and environment engineering and geology, p.c.
Environmental Specialists

BUFFALO CORPORATE CENTER
368 Pleasant View Drive
Lancaster, New York 14086
Tel: (716) 684-8060, Fax: (716) 684-0844

October 16, 2021

Mr. Payson Long, Project Manager
New York State Department of Environmental Conservation
Division of Environmental Remediation
625 Broadway, 12th Floor
Albany, New York 12233 - 7013

Re: Mr. C's Dry Cleaners Site, Contract # D009807, Site # 915157
September 2021 Operations, Maintenance, and Monitoring Report

Dear Mr. Long:

Ecology and Environment Engineering and Geology, P.C. (E&E) is pleased to provide the September 2021 Operations, Maintenance, and Monitoring (OM&M) Report for the Mr. C's Dry Cleaners Site, NYSDEC Site # 915157, located in the Village of East Aurora, New York.

During the September 2021 reporting period, the treatment system was in operation from August 31, 2021 through October 4, 2021. The monthly OM&M sampling was performed on September 2, 2021, and the results were received from Eurofins on September 9, 2021 (See Attachment A). The effluent results for this effluent sample met the requirements of the SPDES Equivalency permit. A summary of field activities prepared by E&E's subcontractor, IYER Environmental Group, PLLC. (IEG), is provided in Attachment B.

In review of the on-site treatment system operations, monitoring and maintenance from IEG for September 2021, E&E offers the following comments and highlights:

Operational Summary:

- Based on inspection reports prepared by IEG, the remedial treatment system for the period of August 31, 2021 through October 4, 2021, had an approximate operational up-time of 100%, and 86,350 gallons of contaminated groundwater were treated during the reporting period. The treated effluent volumes and operational up-time can be seen in Table 1.
- The compliance samples from September 2, 2021 collected from the effluent sampling port met all requirements of the SPDES Equivalency permit. The effluent results are provided in Table 2.
- The analytical summary results of the September 2, 2021 samples revealed the total volatile organic contaminant concentrations of the influent to 3,527.0 µg/L and the concentration of total volatile organic contaminants in the effluent was 0.0 µg/L. The summary of influent and effluent contaminant concentrations for the September 2021 sampling are presented in Table 3. Figure 1 shows the influent and effluent VOC concentrations during each sampling event in 2018, 2019, 2020, and 2021.

- The Mr. C's treatment system, based on the total flows from the uptime operations and the September 2, 2021 sampling results, removed 2.54 lbs. of targeted contaminants from the groundwater between August 31, 2021 through October 4, 2021. The cleanup effectiveness for September 2021 was approximately 100%. The calculations and data for the month are presented in Table 3. The mass of VOCs removed each month throughout 2018, 2019, 2020, and 2021 is shown in Figure 2.



Figure 1: Monthly Influent and Effluent VOC concentrations - 2018 - 2021.



Figure 2: Mass of VOCs removed each month - 2018 - 2021.

Pumping Well Summary:

- Pumping wells PW-4, PW-5, PW-6, PW-7, and PW-8 were sampled on September 9, 2021. Results of the pumping well sampling event are provided in Table 4 and an excerpt from the analytical data package is provided in Attachment A. Figures 3 through 7 show the historical concentrations of cis-1,2-dichloroethene (cis-1,2-DCE), tetrachloroethene (PCE), and trichloroethene (TCE) throughout 2017 to 2021.
- Individual pumping well sampling will continue to be completed on a quarterly basis to monitor VOC concentrations.



Figure 3: Influent concentrations of cis-1,2-DCE, PCE, and TCE - Pumping Well 4 (PW-4).



Figure 4: Influent concentrations of cis-1, 2-DCE, PCE, and TCE - Pumping Well 5 (PW-5).



Figure 5: Influent concentrations of cis-1, 2-DCE, PCE, and TCE - Pumping Well 6 (PW-6).



Figure 6: Influent concentrations of cis-1, 2-DCE, PCE, and TCE - Pumping Well 7 (PW-7).



Figure 7: Influent concentrations of cis-1, 2-DCE, PCE, and TCE - Pumping Well 8 (PW-8).

If you have questions regarding the September 2021 OM&M report summary, please do not hesitate to contact me via e-mail at rebecca.knappert@wsp.com.

Very Truly Yours,
Ecology and Environment Engineering and Geology, P. C.

Rebecca Knappert
Project Manager

cc: M. Kuczka, Region 9, NYSDEC – Buffalo w/ attachments

Table 1
Mr. C's Dry Cleaners Site Remediation
Site #915157
System Operation and Management

Month	Sample Date	Up-time (Reporting Period)		Treated Effluent (gallons)	VOC Removal		
		Reporting Hours	Operational Up-time		Influent VOCs (µg/L)	Effluent VOCs (µg/L)	VOCs Removed (lbs.)
(Treatment System Up-time from 9/5/02 to 01/04/21)		**143,246**	**91.77%**	**135,593,529**	**NA**	**NA**	**1,837.21**
January 05, 2021 to February 01, 2021	January 5, 2021	672	100.00%	90,369	4,860.0	0.00	3.66
February 02, 2021 to March 01, 2021	February 4, 2021	672	100.00%	85,728	4,747.0	0.00	3.40
March 02, 2021 to March 29, 2021	March 3, 2021	672	100.00%	86,158	4,542.0	0.00	3.27
March 30, 2021 to May 03, 2021	April 5, 2021	840	100.00%	94,313	5,514.0	0.00	4.34
May 04, 2021 to June 01, 2021	May 4, 2021	432	62.07%	56,953	4,296.0	0.00	2.04
June 02, 2021 to June 28, 2021	June 3, 2021	648	100.00%	53,615	5,780.0	0.00	2.59
June 29, 2021 to August 03, 2021	July 7, 2021	864	100.00%	89,570	3,767.3	3.20	2.82
August 04, 2021 to August 30, 2021	August 5, 2021	648	100.00%	68,120	4,056.0	0.00	2.31
August 31, 2021 to October 04, 2021	September 2, 2021	840	100.00%	86,350	3,527.0	0.00	2.54
Total in 2021		**6,288**	**95.97%**	**711,176**	**NA**	**NA**	**26.96**
Total from startup		**149,534**	**91.94%**	**136,304,705**	**NA**	**NA**	**1,864.17**

NOTES:

1. Up-time based as percentage of total reporting hours.
2. Treatment system operated by Iyer Environmental Group from 07/07/2016 to 2/24/2020 and 6/17/2020 to present. GES operated the system from 2/24/20 to 6/17/20.
3. VOC removal calculations are based on monthly water samples and assumes samples are representative of the entire reporting period.
4. VOC removal calculations assume that non-detect values = 0 ug/L.
5. Total VOCs summations include estimated "J" values.
6. VOC removal calculations are based on effluent totalizer readings.
7. "Influent VOCs" and "Effluent VOCs" values given above is the summation of values for individual compounds given in monthly analytical reports.
8. Unit conversion: 1 pound = 453.5924 grams, 1 gallon = 3.785 liters
9. Formula for the VOC removal calculation:

$(VOCs_{Influent} - VOCs_{Effluent})(ug/L) \cdot (1g/10^6 ug) \cdot (1\ lb/453.5924\ g) \cdot (Monthly\ process\ water)(gal) \cdot (3.785\ L/gallon)$

µg/L = micrograms per liter
lbs = pounds

Table 2
Mr. C's Dry Cleaners Site Remediation
Site #915157
Effluent Discharge Criteria & Analytical Compliance Results

Parameter/Analyte	Daily Maximum[1]	Units	September 2, 2021 Effluent Analytical Values
Flow (Average)[2]	N/A	gpd	2,467
pH	6.0 - 9.0	standard units	8.2
1,1 Dichloroethene	10	µg/L	ND(<1.0)
cis-1,2-dichloroethene (cis-1,2-DCE)	10	µg/L	ND(<1.0)
Trichloroethene (TCE)	10	µg/L	ND(<1.0)
Tetrachloroethene (PCE)	10	µg/L	ND(<1.0)
Vinyl Chloride	10	µg/L	ND(<1.0)
Benzene	5	µg/L	ND(<1.0)
Ethylbenzene	5	µg/L	ND(<1.0)
Methylene Chloride	10	µg/L	ND (<1.0)
1,1,1 Trichloroethane	10	µg/L	ND (<1.0)
Toluene	5	µg/L	ND(<1.0)
Methyl-t-Butyl Ether (MTBE)	NA	ug/L	ND(<1.0)
o-Xylene[3]	5	µg/L	ND(<2.0)
m, p-Xylene[3]	10	µg/L	ND(<2.0)
Total Xylenes	NA	ug/L	ND(<2.0)
Iron, total[4]	600	µg/L	NA[4]
Aluminum[4]	4,000	µg/L	NA[4]
Copper[4]	48	µg/L	NA[4]
Lead[4]	11	µg/L	NA[4]
Manganese[4]	2,000	µg/L	NA[4]
Silver[4]	100	µg/L	NA[4]
Vanadium[4]	28	µg/L	NA[4]
Zinc[4]	230	µg/L	NA[4]
Total Dissolved Solids[4]	850	mg/L	NA[4]
Total Suspended Solids[4]	20	mg/L	NA[4]
Hardness	N/A	mg/L	510
Cyanide, Free[4]	10	µg/L	NA[4]

NOTES:

1. "Daily Maximum" excerpted from Attachment E of Addendum 1 to the Construction Contract Documents dated October 2000.
2. Average flows based on effluent readings:

   August 31, 2021 through October 4, 2021 = 2,467 gallons per day
3. Analytical report did not differentiate between o-Xylene and m, p-Xylene. Total Xylene value reported is given in each line.
4. Removed from the required analysis list by NYSDEC Region 9 in February 2005.
5. Dark shaded cells indicate that analytical value exceeds the "Daily Maximum."
6. "ND" indicates that the compound was not detected and lists the practical quantitation limit in parentheses.
7. "NA" indicates that analyses were not performed and data is unavailable.
8. "J" indicates an estimated value below the detection limit.
9. "B" indicates analyte found in the associated blank.
10. "NS" indicates that the parameter analysis was not sampled.

40 **Indicates non-compliance with the NYSDEC effluent discharge requirements**
NR **Indicates Not Reported by Lab**

Table 3
Mr. C's Dry Cleaners Site Remediation
NYSDEC Site #915157
September 2021 VOC Analytical Summary

Compound	Based on the September 2, 2021 Effluent Analytical Results				
	Influent Concentration (ug/L)		Effluent Concentration (ug/L)		Treatment Efficiency* (%)
Acetone	ND(<400)	U	ND(<10)	U	NA
Benzene	ND(<40)	U	ND(<1.0)	U	NA
2-Butanone	ND(<400)	U	ND(<10)	U	NA
1,1-Dichloroethene	ND (<40)	U	ND(<1.0)	U	NA
cis-1, 2-Dichloroethene	1,300		ND(<1.0)	U	100.00%
Chloroform	ND(<40)	U	ND(<1.0)	U	NA
Chloromethane	ND(<40)	U	ND(<1.0)	U	NA
Methylene chloride	ND(<40)	U	ND (<1.0)	U	NA
Methyl tert-butyl ether (MTBE)	10	J	ND(<1.0)	U	100.00%
Methyl acetate	ND(<100)	U	ND(<2.5)	U	NA
Tetrachloroethene (PCE)	1,700		ND(<1.0)	U	100.00%
Toluene	ND(<40)	U	ND(<1.0)	U	NA
Trichloroethene (TCE)	460		ND(<1.0)	U	100.00%
Carbon Disulfide	ND(<40)	U	ND(<1.0)	U	NA
1,1,2 Trichloro-1,2,2-trifluororethane	ND(<40)	U	ND(<1.0)	U	NA
2-Hexanone	ND(<200)	U	ND(<5.0)	U	NA
4-Methyl-2-pentanone	ND(<200)	U	ND(<5.0)	U	NA
Cyclohexane	ND(<40)	U	ND(<1.0)	U	NA
trans-1,2-dichloroethene	ND(<40)	U	ND(<1.0)	U	NA
Chlorobenzene	ND(<40)	U	ND(<1.0)	U	NA
Methylcyclohexane	ND(<40)	U	ND(<1.0)	U	NA
Ethylbenzene	ND(<40)	U	ND(<1.0)	U	NA
Vinyl Chloride	57		ND(<1.0)	U	100.00%
Total Xylenes	ND(<80)	U	ND(<2.0)	U	NA
TOTAL:	**3,527**		**0.0**		**100.00%**

Notes:

1. The efficiency cleanup values are calculated based on the September 2, 2021 results
2. "NA" = Not applicable
3. "U" = Compound analyzed, but was not detected. Detection limit in parentheses.
4. "DJ" or "J" indicates an estimated value below the practical quantitation limit but above the method detection limit.
5. "F1"=MS and/or MSD recovery exceeds control limits. "F2" = MS/MSD relative percent difference exceeds control limits.
6. Non-detect values are assumed to be equal to zero for calculation of monthly average concentrations.
7. "S" indicates an estimated value and suspected lab contamination.
8. "Bold" - exceeds the SPDES Equilavency Permit Requirements.

* Contaminants of Concern only

Attachment A
Excerpts from the Groundwater Treatment System Analytical Report from Eurofins TestAmerica

Analytical Data Package Work Order ID: J186680
Sampled by IEG: September 2, 2021
Report Received: September 9, 2021

Analytical Data Package Work Order ID: J186925
Sampled by IEG: September 9, 2021
Report Received: September 13, 2021

eurofins | Environment Testing America

ANALYTICAL REPORT

Eurofins TestAmerica, Buffalo
10 Hazelwood Drive
Amherst, NY 14228-2298
Tel: (716)691-2600

Laboratory Job ID: 480-189071-1
Client Project/Site: Mr. C's Dry Cleaner
Sampling Event: OM&M Treatment System

For:
Ecology and Environment, Inc.
368 Pleasant View Drive
Lancaster, New York 14086

Attn: Ashlee Smith

Authorized for release by:
9/9/2021 12:43:05 PM
Rebecca Jones, Project Management Assistant I
Rebecca.Jones@Eurofinset.com

Designee for

John Schove, Project Manager II
(716)504-9838
John.Schove@Eurofinset.com

Definitions/Glossary

Client: Ecology and Environment, Inc.
Job ID: 480-189071-1
Project/Site: Mr. C's Dry Cleaner

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

General Chemistry

Qualifier	Qualifier Description
HF	Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Job ID: 480-189071-1

Laboratory: Eurofins TestAmerica, Buffalo

Narrative

Job Narrative
480-189071-1

Comments
No additional comments.

Receipt
The samples were received on 9/2/2021 1:25 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 3.2º C.

GC/MS VOA
Method 8260C: The following sample was diluted to bring the concentration of target analytes within the calibration range: INFLUENT (480-189071-3). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

General Chemistry
Methods 9040C, SM 4500 H+ B: This analysis is normally performed in the field and has a method-defined holding time of 15 minutes. The following samples has been qualified with the "HF" flag to indicate analysis was performed in the laboratory outside the 15 minute timeframe: EFFLUENT (480-189071-2) and INFLUENT (480-189071-3).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Detection Summary

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-189071-1

Client Sample ID: DISCHARGE — Lab Sample ID: 480-189071-1

No Detections.

Client Sample ID: EFFLUENT — Lab Sample ID: 480-189071-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Hardness as calcium carbonate	510		10.0	2.6	mg/L	1		SM 2340C	Total/NA
pH	8.2	HF	0.1	0.1	SU	1		SM 4500 H+ B	Total/NA
Temperature	18.7	HF	0.001	0.001	Degrees C	1		SM 4500 H+ B	Total/NA

Client Sample ID: INFLUENT — Lab Sample ID: 480-189071-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	1300		40	32	ug/L	40		8260C	Total/NA
Methyl tert-butyl ether	10	J	40	6.4	ug/L	40		8260C	Total/NA
Tetrachloroethene	1700		40	14	ug/L	40		8260C	Total/NA
Trichloroethene	460		40	18	ug/L	40		8260C	Total/NA
Vinyl chloride	57		40	36	ug/L	40		8260C	Total/NA
Hardness as calcium carbonate	510		10.0	2.6	mg/L	1		SM 2340C	Total/NA
pH	7.3	HF	0.1	0.1	SU	1		SM 4500 H+ B	Total/NA
Temperature	18.8	HF	0.001	0.001	Degrees C	1		SM 4500 H+ B	Total/NA

This Detection Summary does not include radiochemical test results.

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-189071-1

Client Sample ID: DISCHARGE
Date Collected: 09/02/21 00:00
Date Received: 09/02/21 13:25

Lab Sample ID: 480-189071-1
Matrix: WW

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0	0.82	ug/L			09/03/21 05:13	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0	0.21	ug/L			09/03/21 05:13	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0	0.31	ug/L			09/03/21 05:13	1
1,1,2-Trichloroethane	1.0	U	1.0	0.23	ug/L			09/03/21 05:13	1
1,1-Dichloroethane	1.0	U	1.0	0.38	ug/L			09/03/21 05:13	1
1,1-Dichloroethene	1.0	U	1.0	0.29	ug/L			09/03/21 05:13	1
1,2,4-Trichlorobenzene	1.0	U	1.0	0.41	ug/L			09/03/21 05:13	1
1,2-Dibromo-3-Chloropropane	1.0	U	1.0	0.39	ug/L			09/03/21 05:13	1
1,2-Dibromoethane	1.0	U	1.0	0.73	ug/L			09/03/21 05:13	1
1,2-Dichlorobenzene	1.0	U	1.0	0.79	ug/L			09/03/21 05:13	1
1,2-Dichloroethane	1.0	U	1.0	0.21	ug/L			09/03/21 05:13	1
1,2-Dichloropropane	1.0	U	1.0	0.72	ug/L			09/03/21 05:13	1
1,3-Dichlorobenzene	1.0	U	1.0	0.78	ug/L			09/03/21 05:13	1
1,4-Dichlorobenzene	1.0	U	1.0	0.84	ug/L			09/03/21 05:13	1
2-Butanone (MEK)	10	U	10	1.3	ug/L			09/03/21 05:13	1
2-Hexanone	5.0	U	5.0	1.2	ug/L			09/03/21 05:13	1
4-Methyl-2-pentanone (MIBK)	5.0	U	5.0	2.1	ug/L			09/03/21 05:13	1
Acetone	10	U	10	3.0	ug/L			09/03/21 05:13	1
Benzene	1.0	U	1.0	0.41	ug/L			09/03/21 05:13	1
Bromodichloromethane	1.0	U	1.0	0.39	ug/L			09/03/21 05:13	1
Bromoform	1.0	U	1.0	0.26	ug/L			09/03/21 05:13	1
Bromomethane	1.0	U	1.0	0.69	ug/L			09/03/21 05:13	1
Carbon disulfide	1.0	U	1.0	0.19	ug/L			09/03/21 05:13	1
Carbon tetrachloride	1.0	U	1.0	0.27	ug/L			09/03/21 05:13	1
Chlorobenzene	1.0	U	1.0	0.75	ug/L			09/03/21 05:13	1
Chloroethane	1.0	U	1.0	0.32	ug/L			09/03/21 05:13	1
Chloroform	1.0	U	1.0	0.34	ug/L			09/03/21 05:13	1
Chloromethane	1.0	U	1.0	0.35	ug/L			09/03/21 05:13	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.81	ug/L			09/03/21 05:13	1
cis-1,3-Dichloropropene	1.0	U	1.0	0.36	ug/L			09/03/21 05:13	1
Cyclohexane	1.0	U	1.0	0.18	ug/L			09/03/21 05:13	1
Dibromochloromethane	1.0	U	1.0	0.32	ug/L			09/03/21 05:13	1
Dichlorodifluoromethane	1.0	U	1.0	0.68	ug/L			09/03/21 05:13	1
Ethylbenzene	1.0	U	1.0	0.74	ug/L			09/03/21 05:13	1
Isopropylbenzene	1.0	U	1.0	0.79	ug/L			09/03/21 05:13	1
Methyl acetate	2.5	U	2.5	1.3	ug/L			09/03/21 05:13	1
Methyl tert-butyl ether	1.0	U	1.0	0.16	ug/L			09/03/21 05:13	1
Methylcyclohexane	1.0	U	1.0	0.16	ug/L			09/03/21 05:13	1
Methylene Chloride	1.0	U	1.0	0.44	ug/L			09/03/21 05:13	1
Styrene	1.0	U	1.0	0.73	ug/L			09/03/21 05:13	1
Tetrachloroethene	1.0	U	1.0	0.36	ug/L			09/03/21 05:13	1
Toluene	1.0	U	1.0	0.51	ug/L			09/03/21 05:13	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.90	ug/L			09/03/21 05:13	1
trans-1,3-Dichloropropene	1.0	U	1.0	0.37	ug/L			09/03/21 05:13	1
Trichloroethene	1.0	U	1.0	0.46	ug/L			09/03/21 05:13	1
Trichlorofluoromethane	1.0	U	1.0	0.88	ug/L			09/03/21 05:13	1
Vinyl chloride	1.0	U	1.0	0.90	ug/L			09/03/21 05:13	1
Xylenes, Total	2.0	U	2.0	0.66	ug/L			09/03/21 05:13	1

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-189071-1

Client Sample ID: DISCHARGE
Date Collected: 09/02/21 00:00
Date Received: 09/02/21 13:25

Lab Sample ID: 480-189071-1
Matrix: WW

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		77 - 120		09/03/21 05:13	1
4-Bromofluorobenzene (Surr)	94		73 - 120		09/03/21 05:13	1
Dibromofluoromethane (Surr)	105		75 - 123		09/03/21 05:13	1
Toluene-d8 (Surr)	94		80 - 120		09/03/21 05:13	1

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-189071-1

Client Sample ID: EFFLUENT
Date Collected: 09/02/21 00:00
Date Received: 09/02/21 13:25

Lab Sample ID: 480-189071-2
Matrix: WW

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	1.0	U	1.0	0.82	ug/L			09/03/21 05:36	1
1,1,2,2-Tetrachloroethane	1.0	U	1.0	0.21	ug/L			09/03/21 05:36	1
1,1,2-Trichloro-1,2,2-trifluoroethane	1.0	U	1.0	0.31	ug/L			09/03/21 05:36	1
1,1,2-Trichloroethane	1.0	U	1.0	0.23	ug/L			09/03/21 05:36	1
1,1-Dichloroethane	1.0	U	1.0	0.38	ug/L			09/03/21 05:36	1
1,1-Dichloroethene	1.0	U	1.0	0.29	ug/L			09/03/21 05:36	1
1,2,4-Trichlorobenzene	1.0	U	1.0	0.41	ug/L			09/03/21 05:36	1
1,2-Dibromo-3-Chloropropane	1.0	U	1.0	0.39	ug/L			09/03/21 05:36	1
1,2-Dibromoethane	1.0	U	1.0	0.73	ug/L			09/03/21 05:36	1
1,2-Dichlorobenzene	1.0	U	1.0	0.79	ug/L			09/03/21 05:36	1
1,2-Dichloroethane	1.0	U	1.0	0.21	ug/L			09/03/21 05:36	1
1,2-Dichloropropane	1.0	U	1.0	0.72	ug/L			09/03/21 05:36	1
1,3-Dichlorobenzene	1.0	U	1.0	0.78	ug/L			09/03/21 05:36	1
1,4-Dichlorobenzene	1.0	U	1.0	0.84	ug/L			09/03/21 05:36	1
2-Butanone (MEK)	10	U	10	1.3	ug/L			09/03/21 05:36	1
2-Hexanone	5.0	U	5.0	1.2	ug/L			09/03/21 05:36	1
4-Methyl-2-pentanone (MIBK)	5.0	U	5.0	2.1	ug/L			09/03/21 05:36	1
Acetone	10	U	10	3.0	ug/L			09/03/21 05:36	1
Benzene	1.0	U	1.0	0.41	ug/L			09/03/21 05:36	1
Bromodichloromethane	1.0	U	1.0	0.39	ug/L			09/03/21 05:36	1
Bromoform	1.0	U	1.0	0.26	ug/L			09/03/21 05:36	1
Bromomethane	1.0	U	1.0	0.69	ug/L			09/03/21 05:36	1
Carbon disulfide	1.0	U	1.0	0.19	ug/L			09/03/21 05:36	1
Carbon tetrachloride	1.0	U	1.0	0.27	ug/L			09/03/21 05:36	1
Chlorobenzene	1.0	U	1.0	0.75	ug/L			09/03/21 05:36	1
Chloroethane	1.0	U	1.0	0.32	ug/L			09/03/21 05:36	1
Chloroform	1.0	U	1.0	0.34	ug/L			09/03/21 05:36	1
Chloromethane	1.0	U	1.0	0.35	ug/L			09/03/21 05:36	1
cis-1,2-Dichloroethene	1.0	U	1.0	0.81	ug/L			09/03/21 05:36	1
cis-1,3-Dichloropropene	1.0	U	1.0	0.36	ug/L			09/03/21 05:36	1
Cyclohexane	1.0	U	1.0	0.18	ug/L			09/03/21 05:36	1
Dibromochloromethane	1.0	U	1.0	0.32	ug/L			09/03/21 05:36	1
Dichlorodifluoromethane	1.0	U	1.0	0.68	ug/L			09/03/21 05:36	1
Ethylbenzene	1.0	U	1.0	0.74	ug/L			09/03/21 05:36	1
Isopropylbenzene	1.0	U	1.0	0.79	ug/L			09/03/21 05:36	1
Methyl acetate	2.5	U	2.5	1.3	ug/L			09/03/21 05:36	1
Methyl tert-butyl ether	1.0	U	1.0	0.16	ug/L			09/03/21 05:36	1
Methylcyclohexane	1.0	U	1.0	0.16	ug/L			09/03/21 05:36	1
Methylene Chloride	1.0	U	1.0	0.44	ug/L			09/03/21 05:36	1
Styrene	1.0	U	1.0	0.73	ug/L			09/03/21 05:36	1
Tetrachloroethene	1.0	U	1.0	0.36	ug/L			09/03/21 05:36	1
Toluene	1.0	U	1.0	0.51	ug/L			09/03/21 05:36	1
trans-1,2-Dichloroethene	1.0	U	1.0	0.90	ug/L			09/03/21 05:36	1
trans-1,3-Dichloropropene	1.0	U	1.0	0.37	ug/L			09/03/21 05:36	1
Trichloroethene	1.0	U	1.0	0.46	ug/L			09/03/21 05:36	1
Trichlorofluoromethane	1.0	U	1.0	0.88	ug/L			09/03/21 05:36	1
Vinyl chloride	1.0	U	1.0	0.90	ug/L			09/03/21 05:36	1
Xylenes, Total	2.0	U	2.0	0.66	ug/L			09/03/21 05:36	1

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-189071-1

Client Sample ID: EFFLUENT

Date Collected: 09/02/21 00:00
Date Received: 09/02/21 13:25

Lab Sample ID: 480-189071-2

Matrix: WW

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*98*		*77 - 120*		*09/03/21 05:36*	*1*
4-Bromofluorobenzene (Surr)	*103*		*73 - 120*		*09/03/21 05:36*	*1*
Dibromofluoromethane (Surr)	*105*		*75 - 123*		*09/03/21 05:36*	*1*
Toluene-d8 (Surr)	*97*		*80 - 120*		*09/03/21 05:36*	*1*

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Hardness as calcium carbonate	**510**		10.0	2.6	mg/L			09/02/21 15:15	1

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	**8.2**	**HF**	0.1	0.1	SU			09/08/21 10:38	1
Temperature	**18.7**	**HF**	0.001	0.001	Degrees C			09/08/21 10:38	1

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-189071-1

Client Sample ID: INFLUENT
Date Collected: 09/02/21 00:00
Date Received: 09/02/21 13:25

Lab Sample ID: 480-189071-3
Matrix: WW

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	40	U	40	33	ug/L			09/03/21 05:59	40
1,1,2,2-Tetrachloroethane	40	U	40	8.4	ug/L			09/03/21 05:59	40
1,1,2-Trichloro-1,2,2-trifluoroethane	40	U	40	12	ug/L			09/03/21 05:59	40
1,1,2-Trichloroethane	40	U	40	9.2	ug/L			09/03/21 05:59	40
1,1-Dichloroethane	40	U	40	15	ug/L			09/03/21 05:59	40
1,1-Dichloroethene	40	U	40	12	ug/L			09/03/21 05:59	40
1,2,4-Trichlorobenzene	40	U	40	16	ug/L			09/03/21 05:59	40
1,2-Dibromo-3-Chloropropane	40	U	40	16	ug/L			09/03/21 05:59	40
1,2-Dibromoethane	40	U	40	29	ug/L			09/03/21 05:59	40
1,2-Dichlorobenzene	40	U	40	32	ug/L			09/03/21 05:59	40
1,2-Dichloroethane	40	U	40	8.4	ug/L			09/03/21 05:59	40
1,2-Dichloropropane	40	U	40	29	ug/L			09/03/21 05:59	40
1,3-Dichlorobenzene	40	U	40	31	ug/L			09/03/21 05:59	40
1,4-Dichlorobenzene	40	U	40	34	ug/L			09/03/21 05:59	40
2-Butanone (MEK)	400	U	400	53	ug/L			09/03/21 05:59	40
2-Hexanone	200	U	200	50	ug/L			09/03/21 05:59	40
4-Methyl-2-pentanone (MIBK)	200	U	200	84	ug/L			09/03/21 05:59	40
Acetone	400	U	400	120	ug/L			09/03/21 05:59	40
Benzene	40	U	40	16	ug/L			09/03/21 05:59	40
Bromodichloromethane	40	U	40	16	ug/L			09/03/21 05:59	40
Bromoform	40	U	40	10	ug/L			09/03/21 05:59	40
Bromomethane	40	U	40	28	ug/L			09/03/21 05:59	40
Carbon disulfide	40	U	40	7.6	ug/L			09/03/21 05:59	40
Carbon tetrachloride	40	U	40	11	ug/L			09/03/21 05:59	40
Chlorobenzene	40	U	40	30	ug/L			09/03/21 05:59	40
Chloroethane	40	U	40	13	ug/L			09/03/21 05:59	40
Chloroform	40	U	40	14	ug/L			09/03/21 05:59	40
Chloromethane	40	U	40	14	ug/L			09/03/21 05:59	40
cis-1,2-Dichloroethene	**1300**		40	32	ug/L			09/03/21 05:59	40
cis-1,3-Dichloropropene	40	U	40	14	ug/L			09/03/21 05:59	40
Cyclohexane	40	U	40	7.2	ug/L			09/03/21 05:59	40
Dibromochloromethane	40	U	40	13	ug/L			09/03/21 05:59	40
Dichlorodifluoromethane	40	U	40	27	ug/L			09/03/21 05:59	40
Ethylbenzene	40	U	40	30	ug/L			09/03/21 05:59	40
Isopropylbenzene	40	U	40	32	ug/L			09/03/21 05:59	40
Methyl acetate	100	U	100	52	ug/L			09/03/21 05:59	40
Methyl tert-butyl ether	**10**	**J**	40	6.4	ug/L			09/03/21 05:59	40
Methylcyclohexane	40	U	40	6.4	ug/L			09/03/21 05:59	40
Methylene Chloride	40	U	40	18	ug/L			09/03/21 05:59	40
Styrene	40	U	40	29	ug/L			09/03/21 05:59	40
Tetrachloroethene	**1700**		40	14	ug/L			09/03/21 05:59	40
Toluene	40	U	40	20	ug/L			09/03/21 05:59	40
trans-1,2-Dichloroethene	40	U	40	36	ug/L			09/03/21 05:59	40
trans-1,3-Dichloropropene	40	U	40	15	ug/L			09/03/21 05:59	40
Trichloroethene	**460**		40	18	ug/L			09/03/21 05:59	40
Trichlorofluoromethane	40	U	40	35	ug/L			09/03/21 05:59	40
Vinyl chloride	**57**		40	36	ug/L			09/03/21 05:59	40
Xylenes, Total	80	U	80	26	ug/L			09/03/21 05:59	40

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-189071-1

Client Sample ID: INFLUENT
Date Collected: 09/02/21 00:00
Date Received: 09/02/21 13:25

Lab Sample ID: 480-189071-3
Matrix: WW

Surrogate	*%Recovery*	*Qualifier*	*Limits*	*Prepared*	*Analyzed*	*Dil Fac*
1,2-Dichloroethane-d4 (Surr)	*102*		*77 - 120*		*09/03/21 05:59*	*40*
4-Bromofluorobenzene (Surr)	*99*		*73 - 120*		*09/03/21 05:59*	*40*
Dibromofluoromethane (Surr)	*102*		*75 - 123*		*09/03/21 05:59*	*40*
Toluene-d8 (Surr)	*95*		*80 - 120*		*09/03/21 05:59*	*40*

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Hardness as calcium carbonate	**510**		10.0	2.6	mg/L			09/02/21 15:15	1

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	**7.3**	**HF**	0.1	0.1	SU			09/08/21 11:10	1
Temperature	**18.8**	**HF**	0.001	0.001	Degrees C			09/08/21 11:10	1

Chain of Custody Record

Temperature on Receipt _____

Drinking Water? Yes ☐ No ☒

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

TAL-4124 (1007)

Client: Ecology & Environment, Inc	Project Manager: Ashlee Smith	Date: Sep 2, 2021	Chain of Custody Number: 282465
Address: 368 Pleasantview Dr	Telephone Number (Area Code)/Fax Number: (716) 684-8060 ext 2710	Lab Number:	Page 1 of 1
City: Lancaster / State: NY / Zip Code: 14086	Site Contact: R. Allen	Lab Contact: John Shove	
Project Name and Location (State): Mr CS OM&M (NY)	Carrier/Waybill Number:		
Contract/Purchase Order/Quote No.			

480-189071 Chain of Custody

Sample I.D. No. and Description (Containers for each sample may be combined on one line)	Date	Time	Matrix: Air	Aqueous	Sed.	Soil	Containers & Preservatives: Unpres.	H2SO4	HNO3	HCl	NaOH	ZnAc/NaOH	Analysis: pH	Hardness	VOCs	Actions/Receipt
INFLUENT	9/2/21			✓			1						✓			
INFLUENT				✓					1	4				✓		
INFLUENT				✓						3					✓	
EFFLUENT				✓			1						✓			
EFFLUENT				✓					1					✓		
EFFLUENT				✓						3					✓	
DISCHARGE				✓						3					✓	

Email: iyerenv@gmail.com
RKnapperte@ene.com

Possible Hazard Identification
☒ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown

Sample Disposal
☐ Return To Client ☒ Disposal By Lab ☐ Archive For _____ Months
(A fee may be assessed if samples are retained longer than 1 month)

Turn Around Time Required
☐ 24 Hours ☐ 48 Hours ☒ 7 Days ☐ 14 Days ☐ 21 Days ☐ Other _____

QC Requirements (Specify)

1. Relinquished By: Richard C. Allen Jr	Date: 9/2/21	Time:	1. Received By	Date:	Time:
2. Relinquished By	Date:	Time:	2. Received By	Date:	Time:
3. Relinquished By	Date:	Time:	3. Received By: TAS	Date: 9/2/21	Time: 1325

Comments

32 #1

DISTRIBUTION: WHITE - Returned to Client with Report; CANARY - Stays with the Sample; PINK - Field Copy

eurofins | Environment Testing America

ANALYTICAL REPORT

Eurofins TestAmerica, Buffalo
10 Hazelwood Drive
Amherst, NY 14228-2298
Tel: (716)691-2600

Laboratory Job ID: 480-189383-1
Client Project/Site: Mr. C's Dry Cleaner

For:
Ecology and Environment, Inc.
368 Pleasant View Drive
Lancaster, New York 14086

Attn: Ashlee Smith

Authorized for release by:
9/13/2021 10:11:07 AM

John Schove, Project Manager II
(716)504-9838
John.Schove@Eurofinset.com

Definitions/Glossary

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-189383-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Job ID: 480-189383-1

Laboratory: Eurofins TestAmerica, Buffalo

Narrative

Job Narrative
480-189383-1

Comments
No additional comments.

Receipt
The samples were received on 9/9/2021 5:45 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 4.7º C.

GC/MS VOA
Method 8260C: The following samples were diluted to bring the concentration of target analytes within the calibration range: PW-4 (480-189383-1), PW-5 (480-189383-2), PW-6 (480-189383-3), PW-7 (480-189383-4), PW-8 (480-189383-5), (480-189383-A-4 MS) and (480-189383-A-4 MSD). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Detection Summary

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-189383-1

Client Sample ID: PW-4 — Lab Sample ID: 480-189383-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	86		40	32	ug/L	40		8260C	Total/NA
Tetrachloroethene	2800		40	14	ug/L	40		8260C	Total/NA
Trichloroethene	200		40	18	ug/L	40		8260C	Total/NA

Client Sample ID: PW-5 — Lab Sample ID: 480-189383-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	210		40	32	ug/L	40		8260C	Total/NA
Tetrachloroethene	2200		40	14	ug/L	40		8260C	Total/NA
Trichloroethene	180		40	18	ug/L	40		8260C	Total/NA

Client Sample ID: PW-6 — Lab Sample ID: 480-189383-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	760		40	32	ug/L	40		8260C	Total/NA
Methyl tert-butyl ether	12	J	40	6.4	ug/L	40		8260C	Total/NA
Tetrachloroethene	3500		40	14	ug/L	40		8260C	Total/NA
trans-1,2-Dichloroethene	63		40	36	ug/L	40		8260C	Total/NA
Trichloroethene	450		40	18	ug/L	40		8260C	Total/NA

Client Sample ID: PW-7 — Lab Sample ID: 480-189383-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	3900		100	81	ug/L	100		8260C	Total/NA
Tetrachloroethene	3900		100	36	ug/L	100		8260C	Total/NA
Trichloroethene	1300		100	46	ug/L	100		8260C	Total/NA
Vinyl chloride	530		100	90	ug/L	100		8260C	Total/NA

Client Sample ID: PW-8 — Lab Sample ID: 480-189383-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	590		8.0	6.5	ug/L	8		8260C	Total/NA
Methyl tert-butyl ether	15		8.0	1.3	ug/L	8		8260C	Total/NA
Tetrachloroethene	180		8.0	2.9	ug/L	8		8260C	Total/NA
Trichloroethene	21		8.0	3.7	ug/L	8		8260C	Total/NA
Vinyl chloride	38		8.0	7.2	ug/L	8		8260C	Total/NA

This Detection Summary does not include radiochemical test results.

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-189383-1

Client Sample ID: PW-4
Date Collected: 09/09/21 00:00
Date Received: 09/09/21 17:45

Lab Sample ID: 480-189383-1
Matrix: Water

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	40	U	40	33	ug/L			09/10/21 20:53	40
1,1,2,2-Tetrachloroethane	40	U	40	8.4	ug/L			09/10/21 20:53	40
1,1,2-Trichloro-1,2,2-trifluoroethane	40	U	40	12	ug/L			09/10/21 20:53	40
1,1,2-Trichloroethane	40	U	40	9.2	ug/L			09/10/21 20:53	40
1,1-Dichloroethane	40	U	40	15	ug/L			09/10/21 20:53	40
1,1-Dichloroethene	40	U	40	12	ug/L			09/10/21 20:53	40
1,2,4-Trichlorobenzene	40	U	40	16	ug/L			09/10/21 20:53	40
1,2-Dibromo-3-Chloropropane	40	U	40	16	ug/L			09/10/21 20:53	40
1,2-Dibromoethane	40	U	40	29	ug/L			09/10/21 20:53	40
1,2-Dichlorobenzene	40	U	40	32	ug/L			09/10/21 20:53	40
1,2-Dichloroethane	40	U	40	8.4	ug/L			09/10/21 20:53	40
1,2-Dichloropropane	40	U	40	29	ug/L			09/10/21 20:53	40
1,3-Dichlorobenzene	40	U	40	31	ug/L			09/10/21 20:53	40
1,4-Dichlorobenzene	40	U	40	34	ug/L			09/10/21 20:53	40
2-Butanone (MEK)	400	U	400	53	ug/L			09/10/21 20:53	40
2-Hexanone	200	U	200	50	ug/L			09/10/21 20:53	40
4-Methyl-2-pentanone (MIBK)	200	U	200	84	ug/L			09/10/21 20:53	40
Acetone	400	U	400	120	ug/L			09/10/21 20:53	40
Benzene	40	U	40	16	ug/L			09/10/21 20:53	40
Bromodichloromethane	40	U	40	16	ug/L			09/10/21 20:53	40
Bromoform	40	U	40	10	ug/L			09/10/21 20:53	40
Bromomethane	40	U	40	28	ug/L			09/10/21 20:53	40
Carbon disulfide	40	U	40	7.6	ug/L			09/10/21 20:53	40
Carbon tetrachloride	40	U	40	11	ug/L			09/10/21 20:53	40
Chlorobenzene	40	U	40	30	ug/L			09/10/21 20:53	40
Chloroethane	40	U	40	13	ug/L			09/10/21 20:53	40
Chloroform	40	U	40	14	ug/L			09/10/21 20:53	40
Chloromethane	40	U	40	14	ug/L			09/10/21 20:53	40
cis-1,2-Dichloroethene	**86**		40	32	ug/L			09/10/21 20:53	40
cis-1,3-Dichloropropene	40	U	40	14	ug/L			09/10/21 20:53	40
Cyclohexane	40	U	40	7.2	ug/L			09/10/21 20:53	40
Dibromochloromethane	40	U	40	13	ug/L			09/10/21 20:53	40
Dichlorodifluoromethane	40	U	40	27	ug/L			09/10/21 20:53	40
Ethylbenzene	40	U	40	30	ug/L			09/10/21 20:53	40
Isopropylbenzene	40	U	40	32	ug/L			09/10/21 20:53	40
Methyl acetate	100	U	100	52	ug/L			09/10/21 20:53	40
Methyl tert-butyl ether	40	U	40	6.4	ug/L			09/10/21 20:53	40
Methylcyclohexane	40	U	40	6.4	ug/L			09/10/21 20:53	40
Methylene Chloride	40	U	40	18	ug/L			09/10/21 20:53	40
Styrene	40	U	40	29	ug/L			09/10/21 20:53	40
Tetrachloroethene	**2800**		40	14	ug/L			09/10/21 20:53	40
Toluene	40	U	40	20	ug/L			09/10/21 20:53	40
trans-1,2-Dichloroethene	40	U	40	36	ug/L			09/10/21 20:53	40
trans-1,3-Dichloropropene	40	U	40	15	ug/L			09/10/21 20:53	40
Trichloroethene	**200**		40	18	ug/L			09/10/21 20:53	40
Trichlorofluoromethane	40	U	40	35	ug/L			09/10/21 20:53	40
Vinyl chloride	40	U	40	36	ug/L			09/10/21 20:53	40
Xylenes, Total	80	U	80	26	ug/L			09/10/21 20:53	40

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-189383-1

Client Sample ID: PW-4
Date Collected: 09/09/21 00:00
Date Received: 09/09/21 17:45

Lab Sample ID: 480-189383-1
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		77 - 120		09/10/21 20:53	40
4-Bromofluorobenzene (Surr)	105		73 - 120		09/10/21 20:53	40
Dibromofluoromethane (Surr)	100		75 - 123		09/10/21 20:53	40
Toluene-d8 (Surr)	102		80 - 120		09/10/21 20:53	40

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-189383-1

Client Sample ID: PW-5
Date Collected: 09/09/21 00:00
Date Received: 09/09/21 17:45

Lab Sample ID: 480-189383-2
Matrix: Water

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	40	U	40	33	ug/L			09/10/21 21:17	40
1,1,2,2-Tetrachloroethane	40	U	40	8.4	ug/L			09/10/21 21:17	40
1,1,2-Trichloro-1,2,2-trifluoroethane	40	U	40	12	ug/L			09/10/21 21:17	40
1,1,2-Trichloroethane	40	U	40	9.2	ug/L			09/10/21 21:17	40
1,1-Dichloroethane	40	U	40	15	ug/L			09/10/21 21:17	40
1,1-Dichloroethene	40	U	40	12	ug/L			09/10/21 21:17	40
1,2,4-Trichlorobenzene	40	U	40	16	ug/L			09/10/21 21:17	40
1,2-Dibromo-3-Chloropropane	40	U	40	16	ug/L			09/10/21 21:17	40
1,2-Dibromoethane	40	U	40	29	ug/L			09/10/21 21:17	40
1,2-Dichlorobenzene	40	U	40	32	ug/L			09/10/21 21:17	40
1,2-Dichloroethane	40	U	40	8.4	ug/L			09/10/21 21:17	40
1,2-Dichloropropane	40	U	40	29	ug/L			09/10/21 21:17	40
1,3-Dichlorobenzene	40	U	40	31	ug/L			09/10/21 21:17	40
1,4-Dichlorobenzene	40	U	40	34	ug/L			09/10/21 21:17	40
2-Butanone (MEK)	400	U	400	53	ug/L			09/10/21 21:17	40
2-Hexanone	200	U	200	50	ug/L			09/10/21 21:17	40
4-Methyl-2-pentanone (MIBK)	200	U	200	84	ug/L			09/10/21 21:17	40
Acetone	400	U	400	120	ug/L			09/10/21 21:17	40
Benzene	40	U	40	16	ug/L			09/10/21 21:17	40
Bromodichloromethane	40	U	40	16	ug/L			09/10/21 21:17	40
Bromoform	40	U	40	10	ug/L			09/10/21 21:17	40
Bromomethane	40	U	40	28	ug/L			09/10/21 21:17	40
Carbon disulfide	40	U	40	7.6	ug/L			09/10/21 21:17	40
Carbon tetrachloride	40	U	40	11	ug/L			09/10/21 21:17	40
Chlorobenzene	40	U	40	30	ug/L			09/10/21 21:17	40
Chloroethane	40	U	40	13	ug/L			09/10/21 21:17	40
Chloroform	40	U	40	14	ug/L			09/10/21 21:17	40
Chloromethane	40	U	40	14	ug/L			09/10/21 21:17	40
cis-1,2-Dichloroethene	**210**		40	32	ug/L			09/10/21 21:17	40
cis-1,3-Dichloropropene	40	U	40	14	ug/L			09/10/21 21:17	40
Cyclohexane	40	U	40	7.2	ug/L			09/10/21 21:17	40
Dibromochloromethane	40	U	40	13	ug/L			09/10/21 21:17	40
Dichlorodifluoromethane	40	U	40	27	ug/L			09/10/21 21:17	40
Ethylbenzene	40	U	40	30	ug/L			09/10/21 21:17	40
Isopropylbenzene	40	U	40	32	ug/L			09/10/21 21:17	40
Methyl acetate	100	U	100	52	ug/L			09/10/21 21:17	40
Methyl tert-butyl ether	40	U	40	6.4	ug/L			09/10/21 21:17	40
Methylcyclohexane	40	U	40	6.4	ug/L			09/10/21 21:17	40
Methylene Chloride	40	U	40	18	ug/L			09/10/21 21:17	40
Styrene	40	U	40	29	ug/L			09/10/21 21:17	40
Tetrachloroethene	**2200**		40	14	ug/L			09/10/21 21:17	40
Toluene	40	U	40	20	ug/L			09/10/21 21:17	40
trans-1,2-Dichloroethene	40	U	40	36	ug/L			09/10/21 21:17	40
trans-1,3-Dichloropropene	40	U	40	15	ug/L			09/10/21 21:17	40
Trichloroethene	**180**		40	18	ug/L			09/10/21 21:17	40
Trichlorofluoromethane	40	U	40	35	ug/L			09/10/21 21:17	40
Vinyl chloride	40	U	40	36	ug/L			09/10/21 21:17	40
Xylenes, Total	80	U	80	26	ug/L			09/10/21 21:17	40

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-189383-1

Client Sample ID: PW-5
Date Collected: 09/09/21 00:00
Date Received: 09/09/21 17:45

Lab Sample ID: 480-189383-2
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	106		77 - 120		09/10/21 21:17	40
4-Bromofluorobenzene (Surr)	105		73 - 120		09/10/21 21:17	40
Dibromofluoromethane (Surr)	101		75 - 123		09/10/21 21:17	40
Toluene-d8 (Surr)	101		80 - 120		09/10/21 21:17	40

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-189383-1

Client Sample ID: PW-6
Date Collected: 09/09/21 00:00
Date Received: 09/09/21 17:45

Lab Sample ID: 480-189383-3
Matrix: Water

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	40	U	40	33	ug/L			09/10/21 21:41	40
1,1,2,2-Tetrachloroethane	40	U	40	8.4	ug/L			09/10/21 21:41	40
1,1,2-Trichloro-1,2,2-trifluoroethane	40	U	40	12	ug/L			09/10/21 21:41	40
1,1,2-Trichloroethane	40	U	40	9.2	ug/L			09/10/21 21:41	40
1,1-Dichloroethane	40	U	40	15	ug/L			09/10/21 21:41	40
1,1-Dichloroethene	40	U	40	12	ug/L			09/10/21 21:41	40
1,2,4-Trichlorobenzene	40	U	40	16	ug/L			09/10/21 21:41	40
1,2-Dibromo-3-Chloropropane	40	U	40	16	ug/L			09/10/21 21:41	40
1,2-Dibromoethane	40	U	40	29	ug/L			09/10/21 21:41	40
1,2-Dichlorobenzene	40	U	40	32	ug/L			09/10/21 21:41	40
1,2-Dichloroethane	40	U	40	8.4	ug/L			09/10/21 21:41	40
1,2-Dichloropropane	40	U	40	29	ug/L			09/10/21 21:41	40
1,3-Dichlorobenzene	40	U	40	31	ug/L			09/10/21 21:41	40
1,4-Dichlorobenzene	40	U	40	34	ug/L			09/10/21 21:41	40
2-Butanone (MEK)	400	U	400	53	ug/L			09/10/21 21:41	40
2-Hexanone	200	U	200	50	ug/L			09/10/21 21:41	40
4-Methyl-2-pentanone (MIBK)	200	U	200	84	ug/L			09/10/21 21:41	40
Acetone	400	U	400	120	ug/L			09/10/21 21:41	40
Benzene	40	U	40	16	ug/L			09/10/21 21:41	40
Bromodichloromethane	40	U	40	16	ug/L			09/10/21 21:41	40
Bromoform	40	U	40	10	ug/L			09/10/21 21:41	40
Bromomethane	40	U	40	28	ug/L			09/10/21 21:41	40
Carbon disulfide	40	U	40	7.6	ug/L			09/10/21 21:41	40
Carbon tetrachloride	40	U	40	11	ug/L			09/10/21 21:41	40
Chlorobenzene	40	U	40	30	ug/L			09/10/21 21:41	40
Chloroethane	40	U	40	13	ug/L			09/10/21 21:41	40
Chloroform	40	U	40	14	ug/L			09/10/21 21:41	40
Chloromethane	40	U	40	14	ug/L			09/10/21 21:41	40
cis-1,2-Dichloroethene	**760**		40	32	ug/L			09/10/21 21:41	40
cis-1,3-Dichloropropene	40	U	40	14	ug/L			09/10/21 21:41	40
Cyclohexane	40	U	40	7.2	ug/L			09/10/21 21:41	40
Dibromochloromethane	40	U	40	13	ug/L			09/10/21 21:41	40
Dichlorodifluoromethane	40	U	40	27	ug/L			09/10/21 21:41	40
Ethylbenzene	40	U	40	30	ug/L			09/10/21 21:41	40
Isopropylbenzene	40	U	40	32	ug/L			09/10/21 21:41	40
Methyl acetate	100	U	100	52	ug/L			09/10/21 21:41	40
Methyl tert-butyl ether	**12**	**J**	40	6.4	ug/L			09/10/21 21:41	40
Methylcyclohexane	40	U	40	6.4	ug/L			09/10/21 21:41	40
Methylene Chloride	40	U	40	18	ug/L			09/10/21 21:41	40
Styrene	40	U	40	29	ug/L			09/10/21 21:41	40
Tetrachloroethene	**3500**		40	14	ug/L			09/10/21 21:41	40
Toluene	40	U	40	20	ug/L			09/10/21 21:41	40
trans-1,2-Dichloroethene	**63**		40	36	ug/L			09/10/21 21:41	40
trans-1,3-Dichloropropene	40	U	40	15	ug/L			09/10/21 21:41	40
Trichloroethene	**450**		40	18	ug/L			09/10/21 21:41	40
Trichlorofluoromethane	40	U	40	35	ug/L			09/10/21 21:41	40
Vinyl chloride	40	U	40	36	ug/L			09/10/21 21:41	40
Xylenes, Total	80	U	80	26	ug/L			09/10/21 21:41	40

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-189383-1

Client Sample ID: PW-6
Date Collected: 09/09/21 00:00
Date Received: 09/09/21 17:45

Lab Sample ID: 480-189383-3
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	99		77 - 120		09/10/21 21:41	40
4-Bromofluorobenzene (Surr)	99		73 - 120		09/10/21 21:41	40
Dibromofluoromethane (Surr)	96		75 - 123		09/10/21 21:41	40
Toluene-d8 (Surr)	98		80 - 120		09/10/21 21:41	40

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-189383-1

Client Sample ID: PW-7
Date Collected: 09/09/21 00:00
Date Received: 09/09/21 17:45

Lab Sample ID: 480-189383-4
Matrix: Water

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	100	U	100	82	ug/L			09/10/21 22:04	100
1,1,2,2-Tetrachloroethane	100	U	100	21	ug/L			09/10/21 22:04	100
1,1,2-Trichloro-1,2,2-trifluoroethane	100	U	100	31	ug/L			09/10/21 22:04	100
1,1,2-Trichloroethane	100	U	100	23	ug/L			09/10/21 22:04	100
1,1-Dichloroethane	100	U	100	38	ug/L			09/10/21 22:04	100
1,1-Dichloroethene	100	U	100	29	ug/L			09/10/21 22:04	100
1,2,4-Trichlorobenzene	100	U	100	41	ug/L			09/10/21 22:04	100
1,2-Dibromo-3-Chloropropane	100	U	100	39	ug/L			09/10/21 22:04	100
1,2-Dibromoethane	100	U	100	73	ug/L			09/10/21 22:04	100
1,2-Dichlorobenzene	100	U	100	79	ug/L			09/10/21 22:04	100
1,2-Dichloroethane	100	U	100	21	ug/L			09/10/21 22:04	100
1,2-Dichloropropane	100	U	100	72	ug/L			09/10/21 22:04	100
1,3-Dichlorobenzene	100	U	100	78	ug/L			09/10/21 22:04	100
1,4-Dichlorobenzene	100	U	100	84	ug/L			09/10/21 22:04	100
2-Butanone (MEK)	1000	U	1000	130	ug/L			09/10/21 22:04	100
2-Hexanone	500	U	500	120	ug/L			09/10/21 22:04	100
4-Methyl-2-pentanone (MIBK)	500	U	500	210	ug/L			09/10/21 22:04	100
Acetone	1000	U	1000	300	ug/L			09/10/21 22:04	100
Benzene	100	U	100	41	ug/L			09/10/21 22:04	100
Bromodichloromethane	100	U	100	39	ug/L			09/10/21 22:04	100
Bromoform	100	U	100	26	ug/L			09/10/21 22:04	100
Bromomethane	100	U	100	69	ug/L			09/10/21 22:04	100
Carbon disulfide	100	U	100	19	ug/L			09/10/21 22:04	100
Carbon tetrachloride	100	U	100	27	ug/L			09/10/21 22:04	100
Chlorobenzene	100	U	100	75	ug/L			09/10/21 22:04	100
Chloroethane	100	U	100	32	ug/L			09/10/21 22:04	100
Chloroform	100	U	100	34	ug/L			09/10/21 22:04	100
Chloromethane	100	U	100	35	ug/L			09/10/21 22:04	100
cis-1,2-Dichloroethene	**3900**		100	81	ug/L			09/10/21 22:04	100
cis-1,3-Dichloropropene	100	U	100	36	ug/L			09/10/21 22:04	100
Cyclohexane	100	U	100	18	ug/L			09/10/21 22:04	100
Dibromochloromethane	100	U	100	32	ug/L			09/10/21 22:04	100
Dichlorodifluoromethane	100	U	100	68	ug/L			09/10/21 22:04	100
Ethylbenzene	100	U	100	74	ug/L			09/10/21 22:04	100
Isopropylbenzene	100	U	100	79	ug/L			09/10/21 22:04	100
Methyl acetate	250	U	250	130	ug/L			09/10/21 22:04	100
Methyl tert-butyl ether	100	U	100	16	ug/L			09/10/21 22:04	100
Methylcyclohexane	100	U	100	16	ug/L			09/10/21 22:04	100
Methylene Chloride	100	U	100	44	ug/L			09/10/21 22:04	100
Styrene	100	U	100	73	ug/L			09/10/21 22:04	100
Tetrachloroethene	**3900**		100	36	ug/L			09/10/21 22:04	100
Toluene	100	U	100	51	ug/L			09/10/21 22:04	100
trans-1,2-Dichloroethene	100	U	100	90	ug/L			09/10/21 22:04	100
trans-1,3-Dichloropropene	100	U	100	37	ug/L			09/10/21 22:04	100
Trichloroethene	**1300**		100	46	ug/L			09/10/21 22:04	100
Trichlorofluoromethane	100	U	100	88	ug/L			09/10/21 22:04	100
Vinyl chloride	**530**		100	90	ug/L			09/10/21 22:04	100
Xylenes, Total	200	U	200	66	ug/L			09/10/21 22:04	100

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-189383-1

Client Sample ID: PW-7
Date Collected: 09/09/21 00:00
Date Received: 09/09/21 17:45

Lab Sample ID: 480-189383-4
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	100		77 - 120		09/10/21 22:04	100
4-Bromofluorobenzene (Surr)	98		73 - 120		09/10/21 22:04	100
Dibromofluoromethane (Surr)	101		75 - 123		09/10/21 22:04	100
Toluene-d8 (Surr)	101		80 - 120		09/10/21 22:04	100

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-189383-1

Client Sample ID: PW-8
Date Collected: 09/09/21 00:00
Date Received: 09/09/21 17:45

Lab Sample ID: 480-189383-5
Matrix: Water

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	8.0	U	8.0	6.6	ug/L			09/10/21 22:28	8
1,1,2,2-Tetrachloroethane	8.0	U	8.0	1.7	ug/L			09/10/21 22:28	8
1,1,2-Trichloro-1,2,2-trifluoroethane	8.0	U	8.0	2.5	ug/L			09/10/21 22:28	8
1,1,2-Trichloroethane	8.0	U	8.0	1.8	ug/L			09/10/21 22:28	8
1,1-Dichloroethane	8.0	U	8.0	3.0	ug/L			09/10/21 22:28	8
1,1-Dichloroethene	8.0	U	8.0	2.3	ug/L			09/10/21 22:28	8
1,2,4-Trichlorobenzene	8.0	U	8.0	3.3	ug/L			09/10/21 22:28	8
1,2-Dibromo-3-Chloropropane	8.0	U	8.0	3.1	ug/L			09/10/21 22:28	8
1,2-Dibromoethane	8.0	U	8.0	5.8	ug/L			09/10/21 22:28	8
1,2-Dichlorobenzene	8.0	U	8.0	6.3	ug/L			09/10/21 22:28	8
1,2-Dichloroethane	8.0	U	8.0	1.7	ug/L			09/10/21 22:28	8
1,2-Dichloropropane	8.0	U	8.0	5.8	ug/L			09/10/21 22:28	8
1,3-Dichlorobenzene	8.0	U	8.0	6.2	ug/L			09/10/21 22:28	8
1,4-Dichlorobenzene	8.0	U	8.0	6.7	ug/L			09/10/21 22:28	8
2-Butanone (MEK)	80	U	80	11	ug/L			09/10/21 22:28	8
2-Hexanone	40	U	40	9.9	ug/L			09/10/21 22:28	8
4-Methyl-2-pentanone (MIBK)	40	U	40	17	ug/L			09/10/21 22:28	8
Acetone	80	U	80	24	ug/L			09/10/21 22:28	8
Benzene	8.0	U	8.0	3.3	ug/L			09/10/21 22:28	8
Bromodichloromethane	8.0	U	8.0	3.1	ug/L			09/10/21 22:28	8
Bromoform	8.0	U	8.0	2.1	ug/L			09/10/21 22:28	8
Bromomethane	8.0	U	8.0	5.5	ug/L			09/10/21 22:28	8
Carbon disulfide	8.0	U	8.0	1.5	ug/L			09/10/21 22:28	8
Carbon tetrachloride	8.0	U	8.0	2.2	ug/L			09/10/21 22:28	8
Chlorobenzene	8.0	U	8.0	6.0	ug/L			09/10/21 22:28	8
Chloroethane	8.0	U	8.0	2.6	ug/L			09/10/21 22:28	8
Chloroform	8.0	U	8.0	2.7	ug/L			09/10/21 22:28	8
Chloromethane	8.0	U	8.0	2.8	ug/L			09/10/21 22:28	8
cis-1,2-Dichloroethene	**590**		8.0	6.5	ug/L			09/10/21 22:28	8
cis-1,3-Dichloropropene	8.0	U	8.0	2.9	ug/L			09/10/21 22:28	8
Cyclohexane	8.0	U	8.0	1.4	ug/L			09/10/21 22:28	8
Dibromochloromethane	8.0	U	8.0	2.6	ug/L			09/10/21 22:28	8
Dichlorodifluoromethane	8.0	U	8.0	5.4	ug/L			09/10/21 22:28	8
Ethylbenzene	8.0	U	8.0	5.9	ug/L			09/10/21 22:28	8
Isopropylbenzene	8.0	U	8.0	6.3	ug/L			09/10/21 22:28	8
Methyl acetate	20	U	20	10	ug/L			09/10/21 22:28	8
Methyl tert-butyl ether	**15**		8.0	1.3	ug/L			09/10/21 22:28	8
Methylcyclohexane	8.0	U	8.0	1.3	ug/L			09/10/21 22:28	8
Methylene Chloride	8.0	U	8.0	3.5	ug/L			09/10/21 22:28	8
Styrene	8.0	U	8.0	5.8	ug/L			09/10/21 22:28	8
Tetrachloroethene	**180**		8.0	2.9	ug/L			09/10/21 22:28	8
Toluene	8.0	U	8.0	4.1	ug/L			09/10/21 22:28	8
trans-1,2-Dichloroethene	8.0	U	8.0	7.2	ug/L			09/10/21 22:28	8
trans-1,3-Dichloropropene	8.0	U	8.0	3.0	ug/L			09/10/21 22:28	8
Trichloroethene	**21**		8.0	3.7	ug/L			09/10/21 22:28	8
Trichlorofluoromethane	8.0	U	8.0	7.0	ug/L			09/10/21 22:28	8
Vinyl chloride	**38**		8.0	7.2	ug/L			09/10/21 22:28	8
Xylenes, Total	16	U	16	5.3	ug/L			09/10/21 22:28	8

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-189383-1

Client Sample ID: PW-8
Date Collected: 09/09/21 00:00
Date Received: 09/09/21 17:45

Lab Sample ID: 480-189383-5
Matrix: Water

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	105		77 - 120		09/10/21 22:28	8
4-Bromofluorobenzene (Surr)	102		73 - 120		09/10/21 22:28	8
Dibromofluoromethane (Surr)	108		75 - 123		09/10/21 22:28	8
Toluene-d8 (Surr)	99		80 - 120		09/10/21 22:28	8

Chain of Custody Record

Temperature on Receipt _____

Drinking Water? Yes ☐ No ☒

TestAmerica
THE LEADER IN ENVIRONMENTAL TESTING

TAL-4124 (1007)

Client	Project Manager	Date	Chain of Custody Number
Ecology & Environment, Inc	Ashlee Smith	Sep 2021	282466
Address	**Telephone Number (Area Code)/Fax Number**	**Lab Number**	**Page** 1 of 1
368 Pleasantview Dr	(716) 684-8060 ext 2710		
City / **State** / **Zip Code**	**Site Contact**	**Lab Contact**	
Lancaster / NY / 14086	R. Aller	J. Schove	
Project Name and Location (State)	**Carrier/Waybill Number**		
MrCs O&M (NY)			
Contract/Purchase Order/Quote No.			

Sample I.D. No. and Description (Containers for each sample may be combined on one line)	Date	Time	Matrix: Air	Aqueous	Sed.	Soil	Containers & Preservatives: Unpres.	H2SO4	HNO3	HCl	NaOH	ZnAc/NaOH	Analysis: VOCs	Special Instructions/ Conditions of Receipt
PW-4	9/9/21			✓						3			✓	
PW-5				✓						3			✓	Email: iyerenv@gmail.com
PW-6				✓						3			✓	
PW-7				✓						3			✓	
PW-8				✓						3			✓	RKnapperte@ene.com

480-189383 Chain of Custody

Possible Hazard Identification
☒ Non-Hazard ☐ Flammable ☐ Skin Irritant ☐ Poison B ☐ Unknown

Sample Disposal
☐ Return To Client ☒ Disposal By Lab ☐ Archive For _____ Months (A fee may be assessed if samples are retained longer than 1 month)

Turn Around Time Required
☐ 24 Hours ☐ 48 Hours ☒ 7 Days ☐ 14 Days ☐ 21 Days ☐ Other _____

QC Requirements (Specify)

	Relinquished By	Date	Time	Received By	Date	Time
1.	Richard C Allen Jr	9/9/2021	17:45		9.9.21	17:45
2.						
3.						

Comments

Temp 4.7 #1 ICE

DISTRIBUTION: WHITE - Returned to Client with Report; CANARY - Stays with the Sample; PINK - Field Copy

Page 27 of 28

9/13/2021

Attachment B
IEG Summary of Field Activities

September 2021

Mr. C's CLEANERS OM&M

SUMMARY OF FIELD ACTIVITIES BY IEG - Sep 2021

DATE	ACTIVITY
1-Sep-21	Time and Expense Reports. End of Month Summaries. Weekly Inspection.
2-Sep-21	Dropped off fan cover. Mixed new batch of Redux solution. Treatment Room Sampling.
3-Sep-21	Dropped off sample coolers. Mobolized for AutoDialer maintenance. Get supplies. Replaced Air Stripper Stack and rain collar. Reprogrammed AutoDialer. Greased Air Stripper Blower Motor #1. Disposed of old Air Stripper Exhaust Stack.
7-Sep-21	Weekly Inspection. Office work.
8-Sep-21	Got Supplies
9-Sep-21	Quarterly Well Sampling.
13-Sep-21	Weekly Inspection. Met with S&S Backflow.
14-Sep-21	Got Supplies
17-Sep-21	Piezometer Readings. Met with contractor to replace SVE System top section.
21-Sep-21	Weekly Inspection. Painted ID characters on Well Pump covers. Office work.
24-Sep-21	Checked System
28-Sep-21	Weekly Inspection. Removed some IEG equipment from Treatment Room and transferred to the IEG Shed. Office work.
29-Sep-21	Changed Bag Filters
30-Sep-21	Checked System. Assessed broken fan cover for replacement.

Mr. C's CLEANERS OM&M
STATUS OF FIELD ACTIVITIES BY IEG - 9/2021

ACTIVITY	DESCRIPTION	COMPLETION DATE/STATUS
Redux Line Valve Leaking	Valve on Redux line was leaking. Replaced with stainless steel valve.	Feb-21
PZ-2C is missing the Top Cover	PZ-2C was missing top cover after snowplow cleared parking lot. Filled inner ring with gravel / soil to reduce pedestrian tripping hazard. Replaced Top Cover and removed gravel from inside the inner ring.	Mar-21
Wells in Groups PW-2 and PW-3 are covered with material	Some wells in Groups PW-2 and PW-3 were covered with gravel and soil from snowplowing of gravel parking lot. Found and uncovered wells.	Apr-21
Drums of Sludge and Used Filters	Had 1 drum of used bag filters and 4 drums of sludge/water from well purges and EQ Tank cleanout. Consolidated 4 sludge drums into 2 drums. Added 3 bags of cement to sludge during consolidation process. Disposed drums.	May-21
PW-5 is Pumping Very Slowly	PW-7 was ON most of the time. Suspected sludge buildup in horizontal line. Replaced pump with more powerful pump.	May-21
Effluent Meter	Cleaned Effluent Meter inside. Effluent Meter stopped working and was replaced. (old meter read 87,585,383 on 6/21/21)	Jun-21
MW-14 Inner Ring pulled up	MW-14 was pushed up/out of ground by snowplow. Covered riser/hole with stones. Sealed well with concrete. Brought area up to grade with gravel.	Aug-21
SVE System Top Section Fell Off	The SVE System on the NE corner of Building 574 was damaged possibly by high winds. The top most section of the exhaust pipe fell to the ground. Hired contractor to reinstall the top section.	Sep-21
AutoDialer Panel is Frozen	Replaced batteries. AutoDialer Panel is still frozen. Had contractor reprogram unit.	Sep-21
Air Stripper Exhaust Stack is Corroded	The Air Stripper Exhaust Stack on the roof is severely corroded. Inspect and replace the unit as necessary. Had contractor replace the stack.	Sep-21
Man-door lockset is difficult during hot temperatures.	The Man-door lockset is difficult to open with a key during hot weather when the metal door expands. Grinded the keeper and lubricated the lockset.	Aug-21
Inspect Fire Extinguisher	The NYS Fire Inspector revealed that the Treatment Room Fir Extinguisher needed to be inspected. Took the unit to Hanes Supply for an inspection.	Aug-21
MPI-6S Inner Bracket is Difficult to Remove	The Inner Bracket of MPI-6S has become very difficult to remove for Piezometer Readings. Grinded the tips of the bracket to ease removal.	Aug-21
Cool Treatment Room	Treatment Room temperature can go above 90 degrees in summer. To increase outside air inflow into room, cut new locking position on frame so door can be closed with a 2" opening at bottom. Monitor and adjust if warranted.	Monitor
Filter Housings are corroded	Flanges that seal filter baskets inside Rosedale Filter Housings are corroded. Sediment flows around filters instead of being trapped. Replace seals in existing housings and patch as needed (short term). Replace housings (long term).	Monitor
Repair Leaking Ball Valve	Influent ball valve east of EQ Tank drips. Inspect/clean & replace if necessary.	Monitor
Reduce Influent Pump Rate	Lab Tests have shown high levels of VOCs. Try lengthening the time that the Influent Pump runs to increase the Air Sparging time inside the Air Stripper	Monitor
PW-4 UE Level	Asphalt around Underground Enclosure has sunk, and is vulnerable to damage. Bring pavement up to level with asphalt patch. Inspect and repair when warranted.	Monitor
SVE Fan pipe collects water	The SVE Fan pipe on Building 586 collects water. There is a plug just below the fan to drain water out of the horizontal section of the pipe. Inspect system and make corrections to prevent the pipe from filling with water.	Currently draining pipe weekly
Fan Shroud is broken	Shroud over fan unit of Outdoor Store is broken - it is located down alley between two buildings and is approximately 12' high.	in progress

Mr. C's CLEANERS OM&M
STATUS OF FIELD ACTIVITIES BY IEG - 9/2021

ACTIVITY	DESCRIPTION	COMPLETION DATE/STATUS
Check SVE Fans	Check on status of subslab fan units	in progress
MPI-5S is Damaged	MPI-5S was damaged by snowplow. Notified Intrepid Auto and their maintenance personnel fill inner ring with gravel as a temporary fix. Replace inner ring.	in progress
MW-8 is Damaged	MW-8 was damaged by a snowplow. Let IA, Inc. know and have their maintenance personnel fill inner ring with gravel as a temporary fix. Replace inner ring.	in progress
ABB Meter stopped working	The backup Effluent Meter stopped working. Assess need to replace unit if not serviceable. Unit is not sericeable.	in progress
Influent Pipe joint is Leaking	The Influent Pipe is leaking a glue like substance at a joint where the Redux Solution feed fitting is installed. The Redux appears to have liquified the PVC cement over a period of several years. Move fitting to non-joint pipe location.	in progress
Retrieve Bailer in PW-7	The sampling bailer repeatedly snagged on something while taking well samples. The line broke and the bailer fell to the bottom. Retrieve the bailer and design a weighted bailer system that resists snagging.	in progress

Mr. C's CLEANERS OM&M

SUMMARY OF WATER PUMP MAINTENANCE BY IEG - 2021

as of Sep 2021

ID	CLEAN & INSPECT PUMP	REPLACED PUMP	REPAIR PUMP	PITLESS ADAPTER	INNER RING	CLEAN & INSPECT HORIZONTAL PIPE	CHECK VALVE	CLEAN & INSPECT TRANSDUCER	REPLACE TRANSDUCER	PUMP OUT WELL	PIEZOMETERS	REPLACE ANEROID BELLOWS	CLEAN OUT & INSPECT ELECTRICAL BOX	ELECTRICAL BOX REPAIR
RW - 1	Jan 08, May 10, Jan 12, Oct 15, Oct 17	Feb 08, Jan 12	May 10, Nov 08					May 10, Jan 12, Oct 15, Oct 17			PZ-1B repaired Sep 16, Jun 19			
PW - 2	Jun 08, Aug 09, May 10, Apr 13, Sep 15, Oct 16, Oct 17	Jul 08, Apr 13 Dec 15				Sep-15		Nov 11, May 10, Apr 13 Dec 15, Oct 16, Oct 17	Sep 09, Dec 11	Aug-09			Nov-11	Sep-09
PW - 3	Jun 08, Aug 09, May 10, Sep 15, Oct 16, Oct 17	Jul 08, Dec 11, Oct 15		Repair adapter		Sep-15		Aug 09, Nov 11, Oct 15, Oct 16, Oct 17	Dec 11, Sep 15	Aug-09			Nov 11, Sep 15	
PW - 4	Dec 07, May 08, Sep 09, May 10, Jan 12, Oct 15, Oct 16, Oct 17, Oct 18, Sep 19, Aug 20, Jun21	Dec 07, Jan 12	Sep-13		Aug 13	Oct 16, Oct 18, Aug 20, Jun 21		May 10, Nov 11, Oct 15, Oct 16, Oct 17, Oct 18, Sep 19, Aug 20, Jun21	Dec 11, Mar 08, Sep 08	Jul 09, Sep 09	PZ-4B replaced Sep 16, PZ-4D replaced Apr 17	Oct 16	Sep 09, Nov 11, Oct 16	Sep-09
PW - 5	Jan 12, May 08, Oct 15, Nov 16, Oct 17, Oct 18, Sep 19, Aug 20, May21	Jul 08, Jan 12, May 21				Nov 16, Oct 18, Aug 20, May 21		Mar 11, Oct 15, Nov 16, Oct 17, Oct 18, Sep 19, Aug 20, May 21	Jan 12, Sep 08				Jan 12, Sep 19	
PW - 6	Jun 08, Jul 09, Jul 12, Nov 12, Aug 15, Apr 17, Oct 17, Oct 18, Sep 19, Aug 20, Jun 21	Jun 08, Jul 09, Aug 12, Nov 12, Sep 15		Replaced Aug 15		Jul 12, Nov 12, Sep 15, Apr 17, Oct 18, Aug 20, Jun 21	Aug 15	Aug 09, Jul 12, Dec 12, Apr 13, Aug 15, Apr 17, Oct 17, Dec 17, Oct 18, Sep 19, Aug 20, Jun 21	Sep 09, Sep 15, Jan 18	Aug-09	PZ-6A, PZ-6C repaired Sep 16	Aug 15	Aug 09, Sep 09, Sep 15	Jul 09, Sep 09
PW - 7	Jun 08, Jul 09, May 10, Oct 10, Aug 11, Mar 12, Jul 12, Nov 12, Aug 15, Nov 11, Oct 17, Oct 18. Sep 19, Aug 20, Jun 21	Nov 07, Jul 09, Oct 10, Nov 12		Replaced Aug 15		Jul 12, Nov 12, Nov 16, Oct 18, Aug 20, Jun 21	Aug 15	Oct 10, Aug 11, Mar 12, Jul 12, Dec 12, Aug 15, Nov 16, Oct 17, Oct 18, Sep 19, Aug 20, Jun 21		Aug 09, May 10, Aug 11	PZ-7D clean out product			
PW - 8	Jun 08, Aug 09, May 10, Aug 11, Jul 12, Dec 12, Aug 15, Apr 17, Oct 17, Oct 18, Sep 19, Aug 20, Aug 21	Jul 08, Sep 09, Aug 11, Dec 12		Replaced Aug 15		Pipe Aug 09, Jul 12, Sep 15, Apr 17, Oct 18, Aug 20, Aug 21	Aug 15	May 10, Aug 11, Jul 12, Dec 12, Apr 13, Aug 15, Apr 17, Oct 17, Oct 18, Sep 19, Aug 20, Jun 21		Aug 09, May 10, Aug 11		Aug 15	Apr 13, Aug 15	Apr-13

Mr. C's CLEANERS OM&M

SUMMARY OF WATER PUMP STATUS - 2021

as of Sep 2021

ID	NEEDS CLEANING & INSPECTION	NEEDS NEW PUMP	NEEDS NEW INNER RING	NEEDS P.A. OR PIPE	NEEDS WELL CLEAN-OUT	PITLESS ADAPTER	NEEDS HORIZONTAL LINE PURGE	NEEDS CHECK VALVE INSPECTION	NEEDS TRANSDUCER INSPECTION	NEEDS NEW TRANSDUCER	PIEZOMETERS	NEEDS ANEROID BELLOWS	NEEDS U.E. CLEANED	NEEDS U.E. REPAIR
RW-1	NO	NO	YES		NO		NO		NO	NO		NO	NO	YES - bolts
PW-2	NO	NO	NO		NO		NO		NO	NO	MW-14 needs to be closed	NO	NO	YES - bolts
PW-3	NO	NO	NO		NO		NO		NO	NO		NO	NO	NO
PW-4	NO	NO	NO		NO		NO		NO	NO		NO	NO	NO
PW-5	NO	NO	NO		NO		NO		NO	NO		NO	NO	NO
PW-6	NO	NO	NO		NO		NO		NO	NO	PZ-6A and PZ-6C are damaged	NO	NO	DONE
PW-7	NO	NO	NO		NO		NO		NO	NO		NO	NO	NO
PW-8	NO	NO	NO		NO		NO		NO	NO		NO	NO	NO

MR. C's DRY CLEANERS SITE
NYSDEC Site #9-15-157
OM&M: SITE INSPECTION FORM

DATE: 7-Sep-21 *ACTIVITIES:* Site Inspection

INSPECTION PERSONNEL: R. Allen *OTHER PERSONNEL:* ----------

WEATHER CONDITIONS: Partly cloudy, warm *OUTSIDE TEMPERATURE (°F):* 75

ARE WELL PUMPS OPERATING IN AUTO: YES: NO: √ If "NO", provide explanation below

RW-1, PW-2 and PW-3 are manually set to OFF position; PW-4 through PW-8 are on AUTO

PROVIDE WATER LEVEL READINGS ON CONTROL PANEL

RW-1	ON: √	OFF:	13	ft	PW-5	ON:	OFF: √	6	ft
PW-2	ON:	OFF: √	10	ft	PW-6	ON:	OFF: √	5	ft
PW-3	ON: √	OFF:	11	ft	PW-7	ON:	OFF: √	7	ft
PW-4	ON:	OFF: √	7	ft	PW-8	ON:	OFF: √	4	ft

EQUALIZATION TANK: 3 ft Last Alarm D/T/Condition: 7/18/2021 Air Stripper Low Pressure

NOTES:

INFLUENT FLOW RATE: 2 gpm INFLUENT TOTALIZER READING: 21759741 gallons

SEQUESTERING AGENT DRUM LEVEL: 28 inches *(x 1.7=)* *AMOUNT OF AGENT REMAINING:* 48 gallons

SEQUESTERING AGENT FEED RATE: ----- ml/min *METERING PUMP PRESSURE:* ----- psi

		Top	Bottom			Top	Bottom	
BAG FILTER PRESSURES:	LEFT:	0	0	psi	RIGHT:	6	0	psi

INFLUENT FEED PUMP IN USE: #1 √ #2 *INFLUENT PUMP PRESSURE:* 7 psi

AIR STRIPPER BLOWER IN USE: #1 √ #2 *AIR STRIPPER PRESSURE:* 1.1 (30.5) in. H_2O

AIR STRIPPER DIFFERENTIAL PRESSURE: broken in. H_2O *DISCHARGE PRESSURE:* 1.9 in. H_2O

AIR FLOW : 1350 fpm X 1.4 = 1890 CFM *AIR SPARGER* *LEFT* 6.7 *RIGHT* 2.8 CFM

AIR TEMP: 110.8 °F

EFFLUENT PUMP IN USE: #1 #2 √ *EFFLUENT FEED PUMP PRESSURE:* 5 psi

EFFLUENT FLOW RATE: 60 gpm *EFFLUENT TOTALIZER READING:* 183190 (TOTAL = 86410 for 8/03-9/06) gallons

REPLACED WATER METER on 6/25/21: PREVIOUS METER ENDED AT 87,585,383

ARE BUILDING HEATERS IN USE? YES: NO: √ *INSIDE TEMPERATURE (°F):* 92

IS SUMP PUMP IN USE: YES: √ NO: *ARE ANY LEAKS PRESENT?* YES: √ NO:

WATER LEVEL IN SUMP: 2.0 in. *TREATMENT BUILDING CLEAN & ORGANIZED?* YES: √ NO:

MR. C's DRY CLEANERS SITE

NYSDEC Site #90150157

SITE INSPECTION FORM

7-Sep-21

SAMPLES COLLECTED? **YES:** √ **NO:** _____ Quarterly Well Samples Sep 9

	Sample ID	Time of Sampling	pH	Turbidity	Temp.	Sp. Cond.
AIR STRIPPER INFLUENT:						
AIR STRIPPER EFFLUENT:						

IS THERE EVIDENCE OF TAMPERING/VANDALISM OF WELLS: ? **YES:** _____ **NO:** √

WERE MANHOLES INSPECTED? **YES:** √ **NO:** _____

WERE ELECTRICAL BOXES INSPECTED? **YES:** √ **NO:** _____

IS WATER PRESENT IN ANY MANHOLES OR ELECTRICAL BOXES? **YES:** _____ **NO:** √

If yes, provide manhole/electric box ID and description of any corrective measures below:

RW-1 inner ring is corroded. MPI-5S and MW-8 inner rings are damaged.

SUBSLAB SYSTEMS

TREATMENT ROOM

MANOMETER: **1.3** **in. WC** west east ***NOTES:*** cfm = 0.05 x fpm (3" PVC)

(Fan Inlet) **FLOW (fpm):** _____ _____

CONDENSATE **------** **gallon** **FLOW (cfm):** _____ _____

DRAINED **No** **VACUUM GAUGE (in WC)** _____

OTHER LOCATIONS

586 Building SVE CONDENSATE drained: **NO**____ VOLUME: **------** gallon

INCLUDE REMARKS & DESCRIBE ANY OTHER SYSTEM MAINTENANCE PERFORMED ON MR. C's SITE

Remarks: There is a slow leak of liquifying PVC cement in the Influent Pipe near the Redux line fitting.

Other Actions: Quarterly Well Sampling was done for PW-4, PW-5, PW-6, PW-7 and PW-8.

Intrepid Automotive leveled the Parking Lot near Well Group PW-3.

Found and uncovered PZ-2B after Parking Lot leveling.

MR. C's DRY CLEANERS SITE
NYSDEC Site #9-15-157
OM&M: SITE INSPECTION FORM

DATE: 21-Sep-21 *ACTIVITIES:* Site Inspection

INSPECTION PERSONNEL: R. Allen *OTHER PERSONNEL:* ----------

WEATHER CONDITIONS: Cloudy, warm *OUTSIDE TEMPERATURE (°F):* 75

ARE WELL PUMPS OPERATING IN AUTO: YES: NO: √ If "NO", provide explanation below

RW-1, PW-2 and PW-3 are manually set to OFF position; PW-4 through PW-8 are on AUTO

PROVIDE WATER LEVEL READINGS ON CONTROL PANEL

RW-1	ON: √	OFF:	14	ft	PW-5	ON:	OFF: √	6	ft
PW-2	ON:	OFF: √	10	ft	PW-6	ON:	OFF: √	7	ft
PW-3	ON: √	OFF:	11	ft	PW-7	ON:	OFF: √	3	ft
PW-4	ON:	OFF: √	6	ft	PW-8	ON:	OFF: √	4	ft

EQUALIZATION TANK: 3 ft Last Alarm D/T/Condition: 9/3/2021 Air Stripper Low Pressure

NOTES:

INFLUENT FLOW RATE: 0 gpm INFLUENT TOTALIZER READING: 21825768 gallons

SEQUESTERING AGENT DRUM LEVEL: 19 inches *(x 1.7=)* *AMOUNT OF AGENT REMAINING:* 32 gallons

SEQUESTERING AGENT FEED RATE: ----- ml/min *METERING PUMP PRESSURE:* ----- psi

		Top	Bottom			Top	Bottom	
BAG FILTER PRESSURES:	LEFT:	0	0	psi	RIGHT:	8	0	psi

INFLUENT FEED PUMP IN USE: #1 √ #2 *INFLUENT PUMP PRESSURE:* 7 psi

AIR STRIPPER BLOWER IN USE: #1 √ #2 *AIR STRIPPER PRESSURE:* 1.1 (30.5) in. H_2O

AIR STRIPPER DIFFERENTIAL PRESSURE: broken in. H_2O *DISCHARGE PRESSURE:* 1.9 in. H_2O

AIR FLOW : 1350 fpm X 1.4 = 1890 CFM *AIR SPARGER* *LEFT* 6.9 *RIGHT* 2.8 CFM

AIR TEMP: 103.6 °F

EFFLUENT PUMP IN USE: #1 #2 √ *EFFLUENT FEED PUMP PRESSURE:* 5 psi

EFFLUENT FLOW RATE: gpm *EFFLUENT TOTALIZER READING:* 218,660 broken gallons

ARE BUILDING HEATERS IN USE? YES: NO: √ *INSIDE TEMPERATURE (°F):* 83

IS SUMP PUMP IN USE: YES: √ NO: *ARE ANY LEAKS PRESENT?* YES: √ NO:

WATER LEVEL IN SUMP: 6.0 in. *TREATMENT BUILDING CLEAN & ORGANIZED?* YES: √ NO:

MR. C's DRY CLEANERS SITE

NYSDEC Site #90150157

SITE INSPECTION FORM

21-Sep-21

SAMPLES COLLECTED? **YES:** _____ **NO:** √

	Sample ID	Time of Sampling	pH	Turbidity	Temp.	Sp. Cond.
AIR STRIPPER INFLUENT:						
AIR STRIPPER EFFLUENT:						

IS THERE EVIDENCE OF TAMPERING/VANDALISM OF WELLS: ? **YES:** _____ **NO:** √

WERE MANHOLES INSPECTED? **YES:** √ **NO:** _____

WERE ELECTRICAL BOXES INSPECTED? **YES:** √ **NO:** _____

IS WATER PRESENT IN ANY MANHOLES OR ELECTRICAL BOXES? **YES:** _____ **NO:** √

If yes, provide manhole/electric box ID and description of any corrective measures below:

RW-1 inner ring is corroded. MPI-5S and MW-8 inner rings are damaged.

SUBSLAB SYSTEMS

TREATMENT ROOM

MANOMETER: **1.3** **in. WC** west east ***NOTES:*** cfm = 0.05 x fpm (3" PVC)

(Fan Inlet) **FLOW (fpm):** _____ _____

CONDENSATE **------** **gallon** **FLOW (cfm):** _____ _____

DRAINED **No** **VACUUM GAUGE (in WC)** _____

OTHER LOCATIONS

586 Building SVE CONDENSATE drained: **NO**____ VOLUME: **------** gallon

INCLUDE REMARKS & DESCRIBE ANY OTHER SYSTEM MAINTENANCE PERFORMED ON MR. C's SITE

Remarks: There is a slow leak of liquifying PVC cement in the Influent Pipe near the Redux line fitting.

AutoDialer - Code 12

Other Actions: Repainted the ID characters on Well Pump covers and Piezometer covers.

MR. C's DRY CLEANERS SITE
NYSDEC Site #9-15-157
OM&M: SITE INSPECTION FORM

DATE: 4-Oct-21 *ACTIVITIES:* Site Inspection

INSPECTION PERSONNEL: R. Allen *OTHER PERSONNEL:*

WEATHER CONDITIONS: Cloudy, rain, warm *OUTSIDE TEMPERATURE (°F):* 64

ARE WELL PUMPS OPERATING IN AUTO: YES: NO: √ If "NO", provide explanation below

RW-1, PW-2 and PW-3 are manually set to OFF position; PW-4 through PW-8 are on AUTO

PROVIDE WATER LEVEL READINGS ON CONTROL PANEL

RW-1	ON: √	OFF:	14	ft	PW-5	ON:	OFF: √	7	ft
PW-2	ON:	OFF: √	12	ft	PW-6	ON:	OFF: √	5	ft
PW-3	ON: √	OFF:	12	ft	PW-7	ON:	OFF: √	7	ft
PW-4	ON:	OFF: √	6	ft	PW-8	ON: √	OFF:	6	ft

EQUALIZATION TANK: 3 ft Last Alarm D/T/Condition: 9/3/2021 Air Stripper Low Pressure

NOTES:

INFLUENT FLOW RATE: 0 gpm INFLUENT TOTALIZER READING: 21889111 gallons

SEQUESTERING AGENT DRUM LEVEL: 8 inches *(x 1.7=)* *AMOUNT OF AGENT REMAINING:* 14 gallons

SEQUESTERING AGENT FEED RATE: ----- ml/min *METERING PUMP PRESSURE:* ----- psi

		Top	Bottom			Top	Bottom	
BAG FILTER PRESSURES:	LEFT:	0	0	psi	RIGHT:	6	0	psi

INFLUENT FEED PUMP IN USE: #1 √ #2 *INFLUENT PUMP PRESSURE:* 7 psi

AIR STRIPPER BLOWER IN USE: #1 √ #2 *AIR STRIPPER PRESSURE:* 1.1 (30.5) in. H_2O

AIR STRIPPER DIFFERENTIAL PRESSURE: broken in. H_2O *DISCHARGE PRESSURE:* 2.0 in. H_2O

AIR FLOW : 1250 fpm X 1.4 = 1750 CFM *AIR SPARGER* *LEFT* 6.8 *RIGHT* 2.9 CFM

AIR TEMP: 102.3 °F

EFFLUENT PUMP IN USE: #1 #2 √ *EFFLUENT FEED PUMP PRESSURE:* 5 psi

EFFLUENT FLOW RATE: 61 gpm *EFFLUENT TOTALIZER READING:* 251250 (TOTAL = 68060 for 9/06-10/04) gallons

REPLACED WATER METER on 6/25/21: PREVIOUS METER ENDED AT 87,585,383

ARE BUILDING HEATERS IN USE? YES: NO: √ *INSIDE TEMPERATURE (°F):* 82

IS SUMP PUMP IN USE: YES: √ NO: *ARE ANY LEAKS PRESENT?* YES: √ NO:

WATER LEVEL IN SUMP: 4.0 in. *TREATMENT BUILDING CLEAN & ORGANIZED?* YES: √ NO:

MR. C's DRY CLEANERS SITE

NYSDEC Site #90150157

SITE INSPECTION FORM

4-Oct-21

SAMPLES COLLECTED? **YES:** √ **NO:** _____

	Sample ID	Time of Sampling	pH	Turbidity	Temp.	Sp. Cond.
AIR STRIPPER INFLUENT:						
AIR STRIPPER EFFLUENT:						

IS THERE EVIDENCE OF TAMPERING/VANDALISM OF WELLS: ? **YES:** _____ **NO:** √

WERE MANHOLES INSPECTED? **YES:** √ **NO:** _____

WERE ELECTRICAL BOXES INSPECTED? **YES:** √ **NO:** _____

IS WATER PRESENT IN ANY MANHOLES OR ELECTRICAL BOXES? **YES:** √ **NO:** _____

If yes, provide manhole/electric box ID and description of any corrective measures below:

RW-1 inner ring is corroded. MPI-5S and MW-8 inner rings are damaged.

SUBSLAB SYSTEMS

TREATMENT ROOM

MANOMETER: **1.3** **in. WC** west east ***NOTES:*** cfm = 0.05 x fpm (3" PVC)

(Fan Inlet) **FLOW (fpm):** _____ _____

CONDENSATE **------** **gallon** **FLOW (cfm):** _____ _____

DRAINED **No** **VACUUM GAUGE (in WC)** _____

OTHER LOCATIONS

586 Building SVE CONDENSATE drained: **NO**____ VOLUME: **------** gallon

INCLUDE REMARKS & DESCRIBE ANY OTHER SYSTEM MAINTENANCE PERFORMED ON MR. C's SITE

Remarks: There is a slow leak of liquifying PVC cement in the Influent Pipe near the Redux line fitting.

AutoDialer - Code 12

Other Actions: The loose electrical wire above the overhead door has been secured by Intrepid Automotive.

MR. C's DRY CLEANERS SITE
NYSDEC Site #9-15-157

OM&M: PIEZOMETER WATER LEVEL LOG

Date: 17-Sep-21 **Measurements taken by:** R. Allen

RW-1	11.30 ft	Comments:		PW-5	15.30 ft	Comments:	
PZ-1A	11.24 ft	Comments:		PZ-5A	10.64 ft	Comments:	
PZ-1B	10.95 ft	Comments:		PZ-5B	10.58 ft	Comments:	
PZ-1C	12.13 ft	Comments:		PZ-5C	10.18 ft	Comments:	
PZ-1D	12.25 ft	Comments:		PZ-5D	11.00 ft	Comments:	
PW-2	10.80 ft	Comments:		PW-6	18.20 ft	Comments:	
PZ-2A	10.71 ft	Comments:		PZ-6A	11.48 ft	Comments:	
PZ-2B	11.08 ft	Comments:		PZ-6B	11.32 ft	Comments:	
PZ-2C	10.56 ft	Comments:		PZ-6C	11.63 ft	Comments:	
MW-7	11.07 ft	Comments:	Substitute for 2D	PZ-6D	11.39 ft	Comments:	Shown as RW-2 on map
PW-3	11.30 ft	Comments:		PW-7	15.80 ft	Comments:	
PZ-3A	11.22 ft	Comments:		MPI-6S	10.91 ft	Comments:	
PZ-3B	11.32 ft	Comments:		PZ-7B	11.17 ft	Comments:	
PZ-3C	11.80 ft	Comments:		OW-B	11.04 ft	Comments:	
PZ-3D	11.29 ft	Comments:		PZ-7D	10.82 ft	Comments:	
PW-4	17.40 ft	Comments:		PW-8	20.10 ft	Comments:	
PZ-4A	11.44 ft	Comments:		PZ-8A	8.03 ft	Comments:	
PZ-4B	10.60 ft	Comments:		PZ-8B	7.99 ft	Comments:	
PZ-4C	------ ft	Comments:	sealed over	PZ-8C	7.70 ft	Comments:	
PZ-4D	10.27 ft	Comments:		PZ-8D	7.86 ft	Comments:	

PUMPS IN OPERATION DURING MEASUREMENTS

RW-1 pump on?		Yes	√	PW-5 pump on?		Yes	√
		No				No	
PW-2 pump on?		Yes	√	PW-6 pump on?		Yes	√
		No				No	
PW-3 pump on?		Yes	√	PW-7 pump on?		Yes	√
		No				No	
PW-4 pump on?		Yes	√	PW-8 pump on?		Yes	√
		No				No	

1. The old corroded Air Stripper exhaust stack on the roof

2. View down the exhaust after the stack was removed

3. After cutting away the corroded part of the stack

4. A new pipe was installed and sealed

5. A rain guard was fitted into place

6. Finally the rain guard is sealed

AIR STRIPPER STACK REPLACEMENT **September 2021**	IEG	**PHOTO PAGE** **1 of 1**
Mr. C's Dry Cleaners Site, East Aurora, NY		

MR. C's DRY CLEANERS SITE – OM&M

574 MAIN ST BUILDING SVE PIPE REPLACEMENT – Sep 2021

The original top section of the SVE System exhaust pipe was lost in a storm

The damaged system was on the Northeast corner of Building 574 Main St

The top section was reinstalled with a new cap and bracket

NEW YORK STATE DEPARTMENT OF HEALTH
Bureau of Public Water Supply Protection

Report on Test and Maintenance of Backflow Prevention Device

PART A — Please use a separate form for each device.

For the year 2021
☐ Initial test - *Complete entire form*
☒ Annual test - *Complete Part A only*

Public Water Supply	Account No.	County	Block	Lot
Village of East Aurora		Erie		

Facility Name: Tyee Environmental
Address: 586 Main St (Street) E Aurora (City) 14052 (Zip)
Location of Device: mechanical room side parking lot

Device Information	Manufacturer	Type	Model	Size (in inches)	Serial Number
	Watts	☒ RPZ ☐ DCV	009M2QT	1"	171453

	Check Valve No. 1	Check Valve No. 2	Differential Pressure Relief Valve	Line Pressure 55 psi
Test before repair	Leaked ☐ Closed tight ☒ Pressure drop across first check valve 8.0 psid	Leaked ☐ Closed tight ☒	Opened at 2.8 psid	Date 09 / 13 / 21 (M D Y)
Describe repairs and materials used				Repaired by Name _____ Lic # _____ Date repaired: ___ ___ ___ (M D Y)
Final test	Closed tight ☐ Pressure drop across first check valve _____ psid	Closed tight ☐	Opened at _____ psid	Date ___ ___ ___ (M D Y)

Water Meter Number: 58337799
Meter Reading: 2019.7
Type of Service (check one): • Domestic • Fire • Other _____

Remarks (Describe deficiencies: bypasses, outlets before the device, connections between the device and point of entry, missing or inadequate airgaps, etc.)

Certification: This device ☐ meets,* ☐ does NOT meet, the requirements of an acceptable containment device at the time of testing
I hereby certify the foregoing data to be correct.

Print Name	Certified Tester No.	Signature	Expiration Date
Thomas S Stone	10572		07/31/23

Property owner's (or owner's agent) certification that test was perform

Print Name	Title		Telephone
Richard C Allen		Richard C Allen Jr.	716 445-9685

PART B — Certification that installation is in accordance with the approved plans. (To be completed by the design engineer or architect or water supplier.)

I hereby certify that this installation is in accordance with the approved plans.

Name	Title	Date (m d y)	NYS DOH Log #
License Number	Phone ( )		

Representing	Describe minor installation changes
Address	
City / State / Zip	
Signature	

NOTE: Send one completed copy to the designated health department representative and one copy to the water supplier within 30 days of the testing device.
Notify owner and water supplier immediately if device fails test and repairs cannot immediately be made.

DOH- 1013(9/91)