



ecology and environment engineering and geology, p.c.

Environmental Specialists

BUFFALO CORPORATE CENTER

368 Pleasant View Drive

Lancaster, New York 14086

Tel: (716) 684-8060, Fax: (716) 684-0844

January 10, 2022

Mr. Payson Long, Project Manager
New York State Department of Environmental Conservation
Division of Environmental Remediation
625 Broadway, 12th Floor
Albany, New York 12233 - 7013

Re: Mr. C's Dry Cleaners Site, Contract # D009807, Site # 915157
December 2021 Operations, Maintenance, and Monitoring Report

Dear Mr. Long:

Ecology and Environment Engineering and Geology, P.C. (E&E) is pleased to provide the December 2021 Operations, Maintenance, and Monitoring (OM&M) Report for the Mr. C's Dry Cleaners Site, NYSDEC Site # 915157, located in the Village of East Aurora, New York.

During the December 2021 reporting period, the treatment system was in operation from November 30, 2021 through January 3, 2021. The monthly OM&M sampling was performed on December 10, 2021, and the results were received from Eurofins on December 16, 2021 (See Attachment A). The effluent results for this effluent sample met the requirements of the SPDES Equivalency permit. A summary of field activities prepared by E&E's subcontractor, IYER Environmental Group, PLLC. (IEG), is provided in Attachment B.

In review of the on-site treatment system operations, monitoring and maintenance from IEG for December 2021, E&E offers the following comments and highlights:

Operational Summary:

- Based on inspection reports prepared by IEG, the remedial treatment system for the period of November 30, 2021 through January 3, 2021, had an approximate operational up-time of 100%, and 90,890 gallons of contaminated groundwater were treated during the reporting period. The treated effluent volumes and operational up-time can be seen in Table 1.
- The compliance samples from December 10, 2021 collected from the effluent sampling port met all requirements of the SPDES Equivalency permit. The effluent results are provided in Table 2.
- The analytical summary results of the December 10, 2021 samples revealed the total volatile organic contaminant concentrations of the influent to 4,172.0 µg/L and the concentration of total volatile organic contaminants in the effluent was 0.0 µg/L. The summary of influent and effluent contaminant concentrations for the December 2021 sampling are presented in Table 3. Figure 1 shows the influent and effluent VOC concentrations during each sampling event in 2018, 2019, 2020, and 2021.

- The Mr. C's treatment system, based on the total flows from the uptime operations and the December 10, 2021 sampling results, removed 3.16 lbs. of targeted contaminants from the groundwater between November 30, 2021 through January 3, 2021. The cleanup effectiveness for December 2021 was approximately 100%. The calculations and data for the month are presented in [Table 3](#). The mass of VOCs removed each month throughout 2018, 2019, 2020, and 2021 is shown in [Figure 2](#).




Figure 1: Monthly Influent and Effluent VOC concentrations - 2018 - 2021.




Figure 2: Mass of VOCs removed each month - 2018 - 2021.

Pumping Well Summary:

- Pumping wells PW-4, PW-5, PW-6, PW-7, and PW-8 were sampled on December 17, 2021. Results of the pumping well sampling event are provided in [Table 4](#) and an excerpt from the analytical data package is provided in Attachment A. [Figures 3 through 7](#) show the historical concentrations of cis-1,2-dichloroethene (cis-1,2-DCE), tetrachloroethene (PCE), and trichloroethene (TCE) throughout 2017 to 2021.
- Individual pumping well sampling will continue to be completed on a quarterly basis to monitor VOC concentrations.




Figure 3: Influent concentrations of cis-1,2-DCE, PCE, and TCE - Pumping Well 4 (PW-4).




Figure 4: Influent concentrations of cis-1, 2-DCE, PCE, and TCE - Pumping Well 5 (PW-5).




Figure 5: Influent concentrations of cis-1, 2-DCE, PCE, and TCE - Pumping Well 6 (PW-6).

Mr. Payson Long, Project Manager

January 10, 2022

Page 4 of 4




Figure 6: Influent concentrations of cis-1, 2-DCE, PCE, and TCE - Pumping Well 7 (PW-7).




Figure 7: Influent concentrations of cis-1, 2-DCE, PCE, and TCE - Pumping Well 8 (PW-8).

If you have questions regarding the December 2021 OM&M report summary, please do not hesitate to contact me via e-mail at rebecca.knappert@wsp.com.

Very Truly Yours,

Ecology and Environment Engineering and Geology, P. C.

Rebecca Knappert
Project Manager

cc: M. Kuczka, Region 9, NYSDEC – Buffalo w/ attachments

Table 1
Mr. C's Dry Cleaners Site Remediation
Site #915157
System Operation and Management

Month	Sample Date	Up-time (Reporting Period)		Treated Effluent (gallons)	VOC Removal		
		Reporting Hours	Operational Up-time		Influent VOCs (µg/L)	Effluent VOCs (µg/L)	VOCs Removed (lbs.)
(Treatment System Up-time from 9/5/02 to 01/04/21)		143,246	91.77%	135,593,529	NA	NA	1,837.21
January 05, 2021 to February 01, 2021	January 5, 2021	672	100.00%	90,369	4,860.0	0.00	3.66
February 02, 2021 to March 01, 2021	February 4, 2021	672	100.00%	85,728	4,747.0	0.00	3.40
March 02, 2021 to March 29, 2021	March 3, 2021	672	100.00%	86,158	4,542.0	0.00	3.27
March 30, 2021 to May 03, 2021	April 5, 2021	840	100.00%	94,313	5,514.0	0.00	4.34
May 04, 2021 to June 01, 2021	May 4, 2021	432	62.07%	56,953	4,296.0	0.00	2.04
June 02, 2021 to June 28, 2021	June 3, 2021	648	100.00%	53,615	5,780.0	0.00	2.59
June 29, 2021 to August 03, 2021	July 7, 2021	864	100.00%	89,570	3,767.3	3.20	2.82
August 04, 2021 to August 30, 2021	August 5, 2021	648	100.00%	68,120	4,056.0	0.00	2.31
August 31, 2021 to October 04, 2021	September 2, 2021	840	100.00%	86,350	3,527.0	0.00	2.54
October 05, 2021 to November 02, 2021	October 6, 2021	360	51.72%	41,590	4,274.0	0.00	1.48
November 03, 2021 to November 29, 2021	November 8, 2021	576	88.89%	64,500	3,975.0	0.00	2.14
November 30, 2021 to January 03, 2022	December 10, 2021	840	100.00%	90,890	4,172.0	0.00	3.16
<i>Total in 2021</i>		8,064	92.31%	908,156	NA	NA	33.74
<i>Total from startup</i>		151,310	91.80%	136,501,685	NA	NA	1,870.95

NOTES:

1. Up-time based as percentage of total reporting hours.
2. Treatment system operated by Iyer Environmental Group from 07/07/2016 to 2/24/2020 and 6/17/2020 to present. GES operated the system from 2/24/20 to 6/17/20.
3. VOC removal calculations are based on monthly water samples and assumes samples are representative of the entire reporting period.
4. VOC removal calculations assume that non-detect values = 0 ug/L.
5. Total VOCs summations include estimated "J" values.
6. VOC removal calculations are based on effluent totalizer readings.
7. "Influent VOCs" and "Effluent VOCs" values given above is the summation of values for individual compounds given in monthly analytical reports.
8. Unit conversion: 1 pound = 453.5924 grams, 1 gallon = 3.785 liters
9. Formula for the VOC removal calculation:

$$(VOCs_{Influent} - VOCs_{Effluent})(\mu g/L) \cdot (1g/10^6 \mu g) \cdot (1 lb/453.5924 g) \cdot (Monthly process water)(gal) \cdot (3.785 L/gallon)$$

µg/L = micrograms per liter

lbs = pounds

Table 2
Mr. C's Dry Cleaners Site Remediation
Site #915157

Effluent Discharge Criteria & Analytical Compliance Results

Parameter/Analyte	Daily Maximum ¹	Units	December 10, 2021 Effluent Analytical Values
Flow (Average) ²	N/A	gpd	2,688
pH	6.0 - 9.0	standard units	8.1
1,1 Dichloroethene	10	µg/L	ND(<2.0)
cis-1,2-dichloroethene (cis-1,2-DCE)	10	µg/L	ND(<2.0)
Trichloroethene (TCE)	10	µg/L	ND(<2.0)
Tetrachloroethene (PCE)	10	µg/L	ND(<2.0)
Vinyl Chloride	10	µg/L	ND(<2.0)
Benzene	5	µg/L	ND(<2.0)
Ethylbenzene	5	µg/L	ND(<2.0)
Methylene Chloride	10	µg/L	ND (<2.0)
1,1,1 Trichloroethane	10	µg/L	ND (<2.0)
Toluene	5	µg/L	ND(<2.0)
Methyl-t-Butyl Ether (MTBE)	NA	ug/L	ND(<2.0)
o-Xylene ³	5	µg/L	ND(<4.0)
m, p-Xylene ³	10	µg/L	ND(<4.0)
Total Xylenes	NA	ug/L	ND(<4.0)
Iron, total ⁴	600	µg/L	NA ⁴
Aluminum ⁴	4,000	µg/L	NA ⁴
Copper ⁴	48	µg/L	NA ⁴
Lead ⁴	11	µg/L	NA ⁴
Manganese ⁴	2,000	µg/L	NA ⁴
Silver ⁴	100	µg/L	NA ⁴
Vanadium ⁴	28	µg/L	NA ⁴
Zinc ⁴	230	µg/L	NA ⁴
Total Dissolved Solids ⁴	850	mg/L	NA ⁴
Total Suspended Solids ⁴	20	mg/L	NA ⁴
Hardness	N/A	mg/L	520
Cyanide, Free ⁴	10	µg/L	NA ⁴

NOTES:

- "Daily Maximum" excerpted from Attachment E of Addendum 1 to the Construction Contract Documents dated October 2000.
- Average flows based on effluent readings and system up-time:
November 30, 2021 through January 3, 2021 = 2,597 gallons per day
- Analytical report did not differentiate between o-Xylene and m, p-Xylene. Total Xylene value reported is given in each line.
- Removed from the required analysis list by NYSDEC Region 9 in February 2005.
- Dark shaded cells indicate that analytical value exceeds the "Daily Maximum."
- "ND" indicates that the compound was not detected and lists the practical quantitation limit in parentheses.
- "NA" indicates that analyses were not performed and data is unavailable.
- "J" indicates an estimated value below the detection limit.
- "B" indicates analyte found in the associated blank.
- "NS" indicates that the parameter analysis was not sampled.

40
NR

Indicates non-compliance with the NYSDEC effluent discharge requirements
Indicates Not Reported by Lab

Table 3
Mr. C's Dry Cleaners Site Remediation
NYSDEC Site #915157
December 2021 VOC Analytical Summary

Compound	Based on the December 10, 2021 Effluent Analytical Results				
	Influent Concentration		Effluent Concentration		Treatment Efficiency*
	(ug/L)		(ug/L)		(%)
Acetone	ND(<400)	U	ND(<20)	U	NA
Benzene	ND(<40)	U	ND(<2.0)	U	NA
2-Butanone	ND(<400)	U	ND(<20)	U	NA
1,1-Dichloroethene	ND (<40)	U	ND(<2.0)	U	NA
cis-1, 2-Dichloroethene	1,400	F1	ND(<2.0)	U	100.00%
Chloroform	ND(<40)	U	ND(<2.0)	U	NA
Chloromethane	ND(<40)	U	ND(<2.0)	U	NA
Methylene chloride	ND(<40)	U	ND (<2.0)	U	NA
Methyl tert-butyl ether (MTBE)	9	J	ND(<2.0)	U	100.00%
Methyl acetate	ND(<100)	U	ND(<5.0)	U	NA
Tetrachloroethene (PCE)	2,200	F1	ND(<2.0)	U	100.00%
Toluene	ND(<40)	U	ND(<2.0)	U	NA
Trichloroethene (TCE)	470		ND(<2.0)	U	100.00%
Carbon Disulfide	ND(<40)	U	ND(<2.0)	U	NA
1,1,2 Trichloro-1,2,2-trifluoroethane	ND(<40)	U	ND(<2.0)	U	NA
2-Hexanone	ND(<200)	U	ND(<10)	U	NA
4-Methyl-2-pentanone	ND(<200)	U	ND(<10)	U	NA
Cyclohexane	ND(<40)	U	ND(<2.0)	U	NA
trans-1,2-dichloroethene	ND(<40)	U	ND(<2.0)	U	NA
Chlorobenzene	ND(<40)	U	ND(<2.0)	U	NA
Methylcyclohexane	ND(<40)	U	ND(<2.0)	U	NA
Ethylbenzene	ND(<40)	U	ND(<2.0)	U	NA
Vinyl Chloride	93		ND(<2.0)	U	100.00%
Total Xylenes	ND (<80)	U	ND(<4.0)	U	NA
TOTAL:	4,172		0.0		100.00%

Notes:

1. The efficiency cleanup values are calculated based on the December 10, 2021 results
 2. "NA" = Not applicable
 3. "U" = Compound analyzed, but was not detected. Detection limit in parentheses.
 4. "DJ" or "J" indicates an estimated value below the practical quantitation limit but above the method detection limit.
 5. "F1"=MS and/or MSD recovery exceeds control limits. "F2" = MS/MSD relative percent difference exceeds control limits.
 6. Non-detect values are assumed to be equal to zero for calculation of monthly average concentrations.
 7. "S" indicates an estimated value and suspected lab contamination.
 8. "Bold" - exceeds the SPDES Equivalency Permit Requirements.
- * Contaminants of Concern only

Table 4
Mr. C's Dry Cleaners Site Remediation
NYSDEC Site #915157

December 2021 Analytical Summary of Groundwater from Pumping Wells

Compound	Based on the December 17, 2021 Analytical Results									
			Pumping Well PW-05		Pumping Well PW-06		Pumping Well PW-07		Pumping Well PW-08	
	(ug/L)		(ug/L)		(ug/L)		(ug/L)		(ug/L)	
Acetone	ND (<400)	U	ND (<400)	U	ND (<400)	U	ND (<1000)	U	ND (<200)	U
Benzene	ND (<40)	U	ND (<40)	U	ND (<40)	U	ND (<100)	U	ND (<20)	U
2-Butanone	ND (<400)	U	ND (<400)	U	ND (<400)	U	ND (<1000)	U	ND (<200)	U
cis-1, 2-Dichloroethene	120		210		1,100		3,600		1,000	
Chloroform	ND (<40)	U	ND (<40)	U	ND (<40)	U	ND (<100)	U	ND (<20)	U
Chloromethane	ND (<40)	U	ND (<40)	U	ND (<40)	U	ND (<100)	U	ND (<20)	U
Methylene chloride	ND (<40)	U	ND (<40)	U	ND (<40)	U	ND (<100)	U	ND (<20)	U
Methyl tert-butyl ether (MTBE)	ND (<40)	U	ND (<40)	U	8.1	J	ND (<100)	U	12	J
Methyl acetate	ND (<100)	U	ND (<100)	U	ND (<100)	U	ND (<250)	U	ND (<50)	U
Tetrachloroethene (PCE)	2,600		3,100		3,200		4,900		270	
Toluene	ND (<40)	U	ND (<40)	U	ND (<40)	U	ND (<100)	U	ND (<20)	U
Trichloroethene (TCE)	240		180		480		1,300	J	61	
Carbon Disulfide	ND (<40)	U	ND (<40)	U	ND (<40)	U	ND (<100)	U	ND (<20)	U
1,1,2 Trichloro-1,2,2-trifluoroethane	ND (<40)	U	ND (<40)	U	ND (<40)	U	ND (<100)	U	ND (<20)	U
2-Hexanone	ND (<200)	U	ND (<200)	U	ND (<200)	U	ND (<500)	U	ND (<100)	U
4-Methyl-2-pentanone	ND (<200)	U	ND (<200)	U	ND (<200)	U	ND (<500)	U	ND (<100)	U
Cyclohexane	ND (<40)	U	ND (<40)	U	ND (<40)	U	ND (<100)	U	ND (<20)	U
trans-1,2-dichloroethene	ND (<40)	U	ND (<40)	U	ND (<40)	U	ND (<100)	U	ND (<20)	U
Chlorobenzene	ND (<40)	U	ND (<40)	U	ND (<40)	U	ND (<100)	U	ND (<20)	U
Methylcyclohexane	ND (<40)	U	ND (<40)	U	ND (<40)	U	ND (<100)	U	ND (<20)	U
Ethylbenzene	ND (<40)	U	ND (<40)	U	ND (<40)	U	ND (<100)	U	ND (<20)	U
Vinyl Chloride	ND (<40)	U	ND (<40)	U	ND (<40)	U	600		53	
Total Xylenes	ND (<80)	U	ND (<80)	U	ND (<80)	U	ND (<40)	U	ND (<40)	U
TOTAL:	2,960.00		3,490.00		4,788.10		10,400.00		1,396.00	

Notes:

1. "NA" = Not applicable
2. "U" = Compound analyzed, but was not detected. Detection limit in parentheses.
3. "DJ" or "J" indicates an estimated value below the practical quantitation limit but above the method detection limit.
4. Non-detect values are assumed to be equal to zero for calculation of monthly average concentrations.
5. "D" indicates the compound concentration was obtained from a secondary dilution analysis.
6. "F1"=MS and/or MSD recovery exceeds control limits.
7. Detection Limits are listed in parentheses as the upper limit of a non-detect value.
8. Contaminants of Concern only.

Attachment A
Excerpts from the
Groundwater Treatment System
Analytical Report from
Eurofins TestAmerica

Analytical Data Package Work Order ID: J186680
Sampled by IEG: December 10, 2021
Report Received: December 16, 2021

Analytical Data Package Work Order ID: J186925
Sampled by IEG: December 17, 2021
Report Received: December 23, 2021

ANALYTICAL REPORT

Eurofins TestAmerica, Buffalo
10 Hazelwood Drive
Amherst, NY 14228-2298
Tel: (716)691-2600

Laboratory Job ID: 480-193321-1
Client Project/Site: Mr. C's Dry Cleaner
Sampling Event: OM&M Treatment System

For:
Ecology and Environment, Inc.
368 Pleasant View Drive
Lancaster, New York 14086

Attn: Becky Knappert



Authorized for release by:
12/16/2021 7:02:21 PM
Rebecca Jones, Project Management Assistant I
Rebecca.Jones@Eurofinset.com
Designee for
John Schove, Project Manager II
(716)504-9838
John.Schove@Eurofinset.com

LINKS

Review your project
results through
TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Definitions/Glossary

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-193321-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
F2	MS/MSD RPD exceeds control limits
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

General Chemistry

Qualifier	Qualifier Description
HF	Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-193321-1

Job ID: 480-193321-1

Laboratory: Eurofins TestAmerica, Buffalo

Narrative

Job Narrative 480-193321-1

Comments

No additional comments.

Receipt

The samples were received on 12/10/2021 12:53 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 12.9° C.

GC/MS VOA

Method 8260C: The following samples were diluted to bring the concentration of target analytes within the calibration range: INFLUENT (480-193321-1), (480-193321-C-1 MS) and (480-193321-C-1 MSD). Elevated reporting limits (RLs) are provided.

Method 8260C: The following volatiles samples were diluted due to foaming at the time of purging during the original sample analysis: EFFLUENT (480-193321-2) and DISCHARGE (480-193321-3). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

General Chemistry

Method SM 2340C: The following sample was not preserved in the field: (480-193435-Z-4). The sample was preserved by analyst immediately before testing.

Methods 9040C, SM 4500 H+ B: This analysis is normally performed in the field and has a method-defined holding time of 15 minutes. The following samples has been qualified with the "HF" flag to indicate analysis was performed in the laboratory outside the 15 minute timeframe: INFLUENT (480-193321-1) and EFFLUENT (480-193321-2).

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Detection Summary

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-193321-1

Client Sample ID: INFLUENT

Lab Sample ID: 480-193321-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	1400	F1	40	32	ug/L	40		8260C	Total/NA
Methyl tert-butyl ether	9.0	J	40	6.4	ug/L	40		8260C	Total/NA
Tetrachloroethene	2200	F1	40	14	ug/L	40		8260C	Total/NA
Trichloroethene	470		40	18	ug/L	40		8260C	Total/NA
Vinyl chloride	93		40	36	ug/L	40		8260C	Total/NA
Hardness as calcium carbonate	524		4.0	1.1	mg/L	1		SM 2340C	Total/NA
pH	6.9	HF	0.1	0.1	SU	1		SM 4500 H+ B	Total/NA
Temperature	19.9	HF	0.001	0.001	Degrees C	1		SM 4500 H+ B	Total/NA

Client Sample ID: EFFLUENT

Lab Sample ID: 480-193321-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Hardness as calcium carbonate	520		4.0	1.1	mg/L	1		SM 2340C	Total/NA
pH	8.1	HF	0.1	0.1	SU	1		SM 4500 H+ B	Total/NA
Temperature	19.9	HF	0.001	0.001	Degrees C	1		SM 4500 H+ B	Total/NA

Client Sample ID: DISCHARGE

Lab Sample ID: 480-193321-3

No Detections.

Client Sample Results

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-193321-1

Client Sample ID: INFLUENT

Lab Sample ID: 480-193321-1

Date Collected: 12/10/21 00:00

Matrix: WW

Date Received: 12/10/21 12:53

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	40	U	40	33	ug/L			12/11/21 18:00	40
1,1,2,2-Tetrachloroethane	40	U	40	8.4	ug/L			12/11/21 18:00	40
1,1,2-Trichloro-1,2,2-trifluoroethane	40	U	40	12	ug/L			12/11/21 18:00	40
1,1,2-Trichloroethane	40	U	40	9.2	ug/L			12/11/21 18:00	40
1,1-Dichloroethane	40	U	40	15	ug/L			12/11/21 18:00	40
1,1-Dichloroethene	40	U	40	12	ug/L			12/11/21 18:00	40
1,2,4-Trichlorobenzene	40	U	40	16	ug/L			12/11/21 18:00	40
1,2-Dibromo-3-Chloropropane	40	U	40	16	ug/L			12/11/21 18:00	40
1,2-Dibromoethane	40	U	40	29	ug/L			12/11/21 18:00	40
1,2-Dichlorobenzene	40	U	40	32	ug/L			12/11/21 18:00	40
1,2-Dichloroethane	40	U	40	8.4	ug/L			12/11/21 18:00	40
1,2-Dichloropropane	40	U	40	29	ug/L			12/11/21 18:00	40
1,3-Dichlorobenzene	40	U	40	31	ug/L			12/11/21 18:00	40
1,4-Dichlorobenzene	40	U	40	34	ug/L			12/11/21 18:00	40
2-Butanone (MEK)	400	U	400	53	ug/L			12/11/21 18:00	40
2-Hexanone	200	U	200	50	ug/L			12/11/21 18:00	40
4-Methyl-2-pentanone (MIBK)	200	U	200	84	ug/L			12/11/21 18:00	40
Acetone	400	U	400	120	ug/L			12/11/21 18:00	40
Benzene	40	U	40	16	ug/L			12/11/21 18:00	40
Bromodichloromethane	40	U	40	16	ug/L			12/11/21 18:00	40
Bromoform	40	U	40	10	ug/L			12/11/21 18:00	40
Bromomethane	40	U F2	40	28	ug/L			12/11/21 18:00	40
Carbon disulfide	40	U	40	7.6	ug/L			12/11/21 18:00	40
Carbon tetrachloride	40	U	40	11	ug/L			12/11/21 18:00	40
Chlorobenzene	40	U	40	30	ug/L			12/11/21 18:00	40
Chloroethane	40	U	40	13	ug/L			12/11/21 18:00	40
Chloroform	40	U	40	14	ug/L			12/11/21 18:00	40
Chloromethane	40	U	40	14	ug/L			12/11/21 18:00	40
cis-1,2-Dichloroethene	1400	F1	40	32	ug/L			12/11/21 18:00	40
cis-1,3-Dichloropropene	40	U	40	14	ug/L			12/11/21 18:00	40
Cyclohexane	40	U	40	7.2	ug/L			12/11/21 18:00	40
Dibromochloromethane	40	U	40	13	ug/L			12/11/21 18:00	40
Dichlorodifluoromethane	40	U	40	27	ug/L			12/11/21 18:00	40
Ethylbenzene	40	U	40	30	ug/L			12/11/21 18:00	40
Isopropylbenzene	40	U	40	32	ug/L			12/11/21 18:00	40
Methyl acetate	100	U	100	52	ug/L			12/11/21 18:00	40
Methyl tert-butyl ether	9.0	J	40	6.4	ug/L			12/11/21 18:00	40
Methylcyclohexane	40	U	40	6.4	ug/L			12/11/21 18:00	40
Methylene Chloride	40	U	40	18	ug/L			12/11/21 18:00	40
Styrene	40	U	40	29	ug/L			12/11/21 18:00	40
Tetrachloroethene	2200	F1	40	14	ug/L			12/11/21 18:00	40
Toluene	40	U	40	20	ug/L			12/11/21 18:00	40
trans-1,2-Dichloroethene	40	U	40	36	ug/L			12/11/21 18:00	40
trans-1,3-Dichloropropene	40	U	40	15	ug/L			12/11/21 18:00	40
Trichloroethene	470		40	18	ug/L			12/11/21 18:00	40
Trichlorofluoromethane	40	U	40	35	ug/L			12/11/21 18:00	40
Vinyl chloride	93		40	36	ug/L			12/11/21 18:00	40
Xylenes, Total	80	U	80	26	ug/L			12/11/21 18:00	40

Eurofins TestAmerica, Buffalo

Client Sample Results

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-193321-1

Client Sample ID: INFLUENT

Lab Sample ID: 480-193321-1

Date Collected: 12/10/21 00:00

Matrix: WW

Date Received: 12/10/21 12:53

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	104		77 - 120		12/11/21 18:00	40
4-Bromofluorobenzene (Surr)	98		73 - 120		12/11/21 18:00	40
Dibromofluoromethane (Surr)	102		75 - 123		12/11/21 18:00	40
Toluene-d8 (Surr)	104		80 - 120		12/11/21 18:00	40

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Hardness as calcium carbonate	524		4.0	1.1	mg/L			12/16/21 11:52	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.9	HF	0.1	0.1	SU			12/15/21 17:11	1
Temperature	19.9	HF	0.001	0.001	Degrees C			12/15/21 17:11	1

Client Sample Results

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-193321-1

Client Sample ID: EFFLUENT

Lab Sample ID: 480-193321-2

Date Collected: 12/10/21 00:00

Matrix: WW

Date Received: 12/10/21 12:53

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	2.0	U	2.0	1.6	ug/L			12/11/21 18:22	2
1,1,2,2-Tetrachloroethane	2.0	U	2.0	0.42	ug/L			12/11/21 18:22	2
1,1,2-Trichloro-1,2,2-trifluoroethane	2.0	U	2.0	0.62	ug/L			12/11/21 18:22	2
1,1,2-Trichloroethane	2.0	U	2.0	0.46	ug/L			12/11/21 18:22	2
1,1-Dichloroethane	2.0	U	2.0	0.76	ug/L			12/11/21 18:22	2
1,1-Dichloroethene	2.0	U	2.0	0.58	ug/L			12/11/21 18:22	2
1,2,4-Trichlorobenzene	2.0	U	2.0	0.82	ug/L			12/11/21 18:22	2
1,2-Dibromo-3-Chloropropane	2.0	U	2.0	0.78	ug/L			12/11/21 18:22	2
1,2-Dibromoethane	2.0	U	2.0	1.5	ug/L			12/11/21 18:22	2
1,2-Dichlorobenzene	2.0	U	2.0	1.6	ug/L			12/11/21 18:22	2
1,2-Dichloroethane	2.0	U	2.0	0.42	ug/L			12/11/21 18:22	2
1,2-Dichloropropane	2.0	U	2.0	1.4	ug/L			12/11/21 18:22	2
1,3-Dichlorobenzene	2.0	U	2.0	1.6	ug/L			12/11/21 18:22	2
1,4-Dichlorobenzene	2.0	U	2.0	1.7	ug/L			12/11/21 18:22	2
2-Butanone (MEK)	20	U	20	2.6	ug/L			12/11/21 18:22	2
2-Hexanone	10	U	10	2.5	ug/L			12/11/21 18:22	2
4-Methyl-2-pentanone (MIBK)	10	U	10	4.2	ug/L			12/11/21 18:22	2
Acetone	20	U	20	6.0	ug/L			12/11/21 18:22	2
Benzene	2.0	U	2.0	0.82	ug/L			12/11/21 18:22	2
Bromodichloromethane	2.0	U	2.0	0.78	ug/L			12/11/21 18:22	2
Bromoform	2.0	U	2.0	0.52	ug/L			12/11/21 18:22	2
Bromomethane	2.0	U	2.0	1.4	ug/L			12/11/21 18:22	2
Carbon disulfide	2.0	U	2.0	0.38	ug/L			12/11/21 18:22	2
Carbon tetrachloride	2.0	U	2.0	0.54	ug/L			12/11/21 18:22	2
Chlorobenzene	2.0	U	2.0	1.5	ug/L			12/11/21 18:22	2
Chloroethane	2.0	U	2.0	0.64	ug/L			12/11/21 18:22	2
Chloroform	2.0	U	2.0	0.68	ug/L			12/11/21 18:22	2
Chloromethane	2.0	U	2.0	0.70	ug/L			12/11/21 18:22	2
cis-1,2-Dichloroethene	2.0	U	2.0	1.6	ug/L			12/11/21 18:22	2
cis-1,3-Dichloropropene	2.0	U	2.0	0.72	ug/L			12/11/21 18:22	2
Cyclohexane	2.0	U	2.0	0.36	ug/L			12/11/21 18:22	2
Dibromochloromethane	2.0	U	2.0	0.64	ug/L			12/11/21 18:22	2
Dichlorodifluoromethane	2.0	U	2.0	1.4	ug/L			12/11/21 18:22	2
Ethylbenzene	2.0	U	2.0	1.5	ug/L			12/11/21 18:22	2
Isopropylbenzene	2.0	U	2.0	1.6	ug/L			12/11/21 18:22	2
Methyl acetate	5.0	U	5.0	2.6	ug/L			12/11/21 18:22	2
Methyl tert-butyl ether	2.0	U	2.0	0.32	ug/L			12/11/21 18:22	2
Methylcyclohexane	2.0	U	2.0	0.32	ug/L			12/11/21 18:22	2
Methylene Chloride	2.0	U	2.0	0.88	ug/L			12/11/21 18:22	2
Styrene	2.0	U	2.0	1.5	ug/L			12/11/21 18:22	2
Tetrachloroethene	2.0	U	2.0	0.72	ug/L			12/11/21 18:22	2
Toluene	2.0	U	2.0	1.0	ug/L			12/11/21 18:22	2
trans-1,2-Dichloroethene	2.0	U	2.0	1.8	ug/L			12/11/21 18:22	2
trans-1,3-Dichloropropene	2.0	U	2.0	0.74	ug/L			12/11/21 18:22	2
Trichloroethene	2.0	U	2.0	0.92	ug/L			12/11/21 18:22	2
Trichlorofluoromethane	2.0	U	2.0	1.8	ug/L			12/11/21 18:22	2
Vinyl chloride	2.0	U	2.0	1.8	ug/L			12/11/21 18:22	2
Xylenes, Total	4.0	U	4.0	1.3	ug/L			12/11/21 18:22	2

Eurofins TestAmerica, Buffalo

Client Sample Results

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-193321-1

Client Sample ID: EFFLUENT

Lab Sample ID: 480-193321-2

Date Collected: 12/10/21 00:00

Matrix: WW

Date Received: 12/10/21 12:53

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	102		77 - 120		12/11/21 18:22	2
4-Bromofluorobenzene (Surr)	92		73 - 120		12/11/21 18:22	2
Dibromofluoromethane (Surr)	101		75 - 123		12/11/21 18:22	2
Toluene-d8 (Surr)	104		80 - 120		12/11/21 18:22	2

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Hardness as calcium carbonate	520		4.0	1.1	mg/L			12/16/21 11:52	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
pH	8.1	HF	0.1	0.1	SU			12/15/21 17:12	1
Temperature	19.9	HF	0.001	0.001	Degrees C			12/15/21 17:12	1

Client Sample Results

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-193321-1

Client Sample ID: DISCHARGE

Lab Sample ID: 480-193321-3

Date Collected: 12/10/21 00:00

Matrix: WW

Date Received: 12/10/21 12:53

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	2.0	U	2.0	1.6	ug/L			12/11/21 18:43	2
1,1,2,2-Tetrachloroethane	2.0	U	2.0	0.42	ug/L			12/11/21 18:43	2
1,1,2-Trichloro-1,2,2-trifluoroethane	2.0	U	2.0	0.62	ug/L			12/11/21 18:43	2
1,1,2-Trichloroethane	2.0	U	2.0	0.46	ug/L			12/11/21 18:43	2
1,1-Dichloroethane	2.0	U	2.0	0.76	ug/L			12/11/21 18:43	2
1,1-Dichloroethene	2.0	U	2.0	0.58	ug/L			12/11/21 18:43	2
1,2,4-Trichlorobenzene	2.0	U	2.0	0.82	ug/L			12/11/21 18:43	2
1,2-Dibromo-3-Chloropropane	2.0	U	2.0	0.78	ug/L			12/11/21 18:43	2
1,2-Dibromoethane	2.0	U	2.0	1.5	ug/L			12/11/21 18:43	2
1,2-Dichlorobenzene	2.0	U	2.0	1.6	ug/L			12/11/21 18:43	2
1,2-Dichloroethane	2.0	U	2.0	0.42	ug/L			12/11/21 18:43	2
1,2-Dichloropropane	2.0	U	2.0	1.4	ug/L			12/11/21 18:43	2
1,3-Dichlorobenzene	2.0	U	2.0	1.6	ug/L			12/11/21 18:43	2
1,4-Dichlorobenzene	2.0	U	2.0	1.7	ug/L			12/11/21 18:43	2
2-Butanone (MEK)	20	U	20	2.6	ug/L			12/11/21 18:43	2
2-Hexanone	10	U	10	2.5	ug/L			12/11/21 18:43	2
4-Methyl-2-pentanone (MIBK)	10	U	10	4.2	ug/L			12/11/21 18:43	2
Acetone	20	U	20	6.0	ug/L			12/11/21 18:43	2
Benzene	2.0	U	2.0	0.82	ug/L			12/11/21 18:43	2
Bromodichloromethane	2.0	U	2.0	0.78	ug/L			12/11/21 18:43	2
Bromoform	2.0	U	2.0	0.52	ug/L			12/11/21 18:43	2
Bromomethane	2.0	U	2.0	1.4	ug/L			12/11/21 18:43	2
Carbon disulfide	2.0	U	2.0	0.38	ug/L			12/11/21 18:43	2
Carbon tetrachloride	2.0	U	2.0	0.54	ug/L			12/11/21 18:43	2
Chlorobenzene	2.0	U	2.0	1.5	ug/L			12/11/21 18:43	2
Chloroethane	2.0	U	2.0	0.64	ug/L			12/11/21 18:43	2
Chloroform	2.0	U	2.0	0.68	ug/L			12/11/21 18:43	2
Chloromethane	2.0	U	2.0	0.70	ug/L			12/11/21 18:43	2
cis-1,2-Dichloroethene	2.0	U	2.0	1.6	ug/L			12/11/21 18:43	2
cis-1,3-Dichloropropene	2.0	U	2.0	0.72	ug/L			12/11/21 18:43	2
Cyclohexane	2.0	U	2.0	0.36	ug/L			12/11/21 18:43	2
Dibromochloromethane	2.0	U	2.0	0.64	ug/L			12/11/21 18:43	2
Dichlorodifluoromethane	2.0	U	2.0	1.4	ug/L			12/11/21 18:43	2
Ethylbenzene	2.0	U	2.0	1.5	ug/L			12/11/21 18:43	2
Isopropylbenzene	2.0	U	2.0	1.6	ug/L			12/11/21 18:43	2
Methyl acetate	5.0	U	5.0	2.6	ug/L			12/11/21 18:43	2
Methyl tert-butyl ether	2.0	U	2.0	0.32	ug/L			12/11/21 18:43	2
Methylcyclohexane	2.0	U	2.0	0.32	ug/L			12/11/21 18:43	2
Methylene Chloride	2.0	U	2.0	0.88	ug/L			12/11/21 18:43	2
Styrene	2.0	U	2.0	1.5	ug/L			12/11/21 18:43	2
Tetrachloroethene	2.0	U	2.0	0.72	ug/L			12/11/21 18:43	2
Toluene	2.0	U	2.0	1.0	ug/L			12/11/21 18:43	2
trans-1,2-Dichloroethene	2.0	U	2.0	1.8	ug/L			12/11/21 18:43	2
trans-1,3-Dichloropropene	2.0	U	2.0	0.74	ug/L			12/11/21 18:43	2
Trichloroethene	2.0	U	2.0	0.92	ug/L			12/11/21 18:43	2
Trichlorofluoromethane	2.0	U	2.0	1.8	ug/L			12/11/21 18:43	2
Vinyl chloride	2.0	U	2.0	1.8	ug/L			12/11/21 18:43	2
Xylenes, Total	4.0	U	4.0	1.3	ug/L			12/11/21 18:43	2

Eurofins TestAmerica, Buffalo

Client Sample Results

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-193321-1

Client Sample ID: DISCHARGE

Lab Sample ID: 480-193321-3

Date Collected: 12/10/21 00:00

Matrix: WW

Date Received: 12/10/21 12:53

<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
1,2-Dichloroethane-d4 (Surr)	103		77 - 120		12/11/21 18:43	2
4-Bromofluorobenzene (Surr)	95		73 - 120		12/11/21 18:43	2
Dibromofluoromethane (Surr)	102		75 - 123		12/11/21 18:43	2
Toluene-d8 (Surr)	105		80 - 120		12/11/21 18:43	2

ANALYTICAL REPORT


Eurofins TestAmerica, Buffalo
10 Hazelwood Drive
Amherst, NY 14228-2298
Tel: (716)691-2600

Laboratory Job ID: 480-193605-1
Client Project/Site: Mr. C's Dry Cleaner

For:

Ecology and Environment, Inc.
368 Pleasant View Drive
Lancaster, New York 14086

Attn: Becky Knappert



Authorized for release by:
12/23/2021 5:24:20 PM

Rebecca Jones, Project Management Assistant I
Rebecca.Jones@Eurofinset.com

Designee for

John Schove, Project Manager II
(716)504-9838
John.Schove@Eurofinset.com

LINKS

Review your project
results through

TotalAccess

Have a Question?



Visit us at:

www.eurofinsus.com/Env

The test results in this report meet all 2003 NELAC, 2009 TNI, and 2016 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Definitions/Glossary

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-193605-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
*+	LCS and/or LCSD is outside acceptance limits, high biased.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
□	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-193605-1

Job ID: 480-193605-1

Laboratory: Eurofins TestAmerica, Buffalo

Narrative

Job Narrative 480-193605-1

Comments

No additional comments.

Receipt

The samples were received on 12/17/2021 2:30 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 2.0° C.

GC/MS VOA

Method 8260C: The following samples were diluted to bring the concentration of target analytes within the calibration range: PW-5 (480-193605-2), PW-6 (480-193605-3), PW-7 (480-193605-4) and PW-8 (480-193605-5). Elevated reporting limits (RLs) are provided.

Method 8260C: The laboratory control sample (LCS) for analytical batch 480-609565 recovered outside control limits for the following analyte: Carbon tetrachloride. This analyte was biased high in the LCS and were not detected in the associated samples; therefore, the data have been reported. The following samples are impacted: PW-5 (480-193605-2), PW-6 (480-193605-3), PW-7 (480-193605-4) and PW-8 (480-193605-5).

Method 8260C: The continuing calibration verification (CCV) associated with batch 480-609565 recovered above the upper control limit for Carbon tetrachloride. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The associated samples are impacted: PW-5 (480-193605-2), PW-6 (480-193605-3), PW-7 (480-193605-4) and PW-8 (480-193605-5).

Method 8260C: The continuing calibration verification (CCV) associated with batch 480-609565 recovered outside acceptance criteria, low biased, for 1,2,4-Trichlorobenzene and 4-Methyl-2-pentanone (MIBK). A reporting limit (RL) standard was analyzed, and the target analytes are detected. Since the associated samples were non-detect for the analyte(s), the data are reported. The following samples are impacted: PW-5 (480-193605-2), PW-6 (480-193605-3), PW-7 (480-193605-4) and PW-8 (480-193605-5).

Method 8260C: The following sample was diluted to bring the concentration of target analytes within the calibration range: PW-4 (480-193605-1). Elevated reporting limits (RLs) are provided.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Detection Summary

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-193605-1

Client Sample ID: PW-4

Lab Sample ID: 480-193605-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	120		40	32	ug/L	40		8260C	Total/NA
Tetrachloroethene	2600		40	14	ug/L	40		8260C	Total/NA
Trichloroethene	240		40	18	ug/L	40		8260C	Total/NA

Client Sample ID: PW-5

Lab Sample ID: 480-193605-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	210		40	32	ug/L	40		8260C	Total/NA
Tetrachloroethene	3100		40	14	ug/L	40		8260C	Total/NA
Trichloroethene	180		40	18	ug/L	40		8260C	Total/NA

Client Sample ID: PW-6

Lab Sample ID: 480-193605-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	1100		40	32	ug/L	40		8260C	Total/NA
Methyl tert-butyl ether	8.1	J	40	6.4	ug/L	40		8260C	Total/NA
Tetrachloroethene	3200		40	14	ug/L	40		8260C	Total/NA
Trichloroethene	480		40	18	ug/L	40		8260C	Total/NA

Client Sample ID: PW-7

Lab Sample ID: 480-193605-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	3600		100	81	ug/L	100		8260C	Total/NA
Tetrachloroethene	4900		100	36	ug/L	100		8260C	Total/NA
Trichloroethene	1300		100	46	ug/L	100		8260C	Total/NA
Vinyl chloride	600		100	90	ug/L	100		8260C	Total/NA

Client Sample ID: PW-8

Lab Sample ID: 480-193605-5

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
cis-1,2-Dichloroethene	1000		20	16	ug/L	20		8260C	Total/NA
Methyl tert-butyl ether	12	J	20	3.2	ug/L	20		8260C	Total/NA
Tetrachloroethene	270		20	7.2	ug/L	20		8260C	Total/NA
Trichloroethene	61		20	9.2	ug/L	20		8260C	Total/NA
Vinyl chloride	53		20	18	ug/L	20		8260C	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins TestAmerica, Buffalo

Client Sample Results

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-193605-1

Client Sample ID: PW-4

Lab Sample ID: 480-193605-1

Date Collected: 12/17/21 00:00

Matrix: Water

Date Received: 12/17/21 14:30

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	40	U	40	33	ug/L			12/21/21 17:52	40
1,1,2,2-Tetrachloroethane	40	U	40	8.4	ug/L			12/21/21 17:52	40
1,1,2-Trichloro-1,2,2-trifluoroethane	40	U	40	12	ug/L			12/21/21 17:52	40
1,1,2-Trichloroethane	40	U	40	9.2	ug/L			12/21/21 17:52	40
1,1-Dichloroethane	40	U	40	15	ug/L			12/21/21 17:52	40
1,1-Dichloroethene	40	U	40	12	ug/L			12/21/21 17:52	40
1,2,4-Trichlorobenzene	40	U	40	16	ug/L			12/21/21 17:52	40
1,2-Dibromo-3-Chloropropane	40	U	40	16	ug/L			12/21/21 17:52	40
1,2-Dibromoethane	40	U	40	29	ug/L			12/21/21 17:52	40
1,2-Dichlorobenzene	40	U	40	32	ug/L			12/21/21 17:52	40
1,2-Dichloroethane	40	U	40	8.4	ug/L			12/21/21 17:52	40
1,2-Dichloropropane	40	U	40	29	ug/L			12/21/21 17:52	40
1,3-Dichlorobenzene	40	U	40	31	ug/L			12/21/21 17:52	40
1,4-Dichlorobenzene	40	U	40	34	ug/L			12/21/21 17:52	40
2-Butanone (MEK)	400	U	400	53	ug/L			12/21/21 17:52	40
2-Hexanone	200	U	200	50	ug/L			12/21/21 17:52	40
4-Methyl-2-pentanone (MIBK)	200	U	200	84	ug/L			12/21/21 17:52	40
Acetone	400	U	400	120	ug/L			12/21/21 17:52	40
Benzene	40	U	40	16	ug/L			12/21/21 17:52	40
Bromodichloromethane	40	U	40	16	ug/L			12/21/21 17:52	40
Bromoform	40	U	40	10	ug/L			12/21/21 17:52	40
Bromomethane	40	U	40	28	ug/L			12/21/21 17:52	40
Carbon disulfide	40	U	40	7.6	ug/L			12/21/21 17:52	40
Carbon tetrachloride	40	U	40	11	ug/L			12/21/21 17:52	40
Chlorobenzene	40	U	40	30	ug/L			12/21/21 17:52	40
Chloroethane	40	U	40	13	ug/L			12/21/21 17:52	40
Chloroform	40	U	40	14	ug/L			12/21/21 17:52	40
Chloromethane	40	U	40	14	ug/L			12/21/21 17:52	40
cis-1,2-Dichloroethene	120		40	32	ug/L			12/21/21 17:52	40
cis-1,3-Dichloropropene	40	U	40	14	ug/L			12/21/21 17:52	40
Cyclohexane	40	U	40	7.2	ug/L			12/21/21 17:52	40
Dibromochloromethane	40	U	40	13	ug/L			12/21/21 17:52	40
Dichlorodifluoromethane	40	U	40	27	ug/L			12/21/21 17:52	40
Ethylbenzene	40	U	40	30	ug/L			12/21/21 17:52	40
Isopropylbenzene	40	U	40	32	ug/L			12/21/21 17:52	40
Methyl acetate	100	U	100	52	ug/L			12/21/21 17:52	40
Methyl tert-butyl ether	40	U	40	6.4	ug/L			12/21/21 17:52	40
Methylcyclohexane	40	U	40	6.4	ug/L			12/21/21 17:52	40
Methylene Chloride	40	U	40	18	ug/L			12/21/21 17:52	40
Styrene	40	U	40	29	ug/L			12/21/21 17:52	40
Tetrachloroethene	2600		40	14	ug/L			12/21/21 17:52	40
Toluene	40	U	40	20	ug/L			12/21/21 17:52	40
trans-1,2-Dichloroethene	40	U	40	36	ug/L			12/21/21 17:52	40
trans-1,3-Dichloropropene	40	U	40	15	ug/L			12/21/21 17:52	40
Trichloroethene	240		40	18	ug/L			12/21/21 17:52	40
Trichlorofluoromethane	40	U	40	35	ug/L			12/21/21 17:52	40
Vinyl chloride	40	U	40	36	ug/L			12/21/21 17:52	40
Xylenes, Total	80	U	80	26	ug/L			12/21/21 17:52	40

Eurofins TestAmerica, Buffalo

Client Sample Results

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-193605-1

Client Sample ID: PW-4

Lab Sample ID: 480-193605-1

Date Collected: 12/17/21 00:00

Matrix: Water

Date Received: 12/17/21 14:30

<u>Surrogate</u>	<u>%Recovery</u>	<u>Qualifier</u>	<u>Limits</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Dil Fac</u>
1,2-Dichloroethane-d4 (Surr)	105		77 - 120		12/21/21 17:52	40
4-Bromofluorobenzene (Surr)	105		73 - 120		12/21/21 17:52	40
Dibromofluoromethane (Surr)	102		75 - 123		12/21/21 17:52	40
Toluene-d8 (Surr)	101		80 - 120		12/21/21 17:52	40

Client Sample Results

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-193605-1

Client Sample ID: PW-5

Lab Sample ID: 480-193605-2

Date Collected: 12/17/21 00:00

Matrix: Water

Date Received: 12/17/21 14:30

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	40	U	40	33	ug/L			12/20/21 23:48	40
1,1,2,2-Tetrachloroethane	40	U	40	8.4	ug/L			12/20/21 23:48	40
1,1,2-Trichloro-1,2,2-trifluoroethane	40	U	40	12	ug/L			12/20/21 23:48	40
1,1,2-Trichloroethane	40	U	40	9.2	ug/L			12/20/21 23:48	40
1,1-Dichloroethane	40	U	40	15	ug/L			12/20/21 23:48	40
1,1-Dichloroethene	40	U	40	12	ug/L			12/20/21 23:48	40
1,2,4-Trichlorobenzene	40	U	40	16	ug/L			12/20/21 23:48	40
1,2-Dibromo-3-Chloropropane	40	U	40	16	ug/L			12/20/21 23:48	40
1,2-Dibromoethane	40	U	40	29	ug/L			12/20/21 23:48	40
1,2-Dichlorobenzene	40	U	40	32	ug/L			12/20/21 23:48	40
1,2-Dichloroethane	40	U	40	8.4	ug/L			12/20/21 23:48	40
1,2-Dichloropropane	40	U	40	29	ug/L			12/20/21 23:48	40
1,3-Dichlorobenzene	40	U	40	31	ug/L			12/20/21 23:48	40
1,4-Dichlorobenzene	40	U	40	34	ug/L			12/20/21 23:48	40
2-Butanone (MEK)	400	U	400	53	ug/L			12/20/21 23:48	40
2-Hexanone	200	U	200	50	ug/L			12/20/21 23:48	40
4-Methyl-2-pentanone (MIBK)	200	U	200	84	ug/L			12/20/21 23:48	40
Acetone	400	U	400	120	ug/L			12/20/21 23:48	40
Benzene	40	U	40	16	ug/L			12/20/21 23:48	40
Bromodichloromethane	40	U	40	16	ug/L			12/20/21 23:48	40
Bromoform	40	U	40	10	ug/L			12/20/21 23:48	40
Bromomethane	40	U	40	28	ug/L			12/20/21 23:48	40
Carbon disulfide	40	U	40	7.6	ug/L			12/20/21 23:48	40
Carbon tetrachloride	40	U *+	40	11	ug/L			12/20/21 23:48	40
Chlorobenzene	40	U	40	30	ug/L			12/20/21 23:48	40
Chloroethane	40	U	40	13	ug/L			12/20/21 23:48	40
Chloroform	40	U	40	14	ug/L			12/20/21 23:48	40
Chloromethane	40	U	40	14	ug/L			12/20/21 23:48	40
cis-1,2-Dichloroethene	210		40	32	ug/L			12/20/21 23:48	40
cis-1,3-Dichloropropene	40	U	40	14	ug/L			12/20/21 23:48	40
Cyclohexane	40	U	40	7.2	ug/L			12/20/21 23:48	40
Dibromochloromethane	40	U	40	13	ug/L			12/20/21 23:48	40
Dichlorodifluoromethane	40	U	40	27	ug/L			12/20/21 23:48	40
Ethylbenzene	40	U	40	30	ug/L			12/20/21 23:48	40
Isopropylbenzene	40	U	40	32	ug/L			12/20/21 23:48	40
Methyl acetate	100	U	100	52	ug/L			12/20/21 23:48	40
Methyl tert-butyl ether	40	U	40	6.4	ug/L			12/20/21 23:48	40
Methylcyclohexane	40	U	40	6.4	ug/L			12/20/21 23:48	40
Methylene Chloride	40	U	40	18	ug/L			12/20/21 23:48	40
Styrene	40	U	40	29	ug/L			12/20/21 23:48	40
Tetrachloroethene	3100		40	14	ug/L			12/20/21 23:48	40
Toluene	40	U	40	20	ug/L			12/20/21 23:48	40
trans-1,2-Dichloroethene	40	U	40	36	ug/L			12/20/21 23:48	40
trans-1,3-Dichloropropene	40	U	40	15	ug/L			12/20/21 23:48	40
Trichloroethene	180		40	18	ug/L			12/20/21 23:48	40
Trichlorofluoromethane	40	U	40	35	ug/L			12/20/21 23:48	40
Vinyl chloride	40	U	40	36	ug/L			12/20/21 23:48	40
Xylenes, Total	80	U	80	26	ug/L			12/20/21 23:48	40

Eurofins TestAmerica, Buffalo

Client Sample Results

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-193605-1

Client Sample ID: PW-5

Lab Sample ID: 480-193605-2

Date Collected: 12/17/21 00:00

Matrix: Water

Date Received: 12/17/21 14:30

<i>Surrogate</i>	<i>%Recovery</i>	<i>Qualifier</i>	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
1,2-Dichloroethane-d4 (Surr)	116		77 - 120		12/20/21 23:48	40
4-Bromofluorobenzene (Surr)	102		73 - 120		12/20/21 23:48	40
Dibromofluoromethane (Surr)	120		75 - 123		12/20/21 23:48	40
Toluene-d8 (Surr)	101		80 - 120		12/20/21 23:48	40

Client Sample Results

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-193605-1

Client Sample ID: PW-6

Lab Sample ID: 480-193605-3

Date Collected: 12/17/21 00:00

Matrix: Water

Date Received: 12/17/21 14:30

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	40	U	40	33	ug/L			12/21/21 00:11	40
1,1,2,2-Tetrachloroethane	40	U	40	8.4	ug/L			12/21/21 00:11	40
1,1,2-Trichloro-1,2,2-trifluoroethane	40	U	40	12	ug/L			12/21/21 00:11	40
1,1,2-Trichloroethane	40	U	40	9.2	ug/L			12/21/21 00:11	40
1,1-Dichloroethane	40	U	40	15	ug/L			12/21/21 00:11	40
1,1-Dichloroethene	40	U	40	12	ug/L			12/21/21 00:11	40
1,2,4-Trichlorobenzene	40	U	40	16	ug/L			12/21/21 00:11	40
1,2-Dibromo-3-Chloropropane	40	U	40	16	ug/L			12/21/21 00:11	40
1,2-Dibromoethane	40	U	40	29	ug/L			12/21/21 00:11	40
1,2-Dichlorobenzene	40	U	40	32	ug/L			12/21/21 00:11	40
1,2-Dichloroethane	40	U	40	8.4	ug/L			12/21/21 00:11	40
1,2-Dichloropropane	40	U	40	29	ug/L			12/21/21 00:11	40
1,3-Dichlorobenzene	40	U	40	31	ug/L			12/21/21 00:11	40
1,4-Dichlorobenzene	40	U	40	34	ug/L			12/21/21 00:11	40
2-Butanone (MEK)	400	U	400	53	ug/L			12/21/21 00:11	40
2-Hexanone	200	U	200	50	ug/L			12/21/21 00:11	40
4-Methyl-2-pentanone (MIBK)	200	U	200	84	ug/L			12/21/21 00:11	40
Acetone	400	U	400	120	ug/L			12/21/21 00:11	40
Benzene	40	U	40	16	ug/L			12/21/21 00:11	40
Bromodichloromethane	40	U	40	16	ug/L			12/21/21 00:11	40
Bromoform	40	U	40	10	ug/L			12/21/21 00:11	40
Bromomethane	40	U	40	28	ug/L			12/21/21 00:11	40
Carbon disulfide	40	U	40	7.6	ug/L			12/21/21 00:11	40
Carbon tetrachloride	40	U *+	40	11	ug/L			12/21/21 00:11	40
Chlorobenzene	40	U	40	30	ug/L			12/21/21 00:11	40
Chloroethane	40	U	40	13	ug/L			12/21/21 00:11	40
Chloroform	40	U	40	14	ug/L			12/21/21 00:11	40
Chloromethane	40	U	40	14	ug/L			12/21/21 00:11	40
cis-1,2-Dichloroethene	1100		40	32	ug/L			12/21/21 00:11	40
cis-1,3-Dichloropropene	40	U	40	14	ug/L			12/21/21 00:11	40
Cyclohexane	40	U	40	7.2	ug/L			12/21/21 00:11	40
Dibromochloromethane	40	U	40	13	ug/L			12/21/21 00:11	40
Dichlorodifluoromethane	40	U	40	27	ug/L			12/21/21 00:11	40
Ethylbenzene	40	U	40	30	ug/L			12/21/21 00:11	40
Isopropylbenzene	40	U	40	32	ug/L			12/21/21 00:11	40
Methyl acetate	100	U	100	52	ug/L			12/21/21 00:11	40
Methyl tert-butyl ether	8.1	J	40	6.4	ug/L			12/21/21 00:11	40
Methylcyclohexane	40	U	40	6.4	ug/L			12/21/21 00:11	40
Methylene Chloride	40	U	40	18	ug/L			12/21/21 00:11	40
Styrene	40	U	40	29	ug/L			12/21/21 00:11	40
Tetrachloroethene	3200		40	14	ug/L			12/21/21 00:11	40
Toluene	40	U	40	20	ug/L			12/21/21 00:11	40
trans-1,2-Dichloroethene	40	U	40	36	ug/L			12/21/21 00:11	40
trans-1,3-Dichloropropene	40	U	40	15	ug/L			12/21/21 00:11	40
Trichloroethene	480		40	18	ug/L			12/21/21 00:11	40
Trichlorofluoromethane	40	U	40	35	ug/L			12/21/21 00:11	40
Vinyl chloride	40	U	40	36	ug/L			12/21/21 00:11	40
Xylenes, Total	80	U	80	26	ug/L			12/21/21 00:11	40

Eurofins TestAmerica, Buffalo

Client Sample Results

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-193605-1

Client Sample ID: PW-6

Lab Sample ID: 480-193605-3

Date Collected: 12/17/21 00:00

Matrix: Water

Date Received: 12/17/21 14:30

<u>Surrogate</u>	<u>%Recovery</u>	<u>Qualifier</u>	<u>Limits</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Dil Fac</u>
1,2-Dichloroethane-d4 (Surr)	110		77 - 120		12/21/21 00:11	40
4-Bromofluorobenzene (Surr)	101		73 - 120		12/21/21 00:11	40
Dibromofluoromethane (Surr)	115		75 - 123		12/21/21 00:11	40
Toluene-d8 (Surr)	105		80 - 120		12/21/21 00:11	40

Client Sample Results

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-193605-1

Client Sample ID: PW-7

Lab Sample ID: 480-193605-4

Date Collected: 12/17/21 00:00

Matrix: Water

Date Received: 12/17/21 14:30

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	100	U	100	82	ug/L			12/21/21 00:34	100
1,1,2,2-Tetrachloroethane	100	U	100	21	ug/L			12/21/21 00:34	100
1,1,2-Trichloro-1,2,2-trifluoroethane	100	U	100	31	ug/L			12/21/21 00:34	100
1,1,2-Trichloroethane	100	U	100	23	ug/L			12/21/21 00:34	100
1,1-Dichloroethane	100	U	100	38	ug/L			12/21/21 00:34	100
1,1-Dichloroethene	100	U	100	29	ug/L			12/21/21 00:34	100
1,2,4-Trichlorobenzene	100	U	100	41	ug/L			12/21/21 00:34	100
1,2-Dibromo-3-Chloropropane	100	U	100	39	ug/L			12/21/21 00:34	100
1,2-Dibromoethane	100	U	100	73	ug/L			12/21/21 00:34	100
1,2-Dichlorobenzene	100	U	100	79	ug/L			12/21/21 00:34	100
1,2-Dichloroethane	100	U	100	21	ug/L			12/21/21 00:34	100
1,2-Dichloropropane	100	U	100	72	ug/L			12/21/21 00:34	100
1,3-Dichlorobenzene	100	U	100	78	ug/L			12/21/21 00:34	100
1,4-Dichlorobenzene	100	U	100	84	ug/L			12/21/21 00:34	100
2-Butanone (MEK)	1000	U	1000	130	ug/L			12/21/21 00:34	100
2-Hexanone	500	U	500	120	ug/L			12/21/21 00:34	100
4-Methyl-2-pentanone (MIBK)	500	U	500	210	ug/L			12/21/21 00:34	100
Acetone	1000	U	1000	300	ug/L			12/21/21 00:34	100
Benzene	100	U	100	41	ug/L			12/21/21 00:34	100
Bromodichloromethane	100	U	100	39	ug/L			12/21/21 00:34	100
Bromoform	100	U	100	26	ug/L			12/21/21 00:34	100
Bromomethane	100	U	100	69	ug/L			12/21/21 00:34	100
Carbon disulfide	100	U	100	19	ug/L			12/21/21 00:34	100
Carbon tetrachloride	100	U *+	100	27	ug/L			12/21/21 00:34	100
Chlorobenzene	100	U	100	75	ug/L			12/21/21 00:34	100
Chloroethane	100	U	100	32	ug/L			12/21/21 00:34	100
Chloroform	100	U	100	34	ug/L			12/21/21 00:34	100
Chloromethane	100	U	100	35	ug/L			12/21/21 00:34	100
cis-1,2-Dichloroethene	3600		100	81	ug/L			12/21/21 00:34	100
cis-1,3-Dichloropropene	100	U	100	36	ug/L			12/21/21 00:34	100
Cyclohexane	100	U	100	18	ug/L			12/21/21 00:34	100
Dibromochloromethane	100	U	100	32	ug/L			12/21/21 00:34	100
Dichlorodifluoromethane	100	U	100	68	ug/L			12/21/21 00:34	100
Ethylbenzene	100	U	100	74	ug/L			12/21/21 00:34	100
Isopropylbenzene	100	U	100	79	ug/L			12/21/21 00:34	100
Methyl acetate	250	U	250	130	ug/L			12/21/21 00:34	100
Methyl tert-butyl ether	100	U	100	16	ug/L			12/21/21 00:34	100
Methylcyclohexane	100	U	100	16	ug/L			12/21/21 00:34	100
Methylene Chloride	100	U	100	44	ug/L			12/21/21 00:34	100
Styrene	100	U	100	73	ug/L			12/21/21 00:34	100
Tetrachloroethene	4900		100	36	ug/L			12/21/21 00:34	100
Toluene	100	U	100	51	ug/L			12/21/21 00:34	100
trans-1,2-Dichloroethene	100	U	100	90	ug/L			12/21/21 00:34	100
trans-1,3-Dichloropropene	100	U	100	37	ug/L			12/21/21 00:34	100
Trichloroethene	1300		100	46	ug/L			12/21/21 00:34	100
Trichlorofluoromethane	100	U	100	88	ug/L			12/21/21 00:34	100
Vinyl chloride	600		100	90	ug/L			12/21/21 00:34	100
Xylenes, Total	200	U	200	66	ug/L			12/21/21 00:34	100

Eurofins TestAmerica, Buffalo

Client Sample Results

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-193605-1

Client Sample ID: PW-7

Lab Sample ID: 480-193605-4

Date Collected: 12/17/21 00:00

Matrix: Water

Date Received: 12/17/21 14:30

<u>Surrogate</u>	<u>%Recovery</u>	<u>Qualifier</u>	<u>Limits</u>	<u>Prepared</u>	<u>Analyzed</u>	<u>Dil Fac</u>
1,2-Dichloroethane-d4 (Surr)	116		77 - 120		12/21/21 00:34	100
4-Bromofluorobenzene (Surr)	104		73 - 120		12/21/21 00:34	100
Dibromofluoromethane (Surr)	118		75 - 123		12/21/21 00:34	100
Toluene-d8 (Surr)	103		80 - 120		12/21/21 00:34	100

Client Sample Results

Client: Ecology and Environment, Inc.
Project/Site: Mr. C's Dry Cleaner

Job ID: 480-193605-1

Client Sample ID: PW-8

Lab Sample ID: 480-193605-5

Date Collected: 12/17/21 00:00

Matrix: Water

Date Received: 12/17/21 14:30

Method: 8260C - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1,1-Trichloroethane	20	U	20	16	ug/L			12/21/21 00:57	20
1,1,2,2-Tetrachloroethane	20	U	20	4.2	ug/L			12/21/21 00:57	20
1,1,2-Trichloro-1,2,2-trifluoroethane	20	U	20	6.2	ug/L			12/21/21 00:57	20
1,1,2-Trichloroethane	20	U	20	4.6	ug/L			12/21/21 00:57	20
1,1-Dichloroethane	20	U	20	7.6	ug/L			12/21/21 00:57	20
1,1-Dichloroethene	20	U	20	5.8	ug/L			12/21/21 00:57	20
1,2,4-Trichlorobenzene	20	U	20	8.2	ug/L			12/21/21 00:57	20
1,2-Dibromo-3-Chloropropane	20	U	20	7.8	ug/L			12/21/21 00:57	20
1,2-Dibromoethane	20	U	20	15	ug/L			12/21/21 00:57	20
1,2-Dichlorobenzene	20	U	20	16	ug/L			12/21/21 00:57	20
1,2-Dichloroethane	20	U	20	4.2	ug/L			12/21/21 00:57	20
1,2-Dichloropropane	20	U	20	14	ug/L			12/21/21 00:57	20
1,3-Dichlorobenzene	20	U	20	16	ug/L			12/21/21 00:57	20
1,4-Dichlorobenzene	20	U	20	17	ug/L			12/21/21 00:57	20
2-Butanone (MEK)	200	U	200	26	ug/L			12/21/21 00:57	20
2-Hexanone	100	U	100	25	ug/L			12/21/21 00:57	20
4-Methyl-2-pentanone (MIBK)	100	U	100	42	ug/L			12/21/21 00:57	20
Acetone	200	U	200	60	ug/L			12/21/21 00:57	20
Benzene	20	U	20	8.2	ug/L			12/21/21 00:57	20
Bromodichloromethane	20	U	20	7.8	ug/L			12/21/21 00:57	20
Bromoform	20	U	20	5.2	ug/L			12/21/21 00:57	20
Bromomethane	20	U	20	14	ug/L			12/21/21 00:57	20
Carbon disulfide	20	U	20	3.8	ug/L			12/21/21 00:57	20
Carbon tetrachloride	20	U *	20	5.4	ug/L			12/21/21 00:57	20
Chlorobenzene	20	U	20	15	ug/L			12/21/21 00:57	20
Chloroethane	20	U	20	6.4	ug/L			12/21/21 00:57	20
Chloroform	20	U	20	6.8	ug/L			12/21/21 00:57	20
Chloromethane	20	U	20	7.0	ug/L			12/21/21 00:57	20
cis-1,2-Dichloroethene	1000		20	16	ug/L			12/21/21 00:57	20
cis-1,3-Dichloropropene	20	U	20	7.2	ug/L			12/21/21 00:57	20
Cyclohexane	20	U	20	3.6	ug/L			12/21/21 00:57	20
Dibromochloromethane	20	U	20	6.4	ug/L			12/21/21 00:57	20
Dichlorodifluoromethane	20	U	20	14	ug/L			12/21/21 00:57	20
Ethylbenzene	20	U	20	15	ug/L			12/21/21 00:57	20
Isopropylbenzene	20	U	20	16	ug/L			12/21/21 00:57	20
Methyl acetate	50	U	50	26	ug/L			12/21/21 00:57	20
Methyl tert-butyl ether	12	J	20	3.2	ug/L			12/21/21 00:57	20
Methylcyclohexane	20	U	20	3.2	ug/L			12/21/21 00:57	20
Methylene Chloride	20	U	20	8.8	ug/L			12/21/21 00:57	20
Styrene	20	U	20	15	ug/L			12/21/21 00:57	20
Tetrachloroethene	270		20	7.2	ug/L			12/21/21 00:57	20
Toluene	20	U	20	10	ug/L			12/21/21 00:57	20
trans-1,2-Dichloroethene	20	U	20	18	ug/L			12/21/21 00:57	20
trans-1,3-Dichloropropene	20	U	20	7.4	ug/L			12/21/21 00:57	20
Trichloroethene	61		20	9.2	ug/L			12/21/21 00:57	20
Trichlorofluoromethane	20	U	20	18	ug/L			12/21/21 00:57	20
Vinyl chloride	53		20	18	ug/L			12/21/21 00:57	20
Xylenes, Total	40	U	40	13	ug/L			12/21/21 00:57	20

Eurofins TestAmerica, Buffalo



eurofins

Spectrum Analytical

CHAIN OF CUSTODY RECORD

Special Handling:

- ☒ Standard TAT - 7 to 10 business days
☐ Rush TAT - Date Needed: _____

All TATs subject to laboratory approval
Min. 24-hr notification needed for rushes
Samples disposed after 30 days unless otherwise instructed.

Page 1 of 1

Report To: Ecology & Environment, Inc
368 Pleasantview Dr
Laconia, NY 14086

Telephone #: _____
Project Mgr: _____

Invoice To: SAME

P.O No.: _____

Quote #: _____

F=Field Filtered 1=Na₂S₂O₃ 2=HCl 3=H₂SO₄ 4=HNO₃ 5=NaOH 6=Ascorbic Acid
7=CH₃OH 8=NaHSO₄ 9=Deionized Water 10=H₃PO₄ 11= _____ 12= _____

DW=Drinking Water GW=Groundwater SW=Surface Water WW=Waste Water

O=Oil SO=Soil SL=Sludge A=Indoor/Ambient Air SG=Soil Gas

X1= _____ X2= _____ X3= _____

G= Grab C=Composite

Lab ID:	Sample ID:	Date:	Time:	Type	Matrix
	PW-4	12/18/21		G	GW 3
	PW-5	11/17		G	GW 3
	PW-6			G	GW 3
	PW-7			G	EW 3
	PW-8			G	EW 3

List Preservative Code below:

QA/QC Reporting Notes:
* additional charges may apply

- MA DEP MCP CAM Report? ☐ Yes ☐ No
CT DPH RCP Report? ☐ Yes ☐ No
☒ Standard ☐ No QC
☒ ASP A* ☐ DQA* ☐ ASP B*
☐ NJ Reduced* ☐ NJ Full*
☐ Tier II* ☐ Tier IV*
Other: _____
State-specific reporting standards: _____

Check if chlorinated: ☐



480-193605 Chain of Custody

Relinquished by:

Received by:

Temp °C

EDD format:

PDF

E-mail to:

iyerenv@gmail.com

RKnappett@ene.com

Condition upon receipt: ☐ Ambient ☐ Iced ☐ Refrigerated ☐ DI VOA Frozen ☐ Soil Jar Frozen

Custody Seals: ☐ Present ☐ Intact ☐ Broken

Sample shipping address: 11 Almgren Drive • Agawam, MA 01001 • 413-789-9018 • www.EurofinsUS.com/Spectrum

Rev. Nov 2016

Attachment B
IEG Summary of Field Activities

December 2021

Mr. C's CLEANERS OM&M

SUMMARY OF FIELD ACTIVITIES BY IEG - Dec 2021

DATE	ACTIVITY
1-Dec-21	Mobilized and assisted with ceiling fan installation. Got supplies. Lubricated Blower Motor. Office work.
3-Dec-21	Office work.
6-Dec-21	Got parts prices for Filter Housing replacement. Weekly Inspection. End of Month Time and Expenses.
7-Dec-21	Office work. End of Month Summaries. Moved shed freezables inside for the winter.
10-Dec-21	Treatment Room Sampling. Met with National Fuel Rep and contractors on Whaley St about excavating near treatment lines.
14-Dec-21	Weekly Inspection.
15-Dec-21	Mobilized for Quarterly Sampling. Demobilized due to incoming rain. Picked up (3) Sample Kits at Eurofins Lab. Office work.
17-Dec-21	Quarterly Sampling of Wells: PW-4, PW-5, PW-6, PW-7 and PW-8. Office work.
21-Dec-21	Weekly Inspection. Turned OFF 586 Building SVE System due to below freezing temperatures.
23-Dec-21	Checked System. Turned ON (2) electric heaters in Treatment Room. Detected gas odor and inspected ceiling heater. Turned OFF gas line to heater. Contacted Carroll Heating to set up an inspection.
27-Dec-21	Weekly Inspection.
29-Dec-21	Checked System. Mixed new batch of Redux solution.
30-Dec-21	Mobilized for heater inspection. Met with Carroll Heating for inspection. Piezometer Readings.
31-Dec-21	Piezometer Readings. Loaded tall step ladder and dropped off at Treatment Room.

Mr. C's CLEANERS OM&M

STATUS OF FIELD ACTIVITIES BY IEG - 12/2021

ACTIVITY	DESCRIPTION	COMPLETION DATE/STATUS
Air Sparger Pump stopped working	One of the two Air Sparger Pumps experienced a diaphragm break down. Replaced with new pump. Will take old pump to be repaired.	Feb-20
Move IEG Equipment out of Treatment Room	E&E, Inc is relinquishing the OM&M to GES for the month of March as per NYSDEC request. Remove all IEG Equipment and move it to the IEG Shed.	Feb-20
Meet NYSOFPIC for Inspection	Meet NYSOFPIC Inspector for a Fire Safety Inspection. As per Inspector's observations, installed a Fire Extinguisher in front of Equalization Tank. Installed an electrical switch on North wall to control room heater and an electrical outlet box on North wall near Air Stripper for air sparger pumps.	Jul-20
Rosedale Filter is Leaking	Left Filter Housing has a leak. Prep and apply sealant to housing. Clean inside of Filter Housings. Coat with LeakSeal to reduce the chance of further leaks.	Jul-20
Fire Inspection Cites Need for Electric Outlet	Fire Inspection called for an electrical outlet to be installed on the North wall. Installed electrical outlet and switch on the North wall.	Jul-20
Fire Inspection Cites Need for Fire Extinguisher.	Fire Inspection called for a Fire Extinguisher to be installed in the unit. Installed Fire Extinguisher near the center of the unit next to "FIRE EXTINGUISHER" sticker.	Jul-20
Influent Pressure Gauge is Broken	Influent Pressure Gauge no longer reads pressure. Replaced with like gauge.	Jul-20
Move IEG Equipment into Treatment Room	E&E, Inc is reinstated as the contractor as per NYSDEC request. Return IEG Equipment to the Treatment Room and organize.	Aug-20
PZ-7D is buried under gravel	Piezometer has been buried under hard packed gravel by snowplows during Winter months. Locate piezometer with metal detector and excavate.	Sep-20
Backflow inspection is due	The annual backflow inspection is due for the Treatment Room. Make appointment with S&S Backflow to conduct the testing.	Sep-20
Air Stripper is due for a Cleaning	Clean Air Stripper with Acid Solution, Power Sprayer and Vacuum.	Oct-20
Inventory Equipment in Treatment Room	Check that equipment left in the Treatment Room In February is still there. MISSING: Rolling Box, Large Air Pump and Redux Can.	Oct-20
Redux Line Valve Leaking	Valve on Redux line was leaking. Replaced with stainless steel valve.	Feb-21
PZ-2C is missing the Top Cover	PZ-2C was missing top cover after snowplow cleared parking lot. Filled inner ring with gravel / soil to reduce pedestrian tripping hazard. Replaced Top Cover and removed gravel from inside the inner ring.	Mar-21
Wells in Groups PW-2 and PW-3 are covered with material	Some wells in Groups PW-2 and PW-3 were covered with gravel and soil from snowplowing of gravel parking lot. Found and uncovered wells.	Apr-21
Drums of Sludge and Used Filters	Had 1 drum of used bag filters and 4 drums of sludge/water from well purges and EQ Tank cleanout. Consolidated 4 sludge drums into 2 drums. Added 3 bags of cement to sludge during consolidation process. Disposed drums.	May-21
PW-5 is Pumping Very Slowly	PW-7 was ON most of the time. Suspected sludge buildup in horizontal line. Replaced pump with more powerful pump.	May-21
Effluent Meter	Cleaned Effluent Meter inside. Effluent Meter stopped working and was replaced. (old meter read 87,585,383 on 6/21/21)	Jun-21
MW-14 Inner Ring pulled up	MW-14 was pushed up/out of ground by snowplow. Covered riser/hole with stones. Sealed well with concrete. Brought area up to grade with gravel.	Aug-21
Man-door lockset is difficult during hot temperatures.	The Man-door lockset is difficult to open with a key during hot weather when the metal door expands. Grinded the keeper and lubricated the lockset.	Aug-21
Inspect Fire Extinguisher	The NYS Fire Inspector revealed that the Treatment Room Fire Extinguisher needed to be inspected. Took the unit to Hanes Supply for an inspection.	Aug-21
MPI-6S Inner Bracket is Difficult to Remove	The Inner Bracket of MPI-6S has become very difficult to remove for Piezometer Readings. Grinded the tips of the bracket to ease removal.	Aug-21
SVE System Top Section Fell Off	The SVE System on the NE corner of Building 574 was damaged possibly by high winds. The top most section of the exhaust pipe fell to the ground. Hired contractor to reinstall the top section.	Sep-21
AutoDialer Panel is Frozen	Replaced batteries. AutoDialer Panel is still frozen. Had contractor reprogram unit.	Sep-21

Mr. C's CLEANERS OM&M

STATUS OF FIELD ACTIVITIES BY IEG - 12/2021

ACTIVITY	DESCRIPTION	COMPLETION DATE/STATUS
Air Stripper Exhaust Stack is Corroded	The Air Stripper Exhaust Stack on the roof is severely corroded. Inspect and replace the unit as necessary. Had contractor replace the stack.	Sep-21
Leak in Right Filter Housing	A corrosion leak started in the Right Filter Housing. Turned off and drained system. Used plumbing epoxy to seal the leak.	Oct-21
Fan Shroud is broken	Shroud over SVE fan unit of Building 594 Main St is broken. It is located in the alley between two buildings and is approximately 12' high. Replaced the broken shroud with a new unit.	Oct-21
Cool Treatment Room	Treatment Room temperature can go above 90 degrees in summer. To increase outside air inflow into room, cut new locking position on frame so door can be closed with a 2" opening at bottom. Monitor and adjust if warranted.	Solution was successful
Filter Housings are corroded	Flanges that seal filter baskets inside Rosedale Filter Housings are corroded. Sediment flows around filters instead of being trapped. Replaced seals in existing housings and patched as needed (short term). Replace housings (long term).	Monitor
Repair Leaking Ball Valve	Influent ball valve east of EQ Tank drips. Inspect/clean & replace if necessary.	Monitor
Reduce Influent Pump Rate	Lab Tests have shown high levels of VOCs. Try lengthening the time that the Influent Pump runs to increase the Air Sparging time inside the Air Stripper	Monitor
PW-4 UE Level	Asphalt around Underground Enclosure has sunk, and is vulnerable to damage. Bring pavement up to level with asphalt patch. Inspect and repair when warranted.	Pavement was leveled
SVE Fan pipe collects water	The SVE Fan pipe on Building 586 collects water. There is a plug just below the fan to drain water out of the horizontal section of the pipe. Inspect system and make corrections to prevent the pipe from filling with water.	Currently draining pipe weekly
MPI-5S is Damaged	MPI-5S was damaged by snowplow. Notified Intrepid Auto and their maintenance personnel fill inner ring with gravel as a temporary fix. Replace inner ring.	in progress
MW-8 is Damaged	MW-8 was damaged by a snowplow. Let IA, Inc. know and have their maintenance personnel fill inner ring with gravel as a temporary fix. Replace inner ring.	in progress
ABB Meter stopped working	The backup Effluent Meter stopped working. Assess need to replace unit if not serviceable. Unit is not serviceable.	No Need for Backup Meter
Influent Pipe joint is Leaking	The Influent Pipe is leaking a glue like substance at a joint where the Redux Solution feed fitting is installed. The Redux appears to have liquified the PVC cement over a period of several years. Move fitting to non-joint pipe location.	in progress
Retrieve Bailer in PW-7	The sampling bailer repeatedly snagged on something while taking well samples. The line broke and the bailer fell to the bottom. Retrieve the bailer and design a weighted bailer system that resists snagging.	in progress
Seal Ceiling Exhaust Vent	There is an opening over the Air Stripper for a roof mounted exhaust fan. The exhaust fan is turned OFF and does not appear to work. Look into sealing the opening for the winter season to reduce heat loss.	in progress
Install Ceiling Fan	The high ceiling in the Treatment Room causes the lower half of the unit to remain cold in the winter. Install a ceiling fan to move some of the warm air downward. Secure existing loose electrical wire above overhead door.	Dec-21
Air Stripper is Corroded	The Air Stripper has corroded through in dozens of areas and was repaired with plumber's putty. Some of the tray latches are broken. To welders have agreed that it is too corroded for further repair. Install new Air Stripper when available.	in progress
Gas Heater does not work	Treatment Room temperature was low and there was a gas odor. An inspection determined that the unit and exhaust pipe need replacing. Turned off gas line and turned on two small electric heaters until replacement can be done.	in progress

Mr. C's CLEANERS OM&M
SUMMARY OF WATER PUMP MAINTENANCE BY IEG - 2021

as of Dec 2021

ID	CLEAN & INSPECT PUMP	REPLACED PUMP	REPAIR PUMP	PITLESS ADAPTER	INNER RING	CLEAN & INSPECT FLEXIBLE PIPE	CHECK VALVE	CLEAN & INSPECT TRANSDUCER	REPLACE TRANSDUCER	PUMP OUT WELL	PIEZOMETER S	REPLACE ANEROID BELLOWS	CLEAN OUT & INSPECT ELECTRICAL BOX	ELECTRICAL BOX REPAIR
RW - 1	Jan 08, May 10, Jan 12, Oct 15, Oct 17	Feb 08, Jan 12	May 10, Nov 08					May 10, Jan 12, Oct 15, Oct 17			PZ-1B repaired Sep 16, Jun 19			
PW - 2	Jun 08, Aug 09, May 10, Apr 13, Sep 15, Oct 16, Oct 17	Jul 08, Apr 13 Dec 15				Sep-15		Nov 11, May 10, Apr 13 Dec 15, Oct 16, Oct 17	Sep 09, Dec 11	Aug-09			Nov-11	Sep-09
PW - 3	Jun 08, Aug 09, May 10, Sep 15, Oct 16, Oct 17	Jul 08, Dec 11, Oct 15		Repair adapter		Sep-15		Aug 09, Nov 11, Oct 15, Oct 16, Oct 17	Dec 11, Sep 15	Aug-09			Nov 11, Sep 15	
PW - 4	Dec 07, May 08, Sep 09, May 10, Jan 12, Oct 15, Oct 16, Oct 17, Oct 18, Sep 19, Aug 20, Jun 21, Nov 21	Dec 07, Jan 12	Sep-13		Aug 13	Oct 16, Oct 18, Aug 20, Jun 21, Nov 21		May 10, Nov 11, Oct 15, Oct 16, Oct 17, Oct 18, Sep 19, Aug 20, Jun 21, Nov 21	Dec 11, Mar 08, Sep 08	Jul 09, Sep 09	PZ-4B replaced Sep 16, PZ-4D replaced Apr 17	Oct 16	Sep 09, Nov 11, Oct 16	Sep-09
PW - 5	Jan 12, May 08, Oct 15, Nov 16, Oct 17, Oct 18, Sep 19, Aug 20, May 21, Nov 21	Jul 08, Jan 12, May 21				Nov 16, Oct 18, Aug 20, May 21, Nov 21		Mar 11, Oct 15, Nov 16, Oct 17, Oct 18, Sep 19, Aug 20, May 21, Nov 21	Jan 12, Sep 08				Jan 12, Sep 19	
PW - 6	Jun 08, Jul 09, Jul 12, Nov 12, Aug 15, Apr 17, Oct 17, Oct 18, Sep 19, Aug 20, Jun 21, Nov 21	Jun 08, Jul 09, Aug 12, Nov 12, Sep 15		Replaced Aug 15		Jul 12, Nov 12, Sep 15, Apr 17, Oct 18, Aug 20, Jun 21, Nov 21	Aug 15	Aug 09, Jul 12, Dec 12, Apr 13, Aug 15, Apr 17, Oct 17, Dec 17, Oct 18, Sep 19, Aug 20, Jun 21, Nov 21	Sep 09, Sep 15, Jan 18	Aug-09	PZ-6A, PZ-6C repaired Sep 16	Aug 15	Aug 09, Sep 09, Sep 15	Jul 09, Sep 09
PW - 7	Jun 08, Jul 09, May 10, Oct 10, Aug 11, Mar 12, Jul 12, Nov 12, Aug 15, Nov 11, Oct 17, Oct 18, Sep 19, Aug 20, Jun 21, Nov 21	Nov 07, Jul 09, Oct 10, Nov 12		Replaced Aug 15		Jul 12, Nov 12, Nov 16, Oct 18, Aug 20, Jun 21, Nov 21	Aug 15	Oct 10, Aug 11, Mar 12, Jul 12, Dec 12, Aug 15, Nov 16, Oct 17, Oct 18, Sep 19, Aug 20, Jun 21, Nov 21		Aug 09, May 10, Aug 11	PZ-7D clean out product			
PW - 8	Jun 08, Aug 09, May 10, Aug 11, Jul 12, Dec 12, Aug 15, Apr 17, Oct 17, Oct 18, Sep 19, Aug 20, Aug 21, Nov 21	Jul 08, Sep 09, Aug 11, Dec 12		Replaced Aug 15		Pipe Aug 09, Jul 12, Sep 15, Apr 17, Oct 18, Aug 20, Aug 21, Nov 21	Aug 15	May 10, Aug 11, Jul 12, Dec 12, Apr 13, Aug 15, Apr 17, Oct 17, Oct 18, Sep 19, Aug 20, Jun 21, Nov 21		Aug 09, May 10, Aug 11		Aug 15	Apr 13, Aug 15	Apr-13

Mr. C's CLEANERS OM&M

SUMMARY OF WATER PUMP STATUS - 2021

as of Dec 2021

ID	NEEDS CLEANING & INSPECTION	NEED S NEW PUMP	NEEDS NEW INNER RING	NEEDS P.A. OR PIPE	NEEDS WELL CLEAN-OUT	PITLESS ADAPTER	NEEDS FLEXIBLE LINE PURGE	NEEDS CHECK VALVE INSPECTION	NEEDS TRANSDUCER INSPECTION	NEEDS NEW TRANSDUCER	PIEZOMETERS	NEEDS ANEROID BELLOWS	NEEDS U.E. CLEANED	NEEDS U.E. REPAIR
RW-1	NO	NO	YES		NO		NO		NO	NO		NO	NO	YES - bolts
PW-2	NO	NO	NO		NO		NO		NO	NO		NO	NO	YES - bolts
PW-3	NO	NO	NO		NO		NO		NO	NO		NO	NO	NO
PW-4	NO	NO	NO		NO		NO		NO	NO		NO	NO	NO
PW-5	NO	NO	NO		NO		NO		NO	NO		NO	NO	NO
PW-6	NO	NO	NO		NO		NO		NO	NO	PZ-6A and PZ-6C are damaged	NO	NO	DONE
PW-7	NO	NO	NO		NO		NO		NO	NO		NO	NO	NO
PW-8	NO	NO	NO		NO		NO		NO	NO		NO	NO	NO

MR. C's DRY CLEANERS SITE
NYSDEC Site #9-15-157
OM&M: SITE INSPECTION FORM

DATE: <u>6-Dec-21</u>		ACTIVITIES: <u>Site Inspection</u>	
INSPECTION PERSONNEL: <u>R. Allen</u>		OTHER PERSONNEL: <u>-----</u>	
WEATHER CONDITIONS: <u>Rain, windy, cool</u>		OUTSIDE TEMPERATURE (° F): <u>37</u>	
<hr/>			
ARE WELL PUMPS OPERATING IN AUTO: YES: _____ NO: <u>✓</u> If "NO", provide explanation below <u>RW-1, PW-2 and PW-3 are manually set to OFF position; PW-4 through PW-8 are on AUTO</u>			
<hr/>			
PROVIDE WATER LEVEL READINGS ON CONTROL PANEL			
RW-1	ON: _____	OFF: <u>✓</u> <u>14</u> ft	PW-5 ON: _____ OFF: <u>✓</u> <u>6</u> ft
PW-2	ON: _____	OFF: <u>✓</u> <u>11</u> ft	PW-6 ON: _____ OFF: <u>✓</u> <u>6</u> ft
PW-3	ON: _____	OFF: <u>✓</u> <u>12</u> ft	PW-7 ON: _____ OFF: <u>✓</u> <u>6</u> ft
PW-4	ON: _____	OFF: <u>✓</u> <u>3</u> ft	PW-8 ON: _____ OFF: <u>✓</u> <u>3</u> ft
EQUALIZATION TANK: <u>4</u> ft		Last Alarm D/T/Condition: <u>9/3/2021 Air Stripper Low Pressure</u>	
NOTES: _____			
<hr/>			
INFLUENT FLOW RATE: <u>0</u> gpm		INFLUENT TOTALIZER READING: <u>22119249</u> gallons	
<hr/>			
SEQUESTERING AGENT DRUM LEVEL: <u>24</u> inches		(x 1.7=) AMOUNT OF AGENT REMAINING: <u>41</u> gallons	
SEQUESTERING AGENT FEED RATE: <u>-----</u> ml/min		METERING PUMP PRESSURE: <u>-----</u> psi	
<hr/>			
BAG FILTER PRESSURES:			
	<div style="display: flex; justify-content: space-around;"> <div>Top LEFT: <u>0</u></div> <div>Bottom <u>0</u> psi</div> </div>	<div style="display: flex; justify-content: space-around;"> <div>Top RIGHT: <u>6</u></div> <div>Bottom <u>0</u> psi</div> </div>	
<hr/>			
INFLUENT FEED PUMP IN USE: #1 <u>✓</u> #2 _____		INFLUENT PUMP PRESSURE: <u>7</u> psi	
<hr/>			
AIR STRIPPER BLOWER IN USE: #1 <u>✓</u> #2 _____		AIR STRIPPER PRESSURE: <u>1.05 (29.1)</u> psi	
AIR STRIPPER DIFFERENTIAL PRESSURE: <u>broken</u> in. H ₂ O		DISCHARGE PRESSURE: <u>2.2</u> in. H ₂ O	
AIR FLOW: <u>1300</u> fpm X 1.4 = <u>1820</u> CFM		AIR SPARGER LEFT RIGHT <u>7.0</u> <u>2.9</u> CFM	
AIR TEMP: <u>89.2</u> °F			
<hr/>			
EFFLUENT PUMP IN USE: #1 _____ #2 <u>✓</u>		EFFLUENT FEED PUMP PRESSURE: <u>5</u> psi	
EFFLUENT FLOW RATE: _____ gpm		EFFLUENT TOTALIZER READING: <u>373,720</u> gallons	
<hr/>			
ARE BUILDING HEATERS IN USE? YES: <u>✓</u> NO: _____		INSIDE TEMPERATURE (° F): <u>67</u>	
<hr/>			
IS SUMP PUMP IN USE: YES: <u>✓</u> NO: _____		ARE ANY LEAKS PRESENT? YES: <u>✓</u> NO: _____	
WATER LEVEL IN SUMP: <u>4.0</u> in.		TREATMENT BUILDING CLEAN & ORGANIZED? YES: <u>✓</u> NO: _____	

MR. C's DRY CLEANERS SITE
NYSDEC Site #90150157
SITE INSPECTION FORM

6-Dec-21

SAMPLES COLLECTED? YES: ☒ NO: ☐ (Dec 10)

	Sample ID	Time of Sampling	pH	Turbidity	Temp.	Sp. Cond.
AIR STRIPPER INFLUENT:	INF	10:00 am	6.7	7.7	12.9	1860
AIR STRIPPER EFFLUENT:	EFF	10:00 am	7.8	8.7	12.9	1900

IS THERE EVIDENCE OF TAMPERING/VANDALISM OF WELLS: ?

YES: ☐ NO: ☒

WERE MANHOLES INSPECTED?

YES: ☒ NO: ☐

WERE ELECTRICAL BOXES INSPECTED?

YES: ☒ NO: ☐

IS WATER PRESENT IN ANY MANHOLES OR ELECTRICAL BOXES?

YES: ☒ NO: ☐

If yes, provide manhole/electric box ID and description of any corrective measures below:

RW-1 inner ring is corroded. MPI-5S and MW-8 inner rings are damaged.

SUBSLAB SYSTEMS

TREATMENT ROOM

MANOMETER: 1.3 in. WC	west	east	NOTES: cfm = 0.05 x fpm (3" PVC)
(Fan Inlet)	FLOW (fpm):		
CONDENSATE ----- gallon	FLOW (cfm):		
DRAINED No VACUUM GAUGE (in WC)			

OTHER LOCATIONS

586 Building SVE CONDENSATE drained: YES ☒ NO ☐ VOLUME: _____ gallon

INCLUDE REMARKS & DESCRIBE ANY OTHER SYSTEM MAINTENANCE PERFORMED ON MR. C's SITE

Remarks: There is a slow leak of liquifying PVC cement in the Influent Pipe near the Redux line fitting.

AutoDialer - Code 12

Other Actions: Met with National Fuel (Eric) about gas line installation on Whaley St.

Got prices for Filter Housing replacement items.

MR. C's DRY CLEANERS SITE
NYSDEC Site #9-15-157
OM&M: SITE INSPECTION FORM

DATE: <u>21-Dec-21</u>		ACTIVITIES: <u>Site Inspection</u>	
INSPECTION PERSONNEL: <u>R. Allen</u>		OTHER PERSONNEL: <u>-----</u>	
WEATHER CONDITIONS: <u>Sunny, cool</u>		OUTSIDE TEMPERATURE (° F): <u>33</u>	
<hr/>			
ARE WELL PUMPS OPERATING IN AUTO: YES: NO: <u>✓</u> If "NO", provide explanation below			
<u>RW-1, PW-2 and PW-3 are manually set to OFF position; PW-4 through PW-8 are on AUTO</u>			
<hr/>			
PROVIDE WATER LEVEL READINGS ON CONTROL PANEL			
RW-1	ON: _____	OFF: <u>✓</u> <u>14</u> ft	PW-5 ON: _____ OFF: <u>✓</u> <u>3</u> ft
PW-2	ON: _____	OFF: <u>✓</u> <u>11</u> ft	PW-6 ON: _____ OFF: <u>✓</u> <u>6</u> ft
PW-3	ON: _____	OFF: <u>✓</u> <u>12</u> ft	PW-7 ON: _____ OFF: <u>✓</u> <u>6</u> ft
PW-4	ON: _____	OFF: <u>✓</u> <u>4</u> ft	PW-8 ON: _____ OFF: <u>✓</u> <u>7</u> ft
EQUALIZATION TANK: _____ ft		Last Alarm D/T/Condition: <u>9/3/2021 Air Stripper Low Pressure</u>	
NOTES: _____			
<hr/>			
INFLUENT FLOW RATE: <u>9</u> gpm		INFLUENT TOTALIZER READING: <u>22196623</u> gallons	
<hr/>			
SEQUESTERING AGENT DRUM LEVEL: <u>11</u> inches		(x 1.7=) AMOUNT OF AGENT REMAINING: <u>19</u> gallons	
SEQUESTERING AGENT FEED RATE: <u>-----</u> ml/min		METERING PUMP PRESSURE: <u>-----</u> psi	
<hr/>			
BAG FILTER PRESSURES:			
	LEFT: <u>0</u> <u>0</u> psi	RIGHT: <u>8</u> <u>0</u> psi	
<hr/>			
INFLUENT FEED PUMP IN USE: #1 <u>✓</u> #2 _____		INFLUENT PUMP PRESSURE: <u>7</u> psi	
<hr/>			
AIR STRIPPER BLOWER IN USE: #1 <u>✓</u> #2 _____		AIR STRIPPER PRESSURE: <u>1.1 (30.5)</u> psi	
AIR STRIPPER DIFFERENTIAL PRESSURE: <u>broken</u> in. H ₂ O		DISCHARGE PRESSURE: <u>2.2</u> in. H ₂ O	
AIR FLOW : <u>1250</u> fpm X 1.4 = <u>1750</u> CFM		AIR SPARGER LEFT RIGHT <u>6.9</u> <u>2.7</u> CFM	
AIR TEMP: <u>80.5</u> °F			
<hr/>			
EFFLUENT PUMP IN USE: #1 _____ #2 <u>✓</u>		EFFLUENT FEED PUMP PRESSURE: <u>5.5</u> psi	
EFFLUENT FLOW RATE: <u>61</u> gpm		EFFLUENT TOTALIZER READING: <u>413,120</u> gallons	
<hr/>			
ARE BUILDING HEATERS IN USE? YES: <u>✓</u> NO: _____		INSIDE TEMPERATURE (° F): <u>59</u>	
<hr/>			
IS SUMP PUMP IN USE: YES: <u>✓</u> NO: _____		ARE ANY LEAKS PRESENT? YES: <u>✓</u> NO: _____	
WATER LEVEL IN SUMP: <u>4.0</u> in.		TREATMENT BUILDING CLEAN & ORGANIZED? YES: <u>✓</u> NO: _____	

MR. C's DRY CLEANERS SITE
NYSDEC Site #90150157
SITE INSPECTION FORM

21-Dec-21

SAMPLES COLLECTED?

YES:

NO: ☒

	Sample ID	Time of Sampling	pH	Turbidity	Temp.	Sp. Cond.
AIR STRIPPER INFLUENT:						
AIR STRIPPER EFFLUENT:						

IS THERE EVIDENCE OF TAMPERING/VANDALISM OF WELLS: ?

YES:

NO: ☒

WERE MANHOLES INSPECTED?

YES: ☒

NO:

WERE ELECTRICAL BOXES INSPECTED?

YES: ☒

NO:

IS WATER PRESENT IN ANY MANHOLES OR ELECTRICAL BOXES?

YES:

NO: ☒

If yes, provide manhole/electric box ID and description of any corrective measures below:

RW-1 inner ring is corroded. MPI-5S and MW-8 inner rings are damaged.

SUBSLAB SYSTEMS

TREATMENT ROOM

MANOMETER: 1.2 in. WC	west	east	NOTES: cfm = 0.05 x fpm (3" PVC)
(Fan Inlet)	FLOW (fpm):		
CONDENSATE ----- gallon	FLOW (cfm):		
DRAINED Yes VACUUM GAUGE (in WC)			

OTHER LOCATIONS

586 Building SVE CONDENSATE drained: YES ☒ VOLUME: 0.5 gallon

INCLUDE REMARKS & DESCRIBE ANY OTHER SYSTEM MAINTENANCE PERFORMED ON MR. C's SITE

Remarks: There is a slow leak of liquifying PVC cement in the Influent Pipe near the Redux line fitting.

AutoDialer - Code 12

Other Actions: Turned OFF 586 Building SVE System due to below freezing temperatures.

Turned ON electric space heaters in Treatment Room.

12/23/24: Odor in Treatment Room. Ceiling Heater would not start. Turned OFF gas line valve to Ceiling Heater.

12/15/21: Picked up (3) Sample Kits at Eurofins Lab

12/17/21: Quarterly Sampling of PW-4, PW-5, PW-6, PW-7 and PW-8

MR. C's DRY CLEANERS SITE
NYSDEC Site #9-15-157
OM&M: SITE INSPECTION FORM

DATE: <u>3-Jan-22</u>		ACTIVITIES: <u>Site Inspection</u>	
INSPECTION PERSONNEL: <u>R. Allen</u>		OTHER PERSONNEL: _____	
WEATHER CONDITIONS: <u>Partly cloudy, cold</u>		OUTSIDE TEMPERATURE (° F): <u>20</u>	
<hr style="border-top: 1px dashed black;"/>			
ARE WELL PUMPS OPERATING IN AUTO: YES: _____ NO: <u>✓</u> If "NO", provide explanation below <u>RW-1, PW-2 and PW-3 are manually set to OFF position; PW-4 through PW-8 are on AUTO</u>			
<hr style="border-top: 1px dashed black;"/>			
PROVIDE WATER LEVEL READINGS ON CONTROL PANEL			
RW-1	ON: _____	OFF: <u>✓</u> <u>14</u> ft	PW-5 ON: _____ OFF: <u>✓</u> <u>5</u> ft
PW-2	ON: _____	OFF: <u>✓</u> <u>10</u> ft	PW-6 ON: _____ OFF: <u>✓</u> <u>7</u> ft
PW-3	ON: _____	OFF: <u>✓</u> <u>11</u> ft	PW-7 ON: _____ OFF: <u>✓</u> <u>6</u> ft
PW-4	ON: <u>✓</u>	OFF: _____ <u>8</u> ft	PW-8 ON: _____ OFF: <u>✓</u> <u>5</u> ft
EQUALIZATION TANK: <u>4</u> ft		Last Alarm D/T/Condition: <u>9/3/2021 Air Stripper Low Pressure</u>	
NOTES: _____			
<hr style="border-top: 1px dashed black;"/>			
INFLUENT FLOW RATE: <u>15</u> gpm		INFLUENT TOTALIZER READING: <u>22264699</u> gallons	
<hr style="border-top: 1px dashed black;"/>			
SEQUESTERING AGENT DRUM LEVEL: <u>28</u> inches		(x 1.7=) AMOUNT OF AGENT REMAINING: <u>48</u> gallons	
SEQUESTERING AGENT FEED RATE: <u>-----</u> ml/min		METERING PUMP PRESSURE: <u>-----</u> psi	
<hr style="border-top: 1px dashed black;"/>			
BAG FILTER PRESSURES:			
	LEFT: <u>0</u> <u>0</u> psi	RIGHT: <u>7</u> <u>0</u> psi	
<hr style="border-top: 1px dashed black;"/>			
INFLUENT FEED PUMP IN USE: #1 <u>✓</u> #2 _____		INFLUENT PUMP PRESSURE: <u>7</u> psi	
<hr style="border-top: 1px dashed black;"/>			
AIR STRIPPER BLOWER IN USE: #1 <u>✓</u> #2 _____		AIR STRIPPER PRESSURE: <u>1.1 (30.5)</u> psi	
AIR STRIPPER DIFFERENTIAL PRESSURE: <u>broken</u> in. H ₂ O		DISCHARGE PRESSURE: <u>2.4</u> in. H ₂ O	
AIR FLOW: <u>1250</u> fpm X 1.4 = <u>1750</u> CFM		AIR SPARGER LEFT RIGHT <u>6.8</u> <u>2.7</u> CFM	
AIR TEMP: <u>74.1</u> °F			
<hr style="border-top: 1px dashed black;"/>			
EFFLUENT PUMP IN USE: #1 _____ #2 <u>✓</u>		EFFLUENT FEED PUMP PRESSURE: <u>5</u> psi	
EFFLUENT FLOW RATE: <u>61</u> gpm		EFFLUENT TOTALIZER READING: <u>448,230</u> gallons	
(TOTAL = 74,510 for 12/06-1/03)			
<hr style="border-top: 1px dashed black;"/>			
ARE BUILDING HEATERS IN USE? YES: _____ NO: <u>✓</u>		INSIDE TEMPERATURE (° F): <u>52</u>	
<hr style="border-top: 1px dashed black;"/>			
IS SUMP PUMP IN USE: YES: <u>✓</u> NO: _____		ARE ANY LEAKS PRESENT? YES: <u>✓</u> NO: _____	
WATER LEVEL IN SUMP: <u>2.0</u> in.		TREATMENT BUILDING CLEAN & ORGANIZED? YES: <u>✓</u> NO: _____	

MR. C's DRY CLEANERS SITE
NYSDEC Site #90150157
SITE INSPECTION FORM

3-Jan-22

SAMPLES COLLECTED? YES: _____ NO: _____

	Sample ID	Time of Sampling	pH	Turbidity	Temp.	Sp. Cond.
AIR STRIPPER INFLUENT:	_____	_____	_____	_____	_____	_____
AIR STRIPPER EFFLUENT:	_____	_____	_____	_____	_____	_____

IS THERE EVIDENCE OF TAMPERING/VANDALISM OF WELLS: ?	YES: _____	NO: <u> ✓ </u>
WERE MANHOLES INSPECTED?	YES: <u> ✓ </u>	NO: _____
WERE ELECTRICAL BOXES INSPECTED?	YES: <u> ✓ </u>	NO: _____
IS WATER PRESENT IN ANY MANHOLES OR ELECTRICAL BOXES?	YES: _____	NO: <u> ✓ </u>

If yes, provide manhole/electric box ID and description of any corrective measures below:

RW-1 inner ring is corroded. MPI-5S and MW-8 inner rings are damaged.

SUBSLAB SYSTEMS

TREATMENT ROOM

MANOMETER: <u> 1.2 </u> in. WC	west	east	NOTES: <u> cfm = 0.05 x fpm (3" PVC) </u>
(Fan Inlet)	FLOW (fpm): _____	_____	_____
CONDENSATE <u> 0.3 </u> gallon	FLOW (cfm): _____	_____	_____
DRAINED Yes VACUUM GAUGE (in WC)	_____	_____	_____

OTHER LOCATIONS

586 Building SVE CONDENSATE drained: **NO** _____ VOLUME: ----- gallon

INCLUDE REMARKS & DESCRIBE ANY OTHER SYSTEM MAINTENANCE PERFORMED ON MR. C's SITE

Remarks: There is a slow leak of liquifying PVC cement in the Influent Pipe near the Redux line fitting.

AutoDialer - Code 12

Other Actions: 586 Building SVE System is OFF due to below freezing temperatures.

12/23/221: Detected gas oder and saw ceiling heater was not working - turned off gas to heater.

12/30/21: Rex Carroll Heating determined heater and exhaust pipe are corroded - will installed new heater.

12/29/21: Mixed new batch of Redux Solution; 1 Redux : 2 Water.

MR. C's DRY CLEANERS SITE
NYSDEC Site #9-15-157
OM&M: PIEZOMETER WATER LEVEL LOG

Date: Dec 30-31, 2021

Measurements taken by: R. Allen

RW-1	<u>11.10</u> ft	Comments:	
PZ-1A	<u>11.01</u> ft	Comments:	
PZ-1B	<u>10.69</u> ft	Comments:	
PZ-1C	<u>11.86</u> ft	Comments:	
PZ-1D	<u>12.03</u> ft	Comments:	
PW-2	<u>10.40</u> ft	Comments:	
PZ-2A	<u>10.55</u> ft	Comments:	
PZ-2B	<u>10.90</u> ft	Comments:	
PZ-2C	<u>10.36</u> ft	Comments:	
MW-7	<u>10.89</u> ft	Comments:	Substitute for 2D
PW-3	<u>10.80</u> ft	Comments:	
PZ-3A	<u>11.02</u> ft	Comments:	
PZ-3B	<u>11.14</u> ft	Comments:	
PZ-3C	<u>11.67</u> ft	Comments:	
PZ-3D	<u>11.18</u> ft	Comments:	
PW-4	<u>20.00</u> ft	Comments:	
PZ-4A	<u>11.31</u> ft	Comments:	
PZ-4B	<u>10.61</u> ft	Comments:	
PZ-4C	<u>-----</u> ft	Comments:	sealed over
PZ-4D	<u>10.07</u> ft	Comments:	

PW-5	<u>19.90</u> ft	Comments:	
PZ-5A	<u>10.38</u> ft	Comments:	String
PZ-5B	<u>10.40</u> ft	Comments:	
PZ-5C	<u>10.02</u> ft	Comments:	
PZ-5D	<u>10.81</u> ft	Comments:	
PW-6	<u>17.70</u> ft	Comments:	
PZ-6A	<u>11.44</u> ft	Comments:	String
PZ-6B	<u>11.24</u> ft	Comments:	
PZ-6C	<u>11.53</u> ft	Comments:	
PZ-6D	<u>11.26</u> ft	Comments:	Shown as RW-2 on map
PW-7	<u>20.20</u> ft	Comments:	
MPI-6S	<u>11.01</u> ft	Comments:	String
PZ-7B	<u>11.08</u> ft	Comments:	
OW-B	<u>10.97</u> ft	Comments:	
PZ-7D	<u>10.75</u> ft	Comments:	String
PW-8	<u>19.20</u> ft	Comments:	
PZ-8A	<u>7.94</u> ft	Comments:	
PZ-8B	<u>7.88</u> ft	Comments:	
PZ-8C	<u>7.57</u> ft	Comments:	
PZ-8D	<u>7.78</u> ft	Comments:	

PUMPS IN OPERATION DURING MEASUREMENTS

RW-1 pump on?	Yes	<u>√</u>	No
PW-2 pump on?	Yes	<u>√</u>	No
PW-3 pump on?	Yes	<u>√</u>	No
PW-4 pump on?	Yes	<u>√</u>	No

PW-5 pump on?	Yes	<u>√</u>	No
PW-6 pump on?	Yes	<u>√</u>	No
PW-7 pump on?	Yes	<u>√</u>	No
PW-8 pump on?	Yes	<u>√</u>	No

MR. C's DRY CLEANERS SITE

BAG FILTERS HARDWARE – Dec 2021

PAGE 1 of 1



Hunter Ceiling Fan installed in the Treatment Room

Junction Box mounted on Treatment Room ceiling. Loose BK wire was secured to the ceiling during the installment.



Ceiling Fan switch was installed on the north wall above the desk.



1. View of Treatment Room vent, SVE Exhaust Pipe and Fan



2. Unknown pipe on Treatment Room roof



3. Unknown electric box on Treatment Room roof



4. Exhaust fan vent and Treatment Room vent



5. Old Air Stripper exhaust pipe and gas heater vent pipe



6. New Air Stripper exhaust pipe