

2775 Broadway Street, Suite 250
Buffalo, NY 14227



PHONE: (716) 597-0001
FAX: (716) 597-0505
1-866-597-0001

May 8, 2009

Mr. Greg Sutton, P.E.
Division of Environmental Remediation
New York State Department of Environmental Conservation
270 Michigan Avenue
Buffalo, New York 14203-2999

**Re: Remedial Investigation Report and Revised Interim Remedial Measure Work Plan
Former "Our Cleaners" Site
3163 Eggert Road
Tonawanda, Erie County, New York 14150
Order on Consent Index #B9-0740-07-03**

Dear Mr. Sutton:

Environmental Products & Services of Vermont, Inc. (EPSVT) hereby submits the enclosed Remedial Investigation (RI) Report and Revised Interim Remedial Measure (IRM) Work Plan for the above referenced site. This report has been submitted on behalf of SRK Colvin-Eggert Plaza Associates LP (SRK). The RI Report has been prepared in accordance with the RI/IRM Work Plan submitted on October 28, 2008. Based on the data collected during the RI, we have determined that the extent of the dissolved groundwater contaminant plume is more extensive than anticipated when the work plan was submitted. Therefore, in accordance with the work plan, we are modifying the IRM to encompass the plume area. Comments from New York State Department of Environmental Conservation (NYSDEC) in a letter dated April 9, 2009 have been incorporated in to this report.

Please feel free to contact our office with any questions or comments.

Sincerely,

Environmental Products & Services of Vermont, Inc.

Steven P. Leitten
Project Coordinator, Geoscience Services

Enc.

Cc: Mr. Kevin J. Cross, Esq. – Lippes Mathias Wexler Friedman LLP
Mr. James D. Charles, Esq. - NYSDEC
Mr. Gary Litwin – NYSDOH
Mr. Fred Back - Benchmark Management Corp.
Mr. Mark Wilder – EPSVT
Mr. Mike Hinton – NYSDEC
Mr. Matt Forcucci - NYSDOH

Remedial Investigation Report and Revised Interim Remedial Measure Work Plan

Former “Our Cleaners” Site
3163 Eggert Road
Tonawanda, New York 14150
Index# B9-0740-07-03

Prepared For:

SRK Colvin Eggert Plaza Associates LP
4053 Maple Road, Suite 200
Amherst, New York 14226

Prepared By:

Environmental Products & Services of Vermont, Inc.
2775 Broadway Street, Suite 250
Buffalo, New York 14227
(716) 597-0001



May 8, 2009

Remedial Investigation Report and Revised Interim Remedial Measure Work Plan

Former “Our Cleaners” Site
Index #B9-0740-07-03

TABLE OF CONTENTS

1.0	Introduction & Purpose	1
2.0	Site Description & History	2
2.1	Site Description.....	2
2.2	Site Geology/Hydrogeology	2
2.3	Site History	3
3.0	Remedial Investigation	6
3.1	Monitoring Well Installation.....	6
3.2	Soil Vapor Monitoring Points	7
3.3	Site Surveying	8
4.0	Soil, Soil Vapor and Groundwater Sampling Results	9
4.1	Soil Analytical Results.....	9
4.2	Soil Vapor Sampling Results	9
4.3	Groundwater Monitoring and Sampling	10
4.4	Disposition of Investigation-Derived Waste.....	10
5.0	Conclusions and Recommendations.....	11
6.0	Revised Interim Remedial Measure Work Plan	12
6.1	IRM Goal and Design Criteria.....	12
6.2	In-Situ Chemical Oxidation Remediation Well Installation	12
6.3	In-Situ Chemical Oxidation Application	12
6.4	Groundwater Monitoring and Sampling	13
6.5	SVE System Design.....	13
6.6	SVE System Installation	14
6.7	SVE system operation and maintenance.....	14
6.8	Reporting.....	15
7.0	Schedule	16

FIGURES

- Figure 1 - Site Location Map
- Figure 2 - Site Map
- Figure 3 - Historical Soil Boring / Monitoring Well Location Map
- Figure 4 - Excavation Confirmatory Soil Sampling Analytical Map
- Figure 5 - Typical Nested Monitoring Well Schematic and Typical Soil Vapor Sampling Point Schematic
- Figure 6 - Shallow Well Groundwater Elevation Map (February 25, 2009)
- Figure 7 - Deep Well Groundwater Elevation Map (February 25, 2009)
- Figure 8 - Shallow PCE and TCE Isoconcentration Map (February 9, 2008)
- Figure 9 - Deep PCE and TCE Isoconcentration Map (February 9, 2008)
- Figure 10 - Proposed Remediation Injection Well and SVE Well Location Map
- Figure 11 - Typical Remediation Injection Well, SVE Well and Trench Cross-Section Schematic
- Figure 12 – Piping and Instrumentation Diagram

TABLES

- Table 1 - Soil Analytical Results
- Table 2 - Soil Vapor Analytical Results (December 12, 2008)
- Table 3 - Soil Vapor Analytical Results (February 9, 2009)
- Table 4 - Groundwater Elevation Summary
- Table 5 - Groundwater Analytical Results (December 12, 2008)
- Table 6 - Groundwater Analytical Results (February 9, 2009)

APPENDICIES

- Appendix A – Soil Boring/Monitoring Well Installation logs
- Appendix B – Laboratory Analytical Reports
- Appendix C – Contained-In Letter

1.0 Introduction & Purpose

On behalf of SRK Colvin Eggert Plaza Associates Limited Partnership (SRK), Environmental Products & Services of Vermont, Inc. (EPSVT) has prepared this Remedial Investigation (RI) Report and Revised Interim Remedial Measure (IRM) Work Plan to remediate groundwater impacts on the Former “Our Cleaners” Site (site) and the Buffalo Athletic Club for Women (BACW) property located north of the site. The work plan for the IRM has been modified from the plan submitted on October 28, 2008. The IRM work plan presented herein is based on the results of soil, soil vapor and groundwater sampling activities completed in accordance with the RI/IRM Work Plan submitted on October 28, 2008. Comments from NYSDEC in a letter dated April 9, 2009 have been incorporated in to this report.

This work is being conducted to satisfy the *Order on Consent and Administrative Settlement* Index #B9-0740-07-03 (Order) between SRK and New York State Department of Environmental Conservation (NYSDEC). The purpose of this work is to:

1. Remediate the groundwater impacts identified during implementation of the RI portion of the RI/IRM Work Plan submitted on October 28, 2008.

A site location map is shown on **Figure 1**. A site map is shown on **Figure 2**.

2.0 Site Description & History

2.1 Site Description

The site is located at 3161 - 3185 Eggert Road in the Town of Tonawanda, County of Erie, New York. The site is part of two parcels (tax ID numbers 53.11-2-31.1 [southern parcel] and 53.11-2-31.2 [northern parcel]) and consists of the area immediately around and beneath the former “Our Cleaners” location in the former West Shops Building and the area to the north-northeast extending to the BACW property. The southern parcel is approximately six-acres improved with two slab-on-grade buildings. The main building (East Shops building) encompasses approximately 38,000 square feet while the smaller outbuilding encompasses approximately 1,600 square feet. Currently, the main site building is an operating strip mall. Tenants of the strip mall include BK Ryan’s (bar/restaurant), Carol Ann Hair Fashions (beauty shop), Our Cleaners (dry cleaner) relocated from the former West Shops building, and Midnight Wines and Liquors (liquor store). The smaller outbuilding is vacant. The northern parcel is approximately 3 acres improved with one slab-on-grade building encompassing approximately 24,000 square feet. This building is currently the BACW. SRK purchased both parcels in 1998 and sold the northern parcel to BACW in 2004. The site is located in a commercial/residential area of the Town of Tonawanda. A Site Location Map is attached as **Figure 1**. A site map is shown on **Figure 2**. Surrounding land use is as follows:

- Interstate Route 290 is located north of the site.
- The East Shops followed by residential properties are located east of the site.
- Additional portions of tax parcel 53.11-2-31.1 including the vacant outbuilding followed by the Augustana Lutheran Church are located south of the site.
- The intersection of Colvin Boulevard and Eggert Road followed by a Kwik Fill gas station/convenience store are located to the west of the property.

2.2 Site Geology/Hydrogeology

The site is generally covered by asphalt except for some small landscaped areas. The surface improvements are underlain by fill material (gray, moist, fine to coarse sand with some gravel and slag) to approximately one foot below ground surface (bgs), then by red-brown, dry to moist, fine sand with trace to some silt to approximately 10 feet bgs followed by brown, wet, silty medium sand to approximately 20 feet bgs. This is followed by brown, wet, fine, sand with increasing silt content to approximately 27 feet bgs where dense, brown, moist, silt glacial till material with trace fine gravel is encountered to at least 33 feet below grade where the deepest boring encountered refusal. Bedrock was not encountered in any of the borings completed in the vicinity of the site.

The water table was encountered at approximately 10 feet bgs in August 1998 and September 2004. During the performance of the RI work scope we determined on February 25, 2009, groundwater was encountered from 6.96 feet bgs in MW- 14S to 10.50 feet in MW-1S. Water levels were surveyed to a common site datum and groundwater flow has been determined to flow to the east-northeast from the area of the former “Our Cleaners” operation. This direction of groundwater flow is different from the direction of groundwater flow previously assumed for the

site. During previous site work, the groundwater flow direction was believed to be generally to the north-northeast.

2.3 Site History

In April 1998, Sear-Brown Group completed a Phase I Environmental Site Assessment (ESA) of the property as it was defined at the time. The Phase I ESA identified environmental concerns including the following:

- A dry cleaner had been in operation in the West Shops building on site for approximately 10 years. Although there was no physical evidence of any spilling, soil sampling was recommended to determine if there was any impact because of the dry cleaning operations.

In June 1998, Sear-Brown Group completed a Phase II ESA. The Phase II ESA was conducted to investigate the soil and groundwater near the Our Cleaners operations in the West Shops building identified as an environmental concern in the Phase I ESA. The West Shops building which housed Our Cleaners was still in existence at this time. A summary of the results follows:

- Two small diameter soil borings (i.e., B-1 and B-2) were completed using Geoprobe equipment to approximately 14 feet below ground surface (bgs). The locations of B-1 and B-2 are shown on **Figure 3**. B-1 was completed west of the dry cleaners facility and B-2 was completed north of the dry cleaners facility (in the presumed hydraulically downgradient location based on site topography).
- Elevated photoionization detector (PID) headspace readings were obtained from soil samples collected from boring B-2 from approximately seven to ten feet bgs.
- Temporary monitoring wells were installed in B-1 and B-2 for collection of a groundwater sample from each location. The samples were sent to a laboratory for volatile halocarbon analysis via United States Environmental Protection Agency (USEPA) Method 8010. The groundwater sample from B-2 returned a result of 22.7 µg/l of tetrachloroethene (PCE) exceeding the standard of 5 µg/l included in the New York State Department of Environmental Conservation (NYSDEC) Technical and Operational Guidance Series (TOGS) 1.1.1 “*Ambient Water Quality Standards and Guidance Values and Groundwater Effluent Limitations*”.
- The recommendations of the report included the need for additional subsurface investigation to define the source, and the horizontal and vertical extent of the impacts near the dry cleaner operation.

In September 1998, a Limited Subsurface Investigation was completed by Barron & Associates, P.C. to confirm the impacts identified in the Sear-Brown Group Phase II ESA. A summary of the results follows:

- A 2-inch inside diameter (ID) groundwater monitoring well (i.e., B/OW-2) was installed to a depth of 15 feet bgs immediately adjacent to soil boring/temporary monitoring well B-2 previously installed by Sear-Brown Group. The location of B/OW-2 is shown on

Figure 3. Soil screening results using a PID returned a sustained reading of 3.5 parts per million (ppm) from the 4 to 6 feet interval only.

- Groundwater samples were collected from B/OW-2 and another previously installed monitoring well (i.e., OW-VAC) located behind the “Southeast Shops” and sent for laboratory analysis of Target Volatile Organic constituents via USEPA Method 8260A. The Southeast Shops were later defined as the “East Shops” building when the BACW purchase occurred.
- PCE was detected at a concentration of 3 µg/l and 2 µg/l in monitoring wells B/OW-2 and OW-VAC respectively. Acetone was detected at a concentration of 270 µg/l in monitoring well B/OW-2. This was attributed to the manufacturing process of the sampling bailer.
- The report concluded that, since the levels of PCE detected in groundwater were below the NYSDEC TOGS 1.1.1 standard of 5 µg/l, there was no groundwater environmental concern on-site. No soil samples were submitted for laboratory analysis as part of this investigation.
- Based on this report, Benchmark proceeded with purchase of the property.

In June 2004, Stantec Consulting Group completed a Phase II ESA to determine if any groundwater impacts had migrated north from the former dry cleaners onto the area of the property that was being considered for subdivision and sale to BACW. The investigation was performed at the request of BACW. A summary of the results follows:

- Four soil borings (i.e., B1 through B4) were installed north of the proposed subdivision line in locations presumed to be downgradient of the former dry cleaner. The locations of B1 through B4 and the property line are shown on **Figure 3**. Groundwater samples only were collected from the four borings.
- Groundwater collected from boring locations B1 and B2 indicated concentrations of chlorinated solvents above NYSDEC TOGS 1.1.1 standards while concentrations of chlorinated solvents in groundwater from Borings B3 and B4 were not detected.
- Results of this investigation are included in the results of the Clayton Group Services Inc. investigation summarized below since a copy of the Stantec Consulting Group’s *Additional Phase II Investigation* is not currently available.

In November 2004, Clayton Group Services, Inc. completed a Limited Phase II ESA. The ESA was conducted to further delineate chlorinated solvent impacts to groundwater on-site as well as determine a source of the impacts. A summary of the results follows:

- The report states that the dry cleaners have ceased operations from the storefront in the “West Shops” and resumed operations from a storefront in the “East Shops”.
- Nine soil borings (i.e., SB-1 through SB-9) were installed to depths ranging from 11 to 14 feet bgs. The locations of SB-1 through SB-9 are shown on **Figure 3**. All of the wells were small diameter temporary wells installed using Geoprobe technology.
- Two of the soil borings (i.e., SB-3 and SB-4) were installed inside the former dry cleaners storefront in the “West Shops” near the former dry cleaning machine.

- Soil samples were collected from all nine soil boring locations and sent for laboratory analysis of volatile organic compounds (VOCs) via USEPA Method 8260B.
- Seven temporary groundwater monitoring wells (i.e., TW-1 through TW-7) were installed in soil boring locations SB-1, SB-3 through SB-6, SB-8 and SB-9 respectively. No well was installed in soil boring locations SB-2 and SB-7. Groundwater samples were collected from TW-1, TW-3, TW-4, TW-5, and TW-6 on the same day of installation and sent for laboratory analysis of VOCs via USEPA Method 8260B. TW-2 and TW-7 did not produce enough water to permit sampling. The temporary wells were removed after sampling was concluded.
- Soil analytical results indicated soil containing PCE at levels above NYSDEC Technical and Administrative Guidance Memorandum (TAGM) 4046 "*Determination of Soil Cleanup Objectives and Cleanup Levels*" guidance values was present under the former dry cleaner building (i.e., SB-3 and SB-4). PCE was detected below TAGM 4046 guidance values in soil borings SB-5 through SB-9. PCE was not detected in soil borings SB-1 and SB-2.
- Groundwater analytical results indicated PCE impacted groundwater above NYSDEC TOGS 1.1.1 standards was present under the building and migrating onto the northern portion of the property. PCE was detected at a level of 4.3 mg/l, or 4,300 µg/l, in TW-3, below the building footprint.

In December 2006, Clayton Group Services, Inc completed an excavation of chlorinated solvent impacted soil. Please note this excavation was not completed with oversight by NYSDEC or New York State Department of Health (NYSDOH). Details of the excavation are as follows:

- Prior to excavation activities in 2004, Clayton performed a grid sampling of 12 soil borings using Geoprobe sampling techniques. The borings were located near previous borings SB-3 and SB-4 inside the building of the former dry cleaners. Based on the results of the grid soil sampling, Clayton group recommended an excavation in an area approximately 20 to 25 feet (east to west) by 15 to 20 feet (north to south) by 6 to 8 feet deep, (i.e., approximately 150 to 200 tons). Ultimately, an excavation with the approximate dimensions of 80 feet wide (east to west) by 45 feet long (north to south) by 4 to 8 feet deep was produced.
- Approximately 1,130 tons of soil was excavated and disposed of off-site.
- Confirmatory endpoint sampling returned PCE analytical results at or below NYSDEC TAGM 4046 guidance values. An Excavation Confirmatory Soil Sampling Analytical Map is shown on **Figure 4**.

On October 28, 2008, EPSVT submitted to NYSDEC an RI/IRM Work Plan to investigate the nature and extent of current vapor phase and groundwater impacts on the site and the BACW property located north of the site. The purpose of this work was to:

1. Define the current nature and extent of groundwater impacts identified in the November 2004 *Limited Phase II Subsurface Investigation* completed by Clayton;
2. Determine if the proposed groundwater IRM is appropriate for the site; and
3. Determine if soil vapor migration is occurring.

3.0 Remedial Investigation

Although there has been an extensive remedial excavation of approximately 1,130 tons of former source area impacted soil completed at the site, the current nature and extent of groundwater and soil vapor contamination at the site needed further investigation. Therefore, soil vapor sampling points SV-1 through SV-8 and groundwater monitoring wells MW-1S&D through MW-8S&D were installed in accordance with the RI/IRM Work Plan submitted on October 28, 2008. Additional soil vapor and groundwater sampling points were needed after the initial installation was completed and the sampling results were evaluated. Both phases of work are described below.

Installation of monitoring wells MW-1S&D through MW-8S&D as well as soil vapor sampling points SV-1 through SV-8 was completed from November 18 through November 24, 2008. Groundwater monitoring and sampling of wells MW-1S&D through MW-8S&D and sampling of soil vapor points SV-1 through SV-8 was completed on December 12, 2008. Laboratory analytical results of the sampling were submitted to NYSDEC via email on January 8, 2009.

After review of the data, NYSDEC requested (via email on January 15, 2009) the installation of six additional monitoring wells (i.e., MW-9S&D through MW-14S&D) as well as six corresponding soil vapor sampling points (i.e., SV-9 through SV-14). The scope of additional work included sampling the newly installed monitoring wells (i.e., MW-9S&D through MW-14S&D) and soil vapor points (i.e., SV-9 through SV-14) and sampling previously installed monitoring wells MW-1S&D, MW-2S&D, MW-3S&D and MW-8S&D and previously installed soil vapor point SV-8.

Installation of monitoring wells MW-9S&D through MW-13S&D and MW-14S and installation of soil vapor sampling points SV-9 through SV-14 was completed from January 19 through January 21, 2009. Installation of MW-14D was completed on February 2, 2009. Groundwater monitoring and sampling and soil vapor sampling in accordance with NYSDEC email correspondence on January 15, 2009 was completed on February 9, 2009.

3.1 Monitoring Well Installation

In order to investigate the current nature and extent of groundwater impacts at the site, fourteen groundwater monitoring well clusters (i.e., MW-1S&D through MW-14S&D) were installed in the locations shown on **Figure 2**.

Drilling of monitoring wells MW-1S&D through MW-13 S&D and MW-14D was completed using a drill rig advancing 4 ¼-inch inside diameter (ID) hollow-stem augers (HSA). Drilling of monitoring well MW-14S was completed using a direct push technology rig. During drilling, soil samples were collected continuously from grade to approximately 27 feet bgs. Drilling was initiated below the former dry cleaning operation first to determine if drilling beyond 25 feet bgs was necessary (i.e., elevated PID readings or evidence of free product). During the initial drilling, we observed a dense, very low-permeability lodgment till layer at a depth of about 30 feet bgs. Therefore, it was determined that drilling beyond 30 feet bgs was not necessary. Soil descriptions, including soil type, observations regarding the presence of free product, observable

odors, staining, etc. and PID readings were detailed on soil boring logs. The soil boring logs are included in **Appendix A**. Soil from each sample interval was collected in a plastic bag and the headspace was screened for organic vapors using a PID meter. The RI Work Plan called for the submittal of the soil sample returning the highest PID reading, or the sample from the groundwater table interface if there were no elevated PID readings, for laboratory analysis of the total contaminant list (TCL) VOCs via USEPA Method 8260 (monitoring well MW-1S&D through MW-8S&D only).

EPSVT utilized the Solinst Model 403 Continuous Multichannel Tubing (CMT) Multilevel System for nested well installation in Monitoring wells MW-1S&D through MW-13S&D. With this system, up to three zones can be monitored within a single borehole; however, EPSVT utilized two monitoring zones per well cluster at this site (i.e., S and D). One monitoring zone (i.e., MW-1S, MW-2S, etc.) was constructed from approximately 7 to 15 feet bgs. The purpose of this zone is to monitor the shallow water table and to allow for anticipated seasonal water table fluctuations. The other monitoring zone (i.e., MW-1D, MW-2D, etc.) was constructed from approximately 25 to 30 feet bgs to monitor the quality of groundwater occurring at the interface of the upper sandy layer with the dense lodgment till unit below.

A sand pack was placed from approximately 30 feet bgs to approximately 25 feet bgs in each well MW-1S&D through MW-13 S&D. This was followed by a bentonite seal placed from approximately 25 feet bgs to approximately 15 feet bgs. The bentonite was followed by another sand pack placed from approximately 15 feet bgs to approximately 7 feet bgs. This sand pack was followed by another bentonite seal placed from approximately 6 feet bgs to approximately 2 feet bgs. The well cluster was finished with a flush mount protective road box in a concrete well pad. A typical nested monitoring well schematic is shown on **Figure 5**.

Because MW-14 S&D were installed in a limited access area in the grassy area behind the BACW, a rubber tracked Geoprobe DT-54 direct push drill rig was first used in an attempt to install the wells. The site geology prevented the Geoprobe rig from advancing the tooling beyond 15 feet bgs. A 10-foot length of 1.5-inch I.D. pre-packed well screen connected to a 5-foot section of 1.5-inch well riser was installed in the borehole as MW-14S. An all-terrain vehicle HSA drill rig was then utilized to install a boring to 30 feet bgs for the installation of the neighboring deep well. A 5-foot length of 1.5-inch I.D. pre-packed well screen connected to a 25-foot section of 1.5-inch well riser was installed in the borehole (as MW-14D).

3.2 Soil Vapor Monitoring Points

In order to investigate the current nature of soil vapor at the site, fourteen soil vapor monitoring points (i.e., SV-1 through SV-14) were installed in the locations shown on **Figure 2**. The locations of these points were chosen to assess concentrations of VOCs in soil vapor at the site and identify any potential threats to indoor air quality at the BACW. Soil vapor sampling points were installed in conformance with Section 2.7.1 of the *Guidance for Evaluation Soil Vapor Intrusion in the State of New York*, Final, October 2006 prepared by NYSDOH.

The soil vapor sampling points were installed to be semi-permanent (as defined in the NYSDOH guidance document) using direct push (i.e., Geoprobe) methods. Soil vapor probes were

installed to approximately five feet bgs. An expendable point was driven to depth, after which a 6-inch long stainless steel screen, connected to polyethylene tubing, was run down the probe rod and connected to the expendable point. The probe rods were retracted and the annular space around the stainless steel screen was filled with coarse, clean sand. A bentonite seal was placed above the sand pack and the remainder of the annular space was filled with clean material to approximately 6 inches bgs. A cement surface seal was placed at 6 inches bgs and the sampling point was completed with a 6-inch diameter flush-mount cover. A typical soil vapor sampling point schematic is shown on **Figure 5**.

3.3 Site Surveying

Following installation of the nested monitoring wells and soil vapor sampling points, field measurements were collected to place the monitoring wells, soil vapor sampling points and important landscaping features on the site map. Well casing elevation was measured and tied into a common site datum (benchmark). This information was used in conjunction with the static water level information to approximate groundwater flow direction at the site.

4.0 Soil, Soil Vapor and Groundwater Sampling Results

4.1 Soil Analytical Results

Laboratory analytical results of the soil samples sent from MW-1S&D through MW-8S&D are shown on **Table 1**. The laboratory analytical report is included in **Appendix B**. A review of the data reveals concentrations of Methylene Chloride, Tetrachloroethene and Trichloroethene only in soil samples from the MW-1, MW-2, MW-3, MW-4, MW-7 and MW-8 borings. No other compounds were detected. Furthermore, the concentrations of Methylene Chloride, Tetrachloroethene and Trichloroethene are below the 6 NYCRR Part 375 Unrestricted Use Soil Cleanup Objectives (SCOs). Because of these results, and after obtaining concurrence from NYSDEC, soil samples were not sent for laboratory analysis during the installation of monitoring wells MW-9S&D through MW-14S&D.

4.2 Soil Vapor Sampling Results

Before the collection of the soil vapor samples, a tracer gas (i.e., helium) was utilized to ensure the tightness of the seal on the sampling point. Based on the Work Plan and NYSDOH methodology, an unused 5-gallon plastic pail was placed upside-down over the sample point. The soil vapor sample point tubing was placed through a hole in the side of the pail. The discharge from the helium cylinder was placed through another hole in the side of the pail. The holes where the tubing ran through the pail were made airtight. Finally, the entire enclosure was held tight to the ground by placing one or two sand bags on top of the pail. The air around the soil vapor sample point was enriched with helium. A soil vapor sample was collected and screened for the presence of helium using a MGD-2002 helium detector. All soil vapor samples returned concentrations of helium less than 10% and therefore, were determined to be tight.

One to three implant volumes (e.g., the volume of the sample probe and tube) were purged prior to collecting the samples. Flow rates for both purging and sample collecting did not exceed 0.2 liters per minute to minimize outdoor air infiltration during sampling. Samples were collected over an 8-hour period (approximately 0.002 l/min) from each soil vapor probe utilizing 1-liter Summa canisters batch certified clean and analyzed by EPA Method TO-15. An outdoor air sample was collected from an upwind location concurrently with the soil vapor samples to identify potential outdoor air interferences.

Soil vapor sampling points SV-1 through SV-8 were sampled on December 12, 2008. Soil vapor sampling points SV-8 through SV-14 were sampled on February 9, 2009. Laboratory analytical results for the December 12, 2008 sampling event are shown on **Table 2**. Laboratory analytical results for the February 9, 2008 sampling event are shown on **Table 3**. Laboratory analytical reports are included in **Appendix B**. Please note the samples collected on February 9, 2009 were analyzed using method SIM TO-15 to achieve lower detection limits per NYSDEC request.

A review of the data reveals there are elevated levels of PCE and TCE near the location of the former dry cleaning machine (i.e., SV-1 and SV-2) but there is no concern for soil vapor intrusion near the BACW and East Shops Building (i.e., SV-8, SV-11, SV-12, SV-13 and SV-14).

4.3 Groundwater Monitoring and Sampling

All newly installed wells were developed by removing approximately 3 to 5 well volumes. All development and purge water was collected and stored in a drum on-site for disposal later. After the well installation and development was completed, each well was measured for static water level. A small diameter water level meter (Solinst Model 102 Water Level Meter with 1/4 inch diameter probe and narrow coaxial cable) was used to collect static water levels. Water levels were collected on December 12, and 18, 2008 and February 9 and 25, 2009. Results of the groundwater gauging are shown in **Table 4**. Groundwater elevation maps for the shallow and deep monitoring wells from the February 25, 2009 gauging event are shown on **Figures 6 and 7** respectively.

Low-flow sampling via a peristaltic pump and polyethylene tubing was utilized to collect the water samples. Three to five well volumes of groundwater were removed before collecting the sample. Groundwater samples were sent for laboratory analysis for TCL VOCs via USEPA Method 8260. Additionally, groundwater samples were collected from MW-8S and MW-8D and sent for laboratory analysis for pH, iron, manganese, total organic carbon (TOC), chemical oxidant demand (COD), total dissolved solids (TDS), and alkalinity (CaCO_3). This information was used to help refine the proposed IRM later in this report.

Groundwater samples were collected from MW-1S&D through MW-8S&D on December 12, 2008. Groundwater samples were collected from MW-1S&D, MW-2S&D, MW-3S&D, MW-8S&D through MW-11S&D, MW-13S&D and MW-14S&D on February 9, 2009. MW-12S&D was sampled on February 11, 2009 since a build-up of ice inside the well prevented gauging and sampling on February 9, 2009. Isoconcentration maps for shallow and deep PCE and TCE are shown on **Figures 8 and 9** respectively. Laboratory analytical results for the December 12, 2008 sampling event are shown on **Table 5**. Laboratory analytical results for the February 9, 2008 sampling event are shown on **Table 6**. Laboratory analytical reports are included in **Appendix B**.

4.4 Disposition of Investigation-Derived Waste

All soil cuttings, disposable soil sampling sleeves and personal protective equipment (PPE) generated from drilling was containerized in 55-gallon drums. Laboratory analysis of the soil samples collected during the drilling of the monitoring wells was used for the disposal parameters required by the disposal facility. On January 30, 2008, NYSDEC issued a Contained-In Determination letter granting approval to dispose of the drill cuttings as non-hazardous waste at Allied Waste Services, Niagara Falls, New York (Allied). A copy of the letter is included as **Appendix C**. The drums were transported from the site disposed of at Allied on March 13, 2009. Disposal receipts were forwarded to NYSDEC on April 17, 2009.

All water generated from well development and purging before sampling was containerized in a drum and stored on-site. A composite water sample will be collected from the drum once full and sent for laboratory analysis for the disposal parameters required by the disposal facility. The drum will be disposed of at an approved disposal facility.

5.0 Conclusions and Recommendations

Based on soil laboratory analytical results, on-site soil meets 6 NYCRR Part 375 Unrestricted Use SCOs. Therefore, any further remedial investigation activities do not need to include soil sampling and analysis.

Based on the results of the soil vapor laboratory analytical results, elevated concentrations of PCE and TCE exists in the soil vapor near the location of the former dry cleaning machine. There are no buildings in this vicinity so these elevated PCE and TCE concentrations in the soil vapor are not a concern at this time. Soil vapor sampling results from samples taken near the BACW and East Shops Building returned very low-level concentrations of PCE and TCE. These levels; however, are not sufficient to cause concern. Therefore, soil vapor intrusion in the BACW and East Shops Building is not an issue.

Based on the results of the groundwater monitoring and laboratory analytical results, there are dissolved phase groundwater impacts in the shallow groundwater near the former source area that have a downward migration component affecting the deeper groundwater to the east. Although the dissolved phase groundwater contaminant plume is larger than we anticipated, impacted groundwater has not migrated off the property to the east and does not appear to be significant in any area below any structure in the study area including the BACW and the East Shops. In these areas, the groundwater contamination is present predominantly in the deeper groundwater zone and off-gassing into the vadose zone is not an issue as shown by the lack of significant soil gas impacts near the buildings downgradient of the source area.

After review of the data, there are three main remedial goals for the site as follows:

1. Keep impacted groundwater from migrating further east.
2. Ensure remedial efforts on-site do not create any potential soil vapor intrusion issues where there are currently no issues.
3. Remediate the groundwater impacts identified in the Remedial Investigation.

With these goals in mind, EPSVT hereby proposes the following IRM. This IRM has been modified from the Interim Remedial Measure presented in the RI/IRM Work Plan submitted on October 28, 2008.

6.0 Revised Interim Remedial Measure Work Plan

6.1 IRM Goal and Design Criteria

The goal of this work is to mitigate groundwater impacts identified in the RI. The design criteria for the following work scope are based on information from the RI. Based on this information, an appropriate and cost effective remedial technology to be used at the site is periodic *in-situ* chemical oxidation with sparging in conjunction with soil vapor extraction (SVE) enhancement to ensure soil vapor intrusion does not become a concern for the BACW and the East Shops Building.

6.2 In-Situ Chemical Oxidation Remediation Well Installation

In order to facilitate *in-situ* chemical oxidation, twelve chemical oxidation remediation wells (i.e., RW-1 through RW-12) will be installed in the proposed locations shown on **Figure 10**. Please note the locations of the proposed injection wells were chosen based on the greatest groundwater impacts identified in the RI. Actual locations will be chosen based on the location of underground utilities on-site.

Drilling will be completed using a drill rig capable of advancing 6 ¼-inch ID HSA. Soil samples will be collected continuously from grade to approximately 27 feet bgs where the first evidence of the dense low-permeability glacial till was noted in the soil borings. Soil descriptions, including soil type, observations regarding the presence of free product, observable odors, staining, etc. and PID readings will be detailed on soil boring logs. Soil from each sample interval will be collected in a plastic bag and the headspace will be screened for organic vapors using a PID meter. Since soil impact is not a concern at the site, no soil sample will be submitted for laboratory analytical analysis unless a PID reading of 50 parts per million (ppm) or greater is obtained from the headspace screening. Any soil samples submitted for laboratory analysis will be analyzed for TCL VOCs via USEPA Method 8260.

Two 2-inch diameter remediation injection wells will be installed in each boring. One well will be screened from approximately 25 to 27 feet bgs. The other well will be screened from approximately 22 to 24 feet bgs. A sand pack will be placed from 27 feet bgs to approximately 20 feet bgs. The remainder of the borehole will be sealed using tremi-grout to approximately 2 feet bgs. The remediation wells will be finished with a flush mount protective road box in a concrete well pad. A typical remediation injection well schematic is shown on **Figure 11**.

6.3 In-Situ Chemical Oxidation Application

Based on site data and groundwater chemistry obtained in the RI, EPSVT has designed the following *in-situ* chemical oxidation application regime. Since there is sufficient naturally occurring iron in the groundwater, a 10% solution of hydrogen peroxide (peroxide) with no additional modifications will be used for chemical oxidation. Due to the size of the contaminant plume, the injection of the peroxide will be enhanced with air sparging during the application event using a portable air compressor. The peroxide will be injected using the shallower screened injection well (i.e., screened from 22 to 24 feet bgs) using a Geoprobe GS2000

injection machine specifically designed for this purpose. During injection of the hydrogen peroxide, a tow-behind air compressor will be connected to the deeper screened injection well (i.e., screened from 25 to 27 feet bgs) to facilitate air sparging. Sparging will help push the hydrogen peroxide further out into the formation resulting in a greater radius of influence (ROI) than would be accomplished by injection of the peroxide solution alone. The anticipated ROI (i.e., approximately 40 feet) of the injection wells is shown on **Figure 10**. A total of 3,000 gallons of peroxide or approximately 250 gallons of peroxide per well will be injected per event. At least two semi-annual injection events are planned. Once the two events are completed, site data will be evaluated to determine the need for additional injection wells and/or events. Details of any additional injection wells and or events will be submitted in writing to NYSDEC.

6.4 Groundwater Monitoring and Sampling

In order to evaluate the effectiveness and ROI of the chemical oxidant application, the following parameters will be recorded prior to and at the conclusion of the injection event in monitoring wells MW-1S&D, MW-2S&D, MW-3S&D, MW-8S&D, MW-10S&D, MW-11S&D and MW-13S&D:

- Temperature
- Dissolved Oxygen
- Presence of hydrogen peroxide

These wells will be monitored weekly after the injection event until elevated temperature, elevated dissolved oxygen and/or the presence of hydrogen peroxide is detected. If a well does not demonstrate evidence of the anticipated ROI within six weeks of the injection event, monitoring will cease and NYSDEC will be contacted to discuss appropriate further actions.

Additionally, groundwater monitoring and sampling will be conducted quarterly. During the quarterly sampling events, water levels will be collected in all wells. Samples for laboratory analysis of TCL VOCs via USEPA Method 8260 will be collected from monitoring wells MW-1S&D, MW-3S&D, MW-10S&D, MW-11S&D and MW-13S&D during each sampling event. MW-2S&D, MW-8S&D and MW-12S&D will be sampled during the odd numbered quarters and MW-7S&D, MW-9S&D and MW-14S&D will be sampled during the even numbered quarters. Monitoring wells MW-4S&D, MW-5S&D and MW-6S&D are not included in the groundwater sampling program based on the location of these wells relative to the contaminant plume and from previous laboratory analytical results.

6.5 SVE System Design

Since *in-situ* chemical oxidation with air sparge enhancement has the potential to generate increased contaminant concentration in soil vapor, SVE is recommended near the BACW and East Shops Building. The purpose of SVE is to ensure contaminant concentration in soil vapor near the BACW and East Shops Building does not reach levels where soil vapor intrusion would be a concern. The proposed SVE wells, system trenching and remedial shed location are shown on **Figure 10**. A typical SVE extraction well, and trench cross section is shown on **Figure 11**. The piping and instrumentation diagram is shown on **Figure 12**.

To facilitate SVE, five SVE wells (i.e., SVE-1 through SVE-5) will be installed in the approximate locations shown on **Figure 10**. As can be seen in **Figure 11**, the SVE wells are screened from approximately 3 feet bgs to just above the groundwater table at approximately 10 feet bgs. A 1-horse power (HP) regenerative blower will be used for SVE. A moisture separator will be installed before the blower. EPSVT does not expect the SVE system to generate excessive water and any water generated by the SVE system will be manually drained and containerized for disposal. The effluent of the SVE system will be discharged through an exhaust stack that will run vertically up to above the roofline of the East Shops Building. Since the SVE system is designed to vent the soil vapor and not remediate impacts, treatment of the effluent vapor stream is not expected to be necessary. To confirm this, an effluent air sample will be collected within the first two weeks of system operation and during the first quarterly groundwater sampling event. The samples will be sent for laboratory analysis using method TO-15 SIM. Results from the laboratory analysis will be used to ensure the discharge from the SVE system is less than 0.5 lbs/day. Additionally, the lab results will be used to correlate a PID effluent reading that would ensure the SVE system effluent is below 0.5 lbs/day.

6.6 SVE System Installation

A pavement saw will be used to cut out an approximate 2-foot wide trench to the five proposed SVE wells as shown on **Figure 10**. The pavement will be removed and the trench will be dug to approximately two feet bgs. A single 4-inch process pipe will be installed in the trench with 2-inch supply piping branching off to the individual SVE wells. A PVC tee will be spliced into the SVE well casing approximately 2 feet bgs to facilitate connection to a ball valve and the process piping in the trench as shown in **Figure 11**. An 18-inch manhole will be installed around the wellhead and ball valve. Since soil impact is not a concern at the site, soil removed from the trench will be used as backfill. Any soil not able to be used as backfill will be disposed of as non-hazardous waste at Allied Waste Services. The system trenching will be paved over to match the existing grade.

6.7 SVE system operation and maintenance

Routine operation and maintenance (O&M) activities will be conducted weekly for the first month of operation and monthly thereafter as described below:

- Confirm system operation and report any unusual or improper operating conditions (i.e., unusual motor noise, broken equipment, etc.);
- Document system operational status;
- Check fluid/moisture separator for fluid and drain fluid and containerize for disposal later, if necessary;
- Measure and record PID and vacuum information for individual SVE legs and combined manifold;
- Monitor the effluent air stream with a PID to ensure treatment is not necessary;

- Check condition of blower and gauges; and
- Check system piping for leaks.

6.8 Reporting


Quarterly site monitoring reports will be submitted to NYSDEC within 45 days of receipt of the quarterly groundwater sampling laboratory analytical results from the laboratory. The report will document all O&M visits, results of the groundwater monitoring and sampling and details of any *in-situ* chemical oxidation application conducted during the quarter. The report will also document any upcoming sampling event or in-situ chemical oxidation application as well as any changes in scope from this work plan.

7.0 Schedule

Site work necessary to complete the above work scopes can be initiated within approximately 30 days of NYSDEC approval of this Work Plan (i.e., dependent upon drilling contractor availability). The following schedule is approximate.

<u>Item</u>	<u>Target Date</u>
Meeting with NYSDEC to discuss RI Report	April 3, 2009
Installation of ISCO and SVE wells	April 2009
Installation of below and above grade SVE system components	April 2009
Completion of first ISCO remedial event	May 2009
Completion of quarterly groundwater monitoring event	June 2009
Completion of quarterly groundwater monitoring event	September 2009
Completion of second ISCO remedial event	November 2009
Completion of quarterly groundwater monitoring event	December 2009
Completion of quarterly groundwater monitoring event	March 2010

FIGURES



0 0.09 0.18 0.27 0.36 0.45 mi

USGS Buffalo NE (NY) Quadrangle


View Scale: 1:24,000

Date: 1965




SITE LOCATION MAP
SRK Colvin Eggert Plaza Assoc.
Former "Our Cleaners" Site
Tonawanda, Erie County, NY


Project No. B1585
 Date: October 2008
 Figure No.: 1




Project No.: B1518		Date: October 2008		EPS of Vermont, Inc.	
Figure No.: 3		Scale: 1" = 60'		Covin Eggert Plaza	
Location: Tonawanda, NY		Drawn By: Geoscience		Historical Soil Boring / Monitoring Well	
				Location Map	



NESTED WELL SCHEMATIC



SEMI-PERMANENT SOIL VAPOR PROBE



EPS of Vermont, Inc.

COLVIN EGGERT PLAZA


DATE: October 2008

SCALE: NOT TO SCALE


PROJECT NO.: B1585

FIGURE NO.: 5


TYPICAL NESTED MONITORING WELL SCHEMATIC AND TYPICAL SOIL VAPOR SAMPLING POINT SCHEMATIC



EPS of Vermont, Inc. Covin Eggert Plaza Deep Well Groundwater Elevation Map 2/25/2009	Date: 4/2/2009	Project No.: B1518
	Scale: 1" = 60'	Figure No.: 7
	Drawn By: Geoscience	Location: Tonawanda, NY



EPS of Vermont, Inc. Covin Eggert Plaza Shallow PCE and TCE Isoconcentration Map 2/09/2009	Date: 4/2/2009	Project No.: B1518
	Scale: 1" = 60'	Figure No.: 8
	Drawn By: Geoscience	Location: Tonawanda, NY



EPS of Vermont, Inc.

Covin Eggert Plaza

Deep PCE and TCE Isoconcentration Map
2/09/2009

Date: 4/2/2009



Scale: 1" = 60'

Drawn By: Geoscience

Project No.: B1518

Figure No.: 9

Location: Tonawanda, NY



EPS of Vermont, Inc.

COLVIN EGGERT PLAZA


DATE: August 2008

SCALE: NTS

PROJECT NO.: B1518

FIGURE NO.: 11

TYPICAL REMEDIATION INJECTION WELL, SVE WELL AND TRENCH CROSS SECTION SCHEMATIC



EPS of Vermont, Inc.

COLVIN EGGERT PLAZA

DATE: APRIL 2009

SCALE: NTS

PROJECT NO.: B1585

FIGURE NO.: 12

PIPING AND INSTRUMENTATION DIAGRAM (P&ID)

TABLES

Table 1

**Former "Our Cleaners" Site
3163 Eggert Rd. Tonawanda, N.Y. 14150**

**Soil Analytical Results
TCL Volatiles via EPA Method 8260B/(ug/kg)
November 17 - 24, 2008**

Parameters	6 NYCRR Part 375 Unrestricted Use SCO	MW-1 (10'-12')	MW-2 (0'-5')	MW-3 (20'-22')	MW-4 (5'-7')	MW-5 (10'-12')	MW-6 (10'-12')	MW-7 (22'-24')	MW-8 (10'-12')
Acetone	50	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Benzene	60	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Bromochloromethane	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Bromodichloromethane	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Bromoform	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Bromomethane	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Carbon disulfide	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Carbon tetrachloride	760	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Chlorobenzene	1,100	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Chlorodibromomethane	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Chloroethane	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Chloroform	370	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Chloromethane	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Cyclohexane	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,2-Dibromo-3-Chloropropane	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,2-Dibromoethane	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Dichlorodifluoromethane	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,1-Dichloroethane	270	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,2-Dichloroethane	20	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,2-Dichlorobenzene	1,100	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,3-Dichlorobenzene	2,400	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,4-Dichlorobenzene	1,800	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,1-Dichloroethene	330	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
cis-1,2-Dichloroethene	250	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
trans-1,2-Dichloroethene	190	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,2-Dichloropropane	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
cis-1,3-Dichloropropene	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
trans-1,3-Dichloropropene	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Ethylbenzene	1,000	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
2-Hexanone	120	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Isopropylbenzene	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
2-Butanone (MEK)	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Methyl Acetate	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Methyl Cyclohexane	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Methylene Chloride	50	BDL	42	42	39	BDL	BDL	44	BDL
4-Methyl-2-pentanone (MIBK)	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Methyl tert-butyl ether	930	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Styrene	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,1,2,2-Tetrachloroethane	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Tetrachloroethene	1,300	25	170	58	BDL	BDL	BDL	BDL	15
Toluene	700	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,2,3-Trichlorobenzene	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,2,4-Trichlorobenzene	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,1,1-Trichloroethane	680	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,1,2-Trichloroethane	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Trichloroethene	470	BDL	BDL	7.8	BDL	BDL	BDL	BDL	BDL
Trichlorofluoromethane	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,1,2-trichloro-1,2,2-trifluoro	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Vinyl chloride	20	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Total Xylenes	260	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Total VOC's		25	212	107.8	39	0	0	44	15
Total PCE & TCE		25	170	65.8	0	0	0	0	15

Table 2 Former "Our Cleaners" Site 3163 Eggert Rd. Tonawanda, N.Y. 14150 Soil Vapor Analytical Results TCL Volatiles via Method TO-15 (ug/m³) December 12, 2009									
Parameters	SV-1	SV-2	SV-3	SV-4	SV-5	SV-6	SV-7	SV-8	Outdoor Air
Acetone	<120	<120	<59	19	15	17	16	12	40
Ally chloride	<25	<25	<13	<0.63	<1.3	<1.3	<1.3	<1.3	<1.3
Benzene	<26	<26	<13	1.1	<1.3	1.3	<1.3	2.3	<1.3
Benzyl chloride	<42	<42	<21	<1	<2.1	<2.1	<2.1	<2.1	<2.1
Bromodichloromethane	<54	<54	<27	<1.3	<2.7	<2.7	<2.7	<2.7	<2.7
Bromoform	<250	<250	<120	<6.2	<12	<12	<12	<12	<12
Bromomethane	<31	<31	<16	<0.78	<1.6	<1.6	<1.6	<1.6	<1.6
1,3-Butadiene	<180	<180	<89	<4.4	<8.9	<8.9	<8.9	<8.9	<8.9
tert-Butyl alcohol	<24	<24	<12	<0.61	<1.2	<1.2	<1.2	<1.2	<1.2
Carbon disulfide	<25	<25	<12	<0.62	<1.2	<1.2	<1.2	3.4	<1.2
Carbon tetrachloride	<50	<50	<25	<1.3	<2.5	<2.5	<2.5	<2.5	<2.5
Chlorobenzene	<37	<37	<18	<0.92	<1.8	<1.8	<1.8	<1.8	<1.8
Chloroethane	<21	<21	<11	<0.53	<1.1	<1.1	<1.1	<1.1	<1.1
Chloroform	<39	<39	<19	<0.97	<1.9	<1.9	<1.9	18	<1.9
Chloromethane	<17	<17	<8.3	1	0.83	0.99	0.97	<0.83	<0.83
2-Chlorotoluene	<41	<41	<21	<1.0	<2.1	<2.1	<2.1	<2.1	<2.1
Cyclohexane	<28	<28	160	1.9	<1.4	<1.4	<1.4	<1.4	<1.4
Dibromochloromethane	<68	<68	<34	<1.7	<3.4	<3.4	<3.4	<3.4	<3.4
1,2-Dibromoethane	<62	<62	<31	<1.5	<3.1	<3.1	<3.1	<3.1	<3.1
1,2-Dichlorobenzene	<48	<48	<24	<1.2	<2.4	<2.4	<2.4	<2.4	<2.4
1,3-Dichlorobenzene	<48	<48	<24	<1.2	<2.4	<2.4	<2.4	<2.4	<2.4
1,4-Dichlorobenzene	<48	<48	<24	<1.2	<2.4	<2.4	<2.4	<2.4	<2.4
1,2-Dichloroethane	<32	<32	<16	<0.81	<1.6	<1.6	<1.6	<1.6	<1.6
1,1-Dichloroethane	<32	<32	<16	<0.80	<1.6	<1.6	<1.6	<1.6	<1.6
1,1-Dichloroethene	<32	<32	<16	<0.79	<1.6	<1.6	<1.6	<1.6	<1.6
cis-1,2-Dichloroethene	<32	<32	<16	<0.79	<1.6	<1.6	<1.6	<1.6	<1.6
trans-1,2-Dichloroethene	<32	<32	<16	<0.79	<1.6	<1.6	<1.6	<1.6	<1.6
1,2-Dichloropropane	<37	<37	<18	<0.92	<1.8	<1.8	<1.8	<1.8	<1.8
cis-1,3Dichloropropene	<36	<36	<18	<0.91	<1.8	<1.8	<1.8	<1.8	<1.8
trans-1,3Dichloropropene	<36	<36	<18	<0.91	<1.8	<1.8	<1.8	<1.8	<1.8
1,4-Dioxane	<29	<29	<14	<0.72	<1.4	<1.4	<1.4	<1.4	<1.4
Ethanol	<48	<48	77	100	75	30	16	40	38
Ethylbenzene	<35	<35	22	1	<1.7	<1.7	<1.7	30	<1.7
4-Ethyltoluene	<39	<39	<20	<0.98	<2.0	<2.0	<2.0	11	<2.0
Trichlorofluoromethane	<45	210	<22	<1.1	<2.2	<2.2	<2.2	2300	<2.2
Dichlorodifluoromethane	<40	20000	<20	2	3.1	2.5	2.7	<2.0	<2.0
1,1,2-Trichlorotrifluoroethane	<61	<61	<31	<1.5	<3.1	<3.1	<3.1	<3.1	<3.1
1,2-Dichlorotetrafluoroethane	<56	<56	<28	<1.4	<2.8	<2.8	<2.8	<2.8	<2.8
Heptane	<33	<33	40	2.2	9.4	4.5	2.5	3.3	<1.6
Hexachloro-1,3-butadiene	<270	<270	<130	<6.7	<13	<13	<13	<13	<13
n-Hexane	<89	<89	60	<2.2	5.6	<4.4	<4.4	<4.4	<4.4
Isopropylbenzene	<39	<39	<20	<0.98	<2.0	<2.0	<2.0	2.2	<2.0
Methylene Chloride	<28	<28	<14	1	1.7	<1.4	<1.4	<1.4	2.2
Methyl Butyl Ketone	<200	<200	<100	<5.1	<10	<10	<10	<10	<10
2-Butanone (MEK)	<150	<150	<74	<3.7	<7.4	<7.4	<7.4	<7.4	<7.4
4-Methyl-2-pentanone (MIBK)	<200	<200	<100	<5.1	<10	<10	<10	<10	<10
Methyl methacrylate	<33	<33	<16	2	<1.6	<1.6	<1.6	<1.6	<1.6
MTBE	<29	<29	<14	<0.72	<1.4	<1.4	<1.4	<1.4	<1.4
Napthalene	<42	<42	<21	<1	<2.1	<2.1	<2.1	<2.1	<2.1
2-Propanol	<120	<120	<61	19	7.4	6.1	<6.1	<6.1	<6.1
Propene	<28	<28	<14	<0.69	<1.4	<1.4	<1.4	<1.4	<1.4
Styrene	<34	<34	<17	<0.85	<1.7	<1.7	<1.7	<1.7	<1.7
1,1,2,2-Tetrachloroethane	<55	<55	<27	<1.4	<2.7	<2.7	<2.7	<2.7	<2.7
Tetrachloroethylene (PCE)	5200	1500	<27	<1.4	<2.7	<2.7	<2.7	12	<2.7
Tetrahydrofuran	<24	<24	<12	<0.59	<1.2	<1.2	<1.2	<1.2	<1.2
Toluene	<30	110	79	3.2	12	5.3	6	75	4.1
1,2,4-Trichlorobenzene	<190	<190	<93	<4.7	<9.3	<9.3	<9.3	<9.3	<9.3
1,1,1-Trichloroethane	<44	<44	<22	<1.1	<2.2	<2.2	<2.2	<2.2	<2.2
1,1,2-Trichloroethane	<44	<44	<22	<1.1	<2.2	<2.2	<2.2	<2.2	<2.2
Trichloroethylene (TCE)	<43	<43	<21	<1.1	<2.1	<2.1	<2.1	<2.1	<2.1
1,2,4-Trimethylbenzene	<39	<39	<20	1.9	<2.0	<2.0	3.1	34	<2.0
1,3,5-Trimethylbenzene	<39	<39	<20	<0.98	<2.0	<2.0	<2.0	14	<2.0
2,2,4-Trimethylpentane	<37	<37	<19	<0.93	<1.9	<1.9	<1.9	<1.9	<1.9
Vinyl Chlolride	<20	<20	<10	<0.51	<1.0	<1.0	<1.0	<1.0	<1.0
Vinyl Bromide	<35	<35	<17	<0.87	<1.7	<1.7	<1.7	<1.7	<1.7
Vinyl acetate	<28	<28	<14	<0.70	<1.4	<1.4	<1.4	<1.4	<1.4
m&p-Xylene	<69	95	65	2.3	6.9	5.2	6.5	95	<3.5
o-Xylene	<35	<35	28	1.1	2.1	<1.7	2.6	42	<1.7
Total PCE & TCE	5200	1500	0	0	0	0	0	12	0

Table 3

**Former "Our Cleaners" Site
3163 Eggert Rd. Tonawanda, N.Y. 14150**

**Soil Vapor Analytical Results
TCL Volatiles via Method SIM TO-15 /(ug/m³)
February 9, 2009**

Parameters	SV-8	SV-9	SV-10	SV-11	SV-12	SV-13	SV-14	Outdoor Air
Benzene	0.45	0.80	<0.064	2.8	6.4	2	1.8	1.6
Carbon tetrachloride	0.26	0.44	<0.13	<0.13	<0.13	0.14	0.38	0.46
Chloroethane	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11	<0.11
Chloroform	4.9	0.23	<0.097	1.1	<0.097	4.9	3.7	<0.097
Chloromethane	<0.062	0.91	<0.062	0.87	1.2	0.27	0.76	0.87
1,2-Dibromoethane	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15	<0.15
1,4-Dichlorobenzene	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12	<0.12
1,1-Dichloroethane	<0.080	<0.080	<0.080	<0.080	<0.080	<0.080	<0.080	<0.080
1,1-Dichloroethene	<0.079	<0.079	<0.079	<0.079	<0.079	<0.079	<0.079	<0.079
cis-1,2-Dichloroethene	<0.079	<0.079	<0.079	<0.079	<0.079	<0.079	<0.079	<0.079
trans-1,2-Dichloroethene	<0.079	<0.079	<0.079	<0.079	<0.079	<0.079	<0.079	<0.079
1,2-Dichloropropane	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
cis-1,3Dichloropropene	<0.091	<0.091	<0.091	<0.091	<0.091	<0.091	<0.091	<0.091
trans-1,3Dichloropropene	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Ethylbenzene	8.7	0.42	<0.13	4.8	8.2	5.2	4	0.95
1,1,2,2-Tetrachloroethane	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14	<0.14
Tetrachloroethylene (PCE)	5.6	<0.14	<0.14	1.9	0.48	10	0.31	<0.14
1,1,1-Trichloroethane	0.65	<0.11	<0.11	<0.11	<0.11	0.82	<0.11	<0.11
1,1,2-Trichloroethane	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16	<0.16
Trichloroethylene (TCE)	<0.11	<0.11	<0.11	0.26	0.29	0.11	<0.11	0.17
Vinyl Chloride	<0.051	<0.051	<0.051	<0.051	<0.051	<0.051	<0.051	<0.051
Vinyl acetate	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070	<0.070
Total PCE & TCE	5.6	0	0	2.16	0.77	10.11	0.31	0

Table 4

**Former "Our Cleaners" Site
3163 Eggert Rd. Tonawanda, N.Y. 14150**

Groundwater Elevation Summary (feet)

Well ID	Casing Elevation (ft)	Depth to Water 12/12/08 (ft)	Depth to Water 12/18/08 (ft)	Depth to Water 2/9/09 (ft)	Depth to Water 2/25/09 (ft)	Groundwater Elevation 12/12/08 (ft)	Groundwater Elevation 12/18/08 (ft)	Groundwater Elevation 2/9/09 (ft)	Groundwater Elevation 2/25/09 (ft)
MW-1S	98.50	10.80	10.68	9.03	10.50	87.70	87.82	89.47	88.00
MW-1D	98.50	10.95	10.65	10.30	10.45	87.55	87.85	88.20	88.05
MW-2S	96.79	9.37	9.12	8.81	8.21	87.42	87.67	87.98	88.58
MW-2D	96.79	9.25	9.10	8.91	8.22	87.54	87.69	87.88	88.57
MW-3S	96.62	9.40	9.11	8.13	8.61	87.22	87.51	88.49	88.01
MW-3D	96.62	9.18	9.08	9.00	8.55	87.44	87.54	87.62	88.07
MW-4S	96.38	8.81	8.85	NG	8.36	87.57	87.53	NA	88.02
MW-4D	96.38	8.95	9.11	NG	8.87	87.43	87.27	NA	87.51
MW-5S	96.75	8.61	8.72	NG	8.18	88.14	88.03	NA	88.57
MW-5D	96.75	8.95	9.12	NG	8.81	87.80	87.63	NA	87.94
MW-6S	97.61	9.20	9.02	NG	8.33	88.41	88.59	NA	89.28
MW-6D	97.61	8.81	9.11	NG	8.02	88.80	88.50	NA	89.59
MW-7S	96.86	9.38	9.00	NG	8.13	87.48	87.86	NA	88.73
MW-7D	96.86	8.45	9.18	NG	8.20	88.41	87.68	NA	88.66
MW-8S	97.60	9.19	9.29	8.69	8.17	88.41	88.31	88.91	89.43
MW-8D	97.60	9.72	9.52	9.13	8.42	87.88	88.08	88.47	89.18
MW-9S	99.26	NA	NA	10.63	10.02	NA	NA	88.63	89.24
MW-9D	99.26	NA	NA	10.72	10.12	NA	NA	88.54	89.14
MW-10S	98.21	NA	NA	10.32	9.51	NA	NA	87.89	88.70
MW-10D	98.21	NA	NA	7.33	9.40	NA	NA	90.88	88.81
MW-11S	98.21	NA	NA	8.87	10.25	NA	NA	89.34	87.96
MW-11D	98.21	NA	NA	10.74	10.30	NA	NA	87.47	87.91
MW-12S	95.08	NA	NA	1.83*	7.26	NA	NA	93.23	87.82
MW-12D	95.08	NA	NA	6.66*	7.95	NA	NA	88.40	87.13
MW-13S	96.88	NA	NA	9.48	9.06	NA	NA	87.40	87.82
MW-13D	96.88	NA	NA	9.64	9.15	NA	NA	87.24	87.73
MW-14S	94.48	NA	NA	7.98	6.96	NA	NA	86.50	87.52
MW-14D	94.58	NA	NA	7.15	7.91	NA	NA	87.43	86.67
MW-A	97.62	NC	9.40	NG	8.35	NC	88.22	NA	89.27
MW-B	97.45	NC	9.37	NG	7.75	NC	88.08	NA	89.70

NA = Not Available

NG = Not Gauged

NC = Not Collected

* MW-12 Gauged and sampled on 02-12-09

Table 5

Former "Our Cleaners" Site
3163 Eggert Rd. Tonawanda, N.Y. 14150

Groundwater Analytical Results
TCL Volatiles via EPA Method 8260B/(ug/L)
December 12, 2008

Parameters	NYSDEC TOGS 1.1.1 Class GA Standard	MW-1S	MW-1D	MW-2S	MW-2D	MW-3S	MW-3D	MW-4S	MW-4D	MW-5S	MW-5D	MW-6S	MW-6D	MW-7S	MW-7D	MW-8S	MW-8D
Acetone	50	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Benzene	1	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Bromochloromethane	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Bromodichloromethane	50	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Bromoform	50	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Bromomethane	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Carbon disulfide	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Carbon tetrachloride	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Chlorobenzene	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Chlorodibromomethane	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Chloroethane	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Chloroform	7	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Chloromethane	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Cyclohexane	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,2-Dibromo-3-Chloropropane	0.04	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,2-Dibromoethane	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,2-Dichlorobenzene	3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,3-Dichlorobenzene	3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,4-Dichlorobenzene	3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Dichlorodifluoromethane	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,1-Dichloroethane	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,2-Dichloroethane	0.6	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,1-Dichloroethene	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
cis-1,2-Dichloroethene	5	BDL	BDL	73	28	98	130	BDL	BDL	BDL	BDL	BDL	BDL	BDL	1.3	BDL	BDL
trans-1,2-Dichloroethene	5	BDL	BDL	BDL	BDL	1	1.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,2-Dichloropropane	1	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
cis-1,3-Dichloropropene	0.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
trans-1,3-Dichloropropene	0.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Ethylbenzene	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
2- Hexanone	50	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	24	BDL	BDL
Isopropylbenzene	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
2-Butanone (MEK)	50	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Methyl Acetate	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Methyl Cyclohexane	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Methylene Chloride	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
4-Methyl-2-pentanone (MIBK)	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
MTBE	10	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Styrene	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,1,2,2-Tetrachloroethane	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Tetrachloroethene	5	880	13	59	39	46	64	1.2	1.2	1.2	BDL	1	BDL	2.9	BDL	43	19
Toluene	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,2,3-Trichlorobenzene	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,2,4-Trichlorobenzene	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,1,1-Trichloroethane	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,1,2-Trichloroethane	1	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Trichloroethene	5	1	BDL	5.4	1.7	14	19	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Trichlorofluoromethane	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,1,2-Trichloro-1,2,2-trifluoro	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Vinyl Chloride	2	BDL	BDL	BDL	BDL	3.7	5.3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Total Xylenes	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Total VOC's		881	13	137.4	68.7	162.7	219.6	1.2	1.2	1.2	0	1	0	2.9	25.3	43	19
Total PCE, TCE, DCE and Vinyl Chloride		881	13	137.4	68.7	162.7	219.6	1.2	1.2	1.2	0	1	0	2.9	0	43	19

Table 6


Former "Our Cleaners" Site
3163 Eggert Rd. Tonawanda, N.Y. 14150

Groundwater Analytical Results
TCL Volatiles via EPA Method 8260B/(ug/L)
February 9, 2009

Parameters	NYSDEC TOGS 1.1.1 Class GA Standard	MW-1S	MW-1D	MW-2S	MW-2D	MW-3S	MW-3D	MW-8S	MW-8D	MW-9S	MW-9D	MW-10S	MW-10D	MW-11S	MW-11D	MW-12S	MW-12D	MW-13S	MW-13D	MW-14S	MW-14D
Acetone	50	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Benzene	1	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Bromochloromethane	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Bromodichloromethane	50	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Bromoform	50	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Bromomethane	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Carbon disulfide	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Carbon tetrachloride	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Chlorobenzene	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Chlorodibromomethane	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Chloroethane	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Chloroform	7	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Chloromethane	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Cyclohexane	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,2-Dibromo-3-Chloropropane	0.04	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,2-Dibromoethane	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,2-Dichlorobenzene	3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,3-Dichlorobenzene	3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,4-Dichlorobenzene	3	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Dichlorodifluoromethane	5	BDL	BDL	5.8	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,1-Dichloroethane	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,2-Dichloroethane	0.6	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,1-Dichloroethene	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
cis-1,2-Dichloroethene	5	BDL	BDL	BDL	9.4	510	28	BDL	BDL	BDL	BDL	BDL	BDL	BDL	370	BDL	BDL	3.9	6.2	BDL	BDL
trans-1,2-Dichloroethene	5	BDL	BDL	BDL	BDL	4	BDL	BDL	1.4	BDL	BDL	BDL	BDL	BDL	2.9	BDL	BDL	BDL	BDL	BDL	BDL
1,2-Dichloropropane	1	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
cis-1,3-Dichloropropene	0.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
trans-1,3-Dichloropropene	0.4	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Ethylbenzene	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
2- Hexanone	50	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Isopropylbenzene	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
2-Butanone (MEK)	50	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	12	BDL	BDL	BDL	BDL	BDL
Methyl Acetate	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Methyl Cyclohexane	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Methylene Chloride	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
4-Methyl-2-pentanone (MIBK)	NA	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
MTBE	10	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Styrene	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,1,2,2-Tetrachloroethane	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Tetrachloroethene	5	1,200	32	20	20	120	21	60	14	16	6.1	1000	44	7.5	250	BDL	BDL	23	11	BDL	1.1
Toluene	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,2,3-Trichlorobenzene	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,2,4-Trichlorobenzene	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,1,1-Trichloroethane	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
1,1,2-Trichloroethane	1	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Trichloroethene	5	BDL	BDL	BDL	1.4	48	4.3	BDL	BDL	BDL	BDL	1.7	BDL	BDL	36	BDL	BDL	2.2	1.3	BDL	BDL
Trichlorofluoromethane	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	14	BDL	BDL	BDL
1,1,2-Trichloro-1,2,2-trifluoro	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Vinyl Chloride	2	BDL	BDL	BDL	BDL	21	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	59	BDL	BDL	BDL	BDL	BDL	BDL
Total Xylenes	5	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Total VOC's		1200	32	25.8	30.8	703	53.3	60	15.4	16	6.1	1001.7	44	7.5	717.9	12	0	43.1	18.5	0	1.1
Total PCE, TCE, DCE and Vinyl Chloride		1200	32	20	30.8	703	53.3	60	15.4	16	6.1	1001.7	44	7.5	717.9	0	0	29.1	18.5	0	1.1

APPENDIX A
Soil Boring/Monitoring Well Installation Logs


EPS of Vermont			Subsurface Log			Hole No.: MW-1	Date Started: 11/18/2008		
						Sheet 1 of 1	Date Finished: 11/18/2008		
Client: Benchmark Mgt. Corp.			Method of investigation: 4 1/4" HSA, 2" split spoon with auto hammer						
Location: Colvin - Eggert Plaza			and 1" CMT Multi Channel Well						
Project No.: B1585			Drilling Co.: Parratt Wolff		Driller: Mickey Marshall		Weather: Overcast, 30°		
P. Manager: S. Leitten					D. Helper: Brian Pisagna				
			Geologist: Steve Leitten		Drill Rig: Ingersoll Rand A300				
Depth (ft.)	Sample					Sample Description	Field Analytical Readings	Well Details	Groundwater and Other Observations
	No.	Depth (ft.)	Blows per 6"	"N"	Percent Recovery				
5	1	.5'-5.0'	N/A	N/A	100%	0'- .5': Asphalt and Sub base Gravel .5'- 5': Brown Silt, little Clay, moist 5'-10': Brown f. Sand, tr. Silt, moist	0 ppm		water @ 10.0'
		drill cuttings							
10	2	5.0'-7.0'	N/A	N/A	50%	10'-20': Brown m. Sand, tr. Silt, wet	0 ppm		
	3	7.0'-10.0'	N/A	N/A	100%				
		drill cuttings							
15	4	10.0'-12.0'	N/A	N/A	50%		0 ppm		
	5	12.0'-15.0'	N/A	N/A	100%				
		drill cuttings							
20	6	15.0'-17.0'	N/A	N/A	30%	20'-27': Brown f. Sand, little Silt, wet	0 ppm		
	7	17.0'-20.0'	N/A	N/A	100%				
		drill cuttings							
25	8	20.0'-22.0'	N/A	N/A	75%	27'-29': Brown Silt, tr. f. Sand, moist	0 ppm		
	9	22.0'- 25.0'	N/A	N/A	100%				
		drill cuttings							
30	10	25.0'-27.0'	N/A	N/A	100%	29'-31': Brown Silt Till, little f. Sand and Clay, tr. f. Gravel Sampe number 4 submitted for laboratory analysis	0 ppm		
	11	27.0'-29.0'	N/A	N/A	100%				
	12	29.0'-31.0'	N/A	N/A	100%				

EPS of Vermont			Subsurface Log			Hole No.: MW-2	Date Started: 11/24/2008		
						Sheet 1 of 1	Date Finished: 11/24/2008		
Client: Benchmark Mgt. Corp.			Method of investigation: 4 1/4" HSA, 2" split spoon with auto hammer						
Location: Colvin - Eggert Plaza			and 1" CMT Multi Channel Well						
Project No.: B1585			Drilling Co.: Parratt Wolff			Driller: Mickey Marshall		Weather: Overcast, 30°	
P. Manager: S. Leitten						D. Helper: Brian Pisagna			
			Geologist: Steve Leitten			Drill Rig: Ingersoll Rand A300			
Depth (ft.)	Sample					Sample Description	Field Analytical Readings	Well Details	Groundwater and Other Observations
	No.	Depth (ft.)	Blows per 6"	"N"	Percent Recovery				
5	1	.5'-5.0'	N/A	N/A	100%	0'-.5': Asphalt and Sub base Gravel .5'-6': Black C. Sand, little Gravel, moist	1.4 ppm		
		drill cuttings							
10	2	5.0'-7.0'	N/A	N/A	20%	6'-7': Brown Silt and Clay, moist 7'-10': Brown m. Sand, tr. Silt, moist 10'-20': Brown m. Sand, tr. Silt, wet	0.3 ppm		
	3	7.0'-10.0'	N/A	N/A	100%				
		drill cuttings							
15							0 ppm		
	4	10.0'-12.0'	N/A	N/A	50%				
	5	12.0'-15.0'	N/A	N/A	100				
20							0 ppm		
	6	15.0'-17.0'	N/A	N/A	25%				
25						20'-26': Brown f. Sand, little Silt, wet 26'-27': Brown Silt, little f. Sand, moist 27'-29': Brown Silt Till, tr. f. Sand, tr. f/m Gravel, moist	0 ppm		
	7	17.0'-20.0'	N/A	N/A	100%				
		drill cuttings							
30						Sample number 1 submitted for laboratory analysis	0 ppm		
	8	20.0'-22.0'	N/A	N/A	70%				
30							0 ppm		
	9	22.0'-25.0'	N/A	N/A	100%				
		drill cuttings							
30							0 ppm		
	10	25.0'-27.0'	N/A	N/A	100%				
30							0 ppm		
	11	27.0'-29.0'	N/A	N/A	50%				


EPS of Vermont			Subsurface Log			Hole No.: MW-3	Date Started: 11/20/2008		
						Sheet 1 of 1	Date Finished: 11/20/2008		
Client: Benchmark Mgt. Corp. Location: Colvin - Eggert Plaza			Method of investigation: 4 1/4" HSA, 2" split spoon with auto hammer and 1" CMT Multi Channel Well						
Project No.: B1585 P. Manager: S. Leitten			Drilling Co.: Parratt Wolff			Driller: Mickey Marshall D. Helper: Brian Pisagna		Weather: Overcast, 30°	
			Geologist: Randy Klosko			Drill Rig: Ingersoll Rand A300			
Depth (ft.)	Sample					Sample Description	Field Analytical Readings	Well Details	Groundwater and Other Observations
	No.	Depth (ft.)	Blows per 6"	"N"	Percent Recovery				
5	1	.5'-5.0'	N/A	N/A	100%	0'- .5': Asphalt and Sub base Gravel .5'- 5': Brown Silt, little Clay, moist .5': Organic Mulch			
		drill cuttings							
10	2	5.0'-7.0'	N/A	N/A	50%	5'- 10': Brown f. Sand, tr. Silt, moist	0 ppm		
15	3	7.0'-10.0'	N/A	N/A	100%	10'-15': Brown f. Sand, tr. Silt, wet	0 ppm		
		drill cuttings							
20	4	10.0'-12.0'	N/A	N/A	60%	15'-17': Red brown f. Sand, little Silt, wet	0 ppm		
25	5	12.0'-15.0'	N/A	N/A	100%	17'-20': Lt. brown f. Sand, some Silt, wet	4.5ppm		
		drill cuttings							
30	6	15.0'-17.0'	N/A	N/A	75%	20'-29': Brown f. Sand, some Silt, wet	NA		
30	7	17.0'-20.0'	N/A	N/A	100%	29'-30': Brown Silt Till, little Clay, tr. f. Gravel	0 ppm		
		drill cuttings							
30	8	20.0'-22.0'	N/A	N/A	100%	Sample number 8 submitted for _____	0 ppm		
30	9	22.0'- 25.0'	N/A	N/A	100%				
		drill cuttings							
30	10	25.0'-27.0'	N/A	N/A	65%				
30	11	27.0'-29.0'	N/A	N/A	100%				

EPS of Vermont			Subsurface Log			Hole No.: MW-4	Date Started: 11/20/2008		
						Sheet 1 of 1	Date Finished: 11/20/2008		
Client: Benchmark Mgt. Corp. Location: Colvin - Eggert Plaza			Method of investigation: 4 1/4" HSA, 2" split spoon with auto hammer and 1" CMT Multi Channel Well						
Project No.: B1585 P. Manager: S. Leitten			Drilling Co.: Parratt Wolff			Driller: Mickey Marshall D. Helper: Brian Pisagna		Weather: Overcast, 30°	
			Geologist: Randy Klosko			Drill Rig: Ingersoll Rand A300			
Depth (ft.)	Sample					Sample Description	Field Analytical Readings	Well Details	Groundwater and Other Observations
	No.	Depth (ft.)	Blows per 6"	"N"	Percent Recovery				
5	1	.5'-5.0'	N/A	N/A	100%	0'- .5': Organic Mulch .5'- 5': Brown f. Sand, tr. Silt, moist			
		drill cuttings							
10	2	5.0'-7.0'	N/A	N/A	75%	5'-7': Gray brown f. Sand, little Silt, moist 7'-10': Brown f. Sand, little Silt, moist	0 ppm		
15	3	7.0'-10.0'	N/A	N/A	100%	10'-15': Brown m. Sand, wet	0.9 ppm		
		drill cuttings							
20	4	10.0'-12.0'	N/A	N/A	60%	15'-26': Brown f. Sand, tr. Silt, wet	0.6 ppm		water @ 11'
25	5	12.0'-15.0'	N/A	N/A	100%		0.6 ppm		
		drill cuttings							
30	6	15.0'-17.0'	N/A	N/A	90%		0.0 ppm		
30	7	17.0'-20.0'	N/A	N/A	100%		0.3 ppm		
		drill cuttings							
30	8	20.0'-22.0'	N/A	N/A	100%	26'-27': Brown Silt, little f. Sand and Clay, tr. Gravel, moist 27'-30': Brown Silt Till, little Clay, tr. f. Gravel	0 ppm		
30	9	22.0'- 25.0'	N/A	N/A	100%	Sample number 2 submitted for _____	0 ppm		
		drill cuttings							
30	10	25.0'-27.0'	N/A	N/A	100%		0 ppm		
30	11	27.0'-29.0'	N/A	N/A	100%		0 ppm		


EPS of Vermont			Subsurface Log			Hole No.: MW-5	Date Started: 11/18/2008		
						Sheet 1 of 1	Date Finished: 11/18/2008		
Client: Benchmark Mgt. Corp.			Method of investigation: 4 1/4" HSA, 2" split spoon with auto hammer						
Location: Colvin - Eggert Plaza			and 1" CMT Multi Channel Well						
Project No.: B1585			Drilling Co.: Parratt Wolff			Driller: Mickey Marshall		Weather: Overcast, 30°	
P. Manager: S. Leitten						D. Helper: Brian Pisagna			
			Geologist: Steve Leitten			Drill Rig: Ingersoll Rand A300			
Depth (ft.)	Sample					Sample Description	Field Analytical Readings	Well Details	Groundwater and Other Observations
	No.	Depth (ft.)	Blows per 6"	"N"	Percent Recovery				
5	1	.5'-5.0'	N/A	N/A	100%	0'-.5' Topsoil and mulch			water @ 10.0'
		drill cuttings				.5'-6': Brown f. Sand, tr. Silt, moist			
							0 ppm		
10	2	5.0'-7.0'	N/A	N/A	50%	6'-7': Gray brown f. Sand, little Silt, moist	0 ppm		
						7'-10': Brown f. Sand, little Silt, moist	0 ppm		
	3	7.0'-10.0'	N/A	N/A	100%				
		drill cuttings							
							0 ppm		
15	4	10.0'-12.0'	N/A	N/A	70%	10'-15': Brown m. Sand, wet	0 ppm		
							0 ppm		
	5	12.0'-15.0'	N/A	N/A	100%				
		drill cuttings							
						15'-26': Brown f. Sand, tr. Silt, wet	0 ppm		
20	6	15.0'-17.0'	N/A	N/A	75%		0 ppm		
	7	17.0'-20.0'	N/A	N/A	100%				
		drill cuttings					0 ppm		
25	8	20.0'-22.0'	N/A	N/A	75%		0 ppm		
	9	22.0'-25.0'	N/A	N/A	100%				
		drill cuttings					0 ppm		
30	10	25.0'-27.0'	N/A	N/A	90%	26'-27': Brown Silt, little f. Sand and Clay, tr. Gravel, moist	0 ppm		
						27'-30': Brown Silt Till, little Clay, tr. f. Gravel			
	11	27.0'-29.0'	N/A	N/A	100%		0 ppm		


EPS of Vermont			Subsurface Log			Hole No.: MW-6	Date Started: 11/18/2008		
						Sheet 1 of 1	Date Finished: 11/18/2008		
Client: Benchmark Mgt. Corp.			Method of investigation: 4 1/4" HSA, 2" split spoon with auto hammer						
Location: Colvin - Eggert Plaza			and 1" CMT Multi Channel Well						
Project No.: B1585			Drilling Co.: Parratt Wolff			Driller: Mickey Marshall		Weather: Overcast, 30°	
P. Manager: S. Leitten						D. Helper: Brian Pisagna			
			Geologist: Steve Leitten			Drill Rig: Ingersoll Rand A300			
Depth (ft.)	Sample					Sample Description	Field Analytical Readings	Well Details	Groundwater and Other Observations
	No.	Depth (ft.)	Blows per 6"	"N"	Percent Recovery				
5	1	.5'-5.0'	N/A	N/A	100%	0'-.5': Asphalt and Sub base Gravel .5'-5': Brown Silt, little Clay, moist 5'-10': Brown f. Sand, tr. Silt, moist	0 ppm		water @ 10.0'
		drill cuttings							
10	2	5.0'-7.0'	N/A	N/A	50%	10'-11': Brown f. Sand, tr. Silt, wet 11'-12': Brown Silt and f. Sand, tr. Clay, wet 12'-17': Brown m. Sand, tr. Silt, wet	0 ppm		
	3	7.0'-10.0'	N/A	N/A	100%				
		drill cuttings							
15	4	10.0'-12.0'	N/A	N/A	70%	17'-26.5': Brown f. Sand, tr. Silt, wet	0 ppm		
	5	12.0'-15.0'	N/A	N/A	100%				
		drill cuttings							
20	6	15.0'-17.0'	N/A	N/A	75%	26.5'-27': Brown Silt, little f. Sand and Clay, tr. Gravel, moist 27'-29': Brown Silt, tr. f. Sand, moist Sample number 4 sent for laboratory analysis	0 ppm		
	7	17.0'-20.0'	N/A	N/A	100%				
		drill cuttings							
25	8	20.0'-22.0'	N/A	N/A	100%		0 ppm		
	9	22.0'-25.0'	N/A	N/A	100%				
		drill cuttings							
30	10	25.0'-27.0'	N/A	N/A	100%		0 ppm		
	11	27.0'-29.0'	N/A	N/A	100%				

EPS of Vermont			Subsurface Log			Hole No.: MW-7	Date Started: 11/21/2008		
						Sheet 1 of 1	Date Finished: 11/21/2008		
Client: Benchmark Mgt. Corp.			Method of investigation: 4 1/4" HSA, 2" split spoon with auto hammer						
Location: Colvin - Eggert Plaza			and 1" CMT Multi Channel Well						
Project No.: B1585			Drilling Co.: Parratt Wolff			Driller: Mickey Marshall		Weather: Overcast, 30°	
P. Manager: S. Leitten						D. Helper: Brian Pisagna			
			Geologist: Steve Leitten			Drill Rig: Ingersoll Rand A300			
Depth (ft.)	Sample					Sample Description	Field Analytical Readings	Well Details	Groundwater and Other Observations
	No.	Depth (ft.)	Blows per 6"	"N"	Percent Recovery				
5	1	.5'-5.0'				0'-.5': Asphalt and Sub base Gravel			water @ 10.0'
		drill cuttings				.5'-5': Brown Silt, little Clay, moist			
						5'-10': Brown m. Sand, tr. Silt, moist	0 ppm		
10	2	5.0'-7.0'	N/A	N/A	70%		0 ppm		
	3	7.0'-10.0'							
		drill cuttings				10'-19.5': Brown m. Sand, tr. Silt, wet	0 ppm		
15	4	10.0'-12.0'	N/A	N/A	25%		0 ppm		
	5	12.0'-14.0'	N/A	N/A	90%		0 ppm		
	6	14.0'-16.0'	N/A	N/A	90%				
20							0 ppm		
	7	16.0'-18.0'	N/A	N/A	80%	19.5'-20.0': Brown f. Sand, little Silt			
						20'-25.5': Brown m. Sand, tr. Silt, wet	0 ppm		
	8	18.0'-20.0'	N/A	N/A	75%		0.3 ppm		
25	9	20.0'-22.0'	N/A	N/A	100%	25.5'-26': Silt and f. Sand, tr. Clay, moist	0 ppm		
	10	22.0'-24.0'	N/A	N/A	100%	26'-28': Silt and f. Gravel Till, little f. Sand, tr. Clay	0.5 ppm		
	11	24.0'-26.0'	N/A	N/A	70%	Sample number 10 sent for laboratory analysis	0 ppm		
30									
	12	26.0'-28.0'	N/A	N/A	30%		0 ppm		


EPS of Vermont			Subsurface Log			Hole No.: MW-8	Date Started: 11/17/2008			
						Sheet 1 of 1	Date Finished: 11/17/2008			
Client: Benchmark Mgt. Corp.			Method of investigation: 4 1/4" HSA, 2" split spoon with auto hammer							
Location: Colvin - Eggert Plaza			and 1" CMT Multi Channel Well							
Project No.: B1585			Drilling Co.: Parratt Wolff			Driller: Mickey Marshall	Weather: Overcast, 30°			
P. Manager: S. Leitten						D. Helper: Brian Pisagna				
			Geologist: Steve Leitten			Drill Rig: Ingersoll Rand A300				
Depth (ft.)	Sample					Sample Description	Field Analytical Readings	Well Details	Groundwater and Other Observations	
	No.	Depth (ft.)	Blows per 6"	"N"	Percent Recovery					
5	1	0.5'-2.0'	N/A	N/A	50%	0'- .5': Asphalt and Sub base Gravel .5'- 5.5': Coarse Gray Gravel and m. Sand backfill, moist	0.1 ppm		water @ 10.0'	
	2	2.0'-4.0'	N/A	N/A	75%		1.5 ppm			
	3	4.0'-6.0'	N/A	N/A	50%	5.5'-13.5': Brown Sand, little Silt, moist	0 ppm			
	10	4	6.0'-8.0'	N/A	N/A	75%	0 ppm			
		5	8.0'-10.0'	N/A	N/A	50%	0 ppm			
15		6	10.0'-12.0'	N/A	N/A	50%	13.5'-14.0': Red brown Clay, some Silt, moist			0 ppm
		7	12.0'-14.0'	N/A	N/A	100%	14'-19.5': Brown Sand, little Silt, moist			0 ppm
	8	14.0'- 16.0'	N/A	N/A	100%	0 ppm				
	20	9	16.0'-18.0'	N/A	N/A	100%	19.5'-20.0': Brown f. Sand, little Silt			0 ppm
10		18.0'-20.0'	N/A	N/A	100%	20'-28': Brown f. Sand, some Silt	0.3 ppm			
25		7	20.0'-22.0'	N/A	N/A	100%	0 ppm			
		8	22.0'- 24.0'	N/A	N/A	100%	0 ppm			
	9	24.0'-26.0'	N/A	N/A	100%	0 ppm				
	30	10	26.0'-28.0'	N/A	N/A	100%	28'-33': Brown f. Sand and Silt Till tr. f. Gravel, moist			0 ppm
11		28.0'-30.0	N/A	N/A	100%	Sample number 6 sent for laboratory analysis	0 ppm			
							0 ppm			


EPS of Vermont			Subsurface Log			Hole No.: MW-9	Date Started: 1/19/2009			
Client: Benchmark Mgt. Corp.			Method of investigation: 4 1/4" HSA, 2" split spoon with auto hammer			Sheet 1 of 1	Date Finished: 1/19/2009			
Location: Colvin - Eggert Plaza			and 1" CMT Multi Channel Well							
Project No.: B1585			Drilling Co.: Parratt Wolff			Driller: Mickey Marshall		Weather: flurries, 20°		
P. Manager: S. Leitten			Geologist: Steve Leitten			D. Helper: Mike Ellingsworth				
						Drill Rig: Ingersoll Rand A300				
Depth (ft.)	Sample					Sample Description	Field Analytical Readings	Well Details	Groundwater and Other Observations	
	No.	Depth (ft.)	Blows per 6"	"N"	Percent Recovery					
5	1	.5'-5.0'	N/A	N/A	100%	0'-.5': Asphalt and Sub base Gravel	0.0 ppm		water @ 10.0'	
		drill cuttings				.5'-5': Brown Silt, little Clay, moist				
						5'-10': Red brown m. Sand, tr. Silt, moist				
10	2	5.0'-7.0'	N/A	N/A	50%	10'-15': Red brown m. Sand, tr. Silt wet	0.0 ppm			
	3	7.0'-10.0'	N/A	N/A	100%					0.0 ppm
		drill cuttings								
15	4	10.0'-12.0'	N/A	N/A	80%	15'-20': Fine Sand, tr. Silt, wet	0.0 ppm			
									0.0 ppm	
	5	12.0'-15.0'	N/A	N/A	100%				0.0 ppm	
		drill cuttings								
20	6	15.0'-17.0'	N/A	N/A	100%	20'-22': Brown f. Sand some Silt, wet	0.0 ppm			
	7	17.0'-20.0'	N/A	N/A	100%			0.0 ppm		
		drill cuttings								
25	8	20.0'-22.0'	N/A	N/A	75%	22'-25': Brown Silt and f. Sand, tr. Gravel, moist	0.0 ppm			
	9	22.0'-25.0'	N/A	N/A	100%					0.0 ppm
		drill cuttings								
30	10	25.0'-27.0'	N/A	N/A	75%	25'-27': Brown Silt Till some f. Sand, tr. Gravel, moist	0.0 ppm			

EPS of Vermont			Subsurface Log			Hole No.: MW-10	Date Started: 1/20/2009			
						Sheet 1 of 1	Date Finished: 1/20/2009			
Client: Benchmark Mgt. Corp.			Method of investigation: 4 1/4" HSA, 2" split spoon with auto hammer							
Location: Colvin - Eggert Plaza			and 1" CMT Multi Channel Well							
Project No.: B1585			Drilling Co.: Parratt Wolff			Driller: Mickey Marshall		Weather: flurries, 20°		
P. Manager: S. Leitten						D. Helper: Mike Ellingsworth				
			Geologist: Randy Klosko			Drill Rig:Ingersoll Rand A300				
Depth (ft.)	Sample					Sample Description	Field Analytical Readings	Well Details	Groundwater and Other Observations	
	No.	Depth (ft.)	Blows per 6"	"N"	Percent Recovery					
5	1	.5'-5.0'	N/A	N/A	100%	0'- .5': Asphalt and Sub base Gravel .5'- 5': Brown Silt, little Clay, moist	0.0 ppm		water @ 10.0'	
		drill cuttings								
10	2	5.0'-7.0'	N/A	N/A	75%	7'-10': Red brown Clay and Silt, tr. Sand and Gravel, moist	0.0 ppm			
	3	7.0'-10.0'	N/A	N/A	100%		10'-25': Brown f/m Sand, tr. Silt, wet			0.0 ppm
		drill cuttings								
15	4	10.0'-12.0'	N/A	N/A	75%	25'-27': Brown Silt Till and f. Sand, tr. Gravel, moist	0.0 ppm			
	5	12.0'-15.0'	N/A	N/A	NA		NA			
		drill cuttings								
20	6	15.0'-17.0'	N/A	N/A	80%	27'-29': Brown Silt Till, some f. Sand, tr. Gravel	0.0 ppm			
	7	17.0'-20.0'	N/A	N/A	NA		NA			
		drill cuttings								
25	8	20.0'-22.0'	N/A	N/A	75%		0.0 ppm			
	9	22.0'- 25.0'	N/A	N/A			0.0 ppm			
		drill cuttings								
30	10	25.0'-27.0'	N/A	N/A	75%		0.0 ppm			
	11	27.0'-29.0'	N/A	N/A	75%		0.0 ppm			

EPS of Vermont			Subsurface Log			Hole No.: MW-11	Date Started: 1/21/2009		
						Sheet 1 of 1	Date Finished: 1/21/2009		
Client: Benchmark Mgt. Corp.			Method of investigation: 4 1/4" HSA, 2" split spoon with auto hammer						
Location: Colvin - Eggert Plaza			and 1" CMT Multi Channel Well						
Project No.: B1585			Drilling Co.: Parratt Wolff			Driller: Mickey Marshall	Weather: flurries, 5°		
P. Manager: S. Leitten						D. Helper: Mike Ellingsworth			
			Geologist: Steve Leitten			Drill Rig:Ingersoll Rand A300			
Depth (ft.)	Sample					Sample Description	Field Analytical Readings	Well Details	Groundwater and Other Observations
	No.	Depth (ft.)	Blows per 6"	"N"	Percent Recovery				
5	1	.5'-5.0'	N/A	N/A	100%	0'- 0.5': Asphalt and Sub base Gravel 0.5'- 10': Reworked material gravel fill (limestone)	0.0 ppm		water @ 10.0'
		drill cuttings							
10	2	5.0'-7.0'	N/A	N/A	30%	10'-25': Brown f/m Sand, tr. Silt, wet	0.0 ppm		
	3	7.0'-10.0'	N/A	N/A	100%		0.0 ppm		
		drill cuttings							
15	4	10.0'-12.0'	N/A	N/A	30%		0.0 ppm		
	5	12.0'-15.0'	N/A	N/A	NA		NA		
		drill cuttings							
20	6	15.0'-17.0'	N/A	N/A	100%		0.0 ppm		
	7	17.0'-20.0	N/A	N/A	100%		0.0 ppm		
		drill cuttings							
25	8	20.0'-22.0'	N/A	N/A	100%	25'-27': Brown Silt Till and f. Sand, tr. Gravel, moist	0.0 ppm		
	9	22.0'- 25.0'	N/A	N/A	100%		0.0 ppm		
		drill cuttings							
30	10	25.0'-27.0'	N/A	N/A	30%	27'-29': Brown Silt Till, some f. Sand, tr. Gravel	0.0 ppm		
	11	27.0'-29.0'	N/A	N/A	75		0.0 ppm		

EPS of Vermont			Subsurface Log			Hole No.: MW-12	Date Started: 1/22/2009		
						Sheet 1 of 1	Date Finished: 1/22/2009		
Client: Benchmark Mgt. Corp.			Method of investigation: 4 1/4" HSA, 2" split spoon with auto hammer						
Location: Colvin - Eggert Plaza			and 1" CMT Multi Channel Well						
Project No.: B1585			Drilling Co.: Parratt Wolff			Driller: Mickey Marshall		Weather: overcast, 28°	
P. Manager: S. Leitten						D. Helper: Mike Ellingsworth			
			Geologist: Steve Leitten			Drill Rig: Ingersoll Rand A300			
Depth (ft.)	Sample					Sample Description	Field Analytical Readings	Well Details	Groundwater and Other Observations
	No.	Depth (ft.)	Blows per 6"	"N"	Percent Recovery				
5	1	.5'-5.0'	N/A	N/A	100%	0'-.5': Asphalt and Sub base Gravel	0.0 ppm		water @ 10.0'
		drill cuttings				.5'-5': Brown Silt, little Clay, moist			
						5'-10': Brown f/m Sand, tr. Silt, moist			
10	2	5.0'-7.0'	N/A	N/A	75%	10'-20': Brown f/m Sand, tr. Silt, wet	0.0 ppm		
	3	7.0'-10.0'	N/A	N/A	100%				
		drill cuttings					0.0 ppm		
15	4	10.0'-12.0'	N/A	N/A	75%		0.0 ppm		
	5	12.0'-15.0'	N/A	N/A	100%				
		drill cuttings					0.0 ppm		
20	6	15.0'-17.0'	N/A	N/A	80%	20'-25': Brown Silt, some f. Sand, moist	0.0 ppm		
	7	17.0'-20.0'	N/A	N/A	100%				
		drill cuttings					0.0 ppm		
25	8	20.0'-22.0'	N/A	N/A	75%	25'-27': Brown Silt Till, little f. Sand, tr. Gravel moist	0.5 ppm		
	9	22.0'-25.0'	N/A	N/A	100%				
		drill cuttings					0.0 ppm		
30	10	25.0'-27.0'	N/A	N/A	80%		0.0 ppm		

EPS of Vermont			Subsurface Log			Hole No.: MW-13	Date Started: 1/21/2009		
						Sheet 1 of 1	Date Finished: 1/21/2009		
Client: Benchmark Mgt. Corp.			Method of investigation: 4 1/4" HSA, 2" split spoon with auto hammer						
Location: Colvin - Eggert Plaza			and 1" CMT Multi Channel Well						
Project No.: B1585			Drilling Co.: Parratt Wolff			Driller: Mickey Marshall		Weather: flurries, 20°	
P. Manager: S. Leitten						D. Helper: Mike Ellingsworth			
			Geologist: Steve Leitten			Drill Rig:Ingersoll Rand A300			
Depth (ft.)	Sample					Sample Description	Field Analytical Readings	Well Details	Groundwater and Other Observations
	No.	Depth (ft.)	Blows per 6"	"N"	Percent Recovery				
5	1	.5'-5.0'	N/A	N/A	100%	0'- .5': Asphalt and Sub base Gravel	0.0 ppm		water @ 10.0'
		drill cuttings				.5'- 5': Brown Silt, little Clay, moist			
						5'- 7': Red brown f. Sand, some Silt, tr. Clay, moist			
10	2	5.0'-7.0'	N/A	N/A	50%	7'-10': Red brown m. Sand, tr. Silt, moist	0.0 ppm		
	3	7.0'-10.0'	N/A	N/A	100%				
		drill cuttings				10'-20': Red brown m. Sand, tr. Silt, wet	0.0 ppm		
15	4	10.0'-12.0'	N/A	N/A	25%		0.0 ppm		
	5	12.0'-15.0'	N/A	N/A	100%				
		drill cuttings					0.0 ppm		
20	6	15.0'-17.0'	N/A	N/A	75%		0.0 ppm		
	7	17.0'-20.0'	N/A	N/A	100%				
		drill cuttings				20'-25': Brown f/m Sand, little Silt, wet	0.0 ppm		
25	8	20.0'-22.0'	N/A	N/A	50%		0.5 ppm		
	9	22.0'- 25.0'	N/A	N/A	100%	25'-27': Brown Silt Till some f. Sand, tr. Gravel, moist	0.0 ppm		
		drill cuttings							
30						27'-29': Brown Silt Till some f. Sand, tr. Gravel, moist			
	10	25.0'-27.0'	N/A	N/A	80%		0.0 ppm		
	11	27.0'-29.0'	N/A	N/A	75%		0.0 ppm		

EPS of Vermont			Subsurface Log			Hole No.: MW-14		Date Started: 1/21/2009	
						Sheet 1 of 1		Date Finished: 1/21/2009	
Client: Benchmark Mgt. Corp.			Method of investigation: Geoprobe Direct Push with 2" macrocore sampler						
Location: Colvin - Eggert Plaza			1" prepacked well installation						
Project No.: B1585			Drilling Co.: EPS of Vermont			Driller: Adam Morse		Weather: flurries, 20°	
P. Manager: S. Leitten						D. Helper: NA			
			Geologist: Steve Leitten			Drill Rig: Geoprobe 54DT			
Depth (ft.)	Sample					Sample Description	Field Analytical Readings	Well Details	Groundwater and Other Observations
	No.	Depth (ft.)	Blows per 6"	"N"	Percent Recovery				
	1	0'-4'			60%	0'-4': Dk. brown Silt, some f. Sand, moist	0.0 ppm		water @ 10.0'
5	2	4'-8'			75%	4'-10': Brown f/m Sand, tr. Silt, moist	0.0 ppm		
						10'-16': Brown f/m Sand, tr. Silt, moist	0.0 ppm		
10	3	8'-12'			80%				
							0.0ppm		
15							0.0 ppm		
20									
25									
30									

APPENDIX B
Laboratory Analytical Reports



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

Report Summary

Wednesday December 03, 2008

Report Number: L376630

Samples Received: 11/25/08

Client Project: B1585

Description: Colvin Eggert Plaza Project

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:


Leslie Newton, ESC Representative

Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - I-2327, CT - PH-0197, FL - E87487
GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016, NC - ENV375, DW21704, ND - R-140
NJ - TN002, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ - 0612, MN - 047-999-395, NY - 11742, WI - 998093910

This report may not be reproduced, except in full, without written approval from Environmental Science Corp.
Where applicable, sampling conducted by ESC is performed per guidance provided
in laboratory standard operating procedures: 060302, 060303, and 060304.



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 03, 2008

Date Received : November 25, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-1 10-12 FT
Collected By : Steven Leitten
Collection Date : 11/18/08 10:15

ESC Sample # : L376630-01

Site ID : FORMER OUR CLEANERS

Project # : B1585

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	85.7		%	2540G	12/01/08	1
Volatile Organics						
Acetone	BDL	0.29	mg/kg	8260B	11/29/08	5
Benzene	BDL	0.0058	mg/kg	8260B	11/29/08	5
Bromochloromethane	BDL	0.0058	mg/kg	8260B	11/29/08	5
Bromodichloromethane	BDL	0.0058	mg/kg	8260B	11/29/08	5
Bromoform	BDL	0.0058	mg/kg	8260B	11/29/08	5
Bromomethane	BDL	0.029	mg/kg	8260B	11/29/08	5
Carbon disulfide	BDL	0.0058	mg/kg	8260B	11/29/08	5
Carbon tetrachloride	BDL	0.0058	mg/kg	8260B	11/29/08	5
Chlorobenzene	BDL	0.0058	mg/kg	8260B	11/29/08	5
Chlorodibromomethane	BDL	0.0058	mg/kg	8260B	11/29/08	5
Chloroethane	BDL	0.029	mg/kg	8260B	11/29/08	5
Chloroform	BDL	0.029	mg/kg	8260B	11/29/08	5
Chloromethane	BDL	0.0058	mg/kg	8260B	11/29/08	5
Cyclohexane	BDL	0.0058	mg/kg	8260B	12/01/08	5
1,2-Dibromo-3-Chloropropane	BDL	0.029	mg/kg	8260B	11/29/08	5
1,2-Dibromoethane	BDL	0.0058	mg/kg	8260B	11/29/08	5
Dichlorodifluoromethane	BDL	0.029	mg/kg	8260B	11/29/08	5
1,1-Dichloroethane	BDL	0.0058	mg/kg	8260B	11/29/08	5
1,2-Dichloroethane	BDL	0.0058	mg/kg	8260B	11/29/08	5
1,2-Dichlorobenzene	BDL	0.0058	mg/kg	8260B	11/29/08	5
1,3-Dichlorobenzene	BDL	0.0058	mg/kg	8260B	11/29/08	5
1,4-Dichlorobenzene	BDL	0.0058	mg/kg	8260B	11/29/08	5
1,1-Dichloroethene	BDL	0.0058	mg/kg	8260B	11/29/08	5
cis-1,2-Dichloroethene	BDL	0.0058	mg/kg	8260B	11/29/08	5
trans-1,2-Dichloroethene	BDL	0.0058	mg/kg	8260B	11/29/08	5
1,2-Dichloropropane	BDL	0.0058	mg/kg	8260B	11/29/08	5
cis-1,3-Dichloropropene	BDL	0.0058	mg/kg	8260B	11/29/08	5
trans-1,3-Dichloropropene	BDL	0.0058	mg/kg	8260B	11/29/08	5
Ethylbenzene	BDL	0.0058	mg/kg	8260B	11/29/08	5
2-Hexanone	BDL	0.058	mg/kg	8260B	11/29/08	5
Isopropylbenzene	BDL	0.058	mg/kg	8260B	11/29/08	5
2-Butanone (MEK)	BDL	0.058	mg/kg	8260B	11/29/08	5
Methyl Acetate	BDL	0.12	mg/kg	8260B	12/01/08	5
Methyl Cyclohexane	BDL	0.0058	mg/kg	8260B	12/01/08	5
Methylene Chloride	BDL	0.029	mg/kg	8260B	11/29/08	5
4-Methyl-2-pentanone (MIBK)	BDL	0.058	mg/kg	8260B	11/29/08	5
Methyl tert-butyl ether	BDL	0.0058	mg/kg	8260B	11/29/08	5
Styrene	BDL	0.0058	mg/kg	8260B	11/29/08	5
1,1,2,2-Tetrachloroethane	BDL	0.0058	mg/kg	8260B	11/29/08	5
Tetrachloroethene	0.025	0.0058	mg/kg	8260B	11/29/08	5
Toluene	BDL	0.029	mg/kg	8260B	11/29/08	5

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 03, 2008

Date Received : November 25, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-1 10-12 FT
Collected By : Steven Leitten
Collection Date : 11/18/08 10:15

ESC Sample # : L376630-01

Site ID : FORMER OUR CLEANERS

Project # : B1585

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
1,2,3-Trichlorobenzene	BDL	0.0058	mg/kg	8260B	11/29/08	5
1,2,4-Trichlorobenzene	BDL	0.0058	mg/kg	8260B	11/29/08	5
1,1,1-Trichloroethane	BDL	0.0058	mg/kg	8260B	11/29/08	5
1,1,2-Trichloroethane	BDL	0.0058	mg/kg	8260B	11/29/08	5
Trichloroethene	BDL	0.0058	mg/kg	8260B	11/29/08	5
Trichlorofluoromethane	BDL	0.029	mg/kg	8260B	11/29/08	5
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0058	mg/kg	8260B	11/29/08	5
Vinyl chloride	BDL	0.0058	mg/kg	8260B	11/29/08	5
Xylenes, Total	BDL	0.018	mg/kg	8260B	11/29/08	5
Surrogate Recovery						
Toluene-d8	100.		% Rec.	8260B	11/29/08	5
Dibromofluoromethane	104.		% Rec.	8260B	11/29/08	5
a,a,a-Trifluorotoluene	101.		% Rec.	8260B	11/29/08	5
4-Bromofluorobenzene	105.		% Rec.	8260B	11/29/08	5

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 12/03/08 14:14 Printed: 12/03/08 14:14



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 03, 2008

Date Received : November 25, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-2 0-5 FT
Collected By : Steven Leitten
Collection Date : 11/24/08 11:30

ESC Sample # : L376630-02

Site ID : FORMER OUR CLEANERS

Project # : B1585

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	91.8		%	2540G	12/03/08	1
Volatile Organics						
Acetone	BDL	0.27	mg/kg	8260B	11/29/08	5
Benzene	BDL	0.0054	mg/kg	8260B	11/29/08	5
Bromochloromethane	BDL	0.0054	mg/kg	8260B	11/29/08	5
Bromodichloromethane	BDL	0.0054	mg/kg	8260B	11/29/08	5
Bromoform	BDL	0.0054	mg/kg	8260B	11/29/08	5
Bromomethane	BDL	0.027	mg/kg	8260B	11/29/08	5
Carbon disulfide	BDL	0.0054	mg/kg	8260B	11/29/08	5
Carbon tetrachloride	BDL	0.0054	mg/kg	8260B	11/29/08	5
Chlorobenzene	BDL	0.0054	mg/kg	8260B	11/29/08	5
Chlorodibromomethane	BDL	0.0054	mg/kg	8260B	11/29/08	5
Chloroethane	BDL	0.027	mg/kg	8260B	11/29/08	5
Chloroform	BDL	0.027	mg/kg	8260B	11/29/08	5
Chloromethane	BDL	0.0054	mg/kg	8260B	11/29/08	5
Cyclohexane	BDL	0.0054	mg/kg	8260B	11/29/08	5
1,2-Dibromo-3-Chloropropane	BDL	0.027	mg/kg	8260B	11/29/08	5
1,2-Dibromoethane	BDL	0.0054	mg/kg	8260B	11/29/08	5
Dichlorodifluoromethane	BDL	0.027	mg/kg	8260B	11/29/08	5
1,1-Dichloroethane	BDL	0.0054	mg/kg	8260B	11/29/08	5
1,2-Dichloroethane	BDL	0.0054	mg/kg	8260B	11/29/08	5
1,2-Dichlorobenzene	BDL	0.0054	mg/kg	8260B	11/29/08	5
1,3-Dichlorobenzene	BDL	0.0054	mg/kg	8260B	11/29/08	5
1,4-Dichlorobenzene	BDL	0.0054	mg/kg	8260B	11/29/08	5
1,1-Dichloroethene	BDL	0.0054	mg/kg	8260B	11/29/08	5
cis-1,2-Dichloroethene	BDL	0.0054	mg/kg	8260B	11/29/08	5
trans-1,2-Dichloroethene	BDL	0.0054	mg/kg	8260B	11/29/08	5
1,2-Dichloropropane	BDL	0.0054	mg/kg	8260B	11/29/08	5
cis-1,3-Dichloropropene	BDL	0.0054	mg/kg	8260B	11/29/08	5
trans-1,3-Dichloropropene	BDL	0.0054	mg/kg	8260B	11/29/08	5
Ethylbenzene	BDL	0.0054	mg/kg	8260B	11/29/08	5
2-Hexanone	BDL	0.054	mg/kg	8260B	11/29/08	5
Isopropylbenzene	BDL	0.054	mg/kg	8260B	11/29/08	5
2-Butanone (MEK)	BDL	0.054	mg/kg	8260B	11/29/08	5
Methyl Acetate	BDL	0.11	mg/kg	8260B	11/29/08	5
Methyl Cyclohexane	BDL	0.0054	mg/kg	8260B	11/29/08	5
Methylene Chloride	0.042	0.027	mg/kg	8260B	11/29/08	5
4-Methyl-2-pentanone (MIBK)	BDL	0.054	mg/kg	8260B	11/29/08	5
Methyl tert-butyl ether	BDL	0.0054	mg/kg	8260B	11/29/08	5
Styrene	BDL	0.0054	mg/kg	8260B	11/29/08	5
1,1,2,2-Tetrachloroethane	BDL	0.0054	mg/kg	8260B	11/29/08	5
Tetrachloroethene	0.17	0.0054	mg/kg	8260B	11/29/08	5
Toluene	BDL	0.027	mg/kg	8260B	11/29/08	5

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 03, 2008

Date Received : November 25, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-2 0-5 FT
Collected By : Steven Leitten
Collection Date : 11/24/08 11:30

ESC Sample # : L376630-02

Site ID : FORMER OUR CLEANERS

Project # : B1585

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
1,2,3-Trichlorobenzene	BDL	0.0054	mg/kg	8260B	11/29/08	5
1,2,4-Trichlorobenzene	BDL	0.0054	mg/kg	8260B	11/29/08	5
1,1,1-Trichloroethane	BDL	0.0054	mg/kg	8260B	11/29/08	5
1,1,2-Trichloroethane	BDL	0.0054	mg/kg	8260B	11/29/08	5
Trichloroethene	BDL	0.0054	mg/kg	8260B	11/29/08	5
Trichlorofluoromethane	BDL	0.027	mg/kg	8260B	11/29/08	5
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0054	mg/kg	8260B	11/29/08	5
Vinyl chloride	BDL	0.0054	mg/kg	8260B	11/29/08	5
Xylenes, Total	BDL	0.016	mg/kg	8260B	11/29/08	5
Surrogate Recovery						
Toluene-d8	99.4		% Rec.	8260B	11/29/08	5
Dibromofluoromethane	107.		% Rec.	8260B	11/29/08	5
a,a,a-Trifluorotoluene	101.		% Rec.	8260B	11/29/08	5
4-Bromofluorobenzene	94.3		% Rec.	8260B	11/29/08	5

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 12/03/08 14:14 Printed: 12/03/08 14:14



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 03, 2008

Date Received : November 25, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-3 20-22 FT
Collected By : Steven Leitten
Collection Date : 11/24/08 13:30

ESC Sample # : L376630-03

Site ID : FORMER OUR CLEANERS

Project # : B1585

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	84.8		%	2540G	12/03/08	1
Volatile Organics						
Acetone	BDL	0.29	mg/kg	8260B	11/29/08	5
Benzene	BDL	0.0059	mg/kg	8260B	11/29/08	5
Bromochloromethane	BDL	0.0059	mg/kg	8260B	11/29/08	5
Bromodichloromethane	BDL	0.0059	mg/kg	8260B	11/29/08	5
Bromoform	BDL	0.0059	mg/kg	8260B	11/29/08	5
Bromomethane	BDL	0.029	mg/kg	8260B	11/29/08	5
Carbon disulfide	BDL	0.0059	mg/kg	8260B	11/29/08	5
Carbon tetrachloride	BDL	0.0059	mg/kg	8260B	11/29/08	5
Chlorobenzene	BDL	0.0059	mg/kg	8260B	11/29/08	5
Chlorodibromomethane	BDL	0.0059	mg/kg	8260B	11/29/08	5
Chloroethane	BDL	0.029	mg/kg	8260B	11/29/08	5
Chloroform	BDL	0.029	mg/kg	8260B	11/29/08	5
Chloromethane	BDL	0.0059	mg/kg	8260B	11/29/08	5
Cyclohexane	BDL	0.0059	mg/kg	8260B	11/29/08	5
1,2-Dibromo-3-Chloropropane	BDL	0.029	mg/kg	8260B	11/29/08	5
1,2-Dibromoethane	BDL	0.0059	mg/kg	8260B	11/29/08	5
Dichlorodifluoromethane	BDL	0.029	mg/kg	8260B	11/29/08	5
1,1-Dichloroethane	BDL	0.0059	mg/kg	8260B	11/29/08	5
1,2-Dichloroethane	BDL	0.0059	mg/kg	8260B	11/29/08	5
1,2-Dichlorobenzene	BDL	0.0059	mg/kg	8260B	11/29/08	5
1,3-Dichlorobenzene	BDL	0.0059	mg/kg	8260B	11/29/08	5
1,4-Dichlorobenzene	BDL	0.0059	mg/kg	8260B	11/29/08	5
1,1-Dichloroethene	BDL	0.0059	mg/kg	8260B	11/29/08	5
cis-1,2-Dichloroethene	BDL	0.0059	mg/kg	8260B	11/29/08	5
trans-1,2-Dichloroethene	BDL	0.0059	mg/kg	8260B	11/29/08	5
1,2-Dichloropropane	BDL	0.0059	mg/kg	8260B	11/29/08	5
cis-1,3-Dichloropropene	BDL	0.0059	mg/kg	8260B	11/29/08	5
trans-1,3-Dichloropropene	BDL	0.0059	mg/kg	8260B	11/29/08	5
Ethylbenzene	BDL	0.0059	mg/kg	8260B	11/29/08	5
2-Hexanone	BDL	0.059	mg/kg	8260B	11/29/08	5
Isopropylbenzene	BDL	0.059	mg/kg	8260B	11/29/08	5
2-Butanone (MEK)	BDL	0.059	mg/kg	8260B	11/29/08	5
Methyl Acetate	BDL	0.12	mg/kg	8260B	11/29/08	5
Methyl Cyclohexane	BDL	0.0059	mg/kg	8260B	11/29/08	5
Methylene Chloride	0.042	0.029	mg/kg	8260B	11/29/08	5
4-Methyl-2-pentanone (MIBK)	BDL	0.059	mg/kg	8260B	11/29/08	5
Methyl tert-butyl ether	BDL	0.0059	mg/kg	8260B	11/29/08	5
Styrene	BDL	0.0059	mg/kg	8260B	11/29/08	5
1,1,2,2-Tetrachloroethane	BDL	0.0059	mg/kg	8260B	11/29/08	5
Tetrachloroethene	0.058	0.0059	mg/kg	8260B	11/29/08	5
Toluene	BDL	0.029	mg/kg	8260B	11/29/08	5

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 03, 2008

Date Received : November 25, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-3 20-22 FT
Collected By : Steven Leitten
Collection Date : 11/24/08 13:30

ESC Sample # : L376630-03

Site ID : FORMER OUR CLEANERS

Project # : B1585

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
1,2,3-Trichlorobenzene	BDL	0.0059	mg/kg	8260B	11/29/08	5
1,2,4-Trichlorobenzene	BDL	0.0059	mg/kg	8260B	11/29/08	5
1,1,1-Trichloroethane	BDL	0.0059	mg/kg	8260B	11/29/08	5
1,1,2-Trichloroethane	BDL	0.0059	mg/kg	8260B	11/29/08	5
Trichloroethene	0.0078	0.0059	mg/kg	8260B	11/29/08	5
Trichlorofluoromethane	BDL	0.029	mg/kg	8260B	11/29/08	5
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0059	mg/kg	8260B	11/29/08	5
Vinyl chloride	BDL	0.0059	mg/kg	8260B	11/29/08	5
Xylenes, Total	BDL	0.018	mg/kg	8260B	11/29/08	5
Surrogate Recovery						
Toluene-d8	99.8		% Rec.	8260B	11/29/08	5
Dibromofluoromethane	108.		% Rec.	8260B	11/29/08	5
a,a,a-Trifluorotoluene	102.		% Rec.	8260B	11/29/08	5
4-Bromofluorobenzene	101.		% Rec.	8260B	11/29/08	5

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 12/03/08 14:14 Printed: 12/03/08 14:14



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 03, 2008

Date Received : November 25, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-4 5-7 FT
Collected By : Steven Leitten
Collection Date : 11/20/08 09:00

ESC Sample # : L376630-04

Site ID : FORMER OUR CLEANERS

Project # : B1585

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	88.2		%	2540G	12/03/08	1
Volatile Organics						
Acetone	BDL	0.28	mg/kg	8260B	11/29/08	5
Benzene	BDL	0.0057	mg/kg	8260B	11/29/08	5
Bromochloromethane	BDL	0.0057	mg/kg	8260B	11/29/08	5
Bromodichloromethane	BDL	0.0057	mg/kg	8260B	11/29/08	5
Bromoform	BDL	0.0057	mg/kg	8260B	11/29/08	5
Bromomethane	BDL	0.028	mg/kg	8260B	11/29/08	5
Carbon disulfide	BDL	0.0057	mg/kg	8260B	11/29/08	5
Carbon tetrachloride	BDL	0.0057	mg/kg	8260B	11/29/08	5
Chlorobenzene	BDL	0.0057	mg/kg	8260B	11/29/08	5
Chlorodibromomethane	BDL	0.0057	mg/kg	8260B	11/29/08	5
Chloroethane	BDL	0.028	mg/kg	8260B	11/29/08	5
Chloroform	BDL	0.028	mg/kg	8260B	11/29/08	5
Chloromethane	BDL	0.0057	mg/kg	8260B	11/29/08	5
Cyclohexane	BDL	0.0057	mg/kg	8260B	11/29/08	5
1,2-Dibromo-3-Chloropropane	BDL	0.028	mg/kg	8260B	11/29/08	5
1,2-Dibromoethane	BDL	0.0057	mg/kg	8260B	11/29/08	5
Dichlorodifluoromethane	BDL	0.028	mg/kg	8260B	11/29/08	5
1,1-Dichloroethane	BDL	0.0057	mg/kg	8260B	11/29/08	5
1,2-Dichloroethane	BDL	0.0057	mg/kg	8260B	11/29/08	5
1,2-Dichlorobenzene	BDL	0.0057	mg/kg	8260B	11/29/08	5
1,3-Dichlorobenzene	BDL	0.0057	mg/kg	8260B	11/29/08	5
1,4-Dichlorobenzene	BDL	0.0057	mg/kg	8260B	11/29/08	5
1,1-Dichloroethene	BDL	0.0057	mg/kg	8260B	11/29/08	5
cis-1,2-Dichloroethene	BDL	0.0057	mg/kg	8260B	11/29/08	5
trans-1,2-Dichloroethene	BDL	0.0057	mg/kg	8260B	11/29/08	5
1,2-Dichloropropane	BDL	0.0057	mg/kg	8260B	11/29/08	5
cis-1,3-Dichloropropene	BDL	0.0057	mg/kg	8260B	11/29/08	5
trans-1,3-Dichloropropene	BDL	0.0057	mg/kg	8260B	11/29/08	5
Ethylbenzene	BDL	0.0057	mg/kg	8260B	11/29/08	5
2-Hexanone	BDL	0.057	mg/kg	8260B	11/29/08	5
Isopropylbenzene	BDL	0.057	mg/kg	8260B	11/29/08	5
2-Butanone (MEK)	BDL	0.057	mg/kg	8260B	11/29/08	5
Methyl Acetate	BDL	0.11	mg/kg	8260B	11/29/08	5
Methyl Cyclohexane	BDL	0.0057	mg/kg	8260B	11/29/08	5
Methylene Chloride	0.039	0.028	mg/kg	8260B	11/29/08	5
4-Methyl-2-pentanone (MIBK)	BDL	0.057	mg/kg	8260B	11/29/08	5
Methyl tert-butyl ether	BDL	0.0057	mg/kg	8260B	11/29/08	5
Styrene	BDL	0.0057	mg/kg	8260B	11/29/08	5
1,1,2,2-Tetrachloroethane	BDL	0.0057	mg/kg	8260B	11/29/08	5
Tetrachloroethene	BDL	0.0057	mg/kg	8260B	11/29/08	5
Toluene	BDL	0.028	mg/kg	8260B	11/29/08	5

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 03, 2008

Date Received : November 25, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-4 5-7 FT
Collected By : Steven Leitten
Collection Date : 11/20/08 09:00

ESC Sample # : L376630-04

Site ID : FORMER OUR CLEANERS

Project # : B1585

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
1,2,3-Trichlorobenzene	BDL	0.0057	mg/kg	8260B	11/29/08	5
1,2,4-Trichlorobenzene	BDL	0.0057	mg/kg	8260B	11/29/08	5
1,1,1-Trichloroethane	BDL	0.0057	mg/kg	8260B	11/29/08	5
1,1,2-Trichloroethane	BDL	0.0057	mg/kg	8260B	11/29/08	5
Trichloroethene	BDL	0.0057	mg/kg	8260B	11/29/08	5
Trichlorofluoromethane	BDL	0.028	mg/kg	8260B	11/29/08	5
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0057	mg/kg	8260B	11/29/08	5
Vinyl chloride	BDL	0.0057	mg/kg	8260B	11/29/08	5
Xylenes, Total	BDL	0.017	mg/kg	8260B	11/29/08	5
Surrogate Recovery						
Toluene-d8	98.0		% Rec.	8260B	11/29/08	5
Dibromofluoromethane	108.		% Rec.	8260B	11/29/08	5
a,a,a-Trifluorotoluene	101.		% Rec.	8260B	11/29/08	5
4-Bromofluorobenzene	104.		% Rec.	8260B	11/29/08	5

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 12/03/08 14:14 Printed: 12/03/08 14:14



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 03, 2008

Date Received : November 25, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-5 10-12 FT
Collected By : Steven Leitten
Collection Date : 11/19/08 15:00

ESC Sample # : L376630-05

Site ID : FORMER OUR CLEANERS

Project # : B1585

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	82.5		%	2540G	12/03/08	1
Volatile Organics						
Acetone	BDL	0.30	mg/kg	8260B	11/27/08	5
Benzene	BDL	0.0061	mg/kg	8260B	11/27/08	5
Bromochloromethane	BDL	0.0061	mg/kg	8260B	11/27/08	5
Bromodichloromethane	BDL	0.0061	mg/kg	8260B	11/27/08	5
Bromoform	BDL	0.0061	mg/kg	8260B	11/27/08	5
Bromomethane	BDL	0.030	mg/kg	8260B	11/27/08	5
Carbon disulfide	BDL	0.0061	mg/kg	8260B	11/27/08	5
Carbon tetrachloride	BDL	0.0061	mg/kg	8260B	11/27/08	5
Chlorobenzene	BDL	0.0061	mg/kg	8260B	11/27/08	5
Chlorodibromomethane	BDL	0.0061	mg/kg	8260B	11/27/08	5
Chloroethane	BDL	0.030	mg/kg	8260B	11/27/08	5
Chloroform	BDL	0.030	mg/kg	8260B	11/27/08	5
Chloromethane	BDL	0.0061	mg/kg	8260B	11/27/08	5
Cyclohexane	BDL	0.0061	mg/kg	8260B	11/27/08	5
1,2-Dibromo-3-Chloropropane	BDL	0.030	mg/kg	8260B	11/27/08	5
1,2-Dibromoethane	BDL	0.0061	mg/kg	8260B	11/27/08	5
Dichlorodifluoromethane	BDL	0.030	mg/kg	8260B	11/27/08	5
1,1-Dichloroethane	BDL	0.0061	mg/kg	8260B	11/27/08	5
1,2-Dichloroethane	BDL	0.0061	mg/kg	8260B	11/27/08	5
1,2-Dichlorobenzene	BDL	0.0061	mg/kg	8260B	11/27/08	5
1,3-Dichlorobenzene	BDL	0.0061	mg/kg	8260B	11/27/08	5
1,4-Dichlorobenzene	BDL	0.0061	mg/kg	8260B	11/27/08	5
1,1-Dichloroethene	BDL	0.0061	mg/kg	8260B	11/27/08	5
cis-1,2-Dichloroethene	BDL	0.0061	mg/kg	8260B	11/27/08	5
trans-1,2-Dichloroethene	BDL	0.0061	mg/kg	8260B	11/27/08	5
1,2-Dichloropropane	BDL	0.0061	mg/kg	8260B	11/27/08	5
cis-1,3-Dichloropropene	BDL	0.0061	mg/kg	8260B	11/27/08	5
trans-1,3-Dichloropropene	BDL	0.0061	mg/kg	8260B	11/27/08	5
Ethylbenzene	BDL	0.0061	mg/kg	8260B	11/27/08	5
2-Hexanone	BDL	0.061	mg/kg	8260B	11/27/08	5
Isopropylbenzene	BDL	0.061	mg/kg	8260B	11/27/08	5
2-Butanone (MEK)	BDL	0.061	mg/kg	8260B	11/27/08	5
Methyl Acetate	BDL	0.12	mg/kg	8260B	11/27/08	5
Methyl Cyclohexane	BDL	0.0061	mg/kg	8260B	11/27/08	5
Methylene Chloride	BDL	0.030	mg/kg	8260B	11/27/08	5
4-Methyl-2-pentanone (MIBK)	BDL	0.061	mg/kg	8260B	11/27/08	5
Methyl tert-butyl ether	BDL	0.0061	mg/kg	8260B	11/27/08	5
Styrene	BDL	0.0061	mg/kg	8260B	11/27/08	5
1,1,2,2-Tetrachloroethane	BDL	0.0061	mg/kg	8260B	11/27/08	5
Tetrachloroethene	BDL	0.0061	mg/kg	8260B	11/27/08	5
Toluene	BDL	0.030	mg/kg	8260B	11/27/08	5

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 03, 2008

Date Received : November 25, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-5 10-12 FT
Collected By : Steven Leitten
Collection Date : 11/19/08 15:00

ESC Sample # : L376630-05

Site ID : FORMER OUR CLEANERS

Project # : B1585

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
1,2,3-Trichlorobenzene	BDL	0.0061	mg/kg	8260B	11/27/08	5
1,2,4-Trichlorobenzene	BDL	0.0061	mg/kg	8260B	11/27/08	5
1,1,1-Trichloroethane	BDL	0.0061	mg/kg	8260B	11/27/08	5
1,1,2-Trichloroethane	BDL	0.0061	mg/kg	8260B	11/27/08	5
Trichloroethene	BDL	0.0061	mg/kg	8260B	11/27/08	5
Trichlorofluoromethane	BDL	0.030	mg/kg	8260B	11/27/08	5
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0061	mg/kg	8260B	11/27/08	5
Vinyl chloride	BDL	0.0061	mg/kg	8260B	11/27/08	5
Xylenes, Total	BDL	0.018	mg/kg	8260B	11/27/08	5
Surrogate Recovery						
Toluene-d8	94.8		% Rec.	8260B	11/27/08	5
Dibromofluoromethane	92.7		% Rec.	8260B	11/27/08	5
a,a,a-Trifluorotoluene	98.6		% Rec.	8260B	11/27/08	5
4-Bromofluorobenzene	100.		% Rec.	8260B	11/27/08	5

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 12/03/08 14:14 Printed: 12/03/08 14:14



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 03, 2008

Date Received : November 25, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-6 10-12 FT
Collected By : Steven Leitten
Collection Date : 11/18/08 13:00

ESC Sample # : L376630-06

Site ID : FORMER OUR CLEANERS

Project # : B1585

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	85.6		%	2540G	12/01/08	1
Volatile Organics						
Acetone	BDL	0.29	mg/kg	8260B	11/29/08	5
Benzene	BDL	0.0058	mg/kg	8260B	11/29/08	5
Bromochloromethane	BDL	0.0058	mg/kg	8260B	11/29/08	5
Bromodichloromethane	BDL	0.0058	mg/kg	8260B	11/29/08	5
Bromoform	BDL	0.0058	mg/kg	8260B	11/29/08	5
Bromomethane	BDL	0.029	mg/kg	8260B	11/29/08	5
Carbon disulfide	BDL	0.0058	mg/kg	8260B	11/29/08	5
Carbon tetrachloride	BDL	0.0058	mg/kg	8260B	11/29/08	5
Chlorobenzene	BDL	0.0058	mg/kg	8260B	11/29/08	5
Chlorodibromomethane	BDL	0.0058	mg/kg	8260B	11/29/08	5
Chloroethane	BDL	0.029	mg/kg	8260B	11/29/08	5
Chloroform	BDL	0.029	mg/kg	8260B	11/29/08	5
Chloromethane	BDL	0.0058	mg/kg	8260B	11/29/08	5
Cyclohexane	BDL	0.0058	mg/kg	8260B	12/01/08	5
1,2-Dibromo-3-Chloropropane	BDL	0.029	mg/kg	8260B	11/29/08	5
1,2-Dibromoethane	BDL	0.0058	mg/kg	8260B	11/29/08	5
Dichlorodifluoromethane	BDL	0.029	mg/kg	8260B	11/29/08	5
1,1-Dichloroethane	BDL	0.0058	mg/kg	8260B	11/29/08	5
1,2-Dichloroethane	BDL	0.0058	mg/kg	8260B	11/29/08	5
1,2-Dichlorobenzene	BDL	0.0058	mg/kg	8260B	11/29/08	5
1,3-Dichlorobenzene	BDL	0.0058	mg/kg	8260B	11/29/08	5
1,4-Dichlorobenzene	BDL	0.0058	mg/kg	8260B	11/29/08	5
1,1-Dichloroethene	BDL	0.0058	mg/kg	8260B	11/29/08	5
cis-1,2-Dichloroethene	BDL	0.0058	mg/kg	8260B	11/29/08	5
trans-1,2-Dichloroethene	BDL	0.0058	mg/kg	8260B	11/29/08	5
1,2-Dichloropropane	BDL	0.0058	mg/kg	8260B	11/29/08	5
cis-1,3-Dichloropropene	BDL	0.0058	mg/kg	8260B	11/29/08	5
trans-1,3-Dichloropropene	BDL	0.0058	mg/kg	8260B	11/29/08	5
Ethylbenzene	BDL	0.0058	mg/kg	8260B	11/29/08	5
2-Hexanone	BDL	0.058	mg/kg	8260B	11/29/08	5
Isopropylbenzene	BDL	0.058	mg/kg	8260B	11/29/08	5
2-Butanone (MEK)	BDL	0.058	mg/kg	8260B	11/29/08	5
Methyl Acetate	BDL	0.12	mg/kg	8260B	12/01/08	5
Methyl Cyclohexane	BDL	0.0058	mg/kg	8260B	12/01/08	5
Methylene Chloride	BDL	0.029	mg/kg	8260B	11/29/08	5
4-Methyl-2-pentanone (MIBK)	BDL	0.058	mg/kg	8260B	11/29/08	5
Methyl tert-butyl ether	BDL	0.0058	mg/kg	8260B	11/29/08	5
Styrene	BDL	0.0058	mg/kg	8260B	11/29/08	5
1,1,2,2-Tetrachloroethane	BDL	0.0058	mg/kg	8260B	11/29/08	5
Tetrachloroethene	BDL	0.0058	mg/kg	8260B	11/29/08	5
Toluene	BDL	0.029	mg/kg	8260B	11/29/08	5

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 03, 2008

Date Received : November 25, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-6 10-12 FT
Collected By : Steven Leitten
Collection Date : 11/18/08 13:00

ESC Sample # : L376630-06

Site ID : FORMER OUR CLEANERS

Project # : B1585

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
1,2,3-Trichlorobenzene	BDL	0.0058	mg/kg	8260B	11/29/08	5
1,2,4-Trichlorobenzene	BDL	0.0058	mg/kg	8260B	11/29/08	5
1,1,1-Trichloroethane	BDL	0.0058	mg/kg	8260B	11/29/08	5
1,1,2-Trichloroethane	BDL	0.0058	mg/kg	8260B	11/29/08	5
Trichloroethene	BDL	0.0058	mg/kg	8260B	11/29/08	5
Trichlorofluoromethane	BDL	0.029	mg/kg	8260B	11/29/08	5
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0058	mg/kg	8260B	11/29/08	5
Vinyl chloride	BDL	0.0058	mg/kg	8260B	11/29/08	5
Xylenes, Total	BDL	0.018	mg/kg	8260B	11/29/08	5
Surrogate Recovery						
Toluene-d8	103.		% Rec.	8260B	11/29/08	5
Dibromofluoromethane	102.		% Rec.	8260B	11/29/08	5
a,a,a-Trifluorotoluene	103.		% Rec.	8260B	11/29/08	5
4-Bromofluorobenzene	102.		% Rec.	8260B	11/29/08	5

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 12/03/08 14:14 Printed: 12/03/08 14:15



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 03, 2008

Date Received : November 25, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-7 22-24 FT
Collected By : Steven Leitten
Collection Date : 11/21/08 10:00

ESC Sample # : L376630-07

Site ID : FORMER OUR CLEANERS

Project # : B1585

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	83.4		%	2540G	12/03/08	1
Volatile Organics						
Acetone	BDL	0.30	mg/kg	8260B	11/29/08	5
Benzene	BDL	0.0060	mg/kg	8260B	11/29/08	5
Bromochloromethane	BDL	0.0060	mg/kg	8260B	11/29/08	5
Bromodichloromethane	BDL	0.0060	mg/kg	8260B	11/29/08	5
Bromoform	BDL	0.0060	mg/kg	8260B	11/29/08	5
Bromomethane	BDL	0.030	mg/kg	8260B	11/29/08	5
Carbon disulfide	BDL	0.0060	mg/kg	8260B	11/29/08	5
Carbon tetrachloride	BDL	0.0060	mg/kg	8260B	11/29/08	5
Chlorobenzene	BDL	0.0060	mg/kg	8260B	11/29/08	5
Chlorodibromomethane	BDL	0.0060	mg/kg	8260B	11/29/08	5
Chloroethane	BDL	0.030	mg/kg	8260B	11/29/08	5
Chloroform	BDL	0.030	mg/kg	8260B	11/29/08	5
Chloromethane	BDL	0.0060	mg/kg	8260B	11/29/08	5
Cyclohexane	BDL	0.0060	mg/kg	8260B	11/29/08	5
1,2-Dibromo-3-Chloropropane	BDL	0.030	mg/kg	8260B	11/29/08	5
1,2-Dibromoethane	BDL	0.0060	mg/kg	8260B	11/29/08	5
Dichlorodifluoromethane	BDL	0.030	mg/kg	8260B	11/29/08	5
1,1-Dichloroethane	BDL	0.0060	mg/kg	8260B	11/29/08	5
1,2-Dichloroethane	BDL	0.0060	mg/kg	8260B	11/29/08	5
1,2-Dichlorobenzene	BDL	0.0060	mg/kg	8260B	11/29/08	5
1,3-Dichlorobenzene	BDL	0.0060	mg/kg	8260B	11/29/08	5
1,4-Dichlorobenzene	BDL	0.0060	mg/kg	8260B	11/29/08	5
1,1-Dichloroethene	BDL	0.0060	mg/kg	8260B	11/29/08	5
cis-1,2-Dichloroethene	BDL	0.0060	mg/kg	8260B	11/29/08	5
trans-1,2-Dichloroethene	BDL	0.0060	mg/kg	8260B	11/29/08	5
1,2-Dichloropropane	BDL	0.0060	mg/kg	8260B	11/29/08	5
cis-1,3-Dichloropropene	BDL	0.0060	mg/kg	8260B	11/29/08	5
trans-1,3-Dichloropropene	BDL	0.0060	mg/kg	8260B	11/29/08	5
Ethylbenzene	BDL	0.0060	mg/kg	8260B	11/29/08	5
2-Hexanone	BDL	0.060	mg/kg	8260B	11/29/08	5
Isopropylbenzene	BDL	0.060	mg/kg	8260B	11/29/08	5
2-Butanone (MEK)	BDL	0.060	mg/kg	8260B	11/29/08	5
Methyl Acetate	BDL	0.12	mg/kg	8260B	11/29/08	5
Methyl Cyclohexane	BDL	0.0060	mg/kg	8260B	11/29/08	5
Methylene Chloride	0.044	0.030	mg/kg	8260B	11/29/08	5
4-Methyl-2-pentanone (MIBK)	BDL	0.060	mg/kg	8260B	11/29/08	5
Methyl tert-butyl ether	BDL	0.0060	mg/kg	8260B	11/29/08	5
Styrene	BDL	0.0060	mg/kg	8260B	11/29/08	5
1,1,2,2-Tetrachloroethane	BDL	0.0060	mg/kg	8260B	11/29/08	5
Tetrachloroethene	BDL	0.0060	mg/kg	8260B	11/29/08	5
Toluene	BDL	0.030	mg/kg	8260B	11/29/08	5

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 03, 2008

Date Received : November 25, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-7 22-24 FT
Collected By : Steven Leitten
Collection Date : 11/21/08 10:00

ESC Sample # : L376630-07

Site ID : FORMER OUR CLEANERS

Project # : B1585

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
1,2,3-Trichlorobenzene	BDL	0.0060	mg/kg	8260B	11/29/08	5
1,2,4-Trichlorobenzene	BDL	0.0060	mg/kg	8260B	11/29/08	5
1,1,1-Trichloroethane	BDL	0.0060	mg/kg	8260B	11/29/08	5
1,1,2-Trichloroethane	BDL	0.0060	mg/kg	8260B	11/29/08	5
Trichloroethene	BDL	0.0060	mg/kg	8260B	11/29/08	5
Trichlorofluoromethane	BDL	0.030	mg/kg	8260B	11/29/08	5
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0060	mg/kg	8260B	11/29/08	5
Vinyl chloride	BDL	0.0060	mg/kg	8260B	11/29/08	5
Xylenes, Total	BDL	0.018	mg/kg	8260B	11/29/08	5
Surrogate Recovery						
Toluene-d8	101.		% Rec.	8260B	11/29/08	5
Dibromofluoromethane	109.		% Rec.	8260B	11/29/08	5
a,a,a-Trifluorotoluene	103.		% Rec.	8260B	11/29/08	5
4-Bromofluorobenzene	101.		% Rec.	8260B	11/29/08	5

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 12/03/08 14:14 Printed: 12/03/08 14:15



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 03, 2008

Date Received : November 25, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-8 10-12 FT
Collected By : Steven Leitten
Collection Date : 11/17/08 16:00

ESC Sample # : L376630-08

Site ID : FORMER OUR CLEANERS

Project # : B1585

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
Total Solids	84.2		%	2540G	12/01/08	1
Volatile Organics						
Acetone	BDL	0.30	mg/kg	8260B	11/29/08	5
Benzene	BDL	0.0059	mg/kg	8260B	11/29/08	5
Bromochloromethane	BDL	0.0059	mg/kg	8260B	11/29/08	5
Bromodichloromethane	BDL	0.0059	mg/kg	8260B	11/29/08	5
Bromoform	BDL	0.0059	mg/kg	8260B	11/29/08	5
Bromomethane	BDL	0.030	mg/kg	8260B	11/29/08	5
Carbon disulfide	BDL	0.0059	mg/kg	8260B	11/29/08	5
Carbon tetrachloride	BDL	0.0059	mg/kg	8260B	11/29/08	5
Chlorobenzene	BDL	0.0059	mg/kg	8260B	11/29/08	5
Chlorodibromomethane	BDL	0.0059	mg/kg	8260B	11/29/08	5
Chloroethane	BDL	0.030	mg/kg	8260B	11/29/08	5
Chloroform	BDL	0.030	mg/kg	8260B	11/29/08	5
Chloromethane	BDL	0.0059	mg/kg	8260B	11/29/08	5
Cyclohexane	BDL	0.0059	mg/kg	8260B	12/01/08	5
1,2-Dibromo-3-Chloropropane	BDL	0.030	mg/kg	8260B	11/29/08	5
1,2-Dibromoethane	BDL	0.0059	mg/kg	8260B	11/29/08	5
Dichlorodifluoromethane	BDL	0.030	mg/kg	8260B	11/29/08	5
1,1-Dichloroethane	BDL	0.0059	mg/kg	8260B	11/29/08	5
1,2-Dichloroethane	BDL	0.0059	mg/kg	8260B	11/29/08	5
1,2-Dichlorobenzene	BDL	0.0059	mg/kg	8260B	11/29/08	5
1,3-Dichlorobenzene	BDL	0.0059	mg/kg	8260B	11/29/08	5
1,4-Dichlorobenzene	BDL	0.0059	mg/kg	8260B	11/29/08	5
1,1-Dichloroethene	BDL	0.0059	mg/kg	8260B	11/29/08	5
cis-1,2-Dichloroethene	BDL	0.0059	mg/kg	8260B	11/29/08	5
trans-1,2-Dichloroethene	BDL	0.0059	mg/kg	8260B	11/29/08	5
1,2-Dichloropropane	BDL	0.0059	mg/kg	8260B	11/29/08	5
cis-1,3-Dichloropropene	BDL	0.0059	mg/kg	8260B	11/29/08	5
trans-1,3-Dichloropropene	BDL	0.0059	mg/kg	8260B	11/29/08	5
Ethylbenzene	BDL	0.0059	mg/kg	8260B	11/29/08	5
2-Hexanone	BDL	0.059	mg/kg	8260B	11/29/08	5
Isopropylbenzene	BDL	0.059	mg/kg	8260B	11/29/08	5
2-Butanone (MEK)	BDL	0.059	mg/kg	8260B	11/29/08	5
Methyl Acetate	BDL	0.12	mg/kg	8260B	12/01/08	5
Methyl Cyclohexane	BDL	0.0059	mg/kg	8260B	12/01/08	5
Methylene Chloride	BDL	0.030	mg/kg	8260B	11/29/08	5
4-Methyl-2-pentanone (MIBK)	BDL	0.059	mg/kg	8260B	11/29/08	5
Methyl tert-butyl ether	BDL	0.0059	mg/kg	8260B	11/29/08	5
Styrene	BDL	0.0059	mg/kg	8260B	11/29/08	5
1,1,2,2-Tetrachloroethane	BDL	0.0059	mg/kg	8260B	11/29/08	5
Tetrachloroethene	0.015	0.0059	mg/kg	8260B	11/29/08	5
Toluene	BDL	0.030	mg/kg	8260B	11/29/08	5

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 03, 2008

Date Received : November 25, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-8 10-12 FT
Collected By : Steven Leitten
Collection Date : 11/17/08 16:00

ESC Sample # : L376630-08

Site ID : FORMER OUR CLEANERS

Project # : B1585

Parameter	Dry Result	Det. Limit	Units	Method	Date	Dil.
1,2,3-Trichlorobenzene	BDL	0.0059	mg/kg	8260B	11/29/08	5
1,2,4-Trichlorobenzene	BDL	0.0059	mg/kg	8260B	11/29/08	5
1,1,1-Trichloroethane	BDL	0.0059	mg/kg	8260B	11/29/08	5
1,1,2-Trichloroethane	BDL	0.0059	mg/kg	8260B	11/29/08	5
Trichloroethene	BDL	0.0059	mg/kg	8260B	11/29/08	5
Trichlorofluoromethane	BDL	0.030	mg/kg	8260B	11/29/08	5
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0059	mg/kg	8260B	11/29/08	5
Vinyl chloride	BDL	0.0059	mg/kg	8260B	11/29/08	5
Xylenes, Total	BDL	0.018	mg/kg	8260B	11/29/08	5
Surrogate Recovery						
Toluene-d8	101.		% Rec.	8260B	11/29/08	5
Dibromofluoromethane	103.		% Rec.	8260B	11/29/08	5
a,a,a-Trifluorotoluene	102.		% Rec.	8260B	11/29/08	5
4-Bromofluorobenzene	102.		% Rec.	8260B	11/29/08	5

Results listed are dry weight basis.

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

This report shall not be reproduced, except in full, without the written approval from ESC.

The reported analytical results relate only to the sample submitted

Reported: 12/03/08 14:14 Printed: 12/03/08 14:15

Summary of Remarks For Samples Printed
12/03/08 at 14:15:04

TSR Signing Reports: 044
R5 - Desired TAT

CL \$2500

Sample: L376630-01 Account: EPSVTNY Received: 11/25/08 09:00 Due Date: 12/03/08 00:00 RPT Date: 12/03/08 14:14
Sample: L376630-02 Account: EPSVTNY Received: 11/25/08 09:00 Due Date: 12/03/08 00:00 RPT Date: 12/03/08 14:14
Sample: L376630-03 Account: EPSVTNY Received: 11/25/08 09:00 Due Date: 12/03/08 00:00 RPT Date: 12/03/08 14:14
Sample: L376630-04 Account: EPSVTNY Received: 11/25/08 09:00 Due Date: 12/03/08 00:00 RPT Date: 12/03/08 14:14
Sample: L376630-05 Account: EPSVTNY Received: 11/25/08 09:00 Due Date: 12/03/08 00:00 RPT Date: 12/03/08 14:14
Sample: L376630-06 Account: EPSVTNY Received: 11/25/08 09:00 Due Date: 12/03/08 00:00 RPT Date: 12/03/08 14:14
Sample: L376630-07 Account: EPSVTNY Received: 11/25/08 09:00 Due Date: 12/03/08 00:00 RPT Date: 12/03/08 14:14
Sample: L376630-08 Account: EPSVTNY Received: 11/25/08 09:00 Due Date: 12/03/08 00:00 RPT Date: 12/03/08 14:14

EPS VT - NY 2775 Broadwav St.. Ste. #250 Cheektowaga, NY 142227				Alternate billing information:				Analysis/Container/Preservative				Chain of Custody Page ___ of ___																																																																																																																		
Report to: Mr. Steve Leitten				Email: sleitten@epsofvermont.com				 ENVIRONMENTAL SCIENCE CORP. 12065 Lebanon Road Mt. Juliet, TN 37122 Phone (800) 767-5859 FAX (615) 758-5859 E030 <u>5</u> Acctnum: EPSVTNY (lab use only) Template/Prelogin: T54540 P262968 Cooler #: 11678 Shipped Via: FedEX Ground																																																																																																																						
Project Description: Colvin Eggert Plaza Project				City/State Collected: YONAWANDA, NY																																																																																																																										
Phone: (716) 597-0001 FAX:		Client Project #: B1585		Lab Project #: EPSVTNY-COLVIN																																																																																																																										
Collected by (print): STEVEN LEITTEN		Site/Facility ID#: FORMER OUR CHEMICALS		P.O.#: B11004																																																																																																																										
Collected by (signature): Immediately Packed on Ice N ___ Y <u>X</u>		Rush? (Lab MUST Be Notified) ___ Same Day 200% ___ Next Day 100% ___ Two Day 50% ___ Three Day 25%		Date Results Needed: 5 DAY TURN Email? ___ No <u>X</u> Yes FAX? ___ No ___ Yes		No. of Cntrs																																																																																																																								
<table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Sample ID</th> <th>Comp/Grab</th> <th>Matrix*</th> <th>Depth</th> <th>Date</th> <th>Time</th> <th>No. of Cntrs</th> <th colspan="4"></th> </tr> </thead> <tbody> <tr> <td>MW-1 10-12</td> <td>GRAB</td> <td>SS</td> <td>10-12</td> <td>11/14/08</td> <td>1015</td> <td>2</td> <td>X</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>MW-2 0-5</td> <td>GRAB</td> <td>SS</td> <td>0-5</td> <td>11/24/08</td> <td>1130</td> <td>2</td> <td>X</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>MW-3 20-22</td> <td>GRAB</td> <td>SS</td> <td>20-22</td> <td>11/24/08</td> <td>1330</td> <td>2</td> <td>X</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>MW-4 5-7</td> <td>GRAB</td> <td>SS</td> <td>5-7</td> <td>11/20/08</td> <td>0900</td> <td>2</td> <td>X</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>MW-5 10-12</td> <td>GRAB</td> <td>SS</td> <td>10-12</td> <td>11/19/08</td> <td>1500</td> <td>2</td> <td>X</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>MW-6 10-12</td> <td>GRAB</td> <td>SS</td> <td>10-12</td> <td>11/19/08</td> <td>1120</td> <td>2</td> <td>X</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>MW-7 22-24</td> <td>GRAB</td> <td>SS</td> <td>22-24</td> <td>11/21/08</td> <td>1000</td> <td>2</td> <td>X</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>MW-8 10'-12'</td> <td>GRAB</td> <td>SS</td> <td>10-12</td> <td>11/17/08</td> <td>1600</td> <td>2</td> <td>X</td> <td>X</td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>								Sample ID	Comp/Grab	Matrix*	Depth	Date	Time	No. of Cntrs					MW-1 10-12	GRAB	SS	10-12	11/14/08	1015	2	X	X					MW-2 0-5	GRAB	SS	0-5	11/24/08	1130	2	X	X					MW-3 20-22	GRAB	SS	20-22	11/24/08	1330	2	X	X					MW-4 5-7	GRAB	SS	5-7	11/20/08	0900	2	X	X					MW-5 10-12	GRAB	SS	10-12	11/19/08	1500	2	X	X					MW-6 10-12	GRAB	SS	10-12	11/19/08	1120	2	X	X					MW-7 22-24	GRAB	SS	22-24	11/21/08	1000	2	X	X					MW-8 10'-12'	GRAB	SS	10-12	11/17/08	1600	2	X	X					Remarks/Contaminant Sample # (lab only)			
Sample ID	Comp/Grab	Matrix*	Depth	Date	Time	No. of Cntrs																																																																																																																								
MW-1 10-12	GRAB	SS	10-12	11/14/08	1015	2	X	X																																																																																																																						
MW-2 0-5	GRAB	SS	0-5	11/24/08	1130	2	X	X																																																																																																																						
MW-3 20-22	GRAB	SS	20-22	11/24/08	1330	2	X	X																																																																																																																						
MW-4 5-7	GRAB	SS	5-7	11/20/08	0900	2	X	X																																																																																																																						
MW-5 10-12	GRAB	SS	10-12	11/19/08	1500	2	X	X																																																																																																																						
MW-6 10-12	GRAB	SS	10-12	11/19/08	1120	2	X	X																																																																																																																						
MW-7 22-24	GRAB	SS	22-24	11/21/08	1000	2	X	X																																																																																																																						
MW-8 10'-12'	GRAB	SS	10-12	11/17/08	1600	2	X	X																																																																																																																						

*Matrix: SS - Soil GW - Groundwater WW - WasteWater DW - Drinking Water OT - Other _____

Remarks:

9669 7444 9029

pH _____ Temp _____
 Flow _____ Other _____

Relinquished by: (Signature)	Date: 11/24/08	Time: 1300	Received by: (Signature)	Samples returned via: ☐ UPS ☒ FedEx ☐ Courier	Condition: ☒ OK (lab use only)
Relinquished by: (Signature)	Date:	Time:	Received by: (Signature)	Temp: 4.29C	Bottles Received: 16.2oz + 1TB
Relinquished by: (Signature)	Date:	Time:	Received by: (Signature)	Date: 11/25/08	Time: 0900
				COC Seal Intact: ☒ Y ☐ N ☐ NA	pH Checked: ☒ NCF:



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

Report Summary

Tuesday December 23, 2008

Report Number: L379821


Samples Received: 12/16/08

Client Project: B1585

Description: Colvin Eggert Plaza Project

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:


T. Alan Harvill, ESC Representative

Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - I-2327, CT - PH-0197, FL - E87487
GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016, NC - ENV375, DW21704, ND - R-140
NJ - TN002, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ - 0612, MN - 047-999-395, NY - 11742, WI - 998093910

This report may not be reproduced, except in full, without written approval from Environmental Science Corp.
Where applicable, sampling conducted by ESC is performed per guidance provided
in laboratory standard operating procedures: 060302, 060303, and 060304.



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 142227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : SV-1
Collected By : Steven Leitten
Collection Date : 12/12/08 16:50

ESC Sample # : L379821-01

Site ID : FORMER OUR CLEANERS

Project # : B1585

Parameter	Cas#	Mol Wght	RDL1	RDL2	ppbv	ug/m3	Method	Date	Dil.
Volatile Organics									
Acetone	67-64-1	58.1	50.0	120.	< 50.	< 120	TO-15	12/18/08	40
Allyl chloride	107-05-1	76.53	8.00	25.0	< 8.0	< 25.	TO-15	12/18/08	40
Benzene	71-43-2	78.1	8.00	26.0	< 8.0	< 26.	TO-15	12/18/08	40
Benzyl Chloride	100-44-7	127	8.00	42.0	< 8.0	< 42.	TO-15	12/18/08	40
Bromodichloromethane	75-27-4	164	8.00	54.0	< 8.0	< 54.	TO-15	12/18/08	40
Bromoform	75-25-2	253	24.0	250.	< 24.	< 250	TO-15	12/18/08	40
Bromomethane	74-83-9	94.9	8.00	31.0	< 8.0	< 31.	TO-15	12/18/08	40
1,3-Butadiene	106-99-0	54.1	80.0	180.	< 80.	< 180	TO-15	12/18/08	40
tert-Butyl alcohol	75-65-0	74.12	8.00	24.0	< 8.0	< 24.	TO-15	12/18/08	40
Carbon disulfide	75-15-0	76.1	8.00	25.0	< 8.0	< 25.	TO-15	12/18/08	40
Carbon tetrachloride	56-23-5	154	8.00	50.0	< 8.0	< 50.	TO-15	12/18/08	40
Chlorobenzene	108-90-7	113	8.00	37.0	< 8.0	< 37.	TO-15	12/18/08	40
Chloroethane	75-00-3	64.5	8.00	21.0	< 8.0	< 21.	TO-15	12/18/08	40
Chloroform	67-66-3	119	8.00	39.0	< 8.0	< 39.	TO-15	12/18/08	40
Chloromethane	74-87-3	50.5	8.00	17.0	< 8.0	< 17.	TO-15	12/18/08	40
2-Chlorotoluene	95-49-8	126	8.00	41.0	< 8.0	< 41.	TO-15	12/18/08	40
Cyclohexane	110-82-7	84.2	8.00	28.0	< 8.0	< 28.	TO-15	12/18/08	40
Dibromochloromethane	124-48-1	208	8.00	68.0	< 8.0	< 68.	TO-15	12/18/08	40
1,2-Dibromoethane	106-93-4	188	8.00	62.0	< 8.0	< 62.	TO-15	12/18/08	40
1,2-Dichlorobenzene	95-50-1	147	8.00	48.0	< 8.0	< 48.	TO-15	12/18/08	40
1,3-Dichlorobenzene	541-73-1	147	8.00	48.0	< 8.0	< 48.	TO-15	12/18/08	40
1,4-Dichlorobenzene	106-46-7	147	8.00	48.0	< 8.0	< 48.	TO-15	12/18/08	40
1,2-Dichloroethane	107-06-2	99	8.00	32.0	< 8.0	< 32.	TO-15	12/18/08	40
1,1-Dichloroethane	75-34-3	98	8.00	32.0	< 8.0	< 32.	TO-15	12/18/08	40
1,1-Dichloroethene	75-35-4	96.9	8.00	32.0	< 8.0	< 32.	TO-15	12/18/08	40
cis-1,2-Dichloroethene	156-59-2	96.9	8.00	32.0	< 8.0	< 32.	TO-15	12/18/08	40
trans-1,2-Dichloroethene	156-60-5	96.9	8.00	32.0	< 8.0	< 32.	TO-15	12/18/08	40
1,2-Dichloropropane	78-87-5	113	8.00	37.0	< 8.0	< 37.	TO-15	12/18/08	40
cis-1,3-Dichloropropene	10061-01-5	111	8.00	36.0	< 8.0	< 36.	TO-15	12/18/08	40
trans-1,3-Dichloropropene	10061-02-6	111	8.00	36.0	< 8.0	< 36.	TO-15	12/18/08	40
1,4-Dioxane	123-91-1	88.1	8.00	29.0	< 8.0	< 29.	TO-15	12/18/08	40
Ethanol	64-17-5	46.1	25.2	48.0	< 25.	< 48.	TO-15	12/18/08	40
Ethylbenzene	100-41-4	106	8.00	35.0	< 8.0	< 35.	TO-15	12/18/08	40
4-Ethyltoluene	622-96-8	120	8.00	39.0	< 8.0	< 39.	TO-15	12/18/08	40
Trichlorofluoromethane	75-69-4	137.4	8.00	45.0	< 8.0	< 45.	TO-15	12/18/08	40
Dichlorodifluoromethane	75-71-8	120.92	8.00	40.0	< 8.0	< 40.	TO-15	12/18/08	40
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	8.00	61.0	< 8.0	< 61.	TO-15	12/18/08	40
1,2-Dichlorotetrafluoroethane	76-14-2	171	8.00	56.0	< 8.0	< 56.	TO-15	12/18/08	40
Heptane	142-82-5	100	8.00	33.0	< 8.0	< 33.	TO-15	12/18/08	40
Hexachloro-1,3-butadiene	87-68-3	261	25.2	270.	< 25.	< 270	TO-15	12/18/08	40
n-Hexane	110-54-3	86.2	25.2	89.0	< 25.	< 89.	TO-15	12/18/08	40
Isopropylbenzene	98-82-8	120.2	8.00	39.0	< 8.0	< 39.	TO-15	12/18/08	40
Methylene Chloride	75-09-2	84.9	8.00	28.0	< 8.0	< 28.	TO-15	12/18/08	40

RDL1 = ppbv , RDL2 = ug/m3

Note:

Units are based on (STP) - Standard Temperature and Pressure

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 12/23/08 14:20 Printed: 12/23/08 14:20



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 142227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : SV-1
Collected By : Steven Leitten
Collection Date : 12/12/08 16:50

ESC Sample # : L379821-01

Site ID : FORMER OUR CLEANERS

Project # : B1585

Parameter	Cas#	Mol Wght	RDL1	RDL2	ppbv	ug/m3	Method	Date	Dil.
Methyl Butyl Ketone	591-78-6	100	50.0	200.	< 50.	< 200	TO-15	12/18/08	40
2-Butanone (MEK)	78-93-3	72.1	50.0	150.	< 50.	< 150	TO-15	12/18/08	40
4-Methyl-2-pentanone (MIBK)	108-10-1	100.1	50.0	200.	< 50.	< 200	TO-15	12/18/08	40
Methyl methacrylate	80-62-6	100.12	8.00	33.0	< 8.0	< 33.	TO-15	12/18/08	40
MTBE	1634-04-4	88.1	8.00	29.0	< 8.0	< 29.	TO-15	12/18/08	40
Naphthalene	91-20-3	128	8.00	42.0	< 8.0	< 42.	TO-15	12/18/08	40
2-Propanol	67-63-0	60.1	50.0	120.	< 50.	< 120	TO-15	12/18/08	40
Propene	115-07-1	42.1	16.0	28.0	< 16.	< 28.	TO-15	12/18/08	40
Styrene	100-42-5	104	8.00	34.0	< 8.0	< 34.	TO-15	12/18/08	40
1,1,2,2-Tetrachloroethane	79-34-5	168	8.00	55.0	< 8.0	< 55.	TO-15	12/18/08	40
Tetrachloroethylene	127-18-4	166	8.00	54.0	760	5200	TO-15	12/18/08	40
Tetrahydrofuran	109-99-9	72.1	8.00	24.0	< 8.0	< 24.	TO-15	12/18/08	40
Toluene	108-88-3	92.1	8.00	30.0	< 8.0	< 30.	TO-15	12/18/08	40
1,2,4-Trichlorobenzene	120-82-1	181	25.2	190.	< 25.	< 190	TO-15	12/18/08	40
1,1,1-Trichloroethane	71-55-6	133	8.00	44.0	< 8.0	< 44.	TO-15	12/18/08	40
1,1,2-Trichloroethane	79-00-5	133	8.00	44.0	< 8.0	< 44.	TO-15	12/18/08	40
Trichloroethylene	79-01-6	131	8.00	43.0	< 8.0	< 43.	TO-15	12/18/08	40
1,2,4-Trimethylbenzene	95-63-6	120	8.00	39.0	< 8.0	< 39.	TO-15	12/18/08	40
1,3,5-Trimethylbenzene	108-67-8	120	8.00	39.0	< 8.0	< 39.	TO-15	12/18/08	40
2,2,4-Trimethylpentane	540-84-1	114.22	8.00	37.0	< 8.0	< 37.	TO-15	12/18/08	40
Vinyl chloride	75-01-4	62.5	8.00	20.0	< 8.0	< 20.	TO-15	12/18/08	40
Vinyl Bromide	593-60-2	106.95	8.00	35.0	< 8.0	< 35.	TO-15	12/18/08	40
Vinyl acetate	108-05-4	86.1	8.00	28.0	< 8.0	< 28.	TO-15	12/18/08	40
m&p-Xylene	1330-20-7	106	16.0	69.0	< 16.	< 69.	TO-15	12/18/08	40
o-Xylene	95-47-6	106	8.00	35.0	< 8.0	< 35.	TO-15	12/18/08	40

RDL1 = ppbv , RDL2 = ug/m3

Note:

Units are based on (STP) - Standard Temperature and Pressure

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 12/23/08 14:20 Printed: 12/23/08 14:20



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 142227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : SV-2
Collected By : Steven Leitten
Collection Date : 12/12/08 16:50

ESC Sample # : L379821-02

Site ID : FORMER OUR CLEANERS

Project # : B1585

Parameter	Cas#	Mol Wght	RDL1	RDL2	ppbv	ug/m3	Method	Date	Dil.
Volatile Organics									
Acetone	67-64-1	58.1	50.0	120.	< 50.	< 120	TO-15	12/18/08	40
Allyl chloride	107-05-1	76.53	8.00	25.0	< 8.0	< 25.	TO-15	12/18/08	40
Benzene	71-43-2	78.1	8.00	26.0	< 8.0	< 26.	TO-15	12/18/08	40
Benzyl Chloride	100-44-7	127	8.00	42.0	< 8.0	< 42.	TO-15	12/18/08	40
Bromodichloromethane	75-27-4	164	8.00	54.0	< 8.0	< 54.	TO-15	12/18/08	40
Bromoform	75-25-2	253	24.0	250.	< 24.	< 250	TO-15	12/18/08	40
Bromomethane	74-83-9	94.9	8.00	31.0	< 8.0	< 31.	TO-15	12/18/08	40
1,3-Butadiene	106-99-0	54.1	80.0	180.	< 80.	< 180	TO-15	12/18/08	40
tert-Butyl alcohol	75-65-0	74.12	8.00	24.0	< 8.0	< 24.	TO-15	12/18/08	40
Carbon disulfide	75-15-0	76.1	8.00	25.0	< 8.0	< 25.	TO-15	12/18/08	40
Carbon tetrachloride	56-23-5	154	8.00	50.0	< 8.0	< 50.	TO-15	12/18/08	40
Chlorobenzene	108-90-7	113	8.00	37.0	< 8.0	< 37.	TO-15	12/18/08	40
Chloroethane	75-00-3	64.5	8.00	21.0	< 8.0	< 21.	TO-15	12/18/08	40
Chloroform	67-66-3	119	8.00	39.0	< 8.0	< 39.	TO-15	12/18/08	40
Chloromethane	74-87-3	50.5	8.00	17.0	< 8.0	< 17.	TO-15	12/18/08	40
2-Chlorotoluene	95-49-8	126	8.00	41.0	< 8.0	< 41.	TO-15	12/18/08	40
Cyclohexane	110-82-7	84.2	8.00	28.0	< 8.0	< 28.	TO-15	12/18/08	40
Dibromochloromethane	124-48-1	208	8.00	68.0	< 8.0	< 68.	TO-15	12/18/08	40
1,2-Dibromoethane	106-93-4	188	8.00	62.0	< 8.0	< 62.	TO-15	12/18/08	40
1,2-Dichlorobenzene	95-50-1	147	8.00	48.0	< 8.0	< 48.	TO-15	12/18/08	40
1,3-Dichlorobenzene	541-73-1	147	8.00	48.0	< 8.0	< 48.	TO-15	12/18/08	40
1,4-Dichlorobenzene	106-46-7	147	8.00	48.0	< 8.0	< 48.	TO-15	12/18/08	40
1,2-Dichloroethane	107-06-2	99	8.00	32.0	< 8.0	< 32.	TO-15	12/18/08	40
1,1-Dichloroethane	75-34-3	98	8.00	32.0	< 8.0	< 32.	TO-15	12/18/08	40
1,1-Dichloroethene	75-35-4	96.9	8.00	32.0	< 8.0	< 32.	TO-15	12/18/08	40
cis-1,2-Dichloroethene	156-59-2	96.9	8.00	32.0	< 8.0	< 32.	TO-15	12/18/08	40
trans-1,2-Dichloroethene	156-60-5	96.9	8.00	32.0	< 8.0	< 32.	TO-15	12/18/08	40
1,2-Dichloropropane	78-87-5	113	8.00	37.0	< 8.0	< 37.	TO-15	12/18/08	40
cis-1,3-Dichloropropene	10061-01-5	111	8.00	36.0	< 8.0	< 36.	TO-15	12/18/08	40
trans-1,3-Dichloropropene	10061-02-6	111	8.00	36.0	< 8.0	< 36.	TO-15	12/18/08	40
1,4-Dioxane	123-91-1	88.1	8.00	29.0	< 8.0	< 29.	TO-15	12/18/08	40
Ethanol	64-17-5	46.1	25.2	48.0	< 25.	< 48.	TO-15	12/18/08	40
Ethylbenzene	100-41-4	106	8.00	35.0	< 8.0	< 35.	TO-15	12/18/08	40
4-Ethyltoluene	622-96-8	120	8.00	39.0	< 8.0	< 39.	TO-15	12/18/08	40
Trichlorofluoromethane	75-69-4	137.4	8.00	45.0	37.	210	TO-15	12/18/08	40
Dichlorodifluoromethane	75-71-8	120.92	160.	790.	4000	20000	TO-15	12/18/08	800
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	8.00	61.0	< 8.0	< 61.	TO-15	12/18/08	40
1,2-Dichlorotetrafluoroethane	76-14-2	171	8.00	56.0	< 8.0	< 56.	TO-15	12/18/08	40
Heptane	142-82-5	100	8.00	33.0	< 8.0	< 33.	TO-15	12/18/08	40
Hexachloro-1,3-butadiene	87-68-3	261	25.2	270.	< 25.	< 270	TO-15	12/18/08	40
n-Hexane	110-54-3	86.2	25.2	89.0	< 25.	< 89.	TO-15	12/18/08	40
Isopropylbenzene	98-82-8	120.2	8.00	39.0	< 8.0	< 39.	TO-15	12/18/08	40
Methylene Chloride	75-09-2	84.9	8.00	28.0	< 8.0	< 28.	TO-15	12/18/08	40

RDL1 = ppbv , RDL2 = ug/m3

Note:

Units are based on (STP) - Standard Temperature and Pressure

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 12/23/08 14:20 Printed: 12/23/08 14:20



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 142227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : SV-2
Collected By : Steven Leitten
Collection Date : 12/12/08 16:50

ESC Sample # : L379821-02

Site ID : FORMER OUR CLEANERS

Project # : B1585

Parameter	Cas#	Mol Wght	RDL1	RDL2	ppbv	ug/m3	Method	Date	Dil.
Methyl Butyl Ketone	591-78-6	100	50.0	200.	< 50.	< 200	TO-15	12/18/08	40
2-Butanone (MEK)	78-93-3	72.1	50.0	150.	< 50.	< 150	TO-15	12/18/08	40
4-Methyl-2-pentanone (MIBK)	108-10-1	100.1	50.0	200.	< 50.	< 200	TO-15	12/18/08	40
Methyl methacrylate	80-62-6	100.12	8.00	33.0	< 8.0	< 33.	TO-15	12/18/08	40
MTBE	1634-04-4	88.1	8.00	29.0	< 8.0	< 29.	TO-15	12/18/08	40
Naphthalene	91-20-3	128	8.00	42.0	< 8.0	< 42.	TO-15	12/18/08	40
2-Propanol	67-63-0	60.1	50.0	120.	< 50.	< 120	TO-15	12/18/08	40
Propene	115-07-1	42.1	16.0	28.0	< 16.	< 28.	TO-15	12/18/08	40
Styrene	100-42-5	104	8.00	34.0	< 8.0	< 34.	TO-15	12/18/08	40
1,1,2,2-Tetrachloroethane	79-34-5	168	8.00	55.0	< 8.0	< 55.	TO-15	12/18/08	40
Tetrachloroethylene	127-18-4	166	8.00	54.0	220	1500	TO-15	12/18/08	40
Tetrahydrofuran	109-99-9	72.1	8.00	24.0	< 8.0	< 24.	TO-15	12/18/08	40
Toluene	108-88-3	92.1	8.00	30.0	28.	110	TO-15	12/18/08	40
1,2,4-Trichlorobenzene	120-82-1	181	25.2	190.	< 25.	< 190	TO-15	12/18/08	40
1,1,1-Trichloroethane	71-55-6	133	8.00	44.0	< 8.0	< 44.	TO-15	12/18/08	40
1,1,2-Trichloroethane	79-00-5	133	8.00	44.0	< 8.0	< 44.	TO-15	12/18/08	40
Trichloroethylene	79-01-6	131	8.00	43.0	< 8.0	< 43.	TO-15	12/18/08	40
1,2,4-Trimethylbenzene	95-63-6	120	8.00	39.0	< 8.0	< 39.	TO-15	12/18/08	40
1,3,5-Trimethylbenzene	108-67-8	120	8.00	39.0	< 8.0	< 39.	TO-15	12/18/08	40
2,2,4-Trimethylpentane	540-84-1	114.22	8.00	37.0	< 8.0	< 37.	TO-15	12/18/08	40
Vinyl chloride	75-01-4	62.5	8.00	20.0	< 8.0	< 20.	TO-15	12/18/08	40
Vinyl Bromide	593-60-2	106.95	8.00	35.0	< 8.0	< 35.	TO-15	12/18/08	40
Vinyl acetate	108-05-4	86.1	8.00	28.0	< 8.0	< 28.	TO-15	12/18/08	40
m&p-Xylene	1330-20-7	106	16.0	69.0	22.	95.	TO-15	12/18/08	40
o-Xylene	95-47-6	106	8.00	35.0	< 8.0	< 35.	TO-15	12/18/08	40

RDL1 = ppbv , RDL2 = ug/m3

Note:

Units are based on (STP) - Standard Temperature and Pressure

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 12/23/08 14:20 Printed: 12/23/08 14:20



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 142227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : SV-3
Collected By : Steven Leitten
Collection Date : 12/12/08 16:50

ESC Sample # : L379821-03

Site ID : FORMER OUR CLEANERS

Project # : B1585

Parameter	Cas#	Mol Wght	RDL1	RDL2	ppbv	ug/m3	Method	Date	Dil.
Volatile Organics									
Acetone	67-64-1	58.1	25.0	59.0	< 25.	< 59.	TO-15	12/18/08	20
Allyl chloride	107-05-1	76.53	4.00	13.0	< 4.0	< 13.	TO-15	12/18/08	20
Benzene	71-43-2	78.1	4.00	13.0	< 4.0	< 13.	TO-15	12/18/08	20
Benzyl Chloride	100-44-7	127	4.00	21.0	< 4.0	< 21.	TO-15	12/18/08	20
Bromodichloromethane	75-27-4	164	4.00	27.0	< 4.0	< 27.	TO-15	12/18/08	20
Bromoform	75-25-2	253	12.0	120.	< 12.	< 120	TO-15	12/18/08	20
Bromomethane	74-83-9	94.9	4.00	16.0	< 4.0	< 16.	TO-15	12/18/08	20
1,3-Butadiene	106-99-0	54.1	40.0	89.0	< 40.	< 89.	TO-15	12/18/08	20
tert-Butyl alcohol	75-65-0	74.12	4.00	12.0	< 4.0	< 12.	TO-15	12/18/08	20
Carbon disulfide	75-15-0	76.1	4.00	12.0	< 4.0	< 12.	TO-15	12/18/08	20
Carbon tetrachloride	56-23-5	154	4.00	25.0	< 4.0	< 25.	TO-15	12/18/08	20
Chlorobenzene	108-90-7	113	4.00	18.0	< 4.0	< 18.	TO-15	12/18/08	20
Chloroethane	75-00-3	64.5	4.00	11.0	< 4.0	< 11.	TO-15	12/18/08	20
Chloroform	67-66-3	119	4.00	19.0	< 4.0	< 19.	TO-15	12/18/08	20
Chloromethane	74-87-3	50.5	4.00	8.30	< 4.0	< 8.3	TO-15	12/18/08	20
2-Chlorotoluene	95-49-8	126	4.00	21.0	< 4.0	< 21.	TO-15	12/18/08	20
Cyclohexane	110-82-7	84.2	4.00	14.0	47.	160	TO-15	12/18/08	20
Dibromochloromethane	124-48-1	208	4.00	34.0	< 4.0	< 34.	TO-15	12/18/08	20
1,2-Dibromoethane	106-93-4	188	4.00	31.0	< 4.0	< 31.	TO-15	12/18/08	20
1,2-Dichlorobenzene	95-50-1	147	4.00	24.0	< 4.0	< 24.	TO-15	12/18/08	20
1,3-Dichlorobenzene	541-73-1	147	4.00	24.0	< 4.0	< 24.	TO-15	12/18/08	20
1,4-Dichlorobenzene	106-46-7	147	4.00	24.0	< 4.0	< 24.	TO-15	12/18/08	20
1,2-Dichloroethane	107-06-2	99	4.00	16.0	< 4.0	< 16.	TO-15	12/18/08	20
1,1-Dichloroethane	75-34-3	98	4.00	16.0	< 4.0	< 16.	TO-15	12/18/08	20
1,1-Dichloroethene	75-35-4	96.9	4.00	16.0	< 4.0	< 16.	TO-15	12/18/08	20
cis-1,2-Dichloroethene	156-59-2	96.9	4.00	16.0	< 4.0	< 16.	TO-15	12/18/08	20
trans-1,2-Dichloroethene	156-60-5	96.9	4.00	16.0	< 4.0	< 16.	TO-15	12/18/08	20
1,2-Dichloropropane	78-87-5	113	4.00	18.0	< 4.0	< 18.	TO-15	12/18/08	20
cis-1,3-Dichloropropene	10061-01-5	111	4.00	18.0	< 4.0	< 18.	TO-15	12/18/08	20
trans-1,3-Dichloropropene	10061-02-6	111	4.00	18.0	< 4.0	< 18.	TO-15	12/18/08	20
1,4-Dioxane	123-91-1	88.1	4.00	14.0	< 4.0	< 14.	TO-15	12/18/08	20
Ethanol	64-17-5	46.1	12.6	24.0	41.	77.	TO-15	12/18/08	20
Ethylbenzene	100-41-4	106	4.00	17.0	5.0	22.	TO-15	12/18/08	20
4-Ethyltoluene	622-96-8	120	4.00	20.0	< 4.0	< 20.	TO-15	12/18/08	20
Trichlorofluoromethane	75-69-4	137.4	4.00	22.0	< 4.0	< 22.	TO-15	12/18/08	20
Dichlorodifluoromethane	75-71-8	120.92	4.00	20.0	< 4.0	< 20.	TO-15	12/18/08	20
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	4.00	31.0	< 4.0	< 31.	TO-15	12/18/08	20
1,2-Dichlorotetrafluoroethane	76-14-2	171	4.00	28.0	< 4.0	< 28.	TO-15	12/18/08	20
Heptane	142-82-5	100	4.00	16.0	9.8	40.	TO-15	12/18/08	20
Hexachloro-1,3-butadiene	87-68-3	261	12.6	130.	< 13.	< 130	TO-15	12/18/08	20
n-Hexane	110-54-3	86.2	12.6	44.0	17.	60.	TO-15	12/18/08	20
Isopropylbenzene	98-82-8	120.2	4.00	20.0	< 4.0	< 20.	TO-15	12/18/08	20
Methylene Chloride	75-09-2	84.9	4.00	14.0	< 4.0	< 14.	TO-15	12/18/08	20

RDL1 = ppbv , RDL2 = ug/m3

Note:

Units are based on (STP) - Standard Temperature and Pressure

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 12/23/08 14:20 Printed: 12/23/08 14:20



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 142227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : SV-3
Collected By : Steven Leitten
Collection Date : 12/12/08 16:50

ESC Sample # : L379821-03

Site ID : FORMER OUR CLEANERS

Project # : B1585

Parameter	Cas#	Mol Wght	RDL1	RDL2	ppbv	ug/m3	Method	Date	Dil.
Methyl Butyl Ketone	591-78-6	100	25.0	100.	< 25.	< 100	TO-15	12/18/08	20
2-Butanone (MEK)	78-93-3	72.1	25.0	74.0	< 25.	< 74.	TO-15	12/18/08	20
4-Methyl-2-pentanone (MIBK)	108-10-1	100.1	25.0	100.	< 25.	< 100	TO-15	12/18/08	20
Methyl methacrylate	80-62-6	100.12	4.00	16.0	< 4.0	< 16.	TO-15	12/18/08	20
MTBE	1634-04-4	88.1	4.00	14.0	< 4.0	< 14.	TO-15	12/18/08	20
Naphthalene	91-20-3	128	4.00	21.0	< 4.0	< 21.	TO-15	12/18/08	20
2-Propanol	67-63-0	60.1	25.0	61.0	< 25.	< 61.	TO-15	12/18/08	20
Propene	115-07-1	42.1	8.00	14.0	< 8.0	< 14.	TO-15	12/18/08	20
Styrene	100-42-5	104	4.00	17.0	< 4.0	< 17.	TO-15	12/18/08	20
1,1,2,2-Tetrachloroethane	79-34-5	168	4.00	27.0	< 4.0	< 27.	TO-15	12/18/08	20
Tetrachloroethylene	127-18-4	166	4.00	27.0	< 4.0	< 27.	TO-15	12/18/08	20
Tetrahydrofuran	109-99-9	72.1	4.00	12.0	< 4.0	< 12.	TO-15	12/18/08	20
Toluene	108-88-3	92.1	4.00	15.0	21.	79.	TO-15	12/18/08	20
1,2,4-Trichlorobenzene	120-82-1	181	12.6	93.0	< 13.	< 93.	TO-15	12/18/08	20
1,1,1-Trichloroethane	71-55-6	133	4.00	22.0	< 4.0	< 22.	TO-15	12/18/08	20
1,1,2-Trichloroethane	79-00-5	133	4.00	22.0	< 4.0	< 22.	TO-15	12/18/08	20
Trichloroethylene	79-01-6	131	4.00	21.0	< 4.0	< 21.	TO-15	12/18/08	20
1,2,4-Trimethylbenzene	95-63-6	120	4.00	20.0	< 4.0	< 20.	TO-15	12/18/08	20
1,3,5-Trimethylbenzene	108-67-8	120	4.00	20.0	< 4.0	< 20.	TO-15	12/18/08	20
2,2,4-Trimethylpentane	540-84-1	114.22	4.00	19.0	< 4.0	< 19.	TO-15	12/18/08	20
Vinyl chloride	75-01-4	62.5	4.00	10.0	< 4.0	< 10.	TO-15	12/18/08	20
Vinyl Bromide	593-60-2	106.95	4.00	17.0	< 4.0	< 17.	TO-15	12/18/08	20
Vinyl acetate	108-05-4	86.1	4.00	14.0	< 4.0	< 14.	TO-15	12/18/08	20
m&p-Xylene	1330-20-7	106	8.00	35.0	15.	65.	TO-15	12/18/08	20
o-Xylene	95-47-6	106	4.00	17.0	6.4	28.	TO-15	12/18/08	20

RDL1 = ppbv , RDL2 = ug/m3

Note:

Units are based on (STP) - Standard Temperature and Pressure

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 12/23/08 14:20 Printed: 12/23/08 14:20



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 142227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : SV-5
Collected By : Steven Leitten
Collection Date : 12/12/08 16:50

ESC Sample # : L379821-04

Site ID : FORMER OUR CLEANERS

Project # : B1585

Parameter	Cas#	Mol Wght	RDL1	RDL2	ppbv	ug/m3	Method	Date	Dil.
Volatile Organics									
Acetone	67-64-1	58.1	2.50	5.90	6.3	15.	TO-15	12/18/08	2
Allyl chloride	107-05-1	76.53	0.400	1.30	< 0.40	< 1.3	TO-15	12/18/08	2
Benzene	71-43-2	78.1	0.400	1.30	< 0.40	< 1.3	TO-15	12/18/08	2
Benzyl Chloride	100-44-7	127	0.400	2.10	< 0.40	< 2.1	TO-15	12/18/08	2
Bromodichloromethane	75-27-4	164	0.400	2.70	< 0.40	< 2.7	TO-15	12/18/08	2
Bromoform	75-25-2	253	1.20	12.0	< 1.2	< 12.	TO-15	12/18/08	2
Bromomethane	74-83-9	94.9	0.400	1.60	< 0.40	< 1.6	TO-15	12/18/08	2
1,3-Butadiene	106-99-0	54.1	4.00	8.90	< 4.0	< 8.9	TO-15	12/18/08	2
tert-Butyl alcohol	75-65-0	74.12	0.400	1.20	< 0.40	< 1.2	TO-15	12/18/08	2
Carbon disulfide	75-15-0	76.1	0.400	1.20	< 0.40	< 1.2	TO-15	12/18/08	2
Carbon tetrachloride	56-23-5	154	0.400	2.50	< 0.40	< 2.5	TO-15	12/18/08	2
Chlorobenzene	108-90-7	113	0.400	1.80	< 0.40	< 1.8	TO-15	12/18/08	2
Chloroethane	75-00-3	64.5	0.400	1.10	< 0.40	< 1.1	TO-15	12/18/08	2
Chloroform	67-66-3	119	0.400	1.90	< 0.40	< 1.9	TO-15	12/18/08	2
Chloromethane	74-87-3	50.5	0.400	0.830	0.40	0.83	TO-15	12/18/08	2
2-Chlorotoluene	95-49-8	126	0.400	2.10	< 0.40	< 2.1	TO-15	12/18/08	2
Cyclohexane	110-82-7	84.2	0.400	1.40	< 0.40	< 1.4	TO-15	12/18/08	2
Dibromochloromethane	124-48-1	208	0.400	3.40	< 0.40	< 3.4	TO-15	12/18/08	2
1,2-Dibromoethane	106-93-4	188	0.400	3.10	< 0.40	< 3.1	TO-15	12/18/08	2
1,2-Dichlorobenzene	95-50-1	147	0.400	2.40	< 0.40	< 2.4	TO-15	12/18/08	2
1,3-Dichlorobenzene	541-73-1	147	0.400	2.40	< 0.40	< 2.4	TO-15	12/18/08	2
1,4-Dichlorobenzene	106-46-7	147	0.400	2.40	< 0.40	< 2.4	TO-15	12/18/08	2
1,2-Dichloroethane	107-06-2	99	0.400	1.60	< 0.40	< 1.6	TO-15	12/18/08	2
1,1-Dichloroethane	75-34-3	98	0.400	1.60	< 0.40	< 1.6	TO-15	12/18/08	2
1,1-Dichloroethene	75-35-4	96.9	0.400	1.60	< 0.40	< 1.6	TO-15	12/18/08	2
cis-1,2-Dichloroethene	156-59-2	96.9	0.400	1.60	< 0.40	< 1.6	TO-15	12/18/08	2
trans-1,2-Dichloroethene	156-60-5	96.9	0.400	1.60	< 0.40	< 1.6	TO-15	12/18/08	2
1,2-Dichloropropane	78-87-5	113	0.400	1.80	< 0.40	< 1.8	TO-15	12/18/08	2
cis-1,3-Dichloropropene	10061-01-5	111	0.400	1.80	< 0.40	< 1.8	TO-15	12/18/08	2
trans-1,3-Dichloropropene	10061-02-6	111	0.400	1.80	< 0.40	< 1.8	TO-15	12/18/08	2
1,4-Dioxane	123-91-1	88.1	0.400	1.40	< 0.40	< 1.4	TO-15	12/18/08	2
Ethanol	64-17-5	46.1	1.26	2.40	40.	75.	TO-15	12/18/08	2
Ethylbenzene	100-41-4	106	0.400	1.70	< 0.40	< 1.7	TO-15	12/18/08	2
4-Ethyltoluene	622-96-8	120	0.400	2.00	< 0.40	< 2.0	TO-15	12/18/08	2
Trichlorofluoromethane	75-69-4	137.4	0.400	2.20	< 0.40	< 2.2	TO-15	12/18/08	2
Dichlorodifluoromethane	75-71-8	120.92	0.400	2.00	0.62	3.1	TO-15	12/18/08	2
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	0.400	3.10	< 0.40	< 3.1	TO-15	12/18/08	2
1,2-Dichlorotetrafluoroethane	76-14-2	171	0.400	2.80	< 0.40	< 2.8	TO-15	12/18/08	2
Heptane	142-82-5	100	0.400	1.60	2.3	9.4	TO-15	12/18/08	2
Hexachloro-1,3-butadiene	87-68-3	261	1.26	13.0	< 1.3	< 13.	TO-15	12/18/08	2
n-Hexane	110-54-3	86.2	1.26	4.40	1.6	5.6	TO-15	12/18/08	2
Isopropylbenzene	98-82-8	120.2	0.400	2.00	< 0.40	< 2.0	TO-15	12/18/08	2
Methylene Chloride	75-09-2	84.9	0.400	1.40	0.48	1.7	TO-15	12/18/08	2

RDL1 = ppbv , RDL2 = ug/m3

Note:

Units are based on (STP) - Standard Temperature and Pressure

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 12/23/08 14:20 Printed: 12/23/08 14:20



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 142227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : SV-5
Collected By : Steven Leitten
Collection Date : 12/12/08 16:50

ESC Sample # : L379821-04

Site ID : FORMER OUR CLEANERS

Project # : B1585

Parameter	Cas#	Mol Wght	RDL1	RDL2	ppbv	ug/m3	Method	Date	Dil.
Methyl Butyl Ketone	591-78-6	100	2.50	10.0	< 2.5	< 10.	TO-15	12/18/08	2
2-Butanone (MEK)	78-93-3	72.1	2.50	7.40	< 2.5	< 7.4	TO-15	12/18/08	2
4-Methyl-2-pentanone (MIBK)	108-10-1	100.1	2.50	10.0	< 2.5	< 10.	TO-15	12/18/08	2
Methyl methacrylate	80-62-6	100.12	0.400	1.60	< 0.40	< 1.6	TO-15	12/18/08	2
MTBE	1634-04-4	88.1	0.400	1.40	< 0.40	< 1.4	TO-15	12/18/08	2
Naphthalene	91-20-3	128	0.400	2.10	< 0.40	< 2.1	TO-15	12/18/08	2
2-Propanol	67-63-0	60.1	2.50	6.10	3.0	7.4	TO-15	12/18/08	2
Propene	115-07-1	42.1	0.800	1.40	< 0.80	< 1.4	TO-15	12/18/08	2
Styrene	100-42-5	104	0.400	1.70	< 0.40	< 1.7	TO-15	12/18/08	2
1,1,2,2-Tetrachloroethane	79-34-5	168	0.400	2.70	< 0.40	< 2.7	TO-15	12/18/08	2
Tetrachloroethylene	127-18-4	166	0.400	2.70	< 0.40	< 2.7	TO-15	12/18/08	2
Tetrahydrofuran	109-99-9	72.1	0.400	1.20	< 0.40	< 1.2	TO-15	12/18/08	2
Toluene	108-88-3	92.1	0.400	1.50	3.1	12.	TO-15	12/18/08	2
1,2,4-Trichlorobenzene	120-82-1	181	1.26	9.30	< 1.3	< 9.3	TO-15	12/18/08	2
1,1,1-Trichloroethane	71-55-6	133	0.400	2.20	< 0.40	< 2.2	TO-15	12/18/08	2
1,1,2-Trichloroethane	79-00-5	133	0.400	2.20	< 0.40	< 2.2	TO-15	12/18/08	2
Trichloroethylene	79-01-6	131	0.400	2.10	< 0.40	< 2.1	TO-15	12/18/08	2
1,2,4-Trimethylbenzene	95-63-6	120	0.400	2.00	< 0.40	< 2.0	TO-15	12/18/08	2
1,3,5-Trimethylbenzene	108-67-8	120	0.400	2.00	< 0.40	< 2.0	TO-15	12/18/08	2
2,2,4-Trimethylpentane	540-84-1	114.22	0.400	1.90	< 0.40	< 1.9	TO-15	12/18/08	2
Vinyl chloride	75-01-4	62.5	0.400	1.00	< 0.40	< 1.0	TO-15	12/18/08	2
Vinyl Bromide	593-60-2	106.95	0.400	1.70	< 0.40	< 1.7	TO-15	12/18/08	2
Vinyl acetate	108-05-4	86.1	0.400	1.40	< 0.40	< 1.4	TO-15	12/18/08	2
m&p-Xylene	1330-20-7	106	0.800	3.50	1.6	6.9	TO-15	12/18/08	2
o-Xylene	95-47-6	106	0.400	1.70	0.48	2.1	TO-15	12/18/08	2

RDL1 = ppbv , RDL2 = ug/m3

Note:

Units are based on (STP) - Standard Temperature and Pressure

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 12/23/08 14:20 Printed: 12/23/08 14:20



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 142227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : SV-6
Collected By : Steven Leitten
Collection Date : 12/12/08 16:50

ESC Sample # : L379821-05

Site ID : FORMER OUR CLEANERS

Project # : B1585

Parameter	Cas#	Mol Wght	RDL1	RDL2	ppbv	ug/m3	Method	Date	Dil.
Volatile Organics									
Acetone	67-64-1	58.1	2.50	5.90	7.2	17.	TO-15	12/18/08	2
Allyl chloride	107-05-1	76.53	0.400	1.30	< 0.40	< 1.3	TO-15	12/18/08	2
Benzene	71-43-2	78.1	0.400	1.30	0.40	1.3	TO-15	12/18/08	2
Benzyl Chloride	100-44-7	127	0.400	2.10	< 0.40	< 2.1	TO-15	12/18/08	2
Bromodichloromethane	75-27-4	164	0.400	2.70	< 0.40	< 2.7	TO-15	12/18/08	2
Bromoform	75-25-2	253	1.20	12.0	< 1.2	< 12.	TO-15	12/18/08	2
Bromomethane	74-83-9	94.9	0.400	1.60	< 0.40	< 1.6	TO-15	12/18/08	2
1,3-Butadiene	106-99-0	54.1	4.00	8.90	< 4.0	< 8.9	TO-15	12/18/08	2
tert-Butyl alcohol	75-65-0	74.12	0.400	1.20	< 0.40	< 1.2	TO-15	12/18/08	2
Carbon disulfide	75-15-0	76.1	0.400	1.20	< 0.40	< 1.2	TO-15	12/18/08	2
Carbon tetrachloride	56-23-5	154	0.400	2.50	< 0.40	< 2.5	TO-15	12/18/08	2
Chlorobenzene	108-90-7	113	0.400	1.80	< 0.40	< 1.8	TO-15	12/18/08	2
Chloroethane	75-00-3	64.5	0.400	1.10	< 0.40	< 1.1	TO-15	12/18/08	2
Chloroform	67-66-3	119	0.400	1.90	< 0.40	< 1.9	TO-15	12/18/08	2
Chloromethane	74-87-3	50.5	0.400	0.830	0.48	0.99	TO-15	12/18/08	2
2-Chlorotoluene	95-49-8	126	0.400	2.10	< 0.40	< 2.1	TO-15	12/18/08	2
Cyclohexane	110-82-7	84.2	0.400	1.40	< 0.40	< 1.4	TO-15	12/18/08	2
Dibromochloromethane	124-48-1	208	0.400	3.40	< 0.40	< 3.4	TO-15	12/18/08	2
1,2-Dibromoethane	106-93-4	188	0.400	3.10	< 0.40	< 3.1	TO-15	12/18/08	2
1,2-Dichlorobenzene	95-50-1	147	0.400	2.40	< 0.40	< 2.4	TO-15	12/18/08	2
1,3-Dichlorobenzene	541-73-1	147	0.400	2.40	< 0.40	< 2.4	TO-15	12/18/08	2
1,4-Dichlorobenzene	106-46-7	147	0.400	2.40	< 0.40	< 2.4	TO-15	12/18/08	2
1,2-Dichloroethane	107-06-2	99	0.400	1.60	< 0.40	< 1.6	TO-15	12/18/08	2
1,1-Dichloroethane	75-34-3	98	0.400	1.60	< 0.40	< 1.6	TO-15	12/18/08	2
1,1-Dichloroethene	75-35-4	96.9	0.400	1.60	< 0.40	< 1.6	TO-15	12/18/08	2
cis-1,2-Dichloroethene	156-59-2	96.9	0.400	1.60	< 0.40	< 1.6	TO-15	12/18/08	2
trans-1,2-Dichloroethene	156-60-5	96.9	0.400	1.60	< 0.40	< 1.6	TO-15	12/18/08	2
1,2-Dichloropropane	78-87-5	113	0.400	1.80	< 0.40	< 1.8	TO-15	12/18/08	2
cis-1,3-Dichloropropene	10061-01-5	111	0.400	1.80	< 0.40	< 1.8	TO-15	12/18/08	2
trans-1,3-Dichloropropene	10061-02-6	111	0.400	1.80	< 0.40	< 1.8	TO-15	12/18/08	2
1,4-Dioxane	123-91-1	88.1	0.400	1.40	< 0.40	< 1.4	TO-15	12/18/08	2
Ethanol	64-17-5	46.1	1.26	2.40	16.	30.	TO-15	12/18/08	2
Ethylbenzene	100-41-4	106	0.400	1.70	< 0.40	< 1.7	TO-15	12/18/08	2
4-Ethyltoluene	622-96-8	120	0.400	2.00	< 0.40	< 2.0	TO-15	12/18/08	2
Trichlorofluoromethane	75-69-4	137.4	0.400	2.20	< 0.40	< 2.2	TO-15	12/18/08	2
Dichlorodifluoromethane	75-71-8	120.92	0.400	2.00	0.51	2.5	TO-15	12/18/08	2
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	0.400	3.10	< 0.40	< 3.1	TO-15	12/18/08	2
1,2-Dichlorotetrafluoroethane	76-14-2	171	0.400	2.80	< 0.40	< 2.8	TO-15	12/18/08	2
Heptane	142-82-5	100	0.400	1.60	1.1	4.5	TO-15	12/18/08	2
Hexachloro-1,3-butadiene	87-68-3	261	1.26	13.0	< 1.3	< 13.	TO-15	12/18/08	2
n-Hexane	110-54-3	86.2	1.26	4.40	< 1.3	< 4.4	TO-15	12/18/08	2
Isopropylbenzene	98-82-8	120.2	0.400	2.00	< 0.40	< 2.0	TO-15	12/18/08	2
Methylene Chloride	75-09-2	84.9	0.400	1.40	< 0.40	< 1.4	TO-15	12/18/08	2

RDL1 = ppbv , RDL2 = ug/m3

Note:

Units are based on (STP) - Standard Temperature and Pressure

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 12/23/08 14:20 Printed: 12/23/08 14:20



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 142227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : SV-6
Collected By : Steven Leitten
Collection Date : 12/12/08 16:50

ESC Sample # : L379821-05

Site ID : FORMER OUR CLEANERS

Project # : B1585

Parameter	Cas#	Mol Wght	RDL1	RDL2	ppbv	ug/m3	Method	Date	Dil.
Methyl Butyl Ketone	591-78-6	100	2.50	10.0	< 2.5	< 10.	TO-15	12/18/08	2
2-Butanone (MEK)	78-93-3	72.1	2.50	7.40	< 2.5	< 7.4	TO-15	12/18/08	2
4-Methyl-2-pentanone (MIBK)	108-10-1	100.1	2.50	10.0	< 2.5	< 10.	TO-15	12/18/08	2
Methyl methacrylate	80-62-6	100.12	0.400	1.60	< 0.40	< 1.6	TO-15	12/18/08	2
MTBE	1634-04-4	88.1	0.400	1.40	< 0.40	< 1.4	TO-15	12/18/08	2
Naphthalene	91-20-3	128	0.400	2.10	< 0.40	< 2.1	TO-15	12/18/08	2
2-Propanol	67-63-0	60.1	2.50	6.10	2.5	6.1	TO-15	12/18/08	2
Propene	115-07-1	42.1	0.800	1.40	< 0.80	< 1.4	TO-15	12/18/08	2
Styrene	100-42-5	104	0.400	1.70	< 0.40	< 1.7	TO-15	12/18/08	2
1,1,2,2-Tetrachloroethane	79-34-5	168	0.400	2.70	< 0.40	< 2.7	TO-15	12/18/08	2
Tetrachloroethylene	127-18-4	166	0.400	2.70	< 0.40	< 2.7	TO-15	12/18/08	2
Tetrahydrofuran	109-99-9	72.1	0.400	1.20	< 0.40	< 1.2	TO-15	12/18/08	2
Toluene	108-88-3	92.1	0.400	1.50	1.4	5.3	TO-15	12/18/08	2
1,2,4-Trichlorobenzene	120-82-1	181	1.26	9.30	< 1.3	< 9.3	TO-15	12/18/08	2
1,1,1-Trichloroethane	71-55-6	133	0.400	2.20	< 0.40	< 2.2	TO-15	12/18/08	2
1,1,2-Trichloroethane	79-00-5	133	0.400	2.20	< 0.40	< 2.2	TO-15	12/18/08	2
Trichloroethylene	79-01-6	131	0.400	2.10	< 0.40	< 2.1	TO-15	12/18/08	2
1,2,4-Trimethylbenzene	95-63-6	120	0.400	2.00	< 0.40	< 2.0	TO-15	12/18/08	2
1,3,5-Trimethylbenzene	108-67-8	120	0.400	2.00	< 0.40	< 2.0	TO-15	12/18/08	2
2,2,4-Trimethylpentane	540-84-1	114.22	0.400	1.90	< 0.40	< 1.9	TO-15	12/18/08	2
Vinyl chloride	75-01-4	62.5	0.400	1.00	< 0.40	< 1.0	TO-15	12/18/08	2
Vinyl Bromide	593-60-2	106.95	0.400	1.70	< 0.40	< 1.7	TO-15	12/18/08	2
Vinyl acetate	108-05-4	86.1	0.400	1.40	< 0.40	< 1.4	TO-15	12/18/08	2
m&p-Xylene	1330-20-7	106	0.800	3.50	1.2	5.2	TO-15	12/18/08	2
o-Xylene	95-47-6	106	0.400	1.70	< 0.40	< 1.7	TO-15	12/18/08	2

RDL1 = ppbv , RDL2 = ug/m3

Note:

Units are based on (STP) - Standard Temperature and Pressure

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 12/23/08 14:20 Printed: 12/23/08 14:20



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 142227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : SV-7
Collected By : Steven Leitten
Collection Date : 12/12/08 16:50

ESC Sample # : L379821-06

Site ID : FORMER OUR CLEANERS

Project # : B1585

Parameter	Cas#	Mol Wght	RDL1	RDL2	ppbv	ug/m3	Method	Date	Dil.
Volatile Organics									
Acetone	67-64-1	58.1	2.50	5.90	6.9	16.	TO-15	12/18/08	2
Allyl chloride	107-05-1	76.53	0.400	1.30	< 0.40	< 1.3	TO-15	12/18/08	2
Benzene	71-43-2	78.1	0.400	1.30	< 0.40	< 1.3	TO-15	12/18/08	2
Benzyl Chloride	100-44-7	127	0.400	2.10	< 0.40	< 2.1	TO-15	12/18/08	2
Bromodichloromethane	75-27-4	164	0.400	2.70	< 0.40	< 2.7	TO-15	12/18/08	2
Bromoform	75-25-2	253	1.20	12.0	< 1.2	< 12.	TO-15	12/18/08	2
Bromomethane	74-83-9	94.9	0.400	1.60	< 0.40	< 1.6	TO-15	12/18/08	2
1,3-Butadiene	106-99-0	54.1	4.00	8.90	< 4.0	< 8.9	TO-15	12/18/08	2
tert-Butyl alcohol	75-65-0	74.12	0.400	1.20	< 0.40	< 1.2	TO-15	12/18/08	2
Carbon disulfide	75-15-0	76.1	0.400	1.20	< 0.40	< 1.2	TO-15	12/18/08	2
Carbon tetrachloride	56-23-5	154	0.400	2.50	< 0.40	< 2.5	TO-15	12/18/08	2
Chlorobenzene	108-90-7	113	0.400	1.80	< 0.40	< 1.8	TO-15	12/18/08	2
Chloroethane	75-00-3	64.5	0.400	1.10	< 0.40	< 1.1	TO-15	12/18/08	2
Chloroform	67-66-3	119	0.400	1.90	< 0.40	< 1.9	TO-15	12/18/08	2
Chloromethane	74-87-3	50.5	0.400	0.830	0.47	0.97	TO-15	12/18/08	2
2-Chlorotoluene	95-49-8	126	0.400	2.10	< 0.40	< 2.1	TO-15	12/18/08	2
Cyclohexane	110-82-7	84.2	0.400	1.40	< 0.40	< 1.4	TO-15	12/18/08	2
Dibromochloromethane	124-48-1	208	0.400	3.40	< 0.40	< 3.4	TO-15	12/18/08	2
1,2-Dibromoethane	106-93-4	188	0.400	3.10	< 0.40	< 3.1	TO-15	12/18/08	2
1,2-Dichlorobenzene	95-50-1	147	0.400	2.40	< 0.40	< 2.4	TO-15	12/18/08	2
1,3-Dichlorobenzene	541-73-1	147	0.400	2.40	< 0.40	< 2.4	TO-15	12/18/08	2
1,4-Dichlorobenzene	106-46-7	147	0.400	2.40	< 0.40	< 2.4	TO-15	12/18/08	2
1,2-Dichloroethane	107-06-2	99	0.400	1.60	< 0.40	< 1.6	TO-15	12/18/08	2
1,1-Dichloroethane	75-34-3	98	0.400	1.60	< 0.40	< 1.6	TO-15	12/18/08	2
1,1-Dichloroethene	75-35-4	96.9	0.400	1.60	< 0.40	< 1.6	TO-15	12/18/08	2
cis-1,2-Dichloroethene	156-59-2	96.9	0.400	1.60	< 0.40	< 1.6	TO-15	12/18/08	2
trans-1,2-Dichloroethene	156-60-5	96.9	0.400	1.60	< 0.40	< 1.6	TO-15	12/18/08	2
1,2-Dichloropropane	78-87-5	113	0.400	1.80	< 0.40	< 1.8	TO-15	12/18/08	2
cis-1,3-Dichloropropene	10061-01-5	111	0.400	1.80	< 0.40	< 1.8	TO-15	12/18/08	2
trans-1,3-Dichloropropene	10061-02-6	111	0.400	1.80	< 0.40	< 1.8	TO-15	12/18/08	2
1,4-Dioxane	123-91-1	88.1	0.400	1.40	< 0.40	< 1.4	TO-15	12/18/08	2
Ethanol	64-17-5	46.1	1.26	2.40	8.4	16.	TO-15	12/18/08	2
Ethylbenzene	100-41-4	106	0.400	1.70	< 0.40	< 1.7	TO-15	12/18/08	2
4-Ethyltoluene	622-96-8	120	0.400	2.00	< 0.40	< 2.0	TO-15	12/18/08	2
Trichlorofluoromethane	75-69-4	137.4	0.400	2.20	< 0.40	< 2.2	TO-15	12/18/08	2
Dichlorodifluoromethane	75-71-8	120.92	0.400	2.00	0.54	2.7	TO-15	12/18/08	2
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	0.400	3.10	< 0.40	< 3.1	TO-15	12/18/08	2
1,2-Dichlorotetrafluoroethane	76-14-2	171	0.400	2.80	< 0.40	< 2.8	TO-15	12/18/08	2
Heptane	142-82-5	100	0.400	1.60	0.60	2.5	TO-15	12/18/08	2
Hexachloro-1,3-butadiene	87-68-3	261	1.26	13.0	< 1.3	< 13.	TO-15	12/18/08	2
n-Hexane	110-54-3	86.2	1.26	4.40	< 1.3	< 4.4	TO-15	12/18/08	2
Isopropylbenzene	98-82-8	120.2	0.400	2.00	< 0.40	< 2.0	TO-15	12/18/08	2
Methylene Chloride	75-09-2	84.9	0.400	1.40	< 0.40	< 1.4	TO-15	12/18/08	2

RDL1 = ppbv , RDL2 = ug/m3

Note:

Units are based on (STP) - Standard Temperature and Pressure

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 12/23/08 14:20 Printed: 12/23/08 14:20



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 142227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : SV-7
Collected By : Steven Leitten
Collection Date : 12/12/08 16:50

ESC Sample # : L379821-06

Site ID : FORMER OUR CLEANERS

Project # : B1585

Parameter	Cas#	Mol Wght	RDL1	RDL2	ppbv	ug/m3	Method	Date	Dil.
Methyl Butyl Ketone	591-78-6	100	2.50	10.0	< 2.5	< 10.	TO-15	12/18/08	2
2-Butanone (MEK)	78-93-3	72.1	2.50	7.40	< 2.5	< 7.4	TO-15	12/18/08	2
4-Methyl-2-pentanone (MIBK)	108-10-1	100.1	2.50	10.0	< 2.5	< 10.	TO-15	12/18/08	2
Methyl methacrylate	80-62-6	100.12	0.400	1.60	< 0.40	< 1.6	TO-15	12/18/08	2
MTBE	1634-04-4	88.1	0.400	1.40	< 0.40	< 1.4	TO-15	12/18/08	2
Naphthalene	91-20-3	128	0.400	2.10	< 0.40	< 2.1	TO-15	12/18/08	2
2-Propanol	67-63-0	60.1	2.50	6.10	< 2.5	< 6.1	TO-15	12/18/08	2
Propene	115-07-1	42.1	0.800	1.40	< 0.80	< 1.4	TO-15	12/18/08	2
Styrene	100-42-5	104	0.400	1.70	< 0.40	< 1.7	TO-15	12/18/08	2
1,1,2,2-Tetrachloroethane	79-34-5	168	0.400	2.70	< 0.40	< 2.7	TO-15	12/18/08	2
Tetrachloroethylene	127-18-4	166	0.400	2.70	< 0.40	< 2.7	TO-15	12/18/08	2
Tetrahydrofuran	109-99-9	72.1	0.400	1.20	< 0.40	< 1.2	TO-15	12/18/08	2
Toluene	108-88-3	92.1	0.400	1.50	1.6	6.0	TO-15	12/18/08	2
1,2,4-Trichlorobenzene	120-82-1	181	1.26	9.30	< 1.3	< 9.3	TO-15	12/18/08	2
1,1,1-Trichloroethane	71-55-6	133	0.400	2.20	< 0.40	< 2.2	TO-15	12/18/08	2
1,1,2-Trichloroethane	79-00-5	133	0.400	2.20	< 0.40	< 2.2	TO-15	12/18/08	2
Trichloroethylene	79-01-6	131	0.400	2.10	< 0.40	< 2.1	TO-15	12/18/08	2
1,2,4-Trimethylbenzene	95-63-6	120	0.400	2.00	0.64	3.1	TO-15	12/18/08	2
1,3,5-Trimethylbenzene	108-67-8	120	0.400	2.00	< 0.40	< 2.0	TO-15	12/18/08	2
2,2,4-Trimethylpentane	540-84-1	114.22	0.400	1.90	< 0.40	< 1.9	TO-15	12/18/08	2
Vinyl chloride	75-01-4	62.5	0.400	1.00	< 0.40	< 1.0	TO-15	12/18/08	2
Vinyl Bromide	593-60-2	106.95	0.400	1.70	< 0.40	< 1.7	TO-15	12/18/08	2
Vinyl acetate	108-05-4	86.1	0.400	1.40	< 0.40	< 1.4	TO-15	12/18/08	2
m&p-Xylene	1330-20-7	106	0.800	3.50	1.5	6.5	TO-15	12/18/08	2
o-Xylene	95-47-6	106	0.400	1.70	0.60	2.6	TO-15	12/18/08	2

RDL1 = ppbv , RDL2 = ug/m3

Note:

Units are based on (STP) - Standard Temperature and Pressure

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 12/23/08 14:20 Printed: 12/23/08 14:20



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 142227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : SV-8
Collected By : Steven Leitten
Collection Date : 12/12/08 16:50

ESC Sample # : L379821-07

Site ID : FORMER OUR CLEANERS

Project # : B1585

Parameter	Cas#	Mol Wght	RDL1	RDL2	ppbv	ug/m3	Method	Date	Dil.
Volatile Organics									
Acetone	67-64-1	58.1	2.50	5.90	5.1	12.	TO-15	12/18/08	2
Allyl chloride	107-05-1	76.53	0.400	1.30	< 0.40	< 1.3	TO-15	12/18/08	2
Benzene	71-43-2	78.1	0.400	1.30	0.71	2.3	TO-15	12/18/08	2
Benzyl Chloride	100-44-7	127	0.400	2.10	< 0.40	< 2.1	TO-15	12/18/08	2
Bromodichloromethane	75-27-4	164	0.400	2.70	< 0.40	< 2.7	TO-15	12/18/08	2
Bromoform	75-25-2	253	1.20	12.0	< 1.2	< 12.	TO-15	12/18/08	2
Bromomethane	74-83-9	94.9	0.400	1.60	< 0.40	< 1.6	TO-15	12/18/08	2
1,3-Butadiene	106-99-0	54.1	4.00	8.90	< 4.0	< 8.9	TO-15	12/18/08	2
tert-Butyl alcohol	75-65-0	74.12	0.400	1.20	< 0.40	< 1.2	TO-15	12/18/08	2
Carbon disulfide	75-15-0	76.1	0.400	1.20	1.1	3.4	TO-15	12/18/08	2
Carbon tetrachloride	56-23-5	154	0.400	2.50	< 0.40	< 2.5	TO-15	12/18/08	2
Chlorobenzene	108-90-7	113	0.400	1.80	< 0.40	< 1.8	TO-15	12/18/08	2
Chloroethane	75-00-3	64.5	0.400	1.10	< 0.40	< 1.1	TO-15	12/18/08	2
Chloroform	67-66-3	119	0.400	1.90	3.8	18.	TO-15	12/18/08	2
Chloromethane	74-87-3	50.5	0.400	0.830	< 0.40	< 0.83	TO-15	12/18/08	2
2-Chlorotoluene	95-49-8	126	0.400	2.10	< 0.40	< 2.1	TO-15	12/18/08	2
Cyclohexane	110-82-7	84.2	0.400	1.40	< 0.40	< 1.4	TO-15	12/18/08	2
Dibromochloromethane	124-48-1	208	0.400	3.40	< 0.40	< 3.4	TO-15	12/18/08	2
1,2-Dibromoethane	106-93-4	188	0.400	3.10	< 0.40	< 3.1	TO-15	12/18/08	2
1,2-Dichlorobenzene	95-50-1	147	0.400	2.40	< 0.40	< 2.4	TO-15	12/18/08	2
1,3-Dichlorobenzene	541-73-1	147	0.400	2.40	< 0.40	< 2.4	TO-15	12/18/08	2
1,4-Dichlorobenzene	106-46-7	147	0.400	2.40	< 0.40	< 2.4	TO-15	12/18/08	2
1,2-Dichloroethane	107-06-2	99	0.400	1.60	< 0.40	< 1.6	TO-15	12/18/08	2
1,1-Dichloroethane	75-34-3	98	0.400	1.60	< 0.40	< 1.6	TO-15	12/18/08	2
1,1-Dichloroethene	75-35-4	96.9	0.400	1.60	< 0.40	< 1.6	TO-15	12/18/08	2
cis-1,2-Dichloroethene	156-59-2	96.9	0.400	1.60	< 0.40	< 1.6	TO-15	12/18/08	2
trans-1,2-Dichloroethene	156-60-5	96.9	0.400	1.60	< 0.40	< 1.6	TO-15	12/18/08	2
1,2-Dichloropropane	78-87-5	113	0.400	1.80	< 0.40	< 1.8	TO-15	12/18/08	2
cis-1,3-Dichloropropene	10061-01-5	111	0.400	1.80	< 0.40	< 1.8	TO-15	12/18/08	2
trans-1,3-Dichloropropene	10061-02-6	111	0.400	1.80	< 0.40	< 1.8	TO-15	12/18/08	2
1,4-Dioxane	123-91-1	88.1	0.400	1.40	< 0.40	< 1.4	TO-15	12/18/08	2
Ethanol	64-17-5	46.1	1.26	2.40	21.	40.	TO-15	12/18/08	2
Ethylbenzene	100-41-4	106	0.400	1.70	6.9	30.	TO-15	12/18/08	2
4-Ethyltoluene	622-96-8	120	0.400	2.00	2.3	11.	TO-15	12/18/08	2
Trichlorofluoromethane	75-69-4	137.4	8.00	45.0	410	2300	TO-15	12/22/08	40
Dichlorodifluoromethane	75-71-8	120.92	0.400	2.00	< 0.40	< 2.0	TO-15	12/18/08	2
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	0.400	3.10	< 0.40	< 3.1	TO-15	12/18/08	2
1,2-Dichlorotetrafluoroethane	76-14-2	171	0.400	2.80	< 0.40	< 2.8	TO-15	12/18/08	2
Heptane	142-82-5	100	0.400	1.60	0.80	3.3	TO-15	12/18/08	2
Hexachloro-1,3-butadiene	87-68-3	261	1.26	13.0	< 1.3	< 13.	TO-15	12/18/08	2
n-Hexane	110-54-3	86.2	1.26	4.40	< 1.3	< 4.4	TO-15	12/18/08	2
Isopropylbenzene	98-82-8	120.2	0.400	2.00	0.45	2.2	TO-15	12/18/08	2
Methylene Chloride	75-09-2	84.9	0.400	1.40	< 0.40	< 1.4	TO-15	12/18/08	2

RDL1 = ppbv , RDL2 = ug/m3

Note:

Units are based on (STP) - Standard Temperature and Pressure

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 12/23/08 14:20 Printed: 12/23/08 14:20



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 142227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : SV-8
Collected By : Steven Leitten
Collection Date : 12/12/08 16:50

ESC Sample # : L379821-07

Site ID : FORMER OUR CLEANERS

Project # : B1585

Parameter	Cas#	Mol Wght	RDL1	RDL2	ppbv	ug/m3	Method	Date	Dil.
Methyl Butyl Ketone	591-78-6	100	2.50	10.0	< 2.5	< 10.	TO-15	12/18/08	2
2-Butanone (MEK)	78-93-3	72.1	2.50	7.40	< 2.5	< 7.4	TO-15	12/18/08	2
4-Methyl-2-pentanone (MIBK)	108-10-1	100.1	2.50	10.0	< 2.5	< 10.	TO-15	12/18/08	2
Methyl methacrylate	80-62-6	100.12	0.400	1.60	< 0.40	< 1.6	TO-15	12/18/08	2
MTBE	1634-04-4	88.1	0.400	1.40	< 0.40	< 1.4	TO-15	12/18/08	2
Naphthalene	91-20-3	128	0.400	2.10	< 0.40	< 2.1	TO-15	12/18/08	2
2-Propanol	67-63-0	60.1	2.50	6.10	< 2.5	< 6.1	TO-15	12/18/08	2
Propene	115-07-1	42.1	0.800	1.40	< 0.80	< 1.4	TO-15	12/18/08	2
Styrene	100-42-5	104	0.400	1.70	< 0.40	< 1.7	TO-15	12/18/08	2
1,1,2,2-Tetrachloroethane	79-34-5	168	0.400	2.70	< 0.40	< 2.7	TO-15	12/18/08	2
Tetrachloroethylene	127-18-4	166	0.400	2.70	1.8	12.	TO-15	12/18/08	2
Tetrahydrofuran	109-99-9	72.1	0.400	1.20	< 0.40	< 1.2	TO-15	12/18/08	2
Toluene	108-88-3	92.1	0.400	1.50	20.	75.	TO-15	12/18/08	2
1,2,4-Trichlorobenzene	120-82-1	181	1.26	9.30	< 1.3	< 9.3	TO-15	12/18/08	2
1,1,1-Trichloroethane	71-55-6	133	0.400	2.20	< 0.40	< 2.2	TO-15	12/18/08	2
1,1,2-Trichloroethane	79-00-5	133	0.400	2.20	< 0.40	< 2.2	TO-15	12/18/08	2
Trichloroethylene	79-01-6	131	0.400	2.10	< 0.40	< 2.1	TO-15	12/18/08	2
1,2,4-Trimethylbenzene	95-63-6	120	0.400	2.00	7.0	34.	TO-15	12/18/08	2
1,3,5-Trimethylbenzene	108-67-8	120	0.400	2.00	2.8	14.	TO-15	12/18/08	2
2,2,4-Trimethylpentane	540-84-1	114.22	0.400	1.90	< 0.40	< 1.9	TO-15	12/18/08	2
Vinyl chloride	75-01-4	62.5	0.400	1.00	< 0.40	< 1.0	TO-15	12/18/08	2
Vinyl Bromide	593-60-2	106.95	0.400	1.70	< 0.40	< 1.7	TO-15	12/18/08	2
Vinyl acetate	108-05-4	86.1	0.400	1.40	< 0.40	< 1.4	TO-15	12/18/08	2
m&p-Xylene	1330-20-7	106	0.800	3.50	22.	95.	TO-15	12/18/08	2
o-Xylene	95-47-6	106	0.400	1.70	9.6	42.	TO-15	12/18/08	2

RDL1 = ppbv , RDL2 = ug/m3

Note:

Units are based on (STP) - Standard Temperature and Pressure

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 12/23/08 14:20 Printed: 12/23/08 14:20



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 142227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : OUTDOOR AIR
Collected By : Steven Leitten
Collection Date : 12/12/08 09:00

ESC Sample # : L379821-08

Site ID : FORMER OUR CLEANERS

Project # : B1585

Parameter	Cas#	Mol Wght	RDL1	RDL2	ppbv	ug/m3	Method	Date	Dil.
Volatile Organics									
Acetone	67-64-1	58.1	2.50	5.90	17.	40.	TO-15	12/18/08	2
Allyl chloride	107-05-1	76.53	0.400	1.30	< 0.40	< 1.3	TO-15	12/18/08	2
Benzene	71-43-2	78.1	0.400	1.30	< 0.40	< 1.3	TO-15	12/18/08	2
Benzyl Chloride	100-44-7	127	0.400	2.10	< 0.40	< 2.1	TO-15	12/18/08	2
Bromodichloromethane	75-27-4	164	0.400	2.70	< 0.40	< 2.7	TO-15	12/18/08	2
Bromoform	75-25-2	253	1.20	12.0	< 1.2	< 12.	TO-15	12/18/08	2
Bromomethane	74-83-9	94.9	0.400	1.60	< 0.40	< 1.6	TO-15	12/18/08	2
1,3-Butadiene	106-99-0	54.1	4.00	8.90	< 4.0	< 8.9	TO-15	12/18/08	2
tert-Butyl alcohol	75-65-0	74.12	0.400	1.20	< 0.40	< 1.2	TO-15	12/18/08	2
Carbon disulfide	75-15-0	76.1	0.400	1.20	< 0.40	< 1.2	TO-15	12/18/08	2
Carbon tetrachloride	56-23-5	154	0.400	2.50	< 0.40	< 2.5	TO-15	12/18/08	2
Chlorobenzene	108-90-7	113	0.400	1.80	< 0.40	< 1.8	TO-15	12/18/08	2
Chloroethane	75-00-3	64.5	0.400	1.10	< 0.40	< 1.1	TO-15	12/18/08	2
Chloroform	67-66-3	119	0.400	1.90	< 0.40	< 1.9	TO-15	12/18/08	2
Chloromethane	74-87-3	50.5	0.400	0.830	< 0.40	< 0.83	TO-15	12/18/08	2
2-Chlorotoluene	95-49-8	126	0.400	2.10	< 0.40	< 2.1	TO-15	12/18/08	2
Cyclohexane	110-82-7	84.2	0.400	1.40	< 0.40	< 1.4	TO-15	12/18/08	2
Dibromochloromethane	124-48-1	208	0.400	3.40	< 0.40	< 3.4	TO-15	12/18/08	2
1,2-Dibromoethane	106-93-4	188	0.400	3.10	< 0.40	< 3.1	TO-15	12/18/08	2
1,2-Dichlorobenzene	95-50-1	147	0.400	2.40	< 0.40	< 2.4	TO-15	12/18/08	2
1,3-Dichlorobenzene	541-73-1	147	0.400	2.40	< 0.40	< 2.4	TO-15	12/18/08	2
1,4-Dichlorobenzene	106-46-7	147	0.400	2.40	< 0.40	< 2.4	TO-15	12/18/08	2
1,2-Dichloroethane	107-06-2	99	0.400	1.60	< 0.40	< 1.6	TO-15	12/18/08	2
1,1-Dichloroethane	75-34-3	98	0.400	1.60	< 0.40	< 1.6	TO-15	12/18/08	2
1,1-Dichloroethene	75-35-4	96.9	0.400	1.60	< 0.40	< 1.6	TO-15	12/18/08	2
cis-1,2-Dichloroethene	156-59-2	96.9	0.400	1.60	< 0.40	< 1.6	TO-15	12/18/08	2
trans-1,2-Dichloroethene	156-60-5	96.9	0.400	1.60	< 0.40	< 1.6	TO-15	12/18/08	2
1,2-Dichloropropane	78-87-5	113	0.400	1.80	< 0.40	< 1.8	TO-15	12/18/08	2
cis-1,3-Dichloropropene	10061-01-5	111	0.400	1.80	< 0.40	< 1.8	TO-15	12/18/08	2
trans-1,3-Dichloropropene	10061-02-6	111	0.400	1.80	< 0.40	< 1.8	TO-15	12/18/08	2
1,4-Dioxane	123-91-1	88.1	0.400	1.40	< 0.40	< 1.4	TO-15	12/18/08	2
Ethanol	64-17-5	46.1	1.26	2.40	20.	38.	TO-15	12/18/08	2
Ethylbenzene	100-41-4	106	0.400	1.70	< 0.40	< 1.7	TO-15	12/18/08	2
4-Ethyltoluene	622-96-8	120	0.400	2.00	< 0.40	< 2.0	TO-15	12/18/08	2
Trichlorofluoromethane	75-69-4	137.4	0.400	2.20	< 0.40	< 2.2	TO-15	12/18/08	2
Dichlorodifluoromethane	75-71-8	120.92	0.400	2.00	< 0.40	< 2.0	TO-15	12/18/08	2
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	0.400	3.10	< 0.40	< 3.1	TO-15	12/18/08	2
1,2-Dichlorotetrafluoroethane	76-14-2	171	0.400	2.80	< 0.40	< 2.8	TO-15	12/18/08	2
Heptane	142-82-5	100	0.400	1.60	< 0.40	< 1.6	TO-15	12/18/08	2
Hexachloro-1,3-butadiene	87-68-3	261	1.26	13.0	< 1.3	< 13.	TO-15	12/18/08	2
n-Hexane	110-54-3	86.2	1.26	4.40	< 1.3	< 4.4	TO-15	12/18/08	2
Isopropylbenzene	98-82-8	120.2	0.400	2.00	< 0.40	< 2.0	TO-15	12/18/08	2
Methylene Chloride	75-09-2	84.9	0.400	1.40	0.63	2.2	TO-15	12/18/08	2

RDL1 = ppbv , RDL2 = ug/m3

Note:

Units are based on (STP) - Standard Temperature and Pressure

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 12/23/08 14:20 Printed: 12/23/08 14:20



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 142227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : OUTDOOR AIR
Collected By : Steven Leitten
Collection Date : 12/12/08 09:00

ESC Sample # : L379821-08

Site ID : FORMER OUR CLEANERS

Project # : B1585

Parameter	Cas#	Mol Wght	RDL1	RDL2	ppbv	ug/m3	Method	Date	Dil.
Methyl Butyl Ketone	591-78-6	100	2.50	10.0	< 2.5	< 10.	TO-15	12/18/08	2
2-Butanone (MEK)	78-93-3	72.1	2.50	7.40	< 2.5	< 7.4	TO-15	12/18/08	2
4-Methyl-2-pentanone (MIBK)	108-10-1	100.1	2.50	10.0	< 2.5	< 10.	TO-15	12/18/08	2
Methyl methacrylate	80-62-6	100.12	0.400	1.60	< 0.40	< 1.6	TO-15	12/18/08	2
MTBE	1634-04-4	88.1	0.400	1.40	< 0.40	< 1.4	TO-15	12/18/08	2
Naphthalene	91-20-3	128	0.400	2.10	< 0.40	< 2.1	TO-15	12/18/08	2
2-Propanol	67-63-0	60.1	2.50	6.10	< 2.5	< 6.1	TO-15	12/18/08	2
Propene	115-07-1	42.1	0.800	1.40	< 0.80	< 1.4	TO-15	12/18/08	2
Styrene	100-42-5	104	0.400	1.70	< 0.40	< 1.7	TO-15	12/18/08	2
1,1,2,2-Tetrachloroethane	79-34-5	168	0.400	2.70	< 0.40	< 2.7	TO-15	12/18/08	2
Tetrachloroethylene	127-18-4	166	0.400	2.70	< 0.40	< 2.7	TO-15	12/18/08	2
Tetrahydrofuran	109-99-9	72.1	0.400	1.20	< 0.40	< 1.2	TO-15	12/18/08	2
Toluene	108-88-3	92.1	0.400	1.50	1.1	4.1	TO-15	12/18/08	2
1,2,4-Trichlorobenzene	120-82-1	181	1.26	9.30	< 1.3	< 9.3	TO-15	12/18/08	2
1,1,1-Trichloroethane	71-55-6	133	0.400	2.20	< 0.40	< 2.2	TO-15	12/18/08	2
1,1,2-Trichloroethane	79-00-5	133	0.400	2.20	< 0.40	< 2.2	TO-15	12/18/08	2
Trichloroethylene	79-01-6	131	0.400	2.10	< 0.40	< 2.1	TO-15	12/18/08	2
1,2,4-Trimethylbenzene	95-63-6	120	0.400	2.00	< 0.40	< 2.0	TO-15	12/18/08	2
1,3,5-Trimethylbenzene	108-67-8	120	0.400	2.00	< 0.40	< 2.0	TO-15	12/18/08	2
2,2,4-Trimethylpentane	540-84-1	114.22	0.400	1.90	< 0.40	< 1.9	TO-15	12/18/08	2
Vinyl chloride	75-01-4	62.5	0.400	1.00	< 0.40	< 1.0	TO-15	12/18/08	2
Vinyl Bromide	593-60-2	106.95	0.400	1.70	< 0.40	< 1.7	TO-15	12/18/08	2
Vinyl acetate	108-05-4	86.1	0.400	1.40	< 0.40	< 1.4	TO-15	12/18/08	2
m&p-Xylene	1330-20-7	106	0.800	3.50	< 0.80	< 3.5	TO-15	12/18/08	2
o-Xylene	95-47-6	106	0.400	1.70	< 0.40	< 1.7	TO-15	12/18/08	2

RDL1 = ppbv , RDL2 = ug/m3

Note:

Units are based on (STP) - Standard Temperature and Pressure

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 12/23/08 14:20 Printed: 12/23/08 14:20

Attachment A
List of Analytes with QC Qualifiers

Sample Number	Work Group	Sample Type	Analyte	Run ID	Qualifier
L379821-07	WG399160	SAMP	tert-Butyl alcohol	R566527	J4J3
L379821-08	WG399160	SAMP	tert-Butyl alcohol	R566527	J4J3

Attachment B
Explanation of QC Qualifier Codes

Qualifier	Meaning
J3	The associated batch QC was outside the established quality control range for precision.
J4	The associated batch QC was outside the established quality control range for accuracy.

Qualifier Report Information

ESC utilizes sample and result qualifiers as set forth by the EPA Contract Laboratory Program and as required by most certifying bodies including NELAC. In addition to the EPA qualifiers adopted by ESC, we have implemented ESC qualifiers to provide more information pertaining to our analytical results. Each qualifier is designated in the qualifier explanation as either EPA or ESC. Data qualifiers are intended to provide the ESC client with more detailed information concerning the potential bias of reported data. Because of the wide range of constituents and variety of matrices incorporated by most EPA methods, it is common for some compounds to fall outside of established ranges. These exceptions are evaluated and all reported data is valid and useable unless qualified as 'R' (Rejected).

Definitions

- Accuracy - The relationship of the observed value of a known sample to the true value of a known sample. Represented by percent recovery and relevant to samples such as: control samples, matrix spike recoveries, surrogate recoveries, etc.
- Precision - The agreement between a set of samples or between duplicate samples. Relates to how close together the results are and is represented by Relative Percent Difference.
- Surrogate - Organic compounds that are similar in chemical composition, extraction, and chromatography to analytes of interest. The surrogates are used to determine the probable response of the group of analytes that are chemically related to the surrogate compound. Surrogates are added to the sample and carried through all stages of preparation and analyses.
- TIC - Tentatively Identified Compound: Compounds detected in samples that are not target compounds, internal standards, system monitoring compounds, or surrogates.

Summary of Remarks For Samples Printed
12/23/08 at 14:20:54

TSR Signing Reports: 044
R5 - Desired TAT

CL \$2500

Sample: L379821-01 Account: EPSVTNY Received: 12/16/08 09:00 Due Date: 12/23/08 00:00 RPT Date: 12/23/08 14:20
Need clean certificate for Summas. ln 12/1/08
Sample: L379821-02 Account: EPSVTNY Received: 12/16/08 09:00 Due Date: 12/23/08 00:00 RPT Date: 12/23/08 14:20
Need clean certificate for Summas. ln 12/1/08
Sample: L379821-03 Account: EPSVTNY Received: 12/16/08 09:00 Due Date: 12/23/08 00:00 RPT Date: 12/23/08 14:20
Need clean certificate for Summas. ln 12/1/08
Sample: L379821-04 Account: EPSVTNY Received: 12/16/08 09:00 Due Date: 12/23/08 00:00 RPT Date: 12/23/08 14:20
Need clean certificate for Summas. ln 12/1/08
Sample: L379821-05 Account: EPSVTNY Received: 12/16/08 09:00 Due Date: 12/23/08 00:00 RPT Date: 12/23/08 14:20
Need clean certificate for Summas. ln 12/1/08
Sample: L379821-06 Account: EPSVTNY Received: 12/16/08 09:00 Due Date: 12/23/08 00:00 RPT Date: 12/23/08 14:20
Need clean certificate for Summas. ln 12/1/08
Sample: L379821-07 Account: EPSVTNY Received: 12/16/08 09:00 Due Date: 12/23/08 00:00 RPT Date: 12/23/08 14:20
Need clean certificate for Summas. ln 12/1/08
Sample: L379821-08 Account: EPSVTNY Received: 12/16/08 09:00 Due Date: 12/23/08 00:00 RPT Date: 12/23/08 14:20
Need clean certificate for Summas. ln 12/1/08

EPS VT - NY 2775 Broadway St.. Ste. #250 Cheektowaga, NY 142227				Alternate billing information:				Analysis/Container/Preservative				Chain of Custody Page <u>1</u> of <u>1</u>	
				Report to: Mr. Steve Leitten				Email: sleitten@epsofvermont.com				Prepared by: ENVIRONMENTAL SCIENCE CORP. 12065 Lebanon Road Mt. Juliet, TN 37122 Phone (800) 767-5859 FAX (615) 758-5859	
Project Description: Colvin Eggert Plaza Project				City/State Collected: TOWAWANDA, N.Y.									
Phone: (716) 597-0001		Client Project #: B1585		Lab Project #: EPSVTNY-COLVIN									
FAX:		Site/Facility ID#: FORWARD OUR CLIENTS		P.O.#: B11028									
Collected by (print): STEVEN LEITTEN		Rush? (Lab MUST Be Notified)		Date Results Needed									
Collected by (signature):		☐ Same Day 200% ☐ Next Day 100% ☐ Two Day 50% ☐ Three Day 25%		Email? ☐ No ☒ Yes FAX? ☐ No ☐ Yes		No. of Cntrs							
Immediately Packed on Ice N ☐ Y ☐													
Sample ID		Comp/Grab	Matrix*	Depth	Date	Time							
SU-1	GRAB	Air		12/14/08	1650	1	X						
SU-2		Air		12/14/08		1	X						
SU-3		Air				1	X						
SU-5		Air				1	X						
SU-6		Air				1	X						
SU-7		Air				1	X						
SU-8		Air				1	X						
OUTDOOR AIR		Air			0900	1	X						
		Air				1	X						

*Matrix: SS - Soil GW - Groundwater WW - WasteWater DW - Drinking Water OT - Other _____

Remarks:

pH _____ Temp _____

Flow _____ Other _____

Relinquished by: (Signature)	Date: 12/14/08	Time: 1500	Received by: (Signature)	Samples returned via: ☐ UPS ☒ FedEx ☐ Courier	Condition: (lab use only)
Relinquished by: (Signature)	Date:	Time:	Received by: (Signature)	Temp: Amb Bottles Received: 9-1 Bad	COC Seal Intact: ☒ Y ☐ N ☐ NA
Relinquished by: (Signature)	Date:	Time:	Received for lab by: (Signature)	Date: 12-16-08 Time: 09:00	pH Checked: ☐ NCP: ☐

9632-6256-9374 + 9669-7442-7057



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

Report Summary

Friday December 26, 2008

Report Number: L380803


Samples Received: 12/22/08

Client Project: B1585

Description: Colvin Eggert Plaza Project

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:


T. Alan Harvill, ESC Representative

Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - I-2327, CT - PH-0197, FL - E87487
GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016, NC - ENV375, DW21704, ND - R-140
NJ - TN002, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ - 0612, MN - 047-999-395, NY - 11742, WI - 998093910

This report may not be reproduced, except in full, without written approval from Environmental Science Corp.
Where applicable, sampling conducted by ESC is performed per guidance provided
in laboratory standard operating procedures: 060302, 060303, and 060304.



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 142227

December 26, 2008

Date Received : December 22, 2008
Description : Colvin Eggert Plaza Project
Sample ID : SV-4
Collected By : Steven Leitten
Collection Date : 12/18/08 17:15

ESC Sample # : L380803-01

Site ID :

Project # : B1585

Parameter	Cas#	Mol Wght	RDL1	RDL2	ppbv	ug/m3	Method	Date	Dil.
Volatile Organics									
Acetone	67-64-1	58.1	1.25	3.00	8.1	19.	TO-15	12/23/08	1
Allyl chloride	107-05-1	76.53	0.200	0.630	< 0.20	< 0.63	TO-15	12/23/08	1
Benzene	71-43-2	78.1	0.200	0.640	0.34	1.1	TO-15	12/23/08	1
Benzyl Chloride	100-44-7	127	0.200	1.00	< 0.20	< 1.0	TO-15	12/23/08	1
Bromodichloromethane	75-27-4	164	0.200	1.30	< 0.20	< 1.3	TO-15	12/23/08	1
Bromoform	75-25-2	253	0.600	6.20	< 0.60	< 6.2	TO-15	12/23/08	1
Bromomethane	74-83-9	94.9	0.200	0.780	< 0.20	< 0.78	TO-15	12/23/08	1
1,3-Butadiene	106-99-0	54.1	2.00	4.40	< 2.0	< 4.4	TO-15	12/23/08	1
tert-Butyl alcohol	75-65-0	74.12	0.200	0.610	< 0.20	< 0.61	TO-15	12/23/08	1
Carbon disulfide	75-15-0	76.1	0.200	0.620	< 0.20	< 0.62	TO-15	12/23/08	1
Carbon tetrachloride	56-23-5	154	0.200	1.30	< 0.20	< 1.3	TO-15	12/23/08	1
Chlorobenzene	108-90-7	113	0.200	0.920	< 0.20	< 0.92	TO-15	12/23/08	1
Chloroethane	75-00-3	64.5	0.200	0.530	< 0.20	< 0.53	TO-15	12/23/08	1
Chloroform	67-66-3	119	0.200	0.970	< 0.20	< 0.97	TO-15	12/23/08	1
Chloromethane	74-87-3	50.5	0.200	0.410	0.49	1.0	TO-15	12/23/08	1
2-Chlorotoluene	95-49-8	126	0.200	1.00	< 0.20	< 1.0	TO-15	12/23/08	1
Cyclohexane	110-82-7	84.2	0.200	0.690	0.56	1.9	TO-15	12/23/08	1
Dibromochloromethane	124-48-1	208	0.200	1.70	< 0.20	< 1.7	TO-15	12/23/08	1
1,2-Dibromoethane	106-93-4	188	0.200	1.50	< 0.20	< 1.5	TO-15	12/23/08	1
1,2-Dichlorobenzene	95-50-1	147	0.200	1.20	< 0.20	< 1.2	TO-15	12/23/08	1
1,3-Dichlorobenzene	541-73-1	147	0.200	1.20	< 0.20	< 1.2	TO-15	12/23/08	1
1,4-Dichlorobenzene	106-46-7	147	0.200	1.20	< 0.20	< 1.2	TO-15	12/23/08	1
1,2-Dichloroethane	107-06-2	99	0.200	0.810	< 0.20	< 0.81	TO-15	12/23/08	1
1,1-Dichloroethane	75-34-3	98	0.200	0.800	< 0.20	< 0.80	TO-15	12/23/08	1
1,1-Dichloroethene	75-35-4	96.9	0.200	0.790	< 0.20	< 0.79	TO-15	12/23/08	1
cis-1,2-Dichloroethene	156-59-2	96.9	0.200	0.790	< 0.20	< 0.79	TO-15	12/23/08	1
trans-1,2-Dichloroethene	156-60-5	96.9	0.200	0.790	< 0.20	< 0.79	TO-15	12/23/08	1
1,2-Dichloropropane	78-87-5	113	0.200	0.920	< 0.20	< 0.92	TO-15	12/23/08	1
cis-1,3-Dichloropropene	10061-01-5	111	0.200	0.910	< 0.20	< 0.91	TO-15	12/23/08	1
trans-1,3-Dichloropropene	10061-02-6	111	0.200	0.910	< 0.20	< 0.91	TO-15	12/23/08	1
1,4-Dioxane	123-91-1	88.1	0.200	0.720	< 0.20	< 0.72	TO-15	12/23/08	1
Ethanol	64-17-5	46.1	5.04	9.50	53.	100	TO-15	12/24/08	8
Ethylbenzene	100-41-4	106	0.200	0.870	0.23	1.0	TO-15	12/23/08	1
4-Ethyltoluene	622-96-8	120	0.200	0.980	< 0.20	< 0.98	TO-15	12/23/08	1
Trichlorofluoromethane	75-69-4	137.4	0.200	1.10	< 0.20	< 1.1	TO-15	12/23/08	1
Dichlorodifluoromethane	75-71-8	120.92	0.200	0.990	0.40	2.0	TO-15	12/23/08	1
1,1,2-Trichlorotrifluoroethane	76-13-1	187.4	0.200	1.50	< 0.20	< 1.5	TO-15	12/23/08	1
1,2-Dichlorotetrafluoroethane	76-14-2	171	0.200	1.40	< 0.20	< 1.4	TO-15	12/23/08	1
Heptane	142-82-5	100	0.200	0.820	0.55	2.2	TO-15	12/23/08	1
Hexachloro-1,3-butadiene	87-68-3	261	0.630	6.70	< 0.63	< 6.7	TO-15	12/23/08	1
n-Hexane	110-54-3	86.2	0.630	2.20	< 0.63	< 2.2	TO-15	12/23/08	1
Isopropylbenzene	98-82-8	120.2	0.200	0.980	< 0.20	< 0.98	TO-15	12/23/08	1
Methylene Chloride	75-09-2	84.9	0.200	0.690	0.30	1.0	TO-15	12/23/08	1

RDL1 = ppbv , RDL2 = ug/m3

Note:

Units are based on (STP) - Standard Temperature and Pressure

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 12/26/08 10:13 Printed: 12/26/08 10:14



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 142227

December 26, 2008

Date Received : December 22, 2008
Description : Colvin Eggert Plaza Project
Sample ID : SV-4
Collected By : Steven Leitten
Collection Date : 12/18/08 17:15

ESC Sample # : L380803-01

Site ID :

Project # : B1585

Parameter	Cas#	Mol Wght	RDL1	RDL2	ppbv	ug/m3	Method	Date	Dil.
Methyl Butyl Ketone	591-78-6	100	1.25	5.10	< 1.3	< 5.1	TO-15	12/23/08	1
2-Butanone (MEK)	78-93-3	72.1	1.25	3.70	< 1.3	< 3.7	TO-15	12/23/08	1
4-Methyl-2-pentanone (MIBK)	108-10-1	100.1	1.25	5.10	< 1.3	< 5.1	TO-15	12/23/08	1
Methyl methacrylate	80-62-6	100.12	0.200	0.820	0.49	2.0	TO-15	12/23/08	1
MTBE	1634-04-4	88.1	0.200	0.720	< 0.20	< 0.72	TO-15	12/23/08	1
Naphthalene	91-20-3	128	0.200	1.00	< 0.20	< 1.0	TO-15	12/23/08	1
2-Propanol	67-63-0	60.1	1.25	3.10	7.9	19.	TO-15	12/23/08	1
Propene	115-07-1	42.1	0.400	0.690	< 0.40	< 0.69	TO-15	12/23/08	1
Styrene	100-42-5	104	0.200	0.850	< 0.20	< 0.85	TO-15	12/23/08	1
1,1,2,2-Tetrachloroethane	79-34-5	168	0.200	1.40	< 0.20	< 1.4	TO-15	12/23/08	1
Tetrachloroethylene	127-18-4	166	0.200	1.40	< 0.20	< 1.4	TO-15	12/23/08	1
Tetrahydrofuran	109-99-9	72.1	0.200	0.590	< 0.20	< 0.59	TO-15	12/23/08	1
Toluene	108-88-3	92.1	0.200	0.750	0.85	3.2	TO-15	12/23/08	1
1,2,4-Trichlorobenzene	120-82-1	181	0.630	4.70	< 0.63	< 4.7	TO-15	12/23/08	1
1,1,1-Trichloroethane	71-55-6	133	0.200	1.10	< 0.20	< 1.1	TO-15	12/23/08	1
1,1,2-Trichloroethane	79-00-5	133	0.200	1.10	< 0.20	< 1.1	TO-15	12/23/08	1
Trichloroethylene	79-01-6	131	0.200	1.10	< 0.20	< 1.1	TO-15	12/23/08	1
1,2,4-Trimethylbenzene	95-63-6	120	0.200	0.980	0.39	1.9	TO-15	12/23/08	1
1,3,5-Trimethylbenzene	108-67-8	120	0.200	0.980	< 0.20	< 0.98	TO-15	12/23/08	1
2,2,4-Trimethylpentane	540-84-1	114.22	0.200	0.930	< 0.20	< 0.93	TO-15	12/23/08	1
Vinyl chloride	75-01-4	62.5	0.200	0.510	< 0.20	< 0.51	TO-15	12/23/08	1
Vinyl Bromide	593-60-2	106.95	0.200	0.870	< 0.20	< 0.87	TO-15	12/23/08	1
Vinyl acetate	108-05-4	86.1	0.200	0.700	< 0.20	< 0.70	TO-15	12/23/08	1
m&p-Xylene	1330-20-7	106	0.400	1.70	0.54	2.3	TO-15	12/23/08	1
o-Xylene	95-47-6	106	0.200	0.870	0.26	1.1	TO-15	12/23/08	1

RDL1 = ppbv , RDL2 = ug/m3

Note:

Units are based on (STP) - Standard Temperature and Pressure

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 12/26/08 10:13 Printed: 12/26/08 10:14

Summary of Remarks For Samples Printed
12/26/08 at 10:14:16

TSR Signing Reports: 044
R5 - Desired TAT

CL \$2500

Sample: L380803-01 Account: EPSVTNY Received: 12/22/08 09:00 Due Date: 12/30/08 00:00 RPT Date: 12/26/08 10:13
Need clean certificate for Summas. ln 12/1/08;SHIPOMKT.



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

Report Summary

Tuesday December 23, 2008

Report Number: L379745

Samples Received: 12/16/08

Client Project:

Description: Colvin Eggert Plaza Project

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:

T. Alan Harvill, ESC Representative

Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - I-2327, CT - PH-0197, FL - E87487
GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016, NC - ENV375, DW21704, ND - R-140
NJ - TN002, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ - 0612, MN - 047-999-395, NY - 11742, WI - 998093910

This report may not be reproduced, except in full, without written approval from Environmental Science Corp.
Where applicable, sampling conducted by ESC is performed per guidance provided
in laboratory standard operating procedures: 060302, 060303, and 060304.



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-8S
Collected By :
Collection Date : 12/12/08 11:25

ESC Sample # : L379745-01

Site ID :

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Alkalinity	200	10.	mg/l	2320B	12/23/08	1
COD	46.	20.	mg/l	410.4	12/21/08	1
pH	7.1		su	9040C	12/18/08	1
TOC (Total Organic Carbon)	3.3	1.0	mg/l	9060A	12/19/08	1
Dissolved Solids	2300	10.	mg/l	2540C	12/19/08	1
Iron	26.	0.10	mg/l	6010B	12/19/08	1
Manganese	1.5	0.010	mg/l	6010B	12/19/08	1
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	12/18/08	1
Benzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromochloromethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromoform	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromomethane	BDL	0.0050	mg/l	8260B	12/18/08	1
Carbon disulfide	BDL	0.0010	mg/l	8260B	12/18/08	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	12/18/08	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Chloroethane	BDL	0.0050	mg/l	8260B	12/18/08	1
Chloroform	BDL	0.0050	mg/l	8260B	12/18/08	1
Chloromethane	BDL	0.0025	mg/l	8260B	12/18/08	1
Cyclohexane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	12/18/08	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	12/18/08	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	12/18/08	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
2-Hexanone	BDL	0.010	mg/l	8260B	12/18/08	1

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit (PQL)
L379745-01 (PH) - 7.1@20.5c



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-8S
Collected By :
Collection Date : 12/12/08 11:25

ESC Sample # : L379745-01

Site ID :

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Isopropylbenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	12/18/08	1
Methyl Acetate	BDL	0.020	mg/l	8260B	12/18/08	1
Methyl Cyclohexane	BDL	0.0010	mg/l	8260B	12/18/08	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	12/18/08	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	12/18/08	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	12/18/08	1
Styrene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Tetrachloroethene	0.043	0.0010	mg/l	8260B	12/18/08	1
Toluene	BDL	0.0050	mg/l	8260B	12/18/08	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Trichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	12/18/08	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	12/18/08	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	12/18/08	1
Surrogate Recovery						
Toluene-d8	101.		% Rec.	8260B	12/18/08	1
Dibromofluoromethane	104.		% Rec.	8260B	12/18/08	1
a,a,a-Trifluorotoluene	101.		% Rec.	8260B	12/18/08	1
4-Bromofluorobenzene	100.		% Rec.	8260B	12/18/08	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 12/23/08 17:35 Printed: 12/23/08 17:35
L379745-01 (PH) - 7.1@20.5c



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-8D
Collected By :
Collection Date : 12/12/08 12:15

ESC Sample # : L379745-02

Site ID :

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Alkalinity	270	10.	mg/l	2320B	12/23/08	1
COD	100	20.	mg/l	410.4	12/21/08	1
pH	7.1		su	9040C	12/18/08	1
TOC (Total Organic Carbon)	17.	1.0	mg/l	9060A	12/19/08	1
Dissolved Solids	1800	10.	mg/l	2540C	12/19/08	1
Iron	85.	0.10	mg/l	6010B	12/20/08	1
Manganese	4.6	0.010	mg/l	6010B	12/20/08	1
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	12/18/08	1
Benzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromochloromethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromoform	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromomethane	BDL	0.0050	mg/l	8260B	12/18/08	1
Carbon disulfide	BDL	0.0010	mg/l	8260B	12/18/08	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	12/18/08	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Chloroethane	BDL	0.0050	mg/l	8260B	12/18/08	1
Chloroform	BDL	0.0050	mg/l	8260B	12/18/08	1
Chloromethane	BDL	0.0025	mg/l	8260B	12/18/08	1
Cyclohexane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	12/18/08	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	12/18/08	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	12/18/08	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
2-Hexanone	BDL	0.010	mg/l	8260B	12/18/08	1

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit (PQL)
L379745-02 (PH) - 7.1@20.3c



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-8D
Collected By :
Collection Date : 12/12/08 12:15

ESC Sample # : L379745-02

Site ID :

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Isopropylbenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	12/18/08	1
Methyl Acetate	BDL	0.020	mg/l	8260B	12/18/08	1
Methyl Cyclohexane	BDL	0.0010	mg/l	8260B	12/18/08	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	12/18/08	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	12/18/08	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	12/18/08	1
Styrene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Tetrachloroethene	0.019	0.0010	mg/l	8260B	12/18/08	1
Toluene	BDL	0.0050	mg/l	8260B	12/18/08	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Trichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	12/18/08	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	12/18/08	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	12/18/08	1
Surrogate Recovery						
Toluene-d8	101.		% Rec.	8260B	12/18/08	1
Dibromofluoromethane	106.		% Rec.	8260B	12/18/08	1
a,a,a-Trifluorotoluene	101.		% Rec.	8260B	12/18/08	1
4-Bromofluorobenzene	101.		% Rec.	8260B	12/18/08	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 12/23/08 17:35 Printed: 12/23/08 17:35
L379745-02 (PH) - 7.1@20.3c



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-1S
Collected By :
Collection Date : 12/12/08 13:00

ESC Sample # : L379745-03

Site ID :

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	12/18/08	1
Benzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromochloromethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromoform	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromomethane	BDL	0.0050	mg/l	8260B	12/18/08	1
Carbon disulfide	BDL	0.0010	mg/l	8260B	12/18/08	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	12/18/08	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Chloroethane	BDL	0.0050	mg/l	8260B	12/18/08	1
Chloroform	BDL	0.0050	mg/l	8260B	12/18/08	1
Chloromethane	BDL	0.0025	mg/l	8260B	12/18/08	1
Cyclohexane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	12/18/08	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	12/18/08	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	12/18/08	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
2-Hexanone	BDL	0.010	mg/l	8260B	12/18/08	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	12/18/08	1
Methyl Acetate	BDL	0.020	mg/l	8260B	12/18/08	1
Methyl Cyclohexane	BDL	0.0010	mg/l	8260B	12/18/08	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	12/18/08	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	12/18/08	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	12/18/08	1
Styrene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Tetrachloroethene	0.88	0.010	mg/l	8260B	12/18/08	10
Toluene	BDL	0.0050	mg/l	8260B	12/18/08	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-1S
Collected By :
Collection Date : 12/12/08 13:00

ESC Sample # : L379745-03

Site ID :

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Trichloroethene	0.0010	0.0010	mg/l	8260B	12/18/08	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	12/18/08	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	12/18/08	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	12/18/08	1
Surrogate Recovery						
Toluene-d8	101.		% Rec.	8260B	12/18/08	1
Dibromofluoromethane	109.		% Rec.	8260B	12/18/08	1
a,a,a-Trifluorotoluene	101.		% Rec.	8260B	12/18/08	1
4-Bromofluorobenzene	96.3		% Rec.	8260B	12/18/08	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 12/23/08 17:35 Printed: 12/23/08 17:35



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-1D
Collected By :
Collection Date : 12/12/08 13:05

ESC Sample # : L379745-04

Site ID :

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	12/18/08	1
Benzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromochloromethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromoform	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromomethane	BDL	0.0050	mg/l	8260B	12/18/08	1
Carbon disulfide	BDL	0.0010	mg/l	8260B	12/18/08	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	12/18/08	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Chloroethane	BDL	0.0050	mg/l	8260B	12/18/08	1
Chloroform	BDL	0.0050	mg/l	8260B	12/18/08	1
Chloromethane	BDL	0.0025	mg/l	8260B	12/18/08	1
Cyclohexane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	12/18/08	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	12/18/08	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	12/18/08	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
2-Hexanone	BDL	0.010	mg/l	8260B	12/18/08	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	12/18/08	1
Methyl Acetate	BDL	0.020	mg/l	8260B	12/18/08	1
Methyl Cyclohexane	BDL	0.0010	mg/l	8260B	12/18/08	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	12/18/08	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	12/18/08	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	12/18/08	1
Styrene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Tetrachloroethene	0.013	0.0010	mg/l	8260B	12/18/08	1
Toluene	BDL	0.0050	mg/l	8260B	12/18/08	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-1D
Collected By :
Collection Date : 12/12/08 13:05

ESC Sample # : L379745-04

Site ID :

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Trichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	12/18/08	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	12/18/08	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	12/18/08	1
Surrogate Recovery						
Toluene-d8	101.		% Rec.	8260B	12/18/08	1
Dibromofluoromethane	110.		% Rec.	8260B	12/18/08	1
a,a,a-Trifluorotoluene	99.6		% Rec.	8260B	12/18/08	1
4-Bromofluorobenzene	100.		% Rec.	8260B	12/18/08	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 12/23/08 17:35 Printed: 12/23/08 17:35



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-2S
Collected By :
Collection Date : 12/12/08 13:35

ESC Sample # : L379745-05

Site ID :

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	12/18/08	1
Benzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromochloromethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromoform	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromomethane	BDL	0.0050	mg/l	8260B	12/18/08	1
Carbon disulfide	BDL	0.0010	mg/l	8260B	12/18/08	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	12/18/08	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Chloroethane	BDL	0.0050	mg/l	8260B	12/18/08	1
Chloroform	BDL	0.0050	mg/l	8260B	12/18/08	1
Chloromethane	BDL	0.0025	mg/l	8260B	12/18/08	1
Cyclohexane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
cis-1,2-Dichloroethene	0.073	0.0010	mg/l	8260B	12/18/08	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	12/18/08	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	12/18/08	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	12/18/08	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
2-Hexanone	BDL	0.010	mg/l	8260B	12/18/08	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	12/18/08	1
Methyl Acetate	BDL	0.020	mg/l	8260B	12/18/08	1
Methyl Cyclohexane	BDL	0.0010	mg/l	8260B	12/18/08	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	12/18/08	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	12/18/08	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	12/18/08	1
Styrene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Tetrachloroethene	0.059	0.0010	mg/l	8260B	12/18/08	1
Toluene	BDL	0.0050	mg/l	8260B	12/18/08	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-2S
Collected By :
Collection Date : 12/12/08 13:35

ESC Sample # : L379745-05

Site ID :

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Trichloroethene	0.0054	0.0010	mg/l	8260B	12/18/08	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	12/18/08	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	12/18/08	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	12/18/08	1
Surrogate Recovery						
Toluene-d8	102.		% Rec.	8260B	12/18/08	1
Dibromofluoromethane	111.		% Rec.	8260B	12/18/08	1
a,a,a-Trifluorotoluene	101.		% Rec.	8260B	12/18/08	1
4-Bromofluorobenzene	95.7		% Rec.	8260B	12/18/08	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 12/23/08 17:35 Printed: 12/23/08 17:35



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-2D
Collected By :
Collection Date : 12/12/08 13:40

ESC Sample # : L379745-06

Site ID :

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	12/18/08	1
Benzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromochloromethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromoform	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromomethane	BDL	0.0050	mg/l	8260B	12/18/08	1
Carbon disulfide	BDL	0.0010	mg/l	8260B	12/18/08	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	12/18/08	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Chloroethane	BDL	0.0050	mg/l	8260B	12/18/08	1
Chloroform	BDL	0.0050	mg/l	8260B	12/18/08	1
Chloromethane	BDL	0.0025	mg/l	8260B	12/18/08	1
Cyclohexane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
cis-1,2-Dichloroethene	0.028	0.0010	mg/l	8260B	12/18/08	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	12/18/08	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	12/18/08	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	12/18/08	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
2-Hexanone	BDL	0.010	mg/l	8260B	12/18/08	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	12/18/08	1
Methyl Acetate	BDL	0.020	mg/l	8260B	12/18/08	1
Methyl Cyclohexane	BDL	0.0010	mg/l	8260B	12/18/08	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	12/18/08	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	12/18/08	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	12/18/08	1
Styrene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Tetrachloroethene	0.039	0.0010	mg/l	8260B	12/18/08	1
Toluene	BDL	0.0050	mg/l	8260B	12/18/08	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-2D
Collected By :
Collection Date : 12/12/08 13:40

ESC Sample # : L379745-06

Site ID :

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Trichloroethene	0.0017	0.0010	mg/l	8260B	12/18/08	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	12/18/08	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	12/18/08	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	12/18/08	1
Surrogate Recovery						
Toluene-d8	103.		% Rec.	8260B	12/18/08	1
Dibromofluoromethane	109.		% Rec.	8260B	12/18/08	1
a,a,a-Trifluorotoluene	102.		% Rec.	8260B	12/18/08	1
4-Bromofluorobenzene	96.3		% Rec.	8260B	12/18/08	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 12/23/08 17:35 Printed: 12/23/08 17:35



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-3S
Collected By :
Collection Date : 12/12/08 09:50

ESC Sample # : L379745-07

Site ID :

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	12/18/08	1
Benzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromochloromethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromoform	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromomethane	BDL	0.0050	mg/l	8260B	12/18/08	1
Carbon disulfide	BDL	0.0010	mg/l	8260B	12/18/08	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	12/18/08	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Chloroethane	BDL	0.0050	mg/l	8260B	12/18/08	1
Chloroform	BDL	0.0050	mg/l	8260B	12/18/08	1
Chloromethane	BDL	0.0025	mg/l	8260B	12/18/08	1
Cyclohexane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
cis-1,2-Dichloroethene	0.098	0.0010	mg/l	8260B	12/18/08	1
trans-1,2-Dichloroethene	0.0010	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	12/18/08	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	12/18/08	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	12/18/08	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
2-Hexanone	BDL	0.010	mg/l	8260B	12/18/08	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	12/18/08	1
Methyl Acetate	BDL	0.020	mg/l	8260B	12/18/08	1
Methyl Cyclohexane	BDL	0.0010	mg/l	8260B	12/18/08	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	12/18/08	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	12/18/08	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	12/18/08	1
Styrene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Tetrachloroethene	0.046	0.0010	mg/l	8260B	12/18/08	1
Toluene	BDL	0.0050	mg/l	8260B	12/18/08	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-3S
Collected By :
Collection Date : 12/12/08 09:50

ESC Sample # : L379745-07

Site ID :

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Trichloroethene	0.014	0.0010	mg/l	8260B	12/18/08	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	12/18/08	1
Vinyl chloride	0.0037	0.0010	mg/l	8260B	12/18/08	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	12/18/08	1
Surrogate Recovery						
Toluene-d8	101.		% Rec.	8260B	12/18/08	1
Dibromofluoromethane	111.		% Rec.	8260B	12/18/08	1
a,a,a-Trifluorotoluene	98.1		% Rec.	8260B	12/18/08	1
4-Bromofluorobenzene	95.9		% Rec.	8260B	12/18/08	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 12/23/08 17:35 Printed: 12/23/08 17:35



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-3D
Collected By :
Collection Date : 12/12/08 10:00

ESC Sample # : L379745-08

Site ID :

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	12/18/08	1
Benzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromochloromethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromoform	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromomethane	BDL	0.0050	mg/l	8260B	12/18/08	1
Carbon disulfide	BDL	0.0010	mg/l	8260B	12/18/08	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	12/18/08	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Chloroethane	BDL	0.0050	mg/l	8260B	12/18/08	1
Chloroform	BDL	0.0050	mg/l	8260B	12/18/08	1
Chloromethane	BDL	0.0025	mg/l	8260B	12/18/08	1
Cyclohexane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
cis-1,2-Dichloroethene	0.13	0.0010	mg/l	8260B	12/18/08	1
trans-1,2-Dichloroethene	0.0013	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	12/18/08	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	12/18/08	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	12/18/08	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
2-Hexanone	BDL	0.010	mg/l	8260B	12/18/08	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	12/18/08	1
Methyl Acetate	BDL	0.020	mg/l	8260B	12/18/08	1
Methyl Cyclohexane	BDL	0.0010	mg/l	8260B	12/18/08	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	12/18/08	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	12/18/08	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	12/18/08	1
Styrene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Tetrachloroethene	0.064	0.0010	mg/l	8260B	12/18/08	1
Toluene	BDL	0.0050	mg/l	8260B	12/18/08	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-3D
Collected By :
Collection Date : 12/12/08 10:00

ESC Sample # : L379745-08

Site ID :

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Trichloroethene	0.019	0.0010	mg/l	8260B	12/18/08	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	12/18/08	1
Vinyl chloride	0.0053	0.0010	mg/l	8260B	12/18/08	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	12/18/08	1
Surrogate Recovery						
Toluene-d8	100.		% Rec.	8260B	12/18/08	1
Dibromofluoromethane	110.		% Rec.	8260B	12/18/08	1
a,a,a-Trifluorotoluene	99.0		% Rec.	8260B	12/18/08	1
4-Bromofluorobenzene	96.5		% Rec.	8260B	12/18/08	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 12/23/08 17:35 Printed: 12/23/08 17:35



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-4S
Collected By :
Collection Date : 12/12/08 10:20

ESC Sample # : L379745-09

Site ID :

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	12/18/08	1
Benzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromochloromethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromoform	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromomethane	BDL	0.0050	mg/l	8260B	12/18/08	1
Carbon disulfide	BDL	0.0010	mg/l	8260B	12/18/08	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	12/18/08	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Chloroethane	BDL	0.0050	mg/l	8260B	12/18/08	1
Chloroform	BDL	0.0050	mg/l	8260B	12/18/08	1
Chloromethane	BDL	0.0025	mg/l	8260B	12/18/08	1
Cyclohexane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	12/18/08	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	12/18/08	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	12/18/08	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
2-Hexanone	BDL	0.010	mg/l	8260B	12/18/08	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	12/18/08	1
Methyl Acetate	BDL	0.020	mg/l	8260B	12/18/08	1
Methyl Cyclohexane	BDL	0.0010	mg/l	8260B	12/18/08	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	12/18/08	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	12/18/08	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	12/18/08	1
Styrene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Tetrachloroethene	0.0012	0.0010	mg/l	8260B	12/18/08	1
Toluene	BDL	0.0050	mg/l	8260B	12/18/08	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-4S
Collected By :
Collection Date : 12/12/08 10:20

ESC Sample # : L379745-09

Site ID :

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Trichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	12/18/08	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	12/18/08	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	12/18/08	1
Surrogate Recovery						
Toluene-d8	102.		% Rec.	8260B	12/18/08	1
Dibromofluoromethane	112.		% Rec.	8260B	12/18/08	1
a,a,a-Trifluorotoluene	99.5		% Rec.	8260B	12/18/08	1
4-Bromofluorobenzene	98.1		% Rec.	8260B	12/18/08	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 12/23/08 17:35 Printed: 12/23/08 17:35



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-4D
Collected By :
Collection Date : 12/12/08 10:25

ESC Sample # : L379745-10

Site ID :

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	12/18/08	1
Benzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromochloromethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromoform	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromomethane	BDL	0.0050	mg/l	8260B	12/18/08	1
Carbon disulfide	BDL	0.0010	mg/l	8260B	12/18/08	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	12/18/08	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Chloroethane	BDL	0.0050	mg/l	8260B	12/18/08	1
Chloroform	BDL	0.0050	mg/l	8260B	12/18/08	1
Chloromethane	BDL	0.0025	mg/l	8260B	12/18/08	1
Cyclohexane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	12/18/08	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	12/18/08	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	12/18/08	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
2-Hexanone	BDL	0.010	mg/l	8260B	12/18/08	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	12/18/08	1
Methyl Acetate	BDL	0.020	mg/l	8260B	12/18/08	1
Methyl Cyclohexane	BDL	0.0010	mg/l	8260B	12/18/08	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	12/18/08	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	12/18/08	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	12/18/08	1
Styrene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Tetrachloroethene	0.0012	0.0010	mg/l	8260B	12/18/08	1
Toluene	BDL	0.0050	mg/l	8260B	12/18/08	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-4D
Collected By :
Collection Date : 12/12/08 10:25

ESC Sample # : L379745-10

Site ID :

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Trichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	12/18/08	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	12/18/08	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	12/18/08	1
Surrogate Recovery						
Toluene-d8	104.		% Rec.	8260B	12/18/08	1
Dibromofluoromethane	115.		% Rec.	8260B	12/18/08	1
a,a,a-Trifluorotoluene	101.		% Rec.	8260B	12/18/08	1
4-Bromofluorobenzene	96.7		% Rec.	8260B	12/18/08	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 12/23/08 17:35 Printed: 12/23/08 17:35



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-5S
Collected By :
Collection Date : 12/12/08 10:45

ESC Sample # : L379745-11

Site ID :

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	12/18/08	1
Benzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromochloromethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromoform	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromomethane	BDL	0.0050	mg/l	8260B	12/18/08	1
Carbon disulfide	BDL	0.0010	mg/l	8260B	12/18/08	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	12/18/08	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Chloroethane	BDL	0.0050	mg/l	8260B	12/18/08	1
Chloroform	BDL	0.0050	mg/l	8260B	12/18/08	1
Chloromethane	BDL	0.0025	mg/l	8260B	12/18/08	1
Cyclohexane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	12/18/08	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	12/18/08	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	12/18/08	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
2-Hexanone	BDL	0.010	mg/l	8260B	12/18/08	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	12/18/08	1
Methyl Acetate	BDL	0.020	mg/l	8260B	12/18/08	1
Methyl Cyclohexane	BDL	0.0010	mg/l	8260B	12/18/08	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	12/18/08	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	12/18/08	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	12/18/08	1
Styrene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Tetrachloroethene	0.0012	0.0010	mg/l	8260B	12/18/08	1
Toluene	BDL	0.0050	mg/l	8260B	12/18/08	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-5S
Collected By :
Collection Date : 12/12/08 10:45

ESC Sample # : L379745-11

Site ID :

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Trichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	12/18/08	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	12/18/08	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	12/18/08	1
Surrogate Recovery						
Toluene-d8	103.		% Rec.	8260B	12/18/08	1
Dibromofluoromethane	114.		% Rec.	8260B	12/18/08	1
a,a,a-Trifluorotoluene	101.		% Rec.	8260B	12/18/08	1
4-Bromofluorobenzene	96.9		% Rec.	8260B	12/18/08	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 12/23/08 17:35 Printed: 12/23/08 17:35



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-5D
Collected By :
Collection Date : 12/12/08 10:50

ESC Sample # : L379745-12

Site ID :

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	12/18/08	1
Benzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromochloromethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromoform	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromomethane	BDL	0.0050	mg/l	8260B	12/18/08	1
Carbon disulfide	BDL	0.0010	mg/l	8260B	12/18/08	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	12/18/08	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Chloroethane	BDL	0.0050	mg/l	8260B	12/18/08	1
Chloroform	BDL	0.0050	mg/l	8260B	12/18/08	1
Chloromethane	BDL	0.0025	mg/l	8260B	12/18/08	1
Cyclohexane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	12/18/08	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	12/18/08	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	12/18/08	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
2-Hexanone	BDL	0.010	mg/l	8260B	12/18/08	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	12/18/08	1
Methyl Acetate	BDL	0.020	mg/l	8260B	12/18/08	1
Methyl Cyclohexane	BDL	0.0010	mg/l	8260B	12/18/08	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	12/18/08	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	12/18/08	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	12/18/08	1
Styrene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
Toluene	BDL	0.0050	mg/l	8260B	12/18/08	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-5D
Collected By :
Collection Date : 12/12/08 10:50

ESC Sample # : L379745-12

Site ID :

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Trichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	12/18/08	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	12/18/08	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	12/18/08	1
Surrogate Recovery						
Toluene-d8	104.		% Rec.	8260B	12/18/08	1
Dibromofluoromethane	113.		% Rec.	8260B	12/18/08	1
a,a,a-Trifluorotoluene	102.		% Rec.	8260B	12/18/08	1
4-Bromofluorobenzene	96.9		% Rec.	8260B	12/18/08	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 12/23/08 17:35 Printed: 12/23/08 17:35



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-6S
Collected By :
Collection Date : 12/12/08 11:10

ESC Sample # : L379745-13

Site ID :

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	12/18/08	1
Benzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromochloromethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromoform	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromomethane	BDL	0.0050	mg/l	8260B	12/18/08	1
Carbon disulfide	BDL	0.0010	mg/l	8260B	12/18/08	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	12/18/08	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Chloroethane	BDL	0.0050	mg/l	8260B	12/18/08	1
Chloroform	BDL	0.0050	mg/l	8260B	12/18/08	1
Chloromethane	BDL	0.0025	mg/l	8260B	12/18/08	1
Cyclohexane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	12/18/08	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	12/18/08	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	12/18/08	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
2-Hexanone	BDL	0.010	mg/l	8260B	12/18/08	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	12/18/08	1
Methyl Acetate	BDL	0.020	mg/l	8260B	12/18/08	1
Methyl Cyclohexane	BDL	0.0010	mg/l	8260B	12/18/08	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	12/18/08	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	12/18/08	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	12/18/08	1
Styrene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Tetrachloroethene	0.0010	0.0010	mg/l	8260B	12/18/08	1
Toluene	BDL	0.0050	mg/l	8260B	12/18/08	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-6S
Collected By :
Collection Date : 12/12/08 11:10

ESC Sample # : L379745-13

Site ID :

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Trichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	12/18/08	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	12/18/08	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	12/18/08	1
Surrogate Recovery						
Toluene-d8	104.		% Rec.	8260B	12/18/08	1
Dibromofluoromethane	116.		% Rec.	8260B	12/18/08	1
a,a,a-Trifluorotoluene	101.		% Rec.	8260B	12/18/08	1
4-Bromofluorobenzene	94.7		% Rec.	8260B	12/18/08	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 12/23/08 17:35 Printed: 12/23/08 17:35



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-6D
Collected By :
Collection Date : 12/12/08 11:05

ESC Sample # : L379745-14

Site ID :

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	12/18/08	1
Benzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromochloromethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromoform	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromomethane	BDL	0.0050	mg/l	8260B	12/18/08	1
Carbon disulfide	BDL	0.0010	mg/l	8260B	12/18/08	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	12/18/08	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Chloroethane	BDL	0.0050	mg/l	8260B	12/18/08	1
Chloroform	BDL	0.0050	mg/l	8260B	12/18/08	1
Chloromethane	BDL	0.0025	mg/l	8260B	12/18/08	1
Cyclohexane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	12/18/08	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	12/18/08	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	12/18/08	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
2-Hexanone	BDL	0.010	mg/l	8260B	12/18/08	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	12/18/08	1
Methyl Acetate	BDL	0.020	mg/l	8260B	12/18/08	1
Methyl Cyclohexane	BDL	0.0010	mg/l	8260B	12/18/08	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	12/18/08	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	12/18/08	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	12/18/08	1
Styrene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
Toluene	BDL	0.0050	mg/l	8260B	12/18/08	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-6D
Collected By :
Collection Date : 12/12/08 11:05

ESC Sample # : L379745-14

Site ID :

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Trichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	12/18/08	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	12/18/08	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	12/18/08	1
Surrogate Recovery						
Toluene-d8	102.		% Rec.	8260B	12/18/08	1
Dibromofluoromethane	108.		% Rec.	8260B	12/18/08	1
a,a,a-Trifluorotoluene	99.0		% Rec.	8260B	12/18/08	1
4-Bromofluorobenzene	90.7		% Rec.	8260B	12/18/08	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 12/23/08 17:35 Printed: 12/23/08 17:35



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-7S
Collected By :
Collection Date : 12/12/08 09:25

ESC Sample # : L379745-15

Site ID :

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	12/18/08	1
Benzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromochloromethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromoform	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromomethane	BDL	0.0050	mg/l	8260B	12/18/08	1
Carbon disulfide	BDL	0.0010	mg/l	8260B	12/18/08	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	12/18/08	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Chloroethane	BDL	0.0050	mg/l	8260B	12/18/08	1
Chloroform	BDL	0.0050	mg/l	8260B	12/18/08	1
Chloromethane	BDL	0.0025	mg/l	8260B	12/18/08	1
Cyclohexane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	12/18/08	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	12/18/08	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	12/18/08	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
2-Hexanone	BDL	0.010	mg/l	8260B	12/18/08	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	12/18/08	1
Methyl Acetate	BDL	0.020	mg/l	8260B	12/18/08	1
Methyl Cyclohexane	BDL	0.0010	mg/l	8260B	12/18/08	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	12/18/08	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	12/18/08	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	12/18/08	1
Styrene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Tetrachloroethene	0.0029	0.0010	mg/l	8260B	12/18/08	1
Toluene	BDL	0.0050	mg/l	8260B	12/18/08	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-7S
Collected By :
Collection Date : 12/12/08 09:25

ESC Sample # : L379745-15

Site ID :

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Trichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	12/18/08	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	12/18/08	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	12/18/08	1
Surrogate Recovery						
Toluene-d8	102.		% Rec.	8260B	12/18/08	1
Dibromofluoromethane	107.		% Rec.	8260B	12/18/08	1
a,a,a-Trifluorotoluene	99.6		% Rec.	8260B	12/18/08	1
4-Bromofluorobenzene	92.1		% Rec.	8260B	12/18/08	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 12/23/08 17:35 Printed: 12/23/08 17:35



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-7D
Collected By :
Collection Date : 12/12/08 09:35

ESC Sample # : L379745-16

Site ID :

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	12/18/08	1
Benzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromochloromethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromoform	BDL	0.0010	mg/l	8260B	12/18/08	1
Bromomethane	BDL	0.0050	mg/l	8260B	12/18/08	1
Carbon disulfide	BDL	0.0010	mg/l	8260B	12/18/08	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	12/18/08	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Chloroethane	BDL	0.0050	mg/l	8260B	12/18/08	1
Chloroform	BDL	0.0050	mg/l	8260B	12/18/08	1
Chloromethane	BDL	0.0025	mg/l	8260B	12/18/08	1
Cyclohexane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
cis-1,2-Dichloroethene	0.0013	0.0010	mg/l	8260B	12/18/08	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	12/18/08	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	12/18/08	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	12/18/08	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
2-Hexanone	0.024	0.010	mg/l	8260B	12/18/08	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	12/18/08	1
Methyl Acetate	BDL	0.020	mg/l	8260B	12/18/08	1
Methyl Cyclohexane	BDL	0.0010	mg/l	8260B	12/18/08	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	12/18/08	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	12/18/08	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	12/18/08	1
Styrene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
Toluene	BDL	0.0050	mg/l	8260B	12/18/08	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	12/18/08	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

December 23, 2008

Date Received : December 16, 2008
Description : Colvin Eggert Plaza Project
Sample ID : MW-7D
Collected By :
Collection Date : 12/12/08 09:35

ESC Sample # : L379745-16

Site ID :

Project # :

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	12/18/08	1
Trichloroethene	BDL	0.0010	mg/l	8260B	12/18/08	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	12/18/08	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	12/18/08	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	12/18/08	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	12/18/08	1
Surrogate Recovery						
Toluene-d8	101.		% Rec.	8260B	12/18/08	1
Dibromofluoromethane	107.		% Rec.	8260B	12/18/08	1
a,a,a-Trifluorotoluene	97.8		% Rec.	8260B	12/18/08	1
4-Bromofluorobenzene	91.1		% Rec.	8260B	12/18/08	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 12/23/08 17:35 Printed: 12/23/08 17:36

Attachment A
List of Analytes with QC Qualifiers

Sample Number	Work Group	Sample Type	Analyte	Run ID	Qualifier
L379745-01	WG398835	SAMP	pH	R566605	T8
L379745-02	WG398835	SAMP	pH	R566605	T8

Attachment B
Explanation of QC Qualifier Codes

Qualifier	Meaning
T8	(ESC) - Additional method/sample information: Sample(s) received past/too close to holding time expiration.

Qualifier Report Information

ESC utilizes sample and result qualifiers as set forth by the EPA Contract Laboratory Program and as required by most certifying bodies including NELAC. In addition to the EPA qualifiers adopted by ESC, we have implemented ESC qualifiers to provide more information pertaining to our analytical results. Each qualifier is designated in the qualifier explanation as either EPA or ESC. Data qualifiers are intended to provide the ESC client with more detailed information concerning the potential bias of reported data. Because of the wide range of constituents and variety of matrices incorporated by most EPA methods, it is common for some compounds to fall outside of established ranges. These exceptions are evaluated and all reported data is valid and useable unless qualified as 'R' (Rejected).

Definitions

- Accuracy - The relationship of the observed value of a known sample to the true value of a known sample. Represented by percent recovery and relevant to samples such as: control samples, matrix spike recoveries, surrogate recoveries, etc.
- Precision - The agreement between a set of samples or between duplicate samples. Relates to how close together the results are and is represented by Relative Percent Difference.
- Surrogate - Organic compounds that are similar in chemical composition, extraction, and chromatography to analytes of interest. The surrogates are used to determine the probable response of the group of analytes that are chemically related to the surrogate compound. Surrogates are added to the sample and carried through all stages of preparation and analyses.
- TIC - Tentatively Identified Compound: Compounds detected in samples that are not target compounds, internal standards, system monitoring compounds, or surrogates.

Summary of Remarks For Samples Printed
12/23/08 at 17:36:00

TSR Signing Reports: 044
R5 - Desired TAT

CL \$2500

Sample: L379745-01 Account: EPSVTNY Received: 12/16/08 09:00 Due Date: 12/23/08 00:00 RPT Date: 12/23/08 17:35
Sample: L379745-02 Account: EPSVTNY Received: 12/16/08 09:00 Due Date: 12/23/08 00:00 RPT Date: 12/23/08 17:35
Sample: L379745-03 Account: EPSVTNY Received: 12/16/08 09:00 Due Date: 12/23/08 00:00 RPT Date: 12/23/08 17:35
Sample: L379745-04 Account: EPSVTNY Received: 12/16/08 09:00 Due Date: 12/23/08 00:00 RPT Date: 12/23/08 17:35
Sample: L379745-05 Account: EPSVTNY Received: 12/16/08 09:00 Due Date: 12/23/08 00:00 RPT Date: 12/23/08 17:35
Sample: L379745-06 Account: EPSVTNY Received: 12/16/08 09:00 Due Date: 12/23/08 00:00 RPT Date: 12/23/08 17:35
Sample: L379745-07 Account: EPSVTNY Received: 12/16/08 09:00 Due Date: 12/23/08 00:00 RPT Date: 12/23/08 17:35
Sample: L379745-08 Account: EPSVTNY Received: 12/16/08 09:00 Due Date: 12/23/08 00:00 RPT Date: 12/23/08 17:35
Sample: L379745-09 Account: EPSVTNY Received: 12/16/08 09:00 Due Date: 12/23/08 00:00 RPT Date: 12/23/08 17:35
Sample: L379745-10 Account: EPSVTNY Received: 12/16/08 09:00 Due Date: 12/23/08 00:00 RPT Date: 12/23/08 17:35
Sample: L379745-11 Account: EPSVTNY Received: 12/16/08 09:00 Due Date: 12/23/08 00:00 RPT Date: 12/23/08 17:35
Sample: L379745-12 Account: EPSVTNY Received: 12/16/08 09:00 Due Date: 12/23/08 00:00 RPT Date: 12/23/08 17:35
Sample: L379745-13 Account: EPSVTNY Received: 12/16/08 09:00 Due Date: 12/23/08 00:00 RPT Date: 12/23/08 17:35
Sample: L379745-14 Account: EPSVTNY Received: 12/16/08 09:00 Due Date: 12/23/08 00:00 RPT Date: 12/23/08 17:35
Sample: L379745-15 Account: EPSVTNY Received: 12/16/08 09:00 Due Date: 12/23/08 00:00 RPT Date: 12/23/08 17:35
Sample: L379745-16 Account: EPSVTNY Received: 12/16/08 09:00 Due Date: 12/23/08 00:00 RPT Date: 12/23/08 17:35

2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

Analysis/Container/Preservative	Result	Remarks
Analysis/Container/Preservative		

Chain of Custody
Page 1 of 2

Email: sleitten@epsofverment.com

City/State
Collected TONAWANDA, N.Y.

Client Project #:	
-------------------	--

Lab Project #

EPSVTNY-COLVIN

Collected by (print):

Site/Facility ID#:

P.O.#: B 11027

Collected by (signature):

Rush? (Lab MUST Be Notified)

Date Results Needed

Immediately		
Packed on Ice	N	Y

Same Day	200%
Next Day	100%
Two Day	50%
Three Day	25%

Email? ☐ No ☒ Yes
FAX? ☐ No ☐ Yes

No. of Cntrs	
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
15	
16	
17	
18	
19	
20	
21	
22	
23	
24	
25	
26	
27	
28	
29	
30	
31	
32	
33	
34	
35	
36	
37	
38	
39	
40	
41	
42	
43	
44	
45	
46	
47	
48	
49	
50	
51	
52	
53	
54	
55	
56	
57	
58	
59	
60	
61	
62	
63	
64	
65	
66	
67	
68	
69	
70	
71	
72	
73	
74	
75	
76	
77	
78	
79	
80	
81	
82	
83	
84	
85	
86	
87	
88	
89	
90	
91	
92	
93	
94	
95	
96	
97	
98	
99	
100	

ALK 500mlHDPE-NoPres
COD 250mlHDPE-H2SO4
Fe, Mn 500mlHDPE-HNO3
PH 125mlHDPE-NoPres
TDS 250mlHDPE-NoPres
TOC 250mlAmb-Septa-HCl
V8260TCL 40mlAmb-HCl

Accnum: **EPSVTNY** (lab use only)
 Template/Prelogin: **T54542/ P262970**
 Cooler #: *11/6/28*
 Shipped Via: **FedEX Ground**



Remarks/Contaminant	Sample # (lab only)
---------------------	---------------------

MW-85	GRAB	GW	S	12/12/08	1125	8	X	X	X	X	X	X		1379785-01
MW-8D		GW	1245D		1215	8	X	X	X	X	X	X		02
MW-15		GW	S		1300	2						X		03
MW-1D		GW	D		1305	2						X		04
MW-25		GW	S		1335	2						X		05
MW-2D		GW	D		1340	2						X		06
MW-35		GW	S		0950	2						X		07
MW-3D		GW	D		1000	2						X		08
MW-45		GW	S		1020	2						X		09

*Matrix: **SS** - Soil **GW** - Groundwater **WW** - WasteWater **DW** - Drinking Water **OT** - Other

Remarks:

9669 7444 9030 pH _____ Temp _____
Flow _____ Other _____

Relinquished by: (Signature) 	Date: 12/15/08	Time: 1500	Received by: (Signature) 	Samples returned via: ☐ UPS ☒ FedEx ☐ Courier ☐	Condition:  (lab use only)
Relinquished by: (Signature) 	Date:	Time:	Received by: (Signature) 	Temp: 3.1°C Bottles Received: 44 + 17B	COC Seal Intact: Y N ☒ NA
Relinquished by: (Signature) 	Date:	Time:	Received for lab by: (Signature) 	Date: 12/16/08 Time: 0900	pH Checked: 2.2 NCF:

EPS VT - NY

2775 Broadway St.. Ste. #250
Cheektowaga, NY 142227

Alternate billing information:

Analysis/Container/Preservative

Chain of Custody
Page 22 of 2

Prepared by:

ENVIRONMENTAL

SCIENCE CORP.

12065 Lebanon Road
Mt. Juliet, TN 37122

Phone (800) 767-5859

FAX (615) 758-5859

Report to: **Mr. Steve Leitten** Email: **sleitten@epsofvermont.com**

Project Description: **Colvin Eggert Plaza Project** City/State Collected: **TONAWANDA, N.Y.**

Phone: **(716) 597-0001** Client Project #: **B1585** Lab Project #: **EPSVTNY-COLVIN**

Collected by (print): **STEVEN LEITTEN** Site/Facility ID#: **FORMER OUR CLEANERS** P.O.#: **B11027**

Collected by (signature): *[Signature]* Rush? (Lab MUST Be Notified)
 Same Day 200%
 Next Day 100%
 Two Day 50%
 Three Day 25%
 Date Results Needed
 Email? ☐ No ☒ Yes
 FAX? ☐ No ☒ Yes
 No. of Cntrs

Sample ID	Comp/Grab	Matrix*	Depth	Date	Time	No. of Cntrs
MW-4D	GRAB	GW	D	12/12/08	1025	2
MW-5S	↓	GW	S	↓	1045	2
MW-5D	↓	GW	D	↓	1050	2
MW-6S	↓	GW	S	↓	1110	2
MW-6D	↓	GW	D	↓	1105	2
MW-7S	↓	GW	S	↓	0925	2
MW-7D	↓	GW	D	↓	0935	2

ALK 500mlHDPE-NoPres
 COD 250mlHDPE-H2SO4
 Fe, Mn 500mlHDPE-HNO3
 PH 125mlHDPE-NoPres
 TDS 250mlHDPE-NoPres
 TOC 250mlAmb-Septa-HCl
 V8260TCL 40mlAmb-HCl

Account: **EPSVTNY** (lab use only)
 Template/Prelogin: **T54542/P262970**
 Cooler #: **11/6/08**
 Shipped Via: **FedEX Ground**

Remarks/Contaminant Sample # (lab only)

*Matrix: SS - Soil GW - Groundwater WW - WasteWater DW - Drinking Water OT - Other _____

Remarks:

pH _____ Temp _____

Flow _____ Other _____

Relinquished by: (Signature) <i>[Signature]</i>	Date: 12/14/08	Time: 1500	Received by: (Signature) <i>[Signature]</i>	Samples returned via: ☒ UPS ☐ FedEx ☐ Courier	Condition: OK (lab use only)
Relinquished by: (Signature) <i>[Signature]</i>	Date:	Time:	Received by: (Signature) <i>[Signature]</i>	Temp: 31.1x Bottles Received: 44 + 1TB	COC Seal Intact: ☒ Y ☐ N ☒ NA
Relinquished by: (Signature) <i>[Signature]</i>	Date:	Time:	Received for lab by: (Signature) <i>[Signature]</i>	Date: 12-16-08 Time: 0900	pH Checked: 22 NCF



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

Report Summary

Tuesday February 17, 2009

Report Number: L387632

Samples Received: 02/11/09

Client Project: B1585

Description: Colvin Eggert Plaza Project

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:

Leslie Newton
Leslie Newton, ESC Representative

Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - I-2327, CT - PH-0197, FL - E87487
GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016, NC - ENV375, DW21704, ND - R-140
NJ - TN002, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ - 0612, MN - 047-999-395, NY - 11742, WI - 998093910

This report may not be reproduced, except in full, without written approval from Environmental Science Corp.
Where applicable, sampling conducted by ESC is performed per guidance provided
in laboratory standard operating procedures: 060302, 060303, and 060304.



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 142227

February 17, 2009

Date Received : February 11, 2009
Description : Colvin Eggert Plaza Project
Sample ID : SV-8
Collected By : Steven Leitten
Collection Date : 02/09/09 16:15

ESC Sample # : L387632-01

Site ID :

Project # : B1585

Parameter	Cas#	Mol Wght	RDL1	RDL2	ppbv	ug/m3	Method	Date	Dil.
Volatile Organics - TO-15 SIM									
Benzene	71-43-2	78.1	0.02000	0.0640	0.14	0.45	TO-15	02/13/09	1
Carbon tetrachloride	56-23-5	154	0.02000	0.130	0.041	0.26	TO-15	02/13/09	1
Chloroethane	75-00-3	64.5	0.04000	0.110	< 0.040	< 0.11	TO-15	02/13/09	1
Chloroform	67-66-3	119	0.02000	0.0970	1.0	4.9	TO-15	02/13/09	1
Chloromethane	74-87-3	50.5	0.03000	0.0620	< 0.030	< 0.062	TO-15	02/13/09	1
1,2-Dibromoethane	106-93-4	188	0.02000	0.150	< 0.020	< 0.15	TO-15	02/13/09	1
1,4-Dichlorobenzene	106-46-7	147	0.02000	0.120	< 0.020	< 0.12	TO-15	02/13/09	1
1,1-Dichloroethane	75-34-3	98	0.02000	0.0800	< 0.020	< 0.080	TO-15	02/13/09	1
1,1-Dichloroethene	75-35-4	96.9	0.02000	0.0790	< 0.020	< 0.079	TO-15	02/13/09	1
cis-1,2-Dichloroethene	156-59-2	96.9	0.02000	0.0790	< 0.020	< 0.079	TO-15	02/13/09	1
trans-1,2-Dichloroethene	156-60-5	96.9	0.02000	0.0790	< 0.020	< 0.079	TO-15	02/13/09	1
1,2-Dichloropropane	78-87-5	113	0.03000	0.140	< 0.030	< 0.14	TO-15	02/13/09	1
cis-1,3-Dichloropropene	10061-01-5	111	0.02000	0.0910	< 0.020	< 0.091	TO-15	02/13/09	1
trans-1,3-Dichloropropene	10061-02-6	111	0.03000	0.140	< 0.030	< 0.14	TO-15	02/13/09	1
Ethylbenzene	100-41-4	106	0.120	0.520	2.0	8.7	TO-15	02/16/09	4
1,1,2,2-Tetrachloroethane	79-34-5	168	0.02000	0.140	< 0.020	< 0.14	TO-15	02/13/09	1
Tetrachloroethylene	127-18-4	166	0.02000	0.140	0.82	5.6	TO-15	02/13/09	1
1,1,1-Trichloroethane	71-55-6	133	0.02000	0.110	0.12	0.65	TO-15	02/13/09	1
1,1,2-Trichloroethane	79-00-5	133	0.03000	0.160	< 0.030	< 0.16	TO-15	02/13/09	1
Trichloroethylene	79-01-6	131	0.02000	0.110	< 0.020	< 0.11	TO-15	02/13/09	1
Vinyl chloride	75-01-4	62.5	0.02000	0.0510	< 0.020	< 0.051	TO-15	02/13/09	1
Vinyl acetate	108-05-4	86.1	0.02000	0.0700	< 0.020	< 0.070	TO-15	02/13/09	1
1,4-Bromofluorobenzene							TO-15	02/13/09	1

RDL1 = ppbv , RDL2 = ug/m3

Note:

Units are based on (STP) - Standard Temperature and Pressure

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 02/17/09 08:36 Printed: 02/17/09 08:36



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 142227

February 17, 2009

Date Received : February 11, 2009
Description : Colvin Eggert Plaza Project
Sample ID : SV-9
Collected By : Steven Leitten
Collection Date : 02/09/09 16:15

ESC Sample # : L387632-02

Site ID :

Project # : B1585

Parameter	Cas#	Mol Wght	RDL1	RDL2	ppbv	ug/m3	Method	Date	Dil.
Volatile Organics - TO-15 SIM									
Benzene	71-43-2	78.1	0.02000.0640		0.25	0.80	TO-15	02/13/09	1
Carbon tetrachloride	56-23-5	154	0.02000.130		0.070	0.44	TO-15	02/13/09	1
Chloroethane	75-00-3	64.5	0.04000.110		< 0.040	< 0.11	TO-15	02/13/09	1
Chloroform	67-66-3	119	0.02000.0970		0.047	0.23	TO-15	02/13/09	1
Chloromethane	74-87-3	50.5	0.03000.0620		0.44	0.91	TO-15	02/13/09	1
1,2-Dibromoethane	106-93-4	188	0.02000.150		< 0.020	< 0.15	TO-15	02/13/09	1
1,4-Dichlorobenzene	106-46-7	147	0.02000.120		< 0.020	< 0.12	TO-15	02/13/09	1
1,1-Dichloroethane	75-34-3	98	0.02000.0800		< 0.020	< 0.080	TO-15	02/13/09	1
1,1-Dichloroethene	75-35-4	96.9	0.02000.0790		< 0.020	< 0.079	TO-15	02/13/09	1
cis-1,2-Dichloroethene	156-59-2	96.9	0.02000.0790		< 0.020	< 0.079	TO-15	02/13/09	1
trans-1,2-Dichloroethene	156-60-5	96.9	0.02000.0790		< 0.020	< 0.079	TO-15	02/13/09	1
1,2-Dichloropropane	78-87-5	113	0.03000.140		< 0.030	< 0.14	TO-15	02/13/09	1
cis-1,3-Dichloropropene	10061-01-5	111	0.02000.0910		< 0.020	< 0.091	TO-15	02/13/09	1
trans-1,3-Dichloropropene	10061-02-6	111	0.03000.140		< 0.030	< 0.14	TO-15	02/13/09	1
Ethylbenzene	100-41-4	106	0.03000.130		0.097	0.42	TO-15	02/13/09	1
1,1,2,2-Tetrachloroethane	79-34-5	168	0.02000.140		< 0.020	< 0.14	TO-15	02/13/09	1
Tetrachloroethylene	127-18-4	166	0.02000.140		< 0.020	< 0.14	TO-15	02/13/09	1
1,1,1-Trichloroethane	71-55-6	133	0.02000.110		< 0.020	< 0.11	TO-15	02/13/09	1
1,1,2-Trichloroethane	79-00-5	133	0.03000.160		< 0.030	< 0.16	TO-15	02/13/09	1
Trichloroethylene	79-01-6	131	0.02000.110		< 0.020	< 0.11	TO-15	02/13/09	1
Vinyl chloride	75-01-4	62.5	0.02000.0510		< 0.020	< 0.051	TO-15	02/13/09	1
Vinyl acetate	108-05-4	86.1	0.02000.0700		< 0.020	< 0.070	TO-15	02/13/09	1
1,4-Bromofluorobenzene							TO-15	02/13/09	1

RDL1 = ppbv , RDL2 = ug/m3

Note:

Units are based on (STP) - Standard Temperature and Pressure

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 02/17/09 08:36 Printed: 02/17/09 08:36



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 142227

February 17, 2009

Date Received : February 11, 2009
Description : Colvin Eggert Plaza Project
Sample ID : SV-10
Collected By : Steven Leitten
Collection Date : 02/09/09 16:15

ESC Sample # : L387632-03

Site ID :

Project # : B1585

Parameter	Cas#	Mol Wght	RDL1	RDL2	ppbv	ug/m3	Method	Date	Dil.
Volatile Organics - TO-15 SIM									
Benzene	71-43-2	78.1	0.02000	0.0640	< 0.020	< 0.064	TO-15	02/13/09	1
Carbon tetrachloride	56-23-5	154	0.02000	0.130	< 0.020	< 0.13	TO-15	02/13/09	1
Chloroethane	75-00-3	64.5	0.04000	0.110	< 0.040	< 0.11	TO-15	02/13/09	1
Chloroform	67-66-3	119	0.02000	0.0970	< 0.020	< 0.097	TO-15	02/13/09	1
Chloromethane	74-87-3	50.5	0.03000	0.0620	< 0.030	< 0.062	TO-15	02/13/09	1
1,2-Dibromoethane	106-93-4	188	0.02000	0.150	< 0.020	< 0.15	TO-15	02/13/09	1
1,4-Dichlorobenzene	106-46-7	147	0.02000	0.120	< 0.020	< 0.12	TO-15	02/13/09	1
1,1-Dichloroethane	75-34-3	98	0.02000	0.0800	< 0.020	< 0.080	TO-15	02/13/09	1
1,1-Dichloroethene	75-35-4	96.9	0.02000	0.0790	< 0.020	< 0.079	TO-15	02/13/09	1
cis-1,2-Dichloroethene	156-59-2	96.9	0.02000	0.0790	< 0.020	< 0.079	TO-15	02/13/09	1
trans-1,2-Dichloroethene	156-60-5	96.9	0.02000	0.0790	< 0.020	< 0.079	TO-15	02/13/09	1
1,2-Dichloropropane	78-87-5	113	0.03000	0.140	< 0.030	< 0.14	TO-15	02/13/09	1
cis-1,3-Dichloropropene	10061-01-5	111	0.02000	0.0910	< 0.020	< 0.091	TO-15	02/13/09	1
trans-1,3-Dichloropropene	10061-02-6	111	0.03000	0.140	< 0.030	< 0.14	TO-15	02/13/09	1
Ethylbenzene	100-41-4	106	0.03000	0.130	< 0.030	< 0.13	TO-15	02/13/09	1
1,1,2,2-Tetrachloroethane	79-34-5	168	0.02000	0.140	< 0.020	< 0.14	TO-15	02/13/09	1
Tetrachloroethylene	127-18-4	166	0.02000	0.140	< 0.020	< 0.14	TO-15	02/13/09	1
1,1,1-Trichloroethane	71-55-6	133	0.02000	0.110	< 0.020	< 0.11	TO-15	02/13/09	1
1,1,2-Trichloroethane	79-00-5	133	0.03000	0.160	< 0.030	< 0.16	TO-15	02/13/09	1
Trichloroethylene	79-01-6	131	0.02000	0.110	< 0.020	< 0.11	TO-15	02/13/09	1
Vinyl chloride	75-01-4	62.5	0.02000	0.0510	< 0.020	< 0.051	TO-15	02/13/09	1
Vinyl acetate	108-05-4	86.1	0.02000	0.0700	< 0.020	< 0.070	TO-15	02/13/09	1
1,4-Bromofluorobenzene							TO-15	02/13/09	1

RDL1 = ppbv , RDL2 = ug/m3

Note:

Units are based on (STP) - Standard Temperature and Pressure

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 02/17/09 08:36 Printed: 02/17/09 08:36



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 142227

February 17, 2009

Date Received : February 11, 2009
Description : Colvin Eggert Plaza Project
Sample ID : SV-11
Collected By : Steven Leitten
Collection Date : 02/09/09 16:15

ESC Sample # : L387632-04

Site ID :

Project # : B1585

Parameter	Cas#	Mol Wght	RDL1	RDL2	ppbv	ug/m3	Method	Date	Dil.
Volatile Organics - TO-15 SIM									
Benzene	71-43-2	78.1	0.02000.0640		0.87	2.8	TO-15	02/13/09	1
Carbon tetrachloride	56-23-5	154	0.02000.130	< 0.020	< 0.13		TO-15	02/13/09	1
Chloroethane	75-00-3	64.5	0.04000.110	< 0.040	< 0.11		TO-15	02/13/09	1
Chloroform	67-66-3	119	0.02000.0970		0.22	1.1	TO-15	02/13/09	1
Chloromethane	74-87-3	50.5	0.03000.0620		0.42	0.87	TO-15	02/13/09	1
1,2-Dibromoethane	106-93-4	188	0.02000.150	< 0.020	< 0.15		TO-15	02/13/09	1
1,4-Dichlorobenzene	106-46-7	147	0.02000.120	< 0.020	< 0.12		TO-15	02/13/09	1
1,1-Dichloroethane	75-34-3	98	0.02000.0800	< 0.020	< 0.080		TO-15	02/13/09	1
1,1-Dichloroethene	75-35-4	96.9	0.02000.0790	< 0.020	< 0.079		TO-15	02/13/09	1
cis-1,2-Dichloroethene	156-59-2	96.9	0.02000.0790	< 0.020	< 0.079		TO-15	02/13/09	1
trans-1,2-Dichloroethene	156-60-5	96.9	0.02000.0790	< 0.020	< 0.079		TO-15	02/13/09	1
1,2-Dichloropropane	78-87-5	113	0.03000.140	< 0.030	< 0.14		TO-15	02/13/09	1
cis-1,3-Dichloropropene	10061-01-5	111	0.02000.0910	< 0.020	< 0.091		TO-15	02/13/09	1
trans-1,3-Dichloropropene	10061-02-6	111	0.03000.140	< 0.030	< 0.14		TO-15	02/13/09	1
Ethylbenzene	100-41-4	106	0.03000.130		1.1	4.8	TO-15	02/13/09	1
1,1,2,2-Tetrachloroethane	79-34-5	168	0.02000.140	< 0.020	< 0.14		TO-15	02/13/09	1
Tetrachloroethylene	127-18-4	166	0.02000.140		0.28	1.9	TO-15	02/13/09	1
1,1,1-Trichloroethane	71-55-6	133	0.02000.110	< 0.020	< 0.11		TO-15	02/13/09	1
1,1,2-Trichloroethane	79-00-5	133	0.03000.160	< 0.030	< 0.16		TO-15	02/13/09	1
Trichloroethylene	79-01-6	131	0.02000.110		0.048	0.26	TO-15	02/13/09	1
Vinyl chloride	75-01-4	62.5	0.02000.0510	< 0.020	< 0.051		TO-15	02/13/09	1
Vinyl acetate	108-05-4	86.1	0.02000.0700	< 0.020	< 0.070		TO-15	02/13/09	1
1,4-Bromofluorobenzene							TO-15	02/13/09	1

RDL1 = ppbv , RDL2 = ug/m3

Note:

Units are based on (STP) - Standard Temperature and Pressure

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 02/17/09 08:36 Printed: 02/17/09 08:36



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 142227

February 17, 2009

Date Received : February 11, 2009
Description : Colvin Eggert Plaza Project
Sample ID : SV-12
Collected By : Steven Leitten
Collection Date : 02/09/09 16:15

ESC Sample # : L387632-05

Site ID :

Project # : B1585

Parameter	Cas#	Mol Wght	RDL1	RDL2	ppbv	ug/m3	Method	Date	Dil.
Volatile Organics - TO-15 SIM									
Benzene	71-43-2	78.1	0.02000	0.0640	2.0	6.4	TO-15	02/13/09	1
Carbon tetrachloride	56-23-5	154	0.02000	0.130	< 0.020	< 0.13	TO-15	02/13/09	1
Chloroethane	75-00-3	64.5	0.04000	0.110	< 0.040	< 0.11	TO-15	02/13/09	1
Chloroform	67-66-3	119	0.02000	0.0970	< 0.020	< 0.097	TO-15	02/13/09	1
Chloromethane	74-87-3	50.5	0.03000	0.0620	0.57	1.2	TO-15	02/13/09	1
1,2-Dibromoethane	106-93-4	188	0.02000	0.150	< 0.020	< 0.15	TO-15	02/13/09	1
1,4-Dichlorobenzene	106-46-7	147	0.02000	0.120	< 0.020	< 0.12	TO-15	02/13/09	1
1,1-Dichloroethane	75-34-3	98	0.02000	0.0800	< 0.020	< 0.080	TO-15	02/13/09	1
1,1-Dichloroethene	75-35-4	96.9	0.02000	0.0790	< 0.020	< 0.079	TO-15	02/13/09	1
cis-1,2-Dichloroethene	156-59-2	96.9	0.02000	0.0790	< 0.020	< 0.079	TO-15	02/13/09	1
trans-1,2-Dichloroethene	156-60-5	96.9	0.02000	0.0790	< 0.020	< 0.079	TO-15	02/13/09	1
1,2-Dichloropropane	78-87-5	113	0.03000	0.140	< 0.030	< 0.14	TO-15	02/13/09	1
cis-1,3-Dichloropropene	10061-01-5	111	0.02000	0.0910	< 0.020	< 0.091	TO-15	02/13/09	1
trans-1,3-Dichloropropene	10061-02-6	111	0.03000	0.140	< 0.030	< 0.14	TO-15	02/13/09	1
Ethylbenzene	100-41-4	106	0.120	0.520	1.9	8.2	TO-15	02/16/09	4
1,1,2,2-Tetrachloroethane	79-34-5	168	0.02000	0.140	< 0.020	< 0.14	TO-15	02/13/09	1
Tetrachloroethylene	127-18-4	166	0.02000	0.140	0.070	0.48	TO-15	02/13/09	1
1,1,1-Trichloroethane	71-55-6	133	0.02000	0.110	< 0.020	< 0.11	TO-15	02/13/09	1
1,1,2-Trichloroethane	79-00-5	133	0.03000	0.160	< 0.030	< 0.16	TO-15	02/13/09	1
Trichloroethylene	79-01-6	131	0.02000	0.110	0.055	0.29	TO-15	02/13/09	1
Vinyl chloride	75-01-4	62.5	0.02000	0.0510	< 0.020	< 0.051	TO-15	02/13/09	1
Vinyl acetate	108-05-4	86.1	0.02000	0.0700	< 0.020	< 0.070	TO-15	02/13/09	1
1,4-Bromofluorobenzene							TO-15	02/13/09	1

RDL1 = ppbv , RDL2 = ug/m3

Note:

Units are based on (STP) - Standard Temperature and Pressure

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 02/17/09 08:36 Printed: 02/17/09 08:36



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 142227

February 17, 2009

Date Received : February 11, 2009
Description : Colvin Eggert Plaza Project
Sample ID : SV-13
Collected By : Steven Leitten
Collection Date : 02/09/09 16:15

ESC Sample # : L387632-06

Site ID :

Project # : B1585

Parameter	Cas#	Mol Wght	RDL1	RDL2	ppbv	ug/m3	Method	Date	Dil.
Volatile Organics - TO-15 SIM									
Benzene	71-43-2	78.1	0.02000	0.0640	0.63	2.0	TO-15	02/13/09	1
Carbon tetrachloride	56-23-5	154	0.02000	0.130	0.022	0.14	TO-15	02/13/09	1
Chloroethane	75-00-3	64.5	0.04000	0.110	< 0.040	< 0.11	TO-15	02/13/09	1
Chloroform	67-66-3	119	0.02000	0.0970	1.0	4.9	TO-15	02/13/09	1
Chloromethane	74-87-3	50.5	0.03000	0.0620	0.13	0.27	TO-15	02/13/09	1
1,2-Dibromoethane	106-93-4	188	0.02000	0.150	< 0.020	< 0.15	TO-15	02/13/09	1
1,4-Dichlorobenzene	106-46-7	147	0.02000	0.120	< 0.020	< 0.12	TO-15	02/13/09	1
1,1-Dichloroethane	75-34-3	98	0.02000	0.0800	< 0.020	< 0.080	TO-15	02/13/09	1
1,1-Dichloroethene	75-35-4	96.9	0.02000	0.0790	< 0.020	< 0.079	TO-15	02/13/09	1
cis-1,2-Dichloroethene	156-59-2	96.9	0.02000	0.0790	< 0.020	< 0.079	TO-15	02/13/09	1
trans-1,2-Dichloroethene	156-60-5	96.9	0.02000	0.0790	< 0.020	< 0.079	TO-15	02/13/09	1
1,2-Dichloropropane	78-87-5	113	0.03000	0.140	< 0.030	< 0.14	TO-15	02/13/09	1
cis-1,3-Dichloropropene	10061-01-5	111	0.02000	0.0910	< 0.020	< 0.091	TO-15	02/13/09	1
trans-1,3-Dichloropropene	10061-02-6	111	0.03000	0.140	< 0.030	< 0.14	TO-15	02/13/09	1
Ethylbenzene	100-41-4	106	0.03000	0.130	1.2	5.2	TO-15	02/13/09	1
1,1,2,2-Tetrachloroethane	79-34-5	168	0.02000	0.140	< 0.020	< 0.14	TO-15	02/13/09	1
Tetrachloroethylene	127-18-4	166	0.02000	0.140	1.5	10.	TO-15	02/13/09	1
1,1,1-Trichloroethane	71-55-6	133	0.02000	0.110	0.15	0.82	TO-15	02/13/09	1
1,1,2-Trichloroethane	79-00-5	133	0.03000	0.160	< 0.030	< 0.16	TO-15	02/13/09	1
Trichloroethylene	79-01-6	131	0.02000	0.110	0.021	0.11	TO-15	02/13/09	1
Vinyl chloride	75-01-4	62.5	0.02000	0.0510	< 0.020	< 0.051	TO-15	02/13/09	1
Vinyl acetate	108-05-4	86.1	0.02000	0.0700	< 0.020	< 0.070	TO-15	02/13/09	1
1,4-Bromofluorobenzene							TO-15	02/13/09	1

RDL1 = ppbv , RDL2 = ug/m3

Note:

Units are based on (STP) - Standard Temperature and Pressure

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 02/17/09 08:36 Printed: 02/17/09 08:36



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 11, 2009
Description : Colvin Eggert Plaza Project
Sample ID : SV-14
Collected By : Steven Leitten
Collection Date : 02/09/09 16:15

ESC Sample # : L387632-07

Site ID :

Project # : B1585

Parameter	Cas#	Mol Wght	RDL1	RDL2	ppbv	ug/m3	Method	Date	Dil.
Volatile Organics - TO-15 SIM									
Benzene	71-43-2	78.1	0.02000	0.0640	0.55	1.8	TO-15	02/14/09	1
Carbon tetrachloride	56-23-5	154	0.02000	0.130	0.060	0.38	TO-15	02/14/09	1
Chloroethane	75-00-3	64.5	0.04000	0.110	< 0.040	< 0.11	TO-15	02/14/09	1
Chloroform	67-66-3	119	0.02000	0.0970	0.76	3.7	TO-15	02/14/09	1
Chloromethane	74-87-3	50.5	0.03000	0.0620	0.37	0.76	TO-15	02/14/09	1
1,2-Dibromoethane	106-93-4	188	0.02000	0.150	< 0.020	< 0.15	TO-15	02/14/09	1
1,4-Dichlorobenzene	106-46-7	147	0.02000	0.120	< 0.020	< 0.12	TO-15	02/14/09	1
1,1-Dichloroethane	75-34-3	98	0.02000	0.0800	< 0.020	< 0.080	TO-15	02/14/09	1
1,1-Dichloroethene	75-35-4	96.9	0.02000	0.0790	< 0.020	< 0.079	TO-15	02/14/09	1
cis-1,2-Dichloroethene	156-59-2	96.9	0.02000	0.0790	< 0.020	< 0.079	TO-15	02/14/09	1
trans-1,2-Dichloroethene	156-60-5	96.9	0.02000	0.0790	< 0.020	< 0.079	TO-15	02/14/09	1
1,2-Dichloropropane	78-87-5	113	0.03000	0.140	< 0.030	< 0.14	TO-15	02/14/09	1
cis-1,3-Dichloropropene	10061-01-5	111	0.02000	0.0910	< 0.020	< 0.091	TO-15	02/14/09	1
trans-1,3-Dichloropropene	10061-02-6	111	0.03000	0.140	< 0.030	< 0.14	TO-15	02/14/09	1
Ethylbenzene	100-41-4	106	0.03000	0.130	0.93	4.0	TO-15	02/14/09	1
1,1,2,2-Tetrachloroethane	79-34-5	168	0.02000	0.140	< 0.020	< 0.14	TO-15	02/14/09	1
Tetrachloroethylene	127-18-4	166	0.02000	0.140	0.045	0.31	TO-15	02/14/09	1
1,1,1-Trichloroethane	71-55-6	133	0.02000	0.110	< 0.020	< 0.11	TO-15	02/14/09	1
1,1,2-Trichloroethane	79-00-5	133	0.03000	0.160	< 0.030	< 0.16	TO-15	02/14/09	1
Trichloroethylene	79-01-6	131	0.02000	0.110	< 0.020	< 0.11	TO-15	02/14/09	1
Vinyl chloride	75-01-4	62.5	0.02000	0.0510	< 0.020	< 0.051	TO-15	02/14/09	1
Vinyl acetate	108-05-4	86.1	0.02000	0.0700	< 0.020	< 0.070	TO-15	02/14/09	1
1,4-Bromofluorobenzene							TO-15	02/14/09	1

RDL1 = ppbv , RDL2 = ug/m3

Note:

Units are based on (STP) - Standard Temperature and Pressure

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 02/17/09 08:36 Printed: 02/17/09 08:36



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 142227

February 17, 2009

Date Received : February 11, 2009
Description : Colvin Eggert Plaza Project
Sample ID : OUTDOOR
Collected By : Steven Leitten
Collection Date : 02/09/09 16:15

ESC Sample # : L387632-08

Site ID :

Project # : B1585

Parameter	Cas#	Mol Wght	RDL1	RDL2	ppbv	ug/m3	Method	Date	Dil.
Volatile Organics - TO-15 SIM									
Benzene	71-43-2	78.1	0.02000.0640		0.51	1.6	TO-15	02/14/09	1
Carbon tetrachloride	56-23-5	154	0.02000.130		0.073	0.46	TO-15	02/14/09	1
Chloroethane	75-00-3	64.5	0.04000.110	< 0.040		< 0.11	TO-15	02/14/09	1
Chloroform	67-66-3	119	0.02000.0970	< 0.020		< 0.097	TO-15	02/14/09	1
Chloromethane	74-87-3	50.5	0.03000.0620		0.42	0.87	TO-15	02/14/09	1
1,2-Dibromoethane	106-93-4	188	0.02000.150	< 0.020		< 0.15	TO-15	02/14/09	1
1,4-Dichlorobenzene	106-46-7	147	0.02000.120	< 0.020		< 0.12	TO-15	02/14/09	1
1,1-Dichloroethane	75-34-3	98	0.02000.0800	< 0.020		< 0.080	TO-15	02/14/09	1
1,1-Dichloroethene	75-35-4	96.9	0.02000.0790	< 0.020		< 0.079	TO-15	02/14/09	1
cis-1,2-Dichloroethene	156-59-2	96.9	0.02000.0790	< 0.020		< 0.079	TO-15	02/14/09	1
trans-1,2-Dichloroethene	156-60-5	96.9	0.02000.0790	< 0.020		< 0.079	TO-15	02/14/09	1
1,2-Dichloropropane	78-87-5	113	0.03000.140	< 0.030		< 0.14	TO-15	02/14/09	1
cis-1,3-Dichloropropene	10061-01-5	111	0.02000.0910	< 0.020		< 0.091	TO-15	02/14/09	1
trans-1,3-Dichloropropene	10061-02-6	111	0.03000.140	< 0.030		< 0.14	TO-15	02/14/09	1
Ethylbenzene	100-41-4	106	0.03000.130		0.22	0.95	TO-15	02/14/09	1
1,1,2,2-Tetrachloroethane	79-34-5	168	0.02000.140	< 0.020		< 0.14	TO-15	02/14/09	1
Tetrachloroethylene	127-18-4	166	0.02000.140	< 0.020		< 0.14	TO-15	02/14/09	1
1,1,1-Trichloroethane	71-55-6	133	0.02000.110	< 0.020		< 0.11	TO-15	02/14/09	1
1,1,2-Trichloroethane	79-00-5	133	0.03000.160	< 0.030		< 0.16	TO-15	02/14/09	1
Trichloroethylene	79-01-6	131	0.02000.110		0.031	0.17	TO-15	02/14/09	1
Vinyl chloride	75-01-4	62.5	0.02000.0510	< 0.020		< 0.051	TO-15	02/14/09	1
Vinyl acetate	108-05-4	86.1	0.02000.0700	< 0.020		< 0.070	TO-15	02/14/09	1
1,4-Bromofluorobenzene							TO-15	02/14/09	1

RDL1 = ppbv , RDL2 = ug/m3

Note:

Units are based on (STP) - Standard Temperature and Pressure

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 02/17/09 08:36 Printed: 02/17/09 08:36

Summary of Remarks For Samples Printed
02/17/09 at 08:36:47

TSR Signing Reports: 044
R5 - Desired TAT

CL \$2500

Sample: L387632-01 Account: EPSVTNY Received: 02/11/09 09:00 Due Date: 02/18/09 00:00 RPT Date: 02/17/09 08:36
Need Clean Certificate
Sample: L387632-02 Account: EPSVTNY Received: 02/11/09 09:00 Due Date: 02/18/09 00:00 RPT Date: 02/17/09 08:36
Need Clean Certificate
Sample: L387632-03 Account: EPSVTNY Received: 02/11/09 09:00 Due Date: 02/18/09 00:00 RPT Date: 02/17/09 08:36
Need Clean Certificate
Sample: L387632-04 Account: EPSVTNY Received: 02/11/09 09:00 Due Date: 02/18/09 00:00 RPT Date: 02/17/09 08:36
Need Clean Certificate
Sample: L387632-05 Account: EPSVTNY Received: 02/11/09 09:00 Due Date: 02/18/09 00:00 RPT Date: 02/17/09 08:36
Need Clean Certificate
Sample: L387632-06 Account: EPSVTNY Received: 02/11/09 09:00 Due Date: 02/18/09 00:00 RPT Date: 02/17/09 08:36
Need Clean Certificate
Sample: L387632-07 Account: EPSVTNY Received: 02/11/09 09:00 Due Date: 02/18/09 00:00 RPT Date: 02/17/09 08:36
Need Clean Certificate
Sample: L387632-08 Account: EPSVTNY Received: 02/11/09 09:00 Due Date: 02/18/09 00:00 RPT Date: 02/17/09 08:36
Need Clean Certificate

EPS VT - NY

2775 Broadwav St.. Ste. #250
Cheektowaga, NY 14227

Alternate billing information:

Analysis/Container/Preservative

Chain of Custody

Page ____ of ____

Report to: **Mr. Steve Leitten**

Email: **SLeitten@epssofvermont.com**

Project Description: **Colvin Eggert Plaza Project**

City/State Collected: **TONAWANDA NEW YORK**

Phone: **(716) 597-0001**
FAX:

Client Project #: **B15265**

Lab Project #: **EPSVTNY-COLVIN**

Collected by (print): **STEVEN LEITTEN**

Site/Facility ID#:

P.O.#: **B11074**

Collected by (signature):

Rush? (Lab MUST Be Notified)

Date Results Needed

Immediately
Packed on Ice N ___ Y ___

___ Same Day 200%
___ Next Day 100%
___ Two Day 50%
___ Three Day 25%

Email? ___ No ☒ Yes
FAX? ___ No ___ Yes

No. of Cntrs

TO-15SIM Summa

Prepared by:

**ENVIRONMENTAL
SCIENCE CORP.**

12065 Lebanon Road
Mt. Juliet, TN 37122

Phone (800) 767-5859
FAX (615) 758-5859

Acctnum: **EPSVTNY** (lab use only)
Template/Prelogin: **T55979 P271787**
Cooler #: **2-2-09 ML**
Shipped Via: **FedEX Standard**

Remarks/Contaminant Sample # (lab only)

Sample ID	Comp/Grab	Matrix*	Depth	Date	Time	No. of Cntrs	TO-15SIM Summa	Remarks/Contaminant	Sample # (lab only)
SV-8	comp	Air		2/19/09	16:15	1	X		6387632-01
SV-9		Air				1	X		02
SV-10		Air				1	X		03
SV-11		Air				1	X		04
SV-12		Air				1	X		05
SV-13		Air				1	X		06
SV-14		Air				1	X		07
OUTDOOR		Air				1	X		08

*Matrix: SS - Soil GW - Groundwater WW - WasteWater DW - Drinking Water OT - Other _____

pH _____ Temp _____

Remarks:

Flow _____ Other _____

Relinquished by: (Signature)	Date:	Time:	Received by: (Signature)	Samples returned via: ☐ UPS ☒ FedEx ☐ Courier ☐	Condition: OK (lab use only)
Relinquished by: (Signature)	Date:	Time:	Received by: (Signature)	Temp: Amb Bottles Received: 8	COC Seal Intact: Y ☐ N ☐ NA
Relinquished by: (Signature)	Date:	Time:	Received for lab by: (Signature)	Date: 02-11-09 Time: 09:00	PH Checked: — NCF: —

9669-7449-3426 9632-6256-7546



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 142227

Report Summary

Tuesday February 17, 2009

Report Number: L387851

Samples Received: 02/12/09

Client Project: B1585

Description: Colvin Eggert Plaza Project

The analytical results in this report are based upon information supplied by you, the client, and are for your exclusive use. If you have any questions regarding this data package, please do not hesitate to call.

Entire Report Reviewed By:

Leslie Newton
Leslie Newton, ESC Representative

Laboratory Certification Numbers

A2LA - 1461-01, AIHA - 100789, AL - 40660, CA - I-2327, CT - PH-0197, FL - E87487
GA - 923, IN - C-TN-01, KY - 90010, KYUST - 0016, NC - ENV375, DW21704, ND - R-140
NJ - TN002, SC - 84004, TN - 2006, VA - 00109, WV - 233
AZ - 0612, MN - 047-999-395, NY - 11742, WI - 998093910

This report may not be reproduced, except in full, without written approval from Environmental Science Corp.
Where applicable, sampling conducted by ESC is performed per guidance provided
in laboratory standard operating procedures: 060302, 060303, and 060304.



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-1S
Collected By : Steven Leitten
Collection Date : 02/09/09 11:50

ESC Sample # : L387851-01

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.25	mg/l	8260B	02/14/09	5
Acrolein	BDL	0.25	mg/l	8260B	02/14/09	5
Acrylonitrile	BDL	0.050	mg/l	8260B	02/14/09	5
Benzene	BDL	0.0050	mg/l	8260B	02/14/09	5
Bromobenzene	BDL	0.0050	mg/l	8260B	02/14/09	5
Bromodichloromethane	BDL	0.0050	mg/l	8260B	02/14/09	5
Bromoform	BDL	0.0050	mg/l	8260B	02/14/09	5
Bromomethane	BDL	0.025	mg/l	8260B	02/14/09	5
n-Butylbenzene	BDL	0.0050	mg/l	8260B	02/14/09	5
sec-Butylbenzene	BDL	0.0050	mg/l	8260B	02/14/09	5
tert-Butylbenzene	BDL	0.0050	mg/l	8260B	02/14/09	5
Carbon tetrachloride	BDL	0.0050	mg/l	8260B	02/14/09	5
Chlorobenzene	BDL	0.0050	mg/l	8260B	02/14/09	5
Chlorodibromomethane	BDL	0.0050	mg/l	8260B	02/14/09	5
Chloroethane	BDL	0.025	mg/l	8260B	02/14/09	5
2-Chloroethyl vinyl ether	BDL	0.25	mg/l	8260B	02/14/09	5
Chloroform	BDL	0.025	mg/l	8260B	02/14/09	5
Chloromethane	BDL	0.012	mg/l	8260B	02/14/09	5
2-Chlorotoluene	BDL	0.0050	mg/l	8260B	02/14/09	5
4-Chlorotoluene	BDL	0.0050	mg/l	8260B	02/14/09	5
1,2-Dibromo-3-Chloropropane	BDL	0.025	mg/l	8260B	02/14/09	5
1,2-Dibromoethane	BDL	0.0050	mg/l	8260B	02/14/09	5
Dibromomethane	BDL	0.0050	mg/l	8260B	02/14/09	5
1,2-Dichlorobenzene	BDL	0.0050	mg/l	8260B	02/14/09	5
1,3-Dichlorobenzene	BDL	0.0050	mg/l	8260B	02/14/09	5
1,4-Dichlorobenzene	BDL	0.0050	mg/l	8260B	02/14/09	5
Dichlorodifluoromethane	BDL	0.025	mg/l	8260B	02/14/09	5
1,1-Dichloroethane	BDL	0.0050	mg/l	8260B	02/14/09	5
1,2-Dichloroethane	BDL	0.0050	mg/l	8260B	02/14/09	5
1,1-Dichloroethene	BDL	0.0050	mg/l	8260B	02/14/09	5
cis-1,2-Dichloroethene	BDL	0.0050	mg/l	8260B	02/14/09	5
trans-1,2-Dichloroethene	BDL	0.0050	mg/l	8260B	02/14/09	5
1,2-Dichloropropane	BDL	0.0050	mg/l	8260B	02/14/09	5
1,1-Dichloropropene	BDL	0.0050	mg/l	8260B	02/14/09	5
1,3-Dichloropropane	BDL	0.0050	mg/l	8260B	02/14/09	5
cis-1,3-Dichloropropene	BDL	0.0050	mg/l	8260B	02/14/09	5
trans-1,3-Dichloropropene	BDL	0.0050	mg/l	8260B	02/14/09	5
2,2-Dichloropropane	BDL	0.0050	mg/l	8260B	02/14/09	5
Di-isopropyl ether	BDL	0.0050	mg/l	8260B	02/14/09	5
Ethylbenzene	BDL	0.0050	mg/l	8260B	02/14/09	5
Hexachloro-1,3-butadiene	BDL	0.0050	mg/l	8260B	02/14/09	5
Isopropylbenzene	BDL	0.0050	mg/l	8260B	02/14/09	5
p-Isopropyltoluene	BDL	0.0050	mg/l	8260B	02/14/09	5

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-1S
Collected By : Steven Leitten
Collection Date : 02/09/09 11:50

ESC Sample # : L387851-01

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.050	mg/l	8260B	02/14/09	5
Methylene Chloride	BDL	0.025	mg/l	8260B	02/14/09	5
4-Methyl-2-pentanone (MIBK)	BDL	0.050	mg/l	8260B	02/14/09	5
Methyl tert-butyl ether	BDL	0.0050	mg/l	8260B	02/14/09	5
Naphthalene	BDL	0.025	mg/l	8260B	02/14/09	5
n-Propylbenzene	BDL	0.0050	mg/l	8260B	02/14/09	5
Styrene	BDL	0.0050	mg/l	8260B	02/14/09	5
1,1,1,2-Tetrachloroethane	BDL	0.0050	mg/l	8260B	02/14/09	5
1,1,2,2-Tetrachloroethane	BDL	0.0050	mg/l	8260B	02/14/09	5
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0050	mg/l	8260B	02/14/09	5
Tetrachloroethene	1.2	0.050	mg/l	8260B	02/17/09	50
Toluene	BDL	0.025	mg/l	8260B	02/14/09	5
1,2,3-Trichlorobenzene	BDL	0.0050	mg/l	8260B	02/14/09	5
1,2,4-Trichlorobenzene	BDL	0.0050	mg/l	8260B	02/14/09	5
1,1,1-Trichloroethane	BDL	0.0050	mg/l	8260B	02/14/09	5
1,1,2-Trichloroethane	BDL	0.0050	mg/l	8260B	02/14/09	5
Trichloroethene	BDL	0.0050	mg/l	8260B	02/14/09	5
Trichlorofluoromethane	BDL	0.025	mg/l	8260B	02/14/09	5
1,2,3-Trichloropropane	BDL	0.0050	mg/l	8260B	02/14/09	5
1,2,4-Trimethylbenzene	BDL	0.0050	mg/l	8260B	02/14/09	5
1,2,3-Trimethylbenzene	BDL	0.0050	mg/l	8260B	02/14/09	5
1,3,5-Trimethylbenzene	BDL	0.0050	mg/l	8260B	02/14/09	5
Vinyl chloride	BDL	0.0050	mg/l	8260B	02/14/09	5
Xylenes, Total	BDL	0.015	mg/l	8260B	02/14/09	5
Surrogate Recovery						
Toluene-d8	99.6		% Rec.	8260B	02/14/09	5
Dibromofluoromethane	104.		% Rec.	8260B	02/14/09	5
4-Bromofluorobenzene	94.8		% Rec.	8260B	02/14/09	5

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 02/17/09 09:56 Printed: 02/17/09 09:56



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-1D
Collected By : Steven Leitten
Collection Date : 02/09/09 12:00

ESC Sample # : L387851-02

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	02/14/09	1
Acrolein	BDL	0.050	mg/l	8260B	02/14/09	1
Acrylonitrile	BDL	0.010	mg/l	8260B	02/14/09	1
Benzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromoform	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromomethane	BDL	0.0050	mg/l	8260B	02/14/09	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	02/14/09	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Chloroethane	BDL	0.0050	mg/l	8260B	02/14/09	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	02/14/09	1
Chloroform	BDL	0.0050	mg/l	8260B	02/14/09	1
Chloromethane	BDL	0.0025	mg/l	8260B	02/14/09	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	02/14/09	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Dibromomethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	02/14/09	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	02/14/09	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	02/14/09	1

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit (PQL)



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-1D
Collected By : Steven Leitten
Collection Date : 02/09/09 12:00

ESC Sample # : L387851-02

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	02/14/09	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	02/14/09	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	02/14/09	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	02/14/09	1
Naphthalene	BDL	0.0050	mg/l	8260B	02/14/09	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Styrene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	02/14/09	1
Tetrachloroethene	0.032	0.0010	mg/l	8260B	02/14/09	1
Toluene	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Trichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	02/14/09	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	02/14/09	1
Surrogate Recovery						
Toluene-d8	97.1		% Rec.	8260B	02/14/09	1
Dibromofluoromethane	104.		% Rec.	8260B	02/14/09	1
4-Bromofluorobenzene	93.8		% Rec.	8260B	02/14/09	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 02/17/09 09:56 Printed: 02/17/09 09:57



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-2S
Collected By : Steven Leitten
Collection Date : 02/09/09 10:45

ESC Sample # : L387851-03

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	02/14/09	1
Acrolein	BDL	0.050	mg/l	8260B	02/14/09	1
Acrylonitrile	BDL	0.010	mg/l	8260B	02/14/09	1
Benzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromoform	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromomethane	BDL	0.0050	mg/l	8260B	02/14/09	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	02/14/09	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Chloroethane	BDL	0.0050	mg/l	8260B	02/14/09	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	02/14/09	1
Chloroform	BDL	0.0050	mg/l	8260B	02/14/09	1
Chloromethane	BDL	0.0025	mg/l	8260B	02/14/09	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	02/14/09	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Dibromomethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Dichlorodifluoromethane	0.0058	0.0050	mg/l	8260B	02/14/09	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	02/14/09	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	02/14/09	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	02/14/09	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-2S
Collected By : Steven Leitten
Collection Date : 02/09/09 10:45

ESC Sample # : L387851-03

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	02/14/09	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	02/14/09	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	02/14/09	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	02/14/09	1
Naphthalene	BDL	0.0050	mg/l	8260B	02/14/09	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Styrene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	02/14/09	1
Tetrachloroethene	0.020	0.0010	mg/l	8260B	02/14/09	1
Toluene	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Trichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	02/14/09	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	02/14/09	1
Surrogate Recovery						
Toluene-d8	97.7		% Rec.	8260B	02/14/09	1
Dibromofluoromethane	103.		% Rec.	8260B	02/14/09	1
4-Bromofluorobenzene	94.1		% Rec.	8260B	02/14/09	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 02/17/09 09:56 Printed: 02/17/09 09:57



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-2D
Collected By : Steven Leitten
Collection Date : 02/09/09 10:55

ESC Sample # : L387851-04

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	02/14/09	1
Acrolein	BDL	0.050	mg/l	8260B	02/14/09	1
Acrylonitrile	BDL	0.010	mg/l	8260B	02/14/09	1
Benzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromoform	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromomethane	BDL	0.0050	mg/l	8260B	02/14/09	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	02/14/09	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Chloroethane	BDL	0.0050	mg/l	8260B	02/14/09	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	02/14/09	1
Chloroform	BDL	0.0050	mg/l	8260B	02/14/09	1
Chloromethane	BDL	0.0025	mg/l	8260B	02/14/09	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	02/14/09	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Dibromomethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
cis-1,2-Dichloroethene	0.0094	0.0010	mg/l	8260B	02/14/09	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	02/14/09	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	02/14/09	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	02/14/09	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-2D
Collected By : Steven Leitten
Collection Date : 02/09/09 10:55

ESC Sample # : L387851-04

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	02/14/09	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	02/14/09	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	02/14/09	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	02/14/09	1
Naphthalene	BDL	0.0050	mg/l	8260B	02/14/09	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Styrene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	02/14/09	1
Tetrachloroethene	0.020	0.0010	mg/l	8260B	02/14/09	1
Toluene	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Trichloroethene	0.0014	0.0010	mg/l	8260B	02/14/09	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	02/14/09	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	02/14/09	1
Surrogate Recovery						
Toluene-d8	98.8		% Rec.	8260B	02/14/09	1
Dibromofluoromethane	104.		% Rec.	8260B	02/14/09	1
4-Bromofluorobenzene	94.7		% Rec.	8260B	02/14/09	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 02/17/09 09:56 Printed: 02/17/09 09:57



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-3S
Collected By : Steven Leitten
Collection Date : 02/09/09 10:25

ESC Sample # : L387851-05

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	02/14/09	1
Acrolein	BDL	0.050	mg/l	8260B	02/14/09	1
Acrylonitrile	BDL	0.010	mg/l	8260B	02/14/09	1
Benzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromoform	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromomethane	BDL	0.0050	mg/l	8260B	02/14/09	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	02/14/09	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Chloroethane	BDL	0.0050	mg/l	8260B	02/14/09	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	02/14/09	1
Chloroform	BDL	0.0050	mg/l	8260B	02/14/09	1
Chloromethane	BDL	0.0025	mg/l	8260B	02/14/09	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	02/14/09	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Dibromomethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
cis-1,2-Dichloroethene	0.51	0.010	mg/l	8260B	02/17/09	10
trans-1,2-Dichloroethene	0.0040	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	02/14/09	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	02/14/09	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	02/14/09	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-3S
Collected By : Steven Leitten
Collection Date : 02/09/09 10:25

ESC Sample # : L387851-05

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	02/14/09	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	02/14/09	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	02/14/09	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	02/14/09	1
Naphthalene	BDL	0.0050	mg/l	8260B	02/14/09	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Styrene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	02/14/09	1
Tetrachloroethene	0.12	0.0010	mg/l	8260B	02/14/09	1
Toluene	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Trichloroethene	0.048	0.0010	mg/l	8260B	02/14/09	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Vinyl chloride	0.021	0.0010	mg/l	8260B	02/14/09	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	02/14/09	1
Surrogate Recovery						
Toluene-d8	98.5		% Rec.	8260B	02/14/09	1
Dibromofluoromethane	105.		% Rec.	8260B	02/14/09	1
4-Bromofluorobenzene	95.9		% Rec.	8260B	02/14/09	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 02/17/09 09:56 Printed: 02/17/09 09:57



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-3D
Collected By : Steven Leitten
Collection Date : 02/09/09 10:35

ESC Sample # : L387851-06

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	02/14/09	1
Acrolein	BDL	0.050	mg/l	8260B	02/14/09	1
Acrylonitrile	BDL	0.010	mg/l	8260B	02/14/09	1
Benzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromoform	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromomethane	BDL	0.0050	mg/l	8260B	02/14/09	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	02/14/09	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Chloroethane	BDL	0.0050	mg/l	8260B	02/14/09	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	02/14/09	1
Chloroform	BDL	0.0050	mg/l	8260B	02/14/09	1
Chloromethane	BDL	0.0025	mg/l	8260B	02/14/09	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	02/14/09	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Dibromomethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
cis-1,2-Dichloroethene	0.028	0.0010	mg/l	8260B	02/17/09	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	02/14/09	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	02/14/09	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	02/14/09	1

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit (PQL)



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-3D
Collected By : Steven Leitten
Collection Date : 02/09/09 10:35

ESC Sample # : L387851-06

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	02/14/09	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	02/14/09	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	02/14/09	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	02/14/09	1
Naphthalene	BDL	0.0050	mg/l	8260B	02/14/09	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Styrene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	02/14/09	1
Tetrachloroethene	0.021	0.0010	mg/l	8260B	02/14/09	1
Toluene	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Trichloroethene	0.0043	0.0010	mg/l	8260B	02/14/09	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	02/14/09	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	02/14/09	1
Surrogate Recovery						
Toluene-d8	98.3		% Rec.	8260B	02/14/09	1
Dibromofluoromethane	104.		% Rec.	8260B	02/14/09	1
4-Bromofluorobenzene	94.7		% Rec.	8260B	02/14/09	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 02/17/09 09:56 Printed: 02/17/09 09:57



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-8S
Collected By : Steven Leitten
Collection Date : 02/09/09 11:15

ESC Sample # : L387851-07

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	02/14/09	1
Acrolein	BDL	0.050	mg/l	8260B	02/14/09	1
Acrylonitrile	BDL	0.010	mg/l	8260B	02/14/09	1
Benzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromoform	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromomethane	BDL	0.0050	mg/l	8260B	02/14/09	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	02/14/09	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Chloroethane	BDL	0.0050	mg/l	8260B	02/14/09	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	02/14/09	1
Chloroform	BDL	0.0050	mg/l	8260B	02/14/09	1
Chloromethane	BDL	0.0025	mg/l	8260B	02/14/09	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	02/14/09	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Dibromomethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	02/14/09	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	02/14/09	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	02/14/09	1

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit (PQL)



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-8S
Collected By : Steven Leitten
Collection Date : 02/09/09 11:15

ESC Sample # : L387851-07

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	02/14/09	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	02/14/09	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	02/14/09	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	02/14/09	1
Naphthalene	BDL	0.0050	mg/l	8260B	02/14/09	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Styrene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	02/14/09	1
Tetrachloroethene	0.060	0.0010	mg/l	8260B	02/14/09	1
Toluene	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Trichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	02/14/09	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	02/14/09	1
Surrogate Recovery						
Toluene-d8	96.9		% Rec.	8260B	02/14/09	1
Dibromofluoromethane	105.		% Rec.	8260B	02/14/09	1
4-Bromofluorobenzene	96.6		% Rec.	8260B	02/14/09	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 02/17/09 09:56 Printed: 02/17/09 09:57



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-8D
Collected By : Steven Leitten
Collection Date : 02/09/09 11:25

ESC Sample # : L387851-08

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	02/14/09	1
Acrolein	BDL	0.050	mg/l	8260B	02/14/09	1
Acrylonitrile	BDL	0.010	mg/l	8260B	02/14/09	1
Benzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromoform	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromomethane	BDL	0.0050	mg/l	8260B	02/14/09	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	02/14/09	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Chloroethane	BDL	0.0050	mg/l	8260B	02/14/09	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	02/14/09	1
Chloroform	BDL	0.0050	mg/l	8260B	02/14/09	1
Chloromethane	BDL	0.0025	mg/l	8260B	02/14/09	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	02/14/09	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Dibromomethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
cis-1,2-Dichloroethene	0.0014	0.0010	mg/l	8260B	02/14/09	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	02/14/09	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	02/14/09	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	02/14/09	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-8D
Collected By : Steven Leitten
Collection Date : 02/09/09 11:25

ESC Sample # : L387851-08

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	02/14/09	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	02/14/09	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	02/14/09	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	02/14/09	1
Naphthalene	BDL	0.0050	mg/l	8260B	02/14/09	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Styrene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	02/14/09	1
Tetrachloroethene	0.014	0.0010	mg/l	8260B	02/14/09	1
Toluene	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Trichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	02/14/09	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	02/14/09	1
Surrogate Recovery						
Toluene-d8	97.6		% Rec.	8260B	02/14/09	1
Dibromofluoromethane	105.		% Rec.	8260B	02/14/09	1
4-Bromofluorobenzene	95.5		% Rec.	8260B	02/14/09	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 02/17/09 09:56 Printed: 02/17/09 09:57



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-9S
Collected By : Steven Leitten
Collection Date : 02/09/09 10:05

ESC Sample # : L387851-09

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	02/14/09	1
Acrolein	BDL	0.050	mg/l	8260B	02/14/09	1
Acrylonitrile	BDL	0.010	mg/l	8260B	02/14/09	1
Benzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromoform	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromomethane	BDL	0.0050	mg/l	8260B	02/14/09	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	02/14/09	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Chloroethane	BDL	0.0050	mg/l	8260B	02/14/09	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	02/14/09	1
Chloroform	BDL	0.0050	mg/l	8260B	02/14/09	1
Chloromethane	BDL	0.0025	mg/l	8260B	02/14/09	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	02/14/09	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Dibromomethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	02/14/09	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	02/14/09	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	02/14/09	1

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit (PQL)



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-9S
Collected By : Steven Leitten
Collection Date : 02/09/09 10:05

ESC Sample # : L387851-09

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	02/14/09	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	02/14/09	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	02/14/09	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	02/14/09	1
Naphthalene	BDL	0.0050	mg/l	8260B	02/14/09	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Styrene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	02/14/09	1
Tetrachloroethene	0.016	0.0010	mg/l	8260B	02/14/09	1
Toluene	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Trichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	02/14/09	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	02/14/09	1
Surrogate Recovery						
Toluene-d8	98.1		% Rec.	8260B	02/14/09	1
Dibromofluoromethane	106.		% Rec.	8260B	02/14/09	1
4-Bromofluorobenzene	92.8		% Rec.	8260B	02/14/09	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 02/17/09 09:56 Printed: 02/17/09 09:57



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-9D
Collected By : Steven Leitten
Collection Date : 02/09/09 10:15

ESC Sample # : L387851-10

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	02/14/09	1
Acrolein	BDL	0.050	mg/l	8260B	02/14/09	1
Acrylonitrile	BDL	0.010	mg/l	8260B	02/14/09	1
Benzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromoform	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromomethane	BDL	0.0050	mg/l	8260B	02/14/09	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	02/14/09	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Chloroethane	BDL	0.0050	mg/l	8260B	02/14/09	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	02/14/09	1
Chloroform	BDL	0.0050	mg/l	8260B	02/14/09	1
Chloromethane	BDL	0.0025	mg/l	8260B	02/14/09	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	02/14/09	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Dibromomethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	02/14/09	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	02/14/09	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	02/14/09	1

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit (PQL)



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-9D
Collected By : Steven Leitten
Collection Date : 02/09/09 10:15

ESC Sample # : L387851-10

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	02/14/09	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	02/14/09	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	02/14/09	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	02/14/09	1
Naphthalene	BDL	0.0050	mg/l	8260B	02/14/09	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Styrene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	02/14/09	1
Tetrachloroethene	0.0061	0.0010	mg/l	8260B	02/14/09	1
Toluene	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Trichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	02/14/09	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	02/14/09	1
Surrogate Recovery						
Toluene-d8	98.6		% Rec.	8260B	02/14/09	1
Dibromofluoromethane	105.		% Rec.	8260B	02/14/09	1
4-Bromofluorobenzene	95.2		% Rec.	8260B	02/14/09	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 02/17/09 09:56 Printed: 02/17/09 09:57



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-10S
Collected By : Steven Leitten
Collection Date : 02/09/09 09:35

ESC Sample # : L387851-11

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	02/14/09	1
Acrolein	BDL	0.050	mg/l	8260B	02/14/09	1
Acrylonitrile	BDL	0.010	mg/l	8260B	02/14/09	1
Benzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromoform	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromomethane	BDL	0.0050	mg/l	8260B	02/14/09	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	02/14/09	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Chloroethane	BDL	0.0050	mg/l	8260B	02/14/09	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	02/14/09	1
Chloroform	BDL	0.0050	mg/l	8260B	02/14/09	1
Chloromethane	BDL	0.0025	mg/l	8260B	02/14/09	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	02/14/09	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Dibromomethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	02/14/09	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	02/14/09	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	02/14/09	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-10S
Collected By : Steven Leitten
Collection Date : 02/09/09 09:35

ESC Sample # : L387851-11

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	02/14/09	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	02/14/09	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	02/14/09	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	02/14/09	1
Naphthalene	BDL	0.0050	mg/l	8260B	02/14/09	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Styrene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	02/14/09	1
Tetrachloroethene	1.0	0.010	mg/l	8260B	02/17/09	10
Toluene	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Trichloroethene	0.0017	0.0010	mg/l	8260B	02/14/09	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	02/14/09	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	02/14/09	1
Surrogate Recovery						
Toluene-d8	96.4		% Rec.	8260B	02/14/09	1
Dibromofluoromethane	102.		% Rec.	8260B	02/14/09	1
4-Bromofluorobenzene	91.0		% Rec.	8260B	02/14/09	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 02/17/09 09:56 Printed: 02/17/09 09:57



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-10D
Collected By : Steven Leitten
Collection Date : 02/09/09 09:50

ESC Sample # : L387851-12

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	02/14/09	1
Acrolein	BDL	0.050	mg/l	8260B	02/14/09	1
Acrylonitrile	BDL	0.010	mg/l	8260B	02/14/09	1
Benzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromoform	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromomethane	BDL	0.0050	mg/l	8260B	02/14/09	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	02/14/09	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Chloroethane	BDL	0.0050	mg/l	8260B	02/14/09	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	02/14/09	1
Chloroform	BDL	0.0050	mg/l	8260B	02/14/09	1
Chloromethane	BDL	0.0025	mg/l	8260B	02/14/09	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	02/14/09	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Dibromomethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	02/14/09	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	02/14/09	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	02/14/09	1

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit (PQL)



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-10D
Collected By : Steven Leitten
Collection Date : 02/09/09 09:50

ESC Sample # : L387851-12

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	02/14/09	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	02/14/09	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	02/14/09	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	02/14/09	1
Naphthalene	BDL	0.0050	mg/l	8260B	02/14/09	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Styrene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	02/14/09	1
Tetrachloroethene	0.044	0.0010	mg/l	8260B	02/17/09	1
Toluene	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Trichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	02/14/09	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	02/14/09	1
Surrogate Recovery						
Toluene-d8	97.2		% Rec.	8260B	02/14/09	1
Dibromofluoromethane	106.		% Rec.	8260B	02/14/09	1
4-Bromofluorobenzene	93.3		% Rec.	8260B	02/14/09	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 02/17/09 09:56 Printed: 02/17/09 09:57



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-11S
Collected By : Steven Leitten
Collection Date : 02/09/09 09:10

ESC Sample # : L387851-13

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	02/14/09	1
Acrolein	BDL	0.050	mg/l	8260B	02/14/09	1
Acrylonitrile	BDL	0.010	mg/l	8260B	02/14/09	1
Benzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromoform	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromomethane	BDL	0.0050	mg/l	8260B	02/14/09	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	02/14/09	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Chloroethane	BDL	0.0050	mg/l	8260B	02/14/09	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	02/14/09	1
Chloroform	BDL	0.0050	mg/l	8260B	02/14/09	1
Chloromethane	BDL	0.0025	mg/l	8260B	02/14/09	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	02/14/09	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Dibromomethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	02/14/09	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	02/14/09	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	02/14/09	1

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit (PQL)



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-11S
Collected By : Steven Leitten
Collection Date : 02/09/09 09:10

ESC Sample # : L387851-13

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	02/14/09	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	02/14/09	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	02/14/09	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	02/14/09	1
Naphthalene	BDL	0.0050	mg/l	8260B	02/14/09	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Styrene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	02/14/09	1
Tetrachloroethene	0.0075	0.0010	mg/l	8260B	02/14/09	1
Toluene	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Trichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	02/14/09	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	02/14/09	1
Surrogate Recovery						
Toluene-d8	98.6		% Rec.	8260B	02/14/09	1
Dibromofluoromethane	105.		% Rec.	8260B	02/14/09	1
4-Bromofluorobenzene	96.0		% Rec.	8260B	02/14/09	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 02/17/09 09:56 Printed: 02/17/09 09:57



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-11D
Collected By : Steven Leitten
Collection Date : 02/09/09 09:20

ESC Sample # : L387851-14

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	02/14/09	1
Acrolein	BDL	0.050	mg/l	8260B	02/14/09	1
Acrylonitrile	BDL	0.010	mg/l	8260B	02/14/09	1
Benzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromoform	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromomethane	BDL	0.0050	mg/l	8260B	02/14/09	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	02/14/09	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Chloroethane	BDL	0.0050	mg/l	8260B	02/14/09	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	02/14/09	1
Chloroform	BDL	0.0050	mg/l	8260B	02/14/09	1
Chloromethane	BDL	0.0025	mg/l	8260B	02/14/09	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	02/14/09	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Dibromomethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
cis-1,2-Dichloroethene	0.37	0.010	mg/l	8260B	02/17/09	10
trans-1,2-Dichloroethene	0.0029	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	02/14/09	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	02/14/09	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	02/14/09	1

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit (PQL)



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-11D
Collected By : Steven Leitten
Collection Date : 02/09/09 09:20

ESC Sample # : L387851-14

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	02/14/09	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	02/14/09	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	02/14/09	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	02/14/09	1
Naphthalene	BDL	0.0050	mg/l	8260B	02/14/09	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Styrene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	02/14/09	1
Tetrachloroethene	0.25	0.010	mg/l	8260B	02/17/09	10
Toluene	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Trichloroethene	0.036	0.0010	mg/l	8260B	02/14/09	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Vinyl chloride	0.059	0.0010	mg/l	8260B	02/14/09	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	02/14/09	1
Surrogate Recovery						
Toluene-d8	95.8		% Rec.	8260B	02/14/09	1
Dibromofluoromethane	105.		% Rec.	8260B	02/14/09	1
4-Bromofluorobenzene	96.6		% Rec.	8260B	02/14/09	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 02/17/09 09:56 Printed: 02/17/09 09:57



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-12S
Collected By : Steven Leitten
Collection Date : 02/11/09 10:30

ESC Sample # : L387851-15

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	02/14/09	1
Acrolein	BDL	0.050	mg/l	8260B	02/14/09	1
Acrylonitrile	BDL	0.010	mg/l	8260B	02/14/09	1
Benzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromoform	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromomethane	BDL	0.0050	mg/l	8260B	02/14/09	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	02/14/09	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Chloroethane	BDL	0.0050	mg/l	8260B	02/14/09	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	02/14/09	1
Chloroform	BDL	0.0050	mg/l	8260B	02/14/09	1
Chloromethane	BDL	0.0025	mg/l	8260B	02/14/09	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	02/14/09	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Dibromomethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	02/14/09	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	02/14/09	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	02/14/09	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-12S
Collected By : Steven Leitten
Collection Date : 02/11/09 10:30

ESC Sample # : L387851-15

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	0.012	0.010	mg/l	8260B	02/14/09	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	02/14/09	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	02/14/09	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	02/14/09	1
Naphthalene	BDL	0.0050	mg/l	8260B	02/14/09	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Styrene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	02/14/09	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	02/17/09	1
Toluene	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Trichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	02/14/09	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	02/14/09	1
Surrogate Recovery						
Toluene-d8	97.0		% Rec.	8260B	02/14/09	1
Dibromofluoromethane	111.		% Rec.	8260B	02/14/09	1
4-Bromofluorobenzene	94.4		% Rec.	8260B	02/14/09	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 02/17/09 09:56 Printed: 02/17/09 09:57



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-12D
Collected By : Steven Leitten
Collection Date : 02/11/09 10:40

ESC Sample # : L387851-16

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	02/14/09	1
Acrolein	BDL	0.050	mg/l	8260B	02/14/09	1
Acrylonitrile	BDL	0.010	mg/l	8260B	02/14/09	1
Benzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromoform	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromomethane	BDL	0.0050	mg/l	8260B	02/14/09	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	02/14/09	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Chloroethane	BDL	0.0050	mg/l	8260B	02/14/09	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	02/14/09	1
Chloroform	BDL	0.0050	mg/l	8260B	02/14/09	1
Chloromethane	BDL	0.0025	mg/l	8260B	02/14/09	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	02/14/09	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Dibromomethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	02/14/09	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	02/14/09	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	02/14/09	1

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit (PQL)



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-12D
Collected By : Steven Leitten
Collection Date : 02/11/09 10:40

ESC Sample # : L387851-16

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	02/14/09	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	02/14/09	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	02/14/09	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	02/14/09	1
Naphthalene	BDL	0.0050	mg/l	8260B	02/14/09	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Styrene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	02/14/09	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
Toluene	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Trichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	02/14/09	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	02/14/09	1
Surrogate Recovery						
Toluene-d8	97.9		% Rec.	8260B	02/14/09	1
Dibromofluoromethane	106.		% Rec.	8260B	02/14/09	1
4-Bromofluorobenzene	94.3		% Rec.	8260B	02/14/09	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 02/17/09 09:56 Printed: 02/17/09 09:57



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-13S
Collected By : Steven Leitten
Collection Date : 02/09/09 08:45

ESC Sample # : L387851-17

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	02/14/09	1
Acrolein	BDL	0.050	mg/l	8260B	02/14/09	1
Acrylonitrile	BDL	0.010	mg/l	8260B	02/14/09	1
Benzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromoform	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromomethane	BDL	0.0050	mg/l	8260B	02/14/09	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	02/14/09	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Chloroethane	BDL	0.0050	mg/l	8260B	02/14/09	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	02/14/09	1
Chloroform	BDL	0.0050	mg/l	8260B	02/14/09	1
Chloromethane	BDL	0.0025	mg/l	8260B	02/14/09	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	02/14/09	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Dibromomethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
cis-1,2-Dichloroethene	0.0039	0.0010	mg/l	8260B	02/14/09	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	02/14/09	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	02/14/09	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	02/14/09	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-13S
Collected By : Steven Leitten
Collection Date : 02/09/09 08:45

ESC Sample # : L387851-17

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	02/14/09	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	02/14/09	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	02/14/09	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	02/14/09	1
Naphthalene	BDL	0.0050	mg/l	8260B	02/14/09	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Styrene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	02/14/09	1
Tetrachloroethene	0.023	0.0010	mg/l	8260B	02/14/09	1
Toluene	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Trichloroethene	0.0022	0.0010	mg/l	8260B	02/14/09	1
Trichlorofluoromethane	0.014	0.0050	mg/l	8260B	02/14/09	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	02/14/09	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	02/14/09	1
Surrogate Recovery						
Toluene-d8	97.9		% Rec.	8260B	02/14/09	1
Dibromofluoromethane	104.		% Rec.	8260B	02/14/09	1
4-Bromofluorobenzene	93.5		% Rec.	8260B	02/14/09	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 02/17/09 09:56 Printed: 02/17/09 09:57



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-13D
Collected By : Steven Leitten
Collection Date : 02/09/09 08:55

ESC Sample # : L387851-18

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	02/14/09	1
Acrolein	BDL	0.050	mg/l	8260B	02/14/09	1
Acrylonitrile	BDL	0.010	mg/l	8260B	02/14/09	1
Benzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromoform	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromomethane	BDL	0.0050	mg/l	8260B	02/14/09	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	02/14/09	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Chloroethane	BDL	0.0050	mg/l	8260B	02/14/09	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	02/14/09	1
Chloroform	BDL	0.0050	mg/l	8260B	02/14/09	1
Chloromethane	BDL	0.0025	mg/l	8260B	02/14/09	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	02/14/09	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Dibromomethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
cis-1,2-Dichloroethene	0.0062	0.0010	mg/l	8260B	02/14/09	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	02/14/09	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	02/14/09	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	02/14/09	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-13D
Collected By : Steven Leitten
Collection Date : 02/09/09 08:55

ESC Sample # : L387851-18

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	02/14/09	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	02/14/09	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	02/14/09	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	02/14/09	1
Naphthalene	BDL	0.0050	mg/l	8260B	02/14/09	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Styrene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	02/14/09	1
Tetrachloroethene	0.011	0.0010	mg/l	8260B	02/14/09	1
Toluene	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Trichloroethene	0.0013	0.0010	mg/l	8260B	02/14/09	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	02/14/09	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	02/14/09	1
Surrogate Recovery						
Toluene-d8	98.7		% Rec.	8260B	02/14/09	1
Dibromofluoromethane	106.		% Rec.	8260B	02/14/09	1
4-Bromofluorobenzene	92.2		% Rec.	8260B	02/14/09	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 02/17/09 09:56 Printed: 02/17/09 09:57



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-14S
Collected By : Steven Leitten
Collection Date : 02/09/09 10:00

ESC Sample # : L387851-19

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	02/14/09	1
Acrolein	BDL	0.050	mg/l	8260B	02/14/09	1
Acrylonitrile	BDL	0.010	mg/l	8260B	02/14/09	1
Benzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromoform	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromomethane	BDL	0.0050	mg/l	8260B	02/14/09	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	02/14/09	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Chloroethane	BDL	0.0050	mg/l	8260B	02/14/09	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	02/14/09	1
Chloroform	BDL	0.0050	mg/l	8260B	02/14/09	1
Chloromethane	BDL	0.0025	mg/l	8260B	02/14/09	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	02/14/09	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Dibromomethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	02/14/09	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	02/14/09	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	02/14/09	1

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit (PQL)



ENVIRONMENTAL
SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-14S
Collected By : Steven Leitten
Collection Date : 02/09/09 10:00

ESC Sample # : L387851-19

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	02/14/09	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	02/14/09	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	02/14/09	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	02/14/09	1
Naphthalene	BDL	0.0050	mg/l	8260B	02/14/09	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Styrene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	02/14/09	1
Tetrachloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
Toluene	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Trichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	02/14/09	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	02/14/09	1
Surrogate Recovery						
Toluene-d8	98.6		% Rec.	8260B	02/14/09	1
Dibromofluoromethane	107.		% Rec.	8260B	02/14/09	1
4-Bromofluorobenzene	92.2		% Rec.	8260B	02/14/09	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 02/17/09 09:56 Printed: 02/17/09 09:57



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-14D
Collected By : Steven Leitten
Collection Date : 02/09/09 10:05

ESC Sample # : L387851-20

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
Volatile Organics						
Acetone	BDL	0.050	mg/l	8260B	02/14/09	1
Acrolein	BDL	0.050	mg/l	8260B	02/14/09	1
Acrylonitrile	BDL	0.010	mg/l	8260B	02/14/09	1
Benzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromodichloromethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromoform	BDL	0.0010	mg/l	8260B	02/14/09	1
Bromomethane	BDL	0.0050	mg/l	8260B	02/14/09	1
n-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
sec-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
tert-Butylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Carbon tetrachloride	BDL	0.0010	mg/l	8260B	02/14/09	1
Chlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Chlorodibromomethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Chloroethane	BDL	0.0050	mg/l	8260B	02/14/09	1
2-Chloroethyl vinyl ether	BDL	0.050	mg/l	8260B	02/14/09	1
Chloroform	BDL	0.0050	mg/l	8260B	02/14/09	1
Chloromethane	BDL	0.0025	mg/l	8260B	02/14/09	1
2-Chlorotoluene	BDL	0.0010	mg/l	8260B	02/14/09	1
4-Chlorotoluene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dibromo-3-Chloropropane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2-Dibromoethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Dibromomethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,4-Dichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Dichlorodifluoromethane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,1-Dichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
cis-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
trans-1,2-Dichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
cis-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
trans-1,3-Dichloropropene	BDL	0.0010	mg/l	8260B	02/14/09	1
2,2-Dichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
Di-isopropyl ether	BDL	0.0010	mg/l	8260B	02/14/09	1
Ethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Hexachloro-1,3-butadiene	BDL	0.0010	mg/l	8260B	02/14/09	1
Isopropylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
p-Isopropyltoluene	BDL	0.0010	mg/l	8260B	02/14/09	1

BDL - Below Detection Limit
Det. Limit - Practical Quantitation Limit (PQL)



ENVIRONMENTAL SCIENCE CORP.

12065 Lebanon Rd.
Mt. Juliet, TN 37122
(615) 758-5858
1-800-767-5859
Fax (615) 758-5859

Tax I.D. 62-0814289

Est. 1970

REPORT OF ANALYSIS

Mr. Steve Leitten
EPS VT - NY
2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

February 17, 2009

Date Received : February 12, 2009
Description : Colvin Eggert Plaza Project
Sample ID : MW-14D
Collected By : Steven Leitten
Collection Date : 02/09/09 10:05

ESC Sample # : L387851-20

Site ID :

Project # : B1585

Parameter	Result	Det. Limit	Units	Method	Date	Dil.
2-Butanone (MEK)	BDL	0.010	mg/l	8260B	02/14/09	1
Methylene Chloride	BDL	0.0050	mg/l	8260B	02/14/09	1
4-Methyl-2-pentanone (MIBK)	BDL	0.010	mg/l	8260B	02/14/09	1
Methyl tert-butyl ether	BDL	0.0010	mg/l	8260B	02/14/09	1
Naphthalene	BDL	0.0050	mg/l	8260B	02/14/09	1
n-Propylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Styrene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,1,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2,2-Tetrachloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2-Trichloro-1,2,2-trifluoro	BDL	0.0010	mg/l	8260B	02/14/09	1
Tetrachloroethene	0.0011	0.0010	mg/l	8260B	02/14/09	1
Toluene	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2,3-Trichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,4-Trichlorobenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,1-Trichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,1,2-Trichloroethane	BDL	0.0010	mg/l	8260B	02/14/09	1
Trichloroethene	BDL	0.0010	mg/l	8260B	02/14/09	1
Trichlorofluoromethane	BDL	0.0050	mg/l	8260B	02/14/09	1
1,2,3-Trichloropropane	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,4-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,2,3-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
1,3,5-Trimethylbenzene	BDL	0.0010	mg/l	8260B	02/14/09	1
Vinyl chloride	BDL	0.0010	mg/l	8260B	02/14/09	1
Xylenes, Total	BDL	0.0030	mg/l	8260B	02/14/09	1
Surrogate Recovery						
Toluene-d8	95.6		% Rec.	8260B	02/14/09	1
Dibromofluoromethane	107.		% Rec.	8260B	02/14/09	1
4-Bromofluorobenzene	95.7		% Rec.	8260B	02/14/09	1

BDL - Below Detection Limit

Det. Limit - Practical Quantitation Limit (PQL)

Note:

The reported analytical results relate only to the sample submitted.

This report shall not be reproduced, except in full, without the written approval from ESC.

Reported: 02/17/09 09:56 Printed: 02/17/09 09:57

Attachment A
List of Analytes with QC Qualifiers

Sample Number	Work Group	Sample Type	Analyte	Run ID	Qualifier
L387851-02	WG407174	SAMP	Acrolein	R632907	J3
	WG407174	SAMP	Benzene	R632907	J6
	WG407174	SAMP	Bromodichloromethane	R632907	J6
	WG407174	SAMP	Carbon tetrachloride	R632907	J6
	WG407174	SAMP	Chlorobenzene	R632907	J6
	WG407174	SAMP	Chloroethane	R632907	J6
	WG407174	SAMP	Chloroform	R632907	J6
	WG407174	SAMP	Chloromethane	R632907	J6J3
	WG407174	SAMP	1,2-Dibromoethane	R632907	J6
	WG407174	SAMP	Dibromomethane	R632907	J6
	WG407174	SAMP	1,1-Dichloroethane	R632907	J6
	WG407174	SAMP	1,2-Dichloroethane	R632907	J6
	WG407174	SAMP	1,1-Dichloroethene	R632907	J6
	WG407174	SAMP	cis-1,2-Dichloroethene	R632907	J6
	WG407174	SAMP	trans-1,2-Dichloroethene	R632907	J6J3
	WG407174	SAMP	1,2-Dichloropropane	R632907	J6
	WG407174	SAMP	1,1-Dichloropropene	R632907	J6
	WG407174	SAMP	1,3-Dichloropropene	R632907	J6
	WG407174	SAMP	cis-1,3-Dichloropropene	R632907	J6
	WG407174	SAMP	Ethylbenzene	R632907	J6
	WG407174	SAMP	Isopropylbenzene	R632907	J6
	WG407174	SAMP	Methylene Chloride	R632907	J6
	WG407174	SAMP	Styrene	R632907	J6
	WG407174	SAMP	1,1,2-Trichloro-1,2,2-trifluoroethane	R632907	J6
	WG407174	SAMP	Tetrachloroethene	R632907	J6
	WG407174	SAMP	Toluene	R632907	J6
	WG407174	SAMP	1,1,1-Trichloroethane	R632907	J6
	WG407174	SAMP	Trichloroethene	R632907	J6
	WG407174	SAMP	Trichlorofluoromethane	R632907	J6
	WG407174	SAMP	Xylenes, Total	R632907	J6

Attachment B
Explanation of QC Qualifier Codes

Qualifier	Meaning
J3	The associated batch QC was outside the established quality control range for precision.
J6	The sample matrix interfered with the ability to make any accurate determination; spike value is low

Qualifier Report Information

ESC utilizes sample and result qualifiers as set forth by the EPA Contract Laboratory Program and as required by most certifying bodies including NELAC. In addition to the EPA qualifiers adopted by ESC, we have implemented ESC qualifiers to provide more information pertaining to our analytical results. Each qualifier is designated in the qualifier explanation as either EPA or ESC. Data qualifiers are intended to provide the ESC client with more detailed information concerning the potential bias of reported data. Because of the wide range of constituents and variety of matrices incorporated by most EPA methods, it is common for some compounds to fall outside of established ranges. These exceptions are evaluated and all reported data is valid and useable unless qualified as 'R' (Rejected).

Definitions

- Accuracy - The relationship of the observed value of a known sample to the true value of a known sample. Represented by percent recovery and relevant to samples such as: control samples, matrix spike recoveries, surrogate recoveries, etc.
- Precision - The agreement between a set of samples or between duplicate samples. Relates to how close together the results are and is represented by Relative Percent Difference.
- Surrogate - Organic compounds that are similar in chemical composition, extraction, and chromatography to analytes of interest. The surrogates are used to determine the probable response of the group of analytes that are chemically related to the surrogate compound. Surrogates are added to the sample and carried through all stages of preparation and analyses.
- TIC - Tentatively Identified Compound: Compounds detected in samples that are not target compounds, internal standards, system monitoring compounds, or surrogates.

Summary of Remarks For Samples Printed
02/17/09 at 09:57:29

TSR Signing Reports: 044
R5 - Desired TAT

CL \$2500

Sample: L387851-01 Account: EPSVTNY Received: 02/12/09 09:00 Due Date: 02/19/09 00:00 RPT Date: 02/17/09 09:56
Sample: L387851-02 Account: EPSVTNY Received: 02/12/09 09:00 Due Date: 02/19/09 00:00 RPT Date: 02/17/09 09:56
Sample: L387851-03 Account: EPSVTNY Received: 02/12/09 09:00 Due Date: 02/19/09 00:00 RPT Date: 02/17/09 09:56
Sample: L387851-04 Account: EPSVTNY Received: 02/12/09 09:00 Due Date: 02/19/09 00:00 RPT Date: 02/17/09 09:56
Sample: L387851-05 Account: EPSVTNY Received: 02/12/09 09:00 Due Date: 02/19/09 00:00 RPT Date: 02/17/09 09:56
Sample: L387851-06 Account: EPSVTNY Received: 02/12/09 09:00 Due Date: 02/19/09 00:00 RPT Date: 02/17/09 09:56
Sample: L387851-07 Account: EPSVTNY Received: 02/12/09 09:00 Due Date: 02/19/09 00:00 RPT Date: 02/17/09 09:56
Sample: L387851-08 Account: EPSVTNY Received: 02/12/09 09:00 Due Date: 02/19/09 00:00 RPT Date: 02/17/09 09:56
Sample: L387851-09 Account: EPSVTNY Received: 02/12/09 09:00 Due Date: 02/19/09 00:00 RPT Date: 02/17/09 09:56
Sample: L387851-10 Account: EPSVTNY Received: 02/12/09 09:00 Due Date: 02/19/09 00:00 RPT Date: 02/17/09 09:56
Sample: L387851-11 Account: EPSVTNY Received: 02/12/09 09:00 Due Date: 02/19/09 00:00 RPT Date: 02/17/09 09:56
Sample: L387851-12 Account: EPSVTNY Received: 02/12/09 09:00 Due Date: 02/19/09 00:00 RPT Date: 02/17/09 09:56
Sample: L387851-13 Account: EPSVTNY Received: 02/12/09 09:00 Due Date: 02/19/09 00:00 RPT Date: 02/17/09 09:56
Sample: L387851-14 Account: EPSVTNY Received: 02/12/09 09:00 Due Date: 02/19/09 00:00 RPT Date: 02/17/09 09:56
Sample: L387851-15 Account: EPSVTNY Received: 02/12/09 09:00 Due Date: 02/19/09 00:00 RPT Date: 02/17/09 09:56
Sample: L387851-16 Account: EPSVTNY Received: 02/12/09 09:00 Due Date: 02/19/09 00:00 RPT Date: 02/17/09 09:56
Sample: L387851-17 Account: EPSVTNY Received: 02/12/09 09:00 Due Date: 02/19/09 00:00 RPT Date: 02/17/09 09:56
Sample: L387851-18 Account: EPSVTNY Received: 02/12/09 09:00 Due Date: 02/19/09 00:00 RPT Date: 02/17/09 09:56
Sample: L387851-19 Account: EPSVTNY Received: 02/12/09 09:00 Due Date: 02/19/09 00:00 RPT Date: 02/17/09 09:56
Sample: L387851-20 Account: EPSVTNY Received: 02/12/09 09:00 Due Date: 02/19/09 00:00 RPT Date: 02/17/09 09:56

EPS VT - NY

2775 Broadway St.. Ste. #250
Cheektowaga, NY 14227

Alternate billing information:

Analysis/Container/Preservative

Chain of Custody
Page 1 of 3

C115

Prepared by:

 ENVIRONMENTAL

SCIENCE CORP.

12065 Lebanon Road
Mt. Juliet, TN 37122

Phone (800) 767-5859

FAX (615) 758-5859

Report to:

Mr. Steve Leitten

Email:

SLeitten@epsofvermont.com

Project

Description: Colvin Eggert Plaza Project

City/State
Collected

TONAWANDA
N.Y.

Phone: (716) 597-0001

FAX:

Client Project #:

B1585

Lab Project #

EPSVTNY-COLVIN

Collected by (print):

STEVEN LEITTEN

Site/Facility ID#:

P.O.#: B11074

Collected by (signature):



Rush? (Lab MUST Be Notified)

Same Day 200%

Next Day 100%

Two Day 50%

Three Day 25%

Date Results Needed

Email? ☐ No ☒ Yes

FAX? ☐ No ☐ Yes

No.
of
Cnts

V8260 40m/Amb-HCl

Account: EPSVTNY (lab use only)

Template/Prelogin: T55982/P271790

Cooler #:

2/2 n/b

Shipped Via: FedEx Standard

Remarks/Contaminant Sample # (lab only)

Sample ID	Comp/Grab	Matrix*	Depth	Date	Time	No. of Cnts													
MW-15	GRAB	GW		2/9/09	1150	2	X												L387851-01
MW-10		GW			1200	2	X												-02
MW-25		GW			1045	2	X												-03
MW-20		GW			1055	2	X												-04
MW-35		GW			1025	2	X												-05
MW-30		GW			1035	2	X												-06
MW-85		GW			1115	2	X												-07
MW-80		GW			1125	2	X												-08
MW-95		GW			1005	2	X												-09

*Matrix: SS - Soil GW - Groundwater WW - WasteWater DW - Drinking Water OT - Other _____

pH _____ Temp _____

Remarks:

Flow _____ Other _____

Relinquished by: (Signature)

Date:

2/12/09 1500

Time:

Received by: (Signature)

Samples returned via: ☐ UPS

☐ FedEx ☐ Courier ☐ _____

Condition: (lab use only)

Relinquished by: (Signature)

Date:

Time:

Received by: (Signature)

Temp:

33.3

Bottles Received:

40-146

COC Seal Intact: ☒ Y ☐ N ☐ NA

Relinquished by: (Signature)

Date:

Time:

Received for lab by: (Signature)

Date:

2/12/09

Time:

0900

pH Checked:

NCF:

EPS VT - NY

2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

Alternate billing information:

Analysis/Container/Preservative

Chain of Custody
Page 2 of 3

Report to:
Mr. Steve Leitten

Email:
SLeitten@epsofvermont.com

Project Description: **Colvin Eggert Plaza Project**

City/State Collected: **TOWANDA N.Y.**

Phone: (716) 597-0001
FAX:

Client Project #:
B1585

Lab Project #:
EPSVTNY-COLVIN

Collected by (print):
STEVEN LEITTEN

Site/Facility ID#:

P.O.#: **B11074**

Collected by (signature):

Rush? (Lab MUST Be Notified)

Date Results Needed

Immediately
Packed on Ice N Y X

Same Day 200%
Next Day 100%
Two Day 50%
Three Day 25%

Email? No X Yes
FAX? No Yes

No.
of
Cntrs

V8260 40ml Amb-HCI

Account: **EPSVTNY** (lab use only)
Template/Prelogin **T55982 P271790**
Cooler #: **2/2 MB**
Shipped Via: **FedEX Standard**

Remarks/Contaminant Sample # (lab only)

Sample ID	Comp/Grab	Matrix*	Depth	Date	Time	No. of Cntrs														
MW-90 MW-90	GRAB	GW		2/9/09	1015	2	X													L38785-10
MW-105		GW			0935	2	X													-11
MW-100		GW			0950	2	X													-12
MW-115		GW			0910	2	X													-13
MW-110		GW			0920	2	X													-14
MW-125		GW		3/1/09	1030	2	X													-15
MW-120		GW		3/1/09	1040	2	X													-16
MW-135		GW			0945	2	X													-17
MW-130		GW			0855	2	X													-18

*Matrix: SS - Soil GW - Groundwater WW - WasteWater DW - Drinking Water OT - Other

pH _____ Temp _____

Remarks:

Flow _____ Other _____

Relinquished by: (Signature)	Date: 3/12/09	Time: 1500	Received by: (Signature)	Samples returned via: ☐ UPS ☒ FedEx ☐ Courier	Condition: (lab use only)
Relinquished by: (Signature)	Date:	Time:	Received by: (Signature)	Temp: 3.5°C Bottles Received: 40x146	COC Seal Intact: <u>Y</u> <u>N</u> <u>NA</u>
Relinquished by: (Signature)	Date:	Time:	Received for lab by: (Signature)	Date: 2/12/09 Time: 0920	pH Checked: NCF

EPS VT - NY

2775 Broadway St., Ste. #250
Cheektowaga, NY 14227

Alternate billing information:

Analysis/Container/Preservative

Chain of Custody
Page 3 of 3

Report to: Mr. Steve Leitten

Email: SLeitten@epsofvermont.com

Project Description: Colvin Eggert Plaza Project

City/State Collected: TONAWANDA N.Y.

Phone: (716) 597-0001
FAX:

Client Project #: B1585

Lab Project #: EPSVTNY-COLVIN

Collected by (print): STEVEN LEITTEN

Site/Facility ID#:

P.O.#: B11074

Collected by (signature):

Rush? (Lab MUST Be Notified)

Date Results Needed

Same Day200%

Next Day100%

Two Day50%

Three Day25%

Email? ☐ No ☒ Yes

FAX? ☐ No ☐ Yes

No. of Cntrs

Immediately Packed on Ice N ☐ Y ☒

Sample ID

Comp/Grab

Matrix*

Depth

Date

Time

2

X

2

X

MW-149

GW

2/9/09

000

MW-140

GW

2/9/09

005

2

X

Prepared by:

ENVIRONMENTAL

SCIENCE CORP.

12065 Lebanon Road
Mt. Juliet, TN 37122

Phone (800) 767-5859

FAX (615) 758-5859

Account: EPSVTNY (lab use only)

Template/Prelogin: T55982/P271790

Cooler #: 2/2 MB

Shipped Via: FedEx Standard

Remarks/Contaminant Sample # (lab only)

L387851-19

-20

*Matrix: SS - Soil GW - Groundwater WW - WasteWater DW - Drinking Water OT - Other

pH Temp

Remarks:

Flow Other

Relinquished by: (Signature)	Date: 2/12/09	Time: 1500	Received by: (Signature)	Samples returned via: ☐ UPS	Condition: (lab use only)
Relinquished by: (Signature)	Date:	Time:	Received by: (Signature)	☐ FedEx ☐ Courier	Temp: 7.3°C
Relinquished by: (Signature)	Date:	Time:	Received for lab by: (Signature)	Bottles Received: 40 + 16	COC Seal Intact: ☒ Y ☐ N ☐ NA
				Date: 2/12/09	Time: 0900
				pH Checked:	NCP:

APPENDIX C
Contained-In Letter

New York State Department of Environmental Conservation
Division of Solid & Hazardous Materials
Bureau of Hazardous Waste and Radiation Management
625 Broadway, Albany, NY 12233-7258
Phone:(518) 402-8594 • **FAX:**(518) 402-8646
Website: www.dec.ny.gov



Alexander B. Grannis
Commissioner

January 30, 2009

Mr. Steven P. Leitten
Project Coordinator, Geoscience Services
Environmental Products & Services of Vermont, Inc.
532 State Fair Boulevard
Syracuse, NY 13204

RE: Contained-In Determination
Soil from a Former Dry Cleaner Investigation
Former Our Cleaners Site
3163 Eggert Road, Tonawanda, New York 14150
Consent Order Index #B9-0740-07-03

Dear Mr. Leitten:

We have completed our review of the data submitted with your December 10, 2008, request, via e-mail, for a "contained-in" determination at the referenced project site.

Concentrations detected for individual VOCs were all significantly less than their current "contained-in" soil action levels and Land Disposal Restriction concentrations. Concentration for tetrachloroethene were below the soil "contained-in" action level and the Land Disposal Restriction concentration. Therefore, the Thirty (30) drums containing soil cuttings generated from the installation of eight monitoring wells during Site Characterization at the referenced project site do not have to be managed as hazardous waste and can be transported off-site to Allied LF in Niagara Falls, NY for disposal.

Should you have any questions regarding the content of this letter, please do not hesitate to contact me at (518) 402-8594 or email me at hjwilkie@gw.dec.state.ny.us.

Sincerely,

Henry Wilkie

Environmental Engineer 1

Hazardous Waste Engineering Eastern Section