290 Elwood Davis Road, Suite 290 Liverpool, New York 13088

Tel: (315) 449 – 3010 Fax: (315) 449 – 0443

www.brownandcaldwell.com



AUG 0.5 2008





August 5th, 2008

130215.003

Ms. Kathleen H. Emery, P.E. NYS Department of Environmental Conservation Division of Solid and Hazardous Materials, Region 9 270 Michigan Avenue Buffalo NY 14203-2999

Subject: Two Mile Creek

Tonawanda, New York

Dear Ms. Emery:

On behalf of GE Energy, Brown and Caldwell is pleased to submit the enclosed results for recent sampling in Two Mile Creek, located in Tonawanda, New York. The sampling was performed on July 16th 2008 per your request by letter dated June 23rd, 2008.

Please contact Dawn Varacchi-Ives at (978) 353-3738 or me, with any questions.

Sincerely,

BROWN AND CALDWELL

Kendrick Jaglal, P.E. Project Manager

Encls:

cc: Dawn Varacchi-Ives, GE Energy

Tony Hejmanowski, GE Energy James Strickland, P.E., NYSDEC Andrew Park, USEPA Region II Robert Phaneuf, NYSDEC

Two Mile Creek – Tonawanda, New York July 2008 Sampling Event

Analytical Results

In April 2008, sediment removal was performed at two areas in Two Mile Creek, located in Tonawanda, New York. These locations were selected for removal by the New York State Department of Environmental Conservation (NYSDEC), Division of Fish, Wildlife and Marine Resources following a review of available data for the Creek. Following completion of sediment removal at the two designated areas, a total of four surficial creek bed samples were collected at the request of NYSDEC. Two samples, designated TMC-CON 01 and TMC-CON 02, were taken from the 0- to 6-inch creek bed interval at the downstream and upstream ends, respectively, of the dredged area between Stations 29+25 and 30+70. Two additional samples, designated TMC-CON 03 and TMC-CON 04, were taken from the 0- to 6-inch creek bed interval at the downstream and upstream ends, respectively, of the second dredged area between Stations 24+00 and 25+00. The samples were submitted for analysis of polychlorinated biphenyls (PCBs) and total organic carbon (TOC). The analytical results reported relatively low concentrations of PCBs in the samples as Aroclors 1248, 1254 and 1260.

The data were provided to the NYSDEC on May 19th 2008. Following its review of the data, the NYSDEC requested that additional sampling be performed at 3 additional locations in the vicinity of the former TMC-CON 04 location. On July 16th 2008, sampling was performed at three locations (shown on the attached figure) which formed a semi-circle downstream of the former TMC-CON 04 location, approximately 5-10 ft away. As done previously, the samples were collected from the 0- to 6-inch creek bed interval. The samples were submitted to Test America for analysis of PCBs using U.S. EPA Method SW 846-8082 (U.S. EPA, 1996) and for TOC using the Lloyd Kahn (1988) Method. The PCB results together with those for the TOC are presented in Table 1, below and the laboratory data sheet is attached. The total PCB concentrations for all three samples are significantly lower than the 3.55 ppm previously noted in this area, with the average for the four samples being 0.97 ppm. These results indicate that the prior detection of 3.55 ppm is an isolated result and the overall concentrations in

Two Mile Creek – Tonawanda, New York July 2008 Sampling Event

Analytical Results

sediment in Two Mile Creek have been reduced as a result of the sediment removal effort.


TABLE 1. Analytical Data for July 2008 Sampling in Two Mile Creek

	PCB A	ROCLOR	(mg/kg)	Total	Total
SAMPLE	1248	1254	1260	PCBs (mg/kg)	Organic Carbon (%)
SED-01	0.038	0.053	0.032	0.123	1.65
SED-02	0.051	0.067	0.033	0.151	1.76
SED-03	0.037	0.023	0.013 J	0.073	0.21

References

Kahn, Lloyd. (1988) "Determination of Total Organic Carbon in Sediment (Lloyd Kahn Method)." United States Environmental Protection Agency (U.S. EPA) Region II, Edison, New Jersey.

U.S. EPA. (1996) Office of Solid Waste and Emergency Response. "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods." SW-846 3rd ed. Washington, D.C.



additional sample locations as requested by NYSDEC in June 23, 2008 letter

TestAmerica Lab

Brown and Caldwell Buffalo site ASPO5 METHOD 8082 - POLYCHLORINATED BIPHENYLS

Date: 07/30/2008 Time: 15:35:29

Rept: AN1246

Client ID Job No Sample Date		SED-1 A08-8584 07/16/2008	A8858401	SED-2 A08-8584 07/16/2008	A8858402	SED-3 A08-8584 07/16/2008	A8858403		
Analyte	Units	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit	Sample Value	Reporting Limit
Aroclor 1016 Aroclor 1221 Aroclor 1232 Aroclor 1242 Aroclor 1248 Aroclor 1254 Aroclor 1260	06/KG 06/KG 06/KG 06/KG 06/KG 06/KG	86 86 86 86 86 86 86 86 86 86 86 86 86 8	20 20 20 20 20 20 20 20 20 20 20 20 20 2	ND ND ND S7 51	20 20 20 20 20 20 20 20 20 20	ND ND ND 37 23 13 J	555555	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	
SURROGATE(S)———SURROGATE(S)————————————————————————————————————	% %	76 86	35-134 34-148	80 89	35-134 34-148	79	35-134 34-148	NA NA	