



Sampling and Analysis Report

Lockport City Landfill
Site No. 932010

City of Lockport
Lockport, New York

November 2012

SAMPLING AND ANALYSIS REPORT
LOCKPORT CITY LANDFILL
SITE NO. 932010
LOCKPORT, NEW YORK

Prepared for
CITY OF LOCKPORT

Prepared by
GHD CONSULTING SERVICES, INC.
200 JOHN JAMES AUDUBON PARKWAY
AMHERST, NEW YORK 14228

November 2012

PROJECT NO. 8612191

TABLE OF CONTENTS

	<u>Page</u>
SECTION 1 - INTRODUCTION.....	1
SECTION 2 - LONG TERM MONITORING.....	1

LIST OF TABLES

Table No.

- | | |
|---|-------------------------------------|
| 1 | Groundwater Analytical Test Results |
|---|-------------------------------------|

LIST OF FIGURES

Figure No.

- | | |
|---|-----------|
| 1 | Site Plan |
|---|-----------|

LIST OF APPENDICES

Appendix

- | | |
|---|------------------------------------|
| A | Groundwater Field Sampling Logs |
| B | Laboratory Analytical Test Results |

SECTION 1 - INTRODUCTION

The Lockport City Landfill site is located on Oakhurst Street in the City of Lockport, Niagara County, New York. The landfill, assigned the Site Registry Number 9-32-010, is the subject of this report.

The Remedial Action Design as approved by the NYSDEC for the site; included a Long Term Monitoring Plan and Operation and Maintenance Plan. The purpose of the long term monitoring plan is to provide information to evaluate and monitor the long term effectiveness of the remedial work. The Operation and Maintenance Plan includes regular site inspections and analytical testing to identify any potential problems at the landfill that are not being adequately addressed by routine maintenance, and to document the current condition of the landfill. A site plan of the Lockport City Landfill is presented on Figure 1.

The Long Term Monitoring Program started in 1997; six (6) events were conducted in the first five (5) years (two events in 1997 and one event per year afterwards). This is the 1st monitoring event of the Long Term Monitoring contract dated July 25, 2012 between GHD Consulting Services, Inc. and the City of Lockport. The purpose of this report is to present the findings of the 16th sampling event conducted at the Lockport City Landfill on October 18, 2012.

SECTION 2 - LONG TERM MONITORING

In accordance with the NYSDEC approved Long Term Monitoring Plan, and included in the Operation and Maintenance Plan, five (5) groundwater wells, and one (1) outfall were sampled by GHD Consulting Services, Inc. on October 18, 2012. Of the six (6) sample monitoring points, a total of five (5) samples were collected. Monitoring Well MW-6D was not sampled, due to lack of available groundwater present at the time of sampling. The samples were delivered to Upstate Laboratories Inc. of Syracuse, New York, and analyzed for Target Compound List (TCL) volatile organic compounds (VOCs) by United States Environmental Protection Agency (USEPA) CLP Statement of Work (SOW) OLM04.2.

Analytical data sheets (i.e. laboratory report Form I VOA) are provided in Appendix A and Groundwater Field Sampling Records are presented in Appendix B. Table 1 summarizes analytical testing data from groundwater samples collected from monitoring wells and the outfall for past 16 years. Groundwater sampling and analytical testing is presented for the monitoring years of 1997 through 2012. The established action levels for Monitoring Wells MW-8D and MW-9I, and Outfall L2 are noted on Table 1.

Analytical test results presented on Table 1 indicate that there were no exceedances detected above the reported action levels. Since exceedances did not occur, contingent sampling and analysis are not required. Therefore, the next sampling event will be scheduled for October 2013 representing year 17 of the Long Term Monitoring Program.

TABLES



TABLE 1
MONITORING WELL 35
GROUNDWATER ANALYTICAL TEST RESULTS
LOCKPORT CITY LANDFILL

Volatile Compounds	Units	Action Level	Jun-97	Nov-97	Sep-98	Sep-99	Sep-00	Sep-01	Oct-02	Dec-03	Oct-04	Oct-05	Oct-06	Oct-07	Oct-08	Oct-09	Oct-10	Oct-11	Oct-12
Chloromethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Vinyl chloride	µg/L	NS	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U
Bromomethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Chloroethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Acetone	µg/L	NS	U	U	U	U	U	U	U	U	U	U	6 J	U	U	U	U	U	U
1,1-Dichloroethene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Carbon disulfide	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Methylene chloride	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
1,2-Dichloroethene (total)	µg/L	NS	U	U	U	U	U	U	U	U	U	U	U	4 J	3J	2J	4J	3.2 J	U
trans-1, 2-Dichloroethene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,1-Dichloroethane	µg/L	NS	U	U	U	U	U	U	U	U	U	1 J	U	U	3J	2J	3J	2.8 J	U
2-Butanone	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
cis-1,2-Dichloroethene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chloroform	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
1,1,1-Trichloroethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Carbon tetrachloride	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Benzene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
1,2-Dichloroethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Trichloroethene	µg/L	NS	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U
1,2-Dichloropropane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Bromodichloromethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
4-Methyl-2-pentanone	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
cis-1,3-Dichloropropene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Toluene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
trans-1,3-Dichloropropene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
1,1,2-Trichloroethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
2-Hexanone	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Tetrachloroethene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Dibromochloromethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Chlorobenzene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Ethylbenzene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
m,p-Xylene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
o-Xylene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Styrene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Bromoform	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
1,1,2,2-Tetrachloroethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U

Notes:

VOC analysis by USEPA CLP SOW OLM04.2

U = not detected above the quantitation limit

J = estimated concentration

NS = no standard

- = not sampled for

1,2-Dichloroethene (Total) is reported as the sum of the detected concentrations of cis-1,2-Dichloroethene and trans-1,2-Dichloroethene

TABLE 1 (Cont'd)
MONITORING WELL 6D
GROUNDWATER ANALYTICAL RESULTS
LOCKPORT CITY LANDFILL

Volatile Compounds	Units	Action Level	Jun-97	Nov-97	Sep-98	Sep-99	Sep-00	Sep-01	Oct-02	Dec-03	Oct-04	Oct-05	Oct-06	Oct-07	Oct-08	Oct-09	Oct-10	Oct-11	Oct-12
Chloromethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Vinyl chloride	µg/L	NS	U	U	U	U	U	U	U	U	U	U	U	-	-	-	-	-	-
Bromomethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chloroethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Acetone	µg/L	NS	U	U	U	U	U	U	U	U	U	2 J	16	-	-	-	-	-	-
1,1-Dichloroethene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carbon disulfide	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Methylene chloride	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,2-Dichloroethene (total)	µg/L	NS	U	U	U	U	U	U	U	U	U	U	U	-	-	-	-	-	-
trans-1, 2-Dichloroethene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,1-Dichloroethane	µg/L	NS	U	U	U	U	U	U	U	U	U	U	U	-	-	-	-	-	-
2-Butanone	µg/L	NS	U	U	U	U	U	U	U	U	U	U	1 J	-	-	-	-	-	-
cis-1,2-Dichloroethene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chloroform	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,1,1-Trichloroethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Carbon tetrachloride	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Benzene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,2-Dichloroethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Trichloroethene	µg/L	NS	U	U	U	U	U	U	U	U	U	U	U	-	-	-	-	-	-
1,2-Dichloropropane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bromodichloromethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4-Methyl-2-pentanone	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
cis-1,3-Dichloropropene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Toluene	µg/L	NS	U	U	U	U	U	U	U	U	U	2 J	2 J	-	-	-	-	-	-
trans-1,3-Dichloropropene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,1,2-Trichloroethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2-Hexanone	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tetrachloroethene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dibromochloromethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chlorobenzene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ethylbenzene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Xylene (Total)	µg/L	NS	U	U	U	U	U	U	U	U	U	U	U	-	-	-	-	-	-
Styrene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bromoform	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,1,2,2-Tetrachloroethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Notes:

VOC analysis by USEPA CLP SOW OLM04.2

U = not detected above the quantitation limit

J = estimated concentration

- = not sampled

NS = no standard

Oct. 2007, Oct. 2008, Oct. 2009, Oct. 2010, Oct. 2011 & Oct 2012 : MW-6D not sampled due to dry conditions, no groundwater available

1,2-Dichloroethene (Total) is reported as the sum of the detected concentrations of cis-1,2-Dichloroethene and trans-1,2-Dichloroethene

TABLE 1 (Cont'd)
MONITORING WELL 8D
GROUNDWATER ANALYTICAL TEST RESULTS
LOCKPORT CITY LANDFILL

Volatile Compounds	Units	Action Level	Jun-97	Nov-97	Sep-98	Sep-99	Sep-00	Sep-01	Oct-02	Dec-03	Oct-04	Oct-05	Oct-06	Oct-07	Oct-08	Oct-09	Oct-10	Oct-11	Oct-12
Chloromethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Vinyl chloride	µg/L	162	U	U	U	U	U	7	33	6	4 J	U	U	U	U	U	U	U	11
Bromomethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Chloroethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Acetone	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
1,1-Dichloroethene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Carbon disulfide	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Methylene chloride	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
1,2-Dichloroethene (total)	µg/L	1,580	100	90	110	18	25	41	120	7	28	27 J	40	32	34	26	23	24	65
trans-1, 2-Dichloroethene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,1-Dichloroethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
2-Butanone	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
cis-1,2-Dichloroethene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chloroform	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
1,1,1-Trichloroethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Carbon tetrachloride	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Benzene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
1,2-Dichloroethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Trichloroethene	µg/L	260	2	4	5	2	2	2	U	U	U	U	1 J	U	U	U	U	3.2 J	U
1,2-Dichloropropane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Bromodichloromethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
4-Methyl-2-pentanone	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
cis-1,3-Dichloropropene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Toluene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
trans-1,3-Dichloropropene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
1,1,2-Trichloroethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
2-Hexanone	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Tetrachloroethene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Dibromochloromethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Chlorobenzene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Ethylbenzene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
m,p-Xylene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
o-Xylene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Styrene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Bromoform	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
1,1,2,2-Tetrachloroethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U

Notes:

VOC analysis by USEPA CLP SOW OLM04.2

U = not detected above the quantitation limit

J = estimated concentration

NS = no standard

- = not sampled for

1,2-Dichloroethene (Total) is reported as the sum of the detected concentrations of cis-1,2-Dichloroethene and trans-1,2-Dichloroethene

TABLE 1 (Cont'd)
MONITORING WELL 9S
GROUNDWATER ANALYTICAL TEST RESULTS
LOCKPORT CITY LANDFILL

Volatile Compounds	Units	Action Level	Jun-97	Nov-97	Sep-98	Sep-99	Sep-00	Sep-01	Oct-02	Dec-03	Oct-04	Oct-05	Oct-06	Oct-07	Oct-08	Oct-09	Oct-10	Oct-11	Oct-12
Chloromethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Vinyl chloride	µg/L	162	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U
Bromomethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Chloroethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Acetone	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
1,1-Dichloroethene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Carbon disulfide	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Methylene chloride	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
1,2-Dichloroethene (total)	µg/L	1,580	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U
trans-1, 2-Dichloroethene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,1-Dichloroethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
2-Butanone	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
cis-1,2-Dichloroethene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chloroform	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
1,1,1-Trichloroethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Carbon tetrachloride	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Benzene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
1,2-Dichloroethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Trichloroethene	µg/L	260	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U
1,2-Dichloropropane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Bromodichloromethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
4-Methyl-2-pentanone	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
cis-1,3-Dichloropropene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Toluene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
trans-1,3-Dichloropropene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
1,1,2-Trichloroethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
2-Hexanone	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Tetrachloroethene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Dibromochloromethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Chlorobenzene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Ethylbenzene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
m,p-Xylene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
o-Xylene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Styrene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Bromoform	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
1,1,2,2-Tetrachloroethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U

Notes:

VOC analysis by USEPA CLP SOW OLM04.2

U = not detected above the quantitation limit

J = estimated concentration

NS = no standard

- = not sampled for

1,2-Dichloroethene (Total) is reported as the sum of the detected concentrations of cis-1,2-Dichloroethene and trans-1,2-Dichloroethene

TABLE 1 (Cont'd)
MONITORING WELL 91
GROUNDWATER ANALYTICAL TEST RESULTS
LOCKPORT CITY LANDFILL

Volatile Compounds	Units	Action Level	Jun-97	Nov-97	Sep-98	Sep-99	Sep-00	Sep-01	Oct-02	Dec-03	Oct-04	Oct-05	Oct-06	Oct-07	Oct-08	Oct-09	Oct-10	Oct-11	Oct-12
Chloromethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Vinyl chloride	µg/L	24	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U
Bromomethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Chloroethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Acetone	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
1,1-Dichloroethene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Carbon disulfide	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Methylene chloride	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
1,2-Dichloroethene (total)	µg/L	42	8.4	6	6	5	4 J	4 J	4 J	4 J	3 J	3 J	2 J	3 J	2J	U	2J	U	U
trans-1, 2-Dichloroethene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,1-Dichloroethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
2-Butanone	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
cis-1,2-Dichloroethene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chloroform	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
1,1,1-Trichloroethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Carbon tetrachloride	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Benzene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
1,2-Dichloroethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Trichloroethene	µg/L	NS	1.6	2	2	1 J	1 J	1 J	1 J	U	U	U	U	U	U	U	U	U	U
1,2-Dichloropropane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Bromodichloromethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
4-Methyl-2-pentanone	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
cis-1,3-Dichloropropene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Toluene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
trans-1,3-Dichloropropene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
1,1,2-Trichloroethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
2-Hexanone	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Tetrachloroethene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Dibromochloromethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Chlorobenzene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Ethylbenzene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
m,p-Xylene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
o-Xylene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Styrene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Bromoform	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
1,1,2,2-Tetrachloroethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U

Notes:

VOC analysis by USEPA CLP SOW OLM04.2

U = not detected above the quantitation limit

J = estimated concentration

NS = no standard

- = not sampled for

1,2-Dichloroethene (Total) is reported as the sum of the detected concentrations of cis-1,2-Dichloroethene and trans-1,2-Dichloroethene

TABLE 1 (Cont'd)
OUTFALL L-2
GROUNDWATER ANALYTICAL TEST RESULTS
LOCKPORT CITY LANDFILL

Volatile Compounds	Units	Action Level	Jun-97	Nov-97	Sep-98	Sep-99	Sep-00	Sep-01	Oct-02	Dec-03	Oct-04	Oct-05	Oct-06	Oct-07	Oct-08	Oct-09	Oct-10	Oct-11	Oct-12
Chloromethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Vinyl chloride	µg/L	94	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U
Bromomethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Chloroethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Acetone	µg/L	NS	U	U	U	U	U	U	U	U	U	2 J	U	U	U	U	U	U	U
1,1-Dichloroethene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Carbon disulfide	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Methylene chloride	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
1,2-Dichloroethene (total)	µg/L	280	U	2	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U
trans-1, 2-Dichloroethene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,1-Dichloroethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
2-Butanone	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
cis-1,2-Dichloroethene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Chloroform	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
1,1,1-Trichloroethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Carbon tetrachloride	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Benzene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
1,2-Dichloroethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Trichloroethene	µg/L	NS	U	3	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U
1,2-Dichloropropane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Bromodichloromethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
4-Methyl-2-pentanone	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
cis-1,3-Dichloropropene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Toluene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
trans-1,3-Dichloropropene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
1,1,2-Trichloroethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
2-Hexanone	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Tetrachloroethene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Dibromochloromethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Chlorobenzene	µg/L	NS	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U	U
Ethylbenzene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
m,p-Xylene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
o-Xylene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Styrene	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
Bromoform	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U
1,1,2,2-Tetrachloroethane	µg/L	NS	-	-	-	-	-	-	-	-	-	-	-	U	U	U	U	U	U

Notes:

VOC analysis by USEPA CLP SOW OLM04.2

U = not detected above the quantitation limit

J = estimated concentration

NS = no standard

- = not sampled for

1,2-Dichloroethene (Total) is reported as the sum of the detected concentrations of cis-1,2-Dichloroethene and trans-1,2-Dichloroethene

APPENDICES



APPENDIX A



GHD CONSULTING SERVICES, INC.
GROUNDWATER FIELD SAMPLING RECORD

SITE Lockport City Landfill

DATE 10/18/12

Sampler: Brian Doyle

SAMPLE ID MW-3S

Depth of well (from top of casing)..... 13.24 ft
Initial static water level (from top of casing).... 3.8 ft

Evacuation Method:

Well Volume Calculation

Submersible	<u> </u>	Centrifugal	<u> </u>	2in. casing:	<u>9.44</u> ft. of water x .16 =	<u>1.51</u> gallons
Airlift	<u> </u>	Pos. Displ.	<u> </u>	3in. casing:	<u> </u> ft. of water x .36 =	<u> </u> gallons
Bailer	<u>X</u>	>>> No. of bails	<u> </u>	4in. casing:	<u> </u> ft. of water x .65 =	<u> </u> gallons

Volume of water removed 2.00 gals.
> 3 volumes: yes no
dry: yes no

Field Tests:	Temp:	<u>14.48</u> C
	pH	<u>6.8</u>
	Conductivity	<u>3.47</u> mS/cm
	DO	<u>5.53</u> mg/l
	Turbidity	<u>87</u> NTUs
	Salinity	<u>0.16</u> %

Sampling: Time: 11:30 AM

Sampling Method: Stainless Steel Bailer
 Disposable Bailer X
 Disposable Pump
 Other

Observations:

Weather/Temperature: Overcast, 55°

Physical Appearance and Odor of Sample: No odor, reddish-brown color

Comments: Debris around monitoring well.
Unable to fully purge well due to obstruction in well between the riser and the screen.
Well pad is intact and the stickup protective cover is in good condition.

SITE	<u>Lockport City Landfill</u>	DATE	<u>10/18/12</u>
Sampler:	Brian Doyle	SAMPLE ID	MW-6D

Evacuation Method: Well Volume Calculation

Field Tests:

Temp:	_____	C
pH	_____	
Conductivity	_____	mS/cm
DO	_____	mg/l
Turbidity	_____	NTUs
Oxidation Reduction Potential(ORP)	_____	mV
Salinity	_____	%

Sampling Method:	Stainless Steel Bailer	
	Disposable Bailer	<u>X</u>
	Disposable Pump	<u> </u>
	Other	<u> </u>

Physical Appearance and Odor of Sample: _____

S&W No. 71136
Appendix B - Well & Inspection Logs MW-6D

GHD CONSULTING SERVICES, INC.
GROUNDWATER FIELD SAMPLING RECORD

SITE Lockport City Landfill

DATE 10/18/12

Sampler: Brian Doyle

SAMPLE ID MW-8D

Depth of well (from top of casing)..... 76.67 ft
Initial static water level (from top of casing).... 72.2 ft

Evacuation Method:

Well Volume Calculation

Submersible	<u> </u>	Centrifugal	<u> </u>	2in. casing:	<u>4.47</u> ft. of water x .16 =	<u>0.72</u> gallons
Airlift	<u> </u>	Pos. Displ.	<u> </u>	3in. casing:	<u> </u> ft. of water x .36 =	<u> </u> gallons
Bailer	<u>X</u>	>>> No. of bails	<u> </u>	4in. casing:	<u> </u> ft. of water x .65 =	<u> </u> gallons

Volume of water removed 2.15 gals.
> 3 volumes: yes ☐ no ☐
dry: yes ☐ no ☐

Field Tests: Temp: 11.6 C
 pH: 7.99
 Conductivity 2.04 mS/cm
 DO 4.97 mg/l
 Turbidity 82 NTUs
 Salinity 0.13 %

Sampling: Time: 10:00 AM

Sampling Method: Stainless Steel Bailer
 Disposable Bailer X
 Disposable Pump
 Other

Observations:

Weather/Temperature: Overcast, 55°

Physical Appearance and Odor of Sample: Clear, then brownISH

Comments:

Well pad is intact and the stickup protective cover is in good condition.

GHD CONSULTING SERVICES, INC.
GROUNDWATER FIELD SAMPLING RECORD

SITE Lockport City Landfill

DATE 10/18/12

Sampler: Brian Doyle

SAMPLE ID MW-9S

Depth of well (from top of casing)..... 12.36 ft
Initial static water level (from top of casing).... 7.2 ft

Evacuation Method:

Well Volume Calculation

Submersible	<u> </u>	Centrifugal	<u> </u>	2in. casing:	<u>5.16</u> ft. of water x .16 =	<u>0.83</u> gallons
Airlift	<u> </u>	Pos. Displ.	<u> </u>	3in. casing:	<u> </u> ft. of water x .36 =	<u> </u> gallons
Bailer	<u>X</u>	>>> No. of bails	<u> </u>	4in. casing:	<u> </u> ft. of water x .65 =	<u> </u> gallons

Volume of water removed 2.5 gals.
> 3 volumes: ☒ yes ☐ no
dry: ☐ yes ☒ no

Field Tests:	Temp:	<u>15.3</u> C
	pH	<u>7.23</u>
	Conductivity	<u>2.36</u> mS/cm
	DO	<u>5.83</u> mg/l
	Turbidity	<u>263</u> NTUs
	Salinity	<u>0.09</u> %

Sampling: Time: 12:00 NOON

Sampling Method:

Stainless Steel Bailer	<u> </u>
Disposable Bailer	<u>X</u>
Disposable Pump	<u> </u>
Other	<u> </u>

Observations:

Weather/Temperature: Overcast, 55°

Physical Appearance and Odor of Sample: Very turbid, brownish color, no odor.

Comments: Well pad is intact and the stickup protective cover is in good condition.

GHD CONSULTING SERVICES, INC.
GROUNDWATER FIELD SAMPLING RECORD

SITE Lockport City Landfill

DATE 10/18/12

Sampler: Brian Doyle

SAMPLE ID MW-9I

Depth of well (from top of casing)..... 19.99 ft
Initial static water level (from top of casing).... 6.2 ft

Evacuation Method:

Well Volume Calculation

Submersible	<u> </u>	Centrifugal	<u> </u>	2in. casing:	<u>13.79</u> ft. of water x .16 =	<u>2.21</u> gallons
Airlift	<u> </u>	Pos. Displ.	<u> </u>	3in. casing:	<u> </u> ft. of water x .36 =	<u> </u> gallons
Bailer	<u>X</u>	>>> No. of bails	<u> </u>	4in. casing:	<u> </u> ft. of water x .65 =	<u> </u> gallons

Volume of water removed 6.6 gals.
> 3 volumes: ☒ yes ☐ no
dry: ☐ yes ☒ no

Field Tests:	Temp:	<u>15.07 C</u>
	pH	<u>7.43</u>
	Conductivity	<u>1.6 mS/cm</u>
	DO	<u>8.2 mg/l</u>
	Turbidity	<u>63 NTUs</u>
	Salinity	<u>0.09 %</u>

Sampling: Time: 12:30 PM

Sampling Method:

Stainless Steel Bailer	<u> </u>
Disposable Bailer	<u>X</u>
Disposable Pump	<u> </u>
Other	<u> </u>

Observations:

Weather/Temperature: Overcast, 55°

Physical Appearance and Odor of Sample: Slightly turbid, reddish brown, then clear

Comments: Well pad is intact and the stickup protective cover is in good condition. Lock has corrosion and should be changed.

GHD CONSULTING SERVICES, INC.
SURFACE WATER FIELD SAMPLING RECORD

SITE Lockport City Landfill

DATE 10/18/12

Samplers: Brian Doyle

SAMPLE ID Outfall L-2

Sampling Method:

Submersible	<u>GRAB</u>	Centrifugal	<u> </u>
Airlift	<u> </u>	Pos. Displ.	<u> </u>
Bailer	<u> </u>	>>> No. of bails	<u> </u>

Field Tests:	Temp:	<u>13.5 C</u>
	pH	<u>7.51</u>
	Conductivity	<u>1.48 mS/cm</u>
	DO	<u>9.42 mg/l</u>
	Turbidity	<u>236 NTUs</u>
	Salinity	<u>0.1 %</u>

Sampling: Time: 10:00 PM

Sampling Method:

Stainless Steel Bailer	<u> </u>
Teflon Bailer	<u> </u>
Disposable Pump	<u> </u>
Other	<u>Grab</u>

Observations:

Weather/Temperature: Overcast, 55°

Physical Appearance and Odor of Sample: No odor, light brown color, slightly turbid.

Comments: Iron bacteria was present on outfall and rocks.

APPENDIX B



Upstate Laboratories, Inc.

Analytical Report

Date: 06-Nov-12

CLIENT:	GHD, Inc.	Client Sample ID:	MW-8D
Lab Order:	U1210515	Collection Date:	10/18/2012 10:00:00 AM
Project:	Lockport City Landfill		
Lab ID:	U1210515-001	Matrix:	WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
----------	--------	-------	------	-------	----	---------------

FIELD PARAMETERS

Lab Code: FIELD

Analyst:

Cooler Temp. at Receipt	<6	6		°C		10/18/2012 10:00:00 AM
-------------------------	----	---	--	----	--	------------------------

ASP/CLP VOLATILES IN WATER: METHOD 5030/8260B

Lab Code: 8260ASP05_W

Analyst: LEF

1,1,1-Trichloroethane	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
1,1,2,2-Tetrachloroethane	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
1,1,2-Trichloroethane	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
1,1-Dichloroethane	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
1,1-Dichloroethene	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
1,2,3-Trichlorobenzene	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
1,2,4-Trichlorobenzene	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
1,2,4-Trimethylbenzene	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
1,2-Dibromoethane	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
1,2-Dichlorobenzene	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
1,2-Dichloroethane	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
1,2-Dichloropropane	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
1,3,5-Trimethylbenzene	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
1,3-Dichlorobenzene	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
1,4-Dichlorobenzene	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
1,4-Dioxane	ND	100		µg/L	1	10/29/2012 11:55:00 AM
2-Butanone	ND	10		µg/L	1	10/29/2012 11:55:00 AM
2-Hexanone	ND	10		µg/L	1	10/29/2012 11:55:00 AM
4-Methyl-2-pentanone	ND	10		µg/L	1	10/29/2012 11:55:00 AM
Acetone	ND	10		µg/L	1	10/29/2012 11:55:00 AM
Benzene	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
Bromochloromethane	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
Bromodichloromethane	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
Bromoform	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
Bromomethane	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
Carbon disulfide	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
Carbon tetrachloride	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
Chlorobenzene	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
Chloroethane	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
Chloroform	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
Chloromethane	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM

Approved By:

Date:

Page 1 of 14

Qualifiers:

#	Accreditation not offered by NYS DOH for this parameter
**	Value exceeds Maximum Contaminant Value
E	Value above quantitation range
J	Analyte detected below quantitation limits
Q	Outlying QC recoveries were associated with this parameter

*	Low Level
B	Analyte detected in the associated Method Blank
H	Holding times for preparation or analysis exceeded
ND	Not Detected at the Reporting Limit
S	Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Analytical Report

Date: 06-Nov-12

CLIENT:	GHD, Inc.	Client Sample ID:	MW-8D
Lab Order:	U1210515	Collection Date:	10/18/2012 10:00:00 AM
Project:	Lockport City Landfill		
Lab ID:	U1210515-001	Matrix:	WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ASP/CLP VOLATILES IN WATER: METHOD 5030/8260B						
				Lab Code: 8260ASP05_W		Analyst: LEF
cis-1,2-Dichloroethene	65	5.0		µg/L	1	10/29/2012 11:55:00 AM
cis-1,3-Dichloropropene	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
Cyclohexane	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
Dibromochloromethane	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
Dichlorodifluoromethane	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
Ethylbenzene	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
Freon-113	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
Isopropylbenzene	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
m,p-Xylene	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
Methyl Acetate	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
Methyl tert-butyl ether	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
Methylcyclohexane	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
Methylene chloride	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
n-Butylbenzene	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
n-Propylbenzene	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
o-Xylene	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
sec-Butylbenzene	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
Styrene	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
tert-Butylbenzene	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
Tetrachloroethene	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
Toluene	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
trans-1,2-Dichloroethene	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
trans-1,3-Dichloropropene	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
Trichloroethene	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
Trichlorofluoromethane	ND	5.0		µg/L	1	10/29/2012 11:55:00 AM
Vinyl chloride	11	5.0		µg/L	1	10/29/2012 11:55:00 AM

NOTES:

TICS: No compounds were detected.

Approved By:		Date:		Page 2 of 14
Qualifiers:	#	Accreditation not offered by NYS DOH for this parameter	*	Low Level
	**	Value exceeds Maximum Contaminant Value	B	Analyte detected in the associated Method Blank
	E	Value above quantitation range	H	Holding times for preparation or analysis exceeded
	J	Analyte detected below quantitation limits	ND	Not Detected at the Reporting Limit
	Q	Outlying QC recoveries were associated with this parameter	S	Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Analytical Report

Date: 06-Nov-12

CLIENT:	GHD, Inc.	Client Sample ID:	MW-9S
Lab Order:	U1210515	Collection Date:	10/18/2012 12:00:00 PM
Project:	Lockport City Landfill		
Lab ID:	U1210515-002	Matrix:	WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
----------	--------	-------	------	-------	----	---------------

FIELD PARAMETERS

Lab Code: FIELD

Analyst:

Cooler Temp. at Receipt	<6	6	°C	10/18/2012 12:00:00 PM
-------------------------	----	---	----	------------------------

ASP/CLP VOLATILES IN WATER: METHOD 5030/8260B

Lab Code: 8260ASP05_W

Analyst: LEF

1,1,1-Trichloroethane	ND	5.0	µg/L	1	10/29/2012 2:34:00 PM
1,1,2,2-Tetrachloroethane	ND	5.0	µg/L	1	10/29/2012 2:34:00 PM
1,1,2-Trichloroethane	ND	5.0	µg/L	1	10/29/2012 2:34:00 PM
1,1-Dichloroethane	ND	5.0	µg/L	1	10/29/2012 2:34:00 PM
1,1-Dichloroethene	ND	5.0	µg/L	1	10/29/2012 2:34:00 PM
1,2,3-Trichlorobenzene	ND	5.0	µg/L	1	10/29/2012 2:34:00 PM
1,2,4-Trichlorobenzene	ND	5.0	µg/L	1	10/29/2012 2:34:00 PM
1,2,4-Trimethylbenzene	ND	5.0	µg/L	1	10/29/2012 2:34:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0	µg/L	1	10/29/2012 2:34:00 PM
1,2-Dibromoethane	ND	5.0	µg/L	1	10/29/2012 2:34:00 PM
1,2-Dichlorobenzene	ND	5.0	µg/L	1	10/29/2012 2:34:00 PM
1,2-Dichloroethane	ND	5.0	µg/L	1	10/29/2012 2:34:00 PM
1,2-Dichloropropane	ND	5.0	µg/L	1	10/29/2012 2:34:00 PM
1,3,5-Trimethylbenzene	ND	5.0	µg/L	1	10/29/2012 2:34:00 PM
1,3-Dichlorobenzene	ND	5.0	µg/L	1	10/29/2012 2:34:00 PM
1,4-Dichlorobenzene	ND	5.0	µg/L	1	10/29/2012 2:34:00 PM
1,4-Dioxane	ND	100	µg/L	1	10/29/2012 2:34:00 PM
2-Butanone	ND	10	µg/L	1	10/29/2012 2:34:00 PM
2-Hexanone	ND	10	µg/L	1	10/29/2012 2:34:00 PM
4-Methyl-2-pentanone	ND	10	µg/L	1	10/29/2012 2:34:00 PM
Acetone	ND	10	µg/L	1	10/29/2012 2:34:00 PM
Benzene	ND	5.0	µg/L	1	10/29/2012 2:34:00 PM
Bromochloromethane	ND	5.0	µg/L	1	10/29/2012 2:34:00 PM
Bromodichloromethane	ND	5.0	µg/L	1	10/29/2012 2:34:00 PM
Bromoform	ND	5.0	µg/L	1	10/29/2012 2:34:00 PM
Bromomethane	ND	5.0	µg/L	1	10/29/2012 2:34:00 PM
Carbon disulfide	ND	5.0	µg/L	1	10/29/2012 2:34:00 PM
Carbon tetrachloride	ND	5.0	µg/L	1	10/29/2012 2:34:00 PM
Chlorobenzene	ND	5.0	µg/L	1	10/29/2012 2:34:00 PM
Chloroethane	ND	5.0	µg/L	1	10/29/2012 2:34:00 PM
Chloroform	ND	5.0	µg/L	1	10/29/2012 2:34:00 PM
Chloromethane	ND	5.0	µg/L	1	10/29/2012 2:34:00 PM

Approved By:

Date:

Page 3 of 14

Qualifiers:

#	Accreditation not offered by NYS DOH for this parameter
**	Value exceeds Maximum Contaminant Value
E	Value above quantitation range
J	Analyte detected below quantitation limits
Q	Outlying QC recoveries were associated with this parameter

*	Low Level
B	Analyte detected in the associated Method Blank
H	Holding times for preparation or analysis exceeded
ND	Not Detected at the Reporting Limit
S	Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Analytical Report

Date: 06-Nov-12

CLIENT: GHD, Inc. Client Sample ID: MW-9S
Lab Order: U1210515 Collection Date: 10/18/2012 12:00:00 PM
Project: Lockport City Landfill
Lab ID: U1210515-002 Matrix: WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
----------	--------	-------	------	-------	----	---------------

ASP/CLP VOLATILES IN WATER: METHOD 5030/8260B

Lab Code: 8260ASP05_W

Analyst: LEF

cis-1,2-Dichloroethene	ND	5.0		µg/L	1	10/29/2012 2:34:00 PM
cis-1,3-Dichloropropene	ND	5.0		µg/L	1	10/29/2012 2:34:00 PM
Cyclohexane	ND	5.0		µg/L	1	10/29/2012 2:34:00 PM
Dibromochloromethane	ND	5.0		µg/L	1	10/29/2012 2:34:00 PM
Dichlorodifluoromethane	ND	5.0		µg/L	1	10/29/2012 2:34:00 PM
Ethylbenzene	ND	5.0		µg/L	1	10/29/2012 2:34:00 PM
Freon-113	ND	5.0		µg/L	1	10/29/2012 2:34:00 PM
Isopropylbenzene	ND	5.0		µg/L	1	10/29/2012 2:34:00 PM
m,p-Xylene	ND	5.0		µg/L	1	10/29/2012 2:34:00 PM
Methyl Acetate	ND	5.0		µg/L	1	10/29/2012 2:34:00 PM
Methyl tert-butyl ether	ND	5.0		µg/L	1	10/29/2012 2:34:00 PM
Methylcyclohexane	ND	5.0		µg/L	1	10/29/2012 2:34:00 PM
Methylene chloride	ND	5.0		µg/L	1	10/29/2012 2:34:00 PM
n-Butylbenzene	ND	5.0		µg/L	1	10/29/2012 2:34:00 PM
n-Propylbenzene	ND	5.0		µg/L	1	10/29/2012 2:34:00 PM
o-Xylene	ND	5.0		µg/L	1	10/29/2012 2:34:00 PM
sec-Butylbenzene	ND	5.0		µg/L	1	10/29/2012 2:34:00 PM
Styrene	ND	5.0		µg/L	1	10/29/2012 2:34:00 PM
tert-Butylbenzene	ND	5.0		µg/L	1	10/29/2012 2:34:00 PM
Tetrachloroethene	ND	5.0		µg/L	1	10/29/2012 2:34:00 PM
Toluene	ND	5.0		µg/L	1	10/29/2012 2:34:00 PM
trans-1,2-Dichloroethene	ND	5.0		µg/L	1	10/29/2012 2:34:00 PM
trans-1,3-Dichloropropene	ND	5.0		µg/L	1	10/29/2012 2:34:00 PM
Trichloroethene	ND	5.0		µg/L	1	10/29/2012 2:34:00 PM
Trichlorofluoromethane	ND	5.0		µg/L	1	10/29/2012 2:34:00 PM
Vinyl chloride	ND	5.0		µg/L	1	10/29/2012 2:34:00 PM

NOTES:

TICS: No compounds were detected.

Approved By: _____

Date: _____

Page 4 of 14

Qualifiers: # Accreditation not offered by NYS DOH for this parameter
** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
Q Outlying QC recoveries were associated with this parameter

* Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Analytical Report

Date: 06-Nov-12

CLIENT:	GHD, Inc.	Client Sample ID:	MW-9I
Lab Order:	U1210515	Collection Date:	10/18/2012 12:30:00 PM
Project:	Lockport City Landfill		
Lab ID:	U1210515-003	Matrix:	WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
----------	--------	-------	------	-------	----	---------------

FIELD PARAMETERS

Lab Code: FIELD

Analyst:

Cooler Temp. at Receipt	<6	6		°C		10/18/2012 12:30:00 PM
-------------------------	----	---	--	----	--	------------------------

ASP/CLP VOLATILES IN WATER: METHOD 5030/8260B

Lab Code: 8260ASP05_W

Analyst: LEF

1,1,1-Trichloroethane	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
1,1,2,2-Tetrachloroethane	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
1,1,2-Trichloroethane	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
1,1-Dichloroethane	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
1,1-Dichloroethene	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
1,2,3-Trichlorobenzene	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
1,2,4-Trichlorobenzene	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
1,2,4-Trimethylbenzene	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
1,2-Dibromoethane	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
1,2-Dichlorobenzene	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
1,2-Dichloroethane	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
1,2-Dichloropropane	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
1,3,5-Trimethylbenzene	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
1,3-Dichlorobenzene	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
1,4-Dichlorobenzene	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
1,4-Dioxane	ND	100		µg/L	1	10/29/2012 12:35:00 PM
2-Butanone	ND	10		µg/L	1	10/29/2012 12:35:00 PM
2-Hexanone	ND	10		µg/L	1	10/29/2012 12:35:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	10/29/2012 12:35:00 PM
Acetone	ND	10		µg/L	1	10/29/2012 12:35:00 PM
Benzene	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
Bromochloromethane	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
Bromodichloromethane	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
Bromoform	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
Bromomethane	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
Carbon disulfide	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
Carbon tetrachloride	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
Chlorobenzene	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
Chloroethane	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
Chloroform	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
Chloromethane	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM

Approved By:

Date:

Page 5 of 14

Qualifiers:

#	Accreditation not offered by NYS DOH for this parameter
**	Value exceeds Maximum Contaminant Value
E	Value above quantitation range
J	Analyte detected below quantitation limits
Q	Outlying QC recoveries were associated with this parameter

*	Low Level
B	Analyte detected in the associated Method Blank
H	Holding times for preparation or analysis exceeded
ND	Not Detected at the Reporting Limit
S	Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Analytical Report

Date: 06-Nov-12

CLIENT:	GHD, Inc.	Client Sample ID:	MW-9I
Lab Order:	U1210515	Collection Date:	10/18/2012 12:30:00 PM
Project:	Lockport City Landfill		
Lab ID:	U1210515-003	Matrix:	WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ASP/CLP VOLATILES IN WATER: METHOD 5030/8260B				Lab Code: 8260ASP05_W	Analyst: LEF	
cis-1,2-Dichloroethene	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
cis-1,3-Dichloropropene	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
Cyclohexane	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
Dibromochloromethane	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
Dichlorodifluoromethane	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
Ethylbenzene	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
Freon-113	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
Isopropylbenzene	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
m,p-Xylene	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
Methyl Acetate	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
Methyl tert-butyl ether	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
Methylcyclohexane	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
Methylene chloride	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
n-Butylbenzene	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
n-Propylbenzene	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
o-Xylene	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
sec-Butylbenzene	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
Styrene	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
tert-Butylbenzene	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
Tetrachloroethene	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
Toluene	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
trans-1,2-Dichloroethene	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
trans-1,3-Dichloropropene	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
Trichloroethene	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
Trichlorofluoromethane	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM
Vinyl chloride	ND	5.0		µg/L	1	10/29/2012 12:35:00 PM

NOTES:

TICS: No compounds were detected.

Approved By:

Date:

Page 6 of 14

Qualifiers: # Accreditation not offered by NYS DOH for this parameter
** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
Q Outlying QC recoveries were associated with this parameter

* Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Analytical Report

Date: 06-Nov-12

CLIENT:	GHD, Inc.	Client Sample ID:	MW-3S
Lab Order:	U1210515	Collection Date:	10/18/2012 11:30:00 AM
Project:	Lockport City Landfill		
Lab ID:	U1210515-004	Matrix:	WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
----------	--------	-------	------	-------	----	---------------

FIELD PARAMETERS

Lab Code: FIELD

Analyst:

Cooler Temp. at Receipt	<6	6	°C	10/18/2012 11:30:00 AM
-------------------------	----	---	----	------------------------

ASP/CLP VOLATILES IN WATER: METHOD 5030/8260B

Lab Code: 8260ASP05_W

Analyst: LEF

1,1,1-Trichloroethane	ND	5.0	µg/L	1	10/29/2012 1:14:00 PM
1,1,2,2-Tetrachloroethane	ND	5.0	µg/L	1	10/29/2012 1:14:00 PM
1,1,2-Trichloroethane	ND	5.0	µg/L	1	10/29/2012 1:14:00 PM
1,1-Dichloroethane	ND	5.0	µg/L	1	10/29/2012 1:14:00 PM
1,1-Dichloroethene	ND	5.0	µg/L	1	10/29/2012 1:14:00 PM
1,2,3-Trichlorobenzene	ND	5.0	µg/L	1	10/29/2012 1:14:00 PM
1,2,4-Trichlorobenzene	ND	5.0	µg/L	1	10/29/2012 1:14:00 PM
1,2,4-Trimethylbenzene	ND	5.0	µg/L	1	10/29/2012 1:14:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0	µg/L	1	10/29/2012 1:14:00 PM
1,2-Dibromoethane	ND	5.0	µg/L	1	10/29/2012 1:14:00 PM
1,2-Dichlorobenzene	ND	5.0	µg/L	1	10/29/2012 1:14:00 PM
1,2-Dichloroethane	ND	5.0	µg/L	1	10/29/2012 1:14:00 PM
1,2-Dichloropropane	ND	5.0	µg/L	1	10/29/2012 1:14:00 PM
1,3,5-Trimethylbenzene	ND	5.0	µg/L	1	10/29/2012 1:14:00 PM
1,3-Dichlorobenzene	ND	5.0	µg/L	1	10/29/2012 1:14:00 PM
1,4-Dichlorobenzene	ND	5.0	µg/L	1	10/29/2012 1:14:00 PM
1,4-Dioxane	ND	100	µg/L	1	10/29/2012 1:14:00 PM
2-Butanone	ND	10	µg/L	1	10/29/2012 1:14:00 PM
2-Hexanone	ND	10	µg/L	1	10/29/2012 1:14:00 PM
4-Methyl-2-pentanone	ND	10	µg/L	1	10/29/2012 1:14:00 PM
Acetone	ND	10	µg/L	1	10/29/2012 1:14:00 PM
Benzene	ND	5.0	µg/L	1	10/29/2012 1:14:00 PM
Bromochloromethane	ND	5.0	µg/L	1	10/29/2012 1:14:00 PM
Bromodichloromethane	ND	5.0	µg/L	1	10/29/2012 1:14:00 PM
Bromoform	ND	5.0	µg/L	1	10/29/2012 1:14:00 PM
Bromomethane	ND	5.0	µg/L	1	10/29/2012 1:14:00 PM
Carbon disulfide	ND	5.0	µg/L	1	10/29/2012 1:14:00 PM
Carbon tetrachloride	ND	5.0	µg/L	1	10/29/2012 1:14:00 PM
Chlorobenzene	ND	5.0	µg/L	1	10/29/2012 1:14:00 PM
Chloroethane	ND	5.0	µg/L	1	10/29/2012 1:14:00 PM
Chloroform	ND	5.0	µg/L	1	10/29/2012 1:14:00 PM
Chloromethane	ND	5.0	µg/L	1	10/29/2012 1:14:00 PM

Approved By:

Date:

Page 7 of 14

Qualifiers:

#	Accreditation not offered by NYS DOH for this parameter
**	Value exceeds Maximum Contaminant Value
E	Value above quantitation range
J	Analyte detected below quantitation limits
Q	Outlying QC recoveries were associated with this parameter

*	Low Level
B	Analyte detected in the associated Method Blank
H	Holding times for preparation or analysis exceeded
ND	Not Detected at the Reporting Limit
S	Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Analytical Report

Date: 06-Nov-12

CLIENT:	GHD, Inc.	Client Sample ID:	MW-3S
Lab Order:	U1210515	Collection Date:	10/18/2012 11:30:00 AM
Project:	Lockport City Landfill		
Lab ID:	U1210515-004	Matrix:	WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ASP/CLP VOLATILES IN WATER: METHOD 5030/8260B						
				Lab Code: 8260ASP05_W		Analyst: LEF
cis-1,2-Dichloroethene	ND	5.0		µg/L	1	10/29/2012 1:14:00 PM
cis-1,3-Dichloropropene	ND	5.0		µg/L	1	10/29/2012 1:14:00 PM
Cyclohexane	ND	5.0		µg/L	1	10/29/2012 1:14:00 PM
Dibromochloromethane	ND	5.0		µg/L	1	10/29/2012 1:14:00 PM
Dichlorodifluoromethane	ND	5.0		µg/L	1	10/29/2012 1:14:00 PM
Ethylbenzene	ND	5.0		µg/L	1	10/29/2012 1:14:00 PM
Freon-113	ND	5.0		µg/L	1	10/29/2012 1:14:00 PM
Isopropylbenzene	ND	5.0		µg/L	1	10/29/2012 1:14:00 PM
m,p-Xylene	ND	5.0		µg/L	1	10/29/2012 1:14:00 PM
Methyl Acetate	ND	5.0		µg/L	1	10/29/2012 1:14:00 PM
Methyl tert-butyl ether	ND	5.0		µg/L	1	10/29/2012 1:14:00 PM
Methylcyclohexane	ND	5.0		µg/L	1	10/29/2012 1:14:00 PM
Methylene chloride	ND	5.0		µg/L	1	10/29/2012 1:14:00 PM
n-Butylbenzene	ND	5.0		µg/L	1	10/29/2012 1:14:00 PM
n-Propylbenzene	ND	5.0		µg/L	1	10/29/2012 1:14:00 PM
o-Xylene	ND	5.0		µg/L	1	10/29/2012 1:14:00 PM
sec-Butylbenzene	ND	5.0		µg/L	1	10/29/2012 1:14:00 PM
Styrene	ND	5.0		µg/L	1	10/29/2012 1:14:00 PM
tert-Butylbenzene	ND	5.0		µg/L	1	10/29/2012 1:14:00 PM
Tetrachloroethene	ND	5.0		µg/L	1	10/29/2012 1:14:00 PM
Toluene	ND	5.0		µg/L	1	10/29/2012 1:14:00 PM
trans-1,2-Dichloroethene	ND	5.0		µg/L	1	10/29/2012 1:14:00 PM
trans-1,3-Dichloropropene	ND	5.0		µg/L	1	10/29/2012 1:14:00 PM
Trichloroethene	ND	5.0		µg/L	1	10/29/2012 1:14:00 PM
Trichlorofluoromethane	ND	5.0		µg/L	1	10/29/2012 1:14:00 PM
Vinyl chloride	ND	5.0		µg/L	1	10/29/2012 1:14:00 PM

NOTES:

TICS: No compounds were detected.

Approved By: _____

Date: _____

Page 8 of 14

Qualifiers:

#	Accreditation not offered by NYS DOH for this parameter
**	Value exceeds Maximum Contaminant Value
E	Value above quantitation range
J	Analyte detected below quantitation limits
Q	Outlying QC recoveries were associated with this parameter

*	Low Level
B	Analyte detected in the associated Method Blank
H	Holding times for preparation or analysis exceeded
ND	Not Detected at the Reporting Limit
S	Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Analytical Report

Date: 06-Nov-12

CLIENT:	GHD, Inc.	Client Sample ID:	Outfall L-2
Lab Order:	U1210515	Collection Date:	10/18/2012 11:00:00 AM
Project:	Lockport City Landfill		
Lab ID:	U1210515-005	Matrix:	WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
----------	--------	-------	------	-------	----	---------------

FIELD PARAMETERS

Lab Code: FIELD

Analyst:

Cooler Temp. at Receipt	<6	6		°C		10/18/2012 11:00:00 AM
-------------------------	----	---	--	----	--	------------------------

ASP/CLP VOLATILES IN WATER: METHOD 5030/8260B

Lab Code: 8260ASP05_W

Analyst: LEF

1,1,1-Trichloroethane	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
1,1,2,2-Tetrachloroethane	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
1,1,2-Trichloroethane	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
1,1-Dichloroethane	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
1,1-Dichloroethene	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
1,2,3-Trichlorobenzene	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
1,2,4-Trichlorobenzene	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
1,2,4-Trimethylbenzene	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
1,2-Dibromoethane	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
1,2-Dichlorobenzene	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
1,2-Dichloroethane	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
1,2-Dichloropropane	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
1,3,5-Trimethylbenzene	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
1,3-Dichlorobenzene	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
1,4-Dichlorobenzene	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
1,4-Dioxane	ND	100		µg/L	1	10/29/2012 1:54:00 PM
2-Butanone	ND	10		µg/L	1	10/29/2012 1:54:00 PM
2-Hexanone	ND	10		µg/L	1	10/29/2012 1:54:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	10/29/2012 1:54:00 PM
Acetone	ND	10		µg/L	1	10/29/2012 1:54:00 PM
Benzene	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
Bromochloromethane	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
Bromodichloromethane	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
Bromoform	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
Bromomethane	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
Carbon disulfide	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
Carbon tetrachloride	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
Chlorobenzene	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
Chloroethane	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
Chloroform	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
Chloromethane	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM

Approved By:

Date:

Page 9 of 14

Qualifiers:

#	Accreditation not offered by NYS DOH for this parameter
**	Value exceeds Maximum Contaminant Value
E	Value above quantitation range
J	Analyte detected below quantitation limits
Q	Outlying QC recoveries were associated with this parameter

*	Low Level
B	Analyte detected in the associated Method Blank
H	Holding times for preparation or analysis exceeded
ND	Not Detected at the Reporting Limit
S	Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Analytical Report

Date: 06-Nov-12

CLIENT:	GHD, Inc.	Client Sample ID:	Outfall L-2
Lab Order:	U1210515	Collection Date:	10/18/2012 11:00:00 AM
Project:	Lockport City Landfill		
Lab ID:	U1210515-005	Matrix:	WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
ASP/CLP VOLATILES IN WATER: METHOD 5030/8260B						
				Lab Code: 8260ASP05_W		Analyst: LEF
cis-1,2-Dichloroethene	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
cis-1,3-Dichloropropene	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
Cyclohexane	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
Dibromochloromethane	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
Dichlorodifluoromethane	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
Ethylbenzene	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
Freon-113	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
Isopropylbenzene	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
m,p-Xylene	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
Methyl Acetate	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
Methyl tert-butyl ether	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
Methylcyclohexane	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
Methylene chloride	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
n-Butylbenzene	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
n-Propylbenzene	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
o-Xylene	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
sec-Butylbenzene	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
Styrene	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
tert-Butylbenzene	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
Tetrachloroethene	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
Toluene	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
trans-1,2-Dichloroethene	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
trans-1,3-Dichloropropene	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
Trichloroethene	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
Trichlorofluoromethane	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM
Vinyl chloride	ND	5.0		µg/L	1	10/29/2012 1:54:00 PM

NOTES:

TICS: No compounds were detected.

Approved By: _____

Date: _____

Page 10 of 14

Qualifiers:

#	Accreditation not offered by NYS DOH for this parameter
**	Value exceeds Maximum Contaminant Value
E	Value above quantitation range
J	Analyte detected below quantitation limits
Q	Outlying QC recoveries were associated with this parameter

*	Low Level
B	Analyte detected in the associated Method Blank
H	Holding times for preparation or analysis exceeded
ND	Not Detected at the Reporting Limit
S	Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Analytical Report

Date: 06-Nov-12

CLIENT: GHD, Inc.
Lab Order: U1210515
Project: Lockport City Landfill
Lab ID: U1210515-006

Client Sample ID: ULI Trip Blank
Collection Date: 10/18/2012
Matrix: WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
----------	--------	-------	------	-------	----	---------------

FIELD PARAMETERS

Lab Code: FIELD

Analyst:

Cooler Temp. at Receipt	<6	6		°C		10/18/2012
-------------------------	----	---	--	----	--	------------

ASP/CLP VOLATILES IN WATER: METHOD 5030/8260B

Lab Code: 8260ASP05_W

Analyst: LEF

1,1,1-Trichloroethane	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
1,1,2,2-Tetrachloroethane	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
1,1,2-Trichloroethane	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
1,1-Dichloroethane	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
1,1-Dichloroethene	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
1,2,3-Trichlorobenzene	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
1,2,4-Trichlorobenzene	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
1,2,4-Trimethylbenzene	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
1,2-Dibromoethane	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
1,2-Dichlorobenzene	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
1,2-Dichloroethane	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
1,2-Dichloropropane	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
1,3,5-Trimethylbenzene	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
1,3-Dichlorobenzene	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
1,4-Dichlorobenzene	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
1,4-Dioxane	ND	100		µg/L	1	10/30/2012 4:48:00 PM
2-Butanone	ND	10		µg/L	1	10/30/2012 4:48:00 PM
2-Hexanone	ND	10		µg/L	1	10/30/2012 4:48:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	10/30/2012 4:48:00 PM
Acetone	ND	10		µg/L	1	10/30/2012 4:48:00 PM
Benzene	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
Bromochloromethane	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
Bromodichloromethane	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
Bromoform	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
Bromomethane	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
Carbon disulfide	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
Carbon tetrachloride	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
Chlorobenzene	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
Chloroethane	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
Chloroform	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
Chloromethane	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM

Approved By:

Date:

Page 11 of 14

Qualifiers: # Accreditation not offered by NYS DOH for this parameter
** Value exceeds Maximum Contaminant Value
E Value above quantitation range
J Analyte detected below quantitation limits
Q Outlying QC recoveries were associated with this parameter

* Low Level
B Analyte detected in the associated Method Blank
H Holding times for preparation or analysis exceeded
ND Not Detected at the Reporting Limit
S Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Analytical Report

Date: 06-Nov-12

CLIENT:	GHD, Inc.	Client Sample ID:	ULI Trip Blank
Lab Order:	U1210515	Collection Date:	10/18/2012
Project:	Lockport City Landfill		
Lab ID:	U1210515-006	Matrix:	WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
----------	--------	-------	------	-------	----	---------------

ASP/CLP VOLATILES IN WATER: METHOD 5030/8260B

Lab Code: 8260ASP05_W

Analyst: LEF

cis-1,2-Dichloroethene	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
cis-1,3-Dichloropropene	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
Cyclohexane	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
Dibromochloromethane	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
Dichlorodifluoromethane	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
Ethylbenzene	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
Freon-113	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
Isopropylbenzene	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
m,p-Xylene	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
Methyl Acetate	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
Methyl tert-butyl ether	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
Methylcyclohexane	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
Methylene chloride	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
n-Butylbenzene	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
n-Propylbenzene	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
o-Xylene	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
sec-Butylbenzene	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
Styrene	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
tert-Butylbenzene	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
Tetrachloroethene	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
Toluene	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
trans-1,2-Dichloroethene	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
trans-1,3-Dichloropropene	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
Trichloroethene	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
Trichlorofluoromethane	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM
Vinyl chloride	ND	5.0		µg/L	1	10/30/2012 4:48:00 PM

NOTES:

TICS: No compounds were detected.

Approved By: _____

Date: _____

Page 12 of 14

Qualifiers:

#	Accreditation not offered by NYS DOH for this parameter
**	Value exceeds Maximum Contaminant Value
E	Value above quantitation range
J	Analyte detected below quantitation limits
Q	Outlying QC recoveries were associated with this parameter

*	Low Level
B	Analyte detected in the associated Method Blank
H	Holding times for preparation or analysis exceeded
ND	Not Detected at the Reporting Limit
S	Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Analytical Report

Date: 06-Nov-12

CLIENT:	GHD, Inc.	Client Sample ID:	Holding Blank
Lab Order:	U1210515	Collection Date:	10/19/2012 2:00:00 PM
Project:	Lockport City Landfill		
Lab ID:	U1210515-007	Matrix:	WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
----------	--------	-------	------	-------	----	---------------

FIELD PARAMETERS

Lab Code: FIELD

Analyst:

Cooler Temp. at Receipt	<6	6		°C		10/19/2012 2:00:00 PM
-------------------------	----	---	--	----	--	-----------------------

ASP/CLP VOLATILES IN WATER: METHOD 5030/8260B

Lab Code: 8260ASP05_W

Analyst: LEF

1,1,1-Trichloroethane	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
1,1,2,2-Tetrachloroethane	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
1,1,2-Trichloroethane	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
1,1-Dichloroethane	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
1,1-Dichloroethene	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
1,2,3-Trichlorobenzene	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
1,2,4-Trichlorobenzene	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
1,2,4-Trimethylbenzene	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
1,2-Dibromo-3-chloropropane	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
1,2-Dibromoethane	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
1,2-Dichlorobenzene	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
1,2-Dichloroethane	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
1,2-Dichloropropane	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
1,3,5-Trimethylbenzene	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
1,3-Dichlorobenzene	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
1,4-Dichlorobenzene	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
1,4-Dioxane	ND	100		µg/L	1	10/30/2012 5:27:00 PM
2-Butanone	ND	10		µg/L	1	10/30/2012 5:27:00 PM
2-Hexanone	ND	10		µg/L	1	10/30/2012 5:27:00 PM
4-Methyl-2-pentanone	ND	10		µg/L	1	10/30/2012 5:27:00 PM
Acetone	ND	10		µg/L	1	10/30/2012 5:27:00 PM
Benzene	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
Bromochloromethane	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
Bromodichloromethane	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
Bromoform	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
Bromomethane	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
Carbon disulfide	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
Carbon tetrachloride	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
Chlorobenzene	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
Chloroethane	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
Chloroform	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
Chloromethane	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM

Approved By:

Date:

Page 13 of 14

Qualifiers:

#	Accreditation not offered by NYS DOH for this parameter
**	Value exceeds Maximum Contaminant Value
E	Value above quantitation range
J	Analyte detected below quantitation limits
Q	Outlying QC recoveries were associated with this parameter

*	Low Level
B	Analyte detected in the associated Method Blank
H	Holding times for preparation or analysis exceeded
ND	Not Detected at the Reporting Limit
S	Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Analytical Report

Date: 06-Nov-12

CLIENT:	GHD, Inc.	Client Sample ID:	Holding Blank
Lab Order:	U1210515	Collection Date:	10/19/2012 2:00:00 PM
Project:	Lockport City Landfill		
Lab ID:	U1210515-007	Matrix:	WATER

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
----------	--------	-------	------	-------	----	---------------

ASP/CLP VOLATILES IN WATER: METHOD 5030/8260B

Lab Code: 8260ASP05_W

Analyst: LEF

cis-1,2-Dichloroethene	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
cis-1,3-Dichloropropene	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
Cyclohexane	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
Dibromochloromethane	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
Dichlorodifluoromethane	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
Ethylbenzene	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
Freon-113	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
Isopropylbenzene	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
m,p-Xylene	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
Methyl Acetate	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
Methyl tert-butyl ether	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
Methylcyclohexane	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
Methylene chloride	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
n-Butylbenzene	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
n-Propylbenzene	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
o-Xylene	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
sec-Butylbenzene	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
Styrene	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
tert-Butylbenzene	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
Tetrachloroethene	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
Toluene	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
trans-1,2-Dichloroethene	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
trans-1,3-Dichloropropene	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
Trichloroethene	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
Trichlorofluoromethane	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM
Vinyl chloride	ND	5.0		µg/L	1	10/30/2012 5:27:00 PM

NOTES:

TICS: No compounds were detected.

Approved By:

Date:

Page 14 of 14

Qualifiers:

#	Accreditation not offered by NYS DOH for this parameter
**	Value exceeds Maximum Contaminant Value
E	Value above quantitation range
J	Analyte detected below quantitation limits
Q	Outlying QC recoveries were associated with this parameter

*	Low Level
B	Analyte detected in the associated Method Blank
H	Holding times for preparation or analysis exceeded
ND	Not Detected at the Reporting Limit
S	Spike Recovery outside accepted recovery limits

Upstate Laboratories, Inc.

Chain of Custody Record

6034 Corporate Drive E. Syracuse New York 13057

Phone (315) 437 0255

Fax (315) 437 1209

Client:		Project #/ Project Name					Number of Containers	1	2	3	4	5	6	7	8	9	10	Remarks
STEARNES & WHEELER		LOCKPORT CITY LANDFILL																
Client Contact:	Phone #	Location (City/State)																
DAVE ROWLINSON		LOCKPORT, NY																ASP-A
Sample ID	Date	Time	Matrix	Grab or Comp	ULI Internal Use Only													
MW-8D	10/18/12	10:00	WATER	Grab		2	X											
MW-9S (MS/MSD)	10/18/12	12:00	WATER	Grab		3	X											
MW-9I	10/18/12	12:30	WATER	Grab		2	X											
MW-3S	10/18/12	11:30	WATER	Grab		2	X											
OUTFALL L-2	10/18/12	11:00	WATER	Grab		2	X											
TRIP BLANK	10/18/12		WATER			1	X											
Parameter and Method	Sample bottle:	Type	Size	Preservative	Sampled by (Print) Brian Doyle					Name of Courier								
1 TCL 8260 2005 LIST		GLASS	40ML	1:1 HCL	Company: GHD													
2					Relinquished by: (sign)					Date	Time	Received by: (sign)						
3					Brian Doyle					10/18/12	15:00							
4					Relinquished by: (sign)					Date	Time	Received by: (sign)						
5																		
6					Relinquished by: (sign)					Date	Time	Received by: (sign)						
7																		
8																		
9					Relinquished by: (sign)					Date	Time	Rec'd for Lab by:						
10																		
Syracuse Rochester Buffalo Albany Binghamton Fair Lawn (NJ)																		