



August 2, 2007

Ms. Gloria M. Sosa
Site Investigation & Compliance Branch
USEPA, Region II
290 Broadway, 20th Floor
New York, NY 10007-1866

Mr. Will Welling
NYSDEC
Remedial Bureau D, 12th Floor
625 Broadway
Albany, NY 12233-7013

Re: **Hyde Park Remedial Program**
Bedrock and Overburden Monitoring Programs
Quarterly Operations Report – 2nd Quarter 2007

Dear Ms. Sosa and Mr. Welling:


In accordance with the July 2006 "Performance Monitoring Plan," the following is the quarterly data report for the Hyde Park Remedial Program for the period April 1, 2007 to June 30, 2007. A total of 10.8 million gallons of APL were collected, treated, and discharged in compliance with our City of Niagara Falls POTW permit. No NAPL was shipped for incineration.

Performance monitoring data is presented as follows:

1. Figures 1-9 - Showing groundwater contours for the flow zones and overburden.
2. Figure 10 – Showing continuously recorded water levels at flow zone piezometer PMW-1M-09.
3. Table 1 – Water Level Elevation Summary.
4. Tables 2, 3, and 4 - Daily, weekly, and quarterly treatment system monitoring data.
5. Attachment 1 – Purge well performance graphs indicating daily average level and flow information.

An electronic copy of this report is included on the attached CD as an Adobe® Acrobat® file. If you have any questions, please feel free to contact me at 859-543-2174 or by email at don_mcleod@oxy.com.

Sincerely,


For


Donald W. McLeod, P.E.
Project Manager

DWM (001069-SosaWell-16)
Encl.


cc:	G. Sosa, EPA – 4*	J. Kaczor, EarthTech – 1*
	W. Welling, DEC – 2*	S. Parkhill, MSRM – 1
	B. Sadowski, DEC – 1*	D. Booth, MSRM – 1
	M. Forcucci, DOH – 1*	D. Hoyt, CRA – 1
	Correspondence File	


* - Include one copy on CD


FIGURES




Miller Springs Remediation Management, Inc.









Miller Springs Remediation Management, Inc.




Miller Springs Remediation Management, Inc.




Miller Springs Remediation Management, Inc.



Miller Springs Remediation Management, Inc.








figure 10

TABLES

TABLE 1
WATER LEVEL ELEVATION SUMMARY
SECOND QUARTER - 2007
HYDE PARK RRT PROGRAM
JUNE 26, 2007

Page 1 of 4

<i>Well</i>	<i>Reference Elevation (ft AMSL)</i>	<i>Depth to Water (ft)</i>	<i>Water Level Elevation (ft AMSL)</i>
Overburden			
CMW-2OB	590.05	2.68	587.37
CMW-3OB	582.79	9.10	573.69
CMW-4OB	574.85	2.60	572.25
CMW-5OB	584.13	2.74	581.39
CMW-6OB	572.55	3.05	569.50
CMW-7OB	611.38	4.00	607.38
CMW-8OB	616.78	3.05	613.73
CMW-9OB	572.41	2.40	570.01
CMW-10B	576.12	5.42	570.70
CMW-11OB	573.51	3.78	569.73
CMW-12OB	595.26	20.90	574.36
OMW-1	605.87	5.90	599.97
OMW-2	606.39	2.90	603.49
OMW-3	599.27	10.00	589.27
OMW-4R	601.83	11.50	590.33
OMW-5R	588.25	5.60	582.65
OMW-6	588.27	2.40	585.87
OMW-7	593.39	8.80	584.59
OMW-8R	598.16	10.80	587.36
OMW-8R2	595.31	8.80	586.51
OMW-9	595.97	9.60	586.37
OMW-10	595.51	9.50	586.01
OMW-10R	595.79	9.40	586.39
OMW-11R	598.07	7.70	590.37
OMW-12R	596.95	5.70	591.25
OMW-13R	602.04	9.50	592.54
OMW-14R	599.42	12.30	587.12
OMW-15	608.04	7.90	600.14
OMW-16R	608.23	8.40	599.83
Shallow Bedrock			
CMW-1SH	576.68	12.98	563.70
CMW-2SH	589.73	18.85	570.88
CMW-3SH	582.74	28.60	554.14
CMW-4SH	574.97	8.85	566.12
CMW-5SH	584.13	8.45	575.68
CMW-6SH	572.68	10.54	562.14
CMW-7SH	611.16	12.85	598.31
CMW-8SH	617.01	10.64	606.37
CMW-9SH	572.59	12.38	560.21
CMW-11SH	573.86	8.34	565.52
CMW-12SH	597.65	28.96	568.69
Flow Zone 1			
G1U-01	617.08	17.80	599.28
G6-01	608.11	10.24	597.87
H2U-01	620.92	13.66	607.26
H5-01	617.61	20.42	597.19
I1-01	621.55	23.68	597.87
I1-01	621.55	23.68	597.87

TABLE 1
WATER LEVEL ELEVATION SUMMARY
SECOND QUARTER - 2007
HYDE PARK RRT PROGRAM
JUNE 26, 2007

<i>Well</i>	<i>Reference Elevation (ft AMSL)</i>	<i>Depth to Water (ft)</i>	<i>Water Level Elevation (ft AMSL)</i>
Flow Zone 2			
F2U-02	599.89	24.55	575.34
F4U-02	602.32	17.20	585.12
G1-02	616.86	26.03	590.83
G6-02	608.11	18.63	589.48
H2U-02	620.88	31.80	589.08
H5-02	617.47	25.66	591.81
I1-02	621.42	36.37	585.05
J2U-02	609.66	19.55	590.11
J5U-02	606.21	14.83	591.38
J6-02	609.23	18.93	590.30
Flow Zone 4			
AFW-2U-04	593.48	18.39	575.09
D1U-04	593.77	15.32	578.45
D2U-04	590.65	12.70	577.95
E6-04	578.23	13.56	564.67
F2U-04	599.76	22.80	576.96
F4U-04	602.19	17.66	584.53
F6-04	588.06	18.50	569.56
G1U-04	616.96	26.00	590.96
G6-04	608.11	18.70	589.41
H5-04	617.40	26.40	591.00
I1-04	621.31	39.66	581.65
J2U-04	609.42	23.04	586.38
J5U-04	606.05	22.58	583.47
J6-04	609.12	31.16	577.96
Flow Zone 5			
AFW-2U-05	593.33	18.28	575.05
AGW-1U-05	591.80	13.53	578.27
D1U-05	593.51	16.92	576.59
D2U-05	590.56	13.40	577.16
E6-05	578.04	12.42	565.62
F2U-05	599.64	22.08	577.56
F4U-05	602.06	18.35	583.71
F6-05	587.85	17.94	569.91
G6-05	608.11	19.75	588.36
H2M-05	621.59	29.64	591.95
H5-05	617.31	27.73	589.58
I1-05	621.21	68.42	552.79
J2U-05	609.30	32.50	576.80
J5U-05	605.87	29.40	576.47
J6-05	609.02	31.67	577.35
PMW-1U-05	598.00	21.89	576.11
Flow Zone 6			
ABP-7-06	575.78	-	-
AFW-1U-06	571.83	13.65	558.18
AFW-2U-06	593.22	48.09	545.13
AGW-1U-06	591.66	39.00	552.66
B2U-06	589.29	38.16	551.13

TABLE 1
WATER LEVEL ELEVATION SUMMARY
SECOND QUARTER - 2007
HYDE PARK RRT PROGRAM
JUNE 26, 2007

<i>Well</i>	<i>Reference Elevation (ft AMSL)</i>	<i>Depth to Water (ft)</i>	<i>Water Level Elevation (ft AMSL)</i>
Flow Zone 6 - Continued			
C3-06	585.78	37.48	548.30
D1U-06	593.25	48.70	544.55
D2U-06	590.38	46.77	543.61
E6-06	577.99	5.82	572.17
F2M-06	599.06	31.74	567.32
F4M-06	602.05	50.28	551.77
F6-06	587.84	15.60	572.24
G1M-06	616.75	44.31	572.44
G6-06	608.11	36.14	571.97
H2M-06	621.42	53.65	567.77
H5-06	617.17	20.90	596.27
I1-06	621.08	69.21	551.87
J2M-06	608.94	55.78	553.16
J5M-06	606.22	63.27	542.95
J6-06	608.93	55.17	553.76
PMW-1U-06	597.92	53.44	544.48
Flow Zone 7			
ABP-1-07	*	*	*
ABP-7-07	575.67	42.90	532.77
AFW-1M-07	571.41	-	-
AFW-2M-07	593.44	66.88	526.56
AGW-1M-07	592.91	38.08	554.83
B2M-07	589.52	41.89	547.63
C3-07	585.62	50.59	535.03
D1M-07	594.15	63.12	531.03
D2M-07	590.77	-	-
E6-07	577.91	23.08	554.83
F2M-07	598.91	79.25	519.66
F4M-07	601.91	75.37	526.54
F6-07	587.68	20.78	566.90
G1M-07	616.68	53.60	563.08
G6-07	608.11	36.00	572.11
H5-07	617.05	60.90	556.15
I1-07	620.97	68.52	552.45
J5M-07	606.07	52.61	553.46
J6-07	608.85	56.34	552.51
PMW-1M-07	598.50	68.57	529.93
Flow Zone 9			
ABP-1-09	*	*	*
ABP-7-09	575.67	47.53	528.14
AFW-1M-09	571.12	46.18	524.94
AFW-2M-09	593.32	71.80	521.52
AGW-1M-09	592.75	38.12	554.63
B2M-09	589.34	68.72	520.62
C3-09	585.54	50.29	535.25
D1M-09	594.02	74.94	519.08
D2M-09	590.66	71.65	519.01
E6-09	577.82	22.97	554.85
F2M-09	598.71	79.80	518.91

TABLE 1
WATER LEVEL ELEVATION SUMMARY
SECOND QUARTER - 2007
HYDE PARK RRT PROGRAM
JUNE 26, 2007

Page 4 of 4

<i>Well</i>	<i>Reference Elevation (ft AMSL)</i>	<i>Depth to Water (ft)</i>	<i>Water Level Elevation (ft AMSL)</i>
Flow Zone 9 - Continued			
F4M-09	601.79	83.20	518.59
F6-09	587.53	5.65	581.88
G1M-09	616.58	50.65	565.93
G6-09	608.11	45.53	562.58
H2M-09	621.32	66.00	555.32
H5-09	616.93	65.55	551.38
I1-09	620.86	57.02	563.84
J2M-09	608.77	55.81	552.96
J5M-09	605.82	52.32	553.50
J6-09	608.76	35.66	573.10
PMW-1M-09	598.34	79.62	518.72
Flow Zone 11			
AFW-1L-11	572.10	66.52	505.58
AFW-2L-11	593.43	99.00	494.43
AGW-1L-11	592.71	25.90	566.81
B2L-11	589.65	92.15	497.50
D1L-11	593.80	91.67	502.13
D2L-11	590.21	70.29	519.92
E6-11	577.72	48.07	529.65
F2L-11	598.94	45.05	553.89
F4L-11	602.22	39.18	563.04
F6-11	587.40	61.72	525.68
G1L-11	616.84	50.90	565.94
G6-11	608.11	39.38	568.73
H2L-11	620.73	59.55	561.18
H5-11	616.81	63.86	552.95
I1-11	620.71	73.72	546.99
J5L-11	607.20	58.47	548.73
J6-11	608.68	31.85	576.83
PMW-1L-11	598.84	91.48	507.36

Notes

AMSL Above Mean Sea Level.

* Well damaged by car.

- Dry.

TABLE 2
DAILY EFFLUENT MONITORING DATA
LEACHATE TREATMENT SYSTEM
SECOND QUARTER - 2007
HYDE PARK RRT PROGRAM

Date	Effluent		Date	Effluent		Date	Effluent	
	pH (su)	Flow (gal)		pH (su)	Flow (gal)		pH (su)	Flow (gal)
04/01/07	7.10	0	05/01/07	6.99	179,000	06/01/07	7.00	149,000
04/02/07	7.00	320,000	05/02/07	7.00	176,000	06/02/07	7.00	0
04/03/07	6.99	302,000	05/03/07	7.02	179,000	06/03/07	7.00	0
04/04/07	7.01	311,000	05/04/07	7.02	175,000	06/04/07	6.88	170,000
04/05/07	7.00	183,000	05/05/07	6.80	0	06/05/07	7.01	171,000
04/06/07	6.90	209,000	05/06/07	6.79	0	06/06/07	7.02	119,000
04/07/07	6.60	0	05/07/07	6.90	182,000	06/07/07	6.89	93,000
04/08/07	7.10	0	05/08/07	7.01	186,000	06/08/07	6.87	89,000
04/09/07	6.99	201,000	05/09/07	7.00	173,000	06/09/07	7.00	0
04/10/07	7.00	317,000	05/10/07	7.07	171,000	06/10/07	6.87	0
04/11/07	7.23	169,000	05/11/07	6.99	138,000	06/11/07	6.88	161,000
04/12/07	7.00	246,000	05/12/07	6.99	0	06/12/07	7.00	144,000
04/13/07	6.70	168,000	05/13/07	6.99	0	06/13/07	6.90	93,000
04/14/07	6.90	0	05/14/07	6.97	154,000	06/14/07	6.82	82,000
04/15/07	7.10	0	05/15/07	6.94	186,000	06/15/07	6.90	73,000
04/16/07	7.10	338,000	05/16/07	6.88	150,000	06/16/07	6.90	0
04/17/07	7.20	244,000	05/17/07	6.88	158,000	06/17/07	6.90	0
04/18/07	7.23	248,000	05/18/07	6.95	116,000	06/18/07	6.87	130,000
04/19/07	7.00	299,000	05/19/07	7.00	0	06/19/07	6.88	126,000
04/20/07	7.11	186,000	05/20/07	6.95	0	06/20/07	6.87	89,000
04/21/07	6.00	0	05/21/07	6.99	177,000	06/21/07	6.89	71,000
04/22/07	7.19	0	05/22/07	7.01	173,000	06/22/07	6.88	62,000
04/23/07	7.01	241,000	05/23/07	7.01	169,000	06/23/07	7.00	0
04/24/07	7.08	223,000	05/24/07	6.99	105,000	06/24/07	7.00	0
04/25/07	6.99	273,000	05/25/07	6.80	83,000	06/25/07	6.90	166,000
04/26/07	7.00	173,000	05/26/07	6.80	0	06/26/07	6.70	120,000
04/27/07	7.02	170,000	05/27/07	6.80	0	06/27/07	6.89	69,000
04/28/07	7.00	0	05/28/07	6.80	0	06/28/07	6.71	75,000
04/29/07	7.02	0	05/29/07	7.00	171,000	06/29/07	6.90	64,000
04/30/07	7.05	177,000	05/30/07	6.98	248,000			
			05/31/07	6.99	46,000			

Notes:

gal Gallons.
su Standard Unit.

TABLE 3
ANALYTICAL RESULTS SUMMARY
WEEKLY SAMPLING - LEACHATE TREATMENT SYSTEM
SECOND QUARTER - 2007
HYDE PARK RRT PROGRAM

Interstage A, D

Parameter	Units	Treatment	04/04/2007	04/11/2007	04/18/2007	04/25/2007	05/02/2007	05/09/2007	05/16/2007
		Level							
Volatiles									
1,2,4-Trichlorobenzene	ug/l	-	20 U	25 U	25 U	25 U	25 U	25 U	25 U
2-Chlorotoluene	ug/l	10	3.9 J	10 J	25 U	25 U	25 U	25 U	25 U
3-Chlorotoluene	ug/l	10	20 U	25 U	25 U	25 U	25 U	25 U	25 U
4-Chlorotoluene	ug/l	10	20 U	25 U	25 U	25 U	25 U	25 U	25 U
Chlorobenzene	ug/l	10	29	61	25 U	25 U	25 U	8.3 J	14 J
m-Monochlorobenzotrifluoride	ug/l	10	20 U	25 U	25 U	25 U	25 U	25 U	25 U
o-Monochlorobenzotrifluoride	ug/l	10	20 U	3.8 J	25 U	25 U	25 U	25 U	25 U
p-Monochlorobenzotrifluoride	ug/l	10	20 U	25 U	25 U	25 U	25 U	25 U	25 U
Tetrachloroethene	ug/l	10	20 U	25 U	25 U	25 U	25 U	25 U	25 U
Trichloroethene	ug/l	10	41	61	8.8 J	7.8 J	11 J	13 J	19 J

Parameter	Units	Treatment	05/30/2007	06/06/2007	06/13/2007	06/20/2007	06/27/2007
		Level					
Volatiles							
1,2,4-Trichlorobenzene	ug/l	-	25 U	25 U	25 U	25 U	25 U
2-Chlorotoluene	ug/l	10	25 U	25 U	25 U	25 U	25 U
3-Chlorotoluene	ug/l	10	25 U	25 U	25 U	25 U	25 U
4-Chlorotoluene	ug/l	10	25 U	25 U	25 U	25 U	25 U
Chlorobenzene	ug/l	10	13 J	18 J	13 J	24 J	16 J
m-Monochlorobenzotrifluoride	ug/l	10	25 U	25 U	25 U	25 U	25 U
o-Monochlorobenzotrifluoride	ug/l	10	25 U	25 U	25 U	25 U	25 U
p-Monochlorobenzotrifluoride	ug/l	10	25 U	25 U	25 U	25 U	25 U
Tetrachloroethene	ug/l	10	25 U	25 U	25 U	25 U	25 U
Trichloroethene	ug/l	10	15 J	21 J	22 J	26	20 J

Notes:

- Not available/not applicable.
- J Associated value is estimated.
- U Non-detect at associated value.
- ug/L Micrograms per Liter.

TABLE 3
ANALYTICAL RESULTS SUMMARY
WEEKLY SAMPLING - LEACHATE TREATMENT SYSTEM
SECOND QUARTER - 2007
HYDE PARK RRT PROGRAM

Effluent

Parameter	Units	Treatment		04/04/07	04/11/07	04/18/07	04/25/07	05/02/07	05/09/07	05/16/07	05/23/07
		Level									
Volatiles											
1,2,3-Trichlorobenzene	ug/L	-	-	-	-	-	-	-	-	-	-
1,2,4-Trichlorobenzene	ug/L	-	1.0 U	5.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,3,5-Trichlorobenzene	ug/L	-	-	-	-	-	-	-	-	-	-
2-Chlorotoluene	ug/L	10	1.0 U	0.84 J	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
3-Chlorotoluene	ug/L	10	1.0 U	5.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
4-Chlorotoluene	ug/L	10	1.0 U	5.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chlorobenzene	ug/L	10	1.0 U	8.6	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
m-Monochlorobenzotrifluoride	ug/L	10	1.0 U	5.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
o-Monochlorobenzotrifluoride	ug/L	10	1.0 U	5.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
p-Monochlorobenzotrifluoride	ug/L	10	1.0 U	5.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Tetrachloroethene	ug/L	10	1.0 U	5.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Trichloroethene	ug/L	10	1.0 U	12	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Phenol	mg/L		0.039	0.19	0.010J	0.0088J	0.027J	0.008J	0.0083J	0.0072J	

Parameter	Units	Treatment					
		Level	05/30/07	06/06/07	06/13/07	06/20/07	06/27/07
Volatiles							
1,2,3-Trichlorobenzene	ug/L	-	-	-	-	-	-
1,2,4-Trichlorobenzene	ug/L	-	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
1,3,5-Trichlorobenzene	ug/L	-	-	-	-	-	-
2-Chlorotoluene	ug/L	10	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
3-Chlorotoluene	ug/L	10	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
4-Chlorotoluene	ug/L	10	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Chlorobenzene	ug/L	10	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
m-Monochlorobenzotrifluoride	ug/L	10	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
o-Monochlorobenzotrifluoride	ug/L	10	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
p-Monochlorobenzotrifluoride	ug/L	10	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Tetrachloroethene	ug/L	10	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Trichloroethene	ug/L	10	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Phenol	mg/L		0.01U	0.01	0.011	0.009J	0.01

Notes:

- Not available/not applicable.
- J Estimated at associated value.
- mg/L Milligrams per Liter.
- U Non-detect at associated value.

TABLE 4
ANALYTICAL RESULTS SUMMARY
QUARTERLY SAMPLING - LEACHATE TREATMENT SYSTEM
SECOND QUARTER - 2007
HYDE PARK RRT PROGRAM

Leachate Feed

<i>Parameter</i>	<i>Units</i>	<i>April 2007</i>
<i>Volatiles</i>		
1,1,1-Trichloroethane	ug/l	3.1 J
1,1,2,2-Tetrachloroethane	ug/l	110
1,1,2-Trichloroethane	ug/l	9.4 J
1,1-Dichloroethane	ug/l	25 U
1,1-Dichloroethene	ug/l	25 U
1,2,4-Trichlorobenzene	ug/l	410
1,2-Dichlorobenzene	ug/l	58
1,2-Dichloroethane	ug/l	18 J
1,2-Dichloropropane	ug/l	25 U
1,3-Dichlorobenzene	ug/l	17 J
1,4-Dichlorobenzene	ug/l	64
2-Chlorotoluene	ug/l	740
3-Chlorotoluene	ug/l	25 U
4-Chlorotoluene	ug/l	530
Benzene	ug/l	140
Bromodichloromethane	ug/l	25 U
Bromoform	ug/l	25 U
Bromomethane (Methyl Bromide)	ug/l	25 U
Carbon disulfide	ug/l	12 J
Carbon tetrachloride	ug/l	36
Chlorobenzene	ug/l	440
Chloroethane	ug/l	25 U
Chloroform (Trichloromethane)	ug/l	300
Chloromethane (Methyl Chloride)	ug/l	25 U
cis-1,2-Dichloroethene	ug/l	200
cis-1,3-Dichloropropene	ug/l	25 U
Dichlorodifluoromethane (CFC-12)	ug/l	25 U
Ethylbenzene	ug/l	150
m-Monochlorobenzotrifluoride	ug/l	54
Methylene chloride	ug/l	47 U
o-Monochlorobenzotrifluoride	ug/l	150
p-Monochlorobenzotrifluoride	ug/l	210
Styrene	ug/l	25 U
Tetrachloroethene	ug/l	310
Toluene	ug/l	830
trans-1,2-Dichloroethene	ug/l	5.0 J
trans-1,3-Dichloropropene	ug/l	25 U
Trichloroethene	ug/l	410
Trichlorofluoromethane (CFC-11)	ug/l	25 U
Vinyl acetate	ug/l	25 U
Vinyl chloride	ug/l	18 J
Xylene (total)	ug/l	940

TABLE 4
ANALYTICAL RESULTS SUMMARY
QUARTERLY SAMPLING - LEACHATE TREATMENT SYSTEM
SECOND QUARTER - 2007
HYDE PARK RRT PROGRAM

Page 2 of 3

Leachate Feed

<i>Parameter</i>	<i>Units</i>	<i>April 2007</i>
<i>Semi-Volatiles</i>		
2,4,6-Trichlorophenol	ug/l	38 U
2,4-Dichlorophenol	ug/l	150
2,4-Dimethylphenol	ug/l	38 U
2,4-Dinitrophenol	ug/l	190 U
2,4-Dinitrotoluene	-	-
2,6-Dinitrotoluene	-	-
2-Chloronaphthalene	ug/l	38 U
2-Chlorophenol	ug/l	38 U
2-Nitrophenol	ug/l	38 U
4,6-Dinitro-2-methylphenol	ug/l	190 U
4-Chloro-3-methylphenol	ug/l	38 U
4-Nitrophenol	ug/l	190 U
Acenaphthene	ug/l	38 U
Acenaphthylene	ug/l	38 U
Anthracene	ug/l	38 U
Benzo(a)anthracene	ug/l	38 U
Benzo(a)pyrene	ug/l	38 U
Benzo(b)fluoranthene	ug/l	38 U
Benzo(g,h,i)perylene	ug/l	38 U
bis(2-Chloroethoxy)methane	ug/l	38 U
bis(2-Ethylhexyl)phthalate	ug/l	38 U
Butyl benzylphthalate	ug/l	38 U
Chrysene	ug/l	38 U
Dibenz(a,h)anthracene	ug/l	38 U
Diethyl phthalate	ug/l	38 U
Dimethyl phthalate	ug/l	38 U
Di-n-butylphthalate	ug/l	38 U
Di-n-octyl phthalate	ug/l	38 U
Fluoranthene	ug/l	38 U
Fluorene	ug/l	38 U
Hexachlorobenzene	ug/l	9.9 J
Hexachlorobutadiene	ug/l	29 J
Hexachlorocyclopentadiene	ug/l	38 U
Hexachloroethane	ug/l	12 J
Indeno(1,2,3-cd)pyrene	ug/l	38 U
Isophorone	ug/l	38 U
Naphthalene	ug/l	38 U
Pentachlorophenol	ug/l	190 U
Phenanthrene	ug/l	38 U
Phenol	ug/l	38 U
Pyrene	ug/l	38 U
<i>General Chemistry</i>		
Total Organic Carbon (TOC)	-	-
Phenolics (Total)	-	-

TABLE 4
ANALYTICAL RESULTS SUMMARY
QUARTERLY SAMPLING - LEACHATE TREATMENT SYSTEM
SECOND QUARTER - 2007
HYDE PARK RRT PROGRAM

Sacrificial Carbon Bed Interstage

<i>Parameter</i>	<i>Units</i>	<i>April 2007</i>
<i>PCBs</i>		
Pentachlorobiphenyl	ug/L	0.0052 U
Tetrachlorobiphenyl	ug/L	0.0057 U
Trichlorobiphenyl	ug/L	0.0026 U
<i>Dioxin Furans</i>		
2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD)	pg/L	280 J

Effluent (Quarterly)

<i>Parameter</i>	<i>Units</i>	<i>April 2007</i>
Phosphorus	mg/L	0.16

Notes:

- Not available/not applicable.
- J Associated value is estimated.
- mg/L Milligrams per Liter.
- U Non-detect at associated value.
- ug/L Micrograms per Liter.


ATTACHMENT 1

APW-1

2nd Quarter 2007 - Flow Rates and Levels



Miller Springs Remediation Management, Inc.




APW-2

2nd Quarter 2007 - Flow Rates and Levels



Miller Springs Remediation Management, Inc.




PW-1U

2nd Quarter 2007 - Flow Rates and Levels



Miller Springs Remediation Management, Inc.




PW-1L

2nd Quarter 2007 - Flow Rates and Levels



Miller Springs Remediation Management, Inc.




PW-2UR

2nd Quarter 2007 - Flow Rates and Levels



Miller Springs Remediation Management, Inc.




PW-2M

2nd Quarter 2007 - Flow Rates and Levels



Miller Springs Remediation Management, Inc.




PW-2L

2nd Quarter 2007 - Flow Rates and Levels



Miller Springs Remediation Management, Inc.




PW-3M

2nd Quarter 2007 - Flow Rates and Levels



Miller Springs Remediation Management, Inc.




PW-3L

2nd Quarter 2007 - Flow Rates and Levels



Miller Springs Remediation Management, Inc.




PW-4U

2nd Quarter 2007 - Flow Rates and Levels



Miller Springs Remediation Management, Inc.




PW-4M

2nd Quarter 2007 - Flow Rates and Levels



Miller Springs Remediation Management, Inc.




PW-5UR

2nd Quarter 2007 - Flow Rates and Levels



Miller Springs Remediation Management, Inc.




PW-6UR

2nd Quarter 2007 - Flow Rates and Levels



Miller Springs Remediation Management, Inc.




PW-6MR

2nd Quarter 2007 - Flow Rates and Levels



Miller Springs Remediation Management, Inc.




PW-7U

2nd Quarter 2007 - Flow Rates and Levels



Miller Springs Remediation Management, Inc.




PW-8U

2nd Quarter 2007 - Flow Rates and Levels



Miller Springs Remediation Management, Inc.




PW-8M

2nd Quarter 2007 - Flow Rates and Levels



Miller Springs Remediation Management, Inc.




PW-9U

2nd Quarter 2007 - Flow Rates and Levels



Miller Springs Remediation Management, Inc.



PW-10U

2nd Quarter 2007 - Flow Rates and Levels



Miller Springs Remediation Management, Inc.

