

QUARTERLY DATA SUMMARY REPORT

NIAGARA COUNTY REFUSE DISTRICT SITE

Wheatfield, Niagara County, New York

(NYSDEC Site No. 9-32-026)

SUBMITTED TO:



UNITED STATES
ENVIRONMENTAL PROTECTION
AGENCY



NEW YORK STATE
DEPARTMENT OF
ENVIRONMENTAL CONSERVATION

SUBMITTED FOR:

**NIAGARA COUNTY REFUSE DISTRICT
AND PRP GROUP**

PREPARED BY:

PARSONS

40 La Riviere Drive, Suite 350
Buffalo, New York 14202
(716) 541-0730 Fax (716) 541-0760

May 2010

PARSONS

QUARTERLY DATA SUMMARY REPORT

NIAGARA COUNTY REFUSE DISTRICT SITE Wheatfield, Niagara County, New York (NYSDEC Site No. 9-32-026)

Prepared For:

NIAGARA COUNTY REFUSE DISTRICT AND PRP GROUP

Prepared By:

PARSONS

40 La Riviere Drive, Suite 350
Buffalo, New York 14202
(716) 541-0730 Fax (716) 541-0760

May 2010

TABLE OF CONTENTS

Page No.

| | |
|---|------------|
| SECTION 1 INTRODUCTION..... | 1-1 |
| 1.1 Procedures | 1-1 |
| 1.1.1 Effluent Sampling..... | 1-1 |
| 1.1.2 Groundwater Sampling..... | 1-1 |
| 1.1.3 Water Level Measurements..... | 1-1 |
| 1.1.4 Site Inspections..... | 1-2 |
| SECTION 2 RESULTS | 2-1 |
| 2.1 Effluent Samples | 2-1 |
| 2.2 Groundwater Analytical Results | 2-1 |
| 2.3 Water Levels..... | 2-1 |
| 2.4 Site Inspections..... | 2-2 |
| 2.5 Maintenance | 2-2 |
| 2.6 OM&M Oversight | 2-3 |
| SECTION 3 SUMMARY AND CONCLUSIONS | 3-1 |
| SECTION 4 REFERENCES..... | 4-1 |
| APPENDIX A CITY OF NORTH TONAWANDA INDUSTRIAL WASTEWATER DISCHARGE PERMIT AND CHAIN-OF-CUSTODY | |
| APPENDIX B CORRESPONDENCE | |
| APPENDIX C WATER LEVEL RECORDS | |
| APPENDIX D MONTHLY INSPECTION LOGS | |
| APPENDIX E COMPACT DISK CONTAINING REPORT | |

TABLE OF CONTENTS

Page No.

LIST OF TABLES

| | |
|---|-----|
| Table 2.1 Quarterly Site Inspection Results Summary | 2-3 |
|---|-----|

LIST OF FIGURES

| | |
|---------------------------|-----|
| Figure 1.1 Site Plan..... | 1-2 |
|---------------------------|-----|

SECTION 1

INTRODUCTION

The Niagara County Refuse Site Potentially Responsible Parties (PRP) Group completed a remedial action at the Niagara County Refuse Site (Site), Wheatfield, New York in 2000. The remedial action was conducted in accordance with the United States Environmental Protection Agency (USEPA) Record of Decision (USEPA, 1993) and the United States District Court Consent Decree (USEPA, 1995). The PRP Group is currently conducting operations, maintenance, and monitoring (OM&M) in accordance with the USEPA-approved OM&M Manual (CRA, 2000). This data report summarizes third quarter monitoring activities from January through March 2010.

1.1 PROCEDURES

1.1.1 Effluent Sampling

The current Industrial Wastewater Discharge Permit (Appendix A) was issued by the City of North Tonawanda, and is effective from February 28, 2007 until the renewed permit is issued (see Appendix B). The current permit has a reduced analytical parameter list compared to the original permit, and a semi-annual sampling frequency. Prior to the current permit, samples were collected monthly. In 2010, an effluent sample was collected in March from Wet Well A, which receives water from the leachate collection system surrounding the landfill (see Appendix A for COC). Composite 24-hour samples were collected from Wet Well A using an automated sampler. The next effluent sample is scheduled to be collected in September 2010.

1.1.2 Groundwater Sampling


Groundwater samples were not collected during this reporting period. In accordance with the approved OM&M Plan (CRA, 2000), the groundwater sampling frequency was decreased from a quarterly to a semi-annual basis in 2003, and from a semi-annual to an annual basis beginning in 2006. Annual groundwater sample collection will continue for an undetermined time period. The next round of groundwater samples is scheduled to be collected in November 2010.

1.1.3 Water Level Measurements

Water levels were measured during monthly Site inspections in January, February, and March 2010. Water levels were measured from four observation well locations (piezometers East A, East B, East C, and East D), four effluent monitoring locations (wet wells A, B, C, and D), and four monitoring well locations (NCR-3S, NCR-4S, NCR-5S, and NCR-13S). The water levels were measured with an electronic water level indicator, and reported as an elevation above mean sea level. Figure 1.1 shows the locations of the water level monitoring points.

1.1.4 Site Inspections

Monthly Site inspections were conducted on January 7, February 1, and March 11, 2010. During the Site inspections, the manholes, wet wells, landfill cap, wetlands, perimeter fence, drainage ditches, swale outlets, culverts, gas vents, and monitoring wells were each visually inspected.



LEGEND

- | | |
|--------------|---|
| ▲ EAST "A" | WATER LEVEL MONITORING WELL LOCATION |
| ▼ SW-2 | SURFACE WATER MONITORING LOCATION |
| ■ WET WELL A | EFFLUENT MONITORING LOCATION |
| ● NCR13S | GROUNDWATER QUALITY MONITORING LOCATION |



SCALE: 1"=400'

FIGURE 1.1

NIAGARA COUNTY REFUSE SITE
WHEATFIELD, NEW YORK
SITE PLAN

PARSONS

180 LAWRENCE BELL DRIVE, SUITE 104, WILLIAMSVILLE, N.Y. 14221, PHONE: 716-633-7074

SECTION 2

RESULTS

This section describes the results of the first quarter OM&M activities conducted from January through March 2010. Activities during this quarter included effluent sampling, water level measurements, and Site inspections.

2.1 EFFLUENT SAMPLES

One effluent sample was collected during the reporting period (March 5, 2010). The effluent sample was collected by O&M Enterprises, and analyzed by the City of North Tonawanda. The analytical results from effluent samples are used by the City to confirm that the effluent received from the Site meets the criteria for acceptance by the City treatment system. These data are not presented in the quarterly monitoring reports, but will be summarized in the 2010 annual monitoring report. The current City of North Tonawanda Industrial Wastewater Discharge Permit (February 31, 2007 through April 1, 2010) and Chain-of-Custody for the March sampling have been included in Appendix A. As shown in the current permit, the analytical parameters and the sampling frequency have been reduced from the original permit. The current Industrial Wastewater Discharge Permit will remain in effect until a renewed permit is completed (see Appendix B). A renewed permit is currently being developed.

2.2 GROUNDWATER ANALYTICAL RESULTS

Monitoring wells NCR-3S, NCR-4S, NCR-5S, and NCR-13S were not sampled during this reporting quarter, due to the current annual groundwater sampling schedule specified in the OM&M Manual. Groundwater sample collection is planned for November 2010, assuming groundwater levels are adequate. The locations of the monitoring wells are provided in Figure 1.1. In November 2005, the USEPA, NYSDOH, and NYSDEC agreed to reduce the number of analytical parameters monitored in the groundwater samples (see Appendix B).

2.3 WATER LEVELS

Results of water level measurements collected during this reporting period are presented in Appendix C. Water levels were collected from the monitoring locations on a monthly basis. Water levels in the monitoring wells generally increased over the reporting quarter. The water in well NCR-4S was frozen in February when an attempt was made to measure the water level. Measured water levels were consistent with levels observed in previous years between January and March.

2.4 SITE INSPECTIONS

A summary of the Site inspection findings is included in Table 2.1. Copies of the Site Inspection Logs have been included in Appendix D.

Each of the inspections found the manholes and wet wells to be in good condition. Water levels were measured in the wet wells during the inspections and recorded on the water level records.

Examination of the landfill cap vegetative cover included checking for erosion, bare areas, wash-outs, leachate seeps, height of vegetation, and assessing the condition of the vegetation. No surface erosion, bare spots, or leachate seeps were noted. The grass covering the landfill was noted as short and snow covered during the January inspection, snow covered during the February inspection, and short during the March inspection.

Additionally, during the examination of the landfill cap, the access roads were examined for erosion, potholes/puddles, and obstructions. All aspects of the access roads that were examined were deemed acceptable. Access roads were noted to be snow covered during the January and February site inspection.

The wetlands were visually examined to assess the condition of the vegetation, change in water levels, and to observe general conditions. Wetland vegetation was noted to be in a condition typical for winter during the Site inspections. A higher than normal water level was noted in the wetland area during the February and March site inspections.

All other parts of the landfill system which were examined, including the drainage ditches, swale outlets, culverts, and gas vents, were found to be in acceptable condition during the reporting period, when not covered in snow.

2.5 MAINTENANCE

No maintenance (scheduled or unscheduled) was completed during the reporting period.

No major repairs were required during the reporting period.

2.6 OM&M OVERSIGHT

Parsons' Quality Assurance (QA) work included periodic oversight of OM&M activities by O&M Enterprises, Inc., review of monthly inspection and monitoring data, and periodic communications with O&M Enterprises. Upon completion of work performed by O&M Enterprises, routine activity report forms were completed. Parsons reviewed the report forms for completeness, and recorded problems, if any, on the forms (Appendices C and D).

Table 2.1
Quarterly Site Inspection Results Summary

| Inspection Item | Acceptable | Requires Action | Comments |
|-------------------------|-------------------|------------------------|---|
| Manholes | X | | |
| Wet Wells | X | | Water levels were measured monthly. |
| Wetlands | X | | Water level was noted to be normal during the January inspection and higher than normal during the February and March inspection. Water levels were within the historical range. Wetland vegetation was noted to be typical for winter. |
| Perimeter Fence | X | | No damage was observed during the quarter. |
| Condition of Roads | X | | No potholes were observed. Roads were snow covered in January and February. |
| Integrity of the Cap | X | | No erosion was observed. Cap was snow covered in January and February. |
| Drainage Ditches/Swales | X | | |
| Gas Venting System | X | | |
| Wells | X | | Water levels were measured monthly. |
| Culverts | X | | |
| Other | X | | No issues were identified during the reporting period with any other aspects of the site. |

SECTION 3

SUMMARY AND CONCLUSIONS

The following summary and conclusions were developed based on the data collected during this reporting period:

- The landfill was inspected monthly and was appropriately maintained. No repairs were required during the reporting period. Typically, repairs are made as necessary following identification of problems or maintenance needs.
- An effluent sample was collected during the reporting period as required by the discharge permit, and the sample was analyzed by the City of North Tonawanda.
- As specified in the OM&M Manual, annual groundwater monitoring commenced in 2006. Groundwater samples are currently scheduled to be collected in November 2010, assuming sufficient groundwater is available in the wells.
- Water levels were measured in the wet wells, monitoring wells, and the observation wells on the landfill on a monthly basis. Water levels in the monitoring wells generally increased during the reporting period. Measured water levels were consistent with levels observed in previous years between January and March.
- Wetlands vegetation was typical of winter conditions during the quarter. The wetlands vegetation will continue to be visually assessed monthly during the site inspections.

SECTION 4

REFERENCES

Record of Decision, Niagara County Refuse Site, Wheatfield, Niagara County, New York;
United States Environmental Protection Agency, September 1993.

Consent Decree, Docket 946-849; United States Environmental Protection Agency, February 3,
1995.

Operations, Maintenance and Monitoring Manual for Niagara County Refuse District Site
Remedial Construction, Wheatfield, Niagara County, New York; Conestoga-Rovers &
Associates, December 2000.

APPENDIX A

CITY OF NORTH TONAWANDA INDUSTRIAL WASTEWATER DISCHARGE PERMIT AND CHAIN-OF-CUSTODY

CITY OF NORTH TONAWANDA
4/5/95
INDUSTRIAL WASTEWATER DISCHARGE PERMIT

Permit Number: 2628010

In accordance with the provisions of the Clean Water Act as amended, all terms and conditions set forth in this permit, the City of North Tonawanda Local Sewer Use Ordinance and any applicable Federal, State or local laws or regulations, authorization is hereby granted to: Niagara County Department of Public Works

Engineering Department

59 Park Avenue

Lockport, New York 14094


Classified by S.I.C. Number(s): N/A

for the discharge of: groundwater and other wastes generated during Remedial Action construction and implementation into the City of North Tonawanda Sewerage System.

This permit is granted in accordance with an application filed in the offices of the Treatment Plant Superintendent located at 830 River Road, and in conformity with specifications and other required data submitted in support of the above named application, all of which are filed with and considered part of this permit. This permit is also granted in accordance with discharge limitations and requirements, monitoring and reporting requirements, and all other conditions set forth in Parts I and II hereof.

Effective this 31st day of February, 2007

To expire the 1st day of April, 2010



Treatment Plant Superintendent

Signed this 31st day of January, 2007

PERMIT NUMBER: 2628010

Part I
Page of 4**PART I. SPECIFIC CONDITIONS****A. DISCHARGE LIMITATIONS AND MONITORING REQUIREMENTS**

During the period beginning the effective date of this permit and lasting until the expiration date, discharge from the permitted facility outfall(s) shall be limited and monitored by the permittee as specified below (Refer to attached map for sampling and monitoring sites).

| Sample Point | Parameter | Discharge Limitations mg/l except pH Daily Max. | Sampling Period | Sampling Type |
|--------------|------------------------|---|-------------------------------|---------------|
| 001 | Total Flow | | 1 Sampling Day Monthly | continuous |
| 2/ | Aluminum | 2.0 | 1 Sample Day semi-annual | 24 hr comp. |
| | Lead | 4.6 | 1 Sampling Day semi-annual | 24 hr comp. |
| | Iron | 10 | 1 Sampling Day semi-annual | 24 hr comp. |
| 2/ | Magnesium | Monitor Only | 1 Sampling Day semi-annual | 24 hr comp. |
| 2/ | Sodium | Monitor Only | 1 Sampling Day semi-annual | 24 hr comp. |
| | pH | Monitor Only | 1 Sampling Day semi-annual | grab |
| 2/ | BOD | Monitor Only | 1 Sampling Day semi-annual | 24 hr comp. |
| 2/ | Total Suspended Solids | Monitor Only | 1 Sampling Day semi-annual | 24 hr comp. |

Part I
Page 1 of 4

B. DISCHARGE REPORTING REQUIREMENTS

[illegible]

PERMIT NUMBER: 2628010**Part I**
Page 4 of 4**PART I. SPECIFIC CONDITIONS****C. SPECIAL REQUIREMENTS**

- 1) This permit is written for a duration of three years. Upon renewal of this permit, all parameters will be re-evaluated to develop a parameter list based on chemical concentrations present in the extracted groundwater.
- 2) Frequency of monitoring is to be re-evaluated yearly..
- 3) All monitoring reports (initial and subsequent), are to be received by the Superintendent, no later than thirty (30) days after receipt of validated data.
- 4) It is required that the Permittee have a Site Operations Manual available at all times. All emergency phone numbers must be listed in an appropriate place for easy access by operations personnel. The permittee shall not discharge to the City of North Tonawanda sewerage treatment works during overflow conditions. The permittee is required to cease all pumping operations upon verbal request of the North Tonawanda Wastewater Treatment Plant Superintendent or his assigns. Pumping operations shall not recommence until approved by the North Tonawanda Wastewater Treatment Plant Superintendent or his assigns.
- 5) Analysts are required to use GC/MS method detection limits for most organics (if GC/MS is appropriate); GC/ECD for PCBS/Pesticides and GF method detection limits for metals (where GF is appropriate), as contained in attachment 5 of the NYSDEC TOGs 1.3.8 - New Discharges to Publicly Owned Treatment Works - dated 10/26/94.

CITY OF NORTH TONAWANDA WATER WORKS
WASTEWATER DEPARTMENT
830 RIVER ROAD
NORTH TONAWANDA, NEW YORK 14120
PHONE: (716) 695 - 8560
FAX: (716) 695 - 8563

Paul J. Drof
Superintendent



David A. Scott
Chief Operator

John C. Maurer
Maintenance Supervisor

William M. Davignon
Lab Director/Chemist

CHAIN OF CUSTODY
Sampling Record
NIAGARA COUNTY REFUSE SITE

DATE: March 4 & 5, 2010

SAMPLES SIGNATURE Richard C. Becker SITE NAME: NIAGARA COUNTY REFUSE SITE

| SPL # | SAMPLE NAME | DATE | TIME | SAMPLE LOCATION | SAMPLE TYPE | #OF BTLS |
|-------|---------------|--------------------|----------------|-----------------|---------------|----------|
| 01 | 30510 RLB EFF | 3/4/10 | 0730 | Wet Well A | volatiles | 2 |
| 02 | 30510 RLB EFF | 3/4/10 | 1530 | Wet Well A | volatiles | 2 |
| 03 | 30510 RLB EFF | 3/5/10 | 0730 | Wet Well A | volatiles | 2 |
| 04 | 30510 RLB EFF | 3/4/10 - 3/5/10 | 0730 - 0730 | Wet Well A | wet chemistry | 1 |

FLows: FINAL METER READING 49189880
INITIAL METER READING 49179758
MONTHLY FLOW 10,122

RELINQUISHED BY: Richard C. Becker

RECEIVED BY: William M. Davignon

DATE 3/5/10

TIME 7:58 AM

APPENDIX B

CORRESPONDENCE



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 2
290 BROADWAY
NEW YORK, NY 10007-1866

NOV 21 2005

BY FEDEX

Mr. Eric Felter
Project Manager
Parsons
180 Lawrence Bell Drive, Suite 104
Williamsville, New York 14221

Re: Niagara County Refuse Site, Wheatfield, New York; Request for the Reduction of Analytical Parameters in Groundwater Samples


Dear Mr. Felter:

The U.S. Environmental Protection Agency (EPA) and New York State Department of Environmental Conservation (NYSDEC) have reviewed your letter dated October 3, 2005 prepared by Parsons on behalf of the Niagara County Refuse (NCR) Site PRP Group requesting a reduction in the analytical parameters in groundwater samples taken at the NCR site as part of the operation and maintenance program. The current analytical parameter list includes 2 volatiles, 4 semi-volatiles, and 16 metals which were determined to be constituents of interest at the site. Your proposal requests reducing the parameters to 5 metals, representing those constituents which have been measured above standards with some regularity in past sampling rounds. The sampling program, involving four monitoring wells, has been in effect since 2001 and your proposal reflects trends evident since the program was initiated. Sampling frequency is currently semi-annual (twice a year).

After discussing this matter with NYSDEC with input from the New York State Department of Health, our preference is that the sampling parameters remain the same for the time being. This is due to the significant residential growth around the site in recent years. After the current sampling round, samples are scheduled to be taken annually. EPA approves changing the current monitoring program only to the extent that the volatiles and semi-volatiles analysis can be conducted every two years while the metals analysis be conducted annually. EPA will, however, consider a further frequency reduction in the future as more data are collected.

Please call me at (212) 637-4278 if you have any questions on this matter.

Sincerely yours,

A handwritten signature in dark ink, appearing to read "Michael J. Negrelli", with a long horizontal flourish extending to the right.

Michael J. Negrelli
Remedial Project Manager
New York Remediation Branch

cc: J. Konsella - NYSDEC/Region 9
B. Sadowski - NYSDEC/Region 9

Felter, Eric

From: paul drof [pjdrof@yahoo.com]
Sent: Tuesday, March 16, 2010 6:18 AM
To: Felter, Eric
Subject: Re: Nia. Co. Refuse Site new IWDP

Hello, Eric:

A new draft permit should be issued for review before end of month. Expect no or little change. The current permit is still in place until renewed and replaced. Paul

--- On **Mon, 3/15/10, Felter, Eric** <*Eric.Felter@parsons.com*> wrote:

From: Felter, Eric <Eric.Felter@parsons.com>
Subject: Nia. Co. Refuse Site new IWDP
To: pjdrof@yahoo.com
Date: Monday, March 15, 2010, 2:24 PM

Paul,

I just wanted to follow up with you concerning the new Industrial Wastewater Discharge Permit for the Niagara County Refuse Site (current permit number 2628010, expiring April 1, 2010). Could you let me know the status of the new permit?

Thanks,

Eric

Eric A. Felter
Principal Geologist
PARSONS
40 LaRiviere Drive
Buffalo, NY 14202
(716) 809-9140
Eric.Felter@Parsons.com
www.Parsons.com
fax: (716) 541-0760

APPENDIX C

WATER LEVEL RECORDS

WATER LEVEL RECORD

PROJECT NAME: NIAGARA COUNTY
REFUSE SITE

LOCATION: Wheatfield, New York

DATE:

| | | | | | |
|---|---|---|---|---|---|
| 0 | 1 | 0 | 7 | 1 | 0 |
|---|---|---|---|---|---|

(MM D D Y Y)

CREW MEMBERS: RC Becken

| Observation Well | Time of Measurement | Top of Casing Elevation A | Depth to Water B | Water Level Elevation A-B |
|---------------------|------------------------|---------------------------------|------------------------|---------------------------------|
| | | feet | feet | feet |
| EAST "A" | 13:15 | 598.93 | 25.62 | 5 7 3 . 3 1 |
| EAST "B" | 12:45 | 596.23 | 19.78 | 5 7 6 . 4 5 |
| EAST "C" | 12:20 | 598.69 | 20.24 | 5 7 8 . 4 5 |
| EAST "D" | 11:45 | 593.20 | 15.25 | 5 7 7 . 9 5 |
| NCR-3S | 10:25 | 579.60 | 3.19 | 5 7 6 . 4 1 |
| NCR-4S | 11:30 | 591.88 | 2.85 | 5 8 9 . 0 3 |
| NCR-5S | 10:55 | 597.34 | 6.45 | 5 9 0 . 8 9 |
| NCR-13S | 9:45 | 593.13 | 4.64 | 5 8 8 . 4 9 |
| | | | | |
| | | | | |

WET WELLS

| Wet Well | Time of Measurement | Total Flow | Depth of Water |
|-------------|------------------------|---------------|-------------------|
| WW A | 9:30 | | ~10" |
| WW B | 11:20 | | ~7" |
| WW C | 10:30 | | ~4" |
| WW D | 10:00 | | ~8" |

| Total System Flow | Time of Measurement |
|----------------------|------------------------|
| 48200282 | 9:30 |

FP-3D

WATER LEVEL RECORD

PROJECT NAME: NIAGARA COUNTY
REFUSE SITE

LOCATION: Wheatfield, New York

DATE:

| | | | | | |
|---|---|---|---|---|---|
| 0 | 2 | 0 | 1 | 1 | 0 |
|---|---|---|---|---|---|

(M M D D Y Y)

CREW MEMBERS: RC Becken

| Observation Well | Time of Measurement | Top of Casing Elevation A | Depth to Water B | Water Level Elevation A-B |
|------------------|---------------------|---------------------------|------------------|---------------------------|
| | | feet | feet | feet |
| EAST "A" | 12:45 | 598.93 | 25.72 | 5 7 3 . 2 1 |
| EAST "B" | 12:25 | 596.23 | 19.97 | 5 7 6 . 2 6 |
| EAST "C" | 12:00 | 598.69 | 20.46 | 5 7 8 . 2 3 |
| EAST "D" | 11:45 | 593.20 | 15.42 | 5 7 7 . 7 8 |
| NCR-3S | 10:35 | 579.60 | 3.48 | 5 7 6 . 1 2 |
| NCR-4S | 11:00 | 591.88 | Frozen | 0 0 0 . 0 0 |
| NCR-5S | 11:25 | 597.34 | 6.33 | 5 9 1 . 0 1 |
| NCR-13S | 9:45 | 593.13 | 4.65 | 5 8 8 . 4 8 |
| | | | | |
| | | | | |

WET WELLS

| Wet Well | Time of Measurement | Total Flow | Depth of Water |
|----------|---------------------|------------|----------------|
| WW A | 9:45 | | ~10" |
| WW B | 11:20 | | ~7" |
| WW C | 11:05 | | ~6" |
| WW D | 10:00 | | ~7" |

| Total System Flow | Time of Measurement |
|-------------------|---------------------|
| 48964480 | 9:45 |

FP-3D

WATER LEVEL RECORD

PROJECT NAME: NIAGARA COUNTY
REFUSE SITE

LOCATION: Wheatfield, New York

DATE:

| | | | | | |
|---|---|---|---|---|---|
| 0 | 3 | 1 | 1 | 1 | 0 |
|---|---|---|---|---|---|

(M M D D Y Y)

CREW MEMBERS: RC Becken

| Observation Well | Time of Measurement | Top of Casing Elevation A | Depth to Water B | Water Level Elevation A-B |
|------------------|---------------------|---------------------------|------------------|---------------------------|
| | | feet | feet | feet |
| EAST "A" | 12:35 | 598.93 | 25.77 | 5 7 3 . 1 6 |
| EAST "B" | 12:25 | 596.23 | 19.83 | 5 7 6 . 4 0 |
| EAST "C" | 11:55 | 598.69 | 20.25 | 5 7 8 . 4 4 |
| EAST "D" | 11:45 | 593.20 | 15.38 | 5 7 7 . 8 2 |
| NCR-3S | 11:15 | 579.60 | 2.06 | 5 7 7 . 5 4 |
| NCR-4S | 10:30 | 591.88 | 2.6 | 5 8 9 . 2 8 |
| NCR-5S | 11:35 | 597.34 | 5.81 | 5 9 1 . 5 3 |
| NCR-13S | 9:25 | 593.13 | 3.68 | 5 8 9 . 4 5 |
| | | | | |
| | | | | |

WET WELLS

| Wet Well | Time of Measurement | Total Flow | Depth of Water |
|----------|---------------------|------------|----------------|
| WW A | 9:15 | | ~10" |
| WW B | 10:15 | | ~9" |
| WW C | 10:55 | | ~6" |
| WW D | 9:40 | | ~11" |

| Total System Flow | Time of Measurement |
|-------------------|---------------------|
| 49348489 | 9:15 |

FP-3D

APPENDIX D

MONTHLY INSPECTION LOGS

MONTHLY INSPECTION LOG

PROJECT NAME: Niagara County Refuse Site

LOCATION: Wheatfield, New York

DATE: 01/07/01
(MM DD YY)

INSPECTOR(S): RC Becker

| Item | Inspect For | Action Required | Comments |
|---|-----------------------------------|--------------------|----------|
| 1. Perimeter Collection System/Off-Site Forcemain | | | |
| Manholes | - cover on securely | yes | |
| | - condition of cover | good | |
| | - condition of inside of manhole | good | |
| | - flow conditions | no apparent flow | |
| Wet Wells | - cover on securely | yes | |
| | - condition of cover | good | |
| | - condition of inside of wet well | good | |
| 2. Landfill Cap | | | |
| Vegetated Soil Cover | - erosion | none | |
| | - bare areas | none | |
| | - washouts | none | |
| | - leachate seeps | none | |
| | - length of vegetation | short snow covered | |
| | - dead/dying vegetation | winter kill | |

FORM 1

MONTHLY INSPECTION LOG

PROJECT NAME: Niagara County Refuse Site

LOCATION: Wheatfield, New York

INSPECTOR(S): R. C. Backen

DATE: 01 07 10
(MM DD YY)

| Item | Inspect For | Action Required | Comments |
|---|------------------------------------|---------------------|----------|
| 2. Landfill Cap (continued) | | | |
| <div style="border: 1px solid black; width: 100px; height: 100px; margin: 0 auto;"></div> Access Roads | - bare areas, dead/dying veg. | <u>snow covered</u> | |
| | - erosion | <u>none</u> | |
| | - potholes or puddles | <u>none</u> | |
| | - obstruction | <u>snow</u> | |
| 3. Wetlands (Area "F") | | | |
| | - dead/dying vegetation | <u>winter kill</u> | |
| | - change in water budget | <u>normal</u> | |
| | - general condition of wetlands | <u>good</u> | |
| 4. Other Site Systems | | | |
| <div style="border: 1px solid black; width: 100px; height: 100px; margin: 0 auto;"></div> Perimeter Fence | - integrity of fence | <u>good</u> | |
| | - integrity of gates | <u>good</u> | |
| | - integrity of locks | <u>good</u> | |
| | - placement and condition of signs | <u>good</u> | |

FORM 1

MONTHLY INSPECTION LOG

PROJECT NAME: Niagara County Refuse Site

LOCATION: Wheatfield, New York

INSPECTOR(S): RC Becker

DATE: 01/07/15
(MM DD YY)

| Item | Inspect For | Action Required | Comments |
|---|---|--|----------|
| 4. <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | Other Site Systems (continued) | | |
| Drainage Ditches/ Swale Outlets | - sediment build-up - erosion - condition of erosion protection - flow obstructions - dead/dying vegetation - cable concrete/gabion mats and riprap | <u>snow covered</u> <u>none</u> <u>good</u> <u>snow</u> <u>winter kill</u> <u>good snow covered</u> | |
| <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> | Culverts | <u>snow</u> <u>none</u> <u>good</u> <u>snow</u> | |
| <input type="checkbox"/> <input type="checkbox"/> | Gas Vents Wells | <u>intact</u> <u>yes</u> | |

FORM 1

CA 5723 (17)

MONTHLY INSPECTION LOG

PROJECT NAME: Niagara County Refuse Site

LOCATION: Wheatfield, New York

DATE: 06/29/19
(MM DD YY)

INSPECTOR(S):

R. Becken

Comments

Action Required

Item

Inspect For

2. Landfill Cap (continued)

| | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|

Access Roads

- bare areas, dead/dying veg.
- erosion
- potholes or puddles
- obstruction

snow covered

none

none

none

3. Wetlands (Area "F")

- dead/dying vegetation
- change in water budget
- general condition of wetlands

winter kill

higher than normal

good

4. Other Site Systems

| | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|

Perimeter Fence

- integrity of fence
- integrity of gates
- integrity of locks
- placement and condition of signs

good

good

good

good

FORM 1

MONTHLY INSPECTION LOG

PROJECT NAME: Niagara County Refuse Site

LOCATION: Wheatfield, New York

INSPECTOR(S):

R. Becken

DATE: 02/26/16
(MM DD YY)

| Item | Inspect For | Action Required | Comments |
|-----------------------------|---|-----------------------|----------|
| 4. <input type="checkbox"/> | Other Site Systems (continued) | | |
| <input type="checkbox"/> | Drainage Ditches / Swale Outlets | | |
| <input type="checkbox"/> | - sediment build-up | <i>none</i> | |
| <input type="checkbox"/> | - erosion | <i>none</i> | |
| <input type="checkbox"/> | - condition of erosion protection | <i>good</i> | |
| <input type="checkbox"/> | - flow obstructions | <i>none</i> | |
| <input type="checkbox"/> | - dead / dying vegetation | <i>winter kill</i> | |
| <input type="checkbox"/> | - cable concrete / gabion mats and riprap | <i>good condition</i> | |
| <input type="checkbox"/> | Culverts | | |
| <input type="checkbox"/> | - sediment build-up | <i>none</i> | |
| <input type="checkbox"/> | - erosion | <i>none</i> | |
| <input type="checkbox"/> | - condition of erosion protection | <i>good</i> | |
| <input type="checkbox"/> | - flow obstructions | <i>none</i> | |
| <input type="checkbox"/> | Gas Vents | | |
| <input type="checkbox"/> | - intact / damage | <i>intact</i> | |
| <input type="checkbox"/> | Wells | | |
| <input type="checkbox"/> | - locks secure | <i>yes</i> | |

FORM 1

MONTHLY INSPECTION LOG

PROJECT NAME: Niagara County Refuse Site
 LOCATION: Wheatfield, New York
 DATE: 03/11/10
 (MM DD YY)

INSPECTOR(S): RC Becker

Comments

Action Required

Item

Inspect For

1. Perimeter Collection System/Off-Site Foremain

| |
|--|
| |
| |
| |
| |

- cover on securely
- condition of cover
- condition of inside of manhole
- flow conditions

yes
 good
 good
 no apparent flow

| |
|--|
| |
| |
| |

- cover on securely
- condition of cover
- condition of inside of wet well

yes
 good
 good

2. Landfill Cap

| |
|--|
| |
| |
| |
| |
| |

- erosion
- bare areas
- washouts
- leachate seeps
- length of vegetation
- dead/dying vegetation

none
 none
 none
 none
 short
 yes

MONTHLY INSPECTION LOG

PROJECT NAME: Niagara County Refuse Site

LOCATION: Wheatfield, New York

INSPECTOR(S):

RC Boiken

DATE: 03/11/10
(MM DD YY)

Comments

Action Required

2. Landfill Cap (continued)

| | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|

Access Roads

- bare areas, dead/dying veg.
- erosion
- potholes or puddles
- obstruction

no
none
none
none

3. Wetlands (Area "F")

- dead/dying vegetation
- change in water budget
- general condition of wetlands

yes
high
good

4. Other Site Systems

| | | | |
|--|--|--|--|
| | | | |
|--|--|--|--|

Perimeter Fence

- integrity of fence
- integrity of gates
- integrity of locks
- placement and condition of signs

good
good
good
OK

MONTHLY INSPECTION LOG

PROJECT NAME: Niagara County Refuse Site

LOCATION: Wheatfield, New York

INSPECTOR(S):

R. C. Belknap

DATE: 03/11/10
(MM DD YY)

Comments

Action Required

Inspect For

Item

4. Other Site Systems (continued)

Drainage Ditches / Swale Outlets

- sediment build-up
- erosion
- condition of erosion protection
- flow obstructions
- dead / dying vegetation
- cable concrete / gabion mats and riprap

none
none
good
none
yes
good condition

Culverts

- sediment build-up
- erosion
- condition of erosion protection
- flow obstructions

none
none
good
none

Gas Vents

- intact / damage

intact

Wells

- locks secure

yes

FORM 1

APPENDIX E

COMPACT DISK CONTAINING REPORT