

Vanchlor Landfill
LOCKPORT, NEW YORK

Periodic Review Report

NYSDEC Site Number: 932039

Property Contact:
Vanchlor Company, Inc.
45 Main Street
Lockport, New York 14094

Revised April 2021

TABLE OF CONTENTS

TABLE OF CONTENTS.....	ii
1.0 SITE OVERVIEW	1
1.1 Site Location & Description	1
1.2 Nature and Extent of Contamination Prior to Remediation	1
1.3 Site Remedial Program.....	1
1.4 Purpose of Periodic Review Report.....	2
2.0 REMEDIAL SYSTEMS COMPLIANCE.....	3
3.0 ENGINEERING CONTROL COMPLIANCE.....	4
3.1 Introduction	4
3.1.1 General	4
3.2 Description of Engineering Controls	4
3.1.1 Status of ECs	4
4.0 INSTITUTIONAL CONTROL COMPLIANCE.....	5
4.1 Introduction	5
4.1.1 General	5
4.2 Description of Institutional Controls	5
4.2.1 Status of ICs	6
5.0 MONITORING PLAN COMPLIANCE REPORT	7
5.1 Introduction	7
5.1.1 General	7
5.1.2 Schedule	7
5.2 Monitoring Program Results	7
5.2.1 Groundwater and Surface Water Monitoring.....	7
5.3 Site Inspection Results.....	8
5.4 Conclusions and Recommendations.....	9
6.0 OVERALL CONCLUSIONS AND RECOMMENDATIONS.....	10
7.0 REFERENCES.....	11

LIST OF TABLES

Table 5-1 Monitoring/Inspection Schedule (in text)

Table 5-2 Summary of Analytical Results for Groundwater and Surface Water Samples
(09/04/2020)

LIST OF FIGURES

Figure 1-1: Site Vicinity Map

Figure 5-1: Groundwater Sample Locations

Figure 5-2: Surface Water Sample Location

Figure 5-3: Groundwater Isopotential Map

LIST OF APPENDICES

Appendix A Analytical Data Reports & Historical Parameter Trend Analyses

Appendix B Landfill Inspection Checklist and Monitoring Well Data Forms (September 2020)

Appendix C Inspection Photolog

1.0 SITE OVERVIEW

1.1 Site Location & Description

The site is located at 600 Mill Street in the Town of Lockport County of Niagara, New York and is identified as Block 1 and Lot 56.11 on the Town of Lockport Tax Map. The site is an approximately 5-acre area bounded by Mill Street to the north, Somerset Railroad Corp corridor to the southeast, Twin Lakes Chemical Inc. beyond the rail corridor to the east, Plank Road and the City of Lockport Wastewater Treatment facility to the west (see Figure 1-1). The site is monitored under the New York State Inactive Hazardous Waste Disposal Site Remedial Program administered by New York State Department of Environmental Conservation (NYSDEC).

1.2 Nature and Extent of Contamination Prior to Remediation

Based on the historic use of the Site, the NYSDEC designated the Site as a Class 4 Inactive Hazardous Waste Disposal Site (Site #932039), which indicates that the Site was properly closed, but requires continued management. Following the expiration of the Post-Closure RCRA Permit #9-2909-00049/0003 in September 2013, the NYSDEC requested that Vanchlor Company, Inc. (the current property holder) enter into an Order of Consent executed July 10, 2014 (Order). The Order replaced the permit as the legal basis for continued fulfillment of operation, maintenance and monitoring requirements previously contained in the permit and to be consistent with the provisions of the existing deed restrictions on the property recorded with the Niagara County Clerk on October 5, 1999.

1.3 Site Remedial Program

Landfilling activities at the Site reportedly began in 1957 and continued until 1982 (from NYSDEC Module III, Part 373 Permit, July 2008). The landfilling activities reportedly consisted primarily of waste by-products from the manufacture of silicon tetrachloride. The landfilled wastes were deposited in 55-gallon drums and placed in trenches with crushed limestone (to enhance the neutralization of the acidic wastes).

In 1988, the landfill was closed in accordance with a NYSDEC approved Closure Plan that included the installation of a final cover system. The cover system consisted of two feet of compacted clay overlain by a drainage layer of sand and loam soil and planted with a vegetative cover.

The following construction activities were performed to complete the approved cover system:

- Site grading and proof rolling;
- Installation of a pan-lysimeter;
- Lime application;
- Installation of an interceptor trench in perimeter ditch;
- Construction of a two-foot clay cover including lining of ditch with clay;

- Addition of loam and sand drainage layers; and
- Addition of topsoil layer and seeding.

1.4 Purpose of Periodic Review Report

This Periodic Review Report (PRR) presents information on the maintenance, monitoring and compliance activities for the Class 4 Inactive Hazardous Waste Disposal Site (Site No. 932039) for the period from February 13, 2020 to February 13, 2021.

Required environmental elements under the Order of Consent are the development and implementation of the Site Management Plan (SMP) [Ref.1] incorporating required engineering and institutional controls.

Institutional Controls have been put in place to control potential exposure to remaining contamination during use of the site in the future and for the protection of public health and the environment. The ICs place restrictions on site use, and mandate maintenance and reporting measures for the ICs. Methods necessary to ensure compliance with the ICs are specified in the SMP for the Site and required by the Deed Restrictions for contamination that remains at the site. The SMP has been approved by the NYSDEC, and compliance with the approved plan is required by the grantor of the Deed Restriction and the grantor's successors and assigns. The SMP may only be revised with the approval of the NYSDEC.

The SMP provides a detailed description of the procedures required to manage remaining contamination at the site including: (1) implementation/management of the Engineering and Institutional Controls; and (2) performance of periodic monitoring and inspections, certification of results, and submittal of Periodic Review Reports.

The required elements of the Periodic Review Report are described in the SMP and include the periodic submittal of information, recommendations, and certifications to NYSDEC.

2.0 REMEDIAL SYSTEMS COMPLIANCE

There are no remedial treatment systems currently operating at the Inactive Hazardous Waste facility identified as Site No. 932039. Existing engineering controls for the Site consist of a clay lined drainage ditch leading to an interceptor trench for storm water management and a site wide cover system comprised of two feet of compacted clay overlain by a drainage layer of sand and loam soil with a vegetated cover.

The approved SMP requires the implementation of a long-term monitoring plan that incorporates annual groundwater and surface water analysis along with annual inspections of the site to assess the performance and effectiveness of the remedy. In particular, the annual inspections are to focus on the condition and integrity of the cover system, drainage ditch, and groundwater monitoring system. The results of the required monitoring activities and annual inspection are presented in Section 5 "Monitoring Plan Compliance Report".

3.0 ENGINEERING CONTROL COMPLIANCE

3.1 Introduction

3.1.1 General

Since hazardous waste remains within the Site, Engineering Controls (ECs) are required to protect human health and the environment. The Engineering Control Plan is a component of the SMP and describes the procedures for the implementation and management of all ECs at the site.

3.2 Description of Engineering Controls

Exposure to remaining contamination in soil/fill at the site is prevented by a soil cover system placed over the site. This cover system is comprised of a minimum of 24 inches of compacted clay with a permeability of 1×10^{-7} cm/sec overlain by a minimum of six inches of drainage layer consisting of sand and loam topped with vegetative growth. The Excavation Work Plan (Appendix C in the SMP) outlines the procedures required to be implemented in the event the cover system is breached, penetrated or temporarily removed and any underlying remaining contamination is disturbed. Procedures for the inspection and maintenance of the cover system are provided in the Monitoring Plan included in SMP for the Site.

Procedures for maintaining the soil cover system are documented in the Operation and Maintenance Plan section of the SMP for the Site. The Monitoring Plan also addresses severe condition inspections in the event that a severe condition, which may affect the cover system at the site, occurs.

3.1.1 Status of ECs

During the reporting period covered by this PRR, all ECs were in place and effective in meeting their objectives. The soil cover system is a permanent control, and the quality and integrity of this system was observed as part of the annual groundwater monitoring event in conjunction with the PRR. There are no corrective measures required to address deficiencies in the ECs at this time based on the results of the monitoring and annual inspection performed.

No intrusive work was performed on the Site during the period covered by this PRR.

4.0 INSTITUTIONAL CONTROL COMPLIANCE

4.1 Introduction

4.1.1 General

Since hazardous waste remains within the Site, Institutional Controls (ICs) are required to protect human health and the environment. The Institutional Control Plan is a component of the SMP and describes the procedures for the implementation and management of all ICs at the site. The goals of the ICs are to: (1) prevent future exposure to remaining contamination by controlling disturbances of the subsurface contamination; and, (2) limit the use and development of the site to industrial uses only (the most restrictive use as defined in DER 10). Adherence to these Institutional Controls on the Site will be implemented under this Site Management Plan.

4.2 Description of Institutional Controls

The Institutional Controls are:

- Compliance with the Deed Restrictions and this SMP by the Granter and the Grantor's successors and assigns;
- Performance of environmental or public health monitoring as defined in this SMP, if applicable;
- Implementation and documentation of the soil/fill management procedures provided in the Excavation Work Plan (EWP), when required;
- Reporting of information pertinent to Site Management of the Controlled Property must be performed at the frequency and in a manner defined in this SMP;

The site has a series of Institutional Controls in the form of site restrictions. Site restrictions that apply to the Controlled Property are:

- The property may only be used for restricted industrial use provided that the long-term Institutional Controls included in this SMP are employed;
- The property may not be used for a higher level of use, such as restricted commercial use without additional remediation and amendment of the Deed Restriction, as approved by the NYSDEC;
- All future activities on the property that will disturb remaining contaminated material must be conducted in accordance with this SMP;
- The use of the groundwater underlying the property is prohibited;
- Vegetable gardens and farming on the property are prohibited;
- The site owner or remedial party will submit to NYSDEC a written statement that certifies under penalty of perjury, that: (1) controls employed at the Controlled Property are unchanged from the previous certification or that any changes to the controls were approved by the NYSDEC; and, (2) nothing has occurred that impairs the ability of the controls to protect public health and environment or that constitute a violation or failure to comply with the SMP. NYSDEC retains the right to access such Controlled Property at any time in order to evaluate the continued maintenance of any and all controls. This certification shall be submitted annually, or an alternate period of time that NYSDEC may allow and will be made by the site owner or an expert that the NYSDEC finds acceptable.

The deed restriction summarizing the site use restrictions and requirements for the site was executed by the Department on March 6, 2013 and filed with the Erie County Clerk on July 15, 2013.

4.2.1 Status of ICs

During the reporting period covered by this PRR, all ICs were in place and effective in meeting their objectives. There are no corrective measures required to address deficiencies in the ICs at this time based on the results of the monitoring and annual inspection performed.

5.0 MONITORING PLAN COMPLIANCE REPORT

5.1 Introduction

5.1.1 General

The Monitoring Plan describes the measures for evaluating the conditions at the Site and conformance with the Deed Restrictions to reduce or mitigate impacts from residual contamination at the site and affected site media identified below. This Monitoring Plan may only be revised with the approval of NYSDEC.

5.1.2 Schedule

In September 2014 Vanchlor petitioned the Department for a reduction in the frequency of groundwater and surface water sampling from a semi-annual to an annual basis. This request was approved on October 3, 2014. Therefore, under the Site Management Plan groundwater sampling commencing in 2015 is performed annually on the landfill monitoring well network established under the former Part 373 permit for the Site. Annual groundwater monitoring events and inspections of the groundwater monitoring system will be conducted to assess the performance and effectiveness of the remedy and the overall reduction in contamination on-site. The Monitoring program is summarized in Table 5-1 and results of the monitoring performed are discussed further in Section 5.3 below.

Table 5-1: Monitoring/Inspection Schedule

Monitoring Program	Frequency*	Matrix Description	Analyses
Annual Groundwater & Surface Water Monitoring	Annual (during 3 rd quarter)	Sample groundwater from wells D-55, VDM-9R, VDM-10, VDM-11, VDM-12, and VDM-14R. Sample surface water from Eighteen Mile Creek (just downstream of Site)	Volatile Organic Compounds (VOCs), Method 8260 Metals, Method 6010 Chloride, 9251 pH, Method 9040
Annual Site & Groundwater System Inspection	Annual (during 3rd quarter)	Inspect cover system integrity, vegetation condition, ditch lining, security fence and signage, monitoring well condition	Check for iron staining in drainage ditch and visible seeps in the cliffface

*The frequency of events will be conducted as specified until otherwise approved by NYSDEC and NYSDOH

5.2 Monitoring Program Results

5.2.1 Groundwater and Surface Water Monitoring

Groundwater samples were collected on September 4, 2020 by Vanchlor in accordance with the Groundwater Monitoring Plan (Appendix E of the SMP). Samples were collected from four (4) on-Site well locations and one (1) off- Site location (refer to Figure 5-1 for monitoring well locations). Well VDM-

12 was dry and groundwater samples could not be collected. Surface Water Samples were collected from Eighteen Mile Creek at a location downstream from the Site, but upstream of the City of Lockport Wastewater treatment plant SPDES discharge point. Refer to Figure 5-2 for the approximate location of the Eighteen Mile Creek surface water sample location.

Groundwater and surface water samples were analyzed in accordance with the specified analytical methods described more fully in the SMP for Chloroform, 1,2-Dichloroethane, Trans-1,2- Dichloroethene, Methylene Chloride, 1,1,2,2-Tetrachloroethane, Tetrachloroethene, Trichloroethene, Vinyl Chloride, Toluene, Chromium, Copper, Iron, Zinc, Chloride, and pH. The analytical results from the September 4, 2020 sampling event are summarized and compared to NYSDEC groundwater and surface water standards respectively (NYSDEC 1998) in Table 5-2.

Several detections were noted in groundwater above NYSDEC Class GA Groundwater Standards during the annual sampling event conducted during the period covered by the PRR. Detections of VOCs above groundwater standards include Chloroform and 1,2 Dichloroethane in VDM-10, and Chloroform, 1,2-Dichloroethane, Trans-1,2-Dichloroethene, 1,1,2,2-Tetrachloroethane, 1,1,2-Trichloroethane, Tetrachloroethene, Trichloroethene, and Vinyl Chloride in VDM-14R (the VDM-14R sample results were qualified due to dilution performed). No exceedances of VOCs in monitored wells VDM-9R, VDM-11, and D-55 were detected.

Iron was found in all samples above NYSDEC groundwater standards during the September 2020 sampling event. Chloride was detected in VDM-9R, -10, -11, and -14R above NYSDEC ground water standards during the September 2020 sampling event. Chromium was detected in VDM-14R above NYSDEC ground water standards during the September 2020 sampling event.

A copy of the laboratory analytical report for all groundwater and surface water analyses performed is attached in Appendix A. A copy of the updated graphical historical trend analyses for each parameter at each monitoring location are also provided in Appendix A. Each trend graph has been updated to include the best fit 1-year moving average trend line.

5.3 Site Inspection Results

An annual inspection was performed in September 2020 in accordance with the SMP Monitoring Program requirements.

Both Golder and NYSDEC representatives were present for all or portions of the groundwater monitoring event and all areas of the Site were inspected to assess the condition of cover system and groundwater monitoring system integrity to determine if evidence of erosion or related deterioration of the site soils. No erosion or deterioration in any areas was noted during the September monitoring event. Two issues were identified with the condition of the security fencing adjacent to monitoring wells VDM-10 and VDM-14R. A small section of fencing adjacent to VDM-10 appeared to have been peeled back and required reconnection and securing to the support post. South of VDM-14R, there is a triangular gap between the final fence post and the steep slope that was secured with rows of barbed wire anchored into the slope, some of these wires

have been cut or removed and require replacement. In November 2020 Vanchlor repaired the section of fence adjacent to VDM-10. Vanchlor plans to perform repairs to the fence area south of VDM-14R to restore its integrity in the spring of 2021. Vanchlor also primed the protective casing for Well D-55 that had been previously repaired in 2020. A final coating of the protective casing will also be performed by Vanchlor in the Spring of 2021.

No other corrective actions were noted to address or otherwise correct the problem(s) identified during the inspection during the reporting period of this PRR.

All well locations were re-surveyed in March 2020 using survey-grade equipment and accuracies. The updated TOR elevations presented on Figure 5.3 are representative of these survey results and accurately reflect the correct top of riser elevations.

5.4 Conclusions and Recommendations

At the time of the annual groundwater monitoring event, the Site was fully compliant with Engineering and Institutional controls fully described in the SMP. The majority of monitoring results were below NYSDEC standards and/or exhibited neutral or decreasing concentrations in both Site groundwater and surface water. Historically VOCs analyzed for and detected in VDM-14R have exceeded NYS groundwater standards and continue to do so for eight (8) VOCs based on the 2020 sampling results, however of these eight compounds only two are increasing in concentration based on the 1-yr moving average trends while the remaining six VOCs are either neutral or decreasing in concentration. The concentration trends for individual constituents in other wells have fluctuated (both increasing and decreasing) since monitoring began in 1985, however downgradient concentrations of VOCs in wells VDM-9 (1987-2013), VDM-9R (2014 -Present) and VDM -10 as well as surface water collected in Eighteen Mile Creek consistently demonstrate that the localized contamination in the vicinity of VDM-14R is not impacting potential off-site receptors. Therefore, no changes to the monitoring and inspection program are recommended or proposed at this time.

6.0 OVERALL CONCLUSIONS AND RECOMMENDATIONS

Based on the monitoring and inspection results described in Section 5 and conducted during the time-frame covered by this PRR, compliance with all relevant components of the SMP EC/ICs were achieved.

The groundwater and surface water sampling completed to date has assessed the long-term trends of contaminant concentrations to evaluate the performance of the remedy. Groundwater and surface water sample results over the last thirty-three (33) years, and the overall condition of the site and integrity of the soil cover system provide evidence that the remedy is achieving its intended goals of minimizing, to the extent feasible, exposure of remaining contamination to the environment through groundwater and surface water runoff and associated sediment erosion.

The next annual SMP monitoring event is scheduled for the third quarter of 2021. An inspection of the landfill cover system, including drainage, vegetative cover, indications of erosion or other deterioration of the soil cover, security fencing and the condition of monitoring wells will be performed in conjunction with this sampling and monitoring event.

7.0 REFERENCES

1. Golder Associates Inc., *Site Management Plan, Vanchlor Company, Inc., NYSDEC Site No. 932039*, prepared for Vanchlor Company, Inc., January 2015.

TABLE 5-2

**SUMMARY OF ANALYTICAL RESULTS FOR GROUNDWATER AND
SURFACE WATER SAMPLES (09/04/2020)**

TABLE 5-2
SUMMARY OF ANALYTICAL RESULTS FOR GROUNDWATER AND SURFACE WATER SAMPLES (09/04/2020)
PERIODIC REVIEW REPORT
SITE # 932039 • VANCHLOR COMPANY INC LOCKPORT, NY

Lab ID	NYSDEC Class GA Groundwater Standards (ug/L)	NYSDEC Class A, A-S, AA, AA-S Surface Water Standards/Guidance Values (ug/L)	L1934997-06		L1934997-01		L1934997-02		L1934997-03		L1934997-05		L1934997-04	
Sample ID			VDM-9R		VDM-10		VDM-11		VDM-14R		D-55		Eighteen Mile Creek	
Sample Date			09/04/2020		09/04/2020		09/04/2020		09/04/2020		09/04/2020		09/04/2020	
Sample Matrix			Water		Water		Water		Water		Water		Water	
Units			ug/L		ug/L		ug/L		ug/L		ug/L		ug/L	
				Qualifiers		Qualifiers		Qualifiers		Qualifiers		Qualifiers		Qualifiers
Volatile Organic Compounds (VOCs)														
Methylene Chloride	5	5	2.5 ²		Neutral ¹	2.5 ²		Neutral ¹	2.5 ²		Neutral ¹	6.2 ²	D(2.5)	Neutral
Chloroform	7	7	2.5 ²		Neutral ¹	7.8		Neutral	2.8		Neutral	16	D(2.5)	Decreasing
Tetrachloroethene	5	0.7	0.71		Decreasing	0.5 ²		Neutral	4.4		Neutral	150	D(2.5)	Decreasing
1,2-Dichloroethane	0.6	0.6	0.24	J	Neutral	1.4		Neutral	0.18	J	Neutral [†]	6.7	D(2.5)	Neutral
1,1,2,2-Tetrachloroethane	5	0.2	0.19	J	Neutral ¹	0.5 ²		Neutral [†]	0.85		Neutral	47	D(2.5)	Neutral
Toluene	5	5	2.5 ²		Neutral ¹	2.5 ²		Neutral ²	2.5 ²		Neutral ¹	6.2 ²	D(2.5)	Neutral ²
Vinyl Chloride	2	0.3	0.48	J	Neutral	1.0 ²		Neutral ¹	1.0 ²		Neutral ¹	40	D(2.5)	Increasing
Trans-1,2-Dichloroethene	5	5	2.5 ²		Neutral ¹	2.5 ²		Neutral ¹	2.5 ²		Neutral ¹	14	D(2.5)	Neutral
Trichloroethene	5	5	0.84		Neutral	0.34	J	Neutral	1.0		Neutral	91	D(2.5)	Increasing
Bromochloromethane	5	5	2.5 ²			2.5 ²			2.5 ²			6.2 ²	D(2.5)	
1,1,2-Trichloroethane	1	1	1.5 ²			1.5 ²			1.5 ²			27	D(2.5)	
Metals														
Chloride	250,000	250,000	8,800,000	D(100)		7,000,000	D(100)		1,000,000	D(50)		3,500,000	(D50)	18,000
Chromium	50	50	2.35		Decreasing	0.76	J	Decreasing [†]	1.27		Decreasing	58.92		Decreasing
Copper	200	200	90.72		Decreasing	89.43		Decreasing	23.94		Decreasing	48.29		Decreasing
Iron	300	300	269,000			764			1060			346,000		487
Zinc	2,000	2,000	284.6		Decreasing	361.4		Decreasing	10.61		Decreasing	353.2		Decreasing
pH (field measurement)			6.14			6.30			6.55			5.98		
													7.68	7.82

Footnotes:

Trend Definitions:

Increasing - significant increasing trend identified on the plot for that parameter.

Decreasing - significant decreasing trend identified on the plot for that parameter.

Neutral - no significant increasing or decreasing trend identified on the plot for that parameter.

= Value exceeds NYSDEC Class GA Groundwater /NYSDEC Class A, A-S, AA, AA-S Surface Water Standard


D(X) = Sample diluted, where X = dilution factor

† = Trend line has been skewed due to reporting limit adjustment from diluted analysis

J = Estimated value (below quantitation limit)

¹ = Latest 3-5 years (or more) have been non-detect for parameter.² = Non-detect for parameter this sampling event.

FIGURES



REFERENCES

Feb 27, 2019 = 2:44pm

- 1.) BASE MAP TAKEN FROM U.S.G.S. 7.5 MINUTE QUADRANGLE OF LOCKPORT, NEW YORK DATED 1980.

A horizontal scale bar with markings at 0, 2000, and 2000. The word "SCALE" is written below the left end, and "FEET" is written below the right end.



GOLDER

SCALE AS SHOWN

DATE 02/27/19

DESIGN IGT

CADD RWC


TITLE

SITE VICINITY MAP

VANCHLOR COMPANY INC.

FIGURE

1-1




LEGEND

- FENCE / APPROXIMATE SITE PROPERTY LINE
- VDM-9R • MONITORING WELL LOCATION

REFERENCES

- 1.) BASE MAP GENERATED FROM BING AERIAL IMAGERY.



SCALE AS SHOWN	TITLE
DATE 01/20/21	
DESIGN KWJ	
CADD AAZ	




GROUNDWATER SAMPLE LOCATIONS VANCHLOR LANDFILL

FILE No.	20376057_001	
PROJECT No.	20376057	REV. 0

VANCHLOR COMPANY INC.

FIGURE

5-1



Apr 28, 2021 - 10:45am

Drawing file: 20376057_001.dwg

LEGEND

- FENCE / APPROXIMATE SITE PROPERTY LINE
- VDM-9R • MONITORING WELL APPROXIMATE LOCATION
- ◊ APPROXIMATE SURFACE WATER SAMPLE LOCATION

150 0 150
SCALE FEET

REFERENCES

- 1.) BASE MAP GENERATED FROM BING AERIAL IMAGERY.



GOLDER


SCALE AS SHOWN
DATE 01/20/21
DESIGN KWJ
CADD AAZ

**EIGHTEEN MILE CREEK
SURFACE WATER SAMPLE LOCATION
VANCHLOR LANDFILL**

FILE No. 20376057_001
PROJECT No. 20376057 REV. 0

CHECK PTM
REVIEW PTM

FIGURE 5-2
VANCHLOR CO. INC.



Apr 28, 2021 - 10:47am

Drawing file: 20376057_001.dwg

LEGEND

- FENCE / APPROXIMATE SITE PROPERTY LINE
 - MONITORING WELL APPROXIMATE LOCATION
 - GROUNDWATER FLOW DIRECTION (APPROX.)
- 75 0 75
SCALE FEET



GOLDER

FILE No. 20376057_001
PROJECT No. 20376057

SCALE AS SHOWN	TITLE
DATE 01/20/21	
DESIGN KWJ	
CADD AAZ	

REFERENCES

- 1.) BASE MAP GENERATED FROM BING AERIAL IMAGERY.
- 2.) ELEVATIONS ARE BASED ON 2019 GPS MEASUREMENTS (ACCURACY +/- 0.09FT)
- 3.) WATER ELEVATIONS PER SEPTEMBER 03, 2020 SAMPLING EVENT.

GROUNDWATER ISOPOTENTIAL MAP VANCHLOR LANDFILL

VANCHLOR CO. INC.

FIGURE

5-3

APPENDIX A

ANALTICAL DATA REPORT &

HISTORICAL PARAMETER TREND ANALYSES



ANALYTICAL REPORT

Lab Number:	L2036745
Client:	VandeMark Chemical, Inc. 1 North Transit Road. Lockport, NY 14094-2399
ATTN:	Jim Wrazen
Phone:	(716) 433-6764
Project Name:	ANNUAL GROUNDWATER MONITORING
Project Number:	Not Specified
Report Date:	09/15/20

The original project report/data package is held by Alpha Analytical. This report/data package is paginated and should be reproduced only in its entirety. Alpha Analytical holds no responsibility for results and/or data that are not consistent with the original.

Certifications & Approvals: MA (M-MA086), NH NELAP (2064), CT (PH-0574), IL (200077), ME (MA00086), MD (348), NJ (MA935), NY (11148), NC (25700/666), PA (68-03671), RI (LAO00065), TX (T104704476), VT (VT-0935), VA (460195), USDA (Permit #P330-17-00196).

Eight Walkup Drive, Westborough, MA 01581-1019
508-898-9220 (Fax) 508-898-9193 800-624-9220 - www.alphalab.com



Project Name: ANNUAL GROUNDWATER MONITORING
Project Number: Not Specified

Lab Number: L2036745
Report Date: 09/15/20

Alpha Sample ID	Client ID	Matrix	Sample Location	Collection Date/Time	Receive Date
L2036745-01	VDM-10	WATER	LOCKPORT, NY	09/04/20 11:54	09/04/20
L2036745-02	VDM-11	WATER	LOCKPORT, NY	09/04/20 11:40	09/04/20
L2036745-03	VDM-14	WATER	LOCKPORT, NY	09/04/20 12:17	09/04/20
L2036745-04	EIGHTEEN MILE CREEK	WATER	LOCKPORT, NY	09/04/20 11:30	09/04/20
L2036745-05	D-55	WATER	LOCKPORT, NY	09/04/20 12:34	09/04/20
L2036745-06	VDM-9	WATER	LOCKPORT, NY	09/04/20 12:06	09/04/20
L2036745-07	FIELD DUP D-55	WATER	LOCKPORT, NY	09/04/20 12:34	09/04/20
L2036745-08	TRIP BLANK	WATER	LOCKPORT, NY	09/04/20 00:00	09/04/20

Project Name: ANNUAL GROUNDWATER MONITORING
Project Number: Not Specified

Lab Number: L2036745
Report Date: 09/15/20

Case Narrative

The samples were received in accordance with the Chain of Custody and no significant deviations were encountered during the preparation or analysis unless otherwise noted. Sample Receipt, Container Information, and the Chain of Custody are located at the back of the report.

Results contained within this report relate only to the samples submitted under this Alpha Lab Number and meet NELAP requirements for all NELAP accredited parameters unless otherwise noted in the following narrative. The data presented in this report is organized by parameter (i.e. VOC, SVOC, etc.). Sample specific Quality Control data (i.e. Surrogate Spike Recovery) is reported at the end of the target analyte list for each individual sample, followed by the Laboratory Batch Quality Control at the end of each parameter. Tentatively Identified Compounds (TICs), if requested, are reported for compounds identified to be present and are not part of the method/program Target Compound List, even if only a subset of the TCL are being reported. If a sample was re-analyzed or re-extracted due to a required quality control corrective action and if both sets of data are reported, the Laboratory ID of the re-analysis or re-extraction is designated with an "R" or "RE", respectively.

When multiple Batch Quality Control elements are reported (e.g. more than one LCS), the associated samples for each element are noted in the grey shaded header line of each data table. Any Laboratory Batch, Sample Specific % recovery or RPD value that is outside the listed Acceptance Criteria is bolded in the report. In reference to questions H (CAM) or 4 (RCP) when "NO" is checked, the performance criteria for CAM and RCP methods allow for some quality control failures to occur and still be within method compliance. In these instances, the specific failure is not narrated but noted in the associated QC Outlier Summary Report, located directly after the Case Narrative. QC information is also incorporated in the Data Usability Assessment table (Format 11) of our Data Merger tool, where it can be reviewed in conjunction with the sample result, associated regulatory criteria and any associated data usability implications.

Soil/sediments, solids and tissues are reported on a dry weight basis unless otherwise noted. Definitions of all data qualifiers and acronyms used in this report are provided in the Glossary located at the back of the report.

HOLD POLICY - For samples submitted on hold, Alpha's policy is to hold samples (with the exception of Air canisters) free of charge for 21 calendar days from the date the project is completed. After 21 calendar days, we will dispose of all samples submitted including those put on hold unless you have contacted your Alpha Project Manager and made arrangements for Alpha to continue to hold the samples. Air canisters will be disposed after 3 business days from the date the project is completed.

Please contact Project Management at 800-624-9220 with any questions.

Project Name: ANNUAL GROUNDWATER MONITORING
Project Number: Not Specified

Lab Number: L2036745
Report Date: 09/15/20

Case Narrative (continued)

Report Submission

All non-detect (ND) or estimated concentrations (J-qualified) have been quantitated to the limit noted in the MDL column.

Please note that this report format does not contain typical QC parameters that were performed with these samples. As such, any QC outliers or non-conformances can only be reviewed by accessing your Alpha Customer Center account at www.alphalab.com and building a Data Usability table (format 11) in our Data Merger tool.

Volatile Organics

L2036745-03: The sample has elevated detection limits due to the dilution required by the elevated concentrations of non-target compounds in the sample.

L2036745-03: The pH of the sample was greater than two; however, the sample was analyzed within the method required holding time.

Chloride

The WG1407650-4 MS recovery for chloride (1500%), performed on L2036745-06, does not apply because the sample concentration is greater than four times the spike amount added.

I, the undersigned, attest under the pains and penalties of perjury that, to the best of my knowledge and belief and based upon my personal inquiry of those responsible for providing the information contained in this analytical report, such information is accurate and complete. This certificate of analysis is not complete unless this page accompanies any and all pages of this report.

Authorized Signature:

Melissa Sturgis, Melissa Sturgis

Title: Technical Director/Representative

Date: 09/15/20

VOLATILES



Project Name: ANNUAL GROUNDWATER MONITORING

Lab Number: L2036745

Project Number: Not Specified

Report Date: 09/15/20

SAMPLE RESULTS

Lab ID: L2036745-01
 Client ID: VDM-10
 Sample Location: LOCKPORT, NY

Date Collected: 09/04/20 11:54
 Date Received: 09/04/20
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 09/12/20 16:04
 Analyst: NLK

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
Chloroform	7.9		ug/l	2.5	0.70	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
1,2-Dichloroethane	1.4		ug/l	0.50	0.13	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Toluene	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	0.34	J	ug/l	0.50	0.18	1
Bromochloromethane	ND		ug/l	2.5	0.70	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	101		70-130
Toluene-d8	101		70-130
4-Bromofluorobenzene	100		70-130
Dibromofluoromethane	100		70-130

Project Name: ANNUAL GROUNDWATER MONITORING

Lab Number: L2036745

Project Number: Not Specified

Report Date: 09/15/20

SAMPLE RESULTS

Lab ID: L2036745-02
 Client ID: VDM-11
 Sample Location: LOCKPORT, NY

Date Collected: 09/04/20 11:40
 Date Received: 09/04/20
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 09/12/20 15:43
 Analyst: NLK

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
Chloroform	2.8		ug/l	2.5	0.70	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	4.4		ug/l	0.50	0.18	1
1,2-Dichloroethane	0.18	J	ug/l	0.50	0.13	1
1,1,2,2-Tetrachloroethane	0.85		ug/l	0.50	0.17	1
Toluene	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	1.0		ug/l	0.50	0.18	1
Bromochloromethane	ND		ug/l	2.5	0.70	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	102		70-130
Toluene-d8	96		70-130
4-Bromofluorobenzene	96		70-130
Dibromofluoromethane	106		70-130

Project Name: ANNUAL GROUNDWATER MONITORING**Lab Number:** L2036745**Project Number:** Not Specified**Report Date:** 09/15/20**SAMPLE RESULTS**

Lab ID: L2036745-03 D
 Client ID: VDM-14
 Sample Location: LOCKPORT, NY

Date Collected: 09/04/20 12:17
 Date Received: 09/04/20
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 09/12/20 15:21
 Analyst: NLK

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	6.2	1.8	2.5
Chloroform	16		ug/l	6.2	1.8	2.5
1,1,2-Trichloroethane	27		ug/l	3.8	1.2	2.5
Tetrachloroethene	150		ug/l	1.2	0.45	2.5
1,2-Dichloroethane	6.7		ug/l	1.2	0.33	2.5
1,1,2,2-Tetrachloroethane	47		ug/l	1.2	0.42	2.5
Toluene	ND		ug/l	6.2	1.8	2.5
Vinyl chloride	40		ug/l	2.5	0.18	2.5
trans-1,2-Dichloroethene	14		ug/l	6.2	1.8	2.5
Trichloroethene	91		ug/l	1.2	0.44	2.5
Bromochloromethane	ND		ug/l	6.2	1.8	2.5

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	97		70-130
Toluene-d8	97		70-130
4-Bromofluorobenzene	96		70-130
Dibromofluoromethane	101		70-130

Project Name: ANNUAL GROUNDWATER MONITORING**Lab Number:** L2036745**Project Number:** Not Specified**Report Date:** 09/15/20**SAMPLE RESULTS**

Lab ID:	L2036745-04	Date Collected:	09/04/20 11:30
Client ID:	EIGHTEEN MILE CREEK	Date Received:	09/04/20
Sample Location:	LOCKPORT, NY	Field Prep:	Not Specified

Sample Depth:

Matrix: Water

Analytical Method: 1,8260C

Analytical Date: 09/12/20 14:59

Analyst: NLK

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Toluene	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	ND		ug/l	0.50	0.18	1
Bromochloromethane	ND		ug/l	2.5	0.70	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	101		70-130
Toluene-d8	97		70-130
4-Bromofluorobenzene	95		70-130
Dibromofluoromethane	105		70-130

Project Name: ANNUAL GROUNDWATER MONITORING

Lab Number: L2036745

Project Number: Not Specified

Report Date: 09/15/20

SAMPLE RESULTS

Lab ID: L2036745-05
 Client ID: D-55
 Sample Location: LOCKPORT, NY

Date Collected: 09/04/20 12:34
 Date Received: 09/04/20
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 09/12/20 14:37
 Analyst: NLK

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Toluene	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	ND		ug/l	0.50	0.18	1
Bromochloromethane	ND		ug/l	2.5	0.70	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	99		70-130
Toluene-d8	98		70-130
4-Bromofluorobenzene	96		70-130
Dibromofluoromethane	105		70-130

Project Name: ANNUAL GROUNDWATER MONITORING

Lab Number: L2036745

Project Number: Not Specified

Report Date: 09/15/20

SAMPLE RESULTS

Lab ID: L2036745-06
 Client ID: VDM-9
 Sample Location: LOCKPORT, NY

Date Collected: 09/04/20 12:06
 Date Received: 09/04/20
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 09/12/20 14:16
 Analyst: NLK

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	0.71		ug/l	0.50	0.18	1
1,2-Dichloroethane	0.24	J	ug/l	0.50	0.13	1
1,1,2,2-Tetrachloroethane	0.19	J	ug/l	0.50	0.17	1
Toluene	ND		ug/l	2.5	0.70	1
Vinyl chloride	0.48	J	ug/l	1.0	0.07	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	0.84		ug/l	0.50	0.18	1
Bromochloromethane	ND		ug/l	2.5	0.70	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	101		70-130
Toluene-d8	97		70-130
4-Bromofluorobenzene	97		70-130
Dibromofluoromethane	100		70-130

Project Name: ANNUAL GROUNDWATER MONITORING**Lab Number:** L2036745**Project Number:** Not Specified**Report Date:** 09/15/20**SAMPLE RESULTS**

Lab ID: L2036745-07
 Client ID: FIELD DUP D-55
 Sample Location: LOCKPORT, NY

Date Collected: 09/04/20 12:34
 Date Received: 09/04/20
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 09/12/20 13:54
 Analyst: NLK

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Toluene	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	ND		ug/l	0.50	0.18	1
Bromochloromethane	ND		ug/l	2.5	0.70	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	97		70-130
Toluene-d8	98		70-130
4-Bromofluorobenzene	93		70-130
Dibromofluoromethane	101		70-130

Project Name: ANNUAL GROUNDWATER MONITORING

Lab Number: L2036745

Project Number: Not Specified

Report Date: 09/15/20

SAMPLE RESULTS

Lab ID: L2036745-08
 Client ID: TRIP BLANK
 Sample Location: LOCKPORT, NY

Date Collected: 09/04/20 00:00
 Date Received: 09/04/20
 Field Prep: Not Specified

Sample Depth:

Matrix: Water
 Analytical Method: 1,8260C
 Analytical Date: 09/12/20 13:32
 Analyst: NLK

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor
Volatile Organics by GC/MS - Westborough Lab						
Methylene chloride	ND		ug/l	2.5	0.70	1
Chloroform	ND		ug/l	2.5	0.70	1
1,1,2-Trichloroethane	ND		ug/l	1.5	0.50	1
Tetrachloroethene	ND		ug/l	0.50	0.18	1
1,2-Dichloroethane	ND		ug/l	0.50	0.13	1
1,1,2,2-Tetrachloroethane	ND		ug/l	0.50	0.17	1
Toluene	ND		ug/l	2.5	0.70	1
Vinyl chloride	ND		ug/l	1.0	0.07	1
trans-1,2-Dichloroethene	ND		ug/l	2.5	0.70	1
Trichloroethene	ND		ug/l	0.50	0.18	1
Bromochloromethane	ND		ug/l	2.5	0.70	1

Surrogate	% Recovery	Qualifier	Acceptance Criteria
1,2-Dichloroethane-d4	94		70-130
Toluene-d8	98		70-130
4-Bromofluorobenzene	96		70-130
Dibromofluoromethane	104		70-130

METALS



Project Name: ANNUAL GROUNDWATER MONITORING**Project Number:** Not Specified**Lab Number:** L2036745**Report Date:** 09/15/20**SAMPLE RESULTS**

Lab ID: L2036745-01
 Client ID: VDM-10
 Sample Location: LOCKPORT, NY

Date Collected: 09/04/20 11:54
 Date Received: 09/04/20
 Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	0.00076	J	mg/l	0.00100	0.00017	1	09/11/20 01:44	09/14/20 17:22	EPA 3005A	1,6020B	AM
Copper, Total	0.08943		mg/l	0.00100	0.00038	1	09/11/20 01:44	09/14/20 17:22	EPA 3005A	1,6020B	AM
Iron, Total	0.764		mg/l	0.0500	0.0191	1	09/11/20 01:44	09/14/20 17:22	EPA 3005A	1,6020B	AM
Zinc, Total	0.3614		mg/l	0.01000	0.00341	1	09/11/20 01:44	09/14/20 17:22	EPA 3005A	1,6020B	AM

Project Name: ANNUAL GROUNDWATER MONITORING**Project Number:** Not Specified**Lab Number:** L2036745**Report Date:** 09/15/20**SAMPLE RESULTS**

Lab ID: L2036745-02
 Client ID: VDM-11
 Sample Location: LOCKPORT, NY

Date Collected: 09/04/20 11:40
 Date Received: 09/04/20
 Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	0.00127		mg/l	0.00100	0.00017	1	09/11/20 01:44	09/14/20 17:27	EPA 3005A	1,6020B	AM
Copper, Total	0.02394		mg/l	0.00100	0.00038	1	09/11/20 01:44	09/14/20 17:27	EPA 3005A	1,6020B	AM
Iron, Total	1.06		mg/l	0.0500	0.0191	1	09/11/20 01:44	09/14/20 17:27	EPA 3005A	1,6020B	AM
Zinc, Total	0.01061		mg/l	0.01000	0.00341	1	09/11/20 01:44	09/14/20 17:27	EPA 3005A	1,6020B	AM

Project Name: ANNUAL GROUNDWATER MONITORING**Project Number:** Not Specified**Lab Number:** L2036745**Report Date:** 09/15/20**SAMPLE RESULTS**

Lab ID: L2036745-03
 Client ID: VDM-14
 Sample Location: LOCKPORT, NY

Date Collected: 09/04/20 12:17
 Date Received: 09/04/20
 Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	0.05892		mg/l	0.00100	0.00017	1	09/11/20 01:44	09/14/20 17:52	EPA 3005A	1,6020B	AM
Copper, Total	0.04829		mg/l	0.00100	0.00038	1	09/11/20 01:44	09/14/20 17:52	EPA 3005A	1,6020B	AM
Iron, Total	346.		mg/l	0.0500	0.0191	1	09/11/20 01:44	09/14/20 17:52	EPA 3005A	1,6020B	AM
Zinc, Total	0.3532		mg/l	0.01000	0.00341	1	09/11/20 01:44	09/14/20 17:52	EPA 3005A	1,6020B	AM

Project Name: ANNUAL GROUNDWATER MONITORING
Project Number: Not Specified

Lab Number: L2036745
Report Date: 09/15/20

SAMPLE RESULTS

Lab ID: L2036745-04
Client ID: EIGHTEEN MILE CREEK
Sample Location: LOCKPORT, NY

Date Collected: 09/04/20 11:30
Date Received: 09/04/20
Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	0.00039	J	mg/l	0.00100	0.00017	1	09/11/20 01:44	09/14/20 17:57	EPA 3005A	1,6020B	AM
Copper, Total	0.00414		mg/l	0.00100	0.00038	1	09/11/20 01:44	09/14/20 17:57	EPA 3005A	1,6020B	AM
Iron, Total	0.337		mg/l	0.0500	0.0191	1	09/11/20 01:44	09/14/20 17:57	EPA 3005A	1,6020B	AM
Zinc, Total	0.00399	J	mg/l	0.01000	0.00341	1	09/11/20 01:44	09/14/20 17:57	EPA 3005A	1,6020B	AM

Project Name: ANNUAL GROUNDWATER MONITORING
Project Number: Not Specified

Lab Number: L2036745
Report Date: 09/15/20

SAMPLE RESULTS

Lab ID: L2036745-05
Client ID: D-55
Sample Location: LOCKPORT, NY

Date Collected: 09/04/20 12:34
Date Received: 09/04/20
Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	0.00094	J	mg/l	0.00100	0.00017	1	09/11/20 01:44	09/14/20 18:02	EPA 3005A	1,6020B	AM
Copper, Total	0.00658		mg/l	0.00100	0.00038	1	09/11/20 01:44	09/14/20 18:02	EPA 3005A	1,6020B	AM
Iron, Total	0.487		mg/l	0.0500	0.0191	1	09/11/20 01:44	09/14/20 18:02	EPA 3005A	1,6020B	AM
Zinc, Total	0.00413	J	mg/l	0.01000	0.00341	1	09/11/20 01:44	09/14/20 18:02	EPA 3005A	1,6020B	AM

Project Name: ANNUAL GROUNDWATER MONITORING
Project Number: Not Specified

Lab Number: L2036745
Report Date: 09/15/20

SAMPLE RESULTS

Lab ID: L2036745-06
Client ID: VDM-9
Sample Location: LOCKPORT, NY

Date Collected: 09/04/20 12:06
Date Received: 09/04/20
Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	0.00235		mg/l	0.00100	0.00017	1	09/11/20 01:44	09/14/20 18:06	EPA 3005A	1,6020B	AM
Copper, Total	0.09072		mg/l	0.00100	0.00038	1	09/11/20 01:44	09/14/20 18:06	EPA 3005A	1,6020B	AM
Iron, Total	269.		mg/l	0.0500	0.0191	1	09/11/20 01:44	09/14/20 18:06	EPA 3005A	1,6020B	AM
Zinc, Total	0.2846		mg/l	0.01000	0.00341	1	09/11/20 01:44	09/14/20 18:06	EPA 3005A	1,6020B	AM

Project Name: ANNUAL GROUNDWATER MONITORING**Project Number:** Not Specified**Lab Number:** L2036745**Report Date:** 09/15/20**SAMPLE RESULTS**

Lab ID: L2036745-07
 Client ID: FIELD DUP D-55
 Sample Location: LOCKPORT, NY

Date Collected: 09/04/20 12:34
 Date Received: 09/04/20
 Field Prep: Not Specified

Sample Depth:

Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Prep Method	Analytical Method	Analyst
Total Metals - Mansfield Lab											
Chromium, Total	0.00413		mg/l	0.00100	0.00017	1	09/11/20 01:44	09/14/20 18:11	EPA 3005A	1,6020B	AM
Copper, Total	0.01809		mg/l	0.00100	0.00038	1	09/11/20 01:44	09/14/20 18:11	EPA 3005A	1,6020B	AM
Iron, Total	2.60		mg/l	0.0500	0.0191	1	09/11/20 01:44	09/14/20 18:11	EPA 3005A	1,6020B	AM
Zinc, Total	0.04138		mg/l	0.01000	0.00341	1	09/11/20 01:44	09/14/20 18:11	EPA 3005A	1,6020B	AM

INORGANICS & MISCELLANEOUS



Project Name: ANNUAL GROUNDWATER MONITORING
Project Number: Not Specified

Lab Number: L2036745
Report Date: 09/15/20

SAMPLE RESULTS

Lab ID: L2036745-01
Client ID: VDM-10
Sample Location: LOCKPORT, NY

Date Collected: 09/04/20 11:54
Date Received: 09/04/20
Field Prep: Not Specified

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chloride	7000		mg/l	100	20.	100	-	09/09/20 08:37	1,9251	MR

Project Name: ANNUAL GROUNDWATER MONITORING
Project Number: Not Specified

Lab Number: L2036745
Report Date: 09/15/20

SAMPLE RESULTS

Lab ID: L2036745-02
Client ID: VDM-11
Sample Location: LOCKPORT, NY

Date Collected: 09/04/20 11:40
Date Received: 09/04/20
Field Prep: Not Specified

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chloride	1000		mg/l	50	10.	50	-	09/09/20 08:18	1,9251	MR

Project Name: ANNUAL GROUNDWATER MONITORING
Project Number: Not Specified

Lab Number: L2036745
Report Date: 09/15/20

SAMPLE RESULTS

Lab ID: L2036745-03
Client ID: VDM-14
Sample Location: LOCKPORT, NY

Date Collected: 09/04/20 12:17
Date Received: 09/04/20
Field Prep: Not Specified

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chloride	3500		mg/l	50	10.	50	-	09/09/20 08:20	1,9251	MR

Project Name: ANNUAL GROUNDWATER MONITORING
Project Number: Not Specified

Lab Number: L2036745
Report Date: 09/15/20

SAMPLE RESULTS

Lab ID: L2036745-04
Client ID: EIGHTEEN MILE CREEK
Sample Location: LOCKPORT, NY

Date Collected: 09/04/20 11:30
Date Received: 09/04/20
Field Prep: Not Specified

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chloride	63.		mg/l	1.0	0.20	1	-	09/09/20 08:20	1,9251	MR

Project Name: ANNUAL GROUNDWATER MONITORING
Project Number: Not Specified

Lab Number: L2036745
Report Date: 09/15/20

SAMPLE RESULTS

Lab ID: L2036745-05
Client ID: D-55
Sample Location: LOCKPORT, NY

Date Collected: 09/04/20 12:34
Date Received: 09/04/20
Field Prep: Not Specified

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chloride	18.		mg/l	1.0	0.20	1	-	09/09/20 07:00	1,9251	MR

Project Name: ANNUAL GROUNDWATER MONITORING
Project Number: Not Specified

Lab Number: L2036745
Report Date: 09/15/20

SAMPLE RESULTS

Lab ID: L2036745-06
Client ID: VDM-9
Sample Location: LOCKPORT, NY

Date Collected: 09/04/20 12:06
Date Received: 09/04/20
Field Prep: Not Specified

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chloride	8800		mg/l	100	20.	100	-	09/09/20 07:02	1,9251	MR

Project Name: ANNUAL GROUNDWATER MONITORING
Project Number: Not Specified

Lab Number: L2036745
Report Date: 09/15/20

SAMPLE RESULTS

Lab ID: L2036745-07
Client ID: FIELD DUP D-55
Sample Location: LOCKPORT, NY

Date Collected: 09/04/20 12:34
Date Received: 09/04/20
Field Prep: Not Specified

Sample Depth:
Matrix: Water

Parameter	Result	Qualifier	Units	RL	MDL	Dilution Factor	Date Prepared	Date Analyzed	Analytical Method	Analyst
General Chemistry - Westborough Lab										
Chloride	15.		mg/l	1.0	0.20	1	-	09/09/20 07:09	1,9251	MR

Project Name: ANNUAL GROUNDWATER MONITORING
Project Number: Not Specified

Serial_No:09152017:25
Lab Number: L2036745
Report Date: 09/15/20

Sample Receipt and Container Information

Were project specific reporting limits specified? YES

Cooler Information

Cooler	Custody Seal
A	Absent

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2036745-01A	Vial HCl preserved	A	NA		4.5	Y	Absent		NYTCL-8260(14)
L2036745-01B	Vial HCl preserved	A	NA		4.5	Y	Absent		NYTCL-8260(14)
L2036745-01C	Vial HCl preserved	A	NA		4.5	Y	Absent		NYTCL-8260(14)
L2036745-01D	Plastic 60ml unpreserved	A	7	7	4.5	Y	Absent		CL-9251(28)
L2036745-01E	Plastic 250ml HNO3 preserved	A	<2	<2	4.5	Y	Absent		FE-6020T(180),CR-6020T(180),CU-6020T(180),ZN-6020T(180)
L2036745-02A	Vial HCl preserved	A	NA		4.5	Y	Absent		NYTCL-8260(14)
L2036745-02B	Vial HCl preserved	A	NA		4.5	Y	Absent		NYTCL-8260(14)
L2036745-02C	Vial HCl preserved	A	NA		4.5	Y	Absent		NYTCL-8260(14)
L2036745-02D	Plastic 60ml unpreserved	A	7	7	4.5	Y	Absent		CL-9251(28)
L2036745-02E	Plastic 250ml HNO3 preserved	A	<2	<2	4.5	Y	Absent		FE-6020T(180),CR-6020T(180),ZN-6020T(180),CU-6020T(180)
L2036745-03A	Vial HCl preserved	A	NA		4.5	Y	Absent		NYTCL-8260(14)
L2036745-03B	Vial HCl preserved	A	NA		4.5	Y	Absent		NYTCL-8260(14)
L2036745-03C	Vial HCl preserved	A	NA		4.5	Y	Absent		NYTCL-8260(14)
L2036745-03D	Plastic 60ml unpreserved	A	7	7	4.5	Y	Absent		CL-9251(28)
L2036745-03E	Plastic 250ml HNO3 preserved	A	<2	<2	4.5	Y	Absent		FE-6020T(180),CR-6020T(180),ZN-6020T(180),CU-6020T(180)
L2036745-04A	Vial HCl preserved	A	NA		4.5	Y	Absent		NYTCL-8260(14)
L2036745-04B	Vial HCl preserved	A	NA		4.5	Y	Absent		NYTCL-8260(14)
L2036745-04C	Vial HCl preserved	A	NA		4.5	Y	Absent		NYTCL-8260(14)
L2036745-04D	Plastic 60ml unpreserved	A	7	7	4.5	Y	Absent		CL-9251(28)
L2036745-04E	Plastic 250ml HNO3 preserved	A	<2	<2	4.5	Y	Absent		FE-6020T(180),CR-6020T(180),ZN-6020T(180),CU-6020T(180)
L2036745-05A	Vial HCl preserved	A	NA		4.5	Y	Absent		NYTCL-8260(14)
L2036745-05B	Vial HCl preserved	A	NA		4.5	Y	Absent		NYTCL-8260(14)

*Values in parentheses indicate holding time in days

Container Information

Container ID	Container Type	Cooler	Initial pH	Final pH	Temp deg C	Pres	Seal	Frozen Date/Time	Analysis(*)
L2036745-05C	Vial HCl preserved	A	NA		4.5	Y	Absent		NYTCL-8260(14)
L2036745-05D	Plastic 60ml unpreserved	A	7	7	4.5	Y	Absent		CL-9251(28)
L2036745-05E	Plastic 250ml HNO3 preserved	A	<2	<2	4.5	Y	Absent		FE-6020T(180),CR-6020T(180),ZN-6020T(180),CU-6020T(180)
L2036745-06A	Vial HCl preserved	A	NA		4.5	Y	Absent		NYTCL-8260(14)
L2036745-06B	Vial HCl preserved	A	NA		4.5	Y	Absent		NYTCL-8260(14)
L2036745-06C	Vial HCl preserved	A	NA		4.5	Y	Absent		NYTCL-8260(14)
L2036745-06D	Plastic 60ml unpreserved	A	7	7	4.5	Y	Absent		CL-9251(28)
L2036745-06E	Plastic 250ml HNO3 preserved	A	<2	<2	4.5	Y	Absent		FE-6020T(180),CR-6020T(180),CU-6020T(180),ZN-6020T(180)
L2036745-07A	Vial HCl preserved	A	NA		4.5	Y	Absent		NYTCL-8260(14)
L2036745-07B	Vial HCl preserved	A	NA		4.5	Y	Absent		NYTCL-8260(14)
L2036745-07C	Vial HCl preserved	A	NA		4.5	Y	Absent		NYTCL-8260(14)
L2036745-07D	Plastic 60ml unpreserved	A	7	7	4.5	Y	Absent		CL-9251(28)
L2036745-07E	Plastic 250ml HNO3 preserved	A	<2	<2	4.5	Y	Absent		FE-6020T(180),CR-6020T(180),CU-6020T(180),ZN-6020T(180)
L2036745-08A	Vial HCl preserved	A	NA		4.5	Y	Absent		NYTCL-8260(14)
L2036745-08B	Vial HCl preserved	A	NA		4.5	Y	Absent		NYTCL-8260(14)

*Values in parentheses indicate holding time in days

Project Name: ANNUAL GROUNDWATER MONITORING
Project Number: Not Specified

Lab Number: L2036745
Report Date: 09/15/20

GLOSSARY

Acronyms

DL	- Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the limit of quantitation (LOQ). The DL includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
EDL	- Estimated Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The EDL includes any adjustments from dilutions, concentrations or moisture content, where applicable. The use of EDLs is specific to the analysis of PAHs using Solid-Phase Microextraction (SPME).
EMPC	- Estimated Maximum Possible Concentration: The concentration that results from the signal present at the retention time of an analyte when the ions meet all of the identification criteria except the ion abundance ratio criteria. An EMPC is a worst-case estimate of the concentration.
EPA	- Environmental Protection Agency.
LCS	- Laboratory Control Sample: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LCSD	- Laboratory Control Sample Duplicate: Refer to LCS.
LFB	- Laboratory Fortified Blank: A sample matrix, free from the analytes of interest, spiked with verified known amounts of analytes or a material containing known and verified amounts of analytes.
LOD	- Limit of Detection: This value represents the level to which a target analyte can reliably be detected for a specific analyte in a specific matrix by a specific method. The LOD includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
LOQ	- Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.) Limit of Quantitation: The value at which an instrument can accurately measure an analyte at a specific concentration. The LOQ includes any adjustments from dilutions, concentrations or moisture content, where applicable. (DoD report formats only.)
MDL	- Method Detection Limit: This value represents the level to which target analyte concentrations are reported as estimated values, when those target analyte concentrations are quantified below the reporting limit (RL). The MDL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
MS	- Matrix Spike Sample: A sample prepared by adding a known mass of target analyte to a specified amount of matrix sample for which an independent estimate of target analyte concentration is available. For Method 332.0, the spike recovery is calculated using the native concentration, including estimated values.
MSD	- Matrix Spike Sample Duplicate: Refer to MS.
NA	- Not Applicable.
NC	- Not Calculated: Term is utilized when one or more of the results utilized in the calculation are non-detect at the parameter's reporting unit.
NDPA/DPA	- N-Nitrosodiphenylamine/Diphenylamine.
NI	- Not Ignitable.
NP	- Non-Plastic: Term is utilized for the analysis of Atterberg Limits in soil.
RL	- Reporting Limit: The value at which an instrument can accurately measure an analyte at a specific concentration. The RL includes any adjustments from dilutions, concentrations or moisture content, where applicable.
RPD	- Relative Percent Difference: The results from matrix and/or matrix spike duplicates are primarily designed to assess the precision of analytical results in a given matrix and are expressed as relative percent difference (RPD). Values which are less than five times the reporting limit for any individual parameter are evaluated by utilizing the absolute difference between the values; although the RPD value will be provided in the report.
SRM	- Standard Reference Material: A reference sample of a known or certified value that is of the same or similar matrix as the associated field samples.
STLP	- Semi-dynamic Tank Leaching Procedure per EPA Method 1315.
TEF	- Toxic Equivalency Factors: The values assigned to each dioxin and furan to evaluate their toxicity relative to 2,3,7,8-TCDD.
TEQ	- Toxic Equivalent: The measure of a sample's toxicity derived by multiplying each dioxin and furan by its corresponding TEF and then summing the resulting values.
TIC	- Tentatively Identified Compound: A compound that has been identified to be present and is not part of the target compound list (TCL) for the method and/or program. All TICs are qualitatively identified and reported as estimated concentrations.

Footnotes

Report Format: DU Report - No QC w/J' Qual



Project Name: ANNUAL GROUNDWATER MONITORING
Project Number: Not Specified

Lab Number: L2036745
Report Date: 09/15/20

- 1 - The reference for this analyte should be considered modified since this analyte is absent from the target analyte list of the original method.

Terms

Analytical Method: Both the document from which the method originates and the analytical reference method. (Example: EPA 8260B is shown as 1,8260B.) The codes for the reference method documents are provided in the References section of the Addendum.

Difference: With respect to Total Oxidizable Precursor (TOP) Assay analysis, the difference is defined as the Post-Treatment value minus the Pre-Treatment value.

Final pH: As it pertains to Sample Receipt & Container Information section of the report, Final pH reflects pH of container determined after adjustment at the laboratory, if applicable. If no adjustment required, value reflects Initial pH.

Frozen Date/Time: With respect to Volatile Organics in soil, Frozen Date/Time reflects the date/time at which associated Reagent Water-preserved vials were initially frozen. Note: If frozen date/time is beyond 48 hours from sample collection, value will be reflected in 'bold'.

Initial pH: As it pertains to Sample Receipt & Container Information section of the report, Initial pH reflects pH of container determined upon receipt, if applicable.

PAH Total: With respect to Alkylated PAH analyses, the 'PAHs, Total' result is defined as the summation of results for all or a subset of the following compounds: Naphthalene, C1-C4 Naphthalenes, 2-Methylnaphthalene, 1-Methylnaphthalene, Biphenyl, Acenaphthylene, Acenaphthene, Fluorene, C1-C3 Fluorenes, Phenanthrene, C1-C4 Phenanthrenes/Anthracenes, Anthracene, Fluoranthene, Pyrene, C1-C4 Fluoranthrenes/Pyrenes, Benz(a)anthracene, Chrysene, C1-C4 Chrysenes, Benzo(b)fluoranthene, Benzo(j)+(k)fluoranthene, Benzo(e)pyrene, Benzo(a)pyrene, Perylene, Indeno(1,2,3-cd)pyrene, Dibenz(ah)+(ac)anthracene, Benzo(g,h,i)perylene. If a 'Total' result is requested, the results of its individual components will also be reported.

PFAS Total: With respect to PFAS analyses, the 'PFAS, Total (5)' result is defined as the summation of results for: PFHpA, PFHxS, PFOA, PFNA and PFOS. If a 'Total' result is requested, the results of its individual components will also be reported.

The target compound Chlordane (CAS No. 57-74-9) is reported for GC ECD analyses. Per EPA, this compound "refers to a mixture of chlordane isomers, other chlorinated hydrocarbons and numerous other components." (Reference: USEPA Toxicological Review of Chlordane, In Support of Summary Information on the Integrated Risk Information System (IRIS), December 1997.)

Total: With respect to Organic analyses, a 'Total' result is defined as the summation of results for individual isomers or Aroclors. If a 'Total' result is requested, the results of its individual components will also be reported. This is applicable to 'Total' results for methods 8260, 8081 and 8082.

Data Qualifiers

- A** - Spectra identified as "Aldol Condensates" are byproducts of the extraction/concentration procedures when acetone is introduced in the process.
- B** - The analyte was detected above the reporting limit in the associated method blank. Flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For MCP-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank. For DOD-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte at less than ten times (10x) the concentration found in the blank AND the analyte was detected above one-half the reporting limit (or above the reporting limit for common lab contaminants) in the associated method blank. For NJ-Air-related projects, flag only applies to associated field samples that have detectable concentrations of the analyte above the reporting limit. For NJ-related projects (excluding Air), flag only applies to associated field samples that have detectable concentrations of the analyte, which was detected above the reporting limit in the associated method blank or above five times the reporting limit for common lab contaminants (Phthalates, Acetone, Methylene Chloride, 2-Butanone).
- C** - Co-elution: The target analyte co-elutes with a known lab standard (i.e. surrogate, internal standards, etc.) for co-extracted analyses.
- D** - Concentration of analyte was quantified from diluted analysis. Flag only applies to field samples that have detectable concentrations of the analyte.
- E** - Concentration of analyte exceeds the range of the calibration curve and/or linear range of the instrument.
- F** - The ratio of quantifier ion response to qualifier ion response falls outside of the laboratory criteria. Results are considered to be an estimated maximum concentration.
- G** - The concentration may be biased high due to matrix interferences (i.e. co-elution) with non-target compound(s). The result should be considered estimated.
- H** - The analysis of pH was performed beyond the regulatory-required holding time of 15 minutes from the time of sample collection.
- I** - The lower value for the two columns has been reported due to obvious interference.
- J** - Estimated value. The Target analyte concentration is below the quantitation limit (RL), but above the Method Detection Limit (MDL) or Estimated Detection Limit (EDL) for SPME-related analyses. This represents an estimated concentration for Tentatively Identified Compounds (TICs).
- M** - Reporting Limit (RL) exceeds the MCP CAM Reporting Limit for this analyte.
- ND** - Not detected at the method detection limit (MDL) for the sample, or estimated detection limit (EDL) for SPME-related analyses.
- NJ** - Presumptive evidence of compound. This represents an estimated concentration for Tentatively Identified Compounds (TICs), where the identification is based on a mass spectral library search.

Report Format: DU Report - No QC w/J' Qual



Project Name: ANNUAL GROUNDWATER MONITORING
Project Number: Not Specified

Lab Number: L2036745
Report Date: 09/15/20

Data Qualifiers

- P** - The RPD between the results for the two columns exceeds the method-specified criteria.
- Q** - The quality control sample exceeds the associated acceptance criteria. For DOD-related projects, LCS and/or Continuing Calibration Standard exceedences are also qualified on all associated sample results. Note: This flag is not applicable for matrix spike recoveries when the sample concentration is greater than 4x the spike added or for batch duplicate RPD when the sample concentrations are less than 5x the RL. (Metals only.)
- R** - Analytical results are from sample re-analysis.
- RE** - Analytical results are from sample re-extraction.
- S** - Analytical results are from modified screening analysis.

Report Format: DU Report - No QC w/J' Qual



Project Name: ANNUAL GROUNDWATER MONITORING
Project Number: Not Specified

Lab Number: L2036745
Report Date: 09/15/20

REFERENCES

- 1 Test Methods for Evaluating Solid Waste: Physical/Chemical Methods. EPA SW-846. Third Edition. Updates I - VI, 2018.

LIMITATION OF LIABILITIES

Alpha Analytical performs services with reasonable care and diligence normal to the analytical testing laboratory industry. In the event of an error, the sole and exclusive responsibility of Alpha Analytical shall be to re-perform the work at its own expense. In no event shall Alpha Analytical be held liable for any incidental, consequential or special damages, including but not limited to, damages in any way connected with the use of, interpretation of, information or analysis provided by Alpha Analytical.

We strongly urge our clients to comply with EPA protocol regarding sample volume, preservation, cooling, containers, sampling procedures, holding time and splitting of samples in the field.



Certification Information

The following analytes are not included in our Primary NELAP Scope of Accreditation:

Westborough Facility

EPA 624/624.1: m/p-xylene, o-xylene, Naphthalene
EPA 8260C: NPW: 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene, Azobenzene; SCM: Iodomethane (methyl iodide), 1,2,4,5-Tetramethylbenzene; 4-Ethyltoluene.
EPA 8270D: NPW: Dimethylnaphthalene, 1,4-Diphenylhydrazine; SCM: Dimethylnaphthalene, 1,4-Diphenylhydrazine.
SM4500: NPW: Amenable Cyanide; SCM: Total Phosphorus, TKN, NO₂, NO₃.

Mansfield Facility

SM 2540D: TSS

EPA 8082A: NPW: PCB: 1, 5, 31, 87, 101, 110, 141, 151, 153, 180, 183, 187.

EPA TO-15: Halothane, 2,4,4-Trimethyl-2-pentene, 2,4,4-Trimethyl-1-pentene, Thiophene, 2-Methylthiophene, 3-Methylthiophene, 2-Ethylthiophene, 1,2,3-Trimethylbenzene, Indan, Indene, 1,2,4,5-Tetramethylbenzene, Benzothiophene, 1-Methylnaphthalene.

EPA TO-12 Non-methane organics

EPA 3C Fixed gases

Biological Tissue Matrix: EPA 3050B

The following analytes are included in our Massachusetts DEP Scope of Accreditation

Westborough Facility:

Drinking Water

EPA 300.0: Chloride, Nitrate-N, Fluoride, Sulfate; **EPA 353.2**: Nitrate-N, Nitrite-N; **SM4500NO3-F**: Nitrate-N, Nitrite-N; **SM4500F-C**, **SM4500CN-CE**, **EPA 180.1**, **SM2130B**, **SM4500CI-D**, **SM2320B**, **SM2540C**, **SM4500H-B**, **SM4500NO2-B**

EPA 332: Perchlorate; **EPA 524.2**: THMs and VOCs; **EPA 504.1**: EDB, DBCP.

Microbiology: **SM9215B**; **SM9223-P/A**, **SM9223B-Colilert-QT**, **SM9222D**.

Non-Potable Water

SM4500H-B, **EPA 120.1**, **SM2510B**, **SM2540C**, **SM2320B**, **SM4500CL-E**, **SM4500F-BC**, **SM4500NH3-BH**: Ammonia-N and Kjeldahl-N, **EPA 350.1**: Ammonia-N, **LACHAT 10-107-06-1-B**: Ammonia-N, **EPA 351.1**, **SM4500NO3-F**, **EPA 353.2**: Nitrate-N, **SM4500P-E**, **SM4500P-B**, **E**, **SM4500SO4-E**, **SM5220D**, **EPA 410.4**, **SM5210B**, **SM5310C**, **SM4500CL-D**, **EPA 1664**, **EPA 420.1**, **SM4500-CN-CE**, **SM2540D**, **EPA 300**: Chloride, Sulfate, Nitrate.

EPA 624.1: Volatile Halocarbons & Aromatics,

EPA 608.3: Chlordane, Toxaphene, Aldrin, alpha-BHC, beta-BHC, gamma-BHC, delta-BHC, Dieldrin, DDD, DDE, DDT, Endosulfan I, Endosulfan II, Endosulfan sulfate, Endrin, Endrin Aldehyde, Heptachlor, Heptachlor Epoxide, PCBs

EPA 625.1: SVOC (Acid/Base/Neutral Extractables), **EPA 6004-81-045**: PCB-Oil.

Microbiology: **SM9223B-Colilert-QT**; **Enterolert-QT**, **SM9221E**, **EPA 1600**, **EPA 1603**.

Mansfield Facility:

Drinking Water

EPA 200.7: Al, Ba, Cd, Cr, Cu, Fe, Mn, Ni, Na, Ag, Ca, Zn. **EPA 200.8**: Al, Sb, As, Ba, Be, Cd, Cr, Cu, Pb, Mn, Ni, Se, Ag, Na, Sr, Ti, V, Zn. **EPA 245.1 Hg**. **EPA 522**.

Non-Potable Water

EPA 200.7: Al, Sb, As, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Mg, Mn, Mo, Ni, K, Se, Ag, Na, Sr, Ti, V, Zn.

EPA 200.8: Al, Sb, As, Be, Cd, Cr, Cu, Fe, Pb, Mn, Ni, K, Se, Ag, Na, Sr, Ti, V, Zn.


EPA 245.1 Hg.

SM2340B

For a complete listing of analytes and methods, please contact your Alpha Project Manager.

 <p>NEW YORK CHAIN OF CUSTODY</p> <p>Westborough, MA 01561 8 Walkup Dr. TEL: 508-898-9220 FAX: 508-898-9193</p> <p>Mansfield, MA 02048 320 Forbes Blvd TEL: 508-822-9300 FAX: 508-822-3288</p>		Service Centers		Page 1		Date Rec'd in Lab <i>9/5/20</i>		ALPHA Job # <i>L236745</i>																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
				of 1																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
<table border="1"> <thead> <tr> <th colspan="5">Project Information</th> <th colspan="5">Deliverables</th> </tr> </thead> <tbody> <tr> <td colspan="5">Project Name: Annual Groundwater Monitoring</td> <td colspan="5"> <input type="checkbox"/> ASP-A <input type="checkbox"/> ASP-B <input type="checkbox"/> EQuIS (1 File) <input type="checkbox"/> EQuIS (4 File) <input type="checkbox"/> Other </td> </tr> <tr> <td colspan="5">Project Location: Lockport, NY</td> <td colspan="5"></td> </tr> <tr> <td colspan="5">Project #:</td> <td colspan="5"></td> </tr> <tr> <td colspan="5">(Use Project name as Project #) <input type="checkbox"/></td> <td colspan="5"></td> </tr> <tr> <td colspan="5"></td> <td colspan="5"></td> </tr> <tr> <td colspan="5"></td> <td colspan="5"></td> </tr> <tr> <td colspan="5"></td> <td colspan="5"></td> </tr> </tbody> </table>										Project Information					Deliverables					Project Name: Annual Groundwater Monitoring					<input type="checkbox"/> ASP-A <input type="checkbox"/> ASP-B <input type="checkbox"/> EQuIS (1 File) <input type="checkbox"/> EQuIS (4 File) <input type="checkbox"/> Other					Project Location: Lockport, NY										Project #:										(Use Project name as Project #) <input type="checkbox"/>																																																																																																																																																																																																																																																																																																																																																																																																																																																										
Project Information					Deliverables																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
Project Name: Annual Groundwater Monitoring					<input type="checkbox"/> ASP-A <input type="checkbox"/> ASP-B <input type="checkbox"/> EQuIS (1 File) <input type="checkbox"/> EQuIS (4 File) <input type="checkbox"/> Other																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
Project Location: Lockport, NY																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
Project #:																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
(Use Project name as Project #) <input type="checkbox"/>																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
<table border="1"> <thead> <tr> <th colspan="5">Client Information</th> <th colspan="5">Regulatory Requirement</th> <th colspan="5">Disposal Site Information</th> </tr> </thead> <tbody> <tr> <td colspan="5">Client: VandeMark Chemical, Inc.</td> <td colspan="5"> <input type="checkbox"/> NY TOGS <input type="checkbox"/> NY Part 375 <input type="checkbox"/> AWQ Standards <input type="checkbox"/> NY CP-51 <input type="checkbox"/> NY Restricted Use <input type="checkbox"/> Other <input type="checkbox"/> NY Unrestricted Use <input type="checkbox"/> NYC Sewer Discharge </td> <td colspan="5"> Please identify below location of applicable disposal facilities. <input type="checkbox"/> NJ <input type="checkbox"/> NY <input type="checkbox"/> Other </td> </tr> <tr> <td colspan="5">Address: One North Transit Road Lockport, NY 14094</td> <td colspan="5"></td> <td colspan="5"></td> </tr> <tr> <td colspan="5">Project Manager: Jim Wrazen</td> <td colspan="5"></td> <td colspan="5"></td> </tr> <tr> <td colspan="5">ALPHAQuote #:</td> <td colspan="5"></td> <td colspan="5"></td> </tr> <tr> <td colspan="5">Phone: 716-433-8784</td> <td colspan="5"></td> <td colspan="5"></td> </tr> <tr> <td colspan="5">Fax: 716-433-2850</td> <td colspan="5"></td> <td colspan="5"></td> </tr> <tr> <td colspan="5">Email: j.wrazen@vdmchemical.com</td> <td colspan="5"></td> <td colspan="5"></td> </tr> <tr> <td colspan="5">Turn Around Time</td> <td colspan="5"></td> <td colspan="5"></td> </tr> <tr> <td colspan="5">Standard <input checked="" type="checkbox"/></td> <td colspan="5">Due Date:</td> <td colspan="5"></td> </tr> <tr> <td colspan="5">Rush (only if pre approved) <input type="checkbox"/></td> <td colspan="5"># of Days:</td> <td colspan="5"></td> </tr> <tr> <td colspan="10">These samples have been previously analyzed by Alpha <input type="checkbox"/></td> <td colspan="5"></td> </tr> <tr> <td colspan="10">Other project specific requirements/comments:</td> <td colspan="5"></td> </tr> <tr> <td colspan="10">Client Code: VANDE-ISLE</td> <td colspan="5">Metals List - Cr, Cu, Fe, Zn</td> </tr> <tr> <td colspan="10">Please specify Metals or TAL.</td> <td colspan="5"></td> </tr> <tr> <td colspan="2" rowspan="2">ALPHA Lab ID: (Lab Use Only)</td> <td colspan="2" rowspan="2">Sample ID</td> <td colspan="2">Collection</td> <td rowspan="2">Sample Matrix</td> <td rowspan="2">Sampler's Initials</td> <td colspan="5" rowspan="2">NYTCL-8260 (2172)</td> <td colspan="5">ANALYSIS</td> <td colspan="2">Sample Filtration</td> </tr> <tr> <td>Date</td> <td>Time</td> <td colspan="5"></td> <td>Field pH/Temp</td> <td colspan="5"></td> <td><input type="checkbox"/> Done</td> <td><input type="checkbox"/> Lab to do</td> </tr> <tr> <td colspan="2"><i>36745-v1</i></td> <td colspan="2"><i>VDM-10</i></td> <td><i>9/4/20</i></td> <td><i>1154</i></td> <td>Water</td> <td><i>E/S/ALR</i></td> <td><input checked="" type="checkbox"/></td> <td><input type="checkbox"/> Preservation</td> <td><input type="checkbox"/> Lab to do</td> </tr> <tr> <td colspan="2"><i>-02</i></td> <td colspan="2"><i>VDM-11</i></td> <td></td> <td><i>1140</i></td> <td>Water</td> <td></td> <td><input type="checkbox"/></td> </tr> <tr> <td colspan="2"><i>-03</i></td> <td colspan="2"><i>VDM-14</i></td> <td></td> <td><i>1217</i></td> <td>Water</td> <td></td> <td><input type="checkbox"/></td> </tr> <tr> <td colspan="2"><i>-04</i></td> <td colspan="2"><i>VDM-12</i></td> <td></td> <td><i>—</i></td> <td>Water</td> <td></td> <td><input type="checkbox"/></td> </tr> <tr> <td colspan="2"><i>-05</i></td> <td colspan="2"><i>Eighteen Mile Creek</i></td> <td></td> <td><i>1130</i></td> <td>Water</td> <td></td> <td><input type="checkbox"/></td> <td><i>Dry/No sample</i></td> </tr> <tr> <td colspan="2"><i>-06</i></td> <td colspan="2"><i>D-55</i></td> <td></td> <td><i>1234</i></td> <td>Water</td> <td></td> <td><input type="checkbox"/></td> <td><i>7.82 22.0° F</i></td> </tr> <tr> <td colspan="2"><i>-07</i></td> <td colspan="2"><i>VDM-9</i></td> <td></td> <td><i>1236</i></td> <td>Water</td> <td></td> <td><input type="checkbox"/></td> <td><i>5</i></td> </tr> <tr> <td colspan="2"><i>-08</i></td> <td colspan="2"><i>Field DUP- D-55</i></td> <td></td> <td><i>1234</i></td> <td>Water</td> <td><i>V</i></td> <td><input type="checkbox"/></td> <td><i>5</i></td> </tr> <tr> <td colspan="2"></td> <td colspan="2"><i>Trip Blank</i></td> <td></td> <td><i>—</i></td> <td>DI Water</td> <td></td> <td><input type="checkbox"/></td> <td><i>2</i></td> </tr> <tr> <td colspan="2">Preservative Code:</td> <td colspan="2">Container Code</td> <td colspan="2">Westboro: Certification No: MA935</td> <td colspan="2">Container Type</td> <td><input type="checkbox"/> V</td> <td><input type="checkbox"/> P</td> <td><input type="checkbox"/> P</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td colspan="2" rowspan="2"><i>Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHA'S TERMS & CONDITIONS.</i></td> </tr> <tr> <td colspan="2">A = None B = HCl C = HNO₃ D = H₂SO₄ E = NaOH F = MeOH G = NaHSO₄ H = Na₂S₂O₃ K/E = Zn Ac/NaOH O = Other</td> <td colspan="2">P = Plastic A = Amber Glass V = Vial G = Glass B = Bacteria Cup C = Cube O = Other E = Encore D = BOD Bottle</td> <td colspan="2">Mansfield: Certification No: MA015</td> <td colspan="2">Preservative</td> <td><input type="checkbox"/> B</td> <td><input type="checkbox"/> C</td> <td><input type="checkbox"/> A</td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> <td><input type="checkbox"/></td> </tr> <tr> <td colspan="2"> <table border="1"> <tr> <td><i>Relinquished By:</i> <i>Jerry J. AAC</i></td> <td><i>Date/Time:</i> <i>9/4/20</i></td> <td><i>Received By:</i> <i>Alvarez</i></td> <td><i>Date/Time:</i> <i>9/5/20 00:10</i></td> </tr> </table> </td> <td colspan="2"></td> </tr> <tr> <td colspan="2">Form No: 01-25 (rev. 30-Sept-2013)</td> <td colspan="2"></td> </tr> </tbody></table>										Client Information					Regulatory Requirement					Disposal Site Information					Client: VandeMark Chemical, Inc.					<input type="checkbox"/> NY TOGS <input type="checkbox"/> NY Part 375 <input type="checkbox"/> AWQ Standards <input type="checkbox"/> NY CP-51 <input type="checkbox"/> NY Restricted Use <input type="checkbox"/> Other <input type="checkbox"/> NY Unrestricted Use <input type="checkbox"/> NYC Sewer Discharge					Please identify below location of applicable disposal facilities. <input type="checkbox"/> NJ <input type="checkbox"/> NY <input type="checkbox"/> Other					Address: One North Transit Road Lockport, NY 14094															Project Manager: Jim Wrazen															ALPHAQuote #:															Phone: 716-433-8784															Fax: 716-433-2850															Email: j.wrazen@vdmchemical.com															Turn Around Time															Standard <input checked="" type="checkbox"/>					Due Date:										Rush (only if pre approved) <input type="checkbox"/>					# of Days:										These samples have been previously analyzed by Alpha <input type="checkbox"/>															Other project specific requirements/comments:															Client Code: VANDE-ISLE										Metals List - Cr, Cu, Fe, Zn					Please specify Metals or TAL.															ALPHA Lab ID: (Lab Use Only)		Sample ID		Collection		Sample Matrix	Sampler's Initials	NYTCL-8260 (2172)					ANALYSIS					Sample Filtration		Date	Time						Field pH/Temp						<input type="checkbox"/> Done	<input type="checkbox"/> Lab to do	<i>36745-v1</i>		<i>VDM-10</i>		<i>9/4/20</i>	<i>1154</i>	Water	<i>E/S/ALR</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/> Preservation	<input type="checkbox"/> Lab to do	<i>-02</i>		<i>VDM-11</i>			<i>1140</i>	Water		<input type="checkbox"/>	<i>-03</i>		<i>VDM-14</i>			<i>1217</i>	Water		<input type="checkbox"/>	<i>-04</i>		<i>VDM-12</i>			<i>—</i>	Water		<input type="checkbox"/>	<i>-05</i>		<i>Eighteen Mile Creek</i>			<i>1130</i>	Water		<input type="checkbox"/>	<i>Dry/No sample</i>	<i>-06</i>		<i>D-55</i>			<i>1234</i>	Water		<input type="checkbox"/>	<i>7.82 22.0° F</i>	<i>-07</i>		<i>VDM-9</i>			<i>1236</i>	Water		<input type="checkbox"/>	<i>5</i>	<i>-08</i>		<i>Field DUP- D-55</i>			<i>1234</i>	Water	<i>V</i>	<input type="checkbox"/>	<i>5</i>			<i>Trip Blank</i>			<i>—</i>	DI Water		<input type="checkbox"/>	<i>2</i>	Preservative Code:		Container Code		Westboro: Certification No: MA935		Container Type		<input type="checkbox"/> V	<input type="checkbox"/> P	<input type="checkbox"/> P	<input type="checkbox"/>	<i>Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHA'S TERMS & CONDITIONS.</i>		A = None B = HCl C = HNO ₃ D = H ₂ SO ₄ E = NaOH F = MeOH G = NaHSO ₄ H = Na ₂ S ₂ O ₃ K/E = Zn Ac/NaOH O = Other		P = Plastic A = Amber Glass V = Vial G = Glass B = Bacteria Cup C = Cube O = Other E = Encore D = BOD Bottle		Mansfield: Certification No: MA015		Preservative		<input type="checkbox"/> B	<input type="checkbox"/> C	<input type="checkbox"/> A	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<table border="1"> <tr> <td><i>Relinquished By:</i> <i>Jerry J. AAC</i></td> <td><i>Date/Time:</i> <i>9/4/20</i></td> <td><i>Received By:</i> <i>Alvarez</i></td> <td><i>Date/Time:</i> <i>9/5/20 00:10</i></td> </tr> </table>		<i>Relinquished By:</i> <i>Jerry J. AAC</i>	<i>Date/Time:</i> <i>9/4/20</i>	<i>Received By:</i> <i>Alvarez</i>	<i>Date/Time:</i> <i>9/5/20 00:10</i>															Form No: 01-25 (rev. 30-Sept-2013)																																																																																					
Client Information					Regulatory Requirement					Disposal Site Information																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
Client: VandeMark Chemical, Inc.					<input type="checkbox"/> NY TOGS <input type="checkbox"/> NY Part 375 <input type="checkbox"/> AWQ Standards <input type="checkbox"/> NY CP-51 <input type="checkbox"/> NY Restricted Use <input type="checkbox"/> Other <input type="checkbox"/> NY Unrestricted Use <input type="checkbox"/> NYC Sewer Discharge					Please identify below location of applicable disposal facilities. <input type="checkbox"/> NJ <input type="checkbox"/> NY <input type="checkbox"/> Other																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
Address: One North Transit Road Lockport, NY 14094																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
Project Manager: Jim Wrazen																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
ALPHAQuote #:																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
Phone: 716-433-8784																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
Fax: 716-433-2850																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
Email: j.wrazen@vdmchemical.com																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
Turn Around Time																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
Standard <input checked="" type="checkbox"/>					Due Date:																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
Rush (only if pre approved) <input type="checkbox"/>					# of Days:																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
These samples have been previously analyzed by Alpha <input type="checkbox"/>																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
Other project specific requirements/comments:																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
Client Code: VANDE-ISLE										Metals List - Cr, Cu, Fe, Zn																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
Please specify Metals or TAL.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
ALPHA Lab ID: (Lab Use Only)		Sample ID		Collection		Sample Matrix	Sampler's Initials	NYTCL-8260 (2172)					ANALYSIS					Sample Filtration																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
				Date	Time													Field pH/Temp						<input type="checkbox"/> Done	<input type="checkbox"/> Lab to do																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
<i>36745-v1</i>		<i>VDM-10</i>		<i>9/4/20</i>	<i>1154</i>	Water	<i>E/S/ALR</i>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/> Preservation	<input type="checkbox"/> Lab to do																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
<i>-02</i>		<i>VDM-11</i>			<i>1140</i>	Water		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
<i>-03</i>		<i>VDM-14</i>			<i>1217</i>	Water		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
<i>-04</i>		<i>VDM-12</i>			<i>—</i>	Water		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
<i>-05</i>		<i>Eighteen Mile Creek</i>			<i>1130</i>	Water		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<i>Dry/No sample</i>																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
<i>-06</i>		<i>D-55</i>			<i>1234</i>	Water		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<i>7.82 22.0° F</i>																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
<i>-07</i>		<i>VDM-9</i>			<i>1236</i>	Water		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<i>5</i>																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
<i>-08</i>		<i>Field DUP- D-55</i>			<i>1234</i>	Water	<i>V</i>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<i>5</i>																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
		<i>Trip Blank</i>			<i>—</i>	DI Water		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<i>2</i>																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
Preservative Code:		Container Code		Westboro: Certification No: MA935		Container Type		<input type="checkbox"/> V	<input type="checkbox"/> P	<input type="checkbox"/> P	<input type="checkbox"/>	<i>Please print clearly, legibly and completely. Samples can not be logged in and turnaround time clock will not start until any ambiguities are resolved. BY EXECUTING THIS COC, THE CLIENT HAS READ AND AGREES TO BE BOUND BY ALPHA'S TERMS & CONDITIONS.</i>																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
A = None B = HCl C = HNO ₃ D = H ₂ SO ₄ E = NaOH F = MeOH G = NaHSO ₄ H = Na ₂ S ₂ O ₃ K/E = Zn Ac/NaOH O = Other		P = Plastic A = Amber Glass V = Vial G = Glass B = Bacteria Cup C = Cube O = Other E = Encore D = BOD Bottle		Mansfield: Certification No: MA015		Preservative		<input type="checkbox"/> B	<input type="checkbox"/> C	<input type="checkbox"/> A	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
<table border="1"> <tr> <td><i>Relinquished By:</i> <i>Jerry J. AAC</i></td> <td><i>Date/Time:</i> <i>9/4/20</i></td> <td><i>Received By:</i> <i>Alvarez</i></td> <td><i>Date/Time:</i> <i>9/5/20 00:10</i></td> </tr> </table>		<i>Relinquished By:</i> <i>Jerry J. AAC</i>	<i>Date/Time:</i> <i>9/4/20</i>	<i>Received By:</i> <i>Alvarez</i>	<i>Date/Time:</i> <i>9/5/20 00:10</i>																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
<i>Relinquished By:</i> <i>Jerry J. AAC</i>	<i>Date/Time:</i> <i>9/4/20</i>	<i>Received By:</i> <i>Alvarez</i>	<i>Date/Time:</i> <i>9/5/20 00:10</i>																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
Form No: 01-25 (rev. 30-Sept-2013)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												

MOVING AVERAGE TREND TEST
VDM-9 (1987-2013) & VDM-9R (2014-Present)
1,1,2,2-TETRACHLOROETHANE




WELL VDM - 9 : 1,1,2,2-TETRACHLOROETHANE									
SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING AVERAGE			SAMPLING EVENT NO.
Jan-87		5	5	TOTAL STD	77.062402				1
Apr-87		5	5	TOTAL Sx	9.7089501				2
Jul-87	257.00	5	5	TAL MEAN	68.765				3
Oct-87	198.00	5	5	TOTAL N	64	227.50			4
Jan-88	76.00	5	5	TOTAL df	63	177.00			5
Apr-88	116.00	5	5			161.75			6
Jul-88	500.00	5	5			222.50			7
Oct-88	290.00	5	5			245.50			8
Jan-89	64.00	5	5			242.50			9
Apr-89	12.00	5	5			216.50			10
Jul-89	29.00	5	5			98.75			11
Oct-89	100.00	5	5			51.25			12
Jan-90	58.00	5	5			49.75			13
Apr-90	120.00	5	5			76.75			14
Jul-90	73.00	5	5			87.75			15
Oct-90	124.00	5	5			93.75			16
Jan-91	77.00	5	5			98.50			17
Apr-91	77.00	5	5			87.75			18
Jul-91	58.00	5	5			84.00			19
Oct-91	29.00	5	5			60.25			20
Jan-92	75.00	5	5			59.75			21
Apr-92	100.00	5	5			65.50			22
Jul-92	78.40	5	5			70.60			23
Oct-92	47.80	5	5			75.30			24
Jan-93	68.10	5	5			73.58			25
Apr-93	96.00	5	5			72.58			26
Jul-93	38.00	5	5			62.48			27
Oct-93	44.00	5	5			61.53			28
Jan-94	67.00	5	5			61.25			29
Apr-94	100.00	5	5			62.25			30
Jul-94	2.60	5	5			53.40			31
Oct-94	70.00	5	5			59.90			32
Jan-95	100.00	5	5			68.15			33
Apr-95	79.00	5	5			62.90			34
Jul-95	61.00	5	5			77.50			35
Oct-95	130.00	5	2			92.50			36
Apr-96	51.00	5	2		80.666667	73.25	04/01/96		37
Sep-96	140.00	5	10		95.5	95.5	09/17/96	semiannual	38
Apr-97	55.00	5	10		97.5	97.5	04/03/97	semiannual	39
Aug-97	58.00	5	10		56.5	56.5	08/27/97	semiannual	40
Mar-98	9.50	5	5		33.75	33.75	03/24/98	semiannual	41
Sep-98	61.00	5	5		35.25	35.25	09/22/98	semiannual	42
May-99	56.00	5	10		58.5	58.5	05/11/99	semiannual	43
Sep-99	70.00	5	10		63	63	09/29/99	semiannual	44
May-00	36.00	5	10		53	53	05/16/00	semiannual	45
Nov-00	54.00	5	5		45	45	11/28/00	semiannual	46
Apr-01	28.00	5	5		41	41	04/04/01	semiannual	47
Oct-01	60.00	5	5		44	44	10/18/01	semiannual	48
Apr-02	24.00	5	5		42	42	04/18/02	semiannual	49
Oct-02	33.00	5	5		28.5	28.5	10/03/02	semiannual	50
Apr-03	22.00	5	5		27.5	27.5	04/25/03	semiannual	51

WELL VDM - 9 : 1,1,2,2-TETRACHLOROETHANE

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS	MOVING AVERAGE				SAMPLING EVENT NO.
Oct-03	47.00	5	5		34.5	34.5	10/03/03	semiannual	52
Apr-04	14.00	5	5		30.5	30.5	04/01/04	semiannual	53
Oct-04	40.00	5	5		27	27	10/19/04	semiannual	54
Apr-05	9.00	5	5		24.5	24.5	04/22/05	semiannual	55
Oct-05	20.00	5	5		14.5	14.5	10/07/05	semiannual	56
May-06	21.00	5	5		20.5	20.5	05/11/06	semiannual	57
Oct-06	3.90	5	5		12.45	12.45	10/18/06	semiannual	58
May-07	12.80	5	5		8.35	8.35	05/22/07	semiannual	59
Oct-07	15.40	5	5		14.1	14.1	10/25/07	semiannual	60
May-08	13.00	5	5		14.2	14.2	05/13/08	semiannual	61
Oct-09	11.50	5	5		12.25	12.25	10/29/09	semiannual	62
May-10	8.46	5	5		9.98	9.98	05/20/10	semiannual	63
Oct-10	5.00	5	5		6.73	6.73	10/18/10	semiannual	64
Jun-11	2.00	5	2		3.5	3.5	06/02/11	semiannual	65
Oct-11	5.50	5	2		3.75	3.75	10/12/11	semiannual	66
May-12	9.90	5	2		7.7	7.7	05/18/12	semiannual	67
Oct-12	10.00	5	2		9.95	9.95	10/11/12	semiannual	68
May-13	12.70	5	2		11.35	11.35	05/17/13	semiannual	69
Oct-13	10.30	5	2		11.5	11.5	10/11/13	semiannual	70
Jun-14	2.10	5	2		6.2	6.2	05/06/14	semiannual	71
Oct-14	2.00	5	2		2.05	2.05	10/06/14	semiannual	72
Jul-15	2.00	5	2		2	2	07/09/15	semiannual	73
Jul-16	1.00	5	1		1	1.5	07/20/16	Annual	74
Sep-17	0.50	5	0.5		0.5	0.75	09/22/17	Annual	75
Jul-18	0.50	5	0.5		0.5	0.5	07/24/18	Annual	76
Aug-19	0.50	5	0.5		0.5	0.5	08/06/19	Annual	77
Sep-20	0.19	5	0.5		0.345	0.345	09/04/20	Annual	78

MOVING AVERAGE TREND TEST
VDM-10
1,1,2,2-TETRACHLOROETHANE




WELL VDM - 10 : 1,1,2,2-TETRACHLOROETHANE

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETEC LIMIT	STATISTICS	MOVING AVERAGE				SAMPLING EVENT NO.
-	-	-	-	-----	-	-			-
Jul-84		5	5	TOTAL STD	2.716217135				1
Oct-84		5	5	TOTAL Sx	0.313641739				2
Jan-85	5.00	5	5	TOTAL MEAN	4.155				3
Apr-85	5.00	5	5	TOTAL N	76	5.00			4
Jul-85	5.00	5	5	TOTAL df	75	5.00			5
Oct-85	10.00	5	5			6.25			6
Jan-86	5.00	5	5			6.25			7
Apr-86	5.00	5	5			6.25			8
Jul-86	5.00	5	5			6.25			9
Oct-86	1.60	5	5			4.15			10
Jan-87	3.40	5	5			3.75			11
Apr-87	2.20	5	5			3.05			12
Jul-87	1.00	5	5			2.05			13
Oct-87	1.00	5	5			1.90			14
Jan-88	2.80	5	5			1.75			15
Apr-88	2.90	5	5			1.93			16
Jul-88	4.20	5	5			2.73			17
Oct-88	4.70	5	5			3.65			18
Jan-89	4.70	5	5			4.13			19
Apr-89	4.00	5	5			4.40			20
Jul-89	1.00	5	5			3.60			21
Oct-89	1.00	5	5			2.68			22
Jan-90	1.00	5	5			1.75			23
Apr-90	1.00	5	5			1.00			24
Jul-90	1.00	5	5			1.00			25
Oct-90	1.00	5	5			1.00			26
Jan-91	10.00	5	5			3.25			27
Apr-91	2.00	5	5			3.50			28
Jul-91	2.00	5	5			3.75			29
Oct-91	2.00	5	5			4.00			30
Jan-92	2.00	5	5			2.00			31
Apr-92	1.00	5	5			1.75			32
Jul-92	2.10	5	5			1.78			33
Oct-92	1.25	5	5			1.59			34
Jan-93	1.83	5	5			1.55			35
Apr-93	3.00	5	5			2.05			36
Jul-93	1.00	5	5			1.77			37
Oct-93	3.20	5	5			2.26			38
Jan-94	1.00	5	5			2.05			39
Apr-94	1.00	5	5			1.55			40
Jul-94	1.00	5	5			1.55			41
Oct-94	5.70	5	5			2.18			42
Jan-95	8.80	5	5			4.13			43
Apr-95	4.00	5	5			4.88			44
Jul-95	1.00	5	5			4.88			45
Oct-95	1.00	5	1			3.70			46
Apr-96	10.00	5	10			4.00			47
Sep-96	10.00	5	10			10	10	09/17/96	semiannual
Apr-97	10.00	5	10			10	10	04/03/97	semiannual
Aug-97	10.00	5	10			10	10	08/27/97	semiannual
Mar-98	5.00	5	5			7.5	7.5	03/24/98	semiannual
Sep-98	5.00	5	5			5	5	09/22/98	semiannual

WELL VDM - 10 : 1,1,2,2-TETRACHLOROETHANE

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETEC LIMIT	STATISTICS	MOVING AVERAGE				SAMPLING EVENT NO.
May-99	10.00	5	10		7.5	7.5	05/11/99	semiannual	53
Oct-99	10.00	5	10		10	10	10/05/99	semiannual	54
May-00	10.00	5	10		10	10	05/16/00	semiannual	55
Nov-00	5.00	5	5		7.5	7.5	11/28/00	semiannual	56
Apr-01	5.00	5	5		5	5	04/04/01	semiannual	57
Oct-01	5.00	5	5		5	5	10/18/01	semiannual	58
Apr-02	5.00	5	5		5	5	04/18/02	semiannual	59
Oct-02	5.00	5	5		5	5	10/03/02	semiannual	60
Apr-03	5.00	5	5		5	5	04/25/03	semiannual	61
Oct-03	5.00	5	5		5	5	10/03/03	semiannual	62
Apr-04	5.00	5	5		5	5	04/01/04	semiannual	63
Oct-04	5.00	5	5		5	5	10/19/04	semiannual	64
Apr-05	5.00	5	5		5	5	04/22/05	semiannual	65
Oct-05	5.00	5	5		5	5	10/07/05	semiannual	66
May-06	3.90	5	5		4.45	4.45	05/11/06	semiannual	67
Oct-06	3.90	5	5		3.9	3.9	10/18/06	semiannual	68
May-07	3.90	5	5		3.9	3.9	05/22/07	semiannual	69
Oct-07	3.90	5	5		3.9	3.9	10/25/07	semiannual	70
May-08	3.90	5	5		3.9	3.9	05/13/08	semiannual	71
Oct-08	3.90	5	5		3.9	3.9	10/23/08	semiannual	72
May-09	2.00	5	5		2.95	2.95	05/09/09	semiannual	73
Oct-09	5.00	5	5		3.5	3.5	10/29/09	semiannual	74
May-10	5.00	5	5		5	5	05/20/10	semiannual	75
Oct-10	5.00	5	5		5	5	10/18/10	semiannual	76
Jun-11	2.00	5	2		3.5	3.5	06/02/11	semiannual	77
Oct-11	5.00	5	5		3.5	3.5	10/12/11	semiannual	78
May-12	2.00	5	2		3.5	3.5	05/08/12	semiannual	79
Oct-12	2.00	5	2		2	2	10/11/12	semiannual	80
May-13	2.00	5	2		2	2	05/17/13	semiannual	81
Oct-13	2.00	5	2		2	2	10/11/13	semiannual	82
May-14	10.00	5	10		6	6	05/05/14	semiannual	83
Oct-14	2.00	5	2		6	6	10/06/14	semiannual	84
Jul-15	2.00	5	2		2	2	07/09/15	semiannual	85
Jul-16	1.00	5	1		1	1.5	07/20/16	Annual	86
Sep-17	0.19	5	0.5		0.19	0.595	09/22/17	Annual	87
Jul-18	0.18	5	2		0.18	0.185	07/24/18	Annual	88
Aug-19	0.50	5	0.5		0.5	0.34	08/06/19	Annual	89
Sep-20	0.50	5	0.5		0.5	0.5	09/04/20	Annual	90

MOVING AVERAGE TREND TEST
VDM-11
1,1,2,2-TETRACHLOROETHANE




WELL VDM - 11 : 1,1,2,2-TETRACHLOROETHANE

SAMPLING EVENT NO.	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS	MOVING AVG				SAMPLING EVENT NO.
-	-	-	-	-	-				-
Jan-87		5	5	TOTAL STD	51.2874				1
Apr-87		5	5	TOTAL Sx	6.3130				2
Jul-87	5.00	5	5	TOTAL MEAN	18.7876				3
Oct-87	5.00	5	5	TOTAL N	67				4
Jan-88	37.20	5	5	TOTAL df	66				5
Apr-88	115.00	5	5		40.55				6
Jul-88	1.00	5	5		39.55				7
Oct-88	390.00	5	5		135.80				8
Jan-89	35.00	5	5		135.25				9
Apr-89	97.00	5	5		130.75				10
Jul-89	48.00	5	5		142.50				11
Oct-89	100.00	5	5		70.00				12
Jan-90	13.00	5	5		64.50				13
Apr-90	37.00	5	5		49.50				14
Jul-90	8.00	5	5		39.50				15
Oct-90		5	5		19.33				16
Jan-91	2.20	5	5		15.73				17
Apr-91	2.00	5	5		4.07				18
Jul-91	3.80	5	5		2.67				19
Oct-91	4.60	5	5		3.15				20
Jan-92	11.00	5	5		5.35				21
Apr-92	10.00	5	5		7.35				22
Jul-92	1.25	5	5		6.71				23
Oct-92	2.40	5	5		6.16				24
Jan-93	6.22	5	5		4.97				25
Apr-93	1.00	5	5		2.72				26
Jul-93	3.00	5	5		3.16				27
Oct-93	3.10	5	5		3.33				28
Jan-94	3.80	5	5		2.73				29
Apr-94	8.50	5	5		4.60				30
Jul-94	76.00	5	5		22.85				31
Oct-94	2.90	5	5		22.80				32
Jan-95	7.20	5	5		23.65				33
Apr-95	3.50	5	5		22.40				34
Jul-95	1.80	5	5		3.85				35
Oct-95	3.90	5	1		4.10				36
Apr-96	10.00	5	10		5.233333333				37
Sep-96	10.00	5	10		10	10	9/17/1996	semiannual	38
Apr-97	10.00	5	10		10	10	4/3/1997	semiannual	39
Aug-97	28.00	5	10		19	19	8/27/1997	semiannual	40
Mar-98	5.00	5	5		16.5	16.5	3/24/1998	semiannual	41
Sep-98	22.00	5	5		13.5	13.5	9/22/1998	semiannual	42
May-99	10.00	5	10		16	16	5/11/1999	semiannual	43
Oct-99	10.00	5	10		10	10	10/5/1999	semiannual	44
May-00	10.00	5	10		10	10	5/16/2000	semiannual	45
Nov-00	6.00	5	5		8	8	11/28/2000	semiannual	46
Apr-01	5.00	5	5		5.5	5.5	4/4/2001	semiannual	47
Oct-01	6.00	5	5		5.5	5.5	10/18/2001	semiannual	48
Apr-02	5.00	5	5		5.5	5.5	4/18/2002	semiannual	49
Oct-02	4.00	5	5		4.5	4.5	10/3/2002	semiannual	50

WELL VDM - 11 : 1,1,2,2-TETRACHLOROETHANE

SAMPLING EVENT NO.	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS	MOVING AVG				SAMPLING EVENT NO.
Apr-03	2.00	5	5		3	3	4/25/2003	semiannual	51
Oct-03	2.00	5	5		2	2	10/3/2003	semiannual	52
Apr-04	5.00	5	5		3.5	3.5	4/1/2004	semiannual	53
Oct-04	2.00	5	5		3.5	3.5	10/19/2004	semiannual	54
Apr-05	2.00	5	5		2	2	4/22/2005	semiannual	55
Oct-05	1.00	5	5		1.5	1.5	10/7/2005	semiannual	56
May-06	3.90	5	5		2.45	2.45	5/11/2006	semiannual	57
Oct-06	3.90	5	5		3.9	3.9	10/18/2006	semiannual	58
May-07	3.90	5	5		3.9	3.9	5/22/2007	semiannual	59
Oct-07	3.90	5	5		3.9	3.9	10/25/2007	semiannual	60
May-08	3.90	5	5		3.9	3.9	5/13/2008	semiannual	61
Oct-08	3.90	5	5		3.9	3.9	10/23/2008	semiannual	62
May-09	5.00	5	5		4.45	4.45	5/12/2009	semiannual	63
Oct-09	5.00	5	5		5	5	10/29/2009	semiannual	64
May-10	5.00	5	5		5	5	5/20/2010	semiannual	65
Oct-10	5.00	5	5		5	5	10/18/2010	semiannual	66
Jun-11	2.00	5	2		3.5	3.5	6/2/2011	semiannual	67
Oct-11	5.00	5	5		3.5	3.5	10/12/2011	semiannual	68
May-12	2.00	5	2		3.5	3.5	5/18/2012	semiannual	69
Oct-12	2.00	5	2		2	2	10/11/2012	semiannual	70
May-13	2.00	5	2		2	2	5/17/2013	semiannual	71
Oct-13	2.00	5	2		2	2	10/11/2013	semiannual	72
May-14	10.00	5	10		6	6	5/5/2014	semiannual	73
Oct-14	2.00	5	2		6	6	10/6/2014	semiannual	74
Jul-15	2.00	5	2		2	2	7/9/2015	semiannual	75
Jul-16	1.00	5	1		1	1.5	7/20/2016	Annual	76
Sep-17	0.57	5	0.5		0.57	0.785	9/22/2017	Annual	77
Jul-18	0.83	5	0.5		0.83	0.7	7/24/2018	Annual	78
Aug-19	0.50	5	0.5		0.5	0.665	8/6/2019	Annual	79
Sep-20	0.85	5	0.5		0.675	0.675	9/4/2020	Annual	80

MOVING AVERAGE TREND TEST
VDM-14 (1987-2007) & VDM-14R (2008-Present) 1,1,2,2-TETRACHLOROETHANE




WELL VDM - 14 : 1,1,2,2-TETRACHLOROETHANE

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING AVG			EVENT NO.
-	-	-	-	-	-	-			-
Oct-85	1.00	5	5	TOTAL STD	61.491334				1
Jan-86	46.00	5	5	TOTAL Sx	7.3496201				2
Apr-86	38.00	5	5	TOTAL MEAN	51.245775				3
Jul-86	450.00	5	5	TOTAL N	71	133.75			4
Oct-86	97.00	5	5	TOTAL df	70	157.75			5
Jan-87	93.00	5	5			169.50			6
Apr-87	77.00	5	5			179.25			7
Jul-87	65.00	5	5			83.00			8
Oct-87	3.00	5	5			59.50			9
Jan-88	2.00	5	5			36.75			10
Apr-88	65.00	5	5			33.75			11
Jul-88	1.00	5	5			17.75			12
Oct-88		5	5			22.67			13
Jan-89	48.00	5	5			38.00			14
Apr-89	47.00	5	5			32.00			15
Jul-89	2.00	5	5			32.33			16
Oct-89	1.00	5	5			24.50			17
Jan-90	2.00	5	5			13.00			18
Apr-90	24.00	5	5			7.25			19
Jul-90	54.00	5	5			20.25			20
Oct-90	11.00	5	5			22.75			21
Jan-91	1.25	5	5			22.56			22
Apr-91	19.60	5	5			21.46			23
Jul-91	24.40	5	5			14.06			24
Oct-91	1.00	5	5			11.56			25
Jan-92	3.00	5	5			12.00			26
Apr-92	3.00	5	5			7.85			27
Jul-92	39.00	5	5			11.50			28
Oct-92	9.30	5	5			13.58			29
Jan-93	11.00	5	5			15.58			30
Apr-93	17.00	5	5			19.08			31
Jul-93	1.00	5	5			9.58			32
Oct-93	1.00	5	5			7.50			33
Jan-94	14.00	5	5			8.25			34
Apr-94	16.00	5	5			8.00			35
Jul-94	18.00	5	5			12.25			36
Oct-94	15.00	5	5			15.75			37
Jan-95	8.60	5	5			14.40			38
Apr-95	38.00	5	5			19.90			39
Jul-95	36.00	5	5			24.40			40
Oct-95	81.00	5	2			40.90			41
Apr-96	10.00	5	10			40.9			42
Sep-96	81.00	5	10		57.33333333	45.5	9/17/1996	semiannual	43
Apr-97	36.00	5	10		58.5	58.5	4/3/1997	semiannual	44
Aug-97	120.00	5	100		78	78	8/27/1997	semiannual	45
Mar-98	14.00	5	5		67	67	3/24/1998	semiannual	46
Sep-98	120.00	5	5		67	67	9/22/1998	semiannual	47
May-99	45.00	5	10		82.5	82.5	5/11/1999	semiannual	48
Oct-99	128.00	5	10		86.5	86.5	10/5/1999	semiannual	49
Nov-00	76.00	5	5		102	102	11/28/2000	semiannual	50
Apr-01	30.00	5	5		53	53	4/4/2001	semiannual	51
Oct-01	57.00	5	5		43.5	43.5	10/18/2001	semiannual	52

WELL VDM - 14 : 1,1,2,2-TETRACHLOROETHANE

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS	MOVING AVG				EVENT NO.
Apr-02	10.00	5	5		33.5	33.5	4/18/2002	semiannual	53
Oct-02	72.00	5	25		41	41	10/3/2002	semiannual	54
Apr-03	42.00	5	10		57	57	4/25/2003	semiannual	55
Oct-03	100.00	5	5		71	71	10/3/2003	semiannual	56
Apr-04	39.00	5	10		69.5	69.5	4/1/2004	semiannual	57
Oct-04	84.00	5	10		61.5	61.5	10/19/2004	semiannual	58
Apr-05	46.00	5	10		65	65	4/22/2005	semiannual	59
Oct-05	97.00	5	10		71.5	71.5	10/7/2005	semiannual	60
May-06	129.00	5	10		113	113	5/11/2006	semiannual	61
Oct-06	111.00	5	10		120	120	10/18/2006	semiannual	62
May-07	113.00	5	10		112	112	5/22/2007	semiannual	63
Oct-07	144.00	5	10		128.5	128.5	10/25/2007	semiannual	64
Oct-08	84.70	5	10		114.35	114.35	10/23/2008	semiannual	65
May-09	46.20	5	25		65.45	65.45	5/12/2009	semiannual	66
Oct-09	55.00	5	25		50.6	50.6	10/29/2009	semiannual	67
May-10	57.00	5	25		56	56	5/20/2010	semiannual	68
Oct-10	5.00	5	25		31	31	10/18/2010	semiannual	69
Jun-11	45.80	5	25		25.4	25.4	6/2/2011	semiannual	70
Oct-11	80.00	5	50		62.9	62.9	10/12/2011	semiannual	71
May-12	76.60	5	2		78.3	78.3	5/18/2012	semiannual	72
Oct-12	136.00	5	2		106.3	106.3	10/11/2012	semiannual	73
May-13	101.00	5	2		118.5	118.5	5/17/2013	semiannual	74
Oct-13	88.70	5	2		94.85	94.85	10/11/2013	semiannual	75
May-14	57.60	5	2		73.15	73.15	5/5/2014	semiannual	76
Oct-14	96.20	5	2		76.9	76.9	10/6/2014	semiannual	77
Jul-15	66.90	5	2		81.55	81.55	7/6/2015	semiannual	78
Jul-16	58.00	5	1		58	62.45	7/20/2016	Annual	79
Sep-17	54.00	5	2		54	56	9/22/2017	Annual	80
Jul-18	67.00	5	2		67	60.5	7/24/2018	Annual	81
Aug-19	66.00	5	2.5		66	66.5	8/6/2019	Annual	82
Sep-20	47.00	5	1.2		56.5	56.5	9/4/2020	Annual	83

MOVING AVERAGE TREND TEST
VDM-9 (1987-2013) & VDM-9R (2014-Present)
1,2-DICHLOROETHANE




WELL VDM - 9 : 1,2-DICHLOROETHANE

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS	MOVING AVG				EVENT NO.
Jan-87		0.6	5	TOTAL STD	20.374444				1
Apr-87		0.6	5	TOTAL Sx	2.5271388				2
Jul-87	32.00	0.6	5	TOTAL MEAN	17.325758				3
Oct-87	5.00	0.6	5	TOTAL N	66				4
Jan-88	13.00	0.6	5	TOTAL df	65				5
Apr-88	13.00	0.6	5		15.75				6
Jul-88	1.00	0.6	5		8.00				7
Oct-88	19.00	0.6	5		11.50				8
Jan-89	10.00	0.6	5		10.75				9
Apr-89	6.00	0.6	5		9.00				10
Jul-89	9.00	0.6	5		11.00				11
Oct-89	14.00	0.6	5		9.75				12
Jan-90	1.00	0.6	5		7.50				13
Apr-90	19.00	0.6	5		10.75				14
Jul-90	10.00	0.6	5		11.00				15
Oct-90	10.00	0.6	5		10.00				16
Jan-91	14.00	0.6	5		13.25				17
Apr-91	18.00	0.6	5		13.00				18
Jul-91	11.00	0.6	5		13.25				19
Oct-91	6.00	0.6	5		12.25				20
Jan-92	2.40	0.6	5		9.35				21
Apr-92	27.00	0.6	5		11.60				22
Jul-92	16.50	0.6	5		12.98				23
Oct-92	16.40	0.6	5		15.58				24
Jan-93	16.90	0.6	5		19.20				25
Apr-93	20.40	0.6	5		17.55				26
Jul-93	4.00	0.6	5		14.43				27
Oct-93	14.00	0.6	5		13.83				28
Jan-94	19.00	0.6	5		14.35				29
Apr-94	13.00	0.6	5		12.50				30
Jul-94	1.00	0.6	5		11.75				31
Oct-94	19.00	0.6	5		13.00				32
Jan-95	17.00	0.6	5		12.50				33
Apr-95	16.00	0.6	5		13.25				34
Jul-95	16.00	0.6	5		17.00				35
Oct-95	28.00	0.6	2		19.25				36
Apr-96	11.00	0.6	2		18.33	16.5			37
Sep-96	25.00	0.6	10		18	18	09/17/96	semiannual	38
Apr-97	11.00	0.6	10		18	18	04/03/97	semiannual	39
Aug-97	13.00	0.6	10		12	12	08/27/97	semiannual	40
Mar-98	5.00	0.6	5		9	9	03/24/98	semiannual	41
Sep-98	12.00	0.6	5		8.5	8.5	09/22/98	semiannual	42
May-99	17.00	0.6	10		14.5	14.5	05/11/99	semiannual	43
Sep-99	18.00	0.6	10		17.5	17.5	09/29/99	semiannual	44
May-00	10.00	0.6	10		14	14	05/16/00	semiannual	45
Nov-00	10.00	0.6	5		10	10	11/28/00	semiannual	46
Apr-01	5.00	0.6	5		7.5	7.5	04/04/01	semiannual	47
Oct-01	19.00	0.6	5		12	12	10/18/01	semiannual	48
Apr-02	4.00	0.6	5		11.5	11.5	04/18/02	semiannual	49
Oct-02	10.00	0.6	5		7	7	10/03/02	semiannual	50
Apr-03	5.00	0.6	5		7.5	7.5	04/25/03	semiannual	51
Oct-03	11.00	0.6	5		8	8	10/03/03	semiannual	52
Apr-04	2.00	0.6	5		6.5	6.5	04/01/04	semiannual	53

WELL VDM - 9 : 1,2-DICHLOROETHANE

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS	MOVING AVG				EVENT NO.
Oct-04	8.00	0.6	5		5	5	10/19/04	semiannual	54
Apr-05	1.00	0.6	5		4.5	4.5	04/22/05	semiannual	55
Oct-05	9.00	0.6	5		5	5	10/07/05	semiannual	56
May-06	6.30	0.6	5		7.65	7.65	05/11/06	semiannual	57
Oct-06	138.00	0.6	5		72.15	72.15	10/18/06	semiannual	58
May-07	29.20	0.6	5		83.6	83.6	05/22/07	semiannual	59
Oct-07	86.90	0.6	5		58.05	58.05	10/25/07	semiannual	60
May-08	20.60	0.6	5		53.75	79.3	05/13/08	semiannual	61
Oct-08	ns	0.6	ns		#VALUE!	80	10/23/08	semiannual	62
May-09	27.50	0.6	5		#VALUE!	24.05	05/12/09	semiannual	63
Oct-09	58.90	0.6	5		43.2	43.2	10/29/09	semiannual	64
May-10	21.40	0.6	5		40.15	40.15	05/20/10	semiannual	65
Oct-10	54.80	0.6	5		38.1	38.1	10/18/10	semiannual	66
Jun-11	12.30	0.6	5		33.55	33.55	06/02/11	semiannual	67
Oct-11	24.00	0.6	5		18.15	18.15	10/12/11	semiannual	68
May-12	2.00	0.6	2		13	13	05/18/12	semiannual	69
Oct-12	3.00	0.6	2		2.5	2.5	10/11/12	semiannual	70
May-13	2.00	0.6	2		2.5	2.5	05/17/13	semiannual	71
Oct-13	2.00	0.6	2		2	2	10/11/13	semiannual	72
Jun-14	2.00	0.6	2		2	2	05/05/14	semiannual	73
Oct-14	2.00	0.6	2		2	2	10/06/14	semiannual	74
Jul-15	2.00	0.6	2		2	2	07/09/15	semiannual	75
Jul-16	1.50	0.6	1.5		1.5	1.75	07/20/16	Annual	76
Sep-17	0.50	0.6	0.5		0.5	1	09/22/17	Annual	77
Jul-18	0.20	0.6	0.5		0.2	0.35	07/24/18	Annual	78
Aug-19	0.25	0.6	2.5		0.25	0.225	08/06/19	Annual	79
Sep-20	0.24	0.6	0.5		0.245	0.245	09/04/20	Annual	80

MOVING AVERAGE TREND TEST
VDM-10
1,2-DICHLOROETHANE




WELL VDM - 10 : 1,2-DICHLOROETHANE

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETEC LIMIT	STATISTICS	MOVING AVERAGE				EVENT NO.
Jul-84		0.6	5	TOTAL STD	5.439336502				1
Oct-84		0.6	5	TOTAL Sx	0.628080479				2
Jan-85	9.90	0.6	5	TOTAL MEAN	7.2				3
Apr-85	5.00	0.6	5	TOTAL N	76	7.45			4
Jul-85	5.00	0.6	5	TOTAL df	75	6.63			5
Oct-85	10.00	0.6	5			7.48			6
Jan-86	5.00	0.6	5			6.25			7
Apr-86	7.20	0.6	5			6.80			8
Jul-86	7.90	0.6	5			7.53			9
Oct-86	7.20	0.6	5			6.83			10
Jan-87	3.30	0.6	5			6.40			11
Apr-87	2.70	0.6	5			5.28			12
Jul-87	1.00	0.6	5			3.55			13
Oct-87	1.00	0.6	5			2.00			14
Jan-88	7.60	0.6	5			3.08			15
Apr-88	7.80	0.6	5			4.35			16
Jul-88	23.00	0.6	5			9.85			17
Oct-88	23.00	0.6	5			15.35			18
Jan-89	21.00	0.6	5			18.70			19
Apr-89	20.00	0.6	5			21.75			20
Jul-89	1.00	0.6	5			16.25			21
Oct-89	0.20	0.6	5			10.55			22
Jan-90	7.00	0.6	5			7.05			23
Apr-90	8.00	0.6	5			4.05			24
Jul-90	11.00	0.6	5			6.55			25
Oct-90	1.00	0.6	5			6.75			26
Jan-91	20.00	0.6	5			10.00			27
Apr-91	7.10	0.6	5			9.78			28
Jul-91	2.00	0.6	5			7.53			29
Oct-91	3.90	0.6	5			8.25			30
Jan-92	6.40	0.6	5			4.85			31
Apr-92	8.00	0.6	5			5.08			32
Jul-92	4.70	0.6	5			5.75			33
Oct-92	5.45	0.6	5			6.14			34
Jan-93	14.90	0.6	5			8.26			35
Apr-93	6.75	0.6	5			7.95			36
Jul-93	7.80	0.6	5			8.73			37
Oct-93	21.00	0.6	5			12.61			38
Jan-94	10.00	0.6	5			11.39			39
Apr-94	1.00	0.6	5			9.95			40
Jul-94	9.00	0.6	5			10.25			41
Oct-94	7.20	0.6	5			6.80			42
Jan-95	2.10	0.6	5			4.83			43
Apr-95	12.00	0.6	5			7.58			44
Jul-95	18.00	0.6	5			9.83			45
Oct-95	14.00	0.6	1			11.53			46
Apr-96	10.00	0.6	10			14.00	13.00		47
Sep-96	10.00	0.6	10			10	10	09/17/96	semiannual
Apr-97	10.00	0.6	10			10	10	04/03/97	semiannual
Aug-97	12.00	0.6	10			11	11	08/27/97	semiannual
Mar-98	1.40	0.6	5			6.7	6.7	03/24/98	semiannual
Sep-98	5.70	0.6	5			3.55	3.55	09/22/98	semiannual
May-99	10.00	0.6	10			7.85	7.85	05/11/99	semiannual

WELL VDM - 10 : 1,2-DICHLOROETHANE

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETEC LIMIT	STATISTICS	MOVING AVERAGE				EVENT NO.
Oct-99	10.00	0.6	10		10	10	10/05/99	semianual	54
May-00	10.00	0.6	10		10	10	05/16/00	semianual	55
Nov-00	4.00	0.6	5		7	7	11/28/00	semianual	56
Apr-01	1.00	0.6	5		2.5	2.5	04/04/01	semianual	57
Oct-01	5.00	0.6	5		3	3	10/18/01	semianual	58
Apr-02	5.00	0.6	5		5	5	04/18/02	semianual	59
Oct-02	3.00	0.6	5		4	4	10/03/02	semianual	60
Apr-03	2.00	0.6	5		2.5	2.5	04/25/03	semianual	61
Oct-03	3.00	0.6	5		2.5	2.5	10/03/03	semianual	62
Apr-04	3.00	0.6	5		3	3	04/01/04	semianual	63
Oct-04	2.00	0.6	5		2.5	2.5	10/19/04	semianual	64
Apr-05	3.00	0.6	5		2.5	2.5	04/22/05	semianual	65
Oct-05	3.00	0.6	5		3	3	10/07/05	semianual	66
May-06	5.00	0.6	5		4	4	05/11/06	semianual	67
Oct-06	5.00	0.6	5		5	5	10/18/06	semianual	68
May-07	5.00	0.6	5		5	5	05/22/07	semianual	69
Oct-07	5.00	0.6	5		5	5	10/25/07	semianual	70
May-08	5.00	0.6	5		5	5	05/13/08	semianual	71
Oct-08	5.00	0.6	5		5	5	10/23/08	semianual	72
May-09	5.00	0.6	5		5	5	05/12/09	semianual	73
Oct-09	5.00	0.6	5		5	5	10/29/09	semianual	74
May-10	5.00	0.6	5		5	5	05/20/10	semianual	75
Oct-10	5.00	0.6	5		5	5	10/18/10	semianual	76
Jun-11	2.00	0.6	2		3.5	3.5	06/02/11	semianual	77
Oct-11	5.00	0.6	5		3.5	3.5	10/12/11	semianual	78
May-12	2.00	0.6	2		3.5	3.5	05/18/12	semianual	79
Oct-12	3.30	0.6	2		2.65	2.65	10/11/12	semianual	80
May-13	2.00	0.6	2		2.65	2.65	05/17/13	semianual	81
Oct-13	2.00	0.6	2		2	2	10/11/13	semianual	82
May-14	10.00	0.6	2		6	6	05/05/14	semianual	83
Oct-14	2.00	0.6	2		6	6	10/06/14	semianual	84
Jul-15	2.00	0.6	2		2	2	07/09/15	semianual	85
Jul-16	1.80	0.6	1.5		1.8	1.9	07/20/16	Annual	86
Sep-17	1.20	0.6	0.5		1.2	1.5	09/22/17	Annual	87
Jul-18	1.40	0.6	0.5		1.4	1.3	07/24/18	Annual	88
Aug-19	1.20	0.6	2		1.2	1.3	08/06/19	Annual	89
Sep-20	1.40	0.6	0.5		1.4	1.3	09/04/20	Annual	90

MOVING AVERAGE TREND TEST
VDM-11
1,2-DICHLOROETHANE




WELL VDM - 11 : 1,2-DICHLOROETHANE

SAMPLING EVENT NO.	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING AVG			EVENT NO.
-	-	-	-	-	-	-			-
Jan-87		0.6	5	TOTAL STD	3.1678				1
Apr-87		0.6	5	TOTAL Sx	0.3929				2
Jul-87	5.50	0.6	5	TOTAL MEAN	4.2712				3
Oct-87	5.00	0.6	5	TOTAL N	66				4
Jan-88	5.00	0.6	5	TOTAL df	65				5
Apr-88	6.90	0.6	5			5.60			6
Jul-88	1.00	0.6	5			4.48			7
Oct-88	3.50	0.6	5			4.10			8
Jan-89	3.80	0.6	5			3.80			9
Apr-89	7.10	0.6	5			3.85			10
Jul-89	1.00	0.6	5			3.85			11
Oct-89	1.00	0.6	5			3.23			12
Jan-90	1.00	0.6	5			2.53			13
Apr-90	4.00	0.6	5			1.75			14
Jul-90	1.00	0.6	5			1.75			15
Oct-90	10.00	0.6	5			4.00			16
Jan-91	2.00	0.6	5			4.25			17
Apr-91	2.00	0.6	5			3.75			18
Jul-91	2.00	0.6	5			4.00			19
Oct-91	2.00	0.6	5			2.00			20
Jan-92	1.00	0.6	5			1.75			21
Apr-92	1.00	0.6	5			1.50			22
Jul-92	1.25	0.6	5			1.31			23
Oct-92	1.25	0.6	5			1.13			24
Jan-93	1.50	0.6	5			1.25			25
Apr-93	1.00	0.6	5			1.25			26
Jul-93	1.50	0.6	5			1.31			27
Oct-93	1.00	0.6	5			1.25			28
Jan-94	1.00	0.6	5			1.13			29
Apr-94	1.00	0.6	5			1.13			30
Jul-94	13.00	0.6	5			4.00			31
Oct-94	1.00	0.6	5			4.00			32
Jan-95	1.00	0.6	5			4.00			33
Apr-95	1.00	0.6	5			4.00			34
Jul-95	1.00	0.6	5			1.00			35
Oct-95	1.00	0.6	1			1.00			36
Apr-96	10.00	0.6	10			4.00			37
Sep-96	10.00	0.6	10			10	10	9/17/1996	semiannual
Apr-97	10.00	0.6	10			10	10	4/3/1997	semiannual
Aug-97	10.00	0.6	10			10	10	8/27/1997	semiannual
Mar-98	5.00	0.6	5			7.5	7.5	3/24/1998	semiannual
Sep-98	2.60	0.6	5			3.8	3.8	9/22/1998	semiannual
May-99	10.00	0.6	10			6.3	6.3	5/11/1999	semiannual
Oct-99	10.00	0.6	10			10	10	10/5/1999	semiannual
May-00	10.00	0.6	10			10	10	5/16/2000	semiannual
Nov-00	5.00	0.6	5			7.5	7.5	11/28/2000	semiannual
Apr-01	5.00	0.6	5			5	5	4/4/2001	semiannual
Oct-01	1.00	0.6	5			3	3	10/18/2001	semiannual
Apr-02	5.00	0.6	5			3	3	4/18/2002	semiannual
Oct-02	5.00	0.6	5			5	5	10/3/2002	semiannual
Apr-03	5.00	0.6	5			5	5	4/25/2003	semiannual
Oct-03	11.00	0.6	5			8	8	10/3/2003	semiannual

WELL VDM - 11 : 1,2-DICHLOROETHANE

SAMPLING EVENT NO.	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS	MOVING AVG				EVENT NO.
Apr-04	5.00	0.6	5		8	8	4/1/2004	semiannual	53
Oct-04	5.00	0.6	5		5	5	10/19/2004	semiannual	54
Apr-05	5.00	0.6	5		5	5	4/22/2005	semiannual	55
Oct-05	5.00	0.6	5		5	5	10/7/2005	semiannual	56
May-06	5.00	0.6	5		5	5	5/11/2006	semiannual	57
Oct-06	5.00	0.6	5		5	5	10/18/2006	semiannual	58
May-07	5.00	0.6	5		5	5	5/22/2007	semiannual	59
May-08	5.00	0.6	5		5	5	5/13/2008	semiannual	60
Oct-08	5.00	0.6	5		5	5	10/23/2008	semiannual	61
May-09	5.00	0.6	5		5	5	5/12/2009	semiannual	62
Oct-09	5.00	0.6	5		5	5	10/29/2009	semiannual	63
May-10	5.00	0.6	5		5	5	5/20/2010	semiannual	64
Oct-10	5.00	0.6	5		5	5	10/18/2010	semiannual	65
Jun-11	2.00	0.6	2		3.5	3.5	6/2/2011	semiannual	66
Oct-11	5.00	0.6	5		3.5	3.5	10/12/2011	semiannual	67
May-12	2.00	0.6	2		3.5	3.5	5/18/2012	semiannual	68
Oct-12	2.00	0.6	2		2	2	10/11/2012	semiannual	69
May-13	2.00	0.6	2		2	2	5/17/2013	semiannual	70
Oct-13	2.00	0.6	2		2	2	10/11/2013	semiannual	71
May-14	10.00	0.6	10		6	6	5/5/2014	semiannual	72
Oct-14	2.00	0.6	2		6	6	10/6/2014	semiannual	73
Jul-15	2.00	0.6	2		2	2	7/9/2015	semiannual	74
Jul-16	1.50	0.6	1.5		1.5	1.75	7/20/2016	Annual	75
Sep-17	0.16	0.6	0.5		0.16	0.83	9/22/2017	Annual	76
Jul-18	0.28	0.6	0.5		0.28	0.22	7/24/2018	Annual	77
Aug-19	0.13	0.6	0.5		0.13	0.205	8/6/2019	Annual	78
Sep-20	0.18	0.6	0.5		0.18	0.155	9/4/2020	Annual	79

MOVING AVERAGE TREND TEST
VDM-14 (1987-2007) & VDM-14R (2008-Present) 1,2-DICHLOROETHANE




WELL VDM - 14 : 1,2-DICHLOROETHANE

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING AVG			EVENT NO.
-	-	-	-	-	-	-			-
Oct-85	1	0.6	5	TOTAL STD	248.01127				1
Jan-86	1	0.6	5	TOTAL Sx	29.433522				2
Apr-86	13	0.6	5	TOTAL MEAN	89.844444				3
Jul-86	20	0.6	5	TOTAL N	72	8.75			4
Oct-86	1	0.6	5	TOTAL df	71	8.75			5
Jan-87	1	0.6	5			8.75			6
Apr-87	1	0.6	5			5.75			7
Jul-87	1	0.6	5			1.00			8
Oct-87	1	0.6	5			1.00			9
Jan-88	1	0.6	5			1.00			10
Apr-88	5	0.6	5			2.00			11
Jul-88	1	0.6	5			2.00			12
Oct-88	10	0.6	5			4.25			13
Jan-89	2	0.6	5			4.50			14
Apr-89	1	0.6	5			3.50			15
Jul-89	2	0.6	5			3.75			16
Oct-89	1	0.6	5			1.50			17
Jan-90	2	0.6	5			1.50			18
Apr-90	2	0.6	5			1.75			19
Jul-90	1	0.6	5			1.50			20
Oct-90	1	0.6	5			1.50			21
Jan-91	1.25	0.6	5			1.31			22
Apr-91	1.25	0.6	5			1.13			23
Jul-91	1.5	0.6	5			1.25			24
Oct-91	1	0.6	5			1.25			25
Jan-92	1.5	0.6	5			1.31			26
Apr-92	1	0.6	5			1.25			27
Jul-92	3.8	0.6	5			1.83			28
Oct-92	1	0.6	5			1.83			29
Jan-93	1	0.6	5			1.70			30
Apr-93	1	0.6	5			1.70			31
Jul-93	13	0.6	5			4.00			32
Oct-93	7.3	0.6	5			5.58			33
Jan-94	1.6	0.6	5			5.73			34
Apr-94	1	0.6	5			5.73			35
Jul-94	1	0.6	5			2.73			36
Oct-94	1.1	0.6	5			1.18			37
Jan-95	1	0.6	5			1.03			38
Apr-95	3.3	0.6	5			1.60			39
Jul-95	3.5	0.6	5			2.23			40
Oct-95	5.9	0.6	2			3.43			41
Apr-96	10	0.6	10			6.47			42
Sep-96	10	0.6	10			7.35	10.00	9/17/1996	semiannual
Apr-97	10	0.6	10			10.00	10.00	4/3/1997	semiannual
Aug-97	ND*	0.6	100		#VALUE!	#VALUE!	#VALUE!	8/27/1997	semiannual
Mar-98	1.9	0.6	5		#VALUE!	#VALUE!	#VALUE!	3/24/1998	semiannual
Sep-98	5.1	0.6	5			3.50	3.50	9/22/1998	semiannual
May-99	10	0.6	10			7.55	7.55	5/11/1999	semiannual
Oct-99	10	0.6	10			10.00	10.00	10/5/1999	semiannual
Nov-00	4	0.6	5			7.00	7.00	11/28/2000	semiannual
Apr-01	2	0.6	5			3.00	3.00	4/4/2001	semiannual
Oct-01	4	0.6	5			3.00	3.00	10/18/2001	semiannual

WELL VDM - 14 : 1,2-DICHLOROETHANE

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS	MOVING AVG				EVENT NO.
Apr-02	1	0.6	5		2.50	2.50	4/18/2002	semiannual	53
Oct-02	5	0.6	25		3.00	3.00	10/3/2002	semiannual	54
Apr-03	2	0.6	10		3.50	3.50	4/25/2003	semiannual	55
Oct-03	6	0.6	5		4.00	4.00	10/3/2003	semiannual	56
Apr-04	4	0.6	10		5.00	5.00	4/1/2004	semiannual	57
Oct-04	9	0.6	10		6.50	6.50	10/19/2004	semiannual	58
Apr-05	7	0.6	10		8.00	8.00	4/22/2005	semiannual	59
Oct-05	16	0.6	10		11.50	11.50	10/7/2005	semiannual	60
May-06	24.6	0.6	10		20.30	20.30	5/11/2006	semiannual	61
Oct-06	1210	0.6	10		617.30	617.30	10/18/2006	semiannual	62
May-07	1020	0.6	10		1115.00	1115.00	5/22/2007	semiannual	63
Oct-07	191	0.6	10		605.50	605.50	10/25/2007	semiannual	64
Oct-08	788	0.6	10		489.50	489.50	10/23/2008	semiannual	65
May-09	476	0.6	25		632.00	632.00	5/12/2009	semiannual	66
Oct-09	492	0.6	25		484.00	484.00	10/29/2009	semiannual	67
May-10	598	0.6	25		545.00	545.00	5/20/2010	semiannual	68
Oct-10	880	0.6	25		739.00	739.00	10/18/2010	semiannual	69
Jun-11	492	0.6	25		686.00	686.00	6/2/2011	semiannual	70
Oct-11	50	0.6	50		271.00	271.00	10/12/2011	semiannual	71
May-12	8.2	0.6	2		29.10	29.10	5/18/2012	semiannual	72
Oct-12	10.2	0.6	2		9.20	9.20	10/11/2012	semiannual	73
May-13	8.1	0.6	2		9.15	9.15	5/17/2013	semiannual	74
Oct-13	8.7	0.6	2		8.40	8.40	10/11/2013	semiannual	75
May-14	10	0.6	10		9.35	9.35	5/5/2014	semiannual	76
Oct-14	12.6	0.6	2		11.30	11.30	10/6/2014	semiannual	77
Jul-15	6	0.6	2		6.00	9.30	7/6/2015	semiannual	78
Jul-16	15	0.6	1.5		15.00	10.50	7/20/2016	Annual	79
Sep-17	6.3	0.6	0.5		6.30	10.65	9/22/2017	Annual	80
Jul-18	9.4	0.6	2.5		9.40	7.85	7/24/2018	Annual	81
Aug-19	6.6	0.6	2.5		8.00	8.00	8/1/2019	Annual	82
Sep-20	6.7	0.6	1.2		6.65	6.65	9/4/2020	Annual	83




WELL VDM - 9 : CHLOROFORM									
SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATS		1 YEAR MOVING AVG			EVENT NO.
Jan-87	169.00	7	8	TOTAL STD	65.479969	350.00			1
Apr-87	134.00	7	8	TOTAL Sx	7.9996515	350.00			2
Jul-87	163.00	7	8	TAL MEAN	74.042647	350.00			3
Oct-87	350.00	7	8	TOTAL N	68	204.00			4
Jan-88	95.00	7	8	TOTAL df	67	185.50			5
Apr-88	130.00	7	8			184.50			6
Jul-88	328.00	7	8			225.75			7
Oct-88	170.00	7	8			180.75			8
Jan-89	32.00	7	8			165.00			9
Apr-89	11.00	7	8			135.25			10
Jul-89	55.00	7	8			67.00			11
Oct-89	78.00	7	8			44.00			12
Jan-90	78.00	7	8			55.50			13
Apr-90	180.00	7	8			97.75			14
Jul-90	110.00	7	8			111.50			15
Oct-90	65.00	7	8			108.25			16
Jan-91	120.00	7	8			118.75			17
Apr-91	140.00	7	8			108.75			18
Jul-91	73.00	7	8			99.50			19
Oct-91	45.00	7	8			94.50			20
Jan-92	100.00	7	8			89.50			21
Apr-92	160.00	7	8			94.50			22
Jul-92	99.70	7	8			101.18			23
Oct-92	89.10	7	8			112.20			24
Jan-93	89.60	7	8			109.60			25
Apr-93	116.00	7	8			98.60			26
Jul-93	36.00	7	8			82.68			27
Oct-93	71.00	7	8			78.15			28
Jan-94	99.00	7	8			80.50			29
Apr-94	59.00	7	8			66.25			30
Jul-94	3.60	7	8			58.15			31
Oct-94	93.00	7	8			63.65			32
Jan-95	89.00	7	8			61.15			33
Apr-95	84.00	7	8			67.40			34
Jul-95	80.00	7	8			86.50			35
Oct-95	120.00	7	8			93.25			36
Apr-96	66.00	7	8			83	83	04/01/96	37
Sep-96	120.00	7	10			93	93	09/17/96	semiannual
Apr-97	56.00	7	10			88	88	04/03/97	semiannual
Aug-97	56.00	7	10			56	56	08/27/97	semiannual
Mar-98	15.00	7	5			35.5	35.5	03/24/98	Semiannual
Sep-98	55.00	7	5			35	35	09/22/98	Semiannual
May-99	66.00	7	10			60.5	60.5	05/11/99	Semiannual
Sep-99	62.00	7	10			64	64	09/29/99	Semiannual
May-00	34.00	7	10			48	48	05/16/00	Semiannual
Nov-00	52.00	7	5			43	43	11/28/00	Semiannual
Apr-01	23.00	7	5			37.5	37.5	04/04/01	Semiannual
Oct-01	80.00	7	5			51.5	51.5	10/18/01	Semiannual
Apr-02	19.00	7	5			49.5	49.5	04/18/02	semiannual
Oct-02	47.00	7	5			33	33	10/03/02	Semiannual
Apr-03	21.00	7	5			34	34	04/25/03	Semiannual

WELL VDM - 9 : CHLOROFORM

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATS		1 YEAR MOVING AVG				EVENT NO.
Oct-03	51.00	7	5			36	36	10/03/03	Semiannual	52
Apr-04	12.00	7	5			31.5	31.5	04/01/04	Semiannual	53
Oct-04	40.00	7	5			26	26	10/19/04	Semiannual	54
Apr-05	7.00	7	5			23.5	23.5	04/22/05	Semiannual	55
Oct-05	45.00	7	5			26	26	10/07/05	Semiannual	56
May-06	23.80	7	5			34.4	34.4	05/11/06	Semiannual	57
Oct-06	36.20	7	5			30	30	10/18/06	Semiannual	58
May-07	11.00	7	5			23.6	23.6	05/22/07	Semiannual	59
Oct-07	30.40	7	5			20.7	20.7	10/25/07	Semiannual	60
May-08	8.10	7	5			19.25	19.25	05/13/08	Semiannual	61
Oct-08	8.00	7	5			8.05	8.05	10/23/08	Semiannual	62
May-09	8.90	7	5			8.45	8.45	05/12/09	Semiannual	63
Oct-09	22.20	7	5			15.55	15.55	10/29/09	Semiannual	64
May-10	7.36	7	5			14.78	14.78	05/20/10	Semiannual	65
Oct-10	19.70	7	5			13.53	13.53	10/18/10	Semiannual	66
Jun-11	6.24	7	5			12.97	12.97	06/02/11	Semiannual	67
Oct-11	11.00	7	5			8.62	8.62	10/12/11	Semiannual	68
May-12	7.30	7	2			9.15	9.15	05/18/12	Semiannual	69
Oct-12	13.20	7	2			10.25	10.25	10/11/12	semiannual	70
May-13	10.80	7	2			12	12	05/17/13	semiannual	71
Oct-13	15.70	7	2			13.25	13.25	10/11/13	semiannual	72
May-14	5.00	7	2			10.35	10.35	05/06/14	semiannual	73
Oct-14	2.00	7	2			3.5	3.5	10/06/14	semiannual	74
May-15	2.80	7	2			2.4	2.4	05/15/15	semiannual	75
Jul-16	1.50	7	1.5			1.5	1.5	07/20/16	Annual	76
Sep-17	2.50	7	2.5			2.5	2.5	09/22/17	Annual	77
Jul-18	2.50	7	2.5			2.5	2.5	07/24/18	Annual	78
Aug-19	2.50	7	2.5			2.5	2.5	08/06/19	Annual	79
Sep-20	2.00	7	2.5			2.25	2.25	09/04/20	Annual	80

MOVING AVERAGE TREND TEST
VDM-10
CHLOROFORM




WELL VDM - 10 : CHLOROFORM

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETEC LIMIT	STATISTICS	MOVING AVERAGE				EVENT NO.	
Jul-84	97.60	7	8	TOTAL STD	68.05420591				1	
Oct-84	96.46	7	8	TOTAL Sx	7.755496536				2	
Jan-85	5.97	7	8	TOTAL MEAN	69.52166667				3	
Apr-85	8.80	7	8	TOTAL N	78	52.21			4	
Jul-85	6.30	7	8	TOTAL df	77	29.38			5	
Oct-85	43.20	7	8			16.07			6	
Jan-86	47.80	7	8			26.53			7	
Apr-86	141.00	7	8			59.58			8	
Jul-86	130.00	7	8			90.50			9	
Oct-86	120.00	7	8			109.70			10	
Jan-87	120.00	7	8			127.75			11	
Apr-87	84.00	7	8			113.50			12	
Jul-87	154.00	7	8			119.50			13	
Oct-87	124.00	7	8			120.50			14	
Jan-88	110.00	7	8			118.00			15	
Apr-88	120.00	7	8			127.00			16	
Jul-88	190.00	7	8			136.00			17	
Oct-88	180.00	7	8			150.00			18	
Jan-89	300.00	7	8			197.50			19	
Apr-89	290.00	7	8			240.00			20	
Jul-89	130.00	7	8			225.00			21	
Oct-89	120.00	7	8			210.00			22	
Jan-90	130.00	7	8			167.50			23	
Apr-90	110.00	7	8			122.50			24	
Jul-90	220.00	7	8			145.00			25	
Oct-90	106.00	7	8			141.50			26	
Jan-91	160.00	7	8			149.00			27	
Apr-91	58.00	7	8			136.00			28	
Jul-91	70.00	7	8			98.50			29	
Oct-91	32.00	7	8			80.00			30	
Jan-92	120.00	7	8			70.00			31	
Apr-92	120.00	7	8			85.50			32	
Jul-92	200.00	7	8			118.00			33	
Oct-92	35.30	7	8			118.83			34	
Jan-93	79.90	7	8			108.80			35	
Apr-93	32.00	7	8			86.80			36	
Jul-93	38.00	7	8			46.30			37	
Oct-93	63.00	7	8			53.23			38	
Jan-94	59.00	7	8			48.00			39	
Apr-94	32.00	7	8			48.00			40	
Jul-94	40.00	7	8			48.50			41	
Oct-94	47.00	7	8			44.50			42	
Jan-95	68.00	7	8			46.75			43	
Apr-95	150.00	7	8			76.25			44	
Jul-95	47.00	7	8			78.00			45	
Oct-95	11.00	7	4			69.00			46	
Apr-96	22.00	7	4			26.67			47	
Sep-96	40.00	7	10			31	31	09/17/96	semiannual	48
Apr-97	16.00	7	10			28	28	04/03/97	semiannual	49
Aug-97	60.00	7	10			38	38	08/27/97	semiannual	50
Mar-98	29.00	7	10			44.5	44.5	03/24/98	semiannual	51
Sep-98	180.00	7	5			104.5	104.5	09/22/98	semiannual	52
May-99	29.00	7	10			104.5	104.5	05/11/99	semiannual	53

WELL VDM - 10 : CHLOROFORM

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETEC LIMIT	STATISTICS		MOVING AVERAGE				EVENT NO.
Oct-99	113.00	7	10			71	71	10/05/99	semianual	54
May-00	27.00	7	10			70	70	05/16/00	semianual	55
Nov-00	18.00	7	5			22.5	22.5	11/28/00	semianual	56
Apr-01	21.00	7	5			19.5	19.5	04/04/01	semianual	57
Oct-01	2.00	7	5			11.5	11.5	10/18/01	semianual	58
Apr-02	24.00	7	5			13	13	04/18/01	semianual	59
Oct-02	2.00	7	5			13	13	10/03/02	semianual	60
Apr-03	13.00	7	5			7.5	7.5	04/25/03	semianual	61
Oct-03	3.00	7	5			8	8	10/03/03	semianual	62
Apr-04	16.00	7	5			9.5	9.5	04/01/04	semianual	63
Oct-04	4.00	7	5			10	10	10/19/04	semianual	64
Apr-05	9.00	7	5			6.5	6.5	04/22/05	semianual	65
Oct-05	4.00	7	5			6.5	6.5	10/07/05	semianual	66
May-06	8.10	7	5			6.05	6.05	05/11/06	semianual	67
Oct-06	44.20	7	5			26.15	26.15	10/18/06	semianual	68
May-07	8.10	7	5			26.15	26.15	05/22/04	semianual	69
Oct-07	8.10	7	5			8.1	8.1	10/25/07	semianual	70
May-08	8.10	7	5			8.1	8.1	05/13/08	semianual	71
Oct-09	8.10	7	2			8.1	8.1	10/23/08	semianual	72
May-09	5.00	7	5			6.55	6.55	05/09/09	semianual	73
Oct-09	5.00	7	5			5	5	10/29/09	semianual	74
May-10	5.00	7	5			5	5	05/20/10	semianual	75
Oct-10	6.86	7	5			5.93	5.93	10/18/10	semianual	76
Jun-11	31.10	7	5			18.98	18.98	06/02/11	semianual	77
Oct-11	5.70	7	5			18.4	18.4	10/12/11	semianual	78
May-12	16.90	7	2			11.3	11.3	05/18/12	semianual	79
Oct-12	4.10	7	2			10.5	10.5	10/11/12	semianual	80
May-13	3.50	7	2			3.8	3.8	05/17/13	semianual	81
Oct-13	4.50	7	2			4	4	10/11/13	semianual	82
May-14	10.00	7	10			7.25	7.25	05/05/14	semianual	83
Oct-14	2.30	7	2			6.15	6.15	10/06/14	semianual	84
Jul-15	2.00	7	2			2.15	2.15	07/09/15	semianual	85
Jul-16	1.50	7	1.5			1.5	1.75	07/20/16	Annual	86
Sep-17	16.00	7	2.5			16	8.75	09/22/17	Annual	87
Jul-18	11.00	7	2.5			11	13.5	07/24/18	Annual	88
Aug-19	3.30	7	2.5			3.3	7.15	08/06/19	Annual	89
Sep-20	7.90	7	2.5			5.6	5.6	09/04/20	Annual	90

MOVING AVERAGE TREND TEST
VDM-11
CHLOROFORM




WELL VDM - 11 : CHLOROFORM									
SAMPLING EVENT NO.	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING AVG			EVENT NO.
-	-	-	-	-	-	-			-
Jan-87		7	8	TOTAL STD	29.9605				1
Apr-87		7	8	TOTAL Sx	3.6879				2
Jul-87	79.20	7	8	TOTAL MEAN	23.7433				3
Oct-87	52.20	7	8	TOTAL N	67				4
Jan-88	30.70	7	8	TOTAL df	66				5
Apr-88	138.00	7	8			75.03			6
Jul-88	123.00	7	8			85.98			7
Oct-88	56.00	7	8			86.93			8
Jan-89	23.00	7	8			85.00			9
Apr-89	98.00	7	8			75.00			10
Jul-89	52.00	7	8			57.25			11
Oct-89	42.00	7	8			53.75			12
Jan-90	32.00	7	8			56.00			13
Apr-90	91.00	7	8			54.25			14
Jul-90	15.00	7	8			45.00			15
Oct-90	51.00	7	8			47.25			16
Jan-91	74.00	7	8			57.75			17
Apr-91	2.00	7	8			35.50			18
Jul-91	7.40	7	8			33.60			19
Oct-91	13.00	7	8			24.10			20
Jan-92	26.00	7	8			12.10			21
Apr-92	16.00	7	8			15.60			22
Jul-92	1.25	7	8			14.06			23
Oct-92	8.55	7	8			12.95			24
Jan-93	14.30	7	8			10.03			25
Apr-93	4.00	7	8			7.03			26
Jul-93	1.58	7	8			7.11			27
Oct-93	9.20	7	8			7.27			28
Jan-94	13.00	7	8			6.95			29
Apr-94	8.40	7	8			8.05			30
Jul-94	71.00	7	8			25.40			31
Oct-94	7.10	7	8			24.88			32
Jan-95	12.00	7	8			24.63			33
Apr-95	9.60	7	8			24.93			34
Jul-95	6.80	7	8			8.88			35
Oct-95	11.00	7	4			9.85			36
Apr-96	10.00	7	10		9.266666667				37
Sep-96	11.00	7	10			10.5	10.5	9/17/1996	semiannual
Apr-97	10.00	7	10			10.5	10.5	4/3/1997	semiannual
Aug-97	73.00	7	10			41.5	41.5	8/27/1997	semiannual
Mar-98	5.00	7	5			39	39	3/24/1998	semiannual
Sep-98	53.00	7	5			29	29	9/22/1998	semiannual
May-99	10.00	7	10			31.5	31.5	5/11/1999	semiannual
Oct-99	18.00	7	10			14	14	10/5/1999	semiannual
May-00	10.00	7	10			14	14	5/16/2000	semiannual
Nov-00	20.00	7	5			15	15	11/28/2000	semiannual
Apr-01	5.00	7	5			12.5	12.5	4/4/2001	semiannual
Oct-01	22.00	7	5			13.5	13.5	10/18/2001	semiannual
Apr-02	2.00	7	5			12	12	4/18/2002	semiannual
Oct-02	17.00	7	5			9.5	9.5	10/3/2002	semiannual
Apr-03	3.00	7	5			10	10	4/25/2003	semiannual
Oct-03	11.00	7	5			7	7	10/3/2003	semiannual

WELL VDM - 11 : CHLOROFORM

SAMPLING EVENT NO.	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS	MOVING AVG				EVENT NO.
Apr-04	1.00	7	5		6	6	4/1/2004	semiannual	53
Oct-04	10.00	7	5		5.5	5.5	10/19/2004	semiannual	54
Apr-05	9.00	7	5		9.5	9.5	4/22/2005	semiannual	55
Oct-05	9.00	7	5		9	9	10/7/2005	semiannual	56
May-06	8.10	7	5		8.55	8.55	5/11/2006	semiannual	57
Oct-06	8.10	7	5		8.1	8.1	10/18/2006	semiannual	58
May-07	8.10	7	5		8.1	8.1	5/22/2007	semiannual	59
Oct-07	8.10	7	5		8.1	8.1	10/25/2007	semiannual	60
May-08	8.10	7	5		8.1	8.1	5/13/2008	semiannual	61
Oct-08	8.10	7	5		8.1	8.1	10/23/2008	semiannual	62
May-09	5.00	7	5		6.55	6.55	5/12/2009	semiannual	63
Oct-09	6.69	7	5		5.845	5.845	10/29/2009	semiannual	64
May-10	5.00	7	5		5.845	5.845	5/20/2010	semiannual	65
Oct-10	6.87	7	5		5.935	5.935	10/18/2010	semiannual	66
Jun-11	3.36	7	5		5.115	5.115	6/2/2011	semiannual	67
Oct-11	5.00	7	5		4.18	4.18	10/12/2011	semiannual	68
May-12	2.00	7	2		3.5	3.5	5/18/2012	semiannual	69
Oct-12	7.00	7	2		4.5	4.5	10/11/2012	semiannual	70
May-13	2.00	7	2		4.5	4.5	5/17/2013	semiannual	71
Oct-13	4.30	7	2		3.15	3.15	10/11/2013	semiannual	72
May-14	10.00	7	10		7.15	7.15	5/5/2014	semiannual	73
Oct-14	2.90	7	2		6.45	6.45	10/6/2014	semiannual	74
Jul-15	3.10	7	2		3	3	7/9/2015	semiannual	75
Jul-16	2.60	7	1.5		2.6	2.85	7/20/2016	Annual	76
Sep-17	2.50	7	2.5		2.5	2.55	9/22/2017	Annual	77
Jul-18	3.90	7	2.5		3.9	3.2	7/24/2018	Annual	78
Aug-19	2.30	7	2.5		2.3	3.1	8/6/2019	Annual	79
Sep-20	2.80	7	2.5		2.8	2.55	9/4/2020	Annual	80

MOVING AVERAGE TREND TEST
VDM-14 (1987-2007) & VDM-14R (2008-Present) CHLOROFORM




WELL VDM - 14 : CHLOROFORM									
SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING AVG			EVENT NO.
	-	-	-	-	-	-			-
Oct-85	22.70	7	8	TOTAL STD	48.675014				1
Jan-86	3.20	7	8	TOTAL Sx	5.7766614				2
Apr-86	87.00	7	8	TOTAL MEA	57.911806				3
Jul-86	170.00	7	8	TOTAL N	72	70.73			4
Oct-86	28.00	7	8	TOTAL df	71	72.05			5
Jan-87	30.00	7	8			78.75			6
Apr-87	5.20	7	8			58.30			7
Jul-87	5.10	7	8			17.08			8
Oct-87	21.00	7	8			15.33			9
Jan-88	16.00	7	8			11.83			10
Apr-88	86.00	7	8			32.03			11
Jul-88	4.00	7	8			31.75			12
Oct-88	10.00	7	8			29.00			13
Jan-89	67.00	7	8			41.75			14
Apr-89	69.00	7	8			37.50			15
Jul-89	5.90	7	8			37.98			16
Oct-89	1.00	7	8			35.73			17
Jan-90	2.00	7	8			19.48			18
Apr-90	24.00	7	8			8.23			19
Jul-90	68.00	7	8			23.75			20
Oct-90	15.00	7	8			27.25			21
Jan-91	1.25	7	8			27.06			22
Apr-91	36.80	7	8			30.26			23
Jul-91	36.80	7	8			22.46			24
Oct-91	4.00	7	8			19.71			25
Jan-92	2.80	7	8			20.10			26
Apr-92	25.00	7	8			17.15			27
Jul-92	75.00	7	8			26.70			28
Oct-92	19.00	7	8			30.45			29
Jan-93	23.00	7	8			35.50			30
Apr-93	13.00	7	8			32.50			31
Jul-93	45.00	7	8			25.00			32
Oct-93	52.00	7	8			33.25			33
Jan-94	30.00	7	8			35.00			34
Apr-94	17.00	7	8			36.00			35
Jul-94	18.00	7	8			29.25			36
Oct-94	41.00	7	8			26.50			37
Jan-95	40.00	7	8			29.00			38
Apr-95	78.00	7	8			44.25			39
Jul-95	74.00	7	8			58.25			40
Oct-95	120.00	7	8			78.00			41
Apr-96	20.00	7	8			71.33			42
Sep-96	150.00	7	10			85.00	85	9/17/1996	semiannual
Apr-97	60.00	7	10			105.00	105	4/3/1997	semiannual
Aug-97	220.00	7	100			140.00	140	8/27/1997	semiannual
Mar-98	24.00	7	5			122.00	122	3/24/1998	semiannual
Sep-98	120.00	7	5			72.00	72	9/22/1998	semiannual
May-99	69.00	7	10			94.50	94.5	5/11/1999	semiannual
Oct-99	146.00	7	10			107.50	107.5	10/5/1999	semiannual
Nov-00	100.00	7	5			123.00	123	11/28/2000	semiannual

WELL VDM - 14 : CHLOROFORM

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS	MOVING AVG				EVENT NO.
Apr-01	39.00	7	5		69.50	69.5	4/4/2001	semiannual	51
Oct-01	80.00	7	5		59.50	59.5	10/18/2001	semiannual	52
Apr-02	15.00	7	5		47.50	47.5	4/18/2002	semiannual	53
Oct-02	110.00	7	25		62.50	62.5	10/3/2002	semiannual	54
Apr-03	48.00	7	10		79.00	79	4/25/1993	semiannual	55
Oct-03	110.00	7	5		79.00	79	10/3/2003	semiannual	56
Apr-04	62.00	7	5		86.00	86	4/1/2004	semiannual	57
Oct-04	120.00	7	5		91.00	91	10/19/2004	semiannual	58
Apr-05	69.00	7	5		94.50	94.5	4/22/2005	semiannual	59
Oct-05	140.00	7	5		104.50	104.5	10/7/2005	semiannual	60
May-06	153.00	7	5		146.50	146.5	5/11/2006	semiannual	61
Oct-06	147.00	7	5		150.00	150	10/18/2006	semiannual	62
May-07	107.00	7	5		127.00	127	5/22/2007	semiannual	63
Oct-07	144.00	7	5		125.50	125.5	10/25/2007	semiannual	64
Oct-08	79.40	7	5		111.70	111.7	10/23/2008	semiannual	65
May-09	40.00	7	5		59.70	59.7	5/12/2009	semiannual	66
Oct-09	44.20	7	5		42.10	42.1	10/29/2009	semiannual	67
May-10	42.90	7	5		43.55	43.55	5/20/2010	semiannual	68
Oct-10	76.70	7	5		59.80	59.8	10/18/2010	semiannual	69
Jun-11	36.00	7	5		56.35	56.35	6/2/2011	semiannual	70
Oct-11	54.00	7	50		45.00	45	10/12/2011	semiannual	71
May-12	51.70	7	2		52.85	52.85	5/18/2012	semiannual	72
Oct-12	76.30	7	2		64.00	64	10/11/2012	semiannual	73
May-13	50.30	7	2		63.30	63.3	5/17/2013	semiannual	74
Oct-13	58.60	7	2		54.45	54.45	10/11/2013	semiannual	75
May-14	30.50	7	2		44.55	44.55	5/5/2014	semiannual	76
Oct-14	51.90	7	2		41.20	41.2	10/6/2014	semiannual	76
Jul-15	29.30	7	2		40.60	40.6	7/9/2015	semiannual	77
Jul-16	32.00	7	1.5		32.00	30.65	7/20/2016	Annual	78
Sep-17	28.00	7	10		28.00	30	9/22/2017	Annual	79
Jul-18	26.00	7	12		26.00	27	7/24/2018	Annual	80
Aug-19	20.00	7	12		20.00	23	8/6/2019	Annual	81
Sep-20	16.00	7	6.2		16.00	18	9/4/2020	Annual	82

MOVING AVERAGE TREND TEST
VDM-9 (1987-2013) & VDM-9R (2014-Present)
CHROMIUM




WELL VDM - 9 : CHROMIUM

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS	MOVING AVG					EVENT NO.
Jan-87	190.00	50	50	TOTAL STD	170.54989					1
Apr-87	190.00	50	50	TOTAL Sx	20.99324					2
Jul-87	1400.00	50	50	TOTAL MEAN	58.335821					3
Oct-87	66.00	50	50	TOTAL N	67	461.5				4
Jan-88	17.00	50	50	TOTAL df	66	418.25				5
Apr-88	19.00	50	50			375.5				6
Jul-88	16.00	50	50			29.5				7
Oct-88	5.00	50	50			14.25				8
Jan-89	170.00	50	50			52.5				9
Apr-89	9.00	50	50			50				10
Jul-89	51.00	50	50			58.75				11
Oct-89	33.00	50	50			65.75				12
Jan-90	30.00	50	50			30.75				13
Apr-90	30.00	50	50			36				14
Jul-90	30.00	50	50			30.75				15
Oct-90	30.00	50	50			30				16
Jan-91	8.00	50	50			24.5				17
Apr-91	140.00	50	50			52				18
Jul-91	20.00	50	50			49.5				19
Oct-91	27.00	50	50			48.75				20
Jan-92	25.00	50	50			53				21
Apr-92	2.00	50	50			18.5				22
Jul-92	26.00	50	50			20				23
Oct-92	10.00	50	50			15.75				24
Jan-93	53.00	50	50			22.75				25
Apr-93	2.00	50	50			22.75				26
Jul-93	42.00	50	50			26.75				27
Oct-93	10.00	50	50			26.75				28
Jan-94	63.00	50	50			29.25				29
Apr-94	38.00	50	50			38.25				30
Jul-94	42.00	50	50			38.25				31
Oct-94	42.00	50	50			46.25				32
Jan-95	90.00	50	50			53				33
Apr-95	71.00	50	50			61.25				34
Jul-95	60.00	50	50			65.75				35
Oct-95	31.00	50	2			63				36
Apr-96	155.00	50	2			82		04/01/96		37
Sep-96	10.00	50	5			82.5		09/17/96	semiannual	38
Apr-97	8.00	50	5			9	9	04/03/97	semiannual	39
Aug-97	58.00	50	5			33	33	08/27/97	semiannual	40
Mar-98	10.00	50	10			34	34	03/24/98	semiannual	41
Sep-98	10.00	50	10			10	10	09/22/98	semiannual	42
May-99	10.00	50	10			10	10	05/11/99	semiannual	43
Sep-99	21.00	50	14			15.5	15.5	09/29/99	semiannual	44
May-00	49.00	50	20			35	35	05/16/00	semiannual	45
Nov-00	2.00	50	2			25.5	25.5	11/28/00	semiannual	46
Apr-01	28.00	50	2			15	15	04/04/01	semiannual	47
Oct-01	28.00	50	2			28	28	10/18/01	semiannual	48
Apr-02	8.50	50	2			18.25	18.25	04/18/02	semiannual	49
Oct-02	14.00	50	2			11.25	11.25	10/03/02	semiannual	50
Apr-03	57.00	50	2			35.5	35.5	04/25/03	semiannual	51
Oct-03	64.00	50	4			60.5	60.5	10/03/03	semiannual	52
Apr-04	8.00	50	4			36	36	04/01/04	semiannual	53

WELL VDM - 9 : CHROMIUM

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS	MOVING AVG				EVENT NO.
Oct-04	8.00	50	4		8	8	10/19/04	semiannual	54
Apr-05	23.00	50	4		15.5	15.5	04/22/05	semiannual	55
Oct-05	74.00	50	4		48.5	48.5	10/07/05	semiannual	56
May-06	25.00	50	4		49.5	49.5	05/11/06	semiannual	57
Oct-06	10.00	50	4		17.5	17.5	10/18/06	semiannual	58
May-07	10.00	50	4		10	10	05/22/07	semiannual	59
Oct-07	10.00	50	4		10	10	10/25/07	semiannual	60
May-08	14.00	50	4		12	12	05/13/08	semiannual	61
May-09	22.00	50	4		18	18	05/12/09	semiannual	63
Oct-09	37.00	50	4		29.5	29.5	10/29/09	semiannual	64
May-10	10.00	50	4		23.5	23.5	05/20/10	semiannual	65
Oct-10	10.00	50	4		10	10	10/18/10	semiannual	66
Jun-11	10.00	50	10		10	10	06/02/11	semiannual	67
Oct-11	17.00	50	10		13.5	13.5	10/12/11	semiannual	68
May-12	17.00	50	10		17	17	05/18/12	semiannual	69
Oct-12	19.00	50	400		18	18	10/11/12	semiannual	70
May-13	10.00	50	400		14.5	14.5	05/17/13	semiannual	71
Oct-14	16.00	50	20		13	13	10/11/14	semiannual	72
Jun-14	17.00	50	30		16.5	16.5	06/20/14	semiannual	73
Oct-14	22.00	50	10		19.5	19.5	10/06/14	semiannual	74
Jul-15	11.00	50	50		16.5	16.5	07/15/15	semiannual	75
Jul-16	10.00	50	10		10	10.5	07/20/16	Annual	76
Sep-17	15.71	50	50		15.71	12.855	09/22/17	Annual	77
Jul-18	27.81	50	1		27.81	21.76	07/24/18	Annual	78
Aug-19	10.60	50	10		10.6	19.205	08/06/19	Annual	79
Sep-20	2.35	50	1		6.475	6.475	09/04/20	Annual	80

MOVING AVERAGE TREND TEST
VDM-10
CHROMIUM




WELL VDM - 10 : CHROMIUM

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETEC LIMIT	STATISTICS		MOVING AVERAGE			SAMPLING EVENT NO.
Jul-84		50	50	TOTAL STD	47.32137266				1
Oct-84		50	50	TOTAL Sx	5.538547743				2
Jan-85	35.00	50	50	TOTAL MEAN	48.22297297				3
Apr-85	21.00	50	50	TOTAL N	74	28.00			4
Jul-85	5.00	50	50	TOTAL df	73	20.33			5
Oct-85	6.00	50	50			16.75			6
Jan-86	37.00	50	50			17.25			7
Apr-86	38.00	50	50			21.50			8
Jul-86	36.00	50	50			29.25			9
Oct-86	50.00	50	50			40.25			10
Jan-87		50	50			41.33			11
Apr-87		50	50			43.00			12
Jul-87	35.00	50	50			42.50			13
Oct-87	10.00	50	50			22.50			14
Jan-88	5.00	50	50			16.67			15
Apr-88	5.00	50	50			13.75			16
Jul-88	21.00	50	50			10.25			17
Oct-88	18.00	50	50			12.25			18
Jan-89	20.00	50	50			16.00			19
Apr-89	23.00	50	50			20.50			20
Jul-89	34.00	50	50			23.75			21
Oct-89	32.00	50	50			27.25			22
Jan-90	60.00	50	50			37.25			23
Apr-90	40.00	50	50			41.50			24
Jul-90	60.00	50	50			48.00			25
Oct-90	30.00	50	50			47.50			26
Jan-91	40.00	50	50			42.50			27
Apr-91	16.00	50	50			36.50			28
Jul-91	33.00	50	50			29.75			29
Oct-91	8.00	50	50			24.25			30
Jan-92	32.00	50	50			22.25			31
Apr-92	67.00	50	50			35.00			32
Jul-92	2.00	50	50			27.25			33
Oct-92	81.50	50	50			45.63			34
Jan-93	40.10	50	50			47.65			35
Apr-93	71.20	50	50			48.70			36
Jul-93	59.00	50	50			62.95			37
Oct-93	26.00	50	50			49.08			38
Jan-94	180.00	50	50			84.05			39
Apr-94	71.00	50	50			84.00			40
Jul-94	14.00	50	50			72.75			41
Oct-94	72.00	50	50			84.25			42
Jan-95	23.00	50	50			45.00			43
Apr-95	79.00	50	50			47.00			44
Jul-95	64.00	50	50			59.50			45
Oct-95	65.00	50	2			57.75			46
Apr-96	17.00	50	2			48.67	40.75		47
Sep-96	18.00	50	5			17.5	17.5	09/17/96 semiannual	48
Apr-97	32.00	50	20			25	25	04/03/97 semiannual	49
Aug-97	81.00	50	5			56.5	56.5	08/27/97 semiannual	50
Mar-98	81.00	50	10			81	81	03/24/98 semiannual	51
Sep-98	100.00	50	10			90.5	90.5	09/22/98 semiannual	52
May-99	18.00	50	10			59	59	05/11/99 semiannual	53

WELL VDM - 10 : CHROMIUM

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETEC LIMIT	STATISTICS	MOVING AVERAGE				SAMPLING EVENT NO.
Oct-99	163.00	50	14		90.5	90.5	10/05/99	semiannual	54
May-00	20.00	50	20		91.5	91.5	05/16/00	semiannual	55
Nov-00	120.00	50	2		70	70	11/28/00	semiannual	56
Apr-01	4.70	50	2		62.35	62.35	04/04/01	semiannual	57
Oct-01	26.00	50	2		15.35	15.35	10/18/01	semiannual	58
Apr-02	7.00	50	2		16.5	16.5	04/18/02	semiannual	59
Oct-02	220.00	50	2		113.5	113.5	10/03/02	semiannual	60
Apr-03	65.00	50	2		142.5	142.5	04/25/03	semiannual	61
Oct-03	260.00	50	4		162.5	162.5	10/03/03	semiannual	62
Apr-04	36.00	50	4		148	148	04/01/04	semiannual	63
Oct-04	13.00	50	4		24.5	24.5	10/19/04	semiannual	64
Apr-05	61.00	50	4		37	37	04/22/05	semiannual	65
Oct-05	85.00	50	4		73	73	10/07/05	semiannual	66
May-06	23.00	50	4		54	54	05/11/06	semiannual	67
Oct-06	10.00	50	4		16.5	16.5	10/18/06	semiannual	68
May-07	39.00	50	4		24.5	24.5	05/22/07	semiannual	69
Oct-07	10.00	50	4		24.5	24.5	10/25/07	semiannual	70
May-08	12.00	50	4		11	11	05/13/08	semiannual	71
Oct-08	38.00	50	4		25	25	10/23/08	semiannual	72
May-09	36.00	50	4		37	37	05/12/09	semiannual	73
Oct-09	100.00	50	4		68	68	10/29/09	semiannual	74
May-10	30.00	50	4		65	65	05/20/10	semiannual	75
Oct-10	10.00	50	10		20	20	10/18/10	semiannual	76
Jul-11	100.00	50	100		55	55	07/02/11	semiannual	77
Oct-11	68.00	50	100		84	84	10/12/11	semiannual	78
May-12	22.00	50	10		45	45	05/18/12	semiannual	79
Oct-12	120.00	50	400		71	71	10/11/12	semiannual	80
May-13	50.00	50	50		85	85	05/17/13	semiannual	81
Oct-13	200.00	50	200		125	125	10/11/13	semiannual	82
May-14	19.00	50	30		109.5	109.5	05/05/14	semiannual	83
Oct-14	15.00	50	10		17	17	10/06/14	semiannual	84
Jul-15	19.00	50	500		17	17	07/09/15	semiannual	85
Jul-16	10.00	50	10		10	14.5	07/20/16	Annual	86
Sep-17	2.84	50	1		2.84	6.42	09/22/17	Annual	87
Jul-18	5.96	50	1		5.96	4.4	07/24/18	Annual	88
Aug-19	10.00	50	10		10	7.98	08/06/19	Annual	89
Sep-20	0.76	50	1		5.38	5.38	09/04/20	Annual	90

MOVING AVERAGE TREND TEST
VDM-11
CHROMIUM




WELL VDM - 11 : CHROMIUM										
SAMPLING EVENT NO.	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING AVG			EVENT NO.	
-	-	-	-	-	-	-			-	
Jan-87	190.00	50	50	TOTAL STD	65.6805				1	
Apr-87		50	50	TOTAL Sx	8.0242				2	
Jul-87	500.00	50	50	TOTAL MEAN	36.3662				3	
Oct-87	6.00	50	50	TOTAL N	68	232.00			4	
Jan-88	123.00	50	50	TOTAL df	67	209.67			5	
Apr-88	130.00	50	50			189.75			6	
Jul-88	50.00	50	50			77.25			7	
Oct-88	14.00	50	50			79.25			8	
Jan-89	48.00	50	50			60.50			9	
Apr-89	53.00	50	50			41.25			10	
Jul-89	36.00	50	50			37.75			11	
Oct-89	19.00	50	50			39.00			12	
Jan-90	30.00	50	50			34.50			13	
Apr-90	30.00	50	50			28.75			14	
Jul-90	30.00	50	50			27.25			15	
Oct-90	30.00	50	50			30.00			16	
Jan-91	9.00	50	50			24.75			17	
Apr-91	32.00	50	50			25.25			18	
Jul-91	13.00	50	50			21.00			19	
Oct-91	12.00	50	50			16.50			20	
Jan-92	46.00	50	50			25.75			21	
Apr-92	24.00	50	50			23.75			22	
Jul-92	10.20	50	50			23.05			23	
Oct-92	10.00	50	50			22.55			24	
Jan-93	6.90	50	50			12.78			25	
Apr-93	15.00	50	50			10.53			26	
Jul-93	60.00	50	50			22.98			27	
Oct-93	2.00	50	50			20.98			28	
Jan-94	14.00	50	50			22.75			29	
Apr-94	12.00	50	50			22.00			30	
Jul-94	4.00	50	50			8.00			31	
Oct-94	24.00	50	50			13.50			32	
Jan-95	14.00	50	50			13.50			33	
Apr-95	11.00	50	50			13.25			34	
Jul-95	10.00	50	50			14.75			35	
Oct-95	8.00	50	2			10.75			36	
Apr-96	5.00	50	5		7.666666667				37	
Sep-96	5.00	50	5			5	5	9/17/1996	semiannual	38
Apr-97	13.00	50	20			9	9	4/3/1997	semiannual	39
Aug-97	10.00	50	5			11.5	11.5	8/27/1997	semiannual	40
Mar-98	10.00	50	10			10	10	3/24/1998	semiannual	41
Sep-98	10.00	50	10			10	10	9/22/1998	semiannual	42
May-99	10.00	50	10			10	10	5/11/1999	semiannual	43
Oct-99	79.00	50	14			44.5	44.5	10/5/1999	semiannual	44
May-00	45.00	50	20			62	62	5/16/2000	semiannual	45
Nov-00	82.00	50	2			63.5	63.5	11/28/2000	semiannual	46
Apr-01	8.20	50	2			45.1	45.1	4/4/2001	semiannual	47
Oct-01	28.00	50	2			18.1	18.1	10/18/2001	semiannual	48
Apr-02	4.60	50	2			16.3	16.3	4/18/2002	semiannual	49
Oct-02	56.00	50	2			30.3	30.3	10/3/2002	semiannual	50
Apr-03	98.00	50	2			77	77	4/25/2003	semiannual	51
Oct-03	37.00	50	4			67.5	67.5	10/3/2003	semiannual	52

WELL VDM - 11 : CHROMIUM

SAMPLING EVENT NO.	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS	MOVING AVG				EVENT NO.
Apr-04	5.00	50	4		21	21	4/1/2004	semiannual	53
Oct-04	4.00	50	4		4.5	4.5	10/19/2004	semiannual	54
Apr-05	12.00	50	4		8	8	4/22/2005	semiannual	55
Oct-05	39.00	50	4		25.5	25.5	10/7/2005	semiannual	56
May-06	20.00	50	4		29.5	29.5	5/11/2006	semiannual	57
Oct-06	10.00	50	4		15	15	10/18/2006	semiannual	58
May-07	10.00	50	4		10	10	5/22/2007	semiannual	59
Oct-07	10.00	50	4		10	10	10/25/2007	semiannual	60
May-08	17.00	50	4		13.5	13.5	5/13/2008	semiannual	61
Oct-08	42.00	50	4		29.5	29.5	10/23/2008	semiannual	62
May-09	64.00	50	4		53	53	5/12/2009	semiannual	63
Oct-09	10.00	50	4		37	37	10/29/2009	semiannual	64
May-10	49.00	50	4		29.5	29.5	5/20/2010	semiannual	65
Oct-10	10.00	50	4		29.5	29.5	10/18/2010	semiannual	66
Jun-11	20.00	50	4		15	15	6/2/2011	semiannual	67
Oct-11	10.00	50	10		15	15	10/12/2011	semiannual	68
May-12	14.00	50	10		12	12	5/18/2012	semiannual	69
Oct-12	110.00	50	400		62	62	10/11/2012	semiannual	70
May-13	200.00	50	200		155	155	5/17/2013	semiannual	71
Oct-13	100.00	50	100		150	150	10/11/2013	semiannual	72
May-14	50.00	50	30		75	75	5/5/2014	semiannual	73
Oct-14	20.00	50	10		35	35	10/6/2014	semiannual	74
Jul-15	10.00	50	50		15	15	7/9/2015	semiannual	75
Jul-16	10.00	50	10		10	10	7/20/2016	Annual	76
Sep-17	5.69	50	1		5.69	7.845	9/22/2017	Annual	77
Jul-18	6.90	50	1		6.9	6.295	7/24/2018	Annual	78
Aug-19	5.93	50	1		5.93	6.415	8/6/2019	Annual	79
Sep-20	1.27	50	1		3.6	3.6	9/4/2020	Annual	80

MOVING AVERAGE TREND TEST
VDM-14 (1987-2007) & VDM-14R (2008-Present)
CHROMIUM




WELL VDM - 14 : CHROMIUM									
SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING VG			EVENT NO.
-	-	-	-	-	-	-			-
Oct-85	64	50	50	TOTAL STD	1745.9885				1
Jan-86	330	50	50	TOTAL Sx	207.21071				2
Apr-86	34	50	50	TOTAL MEA	1270.5417				3
Jul-86	520	50	50	TOTAL N	72	237.00			4
Oct-86	240	50	50	TOTAL df	71	281.00			5
Jan-87	190	50	50			246.00			6
Apr-87	2700	50	50			912.50			7
Jul-87	5300	50	50			2107.50			8
Oct-87	8200	50	50			4097.50			9
Jan-88	8000	50	50			6050.00			10
Apr-88	5000	50	50			6625.00			11
Jul-88	2500	50	50			5925.00			12
Oct-88	1000	50	50			4125.00			13
Jan-89	510	50	50			2252.50			14
Apr-89	488	50	50			1124.50			15
Jul-89	2880	50	50			1219.50			16
Oct-89	970	50	50			1212.00			17
Jan-90	650	50	50			1247.00			18
Apr-90	208	50	50			1177.00			19
Jul-90	380	50	50			552.00			20
Oct-90	260	50	50			374.50			21
Jan-91	406	50	50			313.50			22
Apr-91	139	50	50			296.25			23
Jul-91	140	50	50			236.25			24
Oct-91	395	50	50			270.00			25
Jan-92	1100	50	50			443.50			26
Apr-92	100	50	50			433.75			27
Jul-92	350	50	50			486.25			28
Oct-92	400	50	50			487.50			29
Jan-93	420	50	50			317.50			30
Apr-93	900	50	50			517.50			31
Jul-93	25	50	50			436.25			32
Oct-93	100	50	50			361.25			33
Jan-94	619	50	50			411.00			34
Apr-94	1730	50	50			618.50			35
Jul-94	2180	50	50			1157.25			36
Oct-94	847	50	50			1344.00			37
Jan-95	276	50	50			1258.25			38
Apr-95	317	50	50			905.00			39
Jul-95	430	50	50			467.50			40
Oct-95	470	50	2			373.25			41
Apr-96	340	50	2			413.333333			42
Sep-96	170	50	5			255	255	9/17/1996	semiannual
Apr-97	800	50	20			485	485	4/3/1997	semiannual
Aug-97	720	50	5			760	760	8/27/1997	semiannual
Mar-98	910	50	10			815	815	3/24/1998	semiannual
Sep-98	3400	50	10			2155	2155	9/22/1998	semiannual
May-99	480	50	10			1940	1940	5/11/1999	semiannual
Oct-99	1160	50	14			820	820	10/5/1999	semiannual
Nov-00	760	50	2			960	960	11/28/2000	semiannual

WELL VDM - 14 : CHROMIUM

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS	MOVING VG				EVENT NO.
Apr-01	1600	50	2		1180	1180	4/4/2001	semiannual	51
Oct-01	860	50	2		1230	1230	10/18/2001	semiannual	52
Apr-02	340	50	2		600	600	4/18/2002	semiannual	53
Oct-02	360	50	2		350	350	10/3/2002	semiannual	54
Apr-03	300	50	2		330	330	4/25/2003	semiannual	55
Oct-03	1700	50	2		1000	1000	10/3/2003	semiannual	56
Apr-04	1900	50	4		1800	1800	4/1/2004	semiannual	57
Oct-04	3800	50	4		2850	2850	10/19/2004	semiannual	58
Apr-05	2000	50	4		2900	2900	4/22/2005	semiannual	59
Oct-05	4400	50	4		3200	3200	10/7/2005	semiannual	60
May-06	1620	50	4		3010	3010	5/11/2006	semiannual	61
Oct-06	1720	50	4		1670	1670	10/18/2006	semiannual	62
May-07	6100	50	4		3910	3910	5/22/2007	semiannual	63
Oct-07	2550	50	4		4325	4325	10/25/2007	semiannual	64
Oct-08	600	50	4		1575	1575	10/23/2008	semiannual	65
May-09	349	50	4		474.5	474.5	5/12/2009	semiannual	66
Oct-09	197	50	4		273	273	10/29/2009	semiannual	67
May-10	100	50	4		148.5	148.5	5/20/2010	semiannual	68
Oct-10	100	50	4		100	100	10/18/2010	semiannual	69
Jun-11	75	50	4		87.5	87.5	6/2/2011	semiannual	70
Oct-11	200	50	200		137.5	137.5	10/12/2011	semiannual	71
May-12	100	50	100		150	150	5/18/2012	semiannual	72
Oct-12	400	50	400		250	250	10/11/2012	semiannual	73
May-13	400	50	400		400	400	5/17/2013	semiannual	74
Oct-13	200	50	200		300	300	10/11/2013	semiannual	75
May-14	100	50	30		150	150	5/5/2014	semiannual	76
Oct-14	500	50	10		300	300	10/6/2014	semiannual	77
Jul-15	500	50	500		500	500	7/9/2015	semiannual	78
Jul-16	96	50	10		96	298	7/20/2016	Annual	79
Sep-17	249.3	50	1		249.3	172.65	9/22/2017	Annual	80
Jul-18	184.2	50	1		184.2	216.75	7/24/2018	Annual	81
Aug-19	171.7	50	10		171.7	177.95	8/6/2019	Annual	82
Sep-20	58.92	50	1		115.31	115.31	9/4/2020	Annual	83


MOVING AVERAGE TREND TEST VDM-9 (1987-2013) & VDM-9R (2014-Present)COPPER



WELL VDM - 9 : COPPER									
SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING AVG			EVENT NO.
Jan-87	7800	200	200	TOTAL STD	2161.1117				1
Apr-87	7700	200	200	TOTAL Sx	266.01447				2
Jul-87	6000	200	200	TOTAL MEAN	1834.0448				3
Oct-87	4940	200	200	TOTAL N	67	6610			4
Jan-88	243	200	200	TOTAL df	66	4720.75			5
Apr-88	171	200	200			2838.5			6
Jul-88	3000	200	200			2088.5			7
Oct-88	3500	200	200			1728.5			8
Jan-89	2200	200	200			2217.75			9
Apr-89	3200	200	200			2975			10
Jul-89	2200	200	200			2775			11
Oct-89	2000	200	200			2400			12
Jan-90	3100	200	200			2625			13
Apr-90	2900	200	200			2550			14
Jul-90	1800	200	200			2450			15
Oct-90	2100	200	200			2475			16
Jan-91	2100	200	200			2225			17
Apr-91	3300	200	200			2325			18
Jul-91	1680	200	200			2295			19
Oct-91	3280	200	200			2590			20
Jan-92	8240	200	200			4125			21
Apr-92	10200	200	200			5850			22
Jul-92	1990	200	200			5927.5			23
Oct-92	4090	200	200			6130			24
Jan-93	4000	200	200			5070			25
Apr-93	1200	200	200			2820			26
Jul-93	540	200	200			2457.5			27
Oct-93	1300	200	200			1760			28
Jan-94	1890	200	200			1232.5			29
Apr-94	1050	200	200			1195			30
Jul-94	620	200	200			1215			31
Oct-94	2100	200	200			1415			32
Jan-95	577	200	200			1086.75			33
Apr-95	570	200	200			966.75			34
Jul-95	2662	200	200			1477.25			35
Oct-95	1600	200	10			1352.25			36
Apr-96	394	200	10			1552	1262.5	04/01/96	semiannual
Sep-96	1400	200	10			897	897	09/17/96	semiannual
Apr-97	10	200	10			705	705	04/03/97	semiannual
Aug-97	2380	200	10			1195	1195	08/27/97	semiannual
Mar-98	130	200	20			1255	1255	03/24/98	semiannual
Sep-98	1600	200	20			865	865	09/22/98	semiannual
May-99	967	200	10			1283.5	1283.5	05/11/99	semiannual
Sep-99	2400	200	10			1683.5	1683.5	09/29/99	semiannual
May-00	1070	200	10			1735	1735	05/16/00	semiannual
Nov-00	5	200	5			537.5	537.5	11/28/00	semiannual
Apr-01	560	200	10			282.5	282.5	04/04/01	semiannual
Oct-01	2400	200	10			1480	1480	10/18/01	semiannual
Apr-02	210	200	5			1305	1305	04/18/02	semiannual
Oct-02	550	200	5			380	380	10/03/02	semiannual
Apr-03	520	200	5			535	535	04/25/03	semiannual
Oct-03	160	200	10			340	340	10/03/03	semiannual
Apr-04	120	200	10			140	140	04/01/04	semiannual

WELL VDM - 9 : COPPER									
SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING AVG			EVENT NO.
Oct-04	140	200	10			130	130	10/19/04	semiannual 54
Apr-05	28	200	10			84	84	04/22/05	semiannual 55
Oct-05	45	200	10			36.5	36.5	10/07/05	semiannual 56
May-06	133	200	10			89	89	05/11/06	semiannual 57
Oct-06	13	200	10			73	73	10/18/06	semiannual 58
May-07	10	200	10			11.5	11.5	05/22/07	semiannual 59
Oct-07	18	200	10			14	14	10/25/07	semiannual 60
May-08	32	200	10			25	25	05/13/08	semiannual 61
May-09	443	200	10			237.5	237.5	05/12/09	semiannual 63
Oct-09	951	200	10			697	697	10/29/09	semiannual 64
May-10	10	200	10			480.5	480.5	05/20/10	semiannual 65
Oct-10	200	200	10			105	105	10/18/10	semiannual 66
Jun-11	26	200	10			113	113	06/02/11	semiannual 67
Oct-11	113	200	10			69.5	69.5	10/12/11	semiannual 68
May-12	78	200	10			95.5	95.5	05/18/12	semiannual 69
Oct-12	178	200	40			128	128	10/11/12	semiannual 70
May-13	47	200	400			112.5	112.5	05/17/13	semiannual 71
Oct-13	75	200	20			61	61	10/11/13	semiannual 72
Jun-14	643	200	32			359	359	06/20/14	semiannual 73
Oct-14	474	200	15			558.5	558.5	10/06/14	semiannual 74
May-15	218	200	500			346	346	05/15/15	semiannual 75
Jul-16	137	200	10			137	177.5	07/20/16	Annual 76
Sep-17	402.5	200	500			402.5	269.75	09/22/17	Annual 77
Jul-18	554.6	200	1			554.6	478.55	07/24/18	Annual 78
Aug-19	298	200	10			298	426.3	08/06/19	Annual 79
Sep-20	90.72	200	1			194.36	194.36	09/04/20	Annual 80

MOVING AVERAGE TREND TEST
VDM-10
COPPER




WELL VDM - 10 : COPPER

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETEC LIMIT	STATISTICS		MOVING AVERAGE			SAMPLING EVENT NO.
Jul-84	290.00	200	200	TOTAL STD	3128.010094				1
Oct-84		200	200	TOTAL Sx	363.6237874				2
Jan-85	450.00	200	200	TOTAL MEAN	2159.777333				3
Apr-85	200.00	200	200	TOTAL N	75	313.33			4
Jul-85	200.00	200	200	TOTAL df	74	283.33			5
Oct-85	510.00	200	200			340.00			6
Jan-86	200.00	200	200			277.50			7
Apr-86	780.00	200	200			422.50			8
Jul-86	270.00	200	200			440.00			9
Oct-86	280.00	200	200			382.50			10
Jan-87	250.00	200	200			395.00			11
Apr-87		200	200			266.67			12
Jul-87		200	200			265.00			13
Oct-87	230.00	200	200			240.00			14
Jan-88	280.00	200	200			255.00			15
Apr-88	35.00	200	200			181.67			16
Jul-88	30.00	200	200			143.75			17
Oct-88	3100.00	200	200			861.25			18
Jan-89	990.00	200	200			1038.75			19
Apr-89	12000.00	200	200			4030.00			20
Jul-89	12000.00	200	200			7022.50			21
Oct-89	100.00	200	200			6272.50			22
Jan-90	430.00	200	200			6132.50			23
Apr-90	5000.00	200	200			4382.50			24
Jul-90	8100.00	200	200			3407.50			25
Oct-90	5500.00	200	200			4757.50			26
Jan-91	100.00	200	200			4675.00			27
Apr-91	4300.00	200	200			4500.00			28
Jul-91	215.00	200	200			2528.75			29
Oct-91	50.00	200	200			1166.25			30
Jan-92	7720.00	200	200			3071.25			31
Apr-92	3920.00	200	200			2976.25			32
Jul-92	6100.00	200	200			4447.50			33
Oct-92	498.00	200	200			4559.50			34
Jan-93	4160.00	200	200			3669.50			35
Apr-93	7600.00	200	200			4589.50			36
Jul-93	1200.00	200	200			3364.50			37
Oct-93	3600.00	200	200			4140.00			38
Jan-94	14000.00	200	200			6600.00			39
Apr-94	1220.00	200	200			5005.00			40
Jul-94	1030.00	200	200			4962.50			41
Oct-94	3400.00	200	200			4912.50			42
Jan-95	508.00	200	200			1539.50			43
Apr-95	6600.00	200	200			2884.50			44
Jul-95	1745.00	200	200			3063.25			45
Oct-95	3800.00	200	10			3163.25			46
Apr-96	453.00	200	10			1999.33			47
Sep-96	2300.00	200	10			1376.5	1376.5	09/17/96	semiannual
Apr-97	110.00	200	10			1205	1205	04/03/97	semiannual
Aug-97	2780.00	200	10			1445	1445	08/27/97	semiannual
Mar-98	510.00	200	20			1645	1645	03/24/98	semiannual
Sep-98	5200.00	200	20			2855	2855	09/22/98	semiannual
May-99	709.00	200	10			2954.5	2954.5	05/11/99	semiannual

WELL VDM - 10 : COPPER

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETEC LIMIT	STATISTICS		MOVING AVERAGE			SAMPLING EVENT NO.
Oct-99	8440.00	200	10			4574.5	4574.5	10/05/99	semianual 54
May-00	322.00	200	10			4381	4381	05/16/00	semianual 55
Nov-00	3100.00	200	5			1711	1711	11/28/00	semianual 56
Apr-01	270.00	200	10			1685	1685	04/04/01	semianual 57
Oct-01	520.00	200	10			395	395	10/18/01	semianual 58
Apr-02	280.00	200	5			400	400	04/18/02	semianual 59
Oct-02	6600.00	200	5			3440	3440	10/03/02	semianual 60
Apr-03	660.00	200	5			3630	3630	04/25/03	semianual 61
Oct-03	1300.00	200	10			980	980	10/03/03	semianual 62
Apr-04	510.00	200	10			905	905	04/01/04	semianual 63
Oct-04	350.00	200	10			430	430	10/19/04	semianual 64
Apr-05	470.00	200	10			410	410	04/22/05	semianual 65
Oct-05	720.00	200	10			595	595	10/07/05	semianual 66
May-06	353.00	200	10			536.5	536.5	05/11/06	semianual 67
Oct-06	238.00	200	10			295.5	295.5	10/18/06	semianual 68
May-07	262.00	200	10			250	250	05/22/07	semianual 69
Oct-07	156.00	200	10			209	209	10/25/07	semianual 70
May-08	355.00	200	10			255.5	255.5	05/13/08	semianual 71
Oct-08	417.00	200	10			386	386	05/14/08	semianual 72
May-09	315.00	200	10			366	366	05/12/09	semianual 73
Oct-09	405.00	200	10			360	360	10/29/09	semianual 74
May-10	708.00	200	10			556.5	556.5	05/20/10	semianual 75
Oct-10	48.30	200	10			378.15	378.15	10/18/10	semianual 76
Jun-11	67.00	200	10			57.65	57.65	06/02/11	semianual 77
Oct-11	64.00	200	10			65.5	65.5	10/12/11	semianual 78
May-12	199.00	200	10			131.5	131.5	05/18/12	semianual 79
Oct-12	2100.00	200	40			1149.5	1149.5	10/11/12	semianual 80
May-13	1250.00	200	400			1675	1675	05/17/13	semianual 81
Oct-13	3180.00	200	20			2215	2215	10/11/13	semianual 82
May-14	205.00	200	32000			1692.5	1692.5	05/05/14	semianual 83
Oct-14	231.00	200	15			218	218	10/06/14	semianual 84
Jul-15	446.00	200	500			338.5	338.5	07/09/15	semianual 85
Jul-16	116.00	200	10			116	281	07/20/16	Annual 86
Sep-17	92.33	200	1			92.33	104.165	09/22/17	Annual 87
Jul-18	227.50	200	1			227.5	159.915	07/24/18	Annual 88
Aug-19	75.32	200	10			75.32	151.41	08/06/19	Annual 89
Sep-20	89.43	200	1			82.375	82.375	09/04/20	Annual 90

MOVING AVERAGE TREND TEST
VDM-11
COPPER




WELL VDM - 11 : COPPER

SAMPLING EVENT NO.	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING AVG			EVENT NO.
-	-	-	-	-	-	-			-
Jan-87	510.00	200	200	TOTAL STD	721.9995				1
Apr-87		200	200	TOTAL Sx	88.2063				2
Jul-87	1090.00	200	200	TOTAL MEAN	506.6647				3
Oct-87	550.00	200	200	TOTAL N	68	716.67			4
Jan-88	1150.00	200	200	TOTAL df	67	930.00			5
Apr-88	2880.00	200	200			1417.50			6
Jul-88	1570.00	200	200			1537.50			7
Oct-88	1500.00	200	200			1775.00			8
Jan-89	3200.00	200	200			2287.50			9
Apr-89	2700.00	200	200			2242.50			10
Jul-89	1100.00	200	200			2125.00			11
Oct-89	820.00	200	200			1955.00			12
Jan-90	1600.00	200	200			1555.00			13
Apr-90	1600.00	200	200			1280.00			14
Jul-90	600.00	200	200			1155.00			15
Oct-90	1800.00	200	200			1400.00			16
Jan-91	19.00	200	200			1004.75			17
Apr-91	21.00	200	200			610.00			18
Jul-91	90.00	200	200			482.50			19
Oct-91	130.00	200	200			65.00			20
Jan-92	310.00	200	200			137.75			21
Apr-92	600.00	200	200			282.50			22
Jul-92	35.50	200	200			268.88			23
Oct-92	66.70	200	200			253.05			24
Jan-93	150.00	200	200			213.05			25
Apr-93	10.00	200	200			65.55			26
Jul-93	20.00	200	200			61.68			27
Oct-93	5.00	200	200			46.25			28
Jan-94	80.00	200	200			28.75			29
Apr-94	31.00	200	200			34.00			30
Jul-94	68.00	200	200			46.00			31
Oct-94	40.00	200	200			54.75			32
Jan-95	15.00	200	200			38.50			33
Apr-95	50.00	200	200			43.25			34
Jul-95	30.00	200	200			33.75			35
Oct-95	41.00	200	10			34.00			36
Apr-96	48.00	200	10		39.66666667				37
Sep-96	30.00	200	30			39	39	9/17/1996	semiannual
Apr-97	390.00	200	10			210	210	4/3/1997	semiannual
Aug-97	1370.00	200	10			880	880	8/27/1997	semiannual
Mar-98	20.00	200	20			695	695	3/24/1998	semiannual
Sep-98	1900.00	200	20			960	960	9/22/1998	semiannual
May-99	10.00	200	10			955	955	5/11/1999	semiannual
Oct-99	744.00	200	10			377	377	10/5/1999	semiannual
May-00	56.00	200	10			400	400	5/16/2000	semiannual
Nov-00	450.00	200	5			253	253	11/28/2000	semiannual
Apr-01	28.00	200	10			239	239	4/4/2001	semiannual
Oct-01	820.00	200	10			424	424	10/18/2001	semiannual
Apr-02	57.00	200	5			438.5	438.5	4/18/2002	semiannual
Oct-02	490.00	200	5			273.5	273.5	10/3/2002	semiannual
Apr-03	320.00	200	5			405	405	4/25/2003	semiannual
Oct-03	280.00	200	10			300	300	10/3/2003	semiannual


WELL VDM - 11 : COPPER									
SAMPLING EVENT NO.	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING AVG			EVENT NO.
Apr-04	27.00	200	10			153.5	153.5	4/1/2004	semiannual 53
Oct-04	170.00	200	10			98.5	98.5	10/19/2004	semiannual 54
Apr-05	64.00	200	10			117	117	4/22/2005	semiannual 55
Oct-05	230.00	200	10			147	147	10/7/2005	semiannual 56
May-06	85.00	200	10			157.5	157.5	5/11/2006	semiannual 57
Oct-06	120.00	200	10			102.5	102.5	10/18/2006	semiannual 58
May-07	51.00	200	10			85.5	85.5	5/22/2007	semiannual 59
Oct-07	91.00	200	10			71	71	10/25/2007	semiannual 60
May-08	245.00	200	10			168	168	5/13/2008	semiannual 61
Oct-08	335.00	200	10			290	290	10/23/2008	semiannual 62
May-09	200.00	200	10			267.5	267.5	5/12/2009	semiannual 63
Oct-09	201.00	200	10			200.5	200.5	10/29/2009	semiannual 64
May-10	314.00	200	10			257.5	257.5	5/20/2010	semiannual 65
Oct-10	137.00	200	10			225.5	225.5	10/18/2010	semiannual 66
Jun-11	321.00	200	10			229	229	6/2/2011	semiannual 67
Oct-11	171.00	200	10			246	246	10/12/2011	semiannual 68
May-12	196.00	200	10			183.5	183.5	5/18/2012	semiannual 69
Oct-12	1050.00	200	40			623	623	10/11/2012	semiannual 70
May-13	520.00	200	400			785	785	5/17/2013	semiannual 71
Oct-13	2970.00	200	20			1745	1745	10/11/2013	semiannual 72
May-14	760.00	200	32			1865	1865	5/5/2014	semiannual 73
Oct-14	500.00	200	15			630	630	10/6/2014	semiannual 74
Jul-15	446.00	200	500			473	473	7/9/2015	semiannual 75
Jul-16	179.00	200	10			179	312.5	10/8/2014	Annual 76
Sep-17	109.30	200	1			109.3	144.15	9/22/2017	Annual 77
Jul-18	159.50	200	1			159.5	134.4	7/24/2018	Annual 78
Aug-19	129.40	200	1			129.4	144.45	8/6/2019	Annual 79
Sep-20	23.94	200	1			76.67	76.67	9/4/2020	Annual 80

MOVING AVERAGE TREND TEST
VDM-14 (1987-2007) & VDM-14R (2008-Present) COPPER



WELL VDM - 14 : COPPER									
SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING AVG			EVENT NO.
	-	-	-	-	-	-			-
Oct-85	200.00	200	200	TOTAL STD	3543.7446				1
Jan-86	21.00	200	200	TOTAL Sx	420.56511				2
Apr-86	14.00	200	200	TOTAL MEA	1123.8472				3
Jul-86	15.00	200	200	TOTAL N	72	62.50			4
Oct-86	28.00	200	200	TOTAL df	71	19.50			5
Jan-87	22.00	200	200			19.75			6
Apr-87	18.00	200	200			20.75			7
Jul-87	26.00	200	200			23.50			8
Oct-87	50.00	200	200			29.00			9
Jan-88	50.00	200	200			36.00			10
Apr-88	80.00	200	200			51.50			11
Jul-88	60.00	200	200			60.00			12
Oct-88	80.00	200	200			67.50			13
Jan-89	19.00	200	200			59.75			14
Apr-89	16.00	200	200			43.75			15
Jul-89	40.00	200	200			38.75			16
Oct-89	39.00	200	200			28.50			17
Jan-90	50.00	200	200			36.25			18
Apr-90	50.00	200	200			44.75			19
Jul-90	710.00	200	200			212.25			20
Oct-90	50.00	200	200			215.00			21
Jan-91	93.30	200	200			225.83			22
Apr-91	79.70	200	200			233.25			23
Jul-91	50.00	200	200			68.25			24
Oct-91	40.00	200	200			65.75			25
Jan-92	30.00	200	200			49.93			26
Apr-92	5.00	200	200			31.25			27
Jul-92	10.00	200	200			21.25			28
Oct-92	10.00	200	200			13.75			29
Jan-93	10.00	200	200			8.75			30
Apr-93	18.00	200	200			12.00			31
Jul-93	1370.00	200	200			352.00			32
Oct-93	8000.00	200	200			2349.50			33
Jan-94	10.00	200	200			2349.50			34
Apr-94	15.00	200	200			2348.75			35
Jul-94	18.00	200	200			2010.75			36
Oct-94	610.00	200	200			163.25			37
Jan-95	10.00	200	200			163.25			38
Apr-95	10.00	200	200			162.00			39
Jul-95	10.00	200	200			160.00			40
Oct-95	10.00	200	10			10.00			41
Apr-96	10.00	200	10			10			42
Sep-96	10.00	200	10			10	10	9/17/1996	semiannual
Apr-97	10.00	200	10			10	10	4/3/1997	semiannual
Aug-97	320.00	200	10			165	165	8/27/1997	semiannual
Mar-98	30.00	200	20			175	175	3/24/1998	semiannual
Sep-98	750.00	200	20			390	390	9/22/1998	semiannual
May-99	10.00	200	10			380	380	5/11/1999	semiannual
Oct-99	106.00	200	10			58	58	10/5/1999	semiannual
Nov-00	81.00	200	5			93.5	93.5	11/28/2000	semiannual


WELL VDM - 14 : COPPER									
SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING AVG			EVENT NO.
Apr-01	60.00	200	10			70.5	70.5	4/4/2001	semiannual 51
Oct-01	120.00	200	10			90	90	10/18/2001	semiannual 52
Apr-02	470.00	200	5			295	295	4/18/2002	semiannual 53
Oct-02	1600.00	200	5			1035	1035	10/3/2002	semiannual 54
Apr-03	460.00	200	5			1030	1030	4/25/2003	semiannual 55
Oct-03	1400.00	200	5			930	930	10/3/2003	semiannual 56
Apr-04	1000.00	200	100			1200	1200	4/1/2004	semiannual 57
Oct-04	3800.00	200	100			2400	2400	10/19/2004	semiannual 58
Apr-05	22600.00	200	100			13200	13200	4/22/2005	semiannual 59
Oct-05	18100.00	200	100			20350	20350	10/7/2005	semiannual 60
May-06	1090.00	200	100			9595	9595	5/11/2006	semiannual 61
Oct-06	3970.00	200	100			2530	2530	10/18/2006	semiannual 62
May-07	5470.00	200	100			4720	4720	5/22/2007	semiannual 63
Oct-07	4110.00	200	100			4790	4790	10/25/2007	semiannual 64
Oct-08	2200.00	200	100			3155	3155	10/27/2008	semiannual 65
May-09	250.00	200	100			1225	1225	5/12/2009	semiannual 66
Oct-09	258.00	200	100			254	254	10/29/2009	semiannual 67
May-10	100.00	200	100			179	179	5/20/2010	semiannual 68
Oct-10	100.00	200	100			100	100	10/18/2010	semiannual 69
Jun-11	85.00	200	100			92.5	92.5	6/2/2011	semiannual 70
Oct-11	200.00	200	200			142.5	142.5	10/12/2011	semiannual 71
May-12	100.00	200	100			150	150	5/18/2012	semiannual 72
Oct-12	400.00	200	400			250	250	10/11/2012	semiannual 73
May-13	400.00	200	400			400	400	5/17/2013	semiannual 74
Oct-13	200.00	200	200			300	300	10/11/2013	semiannual 75
May-14	110.00	200	32			155	155	5/5/2014	semiannual 76
Oct-14	500.00	200	15			305	305	10/6/2014	semiannual 77
Jul-15	500.00	200	500			500	500	7/9/2015	semiannual 78
Jul-16	100.00	200	10			100	300	7/20/2016	Annual 79
Sep-17	224.00	200	1			224	162	9/22/2017	Annual 80
Jul-18	118.90	200	1			118.9	171.45	7/24/2018	Annual 81
Aug-19	136.70	200	10			136.7	127.8	8/6/2019	Annual 82
Sep-20	48.29	200	1			92.495	92.495	9/4/2020	Annual 83



WELL VDM - 9 : METHYLENE CHLORIDE									
SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING AVG			EVENT NO.
Jan-87	263.00	5	5	TOTAL STD	52.708109				1
Apr-87	350.00	5	5	TOTAL Sx	6.4879198				2
Jul-87	34.00	5	5	TAL MEAN	31.570149				3
Oct-87	118.00	5	5	TOTAL N	67	191.25			4
Jan-88	34.00	5	5	TOTAL df	66	134.00			5
Apr-88	21.00	5	5			51.75			6
Jul-88	49.00	5	5			55.50			7
Oct-88	43.00	5	5			36.75			8
Jan-89	18.00	5	5			32.75			9
Apr-89	42.00	5	5			38.00			10
Jul-89	11.00	5	5			28.50			11
Oct-89	23.00	5	5			23.50			12
Jan-90	18.00	5	5			23.50			13
Apr-90	59.00	5	5			27.75			14
Jul-90	48.00	5	5			37.00			15
Oct-90	50.00	5	5			43.75			16
Jan-91	44.00	5	5			50.25			17
Apr-91	48.00	5	5			47.50			18
Jul-91	26.00	5	5			42.00			19
Oct-91	18.00	5	5			34.00			20
Jan-92	38.00	5	5			32.50			21
Apr-92	42.00	5	5			31.00			22
Jul-92	32.00	5	5			32.50			23
Oct-92	41.20	5	5			38.30			24
Jan-93	42.10	5	5			39.33			25
Apr-93	45.20	5	5			40.13			26
Jul-93	5.70	5	5			33.55			27
Oct-93	31.00	5	5			31.00			28
Jan-94	39.00	5	5			30.23			29
Apr-94	21.00	5	5			24.18			30
Jul-94	1.50	5	5			23.13			31
Oct-94	40.00	5	5			25.38			32
Jan-95	24.00	5	5			21.63			33
Apr-95	26.00	5	5			22.88			34
Jul-95	29.00	5	5			29.75			35
Oct-95	47.00	5	5			31.50			36
Apr-96	20.00	5	5			30.50	29	04/01/96	37
Sep-96	46.00	5	10			37.67	33	09/17/96	semiannual
Apr-97	16.00	5	10			31	31	04/03/97	semiannual
Aug-97	23.00	5	10			19.5	19.5	08/27/97	semiannual
Mar-98	1.30	5	5			12.15	12.15	03/24/98	semiannual
Sep-98	20.00	5	5			10.65	10.65	09/22/98	semiannual
May-99	11.00	5	10			15.5	15.5	05/11/99	semiannual
Sep-99	15.00	5	10			13	13	09/29/99	semiannual
May-00	10.00	5	10			12.5	12.5	05/16/00	semiannual
Nov-00	13.00	5	5			11.5	11.5	11/28/00	semiannual
Apr-01	3.00	5	5			8	8	04/04/01	semiannual
Oct-01	15.00	5	5			9	9	10/18/01	semiannual
Apr-02	3.00	5	5			9	9	04/18/02	semiannual
Oct-02	10.00	5	5			6.5	6.5	10/03/02	semiannual
Apr-03	4.00	5	5			7	7	04/25/03	semiannual

WELL VDM - 9 : METHYLENE CHLORIDE									
SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING AVG			EVENT NO.
Oct-03	7.00	5	5			5.5	5.5	10/03/03	semiannual 52
Apr-04	5.00	5	5			6	6	04/01/04	semiannual 53
Oct-04	5.00	5	5			5	5	10/19/04	semiannual 54
Apr-05	5.00	5	5			5	5	04/22/05	semiannual 55
Oct-05	6.00	5	5			5.5	5.5	10/07/05	semiannual 56
May-06	5.80	5	5			5.9	5.9	05/11/06	semiannual 57
Oct-06	5.80	5	5			5.8	5.8	10/18/06	semiannual 58
May-07	5.80	5	5			5.8	5.8	05/22/07	semiannual 59
Oct-07	5.80	5	5			5.8	5.8	10/25/07	semiannual 60
May-08	5.00	5	5			5.4	5.4	05/13/08	semiannual 61
May-09	5.00	5	5			5	5	05/12/09	semiannual 63
Oct-09	5.00	5	5			5	5	10/29/09	semiannual 64
May-10	5.00	5	5			5	5	05/20/10	semiannual 65
Oct-10	5.00	5	5			5	5	10/18/10	semiannual 66
Jun-11	2.00	5	5			3.5	3.5	06/02/11	semiannual 67
Oct-11	5.00	5	5			3.5	3.5	10/12/11	semiannual 68
May-12	2.00	5	2			3.5	3.5	05/18/12	semiannual 69
Oct-12	2.00	5	2			2	2	10/11/12	semiannual 70
May-13	2.00	5	2			2	2	05/17/13	semiannual 71
Oct-13	2.00	5	2			2	2	10/11/13	semiannual 72
Jun-14	2.00	5	2			2	2	06/20/14	semiannual 73
Oct-14	2.00	5	2			2	2	10/06/14	semiannual 74
Jul-15	1.00	5	1			1.5	1.5	07/15/15	semiannual 75
Jul-16	5.00	5	5			5	3	07/20/16	Annual 76
Sep-17	2.50	5	2.5			2.5	3.75	09/22/17	Annual 77
Jul-18	2.50	5	2.5			2.5	2.5	07/24/18	Annual 78
Aug-19	2.50	5	2.5			2.5	2.5	08/06/19	Annual 79
Sep-20	2.50	5	2.5			2.5	2.5	09/04/20	Annual 80

MOVING AVERAGE TREND TEST
VDM-10
METHYLENE CHLORIDE




WELL VDM - 10 : METHYLENE CHLORIDE

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETEC LIMIT	STATISTICS		MOVING AVERAGE				SAMPLING EVENT NO.
Jul-84	41.70	5	5	TOTAL STD	17.2162933					1
Oct-84	42.00	5	5	TOTAL Sx	1.96197871					2
Jan-85	69.50	5	5	TOTAL MEAN	11.720641					3
Apr-85	89.10	5	5	TOTAL N	78	60.58				4
Jul-85	93.20	5	5	TOTAL df	77	73.45				5
Oct-85	38.50	5	5			72.58				6
Jan-86	24.80	5	5			61.40				7
Apr-86	5.30	5	5			40.45				8
Jul-86	5.00	5	5			18.40				9
Oct-86	4.00	5	5			9.78				10
Jan-87	10.00	5	5			6.08				11
Apr-87	12.50	5	5			7.88				12
Jul-87	1.00	5	5			6.88				13
Oct-87	1.00	5	5			6.13				14
Jan-88	3.00	5	5			4.38				15
Apr-88	2.60	5	5			1.90				16
Jul-88	18.00	5	5			6.15				17
Oct-88	19.00	5	5			10.65				18
Jan-89	15.00	5	5			13.65				19
Apr-89	17.00	5	5			17.25				20
Jul-89	2.00	5	5			13.25				21
Oct-89	5.40	5	5			9.85				22
Jan-90	2.00	5	5			6.60				23
Apr-90	7.00	5	5			4.10				24
Jul-90	14.00	5	5			7.10				25
Oct-90	6.00	5	5			7.25				26
Jan-91	50.00	5	5			19.25				27
Apr-91	5.80	5	5			18.95				28
Jul-91	8.80	5	5			17.65				29
Oct-91	9.80	5	5			18.60				30
Jan-92	8.60	5	5			8.25				31
Apr-92	14.00	5	5			10.30				32
Jul-92	8.80	5	5			10.30				33
Oct-92	2.50	5	5			8.48				34
Jan-93	13.20	5	5			9.63				35
Apr-93	8.31	5	5			8.20				36
Jul-93	2.80	5	5			6.70				37
Oct-93	5.90	5	5			7.55				38
Jan-94	1.50	5	5			4.63				39
Apr-94	1.50	5	5			2.93				40
Jul-94	5.00	5	5			3.48				41
Oct-94	4.20	5	5			3.05				42
Jan-95	1.50	5	5			3.05				43
Apr-95	7.40	5	5			4.53				44
Jul-95	8.70	5	5			5.45				45
Oct-95	2.50	5	2.5			5.03				46
Apr-96	10.00	5	10			7.07				47
Sep-96	10.00	5	10			10	10	09/17/96	semiannual	48
Apr-97	10.00	5	10			10	10	04/03/97	semiannual	49
Aug-97	10.00	5	10			10	10	08/27/97	semiannual	50
Mar-98	5.00	5	5			7.5	7.5	03/24/98	semiannual	51

WELL VDM - 10 : METHYLENE CHLORIDE

SAMPLING EVENT	CONC	DEC EXCEED	DETEC	STATISTICS		MOVING				SAMPLING EVENT
Sep-98	10.00	5	5			7.5	7.5	09/22/98	semiannual	52
May-99	10.00	5	10			10	10	05/11/99	semiannual	53
Oct-99	10.00	5	10			10	10	10/05/99	semiannual	54
May-00	10.00	5	10			10	10	05/16/00	semiannual	55
Nov-00	2.00	5	5			6	6	11/28/00	semiannual	56
Apr-01	5.00	5	5			3.5	3.5	04/04/01	semiannual	57
Oct-01	5.00	5	5			5	5	10/18/01	semiannual	58
Apr-02	1.00	5	5			3	3	04/18/02	semiannual	59
Oct-02	5.00	5	5			3	3	10/03/02	semiannual	60
Apr-03	5.00	5	5			5	5	04/25/03	semiannual	61
Oct-03	5.00	5	5			5	5	10/03/03	semiannual	62
Apr-04	5.00	5	5			5	5	04/01/04	semiannual	63
Oct-04	5.00	5	5			5	5	10/19/04	semiannual	64
Apr-05	5.00	5	5			5	5	04/22/05	semiannual	65
Oct-05	5.00	5	5			5	5	10/07/05	semiannual	66
May-06	5.80	5	5			5.4	5.4	05/11/06	semiannual	67
Oct-06	5.80	5	5			5.8	5.8	10/18/06	semiannual	68
May-07	5.80	5	5			5.8	5.8	05/22/07	semiannual	69
Oct-07	5.80	5	5			5.8	5.8	10/25/07	semiannual	70
May-08	5.80	5	5			5.8	5.8	05/13/08	semiannual	71
Oct-08	5.80	5	5			5.8	5.8	10/23/08	semiannual	72
May-09	5.00	5	5			5.4	5.4	05/09/09	semiannual	73
Oct-09	5.00	5	5			5	5	10/29/09	semiannual	74
May-10	5.00	5	5			5	5	05/20/10	semiannual	75
Oct-10	5.00	5	5			5	5	10/18/10	semiannual	76
Jun-11	2.00	5	2			3.5	3.5	06/02/11	semiannual	77
Oct-11	5.00	5	5			3.5	3.5	10/12/11	semiannual	78
May-12	2.00	5	2			3.5	3.5	05/18/12	semiannual	79
Oct-12	2.00	5	2			2	2	10/11/12	semiannual	80
May-13	2.00	5	2			2	2	05/17/13	semiannual	81
Oct-13	2.00	5	2			2	2	10/11/13	semiannual	82
May-14	10.00	5	10			6	6	05/05/14	semiannual	83
Oct-14	2.00	5	2			6	6	10/06/14	semiannual	84
Jul-15	1.00	5	1			1.5	1.5	07/09/15	semiannual	85
Jul-16	5.00	5	5			5	3	07/20/16	Annual	86
Sep-17	1.20	5	2.5			1.2	3.1	09/22/17	Annual	87
Jul-18	2.50	5	2.5			2.5	1.85	07/24/18	Annual	88
Aug-19	2.50	5	2.5			2.5	2.5	08/06/19	Annual	89
Sep-20	2.50	5	2.5			2.5	2.5	09/04/20	Annual	90

MOVING AVERAGE TREND TEST
VDM-11
METHYLENE CHLORIDE




WELL VDM - 11 : METHYLENE CHLORIDE

SAMPLING EVENT NO.	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING AVG			EVENT NO.
-	-	-	-	-	-	-			-
Jan-87		5	5	TOTAL STD	20.7399				1
Apr-87		5	5	TOTAL Sx	2.5529				2
Jul-87	168.00	5	5	TOTAL MEAN	8.0864				3
Oct-87	5.00	5	5	TOTAL N	67				4
Jan-88	5.00	5	5	TOTAL df	66				5
Apr-88	7.80	5	5			46.45			6
Jul-88	18.30	5	5			9.03			7
Oct-88	1.00	5	5			8.03			8
Jan-89	1.70	5	5			7.20			9
Apr-89	5.10	5	5			6.53			10
Jul-89	2.00	5	5			2.45			11
Oct-89	4.80	5	5			3.40			12
Jan-90	1.00	5	5			3.23			13
Apr-90	6.00	5	5			3.45			14
Jul-90	1.00	5	5			3.20			15
Oct-90	50.00	5	5			14.50			16
Jan-91	2.00	5	5			14.75			17
Apr-91	2.00	5	5			13.75			18
Jul-91	2.00	5	5			14.00			19
Oct-91	2.50	5	5			2.13			20
Jan-92	3.40	5	5			2.48			21
Apr-92	2.00	5	5			2.48			22
Jul-92	2.50	5	5			2.60			23
Oct-92	7.16	5	5			3.77			24
Jan-93	3.00	5	5			3.67			25
Apr-93	1.50	5	5			3.54			26
Jul-93	4.43	5	5			4.02			27
Oct-93	1.50	5	5			2.61			28
Jan-94	1.50	5	5			2.23			29
Apr-94	1.50	5	5			2.23			30
Jul-94	21.00	5	5			6.38			31
Oct-94	2.20	5	5			6.55			32
Jan-95	1.50	5	5			6.55			33
Apr-95	1.50	5	5			6.55			34
Jul-95	3.00	5	5			2.05			35
Oct-95	2.50	5	2.5			2.13			36
Apr-96	10.00	5	10			5.17			37
Sep-96	10.00	5	10			10	10	9/17/1996	semiannual
Apr-97	10.00	5	10			10	10	4/3/1997	semiannual
Aug-97	10.00	5	10			10	10	8/27/1997	semiannual
Mar-98	5.00	5	5			7.5	7.5	3/24/1998	semiannual
Sep-98	2.60	5	5			3.8	3.8	9/22/1998	semiannual
May-99	10.00	5	10			6.3	6.3	5/11/1999	semiannual
Oct-99	10.00	5	10			10	10	10/5/1999	semiannual
May-00	10.00	5	10			10	10	5/16/2000	semiannual
Nov-00	5.00	5	5			7.5	7.5	11/28/2000	semiannual
Apr-01	5.00	5	5			5	5	4/4/2001	semiannual
Oct-01	5.00	5	5			5	5	10/18/2001	semiannual
Apr-02	5.00	5	5			5	5	4/18/2002	semiannual
Oct-02	5.00	5	5			5	5	10/3/2002	semiannual
Apr-03	5.00	5	5			5	5	4/25/2003	semiannual
Oct-03	5.00	5	5			5	5	10/3/2003	semiannual

WELL VDM - 11 : METHYLENE CHLORIDE

SAMPLING EVENT NO.	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS	MOVING AVG				EVENT NO.
Apr-04	5.00	5	5		5	5	4/1/2004	semiannual	53
Oct-04	5.00	5	5		5	5	10/19/2004	semiannual	54
Apr-05	5.00	5	5		5	5	4/22/2005	semiannual	55
Oct-05	5.00	5	5		5	5	10/7/2005	semiannual	56
May-06	5.80	5	5		5.4	5.4	5/11/2006	semiannual	57
Oct-06	5.80	5	5		5.8	5.8	10/18/2006	semiannual	58
May-07	5.80	5	5		5.8	5.8	5/22/2007	semiannual	59
Oct-07	5.80	5	5		5.8	5.8	10/25/2007	semiannual	60
May-08	5.80	5	5		5.8	5.8	5/13/2008	semiannual	61
Oct-08	5.80	5	5		5.8	5.8	10/23/2008	semiannual	62
May-09	5.00	5	5		5.4	5.4	5/12/2009	semiannual	63
Oct-09	5.00	5	5		5	5	10/29/2009	semiannual	64
May-10	5.00	5	5		5	5	5/20/2010	semiannual	65
Oct-10	5.00	5	5		5	5	10/18/2010	semiannual	66
Jun-11	2.00	5	2		3.5	3.5	6/2/2011	semiannual	67
Oct-11	5.00	5	5		3.5	3.5	10/12/2011	semiannual	68
May-12	2.00	5	2		3.5	3.5	5/18/2012	semiannual	69
Oct-12	2.00	5	2		2	2	10/11/2012	semiannual	70
May-13	2.00	5	2		2	2	5/17/2013	semiannual	71
Oct-13	2.00	5	2		2	2	10/11/2013	semiannual	72
May-14	10.00	5	2		6	6	5/5/2014	semiannual	73
Oct-14	2.00	5	2		6	6	10/6/2014	semiannual	74
Jul-15	1.00	5	2		1.5	1.5	7/9/2015	semiannual	75
Jul-16	5.00	5	5		5.00	3	7/20/2016	Annual	76
Sep-17	2.50	5	2.5		2.50	3.75	9/22/2017	Annual	77
Jul-18	2.50	5	2.5		2.50	2.5	7/24/2018	Annual	78
Aug-19	2.50	5	2.5		2.50	2.5	8/6/2019	Annual	79
Sep-20	2.50	5	2.5		2.5	2.5	9/4/2020	Annual	80

MOVING AVERAGE TREND TEST
VDM-14 (1987-2007) & VDM-14R (2008-Present)
METHYLENE CHLORIDE




WELL VDM - 14 : METHYLENE CHLORIDE									
SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING AVG			EVENT NO.
-	-	-	-	-	-	-			-
Oct-85	1.00	5	5	TOTAL STD	15.412515				1
Jan-86	1.00	5	5	TOTAL Sx	1.829129				2
Apr-86	22.00	5	5	TOTAL MEA	10.781667				3
Jul-86	28.00	5	5	TOTAL N	72	13.00			4
Oct-86	2.00	5	5	TOTAL df	71	13.25			5
Jan-87	2.00	5	5			13.50			6
Apr-87	1.20	5	5			8.30			7
Jul-87	2.00	5	5			1.80			8
Oct-87	1.00	5	5			1.55			9
Jan-88	1.00	5	5			1.30			10
Apr-88	10.00	5	5			3.50			11
Jul-88	1.00	5	5			3.25			12
Oct-88	50.00	5	5			15.50			13
Jan-89	2.00	5	5			15.75			14
Apr-89	1.00	5	5			13.50			15
Jul-89	2.00	5	5			13.75			16
Oct-89	1.00	5	5			1.50			17
Jan-90	2.00	5	5			1.50			18
Apr-90	3.60	5	5			2.15			19
Jul-90	5.70	5	5			3.08			20
Oct-90	2.00	5	5			3.33			21
Jan-91	2.50	5	5			3.45			22
Apr-91	8.32	5	5			4.63			23
Jul-91	3.00	5	5			3.96			24
Oct-91	1.50	5	5			3.83			25
Jan-92	3.00	5	5			3.96			26
Apr-92	1.50	5	5			2.25			27
Jul-92	1.50	5	5			1.88			28
Oct-92	1.50	5	5			1.88			29
Jan-93	1.50	5	5			1.50			30
Apr-93	1.50	5	5			1.50			31
Jul-93	3.50	5	5			2.00			32
Oct-93	3.80	5	5			2.58			33
Jan-94	3.80	5	5			3.15			34
Apr-94	1.50	5	5			3.15			35
Jul-94	1.50	5	5			2.65			36
Oct-94	1.50	5	5			2.08			37
Jan-95	1.50	5	5			1.50			38
Apr-95	11.00	5	5			3.88			39
Jul-95	12.00	5	5			6.50			40
Oct-95	16.00	5	5			10.13			41
Apr-96	10.00	5	10			12.67			42
Sep-96	21.00	5	10			15.5	15.5	9/17/1996	semiannual
Apr-97	10.00	5	10			15.5	15.5	4/3/1997	semiannual
Aug-97	10.00	5	100			10	10	8/27/1997	semiannual
Mar-98	4.70	5	5			7.35	7.35	3/24/1998	semiannual
Sep-98	20.00	5	5			12.35	12.35	9/22/1998	semiannual
May-99	10.00	5	10			15	15	5/11/1999	semiannual
Oct-99	32.00	5	10			21	21	10/5/1999	semiannual
Nov-00	19.00	5	5			25.5	25.5	11/28/2000	semiannual

WELL VDM - 14 : METHYLENE CHLORIDE

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS	MOVING AVG				EVENT NO.
Apr-01	4.00	5	5		11.5	11.5	4/4/2001	semiannual	51
Oct-01	9.00	5	5		6.5	6.5	10/18/2001	semiannual	52
Apr-02	2.00	5	5		5.5	5.5	4/18/2002	semiannual	53
Oct-02	19.00	5	25		10.5	10.5	10/3/2002	semiannual	54
Apr-03	7.00	5	10		13	13	4/25/2003	semiannual	55
Oct-03	12.00	5	5		9.5	9.5	10/3/2003	semiannual	56
Apr-04	7.00	5	10		9.5	9.5	4/1/2004	semiannual	57
Oct-04	15.00	5	10		11	11	10/19/2004	semiannual	58
Apr-05	8.00	5	10		11.5	11.5	4/22/2005	semiannual	59
Oct-05	20.00	5	10		14	14	10/7/2005	semiannual	60
May-06	23.10	5	10		21.55	21.55	5/11/2006	semiannual	61
Oct-06	20.00	5	10		21.55	21.55	10/18/2006	semiannual	62
May-07	106.00	5	10		63	63	5/22/2007	semiannual	63
Oct-07	27.10	5	10		66.55	66.55	10/25/2007	semiannual	64
Oct-08	11.70	5	10		19.4	19.4	10/23/2008	semiannual	65
May-09	25.00	5	25		18.35	18.35	5/12/2009	semiannual	66
Oct-09	7.05	5	25		16.025	16.025	10/29/2009	semiannual	67
May-10	5.68	5	25		6.365	6.365	5/20/2010	semiannual	68
Oct-10	9.83	5	25		7.755	7.755	10/18/2010	semiannual	69
Jun-11	20.00	5	20		14.915	14.915	6/2/2011	semiannual	70
Oct-11	50.00	5	50		35	35	10/12/2011	semiannual	71
May-12	7.70	5	2		28.85	28.85	5/18/2012	semiannual	72
Oct-12	14.00	5	2		10.85	10.85	10/11/2012	semiannual	73
May-13	4.60	5	2		9.3	9.3	5/17/2013	semiannual	74
Oct-13	6.40	5	2		5.5	5.5	10/11/2013	semiannual	75
May-14	10.00	5	10		8.2	8.2	5/5/2014	semiannual	76
Oct-14	9.70	5	2		9.85	9.85	10/6/2014	semiannual	77
Jul-15	2.90	5	1		6.3	6.3	7/9/2015	semiannual	78
Jul-16	50.00	5	5		50	26.45	7/20/2016	Annual	79
Sep-17	4.30	5	10		4.3	27.15	9/22/2017	Annual	80
Jul-18	12.00	5	12		12	8.15	7/24/2018	Annual	81
Aug-19	12.00	5	12		12	12	8/6/2019	Annual	82
Sep-20	6.20	5	6.2		9.1	9.1	9/4/2020	Annual	83


MOVING AVERAGE TREND TEST
VDM-9 (1987-2013) & VDM-9R (2014-Present)
TETRACHLOROETHENE



WELL VDM - 9 : TETRACHLOROETHENE									
SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING AVG			EVENT NO.
Jan-87		5	5	TOTAL STD	55.406017				1
Apr-87		5	5	TOTAL Sx	6.9257521				2
Jul-87	46.00	5	5	TOTAL MEAN	93.813846				3
Oct-87	141.00	5	5	TOTAL N	65				4
Jan-88	51.00	5	5	TOTAL df	64				5
Apr-88	62.00	5	5			75.00			6
Jul-88	87.00	5	5			85.25			7
Oct-88	290.00	5	5			122.50			8
Jan-89	64.00	5	5			125.75			9
Apr-89	12.00	5	5			113.25			10
Jul-89	29.00	5	5			98.75			11
Oct-89	100.00	5	5			51.25			12
Jan-90	57.00	5	5			49.50			13
Apr-90	1.00	5	5			46.75			14
Jul-90	110.00	5	5			67.00			15
Oct-90	124.00	5	5			73.00			16
Jan-91	110.00	5	5			86.25			17
Apr-91	110.00	5	5			113.50			18
Jul-91	67.00	5	5			102.75			19
Oct-91	52.00	5	5			84.75			20
Jan-92	91.00	5	5			80.00			21
Apr-92	130.00	5	5			85.00			22
Jul-92	149.00	5	5			105.50			23
Oct-92	91.00	5	5			115.25			24
Jan-93	71.60	5	5			110.40			25
Apr-93	159.00	5	5			117.65			26
Jul-93	190.00	5	5			127.90			27
Oct-93	86.00	5	5			126.65			28
Jan-94	94.00	5	5			132.25			29
Apr-94	140.00	5	5			127.50			30
Jul-94	12.00	5	5			83.00			31
Oct-94	120.00	5	5			91.50			32
Jan-95	230.00	5	5			125.50			33
Apr-95	300.00	5	5			165.50			34
Jul-95	120.00	5	5			192.50			35
Oct-95	170.00	5	5			205.00			36
Apr-96	130.00	5	5			140.00	137.5	04/01/96	semiannual
Sep-96	130.00	5	10			130	130	09/17/96	semiannual
Apr-97	150.00	5	10			140	140	04/03/97	semiannual
Aug-97	110.00	5	10			130	130	08/27/97	semiannual
Mar-98	96.00	5	5			103	103	03/24/98	semiannual
Sep-98	54.00	5	5			75	75	09/22/98	semiannual
May-99	96.00	5	10			75	75	05/11/99	semiannual
Sep-99	101.00	5	10			98.5	98.5	09/29/99	semiannual
May-00	96.00	5	10			98.5	98.5	05/16/00	semiannual
Nov-00	81.00	5	5			88.5	88.5	11/28/00	semiannual
Apr-01	71.00	5	5			76	76	04/04/01	semiannual
Oct-01	110.00	5	5			90.5	90.5	10/18/01	semiannual
Apr-02	62.00	5	5			86	86	04/18/02	semiannual
Oct-02	53.00	5	5			57.5	57.5	10/03/02	semiannual
Apr-03	56.00	5	5			54.5	54.5	04/25/03	semiannual
Oct-03	64.00	5	5			60	60	10/03/03	semiannual
Apr-04	51.00	5	5			57.5	57.5	04/01/04	semiannual

WELL VDM - 9 : TETRACHLOROETHENE									
SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING AVG			EVENT NO.
Oct-04	74.00	5	5			62.5	62.5	10/19/04	semiannual 54
Apr-05	53.00	5	5			63.5	63.5	04/22/05	semiannual 55
Oct-05	91.00	5	5			72	72	10/07/05	semiannual 56
May-06	72.90	5	5			81.95	81.95	05/11/06	semiannual 57
Oct-06	92.60	5	5			82.75	82.75	10/18/06	semiannual 58
May-07	78.80	5	5			85.7	85.7	05/22/07	semiannual 59
Oct-07	105.00	5	5			91.9	91.9	10/25/07	semiannual 60
May-08	71.60	5	5			88.3	88.3	05/13/08	semiannual 61
May-09	54.20	5	5			62.9	62.9	05/12/09	semiannual 63
Oct-09	47.50	5	5			50.85	50.85	10/29/09	semiannual 64
May-10	44.20	5	5			45.85	45.85	05/20/10	semiannual 65
Oct-10	53.80	5	5			49	49	10/18/10	semiannual 66
Jun-11	40.70	5	5			47.25	47.25	06/02/11	semiannual 67
Oct-11	41.00	5	5			40.85	40.85	10/12/11	semiannual 68
May-12	31.60	5	2			36.3	36.3	05/18/12	semiannual 69
Oct-12	36.50	5	2			34.05	34.05	10/11/12	semiannual 70
May-13	26.80	5	2			31.65	31.65	05/17/13	semiannual 71
Oct-13	52.10	5	2			39.45	39.45	10/11/13	semiannual 72
Jun-14	4.80	5	2			28.45	28.45	06/20/14	semiannual 73
Oct-14	9.60	5	2			7.2	7.2	10/06/14	semiannual 74
Jul-15	5.50	5	2			7.55	7.55	07/15/15	semiannual 75
Jul-16	35.00	5	1.5			35	20.25	07/20/16	Annual 76
Sep-17	5.00	5	0.5			5	20	09/22/17	Annual 77
Jul-18	1.60	5	0.5			1.6	3.3	07/24/18	Annual 78
Aug-19	1.90	5	0.5			1.9	1.75	08/06/19	Annual 79
Sep-20	0.71	5	0.5			1.305	1.305	09/04/20	Annual 80

MOVING AVERAGE TREND TEST
VDM-10
TETRACHLOROETHENE




WELL VDM - 10 : TETRACHLOROETHENE								
SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETEC LIMIT	STATISTICS		MOVING AVERAGE		SAMPLING EVENT NO.
-	-	-	-	-----	-	-		-
Jul-84	1.00	5	5	TOTAL STD	2.807803826			1
Oct-84	1.00	5	5	TOTAL Sx	0.319978943			2
Jan-85	5.00	5	5	TOTAL MEAN	3.823076923			3
Apr-85	5.00	5	5	TOTAL N	78	3.00		4
Jul-85	5.00	5	5	TOTAL df	77	4.00		5
Oct-85	10.00	5	5			6.25		6
Jan-86	5.00	5	5			6.25		7
Apr-86	5.00	5	5			6.25		8
Jul-86	5.00	5	5			6.25		9
Oct-86	1.00	5	5			4.00		10
Jan-87	1.00	5	5			3.00		11
Apr-87	1.00	5	5			2.00		12
Jul-87	1.00	5	5			1.00		13
Oct-87	1.00	5	5			1.00		14
Jan-88	1.00	5	5			1.00		15
Apr-88	1.00	5	5			1.00		16
Jul-88	1.00	5	5			1.00		17
Oct-88	1.00	5	5			1.00		18
Jan-89	1.00	5	5			1.00		19
Apr-89	1.00	5	5			1.00		20
Jul-89	1.00	5	5			1.00		21
Oct-89	1.00	5	5			1.00		22
Jan-90	1.00	5	5			1.00		23
Apr-90	1.00	5	5			1.00		24
Jul-90	1.00	5	5			1.00		25
Oct-90	1.00	5	5			1.00		26
Jan-91	10.00	5	5			3.25		27
Apr-91	2.00	5	5			3.50		28
Jul-91	2.00	5	5			3.75		29
Oct-91	2.00	5	5			4.00		30
Jan-92	2.00	5	5			2.00		31
Apr-92	1.00	5	5			1.75		32
Jul-92	1.00	5	5			1.50		33
Oct-92	1.25	5	5			1.31		34
Jan-93	1.25	5	5			1.13		35
Apr-93	1.50	5	5			1.25		36
Jul-93	2.50	5	5			1.63		37
Oct-93	2.50	5	5			1.94		38
Jan-94	2.50	5	5			2.25		39
Apr-94	2.50	5	5			2.50		40
Jul-94	2.50	5	5			2.50		41
Oct-94	2.50	5	5			2.50		42
Jan-95	7.90	5	5			3.85		43
Apr-95	2.50	5	5			4.30		44
Jul-95	2.50	5	5			3.85		45
Oct-95	2.50	5	2.5			3.85		46
Apr-96	10.00	5	10			5.00		47
Sep-96	10.00	5	10		10	10	09/17/96	semiannual
Apr-97	10.00	5	10		10	10	04/03/97	semiannual
Aug-97	10.00	5	10		10	10	08/27/97	semiannual
Mar-98	5.00	5	5		7.5	7.5	03/24/98	semiannual
Sep-98	5.00	5	5		5	5	09/22/98	semiannual

WELL VDM - 10 : TETRACHLOROETHENE

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETEC LIMIT	STATISTICS	MOVING AVERAGE				SAMPLING EVENT NO.
May-99	10.00	5	10		7.5	7.5	05/11/99	semianual	53
Oct-99	10.00	5	10		10	10	10/05/99	semianual	54
May-00	10.00	5	10		10	10	05/16/00	semianual	55
Nov-00	2.00	5	5		6	6	11/28/00	semianual	56
Apr-01	5.00	5	5		3.5	3.5	04/04/01	semianual	57
Oct-01	5.00	5	5		5	5	10/18/01	semianual	58
Apr-02	5.00	5	5		5	5	04/18/02	semianual	59
Oct-02	5.00	5	5		5	5	10/03/02	semianual	60
Apr-03	5.00	5	5		5	5	04/25/03	semianual	61
Oct-03	5.00	5	5		5	5	10/03/03	semianual	62
Apr-04	5.00	5	5		5	5	04/01/04	semianual	63
Oct-04	5.00	5	5		5	5	10/19/04	semianual	64
Apr-05	5.00	5	5		5	5	04/22/05	semianual	65
Oct-05	5.00	5	5		5	5	10/07/05	semianual	66
May-06	4.30	5	5		4.65	4.65	05/11/06	semianual	67
Oct-06	4.30	5	5		4.3	4.3	10/18/06	semianual	68
May-07	4.30	5	5		4.3	4.3	05/22/07	semianual	69
Oct-07	4.30	5	5		4.3	4.3	10/25/07	semianual	70
May-08	4.30	5	5		4.3	4.3	05/13/08	semianual	71
Oct-08	4.30	5	5		4.3	4.3	10/23/08	semianual	72
May-09	5.00	5	5		4.65	4.65	05/09/09	semianual	73
Oct-09	5.00	5	5		5	5	10/29/09	semianual	74
May-10	5.00	5	5		5	5	05/20/10	semianual	75
Oct-10	5.00	5	5		5	5	10/18/10	semianual	76
Jun-11	2.00	5	2		3.5	3.5	06/02/11	semianual	77
Oct-11	5.00	5	5		3.5	3.5	10/12/11	semianual	78
May-12	2.00	5	2		3.5	3.5	05/18/12	semianual	79
Oct-12	2.00	5	2		2	2	10/11/12	semianual	80
May-13	2.00	5	2		2	2	05/17/13	semianual	81
Oct-13	2.00	5	2		2	2	10/11/13	semianual	82
May-14	10.00	5	10		6	6	05/05/14	semianual	83
Oct-14	2.00	5	2		6	6	10/06/14	semianual	84
Jul-15	2.00	5	2		2	2	07/09/15	semianual	85
Jul-16	1.50	5	1.5		1.5	1.75	07/20/16	Annual	86
Sep-17	0.50	5	0.5		0.5	1	09/22/17	Annual	87
Jul-18	0.50	5	0.5		0.5	0.5	07/24/18	Annual	88
Aug-19	0.50	5	0.5		0.5	0.5	08/06/19	Annual	89
Sep-20	0.50	5	0.5		0.5	0.5	09/04/20	Annual	90

MOVING AVERAGE TREND TEST
VDM-11
TETRACHLOROETHENE




WELL VDM - 11 : TETRACHLOROETHENE

SAMPLING EVENT NO.	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING AVG			EVENT NO.
-	-	-	-	-	-	-			-
Jan-87		5	5	TOTAL STD	37.5902				1
Apr-87		5	5	TOTAL Sx	4.6270				2
Jul-87	71.60	5	5	TOTAL MEAN	23.9891				3
Oct-87	182.00	5	5	TOTAL N	67				4
Jan-88	32.30	5	5	TOTAL df	66				5
Apr-88	127.00	5	5			103.23			6
Jul-88	76.80	5	5			104.53			7
Oct-88	1.00	5	5			59.28			8
Jan-89	1.00	5	5			51.45			9
Apr-89	1.00	5	5			19.95			10
Jul-89	1.00	5	5			1.00			11
Oct-89	1.00	5	5			1.00			12
Jan-90	41.00	5	5			11.00			13
Apr-90	65.00	5	5			27.00			14
Jul-90	30.00	5	5			34.25			15
Oct-90	130.00	5	5			66.50			16
Jan-91	55.00	5	5			70.00			17
Apr-91	13.00	5	5			57.00			18
Jul-91	16.00	5	5			53.50			19
Oct-91	2.00	5	5			21.50			20
Jan-92	25.00	5	5			14.00			21
Apr-92	16.00	5	5			14.75			22
Jul-92	6.25	5	5			12.31			23
Oct-92	7.58	5	5			13.71			24
Jan-93	15.90	5	5			11.43			25
Apr-93	2.50	5	5			8.06			26
Jul-93	8.10	5	5			8.52			27
Oct-93	7.50	5	5			8.50			28
Jan-94	17.00	5	5			8.78			29
Apr-94	22.00	5	5			13.65			30
Jul-94	170.00	5	5			54.13			31
Oct-94	6.90	5	5			53.98			32
Jan-95	36.00	5	5			58.73			33
Apr-95	21.00	5	5			58.48			34
Jul-95	6.30	5	5			17.55			35
Oct-95	14.00	5	2.5			19.33			36
Apr-96	10.00	5	10			10.10			37
Sep-96	10.00	5	10			10	10	9/17/1996	semiannual
Apr-97	10.00	5	10			10	10	4/3/1997	semiannual
Aug-97	87.00	5	10			48.5	48.5	8/27/1997	semiannual
Mar-98	2.40	5	5			44.7	44.7	3/24/1998	semiannual
Sep-98	38.00	5	5			20.2	20.2	9/22/1998	semiannual
May-99	10.00	5	10			24	24	5/11/1999	semiannual
Oct-99	16.00	5	10			13	13	10/5/1999	semiannual
May-00	10.00	5	10			13	13	5/16/2000	semiannual
Nov-00	14.00	5	5			12	12	11/28/2000	semiannual
Apr-01	1.00	5	5			7.5	7.5	4/4/2001	semiannual
Oct-01	13.00	5	5			7	7	10/18/2001	semiannual
Apr-02	4.00	5	5			8.5	8.5	4/18/2002	semiannual
Oct-02	10.00	5	5			7	7	10/3/2002	semiannual
Apr-03	6.00	5	5			8	8	4/25/2003	semiannual
Oct-03	8.00	5	5			7	7	10/3/2003	semiannual

WELL VDM - 11 : TETRACHLOROETHENE

SAMPLING EVENT NO.	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS	MOVING AVG				EVENT NO.
Apr-04	2.00	5	5		5	5	4/1/2004	semiannual	53
Oct-04	7.00	5	5		4.5	4.5	10/19/2004	semiannual	54
Apr-05	8.00	5	5		7.5	7.5	4/22/2005	semiannual	55
Oct-05	8.00	5	5		8	8	10/7/2005	semiannual	56
May-06	8.51	5	5		8.255	8.255	5/11/2006	semiannual	57
Oct-06	23.60	5	5		16.055	16.055	10/18/2006	semiannual	58
May-07	9.40	5	5		16.5	16.5	5/22/2007	semiannual	59
Oct-07	10.10	5	5		9.75	9.75	10/25/2007	semiannual	60
May-08	4.30	5	5		7.2	7.2	5/13/2008	semiannual	61
Oct-08	5.50	5	5		4.9	4.9	10/23/2008	semiannual	62
May-09	7.50	5	5		6.5	6.5	5/12/2009	semiannual	63
Oct-09	6.73	5	5		7.115	7.115	10/29/2009	semiannual	64
May-10	6.32	5	5		6.525	6.525	5/20/2010	semiannual	65
Oct-10	8.26	5	5		7.29	7.29	10/18/2010	semiannual	66
Jun-11	6.62	5	5		7.44	6.47	6/2/2011	semiannual	67
Oct-11	5.30	5	5		5.96	6.78	10/12/2011	semiannual	68
May-12	2.00	5	2		3.65	4.31	5/18/2012	semiannual	69
Oct-12	6.40	5	2		4.2	5.85	10/11/2012	semiannual	70
May-13	3.80	5	3.8		5.1	2.9	5/17/2013	semiannual	71
Oct-13	8.60	5	2		6.2	7.5	10/11/2013	semiannual	72
May-14	10.00	5	10		9.3	6.9	5/5/2014	semiannual	73
Oct-14	6.50	5	2		8.25	7.55	10/6/2014	semiannual	74
Jul-15	4.10	5	2		5.3	7.05	7/9/2015	semiannual	75
Jul-16	3.30	5	1.5		3.3	4.9	7/20/2016	Annual	76
Sep-17	4.20	5	0.5		4.2	4.15	9/22/2017	Annual	77
Jul-18	3.50	5	0.5		3.5	3.4	7/24/2018	Annual	78
Aug-19	3.40	5	0.5		3.4	3.8	8/6/2019	Annual	79
Sep-20	4.40	5	0.5		3.95	3.95	9/4/2020	Annual	80

MOVING AVERAGE TREND TEST
VDM-14 (1987-2007) & VDM-14R (2008-Present) TETRACHLOROETHENE




WELL VDM - 14 : TETRACHLOROETHENE									
SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING AVG			EVENT NO.
	-	-	-	-	-	-			-
Oct-85	22.40	5	5	TOTAL STD	158.1411				1
Jan-86	1.00	5	5	TOTAL Sx	18.767896				2
Apr-86	1.00	5	5	TOTAL MEA	158.15972				3
Jul-86	1.00	5	5	TOTAL N	72	6.35			4
Oct-86	1.00	5	5	TOTAL df	71	1.00			5
Jan-87	1.00	5	5			1.00			6
Apr-87	1.00	5	5			1.00			7
Jul-87	1.00	5	5			1.00			8
Oct-87	40.00	5	5			10.75			9
Jan-88	33.00	5	5			18.75			10
Apr-88	90.00	5	5			41.00			11
Jul-88	30.00	5	5			48.25			12
Oct-88	75.00	5	5			57.00			13
Jan-89	100.00	5	5			73.75			14
Apr-89	100.00	5	5			76.25			15
Jul-89	52.00	5	5			81.75			16
Oct-89	37.00	5	5			72.25			17
Jan-90	2.00	5	5			47.75			18
Apr-90	55.00	5	5			36.50			19
Jul-90	150.00	5	5			61.00			20
Oct-90	77.00	5	5			71.00			21
Jan-91	35.00	5	5			79.25			22
Apr-91	77.10	5	5			84.78			23
Jul-91	87.30	5	5			69.10			24
Oct-91	15.00	5	5			53.60			25
Jan-92	33.70	5	5			53.28			26
Apr-92	54.00	5	5			47.50			27
Jul-92	140.00	5	5			60.68			28
Oct-92	57.00	5	5			71.18			29
Jan-93	71.00	5	5			80.50			30
Apr-93	54.00	5	5			80.50			31
Jul-93	2.50	5	5			46.13			32
Oct-93	2.50	5	5			32.50			33
Jan-94	64.00	5	5			30.75			34
Apr-94	90.00	5	5			39.75			35
Jul-94	96.00	5	5			63.13			36
Oct-94	130.00	5	5			95.00			37
Jan-95	110.00	5	5			106.50			38
Apr-95	95.00	5	5			107.75			39
Jul-95	100.00	5	5			108.75			40
Oct-95	230.00	5	5			133.75			41
Apr-96	62.00	5	5			130.67			42
Sep-96	170.00	5	10			116	116	9/17/1996	semiannual
Apr-97	150.00	5	10			160	160	4/3/1997	semiannual
Aug-97	450.00	5	100			300	300	8/27/1997	semiannual
Mar-98	110.00	5	5			280	280	3/24/1998	semiannual
Sep-98	210.00	5	5			160	160	9/22/1998	semiannual
May-99	142.00	5	10			176	176	5/11/1999	semiannual
Oct-99	390.00	5	10			266	266	10/5/1999	semiannual
Nov-00	250.00	5	5			320	320	11/28/2000	semiannual

WELL VDM - 14 : TETRACHLOROETHENE

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS	MOVING AVG				EVENT NO.
Apr-01	170.00	5	5		210	210	4/4/2001	semiannual	51
Oct-01	290.00	5	5		230	230	10/18/2001	semiannual	52
Apr-02	91.00	5	5		190.5	190.5	4/18/2002	semiannual	53
Oct-02	280.00	5	25		185.5	185.5	10/3/2002	semiannual	54
Apr-03	190.00	5	10		235	235	4/25/2003	semiannual	55
Oct-03	320.00	5	5		255	255	10/3/2003	semiannual	56
Apr-04	270.00	5	5		295	295	4/1/2004	semiannual	57
Oct-04	340.00	5	5		305	305	10/19/2004	semiannual	58
Apr-05	300.00	5	5		320	320	4/22/2005	semiannual	59
Oct-05	410.00	5	5		355	355	10/7/2005	semiannual	60
May-06	466.00	5	5		438	438	5/11/2006	semiannual	61
Oct-06	398.00	5	5		432	432	10/18/2006	semiannual	62
May-07	476.00	5	5		437	437	5/22/2007	semiannual	63
Oct-07	469.00	5	5		472.5	472.5	10/25/2007	semiannual	64
Oct-08	253.00	5	5		361	361	10/23/2008	semiannual	65
May-09	278.00	5	25		265.5	265.5	5/12/2009	semiannual	66
Oct-09	219.00	5	25		248.5	248.5	10/29/2009	semiannual	67
May-10	243.00	5	25		231	231	5/20/2010	semiannual	68
Oct-10	880.00	5	25		561.5	561.5	10/18/2010	semiannual	69
Jun-11	253.00	5	25		566.5	566.5	6/2/2011	semiannual	70
Oct-11	310.00	5	25		281.5	281.5	10/12/2011	semiannual	71
May-12	133.00	5	2		221.5	221.5	5/18/2012	semiannual	72
Oct-12	275.00	5	2		204	204	10/11/2012	semiannual	73
May-13	162.00	5	2		218.5	218.5	5/17/2013	semiannual	74
Oct-13	484.00	5	2		323	323	10/11/2013	semiannual	75
May-14	212.00	5	2		348	348	5/5/2014	semiannual	76
Oct-14	337.00	5	2		274.5	274.5	10/6/2014	semiannual	77
Jul-15	187.00	5	2		262	262	7/9/2015	semiannual	78
Jul-16	230.00	5	1.5		230	208.5	7/20/2016	Annual	79
Sep-17	200.00	5	2		200	215	9/22/2017	Annual	80
Jul-18	190.00	5	2.5		190	195	7/24/2018	Annual	81
Aug-19	180.00	5	2.5		180	185	8/6/2019	Annual	82
Sep-20	150.00	5	1.2		165	165	9/4/2020	Annual	83


MOVING AVERAGE TREND TEST
VDM-9 (1987-2013) & VDM-9R (2014-Present)
TOLUENE



WELL VDM - 9 : TOLUENE									
SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING AVG			EVENT NO.
Jan-87		5		TOTAL STD	2.6884207				1
Apr-87		5		TOTAL Sx	0.3658477				2
Jul-87		5		TOTAL MEAN	4.446				3
Oct-87		5		TOTAL N	55				4
Jan-88		5		TOTAL df	54				5
Apr-88		5							6
Jul-88		5							7
Oct-88		5							8
Jan-89		5							9
Apr-89		5							10
Jul-89		5							11
Oct-89		5							12
Jan-90	1.00	5	5						13
Apr-90	2.00	5	5						14
Jul-90	10.00	5	5						15
Oct-90	1.00	5	5		3.50				16
Jan-91	2.00	5	5		3.75				17
Apr-91	2.00	5	5		3.75				18
Jul-91	2.00	5	5		1.75				19
Oct-91	2.00	5	5		2.00				20
Jan-92	2.40	5	5		2.10				21
Apr-92	2.90	5	5		2.33				22
Jul-92	1.25	5	5		2.14				23
Oct-92	1.69	5	5		2.06				24
Jan-93	1.50	5	5		1.84				25
Apr-93	2.99	5	5		1.86				26
Jul-93	3.00	5	5		2.30				27
Oct-93	2.00	5	5		2.37				28
Jan-94	2.00	5	5		2.50				29
Apr-94	2.90	5	5		2.48				30
Jul-94	2.00	5	5		2.23				31
Oct-94	2.50	5	5		2.35				32
Jan-95	6.00	5	5		3.35				33
Apr-95	3.20	5	5		3.43				34
Jul-95	2.10	5	5		3.45				35
Oct-95	4.00	5	4		3.83				36
Apr-96	10.00	5	10		4.83	6.525			37
Sep-96	10.00	5	10		8.00	10	09/17/96	semiannual	38
Apr-97	10.00	5	10		10	10	04/03/97	semiannual	39
Aug-97	10.00	5	10		10	10	08/27/97	semiannual	40
Mar-98	5.00	5	5		7.5	7.5	03/24/98	semiannual	41
Sep-98	1.60	5	5		3.3	3.3	09/22/98	semiannual	42
May-99	10.00	5	10		5.8	5.8	05/11/99	semiannual	43
Sep-99	10.00	5	10		10	10	09/29/99	semiannual	44
May-00	10.00	5	10		10	10	05/16/00	semiannual	45
Nov-00	5.00	5	5		7.5	7.5	11/28/00	semiannual	46
Apr-01	5.00	5	5		5	5	04/04/01	semiannual	47
Oct-01	5.00	5	5		5	5	10/18/01	semiannual	48
Apr-02	2.00	5	5		3.5	3.5	04/18/02	semiannual	49
Oct-02	5.00	5	5		3.5	3.5	10/03/02	semiannual	50
Apr-03	5.00	5	5		5	5	04/25/03	semiannual	51
Oct-03	5.00	5	5		5	5	10/03/03	semiannual	52
Apr-04	5.00	5	5		5	5	04/01/04	semiannual	53

WELL VDM - 9 : TOLUENE									
SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING AVG			EVENT NO.
Oct-04	5.00	5	5			5	5	10/19/04	semiannual 54
Apr-05	5.00	5	5			5	5	04/22/05	semiannual 55
Oct-05	5.00	5	5			5	5	10/07/05	semiannual 56
May-06	4.90	5	5			4.95	4.95	05/11/06	semiannual 57
Oct-06	4.90	5	5			4.9	4.9	10/10/06	semiannual 58
May-07	4.90	5	5			4.9	4.9	05/22/07	semiannual 59
Oct-07	4.90	5	5			4.9	4.9	10/25/07	semiannual 60
May-08	4.90	5	5			4.9	4.9	05/13/08	semiannual 61
May-09	5.00	5	5			4.95	4.95	05/12/09	semiannual 63
Oct-09	5.00	5	5			5	5	10/29/09	semiannual 64
May-10	5.00	5	5			5	5	05/20/10	semiannual 65
Oct-10	5.00	5	5			5	5	10/18/10	semiannual 66
Jun-11	2.00	5	2			3.5	3.5	06/02/11	semiannual 67
Oct-11	5.00	5	5			3.5	3.5	10/12/11	semiannual 68
May-12	2.00	5	2			3.5	3.5	05/18/12	semiannual 69
Oct-12	2.00	5	2			2	2	10/11/12	semiannual 70
May-13	4.30	5	2			3.15	3.15	05/17/13	semiannual 71
Oct-13	2.00	5	2			3.15	3.15	10/11/13	semiannual 72
Jun-14	2.00	5	2			2	2	06/20/14	semiannual 73
Oct-14	2.00	5	2			2	2	10/06/14	semiannual 74
Jul-15	2.00	5	2			2	2	07/16/15	semiannual 75
Jul-16	1.00	5	1			1	1.5	07/20/16	Annual 76
Sep-17	2.50	5	2.5			2.5	1.75	09/22/17	Annual 77
Jul-18	2.50	5	2.5			2.5	2.5	07/24/18	Annual 78
Aug-19	2.50	5	2.5			2.5	2.5	08/06/19	Annual 79
Sep-20	2.50	5	2.5			2.5	2.5	09/04/20	Annual 80

MOVING AVERAGE TREND TEST
VDM-10
TOLUENE




WELL VDM - 10 : TOLUENE								
SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETEC LIMIT	STATISTICS	MOVING AVERAGE		SAMPLING EVENT NO.	
-	-	-	-	-----	-	-	-	
Jul-84		5	5	TOTAL STD	70.96666902		1	
Oct-84		5	5	TOTAL Sx	9.569143699		2	
Jan-85		5	5	TOTAL MEAN	39.07142857		3	
Apr-85		5	5	TOTAL N	56		4	
Jul-85		5	5	TOTAL df	55		5	
Oct-85		5	5				6	
Jan-86		5	5				7	
Apr-86		5	5				8	
Jul-86		5	5				9	
Oct-86		5	5				10	
Jan-87		5	5				11	
Apr-87		5	5				12	
Jul-87		5	5				13	
Oct-87		5	5				14	
Jan-88		5	5				15	
Apr-88		5	5				16	
Jul-88		5	5				17	
Oct-88		5	5				18	
Jan-89		5	5				19	
Apr-89		5	5				20	
Jul-89		5	5				21	
Oct-89		5	5				22	
Jan-90	36.00	5	5				23	
Apr-90	33.00	5	5				24	
Jul-90	47.00	5	5				25	
Oct-90	1.00	5	5		29.25		26	
Jan-91	45.00	5	5		31.50		27	
Apr-91	26.00	5	5		29.75		28	
Jul-91	16.00	5	5		22.00		29	
Oct-91	20.00	5	5		26.75		30	
Jan-92	41.00	5	5		25.75		31	
Apr-92	26.00	5	5		25.75		32	
Jul-92	45.00	5	5		33.00		33	
Oct-92	90.40	5	5		50.60		34	
Jan-93	89.90	5	5		62.83		35	
Apr-93	6.50	5	5		57.95		36	
Jul-93	110.00	5	5		74.20		37	
Oct-93	280.00	5	5		121.60		38	
Jan-94	42.00	5	5		109.63		39	
Apr-94	2.90	5	5		108.73		40	
Jul-94	230.00	5	5		138.73		41	
Oct-94	110.00	5	5		96.23		42	
Jan-95	5.80	5	5		87.18		43	
Apr-95	137.00	5	5		120.70		44	
Jul-95	380.00	5	5		158.20		45	
Oct-95	120.00	5	2		160.70		46	
Apr-96	10.00	5	10		170.00		47	
Sep-96	10.00	5	10		10	10	09/17/96 semiannual	48
Apr-97	10.00	5	10		10	10	04/03/97 semiannual	49
Aug-97	18.00	5	10		14	14	08/27/97 semiannual	50
Mar-98	5.00	5	5		11.5	11.5	03/24/98 semiannual	51
Sep-98	40.00	5	5		22.5	22.5	09/22/98 semiannual	52

WELL VDM - 10 : TOLUENE

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETEC LIMIT	STATISTICS	MOVING AVERAGE				SAMPLING EVENT NO.
May-99	10.00	5	10		25	25	05/11/99	semiannual	53
Oct-99	19.00	5	10		14.5	14.5	10/05/99	semiannual	54
May-00	10.00	5	10		14.5	14.5	05/16/00	semiannual	55
Nov-00	3.00	5	5		6.5	6.5	11/28/00	semiannual	56
Apr-01	5.00	5	5		4	4	04/04/01	semiannual	57
Oct-01	3.00	5	5		4	4	10/18/01	semiannual	58
Apr-02	5.00	5	5		4	4	04/18/02	semiannual	59
Oct-02	1.00	5	5		3	3	10/03/02	semiannual	60
Apr-03	1.00	5	5		1	1	04/25/03	semiannual	61
Oct-03	1.00	5	5		1	1	10/03/03	semiannual	62
Apr-04	5.00	5	5		3	3	04/01/04	semiannual	63
Oct-04	5.00	5	5		5	5	10/19/04	semiannual	64
Apr-05	2.00	5	5		3.5	3.5	04/22/05	semiannual	65
Oct-05	1.00	5	5		1.5	1.5	10/07/05	semiannual	66
May-06	4.90	5	5		2.95	2.95	05/11/06	semiannual	67
Oct-06	4.90	5	5		4.9	4.9	10/18/06	semiannual	68
May-07	4.90	5	5		4.9	4.9	05/22/07	semiannual	69
Oct-07	4.90	5	5		4.9	4.9	10/25/07	semiannual	70
May-08	4.90	5	5		4.9	4.9	05/14/08	semiannual	71
Oct-08	9.30	5	5		7.1	7.1	10/23/08	semiannual	72
May-09	5.00	5	5		7.15	7.15	05/12/09	semiannual	73
Oct-09	27.70	5	5		16.35	16.35	05/13/09	semiannual	74
May-10	5.00	5	5		16.35	16.35	05/14/09	semiannual	75
Oct-10	5.00	5	5		5	5	05/15/09	semiannual	76
Jun-11	2.00	5	2		3.5	3.5	06/02/11	semiannual	77
Oct-11	5.00	5	5		3.5	3.5	10/12/11	semiannual	78
May-12	2.00	5	2		3.5	3.5	05/18/12	semiannual	79
Oct-12	2.10	5	2		2.05	2.05	10/11/12	semiannual	80
May-13	2.10	5	2		2.1	2.1	05/17/13	semiannual	81
Oct-13	2.00	5	2		2.05	2.05	10/11/13	semiannual	82
May-14	10.00	5	10		6	6	05/05/14	semiannual	83
Oct-14	2.00	5	2		6	6	10/06/14	semiannual	84
Jul-15	2.00	5	2		2	2	07/09/15	semiannual	85
Jul-16	1.00	5	1		1	1.5	07/20/16	Annual	86
Sep-17	0.74	5	2.5		0.74	0.87	09/22/17	Annual	87
Jul-18	2.50	5	2.5		2.5	1.62	07/24/18	Annual	88
Aug-19	2.50	5	2.5		2.5	2.5	08/06/19	Annual	89
Sep-20	2.50	5	2.5		2.5	2.5	09/04/20	Annual	90


MOVING AVERAGE TREND TEST
VDM-11
TOLUENE



WELL VDM - 11 : TOLUENE									
SAMPLING EVENT NO.	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING AVG			EVENT NO.
-	-	-	-	-	-	-			-
Jan-87		5	5	TOTAL STD	2.7073				1
Apr-87		5	5	TOTAL Sx	0.3618				2
Jul-87		5	5	TOTAL MEAN	4.1491				3
Oct-87		5	5	TOTAL N	57				4
Jan-88		5	5	TOTAL df	56				5
Apr-88		5	5						6
Jul-88		5	5						7
Oct-88		5	5						8
Jan-89		5	5						9
Apr-89		5	5						10
Jul-89		5	5						11
Oct-89		5	5						12
Jan-90	1.00	5	5						13
Apr-90	1.00	5	5						14
Jul-90	1.00	5	5						15
Oct-90	1.00	5	5		1.00				16
Jan-91	2.00	5	5		1.25				17
Apr-91	2.00	5	5		1.50				18
Jul-91	2.00	5	5		1.75				19
Oct-91	2.00	5	5		2.00				20
Jan-92	1.00	5	5		1.75				21
Apr-92	1.00	5	5		1.50				22
Jul-92	1.25	5	5		1.31				23
Oct-92	1.25	5	5		1.13				24
Jan-93	1.50	5	5		1.25				25
Apr-93	2.00	5	5		1.50				26
Jul-93	1.50	5	5		1.56				27
Oct-93	2.00	5	5		1.75				28
Jan-94	2.00	5	5		1.88				29
Apr-94	2.00	5	5		1.88				30
Jul-94	5.60	5	5		2.90				31
Oct-94	2.00	5	5		2.90				32
Jan-95	2.00	5	5		2.90				33
Apr-95	2.00	5	5		2.90				34
Jul-95	2.00	5	5		2.00				35
Oct-95	2.00	5	2		2.00				36
Apr-96	10.00	5	10		4.67				37
Sep-96	10.00	5	10		10	10	9/17/1996	semiannual	38
Apr-97	10.00	5	10		10	10	4/3/1997	semiannual	39
Aug-97	10.00	5	10		10	10	8/27/1997	semiannual	40
Mar-98	5.00	5	5		7.5	7.5	3/24/1998	semiannual	41
Sep-98	5.00	5	5		5	5	9/22/1998	semiannual	42
May-99	10.00	5	10		7.5	7.5	5/11/1999	semiannual	43
Oct-99	10.00	5	10		10	10	10/5/1999	semiannual	44
May-00	10.00	5	10		10	10	5/16/2000	semiannual	45
Nov-00	5.00	5	5		7.5	7.5	11/28/2000	semiannual	46
Apr-01	5.00	5	5		5	5	4/4/2001	semiannual	47
Oct-01	5.00	5	5		5	5	10/18/2001	semiannual	48
Apr-02	5.00	5	5		5	5	4/18/2002	semiannual	49
Oct-02	5.00	5	5		5	5	10/3/2002	semiannual	50
Apr-03	5.00	5	5		5	5	4/25/2003	semiannual	51
Oct-03	5.00	5	5		5	5	10/3/2003	semiannual	52

WELL VDM - 11 : TOLUENE									
SAMPLING EVENT NO.	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING AVG			EVENT NO.
Apr-04	5.00	5	5			5	5	4/1/2004	semiannual 53
Oct-04	5.00	5	5			5	5	10/19/2004	semiannual 54
Apr-05	5.00	5	5			5	5	4/22/2005	semiannual 55
Oct-05	5.00	5	5			5	5	10/7/2005	semiannual 56
May-06	4.90	5	5			4.95	4.95	5/11/2006	semiannual 57
Oct-06	4.90	5	5			4.9	4.9	10/18/2006	semiannual 58
May-07	4.90	5	5			4.9	4.9	5/22/2007	semiannual 59
Oct-07	4.90	5	5			4.9	4.9	10/25/2007	semiannual 60
May-08	4.90	5	5			4.9	4.9	5/13/2008	semiannual 61
Oct-08	4.90	5	5			4.9	4.9	10/23/2008	semiannual 62
May-09	5.00	5	5			4.95	4.95	5/12/2009	semiannual 63
Oct-09	5.00	5	5			5	5	10/29/2009	semiannual 64
May-10	5.00	5	5			5	5	5/20/2010	semiannual 65
Oct-10	5.00	5	5			5	5	10/18/2010	semiannual 66
Jun-11	2.00	5	2			3.5	3.5	6/2/2011	semiannual 67
Oct-11	5.00	5	5			3.5	3.5	10/12/2011	semiannual 68
May-12	2.00	5	2			3.5	3.5	5/18/2012	semiannual 69
Oct-12	2.00	5	2			2	2	10/11/2012	semiannual 70
May-13	2.00	5	2			2	2	5/17/2013	semiannual 71
Oct-13	2.00	5	2			2	2	10/11/2013	semiannual 72
May-14	10.00	5	10			6	6	5/5/2014	semiannual 73
Oct-14	2.00	5	2			6	6	10/6/2014	semiannual 74
Jul-15	2.00	5	2			2	2	7/9/2015	semiannual 75
Jul-16	1.00	5	1			1	1.5	7/20/2016	Annual 76
Sep-17	2.50	5	2.5			2.5	1.75	9/22/2017	Annual 77
Jul-18	2.50	5	2.5			2.5	2.5	7/24/2018	Annual 78
Aug-19	2.50	5	2.5			2.5	2.5	8/6/2019	Annual 79
Sep-20	2.50	5	2.5			2.5	2.5	9/4/2020	Annual 80

MOVING AVERAGE TREND TEST
VDM-14 (1987-2007) & VDM-14R (2008-Present)
TOLUENE




WELL VDM - 14 : TOLUENE								
SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING AVG		EVENT NO.
	-	-	-	-	-	-		-
Oct-85		5	5	TOTAL STD	30.602536			1
Jan-86		5	5	TOTAL Sx	3.8555571			2
Apr-86		5	5	TOTAL MEA	12.33125			3
Jul-86		5	5	TOTAL N	64			4
Oct-86		5	5	TOTAL df	63			5
Jan-87		5	5					6
Apr-87		5	5					7
Jul-87		5	5					8
Oct-87	1.00	5	5					9
Jan-88	1.00	5	5					10
Apr-88	1.00	5	5					11
Jul-88	1.00	5	5		1.00			12
Oct-88	1.00	5	5		1.00			13
Jan-89	2.00	5	5		1.25			14
Apr-89	1.00	5	5		1.25			15
Jul-89	2.00	5	5		1.50			16
Oct-89	1.00	5	5		1.50			17
Jan-90	2.00	5	5		1.50			18
Apr-90	2.00	5	5		1.75			19
Jul-90	1.00	5	5		1.50			20
Oct-90	1.00	5	5		1.50			21
Jan-91	1.25	5	5		1.31			22
Apr-91	1.25	5	5		1.13			23
Jul-91	1.50	5	5		1.25			24
Oct-91	2.00	5	5		1.50			25
Jan-92	1.50	5	5		1.56			26
Apr-92	2.00	5	5		1.75			27
Jul-92	2.00	5	5		1.88			28
Oct-92	2.00	5	5		1.88			29
Jan-93	2.00	5	5		2.00			30
Apr-93	2.00	5	5		2.00			31
Jul-93	210.00	5	5		54.00			32
Oct-93	120.00	5	5		83.50			33
Jan-94	2.50	5	5		83.63			34
Apr-94	2.00	5	5		83.63			35
Jul-94	2.00	5	5		31.63			36
Oct-94	2.00	5	5		2.13			37
Jan-95	2.00	5	5		2.00			38
Apr-95	2.00	5	5		2.00			39
Jul-95	2.00	5	5		2.00			40
Oct-95	4.00	5	4		2.50			41
Apr-96	10.00	5	10		5.33			42
Sep-96	10.00	5	10		10	10	9/17/1996	semiannual
Apr-97	10.00	5	10		10	10	4/3/1997	semiannual
Aug-97	20.00	5	100		15	15	8/27/1997	semiannual
Mar-98	5.00	5	5		12.5	12.5	3/24/1998	semiannual
Sep-98	1.30	5	5		3.15	3.15	9/22/1998	semiannual
May-99	10.00	5	10		5.65	5.65	5/11/1999	semiannual
Oct-99	10.00	5	10		10	10	10/5/1999	semiannual
Nov-00	5.00	5	5		7.5	7.5	11/28/2000	semiannual

WELL VDM - 14 : TOLUENE

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING AVG				EVENT NO.
Apr-01	5.00	5	5			5	5	4/4/2001	semiannual	51
Oct-01	5.00	5	5			5	5	10/18/2001	semiannual	52
Apr-02	5.00	5	5			5	5	4/18/2002	semiannual	53
Oct-02	5.00	5	25	**		5	5	10/3/2002	semiannual	54
Apr-03	10.00	5	10			7.5	7.5	4/25/2003	semiannual	55
Oct-03	1.00	5	5			5.5	5.5	10/3/2003	semiannual	56
Apr-04	10.00	5	10			5.5	5.5	4/1/2004	semiannual	57
Oct-04	10.00	5	10			10	10	10/19/2004	semiannual	58
Apr-05	10.00	5	10			10	10	4/22/2005	semiannual	59
Oct-05	2.00	5	10			6	6	10/7/2005	semiannual	60
May-06	4.90	5	10			3.45	3.45	5/11/2006	semiannual	61
Oct-06	49.00	5	10			26.95	26.95	10/18/2006	semiannual	62
May-07	26.10	5	10			37.55	37.55	5/22/2007	semiannual	63
Oct-07	20.00	5	4.9			23.05	23.05	10/25/2007	semiannual	64
Oct-08	4.90	5	4.9			12.45	12.45	10/23/2008	semiannual	65
May-09	25.00	5	25			14.95	14.95	5/12/2009	semiannual	66
Oct-09	50.00	5	25			37.5	37.5	10/29/2009	semiannual	67
May-10	5.00	5	5			27.5	27.5	5/20/2010	semiannual	68
Oct-10	5.00	5	5			5	5	10/18/2010	semiannual	69
Jun-11	20.00	5	20			12.5	12.5	6/2/2011	semiannual	70
Oct-11	50.00	5	50			35	35	10/12/2011	semiannual	71
May-12	2.00	5	2			26	26	5/18/2012	semiannual	72
Oct-12	2.00	5	2			2	2	10/11/2012	semiannual	73
May-13	2.00	5	2			2	2	5/17/2013	semiannual	74
Oct-13	2.00	5	2			2	2	10/11/2013	semiannual	75
May-14	10.00	5	10			6	6	5/5/2014	semiannual	76
Oct-14	2.00	5	2			6	6	10/6/2014	semiannual	77
Jul-15	2.00	5	2			2	2	7/9/2015	semiannual	78
Jul-16	10.00	5	1			10	6	7/20/2016	Annual	79
Sep-17	10.00	5	10			10	10	9/22/2017	Annual	80
Jul-18	12.00	5	12			12	11	7/24/2018	Annual	81
Aug-19	12.00	5	12			12	12	8/6/2019	Annual	82
Sep-20	6.20	5	6.2			9.1	9.1	9/4/2020	Annual	83

MOVING AVERAGE TREND TEST
VDM-9 (1987-2013) & VDM-9R (2014-Present)
TRANS-1,2-DICHLOROETHENE




WELL VDM - 9 : TRANS-1,2-DICHLOROETHENE

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS	MOVING AVG				EVENT NO.
Jan-87		5	5	TOTAL STD	61.155552				1
Apr-87		5	5	TOTAL Sx	7.644444				2
Jul-87	5.00	5	5	TOTAL MEAN	41.043077				3
Oct-87	5.00	5	5	TOTAL N	65				4
Jan-88	5.00	5	5	TOTAL df	64				5
Apr-88	9.00	5	5			6.00			6
Jul-88	46.00	5	5			16.25			7
Oct-88	11.00	5	5			17.75			8
Jan-89	4.00	5	5			17.50			9
Apr-89	1.00	5	5			15.50			10
Jul-89	4.00	5	5			5.00			11
Oct-89	4.00	5	5			3.25			12
Jan-90	1.00	5	5			2.50			13
Apr-90	2.00	5	5			2.75			14
Jul-90	10.00	5	5			4.25			15
Oct-90	19.00	5	5			8.00			16
Jan-91	2.00	5	5			8.25			17
Apr-91	2.00	5	5			8.25			18
Jul-91	2.00	5	5			6.25			19
Oct-91	2.00	5	5			2.00			20
Jan-92	58.00	5	5			16.00			21
Apr-92	91.00	5	5			38.25			22
Jul-92	71.80	5	5			55.70			23
Oct-92	59.80	5	5			70.15			24
Jan-93	65.70	5	5			72.08			25
Apr-93	122.00	5	5			79.83			26
Jul-93	47.00	5	5			73.63			27
Oct-93	71.00	5	5			76.43			28
Jan-94	110.00	5	5			87.50			29
Apr-94	87.00	5	5			78.75			30
Jul-94	2.50	5	5			67.63			31
Oct-94	120.00	5	5			79.88			32
Jan-95	190.00	5	5			99.88			33
Apr-95	156.00	5	5			117.13			34
Jul-95	130.00	5	5			149.00			35
Oct-95	210.00	5	5			171.50			36
Apr-96	140.00	5	5			160.00	155		37
Sep-96	250.00	5	10			195	195	09/17/96	semiannual
Apr-97	150.00	5	10			200	200	04/03/97	semiannual
Aug-97	150.00	5	10			150	150	08/27/97	semiannual
Mar-98	5.00	5	5			77.5	77.5	03/24/98	semiannual
Sep-98	140.00	5	5			72.5	72.5	09/22/98	semiannual
May-99	10.00	5	10			75	75	05/11/99	semiannual
Sep-99	10.00	5	10			10	10	09/29/99	semiannual
May-00	10.00	5	10			10	10	05/16/00	semiannual
Nov-00	2.00	5	5			6	6	11/28/00	semiannual
Apr-01	2.00	5	5			2	2	04/04/01	semiannual
Oct-01	5.00	5	5			3.5	3.5	10/18/01	semiannual
Apr-02	1.00	5	5			3	3	04/18/02	semiannual
Oct-02	2.00	5	5			1.5	1.5	10/03/02	semiannual
Apr-03	2.00	5	5			2	2	04/25/03	semiannual
Oct-03	2.00	5	5			2	2	10/03/03	semiannual
Apr-04	5.00	5	5			3.5	3.5	04/01/04	semiannual

WELL VDM - 9 : TRANS-1,2-DICHLOROETHENE

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS	MOVING AVG				EVENT NO.
Oct-04	3.00	5	5		4	4	10/19/04	semiannual	54
Apr-05	5.00	5	5		4	4	04/22/05	semiannual	55
Oct-05	3.00	5	5		4	4	10/05/07	semiannual	56
May-06	3.60	5	5		3.3	3.3	05/11/06	semiannual	57
Oct-06	3.60	5	5		3.6	3.6	10/18/06	semiannual	58
May-07	3.60	5	5		3.6	3.6	05/22/07	semiannual	59
Oct-07	3.60	5	5		3.6	3.6	10/25/07	semiannual	60
May-08	3.60	5	5		3.6	3.6	05/13/08	semiannual	61
May-09	5.00	5	5		4.3	4.3	05/12/09	semiannual	63
Oct-09	5.00	5	5		5	5	10/29/09	semiannual	64
May-10	5.00	5	5		5	5	05/20/10	semiannual	65
Oct-10	5.00	5	5		5	5	10/18/10	semiannual	66
Jun-11	2.00	5	2		3.5	3.5	06/02/11	semiannual	67
Oct-11	5.00	5	5		3.5	3.5	10/12/11	semiannual	68
May-12	2.00	5	2		3.5	3.5	05/18/12	semiannual	69
Oct-12	2.00	5	2		2	2	10/11/12	semiannual	70
May-13	2.00	5	2		2	2	05/17/13	semiannual	71
Oct-13	2.00	5	2		2	2	10/11/13	semiannual	72
Jun-14	12.00	5	2		7	7	05/05/14	semiannual	73
Oct-14	5.50	5	2		8.75	8.75	10/06/14	semiannual	74
Jul-15	2.00	5	2		3.75	3.75	7/16/2015	semiannual	75
Jul-16	1.50	5	1.5		1.50	1.75	7/20/2016	Annual	76
Sep-17	2.50	5	2.5		2.50	2	9/22/2017	Annual	77
Jul-18	2.50	5	2		2.50	2.5	7/24/2018	Annual	78
Aug-19	2.50	5	2.5		2.50	2.5	8/6/2019	Annual	79
Sep-20	2.50	5	2.5		2.5	2.5	9/4/2020	Annual	80

MOVING AVERAGE TREND TEST
VDM-10
TRANS-1,2-DICHLOROETHENE




WELL VDM - 10 : TRANS-1,2-DICHLOROETHENE

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETEC LIMIT	STATISTICS	MOVING AVG					EVENT NO.
Jul-84		5	5	TOTAL STD	2.977876048					1
Oct-84		5	5	TOTAL Sx	0.343855508					2
Jan-85	5.00	5	5	TOTAL MEAN	3.851022727					3
Apr-85	5.00	5	5	TOTAL N	76	5.00				4
Jul-85	5.00	5	5	TOTAL df	75	5.00				5
Oct-85	10.00	5	5			6.25				6
Jan-86	5.00	5	5			6.25				7
Apr-86	5.00	5	5			6.25				8
Jul-86	5.00	5	5			6.25				9
Oct-86	1.00	5	5			4.00				10
Jan-87	1.00	5	5			3.00				11
Apr-87	1.00	5	5			2.00				12
Jul-87	1.00	5	5			1.00				13
Oct-87	1.00	5	5			1.00				14
Jan-88	1.00	5	5			1.00				15
Apr-88	1.00	5	5			1.00				16
Jul-88	1.00	5	5			1.00				17
Oct-88	1.10	5	5			1.03				18
Jan-89	1.00	5	5			1.03				19
Apr-89	1.00	5	5			1.03				20
Jul-89	1.00	5	5			1.03				21
Oct-89	1.00	5	5			1.00				22
Jan-90	1.00	5	5			1.00				23
Apr-90	1.00	5	5			1.00				24
Jul-90	1.00	5	5			1.00				25
Oct-90	1.00	5	5			1.00				26
Jan-91	10.00	5	5			3.25				27
Apr-91	2.00	5	5			3.50				28
Jul-91	2.00	5	5			3.75				29
Oct-91	2.00	5	5			4.00				30
Jan-92	2.00	5	5			2.00				31
Apr-92	1.00	5	5			1.75				32
Jul-92	1.00	5	5			1.50				33
Oct-92	1.25	5	5			1.31				34
Jan-93	2.04	5	5			1.32				35
Apr-93	1.50	5	5			1.45				36
Jul-93	2.50	5	5			1.82				37
Oct-93	2.60	5	5			2.16				38
Jan-94	2.50	5	5			2.28				39
Apr-94	2.50	5	5			2.53				40
Jul-94	2.50	5	5			2.53				41
Oct-94	2.50	5	5			2.50				42
Jan-95	3.30	5	5			2.70				43
Apr-95	2.50	5	5			2.70				44
Jul-95	5.00	5	5			3.33				45
Oct-95	14.00	5	1			6.20				46
Apr-96	10.00	5	10			9.67				47
Sep-96	10.00	5	10			10	10	09/17/96	semiannual	48
Apr-97	10.00	5	10			10	10	04/03/97	semiannual	49
Aug-97	10.00	5	10			10	10	08/27/97	semiannual	50
Mar-98	5.00	5	5			7.5	7.5	03/24/98	semiannual	51
Sep-98	5.00	5	5			5	5	09/22/98	semiannual	52
May-99	10.00	5	10			7.5	7.5	05/11/99	semiannual	53

WELL VDM - 10 : TRANS-1,2-DICHLOROETHENE

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETEC LIMIT	STATISTICS	MOVING AVG				EVENT NO.
Oct-99	10.00	5	10		10	10	10/05/99	semiannual	54
May-00	10.00	5	10		10	10	05/16/00	semiannual	55
Nov-00	5.00	5	5		7.5	7.5	11/28/00	semiannual	56
Apr-01	5.00	5	5		5	5	04/04/01	semiannual	57
Oct-01	5.00	5	5		5	5	10/18/01	semiannual	58
Apr-02	5.00	5	5		5	5	04/18/02	semiannual	59
Oct-02	5.00	5	5		5	5	10/03/02	semiannual	60
Apr-03	5.00	5	5		5	5	04/25/03	semiannual	61
Oct-03	5.00	5	5		5	5	10/03/03	semiannual	62
Apr-04	5.00	5	5		5	5	04/01/04	semiannual	63
Oct-04	5.00	5	5		5	5	10/19/04	semiannual	64
Apr-05	5.00	5	5		5	5	04/22/05	semiannual	65
Oct-05	5.00	5	5		5	5	10/07/05	semiannual	66
May-06	3.60	5	5		4.3	4.3	05/11/06	semiannual	67
Oct-06	3.60	5	5		3.6	3.6	10/18/06	semiannual	68
May-07	3.60	5	5		3.6	3.6	05/22/07	semiannual	69
Oct-07	3.60	5	5		3.6	3.6	10/25/07	semiannual	70
May-08	3.60	5	5		3.6	3.6	05/13/08	semiannual	71
Oct-08	3.60	5	5		3.6	3.6	10/23/08	semiannual	72
May-09	5.00	5	5		4.3	4.3	05/12/09	semiannual	73
Oct-09	5.00	5	5		5	5	10/29/09	semiannual	74
May-10	5.00	5	5		5	5	05/01/10	semiannual	75
Oct-10	5.00	5	5		5	5	10/01/10	semiannual	76
Jun-11	2.00	5	2		3.5	3.5	06/02/11	semiannual	77
Oct-11	5.00	5	5		3.5	3.5	10/12/11	semiannual	78
May-12	2.00	5	2		3.5	3.5	05/18/12	semiannual	79
Oct-12	2.00	5	2		2	2	10/11/12	semiannual	80
May-13	2.00	5	2		2	2	05/17/13	semiannual	81
Oct-13	2.00	5	2		2	2	10/11/13	semiannual	82
May-14	10.00	5	10		6	6	05/05/14	semiannual	83
Oct-14	2.00	5	2		6	6	10/06/14	semiannual	84
Jul-15	2.00	5	2		2	2	07/09/15	semiannual	85
Jul-16	1.50	5	1.5		1.5	1.75	07/20/16	Annual	86
Sep-17	2.50	5	2.5		2.5	2	09/22/17	Annual	87
Jul-18	2.50	5	2.5		2.5	2.5	07/24/18	Annual	88
Aug-19	2.50	5	2.5		2.5	2.5	08/06/19	Annual	89
Sep-20	2.50	5	2.5		2.5	2.5	09/04/20	Annual	90

MOVING AVERAGE TREND TEST
VDM-11
TRANS-1,2-DICHLOROETHENE




WELL VDM - 11 : TRANS-1,2-DICHLOROETHENE

SAMPLING EVENT NO.	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING AVG			EVENT NO.
-	-	-	-	-	-	-			-
Jan-87		5	5	TOTAL STD	14.3212				1
Apr-87		5	5	TOTAL Sx	1.7628				2
Jul-87	5.00	5	5	TOTAL MEAN	5.6896				3
Oct-87	5.00	5	5	TOTAL N	67				4
Jan-88	5.00	5	5	TOTAL df	66				5
Apr-88	5.00	5	5			5.00			6
Jul-88	1.00	5	5			4.00			7
Oct-88	2.10	5	5			3.28			8
Jan-89	1.00	5	5			2.28			9
Apr-89	1.00	5	5			1.28			10
Jul-89	1.00	5	5			1.28			11
Oct-89	1.50	5	5			1.13			12
Jan-90	1.00	5	5			1.13			13
Apr-90	1.00	5	5			1.13			14
Jul-90	1.00	5	5			1.13			15
Oct-90	10.00	5	5			3.25			16
Jan-91	2.00	5	5			3.50			17
Apr-91	2.00	5	5			3.75			18
Jul-91	2.00	5	5			4.00			19
Oct-91	2.00	5	5			2.00			20
Jan-92	1.00	5	5			1.75			21
Apr-92	1.00	5	5			1.50			22
Jul-92	1.25	5	5			1.31			23
Oct-92	1.25	5	5			1.13			24
Jan-93	1.50	5	5			1.25			25
Apr-93	2.50	5	5			1.63			26
Jul-93	1.50	5	5			1.69			27
Oct-93	2.50	5	5			2.00			28
Jan-94	2.50	5	5			2.25			29
Apr-94	2.50	5	5			2.25			30
Jul-94	120.00	5	5			31.88			31
Oct-94	2.50	5	5			31.88			32
Jan-95	2.60	5	5			31.90			33
Apr-95	2.50	5	5			31.90			34
Jul-95	2.50	5	5			2.53			35
Oct-95	2.50	5	2.5			2.53			36
Apr-96	10.00	5	10			5.00			37
Sep-96	10.00	5	10			10	10	9/17/1996	semiannual
Apr-97	10.00	5	10			10	10	4/3/1997	semiannual
Aug-97	10.00	5	10			10	10	8/27/1997	semiannual
Mar-98	5.00	5	5			7.5	7.5	3/24/1998	semiannual
Sep-98	1.90	5	5			3.45	3.45	9/22/1998	semiannual
May-99	10.00	5	10			5.95	5.95	5/11/1999	semiannual
Oct-99	10.00	5	10			10	10	10/5/1999	semiannual
May-00	10.00	5	10			10	10	5/16/2000	semiannual
Nov-00	5.00	5	5			7.5	7.5	11/28/2000	semiannual
Apr-01	5.00	5	5			5	5	4/4/2001	semiannual
Oct-01	5.00	5	5			5	5	10/18/2001	semiannual
Apr-02	5.00	5	5			5	5	4/18/2002	semiannual
Oct-02	5.00	5	5			5	5	10/3/2002	semiannual
Apr-03	5.00	5	5			5	5	4/25/2003	semiannual
Oct-03	5.00	5	5			5	5	10/3/2003	semiannual

WELL VDM - 11 : TRANS-1,2-DICHLOROETHENE

SAMPLING EVENT NO.	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS	MOVING AVG				EVENT NO.
Apr-04	5.00	5	5		5	5	4/1/2004	semiannual	53
Oct-04	5.00	5	5		5	5	10/19/2004	semiannual	54
Apr-05	5.00	5	5		5	5	4/22/2005	semiannual	55
Oct-05	5.00	5	5		5	5	10/7/2005	semiannual	56
May-06	3.60	5	5		4.3	4.3	5/11/2006	semiannual	57
Oct-06	3.60	5	5		3.6	3.6	10/18/2006	semiannual	58
May-07	3.60	5	5		3.6	3.6	5/22/2007	semiannual	59
Oct-07	3.60	5	5		3.6	3.6	10/25/2007	semiannual	60
May-08	3.60	5	5		3.6	3.6	5/13/2008	semiannual	61
Oct-08	3.60	5	5		3.6	3.6	10/23/2008	semiannual	62
May-09	5.00	5	5		4.3	4.3	5/12/2009	semiannual	63
Oct-09	5.00	5	5		5	5	10/29/2009	semiannual	64
May-10	5.00	5	5		5	5	5/20/2010	semiannual	65
Oct-10	5.00	5	5		5	5	10/18/2010	semiannual	66
Jun-11	2.00	5	2		3.5	3.5	6/2/2011	semiannual	67
Oct-11	5.00	5	5		3.5	3.5	10/12/2011	semiannual	68
May-12	2.00	5	2		3.5	3.5	5/18/2012	semiannual	69
Oct-12	2.00	5	2		2	2	10/11/2012	semiannual	70
May-13	2.00	5	2		2	2	5/17/2013	semiannual	71
Oct-13	2.00	5	2		2	2	10/11/2013	semiannual	72
May-14	10.00	5	10		6	6	5/5/2014	semiannual	73
Oct-14	2.00	5	2		6	6	10/6/2014	semiannual	74
Jul-15	2.00	5	2		2	2	7/9/2015	semiannual	75
Jul-16	1.50	5	1.5		1.5	1.75	7/20/2016	Annual	76
Sep-17	2.50	5	2.5		2.5	2	9/22/2017	Annual	77
Jul-18	2.50	5	2.5		2.5	2.5	7/24/2018	Annual	78
Aug-19	2.50	5	2.5		2.5	2.5	8/6/2019	Annual	79
Sep-20	2.50	5	2.5		2.5	2.5	9/4/2020	Annual	80

MOVING AVERAGE TREND TEST
VDM-14 (1987-2007) & VDM-14R (2008-Present)
TRANS-1,2-DICHLOROETHENE




WELL VDM - 14 : TRANS-1,2-DICHLOROETHENE

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING AVG				EVENT NO.
-	-	-	-	-	-	-				-
Oct-85	1.00	5	5	TOTAL STD	89.749272					1
Jan-86	1.00	5	5	TOTAL Sx	10.651279					2
Apr-86	9.00	5	5	TOTAL MEA	32.733333					3
Jul-86	17.00	5	5	TOTAL N	72	7.00				4
Oct-86	1.00	5	5	TOTAL df	71	7.00				5
Jan-87	1.00	5	5			7.00				6
Apr-87	1.00	5	5			5.00				7
Jul-87	1.00	5	5			1.00				8
Oct-87	1.00	5	5			1.00				9
Jan-88	1.00	5	5			1.00				10
Apr-88	1.00	5	5			1.00				11
Jul-88	1.00	5	5			1.00				12
Oct-88	10.00	5	5			3.25				13
Jan-89	2.00	5	5			3.50				14
Apr-89	1.00	5	5			3.50				15
Jul-89	2.00	5	5			3.75				16
Oct-89	1.00	5	5			1.50				17
Jan-90	2.00	5	5			1.50				18
Apr-90	2.00	5	5			1.75				19
Jul-90	25.00	5	5			7.50				20
Oct-90	3.70	5	5			8.18				21
Jan-91	1.25	5	5			7.99				22
Apr-91	13.10	5	5			10.76				23
Jul-91	15.10	5	5			8.29				24
Oct-91	2.50	5	5			7.99				25
Jan-92	1.50	5	5			8.05				26
Apr-92	6.00	5	5			6.28				27
Jul-92	8.00	5	5			4.50				28
Oct-92	3.50	5	5			4.75				29
Jan-93	5.40	5	5			5.73				30
Apr-93	4.30	5	5			5.30				31
Jul-93	2.50	5	5			3.93				32
Oct-93	2.50	5	5			3.68				33
Jan-94	19.00	5	5			7.08				34
Apr-94	14.00	5	5			9.50				35
Jul-94	15.00	5	5			12.63				36
Oct-94	18.00	5	5			16.50				37
Jan-95	11.00	5	5			14.50				38
Apr-95	82.00	5	5			31.50				39
Jul-95	84.00	5	5			48.75				40
Oct-95	160.00	5	5			84.25				41
Apr-96	30.00	5	5			91.33				42
Sep-96	350.00	5	10			190	190	9/17/1996	semiannual	43
Apr-97	150.00	5	10			250	250	4/3/1997	semiannual	44
Aug-97	550.00	5	100			350	350	8/27/1997	semiannual	45
Mar-98	5.00	5	5			277.5	277.5	3/24/1998	semiannual	46
Sep-98	400.00	5	5			202.5	202.5	9/22/1998	semiannual	47
May-99	10.00	5	10			205	205	5/11/1999	semiannual	48
Oct-99	10.00	5	10			10	10	10/5/1999	semiannual	49
Nov-00	4.00	5	5			7	7	11/28/2000	semiannual	50

WELL VDM - 14 : TRANS-1,2-DICHLOROETHENE

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS	MOVING AVG				EVENT NO.
Apr-01	3.00	5	5		3.5	3.5	4/4/2001	semiannual	51
Oct-01	6.00	5	5		4.5	4.5	10/18/2001	semiannual	52
Apr-02	5.00	5	5		5.5	5.5	4/18/2002	semiannual	53
Oct-02	6.00	5	25		5.5	5.5	10/3/2002	semiannual	54
Apr-03	4.00	5	10		5	5	4/25/2003	semiannual	55
Oct-03	8.00	5	5		6	6	10/3/2003	semiannual	56
Apr-04	6.00	5	10		7	7	4/1/2004	semiannual	57
Oct-04	11.00	5	10		8.5	8.5	10/19/2004	semiannual	58
Apr-05	6.00	5	10		8.5	8.5	4/22/2005	semiannual	59
Oct-05	14.00	5	10		10	10	10/7/2005	semiannual	60
May-06	13.60	5	10		13.8	13.8	5/11/2006	semiannual	61
Oct-06	14.40	5	10		14	14	10/18/2006	semiannual	62
May-07	14.80	5	10		14.6	14.6	5/22/2007	semiannual	63
Oct-07	20.00	5	10		17.4	17.4	10/25/2007	semiannual	64
Oct-08	11.20	5	10		15.6	15.6	10/23/2008	semiannual	65
May-09	25.00	5	25		18.1	18.1	5/12/2009	semiannual	66
Oct-09	7.85	5	25		16.425	16.425	10/29/2009	semiannual	67
May-10	10.70	5	25		9.275	9.275	5/20/2010	semiannual	68
Oct-10	17.70	5	25		14.2	14.2	10/18/2010	semiannual	69
Jun-11	20.00	5	20		18.85	18.85	6/2/2011	semiannual	70
Oct-11	50.00	5	50		35	35	10/12/2011	semiannual	71
May-12	20.20	5	2		35.1	35.1	5/18/2012	semiannual	72
Oct-12	19.80	5	2		20	20	10/11/2012	semiannual	73
May-13	17.20	5	2		18.5	18.5	5/17/2013	semiannual	74
Oct-13	20.00	5	2		18.6	18.6	10/11/2013	semiannual	75
May-14	479.00	5	10		249.5	249.5	5/5/2014	semiannual	76
Oct-14	895.00	5	2		687	687	10/6/2014	semiannual	77
Jul-15	12.00	5	2		453.5	453.5	7/9/2015	semiannual	78
Jul-16	15.00	5	1.5		15	13.5	7/20/2016	Annual	79
Sep-17	11.00	5	10		11	13	9/22/2017	Annual	80
Jul-18	13.00	5	12		13	12	7/24/2018	Annual	81
Aug-19	14.00	5	12		14	13.5	8/6/2019	Annual	82
Sep-20	14.00	5	6.2		14	14	9/4/2020	Annual	83

MOVING AVERAGE TREND TEST
VDM-9 (1987-2013) & VDM-9R (2014-Present)
TRICHLOROETHENE




WELL VDM - 9 : TRICHLOROETHENE

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING AVG				EVENT NO.
Jan-87		5	5	TOTAL STD	20.390441					1
Apr-87		5	5	TOTAL Sx	2.529123					2
Jul-87	40.00	5	5	TAL MEAN	28.066667					3
Oct-87	151.00	5	5	TOTAL N	66					4
Jan-88	40.00	5	5	TOTAL df	65					5
Apr-88	37.00	5	5			67.00				6
Jul-88	86.00	5	5			78.50				7
Oct-88	26.00	5	5			47.25				8
Jan-89	8.00	5	5			39.25				9
Apr-89	1.00	5	5			30.25				10
Jul-89	7.00	5	5			10.50				11
Oct-89	7.00	5	5			5.75				12
Jan-90	13.00	5	5			7.00				13
Apr-90	1.00	5	5			7.00				14
Jul-90	18.00	5	5			9.75				15
Oct-90	10.00	5	5			10.50				16
Jan-91	23.00	5	5			13.00				17
Apr-91	24.00	5	5			18.75				18
Jul-91	18.00	5	5			18.75				19
Oct-91	12.00	5	5			19.25				20
Jan-92	24.00	5	5			19.50				21
Apr-92	35.00	5	5			22.25				22
Jul-92	32.10	5	5			25.78				23
Oct-92	18.80	5	5			27.48				24
Jan-93	18.50	5	5			26.10				25
Apr-93	34.30	5	5			25.93				26
Jul-93	30.00	5	5			25.40				27
Oct-93	17.00	5	5			24.95				28
Jan-94	26.00	5	5			26.83				29
Apr-94	28.00	5	5			25.25				30
Jul-94	2.50	5	5			18.38				31
Oct-94	30.00	5	5			21.63				32
Jan-95	48.00	5	5			27.13				33
Apr-95	52.00	5	5			33.13				34
Jul-95	27.00	5	5			39.25				35
Oct-95	46.00	5	5			43.25				36
Apr-96	29.00	5	5		34.00	32.75	04/01/96	semiannual		37
Sep-96	45.00	5	10		37	37	09/17/96	semiannual		38
Apr-97	30.00	5	10		37.5	37.5	04/03/97	semiannual		39
Aug-97	30.00	5	10		30	30	08/27/97	semiannual		40
Mar-98	16.00	5	5		23	23	03/24/98	semiannual		41
Sep-98	23.00	5	5		19.5	19.5	09/22/98	semiannual		42
May-99	34.00	5	10		28.5	28.5	05/11/99	semiannual		43
Sep-99	37.00	5	10		35.5	35.5	09/29/99	semiannual		44
May-00	27.00	5	10		32	32	05/16/00	semiannual		45
Nov-00	30.00	5	5		28.5	28.5	11/28/00	semiannual		46
Apr-01	29.00	5	5		29.5	29.5	04/04/01	semiannual		47
Oct-01	42.00	5	5		35.5	35.5	10/18/01	semiannual		48
Apr-02	23.00	5	5		32.5	32.5	04/18/02	semiannual		49
Oct-02	24.00	5	5		23.5	23.5	10/03/02	semiannual		50
Apr-03	20.00	5	5		22	22	04/25/03	semiannual		51

WELL VDM - 9 : TRICHLOROETHENE

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS	MOVING AVG				EVENT NO.
Oct-03	29.00	5	5		24.5	24.5	10/03/03	semiannual	52
Apr-04	19.00	5	5		24	24	04/01/04	semiannual	53
Apr-04	19.00	5	5		19	19	04/01/04	semiannual	53
Oct-04	47.00	5	5		33	33	10/19/04	semiannual	54
Apr-05	14.00	5	5		30.5	30.5	04/22/05	semiannual	55
Oct-05	31.00	5	5		22.5	22.5	10/07/05	semiannual	56
May-06	25.90	5	5		28.45	28.45	05/11/06	semiannual	57
Oct-06	45.10	5	5		35.5	35.5	10/18/06	semiannual	58
May-07	18.90	5	5		32	32	05/22/07	semiannual	59
Oct-07	25.60	5	5		22.25	22.25	10/25/07	semiannual	60
May-08	20.80	5	5		23.2	23.2	05/13/08	semiannual	61
May-09	24.00	5	5		22.4	22.4	05/12/09	semiannual	63
Oct-09	24.20	5	5		24.1	24.1	10/29/09	semiannual	64
May-10	21.10	5	5		22.65	22.65	05/20/10	semiannual	65
Oct-10	24.20	5	5		22.65	22.65	10/18/10	semiannual	66
Jun-11	15.40	5	5		19.8	19.8	06/02/11	semiannual	67
Oct-11	18.00	5	5		16.7	16.7	10/12/11	semiannual	68
May-12	22.00	5	2		20	20	05/18/12	semiannual	69
Oct-12	22.40	5	2		22.2	22.2	10/11/12	semiannual	70
May-13	23.20	5	2		22.8	22.8	05/17/13	semiannual	71
Oct-13	30.10	5	2		26.65	26.65	10/11/13	semiannual	72
Jun-14	2.00	5	2		16.05	16.05	06/20/14	semiannual	73
Oct-14	2.00	5	2		2	2	10/06/14	semiannual	74
Jul-15	2.00	5	2		2	2	07/16/15	semiannual	75
Jul-16	1.40	5	1		1.4	1.7	07/20/16	Annual	76
Sep-17	0.55	5	0.5		0.55	0.975	09/22/17	Annual	77
Jul-18	1.00	5	0.5		1	0.775	07/24/18	Annual	78
Aug-19	1.00	5	0.5		1	1	08/06/19	Annual	79
Sep-20	0.84	5	0.5		0.92	0.92	09/04/20	Annual	80

MOVING AVERAGE TREND TEST
VDM-10
TRICHLOROETHENE




WELL VDM - 10 : TRICHLOROETHENE								
SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETEC LIMIT	STATISTICS		MOVING AVERAGE		SAMPLING EVENT NO.
-	-	-	-	-----	-	-		-
Jul-84		5	5	TOTAL STD	2.810627077			1
Oct-84		5	5	TOTAL Sx	0.32454326			2
Jan-85	5.00	5	5	TOTAL MEAN	4.055657895			3
Apr-85	7.40	5	5	TOTAL N	76	6.20		4
Jul-85	5.00	5	5	TOTAL df	75	5.80		5
Oct-85	10.00	5	5			6.85		6
Jan-86	5.00	5	5			6.85		7
Apr-86	5.00	5	5			6.25		8
Jul-86	5.00	5	5			6.25		9
Oct-86	1.00	5	5			4.00		10
Jan-87	1.20	5	5			3.05		11
Apr-87	1.00	5	5			2.05		12
Jul-87	1.50	5	5			1.18		13
Oct-87	1.00	5	5			1.18		14
Jan-88	1.00	5	5			1.13		15
Apr-88	1.00	5	5			1.13		16
Jul-88	1.50	5	5			1.13		17
Oct-88	1.60	5	5			1.28		18
Jan-89	1.80	5	5			1.48		19
Apr-89	1.60	5	5			1.63		20
Jul-89	1.00	5	5			1.50		21
Oct-89	1.00	5	5			1.35		22
Jan-90	1.00	5	5			1.15		23
Apr-90	1.00	5	5			1.00		24
Jul-90	1.00	5	5			1.00		25
Oct-90	1.00	5	5			1.00		26
Jan-91	10.00	5	5			3.25		27
Apr-91	2.00	5	5			3.50		28
Jul-91	2.00	5	5			3.75		29
Oct-91	2.00	5	5			4.00		30
Jan-92	2.00	5	5			2.00		31
Apr-92	1.00	5	5			1.75		32
Jul-92	1.00	5	5			1.50		33
Oct-92	1.25	5	5			1.31		34
Jan-93	1.88	5	5			1.28		35
Apr-93	1.50	5	5			1.41		36
Jul-93	2.50	5	5			1.78		37
Oct-93	2.50	5	5			2.10		38
Jan-94	2.50	5	5			2.25		39
Apr-94	2.50	5	5			2.50		40
Jul-94	2.50	5	5			2.50		41
Oct-94	3.00	5	5			2.63		42
Jan-95	3.10	5	5			2.78		43
Apr-95	3.00	5	5			2.90		44
Jul-95	2.70	5	5			2.95		45
Oct-95	2.50	5	2.5			2.83		46
Apr-96	10.00	5	10			5.07		47
Sep-96	10.00	5	10		10	10	09/17/96	semiannual
Apr-97	10.00	5	10		10	10	04/03/97	semiannual
Aug-97	10.00	5	10		10	10	08/27/97	semiannual
Mar-98	5.00	5	5		7.5	7.5	03/24/98	semiannual
Sep-98	1.20	5	5		3.1	3.1	09/22/98	semiannual

WELL VDM - 10 : TRICHLOROETHENE

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETEC LIMIT	STATISTICS	MOVING AVERAGE				SAMPLING EVENT NO.
May-99	10.00	5	10		5.6	5.6	05/11/99	semianual	53
Oct-99	10.00	5	10		10	10	10/05/99	semianual	54
May-00	10.00	5	10		10	10	05/16/00	semianual	55
Nov-00	5.00	5	5		7.5	7.5	11/28/00	semianual	56
Apr-01	5.00	5	5		5	5	04/04/01	semianual	57
Oct-01	5.00	5	5		5	5	10/18/01	semianual	58
Apr-02	5.00	5	5		5	5	04/18/02	semianual	59
Oct-02	5.00	5	5		5	5	10/03/02	semianual	60
Apr-03	5.00	5	5		5	5	04/25/03	semianual	61
Oct-03	5.00	5	5		5	5	10/03/03	semianual	62
Apr-04	5.00	5	5		5	5	04/01/04	semianual	63
Oct-04	5.00	5	5		5	5	10/19/04	semianual	64
Apr-05	5.00	5	5		5	5	04/22/05	semianual	65
Oct-05	5.00	5	5		5	5	10/07/05	semianual	66
May-06	5.00	5	5		5	5	05/11/06	semianual	67
Oct-06	6.20	5	5		5.6	5.6	10/18/06	semianual	68
May-07	6.20	5	5		6.2	6.2	05/22/07	semianual	69
Oct-07	6.20	5	5		6.2	6.2	10/25/07	semianual	70
May-08	6.20	5	5		6.2	6.2	05/13/08	semianual	71
Oct-08	6.20	5	5		6.2	6.2	10/18/09	semianual	72
May-09	5.00	5	5		5.6	5.6	05/09/09	semianual	73
Oct-09	5.00	5	5		5	5	10/29/09	semianual	74
May-10	5.00	5	5		5	5	05/20/10	semianual	75
Oct-10	5.00	5	5		5	5	10/18/10	semianual	76
Jun-11	2.00	5	2		3.5	3.5	06/02/11	semianual	77
Oct-11	5.00	5	5		3.5	3.5	10/12/11	semianual	78
May-12	2.00	5	2		3.5	3.5	05/18/12	semianual	79
Oct-12	2.00	5	2		2	2	10/11/12	semianual	80
May-13	2.00	5	2		2	2	05/17/13	semianual	81
Oct-13	2.00	5	2		2	2	10/11/13	semianual	82
May-14	10.00	5	10		6	6	05/05/14	semianual	83
Oct-14	2.00	5	2		6	6	10/06/14	semianual	84
Jul-15	2.00	5	2		2	2	07/09/15	semianual	85
Jul-16	1.00	5	1		1	1.5	07/20/16	Annual	86
Sep-17	0.30	5	0.5		0.3	0.65	09/22/17	Annual	87
Jul-18	0.33	5	0.5		0.33	0.315	07/24/18	Annual	88
Aug-19	0.52	5	0.5		0.52	0.425	08/06/19	Annual	89
Sep-20	0.34	5	0.5		0.43	0.43	09/04/20	Annual	90

MOVING AVERAGE TREND TEST
VDM-11
TRICHLOROETHENE




WELL VDM - 11 : TRICHLOROETHENE

SAMPLING EVENT NO.	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING AVG			EVENT NO.
-	-	-	-	-	-	-			-
Jan-87		5	5	TOTAL STD	5.4394				1
Apr-87		5	5	TOTAL Sx	0.6695				2
Jul-87	6.80	5	5	TOTAL MEAN	5.3060				3
Oct-87	21.90	5	5	TOTAL N	67				4
Jan-88	6.50	5	5	TOTAL df	66				5
Apr-88	16.60	5	5			12.95			6
Jul-88	16.30	5	5			15.33			7
Oct-88	3.80	5	5			10.80			8
Jan-89	1.60	5	5			9.58			9
Apr-89	1.00	5	5			5.68			10
Jul-89	1.00	5	5			1.85			11
Oct-89	2.10	5	5			1.43			12
Jan-90	1.00	5	5			1.28			13
Apr-90	1.00	5	5			1.28			14
Jul-90	1.00	5	5			1.28			15
Oct-90	10.00	5	5			3.25			16
Jan-91	2.00	5	5			3.50			17
Apr-91	2.00	5	5			3.75			18
Jul-91	2.00	5	5			4.00			19
Oct-91	2.00	5	5			2.00			20
Jan-92	1.90	5	5			1.98			21
Apr-92	1.40	5	5			1.83			22
Jul-92	1.25	5	5			1.64			23
Oct-92	1.25	5	5			1.45			24
Jan-93	1.50	5	5			1.35			25
Apr-93	2.50	5	5			1.63			26
Jul-93	1.50	5	5			1.69			27
Oct-93	2.50	5	5			2.00			28
Jan-94	2.50	5	5			2.25			29
Apr-94	2.50	5	5			2.25			30
Jul-94	35.00	5	5			10.63			31
Oct-94	2.50	5	5			10.63			32
Jan-95	2.50	5	5			10.63			33
Apr-95	2.50	5	5			10.63			34
Jul-95	2.50	5	5			2.50			35
Oct-95	2.50	5	2.5			2.50			36
Apr-96	10.00	5	10			5.00			37
Sep-96	10.00	5	10			10	10	9/17/1996	semiannual
Apr-97	10.00	5	10			10	10	4/3/1997	semiannual
Aug-97	10.00	5	10			10	10	8/27/1997	semiannual
Mar-98	5.00	5	5			7.5	7.5	3/24/1998	semiannual
Sep-98	2.70	5	5			3.85	3.85	9/22/1998	semiannual
May-99	10.00	5	10			6.35	6.35	5/11/1999	semiannual
Oct-99	10.00	5	10			10	10	10/5/1999	semiannual
May-00	10.00	5	10			10	10	5/16/2000	semiannual
Nov-00	5.00	5	5			7.5	7.5	11/28/2000	semiannual
Apr-01	5.00	5	5			5	5	4/4/2001	semiannual
Oct-01	1.00	5	5			3	3	10/18/2001	semiannual
Apr-02	5.00	5	5			3	3	4/18/2002	semiannual
Oct-02	5.00	5	5			5	5	10/3/2002	semiannual
Apr-03	5.00	5	5			5	5	4/25/2003	semiannual
Oct-03	5.00	5	5			5	5	10/3/2003	semiannual

WELL VDM - 11 : TRICHLOROETHENE									
SAMPLING EVENT NO.	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING AVG			EVENT NO.
Apr-04	5.00	5	5			5	5	4/1/2004	semiannual 53
Oct-04	5.00	5	5			5	5	10/19/2004	semiannual 54
Apr-05	5.00	5	5			5	5	4/22/2005	semiannual 55
Oct-05	0.70	5	5			2.85	2.85	10/7/2005	semiannual 56
May-06	6.20	5	5			3.45	3.45	5/11/2006	semiannual 57
Oct-06	6.20	5	5			6.2	6.2	10/18/2006	semiannual 58
May-07	6.20	5	5			6.2	6.2	5/22/2007	semiannual 59
Oct-07	6.20	5	5			6.2	6.2	10/25/2007	semiannual 60
May-08	6.20	5	5			6.2	6.2	5/8/2008	semiannual 61
Oct-08	6.20	5	5			6.2	6.2	10/23/2008	semiannual 62
May-09	5.00	5	5			5.6	5.6	5/12/2009	semiannual 63
Oct-09	5.00	5	5			5	5	10/29/2009	semiannual 64
May-10	5.00	5	5			5	5	5/20/2010	semiannual 65
Oct-10	5.00	5	5			5	5	10/18/2010	semiannual 66
Jun-11	2.00	5	2			3.5	3.5	6/2/2011	semiannual 67
Oct-11	5.00	5	5			3.5	3.5	10/12/2011	semiannual 68
May-12	2.00	5	2			3.5	3.5	5/18/2012	semiannual 69
Oct-12	2.00	5	2			2	2	10/11/2012	semiannual 70
May-13	2.00	5	2			2	2	5/17/2013	semiannual 71
Oct-13	2.00	5	2			2	2	10/11/2013	semiannual 72
May-14	10.00	5	10			6	6	5/5/2014	semiannual 73
Oct-14	2.00	5	2			6	6	10/6/2014	semiannual 74
Jul-15	2.00	5	2			2	2	7/9/2015	semiannual 75
Jul-16	1.00	5	1			1	1.5	7/20/2016	Annual 76
Sep-17	0.92	5	0.5			0.92	0.96	9/22/2017	Annual 77
Jul-18	0.96	5	0.5			0.96	0.94	7/24/2018	Annual 78
Aug-19	0.75	5	0.5			0.75	0.855	8/6/2019	Annual 79
Sep-20	1.00	5	0.5			0.875	0.875	9/4/2020	Annual 80

MOVING AVERAGE TREND TEST
VDM-14 (1987-2007) & VDM-14R (2008-Present)
TRICHLOROETHENE




WELL VDM - 14 : TRICHLOROETHENE									
SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING AVG			EVENT NO.
	-	-	-	-	-	-			-
Oct-85	639.00	5	5	TOTAL STD	74.905273				1
Jan-86	1.00	5	5	TOTAL Sx	8.8896204				2
Apr-86	10.00	5	5	TOTAL MEA	33.413056				3
Jul-86	23.00	5	5	TOTAL N	72	168.25			4
Oct-86	5.80	5	5	TOTAL df	71	9.95			5
Jan-87	1.70	5	5			10.13			6
Apr-87	1.00	5	5			7.88			7
Jul-87	1.00	5	5			2.38			8
Oct-87	1.00	5	5			1.18			9
Jan-88	1.00	5	5			1.00			10
Apr-88	11.00	5	5			3.50			11
Jul-88	1.00	5	5			3.50			12
Oct-88	10.00	5	5			5.75			13
Jan-89	14.00	5	5			9.00			14
Apr-89	14.00	5	5			9.75			15
Jul-89	2.00	5	5			10.00			16
Oct-89	1.00	5	5			7.75			17
Jan-90	2.00	5	5			4.75			18
Apr-90	8.80	5	5			3.45			19
Jul-90	30.00	5	5			10.45			20
Oct-90	9.20	5	5			12.50			21
Jan-91	1.25	5	5			12.31			22
Apr-91	15.40	5	5			13.96			23
Jul-91	23.70	5	5			12.39			24
Oct-91	2.50	5	5			10.71			25
Jan-92	1.89	5	5			10.87			26
Apr-92	8.60	5	5			9.17			27
Jul-92	35.00	5	5			12.00			28
Oct-92	5.60	5	5			12.77			29
Jan-93	8.10	5	5			14.33			30
Apr-93	7.00	5	5			13.93			31
Jul-93	2.50	5	5			5.80			32
Oct-93	2.50	5	5			5.03			33
Jan-94	10.00	5	5			5.50			34
Apr-94	11.00	5	5			6.50			35
Jul-94	12.00	5	5			8.88			36
Oct-94	16.00	5	5			12.25			37
Jan-95	10.00	5	5			12.25			38
Apr-95	26.00	5	5			16.00			39
Jul-95	28.00	5	5			20.00			40
Oct-95	54.00	5	5			29.50			41
Apr-96	12.00	5	5			31.33			42
Sep-96	58.00	5	10			35	35	9/17/1996	semiannual
Apr-97	32.00	5	10			45	45	4/3/1997	semiannual
Aug-97	30.00	5	100			31	31	8/27/1997	semiannual
Mar-98	18.00	5	5			24	24	3/24/1998	semiannual
Sep-98	42.00	5	5			30	30	9/22/1998	semiannual
May-99	32.00	5	10			37	37	5/11/1999	semiannual
Oct-99	63.00	5	10			47.5	47.5	10/5/1999	semiannual
Nov-00	44.00	5	5			53.5	53.5	11/28/2000	semiannual

WELL VDM - 14 : TRICHLOROETHENE

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS	MOVING AVG				EVENT NO.
Apr-01	23.00	5	5		33.5	33.5	4/4/2001	semiannual	51
Oct-01	38.00	5	5		30.5	30.5	10/18/2001	semiannual	52
Apr-02	10.00	5	5		24	24	4/18/2002	semiannual	53
Oct-02	47.00	5	25		28.5	28.5	10/18/2001	semiannual	54
Apr-03	30.00	5	10		38.5	38.5	4/25/2003	semiannual	55
Oct-03	49.00	5	5		39.5	39.5	10/3/2003	semiannual	56
Apr-04	37.00	5	5		43	43	4/1/2004	semiannual	57
Oct-04	50.00	5	10		43.5	49.5	10/19/2004	semiannual	58
Apr-05	36.00	5	10		43	42.5	4/22/2005	semiannual	59
Oct-05	62.00	5	10		49	55.5	10/7/2005	semiannual	60
May-06	61.50	5	10		61.75	55.25	5/11/2006	semiannual	61
Oct-06	62.60	5	10		62.05	55.8	10/18/2006	semiannual	62
May-07	62.60	5	10		62.6	46.3	5/22/2007	semiannual	63
Oct-07	72.30	5	10		67.45	60.65	10/25/2007	semiannual	63
Oct-08	42.90	5	10		57.6	46.45	10/23/2008	semiannual	64
May-09	32.40	5	25		37.65	34.2	5/12/2009	semiannual	65
Oct-09	29.30	5	25		30.85	45.65	10/29/2009	semiannual	66
May-10	35.90	5	25		32.6	48.7	5/20/2010	semiannual	67
Oct-10	56.10	5	25		46	59.35	10/18/2010	semiannual	68
Jun-11	33.70	5	25		44.9	48.15	6/2/2011	semiannual	69
Oct-11	65.00	5	50		49.35	63.8	10/12/2011	semiannual	70
May-12	69.90	5	2		67.45	71.1	5/18/2012	semiannual	71
Oct-12	65.60	5	2		67.75	54.25	10/11/2012	semiannual	72
May-13	53.70	5	2		59.65	43.05	5/17/2013	semiannual	73
Oct-13	66.70	5	2		60.2	48	10/11/2013	semiannual	74
May-14	45.10	5	2		55.9	40.5	5/5/2014	semiannual	75
Oct-14	79.00	5	2		62.05	67.55	10/6/2014	semiannual	76
Jul-15	51.60	5	2		65.3	42.65	7/9/2015	semiannual	77
Jul-16	54.00	5	1		54	59.5	7/20/2016	Annual	78
Sep-17	55.00	5	2		55	62.45	9/22/2017	Annual	79
Jul-18	80.00	5	2.5		80	72.8	7/24/2018	Annual	80
Aug-19	86.00	5	2.5		86	69.85	8/6/2019	Annual	81
Sep-20	91.00	5	1.2		85.5	78.85	9/4/2020	Annual	82

MOVING AVERAGE TREND TEST
VDM-9 (1987-2013) & VDM-9R (2014-Present)
VINYL CHLORIDE




WELL VDM - 9 : VINYL CHLORIDE									
SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING AVG			EVENT NO.
Jan-87		2	2	TOTAL STD	3.534423				1
Apr-87		2	2	TOTAL Sx	0.4452954				2
Jul-87	5.00	2	2	TOTAL MEAN	4.6859375				3
Oct-87	5.00	2	2	TOTAL N	64				4
Jan-88	5.00	2	2	TOTAL df	63				5
Apr-88	5.00	2	2			5.00			6
Jul-88	1.00	2	2			4.00			7
Oct-88	1.00	2	2			3.00			8
Jan-89	1.00	2	2			2.00			9
Apr-89	1.00	2	2			1.00			10
Jul-89	2.00	2	2			1.25			11
Oct-89	1.00	2	2			1.25			12
Jan-90	1.00	2	2			1.25			13
Apr-90	1.00	2	2			1.25			14
Jul-90	1.00	2	2			1.00			15
Oct-90	20.00	2	2			5.75			16
Jan-91	2.00	2	2			6.00			17
Apr-91	2.00	2	2			6.25			18
Jul-91	2.00	2	2			6.50			19
Oct-91	2.00	2	2			2.00			20
Jan-92	2.00	2	2			2.00			21
Apr-92	2.00	2	2			2.00			22
Jul-92	2.50	2	2			2.13			23
Oct-92	2.50	2	2			2.25			24
Jan-93	2.50	2	2			2.38			25
Apr-93	2.50	2	2			2.50			26
Jul-93	3.00	2	2			2.63			27
Oct-93	3.00	2	2			2.75			28
Jan-94	3.00	2	2			2.88			29
Apr-94	3.00	2	2			3.00			30
Jul-94	3.00	2	2			3.00			31
Oct-94	3.00	2	2			3.00			32
Jan-95	3.00	2	2			3.00			33
Apr-95	3.00	2	2			3.00			34
Jul-95	3.00	2	2			3.00			35
Oct-95	6.00	2	6			3.75			36
Apr-96	10.00	2	10			6.33	7.25	04/01/96	semiannual
Sep-96	10.00	2	10			10	10	09/17/96	semiannual
Apr-97	10.00	2	10			10	10	04/03/97	semiannual
Aug-97	10.00	2	10			10	10	08/27/97	semiannual
Mar-98	10.00	2	10			10	10	03/24/98	semiannual
Sep-98	10.00	2	10			10	10	09/22/98	semiannual
May-99	10.00	2	10			10	10	05/11/99	semiannual
Sep-99	10.00	2	10			10	10	09/29/99	semiannual
May-00	10.00	2	10			10	10	05/16/00	semiannual
Nov-00	1.00	2	5			5.5	5.5	11/28/00	semiannual
Apr-01	5.00	2	5			3	3	04/04/01	semiannual
Oct-01	1.00	2	5			3	3	10/18/01	semiannual
Apr-02	5.00	2	5			3	3	04/18/02	semiannual
Oct-02	5.00	2	5			5	5	10/03/02	semiannual
Apr-03	5.00	2	5			5	5	04/25/03	semiannual
Oct-03	5.00	2	5			5	5	10/03/03	semiannual
Apr-04	5.00	2	5			5	5	04/01/04	semiannual

WELL VDM - 9 : VINYL CHLORIDE

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS	MOVING AVG				EVENT NO.
Oct-04	5.00	2	5		5	5	10/19/04	semiannual	54
Apr-05	5.00	2	5		5	5	04/22/05	semiannual	55
Oct-05	0.90	2	5		2.95	2.95	10/07/05	semiannual	56
May-06	8.00	2	5		4.45	4.45	05/11/06	semiannual	57
Oct-06	8.00	2	5		8	8	10/18/06	semiannual	58
May-07	8.00	2	5		8	8	05/22/07	semiannual	59
Oct-07	8.00	2	5		8	8	10/25/07	semiannual	60
May-08	8.00	2	5		8	8	05/13/08	semiannual	61
Oct-09	5.00	2	5		6.5	6.5	10/29/09	semiannual	64
May-10	5.00	2	5		5	5	05/20/10	semiannual	65
Oct-10	5.00	2	5		5	5	10/18/10	semiannual	66
Jun-11	2.00	2	2		3.5	3.5	06/02/11	semiannual	67
Oct-11	5.00	2	5		3.5	3.5	10/12/11	semiannual	68
May-12	2.00	2	2		3.5	3.5	05/18/12	semiannual	69
Oct-12	2.00	2	2		2	2	10/11/12	semiannual	70
May-13	2.00	2	2		2	2	05/17/13	semiannual	71
Oct-13	2.00	2	2		2	2	10/11/13	semiannual	72
Jun-14	2.00	2	2		2	2	06/20/14	semiannual	73
Oct-14	2.00	2	2		2	2	10/06/14	semiannual	74
Jul-15	2.00	2	2		2	2	07/16/15	semiannual	75
Jul-16	1.00	2	1		1.00	1.5	07/20/16	Annual	76
Sep-17	0.07	2	1		0.07	0.535	09/22/17	Annual	77
Jul-18	0.37	2	1		0.37	0.22	07/24/18	Annual	78
Aug-19	0.43	2	1		0.43	0.4	08/06/19	Annual	79
Sep-20	0.48	2	1		0.455	0.455	09/04/20	Annual	80

MOVING AVERAGE TREND TEST
VDM-10
VINYL CHLORIDE




WELL VDM - 10 : VINYL CHLORIDE								
SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETEC LIMIT	STATISTICS		MOVING AVERAGE		SAMPLING EVENT NO.
-	-	-	-	-----	-	-		-
Jul-84		2	2	TOTAL STD	3.420712534			1
Oct-84		2	2	TOTAL Sx	0.39498986			2
Jan-85	5.00	2	2	TOTAL MEAN	4.563157895			3
Apr-85	5.00	2	2	TOTAL N	76	5.00		4
Jul-85	5.00	2	2	TOTAL df	75	5.00		5
Oct-85	10.00	2	2			6.25		6
Jan-86	5.00	2	2			6.25		7
Apr-86	5.00	2	2			6.25		8
Jul-86	5.00	2	2			6.25		9
Oct-86	1.00	2	2			4.00		10
Jan-87	1.00	2	2			3.00		11
Apr-87	1.00	2	2			2.00		12
Jul-87	1.00	2	2			1.00		13
Oct-87	1.00	2	2			1.00		14
Jan-88	1.00	2	2			1.00		15
Apr-88	1.00	2	2			1.00		16
Jul-88	1.00	2	2			1.00		17
Oct-88	1.00	2	2			1.00		18
Jan-89	1.00	2	2			1.00		19
Apr-89	1.00	2	2			1.00		20
Jul-89	3.00	2	2			1.50		21
Oct-89	1.00	2	2			1.50		22
Jan-90	1.00	2	2			1.50		23
Apr-90	1.00	2	2			1.50		24
Jul-90	1.00	2	2			1.00		25
Oct-90	1.00	2	2			1.00		26
Jan-91	20.00	2	2			5.75		27
Apr-91	2.00	2	2			6.00		28
Jul-91	2.00	2	2			6.25		29
Oct-91	2.00	2	2			6.50		30
Jan-92	2.00	2	2			2.00		31
Apr-92	2.00	2	2			2.00		32
Jul-92	2.00	2	2			2.00		33
Oct-92	2.50	2	2			2.13		34
Jan-93	2.50	2	2			2.25		35
Apr-93	2.50	2	2			2.38		36
Jul-93	3.00	2	2			2.63		37
Oct-93	3.00	2	2			2.75		38
Jan-94	3.00	2	2			2.88		39
Apr-94	3.00	2	2			3.00		40
Jul-94	3.00	2	2			3.00		41
Oct-94	3.00	2	2			3.00		42
Jan-95	3.00	2	2			3.00		43
Apr-95	3.00	2	2			3.00		44
Jul-95	3.00	2	2			3.00		45
Oct-95	3.00	2	3			3.00		46
Apr-96	10.00	2	10			5.33		47
Sep-96	10.00	2	10			10	10	09/17/96 semiannual
Apr-97	10.00	2	10			10	10	04/03/97 semiannual
Aug-97	10.00	2	10			10	10	08/27/97 semiannual
Mar-98	10.00	2	10			10	10	03/24/98 semiannual
Sep-98	10.00	2	10			10	10	09/22/98 semiannual

WELL VDM - 10 : VINYL CHLORIDE

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETEC LIMIT	STATISTICS	MOVING AVERAGE				SAMPLING EVENT NO.
May-99	10.00	2	10		10	10	05/11/99	semianual	53
Oct-99	10.00	2	10		10	10	10/05/99	semianual	54
May-00	10.00	2	10		10	10	05/16/00	semianual	55
Nov-00	5.00	2	5		7.5	7.5	11/28/00	semianual	56
Apr-01	5.00	2	5		5	5	04/04/01	semianual	57
Oct-01	5.00	2	5		5	5	10/18/01	semianual	58
Apr-02	5.00	2	5		5	5	04/18/02	semianual	59
Oct-02	5.00	2	5		5	5	10/03/02	semianual	60
Apr-03	5.00	2	5		5	5	04/25/03	semianual	61
Oct-03	5.00	2	5		5	5	10/03/03	semianual	62
Apr-04	5.00	2	5		5	5	04/01/04	semianual	63
Oct-04	5.00	2	5		5	5	10/19/04	semianual	64
Apr-05	5.00	2	5		5	5	04/22/05	semianual	65
Oct-05	5.00	2	5		5	5	10/07/05	semianual	66
May-06	6.20	2	5		5.6	5.6	05/11/06	semianual	67
Oct-06	8.00	2	5		7.1	7.1	10/18/06	semianual	68
May-07	8.00	2	5		8	8	05/22/07	semianual	69
Oct-07	8.00	2	5		8	8	10/25/07	semianual	70
May-08	8.00	2	5		8	8	05/13/08	semianual	71
Oct-08	8.10	2	5		8.05	8.05	10/18/08	semianual	72
May-09	5.00	2	5		6.55	6.55	05/12/09	semianual	73
Oct-09	5.00	2	5		5	5	10/29/09	semianual	74
May-10	5.00	2	5		5	5	05/20/10	semianual	75
Oct-10	5.00	2	5		5	5	10/18/10	semianual	76
Jun-11	2.00	2	2		3.5	3.5	06/02/11	semianual	77
Oct-11	5.00	2	5		3.5	3.5	10/12/11	semianual	78
May-12	2.00	2	2		3.5	3.5	05/18/12	semianual	79
Oct-12	2.00	2	2		2	2	10/11/12	semianual	80
May-13	2.00	2	2		2	2	05/17/13	semianual	81
Oct-13	2.00	2	2		2	2	10/11/13	semianual	82
May-14	10.00	2	10		6	6	05/05/14	semianual	83
Oct-14	2.00	2	2		6	6	10/06/14	semianual	84
Jul-15	2.00	2	2		2	2	07/09/15	semianual	85
Jul-16	1.00	2	1		1	1.5	07/20/16	Annual	86
Sep-17	1.00	2	1		1	1	09/22/17	Annual	87
Jul-18	1.00	2	1		1	1	07/24/18	Annual	88
Aug-19	1.00	2	1		1	1	08/06/19	Annual	89
Sep-20	1.00	2	1		1	1	09/04/20	Annual	90

MOVING AVERAGE TREND TEST
VDM-11
VINYL CHLORIDE




WELL VDM - 11 : VINYL CHLORIDE

SAMPLING EVENT NO.	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING AVG			EVENT NO.
-	-	-	-	-	-	-			-
Jan-87		2	2	TOTAL STD	3.3934				1
Apr-87		2	2	TOTAL Sx	0.4177				2
Jul-87	5.00	2	2	TOTAL MEAN	4.8507				3
Oct-87	5.00	2	2	TOTAL N	67				4
Jan-88	5.00	2	2	TOTAL df	66				5
Apr-88	5.00	2	2			5.00			6
Jul-88	1.00	2	2			4.00			7
Oct-88	1.00	2	2			3.00			8
Jan-89	1.00	2	2			2.00			9
Apr-89	1.00	2	2			1.00			10
Jul-89	3.00	2	2			1.50			11
Oct-89	1.00	2	2			1.50			12
Jan-90	1.00	2	2			1.50			13
Apr-90	1.00	2	2			1.50			14
Jul-90	1.00	2	2			1.00			15
Oct-90	20.00	2	2			5.75			16
Jan-91	2.00	2	2			6.00			17
Apr-91	2.00	2	2			6.25			18
Jul-91	2.00	2	2			6.50			19
Oct-91	2.00	2	2			2.00			20
Jan-92	2.00	2	2			2.00			21
Apr-92	2.00	2	2			2.00			22
Jul-92	2.50	2	2			2.13			23
Oct-92	2.50	2	2			2.25			24
Jan-93	2.50	2	2			2.38			25
Apr-93	3.00	2	2			2.63			26
Jul-93	2.50	2	2			2.63			27
Oct-93	3.00	2	2			2.75			28
Jan-94	3.00	2	2			2.88			29
Apr-94	3.00	2	2			2.88			30
Jul-94	3.00	2	2			3.00			31
Oct-94	3.00	2	2			3.00			32
Jan-95	3.00	2	2			3.00			33
Apr-95	3.00	2	2			3.00			34
Jul-95	3.00	2	2			3.00			35
Oct-95	3.00	2	3			3.00			36
Apr-96	10.00	2	10			5.33			37
Sep-96	10.00	2	10			10	10	9/17/1996	semiannual
Apr-97	10.00	2	10			10	10	4/3/1997	semiannual
Aug-97	10.00	2	10			10	10	8/27/1997	semiannual
Mar-98	10.00	2	10			10	10	3/24/1998	semiannual
Sep-98	10.00	2	10			10	10	9/22/1998	semiannual
May-99	10.00	2	10			10	10	5/11/1999	semiannual
Oct-99	10.00	2	10			10	10	10/5/1999	semiannual
May-00	10.00	2	10			10	10	5/16/2000	semiannual
Nov-00	5.00	2	5			7.5	7.5	11/28/2000	semiannual
Apr-01	5.00	2	5			5	5	4/4/2001	semiannual
Oct-01	5.00	2	5			5	5	10/18/2001	semiannual
Apr-02	5.00	2	5			5	5	4/18/2002	semiannual
Oct-02	5.00	2	5			5	5	10/3/2002	semiannual
Apr-03	5.00	2	5			5	5	4/25/2003	semiannual
Oct-03	5.00	2	5			5	5	10/3/2003	semiannual

WELL VDM - 11 : VINYL CHLORIDE

SAMPLING EVENT NO.	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS	MOVING AVG				EVENT NO.
Apr-04	5.00	2	5		5	5	4/1/2004	semiannual	53
Oct-04	5.00	2	5		5	5	10/19/2004	semiannual	54
Apr-05	5.00	2	5		5	5	4/22/2005	semiannual	55
Oct-05	5.00	2	5		5	5	10/7/2005	semiannual	56
May-06	8.00	2	5		6.5	6.5	5/11/2006	semiannual	57
Oct-06	8.00	2	5		8	8	10/18/2006	semiannual	58
May-07	8.00	2	5		8	8	5/22/2007	semiannual	59
Oct-07	8.00	2	5		8	8	10/25/2007	semiannual	60
May-08	8.00	2	5		8	8	5/13/2008	semiannual	61
Oct-08	8.00	2	5		8	8	10/23/2008	semiannual	62
May-09	5.00	2	5		6.5	6.5	5/12/2009	semiannual	63
Oct-09	5.00	2	5		5	5	10/29/2009	semiannual	64
May-10	5.00	2	5		5	5	5/20/2010	semiannual	65
Oct-10	5.00	2	5		5	5	10/18/2010	semiannual	66
Jun-11	2.00	2	2		3.5	3.5	6/2/2011	semiannual	67
Oct-11	5.00	2	5		3.5	3.5	10/12/2011	semiannual	68
May-12	2.00	2	2		3.5	3.5	5/18/2012	semiannual	69
Oct-12	2.00	2	2		2	2	10/11/2012	semiannual	70
May-13	2.00	2	2		2	2	5/17/2013	semiannual	71
Oct-13	2.00	2	2		2	2	10/11/2013	semiannual	72
May-14	10.00	2	10		6	6	5/5/2014	semiannual	73
Oct-14	2.00	2	2		6	6	10/6/2014	semiannual	74
Jul-15	2.00	2	2		2	2	7/6/2015	semiannual	75
Jul-16	1.00	2	1		1	1.5	7/20/2016	Annual	76
Sep-17	1.00	2	1		1	1	9/22/2017	Annual	77
Jul-18	1.00	2	1		1	1	7/24/2018	Annual	78
Aug-19	1.00	2	1		1	1	8/6/2019	Annual	79
Sep-20	1.00	2	1		1	1	9/4/2020	Annual	80

MOVING AVERAGE TREND TEST
VDM-14 (1987-2007) & VDM-14R (2008-Present)
VINYL CHLORIDE




WELL VDM - 14 : VINYL CHLORIDE

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS	MOVING AVG				EVENT NO.
-	-	-	-	-	-				-
Oct-85	1.00	2	2	TOTAL STD	8.6697984				1
Jan-86	1.00	2	2	TOTAL Sx	1.0289158				2
Apr-86	1.00	2	2	TOTAL MEAN	7.5215278				3
Jul-86	2.00	2	2	TOTAL N	72	1.25			4
Oct-86	3.00	2	2	TOTAL df	71	1.75			5
Jan-87	3.00	2	2			2.25			6
Apr-87	1.00	2	2			2.25			7
Jul-87	1.00	2	2			2.00			8
Oct-87	1.00	2	2			1.50			9
Jan-88	1.00	2	2			1.00			10
Apr-88	1.00	2	2			1.00			11
Jul-88	1.00	2	2			1.00			12
Oct-88	20.00	2	2			5.75			13
Jan-89	2.00	2	2			6.00			14
Apr-89	1.00	2	2			6.00			15
Jul-89	2.00	2	2			6.25			16
Oct-89	1.00	2	2			1.50			17
Jan-90	2.00	2	2			1.50			18
Apr-90	2.00	2	2			1.75			19
Jul-90	2.00	2	2			1.75			20
Oct-90	2.00	2	2			2.00			21
Jan-91	2.50	2	2			2.13			22
Apr-91	2.50	2	2			2.25			23
Jul-91	2.50	2	2			2.38			24
Oct-91	3.00	2	2			2.63			25
Jan-92	2.50	2	2			2.63			26
Apr-92	3.00	2	2			2.75			27
Jul-92	3.00	2	2			2.88			28
Oct-92	3.00	2	2			2.88			29
Jan-93	3.00	2	2			3.00			30
Apr-93	3.00	2	2			3.00			31
Jul-93	3.00	2	2			3.00			32
Oct-93	3.00	2	2			3.00			33
Jan-94	3.00	2	2			3.00			34
Apr-94	3.00	2	2			3.00			35
Jul-94	3.00	2	2			3.00			36
Oct-94	3.00	2	2			3.00			37
Jan-95	3.00	2	2			3.00			38
Apr-95	3.00	2	2			3.00			39
Jul-95	3.00	2	2			3.00			40
Oct-95	6.00	2	6			3.75			41
Apr-96	10.00	2	10			6.33			42
Sep-96	10.00	2	10			10	10	9/17/1996	semiannual
Apr-97	10.00	2	10			10	10	4/3/1997	semiannual
Aug-97	10.00	2	100			10	10	8/27/1997	semiannual
Mar-98	1.30	2	10			5.65	5.65	3/24/1998	semiannual
Sep-98	10.00	2	10			5.65	5.65	9/22/1998	semiannual
May-99	10.00	2	10			10	10	5/11/1999	semiannual
Oct-99	13.00	2	10			11.5	11.5	10/5/1999	semiannual
Nov-00	4.00	2	5			8.5	8.5	11/28/2000	semiannual
Apr-01	3.00	2	5			3.5	3.5	4/4/2001	semiannual
Oct-01	9.00	2	5			6	6	10/18/2001	semiannual

WELL VDM - 14 : VINYL CHLORIDE

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS	MOVING AVG				EVENT NO.
Apr-02	2.00	2	5		5.5	5.5	4/18/2002	semiannual	53
Oct-02	14.00	2	25		8	8	10/3/2002	semiannual	54
Apr-03	5.00	2	10		9.5	9.5	4/25/2003	semiannual	55
Oct-03	10.00	2	5		7.5	7.5	10/3/2003	semiannual	56
Apr-04	8.00	2	10		9	9	4/1/2004	semiannual	57
Oct-04	14.00	2	10		11	12	10/19/2004	semiannual	58
Apr-05	7.00	2	10		10.5	7.5	4/22/2005	semiannual	59
Oct-05	18.00	2	10		12.5	16	10/7/2005	semiannual	60
May-06	15.60	2	10		16.8	11.3	5/11/2006	semiannual	61
Oct-06	16.20	2	10		15.9	17.1	10/18/2006	semiannual	62
May-07	34.10	2	10		25.15	24.85	5/22/2007	semiannual	63
Oct-07	20.80	2	10		27.45	18.5	10/25/2007	semiannual	64
Oct-08	14.80	2	10		17.8	24.45	10/23/2008	semiannual	65
May-09	25.00	2	25		19.9	22.9	5/12/2009	semiannual	66
Oct-09	7.85	2	25		16.425	11.325	10/29/2009	semiannual	67
May-10	17.30	2	25		12.575	21.15	5/20/2010	semiannual	68
Oct-10	21.70	2	25		19.5	14.775	10/18/2010	semiannual	69
Jun-11	20.00	2	20		20.85	18.65	6/2/2011	semiannual	70
Oct-11	50.00	2	50		35	35.85	10/12/2011	semiannual	71
May-12	17.90	2	2		33.95	18.95	5/18/2012	semiannual	72
Oct-12	20.80	2	2		19.35	35.4	10/11/2012	semiannual	73
May-13	25.90	2	2		23.35	21.9	5/17/2013	semiannual	74
Oct-13	27.40	2	2		26.65	24.1	10/11/2013	semiannual	75
May-14	19.30	2	2		23.35	22.6	5/5/2014	semiannual	76
Oct-14	26.90	2	2		23.1	27.15	10/2/2014	semiannual	77
Jul-15	16.60	2	2		21.75	17.95	7/9/2015	semiannual	78
Jul-16	24.00	2	1		24	25.45	7/20/2016	Annual	79
Sep-17	21.00	2	4		21	18.8	9/22/2017	Annual	80
Jul-18	30.00	2	5		30	27	7/24/2018	Annual	81
Aug-19	26.00	2	5		26	23.5	8/6/2019	Annual	82
Sep-20	40.00	2	2.5		35	35	9/4/2020	Annual	83


MOVING AVERAGE TREND TEST
VDM-9 (1987-2013) & VDM-9R (2014-Present)
ZINC



WELL VDM - 9 : ZINC									
SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING AVG			EVENT NO.
Jan-87	3050.00	2000	300	TOTAL STD	2561.8004				1
Apr-87	3150.00	2000	300	TOTAL Sx	317.75224				2
Jul-87		2000	300	TAL MEAN	1724.4394				3
Oct-87	3600.00	2000	300	TOTAL N	66	3266.6667			4
Jan-88	15800.00	2000	300	TOTAL df	65	7516.6667			5
Apr-88	980.00	2000	300			6793.3333			6
Jul-88	1180.00	2000	300			5390			7
Oct-88	1900.00	2000	300			4965			8
Jan-89	2000.00	2000	300			1515			9
Apr-89	2400.00	2000	300			1870			10
Jul-89	1700.00	2000	300			2000			11
Oct-89	1800.00	2000	300			1975			12
Jan-90	2400.00	2000	300			2075			13
Apr-90	4100.00	2000	300			2500			14
Jul-90	2400.00	2000	300			2675			15
Oct-90	2600.00	2000	300			2875			16
Jan-91	5100.00	2000	300			3550			17
Apr-91	8300.00	2000	300			4600			18
Jul-91	8500.00	2000	300			6125			19
Oct-91	3360.00	2000	300			6315			20
Jan-92	4500.00	2000	300			6165			21
Apr-92	7100.00	2000	300			5865			22
Jul-92	2370.00	2000	300			4332.5			23
Oct-92	2960.00	2000	300			4232.5			24
Jan-93	2400.00	2000	300			3707.5			25
Apr-93	920.00	2000	300			2162.5			26
Jul-93	750.00	2000	300			1757.5			27
Oct-93	790.00	2000	300			1215			28
Jan-94	2100.00	2000	300			1140			29
Apr-94	720.00	2000	300			1090			30
Jul-94	520.00	2000	300			1032.5			31
Oct-94	2000.00	2000	300			1335			32
Jan-95	707.00	2000	300			986.75			33
Apr-95	430.00	2000	300			914.25			34
Jul-95	842.00	2000	300			994.75			35
Oct-95	730.00	2000	20			677.25			36
Apr-96	293.00	2000	20			621.66667	539.5		37
Sep-96	590.00	2000	20			441.5	441.5	09/17/96	semiannual
Apr-97	20.00	2000	20			305	305	04/03/97	semiannual
Aug-97	1350.00	2000	20			685	685	08/27/97	semiannual
Mar-98	310.00	2000	10			830	830	03/24/98	semiannual
Sep-98	660.00	2000				485	485	09/22/98	semiannual
May-99	455.00	2000	16			557.5	557.5	05/11/99	semiannual
Sep-99	844.00	2000	16			649.5	649.5	09/29/99	semiannual
May-00	295.00	2000	16			569.5	569.5	05/16/00	semiannual
Nov-00	26.00	2000	26			160.5	160.5	11/28/00	semiannual
Apr-01	240.00	2000	26			133	133	04/04/01	semiannual
Oct-01	430.00	2000	20			335	335	10/18/01	semiannual
Apr-02	75.00	2000	20			252.5	252.5	04/18/02	semiannual
Oct-02	230.00	2000	20			152.5	152.5	10/03/02	semiannual
Apr-03	65.00	2000	20			147.5	147.5	04/25/03	semiannual

WELL VDM - 9 : ZINC									
SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING AVG			EVENT NO.
Oct-03	230.00	2000	20			147.5	147.5	04/25/03	semiannual 52
Apr-04	20.00	2000	20			125	125	04/01/04	semiannual 53
Oct-04	170.00	2000	20			95	95	10/19/04	semiannual 54
Apr-05	20.00	2000	20			95	95	04/22/05	semiannual 55
Oct-05	86.00	2000	20			53	53	10/07/05	semiannual 56
May-06	64.00	2000	20			75	75	05/11/06	semiannual 57
Oct-06	31.00	2000	20			47.5	47.5	10/18/06	semiannual 58
May-07	10.00	2000	20			20.5	20.5	05/22/07	semiannual 59
Oct-07	31.00	2000	20			20.5	20.5	10/25/07	semiannual 60
May-08	28.00	2000	20			29.5	29.5	05/13/08	semiannual 61
May-09	671.00	2000	20			349.5	349.5	05/12/09	semiannual 63
Oct-09	1860.00	2000	20			1265.5	1265.5	10/29/09	semiannual 64
May-10	79.00	2000	20			969.5	969.5	05/20/10	semiannual 65
Oct-10	350.00	2000	20			214.5	214.5	10/18/10	semiannual 66
Jun-11	30.00	2000	20			190	190	06/02/11	semiannual 67
Oct-11	91.00	2000	20			60.5	60.5	10/12/11	semiannual 68
May-12	78.00	2000	10			84.5	84.5	05/18/12	semiannual 69
Oct-12	331.00	2000	1280			204.5	204.5	10/01/12	semiannual 70
May-13	116.00	2000	1000			223.5	223.5	05/17/13	semiannual 71
Oct-13	90.00	2000	880			103	103	10/11/13	semiannual 72
Jun-14	208.00	2000	544			149	149	06/20/14	semiannual 73
Oct-14	103.00	2000	21			155.5	155.5	10/06/14	semiannual 74
Jul-15	391.00	2000	800			247	247	07/16/15	semiannual 75
Jul-16	177.00	2000	500			177	284	07/20/16	Annual 76
Sep-17	133.90	2000	800			133.9	155.45	09/22/17	Annual 77
Jul-18	441.00	2000	10			441	287.45	07/24/18	Annual 78
Aug-19	1425.00	2000	100			1425	933	08/06/19	Annual 79
Sep-20	284.60	2000	10			854.8	854.8	09/04/20	Annual 80

MOVING AVERAGE TREND TEST
VDM-10
ZINC




WELL VDM - 10 : ZINC								
SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETEC LIMIT	STATISTICS		MOVING AVERAGE		SAMPLING EVENT NO.
Jul-84	1140.00	2000	300	TOTAL STD	2429.31361			1
Oct-84		2000	300	TOTAL Sx	280.512973			2
Jan-85	510.00	2000	300	TOTAL MEAN	2184.09211			3
Apr-85	200.00	2000	300	TOTAL N	76	616.7		4
Jul-85	180.00	2000	300	TOTAL df	75	296.7		5
Oct-85	700.00	2000	300			397.5		6
Jan-86	320.00	2000	300			350.0		7
Apr-86	2700.00	2000	300			975.0		8
Jul-86	1200.00	2000	300			1230.0		9
Oct-86	1900.00	2000	300			1530.0		10
Jan-87	6280.00	2000	300			3020.0		11
Apr-87		2000	300			3126.7		12
Jul-87	540.00	2000	300			2906.7		13
Oct-87	580.00	2000	300			2466.7		14
Jan-88	1000.00	2000	300			706.7		15
Apr-88	1000.00	2000	300			780.0		16
Jul-88	9200.00	2000	300			2945.0		17
Oct-88	7600.00	2000	300			4700.0		18
Jan-89	2800.00	2000	300			5150.0		19
Apr-89	3700.00	2000	300			5825.0		20
Jul-89	1300.00	2000	300			3850.0		21
Oct-89	2800.00	2000	300			2650.0		22
Jan-90	2300.00	2000	300			2525.0		23
Apr-90	1900.00	2000	300			2075.0		24
Jul-90	2600.00	2000	300			2400.0		25
Oct-90	1100.00	2000	300			1975.0		26
Jan-91	6600.00	2000	300			3050.0		27
Apr-91	3960.00	2000	300			3565.0		28
Jul-91	990.00	2000	300			3162.5		29
Oct-91	290.00	2000	300			2960.0		30
Jan-92	3240.00	2000	300			2120.0		31
Apr-92	9900.00	2000	300			3605.0		32
Jul-92	6700.00	2000	300			5032.5		33
Oct-92	517.00	2000	300			5089.3		34
Jan-93	6500.00	2000	300			5904.3		35
Apr-93	340.00	2000	300			3514.3		36
Jul-93	500.00	2000	300			1964.3		37
Oct-93	640.00	2000	300			1995.0		38
Jan-94	9900.00	2000	300			2845.0		39
Apr-94	1260.00	2000	300			3075.0		40
Jul-94	560.00	2000	300			3090.0		41
Oct-94	500.00	2000	300			3055.0		42
Jan-95	451.00	2000	300			692.8		43
Apr-95	1100.00	2000	300			652.8		44
Jul-95	426.00	2000	300			619.3		45
Oct-95	4500.00	2000	20			1619.3		46
Apr-96	762.00	2000	20			1896.0	1612.50	47
Sep-96	2200.00	2000	20			1481	1481	09/17/96 semiannual
Apr-97	260.00	2000	20			1230	1230	04/03/97 semiannual
Aug-97	1790.00	2000	20			1025	1025	08/27/97 semiannual
Mar-98	280.00	2000	10			1035	1035	03/24/98 semiannual

WELL VDM - 10 : ZINC

SAMPLING EVENT	CONC	DEC EXCEED	DETEC	STATISTICS		MOVING				SAMPLING EVENT
Sep-98	4700.00	2000	50			2490	2490	09/22/98	semiannual	52
May-99	1710.00	2000	16			3205	3205	05/11/99	semiannual	53
Oct-99	4220.00	2000	16			2965	2965	10/05/99	semiannual	54
May-00	284.00	2000	16			2252	2252	05/16/00	semiannual	55
Nov-00	2700.00	2000	26			1492	1492	11/28/00	semiannual	56
Apr-01	490.00	2000	26			1595	1595	04/04/01	semiannual	57
Oct-01	980.00	2000	20			735	735	10/18/01	semiannual	58
Apr-02	300.00	2000	20			640	640	04/18/02	semiannual	59
Oct-02	8900.00	2000	200			4600	4600	10/03/02	semiannual	60
Apr-03	910.00	2000	200			4905	4905	04/25/03	semiannual	61
Oct-03	1300.00	2000	20			1105	1105	10/03/03	semiannual	62
Apr-04	510.00	2000	20			905	905	04/01/04	semiannual	63
Oct-04	480.00	2000	20			495	495	10/19/04	semiannual	64
Apr-05	550.00	2000	20			515	515	04/22/05	semiannual	65
Oct-05	1200.00	2000	20			875	875	10/07/05	semiannual	66
May-06	609.00	2000	20			904.5	904.5	05/11/06	semiannual	67
Oct-06	374.00	2000	20			491.5	491.5	10/18/06	semiannual	68
May-07	1040.00	2000	20			707	707	05/22/07	semiannual	69
Oct-07	742.00	2000	20			891	891	10/25/07	semiannual	70
May-08	1200.00	2000	20			971	971	05/13/08	semiannual	71
Oct-08	1490.00	2000	20			1345	1345	10/23/08	semiannual	72
May-09	2380.00	2000	20			1935	1935	05/12/09	semiannual	73
Oct-09	3240.00	2000	20			2810	2810	10/29/09	semiannual	74
May-10	3240.00	2000	20			3240	3240	05/20/10	semiannual	75
Oct-10	1600.00	2000	20			2420	2420	10/18/10	semiannual	76
Jun-11	866.00	2000	20			1233	1233	06/02/11	semiannual	77
Oct-11	2260.00	2000	20			1563	1563	10/12/11	semiannual	78
May-12	878.00	2000	10			1569	1569	05/18/12	semiannual	79
Oct-12	6200.00	2000	1280			3539	3539	10/11/12	semiannual	80
May-13	2650.00	2000	1000			4425	4425	05/17/13	semiannual	81
Oct-13	6960.00	2000	880			4805	4805	10/11/13	semiannual	82
May-14	1400.00	2000	544			4180	4180	05/05/14	semiannual	83
Oct-14	921.00	2000	21			1160.5	1160.5	10/06/14	semiannual	84
Jul-15	781.00	2000	800			851	851	07/09/15	semiannual	85
Jul-16	614.00	2000	50			614	697.5	07/20/16	Annual	86
Sep-17	278.40	2000	10			278.4	446.2	09/22/17	Annual	87
Jul-18	574.40	2000	10			574.4	426.4	07/24/18	Annual	88
Aug-19	585.20	2000	100			585.2	579.8	08/06/19	Annual	89
Sep-20	361.40	2000	10			473.3	473.3	09/04/20	Annual	90

MOVING AVERAGE TREND TEST
VDM-11
ZINC




WELL VDM - 11 : ZINC									
SAMPLING EVENT NO.	CONCEN-TRATION PPB	DEC EXCEEDANCE VALUE	DETECTION LIMIT	STATISTICS		MOVING AVERAGE			SAMPLING EVENT NO.
-	-	-	-	-	-	-			-
Jan-87	2920.00	2000	300	TOTAL STD	1110.844				1
Apr-87		2000	300	TOTAL Sx	136.735				2
Jul-87	1190.00	2000	300	TOTAL MEAN	695.134				3
Oct-87	660.00	2000	300	TOTAL N	67	1590.00			4
Jan-88	1780.00	2000	300	TOTAL df	66	1210.00			5
Apr-88	5000.00	2000	300			2157.50			6
Jul-88	2300.00	2000	300			2435.00			7
Oct-88	2400.00	2000	300			2870.00			8
Jan-89	4600.00	2000	300			3575.00			9
Apr-89	3500.00	2000	300			3200.00			10
Jul-89	2500.00	2000	300			3250.00			11
Oct-89	1400.00	2000	300			3000.00			12
Jan-90	1800.00	2000	300			2300.00			13
Apr-90	2900.00	2000	300			2150.00			14
Jul-90	580.00	2000	300			1670.00			15
Oct-90	1200.00	2000	300			1620.00			16
Jan-91	2350.00	2000	300			1757.50			17
Apr-91	110.00	2000	300			1060.00			18
Jul-91	370.00	2000	300			1007.50			19
Oct-91	460.00	2000	300			822.50			20
Jan-92	940.00	2000	300			470.00			21
Apr-92	850.00	2000	300			655.00			22
Jul-92	145.00	2000	300			598.75			23
Oct-92	197.00	2000	300			533.00			24
Jan-93	570.00	2000	300			440.50			25
Apr-93	30.00	2000	300			235.50			26
Jul-93	190.00	2000	300			246.75			27
Oct-93	75.00	2000	300			216.25			28
Jan-94	145.00	2000	300			110.00			29
Apr-94	120.00	2000	300			132.50			30
Jul-94	88.00	2000	300			107.00			31
Oct-94	80.00	2000	300			108.25			32
Jan-95	20.00	2000	300			77.00			33
Apr-95	70.00	2000	300			64.50			34
Jul-95	96.00	2000	300			66.50			35
Oct-95	84.00	2000	20			67.50			36
Apr-96	20.00	2000	20			66.67			37
Sep-96	80.00	2000	20		50	50	9/17/1996	semiannual	38
Apr-97	60.00	2000	20		70	70	4/3/1997	semiannual	39
Aug-97	1020.00	2000	20		540	540	8/27/1997	semiannual	40
Mar-98	41.00	2000	10		530.5	530.5	3/24/1998	semiannual	41
Sep-98	880.00	2000	10		460.5	460.5	9/22/1998	semiannual	42
May-99	16.00	2000	16		448	448	5/11/1999	semiannual	43
Oct-99	325.00	2000	16		170.5	170.5	10/5/1999	semiannual	44
May-00	53.00	2000	16		189	189	5/16/2000	semiannual	45
Nov-00	360.00	2000	26		206.5	206.5	11/28/2000	semiannual	46
Apr-01	26.00	2000	26		193	193	4/4/2001	semiannual	47
Oct-01	380.00	2000	20		203	203	10/18/2001	semiannual	48
Apr-02	20.00	2000	20		200	200	4/18/2002	semiannual	49
Oct-02	210.00	2000	20		115	115	10/3/2002	semiannual	50

WELL VDM - 11 : ZINC

SAMPLING EVENT NO.	CONCEN-TRATION PPB	DEC EXCEEDANCE VALUE	DETECTION LIMIT	STATISTICS	MOVING AVERAGE				SAMPLING EVENT NO.
Apr-03	36.00	2000	20		123	123	4/25/2003	semiannual	51
Oct-03	85.00	2000	20		60.5	60.5	10/3/2003	semiannual	52
Apr-04	100.00	2000	20		92.5	92.5	4/1/2004	semiannual	53
Oct-04	59.00	2000	20		79.5	79.5	10/19/2004	semiannual	54
Apr-05	20.00	2000	20		39.5	39.5	4/22/2005	semiannual	55
Oct-05	240.00	2000	20		130	130	10/7/2005	semiannual	56
May-06	34.00	2000	20		137	137	5/11/2006	semiannual	57
Oct-06	10.00	2000	20		22	22	10/18/2006	semiannual	58
May-07	10.00	2000	20		10	10	5/22/2007	semiannual	59
Oct-07	141.00	2000	20		75.5	75.5	10/25/2007	semiannual	60
May-08	61.00	2000	20		101	101	5/13/2008	semiannual	61
Oct-08	122.00	2000	20		91.5	91.5	10/23/2008	semiannual	62
May-09	48.00	2000	20		85	85	5/12/2009	semiannual	63
Oct-09	164.00	2000	20		106	106	10/29/2009	semiannual	64
May-10	76.00	2000	20		120	120	5/20/2010	semiannual	65
Oct-10	10.00	2000	20		43	43	10/18/2010	semiannual	66
Jun-11	59.00	2000	20		34.5	34.5	6/2/2011	semiannual	67
Oct-11	88.00	2000	20		73.5	73.5	10/12/2011	semiannual	68
May-12	92.00	2000	20		90	90	5/18/2012	semiannual	69
Oct-12	620.00	2000	1280		356	356	10/11/2012	semiannual	70
May-13	50.00	2000	1000		335	335	5/17/2013	semiannual	71
Oct-13	780.00	2000	880		415	415	10/11/2013	semiannual	72
May-14	310.00	2000	544		545	545	5/5/2014	semiannual	73
Oct-14	132.00	2000	21		221	221	10/6/2014	semiannual	74
Jul-15	60.00	2000	800		96	96	7/6/2015	semiannual	75
Jul-16	92.00	2000	50		92.00	76	7/20/2016	Annual	76
Sep-17	34.06	2000	10		34.06	63.03	9/22/2017	Annual	77
Jul-18	66.50	2000	10		66.50	50.28	7/24/2018	Annual	78
Aug-19	41.53	2000	10		41.53	54.015	8/6/2019	Annual	79
Sep-20	10.61	2000	10		26.07	26.07	9/4/2020	Annual	80

MOVING AVERAGE TREND TEST
VDM-14 (1987-2007) & VDM-14R (2008-Present)
ZINC



WELL VDM - 14 : ZINC									
SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS		MOVING AVG			EVENT NO.
	-	-	-	-	-	-			-
Oct-85	200.00	2000	300	TOTAL STD	32408.636				1
Jan-86	95.00	2000	300	TOTAL Sx	4115.9009				2
Apr-86	1500.00	2000	300	TOTAL MEA	4927				3
Jul-86	3300.00	2000	300	TOTAL N	63	1273.75			4
Oct-86	57.00	2000	300	TOTAL df	62	1238.00			5
Jan-87	47.00	2000	300			1226.00			6
Apr-87	170.00	2000	300			893.50			7
Jul-87	240.00	2000	300			128.50			8
Oct-87	230.00	2000	300			171.75			9
Jan-88	150.00	2000	300			197.50			10
Apr-88	470.00	2000	300			272.50			11
Jul-88	270.00	2000	300			280.00			12
Oct-88	250.00	2000	300			285.00			13
Jan-89	510.00	2000	300			375.00			14
Apr-89	460.00	2000	300			372.50			15
Jul-89	240.00	2000	300			365.00			16
Oct-89	300.00	2000	300			377.50			17
Jan-90	90.00	2000	300			272.50			18
Apr-90	330.00	2000	300			240.00			19
Jul-90	490.00	2000	300			302.50			20
Oct-90	260.00	2000	300			292.50			21
Jan-91	545.00	2000	300			406.25			22
Apr-91	550.00	2000	300			461.25			23
Jul-91	530.00	2000	300			471.25			24
Oct-91	60.00	2000	300			421.25			25
Jan-92	100.00	2000	300			310.00			26
Apr-92	91.00	2000	300			195.25			27
Jul-92	480.00	2000	300			182.75			28
Oct-92	31.00	2000	300			175.50			29
Jan-93	40.00	2000	300			160.50			30
Apr-93	47.00	2000	300			149.50			31
Jul-93	506.00	2000	300			156.00			32
Oct-93	810.00	2000	300			350.75			33
Jan-94	24.00	2000	300			346.75			34
Apr-94	141.00	2000	300			370.25			35
Jul-94	142.00	2000	300			279.25			36
Oct-94	200.00	2000	300			126.75			37
Jan-95	170.00	2000	300			163.25			38
Apr-95	869.00	2000	300			345.25			39
Jul-95	889.00	2000	300			532.00			40
Oct-95	1200.00	2000	20			782.00			41
Apr-96	140.00	2000	20			743.00			42
Sep-96	1600.00	2000	20			870	870	9/17/1996	semiannual
Apr-97	260000.00	2000	50			130800	130800	4/3/1997	semiannual
Aug-97	2650.00	2000	20			131325	131325	8/27/1997	semiannual
Mar-98	470.00	2000	10			1560	1560	3/24/1998	semiannual
Sep-98	2900.00	2000	10			1685	1685	9/22/1998	semiannual
May-99	727.00	2000	16			1813.5	1813.5	5/11/1999	semiannual
Oct-99	2320.00	2000	16			1523.5	1523.5	10/5/1999	semiannual
Nov-00	1200.00	2000	26			1760	1760	11/28/2000	semiannual

WELL VDM - 14 : ZINC

SAMPLING EVENT	CONC PPB	DEC EXCEED VALUE	DETECT LIMIT	STATISTICS	MOVING AVG				EVENT NO.
Apr-01	370.00	2000	26		785	785	4/4/2001	semiannual	51
Oct-01	830.00	2000	20		600	600	10/18/2001	semiannual	52
Apr-02	2200.00	2000	20		1515	1515	4/18/2002	semiannual	53
Oct-02	1600.00	2000	20		1900	1900	10/3/2002	semiannual	54
Apr-03	960.00	2000	20		1280	1280	4/25/2003	semiannual	55
Oct-03	1000.00	2000	20		980	980	10/3/2003	semiannual	56
Apr-04	640.00	2000	20		820	820	4/1/2004	semiannual	57
Oct-04	1200.00	2000	20		920	920	10/19/2004	semiannual	58
Apr-05	1400.00	2000	20		1300	1300	4/22/2005	semiannual	59
Oct-05	2500.00	2000	20		1950	1950	10/7/2005	semiannual	60
May-06	1580.00	2000	20		2040	2040	5/11/2006	semiannual	61
Oct-06	1700.00	2000	20		1640	1640	10/18/2006	semiannual	62
May-07	5330.00	2000	20		3515	3515	5/22/2007	semiannual	63
Oct-07	1230.00	2000	20		3280	3280	10/25/2007	semiannual	64
Oct-08	800.00	2000	20		1015	1015	10/24/2008	semiannual	65
May-09	847.00	2000	20		823.5	823.5	5/12/2009	semiannual	66
Oct-09	1440.00	2000	20		1143.5	1143.5	10/29/2009	semiannual	67
May-10	860.00	2000	20		1150	1150	5/20/2010	semiannual	68
Oct-10	1080.00	2000	20		970	970	10/18/2010	semiannual	69
Jun-11	340.00	2000	20		710	710	6/2/2011	semiannual	70
Oct-11	1040.00	2000	20		690	690	10/12/2011	semiannual	71
May-12	490.00	2000	20		765	765	5/18/2012	semiannual	72
Oct-12	1360.00	2000	1280		925	925	10/11/2012	semiannual	73
May-13	880.00	2000	1000		1120	1120	5/17/2013	semiannual	74
Oct-13	860.00	2000	880		870	870	10/11/2013	semiannual	75
May-14	690.00	2000	544		775	775	5/5/2014	semiannual	76
Oct-14	2050.00	2000	103		1370	1370	10/6/2014	semiannual	77
Jul-15	800.00	2000	17		1425	1425	7/9/2015	semiannual	78
Jul-16	533.00	2000	50		533	666.5	7/20/2016	Annual	79
Sep-17	637.60	2000	10		637.6	585.3	9/22/2017	Annual	80
Jul-18	506.00	2000	10		506	571.8	7/24/2018	Annual	81
Aug-19	628.10	2000	100		628.1	567.05	8/6/2019	Annual	82
Sep-20	353.20	2000	10		490.65	490.65	9/4/2020	Annual	83

APPENDIX B

**LANDFILL INSPECTION CHECKLIST AND MONITORING WELL DATA FORMS
(SEPTEMBER 2020)**

APPENDIX E

Attachment 1-B

Groundwater Monitoring System Inspection Plan and Form

- A. Inspections of the groundwater monitoring system shall be performed on an annual basis to conform with the SMP monitoring schedule. Personnel trained in groundwater sampling, collection and sample preservation techniques will be used. The inspection form located below or an equivalent form shall be used. The original inspection forms shall be maintained by Vanchlor in an inspection log book or file for the full term of the Administrative Order governing the implementation of the SMP. Copies of the inspections shall be submitted with the annual monitoring reports.
 - B. The well inspection will include visual inspection of the security cap and lock, condition of the surface grout, and the condition of the inner casing and cap. During well purging, the relative rate of recharge should be noted for comparison with the previous data to insure that the well screen is not plugged. Also during purging and sampling, the integrity of the well shall be inspected by measuring the total well depth and noting the presence of any obstructions such as casing bends, foreign objects or siltation. The measured well depth shall be compared to the "as-built" well depth.
 - C. If it becomes apparent that a well is not capable of providing representative samples, Vanchlor shall notify the Department within one week of the sampling event.

Landfill/Groundwater Monitoring System Inspection Form

- | | | |
|---|--------------------------------------|----|
| 1. Is the integrity of the cover and ditch lining satisfactory? | <input checked="" type="radio"/> YES | NO |
| 1.1 Any sink holes or depressions? | <input checked="" type="radio"/> YES | NO |
| 1.2 Significant erosion of the banks? | <input checked="" type="radio"/> YES | NO |
| 1.3 Any visible problems? | <input checked="" type="radio"/> YES | NO |
| 2. Is the integrity of the vegetative cover satisfactory? | <input checked="" type="radio"/> YES | NO |
| 2.1 Is the grass healthy looking? | <input checked="" type="radio"/> YES | NO |
| 2.2 Are there any bare spots? | <input checked="" type="radio"/> YES | NO |
| 2.3 Is the grass less than 8" tall? | <input checked="" type="radio"/> YES | NO |
| 2.4 Are there trees or bushes growing in the cover? | <input checked="" type="radio"/> YES | NO |
| 3. Is drainage from the site satisfactory? | <input checked="" type="radio"/> YES | NO |
| 3.1 Is there any ponding or puddling? | <input checked="" type="radio"/> YES | NO |
| 4. Is the fence surrounding the site secure? | <input checked="" type="radio"/> YES | NO |
| 4.1 Any holes or damage? | <input checked="" type="radio"/> YES | NO |
| 4.2 Signs in place every 50 feet? | <input checked="" type="radio"/> YES | NO |
| 4.3 Accessible entry to the site? | <input checked="" type="radio"/> YES | NO |
| 4.4 Property "Posted Signs" visible and intact? | <input checked="" type="radio"/> YES | NO |

5. Are all of the covers on the monitoring wells locked? YES NO
- 5.1 Caps on all of the risers? YES NO
6. Is there any iron staining in the drainage ditch? YES NO
7. Are there any visible seeps in the cliff face? YES NO
8. Are the wells in good condition?
- 8.1 Any damage to the outer casing? YES NO
- 8.2 Obstructions in the riser? YES NO
- 8.3 Excessive sediment buildup in any wells? YES NO

Name of inspector:

Signature: Patricia J. Moulton

Date: 9/3/20

Well Purging / Sampling Data

WELL VDM-11:

WELL PURGING DATA:		DATE: <u>9/3/20</u>
START TIME: <u>0835</u>		FINISH TIME: <u>0840</u>
A:	MP ELEVATION: 450.33 FEET	
B:	DEPTH TO WATER: <u>20.08</u> FEET	
C:	DEPTH OF WELL INSTALLED: 22.63 ft.	
D:	STATIC WATER LEVEL: C-D = <u>2.81</u> FEET	
E:	WELL VOLUME: E * 0.1636 = <u>0.46</u> GALLONS $\times 3 = 1.38$	
F:	DEPTH OF WELL AS MEASURED: <u>22.89</u> FEET	
		Purged 0.5 gallons \rightarrow Dry
WELL SAMPLING DATA:		
DATE: <u>9/4/20</u>		FINISH TIME: <u>1140</u>
START TIME: <u>1130</u>		
A:	MP ELEVATION: 450.33 FEET	
B:	DEPTH TO WATER: <u>21.12</u> FEET	
C:	DEPTH OF WELL INSTALLED: 22.63 ft.	
D:	STATIC WATER LEVEL: C-D = <u>1.77</u> FEET	
E:	WELL VOLUME: E * 0.1636 = <u>0.289</u> GALLONS	
F:	DEPTH OF WELL AS MEASURED: <u>22.89</u> FEET	
G:	pH OF SAMPLE: <u>6.55</u> pH @ 15.3°C	
H:	pH METER CALIBRATED?: YES <input checked="" type="checkbox"/> NO []	
I:	SAMPLES OBTAINED:	
1- TOTAL METALS, 1 TOTAL CHLORIDES, 2 VOAs		
J:	WEATHER CONDITIONS: <u>Partly Cloudy</u> <u>69°</u>	
K:	SAMPLER(S): <u>Zack Robison & Josh Aeh</u>	
L:	COMMENTS: <u>Very limited volume but all bottles filled</u> <u>Clear w/ silt/grit</u> <u>full</u>	

Well Purging / Sampling Data

WELL VDM-10:

WELL PURGING DATA:

START TIME: 0850

A: MP ELEVATION: 444.46 FEET

B: DEPTH TO WATER:

C: DEPTH OF WELL INSTALLED: 45.76 ft.

D: STATIC WATER LEVEL: C-D =

E: WELL VOLUME: E * 0.1636 =

F: DEPTH OF WELL AS MEASURED:

Clear → Turb: 2/ Brown

WELL SAMPLING DATA:

DATE: 9/4/20

START TIME: 1141

A: MP ELEVATION: 444.46 FEET

B: DEPTH TO WATER:

C: DEPTH OF WELL INSTALLED: 45.76 ft.

D: STATIC WATER LEVEL: C-D =

E: WELL VOLUME: E * 0.1636 =

F: DEPTH OF WELL AS MEASURED:

G: pH OF SAMPLE:

H: pH METER CALIBRATED?: YES

I: SAMPLES OBTAINED:

1- TOTAL METALS, 1 TOTAL CHLORIDES, 2 VOAs

J: WEATHER CONDITIONS: Partly cloudy 69°

K: SAMPLER(S): Zack Robison & Josh Aeh

L: COMMENTS: Slight Brown/Turbid

DATE: 9/3/20

FINISH TIME: 0915

33.72 FEET

12.97 FEET

2.12 GALLONS $\times 3 = 6.36$

16.69 FEET

4.0 gallons purged

FINISH TIME: 1154

44.71 FEET

2.59 FEET

0.42 GALLONS

16.69 FEET

6.30 pH @ 14.8°C

NO []

Well Purging / Sampling Data

WELL VDM-9R:

WELL PURGING DATA:

START TIME: 0920

A: MP ELEVATION: 448.58 FEET

B: DEPTH TO WATER:

C: DEPTH OF WELL INSTALLED: 37.35 ft.

D: STATIC WATER LEVEL: C-D =

E: WELL VOLUME: E * 0.1636 =

F: DEPTH OF WELL AS MEASURED:

DATE: 9/3
FINISH TIME: 0935

34.15 FEET

5.03 FEET
0.82 GALLONS $\times 3 = 2.47$
39.18 FEET

WELL SAMPLING DATA:

DATE: 9/4/20

START TIME: 1158

FINISH TIME: 1206

A: MP ELEVATION: 448.58 FEET

B: DEPTH TO WATER:

38.00 FEET

C: DEPTH OF WELL INSTALLED: 37.35 ft.

D: STATIC WATER LEVEL: C-D =

1.18 FEET

E: WELL VOLUME: E * 0.1636 =

0.19 GALLONS

F: DEPTH OF WELL AS MEASURED:

39.18 FEET

G: pH OF SAMPLE:

6.14 pH @ 16.3

H: pH METER CALIBRATED?: YES

NO

I: SAMPLES OBTAINED:

1- TOTAL METALS, 1 TOTAL CHLORIDES, 2 VOAs

J: WEATHER CONDITIONS: Partly cloudy 69°

K: SAMPLER(S): Zack Robison & Josh Aeh

L: COMMENTS: Orange/Turbid

Well Purging / Sampling Data

WELL VDM-14R:

WELL PURGING DATA:

START TIME: 0940

A: MP ELEVATION: 444.74 FEET

B: DEPTH TO WATER:

C: DEPTH OF WELL INSTALLED: 11.5

D: STATIC WATER LEVEL: C-D =

E: WELL VOLUME: E * 0.1636 =

F: DEPTH OF WELL AS MEASURED:

DATE: 9/3/20

FINISH TIME: 0950

10.25 FEET

1.41 FEET

0.23 GALLONS $\times 3 = 0.69$

11.65 FEET

Slight Orange/Brown/Turbid → Brown/Turbid purged 1 gallon

WELL SAMPLING DATA:

DATE: 9/4/20

START TIME: 1210

FINISH TIME: 1217

A: MP ELEVATION: 444.74 FEET

10.29 FEET

B: DEPTH TO WATER:

C: DEPTH OF WELL INSTALLED: 11.5

1.36 FEET

D: STATIC WATER LEVEL: C-D =

0.22 GALLONS

E: WELL VOLUME: E * 0.1636 =

11.65 FEET

F: DEPTH OF WELL AS MEASURED:

5.98 pH @ 7.1°C

G: pH OF SAMPLE:

NO []

H: pH METER CALIBRATED?: YES [✓]

I: SAMPLES OBTAINED:

1- TOTAL METALS, 1 TOTAL CHLORIDES, 2 VOAs

J: WEATHER CONDITIONS: Partly Cloudy 69°

K: SAMPLER(S): Zack Robison & Josh Aeh

L: COMMENTS: Boiler lost down well & retrieved

Orange/Brown Turbid

APPENDIX E

Attachment 1-A

Well Purging / Sampling Data

WELL D-55:

WELL PURGING DATA:

START TIME: 1005

A: MP ELEVATION: 468.76 FEET

B: DEPTH TO WATER:

C: DEPTH OF WELL INSTALLED: 46.40 ft.

D: STATIC WATER LEVEL: C-D =

E: WELL VOLUME: E * 0.1636 =

F: DEPTH OF WELL AS MEASURED:

DATE: 9/3/20FINISH TIME: 102536.44 FEET10.85 FEET1.78 GALLONS $\times 5.33$ 47.29 FEET

WELL SAMPLING DATA:

DATE: 9/4/20START TIME: 1228

A: MP ELEVATION: 468.76 FEET

B: DEPTH TO WATER:

C: DEPTH OF WELL INSTALLED: 46.40 ft.

D: STATIC WATER LEVEL: C-D =

E: WELL VOLUME: E * 0.1636 =

F: DEPTH OF WELL AS MEASURED:

G: pH OF SAMPLE:

H: pH METER CALIBRATED?: YES [✓]

I: SAMPLES OBTAINED:

1- TOTAL METALS, 1 TOTAL CHLORIDES, 2 VOAs

J: WEATHER CONDITIONS: Partly cloudy 69°K: SAMPLER(S): Zack Robison & Josh AehL: COMMENTS: Changed out Bailer for weighted oneOld Bailer was getting stuck in well going down

(Clear)

Duplicate Done

Well Purging / Sampling Data

WELL VDM-12:

WELL PURGING DATA:

START TIME: 0925DATE: 9/3/20

FINISH TIME: _____

A: MP ELEVATION: 451.01 FEET

B: DEPTH TO WATER: _____ FEET

C: DEPTH OF WELL INSTALLED: 14.91

D: STATIC WATER LEVEL: C-D = _____ FEET

E: WELL VOLUME: E * 0.1636 = _____ GALLONS

F: DEPTH OF WELL AS MEASURED: _____ FEET

WELL SAMPLING DATA:

(Dry 13.23) ft

DATE: _____

START TIME: _____

FINISH TIME: _____

A: MP ELEVATION: 451.01 FEET

B: DEPTH TO WATER: _____ FEET

C: DEPTH OF WELL INSTALLED: 14.91

D: STATIC WATER LEVEL: C-D = _____ FEET

E: WELL VOLUME: E * 0.1636 = _____ GALLONS

F: DEPTH OF WELL AS MEASURED: _____ FEET

G: pH OF SAMPLE: _____ pH

H: pH METER CALIBRATED?: YES [] NO []

I: SAMPLES OBTAINED:

1- TOTAL METALS, 1 TOTAL CHLORIDES, 2 VOAs

J: WEATHER CONDITIONS: Partly cloudy 69°

K: SAMPLER(S): _____

L: COMMENTS: Not Sampled / Dry

APPENDIX C
INSPECTION PHOTLOG

Project Title: Vanchlor Landfill Site PRR, 45 Main Street, Lockport, New York**September 3, 2020 : Site Visit**

Photo 1 Landfill cover crest	
Photo 2 Fence damage near Well #10	

Project Title: Vanchlor Landfill Site PRR, 45 Main Street, Lockport, New York

September 3, 2020 : Site Visit

<p>Photo 3</p> <p>Fence damage adjacent to Well #10</p>	
<p>Photo 4</p> <p>Landfill crest, looking east/northeast</p>	

Project Title: Vanchlor Landfill Site PRR, 45 Main Street, Lockport, New York**September 3, 2020 : Site Visit**

Photo 5

Well #9



Photo 6

Landfill east edge, looking east/northeast



Project Title: Vanchlor Landfill Site PRR, 45 Main Street, Lockport, New York

September 3, 2020 : Site Visit

<p>Photo 7</p> <p>Depression following east edge of landfill, view to northeast</p>	
<p>Photo 8</p> <p>Top of landfill, looking west/southwest</p>	

Project Title: Vanchlor Landfill Site PRR, 45 Main Street, Lockport, New York**September 3, 2020 : Site Visit**

Photo 9

Top of landfill,
looking west



Photo 10

Brush pile within
landfill fence
(eastern end)



Project Title: Vanchlor Landfill Site PRR, 45 Main Street, Lockport, New York

September 3, 2020 : Site Visit

Photo 11

Landfill cover,
looking west



Photo 12

Landfill entry
gate, looking
south



Project Title: Vanchlor Landfill Site PRR, 45 Main Street, Lockport, New York**September 3, 2020 : Site Visit**

Photo 13

Well #11



Photo 14

Well #12



Project Title: Vanchlor Landfill Site PRR, 45 Main Street, Lockport, New York
September 3, 2020 : Site Visit

Photo 15 Well #14, note gap in fence adjacent to slope in background		
---	--	--