

The electronic version of this file/report should have the file name:

Report. HW. 932052. 1998-03-30. 1997-1998_GW_Monitoring-Summary.pdf

Type of document . Site Number . Year-Month . File Year-Year or Report name . pdf

_____ . File _____ . pdf

example: letter . Year-Month . File Year-Year . pdf

_____ . pdf

example: report . Site Number . Year-Month . Report Name . pdf

Project Site numbers will be proceeded by the following:

Municipal Brownfields - B


Superfund - HW

Spills - SP

ERP - E

VCP - V

BCP - C



Golder Associates Inc.

2221 Niagara Falls Boulevard, L.P.O. Box 4069
Niagara Falls, NY USA 14304-8069
Telephone (716) 731-1560
Fax (716) 731-1652



REPORT ON

1997-1998 ANNUAL SUMMARY AND
SYSTEM PERFORMANCE
OFF-SITE AND ON-SITE GROUNDWATER
EXTRACTION SYSTEMS
TEXTRON REALTY OPERATIONS
(WHEATFIELD) INC. FACILITY
WHEATFIELD, NEW YORK

Submitted to:

Textron Inc.
40 Westminster Street
Providence, Rhode Island, 02903-6028

DISTRIBUTION:

8 Copies - Ms. Leslie Alden; Textron Inc.; Providence, Rhode Island
1 Copy - Golder Associates Inc.; Buffalo, New York

March 1998

973-9158

Golder Associates Inc.

2221 Niagara Falls Boulevard, L.P.O. Box 4069
Niagara Falls, NY USA 14304-8069
Telephone (716) 731-1560
Fax (716) 731-1652



March 30, 1998

973-9158

Textron Inc.
40 Westminster Street
Providence, Rhode Island, 02903-6028

Attention: Ms. Leslie Alden

RE: REPORT ON 1997-1998 ANNUAL SUMMARY AND SYSTEM
PERFORMANCE, OFF-SITE AND ON-SITE GROUNDWATER EXTRACTION
SYSTEMS, TEXTRON REALTY OPERATIONS (WHEATFIELD) INC.
FACILITY, WHEATFIELD, NEW YORK


Dear Ms. Alden:

Golder Associates Inc. (Golder Associates) is pleased to submit this report on the 1997-1998 Annual Summary and System Performance for the Off-Site and On-Site Groundwater Extraction Systems located at the Textron Realty Operations (Wheatfield) Inc.'s (TROs') facility in Wheatfield, New York. TRO is a subsidiary of Textron Inc. (Textron). This report is submitted in accordance with TROs' New York State Department of Environmental Conservation (NYSDEC) Title 6 New York Code of Rules and Regulations (6NYCRR) Part 373 Post Closure Permit, Effective September 14, 1992 (Permit No. 9-2940-00001/00079-0).

Golder Associates appreciates the opportunity to provide continuing professional engineering services to Textron. If you have any questions regarding this report, please do not hesitate to call.

Very truly yours,

GOLDER ASSOCIATES INC.


Anthony L. Grasso, P.G.
Project Director/Associate

ALG:dml

Attachments

F/N: 4THFINAL.DOC

TABLE OF CONTENTS

Cover Letter

Table of Contents

i

<u>SECTION</u>	<u>PAGE</u>
1. INTRODUCTION	1
2. BACKGROUND	2
3. SUMMARY OF GROUNDWATER MONITORING	3
3.1 General.....	3
3.2 Chemical Monitoring.....	3
3.3 Hydraulic Monitoring	4
3.3.1 General.....	4
3.3.2 Off-Site System	5
3.3.3 On-Site System.....	6
3.4 Routine Operations and Maintenance of Monitoring Points	8
4. SUMMARY OF SYSTEM OPERATIONS	11
4.1 Off-Site System	11
4.2 On-Site System	11
5. RECOMMENDATIONS FOR FUTURE GROUNDWATER MONITORING AND SYSTEM OPERATIONS.....	13
6. SUMMARY	14
REFERENCES.....	15

In Order
Following
Page 15

- TABLE 1 - Monitoring Points Included in the On-Site and Off-Site Effectiveness Monitoring Program
- TABLE 2 - Summary of Groundwater Analytical Data (Detected Compounds Only), April 1997 Quarterly and Semi-Annual Monitoring Event
- TABLE 3 - Summary of Groundwater Analytical Data (Detected Compounds Only), July 1997 Quarterly Monitoring Event
- TABLE 4 - Summary of Groundwater Analytical Data (Detected Compounds Only), October 1997 Quarterly, Semi-Annual, and Annual Monitoring Event
- TABLE 5 - Summary of Hydraulic Monitoring, April 1997 Quarterly and Semi-Annual Monitoring Event

TABLE OF CONTENTS
(Continued)

TABLE 6	-	Summary of Hydraulic Monitoring Data, July 1997 Quarterly Monitoring Event
TABLE 7	-	Summary of Hydraulic Monitoring Data, October 1997 Quarterly, Semi-Annual, and Annual Monitoring Event
TABLE 8	-	Summary of Hydraulic Monitoring Data, February 1998 Quarterly Hydraulic Monitoring Event
TABLE 9	-	Summary of Vertical Hydraulic Gradients
TABLE 10	-	Summary of Operations and Maintenance of Monitoring Points
TABLE 11	-	Proposed Monitoring Points for the On-Site and Off-Site Effectiveness Monitoring Program
FIGURE 1	-	Sample Locations
FIGURE 2	-	MW 89-15(1) TVOC Concentrations versus Time
FIGURE 3	-	MW 87-20(1) TVOC Concentrations versus Time
FIGURE 4	-	EW-4 TVOC Concentrations versus Time
FIGURE 5	-	Groundwater Elevation Contour Map Zone 1 Bedrock - October 1997
FIGURE 6	-	On-Site Groundwater Elevation Contour Map Zone 1 Bedrock - October 1997
FIGURE 7	-	Groundwater Elevation Contour Map Zone 1 Bedrock - April 1997
FIGURE 8	-	On-Site Groundwater Elevation Contour Map Zone 1 Bedrock - April 1997
FIGURE 9	-	Groundwater Elevation Contour Map Zone 1 Bedrock - July 1997
FIGURE 10	-	On-Site Groundwater Elevation Contour Map Zone 1 Bedrock - July 1997
FIGURE 11	-	Groundwater Elevation Contour Map Zone 1 Bedrock - February 1998
FIGURE 12	-	On-Site Groundwater Elevation Contour Map Zone 1 Bedrock - February 1998
FIGURE 13	-	Groundwater Elevation Contour Map Zone 3 Bedrock - October 1997
APPENDIX A	-	Analytical Sampling Results

1. INTRODUCTION

This report represents the annual summary and system performance report for the Off-Site Groundwater Extraction System and the On-Site Groundwater Extraction System (Off-Site System and On-Site System, respectively) located at Textron Realty Operations (Wheatfield) Inc.'s (TRO's) facility in Wheatfield, New York, for the 12-month period March 1997 through February 1998. TRO is a subsidiary of Textron, Inc. (Textron). This report is submitted in accordance with TRO's New York State Department of Environmental Conservation (NYSDEC) Title 6 New York Code of Rules and Regulations (6NYCRR) Part 373 Post Closure Permit, effective September 14, 1992 (Permit No. 9-2940-00001/00079-0). Included herein is a summary of the previous twelve months of operation including groundwater quality results, groundwater hydraulic monitoring results, and system operation information. In addition, this report presents proposed changes to TRO's current groundwater monitoring program (GWMP) and recommendations for future operations for the Off-Site System (based on the first five years of operation) and the On-Site System (based on the first three years of operation).

2. BACKGROUND

The Off-Site System consists of six Zone 1 bedrock groundwater extraction wells (EW-1 through EW-6), connected by a subsurface double-containment pipeline that discharges the extracted groundwater to the Niagara County Sewer District (NCS) Publicly Owned Treatment Works (POTW). Figure 1 presents a site layout showing the locations of the extraction wells and the groundwater monitoring points. The Off-Site System has been operating since March 1993. Extraction well EW-1 was taken out of service during system start-up in March 1993, based on the hydraulic response observed during system start-up. EW-6 was taken off-line on April 11, 1996 in an attempt to reduce the constituent concentration at the southern boundary of the dissolved phase plume in the area of EW-6. The cessation of pumping at EW-6 has allowed EW-5 to draw the dissolved phase plume boundary (as of October 1997, just to the south of EW-6) to the north toward EW-5.

The On-Site System consists of six Zone 1 bedrock groundwater extraction wells (EW-7, EW-8, and DW-9 through DW-12) connected by a subsurface double-containment pipeline that delivers the extracted groundwater to the On-Site Pre-Treatment Plant. At the Pre-Treatment Plant, the water is stripped of volatile organic compounds (VOCs), the VOCs are thermally destroyed, and the water ultimately discharged to the Walmore Road storm sewer. Figure 1 presents a site layout showing the locations of the extraction wells and the groundwater monitoring points. Construction of the system was initiated on September 20, 1993, and was substantially completed in late 1994. Start-up of the system began in February 1995.

3. SUMMARY OF GROUNDWATER MONITORING

3.1 General

Groundwater quality and hydraulic monitoring of the Off-Site and On-Site Systems were performed pursuant to TRO's GWMP and the data for the past year were presented in individual Quarterly Groundwater Monitoring Reports (Golder Associates, July 1997, October 1997, and February 1998). Groundwater quality monitoring was conducted in April 1997, July 1997, and October 1997. Hydraulic monitoring was conducted on a quarterly basis, in April 1997, July 1997, October 1997, and February 1998, corresponding with the quarterly groundwater quality monitoring events with the exception of the February 1998 monitoring event. During the February 1998 event, only hydraulic monitoring was performed (Golder Associates, March 1998) in accordance with the GWMP. As detailed in the GWMP, groundwater quality sampling will be conducted on a semi-annual or annual basis over the next year (in April and/or October depending on the particular well), whereas hydraulic monitoring will continue to be performed quarterly.

A summary of the operations associated with the Off-Site System during each quarter, including a discussion of the groundwater quality and hydraulic monitoring data collected during the representative quarter, is presented in detail in each of the aforementioned Quarterly Reports. The following sections present some general trends that are noted in the data collection during the past year.

3.2 Chemical Monitoring

Table 1 presents the monitoring points included in TRO's GWMP and the monitoring locations are shown on Figure 1. Groundwater quality monitoring was conducted on a quarterly basis (April 1997, July 1997, and October 1997) with additional monitoring points included during the semi-annual events (April 1997 and October 1997) and the annual event (October 1997). These monitoring events include the analysis for VOCs only, for each monitoring point. Tables 2, 3, and 4 present a quarterly summary of the

detected compounds from the groundwater analytical data. Appendix A presents a database of all analyzed compounds for the past four years for each monitoring point.

Continuing downward chemical trends have been observed in most monitoring wells and extraction wells, based on calculated total volatile organic compound (TVOC) concentrations. TVOC concentrations were calculated by summing the concentrations of all detected compounds for a sample. For the On-Site area, this downward trend in TVOC concentrations is well illustrated by the TVOC concentration versus time plot of analytical results from monitoring well 89-15(1), as shown on Figure 2. This apparent reduction of TVOC concentrations may be attributed to the pumping of the Zone 1 aquifer by the On-Site System. The downward trend in TVOC concentrations for an area between the On-Site and Off-Site Systems is shown by the TVOC concentration versus time plot of analytical results from monitoring well 87-20(1) (located north of the Off-Site System), as shown on Figure 3. Apparent reductions of TVOC concentrations in this well may be attributed to the pumping of both the On-Site and Off-Site Systems. Figure 4 presents the TVOC concentration versus time plot of analytical results from extraction well EW-4. This Off-Site extraction well also displays a downward trend in TVOC concentrations.

Figure 5 presents the approximate limit of the dissolved phase plume in the Zone 1 bedrock aquifer, based upon the groundwater quality monitoring data collected during the October 1997 annual monitoring event (Golder Associates, January 1998). The extent of the dissolved phase plume in Zone 1 has remained relatively constant as compared to last year, as anticipated.

3.3 Hydraulic Monitoring

3.3.1 General

Tables 5 through 8 present a quarterly summary of the past year's hydraulic monitoring data. Figures 5, 7, 9, and 11 present groundwater elevation contour maps for each quarter for both the On-Site and Off-Site area together and Figures 6, 8, 10, and 12

present more detailed quarterly groundwater elevation contour maps of just the On-Site area.

3.3.2 Off-Site System

Groundwater equipotential maps of the Zone 1 bedrock aquifer in the vicinity of the On-Site and Off-Site Systems for all four quarters are presented on Figures 5, 7, 9, and 11. These maps show there is a consistent and significant overlap of the cone-of-depression and the contaminant plume in the off-site area, which is one of the design goals of the system. The hydraulic response to pumping of the Off-Site System has remained reasonably consistent since system startup in March 1993, although precipitation is shown to have a significant impact on the overall elevation of the cone-of-depression. Precipitation events tend to raise the elevation of all the wells in the off-site area. However, an inward hydraulic gradient toward the Off-Site System has always been observed.

Groundwater flow directions, as shown by the arrows on Figures 5, 7, 9, and 11, have remained relatively consistent within the developed cone-of-depression. The flow direction is generally towards the four pumping extraction wells (i.e. EW-2 through EW-5) of the Off-Site System. The horizontal hydraulic gradient in the area immediately north of the Off-Site System during October 1997 was approximately 0.007 feet/foot (ft/ft), as determined from water levels recorded in wells 87-20(1) and EW-2 in October 1997 (see Figure 5). This figure is in good agreement with the horizontal gradient between these two wells of 0.006 ft/ft measured in January 1997 (Golder Associates, March 1997).

The flow rate, or average linear velocity of groundwater, can be calculated from hydraulic gradient data. To calculate this flow rate (V_s), the average Zone 1 hydraulic conductivity (K) of 2×10^{-3} centimeters per second (cm/sec), an effective porosity (n_e) value of 3-percent, as presented in the Resource Conservation and Recovery Act (RCRA) Facility Investigation (RFI) for the TRO facility (Golder Associates, June 1991), and the

calculated hydraulic gradient (i) as recorded during October 1997 were used. The formula is:

$$V_s = -K/n_e \times i$$

The flow rate in the area immediately north of the Off-Site System during October 1997 was approximately 1.32 feet per day (ft/day), based on the hydraulic gradient of 0.006 ft/ft. The flow rate in this area has increased slightly from a flow rate of 1.13 ft/day noted for January 1997 (Golder Associates, March 1997), due to increased drawdown at EW-2, at the time of measurement. The flow rates are comparable from year to year.

3.3.3 On-Site System

The hydraulic response of the On-Site System through this year has reached the design expectations of establishing a zone of groundwater capture over the DNAPL plume; establishing a groundwater zone of capture along the southern property boundary of the TRO facility; maintaining an upward gradient between the Zone 3 and Zone 1 aquifers; and maintaining a downward gradient between the overburden and the Zone 1 aquifer.

A groundwater capture zone has been created by operation of the On-Site System, in the Zone 1 aquifer, over the DNAPL plume. An examination of the Zone 1 equipotential maps for the quarterly monitoring (Figures 6, 8, 10, and 12) illustrate that the operation of the On-Site System is producing a hydraulic capture zone in Zone 1 over essentially all of the DNAPL plume. As shown on Figures 6, 8, 10, and 12, for each quarterly monitoring event groundwater flowing through Zone 1 over the area of the DNAPL plume is not migrating off-site. In addition, groundwater flowing through the on-site area that is not captured by extraction wells DW-9 through DW-12 (adjacent to the DNAPL plume) is subsequently captured by either On-Site extraction wells EW-7 and EW-8 or by the capture zone created by the Off-Site System.

The quarterly monitoring events in April 1997, July 1997, October 1997, and February 1998, (see Figures 5, 7, 9, and 11), show a groundwater capture zone developed in Zone 1 along the southern boundary of the on-site area south of Niagara Falls Boulevard but it did not extend entirely across the area between EW-7 and EW-8. Based on these conditions, a small portion of the groundwater that flows between EW-7 and EW-8 was not being captured by these two extraction wells. In order to enhance performance of the capture zone between extraction wells EW-7 and EW-8, TRO will install an additional extraction well (EW-13) between wells EW-7 and EW-8. The design for the installation of well EW-13 has been submitted to and approved by the NYSDEC. This well is scheduled to be installed in April 1998.

The horizontal hydraulic gradient in the Zone 1 bedrock at the on-site area has been measured from two locations in February 1998, as determined from water levels recorded between monitoring well 87-02(1) and extraction well DW-12; and between monitoring well 87-01(1) and extraction well EW-8 (See Figure 12). Typically, this measurement is taken from the annual event, however, reduced drawdown in DW-12 during the annual event (October 1997) due to a clogged pump intake necessitated the change to calculating the gradients from the more representative February 1998 event. A horizontal hydraulic gradient of 0.017 ft/ft was calculated between wells 87-02(1) and DW-12 and a horizontal hydraulic gradient of 0.038 ft/ft was calculated between wells 87-01(1) and EW-8. The on-site groundwater flow rate, using a hydraulic conductivity value of 2×10^{-3} cm/sec and an effective porosity value of 3-percent (the same parameters as used for the off-site area), is 3.2 ft/day, based on a gradient of 0.017 ft/ft between 87-02(1) and DW-12, and 7.0 ft/day, based on a gradient of 0.038 ft/ft between 87-01(1) and EW-8.

Data from every quarter (presented in their respective quarterly reports) indicate that the desired upward gradients, between Zones 3 and 1, and downward gradients, between the overburden and Zone 1, are present in every well cluster measured with the exception of one instance, which is noted on Table 9. Table 9 presents a summary of vertical hydraulic gradients between Zones 1 and 3 based on the past year's hydraulic monitoring data. The

data indicate that the hydraulic gradients range from -0.08 to 0.91 ft/ft; in every case but one, the flow direction is upwards from Zone 3 to Zone 1, which is the desired direction. The downward vertical gradient noted in July 1997 in well pair 87-05, as discussed in the July 1997 quarterly report, was likely a precipitation-induced transient condition, as it had not been noted previously.

Figure 13 presents an on-site groundwater elevation contour map for the Zone 3 bedrock aquifer as measured in October 1997. It indicates that groundwater flow in the Zone 3 aquifer is generally in a southeasterly direction, which is similar to its flow direction prior to the On-Site System's operation.

3.4 Routine Operations and Maintenance of Monitoring Points

During each monitoring event, personnel performed a standard general operations and maintenance (O&M) check of each well sampled. The following is a compilation of the results of the O&M check and activity completed, per monitoring event. Table 10 summarizes the following information:

April 1997

During the April 1997 O&M check, the following problems were noted:

- Monitoring well 87-20(0)'s riser was slightly constricted near the ground surface probably due to frost heave; and
- Monitoring well 89-04(1) was missing its inner riser cap.

July 1997

The existing two-inch diameter bailer at monitoring well 87-20(0) was replaced with a smaller-diameter dedicated bailer to sample the well this quarter. Also, as an additional measure against the possibility of surface water infiltration, bentonite powder was placed around the base of the well and covered with a protective layer of stone. This action was consistent with past actions concerning wells with minor frost-heave damage at the TRO facility and was completed prior to the July 1997 Quarterly Monitoring Event. TRO also

replaced the cap on monitoring well 89-04(1) prior to the July 1997 Quarterly Monitoring Event.

Upon completion of the maintenance activity described above, the O&M check during the July 1997 monitoring event did not indicate any additional problems, and all monitoring wells and extraction wells sampled appeared to be functional and in good working condition.

October 1997

During the October 1997 O&M check, the following problems were noted:

- Monitoring well 89-03(1) was apparently struck by a vehicle and rendered unserviceable;
- Monitoring wells 89-07(1A) and 89-18(1) had cracks in their surface aprons; and,
- Monitoring well 94-02(1), repaired previously after being struck by a vehicle, settled slightly and would not easily pass a full-diameter, full-length rigid bailer.

In addition to the above inspection, the NYSDEC conducted an operation and maintenance inspection of the monitoring wells on April 29, 1997 and July 15, 1997. In a letter to Textron dated August 20, 1997, the NYSDEC indicated that while TRO was in compliance with the GWMP and the 6NYCRR Part 373-2 Permit, a few minor deficiencies were noted with the monitoring wells. These were:

- Monitoring well 89-02(3) needed an improved surface seal;
- Monitoring well 89-14(0)'s protective casing has deteriorated (i.e. rusted); and,
- Monitoring well 87-04(0) showed evidence of frost heaving and rusting of the protective casing.

February 1998

Prior to the February hydraulic monitoring event, TRO repaired monitoring well 89-03(1) in the same manner as well 94-02(1), which was also previously struck by a vehicle. TRO also repaired those wells needing surface seal improvements (wells 87-04(0), 89-02(3), 89-07(1A), and 89-18(1)) by placing a bentonite chip seal around the base of the wells, which was covered by a protective layer of stone. The existing 2-inch diameter bailer at monitoring well 94-02(1) will be replaced with a slightly smaller-diameter dedicated bailer to sample the well in the future. TRO will monitor the condition of the protective surface casings on monitoring wells 87-04(0) and 89-14(0), and replace them when it becomes necessary.

4. SUMMARY OF SYSTEM OPERATIONS

4.1 Off-Site System

There were no operational changes made to the Off-Site System during the past year. No unscheduled down time was noted for the Off-Site System this year.

Specific pump flow settings and implementation dates have been previously presented in the Quarterly System Operation Reports (Golder Associates, June 1997, October 1997, January 1998, and March 1998). However, a review of the Off-Site System's performance and major operations adjustments are provided:

- Total flow rate for the Off-Site System ranged from a monthly average of approximately 31,376 gallons per day (gpd) during the second quarter (July 1997) of operation to approximately 75,460 gpd during the third quarter (October 1997) of operation; and
- During the year the flow rate of individual off-site extraction wells ranged from approximately 21 gallons per minute (gpm) to 26.2 gpm for EW-2; averaged 12 gpm for EW-3, and averaged approximately 9 gpm for EW-4 and EW-5.

4.2 On-Site System

There was one operational change made to the On-Site System during the past year. On August 5, 1997, a new storm sewer discharge line was completed from the treatment plant to the storm sewer along Walmore Road. This modification enabled the treatment plant discharge to be routed either to the Walmore Road storm sewer, or to the Niagara County Sewer District No. 1 (NCSD) sanitary sewer. On November 5, 1997, the discharge line selection valve was switched from the NCSD sanitary sewer and the On-Site System began discharging extracted and treated groundwater to the Walmore Road storm sewer, in accordance with TRO's State Pollutant Discharge Elimination System (SPDES) Permit No. NY0000469.

Five unscheduled down time events occurred during the year; one during the first quarter, three during the second quarter, and one during the last quarter as documented in the Quarterly System Operation Reports. None of these individual events exceeded the time limits requiring the issuance of a Down Time Report as per TROs' Post Closure Permit, though the series of down time events from July 30 1997 to August 13, totaling 120 hours, did result in the issuance of a Down Time Report.

During this past year, the approximate average flow rates for the on-site extraction wells were from 3.5 gpm to 13 gpm per well. The total average flow rate for the On-Site System, including maintenance down time, ranged from a monthly average of approximately 54,720 gpd (38 gpm) to 75,460 gpd (52.4 gpm).

5. RECOMMENDATIONS FOR FUTURE GROUNDWATER MONITORING AND SYSTEM OPERATIONS

This section presents recommendations for future groundwater monitoring of the On-Site and Off-Site Systems as well as recommendations for future operations of the Systems. TRO proposes the following recommendations:

- No changes for future groundwater monitoring are currently proposed for the Off-Site system.
- As approved by the NYSDEC in a letter to Textron dated March 3, 1998, DW-9 will be taken off-line as a pumping extraction well, with the ability to reconnect it, if necessary, in the future. DW-9 will be monitored for groundwater quality on an annual basis, and will continue to be hydraulically monitored on a quarterly basis. The performance of the On-Site System will be monitored with respect to its performance without DW-9.
- Remove monitoring wells 89-06(1), 89-07(1A), 89-07(1B), and 89-18(1) from the GWMP (sampling/analysis only). These wells are located approximately 1,500 feet south and southeast of the southern limit of the dissolved phase off-site plume boundary (see Figure 5). These wells were originally installed as perimeter monitoring points to monitor the off-site plume. Since the start-up of the Off-Site Groundwater Extraction System in 1993, these wells have been sampled on a semi-annual or annual basis. A review of the analytical results indicates that the groundwater collected from these wells has been free of VOCs (excluding a few spurious low level detections).

Monitoring wells 89-06(1), 89-07(1A), 89-07(1B), and 89-18(1) would be replaced by monitoring wells 93-03(1) and 94-02(1), located south and southwest of the southern limit of the dissolved phase off-site plume boundary (see Figure 5). VOCs have never been detected in the groundwater collected from monitoring well 94-02(1). VOCs have not been detected in the groundwater collected from monitoring well 93-03(1) since July 1993 (excluding a few spurious low level detections). The southern limit of the off-site plume boundary is located north of both of these wells. Thus, monitoring of wells 93-03(1) and 94-02(1) serve the purpose as perimeter monitoring wells for the southern portion of the off-site area. Monitoring wells 89-06(1), 89-07(1A), 89-07(1B), and 89-18(1) are proposed to still be included in the quarterly hydraulic monitoring program. Table 11 reflects the proposed changes to the On-Site and Off-Site Effective Monitoring Programs, as discussed herewith.

6. SUMMARY

The Off-Site System has been operating since start-up of the system in March 1993. Twenty quarterly monitoring events have been performed during the past five years of operation of the Off-Site System. The data collected from these monitoring events indicates that the Off-Site System is operating as intended, as a cone-of-depression has developed in the Zone 1 aquifer which sufficiently overlaps the dissolved phase contamination in the off-site area. Therefore, TRO will continue to operate the Off-Site System based on its current mode of operation. The temporary suspension of pumping of EW-6 will continue as before.

The hydraulic response of the On-Site System has met the design expectations of establishing a zone of groundwater capture over the DNAPL plume; maintaining an upward gradient between the Zone 3 and Zone 1 aquifers; maintaining a downward gradient between the overburden and the Zone 1 aquifer; and establishing a groundwater zone of capture along the southern property boundary of the TRO facility, between extraction wells EW-7 and EW-8. TRO will install an additional extraction well (EW-13) between wells EW-7 and EW-8 in order to enhance performance of the capture zone between extraction wells EW-7 and EW-8; this well is scheduled to be installed in April 1998. Therefore, TRO will continue to operate the On-Site System based on its current mode of operation.


GOLDER ASSOCIATES INC.



David C. Wehn
Hydrogeologist

DCW/ALG:dml

F/N: 4THFINAL.DOC



Anthony L. Grasso, P.G.
Project Director/Associate

REFERENCES

- USEPA, November 1990, "Test Methods for Evaluating Solid Waste, Physical/Chemical Methods", USEPA, SW-846, 3rd Edition.
- Golder Associates Inc., June 1991, "RCRA Facility Investigation, Neutralization Pond, Bell Aerospace Textron, Wheatfield Plant," Volumes I and II.
- Bell Aerospace Textron, Effective Date September 14, 1992, "New York State Department of Environmental Conservation, Title 6 of the New York Code of Rules and Regulations Part 373 Post Closure Permit."
- Golder Associates Inc., January 1997, "Ancillary Measures for Corrective Measures Implementation, Bell Aerospace Textron, Wheatfield, New York".
- Golder Associates Inc., March 1997, "1996-1997 Annual Summary and System Performance, Off-Site and On-Site Groundwater Extraction Systems, Textron Realty Operations (Wheatfield), Inc. Facility, Wheatfield, New York."
- Golder Associates Inc., July 1997, "April 1997 Quarterly and Semi-Annual Groundwater Monitoring Event and Summary of Off-Site and On-Site Groundwater Extraction System Operation, Textron Realty Operations (Wheatfield), Inc. Facility, Wheatfield, New York."
- Golder Associates Inc., October 1997, "July 1997 Quarterly Groundwater Monitoring Event and Summary of Off-Site and On-Site Groundwater Extraction System Operation, Textron Realty Operations (Wheatfield), Inc. Facility, Wheatfield, New York."
- Golder Associates Inc., January 1998, "October 1997 Quarterly, Semi-Annual, and Annual Groundwater Monitoring Event and Summary of Off-Site and On-Site Groundwater Extraction System Operation, Textron Realty Operations (Wheatfield), Inc. Facility, Wheatfield, New York."
- Golder Associates Inc., March 1998, "February 1998 Quarterly Hydraulic Monitoring Event and Summary of Off-Site and On-Site Groundwater Extraction System Operation, Textron Realty Operations (Wheatfield), Inc. Facility, Wheatfield, New York."

MONITORING POINTS FOR THE ON-SITE AND OFF-SITE
EFFECTIVENESS MONITORING PROGRAMS 1997-1999
TEXTRON REALTY OPERATIONS (WHEATFIELD) INC. FACILITY
WHEATFIELD, NEW YORK

WELL NUMBER	FREQUENCY				ANALYTICAL METHOD
	QUARTERLY (A)	SHORT TERM QUARTERLY (B)	SEMI-ANNUALLY (C)	ANNUALLY (D)	
OFF-SITE EFFECTIVENESS MONITORING					
<u>Zone 1 Wells</u>					
87-20(1)			X		8260
87-21(1)			X		8260
89-04(1)			X		8260
89-05(1A)			X		8260
89-05(1B)				X	8260
87-19(1)			X		8260
89-03(1)				X	8260
89-06(1)				X	8260
89-07(1A)				X	8260
89-07(1B)				X	8260
89-16(1)				X	8260
89-17(1)				X	8260
89-18(1)				X	8260
93-02(1)				X	8260
93-03(1)	X				8260
94-02(1)				X	8260
TOTAL ZONE 1 SAMPLES PER EVENT	1	0	5	10	
TOTAL ZONE 1 SAMPLES PER YEAR	4	0	10	10	
<u>Extraction Wells</u>					
EW-2				X	8260
EW-3				X	8260
EW-4				X	8260
EW-5				X	8260
EW-6	X				8260
TOTAL EXTRACTION WELL SAMPLES PER EVENT	1	0	0	4	
TOTAL EXTRACTION WELL SAMPLES PER YEAR	4	0	0	4	

MONITORING POINTS FOR THE ON-SITE AND OFF-SITE
EFFECTIVENESS MONITORING PROGRAMS 1997-1999
TEXTRON REALTY OPERATIONS (WHEATFIELD) INC. FACILITY
WHEATFIELD, NEW YORK

WELL NUMBER	FREQUENCY				ANALYTICAL METHOD
	QUARTERLY (A)	SHORT TERM QUARTERLY (B)	SEMI-ANNUALLY (C)	ANNUALLY (D)	
ON-SITE AND OFF-SITE EFFECTIVENESS MONITORING					
<u>Overburden Wells</u>					
87-10(0)				X	8260
87-22(0)			X		8260
89-14(0)			X		8260
TOTAL OVERBURDEN SAMPLES PER EVENT	0	0	2	1	
TOTAL OVERBURDEN SAMPLES PER YEAR	0	0	4	1	
<u>Zone 1 Wells</u>					
87-22(1)		X			8260
89-14(1)				X	8260
89-15(1)		X			8260
TOTAL ZONE 1 SAMPLES PER EVENT	0	2	0	1	
TOTAL ZONE 1 SAMPLES PER YEAR	0	8	0	1	
<u>Zone 3 Wells</u>					
87-13(3)		X			8260
89-2(3)		X			8260
TOTAL ZONE 3 SAMPLES PER EVENT	0	2	0	0	
TOTAL ZONE 3 SAMPLES PER YEAR	0	8	0	0	
ON-SITE EFFECTIVENESS MONITORING					
<u>Overburden Wells</u>					
87-01(0)				X	8260
87-14(0)				X	8260
B-8				X	8260
87-18(0)			X		8260
87-20(0)			X		8260
87-23(0)			X		8260
TOTAL OVERBURDEN SAMPLES PER EVENT	0	0	3	3	
TOTAL OVERBURDEN SAMPLES PER YEAR	0	0	6	3	

MONITORING POINTS FOR THE ON-SITE AND OFF-SITE
EFFECTIVENESS MONITORING PROGRAMS 1997-1999
TEXTRON REALTY OPERATIONS (WHEATFIELD) INC. FACILITY
WHEATFIELD, NEW YORK

WELL NUMBER	FREQUENCY				ANALYTICAL METHOD
	QUARTERLY (A)	SHORT TERM QUARTERLY (B)	SEMI-ANNUALLY (C)	ANNUALLY (D)	
ON-SITE EFFECTIVENESS MONITORING					
<u>Zone 1 Wells</u>					
87-01(1)				X	8260
87-02(1)		X			8260
87-08(1)		X			8260
87-17(1)		X			8260
89-02(1)		X			8260
B-14(1)		X			8260
TOTAL ZONE 1 SAMPLES PER EVENT	0	5	0	1	
TOTAL ZONE 1 SAMPLES PER YEAR	0	20	0	1	
<u>Zone 3 Wells</u>					
87-02(3)		X			8260
TOTAL ZONE 3 SAMPLES PER EVENT	0	1	0	0	
TOTAL ZONE 3 SAMPLES PER YEAR	0	4	0	0	
<u>DNAPL Extraction Wells</u>					
DW-9				X	8260
DW-10				X	8260
DW-11				X	8260
DW-12				X	8260
TOTAL DNAPL SAMPLES PER EVENT	0	0	4	0	
TOTAL DNAPL SAMPLES PER YEAR	0	0	8	0	
<u>Extraction Wells</u>					
EW-7				X	8260
EW-8				X	8260
TOTAL EXTRACTION WELL SAMPLES PER EVENT	0	0	2	0	
TOTAL EXTRACTION WELL SAMPLES PER YEAR	0	0	4	0	
GRAND TOTAL SAMPLES PER EVENT	2	10	16	20	
GRAND TOTAL SAMPLES PER YEAR	8	40	32	20	

(A) Quarterly sampling to be conducted in January, April, July, and October through October 1997 then semi-annually through October 1998 and then annually thereafter.

(B) For Zone 1 wells - Quarterly sampling to be conducted through October 1997 and then annually thereafter.

For Zone 3 wells - Quarterly sampling to be conducted through October 1997 then semi-annually through October 1998 and then annually thereafter.

(C) Semi-annual sampling to be conducted each April and October through October 1998 and then annual sampling thereafter.

(D) Annual sampling to be conducted in October.

A water level reading will be taken from each well shown during each monitoring event.

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL DATA
APRIL 1997 QUARTERLY AND SEMI-ANNUAL MONITORING EVENT
TEXTRON REALTY OPERATIONS (WHEATFIELD) INC. FACILITY
WHEATFIELD, NEW YORK

ANALYTICAL METHOD EPA 8260
(Concentrations in ug/L)

SAMPLE LOCATION	87-02(1)	87-02(3)	87-04(1)	87-08(1)	87-12(1)	87-13(3)	87-17(1)	87-18(1)
SAMPLE I.D.	BAT8702197430	BAT8702397430	BAT8704197430	BAT8708197430	BAT9712197429	BAT9713397430	BAT8717197430	BAT8718197429
SAMPLE DATE	4/30/97	4/30/97	4/30/97	4/30/97	4/29/97	4/30/97	4/30/97	4/29/97
PARAMETER								
VINYL CHLORIDE	15	-	1	-	-	18	100	840
1 1-DICHLOROETHENE	0.9	-	-	-	-	0.9	4	-
CARBON DISULFIDE	-	1	-	-	-	44	-	-
METHYLENE CHLORIDE	-	-	92	6800	-	0.8 B	-	-
TRANS-1 2-DICHLOROETHENE	4	-	1	-	-	0.6	4	-
1 1-DICHLOROETHANE	2	-	3	-	-	0.7	23	-
CIS-1 2-DICHLOROETHENE	250	-	72	1300	7500	110	590	5300
CHLOROFORM	3	-	2	-	-	-	-	-
1 1 1-TRICHLOROETHANE	6	-	9	-	-	1 B	120	-
TRICHLOROETHENE	190	-	13	420	6100	220	24	-
ETHYLBENZENE	-	-	-	-	-	-	-	-
P-XYLENE/M-XYLENE	-	-	0.6	-	-	-	-	300
O-XYLENE	-	-	-	-	-	-	-	-

NOTES:

- = Compound not detected at the Practical Quantitation Limit; refer to Appendix C for Practical Quantitation Limits.
- B = Analyte detected in method or trip blank.
- * = Duplicate sample

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL DATA
APRIL 1997 QUARTERLY AND SEMI-ANNUAL MONITORING EVENT
TEXTRON REALTY OPERATIONS (WHEATFIELD) INC. FACILITY
WHEATFIELD, NEW YORK

ANALYTICAL METHOD EPA 8260
(Concentrations in ug/L)

SAMPLE LOCATION	87-19(1)	87-20(1)	87-20(1)*	87-21(1)	87-22(1)	89-02(1)	89-02(3)	89-04(1)
SAMPLE I.D.	BAT8719197429	BAT9720197429	BAT87201DUP	BAT8721197429	BAT8722197430	BAT8902197429	BAT8902397429	BAT8904197429
SAMPLE DATE	4/29/97	4/29/97	4/29/97	4/29/97	4/30/97	4/29/97	4/29/97	4/29/97
PARAMETER								
VINYL CHLORIDE	0.6	-	-	4	180	-	-	2
1 1-DICHLOROETHENE	-	-	-	-	-	-	-	4
CARBON DISULFIDE	-	-	-	-	-	-	1	86
METHYLENE CHLORIDE	-	-	-	-	-	-	-	-
TRANS-1 2-DICHLOROETHENE	-	-	-	-	-	-	-	2
1 1-DICHLOROETHANE	-	-	-	-	-	-	-	-
CIS-1 2-DICHLOROETHENE	6	14000	16000	160	3400	11000	-	23
CHLOROFORM	-	-	-	-	-	-	-	-
1 1 1-TRICHLOROETHANE	-	-	-	-	-	-	-	-
TRICHLOROETHENE	2	4000	5200	15	650	7000	0.8	6
ETHYLBENZENE	-	-	-	-	-	-	-	-
P-XYLENE/M-XYLENE	-	-	-	-	-	-	-	-
O-XYLENE	-	-	-	-	-	-	-	-

NOTES:

- = Compound not detected at the Practical Quantitation Limit; refer to Appendix C for Practical Quantitation Limits.
- B = Analyte detected in method or trip blank.
- * = Duplicate sample

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL DATA
APRIL 1997 QUARTERLY AND SEMI-ANNUAL MONITORING EVENT
TEXTRON REALTY OPERATIONS (WHEATFIELD) INC. FACILITY
WHEATFIELD, NEW YORK

ANALYTICAL METHOD EPA 8260
(Concentrations in ug/L)

SAMPLE LOCATION	89-05(1A)	89-15(1)	93-03(1)	B-14(1)	EW-6	EW-7	EW-8
SAMPLE I.D.	BAT89051A97429	BAT8915197430	BAT9303197429	BATB14197430	BATEW697429	BATEW797429	BATEW897429
SAMPLE DATE	4/29/97	4/30/97	4/29/97	4/30/97	4/29/97	4/29/97	4/29/97
PARAMETER							
VINYL CHLORIDE	36	-	-	130	10	680	190
1 1-DICHLOROETHENE	-	-	-	-	-	-	-
CARBON DISULFIDE	-	-	1	-	0.7	-	-
METHYLENE CHLORIDE	-	3300	-	-	-	-	-
TRANS-1 2-DICHLOROETHENE	-	-	-	5	-	-	-
1 1-DICHLOROETHANE	-	-	-	17	-	-	-
CIS-1 2-DICHLOROETHENE	300	860	-	640	35	4900	2900
CHLOROFORM	-	-	-	-	-	-	-
1 1 1-TRICHLOROETHANE	-	-	-	73	-	-	130 B
TRICHLOROETHENE	-	6100	-	7	0.7	-	1300
ETHYLBENZENE	-	-	-	-	-	-	320 B
P-XYLENE/M-XYLENE	-	-	-	-	-	-	990
O-XYLENE	-	-	-	-	-	-	220

NOTES:

- = Compound not detected at the Practical Quantitation Limit; refer to Appendix C for Practical Quantitation Limits.
- B = Analyte detected in method or trip blank.
- * = Duplicate sample

TABLE 3
SUMMARY OF GROUNDWATER ANALYTICAL DATA
JULY 1997 QUARTERLY MONITORING EVENT
TEXTRON REALTY OPERATIONS (WHEATFIELD) INC. FACILITY
WHEATFIELD, NEW YORK

ANALYTICAL METHOD EPA 8260
(Concentrations in ug/L)

SAMPLE LOCATION	87-02(1)	87-02(1)*	87-02(3)	87-04(1)	87-08(1)	87-12(1)	87-13(3)	87-17(1)
SAMPLE I.D.	BAT87021970723	BAT87021DUP	BAT87023970723	BAT87041970723	BAT87081970723	BAT87121970722	BAT87133970723	BAT87171970723
SAMPLE DATE	7/23/97	7/23/97	7/23/97	7/23/97	7/23/97	7/22/97	7/23/97	7/23/97
PARAMETER								
VINYL CHLORIDE	160	160	-	2	53	260	10	89
1 1-DICHLOROETHENE	10	11	-	-	-	-	-	-
CARBON DISULFIDE	-	-	1	-	-	-	42	-
METHYLENE CHLORIDE	0.7 B	0.6 B	-	3100 B	54 B	68 B	22 B	3 B
TRANS-1 2-DICHLOROETHENE	19	18	-	2	-	-	-	3
1 1-DICHLOROETHANE	9	10	-	4	-	-	-	24
CIS-1 2-DICHLOROETHENE	3400	3400	-	130	1300	7500	87	530
CHLOROFORM	4 B	4 B	-	5 B	-	-	-	-
TOLUENE	2	2	-	-	-	-	-	-
1 1 1-TRICHLOROETHANE	38	38	-	10	-	70	-	100
BENZENE	-	-	0.6	-	-	-	-	-
1,2-DICHLOROETHANE	-	-	-	-	-	-	-	-
TRICHLOROETHENE	1100	1100	-	50	790	5800	170	13

NOTES:

- = Compound not detected at the Practical Quantitation Limit; refer to Appendix C for Practical Quantitation Limits.
- B = Analyte detected in field blank.
- E = Estimated value, result over calibration curve.
- * = Duplicate sample

TABLE 3
SUMMARY OF GROUNDWATER ANALYTICAL DATA
JULY 1997 QUARTERLY MONITORING EVENT
TEXTRON REALTY OPERATIONS (WHEATFIELD) INC. FACILITY
WHEATFIELD, NEW YORK

ANALYTICAL METHOD EPA 8260
(Concentrations in ug/L)

SAMPLE LOCATION	87-18(1)	87-20(0)	87-22(1)	89-02(1)	89-02(3)	89-15(1)	93-03(1)	B-14(1)
SAMPLE I.D.	BAT87181970722	BAT87200970722	BAT87221970722	BAT89021970722	BAT89023970722	BAT89151970723	BAT93031970722	BATB14970723
SAMPLE DATE	7/22/97	7/22/97	7/22/97	7/22/97	7/22/97	7/23/97	7/22/97	7/23/97
PARAMETER								
VINYL CHLORIDE	730	-	50	50	-	36	-	110
1 1-DICHLOROETHENE	-	-	-	1	-	-	-	3
CARBON DISULFIDE	-	-	-	-	1	-	0.7	-
METHYLENE CHLORIDE	130 B	-	6 B	-	-	2500 B	-	3 B
TRANS-1 2-DICHLOROETHENE	-	-	5	3	-	-	-	-
1 1-DICHLOROETHANE	-	-	-	9	-	-	-	16
CIS-1 2-DICHLOROETHENE	6300	-	1000	110	-	840	1	600
CHLOROFORM	-	-	-	-	-	-	-	-
TOLUENE	-	-	-	-	-	-	-	-
1 1 1-TRICHLOROETHANE	-	-	-	2	-	64	-	63
BENZENE	-	-	-	-	-	-	-	-
1,2-DICHLOROETHANE	-	-	-	-	-	-	-	-
TRICHLOROETHENE	-	-	50	9	-	22000 E	-	5

NOTES:

- = Compound not detected at the Practical Quantitation Limit; refer to Appendix C for Practical Quantitation Limits.
- B = Analyte detected in field blank.
- E = Estimated value, result over calibration curve.
- * = Duplicate sample

TABLE 3
SUMMARY OF GROUNDWATER ANALYTICAL DATA
JULY 1997 QUARTERLY MONITORING EVENT
TEXTRON REALTY OPERATIONS (WHEATFIELD) INC. FACILITY
WHEATFIELD, NEW YORK

ANALYTICAL METHOD EPA 8260
(Concentrations in ug/L)

SAMPLE LOCATION	EW-6	EW-7	EW-8
SAMPLE I.D.	BATEW6970722	BATEW7970722	BATEW8970722
SAMPLE DATE	7/22/97	7/22/97	7/22/97
PARAMETER			
VINYL CHLORIDE	10	600	150
1 1-DICHLOROETHENE	-	-	-
CARBON DISULFIDE	-	-	-
METHYLENE CHLORIDE	-	68 B	28 B
TRANS-1 2-DICHLOROETHENE	-	-	-
1 1-DICHLOROETHANE	-	25	16
CIS-1 2-DICHLOROETHENE	34	4500	4100
CHLOROFORM	-	-	-
TOLUENE	-	-	-
1 1 1-TRICHLOROETHANE	-	51	50
BENZENE	-	-	-
1,2-DICHLOROETHANE	-	-	-
TRICHLOROETHENE	-	150	2400

NOTES:

- = Compound not detected at the Practical Quantitation Limit; refer to Appendix C for Practical Quantitation Limits.
- B = Analyte detected in field blank.
- E = Estimated value, result over calibration curve.
- * = Duplicate sample

TABLE 4
SUMMARY OF GROUNDWATER ANALYTICAL DATA
OCTOBER 1997 QUARTERLY, SEMI-ANNUAL AND
ANNUAL MONITORING EVENT
TEXTRON REALTY OPERATIONS (WHEATFIELD) INC. FACILITY
WHEATFIELD, NEW YORK

ANALYTICAL METHOD EPA 8260
(Concentrations in ug/L)

SAMPLE LOCATION	87-01(0)	87-01(1)	87-02(1)	87-02(3)	87-08(1)	87-10(0)	87-13(3)	87-14(0)
SAMPLE I.D.	BAT87010971030	BAT87011971030	BAT87021971030	BAT87023971030	BAT87081971030	BAT87100971030	BAT87133971031	BAT87140971031
SAMPLE DATE	10/30/97	10/30/97	10/30/97	10/30/97	10/30/97	10/30/97	10/31/97	13/31/97
PARAMETER								
CHLOROMETHANE	-	-	-	-	-	-	-	-
VINYL CHLORIDE	-	170	-	-	110	-	-	-
1 1-DICHLOROETHENE	-	-	-	-	-	-	32	2
ACETONE	-	-	-	-	-	-	-	23
CARBON DISULFIDE	-	-	-	-	-	10	-	-
METHYLENE CHLORIDE	-	-	-	0.7	-	-	62	2
TRANS-1 2-DICHLOROETHENE	-	5	-	-	870	-	-	-
1 1-DICHLOROETHANE	-	20	-	-	-	-	-	29
CIS-1 2-DICHLOROETHENE	-	1700	300	-	1500	46	140	3800
CHLOROFORM	-	-	-	-	-	3	-	85
1 1 1-TRICHLOROETHANE	-	66	-	-	-	3	-	-
BENZENE	-	-	-	-	-	-	-	-
TRICHLOROETHENE	1	50	230	-	400	1	130	6
TOLUENE	-	1	-	-	-	-	-	9500
1 1 2-TRICHLOROETHANE	-	-	-	-	-	-	-	1
P-XYLENE/M-XYLENE	-	0.6	-	-	-	-	-	2
O-XYLENE	-	-	-	-	-	-	-	0.7
								0.7

NOTES:

- = Compound not detected at the Practical Quantitation Limit; refer to Appendix C for Practical Quantitation Limits.
- * = Duplicate sample

TABLE 4
SUMMARY OF GROUNDWATER ANALYTICAL DATA
OCTOBER 1997 QUARTERLY, SEMI-ANNUAL AND
ANNUAL MONITORING EVENT
TEXTRON REALTY OPERATIONS (WHEATFIELD) INC. FACILITY
WHEATFIELD, NEW YORK

ANALYTICAL METHOD EPA 8260
(Concentrations in ug/L)

SAMPLE LOCATION	87-17(1)	87-19(1)	87-20(1)	87-21(1)	87-22(1)	89-02(1)	89-02(3)	89-04(1)
SAMPLE I.D.	BAT87171971031	BAT87191971028	BAT87201971029	BAT87211971028	BAT87221971029	BAT89021971030	BAT89023971030	BAT89041971028
SAMPLE DATE	10/31/97	10/28/97	10/29/97	10/28/97	10/29/97	10/30/97	10/30/97	10/28/97
PARAMETER								
CHLOROMETHANE	-	-	-	-	120	-	-	-
VINYL CHLORIDE	120	3	-	130	250	50	-	-
1 1-DICHLOROETHENE	-	-	-	6	-	-	-	-
ACETONE	-	-	-	-	-	-	-	-
CARBON DISULFIDE	-	-	-	-	-	-	0.7	110
METHYLENE CHLORIDE	-	-	-	-	-	-	-	-
TRANS-1 2-DICHLOROETHENE	-	-	-	9	-	-	-	-
1 1-DICHLOROETHANE	38	-	-	-	-	9	-	-
CIS-1 2-DICHLOROETHENE	680	9	12000	2100	4200	180	0.6	22
CHLOROFORM	-	-	-	-	-	-	-	-
1 1 1-TRICHLOROETHANE	140	-	-	10	-	-	-	-
BENZENE	-	-	-	-	-	-	-	-
TRICHLOROETHENE	-	3	2800	99	200	84	-	7
TOLUENE	-	-	-	-	-	-	-	-
1 1 2-TRICHLOROETHANE	-	-	-	-	-	-	-	-
P-XYLENE/M-XYLENE	-	-	-	-	-	-	-	-
O-XYLENE	-	-	-	-	-	-	-	-

NOTES:

- = Compound not detected at the Practical Quantitation Limit; refer to Appendix C for Practical Quantitation Limits.
- * = Duplicate sample

TABLE 4
SUMMARY OF GROUNDWATER ANALYTICAL DATA
OCTOBER 1997 QUARTERLY, SEMI-ANNUAL AND
ANNUAL MONITORING EVENT
TEXTRON REALTY OPERATIONS (WHEATFIELD) INC. FACILITY
WHEATFIELD, NEW YORK

ANALYTICAL METHOD EPA 8260
(Concentrations in ug/L)

SAMPLE LOCATION	89-05(1A)	89-05(1B)	89-14(1)	89-15(1)	89-16(1)	93-02(1)	93-03(1)	B-14(1)
SAMPLE I.D.	BAT89051A971029	BAT89051B971029	BAT89141971030	BAT89151971031	BAT89161971029	BAT93021971029	BAT93031971029	BATB14971030
SAMPLE DATE	10/29/97	10/29/97	10/30/97	10/31/97	10/29/97	10/29/97	10/29/97	10/30/97
PARAMETER								
CHLOROMETHANE	-	-	-	-	-	-	-	-
VINYL CHLORIDE	34	22	-	-	-	130	-	140
1 1-DICHLOROETHENE	-	-	-	-	-	-	-	-
ACETONE	-	-	-	-	-	-	-	-
CARBON DISULFIDE	-	-	-	-	-	-	-	-
METHYLENE CHLORIDE	-	-	-	1500	-	-	-	-
TRANS-1 2-DICHLOROETHENE	-	-	-	-	-	-	-	-
1 1-DICHLOROETHANE	-	-	-	-	-	-	-	-
CIS-1 2-DICHLOROETHENE	190	41	350	950	0.7	290	0.6	710
CHLOROFORM	-	-	-	-	-	-	-	-
1 1 1-TRICHLOROETHANE	-	-	-	-	-	-	-	79
BENZENE	-	-	-	-	-	-	-	-
TRICHLOROETHENE	-	-	-	6900	-	-	-	-
TOLUENE	-	-	-	-	-	-	-	-
1 1 2-TRICHLOROETHANE	-	-	-	-	-	-	-	-
P-XYLENE/M-XYLENE	-	-	-	-	-	-	-	-
O-XYLENE	-	-	-	-	-	-	-	-

NOTES:

- = Compound not detected at the Practical Quantitation Limit; refer to Appendix C for Practical Quantitation Limits.
- * = Duplicate sample

TABLE 4
 SUMMARY OF GROUNDWATER ANALYTICAL DATA
 OCTOBER 1997 QUARTERLY, SEMI-ANNUAL AND
 ANNUAL MONITORING EVENT
 TEXTRON REALTY OPERATIONS (WHEATFIELD) INC. FACILITY
 WHEATFIELD, NEW YORK

ANALYTICAL METHOD EPA 8260
 (Concentrations in ug/L)

SAMPLE LOCATION	B-8	DW-9	DW-10	DW-11	DW-12	EW-2	EW-3	EW-4
SAMPLE I.D.	BATB8971030	BATDW9971030	BATDW10971030	BATDW11971030	BATDW12971030	BATEW2971029	BATEW3971029	BATEW4971029
SAMPLE DATE	10/30/97	10/30/97	10/30/97	10/30/97	10/30/97	10/29/97	10/29/97	10/29/97
PARAMETER								
CHLOROMETHANE	-	-	-	-	-	-	-	-
VINYL CHLORIDE	-	190	-	-	-	-	200	57
1 1-DICHLOROETHENE	-	-	-	-	-	-	-	-
ACETONE	12	-	-	-	-	-	-	-
CARBON DISULFIDE	-	-	-	-	-	-	-	-
METHYLENE CHLORIDE	-	720	19000	3800	1500	-	-	-
TRANS-1 2-DICHLOROETHENE	-	-	-	-	-	-	-	-
1 1-DICHLOROETHANE	-	-	-	-	-	-	-	-
CIS-1 2-DICHLOROETHENE	-	2600	-	3300	5300	2200	3400	210
CHLOROFORM	-	-	-	-	-	-	-	-
1 1 1-TRICHLOROETHANE	-	130	-	1000	-	-	-	-
BENZENE	-	-	-	-	-	-	-	-
TRICHLOROETHENE	-	1100	1300	15000	9600	-	-	-
TOLUENE	-	-	-	-	-	-	-	-
1 1 2-TRICHLOROETHANE	-	-	-	-	-	-	-	-
P-XYLENE/M-XYLENE	-	-	-	-	-	-	-	-
O-XYLENE	-	-	-	-	-	-	-	-

NOTES:

- = Compound not detected at the Practical Quantitation Limit; refer to Appendix C for Practical Quantitation Limits.
- * = Duplicate sample

TABLE 4
SUMMARY OF GROUNDWATER ANALYTICAL DATA
OCTOBER 1997 QUARTERLY, SEMI-ANNUAL AND
ANNUAL MONITORING EVENT
TEXTRON REALTY OPERATIONS (WHEATFIELD) INC. FACILITY
WHEATFIELD, NEW YORK

ANALYTICAL METHOD EPA 8260
(Concentrations in ug/L)

SAMPLE LOCATION	EW-5	EW-6	EW-7	EW-8
SAMPLE I.D.	BATEW5971029	BATEW6971029	BATEW7971030	EW8971030
SAMPLE DATE	10/29/97	10/29/97	10/30/97	10/30/97
PARAMETER				
CHLOROMETHANE	-	-	-	-
VINYL CHLORIDE	48	25	650	-
1 1-DICHLOROETHENE	-	-	-	-
ACETONE	-	-	-	-
CARBON DISULFIDE	-	-	-	-
METHYLENE CHLORIDE	-	-	-	-
TRANS-1 2-DICHLOROETHENE	-	-	-	-
1 1-DICHLOROETHANE	-	-	-	-
CIS-1 2-DICHLOROETHENE	110	63	4300	3300
CHLOROFORM	-	-	-	-
1 1 1-TRICHLOROETHANE	-	-	-	-
BENZENE	-	-	-	-
TRICHLOROETHENE	-	-	-	370
TOLUENE	-	-	-	-
1 1 2-TRICHLOROETHANE	-	-	-	-
P-XYLENE/M-XYLENE	-	-	-	-
O-XYLENE	-	-	-	-

NOTES:

- = Compound not detected at the Practical Quantitation Limit; refer to Appendix C for Practical Quantitation Limits.
- * = Duplicate sample

TABLE 5
 SUMMARY OF HYDRAULIC MONITORING DATA
 APRIL 1997 QUARTERLY AND SEMI-ANNUAL MONITORING EVENT
 TEXTRON REALTY OPERATIONS (WHEATFIELD) INC. FACILITY
 WHEATFIELD, NEW YORK
 (Measurements Recorded April 28, 1997)

WELL NAME	TOP OF RISER ELEVATION (FT. MSL)	WATER LEVEL (FT. BTOR)	WATER LEVEL ELEVATION (FT. MSL)
87-01(0)	588.10	13.51	574.59
87-01(1)	587.99	16.90	571.09
87-02(1)	589.21	16.90	572.31
87-02(3)	588.63	12.61	576.02
87-04(0)	589.32	10.40	578.92
87-04(1)	589.08	13.94	575.14
87-04(3)	589.49	12.35	577.14
87-05(1)	589.37	15.85	573.52
87-05(3)	589.46	12.04	577.42
87-06(1)	588.27	13.44	574.83
87-08(1)	589.48	14.45	575.03
87-10(0)	587.30	11.90	575.40
87-10(1)	587.52	16.53	570.99
87-12(1)	583.84	16.60	567.24
87-13(0)	589.77	8.90	580.87
87-13(1)	590.06	15.01	575.05
87-13(3)	589.91	12.55	577.36
87-14(0)	589.56	10.04	579.52
87-14(1)	589.06	15.68	573.38
87-14(3)	590.35	14.50	575.85
87-15(0)	590.70	12.18	578.52
87-15(1)	590.27	13.83	576.44
87-15(3)	589.87	12.08	577.79
87-16(3B)	590.51	12.82	577.69
87-17(0)	589.50	11.65	577.85
87-17(1)	589.62	12.12	577.50
87-18(0)	585.95	12.48	573.47
87-18(1)	586.02	20.36	565.66
87-19(0)	581.57	7.92	573.65
87-19(1)	581.47	14.04	567.43
87-20(0)	578.77	7.48	571.29
87-20(1)	579.01	12.05	566.96
87-21(0)	577.23	10.99	566.24
87-21(1)	577.33	10.65	566.68
87-22(0)	583.80	19.29	564.51
87-22(1)	583.97	15.75	568.22
87-23(0)	587.27	4.71	582.56
87-23(1)	587.13	15.03	572.10
89-02(1)	584.69	14.87	569.82
89-02(3)	584.80	10.08	574.72
89-03(1)	581.30	15.55	565.75
89-04(1)	577.92	8.01	569.91

TABLE 5
SUMMARY OF HYDRAULIC MONITORING DATA
APRIL 1997 QUARTERLY AND SEMI-ANNUAL MONITORING EVENT
TEXTRON REALTY OPERATIONS (WHEATFIELD) INC. FACILITY
WHEATFIELD, NEW YORK
(Measurements Recorded April 28, 1997)

WELL NAME	TOP OF RISER ELEVATION (FT. MSL)	WATER LEVEL (FT. BTOR)	WATER LEVEL ELEVATION (FT. MSL)
89-05(1A)	577.56	16.58	560.98
89-05(1B)	577.77	11.72	566.05
89-06(1)	575.93	10.55	565.38
89-07(1A)	577.66	12.57	565.09
89-07(1B)	577.48	11.88	565.60
89-12(1)	586.60	15.94	570.66
89-13(0)	588.18	13.30	574.88
89-14(0)	587.45	9.23	578.22
89-14(1)	587.59	13.83	573.76
89-15(1)	588.76	17.09	571.67
89-16(1)	576.76	7.21	569.55
89-17(1)	577.59	7.45	570.14
89-18(1)	576.75	14.00	562.75
93-02(1)	579.05	19.29	559.76
93-03(1)	572.30	13.40	558.90
94-02(1)	574.50	9.32	565.18
96-01(1)	585.18	17.10	568.08
96-02(1)	584.82	17.46	567.36
B-8(0)	590.26	10.18	580.08
B-12(0)	589.48	11.68	577.80
B-13(1)	588.41	13.31	575.10
B-14(1)	589.54	15.01	574.53
89-SW(1)	581.18	DRY	581.18
89-SW(2)	577.54	10.85	566.69
EW-2	568.15	N/A	549.10
EW-3	569.56	N/A	555.30
EW-4	570.07	N/A	556.00
EW-5	569.47	N/A	553.00
EW-6	568.17	N/A	563.50
EW-7	578.09	N/A	564.90
EW-8	575.73	N/A	563.20
DW-9	581.23	N/A	569.00
DW-10	581.06	N/A	575.80
DW-11	580.13	N/A	550.90
DW-12	577.59	N/A	571.40

NOTES:

BTOR = Below top of riser.

MSL = Mean sea level.

N/A = Not applicable, measurement taken from electronic readout in vault.

TABLE 6
 SUMMARY OF HYDRAULIC MONITORING DATA
 JULY 1997 QUARTERLY MONITORING EVENT
 TEXTRON REALTY OPERATIONS (WHEATFIELD) INC. FACILITY
 WHEATFIELD, NEW YORK
 (Measurements Recorded July 21, 1997)

WELL NAME	TOP OF RISER ELEVATION (FT. MSL)	WATER LEVEL (FT. BTOR)	WATER LEVEL ELEVATION (FT. MSL)
87-01(0)	588.10	15.31	572.79
87-01(1)	587.99	19.35	568.64
87-02(1)	589.21	19.22	569.99
87-02(3)	588.63	14.10	574.53
87-04(0)	589.32	11.84	577.48
87-04(1)	589.08	16.64	572.44
87-04(3)	589.49	13.68	575.81
87-05(1)	589.37	17.80	571.57
87-05(3)	589.46	18.47	570.99
87-06(1)	588.27	15.89	572.38
87-08(1)	589.48	15.38	574.10
87-10(0)	587.30	14.65	572.65
87-10(1)	587.52	19.65	567.87
87-12(1)	583.84	20.09	563.75
87-13(0)	589.77	10.13	579.64
87-13(1)	590.06	17.07	572.99
87-13(3)	589.91	13.95	575.96
87-14(0)	589.56	11.52	578.04
87-14(1)	589.06	15.90	573.16
87-14(3)	590.35	14.12	576.23
87-15(0)	590.70	13.32	577.38
87-15(1)	590.27	15.14	575.13
87-15(3)	589.87	13.55	576.32
87-16(3B)	590.51	14.33	576.18
87-17(0)	589.50	12.22	577.28
87-17(1)	589.62	13.63	575.99
87-18(0)	585.95	12.77	573.18
87-18(1)	586.02	23.08	562.94
87-19(0)	581.57	9.22	572.35
87-19(1)	581.47	17.03	564.44
87-20(0)	578.77	7.93	570.84
87-20(1)	579.01	15.38	563.63
87-21(0)	577.23	DRY	DRY
87-21(1)	577.33	13.87	563.46
87-22(0)	583.80	DRY	DRY
87-22(1)	583.97	18.48	565.49
87-23(0)	587.27	8.15	579.12
87-23(1)	587.13	17.19	569.94
89-02(1)*	584.69	17.77	566.92
89-02(3)	584.80	11.49	573.31
89-03(1)	581.30	17.28	564.02
89-04(1)	577.92	10.14	567.78

SUMMARY OF HYDRAULIC MONITORING DATA
 JULY 1997 QUARTERLY MONITORING EVENT
 TEXTRON REALTY OPERATIONS (WHEATFIELD) INC. FACILITY
 WHEATFIELD, NEW YORK
 (Measurements Recorded July 21, 1997)

WELL NAME	TOP OF RISER ELEVATION (FT. MSL)	WATER LEVEL (FT. BTOR)	WATER LEVEL ELEVATION (FT. MSL)
89-05(1A)	577.56	18.87	558.69
89-05(1B)	577.77	14.60	563.17
89-06(1)	575.93	12.33	563.60
89-07(1A)	577.66	14.44	563.22
89-07(1B)	577.48	13.80	563.68
89-12(1)	586.60	19.29	567.31
89-13(0)	588.18	13.15	575.03
89-14(0)	587.45	10.52	576.93
89-14(1)	587.59	14.40	573.19
89-15(1)	588.76	19.50	569.26
89-16(1)	576.76	9.30	567.46
89-17(1)	577.59	9.59	568.00
89-18(1)	576.75	16.29	560.46
93-02(1)	579.05	19.77	559.28
93-03(1)	572.30	15.68	556.62
94-02(1)*	574.50	11.23	563.27
96-01(1)	585.18	20.01	565.17
96-02(1)	584.82	20.53	564.29
B-8(0)	590.26	12.49	577.77
B-12(0)	589.48	13.05	576.43
B-13(1)	588.41	15.93	572.48
B-14(1)	589.54	17.34	572.20
89-SW(2)	577.54	14.09	563.45
EW-2	568.15	N/A	559.39
EW-3	569.56	N/A	558.80
EW-4	570.07	N/A	552.80
EW-5	569.47	N/A	550.20
EW-6	568.17	N/A	561.10
EW-7	578.09	N/A	559.90
EW-8	575.73	N/A	558.5 (1)
DW-9	581.23	N/A	565.2 (1)
DW-10	581.06	N/A	572.30
DW-11	580.13	N/A	569.40
DW-12	577.59	N/A	567.10

NOTES:

BTOR = Below top of riser.

N/A = Not applicable, measurement taken from electronic
readout in vault.

MSL = Mean sea level.

* = Resurveyed after repair on April 3, 1997.

(1) = Electronic readout not functioning - elevation represents
"pump on" pump control point.

TABLE 7
SUMMARY OF HYDRAULIC MONITORING DATA
OCTOBER 1997 QUARTERLY, SEMI-ANNUAL
AND ANNUAL MONITORING EVENT
TEXTRON REALTY OPERATIONS (WHEATFIELD) INC. FACILITY
WHEATFIELD, NEW YORK
(Measurements Recorded October 27, 1997)

WELL NAME	TOP OF RISER ELEVATION (FT. MSL)	WATER LEVEL (FT. BTOR)	WATER LEVEL ELEVATION (FT. MSL)
87-01(0)	588.10	15.42	572.68
87-01(1)	587.99	17.61	570.38
87-02(1)	589.21	17.79	571.42
87-02(3)	588.63	13.76	574.87
87-04(0)	589.32	12.07	577.25
87-04(1)	589.08	14.90	574.18
87-04(3)	589.49	13.36	576.13
87-05(1)	589.37	16.33	573.04
87-05(3)	589.46	13.05	576.41
87-06(1)	588.27	14.09	574.18
87-08(1)	589.48	16.00	573.48
87-10(0)	587.30	12.66	574.64
87-10(1)	587.52	17.92	569.60
87-12(1)	583.84	17.47	566.37
87-13(0)	589.77	9.75	580.02
87-13(1)	590.06	16.03	574.03
87-13(3)	589.91	13.56	576.35
87-14(0)	589.56	11.51	578.05
87-14(1)	589.06	17.34	571.72
87-14(3)	590.35	13.69	576.66
87-15(0)	590.70	13.27	577.43
87-15(1)	590.27	15.01	575.26
87-15(3)	589.87	13.09	576.78
87-16(3B)	590.51	13.86	576.65
87-17(0)	589.50	12.27	577.23
87-17(1)	589.62	13.10	576.52
87-18(0)	585.95	11.75	574.20
87-18(1)	586.02	21.66	564.36
87-19(0)	581.57	3.11	578.46
87-19(1)	581.47	14.20	567.27
87-20(0)	578.77	7.35	571.42
87-20(1)	579.01	13.55	565.46
87-21(0)	577.23	DRY	DRY
87-21(1)	577.33	12.30	565.03
87-22(0)	583.80	DRY	DRY
87-22(1)	583.97	12.40	571.57
87-23(0)	587.27	9.39	577.88
87-23(1)	587.13	16.03	571.10
89-02(1)	584.69	15.97	568.72
89-02(3)	584.80	11.33	573.47
89-03(1)	581.30	DAMAGED	DAMAGED
89-04(1)	577.92	8.93	568.99

TABLE 7
 SUMMARY OF HYDRAULIC MONITORING DATA
 OCTOBER 1997 QUARTERLY, SEMI-ANNUAL
 AND ANNUAL MONITORING EVENT
 TEXTRON REALTY OPERATIONS (WHEATFIELD) INC. FACILITY
 WHEATFIELD, NEW YORK
 (Measurements Recorded October 27, 1997)

WELL NAME	TOP OF RISER ELEVATION (FT. MSL)	WATER LEVEL (FT. BTOR)	WATER LEVEL ELEVATION (FT. MSL)
89-05(1A)	577.56	18.37	559.19
89-05(1B)	577.77	13.68	564.09
89-06(1)	575.93	11.93	564.00
89-07(1A)	577.66	14.11	563.55
89-07(1B)	577.48	13.55	563.93
89-12(1)	586.60	17.30	569.30
89-13(0)	588.18	12.18	576.00
89-14(0) (1)	587.45	11.21	576.24
89-14(1)	587.59	14.35	573.24
89-15(1)	588.76	17.81	570.95
89-16(1)	576.76	8.10	568.66
89-17(1)	577.59	9.24	568.35
89-18(1)	576.75	15.99	560.76
93-02(1)	579.05	21.54	557.51
93-03(1)	572.30	15.16	557.14
94-02(1)	574.50	10.83	563.67
96-01(1)	585.18	17.48	567.70
96-02(1)	584.82	18.30	566.52
B-8(0)	590.26	11.90	578.36
B-12(0)	589.48	13.30	576.18
B-13(1)	588.41	14.19	574.22
B-14(1)	589.54	15.85	573.69
89-SW(2)	577.54	12.55	564.99
EW-2	568.15	N/A	558.78
EW-3	569.56	N/A	554.68
EW-4	570.07	N/A	555.11
EW-5	569.47	N/A	552.11
EW-6	568.17	N/A	560.27
EW-7	578.09	N/A	562.14
EW-8	575.73	N/A	567.31
DW-9	581.23	N/A	564.46
DW-10	581.06	N/A	574.67
DW-11	580.13	N/A	571.65
DW-12	577.59	N/A	568.89

NOTES:

BTOR = Below top of riser.

N/A = Not applicable, measurement taken from electronic readout in vault.

MSL = Mean sea level.

(1)= Water level sufficient for hydraulic monitoring, but not for sampling.

MARCH 1998

973-9158

TABLE 8
 SUMMARY OF HYDRAULIC MONITORING DATA
 FEBRUARY 1998 QUARTERLY HYDRAULIC MONITORING EVENT
 TEXTRON REALTY OPERATIONS (WHEATFIELD) INC. FACILITY
 WHEATFIELD, NEW YORK
 (Measurements Recorded February 25, 1998)

WELL NAME	TOP OF RISER ELEVATION (FT. MSL)	WATER LEVEL (FT. BTOR)	WATER LEVEL ELEVATION (FT. MSL)
87-01(0)	588.10	12.86	575.24
87-01(1)	587.99	16.34	571.65
87-02(1)	589.21	16.78	572.43
87-02(3)	588.63	12.13	576.50
87-04(0)	589.32	8.84	580.48
87-04(1)	589.08	14.36	574.72
87-04(3)	589.49	11.85	577.64
87-05(1)	589.37	15.51	573.86
87-05(3)	589.46	11.52	577.94
87-06(1)	588.27	13.56	574.71
87-08(1)	589.48	13.50	575.98
87-10(0)	587.30	12.86	574.44
87-10(1)	587.52	16.80	570.72
87-12(1)	583.84	15.45	568.39
87-13(0)	589.77	8.60	581.17
87-13(1)	590.06	15.07	574.99
87-13(3)	589.91	12.03	577.88
87-14(0)	589.56	9.05	580.51
87-14(1)	589.06	13.78	575.28
87-14(3)	590.35	12.15	578.20
87-15(0)	590.70	11.82	578.88
87-15(1)	590.27	13.05	577.22
87-15(3)	589.87	11.59	578.28
87-16(3B)	590.51	12.31	578.20
87-17(0)	589.50	11.26	578.24
87-17(1)	589.62	11.68	577.94
87-18(0)	585.95	12.10	573.85
87-18(1)	586.02	18.71	567.31
87-19(0)	581.57	4.34	577.23
87-19(1)	581.47	12.98	568.49
87-20(0)	578.77	6.00	572.77
87-20(1)	579.01	10.67	568.34
87-21(0)	577.23	7.74	569.49
87-21(1)	577.33	9.17	568.16
87-22(0)	583.80	7.16	576.64
87-22(1)	583.97	14.55	569.42
87-23(0)	587.27	4.51	582.76
87-23(1)	587.13	14.52	572.61
89-02(1)	584.69	14.28	570.41
89-02(3)	584.80	9.64	575.16
89-03(1)	581.01	15.26	565.75
89-04(1)	577.92	7.35	570.57

TABLE 8
SUMMARY OF HYDRAULIC MONITORING DATA
FEBRUARY 1998 QUARTERLY HYDRAULIC MONITORING EVENT
TEXTRON REALTY OPERATIONS (WHEATFIELD) INC. FACILITY
WHEATFIELD, NEW YORK
(Measurements Recorded February 25, 1998)

WELL NAME	TOP OF RISER ELEVATION (FT. MSL)	WATER LEVEL (FT. BTOR)	WATER LEVEL ELEVATION (FT. MSL)
89-05(1A)	577.56	15.17	562.39
89-05(1B)	577.77	10.21	567.56
89-06(1)	575.93	10.01	565.92
89-07(1A)	577.66	11.86	565.80
89-07(1B)	577.48	11.05	566.43
89-12(1)	586.60	16.28	570.32
89-13(0)	588.18	10.60	577.58
89-14(0)	587.45	8.09	579.36
89-14(1)	587.59	12.20	575.39
89-15(1)	588.76	16.95	571.81
89-16(1)	576.76	6.46	570.30
89-17(1)	577.59	6.40	571.19
89-18(1)	576.75	12.67	564.08
93-02(1)	579.05	18.81	560.24
93-03(1)	572.30	12.14	560.16
94-02(1)	574.50	8.66	565.84
96-01(1)	585.18	15.90	569.28
96-02(1)	584.82	16.33	568.49
B-8(0)	590.26	10.06	580.20
B-12(0)	589.48	11.70	577.78
B-13(1)	588.41	13.67	574.74
B-14(1)	589.54	15.00	574.54
89-SW(2)	577.54	9.4	568.14
EW-2	568.15	N/A	562.41
EW-3	569.56	N/A	555.70
EW-4	570.07	N/A	556.50
EW-5	569.47	N/A	555.60
EW-6	568.17	N/A	563.30
EW-7 (1)	580.96	15.36	565.60
EW-8 (1)	578.44	22.85	555.59
DW-9 (1)	581.30	5.28	576.02
DW-10 (1)	583.95	9.56	574.39
DW-11 (1)	583.05	12.03	571.02
DW-12 (1)	580.48	10.90	569.58

NOTES:

BTOR = Below top of riser (or measuring point).

MSL = Mean sea level.

N/A = Not applicable, measurement taken from electronic readout in vault.

(1) = Water level elevation measured from top of vault grate.

MARCH 1998

TABLE 9
SUMMARY OF VERTICAL HYDRAULIC GRADIENTS

973-9158

ANNUAL SUMMARY OF SYSTEM OPERATIONS REPORT
TEXTRON REALTY OPERATIONS (WHEATFIELD) INC. FACILITY
WHEATFIELD, NEW YORK

WELL NAME	VERTICAL GRADIENT (dH/dL)			
	April 1997	July 1997	October 1997	February 1998
87-02(1) 87-02(3)	0.53	0.65	0.49	0.58
87-04(1) 87-04(3)	0.29	0.48	0.28	0.42
87-05(1) 87-05(3)	0.56	-0.08	0.48	0.58
87-13(1) 87-13(3)	0.33	0.42	0.33	0.41
87-14(1) 87-14(3)	0.35	0.44	0.71	0.42
87-15(1) 87-15(3)	0.19	0.17	0.22	0.15
89-02(1) 89-02(3)	0.70	0.91	0.68	0.68

NOTE: Positive vertical gradients are upwards from Zone 3 to Zone 1

MARCH 1998

973-9158

TABLE 10
 SUMMARY OF OPERATIONS AND MAINTENANCE
 OF MONITORING POINTS
 TEXTRON REALTY OPERATIONS (WHEATFIELD) INC. FACILITY
 WHEATFIELD, NEW YORK

INSPECTION DATE	WELL I.D.	ISSUE	RESOLUTION	COMPLETION DATE
04/29/97	87-20(0)	Riser constricted due to possible frost heave.	Bailer replaced with smaller diameter unit, bentonite seal placed around well base.	9/97
04/29/97	89-04(1)	Missing riser cap.	Cap replaced.	9/97
10/28/97	89-03(1)	Struck by vehicle - unserviceable.	Repaired.	1/26/98
10/28/97	89-07(1A)	Surface apron cracked.	Bentonite seal placed around well base.	1/26/98
10/28/97	89-18(1)	Surface apron cracked.	Bentonite seal placed around well base.	1/26/98
10/28/97	94-02(1)	Well settled, needs smaller diameter bailer.	Smaller diameter bailer provided.	1/26/98
*	89-02(1)	Needs improved surface seal.	Bentonite seal placed around well base.	2/10/98
*	89-14(0)	Protective casing rusted.	Rusting will be monitored.	N/A
*	87-04(0)	Protective casing frost-heaved and rusted.	Bentonite seal placed around well base, rusting will be monitored.	2/10/98

* = inspected by NYSDEC on 4/29/97 and 7/21/97
 N/A = Not Applicable

TABLE 11
 PROPOSED MONITORING POINTS FOR THE ON-SITE AND OFF-SITE
 EFFECTIVENESS MONITORING PROGRAMS
 TEXTRON REALTY OPERATIONS (WHEATFIELD) INC. FACILITY
 WHEATFIELD, NEW YORK

WELL NUMBER	FREQUENCY		ANALYTICAL METHOD
	SEMI-ANNUALLY (A)	ANNUALLY (B)	
OFF-SITE EFFECTIVENESS MONITORING			
<u>Zone 1 Wells</u>			
87-20(1)	X		8260
87-21(1)	X		8260
89-04(1)	X		8260
89-05(1A)	X		8260
89-05(1B)		X	8260
87-19(1)	X		8260
89-03(1)		X	8260
89-06(1) OMIT			
89-07(1A) OMIT			
89-07(1B) OMIT			
89-16(1)		X	8260
89-17(1)		X	8260
89-18(1) OMIT			
93-02(1)		X	8260
93-03(1)	X		8260
94-02(1)		X	8260
TOTAL ZONE 1 SAMPLES PER EVENT	6	6	
TOTAL ZONE 1 SAMPLES PER YEAR	12	6	
<u>Extraction Wells</u>			
EW-2		X	8260
EW-3		X	8260
EW-4		X	8260
EW-5		X	8260
EW-6	X		8260
TOTAL EXTRACTION WELL SAMPLES PER EVENT	1	4	
TOTAL EXTRACTION WELL SAMPLES PER YEAR	2	4	

TABLE 11
 PROPOSED MONITORING POINTS FOR THE ON-SITE AND OFF-SITE
 EFFECTIVENESS MONITORING PROGRAMS
 TEXTRON REALTY OPERATIONS (WHEATFIELD) INC. FACILITY
 WHEATFIELD, NEW YORK

WELL NUMBER	FREQUENCY		ANALYTICAL METHOD
	SEMI-ANNUALLY (A)	ANNUALLY (B)	
ON-SITE AND OFF-SITE EFFECTIVENESS MONITORING			
<u>Overburden Wells</u>			
87-10(0)		X	8260
87-22(0)	X		8260
89-14(0)	X		8260
TOTAL OVERBURDEN SAMPLES PER EVENT	2	1	
TOTAL OVERBURDEN SAMPLES PER YEAR	4	1	
<u>Zone 1 Wells</u>			
87-22(1)		X	8260
89-14(1)		X	8260
89-15(1)		X	8260
TOTAL ZONE 1 SAMPLES PER EVENT	0	3	
TOTAL ZONE 1 SAMPLES PER YEAR	0	3	
<u>Zone 3 Wells</u>			
87-13(3)	X		8260
89-2(3)	X		8260
TOTAL ZONE 3 SAMPLES PER EVENT	2	0	
TOTAL ZONE 3 SAMPLES PER YEAR	4	0	
ON-SITE EFFECTIVENESS MONITORING			
<u>Overburden Wells</u>			
87-01(0)		X	8260
87-14(0)		X	8260
B-8		X	8260
87-18(0)	X		8260
87-20(0)	X		8260
87-23(0)	X		8260
TOTAL OVERBURDEN SAMPLES PER EVENT	3	3	
TOTAL OVERBURDEN SAMPLES PER YEAR	6	3	

TABLE 11
 PROPOSED MONITORING POINTS FOR THE ON-SITE AND OFF-SITE
 EFFECTIVENESS MONITORING PROGRAMS
 TEXTRON REALTY OPERATIONS (WHEATFIELD) INC. FACILITY
 WHEATFIELD, NEW YORK


WELL NUMBER	FREQUENCY		ANALYTICAL METHOD
	SEMI-ANNUALLY (A)	ANNUALLY (B)	
ON-SITE EFFECTIVENESS MONITORING			
<u>Zone 1 Wells</u>			
87-01(1)		X	8260
87-02(1)		X	8260
87-08(1)		X	8260
87-17(1)		X	8260
89-02(1)		X	8260
B-14(1)		X	8260
TOTAL ZONE 1 SAMPLES PER EVENT	0	6	
TOTAL ZONE 1 SAMPLES PER YEAR	0	6	
<u>Zone 3 Wells</u>			
87-02(3)	X		8260
TOTAL ZONE 3 SAMPLES PER EVENT	1	0	
TOTAL ZONE 3 SAMPLES PER YEAR	2	0	
<u>DNAPL Extraction Wells</u>			
DW-9		X	8260
DW-10	X		8260
DW-11	X		8260
DW-12	X		8260
TOTAL DNAPL SAMPLES PER EVENT	3	1	
TOTAL DNAPL SAMPLES PER YEAR	6	1	
<u>Extraction Wells</u>			
EW-7	X		8260
EW-8	X		8260
TOTAL EXTRACTION WELL SAMPLES PER EVENT	2	0	
TOTAL EXTRACTION WELL SAMPLES PER YEAR	4	0	
GRAND TOTAL SAMPLES PER EVENT	20	24	
GRAND TOTAL SAMPLES PER YEAR	40	24	

(A) Semi-annual sampling to be conducted each April and October through October 1998 and then annual sampling thereafter.

(B) Annual sampling to be conducted in October.


A water level reading will be taken from each well shown during each monitoring event.

FIGURE 2
TVOC CONCENTRATIONS VS. TIME
MONITORING WELL 89-15(1)




TVOC = Total Volatile Organic Compounds Detected

FIGURE 3
TVOC CONCENTRATIONS VS. TIME
MONITORING WELL 87-20(1)



TVOC = Total Volatile Organic Compounds Detected

FIGURE 4
TVOC CONCENTRATIONS VS. TIME
EXTRACTION WELL EW-4



TVOC = Total Volatile Organic Compounds Detected

FOR EXPANDED VIEW OF ON-SITE AREA, INCLUDING ON-SITE DNAPL PLUME AND ON-SITE FLOW ARROWS, SEE FIGURE 6.



APPROXIMATE LIMIT OF DISSOLVED PHASE PLUME (1 ppb TVO OCTOBER 1997 SAMPLING EVENT - SEE NOTE 7.)

LEGEND

- ◆ EXTRACTION WELL OR DNAPL WELL
- ◊ MONITORING WELL OR PIEZOMETER
- (567.70) WATER LEVEL ELEVATIONS AT MONITORING OR EXTRACTION WELL IN FEET MEAN SEA LEVEL
- i HORIZONTAL HYDRAULIC GRADIENT
- 570— POTENTIOMETRIC ELEVATION CONTOUR IN FEET MEAN SEA LEVEL
- DIRECTION OF GROUNDWATER FLOW IN ZONE 1


NOTES

- 1.) GRID SYSTEM SHOWN IS 1000-METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 17, 1927 NORTH AMERICAN DATUM.
- 2.) REFERENCE: U.S. GEOLOGICAL SURVEY, TONAWANDA WEST NEW YORK 7.5' QUADRANGLE, DATED 1980.
- 3.) WELL LOCATIONS SHOWN ARE APPROXIMATE.
- 4.) WATER LEVEL MEASUREMENTS OBTAINED ON OCTOBER 27, 1997.
- 5.) ONLY WELL LOCATIONS WITH AN ELEVATION LISTED ARE USED IN MAP CONTOURING.
- 6.) CONTOURS BETWEEN KNOWN POINTS HAVE BEEN INTERPOLATED.
- 7.) TOTAL VOLATILE ORGANIC (TVO) DETECTIONS.



CLIENT/PROJECT		TEXTRON NIAGARA FALLS, NEW YORK		DATE	MAR 9 1998
TITLE		GROUNDWATER ELEVATION CONTOUR MAP ZONE 1 BEDROCK - OCTOBER 1997			
OFFICE		Buffalo, New York	BRANCH	BEA	DATE
DRAWN BY		DCW	SCALE	1"=300'	
CHECKED BY		ALG	FILE NO.	973-9158	
APPROVED BY		ALG	DWG. NO.	BELL112	
FILE NO.		973-9158	SHEET NO.	5	

REV.	DATE	DESCRIPTION	DR. BY	APP. BY




LEGEND

- EXTRACTION WELL OR DNAPL WELL
- ⊕ MONITORING WELL
- (570.38) WATER LEVEL ELEVATIONS AT MONITORING OR EXTRACTION WELL IN FEET MEAN SEA LEVEL.
- DIRECTION OF GROUND WATER FLOW IN ZONE 1
- 569 — POTENTIOMETRIC ELEVATION CONTOUR IN FEET MEAN SEA LEVEL
- ▨ DNAPL PLUME

Golden Associates Buffalo, New York
 CLIENT/PROJECT **TEXTRON** NIAGARA FALLS, NEW YORK

TITLE **ON-SITE GROUNDWATER ELEVATION CONTOUR MAP, ZONE 1 BEDROCK**
OCTOBER 1997

DRAWN	BEC	DATE	12/12/97	JOB NO.	973-9158
CHECKED	DCW	SCALE	AS SHOWN	DRG. NO.	BELL.113
REVIEWED	ALG	FILE NO.	973-9158	FIGURE NO.	8



FOR EXPANDED VIEW OF ON-SITE AREA, INCLUDING ON-SITE DNAPL PLUME AND ON-SITE FLOW ARROWS, SEE FIGURE 8.


APPROXIMATE LIMIT OF DISSOLVED PHASE PLUME (1 ppb TVO OCTOBER 1996 SAMPLING EVENT - SEE NOTE 7.)

- LEGEND**
- ◆ EXTRACTION WELL OR DNAPL WELL
 - ◇ MONITORING WELL OR PIEZOMETER
 - (570.66) WATER LEVEL ELEVATIONS AT MONITORING OR EXTRACTION WELL IN FEET MEAN SEA LEVEL.
 - 570— POTENTIOMETRIC ELEVATION CONTOUR IN FEET MEAN SEA LEVEL.
 - DIRECTION OF GROUNDWATER FLOW IN ZONE 1

- NOTES**
- 1.) GRID SYSTEM SHOWN IS 1000-METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 17, 1927 NORTH AMERICAN DATUM.
 - 2.) REFERENCE: U.S. GEOLOGICAL SURVEY, TONAWANDA WEST NEW YORK 7.5' QUADRANGLE, DATED 1980.
 - 3.) WELL LOCATIONS SHOWN ARE APPROXIMATE.
 - 4.) WATER LEVEL MEASUREMENTS OBTAINED ON APRIL 28, 1997.
 - 5.) ONLY WELL LOCATIONS WITH AN ELEVATION LISTED ARE USED IN MAP CONTOURING.
 - 6.) CONTOURS BETWEEN KNOWN POINTS HAVE BEEN INTERPOLATED.
 - 7.) TOTAL VOLATILE ORGANIC (TVO) DETECTIONS MINUS CARBON DISULFATE IN MONITORING WELL 89-16(1).



		CLIENT/PROJECT TEXTRON NIAGARA FALLS, NEW YORK		DATE MAR 30 1998	
TITLE GROUNDWATER ELEVATION CONTOUR MAP ZONE 1 BEDROCK - APRIL 1997					
Buffalo, New York		DRAWN BEC	DATE 5/22/97	SCALE 1"=300'	
		CHECKED DCW	DRAWN NO. 973-9158		
		APPROVED ALG	DRAWN BY BELL/98		
		FILE NO. 973-9158	SHEET NO. 7		



LEGEND

- ◆ EXTRACTION WELL OR DNAPL WELL
- ⊕ MONITORING WELL
- (565.66) WATER LEVEL ELEVATIONS AT MONITORING OR EXTRACTION WELL IN FEET MEAN SEA LEVEL.
- DIRECTION OF GROUND WATER FLOW IN ZONE 1
- 569 — POTENTIOMETRIC ELEVATION CONTOUR IN FEET MEAN SEA LEVEL
- ▨ DNAPL PLUME




Golder Associates Buffalo, New York

CLIENT/PROJECT

TEXTRON
NIAGARA FALLS, NEW YORK

TITLE **ON-SITE GROUNDWATER ELEVATION CONTOUR MAP, ZONE 1 BEDROCK**
APRIL 1997

DRAWN	BEC	DATE	5/28/97	JOB NO.	973-9158
CHECKED	DCW	SCALE	AS SHOWN	DWG. NO.	BELL99
REVIEWED	ALG	FILE NO.	973-9158	FIGURE NO.	8



FOR EXPANDED VIEW OF ON-SITE AREA, INCLUDING ON-SITE DNAPL PLUME AND ON-SITE FLOW ARROWS, SEE FIGURE 10.

CONTOURS AROUND DW-9 DRAWN DIAGRAMMATICALLY. NOT ALL CONTOURS SHOWN.

APPROXIMATE LIMIT OF DISSOLVED PHASE PLUME (1 ppb TVO OCTOBER 1998 SAMPLING EVENT - SEE NOTE 7.)



- LEGEND**
- ◆ EXTRACTION WELL OR DNAPL WELL
 - ⊕ MONITORING WELL OR PIEZOMETER
 - (567.78) WATER LEVEL ELEVATIONS AT MONITORING OR EXTRACTION WELL IN FEET MEAN SEA LEVEL.
 - 570— POTENTIOMETRIC ELEVATION CONTOUR IN FEET MEAN SEA LEVEL.
 - DIRECTION OF GROUNDWATER FLOW IN ZONE 1

- NOTES**
- 1.) GRID SYSTEM SHOWN IS 1000-METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 17, 1927 NORTH AMERICAN DATUM.
 - 2.) REFERENCE: U.S. GEOLOGICAL SURVEY, TONAWANDA WEST NEW YORK 7.5' QUADRANGLE, DATED 1980.
 - 3.) WELL LOCATIONS SHOWN ARE APPROXIMATE.
 - 4.) WATER LEVEL MEASUREMENTS OBTAINED ON JULY 21, 1997.
 - 5.) ONLY WELL LOCATIONS WITH AN ELEVATION LISTED ARE USED IN MAP CONTOURING.
 - 6.) CONTOURS BETWEEN KNOWN POINTS HAVE BEEN INTERPOLATED.
 - 7.) TOTAL VOLATILE ORGANIC (TVO) DETECTIONS MINUS CARBON DISULFATE IN MONITORING WELL 89-16(1).



		NIAGARA FALLS, NEW YORK		MAR 30 1998	
GROUNDWATER ELEVATION CONTOUR MAP ZONE 1 BEDROCK - JULY 1997					
Buffalo, New York		DRAWN BY BEC	DATE 9/25/97	CHECKED BY DCW	SCALE 1"=300'
		APPROVED BY ALG	JOB NO. 973-9158	DRAWN BY BELL106	FIGURE 9
REV.	DATE	DESCRIPTION	DR. BY	APP. BY	

CONTOURS AROUND
DW-9 DRAWN
DIAGRAMMATICALLY.
NOT ALL CONTOURS
SHOWN.



LEGEND

- ◆ EXTRACTION WELL OR DNAPL WELL
- ⊕ MONITORING WELL
- (568.64) WATER LEVEL ELEVATIONS AT MONITORING OR EXTRACTION WELL IN FEET MEAN SEA LEVEL.
- DIRECTION OF GROUND WATER FLOW IN ZONE 1
- 569 — POTENTIOMETRIC ELEVATION CONTOUR IN FEET MEAN SEA LEVEL
- ▨ DNAPL PLUME

Golder Associates Buffalo, New York
 CLIENT/PROJECT **TEXTRON**
 NIAGARA FALLS, NEW YORK

TITLE ON-SITE GROUNDWATER ELEVATION CONTOUR MAP, ZONE 1 BEDROCK			
DATE JULY 1997			
DRAWN	BEC	DATE	9/28/97
CHECKED	DCW	SCALE	AS SHOWN
REVIEWED	ALG	FILE NO.	973-9158
JOB NO.		973-9158	
DWG. NO.		BELL107	
FIGURE NO.		10	



FOR EXPANDED VIEW OF ON-SITE AREA, INCLUDING ON-SITE DNAPL PLUME AND ON-SITE FLOW ARROWS, SEE FIGURE 12.


APPROXIMATE LIMIT OF DISSOLVED PHASE PLUME (1 ppb TVO OCTOBER 1997 SAMPLING EVENT - SEE NOTE 7.)

LEGEND

- ◆ EXTRACTION WELL OR DNAPL WELL
- ⊕ MONITORING WELL OR PIEZOMETER
- (564.08) WATER LEVEL ELEVATIONS AT MONITORING OR EXTRACTION WELL IN FEET MEAN SEA LEVEL
- 570— POTENTIOMETRIC ELEVATION CONTOUR IN FEET MEAN SEA LEVEL
- DIRECTION OF GROUNDWATER FLOW IN ZONE 1

NOTES

- 1.) GRID SYSTEM SHOWN IS 1000-METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 17, 1927 NORTH AMERICAN DATUM.
- 2.) REFERENCE: U.S. GEOLOGICAL SURVEY, TONAWANDA WEST NEW YORK 7.5' QUADRANGLE, DATED 1980.
- 3.) WELL LOCATIONS SHOWN ARE APPROXIMATE.
- 4.) WATER LEVEL MEASUREMENTS OBTAINED ON FEBRUARY 25, 1998.
- 5.) ONLY WELL LOCATIONS WITH AN ELEVATION LISTED ARE USED IN MAP CONTOURING.
- 6.) CONTOURS BETWEEN KNOWN POINTS HAVE BEEN INTERPOLATED.
- 7.) TOTAL VOLATILE ORGANIC (TVO) DETECTIONS.
- 8.) DW-9 WAS OFF-LINE DURING HYDRAULIC MONITORING.



REV.	DATE	DESCRIPTION	DR. BY	APP. BY


TEXTRON MAR 3 0 1998
NIAGARA FALLS, NEW YORK

**GROUNDWATER ELEVATION CONTOUR MAP
ZONE 1 BEDROCK - FEBRUARY 1998**

Buffalo, New York

DRAWN	BEC	DATE	3/2/98
CHECKED	DCW	SCALE	1"=300'
APPROVED	ALG	DWG. NO.	973-9158
FILE NO.	973-9158	PLANT	BELL115
			11

Golder Associates




LEGEND

- ◆ EXTRACTION WELL OR DNAPL WELL
- ⊕ MONITORING WELL
- (570.41) WATER LEVEL ELEVATIONS AT MONITORING OR EXTRACTION WELL IN FEET MEAN SEA LEVEL.
- DIRECTION OF GROUND WATER FLOW IN ZONE 1
- I = HORIZONTAL HYDRAULIC GRADIENT
- 569 — POTENTIOMETRIC ELEVATION CONTOUR IN FEET MEAN SEA LEVEL
- ▨ DNAPL PLUME

NOTE: DW-9 OFF-LINE DURING HYDRAULIC MONITORING.

Golden Associates Buffalo, New York
 CLIENT/PROJECT **TEXTRON**
 NIAGARA FALLS, NEW YORK

TITLE ON-SITE GROUNDWATER ELEVATION CONTOUR MAP, ZONE 1 BEDROCK FEBRUARY 1998			
DRAWN	BEC	DATE	3/2/98
CHECKED	DCW	SCALE	AS SHOWN
REVIEWED	ALG	FILE NO.	973-9158
		JOB NO.	973-9158
		DWG. NO.	BELL116
		FIGURE NO.	.12




LEGEND

◆ MONITORING WELL

(573.47) WATER LEVEL ELEVATIONS AT MONITORING WELL IN FEET MEAN SEA LEVEL.

— 576 — POTENTIOMETRIC ELEVATION CONTOUR IN FEET MEAN SEA LEVEL

➔ DIRECTION OF GROUND WATER FLOW IN ZONE 3



Golder Associates Buffalo, New York

CLIENT/PROJECT

TEXTRON

NIAGARA FALLS, NEW YORK

TITLE

ON-SITE GROUNDWATER ELEVATION CONTOUR MAP, ZONE 3 BEDROCK
OCTOBER 1997

DRAWN	BEC	DATE	3/11/98	JOB NO.	973-9158
CHECKED	DCW	SCALE	AS SHOWN	DWG NO./REV. NO.	BELL117
REVIEWED	ALG	FILE NO.	973-9158	FIGURE NO.	13

APPENDIX A
ANALYTICAL SAMPLING RESULTS

WELL NUMBER 87-01(0)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/93	7/93	10/93	1/94	4/94	7/94	10/94	1/9/95	4/95	7/95	10/95	2/1/96	4/96	7/96	10/17/96
CHLOROMETHANE								0.5 U				0.5 U			0.5 U
VINYL CHLORIDE								0.5 U				0.5 U			0.5 U
CHLOROETHANE								0.5 U				0.5 U			0.5 U
BROMOMETHANE								0.5 U				0.5 U			0.5 U
1 1-DICHLOROETHENE								0.5 U				0.5 U			0.5 U
ACETONE								10 U				10 U			10 U
CARBON DISULFIDE								0.5 U				0.5 U			0.5 U
METHYLENE CHLORIDE								0.5 U				0.5 U			0.5 U
TRANS-1 2-DICHLOROETHENE								0.5 U				0.5 U			0.5 U
1 1-DICHLOROETHANE								0.5 U				0.5 U			0.5 U
CIS-1 2-DICHLOROETHENE								0.5 U				0.5 U			0.5 U
METHYL ETHYL KETONE								10 U				10 U			10 U
CHLOROFORM								0.5 U				0.5 U			0.5 U
1 1 1-TRICHLOROETHANE								0.5 U				0.5 U			0.5 U
CARBON TETRACHLORIDE								0.5 U				0.5 U			0.5 U
BENZENE								0.5 U				0.5 U			0.5 U
1 2-DICHLOROETHANE								0.5 U				0.5 U			0.5 U
TRICHLOROETHENE								0.5 U				0.5 U			0.5 U
1 2-DICHLOROPROPANE								0.5 U				0.5 U			0.5 U
BROMODICHLOROMETHANE								0.5 U				0.5 U			0.5 U
CIS-1 3-DICHLOROPROPENE								0.5 U				0.5 U			0.5 U
MIBK								10 U				10 U			10 U
TOLUENE								0.5 U				0.5 U			0.5 U
TRANS-1 3-DICHLOROPROPENE								0.5 U				0.5 U			0.5 U
1 1 2-TRICHLOROETHANE								0.5 U				0.5 U			0.5 U
TETRACHLOROETHENE								0.5 U				0.5 U			0.5 U
2-HEXANONE								10 U				10 U			10 U
DIBROMOCHLOROMETHANE								0.5 U				0.5 U			0.5 U
CHLOROBENZENE								0.5 U				0.5 U			0.5 U
ETHYLBENZENE								0.5 U				0.5 U			0.5 U
P-XYLENE/M-XYLENE								0.5 U				0.5 U			0.5 U
O-XYLENE								0.5 U				0.5 U			0.5 U
STYRENE								0.5 U				0.5 U			0.5 U
BROMOFORM								0.5 U				0.5 U			0.5 U
1 1 2 2-TETRACHLOROETHANE								0.5 U				1 U			0.5 U

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

ANALYTE	1/97	4/97	7/97	10/30/97	AVG
CHLOROMETHANE				0.5 U	0.0
VINYL CHLORIDE				0.5 U	0.0
CHLOROETHANE				0.5 U	0.0
BROMOMETHANE				0.5 U	0.0
1 1-DICHLOROETHENE				0.5 U	0.0
ACETONE				10 U	0.0
CARBON DISULFIDE				0.5 U	0.0
METHYLENE CHLORIDE				0.5 U	0.0
TRANS-1 2-DICHLOROETHENE				0.5 U	0.0
1 1-DICHLOROETHANE				0.5 U	0.0
CIS-1 2-DICHLOROETHENE				0.5 U	0.0
METHYL ETHYL KETONE				10 U	0.0
CHLOROFORM				0.5 U	0.0
1 1 1-TRICHLOROETHANE				0.5 U	0.0
CARBON TETRACHLORIDE				0.5 U	0.0
BENZENE				0.5 U	0.0
1 2-DICHLOROETHANE				0.5 U	0.0
TRICHLOROETHENE				1	0.3
1 2-DICHLOROPROPANE				0.5 U	0.0
BROMODICHLOROMETHANE				0.5 U	0.0
CIS-1 3-DICHLOROPROPENE				0.5 U	0.0
MIBK				10 U	0.0
TOLUENE				0.5 U	0.0
TRANS-1 3-DICHLOROPROPENE				0.5 U	0.0
1 1 2-TRICHLOROETHANE				0.5 U	0.0
TETRACHLOROETHENE				0.5 U	0.0
2-HEXANONE				10 U	0.0
DIBROMOCHLOROMETHANE				0.5 U	0.0
CHLOROBENZENE				0.5 U	0.0
ETHYLBENZENE				0.5 U	0.0
P-XYLENE/M-XYLENE				0.5 U	0.0
O-XYLENE				0.5 U	0.0
STYRENE				0.5 U	0.0
BROMOFORM				0.5 U	0.0
1 1 2 2-TETRACHLOROETHANE				0.5 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 87-01(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/93	7/93	10/93	1/94	4/94	7/94	10/94	1/9/95	4/95	7/95	10/95	2/1/96	4/96	7/96	10/17/96
CHLOROMETHANE								50 U				100 U			50 U
VINYL CHLORIDE								201				440			150
CHLOROETHANE								50 U				100 U			50 U
BROMOMETHANE								50 U				100 U			50 U
1 1-DICHLOROETHENE								50 U				100 U			50 U
ACETONE								500 U				810			250 U
CARBON DISULFIDE								50 U				100 U			50 U
METHYLENE CHLORIDE								842				100 U			50 U
TRANS-1 2-DICHLOROETHENE								50 U				100 U			50 U
1 1-DICHLOROETHANE								50 U				100 U			50 U
CIS-1 2-DICHLOROETHENE								2130				1600			920
METHYL ETHYL KETONE								500 U				810			250 U
CHLOROFORM								50 U				100 U			50 U
1 1 1-TRICHLOROETHANE								145				100 U			58
CARBON TETRACHLORIDE								50 U				100 U			50 U
BENZENE								50 U				100 U			50 U
1 2-DICHLOROETHANE								50 U				100 U			50 U
TRICHLOROETHENE								951				100 U			50 U
1 2-DICHLOROPROPANE								50 U				100 U			50 U
BROMODICHLOROMETHANE								50 U				100 U			50 U
CIS-1 3-DICHLOROPROPENE								50 U				100 U			50 U
MIBK								500 U				500 U			100 U
TOLUENE								50 U				100 U			50 U
TRANS-1 3-DICHLOROPROPENE								50 U				100 U			50 U
1 1 2-TRICHLOROETHANE								50 U				100 U			50 U
TETRACHLOROETHENE								50 U				100 U			50 U
2-HEXANONE								500 U				500 U			100 U
DIBROMOCHLOROMETHANE								50 U				100 U			50 U
CHLOROBENZENE								50 U				100 U			50 U
ETHYLBENZENE								50 U				100 U			50 U
P-XYLENE/M-XYLENE								50 U				100 U			50 U
O-XYLENE								50 U				100 U			50 U
STYRENE								50 U				100 U			50 U
BROMOFORM								50 U				100 U			50 U
1 1 2-TETRACHLOROETHANE								50 U				100 U			50 U

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

ANALYTE	1/97	4/97	7/97	10/30/97	AVG
CHLOROMETHANE				0.5 U	0.0
VINYL CHLORIDE				170	240.3
CHLOROETHANE				0.5 U	0.0
BROMOMETHANE				0.5 U	0.0
1 1-DICHLOROETHENE				0.5 U	0.0
ACETONE				10 U	202.5
CARBON DISULFIDE				0.5 U	0.0
METHYLENE CHLORIDE				0.5 U	210.5
TRANS-1 2-DICHLOROETHENE				5	1.3
1 1-DICHLOROETHANE				20	5.0
CIS-1 2-DICHLOROETHENE				1700	1587.5
METHYL ETHYL KETONE				10 U	202.5
CHLOROFORM				0.5 U	0.0
1 1 1-TRICHLOROETHANE				66	67.3
CARBON TETRACHLORIDE				0.5 U	0.0
BENZENE				0.5 U	0.0
1 2-DICHLOROETHANE				0.5 U	0.0
TRICHLOROETHENE				50	250.3
1 2-DICHLOROPROPANE				0.5 U	0.0
BROMODICHLOROMETHANE				0.5 U	0.0
CIS-1 3-DICHLOROPROPENE				0.5 U	0.0
MIBK				10 U	0.0
TOLUENE				1	0.3
TRANS-1 3-DICHLOROPROPENE				0.5 U	0.0
1 1 2-TRICHLOROETHANE				0.5 U	0.0
TETRACHLOROETHENE				0.5 U	0.0
2-HEXANONE				10 U	0.0
DIBROMOCHLOROMETHANE				0.5 U	0.0
CHLOROBENZENE				0.5 U	0.0
ETHYLBENZENE				0.5 U	0.0
P-XYLENE/M-XYLENE				0.6	0.2
O-XYLENE				0.5 U	0.0
STYRENE				0.5 U	0.0
BROMOFORM				0.5 U	0.0
1 1 2 2-TETRACHLOROETHANE				0.5 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 87-02(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/93	7/93	10/93	1/94	4/27/94	7/21/94	10/26/94	1/11/95	4/20/95	7/12/95	10/19/95	2/1/96	4/18/96
CHLOROMETHANE					5 U	125 U	125 U	100 U	1000 U	50 U	25 U	50 U	250 U
VINYL CHLORIDE					73	125 U	125 U	252	1000 U	50 U	25 U	300	250 U
CHLOROETHANE					5 U	125 U	125 U	100 U	1000 U	50 U	25 U	50 U	250 U
BROMOMETHANE					5 U	125 U	125 U	100 U	1000 U	50 U	25 U	50 U	250 U
1 1-DICHLOROETHENE					5 U	125 U	125 U	100 U	1000 U	50 U	25 U	50 U	250 U
ACETONE					50 U	1250 U	1250 U	1000 U	10000 U	500 U	250 U	250 U	1250 U
CARBON DISULFIDE					5 U	125 U	125 U	100 U	1000 U	50 U	25 U	50 U	250 U
METHYLENE CHLORIDE					9880	125 U	828	16800	1000 U	50 U	25 U	820	250 U
TRANS-1 2-DICHLOROETHENE					15	125 U	125 U	100 U	1000 U	50 U	25 U	50 U	250 U
1 1-DICHLOROETHANE					23	125 U	125 U	100 U	1000 U	50 U	25 U	50 U	250 U
CIS-1 2-DICHLOROETHENE					1640	658	1830	7250	7010	510	370	6800	2000
METHYL ETHYL KETONE					50 U	1250 U	1250 U	1000 U	10000 U	500 U	250 U	250 U	1250 U
CHLOROFORM					6	125 U	125 U	100 U	1000 U	50 U	25 U	50 U	250 U
1 1 1-TRICHLOROETHANE					624	125 U	125 U	817	1000 U	50 U	25 U	250	250 U
CARBON TETRACHLORIDE					5 U	125 U	125 U	100 U	1000 U	50 U	25 U	50 U	250 U
BENZENE					5 U	125 U	125 U	100 U	1000 U	50 U	25 U	50 U	250 U
1 2-DICHLOROETHANE					5 U	125 U	125 U	100 U	1000 U	50 U	25 U	50 U	250 U
TRICHLOROETHENE					13800	941	1540	20000	10000	620	130	4000	910
1 2-DICHLOROPROPANE					5 U	125 U	125 U	100 U	1000 U	50 U	25 U	50 U	250 U
BROMODICHLOROMETHANE					5 U	125 U	125 U	100 U	1000 U	50 U	25 U	50 U	250 U
CIS-1 3-DICHLOROPROPENE					5 U	125 U	125 U	100 U	1000 U	50 U	25 U	50 U	250 U
MIBK					50 U	1250 U	1250 U	1000 U	10000 U	500 U	250 U	250 U	500 U
TOLUENE					6	125 U	125 U	100 U	1000 U	50 U	25 U	50 U	250 U
TRANS-1 3-DICHLOROPROPENE					5 U	125 U	125 U	100 U	1000 U	50 U	25 U	50 U	250 U
1 1 2-TRICHLOROETHANE					5 U	125 U	125 U	100 U	1000 U	50 U	25 U	50 U	250 U
TETRACHLOROETHENE					5 U	125 U	125 U	100 U	1000 U	50 U	25 U	50 U	250 U
2-HEXANONE					50 U	1250 U	1250 U	1000 U	10000 U	500 U	250 U	250 U	500 U
DIBROMOCHLOROMETHANE					5 U	125 U	125 U	100 U	1000 U	50 U	25 U	50 U	250 U
CHLOROBENZENE					5 U	125 U	125 U	100 U	1000 U	50 U	25 U	50 U	250 U
ETHYLBENZENE					5 U	125 U	125 U	100 U	1000 U	50 U	25 U	50 U	250 U
P-XYLENE/M-XYLENE					5 U	125 U	125 U	100 U	1000 U	50 U	26	50 U	250 U
O-XYLENE					5 U	125 U	125 U	100 U	1000 U	50 U	25 U	50 U	250 U
STYRENE					5 U	125 U	125 U	100 U	1000 U	50 U	25 U	50 U	250 U
BROMOFORM					5 U	125 U	125 U	100 U	1000 U	50 U	25 U	50 U	250 U
1 1 2 2-TETRACHLOROETHANE					5 U	125 U	125 U	100 U	1000 U	50 U	25 U	50 U	250 U

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 87-02(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	7/17/96	10/17/96	1/15/97	4/30/97	7/23/97	10/30/97	AVG
CHLOROMETHANE	25 U	25 U	5 U	0.5 U	0.5 U	25 U	0.0
VINYL CHLORIDE	25 U	25 U	8	15	160	25 U	53.9
CHLOROETHANE	25 U	25 U	5 U	0.5 U	0.5 U	25 U	0.0
BROMOMETHANE	25 U	25 U	5 U	0.5 U	0.5 U	25 U	0.0
1 1-DICHLOROETHENE	25 U	25 U	5 U	0.9	10	25 U	0.7
ACETONE	125 U	120 U	25 U	10 U	10 U	120 U	0.0
CARBON DISULFIDE	25 U	25 U	5 U	0.5 U	0.5 U	25 U	0.0
METHYLENE CHLORIDE	25 U	25 U	5 U	0.5 U	0.7	25 U	1888.6
TRANS-1 2-DICHLOROETHENE	25 U	25 U	5 U	4	19	25 U	2.5
1 1-DICHLOROETHANE	25 U	25 U	5 U	2	9	25 U	2.3
CIS-1 2-DICHLOROETHENE	340	350	170	250	3400	300	2191.9
METHYL ETHYL KETONE	125 U	120 U	25 U	10 U	10 U	120 U	0.0
CHLOROFORM	25 U	25 U	5 U	3	4	25 U	0.9
1 1 1-TRICHLOROETHANE	25 U	25 U	8	6	38	25 U	116.2
CARBON TETRACHLORIDE	25 U	25 U	5 U	0.5 U	0.5 U	25 U	0.0
BENZENE	25 U	25 U	5 U	0.5 U	0.5 U	25 U	0.0
1 2-DICHLOROETHANE	25 U	25 U	5 U	0.5 U	0.5 U	25 U	0.0
TRICHLOROETHENE	320	220	130	190	1100	230	3608.7
1 2-DICHLOROPROPANE	25 U	25 U	5 U	0.5 U	0.5 U	25 U	0.0
BROMODICHLOROMETHANE	25 U	25 U	5 U	0.5 U	0.5 U	25 U	0.0
CIS-1 3-DICHLOROPROPENE	25 U	25 U	5 U	0.5 U	0.5 U	25 U	0.0
MIBK	50 U	50 U	10 U	10 U	10 U	50 U	0.0
TOLUENE	25 U	25 U	5 U	0.5 U	2	25 U	0.5
TRANS-1 3-DICHLOROPROPENE	25 U	25 U	5 U	0.5 U	0.5 U	25 U	0.0
1 1 2-TRICHLOROETHANE	25 U	25 U	5 U	0.5 U	0.5 U	25 U	0.0
TETRACHLOROETHENE	25 U	25 U	5 U	0.5 U	0.5 U	25 U	0.0
2-HEXANONE	50 U	50 U	10 U	10 U	10 U	50 U	0.0
DIBROMOCHLOROMETHANE	25 U	25 U	5 U	0.5 U	0.5 U	25 U	0.0
CHLOROBENZENE	25 U	25 U	5 U	0.5 U	0.5 U	25 U	0.0
ETHYLBENZENE	25 U	25 U	5 U	0.5 U	0.5 U	25 U	0.0
P-XYLENE/M-XYLENE	25 U	25 U	5 U	0.5 U	0.5 U	25 U	1.7
O-XYLENE	25 U	25 U	5 U	0.5 U	0.5 U	25 U	0.0
STYRENE	25 U	25 U	5 U	0.5 U	0.5 U	25 U	0.0
BROMOFORM	25 U	25 U	5 U	0.5 U	0.5 U	25 U	0.0
1 1 2-TETRACHLOROETHANE	25 U	25 U	5 U	0.5 U	0.5 U	25 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 87-02(3)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/93	7/93	10/93	1/94	4/27/94	7/21/94	10/26/94	1/11/95	4/20/95	7/11/95	10/19/95	2/1/96	4/18/96
CHLOROMETHANE					0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
VINYL CHLORIDE					0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U
CHLOROETHANE					0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
BROMOMETHANE					0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
1 1-DICHLOROETHENE					0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
ACETONE					10 U	10 U	10 U	10 U	10 U	10	10 U	0.5 U	10 U
CARBON DISULFIDE					1	1 U	1 U	2	1 U	1	1 U	1	2
METHYLENE CHLORIDE					0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
TRANS-1 2-DICHLOROETHENE					0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
1 1-DICHLOROETHANE					0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
CIS-1 2-DICHLOROETHENE					0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
METHYL ETHYL KETONE					10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
CHLOROFORM					0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
1 1 1-TRICHLOROETHANE					0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
CARBON TETRACHLORIDE					0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
BENZENE					0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
1 2-DICHLOROETHANE					0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
TRICHLOROETHENE					0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
1 2-DICHLOROPROPANE					0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
BROMODICHLOROMETHANE					0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
CIS-1 3-DICHLOROPROPENE					0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
MIBK					10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
TOLUENE					0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
TRANS-1 3-DICHLOROPROPENE					0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
1 1 2-TRICHLOROETHANE					0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
TETRACHLOROETHENE					0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
2-HEXANONE					10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
DIBROMOCHLOROMETHANE					0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
CHLOROBENZENE					0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
ETHYLBENZENE					0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
P-XYLENE/M-XYLENE					0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
O-XYLENE					0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
STYRENE					0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
BROMOFORM					0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
1 1 2 2-TETRACHLOROETHANE					0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	1 U

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 87-02(3)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	7/17/96	10/17/96	1/15/97	4/30/97	7/23/97	10/30/97	AVG
CHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
VINYL CHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
CHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
BROMOMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
1 1-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
ACETONE	10 U	10 U	10 U	10 U	10 U	10 U	0.7
CARBON DISULFIDE	1	3	1	1	1	0.7	1.0
METHYLENE CHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
TRANS-1 2-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
1 1-DICHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
CIS-1 2-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
METHYL ETHYL KETONE	10 U	10 U	10 U	10 U	10 U	10 U	0.0
CHLOROFORM	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
1 1 1-TRICHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
CARBON TETRACHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
BENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.6	0.5 U	0.0
1 2-DICHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
TRICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
1 2-DICHLOROPROPANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
BROMODICHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
CIS-1 3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
MIBK	10 U	10 U	10 U	10 U	10 U	10 U	0.0
TOLUENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
TRANS-1 3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
1 1 2-TRICHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
TETRACHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
2-HEXANONE	10 U	10 U	10 U	10 U	10 U	10 U	0.0
DIBROMOCHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
CHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
ETHYLBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
P-XYLENE/M-XYLENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
O-XYLENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
STYRENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
BROMOFORM	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
1 1 2 2-TETRACHLOROETHANE	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 87-04(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/93	7/93	10/93	1/94	4/27/94	7/21/94	10/26/94	1/12/95	4/20/95	7/12/95	10/19/95	2/2/96	4/17/96
CHLOROMETHANE					5 U	250 U	250 U	125 U	125 U	250 U	50 U	500 U	50 U
VINYL CHLORIDE					82	250 U	180	125 U	125 U	250 U	50 U	500 U	50 U
CHLOROETHANE					5 U	250 U	250 U	125 U	125 U	250 U	50 U	500 U	50 U
BROMOMETHANE					5 U	250 U	250 U	125 U	125 U	250 U	50 U	500 U	50 U
1 1-DICHLOROETHENE					5 U	250 U	250 U	125 U	125 U	250 U	50 U	500 U	50 U
ACETONE					50 U	2500 U	2500 U	1250 U	1250 U	2500 U	500 U	2500 U	250 U
CARBON DISULFIDE					5 U	250 U	250 U	125 U	125 U	250 U	50 U	500 U	50 U
METHYLENE CHLORIDE					5470	250 U	1190	3700	868	1270	260	5200	400
TRANS-1 2-DICHLOROETHENE					8	250 U	250 U	125 U	125 U	250 U	50 U	500 U	50 U
1 1-DICHLOROETHANE					5 U	250 U	250 U	125 U	125 U	250 U	50 U	500 U	50 U
CIS-1 2-DICHLOROETHENE					919	630	1050	345	455	452	330	3400	270
METHYL ETHYL KETONE					50 U	2500 U	2500 U	1250 U	1250 U	2500 U	500 U	2500 U	250 U
CHLOROFORM					5 U	250 U	250 U	125 U	125 U	250 U	50 U	500 U	50 U
1 1 1-TRICHLOROETHANE					5 U	250 U	250 U	125 U	125 U	250 U	50 U	500 U	50 U
CARBON TETRACHLORIDE					5 U	250 U	250 U	125 U	125 U	250 U	50 U	500 U	50 U
BENZENE					5 U	250 U	250 U	125 U	125 U	250 U	50 U	500 U	50 U
1 2-DICHLOROETHANE					5 U	250 U	250 U	125 U	125 U	250 U	50 U	500 U	50 U
TRICHLOROETHENE					128	250 U	128	145	125 U	1060	50 U	11000	50 U
1 2-DICHLOROPROPANE					5 U	250 U	250 U	125 U	125 U	250 U	50 U	500 U	50 U
BROMODICHLOROMETHANE					5 U	250 U	250 U	125 U	125 U	250 U	50 U	500 U	50 U
CIS-1 3-DICHLOROPROPENE					5 U	250 U	250 U	125 U	125 U	250 U	50 U	500 U	50 U
MIBK					50 U	2500 U	2500 U	1250 U	1250 U	2500 U	500 U	2500 U	100 U
TOLUENE					5 U	250 U	250 U	125 U	125 U	250 U	50 U	500 U	50 U
TRANS-1 3-DICHLOROPROPENE					5 U	250 U	250 U	125 U	125 U	250 U	50 U	500 U	50 U
1 1 2-TRICHLOROETHANE					5 U	250 U	250 U	125 U	125 U	250 U	50 U	500 U	50 U
TETRACHLOROETHENE					5 U	250 U	250 U	125 U	125 U	250 U	50 U	500 U	50 U
2-HEXANONE					50 U	2500 U	2500 U	1250 U	1250 U	2500 U	500 U	2500 U	100 U
DIBROMOCHLOROMETHANE					5 U	250 U	250 U	125 U	125 U	250 U	50 U	500 U	50 U
CHLOROBENZENE					5 U	250 U	250 U	125 U	125 U	250 U	50 U	500 U	50 U
ETHYLBENZENE					5 U	250 U	250 U	125 U	125 U	250 U	50 U	500 U	50 U
P-XYLENE/M-XYLENE					5 U	250 U	250 U	125 U	125 U	250 U	50 U	500 U	50 U
O-XYLENE					5 U	250 U	250 U	125 U	125 U	250 U	50 U	500 U	50 U
STYRENE					5 U	250 U	250 U	125 U	125 U	250 U	50 U	500 U	50 U
BROMOFORM					5 U	250 U	250 U	125 U	125 U	250 U	50 U	500 U	50 U
1 1 2 2-TETRACHLOROETHANE					5 U	250 U	250 U	125 U	125 U	250 U	50 U	500 U	50 U

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 87-04(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	7/17/96	10/16/96	1/15/97	4/30/97	7/23/97	AVG
CHLOROMETHANE	25 U	25 U	5 U	0.5 U	0.5 U	0.0
VINYL CHLORIDE	25 U	25 U	5 U	1	2	18.9
CHLOROETHANE	25 U	25 U	5 U	0.5 U	0.5 U	0.0
BROMOMETHANE	25 U	25 U	5 U	0.5 U	0.5 U	0.0
1 1-DICHLOROETHENE	25 U	25 U	5 U	0.5 U	0.5 U	0.0
ACETONE	125 U	120 U	25 U	10 U	10 U	0.0
CARBON DISULFIDE	25 U	25 U	5 U	0.5 U	0.5 U	0.0
METHYLENE CHLORIDE	320	320	170	92	3100	1597.1
TRANS-1 2-DICHLOROETHENE	25 U	25 U	5 U	1	2	0.8
1 1-DICHLOROETHANE	25 U	25 U	5 U	3	4	0.5
CIS-1 2-DICHLOROETHENE	240	270	110	72	130	619.5
METHYL ETHYL KETONE	125 U	120 U	25 U	10 U	10 U	0.0
CHLOROFORM	25 U	25 U	5 U	2	5	0.5
1 1 1-TRICHLOROETHANE	34	37	16	9	10	7.6
CARBON TETRACHLORIDE	25 U	25 U	5 U	0.5 U	0.5 U	0.0
BENZENE	25 U	25 U	5 U	0.5 U	0.5 U	0.0
1 2-DICHLOROETHANE	25 U	25 U	5 U	0.5 U	0.5 U	0.0
TRICHLOROETHENE	25 U	39	15	13	50	898.4
1 2-DICHLOROPROPANE	25 U	25 U	5 U	0.5 U	0.5 U	0.0
BROMODICHLOROMETHANE	25 U	25 U	5 U	0.5 U	0.5 U	0.0
CIS-1 3-DICHLOROPROPENE	25 U	25 U	5 U	0.5 U	0.5 U	0.0
MIBK	50 U	50 U	10 U	10 U	10 U	0.0
TOLUENE	25 U	25 U	5 U	0.5 U	0.5 U	0.0
TRANS-1 3-DICHLOROPROPENE	25 U	25 U	5 U	0.5 U	0.5 U	0.0
1 1 2-TRICHLOROETHANE	25 U	25 U	5 U	0.5 U	0.5 U	0.0
TETRACHLOROETHENE	25 U	25 U	5 U	0.5 U	0.5 U	0.0
2-HEXANONE	50 U	50 U	10 U	10 U	10 U	0.0
DIBROMOCHLOROMETHANE	25 U	25 U	5 U	0.5 U	0.5 U	0.0
CHLOROBENZENE	25 U	25 U	5 U	0.5 U	0.5 U	0.0
ETHYLBENZENE	25 U	25 U	5 U	0.5 U	0.5 U	0.0
P-XYLENE/M-XYLENE	25 U	25 U	5 U	0.6	0.5 U	0.0
O-XYLENE	25 U	25 U	5 U	0.5 U	0.5 U	0.0
STYRENE	25 U	25 U	5 U	0.5 U	0.5 U	0.0
BROMOFORM	25 U	25 U	5 U	0.5 U	0.5 U	0.0
1 1 2 2-TETRACHLOROETHANE	25 U	25 U	5 U	0.5 U	0.5 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 87-08(1)
 ANALYTICAL SAMPLING RESULTS
 (Concentrations in ug/L)

ANALYTE	4/93	7/93	10/93	1/94	4/28/94	7/21/94	10/25/94	1/12/95	4/20/95	7/12/95	10/19/95	2/1/96	4/17/96
CHLOROMETHANE					5 U	25 U	25 U	50 U	500 U	5 U	100 U	50 U	50 U
VINYL CHLORIDE					42	30	150	72	662	72	100 U	76	100
CHLOROETHANE					5 U	25 U	25 U	50 U	500 U	5 U	100 U	50 U	50 U
BROMOMETHANE					5 U	25 U	25 U	50 U	500 U	5 U	100 U	50 U	50 U
1 1-DICHLOROETHENE					5 U	25 U	25 U	50 U	500 U	5 U	100 U	50 U	50 U
ACETONE					50 U	250 U	250 U	500 U	5000 U	50 U	1000 U	260	250 U
CARBON DISULFIDE					5 U	25 U	25 U	50 U	500 U	5 U	100 U	50 U	50 U
METHYLENE CHLORIDE					5 U	25 U	25 U	50 U	500 U	5 U	220	50 U	790
TRANS-1 2-DICHLOROETHENE					10	25 U	25 U	50 U	500 U	5 U	100 U	50 U	50 U
1 1-DICHLOROETHANE					5 U	25 U	25 U	50 U	500 U	5 U	100 U	50 U	50 U
CIS-1 2-DICHLOROETHENE					684	523	1340	1160	12600	1090	1400	1200	950
METHYL ETHYL KETONE					50 U	250 U	250 U	500 U	5000 U	50 U	1000 U	250 U	250 U
CHLOROFORM					5 U	25 U	25 U	50 U	500 U	5 U	100 U	50 U	50 U
1 1 1-TRICHLOROETHANE					5 U	25 U	25 U	50 U	500 U	5 U	100 U	50 U	50 U
CARBON TETRACHLORIDE					5 U	25 U	25 U	50 U	500 U	5 U	100 U	50 U	50 U
BENZENE					5 U	25 U	25 U	50 U	500 U	5 U	100 U	50 U	50 U
1 2-DICHLOROETHANE					5 U	25 U	25 U	50 U	500 U	5 U	100 U	50 U	50 U
TRICHLOROETHENE					81	57	184	94	950	49	220	200	130
1 2-DICHLOROPROPANE					5 U	25 U	25 U	50 U	500 U	5 U	100 U	50 U	50 U
BROMODICHLOROMETHANE					5 U	25 U	25 U	50 U	500 U	5 U	100 U	50 U	50 U
CIS-1 3-DICHLOROPROPENE					5 U	25 U	25 U	50 U	500 U	5 U	100 U	50 U	50 U
MIBK					50 U	250 U	250 U	500 U	5000 U	50 U	1000 U	250 U	100 U
TOLUENE					5 U	25 U	25 U	50 U	500 U	5 U	100 U	50 U	50 U
TRANS-1 3-DICHLOROPROPENE					5 U	25 U	25 U	50 U	500 U	5 U	100 U	50 U	50 U
1 1 2-TRICHLOROETHANE					5 U	25 U	25 U	50 U	500 U	5 U	100 U	50 U	50 U
TETRACHLOROETHENE					5 U	25 U	25 U	50 U	500 U	5 U	100 U	50 U	50 U
2-HEXANONE					50 U	250 U	250 U	500 U	5000 U	50 U	1000 U	250 U	100 U
DIBROMOCHLOROMETHANE					5 U	25 U	25 U	50 U	500 U	5 U	100 U	50 U	50 U
CHLOROBENZENE					5 U	25 U	25 U	50 U	500 U	5 U	100 U	50 U	50 U
ETHYLBENZENE					5 U	25 U	25 U	50 U	500 U	5 U	100 U	50 U	50 U
P-XYLENE/M-XYLENE					5 U	25 U	25 U	50 U	500 U	5 U	100 U	50 U	50 U
O-XYLENE					5 U	25 U	25 U	50 U	500 U	5 U	100 U	50 U	50 U
STYRENE					5 U	25 U	25 U	50 U	500 U	5 U	100 U	50 U	50 U
BROMOFORM					5 U	25 U	25 U	50 U	500 U	5 U	100 U	50 U	50 U
1 1 2 2-TETRACHLOROETHANE					5 U	25 U	25 U	50 U	500 U	5 U	100 U	50 U	50 U

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 87-08(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	7/17/96	10/16/96	1/15/97	4/30/97	7/23/97	10/30/97	AVG
CHLOROMETHANE	50 U	120 U	120 U	250 U	25 U	100 U	0.0
VINYL CHLORIDE	94	120 U	120 U	250 U	53	110	97.4
CHLOROETHANE	50 U	120 U	120 U	250 U	25 U	100 U	0.0
BROMOMETHANE	50 U	120 U	120 U	250 U	25 U	100 U	0.0
1 1-DICHLOROETHENE	50 U	120 U	120 U	250 U	25 U	100 U	0.0
ACETONE	250 U	620 U	620 U	1200 U	500 U	500 U	17.3
CARBON DISULFIDE	50 U	120 U	120 U	250 U	25 U	100 U	0.0
METHYLENE CHLORIDE	3200	3400	11000	6800	54	870	1755.6
TRANS-1 2-DICHLOROETHENE	50 U	120 U	120 U	250 U	25 U	100 U	0.7
1 1-DICHLOROETHANE	50 U	120 U	120 U	250 U	25 U	100 U	0.0
CIS-1 2-DICHLOROETHENE	1500	1300	1100	1300	1300	1500	1929.8
METHYL ETHYL KETONE	250 U	620 U	620 U	1200 U	500 U	500 U	0.0
CHLOROFORM	50 U	120 U	120 U	250 U	25 U	100 U	0.0
1 1 1-TRICHLOROETHANE	50 U	120 U	120 U	250 U	25 U	100 U	0.0
CARBON TETRACHLORIDE	50 U	120 U	120 U	250 U	25 U	100 U	0.0
BENZENE	50 U	120 U	120 U	250 U	25 U	100 U	0.0
1 2-DICHLOROETHANE	50 U	120 U	120 U	250 U	25 U	100 U	0.0
TRICHLOROETHENE	650	550	550	420	790	400	355.0
1 2-DICHLOROPROPANE	50 U	120 U	120 U	250 U	25 U	100 U	0.0
BROMODICHLOROMETHANE	50 U	120 U	120 U	250 U	25 U	100 U	0.0
CIS-1 3-DICHLOROPROPENE	50 U	120 U	120 U	250 U	25 U	100 U	0.0
MIBK	100 U	250 U	250 U	500 U	500 U	200 U	0.0
TOLUENE	50 U	120 U	120 U	250 U	25 U	100 U	0.0
TRANS-1 3-DICHLOROPROPENE	50 U	120 U	120 U	250 U	25 U	100 U	0.0
1 1 2-TRICHLOROETHANE	50 U	120 U	120 U	250 U	25 U	100 U	0.0
TETRACHLOROETHENE	50 U	120 U	120 U	250 U	25 U	100 U	0.0
2-HEXANONE	100 U	250 U	250 U	500 U	500 U	200 U	0.0
DIBROMOCHLOROMETHANE	50 U	120 U	120 U	250 U	25 U	100 U	0.0
CHLOROBENZENE	50 U	120 U	120 U	250 U	25 U	100 U	0.0
ETHYLBENZENE	50 U	120 U	120 U	250 U	25 U	100 U	0.0
P-XYLENE/M-XYLENE	50 U	120 U	120 U	250 U	25 U	100 U	0.0
O-XYLENE	50 U	120 U	120 U	250 U	25 U	100 U	0.0
STYRENE	50 U	120 U	120 U	250 U	25 U	100 U	0.0
BROMOFORM	50 U	120 U	120 U	250 U	25 U	100 U	0.0
1 1 2 2-TETRACHLOROETHANE	50 U	120 U	120 U	250 U	25 U	100 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 87-10(0)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/93	7/93	10/93	1/20/94	4/94	7/94	10/94	1/11/95	4/95	7/95	10/95	2/1/96	4/96	7/96	10/16/96
CHLOROMETHANE				0.5 U				0.5 U				0.5 U			0.5 U
VINYL CHLORIDE				0.5 U				0.5 U				0.5 U			0.5 U
CHLOROETHANE				0.5 U				0.5 U				0.8			0.5 U
BROMOMETHANE				0.5 U				0.5 U				0.5 U			0.5 U
1 1-DICHLOROETHENE				0.5 U				0.5				0.5 U			0.5 U
ACETONE				50 U				10 U				10 U			10 U
CARBON DISULFIDE				0.5 U				0.5 U				0.5 U			0.7
METHYLENE CHLORIDE				0.5 U				0.5 U				0.5 U			0.5 U
TRANS-1 2-DICHLOROETHENE				0.6				1				1			0.5 U
1 1-DICHLOROETHANE				2				4				6			2
CIS-1 2-DICHLOROETHENE				85				128				211			54
METHYL ETHYL KETONE				50 U				10 U				10 U			10 U
CHLOROFORM				0.8				2				0.5 U			5
1 1 1-TRICHLOROETHANE				10				15				25			8
CARBON TETRACHLORIDE				0.5 U				0.5 U				4			0.5 U
BENZENE				0.5 U				0.5 U				0.5 U			0.5 U
1 2-DICHLOROETHANE				0.5 U				0.5 U				0.5 U			0.5 U
TRICHLOROETHENE				9				12				5			2
1 2-DICHLOROPROPANE				0.5 U				0.5 U				0.5 U			0.5 U
BROMODICHLOROMETHANE				0.5 U				0.5 U				0.5 U			0.5 U
CIS-1 3-DICHLOROPROPENE				0.5 U				0.5 U				0.5 U			0.5 U
MIBK				50 U				10 U				10 U			10 U
TOLUENE				0.6 U				0.5 U				0.5 U			0.5 U
TRANS-1 3-DICHLOROPROPENE				0.5 U				0.5 U				0.5 U			0.5 U
1 1 2-TRICHLOROETHANE				0.5 U				0.5 U				0.5 U			0.5 U
TETRACHLOROETHENE				0.5 U				0.5 U				0.5 U			0.5 U
2-HEXANONE				50 U				10 U				10 U			10 U
DIBROMOCHLOROMETHANE				0.5 U				0.5 U				0.5 U			0.5 U
CHLOROBENZENE				0.5 U				0.5 U				0.5 U			0.5 U
ETHYLBENZENE				0.5 U				0.5 U				0.5 U			0.5 U
P-XYLENE/M-XYLENE				0.6				0.5 U				0.5 U			0.5 U
O-XYLENE				0.5 U				0.5 U				0.5 U			0.5 U
STYRENE				0.5 U				0.5 U				0.5 U			0.5 U
BROMOFORM				0.5 U				0.5 U				0.5 U			0.5 U
1 1 2 2-TETRACHLOROETHANE				0.5 U				0.5 U				1 U			0.5 U

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 87-10(0)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	1/97	4/97	7/97	10/30/97	AVG
CHLOROMETHANE				0.5 U	0.00
VINYL CHLORIDE				0.5 U	0.00
CHLOROETHANE				0.5 U	0.16
BROMOMETHANE				0.5 U	0.00
1 1-DICHLOROETHENE				0.5 U	0.10
ACETONE				10	2.00
CARBON DISULFIDE				0.5 U	0.14
METHYLENE CHLORIDE				0.5 U	0.00
TRANS-1 2-DICHLOROETHENE				0.5 U	0.52
1 1-DICHLOROETHANE				1	3.00
CIS-1 2-DICHLOROETHENE				46	104.80
METHYL ETHYL KETONE				10 U	0.00
CHLOROFORM				3	2.16
1 1 1-TRICHLOROETHANE				3	12.20
CARBON TETRACHLORIDE				0.5 U	0.80
BENZENE				0.5 U	0.00
1 2-DICHLOROETHANE				0.5 U	0.00
TRICHLOROETHENE				1	5.80
1 2-DICHLOROPROPANE				0.5 U	0.00
BROMODICHLOROMETHANE				0.5 U	0.00
CIS-1 3-DICHLOROPROPENE				0.5 U	0.00
MIBK				10 U	0.00
TOLUENE				0.5 U	0.00
TRANS-1 3-DICHLOROPROPENE				0.5 U	0.00
1 1 2-TRICHLOROETHANE				0.5 U	0.00
TETRACHLOROETHENE				0.5 U	0.00
2-HEXANONE				10 U	0.00
DIBROMOCHLOROMETHANE				0.5 U	0.00
CHLOROBENZENE				0.5 U	0.00
ETHYLBENZENE				0.5 U	0.00
P-XYLENE/M-XYLENE				0.5 U	0.12
O-XYLENE				0.5 U	0.00
STYRENE				0.5 U	0.00
BROMOFORM				0.5 U	0.00
1 1 2 2-TETRACHLOROETHANE				0.5 U	0.00

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 87-12(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/93	7/93	10/93	1/21/94	4/94	7/20/94	10/25/94	1/9/95	4/19/95	7/13/95	10/18/95	1/31/96	4/18/96
CHLOROMETHANE				5 U	250 U	250 U	250 U	250 U	250 U	500 U	500 U	500 U	125 U
VINYL CHLORIDE				167	250 U	250 U	250 U	250 U	250 U	500 U	500 U	500 U	125 U
CHLOROETHANE				5 U	250 U	250 U	250 U	250 U	250 U	500 U	500 U	500 U	125 U
BROMOMETHANE				5 U	250 U	250 U	250 U	250 U	250 U	500 U	500 U	500 U	125 U
1 1-DICHLOROETHENE				17	250 U	250 U	250 U	250 U	250 U	500 U	500 U	500 U	125 U
ACETONE				50 U	2500 U	2500 U	2500 U	2500 U	2500 U	5000 U	5000 U	2500 U	625 U
CARBON DISULFIDE				9	250 U	250 U	250 U	250 U	250 U	500 U	500 U	500 U	125 U
METHYLENE CHLORIDE				2510	250 U	250 U	250 U	250 U	250 U	500 U	500 U	500 U	125 U
TRANS-1 2-DICHLOROETHENE				27	250 U	250 U	250 U	250 U	250 U	500 U	500 U	500 U	125 U
1 1-DICHLOROETHANE				62	250 U	250 U	250 U	250 U	250 U	500 U	500 U	500 U	125 U
CIS-1 2-DICHLOROETHENE				11000	9830	6300	8570	12300	7010	7400	9600	10000	2000
METHYL ETHYL KETONE				50 U	2500 U	2500 U	2500 U	2500 U	2500 U	5000 U	5000 U	2500 U	625 U
CHLOROFORM				7	250 U	250 U	250 U	250 U	250 U	500 U	500 U	500 U	125 U
1 1 1-TRICHLOROETHANE				464	250 U	250 U	254	348	250 U	500 U	500 U	500 U	125 U
CARBON TETRACHLORIDE				5 U	250 U	250 U	250 U	250 U	250 U	500 U	500 U	500 U	125 U
BENZENE				5 U	250 U	250 U	250 U	250 U	250 U	500 U	500 U	500 U	125 U
1 2-DICHLOROETHANE				5 U	250 U	250 U	250 U	250 U	250 U	500 U	500 U	500 U	125 U
TRICHLOROETHENE				35000	1320	1490	2300	8570	2270	8500	12000	17000	1500
1 2-DICHLOROPROPANE				5 U	250 U	250 U	250 U	250 U	250 U	500 U	500 U	500 U	125 U
BROMODICHLOROMETHANE				5 U	250 U	250 U	250 U	250 U	250 U	500 U	500 U	500 U	125 U
CIS-1 3-DICHLOROPROPENE				5 U	250 U	250 U	250 U	250 U	250 U	500 U	500 U	500 U	125 U
MIBK				50 U	2500 U	2500 U	2500 U	2500 U	2500 U	5000 U	5000 U	2500 U	250 U
TOLUENE				20	250 U	250 U	250 U	250 U	300	500 U	500 U	500 U	125 U
TRANS-1 3-DICHLOROPROPENE				5 U	250 U	250 U	250 U	250 U	250 U	500 U	500 U	500 U	125 U
1 1 2-TRICHLOROETHANE				5 U	250 U	250 U	250 U	250 U	250 U	500 U	500 U	500 U	125 U
TETRACHLOROETHENE				8	250 U	250 U	250 U	250 U	250 U	500 U	500 U	500 U	125 U
2-HEXANONE				50 U	2500 U	2500 U	2500 U	2500 U	2500 U	5000 U	5000 U	2500 U	250 U
DIBROMOCHLOROMETHANE				5 U	250 U	250 U	250 U	250 U	250 U	500 U	500 U	500 U	125 U
CHLOROBENZENE				5 U	250 U	250 U	250 U	250 U	250 U	500 U	500 U	500 U	125 U
ETHYLBENZENE				5 U	250 U	250 U	250 U	250 U	250 U	500 U	500 U	500 U	125 U
P-XYLENE/M-XYLENE				5 U	250 U	250 U	250 U	250 U	250 U	500 U	500 U	500 U	125 U
O-XYLENE				5 U	250 U	250 U	250 U	250 U	250 U	500 U	500 U	500 U	125 U
STYRENE				5 U	250 U	250 U	250 U	250 U	250 U	500 U	500 U	500 U	125 U
BROMOFORM				5 U	250 U	250 U	250 U	250 U	250 U	500 U	500 U	500 U	125 U
1 1 2 2-TETRACHLOROETHANE				5 U	250 U	250 U	250 U	250 U	250 U	500 U	500 U	500 U	125 U

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 87-12(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	7/17/96	10/17/96	1/15/97	4/29/97	7/22/97	AVG
CHLOROMETHANE	125 U	250 U	120 U	500 U	25 U	0.0
VINYL CHLORIDE	160	250 U	240	500 U	260	55.1
CHLOROETHANE	125 U	250 U	120 U	500 U	25 U	0.0
BROMOMETHANE	125 U	250 U	120 U	500 U	25 U	0.0
1 1-DICHLOROETHENE	125 U	250 U	120 U	500 U	25 U	1.1
ACETONE	625 U	1200 U	620 U	2500 U	500 U	0.0
CARBON DISULFIDE	125 U	250 U	120 U	500 U	25 U	0.6
METHYLENE CHLORIDE	125 U	250 U	150	500 U	68	181.9
TRANS-1 2-DICHLOROETHENE	125 U	250 U	120 U	500 U	25 U	1.8
1 1-DICHLOROETHANE	125 U	250 U	120 U	500 U	25 U	4.1
CIS-1 2-DICHLOROETHENE	5000	3400	12000	7500	7500	7960.7
METHYL ETHYL KETONE	625 U	1200 U	620 U	2500 U	500 U	0.0
CHLOROFORM	125 U	250 U	120 U	500 U	25 U	0.5
1 1 1-TRICHLOROETHANE	125 U	250 U	120 U	500 U	70	75.7
CARBON TETRACHLORIDE	125 U	250 U	120 U	500 U	25 U	0.0
BENZENE	125 U	250 U	120 U	500 U	25 U	0.0
1 2-DICHLOROETHANE	125 U	250 U	120 U	500 U	25 U	0.0
TRICHLOROETHENE	6200	3200	13000	6100	5800	8283.3
1 2-DICHLOROPROPANE	125 U	250 U	120 U	500 U	25 U	0.0
BROMODICHLOROMETHANE	125 U	250 U	120 U	500 U	25 U	0.0
CIS-1 3-DICHLOROPROPENE	125 U	250 U	120 U	500 U	25 U	0.0
MIBK	250 U	500 U	250 U	1000 U	500 U	0.0
TOLUENE	125 U	250 U	120 U	500 U	25 U	21.3
TRANS-1 3-DICHLOROPROPENE	125 U	250 U	120 U	500 U	25 U	0.0
1 1 2-TRICHLOROETHANE	125 U	250 U	120 U	500 U	25 U	0.0
TETRACHLOROETHENE	125 U	250 U	120 U	500 U	25 U	0.5
2-HEXANONE	250 U	500 U	250 U	1000 U	500 U	0.0
DIBROMOCHLOROMETHANE	125 U	250 U	120 U	500 U	25 U	0.0
CHLOROBENZENE	125 U	250 U	120 U	500 U	25 U	0.0
ETHYLBENZENE	125 U	250 U	120 U	500 U	25 U	0.0
P-XYLENE/M-XYLENE	125 U	250 U	120 U	500 U	25 U	0.0
O-XYLENE	125 U	250 U	120 U	500 U	25 U	0.0
STYRENE	125 U	250 U	120 U	500 U	25 U	0.0
BROMOFORM	125 U	250 U	120 U	500 U	25 U	0.0
1 1 2 2-TETRACHLOROETHANE	125 U	250 U	120 U	500 U	25 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 87-13(3)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/93	7/21/93	10/93	1/24/94	4/94	7/21/94	10/25/94	1/12/95	4/20/95	7/12/95	10/19/95	2/2/96	4/17/96
CHLOROMETHANE		5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U
VINYL CHLORIDE		9		24	22	21	25	26	23	32	62	12	10
CHLOROETHANE		5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U
BROMOMETHANE		5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U
1 1-DICHLOROETHENE		5 U		0.6	1	1 U	0.7	1	5 U	1	10 U	3 U	1
ACETONE		50 U		50 U	10 U	10 U	14	10 U	50 U	10	100 U	50 U	10 U
CARBON DISULFIDE		26		23	31	47	41	41	5 U	44	70	40	38
METHYLENE CHLORIDE		5 U		0.5 U	1	1 U	0.7	2	5 U	2	10 U	3	1
TRANS-1 2-DICHLOROETHENE		5 U		0.5 U	1	1 U	0.9	0.8	5 U	1	10 U	3 U	1
1 1-DICHLOROETHANE		5 U		0.5 U	1	1	1	2	5 U	1	10 U	3 U	1
CIS-1 2-DICHLOROETHENE		104		50	153	179	175	224	130	171	390	92	85
METHYL ETHYL KETONE		50 U		50 U	10 U	10 U	10 U	10 U	50 U	10 U	100 U	50 U	10 U
CHLOROFORM		5 U		0.5 U	0.5 U	1 U	1	0.5 U	5 U	1 U	10 U	3 U	0.5 U
1 1 1-TRICHLOROETHANE		5 U		0.5 U	0.5 U	1 U	1 U	1	5 U	1 U	10 U	3 U	0.5 U
CARBON TETRACHLORIDE		5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U
BENZENE		5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U
1 2-DICHLOROETHANE		5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U
TRICHLOROETHENE		134		193	287	282	309	129	192	195	270	228	210
1 2-DICHLOROPROPANE		5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U
BROMODICHLOROMETHANE		5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U
CIS-1 3-DICHLOROPROPENE		5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U
MIBK		50 U		50 U	10 U	10 U	10 U	10 U	50 U	10 U	100 U	50 U	10 U
TOLUENE		5 U		0.6	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U
TRANS-1 3-DICHLOROPROPENE		5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U
1 1 2-TRICHLOROETHANE		5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U
TETRACHLOROETHENE		5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U
2-HEXANONE		50 U		50 U	10 U	10 U	10 U	10 U	50 U	10 U	100 U	50 U	10 U
DIBROMOCHLOROMETHANE		5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U
CHLOROBENZENE		5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U
ETHYLBENZENE		5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U
P-XYLENE/M-XYLENE		5 U		0.5	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U
O-XYLENE		5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U
STYRENE		5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U
BROMOFORM		5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U
1 1 2 2-TETRACHLOROETHANE		5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	5 U	1 U

NOTES:

U = Below Practical Quantitation Limit (PQL)

B = Analyte detected in method or trip blank

Blank = Not sampled

WELL NUMBER 87-13(3)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	7/17/96	10/18/96	1/15/97	4/30/97	7/23/97	10/31/97	AVG
CHLOROMETHANE	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	0.0
VINYL CHLORIDE	12	9	10	18	10	32	21.0
CHLOROETHANE	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	0.0
BROMOMETHANE	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	0.0
1 1-DICHLOROETHENE	3 U	0.6	0.5	0.9	2 U	5 U	0.4
ACETONE	50 U	0.5 U	10 U	10 U	50 U	25 U	1.4
CARBON DISULFIDE	34	124	40	44	42	62	43.9
METHYLENE CHLORIDE	3 U	1	1	0.8 B	22	5 U	2.0
TRANS-1 2-DICHLOROETHENE	3 U	0.6	0.5 U	0.6	2 U	5 U	0.3
1 1-DICHLOROETHANE	3 U	0.5 U	0.6	0.7	2 U	5 U	0.5
CIS-1 2-DICHLOROETHENE	106	71	80	110	87	140	138.1
METHYL ETHYL KETONE	50 U	10 U	10 U	10 U	50 U	25 U	0.0
CHLOROFORM	3 U	0.5	0.5 U	0.5 U	2 U	5 U	0.1
1 1 1-TRICHLOROETHANE	3 U	0.5 U	0.5 U	1 B	2 U	5 U	0.1
CARBON TETRACHLORIDE	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	0.0
BENZENE	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	0.0
1 2-DICHLOROETHANE	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	0.0
TRICHLOROETHENE	213	190	190	220	170	130	208.4
1 2-DICHLOROPROPANE	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	0.0
BROMODICHLOROMETHANE	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	0.0
CIS-1 3-DICHLOROPROPENE	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	0.0
MIBK	50 U	10 U	10 U	10 U	50 U	10 U	0.0
TOLUENE	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	0.0
TRANS-1 3-DICHLOROPROPENE	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	0.0
1 1 2-TRICHLOROETHANE	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	0.0
TETRACHLOROETHENE	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	0.0
2-HEXANONE	50 U	10 U	10 U	10 U	50 U	10 U	0.0
DIBROMOCHLOROMETHANE	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	0.0
CHLOROBENZENE	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	0.0
ETHYLBENZENE	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	0.0
P-XYLENE/M-XYLENE	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	0.0
O-XYLENE	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	0.0
STYRENE	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	0.0
BROMOFORM	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	0.0
1 1 2 2-TETRACHLOROETHANE	5 U	0.5 U	0.5 U	0.5 U	2 U	5 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

B = Analyte detected in method or trip blank

Blank = Not sampled

WELL NUMBER 87-14(0)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/93	7/93	10/93	1/94	4/94	7/94	10/94	1/12/95	4/95	7/95	10/95	2/2/96	4/96	7/96	10/18/96
CHLOROMETHANE								0.5 U				0.5 U			0.5 U
VINYL CHLORIDE								7				6			4
CHLOROETHANE								0.5 U				0.5 U			0.5 U
BROMOMETHANE								0.5 U				0.5 U			0.5 U
1 1-DICHLOROETHENE								95				44			36
ACETONE								10 U				10 U			10 U
CARBON DISULFIDE								2				0.5 U			96
METHYLENE CHLORIDE								14				820			0.5 U
TRANS-1 2-DICHLOROETHENE								210				45			64
1 1-DICHLOROETHANE								4				2			2
CIS-1 2-DICHLOROETHENE								0.5 U				9200			7150
METHYL ETHYL KETONE								10 U				10 U			10 U
CHLOROFORM								0.5 U				163			160
1 1 1-TRICHLOROETHANE								2				0.5 U			1
CARBON TETRACHLORIDE								0.5 U				0.5 U			2
BENZENE								30				15			12
1 2-DICHLOROETHANE								0.5 U				0.5 U			0.5 U
TRICHLOROETHENE								0.5 U				18000			13200
1 2-DICHLOROPROPANE								0.5 U				0.5 U			0.5 U
BROMODICHLOROMETHANE								0.5 U				0.5 U			0.5 U
CIS-1 3-DICHLOROPROPENE								0.5 U				0.5 U			0.5 U
MIBK								10 U				10 U			10 U
TOLUENE								7				3			2
TRANS-1 3-DICHLOROPROPENE								0.5 U				0.5 U			0.5 U
1 1 2-TRICHLOROETHANE								3				2			2
TETRACHLOROETHENE								0.5 U				0.5 U			0.5 U
2-HEXANONE								10 U				10 U			10 U
DIBROMOCHLOROMETHANE								0.5 U				0.5 U			0.5 U
CHLOROBENZENE								0.5 U				0.5 U			0.5 U
ETHYLBENZENE								0.5 U				0.8			0.6
P-XYLENE/M-XYLENE								0.5 U				2			1
O-XYLENE								0.5 U				0.8			0.9
STYRENE								0.5 U				0.5 U			0.5 U
BROMOFORM								0.5 U				0.5 U			0.5 U
1 1 2 2-TETRACHLOROETHANE								0.5 U				1 U			0.5 U

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

ANALYTE	1/97	4/97	7/97	10/31/97	AVG
CHLOROMETHANE				0.5 U	0.0
VINYL CHLORIDE				2	4.8
CHLOROETHANE				0.5 U	0.0
BROMOMETHANE				0.5 U	0.0
1 1-DICHLOROETHENE				23	49.5
ACETONE				10 U	0.0
CARBON DISULFIDE				2	25.0
METHYLENE CHLORIDE				0.5 U	208.5
TRANS-1 2-DICHLOROETHENE				29	87.0
1 1-DICHLOROETHANE				1	2.3
CIS-1 2-DICHLOROETHENE				3800	5037.5
METHYL ETHYL KETONE				10 U	0.0
CHLOROFORM				85	102.0
1 1 1-TRICHLOROETHANE				0.5 U	0.8
CARBON TETRACHLORIDE				0.5 U	0.5
BENZENE				6	15.8
1 2-DICHLOROETHANE				0.5 U	0.0
TRICHLOROETHENE				9500	10175.0
1 2-DICHLOROPROPANE				0.5 U	0.0
BROMODICHLOROMETHANE				0.5 U	0.0
CIS-1 3-DICHLOROPROPENE				0.5 U	0.0
MIBK				10 U	0.0
TOLUENE				1	3.3
TRANS-1 3-DICHLOROPROPENE				0.5 U	0.0
1 1 2-TRICHLOROETHANE				2	2.3
TETRACHLOROETHENE				0.5 U	0.0
2-HEXANONE				10 U	0.0
DIBROMOCHLOROMETHANE				0.5 U	0.0
CHLOROBENZENE				0.5 U	0.0
ETHYLBENZENE				0.5 U	0.4
P-XYLENE/M-XYLENE				0.7	0.9
O-XYLENE				0.7	0.6
STYRENE				0.5 U	0.0
BROMOFORM				0.5 U	0.0
1 1 2 2-TETRACHLOROETHANE				0.5 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 87-17(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/93	7/93	10/93	1/94	4/28/94	7/21/94	10/25/94	1/12/95	4/20/95	7/12/95	10/19/95	2/1/96	4/17/96
CHLOROMETHANE					5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U
VINYL CHLORIDE					101	96	69	103	82	95	125	130	120
CHLOROETHANE					5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U
BROMOMETHANE					5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U
1 1-DICHLOROETHENE					5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U
ACETONE					50 U	500 U	500 U	250 U	250 U	500 U	250 U	250 U	125 U
CARBON DISULFIDE					5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U
METHYLENE CHLORIDE					5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U
TRANS-1 2-DICHLOROETHENE					6	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U
1 1-DICHLOROETHANE					29	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U
CIS-1 2-DICHLOROETHENE					814	747	310	757	655	660	830	610	570
METHYL ETHYL KETONE					50 U	500 U	500 U	250 U	250 U	500 U	250 U	250 U	125 U
CHLOROFORM					5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U
1 1 1-TRICHLOROETHANE					196	50 U	50 U	147	142	131	120	80	89
CARBON TETRACHLORIDE					5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U
BENZENE					5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U
1 2-DICHLOROETHANE					5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U
TRICHLOROETHENE					60	104	50 U	55	25 U	50 U	25 U	50 U	25 U
1 2-DICHLOROPROPANE					5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U
BROMODICHLOROMETHANE					5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U
CIS-1 3-DICHLOROPROPENE					5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U
MIBK					50 U	500 U	500 U	250 U	250 U	500 U	250 U	250 U	50 U
TOLUENE					5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U
TRANS-1 3-DICHLOROPROPENE					5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U
1 1 2-TRICHLOROETHANE					5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U
TETRACHLOROETHENE					5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U
2-HEXANONE					50 U	500 U	500 U	250 U	250 U	500 U	250 U	250 U	50 U
DIBROMOCHLOROMETHANE					5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U
CHLOROBENZENE					5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U
ETHYLBENZENE					5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U
P-XYLENE/M-XYLENE					5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U
O-XYLENE					5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U
STYRENE					5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U
BROMOFORM					5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U
1 1 2 2-TETRACHLOROETHANE					5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 87-17(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	7/17/96	10/16/96	1/15/97	4/30/97	7/23/97	10/31/97	AVG
CHLOROMETHANE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
VINYL CHLORIDE	91	59	100	100	89	120	98.7
CHLOROETHANE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
BROMOMETHANE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
1 1-DICHLOROETHENE	25 U	25 U	25 U	4	2 U	25 U	0.3
ACETONE	125 U	120 U	120 U	50 U	50 U	120 U	0.0
CARBON DISULFIDE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
METHYLENE CHLORIDE	25 U	25 U	25 U	2.5 U	3	25 U	0.2
TRANS-1 2-DICHLOROETHENE	25 U	25 U	25 U	4	3	25 U	0.9
1 1-DICHLOROETHANE	25 U	25 U	25 U	23	24	38	7.6
CIS-1 2-DICHLOROETHENE	670	450	590	590	530	680	630.9
METHYL ETHYL KETONE	125 U	120 U	120 U	50 U	50 U	120 U	0.0
CHLOROFORM	25 U	25 U	25 U	2.5 U	5	25 U	0.3
1 1 1-TRICHLOROETHANE	100	61	81	120	100	140	100.5
CARBON TETRACHLORIDE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
BENZENE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
1 2-DICHLOROETHANE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
TRICHLOROETHENE	25 U	25 U	25 U	24	13	25 U	17.1
1 2-DICHLOROPROPANE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
BROMODICHLOROMETHANE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
CIS-1 3-DICHLOROPROPENE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
MIBK	50 U	50 U	50 U	50 U	50 U	50 U	0.0
TOLUENE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
TRANS-1 3-DICHLOROPROPENE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
1 1 2-TRICHLOROETHANE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
TETRACHLOROETHENE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
2-HEXANONE	50 U	50 U	50 U	50 U	50 U	50 U	0.0
DIBROMOCHLOROMETHANE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
CHLOROBENZENE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
ETHYLBENZENE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
P-XYLENE/M-XYLENE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
O-XYLENE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
STYRENE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
BROMOFORM	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
1 1 2 2-TETRACHLOROETHANE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 87-18(0)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/93	7/93	10/93	1/94	4/94	7/94	10/94	1/95	4/95	7/95	10/95	1/31/96	4/18/96	7/96	10/96	1/97
CHLOROMETHANE												0.5 U	0.5 U			
VINYL CHLORIDE												0.5 U	0.5 U			
CHLOROETHANE												0.5 U	0.5 U			
BROMOMETHANE												0.5 U	0.5 U			
1 1-DICHLOROETHENE												0.5 U	0.5 U			
ACETONE												10 U	10 U			
CARBON DISULFIDE												0.5 U	0.5 U			
METHYLENE CHLORIDE												0.5 U	0.5 U			
TRANS-1 2-DICHLOROETHENE												0.5 U	0.5 U			
1 1-DICHLOROETHANE												0.5 U	0.5 U			
CIS-1 2-DICHLOROETHENE												0.5 U	0.5 U			
METHYL ETHYL KETONE												10 U	10 U			
CHLOROFORM												0.5 U	0.5 U			
1 1 1-TRICHLOROETHANE												0.5 U	0.5 U			
CARBON TETRACHLORIDE												0.5 U	0.5 U			
BENZENE												0.5 U	0.5 U			
1 2-DICHLOROETHANE												0.5 U	0.5 U			
TRICHLOROETHENE												0.5 U	0.5 U			
1 2-DICHLOROPROPANE												0.5 U	0.5 U			
BROMODICHLOROMETHANE												0.5 U	0.5 U			
CIS-1 3-DICHLOROPROPENE												0.5 U	0.5 U			
MIBK												10 U	10 U			
TOLUENE												0.5 U	0.5 U			
TRANS-1 3-DICHLOROPROPENE												0.5 U	0.5 U			
1 1 2-TRICHLOROETHANE												0.5 U	0.5 U			
TETRACHLOROETHENE												0.5 U	0.5 U			
2-HEXANONE												10 U	10 U			
DIBROMOCHLOROMETHANE												0.5 U	0.5 U			
CHLOROBENZENE												0.5 U	0.5 U			
ETHYLBENZENE												0.5 U	0.5 U			
P-XYLENE/M-XYLENE												0.5 U	0.5 U			
O-XYLENE												0.5 U	0.5 U			
STYRENE												0.5 U	0.5 U			
BROMOFORM												0.5 U	0.5 U			
1 1 2 2-TETRACHLOROETHANE												1 U	1 U			

NOTES:

Blank = Not sampled

WELL NUMBER 87-18(0)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/29/97	7/97	10/31/97	AVG
CHLOROMETHANE	0.5 U		0.5 U	0.0
VINYL CHLORIDE	0.5 U		0.5 U	0.0
CHLOROETHANE	0.5 U		0.5 U	0.0
BROMOMETHANE	0.5 U		0.5 U	0.0
1 1-DICHLOROETHENE	0.5 U		0.5 U	0.0
ACETONE	10 U		10 U	0.0
CARBON DISULFIDE	0.5 U		0.5 U	0.0
METHYLENE CHLORIDE	0.5 U		0.5 U	0.0
TRANS-1 2-DICHLOROETHENE	0.5 U		0.5 U	0.0
1 1-DICHLOROETHANE	0.5 U		0.5 U	0.0
CIS-1 2-DICHLOROETHENE	0.5 U		0.5 U	0.0
METHYL ETHYL KETONE	10 U		10 U	0.0
CHLOROFORM	0.5 U		0.5 U	0.0
1 1 1-TRICHLOROETHANE	0.5 U		0.5 U	0.0
CARBON TETRACHLORIDE	0.5 U		0.5 U	0.0
BENZENE	0.5 U		0.5 U	0.0
1 2-DICHLOROETHANE	0.5 U		0.5 U	0.0
TRICHLOROETHENE	0.5 U		0.5 U	0.0
1 2-DICHLOROPROPANE	0.5 U		0.5 U	0.0
BROMODICHLOROMETHANE	0.5 U		0.5 U	0.0
CIS-1 3-DICHLOROPROPENE	0.5 U		0.5 U	0.0
MIBK	10 U		10 U	0.0
TOLUENE	0.5 U		0.5 U	0.0
TRANS-1 3-DICHLOROPROPENE	0.5 U		0.5 U	0.0
1 1 2-TRICHLOROETHANE	0.5 U		0.5 U	0.0
TETRACHLOROETHENE	0.5 U		0.5 U	0.0
2-HEXANONE	10 U		10 U	0.0
DIBROMOCHLOROMETHANE	0.5 U		0.5 U	0.0
CHLOROBENZENE	0.5 U		0.5 U	0.0
ETHYLBENZENE	0.5 U		0.5 U	0.0
P-XYLENE/M-XYLENE	0.5 U		0.5 U	0.0
O-XYLENE	0.5 U		0.5 U	0.0
STYRENE	0.5 U		0.5 U	0.0
BROMOFORM	0.5 U		0.5 U	0.0
1 1 2 2-TETRACHLOROETHANE	0.5 U		0.5 U	0.0

NOTES:

Blank = Not sampled

WELL NUMBER 87-18(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/93	7/93	10/93	1/20/94	4/26/94	7/20/94	10/25/94	1/9/95	4/19/95	7/13/95	10/18/95	1/31/96	4/18/96
CHLOROMETHANE				5 U	125 U	50 U	50 U	125 U	125 U	500 U	500 U	500 U	500 U
VINYL CHLORIDE				369	125 U	119	693	456	922	604	1000	500 U	540
CHLOROETHANE				5 U	125 U	50 U	50 U	125 U	125 U	500 U	500 U	500 U	500 U
BROMOMETHANE				5 U	125 U	50 U	50 U	125 U	125 U	500 U	500 U	500 U	500 U
1 1-DICHLOROETHENE				5 U	125 U	50 U	50 U	125 U	125 U	500 U	500 U	500 U	500 U
ACETONE				50 U	1250 U	500 U	500 U	1250 U	1250 U	5000 U	5000 U	2500 U	2500 U
CARBON DISULFIDE				5	125 U	50 U	50 U	125 U	125 U	500 U	500 U	500 U	500 U
METHYLENE CHLORIDE				5 U	125 U	50 U	50 U	125 U	4920	500 U	500 U	500 U	500 U
TRANS-1 2-DICHLOROETHENE				14	125 U	50 U	50 U	125 U	125 U	500 U	500 U	500 U	500 U
1 1-DICHLOROETHANE				5 U	125 U	50 U	50 U	125 U	125 U	500 U	500 U	500 U	500 U
CIS-1 2-DICHLOROETHENE				3790	623	903	8780	2740	7810	4410	8900	6600	5200
METHYL ETHYL KETONE				50 U	1250 U	500 U	500 U	1250 U	1250 U	5000 U	5000 U	2500 U	2500 U
CHLOROFORM				5 U	125 U	50 U	50 U	125 U	125 U	500 U	500 U	500 U	500 U
1 1 1-TRICHLOROETHANE				127	125 U	50 U	85	125 U	125 U	500 U	500 U	500 U	500 U
CARBON TETRACHLORIDE				5 U	125 U	50 U	50 U	125 U	125 U	500 U	500 U	500 U	500 U
BENZENE				5 U	125 U	50 U	50 U	125 U	125 U	500 U	500 U	500 U	500 U
1 2-DICHLOROETHANE				5 U	125 U	50 U	50 U	125 U	125 U	500 U	500 U	500 U	500 U
TRICHLOROETHENE				171	125 U	50 U	94	125 U	2100	500 U	550	880	720
1 2-DICHLOROPROPANE				5 U	125 U	50 U	50 U	125 U	125 U	500 U	500 U	500 U	500 U
BROMODICHLOROMETHANE				5 U	125 U	50 U	50 U	125 U	125 U	500 U	500 U	500 U	500 U
CIS-1 3-DICHLOROPROPENE				5 U	125 U	50 U	50 U	125 U	125 U	500 U	500 U	500 U	500 U
MIBK				50 U	1250 U	500 U	500 U	1250 U	1250 U	5000 U	5000 U	2500 U	1000 U
TOLUENE				5 U	180	50 U	50 U	125 U	156	500 U	500 U	500 U	500 U
TRANS-1 3-DICHLOROPROPENE				5 U	125 U	50 U	50 U	125 U	125 U	500 U	500 U	500 U	500 U
1 1 2-TRICHLOROETHANE				5 U	125 U	50 U	50 U	125 U	125 U	500 U	500 U	500 U	500 U
TETRACHLOROETHENE				5 U	125 U	50 U	50 U	125 U	125 U	500 U	500 U	500 U	500 U
2-HEXANONE				50 U	1250 U	500 U	500 U	1250 U	1250 U	5000 U	5000 U	2500 U	1000 U
DIBROMOCHLOROMETHANE				5 U	125 U	50 U	50 U	125 U	125 U	500 U	500 U	500 U	500 U
CHLOROBENZENE				5 U	125 U	50 U	50 U	125 U	125 U	500 U	500 U	500 U	500 U
ETHYLBENZENE				5 U	125 U	50 U	50 U	125 U	125 U	500 U	500 U	500 U	500 U
P-XYLENE/M-XYLENE				5 U	384	50 U	50 U	125 U	125 U	500 U	500 U	500 U	500 U
O-XYLENE				5 U	128	50 U	50 U	125 U	125 U	500 U	500 U	500 U	500 U
STYRENE				5 U	125 U	50 U	50 U	125 U	125 U	500 U	500 U	500 U	500 U
BROMOFORM				5 U	125 U	50 U	50 U	125 U	125 U	500 U	500 U	500 U	500 U
1 1 2 2-TETRACHLOROETHANE				5 U	125 U	50 U	50 U	125 U	125 U	500 U	500 U	500 U	500 U

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 87-18(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	7/17/96	10/17/96	1/15/97	4/29/97	7/22/97	AVG
CHLOROMETHANE	250 U	120 U	120 U	250 U	50 U	0.0
VINYL CHLORIDE	1000	310	750	840	730	555.5
CHLOROETHANE	250 U	120 U	120 U	250 U	50 U	0.0
BROMOMETHANE	250 U	120 U	120 U	250 U	50 U	0.0
1 1-DICHLOROETHENE	250 U	120 U	120 U	250 U	50 U	0.0
ACETONE	1250 U	620 U	620 U	1200 U	1000 U	0.0
CARBON DISULFIDE	250 U	120 U	120 U	250 U	50 U	0.3
METHYLENE CHLORIDE	250 U	120 U	120 U	250 U	130	336.7
TRANS-1 2-DICHLOROETHENE	250 U	120 U	120 U	250 U	50 U	0.9
1 1-DICHLOROETHANE	250 U	120 U	120 U	250 U	50 U	0.0
CIS-1 2-DICHLOROETHENE	11000	2000	7800	5300	6300	5477.1
METHYL ETHYL KETONE	1250 U	620 U	620 U	1200 U	1000 U	0.0
CHLOROFORM	250 U	120 U	120 U	250 U	50 U	0.0
1 1 1-TRICHLOROETHANE	250 U	120 U	120 U	250 U	50 U	14.1
CARBON TETRACHLORIDE	250 U	120 U	120 U	250 U	50 U	0.0
BENZENE	250 U	120 U	120 U	250 U	50 U	0.0
1 2-DICHLOROETHANE	250 U	120 U	120 U	250 U	50 U	0.0
TRICHLOROETHENE	250 U	120 U	390	250 U	50 U	327.0
1 2-DICHLOROPROPANE	250 U	120 U	120 U	250 U	50 U	0.0
BROMODICHLOROMETHANE	250 U	120 U	120 U	250 U	50 U	0.0
CIS-1 3-DICHLOROPROPENE	250 U	120 U	120 U	250 U	50 U	0.0
MIBK	500 U	250 U	250 U	500 U	1000 U	0.0
TOLUENE	250 U	120 U	120 U	250 U	50 U	22.4
TRANS-1 3-DICHLOROPROPENE	250 U	120 U	120 U	250 U	50 U	0.0
1 1 2-TRICHLOROETHANE	250 U	120 U	120 U	250 U	50 U	0.0
TETRACHLOROETHENE	250 U	120 U	120 U	250 U	50 U	0.0
2-HEXANONE	500 U	250 U	250 U	500 U	1000 U	0.0
DIBROMOCHLOROMETHANE	250 U	120 U	120 U	250 U	50 U	0.0
CHLOROBENZENE	250 U	120 U	120 U	250 U	50 U	0.0
ETHYLBENZENE	250 U	120 U	120 U	250 U	50 U	0.0
P-XYLENE/M-XYLENE	250 U	120 U	120 U	300	50 U	45.6
O-XYLENE	250 U	120 U	120 U	250 U	50 U	8.5
STYRENE	250 U	120 U	120 U	250 U	50 U	0.0
BROMOFORM	250 U	120 U	120 U	250 U	50 U	0.0
1 1 2 2-TETRACHLOROETHANE	250 U	120 U	120 U	250 U	50 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 87-19(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/93	7/93	10/93	1/20/94	4/94	7/20/94	10/94	1/9/95	4/95	7/11/95	10/95	1/30/96	4/18/96	7/96
CHLOROMETHANE				0.5 U		5 U		0.5 U		5 U		0.5 U	0.5 U	
VINYL CHLORIDE				0.5 U		5 U		0.5 U		5 U		0.5 U	0.5 U	
CHLOROETHANE				0.5 U		5 U		0.5 U		5 U		0.5 U	0.5 U	
BROMOMETHANE				0.5 U		5 U		0.5 U		5 U		0.5 U	0.5 U	
1 1-DICHLOROETHENE				0.5 U		5 U		0.5 U		5 U		0.5 U	0.5 U	
ACETONE				50 U		50 U		10 U		50 U		10 U	10 U	
CARBON DISULFIDE				0.5 U		5 U		0.5 U		5 U		0.5 U	0.5 U	
METHYLENE CHLORIDE				0.5 U		5 U		0.5 U		5 U		0.5 U	0.5 U	
TRANS-1 2-DICHLOROETHENE				0.5 U		5 U		0.5 U		5 U		0.5 U	0.5 U	
1 1-DICHLOROETHANE				0.5 U		5 U		0.5 U		5 U		0.5 U	0.5 U	
CIS-1 2-DICHLOROETHENE				2		5 U		0.9		5 U		4	5	
METHYL ETHYL KETONE				50 U		50 U		10 U		50 U		10 U	10 U	
CHLOROFORM				0.5 U		5 U		0.5 U		5 U		0.5 U	0.5 U	
1 1 1-TRICHLOROETHANE				0.5 U		5 U		0.5 U		5 U		0.5 U	0.5 U	
CARBON TETRACHLORIDE				0.5 U		5 U		0.5 U		5 U		0.5 U	0.5 U	
BENZENE				0.5 U		5 U		0.5 U		5 U		0.5 U	0.5 U	
1 2-DICHLOROETHANE				0.5 U		5 U		0.5 U		5 U		0.5 U	0.5 U	
TRICHLOROETHENE				1		5 U		0.5 U		5 U		2	2	
1 2-DICHLOROPROPANE				0.5 U		5 U		0.5 U		5 U		0.5 U	0.5 U	
BROMODICHLOROMETHANE				0.5 U		5 U		0.5 U		5 U		0.5 U	0.5 U	
CIS-1 3-DICHLOROPROPENE				0.5 U		5 U		0.5 U		5 U		0.5 U	0.5 U	
MIBK				50 U		50 U		10 U		50 U		10 U	10 U	
TOLUENE				0.5 U		5 U		0.5 U		5 U		0.5 U	0.5 U	
TRANS-1 3-DICHLOROPROPENE				0.5 U		5 U		0.5 U		5 U		0.5 U	0.5 U	
1 1 2-TRICHLOROETHANE				0.5 U		5 U		0.5 U		5 U		0.5 U	0.5 U	
TETRACHLOROETHENE				0.5 U		5 U		0.5 U		5 U		0.5 U	0.5 U	
2-HEXANONE				50 U		50 U		10 U		50 U		10 U	10 U	
DIBROMOCHLOROMETHANE				0.5 U		5 U		0.5 U		5 U		0.5 U	0.5 U	
CHLOROBENZENE				0.5 U		5 U		0.5 U		5 U		0.5 U	0.5 U	
ETHYLBENZENE				0.5 U		5 U		0.5 U		5 U		0.5 U	0.5 U	
P-XYLENE/M-XYLENE				0.5 U		5 U		0.5 U		5 U		0.5 U	0.5 U	
O-XYLENE				0.5 U		5 U		0.5 U		5 U		0.5 U	0.5 U	
STYRENE				0.5 U		5 U		0.5 U		5 U		0.5 U	0.5 U	
BROMOFORM				0.5 U		5 U		0.5 U		5 U		0.5 U	0.5 U	
1 1 2 2-TETRACHLOROETHANE				0.5 U		5 U		0.5 U		5 U		1 U	1 U	

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 87-19(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	10/15/96	1/97	4/29/97	7/97	10/28/97	AVG
CHLOROMETHANE	0.5 U		0.5 U		0.5 U	0.0
VINYL CHLORIDE	0.5 U		0.6		3	0.4
CHLOROETHANE	0.5 U		0.5 U		0.5 U	0.0
BROMOMETHANE	0.5 U		0.5 U		0.5 U	0.0
1 1-DICHLOROETHENE	0.5 U		0.5 U		0.5 U	0.0
ACETONE	10 U		10 U		10 U	0.0
CARBON DISULFIDE	0.5 U		0.5 U		0.5 U	0.0
METHYLENE CHLORIDE	0.5 U		0.5 U		0.5 U	0.0
TRANS-1 2-DICHLOROETHENE	0.5 U		0.5 U		0.5 U	0.0
1 1-DICHLOROETHANE	0.5 U		0.5 U		0.5 U	0.0
CIS-1 2-DICHLOROETHENE	7		6		9	3.8
METHYL ETHYL KETONE	10 U		10 U		10 U	0.0
CHLOROFORM	0.5 U		0.5 U		0.5 U	0.0
1 1 1-TRICHLOROETHANE	0.5 U		0.5 U		0.5 U	0.0
CARBON TETRACHLORIDE	0.5 U		0.5 U		0.5 U	0.0
BENZENE	0.5 U		0.5 U		0.5 U	0.0
1 2-DICHLOROETHANE	0.5 U		0.5 U		0.5 U	0.0
TRICHLOROETHENE	3		2		3	1.4
1 2-DICHLOROPROPANE	0.5 U		0.5 U		0.5 U	0.0
BROMODICHLOROMETHANE	0.5 U		0.5 U		0.5 U	0.0
CIS-1 3-DICHLOROPROPENE	0.5 U		0.5 U		0.5 U	0.0
MIBK	10 U		10 U		10 U	0.0
TOLUENE	0.5 U		0.5 U		0.5 U	0.0
TRANS-1 3-DICHLOROPROPENE	0.5 U		0.5 U		0.5 U	0.0
1 1 2-TRICHLOROETHANE	0.5 U		0.5 U		0.5 U	0.0
TETRACHLOROETHENE	0.5 U		0.5 U		0.5 U	0.0
2-HEXANONE	10 U		10 U		10 U	0.0
DIBROMOCHLOROMETHANE	0.5 U		0.5 U		0.5 U	0.0
CHLOROBENZENE	0.5 U		0.5 U		0.5 U	0.0
ETHYLBENZENE	0.5 U		0.5 U		0.5 U	0.0
P-XYLENE/M-XYLENE	0.5 U		0.5 U		0.5 U	0.0
O-XYLENE	0.5 U		0.5 U		0.5 U	0.0
STYRENE	0.5 U		0.5 U		0.5 U	0.0
BROMOFORM	0.5 U		0.5 U		0.5 U	0.0
1 1 2 2-TETRACHLOROETHANE	0.5 U		0.5 U		0.5 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 87-20(0)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/93	7/20/93	10/93	1/21/94	4/94	7/20/94	10/94	1/9/95	4/95	7/95	10/95	1/30/96	4/18/96	7/96
CHLOROMETHANE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
VINYL CHLORIDE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
CHLOROETHANE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
BROMOMETHANE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
1 1-DICHLOROETHENE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
ACETONE		20 U		50 U		10 U		10 U				10 U	10 U	
CARBON DISULFIDE		0.5 U		0.5 U		1 U		1				0.5 U	0.5 U	
METHYLENE CHLORIDE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
TRANS-1 2-DICHLOROETHENE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
1 1-DICHLOROETHANE		0.5 U		0.5 U		1 U		3				0.5 U	0.5 U	
CIS-1 2-DICHLOROETHENE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
METHYL ETHYL KETONE		20 U		50 U		10 U		10 U				10 U	10 U	
CHLOROFORM		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
1 1 1-TRICHLOROETHANE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
CARBON TETRACHLORIDE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
BENZENE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
1 2-DICHLOROETHANE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
TRICHLOROETHENE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
1 2-DICHLOROPROPANE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
BROMODICHLOROMETHANE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
CIS-1 3-DICHLOROPROPENE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
MIBK		20 U		50 U		10 U		10 U				10 U	10 U	
TOLUENE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
TRANS-1 3-DICHLOROPROPENE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
1 1 2-TRICHLOROETHANE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
TETRACHLOROETHENE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
2-HEXANONE		20 U		50 U		10 U		10 U				10 U	10 U	
DIBROMOCHLOROMETHANE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
CHLOROBENZENE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
ETHYLBENZENE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
P-XYLENE/M-XYLENE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
O-XYLENE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
STYRENE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
BROMOFORM		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
1 1 2 2-TETRACHLOROETHANE		0.5 U		0.5 U		1 U		0.5 U				1 U	1 U	

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

ANALYTE	10/17/96	1/97	4/97	7/22/97	10/29/97	AVG
CHLOROMETHANE	0.5 U			0.5 U	0.5 U	0.0
VINYL CHLORIDE	0.5 U			0.5 U	0.5 U	0.0
CHLOROETHANE	0.5 U			0.5 U	0.5 U	0.0
BROMOMETHANE	0.5 U			0.5 U	0.5 U	0.0
1 1-DICHLOROETHENE	0.5 U			0.5 U	0.5 U	0.0
ACETONE	10 U			10 U	10 U	0.0
CARBON DISULFIDE	0.5 U			0.5 U	0.5 U	0.1
METHYLENE CHLORIDE	0.5 U			0.5 U	0.5 U	0.0
TRANS-1 2-DICHLOROETHENE	0.5 U			0.5 U	0.5 U	0.0
1 1-DICHLOROETHANE	0.5 U			0.5 U	0.5 U	0.3
CIS-1 2-DICHLOROETHENE	0.5 U			0.5 U	0.5 U	0.0
METHYL ETHYL KETONE	10 U			10 U	10 U	0.0
CHLOROFORM	0.5 U			0.5 U	0.5 U	0.0
1 1 1-TRICHLOROETHANE	0.5 U			0.5 U	0.5 U	0.0
CARBON TETRACHLORIDE	0.5 U			0.5 U	0.5 U	0.0
BENZENE	0.5 U			0.5 U	0.5 U	0.0
1 2-DICHLOROETHANE	0.5 U			0.5 U	0.5 U	0.0
TRICHLOROETHENE	0.6			0.5 U	0.5 U	0.1
1 2-DICHLOROPROPANE	0.5 U			0.5 U	0.5 U	0.0
BROMODICHLOROMETHANE	0.5 U			0.5 U	0.5 U	0.0
CIS-1 3-DICHLOROPROPENE	0.5 U			0.5 U	0.5 U	0.0
MIBK	10 U			10 U	10 U	0.0
TOLUENE	0.5 U			0.5 U	0.5 U	0.0
TRANS-1 3-DICHLOROPROPENE	0.5 U			0.5 U	0.5 U	0.0
1 1 2-TRICHLOROETHANE	0.5 U			0.5 U	0.5 U	0.0
TETRACHLOROETHENE	0.5 U			0.5 U	0.5 U	0.0
2-HEXANONE	10 U			10 U	10 U	0.0
DIBROMOCHLOROMETHANE	0.5 U			0.5 U	0.5 U	0.0
CHLOROBENZENE	0.5 U			0.5 U	0.5 U	0.0
ETHYLBENZENE	0.5 U			0.5 U	0.5 U	0.0
P-XYLENE/M-XYLENE	0.5 U			0.5 U	0.5 U	0.0
O-XYLENE	0.5 U			0.5 U	0.5 U	0.0
STYRENE	0.5 U			0.5 U	0.5 U	0.0
BROMOFORM	0.5 U			0.5 U	0.5 U	0.0
1 1 2 2-TETRACHLOROETHANE	0.5 U			0.5 U	0.5 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 87-20(1)
 ANALYTICAL SAMPLING RESULTS
 (Concentrations in ug/L)

ANALYTE	4/20/93	7/20/93	10/13/93	1/21/94	4/94	7/20/94	10/94	1/9/95	4/95	7/11/95	10/95	1/30/96	4/18/96	7/96
CHLOROMETHANE	5 U	125 U	5000 U	5 U		1000 U		250 U		1250 U		25 U	1000 U	
VINYL CHLORIDE	211	281	5000 U	207		1000 U		250 U		1250 U		340	1000 U	
CHLOROETHANE	5 U	125 U	5000 U	5 U		1000 U		250 U		1250 U		25 U	1000 U	
BROMOMETHANE	5 U	125 U	5000 U	5 U		1000 U		250 U		1250 U		25 U	1000 U	
1 1-DICHLOROETHENE	52	125 U	5000 U	17		1000 U		250 U		1250 U		51	1000 U	
ACETONE	50 U	1250 U	50000 U	50 U		10000 U		2500 U		12500 U		125 U	5000 U	
CARBON DISULFIDE	5 U	125 U	5000 U	5 U		1000 U		250 U		1250 U		25 U	1000 U	
METHYLENE CHLORIDE	2250	24800	15600	1250		2680		524		1250 U		1000	1000 U	
TRANS-1 2-DICHLOROETHENE	35	125 U	5000 U	27		1000 U		250 U		1250 U		110	1000 U	
1 1-DICHLOROETHANE	17	125 U	5000 U	33		1000 U		250 U		1250 U		35	1000 U	
CIS-1 2-DICHLOROETHENE	11400	21600	13700	1280		9360		5320		16800		21000	21000	
METHYL ETHYL KETONE	50 U	1250 U	50000 U	50 U		33700		2500 U		12500 U		125 U	5000 U	
CHLOROFORM	6	125 U	5000 U	9		1000 U		250 U		1250 U		25 U	1000 U	
1 1 1-TRICHLOROETHANE	5 U	595	5000 U	480		1000 U		250 U		1250 U		300	1000 U	
CARBON TETRACHLORIDE	24	125 U	5000 U	5 U		1000 U		250 U		1250 U		25 U	1000 U	
BENZENE	5 U	125 U	5000 U	5 U		1000 U		250 U		1250 U		25 U	1000 U	
1 2-DICHLOROETHANE	5 U	125 U	5000 U	5 U		1000 U		250 U		1250 U		25 U	1000 U	
TRICHLOROETHENE	24800	88500	51000	4140		38600		20400		28200		40000	24000	
1 2-DICHLOROPROPANE	42	125 U	5000 U	5 U		1000 U		250 U		1250 U		25 U	1000 U	
BROMODICHLOROMETHANE	5 U	125 U	5000 U	5 U		1000 U		250 U		1250 U		25 U	1000 U	
CIS-1 3-DICHLOROPROPENE	5 U	125 U	5000 U	5 U		1000 U		250 U		1250 U		25 U	1000 U	
MIBK	50 U	1250 U	50000 U	50 U		10000 U		2500 U		12500 U		125 U	2000 U	
TOLUENE	12	125 U	5000 U	16		1000 U		250 U		1250 U		25 U	1000 U	
TRANS-1 3-DICHLOROPROPENE	5 U	125 U	5000 U	5 U		1000 U		250 U		1250 U		25 U	1000 U	
1 1 2-TRICHLOROETHANE	5 U	125 U	5000 U	5 U		1000 U		250 U		1250 U		25 U	1000 U	
TETRACHLOROETHENE	6	328	5000 U	10		1000 U		250 U		1250 U		26	1000 U	
2-HEXANONE	50 U	1250 U	50000 U	50 U		10000 U		2500 U		12500 U		125 U	2000 U	
DIBROMOCHLOROMETHANE	5 U	125 U	5000 U	5 U		1000 U		250 U		1250 U		25 U	1000 U	
CHLOROBENZENE	5 U	125 U	5000 U	5 U		1000 U		250 U		1250 U		25 U	1000 U	
ETHYLBENZENE	5 U	125 U	5000 U	5 U		1000 U		250 U		1250 U		25 U	1000 U	
P-XYLENE/M-XYLENE	5 U	125 U	5000 U	5 U		1000 U		250 U		1250 U		25 U	1000 U	
O-XYLENE	5 U	125 U	5000 U	5 U		1000 U		250 U		1250 U		25 U	1000 U	
STYRENE	5 U	125 U	5000 U	5 U		1000 U		250 U		1250 U		25 U	1000 U	
BROMOFORM	5 U	125 U	5000 U	5 U		1000 U		250 U		1250 U		25 U	1000 U	
1 1 2 2-TETRACHLOROETHANE	5 U	125 U	5000 U	5 U		1000 U		250 U		1250 U		25 U	1000 U	

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 87-20(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	10/17/96	1/97	4/29/97	7/97	10/29/97	AVG
CHLOROMETHANE	1000 U		500 U		1200 U	0.0
VINYL CHLORIDE	1000 U		500 U		1200 U	86.6
CHLOROETHANE	1000 U		500 U		1200 U	0.0
BROMOMETHANE	1000 U		500 U		1200 U	0.0
1 1-DICHLOROETHENE	1000 U		500 U		1200 U	10.0
ACETONE	5000 U		2500 U		6200 U	0.0
CARBON DISULFIDE	1000 U		500 U		1200 U	0.0
METHYLENE CHLORIDE	1000 U		500 U		1200 U	2708.7
TRANS-1 2-DICHLOROETHENE	1000 U		500 U		1200 U	14.3
1 1-DICHLOROETHANE	1000 U		500 U		1200 U	7.1
CIS-1 2-DICHLOROETHENE	11000		14000		12000	13205.0
METHYL ETHYL KETONE	13000		2500 U		6200 U	3891.7
CHLOROFORM	1000 U		500 U		1200 U	1.3
1 1 1-TRICHLOROETHANE	1000 U		500 U		1200 U	114.6
CARBON TETRACHLORIDE	1000 U		500 U		1200 U	2.0
BENZENE	1000 U		500 U		1200 U	0.0
1 2-DICHLOROETHANE	1000 U		500 U		1200 U	0.0
TRICHLOROETHENE	6000		4000		2800	27703.3
1 2-DICHLOROPROPANE	1000 U		500 U		1200 U	3.5
BROMODICHLOROMETHANE	1000 U		500 U		1200 U	0.0
CIS-1 3-DICHLOROPROPENE	1000 U		500 U		1200 U	0.0
MIBK	2000 U		1000 U		2500 U	0.0
TOLUENE	1000 U		500 U		1200 U	2.3
TRANS-1 3-DICHLOROPROPENE	1000 U		500 U		1200 U	0.0
1 1 2-TRICHLOROETHANE	1000 U		500 U		1200 U	0.0
TETRACHLOROETHENE	1000 U		500 U		1200 U	30.8
2-HEXANONE	2000 U		1000 U		2500 U	0.0
DIBROMOCHLOROMETHANE	1000 U		500 U		1200 U	0.0
CHLOROBENZENE	1000 U		500 U		1200 U	0.0
ETHYLBENZENE	1000 U		500 U		1200 U	0.0
P-XYLENE/M-XYLENE	1000 U		500 U		1200 U	0.0
O-XYLENE	1000 U		500 U		1200 U	0.0
STYRENE	1000 U		500 U		1200 U	0.0
BROMOFORM	1000 U		500 U		1200 U	0.0
1 1 2 2-TETRACHLOROETHANE	1000 U		500 U		1200 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 87-21(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/20/93	7/20/93	10/13/93	1/20/94	4/94	7/20/94	10/94	1/11/95	4/95	7/11/95	10/95	1/29/96	4/18/96	7/96
CHLOROMETHANE	5 U	5 U	125 U	5 U		50 U		50 U		25 U		25 U	25 U	
VINYL CHLORIDE	5 U	5 U	125 U	5 U		50 U		50 U		25 U		25 U	25 U	
CHLOROETHANE	5 U	5 U	125 U	5 U		50 U		50 U		25 U		25 U	25 U	
BROMOMETHANE	5 U	5 U	125 U	5 U		50 U		50 U		25 U		25 U	25 U	
1 1-DICHLOROETHENE	5 U	5 U	125 U	5 U		50 U		50 U		25 U		25 U	25 U	
ACETONE	50 U	50 U	1250 U	50 U		500 U		500 U		250 U		125 U	125 U	
CARBON DISULFIDE	5 U	5 U	125 U	5 U		50 U		50 U		25 U		25 U	25 U	
METHYLENE CHLORIDE	5 U	5 U	125 U	5 U		50 U		50 U		25 U		25 U	25 U	
TRANS-1 2-DICHLOROETHENE	5 U	5 U	125 U	6		50 U		50 U		25 U		25 U	25 U	
1 1-DICHLOROETHANE	5 U	7	125 U	6		50 U		50 U		25 U		25 U	25 U	
CIS-1 2-DICHLOROETHENE	565	1720	802	1000		999		575		739		270	160	
METHYL ETHYL KETONE	50 U	50 U	1250 U	50 U		500 U		500 U		250 U		125 U	125 U	
CHLOROFORM	5 U	5 U	125 U	5 U		50 U		50 U		25 U		25 U	25 U	
1 1 1-TRICHLOROETHANE	22	67	125 U	36		50 U		50 U		25 U		25 U	25 U	
CARBON TETRACHLORIDE	5 U	5 U	125 U	5 U		50 U		50 U		25 U		25 U	25 U	
BENZENE	5 U	5 U	125 U	5 U		50 U		50 U		25 U		25 U	25 U	
1 2-DICHLOROETHANE	5 U	5 U	125 U	5 U		50 U		50 U		25 U		25 U	25 U	
TRICHLOROETHENE	200	1240	375	590		431		225		247		50	28	
1 2-DICHLOROPROPANE	5 U	5 U	125 U	5 U		50 U		50 U		25 U		25 U	25 U	
BROMODICHLOROMETHANE	5 U	5 U	125 U	5 U		50 U		50 U		25 U		25 U	25 U	
CIS-1 3-DICHLOROPROPENE	5 U	5 U	125 U	5 U		50 U		50 U		25 U		25 U	25 U	
MIBK	50 U	50 U	1250 U	50 U		500 U		500 U		250 U		125 U	50 U	
TOLUENE	5 U	5 U	125 U	5 U		50 U		50 U		25 U		25 U	25 U	
TRANS-1 3-DICHLOROPROPENE	5 U	5 U	125 U	5 U		50 U		50 U		25 U		25 U	25 U	
1 1 2-TRICHLOROETHANE	5 U	5 U	125 U	5 U		50 U		50 U		25 U		25 U	25 U	
TETRACHLOROETHENE	5 U	5 U	125 U	5 U		50 U		50 U		25 U		25 U	25 U	
2-HEXANONE	50 U	50 U	1250 U	50 U		500 U		500 U		250 U		125 U	50 U	
DIBROMOCHLOROMETHANE	5 U	5 U	125 U	5 U		50 U		50 U		25 U		25 U	25 U	
CHLOROBENZENE	5 U	5 U	125 U	5 U		50 U		50 U		25 U		25 U	25 U	
ETHYLBENZENE	5 U	5 U	125 U	5 U		50 U		50 U		25 U		25 U	25 U	
P-XYLENE/M-XYLENE	5 U	5 U	125 U	5 U		50 U		50 U		25 U		25 U	25 U	
O-XYLENE	5 U	5 U	125 U	5 U		50 U		50 U		25 U		25 U	25 U	
STYRENE	5 U	5 U	125 U	5 U		50 U		50 U		25 U		25 U	25 U	
BROMOFORM	5 U	5 U	125 U	5 U		50 U		50 U		25 U		25 U	25 U	
1 1 2 2-TETRACHLOROETHANE	5 U	5 U	125 U	5 U		50 U		50 U		25 U		25 U	25 U	

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 87-21(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	10/15/96	1/97	4/29/97	7/97	10/28/97	AVG
CHLOROMETHANE	5 U		2.5 U		5 U	0.0
VINYL CHLORIDE	5 U		4		130	11.2
CHLOROETHANE	5 U		2.5 U		5 U	0.0
BROMOMETHANE	5 U		2.5 U		5 U	0.0
1 1-DICHLOROETHENE	5 U		2.5 U		6	0.5
ACETONE	25 U		50 U		25 U	0.0
CARBON DISULFIDE	5 U		2.5 U		5 U	0.0
METHYLENE CHLORIDE	5 U		2.5 U		5 U	0.0
TRANS-1 2-DICHLOROETHENE	5 U		2.5 U		9	1.3
1 1-DICHLOROETHANE	5 U		2.5 U		5 U	1.1
CIS-1 2-DICHLOROETHENE	340		160		2100	785.8
METHYL ETHYL KETONE	25 U		50 U		25 U	0.0
CHLOROFORM	5 U		2.5 U		5 U	0.0
1 1 1-TRICHLOROETHANE	6		2.5 U		10	11.8
CARBON TETRACHLORIDE	5 U		2.5 U		5 U	0.0
BENZENE	5 U		2.5 U		5 U	0.0
1 2-DICHLOROETHANE	5 U		2.5 U		5 U	0.0
TRICHLOROETHENE	53		15		99	296.1
1 2-DICHLOROPROPANE	5 U		2.5 U		5 U	0.0
BROMODICHLOROMETHANE	5 U		2.5 U		5 U	0.0
CIS-1 3-DICHLOROPROPENE	5 U		2.5 U		5 U	0.0
MIBK	10 U		50 U		10 U	0.0
TOLUENE	5 U		2.5 U		5 U	0.0
TRANS-1 3-DICHLOROPROPENE	5 U		2.5 U		5 U	0.0
1 1 2-TRICHLOROETHANE	5 U		2.5 U		5 U	0.0
TETRACHLOROETHENE	5 U		2.5 U		5 U	0.0
2-HEXANONE	10 U		50 U		10 U	0.0
DIBROMOCHLOROMETHANE	5 U		2.5 U		5 U	0.0
CHLOROBENZENE	5 U		2.5 U		5 U	0.0
ETHYLBENZENE	5 U		2.5 U		5 U	0.0
P-XYLENE/M-XYLENE	5 U		2.5 U		5 U	0.0
O-XYLENE	5 U		2.5 U		5 U	0.0
STYRENE	5 U		2.5 U		5 U	0.0
BROMOFORM	5 U		2.5 U		5 U	0.0
1 1 2 2-TETRACHLOROETHANE	5 U		2.5 U		5 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 87-22(0)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/93	7/93	10/93	1/94	4/94	7/94	10/94	1/95	4/95	7/95	10/95	1/31/96	4/18/96	7/96	10/96	1/97
CHLOROMETHANE												0.5 U	0.5 U			
VINYL CHLORIDE												0.5 U	0.5 U			
CHLOROETHANE												0.5 U	0.5 U			
BROMOMETHANE												0.5 U	0.5 U			
1 1-DICHLOROETHENE												0.5 U	0.5 U			
ACETONE												10 U	10 U			
CARBON DISULFIDE												0.5 U	0.5 U			
METHYLENE CHLORIDE												0.5 U	0.5 U			
TRANS-1 2-DICHLOROETHENE												0.5 U	0.5 U			
1 1-DICHLOROETHANE												0.5 U	0.5 U			
CIS-1 2-DICHLOROETHENE												0.5 U	0.5 U			
METHYL ETHYL KETONE												10 U	10 U			
CHLOROFORM												0.5 U	0.5 U			
1 1 1-TRICHLOROETHANE												0.5 U	0.5 U			
CARBON TETRACHLORIDE												0.5 U	0.5 U			
BENZENE												0.5 U	0.5 U			
1 2-DICHLOROETHANE												0.5 U	0.5 U			
TRICHLOROETHENE												0.5 U	0.5 U			
1 2-DICHLOROPROPANE												0.5 U	0.5 U			
BROMODICHLOROMETHANE												0.5 U	0.5 U			
CIS-1 3-DICHLOROPROPENE												0.5 U	0.5 U			
MIBK												10 U	10 U			
TOLUENE												0.5 U	0.5 U			
TRANS-1 3-DICHLOROPROPENE												0.5 U	0.5 U			
1 1 2-TRICHLOROETHANE												0.5 U	0.5 U			
TETRACHLOROETHENE												0.5 U	0.5 U			
2-HEXANONE												10 U	10 U			
DIBROMOCHLOROMETHANE												0.5 U	0.5 U			
CHLOROBENZENE												0.5 U	0.5 U			
ETHYLBENZENE												0.5 U	0.5 U			
P-XYLENE/M-XYLENE												0.5 U	0.5 U			
O-XYLENE												0.5 U	0.5 U			
STYRENE												0.5 U	0.5 U			
BROMOFORM												0.5 U	0.5 U			
1 1 2 2-TETRACHLOROETHANE												1 U	1 U			

NOTES:

Blank = Not sampled

WELL NUMBER 87-22(0)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/30/97	7/97	10/97	AVG
CHLOROMETHANE	0.5 U			0.0
VINYL CHLORIDE	0.5 U			0.0
CHLOROETHANE	0.5 U			0.0
BROMOMETHANE	0.5 U			0.0
1 1-DICHLOROETHENE	0.5 U			0.0
ACETONE	10 U			0.0
CARBON DISULFIDE	0.5 U			0.0
METHYLENE CHLORIDE	0.5 U			0.0
TRANS-1 2-DICHLOROETHENE	0.5 U			0.0
1 1-DICHLOROETHANE	0.5 U			0.0
CIS-1 2-DICHLOROETHENE	0.5 U			0.0
METHYL ETHYL KETONE	10 U			0.0
CHLOROFORM	0.5 U			0.0
1 1 1-TRICHLOROETHANE	0.5 U			0.0
CARBON TETRACHLORIDE	0.5 U			0.0
BENZENE	0.5 U			0.0
1 2-DICHLOROETHANE	0.5 U			0.0
TRICHLOROETHENE	0.5 U			0.0
1 2-DICHLOROPROPANE	0.5 U			0.0
BROMODICHLOROMETHANE	0.5 U			0.0
CIS-1 3-DICHLOROPROPENE	0.5 U			0.0
MIBK	10 U			0.0
TOLUENE	0.5 U			0.0
TRANS-1 3-DICHLOROPROPENE	0.5 U			0.0
1 1 2-TRICHLOROETHANE	0.5 U			0.0
TETRACHLOROETHENE	0.5 U			0.0
2-HEXANONE	10 U			0.0
DIBROMOCHLOROMETHANE	0.5 U			0.0
CHLOROBENZENE	0.5 U			0.0
ETHYLBENZENE	0.5 U			0.0
P-XYLENE/M-XYLENE	0.5 U			0.0
O-XYLENE	0.5 U			0.0
STYRENE	0.5 U			0.0
BROMOFORM	0.5 U			0.0
1 1 2 2-TETRACHLOROETHANE	0.5 U			0.0

NOTES:

Blank = Not sampled

WELL NUMBER 87-22(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/93	7/93	10/93	1/20/94	4/27/94	7/20/94	10/25/94	1/12/95	4/19/95	7/12/95	10/18/95	1/31/96	4/18/96
CHLOROMETHANE				5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U
VINYL CHLORIDE				114	200	274	250 U	250 U	250 U	250 U	390	260	250 U
CHLOROETHANE				5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U
BROMOMETHANE				5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U
1 1-DICHLOROETHENE				5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U
ACETONE				50 U	1250 U	2500 U	2500 U	2500 U	2500 U	2500 U	2500 U	1250 U	1250 U
CARBON DISULFIDE				7	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U
METHYLENE CHLORIDE				5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U
TRANS-1 2-DICHLOROETHENE				12	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U
1 1-DICHLOROETHANE				5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U
CIS-1 2-DICHLOROETHENE				2920	3830	6320	4530	7260	6810	4850	6900	6700	2900
METHYL ETHYL KETONE				50 U	1250 U	2500 U	2500 U	2500 U	2500 U	2500 U	2500 U	1250 U	1250 U
CHLOROFORM				5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U
1 1 1-TRICHLOROETHANE				14	1010	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U
CARBON TETRACHLORIDE				5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U
BENZENE				5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U
1 2-DICHLOROETHANE				5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U
TRICHLOROETHENE				2580	2850	6080	2710	4023	3510	2190	2900	3100	1200
1 2-DICHLOROPROPANE				5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U
BROMODICHLOROMETHANE				5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U
CIS-1 3-DICHLOROPROPENE				5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U
MIBK				50 U	1250 U	2500 U	2500 U	2500 U	2500 U	2500 U	2500 U	1250 U	500 U
TOLUENE				5 U	456	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U
TRANS-1 3-DICHLOROPROPENE				5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U
1 1 2-TRICHLOROETHANE				5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U
TETRACHLOROETHENE				5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U
2-HEXANONE				50 U	1250 U	2500 U	2500 U	2500 U	2500 U	2500 U	2500 U	1250 U	500 U
DIBROMOCHLOROMETHANE				5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U
CHLOROBENZENE				5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U
ETHYLBENZENE				5 U	188	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U
P-XYLENE/M-XYLENE				5 U	883	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U
O-XYLENE				5 U	284	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U
STYRENE				5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U
BROMOFORM				5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U
1 1 2 2-TETRACHLOROETHANE				5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 87-22(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	7/17/96	10/15/96	1/15/97	4/30/97	7/22/97	10/29/97	AVG
CHLOROMETHANE	125 U	120 U	120 U	120 U	5 U	120	7.5
VINYL CHLORIDE	170	120 U	120 U	180	50	250	118.0
CHLOROETHANE	125 U	120 U	120 U	120 U	5 U	100 U	0.0
BROMOMETHANE	125 U	120 U	120 U	120 U	5 U	100 U	0.0
1 1-DICHLOROETHENE	125 U	120 U	120 U	120 U	5 U	100 U	0.0
ACETONE	625 U	620 U	620 U	620 U	100 U	500 U	0.0
CARBON DISULFIDE	125 U	120 U	120 U	120 U	5 U	100 U	0.4
METHYLENE CHLORIDE	125 U	120 U	120 U	120 U	6	100 U	0.4
TRANS-1 2-DICHLOROETHENE	125 U	120 U	120 U	120 U	5	100 U	1.1
1 1-DICHLOROETHANE	125 U	120 U	120 U	120 U	5 U	100 U	0.0
CIS-1 2-DICHLOROETHENE	5400	3000	2400	3400	1000	4200	4526.3
METHYL ETHYL KETONE	625 U	620 U	620 U	620 U	100 U	500 U	0.0
CHLOROFORM	125 U	120 U	120 U	120 U	5 U	100 U	0.0
1 1 1-TRICHLOROETHANE	125 U	120 U	120 U	120 U	5 U	100 U	64.0
CARBON TETRACHLORIDE	125 U	120 U	120 U	120 U	5 U	100 U	0.0
BENZENE	125 U	120 U	120 U	120 U	5 U	100 U	0.0
1 2-DICHLOROETHANE	125 U	120 U	120 U	120 U	5 U	100 U	0.0
TRICHLOROETHENE	1900	440	630	650	50	200	2188.3
1 2-DICHLOROPROPANE	125 U	120 U	120 U	120 U	5 U	100 U	0.0
BROMODICHLOROMETHANE	125 U	120 U	120 U	120 U	5 U	100 U	0.0
CIS-1 3-DICHLOROPROPENE	125 U	120 U	120 U	120 U	5 U	100 U	0.0
MIBK	250 U	250 U	250 U	250 U	100 U	200 U	0.0
TOLUENE	125 U	120 U	120 U	120 U	5 U	100 U	28.5
TRANS-1 3-DICHLOROPROPENE	125 U	120 U	120 U	120 U	5 U	100 U	0.0
1 1 2-TRICHLOROETHANE	125 U	120 U	120 U	120 U	5 U	100 U	0.0
TETRACHLOROETHENE	125 U	120 U	120 U	120 U	5 U	100 U	0.0
2-HEXANONE	250 U	250 U	250 U	250 U	100 U	200 U	0.0
DIBROMOCHLOROMETHANE	125 U	120 U	120 U	120 U	5 U	100 U	0.0
CHLOROBENZENE	125 U	120 U	120 U	120 U	5 U	100 U	0.0
ETHYLBENZENE	125 U	120 U	120 U	120 U	5 U	100 U	11.8
P-XYLENE/M-XYLENE	125 U	120 U	120 U	120 U	5 U	100 U	55.2
O-XYLENE	125 U	120 U	120 U	120 U	5 U	100 U	17.8
STYRENE	125 U	120 U	120 U	120 U	5 U	100 U	0.0
BROMOFORM	125 U	120 U	120 U	120 U	5 U	100 U	0.0
1 1 2 2-TETRACHLOROETHANE	125 U	120 U	120 U	120 U	5 U	100 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 87-23(0)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/93	7/20/93	10/93	1/21/94	4/94	7/20/94	10/94	1/11/95	4/95	7/11/95	10/95	1/31/96	4/17/96	7/96
CHLOROMETHANE		0.5 U		0.5 U		1 U		0.5 U		1 U		0.5 U	0.5 U	
VINYL CHLORIDE		0.5 U		0.5 U		1 U		0.5 U		1 U		0.5 U	0.5 U	
CHLOROETHANE		0.5 U		0.5 U		1 U		0.5 U		1 U		0.5 U	0.5 U	
BROMOMETHANE		0.5 U		0.5 U		1 U		0.5 U		1 U		0.5 U	0.5 U	
1 1-DICHLOROETHENE		0.5 U		0.5 U		1 U		0.5 U		1 U		0.5 U	0.5 U	
ACETONE		20 U		50 U		10 U		10 U		10		10 U	10 U	
CARBON DISULFIDE		0.5 U		0.5 U		1 U		0.5 U		1 U		0.5 U	0.5 U	
METHYLENE CHLORIDE		0.5 U		0.5 U		1 U		0.5 U		1 U		0.5 U	0.5 U	
TRANS-1 2-DICHLOROETHENE		0.5 U		0.5 U		1 U		0.5 U		1 U		0.5 U	0.5 U	
1 1-DICHLOROETHANE		0.5 U		0.5 U		1 U		0.5 U		1 U		0.5 U	0.5 U	
CIS-1 2-DICHLOROETHENE		0.5 U		0.5 U		1 U		0.5 U		1 U		0.5 U	0.5 U	
METHYL ETHYL KETONE		20 U		50 U		10 U		10 U		10 U		10 U	10 U	
CHLOROFORM		0.5 U		0.5 U		1 U		0.5 U		1 U		0.5 U	0.5 U	
1 1 1-TRICHLOROETHANE		0.5 U		0.5 U		1 U		0.5 U		1 U		0.5 U	0.5 U	
CARBON TETRACHLORIDE		0.5 U		0.5 U		1 U		0.5 U		1 U		0.5 U	0.5 U	
BENZENE		0.5 U		0.5 U		1 U		0.5 U		1 U		0.5 U	0.5 U	
1 2-DICHLOROETHANE		0.5 U		0.5 U		1		0.5 U		1 U		0.5 U	0.5 U	
TRICHLOROETHENE		0.5 U		0.5 U		1 U		0.9		1 U		0.5 U	0.5 U	
1 2-DICHLOROPROPANE		0.5 U		0.5 U		1 U		0.5 U		1 U		0.5 U	0.5 U	
BROMODICHLOROMETHANE		0.5 U		0.5 U		1 U		0.5 U		1 U		0.5 U	0.5 U	
CIS-1 3-DICHLOROPROPENE		0.5 U		0.5 U		1 U		0.5 U		1 U		0.5 U	0.5 U	
MIBK		20 U		50 U		10 U		10 U		10 U		10 U	10 U	
TOLUENE		0.5 U		0.5 U		1 U		0.5 U		1 U		0.5 U	0.5 U	
TRANS-1 3-DICHLOROPROPENE		0.5 U		0.5 U		1 U		0.5 U		1 U		0.5 U	0.5 U	
1 1 2-TRICHLOROETHANE		0.5 U		0.5 U		1		0.5 U		1 U		0.5 U	0.5 U	
TETRACHLOROETHENE		0.5 U		0.5 U		1 U		0.5 U		1 U		0.5 U	0.5 U	
2-HEXANONE		20 U		50 U		10 U		10 U		10 U		10 U	10 U	
DIBROMOCHLOROMETHANE		0.5 U		0.5 U		2		0.5 U		1 U		0.5 U	0.5 U	
CHLOROBENZENE		0.5 U		0.5 U		1 U		0.5 U		1 U		0.5 U	0.5 U	
ETHYLBENZENE		0.5 U		0.5 U		1 U		0.5 U		1 U		0.5 U	0.5 U	
P-XYLENE/M-XYLENE		0.5 U		0.5 U		1 U		0.5 U		1 U		0.5 U	0.5 U	
O-XYLENE		0.5 U		0.5 U		1 U		0.5 U		1 U		0.5 U	0.5 U	
STYRENE		0.5 U		0.5 U		1 U		0.5 U		1 U		0.5 U	0.5 U	
BROMOFORM		0.5 U		0.5 U		3		0.5 U		1 U		0.5 U	0.5 U	
1 1 2 2-TETRACHLOROETHANE		0.5 U		0.5 U		1 U		0.5 U		1 U		1 U	1 U	

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 87-23(0)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	10/16/96	1/97	4/30/97	7/97	10/29/97	AVG
CHLOROMETHANE	0.5 U		0.5 U		0.5 U	0.0
VINYL CHLORIDE	0.5 U		0.5 U		0.5 U	0.0
CHLOROETHANE	0.5 U		0.5 U		0.5 U	0.0
BROMOMETHANE	0.5 U		0.5 U		0.5 U	0.0
1 1-DICHLOROETHENE	0.5 U		0.5 U		0.5 U	0.0
ACETONE	10 U		10 U		10 U	1.0
CARBON DISULFIDE	0.5 U		0.5 U		0.5 U	0.0
METHYLENE CHLORIDE	0.5 U		0.5 U		0.5 U	0.0
TRANS-1 2-DICHLOROETHENE	0.5 U		0.5 U		0.5 U	0.0
1 1-DICHLOROETHANE	0.5 U		0.5 U		0.5 U	0.0
CIS-1 2-DICHLOROETHENE	0.5 U		0.5 U		0.5 U	0.0
METHYL ETHYL KETONE	10 U		10 U		10 U	0.0
CHLOROFORM	0.5 U		0.5 U		0.5 U	0.0
1 1 1-TRICHLOROETHANE	0.5 U		0.5 U		0.5 U	0.0
CARBON TETRACHLORIDE	0.5 U		0.5 U		0.5 U	0.0
BENZENE	0.5 U		0.5 U		0.5 U	0.0
1 2-DICHLOROETHANE	0.5 U		0.5 U		0.5 U	0.1
TRICHLOROETHENE	0.5 U		0.5 U		0.5 U	0.1
1 2-DICHLOROPROPANE	0.5 U		0.5 U		0.5 U	0.0
BROMODICHLOROMETHANE	0.5 U		0.5 U		0.5 U	0.0
CIS-1 3-DICHLOROPROPENE	0.5 U		0.5 U		0.5 U	0.0
MIBK	10 U		10 U		10 U	0.0
TOLUENE	0.5 U		0.5 U		0.5 U	0.0
TRANS-1 3-DICHLOROPROPENE	0.5 U		0.5 U		0.5 U	0.0
1 1 2-TRICHLOROETHANE	0.5 U		0.5 U		0.5 U	0.1
TETRACHLOROETHENE	0.5 U		0.5 U		0.5 U	0.0
2-HEXANONE	10 U		10 U		10 U	0.0
DIBROMOCHLOROMETHANE	0.5 U		0.5 U		0.5 U	0.2
CHLORO BENZENE	0.5 U		0.5 U		0.5 U	0.0
ETHYLBENZENE	0.5 U		0.5 U		0.5 U	0.0
P-XYLENE/M-XYLENE	0.5 U		0.5 U		0.5 U	0.0
O-XYLENE	0.5 U		0.5 U		0.5 U	0.0
STYRENE	0.5 U		0.5 U		0.5 U	0.0
BROMOFORM	0.5 U		0.5 U		0.5 U	0.3
1 1 2 2-TETRACHLOROETHANE	0.5 U		0.5 U		0.5 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 89-02(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/93	7/93	10/93	1/94	4/28/94	7/21/94	10/26/94	1/11/95	4/19/95	7/11/95	10/18/95	1/31/96	4/19/96
CHLOROMETHANE					50 U	5 U	5 U	1000 U	2500 U	1000 U	500 U	500 U	1250 U
VINYL CHLORIDE					50 U	8	186	1000 U	2500 U	1000 U	500 U	500 U	1250 U
CHLOROETHANE					50 U	5 U	5 U	1000 U	2500 U	1000 U	500 U	500 U	1250 U
BROMOMETHANE					50 U	5 U	5 U	1000 U	2500 U	1000 U	500 U	500 U	1250 U
1 1-DICHLOROETHENE					50 U	5 U	5 U	1000 U	2500 U	1000 U	500 U	500 U	1250 U
ACETONE					500 U	50 U	50 U	10000 U	25000 U	10000 U	5000 U	2500 U	6250 U
CARBON DISULFIDE					50 U	5 U	5 U	1000 U	2500 U	1000 U	500 U	500 U	1250 U
METHYLENE CHLORIDE					1560	883	17200	10700	7110	1380	650	1400	1250 U
TRANS-1 2-DICHLOROETHENE					50 U	5 U	36	1000 U	2500 U	1000 U	500 U	500 U	1250 U
1 1-DICHLOROETHANE					50 U	5 U	58	1000 U	2500 U	1000 U	500 U	500 U	1250 U
CIS-1 2-DICHLOROETHENE					785	447	11700	9090	12000	6860	3400	16000	16000
METHYL ETHYL KETONE					500 U	50 U	50 U	10000 U	25000 U	10000 U	5000 U	2500 U	6250 U
CHLOROFORM					50 U	5 U	5 U	1000 U	2500 U	1000 U	500 U	500 U	1250 U
1 1 1-TRICHLOROETHANE					50 U	5 U	1160	1000 U	2500 U	1000 U	500 U	500 U	1250 U
CARBON TETRACHLORIDE					50 U	5 U	175	1000 U	2500 U	1000 U	500 U	500 U	1250 U
BENZENE					50 U	5 U	5 U	1000 U	2500 U	1000 U	500 U	500 U	1250 U
1 2-DICHLOROETHANE					50 U	5 U	5 U	1000 U	2500 U	1000 U	500 U	500 U	1250 U
TRICHLOROETHENE					1960	3530	84000	54900	49800	17200	8300	30000	18000
1 2-DICHLOROPROPANE					50 U	5 U	5 U	1000 U	2500 U	1000 U	500 U	500 U	1250 U
BROMODICHLOROMETHANE					50 U	5 U	5 U	1000 U	2500 U	1000 U	500 U	500 U	1250 U
CIS-1 3-DICHLOROPROPENE					50 U	5 U	5 U	1000 U	2500 U	1000 U	500 U	500 U	1250 U
MIBK					500 U	50 U	50 U	10000 U	25000 U	10000 U	5000 U	2500 U	2500 U
TOLUENE					50 U	5 U	33	1000 U	2500 U	1000 U	500 U	500 U	1250 U
TRANS-1 3-DICHLOROPROPENE					50 U	5 U	5 U	1000 U	2500 U	1000 U	500 U	500 U	1250 U
1 1 2-TRICHLOROETHANE					50 U	5 U	5 U	1000 U	2500 U	1000 U	500 U	500 U	1250 U
TETRACHLOROETHENE					50 U	5 U	5 U	1000 U	2500 U	1000 U	500 U	500 U	1250 U
2-HEXANONE					500 U	50 U	50 U	10000 U	25000 U	10000 U	5000 U	2500 U	2500 U
DIBROMOCHLOROMETHANE					50 U	5 U	5 U	1000 U	2500 U	1000 U	500 U	500 U	1250 U
CHLOROBENZENE					50 U	5 U	5 U	1000 U	2500 U	1000 U	500 U	500 U	1250 U
ETHYLBENZENE					50 U	5 U	5 U	1000 U	2500 U	1000 U	500 U	500 U	1250 U
P-XYLENE/M-XYLENE					50 U	5 U	5 U	1000 U	2500 U	1000 U	500 U	500 U	1250 U
O-XYLENE					50 U	5 U	5 U	1000 U	2500 U	1000 U	500 U	500 U	1250 U
STYRENE					50 U	5 U	5 U	1000 U	2500 U	1000 U	500 U	500 U	1250 U
BROMOFORM					50 U	5 U	5 U	1000 U	2500 U	1000 U	500 U	500 U	1250 U
1 1 2 2-TETRACHLOROETHANE					50 U	5 U	5 U	1000 U	2500 U	1000 U	500 U	500 U	1250 U

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 89-02(1)
 ANALYTICAL SAMPLING RESULTS
 (Concentrations in ug/L)

ANALYTE	7/17/96	11/5/96	1/15/97	4/29/97	7/22/97	10/30/97	AVG
CHLOROMETHANE	500 U	50 U	250 U	500 U	0.5 U	5 U	0.0
VINYL CHLORIDE	500 U	50 U	250 U	500 U	50	50	19.6
CHLOROETHANE	500 U	50 U	250 U	500 U	0.5 U	5 U	0.0
BROMOMETHANE	500 U	50 U	250 U	500 U	0.5 U	5 U	0.0
1 1-DICHLOROETHENE	500 U	50 U	250 U	500 U	1	5 U	0.1
ACETONE	2500 U	500 U	1200 U	2500 U	10 U	25 U	0.0
CARBON DISULFIDE	500 U	50 U	250 U	500 U	0.5 U	5 U	0.0
METHYLENE CHLORIDE	500 U	50 U	250 U	500 U	0.5 U	5 U	2725.5
TRANS-1 2-DICHLOROETHENE	500 U	50 U	250 U	500 U	3	5 U	2.6
1 1-DICHLOROETHANE	500 U	50 U	250 U	500 U	9	9	5.1
CIS-1 2-DICHLOROETHENE	6900	6910	9700	11000	110	180	7405.5
METHYL ETHYL KETONE	2500 U	500 U	1200 U	2500 U	10 U	25 U	0.0
CHLOROFORM	500 U	50 U	250 U	500 U	5	5 U	0.3
1 1 1-TRICHLOROETHANE	500 U	50 U	250 U	500 U	2	5 U	77.5
CARBON TETRACHLORIDE	500 U	50 U	250 U	500 U	0.5 U	5 U	11.7
BENZENE	500 U	50 U	250 U	500 U	0.5 U	5 U	0.0
1 2-DICHLOROETHANE	500 U	50 U	250 U	500 U	0.5 U	5 U	0.0
TRICHLOROETHENE	6100	5030	6000	7000	9	84	19460.9
1 2-DICHLOROPROPANE	500 U	50 U	250 U	500 U	0.5 U	5 U	0.0
BROMODICHLOROMETHANE	500 U	50 U	250 U	500 U	0.5 U	5 U	0.0
CIS-1 3-DICHLOROPROPENE	500 U	50 U	250 U	500 U	0.5 U	5 U	0.0
MIBK	1000 U	500 U	500 U	1000 U	10 U	10 U	0.0
TOLUENE	500 U	50 U	250 U	500 U	0.5 U	5 U	2.2
TRANS-1 3-DICHLOROPROPENE	500 U	50 U	250 U	500 U	0.5 U	5 U	0.0
1 1 2-TRICHLOROETHANE	500 U	50 U	250 U	500 U	0.5 U	5 U	0.0
TETRACHLOROETHENE	500 U	50 U	250 U	500 U	0.5 U	5 U	0.0
2-HEXANONE	1000 U	500 U	500 U	1000 U	10 U	10 U	0.0
DIBROMOCHLOROMETHANE	500 U	50 U	250 U	500 U	0.5 U	5 U	0.0
CHLOROBENZENE	500 U	50 U	250 U	500 U	0.5 U	5 U	0.0
ETHYLBENZENE	500 U	50 U	250 U	500 U	0.5 U	5 U	0.0
P-XYLENE/M-XYLENE	500 U	50 U	250 U	500 U	0.5 U	5 U	0.0
O-XYLENE	500 U	50 U	250 U	500 U	0.5 U	5 U	0.0
STYRENE	500 U	50 U	250 U	500 U	0.5 U	5 U	0.0
BROMOFORM	500 U	50 U	250 U	500 U	0.5 U	5 U	0.0
1 1 2-TETRACHLOROETHANE	500 U	50 U	250 U	500 U	0.5 U	5 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 89-02(3)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/93	7/24/93	10/93	1/18/94	4/27/94	7/21/94	10/26/94	1/11/95	4/19/95	7/11/95	10/18/95	1/31/96	4/18/96
CHLOROMETHANE		0.5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
VINYL CHLORIDE		0.5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
CHLOROETHANE		0.5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
BROMOMETHANE		0.5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
1 1-DICHLOROETHENE		0.5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
ACETONE		29		50 U	10 U	10 U	10 U	10 U	10 U	10	10 U	10 U	10 U
CARBON DISULFIDE		2 J		0.5 U	2	1 U	1 U	2	1	1 U	2	1	12
METHYLENE CHLORIDE		0.5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
TRANS-1 2-DICHLOROETHENE		0.5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
1 1-DICHLOROETHANE		0.5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
CIS-1 2-DICHLOROETHENE		0.5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
METHYL ETHYL KETONE		20 U		50 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
CHLOROFORM		0.5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
1 1 1-TRICHLOROETHANE		0.5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
CARBON TETRACHLORIDE		0.5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
BENZENE		0.5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
1 2-DICHLOROETHANE		0.5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
TRICHLOROETHENE		0.5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
1 2-DICHLOROPROPANE		0.5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
BROMODICHLOROMETHANE		0.5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
CIS-1 3-DICHLOROPROPENE		0.5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
MIBK		20 U		50 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
TOLUENE		0.5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
TRANS-1 3-DICHLOROPROPENE		0.5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
1 1 2-TRICHLOROETHANE		0.5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
TETRACHLOROETHENE		0.5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
2-HEXANONE		20 U		50 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
DIBROMOCHLOROMETHANE		0.5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
CHLOROBENZENE		0.5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
ETHYLBENZENE		0.5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
P-XYLENE/M-XYLENE		0.5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
O-XYLENE		0.5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
STYRENE		0.5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
BROMOFORM		0.5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U
1 1 2 2-TETRACHLOROETHANE		0.5 U		0.5 U	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	1 U

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 89-02(3)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	7/17/96	11/5/96	1/15/97	4/29/97	7/22/97	10/30/97	AVG
CHLOROMETHANE	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
VINYL CHLORIDE	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
CHLOROETHANE	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
BROMOMETHANE	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
1 1-DICHLOROETHENE	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
ACETONE	25 U	10 U	10 U	10 U	10 U	10 U	2.3
CARBON DISULFIDE	1	0.5 U	0.5 U	1	1	0.7	1.4
METHYLENE CHLORIDE	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
TRANS-1 2-DICHLOROETHENE	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
1 1-DICHLOROETHANE	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
CIS-1 2-DICHLOROETHENE	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	0.0
METHYL ETHYL KETONE	25 U	11	10 U	10 U	10 U	10 U	0.6
CHLOROFORM	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
1 1 1-TRICHLOROETHANE	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
CARBON TETRACHLORIDE	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
BENZENE	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
1 2-DICHLOROETHANE	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
TRICHLOROETHENE	5 U	0.5 U	0.5 U	0.8	0.5 U	0.5 U	0.0
1 2-DICHLOROPROPANE	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
BROMODICHLOROMETHANE	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
CIS-1 3-DICHLOROPROPENE	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
MIBK	10 U	10 U	10 U	10 U	10 U	10 U	0.0
TOLUENE	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
TRANS-1 3-DICHLOROPROPENE	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
1 1 2-TRICHLOROETHANE	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
TETRACHLOROETHENE	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
2-HEXANONE	10 U	10 U	10 U	10 U	10 U	10 U	0.0
DIBROMOCHLOROMETHANE	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
CHLOROBENZENE	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
ETHYLBENZENE	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
P-XYLENE/M-XYLENE	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
O-XYLENE	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
STYRENE	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
BROMOFORM	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0
1 1 2 2-TETRACHLOROETHANE	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 89-03(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/93	7/93	10/93	1/18/94	4/94	7/94	10/94	1/9/95	4/95	7/95	10/95	1/30/96	4/96	7/96	10/15/96
CHLOROMETHANE				0.5 U				0.5 U				0.5 U			0.5 U
VINYL CHLORIDE				0.5 U				0.5 U				0.5 U			0.5 U
CHLOROETHANE				0.5 U				0.5 U				0.5 U			0.5 U
BROMOMETHANE				0.5 U				0.5 U				0.5 U			0.5 U
1 1-DICHLOROETHENE				0.5 U				0.5 U				0.5 U			0.5 U
ACETONE				50 U				10 U				12			10 U
CARBON DISULFIDE				0.5 U				0.5 U				0.5 U			0.5 U
METHYLENE CHLORIDE				0.5 U				0.5 U				0.5 U			0.5 U
TRANS-1 2-DICHLOROETHENE				0.5 U				0.5 U				0.5 U			0.5 U
1 1-DICHLOROETHANE				0.5 U				0.5 U				0.5 U			0.5 U
CIS-1 2-DICHLOROETHENE				9				31				25			39
METHYL ETHYL KETONE				50 U				10 U				10 U			10 U
CHLOROFORM				0.5 U				0.5 U				0.5 U			0.5 U
1 1 1-TRICHLOROETHANE				0.5 U				0.5 U				0.5 U			0.5 U
CARBON TETRACHLORIDE				0.5 U				0.5 U				0.5 U			0.5 U
BENZENE				0.5 U				0.5 U				0.5 U			0.5 U
1 2-DICHLOROETHANE				0.5 U				0.5 U				0.5 U			0.5 U
TRICHLOROETHENE				0.5 U				0.6				0.5 U			0.5 U
1 2-DICHLOROPROPANE				0.5 U				0.5 U				0.5 U			0.5 U
BROMODICHLOROMETHANE				0.5 U				0.5 U				0.5 U			0.5 U
CIS-1 3-DICHLOROPROPENE				0.5 U				0.5 U				0.5 U			0.5 U
MIBK				50 U				10 U				10 U			10 U
TOLUENE				0.5 U				0.5 U				0.5 U			0.5 U
TRANS-1 3-DICHLOROPROPENE				0.5 U				0.5 U				0.5 U			0.5 U
1 1 2-TRICHLOROETHANE				0.5 U				0.5 U				0.5 U			0.5 U
TETRACHLOROETHENE				0.5 U				0.5 U				0.5 U			0.5 U
2-HEXANONE				50 U				10 U				10 U			10 U
DIBROMOCHLOROMETHANE				0.5 U				0.5 U				0.5 U			0.5 U
CHLOROBENZENE				0.5 U				0.5 U				0.5 U			0.5 U
ETHYLBENZENE				0.5 U				0.5 U				0.5 U			0.5 U
P-XYLENE/M-XYLENE				0.5 U				0.5 U				0.5 U			0.5 U
O-XYLENE				0.5 U				0.5 U				0.5 U			0.5 U
STYRENE				0.5 U				0.5 U				0.5 U			0.5 U
BROMOFORM				0.5 U				0.5 U				0.5 U			0.5 U
1 1 2 2-TETRACHLOROETHANE				0.5 U				0.5 U				1 U			0.5 U

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 89-03(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	1/97	4/97	7/97	10/97	AVG
CHLOROMETHANE					0.0
VINYL CHLORIDE					0.0
CHLOROETHANE					0.0
BROMOMETHANE					0.0
1 1-DICHLOROETHENE					0.0
ACETONE					3.0
CARBON DISULFIDE					0.0
METHYLENE CHLORIDE					0.0
TRANS-1 2-DICHLOROETHENE					0.0
1 1-DICHLOROETHANE					0.0
CIS-1 2-DICHLOROETHENE					26.0
METHYL ETHYL KETONE					0.0
CHLOROFORM					0.0
1 1 1-TRICHLOROETHANE					0.0
CARBON TETRACHLORIDE					0.0
BENZENE					0.0
1 2-DICHLOROETHANE					0.0
TRICHLOROETHENE					0.2
1 2-DICHLOROPROPANE					0.0
BROMODICHLOROMETHANE					0.0
CIS-1 3-DICHLOROPROPENE					0.0
MIBK					0.0
TOLUENE					0.0
TRANS-1 3-DICHLOROPROPENE					0.0
1 1 2-TRICHLOROETHANE					0.0
TETRACHLOROETHENE					0.0
2-HEXANONE					0.0
DIBROMOCHLOROMETHANE					0.0
CHLOROBENZENE					0.0
ETHYLBENZENE					0.0
P-XYLENE/M-XYLENE					0.0
O-XYLENE					0.0
STYRENE					0.0
BROMOFORM					0.0
1 1 2 2-TETRACHLOROETHANE					0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 89-04(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/20/93	7/20/93	10/13/93	1/18/94	4/94	7/20/94	10/94	1/10/95	4/95	7/11/95	10/95	1/30/96	4/19/96	7/96
CHLOROMETHANE	5 U	5 U	5 U	5 U		5 U		5 U		5 U		5 U	5 U	
VINYL CHLORIDE	49	36	33	12		24		5 U		5 U		5 U	5 U	
CHLOROETHANE	5 U	5 U	5 U	5 U		5 U		5 U		5 U		5 U	5 U	
BROMOMETHANE	5 U	5 U	5 U	5 U		5 U		5 U		5 U		5 U	5 U	
1 1-DICHLOROETHENE	19	10	6	5 U		7		5 U		6		5 U	5 U	
ACETONE	50 U	50 U	50 U	50 U		50 U		50 U		50 U		25 U	25 U	
CARBON DISULFIDE	98	30	88	73		74		67		94		5 U	42	
METHYLENE CHLORIDE	5 U	5 U	5 U	5 U		5 U		5 U		5 U		5 U	5 U	
TRANS-1 2-DICHLOROETHENE	5 U	5 U	5 U	6		5 U		5 U		5 U		5 U	5 U	
1 1-DICHLOROETHANE	5 U	5 U	5 U	5 U		5 U		5 U		5 U		5 U	5 U	
CIS-1 2-DICHLOROETHENE	96	76	71	40		60		37		39		5 U	18	
METHYL ETHYL KETONE	50 U	50 U	50 U	50 U		50 U		50 U		50 U		25 U	25 U	
CHLOROFORM	5 U	5 U	5 U	5 U		5 U		5 U		5 U		5 U	5 U	
1 1 1-TRICHLOROETHANE	5 U	5 U	5 U	5 U		5 U		5 U		5 U		5 U	5 U	
CARBON TETRACHLORIDE	5 U	5 U	5 U	5 U		5 U		5 U		5 U		5 U	5 U	
BENZENE	6	5 U	5 U	5 U		5 U		5 U		5 U		5 U	5 U	
1 2-DICHLOROETHANE	5 U	5 U	5 U	5 U		5 U		5 U		5 U		5 U	5 U	
TRICHLOROETHENE	12	8	8	7		6		5 U		6		5 U	5 U	
1 2-DICHLOROPROPANE	5 U	5 U	5 U	5 U		5 U		5 U		5 U		5 U	5 U	
BROMODICHLOROMETHANE	5 U	5 U	5 U	5 U		5 U		5 U		5 U		5 U	5 U	
CIS-1 3-DICHLOROPROPENE	5 U	5 U	5 U	5 U		5 U		5 U		5 U		5 U	5 U	
MIBK	50 U	50 U	50 U	50 U		50 U		50 U		50 U		25 U	10 U	
TOLUENE	6	5 U	5 U	5 U		5 U		5 U		5 U		5 U	5 U	
TRANS-1 3-DICHLOROPROPENE	5 U	5 U	5 U	5 U		5 U		5 U		5 U		5 U	5 U	
1 1 2-TRICHLOROETHANE	5 U	5 U	5 U	5 U		5 U		5 U		5 U		5 U	5 U	
TETRACHLOROETHENE	5 U	5 U	5 U	5 U		5 U		5 U		5 U		5 U	5 U	
2-HEXANONE	50 U	50 U	50 U	50 U		50 U		50 U		50 U		25 U	10 U	
DIBROMOCHLOROMETHANE	5 U	5 U	5 U	5 U		5 U		5 U		5 U		5 U	5 U	
CHLOROBENZENE	5 U	5 U	5 U	5 U		5 U		5 U		5 U		5 U	5 U	
ETHYLBENZENE	5 U	5 U	5 U	5 U		5 U		5 U		5 U		5 U	5 U	
P-XYLENE/M-XYLENE	5 U	5 U	5 U	5 U		5 U		5 U		5 U		5 U	5 U	
O-XYLENE	5 U	5 U	5 U	5 U		5 U		5 U		5 U		5 U	5 U	
STYRENE	5 U	5 U	5 U	5 U		5 U		5 U		5 U		5 U	5 U	
BROMOFORM	5 U	5 U	5 U	5 U		5 U		5 U		5 U		5 U	5 U	
1 1 2 2-TETRACHLOROETHANE	5 U	5 U	5 U	5 U		5 U		5 U		5 U		5 U	5 U	

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 89-04(1)
 ANALYTICAL SAMPLING RESULTS
 (Concentrations in ug/L)

ANALYTE	10/15/96	1/97	4/29/97	7/97	10/28/97	AVG
CHLOROMETHANE	5 U		0.5 U		5 U	0.0
VINYL CHLORIDE	5 U		2		5 U	13.0
CHLOROETHANE	5 U		0.5 U		5 U	0.0
BROMOMETHANE	5 U		0.5 U		5 U	0.0
1 1-DICHLOROETHENE	5 U		4		5 U	4.3
ACETONE	25 U		10 U		25 U	0.0
CARBON DISULFIDE	150		86		110	80.2
METHYLENE CHLORIDE	5 U		0.5 U		5 U	0.0
TRANS-1 2-DICHLOROETHENE	5 U		2		5 U	0.7
1 1-DICHLOROETHANE	5 U		0.5 U		5 U	0.0
CIS-1 2-DICHLOROETHENE	22		23		22	42.0
METHYL ETHYL KETONE	25 U		10 U		25 U	0.0
CHLOROFORM	5 U		0.5 U		5 U	0.0
1 1 1-TRICHLOROETHANE	5 U		0.5 U		5 U	0.0
CARBON TETRACHLORIDE	5 U		0.5 U		5 U	0.0
BENZENE	5 U		0.5 U		5 U	0.5
1 2-DICHLOROETHANE	5 U		0.5 U		5 U	0.0
TRICHLOROETHENE	6		6		7	5.5
1 2-DICHLOROPROPANE	5 U		0.5 U		5 U	0.0
BROMODICHLOROMETHANE	5 U		0.5 U		5 U	0.0
CIS-1 3-DICHLOROPROPENE	5 U		0.5 U		5 U	0.0
MIBK	10 U		10 U		10 U	0.0
TOLUENE	5 U		0.5 U		5 U	0.5
TRANS-1 3-DICHLOROPROPENE	5 U		0.5 U		5 U	0.0
1 1 2-TRICHLOROETHANE	5 U		0.5 U		5 U	0.0
TETRACHLOROETHENE	5 U		0.5 U		5 U	0.0
2-HEXANONE	10 U		10 U		10 U	0.0
DIBROMOCHLOROMETHANE	5 U		0.5 U		5 U	0.0
CHLOROBENZENE	5 U		0.5 U		5 U	0.0
ETHYLBENZENE	5 U		0.5 U		5 U	0.0
P-XYLENE/M-XYLENE	5 U		0.5 U		5 U	0.0
O-XYLENE	5 U		0.5 U		5 U	0.0
STYRENE	5 U		0.5 U		5 U	0.0
BROMOFORM	5 U		0.5 U		5 U	0.0
1 1 2 2-TETRACHLOROETHANE	5 U		1 U		5 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 89-05(1A)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/20/93	7/21/93	10/13/93	1/21/94	4/94	7/19/94	10/94	1/10/95	4/95	7/13/95	10/95	1/29/96	4/19/96	7/96
CHLOROMETHANE	5 U	5 U	5 U	5 U		25 U		5 U		5 U		25 U	25 U	
VINYL CHLORIDE	29	14	73	46		61		61		94		110	92	
CHLOROETHANE	5 U	5 U	5 U	5 U		25 U		5 U		5 U		25 U	25 U	
BROMOMETHANE	5 U	5 U	5 U	5 U		25 U		5 U		5 U		25 U	25 U	
1 1-DICHLOROETHENE	5 U	5 U	5 U	6		25 U		5 U		5 U		25 U	25 U	
ACETONE	192	50 U	50 U	50 U		250 U		50 U		50 U		125 U	125 U	
CARBON DISULFIDE	5 U	5 U	5 U	5 U		25 U		5 U		5 U		25 U	25 U	
METHYLENE CHLORIDE	5 U	5 U	5 U	5		25 U		5 U		5 U		25 U	25 U	
TRANS-1 2-DICHLOROETHENE	5 U	5 U	7	5 U		25 U		5 U		5 U		25 U	25 U	
1 1-DICHLOROETHANE	5 U	5 U	5 U	10		25 U		5 U		5 U		25 U	25 U	
CIS-1 2-DICHLOROETHENE	174	38	1440 J	1990		708		95		397		860	880	
METHYL ETHYL KETONE	50 U	50 U	50 U	50 U		250 U		50 U		50 U		125 U	125 U	
CHLOROFORM	5 U	5 U	5 U	5 U		25 U		5 U		5 U		25 U	25 U	
1 1 1-TRICHLOROETHANE	5 U	5 U	15	22		25 U		5 U		5 U		25 U	25 U	
CARBON TETRACHLORIDE	5 U	5 U	5 U	5 U		25 U		5 U		5 U		25 U	25 U	
BENZENE	8	5 U	5 U	5 U		25 U		5 U		5 U		25 U	25 U	
1 2-DICHLOROETHANE	5 U	5 U	5 U	5 U		25 U		5 U		5 U		25 U	25 U	
TRICHLOROETHENE	5 U	5 U	61	112		25 U		5 U		6		25 U	25 U	
1 2-DICHLOROPROPANE	5 U	5 U	5 U	5 U		25 U		5 U		5 U		25 U	25 U	
BROMODICHLOROMETHANE	5 U	5 U	5 U	5 U		25 U		5 U		5 U		25 U	25 U	
CIS-1 3-DICHLOROPROPENE	5 U	5 U	5 U	5 U		25 U		5 U		5 U		25 U	25 U	
MIBK	50 U	50 U	50 U	50 U		250 U		50 U		50 U		125 U	50 U	
TOLUENE	8	5 U	5 U	5 U		25 U		5 U		5 U		25 U	25 U	
TRANS-1 3-DICHLOROPROPENE	5 U	5 U	5 U	5 U		25 U		5 U		5 U		25 U	25 U	
1 1 2-TRICHLOROETHANE	5 U	5 U	5 U	5 U		25 U		5 U		5 U		25 U	25 U	
TETRACHLOROETHENE	5 U	5 U	5 U	5 U		25 U		5 U		5 U		25 U	25 U	
2-HEXANONE	50 U	50 U	50 U	50 U		250 U		50 U		50 U		125 U	50 U	
DIBROMOCHLOROMETHANE	5 U	5 U	5 U	5 U		25 U		5 U		5 U		25 U	25 U	
CHLOROBENZENE	5 U	5 U	5 U	5 U		25 U		5 U		5 U		25 U	25 U	
ETHYLBENZENE	5 U	5 U	5 U	5 U		25 U		5 U		5 U		25 U	25 U	
P-XYLENE/M-XYLENE	5 U	5 U	5 U	5 U		25 U		5 U		5 U		25 U	25 U	
O-XYLENE	5 U	5 U	5 U	5 U		25 U		5 U		5 U		25 U	25 U	
STYRENE	5 U	5 U	5 U	5 U		25 U		5 U		5 U		25 U	25 U	
BROMOFORM	5 U	5 U	5 U	5 U		25 U		5 U		5 U		25 U	25 U	
1 1 2 2-TETRACHLOROETHANE	5 U	5 U	5 U	5 U		25 U		5 U		5 U		25 U	25 U	

NOTES:

U = Below Practical Quantitation Limit (PQL)

J = Estimated

Blank = Not sampled

WELL NUMBER 89-05(1A)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	10/17/96	1/97	4/29/97	7/97	10/29/97	AVG
CHLOROMETHANE	25 U		25 U		25 U	0.0
VINYL CHLORIDE	32		36		34	56.8
CHLOROETHANE	25 U		25 U		25 U	0.0
BROMOMETHANE	25 U		25 U		25 U	0.0
1 1-DICHLOROETHENE	25 U		25 U		25 U	0.5
ACETONE	120 U		120 U		120 U	16.0
CARBON DISULFIDE	25 U		25 U		25 U	0.0
METHYLENE CHLORIDE	25 U		25 U		25 U	0.4
TRANS-1 2-DICHLOROETHENE	25 U		25 U		25 U	0.6
1 1-DICHLOROETHANE	25 U		25 U		25 U	0.8
CIS-1 2-DICHLOROETHENE	320		300		190	496.0
METHYL ETHYL KETONE	120 U		120 U		120 U	0.0
CHLOROFORM	25 U		25 U		25 U	0.0
1 1 1-TRICHLOROETHANE	25 U		25 U		25 U	3.1
CARBON TETRACHLORIDE	25 U		25 U		25 U	0.0
BENZENE	25 U		25 U		25 U	0.7
1 2-DICHLOROETHANE	25 U		25 U		25 U	0.0
TRICHLOROETHENE	25 U		25 U		25 U	14.9
1 2-DICHLOROPROPANE	25 U		25 U		25 U	0.0
BROMODICHLOROMETHANE	25 U		25 U		25 U	0.0
CIS-1 3-DICHLOROPROPENE	25 U		25 U		25 U	0.0
MIBK	50 U		50 U		50 U	0.0
TOLUENE	25 U		25 U		25 U	0.7
TRANS-1 3-DICHLOROPROPENE	25 U		25 U		25 U	0.0
1 1 2-TRICHLOROETHANE	25 U		25 U		25 U	0.0
TETRACHLOROETHENE	25 U		25 U		25 U	0.0
2-HEXANONE	50 U		50 U		50 U	0.0
DIBROMOCHLOROMETHANE	25 U		25 U		25 U	0.0
CHLOROBENZENE	25 U		25 U		25 U	0.0
ETHYLBENZENE	25 U		25 U		25 U	0.0
P-XYLENE/M-XYLENE	25 U		25 U		25 U	0.0
O-XYLENE	25 U		25 U		25 U	0.0
STYRENE	25 U		25 U		25 U	0.0
BROMOFORM	25 U		25 U		25 U	0.0
1 1 2 2-TETRACHLOROETHANE	25 U		25 U		25 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

J = Estimated

Blank = Not sampled

WELL NUMBER 89-05(1B)
 ANALYTICAL SAMPLING RESULTS
 (Concentrations in ug/L)

ANALYTE	4/20/93	7/21/93	10/13/93	1/21/94	4/94	7/94	10/94	1/10/95	4/95	7/95	10/95	1/29/96	4/96	7/96
CHLOROMETHANE	5 U	5 U	5 U	5 U				5 U				50 U		
VINYL CHLORIDE	17	9	31	30				58				62		
CHLOROETHANE	5 U	5 U	5 U	5 U				5 U				50 U		
BROMOMETHANE	5 U	5 U	5 U	5 U				5 U				50 U		
1 1-DICHLOROETHENE	5 U	5 U	5 U	5 U				5 U				50 U		
ACETONE	50 U	50 U	50 U	50 U				50 U				250 U		
CARBON DISULFIDE	5 U	5 U	5 U	5 U				5 U				50 U		
METHYLENE CHLORIDE	5 U	5 U	5 U	5 U				5 U				50 U		
TRANS-1 2-DICHLOROETHENE	5 U	5 U	5 U	5 U				5 U				50 U		
1 1-DICHLOROETHANE	5 U	5 U	5 U	5 U				5 U				50 U		
CIS-1 2-DICHLOROETHENE	115	42	254	178				835				380		
METHYL ETHYL KETONE	50 U	50 U	50 U	50 U				50 U				250 U		
CHLOROFORM	5 U	5 U	5 U	5 U				5 U				50 U		
1 1 1-TRICHLOROETHANE	5 U	5 U	5 U	5 U				5				50 U		
CARBON TETRACHLORIDE	5 U	5 U	5 U	5 U				5 U				50 U		
BENZENE	5 U	5 U	5 U	5 U				5 U				50 U		
1 2-DICHLOROETHANE	5 U	5 U	5 U	5 U				5 U				50 U		
TRICHLOROETHENE	5 U	5 U	5 U	5 U				6				50 U		
1 2-DICHLOROPROPANE	5 U	5 U	5 U	5 U				5 U				50 U		
BROMODICHLOROMETHANE	5 U	5 U	5 U	5 U				5 U				50 U		
CIS-1 3-DICHLOROPROPENE	5 U	5 U	5 U	5 U				5 U				50 U		
MIBK	50 U	50 U	50 U	50 U				50 U				250 U		
TOLUENE	5 U	5 U	5 U	5 U				5 U				50 U		
TRANS-1 3-DICHLOROPROPENE	5 U	5 U	5 U	5 U				5 U				50 U		
1 1 2-TRICHLOROETHANE	5 U	5 U	5 U	5 U				5 U				50 U		
TETRACHLOROETHENE	5 U	5 U	5 U	5 U				5 U				50 U		
2-HEXANONE	50 U	50 U	50 U	50 U				50 U				250 U		
DIBROMOCHLOROMETHANE	5 U	5 U	5 U	5 U				5 U				50 U		
CHLOROBENZENE	5 U	5 U	5 U	5 U				5 U				50 U		
ETHYLBENZENE	5 U	5 U	5 U	5 U				5 U				50 U		
P-XYLENE/M-XYLENE	5 U	5 U	5 U	5 U				5 U				50 U		
O-XYLENE	5 U	5 U	5 U	5 U				5 U				50 U		
STYRENE	5 U	5 U	5 U	5 U				5 U				50 U		
BROMOFORM	5 U	5 U	5 U	5 U				5 U				50 U		
1 1 2 2-TETRACHLOROETHANE	5 U	5 U	5 U	5 U				5 U				50 U		

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 89-05(1B)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	10/17/96	1/97	4/97	7/97	10/29/97	AVG
CHLOROMETHANE	5 U				0.5 U	0.0
VINYL CHLORIDE	9				22	29.8
CHLOROETHANE	5 U				0.5 U	0.0
BROMOMETHANE	5 U				0.5 U	0.0
1 1-DICHLOROETHENE	5 U				0.5 U	0.0
ACETONE	25 U				10 U	0.0
CARBON DISULFIDE	5 U				0.5 U	0.0
METHYLENE CHLORIDE	5 U				0.5 U	0.0
TRANS-1 2-DICHLOROETHENE	5 U				0.5 U	0.0
1 1-DICHLOROETHANE	5 U				0.5 U	0.0
CIS-1 2-DICHLOROETHENE	32				41	234.6
METHYL ETHYL KETONE	25 U				10 U	0.0
CHLOROFORM	5 U				0.5 U	0.0
1 1 1-TRICHLOROETHANE	5 U				0.5 U	0.6
CARBON TETRACHLORIDE	5 U				0.5 U	0.0
BENZENE	5 U				0.5 U	0.0
1 2-DICHLOROETHANE	5 U				0.5 U	0.0
TRICHLOROETHENE	5 U				0.5 U	0.8
1 2-DICHLOROPROPANE	5 U				0.5 U	0.0
BROMODICHLOROMETHANE	5 U				0.5 U	0.0
CIS-1 3-DICHLOROPROPENE	5 U				0.5 U	0.0
MIBK	10 U				10 U	0.0
TOLUENE	5 U				0.5 U	0.0
TRANS-1 3-DICHLOROPROPENE	5 U				0.5 U	0.0
1 1 2-TRICHLOROETHANE	5 U				0.5 U	0.0
TETRACHLOROETHENE	5 U				0.5 U	0.0
2-HEXANONE	10 U				10 U	0.0
DIBROMOCHLOROMETHANE	5 U				0.5 U	0.0
CHLOROBENZENE	5 U				0.5 U	0.0
ETHYLBENZENE	5 U				0.5 U	0.0
P-XYLENE/M-XYLENE	5 U				0.5 U	0.0
O-XYLENE	5 U				0.5 U	0.0
STYRENE	5 U				0.5 U	0.0
BROMOFORM	5 U				0.5 U	0.0
1 1 2 2-TETRACHLOROETHANE	5 U				0.5 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

ANALYTE	4/93	7/93	10/93	1/20/94	4/94	7/94	10/94	1/9/95	4/95	7/95	10/95	1/30/96	4/96	7/96	10/15/96
CHLOROMETHANE				0.5 U				0.5 U				0.5 U			0.5 U
VINYL CHLORIDE				0.5 U				0.5 U				0.5 U			0.5 U
CHLOROETHANE				0.5 U				0.5 U				0.5 U			0.5 U
BROMOMETHANE				0.5 U				0.5 U				0.5 U			0.5 U
1 1-DICHLOROETHENE				0.5 U				0.5 U				0.5 U			0.5 U
ACETONE				50 U				10 U				10			10 U
CARBON DISULFIDE				0.5 U				0.8				0.5 U			0.5 U
METHYLENE CHLORIDE				0.5 U				0.5 U				0.5 U			0.5 U
TRANS-1 2-DICHLOROETHENE				0.5 U				0.5 U				0.5 U			0.5 U
1 1-DICHLOROETHANE				0.5 U				0.5 U				0.5 U			0.5 U
CIS-1 2-DICHLOROETHENE				0.5 U				0.5 U				0.5 U			0.5 U
METHYL ETHYL KETONE				50 U				10 U				10 U			10 U
CHLOROFORM				0.5 U				0.5 U				0.5 U			0.5 U
1 1 1-TRICHLOROETHANE				0.5 U				0.5 U				0.5 U			0.5 U
CARBON TETRACHLORIDE				0.5 U				0.5 U				0.5 U			0.5 U
BENZENE				0.5 U				0.5 U				0.5 U			0.5 U
1 2-DICHLOROETHANE				0.5 U				0.5 U				0.5 U			0.5 U
TRICHLOROETHENE				0.5 U				0.5 U				0.5 U			0.5 U
1 2-DICHLOROPROPANE				0.5 U				0.5 U				0.5 U			0.5 U
BROMODICHLOROMETHANE				0.5 U				0.5 U				0.5 U			0.5 U
CIS-1 3-DICHLOROPROPENE				0.5 U				0.5 U				0.5 U			0.5 U
MIBK				50 U				10 U				10 U			10 U
TOLUENE				0.5 U				0.5 U				0.5 U			0.5 U
TRANS-1 3-DICHLOROPROPENE				0.5 U				0.5 U				0.5 U			0.5 U
1 1 2-TRICHLOROETHANE				0.5 U				0.5 U				0.5 U			0.5 U
TETRACHLOROETHENE				0.5 U				0.5 U				0.5 U			0.5 U
2-HEXANONE				50 U				10 U				10 U			10 U
DIBROMOCHLOROMETHANE				0.5 U				0.5 U				0.5 U			0.5 U
CHLOROBENZENE				0.5 U				0.5 U				0.5 U			0.5 U
ETHYLBENZENE				0.5 U				0.5 U				0.5 U			0.5 U
P-XYLENE/M-XYLENE				0.5 U				0.5 U				0.5 U			0.5 U
O-XYLENE				0.5 U				0.5 U				0.5 U			0.5 U
STYRENE				0.5 U				0.5 U				0.5 U			0.5 U
BROMOFORM				0.5 U				0.5 U				0.5 U			0.5 U
1 1 2-TETRACHLOROETHANE				0.5 U				0.5 U				1 U			0.5 U

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 89-06(1)
 ABALYTICAL SAMPLING RESULTS
 (Concentrations in ug/L)

ANALYTE	1/97	4/97	7/97	10/28/97	AVG
CHLOROMETHANE				0.5 U	0.0
VINYL CHLORIDE				0.5 U	0.0
CHLOROETHANE				0.5 U	0.0
BROMOMETHANE				0.5 U	0.0
1 1-DICHLOROETHENE				0.5 U	0.0
ACETONE				10 U	2.0
CARBON DISULFIDE				0.5 U	0.2
METHYLENE CHLORIDE				0.5 U	0.0
TRANS-1 2-DICHLOROETHENE				0.5 U	0.0
1 1-DICHLOROETHANE				0.5 U	0.0
CIS-1 2-DICHLOROETHENE				0.5 U	0.0
METHYL ETHYL KETONE				10 U	0.0
CHLOROFORM				0.5 U	0.0
1 1 1-TRICHLOROETHANE				0.5 U	0.0
CARBON TETRACHLORIDE				0.5 U	0.0
BENZENE				0.5 U	0.0
1 2-DICHLOROETHANE				0.5 U	0.0
TRICHLOROETHENE				0.5 U	0.0
1 2-DICHLOROPROPANE				0.5 U	0.0
BROMODICHLOROMETHANE				0.5 U	0.0
CIS-1 3-DICHLOROPROPENE				0.5 U	0.0
MIBK				10 U	0.0
TOLUENE				0.5 U	0.0
TRANS-1 3-DICHLOROPROPENE				0.5 U	0.0
1 1 2-TRICHLOROETHANE				0.5 U	0.0
TETRACHLOROETHENE				0.5 U	0.0
2-HEXANONE				10 U	0.0
DIBROMOCHLOROMETHANE				0.5 U	0.0
CHLOROBENZENE				0.5 U	0.0
ETHYLBENZENE				0.5 U	0.0
P-XYLENE/M-XYLENE				0.5 U	0.0
O-XYLENE				0.5 U	0.0
STYRENE				0.5 U	0.0
BROMOFORM				0.5 U	0.0
1 1 2 2-TETRACHLOROETHANE				0.5 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 89-07(1A)
ANALYTICAL SAMPLING RESULTS
(concentrations in ug/L)

ANALYTE	4/93	7/93	10/93	1/24/94	4/94	7/94	10/94	1/11/95	4/95	7/95	10/95	1/96	4/96	7/96	10/17/96
CHLOROMETHANE				0.5 U				0.5 U							0.6
VINYL CHLORIDE				0.5 U				0.5 U							0.5 U
CHLOROETHANE				0.5 U				0.5 U							0.5 U
BROMOMETHANE				0.5 U				0.5 U							0.5 U
1 1-DICHLOROETHENE				0.5 U				0.5 U							0.5 U
ACETONE				50 U				10 U							10 U
CARBON DISULFIDE				0.5 U				0.5 U							0.8
METHYLENE CHLORIDE				0.5 U				0.5 U							0.5 U
TRANS-1 2-DICHLOROETHENE				0.5 U				0.5 U							0.5 U
1 1-DICHLOROETHANE				0.5 U				0.5 U							0.5 U
CIS-1 2-DICHLOROETHENE				0.5 U				0.5 U							0.5 U
METHYL ETHYL KETONE				50 U				10 U							10 U
CHLOROFORM				0.5 U				0.5 U							0.5 U
1 1 1-TRICHLOROETHANE				0.5 U				0.5 U							0.5 U
CARBON TETRACHLORIDE				0.5 U				0.5 U							0.5 U
BENZENE				0.5 U				0.5 U							0.5 U
1 2-DICHLOROETHANE				0.5 U				0.5 U							0.5 U
TRICHLOROETHENE				0.5 U				0.5 U							0.5 U
1 2-DICHLOROPROPANE				0.5 U				0.5 U							0.5 U
BROMODICHLOROMETHANE				0.5 U				0.5 U							0.5 U
CIS-1 3-DICHLOROPROPENE				0.5 U				0.5 U							0.5 U
MIBK				50 U				10 U							10 U
TOLUENE				0.5 U				0.5 U							0.5 U
TRANS-1 3-DICHLOROPROPENE				0.5 U				0.5 U							0.5 U
1 1 2-TRICHLOROETHANE				0.5 U				0.5 U							0.5 U
TETRACHLOROETHENE				0.5 U				0.5 U							0.5 U
2-HEXANONE				50 U				10 U							10 U
DIBROMOCHLOROMETHANE				0.5 U				0.5 U							0.5 U
CHLOROBENZENE				0.5 U				0.5 U							0.5 U
ETHYLBENZENE				0.5 U				0.5 U							0.5 U
P-XYLENE/M-XYLENE				0.5 U				0.5 U							0.5 U
O-XYLENE				0.5 U				0.5 U							0.5 U
STYRENE				0.5 U				0.5 U							0.5 U
BROMOFORM				0.5 U				0.5 U							0.5 U
1 1 2 2-TETRACHLOROETHANE				0.5 U				0.5 U							0.5 U

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 89-07(1A)
ANALYTICAL SAMPLING RESULTS
(concentrations in ug/L)

ANALYTE	1/97	4/97	7/97	10/28/97	AVG
CHLOROMETHANE				0.5 U	0.2
VINYL CHLORIDE				0.5 U	0.0
CHLOROETHANE				0.5 U	0.0
BROMOMETHANE				0.5 U	0.0
1 1-DICHLOROETHENE				0.5 U	0.0
ACETONE				10 U	0.0
CARBON DISULFIDE				0.5 U	0.2
METHYLENE CHLORIDE				0.5 U	0.0
TRANS-1 2-DICHLOROETHENE				0.5 U	0.0
1 1-DICHLOROETHANE				0.5 U	0.0
CIS-1 2-DICHLOROETHENE				0.5 U	0.0
METHYL ETHYL KETONE				10 U	0.0
CHLOROFORM				0.5 U	0.0
1 1 1-TRICHLOROETHANE				0.5 U	0.0
CARBON TETRACHLORIDE				0.5 U	0.0
BENZENE				0.5 U	0.0
1 2-DICHLOROETHANE				0.5 U	0.0
TRICHLOROETHENE				0.5 U	0.0
1 2-DICHLOROPROPANE				0.5 U	0.0
BROMODICHLOROMETHANE				0.5 U	0.0
CIS-1 3-DICHLOROPROPENE				0.5 U	0.0
MIBK				10 U	0.0
TOLUENE				0.5 U	0.0
TRANS-1 3-DICHLOROPROPENE				0.5 U	0.0
1 1 2-TRICHLOROETHANE				0.5 U	0.0
TETRACHLOROETHENE				0.5 U	0.0
2-HEXANONE				10 U	0.0
DIBROMOCHLOROMETHANE				0.5 U	0.0
CHLOROBENZENE				0.5 U	0.0
ETHYLBENZENE				0.5 U	0.0
P-XYLENE/M-XYLENE				0.5 U	0.0
O-XYLENE				0.5 U	0.0
STYRENE				0.5 U	0.0
BROMOFORM				0.5 U	0.0
1 1 2 2-TETRACHLOROETHANE				0.5 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 89-07(1B)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/93	7/93	10/93	1/21/94	4/94	7/94	10/94	1/11/95	4/95	7/95	10/95	1/30/96	4/96	7/96	10/17/96
CHLOROMETHANE				0.5 U				0.5 U				0.5 U			0.6
VINYL CHLORIDE				0.5 U				0.5 U				0.5 U			0.5 U
CHLOROETHANE				0.5 U				0.5 U				0.5 U			0.5 U
BROMOMETHANE				0.5 U				0.5 U				0.5 U			0.5 U
1 1-DICHLOROETHENE				0.5 U				0.5 U				0.5 U			0.5 U
ACETONE				50 U				10 U				10 U			10 U
CARBON DISULFIDE				0.5 U				0.5 U				0.5 U			0.8
METHYLENE CHLORIDE				0.5 U				0.5 U				0.5 U			0.5 U
TRANS-1 2-DICHLOROETHENE				0.5 U				0.5 U				0.5 U			0.5 U
1 1-DICHLOROETHANE				0.5 U				0.5 U				0.5 U			0.5 U
CIS-1 2-DICHLOROETHENE				0.5 U				0.5 U				0.5 U			0.5 U
METHYL ETHYL KETONE				50 U				10 U				10 U			10 U
CHLOROFORM				0.5 U				0.5 U				0.5 U			0.5 U
1 1 1-TRICHLOROETHANE				0.5 U				0.5 U				0.5 U			0.5 U
CARBON TETRACHLORIDE				0.5 U				0.5 U				0.5 U			0.5 U
BENZENE				0.5 U				0.5 U				0.5 U			0.5 U
1 2-DICHLOROETHANE				0.5 U				0.5 U				0.5 U			0.5 U
TRICHLOROETHENE				0.5 U				0.5 U				0.5 U			0.5 U
1 2-DICHLOROPROPANE				0.5 U				0.5 U				0.5 U			0.5 U
BROMODICHLOROMETHANE				0.5 U				0.5 U				0.5 U			0.5 U
CIS-1 3-DICHLOROPROPENE				0.5 U				0.5 U				0.5 U			0.5 U
MIBK				50 U				10 U				10 U			10 U
TOLUENE				0.5 U				0.5 U				0.5 U			0.5 U
TRANS-1 3-DICHLOROPROPENE				0.5 U				0.5 U				0.5 U			0.5 U
1 1 2-TRICHLOROETHANE				0.5 U				0.5 U				0.5 U			0.5 U
TETRACHLOROETHENE				0.5 U				0.5 U				0.5 U			0.5 U
2-HEXANONE				50 U				10 U				10 U			10 U
DIBROMOCHLOROMETHANE				0.5 U				0.5 U				0.5 U			0.5 U
CHLOROENZENE				0.5 U				0.5 U				0.5 U			0.5 U
ETHYLBENZENE				0.5 U				0.5 U				0.5 U			0.5 U
P-XYLENE/M-XYLENE				0.5 U				0.5 U				0.5 U			0.5 U
O-XYLENE				0.5 U				0.5 U				0.5 U			0.5 U
STYRENE				0.5 U				0.5 U				0.5 U			0.5 U
BROMOFORM				0.5 U				0.5 U				0.5 U			0.5 U
1 1 2 2-TETRACHLOROETHANE				0.5 U				0.5 U				1 U			0.5 U

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 89-07(1B)
 ANALYTICAL SAMPLING RESULTS
 (Concentrations in ug/L)

ANALYTE	1/97	4/97	7/97	10/28/97	AVG
CHLOROMETHANE				0.5 U	0.1
VINYL CHLORIDE				0.5 U	0.0
CHLOROETHANE				0.5 U	0.0
BROMOMETHANE				0.5 U	0.0
1 1-DICHLOROETHENE				0.5 U	0.0
ACETONE				10 U	0.0
CARBON DISULFIDE				0.5 U	0.2
METHYLENE CHLORIDE				0.5 U	0.0
TRANS-1 2-DICHLOROETHENE				0.5 U	0.0
1 1-DICHLOROETHANE				0.5 U	0.0
CIS-1 2-DICHLOROETHENE				0.5 U	0.0
METHYL ETHYL KETONE				10 U	0.0
CHLOROFORM				0.5 U	0.0
1 1 1-TRICHLOROETHANE				0.5 U	0.0
CARBON TETRACHLORIDE				0.5 U	0.0
BENZENE				0.5 U	0.0
1 2-DICHLOROETHANE				0.5 U	0.0
TRICHLOROETHENE				0.5 U	0.0
1 2-DICHLOROPROPANE				0.5 U	0.0
BROMODICHLOROMETHANE				0.5 U	0.0
CIS-1 3-DICHLOROPROPENE				0.5 U	0.0
MIBK				10 U	0.0
TOLUENE				0.5 U	0.0
TRANS-1 3-DICHLOROPROPENE				0.5 U	0.0
1 1 2-TRICHLOROETHANE				0.5 U	0.0
TETRACHLOROETHENE				0.5 U	0.0
2-HEXANONE				10 U	0.0
DIBROMOCHLOROMETHANE				0.5 U	0.0
CHLOROBENZENE				0.5 U	0.0
ETHYLBENZENE				0.5 U	0.0
P-XYLENE/M-XYLENE				0.5 U	0.0
O-XYLENE				0.5 U	0.0
STYRENE				0.5 U	0.0
BROMOFORM				0.5 U	0.0
1 1 2 2-TETRACHLOROETHANE				0.5 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 89-14(0)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/93	7/21/93	10/93	1/21/94	4/94	7/20/94	10/94	1/11/95	4/95	7/95	10/95	1/31/96	4/17/96	7/96
CHLOROMETHANE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
VINYL CHLORIDE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
CHLOROETHANE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
BROMOMETHANE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
1 1-DICHLOROETHENE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
ACETONE		36		50 U		10 U		10 U				10 U	10 U	
CARBON DISULFIDE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
METHYLENE CHLORIDE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
TRANS-1 2-DICHLOROETHENE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
1 1-DICHLOROETHANE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
CIS-1 2-DICHLOROETHENE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
METHYL ETHYL KETONE		20 U		50 U		10 U		10 U				10 U	10 U	
CHLOROFORM		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
1 1 1-TRICHLOROETHANE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
CARBON TETRACHLORIDE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
BENZENE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
1 2-DICHLOROETHANE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
TRICHLOROETHENE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
1 2-DICHLOROPROPANE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
BROMODICHLOROMETHANE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
CIS-1 3-DICHLOROPROPENE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
MIBK		20 U		50 U		10 U		10 U				10 U	10 U	
TOLUENE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
TRANS-1 3-DICHLOROPROPENE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
1 1 2-TRICHLOROETHANE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
TETRACHLOROETHENE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
2-HEXANONE		20 U		50 U		10 U		10 U				10 U	10 U	
DIBROMOCHLOROMETHANE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
CHLOROBENZENE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
ETHYLBENZENE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
P-XYLENE/M-XYLENE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
O-XYLENE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
STYRENE		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
BROMOFORM		0.5 U		0.5 U		1 U		0.5 U				0.5 U	0.5 U	
1 1 2 2-TETRACHLOROETHANE		0.5 U		0.5 U		1 U		0.5 U				1 U	1 U	

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 89-14(0)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	10/17/96	1/97	4/30/97	7/97	10/97	AVG
CHLOROMETHANE	0.5 U		0.5 U			0.0
VINYL CHLORIDE	0.5 U		0.5 U			0.0
CHLOROETHANE	0.5 U		0.5 U			0.0
BROMOMETHANE	0.5 U		0.5 U			0.0
1 1-DICHLOROETHENE	0.5 U		0.5 U			0.0
ACETONE	10 U		10 U			4.5
CARBON DISULFIDE	0.5 U		0.5 U			0.0
METHYLENE CHLORIDE	0.5 U		0.5 U			0.0
TRANS-1 2-DICHLOROETHENE	0.5 U		0.5 U			0.0
1 1-DICHLOROETHANE	0.5 U		0.5 U			0.0
CIS-1 2-DICHLOROETHENE	0.5 U		0.5 U			0.0
METHYL ETHYL KETONE	10 U		10 U			0.0
CHLOROFORM	0.5 U		0.5 U			0.0
1 1 1-TRICHLOROETHANE	0.5 U		0.5 U			0.0
CARBON TETRACHLORIDE	0.5 U		0.5 U			0.0
BENZENE	0.5 U		0.5 U			0.0
1 2-DICHLOROETHANE	0.5 U		0.5 U			0.0
TRICHLOROETHENE	0.5 U		0.5 U			0.0
1 2-DICHLOROPROPANE	0.5 U		0.5 U			0.0
BROMODICHLOROMETHANE	0.5 U		0.5 U			0.0
CIS-1 3-DICHLOROPROPENE	0.5 U		0.5 U			0.0
MIBK	10 U		10 U			0.0
TOLUENE	0.5 U		0.5 U			0.0
TRANS-1 3-DICHLOROPROPENE	0.5 U		0.5 U			0.0
1 1 2-TRICHLOROETHANE	0.5 U		0.5 U			0.0
TETRACHLOROETHENE	0.5 U		0.5 U			0.0
2-HEXANONE	10 U		10 U			0.0
DIBROMOCHLOROMETHANE	0.5 U		0.5 U			0.0
CHLOROBENZENE	0.5 U		0.5 U			0.0
ETHYLBENZENE	0.5 U		0.5 U			0.0
P-XYLENE/M-XYLENE	0.5 U		0.5 U			0.0
O-XYLENE	0.5 U		0.5 U			0.0
STYRENE	0.5 U		0.5 U			0.0
BROMOFORM	0.5 U		0.5 U			0.0
1 1 2 2-TETRACHLOROETHANE	0.5 U		0.5 U			0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 89-14(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/93	7/20/93	10/93	1/21/94	4/94	7/20/94	10/94	1/11/95	4/95	7/95	10/95	1/31/96	4/96	7/96	10/17/96
CHLOROMETHANE		5 U		5 U				25 U				50 U			25 U
VINYL CHLORIDE		10		64				69				50 U			25 U
CHLOROETHANE		5 U		5 U				25 U				50 U			25 U
BROMOMETHANE		5 U		5 U				25 U				50 U			25 U
1 1-DICHLOROETHENE		5 U		5 U				25 U				50 U			25 U
ACETONE		50 U		50 U				250 U				250 U			120 U
CARBON DISULFIDE		5 U		5				25 U				50 U			25 U
METHYLENE CHLORIDE		5 U		5 U				25 U				50 U			25 U
TRANS-1 2-DICHLOROETHENE		5 U		7				25 U				50 U			25 U
1 1-DICHLOROETHANE		7		13				25 U				50 U			25 U
CIS-1 2-DICHLOROETHENE		266		550 J				718				630			490
METHYL ETHYL KETONE		50 U		50 U				250 U				250 U			120 U
CHLOROFORM		5 U		5 U				25 U				50 U			25 U
1 1 1-TRICHLOROETHANE		27		30				25				50 U			26
CARBON TETRACHLORIDE		5 U		5 U				25 U				50 U			25 U
BENZENE		5 U		5 U				25 U				50 U			25 U
1 2-DICHLOROETHANE		5 U		24				25 U				50 U			25 U
TRICHLOROETHENE		16		5 U				42				50 U			25 U
1 2-DICHLOROPROPANE		5 U		5 U				25 U				50 U			25 U
BROMODICHLOROMETHANE		5 U		5 U				25 U				50 U			25 U
CIS-1 3-DICHLOROPROPENE		5 U		5 U				25 U				50 U			25 U
MIBK		50 U		50 U				250 U				250 U			50 U
TOLUENE		5 U		5 U				25 U				50 U			25 U
TRANS-1 3-DICHLOROPROPENE		5 U		5 U				25 U				50 U			25 U
1 1 2-TRICHLOROETHANE		5 U		5 U				25 U				50 U			25 U
TETRACHLOROETHENE		5 U		5 U				25 U				50 U			25 U
2-HEXANONE		50 U		50 U				250 U				250 U			50 U
DIBROMOCHLOROMETHANE		5 U		5 U				25 U				50 U			25 U
CHLOROBENZENE		5 U		5 U				25 U				50 U			25 U
ETHYLBENZENE		5 U		5 U				25 U				50 U			25 U
P-XYLENE/M-XYLENE		5 U		5 U				25 U				50 U			25 U
O-XYLENE		5 U		5 U				25 U				50 U			25 U
STYRENE		5 U		5 U				25 U				50 U			25 U
BROMOFORM		5 U		5 U				25 U				50 U			25 U
1 1 2 2-TETRACHLOROETHANE		5 U		5 U				25 U				50 U			25 U

NOTES:

U = Below Practical Quantitation Limit (PQL)

J = Estimated

Blank = Not sampled

WELL NUMBER 89-14(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	1/97	4/97	7/97	10/30/97	AVG
CHLOROMETHANE				25 U	0.0
VINYL CHLORIDE				25 U	23.8
CHLOROETHANE				25 U	0.0
BROMOMETHANE				25 U	0.0
1 1-DICHLOROETHENE				25 U	0.0
ACETONE				120 U	0.0
CARBON DISULFIDE				25 U	0.8
METHYLENE CHLORIDE				25 U	0.0
TRANS-1 2-DICHLOROETHENE				25 U	1.2
1 1-DICHLOROETHANE				25 U	3.3
CIS-1 2-DICHLOROETHENE				350	409.0
METHYL ETHYL KETONE				120 U	0.0
CHLOROFORM				25 U	0.0
1 1 1-TRICHLOROETHANE				25 U	18.0
CARBON TETRACHLORIDE				25 U	0.0
BENZENE				25 U	0.0
1 2-DICHLOROETHANE				25 U	4.0
TRICHLOROETHENE				25 U	9.7
1 2-DICHLOROPROPANE				25 U	0.0
BROMODICHLOROMETHANE				25 U	0.0
CIS-1 3-DICHLOROPROPENE				25 U	0.0
MIBK				50 U	0.0
TOLUENE				25 U	0.0
TRANS-1 3-DICHLOROPROPENE				25 U	0.0
1 1 2-TRICHLOROETHANE				25 U	0.0
TETRACHLOROETHENE				25 U	0.0
2-HEXANONE				50 U	0.0
DIBROMOCHLOROMETHANE				25 U	0.0
CHLOROBENZENE				25 U	0.0
ETHYLBENZENE				25 U	0.0
P-XYLENE/M-XYLENE				25 U	0.0
O-XYLENE				25 U	0.0
STYRENE				25 U	0.0
BROMOFORM				25 U	0.0
1 1 2 2-TETRACHLOROETHANE				25 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

J = Estimated

Blank = Not sampled

WELL NUMBER 89-15(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/93	7/21/93	10/93	1/24/94	04/27/94	7/21/94	10/26/94	1/12/95	4/20/95	7/12/95	10/19/95	2/1/96
CHLOROMETHANE		2500 U		5000 U	5000 U	50 U	50 U	250 U	12500 U	25000 U	12500 U	5000 U
VINYL CHLORIDE		2500 U		5000 U	5000 U	50 U	50 U	250 U	12500 U	25000 U	12500 U	5000 U
CHLOROETHANE		2500 U		5000 U	5000 U	50 U	50 U	250 U	12500 U	25000 U	12500 U	5000 U
BROMOMETHANE		2500 U		5000 U	5000 U	50 U	50 U	250 U	12500 U	25000 U	12500 U	5000 U
1 1-DICHLOROETHENE		2500 U		5000 U	5000 U	50 U	50 U	250 U	12500 U	25000 U	12500 U	5000 U
ACETONE		25000 U		50000 U	50000 U	500 U	500 U	2500 U	125000 U	250000 U	125000 U	25000 U
CARBON DISULFIDE		2500 U		5000	5000 U	50 U	50 U	250 U	12500 U	25000 U	12500 U	5000 U
METHYLENE CHLORIDE		149000		228000	65200	1280	394000	448000	332000	524000	330000	72000
TRANS-1 2-DICHLOROETHENE		2500 U		5000 U	5000 U	50 U	50 U	250 U	12500 U	25000 U	12500 U	5000 U
1 1-DICHLOROETHANE		2500 U		5000 U	5000 U	50 U	50 U	250 U	12500 U	25000 U	12500 U	5000 U
CIS-1 2-DICHLOROETHENE		5700		10500	5000 U	530	4210	4950	12500 U	25000 U	12500 U	12000
METHYL ETHYL KETONE		25000 U		50000 U	50000 U	500 U	500 U	2500 U	125000 U	250000 U	125000 U	25000 U
CHLOROFORM		2500 U		5000 U	5000 U	50 U	50 U	250 U	12500 U	25000 U	12500 U	5000 U
1 1 1-TRICHLOROETHANE		2500 U		5000 U	5000 U	50 U	1670	250 U	12500 U	25000 U	12500 U	5000 U
CARBON TETRACHLORIDE		2500 U		5000 U	5000 U	50 U	50 U	250 U	12500 U	25000 U	12500 U	5000 U
BENZENE		2500 U		5000 U	5000 U	50 U	50 U	250 U	12500 U	25000 U	12500 U	5000 U
1 2-DICHLOROETHANE		2500 U		5000 U	5000 U	50 U	50 U	250 U	12500 U	25000 U	12500 U	5000 U
TRICHLOROETHENE		7540		702000	7520	1520	334000	82300	122000	366000	59000	62000
1 2-DICHLOROPROPANE		2500 U		5000 U	5000 U	50 U	50 U	250 U	12500 U	25000 U	12500 U	5000 U
BROMODICHLOROMETHANE		2500 U		5000 U	5000 U	50 U	50 U	250 U	12500 U	25000 U	12500 U	5000 U
CIS-1 3-DICHLOROPROPENE		2500 U		5000 U	5000 U	50 U	50 U	250 U	12500 U	25000 U	12500 U	5000 U
MIBK		25000 U		50000 U	50000 U	500 U	500 U	2500 U	125000 U	250000 U	125000 U	10000 U
TOLUENE		2500 U		5000 U	5000 U	50 U	50 U	250 U	12500 U	25000 U	12500 U	5000 U
TRANS-1 3-DICHLOROPROPENE		2500 U		5000 U	5000 U	50 U	50 U	250 U	12500 U	25000 U	12500 U	5000 U
1 1 2-TRICHLOROETHANE		2500 U		5000 U	5000 U	50 U	50 U	250 U	12500 U	25000 U	12500 U	5000 U
TETRACHLOROETHENE		2500 U		5000 U	5000 U	50 U	50 U	250 U	12500 U	25000 U	12500 U	5000 U
2-HEXANONE		25000 U		50000 U	50000 U	500 U	500 U	2500 U	125000 U	250000 U	125000 U	10000 U
DIBROMOCHLOROMETHANE		2500 U		5000 U	5000 U	50 U	50 U	250 U	12500 U	25000 U	12500 U	5000 U
CHLOROBENZENE		2500 U		5000 U	5000 U	50 U	50 U	250 U	12500 U	25000 U	12500 U	5000 U
ETHYLBENZENE		2500 U		5000 U	5000 U	50 U	50 U	250 U	12500 U	25000 U	12500 U	5000 U
P-XYLENE/M-XYLENE		2500 U		5000 U	5000 U	50 U	50 U	250 U	12500 U	25000 U	12500 U	5000 U
O-XYLENE		2500 U		5000 U	5000 U	50 U	50 U	250 U	12500 U	25000 U	12500 U	5000 U
STYRENE		2500 U		5000 U	5000 U	50 U	50 U	250 U	12500 U	25000 U	12500 U	5000 U
BROMOFORM		2500 U		5000 U	5000 U	50 U	50 U	250 U	12500 U	25000 U	12500 U	5000 U
1 1 2 2-TETRACHLOROETHANE		2500 U		5000 U	5000 U	50 U	50 U	250 U	12500 U	25000 U	12500 U	5000 U

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 89-15(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/17/96	7/17/96	10/17/96	1/15/97	4/30/97	7/23/97	10/31/97	AVG
CHLOROMETHANE	5000 U	12500 U	1200 U	120 U	120 U	25 U	250 U	0.0
VINYL CHLORIDE	5000 U	12500 U	1200 U	120 U	120 U	36	250 U	2.1
CHLOROETHANE	5000 U	12500 U	1200 U	120 U	120 U	25 U	250 U	0.0
BROMOMETHANE	5000 U	12500 U	1200 U	120 U	120 U	25 U	250 U	0.0
1 1-DICHLOROETHENE	5000 U	12500 U	1200 U	120 U	120 U	25 U	250 U	0.0
ACETONE	25000 U	62500 U	6200 U	620 U	620 U	500 U	1200 U	0.0
CARBON DISULFIDE	5000 U	12500 U	1200 U	120 U	120 U	25 U	250 U	294.1
METHYLENE CHLORIDE	180000	120000	20000	1600	3300	2500	1500	168963.5
TRANS-1 2-DICHLOROETHENE	5000 U	12500 U	1200 U	120 U	120 U	25 U	250 U	0.0
1 1-DICHLOROETHANE	5000 U	12500 U	1200 U	120 U	120 U	25 U	250 U	0.0
CIS-1 2-DICHLOROETHENE	17000	12500 U	2000	2000	860	840	950	3620.0
METHYL ETHYL KETONE	25000 U	62500 U	6200 U	620 U	620 U	500 U	1200 U	0.0
CHLOROFORM	5000 U	12500 U	1200 U	120 U	120 U	25 U	250 U	0.0
1 1 1-TRICHLOROETHANE	5000 U	12500 U	1200 U	120 U	120 U	64	250 U	102.0
CARBON TETRACHLORIDE	5000 U	12500 U	1200 U	120 U	120 U	25 U	250 U	0.0
BENZENE	5000 U	12500 U	1200 U	120 U	120 U	25 U	250 U	0.0
1 2-DICHLOROETHANE	5000 U	12500 U	1200 U	120 U	120 U	25 U	250 U	0.0
TRICHLOROETHENE	75000	58000	21000	1700	6100	22000 E	6900	112504.7
1 2-DICHLOROPROPANE	5000 U	12500 U	1200 U	120 U	120 U	25 U	250 U	0.0
BROMODICHLOROMETHANE	5000 U	12500 U	1200 U	120 U	120 U	25 U	250 U	0.0
CIS-1 3-DICHLOROPROPENE	5000 U	12500 U	1200 U	120 U	120 U	25 U	250 U	0.0
MIBK	10000 U	25000 U	2500 U	250 U	250 U	500 U	500 U	0.0
TOLUENE	5000 U	12500 U	1200 U	120 U	120 U	25 U	250 U	0.0
TRANS-1 3-DICHLOROPROPENE	5000 U	12500 U	1200 U	120 U	120 U	25 U	250 U	0.0
1 1 2-TRICHLOROETHANE	5000 U	12500 U	1200 U	120 U	120 U	25 U	250 U	0.0
TETRACHLOROETHENE	5000 U	12500 U	1200 U	120 U	120 U	25 U	250 U	0.0
2-HEXANONE	10000 U	25000 U	2500 U	250 U	250 U	500 U	500 U	0.0
DIBROMOCHLOROMETHANE	5000 U	12500 U	1200 U	120 U	120 U	25 U	250 U	0.0
CHLOROBENZENE	5000 U	12500 U	1200 U	120 U	120 U	25 U	250 U	0.0
ETHYLBENZENE	5000 U	12500 U	1200 U	120 U	120 U	25 U	250 U	0.0
P-XYLENE/M-XYLENE	5000 U	12500 U	1200 U	120 U	120 U	25 U	250 U	0.0
O-XYLENE	5000 U	12500 U	1200 U	120 U	120 U	25 U	250 U	0.0
STYRENE	5000 U	12500 U	1200 U	120 U	120 U	25 U	250 U	0.0
BROMOFORM	5000 U	12500 U	1200 U	120 U	120 U	25 U	250 U	0.0
1 1 2 2-TETRACHLOROETHANE	5000 U	12500 U	1200 U	120 U	120 U	25 U	250 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 89-16(1)
ANALYTICAL SAMPLING RESULTS
ANALYTICAL METHOD EPA 8260
(Concentrations in ug/L)

ANALYTE	4/93	7/93	10/93	1/18/94	4/94	7/94	10/94	1/10/95	4/95	7/95	10/95	1/31/96	4/96	7/96	10/15/96
CHLOROMETHANE				0.5 U				0.5 U				5 U			0.5 U
VINYL CHLORIDE				0.5 U				0.5 U				5 U			0.5 U
CHLOROETHANE				0.5 U				0.5 U				5 U			0.5 U
BROMOMETHANE				0.5 U				0.5 U				5 U			0.5 U
1 1-DICHLOROETHENE				0.5 U				0.5 U				5 U			0.5 U
ACETONE				50 U				10 U				25 U			10 U
CARBON DISULFIDE				0.5 U				0.5 U				5 U			1
METHYLENE CHLORIDE				0.5 U				0.5 U				5 U			0.5 U
TRANS-1 2-DICHLOROETHENE				0.5 U				0.5 U				5 U			0.5 U
1 1-DICHLOROETHANE				0.5 U				0.5 U				5 U			0.5 U
CIS-1 2-DICHLOROETHENE				0.5 U				0.5 U				5 U			0.5 U
METHYL ETHYL KETONE				50 U				10 U				25 U			10 U
CHLOROFORM				0.5 U				0.5 U				5 U			0.5 U
1 1 1-TRICHLOROETHANE				0.5 U				0.5 U				5 U			0.5 U
CARBON TETRACHLORIDE				0.5 U				0.5 U				5 U			0.5 U
BENZENE				0.5 U				0.5 U				5 U			0.5 U
1 2-DICHLOROETHANE				0.5 U				0.5 U				5 U			0.5 U
TRICHLOROETHENE				0.5 U				0.5 U				5 U			0.5 U
1 2-DICHLOROPROPANE				0.5 U				0.5 U				5 U			0.5 U
BROMODICHLOROMETHANE				0.5 U				0.5 U				5 U			0.5 U
CIS-1 3-DICHLOROPROPENE				0.5 U				0.5 U				5 U			0.5 U
MIBK				50 U				10 U				25 U			10 U
TOLUENE				0.5 U				0.5 U				5 U			0.5 U
TRANS-1 3-DICHLOROPROPENE				0.5 U				0.5 U				5 U			0.5 U
1 1 2-TRICHLOROETHANE				0.5 U				0.5 U				5 U			0.5 U
TETRACHLOROETHENE				0.5 U				0.5 U				5 U			0.5 U
2-HEXANONE				50 U				10 U				25 U			10 U
DIBROMOCHLOROMETHANE				0.5 U				0.5 U				5 U			0.5 U
CHLOROBENZENE				0.5 U				0.5 U				5 U			0.5 U
ETHYLBENZENE				0.5 U				0.5 U				5 U			0.5 U
P-XYLENE/M-XYLENE				0.5 U				0.5 U				5 U			0.5 U
O-XYLENE				0.5 U				0.5 U				5 U			0.5 U
STYRENE				0.5 U				0.5 U				5 U			0.5 U
BROMOFORM				0.5 U				0.5 U				5 U			0.5 U
1 1 2 2-TETRACHLOROETHANE				0.5 U				0.5 U				5 U			0.5 U

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 89-16(1)
 ANALYTICAL SAMPLING RESULTS
 ANALYTICAL METHOD EPA 8260
 (Concentrations in ug/L)

ANALYTE	1/97	4/97	7/97	10/29/97	AVG
CHLOROMETHANE				0.5 U	0.0
VINYL CHLORIDE				0.5 U	0.0
CHLOROETHANE				0.5 U	0.0
BROMOMETHANE				0.5 U	0.0
1 1-DICHLOROETHENE				0.5 U	0.0
ACETONE				10 U	0.0
CARBON DISULFIDE				0.5 U	0.2
METHYLENE CHLORIDE				0.5 U	0.0
TRANS-1 2-DICHLOROETHENE				0.5 U	0.0
1 1-DICHLOROETHANE				0.5 U	0.0
CIS-1 2-DICHLOROETHENE				0.7	0.1
METHYL ETHYL KETONE				10 U	0.0
CHLOROFORM				0.5 U	0.0
1 1 1-TRICHLOROETHANE				0.5 U	0.0
CARBON TETRACHLORIDE				0.5 U	0.0
BENZENE				0.5 U	0.0
1 2-DICHLOROETHANE				0.5 U	0.0
TRICHLOROETHENE				0.5 U	0.0
1 2-DICHLOROPROPANE				0.5 U	0.0
BROMODICHLOROMETHANE				0.5 U	0.0
CIS-1 3-DICHLOROPROPENE				0.5 U	0.0
MIBK				10 U	0.0
TOLUENE				0.5 U	0.0
TRANS-1 3-DICHLOROPROPENE				0.5 U	0.0
1 1 2-TRICHLOROETHANE				0.5 U	0.0
TETRACHLOROETHENE				0.5 U	0.0
2-HEXANONE				10 U	0.0
DIBROMOCHLOROMETHANE				0.5 U	0.0
CHLOROBENZENE				0.5 U	0.0
ETHYLBENZENE				0.5 U	0.0
P-XYLENE/M-XYLENE				0.5 U	0.0
O-XYLENE				0.5 U	0.0
STYRENE				0.5 U	0.0
BROMOFORM				0.5 U	0.0
1 1 2 2-TETRACHLOROETHANE				0.5 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

ANALYTE	4/93	7/93	10/93	1/20/94	4/94	7/94	10/94	1/10/95	4/95	7/95	10/95	1/30/96	4/96	7/96	10/15/96
CHLOROMETHANE				0.5 U				0.5 U				0.5 U			0.5 U
VINYL CHLORIDE				0.5 U				0.5 U				0.5 U			0.5 U
CHLOROETHANE				0.5 U				0.5 U				0.5 U			0.5 U
BROMOMETHANE				0.5 U				0.5 U				0.5 U			0.5 U
1 1-DICHLOROETHENE				0.5 U				0.5 U				0.5 U			0.5 U
ACETONE				50 U				10 U				10 U			10 U
CARBON DISULFIDE				0.5 U				0.5 U				0.5 U			0.6
METHYLENE CHLORIDE				0.5 U				0.5 U				0.5 U			0.5 U
TRANS-1 2-DICHLOROETHENE				0.5 U				0.5 U				0.5 U			0.5 U
1 1-DICHLOROETHANE				0.5 U				0.5 U				0.5 U			0.5 U
CIS-1 2-DICHLOROETHENE				0.5 U				0.5 U				0.5 U			0.5 U
METHYL ETHYL KETONE				50 U				10 U				10 U			10 U
CHLOROFORM				0.5 U				0.5 U				0.5 U			0.5 U
1 1 1-TRICHLOROETHANE				0.5 U				0.5 U				0.5 U			0.5 U
CARBON TETRACHLORIDE				0.5 U				0.5 U				0.5 U			0.5 U
BENZENE				0.5 U				0.5 U				0.5 U			0.5 U
1 2-DICHLOROETHANE				0.5 U				0.5 U				0.5 U			0.5 U
TRICHLOROETHENE				0.5 U				0.5 U				0.5 U			0.5 U
1 2-DICHLOROPROPANE				0.5 U				0.5 U				0.5 U			0.5 U
BROMODICHLOROMETHANE				0.5 U				0.5 U				0.5 U			0.5 U
CIS-1 3-DICHLOROPROPENE				0.5 U				0.5 U				0.5 U			0.5 U
MIBK				50 U				10 U				10 U			10 U
TOLUENE				0.5 U				0.5 U				0.5 U			0.5 U
TRANS-1 3-DICHLOROPROPENE				0.5 U				0.5 U				0.5 U			0.5 U
1 1 2-TRICHLOROETHANE				0.5 U				0.5 U				0.5 U			0.5 U
TETRACHLOROETHENE				0.5 U				0.5 U				0.5 U			0.5 U
2-HEXANONE				50 U				10 U				10 U			10 U
DIBROMOCHLOROMETHANE				0.5 U				0.5 U				0.5 U			0.5 U
CHLOROBENZENE				0.5 U				0.5 U				0.5 U			0.5 U
ETHYLBENZENE				0.5 U				0.5 U				0.5 U			0.5 U
P-XYLENE/M-XYLENE				0.5 U				0.5 U				0.5 U			0.5 U
O-XYLENE				0.5 U				0.5 U				0.5 U			0.5 U
STYRENE				0.5 U				0.5 U				0.5 U			0.5 U
BROMOFORM				0.5 U				0.5 U				0.5 U			0.5 U
1 1 2 2-TETRACHLOROETHANE				0.5 U				0.5 U				1 U			0.5 U

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

ANALYTE	1/97	4/97	7/97	10/28/97	AVG
CHLOROMETHANE				0.5 U	0.0
VINYL CHLORIDE				0.5 U	0.0
CHLOROETHANE				0.5 U	0.0
BROMOMETHANE				0.5 U	0.0
1 1-DICHLOROETHENE				0.5 U	0.0
ACETONE				10 U	0.0
CARBON DISULFIDE				0.5 U	0.1
METHYLENE CHLORIDE				0.5 U	0.0
TRANS-1 2-DICHLOROETHENE				0.5 U	0.0
1 1-DICHLOROETHANE				0.5 U	0.0
CIS-1 2-DICHLOROETHENE				0.5 U	0.0
METHYL ETHYL KETONE				10 U	0.0
CHLOROFORM				0.5 U	0.0
1 1 1-TRICHLOROETHANE				0.5 U	0.0
CARBON TETRACHLORIDE				0.5 U	0.0
BENZENE				0.5 U	0.0
1 2-DICHLOROETHANE				0.5 U	0.0
TRICHLOROETHENE				0.5 U	0.0
1 2-DICHLOROPROPANE				0.5 U	0.0
BROMODICHLOROMETHANE				0.5 U	0.0
CIS-1 3-DICHLOROPROPENE				0.5 U	0.0
MIBK				10 U	0.0
TOLUENE				0.5 U	0.0
TRANS-1 3-DICHLOROPROPENE				0.5 U	0.0
1 1 2-TRICHLOROETHANE				0.5 U	0.0
TETRACHLOROETHENE				0.5 U	0.0
2-HEXANONE				10 U	0.0
DIBROMOCHLOROMETHANE				0.5 U	0.0
CHLOROBENZENE				0.5 U	0.0
ETHYLBENZENE				0.5 U	0.0
P-XYLENE/M-XYLENE				0.5 U	0.0
O-XYLENE				0.5 U	0.0
STYRENE				0.5 U	0.0
BROMOFORM				0.5 U	0.0
1 1 2 2-TETRACHLOROETHANE				0.5 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

ANALYTE	4/93	7/93	10/93	1/18/94	4/94	7/94	10/94	1/10/95	4/95	7/95	10/95	1/30/96	4/96	7/96	10/15/96
CHLOROMETHANE				0.5 U				0.5 U				0.5 U			0.5 U
VINYL CHLORIDE				0.5 U				0.5 U				0.5 U			0.5 U
CHLOROETHANE				0.5 U				0.5 U				0.5 U			0.5 U
BROMOMETHANE				0.5 U				0.5 U				0.5 U			0.5 U
1 1-DICHLOROETHENE				0.5 U				0.5 U				0.5 U			0.5 U
ACETONE				50 U				10 U				10 U			10 U
CARBON DISULFIDE				0.5 U				2				0.5 U			0.5 U
METHYLENE CHLORIDE				0.5 U				0.5 U				0.5 U			0.5 U
TRANS-1 2-DICHLOROETHENE				0.5 U				0.5 U				0.5 U			0.5 U
1 1-DICHLOROETHANE				0.5 U				0.5 U				0.5 U			0.5 U
CIS-1 2-DICHLOROETHENE				0.5 U				0.7				0.5 U			0.5 U
METHYL ETHYL KETONE				50 U				10 U				10 U			10 U
CHLOROFORM				0.5 U				0.5 U				0.5 U			0.5 U
1 1 1-TRICHLOROETHANE				0.5 U				0.5 U				0.5 U			0.5 U
CARBON TETRACHLORIDE				0.5 U				0.5 U				0.5 U			0.5 U
BENZENE				0.5 U				0.5 U				0.5 U			0.5 U
1 2-DICHLOROETHANE				0.5 U				0.5 U				0.5 U			0.5 U
TRICHLOROETHENE				0.5 U				0.5 U				0.5 U			0.5 U
1 2-DICHLOROPROPANE				0.5 U				0.5 U				0.5 U			0.5 U
BROMODICHLOROMETHANE				0.5 U				0.5 U				0.5 U			0.5 U
CIS-1 3-DICHLOROPROPENE				0.5 U				0.5 U				0.5 U			0.5 U
MIBK				50 U				10 U				10 U			10 U
TOLUENE				0.5 U				0.5 U				0.5 U			0.5 U
TRANS-1 3-DICHLOROPROPENE				0.5 U				0.5 U				0.5 U			0.5 U
1 1 2-TRICHLOROETHANE				0.5 U				0.5 U				0.5 U			0.5 U
TETRACHLOROETHENE				0.5 U				0.5 U				0.5 U			0.5 U
2-HEXANONE				50 U				10 U				10 U			10 U
DIBROMOCHLOROMETHANE				0.5 U				0.5 U				0.5 U			0.5 U
CHLOROBENZENE				0.5 U				0.5 U				0.5 U			0.5 U
ETHYLBENZENE				0.5 U				0.5 U				0.5 U			0.5 U
P-XYLENE/M-XYLENE				0.5 U				0.5 U				0.5 U			0.5 U
O-XYLENE				0.5 U				0.5 U				0.5 U			0.5 U
STYRENE				0.5 U				0.5 U				0.5 U			0.5 U
BROMOFORM				0.5 U				0.5 U				0.5 U			0.5 U
1 1 2 2-TETRACHLOROETHANE				0.5 U				0.5 U				1 U			0.5 U

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 89-18(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	1/97	4/97	7/97	10/28/97	AVG
CHLOROMETHANE				0.5 U	0.0
VINYL CHLORIDE				0.5 U	0.0
CHLOROETHANE				0.5 U	0.0
BROMOMETHANE				0.5 U	0.0
1 1-DICHLOROETHENE				0.5 U	0.0
ACETONE				10 U	0.0
CARBON DISULFIDE				0.5 U	0.4
METHYLENE CHLORIDE				0.5 U	0.0
TRANS-1 2-DICHLOROETHENE				0.5 U	0.0
1 1-DICHLOROETHANE				0.5 U	0.0
CIS-1 2-DICHLOROETHENE				0.5 U	0.1
METHYL ETHYL KETONE				10 U	0.0
CHLOROFORM				0.5 U	0.0
1 1 1-TRICHLOROETHANE				0.5 U	0.0
CARBON TETRACHLORIDE				0.5 U	0.0
BENZENE				0.5 U	0.0
1 2-DICHLOROETHANE				0.5 U	0.0
TRICHLOROETHENE				0.5 U	0.0
1 2-DICHLOROPROPANE				0.5 U	0.0
BROMODICHLOROMETHANE				0.5 U	0.0
CIS-1 3-DICHLOROPROPENE				0.5 U	0.0
MIBK				10 U	0.0
TOLUENE				0.5 U	0.0
TRANS-1 3-DICHLOROPROPENE				0.5 U	0.0
1 1 2-TRICHLOROETHANE				0.5 U	0.0
TETRACHLOROETHENE				0.5 U	0.0
2-HEXANONE				10 U	0.0
DIBROMOCHLOROMETHANE				0.5 U	0.0
CHLOROBENZENE				0.5 U	0.0
ETHYLBENZENE				0.5 U	0.0
P-XYLENE/M-XYLENE				0.5 U	0.0
O-XYLENE				0.5 U	0.0
STYRENE				0.5 U	0.0
BROMOFORM				0.5 U	0.0
1 1 2 2-TETRACHLOROETHANE				0.5 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

ANALYTE	4/20/93	7/21/93	10/14/93	1/20/94	4/94	7/19/94	10/94	1/10/95	4/95	7/95	10/95	1/29/96	4/96	7/96
CHLOROMETHANE	5 U	5 U	5 U	5 U		50 U		5 U				100 U		
VINYL CHLORIDE	45	5 U	5 U	63		50 U		59				100 U		
CHLOROETHANE	5 U	5 U	5 U	5 U		50 U		5 U				100 U		
BROMOMETHANE	5 U	5 U	5 U	5 U		50 U		5 U				100 U		
1 1-DICHLOROETHENE	5 U	5 U	5 U	5 U		50 U		6				100 U		
ACETONE	50 U	50 U	50 U	50 U		500 U		50 U				500 U		
CARBON DISULFIDE	5 U	5 U	5 U	5		50 U		5 U				100 U		
METHYLENE CHLORIDE	5 U	37	5 U	5 U		50 U		5 U				100 U		
TRANS-1 2-DICHLOROETHENE	5 U	5 U	5 U	5 U		50 U		5 U				100 U		
1 1-DICHLOROETHANE	5 U	5 U	5 U	5 U		50 U		5 U				100 U		
CIS-1 2-DICHLOROETHENE	92	39	988 J	666		1170		1520				1000		
METHYL ETHYL KETONE	50 U	50 U	50 U	50 U		500 U		50 U				500 U		
CHLOROFORM	5 U	5 U	5 U	5 U		50 U		5 U				100 U		
1 1 1-TRICHLOROETHANE	5 U	5 U	5 U	5 U		50 U		6				100 U		
CARBON TETRACHLORIDE	5 U	5 U	5 U	5 U		50 U		5 U				100 U		
BENZENE	6	5 U	5 U	5 U		50 U		5 U				100 U		
1 2-DICHLOROETHANE	5 U	5 U	5 U	5 U		50 U		5 U				100 U		
TRICHLOROETHENE	5 U	5 U	20	5		91		34				100 U		
1 2-DICHLOROPROPANE	5 U	5 U	5 U	5 U		50 U		5 U				100 U		
BROMODICHLOROMETHANE	5 U	5 U	5 U	5 U		50 U		5 U				100 U		
CIS-1 3-DICHLOROPROPENE	5 U	5 U	5 U	5 U		50 U		5 U				100 U		
MIBK	50 U	50 U	50 U	50 U		500 U		50 U				500 U		
TOLUENE	5	5 U	5 U	5 U		50 U		5 U				100 U		
TRANS-1 3-DICHLOROPROPENE	5 U	5 U	5 U	5 U		50 U		5 U				100 U		
1 1 2-TRICHLOROETHANE	5 U	5 U	5 U	5 U		50 U		5 U				100 U		
TETRACHLOROETHENE	5 U	5 U	5 U	5 U		50 U		5 U				100 U		
2-HEXANONE	50 U	50 U	50 U	50 U		500 U		50 U				500 U		
DIBROMOCHLOROMETHANE	5 U	5 U	5 U	5 U		50 U		5 U				100 U		
CHLOROBENZENE	5 U	5 U	5 U	5 U		50 U		5 U				100 U		
ETHYLBENZENE	5 U	5 U	5 U	5 U		50 U		5 U				100 U		
P-XYLENE/M-XYLENE	5 U	5 U	5 U	5 U		50 U		5 U				100 U		
O-XYLENE	5 U	5 U	5 U	5 U		50 U		5 U				100 U		
STYRENE	5 U	5 U	5 U	5 U		50 U		5 U				100 U		
BROMOFORM	5 U	5 U	5 U	5 U		50 U		5 U				100 U		
1 1 2 2-TETRACHLOROETHANE	5 U	5 U	5 U	5 U		50 U		5 U				100 U		

NOTES:

U = Below Practical Quantitation Limit (PQL)

J = Estimated

Blank = Not sampled

WELL NUMBER 93-02(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	10/16/96	1/97	4/97	7/97	10/29/97	AVG
CHLOROMETHANE	25 U				25 U	0.0
VINYL CHLORIDE	90				130	43.0
CHLOROETHANE	25 U				25 U	0.0
BROMOMETHANE	25 U				25 U	0.0
1 1-DICHLOROETHENE	25 U				25 U	0.7
ACETONE	120 U				120 U	0.0
CARBON DISULFIDE	25 U				25 U	0.6
METHYLENE CHLORIDE	25 U				25 U	4.1
TRANS-1 2-DICHLOROETHENE	25 U				25 U	0.0
1 1-DICHLOROETHANE	25 U				25 U	0.0
CIS-1 2-DICHLOROETHENE	560				290	593.0
METHYL ETHYL KETONE	380				120 U	42.2
CHLOROFORM	25 U				25 U	0.0
1 1 1-TRICHLOROETHANE	25 U				25 U	0.7
CARBON TETRACHLORIDE	25 U				25 U	0.0
BENZENE	25 U				25 U	0.7
1 2-DICHLOROETHANE	25 U				25 U	0.0
TRICHLOROETHENE	25 U				25 U	16.7
1 2-DICHLOROPROPANE	25 U				25 U	0.0
BROMODICHLOROMETHANE	25 U				25 U	0.0
CIS-1 3-DICHLOROPROPENE	25 U				25 U	0.0
MIBK	50 U				50 U	0.0
TOLUENE	25 U				25 U	0.6
TRANS-1 3-DICHLOROPROPENE	25 U				25 U	0.0
1 1 2-TRICHLOROETHANE	25 U				25 U	0.0
TETRACHLOROETHENE	25 U				25 U	0.0
2-HEXANONE	50 U				50 U	0.0
DIBROMOCHLOROMETHANE	25 U				25 U	0.0
CHLOROBENZENE	25 U				25 U	0.0
ETHYLBENZENE	25 U				25 U	0.0
P-XYLENE/M-XYLENE	25 U				25 U	0.0
O-XYLENE	25 U				25 U	0.0
STYRENE	25 U				25 U	0.0
BROMOFORM	25 U				25 U	0.0
1 1 2 2-TETRACHLOROETHANE	25 U				25 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

J = Estimated

Blank = Not sampled

ANALYTE	4/20/93	7/93	10/13/93	1/21/94	4/94	7/19/94	10/94	1/10/95	4/95	7/95	10/95	1/29/96	4/19/96	7/17/96
CHLOROMETHANE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
VINYL CHLORIDE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
CHLOROETHANE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
BROMOMETHANE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
1 1-DICHLOROETHENE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
ACETONE	63	108 J	50 U	50 U		50 U		50 U				25 U	25 U	25 U
CARBON DISULFIDE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
METHYLENE CHLORIDE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
TRANS-1 2-DICHLOROETHENE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
1 1-DICHLOROETHANE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
CIS-1 2-DICHLOROETHENE	11	5	5 U	5 U		5 U		5 U				5 U	5 U	5 U
METHYL ETHYL KETONE	50 U	50 U	50 U	50 U		50 U		50 U				25 U	25 U	25 U
CHLOROFORM	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
1 1 1-TRICHLOROETHANE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
CARBON TETRACHLORIDE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
BENZENE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
1 2-DICHLOROETHANE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
TRICHLOROETHENE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
1 2-DICHLOROPROPANE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
BROMODICHLOROMETHANE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
CIS-1 3-DICHLOROPROPENE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
MIBK	50 U	50 U	50 U	50 U		50 U		50 U				25 U	10 U	10 U
TOLUENE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
TRANS-1 3-DICHLOROPROPENE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
1 1 2-TRICHLOROETHANE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
TETRACHLOROETHENE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
2-HEXANONE	50 U	5 U	50 U	50 U		50 U		50 U				25 U	10 U	10 U
DIBROMOCHLOROMETHANE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
CHLOROBENZENE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
ETHYLBENZENE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
P-XYLENE/M-XYLENE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
O-XYLENE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
STYRENE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
BROMOFORM	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
1 1 2 2-TETRACHLOROETHANE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U

NOTES:

U = Below Practical Quantitation Limit (PQL)

J = Estimated

Blank = Not sampled

ANALYTE	10/16/96	1/15/97	4/29/97	7/22/97	10/29/97	AVG
CHLOROMETHANE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
VINYL CHLORIDE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
CHLOROETHANE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
BROMOMETHANE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
1 1-DICHLOROETHENE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
ACETONE	25 U	25 U	10 U	10 U	10 U	4.5
CARBON DISULFIDE	5 U	5 U	1	0.7	0.5 U	0.1
METHYLENE CHLORIDE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
TRANS-1 2-DICHLOROETHENE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
1 1-DICHLOROETHANE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
CIS-1 2-DICHLOROETHENE	5 U	5 U	0.5 U	1	0.6	1.3
METHYL ETHYL KETONE	25 U	25 U	10 U	10 U	10 U	0.0
CHLOROFORM	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
1 1 1-TRICHLOROETHANE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
CARBON TETRACHLORIDE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
BENZENE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
1 2-DICHLOROETHANE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
TRICHLOROETHENE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
1 2-DICHLOROPROPANE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
BROMODICHLOROMETHANE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
CIS-1 3-DICHLOROPROPENE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
MIBK	10 U	10 U	10 U	10 U	10 U	0.0
TOLUENE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
TRANS-1 3-DICHLOROPROPENE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
1 1 2-TRICHLOROETHANE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
TETRACHLOROETHENE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
2-HEXANONE	10 U	10 U	10 U	10 U	10 U	0.0
DIBROMOCHLOROMETHANE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
CHLOROBENZENE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
ETHYLBENZENE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
P-XYLENE/M-XYLENE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
O-XYLENE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
STYRENE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
BROMOFORM	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
1 1 2 2-TETRACHLOROETHANE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

J = Estimated

Blank = Not sampled

ANALYTE	4/93	7/93	10/93	1/94	4/94	7/94	10/94	1/9/95	4/95	7/95	10/95	1/30/96	4/96	7/96	10/15/96
CHLOROMETHANE								5 U				5 U			5 U
VINYL CHLORIDE								5 U				5 U			5 U
CHLOROETHANE								5 U				5 U			5 U
BROMOMETHANE								5 U				5 U			5 U
1 1-DICHLOROETHENE								5 U				5 U			5 U
ACETONE								50 U				25 U			25 U
CARBON DISULFIDE								5 U				5 U			5 U
METHYLENE CHLORIDE								5 U				5 U			5 U
TRANS-1 2-DICHLOROETHENE								5 U				5 U			5 U
1 1-DICHLOROETHANE								5 U				5 U			5 U
CIS-1 2-DICHLOROETHENE								5 U				5 U			5 U
METHYL ETHYL KETONE								50 U				25 U			25 U
CHLOROFORM								5 U				5 U			5 U
1 1 1-TRICHLOROETHANE								5 U				5 U			5 U
CARBON TETRACHLORIDE								5 U				5 U			5 U
BENZENE								5 U				5 U			5 U
1 2-DICHLOROETHANE								5 U				5 U			5 U
TRICHLOROETHENE								5 U				5 U			5 U
1 2-DICHLOROPROPANE								5 U				5 U			5 U
BROMODICHLOROMETHANE								5 U				5 U			5 U
CIS-1 3-DICHLOROPROPENE								5 U				5 U			5 U
MIBK								50 U				25 U			10 U
TOLUENE								5 U				5 U			5 U
TRANS-1 3-DICHLOROPROPENE								5 U				5 U			5 U
1 1 2-TRICHLOROETHANE								5 U				5 U			5 U
TETRACHLOROETHENE								5 U				5 U			5 U
2-HEXANONE								50 U				25 U			10 U
DIBROMOCHLOROMETHANE								5 U				5 U			5 U
CHLOROBENZENE								5 U				5 U			5 U
ETHYLBENZENE								5 U				5 U			5 U
P-XYLENE/M-XYLENE								5 U				5 U			5 U
O-XYLENE								5 U				5 U			5 U
STYRENE								5 U				5 U			5 U
BROMOFORM								5 U				5 U			5 U
1 1 2 2-TETRACHLOROETHANE								5 U				5 U			5 U

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER 94-02(1)
 ANALYTICAL SAMPLING RESULTS
 (Concentrations in ug/L)

ANALYTE	1/97	4/97	7/97	10/29/97	AVG
CHLOROMETHANE				0.5 U	0.0
VINYL CHLORIDE				0.5 U	0.0
CHLOROETHANE				0.5 U	0.0
BROMOMETHANE				0.5 U	0.0
1 1-DICHLOROETHENE				0.5 U	0.0
ACETONE				10 U	0.0
CARBON DISULFIDE				0.5 U	0.0
METHYLENE CHLORIDE				0.5 U	0.0
TRANS-1 2-DICHLOROETHENE				0.5 U	0.0
1 1-DICHLOROETHANE				0.5 U	0.0
CIS-1 2-DICHLOROETHENE				0.5 U	0.0
METHYL ETHYL KETONE				10 U	0.0
CHLOROFORM				0.5 U	0.0
1 1 1-TRICHLOROETHANE				0.5 U	0.0
CARBON TETRACHLORIDE				0.5 U	0.0
BENZENE				0.5 U	0.0
1 2-DICHLOROETHANE				0.5 U	0.0
TRICHLOROETHENE				0.5 U	0.0
1 2-DICHLOROPROPANE				0.5 U	0.0
BROMODICHLOROMETHANE				0.5 U	0.0
CIS-1 3-DICHLOROPROPENE				0.5 U	0.0
MIBK				10 U	0.0
TOLUENE				0.5 U	0.0
TRANS-1 3-DICHLOROPROPENE				0.5 U	0.0
1 1 2-TRICHLOROETHANE				0.5 U	0.0
TETRACHLOROETHENE				0.5 U	0.0
2-HEXANONE				10 U	0.0
DIBROMOCHLOROMETHANE				0.5 U	0.0
CHLOROBENZENE				0.5 U	0.0
ETHYLBENZENE				0.5 U	0.0
P-XYLENE/M-XYLENE				0.5 U	0.0
O-XYLENE				0.5 U	0.0
STYRENE				0.5 U	0.0
BROMOFORM				0.5 U	0.0
1 1 2 2-TETRACHLOROETHANE				0.5 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER B-14(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/93	7/93	10/93	1/94	4/27/94	7/21/94	10/25/94	1/12/95	4/19/95	7/11/95	10/18/95	2/1/96	4/17/96
CHLOROMETHANE					5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U
VINYL CHLORIDE					115	119	118	110	109	131	350	140	120
CHLOROETHANE					5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U
BROMOMETHANE					5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U
1 1-DICHLOROETHENE					8	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U
ACETONE					50 U	250 U	250 U	50 U	250 U	250 U	500 U	250 U	125 U
CARBON DISULFIDE					5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U
METHYLENE CHLORIDE					54	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U
TRANS-1 2-DICHLOROETHENE					7	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U
1 1-DICHLOROETHANE					26	25 U	25 U	15	25 U	25 U	50 U	50 U	25 U
CIS-1 2-DICHLOROETHENE					778	765	702	700	716	681	1400	680	620
METHYL ETHYL KETONE					50 U	250 U	250 U	50 U	250 U	250 U	500 U	250 U	125 U
CHLOROFORM					5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U
1 1 1-TRICHLOROETHANE					125	25 U	100	73	59	101	170	57	56
CARBON TETRACHLORIDE					5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U
BENZENE					5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U
1 2-DICHLOROETHANE					5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U
TRICHLOROETHENE					78	58	25 U	10	25 U	25 U	50 U	50 U	25 U
1 2-DICHLOROPROPANE					5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U
BROMODICHLOROMETHANE					5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U
CIS-1 3-DICHLOROPROPENE					5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U
MIBK					50 U	250 U	250 U	50 U	250 U	250 U	500 U	250 U	50 U
TOLUENE					5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U
TRANS-1 3-DICHLOROPROPENE					5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U
1 1 2-TRICHLOROETHANE					5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U
TETRACHLOROETHENE					5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U
2-HEXANONE					50 U	250 U	250 U	50 U	250 U	250 U	500 U	250 U	50 U
DIBROMOCHLOROMETHANE					5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U
CHLOROBENZENE					5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U
ETHYLBENZENE					5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U
P-XYLENE/M-XYLENE					5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U
O-XYLENE					5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U
STYRENE					5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U
BROMOFORM					5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U
1 1 2 2-TETRACHLOROETHANE					5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER B-14(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	7/17/96	10/16/96	1/15/97	4/30/97	7/23/97	10/30/97	AVG
CHLOROMETHANE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
VINYL CHLORIDE	120	120	120	130	110	140	136.8
CHLOROETHANE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
BROMOMETHANE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
1 1-DICHLOROETHENE	25 U	25 U	25 U	2.5 U	3	25 U	0.7
ACETONE	125 U	120 U	120 U	50 U	50 U	120 U	0.0
CARBON DISULFIDE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
METHYLENE CHLORIDE	25 U	25 U	25 U	2.5 U	3	25 U	3.8
TRANS-1 2-DICHLOROETHENE	25 U	25 U	25 U	5	2 U	25 U	0.8
1 1-DICHLOROETHANE	25 U	25 U	25 U	17	16	25 U	4.9
CIS-1 2-DICHLOROETHENE	740	600	590	640	600	710	728.1
METHYL ETHYL KETONE	125 U	120 U	120 U	50 U	50 U	120 U	0.0
CHLOROFORM	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
1 1 1-TRICHLOROETHANE	89	70	65	73	63	79	78.7
CARBON TETRACHLORIDE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
BENZENE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
1 2-DICHLOROETHANE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
TRICHLOROETHENE	25 U	26	25 U	7	5	25 U	12.3
1 2-DICHLOROPROPANE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
BROMODICHLOROMETHANE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
CIS-1 3-DICHLOROPROPENE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
MIBK	50 U	50 U	50 U	50 U	50 U	50 U	0.0
TOLUENE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
TRANS-1 3-DICHLOROPROPENE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
1 1 2-TRICHLOROETHANE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
TETRACHLOROETHENE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
2-HEXANONE	50 U	50 U	50 U	50 U	50 U	50 U	0.0
DIBROMOCHLOROMETHANE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
CHLOROBENZENE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
ETHYLBENZENE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
P-XYLENE/M-XYLENE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
O-XYLENE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
STYRENE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
BROMOFORM	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0
1 1 2 2-TETRACHLOROETHANE	25 U	25 U	25 U	2.5 U	2 U	25 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER B-8
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/93	7/93	10/93	1/20/94	4/94	7/94	10/94	1/11/95	4/95	7/95	10/95	2/1/96	4/96	7/96	10/16/96
CHLOROMETHANE								0.5 U				0.5 U			0.5 U
VINYL CHLORIDE								0.5 U				0.5 U			0.5 U
CHLOROETHANE								0.5 U				0.5 U			0.5 U
BROMOMETHANE								0.5 U				0.5 U			0.5 U
1 1-DICHLOROETHENE								0.5 U				0.5 U			0.5 U
ACETONE								10 U				10 U			10 U
CARBON DISULFIDE								0.5 U				0.5 U			0.5 U
METHYLENE CHLORIDE								0.5 U				0.5 U			0.5 U
TRANS-1 2-DICHLOROETHENE								0.5 U				0.5 U			0.5 U
1 1-DICHLOROETHANE								0.5 U				0.5 U			0.5 U
CIS-1 2-DICHLOROETHENE								0.5 U				0.5 U			0.5 U
METHYL ETHYL KETONE								10 U				10 U			10 U
CHLOROFORM								0.5 U				0.5 U			0.5 U
1 1 1-TRICHLOROETHANE								0.5 U				0.5 U			0.5 U
CARBON TETRACHLORIDE								0.5 U				0.5 U			0.5 U
BENZENE								0.5 U				0.5 U			0.5 U
1 2-DICHLOROETHANE								0.5 U				0.5 U			0.5 U
TRICHLOROETHENE								0.5 U				0.5 U			0.5 U
1 2-DICHLOROPROPANE								0.5 U				0.5 U			0.5 U
BROMODICHLOROMETHANE								0.5 U				0.5 U			0.5 U
CIS-1 3-DICHLOROPROPENE								0.5 U				0.5 U			0.5 U
MIBK								10 U				10 U			10 U
TOLUENE								0.5 U				0.5 U			0.5 U
TRANS-1 3-DICHLOROPROPENE								0.5 U				0.5 U			0.5 U
1 1 2-TRICHLOROETHANE								0.5 U				0.5 U			0.5 U
TETRACHLOROETHENE								0.5 U				0.5 U			0.5 U
2-HEXANONE								10 U				10 U			10 U
DIBROMOCHLOROMETHANE								0.5 U				0.5 U			0.5 U
CHLOROBENZENE								0.5 U				0.5 U			0.5 U
ETHYLBENZENE								0.5 U				0.5 U			0.5 U
P-XYLENE/M-XYLENE								0.5 U				0.5 U			0.5 U
O-XYLENE								0.5 U				0.5 U			0.5 U
STYRENE								0.5 U				0.5 U			0.5 U
BROMOFORM								0.5 U				0.5 U			0.5 U
1 1 2 2-TETRACHLOROETHANE								0.5 U				1 U			0.5 U

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER B-8
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	1/97	4/97	7/97	10/30/97	AVG
CHLOROMETHANE				0.5 U	0.0
VINYL CHLORIDE				0.5 U	0.0
CHLOROETHANE				0.5 U	0.0
BROMOMETHANE				0.5 U	0.0
1 1-DICHLOROETHENE				0.5 U	0.0
ACETONE				12	3.0
CARBON DISULFIDE				0.5 U	0.0
METHYLENE CHLORIDE				0.5 U	0.0
TRANS-1 2-DICHLOROETHENE				0.5 U	0.0
1 1-DICHLOROETHANE				0.5 U	0.0
CIS-1 2-DICHLOROETHENE				0.5 U	0.0
METHYL ETHYL KETONE				10 U	0.0
CHLOROFORM				0.5 U	0.0
1 1 1-TRICHLOROETHANE				0.5 U	0.0
CARBON TETRACHLORIDE				0.5 U	0.0
BENZENE				0.5 U	0.0
1 2-DICHLOROETHANE				0.5 U	0.0
TRICHLOROETHENE				0.5 U	0.0
1 2-DICHLOROPROPANE				0.5 U	0.0
BROMODICHLOROMETHANE				0.5 U	0.0
CIS-1 3-DICHLOROPROPENE				0.5 U	0.0
MIBK				10 U	0.0
TOLUENE				0.5 U	0.0
TRANS-1 3-DICHLOROPROPENE				0.5 U	0.0
1 1 2-TRICHLOROETHANE				0.5 U	0.0
TETRACHLOROETHENE				0.5 U	0.0
2-HEXANONE				10 U	0.0
DIBROMOCHLOROMETHANE				0.5 U	0.0
CHLOROBENZENE				0.5 U	0.0
ETHYLBENZENE				0.5 U	0.0
P-XYLENE/M-XYLENE				0.5 U	0.0
O-XYLENE				0.5 U	0.0
STYRENE				0.5 U	0.0
BROMOFORM				0.5 U	0.0
1 1 2 2-TETRACHLOROETHANE				0.5 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER DW-10
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/93	7/93	10/93	1/94	4/94	7/94	10/94	1/13/95	4/95	7/95	10/95	2/5/96	4/96	7/96	10/18/96
CHLOROMETHANE								5 U				1250 U			1200 U
VINYL CHLORIDE								136				1250 U			1200 U
CHLOROETHANE								5 U				1250 U			1200 U
BROMOMETHANE								5 U				1250 U			1200 U
1 1-DICHLOROETHENE								5 U				1250 U			1200 U
ACETONE								50 U				6250 U			6200 U
CARBON DISULFIDE								5 U				1250 U			1200 U
METHYLENE CHLORIDE								27400				45000			14000
TRANS-1 2-DICHLOROETHENE								16				1250 U			1200 U
1 1-DICHLOROETHANE								17				1250 U			1200 U
CIS-1 2-DICHLOROETHENE								2150				3300			1200 U
METHYL ETHYL KETONE								50 U				6250 U			6200 U
CHLOROFORM								7				1250 U			1200 U
1 1 1-TRICHLOROETHANE								150				1250 U			1200 U
CARBON TETRACHLORIDE								22				1250 U			1200 U
BENZENE								5 U				1250 U			1200 U
1 2-DICHLOROETHANE								5 U				1250 U			1200 U
TRICHLOROETHENE								3890				4100			1200 U
1 2-DICHLOROPROPANE								5 U				1250 U			1200 U
BROMODICHLOROMETHANE								5 U				1250 U			1200 U
CIS-1 3-DICHLOROPROPENE								5 U				1250 U			1200 U
MIBK								50 U				6250 U			2500 U
TOLUENE								5 U				1250 U			1200 U
TRANS-1 3-DICHLOROPROPENE								5 U				1250 U			1200 U
1 1 2-TRICHLOROETHANE								5 U				1250 U			1200 U
TETRACHLOROETHENE								5 U				1250 U			1200 U
2-HEXANONE								50 U				6250 U			2500 U
DIBROMOCHLOROMETHANE								5 U				1250 U			1200 U
CHLOROBENZENE								5 U				1250 U			1200 U
ETHYLBENZENE								5 U				1250 U			1200 U
P-XYLENE/M-XYLENE								5 U				1250 U			1200 U
O-XYLENE								5 U				1250 U			1200 U
STYRENE								5 U				1250 U			1200 U
BROMOFORM								5 U				1250 U			1200 U
1 1 2 2-TETRACHLOROETHANE								5 U				1250 U			1200 U

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER DW-10
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	1/97	4/97	7/97	10/30/97	AVG
CHLOROMETHANE				1000 U	0.0
VINYL CHLORIDE				1000 U	34.0
CHLOROETHANE				1000 U	0.0
BROMOMETHANE				1000 U	0.0
1 1-DICHLOROETHENE				1000 U	0.0
ACETONE				5000 U	0.0
CARBON DISULFIDE				1000 U	0.0
METHYLENE CHLORIDE				19000	26350.0
TRANS-1 2-DICHLOROETHENE				1000 U	4.0
1 1-DICHLOROETHANE				1000 U	4.3
CIS-1 2-DICHLOROETHENE				1000 U	1362.5
METHYL ETHYL KETONE				5000 U	0.0
CHLOROFORM				1000 U	1.8
1 1 1-TRICHLOROETHANE				1000 U	37.5
CARBON TETRACHLORIDE				1000 U	5.5
BENZENE				1000 U	0.0
1 2-DICHLOROETHANE				1000 U	0.0
TRICHLOROETHENE				1300	2322.5
1 2-DICHLOROPROPANE				1000 U	0.0
BROMODICHLOROMETHANE				1000 U	0.0
CIS-1 3-DICHLOROPROPENE				1000 U	0.0
MIBK				2000 U	0.0
TOLUENE				1000 U	0.0
TRANS-1 3-DICHLOROPROPENE				1000 U	0.0
1 1 2-TRICHLOROETHANE				1000 U	0.0
TETRACHLOROETHENE				1000 U	0.0
2-HEXANONE				2000 U	0.0
DIBROMOCHLOROMETHANE				1000 U	0.0
CHLOROBENZENE				1000 U	0.0
ETHYLBENZENE				1000 U	0.0
P-XYLENE/M-XYLENE				1000 U	0.0
O-XYLENE				1000 U	0.0
STYRENE				1000 U	0.0
BROMOFORM				1000 U	0.0
1 1 2 2-TETRACHLOROETHANE				1000 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER DW-11
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/93	7/93	10/93	1/94	4/94	7/94	10/94	1/13/95	4/95	7/95	10/95	2/5/96	4/96	7/96	10/18/96
CHLOROMETHANE								25 U				50 U			500 U
VINYL CHLORIDE								123				210			500 U
CHLOROETHANE								25 U				50 U			500 U
BROMOMETHANE								25 U				50 U			500 U
1 1-DICHLOROETHENE								25 U				50 U			500 U
ACETONE								250 U				250 U			2500 U
CARBON DISULFIDE								25 U				50 U			500 U
METHYLENE CHLORIDE								1670				6500			2700
TRANS-1 2-DICHLOROETHENE								25 U				50 U			500 U
1 1-DICHLOROETHANE								25 U				50 U			500 U
CIS-1 2-DICHLOROETHENE								2360				2100			3200
METHYL ETHYL KETONE								250 U				250 U			2500 U
CHLOROFORM								25 U				50 U			500 U
1 1 1-TRICHLOROETHANE								249				180			500 U
CARBON TETRACHLORIDE								25 U				50 U			500 U
BENZENE								25 U				50 U			500 U
1 2-DICHLOROETHANE								25 U				50 U			500 U
TRICHLOROETHENE								10500				12000			11000
1 2-DICHLOROPROPANE								25 U				50 U			500 U
BROMODICHLOROMETHANE								25 U				50 U			500 U
CIS-1 3-DICHLOROPROPENE								25 U				50 U			500 U
MIBK								250 U				250 U			1000 U
TOLUENE								25 U				50 U			500 U
TRANS-1 3-DICHLOROPROPENE								25 U				50 U			500 U
1 1 2-TRICHLOROETHANE								25 U				50 U			500 U
TETRACHLOROETHENE								25 U				50 U			500 U
2-HEXANONE								250 U				250 U			1000 U
DIBROMOCHLOROMETHANE								25 U				50 U			500 U
CHLOROBENZENE								25 U				50 U			500 U
ETHYLBENZENE								25 U				50 U			500 U
P-XYLENE/M-XYLENE								25 U				50 U			500 U
O-XYLENE								25 U				50 U			500 U
STYRENE								25 U				50 U			500 U
BROMOFORM								25 U				50 U			500 U
1 1 2 2-TETRACHLOROETHANE								25 U				50 U			500 U

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER DW-11
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	1/97	4/97	7/97	10/30/97	AVG
CHLOROMETHANE				500 U	0.0
VINYL CHLORIDE				500 U	83.3
CHLOROETHANE				500 U	0.0
BROMOMETHANE				500 U	0.0
1 1-DICHLOROETHENE				500 U	0.0
ACETONE				2500 U	0.0
CARBON DISULFIDE				500 U	0.0
METHYLENE CHLORIDE				3800	3667.5
TRANS-1 2-DICHLOROETHENE				500 U	0.0
1 1-DICHLOROETHANE				500 U	0.0
CIS-1 2-DICHLOROETHENE				3300	2740.0
METHYL ETHYL KETONE				2500 U	0.0
CHLOROFORM				500 U	0.0
1 1 1-TRICHLOROETHANE				1000	357.3
CARBON TETRACHLORIDE				500 U	0.0
BENZENE				500 U	0.0
1 2-DICHLOROETHANE				500 U	0.0
TRICHLOROETHENE				15000	12125.0
1 2-DICHLOROPROPANE				500 U	0.0
BROMODICHLOROMETHANE				500 U	0.0
CIS-1 3-DICHLOROPROPENE				500 U	0.0
MIBK				1000 U	0.0
TOLUENE				500 U	0.0
TRANS-1 3-DICHLOROPROPENE				500 U	0.0
1 1 2-TRICHLOROETHANE				500 U	0.0
TETRACHLOROETHENE				500 U	0.0
2-HEXANONE				1000 U	0.0
DIBROMOCHLOROMETHANE				500 U	0.0
CHLOROBENZENE				500 U	0.0
ETHYLBENZENE				500 U	0.0
P-XYLENE/M-XYLENE				500 U	0.0
O-XYLENE				500 U	0.0
STYRENE				500 U	0.0
BROMOFORM				500 U	0.0
1 1 2 2-TETRACHLOROETHANE				500 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER DW-12
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/93	7/93	10/93	1/94	4/94	7/94	10/94	1/13/95	4/95	7/95	10/95	2/5/96	4/96	7/96	10/18/96
CHLOROMETHANE								5 U				25 U			25 U
VINYL CHLORIDE								15				25 U			46
CHLOROETHANE								5 U				25 U			25 U
BROMOMETHANE								5 U				25 U			25 U
1 1-DICHLOROETHENE								5 U				25 U			25 U
ACETONE								50 U				125 U			120 U
CARBON DISULFIDE								5 U				25 U			25 U
METHYLENE CHLORIDE								159				52			710
TRANS-1 2-DICHLOROETHENE								5 U				25 U			25 U
1 1-DICHLOROETHANE								7				25 U			25 U
CIS-1 2-DICHLOROETHENE								592				580			3600
METHYL ETHYL KETONE								50 U				125 U			120 U
CHLOROFORM								5 U				25 U			25 U
1 1 1-TRICHLOROETHANE								35				27			68
CARBON TETRACHLORIDE								5 U				25 U			25 U
BENZENE								5 U				25 U			25 U
1 2-DICHLOROETHANE								5 U				25 U			25 U
TRICHLOROETHENE								639				130			9300
1 2-DICHLOROPROPANE								5 U				25 U			25 U
BROMODICHLOROMETHANE								5 U				25 U			25 U
CIS-1 3-DICHLOROPROPENE								5 U				25 U			25 U
MIBK								50 U				125 U			50 U
TOLUENE								5 U				25 U			25 U
TRANS-1 3-DICHLOROPROPENE								5 U				25 U			25 U
1 1 2-TRICHLOROETHANE								5 U				25 U			25 U
TETRACHLOROETHENE								5 U				25 U			25 U
2-HEXANONE								50 U				125 U			50 U
DIBROMOCHLOROMETHANE								5 U				25 U			25 U
CHLOROBENZENE								5 U				25 U			25 U
ETHYLBENZENE								5 U				25 U			25 U
P-XYLENE/M-XYLENE								5 U				25 U			25 U
O-XYLENE								5 U				25 U			25 U
STYRENE								5 U				25 U			25 U
BROMOFORM								5 U				25 U			25 U
1 1 2 2-TETRACHLOROETHANE								5 U				25 U			25 U

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER DW-12
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	1/97	4/97	7/97	10/30/97	AVG
CHLOROMETHANE				500 U	0.0
VINYL CHLORIDE				500 U	15.3
CHLOROETHANE				500 U	0.0
BROMOMETHANE				500 U	0.0
1 1-DICHLOROETHENE				500 U	0.0
ACETONE				2500 U	0.0
CARBON DISULFIDE				500 U	0.0
METHYLENE CHLORIDE				1500	605.3
TRANS-1 2-DICHLOROETHENE				500 U	0.0
1 1-DICHLOROETHANE				500 U	1.8
CIS-1 2-DICHLOROETHENE				5300	2518.0
METHYL ETHYL KETONE				2500 U	0.0
CHLOROFORM				500 U	0.0
1 1 1-TRICHLOROETHANE				500 U	32.5
CARBON TETRACHLORIDE				500 U	0.0
BENZENE				500 U	0.0
1 2-DICHLOROETHANE				500 U	0.0
TRICHLOROETHENE				9600	4917.3
1 2-DICHLOROPROPANE				500 U	0.0
BROMODICHLOROMETHANE				500 U	0.0
CIS-1 3-DICHLOROPROPENE				500 U	0.0
MIBK				1000 U	0.0
TOLUENE				500 U	0.0
TRANS-1 3-DICHLOROPROPENE				500 U	0.0
1 1 2-TRICHLOROETHANE				500 U	0.0
TETRACHLOROETHENE				500 U	0.0
2-HEXANONE				1000 U	0.0
DIBROMOCHLOROMETHANE				500 U	0.0
CHLOROBENZENE				500 U	0.0
ETHYLBENZENE				500 U	0.0
P-XYLENE/M-XYLENE				500 U	0.0
O-XYLENE				500 U	0.0
STYRENE				500 U	0.0
BROMOFORM				500 U	0.0
1 1 2 2-TETRACHLOROETHANE				500 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER DW-9
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/93	7/93	10/93	1/94	4/94	7/94	10/94	1/13/95	4/95	7/95	10/95	2/5/96	4/96	7/96	10/18/96
CHLOROMETHANE								5 U				50 U			120 U
VINYL CHLORIDE								46				250			140
CHLOROETHANE								5 U				50 U			120 U
BROMOMETHANE								5 U				50 U			120 U
1 1-DICHLOROETHENE								5 U				50 U			120 U
ACETONE								50 U				250 U			620 U
CARBON DISULFIDE								5 U				50 U			120 U
METHYLENE CHLORIDE								56				130			2500
TRANS-1 2-DICHLOROETHENE								6				50 U			120 U
1 1-DICHLOROETHANE								5 U				50 U			120 U
CIS-1 2-DICHLOROETHENE								703				2800			3200
METHYL ETHYL KETONE								50 U				250 U			620 U
CHLOROFORM								5 U				50 U			120 U
1 1 1-TRICHLOROETHANE								5 U				65			120 U
CARBON TETRACHLORIDE								5 U				50 U			120 U
BENZENE								5 U				50 U			120 U
1 2-DICHLOROETHANE								5 U				50 U			120 U
TRICHLOROETHENE								1400				2000			1600
1 2-DICHLOROPROPANE								5 U				50 U			120 U
BROMODICHLOROMETHANE								5 U				50 U			120 U
CIS-1 3-DICHLOROPROPENE								5 U				50 U			120 U
MIBK								50 U				250 U			250 U
TOLUENE								5 U				50 U			120 U
TRANS-1 3-DICHLOROPROPENE								5 U				50 U			120 U
1 1 2-TRICHLOROETHANE								5 U				50 U			120 U
TETRACHLOROETHENE								5 U				50 U			120 U
2-HEXANONE								50 U				250 U			250 U
DIBROMOCHLOROMETHANE								5 U				50 U			120 U
CHLOROBENZENE								5 U				50 U			120 U
ETHYLBENZENE								5 U				50 U			120 U
P-XYLENE/M-XYLENE								5 U				50 U			120 U
O-XYLENE								5 U				50 U			120 U
STYRENE								5 U				50 U			120 U
BROMOFORM								5 U				50 U			120 U
1 1 2 2-TETRACHLOROETHANE								5 U				50 U			120 U

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER DW-9
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	1/97	4/97	7/97	10/30/97	AVG
CHLOROMETHANE				120 U	0.0
VINYL CHLORIDE				190	156.5
CHLOROETHANE				120 U	0.0
BROMOMETHANE				120 U	0.0
1 1-DICHLOROETHENE				120 U	0.0
ACETONE				620 U	0.0
CARBON DISULFIDE				120 U	0.0
METHYLENE CHLORIDE				720	851.5
TRANS-1 2-DICHLOROETHENE				120 U	1.5
1 1-DICHLOROETHANE				120 U	0.0
CIS-1 2-DICHLOROETHENE				2600	2325.8
METHYL ETHYL KETONE				620 U	0.0
CHLOROFORM				120 U	0.0
1 1 1-TRICHLOROETHANE				130	48.8
CARBON TETRACHLORIDE				120 U	0.0
BENZENE				120 U	0.0
1 2-DICHLOROETHANE				120 U	0.0
TRICHLOROETHENE				1100	1525.0
1 2-DICHLOROPROPANE				120 U	0.0
BROMODICHLOROMETHANE				120 U	0.0
CIS-1 3-DICHLOROPROPENE				120 U	0.0
MIBK				250 U	0.0
TOLUENE				120 U	0.0
TRANS-1 3-DICHLOROPROPENE				120 U	0.0
1 1 2-TRICHLOROETHANE				120 U	0.0
TETRACHLOROETHENE				120 U	0.0
2-HEXANONE				250 U	0.0
DIBROMOCHLOROMETHANE				120 U	0.0
CHLOROBENZENE				120 U	0.0
ETHYLBENZENE				120 U	0.0
P-XYLENE/M-XYLENE				120 U	0.0
O-XYLENE				120 U	0.0
STYRENE				120 U	0.0
BROMOFORM				120 U	0.0
1 1 2 2-TETRACHLOROETHANE				120 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER EW-2
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/15/93	7/21/93	10/14/93	1/17/94	4/94	7/19/94	10/94	1/10/95	4/95	7/95	10/95	1/29/96	4/96	7/96
CHLOROMETHANE	5 U	5 U	500 U	500 U		250 U		250 U				125 U		
VINYL CHLORIDE	100	83	500 U	500 U		250 U		250 U				125 U		
CHLOROETHANE	5 U	5 U	500 U	500 U		250 U		250 U				125 U		
BROMOMETHANE	5 U	5 U	500 U	500 U		250 U		250 U				125 U		
1 1-DICHLOROETHENE	33	12	500 U	500 U		250 U		250 U				125 U		
ACETONE	50 U	50 U	5000 U	5000 U		2500 U		2500 U				625 U		
CARBON DISULFIDE	5 U	5 U	500 U	500 U		250 U		250 U				125 U		
METHYLENE CHLORIDE	21	6 U	500 U	500 U		250 U		250 U				125 U		
TRANS-1 2-DICHLOROETHENE	16	12	500 U	500 U		250 U		250 U				125 U		
1 1-DICHLOROETHANE	8	11	500 U	500 U		250 U		250 U				125 U		
CIS-1 2-DICHLOROETHENE	5460	4760	5000	4710		5750		1740				2100		
METHYL ETHYL KETONE	50 U	50 U	5000 U	5000 U		2500 U		2500 U				625 U		
CHLOROFORM	5 U	5 U	500 U	500 U		250 U		250 U				125 U		
1 1 1-TRICHLOROETHANE	59	57	500 U	500 U		250 U		250 U				125 U		
CARBON TETRACHLORIDE	5 U	5 U	500 U	500 U		250 U		250 U				125 U		
BENZENE	5 U	5 U	500 U	500 U		250 U		250 U				125 U		
1 2-DICHLOROETHANE	5 U	5 U	500 U	500 U		250 U		250 U				125 U		
TRICHLOROETHENE	1700	1970	1390	2540		4310		2010				850		
1 2-DICHLOROPROPANE	5 U	5 U	500 U	500 U		250 U		250 U				125 U		
BROMODICHLOROMETHANE	5 U	5 U	500 U	500 U		250 U		250 U				125 U		
CIS-1 3-DICHLOROPROPENE	5 U	5 U	500 U	500 U		250 U		250 U				125 U		
MIBK	50 U	50 U	5000 U	5000 U		2500 U		2500 U				625 U		
TOLUENE	5 U	5 U	500 U	500 U		250 U		250 U				125 U		
TRANS-1 3-DICHLOROPROPENE	5 U	5 U	500 U	500 U		250 U		250 U				125 U		
1 1 2-TRICHLOROETHANE	5 U	5 U	500 U	500 U		250 U		250 U				125 U		
TETRACHLOROETHENE	5 U	5 U	500 U	500 U		250 U		250 U				125 U		
2-HEXANONE	50 U	50 U	5000 U	5000 U		2500 U		2500 U				625 U		
DIBROMOCHLOROMETHANE	5 U	5 U	500 U	500 U		250 U		250 U				125 U		
CHLOROBENZENE	5 U	5 U	500 U	500 U		250 U		250 U				125 U		
ETHYLBENZENE	5 U	5 U	500 U	500 U		250 U		250 U				125 U		
P-XYLENE/M-XYLENE	5 U	5 U	500 U	500 U		250 U		250 U				125 U		
O-XYLENE	5 U	5 U	500 U	500 U		250 U		250 U				125 U		
STYRENE	5 U	5 U	500 U	500 U		250 U		250 U				125 U		
BROMOFORM	5 U	5 U	500 U	500 U		250 U		250 U				125 U		
1 1 2 2-TETRACHLOROETHANE	5 U	5 U	500 U	500 U		250 U		250 U				125 U		

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER EW-2
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	10/16/96	1/97	4/97	7/97	10/29/97	AVG
CHLOROMETHANE	120 U				120 U	0.0
VINYL CHLORIDE	120 U				120 U	20.3
CHLOROETHANE	120 U				120 U	0.0
BROMOMETHANE	120 U				120 U	0.0
1 1-DICHLOROETHENE	120 U				120 U	5.0
ACETONE	620 U				620 U	0.0
CARBON DISULFIDE	120 U				120 U	0.0
METHYLENE CHLORIDE	120 U				120 U	2.3
TRANS-1 2-DICHLOROETHENE	120 U				120 U	3.1
1 1-DICHLOROETHANE	120 U				120 U	2.1
CIS-1 2-DICHLOROETHENE	1900				2200	3735.6
METHYL ETHYL KETONE	620 U				620 U	0.0
CHLOROFORM	120 U				120 U	0.0
1 1 1-TRICHLOROETHANE	120 U				120 U	12.9
CARBON TETRACHLORIDE	120 U				120 U	0.0
BENZENE	120 U				120 U	0.0
1 2-DICHLOROETHANE	120 U				120 U	0.0
TRICHLOROETHENE	330				120 U	1677.8
1 2-DICHLOROPROPANE	120 U				120 U	0.0
BROMODICHLOROMETHANE	120 U				120 U	0.0
CIS-1 3-DICHLOROPROPENE	120 U				120 U	0.0
MIBK	250 U				250 U	0.0
TOLUENE	120 U				120 U	0.0
TRANS-1 3-DICHLOROPROPENE	120 U				120 U	0.0
1 1 2-TRICHLOROETHANE	120 U				120 U	0.0
TETRACHLOROETHENE	120 U				120 U	0.0
2-HEXANONE	250 U				250 U	0.0
DIBROMOCHLOROMETHANE	120 U				120 U	0.0
CHLOROBENZENE	120 U				120 U	0.0
ETHYLBENZENE	120 U				120 U	0.0
P-XYLENE/M-XYLENE	120 U				120 U	0.0
O-XYLENE	120 U				120 U	0.0
STYRENE	120 U				120 U	0.0
BROMOFORM	120 U				120 U	0.0
1 1 2 2-TETRACHLOROETHANE	120 U				120 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER EW-3
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/15/93	7/21/93	10/14/93	1/24/94	4/94	7/19/94	10/94	1/10/95	4/95	7/95	10/95	1/29/96	4/96	7/96
CHLOROMETHANE	5 U	5 U	25 U	5 U		25 U		50 U				100 U		
VINYL CHLORIDE	28	35	113	58		66		76				150		
CHLOROETHANE	5 U	5 U	25 U	5 U		25 U		50 U				100 U		
BROMOMETHANE	5 U	5 U	25 U	5 U		25 U		50 U				100 U		
1 1-DICHLOROETHENE	5 U	5 U	25 U	5 U		25 U		50 U				100 U		
ACETONE	50 U	50 U	250 U	50 U		250 U		500 U				500 U		
CARBON DISULFIDE	5 U	5 U	279	6		25 U		50 U				100 U		
METHYLENE CHLORIDE	5 U	5 U	25 U	5 U		25 U		50 U				100 U		
TRANS-1 2-DICHLOROETHENE	5 U	5 U	25 U	5 U		25 U		50 U				100 U		
1 1-DICHLOROETHANE	5 U	5 U	25 U	5		25 U		50 U				100 U		
CIS-1 2-DICHLOROETHENE	215	208	815	270		1140		1380				2300		
METHYL ETHYL KETONE	50 U	50 U	250 U	50 U		250 U		500 U				500 U		
CHLOROFORM	5 U	5 U	25 U	5 U		25 U		50 U				100 U		
1 1 1-TRICHLOROETHANE	5 U	5 U	25 U	8		25 U		50 U				100 U		
CARBON TETRACHLORIDE	5 U	5 U	25 U	5 U		25 U		50 U				100 U		
BENZENE	5 U	5 U	25 U	5 U		25 U		50 U				100 U		
1 2-DICHLOROETHANE	5 U	5 U	25 U	5 U		25 U		50 U				100 U		
TRICHLOROETHENE	28	5 U	25 U	5 U		43		50 U				930		
1 2-DICHLOROPROPANE	5 U	5 U	25 U	5 U		25 U		50 U				100 U		
BROMODICHLOROMETHANE	5 U	5 U	25 U	5 U		25 U		50 U				100 U		
CIS-1 3-DICHLOROPROPENE	5 U	5 U	25 U	5 U		25 U		50 U				100 U		
MIBK	50 U	50 U	250 U	50 U		250 U		500 U				500 U		
TOLUENE	5 U	5 U	25 U	5 U		25 U		50 U				100 U		
TRANS-1 3-DICHLOROPROPENE	5 U	5 U	25 U	5 U		25 U		50 U				100 U		
1 1 2-TRICHLOROETHANE	5 U	5 U	25 U	5 U		25 U		50 U				100 U		
TETRACHLOROETHENE	5 U	5 U	25 U	5 U		25 U		50 U				100 U		
2-HEXANONE	50 U	50 U	250 U	50 U		250 U		500 U				500 U		
DIBROMOCHLOROMETHANE	5 U	5 U	25 U	5 U		25 U		50 U				100 U		
CHLOROBENZENE	5 U	5 U	25 U	5 U		25 U		50 U				100 U		
ETHYLBENZENE	5 U	5 U	25 U	5 U		25 U		50 U				100 U		
P-XYLENE/M-XYLENE	5 U	5 U	25 U	5 U		25 U		50 U				100 U		
O-XYLENE	5 U	5 U	25 U	5 U		25 U		50 U				100 U		
STYRENE	5 U	5 U	25 U	5 U		25 U		50 U				100 U		
BROMOFORM	5 U	5 U	25 U	5 U		25 U		50 U				100 U		
1 1 2 2-TETRACHLOROETHANE	5 U	5 U	25 U	5 U		25 U		50 U				100 U		

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER EW-3
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	10/16/96	1/97	4/97	7/97	10/29/97	AVG
CHLOROMETHANE	120 U				120 U	0.0
VINYL CHLORIDE	120 U				200	80.7
CHLOROETHANE	120 U				120 U	0.0
BROMOMETHANE	120 U				120 U	0.0
1 1-DICHLOROETHENE	120 U				120 U	0.0
ACETONE	620 U				620 U	0.0
CARBON DISULFIDE	120 U				120 U	31.7
METHYLENE CHLORIDE	120 U				120 U	0.0
TRANS-1 2-DICHLOROETHENE	120 U				120 U	0.0
1 1-DICHLOROETHANE	120 U				120 U	0.6
CIS-1 2-DICHLOROETHENE	2800				3400	1392.0
METHYL ETHYL KETONE	620 U				620 U	0.0
CHLOROFORM	120 U				120 U	0.0
1 1 1-TRICHLOROETHANE	120 U				120 U	0.9
CARBON TETRACHLORIDE	120 U				120 U	0.0
BENZENE	120 U				120 U	0.0
1 2-DICHLOROETHANE	120 U				120 U	0.0
TRICHLOROETHENE	120 U				120 U	111.2
1 2-DICHLOROPROPANE	120 U				120 U	0.0
BROMODICHLOROMETHANE	120 U				120 U	0.0
CIS-1 3-DICHLOROPROPENE	120 U				120 U	0.0
MIBK	250 U				250 U	0.0
TOLUENE	120 U				120 U	0.0
TRANS-1 3-DICHLOROPROPENE	120 U				120 U	0.0
1 1 2-TRICHLOROETHANE	120 U				120 U	0.0
TETRACHLOROETHENE	120 U				120 U	0.0
2-HEXANONE	250 U				250 U	0.0
DIBROMOCHLOROMETHANE	120 U				120 U	0.0
CHLOROBENZENE	120 U				120 U	0.0
ETHYLBENZENE	120 U				120 U	0.0
P-XYLENE/M-XYLENE	120 U				120 U	0.0
O-XYLENE	120 U				120 U	0.0
STYRENE	120 U				120 U	0.0
BROMOFORM	120 U				120 U	0.0
1 1 2 2-TETRACHLOROETHANE	120 U				120 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER EW-4
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/15/93	7/21/93	10/14/93	1/17/94	4/94	7/19/94	10/94	1/10/95	4/95	7/95	10/95	1/29/96	4/96	7/96
CHLOROMETHANE	5 U	5 U	5 U	5 U		5 U		25 U				25 U		
VINYL CHLORIDE	16	23	67	25		34		43				60		
CHLOROETHANE	5 U	5 U	5 U	5 U		5 U		25 U				25 U		
BROMOMETHANE	5 U	5 U	5 U	5 U		5 U		25 U				25 U		
1 1-DICHLOROETHENE	5 U	5 U	5 U	5 U		5 U		25 U				25 U		
ACETONE	50 U	50 U	50 U	50 U		50 U		250 U				125 U		
CARBON DISULFIDE	5 U	5 U	5 U	5 U		5 U		25 U				25 U		
METHYLENE CHLORIDE	5 U	5 U	5 U	5 U		5 U		25 U				25 U		
TRANS-1 2-DICHLOROETHENE	5 U	5 U	5 U	5 U		5 U		25 U				25 U		
1 1-DICHLOROETHANE	5 U	5 U	5 U	5 U		5 U		25 U				25 U		
CIS-1 2-DICHLOROETHENE	121	156	654 J	173		488		628				340		
METHYL ETHYL KETONE	50 U	50 U	50 U	50 U		50 U		250 U				125 U		
CHLOROFORM	5 U	5 U	5 U	5 U		5 U		25 U				25 U		
1 1 1-TRICHLOROETHANE	5 U	5 U	5	5 U		5 U		25 U				25 U		
CARBON TETRACHLORIDE	5 U	5 U	5 U	5 U		5 U		25 U				25 U		
BENZENE	5 U	5 U	5 U	5 U		5 U		25 U				25 U		
1 2-DICHLOROETHANE	5 U	5 U	5 U	5 U		5 U		25 U				25 U		
TRICHLOROETHENE	5 U	5 U	28	5 U		21		25 U				25 U		
1 2-DICHLOROPROPANE	5 U	5 U	5 U	5 U		5 U		25 U				25 U		
BROMODICHLOROMETHANE	5 U	5 U	5 U	5 U		5 U		25 U				25 U		
CIS-1 3-DICHLOROPROPENE	5 U	5 U	5 U	5 U		5 U		25 U				25 U		
MIBK	50 U	50 U	50 U	50 U		50 U		250 U				125 U		
TOLUENE	5 U	5 U	5 U	5 U		5 U		25 U				25 U		
TRANS-1 3-DICHLOROPROPENE	5 U	5 U	5 U	5 U		5 U		25 U				25 U		
1 1 2-TRICHLOROETHANE	5 U	5 U	5 U	5 U		5 U		25 U				25 U		
TETRACHLOROETHENE	5 U	5 U	5 U	5 U		5 U		25 U				25 U		
2-HEXANONE	50 U	50 U	50 U	50 U		50 U		250 U				125 U		
DIBROMOCHLOROMETHANE	5 U	5 U	5 U	5 U		5 U		25 U				25 U		
CHLOROBENZENE	5 U	5 U	5 U	5 U		5 U		25 U				25 U		
ETHYLBENZENE	5 U	5 U	5 U	5 U		5 U		25 U				25 U		
P-XYLENE/M-XYLENE	5 U	5 U	5 U	5 U		5 U		25 U				25 U		
O-XYLENE	5 U	5 U	5 U	5 U		5 U		25 U				25 U		
STYRENE	5 U	5 U	5 U	5 U		5 U		25 U				25 U		
BROMOFORM	5 U	5 U	5 U	5 U		5 U		25 U				25 U		
1 1 2 2-TETRACHLOROETHANE	5 U	5 U	5 U	5 U		5 U		25 U				25 U		

NOTES:

U = Below Practical Quantitation Limit (PQL)

J = Estimated

Blank = Not sampled

WELL NUMBER EW-4
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	10/16/96	1/97	4/97	7/97	10/29/97	AVG
CHLOROMETHANE	25 U				25 U	0.0
VINYL CHLORIDE	38				57	40.3
CHLOROETHANE	25 U				25 U	0.0
BROMOMETHANE	25 U				25 U	0.0
1 1-DICHLOROETHENE	25 U				25 U	0.0
ACETONE	120 U				120 U	0.0
CARBON DISULFIDE	25 U				25 U	0.0
METHYLENE CHLORIDE	25 U				25 U	0.0
TRANS-1 2-DICHLOROETHENE	25 U				25 U	0.0
1 1-DICHLOROETHANE	25 U				25 U	0.0
CIS-1 2-DICHLOROETHENE	200				210	257.3
METHYL ETHYL KETONE	120 U				120 U	0.0
CHLOROFORM	25 U				25 U	0.0
1 1 1-TRICHLOROETHANE	25 U				25 U	0.6
CARBON TETRACHLORIDE	25 U				25 U	0.0
BENZENE	25 U				25 U	0.0
1 2-DICHLOROETHANE	25 U				25 U	0.0
TRICHLOROETHENE	25 U				25 U	5.4
1 2-DICHLOROPROPANE	25 U				25 U	0.0
BROMODICHLOROMETHANE	25 U				25 U	0.0
CIS-1 3-DICHLOROPROPENE	25 U				25 U	0.0
MIBK	50 U				50 U	0.0
TOLUENE	25 U				25 U	0.0
TRANS-1 3-DICHLOROPROPENE	25 U				25 U	0.0
1 1 2-TRICHLOROETHANE	25 U				25 U	0.0
TETRACHLOROETHENE	25 U				25 U	0.0
2-HEXANONE	50 U				50 U	0.0
DIBROMOCHLOROMETHANE	25 U				25 U	0.0
CHLOROBENZENE	25 U				25 U	0.0
ETHYLBENZENE	25 U				25 U	0.0
P-XYLENE/M-XYLENE	25 U				25 U	0.0
O-XYLENE	25 U				25 U	0.0
STYRENE	25 U				25 U	0.0
BROMOFORM	25 U				25 U	0.0
1 1 2 2-TETRACHLOROETHANE	25 U				25 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

J = Estimated

Blank = Not sampled

WELL NUMBER EW-5
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/15/93	7/21/93	10/14/93	1/17/94	4/94	7/19/94	10/94	1/10/95	4/95	7/95	10/95	1/29/96	4/96	7/96
CHLOROMETHANE	5 U	5 U	25 U	250 U		25 U		25 U				25 U		
VINYL CHLORIDE	153	85	157	250 U		45		66				83		
CHLOROETHANE	5 U	5 U	25 U	250 U		25 U		25 U				25 U		
BROMOMETHANE	5 U	5 U	25 U	250 U		25 U		25 U				25 U		
1 1-DICHLOROETHENE	26	10	25 U	250 U		25 U		25 U				25 U		
ACETONE	50 U	50 U	250 U	2500 U		250 U		250 U				125 U		
CARBON DISULFIDE	5 U	5 U	797	250 U		25 U		25 U				25 U		
METHYLENE CHLORIDE	5 U	5 U	25 U	250 U		25 U		25 U				25 U		
TRANS-1 2-DICHLOROETHENE	7	5 U	25 U	250 U		25 U		25 U				25 U		
1 1-DICHLOROETHANE	5 U	5 U	25 U	250 U		25 U		25 U				25 U		
CIS-1 2-DICHLOROETHENE	655	315	1410	724		591		674				270		
METHYL ETHYL KETONE	50 U	50 U	250 U	2500 U		250 U		250 U				125 U		
CHLOROFORM	5 U	5 U	25 U	250 U		25 U		25 U				25 U		
1 1 1-TRICHLOROETHANE	5 U	5 U	25 U	250 U		25 U		25 U				25 U		
CARBON TETRACHLORIDE	5 U	5 U	25 U	250 U		25 U		25 U				25 U		
BENZENE	5 U	5 U	25 U	250 U		25 U		25 U				25 U		
1 2-DICHLOROETHANE	5 U	5 U	25 U	250 U		25 U		25 U				25 U		
TRICHLOROETHENE	5 U	5 U	59	250 U		25 U		25 U				25 U		
1 2-DICHLOROPROPANE	5 U	5 U	25 U	250 U		25 U		25 U				25 U		
BROMODICHLOROMETHANE	5 U	5 U	25 U	250 U		25 U		25 U				25 U		
CIS-1 3-DICHLOROPROPENE	5 U	5 U	25 U	250 U		25 U		25 U				25 U		
MIBK	50 U	50 U	250 U	2500 U		250 U		250 U				125 U		
TOLUENE	5 U	5 U	25 U	250 U		25 U		25 U				25 U		
TRANS-1 3-DICHLOROPROPENE	5 U	5 U	25 U	250 U		25 U		25 U				25 U		
1 1 2-TRICHLOROETHANE	5 U	5 U	25 U	250 U		25 U		25 U				25 U		
TETRACHLOROETHENE	5 U	5 U	25 U	250 U		25 U		25 U				25 U		
2-HEXANONE	50 U	50 U	250 U	2500 U		250 U		250 U				125 U		
DIBROMOCHLOROMETHANE	5 U	5 U	25 U	250 U		25 U		25 U				25 U		
CHLOROBENZENE	5 U	5 U	25 U	250 U		25 U		25 U				25 U		
ETHYLBENZENE	5 U	5 U	25 U	250 U		25 U		25 U				25 U		
P-XYLENE/M-XYLENE	5 U	5 U	25 U	250 U		25 U		25 U				25 U		
O-XYLENE	5 U	5 U	25 U	250 U		25 U		25 U				25 U		
STYRENE	5 U	5 U	25 U	250 U		25 U		25 U				25 U		
BROMOFORM	5 U	5 U	25 U	250 U		25 U		25 U				25 U		
1 1 2 2-TETRACHLOROETHANE	5 U	5 U	25 U	250 U		25 U		25 U				25 U		

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER EW-5
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	10/16/96	1/97	4/97	7/97	10/29/97	AVG
CHLOROMETHANE	5 U				5 U	0.0
VINYL CHLORIDE	46				48	75.9
CHLOROETHANE	5 U				5 U	0.0
BROMOMETHANE	5 U				5 U	0.0
1 1-DICHLOROETHENE	5 U				5 U	4.0
ACETONE	25 U				25 U	0.0
CARBON DISULFIDE	5 U				5 U	88.6
METHYLENE CHLORIDE	5 U				5 U	0.0
TRANS-1 2-DICHLOROETHENE	5 U				5 U	0.8
1 1-DICHLOROETHANE	5 U				5 U	0.0
CIS-1 2-DICHLOROETHENE	120				110	541.0
METHYL ETHYL KETONE	73				25 U	8.1
CHLOROFORM	5 U				5 U	0.0
1 1 1-TRICHLOROETHANE	5 U				5 U	0.0
CARBON TETRACHLORIDE	5 U				5 U	0.0
BENZENE	5 U				5 U	0.0
1 2-DICHLOROETHANE	5 U				5 U	0.0
TRICHLOROETHENE	5 U				5 U	6.6
1 2-DICHLOROPROPANE	5 U				5 U	0.0
BROMODICHLOROMETHANE	5 U				5 U	0.0
CIS-1 3-DICHLOROPROPENE	5 U				5 U	0.0
MIBK	10 U				10 U	0.0
TOLUENE	5 U				5 U	0.0
TRANS-1 3-DICHLOROPROPENE	5 U				5 U	0.0
1 1 2-TRICHLOROETHANE	5 U				5 U	0.0
TETRACHLOROETHENE	5 U				5 U	0.0
2-HEXANONE	10 U				10 U	0.0
DIBROMOCHLOROMETHANE	5 U				5 U	0.0
CHLOROBENZENE	5 U				5 U	0.0
ETHYLBENZENE	5 U				5 U	0.0
P-XYLENE/M-XYLENE	5 U				5 U	0.0
O-XYLENE	5 U				5 U	0.0
STYRENE	5 U				5 U	0.0
BROMOFORM	5 U				5 U	0.0
1 1 2 2-TETRACHLOROETHANE	5 U				5 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER EW-6
 ANALYTICAL SAMPLING RESULTS
 (Concentrations in ug/L)

ANALYTE	4/15/93	7/21/93	10/14/93	1/17/94	4/94	7/19/94	10/94	1/10/95	4/95	7/95	10/95	2/2/96	4/19/96	7/17/96
CHLOROMETHANE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
VINYL CHLORIDE	24	24	51	24		25		32				52	34	15
CHLOROETHANE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
BROMOMETHANE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
1 1-DICHLOROETHENE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
ACETONE	50 U	50 U	50 U	50 U		50 U		50 U				25 U	25 U	25 U
CARBON DISULFIDE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
METHYLENE CHLORIDE	5 U	5 U	5 U	5 U		14J		5 U				5 U	5 U	5 U
TRANS-1 2-DICHLOROETHENE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
1 1-DICHLOROETHANE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
CIS-1 2-DICHLOROETHENE	119	113	508	136		204J		235				140	115	69
METHYL ETHYL KETONE	50 U	50 U	50 U	50 U		50 U		50 U				25 U	25 U	25 U
CHLOROFORM	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
1 1 1-TRICHLOROETHANE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
CARBON TETRACHLORIDE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
BENZENE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
1 2-DICHLOROETHANE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
TRICHLOROETHENE	5 U	5 U	6	7		5 U		5 U				5 U	12	5 U
1 2-DICHLOROPROPANE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
BROMODICHLOROMETHANE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
CIS-1 3-DICHLOROPROPENE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
MIBK	50 U	50 U	50 U	50 U		50 U		50 U				25 U	10 U	10 U
TOLUENE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
TRANS-1 3-DICHLOROPROPENE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
1 1 2-TRICHLOROETHANE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
TETRACHLOROETHENE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
2-HEXANONE	50 U	50 U	50 U	50 U		50 U		50 U				25 U	10 U	10 U
DIBROMOCHLOROMETHANE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
CHLORO BENZENE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
ETHYLBENZENE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
P-XYLENE/M-XYLENE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
O-XYLENE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
STYRENE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
BROMOFORM	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U
1 1 2 2-TETRACHLOROETHANE	5 U	5 U	5 U	5 U		5 U		5 U				5 U	5 U	5 U

NOTES:

U = Below Practical Quantitation Limit (PQL)

J = Estimated

Blank = Not sampled

WELL NUMBER EW-6
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	10/16/96	1/15/97	4/29/97	7/22/97	10/29/97	AVG
CHLOROMETHANE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
VINYL CHLORIDE	15	48	10	10	25	27.8
CHLOROETHANE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
BROMOMETHANE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
1 1-DICHLOROETHENE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
ACETONE	25 U	25 U	10 U	10 U	10 U	0.0
CARBON DISULFIDE	5 U	5 U	0.7	0.5 U	0.5 U	0.1
METHYLENE CHLORIDE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
TRANS-1 2-DICHLOROETHENE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
1 1-DICHLOROETHANE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
CIS-1 2-DICHLOROETHENE	59	470	35	34	63	149.7
METHYL ETHYL KETONE	25 U	25 U	10 U	10 U	10 U	0.0
CHLOROFORM	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
1 1 1-TRICHLOROETHANE	5 U	6	0.5 U	0.5 U	0.5 U	0.4
CARBON TETRACHLORIDE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
BENZENE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
1 2-DICHLOROETHANE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
TRICHLOROETHENE	5 U	22	0.7	0.5 U	0.5 U	3.4
1 2-DICHLOROPROPANE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
BROMODICHLOROMETHANE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
CIS-1 3-DICHLOROPROPENE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
MIBK	10 U	10 U	10 U	10 U	10 U	0.0
TOLUENE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
TRANS-1 3-DICHLOROPROPENE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
1 1 2-TRICHLOROETHANE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
TETRACHLOROETHENE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
2-HEXANONE	10 U	10 U	10 U	10 U	10 U	0.0
DIBROMOCHLOROMETHANE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
CHLOROBENZENE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
ETHYLBENZENE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
P-XYLENE/M-XYLENE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
O-XYLENE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
STYRENE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
BROMOFORM	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0
1 1 2 2-TETRACHLOROETHANE	5 U	5 U	0.5 U	0.5 U	0.5 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

J = Estimated

Blank = Not sampled

WELL NUMBER EW-7
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/93	7/93	10/93	1/94	4/26/94	7/21/94	11/2/94	1/13/95	4/19/95	7/13/95	10/18/95	1/31/96	4/18/96
CHLOROMETHANE					50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U
VINYL CHLORIDE					76	446	437	403	453	690	990	990	590
CHLOROETHANE					50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U
BROMOMETHANE					50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U
1 1-DICHLOROETHENE					50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U
ACETONE					500 U	500 U	500 U	1000 U	1000 U	1000 U	1250 U	1250 U	1250 U
CARBON DISULFIDE					50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U
METHYLENE CHLORIDE					50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U
TRANS-1 2-DICHLOROETHENE					50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U
1 1-DICHLOROETHANE					50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U
CIS-1 2-DICHLOROETHENE					860	4990	2720	2020	2680	7610	5500	8100	4800
METHYL ETHYL KETONE					500 U	500 U	500 U	1000 U	1000 U	1000 U	1250 U	1250 U	1250 U
CHLOROFORM					50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U
1 1 1-TRICHLOROETHANE					50 U	50 U	88	100 U	100 U	106	125 U	250 U	250 U
CARBON TETRACHLORIDE					50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U
BENZENE					50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U
1 2-DICHLOROETHANE					50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U
TRICHLOROETHENE					50 U	50 U	63	106	100 U	1140	502	560	320
1 2-DICHLOROPROPANE					50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U
BROMODICHLOROMETHANE					50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U
CIS-1 3-DICHLOROPROPENE					50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U
MIBK					500 U	500 U	500 U	1000 U	1000 U	1000 U	1250 U	1250 U	500 U
TOLUENE					50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U
TRANS-1 3-DICHLOROPROPENE					50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U
1 1 2-TRICHLOROETHANE					50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U
TETRACHLOROETHENE					50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U
2-HEXANONE					500 U	500 U	500 U	1000 U	1000 U	1000 U	1250 U	1250 U	500 U
DIBROMOCHLOROMETHANE					50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U
CHLOROBENZENE					50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U
ETHYLBENZENE					50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U
P-XYLENE/M-XYLENE					50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U
O-XYLENE					50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U
STYRENE					50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U
BROMOFORM					50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U
1 1 2-TETRACHLOROETHANE					50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER EW-7
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	7/17/96	10/18/96	1/15/97	4/29/97	7/22/97	10/30/97	AVG
CHLOROMETHANE	250 U	250 U	250 U	250 U	25 U	250 U	0.0
VINYL CHLORIDE	510	520	520	680	600	650	570.3
CHLOROETHANE	250 U	250 U	250 U	250 U	25 U	250 U	0.0
BROMOMETHANE	250 U	250 U	250 U	250 U	25 U	250 U	0.0
1 1-DICHLOROETHENE	250 U	250 U	250 U	250 U	25 U	250 U	0.0
ACETONE	1250 U	1200 U	1200 U	1200 U	500 U	1200 U	0.0
CARBON DISULFIDE	250 U	250 U	250 U	250 U	25 U	250 U	0.0
METHYLENE CHLORIDE	250 U	250 U	250 U	250 U	68	250 U	4.5
TRANS-1 2-DICHLOROETHENE	250 U	250 U	250 U	250 U	25 U	250 U	0.0
1 1-DICHLOROETHANE	250 U	250 U	250 U	250 U	25	250 U	1.7
CIS-1 2-DICHLOROETHENE	6700	5200	4700	4900	4500	4300	4638.7
METHYL ETHYL KETONE	1250 U	1200 U	1200 U	1200 U	500 U	1200 U	0.0
CHLOROFORM	250 U	250 U	250 U	250 U	25 U	250 U	0.0
1 1 1-TRICHLOROETHANE	250 U	250 U	250 U	250 U	51	250 U	16.3
CARBON TETRACHLORIDE	250 U	250 U	250 U	250 U	25 U	250 U	0.0
BENZENE	250 U	250 U	250 U	250 U	25 U	250 U	0.0
1 2-DICHLOROETHANE	250 U	250 U	250 U	250 U	25 U	250 U	0.0
TRICHLOROETHENE	870	250 U	250 U	250 U	150	250 U	247.4
1 2-DICHLOROPROPANE	250 U	250 U	250 U	250 U	25 U	250 U	0.0
BROMODICHLOROMETHANE	250 U	250 U	250 U	250 U	25 U	250 U	0.0
CIS-1 3-DICHLOROPROPENE	250 U	250 U	250 U	250 U	25 U	250 U	0.0
MIBK	500 U	500 U	500 U	500 U	500 U	500 U	0.0
TOLUENE	250 U	250 U	250 U	250 U	25 U	250 U	0.0
TRANS-1 3-DICHLOROPROPENE	250 U	250 U	250 U	250 U	25 U	250 U	0.0
1 1 2-TRICHLOROETHANE	250 U	250 U	250 U	250 U	25 U	250 U	0.0
TETRACHLOROETHENE	250 U	250 U	250 U	250 U	25 U	250 U	0.0
2-HEXANONE	500 U	500 U	500 U	500 U	500 U	500 U	0.0
DIBROMOCHLOROMETHANE	250 U	250 U	250 U	250 U	25 U	250 U	0.0
CHLOROBENZENE	250 U	250 U	250 U	250 U	25 U	250 U	0.0
ETHYLBENZENE	250 U	250 U	250 U	250 U	25 U	250 U	0.0
P-XYLENE/M-XYLENE	250 U	250 U	250 U	250 U	25 U	250 U	0.0
O-XYLENE	250 U	250 U	250 U	250 U	25 U	250 U	0.0
STYRENE	250 U	250 U	250 U	250 U	25 U	250 U	0.0
BROMOFORM	250 U	250 U	250 U	250 U	25 U	250 U	0.0
1 1 2 2-TETRACHLOROETHANE	250 U	250 U	250 U	250 U	25 U	250 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

Blank = Not sampled

WELL NUMBER EW-8
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	4/93	7/93	10/93	1/94	4/26/94	7/21/94	11/2/94	1/9/95	4/19/95	7/13/95	10/18/95	1/31/96	4/18/96
CHLOROMETHANE					5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U
VINYL CHLORIDE					5 U	12	19	147	500 U	500 U	50 U	460	250 U
CHLOROETHANE					5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U
BROMOMETHANE					5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U
1 1-DICHLOROETHENE					5 U	5 U	5 U	50 U	500 U	500 U	50 U	26	250 U
ACETONE					50 U	50 U	50 U	500 U	5000 U	5000 U	500 U	125 U	1250 U
CARBON DISULFIDE					5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U
METHYLENE CHLORIDE					5 U	5 U	120	2170	500 U	500 U	50 U	25 U	250 U
TRANS-1 2-DICHLOROETHENE					5 U	5 U	5 U	50 U	500 U	500 U	50 U	120	250 U
1 1-DICHLOROETHANE					5 U	6	6	50 U	500 U	500 U	50 U	34	250 U
CIS-1 2-DICHLOROETHENE					5 U	1330	452	8540	8670	5900	620	7900	2200
METHYL ETHYL KETONE					50 U	50 U	50 U	500 U	5000 U	5000 U	500 U	125 U	1250 U
CHLOROFORM					5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U
1 1 1-TRICHLOROETHANE					5 U	5 U	48	248	500 U	500 U	50 U	180	250 U
CARBON TETRACHLORIDE					5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U
BENZENE					5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U
1 2-DICHLOROETHANE					5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U
TRICHLOROETHENE					5 U	778	302	3260	5470	3780	55	2200	2300
1 2-DICHLOROPROPANE					5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U
BROMODICHLOROMETHANE					5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U
CIS-1 3-DICHLOROPROPENE					5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U
MIBK					50 U	50 U	50 U	500 U	5000 U	5000 U	500 U	125 U	500 U
TOLUENE					5 U	5 U	6	50 U	535	500 U	50 U	25 U	250 U
TRANS-1 3-DICHLOROPROPENE					5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U
1 1 2-TRICHLOROETHANE					5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U
TETRACHLOROETHENE					5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U
2-HEXANONE					50 U	50 U	50 U	500 U	5000 U	5000 U	500 U	125 U	500 U
DIBROMOCHLOROMETHANE					5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U
CHLOROBENZENE					5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U
ETHYLBENZENE					5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U
P-XYLENE/M-XYLENE					5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U
O-XYLENE					5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U
STYRENE					5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U
BROMOFORM					5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U
1 1 2 2-TETRACHLOROETHANE					5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U

NOTES:

U = Below Practical Quantitation Limit (PQL)

B = Analyte detected in method or trip blank

Blank = Not sampled

WELL NUMBER EW-8
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	7/17/96	10/18/96	1/15/97	4/29/97	7/22/97	10/30/97	AVG
CHLOROMETHANE	125 U	120 U	120 U	120 U	12 U	250 U	0.0
VINYL CHLORIDE	130	160	160	190	150	250 U	95.2
CHLOROETHANE	125 U	120 U	120 U	120 U	12 U	250 U	0.0
BROMOMETHANE	125 U	120 U	120 U	120 U	12 U	250 U	0.0
1 1-DICHLOROETHENE	125 U	120 U	120 U	120 U	12 U	250 U	1.7
ACETONE	625 U	620 U	620 U	620 U	250 U	1200 U	0.0
CARBON DISULFIDE	125 U	120 U	120 U	120 U	12 U	250 U	0.0
METHYLENE CHLORIDE	125 U	120 U	120 U	120 U	28	250 U	154.5
TRANS-1 2-DICHLOROETHENE	125 U	120 U	120 U	120 U	12 U	250 U	8.0
1 1-DICHLOROETHANE	125 U	120 U	120 U	120 U	16	250 U	4.1
CIS-1 2-DICHLOROETHENE	2900	2000	3200	2900	4100	3300	3600.8
METHYL ETHYL KETONE	640	620 U	620 U	620 U	250 U	1200 U	42.7
CHLOROFORM	125 U	120 U	120 U	120 U	12 U	250 U	0.0
1 1 1-TRICHLOROETHANE	125 U	120 U	120 U	130 B	50	250 U	35.1
CARBON TETRACHLORIDE	125 U	120 U	120 U	120 U	12 U	250 U	0.0
BENZENE	125 U	120 U	120 U	120 U	12 U	250 U	0.0
1 2-DICHLOROETHANE	125 U	120 U	120 U	120 U	12 U	250 U	0.0
TRICHLOROETHENE	1400	950	2600	1300	2400	370	1811.0
1 2-DICHLOROPROPANE	125 U	120 U	120 U	120 U	12 U	250 U	0.0
BROMODICHLOROMETHANE	125 U	120 U	120 U	120 U	12 U	250 U	0.0
CIS-1 3-DICHLOROPROPENE	125 U	120 U	120 U	120 U	12 U	250 U	0.0
MIBK	250 U	250 U	250 U	250 U	250 U	500 U	0.0
TOLUENE	125 U	120 U	120 U	120 U	12 U	250 U	36.1
TRANS-1 3-DICHLOROPROPENE	125 U	120 U	120 U	120 U	12 U	250 U	0.0
1 1 2-TRICHLOROETHANE	125 U	120 U	120 U	120 U	12 U	250 U	0.0
TETRACHLOROETHENE	125 U	120 U	120 U	120 U	12 U	250 U	0.0
2-HEXANONE	250 U	250 U	250 U	250 U	250 U	500 U	0.0
DIBROMOCHLOROMETHANE	125 U	120 U	120 U	120 U	12 U	250 U	0.0
CHLOROBENZENE	125 U	120 U	120 U	120 U	12 U	250 U	0.0
ETHYLBENZENE	125 U	120 U	120 U	320 B	12 U	250 U	0.0
P-XYLENE/M-XYLENE	125 U	120 U	120 U	990	12 U	250 U	66.0
O-XYLENE	125 U	120 U	120 U	220	12 U	250 U	14.7
STYRENE	125 U	120 U	120 U	120 U	12 U	250 U	0.0
BROMOFORM	125 U	120 U	120 U	120 U	12 U	250 U	0.0
1 1 2 2-TETRACHLOROETHANE	125 U	120 U	120 U	120 U	25 U	250 U	0.0

NOTES:

U = Below Practical Quantitation Limit (PQL)

B = Analyte detected in method or trip blank

Blank = Not sampled

WELL NUMBER SW-89(1)
 ANALYTICAL SAMPLING RESULTS
 (Concentrations in ug/L)

ANALYTE	4/93	7/93	10/93	1/94	4/94	7/94	10/94	1/95	4/95	7/95	10/95	1/96	4/96	7/96	10/96	1/97	4/97	7/97	AVG	
CHLOROMETHANE																				
VINYL CHLORIDE																				
CHLOROETHANE																				
BROMOMETHANE																				
1 1-DICHLOROETHENE																				
ACETONE																				
CARBON DISULFIDE																				
METHYLENE CHLORIDE																				
TRANS-1 2-DICHLOROETHENE																				
1 1-DICHLOROETHANE																				
CIS-1 2-DICHLOROETHENE																				
METHYL ETHYL KETONE																				
CHLOROFORM																				
1 1 1-TRICHLOROETHANE																				
CARBON TETRACHLORIDE																				
BENZENE																				
1 2-DICHLOROETHANE																				
TRICHLOROETHENE																				
1 2-DICHLOROPROPANE																				
BROMODICHLOROMETHANE																				
CIS-1 3-DICHLOROPROPENE																				
MIBK																				
TOLUENE																				
TRANS-1 3-DICHLOROPROPENE																				
1 1 2-TRICHLOROETHANE																				
TETRACHLOROETHENE																				
2-HEXANONE																				
DIBROMOCHLOROMETHANE																				
CHLOROBENZENE																				
ETHYLBENZENE																				
P-XYLENE/M-XYLENE																				
O-XYLENE																				
STYRENE																				
BROMOFORM																				
1 1 2 2-TETRACHLOROETHANE																				

NOTES:

Blank = Not sampled