



TRANSMITTAL

Via: FedEx

Date: February 2, 2018
To: Mr. Stanley Radon
Subject: Bell Aerospace – Textron Wheatfield; #932052

These are:

- | | |
|--|--|
| <input type="checkbox"/> Per your request | <input type="checkbox"/> For your review/comment |
| <input checked="" type="checkbox"/> For your files | <input type="checkbox"/> For use on job |
| <input type="checkbox"/> For your approval/signature | <input type="checkbox"/> _____ |

Enclosed please find the *Final 2017 Annual Summary and Site Maintenance and Monitoring Report* for the former Bell Aerospace facility located in Wheatfield, New York. An electronic copy of the report has been emailed to you on February 2, 2018. If you have any comments or questions regarding this report please contact the undersigned below.

Sincerely,

A handwritten signature in cursive script that reads "Cecelia Byers".

APTIM

Please Reply To: Cecelia Byers

Phone: 412-858-3977

E-Mail Address: cecelia.byers@aptim.com

cc: Ms. Charlotte Bethoney, NYSDOH
Mr. Stephen Lawrence, NYSDOH
Mr. Wilfred Palomino, USEPA
Town of Wheatfield Supervisor
Mr. Greg Simpson, Textron
File, APTIM



2017 Annual Summary and Site Maintenance and Monitoring Report

Former Bell Aerospace Facility
Wheatfield, New York

Prepared for:
Textron Inc.
Providence, Rhode Island

Submitted by:
Aptim Engineering New York, P.C.
Latham, New York

Project No. 156045
January 2018

2017 ANNUAL SUMMARY AND SITE MAINTENANCE AND MONITORING REPORT

***Former Bell Aerospace Facility
Wheatfield, New York***

Prepared for:

Textron Inc.
40 Westminster Street
Providence, Rhode Island 02903-6028

Submitted by:



Aptim Engineering New York, P.C.
13 British American Boulevard
Latham, New York 12110-1405

Project No. 156045
January 2018

Certification

I certify that I am a New York State-registered Professional Engineer and that this project prepared for Textron, Inc. at the Former Bell Aerospace Facility, in Niagara County, Wheatfield, New York, is in substantial conformance with the DER Technical Guidance for Site Investigation and Remediation (DER-10).

Paul Farrington

Printed Name of Professional Engineer


Signature of Professional Engineer



Registration Number: 062242-I

State: New York

Date: 02/02/2018

Table of Contents

Certification.....	ii
List of Tables.....	v
List of Figures.....	v
List of Appendices.....	v
List of Acronyms & Abbreviations.....	vi
1.0 Introduction.....	1
2.0 Field Sampling Activities.....	3
2.1 General.....	3
2.2 Hydraulic Monitoring.....	3
2.2.1 Off-Site System.....	3
2.2.2 On-Site System.....	4
2.3 Groundwater Sampling.....	5
2.3.1 General.....	5
2.3.2 Monitoring and Extraction Well Sampling.....	5
2.4 Maintenance of Monitoring Points.....	6
3.0 Laboratory Analytical Methods and Results.....	8
3.1 Analytical Methods.....	8
3.2 Analytical Results.....	8
3.2.1 Off-Site System Efficiency Sampling.....	8
3.2.2 Perfluoroalkyl Substances/1,4-Dioxane Sampling.....	8
3.2.3 Annual Groundwater Sampling.....	9
3.3 QA/QC Samples.....	10
3.4 Data Review.....	10
4.0 Summary of Off-Site and On-Site Extraction System Operations.....	11
4.1 Review of Off-Site and On-Site System Operations.....	11
4.1.1 Off-Site System.....	11
4.1.2 On-Site System.....	11
4.1.3 Repairs, Upgrades, and Enhancements to Systems.....	12
4.1.4 Residential Sub-Slab Depressurization System.....	13
4.2 Discharge Monitoring.....	13
4.2.1 Off-Site System.....	13
4.2.2 On-Site System.....	13
4.2.3 Site Inspections.....	14
4.3 Evaluation.....	14
4.3.1 Chemical Data for Off-Site and On-Site Systems.....	14
4.3.2 Hydraulic Response for Off-Site and On-Site Systems.....	14
4.4 Routine Operational Corrective Measures.....	15

5.0	Bioremediation Pilot Study	16
5.1	Historical Data Review and Additional Information	16
5.2	Work Plan	17
5.3	Implementation of Field Activities	17
5.3.1	Injection Well Installation	18
5.3.2	Treatment System Operational Changes	18
5.3.3	Baseline Groundwater Samples	19
5.3.4	Application	19
6.0	Summary	20
6.1	Hydraulic Monitoring Data	20
6.2	Laboratory Data	20
6.3	Off-Site and On-Site System Performance	20
6.4	Recommendations for Future Groundwater Monitoring and System Operations	20
6.5	Bioremediation Pilot Study	21
7.0	References	22

Tables

Figures

Appendices

List of Tables

Table 1	Groundwater Monitoring Points, On-Site and Off-Site Effectiveness Monitoring Programs
Table 2	Hydraulic Monitoring Data – 2017 Annual Summary
Table 3A	Summary of Vertical Hydraulic Gradients – April 2017 Hydraulic Monitoring Event
Table 3B	Summary of Vertical Hydraulic Gradients – November 2017 Hydraulic Monitoring Event
Table 4	Summary of Field Sampling Measurements and Observations
Table 5	Summary of Groundwater Analytical Data
Table 6	Summary of Injection Log

List of Figures

Figure 1	Groundwater Monitoring Plan Sample Locations
Figure 2	Groundwater Elevation Contour Map, Zone 1 Bedrock – April 2017
Figure 3	On-Site Groundwater Elevation Contour Map, Zone 1 Bedrock – April 2017
Figure 4	Groundwater Elevation Contour Map, Zone 1 Bedrock – November 2017
Figure 5	On-Site Groundwater Elevation Contour Map, Zone 1 Bedrock – November 2017
Figure 6	On-Site Groundwater Elevation Contour Map, Zone 3 Bedrock – November 2017
Figure 7	Changes in TVOC Concentrations – November 2017
Figure 8	Total VOC Concentrations vs. Time in Monitoring Well 89-15(1)
Figure 9	Total VOC Concentrations vs. Time in Monitoring Well 87-20(1)
Figure 10	Total VOC Concentrations vs. Time in Extraction Well EW-4
Figure 11	Dissolved Phase Plume Map, Zone 1 Bedrock – November 2017
Figure 12	Dissolved Phase Plume Map, Overburden – November 2017

List of Appendices

Appendix A	NYSDEC Correspondence
Appendix B	Well Inspection Forms
Appendix C	Field Sampling Data Sheets
Appendix D	Chain-of-Custody Forms
Appendix E	ALS Environmental, Inc. Analytical Report
Appendix F	Historical Sampling Results
Appendix G	Correspondence Regarding Residential Sub-Slab Depressurization System
Appendix H	Niagara County Sewer District Semiannual Reports
Appendix I	Photographic Log
Appendix J	Drilling Logs

List of Acronyms & Abbreviations

µg/L	micrograms per liter
3DME®	3D Microemulsion® Factory Emulsified
Allied	Allied Environmental Services, Inc.
APTIM	Aptim Engineering New York, P.C.
bgs	below ground surface
CRS®	Chemical Reducing Solution®
Evoqua	Evoqua Water Technologies
ft/ft	foot per foot
gpd	gallons per day
MS	matrix spike
MSD	matrix spike duplicate
NCSD	Niagara County Sewer District
NYSDEC	New York State Department of Environmental Conservation
PFAS	perfluoroalkyl Substances
PFCs	perfluorochemicals
PVC	polyvinyl chloride
QA/QC	quality assurance/quality control
RCRA	Resource Conservation and Recovery Act
RRS	Regenesis Remediation Services
SSDS	sub-slab depressurization system
Textron	Textron Inc.
TVOC	total volatile organic compound
USEPA	U.S. Environmental Protection Agency
VOC	volatile organic compound

1.0 Introduction

Aptim Engineering New York, P.C. (APTIM), formerly CB&I Engineering New York, P.C., has prepared this report to present the results of ongoing remedial and groundwater monitoring activities at the former Bell Aerospace Facility in Wheatfield, New York. This report discusses all activities conducted during the 12-month monitoring period from January 1, 2017 through December 31, 2017. This report is submitted in accordance with Textron Inc.'s (Textron) New York State Department of Environmental Conservation (NYSDEC) Order on Consent, Index No. 932052-01-04, effective December 16, 2014. This report discusses existing groundwater quality conditions, reviews annual system maintenance tasks, and presents any proposed changes to the current Groundwater Monitoring Plan and recommendations to optimize the operation of the Off-Site (based on 25 years of operation) and On-Site (based on 23 years of operation) groundwater remedial systems.

The Off-Site System consists of six Zone 1 bedrock groundwater extraction wells (designated EW-1 through EW-6) connected by a subsurface double-containment pipeline that discharges the extracted groundwater to the Niagara County Sewer District (NCSD) Publicly Owned Treatment Works. Figure 1 presents a site layout showing the locations of the extraction wells and the groundwater monitoring points. The Off-Site System has been operating since March 1993. Extraction Well EW-1 was taken out of service in March 1993, based on the hydraulic response observed during startup of the remedial system. Extraction Well EW-6 was taken off line on April 11, 1996 in an attempt to reduce the constituent concentration at the southern boundary of the dissolved phase plume in this area. The cessation of groundwater extraction at EW-6 allowed Extraction Well EW-5 to “draw” the dissolved phase plume boundary (just to the south of EW-6) to the north. Extraction Well EW-5 was taken off line on September 5, 2013 while Extraction Wells EW-2, EW-3, and EW-4 remained operational as part of an extended pilot study requested by the NYSDEC. The NYSDEC’s approval of this proposal is included as Appendix A. The purpose of this pilot study was to configure the system to induce the edge of the “plume” in a northerly direction by turning off the southernmost extraction well while demonstrating that three extraction wells can continue to control the plume. The Off-Site System continues to operate in this configuration with the permission of the NYSDEC per the May 23, 2017 letter (Appendix A).

The On-Site System consists of seven Zone 1 bedrock groundwater extraction wells (designated EW-7, EW-8, EW-13, and DW-9 through DW-12) connected by a subsurface double-containment pipeline that delivers the extracted groundwater to the On-Site Treatment Plant. At the treatment plant, dissolved volatile organic compounds (VOCs) are removed using an air stripper to aerate the water prior to being processed through granular activated carbon units. The recovered groundwater is ultimately discharged to the Walmore Road storm sewer under a National Pollution

Discharge Elimination System permit. Figure 1 presents a site layout showing the location of the extraction wells and the groundwater monitoring points.

Construction of the system was initiated on September 20, 1993 and was substantially completed in late 1994. Startup of the system began in April 1995. Extraction Well DW-9 was taken off line on May 26, 1998 to focus remedial efforts on the southern property line of the facility near Wells EW-7 and EW-8. Extraction Well EW-13 was added to the system approximately midway between these wells and was activated on September 25, 1998 in order to form a better hydraulic barrier between Wells EW-7 and EW-8.

Operations of the On-Site Treatment System were suspended on October 30, 2017 for the implementation of the Bioremediation Pilot Study discussed in Section 5.0.

2.0 *Field Sampling Activities*

2.1 *General*

APTIM personnel performed field sampling activities according to the procedures detailed in the Groundwater Monitoring Plan for the site. The annual groundwater quality monitoring event typically is conducted in October but was completed in November 2017 due to the activities related to the execution of the approved Bioremediation Pilot Program discussed in Section 5.0. Semiannual groundwater monitoring was performed on April 18, 2017 and November 13 through 16, 2017 for the monitoring wells listed in Table 1 and shown on Figure 1. The following sections provide details of the field activities and procedures associated with the monitoring and gauging program.

2.2 *Hydraulic Monitoring*

Groundwater elevations were measured at each monitoring well using an electronic oil/water level meter capable of measuring to an accuracy of 0.01 foot to determine the depth to water and total well depth (depth to the bottom) to calculate the height of the water column. Non-aqueous phase liquid was not detected in any of the wells gauged and has not been encountered in over 15 years. A summary of the water level measurements obtained during the April and November 2017 sampling events is presented in Table 2. The groundwater elevation data were used to construct the groundwater contour maps. The groundwater level elevations from the Zone 1 wells for both the On-Site and Off-Site areas are presented on Figures 2 and 3 for the April 2017 event and Figures 4 and 5 for the November 2017 event.

2.2.1 *Off-Site System*

Groundwater elevation contour maps of the Zone 1 bedrock aquifer in the vicinity of the On-Site and Off-Site systems are presented on Figures 2 and 4. These maps show a consistent and significant overlap of the cones of depression and the contaminant plume in the Off-Site area, which is one of the design goals of the system. The hydraulic response to pumping of the Off-Site System has remained reasonably consistent since system startup in March 1993, although precipitation (especially when heavy or prolonged) has been shown to have an impact on the overall elevation of the cone of depression. Specifically, heavy precipitation events tend to raise the water table elevation in all wells in the Off-Site area. However, an inward hydraulic gradient toward the Off-Site pumping system has always been observed and maintained as specified in the system design goals.

Groundwater flow directions, as shown on Figures 2 and 4, have remained relatively consistent within the developed cone of depression, moving generally toward the operating extraction wells of the Off-Site System. Note that since September 5, 2013, EW-5 has been non-operational as part

of an NYSDEC-approved evaluation regarding the ability of the three northernmost extraction wells to contain the prevailing southerly migration of impacted groundwater. This pilot study has proven to be successful, and the NYSDEC has granted a provisional shutdown of Extraction Well EW-5. The horizontal hydraulic gradient in the area immediately north of the Off-Site System during November 2017 was approximately 0.0089 foot per foot (ft/ft), as determined from water levels recorded in Wells 87-20(1) and EW-2 (Figure 4). This number is generally consistent with the horizontal gradient in this area over the past several years.

The average linear velocity of groundwater can be calculated from hydraulic gradient data. To calculate this velocity (v), the average Zone 1 hydraulic conductivity (K) of 2×10^{-3} centimeters per second; an effective porosity (n_e) value of 3 percent, as presented in the Resource Conservation and Recovery Act (RCRA) Facility Investigation for the former Textron facility (Golder, 1991); and the calculated hydraulic gradient (i) between Wells 87-20(1) and EW-2 as recorded during November 2017 were used. The formula is:

$$v = (Ki)/n_e$$

The average linear velocity of groundwater in the area immediately north of the Off-Site System during November 2017 was approximately 1.67 feet per day based on the hydraulic gradient of 0.0089 ft/ft. The flow rates are comparable from year to year and consistent with historic site observations.

2.2.2 On-Site System

While the On-Site System continued to be operational and monitored to maintain the pumping rates of the six extraction wells, the decreasing trends presented show that the overall capture of VOC concentrations was declining and that the recovery system may be reaching asymptotic levels in its current configuration. Figure 5, the Zone 1 semiannual groundwater contour map from November 2017, illustrates the groundwater flow with the treatment system off line. Between January 1 and October 30, 2017, 10,827,175 gallons were processed by the On-Site System resulting in the removal of 142.1 pounds of VOCs or representing approximately 76,000 gallons of water for every pound of VOCs. Alternative remedial technologies were subsequently evaluated to augment and/or replace the existing groundwater extraction and treatment system. The chosen remedy included the use of in situ bioremediation.

Operations of the On-Site System were suspended on October 30, 2017 to initiate the Bioremediation Pilot Study. The use of the proposed in situ remediation technology is anticipated to be a more effective method to reduce the overall VOC concentrations.

All data from 2017 indicate that the desired upward gradients between Zones 3 and 1, and downward gradients between the overburden aquifer and Zone 1, were observed in the On-Site

well clusters measured. A summary of vertical hydraulic gradients between Zones 1 and 3 based on the past year's hydraulic monitoring data is included as Tables 3A and 3B. The data indicate that the hydraulic gradients range from 0.08 to 0.55 ft/ft. Maintenance of this "upward gradient" shows effective containment of the plume within Zone 1 as required in the system design specifications. It should be noted that the November 2017 hydraulic event was completed with the On-Site Treatment System off line with the consent of the NYSDEC. An upward gradient, ranging from 0.08 to 0.37 ft/ft, was maintained with the system off line.

The On-Site groundwater elevation contour map for the Zone 3 bedrock aquifer for November 2017 is included as Figure 6. Groundwater flow in the Zone 3 aquifer is primarily in a southeasterly direction, which is consistent with the observed flow direction. The operation of the treatment system in the Zone 1 aquifer appears to have little influence on the flow direction in the Zone 3 aquifer.

2.3 Groundwater Sampling

2.3.1 General

One supplemental groundwater sampling event was completed proactively by Textron in April 2017 to assess the performance of the Off-Site System pilot test.

The annual groundwater quality monitoring event was conducted between November 13 and 16, 2017. Table 1 lists the monitoring wells, sampling schedule, and analytical methods as required by Order on Consent Index No. 932052-01-04.

APTIM personnel performed field sampling activities according to the procedures detailed in the Groundwater Monitoring Plan. Discussions of the Off-Site and On-Site System operations, groundwater quality, and hydraulic monitoring are included in the respective semiannual reports. The following sections present general trends that have been noted during the past calendar year.

2.3.2 Monitoring and Extraction Well Sampling

Groundwater quality samples were collected from the Off-Site System extraction wells (EW-2, EW-3, EW-4, EW-5, and EW-6) and Monitoring Well 93-03(1) on April 18, 2017. This sampling event was performed to assess the ability of the three northernmost extraction wells to contain the prevailing southerly migration of impacted groundwater. Further discussion regarding the sampling results for this event and the October 2016 monitoring event is included in Section 3.2.

Representative samples were collected from all of the 23 monitoring wells and 12 extraction wells (EW-2, EW-3, EW-4, EW-5, EW-6, EW-7, EW-8, DW-9, DW-10, DW-11, DW-12, and EW-13) during the November 2017 monitoring event. The monitoring locations are shown on Figure 1.

The physical integrity of each location was visually inspected and noted prior to sampling. Each extraction well was inspected prior to entering to ensure that the vault entranceway was free of obstructions. The ambient air inside the vaults was analyzed for lower explosive limit, oxygen deficiency, hydrogen sulfide, and carbon monoxide using a multi-gas meter prior to entry because the vaults are considered to be confined spaces. No readings of an ambient air quality parameter greater than background concentrations (or outside of normal ranges for oxygen) were recorded. Well inspection forms are included as Appendix B.

Water level and total depth measurements were recorded and the volume of standing water in each well was calculated. A minimum of three times the calculated volume was purged from each well or the well was purged until it was deemed “dry” using a submersible pump. All purge water was collected in a 50-gallon drum and transported to Textron’s On-Site Treatment Plant for treatment. The submersible pump in each operational extraction well was allowed to operate for at least 5 minutes prior to sample collection to obtain a representative aliquot of groundwater. The dedicated tubing attached to each well’s sampling port was purged for approximately 1 minute prior to collection. The offline Extraction Wells (DW-9, DW-10, DW-11, DW-12, EW-7, EW-8, and EW-13) currently have no pumps being rendered inactive as approved by the NYSDEC and were sampled using a dedicated bailer in the same manner as the monitoring wells. The offline Extraction Wells were not purged prior to sampling, per NYSDEC approval, due to the large purge volume that would be required to be manually removed.

Field groundwater quality parameters (i.e., pH, specific conductance, and temperature) were monitored during purging and prior to sampling. These and other field observations were recorded on field sampling forms. The field observations and measurements are summarized on Table 4; the Field Sampling Data Sheets are included as Appendix C.

Immediately following collection, sample vials were placed into a cooler filled with ice to maintain an approximate temperature of 4 degrees Celsius. The samples were transferred under proper chain-of-custody to ALS Environmental, Inc. personnel for transport to their Rochester, New York, laboratory. The chain-of-custody forms are included as Appendix D. The samples were analyzed for VOCs using U.S. Environmental Protection Agency (USEPA) SW-846 Method 8260B.

2.4 Maintenance of Monitoring Points

Monitoring wells are visually inspected and accessed semiannually during the routine hydraulic monitoring events. Annual well inspection checklists are completed for each sampled monitoring well.

None of the monitoring wells required repairs or additional maintenance work during the 2017 calendar year.

Even though all adjacent residences are supplied with public water, some residents have retained private wells for non-potable usage. Textron annually sends letters to private well owners offering to pay for closure of their wells. Letters were sent out via U.S. Postal Service Return Receipt on July 20, 2017. Two letters were returned to sender, while the third letter was delivered but no form was returned to APTIM. Details of this effort were reported to Textron, the New York State Department of Health, and NYSDEC in a letter report dated September 5, 2017.

3.0 *Laboratory Analytical Methods and Results*

3.1 *Analytical Methods*

All groundwater samples were analyzed for VOCs via USEPA SW-846 Method 8260B. The complete laboratory analytical report from each sampling point, as well as the associated quality assurance/quality control (QA/QC) data, are included as Appendix E.

3.2 *Analytical Results*

3.2.1 *Off-Site System Efficiency Sampling*

Samples were collected from the Off-Site System extraction wells (EW-2, EW-3, EW-4, EW-5, and EW-6) and Monitoring Well 93-03(1) on April 18, 2017. This sampling event was performed to assess the ability of the three northernmost extraction wells to contain the prevailing southerly migration of impacted groundwater. These wells continue to be successful in controlling groundwater migration.

The sample collected from Monitoring Well 93-03(1) had an estimated carbon disulfide concentration of 0.33 micrograms per liter ($\mu\text{g/L}$), which is below the laboratory method detection limit and New York State Groundwater Quality Standard of 60 $\mu\text{g/L}$.

The primary contaminant of concern at the site has historically been cis-1,2-dichloroethene, which was not detected in the sample collected from Monitoring Well 93-03(1) during this sampling event.

The results of these sampling events were presented to the NYSDEC in a letter report dated May 17, 2017. The NYSDEC was in agreement with the recommendation that Extraction Well EW-5 remain off line in their response letter of May 23, 2017.

3.2.2 *Perfluoroalkyl Substances/1,4-Dioxane Sampling*

Per NYSDEC direction (i.e., the April 5, 2017 and June 5, 2017 comment letters), groundwater samples were collected from the designated monitoring wells on October 5, 2017 to determine whether perfluorochemicals (PFCs)/perfluoroalkyl substances (PFAS) and 1,4-dioxane were present in groundwater at the site. Through a miscommunication in the field, a groundwater sample was collected from Monitoring Well 87-14(1) rather than Monitoring Well 87-14(0). A representative groundwater sample was collected from Monitoring Well 87-14(0) on October 26, 2017. Laboratory analysis of the collected samples did not detect any PFCs/PFAS above the current USEPA guidance value of 70 parts per trillion. One groundwater sample, collected from Monitoring Well 87-14(1), did detect 1,4-dioxane above the New York State guidance value of 50 parts per billion. All of the other sampled locations, including Monitoring Well 89-15(1),

which is downgradient of Monitoring Well 87-14(1), reported concentrations significantly below the guidance value.

The results of these sampling events were presented to the NYSDEC in a letter report dated December 14, 2017. At this time, the NYSDEC has not provided comment to the letter report.

3.2.3 Annual Groundwater Sampling

The annual groundwater quality monitoring event is typically conducted in October but was completed in November due to the execution of the Bioremediation Pilot Study. Groundwater samples were collected from 23 locations during the 2017 sampling event. A comparison of these data with the October 2016 groundwater analytical results indicates that 19 sample locations showed a decrease in total VOC (TVOC) concentrations and 4 samples showed an increase in TVOC concentrations. The changes in concentration are presented on a map in Figure 7. A summary of compounds analyzed for the November 2017 monitoring event is included as Table 5, and historical analytical results for each monitoring point are included as Appendix F.

Total VOC concentrations have continued to decrease in most monitoring and extraction wells that have been sampled. TVOC concentrations were calculated by summing the concentrations of all detected compounds for a sample. For the On-Site area, there is an overall decreasing trend in TVOC concentrations since 1993 as illustrated by Figure 8 (the TVOC concentration versus time plot of analytical results from Monitoring Well 89-15(1)). This location showed a significant decrease of 99.9 percent in TVOC concentrations between October 2016 and November 2017; the overall historic trend of groundwater quality concentrations in this monitoring well continues to decline.

The historic trend in TVOC concentrations for the area between the On-Site and Off-Site systems is shown on Figure 9 (TVOC concentration versus time plot of analytical results from Monitoring Well 87-20(1), located north of the Off-Site System). This location shows a 20 percent increase in TVOC concentrations between October 2016 and November 2017. These results are within established historical trends and consistent with concentrations previously observed.

The TVOC concentration versus time plot of analytical results from Extraction Well EW-4 is included as Figure 10. This location shows a 24.5 percent decrease in TVOC concentrations between October 2016 and October 2017; additionally this location shows a 45 percent decrease in TVOC concentrations when compared to the April 2017 analytical results. This location continues to demonstrate a significant decreasing trend since the termination of groundwater recovery from Extraction Well EW-5. When compared to the 2012 TVOC concentration (236 µg/L) prior to the shutdown of EW-5, there has been a 70 percent decrease in TVOCs in this location.

The approximate limit of the dissolved phase plume in the Zone 1 bedrock aquifer (defined as the 1 part per billion isochron line), based upon the groundwater quality monitoring data collected during the October 2017 annual monitoring event, is shown on Figure 11. The extent of the dissolved phase plume in Zone 1 remained stable in size and location between 2016 and 2017, demonstrating that the operation of Extraction Well EW-5 is not necessary for control of the plume.

The extent of the dissolved phase “plume” in the shallow overburden monitoring wells (based upon the groundwater analytical results obtained from the October 2017 annual monitoring event) is shown on Figure 12. The extent of the plume/dissolved phase detections has been significantly reduced in size and concentration since 1990 and continues to be limited primarily to the facility property.

3.3 QA/QC Samples

Two field blanks (BAT-FB-1-171114 and BAT-FB-2-171116) were prepared in the sampling area prior to the start of daily activities. Two blind duplicate samples identified as BAT-DUP-1-171114 (Extraction Well DW-9) and BAT-DUP-2-171115 (Monitoring Well 87-21(1)) were collected. Two matrix spike (MS) and matrix spike duplicate (MSD) samples were also collected from Monitoring Well 93-03(1) and Extraction Well DW-12. Laboratory-supplied trip blanks accompanied all of the samples during transport. All method-specific QA/QC blanks and samples were analyzed for VOCs via USEPA SW-846 Method 8260B.

3.4 Data Review

The data review for this project consisted of verifying that analytical holding times were not exceeded, a review of the data, comparison of the MS/MSD and duplicate results to corresponding monitoring well data, and a review of the QC data.

Duplicates were performed on BAT-DW-9-171114 (Dup 1) and BAT-87-21(1)-171115 (Dup 2). All correlations between the parent and duplicate samples appeared to be within acceptable guidelines. MS/MSDs were performed on BAT-93-03(1)-171115 and BAT-DW-12-171113. All of the percent recoveries for the laboratory control standard were within guidelines. There were no detections in the method blanks. There were detections of chloromethane and bromomethane in the trip blanks; the detections associated with these two compounds are considered to be external contamination. Acetone was detected in both field blank samples. However, acetone is a common laboratory contaminant, and therefore, the detections of acetone are also considered to be external contamination.

All holding and analysis times were met. The data are considered usable.

4.0 *Summary of Off-Site and On-Site Extraction System Operations*

4.1 *Review of Off-Site and On-Site System Operations*

4.1.1 *Off-Site System*

There were no permanent operational changes made to the Off-Site System during the 2017 calendar year. A total of 7,060,065 gallons of groundwater was extracted by the Off-Site System during the 2017 calendar year; the volume of water discharged is measured by using either or the sum of the individual well totalizers or the discharge totalizer at EW-6. Average flow rates varied from a low of 9,370 gallons per day (gpd) recorded in September 2017 to a high of 43,535 gpd recorded for November 2017. The flow rates and total volumes of treated water discussed previously are based on the telemetry information sent from the system and are reported semiannually to the NCSD.

As part of an extended pilot study, Extraction Well EW-5 was taken off line on September 5, 2013. As mentioned previously, the purpose of the pilot study was to attempt to induce the edge of the “plume” in a northern direction by turning off the southernmost extraction well, demonstrating that three extraction wells could maintain plume control in this area. While the extent of the plume remained stable, TVOC concentrations in Extraction Well EW-6 demonstrated an increase between the April and November 2017 sampling events; this increase could be attributed to fluctuations in groundwater elevation and flow rates.

Textron proposes to collect groundwater samples from Extraction Wells EW-2, EW-3, EW-4, EW-5, and EW-6 and Monitoring Well 93-03(1) in April 2018 to continue the evaluation of TVOC concentrations in these locations. The results of the groundwater sampling event and continued operation of the extended pilot test will be discussed with the NYSDEC upon receipt and evaluation of this performance monitoring data.

4.1.2 *On-Site System*

Operational changes were made to the On-Site System during this reporting period; On-Site System operations were suspended on October 30, 2017 to initiate the Bioremediation Pilot Study discussed in Section 5.0. The purpose in completing this pilot program was to determine if this technology is more effective in reducing VOC concentrations in the Zone 1 aquifer. As discussed previously, groundwater quality data indicate that the groundwater extraction system may have reached the limits of its operational ability. The Treatment Plant is scheduled to remain dormant throughout 2018.

A total of 10,827,175 gallons of groundwater was recovered and treated by the On-Site System between January 1 and October 30, 2017. Daily flow rates varied from an average daily low of 12,179 gpd recorded during February 2017 and an average daily high of 49,013 gpd recorded

during June 2017. These pumping and flow rates are based upon the monthly effluent totalizer readings and are reported monthly to the NYSDEC in the Discharge Monitoring Reports. While operations are suspended due to the Bioremediation Pilot Study, monthly Discharge Monitoring Reports will continue to be electronically submitted showing “no discharge” per NYSDEC directions.

4.1.3 Repairs, Upgrades, and Enhancements to Systems

During the course of operation in 2017, several maintenance and repair events were completed in order to assure that the groundwater extraction systems remained operational.

Water production through the treatment system had been declining at the end of 2016 because of high liquid levels measured in Feed Tank TK-1. This feed tank reached high alarm levels and the treatment system stopped producing water at the beginning of January 2017; it was shut down remotely on January 2 until personnel could visually inspect and assess the problem. On January 5, the water in TK-1 was processed through the system, returning tank levels to normal and the system was restarted. TK-1 continued to accumulate water faster than the discharge rate to the rest of the system. On January 19, 2017, Allied Environmental Services, Inc. (Allied) was on site to clean out sediment and change the feed pump in TK-1, and bypass the carbon units in order to test which system component was limiting the flow rate. It was subsequently determined that the carbon vessels were the limiting factor of the system flow rate. On February 10 and 11, 2017, the carbon vessels were emptied by Evoqua Water Technologies (Evoqua); the carbon was transported under hazardous manifest to Evoqua’s regeneration facility.

On February 20, 2017, APTIM personnel restarted the system and the well field. Allied returned to the site to assess system operations and pump functions. The system was restarted without incident. State Pollutant Discharge Elimination System samples representing the January reporting period were collected on February 21, 2017 as discussed in Section 3.2.

On April 10, 2017, APTIM and Allied personnel completed operations and maintenance activities on the Off-Site System extraction wells. These activities included the removal and cleaning the pumps, level sensors, and flow meters.

On June 1, 2017, the On-Site System was shut down for several hours to complete the video inspection of the extraction wells as discussed in Section 5.0.

A leak in the piping at the base of Carbon Vessel A was detected on June 19, 2017. This vessel was isolated, bypassed, and drained.

The On-Site Treatment System was taken off line from September 23 through 25, 2017 because power to the Wheatfield Business Park was suspended while National Grid replaced a power pole along Walmore Road.

Allied personnel mowed the utility right-of-way area of the Off-Site System to maintain access to the extraction wells on September 29, 2017.

Between October 30, 2017 and November 2, 2017, Aztech Environmental and APTIM personnel performed operations and maintenance activities of the Off-Site System, removed equipment from the On-Site extraction wells, and prepared the system for a prolonged dormancy. System components from extraction wells (pumps, flow meters, level sensors) from the now dormant On-Site System were utilized to replace non-operational components in the Off-Site System extraction wells where needed.

4.1.4 Residential Sub-Slab Depressurization System

A sub-slab depressurization system (SSDS) was installed in a residential property at 2260 Cayuga Drive Extension in March 2014. Per the approved Site Management Plan, the SSDS will remain active until such time that the NYSDEC and New York State Department of Health grant permission for termination of its operation. The maintenance of this system is performed on an “as needed” or “on call” basis. Textron verifies the system’s operation with the homeowner on an annual basis, on or around March 1. The homeowner notifies Textron of any operational issues with the SSDS. All written correspondence during the 2017 calendar year regarding the system operation have been included as Appendix G.

4.2 Discharge Monitoring

4.2.1 Off-Site System

As specified by Textron’s NCSD Industrial Discharge Permit (No. 16-07, effective January 31, 2016), the extracted groundwater from the Off-Site System is required to be monitored for flow daily and sampled and analyzed for VOCs via USEPA Method 624 on a semiannual basis. Results of the sewer discharge monitoring conducted on April 18 and October 5, 2017 indicate that Textron remains in compliance with the NCSD permit. Copies of the letter reports submitted to the NCSD are included as Appendix H.

4.2.2 On-Site System

As required by Textron’s National Pollution Discharge Elimination System Permit No. NY0000469, the extracted and treated groundwater discharged to the Walmore Road storm sewer is monitored for VOCs on a monthly basis. The On-Site System had two recordable down time events during this monitoring period. The first was a prolonged event (January 2 through February 20) related to multiple system issues limiting flow. The second down time event was from September 23 through 25, which occurred because National Grid replaced a utility pole along Walmore Road, cutting power to Wheatfield Business Park. Operations of the On-Site Treatment System were suspended on October 30, 2017 to allow for the completion of the Bioremediation

Pilot Study. While operations of the system are suspended, electronic Discharge Monitoring Reports will continue to be submitted noting “No Discharge” during the monitoring period.

4.2.3 Site Inspections

As of the date of this report, APTIM personnel have not been contacted by the Niagara County Department of Health to schedule an annual inspection for 2017.

Ms. Kathleen Emery with the NYSDEC performed a site visit on March 1, 2017 as part of Hazardous Waste Compliance Inspection. Ms. Emery’s inspection report of March 3, 2017 stated that there were no violations observed.

4.3 Evaluation

4.3.1 Chemical Data for Off-Site and On-Site Systems

Forty groundwater monitoring events have been performed since the startup of the Off-Site System in 1993; the last 36 events have been completed under the combined Off-Site and On-Site Effectiveness Monitoring Program. During the 2017 annual sampling event, all of the 11 monitoring wells and 12 extraction wells were sampled for VOCs via USEPA SW-846 Method 8260B. The analytical results from this sampling event show concentrations and trends similar to the established historical fluctuations detected during previous events. The analytical results obtained during 2017 show decreases in VOC concentrations in 19 of the 23 sampled locations.

4.3.2 Hydraulic Response for Off-Site and On-Site Systems

Off-Site System

Groundwater elevation contour maps of the Zone 1 bedrock aquifer in the vicinity of the On-Site and Off-Site systems for the April and November 2017 hydraulic monitoring events are presented on Figures 2 and 4, respectively. These maps indicate a consistent and significant overlap of the cone of depression (and the contaminant plume) in the Off-Site area. Groundwater flow direction has remained relatively consistent (toward the operating extraction wells) indicating that the remedial system is controlling groundwater migration in this area.

On-Site System

Field data from the April 2017 hydraulic monitoring event (Table 2) indicate that the desired downward hydraulic gradient between the overburden and Zone 1 is present in all eight of the On-Site well pairs measured (well pairs 87-01, 87-04, 87-10, 87-13, 87-14, 87-15, 87-17, and 87-18). Additionally, field data obtained during the November event indicate that the desired downward gradient between the overburden and Zone 1 is again present in all of the eight On-Site well pairs measured (well pairs 87-04, 87-01, 87-10, 87-13, 87-14, 87-15, 87-17, and 87-18); this downward gradient was maintained with the treatment system off line.

The field data presented in Table 2 also indicate that an upward hydraulic gradient between Zone 3 and Zone 1 is present in all of the well pairs measured (87-02, 87-04, 87-05, 87-13, 87-14, and 87-15) during both the April and November 2017 monitoring events. Tables 3A and 3B present a summary of vertical hydraulic gradients between Zones 1 and 3 from the April and November hydraulic monitoring data, respectively. The field data indicate that gradients range from 0.08 foot to 0.55 foot (upward). Maintenance of this “upward gradient” shows effective containment of the plume within Zone 1; the numbers presented in Table 3B were obtained with the treatment system off line.

4.4 Routine Operational Corrective Measures

Inspection of the On-Site treatment facility was conducted every two weeks between January 1 and December 31, 2017 by APTIM personnel. During these inspections, flow meters were read, routine operations and maintenance activities were performed, equipment was re-set or adjusted as necessary, and any other activity required to maintain system functions was completed. Eight 55-gallon drums of Redux-525™ have been utilized during this monitoring period to reduce the inorganic deposition and biofouling of the air stripper.

Hazardous waste shipments left the facility on February 11, March 3, August 1, October 23, and December 18, 2017.

- February (Manifest No. 010808668 JJK) - 5 bags of spent carbon (8,169 pounds)
- March (Manifest No. 016314128 JJK) - one drum of spent filter socks one drum of tank sediment generated during the cleaning of TK-1
- August (Manifest No. 001508866 PSC) - one drum of spent filter socks
- October (Manifest No. 017482994 JJK) - one drum of spent filter socks
- December (Manifest No. 010957647 FLE) - eight drums of nonhazardous waste soils generated through the installation of the injection wells and four drums of purge water generated during the November groundwater sampling events

5.0 *Bioremediation Pilot Study*

A bioremediation pilot program was completed at the site during the last quarter of 2017. The purpose of this pilot program was to determine whether this technology would be effective in reducing dissolved VOC concentrations in the Zone 1 aquifer. The operation of the On-Site Groundwater Treatment System was suspended with the initiation of this pilot program.

APTIM personnel collected additional subsurface information between May 22 and June 1, 2017 on the Zone 1 water-bearing unit and the extent of chlorinated VOC-impacted groundwater prior to the development of the Bioremediation Work Plan. The data obtained were used to support the design of the bioremediation scope of work. A summary of the data generated is provided in the following sections. A photographic log of field activities has been provided in Appendix I.

5.1 *Historical Data Review and Additional Information*

APTIM personnel reviewed available relevant reports provided by the NYSDEC regarding remedial activities completed at neighboring sites to summarize regional and site-specific geological, hydrogeological, and chemical characteristics relevant to the design of an in situ bioremediation technology application. In addition, information regarding the methodologies and efficiency of an in situ bioremediation treatment at an adjacent facility provided additional lines of evidence to aid in the development and evaluation regarding the potential application in similar environmental settings near the site.

Groundwater Sampling Results

Select Zone 1 monitoring wells were sampled for chlorinated VOC analyses using USEPA Method 8260 to develop a data set of current chlorinated VOC concentrations within the area to be targeted by the proposed in situ bioremediation program.

The results of this sampling event were considered to be representative of baseline conditions for the treatment area. Higher concentrations of chlorinated VOCs were found at locations in close proximity to the former Neutralization Pond and decreasing concentrations of chlorinated VOCs were detected in monitoring wells progressing hydraulically downgradient from the former Neutralization Pond.

Additional groundwater samples were collected from selected monitoring wells (Monitoring Wells 87-02(1), 87-02(3), 87-05(1) 87-13(1), and 87-13(3)) in April 2016 to evaluate whether in situ bioaugmentation could address dissolved chlorinated VOCs. These analyses provided additional lines of evidence regarding the presence of naturally occurring complete anaerobic dechlorination as the source of the reduction of trichloroethene to ethane in the groundwater.

Monitoring Well Construction Detail Survey

A survey of existing monitoring wells within Zone 1 was completed to establish the available network of monitoring wells that could be used for monitoring or injection as part of the proposed bioremediation program. A waterproof down-hole camera with LED light was used to view the condition of these monitoring wells and record the depth and length of the screened interval.

Potable Water Injection Tests

On May 30 and 31, 2017, short-term potable water injection tests were completed at four monitoring well locations (87-02(1), 87-04(1), 87-13(1), and 87-14(1)) to evaluate the feasibility of fluid injection and the approximate radius of influence for the design of the bioremediation injection program into the Zone 1 water-bearing unit. The injection tests used approximately 500 gallons of potable water at each of these locations. During the injection, surrounding monitoring wells were observed for changes in water levels resulting from the injection of potable water.

Three of the four locations showed the ability to accept injected water at a minimum rate of 10 gallons per minute. In general, groundwater levels increased in monitoring wells located up to approximately 175 feet from the injection location upon initiation of the injection. Water level increases relative to static water levels were typically most significant in wells located within 100 to 125 feet extending radially from the injection location.

Monitoring Well 87-13(1) did not display the same ability to accept the injected water relative to the other injection test locations. An injection rate of 3.5 gallons per minute was the maximum that could be sustained at this location. However, a radius of influence, as measured by increases in groundwater elevations in surrounding monitoring wells, was still observed at a distance greater than 175 feet as was observed with other inject test locations.

The injection tests were determined to be successful and the data obtained were considered in the designed spacing of injection points and determination of injection volumes.

5.2 Work Plan

Using the data discussed above, a Bioremediation Work Plan was produced and submitted to the NYSDEC for approval on August 14, 2017. The NYSDEC responded with comments and approval on October 3, 2017. NYSDEC requested stipulations that the On-Site Treatment System be able to be reactivated if deemed necessary and requested that Monitoring Wells 87-20(1), 87-21(1), and 87-12(1) be included in the Bioremediation Monitoring Network.

5.3 Implementation of Field Activities

The initiation of field activities in support of the Bioremediation Work Plan began on October 6, 2017 with a utility location survey around the proposed injection wells and sanitary sewer line along Walmore Road.

5.3.1 Injection Well Installation

Five new injection wells designated 17-01(1), 17-02(1), 17-03(1), 17-04(1), and 17-05(1) were installed into the Zone 1 bedrock and one existing location (87-11(1)) was repaired between October 9 and October 19, 2017. The injection points were installed using hollow-stem augers and HQ core drilling techniques under the supervision of an APTIM geologist. The boreholes for each of the proposed injection points were advanced into the bedrock surface using hollow-stem augers. Bedrock was encountered between 13 and 17.5 feet below ground surface (bgs). Once bedrock was encountered, HQ coring drilling methods were utilized to retrieve the bedrock cores. Coring advanced to depths of 32 to 34.5 feet bgs.

The injection points were constructed with a 10-foot 2-inch inside diameter, Schedule 40 polyvinyl chloride (PVC) flush joint, threaded, factory slotted, 0.020-inch screen extending from 22 to 32 feet bgs in 17-04(1) and 17-05(1) and 24 to 34 feet bgs in 17-01(1) and 17-02(1). Injection point 17-03(1) was constructed using 15 feet of screen (extending from 32 feet to 17 feet bgs) because fewer fractures were observed in the Zone 1 bedrock cores at this location. A sand pack filter was installed in the annular space between the borehole wall and the PVC well screen from the terminal depth of 2 feet above the screened zone. A 2-foot-thick bentonite seal was installed using bentonite pellets above the sand filter pack and hydrated with potable water. A concrete mix was placed above the bentonite seal to the ground surface. These injection wells were completed with flush-mounted covers and thermos-type locking caps. Each of the injection points was developed following installation to remove any residual solids from the filter pack and screen. Copies of the drilling logs are included as Appendix J.

All soil waste generated during drilling was placed in U.S. Department of Transportation-approved drums, characterized, and disposed of by Textron's selected waste contractor. All liquids generated were staged by the treatment plant to allow any solids to separate out before introducing the liquid to the system for treatment and discharge.

On October 23, 2017, the five newly installed injection points, repaired location, and four additional locations were professionally surveyed by a New York State licensed surveyor for location and elevation data.

5.3.2 Treatment System Operational Changes

The On-Site Groundwater Treatment System was taken off line at 0945 on October 30, 2017. All of the electronic equipment, including pumps, flow meters, and level sensors, were removed from the six extraction wells. This equipment was staged in the treatment building if needed in the future. In order to maintain the equipment and keep the treatment system in a state of readiness, a recirculation loop was installed. This loop includes Tank 1, bag filters, air stripper, and return line to Tank 1 and is operated with domestic water stored in a holding tank. The system will be run in this loop monthly for 30 minutes to maintain system components.

5.3.3 *Baseline Groundwater Samples*

Groundwater samples were collected from each of the new injection points as well as baseline groundwater samples for the bioremediation program and submitted for laboratory analysis of chlorinated VOCs using Method 8260B during the week of November 13, 2017. This sampling event was combined with the Annual Groundwater Monitoring Program to maximize resources and minimize costs. Purge water generated during this sampling event was placed in U.S. Department of Transportation-approved drums, characterized, and disposed of by Textron's selected waste contractor.

5.3.4 *Application*

The injection portion of field activities was completed by Regenesis Remediation Services (RRS) in two phases. The first phase was conducted between November 27 and December 5, 2017 and the second phase was conducted between December 11 and December 20, 2017. A total of 36,000 pounds of 3D Microemulsion[®] Factory Emulsified (3DME[®]), 18,000 pounds of Chemical Reducing Solution[®] (CRS[®]), and 45 liters of bioaugmentation culture SDC-9[™] was injected into 10 locations.

RRS mixed the 3DME[®] and CRS[®] with potable water prior to injection into the designated 2-inch wells in the treatment area. The potable water for mixing was provided by the Wheatfield Water Department via a nearby fire hydrant and transported to the RRS trailer using a 2,000-gallon water truck. The mixing solution and water was treated with a sodium bisulfite to remove any dissolved oxygen to keep the solution in an anaerobic state. During the application process, the SDC-9[™] culture was "slipped stream injected" to minimize atmospheric exposure. Observed injection pressures ranged from 0 to 50 pounds per square inch and flow rates were maintained between 5 and 16 gallons per minute.

Six of the 11 injection locations received the prescribed amount of material (4,151 total gallons containing 3,272 pounds of 3DME[®], 1,636 pounds of CRS[®], and 4.1 liters of SDC-9[™]). Three locations were unable to accept the complete amounts of material due to proximity and "short circuited" into the sanitary sewer line along Walmore Road. During injection at 17-01(1) and 87-04(1), material was observed in the sanitary sewer; the breakthrough continued even at reduce pressures and flow rates, so injection at these locations ceased. Injection was not attempted at 87-10(1) because of these observations. The material that could not be utilized in these three locations was injected into 17-04(1) and 17-02(1) which were selected based on baseline analytical results, position within the plume, and ability to accept the additional material. Table 6 summarizes the material and rates applied at each of the injection locations.

Follow-up groundwater monitoring events will be completed in 2018 to assess the effectiveness of this bioremediation technology.

6.0 Summary

6.1 Hydraulic Monitoring Data

Water level measurements were obtained from all of the monitoring wells and extraction wells in April 2017 and November 2017; measurements are summarized in Table 2. A review of these data indicates that the Off-Site groundwater recovery system is performing as designed and continue to exhibit control over the migration of impacted groundwater.

Extraction Well EW-5 remains off line with the permission of the NYSDEC as discussed earlier. Existing gauging and analytical data indicate that the reconfigured extraction system (EW-2, EW-3, and EW-4) is capable of maintaining control of the plume in this area as shown on Figure 4.

6.2 Laboratory Data

APTIM personnel reviewed the 2017 groundwater monitoring event data by comparing the detected analyte concentrations with available historical data. The results of the November 2017 monitoring event show similar variances in analyte concentrations detected during previous sampling events at the site for both monitoring and extraction wells. Nineteen of the 23 sampled locations showed decreases in TVOC concentrations.

6.3 Off-Site and On-Site System Performance

The Off-Site System has maintained control of the dissolved phase plume. The gradient and size of the capture zone is consistent with the conditions observed during previous monitoring events. The performance of the Off-Site System is acceptable based upon comparison with historic operational data.

Operation of the On-Site Groundwater Treatment System was suspended with the consent of the NYSDEC on October 30, 2017 to implement the Bioremediation Pilot Study. The Treatment Plant is scheduled to remain dormant throughout 2018. Existing groundwater elevations indicate that the aquifers are maintaining a gradient into Zone 1 from both the overburden and Zone 3 with the treatment system off line.

6.4 Recommendations for Future Groundwater Monitoring and System Operations

The performance of the Off-Site System will continue to be monitored. Minor adjustments will be performed to maintain or increase the system's efficiency and productivity and to ensure that it continues to operate at optimal performance levels. Extraction Well EW-5 was taken off line on September 5, 2013; existing data indicate that this configuration has been successful to induce the edge of the dissolved phase "plume" in a northerly direction. While the extent of the plume has remained stable in its new position, TVOC concentrations in Extraction Well EW-6 increased

between the October 2016 and November 2017 sampling events. Textron proposes to collect groundwater samples from Extraction Wells EW-2, EW-3, EW-4, EW-5, and EW-6 and Monitoring Well 93-03(1) in April 2018 to document the TVOC concentrations in these locations and monitor the system's ability to maintain control of the plume. The results of the groundwater sampling event and shutdown of Extraction Well EW-5 will be discussed with the NYSDEC upon receipt and evaluation of these data.

Operation of the On-Site Groundwater Treatment System was suspended with the consent of the NYSDEC on October 30, 2017 to implement the Bioremediation Pilot Study. The Treatment Plant is scheduled to remain dormant throughout 2018.

6.5 *Bioremediation Pilot Study*

Follow-up groundwater monitoring for the Bioremediation Pilot Study will be completed during 2018 (January, February, March, June, September, and December) as detailed in the Bioremediation Work Plan. The initial results and a 6-month status report will be presented to the NYSDEC during the pilot program. A completion report detailing all phases of work, analytical results, and recommendations for the continuation of the program will be submitted to the NYSDEC at the completion of the 12-month study period.

7.0 References

Golder Associates Inc., June 1991. “RCRA Facility Investigation, Neutralization Pond, Bell Aerospace Textron, Wheatfield Plant,” Volumes I and II.

Shaw Environmental, Inc., April 2012. “Groundwater Monitoring Plan, Former Textron, Inc., Wheatfield, New York Facility.”

Shaw Environmental, Inc., April 2012. “Quality Assurance Project Plan, Former Textron Inc., Wheatfield, New York Facility.”

CB&I Environmental & Infrastructure, Inc., February 2015. “2014 Annual Summary and Site Maintenance and Monitoring Report,” Former Textron Inc., Wheatfield, New York, Facility.

Tables

Table 1
Groundwater Monitoring Points - On-Site and Off-Site
Effectiveness Monitoring Programs
Former Textron Inc.
Wheatfield, New York

WELL NUMBER	FREQUENCY		ANALYTICAL METHOD
	ANNUAL (A)	ANNUAL (B)	
OVERBURDEN MONITORING WELLS			
87-10(0)	X		8260
87-14(0)	X	X	8260
87-20(0)	X	X	8260
89-14(0)	X		8260
B-8	X		8260
TOTAL OVERBURDEN SAMPLES PER EVENT	5	2	
ZONE 1 MONITORING WELLS			
87-01(1)	X		8260
87-02(1)	X		8260
87-08(1)	X		8260
87-17(1)	X	X	8260
87-19(1)	X	X	8260
87-20(1)	X	X	8260
87-21(1)	X	X	8260
87-22(1)	X	X	8260
89-04(1)	X		8260
89-14(1)	X	X	8260
89-15(1)	X	X	8260
93-03(1)	X	X	8260
B-14(1)	X	X	8260
TOTAL ZONE 1 SAMPLES PER EVENT	13	9	
ZONE 3 MONITORING WELLS			
87-02(3)	X		8260
87-13(3)	X		8260
TOTAL ZONE 3 SAMPLES PER EVENT	2	0	
OFF-SITE EXTRACTION WELLS			
EW-2	X	X	8260
EW-3	X	X	8260
EW-4	X	X	8260
EW-5	X	X	8260
EW-6	X	X	8260
TOTAL OFF-SITE EXTRACTION WELL SAMPLES PER EVENT	5	5	
ON-SITE EXTRACTION WELLS			
EW-7	X	X	8260
EW-8	X	X	8260
DW-9	X	X	8260
DW-10	X	X	8260
DW-11	X	X	8260
DW-12	X	X	8260
EW-13	X	X	8260
TOTAL ON-SITE EXTRACTION WELL SAMPLES PER EVENT	7	7	
GRAND TOTAL SAMPLES PER EVENT	32	23	

(A) Annual sampling to be conducted in October of even-numbered years.

(B) Annual sampling to be conducted in October of odd-numbered years.

Table 2
Hydraulic Monitoring Data
2017 Annual Summary
Former Textron Inc.
Wheatfield, New York

Well Name	Top of Riser Elevation (ft MSL)	April 18, 2017		November 13, 2017	
		Water Level (ft BTOR)	Water Level Elevation (ft MSL)	Water Level (ft BTOR)	Water Level Elevation (ft MSL)
87-01(0)	588.10	13.22	574.88	14.20	573.90
87-01(1)	587.99	17.66	570.33	17.31	570.68
87-02(1)	589.21	17.24	571.97	15.67	573.54
87-02(3)	588.63	12.78	575.85	12.63	576.00
87-04(0)	589.32	10.23	579.09	10.03	579.29
87-04(1)	589.08	14.71	574.37	14.46	574.62
87-04(3)	589.49	12.43	577.06	12.30	577.19
87-05(1)	589.37	15.23	574.14	14.50	574.87
87-05(3)	589.46	12.24	577.22	12.18	577.28
87-08(1)	589.48	14.00	575.48	13.76	575.72
87-10(0)	587.30	13.59	573.71	13.25	574.05
87-10(1)	587.52	15.84	571.68	14.68	572.84
87-12(1)	583.84	16.12	567.72	16.03	567.81
87-13(0)	589.77	8.68	581.09	8.74	581.03
87-13(1)	590.06	15.42	574.64	14.98	575.08
87-13(3)	589.91	12.54	577.37	12.59	577.32
87-14(0)	589.56	8.50	581.06	9.76	579.80
87-14(1)	589.06	14.03	575.03	13.89	575.17
87-14(3)	590.35	12.57	577.78	12.78	577.57
87-15(0)	590.70	11.13	579.57	11.06	579.64
87-15(1)	590.27	13.12	577.15	13.20	577.07
87-15(3)	589.87	12.01	577.86	12.25	577.62
87-16(3B)	590.51	12.86	577.65	13.01	577.50
87-17(0)	589.50	11.14	578.36	11.50	578.00
87-17(1)	589.62	12.20	577.42	12.23	577.39
87-18(0)	585.95	10.72	575.23	9.78	576.17
87-18(1)	586.02	18.67	567.35	18.68	567.34
87-19(1)	581.47	13.32	568.15	13.25	568.22
87-20(0)	578.77	7.25	571.52	6.67	572.10
87-20(1)	579.01	11.25	567.76	11.16	567.85
87-21(1)	577.33	9.74	567.59	9.88	567.45
87-22(1)	583.97	15.97	568.00	15.91	568.06

See notes at end of table.

Table 2
Hydraulic Monitoring Data
2017 Annual Summary
Former Textron Inc.
Wheatfield, New York

Well Name	Top of Riser Elevation (ft MSL)	April 18, 2017		November 13, 2017	
		Water Level (ft BTOR)	Water Level Elevation (ft MSL)	Water Level (ft BTOR)	Water Level Elevation (ft MSL)
89-04(1)	575.17	5.25	569.92	5.01	570.16
89-12(1)	586.62	15.48	571.14	14.24	572.38
89-14(0)	587.51	9.29	578.22	9.71	577.80
89-14(1)	587.59	13.31	574.28	12.91	574.68
89-15(1)	588.76	16.02	572.74	14.01	574.75
93-03(1)	572.30	9.67	562.63	10.08	562.22
96-01(1)	585.18	17.22	567.96	17.16	568.02
B-8(0)	590.26	7.55	582.71	7.42	582.84
B-14(1)	589.54	15.67	573.87	15.35	574.19
EW-2	568.15	8.46	559.69	8.62	559.53
EW-3	569.56	9.65	559.91	17.75	551.81
EW-4	570.07	38.20	531.87	26.90	543.17
EW-5	569.47	8.51	560.96	8.85	560.62
EW-6	568.17	9.24	558.93	9.33	558.84
EW-7 (**)	580.96	13.87	567.09	13.38	567.58
EW-8 (**)	578.44	10.27	568.17	10.05	568.39
DW-9 (**)	581.30	5.85	575.45	5.35	575.95
DW-10 (**)	583.95	9.45	574.50	8.87	575.08
DW-11 (**)	583.05	8.96	574.09	7.77	575.28
DW-12 (**)	580.48	10.20	570.28	7.47	573.01
EW-13	579.84	15.40	564.44	15.38	564.46

Notes:

- BTOR = Below top of riser (or measuring point).
- MSL = Mean sea level.
- (**) Water level elevation measured from top of vault grate.
- DRY = No measurable quantity in well at time of measurement.
- NG = Not gauged.
- NA = Data not available.

Table 3A
Summary of Vertical Hydraulic Gradients
April 2017 Hydraulic Monitoring Event
Former Textron Inc.
Wheatfield, New York

Well Name	Top of Riser Elevation (ft MSL)	Water Level (ft BTOR)	Date Measured	Water Level Elevation (ft MSL)	Head Difference Zone 3 - Zone 1 (dH) (ft)	Thickness Zone 2 (dL) (ft)	Verticle Gradient (dH/dL)
87-02(1)	589.21	17.24	April 18, 2017	571.97	3.88	7.00	0.55
87-02(3)	588.63	12.78		575.85			
87-04(1)	589.08	14.71	April 18, 2017	574.37	2.69	7.00	0.38
87-04(3)	589.49	12.43		577.06			
87-05(1)	589.37	15.23	April 18, 2017	574.14	3.08	7.00	0.44
87-05(3)	589.46	12.24		577.22			
87-13(1)	590.06	15.42	April 18, 2017	574.64	2.73	7.00	0.39
87-13(3)	589.91	12.54		577.37			
87-14(1)	589.06	14.03	April 18, 2017	575.03	2.75	7.00	0.39
87-14(3)	590.35	12.57		577.78			
87-15(1)	590.27	13.12	April 18, 2017	577.15	0.71	7.00	0.10
87-15(3)	589.87	12.01		577.86			

Notes: Positive vertical gradients are upwards from Zone 3 to Zone 1.

DNAPL Extraction Wells DW-9, DW-10, DW-11, and DW-12 were off line with NYSDEC consent at the time of this event.

Table 3B
Summary of Vertical Hydraulic Gradients
November 2017 Hydraulic Monitoring Event
Former Textron Inc.
Wheatfield, New York

Well Name	Top of Riser Elevation (ft MSL)	Water Level (ft BTOR)	Date Measured	Water Level Elevation (ft MSL)	Head Difference Zone 3 - Zone 1 (dH) (ft)	Thickness Zone 2 (dL) (ft)	Verticle Gradient (dH/dL)																																																								
87-02(1)	589.21	15.67	November 13, 2017	573.54	2.46	7.00	0.35																																																								
87-02(3)	588.63	12.63		576.00				87-04(1)	589.08	14.46	November 13, 2017	574.62	2.57	7.00	0.37	87-04(3)	589.49	12.30	577.19	87-05(1)	589.37	14.50	November 13, 2017	574.87	2.41	7.00	0.34	87-05(3)	589.46	12.18	577.28	87-13(1)	590.06	14.98	November 13, 2017	575.08	2.24	7.00	0.32	87-13(3)	589.91	12.59	577.32	87-14(1)	589.06	13.89	November 13, 2017	575.17	2.4	7.00	0.34	87-14(3)	590.35	12.78	577.57	87-15(1)	590.27	13.20	November 13, 2017	577.07	0.55	7.00	0.08
87-04(1)	589.08	14.46	November 13, 2017	574.62	2.57	7.00	0.37																																																								
87-04(3)	589.49	12.30		577.19				87-05(1)	589.37	14.50	November 13, 2017	574.87	2.41	7.00	0.34	87-05(3)	589.46	12.18	577.28	87-13(1)	590.06	14.98	November 13, 2017	575.08	2.24	7.00	0.32	87-13(3)	589.91	12.59	577.32	87-14(1)	589.06	13.89	November 13, 2017	575.17	2.4	7.00	0.34	87-14(3)	590.35	12.78	577.57	87-15(1)	590.27	13.20	November 13, 2017	577.07	0.55	7.00	0.08	87-15(3)	589.87	12.25	577.62								
87-05(1)	589.37	14.50	November 13, 2017	574.87	2.41	7.00	0.34																																																								
87-05(3)	589.46	12.18		577.28				87-13(1)	590.06	14.98	November 13, 2017	575.08	2.24	7.00	0.32	87-13(3)	589.91	12.59	577.32	87-14(1)	589.06	13.89	November 13, 2017	575.17	2.4	7.00	0.34	87-14(3)	590.35	12.78	577.57	87-15(1)	590.27	13.20	November 13, 2017	577.07	0.55	7.00	0.08	87-15(3)	589.87	12.25	577.62																				
87-13(1)	590.06	14.98	November 13, 2017	575.08	2.24	7.00	0.32																																																								
87-13(3)	589.91	12.59		577.32				87-14(1)	589.06	13.89	November 13, 2017	575.17	2.4	7.00	0.34	87-14(3)	590.35	12.78	577.57	87-15(1)	590.27	13.20	November 13, 2017	577.07	0.55	7.00	0.08	87-15(3)	589.87	12.25	577.62																																
87-14(1)	589.06	13.89	November 13, 2017	575.17	2.4	7.00	0.34																																																								
87-14(3)	590.35	12.78		577.57				87-15(1)	590.27	13.20	November 13, 2017	577.07	0.55	7.00	0.08	87-15(3)	589.87	12.25	577.62																																												
87-15(1)	590.27	13.20	November 13, 2017	577.07	0.55	7.00	0.08																																																								
87-15(3)	589.87	12.25		577.62																																																											

Note: Positive vertical gradients are upwards from Zone 3 to Zone 1.

Table 4
Summary of Field Sampling Measurements and Observations
November 2017 Annual Monitoring Event
Former Textron Inc.
Wheatfield, New York

Sample ID	Sample Location	Date Sampled	Depth to Groundwater (BTOR)	Volume Purged (gallons)	pH Measurements		Specific Conductance Measurements (ms/cm)		Temperature (°C)		Purge and Sample Device		Remarks
					Purge	Sample	Purge	Sample	Purge	Sample	Purge	Sample	
BAT-87-14(0)-171116	87-14(0)	11/16/2017	9.70	3	7.15	7.30	1.27	1.26	12.77	12.11	4	4	Turbid light brown, poor recharge
BAT-87-17(1)-171114	87-17(1)	11/14/2017	12.23	10	7.43	7.26	2.548	2.568	14.27	13.56	4	4	Clear
BAT-87-19(1)-171115	87-19(1)	11/15/2017	13.25	10	7.58	7.17	1.169	1.893	13.49	12.69	4	4	Clear
BAT-87-20(0)-171115	87-20(0)	11/15/2017	6.67	1.8	7.03	6.95	1.204	0.772	12.62	12.27	4	4	Light gray, turbid; poor recharge
BAT-87-20(1)-171114	87-20(1)	11/14/2017	11.16	11	7.36	7.31	1.666	1.953	14.26	13.95	4	4	Clear
BAT-87-21(1)-171115	87-21(1)	11/15/2017	9.88	12	7.67	7.39	1.078	1.053	13.94	13.27	4	4	Clear; BAT-DUP-2-171115
BAT-87-22(1)-171114	87-22(1)	11/14/2017	15.91	8	7.40	7.08	1.928	2.414	11.83	11.33	4	4	Clear
BAT-89-14(1)-171115	89-14(1)	11/15/2017	12.91	9	6.94	6.73	2.286	3.068	13.33	12.66	4	4	Clear
BAT-89-15(1)-171114	89-15(1)	11/14/2017	14.01	10.5	7.64	7.39	1.301	1.545	14.84	14.24	4	4	Clear
BAT-93-03(1)-171115	93-03(1)	11/15/2017	10.08	18	6.80	6.74	3.068	3.069	11.28	10.73	4	4	Clear; MS/MSD
BAT-B-14(1)-171113	B-14(1)	11/13/2017	15.35	3	7.38	7.26	2.389	2.472	12.49	12.42	1	1	Clear

See notes at end of table.

Table 4
Summary of Field Sampling Measurements and Observations
November 2017 Annual Monitoring Event
Former Textron Inc.
Wheatfield, New York

Sample ID	Sample Location	Date Sampled	Depth to Groundwater (BTOR)	Volume Purged (gallons)	pH Measurements		Specific Conductance Measurements (ms)		Temperature (°C)		Purge and Sample Device		Remarks
					Purge	Sample	Purge	Sample	Purge	Sample	Purge	Sample	
BAT-DW-9-171114	DW-9	11/14/2017	5.35	-	-	-	-	-	-	-	-	4	Clear, BAT-DUP-1-171114
BAT-DW-10-171114	DW-10	11/14/2017	8.87	8	8.56	8.39	0.420	0.420	13.98	13.65	4	4	Clear
BAT-DW-11-171113	DW-11	11/13/2017	7.77	3	8.09	8.04	2.035	2.219	14.96	15.42	4	4	Clear
BAT-DW-12-171113	DW-12	11/13/2017	7.47	8	8.01	8.05	0.692	0.697	15.01	15.04	4	4	Clear; MS/MSD
BAT-EW-2-171115	EW-2	11/15/2017	8.62	3	7.81	7.49	1.095	1.097	10.88	11.01	2	2	Clear
BAT-EW-3-171115	EW-3	11/15/2017	17.75	5	6.83	6.73	2.604	2.615	10.88	11.16	2	2	Clear
BAT-EW-4-151115	EW-4	11/15/2017	26.90	6	6.89	6.79	2.030	2.004	11.21	11.37	2	2	Clear
BAT-EW-5-171115	EW-5	11/15/2007	8.85	4	6.78	6.56	1.115	1.123	10.57	10.54	2	2	Clear
BAT-EW-6-171115	EW-6	11/15/2017	9.33	4	7.32	7.24	1.665	1.749	9.87	10.30	4	4	Clear
BAT-EW-7-171115	EW-7	11/15/2017	13.38	5	7.36	7.20	1.383	1.394	15.33	15.35	4	4	Clear
BAT-EW-8-171114	EW-8	11/14/2017	10.05	9	7.27	7.17	1.414	1.545	15.74	15.63	4	4	Clear
BAT-EW-13-171115	EW-13	11/15/2017	15.38	8	7.07	6.89	1.73	2.00	15.54	15.48	4.00	4	Clear

Notes:

BTOR - Below top of riser.

pH recorded in standard units.

ms/cm - Microsiemens per centimeter.

'-' = Data not collected.

NA = Not applicable.

(1) - Stainless steel bailer.

(2) - Dedicated polyethylene tubing from sample port.

(3) - Whale pump with ET tubing.

(4) - Dedicated polyethylene bailer.

(5) - Grundfos submersible pump.

Table 5
 Summary of Groundwater Analytical Data
 Former Textron Inc.
 Wheatfield, New York
 November 2017

SAMPLE LOCATION	87-14(0)	87-17(1)	87-19(1)	87-20(0)
SAMPLE I.D.	BAT-87-14(0)-171116	BAT-87-17(1)-171114	BAT-87-19(1)-171115	BAT-87-20(0)-171115
SAMPLE DATE	11/16/2017	11/14/2017	11/15/2017	11/15/2017
<i>VOCs by USEPA Method 8260</i>				
Chloromethane	1.0 U	1.0 U	1.0 U	1.0 U
Vinyl chloride	1.0 U	280 D	1.9	1.0 U
Chloroethane	1.0 U	1.0 U	1.0 U	1.0 U
Bromomethane	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethene	1.0 U	1.5	1.0 U	1.0 U
Acetone	5.0 U	1.8 J	5.0 U	5.0 U
Carbon disulfide	1.0 U	1.4	1.0 U	1.0 U
Methylene chloride	1.0 U	1.0 U	1.0 U	1.0 U
trans-1,2-Dichloroethene	1.0 U	2.2	1.0 U	1.0 U
1,1-Dichloroethane	1.0 U	26	1.0 U	1.0 U
cis-1,2-Dichloroethene	1.0 U	130	5.3	1.0 U
2-Butanone	5.0 U	5.0 U	5.0 U	5.0 U
Chloroform	1.0 U	1.0 U	1.0 U	1.0 U
1,1,1-Trichloroethane	1.0 U	110	1.0 U	1.0 U
Carbon tetrachloride	1.0 U	1.0 U	1.0 U	1.0 U
Benzene	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethane	1.0 U	1.0 U	1.0 U	1.0 U
Trichloroethene	62	2.7	1.0 U	1.0 U
1,2-Dichloropropane	1.0 U	1.0 U	1.0 U	1.0 U
Bromodichloromethane	1.0 U	1.0 U	1.0 U	1.0 U
cis-1,3-Dichloropropene	1.0 U	1.0 U	1.0 U	1.0 U
4-Methyl-2-pentanone	5.0 U	5.0 U	5.0 U	5.0 U
Toluene	1.0 U	1.0 U	1.0 U	1.0 U
trans-1,3-Dichloropropene	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2-Trichloroethane	1.0 U	1.0 U	1.0 U	1.0 U
Tetrachloroethene	1.0 U	1.0 U	1.0 U	1.0 U
2-Hexanone	5.0 U	5.0 U	5.0 U	5.0 U
Dibromochloromethane	1.0 U	1.0 U	1.0 U	1.0 U
Chlorobenzene	1.0 U	1.0 U	1.0 U	1.0 U
Ethylbenzene	1.0 U	1.0 U	1.0 U	1.0 U
m/p-Xylenes	2.0 U	2.0 U	2.0 U	2.0 U
o-Xylene	1.0 U	1.0 U	1.0 U	1.0 U
Styrene	1.0 U	1.0 U	1.0 U	1.0 U
Bromoform	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2,2-Tetrachloroethane	1.0 U	1.0 U	1.0 U	1.0 U

See notes at end of table.

Table 5
 Summary of Groundwater Analytical Data
 Former Textron Inc.
 Wheatfield, New York
 November 2017

SAMPLE LOCATION	87-20(1)	87-21(1)	87-21(1)	87-22(1)
SAMPLE I.D.	BAT-87-20(1)-171114	BAT-87-21(1)-171115	BAT-DUP-2-171115	BAT-87-22(1)-171114
SAMPLE DATE	11/14/2017	11/15/2017	11/15/2017	11/14/2017
<i>VOCs by USEPA Method 8260</i>				
Chloromethane	25 U	1.0 U	0.29 J	5.0 U
Vinyl chloride	760	1.0 U	0.34 J	430
Chloroethane	25 U	1.0 U	1.0 U	5.0 U
Bromomethane	9.0 J	1.0 U	1.0 U	5.0 U
1,1-Dichloroethene	25 U	1.0 U	1.0 U	5.0 U
Acetone	130 U	5.0 U	5.0 U	25 U
Carbon disulfide	25 U	1.0 U	1.0 U	5.0 U
Methylene chloride	25 U	1.0 U	1.0 U	5.0 U
trans-1,2-Dichloroethene	17 J	0.54 J	0.57 J	4.3 J
1,1-Dichloroethane	13 J	2.0	1.7	4.6 J
cis-1,2-Dichloroethene	6,200 D	7.6	7.5	820
2-Butanone	130 U	5.0 U	5.0 U	25 U
Chloroform	25 U	1.1	1.4	5.0 U
1,1,1-Trichloroethane	26	2.8	2.8	5.0 U
Carbon tetrachloride	25 U	1.0 U	1.0 U	5.0 U
Benzene	25 U	1.0 U	1.0 U	5.0 U
1,2-Dichloroethane	25 U	1.0 U	1.0 U	5.0 U
Trichloroethene	34	3.1	3.6	2.6 J
1,2-Dichloropropane	25 U	1.0 U	1.0 U	5.0 U
Bromodichloromethane	25 U	1.0 U	1.0 U	5.0 U
cis-1,3-Dichloropropene	25 U	1.0 U	1.0 U	5.0 U
4-Methyl-2-pentanone	130 U	5.0 U	5.0 U	25 U
Toluene	25 U	1.0 U	1.0 U	5.0 U
trans-1,3-Dichloropropene	25 U	1.0 U	1.0 U	5.0 U
1,1,2-Trichloroethane	25 U	1.0 U	1.0 U	5.0 U
Tetrachloroethene	25 U	1.0 U	1.0 U	5.0 U
2-Hexanone	130 U	5.0 U	5.0 U	25 U
Dibromochloromethane	25 U	1.0 U	1.0 U	5.0 U
Chlorobenzene	25 U	1.0 U	1.0 U	5.0 U
Ethylbenzene	25 U	1.0 U	1.0 U	5.0 U
m/p-Xylenes	25 U	2.0 U	2.0 U	10 U
o-Xylene	25 U	1.0 U	1.0 U	5.0 U
Styrene	25 U	1.0 U	1.0 U	5.0 U
Bromoform	25 U	1.0 U	1.0 U	5.0 U
1,1,2,2-Tetrachloroethane	25 U	1.0 U	1.0 U	5.0 U

See notes at end of table.

Table 5
 Summary of Groundwater Analytical Data
 Former Textron Inc.
 Wheatfield, New York
 November 2017

SAMPLE LOCATION	89-14(1)	89-15(1)	93-03(1)	93-03(1)	
SAMPLE I.D.	BAT-89-14(1)-171115	BAT-89-15(1)-171114	BAT-93-03(1)-171115	BAT-93-03(1)-171115MS	
SAMPLE DATE	11/15/2017	11/14/2017	11/15/2017	11/15/2017	
VOCs by USEPA Method 8260				Matrix Spike	
				% Rec.	QC Lim
Chloromethane	2.0 U	0.26 J	1.0 U	108	55-160
Vinyl chloride	290	20	1.0 U	102	60-157
Chloroethane	2.0 U	1.0 U	1.0 U	115	70-140
Bromomethane	2.0 U	1.0 U	1.0 U	94	10-162
1,1-Dichloroethene	2.0 U	0.66 J	1.0 U	99	74-139
Acetone	4.4 J	5.0 U	5.0 U	79	29-151
Carbon disulfide	2.0 U	0.25 J	0.30 J	13	34-162
Methylene chloride	2.0 U	1.0 U	1.0 U	107	75-121
trans-1,2-Dichloroethene	1.7 J	0.44 J	1.0 U	105	77-125
1,1-Dichloroethane	17	3.9	1.0 U	106	74-132
cis-1,2-Dichloroethene	65	62	1.0 U	102	72-133
2-Butanone	10 U	5.0 U	5.0 U	103	46-141
Chloroform	2.0 U	1.0 U	1.0 U	104	75-130
1,1,1-Trichloroethane	2.2	0.97 J	1.0 U	109	74-127
Carbon tetrachloride	2.0 U	1.0 U	1.0 U	109	65-135
Benzene	2.0 U	1.0 U	1.0 U	100	76-129
1,2-Dichloroethane	2.0 U	1.0 U	1.0 U	102	68-130
Trichloroethene	1.8 J	5.1	1.0 U	102	62-142
1,2-Dichloropropane	2.0 U	1.0 U	1.0 U	99	79-124
Bromodichloromethane	2.0 U	1.0 U	1.0 U	112	76-127
cis-1,3-Dichloropropene	2.0 U	1.0 U	1.0 U	100	52-134
4-Methyl-2-pentanone	10 U	5.0 U	5.0 U	106	60-141
Toluene	2.0 U	1.0 U	1.0 U	101	79-125
trans-1,3-Dichloropropene	2.0 U	1.0 U	1.0 U	97	50-142
1,1,2-Trichloroethane	2.0 U	1.0 U	1.0 U	99	79-119
Tetrachloroethene	2.0 U	1.0 U	1.0 U	102	67-137
2-Hexanone	10 U	5.0 U	5.0 U	98	56-132
Dibromochloromethane	2.0 U	1.0 U	1.0 U	100	72-128
Chlorobenzene	2.0 U	1.0 U	1.0 U	101	76-125
Ethylbenzene	2.0 U	1.0 U	1.0 U	100	72-134
m/p-Xylenes	4.0 U	2.0 U	2.0 U	105	68-138
o-Xylene	2.0 U	1.0 U	1.0 U	98	68-134
Styrene	2.0 U	1.0 U	1.0 U	107	34-156
Bromoform	2.0 U	1.0 U	1.0 U	107	58-133
1,1,2,2-Tetrachloroethane	2.0 U	1.0 U	1.0 U	101	72-122

See notes at end of table.

Table 5
 Summary of Groundwater Analytical Data
 Former Textron Inc.
 Wheatfield, New York
 November 2017

SAMPLE LOCATION	93-03(1)		B-14(1)	DW-9	DW-9
SAMPLE I.D.	BAT-93-03(1)-171115MSD		BAT-B-14(1)-171113	BAT-DW-9-171114	BAT-DUP-1-171114
SAMPLE DATE	10/19/2016		11/13/2017	11/14/2017	11/14/2017
VOCs by USEPA Method 8260	Matrix Spike Duplicate				
	% Rec.	QC Lim			
Chloromethane	109	55-160	2.0 U	1.0 U	1.0 U
Vinyl chloride	110	60-157	190	1.0 U	1.0 U
Chloroethane	120	70-140	2.0 U	1.0 U	1.0 U
Bromomethane	65	10-162	2.0 U	1.0 U	1.0 U
1,1-Dichloroethene	108	74-139	1.8 J	1.0 U	1.0 U
Acetone	84	29-151	10 U	1.7 J	1.3 J
Carbon disulfide	117	34-162	0.64 J	1.0 U	1.0 U
Methylene chloride	110	75-121	2.0 U	1.0 U	1.0 U
trans-1,2-Dichloroethene	109	77-125	1.8 J	1.0 U	1.0 U
1,1-Dichloroethane	112	74-132	18	0.40 J	0.44 J
cis-1,2-Dichloroethene	110	72-133	140	22	24
2-Butanone	99	46-141	10 U	5.0 U	5.0 U
Chloroform	110	75-130	2.0 U	0.47 J	0.52 J
1,1,1-Trichloroethane	121	74-127	75	1.1	1.2
Carbon tetrachloride	115	65-135	2.0 U	1.0 U	1.0 U
Benzene	103	76-129	2.0 U	1.0 U	1.0 U
1,2-Dichloroethane	106	68-130	2.0 U	1.0 U	1.0 U
Trichloroethene	102	62-142	1.8 J	70	71
1,2-Dichloropropane	102	79-124	2.0 U	1.0 U	1.0 U
Bromodichloromethane	113	76-127	2.0 U	1.0 U	1.0 U
cis-1,3-Dichloropropene	104	52-134	2.0 U	1.0 U	1.0 U
4-Methyl-2-pentanone	106	60-141	10 U	5.0 U	5.0 U
Toluene	104	79-125	2.0 U	1.0 U	1.0 U
trans-1,3-Dichloropropene	105	50-142	2.0 U	1.0 U	1.0 U
1,1,2-Trichloroethane	105	79-119	2.0 U	1.0 U	1.0 U
Tetrachloroethene	108	67-137	2.0 U	1.0 U	1.0 U
2-Hexanone	100	56-132	10 U	5.0 U	5.0 U
Dibromochloromethane	105	72-128	2.0 U	1.0 U	1.0 U
Chlorobenzene	104	76-125	2.0 U	1.0 U	1.0 U
Ethylbenzene	105	72-134	2.0 U	1.0 U	1.0 U
m/p-Xylenes	106	68-138	4.0 U	2.0 U	2.0 U
o-Xylene	104	68-134	2.0 U	1.0 U	1.0 U
Styrene	108	34-156	2.0 U	1.0 U	1.0 U
Bromoform	110	58-133	2.0 U	1.0 U	1.0 U
1,1,2,2-Tetrachloroethane	109	72-122	2.0 U	1.0 U	1.0 U

See notes at end of table.

Table 5
 Summary of Groundwater Analytical Data
 Former Textron Inc.
 Wheatfield, New York
 November 2017

SAMPLE LOCATION	DW-10	DW-11	DW-12	DW-12	
SAMPLE I.D.	BAT-DW-10-171114	BAT-DW-11-171113	BAT-DW-12-171113	BAT-DW-12-171113MS	
SAMPLE DATE	11/14/2017	11/13/2017	11/13/2017	11/13/2017	
VOCs by USEPA Method 8260				Matrix Spike	
				% Rec.	QC Lim
Chloromethane	0.24 J	0.45 J	1.0 U	112	55-160
Vinyl chloride	2.3	100	1.0 U	112	60-157
Chloroethane	1.0 U	29	1.0 U	121	70-140
Bromomethane	1.0 U	1.0 U	1.0 U	120	10-162
1,1-Dichloroethene	1.0 U	1.2	1.0 U	112	74-139
Acetone	1.5 J	5.0 U	2.4 J	80	29-151
Carbon disulfide	1.0 U	0.35 J	1.0 U	106	34-162
Methylene chloride	170	1.0 U	1.0 U	110	75-121
trans-1,2-Dichloroethene	1.0 U	1.0	1.0 U	111	77-125
1,1-Dichloroethane	1.0 U	8.6	1.0 U	115	74-132
cis-1,2-Dichloroethene	17	110	1.5	107	72-133
2-Butanone	5.0 U	5.0 U	5.0 U	103	46-141
Chloroform	1.0 U	1.0 U	1.0 U	110	75-130
1,1,1-Trichloroethane	0.48 J	45	1.0 U	118	74-127
Carbon tetrachloride	1.0 U	1.0 U	1.0 U	120	65-135
Benzene	1.0 U	1.0 U	1.0 U	107	76-129
1,2-Dichloroethane	1.0 U	1.0 U	1.0 U	113	68-130
Trichloroethene	32	35	1.2	108	62-142
1,2-Dichloropropane	1.0 U	1.0 U	1.0 U	106	79-124
Bromodichloromethane	1.0 U	1.0 U	1.0 U	122	76-127
cis-1,3-Dichloropropene	1.0 U	1.0 U	1.0 U	107	52-134
4-Methyl-2-pentanone	5.0 U	5.0 U	5.0 U	115	60-141
Toluene	1.0 U	1.0 U	1.0 U	109	79-125
trans-1,3-Dichloropropene	1.0 U	1.0 U	1.0 U	113	50-142
1,1,2-Trichloroethane	1.0 U	1.0 U	1.0 U	110	79-119
Tetrachloroethene	1.0 U	1.0 U	1.0 U	109	67-137
2-Hexanone	5.0 U	5.0 U	5.0 U	110	56-132
Dibromochloromethane	1.0 U	1.0 U	1.0 U	111	72-128
Chlorobenzene	1.0 U	1.0 U	1.0 U	111	76-125
Ethylbenzene	1.0 U	1.0 U	1.0 U	108	72-134
m/p-Xylenes	2.0 U	2.0 U	2.0 U	111	68-138
o-Xylene	1.0 U	1.0 U	1.0 U	111	68-134
Styrene	1.0 U	1.0 U	1.0 U	115	34-156
Bromoform	1.0 U	1.0 U	1.0 U	112	58-133
1,1,2,2-Tetrachloroethane	1.0 U	1.0 U	1.0 U	108	72-122

See notes at end of table.

Table 5
 Summary of Groundwater Analytical Data
 Former Textron Inc.
 Wheatfield, New York
 November 2017

SAMPLE LOCATION	DW-12		EW-2	EW-3	EW-4
SAMPLE I.D.	BAT-DW-12-171113MSD		BAT-EW-2-171115	BAT-EW-3-171115	BAT-EW-4-171115
SAMPLE DATE	11/13/2017		11/15/2017	11/15/2017	11/15/2017
VOCs by USEPA Method 8260	Matrix Spike Duplicate				
	% Rec.	QC Lim			
Chloromethane	117	55-160	1.0 U	10 U	1.0 U
Vinyl chloride	118	60-157	1.9	1,000	36
Chloroethane	119	70-140	1.0 U	10 U	1.0 U
Bromomethane	140	10-162	1.0 U	10 U	1.0 U
1,1-Dichloroethene	108	74-139	1.0 U	10 U	1.0 U
Acetone	79	29-151	5.0 U	50 U	5.0 U
Carbon disulfide	105	34-162	0.23 J	10 U	1.0 U
Methylene chloride	108	75-121	1.0 U	10 U	1.0 U
trans-1,2-Dichloroethene	110	77-125	1.0	12	0.88 J
1,1-Dichloroethane	117	74-132	2.5	14	1.0
cis-1,2-Dichloroethene	110	72-133	6.4	1,600	32
2-Butanone	101	46-141	5.0 U	50 U	5.0 U
Chloroform	112	75-130	1.3 J	3.4 J	1.0 U
1,1,1-Trichloroethane	119	74-127	3.4	16	0.81 J
Carbon tetrachloride	118	65-135	1.0 U	10 U	1.0 U
Benzene	106	76-129	1.0 U	10 U	1.0 U
1,2-Dichloroethane	109	68-130	1.0 U	10 U	1.0 U
Trichloroethene	110	62-142	2.7	5.1 J	0.42 J
1,2-Dichloropropane	107	79-124	1.0 U	10 U	1.0 U
Bromodichloromethane	123	76-127	1.0 U	10 U	1.0 U
cis-1,3-Dichloropropene	107	52-134	1.0 U	10 U	1.0 U
4-Methyl-2-pentanone	110	60-141	5.0 U	50 U	5.0 U
Toluene	110	79-125	1.0 U	10 U	1.0 U
trans-1,3-Dichloropropene	108	50-142	1.0 U	10 U	1.0 U
1,1,2-Trichloroethane	108	79-119	1.0 U	10 U	1.0 U
Tetrachloroethene	113	67-137	1.0 U	10 U	1.0 U
2-Hexanone	105	56-132	5.0 U	50 U	5.0 U
Dibromochloromethane	112	72-128	1.0 U	10 U	1.0 U
Chlorobenzene	108	76-125	1.0 U	10 U	1.0 U
Ethylbenzene	110	72-134	1.0 U	10 U	1.0 U
m/p-Xylenes	109	68-138	2.0 U	20 U	2.0 U
o-Xylene	113	68-134	1.0 U	10 U	1.0 U
Styrene	115	34-156	1.0 U	10 U	1.0 U
Bromoform	116	58-133	1.0 U	10 U	1.0 U
1,1,2,2-Tetrachloroethane	112	72-122	1.0 U	10 U	1.0 U

See notes at end of table.

Table 5
 Summary of Groundwater Analytical Data
 Former Textron Inc.
 Wheatfield, New York
 November 2017

SAMPLE LOCATION	EW-5	EW-6	EW-7	EW-8
SAMPLE I.D.	BAT-EW-5-171115	BAT-EW-6-171115	BAT-EW-7-171115	BAT-EW-8-171114
SAMPLE DATE	11/15/2017	11/15/2017	11/15/2017	11/14/2017
<i>VOCs by USEPA Method 8260</i>				
Chloromethane	1.0 U	1.0 U	1.0 U	1.0 U
Vinyl chloride	150	10	35	22
Chloroethane	1.0 U	1.0 U	1.0 U	1.0 U
Bromomethane	1.0 U	1.0 U	1.0 U	1.0 U
1,1-Dichloroethene	0.74 J	1.0 U	1.0 U	1.0 U
Acetone	5.0 U	5.0 U	5.0 U	5.0 U
Carbon disulfide	0.41 J	1.0 U	1.0 U	1.0 U
Methylene chloride	1.0 U	1.0 U	1.0 U	1.0 U
trans-1,2-Dichloroethene	1.7	1.8	0.36 J	0.63 J
1,1-Dichloroethane	2.5	2.9	4.4	2.1
cis-1,2-Dichloroethene	220 D	170	20	74
2-Butanone	5.0 U	5.0 U	5.0 U	5.0 U
Chloroform	1.0 U	0.64 J	1.0 U	1.1
1,1,1-Trichloroethane	2.9	3.3	5.0	3.1
Carbon tetrachloride	1.0 U	1.0 U	1.0 U	1.0 U
Benzene	1.0 U	1.0 U	1.0 U	1.0 U
1,2-Dichloroethane	1.0 U	1.0 U	1.0 U	1.0 U
Trichloroethene	1.5	2.4	0.94 J	1.8
1,2-Dichloropropane	1.0 U	1.0 U	1.0 U	1.0 U
Bromodichloromethane	1.0 U	1.0 U	1.0 U	1.0 U
cis-1,3-Dichloropropene	1.0 U	1.0 U	1.0 U	1.0 U
4-Methyl-2-pentanone	5.0 U	5.0 U	5.0 U	5.0 U
Toluene	1.0 U	1.0 U	1.0 U	1.0 U
trans-1,3-Dichloropropene	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2-Trichloroethane	1.0 U	1.0 U	1.0 U	1.0 U
Tetrachloroethene	1.0 U	1.0 U	1.0 U	1.0 U
2-Hexanone	5.0 U	5.0 U	5.0 U	5.0 U
Dibromochloromethane	1.0 U	1.0 U	1.0 U	1.0 U
Chlorobenzene	1.0 U	1.0 U	1.0 U	1.0 U
Ethylbenzene	1.0 U	1.0 U	1.0 U	1.0 U
m/p-Xylenes	2.0 U	2.0 U	2.0 U	2.0 U
o-Xylene	1.0 U	1.0 U	1.0 U	1.0 U
Styrene	1.0 U	1.0 U	1.0 U	1.0 U
Bromoform	1.0 U	1.0 U	1.0 U	1.0 U
1,1,2,2-Tetrachloroethane	1.0 U	1.0 U	1.0 U	1.0 U

See notes at end of table.

Table 5
 Summary of Groundwater Analytical Data
 Former Textron Inc.
 Wheatfield, New York
 November 2017

SAMPLE LOCATION	EW-13	FIELD BLANK 1	FIELD BLANK 2
SAMPLE I.D.	BAT-EW-13-171115	BAT-FB-1-171114	BAT-FB-2-171116
SAMPLE DATE	11/15/2017	11/14/2017	11/16/2017
<i>VOCs by USEPA Method 8260</i>			
Chloromethane	1.0 U	0.32 J	1.0 U
Vinyl chloride	160	1.0 U	1.0 U
Chloroethane	1.0 U	1.0 U	1.0 U
Bromomethane	1.0 U	1.0 U	1.0 U
1,1-Dichloroethene	0.94 J	1.0 U	1.0 U
Acetone	5.0 U	1.3 J	1.4 J
Carbon disulfide	0.37 BJ	1.0 U	1.0 U
Methylene chloride	1.6	1.0 U	1.0 U
trans-1,2-Dichloroethene	1.4	1.0 U	1.0 U
1,1-Dichloroethane	8.4	1.0 U	1.0 U
cis-1,2-Dichloroethene	160	1.0 U	1.0 U
2-Butanone	5.0 U	5.0 U	5.0 U
Chloroform	1.0 U	1.0 U	1.0 U
1,1,1-Trichloroethane	25	1.0 U	1.0 U
Carbon tetrachloride	1.0 U	1.0 U	1.0 U
Benzene	1.0 U	1.0 U	1.0 U
1,2-Dichloroethane	1.0 U	1.0 U	1.0 U
Trichloroethene	1.2	1.0 U	1.0 U
1,2-Dichloropropane	1.0 U	1.0 U	1.0 U
Bromodichloromethane	1.0 U	1.0 U	1.0 U
cis-1,3-Dichloropropene	1.0 U	1.0 U	1.0 U
4-Methyl-2-pentanone	5.0 U	5.0 U	5.0 U
Toluene	1.0 U	1.5	1.2
trans-1,3-Dichloropropene	1.0 U	1.0 U	1.0 U
1,1,2-Trichloroethane	1.0 U	1.0 U	1.0 U
Tetrachloroethene	1.0 U	1.0 U	1.0 U
2-Hexanone	5.0 U	5.0 U	5.0 U
Dibromochloromethane	1.0 U	1.0 U	1.0 U
Chlorobenzene	1.0 U	1.0 U	1.0 U
Ethylbenzene	1.0 U	1.0 U	1.0 U
m/p-Xylenes	2.0 U	2.0 U	2.0 U
o-Xylene	1.0 U	1.0 U	1.0 U
Styrene	1.0 U	1.0 U	1.0 U
Bromoform	1.0 U	1.0 U	1.0 U
1,1,2,2-Tetrachloroethane	1.0 U	1.0 U	1.0 U

See notes at end of table.

Table 5
 Summary of Groundwater Analytical Data
 Former Textron Inc.
 Wheatfield, New York
 November 2017

SAMPLE LOCATION	TRIP BLANK 1	TRIP BLANK 2
SAMPLE I.D.	Trip Blank	Trip Blank
SAMPLE DATE	11/13/2017	11/14/2017
<i>VOCs by USEPA Method 8260</i>		
Chloromethane	0.32 BJ	0.44 J
Vinyl chloride	1.0 U	1.0 U
Chloroethane	1.0 U	1.0 U
Bromomethane	0.57 J	0.29 J
1,1-Dichloroethene	1.0 U	1.0 U
Acetone	5.0 U	5.0 U
Carbon disulfide	1.0 U	1.0 U
Methylene chloride	1.0 U	1.0 U
trans-1,2-Dichloroethene	1.0 U	1.0 U
1,1-Dichloroethane	1.0 U	1.0 U
cis-1,2-Dichloroethene	1.0 U	1.0 U
2-Butanone	5.0 U	5.0 U
Chloroform	1.0 U	1.0 U
1,1,1-Trichloroethane	1.0 U	1.0 U
Carbon tetrachloride	1.0 U	1.0 U
Benzene	1.0 U	1.0 U
1,2-Dichloroethane	1.0 U	1.0 U
Trichloroethene	1.0 U	1.0 U
1,2-Dichloropropane	1.0 U	1.0 U
Bromodichloromethane	1.0 U	1.0 U
cis-1,3-Dichloropropene	1.0 U	1.0 U
4-Methyl-2-pentanone	5.0 U	5.0 U
Toluene	1.0 U	1.0 U
trans-1,3-Dichloropropene	1.0 U	1.0 U
1,1,2-Trichloroethane	1.0 U	1.0 U
Tetrachloroethene	1.0 U	1.0 U
2-Hexanone	5.0 U	5.0 U
Dibromochloromethane	1.0 U	1.0 U
Chlorobenzene	1.0 U	1.0 U
Ethylbenzene	1.0 U	1.0 U
m/p-Xylenes	2.0 U	2.0 U
o-Xylene	1.0 U	1.0 U
Styrene	1.0 U	1.0 U
Bromoform	1.0 U	1.0 U
1,1,2,2-Tetrachloroethane	1.0 U	1.0 U

See notes at end of table.

Table 5
Summary of Groundwater Analytical Data
Former Textron Inc.
Wheatfield, New York
November 2017

Notes:

U = Compound not detected at detection limit.

Bold = Compound detected at concentration.

J = Indicates an estimated value below detection limit.

D = Compound analyzed at secondary dilution.

B = Analyte was detected in associated method blank.

Table 6
Summary of Injection Log
2017 Annual Summary
Former Textron, Inc.
Wheatfield, New York

Injection Well ID	Date	Time	Injection Depth (feet)	Injection Pressure (psi)	Flow Rate (gpm)	Volume of 3DME® Injected			Total Gallons Per Location	Pounds of 3DME® Injected Per Location	Liters of SDC-9™	Pounds of CRS®	Comments
						Beginning Flow Meter (gal)	Ending Flow Meter (gal)	Gallons Injected Per Interval					
17-03(1)	11/28/2017	15:23	23-33	6.0	9.9	0	500	500	4151	3272	4.1	1636	
		16:05		6.0	10.5	500	900	400					
	11/29/2017	7:36		10.0	12.5	900	1600	700					
		8:35		8.0	15.2	1600	2600	1000					
		9:55		8.0	13.2	2600	3300	700					
		10:52		8.0	15.5	3300	4050	750					
		11:40		8.0	16.0	4050	4151	101					
17-04(1)	11/29/2017	13:55	12.0	10.0	0	475	475	6179	4875	5.5	2452		
		14:35	34.0	11.1	475	900	425						
		13:30	22.0	11.0	900	1200	300						
	11/30/2017	9:20	25.0	11.6	1200	1800	600						
		10:05	25.0	12.0	1800	2450	650						
		11:07	25.0	14.0	2450	3000	550						
		12:00	18.0	9.9	3000	3825	825						
		13:18	25.0	14.1	3825	4151	326						
	12/19/2017	11:25	12.0	10.5	4151	4750	599						
		12:30	16.0	10.9	4750	5100	350						
		13:20	16.0	11.0	5100	5500	400						
		13:55	22.0	11.3	5500	5800	300						
		14:26	23.0	11.3	5800	6179	379						
			12.0	10.5	0	420	420						
			10.0	7.0	420	649	229						
87-14(1)	11/30/2017	14:15	23-33	8.0	6.0	649	900	251	4151	3272	4.1	1636	Pump is cavatating. Cannot get high flow rate.
	12/1/2017	8:25		15.0	12.4	900	1249	349					Start slow and gradually increase pump speed.
		8:55		16.0	13.0	1249	1749	500					
		9:24		20.0	14.0	1749	2800	1051					
		10:02		20.0	14.5	2800	3550	750					
		11:10		20.0	14.5	3550	4000	450					
		13:12		18.0	14.0	4000	4151	151					
		13:46											

Table 6
Summary of Injection Log
2017 Annual Summary
Former Textron, Inc.
Wheatfield, New York

Injection Well ID	Date	Time	Injection Depth (feet)	Injection Pressure (psi)	Flow Rate (gpm)	Volume of 3DME® Injected			Total Gallons Per Location	Pounds of 3DME® Injected Per Location	Liters of SDC-9™	Pounds of CRS®	Comments
						Beginning Flow Meter (gal)	Ending Flow Meter (gal)	Gallons Injected Per Interval					
87-05(1)	12/1/2017	14:46	23-33	10.0	10.0	0	250	250	4151	3272	4.1	1636	
		15:12		15.0	15.5	250	900	650					
		15:55		14.0	15.3	900	1200	300					
	12/2/2017	8:10		12.0	15.5	1200	1500	300					
		8:40		12.0	15.6	1500	2450	950					
		9:41		13.0	16.0	2450	3200	750					
		10:30		13.0	15.8	3200	4000	800					
		11:30		8.0	11.5	4000	4151	151					
17-01(1)	12/4/2017	8:45	23-33	38.0	10.2	0	375	375	1775	1400	4.1	700	
		9:30		37.0	11.0	375	600	225					
		10:20		28.0	10.0	600	1000	400					
		10:50		38.0	10.0	1000	1300	300					
		11:05		38.0	10.0	1300	1775	475					11:30 - Stop injecting due to visual confirmation of product in sanitary sewer drain.
17-02(1)	12/4/2017	13:15	23-33	20.0	11.5	0	450	450	10678	8416	8.5	4240	
		14:00		20.0	11.5	450	900	450					
		14:45		25.0	12.0	900	1500	600					
		15:40		25.0	13.0	1500	2000	500					
		16:10		25.0	13.0	2000	2500	500					
		16:30		25.0	13.0	2500	3000	500					
	12/5/2017	6:45	25.0	11.0	3000	3400	400						
		7:45	30.0	14.0	3400	4151	751						
	12/19/2017	15:20	12.0	10.0	4151	4400	249						
		15:45	20.0	12.0	4400	4700	300	Receive the remaining volume from 17-01(1) and 87-10(1).					
		16:10	22.0	12.0	4700	5000	300						
		16:55	24.0	14.0	5000	5351	351						
	12/20/2017	7:40	16.0	10.4	5351	6000	649						
		8:30	22.0	12.8	6000	6500	500						
		9:30	25.0	13.3	6500	7100	600						
		10:10	28.0	14.5	7100	7651	551						
		10:50	28.0	14.8	7651	8451	800						
		11:40	30.0	14.8	8451	9451	1000						
12:57		30.0	15.1	9451	10200	749							
13:50		30.0	15.1	10200	10678	478							

Table 6
Summary of Injection Log
2017 Annual Summary
Former Textron, Inc.
Wheatfield, New York

Injection Well ID	Date	Time	Injection Depth (feet)	Injection Pressure (psi)	Flow Rate (gpm)	Volume of 3DME® Injected			Total Gallons Per Location	Pounds of 3DME® Injected Per Location	Liters of SDC-9™	Pounds of CRS®	Comments
						Beginning Flow Meter (gal)	Ending Flow Meter (gal)	Gallons Injected Per Interval					
87-15(1)	12/12/2017	15:00	23-33	10.0	10.0	0	300	300	4151	3272	5.0	1636	
		15:30		20.0	13.6	300	750	450					
		16:00		20.0	13.5	750	1200	450					
	12/13/2017	8:30		20.0	14.0	1200	1500	300					
		9:20		30.0	14.0	1500	2100	600					
		10:10		35.0	14.0	2100	2800	700					
		10:50		35.0	14.0	2800	3500	700					
		11:25		35.0	14.0	3500	4151	651					
17-05(1)	12/13/2017	13:15	30.0	8.0	0	350	350	4151	3272	4.1	1636		
		14:00	35.0	10.0	350	800	450						
		14:30	45.0	12.0	800	1200	400						
		15:10	45.0	12.5	1200	2100	900						
	12/14/2017	8:22	55.0	10.0	2100	2625	525						
		9:20	55.0	10.0	2625	3150	525						
		10:09	25.0	9.8	3150	3600	450						
		11:00	25.0	9.9	3600	4151	551						
87-11(1)	12/14/2017	12:35	5.0	5.3	0	325	325	4151	3272	4.1	1636		
		13:31	8.0	10.0	325	600	275						
		14:10	8.0	10.0	600	1200	600						
		15:00	8.0	10.0	1200	1800	600						
	12/18/2017	9:00	6.0	5.0	1800	2200	400						
		10:00	8.0	10.0	2200	2800	600						
		11:21	8.0	10.0	2800	3000	200						
		13:10	6.0	5.0	3000	4151	1151						
													11:55 - (3,350 gallons total). Stop injecting due to product in sanitary sewer. Turn off pump for 30 min. Resume injection at a lower flow rate of 5 gpm.


Table 6
Summary of Injection Log
2017 Annual Summary
Former Textron, Inc.
Wheatfield, New York

Injection Well ID	Date	Time	Injection Depth (feet)	Injection Pressure (psi)	Flow Rate (gpm)	Volume of 3DME® Injected			Total Gallons Per Location	Pounds of 3DME® Injected Per Location	Liters of SDC-9™	Pounds of CRS®	Comments
						Beginning Flow Meter (gal)	Ending Flow Meter (gal)	Gallons Injected Per Interval					
87-04(1)	12/18/2017	15:25	23-33	5.0	5.0	0	300	300	1200	1677	1.4	790	Inject with half amount of mix water.
	12/19/2017	8:30		5.0	5.0	300	600	300					
		9:28		5.0	5.1	600	900	300					
		10:05		5.0	5.0	900	1200	300					
87-10(1)	REMOVED FROM DESIGN - DID NOT INJECT INTO												
									Total Gallons:	Total Lbs. 3DME®:	Total Liters of BDI:	Total Lbs. of CRS®:	
									44,738	36,000	45	18,000	

Figures

OFFICE: Pittsburgh, PA
 DRAWN BY: E. Schlegel
 CHECKED BY: C. Byers
 APPROVED BY:
 DRAWING NUMBER: 156045-D10

File: O:\Shaw Offices - CAD Files\lathom, NY\156045\156045-D10.dwg
 Plot Date/Time: Jan 11, 2018 - 12:53pm
 Plotted By: Exam.Schlegel



LEGEND:


- ◆ EXTRACTION WELL OR DNAPL WELL
- ⊕ MONITORING WELL OR PIEZOMETER

NOTES:


1. GRID SYSTEM SHOWN IS 1000-METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 17, 1927 NORTH AMERICAN DATUM.
2. REFERENCE: U.S. GEOLOGICAL SURVEY, TONAWANDA WEST NEW YORK 7.5' QUADRANGLE, DATED 1980.
3. WELL LOCATIONS SHOWN ARE APPROXIMATE.

REFERENCE:
 BASE MAP SOURCE: GOLDBER ASSOCIATES
 BUFFALO, NY





APTIM



TEXTRON
 NIAGARA FALLS, NEW YORK

FIGURE 1
GROUNDWATER MONITORING PLAN
SAMPLE LOCATIONS

2221 NIAGARA FALLS BOULEVARD
 NIAGARA FALLS, NEW YORK

DRAWING NUMBER
156045-D6


APPROVED BY

CHECKED BY
C. Byers

DRAWN BY
E. Schlegel

OFFICE
Pittsburgh, PA

File: O:\Show Offices - CAD Files\Lathom, NY\156045\156045-D6.dwg
Plot Date/Time: Jan 11, 2018 - 1:03pm
Plotted By: Exam.Schlegel



74,000 m N

73,000 m N

68,000 m E

69,000 m E

70,000 m E

FORMER TEXTRON INC.
(WHEATFIELD PLANT)

STATE RTE. 62
(NIAGARA FALLS BLVD.)

CAYUGA DR. EXT.

BERGHOLTZ CREEK

SAWYER CREEK

DRAINAGE DITCH

WALLORE ROAD

CAYUGA DR. EXT.

RAILROAD

CONRAIL

NIAGARA ROAD

OLD FALLS BLVD.

NIAGARA FALLS BLVD.

JAGOW ROAD

SY ROAD

APPROXIMATE LIMIT OF DISSOLVED
PHASE PLUME (1 ppb TVO OCTOBER
2016 SAMPLING EVENT - SEE NOTE 7.)

LEGEND:

- ◆ EXTRACTION WELL OR DNAPL WELL
- ⊕ MONITORING WELL OR PIEZOMETER
- - - APPROXIMATE LIMIT OF DISSOLVED PHASE PLUME (1 ppb TVO)
- 573— POTENTIOMETRIC ELEVATION CONTOUR IN FEET MEAN SEA LEVEL (DASHED WHERE INFERRED)
- (568.00) WATER LEVEL ELEVATIONS AT MONITORING OR EXTRACTION WELL IN FEET MEAN SEA LEVEL.
- ➡ DIRECTION OF GROUNDWATER FLOW IN ZONE 1

NOTES:

1. GRID SYSTEM SHOWN IS 1000-METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 17, 1927 NORTH AMERICAN DATUM.
2. REFERENCE: U.S. GEOLOGICAL SURVEY, TONAWANDA WEST NEW YORK 7.5' QUADRANGLE, DATED 1980.
3. WELL LOCATIONS SHOWN ARE APPROXIMATE.
4. WATER LEVEL MEASUREMENTS OBTAINED ON APRIL 18, 2017.
5. ONLY WELL LOCATIONS WITH AN ELEVATION LISTED ARE USED IN MAP CONTOURING.
6. CONTOURS BETWEEN KNOWN POINTS HAVE BEEN INTERPOLATED.
7. TOTAL VOLATILE ORGANIC (TVO) DETECTIONS/MINUS CARBON DISULFIDE.
8. DW SERIES EXTRACTION WELLS OFFLINE PER NYSDEC.

REFERENCE:
BASE MAP SOURCE: GOLDR ASSOCIATES
BUFFALO, NY





FIGURE 2
GROUNDWATER ELEVATION CONTOUR MAP
ZONE 1 BEDROCK - APRIL 2017

2221 NIAGARA FALLS BOULEVARD
NIAGARA FALLS, NEW YORK

OFFICE: Pittsburgh, PA
 DATE: 5/15/17
 DESIGNED BY: ---
 DRAWN BY: E. Schlegel
 CHECKED BY: C. Byers
 APPROVED BY: ---
 DRAWING NUMBER: 156045-B6

File: O:\Shaw Offices - CAD Files\Latham, NY\156045\156045-B6.dwg
 Plot Date/Time: Jan 11, 2018 - 1:10pm
 Plotted By: Evan Schlegel




LEGEND:

- EXTRACTION WELL OR DNAPL WELL
- ⊕ MONITORING WELL
- (572.74) WATER LEVEL ELEVATIONS AT MONITORING OR EXTRACTION WELL IN FEET MEAN SEA LEVEL
- 572— POTENTIOMETRIC ELEVATION CONTOUR IN FEET MEAN SEA LEVEL (DASHED WHERE INFERRED)
- ➔ DIRECTION OF GROUND WATER FLOW IN ZONE 1



FIGURE 3
 ON-SITE GROUNDWATER ELEVATION
 CONTOUR MAP, ZONE 1 BEDROCK
 APRIL 2017
 2221 NIAGARA FALLS BOULEVARD
 NIAGARA FALLS, NEW YORK

REFERENCE:
 BASE MAP SOURCE: GOLDBER ASSOCIATES
 BUFFALO, NY



- LEGEND:**
- ◆ EXTRACTION WELL OR DNAPL WELL
 - ⊕ MONITORING WELL OR PIEZOMETER
 - - - APPROXIMATE LIMIT OF DISSOLVED PHASE PLUME (1 ppb TVO)
 - 573— POTENTIOMETRIC ELEVATION CONTOUR IN FEET MEAN SEA LEVEL (DASHED WHERE INFERRED)
 - (572.84) WATER LEVEL ELEVATIONS AT MONITORING OR EXTRACTION WELL IN FEET MEAN SEA LEVEL.
 - ➔ DIRECTION OF GROUNDWATER FLOW IN ZONE 1


- NOTES:**
1. GRID SYSTEM SHOWN IS 1000-METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 17, 1927 NORTH AMERICAN DATUM.
 2. REFERENCE: U.S. GEOLOGICAL SURVEY, TONAWANDA WEST NEW YORK 7.5' QUADRANGLE, DATED 1980.
 3. WELL LOCATIONS SHOWN ARE APPROXIMATE.
 4. WATER LEVEL MEASUREMENTS OBTAINED ON NOVEMBER 13-16, 2017.
 5. ONLY WELL LOCATIONS WITH AN ELEVATION LISTED ARE USED IN MAP CONTOURING.
 6. CONTOURS BETWEEN KNOWN POINTS HAVE BEEN INTERPOLATED.
 7. TOTAL VOLATILE ORGANIC (TVO) DETECTIONS/MINUS CARBON DISULFIDE.
 8. ON-SITE GROUNDWATER TREATMENT SYSTEM (DW-9, DW-10, DW-11, DW-12, EW-7, EW-8, AND EW-13) NOT USED FOR CONTOURS.

OFFICE: Pittsburgh, PA
 DRAWN BY: E. Schlegel
 CHECKED BY: C. Byers
 APPROVED BY:
 DRAWING NUMBER: 156045-D9


File: O:\Show Offices - CAD Files\Latham, NY\156045\156045-D9.dwg
 Plot Date/Time: Jan 11, 2018 - 12:37pm
 Plotted By: Exam:Schlegel

REFERENCE:
 BASE MAP SOURCE: GOLDER ASSOCIATES
 BUFFALO, NY





APTIM





TEXTRON
NIAGARA FALLS, NEW YORK

FIGURE 4
GROUNDWATER ELEVATION CONTOUR MAP
ZONE 1 BEDROCK - NOVEMBER 2017

2221 NIAGARA FALLS BOULEVARD
 NIAGARA FALLS, NEW YORK

OFFICE: Pittsburgh, PA
 DATE: 1/17/18
 DESIGNED BY: ---
 DRAWN BY: E. Schlegel
 CHECKED BY: C. Byers
 APPROVED BY: ---
 DRAWING NUMBER: 156045-B13

File: O:\Shaw Offices - CAD Files\Latham, NY\156045\156045-B13.dwg
 Plot Date/Time: Jan 18, 2018 - 4:02pm
 Plotted By: Evan Schlegel



LEGEND:

- EXTRACTION WELL OR DNAPL WELL
- ⊕ MONITORING WELL
- (574.62) WATER LEVEL ELEVATIONS AT MONITORING OR EXTRACTION WELL IN FEET MEAN SEA LEVEL
- 572— POTENTIOMETRIC ELEVATION CONTOUR IN FEET MEAN SEA LEVEL (DASHED WHERE INFERRED)
- ➔ DIRECTION OF GROUND WATER FLOW IN ZONE 1




FIGURE 5
 ON-SITE GROUNDWATER ELEVATION
 CONTOUR MAP, ZONE 1 BEDROCK
 NOVEMBER 2017
 2221 NIAGARA FALLS BOULEVARD
 NIAGARA FALLS, NEW YORK





REFERENCE:
 BASE MAP SOURCE: GOLDBER ASSOCIATES
 BUFFALO, NY

File: O:\Shaw Offices - CAD Files\Latham, NY\156045\156045-A5.dwg
 Plot Date/Time: Jan 11, 2018 - 12:27pm
 Xref: Image
 Plotted By: Evan.Schlegel

OFFICE	DATE	DESIGNED BY	DRAWN BY	CHECKED BY	APPROVED BY	DRAWING NUMBER
Pittsburgh, PA	1/9/18	--	E. Schlegel	C. Byers	--	156045-A5



LEGEND:

-  MONITORING WELL
-  (577.57) WATER LEVEL ELEVATIONS AT MONITORING WELL IN FEET MEAN SEA LEVEL
-  —577— POTENTIOMETRIC ELEVATION CONTOUR IN FEET MEAN SEA LEVEL (DASHED WHERE INFERRED)
-  → DIRECTION OF GROUND WATER FLOW IN ZONE 3

REFERENCE:
 BASE MAP SOURCE: GOLDBER ASSOCIATES
 BUFFALO, NY



	 NIAGARA FALLS, NEW YORK
<p>FIGURE 6 ON-SITE GROUNDWATER ELEVATION CONTOUR MAP, ZONE 3 BEDROCK NOVEMBER 2017 2221 NIAGARA FALLS BOULEVARD NIAGARA FALLS, NEW YORK</p>	

DRAWING NUMBER
156045-D7


APPROVED BY

CHECKED BY
C. Byers

DRAWN BY
E. Schlegel

OFFICE
Pittsburgh, PA

File: O:\Show Offices - CAD Files\Latham, NY\156045\156045-D7.dwg
Plot Date/Time: Jan 09, 2018 - 4:21pm
Plotted By: Evan-Schlegel



- LEGEND:**
- EXTRACTION WELL OR DNAPL WELL
 - MONITORING WELL OR PIEZOMETER
 - APPROXIMATE LIMIT OF DISSOLVED PHASE PLUME (1 ppb TVO)
 - EW-3** INCREASE IN TVOC CONCENTRATION
 - EW-2** DECREASE IN TVOC CONCENTRATION

- NOTES:**
1. GRID SYSTEM SHOWN IS 1000-METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 17, 1927 NORTH AMERICAN DATUM.
 2. REFERENCE: U.S. GEOLOGICAL SURVEY, TONAWANDA WEST NEW YORK 7.5' QUADRANGLE, DATED 1980.
 3. WELL LOCATIONS SHOWN ARE APPROXIMATE.
 4. TOTAL VOLATILE ORGANIC (TVO) DETECTIONS/MINUS CARBON DISULFIDE.

REFERENCE:
BASE MAP SOURCE: GOLDER ASSOCIATES
BUFFALO, NY



FIGURE 7
CHANGES IN TVOC CONCENTRATIONS
NOVEMBER 2017
2221 NIAGARA FALLS BOULEVARD
NIAGARA FALLS, NEW YORK

Figure 8




Figure 9







Figure 10



OFFICE: Pittsburgh, PA
 DRAWN BY: E. Schlegel 1/9/18
 CHECKED BY: C. Byers
 APPROVED BY:
 DRAWING NUMBER: 156045-D8



LEGEND:

- ◆ EXTRACTION WELL OR DNAPL WELL
- ⊕ MONITORING WELL OR PIEZOMETER
- - - APPROXIMATE LIMIT OF DISSOLVED PHASE PLUME (1 ppb TVO)


NOTES:

1. GRID SYSTEM SHOWN IS 1000-METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 17, 1927 NORTH AMERICAN DATUM.
2. REFERENCE: U.S. GEOLOGICAL SURVEY, TONAWANDA WEST NEW YORK 7.5' QUADRANGLE, DATED 1980.
3. WELL LOCATIONS SHOWN ARE APPROXIMATE.
4. TOTAL VOLATILE ORGANIC (TVO) DETECTIONS/MINUS CARBON DISULFIDE.


REFERENCE:
 BASE MAP SOURCE: GOLDBER ASSOCIATES
 BUFFALO, NY



File: O:\Show Offices - CAD Files\Latham, NY\156045\156045-D8.dwg
 Plot Date/Time: Jan 09, 2018 - 4:12pm
 Plotted By: Exam.Schlegel



APTIM




TEXTRON
 NIAGARA FALLS, NEW YORK

FIGURE 11
 DISSOLVED PHASE PLUME MAP
 ZONE 1 BEDROCK - NOVEMBER 2017
 2221 NIAGARA FALLS BOULEVARD
 NIAGARA FALLS, NEW YORK

File: O:\Show Offices - CAD Files\Latham, NY\156045\156045-A5.dwg
 Plot Date/Time: Jan 09, 2018 - 3:33pm Image
 Plotted By: Evan.Schlegel

OFFICE	DATE	DESIGNED BY	DRAWN BY	CHECKED BY	APPROVED BY	DRAWING NUMBER
Pittsburgh, PA	1/9/18	--	E. Schlegel	C. Byers	--	156045-A5



LEGEND:

- MONITORING WELL OVERBURDEN
- EXTRACTION WELL OR DNAPL WELL (ZONE 1)
- MONITORING WELL (ZONE 1)
- (ND)** NOT DETECTED

NOTES:

1. GRID SYSTEM SHOWN IS 1000-METER UNIVERSAL TRANSVERSE MERCATOR GRID, ZONE 17, 1927 NORTH AMERICAN DATUM.
2. REFERENCE: U.S. GEOLOGICAL SURVEY, TONAWANDA WEST NEW YORK 7.5' QUADRANGLE, DATED 1980.
3. WELL LOCATIONS SHOWN ARE APPROXIMATE.
4. CONTOURS BETWEEN KNOWN POINTS HAVE BEEN INTERPOLATED.
5. TOTAL VOLATILE ORGANIC (TVO) DETECTIONS/MINUS CARBON DISULFIDE.



APTIM

TEXTRON
NIAGARA FALLS, NEW YORK

FIGURE 12
 DISSOLVED PHASE PLUME MAP
 OVERBURDEN - NOVEMBER 2017
 2221 NIAGARA FALLS BOULEVARD
 NIAGARA FALLS, NEW YORK

Appendix A

NYSDEC Correspondence

Byers, Cecelia

From: Stanley Radon [sfradon@gw.dec.state.ny.us]
Sent: Monday, July 22, 2013 9:42 AM
To: Byers, Cecelia
Cc: Sadowski, Brian; Simpson, Greg - Corporate EHS; Weiss, Dennis
Subject: Re: Textron Wheatfield Response Letter - Prolonged Shutdown of EW-5

Cecelia,

The Department approves of the proposal contained in your July 19, 2013 letter to remove EW-5 from the extraction system until April 2014. The Department looks forward to assessing the results of this study.

Thanks,

Stan

Stanley Radon, CPG
Senior Engineering Geologist
NYS DEC
270 Michigan Avenue
Buffalo, NY 14203-2915
sfradon@gw.dec.state.ny.us
(716)851-7220 ph.
(716)851-7226 fax

>>> "Byers, Cecelia" <cecelia.byers@cbi.com> 7/22/2013 9:26 AM >>>

Stan -

Attached is our response letter regarding the prolonged shutdown of extraction well EW-5 submitted on behalf of Textron. Hard copies were sent out via UPS to Brian Sadowski and Dennis Weiss.

Please feel free to contact me at the numbers listed below if you have any questions regarding this response letter.

Thanks,
Cecelia



Cecelia Byers
Project Manager 1
Environmental and Infrastructure
Tel: 1 +412-858-3977
Cell: 1+ 518-281-2034
Fax: 1+412-372-8968
cecelia.byers@CBI.com

CB&I
2790 Mosside Boulevard
Monroeville, PA 15146
USA
www.CBI.com

This e-mail and any attached files may contain CB&I (or its affiliates) confidential and privileged information. This information is protected by law and/or agreements between CB&I (or its affiliates) and either you, your employer or any

contract provider with which you or your employer are associated. If you are not an intended recipient, please contact the sender by reply e-mail and delete all copies of this e-mail; further, you are notified that disclosing, copying, distributing or taking any action in reliance on the contents of this information is strictly prohibited.

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

Division of Environmental Remediation, Region 9
270 Michigan Avenue, Buffalo, NY 14203-2915
P: (716) 851-7220 | F: (716) 851-7226
www.dec.ny.gov

May 23, 2017

Mr. Gregory L. Simpson
Senior Project Manager
Textron
40 Westminster Street
Providence, Rhode Island 02903

Dear Mr. Simpson:

**Textron, Inc., Wheatfield, Site # 932052
Off-Site System Performance Review**

The New York State Department of Environmental Conservation (Department) has reviewed the Off-Site System Performance Review Report (May 17, 2017) for the former Textron facility located in Wheatfield, New York.

The Department agrees with the recommendation that Extraction Well EW-5 remain offline. In the event that future groundwater monitoring indicates that the plume has expanded in a southerly direction, then the Department will request reactivation of EW-5.

Thank you for your continued cooperation regarding the management of this site. If you have any questions, please call me at (716) 851-7220.

Sincerely,



Stanley Radon
Engineering Geologist 2

SR/bb

ec: Chad Staniszewski, DEC
Brian Sadowski, DEC
Cecelia Byers, Shaw Environmental

Appendix B

Well Inspection Forms

Well Inspection Form
 Textron, Inc.
 Wheatfield, New York

Well Designation: DW-9

Date of Inspection: 11/14/17 (month/day/year)

Time of Inspection: 1130

Inspector's Name: K. Cronin

Item	Types of Problems	Status		Comments	Action	Date
		U	A			
Well Condition	Flagging Visibility (if applicable)			NA		
	Well Number Readable on Outer Casing					
	Integrity of Surface Seal/Apron					
	Integrity of Surface Casing					
	Corrosion					
	Inner Casing/Screen Integrity					
	Measuring Point Visibility					
	Total Depth					
	Siltation					
	Recharge Rate					
	Other					
Security	Security Cap in Place					
	Lock in Place					
	Lock Functional					
	Other					

Status: U - Unacceptable
 A - Acceptable
 NA - Not applicable

Well Inspection Form

Textron, Inc.

Wheatfield, New York

Well Designation: DW-10

Date of Inspection: 11/14/17 (month/day/year)

Time of Inspection: 0855

Inspector's Name: K. Cronin

Item	Types of Problems	Status		Comments	Action	Date
		U	A			
Well Condition	Flagging Visibility (if applicable)			NA		
	Well Number Readable on Outer Casing					
	Integrity of Surface Seal/Apron					
	Integrity of Surface Casing					
	Corrosion					
	Inner Casing/Screen Integrity					
	Measuring Point Visibility					
	Total Depth					
	Siltation					
	Recharge Rate					
	Other					
Security	Security Cap in Place		NA	Vault Extraction Well		
	Lock in Place		✓			
	Lock Functional		✓			
	Other					

Status: U - Unacceptable

A - Acceptable

NA - Not applicable

Well Inspection Form

Textron, Inc.
Wheatfield, New York

Well Designation: DW-11

Date of Inspection: 11/13/17 (month/day/year)

Time of Inspection: 1050

Inspector's Name: K. Cronin

Item	Types of Problems	Status		Comments	Action	Date
		U	A			
Well Condition	Flagging Visibility (if applicable)			NA		
	Well Number Readable on Outer Casing					
	Integrity of Surface Seal/Apron					
	Integrity of Surface Casing					
	Corrosion					
	Inner Casing/Screen Integrity					
	Measuring Point Visibility					
	Total Depth					
	Siltation					
	Recharge Rate					
Other						
Security	Security Cap in Place		NA	Vault		
	Lock in Place		✓			
	Lock Functional		✓			
	Other					

Status: U - Unacceptable
A - Acceptable
NA - Not applicable

Well Inspection Form
 Textron, Inc.
 Wheatfield, New York

Well Designation: DW-12

Date of Inspection: 11/13/17 (month/day/year)

Time of Inspection: 1110

Inspector's Name: K. Cronin

Item	Types of Problems	Status		Comments	Action	Date
		U	A			
Well Condition	Flagging Visibility (if applicable)			NA		
	Well Number Readable on Outer Casing					
	Integrity of Surface Seal/Apron					
	Integrity of Surface Casing					
	Corrosion					
	Inner Casing/Screen Integrity					
	Measuring Point Visibility					
	Total Depth					
	Siltation					
	Recharge Rate					
	Other					
Security	Security Cap in Place		NA	Vault		
	Lock in Place		✓			
	Lock Functional		✓			
	Other					

Status: U - Unacceptable
 A - Acceptable
 NA - Not applicable

Well Inspection Form

Textron, Inc.
Wheatfield, New York

Well Designation: EW-2

Date of Inspection: 11/15/17 (month/day/year)

Time of Inspection: 0850

Inspector's Name: K. Cronin

Item	Types of Problems	Status		Comments	Action	Date
		U	A			
Well Condition	Flagging Visibility (if applicable)		NA			
	Well Number Readable on Outer Casing		↓			
	Integrity of Surface Seal/Apron		↓			
	Integrity of Surface Casing		↓			
	Corrosion		✓			
	Inner Casing/Screen Integrity		✓			
	Measuring Point Visibility		✓			
	Total Depth		NA			
	Siltation		↓			
	Recharge Rate		↓			
	Other		↓			
Security	Security Cap in Place		NA			
	Lock in Place		↓			
	Lock Functional		↓			
	Other		↓			

Status: U - Unacceptable
A - Acceptable
NA - Not applicable

Well Inspection Form
 Textron, Inc.
 Wheatfield, New York

Well Designation: EW-3

Date of Inspection: 11/15/17 (month/day/year)

Time of Inspection: 0910

Inspector's Name: K Cronin

Item	Types of Problems	Status		Comments	Action	Date
		U	A			
Well Condition	Flagging Visibility (if applicable)			NA		
	Well Number Readable on Outer Casing					
	Integrity of Surface Seal/Apron					
	Integrity of Surface Casing					
	Corrosion					
	Inner Casing/Screen Integrity					
	Measuring Point Visibility					
	Total Depth					
	Siltation					
	Recharge Rate					
Other						
Security	Security Cap in Place			NA		
	Lock in Place					
	Lock Functional					
	Other					

Status: U - Unacceptable
 A - Acceptable
 NA - Not applicable

Well Inspection Form
 Textron, Inc.
 Wheatfield, New York

Well Designation: EW-4

Date of Inspection: 11/15/17 (month/day/year)

Time of Inspection: 0930

Inspector's Name: K. Cronin

Item	Types of Problems	Status		Comments	Action	Date
		U	A			
Well Condition	Flagging Visibility (if applicable)			NA		
	Well Number Readable on Outer Casing					
	Integrity of Surface Seal/Apron					
	Integrity of Surface Casing					
	Corrosion					
	Inner Casing/Screen Integrity					
	Measuring Point Visibility					
	Total Depth					
	Siltation					
	Recharge Rate					
	Other					
Security	Security Cap in Place			NA		
	Lock in Place					
	Lock Functional					
	Other					

Status: U - Unacceptable
 A - Acceptable
 NA - Not applicable

Well Inspection Form
 Textron, Inc.
 Wheatfield, New York

Well Designation: EW-5
 Date of Inspection: 11/15/17 (month/day/year)
 Time of Inspection: 0950
 Inspector's Name: K. Cronin

Item	Types of Problems	Status		Comments	Action	Date
		U	A			
Well Condition	Flagging Visibility (if applicable)			NA		
	Well Number Readable on Outer Casing					
	Integrity of Surface Seal/Apron					
	Integrity of Surface Casing					
	Corrosion					
	Inner Casing/Screen Integrity					
	Measuring Point Visibility					
	Total Depth					
	Siltation					
	Recharge Rate					
	Other					
Security	Security Cap in Place			NA		
	Lock in Place					
	Lock Functional					
	Other					

Status: U - Unacceptable
 A - Acceptable
 NA - Not applicable

Well Inspection Form
 Textron, Inc.
 Wheatfield, New York

Well Designation: EW-6

Date of Inspection: 11/15/17 (month/day/year)

Time of Inspection: 1015

Inspector's Name: K. Cronin

Item	Types of Problems	Status		Comments	Action	Date
		U	A			
Well Condition	Flagging Visibility (if applicable)			NA		
	Well Number Readable on Outer Casing					
	Integrity of Surface Seal/Apron					
	Integrity of Surface Casing					
	Corrosion					
	Inner Casing/Screen Integrity					
	Measuring Point Visibility					
	Total Depth					
	Siltation					
	Recharge Rate					
Other						
Security	Security Cap in Place			NA		
	Lock in Place					
	Lock Functional					
	Other					

Status: U - Unacceptable
 A - Acceptable
 NA - Not applicable

Well Inspection Form
 Textron, Inc.
 Wheatfield, New York

Well Designation: EW-7
 Date of Inspection: 11/15/17 (month/day/year)
 Time of Inspection: 1420
 Inspector's Name: K. Cronin

Item	Types of Problems	Status		Comments	Action	Date
		U	A			
Well Condition	Flagging Visibility (if applicable)			Concrete beginning to spall & fall away inside - rebar visible		
	Well Number Readable on Outer Casing					
	Integrity of Surface Seal/Apron					
	Integrity of Surface Casing					
	Corrosion					
	Inner Casing/Screen Integrity					
	Measuring Point Visibility					
	Total Depth					
	Siltation					
	Recharge Rate					
	Other					
Security	Security Cap in Place		✓			
	Lock in Place		✓			
	Lock Functional		✓			
	Other					

Status: U - Unacceptable
 A - Acceptable
 NA - Not applicable

Well Inspection Form
 Textron, Inc.
 Wheatfield, New York

Well Designation: EW-8
 Date of Inspection: 11/14/17 (month/day/year)
 Time of Inspection: 1510
 Inspector's Name: K. Cronin

Item	Types of Problems	Status		Comments	Action	Date
		U	A			
Well Condition	Flagging Visibility (if applicable)			NA		
	Well Number Readable on Outer Casing					
	Integrity of Surface Seal/Apron					
	Integrity of Surface Casing					
	Corrosion					
	Inner Casing/Screen Integrity					
	Measuring Point Visibility					
	Total Depth					
	Siltation					
	Recharge Rate					
	Other					
Security	Security Cap in Place		NA			
	Lock in Place		✓			
	Lock Functional		✓			
	Other					

Status: U - Unacceptable
 A - Acceptable
 NA - Not applicable

Well Inspection Form
 Textron, Inc.
 Wheatfield, New York

Well Designation: EW-13

Date of Inspection: 11/15/17 (month/day/year)

Time of Inspection: 1445

Inspector's Name: K. Cronin

Item	Types of Problems	Status		Comments	Action	Date
		U	A			
Well Condition	Flagging Visibility (if applicable)	/	/	NA		
	Well Number Readable on Outer Casing					
	Integrity of Surface Seal/Apron					
	Integrity of Surface Casing					
	Corrosion					
	Inner Casing/Screen Integrity					
	Measuring Point Visibility					
	Total Depth					
	Siltation					
	Recharge Rate					
	Other					
Security	Security Cap in Place	/	/	NA		
	Lock in Place					
	Lock Functional					
	Other					

Status: U - Unacceptable
 A - Acceptable
 NA - Not applicable

Well Inspection Form
 Textron, Inc.
 Wheatfield, New York

Well Designation: B-14(1)
 Date of Inspection: 11/13/17 (month/day/year)
 Time of Inspection: 1235
 Inspector's Name: K. Cronin

Item	Types of Problems	Status		Comments	Action	Date
		U	A			
Well Condition	Flagging Visibility (if applicable)			DVC		
	Well Number Readable on Outer Casing					
	Integrity of Surface Seal/Apron		✓			
	Integrity of Surface Casing		✓			
	Corrosion		✓			
	Inner Casing/Screen Integrity		✓			
	Measuring Point Visibility		✓			
	Total Depth		✓			
	Siltation		✓			
	Recharge Rate		✓			
	Other		✓			
Security	Security Cap in Place		✓			
	Lock in Place		✓			
	Lock Functional		✓			
	Other					

Status: U - Unacceptable
 A - Acceptable
 NA - Not applicable

Well Inspection Form

Textron, Inc.

Wheatfield, New York

Well Designation: 87-14(0)

Date of Inspection: 11/16/17 (month/day/year)

Time of Inspection: 0940

Inspector's Name: K. Cronin

Item	Types of Problems	Status		Comments	Action	Date
		U	A			
Well Condition	Flagging Visibility (if applicable)		NA			
	Well Number Readable on Outer Casing	✓				
	Integrity of Surface Seal/Apron		✓			
	Integrity of Surface Casing		✓			
	Corrosion		✓			
	Inner Casing/Screen Integrity		✓			
	Measuring Point Visibility		✓			
	Total Depth		✓			
	Siltation		✓			
	Recharge Rate		✓			
Other						
Security	Security Cap in Place		✓	moog lock		
	Lock in Place		✓			
	Lock Functional	✓				
	Other					

Status: U - Unacceptable
 A - Acceptable
 NA - Not applicable

Well Inspection Form

Textron, Inc.

Wheatfield, New York

Well Designation: 87-17(1)

Date of Inspection: 11/14/17 (month/day/year)

Time of Inspection: 1240

Inspector's Name: K. Cronin

Item	Types of Problems	Status		Comments	Action	Date
		U	A			
Well Condition	Flagging Visibility (if applicable)		NA			
	Well Number Readable on Outer Casing		✓			
	Integrity of Surface Seal/Apron		✓			
	Integrity of Surface Casing		✓			
	Corrosion		✓			
	Inner Casing/Screen Integrity		✓			
	Measuring Point Visibility		✓			
	Total Depth		✓			
	Siltation		✓			
	Recharge Rate		✓			
	Other					
Security	Security Cap in Place		✓	moog lock		
	Lock in Place		✓			
	Lock Functional	✓	✓			
	Other					

Status: U - Unacceptable

A - Acceptable

NA - Not applicable

Well Inspection Form

Textron, Inc.
Wheatfield, New York

Well Designation: 87-19(1)

Date of Inspection: 11/15/17 (month/day/year)

Time of Inspection: 1155

Inspector's Name: K. Cronin

Item	Types of Problems	Status		Comments	Action	Date
		U	A			
Well Condition	Flagging Visibility (if applicable)		NA	Rusty Casings		
	Well Number Readable on Outer Casing		✓			
	Integrity of Surface Seal/Apron		✓			
	Integrity of Surface Casing		✓			
	Corrosion		✓			
	Inner Casing/Screen Integrity		✓			
	Measuring Point Visibility		✓			
	Total Depth		✓			
	Siltation		✓			
	Recharge Rate		✓			
	Other					
Security	Security Cap in Place		✓			
	Lock in Place		✓			
	Lock Functional		✓			
	Other					

Status: U - Unacceptable
A - Acceptable
NA - Not applicable

Well Inspection Form
 Textron, Inc.
 Wheatfield, New York

Well Designation: 87-20(0)
 Date of Inspection: 11/15/17 (month/day/year)
 Time of Inspection: 1320
 Inspector's Name: K. Cronin

Item	Types of Problems	Status		Comments	Action	Date
		U	A			
Well Condition	Flagging Visibility (if applicable)		NA	<i>rusty outer casing</i>		
	Well Number Readable on Outer Casing		✓			
	Integrity of Surface Seal/Apron		✓			
	Integrity of Surface Casing		✓			
	Corrosion		✓			
	Inner Casing/Screen Integrity		✓			
	Measuring Point Visibility		✓			
	Total Depth		✓			
	Siltation		✓			
	Recharge Rate		✓			
	Other					
Security	Security Cap in Place		✓			
	Lock in Place		✓			
	Lock Functional		✓			
	Other					

Status: U - Unacceptable
 A - Acceptable
 NA - Not applicable

Well Inspection Form

Textron, Inc.
Wheatfield, New York

Well Designation: 87-20(1)

Date of Inspection: 11/14/17 (month/day/year)

Time of Inspection: 1350

Inspector's Name: K Crain

Item	Types of Problems	Status		Comments	Action	Date
		U	A			
Well Condition	Flagging Visibility (if applicable)		NA			
	Well Number Readable on Outer Casing		✓			
	Integrity of Surface Seal/Apron		✓			
	Integrity of Surface Casing		✓			
	Corrosion		✓			
	Inner Casing/Screen Integrity		✓			
	Measuring Point Visibility		✓			
	Total Depth		✓			
	Siltation		✓			
	Recharge Rate		✓			
	Other					
Security	Security Cap in Place		✓			
	Lock in Place		✓			
	Lock Functional		✓			
	Other					

Status: U - Unacceptable
A - Acceptable
NA - Not applicable

Well Inspection Form

Textron, Inc.
Wheatfield, New York

Well Designation: 87-21(1)

Date of Inspection: 11/15/17 (month/day/year)

Time of Inspection: 1135

Inspector's Name: K. Cronin

Item	Types of Problems	Status		Comments	Action	Date
		U	A			
Well Condition	Flagging Visibility (if applicable)		NA	<i>rusty outer casing</i>		
	Well Number Readable on Outer Casing		✓			
	Integrity of Surface Seal/Apron		✓			
	Integrity of Surface Casing		✓			
	Corrosion		✓			
	Inner Casing/Screen Integrity		✓			
	Measuring Point Visibility		✓			
	Total Depth		✓			
	Siltation		✓			
	Recharge Rate		✓			
Other						
Security	Security Cap in Place		✓			
	Lock in Place		✓			
	Lock Functional		✓			
	Other					

Status: U - Unacceptable
A - Acceptable
NA - Not applicable

Well Inspection Form

Textron, Inc.
Wheatfield, New York

Well Designation: 87-22(1)

Date of Inspection: 11/14/17 (month/day/year)

Time of Inspection: 1320

Inspector's Name: K. Cronin

Item	Types of Problems	Status		Comments	Action	Date
		U	A			
Well Condition	Flagging Visibility (if applicable)		NA			
	Well Number Readable on Outer Casing		✓			
	Integrity of Surface Seal/Apron		✓			
	Integrity of Surface Casing		✓			
	Corrosion		✓			
	Inner Casing/Screen Integrity		✓			
	Measuring Point Visibility		✓			
	Total Depth		✓			
	Siltation		✓			
	Recharge Rate		✓			
	Other					
Security	Security Cap in Place		✓			
	Lock in Place		✓			
	Lock Functional		✓			
	Other					

Status: U - Unacceptable
A - Acceptable
NA - Not applicable

Well Inspection Form

Textron, Inc.
Wheatfield, New York

Well Designation: 89-14(1)
 Date of Inspection: 11/15/17 (month/day/year)
 Time of Inspection: 1345
 Inspector's Name: K. Cronin

Item	Types of Problems	Status		Comments	Action	Date
		U	A			
Well Condition	Flagging Visibility (if applicable)		NA	Rusty outer casing		
	Well Number Readable on Outer Casing		✓			
	Integrity of Surface Seal/Apron		✓			
	Integrity of Surface Casing		✓			
	Corrosion		✓			
	Inner Casing/Screen Integrity		✓			
	Measuring Point Visibility		✓			
	Total Depth		✓			
	Siltation		✓			
	Recharge Rate		✓			
	Other					
Security	Security Cap in Place		✓			
	Lock in Place		✓			
	Lock Functional		✓			
	Other					

Status: U - Unacceptable
 A - Acceptable
 NA - Not applicable

Well Inspection Form
 Textron, Inc.
 Wheatfield, New York

Well Designation: 89-15(1)
 Date of Inspection: 11/14/17 (month/day/year)
 Time of Inspection: 0930
 Inspector's Name: K. Crunin

Item	Types of Problems	Status		Comments	Action	Date
		U	A			
Well Condition	Flagging Visibility (if applicable)		NA			
	Well Number Readable on Outer Casing		✓			
	Integrity of Surface Seal/Apron		✓			
	Integrity of Surface Casing		✓			
	Corrosion		✓			
	Inner Casing/Screen Integrity		✓			
	Measuring Point Visibility		✓			
	Total Depth		✓			
	Siltation		✓			
	Recharge Rate		✓			
	Other					
Security	Security Cap in Place		✓			
	Lock in Place		✓			
	Lock Functional		✓			
	Other					

Status: U - Unacceptable
 A - Acceptable
 NA - Not applicable

Well Inspection Form
 Textron, Inc.
 Wheatfield, New York

Well Designation: 93-03(1)
 Date of Inspection: 11/15/17 (month/day/year)
 Time of Inspection: 1055
 Inspector's Name: K. Cronin

Item	Types of Problems	Status		Comments	Action	Date
		U	A			
Well Condition	Flagging Visibility (if applicable)		NA			
	Well Number Readable on Outer Casing		✓			
	Integrity of Surface Seal/Apron		✓			
	Integrity of Surface Casing		✓			
	Corrosion		✓			
	Inner Casing/Screen Integrity		✓			
	Measuring Point Visibility		✓			
	Total Depth		✓			
	Siltation		✓			
	Recharge Rate		✓			
	Other					
Security	Security Cap in Place		✓			
	Lock in Place		✓			
	Lock Functional		✓			
	Other					

Status: U - Unacceptable
 A - Acceptable
 NA - Not applicable

Appendix C

Field Sampling Data Sheets

TEXTRON, INC.
FIELD SAMPLING DATA SHEET
WELL PURGE - WATER QUALITY MEASUREMENTS

Site Name: Textron, Wheatfield, NY
 Project Number: 156045
 Well Number: MW- DW-9
 Date: 11/14/2017
 Field Personnel: K. Cronin - APTIM, Bob Urban - ALS
 Physical Condition of Well: Good
 Well Diameter: 2"
 Air Monitoring Results: 0.0 ppmv - OPEN TO ATM *Volume Factors: (circle one)
 Depth to Water: ~ 5.35' BTBG 1.25-inch well = 0.064 gal/ft
 Depth to Bottom: ~ 24.10' BTBG 2-inch well = 0.163 gal/ft
 Purge Volume: _____ 4-inch well = 0.653 gal/ft
 Volume Removed: ~ 6 GALS

Purge Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing Polyethylene Bailer Grundfos Submersible Pump

Purge Water Disposal: Transported to Plant for Offsite Treatment

PARAMETERS Units	pH s.u.	Spec. Cond. ms/cm	Temp. °C	Sample Description
Initial Purge ^{KCC} <u>NM</u>				<u>clear</u>
Final Purge <u>NM</u>				<u>clear</u>

Sampling Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing Polyethylene Bailer Grundfos Submersible Pump

Sample Number: BAT- DW-9 -171114
 Sample Collection Date/Time: 11/14/2017 1130
 Analysis Requested: EPA Method 8260, Biologic Parameters (if circled)

Notes: Biologic Parameters: TOC, Volatile Fatty Acids, Ethene, Ethane, Methane, CO₂, Ferrous Iron, Sulfate, Chloride and Nitrate

BAT- DW-9-1-171114 COLLECTED HERE

Sampler Signature: K. Cronin

TEXTRON, INC.
FIELD SAMPLING DATA SHEET
WELL PURGE – WATER QUALITY MEASUREMENTS

Site Name: Textron, Wheatfield, NY
 Project Number: 156045
 Well Number: MW- DW- 10
 Date: 11/14/2017
 Field Personnel: K. Cronin - APTIM, Bob Urban - ALS
 Physical Condition of Well: Good
 Well Diameter: 6/2"
 Air Monitoring Results: 0.0 ppmv - OPEN TO ATM *Volume Factors: (circle one)
 Depth to Water: ~ 28.7 BTG 1.25-inch well = 0.064 gal/ft
 Depth to Bottom: ~ 29.83 BTG 2-inch well = 0.163 gal/ft
 Purge Volume: _____ 4-inch well = 0.653 gal/ft
 Volume Removed: ~ 8 GALS

Purge Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing Polyethylene Bailer Grundfos Submersible Pump

Purge Water Disposal: Transported to Plant for Offsite Treatment

PARAMETERS Units	pH s.u.	Spec. Cond. ms/cm	Temp. °C	Sample Description		
Initial Purge	<u>8.56</u>	<u>0.420</u>	<u>13.90</u>	clear	<u>31.0</u>	<u>8.69</u>
Final Purge	<u>8.39</u>	<u>0.420</u>	<u>13.65</u>	clear	<u>34.2</u>	<u>8.76</u>

mg/l
 ORP DO

Sampling Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing Polyethylene Bailer Grundfos Submersible Pump

Sample Number: BAT- DW - 10 -1711 34
 Sample Collection Date/Time: 11/14/2017 08:35
 Analysis Requested: EPA Method 8260, Biologic Parameters (if circled)

Notes: Biologic Parameters: TOC, Volatile Fatty Acids, Ethene, Ethane, Methane, CO2, Ferrous Iron, Sulfate, Chloride and Nitrate

Sampler Signature: Karen Cronin

TEXTRON, INC.
FIELD SAMPLING DATA SHEET
WELL PURGE - WATER QUALITY MEASUREMENTS

Site Name: Textron, Wheatfield, NY
 Project Number: 156045
 Well Number: MW- DW-10
 Date: 11/13/2017
 Field Personnel: K. Cronin - APTIM, Bob Urban - ALS
 Physical Condition of Well: Good
 Well Diameter: 8" / 2"
 Air Monitoring Results: 0.0 ppmv
 Depth to Water: ~ 7.77' BTG
 Depth to Bottom: ~ 25.00' BTG SOFT
 Purge Volume: _____
 Volume Removed: ~ 3 GALS

*Volume Factors: (circle one)
 1.25-inch well = 0.064 gal/ft
 2-inch well = 0.163 gal/ft
 4-inch well = 0.653 gal/ft

Purge Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing NEW Polyethylene Bailer Grundfos Submersible Pump

Purge Water Disposal: Transported to Plant for Offsite Treatment

PARAMETERS Units	pH s.u.	Spec. Cond. ms/cm	Temp. °C	Sample Description
Initial Purge	<u>8.09</u>	<u>2.035</u>	<u>14.96</u>	clear
Final Purge	<u>8.04</u>	<u>2.219</u>	<u>15.42</u>	clear

Sampling Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing NEW Polyethylene Bailer Grundfos Submersible Pump

Sample Number: BAT- DW-10 -171113
 Sample Collection Date/Time: 11/13/2017 10:50
 Analysis Requested: EPA Method 8260, Biologic Parameters (if circled)

Notes: Biologic Parameters: TOC, Volatile Fatty Acids, Ethene, Ethane, Methane, CO₂, Ferrous Iron, Sulfate, Chloride and Nitrate

Sampler Signature: Kevin Cronin

TEXTRON, INC.
FIELD SAMPLING DATA SHEET
WELL PURGE – WATER QUALITY MEASUREMENTS

Site Name: Textron, Wheatfield, NY
 Project Number: 156045
 Well Number: MW- DW-12
 Date: 11/13/2017
 Field Personnel: K. Cronin - APTIM, Bob Urban - ALS
 Physical Condition of Well: Good
 Well Diameter: 2" 8 1/2"
 Air Monitoring Results: 0.0 ppmv
 Depth to Water: ~ 3.47 BTU
 Depth to Bottom: ~ 27.30 BTU *SOFT*
 Purge Volume: _____
 Volume Removed: ~ 8 GALS

*Volume Factors: (circle one)
 1.25-inch well = 0.064 gal/ft
 2-inch well = 0.163 gal/ft
 4-inch well = 0.653 gal/ft

Purge Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing NSW Polyethylene Bailer Grundfos Submersible Pump

PUMP PULLED

Purge Water Disposal: Transported to Plant for Offsite Treatment

PARAMETERS Units	pH s.u.	Spec. Cond. ms/cm	Temp. °C	Sample Description
Initial Purge	<u>8.01</u>	<u>0.692</u>	<u>15.01</u>	<u>clear</u>
Final Purge	<u>8.05</u>	<u>0.697</u>	<u>15.04</u>	<u>clear</u>

*DO ORP
NM NW
NM NM*

Sampling Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing NSW Polyethylene Bailer Grundfos Submersible Pump

Sample Number: BAT- DW-12 -171113
 Sample Collection Date/Time: 11/13/2017
 Analysis Requested: EPA Method 8260, (Biologic Parameters) (if circled)

Notes: Biologic Parameters: TOC, Volatile Fatty Acids, Ethene, Ethane, Methane, CO₂, Ferrous Iron, Sulfate, Chloride and Nitrate

BAT- DW-12 -171113 MS/MSD COLLECTED HERE

Sampler Signature: *Kevin Cronin*

TEXTRON, INC.
FIELD SAMPLING DATA SHEET
WELL PURGE - WATER QUALITY MEASUREMENTS

Site Name: Textron, Wheatfield, NY
 Project Number: 156045
 Well Number: MW- EW-2
 Date: 11/15/2017
 Field Personnel: K. Cronin - APTIM, Bob Urban - ALS
 Physical Condition of Well: Good
 Well Diameter: 8 1/2"
 Air Monitoring Results: 0.0 ppmv *CPAS*
 Depth to Water: ~ 8.62'
 Depth to Bottom: NM
 Purge Volume: _____
 Volume Removed: ~ 3 GALS

*Volume Factors: (circle one)
 1.25-inch well = 0.064 gal/ft
 2-inch well = 0.163 gal/ft
 4-inch well = 0.653 gal/ft

Purge Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing Polyethylene Bailer Grundfos Submersible Pump

Purge Water Disposal: Transported to Plant for Offsite Treatment

PARAMETERS Units	pH s.u.	Spec. Cond. ms/cm	Temp. °C	Sample Description
Initial Purge	<u>7.91</u>	<u>1.095</u>	<u>10.88</u>	<u>clear</u>
Final Purge	<u>7.49</u>	<u>1.097</u>	<u>11.01</u>	<u>clear</u>

Sampling Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing Polyethylene Bailer Grundfos Submersible Pump

Sample Number: BAT- EW-2 -171115
 Sample Collection Date/Time: 11/15/2017 0850
 Analysis Requested: EPA Method 8260, Biologic Parameters (if circled)

Notes: Biologic Parameters: TOC, Volatile Fatty Acids, Ethene, Ethane, Methane, CO₂, Ferrous Iron, Sulfate, Chloride and Nitrate

Sampler Signature: *Kevin Cronin*

TEXTRON, INC.
FIELD SAMPLING DATA SHEET
WELL PURGE – WATER QUALITY MEASUREMENTS

Site Name: Textron, Wheatfield, NY
 Project Number: 156045
 Well Number: MW- EW-3
 Date: 11/15/2017
 Field Personnel: K. Cronin - APTIM, Bob Urban - ALS
 Physical Condition of Well: Good
 Well Diameter: 6 1/2"
 Air Monitoring Results: 0.0 ppmv open
 Depth to Water: ~17.75
 Depth to Bottom: NM
 Purge Volume: _____
 Volume Removed: ~5 gal

*Volume Factors: (circle one)
 1.25-inch well = 0.064 gal/ft
 2-inch well = 0.163 gal/ft
 4-inch well = 0.653 gal/ft

Purge Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing Polyethylene Bailer Grundfos Submersible Pump

Purge Water Disposal: Transported to Plant for Offsite Treatment

PARAMETERS Units	pH s.u.	Spec. Cond. ms/cm	Temp. °C	Sample Description
Initial Purge	<u>6.83</u>	<u>2.604</u>	<u>10.88</u>	clear
Final Purge	<u>6.73</u>	<u>2.615</u>	<u>11.16</u>	clear

Sampling Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing Polyethylene Bailer Grundfos Submersible Pump

Sample Number: BAT- EW-3 -17115
 Sample Collection Date/Time: 11/15/2017 0910
 Analysis Requested: EPA Method 8260, Biologic Parameters (if circled)

Notes: Biologic Parameters: TOC, Volatile Fatty Acids, Ethene, Ethane, Methane, CO₂, Ferrous Iron, Sulfate, Chloride and Nitrate

Sampler Signature: Kevin Cronin

TEXTRON, INC.
FIELD SAMPLING DATA SHEET
WELL PURGE – WATER QUALITY MEASUREMENTS

Site Name: Textron, Wheatfield, NY
 Project Number: 156045
 Well Number: MW- EW-4
 Date: 11/15/2017
 Field Personnel: K. Cronin - APTIM, Bob Urban - ALS
 Physical Condition of Well: Good
 Well Diameter: 8" / 2"
 Air Monitoring Results: 0.0 ppmv OPEN
 Depth to Water: ~ 26.50'
 Depth to Bottom: NM.
 Purge Volume: _____
 Volume Removed: ~ 6 GALS

*Volume Factors: (circle one)
 1.25-inch well = 0.064 gal/ft
 2-inch well = 0.163 gal/ft
 4-inch well = 0.653 gal/ft

Purge Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing Polyethylene Bailer Grundfos Submersible Pump

Purge Water Disposal: Transported to Plant for Offsite Treatment

PARAMETERS Units	pH s.u.	Spec. Cond. ms/cm	Temp. °C	Sample Description
Initial Purge	<u>6.89</u>	<u>2.030</u>	<u>11.21</u>	clear
Final Purge	<u>6.79</u>	<u>2.004</u>	<u>11.37</u>	clear

Sampling Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing Polyethylene Bailer Grundfos Submersible Pump

Sample Number: BAT- EW-4 -171115
 Sample Collection Date/Time: 11/15/2017 0930
 Analysis Requested: EPA Method 8260, Biologic Parameters (if circled)

Notes: Biologic Parameters: TOC, Volatile Fatty Acids, Ethene, Ethane, Methane, CO₂, Ferrous Iron, Sulfate, Chloride and Nitrate

Sampler Signature: *Kevin Cronin*

TEXTRON, INC.
FIELD SAMPLING DATA SHEET
WELL PURGE - WATER QUALITY MEASUREMENTS

Site Name: Textron, Wheatfield, NY
 Project Number: 156045
 Well Number: MW- EW-5
 Date: 11/15/2017
 Field Personnel: K. Cronin - APTIM, Bob Urban - ALS
 Physical Condition of Well: Good
 Well Diameter: 8" / 2"
 Air Monitoring Results: 0.0 ppmv OPEN
 Depth to Water: ~8.85
 Depth to Bottom: N/A
 Purge Volume: _____
 Volume Removed: ~4 GALS

*Volume Factors: (circle one)
 1.25-inch well = 0.064 gal/ft
 2-inch well = 0.163 gal/ft
 4-inch well = 0.653 gal/ft

Purge Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing Polyethylene Bailer Grundfos Submersible Pump

Purge Water Disposal: Transported to Plant for Offsite Treatment

PARAMETERS Units	pH s.u.	Spec. Cond. ms/cm	Temp. °C	Sample Description
Initial Purge	<u>6.78</u>	<u>1.115</u>	<u>10.57</u>	<u>clear</u>
Final Purge	<u>6.56</u>	<u>1.123</u>	<u>10.58</u>	<u>clear</u>

Sampling Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing Polyethylene Bailer Grundfos Submersible Pump

Sample Number: BAT- EW-5 -171115
 Sample Collection Date/Time: 11/15/2017 0950
 Analysis Requested: EPA Method 8260, Biologic Parameters (if circled)

Notes: Biologic Parameters: TOC, Volatile Fatty Acids, Ethene, Ethane, Methane, CO₂, Ferrous Iron, Sulfate, Chloride and Nitrate

Sampler Signature: _____

TEXTRON, INC.
FIELD SAMPLING DATA SHEET
WELL PURGE – WATER QUALITY MEASUREMENTS

Site Name: Textron, Wheatfield, NY
 Project Number: 156045
 Well Number: MW- EW-6
 Date: 11/15/2017
 Field Personnel: K. Cronin - APTIM, Bob Urban - ALS
 Physical Condition of Well: Good
 Well Diameter: 8" / 2"
 Air Monitoring Results: 0.0 ppmv
 Depth to Water: 9.33'
 Depth to Bottom: NM
 Purge Volume: _____
 Volume Removed: ~ 4 GAL

*Volume Factors: (circle one)
 1.25-inch well = 0.064 gal/ft
 2-inch well = 0.163 gal/ft
 4-inch well = 0.653 gal/ft

Purge Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing Polyethylene Bailer Grundfos Submersible Pump

Purge Water Disposal: Transported to Plant for Offsite Treatment

PARAMETERS Units	pH s.u.	Spec. Cond. ms/cm	Temp. °C	Sample Description
Initial Purge	<u>7.32</u>	<u>1.665</u>	<u>9.87</u>	clear
Final Purge	<u>7.24</u>	<u>1.749</u>	<u>10.30</u>	clear

Sampling Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing Polyethylene Bailer Grundfos Submersible Pump

Sample Number: BAT- EW-6 -171115
 Sample Collection Date/Time: 11/15/2017 10:15
 Analysis Requested: EPA Method 8260, Biologic Parameters (if circled)

Notes: Biologic Parameters: TOC, Volatile Fatty Acids, Ethene, Ethane, Methane, CO₂, Ferrous Iron, Sulfate, Chloride and Nitrate

Sampler Signature: Kevin Cronin

TEXTRON, INC.
FIELD SAMPLING DATA SHEET
WELL PURGE – WATER QUALITY MEASUREMENTS

Site Name: Textron, Wheatfield, NY
 Project Number: 156045
 Well Number: MW- EW- 7
 Date: 11/15/2017
 Field Personnel: K. Cronin - APTIM, Bob Urban - ALS
 Physical Condition of Well: Good
 Well Diameter: 8" 2"
 Air Monitoring Results: 0.0 ppmv
 Depth to Water: ~ 13.38' BTOP
 Depth to Bottom: ~ 28.00'
 Purge Volume: _____
 Volume Removed: ~ 5 GALS

*Volume Factors: (circle one)
 1.25-inch well = 0.064 gal/ft
 2-inch well = 0.163 gal/ft
 4-inch well = 0.653 gal/ft

Purge Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing Polyethylene Bailer Grundfos Submersible Pump

Purge Water Disposal: Transported to Plant for Offsite Treatment

PARAMETERS Units	pH s.u.	Spec. Cond. ms/cm	Temp. °C	Sample Description
Initial Purge	<u>7.36</u>	<u>1.383</u>	<u>15.33</u>	<u>clear</u>
Final Purge	<u>7.20</u>	<u>1.394</u>	<u>15.35</u>	<u>clear</u>

Sampling Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing Polyethylene Bailer Grundfos Submersible Pump

Sample Number: BAT- EW- 7 -171115
 Sample Collection Date/Time: 11/15/2017 1420
 Analysis Requested: EPA Method 8260, Biologic Parameters (if circled)

Notes: Biologic Parameters: TOC, Volatile Fatty Acids, Ethene, Ethane, Methane, CO₂, Ferrous Iron, Sulfate, Chloride and Nitrate

Sampler Signature: *K. Cronin*

TEXTRON, INC.
FIELD SAMPLING DATA SHEET
WELL PURGE – WATER QUALITY MEASUREMENTS

Site Name: Textron, Wheatfield, NY
 Project Number: 156045
 Well Number: MW- EW- 8
 Date: 11/14 /2017
 Field Personnel: K. Cronin - APTIM, Bob Urban - ALS
 Physical Condition of Well: Good
 Well Diameter: 8 1/2"
 Air Monitoring Results: 0.0 ppmv OPEN
 Depth to Water: ~ 10.05'
 Depth to Bottom: 27.75'
 Purge Volume: ~ 2.9
 Volume Removed: ~ 9 GALS

*Volume Factors: (circle one)
 1.25-inch well = 0.064 gal/ft
 2-inch well = 0.163 gal/ft
 4-inch well = 0.653 gal/ft

Purge Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing Polyethylene Bailer Grundfos Submersible Pump

Purge Water Disposal: Transported to Plant for Offsite Treatment

PARAMETERS Units	pH s.u.	Spec. Cond. ms/cm	Temp. °C	Sample Description
Initial Purge	7.27	1414	15.74	clear
Final Purge	7.17	1.545	15.63	clear

Sampling Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing Polyethylene Bailer Grundfos Submersible Pump

Sample Number: BAT- EW- 8 -1711/14
 Sample Collection Date/Time: 11/14 /2017 15:10
 Analysis Requested: EPA Method 8260, Biologic Parameters (if circled)

Notes: Biologic Parameters: TOC, Volatile Fatty Acids, Ethene, Ethane, Methane, CO₂, Ferrous Iron, Sulfate, Chloride and Nitrate

Sampler Signature: Kevin Cronin

TEXTRON, INC.
FIELD SAMPLING DATA SHEET
WELL PURGE - WATER QUALITY MEASUREMENTS

Site Name: Textron, Wheatfield, NY
 Project Number: 156045
 Well Number: MW- EW-13
 Date: 11/15/2017
 Field Personnel: K. Cronin - APTIM, Bob Urban - ALS
 Physical Condition of Well: Good
 Well Diameter: 8 1/2"
 Air Monitoring Results: 0.0 ppmv *open*
 Depth to Water: ~15.38'
 Depth to Bottom: 34.20'
 Purge Volume: ~3 GALS
 Volume Removed: ~8 GALS

*Volume Factors: (circle one)
 1.25-inch well = 0.064 gal/ft
 2-inch well = 0.163 gal/ft
 4-inch well = 0.653 gal/ft

Purge Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing Polyethylene Bailer Grundfos Submersible Pump

Purge Water Disposal: Transported to Plant for Offsite Treatment

PARAMETERS Units	pH s.u.	Spec. Cond. ms/cm	Temp. °C	Sample Description
Initial Purge	7.07	1.730	15.54	clear
Final Purge	6.89	1.999	15.48	clear

Sampling Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing Polyethylene Bailer Grundfos Submersible Pump

Sample Number: BAT- EW-13 -171115
 Sample Collection Date/Time: 11/15/2017 1445
 Analysis Requested: EPA Method 8260, Biologic Parameters (if circled)

Notes: Biologic Parameters: TOC, Volatile Fatty Acids, Ethene, Ethane, Methane, CO₂, Ferrous Iron, Sulfate, Chloride and Nitrate

Sampler Signature: *Kevin Cronin*

TEXTRON, INC.
FIELD SAMPLING DATA SHEET
WELL PURGE – WATER QUALITY MEASUREMENTS

Site Name: Textron, Wheatfield, NY
 Project Number: 156045
 Well Number: MW- B-14(1)
 Date: 11/13/2017
 Field Personnel: K. Cronin - APTIM, Bob Urban - ALS
 Physical Condition of Well: Good
 Well Diameter: 2" 1.25"
 Air Monitoring Results: 0.0 ppmv
 Depth to Water: ~ 15.35'
 Depth to Bottom: ~ 26.99'
 Purge Volume: 0.75 GALS
 Volume Removed: ~ 3.0 GALS

*Volume Factors: (circle one)
 1.25-inch well = 0.064 gal/ft
 2-inch well = 0.163 gal/ft
 4-inch well = 0.653 gal/ft

Purge Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing Polyethylene Bailer Grundfos Submersible Pump

Purge Water Disposal: Transported to Plant for Offsite Treatment

PARAMETERS Units	pH s.u.	Spec. Cond. ms/cm	Temp. °C	Sample Description
Initial Purge	7.38	2.389	12.49	clear
Final Purge	7.26	2.422	12.42	clear

mg/l
 CRP DO
 -67.4 3.89
 -92.9 3.40

Sampling Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing Polyethylene Bailer Grundfos Submersible Pump

Sample Number: BAT- B-14(1) -171113
 Sample Collection Date/Time: 11/13/2017 12:35
 Analysis Requested: EPA Method 8260, Biologic Parameters (if circled)

Notes: Biologic Parameters: TOC, Volatile Fatty Acids, Ethene, Ethane, Methane, CO₂, Ferrous Iron, Sulfate, Chloride and Nitrate

Sampler Signature: *K. Cronin*

TEXTRON, INC.
FIELD SAMPLING DATA SHEET
WELL PURGE - WATER QUALITY MEASUREMENTS

Site Name: Textron, Wheatfield, NY
 Project Number: 156045
 Well Number: MW- 87-14(0)
 Date: 11/16/2017
 Field Personnel: K. Cronin - APTIM, Bob Urban - ALS

Physical Condition of Well: Good

Well Diameter: 2"

Air Monitoring Results: 2.2 0.0 ppmv

Depth to Water: ~9.70'

Depth to Bottom: ~16.63'

Purge Volume: 1.1 GALS

Volume Removed: ~3.0 GALS

*Volume Factors: (circle one)
 1.25-inch well = 0.064 gal/ft
 2-inch well = 0.163 gal/ft
 4-inch well = 0.653 gal/ft

Purge Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing Polyethylene Bailer Grundfos Submersible Pump

Well is dry out

Purge Water Disposal: Transported to Plant for Offsite Treatment

PARAMETERS Units	pH s.u.	Spec. Cond. ms/cm	Temp. °C	Sample Description
Initial Purge	<u>7.15</u>	<u>1.272</u>	<u>12.77</u>	<u>clear</u>
Final Purge	<u>7.30</u>	<u>1.256</u>	<u>12.11</u>	<u>clear</u>

lt BAN 70.2810

Sampling Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing Polyethylene Bailer Grundfos Submersible Pump

Sample Number: BAT- 87-14(0) -171116

Sample Collection Date/Time: 11/16/2017 0940

Analysis Requested: EPA Method 8260, Biologic Parameters (if circled)

Notes: Biologic Parameters: TOC, Volatile Fatty Acids, Ethene, Ethane, Methane, CO₂, Ferrous Iron, Sulfate, Chloride and Nitrate

Sampler Signature: *K. Cronin*

TEXTRON, INC.
FIELD SAMPLING DATA SHEET
WELL PURGE - WATER QUALITY MEASUREMENTS

Site Name: Textron, Wheatfield, NY
 Project Number: 156045
 Well Number: MW- 87-17(1)
 Date: 11/14/2017
 Field Personnel: K. Cronin - APTIM, Bob Urban - ALS
 Physical Condition of Well: Good

Well Diameter: 2"
 Air Monitoring Results: 0.4 0.0 ppmv
 Depth to Water: ~ 12.23'
 Depth to Bottom: ~ 32.03'
 Purge Volume: 3.2 GALS
 Volume Removed: ~ 10 GALS

*Volume Factors: (circle one)
 1.25-inch well = 0.064 gal/ft
 2-inch well = 0.163 gal/ft
 4-inch well = 0.653 gal/ft

Purge Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing PVC Polyethylene Bailer Grundfos Submersible Pump

Purge Water Disposal: Transported to Plant for Offsite Treatment

PARAMETERS Units	pH s.u.	Spec. Cond. ms/cm	Temp. °C	Sample Description	
Initial Purge	7.43	2.548	14.27	clear	DO 0.21 -4.13 -82
Final Purge	7.20	2.568	13.56	clear	-4.02 -91.1

Sampling Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing PVC Polyethylene Bailer Grundfos Submersible Pump

Sample Number: BAT- 87-17(1) -171114
 Sample Collection Date/Time: 11/14/2017 1240
 Analysis Requested: EPA Method 8260 (Biologic Parameters (if circled))

Notes: Biologic Parameters: TOC, Volatile Fatty Acids, Ethene, Ethane, Methane, CO₂, Ferrous Iron, Sulfate, Chloride and Nitrate

Sampler Signature: K. Cronin

TEXTRON, INC.
FIELD SAMPLING DATA SHEET
WELL PURGE - WATER QUALITY MEASUREMENTS

Site Name: Textron, Wheatfield, NY
 Project Number: 156045
 Well Number: MW- 87-19(1)
 Date: 11/15/2017
 Field Personnel: K. Cronin - APTIM, Bob Urban - ALS
 Physical Condition of Well: Good
 Well Diameter: 2"
 Air Monitoring Results: 0,0 ppmv
 Depth to Water: ~ 13.25
 Depth to Bottom: ~ 33.94
 Purge Volume: ~ 5.3 GALS
 Volume Removed: ~ 10 GALS

*Volume Factors: (circle one)
 1.25-inch well = 0.064 gal/ft
 2-inch well = 0.163 gal/ft
 4-inch well = 0.653 gal/ft

Purge Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing Polyethylene Bailer Grundfos Submersible Pump

Purge Water Disposal: Transported to Plant for Offsite Treatment

PARAMETERS Units	pH s.u.	Spec. Cond. ms/cm	Temp. °C	Sample Description
Initial Purge	7.58	1.169	13.49	clear
Final Purge	7.17	1.839 ^{kc} 1.893	12.69	clear

Sampling Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing Polyethylene Bailer Grundfos Submersible Pump

Sample Number: BAT- 87-19(1) -171115

Sample Collection Date/Time: 11/15/2017 11:55

Analysis Requested: EPA Method 8260, Biologic Parameters (if circled)

Notes: Biologic Parameters: TOC, Volatile Fatty Acids, Ethene, Ethane, Methane, CO₂, Ferrous Iron, Sulfate, Chloride and Nitrate

Sampler Signature: *Kron Cronin*

TEXTRON, INC.
FIELD SAMPLING DATA SHEET
WELL PURGE - WATER QUALITY MEASUREMENTS

Site Name: Textron, Wheatfield, NY
 Project Number: 156045
 Well Number: MW- 87-20(6)
 Date: 11/15/2017
 Field Personnel: K. Cronin - APTIM, Bob Urban - ALS
 Physical Condition of Well: Good
 Well Diameter: 2"
 Air Monitoring Results: 0,0 ppmv
 Depth to Water: ~6.67'
 Depth to Bottom: ~10.31'
 Purge Volume: 0.6 GAL
 Volume Removed: 1.8 GALS

*Volume Factors: (circle one)
 1.25-inch well = 0.064 gal/ft
 2-inch well = 0.163 gal/ft
 4-inch well = 0.653 gal/ft
 (RMV)

*Well 8
 Drilling
 w/ Volume*

Purge Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing Polyethylene Bailer Grundfos Submersible Pump

Purge Water Disposal: Transported to Plant for Offsite Treatment

PARAMETERS Units	pH s.u.	Spec. Cond. ms/cm	Temp. °C	Sample Description
Initial Purge	7.03	1.204	12.62	clear
Final Purge	6.95	0.772	12.27	✓ SLT, LT (gray) clear (purple)

Sampling Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing Polyethylene Bailer Grundfos Submersible Pump

Sample Number: BAT- 87-20(0) -171115
 Sample Collection Date/Time: 11/15/2017 1320
 Analysis Requested: EPA Method 8260, Biologic Parameters (if circled)

Notes: Biologic Parameters: TOC, Volatile Fatty Acids, Ethene, Ethane, Methane, CO₂, Ferrous Iron, Sulfate, Chloride and Nitrate

Sampler Signature: *Kim Cronin*

TEXTRON, INC.
FIELD SAMPLING DATA SHEET
WELL PURGE – WATER QUALITY MEASUREMENTS

Site Name: Textron, Wheatfield, NY
 Project Number: 156045
 Well Number: MW- 87-20(1)
 Date: 11/14/2017
 Field Personnel: K. Cronin - APTIM, Bob Urban - ALS
 Physical Condition of Well: Good
 Well Diameter: 2"
 Air Monitoring Results: 3.3 0.0 ppmv
 Depth to Water: ~ 11.16'
 Depth to Bottom: ~ 31.31'
 Purge Volume: 3.3 GAL
 Volume Removed: 11 GALS

*Volume Factors: (circle one)
 1.25-inch well = 0.064 gal/ft
 2-inch well = 0.163 gal/ft
 4-inch well = 0.653 gal/ft

Purge Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing Polyethylene Bailer Grundfos Submersible Pump

Purge Water Disposal: Transported to Plant for Offsite Treatment

PARAMETERS	pH	Spec. Cond.	Temp.	Sample	
Units	s.u.	ms/cm	°C	Description	
Initial Purge	7.36	1.666	14.26	clear	1.06 -40
Final Purge	7.31	1.953	13.95	clear	0.47 -39

Sampling Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing Polyethylene Bailer Grundfos Submersible Pump

Sample Number: BAT- 87-20(1) -171114
 Sample Collection Date/Time: 11/14/2017 1350
 Analysis Requested: EPA Method 8260, Biologic Parameters (if circled)

Notes: Biologic Parameters: TOC, Volatile Fatty Acids, Ethene, Ethane, Methane, CO₂, Ferrous Iron, Sulfate, Chloride and Nitrate

Sampler Signature: K. Cronin

TEXTRON, INC.
FIELD SAMPLING DATA SHEET
WELL PURGE – WATER QUALITY MEASUREMENTS

Site Name: Textron, Wheatfield, NY
 Project Number: 156045
 Well Number: MW- 87- 21 (1)
 Date: 11/ 15 /2017
 Field Personnel: K. Cronin - APTIM, Bob Urban - ALS
 Physical Condition of Well: Good
 Well Diameter: 2"
 Air Monitoring Results: 0.0 ppmv
 Depth to Water: ~ 9.88'
 Depth to Bottom: ~ 33.71'
 Purge Volume: ~ 3.9 GALS
 Volume Removed: ~ 12 GALS

*Volume Factors: (circle one)
 1.25-inch well = 0.064 gal/ft
 2-inch well = 0.163 gal/ft
 4-inch well = 0.653 gal/ft

Purge Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing Polyethylene Bailer Grundfos Submersible Pump

Purge Water Disposal: Transported to Plant for Offsite Treatment

PARAMETERS Units	pH s.u.	Spec. Cond. ms/cm	Temp. °C	Sample Description
Initial Purge	<u>7.67</u>	<u>1.078</u>	<u>13.94</u>	<u>clear</u>
Final Purge	<u>7.39</u>	<u>1.053</u>	<u>13.27</u>	<u>clear</u>

Sampling Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing Polyethylene Bailer Grundfos Submersible Pump

Sample Number: BAT- 87- 21 (1) -171115
 Sample Collection Date/Time: 11/ 15 /2017 11:35
 Analysis Requested: EPA Method 8260, Biologic Parameters (if circled)

Notes: Biologic Parameters: TOC, Volatile Fatty Acids, Ethene, Ethane, Methane, CO₂, Ferrous Iron, Sulfate, Chloride and Nitrate
BAT-DWP-2-171115 COLLECTED HERE

Sampler Signature: Kim Cronin

TEXTRON, INC.
FIELD SAMPLING DATA SHEET
WELL PURGE – WATER QUALITY MEASUREMENTS

Site Name: Textron, Wheatfield, NY
 Project Number: 156045
 Well Number: MW- 87-22(1)
 Date: 11/14/2017
 Field Personnel: K. Cronin - APTIM, Bob Urban - ALS
 Physical Condition of Well: Good
 Well Diameter: 2"
 Air Monitoring Results: 1.5 0.0 ppmv
 Depth to Water: ~ 15.91'
 Depth to Bottom: ~ 32.52'
 Purge Volume: ~ 2.7 GALS
 Volume Removed: ~ 8 GALS

*Volume Factors: (circle one)
 1.25-inch well = 0.064 gal/ft
 2-inch well = 0.163 gal/ft
 4-inch well = 0.653 gal/ft

Purge Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing PVC Polyethylene Bailer Grundfos Submersible Pump

Purge Water Disposal: Transported to Plant for Offsite Treatment

PARAMETERS Units	pH s.u.	Spec. Cond. ms/cm	Temp. °C	Sample Description
Initial Purge	7.40	1.928	11.83	clear
Final Purge	7.08	2.414	11.33	clear

Del OR
 -6.18 - 70.1
 -86.4 - 86
 -4.12

Sampling Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing PVC Polyethylene Bailer Grundfos Submersible Pump

Sample Number: BAT- 87-22(1)-171114
 Sample Collection Date/Time: 11/14/2017 1320
 Analysis Requested: EPA Method 8260, (Biologic Parameters) (if circled)

Notes: Biologic Parameters: TOC, Volatile Fatty Acids, Ethene, Ethane, Methane, CO₂, Ferrous Iron, Sulfate, Chloride and Nitrate

Sampler Signature: *K. Cronin*

TEXTRON, INC.
FIELD SAMPLING DATA SHEET
WELL PURGE – WATER QUALITY MEASUREMENTS

Site Name: Textron, Wheatfield, NY
 Project Number: 156045
 Well Number: MW- 09-14(1)
 Date: 11/15/2017
 Field Personnel: K. Cronin - APTIM, Bob Urban - ALS
 Physical Condition of Well: Good
 Well Diameter: 2"
 Air Monitoring Results: 0,0 ppmv
 Depth to Water: ~ 12.91'
 Depth to Bottom: ~ 31.32'
 Purge Volume: ~ 3 GALS
 Volume Removed: ~ 9 GALS

*Volume Factors: (circle one)
 1.25-inch well = 0.064 gal/ft
 2-inch well = 0.163 gal/ft
 4-inch well = 0.653 gal/ft

Purge Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing Polyethylene Bailer Grundfos Submersible Pump

Purge Water Disposal: Transported to Plant for Offsite Treatment

PARAMETERS Units	pH s.u.	Spec. Cond. ms/cm	Temp. °C	Sample Description
Initial Purge	6.94	2.286	13.33	clear
Final Purge	6.73	3.006	12.66	clear

Sampling Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing Polyethylene Bailer Grundfos Submersible Pump

Sample Number: BAT- 09-14(1) -171115
 Sample Collection Date/Time: 11/15/2017 1345
 Analysis Requested: EPA Method 8260, Biologic Parameters (if circled)

Notes: Biologic Parameters: TOC, Volatile Fatty Acids, Ethene, Ethane, Methane, CO₂, Ferrous Iron, Sulfate, Chloride and Nitrate

Sampler Signature: Kevin Cronin

TEXTRON, INC.
FIELD SAMPLING DATA SHEET
WELL PURGE - WATER QUALITY MEASUREMENTS

Site Name: Textron, Wheatfield, NY
 Project Number: 156045
 Well Number: MW- 89-15(1)
 Date: 11/14/2017
 Field Personnel: K. Cronin - APTIM, Bob Urban - ALS
 Physical Condition of Well: Good
 Well Diameter: 2"
 Air Monitoring Results: 0.5 0.0 ppmv
 Depth to Water: ~ 14.0'
 Depth to Bottom: ~ 34.45'
 Purge Volume: ~ 3.3 GALS
 Volume Removed: 10.5 GALS

*Volume Factors: (circle one)
 1.25-inch well = 0.064 gal/ft
 2-inch well = 0.163 gal/ft
 4-inch well = 0.653 gal/ft

Purge Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing Polyethylene Bailer Grundfos Submersible Pump

Purge Water Disposal: Transported to Plant for Offsite Treatment

PARAMETERS Units	pH s.u.	Spec. Cond. ms/cm	Temp. °C	Sample Description	
Initial Purge	<u>7.04</u>	<u>1.301</u>	<u>14.87</u>	<u>clear</u>	<u>1.62 - 58.4</u>
Final Purge	<u>7.39</u>	<u>1.545</u>	<u>14.24</u>	<u>clear</u>	<u>1.74 - 30.3</u>

myk
DO ORP

Sampling Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing Polyethylene Bailer Grundfos Submersible Pump

Sample Number: BAT- 89-15(1)-171114
 Sample Collection Date/Time: 11/14/2017 0930
 Analysis Requested: EPA Method 8260, Biologic Parameters (if circled)

Notes: Biologic Parameters: TOC, Volatile Fatty Acids, Ethene, Ethane, Methane, CO₂, Ferrous Iron, Sulfate, Chloride and Nitrate

Sampler Signature: *Kevin Cronin*

TEXTRON, INC.
FIELD SAMPLING DATA SHEET
WELL PURGE - WATER QUALITY MEASUREMENTS

Site Name: Textron, Wheatfield, NY
 Project Number: 156045
 Well Number: MW-93-03(1)
 Date: 11/15/2017
 Field Personnel: K. Cronin - APTIM, Bob Urban - ALS
 Physical Condition of Well: Good
 Well Diameter: 2"
 Air Monitoring Results: 0.0 ppmv ✓
 Depth to Water: -10.00'
 Depth to Bottom: -46.93'
 Purge Volume: 6.0'
 Volume Removed: ~

*Volume Factors: (circle one)
 1.25-inch well = 0.064 gal/ft
 2-inch well = 0.163 gal/ft
 4-inch well = 0.653 gal/ft

*Y level
 2003*

Purge Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing Polyethylene Bailer Grundfos Submersible Pump

Purge Water Disposal: Transported to Plant for Offsite Treatment

PARAMETERS Units	pH s.u.	Spec. Cond. ms/cm	Temp. °C	Sample Description
Initial Purge	6.60	3.068	11.28	clear
Final Purge	6.74	3.069	10.73	clear

Sampling Method: circle one

Stainless Steel Bailer Dedicated Poly Tubing from Sampling Port Whale Pump with ET Tubing Polyethylene Bailer Grundfos Submersible Pump

Sample Number: BAT-93-03(1)-171115

Sample Collection Date/Time: 11/15/2017 10:55

Analysis Requested: EPA Method 8260, Biologic Parameters (if circled)

Notes: Biologic Parameters: TOC, Volatile Fatty Acids, Ethene, Ethane, Methane, CO₂, Ferrous Iron, Sulfate, Chloride and Nitrate

BAT-93-03(1)-171115 MS/MSD COLLECTED HERE

Sampler Signature: *Kim Cronin*

Appendix D

Chain-of-Custody Forms



CHAIN OF CUSTODY/LABORATORY ANALYSIS REQUEST FORM

48376

1565 Jefferson Road, Building 300, Suite 360 • Rochester, NY 14623 | +1 585 288 5380 +1 585 288 8475 (fax) PAGE 1 OF 2

Project Name: TEXTILE ANNUAL
Project Manager: CECELIA BYERS
Company/Address: APTIM, INC
 13 BRITISH AMERICAN BLD,
 LATHAM, NY 14601
Phone #: 516 783 1996
Sample's Signature: [Signature]
Sample's Printed Name: KEVIN COANIN
Email: CECELIA.BYERS@APTIM.COM
Project Number: 156045
Report OC:

ANALYSIS REQUESTED (Include Method Number and Container Preservative)

CLIENT SAMPLE ID	FOR OFFICE USE ONLY LAB ID	DATE	SAMPLING TIME	MATRIX	NUMBER OF CONTAINERS	PRESERVATIVE	ANALYSIS REQUESTED (Include Method Number and Container Preservative)
BAT-EW-0-17114		11/14/17	1510	GR	3		
BAT-EW-2-17115		11/15/17	0850	GR	5		
BAT-EW-3-17115			0910	GR	5		
BAT-EW-4-17115			0930	GR	5		
BAT-EW-5-17115			0950	GR	3		
BAT-EW-6-17115			1015	GR	5		
BAT-93-03(1)-17115			1055	GR	3		
BAT-93-03(1)-17115 MS			1055	GR	3		
BAT-87-21(1)-17115			1135	GR	3		
BAT-87-19(1)-17115			1155	GR	3		
BAT-DUP-2-17115				GR	3		

REMARKS/ALTERNATE DESCRIPTION:

Preservative Key:
 0. NONE
 1. HCL
 2. HNO3
 3. H2SO4
 4. NaOH
 5. Zn Acetate
 6. MeOH
 7. NaHSO4
 8. Other

TURNAROUND REQUIREMENTS (SURCHARGES APPLY)
 RUSH (SURCHARGES APPLY)
 1 day 2 day 3 day
 4 day 5 day
 REQUESTED REPORT DATE: 5/17/18

REPORT REQUIREMENTS
 I. Results Only
 II. Results + QC Summaries (LCS, DUP, MS/MSD as required)
 III. Results + QC and Calibration Summaries
 IV. Data Validation Report with Raw Data
 Edeta Yes No

RECEIVED BY: [Signature] [Printed Name] [Firm] [Date/Time]

RECEIVED BY: [Signature] [Printed Name] [Firm] [Date/Time]

RECEIVED BY: [Signature] [Printed Name] [Firm] [Date/Time]

RECEIVED BY: [Signature] [Printed Name] [Firm] [Date/Time]

STATE WHERE SAMPLES WERE COLLECTED:

SPECIAL INSTRUCTIONS/COMMENTS:
 Metals

See QAPP



CHAIN OF CUSTODY/LABORATORY ANALYSIS REQUEST FORM

48377

1565 Jefferson Road, Building 300, Suite 360 • Rochester, NY 14623 | +1 585 288 5380 +1 585 288 8475 (fax) PAGE 2 OF 2

Project Name <i>Textrol Annual</i>		Project Number <i>18045</i>		ANALYSIS REQUESTED (Include Method Number and Container Preservative)																							
Project Manager <i>CECELIA BYERS</i>		Report CC		PRESERVATIVE <i>19</i>		NUMBER OF CONTAINERS		GC/MS VOAS 8260 • 824 • CLP		GC/MS SVOAS 8270 • 825		PESTICIDES 8081 • 808		PCBS 8082 • 808		METALS, TOTAL (List in comments below)		METALS, DISSOLVED (List in comments below)		604 UM		608 GRS (and level)		REAGENTS		PH	
Company/Address <i>APTIM INC 13 BRITISH AMERICAN BLVD LATHAM, NY 12110</i>		Phone # <i>518-763-1996</i>		Email <i>CECELIA.BYERS@APTIM.COM</i>		Sampler's Printed Name		FOR OFFICE USE ONLY LAB ID		DATE		SAMPLING TIME		MATRIX													
CLIENT SAMPLE ID																											
<i>BAT-07-20(0)-17115</i>										<i>11/15/17</i>		<i>1320</i>		<i>GN</i>													
<i>BAT-09-14(0)-17115</i>										<i>1345</i>																	
<i>BAT-02-2-17115</i>										<i>1420</i>																	
<i>BAT-02-13-17115</i>										<i>1445</i>																	
<i>BAT-17-05(0)-17115</i>										<i>1535</i>																	
<i>BAT-17-04(0)-17115</i>										<i>1600</i>																	
<i>BAT-07-11(0)-17116</i>										<i>11/16/17</i>		<i>0920</i>															
<i>BAT-07-14(0)-17116</i>										<i>0940</i>																	
<i>BAT-FB-2-17116</i>										<i>1005</i>																	
<i>TEXTROL DORGE WARE</i>										<i>11/16/17</i>		<i>1015</i>															

SPECIAL INSTRUCTIONS/COMMENTS Metals		TURNAROUND REQUIREMENTS RUSH (SURCHARGES APPLY) 1 day ___ 2 day ___ 3 day ___ 4 day ___ 5 day ___ <i>STANDARD</i>		REPORT REQUIREMENTS I. Results Only ___ II. Results + QC Summaries (LCS, DUP, MS/MSD as required) <input checked="" type="checkbox"/> III. Results + QC and Calibration Summaries ___ IV. Data Validation Report with Raw Data ___		INVOICE INFORMATION PO # ___ BILL TO: ___	
		REQUESTED REPORT DATE		Edata ___ Yes ___ No		RECEIVED BY	
		RECEIVED BY		RECEIVED BY		RECEIVED BY	
Signature <i>[Signature]</i>		Signature		Signature		Signature	
Printed Name <i>KEVIN CRONIN</i>		Printed Name		Printed Name		Printed Name	
Firm <i>APTIM</i>		Firm		Firm		Firm	
Date/Time <i>11/16/17</i>		Date/Time		Date/Time		Date/Time	

Appendix E

ALS Environmental, Inc. Analytical Report



January 11, 2018

Service Request No:R1710788

Ms. Cecelia Byers
APTIM, Inc
2790 Mosside Boulevard
Monroeville, PA 15146

Laboratory Results for: Textron Wheatfield

Dear Ms.Byers,

Enclosed are the results of the sample(s) submitted to our laboratory November 13, 2017
For your reference, these analyses have been assigned our service request number **R1710788**.

All analyses were performed according to our laboratory's quality assurance program. The test results meet requirements of the NELAP standards except as noted in the case narrative report. All results are intended to be considered in their entirety, and ALS Environmental is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report. The measurement uncertainty of the results included in this report is within that expected when using the prescribed method(s) for analysis of these samples, and represented by Laboratory Control Sample control limits. Any events, such as QC failures, which may add to the uncertainty are explained in the report narrative.

Please contact me if you have any questions. My extension is 7472. You may also contact me via email at Janice.Jaeger@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental

Janice Jaeger
Project Manager

ADDRESS 1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
PHONE +1 585 288 5380 | FAX +1 585 288 8475
ALS Group USA, Corp.
dba ALS Environmental



Narrative Documents

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com



Client: APTIM, Inc
Project: Textron Wheatfield 156045
Sample Matrix: Water

Service Request: R1710788
Date Received: 11/13/17

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples designated for Tier II data deliverables, including results of QC samples analyzed from this delivery group. Analytical procedures performed by the lab are validated in accordance with NELAC standards. Any parameters that are not included in the lab's NELAC accreditation are identified on a "Non-Certified Analytes" report in the Miscellaneous Forms Section of this report. Individual analytical results requiring further explanation are flagged with qualifiers and/or discussed below. The flags are explained in the Report Qualifiers and Definitions page in the Miscellaneous Forms section of this report.

Sample Receipt

Twelve Water samples were received for analysis at ALS Environmental on 11/13-16/2017. Any discrepancies noted upon initial sample inspection are noted on the cooler receipt and preservation form included in this data package. The samples were received in good condition and consistent with the accompanying chain of custody form. Samples are refrigerated at $\leq 6^{\circ}\text{C}$ upon receipt at the lab except for aqueous samples designated for metals analyses, which are stored at room temperature.

Volatile Organic Analyses:

Method 8260, 11/17/17: The lower control limit was exceeded for one or more analytes in the Continuing Calibration Verification (CCV). Since there were no detections of the analyte(s) in the associated field samples, the quantitation is not affected. The data quality was not significantly affected and no further corrective action was taken.

Approved by  Date 1/11/2018



SAMPLE DETECTION SUMMARY

CLIENT ID: BAT-DW-11-171113 **Lab ID: R1710788-002**

Analyte	Results	Flag	MDL	PQL	Units	Method
Chloromethane	0.45	J	0.21	1.0	ug/L	8260C
Vinyl Chloride	100		0.32	1.0	ug/L	8260C
Chloroethane	29		0.24	1.0	ug/L	8260C
1,1-Dichloroethene	1.2		0.57	1.0	ug/L	8260C
Carbon Disulfide	0.35	J	0.22	1.0	ug/L	8260C
trans-1,2-Dichloroethene	1.0		0.33	1.0	ug/L	8260C
1,1-Dichloroethane	8.6		0.20	1.0	ug/L	8260C
cis-1,2-Dichloroethene	110		0.30	1.0	ug/L	8260C
1,1,1-Trichloroethane	45		0.36	1.0	ug/L	8260C
Trichloroethene	35		0.22	1.0	ug/L	8260C

CLIENT ID: BAT-DW-12-171113 **Lab ID: R1710788-003**

Analyte	Results	Flag	MDL	PQL	Units	Method
Acetone	2.4	J	1.3	5.0	ug/L	8260C
cis-1,2-Dichloroethene	1.5		0.30	1.0	ug/L	8260C
Trichloroethene	1.2		0.22	1.0	ug/L	8260C

CLIENT ID: BAT-B-14(1)-171113 **Lab ID: R1710788-007**

Analyte	Results	Flag	MDL	PQL	Units	Method
Vinyl Chloride	190		0.64	2.0	ug/L	8260C
1,1-Dichloroethene	1.8	J	1.2	2.0	ug/L	8260C
Carbon Disulfide	0.64	J	0.44	2.0	ug/L	8260C
trans-1,2-Dichloroethene	1.8	J	0.66	2.0	ug/L	8260C
1,1-Dichloroethane	18		0.40	2.0	ug/L	8260C
cis-1,2-Dichloroethene	140		0.60	2.0	ug/L	8260C
1,1,1-Trichloroethane	75		0.72	2.0	ug/L	8260C
Trichloroethene	1.8	J	0.44	2.0	ug/L	8260C



Sample Receipt Information

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com



Cooler Receipt and Preservation Check Form

R1710788

5

APTIM, Inc
Textron Wheatfield Annual



Project/Client APTIM Folder Number _____

Cooler received on 11/14/17 by DLW

COURIER: ALS UPS FEDEX VELOCITY CLIENT

1	Were Custody seals on outside of cooler?	Y <input checked="" type="radio"/> N
2	Custody papers properly completed (ink, signed)?	Y <input checked="" type="radio"/> N
3	Did all bottles arrive in good condition (unbroken)?	Y <input checked="" type="radio"/> N
4	Circle: Wet <input checked="" type="radio"/> Ice <input type="radio"/> Dry Ice <input type="radio"/> Gel packs present?	Y <input checked="" type="radio"/> N

5a	Perchlorate samples have required headspace?	Y N <input checked="" type="radio"/> NA
5b	Did VOA vials, Alk, or Sulfide have sig* bubbles?	Y <input checked="" type="radio"/> N NA
6	Where did the bottles originate?	ALS <input checked="" type="radio"/> ROC CLIENT
7	Soil VOA received as:	Bulk Encore 5035set <input checked="" type="radio"/> NA

8. Temperature Readings Date: 11/14/17 Time: 1742 ID: IR#7 IR#9 From: Temp Blank Sample Bottle

Observed Temp (°C)	<u>3.5</u>	<u>3.3</u>	<u>4.9</u>				
Correction Factor (°C)	<u>±0.0</u>	<u>±0.0</u>	<u>±0.0</u>				
Corrected Temp (°C)	<u>3.5</u>	<u>3.3</u>	<u>4.9</u>				
Temp from: Type of bottle							
Within 0-6°C?	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	<input checked="" type="radio"/> Y <input type="radio"/> N	Y N	Y N	Y N	Y N
If <0°C, were samples frozen?	Y N	Y N	Y N	Y N	Y N	Y N	Y N

If out of Temperature, note packing/ice condition: _____ Ice melted Poorly Packed (described below) Same Day Rule
& Client Approval to Run Samples: _____ Standing Approval Client aware at drop-off Client notified by: _____

All samples held in storage location: R-022 by DLW on 11/14/17 at 1742
5035 samples placed in storage location: _____ by _____ on _____ at _____

Cooler Breakdown: Date: 11/15/17 Time: 1336 by: DLW
9. Were all bottle labels complete (i.e. analysis, preservation, etc.)? YES NO det/ten
10. Did all bottle labels and tags agree with custody papers? YES NO
11. Were correct containers used for the tests indicated? YES NO
12. Were 5035 vials acceptable (no extra labels, not leaking)? YES NO
13. Air Samples: Cassettes / Tubes Intact Canisters Pressurized Tedlar® Bags Inflated N/A

pH	Lot of test paper	Reagent	Preserved?		Lot Received	Exp	Sample ID	Vol. Added	Lot Added	Final pH
			Yes	No						
≥12		NaOH								
≤2		HNO ₃								
≤2	<u>213916</u>	H ₂ SO ₄	<input checked="" type="checkbox"/>		<u>2FG0235</u>	<u>10/18</u>				
<4		NaHSO ₄								
Residual Chlorine (-)		For CN ⁻ Phenol and 522			If +, contact PM to add Na ₂ S ₂ O ₃ (CN), ascorbic (phenol).					
		Na ₂ S ₂ O ₃	-	-						
		ZnAcetate	-	-						
		HCl	**	**	<u>H115022</u>					

**Not to be tested before analysis – pH tested and recorded by VOAs on a separate worksheet

Bottle lot numbers: 7-080-001, 6-251-001, 100917-2990, 070117-18MC
Explain all Discrepancies/ Other Comments:

H₂SO₄: 174351 Exp 2/18
Samples rec'd 11/14/17 without COC
ALys.

CLRES	BULK
DO	FLDT
HPROD	HGFB
HTR	LL3541
PH	SUB
SO3	MARRS
ALS	REV

Labels secondary reviewed by: DLW
PC Secondary Review: DLW



CHAIN OF CUSTODY/LABORATORY ANALYSIS REQUEST FORM

48149

1565 Jefferson Road, Building 300, Suite 360 • Rochester, NY 14623 | +1 585 288 5380 +1 585 288 8475 (fax) PAGE 1 OF 1

Project Name TEXTON BIO WELLS		Project Number		ANALYSIS REQUESTED (Include Method Number and Container Preservative)																													
Project Manager KEVIN CROWIN		Report CC		PRESERVATIVE																													
Company/Address APTIM INC				NUMBER OF CONTAINERS	GC/MS VOAs • 8260 • 824 • CLP	GC/MS SVOAs • 8270 • 825	GC VOAs • 8021 • 601/602	PESTICIDES • 8081 • 608	PCBs • 8082 • 608	METALS, TOTAL (List in comments below)	METALS, DISSOLVED (List in comments below)	FFA							Preservative Key 0. NONE 1. HCL 2. HNO3 3. H2SO4 4. NaOH 5. Zn. Acetate 6. MeOH 7. NaHSO4 8. Other _____														
Phone #		Email																		REMARKS/ ALTERNATE DESCRIPTION													
Sampler's Signature <i>Kevin Crowin</i>		Sampler's Printed Name KEVIN CROWIN																															
CLIENT SAMPLE ID	FOR OFFICE USE ONLY LAB ID	SAMPLING		MATRIX																													
89-10 (1)		DATE	TIME																														
89-12 (1)		11/16/17	1045																														
			1055	W																													
SPECIAL INSTRUCTIONS/COMMENTS Metals					TURNAROUND REQUIREMENTS					REPORT REQUIREMENTS					INVOICE INFORMATION																		
					RUSH (SURCHARGES APPLY)					I. Results Only					PO #																		
					1 day 2 day 3 day 4 day 5 day					II. Results + QC Summaries (LCS, DUP, MS/MSD as required)					BILL TO:																		
					REQUESTED REPORT DATE					III. Results + QC and Calibration Summaries																							
See QAPP <input type="checkbox"/>										IV. Data Validator Report with Raw Data					Edata Yes No																		
STATE WHERE SAMPLES WERE COLLECTED																																	
RELINQUISHED BY		RECEIVED BY		RELINQUISHED BY		RECEIVED BY		RELINQUISHED BY		RECEIVED BY		RELINQUISHED BY		RECEIVED BY		RELINQUISHED BY		RECEIVED BY															
Signature <i>Kevin Crowin</i>		Signature <i>[Signature]</i>		Signature		Signature		Signature		Signature		Signature		Signature		Signature		Signature															
Printed Name KEVIN CROWIN		Printed Name [Name]		Printed Name		Printed Name		Printed Name		Printed Name		Printed Name		Printed Name		Printed Name		Printed Name															
Firm APTIM		Firm [Firm]		Firm		Firm		Firm		Firm		Firm		Firm		Firm		Firm															
Date/Time 11/16/17		Date/Time 11/16/17 1235		Date/Time		Date/Time		Date/Time		Date/Time		Date/Time		Date/Time		Date/Time		Date/Time															

Distribution: White - Lab Copy; Yellow - Return to Originator

7 of 35

R1710788 **5**

APTIM, Inc
Texton Wheatfield Annual



Cooler Receipt and Preservation Check Form

R1710788

5

APTIM, Inc
Textron Wheatfield Annual



Project/Client APTIM Folder Number R1710788

Cooler received on 11/16/17 by: e COURIER: ALS UPS FEDEX VELOCITY CLIENT

1	Were Custody seals on outside of cooler?	Y <input checked="" type="radio"/> N <input type="radio"/>
2	Custody papers properly completed (ink, signed)?	Y <input checked="" type="radio"/> N <input type="radio"/>
3	Did all bottles arrive in good condition (unbroken)?	Y <input checked="" type="radio"/> N <input type="radio"/>
4	Circle: <u>Wet Ice</u> Dry Ice Gel packs present?	Y <input checked="" type="radio"/> N <input type="radio"/>

5a	Perchlorate samples have required headspace?	Y <input type="radio"/> N <input checked="" type="radio"/> NA <input type="radio"/>
5b	Did VOA vials, Alk, or Sulfide have sig* bubbles?	Y <input type="radio"/> N <input checked="" type="radio"/> NA <input type="radio"/>
6	Where did the bottles originate?	<u>ALS/ROC</u> CLIENT
7	Soil VOA received as: Bulk Encore 5035set	<u>NA</u>

8. Temperature Readings Date: 11/16/17 Time: 1244 ID: IR#7 IR#9 From: Temp Blank Sample Bottle

Observed Temp (°C)	<u>1.7</u>	<u>0.9</u>						
Correction Factor (°C)	<u>+0.6</u>	<u>+0.6</u>						
Corrected Temp (°C)	<u>2.3</u>	<u>1.5</u>						
Temp from: Type of bottle	<u>Cont. tube</u>	<u>Cont. tube</u>						
Within 0-6°C?	Y <input checked="" type="radio"/> N <input type="radio"/>	Y <input checked="" type="radio"/> N <input type="radio"/>	Y <input type="radio"/> N <input type="radio"/>	Y <input type="radio"/> N <input type="radio"/>	Y <input type="radio"/> N <input type="radio"/>	Y <input type="radio"/> N <input type="radio"/>	Y <input type="radio"/> N <input type="radio"/>	Y <input type="radio"/> N <input type="radio"/>
If <0°C, were samples frozen?	Y <input type="radio"/> N <input checked="" type="radio"/>	Y <input type="radio"/> N <input checked="" type="radio"/>	Y <input type="radio"/> N <input type="radio"/>	Y <input type="radio"/> N <input type="radio"/>	Y <input type="radio"/> N <input type="radio"/>	Y <input type="radio"/> N <input type="radio"/>	Y <input type="radio"/> N <input type="radio"/>	Y <input type="radio"/> N <input type="radio"/>

If out of Temperature, note packing/ice condition: _____ Ice melted Poorly Packed (described below) Same Day Rule
& Client Approval to Run Samples: _____ Standing Approval Client aware at drop-off Client notified by: _____

All samples held in storage location: Roc by e on 11/16/17 at 1246
5035 samples placed in storage location: _____ by _____ on _____ at _____

Cooler Breakdown: Date: 11-17 Time: 1015 by: RE

- 9. Were all bottle labels complete (i.e. analysis, preservation, etc.)? YES NO
- 10. Did all bottle labels and tags agree with custody papers? YES NO
- 11. Were correct containers used for the tests indicated? YES NO
- 12. Were 5035 vials acceptable (no extra labels, not leaking)? YES NO
- 13. Air Samples: Cassettes / Tubes Intact Canisters Pressurized Tediard® Bags Inflated N/A

pH	Lot of test paper	Reagent	Preserved?		Lot Received	Exp	Sample ID	Vol. Added	Lot Added	Final pH
			Yes	No						
≥12		NaOH								
≤2		HNO ₃								
≤2		H ₂ SO ₄								
<4		NaHSO ₄								
Residual Chlorine (-)		For CN Phenol and 522			If +, contact PM to add Na ₂ S ₂ O ₃ (CN), ascorbic (phenol).					
		Na ₂ S ₂ O ₃	-	-						
		ZnAcetate	-	-						
		HCl	**	**						

**Not to be tested before analysis – pH tested and recorded by VOAs on a separate worksheet

Bottle lot numbers: _____
Explain all Discrepancies/ Other Comments: _____

CLRES	BULK
DO	FLDT
HPROD	HGFB
HTR	LL3541
PH	SUB
SO3	MARRS
<u>ALS</u>	REV

Labels secondary reviewed by: RE
PC Secondary Review: RE

*significant air bubbles: VOA > 5-6 mm : WC > 1 in. diameter
8 of 35




CHAIN OF CUSTODY/LABORATORY ANALYSIS REQUEST FORM

48166

1565 Jefferson Road, Building 300, Suite 360 • Rochester, NY 14623 | +1 585 288 5380 +1 585 288 8475 (fax) PAGE 1 OF

Project Name TEXTRON ANNUAL		Project Number 156045		ANALYSIS REQUESTED (Include Method Number and Container Preservative)																			
Project Manager Cecelia Byers		Report CC		PRESERVATIVE 1/8 1/2 3/8 7/8																			
Company/Address APTIM, INC 13 BRITISH AMERICAN BLVD LATHAM, NY 12110		Email CECELIA.BYERS@APTIM.COM		NUMBER OF CONTAINERS	GC/MS VOA's • 8260 • 824 • CLP	GC/MS SVOA's • 8270 • 825	GC VOA's • 8021 • 801/802	PESTICIDES • 8081 • 808	PCBs • 8082 • 808	METALS, TOTAL (List in comments below)	METALS, DISSOLVED (List in comments below)	RSK - 175	TOC	ORGANIC ACID	ALKALINITY	FREED PH KC	Preservative Key						
Phone # 518-783-1996		Sampler's Signature Kevin Cronin															Sampler's Printed Name KEVIN CRONIN		0. NONE 1. HCL 2. HNO ₃ 3. H ₂ SO ₄ 4. NaOH 5. Zn. Acetate 6. MeOH 7. NaHSO ₄ 8. Other 9. H₂PO₄		REMARKS/ ALTERNATE DESCRIPTION		
CLIENT SAMPLE ID	FOR OFFICE USE ONLY LAB ID	SAMPLING DATE		TIME	MATRIX	12	1	2	3	4	5	6	7	8	9	10	11	12					
BAT 87-09(1)-171113		11/13/17	1030	GW	12	X													FIELD PH				
BAT DW-11-171113			1050		↓	X													PH: 7.28				
BAT DW-12-171113			1110		↓	X													PH: 7.85				
BAT DW-12-171113 MS/MSD			1110		6	X													PH: 7.64				
BAT 89-12(1)-171113			1135		12	X													PH: 7.13				
BAT 89-10(1)-171113			1210		12	X													PH: 7.13				
BAT B-14(1)-171113			1235		12	X													PH: 7.06				
BAT-87-02(1)171113			1310		12	X													PH: 7.13				
BAT-87-01(1)171113			1350		12	X													PH: 6.96				
BAT-BIO DW-171113			—		12	X													PH: 7.10				
SPECIAL INSTRUCTIONS/COMMENTS Metals Fe +2, NO₃, Cl, SO₄						TURNAROUND REQUIREMENTS RUSH (SURCHARGES APPLY) 1 day 2 day 3 day 4 day 5 day STANDARD REQUESTED REPORT DATE						REPORT REQUIREMENTS I. Results Only <input checked="" type="checkbox"/> II. Results + QC Summaries (LCS, DUP, MS/MSD as required) III. Results + QC and Calibration Summaries IV. Data Validation Report with Raw Data Edata <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No						INVOICE INFORMATION PO # BILL TO:					
STATE WHERE SAMPLES WERE COLLECTED						RELINQUISHED BY						RECEIVED BY											
Signature Kevin Cronin		Signature Kyle Lee		Signature Kyle Lee		Signature Daniel Ward		Signature		Signature		Signature		Signature		Signature		Signature					
Printed Name KEVIN CRONIN		Printed Name Kyle Lee		Printed Name Kyle Lee		Printed Name Daniel Ward		Printed Name		Printed Name		Printed Name		Printed Name		Printed Name		Printed Name					
Firm APTIM		Firm ALS		Firm ALS		Firm ALS		Firm ALS		Firm ALS		Firm ALS		Firm ALS		Firm ALS		Firm ALS					
Date/Time 11/13/17 1400		Date/Time 11/13/17 1400		Date/Time 11/13/17 1550		Date/Time 11/13/17 1530		Date/Time		Date/Time		Date/Time		Date/Time		Date/Time		Date/Time					

R1710788
 APTIM, Inc
 Textron Wheatfield Annual

5



Cooler Receipt and Preservation Check Form

R1710788

5

APTIM, Inc
Textron Wheatfield Annual



Project/Client APTIM

Folder Number R1710788

Cooler received on 11/13/17

by DM

COURIER: ALS UPS FEDEX VELOCITY CLIENT

1	Were Custody seals on outside of cooler?	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>
2	Custody papers properly completed (ink, signed)?	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>
3	Did all bottles arrive in good condition (unbroken)?	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>
4	Circle: <u>Wet Ice</u> Dry Ice Gel packs present?	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>

5a	Perchlorate samples have required headspace?	Y <input type="checkbox"/> N <input checked="" type="checkbox"/> NA
5b	Did VOA vials, Alk, or Sulfide have sig* bubbles?	Y <input checked="" type="checkbox"/> N <input type="checkbox"/> NA
6	Where did the bottles originate?	<u>AKS/ROC</u> CLIENT
7	Soil VOA received as:	Bulk Encore 5035set <u>NA</u>

8. Temperature Readings Date: 11/13/17 Time: 1603

ID: R#7 IR#9

From: Temp Blank Sample Bottle

Observed Temp (°C)	<u>5.6</u>						
Correction Factor (°C)	<u>±0.0</u>						
Corrected Temp (°C)	<u>5.6</u>						
Temp from: Type of bottle							
Within 0-6°C?	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	<input type="checkbox"/> Y <input type="checkbox"/> N	<input type="checkbox"/> Y <input type="checkbox"/> N	<input type="checkbox"/> Y <input type="checkbox"/> N	<input type="checkbox"/> Y <input type="checkbox"/> N	<input type="checkbox"/> Y <input type="checkbox"/> N	<input type="checkbox"/> Y <input type="checkbox"/> N
If <0°C, were samples frozen?	<input type="checkbox"/> Y <input type="checkbox"/> N	<input type="checkbox"/> Y <input type="checkbox"/> N	<input type="checkbox"/> Y <input type="checkbox"/> N	<input type="checkbox"/> Y <input type="checkbox"/> N	<input type="checkbox"/> Y <input type="checkbox"/> N	<input type="checkbox"/> Y <input type="checkbox"/> N	<input type="checkbox"/> Y <input type="checkbox"/> N

If out of Temperature, note packing/ice condition: _____ Ice melted Poorly Packed (described below) Same Day Rule

& Client Approval to Run Samples: _____ Standing Approval Client aware at drop-off Client notified by: _____

All samples held in storage location: R-002 by DM on 11/13/17 at 1603
 5035 samples placed in storage location: _____ by _____ on _____ at _____

Cooler Breakdown: Date: 11-14-17 Time: 11:30 by: RZ

- 9. Were all bottle labels complete (i.e. analysis, preservation, etc.)? YES NO
- 10. Did all bottle labels and tags agree with custody papers? YES NO
- 11. Were correct containers used for the tests indicated? YES NO
- 12. Were 5035 vials acceptable (no extra labels, not leaking)? YES NO
- 13. Air Samples: Cassettes / Tubes Intact Canisters Pressurized Tedlar® Bags Inflated

No sample dates/times on bottles

pH	Lot of test paper	Reagent	Preserved?		Lot Received	Exp	Sample ID	Vol. Added	Lot Added	Final pH
			Yes	No						
≥12		NaOH								
≤2		HNO ₃								
≤2	<u>Q13916</u>	H ₂ SO ₄	<input checked="" type="checkbox"/>		<u>2FG0235</u>	<u>10/18</u>				
<4		NaHSO ₄								
Residual Chlorine (-)		For CN Phenol and 522			If +, contact PM to add Na ₂ S ₂ O ₃ (CN), ascorbic (phenol).					
		Na ₂ S ₂ O ₃	-	-						
		ZnAcetate	-	-						
		HCl	**	**	<u>44502</u>	<u>11/18</u>				

*Not to be tested before analysis - pH tested and recorded by VOAs on a separate worksheet

Bottle lot numbers: 7-080-001, 7-249-002, 4115120, 070117-1BMC, 100917-2AAD

Explain all Discrepancies/ Other Comments:

H₃PO₄ Lot 174351 exp 02/18

CLRES	BULK
DO	FLDT
HPROD	HGFB
HTR	LL3541
PH	SUB
SO3	MARRS
ALS	REV

Labels secondary reviewed by: [Signature]
PC Secondary Review: [Signature]

*significant air bubbles: VOA > 5-6 mm : WC > 1 in. diameter



Miscellaneous Forms

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

REPORT QUALIFIERS AND DEFINITIONS

<p>U Analyte was analyzed for but not detected. The sample quantitation limit has been corrected for dilution and for percent moisture, unless otherwise noted in the case narrative.</p> <p>J Estimated value due to either being a Tentatively Identified Compound (TIC) or that the concentration is between the MRL and the MDL. Concentrations are not verified within the linear range of the calibration. For DoD: concentration >40% difference between two GC columns (pesticides/Aroclors).</p> <p>B Analyte was also detected in the associated method blank at a concentration that may have contributed to the sample result.</p> <p>E Inorganics- Concentration is estimated due to the serial dilution was outside control limits.</p> <p>E Organics- Concentration has exceeded the calibration range for that specific analysis.</p> <p>D Concentration is a result of a dilution, typically a secondary analysis of the sample due to exceeding the calibration range or that a surrogate has been diluted out of the sample and cannot be assessed.</p> <p>* Indicates that a quality control parameter has exceeded laboratory limits. Under the "Notes" column of the Form I, this qualifier denotes analysis was performed out of Holding Time.</p> <p>H Analysis was performed out of hold time for tests that have an "immediate" hold time criteria.</p> <p># Spike was diluted out.</p>	<p>+ Correlation coefficient for MSA is <0.995.</p> <p>N Inorganics- Matrix spike recovery was outside laboratory limits.</p> <p>N Organics- Presumptive evidence of a compound (reported as a TIC) based on the MS library search.</p> <p>S Concentration has been determined using Method of Standard Additions (MSA).</p> <p>W Post-Digestion Spike recovery is outside control limits and the sample absorbance is <50% of the spike absorbance.</p> <p>P Concentration >40% difference between the two GC columns.</p> <p>C Confirmed by GC/MS</p> <p>Q DoD reports: indicates a pesticide/Aroclor is not confirmed ($\times 100\%$ Difference between two GC columns).</p> <p>X See Case Narrative for discussion.</p> <p>MRL Method Reporting Limit. Also known as:</p> <p>LOQ Limit of Quantitation (LOQ) The lowest concentration at which the method analyte may be reliably quantified under the method conditions.</p> <p>MDL Method Detection Limit. A statistical value derived from a study designed to provide the lowest concentration that will be detected 99% of the time. Values between the MDL and MRL are estimated (see J qualifier).</p> <p>LOD Limit of Detection. A value at or above the MDL which has been verified to be detectable.</p> <p>ND Non-Detect. Analyte was not detected at the concentration listed. Same as U qualifier.</p>
---	--



Rochester Lab ID # for State Certifications¹

Connecticut ID # PH0556	Maine ID #NY0032	New Hampshire ID #
Delaware Approved	New Jersey ID # NY004	294100 A/B
DoD ELAP #65817	New York ID # 10145	Pennsylvania ID# 68-786
Florida ID # E87674	North Carolina #676	Rhode Island ID # 158
		Virginia #460167

¹ Analyses were performed according to our laboratory's NELAP-approved quality assurance program and any applicable state or agency requirements. The test results meet requirements of the current NELAP/TNI standards or state or agency requirements, where applicable, except as noted in the case narrative. Since not all analyte/method/matrix combinations are offered for state/NELAC accreditation, this report may contain results which are not accredited. For a specific list of accredited analytes, contact the laboratory or go to <https://www.alsglobal.com/locations/americas/north-america/usa/new-york/rochester-environmental>

ALS Laboratory Group

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

ALS Group USA, Corp.
dba ALS Environmental

Analyst Summary report

Client: APTIM, Inc
Project: Textron Wheatfield Biologic/156045

Service Request: R1710788

Sample Name: BAT-DW-11-171113
Lab Code: R1710788-002
Sample Matrix: Water

Date Collected: 11/13/17
Date Received: 11/13/17

Analysis Method
8260C

Extracted/Digested By

Analyzed By
KRUEST

Sample Name: BAT-DW-12-171113
Lab Code: R1710788-003
Sample Matrix: Water

Date Collected: 11/13/17
Date Received: 11/13/17

Analysis Method
8260C

Extracted/Digested By

Analyzed By
KRUEST

Sample Name: BAT-B-14(1)-171113
Lab Code: R1710788-007
Sample Matrix: Water

Date Collected: 11/13/17
Date Received: 11/13/17

Analysis Method
8260C

Extracted/Digested By

Analyzed By
KRUEST



INORGANIC PREPARATION METHODS

The preparation methods associated with this report are found in these tables unless discussed in the case narrative.

Water/Liquid Matrix

Analytical Method	Preparation Method
200.7	200.2
200.8	200.2
6010C	3005A/3010A
6020A	ILM05.3
9014 Cyanide Reactivity	SW846 Ch7, 7.3.4.2
9034 Sulfide Reactivity	SW846 Ch7, 7.3.4.2
9034 Sulfide Acid Soluble	9030B
9056A Bomb (Halogens)	5050A
9066 Manual Distillation	9065
SM 4500-CN-E Residual Cyanide	SM 4500-CN-G
SM 4500-CN-E WAD Cyanide	SM 4500-CN-I

Solid/Soil/Non-Aqueous Matrix

Analytical Method	Preparation Method
6010C	3050B
6020A	3050B
6010C TCLP (1311) extract	3005A/3010A
6010 SPLP (1312) extract	3005A/3010A
7196A	3060A
7199	3060A
9056A Halogens/Halides	5050
300.0 Anions/ 350.1/ 353.2/ SM 2320B/ SM 5210B/ 9056A Anions	DI extraction

For analytical methods not listed, the preparation method is the same as the analytical method reference.



Sample Results

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com



Volatile Organic Compounds by GC/MS

ALS Environmental—Rochester Laboratory

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

Phone (585) 288-5380 Fax (585) 288-8475

www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield Biologic/156045
Sample Matrix: Water

Service Request: R1710788
Date Collected: 11/13/17 10:50
Date Received: 11/13/17 15:30

Sample Name: BAT-DW-11-171113
Lab Code: R1710788-002

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
Chloromethane	0.45 J	1.0	0.21	1	11/17/17 17:16	
Vinyl Chloride	100	1.0	0.32	1	11/17/17 17:16	
Chloroethane	29	1.0	0.24	1	11/17/17 17:16	
Bromomethane	1.0 U	1.0	0.29	1	11/17/17 17:16	
1,1-Dichloroethene	1.2	1.0	0.57	1	11/17/17 17:16	
Acetone	5.0 U	5.0	1.3	1	11/17/17 17:16	
Carbon Disulfide	0.35 J	1.0	0.22	1	11/17/17 17:16	
Methylene Chloride	1.0 U	1.0	0.60	1	11/17/17 17:16	
trans-1,2-Dichloroethene	1.0	1.0	0.33	1	11/17/17 17:16	
1,1-Dichloroethane	8.6	1.0	0.20	1	11/17/17 17:16	
cis-1,2-Dichloroethene	110	1.0	0.30	1	11/17/17 17:16	
2-Butanone (MEK)	5.0 U	5.0	0.81	1	11/17/17 17:16	
Chloroform	1.0 U	1.0	0.25	1	11/17/17 17:16	
1,1,1-Trichloroethane	45	1.0	0.36	1	11/17/17 17:16	
Carbon Tetrachloride	1.0 U	1.0	0.45	1	11/17/17 17:16	
Benzene	1.0 U	1.0	0.20	1	11/17/17 17:16	
1,2-Dichloroethane	1.0 U	1.0	0.36	1	11/17/17 17:16	
Trichloroethene	35	1.0	0.22	1	11/17/17 17:16	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	11/17/17 17:16	
Bromodichloromethane	1.0 U	1.0	0.32	1	11/17/17 17:16	
cis-1,3-Dichloropropene	1.0 U	1.0	0.24	1	11/17/17 17:16	
4-Methyl-2-pentanone (MIBK)	5.0 U	5.0	0.67	1	11/17/17 17:16	
Toluene	1.0 U	1.0	0.20	1	11/17/17 17:16	
trans-1,3-Dichloropropene	1.0 U	1.0	0.20	1	11/17/17 17:16	
1,1,2-Trichloroethane	1.0 U	1.0	0.34	1	11/17/17 17:16	
Tetrachloroethene	1.0 U	1.0	0.30	1	11/17/17 17:16	
2-Hexanone	5.0 U	5.0	1.7	1	11/17/17 17:16	
Dibromochloromethane	1.0 U	1.0	0.31	1	11/17/17 17:16	
Chlorobenzene	1.0 U	1.0	0.29	1	11/17/17 17:16	
Ethylbenzene	1.0 U	1.0	0.20	1	11/17/17 17:16	
m,p-Xylenes	2.0 U	2.0	0.33	1	11/17/17 17:16	
o-Xylene	1.0 U	1.0	0.20	1	11/17/17 17:16	
Styrene	1.0 U	1.0	0.20	1	11/17/17 17:16	
Bromoform	1.0 U	1.0	0.42	1	11/17/17 17:16	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.25	1	11/17/17 17:16	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield Biologic/156045
Sample Matrix: Water

Service Request: R1710788
Date Collected: 11/13/17 10:50
Date Received: 11/13/17 15:30

Sample Name: BAT-DW-11-171113
Lab Code: R1710788-002

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	95	85 - 122	11/17/17 17:16	
Toluene-d8	98	87 - 121	11/17/17 17:16	
Dibromofluoromethane	104	89 - 119	11/17/17 17:16	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield Biologic/156045
Sample Matrix: Water

Service Request: R1710788
Date Collected: 11/13/17 11:10
Date Received: 11/13/17 15:30

Sample Name: BAT-DW-12-171113
Lab Code: R1710788-003

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
Chloromethane	1.0 U	1.0	0.21	1	11/16/17 20:38	
Vinyl Chloride	1.0 U	1.0	0.32	1	11/16/17 20:38	
Chloroethane	1.0 U	1.0	0.24	1	11/16/17 20:38	
Bromomethane	1.0 U	1.0	0.29	1	11/16/17 20:38	
1,1-Dichloroethene	1.0 U	1.0	0.57	1	11/16/17 20:38	
Acetone	2.4 J	5.0	1.3	1	11/16/17 20:38	
Carbon Disulfide	1.0 U	1.0	0.22	1	11/16/17 20:38	
Methylene Chloride	1.0 U	1.0	0.60	1	11/16/17 20:38	
trans-1,2-Dichloroethene	1.0 U	1.0	0.33	1	11/16/17 20:38	
1,1-Dichloroethane	1.0 U	1.0	0.20	1	11/16/17 20:38	
cis-1,2-Dichloroethene	1.5	1.0	0.30	1	11/16/17 20:38	
2-Butanone (MEK)	5.0 U	5.0	0.81	1	11/16/17 20:38	
Chloroform	1.0 U	1.0	0.25	1	11/16/17 20:38	
1,1,1-Trichloroethane	1.0 U	1.0	0.36	1	11/16/17 20:38	
Carbon Tetrachloride	1.0 U	1.0	0.45	1	11/16/17 20:38	
Benzene	1.0 U	1.0	0.20	1	11/16/17 20:38	
1,2-Dichloroethane	1.0 U	1.0	0.36	1	11/16/17 20:38	
Trichloroethene	1.2	1.0	0.22	1	11/16/17 20:38	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	11/16/17 20:38	
Bromodichloromethane	1.0 U	1.0	0.32	1	11/16/17 20:38	
cis-1,3-Dichloropropene	1.0 U	1.0	0.24	1	11/16/17 20:38	
4-Methyl-2-pentanone (MIBK)	5.0 U	5.0	0.67	1	11/16/17 20:38	
Toluene	1.0 U	1.0	0.20	1	11/16/17 20:38	
trans-1,3-Dichloropropene	1.0 U	1.0	0.20	1	11/16/17 20:38	
1,1,2-Trichloroethane	1.0 U	1.0	0.34	1	11/16/17 20:38	
Tetrachloroethene	1.0 U	1.0	0.30	1	11/16/17 20:38	
2-Hexanone	5.0 U	5.0	1.7	1	11/16/17 20:38	
Dibromochloromethane	1.0 U	1.0	0.31	1	11/16/17 20:38	
Chlorobenzene	1.0 U	1.0	0.29	1	11/16/17 20:38	
Ethylbenzene	1.0 U	1.0	0.20	1	11/16/17 20:38	
m,p-Xylenes	2.0 U	2.0	0.33	1	11/16/17 20:38	
o-Xylene	1.0 U	1.0	0.20	1	11/16/17 20:38	
Styrene	1.0 U	1.0	0.20	1	11/16/17 20:38	
Bromoform	1.0 U	1.0	0.42	1	11/16/17 20:38	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.25	1	11/16/17 20:38	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield Biologic/156045
Sample Matrix: Water

Service Request: R1710788
Date Collected: 11/13/17 11:10
Date Received: 11/13/17 15:30

Sample Name: BAT-DW-12-171113
Lab Code: R1710788-003

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	102	85 - 122	11/16/17 20:38	
Toluene-d8	98	87 - 121	11/16/17 20:38	
Dibromofluoromethane	106	89 - 119	11/16/17 20:38	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield Biologic/156045
Sample Matrix: Water

Service Request: R1710788
Date Collected: 11/13/17 12:35
Date Received: 11/13/17 15:30

Sample Name: BAT-B-14(1)-171113
Lab Code: R1710788-007

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
Chloromethane	2.0 U	2.0	0.42	2	11/16/17 17:43	
Vinyl Chloride	190	2.0	0.64	2	11/16/17 17:43	
Chloroethane	2.0 U	2.0	0.48	2	11/16/17 17:43	
Bromomethane	2.0 U	2.0	0.58	2	11/16/17 17:43	
1,1-Dichloroethene	1.8 J	2.0	1.2	2	11/16/17 17:43	
Acetone	10 U	10	2.5	2	11/16/17 17:43	
Carbon Disulfide	0.64 J	2.0	0.44	2	11/16/17 17:43	
Methylene Chloride	2.0 U	2.0	1.2	2	11/16/17 17:43	
trans-1,2-Dichloroethene	1.8 J	2.0	0.66	2	11/16/17 17:43	
1,1-Dichloroethane	18	2.0	0.40	2	11/16/17 17:43	
cis-1,2-Dichloroethene	140	2.0	0.60	2	11/16/17 17:43	
2-Butanone (MEK)	10 U	10	1.7	2	11/16/17 17:43	
Chloroform	2.0 U	2.0	0.50	2	11/16/17 17:43	
1,1,1-Trichloroethane	75	2.0	0.72	2	11/16/17 17:43	
Carbon Tetrachloride	2.0 U	2.0	0.90	2	11/16/17 17:43	
Benzene	2.0 U	2.0	0.40	2	11/16/17 17:43	
1,2-Dichloroethane	2.0 U	2.0	0.72	2	11/16/17 17:43	
Trichloroethene	1.8 J	2.0	0.44	2	11/16/17 17:43	
1,2-Dichloropropane	2.0 U	2.0	0.40	2	11/16/17 17:43	
Bromodichloromethane	2.0 U	2.0	0.64	2	11/16/17 17:43	
cis-1,3-Dichloropropene	2.0 U	2.0	0.48	2	11/16/17 17:43	
4-Methyl-2-pentanone (MIBK)	10 U	10	1.4	2	11/16/17 17:43	
Toluene	2.0 U	2.0	0.40	2	11/16/17 17:43	
trans-1,3-Dichloropropene	2.0 U	2.0	0.40	2	11/16/17 17:43	
1,1,2-Trichloroethane	2.0 U	2.0	0.68	2	11/16/17 17:43	
Tetrachloroethene	2.0 U	2.0	0.60	2	11/16/17 17:43	
2-Hexanone	10 U	10	3.4	2	11/16/17 17:43	
Dibromochloromethane	2.0 U	2.0	0.62	2	11/16/17 17:43	
Chlorobenzene	2.0 U	2.0	0.58	2	11/16/17 17:43	
Ethylbenzene	2.0 U	2.0	0.40	2	11/16/17 17:43	
m,p-Xylenes	4.0 U	4.0	0.66	2	11/16/17 17:43	
o-Xylene	2.0 U	2.0	0.40	2	11/16/17 17:43	
Styrene	2.0 U	2.0	0.40	2	11/16/17 17:43	
Bromoform	2.0 U	2.0	0.84	2	11/16/17 17:43	
1,1,2,2-Tetrachloroethane	2.0 U	2.0	0.50	2	11/16/17 17:43	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield Biologic/156045
Sample Matrix: Water
Sample Name: BAT-B-14(1)-171113
Lab Code: R1710788-007

Service Request: R1710788
Date Collected: 11/13/17 12:35
Date Received: 11/13/17 15:30

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	99	85 - 122	11/16/17 17:43	
Toluene-d8	100	87 - 121	11/16/17 17:43	
Dibromofluoromethane	105	89 - 119	11/16/17 17:43	



QC Summary Forms

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com



Volatile Organic Compounds by GC/MS

ALS Environmental—Rochester Laboratory

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

Phone (585) 288-5380 Fax (585) 288-8475

www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: APTIM, Inc
Project: Textron Wheatfield Biologic/156045
Sample Matrix: Water

Service Request: R1710788

SURROGATE RECOVERY SUMMARY
Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Extraction Method: EPA 5030C

Sample Name	Lab Code	4-Bromofluorobenzene	Toluene-d8	Dibromofluoromethane
		85 - 122	87 - 121	89 - 119
Lab Control Sample	RQ1711950-03	102	102	109
Lab Control Sample	RQ1711925-03	94	99	106
Method Blank	RQ1711950-04	103	102	108
Method Blank	RQ1711925-04	98	99	105
BAT-DW-11-171113	R1710788-002	95	98	104
BAT-B-14(1)-171113	R1710788-007	99	100	105
BAT-DW-12-171113	R1710788-003	102	98	106
BAT-DW-12-171113 MS	RQ1711925-05	104	103	110
BAT-DW-12-171113 DMS	RQ1711925-06	100	100	109

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: APTIM, Inc
Project: Textron Wheatfield Biologic/156045
Sample Matrix: Water

Service Request: R1710788
Date Collected: 11/13/17
Date Received: 11/13/17
Date Analyzed: 11/16/17
Date Extracted: NA

Duplicate Matrix Spike Summary
Volatile Organic Compounds by GC/MS

Sample Name: BAT-DW-12-171113
Lab Code: R1710788-003
Analysis Method: 8260C
Prep Method: EPA 5030C

Units: ug/L
Basis: NA

Analyte Name	Matrix Spike RQ1711925-05				Duplicate Matrix Spike RQ1711925-06				RPD	RPD Limit
	Sample Result	Result	Spike Amount	% Rec	Result	Spike Amount	% Rec	% Rec Limits		
Chloromethane	1.0 U	55.9	50.0	112	58.4	50.0	117	55-160	4	30
Vinyl Chloride	1.0 U	55.9	50.0	112	58.9	50.0	118	60-157	5	30
Chloroethane	1.0 U	60.7	50.0	121	59.3	50.0	119	70-140	2	30
Bromomethane	1.0 U	59.8	50.0	120	69.9	50.0	140	10-162	16	30
1,1-Dichloroethene	1.0 U	55.9	50.0	112	53.8	50.0	108	74-139	4	30
Acetone	2.4 J	42.4	50.0	80	42.0	50.0	79	29-151	<1	30
Carbon Disulfide	1.0 U	52.9	50.0	106	52.3	50.0	105	34-162	1	30
Methylene Chloride	1.0 U	54.8	50.0	110	54.0	50.0	108	75-121	1	30
trans-1,2-Dichloroethene	1.0 U	55.3	50.0	111	55.2	50.0	110	77-125	<1	30
1,1-Dichloroethane	1.0 U	57.4	50.0	115	58.4	50.0	117	74-132	2	30
cis-1,2-Dichloroethene	1.5	54.8	50.0	107	56.5	50.0	110	72-133	3	30
2-Butanone (MEK)	5.0 U	51.5	50.0	103	50.4	50.0	101	46-141	2	30
Chloroform	1.0 U	55.0	50.0	110	55.9	50.0	112	75-130	2	30
1,1,1-Trichloroethane	1.0 U	59.0	50.0	118	59.6	50.0	119	74-127	1	30
Carbon Tetrachloride	1.0 U	59.8	50.0	120	59.2	50.0	118	65-135	1	30
Benzene	1.0 U	53.4	50.0	107	53.0	50.0	106	76-129	<1	30
1,2-Dichloroethane	1.0 U	56.5	50.0	113	54.5	50.0	109	68-130	4	30
Trichloroethene	1.2	55.4	50.0	108	56.0	50.0	110	62-142	<1	30
1,2-Dichloropropane	1.0 U	53.2	50.0	106	53.6	50.0	107	79-124	<1	30
Bromodichloromethane	1.0 U	60.8	50.0	122	61.5	50.0	123	76-127	1	30
cis-1,3-Dichloropropene	1.0 U	53.5	50.0	107	53.6	50.0	107	52-134	<1	30
4-Methyl-2-pentanone (MIBK)	5.0 U	57.6	50.0	115	54.9	50.0	110	60-141	5	30
Toluene	1.0 U	54.6	50.0	109	54.8	50.0	110	79-125	<1	30
trans-1,3-Dichloropropene	1.0 U	56.4	50.0	113	54.1	50.0	108	50-142	4	30
1,1,2-Trichloroethane	1.0 U	54.9	50.0	110	53.8	50.0	108	79-119	2	30
Tetrachloroethene	1.0 U	54.7	50.0	109	56.3	50.0	113	67-137	3	30
2-Hexanone	5.0 U	54.8	50.0	110	52.6	50.0	105	56-132	4	30
Dibromochloromethane	1.0 U	55.4	50.0	111	55.8	50.0	112	72-128	<1	30
Chlorobenzene	1.0 U	55.4	50.0	111	54.2	50.0	108	76-125	2	30
Ethylbenzene	1.0 U	54.2	50.0	108	55.0	50.0	110	72-134	1	30
m,p-Xylenes	2.0 U	111	100	111	109	100	109	68-138	2	30
o-Xylene	1.0 U	55.4	50.0	111	56.3	50.0	113	68-134	2	30
Styrene	1.0 U	57.3	50.0	115	57.3	50.0	115	34-156	<1	30
Bromoform	1.0 U	56.1	50.0	112	57.8	50.0	116	58-133	3	30
1,1,2,2-Tetrachloroethane	1.0 U	54.0	50.0	108	55.8	50.0	112	72-122	3	30

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield Biologic/156045
Sample Matrix: Water

Service Request: R1710788
Date Collected: NA
Date Received: NA

Sample Name: Method Blank
Lab Code: RQ1711925-04

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
Chloromethane	1.0 U	1.0	0.21	1	11/16/17 12:26	
Vinyl Chloride	1.0 U	1.0	0.32	1	11/16/17 12:26	
Chloroethane	1.0 U	1.0	0.24	1	11/16/17 12:26	
Bromomethane	1.0 U	1.0	0.29	1	11/16/17 12:26	
1,1-Dichloroethene	1.0 U	1.0	0.57	1	11/16/17 12:26	
Acetone	5.0 U	5.0	1.3	1	11/16/17 12:26	
Carbon Disulfide	1.0 U	1.0	0.22	1	11/16/17 12:26	
Methylene Chloride	1.0 U	1.0	0.60	1	11/16/17 12:26	
trans-1,2-Dichloroethene	1.0 U	1.0	0.33	1	11/16/17 12:26	
1,1-Dichloroethane	1.0 U	1.0	0.20	1	11/16/17 12:26	
cis-1,2-Dichloroethene	1.0 U	1.0	0.30	1	11/16/17 12:26	
2-Butanone (MEK)	5.0 U	5.0	0.81	1	11/16/17 12:26	
Chloroform	1.0 U	1.0	0.25	1	11/16/17 12:26	
1,1,1-Trichloroethane	1.0 U	1.0	0.36	1	11/16/17 12:26	
Carbon Tetrachloride	1.0 U	1.0	0.45	1	11/16/17 12:26	
Benzene	1.0 U	1.0	0.20	1	11/16/17 12:26	
1,2-Dichloroethane	1.0 U	1.0	0.36	1	11/16/17 12:26	
Trichloroethene	1.0 U	1.0	0.22	1	11/16/17 12:26	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	11/16/17 12:26	
Bromodichloromethane	1.0 U	1.0	0.32	1	11/16/17 12:26	
cis-1,3-Dichloropropene	1.0 U	1.0	0.24	1	11/16/17 12:26	
4-Methyl-2-pentanone (MIBK)	5.0 U	5.0	0.67	1	11/16/17 12:26	
Toluene	1.0 U	1.0	0.20	1	11/16/17 12:26	
trans-1,3-Dichloropropene	1.0 U	1.0	0.20	1	11/16/17 12:26	
1,1,2-Trichloroethane	1.0 U	1.0	0.34	1	11/16/17 12:26	
Tetrachloroethene	1.0 U	1.0	0.30	1	11/16/17 12:26	
2-Hexanone	5.0 U	5.0	1.7	1	11/16/17 12:26	
Dibromochloromethane	1.0 U	1.0	0.31	1	11/16/17 12:26	
Chlorobenzene	1.0 U	1.0	0.29	1	11/16/17 12:26	
Ethylbenzene	1.0 U	1.0	0.20	1	11/16/17 12:26	
m,p-Xylenes	2.0 U	2.0	0.33	1	11/16/17 12:26	
o-Xylene	1.0 U	1.0	0.20	1	11/16/17 12:26	
Styrene	1.0 U	1.0	0.20	1	11/16/17 12:26	
Bromoform	1.0 U	1.0	0.42	1	11/16/17 12:26	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.25	1	11/16/17 12:26	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield Biologic/156045
Sample Matrix: Water

Service Request: R1710788
Date Collected: NA
Date Received: NA

Sample Name: Method Blank
Lab Code: RQ1711925-04

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	98	85 - 122	11/16/17 12:26	
Toluene-d8	99	87 - 121	11/16/17 12:26	
Dibromofluoromethane	105	89 - 119	11/16/17 12:26	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield Biologic/156045
Sample Matrix: Water

Service Request: R1710788
Date Collected: NA
Date Received: NA

Sample Name: Method Blank
Lab Code: RQ1711950-04

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
Chloromethane	1.0 U	1.0	0.21	1	11/17/17 12:05	
Vinyl Chloride	1.0 U	1.0	0.32	1	11/17/17 12:05	
Chloroethane	1.0 U	1.0	0.24	1	11/17/17 12:05	
Bromomethane	1.0 U	1.0	0.29	1	11/17/17 12:05	
1,1-Dichloroethene	1.0 U	1.0	0.57	1	11/17/17 12:05	
Acetone	5.0 U	5.0	1.3	1	11/17/17 12:05	
Carbon Disulfide	1.0 U	1.0	0.22	1	11/17/17 12:05	
Methylene Chloride	1.0 U	1.0	0.60	1	11/17/17 12:05	
trans-1,2-Dichloroethene	1.0 U	1.0	0.33	1	11/17/17 12:05	
1,1-Dichloroethane	1.0 U	1.0	0.20	1	11/17/17 12:05	
cis-1,2-Dichloroethene	1.0 U	1.0	0.30	1	11/17/17 12:05	
2-Butanone (MEK)	5.0 U	5.0	0.81	1	11/17/17 12:05	
Chloroform	1.0 U	1.0	0.25	1	11/17/17 12:05	
1,1,1-Trichloroethane	1.0 U	1.0	0.36	1	11/17/17 12:05	
Carbon Tetrachloride	1.0 U	1.0	0.45	1	11/17/17 12:05	
Benzene	1.0 U	1.0	0.20	1	11/17/17 12:05	
1,2-Dichloroethane	1.0 U	1.0	0.36	1	11/17/17 12:05	
Trichloroethene	1.0 U	1.0	0.22	1	11/17/17 12:05	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	11/17/17 12:05	
Bromodichloromethane	1.0 U	1.0	0.32	1	11/17/17 12:05	
cis-1,3-Dichloropropene	1.0 U	1.0	0.24	1	11/17/17 12:05	
4-Methyl-2-pentanone (MIBK)	5.0 U	5.0	0.67	1	11/17/17 12:05	
Toluene	1.0 U	1.0	0.20	1	11/17/17 12:05	
trans-1,3-Dichloropropene	1.0 U	1.0	0.20	1	11/17/17 12:05	
1,1,2-Trichloroethane	1.0 U	1.0	0.34	1	11/17/17 12:05	
Tetrachloroethene	1.0 U	1.0	0.30	1	11/17/17 12:05	
2-Hexanone	5.0 U	5.0	1.7	1	11/17/17 12:05	
Dibromochloromethane	1.0 U	1.0	0.31	1	11/17/17 12:05	
Chlorobenzene	1.0 U	1.0	0.29	1	11/17/17 12:05	
Ethylbenzene	1.0 U	1.0	0.20	1	11/17/17 12:05	
m,p-Xylenes	2.0 U	2.0	0.33	1	11/17/17 12:05	
o-Xylene	1.0 U	1.0	0.20	1	11/17/17 12:05	
Styrene	1.0 U	1.0	0.20	1	11/17/17 12:05	
Bromoform	1.0 U	1.0	0.42	1	11/17/17 12:05	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.25	1	11/17/17 12:05	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield Biologic/156045
Sample Matrix: Water
Sample Name: Method Blank
Lab Code: RQ1711950-04

Service Request: R1710788
Date Collected: NA
Date Received: NA
Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	103	85 - 122	11/17/17 12:05	
Toluene-d8	102	87 - 121	11/17/17 12:05	
Dibromofluoromethane	108	89 - 119	11/17/17 12:05	

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: APTIM, Inc
Project: Textron Wheatfield Biologic/156045
Sample Matrix: Water

Service Request: R1710788
Date Analyzed: 11/16/17

Lab Control Sample Summary
Volatile Organic Compounds by GC/MS

Units:ug/L
Basis:NA

Lab Control Sample
RQ1711925-03

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
Chloromethane	8260C	19.3	20.0	97	69-145
Vinyl Chloride	8260C	19.1	20.0	95	69-133
Chloroethane	8260C	21.6	20.0	108	70-127
Bromomethane	8260C	17.2	20.0	86	42-166
1,1-Dichloroethene	8260C	18.3	20.0	91	74-135
Acetone	8260C	18.3	20.0	91	40-161
Carbon Disulfide	8260C	18.5	20.0	92	65-127
Methylene Chloride	8260C	18.3	20.0	91	73-122
trans-1,2-Dichloroethene	8260C	19.1	20.0	96	80-120
1,1-Dichloroethane	8260C	19.1	20.0	96	78-117
cis-1,2-Dichloroethene	8260C	18.8	20.0	94	80-121
2-Butanone (MEK)	8260C	20.1	20.0	101	61-137
Chloroform	8260C	18.9	20.0	95	76-120
1,1,1-Trichloroethane	8260C	19.4	20.0	97	74-120
Carbon Tetrachloride	8260C	18.9	20.0	95	68-125
Benzene	8260C	17.7	20.0	88	76-118
1,2-Dichloroethane	8260C	18.5	20.0	92	71-127
Trichloroethene	8260C	19.0	20.0	95	78-123
1,2-Dichloropropane	8260C	17.9	20.0	89	80-119
Bromodichloromethane	8260C	19.9	20.0	100	78-126
cis-1,3-Dichloropropene	8260C	18.8	20.0	94	74-126
4-Methyl-2-pentanone (MIBK)	8260C	18.7	20.0	94	66-124
Toluene	8260C	18.1	20.0	90	77-120
trans-1,3-Dichloropropene	8260C	18.8	20.0	94	67-135
1,1,2-Trichloroethane	8260C	17.7	20.0	88	82-118
Tetrachloroethene	8260C	19.4	20.0	97	78-124
2-Hexanone	8260C	18.6	20.0	93	63-124
Dibromochloromethane	8260C	18.7	20.0	94	77-128
Chlorobenzene	8260C	19.1	20.0	96	80-121
Ethylbenzene	8260C	18.8	20.0	94	76-120
m,p-Xylenes	8260C	37.0	40.0	92	78-123
o-Xylene	8260C	18.0	20.0	90	80-120
Styrene	8260C	19.0	20.0	95	80-124

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: APTIM, Inc
Project: Textron Wheatfield Biologic/156045
Sample Matrix: Water

Service Request: R1710788
Date Analyzed: 11/16/17

Lab Control Sample Summary
Volatile Organic Compounds by GC/MS

Units:ug/L
Basis:NA

Lab Control Sample
RQ1711925-03

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
Bromoform	8260C	18.2	20.0	91	71-136
1,1,2,2-Tetrachloroethane	8260C	18.0	20.0	90	78-122

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: APTIM, Inc
Project: Textron Wheatfield Biologic/156045
Sample Matrix: Water

Service Request: R1710788
Date Analyzed: 11/17/17

Lab Control Sample Summary
Volatile Organic Compounds by GC/MS

Units:ug/L
Basis:NA

Lab Control Sample
RQ1711950-03

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
Chloromethane	8260C	19.4	20.0	97	69-145
Vinyl Chloride	8260C	19.3	20.0	97	69-133
Chloroethane	8260C	21.6	20.0	108	70-127
Bromomethane	8260C	17.0	20.0	85	42-166
1,1-Dichloroethene	8260C	20.1	20.0	100	74-135
Acetone	8260C	17.1	20.0	85	40-161
Carbon Disulfide	8260C	19.3	20.0	96	65-127
Methylene Chloride	8260C	19.6	20.0	98	73-122
trans-1,2-Dichloroethene	8260C	20.0	20.0	100	80-120
1,1-Dichloroethane	8260C	19.9	20.0	99	78-117
cis-1,2-Dichloroethene	8260C	19.0	20.0	95	80-121
2-Butanone (MEK)	8260C	18.2	20.0	91	61-137
Chloroform	8260C	19.9	20.0	99	76-120
1,1,1-Trichloroethane	8260C	20.0	20.0	100	74-120
Carbon Tetrachloride	8260C	20.0	20.0	100	68-125
Benzene	8260C	19.1	20.0	95	76-118
1,2-Dichloroethane	8260C	19.3	20.0	97	71-127
Trichloroethene	8260C	20.2	20.0	101	78-123
1,2-Dichloropropane	8260C	19.0	20.0	95	80-119
Bromodichloromethane	8260C	20.5	20.0	102	78-126
cis-1,3-Dichloropropene	8260C	18.6	20.0	93	74-126
4-Methyl-2-pentanone (MIBK)	8260C	18.0	20.0	90	66-124
Toluene	8260C	18.9	20.0	95	77-120
trans-1,3-Dichloropropene	8260C	19.9	20.0	100	67-135
1,1,2-Trichloroethane	8260C	19.2	20.0	96	82-118
Tetrachloroethene	8260C	18.6	20.0	93	78-124
2-Hexanone	8260C	16.8	20.0	84	63-124
Dibromochloromethane	8260C	18.7	20.0	94	77-128
Chlorobenzene	8260C	19.7	20.0	98	80-121
Ethylbenzene	8260C	19.7	20.0	98	76-120
m,p-Xylenes	8260C	38.2	40.0	96	78-123
o-Xylene	8260C	18.4	20.0	92	80-120
Styrene	8260C	19.7	20.0	98	80-124

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: APTIM, Inc
Project: Textron Wheatfield Biologic/156045
Sample Matrix: Water

Service Request: R1710788

Date Analyzed: 11/17/17

Lab Control Sample Summary
Volatile Organic Compounds by GC/MS

Units:ug/L

Basis:NA

Lab Control Sample

RQ1711950-03

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
Bromoform	8260C	18.0	20.0	90	71-136
1,1,2,2-Tetrachloroethane	8260C	17.7	20.0	88	78-122



January 11, 2018

Service Request No:R1710829

Ms. Cecelia Byers
APTIM, Inc
2790 Mosside Boulevard
Monroeville, PA 15146

Laboratory Results for: Textron Wheatfield

Dear Ms.Byers,

Enclosed are the results of the sample(s) submitted to our laboratory November 14, 2017
For your reference, these analyses have been assigned our service request number **R1710829**.

All analyses were performed according to our laboratory's quality assurance program. The test results meet requirements of the NELAP standards except as noted in the case narrative report. All results are intended to be considered in their entirety, and ALS Environmental is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report. The measurement uncertainty of the results included in this report is within that expected when using the prescribed method(s) for analysis of these samples, and represented by Laboratory Control Sample control limits. Any events, such as QC failures, which may add to the uncertainty are explained in the report narrative.

Please contact me if you have any questions. My extension is 7472. You may also contact me via email at Janice.Jaeger@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental

Janice Jaeger
Project Manager

ADDRESS 1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
PHONE +1 585 288 5380 | **FAX** +1 585 288 8475
ALS Group USA, Corp.
dba ALS Environmental



Narrative Documents

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com



Client: APTIM, Inc
Project: Textron Wheatfield/156045
Sample Matrix: Water

Service Request: R1710829
Date Received: 11/14/17

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples designated for Tier II data deliverables, including results of QC samples analyzed from this delivery group. Analytical procedures performed by the lab are validated in accordance with NELAC standards. Any parameters that are not included in the lab's NELAC accreditation are identified on a "Non-Certified Analytes" report in the Miscellaneous Forms Section of this report. Individual analytical results requiring further explanation are flagged with qualifiers and/or discussed below. The flags are explained in the Report Qualifiers and Definitions page in the Miscellaneous Forms section of this report.

Sample Receipt

Seventeen Water samples were received for analysis at ALS Environmental on 11/14/2017. Any discrepancies noted upon initial sample inspection are noted on the cooler receipt and preservation form included in this data package. The samples were received in good condition and consistent with the accompanying chain of custody form. Samples are refrigerated at $\leq 6^{\circ}\text{C}$ upon receipt at the lab except for aqueous samples designated for metals analyses, which are stored at room temperature.

Volatiles Organic Analyses:

Method 8260C, 11/21/17 and 11/22/17: The upper control limit was exceeded for one or more analytes in the Continuing Calibration Verification (CCV). The field samples analyzed in this sequence did not contain the analyte(s) in question above the Method Reporting Limit (MRL). Since the exceedance equates to a potential high bias, the data quality was not significantly affected and no further corrective action was taken.

Approved by  Date 1/11/2018



SAMPLE DETECTION SUMMARY

CLIENT ID: BAT-DW-10-171114 Lab ID: R1710829-004

Analyte	Results	Flag	MDL	PQL	Units	Method
Chloromethane	0.24	J	0.21	1.0	ug/L	8260C
Vinyl Chloride	2.3		0.32	1.0	ug/L	8260C
Acetone	1.5	J	1.3	5.0	ug/L	8260C
Methylene Chloride	170		0.60	1.0	ug/L	8260C
cis-1,2-Dichloroethene	17		0.30	1.0	ug/L	8260C
1,1,1-Trichloroethane	0.48	J	0.36	1.0	ug/L	8260C
Trichloroethene	32		0.22	1.0	ug/L	8260C

CLIENT ID: BAT-89-15 (1)-171114 Lab ID: R1710829-005

Analyte	Results	Flag	MDL	PQL	Units	Method
Chloromethane	0.26	J	0.21	1.0	ug/L	8260C
Vinyl Chloride	20		0.32	1.0	ug/L	8260C
1,1-Dichloroethene	0.66	J	0.57	1.0	ug/L	8260C
Carbon Disulfide	0.26	J	0.22	1.0	ug/L	8260C
trans-1,2-Dichloroethene	0.44	J	0.33	1.0	ug/L	8260C
1,1-Dichloroethane	3.9		0.20	1.0	ug/L	8260C
cis-1,2-Dichloroethene	62		0.30	1.0	ug/L	8260C
1,1,1-Trichloroethane	0.97	J	0.36	1.0	ug/L	8260C
Trichloroethene	5.1		0.22	1.0	ug/L	8260C

CLIENT ID: BAT-DW-9-171114 Lab ID: R1710829-008

Analyte	Results	Flag	MDL	PQL	Units	Method
Acetone	1.7	J	1.3	5.0	ug/L	8260C
1,1-Dichloroethane	0.40	J	0.20	1.0	ug/L	8260C
cis-1,2-Dichloroethene	22		0.30	1.0	ug/L	8260C
Chloroform	0.47	J	0.25	1.0	ug/L	8260C
1,1,1-Trichloroethane	1.1		0.36	1.0	ug/L	8260C
Trichloroethene	70		0.22	1.0	ug/L	8260C

CLIENT ID: BAT-DUP-1-171114 Lab ID: R1710829-010

Analyte	Results	Flag	MDL	PQL	Units	Method
Acetone	1.3	J	1.3	5.0	ug/L	8260C
1,1-Dichloroethane	0.44	J	0.20	1.0	ug/L	8260C
cis-1,2-Dichloroethene	24		0.30	1.0	ug/L	8260C
Chloroform	0.52	J	0.25	1.0	ug/L	8260C
1,1,1-Trichloroethane	1.2		0.36	1.0	ug/L	8260C
Trichloroethene	71		0.22	1.0	ug/L	8260C

CLIENT ID: BAT-87-17 (1)-171114 Lab ID: R1710829-011

Analyte	Results	Flag	MDL	PQL	Units	Method
Vinyl Chloride	280	D	1.6	5.0	ug/L	8260C
1,1-Dichloroethene	1.5		0.57	1.0	ug/L	8260C
Acetone	1.8	J	1.3	5.0	ug/L	8260C



SAMPLE DETECTION SUMMARY

CLIENT ID: BAT-87-17 (1)-171114 Lab ID: R1710829-011

Analyte	Results	Flag	MDL	PQL	Units	Method
Carbon Disulfide	1.4		0.22	1.0	ug/L	8260C
trans-1,2-Dichloroethene	2.2		0.33	1.0	ug/L	8260C
1,1-Dichloroethane	26		0.20	1.0	ug/L	8260C
cis-1,2-Dichloroethene	130		0.30	1.0	ug/L	8260C
1,1,1-Trichloroethane	110		0.36	1.0	ug/L	8260C
Trichloroethene	2.7		0.22	1.0	ug/L	8260C

CLIENT ID: BAT-87-22 (1)-171114 Lab ID: R1710829-012

Analyte	Results	Flag	MDL	PQL	Units	Method
Vinyl Chloride	430		1.6	5.0	ug/L	8260C
trans-1,2-Dichloroethene	4.3	J	1.7	5.0	ug/L	8260C
1,1-Dichloroethane	4.6	J	1.0	5.0	ug/L	8260C
cis-1,2-Dichloroethene	820		1.5	5.0	ug/L	8260C
Trichloroethene	2.6	J	1.1	5.0	ug/L	8260C

CLIENT ID: BAT-87-20 (1)-171114 Lab ID: R1710829-013

Analyte	Results	Flag	MDL	PQL	Units	Method
Vinyl Chloride	760		8.0	25	ug/L	8260C
Bromomethane	9.0	J	7.3	25	ug/L	8260C
trans-1,2-Dichloroethene	17	J	8.3	25	ug/L	8260C
1,1-Dichloroethane	13	J	5.0	25	ug/L	8260C
cis-1,2-Dichloroethene	6200	D	15	50	ug/L	8260C
1,1,1-Trichloroethane	26		9.0	25	ug/L	8260C
Trichloroethene	34		5.5	25	ug/L	8260C

CLIENT ID: BAT-FB-171114 Lab ID: R1710829-015

Analyte	Results	Flag	MDL	PQL	Units	Method
Chloromethane	0.32	J	0.21	1.0	ug/L	8260C
Acetone	1.3	J	1.3	5.0	ug/L	8260C
Toluene	1.5		0.20	1.0	ug/L	8260C

CLIENT ID: TRIP BLANK 1 Lab ID: R1710829-016

Analyte	Results	Flag	MDL	PQL	Units	Method
Chloromethane	0.32	BJ	0.21	1.0	ug/L	8260C
Bromomethane	0.57	J	0.29	1.0	ug/L	8260C

CLIENT ID: TRIP BLANK 2 Lab ID: R1710829-017

Analyte	Results	Flag	MDL	PQL	Units	Method
Chloromethane	0.44	J	0.21	1.0	ug/L	8260C
Bromomethane	0.29	J	0.29	1.0	ug/L	8260C



Sample Receipt Information

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com



CHAIN OF CUSTODY/LABORATORY ANALYSIS REQUEST FORM

48374

1565 Jefferson Road, Building 300, Suite 360 • Rochester, NY 14623 | +1 585 288 5380 +1 585 288 8475 (fax) PAGE 1 OF 2

Project Name TEXTRON ANNUAL		Project Number 156045		ANALYSIS REQUESTED (Include Method Number and Container Preservative)																			
Project Manager CECELIA BYERS		Report CC		PRESERVATIVE 1/8																			
Company/Address APTIM, INC 13 BRITISH AMERICAN BLVD. LATHAM, NY 12110		Phone # 518-783-1996		Email CECELIA.BYERS@APTIM.COM		NUMBER OF CONTAINERS		GC/MS VOAs • 8260 • 824 • CLP • 8270 • 825		GC VOAs • 8021 • 801/802		PESTICIDES • 8081 • 608		PCBs • 8082 • 608		METALS, TOTAL (List in comments below)		METALS, DISSOLVED (List in comments below)		1/8 3/8 9/8		Preservative Key 0. NONE 1. HCL 2. HNO ₃ 3. H ₂ SO ₄ 4. NaOH 5. Zn. Acetate 6. MeOH 7. NaHSO ₄ 8. Other ICE	
Sampler's Signature Kevin Cronin		Sampler's Printed Name Kevin Cronin		REMARKS/ ALTERNATE DESCRIPTION		Psk-175		TOC		ORGANIC ACIDS		ALKALINITY											

CLIENT SAMPLE ID	FOR OFFICE USE ONLY LAB ID	DATE	SAMPLING TIME	MATRIX																		REMARKS/ ALTERNATE DESCRIPTION
BAT-17-03(1)-17113		11/13/17	1515	CO	3	X																FIELD pH: -
BAT-17-02(1)-17113			1535		3	X																-
BAT-17-01(1)-17113			1605		3	X																-
BAT-DW-10-17114		11/14/17	0855		12	X																8.35
BAT-89-15(1)-17114			0930		12	X																7.38
BAT-87-13(1)-17114			1020		12	X																7.12
BAT-87-13(1)-17114 (MC/MSD)			1020		12	X																7.10
BAT-07-08(1)-17114			1100		12	X																7.22
BAT-DW-9-17114			1130		12	X																7.53
BAT-B-10A-17114			1200		12	X																8.06
BAT-DUP-1-17114					3	X																-

SPECIAL INSTRUCTIONS/COMMENTS Metals Fe +2, NO₃, Cl, SO₄	TURNAROUND REQUIREMENTS RUSH (SURCHARGES APPLY) 1 day 2 day 3 day 4 day 5 day STANDARD REQUESTED REPORT DATE	REPORT REQUIREMENTS I. Results Only II. Results + QC Summaries (LCS, DUP, MS/MSD as required) III. Results + QC and Calibration Summaries IV. Data Validation Report with Raw Data Edata Yes No	INVOICE INFORMATION PO # BILL TO:
	See QAPP <input type="checkbox"/>		

STATE WHERE SAMPLES WERE COLLECTED			
RELINQUISHED BY	RECEIVED BY	RELINQUISHED BY	RECEIVED BY
Signature Kevin Cronin	Signature Brian Mackin	Signature Brian Mackin	Signature Daniel Ward
Printed Name Kevin Cronin	Printed Name BRIAN MACKIN	Printed Name BRIAN MACKIN	Printed Name Daniel Ward
Firm APTIM	Firm ACS	Firm ALS	Firm ALS
Date/Time 11/14/17 1150	Date/Time 11/14/17 1450	Date/Time 11/14/17 1635	Date/Time 11/14/17 1635

R1710829 **5**
APTIM, Inc
Textron Wheatfield Annual



CHAIN OF CUSTODY/LABORATORY ANALYSIS REQUEST FORM

48375

1565 Jefferson Road, Building 300, Suite 360 • Rochester, NY 14623 | +1 585 288 5380 +1 585 288 8475 (fax) PAGE 2 OF 2

Project Name TEXTILE ANNUAL		Project Number 156045		ANALYSIS REQUESTED (Include Method Number and Container Preservative)																			
Project Manager CATELIA BYERS		Report CC		PRESERVATIVE 1/8																			
Company/Address APTIM, INC.				NUMBER OF CONTAINERS	GC/MS VOAs • 8260 • 824 • CLP	GC/MS SVOAs • 8270 • 625	GC VOAs • 8021 • 601/602	PESTICIDES • 8081 • 608	PCBs • 8082 • 608	METALS, TOTAL (List in comments below)	METALS, DISSOLVED (List in comments below)	RSK-175	TDC	ORGANIC ACIDS	ALKALINITY	Preservative Key							
13 BRITISH AMERICAN BLVD																0. NONE							
LATHAM, NY 12110																1. HCL							
Phone # 518 783-1996		Email CATELIA.BYERS@APTIM.COM														2. HNO ₃							
Sampler's Signature <i>Kevin Crowin</i>		Sampler's Printed Name KEVIN CROWIN								3. H ₂ SO ₄													
										4. NaOH													
										5. Zn, Acetate													
										6. MeOH													
										7. NaHSO ₄													
										8. Other ICI													
										REMARKS/ ALTERNATE DESCRIPTION													
CLIENT SAMPLE ID		FOR OFFICE USE ONLY LAB ID		SAMPLING DATE		TIME		MATRIX								FIELD pH:							
BAT-87-17(1)-171114				11/14/17		1240		GW		12 X						7.2							
BAT-87-22(1)-171114				↓		1320		↓		12 X						6.91							
BAT-87-20(1)-171114				↓		1350		↓		12 X						7.83							
BAT-87-12(1)-171114				↓		1425		↓		12 X						7.05							
BAT-FB-171114				11/14/17		1440		DF		12 X													
SPECIAL INSTRUCTIONS/COMMENTS Metals Fe²⁺, NO₃, Cl, SO₄												TURNAROUND REQUIREMENTS RUSH (SURCHARGES APPLY) 1 day 2 day 3 day 4 day 5 day STANDARD REQUESTED REPORT DATE				REPORT REQUIREMENTS I. Results Only II. Results + QC Summaries (LCS, DUP, MS/MSD as required) III. Results + QC and Calibration Summaries IV. Data Validation Report with Raw Data Edata Yes No				INVOICE INFORMATION PO # BILL TO:			
STATE WHERE SAMPLES WERE COLLECTED																							
RELINQUISHED BY			RECEIVED BY			RELINQUISHED BY			RECEIVED BY			RELINQUISHED BY			RECEIVED BY								
Signature <i>Kevin Crowin</i>			Signature <i>Brian Mackin</i>			Signature <i>Brian Mackin</i>			Signature <i>Smil Ward</i>			Signature			Signature								
Printed Name KEVIN CROWIN			Printed Name BRIAN MACKIN			Printed Name BRIAN MACKIN			Printed Name Smil Ward			Printed Name			Printed Name								
Firm APTIM			Firm ALS			Firm ALS			Firm ALS			Firm			Firm								
Date/Time 11/14/17 1450			Date/Time 11/14/17 1450			Date/Time 11/14/17 1635			Date/Time 11/14/17 1635			Date/Time			Date/Time								



Cooler Receipt and Preservation Check Form

R1710829

5

APTIM, Inc
Textron Wheatfield Annual



Project/Client APTIM Folder Number _____

Cooler received on 11/14/17 by SN

COURIER: ALS UPS FEDEX VELOCITY CLIENT

1	Were Custody seals on outside of cooler?	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>
2	Custody papers properly completed (ink, signed)?	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>
3	Did all bottles arrive in good condition (unbroken)?	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>
4	Circle: We <input checked="" type="checkbox"/> Ice <input type="checkbox"/> Dry Ice <input type="checkbox"/> Gel packs present?	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>

5a	Perchlorate samples have required headspace?	Y <input type="checkbox"/> N <input checked="" type="checkbox"/> NA <input type="checkbox"/>
5b	Did VOA vials, Alk, or Sulfide have sig* bubbles?	Y <input checked="" type="checkbox"/> N <input type="checkbox"/> NA <input type="checkbox"/>
6	Where did the bottles originate?	ALS/ROC CLIENT
7	Soil VOA received as:	Bulk Encore 5035set <input checked="" type="checkbox"/> NA <input type="checkbox"/>

8. Temperature Readings Date: 11/14/17 Time: 1742 ID: IR#7 IR#9 From: Temp Blank Sample Bottle

Observed Temp (°C)	<u>3.5</u>	<u>3.3</u>	<u>4.4</u>				
Correction Factor (°C)	<u>±0.0</u>	<u>±0.0</u>	<u>±0.0</u>				
Corrected Temp (°C)	<u>3.5</u>	<u>3.3</u>	<u>4.4</u>				
Temp from: Type of bottle							
Within 0-6°C?	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	Y <input type="checkbox"/> N	Y <input type="checkbox"/> N	Y <input type="checkbox"/> N	Y <input type="checkbox"/> N
If <0°C, were samples frozen?	Y <input type="checkbox"/> N	Y <input type="checkbox"/> N	Y <input type="checkbox"/> N	Y <input type="checkbox"/> N	Y <input type="checkbox"/> N	Y <input type="checkbox"/> N	Y <input type="checkbox"/> N

If out of Temperature, note packing/ice condition: _____ Ice melted _____ Poorly Packed (described below) _____ Same Day Rule
& Client Approval to Run Samples: _____ Standing Approval _____ Client aware at drop-off _____ Client notified by: _____

All samples held in storage location: R-002 by SN on 11/14/17 at 1742
5035 samples placed in storage location: _____ by _____ on _____ at _____

Cooler Breakdown: Date: 11/15/17 Time: 1344 by: SN

- 9. Were all bottle labels complete (i.e. analysis, preservation, etc.)? YES NO date/time
- 10. Did all bottle labels and tags agree with custody papers? YES NO
- 11. Were correct containers used for the tests indicated? YES NO
- 12. Were 5035 vials acceptable (no extra labels, not leaking)? YES NO
- 13. Air Samples: Cassettes / Tubes Intact _____ Canisters Pressurized _____ Tedlar® Bags inflated N/A

pH	Lot of test paper	Reagent	Preserved?		Lot Received	Exp	Sample ID	Vol. Added	Lot Added	Final pH
			Yes	No						
≥12		NaOH								
≤2		HNO ₃								
≤2	<u>213916</u>	H ₂ SO ₄	<input checked="" type="checkbox"/>		<u>2FG0235</u>	<u>10/18</u>				
<4		NaI ISO ₄								
Residual Chlorine (-)		For CN Phenol and 522			If +, contact PM to add Na ₂ S ₂ O ₃ (CN), ascorbic (phenol).					
		Na ₂ S ₂ O ₃	-	-						
		ZnAcetate	-	-						
		HCl	**	**	<u>4115022</u>	<u>10/18</u>				

*Not to be tested before analysis - pH tested and recorded by VOAs on a separate worksheet

Bottle lot numbers: 6-258-001, 7-080-001, 100917-2AM0, 070117-1BMC
Explain all Discrepancies/ Other Comments:

NO Temp Blanks on COC

CLRES	BULK
DO	FLDT
HPROD	HGFB
HTR	LL3541
PH	SUB
SO3	MARRS
ALS	REV

Labels secondary reviewed by: [Signature]
PC Secondary Review: [Signature]

*significant air bubbles: VOA > 5-6 mm : WC > 1 in. diameter



Miscellaneous Forms

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

REPORT QUALIFIERS AND DEFINITIONS

<p>U Analyte was analyzed for but not detected. The sample quantitation limit has been corrected for dilution and for percent moisture, unless otherwise noted in the case narrative.</p> <p>J Estimated value due to either being a Tentatively Identified Compound (TIC) or that the concentration is between the MRL and the MDL. Concentrations are not verified within the linear range of the calibration. For DoD: concentration >40% difference between two GC columns (pesticides/Aroclors).</p> <p>B Analyte was also detected in the associated method blank at a concentration that may have contributed to the sample result.</p> <p>E Inorganics- Concentration is estimated due to the serial dilution was outside control limits.</p> <p>E Organics- Concentration has exceeded the calibration range for that specific analysis.</p> <p>D Concentration is a result of a dilution, typically a secondary analysis of the sample due to exceeding the calibration range or that a surrogate has been diluted out of the sample and cannot be assessed.</p> <p>* Indicates that a quality control parameter has exceeded laboratory limits. Under the "Notes" column of the Form I, this qualifier denotes analysis was performed out of Holding Time.</p> <p>H Analysis was performed out of hold time for tests that have an "immediate" hold time criteria.</p> <p># Spike was diluted out.</p>	<p>+ Correlation coefficient for MSA is <0.995.</p> <p>N Inorganics- Matrix spike recovery was outside laboratory limits.</p> <p>N Organics- Presumptive evidence of a compound (reported as a TIC) based on the MS library search.</p> <p>S Concentration has been determined using Method of Standard Additions (MSA).</p> <p>W Post-Digestion Spike recovery is outside control limits and the sample absorbance is <50% of the spike absorbance.</p> <p>P Concentration >40% difference between the two GC columns.</p> <p>C Confirmed by GC/MS</p> <p>Q DoD reports: indicates a pesticide/Aroclor is not confirmed ($\times 100\%$ Difference between two GC columns).</p> <p>X See Case Narrative for discussion.</p> <p>MRL Method Reporting Limit. Also known as:</p> <p>LOQ Limit of Quantitation (LOQ) The lowest concentration at which the method analyte may be reliably quantified under the method conditions.</p> <p>MDL Method Detection Limit. A statistical value derived from a study designed to provide the lowest concentration that will be detected 99% of the time. Values between the MDL and MRL are estimated (see J qualifier).</p> <p>LOD Limit of Detection. A value at or above the MDL which has been verified to be detectable.</p> <p>ND Non-Detect. Analyte was not detected at the concentration listed. Same as U qualifier.</p>
---	--



Rochester Lab ID # for State Certifications¹

Connecticut ID # PH0556	Maine ID #NY0032	New Hampshire ID #
Delaware Approved	New Jersey ID # NY004	294100 A/B
DoD ELAP #65817	New York ID # 10145	Pennsylvania ID# 68-786
Florida ID # E87674	North Carolina #676	Rhode Island ID # 158
		Virginia #460167

¹ Analyses were performed according to our laboratory's NELAP-approved quality assurance program and any applicable state or agency requirements. The test results meet requirements of the current NELAP/TNI standards or state or agency requirements, where applicable, except as noted in the case narrative. Since not all analyte/method/matrix combinations are offered for state/NELAC accreditation, this report may contain results which are not accredited. For a specific list of accredited analytes, contact the laboratory or go to <https://www.alsglobal.com/locations/americas/north-america/usa/new-york/rochester-environmental>

ALS Laboratory Group

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

ALS Group USA, Corp.
dba ALS Environmental

Analyst Summary report

Client: APTIM, Inc
Project: Textron Wheatfield/156045

Service Request: R1710829

Sample Name: BAT-DW-10-171114
Lab Code: R1710829-004
Sample Matrix: Water

Date Collected: 11/14/17
Date Received: 11/14/17

Analysis Method
8260C

Extracted/Digested By

Analyzed By
DLIPANI

Sample Name: BAT-89-15 (1)-171114
Lab Code: R1710829-005
Sample Matrix: Water

Date Collected: 11/14/17
Date Received: 11/14/17

Analysis Method
8260C

Extracted/Digested By

Analyzed By
DLIPANI

Sample Name: BAT-DW-9-171114
Lab Code: R1710829-008
Sample Matrix: Water

Date Collected: 11/14/17
Date Received: 11/14/17

Analysis Method
8260C

Extracted/Digested By

Analyzed By
DLIPANI

Sample Name: BAT-DUP-1-171114
Lab Code: R1710829-010
Sample Matrix: Water

Date Collected: 11/14/17
Date Received: 11/14/17

Analysis Method
8260C

Extracted/Digested By

Analyzed By
DLIPANI

Sample Name: BAT-87-17 (1)-171114
Lab Code: R1710829-011
Sample Matrix: Water

Date Collected: 11/14/17
Date Received: 11/14/17

Analysis Method
8260C

Extracted/Digested By

Analyzed By
DLIPANI

ALS Group USA, Corp.
dba ALS Environmental

Analyst Summary report

Client: APTIM, Inc
Project: Textron Wheatfield/156045

Service Request: R1710829

Sample Name: BAT-87-22 (1)-171114
Lab Code: R1710829-012
Sample Matrix: Water

Date Collected: 11/14/17
Date Received: 11/14/17

Analysis Method
8260C

Extracted/Digested By

Analyzed By
DLIPANI

Sample Name: BAT-87-20 (1)-171114
Lab Code: R1710829-013
Sample Matrix: Water

Date Collected: 11/14/17
Date Received: 11/14/17

Analysis Method
8260C

Extracted/Digested By

Analyzed By
DLIPANI

Sample Name: BAT-FB-171114
Lab Code: R1710829-015
Sample Matrix: Water

Date Collected: 11/14/17
Date Received: 11/14/17

Analysis Method
8260C

Extracted/Digested By

Analyzed By
DLIPANI

Sample Name: TRIP BLANK 1
Lab Code: R1710829-016
Sample Matrix: Water

Date Collected: 11/13/17
Date Received: 11/14/17

Analysis Method
8260C

Extracted/Digested By

Analyzed By
DLIPANI

Sample Name: TRIP BLANK 2
Lab Code: R1710829-017
Sample Matrix: Water

Date Collected: 11/14/17
Date Received: 11/14/17

Analysis Method
8260C

Extracted/Digested By

Analyzed By
DLIPANI



INORGANIC PREPARATION METHODS

The preparation methods associated with this report are found in these tables unless discussed in the case narrative.

Water/Liquid Matrix

Analytical Method	Preparation Method
200.7	200.2
200.8	200.2
6010C	3005A/3010A
6020A	ILM05.3
9014 Cyanide Reactivity	SW846 Ch7, 7.3.4.2
9034 Sulfide Reactivity	SW846 Ch7, 7.3.4.2
9034 Sulfide Acid Soluble	9030B
9056A Bomb (Halogens)	5050A
9066 Manual Distillation	9065
SM 4500-CN-E Residual Cyanide	SM 4500-CN-G
SM 4500-CN-E WAD Cyanide	SM 4500-CN-I

Solid/Soil/Non-Aqueous Matrix

Analytical Method	Preparation Method
6010C	3050B
6020A	3050B
6010C TCLP (1311) extract	3005A/3010A
6010 SPLP (1312) extract	3005A/3010A
7196A	3060A
7199	3060A
9056A Halogens/Halides	5050
300.0 Anions/ 350.1/ 353.2/ SM 2320B/ SM 5210B/ 9056A Anions	DI extraction

For analytical methods not listed, the preparation method is the same as the analytical method reference.



Sample Results

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com



Volatile Organic Compounds by GC/MS

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/156045
Sample Matrix: Water

Service Request: R1710829
Date Collected: 11/14/17 08:55
Date Received: 11/14/17 16:35

Sample Name: BAT-DW-10-171114
Lab Code: R1710829-004

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
Chloromethane	0.24 J	1.0	0.21	1	11/21/17 15:18	
Vinyl Chloride	2.3	1.0	0.32	1	11/21/17 15:18	
Chloroethane	1.0 U	1.0	0.24	1	11/21/17 15:18	
Bromomethane	1.0 U	1.0	0.29	1	11/21/17 15:18	
1,1-Dichloroethene	1.0 U	1.0	0.57	1	11/21/17 15:18	
Acetone	1.5 J	5.0	1.3	1	11/21/17 15:18	
Carbon Disulfide	1.0 U	1.0	0.22	1	11/21/17 15:18	
Methylene Chloride	170	1.0	0.60	1	11/21/17 15:18	
trans-1,2-Dichloroethene	1.0 U	1.0	0.33	1	11/21/17 15:18	
1,1-Dichloroethane	1.0 U	1.0	0.20	1	11/21/17 15:18	
cis-1,2-Dichloroethene	17	1.0	0.30	1	11/21/17 15:18	
2-Butanone (MEK)	5.0 U	5.0	0.81	1	11/21/17 15:18	
Chloroform	1.0 U	1.0	0.25	1	11/21/17 15:18	
1,1,1-Trichloroethane	0.48 J	1.0	0.36	1	11/21/17 15:18	
Carbon Tetrachloride	1.0 U	1.0	0.45	1	11/21/17 15:18	
Benzene	1.0 U	1.0	0.20	1	11/21/17 15:18	
1,2-Dichloroethane	1.0 U	1.0	0.36	1	11/21/17 15:18	
Trichloroethene	32	1.0	0.22	1	11/21/17 15:18	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	11/21/17 15:18	
Bromodichloromethane	1.0 U	1.0	0.32	1	11/21/17 15:18	
cis-1,3-Dichloropropene	1.0 U	1.0	0.24	1	11/21/17 15:18	
4-Methyl-2-pentanone (MIBK)	5.0 U	5.0	0.67	1	11/21/17 15:18	
Toluene	1.0 U	1.0	0.20	1	11/21/17 15:18	
trans-1,3-Dichloropropene	1.0 U	1.0	0.20	1	11/21/17 15:18	
1,1,2-Trichloroethane	1.0 U	1.0	0.34	1	11/21/17 15:18	
Tetrachloroethene	1.0 U	1.0	0.30	1	11/21/17 15:18	
2-Hexanone	5.0 U	5.0	1.7	1	11/21/17 15:18	
Dibromochloromethane	1.0 U	1.0	0.31	1	11/21/17 15:18	
Chlorobenzene	1.0 U	1.0	0.29	1	11/21/17 15:18	
Ethylbenzene	1.0 U	1.0	0.20	1	11/21/17 15:18	
m,p-Xylenes	2.0 U	2.0	0.33	1	11/21/17 15:18	
o-Xylene	1.0 U	1.0	0.20	1	11/21/17 15:18	
Styrene	1.0 U	1.0	0.20	1	11/21/17 15:18	
Bromoform	1.0 U	1.0	0.42	1	11/21/17 15:18	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.25	1	11/21/17 15:18	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/156045
Sample Matrix: Water
Sample Name: BAT-DW-10-171114
Lab Code: R1710829-004

Service Request: R1710829
Date Collected: 11/14/17 08:55
Date Received: 11/14/17 16:35
Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	95	85 - 122	11/21/17 15:18	
Toluene-d8	101	87 - 121	11/21/17 15:18	
Dibromofluoromethane	95	89 - 119	11/21/17 15:18	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/156045
Sample Matrix: Water

Service Request: R1710829
Date Collected: 11/14/17 09:30
Date Received: 11/14/17 16:35

Sample Name: BAT-89-15 (1)-171114
Lab Code: R1710829-005

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
Chloromethane	0.26 J	1.0	0.21	1	11/21/17 18:37	
Vinyl Chloride	20	1.0	0.32	1	11/21/17 18:37	
Chloroethane	1.0 U	1.0	0.24	1	11/21/17 18:37	
Bromomethane	1.0 U	1.0	0.29	1	11/21/17 18:37	
1,1-Dichloroethene	0.66 J	1.0	0.57	1	11/21/17 18:37	
Acetone	5.0 U	5.0	1.3	1	11/21/17 18:37	
Carbon Disulfide	0.26 J	1.0	0.22	1	11/21/17 18:37	
Methylene Chloride	1.0 U	1.0	0.60	1	11/21/17 18:37	
trans-1,2-Dichloroethene	0.44 J	1.0	0.33	1	11/21/17 18:37	
1,1-Dichloroethane	3.9	1.0	0.20	1	11/21/17 18:37	
cis-1,2-Dichloroethene	62	1.0	0.30	1	11/21/17 18:37	
2-Butanone (MEK)	5.0 U	5.0	0.81	1	11/21/17 18:37	
Chloroform	1.0 U	1.0	0.25	1	11/21/17 18:37	
1,1,1-Trichloroethane	0.97 J	1.0	0.36	1	11/21/17 18:37	
Carbon Tetrachloride	1.0 U	1.0	0.45	1	11/21/17 18:37	
Benzene	1.0 U	1.0	0.20	1	11/21/17 18:37	
1,2-Dichloroethane	1.0 U	1.0	0.36	1	11/21/17 18:37	
Trichloroethene	5.1	1.0	0.22	1	11/21/17 18:37	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	11/21/17 18:37	
Bromodichloromethane	1.0 U	1.0	0.32	1	11/21/17 18:37	
cis-1,3-Dichloropropene	1.0 U	1.0	0.24	1	11/21/17 18:37	
4-Methyl-2-pentanone (MIBK)	5.0 U	5.0	0.67	1	11/21/17 18:37	
Toluene	1.0 U	1.0	0.20	1	11/21/17 18:37	
trans-1,3-Dichloropropene	1.0 U	1.0	0.20	1	11/21/17 18:37	
1,1,2-Trichloroethane	1.0 U	1.0	0.34	1	11/21/17 18:37	
Tetrachloroethene	1.0 U	1.0	0.30	1	11/21/17 18:37	
2-Hexanone	5.0 U	5.0	1.7	1	11/21/17 18:37	
Dibromochloromethane	1.0 U	1.0	0.31	1	11/21/17 18:37	
Chlorobenzene	1.0 U	1.0	0.29	1	11/21/17 18:37	
Ethylbenzene	1.0 U	1.0	0.20	1	11/21/17 18:37	
m,p-Xylenes	2.0 U	2.0	0.33	1	11/21/17 18:37	
o-Xylene	1.0 U	1.0	0.20	1	11/21/17 18:37	
Styrene	1.0 U	1.0	0.20	1	11/21/17 18:37	
Bromoform	1.0 U	1.0	0.42	1	11/21/17 18:37	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.25	1	11/21/17 18:37	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/156045
Sample Matrix: Water
Sample Name: BAT-89-15 (1)-171114
Lab Code: R1710829-005

Service Request: R1710829
Date Collected: 11/14/17 09:30
Date Received: 11/14/17 16:35
Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	95	85 - 122	11/21/17 18:37	
Toluene-d8	99	87 - 121	11/21/17 18:37	
Dibromofluoromethane	95	89 - 119	11/21/17 18:37	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/156045
Sample Matrix: Water

Service Request: R1710829
Date Collected: 11/14/17 11:30
Date Received: 11/14/17 16:35

Sample Name: BAT-DW-9-171114
Lab Code: R1710829-008

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
Chloromethane	1.0 U	1.0	0.21	1	11/22/17 20:32	
Vinyl Chloride	1.0 U	1.0	0.32	1	11/22/17 20:32	
Chloroethane	1.0 U	1.0	0.24	1	11/22/17 20:32	
Bromomethane	1.0 U	1.0	0.29	1	11/22/17 20:32	
1,1-Dichloroethene	1.0 U	1.0	0.57	1	11/22/17 20:32	
Acetone	1.7 J	5.0	1.3	1	11/22/17 20:32	
Carbon Disulfide	1.0 U	1.0	0.22	1	11/22/17 20:32	
Methylene Chloride	1.0 U	1.0	0.60	1	11/22/17 20:32	
trans-1,2-Dichloroethene	1.0 U	1.0	0.33	1	11/22/17 20:32	
1,1-Dichloroethane	0.40 J	1.0	0.20	1	11/22/17 20:32	
cis-1,2-Dichloroethene	22	1.0	0.30	1	11/22/17 20:32	
2-Butanone (MEK)	5.0 U	5.0	0.81	1	11/22/17 20:32	
Chloroform	0.47 J	1.0	0.25	1	11/22/17 20:32	
1,1,1-Trichloroethane	1.1	1.0	0.36	1	11/22/17 20:32	
Carbon Tetrachloride	1.0 U	1.0	0.45	1	11/22/17 20:32	
Benzene	1.0 U	1.0	0.20	1	11/22/17 20:32	
1,2-Dichloroethane	1.0 U	1.0	0.36	1	11/22/17 20:32	
Trichloroethene	70	1.0	0.22	1	11/22/17 20:32	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	11/22/17 20:32	
Bromodichloromethane	1.0 U	1.0	0.32	1	11/22/17 20:32	
cis-1,3-Dichloropropene	1.0 U	1.0	0.24	1	11/22/17 20:32	
4-Methyl-2-pentanone (MIBK)	5.0 U	5.0	0.67	1	11/22/17 20:32	
Toluene	1.0 U	1.0	0.20	1	11/22/17 20:32	
trans-1,3-Dichloropropene	1.0 U	1.0	0.20	1	11/22/17 20:32	
1,1,2-Trichloroethane	1.0 U	1.0	0.34	1	11/22/17 20:32	
Tetrachloroethene	1.0 U	1.0	0.30	1	11/22/17 20:32	
2-Hexanone	5.0 U	5.0	1.7	1	11/22/17 20:32	
Dibromochloromethane	1.0 U	1.0	0.31	1	11/22/17 20:32	
Chlorobenzene	1.0 U	1.0	0.29	1	11/22/17 20:32	
Ethylbenzene	1.0 U	1.0	0.20	1	11/22/17 20:32	
m,p-Xylenes	2.0 U	2.0	0.33	1	11/22/17 20:32	
o-Xylene	1.0 U	1.0	0.20	1	11/22/17 20:32	
Styrene	1.0 U	1.0	0.20	1	11/22/17 20:32	
Bromoform	1.0 U	1.0	0.42	1	11/22/17 20:32	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.25	1	11/22/17 20:32	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/156045
Sample Matrix: Water

Service Request: R1710829
Date Collected: 11/14/17 11:30
Date Received: 11/14/17 16:35

Sample Name: BAT-DW-9-171114
Lab Code: R1710829-008

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	87	85 - 122	11/22/17 20:32	
Toluene-d8	98	87 - 121	11/22/17 20:32	
Dibromofluoromethane	96	89 - 119	11/22/17 20:32	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/156045
Sample Matrix: Water

Service Request: R1710829
Date Collected: 11/14/17
Date Received: 11/14/17 16:35

Sample Name: BAT-DUP-1-171114
Lab Code: R1710829-010

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
Chloromethane	1.0 U	1.0	0.21	1	11/21/17 14:56	
Vinyl Chloride	1.0 U	1.0	0.32	1	11/21/17 14:56	
Chloroethane	1.0 U	1.0	0.24	1	11/21/17 14:56	
Bromomethane	1.0 U	1.0	0.29	1	11/21/17 14:56	
1,1-Dichloroethene	1.0 U	1.0	0.57	1	11/21/17 14:56	
Acetone	1.3 J	5.0	1.3	1	11/21/17 14:56	
Carbon Disulfide	1.0 U	1.0	0.22	1	11/21/17 14:56	
Methylene Chloride	1.0 U	1.0	0.60	1	11/21/17 14:56	
trans-1,2-Dichloroethene	1.0 U	1.0	0.33	1	11/21/17 14:56	
1,1-Dichloroethane	0.44 J	1.0	0.20	1	11/21/17 14:56	
cis-1,2-Dichloroethene	24	1.0	0.30	1	11/21/17 14:56	
2-Butanone (MEK)	5.0 U	5.0	0.81	1	11/21/17 14:56	
Chloroform	0.52 J	1.0	0.25	1	11/21/17 14:56	
1,1,1-Trichloroethane	1.2	1.0	0.36	1	11/21/17 14:56	
Carbon Tetrachloride	1.0 U	1.0	0.45	1	11/21/17 14:56	
Benzene	1.0 U	1.0	0.20	1	11/21/17 14:56	
1,2-Dichloroethane	1.0 U	1.0	0.36	1	11/21/17 14:56	
Trichloroethene	71	1.0	0.22	1	11/21/17 14:56	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	11/21/17 14:56	
Bromodichloromethane	1.0 U	1.0	0.32	1	11/21/17 14:56	
cis-1,3-Dichloropropene	1.0 U	1.0	0.24	1	11/21/17 14:56	
4-Methyl-2-pentanone (MIBK)	5.0 U	5.0	0.67	1	11/21/17 14:56	
Toluene	1.0 U	1.0	0.20	1	11/21/17 14:56	
trans-1,3-Dichloropropene	1.0 U	1.0	0.20	1	11/21/17 14:56	
1,1,2-Trichloroethane	1.0 U	1.0	0.34	1	11/21/17 14:56	
Tetrachloroethene	1.0 U	1.0	0.30	1	11/21/17 14:56	
2-Hexanone	5.0 U	5.0	1.7	1	11/21/17 14:56	
Dibromochloromethane	1.0 U	1.0	0.31	1	11/21/17 14:56	
Chlorobenzene	1.0 U	1.0	0.29	1	11/21/17 14:56	
Ethylbenzene	1.0 U	1.0	0.20	1	11/21/17 14:56	
m,p-Xylenes	2.0 U	2.0	0.33	1	11/21/17 14:56	
o-Xylene	1.0 U	1.0	0.20	1	11/21/17 14:56	
Styrene	1.0 U	1.0	0.20	1	11/21/17 14:56	
Bromoform	1.0 U	1.0	0.42	1	11/21/17 14:56	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.25	1	11/21/17 14:56	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/156045
Sample Matrix: Water
Sample Name: BAT-DUP-1-171114
Lab Code: R1710829-010

Service Request: R1710829
Date Collected: 11/14/17
Date Received: 11/14/17 16:35
Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	96	85 - 122	11/21/17 14:56	
Toluene-d8	100	87 - 121	11/21/17 14:56	
Dibromofluoromethane	94	89 - 119	11/21/17 14:56	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/156045
Sample Matrix: Water

Service Request: R1710829
Date Collected: 11/14/17 12:40
Date Received: 11/14/17 16:35

Sample Name: BAT-87-17 (1)-171114
Lab Code: R1710829-011

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
Chloromethane	1.0 U	1.0	0.21	1	11/21/17 17:22	
Vinyl Chloride	280 D	5.0	1.6	5	11/22/17 19:27	
Chloroethane	1.0 U	1.0	0.24	1	11/21/17 17:22	
Bromomethane	1.0 U	1.0	0.29	1	11/21/17 17:22	
1,1-Dichloroethene	1.5	1.0	0.57	1	11/21/17 17:22	
Acetone	1.8 J	5.0	1.3	1	11/21/17 17:22	
Carbon Disulfide	1.4	1.0	0.22	1	11/21/17 17:22	
Methylene Chloride	1.0 U	1.0	0.60	1	11/21/17 17:22	
trans-1,2-Dichloroethene	2.2	1.0	0.33	1	11/21/17 17:22	
1,1-Dichloroethane	26	1.0	0.20	1	11/21/17 17:22	
cis-1,2-Dichloroethene	130	1.0	0.30	1	11/21/17 17:22	
2-Butanone (MEK)	5.0 U	5.0	0.81	1	11/21/17 17:22	
Chloroform	1.0 U	1.0	0.25	1	11/21/17 17:22	
1,1,1-Trichloroethane	110	1.0	0.36	1	11/21/17 17:22	
Carbon Tetrachloride	1.0 U	1.0	0.45	1	11/21/17 17:22	
Benzene	1.0 U	1.0	0.20	1	11/21/17 17:22	
1,2-Dichloroethane	1.0 U	1.0	0.36	1	11/21/17 17:22	
Trichloroethene	2.7	1.0	0.22	1	11/21/17 17:22	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	11/21/17 17:22	
Bromodichloromethane	1.0 U	1.0	0.32	1	11/21/17 17:22	
cis-1,3-Dichloropropene	1.0 U	1.0	0.24	1	11/21/17 17:22	
4-Methyl-2-pentanone (MIBK)	5.0 U	5.0	0.67	1	11/21/17 17:22	
Toluene	1.0 U	1.0	0.20	1	11/21/17 17:22	
trans-1,3-Dichloropropene	1.0 U	1.0	0.20	1	11/21/17 17:22	
1,1,2-Trichloroethane	1.0 U	1.0	0.34	1	11/21/17 17:22	
Tetrachloroethene	1.0 U	1.0	0.30	1	11/21/17 17:22	
2-Hexanone	5.0 U	5.0	1.7	1	11/21/17 17:22	
Dibromochloromethane	1.0 U	1.0	0.31	1	11/21/17 17:22	
Chlorobenzene	1.0 U	1.0	0.29	1	11/21/17 17:22	
Ethylbenzene	1.0 U	1.0	0.20	1	11/21/17 17:22	
m,p-Xylenes	2.0 U	2.0	0.33	1	11/21/17 17:22	
o-Xylene	1.0 U	1.0	0.20	1	11/21/17 17:22	
Styrene	1.0 U	1.0	0.20	1	11/21/17 17:22	
Bromoform	1.0 U	1.0	0.42	1	11/21/17 17:22	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.25	1	11/21/17 17:22	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/156045
Sample Matrix: Water
Sample Name: BAT-87-17 (1)-171114
Lab Code: R1710829-011

Service Request: R1710829
Date Collected: 11/14/17 12:40
Date Received: 11/14/17 16:35
Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	113	85 - 122	11/21/17 17:22	
Toluene-d8	101	87 - 121	11/21/17 17:22	
Dibromofluoromethane	97	89 - 119	11/21/17 17:22	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/156045
Sample Matrix: Water

Service Request: R1710829
Date Collected: 11/14/17 13:20
Date Received: 11/14/17 16:35

Sample Name: BAT-87-22 (1)-171114
Lab Code: R1710829-012

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
Chloromethane	5.0 U	5.0	1.1	5	11/22/17 19:49	
Vinyl Chloride	430	5.0	1.6	5	11/22/17 19:49	
Chloroethane	5.0 U	5.0	1.2	5	11/22/17 19:49	
Bromomethane	5.0 U	5.0	1.5	5	11/22/17 19:49	
1,1-Dichloroethene	5.0 U	5.0	2.9	5	11/22/17 19:49	
Acetone	25 U	25	6.2	5	11/22/17 19:49	
Carbon Disulfide	5.0 U	5.0	1.1	5	11/22/17 19:49	
Methylene Chloride	5.0 U	5.0	3.0	5	11/22/17 19:49	
trans-1,2-Dichloroethene	4.3 J	5.0	1.7	5	11/22/17 19:49	
1,1-Dichloroethane	4.6 J	5.0	1.0	5	11/22/17 19:49	
cis-1,2-Dichloroethene	820	5.0	1.5	5	11/22/17 19:49	
2-Butanone (MEK)	25 U	25	4.1	5	11/22/17 19:49	
Chloroform	5.0 U	5.0	1.3	5	11/22/17 19:49	
1,1,1-Trichloroethane	5.0 U	5.0	1.8	5	11/22/17 19:49	
Carbon Tetrachloride	5.0 U	5.0	2.3	5	11/22/17 19:49	
Benzene	5.0 U	5.0	1.0	5	11/22/17 19:49	
1,2-Dichloroethane	5.0 U	5.0	1.8	5	11/22/17 19:49	
Trichloroethene	2.6 J	5.0	1.1	5	11/22/17 19:49	
1,2-Dichloropropane	5.0 U	5.0	1.0	5	11/22/17 19:49	
Bromodichloromethane	5.0 U	5.0	1.6	5	11/22/17 19:49	
cis-1,3-Dichloropropene	5.0 U	5.0	1.2	5	11/22/17 19:49	
4-Methyl-2-pentanone (MIBK)	25 U	25	3.4	5	11/22/17 19:49	
Toluene	5.0 U	5.0	1.0	5	11/22/17 19:49	
trans-1,3-Dichloropropene	5.0 U	5.0	1.0	5	11/22/17 19:49	
1,1,2-Trichloroethane	5.0 U	5.0	1.7	5	11/22/17 19:49	
Tetrachloroethene	5.0 U	5.0	1.5	5	11/22/17 19:49	
2-Hexanone	25 U	25	8.3	5	11/22/17 19:49	
Dibromochloromethane	5.0 U	5.0	1.6	5	11/22/17 19:49	
Chlorobenzene	5.0 U	5.0	1.5	5	11/22/17 19:49	
Ethylbenzene	5.0 U	5.0	1.0	5	11/22/17 19:49	
m,p-Xylenes	10 U	10	1.7	5	11/22/17 19:49	
o-Xylene	5.0 U	5.0	1.0	5	11/22/17 19:49	
Styrene	5.0 U	5.0	1.0	5	11/22/17 19:49	
Bromoform	5.0 U	5.0	2.1	5	11/22/17 19:49	
1,1,2,2-Tetrachloroethane	5.0 U	5.0	1.3	5	11/22/17 19:49	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/156045
Sample Matrix: Water
Sample Name: BAT-87-22 (1)-171114
Lab Code: R1710829-012

Service Request: R1710829
Date Collected: 11/14/17 13:20
Date Received: 11/14/17 16:35

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	87	85 - 122	11/22/17 19:49	
Toluene-d8	97	87 - 121	11/22/17 19:49	
Dibromofluoromethane	95	89 - 119	11/22/17 19:49	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/156045
Sample Matrix: Water
Sample Name: BAT-87-20 (1)-171114
Lab Code: R1710829-013

Service Request: R1710829
Date Collected: 11/14/17 13:50
Date Received: 11/14/17 16:35
Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
Chloromethane	25 U	25	5.3	25	11/21/17 19:21	
Vinyl Chloride	760	25	8.0	25	11/21/17 19:21	
Chloroethane	25 U	25	6.0	25	11/21/17 19:21	
Bromomethane	9.0 J	25	7.3	25	11/21/17 19:21	
1,1-Dichloroethene	25 U	25	15	25	11/21/17 19:21	
Acetone	130 U	130	31	25	11/21/17 19:21	
Carbon Disulfide	25 U	25	5.5	25	11/21/17 19:21	
Methylene Chloride	25 U	25	15	25	11/21/17 19:21	
trans-1,2-Dichloroethene	17 J	25	8.3	25	11/21/17 19:21	
1,1-Dichloroethane	13 J	25	5.0	25	11/21/17 19:21	
cis-1,2-Dichloroethene	6200 D	50	15	50	11/22/17 20:10	
2-Butanone (MEK)	130 U	130	21	25	11/21/17 19:21	
Chloroform	25 U	25	6.3	25	11/21/17 19:21	
1,1,1-Trichloroethane	26	25	9.0	25	11/21/17 19:21	
Carbon Tetrachloride	25 U	25	12	25	11/21/17 19:21	
Benzene	25 U	25	5.0	25	11/21/17 19:21	
1,2-Dichloroethane	25 U	25	9.0	25	11/21/17 19:21	
Trichloroethene	34	25	5.5	25	11/21/17 19:21	
1,2-Dichloropropane	25 U	25	5.0	25	11/21/17 19:21	
Bromodichloromethane	25 U	25	8.0	25	11/21/17 19:21	
cis-1,3-Dichloropropene	25 U	25	6.0	25	11/21/17 19:21	
4-Methyl-2-pentanone (MIBK)	130 U	130	17	25	11/21/17 19:21	
Toluene	25 U	25	5.0	25	11/21/17 19:21	
trans-1,3-Dichloropropene	25 U	25	5.0	25	11/21/17 19:21	
1,1,2-Trichloroethane	25 U	25	8.5	25	11/21/17 19:21	
Tetrachloroethene	25 U	25	7.5	25	11/21/17 19:21	
2-Hexanone	130 U	130	42	25	11/21/17 19:21	
Dibromochloromethane	25 U	25	7.8	25	11/21/17 19:21	
Chlorobenzene	25 U	25	7.3	25	11/21/17 19:21	
Ethylbenzene	25 U	25	5.0	25	11/21/17 19:21	
m,p-Xylenes	50 U	50	8.3	25	11/21/17 19:21	
o-Xylene	25 U	25	5.0	25	11/21/17 19:21	
Styrene	25 U	25	5.0	25	11/21/17 19:21	
Bromoform	25 U	25	11	25	11/21/17 19:21	
1,1,2,2-Tetrachloroethane	25 U	25	6.3	25	11/21/17 19:21	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/156045
Sample Matrix: Water
Sample Name: BAT-87-20 (1)-171114
Lab Code: R1710829-013

Service Request: R1710829
Date Collected: 11/14/17 13:50
Date Received: 11/14/17 16:35
Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	95	85 - 122	11/21/17 19:21	
Toluene-d8	102	87 - 121	11/21/17 19:21	
Dibromofluoromethane	96	89 - 119	11/21/17 19:21	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/156045
Sample Matrix: Water

Service Request: R1710829
Date Collected: 11/14/17 14:40
Date Received: 11/14/17 16:35

Sample Name: BAT-FB-171114
Lab Code: R1710829-015

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
Chloromethane	0.32 J	1.0	0.21	1	11/21/17 14:04	
Vinyl Chloride	1.0 U	1.0	0.32	1	11/21/17 14:04	
Chloroethane	1.0 U	1.0	0.24	1	11/21/17 14:04	
Bromomethane	1.0 U	1.0	0.29	1	11/21/17 14:04	
1,1-Dichloroethene	1.0 U	1.0	0.57	1	11/21/17 14:04	
Acetone	1.3 J	5.0	1.3	1	11/21/17 14:04	
Carbon Disulfide	1.0 U	1.0	0.22	1	11/21/17 14:04	
Methylene Chloride	1.0 U	1.0	0.60	1	11/21/17 14:04	
trans-1,2-Dichloroethene	1.0 U	1.0	0.33	1	11/21/17 14:04	
1,1-Dichloroethane	1.0 U	1.0	0.20	1	11/21/17 14:04	
cis-1,2-Dichloroethene	1.0 U	1.0	0.30	1	11/21/17 14:04	
2-Butanone (MEK)	5.0 U	5.0	0.81	1	11/21/17 14:04	
Chloroform	1.0 U	1.0	0.25	1	11/21/17 14:04	
1,1,1-Trichloroethane	1.0 U	1.0	0.36	1	11/21/17 14:04	
Carbon Tetrachloride	1.0 U	1.0	0.45	1	11/21/17 14:04	
Benzene	1.0 U	1.0	0.20	1	11/21/17 14:04	
1,2-Dichloroethane	1.0 U	1.0	0.36	1	11/21/17 14:04	
Trichloroethene	1.0 U	1.0	0.22	1	11/21/17 14:04	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	11/21/17 14:04	
Bromodichloromethane	1.0 U	1.0	0.32	1	11/21/17 14:04	
cis-1,3-Dichloropropene	1.0 U	1.0	0.24	1	11/21/17 14:04	
4-Methyl-2-pentanone (MIBK)	5.0 U	5.0	0.67	1	11/21/17 14:04	
Toluene	1.5	1.0	0.20	1	11/21/17 14:04	
trans-1,3-Dichloropropene	1.0 U	1.0	0.20	1	11/21/17 14:04	
1,1,2-Trichloroethane	1.0 U	1.0	0.34	1	11/21/17 14:04	
Tetrachloroethene	1.0 U	1.0	0.30	1	11/21/17 14:04	
2-Hexanone	5.0 U	5.0	1.7	1	11/21/17 14:04	
Dibromochloromethane	1.0 U	1.0	0.31	1	11/21/17 14:04	
Chlorobenzene	1.0 U	1.0	0.29	1	11/21/17 14:04	
Ethylbenzene	1.0 U	1.0	0.20	1	11/21/17 14:04	
m,p-Xylenes	2.0 U	2.0	0.33	1	11/21/17 14:04	
o-Xylene	1.0 U	1.0	0.20	1	11/21/17 14:04	
Styrene	1.0 U	1.0	0.20	1	11/21/17 14:04	
Bromoform	1.0 U	1.0	0.42	1	11/21/17 14:04	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.25	1	11/21/17 14:04	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/156045
Sample Matrix: Water
Sample Name: BAT-FB-171114
Lab Code: R1710829-015

Service Request: R1710829
Date Collected: 11/14/17 14:40
Date Received: 11/14/17 16:35
Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	90	85 - 122	11/21/17 14:04	
Toluene-d8	98	87 - 121	11/21/17 14:04	
Dibromofluoromethane	93	89 - 119	11/21/17 14:04	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/156045
Sample Matrix: Water

Service Request: R1710829
Date Collected: 11/13/17 15:15
Date Received: 11/14/17 16:35

Sample Name: TRIP BLANK 1
Lab Code: R1710829-016

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
Chloromethane	0.32 BJ	1.0	0.21	1	11/20/17 17:19	
Vinyl Chloride	1.0 U	1.0	0.32	1	11/20/17 17:19	
Chloroethane	1.0 U	1.0	0.24	1	11/20/17 17:19	
Bromomethane	0.57 J	1.0	0.29	1	11/20/17 17:19	
1,1-Dichloroethene	1.0 U	1.0	0.57	1	11/20/17 17:19	
Acetone	5.0 U	5.0	1.3	1	11/20/17 17:19	
Carbon Disulfide	1.0 U	1.0	0.22	1	11/20/17 17:19	
Methylene Chloride	1.0 U	1.0	0.60	1	11/20/17 17:19	
trans-1,2-Dichloroethene	1.0 U	1.0	0.33	1	11/20/17 17:19	
1,1-Dichloroethane	1.0 U	1.0	0.20	1	11/20/17 17:19	
cis-1,2-Dichloroethene	1.0 U	1.0	0.30	1	11/20/17 17:19	
2-Butanone (MEK)	5.0 U	5.0	0.81	1	11/20/17 17:19	
Chloroform	1.0 U	1.0	0.25	1	11/20/17 17:19	
1,1,1-Trichloroethane	1.0 U	1.0	0.36	1	11/20/17 17:19	
Carbon Tetrachloride	1.0 U	1.0	0.45	1	11/20/17 17:19	
Benzene	1.0 U	1.0	0.20	1	11/20/17 17:19	
1,2-Dichloroethane	1.0 U	1.0	0.36	1	11/20/17 17:19	
Trichloroethene	1.0 U	1.0	0.22	1	11/20/17 17:19	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	11/20/17 17:19	
Bromodichloromethane	1.0 U	1.0	0.32	1	11/20/17 17:19	
cis-1,3-Dichloropropene	1.0 U	1.0	0.24	1	11/20/17 17:19	
4-Methyl-2-pentanone (MIBK)	5.0 U	5.0	0.67	1	11/20/17 17:19	
Toluene	1.0 U	1.0	0.20	1	11/20/17 17:19	
trans-1,3-Dichloropropene	1.0 U	1.0	0.20	1	11/20/17 17:19	
1,1,2-Trichloroethane	1.0 U	1.0	0.34	1	11/20/17 17:19	
Tetrachloroethene	1.0 U	1.0	0.30	1	11/20/17 17:19	
2-Hexanone	5.0 U	5.0	1.7	1	11/20/17 17:19	
Dibromochloromethane	1.0 U	1.0	0.31	1	11/20/17 17:19	
Chlorobenzene	1.0 U	1.0	0.29	1	11/20/17 17:19	
Ethylbenzene	1.0 U	1.0	0.20	1	11/20/17 17:19	
m,p-Xylenes	2.0 U	2.0	0.33	1	11/20/17 17:19	
o-Xylene	1.0 U	1.0	0.20	1	11/20/17 17:19	
Styrene	1.0 U	1.0	0.20	1	11/20/17 17:19	
Bromoform	1.0 U	1.0	0.42	1	11/20/17 17:19	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.25	1	11/20/17 17:19	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/156045
Sample Matrix: Water

Service Request: R1710829
Date Collected: 11/13/17 15:15
Date Received: 11/14/17 16:35

Sample Name: TRIP BLANK 1
Lab Code: R1710829-016

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	95	85 - 122	11/20/17 17:19	
Toluene-d8	102	87 - 121	11/20/17 17:19	
Dibromofluoromethane	96	89 - 119	11/20/17 17:19	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/156045
Sample Matrix: Water

Service Request: R1710829
Date Collected: 11/14/17 08:55
Date Received: 11/14/17 16:35

Sample Name: TRIP BLANK 2
Lab Code: R1710829-017

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
Chloromethane	0.44 J	1.0	0.21	1	11/21/17 14:26	
Vinyl Chloride	1.0 U	1.0	0.32	1	11/21/17 14:26	
Chloroethane	1.0 U	1.0	0.24	1	11/21/17 14:26	
Bromomethane	0.29 J	1.0	0.29	1	11/21/17 14:26	
1,1-Dichloroethene	1.0 U	1.0	0.57	1	11/21/17 14:26	
Acetone	5.0 U	5.0	1.3	1	11/21/17 14:26	
Carbon Disulfide	1.0 U	1.0	0.22	1	11/21/17 14:26	
Methylene Chloride	1.0 U	1.0	0.60	1	11/21/17 14:26	
trans-1,2-Dichloroethene	1.0 U	1.0	0.33	1	11/21/17 14:26	
1,1-Dichloroethane	1.0 U	1.0	0.20	1	11/21/17 14:26	
cis-1,2-Dichloroethene	1.0 U	1.0	0.30	1	11/21/17 14:26	
2-Butanone (MEK)	5.0 U	5.0	0.81	1	11/21/17 14:26	
Chloroform	1.0 U	1.0	0.25	1	11/21/17 14:26	
1,1,1-Trichloroethane	1.0 U	1.0	0.36	1	11/21/17 14:26	
Carbon Tetrachloride	1.0 U	1.0	0.45	1	11/21/17 14:26	
Benzene	1.0 U	1.0	0.20	1	11/21/17 14:26	
1,2-Dichloroethane	1.0 U	1.0	0.36	1	11/21/17 14:26	
Trichloroethene	1.0 U	1.0	0.22	1	11/21/17 14:26	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	11/21/17 14:26	
Bromodichloromethane	1.0 U	1.0	0.32	1	11/21/17 14:26	
cis-1,3-Dichloropropene	1.0 U	1.0	0.24	1	11/21/17 14:26	
4-Methyl-2-pentanone (MIBK)	5.0 U	5.0	0.67	1	11/21/17 14:26	
Toluene	1.0 U	1.0	0.20	1	11/21/17 14:26	
trans-1,3-Dichloropropene	1.0 U	1.0	0.20	1	11/21/17 14:26	
1,1,2-Trichloroethane	1.0 U	1.0	0.34	1	11/21/17 14:26	
Tetrachloroethene	1.0 U	1.0	0.30	1	11/21/17 14:26	
2-Hexanone	5.0 U	5.0	1.7	1	11/21/17 14:26	
Dibromochloromethane	1.0 U	1.0	0.31	1	11/21/17 14:26	
Chlorobenzene	1.0 U	1.0	0.29	1	11/21/17 14:26	
Ethylbenzene	1.0 U	1.0	0.20	1	11/21/17 14:26	
m,p-Xylenes	2.0 U	2.0	0.33	1	11/21/17 14:26	
o-Xylene	1.0 U	1.0	0.20	1	11/21/17 14:26	
Styrene	1.0 U	1.0	0.20	1	11/21/17 14:26	
Bromoform	1.0 U	1.0	0.42	1	11/21/17 14:26	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.25	1	11/21/17 14:26	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/156045
Sample Matrix: Water

Service Request: R1710829
Date Collected: 11/14/17 08:55
Date Received: 11/14/17 16:35

Sample Name: TRIP BLANK 2
Lab Code: R1710829-017

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	95	85 - 122	11/21/17 14:26	
Toluene-d8	100	87 - 121	11/21/17 14:26	
Dibromofluoromethane	93	89 - 119	11/21/17 14:26	



QC Summary Forms

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com



Volatile Organic Compounds by GC/MS

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: APTIM, Inc
Project: Textron Wheatfield/156045
Sample Matrix: Water

Service Request: R1710829

SURROGATE RECOVERY SUMMARY
Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Sample Name	Lab Code	4-Bromofluorobenzene	Toluene-d8	Dibromofluoromethane
		85 - 122	87 - 121	89 - 119
Lab Control Sample	RQ1712233-03	103	101	99
Lab Control Sample	RQ1712218-03	98	100	97
Method Blank	RQ1712218-04	94	101	94
Method Blank	RQ1712233-04	94	100	94
BAT-FB-171114	R1710829-015	90	98	93
Lab Control Sample	RQ1712338-03	91	97	99
TRIP BLANK 2	R1710829-017	95	100	93
BAT-DUP-1-171114	R1710829-010	96	100	94
Method Blank	RQ1712338-04	92	98	97
BAT-DW-10-171114	R1710829-004	95	101	95
TRIP BLANK 1	R1710829-016	95	102	96
BAT-87-17 (1)-171114	R1710829-011	113	101	97
BAT-89-15 (1)-171114	R1710829-005	95	99	95
BAT-87-20 (1)-171114	R1710829-013	95	102	96
BAT-87-22 (1)-171114	R1710829-012	87	97	95
BAT-DW-9-171114	R1710829-008	87	98	96

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/156045
Sample Matrix: Water

Service Request: R1710829
Date Collected: NA
Date Received: NA

Sample Name: Method Blank
Lab Code: RQ1712218-04

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
Chloromethane	0.21 J	1.0	0.21	1	11/20/17 11:15	
Vinyl Chloride	1.0 U	1.0	0.32	1	11/20/17 11:15	
Chloroethane	1.0 U	1.0	0.24	1	11/20/17 11:15	
Bromomethane	1.0 U	1.0	0.29	1	11/20/17 11:15	
1,1-Dichloroethene	1.0 U	1.0	0.57	1	11/20/17 11:15	
Acetone	5.0 U	5.0	1.3	1	11/20/17 11:15	
Carbon Disulfide	1.0 U	1.0	0.22	1	11/20/17 11:15	
Methylene Chloride	1.0 U	1.0	0.60	1	11/20/17 11:15	
trans-1,2-Dichloroethene	1.0 U	1.0	0.33	1	11/20/17 11:15	
1,1-Dichloroethane	1.0 U	1.0	0.20	1	11/20/17 11:15	
cis-1,2-Dichloroethene	1.0 U	1.0	0.30	1	11/20/17 11:15	
2-Butanone (MEK)	5.0 U	5.0	0.81	1	11/20/17 11:15	
Chloroform	1.0 U	1.0	0.25	1	11/20/17 11:15	
1,1,1-Trichloroethane	1.0 U	1.0	0.36	1	11/20/17 11:15	
Carbon Tetrachloride	1.0 U	1.0	0.45	1	11/20/17 11:15	
Benzene	1.0 U	1.0	0.20	1	11/20/17 11:15	
1,2-Dichloroethane	1.0 U	1.0	0.36	1	11/20/17 11:15	
Trichloroethene	1.0 U	1.0	0.22	1	11/20/17 11:15	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	11/20/17 11:15	
Bromodichloromethane	1.0 U	1.0	0.32	1	11/20/17 11:15	
cis-1,3-Dichloropropene	1.0 U	1.0	0.24	1	11/20/17 11:15	
4-Methyl-2-pentanone (MIBK)	5.0 U	5.0	0.67	1	11/20/17 11:15	
Toluene	1.0 U	1.0	0.20	1	11/20/17 11:15	
trans-1,3-Dichloropropene	1.0 U	1.0	0.20	1	11/20/17 11:15	
1,1,2-Trichloroethane	1.0 U	1.0	0.34	1	11/20/17 11:15	
Tetrachloroethene	1.0 U	1.0	0.30	1	11/20/17 11:15	
2-Hexanone	5.0 U	5.0	1.7	1	11/20/17 11:15	
Dibromochloromethane	1.0 U	1.0	0.31	1	11/20/17 11:15	
Chlorobenzene	1.0 U	1.0	0.29	1	11/20/17 11:15	
Ethylbenzene	1.0 U	1.0	0.20	1	11/20/17 11:15	
m,p-Xylenes	2.0 U	2.0	0.33	1	11/20/17 11:15	
o-Xylene	1.0 U	1.0	0.20	1	11/20/17 11:15	
Styrene	1.0 U	1.0	0.20	1	11/20/17 11:15	
Bromoform	1.0 U	1.0	0.42	1	11/20/17 11:15	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.25	1	11/20/17 11:15	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/156045
Sample Matrix: Water
Sample Name: Method Blank
Lab Code: RQ1712218-04

Service Request: R1710829
Date Collected: NA
Date Received: NA
Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	94	85 - 122	11/20/17 11:15	
Toluene-d8	101	87 - 121	11/20/17 11:15	
Dibromofluoromethane	94	89 - 119	11/20/17 11:15	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/156045
Sample Matrix: Water

Service Request: R1710829
Date Collected: NA
Date Received: NA

Sample Name: Method Blank
Lab Code: RQ1712233-04

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
Chloromethane	1.0 U	1.0	0.21	1	11/21/17 11:16	
Vinyl Chloride	1.0 U	1.0	0.32	1	11/21/17 11:16	
Chloroethane	1.0 U	1.0	0.24	1	11/21/17 11:16	
Bromomethane	1.0 U	1.0	0.29	1	11/21/17 11:16	
1,1-Dichloroethene	1.0 U	1.0	0.57	1	11/21/17 11:16	
Acetone	5.0 U	5.0	1.3	1	11/21/17 11:16	
Carbon Disulfide	1.0 U	1.0	0.22	1	11/21/17 11:16	
Methylene Chloride	1.0 U	1.0	0.60	1	11/21/17 11:16	
trans-1,2-Dichloroethene	1.0 U	1.0	0.33	1	11/21/17 11:16	
1,1-Dichloroethane	1.0 U	1.0	0.20	1	11/21/17 11:16	
cis-1,2-Dichloroethene	1.0 U	1.0	0.30	1	11/21/17 11:16	
2-Butanone (MEK)	5.0 U	5.0	0.81	1	11/21/17 11:16	
Chloroform	1.0 U	1.0	0.25	1	11/21/17 11:16	
1,1,1-Trichloroethane	1.0 U	1.0	0.36	1	11/21/17 11:16	
Carbon Tetrachloride	1.0 U	1.0	0.45	1	11/21/17 11:16	
Benzene	1.0 U	1.0	0.20	1	11/21/17 11:16	
1,2-Dichloroethane	1.0 U	1.0	0.36	1	11/21/17 11:16	
Trichloroethene	1.0 U	1.0	0.22	1	11/21/17 11:16	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	11/21/17 11:16	
Bromodichloromethane	1.0 U	1.0	0.32	1	11/21/17 11:16	
cis-1,3-Dichloropropene	1.0 U	1.0	0.24	1	11/21/17 11:16	
4-Methyl-2-pentanone (MIBK)	5.0 U	5.0	0.67	1	11/21/17 11:16	
Toluene	1.0 U	1.0	0.20	1	11/21/17 11:16	
trans-1,3-Dichloropropene	1.0 U	1.0	0.20	1	11/21/17 11:16	
1,1,2-Trichloroethane	1.0 U	1.0	0.34	1	11/21/17 11:16	
Tetrachloroethene	1.0 U	1.0	0.30	1	11/21/17 11:16	
2-Hexanone	5.0 U	5.0	1.7	1	11/21/17 11:16	
Dibromochloromethane	1.0 U	1.0	0.31	1	11/21/17 11:16	
Chlorobenzene	1.0 U	1.0	0.29	1	11/21/17 11:16	
Ethylbenzene	1.0 U	1.0	0.20	1	11/21/17 11:16	
m,p-Xylenes	2.0 U	2.0	0.33	1	11/21/17 11:16	
o-Xylene	1.0 U	1.0	0.20	1	11/21/17 11:16	
Styrene	1.0 U	1.0	0.20	1	11/21/17 11:16	
Bromoform	1.0 U	1.0	0.42	1	11/21/17 11:16	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.25	1	11/21/17 11:16	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/156045
Sample Matrix: Water
Sample Name: Method Blank
Lab Code: RQ1712233-04

Service Request: R1710829
Date Collected: NA
Date Received: NA
Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	94	85 - 122	11/21/17 11:16	
Toluene-d8	100	87 - 121	11/21/17 11:16	
Dibromofluoromethane	94	89 - 119	11/21/17 11:16	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/156045
Sample Matrix: Water

Service Request: R1710829
Date Collected: NA
Date Received: NA

Sample Name: Method Blank
Lab Code: RQ1712338-04

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
Chloromethane	1.0 U	1.0	0.21	1	11/22/17 15:06	
Vinyl Chloride	1.0 U	1.0	0.32	1	11/22/17 15:06	
Chloroethane	1.0 U	1.0	0.24	1	11/22/17 15:06	
Bromomethane	1.0 U	1.0	0.29	1	11/22/17 15:06	
1,1-Dichloroethene	1.0 U	1.0	0.57	1	11/22/17 15:06	
Acetone	5.0 U	5.0	1.3	1	11/22/17 15:06	
Carbon Disulfide	1.0 U	1.0	0.22	1	11/22/17 15:06	
Methylene Chloride	1.0 U	1.0	0.60	1	11/22/17 15:06	
trans-1,2-Dichloroethene	1.0 U	1.0	0.33	1	11/22/17 15:06	
1,1-Dichloroethane	1.0 U	1.0	0.20	1	11/22/17 15:06	
cis-1,2-Dichloroethene	1.0 U	1.0	0.30	1	11/22/17 15:06	
2-Butanone (MEK)	5.0 U	5.0	0.81	1	11/22/17 15:06	
Chloroform	1.0 U	1.0	0.25	1	11/22/17 15:06	
1,1,1-Trichloroethane	1.0 U	1.0	0.36	1	11/22/17 15:06	
Carbon Tetrachloride	1.0 U	1.0	0.45	1	11/22/17 15:06	
Benzene	1.0 U	1.0	0.20	1	11/22/17 15:06	
1,2-Dichloroethane	1.0 U	1.0	0.36	1	11/22/17 15:06	
Trichloroethene	1.0 U	1.0	0.22	1	11/22/17 15:06	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	11/22/17 15:06	
Bromodichloromethane	1.0 U	1.0	0.32	1	11/22/17 15:06	
cis-1,3-Dichloropropene	1.0 U	1.0	0.24	1	11/22/17 15:06	
4-Methyl-2-pentanone (MIBK)	5.0 U	5.0	0.67	1	11/22/17 15:06	
Toluene	1.0 U	1.0	0.20	1	11/22/17 15:06	
trans-1,3-Dichloropropene	1.0 U	1.0	0.20	1	11/22/17 15:06	
1,1,2-Trichloroethane	1.0 U	1.0	0.34	1	11/22/17 15:06	
Tetrachloroethene	1.0 U	1.0	0.30	1	11/22/17 15:06	
2-Hexanone	5.0 U	5.0	1.7	1	11/22/17 15:06	
Dibromochloromethane	1.0 U	1.0	0.31	1	11/22/17 15:06	
Chlorobenzene	1.0 U	1.0	0.29	1	11/22/17 15:06	
Ethylbenzene	1.0 U	1.0	0.20	1	11/22/17 15:06	
m,p-Xylenes	2.0 U	2.0	0.33	1	11/22/17 15:06	
o-Xylene	1.0 U	1.0	0.20	1	11/22/17 15:06	
Styrene	1.0 U	1.0	0.20	1	11/22/17 15:06	
Bromoform	1.0 U	1.0	0.42	1	11/22/17 15:06	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.25	1	11/22/17 15:06	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/156045
Sample Matrix: Water

Service Request: R1710829
Date Collected: NA
Date Received: NA

Sample Name: Method Blank
Lab Code: RQ1712338-04

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	92	85 - 122	11/22/17 15:06	
Toluene-d8	98	87 - 121	11/22/17 15:06	
Dibromofluoromethane	97	89 - 119	11/22/17 15:06	

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: APTIM, Inc
Project: Textron Wheatfield/156045
Sample Matrix: Water

Service Request: R1710829
Date Analyzed: 11/20/17

Lab Control Sample Summary
Volatile Organic Compounds by GC/MS

Units:ug/L
Basis:NA

Lab Control Sample
RQ1712218-03

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
Chloromethane	8260C	22.6	20.0	113	69-145
Vinyl Chloride	8260C	23.2	20.0	116	69-133
Chloroethane	8260C	22.9	20.0	114	70-127
Bromomethane	8260C	21.4	20.0	107	42-166
1,1-Dichloroethene	8260C	20.0	20.0	100	74-135
Acetone	8260C	23.6	20.0	118	40-161
Carbon Disulfide	8260C	19.3	20.0	96	65-127
Methylene Chloride	8260C	20.4	20.0	102	73-122
trans-1,2-Dichloroethene	8260C	21.0	20.0	105	80-120
1,1-Dichloroethane	8260C	21.8	20.0	109	78-117
cis-1,2-Dichloroethene	8260C	20.5	20.0	103	80-121
2-Butanone (MEK)	8260C	23.0	20.0	115	61-137
Chloroform	8260C	21.1	20.0	105	76-120
1,1,1-Trichloroethane	8260C	18.7	20.0	94	74-120
Carbon Tetrachloride	8260C	17.4	20.0	87	68-125
Benzene	8260C	20.8	20.0	104	76-118
1,2-Dichloroethane	8260C	20.8	20.0	104	71-127
Trichloroethene	8260C	18.9	20.0	94	78-123
1,2-Dichloropropane	8260C	20.7	20.0	103	80-119
Bromodichloromethane	8260C	18.6	20.0	93	78-126
cis-1,3-Dichloropropene	8260C	18.1	20.0	90	74-126
4-Methyl-2-pentanone (MIBK)	8260C	19.2	20.0	96	66-124
Toluene	8260C	19.9	20.0	99	77-120
trans-1,3-Dichloropropene	8260C	17.3	20.0	87	67-135
1,1,2-Trichloroethane	8260C	19.5	20.0	97	82-118
Tetrachloroethene	8260C	19.5	20.0	98	78-124
2-Hexanone	8260C	18.8	20.0	94	63-124
Dibromochloromethane	8260C	17.0	20.0	85	77-128
Chlorobenzene	8260C	20.2	20.0	101	80-121
Ethylbenzene	8260C	19.6	20.0	98	76-120
m,p-Xylenes	8260C	39.3	40.0	98	78-123
o-Xylene	8260C	19.8	20.0	99	80-120
Styrene	8260C	19.3	20.0	96	80-124

ALS Group USA, Corp.

dba ALS Environmental

QA/QC Report

Client: APTIM, Inc
Project: Textron Wheatfield/156045
Sample Matrix: Water

Service Request: R1710829

Date Analyzed: 11/20/17

Lab Control Sample Summary
Volatile Organic Compounds by GC/MS

Units:ug/L

Basis:NA

Lab Control Sample

RQ1712218-03

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
Bromoform	8260C	15.0	20.0	75	71-136
1,1,2,2-Tetrachloroethane	8260C	20.7	20.0	104	78-122

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: APTIM, Inc
Project: Textron Wheatfield/156045
Sample Matrix: Water

Service Request: R1710829
Date Analyzed: 11/21/17

Lab Control Sample Summary
Volatile Organic Compounds by GC/MS

Units:ug/L
Basis:NA

Lab Control Sample
RQ1712233-03

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
Chloromethane	8260C	21.9	20.0	109	69-145
Vinyl Chloride	8260C	22.9	20.0	114	69-133
Chloroethane	8260C	25.0	20.0	125	70-127
Bromomethane	8260C	21.2	20.0	106	42-166
1,1-Dichloroethene	8260C	20.5	20.0	103	74-135
Acetone	8260C	26.2	20.0	131	40-161
Carbon Disulfide	8260C	19.1	20.0	96	65-127
Methylene Chloride	8260C	21.2	20.0	106	73-122
trans-1,2-Dichloroethene	8260C	20.6	20.0	103	80-120
1,1-Dichloroethane	8260C	21.7	20.0	109	78-117
cis-1,2-Dichloroethene	8260C	20.6	20.0	103	80-121
2-Butanone (MEK)	8260C	23.7	20.0	119	61-137
Chloroform	8260C	21.1	20.0	105	76-120
1,1,1-Trichloroethane	8260C	19.1	20.0	95	74-120
Carbon Tetrachloride	8260C	16.8	20.0	84	68-125
Benzene	8260C	21.1	20.0	105	76-118
1,2-Dichloroethane	8260C	21.0	20.0	105	71-127
Trichloroethene	8260C	19.5	20.0	98	78-123
1,2-Dichloropropane	8260C	21.1	20.0	105	80-119
Bromodichloromethane	8260C	19.0	20.0	95	78-126
cis-1,3-Dichloropropene	8260C	18.3	20.0	92	74-126
4-Methyl-2-pentanone (MIBK)	8260C	19.7	20.0	99	66-124
Toluene	8260C	20.2	20.0	101	77-120
trans-1,3-Dichloropropene	8260C	17.5	20.0	88	67-135
1,1,2-Trichloroethane	8260C	20.0	20.0	100	82-118
Tetrachloroethene	8260C	19.2	20.0	96	78-124
2-Hexanone	8260C	19.8	20.0	99	63-124
Dibromochloromethane	8260C	16.6	20.0	83	77-128
Chlorobenzene	8260C	20.4	20.0	102	80-121
Ethylbenzene	8260C	19.4	20.0	97	76-120
m,p-Xylenes	8260C	38.4	40.0	96	78-123
o-Xylene	8260C	19.4	20.0	97	80-120
Styrene	8260C	19.4	20.0	97	80-124

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: APTIM, Inc
Project: Textron Wheatfield/156045
Sample Matrix: Water

Service Request: R1710829
Date Analyzed: 11/21/17

Lab Control Sample Summary
Volatile Organic Compounds by GC/MS

Units:ug/L
Basis:NA

Lab Control Sample
RQ1712233-03

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
Bromoform	8260C	15.7	20.0	78	71-136
1,1,2,2-Tetrachloroethane	8260C	22.0	20.0	110	78-122

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: APTIM, Inc
Project: Textron Wheatfield/156045
Sample Matrix: Water

Service Request: R1710829
Date Analyzed: 11/22/17

Lab Control Sample Summary
Volatile Organic Compounds by GC/MS

Units:ug/L
Basis:NA

Lab Control Sample
RQ1712338-03

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
Chloromethane	8260C	20.4	20.0	102	69-145
Vinyl Chloride	8260C	21.8	20.0	109	69-133
Chloroethane	8260C	21.6	20.0	108	70-127
Bromomethane	8260C	21.0	20.0	105	42-166
1,1-Dichloroethene	8260C	20.5	20.0	103	74-135
Acetone	8260C	20.0	20.0	100	40-161
Carbon Disulfide	8260C	18.6	20.0	93	65-127
Methylene Chloride	8260C	20.3	20.0	101	73-122
trans-1,2-Dichloroethene	8260C	19.5	20.0	97	80-120
1,1-Dichloroethane	8260C	18.9	20.0	94	78-117
cis-1,2-Dichloroethene	8260C	19.3	20.0	96	80-121
2-Butanone (MEK)	8260C	18.7	20.0	93	61-137
Chloroform	8260C	18.4	20.0	92	76-120
1,1,1-Trichloroethane	8260C	16.8	20.0	84	74-120
Carbon Tetrachloride	8260C	18.2	20.0	91	68-125
Benzene	8260C	20.9	20.0	105	76-118
1,2-Dichloroethane	8260C	18.4	20.0	92	71-127
Trichloroethene	8260C	20.1	20.0	100	78-123
1,2-Dichloropropane	8260C	19.2	20.0	96	80-119
Bromodichloromethane	8260C	18.6	20.0	93	78-126
cis-1,3-Dichloropropene	8260C	17.0	20.0	85	74-126
4-Methyl-2-pentanone (MIBK)	8260C	17.1	20.0	86	66-124
Toluene	8260C	19.9	20.0	99	77-120
trans-1,3-Dichloropropene	8260C	15.9	20.0	80	67-135
1,1,2-Trichloroethane	8260C	18.7	20.0	93	82-118
Tetrachloroethene	8260C	21.5	20.0	107	78-124
2-Hexanone	8260C	17.3	20.0	87	63-124
Dibromochloromethane	8260C	18.7	20.0	94	77-128
Chlorobenzene	8260C	21.0	20.0	105	80-121
Ethylbenzene	8260C	20.4	20.0	102	76-120
m,p-Xylenes	8260C	41.0	40.0	103	78-123
o-Xylene	8260C	20.0	20.0	100	80-120
Styrene	8260C	19.6	20.0	98	80-124

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: APTIM, Inc
Project: Textron Wheatfield/156045
Sample Matrix: Water

Service Request: R1710829
Date Analyzed: 11/22/17

Lab Control Sample Summary
Volatile Organic Compounds by GC/MS

Units:ug/L
Basis:NA

Lab Control Sample
RQ1712338-03

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
Bromoform	8260C	16.9	20.0	85	71-136
1,1,2,2-Tetrachloroethane	8260C	19.5	20.0	97	78-122



December 07, 2017

Service Request No:R1710944A

Ms. Cecelia Byers
APTIM, Inc
2790 Mosside Boulevard
Monroeville, PA 15146

Laboratory Results for: Textron Wheatfield

Dear Ms.Byers,

Enclosed are the results of the sample(s) submitted to our laboratory November 16, 2017
For your reference, these analyses have been assigned our service request number **R1710944A**.

All analyses were performed according to our laboratory's quality assurance program. The test results meet requirements of the NELAP standards except as noted in the case narrative report. All results are intended to be considered in their entirety, and ALS Environmental is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report. The measurement uncertainty of the results included in this report is within that expected when using the prescribed method(s) for analysis of these samples, and represented by Laboratory Control Sample control limits. Any events, such as QC failures, which may add to the uncertainty are explained in the report narrative.

Please contact me if you have any questions. My extension is 7472. You may also contact me via email at Janice.Jaeger@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental

Janice Jaeger
Project Manager

ADDRESS 1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
PHONE +1 585 288 5380 | FAX +1 585 288 8475
ALS Group USA, Corp.
dba ALS Environmental



Narrative Documents

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com



Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water

Service Request:R1710944
Date Received:11/16/17

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples designated for Tier II data deliverables, including results of QC samples analyzed from this delivery group. Analytical procedures performed by the lab are validated in accordance with NELAC standards. Any parameters that are not included in the lab’s NELAC accreditation are identified on a “Non-Certified Analytes” report in the Miscellaneous Forms Section of this report. Individual analytical results requiring further explanation are flagged with qualifiers and/or discussed below. The flags are explained in the Report Qualifiers and Definitions page in the Miscellaneous Forms section of this report.

Sample Receipt

Water samples were received for analysis at ALS Environmental on 11/16/2017. Any discrepancies noted upon initial sample inspection are noted on the cooler receipt and preservation form included in this data package. The samples were received in good condition and consistent with the accompanying chain of custody form. Samples are refrigerated at ≤6°C upon receipt at the lab except for aqueous samples designated for metals analyses, which are stored at room temperature.

Volatile Organic Analyses:

Method 8260, 11/22/17, 11/27/17: The upper control limit was exceeded for one or more analytes in the Continuing Calibration Verification (CCV). The field samples analyzed in this sequence did not contain the analyte(s) in question above the Method Reporting Limit (MRL). Since the exceedance equates to a potential high bias, the data quality was not significantly affected and no further corrective action was taken.

Method 8260, 11/27/17: The lower control limit was exceeded for one or more analytes in the Continuing Calibration Verification (CCV). Since there were no detections of the analyte(s) in the associated field samples, the quantitation is not affected. The data quality was not significantly affected and no further corrective action was taken.

Approved by  Date 12/7/2017



SAMPLE DETECTION SUMMARY

CLIENT ID: BAT-EW-8-171114 **Lab ID: R1710944-001**

Analyte	Results	Flag	MDL	PQL	Units	Method
Vinyl Chloride	22		0.32	1.0	ug/L	8260C
trans-1,2-Dichloroethene	0.63	J	0.33	1.0	ug/L	8260C
1,1-Dichloroethane	2.1		0.20	1.0	ug/L	8260C
cis-1,2-Dichloroethene	74		0.30	1.0	ug/L	8260C
Chloroform	1.1		0.25	1.0	ug/L	8260C
1,1,1-Trichloroethane	3.1		0.36	1.0	ug/L	8260C
Trichloroethene	1.8		0.22	1.0	ug/L	8260C

CLIENT ID: BAT-EW-2-171115 **Lab ID: R1710944-002**

Analyte	Results	Flag	MDL	PQL	Units	Method
Vinyl Chloride	1.9		0.32	1.0	ug/L	8260C
Carbon Disulfide	0.23	J	0.22	1.0	ug/L	8260C
trans-1,2-Dichloroethene	1.0		0.33	1.0	ug/L	8260C
1,1-Dichloroethane	2.5		0.20	1.0	ug/L	8260C
cis-1,2-Dichloroethene	6.4		0.30	1.0	ug/L	8260C
Chloroform	1.3		0.25	1.0	ug/L	8260C
1,1,1-Trichloroethane	3.4		0.36	1.0	ug/L	8260C
Trichloroethene	2.7		0.22	1.0	ug/L	8260C

CLIENT ID: BAT-EW-3-171115 **Lab ID: R1710944-003**

Analyte	Results	Flag	MDL	PQL	Units	Method
Vinyl Chloride	1000		3.2	10	ug/L	8260C
trans-1,2-Dichloroethene	12		3.3	10	ug/L	8260C
1,1-Dichloroethane	14		2.0	10	ug/L	8260C
cis-1,2-Dichloroethene	1600		3.0	10	ug/L	8260C
Chloroform	3.4	J	2.5	10	ug/L	8260C
1,1,1-Trichloroethane	16		3.6	10	ug/L	8260C
Trichloroethene	5.1	J	2.2	10	ug/L	8260C

CLIENT ID: BAT-EW-4-171115 **Lab ID: R1710944-004**

Analyte	Results	Flag	MDL	PQL	Units	Method
Vinyl Chloride	36		0.32	1.0	ug/L	8260C
trans-1,2-Dichloroethene	0.88	J	0.33	1.0	ug/L	8260C
1,1-Dichloroethane	1.0		0.20	1.0	ug/L	8260C
cis-1,2-Dichloroethene	32		0.30	1.0	ug/L	8260C
1,1,1-Trichloroethane	0.81	J	0.36	1.0	ug/L	8260C
Trichloroethene	0.42	J	0.22	1.0	ug/L	8260C

CLIENT ID: BAT-EW-5-171115 **Lab ID: R1710944-005**

Analyte	Results	Flag	MDL	PQL	Units	Method
Vinyl Chloride	150		0.32	1.0	ug/L	8260C
1,1-Dichloroethane	0.74	J	0.57	1.0	ug/L	8260C
Carbon Disulfide	0.41	J	0.22	1.0	ug/L	8260C



SAMPLE DETECTION SUMMARY

CLIENT ID: BAT-EW-5-171115 Lab ID: R1710944-005

Analyte	Results	Flag	MDL	PQL	Units	Method
trans-1,2-Dichloroethene	1.7		0.33	1.0	ug/L	8260C
1,1-Dichloroethane	2.5		0.20	1.0	ug/L	8260C
cis-1,2-Dichloroethene	220	D	0.60	2.0	ug/L	8260C
1,1,1-Trichloroethane	2.9		0.36	1.0	ug/L	8260C
Trichloroethene	1.5		0.22	1.0	ug/L	8260C

CLIENT ID: BAT-EW-6-171115 Lab ID: R1710944-006

Analyte	Results	Flag	MDL	PQL	Units	Method
Vinyl Chloride	10		0.32	1.0	ug/L	8260C
trans-1,2-Dichloroethene	1.8		0.33	1.0	ug/L	8260C
1,1-Dichloroethane	2.9		0.20	1.0	ug/L	8260C
cis-1,2-Dichloroethene	170		0.30	1.0	ug/L	8260C
Chloroform	0.64	J	0.25	1.0	ug/L	8260C
1,1,1-Trichloroethane	3.3		0.36	1.0	ug/L	8260C
Trichloroethene	2.4		0.22	1.0	ug/L	8260C

CLIENT ID: BAT-93-03(1)-171115 Lab ID: R1710944-007

Analyte	Results	Flag	MDL	PQL	Units	Method
Carbon Disulfide	0.30	J	0.22	1.0	ug/L	8260C

CLIENT ID: BAT-87-21(1)-171115 Lab ID: R1710944-008

Analyte	Results	Flag	MDL	PQL	Units	Method
trans-1,2-Dichloroethene	0.54	J	0.33	1.0	ug/L	8260C
1,1-Dichloroethane	2.0		0.20	1.0	ug/L	8260C
cis-1,2-Dichloroethene	7.6		0.30	1.0	ug/L	8260C
Chloroform	1.1		0.25	1.0	ug/L	8260C
1,1,1-Trichloroethane	2.8		0.36	1.0	ug/L	8260C
Trichloroethene	3.1		0.22	1.0	ug/L	8260C

CLIENT ID: BAT-87-19(1)-171115 Lab ID: R1710944-009

Analyte	Results	Flag	MDL	PQL	Units	Method
Vinyl Chloride	1.9		0.32	1.0	ug/L	8260C
cis-1,2-Dichloroethene	5.3		0.30	1.0	ug/L	8260C

CLIENT ID: BAT-DUP-2-171115 Lab ID: R1710944-011

Analyte	Results	Flag	MDL	PQL	Units	Method
Chloromethane	0.29	J	0.21	1.0	ug/L	8260C
Vinyl Chloride	0.34	J	0.32	1.0	ug/L	8260C
trans-1,2-Dichloroethene	0.57	J	0.33	1.0	ug/L	8260C
1,1-Dichloroethane	1.7		0.20	1.0	ug/L	8260C
cis-1,2-Dichloroethene	7.5		0.30	1.0	ug/L	8260C
Chloroform	1.4		0.25	1.0	ug/L	8260C
1,1,1-Trichloroethane	2.8		0.36	1.0	ug/L	8260C
Trichloroethene	3.6		0.22	1.0	ug/L	8260C



SAMPLE DETECTION SUMMARY

CLIENT ID: BAT-DUP-2-171115	Lab ID: R1710944-011
------------------------------------	-----------------------------

Analyte	Results	Flag	MDL	PQL	Units	Method
---------	---------	------	-----	-----	-------	--------

CLIENT ID: BAT-89-14(1)-171115	Lab ID: R1710944-013
---------------------------------------	-----------------------------

Analyte	Results	Flag	MDL	PQL	Units	Method
Vinyl Chloride	290		0.64	2.0	ug/L	8260C
Acetone	4.4	J	2.5	10	ug/L	8260C
trans-1,2-Dichloroethene	1.7	J	0.66	2.0	ug/L	8260C
1,1-Dichloroethane	17		0.40	2.0	ug/L	8260C
cis-1,2-Dichloroethene	65		0.60	2.0	ug/L	8260C
1,1,1-Trichloroethane	2.2		0.72	2.0	ug/L	8260C
Trichloroethene	1.8	J	0.44	2.0	ug/L	8260C

CLIENT ID: BAT-EW-7-171115	Lab ID: R1710944-014
-----------------------------------	-----------------------------

Analyte	Results	Flag	MDL	PQL	Units	Method
Vinyl Chloride	35		0.32	1.0	ug/L	8260C
trans-1,2-Dichloroethene	0.36	J	0.33	1.0	ug/L	8260C
1,1-Dichloroethane	4.4		0.20	1.0	ug/L	8260C
cis-1,2-Dichloroethene	20		0.30	1.0	ug/L	8260C
1,1,1-Trichloroethane	5.0		0.36	1.0	ug/L	8260C
Trichloroethene	0.94	J	0.22	1.0	ug/L	8260C

CLIENT ID: BAT-EW-13-171115	Lab ID: R1710944-015
------------------------------------	-----------------------------

Analyte	Results	Flag	MDL	PQL	Units	Method
Vinyl Chloride	160		0.32	1.0	ug/L	8260C
1,1-Dichloroethene	0.94	J	0.57	1.0	ug/L	8260C
Carbon Disulfide	0.37	BJ	0.22	1.0	ug/L	8260C
Methylene Chloride	1.6		0.60	1.0	ug/L	8260C
trans-1,2-Dichloroethene	1.4		0.33	1.0	ug/L	8260C
1,1-Dichloroethane	8.4		0.20	1.0	ug/L	8260C
cis-1,2-Dichloroethene	160		0.30	1.0	ug/L	8260C
1,1,1-Trichloroethane	25		0.36	1.0	ug/L	8260C
Trichloroethene	1.2		0.22	1.0	ug/L	8260C

CLIENT ID: BAT-87-14(0)-171116	Lab ID: R1710944-019
---------------------------------------	-----------------------------

Analyte	Results	Flag	MDL	PQL	Units	Method
Trichloroethene	62		0.22	1.0	ug/L	8260C

CLIENT ID: BAT-FB-2-171116	Lab ID: R1710944-020
-----------------------------------	-----------------------------

Analyte	Results	Flag	MDL	PQL	Units	Method
Acetone	1.4	J	1.3	5.0	ug/L	8260C
Toluene	1.2		0.20	1.0	ug/L	8260C



Sample Receipt Information

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters

Service Request:R1710944

SAMPLE CROSS-REFERENCE

<u>SAMPLE #</u>	<u>CLIENT SAMPLE ID</u>	<u>DATE</u>	<u>TIME</u>
R1710944-001	BAT-EW-8-171114	11/14/2017	1510
R1710944-002	BAT-EW-2-171115	11/15/2017	0850
R1710944-003	BAT-EW-3-171115	11/15/2017	0910
R1710944-004	BAT-EW-4-171115	11/15/2017	0930
R1710944-005	BAT-EW-5-171115	11/15/2017	0950
R1710944-006	BAT-EW-6-171115	11/15/2017	1015
R1710944-007	BAT-93-03(1)-171115	11/15/2017	1055
R1710944-008	BAT-87-21(1)-171115	11/15/2017	1135
R1710944-009	BAT-87-19(1)-171115	11/15/2017	1155
R1710944-011	BAT-DUP-2-171115	11/15/2017	
R1710944-012	BAT-87-20(0)-171115	11/15/2017	1320
R1710944-013	BAT-89-14(1)-171115	11/15/2017	1345
R1710944-014	BAT-EW-7-171115	11/15/2017	1420
R1710944-015	BAT-EW-13-171115	11/15/2017	1445
R1710944-019	BAT-87-14(0)-171116	11/15/2017	1535
R1710944-020	BAT-FB-2-171116	11/16/2017	0930
		11/16/2017	0920
		11/16/2017	1005



CHAIN OF CUSTODY/LABORATORY ANALYSIS REQUEST FORM

48376

1565 Jefferson Road, Building 300, Suite 360 • Rochester, NY 14623 | +1 585 288 5380 +1 585 288 8475 (fax)

PAGE 1 OF 2

Project Name TEXTRON ANNUAL		Project Number 156045		ANALYSIS REQUESTED (Include Method Number and Container Preservative)															
Project Manager CECELIA BYERS		Report CC		PRESERVATIVE 1/8															
Company/Address APTIM, INC. 13 BRITISH AMERICAN BLVD, LATHAM, NY 12110		Phone # 518 783-1996		Email CECELIA.BYERS@APTIM.COM		NUMBER OF CONTAINERS GC/MS VOAs ◦ 8260 ◦ 824 ◦ CLP GC/MS SVOAs ◦ 8270 ◦ 825 GC VOAs ◦ 8021 ◦ 601/602 PESTICIDES ◦ 8081 ◦ 638 PCBs ◦ 8082 ◦ 608 METALS, TOTAL (List in comments below) METALS, DISSOLVED (List in comments below)													
Sampler's Signature <i>Kevin Cronin</i>		Sampler's Printed Name KEVIN CRONIN																	
CLIENT SAMPLE ID		FOR OFFICE USE ONLY LAB ID	SAMPLING DATE		TIME	MATRIX	NUMBER OF CONTAINERS	PRESERVATIVE											
BAT-EW-0-171114			11/14/17		1510	GWL	3	X											
BAT-EW-2-171115			11/15/17		0850		3	X											
BAT-EW-3-171115					0910		3	X											
BAT-EW-4-171115					0930		3	X											
BAT-EW-5-171115					0950		3	X											
BAT-EW-6-171115					1015		3	X											
BAT-93-03(1)-171115					1055		3	X											
BAT-93-03(1)-171115 MS/MSD					1055		6	X											
BAT-87-2(1)-171115					1135		3	X											
BAT-87-19(1)-171115					1155		3	X											
BAT-DUP-2-171115			↓		-	↓	3	X											
SPECIAL INSTRUCTIONS/COMMENTS Metals				TURNAROUND REQUIREMENTS RUSH (SURCHARGES APPLY) 1 day 2 day 3 day 4 day 5 day STANDARD REQUESTED REPORT DATE				REPORT REQUIREMENTS I. Results Only <input checked="" type="checkbox"/> II. Results + QC Summaries (LCS, DUP, MS/MSD as required) III. Results + QC and Calibration Summaries IV. Data Validation Report with Raw Data Edata Yes No				INVOICE INFORMATION PO # BILL TO:							
STATE WHERE SAMPLES WERE COLLECTED				RELINQUISHED BY				RECEIVED BY				RELINQUISHED BY				RECEIVED BY			
Signature <i>Kevin Cronin</i>		Signature <i>Becky USA</i>		Signature <i>Kevin Cronin</i>		Signature <i>Becky USA</i>		Signature <i>Kevin Cronin</i>		Signature <i>Becky USA</i>		Signature <i>Kevin Cronin</i>		Signature <i>Becky USA</i>		Signature <i>Kevin Cronin</i>		Signature <i>Becky USA</i>	
Printed Name KEVIN CRONIN		Printed Name BECKY USA		Printed Name KEVIN CRONIN		Printed Name BECKY USA		Printed Name KEVIN CRONIN		Printed Name BECKY USA		Printed Name KEVIN CRONIN		Printed Name BECKY USA		Printed Name KEVIN CRONIN		Printed Name BECKY USA	
Firm APTIM		Firm ALS		Firm APTIM		Firm ALS		Firm APTIM		Firm ALS		Firm APTIM		Firm ALS		Firm APTIM		Firm ALS	
Date/Time 11/16/17		Date/Time 11/16/17		Date/Time 11/16/17		Date/Time 11/16/17		Date/Time 11/16/17		Date/Time 11/16/17		Date/Time 11/16/17		Date/Time 11/16/17		Date/Time 11/16/17		Date/Time 11/16/17	

R1710944 5APTIM, Inc
Textron Wheatfield



CHAIN OF CUSTODY/LABORATORY ANALYSIS REQUEST FORM

48377

1565 Jefferson Road, Building 300, Suite 360 • Rochester, NY 14623 | +1 585 288 5380 +1 585 288 8475 (fax) PAGE 2 OF 2

Project Name TEXTRON ANNUAL		Project Number 156045		ANALYSIS REQUESTED (Include Method Number and Container Preservative)														
Project Manager CECELIA BYERS		Report CC		PRESERVATIVE														
Company/Address APTIM INC				NUMBER OF CONTAINERS	GC/MS VOAs • 8260 • 824 • CLP	GC/MS SVOCs • 8270 • 625	GC VOAs • 8021 • 601/802	PESTICIDES • 8081 • 608	PCBs • 8092 • 608	METALS, TOTAL (List in comments below)	METALS, DISSOLVED (List in comments below)	G24 VOA	605 PCBs Low Level	METALS, Hg	Reactivity	Flash Point	pH	Preservative Key 0. NONE 1. HCL 2. HNO ₃ 3. H ₂ SO ₄ 4. NaOH 5. Zn. Acetate 6. MeOH 7. NaHSO ₄ 8. Other _____
13 BRITISH AMERICAN BLVD																		
LATHAM, NY 12110																		
Phone # 518-763-1996		Email CECELIA.BYERS@APTIM.COM		REMARKS/ ALTERNATE DESCRIPTION														
Sampler's Signature		Sampler's Printed Name																

CLIENT SAMPLE ID	FOR OFFICE USE ONLY LAB ID	SAMPLING		MATRIX															
		DATE	TIME																
BAT-87-20(0)-17115		11/15/17	1320	can	3	X													
BAT-89-14(1)-17115			1345		3	X													
BAT-EW-7-17115			1420		3	X													
BAT-EW-13-17115			1445		3	X													
BAT-17-05(1)-17115			1535		3	X													
BAT-17-04(1)-17115			1600		3	X													
BAT-87-11(1)-17116		11/14/17	0920		3	X													
BAT-87-14(0)-17116			0940		3	X													
BAT-FB-2-17116			1055		3	X													
TEXTRON PULSE WIPER		11/16/17	1015		11														

SPECIAL INSTRUCTIONS/COMMENTS Metals				TURNAROUND REQUIREMENTS RUSH (SURCHARGES APPLY) 1 day ____ 2 day ____ 3 day ____ 4 day ____ 5 day ____ STANDARD REQUESTED REPORT DATE				REPORT REQUIREMENTS I. Results Only <input checked="" type="checkbox"/> II. Results + QC Summaries (LCS, DUP, MS/A ISD as required) III. Results + QC and Calibration Summaries IV. Data Validation Report with Raw Data Edata ____ Yes ____ No				INVOICE INFORMATION PO # BILL TO:			
STATE WHERE SAMPLES WERE COLLECTED															
RELINQUISHED BY		RECEIVED BY		RELINQUISHED BY		RECEIVED BY		RELINQUISHED BY		RECEIVED BY		RELINQUISHED BY		RECEIVED BY	
Signature <i>Kevin Cronin</i>		Signature <i>Les Slavicek</i>		Signature <i>Kevin Cronin</i>		Signature <i>Les Slavicek</i>		Signature <i>Kevin Cronin</i>		Signature <i>Les Slavicek</i>		Signature <i>Kevin Cronin</i>		Signature <i>Les Slavicek</i>	
Printed Name KEVIN CRONIN		Printed Name LES SLAVICEK		Printed Name KEVIN CRONIN		Printed Name LES SLAVICEK		Printed Name KEVIN CRONIN		Printed Name LES SLAVICEK		Printed Name KEVIN CRONIN		Printed Name LES SLAVICEK	
Firm APTIM		Firm ALS		Firm APTIM		Firm ALS		Firm APTIM		Firm ALS		Firm APTIM		Firm ALS	
Date/Time 11/16/17		Date/Time 11/16/17		Date/Time 11/16/17		Date/Time 11/16/17		Date/Time 11/16/17		Date/Time 11/16/17		Date/Time 11/16/17		Date/Time 11/16/17	

R1710944 5
APTIM, Inc
Textron Wheatfield



Cooler Receipt and Preservation Check Form

R1710944

5

APTIM, Inc
Textron Wheatfield



Project/Client APT/14 Folder Number _____

Cooler received on 11/16/17 by: E

COURIER: ALS UPS FEDEX VELOCITY CLIENT

1	Were Custody seals on outside of cooler?	Y <input checked="" type="radio"/> N
2	Custody papers properly completed (ink, signed)?	Y <input checked="" type="radio"/> N
3	Did all bottles arrive in good condition (unbroken)?	Y <input checked="" type="radio"/> N
4	Circle: <u>Wet Ice</u> Dry Ice Gel packs present?	Y <input checked="" type="radio"/> N

5a	Perchlorate samples have required headspace?	Y N <input checked="" type="radio"/> NA
5b	Did VOA vials, Alk, or Sulfide have sig* bubbles?	Y <input checked="" type="radio"/> N NA
6	Where did the bottles originate?	<u>ALS/ROO</u> CLIENT
7	Soil VOA received as: Bulk Encore 5035set	<input checked="" type="radio"/> NA

8. Temperature Readings Date: 11/16/17 Time: 1244 ID: IR#7 IR#9 From: Temp Blank Sample Bottle

Observed Temp (°C)	<u>1.7</u>	<u>0.9</u>						
Correction Factor (°C)	<u>+0.6</u>	<u>+0.6</u>						
Corrected Temp (°C)	<u>2.3</u>	<u>1.5</u>						
Temp from: Type of bottle	<u>Can. tube</u>	<u>Can. tube</u>						
Within 0-6°C?	Y <input checked="" type="radio"/> N	Y <input checked="" type="radio"/> N	Y N	Y N	Y N	Y N	Y N	Y N
If <0°C, were samples frozen?	Y <input checked="" type="radio"/> N	Y <input checked="" type="radio"/> N	Y N	Y N	Y N	Y N	Y N	Y N

If out of Temperature, note packing/ice condition: _____ Ice melted Poorly Packed (described below) Same Day Rule
& Client Approval to Run Samples: _____ Standing Approval Client aware at drop-off Client notified by: _____

All samples held in storage location: R02 by E on 11/16/17 at 1246
5035 samples placed in storage location: _____ by _____ on _____ at _____

Cooler Breakdown: Date: 11/17/17 Time: 9:30 by: f.s

- 9. Were all bottle labels complete (i.e. analysis, preservation, etc.)? YES NO
- 10. Did all bottle labels and tags agree with custody papers? YES NO
- 11. Were correct containers used for the tests indicated? YES NO
- 12. Were 5035 vials acceptable (no extra labels, not leaking)? YES NO
- 13. Air Samples: Cassettes / Tubes Intact Canisters Pressurized Tedlar® Bags Inflated N/A

pH	Lot of test paper	Reagent	Preserved?		Lot Received	Exp	Sample ID	Vol. Added	Lot Added	Final pH
			Yes	No						
≥12		NaOH								
≤2	<u>201517</u>	HNO ₃	<u>Y</u>		<u>B0B26154E</u>	<u>6/1/18</u>				
≤2		H ₂ SO ₄								
<4		NaHSO ₄								
Residual Chlorine (-)		For CN * Phenol and 522			If +, contact PM to add Na ₂ S ₂ O ₃ (CN), ascorbic (phenol).					
		Na ₂ S ₂ O ₃	-	-						
		ZnAcetate	-	-						
		HCl	**	**						

*Not to be tested before analysis – pH tested and recorded by VOAs on a separate worksheet

Bottle lot numbers: 0 11017-2AAV 092117-114, 100217-1DL, 7-441-002
Explain all Discrepancies/ Other Comments: _____

CLRES	BULK
DO	FLDT
HPROD	HGFB
HTR	LL3541
<u>PH</u>	SUB
<u>SO3</u>	MARRS
<u>ALS</u>	REV

Labels secondary reviewed by: _____
PC Secondary Review: _____

*significant air bubbles: VOA > 5-6 mm : WC > 1 in. diameter



Miscellaneous Forms

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

REPORT QUALIFIERS AND DEFINITIONS

<p>U Analyte was analyzed for but not detected. The sample quantitation limit has been corrected for dilution and for percent moisture, unless otherwise noted in the case narrative.</p> <p>J Estimated value due to either being a Tentatively Identified Compound (TIC) or that the concentration is between the MRL and the MDL. Concentrations are not verified within the linear range of the calibration. For DoD: concentration >40% difference between two GC columns (pesticides/Aroclors).</p> <p>B Analyte was also detected in the associated method blank at a concentration that may have contributed to the sample result.</p> <p>E Inorganics- Concentration is estimated due to the serial dilution was outside control limits.</p> <p>E Organics- Concentration has exceeded the calibration range for that specific analysis.</p> <p>D Concentration is a result of a dilution, typically a secondary analysis of the sample due to exceeding the calibration range or that a surrogate has been diluted out of the sample and cannot be assessed.</p> <p>* Indicates that a quality control parameter has exceeded laboratory limits. Under the "Notes" column of the Form I, this qualifier denotes analysis was performed out of Holding Time.</p> <p>H Analysis was performed out of hold time for tests that have an "immediate" hold time criteria.</p> <p># Spike was diluted out.</p>	<p>+ Correlation coefficient for MSA is <0.995.</p> <p>N Inorganics- Matrix spike recovery was outside laboratory limits.</p> <p>N Organics- Presumptive evidence of a compound (reported as a TIC) based on the MS library search.</p> <p>S Concentration has been determined using Method of Standard Additions (MSA).</p> <p>W Post-Digestion Spike recovery is outside control limits and the sample absorbance is <50% of the spike absorbance.</p> <p>P Concentration >40% (25% for CLP) difference between the two GC columns.</p> <p>C Confirmed by GC/MS</p> <p>Q DoD reports: indicates a pesticide/Aroclor is not confirmed ($\times 100\%$ Difference between two GC columns).</p> <p>X See Case Narrative for discussion.</p> <p>MRL Method Reporting Limit. Also known as:</p> <p>LOQ Limit of Quantitation (LOQ) The lowest concentration at which the method analyte may be reliably quantified under the method conditions.</p> <p>MDL Method Detection Limit. A statistical value derived from a study designed to provide the lowest concentration that will be detected 99% of the time. Values between the MDL and MRL are estimated (see J qualifier).</p> <p>LOD Limit of Detection. A value at or above the MDL which has been verified to be detectable.</p> <p>ND Non-Detect. Analyte was not detected at the concentration listed. Same as U qualifier.</p>
---	--



Rochester Lab ID # for State Certifications¹

Connecticut ID # PH0556	Maine ID #NY0032	New Hampshire ID #
Delaware Accredited	Nebraska Accredited	294100 A/B
DoD ELAP #65817	New Jersey ID # NY004	Pennsylvania ID# 68-786
Florida ID # E87674	New York ID # 10145	Rhode Island ID # 158
Illinois ID #200047	North Carolina #676	Virginia #460167

¹ Analyses were performed according to our laboratory's NELAP-approved quality assurance program and any applicable state or agency requirements. The test results meet requirements of the current NELAP/TNI standards or state or agency requirements, where applicable, except as noted in the case narrative. Since not all analyte/method/matrix combinations are offered for state/NELAC accreditation, this report may contain results which are not accredited. For a specific list of accredited analytes, contact the laboratory or go to <http://www.alsglobal.com/en/Our-Services/Life-Sciences/Environmental/Downloads/North-America-Downloads>

ALS Laboratory Group

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

ALS Group USA, Corp.
dba ALS Environmental

Analyst Summary report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters

Service Request: R1710944

Sample Name: BAT-EW-8-171114
Lab Code: R1710944-001
Sample Matrix: Water

Date Collected: 11/14/17
Date Received: 11/16/17

Analysis Method
8260C

Extracted/Digested By

Analyzed By
KRUEST

Sample Name: BAT-EW-2-171115
Lab Code: R1710944-002
Sample Matrix: Water

Date Collected: 11/15/17
Date Received: 11/16/17

Analysis Method
8260C

Extracted/Digested By

Analyzed By
KRUEST

Sample Name: BAT-EW-3-171115
Lab Code: R1710944-003
Sample Matrix: Water

Date Collected: 11/15/17
Date Received: 11/16/17

Analysis Method
8260C

Extracted/Digested By

Analyzed By
KRUEST

Sample Name: BAT-EW-4-171115
Lab Code: R1710944-004
Sample Matrix: Water

Date Collected: 11/15/17
Date Received: 11/16/17

Analysis Method
8260C

Extracted/Digested By

Analyzed By
KRUEST

Sample Name: BAT-EW-5-171115
Lab Code: R1710944-005
Sample Matrix: Water

Date Collected: 11/15/17
Date Received: 11/16/17

Analysis Method
8260C

Extracted/Digested By

Analyzed By
KRUEST

ALS Group USA, Corp.
dba ALS Environmental

Analyst Summary report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters

Service Request: R1710944

Sample Name: BAT-EW-6-171115
Lab Code: R1710944-006
Sample Matrix: Water

Date Collected: 11/15/17
Date Received: 11/16/17

Analysis Method
8260C

Extracted/Digested By

Analyzed By
KRUEST

Sample Name: BAT-93-03(1)-171115
Lab Code: R1710944-007
Sample Matrix: Water

Date Collected: 11/15/17
Date Received: 11/16/17

Analysis Method
8260C

Extracted/Digested By

Analyzed By
KRUEST

Sample Name: BAT-87-21(1)-171115
Lab Code: R1710944-008
Sample Matrix: Water

Date Collected: 11/15/17
Date Received: 11/16/17

Analysis Method
8260C

Extracted/Digested By

Analyzed By
KRUEST

Sample Name: BAT-87-19(1)-171115
Lab Code: R1710944-009
Sample Matrix: Water

Date Collected: 11/15/17
Date Received: 11/16/17

Analysis Method
8260C

Extracted/Digested By

Analyzed By
KRUEST

Sample Name: BAT-DUP-2-171115
Lab Code: R1710944-011
Sample Matrix: Water

Date Collected: 11/15/17
Date Received: 11/16/17

Analysis Method
8260C

Extracted/Digested By

Analyzed By
KRUEST

ALS Group USA, Corp.
dba ALS Environmental

Analyst Summary report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters

Service Request: R1710944

Sample Name: BAT-87-20(0)-171115
Lab Code: R1710944-012
Sample Matrix: Water

Date Collected: 11/15/17
Date Received: 11/16/17

Analysis Method
8260C

Extracted/Digested By

Analyzed By
KRUEST

Sample Name: BAT-89-14(1)-171115
Lab Code: R1710944-013
Sample Matrix: Water

Date Collected: 11/15/17
Date Received: 11/16/17

Analysis Method
8260C

Extracted/Digested By

Analyzed By
KRUEST

Sample Name: BAT-EW-7-171115
Lab Code: R1710944-014
Sample Matrix: Water

Date Collected: 11/15/17
Date Received: 11/16/17

Analysis Method
8260C

Extracted/Digested By

Analyzed By
KRUEST

Sample Name: BAT-EW-13-171115
Lab Code: R1710944-015
Sample Matrix: Water

Date Collected: 11/15/17
Date Received: 11/16/17

Analysis Method
8260C

Extracted/Digested By

Analyzed By
KRUEST

Sample Name: BAT-87-14(0)-171116
Lab Code: R1710944-019
Sample Matrix: Water

Date Collected: 11/16/17
Date Received: 11/16/17

Analysis Method
8260C

Extracted/Digested By

Analyzed By
KRUEST

ALS Group USA, Corp.
dba ALS Environmental

Analyst Summary report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters

Service Request: R1710944

Sample Name: BAT-FB-2-171116
Lab Code: R1710944-020
Sample Matrix: Water

Date Collected: 11/16/17
Date Received: 11/16/17

Analysis Method
8260C

Extracted/Digested By

Analyzed By
KRUEST



INORGANIC PREPARATION METHODS

The preparation methods associated with this report are found in these tables unless discussed in the case narrative.

Water/Liquid Matrix

Analytical Method	Preparation Method
200.7	200.2
200.8	200.2
6010C	3005A/3010A
6020A	ILM05.3
9014 Cyanide Reactivity	SW846 Ch7, 7.3.4.2
9034 Sulfide Reactivity	SW846 Ch7, 7.3.4.2
9034 Sulfide Acid Soluble	9030B
9056A Bomb (Halogens)	5050A
9066 Manual Distillation	9065
SM 4500-CN-E Residual Cyanide	SM 4500-CN-G
SM 4500-CN-E WAD Cyanide	SM 4500-CN-I

Solid/Soil/Non-Aqueous Matrix

Analytical Method	Preparation Method
6010C	3050B
6020A	3050B
6010C TCLP (1311) extract	3005A/3010A
6010 SPLP (1312) extract	3005A/3010A
7196A	3060A
7199	3060A
9056A Halogens/Halides	5050
300.0 Anions/ 350.1/ 353.2/ SM 2320B/ SM 5210B/ 9056A Anions	DI extraction

For analytical methods not listed, the preparation method is the same as the analytical method reference.



Sample Results

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com



Volatile Organic Compounds by GC/MS

ALS Environmental—Rochester Laboratory

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

Phone (585) 288-5380 Fax (585) 288-8475

www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water
Sample Name: BAT-EW-8-171114
Lab Code: R1710944-001

Service Request: R1710944
Date Collected: 11/14/17 15:10
Date Received: 11/16/17 12:35

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
Chloromethane	1.0 U	1.0	0.21	1	11/22/17 18:39	
Vinyl Chloride	22	1.0	0.32	1	11/22/17 18:39	
Chloroethane	1.0 U	1.0	0.24	1	11/22/17 18:39	
Bromomethane	1.0 U	1.0	0.29	1	11/22/17 18:39	
1,1-Dichloroethene	1.0 U	1.0	0.57	1	11/22/17 18:39	
Acetone	5.0 U	5.0	1.3	1	11/22/17 18:39	
Carbon Disulfide	1.0 U	1.0	0.22	1	11/22/17 18:39	
Methylene Chloride	1.0 U	1.0	0.60	1	11/22/17 18:39	
trans-1,2-Dichloroethene	0.63 J	1.0	0.33	1	11/22/17 18:39	
1,1-Dichloroethane	2.1	1.0	0.20	1	11/22/17 18:39	
cis-1,2-Dichloroethene	74	1.0	0.30	1	11/22/17 18:39	
2-Butanone (MEK)	5.0 U	5.0	0.81	1	11/22/17 18:39	
Chloroform	1.1	1.0	0.25	1	11/22/17 18:39	
1,1,1-Trichloroethane	3.1	1.0	0.36	1	11/22/17 18:39	
Carbon Tetrachloride	1.0 U	1.0	0.45	1	11/22/17 18:39	
Benzene	1.0 U	1.0	0.20	1	11/22/17 18:39	
1,2-Dichloroethane	1.0 U	1.0	0.36	1	11/22/17 18:39	
Trichloroethene	1.8	1.0	0.22	1	11/22/17 18:39	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	11/22/17 18:39	
Bromodichloromethane	1.0 U	1.0	0.32	1	11/22/17 18:39	
cis-1,3-Dichloropropene	1.0 U	1.0	0.24	1	11/22/17 18:39	
4-Methyl-2-pentanone (MIBK)	5.0 U	5.0	0.67	1	11/22/17 18:39	
Toluene	1.0 U	1.0	0.20	1	11/22/17 18:39	
trans-1,3-Dichloropropene	1.0 U	1.0	0.20	1	11/22/17 18:39	
1,1,2-Trichloroethane	1.0 U	1.0	0.34	1	11/22/17 18:39	
Tetrachloroethene	1.0 U	1.0	0.30	1	11/22/17 18:39	
2-Hexanone	5.0 U	5.0	1.7	1	11/22/17 18:39	
Dibromochloromethane	1.0 U	1.0	0.31	1	11/22/17 18:39	
Chlorobenzene	1.0 U	1.0	0.29	1	11/22/17 18:39	
Ethylbenzene	1.0 U	1.0	0.20	1	11/22/17 18:39	
m,p-Xylenes	2.0 U	2.0	0.33	1	11/22/17 18:39	
o-Xylene	1.0 U	1.0	0.20	1	11/22/17 18:39	
Styrene	1.0 U	1.0	0.20	1	11/22/17 18:39	
Bromoform	1.0 U	1.0	0.42	1	11/22/17 18:39	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.25	1	11/22/17 18:39	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water
Sample Name: BAT-EW-8-171114
Lab Code: R1710944-001

Service Request: R1710944
Date Collected: 11/14/17 15:10
Date Received: 11/16/17 12:35

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	93	85 - 122	11/22/17 18:39	
Toluene-d8	94	87 - 121	11/22/17 18:39	
Dibromofluoromethane	96	89 - 119	11/22/17 18:39	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water
Sample Name: BAT-EW-2-171115
Lab Code: R1710944-002

Service Request: R1710944
Date Collected: 11/15/17 08:50
Date Received: 11/16/17 12:35

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
Chloromethane	1.0 U	1.0	0.21	1	11/22/17 13:34	
Vinyl Chloride	1.9	1.0	0.32	1	11/22/17 13:34	
Chloroethane	1.0 U	1.0	0.24	1	11/22/17 13:34	
Bromomethane	1.0 U	1.0	0.29	1	11/22/17 13:34	
1,1-Dichloroethene	1.0 U	1.0	0.57	1	11/22/17 13:34	
Acetone	5.0 U	5.0	1.3	1	11/22/17 13:34	
Carbon Disulfide	0.23 J	1.0	0.22	1	11/22/17 13:34	
Methylene Chloride	1.0 U	1.0	0.60	1	11/22/17 13:34	
trans-1,2-Dichloroethene	1.0	1.0	0.33	1	11/22/17 13:34	
1,1-Dichloroethane	2.5	1.0	0.20	1	11/22/17 13:34	
cis-1,2-Dichloroethene	6.4	1.0	0.30	1	11/22/17 13:34	
2-Butanone (MEK)	5.0 U	5.0	0.81	1	11/22/17 13:34	
Chloroform	1.3	1.0	0.25	1	11/22/17 13:34	
1,1,1-Trichloroethane	3.4	1.0	0.36	1	11/22/17 13:34	
Carbon Tetrachloride	1.0 U	1.0	0.45	1	11/22/17 13:34	
Benzene	1.0 U	1.0	0.20	1	11/22/17 13:34	
1,2-Dichloroethane	1.0 U	1.0	0.36	1	11/22/17 13:34	
Trichloroethene	2.7	1.0	0.22	1	11/22/17 13:34	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	11/22/17 13:34	
Bromodichloromethane	1.0 U	1.0	0.32	1	11/22/17 13:34	
cis-1,3-Dichloropropene	1.0 U	1.0	0.24	1	11/22/17 13:34	
4-Methyl-2-pentanone (MIBK)	5.0 U	5.0	0.67	1	11/22/17 13:34	
Toluene	1.0 U	1.0	0.20	1	11/22/17 13:34	
trans-1,3-Dichloropropene	1.0 U	1.0	0.20	1	11/22/17 13:34	
1,1,2-Trichloroethane	1.0 U	1.0	0.34	1	11/22/17 13:34	
Tetrachloroethene	1.0 U	1.0	0.30	1	11/22/17 13:34	
2-Hexanone	5.0 U	5.0	1.7	1	11/22/17 13:34	
Dibromochloromethane	1.0 U	1.0	0.31	1	11/22/17 13:34	
Chlorobenzene	1.0 U	1.0	0.29	1	11/22/17 13:34	
Ethylbenzene	1.0 U	1.0	0.20	1	11/22/17 13:34	
m,p-Xylenes	2.0 U	2.0	0.33	1	11/22/17 13:34	
o-Xylene	1.0 U	1.0	0.20	1	11/22/17 13:34	
Styrene	1.0 U	1.0	0.20	1	11/22/17 13:34	
Bromoform	1.0 U	1.0	0.42	1	11/22/17 13:34	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.25	1	11/22/17 13:34	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water
Sample Name: BAT-EW-2-171115
Lab Code: R1710944-002

Service Request: R1710944
Date Collected: 11/15/17 08:50
Date Received: 11/16/17 12:35

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	92	85 - 122	11/22/17 13:34	
Toluene-d8	94	87 - 121	11/22/17 13:34	
Dibromofluoromethane	99	89 - 119	11/22/17 13:34	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water
Sample Name: BAT-EW-3-171115
Lab Code: R1710944-003

Service Request: R1710944
Date Collected: 11/15/17 09:10
Date Received: 11/16/17 12:35

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
Chloromethane	10 U	10	2.1	10	11/22/17 16:50	
Vinyl Chloride	1000	10	3.2	10	11/22/17 16:50	
Chloroethane	10 U	10	2.4	10	11/22/17 16:50	
Bromomethane	10 U	10	2.9	10	11/22/17 16:50	
1,1-Dichloroethene	10 U	10	5.7	10	11/22/17 16:50	
Acetone	50 U	50	13	10	11/22/17 16:50	
Carbon Disulfide	10 U	10	2.2	10	11/22/17 16:50	
Methylene Chloride	10 U	10	6.0	10	11/22/17 16:50	
trans-1,2-Dichloroethene	12	10	3.3	10	11/22/17 16:50	
1,1-Dichloroethane	14	10	2.0	10	11/22/17 16:50	
cis-1,2-Dichloroethene	1600	10	3.0	10	11/22/17 16:50	
2-Butanone (MEK)	50 U	50	8.1	10	11/22/17 16:50	
Chloroform	3.4 J	10	2.5	10	11/22/17 16:50	
1,1,1-Trichloroethane	16	10	3.6	10	11/22/17 16:50	
Carbon Tetrachloride	10 U	10	4.5	10	11/22/17 16:50	
Benzene	10 U	10	2.0	10	11/22/17 16:50	
1,2-Dichloroethane	10 U	10	3.6	10	11/22/17 16:50	
Trichloroethene	5.1 J	10	2.2	10	11/22/17 16:50	
1,2-Dichloropropane	10 U	10	2.0	10	11/22/17 16:50	
Bromodichloromethane	10 U	10	3.2	10	11/22/17 16:50	
cis-1,3-Dichloropropene	10 U	10	2.4	10	11/22/17 16:50	
4-Methyl-2-pentanone (MIBK)	50 U	50	6.7	10	11/22/17 16:50	
Toluene	10 U	10	2.0	10	11/22/17 16:50	
trans-1,3-Dichloropropene	10 U	10	2.0	10	11/22/17 16:50	
1,1,2-Trichloroethane	10 U	10	3.4	10	11/22/17 16:50	
Tetrachloroethene	10 U	10	3.0	10	11/22/17 16:50	
2-Hexanone	50 U	50	17	10	11/22/17 16:50	
Dibromochloromethane	10 U	10	3.1	10	11/22/17 16:50	
Chlorobenzene	10 U	10	2.9	10	11/22/17 16:50	
Ethylbenzene	10 U	10	2.0	10	11/22/17 16:50	
m,p-Xylenes	20 U	20	3.3	10	11/22/17 16:50	
o-Xylene	10 U	10	2.0	10	11/22/17 16:50	
Styrene	10 U	10	2.0	10	11/22/17 16:50	
Bromoform	10 U	10	4.2	10	11/22/17 16:50	
1,1,2,2-Tetrachloroethane	10 U	10	2.5	10	11/22/17 16:50	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water
Sample Name: BAT-EW-3-171115
Lab Code: R1710944-003

Service Request: R1710944
Date Collected: 11/15/17 09:10
Date Received: 11/16/17 12:35

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	91	85 - 122	11/22/17 16:50	
Toluene-d8	96	87 - 121	11/22/17 16:50	
Dibromofluoromethane	97	89 - 119	11/22/17 16:50	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water
Sample Name: BAT-EW-4-171115
Lab Code: R1710944-004

Service Request: R1710944
Date Collected: 11/15/17 09:30
Date Received: 11/16/17 12:35

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
Chloromethane	1.0 U	1.0	0.21	1	11/22/17 13:56	
Vinyl Chloride	36	1.0	0.32	1	11/22/17 13:56	
Chloroethane	1.0 U	1.0	0.24	1	11/22/17 13:56	
Bromomethane	1.0 U	1.0	0.29	1	11/22/17 13:56	
1,1-Dichloroethene	1.0 U	1.0	0.57	1	11/22/17 13:56	
Acetone	5.0 U	5.0	1.3	1	11/22/17 13:56	
Carbon Disulfide	1.0 U	1.0	0.22	1	11/22/17 13:56	
Methylene Chloride	1.0 U	1.0	0.60	1	11/22/17 13:56	
trans-1,2-Dichloroethene	0.88 J	1.0	0.33	1	11/22/17 13:56	
1,1-Dichloroethane	1.0	1.0	0.20	1	11/22/17 13:56	
cis-1,2-Dichloroethene	32	1.0	0.30	1	11/22/17 13:56	
2-Butanone (MEK)	5.0 U	5.0	0.81	1	11/22/17 13:56	
Chloroform	1.0 U	1.0	0.25	1	11/22/17 13:56	
1,1,1-Trichloroethane	0.81 J	1.0	0.36	1	11/22/17 13:56	
Carbon Tetrachloride	1.0 U	1.0	0.45	1	11/22/17 13:56	
Benzene	1.0 U	1.0	0.20	1	11/22/17 13:56	
1,2-Dichloroethane	1.0 U	1.0	0.36	1	11/22/17 13:56	
Trichloroethene	0.42 J	1.0	0.22	1	11/22/17 13:56	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	11/22/17 13:56	
Bromodichloromethane	1.0 U	1.0	0.32	1	11/22/17 13:56	
cis-1,3-Dichloropropene	1.0 U	1.0	0.24	1	11/22/17 13:56	
4-Methyl-2-pentanone (MIBK)	5.0 U	5.0	0.67	1	11/22/17 13:56	
Toluene	1.0 U	1.0	0.20	1	11/22/17 13:56	
trans-1,3-Dichloropropene	1.0 U	1.0	0.20	1	11/22/17 13:56	
1,1,2-Trichloroethane	1.0 U	1.0	0.34	1	11/22/17 13:56	
Tetrachloroethene	1.0 U	1.0	0.30	1	11/22/17 13:56	
2-Hexanone	5.0 U	5.0	1.7	1	11/22/17 13:56	
Dibromochloromethane	1.0 U	1.0	0.31	1	11/22/17 13:56	
Chlorobenzene	1.0 U	1.0	0.29	1	11/22/17 13:56	
Ethylbenzene	1.0 U	1.0	0.20	1	11/22/17 13:56	
m,p-Xylenes	2.0 U	2.0	0.33	1	11/22/17 13:56	
o-Xylene	1.0 U	1.0	0.20	1	11/22/17 13:56	
Styrene	1.0 U	1.0	0.20	1	11/22/17 13:56	
Bromoform	1.0 U	1.0	0.42	1	11/22/17 13:56	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.25	1	11/22/17 13:56	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water
Sample Name: BAT-EW-4-171115
Lab Code: R1710944-004

Service Request: R1710944
Date Collected: 11/15/17 09:30
Date Received: 11/16/17 12:35

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	92	85 - 122	11/22/17 13:56	
Toluene-d8	91	87 - 121	11/22/17 13:56	
Dibromofluoromethane	95	89 - 119	11/22/17 13:56	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water
Sample Name: BAT-EW-5-171115
Lab Code: R1710944-005

Service Request: R1710944
Date Collected: 11/15/17 09:50
Date Received: 11/16/17 12:35

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
Chloromethane	1.0 U	1.0	0.21	1	11/22/17 14:18	
Vinyl Chloride	150	1.0	0.32	1	11/22/17 14:18	
Chloroethane	1.0 U	1.0	0.24	1	11/22/17 14:18	
Bromomethane	1.0 U	1.0	0.29	1	11/22/17 14:18	
1,1-Dichloroethene	0.74 J	1.0	0.57	1	11/22/17 14:18	
Acetone	5.0 U	5.0	1.3	1	11/22/17 14:18	
Carbon Disulfide	0.41 J	1.0	0.22	1	11/22/17 14:18	
Methylene Chloride	1.0 U	1.0	0.60	1	11/22/17 14:18	
trans-1,2-Dichloroethene	1.7	1.0	0.33	1	11/22/17 14:18	
1,1-Dichloroethane	2.5	1.0	0.20	1	11/22/17 14:18	
cis-1,2-Dichloroethene	220 D	2.0	0.60	2	11/27/17 13:55	
2-Butanone (MEK)	5.0 U	5.0	0.81	1	11/22/17 14:18	
Chloroform	1.0 U	1.0	0.25	1	11/22/17 14:18	
1,1,1-Trichloroethane	2.9	1.0	0.36	1	11/22/17 14:18	
Carbon Tetrachloride	1.0 U	1.0	0.45	1	11/22/17 14:18	
Benzene	1.0 U	1.0	0.20	1	11/22/17 14:18	
1,2-Dichloroethane	1.0 U	1.0	0.36	1	11/22/17 14:18	
Trichloroethene	1.5	1.0	0.22	1	11/22/17 14:18	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	11/22/17 14:18	
Bromodichloromethane	1.0 U	1.0	0.32	1	11/22/17 14:18	
cis-1,3-Dichloropropene	1.0 U	1.0	0.24	1	11/22/17 14:18	
4-Methyl-2-pentanone (MIBK)	5.0 U	5.0	0.67	1	11/22/17 14:18	
Toluene	1.0 U	1.0	0.20	1	11/22/17 14:18	
trans-1,3-Dichloropropene	1.0 U	1.0	0.20	1	11/22/17 14:18	
1,1,2-Trichloroethane	1.0 U	1.0	0.34	1	11/22/17 14:18	
Tetrachloroethene	1.0 U	1.0	0.30	1	11/22/17 14:18	
2-Hexanone	5.0 U	5.0	1.7	1	11/22/17 14:18	
Dibromochloromethane	1.0 U	1.0	0.31	1	11/22/17 14:18	
Chlorobenzene	1.0 U	1.0	0.29	1	11/22/17 14:18	
Ethylbenzene	1.0 U	1.0	0.20	1	11/22/17 14:18	
m,p-Xylenes	2.0 U	2.0	0.33	1	11/22/17 14:18	
o-Xylene	1.0 U	1.0	0.20	1	11/22/17 14:18	
Styrene	1.0 U	1.0	0.20	1	11/22/17 14:18	
Bromoform	1.0 U	1.0	0.42	1	11/22/17 14:18	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.25	1	11/22/17 14:18	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water
Sample Name: BAT-EW-5-171115
Lab Code: R1710944-005

Service Request: R1710944
Date Collected: 11/15/17 09:50
Date Received: 11/16/17 12:35

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	91	85 - 122	11/22/17 14:18	
Toluene-d8	92	87 - 121	11/22/17 14:18	
Dibromofluoromethane	99	89 - 119	11/22/17 14:18	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water
Sample Name: BAT-EW-6-171115
Lab Code: R1710944-006

Service Request: R1710944
Date Collected: 11/15/17 10:15
Date Received: 11/16/17 12:35

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
Chloromethane	1.0 U	1.0	0.21	1	11/22/17 14:39	
Vinyl Chloride	10	1.0	0.32	1	11/22/17 14:39	
Chloroethane	1.0 U	1.0	0.24	1	11/22/17 14:39	
Bromomethane	1.0 U	1.0	0.29	1	11/22/17 14:39	
1,1-Dichloroethene	1.0 U	1.0	0.57	1	11/22/17 14:39	
Acetone	5.0 U	5.0	1.3	1	11/22/17 14:39	
Carbon Disulfide	1.0 U	1.0	0.22	1	11/22/17 14:39	
Methylene Chloride	1.0 U	1.0	0.60	1	11/22/17 14:39	
trans-1,2-Dichloroethene	1.8	1.0	0.33	1	11/22/17 14:39	
1,1-Dichloroethane	2.9	1.0	0.20	1	11/22/17 14:39	
cis-1,2-Dichloroethene	170	1.0	0.30	1	11/22/17 14:39	
2-Butanone (MEK)	5.0 U	5.0	0.81	1	11/22/17 14:39	
Chloroform	0.64 J	1.0	0.25	1	11/22/17 14:39	
1,1,1-Trichloroethane	3.3	1.0	0.36	1	11/22/17 14:39	
Carbon Tetrachloride	1.0 U	1.0	0.45	1	11/22/17 14:39	
Benzene	1.0 U	1.0	0.20	1	11/22/17 14:39	
1,2-Dichloroethane	1.0 U	1.0	0.36	1	11/22/17 14:39	
Trichloroethene	2.4	1.0	0.22	1	11/22/17 14:39	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	11/22/17 14:39	
Bromodichloromethane	1.0 U	1.0	0.32	1	11/22/17 14:39	
cis-1,3-Dichloropropene	1.0 U	1.0	0.24	1	11/22/17 14:39	
4-Methyl-2-pentanone (MIBK)	5.0 U	5.0	0.67	1	11/22/17 14:39	
Toluene	1.0 U	1.0	0.20	1	11/22/17 14:39	
trans-1,3-Dichloropropene	1.0 U	1.0	0.20	1	11/22/17 14:39	
1,1,2-Trichloroethane	1.0 U	1.0	0.34	1	11/22/17 14:39	
Tetrachloroethene	1.0 U	1.0	0.30	1	11/22/17 14:39	
2-Hexanone	5.0 U	5.0	1.7	1	11/22/17 14:39	
Dibromochloromethane	1.0 U	1.0	0.31	1	11/22/17 14:39	
Chlorobenzene	1.0 U	1.0	0.29	1	11/22/17 14:39	
Ethylbenzene	1.0 U	1.0	0.20	1	11/22/17 14:39	
m,p-Xylenes	2.0 U	2.0	0.33	1	11/22/17 14:39	
o-Xylene	1.0 U	1.0	0.20	1	11/22/17 14:39	
Styrene	1.0 U	1.0	0.20	1	11/22/17 14:39	
Bromoform	1.0 U	1.0	0.42	1	11/22/17 14:39	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.25	1	11/22/17 14:39	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water
Sample Name: BAT-EW-6-171115
Lab Code: R1710944-006

Service Request: R1710944
Date Collected: 11/15/17 10:15
Date Received: 11/16/17 12:35

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	92	85 - 122	11/22/17 14:39	
Toluene-d8	91	87 - 121	11/22/17 14:39	
Dibromofluoromethane	95	89 - 119	11/22/17 14:39	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water

Service Request: R1710944
Date Collected: 11/15/17 10:55
Date Received: 11/16/17 12:35

Sample Name: BAT-93-03(1)-171115
Lab Code: R1710944-007

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
Chloromethane	1.0 U	1.0	0.21	1	11/22/17 13:12	
Vinyl Chloride	1.0 U	1.0	0.32	1	11/22/17 13:12	
Chloroethane	1.0 U	1.0	0.24	1	11/22/17 13:12	
Bromomethane	1.0 U	1.0	0.29	1	11/22/17 13:12	
1,1-Dichloroethane	1.0 U	1.0	0.57	1	11/22/17 13:12	
Acetone	5.0 U	5.0	1.3	1	11/22/17 13:12	
Carbon Disulfide	0.30 J	1.0	0.22	1	11/22/17 13:12	
Methylene Chloride	1.0 U	1.0	0.60	1	11/22/17 13:12	
trans-1,2-Dichloroethene	1.0 U	1.0	0.33	1	11/22/17 13:12	
1,1-Dichloroethane	1.0 U	1.0	0.20	1	11/22/17 13:12	
cis-1,2-Dichloroethene	1.0 U	1.0	0.30	1	11/22/17 13:12	
2-Butanone (MEK)	5.0 U	5.0	0.81	1	11/22/17 13:12	
Chloroform	1.0 U	1.0	0.25	1	11/22/17 13:12	
1,1,1-Trichloroethane	1.0 U	1.0	0.36	1	11/22/17 13:12	
Carbon Tetrachloride	1.0 U	1.0	0.45	1	11/22/17 13:12	
Benzene	1.0 U	1.0	0.20	1	11/22/17 13:12	
1,2-Dichloroethane	1.0 U	1.0	0.36	1	11/22/17 13:12	
Trichloroethene	1.0 U	1.0	0.22	1	11/22/17 13:12	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	11/22/17 13:12	
Bromodichloromethane	1.0 U	1.0	0.32	1	11/22/17 13:12	
cis-1,3-Dichloropropene	1.0 U	1.0	0.24	1	11/22/17 13:12	
4-Methyl-2-pentanone (MIBK)	5.0 U	5.0	0.67	1	11/22/17 13:12	
Toluene	1.0 U	1.0	0.20	1	11/22/17 13:12	
trans-1,3-Dichloropropene	1.0 U	1.0	0.20	1	11/22/17 13:12	
1,1,2-Trichloroethane	1.0 U	1.0	0.34	1	11/22/17 13:12	
Tetrachloroethene	1.0 U	1.0	0.30	1	11/22/17 13:12	
2-Hexanone	5.0 U	5.0	1.7	1	11/22/17 13:12	
Dibromochloromethane	1.0 U	1.0	0.31	1	11/22/17 13:12	
Chlorobenzene	1.0 U	1.0	0.29	1	11/22/17 13:12	
Ethylbenzene	1.0 U	1.0	0.20	1	11/22/17 13:12	
m,p-Xylenes	2.0 U	2.0	0.33	1	11/22/17 13:12	
o-Xylene	1.0 U	1.0	0.20	1	11/22/17 13:12	
Styrene	1.0 U	1.0	0.20	1	11/22/17 13:12	
Bromoform	1.0 U	1.0	0.42	1	11/22/17 13:12	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.25	1	11/22/17 13:12	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water
Sample Name: BAT-93-03(1)-171115
Lab Code: R1710944-007

Service Request: R1710944
Date Collected: 11/15/17 10:55
Date Received: 11/16/17 12:35

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	92	85 - 122	11/22/17 13:12	
Toluene-d8	91	87 - 121	11/22/17 13:12	
Dibromofluoromethane	98	89 - 119	11/22/17 13:12	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water
Sample Name: BAT-87-21(1)-171115
Lab Code: R1710944-008

Service Request: R1710944
Date Collected: 11/15/17 11:35
Date Received: 11/16/17 12:35

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
Chloromethane	1.0 U	1.0	0.21	1	11/27/17 12:49	
Vinyl Chloride	1.0 U	1.0	0.32	1	11/27/17 12:49	
Chloroethane	1.0 U	1.0	0.24	1	11/27/17 12:49	
Bromomethane	1.0 U	1.0	0.29	1	11/27/17 12:49	
1,1-Dichloroethene	1.0 U	1.0	0.57	1	11/27/17 12:49	
Acetone	5.0 U	5.0	1.3	1	11/27/17 12:49	
Carbon Disulfide	1.0 U	1.0	0.22	1	11/27/17 12:49	
Methylene Chloride	1.0 U	1.0	0.60	1	11/27/17 12:49	
trans-1,2-Dichloroethene	0.54 J	1.0	0.33	1	11/27/17 12:49	
1,1-Dichloroethane	2.0	1.0	0.20	1	11/27/17 12:49	
cis-1,2-Dichloroethene	7.6	1.0	0.30	1	11/27/17 12:49	
2-Butanone (MEK)	5.0 U	5.0	0.81	1	11/27/17 12:49	
Chloroform	1.1	1.0	0.25	1	11/27/17 12:49	
1,1,1-Trichloroethane	2.8	1.0	0.36	1	11/27/17 12:49	
Carbon Tetrachloride	1.0 U	1.0	0.45	1	11/27/17 12:49	
Benzene	1.0 U	1.0	0.20	1	11/27/17 12:49	
1,2-Dichloroethane	1.0 U	1.0	0.36	1	11/27/17 12:49	
Trichloroethene	3.1	1.0	0.22	1	11/27/17 12:49	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	11/27/17 12:49	
Bromodichloromethane	1.0 U	1.0	0.32	1	11/27/17 12:49	
cis-1,3-Dichloropropene	1.0 U	1.0	0.24	1	11/27/17 12:49	
4-Methyl-2-pentanone (MIBK)	5.0 U	5.0	0.67	1	11/27/17 12:49	
Toluene	1.0 U	1.0	0.20	1	11/27/17 12:49	
trans-1,3-Dichloropropene	1.0 U	1.0	0.20	1	11/27/17 12:49	
1,1,2-Trichloroethane	1.0 U	1.0	0.34	1	11/27/17 12:49	
Tetrachloroethene	1.0 U	1.0	0.30	1	11/27/17 12:49	
2-Hexanone	5.0 U	5.0	1.7	1	11/27/17 12:49	
Dibromochloromethane	1.0 U	1.0	0.31	1	11/27/17 12:49	
Chlorobenzene	1.0 U	1.0	0.29	1	11/27/17 12:49	
Ethylbenzene	1.0 U	1.0	0.20	1	11/27/17 12:49	
m,p-Xylenes	2.0 U	2.0	0.33	1	11/27/17 12:49	
o-Xylene	1.0 U	1.0	0.20	1	11/27/17 12:49	
Styrene	1.0 U	1.0	0.20	1	11/27/17 12:49	
Bromoform	1.0 U	1.0	0.42	1	11/27/17 12:49	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.25	1	11/27/17 12:49	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water
Sample Name: BAT-87-21(1)-171115
Lab Code: R1710944-008

Service Request: R1710944
Date Collected: 11/15/17 11:35
Date Received: 11/16/17 12:35

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	90	85 - 122	11/27/17 12:49	
Toluene-d8	92	87 - 121	11/27/17 12:49	
Dibromofluoromethane	97	89 - 119	11/27/17 12:49	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water
Sample Name: BAT-87-19(1)-171115
Lab Code: R1710944-009

Service Request: R1710944
Date Collected: 11/15/17 11:55
Date Received: 11/16/17 12:35

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
Chloromethane	1.0 U	1.0	0.21	1	11/22/17 19:01	
Vinyl Chloride	1.9	1.0	0.32	1	11/22/17 19:01	
Chloroethane	1.0 U	1.0	0.24	1	11/22/17 19:01	
Bromomethane	1.0 U	1.0	0.29	1	11/22/17 19:01	
1,1-Dichloroethene	1.0 U	1.0	0.57	1	11/22/17 19:01	
Acetone	5.0 U	5.0	1.3	1	11/22/17 19:01	
Carbon Disulfide	1.0 U	1.0	0.22	1	11/22/17 19:01	
Methylene Chloride	1.0 U	1.0	0.60	1	11/22/17 19:01	
trans-1,2-Dichloroethene	1.0 U	1.0	0.33	1	11/22/17 19:01	
1,1-Dichloroethane	1.0 U	1.0	0.20	1	11/22/17 19:01	
cis-1,2-Dichloroethene	5.3	1.0	0.30	1	11/22/17 19:01	
2-Butanone (MEK)	5.0 U	5.0	0.81	1	11/22/17 19:01	
Chloroform	1.0 U	1.0	0.25	1	11/22/17 19:01	
1,1,1-Trichloroethane	1.0 U	1.0	0.36	1	11/22/17 19:01	
Carbon Tetrachloride	1.0 U	1.0	0.45	1	11/22/17 19:01	
Benzene	1.0 U	1.0	0.20	1	11/22/17 19:01	
1,2-Dichloroethane	1.0 U	1.0	0.36	1	11/22/17 19:01	
Trichloroethene	1.0 U	1.0	0.22	1	11/22/17 19:01	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	11/22/17 19:01	
Bromodichloromethane	1.0 U	1.0	0.32	1	11/22/17 19:01	
cis-1,3-Dichloropropene	1.0 U	1.0	0.24	1	11/22/17 19:01	
4-Methyl-2-pentanone (MIBK)	5.0 U	5.0	0.67	1	11/22/17 19:01	
Toluene	1.0 U	1.0	0.20	1	11/22/17 19:01	
trans-1,3-Dichloropropene	1.0 U	1.0	0.20	1	11/22/17 19:01	
1,1,2-Trichloroethane	1.0 U	1.0	0.34	1	11/22/17 19:01	
Tetrachloroethene	1.0 U	1.0	0.30	1	11/22/17 19:01	
2-Hexanone	5.0 U	5.0	1.7	1	11/22/17 19:01	
Dibromochloromethane	1.0 U	1.0	0.31	1	11/22/17 19:01	
Chlorobenzene	1.0 U	1.0	0.29	1	11/22/17 19:01	
Ethylbenzene	1.0 U	1.0	0.20	1	11/22/17 19:01	
m,p-Xylenes	2.0 U	2.0	0.33	1	11/22/17 19:01	
o-Xylene	1.0 U	1.0	0.20	1	11/22/17 19:01	
Styrene	1.0 U	1.0	0.20	1	11/22/17 19:01	
Bromoform	1.0 U	1.0	0.42	1	11/22/17 19:01	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.25	1	11/22/17 19:01	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water
Sample Name: BAT-87-19(1)-171115
Lab Code: R1710944-009

Service Request: R1710944
Date Collected: 11/15/17 11:55
Date Received: 11/16/17 12:35

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	95	85 - 122	11/22/17 19:01	
Toluene-d8	94	87 - 121	11/22/17 19:01	
Dibromofluoromethane	103	89 - 119	11/22/17 19:01	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water
Sample Name: BAT-DUP-2-171115
Lab Code: R1710944-011

Service Request: R1710944
Date Collected: 11/15/17
Date Received: 11/16/17 12:35

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
Chloromethane	0.29 J	1.0	0.21	1	11/22/17 17:34	
Vinyl Chloride	0.34 J	1.0	0.32	1	11/22/17 17:34	
Chloroethane	1.0 U	1.0	0.24	1	11/22/17 17:34	
Bromomethane	1.0 U	1.0	0.29	1	11/22/17 17:34	
1,1-Dichloroethene	1.0 U	1.0	0.57	1	11/22/17 17:34	
Acetone	5.0 U	5.0	1.3	1	11/22/17 17:34	
Carbon Disulfide	1.0 U	1.0	0.22	1	11/22/17 17:34	
Methylene Chloride	1.0 U	1.0	0.60	1	11/22/17 17:34	
trans-1,2-Dichloroethene	0.57 J	1.0	0.33	1	11/22/17 17:34	
1,1-Dichloroethane	1.7	1.0	0.20	1	11/22/17 17:34	
cis-1,2-Dichloroethene	7.5	1.0	0.30	1	11/22/17 17:34	
2-Butanone (MEK)	5.0 U	5.0	0.81	1	11/22/17 17:34	
Chloroform	1.4	1.0	0.25	1	11/22/17 17:34	
1,1,1-Trichloroethane	2.8	1.0	0.36	1	11/22/17 17:34	
Carbon Tetrachloride	1.0 U	1.0	0.45	1	11/22/17 17:34	
Benzene	1.0 U	1.0	0.20	1	11/22/17 17:34	
1,2-Dichloroethane	1.0 U	1.0	0.36	1	11/22/17 17:34	
Trichloroethene	3.6	1.0	0.22	1	11/22/17 17:34	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	11/22/17 17:34	
Bromodichloromethane	1.0 U	1.0	0.32	1	11/22/17 17:34	
cis-1,3-Dichloropropene	1.0 U	1.0	0.24	1	11/22/17 17:34	
4-Methyl-2-pentanone (MIBK)	5.0 U	5.0	0.67	1	11/22/17 17:34	
Toluene	1.0 U	1.0	0.20	1	11/22/17 17:34	
trans-1,3-Dichloropropene	1.0 U	1.0	0.20	1	11/22/17 17:34	
1,1,2-Trichloroethane	1.0 U	1.0	0.34	1	11/22/17 17:34	
Tetrachloroethene	1.0 U	1.0	0.30	1	11/22/17 17:34	
2-Hexanone	5.0 U	5.0	1.7	1	11/22/17 17:34	
Dibromochloromethane	1.0 U	1.0	0.31	1	11/22/17 17:34	
Chlorobenzene	1.0 U	1.0	0.29	1	11/22/17 17:34	
Ethylbenzene	1.0 U	1.0	0.20	1	11/22/17 17:34	
m,p-Xylenes	2.0 U	2.0	0.33	1	11/22/17 17:34	
o-Xylene	1.0 U	1.0	0.20	1	11/22/17 17:34	
Styrene	1.0 U	1.0	0.20	1	11/22/17 17:34	
Bromoform	1.0 U	1.0	0.42	1	11/22/17 17:34	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.25	1	11/22/17 17:34	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water
Sample Name: BAT-DUP-2-171115
Lab Code: R1710944-011

Service Request: R1710944
Date Collected: 11/15/17
Date Received: 11/16/17 12:35

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	92	85 - 122	11/22/17 17:34	
Toluene-d8	93	87 - 121	11/22/17 17:34	
Dibromofluoromethane	104	89 - 119	11/22/17 17:34	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water
Sample Name: BAT-87-20(0)-171115
Lab Code: R1710944-012

Service Request: R1710944
Date Collected: 11/15/17 13:20
Date Received: 11/16/17 12:35

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
Chloromethane	1.0 U	1.0	0.21	1	11/22/17 17:55	
Vinyl Chloride	1.0 U	1.0	0.32	1	11/22/17 17:55	
Chloroethane	1.0 U	1.0	0.24	1	11/22/17 17:55	
Bromomethane	1.0 U	1.0	0.29	1	11/22/17 17:55	
1,1-Dichloroethene	1.0 U	1.0	0.57	1	11/22/17 17:55	
Acetone	5.0 U	5.0	1.3	1	11/22/17 17:55	
Carbon Disulfide	1.0 U	1.0	0.22	1	11/22/17 17:55	
Methylene Chloride	1.0 U	1.0	0.60	1	11/22/17 17:55	
trans-1,2-Dichloroethene	1.0 U	1.0	0.33	1	11/22/17 17:55	
1,1-Dichloroethane	1.0 U	1.0	0.20	1	11/22/17 17:55	
cis-1,2-Dichloroethene	1.0 U	1.0	0.30	1	11/22/17 17:55	
2-Butanone (MEK)	5.0 U	5.0	0.81	1	11/22/17 17:55	
Chloroform	1.0 U	1.0	0.25	1	11/22/17 17:55	
1,1,1-Trichloroethane	1.0 U	1.0	0.36	1	11/22/17 17:55	
Carbon Tetrachloride	1.0 U	1.0	0.45	1	11/22/17 17:55	
Benzene	1.0 U	1.0	0.20	1	11/22/17 17:55	
1,2-Dichloroethane	1.0 U	1.0	0.36	1	11/22/17 17:55	
Trichloroethene	1.0 U	1.0	0.22	1	11/22/17 17:55	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	11/22/17 17:55	
Bromodichloromethane	1.0 U	1.0	0.32	1	11/22/17 17:55	
cis-1,3-Dichloropropene	1.0 U	1.0	0.24	1	11/22/17 17:55	
4-Methyl-2-pentanone (MIBK)	5.0 U	5.0	0.67	1	11/22/17 17:55	
Toluene	1.0 U	1.0	0.20	1	11/22/17 17:55	
trans-1,3-Dichloropropene	1.0 U	1.0	0.20	1	11/22/17 17:55	
1,1,2-Trichloroethane	1.0 U	1.0	0.34	1	11/22/17 17:55	
Tetrachloroethene	1.0 U	1.0	0.30	1	11/22/17 17:55	
2-Hexanone	5.0 U	5.0	1.7	1	11/22/17 17:55	
Dibromochloromethane	1.0 U	1.0	0.31	1	11/22/17 17:55	
Chlorobenzene	1.0 U	1.0	0.29	1	11/22/17 17:55	
Ethylbenzene	1.0 U	1.0	0.20	1	11/22/17 17:55	
m,p-Xylenes	2.0 U	2.0	0.33	1	11/22/17 17:55	
o-Xylene	1.0 U	1.0	0.20	1	11/22/17 17:55	
Styrene	1.0 U	1.0	0.20	1	11/22/17 17:55	
Bromoform	1.0 U	1.0	0.42	1	11/22/17 17:55	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.25	1	11/22/17 17:55	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water
Sample Name: BAT-87-20(0)-171115
Lab Code: R1710944-012

Service Request: R1710944
Date Collected: 11/15/17 13:20
Date Received: 11/16/17 12:35

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	95	85 - 122	11/22/17 17:55	
Toluene-d8	94	87 - 121	11/22/17 17:55	
Dibromofluoromethane	101	89 - 119	11/22/17 17:55	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water

Service Request: R1710944
Date Collected: 11/15/17 13:45
Date Received: 11/16/17 12:35

Sample Name: BAT-89-14(1)-171115
Lab Code: R1710944-013

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
Chloromethane	2.0 U	2.0	0.42	2	11/22/17 16:28	
Vinyl Chloride	290	2.0	0.64	2	11/22/17 16:28	
Chloroethane	2.0 U	2.0	0.48	2	11/22/17 16:28	
Bromomethane	2.0 U	2.0	0.58	2	11/22/17 16:28	
1,1-Dichloroethene	2.0 U	2.0	1.2	2	11/22/17 16:28	
Acetone	4.4 J	10	2.5	2	11/22/17 16:28	
Carbon Disulfide	2.0 U	2.0	0.44	2	11/22/17 16:28	
Methylene Chloride	2.0 U	2.0	1.2	2	11/22/17 16:28	
trans-1,2-Dichloroethene	1.7 J	2.0	0.66	2	11/22/17 16:28	
1,1-Dichloroethane	17	2.0	0.40	2	11/22/17 16:28	
cis-1,2-Dichloroethene	65	2.0	0.60	2	11/22/17 16:28	
2-Butanone (MEK)	10 U	10	1.7	2	11/22/17 16:28	
Chloroform	2.0 U	2.0	0.50	2	11/22/17 16:28	
1,1,1-Trichloroethane	2.2	2.0	0.72	2	11/22/17 16:28	
Carbon Tetrachloride	2.0 U	2.0	0.90	2	11/22/17 16:28	
Benzene	2.0 U	2.0	0.40	2	11/22/17 16:28	
1,2-Dichloroethane	2.0 U	2.0	0.72	2	11/22/17 16:28	
Trichloroethene	1.8 J	2.0	0.44	2	11/22/17 16:28	
1,2-Dichloropropane	2.0 U	2.0	0.40	2	11/22/17 16:28	
Bromodichloromethane	2.0 U	2.0	0.64	2	11/22/17 16:28	
cis-1,3-Dichloropropene	2.0 U	2.0	0.48	2	11/22/17 16:28	
4-Methyl-2-pentanone (MIBK)	10 U	10	1.4	2	11/22/17 16:28	
Toluene	2.0 U	2.0	0.40	2	11/22/17 16:28	
trans-1,3-Dichloropropene	2.0 U	2.0	0.40	2	11/22/17 16:28	
1,1,2-Trichloroethane	2.0 U	2.0	0.68	2	11/22/17 16:28	
Tetrachloroethene	2.0 U	2.0	0.60	2	11/22/17 16:28	
2-Hexanone	10 U	10	3.4	2	11/22/17 16:28	
Dibromochloromethane	2.0 U	2.0	0.62	2	11/22/17 16:28	
Chlorobenzene	2.0 U	2.0	0.58	2	11/22/17 16:28	
Ethylbenzene	2.0 U	2.0	0.40	2	11/22/17 16:28	
m,p-Xylenes	4.0 U	4.0	0.66	2	11/22/17 16:28	
o-Xylene	2.0 U	2.0	0.40	2	11/22/17 16:28	
Styrene	2.0 U	2.0	0.40	2	11/22/17 16:28	
Bromoform	2.0 U	2.0	0.84	2	11/22/17 16:28	
1,1,2,2-Tetrachloroethane	2.0 U	2.0	0.50	2	11/22/17 16:28	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water
Sample Name: BAT-89-14(1)-171115
Lab Code: R1710944-013

Service Request: R1710944
Date Collected: 11/15/17 13:45
Date Received: 11/16/17 12:35

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	90	85 - 122	11/22/17 16:28	
Toluene-d8	93	87 - 121	11/22/17 16:28	
Dibromofluoromethane	100	89 - 119	11/22/17 16:28	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water
Sample Name: BAT-EW-7-171115
Lab Code: R1710944-014

Service Request: R1710944
Date Collected: 11/15/17 14:20
Date Received: 11/16/17 12:35

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
Chloromethane	1.0 U	1.0	0.21	1	11/27/17 13:11	
Vinyl Chloride	35	1.0	0.32	1	11/27/17 13:11	
Chloroethane	1.0 U	1.0	0.24	1	11/27/17 13:11	
Bromomethane	1.0 U	1.0	0.29	1	11/27/17 13:11	
1,1-Dichloroethene	1.0 U	1.0	0.57	1	11/27/17 13:11	
Acetone	5.0 U	5.0	1.3	1	11/27/17 13:11	
Carbon Disulfide	1.0 U	1.0	0.22	1	11/27/17 13:11	
Methylene Chloride	1.0 U	1.0	0.60	1	11/27/17 13:11	
trans-1,2-Dichloroethene	0.36 J	1.0	0.33	1	11/27/17 13:11	
1,1-Dichloroethane	4.4	1.0	0.20	1	11/27/17 13:11	
cis-1,2-Dichloroethene	20	1.0	0.30	1	11/27/17 13:11	
2-Butanone (MEK)	5.0 U	5.0	0.81	1	11/27/17 13:11	
Chloroform	1.0 U	1.0	0.25	1	11/27/17 13:11	
1,1,1-Trichloroethane	5.0	1.0	0.36	1	11/27/17 13:11	
Carbon Tetrachloride	1.0 U	1.0	0.45	1	11/27/17 13:11	
Benzene	1.0 U	1.0	0.20	1	11/27/17 13:11	
1,2-Dichloroethane	1.0 U	1.0	0.36	1	11/27/17 13:11	
Trichloroethene	0.94 J	1.0	0.22	1	11/27/17 13:11	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	11/27/17 13:11	
Bromodichloromethane	1.0 U	1.0	0.32	1	11/27/17 13:11	
cis-1,3-Dichloropropene	1.0 U	1.0	0.24	1	11/27/17 13:11	
4-Methyl-2-pentanone (MIBK)	5.0 U	5.0	0.67	1	11/27/17 13:11	
Toluene	1.0 U	1.0	0.20	1	11/27/17 13:11	
trans-1,3-Dichloropropene	1.0 U	1.0	0.20	1	11/27/17 13:11	
1,1,2-Trichloroethane	1.0 U	1.0	0.34	1	11/27/17 13:11	
Tetrachloroethene	1.0 U	1.0	0.30	1	11/27/17 13:11	
2-Hexanone	5.0 U	5.0	1.7	1	11/27/17 13:11	
Dibromochloromethane	1.0 U	1.0	0.31	1	11/27/17 13:11	
Chlorobenzene	1.0 U	1.0	0.29	1	11/27/17 13:11	
Ethylbenzene	1.0 U	1.0	0.20	1	11/27/17 13:11	
m,p-Xylenes	2.0 U	2.0	0.33	1	11/27/17 13:11	
o-Xylene	1.0 U	1.0	0.20	1	11/27/17 13:11	
Styrene	1.0 U	1.0	0.20	1	11/27/17 13:11	
Bromoform	1.0 U	1.0	0.42	1	11/27/17 13:11	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.25	1	11/27/17 13:11	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water
Sample Name: BAT-EW-7-171115
Lab Code: R1710944-014

Service Request: R1710944
Date Collected: 11/15/17 14:20
Date Received: 11/16/17 12:35

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	97	85 - 122	11/27/17 13:11	
Toluene-d8	94	87 - 121	11/27/17 13:11	
Dibromofluoromethane	98	89 - 119	11/27/17 13:11	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water
Sample Name: BAT-EW-13-171115
Lab Code: R1710944-015

Service Request: R1710944
Date Collected: 11/15/17 14:45
Date Received: 11/16/17 12:35

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
Chloromethane	1.0 U	1.0	0.21	1	11/27/17 13:33	
Vinyl Chloride	160	1.0	0.32	1	11/27/17 13:33	
Chloroethane	1.0 U	1.0	0.24	1	11/27/17 13:33	
Bromomethane	1.0 U	1.0	0.29	1	11/27/17 13:33	
1,1-Dichloroethene	0.94 J	1.0	0.57	1	11/27/17 13:33	
Acetone	5.0 U	5.0	1.3	1	11/27/17 13:33	
Carbon Disulfide	0.37 BJ	1.0	0.22	1	11/27/17 13:33	
Methylene Chloride	1.6	1.0	0.60	1	11/27/17 13:33	
trans-1,2-Dichloroethene	1.4	1.0	0.33	1	11/27/17 13:33	
1,1-Dichloroethane	8.4	1.0	0.20	1	11/27/17 13:33	
cis-1,2-Dichloroethene	160	1.0	0.30	1	11/27/17 13:33	
2-Butanone (MEK)	5.0 U	5.0	0.81	1	11/27/17 13:33	
Chloroform	1.0 U	1.0	0.25	1	11/27/17 13:33	
1,1,1-Trichloroethane	25	1.0	0.36	1	11/27/17 13:33	
Carbon Tetrachloride	1.0 U	1.0	0.45	1	11/27/17 13:33	
Benzene	1.0 U	1.0	0.20	1	11/27/17 13:33	
1,2-Dichloroethane	1.0 U	1.0	0.36	1	11/27/17 13:33	
Trichloroethene	1.2	1.0	0.22	1	11/27/17 13:33	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	11/27/17 13:33	
Bromodichloromethane	1.0 U	1.0	0.32	1	11/27/17 13:33	
cis-1,3-Dichloropropene	1.0 U	1.0	0.24	1	11/27/17 13:33	
4-Methyl-2-pentanone (MIBK)	5.0 U	5.0	0.67	1	11/27/17 13:33	
Toluene	1.0 U	1.0	0.20	1	11/27/17 13:33	
trans-1,3-Dichloropropene	1.0 U	1.0	0.20	1	11/27/17 13:33	
1,1,2-Trichloroethane	1.0 U	1.0	0.34	1	11/27/17 13:33	
Tetrachloroethene	1.0 U	1.0	0.30	1	11/27/17 13:33	
2-Hexanone	5.0 U	5.0	1.7	1	11/27/17 13:33	
Dibromochloromethane	1.0 U	1.0	0.31	1	11/27/17 13:33	
Chlorobenzene	1.0 U	1.0	0.29	1	11/27/17 13:33	
Ethylbenzene	1.0 U	1.0	0.20	1	11/27/17 13:33	
m,p-Xylenes	2.0 U	2.0	0.33	1	11/27/17 13:33	
o-Xylene	1.0 U	1.0	0.20	1	11/27/17 13:33	
Styrene	1.0 U	1.0	0.20	1	11/27/17 13:33	
Bromoform	1.0 U	1.0	0.42	1	11/27/17 13:33	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.25	1	11/27/17 13:33	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water
Sample Name: BAT-EW-13-171115
Lab Code: R1710944-015

Service Request: R1710944
Date Collected: 11/15/17 14:45
Date Received: 11/16/17 12:35

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	90	85 - 122	11/27/17 13:33	
Toluene-d8	92	87 - 121	11/27/17 13:33	
Dibromofluoromethane	104	89 - 119	11/27/17 13:33	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water
Sample Name: BAT-87-14(0)-171116
Lab Code: R1710944-019

Service Request: R1710944
Date Collected: 11/16/17 09:40
Date Received: 11/16/17 12:35

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
Chloromethane	1.0 U	1.0	0.21	1	11/22/17 18:17	
Vinyl Chloride	1.0 U	1.0	0.32	1	11/22/17 18:17	
Chloroethane	1.0 U	1.0	0.24	1	11/22/17 18:17	
Bromomethane	1.0 U	1.0	0.29	1	11/22/17 18:17	
1,1-Dichloroethene	1.0 U	1.0	0.57	1	11/22/17 18:17	
Acetone	5.0 U	5.0	1.3	1	11/22/17 18:17	
Carbon Disulfide	1.0 U	1.0	0.22	1	11/22/17 18:17	
Methylene Chloride	1.0 U	1.0	0.60	1	11/22/17 18:17	
trans-1,2-Dichloroethene	1.0 U	1.0	0.33	1	11/22/17 18:17	
1,1-Dichloroethane	1.0 U	1.0	0.20	1	11/22/17 18:17	
cis-1,2-Dichloroethene	1.0 U	1.0	0.30	1	11/22/17 18:17	
2-Butanone (MEK)	5.0 U	5.0	0.81	1	11/22/17 18:17	
Chloroform	1.0 U	1.0	0.25	1	11/22/17 18:17	
1,1,1-Trichloroethane	1.0 U	1.0	0.36	1	11/22/17 18:17	
Carbon Tetrachloride	1.0 U	1.0	0.45	1	11/22/17 18:17	
Benzene	1.0 U	1.0	0.20	1	11/22/17 18:17	
1,2-Dichloroethane	1.0 U	1.0	0.36	1	11/22/17 18:17	
Trichloroethene	62	1.0	0.22	1	11/22/17 18:17	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	11/22/17 18:17	
Bromodichloromethane	1.0 U	1.0	0.32	1	11/22/17 18:17	
cis-1,3-Dichloropropene	1.0 U	1.0	0.24	1	11/22/17 18:17	
4-Methyl-2-pentanone (MIBK)	5.0 U	5.0	0.67	1	11/22/17 18:17	
Toluene	1.0 U	1.0	0.20	1	11/22/17 18:17	
trans-1,3-Dichloropropene	1.0 U	1.0	0.20	1	11/22/17 18:17	
1,1,2-Trichloroethane	1.0 U	1.0	0.34	1	11/22/17 18:17	
Tetrachloroethene	1.0 U	1.0	0.30	1	11/22/17 18:17	
2-Hexanone	5.0 U	5.0	1.7	1	11/22/17 18:17	
Dibromochloromethane	1.0 U	1.0	0.31	1	11/22/17 18:17	
Chlorobenzene	1.0 U	1.0	0.29	1	11/22/17 18:17	
Ethylbenzene	1.0 U	1.0	0.20	1	11/22/17 18:17	
m,p-Xylenes	2.0 U	2.0	0.33	1	11/22/17 18:17	
o-Xylene	1.0 U	1.0	0.20	1	11/22/17 18:17	
Styrene	1.0 U	1.0	0.20	1	11/22/17 18:17	
Bromoform	1.0 U	1.0	0.42	1	11/22/17 18:17	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.25	1	11/22/17 18:17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water
Sample Name: BAT-87-14(0)-171116
Lab Code: R1710944-019

Service Request: R1710944
Date Collected: 11/16/17 09:40
Date Received: 11/16/17 12:35

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	94	85 - 122	11/22/17 18:17	
Toluene-d8	93	87 - 121	11/22/17 18:17	
Dibromofluoromethane	93	89 - 119	11/22/17 18:17	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water
Sample Name: BAT-FB-2-171116
Lab Code: R1710944-020

Service Request: R1710944
Date Collected: 11/16/17 10:05
Date Received: 11/16/17 12:35

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
Chloromethane	1.0 U	1.0	0.21	1	11/22/17 12:51	
Vinyl Chloride	1.0 U	1.0	0.32	1	11/22/17 12:51	
Chloroethane	1.0 U	1.0	0.24	1	11/22/17 12:51	
Bromomethane	1.0 U	1.0	0.29	1	11/22/17 12:51	
1,1-Dichloroethene	1.0 U	1.0	0.57	1	11/22/17 12:51	
Acetone	1.4 J	5.0	1.3	1	11/22/17 12:51	
Carbon Disulfide	1.0 U	1.0	0.22	1	11/22/17 12:51	
Methylene Chloride	1.0 U	1.0	0.60	1	11/22/17 12:51	
trans-1,2-Dichloroethene	1.0 U	1.0	0.33	1	11/22/17 12:51	
1,1-Dichloroethane	1.0 U	1.0	0.20	1	11/22/17 12:51	
cis-1,2-Dichloroethene	1.0 U	1.0	0.30	1	11/22/17 12:51	
2-Butanone (MEK)	5.0 U	5.0	0.81	1	11/22/17 12:51	
Chloroform	1.0 U	1.0	0.25	1	11/22/17 12:51	
1,1,1-Trichloroethane	1.0 U	1.0	0.36	1	11/22/17 12:51	
Carbon Tetrachloride	1.0 U	1.0	0.45	1	11/22/17 12:51	
Benzene	1.0 U	1.0	0.20	1	11/22/17 12:51	
1,2-Dichloroethane	1.0 U	1.0	0.36	1	11/22/17 12:51	
Trichloroethene	1.0 U	1.0	0.22	1	11/22/17 12:51	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	11/22/17 12:51	
Bromodichloromethane	1.0 U	1.0	0.32	1	11/22/17 12:51	
cis-1,3-Dichloropropene	1.0 U	1.0	0.24	1	11/22/17 12:51	
4-Methyl-2-pentanone (MIBK)	5.0 U	5.0	0.67	1	11/22/17 12:51	
Toluene	1.2	1.0	0.20	1	11/22/17 12:51	
trans-1,3-Dichloropropene	1.0 U	1.0	0.20	1	11/22/17 12:51	
1,1,2-Trichloroethane	1.0 U	1.0	0.34	1	11/22/17 12:51	
Tetrachloroethene	1.0 U	1.0	0.30	1	11/22/17 12:51	
2-Hexanone	5.0 U	5.0	1.7	1	11/22/17 12:51	
Dibromochloromethane	1.0 U	1.0	0.31	1	11/22/17 12:51	
Chlorobenzene	1.0 U	1.0	0.29	1	11/22/17 12:51	
Ethylbenzene	1.0 U	1.0	0.20	1	11/22/17 12:51	
m,p-Xylenes	2.0 U	2.0	0.33	1	11/22/17 12:51	
o-Xylene	1.0 U	1.0	0.20	1	11/22/17 12:51	
Styrene	1.0 U	1.0	0.20	1	11/22/17 12:51	
Bromoform	1.0 U	1.0	0.42	1	11/22/17 12:51	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.25	1	11/22/17 12:51	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water
Sample Name: BAT-FB-2-171116
Lab Code: R1710944-020

Service Request: R1710944
Date Collected: 11/16/17 10:05
Date Received: 11/16/17 12:35

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	94	85 - 122	11/22/17 12:51	
Toluene-d8	93	87 - 121	11/22/17 12:51	
Dibromofluoromethane	98	89 - 119	11/22/17 12:51	



QC Summary Forms

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com



Volatile Organic Compounds by GC/MS

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water

Service Request: R1710944

SURROGATE RECOVERY SUMMARY
Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Extraction Method: EPA 5030C

Sample Name	Lab Code	4-Bromofluorobenzene	Dibromofluoromethane	Toluene-d8
		85 - 122	89 - 119	87 - 121
BAT-EW-8-171114	R1710944-001	93	96	94
BAT-EW-2-171115	R1710944-002	92	99	94
BAT-EW-3-171115	R1710944-003	91	97	96
BAT-EW-4-171115	R1710944-004	92	95	91
BAT-EW-5-171115	R1710944-005	91	99	92
BAT-EW-6-171115	R1710944-006	92	95	91
BAT-93-03(1)-171115	R1710944-007	92	98	91
BAT-87-21(1)-171115	R1710944-008	90	97	92
BAT-87-19(1)-171115	R1710944-009	95	103	94
BAT-DUP-2-171115	R1710944-011	92	104	93
BAT-87-20(0)-171115	R1710944-012	95	101	94
BAT-89-14(1)-171115	R1710944-013	90	100	93
BAT-EW-7-171115	R1710944-014	97	98	94
BAT-EW-13-171115	R1710944-015	90	104	92
BAT-87-14(0)-171116	R1710944-019	94	93	93
BAT-FB-2-171116	R1710944-020	94	98	93
Lab Control Sample	RQ1712191-03	91	98	92
Method Blank	RQ1712191-04	91	96	91
BAT-93-03(1)-171115 MS	RQ1712191-05	92	106	97
BAT-93-03(1)-171115 DMS	RQ1712191-06	91	100	95
Lab Control Sample	RQ1712263-03	93	101	94
Method Blank	RQ1712263-04	88	93	93

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water

Service Request: R1710944
Date Collected: 11/15/17
Date Received: 11/16/17
Date Analyzed: 11/22/17
Date Extracted: NA

Duplicate Matrix Spike Summary
Volatile Organic Compounds by GC/MS

Sample Name: BAT-93-03(1)-171115
Lab Code: R1710944-007
Analysis Method: 8260C
Prep Method: EPA 5030C

Units: ug/L
Basis: NA

Analyte Name	Matrix Spike RQ1712191-05				Duplicate Matrix Spike RQ1712191-06				RPD	RPD Limit
	Sample Result	Result	Spike Amount	% Rec	Result	Spike Amount	% Rec	% Rec Limits		
Chloromethane	1.0 U	53.9	50.0	108	54.7	50.0	109	55-160	1	30
Vinyl Chloride	1.0 U	51.2	50.0	102	55.1	50.0	110	60-157	7	30
Chloroethane	1.0 U	57.7	50.0	115	60.2	50.0	120	70-140	4	30
Bromomethane	1.0 U	47.2	50.0	94	32.6	50.0	65	10-162	37*	30
1,1-Dichloroethene	1.0 U	49.7	50.0	99	54.0	50.0	108	74-139	8	30
Acetone	5.0 U	39.6	50.0	79	41.9	50.0	84	29-151	6	30
Carbon Disulfide	0.30 J	56.9	50.0	113	58.6	50.0	117	34-162	3	30
Methylene Chloride	1.0 U	53.5	50.0	107	54.9	50.0	110	75-121	3	30
trans-1,2-Dichloroethene	1.0 U	52.6	50.0	105	54.4	50.0	109	77-125	3	30
1,1-Dichloroethane	1.0 U	52.8	50.0	106	56.0	50.0	112	74-132	6	30
cis-1,2-Dichloroethene	1.0 U	50.9	50.0	102	55.1	50.0	110	72-133	8	30
2-Butanone (MEK)	5.0 U	51.4	50.0	103	49.5	50.0	99	46-141	4	30
Chloroform	1.0 U	52.0	50.0	104	55.2	50.0	110	75-130	6	30
1,1,1-Trichloroethane	1.0 U	54.3	50.0	109	60.3	50.0	121	74-127	10	30
Carbon Tetrachloride	1.0 U	54.3	50.0	109	57.3	50.0	115	65-135	5	30
Benzene	1.0 U	49.8	50.0	100	51.6	50.0	103	76-129	4	30
1,2-Dichloroethane	1.0 U	51.2	50.0	102	53.2	50.0	106	68-130	4	30
Trichloroethene	1.0 U	51.2	50.0	102	51.1	50.0	102	62-142	<1	30
1,2-Dichloropropane	1.0 U	49.5	50.0	99	51.0	50.0	102	79-124	3	30
Bromodichloromethane	1.0 U	56.1	50.0	112	56.6	50.0	113	76-127	<1	30
cis-1,3-Dichloropropene	1.0 U	50.0	50.0	100	51.9	50.0	104	52-134	4	30
4-Methyl-2-pentanone (MIBK)	5.0 U	53.2	50.0	106	53.2	50.0	106	60-141	<1	30
Toluene	1.0 U	50.6	50.0	101	52.1	50.0	104	79-125	3	30
trans-1,3-Dichloropropene	1.0 U	48.6	50.0	97	52.3	50.0	105	50-142	7	30
1,1,2-Trichloroethane	1.0 U	49.6	50.0	99	52.3	50.0	105	79-119	5	30
Tetrachloroethene	1.0 U	50.9	50.0	102	54.0	50.0	108	67-137	6	30
2-Hexanone	5.0 U	49.1	50.0	98	49.8	50.0	100	56-132	1	30
Dibromochloromethane	1.0 U	50.1	50.0	100	52.7	50.0	105	72-128	5	30
Chlorobenzene	1.0 U	50.6	50.0	101	51.9	50.0	104	76-125	2	30
Ethylbenzene	1.0 U	50.2	50.0	100	52.4	50.0	105	72-134	4	30
m,p-Xylenes	2.0 U	105	100	105	106	100	106	68-138	1	30
o-Xylene	1.0 U	48.8	50.0	98	51.9	50.0	104	68-134	6	30
Styrene	1.0 U	53.7	50.0	107	54.1	50.0	108	34-156	<1	30
Bromoform	1.0 U	53.7	50.0	107	55.2	50.0	110	58-133	3	30
1,1,2,2-Tetrachloroethane	1.0 U	50.7	50.0	101	54.4	50.0	109	72-122	7	30

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water
Sample Name: Method Blank
Lab Code: RQ1712191-04

Service Request: R1710944
Date Collected: NA
Date Received: NA
Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
Chloromethane	1.0 U	1.0	0.21	1	11/22/17 12:11	
Vinyl Chloride	1.0 U	1.0	0.32	1	11/22/17 12:11	
Chloroethane	1.0 U	1.0	0.24	1	11/22/17 12:11	
Bromomethane	1.0 U	1.0	0.29	1	11/22/17 12:11	
1,1-Dichloroethene	1.0 U	1.0	0.57	1	11/22/17 12:11	
Acetone	5.0 U	5.0	1.3	1	11/22/17 12:11	
Carbon Disulfide	1.0 U	1.0	0.22	1	11/22/17 12:11	
Methylene Chloride	1.0 U	1.0	0.60	1	11/22/17 12:11	
trans-1,2-Dichloroethene	1.0 U	1.0	0.33	1	11/22/17 12:11	
1,1-Dichloroethane	1.0 U	1.0	0.20	1	11/22/17 12:11	
cis-1,2-Dichloroethene	1.0 U	1.0	0.30	1	11/22/17 12:11	
2-Butanone (MEK)	5.0 U	5.0	0.81	1	11/22/17 12:11	
Chloroform	1.0 U	1.0	0.25	1	11/22/17 12:11	
1,1,1-Trichloroethane	1.0 U	1.0	0.36	1	11/22/17 12:11	
Carbon Tetrachloride	1.0 U	1.0	0.45	1	11/22/17 12:11	
Benzene	1.0 U	1.0	0.20	1	11/22/17 12:11	
1,2-Dichloroethane	1.0 U	1.0	0.36	1	11/22/17 12:11	
Trichloroethene	1.0 U	1.0	0.22	1	11/22/17 12:11	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	11/22/17 12:11	
Bromodichloromethane	1.0 U	1.0	0.32	1	11/22/17 12:11	
cis-1,3-Dichloropropene	1.0 U	1.0	0.24	1	11/22/17 12:11	
4-Methyl-2-pentanone (MIBK)	5.0 U	5.0	0.67	1	11/22/17 12:11	
Toluene	1.0 U	1.0	0.20	1	11/22/17 12:11	
trans-1,3-Dichloropropene	1.0 U	1.0	0.20	1	11/22/17 12:11	
1,1,2-Trichloroethane	1.0 U	1.0	0.34	1	11/22/17 12:11	
Tetrachloroethene	1.0 U	1.0	0.30	1	11/22/17 12:11	
2-Hexanone	5.0 U	5.0	1.7	1	11/22/17 12:11	
Dibromochloromethane	1.0 U	1.0	0.31	1	11/22/17 12:11	
Chlorobenzene	1.0 U	1.0	0.29	1	11/22/17 12:11	
Ethylbenzene	1.0 U	1.0	0.20	1	11/22/17 12:11	
m,p-Xylenes	2.0 U	2.0	0.33	1	11/22/17 12:11	
o-Xylene	1.0 U	1.0	0.20	1	11/22/17 12:11	
Styrene	1.0 U	1.0	0.20	1	11/22/17 12:11	
Bromoform	1.0 U	1.0	0.42	1	11/22/17 12:11	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.25	1	11/22/17 12:11	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water
Sample Name: Method Blank
Lab Code: RQ1712191-04

Service Request: R1710944
Date Collected: NA
Date Received: NA
Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	91	85 - 122	11/22/17 12:11	
Toluene-d8	91	87 - 121	11/22/17 12:11	
Dibromofluoromethane	96	89 - 119	11/22/17 12:11	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water
Sample Name: Method Blank
Lab Code: RQ1712263-04

Service Request: R1710944
Date Collected: NA
Date Received: NA
Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Analyte Name	Result	MRL	MDL	Dil.	Date Analyzed	Q
Chloromethane	1.0 U	1.0	0.21	1	11/27/17 11:37	
Vinyl Chloride	1.0 U	1.0	0.32	1	11/27/17 11:37	
Chloroethane	1.0 U	1.0	0.24	1	11/27/17 11:37	
Bromomethane	1.0 U	1.0	0.29	1	11/27/17 11:37	
1,1-Dichloroethene	1.0 U	1.0	0.57	1	11/27/17 11:37	
Acetone	5.0 U	5.0	1.3	1	11/27/17 11:37	
Carbon Disulfide	0.27 J	1.0	0.22	1	11/27/17 11:37	
Methylene Chloride	1.0 U	1.0	0.60	1	11/27/17 11:37	
trans-1,2-Dichloroethene	1.0 U	1.0	0.33	1	11/27/17 11:37	
1,1-Dichloroethane	1.0 U	1.0	0.20	1	11/27/17 11:37	
cis-1,2-Dichloroethene	1.0 U	1.0	0.30	1	11/27/17 11:37	
2-Butanone (MEK)	5.0 U	5.0	0.81	1	11/27/17 11:37	
Chloroform	1.0 U	1.0	0.25	1	11/27/17 11:37	
1,1,1-Trichloroethane	1.0 U	1.0	0.36	1	11/27/17 11:37	
Carbon Tetrachloride	1.0 U	1.0	0.45	1	11/27/17 11:37	
Benzene	1.0 U	1.0	0.20	1	11/27/17 11:37	
1,2-Dichloroethane	1.0 U	1.0	0.36	1	11/27/17 11:37	
Trichloroethene	1.0 U	1.0	0.22	1	11/27/17 11:37	
1,2-Dichloropropane	1.0 U	1.0	0.20	1	11/27/17 11:37	
Bromodichloromethane	1.0 U	1.0	0.32	1	11/27/17 11:37	
cis-1,3-Dichloropropene	1.0 U	1.0	0.24	1	11/27/17 11:37	
4-Methyl-2-pentanone (MIBK)	5.0 U	5.0	0.67	1	11/27/17 11:37	
Toluene	1.0 U	1.0	0.20	1	11/27/17 11:37	
trans-1,3-Dichloropropene	1.0 U	1.0	0.20	1	11/27/17 11:37	
1,1,2-Trichloroethane	1.0 U	1.0	0.34	1	11/27/17 11:37	
Tetrachloroethene	1.0 U	1.0	0.30	1	11/27/17 11:37	
2-Hexanone	5.0 U	5.0	1.7	1	11/27/17 11:37	
Dibromochloromethane	1.0 U	1.0	0.31	1	11/27/17 11:37	
Chlorobenzene	1.0 U	1.0	0.29	1	11/27/17 11:37	
Ethylbenzene	1.0 U	1.0	0.20	1	11/27/17 11:37	
m,p-Xylenes	2.0 U	2.0	0.33	1	11/27/17 11:37	
o-Xylene	1.0 U	1.0	0.20	1	11/27/17 11:37	
Styrene	1.0 U	1.0	0.20	1	11/27/17 11:37	
Bromoform	1.0 U	1.0	0.42	1	11/27/17 11:37	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	0.25	1	11/27/17 11:37	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water
Sample Name: Method Blank
Lab Code: RQ1712263-04

Service Request: R1710944
Date Collected: NA
Date Received: NA
Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS

Analysis Method: 8260C
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
4-Bromofluorobenzene	88	85 - 122	11/27/17 11:37	
Toluene-d8	93	87 - 121	11/27/17 11:37	
Dibromofluoromethane	93	89 - 119	11/27/17 11:37	

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water

Service Request: R1710944
Date Analyzed: 11/22/17

Lab Control Sample Summary
Volatile Organic Compounds by GC/MS

Units:ug/L
Basis:NA

Lab Control Sample
RQ1712191-03

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
Chloromethane	8260C	20.3	20.0	102	69-145
Vinyl Chloride	8260C	19.0	20.0	95	69-133
Chloroethane	8260C	21.2	20.0	106	70-127
Bromomethane	8260C	20.6	20.0	103	42-166
1,1-Dichloroethene	8260C	17.2	20.0	86	74-135
Acetone	8260C	18.4	20.0	92	40-161
Carbon Disulfide	8260C	19.7	20.0	99	65-127
Methylene Chloride	8260C	18.8	20.0	94	73-122
trans-1,2-Dichloroethene	8260C	18.9	20.0	94	80-120
1,1-Dichloroethane	8260C	19.3	20.0	97	78-117
cis-1,2-Dichloroethene	8260C	19.3	20.0	97	80-121
2-Butanone (MEK)	8260C	17.9	20.0	90	61-137
Chloroform	8260C	19.0	20.0	95	76-120
1,1,1-Trichloroethane	8260C	19.9	20.0	99	74-120
Carbon Tetrachloride	8260C	19.7	20.0	98	68-125
Benzene	8260C	18.4	20.0	92	76-118
1,2-Dichloroethane	8260C	18.7	20.0	94	71-127
Trichloroethene	8260C	19.9	20.0	100	78-123
1,2-Dichloropropane	8260C	19.0	20.0	95	80-119
Bromodichloromethane	8260C	20.8	20.0	104	78-126
cis-1,3-Dichloropropene	8260C	18.9	20.0	95	74-126
4-Methyl-2-pentanone (MIBK)	8260C	17.6	20.0	88	66-124
Toluene	8260C	18.3	20.0	92	77-120
trans-1,3-Dichloropropene	8260C	18.9	20.0	95	67-135
1,1,2-Trichloroethane	8260C	17.5	20.0	87	82-118
Tetrachloroethene	8260C	19.6	20.0	98	78-124
2-Hexanone	8260C	18.1	20.0	90	63-124
Dibromochloromethane	8260C	19.2	20.0	96	77-128
Chlorobenzene	8260C	19.4	20.0	97	80-121
Ethylbenzene	8260C	19.1	20.0	95	76-120
m,p-Xylenes	8260C	38.9	40.0	97	78-123
o-Xylene	8260C	19.0	20.0	95	80-120
Styrene	8260C	19.7	20.0	99	80-124

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water

Service Request: R1710944
Date Analyzed: 11/22/17

Lab Control Sample Summary
Volatile Organic Compounds by GC/MS

Units:ug/L
Basis:NA

Lab Control Sample
RQ1712191-03

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
Bromoform	8260C	18.9	20.0	94	71-136
1,1,2,2-Tetrachloroethane	8260C	17.8	20.0	89	78-122

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water

Service Request: R1710944
Date Analyzed: 11/27/17

Lab Control Sample Summary
Volatile Organic Compounds by GC/MS

Units:ug/L
Basis:NA

Lab Control Sample
RQ1712263-03

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
Chloromethane	8260C	20.9	20.0	105	69-145
Vinyl Chloride	8260C	21.4	20.0	107	69-133
Chloroethane	8260C	22.9	20.0	115	70-127
Bromomethane	8260C	20.6	20.0	103	42-166
1,1-Dichloroethene	8260C	19.2	20.0	96	74-135
Acetone	8260C	20.2	20.0	101	40-161
Carbon Disulfide	8260C	21.4	20.0	107	65-127
Methylene Chloride	8260C	21.6	20.0	108	73-122
trans-1,2-Dichloroethene	8260C	20.8	20.0	104	80-120
1,1-Dichloroethane	8260C	20.7	20.0	104	78-117
cis-1,2-Dichloroethene	8260C	20.9	20.0	105	80-121
2-Butanone (MEK)	8260C	20.2	20.0	101	61-137
Chloroform	8260C	20.6	20.0	103	76-120
1,1,1-Trichloroethane	8260C	21.5	20.0	107	74-120
Carbon Tetrachloride	8260C	21.2	20.0	106	68-125
Benzene	8260C	19.0	20.0	95	76-118
1,2-Dichloroethane	8260C	19.8	20.0	99	71-127
Trichloroethene	8260C	19.7	20.0	99	78-123
1,2-Dichloropropane	8260C	18.1	20.0	90	80-119
Bromodichloromethane	8260C	20.7	20.0	104	78-126
cis-1,3-Dichloropropene	8260C	19.1	20.0	96	74-126
4-Methyl-2-pentanone (MIBK)	8260C	18.7	20.0	93	66-124
Toluene	8260C	19.0	20.0	95	77-120
trans-1,3-Dichloropropene	8260C	19.4	20.0	97	67-135
1,1,2-Trichloroethane	8260C	18.6	20.0	93	82-118
Tetrachloroethene	8260C	20.2	20.0	101	78-124
2-Hexanone	8260C	19.0	20.0	95	63-124
Dibromochloromethane	8260C	20.5	20.0	102	77-128
Chlorobenzene	8260C	20.1	20.0	100	80-121
Ethylbenzene	8260C	19.2	20.0	96	76-120
m,p-Xylenes	8260C	40.7	40.0	102	78-123
o-Xylene	8260C	20.6	20.0	103	80-120
Styrene	8260C	20.6	20.0	103	80-124

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: APTIM, Inc
Project: Textron Wheatfield/Bioremediation Groundwaters
Sample Matrix: Water

Service Request: R1710944
Date Analyzed: 11/27/17

Lab Control Sample Summary
Volatile Organic Compounds by GC/MS

Units:ug/L
Basis:NA

Lab Control Sample
RQ1712263-03

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
Bromoform	8260C	19.9	20.0	99	71-136
1,1,2,2-Tetrachloroethane	8260C	17.2	20.0	86	78-122

Appendix F

Historical Sampling Results

APPENDIX F
HISTORICAL SAMPLING RESULTS

NOTES:

- U:** Below Practical Quantitation Limit (PQL).
- Bold:** Analyte detected at given concentration.

Refer to the groundwater monitoring reports for each sampling event for complete laboratory results, including qualifiers (Appendix E - ALS, Inc. Analytical Report).

WELL NUMBER 87-01(0)
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Jan-95	Feb-96	Oct-96	Oct-97	Oct-00	Oct-02	Oct-04	Oct-06	Oct-08	Oct-10	AVG
CHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	0.35 U	0.0
VINYL CHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	0.90 U	0.0
CHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	2 U	1 U	1 U	1 U	0.32 U	0.0
BROMOMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	0.69 U	0.0
1 1-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	0.29 U	0.0
ACETONE	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	3.0 U	0.0
CARBON DISULFIDE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	0.19 U	0.0
METHYLENE CHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	0.44 U	0.0
TRANS-1 2-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	0.90 U	0.0
1 1-DICHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	0.38 U	0.0
CIS-1 2-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	0.81 U	0.0
METHYL ETHYL KETONE	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	1.3 U	0.0
CHLOROFORM	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	0.34 U	0.0
1 1 1-TRICHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	0.82 U	0.0
CARBON TETRACHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	3 U	1 U	1 U	1 U	0.27 U	0.0
BENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.7 U	0.7 U	1 U	1 U	1 U	0.41 U	0.0
1 2-DICHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	0.21 U	0.0
TRICHLOROETHENE	0.5 U	0.5 U	0.5 U	1	1 U	2 U	1 U	1 U	1 U	0.46 U	0.1
1 2-DICHLOROPROPANE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	0.72 U	0.0
BROMODICHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	0.39 U	0.0
CIS-1 3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	0.36 U	0.0
MIBK	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	2.1 U	0.0
TOLUENE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	0.51 U	0.0
TRANS-1 3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	0.37 U	0.0
1 1 2-TRICHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	0.23 U	0.0
TETRACHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	0.36 U	0.0
2-HEXANONE	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	1.2 U	0.0
DIBROMOCHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	0.32 U	0.0
CHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	0.75 U	0.0
ETHYLBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	0.74 U	0.0
P-XYLENE/M-XYLENE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	3 U	3 U	3 U	0.66 U	0.0
O-XYLENE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	0.76 U	0.0
STYRENE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	0.73 U	0.0
BROMOFORM	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	0.26 U	0.0
1 1 2 2-TETRACHLOROETHANE	0.5 U	1 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	0.21 U	0.0

This well was not sampled on the following dates: April, July and October of 1993;

January, April, July and October of 1994; April, July and October 1995; April and July of 1996;

January, April and July of 1997; April and October of 1998; October of 1999, 2001,2003, 2005, 2007,2009, 2011, 2012 and 2013.

WELL NUMBER 87-01(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Jan-95	Feb-96	Oct-96	Oct-97	Oct-98	Oct-00	Oct-02	Oct-04	Oct-06	Oct-08	Oct-10	Nov-12	Oct-14	Oct-16	Nov-17	AVG
CHLOROMETHANE	50 U	100 U	50 U	0.5 U	130 U	130 U	20 U	80 U	1 U	1 U	0.35 U	3.5 U	3.5 U	5.0 U	5.0 U	0.0
VINYL CHLORIDE	201	440	150	170	170	170	460	220	480	210	150	66	96	96	330	227.3
CHLOROETHANE	50 U	100 U	50 U	0.5 U	130 U	130 U	40 U	80 U	1 U	1 U	0.32 U	3.2 U	3.2 U	5.0 U	5.0 U	0.0
BROMOMETHANE	50 U	100 U	50 U	0.5 U	130 U	130 U	20 U	80 U	1 U	1 U	0.69 U	6.9 U	6.9 U	5.0 U	5.0 U	0.0
1 1-DICHLOROETHENE	50 U	100 U	50 U	0.5 U	130 U	130 U	20 U	80 U	15	5.8	6.4	2.9 U	2.9 U	5.0 U	7.0	2.3
ACETONE	500 U	810	250 U	10 U	630 U	630 U	200 U	400 U	5 U	4.6	3.0 U	30 U	30 U	7.5	6.5	55.2
CARBON DISULFIDE	50 U	100 U	50 U	0.5 U	130 U	130 U	20 U	80 U	1.4	1.1	0.83	17	1.9 U	5.0 U	5.0 U	1.4
METHYLENE CHLORIDE	842	100 U	50 U	0.5 U	130 U	130 U	20 U	34	730	1 U	0.44 U	4.4 U	4.4 U	5.0 U	16	108.1
TRANS-1 2-DICHLOROETHENE	50 U	100 U	50 U	5	130 U	130 U	20 U	80 U	27	7	7.3	9.5	9.1	6.3	6.4	5.2
1 1-DICHLOROETHANE	50 U	100 U	50 U	20	130 U	130 U	97	80 U	28	13	9.9	13	9.7	8.4	21	14.7
CIS-1 2-DICHLOROETHENE	2,130	1,600	920	1,700	1,000	870	8,600	2,100	4,000	2,200	1,700	720	660	640	1,600	2,029.3
METHYL ETHYL KETONE	500 U	810	250 U	10 U	630 U	630 U	200 U	400 U	5 U	5 U	1.3 U	13 U	13 U	25 U	25 U	54.0
CHLOROFORM	50 U	100 U	50 U	0.5 U	130 U	130 U	20 U	80 U	1.2	1.1	1.4	3.4 U	3.4 U	2.1	5.0 U	0.4
1 1 1-TRICHLOROETHANE	145	100 U	58	66	130 U	130 U	530	85	120	56	43	22	17	13	72	81.8
CARBON TETRACHLORIDE	50 U	100 U	50 U	0.5 U	130 U	130 U	84	80 U	1 U	1 U	0.27 U	2.7 U	2.7 U	5.0 U	5.0 U	5.6
BENZENE	50 U	100 U	50 U	0.5 U	130 U	18 U	14 U	400 U	1 U	1 U	0.41 U	4.1 U	4.1 U	5.0 U	5.0 U	0.0
1 2-DICHLOROETHANE	50 U	100 U	50 U	0.5 U	130 U	130 U	20 U	80 U	1 U	1 U	0.21 U	2.1 U	2.1 U	5.0 U	5.0 U	0.0
TRICHLOROETHENE	951	100 U	50 U	50	38	130 U	760	190	760	250	150	110	72	120	54	233.7
1 2-DICHLOROPROPANE	50 U	100 U	50 U	0.5 U	130 U	130 U	20 U	80 U	1 U	1 U	0.72 U	7.2 U	7.2 U	5.0 U	5.0 U	0.0
BROMODICHLOROMETHANE	50 U	100 U	50 U	0.5 U	130 U	130 U	20 U	80 U	1 U	1 U	0.39 U	3.9 U	3.9 U	5.0 U	5.0 U	0.0
CIS-1 3-DICHLOROPROPENE	50 U	100 U	50 U	0.5 U	130 U	130 U	20 U	80 U	1 U	1 U	0.36 U	3.6 U	3.6 U	5.0 U	5.0 U	0.0
MIBK	500 U	500 U	100 U	10 U	250 U	250 U	200 U	400 U	5 U	5 U	2.1 U	21 U	21 U	25 U	25 U	0.0
TOLUENE	50 U	100 U	50 U	1	130 U	130 U	20 U	80 U	1	0.58	0.54	5.1 U	5.1 U	5.0 U	5.0 U	0.2
TRANS-1 3-DICHLOROPROPENE	50 U	100 U	50 U	0.5 U	130 U	130 U	20 U	80 U	1 U	1 U	0.37 U	3.7 U	3.7 U	5.0 U	5.0 U	0.0
1 1 2-TRICHLOROETHANE	50 U	100 U	50 U	0.5 U	130 U	130 U	20 U	80 U	1 U	1 U	0.23 U	2.3 U	2.3 U	5.0 U	5.0 U	0.0
TETRACHLOROETHENE	50 U	100 U	50 U	0.5 U	130 U	130 U	20 U	80 U	1.3	1 U	0.36 U	3.6 U	3.6 U	5.0 U	5.0 U	0.1
2-HEXANONE	500 U	500 U	100 U	10 U	250 U	250 U	200 U	400 U	5 U	5 U	1.2 U	12 U	12 U	25 U	25 U	0.0
DIBROMOCHLOROMETHANE	50 U	100 U	50 U	0.5 U	130 U	130 U	20 U	80 U	1 U	1 U	0.32 U	3.2 U	3.2 U	5.0 U	5.0 U	0.0
CHLOROBENZENE	50 U	100 U	50 U	0.5 U	130 U	130 U	20 U	80 U	1 U	1 U	0.75 U	7.5 U	7.5 U	5.0 U	5.0 U	0.0
ETHYLBENZENE	50 U	100 U	50 U	0.5 U	130 U	130 U	20 U	80 U	1 U	1 U	0.74 U	7.4 U	7.4 U	5.0 U	5.0 U	0.0
P-XYLENE/M-XYLENE	50 U	100 U	50 U	0.6	130 U	130 U	20 U	240 U	3 U	3 U	0.66 U	6.6 U	6.6 U	10 U	10 U	0.0
O-XYLENE	50 U	100 U	50 U	0.5 U	130 U	130 U	20 U	80 U	0.82	1 U	0.76 U	7.6 U	7.6 U	5.0 U	5.0 U	0.1
STYRENE	50 U	100 U	50 U	0.5 U	130 U	130 U	20 U	80 U	1 U	1 U	0.73 U	7.3 U	7.3 U	5.0 U	5.0 U	0.0
BROMOFORM	50 U	100 U	50 U	0.5 U	130 U	130 U	20 U	80 U	1 U	1 U	0.26 U	2.6 U	2.6 U	5.0 U	5.0 U	0.0
1 1 2 2-TETRACHLOROETHANE	50 U	100 U	50 U	0.5 U	130 U	130 U	20 U	80 U	1 U	1 U	0.21 U	2.1 U	2.1 U	5.0 U	5.0 U	0.0

This well was not sampled on the following dates: April, July and October 1993; January, April, July and October 1994; April, July and October 1995; April and July 1996; January, April and July 1997; April 1998; and October 1999, 2001, 2003, 2005, 2007, 2009, 2011, 2013 and 2015.

WELL NUMBER 87-02(3)
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Apr-94	Jul-94	Oct-94	Jan-95	Apr-95	Jul-95	Oct-95	Feb-96	Apr-96	Jul-96	Oct-96	Jan-97	Apr-97	Jul-97	Oct-97	Apr-98	Oct-98	Oct-99	Oct-00
CHLOROMETHANE	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U
VINYL CHLORIDE	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U
CHLOROETHANE	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U
BROMOMETHANE	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U
1 1-DICHLOROETHENE	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U
ACETONE	10 U	10 U	10 U	10 U	10 U	10	10 U	0.5 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	25 U	10 U	10 U
CARBON DISULFIDE	1	1 U	1 U	2	1 U	1	1 U	1	2	1	3	1	1	1	0.7	5	5 U	7	1 U
METHYLENE CHLORIDE	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2 U	5 U	1 U	1 U
TRANS-1 2-DICHLOROETHENE	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U
1 1-DICHLOROETHANE	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U
CIS-1 2-DICHLOROETHENE	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U
METHYL ETHYL KETONE	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	25 U	10 U	10 U
CHLOROFORM	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U
1 1 1-TRICHLOROETHANE	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U
CARBON TETRACHLORIDE	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U
BENZENE	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.6	0.5 U	0.7 U	5 U	0.7 U	0.7 U
1 2-DICHLOROETHANE	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U
TRICHLOROETHENE	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U
1 2-DICHLOROPROPANE	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U
BROMODICHLOROMETHANE	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U
CIS-1 3-DICHLOROPROPENE	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U
MIBK	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
TOLUENE	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U
TRANS-1 3-DICHLOROPROPENE	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U
1 1 2-TRICHLOROETHANE	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U
TETRACHLOROETHENE	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U
2-HEXANONE	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
DIBROMOCHLOROMETHANE	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U
CHLOROBENZENE	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U
ETHYLBENZENE	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U
P-XYLENE/M-XYLENE	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U
O-XYLENE	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U
STYRENE	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U
BROMOFORM	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U
1 1 2 2-TETRACHLOROETHANE	0.5 U	1 U	1 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U

This well was not sampled on the following dates: April, July and October 1993; January 1994; October 2011 and 2013.

WELL NUMBER 87-02(3)
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Oct-01	Oct-02	Oct-03	Oct-04	Oct-05	Oct-06	Oct-07	Oct-08	Oct-09	Oct-10	Nov-12	Oct-14	May-15	Jun-15	Oct-15	Apr-16	Oct-16	AVG
CHLOROMETHANE	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.35 U	0.35 U	0.35 U	0.35 U	1.0 U	5.0 U	1 U	1 U	1.0 U	0.0
VINYL CHLORIDE	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.24 U	0.90 U	0.90 U	0.90 U	1.0 U	5.0 U	1 U	1 U	1.0 U	0.0
CHLOROETHANE	1 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U	0.32 U	0.32 U	0.32 U	0.32 U	1.0 U	5.0 U	1 U	1 U	1.0 U	0.0
BROMOMETHANE	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.28 U	0.69 U	0.69 U	0.69 U	1.0 U	5.0 U	1 U	1 U	1.0 U	0.0
1 1-DICHLOROETHENE	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.29 U	0.29 U	0.29 U	0.29 U	1.0 U	5.0 U	1 U	1 U	1.0 U	0.0
ACETONE	10 U	10 U	5 U	5 U	5 U	5 U	1.9	5 U	1.3 U	3.0 U	3.0 U	3.0 U	5.0 U	25 U	5 U	5 U	5.0 U	0.3
CARBON DISULFIDE	23	3	2.3	0.22	0.75	1.7	4	3.4	1.6	1.7	5.2	1.7	0.97	1.2	7.2	6.9	1.3	2.5
METHYLENE CHLORIDE	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.44 U	0.44 U	0.44 U	0.44 U	1.0 U	5.0 U	1 U	1 U	1.0 U	0.0
TRANS-1 2-DICHLOROETHENE	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.42 U	0.90 U	0.90 U	0.90 U	1.0 U	5.0 U	1 U	1 U	1.0 U	0.0
1 1-DICHLOROETHANE	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.38 U	0.38 U	0.38 U	0.38 U	1.0 U	5.0 U	1 U	1 U	1.0 U	0.0
CIS-1 2-DICHLOROETHENE	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.78	0.38 U	0.81 U	0.81 U	0.81 U	1.0 U	5.0 U	0.47	1 U	1.0 U	0.0
METHYL ETHYL KETONE	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U	1.3 U	1.3 U	1.3 U	1.3 U	5.0 U	25 U	25 U	25 U	5.0 U	0.0
CHLOROFORM	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.34 U	0.34 U	0.34 U	0.34 U	1.0 U	5.0 U	5 U	5 U	1.0 U	0.0
1 1 1-TRICHLOROETHANE	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.26 U	0.82 U	0.82 U	0.82 U	1.0 U	5.0 U	1 U	1 U	1.0 U	0.0
CARBON TETRACHLORIDE	1 U	3 U	1 U	1 U	1 U	1 U	1 U	1 U	0.27 U	0.27 U	0.27 U	0.27 U	1.0 U	5.0 U	1 U	1 U	1.0 U	0.0
BENZENE	0.7 U	0.8	0.69	0.37	1 U	1 U	1 U	1 U	0.41 U	0.41 U	0.41 U	0.41 U	1.0 U	5.0 U	1 U	1 U	1.0 U	0.1
1 2-DICHLOROETHANE	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.21 U	0.21 U	0.21 U	0.21 U	1.0 U	5.0 U	1 U	1 U	1.0 U	0.0
TRICHLOROETHENE	1 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U	0.46 U	0.46 U	0.46 U	0.46 U	1.0 U	5.0 U	1 U	1 U	1.0 U	0.0
1 2-DICHLOROPROPANE	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.32 U	0.72 U	0.72 U	0.72 U	1.0 U	5.0 U	1 U	1 U	1.0 U	0.0
BROMODICHLOROMETHANE	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.39 U	0.39 U	0.39 U	0.39 U	1.0 U	5.0 U	1 U	1 U	1.0 U	0.0
CIS-1 3-DICHLOROPROPENE	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.36 U	0.36 U	0.36 U	0.36 U	1.0 U	5.0 U	1 U	1 U	1.0 U	0.0
MIBK	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U	0.91 U	2.1 U	2.1 U	2.1 U	5.0 U	25 U	5 U	5 U	5.0 U	0.0
TOLUENE	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.51 U	0.51 U	0.51 U	0.51 U	1.0 U	5.0 U	1 U	1 U	1.0 U	0.0
TRANS-1 3-DICHLOROPROPENE	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.37 U	0.37 U	0.37 U	0.37 U	1.0 U	5.0 U	1 U	1 U	1.0 U	0.0
1 1 2-TRICHLOROETHANE	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.23 U	0.23 U	0.23 U	0.23 U	1.0 U	5.0 U	1 U	1 U	1.0 U	0.0
TETRACHLOROETHENE	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.36 U	0.36 U	0.36 U	0.36 U	1.0 U	5.0 U	1 U	1 U	1.0 U	0.0
2-HEXANONE	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U	1.2 U	1.2 U	1.2 U	1.2 U	5.0 U	25 U	5 U	5 U	5.0 U	0.0
DIBROMOCHLOROMETHANE	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.32 U	0.32 U	0.32 U	0.32 U	1.0 U	5.0 U	1 U	1 U	1.0 U	0.0
CHLOROBENZENE	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.32 U	0.75 U	0.75 U	0.75 U	1.0 U	5.0 U	1 U	1 U	1.0 U	0.0
ETHYLBENZENE	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.18 U	0.74 U	0.74 U	0.74 U	1.0 U	5.0 U	1 U	1 U	1.0 U	0.0
P-XYLENE/M-XYLENE	1 U	1 U	3 U	3 U	2 U	3 U	2 U	2 U	0.66 U	0.66 U	0.66 U	0.66 U	2.0 U	10 U	2 U	2 U	2.0 U	0.0
O-XYLENE	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.36 U	0.76 U	0.76 U	0.76 U	1.0 U	5.0 U	1 U	1 U	1.0 U	0.0
STYRENE	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.18 U	0.73 U	0.73 U	0.73 U	1.0 U	5.0 U	1 U	1 U	1.0 U	0.0
BROMOFORM	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.26 U	0.26 U	0.26 U	0.26 U	1.0 U	5.0 U	1 U	1 U	1.0 U	0.0
1 1 2 2-TETRACHLOROETHANE	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.21 U	0.21 U	0.21 U	0.21 U	1.0 U	5.0 U	1 U	1 U	1.0 U	0.0

This well was not sampled on the following dates: April, July and October 1993; January 1994; October 2011 and 2013.

WELL NUMBER 87-10(0)
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Jan-94	Jan-95	Feb-96	Oct-96	Oct-97	Oct-98	Oct-99	Oct-00	Oct-01	Oct-02	Oct-03	Oct-04	Oct-05	Oct-06	Oct-07	Oct-08	Oct-09	Oct-10	Nov-12	Oct-14	Oct-16	AVG
CHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	25 U	1 U	1 U	1 U	5 U	1 U	1 U	1 U	1 U	0.35 U	0.35 U	0.35 U	0.35 U	1.0 U	0.00
VINYL CHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	10 U	1 U	1 U	1 U	5 U	1 U	1 U	1 U	1 U	0.24 U	0.90 U	0.90 U	0.90 U	1.0 U	0.00
CHLOROETHANE	0.5 U	0.5 U	0.8	0.5 U	0.5 U	1 U	1 U	25 U	1 U	2 U	1 U	5 U	1 U	1 U	1 U	1 U	0.32 U	0.32 U	0.32 U	0.32 U	1.0 U	0.04
BROMOMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	25 U	1 U	1 U	1 U	5 U	1 U	1 U	1 U	1 U	0.28 U	0.69 U	0.69 U	0.69 U	1.0 U	0.00
1 1-DICHLOROETHENE	0.5 U	0.5	0.5 U	0.5 U	0.5 U	1 U	1 U	25 U	1 U	1 U	1 U	5 U	0.47	1 U	1 U	0.86	0.55	1.1	0.29 U	0.29 U	1.0 U	0.17
ACETONE	50 U	10 U	10 U	10 U	10	10 U	10 U	130 U	10 U	10 U	5 U	25 U	5 U	5 U	5 U	5 U	1.3 U	3.0 U	3.0 U	3.0 U	5.0 U	0.48
CARBON DISULFIDE	0.5 U	0.5 U	0.5 U	0.7	0.5 U	1 U	1 U	25 U	1 U	1 U	1 U	5 U	1 U	1 U	1 U	1 U	0.19 U	0.19 U	0.19 U	0.54	0.27	0.07
METHYLENE CHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	25 U	1 U	1 U	1 U	5 U	1 U	1 U	1 U	1 U	0.44 U	0.44 U	0.44 U	0.44 U	1.0 U	0.00
TRANS-1 2-DICHLOROETHENE	0.6	1	1	0.5 U	0.5 U	2	1	25 U	1 U	1 U	0.79	5 U	1.6	0.58	1.9	2.2	0.42 U	1.2	0.90 U	0.90 U	1.0 U	0.66
1 1-DICHLOROETHANE	2	4	6	2	1	6	4	25 U	2	3	1	5.5	3.8	1.6	3.3	5.5	2.8	2.8	7.3	3.3	1.8	3.27
CIS-1 2-DICHLOROETHENE	85	128	211	54	46	130	130	190	52	65	15	150	72	26	82	100	36	31	6.7	8.4	4.7	77.28
METHYL ETHYL KETONE	50 U	10 U	10 U	10 U	10 U	10 U	10 U	130 U	10 U	10 U	5 U	25 U	5 U	5 U	5 U	5 U	1.3 U	1.3 U	1.3 U	1.3 U	5.0 U	0.00
CHLOROFORM	0.8	2	0.5 U	5	3	2	2	25 U	3	3	4.3	2.5	2.7	1.3	3.6	1.7	6.0	1.9	2.3	2.1	1.8	2.33
1 1 1-TRICHLOROETHANE	10	15	25	8	3	16	12	25 U	1 U	13	2.8	14	9.8	6.3	14	44	18	17	4.7	1.4	0.68	11.18
CARBON TETRACHLORIDE	0.5 U	0.5 U	4	0.5 U	0.5 U	1 U	1 U	25 U	1 U	3 U	1 U	5 U	1 U	1 U	1 U	1 U	0.27 U	0.27 U	0.27 U	0.27 U	1.0 U	0.19
BENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7 U	0.7 U	4 U	0.7 U	0.7 U	1 U	5 U	1 U	1 U	1 U	1 U	0.41 U	0.41 U	0.41 U	0.41 U	1.0 U	0.00
1 2-DICHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	25 U	1 U	1 U	1 U	5 U	1 U	1 U	1 U	1 U	0.21 U	0.21 U	0.21 U	0.21 U	1.0 U	0.00
TRICHLOROETHENE	9	12	5	2	1	6	3	25 U	4	16	2.8	6.2	3.5	4.5	4	8.4	4.6	3.2	2.2	1.6	1.2	4.77
1 2-DICHLOROPROPANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	25 U	1 U	1 U	1 U	5 U	1 U	1 U	1 U	1 U	0.32 U	0.72 U	0.72 U	0.72 U	1.0 U	0.00
BROMODICHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	25 U	1 U	1 U	1 U	5 U	1 U	1 U	1 U	1 U	0.47	0.39 U	0.39 U	0.39 U	1.0 U	0.02
CIS-1 3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	25 U	1 U	1 U	1 U	5 U	1 U	1 U	1 U	1 U	0.36 U	0.36 U	0.36 U	0.36 U	1.0 U	0.00
MIBK	50 U	10 U	10 U	10 U	10 U	10 U	10 U	50 U	10 U	10 U	5 U	25 U	5 U	5 U	5 U	5 U	0.91 U	2.1 U	2.1 U	2.1 U	5.0 U	0.00
TOLUENE	0.6 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	25 U	1 U	1 U	1 U	5 U	1 U	1 U	1 U	1 U	0.51 U	0.51 U	0.51 U	0.51 U	1.0 U	0.00
TRANS-1 3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	25 U	1 U	1 U	1 U	5 U	1 U	1 U	1 U	1 U	0.37 U	0.37 U	0.37 U	0.37 U	1.0 U	0.00
1 1 2-TRICHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	25 U	1 U	1 U	1 U	5 U	1 U	1 U	1 U	1 U	0.23 U	0.23 U	0.23 U	0.23 U	1.0 U	0.00
TETRACHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	25 U	1 U	1 U	1 U	5 U	1 U	1 U	1 U	1 U	0.36 U	0.36 U	0.36 U	0.36 U	1.0 U	0.00
2-HEXANONE	50 U	10 U	10 U	10 U	10 U	10 U	10 U	50 U	10 U	10 U	5 U	25 U	5 U	5 U	5 U	5 U	1.2 U	1.2 U	1.2 U	1.2 U	5.0 U	0.00
DIBROMOCHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	25 U	1 U	1 U	1 U	5 U	1 U	1 U	1 U	1 U	0.32 U	0.32 U	0.32 U	0.32 U	1.0 U	0.00
CHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	25 U	1 U	1 U	1 U	5 U	1 U	1 U	1 U	1 U	0.32 U	0.75 U	0.75 U	0.75 U	1.0 U	0.00
ETHYLBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	25 U	1 U	1 U	1 U	5 U	1 U	1 U	1 U	1 U	0.18 U	0.74 U	0.74 U	0.74 U	1.0 U	0.00
P-XYLENE/M-XYLENE	0.6	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	25 U	1 U	1 U	3 U	15 U	2 U	3 U	2 U	2 U	0.66 U	0.66 U	0.66 U	0.66 U	2.0 U	0.03
O-XYLENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	25 U	1 U	1 U	1 U	5 U	1 U	1 U	1 U	1 U	0.36 U	0.76 U	0.76 U	0.76 U	1.0 U	0.00
STYRENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	25 U	1 U	1 U	1 U	5 U	1 U	1 U	1 U	1 U	0.18 U	0.73 U	0.73 U	0.73 U	1.0 U	0.00
BROMOFORM	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	25 U	1 U	1 U	1 U	5 U	1 U	1 U	1 U	1 U	0.26 U	0.26 U	0.26 U	0.26 U	1.0 U	0.00
1 1 2 2-TETRACHLOROETHANE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	1 U	1 U	25 U	1 U	1 U	1 U	5 U	1 U	1 U	1 U	1 U	0.21 U	0.21 U	0.21 U	0.21 U	1.0 U	0.00

This well was not sampled on the following dates: April, July and October 1993; April, July and October 1994; April, July and October 1995; April and July 1996; January, April and July 1997; and April 1998, October 2011, 2013 and 2015.

WELL NUMBER 87-13(3)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	Jul-93	Jan-94	Apr-94	Jul-94	Oct-94	Jan-95	Apr-95	Jul-95	Oct-95	Feb-96	Apr-96	Jul-96	Oct-96	Jan-97	Apr-97	Jul-97	Oct-97	Apr-98	Oct-98	Oct-99
CHLOROMETHANE	5 U	0.5 U	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	1 U	5 U	1 U
VINYL CHLORIDE	9	24	22	21	25	26	23	32	62	12	10	12	9	10	18	10	32	15	19	36
CHLOROETHANE	5 U	0.5 U	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	1 U	5 U	1 U
BROMOMETHANE	5 U	0.5 U	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	1 U	5 U	1 U
1 1-DICHLOROETHENE	5 U	0.6	1	1 U	0.7	1	5 U	1	10 U	3 U	1	3 U	0.6	0.5	0.9	2 U	5 U	1 U	5 U	1 U
ACETONE	50 U	50 U	10 U	10 U	14	10 U	50 U	10	100 U	50 U	10 U	50 U	0.5 U	10 U	10 U	50 U	25 U	11	25 U	10 U
CARBON DISULFIDE	26	23	31	47	41	41	5 U	44	70	40	38	34	124	40	44	42	62	38	35	32
METHYLENE CHLORIDE	5 U	0.5 U	1	1 U	0.7	2	5 U	2	10 U	3	1	3 U	1	1	0.8	22	5 U	2 U	5 U	1 U
TRANS-1 2-DICHLOROETHENE	5 U	0.5 U	1	1 U	0.9	0.8	5 U	1	10 U	3 U	1	3 U	0.6	0.5 U	0.6	2 U	5 U	1 U	5 U	1 U
1 1-DICHLOROETHANE	5 U	0.5 U	1	1	1	2	5 U	1	10 U	3 U	1	3 U	0.5 U	0.6	0.7	2 U	5 U	1 U	5 U	1 U
CIS-1 2-DICHLOROETHENE	104	50	153	179	175	224	130	171	390	92	85	106	71	80	110	87	140	67	62	75
METHYL ETHYL KETONE	50 U	50 U	10 U	10 U	10 U	10 U	50 U	10 U	100 U	50 U	10 U	50 U	10 U	10 U	10 U	50 U	25 U	10 U	25 U	10 U
CHLOROFORM	5 U	0.5 U	0.5 U	1 U	1	0.5 U	5 U	1 U	10 U	3 U	0.5 U	3 U	0.5	0.5 U	0.5 U	2 U	5 U	1 U	5 U	1 U
1 1 1-TRICHLOROETHANE	5 U	0.5 U	0.5 U	1 U	1 U	1	5 U	1 U	10 U	3 U	0.5 U	3 U	0.5 U	0.5 U	1	2 U	5 U	1 U	5 U	1 U
CARBON TETRACHLORIDE	5 U	0.5 U	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	1 U	5 U	1 U
BENZENE	5 U	0.5 U	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	0.7 U	5 U	0.7 U
1 2-DICHLOROETHANE	5 U	0.5 U	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	1 U	5 U	1 U
TRICHLOROETHENE	134	193	287	282	309	129	192	195	270	228	210	213	190	190	220	170	130	150	92	110
1 2-DICHLOROPROPANE	5 U	0.5 U	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	1 U	5 U	1 U
BROMODICHLOROMETHANE	5 U	0.5 U	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	1 U	5 U	1 U
CIS-1 3-DICHLOROPROPENE	5 U	0.5 U	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	1 U	5 U	1 U
MBK	50 U	50 U	10 U	10 U	10 U	10 U	50 U	10 U	100 U	50 U	10 U	50 U	10 U	10 U	10 U	50 U	10 U	10 U	10 U	10 U
TOLUENE	5 U	0.6	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	1 U	5 U	1 U
TRANS-1 3-DICHLOROPROPENE	5 U	0.5 U	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	1 U	5 U	1 U
1 1 2-TRICHLOROETHANE	5 U	0.5 U	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	1 U	5 U	1 U
TETRACHLOROETHENE	5 U	0.5 U	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	1 U	5 U	1 U
2-HEXANONE	50 U	50 U	10 U	10 U	10 U	10 U	50 U	10 U	100 U	50 U	10 U	50 U	10 U	10 U	10 U	50 U	10 U	10 U	10 U	10 U
DIBROMOCHLOROMETHANE	5 U	0.5 U	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	1 U	5 U	1 U
CHLOROBENZENE	5 U	0.5 U	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	1 U	5 U	1 U
ETHYLBENZENE	5 U	0.5 U	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	1 U	5 U	1 U
P-XYLENE/M-XYLENE	5 U	0.5	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	1 U	5 U	1 U
O-XYLENE	5 U	0.5 U	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	1 U	5 U	1 U
STYRENE	5 U	0.5 U	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	1 U	5 U	1 U
BROMOFORM	5 U	0.5 U	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	3 U	0.5 U	3 U	0.5 U	0.5 U	0.5 U	2 U	5 U	1 U	5 U	1 U
1 1 2 2-TETRACHLOROETHANE	5 U	0.5 U	0.5 U	1 U	1 U	0.5 U	5 U	1 U	10 U	5 U	1 U	5 U	0.5 U	0.5 U	0.5 U	2 U	5 U	1 U	5 U	1 U

This well was not sampled on the following dates: April and October 1993, and 2013.

WELL NUMBER 87-13(3)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	Oct-00	Oct-01	Oct-02	Oct-03	Oct-04	Oct-05	Oct-06	Oct-07	Oct-08	Oct-09	Oct-10	Nov-12	Oct-14	May-15	Jun-15	Oct-15	Apr-16	Oct-16	AVG
CHLOROMETHANE	1 U	1 U	5 U	100 U	50 U	5 U	2 U	2 U	1 U	0.35 U	6.9 U	7.0 U	14 U	200 U	200 U	500 U	500 U	500 U	0.0
VINYL CHLORIDE	28	32	120	180	220	250	25	86	160	96	150	400	52	750	990	940	490	610	154.0
CHLOROETHANE	1 U	1 U	10 U	100 U	50 U	5 U	2 U	2 U	1 U	0.32 U	6.5 U	6.4 U	13 U	200 U	200 U	500 U	500 U	500 U	0.0
BROMOMETHANE	1 U	1 U	5 U	100 U	50 U	5 U	2 U	2 U	1 U	0.28 U	14 U	14 U	28 U	200 U	200 U	500 U	500 U	500 U	0.0
1 1-DICHLOROETHENE	1 U	1 U	5 U	100 U	50 U	5 U	2 U	1	0.67	0.87	5.9 U	5.8 U	12 U	200 U	200 U	500 U	500 U	500 U	0.3
ACETONE	10 U	10 U	50 U	500 U	250 U	25 U	10 U	10 U	5 U	1.3 U	60 U	60 U	120 U	1,000 U	1,000 U	2,500 U	2,500 U	2,500 U	0.9
CARBON DISULFIDE	41	240	130	61	50	5 U	14	45	21	37	35	32	93	440	470	870	470	710	118.2
METHYLENE CHLORIDE	1 U	6	44	54	46	13	10	46	390	5.6	8.8 U	11	18 U	200 U	200 U	500 U	500 U	500 U	16.9
TRANS-1 2-DICHLOROETHENE	1 U	1 U	5 U	100 U	50 U	5 U	2 U	2 U	0.89	1.3	18 U	18 U	36 U	320	310	500	400	390	49.4
1 1-DICHLOROETHANE	1 U	2	14	100 U	50 U	31	2.4	4.1	11	2.3	7.7 U	29	15 U	200 U	200 U	500 U	500 U	500 U	2.7
CIS-1 2-DICHLOROETHENE	60	81	830	2,500	1,400	2,400	140	330	870	270	1,500	1,700	7,400	46,000	50,000	68,000	49,000	57,000	7488.0
METHYL ETHYL KETONE	10 U	10 U	50 U	500 U	250 U	25 U	10 U	10 U	5 U	1.3 U	26 U	26 U	53 U	1,000 U	1,000 U	2,500 U	2,500 U	2,500 U	0.0
CHLOROFORM	1 U	1 U	5 U	100 U	50 U	5 U	2 U	2 U	1 U	0.34 U	6.7 U	6.8 U	14 U	490	520	500 U	1,200	810	77.5
1 1 1-TRICHLOROETHANE	1 U	1 U	5 U	100 U	50 U	5 U	2 U	2 U	1 U	0.26 U	16 U	190	33 U	200 U	200 U	500 U	500 U	500 U	4.9
CARBON TETRACHLORIDE	1 U	14	15 U	100 U	50 U	5 U	2 U	2 U	1 U	0.27 U	5.3 U	5.4 U	11 U	200 U	200 U	500 U	500 U	500 U	0.4
BENZENE	0.7 U	0.7 U	4 U	100 U	250 U	5 U	2 U	2 U	1 U	0.41 U	8.2 U	8.2 U	16 U	200 U	200 U	500 U	500 U	500 U	0.0
1 2-DICHLOROETHANE	1 U	1 U	5 U	100 U	50 U	5 U	2 U	2 U	1 U	0.21 U	4.3 U	4.2 U	8.4 U	200 U	200 U	500 U	500 U	500 U	0.0
TRICHLOROETHENE	120	83	270	75	18	4.6	12	36	2.8	49	54	24	2,100	79,000	71,000	97,000	75,000	72,000	10275.4
1 2-DICHLOROPROPANE	1 U	1 U	5 U	100 U	50 U	5 U	2 U	2 U	1 U	0.32 U	14 U	14 U	29 U	200 U	200 U	500 U	500 U	500 U	0.0
BROMODICHLOROMETHANE	1 U	1 U	5 U	100 U	50 U	5 U	2 U	2 U	1 U	0.39 U	7.7 U	7.8 U	16 U	86	94	500 U	280	210	17.2
CIS-1 3-DICHLOROPROPENE	1 U	1 U	5 U	100 U	50 U	5 U	2 U	2 U	1 U	0.36 U	7.1 U	7.2 U	14 U	200 U	200 U	500 U	500 U	500 U	0.0
MIBK	10 U	10 U	50 U	500 U	250 U	25 U	10 U	10 U	5 U	0.91 U	42 U	42 U	84 U	1,000 U	1,000 U	2,500 U	2,500 U	2,500 U	0.0
TOLUENE	1 U	1 U	5 U	100 U	50 U	7.2	2 U	2 U	3.9	0.51 U	10 U	10 U	20 U	48	54	500 U	500 U	500 U	2.9
TRANS-1 3-DICHLOROPROPENE	1 U	1 U	5 U	100 U	50 U	5 U	2 U	2 U	1 U	0.37 U	7.4 U	7.4 U	15 U	200 U	200 U	500 U	500 U	500 U	0.0
1 1 2-TRICHLOROETHANE	1 U	1 U	5 U	100 U	50 U	5 U	2 U	2 U	1 U	0.23 U	4.6 U	4.6 U	9.2 U	200 U	200 U	500 U	500 U	500 U	0.0
TETRACHLOROETHENE	1 U	1 U	5 U	100 U	50 U	5 U	2 U	2 U	1 U	0.36 U	7.3 U	7.2 U	14 U	200 U	200 U	500 U	500 U	500 U	0.0
2-HEXANONE	10 U	10 U	50 U	500 U	250 U	25 U	10 U	10 U	5 U	1.2 U	25 U	25 U	50 U	1,000 U	1,000 U	2,500 U	2,500 U	2,500 U	0.0
DIBROMOCHLOROMETHANE	1 U	1 U	5 U	100 U	50 U	5 U	2 U	2 U	1 U	0.32 U	6.4 U	6.4 U	13 U	200 U	200 U	500 U	500 U	500 U	0.0
CHLOROBENZENE	1 U	1 U	5 U	100 U	50 U	5 U	2 U	2 U	1 U	0.32 U	15 U	15 U	30 U	200 U	200 U	500 U	500 U	500 U	0.0
ETHYLBENZENE	1 U	1 U	5 U	100 U	50 U	5 U	2 U	2 U	1 U	0.18 U	15 U	15 U	30 U	200 U	200 U	500 U	500 U	500 U	0.0
P-XYLENE/M-XYLENE	1 U	1 U	5 U	300 U	150 U	10 U	4 U	6 U	2 U	0.66 U	13 U	13 U	26 U	400 U	400 U	1,500 U	1,500 U	1,000 U	0.0
O-XYLENE	1 U	1 U	5 U	100 U	50 U	5 U	2 U	2 U	1 U	0.36 U	15 U	15 U	30 U	200 U	200 U	500 U	500 U	500 U	0.0
STYRENE	1 U	1 U	5 U	100 U	50 U	5 U	2 U	2 U	1 U	0.18 U	15 U	15 U	29 U	200 U	200 U	500 U	500 U	500 U	0.0
BROMOFORM	1 U	1 U	5 U	100 U	50 U	5 U	2 U	2 U	1 U	0.26 U	5.1 U	5.2 U	10 U	200 U	200 U	500 U	500 U	500 U	0.0
1 1 2 2-TETRACHLOROETHANE	1 U	1 U	5 U	100 U	50 U	5 U	2 U	2 U	1 U	0.21 U	4.3 U	4.2 U	8.4 U	200 U	200 U	500 U	500 U	500 U	0.0

This well was not sampled on the following dates: April and October 1993, and 2013.

WELL NUMBER 87-14(0)
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Jan-95	Feb-96	Oct-96	Oct-97	Oct-98	Oct-00	Oct-02	Oct-04	Oct-06	Oct-08	Oct-10	Oct-11	Nov-12	Oct-13	Oct-14	Oct-15	Oct-16	Nov-17	AVG
CHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	2,500 U	500 U	100 U	50 U	1 U	1 U	0.35 U	1.8 U	0.70 U	0.70 U	0.70 U	1 U	1.0 U	1.0 U	0.0
VINYL CHLORIDE	7	6	4	2	2,500 U	200 U	100 U	50 U	1 U	1 U	0.90 U	4.5 U	1.8 U	1.8 U	1.8 U	1 U	1.0 U	1.0 U	1.1
CHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	2,500 U	500 U	200 U	50 U	1 U	1 U	0.32 U	1.6 U	0.64 U	0.64 U	0.64 U	1 U	1.0 U	1.0 U	0.0
BROMOMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	2,500 U	500 U	100 U	50 U	1 U	1 U	0.69 U	3.5 U	1.4 U	1.4 U	1.4 U	1 U	1.0 U	1.0 U	0.0
1 1-DICHLOROETHENE	95	44	36	23	2,500 U	500 U	100 U	50 U	1 U	1 U	0.29 U	1.5 U	0.58 U	0.58 U	0.58 U	1 U	1.0 U	1.0 U	11.0
ACETONE	10 U	10 U	10 U	10 U	13,000 U	2,500 U	1,000 U	250 U	5 U	2.8	3.0 U	15 U	6.0 U	6.0 U	6.0 U	2	1.9	5.0 U	0.4
CARBON DISULFIDE	2	0.5 U	96	2	2,500 U	500 U	100 U	50 U	1 U	1 U	0.19 U	0.95 U	0.38 U	0.38 U	0.38 U	1 U	1.0 U	1.0 U	5.6
METHYLENE CHLORIDE	14	820	0.5 U	0.5 U	2,500 U	500 U	100 U	26	1 U	1 U	0.44 U	2.2 U	0.88 U	0.88 U	0.88 U	1 U	1.0 U	1.0 U	47.8
TRANS-1 2-DICHLOROETHENE	210	45	64	29	2,500 U	500 U	100 U	50 U	2.8	1.1	0.90 U	4.5 U	1.8 U	1.8 U	1.8 U	0.34	0.34	1.0 U	19.6
1 1-DICHLOROETHANE	4	2	2	1	2,500 U	500 U	100 U	50 U	1 U	1 U	0.38 U	1.9 U	0.76 U	0.76 U	0.76 U	1 U	1.0 U	1.0 U	0.5
CIS-1 2-DICHLOROETHENE	0.5 U	9,200	7,150	3,800	4,800	1,500	4,500	39	28	23	6.2	4.1 U	1.6 U	1.6 U	1.6 U	1.6	0.91	1.0 U	1,724.9
METHYL ETHYL KETONE	10 U	10 U	10 U	10 U	13,000 U	2,500 U	1,000 U	250 U	5 U	5 U	1.3 U	6.6 U	2.6 U	2.6 U	2.6 U	5 U	5.0 U	5.0 U	0.0
CHLOROFORM	0.5 U	163	160	85	2,500 U	500 U	110	50 U	6.1	4.4	2.8	1.7 U	0.68 U	0.68 U	0.68	0.54	0.53	1.0 U	29.6
1 1 1-TRICHLOROETHANE	2	0.5 U	1	0.5 U	2,500 U	500 U	100 U	50 U	1 U	1 U	0.82 U	4.1 U	1.6 U	1.6 U	1.6 U	1 U	1.0 U	1.0 U	0.2
CARBON TETRACHLORIDE	0.5 U	0.5 U	2	0.5 U	2,500 U	500 U	300 U	50 U	1 U	1 U	0.27 U	1.4 U	0.54 U	0.54 U	0.54 U	1 U	1.0 U	1.0 U	0.1
BENZENE	30	15	12	6	2,500 U	70 U	70 U	250 U	1 U	1 U	0.41 U	2.1U	0.82 U	0.82 U	0.82 U	1 U	1.0 U	1.0 U	3.5
1 2-DICHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	2,500 U	500 U	100 U	50 U	1 U	1 U	0.21 U	1.1 U	0.42 U	0.42 U	0.42 U	1 U	1.0 U	1.0 U	0.0
TRICHLOROETHENE	0.5 U	18,000	13,200	9,500	17,000	8,300	29,000	1,200	1,400	970	730	190	140	46	140	160	120	62	5,564.3
1 2-DICHLOROPROPANE	0.5 U	0.5 U	0.5 U	0.5 U	2,500 U	500 U	100 U	50 U	1 U	1 U	0.72 U	3.6 U	1.4 U	1.4 U	1.4 U	1 U	1.0 U	1.0 U	0.0
BROMODICHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	2,500 U	500 U	100 U	50 U	1 U	1 U	0.39 U	2 U	0.78 U	0.78 U	0.78 U	1 U	1.0 U	1.0 U	0.0
CIS-1 3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 U	2,500 U	500 U	100 U	50 U	1 U	1 U	0.36 U	1.8 U	0.72 U	0.72 U	0.72 U	1 U	1.0 U	1.0 U	0.0
MIBK	10 U	10 U	10 U	10 U	5,000 U	1,000 U	1,000 U	250 U	5 U	5 U	2.1 U	11 U	4.2 U	4.2 U	4.2 U	5 U	5.0 U	5.0 U	0.0
TOLUENE	7	3	2	1	2,500 U	500 U	100 U	50 U	1 U	1 U	0.51 U	2.6 U	1.0 U	1.0 U	1.0 U	1 U	1.0 U	1.0 U	0.7
TRANS-1 3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 U	2,500 U	500 U	100 U	50 U	1 U	1 U	0.37 U	1.9 U	0.74 U	0.74 U	0.74 U	1 U	1.0 U	1.0 U	0.0
1 1 2-TRICHLOROETHANE	3	2	2	2	2,500 U	500 U	100 U	50 U	1 U	1 U	0.23 U	1.2 U	0.46 U	0.46 U	0.46 U	1 U	1.0 U	1.0 U	0.5
TETRACHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	2,500 U	500 U	100 U	50 U	1 U	1 U	0.36 U	1.8 U	0.72 U	0.72 U	0.72 U	1 U	1.0 U	1.0 U	0.0
2-HEXANONE	10 U	10 U	10 U	10 U	5,000 U	1,000 U	1,000 U	250 U	5 U	5 U	1.2 U	6.2 U	02.5 U	2.5 U	2.5 U	5 U	5.0 U	5.0 U	0.0
DIBROMOCHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	2,500 U	500 U	100 U	50 U	1 U	1 U	0.32 U	1.6 U	0.64 U	0.64 U	0.64 U	1 U	1.0 U	1.0 U	0.0
CHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	2,500 U	500 U	100 U	50 U	1 U	1 U	0.75 U	3.8 U	1.5 U	1.5 U	1.5 U	1 U	1.0 U	1.0 U	0.0
ETHYLBENZENE	0.5 U	0.8	0.6	0.5 U	2,500 U	500 U	100 U	50 U	1 U	1 U	0.74 U	3.7 U	1.5 U	1.5 U	1.5 U	1 U	1.0 U	1.0 U	0.1
P-XYLENE/M-XYLENE	0.5 U	2	1	0.7	2,500 U	500 U	100 U	150 U	2 U	2 U	0.66 U	3.3 U	1.3 U	1.3 U	1.3 U	2 U	2.0 U	2.0 U	0.2
O-XYLENE	0.5 U	0.8	0.9	0.7	2,500 U	500 U	100 U	50 U	1 U	1 U	0.76 U	3.8 U	1.5 U	1.5 U	1.5 U	1 U	1.0 U	1.0 U	0.1
STYRENE	0.5 U	0.5 U	0.5 U	0.5 U	2,500 U	500 U	100 U	50 U	1 U	1 U	0.73 U	3.7 U	1.5 U	1.5 U	1.5 U	1 U	1.0 U	1.0 U	0.0
BROMOFORM	0.5 U	0.5 U	0.5 U	0.5 U	2,500 U	500 U	100 U	50 U	1 U	1 U	0.26 U	1.3 U	0.52 U	0.52 U	0.52 U	1 U	1.0 U	1.0 U	0.0
1 1 2 2-TETRACHLOROETHANE	0.5 U	1 U	0.5 U	0.5 U	2,500 U	500 U	100 U	50 U	1 U	1 U	0.21 U	1.1 U	0.42 U	0.42 U	0.42 U	1 U	1.0 U	1.0 U	0.0

This well was not sampled on the following dates; April, July and October 1993, January, April, July and October 1994;
April, July and October 1995; April and July 1996; January, April and July 1997; April 1998; and October 1999, 2001
2003, 2005, 2007 and 2009.

WELL NUMBER 87-17(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Apr-94	Jul-94	Oct-94	Jan-95	Apr-95	Jul-95	Oct-95	Feb-96	Apr-96	Jul-96	Oct-96	Jan-97	Apr-97	Jul-97	Oct-97	Oct-98	Oct-99	Oct-00	Oct-01
CHLOROMETHANE	5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	25 U	5 U	1 U
VINYL CHLORIDE	101	96	69	103	82	95	125	130	120	91	59	100	100	89	120	91	100	93	110
CHLOROETHANE	5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	25 U	5 U	1 U
BROMOMETHANE	5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	25 U	5 U	1 U
1 1-DICHLOROETHENE	5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U	25 U	25 U	25 U	4	2 U	25 U	3	25 U	5 U	1 U
ACETONE	50 U	500 U	500 U	250 U	250 U	500 U	250 U	250 U	125 U	125 U	120 U	120 U	50 U	50 U	120 U	25 U	130 U	50 U	10 U
CARBON DISULFIDE	5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	25 U	5 U	1 U
METHYLENE CHLORIDE	5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U	25 U	25 U	25 U	2.5 U	3	25 U	61	25 U	5 U	1 U
TRANS-1 2-DICHLOROETHENE	6	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U	25 U	25 U	25 U	4	3	25 U	2	25 U	5 U	3
1 1-DICHLOROETHANE	29	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U	25 U	25 U	25 U	23	24	38	17	25 U	17	13
CIS-1 2-DICHLOROETHENE	814	747	310	757	655	660	830	610	570	670	450	590	590	530	680	540	440	370	260
METHYL ETHYL KETONE	50 U	500 U	500 U	250 U	250 U	500 U	250 U	250 U	125 U	125 U	120 U	120 U	50 U	50 U	120 U	25 U	25 U	50 U	10 U
CHLOROFORM	5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U	25 U	25 U	25 U	2.5 U	5	25 U	5 U	25 U	5 U	1 U
1 1 1-TRICHLOROETHANE	196	50 U	50 U	147	142	131	120	80	89	100	61	81	120	100	140	74	64	63	42
CARBON TETRACHLORIDE	5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	25 U	5 U	23
BENZENE	5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	4 U	4 U	0.7 U
1 2-DICHLOROETHANE	5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	25 U	5 U	1 U
TRICHLOROETHENE	60	104	50 U	55	25 U	50 U	25 U	50 U	25 U	25 U	25 U	25 U	24	13	25 U	28	25 U	11	8
1 2-DICHLOROPROPANE	5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	25 U	5 U	1 U
BROMODICHLOROMETHANE	5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	25 U	5 U	1 U
CIS-1 3-DICHLOROPROPENE	5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	25 U	5 U	1 U
MIBK	50 U	500 U	500 U	250 U	250 U	500 U	250 U	250 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	10 U	50 U	50 U	10 U
TOLUENE	5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	25 U	5 U	1 U
TRANS-1 3-DICHLOROPROPENE	5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	25 U	5 U	1 U
1 1 2-TRICHLOROETHANE	5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	25 U	5 U	1 U
TETRACHLOROETHENE	5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	25 U	5 U	1 U
2-HEXANONE	50 U	500 U	500 U	250 U	250 U	500 U	250 U	250 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	10 U	50 U	50 U	10 U
DIBROMOCHLOROMETHANE	5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	25 U	5 U	1 U
CHLOROBENZENE	5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	25 U	5 U	1 U
ETHYLBENZENE	5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	25 U	5 U	1 U
P-XYLENE/M-XYLENE	5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	25 U	5 U	1 U
O-XYLENE	5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	25 U	5 U	1 U
STYRENE	5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	25 U	5 U	1 U
BROMOFORM	5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	25 U	5 U	1 U
1 1 2 2-TETRACHLOROETHANE	5 U	50 U	50 U	25 U	25 U	50 U	25 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	25 U	5 U	1 U

This well was not sampled on the following dates: April, July and October 1993; January 1994; April 1998.

WELL NUMBER 87-17(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Oct-02	Oct-03	Oct-04	Oct-05	Oct-06	Oct-07	Oct-08	Oct-09	Oct-10	Oct-11	Nov-12	Apr-13	Oct-13	Oct-14	Oct-15	Oct-16	Nov-17	AVG
CHLOROMETHANE	1 U	25 U	50 U	1 U	1 U	8 U	1 U	0.35 U	0.35 U	0.35 U	3.5 U	1 U	1.4 U	1.4 U	2 U	1.0 U	1.0 U	0.0
VINYL CHLORIDE	110	110	220	450	170	120	180	140	130	340	420	400	230	310	260	150	280	159.3
CHLOROETHANE	2 U	25 U	50 U	1 U	1 U	8 U	1 U	0.32 U	0.32 U	0.32 U	3.2 U	0.68	1.3 U	1.3 U	2 U	1.0 U	1.0 U	0.0
BROMOMETHANE	1 U	25 U	50 U	1 U	1 U	8 U	1 U	0.28 U	0.69 U	0.69 U	6.9 U	1 U	2.8 U	2.8 U	2 U	1.0 U	1.0 U	0.0
1 1-DICHLOROETHENE	13	5.1	10	3.9	5.4	8 U	1.4	1.6	0.89	13	8.3	11	11	4.7	1.4	0.91	1.5	2.7
ACETONE	10 U	120 U	250 U	5 U	5 U	40 U	5 U	1.3 U	3.0 U	3 U	30 U	1 U	12 U	12 U	10 U	1.4	1.8	0.1
CARBON DISULFIDE	1 U	25 U	50 U	1 U	1.2	5.6	1	0.19 U	1.5	1.7	8.9	0.40	2.0	0.76 U	2.9	1.5	1.4	0.8
METHYLENE CHLORIDE	9	25 U	26	1 U	1 U	22	1 U	0.44 U	0.44 U	0.44	4.4 U	1 U	1.8 U	1.8 U	2 U	1.0 U	1.0 U	3.3
TRANS-1 2-DICHLOROETHENE	3	25 U	50 U	3.6	7.1	8 U	2.5	2.3	2.2	3.1	9.0 U	3.3	3.6 U	3.6 U	2.1	2.5	2.2	1.4
1 1-DICHLOROETHANE	44	15	27	22	20	7.4	6.1	5.1	3.9	16	64	59	38	32	27	21	26	16.1
CIS-1 2-DICHLOROETHENE	400	160	1,500	610	870	460	360	280	240	900	850	480	250	220	160	130	130	515.5
METHYL ETHYL KETONE	10 U	120 U	250 U	5 U	5 U	40 U	5 U	1.3 U	1.3 U	1.3 U	13 U	5 U	5.3 U	5.3 U	10 U	5.0 U	5.0 U	0.0
CHLOROFORM	1 U	25 U	50 U	1 U	1 U	8 U	1 U	0.34 U	0.34 U	0.34 U	3.4 U	1 U	1.4 U	1.4 U	2 U	1.0 U	1.0 U	0.1
1 1 1-TRICHLOROETHANE	210	65	120	87	82	16	13	11	6.4	93	500	450	240	170	140	89	110	112.2
CARBON TETRACHLORIDE	66	25 U	50 U	1 U	1 U	8 U	1 U	0.27 U	0.27 U	0.27 U	2.7 U	1 U	1.1 U	1.1 U	2 U	1.0 U	1.0 U	2.4
BENZENE	0.7 U	120 U	250 U	1 U	1 U	8 U	1 U	0.41 U	0.41 U	0.41 U	4.1 U	1 U	1.6 U	1.6 U	2 U	1.0 U	1.0 U	0.0
1 2-DICHLOROETHANE	1 U	25 U	50 U	1 U	1 U	8 U	1 U	0.21 U	0.21 U	0.21 U	2.1 U	1 U	0.84 U	0.84 U	2 U	1.0 U	1.0 U	0.0
TRICHLOROETHENE	100 U	25	50 U	2.7	4.6	8 U	2.2	2.9	2.3	3.9	13	7.5	4.1	5.0	13	18	2.7	11.1
1 2-DICHLOROPROPANE	1 U	25 U	50 U	1 U	1 U	8 U	1 U	0.32 U	0.72 U	0.72 U	7.2 U	1 U	2.9 U	2.9 U	2 U	1.0 U	1.0 U	0.0
BROMODICHLOROMETHANE	1 U	25 U	50 U	1 U	1 U	8 U	1 U	0.39 U	0.39 U	0.39 U	3.9 U	1 U	1.6 U	1.6 U	2 U	1.0 U	1.0 U	0.0
CIS-1 3-DICHLOROPROPENE	1 U	25 U	50 U	1 U	1 U	8 U	1 U	0.36 U	0.36 U	0.36 U	3.6 U	1 U	1.4 U	1.4 U	2 U	1.0 U	1.0 U	0.0
MIBK	10 U	120 U	250 U	5 U	5 U	40 U	5 U	0.91 U	2.1 U	2.1 U	21 U	5 U	8.4 U	8.4 U	10 U	5.0 U	5.0 U	0.0
TOLUENE	1 U	25 U	50 U	1 U	1 U	8 U	1 U	0.51 U	0.51 U	0.51 U	5.1 U	1 U	2.0 U	2.0 U	2 U	1.0 U	1.0 U	0.0
TRANS-1 3-DICHLOROPROPENE	1 U	25 U	50 U	1 U	1 U	8 U	1 U	0.37 U	0.37 U	0.37 U	3.7 U	1 U	1.5 U	1.5 U	2 U	1.0 U	1.0 U	0.0
1 1 2-TRICHLOROETHANE	1 U	25 U	50 U	1 U	1 U	8 U	1 U	0.23 U	0.23 U	0.23 U	2.3 U	1 U	0.92 U	0.92 U	2 U	1.0 U	1.0 U	0.0
TETRACHLOROETHENE	1 U	25 U	50 U	1 U	1 U	8 U	1 U	0.36 U	0.36 U	0.36 U	3.6 U	1 U	1.4 U	1.4 U	2 U	1.0 U	1.0 U	0.0
2-HEXANONE	10 U	120 U	250 U	5 U	5 U	40 U	5 U	1.2 U	1.2 U	1.2 U	12 U	1 U	5.0 U	5.0 U	10 U	5.0 U	5.0 U	0.0
DIBROMOCHLOROMETHANE	1 U	25 U	50 U	1 U	1 U	8 U	1 U	0.32 U	0.32 U	0.32 U	3.2 U	1 U	1.3 U	1.3 U	2 U	1.0 U	1.0 U	0.0
CHLOROBENZENE	1 U	25 U	50 U	1 U	1 U	8 U	1 U	0.32 U	0.75 U	0.75 U	7.5 U	1 U	3.0 U	3.0 U	2 U	1.0 U	1.0 U	0.0
ETHYLBENZENE	1 U	25 U	50 U	1 U	1 U	8 U	1 U	0.18 U	0.74 U	0.74 U	7.4 U	1 U	3.0 U	3.0 U	2 U	1.0 U	1.0 U	0.0
P-XYLENE/M-XYLENE	1 U	75 U	150 U	2 U	2 U	16 U	2 U	0.66 U	0.66 U	0.66 U	6.6 U	2 U	2.6 U	2.6 U	6 U	2.0 U	2.0 U	0.0
O-XYLENE	1 U	25 U	50 U	1 U	1 U	8 U	1 U	0.36 U	0.76 U	0.76 U	7.6 U	1 U	3.0 U	3.0 U	2 U	1.0 U	1.0 U	0.0
STYRENE	1 U	25 U	50 U	1 U	1 U	8 U	1 U	0.18 U	0.73 U	0.73 U	7.3 U	1 U	2.9 U	2.9 U	2 U	1.0 U	1.0 U	0.0
BROMOFORM	1 U	25 U	50 U	1 U	1 U	8 U	1 U	0.26 U	0.26 U	0.26 U	2.6 U	1 U	1.0 U	1.0 U	2 U	1.0 U	1.0 U	0.0
1 1 2 2-TETRACHLOROETHANE	1 U	25 U	50 U	1 U	1 U	8 U	1 U	0.21 U	0.21 U	0.21 U	2.1 U	1 U	0.84 U	0.84 U	2 U	1.0 U	1.0 U	0.0

This well was not sampled on the following dates: April, July and October 1993; January 1994; April 1998.

WELL NUMBER 87-18(0)
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Jan-96	Apr-96	Apr-97	Oct-97	Oct-98	Oct-99	Oct-00	Oct-01	Oct-02	Oct-03	Oct-04	Oct-05	Oct-06	Oct-07	Oct-08	Oct-09	Oct-10	AVG
CHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.35 U	0.35 U	0.0
VINYL CHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.24 U	0.90 U	0.0
CHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U	0.32 U	0.32 U	0.0
BROMOMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.28 U	0.69 U	0.0
1 1-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.29 U	0.29 U	0.0
ACETONE	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U	1.3 U	3.0 U	0.0
CARBON DISULFIDE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	29	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.19 U	0.19 U	1.7
METHYLENE CHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.44 U	0.44 U	0.0
TRANS-1 2-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.42 U	0.90 U	0.0
1 1-DICHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.38 U	0.38 U	0.0
CIS-1 2-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.38 U	0.81 U	0.0
METHYL ETHYL KETONE	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U	1.3 U	1.3 U	0.0
CHLOROFORM	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.34 U	0.34 U	0.0
1 1 1-TRICHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.26 U	0.82 U	0.0
CARBON TETRACHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	1 U	1 U	0.27 U	0.27 U	0.0
BENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.7 U	0.7 U	0.7 U	0.7 U	0.7 U	1 U	1 U	1 U	1 U	1 U	1 U	0.41 U	0.41 U	0.0
1 2-DICHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.21 U	0.21 U	0.0
TRICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U	0.46 U	0.46 U	0.0
1 2-DICHLOROPROPANE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.32 U	0.72 U	0.0
BROMODICHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.39 U	0.39 U	0.0
CIS-1 3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.36 U	0.36 U	0.0
MIBK	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U	0.91 U	2.1 U	0.0
TOLUENE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.51 U	0.51 U	0.0
TRANS-1 3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.37 U	0.37 U	0.0
1 1 2-TRICHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.23 U	0.23 U	0.0
TETRACHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.36 U	0.36 U	0.0
2-HEXANONE	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U	1.2 U	1.2 U	0.0
DIBROMOCHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.32 U	0.32 U	0.0
CHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.32 U	0.75 U	0.0
ETHYLBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.18 U	0.74 U	0.0
P-XYLENE/M-XYLENE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	3 U	3 U	2 U	2 U	2 U	2 U	0.66 U	0.66 U	0.0
O-XYLENE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.36 U	0.76 U	0.0
STYRENE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.18 U	0.73 U	0.0
BROMOFORM	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.26 U	0.26 U	0.0
1 1 2 2-TETRACHLOROETHANE	1 U	1 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.21 U	0.21 U	0.0

This well was not sampled on the following dates: April, July and October 1993; January, April, July and October 1994; January, April, July and October 1995, July and October 1996, January and July 1997 and April 1998.

This location is no longer part of the current sampling program.

WELL NUMBER 87-19(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Jan-94	Jul-94	Jan-95	Jul-95	Jan-96	Apr-96	Oct-96	Apr-97	Oct-97	Apr-98	Oct-98	Oct-99	Oct-00	Oct-01	Oct-02	Oct-03	Oct-04	Oct-05	Oct-06
CHLOROMETHANE	0.5 U	5 U	0.5 U	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
VINYL CHLORIDE	0.5 U	5 U	0.5 U	5 U	0.5 U	0.5 U	0.5 U	0.6	3	1 U	1 U	3	3	7	3	1 U	1 U	1 U	1 U
CHLOROETHANE	0.5 U	5 U	0.5 U	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U
BROMOMETHANE	0.5 U	5 U	0.5 U	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1 1-DICHLOROETHENE	0.5 U	5 U	0.5 U	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
ACETONE	50 U	50 U	10 U	50 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U
CARBON DISULFIDE	0.5 U	5 U	0.5 U	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
METHYLENE CHLORIDE	0.5 U	5 U	0.5 U	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
TRANS-1 2-DICHLOROETHENE	0.5 U	5 U	0.5 U	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1 1-DICHLOROETHANE	0.5 U	5 U	0.5 U	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
CIS-1 2-DICHLOROETHENE	2	5 U	0.9	5 U	4	5	7	6	9	7	8	9	10	20	11	2.8	3.8	1.5	1 U
METHYL ETHYL KETONE	50 U	50 U	10 U	50 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U
CHLOROFORM	0.5 U	5 U	0.5 U	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1 1 1-TRICHLOROETHANE	0.5 U	5 U	0.5 U	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
CARBON TETRACHLORIDE	0.5 U	5 U	0.5 U	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U
BENZENE	0.5 U	5 U	0.5 U	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7 U	0.7 U	0.7 U	0.7 U	0.7 U	0.7 U	1 U	1 U	1 U	1 U
1 2-DICHLOROETHANE	0.5 U	5 U	0.5 U	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
TRICHLOROETHENE	1	5 U	0.5 U	5 U	2	2	3	2	3	3	4	4	3	6	2 U	0.42	0.39	1 U	1 U
1 2-DICHLOROPROPANE	0.5 U	5 U	0.5 U	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
BROMODICHLOROMETHANE	0.5 U	5 U	0.5 U	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
CIS-1 3-DICHLOROPROPENE	0.5 U	5 U	0.5 U	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
MIBK	50 U	50 U	10 U	50 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U
TOLUENE	0.5 U	5 U	0.5 U	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
TRANS-1 3-DICHLOROPROPENE	0.5 U	5 U	0.5 U	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1 1 2-TRICHLOROETHANE	0.5 U	5 U	0.5 U	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
TETRACHLOROETHENE	0.5 U	5 U	0.5 U	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
2-HEXANONE	50 U	50 U	10 U	50 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U
DIBROMOCHLOROMETHANE	0.5 U	5 U	0.5 U	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
CHLOROBENZENE	0.5 U	5 U	0.5 U	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
ETHYLBENZENE	0.5 U	5 U	0.5 U	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
P-XYLENE/M-XYLENE	0.5 U	5 U	0.5 U	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	3 U	3 U	2 U	2 U
O-XYLENE	0.5 U	5 U	0.5 U	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
STYRENE	0.5 U	5 U	0.5 U	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
BROMOFORM	0.5 U	5 U	0.5 U	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1 1 2 2-TETRACHLOROETHANE	0.5 U	5 U	0.5 U	5 U	1 U	1 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U

This well was not sampled on the following dates: April, July and October 1993; April and October 1994; April and October 1995; July 1996 and January and July 1997.

WELL NUMBER 87-19(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Oct-07	Oct-08	Oct-09	Oct-10	Oct-11	Nov-12	Oct-13	Oct-14	Oct-15	Oct-16	Nov-17	AVG
CHLOROMETHANE	1 U	1 U	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U	1.0 U	1.0 U	1.0 U	0.0
VINYL CHLORIDE	1 U	4.3	3.7	4.6	3.4	2.3	1.7	0.90 U	2.5	1.7	1.9	1.5
CHLOROETHANE	1 U	1 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	1.0 U	1.0 U	1.0 U	0.0
BROMOMETHANE	1 U	1 U	0.28 U	0.69 U	0.69 U	0.69 U	0.69 U	0.69 U	1.0 U	1.0 U	1.0 U	0.0
1 1-DICHLOROETHENE	1 U	1 U	0.29 U	0.29 U	0.29 U	0.29 U	0.29 U	0.29 U	1.0 U	1.0 U	1.0 U	0.0
ACETONE	1.3	5 U	1.3 U	3.0 U	3 U	3.0 U	3.0 U	3.0 U	5.0 U	5.0 U	5.0 U	0.0
CARBON DISULFIDE	0.8	1 U	0.19 U	0.19 U	0.51 U	0.47	0.19 U	0.19 U	0.25	1.0 U	1.0 U	0.1
METHYLENE CHLORIDE	1 U	1 U	0.44 U	0.44 U	0.44 U	0.44 U	0.44 U	0.44 U	1.0 U	1.0 U	1.0 U	0.0
TRANS-1 2-DICHLOROETHENE	1 U	1 U	0.42 U	0.90 U	0.9 U	0.90 U	0.90 U	0.90 U	1.0 U	1.0 U	1.0 U	0.0
1 1-DICHLOROETHANE	1 U	1 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	1.0 U	1.0 U	1.0 U	0.0
CIS-1 2-DICHLOROETHENE	3	6.4	5.7	6.4	6.1	7.3	7.6	4.4	5.9	5.8	5.3	5.5
METHYL ETHYL KETONE	5 U	5 U	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U	5.0 U	5.0 U	5.0 U	0.0
CHLOROFORM	1 U	1 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	1.0 U	1.0 U	1.0 U	0.0
1 1 1-TRICHLOROETHANE	1 U	1 U	0.26 U	0.82 U	0.82 U	0.82 U	0.82 U	0.82 U	1.0 U	1.0 U	1.0 U	0.0
CARBON TETRACHLORIDE	1 U	1 U	0.27 U	0.27 U	0.27 U	0.27 U	0.27 U	0.27 U	1.0 U	1.0 U	1.0 U	0.0
BENZENE	1 U	1 U	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U	1.0 U	1.0 U	1.0 U	0.0
1 2-DICHLOROETHANE	1 U	1 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	1.0 U	1.0 U	1.0 U	0.0
TRICHLOROETHENE	1 U	0.83	0.46 U	0.46 U	0.46 U	0.46 U	0.56	0.46 U	1.0 U	1.0 U	1.0 U	1.1
1 2-DICHLOROPROPANE	1 U	1 U	0.32 U	0.72 U	0.72 U	0.72 U	0.72 U	0.72 U	1.0 U	1.0 U	1.0 U	0.0
BROMODICHLOROMETHANE	1 U	1 U	0.39 U	0.39 U	0.39 U	0.39 U	0.39 U	0.39 U	1.0 U	1.0 U	1.0 U	0.0
CIS-1 3-DICHLOROPROPENE	1 U	1 U	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U	1.0 U	1.0 U	1.0 U	0.0
MIBK	5 U	5 U	0.91 U	2.1 U	2.1 U	2.1 U	2.1 U	2.1 U	5.0 U	5.0 U	5.0 U	0.0
TOLUENE	1 U	1 U	0.51 U	0.51 U	0.51 U	0.51 U	0.51 U	0.51 U	1.0 U	1.0 U	1.0 U	0.0
TRANS-1 3-DICHLOROPROPENE	1 U	1 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	1.0 U	1.0 U	1.0 U	0.0
1 1 2-TRICHLOROETHANE	1 U	1 U	0.23 U	0.23 U	0.23 U	0.23 U	0.23 U	0.23 U	1.0 U	1.0 U	1.0 U	0.0
TETRACHLOROETHENE	1 U	1 U	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U	1.0 U	1.0 U	1.0 U	0.0
2-HEXANONE	5 U	5 U	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U	5.0 U	5.0 U	5.0 U	0.0
DIBROMOCHLOROMETHANE	1 U	1 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	1.0 U	1.0 U	1.0 U	0.0
CHLOROBENZENE	1 U	1 U	0.32 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	1.0 U	1.0 U	1.0 U	0.0
ETHYLBENZENE	1 U	1 U	0.18 U	0.74 U	0.74 U	0.74 U	0.74 U	0.74 U	1.0 U	1.0 U	1.0 U	0.0
P-XYLENE/M-XYLENE	2 U	2 U	0.66 U	0.66 U	0.66 U	0.66 U	0.66 U	0.66 U	2.0 U	2.0 U	2.0 U	0.0
O-XYLENE	1 U	1 U	0.36 U	0.76 U	0.76 U	0.76 U	0.76 U	0.76 U	1.0 U	1.0 U	1.0 U	0.0
STYRENE	1 U	1 U	0.18 U	0.73 U	0.73 U	0.73 U	0.73 U	0.73 U	1.0 U	1.0 U	1.0 U	0.0
BROMOFORM	1 U	1 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	1.0 U	1.0 U	1.0 U	0.0
1 1 2 2-TETRACHLOROETHANE	1 U	1 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	1.0 U	1.0 U	1.0 U	0.0

This well was not sampled on the following dates: April, July and October 1993; April and October 1994; April and October 1995; July 1996 and January and July 1997.

WELL NUMBER 87-20(0)
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Jul-93	Jan-94	Jul-94	Jan-95	Jan-96	Apr-96	Oct-96	Jul-97	Oct-97	Apr-98	Oct-98	Oct-99	Oct-00	Oct-01	Oct-02	Oct-03	Oct-04	Oct-05	Oct-06
CHLOROMETHANE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
VINYL CHLORIDE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
CHLOROETHANE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U
BROMOMETHANE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1 1-DICHLOROETHENE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
ACETONE	20 U	50 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	2.6	5 U	5 U	5 U
CARBON DISULFIDE	0.5 U	0.5 U	1 U	1	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
METHYLENE CHLORIDE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
TRANS-1 2-DICHLOROETHENE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1 1-DICHLOROETHANE	0.5 U	0.5 U	1 U	3	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
CIS-1 2-DICHLOROETHENE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.79	1 U	1 U
METHYL ETHYL KETONE	20 U	50 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U
CHLOROFORM	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1 1 1-TRICHLOROETHANE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
CARBON TETRACHLORIDE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U
BENZENE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7 U	0.7 U	0.7 U	0.7 U	0.7 U	0.7 U	1 U	1 U	1 U	1 U
1 2-DICHLOROETHANE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
TRICHLOROETHENE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.6	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U
1 2-DICHLOROPROPANE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
BROMODICHLOROMETHANE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
CIS-1 3-DICHLOROPROPENE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
MIBK	20 U	50 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U
TOLUENE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
TRANS-1 3-DICHLOROPROPENE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1 1 2-TRICHLOROETHANE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
TETRACHLOROETHENE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
2-HEXANONE	20 U	50 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U
DIBROMOCHLOROMETHANE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
CHLOROBENZENE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
ETHYLBENZENE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
P-XYLENE/M-XYLENE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	3 U	3 U	2 U	2 U
O-XYLENE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
STYRENE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
BROMOFORM	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1 1 2 2-TETRACHLOROETHANE	0.5 U	0.5 U	1 U	0.5 U	1 U	1 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U

This well was not sampled on the following dates: April and October 1993; April and October 1994; April, July and October 1995; July 1996 and January and April 1997.

WELL NUMBER 87-20(0)
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Oct-07	Oct-08	Oct-09	Oct-10	Oct-11	Nov-12	Oct-13	Oct-14	Oct-15	Apr-16	Oct-16	Nov-17	AVG
CHLOROMETHANE	1 U	1 U	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U	1 U	1 U	1.0 U	1.0 U	0.0
VINYL CHLORIDE	1 U	1 U	0.24 U	0.90 U	0.9 U	0.90 U	0.90 U	0.90 U	1 U	1 U	1.0 U	1.0 U	0.0
CHLOROETHANE	1 U	1 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	1 U	1 U	1.0 U	1.0 U	0.0
BROMOMETHANE	1 U	1 U	0.28 U	0.69 U	0.69 U	0.69 U	0.69 U	0.69 U	1 U	1 U	1.0 U	1.0 U	0.0
1 1-DICHLOROETHENE	1 U	1 U	0.29 U	0.29 U	0.29 U	0.29 U	0.29 U	0.29 U	1 U	1 U	1.0 U	1.0 U	0.0
ACETONE	5 U	5 U	1.3 U	3.0 U	3 U	3.0 U	3.0 U	3.0 U	5 U	5 U	1.4	1.0 U	0.1
CARBON DISULFIDE	0.42	1 U	0.19 U	0.19 U	0.19 U	1.0	0.19 U	0.19 U	1 U	1 U	1.0 U	1.0 U	0.1
METHYLENE CHLORIDE	1 U	1 U	0.44 U	0.44 U	0.44 U	0.44 U	0.44 U	0.44 U	1 U	1 U	1.0 U	1.0 U	0.0
TRANS-1 2-DICHLOROETHENE	1 U	1 U	0.42 U	0.90 U	0.9 U	0.90 U	0.90 U	0.90 U	1 U	1 U	1.0 U	1.0 U	0.0
1 1-DICHLOROETHANE	1 U	1 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	1 U	1 U	1.0 U	1.0 U	0.1
CIS-1 2-DICHLOROETHENE	1 U	1 U	0.38 U	0.81 U	0.81 U	0.81 U	0.81 U	0.81 U	1 U	1 U	1.0 U	1.0 U	0.0
METHYL ETHYL KETONE	5 U	5 U	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U	5 U	5 U	5.0 U	5.0 U	0.0
CHLOROFORM	1 U	1 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	1 U	1 U	1.0 U	1.0 U	0.0
1 1 1-TRICHLOROETHANE	1 U	1 U	0.26 U	0.82 U	0.82 U	0.82 U	0.82 U	0.82 U	1 U	1 U	1.0 U	1.0 U	0.0
CARBON TETRACHLORIDE	1 U	1 U	0.27 U	0.27 U	0.27 U	0.27 U	0.27 U	0.27 U	1 U	1 U	1.0 U	1.0 U	0.0
BENZENE	1 U	1 U	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U	1 U	1 U	1.0 U	1.0 U	0.0
1 2-DICHLOROETHANE	1 U	1 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	1 U	1 U	1.0 U	1.0 U	0.0
TRICHLOROETHENE	1 U	1 U	0.46 U	0.46 U	0.46 U	0.46 U	0.46 U	0.46 U	0.24	1 U	1.0 U	1.0 U	0.0
1 2-DICHLOROPROPANE	1 U	1 U	0.32 U	0.72 U	0.72 U	0.72 U	0.72 U	0.72 U	1 U	1 U	1.0 U	1.0 U	0.0
BROMODICHLOROMETHANE	1 U	1 U	0.39 U	0.39 U	0.39 U	0.39 U	0.39 U	0.39 U	1 U	1 U	1.0 U	1.0 U	0.0
CIS-1 3-DICHLOROPROPENE	1 U	1 U	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U	1 U	1 U	1.0 U	1.0 U	0.0
MIBK	5 U	5 U	0.91 U	2.1 U	2.1 U	2.1 U	2.1 U	2.1 U	5 U	5 U	5.0 U	5.0 U	0.0
TOLUENE	1 U	1 U	0.51 U	0.51 U	0.51 U	0.51 U	0.51 U	0.51 U	1 U	1 U	1.0 U	1.0 U	0.0
TRANS-1 3-DICHLOROPROPENE	1 U	1 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	1 U	1 U	1.0 U	1.0 U	0.0
1 1 2-TRICHLOROETHANE	1 U	1 U	0.23 U	0.23 U	0.23 U	0.23 U	0.23 U	0.23 U	1 U	1 U	1.0 U	1.0 U	0.0
TETRACHLOROETHENE	1 U	1 U	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U	1 U	1 U	1.0 U	1.0 U	0.0
2-HEXANONE	5 U	5 U	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U	5 U	5 U	5.0 U	5.0 U	0.0
DIBROMOCHLOROMETHANE	1 U	1 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	1 U	1 U	1.0 U	1.0 U	0.0
CHLOROBENZENE	1 U	1 U	0.32 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	1 U	1 U	1.0 U	1.0 U	0.0
ETHYLBENZENE	1 U	1 U	0.18 U	0.74 U	0.74 U	0.74 U	0.74 U	0.74 U	1 U	1 U	1.0 U	1.0 U	0.0
P-XYLENE/M-XYLENE	2 U	2 U	0.66 U	0.66 U	0.66 U	0.66 U	0.66 U	0.66 U	2 U	2 U	2.0 U	2.0 U	0.0
O-XYLENE	1 U	1 U	0.36 U	0.76 U	0.76 U	0.76 U	0.76 U	0.76 U	1 U	1 U	1.0 U	1.0 U	0.0
STYRENE	1 U	1 U	0.18 U	0.73 U	0.73 U	0.73 U	0.73 U	0.73 U	1 U	1 U	1.0 U	1.0 U	0.0
BROMOFORM	1 U	1 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	1 U	1 U	1.0 U	1.0 U	0.0
1 1 2 2-TETRACHLOROETHANE	1 U	1 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	1 U	1 U	1.0 U	1.0 U	0.0

This well was not sampled on the following dates: April and October 1993; April and October 1994; April, July and October 1995; July 1996 and January and April 1997.

WELL NUMBER 87-20(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Oct-07	Oct-08	Oct-09	Oct-10	Oct-11	Nov-12	Oct-13	Oct-14	Oct-15	Oct-16	Nov-17	AVG
CHLOROMETHANE	25 U	200 U	3.5 U	0.35 U	0.35 U	35 U	35 U	35 U	25 U	50 U	25 U	0.0
VINYL CHLORIDE	370	650	520	670	540	1,300	1,500	1,600	1,600	830	760	427.5
CHLOROETHANE	25 U	200 U	3.2 U	0.32 U	0.32 U	32 U	32 U	32 U	25 U	50 U	25 U	0.0
BROMOMETHANE	25 U	200 U	2.8 U	0.69 U	0.69 U	69 U	69 U	69 U	25 U	50 U	9.0	0.3
1 1-DICHLOROETHENE	14	200 U	19	15	15	29 U	29 U	29 U	18	50 U	25 U	6.8
ACETONE	120 U	1,000 U	13 U	3.0 U	3 U	300 U	300 U	300 U	130 U	250 U	130 U	0.0
CARBON DISULFIDE	14	200 U	1.9 U	2	0.93 U	19 U	19 U	19 U	25 U	50 U	25 U	0.5
METHYLENE CHLORIDE	26	200 U	4.4 U	0.44 U	0.44 U	44 U	44 U	44 U	25 U	50 U	25 U	1,466.1
TRANS-1 2-DICHLOROETHENE	35	200 U	22	29	24	90 U	90 U	90 U	24	50 U	17.0	11.1
1 1-DICHLOROETHANE	25 U	200 U	13	12	13	38 U	38 U	38 U	19	18	13	5.8
CIS-1 2-DICHLOROETHENE	12,000	17,000	12,000	12,000	8,100	4,200	8,300	8,700	6,800	4,700	6,200	10,429.1
METHYL ETHYL KETONE	120 U	1,000 U	13 U	1.3 U	1.3 U	130 U	130 U	130 U	130 U	250 U	130 U	1,415.2
CHLOROFORM	25 U	200 U	3.4 U	1.4	1.7	34 U	34 U	34 U	25 U	18	25 U	1.1
1 1 1-TRICHLOROETHANE	15	200 U	34	35	48	82 U	82 U	82 U	23	22	26	50.7
CARBON TETRACHLORIDE	25 U	200 U	2.7 U	0.27 U	0.27 U	27 U	27 U	27 U	25 U	50 U	25 U	0.7
BENZENE	120 U	200 U	4.1 U	0.41 U	0.41 U	41 U	41 U	41 U	25 U	50 U	25 U	0.0
1 2-DICHLOROETHANE	25 U	200 U	2.1 U	0.21 U	0.21 U	21 U	21 U	21 U	25 U	50 U	25 U	0.0
TRICHLOROETHENE	69	110	99	95	50	46 U	46 U	46 U	26	19	34	10,454.0
1 2-DICHLOROPROPANE	25 U	200 U	3.2 U	0.72 U	0.72 U	72 U	72 U	72 U	25 U	50 U	25 U	1.3
BROMODICHLOROMETHANE	25 U	200 U	3.9 U	0.39 U	0.39 U	39 U	39 U	39 U	25 U	50 U	25 U	0.0
CIS-1 3-DICHLOROPROPENE	25 U	200 U	3.6 U	0.36 U	0.36 U	36 U	36 U	36 U	25 U	50 U	25 U	0.0
MIBK	120 U	1,000 U	9.1 U	2.1 U	2.1 U	210 U	210 U	210 U	130 U	250 U	130 U	0.0
TOLUENE	25 U	200 U	5.1 U	1.1	0.51 U	51 U	51 U	51 U	25 U	50 U	25 U	0.9
TRANS-1 3-DICHLOROPROPENE	25 U	200 U	3.7 U	0.37 U	0.37 U	37 U	37 U	37 U	25 U	50 U	25 U	0.0
1 1 2-TRICHLOROETHANE	25 U	200 U	2.3 U	0.23 U	0.23 U	23 U	23 U	23 U	25 U	50 U	25 U	0.0
TETRACHLOROETHENE	25 U	200 U	3.6 U	0.36 U	0.36 U	36 U	36 U	36 U	25 U	50 U	25 U	11.3
2-HEXANONE	120 U	1,000 U	12 U	1.2 U	1.2 U	120 U	120 U	120 U	130 U	250 U	130 U	0.0
DIBROMOCHLOROMETHANE	25 U	200 U	3.2 U	0.32 U	0.32 U	32 U	32 U	32 U	25 U	50 U	25 U	0.0
CHLOROBENZENE	25 U	200 U	3.2 U	0.75 U	0.75 U	75 U	75 U	75 U	25 U	50 U	25 U	0.0
ETHYLBENZENE	25 U	200 U	1.8 U	0.74 U	0.74 U	74 U	74 U	74 U	25 U	50 U	25 U	0.0
P-XYLENE/M-XYLENE	75 U	600 U	6.6 U	0.66 U	0.66 U	66 U	66 U	66 U	50 U	100 U	50 U	0.0
O-XYLENE	25 U	200 U	3.6 U	0.76 U	0.76 U	76 U	76 U	76 U	25 U	50 U	25 U	0.0
STYRENE	25 U	200 U	1.8 U	0.73 U	0.73 U	73 U	73 U	73 U	25 U	50 U	25 U	0.0
BROMOFORM	25 U	200 U	2.6 U	0.26 U	0.26 U	26 U	26 U	26 U	25 U	50 U	25 U	0.0
1 1 2 2-TETRACHLOROETHANE	25 U	200 U	2.1 U	0.21 U	0.21 U	21 U	21 U	21 U	25 U	50 U	25 U	0.0

This well was not sampled on the following dates; April and October 1994; April and October 1995; July 1996; January and July 1997 and October 2005.

WELL NUMBER 87-21(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Apr-93	Jul-93	Oct-93	Jan-94	Jul-94	Jan-95	Jul-95	Jan-96	Apr-96	Oct-96	Apr-97	Oct-97	Apr-98	Oct-98	Oct-99	Oct-00	Oct-01	Oct-02	Oct-03	Oct-04	Oct-05	Oct-06	Oct-07
CHLOROMETHANE	5 U	5 U	125 U	5 U	50 U	50 U	25 U	25 U	25 U	5 U	2.5 U	5 U	20 U	10 U	10 U	5 U	1 U	10 U	2 U	1 U	1 U	1 U	1 U
VINYL CHLORIDE	5 U	5 U	125 U	5 U	50 U	50 U	25 U	25 U	25 U	5 U	4	130	20 U	54	5	2 U	1 U	24	2 U	1 U	1 U	1 U	9.7
CHLOROETHANE	5 U	5 U	125 U	5 U	50 U	50 U	25 U	25 U	25 U	5 U	2.5 U	5 U	20 U	10 U	10 U	5 U	1 U	20 U	2 U	1 U	1 U	1 U	1 U
BROMOMETHANE	5 U	5 U	125 U	5 U	50 U	50 U	25 U	25 U	25 U	5 U	2.5 U	5 U	20 U	10 U	10 U	5 U	1 U	10 U	2 U	1 U	1 U	1 U	1 U
1 1-DICHLOROETHENE	5 U	5 U	125 U	5 U	50 U	50 U	25 U	25 U	25 U	5 U	2.5 U	6	20 U	10 U	10 U	5 U	1 U	10 U	2 U	1 U	1 U	1 U	0.6
ACETONE	50 U	50 U	1,250 U	50 U	500 U	500 U	250 U	125 U	125 U	25 U	50 U	25 U	200 U	100 U	100 U	25 U	10 U	100 U	10 U	5 U	5 U	5 U	5 U
CARBON DISULFIDE	5 U	5 U	125 U	5 U	50 U	50 U	25 U	25 U	25 U	5 U	2.5 U	5 U	20 U	10 U	10 U	5 U	10	10 U	2 U	1 U	1 U	1 U	1 U
METHYLENE CHLORIDE	5 U	5 U	125 U	5 U	50 U	50 U	25 U	25 U	25 U	5 U	2.5 U	5 U	40 U	10 U	10 U	5 U	1 U	10 U	2 U	1 U	1 U	1 U	1 U
TRANS-1 2-DICHLOROETHENE	5 U	5 U	125 U	6	50 U	50 U	25 U	25 U	25 U	5 U	2.5 U	9	20 U	10 U	10 U	5 U	1 U	10 U	0.81	1 U	1 U	0.67	1.7
1 1-DICHLOROETHANE	5 U	7	125 U	6	50 U	50 U	25 U	25 U	25 U	5 U	2.5 U	5 U	20 U	10 U	10 U	5 U	1	10 U	2 U	1 U	0.98	1.6	1.5
CIS-1 2-DICHLOROETHENE	565	1,720	802	1,000	999	575	739	270	160	340	160	2,100	37	1,200	160	31	140	1,900	60	17	47	73	370
METHYL ETHYL KETONE	50 U	50 U	1,250 U	50 U	500 U	500 U	250 U	125 U	125 U	25 U	50 U	25 U	200 U	100 U	100 U	25 U	10 U	100 U	10 U	5 U	5 U	5 U	5 U
CHLOROFORM	5 U	5 U	125 U	5 U	50 U	50 U	25 U	25 U	25 U	5 U	2.5 U	5 U	20 U	10 U	10 U	5 U	1 U	10 U	3.9	1.2	1.5	0.99	0.57
1 1 1-TRICHLOROETHANE	22	67	125 U	36	50 U	50 U	25 U	25 U	25 U	6	2.5 U	10	20 U	10 U	10 U	5 U	1 U	10 U	2.5	0.86	2.2	5.9	4
CARBON TETRACHLORIDE	5 U	5 U	125 U	5 U	50 U	50 U	25 U	25 U	25 U	5 U	2.5 U	5 U	20 U	10 U	10 U	5 U	1 U	30 U	2 U	1 U	1 U	1 U	1 U
BENZENE	5 U	5 U	125 U	5 U	50 U	50 U	25 U	25 U	25 U	5 U	2.5 U	5 U	14 U	7 U	0.7 U	0.7 U	0.7 U	7 U	2 U	1 U	1 U	1 U	1 U
1 2-DICHLOROETHANE	5 U	5 U	125 U	5 U	50 U	50 U	25 U	25 U	25 U	5 U	2.5 U	5 U	20 U	10 U	10 U	5 U	1 U	10 U	2 U	1 U	1 U	1 U	1 U
TRICHLOROETHENE	200	1,240	375	590	431	225	247	50	28	53	15	99	20 U	700	21	7	30	270	18	3.7	5.8	13	16
1 2-DICHLOROPROPANE	5 U	5 U	125 U	5 U	50 U	50 U	25 U	25 U	25 U	5 U	2.5 U	5 U	20 U	10 U	10 U	5 U	1 U	10 U	2 U	1 U	1 U	1 U	1 U
BROMODICHLOROMETHANE	5 U	5 U	125 U	5 U	50 U	50 U	25 U	25 U	25 U	5 U	2.5 U	5 U	20 U	10 U	10 U	5 U	1 U	10 U	2 U	1 U	1 U	1 U	1 U
CIS-1 3-DICHLOROPROPENE	5 U	5 U	125 U	5 U	50 U	50 U	25 U	25 U	25 U	5 U	2.5 U	5 U	20 U	10 U	10 U	5 U	1 U	10 U	2 U	1 U	1 U	1 U	1 U
MIBK	50 U	50 U	1,250 U	50 U	500 U	500 U	250 U	125 U	50 U	10 U	50 U	10 U	200 U	100 U	100 U	10 U	10 U	100 U	10 U	5 U	5 U	5 U	5 U
TOLUENE	5 U	5 U	125 U	5 U	50 U	50 U	25 U	25 U	25 U	5 U	2.5 U	5 U	20 U	10 U	10 U	5 U	1 U	10 U	2 U	1 U	1 U	1 U	1 U
TRANS-1 3-DICHLOROPROPENE	5 U	5 U	125 U	5 U	50 U	50 U	25 U	25 U	25 U	5 U	2.5 U	5 U	20 U	10 U	10 U	5 U	1 U	10 U	2 U	1 U	1 U	1 U	1 U
1 1 2-TRICHLOROETHANE	5 U	5 U	125 U	5 U	50 U	50 U	25 U	25 U	25 U	5 U	2.5 U	5 U	20 U	10 U	10 U	5 U	1 U	10 U	2 U	1 U	1 U	1 U	1 U
TETRACHLOROETHENE	5 U	5 U	125 U	5 U	50 U	50 U	25 U	25 U	25 U	5 U	2.5 U	5 U	20 U	10 U	10 U	5 U	1 U	10 U	2 U	1 U	1 U	1 U	1 U
2-HEXANONE	50 U	50 U	1,250 U	50 U	500 U	500 U	250 U	125 U	50 U	10 U	50 U	10 U	200 U	100 U	100 U	10 U	10 U	100 U	10 U	5 U	5 U	5 U	5 U
DIBROMOCHLOROMETHANE	5 U	5 U	125 U	5 U	50 U	50 U	25 U	25 U	25 U	5 U	2.5 U	5 U	20 U	10 U	10 U	5 U	1 U	10 U	2 U	1 U	1 U	1 U	1 U
CHLOROBENZENE	5 U	5 U	125 U	5 U	50 U	50 U	25 U	25 U	25 U	5 U	2.5 U	5 U	20 U	10 U	10 U	5 U	1 U	10 U	2 U	1 U	1 U	1 U	1 U
ETHYLBENZENE	5 U	5 U	125 U	5 U	50 U	50 U	25 U	25 U	25 U	5 U	2.5 U	5 U	20 U	10 U	10 U	5 U	1 U	10 U	2 U	1 U	1 U	1 U	1 U
P-XYLENE/M-XYLENE	5 U	5 U	125 U	5 U	50 U	50 U	25 U	25 U	25 U	5 U	2.5 U	5 U	20 U	10 U	10 U	5 U	1 U	10 U	6 U	3 U	2 U	2 U	2 U
O-XYLENE	5 U	5 U	125 U	5 U	50 U	50 U	25 U	25 U	25 U	5 U	2.5 U	5 U	20 U	10 U	10 U	5 U	1 U	10 U	2 U	1 U	1 U	1 U	1 U
STYRENE	5 U	5 U	125 U	5 U	50 U	50 U	25 U	25 U	25 U	5 U	2.5 U	5 U	20 U	10 U	10 U	5 U	1 U	10 U	2 U	1 U	1 U	1 U	1 U
BROMOFORM	5 U	5 U	125 U	5 U	50 U	50 U	25 U	25 U	25 U	5 U	2.5 U	5 U	20 U	10 U	10 U	5 U	1 U	10 U	2 U	1 U	1 U	1 U	1 U
1 1 2 2-TETRACHLOROETHANE	5 U	5 U	125 U	5 U	50 U	50 U	25 U	25 U	25 U	5 U	2.5 U	5 U	20 U	10 U	10 U	5 U	1 U	10 U	2 U	1 U	1 U	1 U	1 U

This well was not sampled on the following dates: April and October 1994; April and October 1995; July 1996; January and July 1997.

WELL NUMBER 87-21(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Oct-08	Oct-09	Oct-10	Oct-11	Nov-12	Oct-13	Oct-14	Oct-15	Oct-16	Nov-17	AVG
CHLOROMETHANE	4 U	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U	1 U	2.0 U	1.0 U	0.0
VINYL CHLORIDE	2.4	0.24 U	0.90 U	1.8	1.7	1.7	8.8	36	77	1.0 U	10.5
CHLOROETHANE	4 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	1 U	2.0 U	1.0 U	0.0
BROMOMETHANE	4 U	0.28 U	0.69 U	0.69 U	0.69 U	0.69 U	0.69 U	1 U	2.0 U	1.0 U	0.0
1 1-DICHLOROETHENE	4 U	0.29 U	0.7	1.1	0.63	0.29 U	0.29 U	1 U	2.0 U	1.0 U	0.3
ACETONE	20 U	1.3 U	3.0 U	3 U	3.0 U	3.0 U	3.0 U	5 U	2.7	5.0 U	0.1
CARBON DISULFIDE	4 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	1 U	2.0 U	1.0 U	0.3
METHYLENE CHLORIDE	4 U	0.44 U	0.44 U	0.44 U	0.44 U	0.44 U	U	1 U	2.0 U	1.0 U	0.0
TRANS-1 2-DICHLOROETHENE	4 U	0.99	1.4	1.3	0.90 U	0.90 U	0.90 U	0.92	6.7	0.54	0.9
1 1-DICHLOROETHANE	4 U	2.8	2.6	4.3	0.93	2.2	1.7	2.4	3.1	2.0	1.2
CIS-1 2-DICHLOROETHENE	200	98	140	110	27	51	95	200	460	7.6	436.9
METHYL ETHYL KETONE	20 U	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U	5 U	10 U	5.0	0.1
CHLOROFORM	1.8	1.4	1.7	1.4	0.34 U	0.34 U	0.34 U	0.37	0.62	1.1	0.5
1 1 1-TRICHLOROETHANE	15	13	11	48	3.5	3.7 U	2.9	2.8	3.5	2.8	7.6
CARBON TETRACHLORIDE	4 U	0.27 U	0.27 U	0.27 U	0.27 U	0.27 U	0.27 U	1 U	2.0 U	1.0 U	0.0
BENZENE	4 U	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U	1 U	2.0 U	1.0 U	0.0
1 2-DICHLOROETHANE	4 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	1 U	2.0 U	1.0 U	0.0
TRICHLOROETHENE	15	10	9.8	16	4.2	4.7	4.2	5.2	5.4	3.1	138.7
1 2-DICHLOROPROPANE	4 U	0.32 U	0.72 U	0.72 U	0.72 U	0.72 U	0.72 U	1 U	2.0 U	1.0 U	0.0
BROMODICHLOROMETHANE	4 U	0.39 U	0.39 U	0.39 U	0.39 U	0.39 U	0.39 U	1 U	2.0 U	1.0 U	0.0
CIS-1 3-DICHLOROPROPENE	4 U	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U	1 U	2.0 U	1.0 U	0.0
MIBK	20 U	0.91 U	2.1 U	2.1 U	2.1 U	2.1 U	2.1 U	5 U	10 U	5.0 U	0.0
TOLUENE	4 U	0.51 U	0.51 U	0.51 U	0.51 U	0.51 U	0.51 U	1 U	2.0 U	1.0 U	0.0
TRANS-1 3-DICHLOROPROPENE	4 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	1 U	2.0 U	1.0 U	0.0
1 1 2-TRICHLOROETHANE	4 U	0.23 U	0.23 U	0.23 U	0.23 U	0.23 U	0.23 U	1 U	2.0 U	1.0 U	0.0
TETRACHLOROETHENE	4 U	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U	1 U	2.0 U	1.0 U	0.0
2-HEXANONE	20 U	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U	5 U	10 U	5.0 U	0.0
DIBROMOCHLOROMETHANE	4 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	1 U	2.0 U	1.0 U	0.0
CHLOROBENZENE	4 U	0.32 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	1 U	2.0 U	1.0 U	0.0
ETHYLBENZENE	4 U	0.18 U	0.74 U	0.74 U	0.74 U	0.74 U	0.74 U	1 U	2.0 U	1.0 U	0.0
P-XYLENE/M-XYLENE	12 U	0.66 U	0.66 U	0.66 U	0.66 U	0.66 U	0.66 U	2 U	4.0 U	2.0 U	0.0
O-XYLENE	4 U	0.36 U	0.76 U	0.76 U	0.76 U	0.76 U	0.76 U	1 U	2.0 U	1.0 U	0.0
STYRENE	4 U	0.18 U	0.73 U	0.73 U	0.73 U	0.73 U	0.73 U	1 U	2.0 U	1.0 U	0.0
BROMOFORM	4 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	1 U	2.0 U	1.0 U	0.0
1 1 2 2-TETRACHLOROETHANE	4 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	1 U	2.0 U	1.0 U	0.0

This well was not sampled on the following dates: April and October 1994; April and October 1995; July 1996; January and July 1997.

WELL NUMBER 87-22(0)
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Jan-96	Apr-96	Apr-97	Apr-98	AVG
CHLOROMETHANE	0.5 U	0.5 U	0.5 U	1 U	0.0
VINYL CHLORIDE	0.5 U	0.5 U	0.5 U	1 U	0.0
CHLOROETHANE	0.5 U	0.5 U	0.5 U	1 U	0.0
BROMOMETHANE	0.5 U	0.5 U	0.5 U	1 U	0.0
1 1-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	1 U	0.0
ACETONE	10 U	10 U	10 U	10 U	0.0
CARBON DISULFIDE	0.5 U	0.5 U	0.5 U	1 U	0.0
METHYLENE CHLORIDE	0.5 U	0.5 U	0.5 U	2 U	0.0
TRANS-1 2-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	1 U	0.0
1 1-DICHLOROETHANE	0.5 U	0.5 U	0.5 U	1 U	0.0
CIS-1 2-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	1 U	0.0
METHYL ETHYL KETONE	10 U	10 U	10 U	10 U	0.0
CHLOROFORM	0.5 U	0.5 U	0.5 U	1 U	0.0
1 1 1-TRICHLOROETHANE	0.5 U	0.5 U	0.5 U	1 U	0.0
CARBON TETRACHLORIDE	0.5 U	0.5 U	0.5 U	1 U	0.0
BENZENE	0.5 U	0.5 U	0.5 U	0.7 U	0.0
1 2-DICHLOROETHANE	0.5 U	0.5 U	0.5 U	1 U	0.0
TRICHLOROETHENE	0.5 U	0.5 U	0.5 U	1 U	0.0
1 2-DICHLOROPROPANE	0.5 U	0.5 U	0.5 U	1 U	0.0
BROMODICHLOROMETHANE	0.5 U	0.5 U	0.5 U	1 U	0.0
CIS-1 3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	1 U	0.0
MBK	10 U	10 U	10 U	10 U	0.0
TOLUENE	0.5 U	0.5 U	0.5 U	1 U	0.0
TRANS-1 3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	1 U	0.0
1 1 2-TRICHLOROETHANE	0.5 U	0.5 U	0.5 U	1 U	0.0
TETRACHLOROETHENE	0.5 U	0.5 U	0.5 U	1 U	0.0
2-HEXANONE	10 U	10 U	10 U	10 U	0.0
DIBROMOCHLOROMETHANE	0.5 U	0.5 U	0.5 U	1 U	0.0
CHLOROBENZENE	0.5 U	0.5 U	0.5 U	1 U	0.0
ETHYLBENZENE	0.5 U	0.5 U	0.5 U	1 U	0.0
P-XYLENE/M-XYLENE	0.5 U	0.5 U	0.5 U	1 U	0.0
O-XYLENE	0.5 U	0.5 U	0.5 U	1 U	0.0
STYRENE	0.5 U	0.5 U	0.5 U	1 U	0.0
BROMOFORM	0.5 U	0.5 U	0.5 U	1 U	0.0
1 1 2 2-TETRACHLOROETHANE	1 U	1 U	0.5 U	1 U	0.0

This well was abandoned due to excessive damage in 2005.

This well was not sampled on the following dates: April, July and October 1993; January, April, July and October 1994; January, April, July and October 1995; July and October 1996; January, July and October 1997; and October 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005.

WELL NUMBER 87-22(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Jan-94	Apr-94	Jul-94	Oct-94	Jan-95	Apr-95	Jul-95	Oct-95	Jan-96	Apr-96	Jul-96	Oct-96	Jan-97	Apr-97	Jul-97	Oct-97	Oct-98	Oct-99	Oct-00	Oct-01
CHLOROMETHANE	5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	125 U	120 U	120 U	120 U	5 U	120	130 U	130 U	50 U	1 U
VINYL CHLORIDE	114	200	274	250 U	250 U	250 U	250 U	390	260	250 U	170	120 U	120 U	180	50	250	130	210	84	270
CHLOROETHANE	5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	125 U	120 U	120 U	120 U	5 U	100 U	130 U	130 U	50 U	1 U
BROMOMETHANE	5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	125 U	120 U	120 U	120 U	5 U	100 U	130 U	130 U	50 U	1 U
1,1-DICHLOROETHENE	5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	125 U	120 U	120 U	120 U	5 U	100 U	130 U	130 U	50 U	11
ACETONE	50 U	1,250 U	2,500 U	2,500 U	2,500 U	2,500 U	2,500 U	2,500 U	1,250 U	1,250 U	625 U	620 U	620 U	620 U	100 U	500 U	630 U	630 U	250 U	10 U
CARBON DISULFIDE	7	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	125 U	120 U	120 U	120 U	5 U	100 U	130 U	130 U	50 U	1 U
METHYLENE CHLORIDE	5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	125 U	120 U	120 U	120 U	6	100 U	130 U	130 U	50 U	1 U
TRANS-1,2-DICHLOROETHENE	12	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	125 U	120 U	120 U	120 U	5	100 U	130 U	130 U	50 U	28
1,1-DICHLOROETHANE	5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	125 U	120 U	120 U	120 U	5 U	100 U	130 U	130 U	50 U	2
CIS-1,2-DICHLOROETHENE	2,920	3,830	6,320	4,530	7,260	6,810	4,850	6,900	6,700	2,900	5,400	3,000	2,400	3,400	1,000	4,200	1,800	2,700	340	2,700
METHYL ETHYL KETONE	50 U	1,250 U	2,500 U	2,500 U	2,500 U	2,500 U	2,500 U	2,500 U	1,250 U	1,250 U	625 U	620 U	620 U	620 U	100 U	500 U	630 U	630 U	250 U	10 U
CHLOROFORM	5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	125 U	120 U	120 U	120 U	5 U	100 U	130 U	130 U	50 U	1 U
1,1,1-TRICHLOROETHANE	14	1,010	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	125 U	120 U	120 U	120 U	5 U	100 U	130 U	130 U	50 U	1 U
CARBON TETRACHLORIDE	5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	125 U	120 U	120 U	120 U	5 U	100 U	130 U	130 U	50 U	14
BENZENE	5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	125 U	120 U	120 U	120 U	5 U	100 U	130 U	18 U	7 U	0.7 U
1,2-DICHLOROETHANE	5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	125 U	120 U	120 U	120 U	5 U	100 U	130 U	130 U	50 U	1 U
TRICHLOROETHENE	2,580	2,850	6,080	2,710	4,023	3,510	2,190	2,900	3,100	1,200	1,900	440	630	650	50	200	130 U	130 U	50 U	15
1,2-DICHLOROPROPANE	5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	125 U	120 U	120 U	120 U	5 U	100 U	130 U	130 U	50 U	1 U
BROMODICHLOROMETHANE	5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	125 U	120 U	120 U	120 U	5 U	100 U	130 U	130 U	50 U	1 U
CIS-1,3-DICHLOROPROPENE	5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	125 U	120 U	120 U	120 U	5 U	100 U	130 U	130 U	50 U	1 U
MIBK	50 U	1,250 U	2,500 U	2,500 U	2,500 U	2,500 U	2,500 U	2,500 U	1,250 U	500 U	250 U	250 U	250 U	250 U	100 U	200 U	250 U	250 U	100 U	10 U
TOLUENE	5 U	456	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	125 U	120 U	120 U	120 U	5 U	100 U	130 U	130 U	50 U	1 U
TRANS-1,3-DICHLOROPROPENE	5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	125 U	120 U	120 U	120 U	5 U	100 U	130 U	130 U	50 U	1 U
1,1,2-TRICHLOROETHANE	5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	125 U	120 U	120 U	120 U	5 U	100 U	130 U	130 U	50 U	1 U
TETRACHLOROETHENE	5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	125 U	120 U	120 U	120 U	5 U	100 U	130 U	130 U	50 U	1 U
2-HEXANONE	50 U	1,250 U	2,500 U	2,500 U	2,500 U	2,500 U	2,500 U	2,500 U	1,250 U	500 U	250 U	250 U	250 U	250 U	100 U	200 U	250 U	250 U	100 U	10 U
DIBROMOCHLOROMETHANE	5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	125 U	120 U	120 U	120 U	5 U	100 U	130 U	130 U	50 U	1 U
CHLOROBENZENE	5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	125 U	120 U	120 U	120 U	5 U	100 U	130 U	130 U	50 U	1 U
ETHYLBENZENE	5 U	188	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	125 U	120 U	120 U	120 U	5 U	100 U	130 U	130 U	50 U	1 U
P-XYLENE/M-XYLENE	5 U	883	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	125 U	120 U	120 U	120 U	5 U	100 U	130 U	130 U	50 U	1 U
O-XYLENE	5 U	284	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	125 U	120 U	120 U	120 U	5 U	100 U	130 U	130 U	50 U	1 U
STYRENE	5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	125 U	120 U	120 U	120 U	5 U	100 U	130 U	130 U	50 U	1 U
BROMOFORM	5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	125 U	120 U	120 U	120 U	5 U	100 U	130 U	130 U	50 U	1 U
1,1,2,2-TETRACHLOROETHANE	5 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	250 U	125 U	120 U	120 U	120 U	5 U	100 U	130 U	130 U	50 U	1 U

This well was not sampled on the following dates: April, July and October 1993; April 1998.

WELL NUMBER 87-22(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Oct-02	Oct-03	Oct-04	Oct-05	Oct-06	Oct-07	Oct-08	Oct-09	Oct-10	Oct-11	Nov-12	Oct-13	Oct-14	Oct-15	Oct-16	Nov-17	AVG
CHLOROMETHANE	50 U	1 U	2 U	1 U	40 U	20 U	10 U	0.35 U	0.35 U	0.35 U	7.0 U	7.0 U	3.5 U	1 U	5.0 U	5.0 U	3.2
VINYL CHLORIDE	1,100	50	61	230	210	120	160	320	490	200	190	500	150	140	430	430	199.0
CHLOROETHANE	100 U	1 U	2 U	1 U	40 U	20 U	10 U	0.32 U	0.32 U	0.32 U	6.4 U	6.4 U	3.2 U	1 U	5.0 U	5.0 U	0.0
BROMOMETHANE	50 U	1 U	2 U	1 U	40 U	20 U	10 U	0.28 U	0.69 U	0.69 U	14 U	14 U	6.9 U	1 U	5.0 U	5.0 U	0.0
1 1-DICHLOROETHENE	50 U	0.79	0.67	5.3	40 U	20 U	10 U	6.7	9.1	2.9 U	5.8 U	5.8 U	2.9 U	1.2	4.9	5.0 U	1.1
ACETONE	500 U	2.5	10 U	5 U	200 U	100 U	50 U	1.3 U	3.0 U	3 U	60 U	60 U	30 U	5 U	6.4	25 U	0.2
CARBON DISULFIDE	50 U	0.25	2 U	1 U	40 U	20 U	3.6	0.19 U	0.84	1.2	3.8 U	3.8 U	1.9 U	1.5	5.0 U	5.0 U	0.4
METHYLENE CHLORIDE	50 U	1 U	1.2	1 U	69	21	10 U	0.44 U	0.44 U	0.44 U	8.8 U	8.8 U	4.4 U	1 U	5.0 U	5.0 U	2.6
TRANS-1 2-DICHLOROETHENE	50 U	3.2	2.7	8.5	40 U	20 U	4.6	9.0	15	6.4	18 U	18 U	9.0 U	2.6	7.3	4.3	2.9
1 1-DICHLOROETHANE	50 U	1.5	1.5	2.9	40 U	20 U	10 U	3.9	6.1	2.8	7.6 U	7.6 U	3.8 U	4.4	5.4	4.6	0.9
CIS-1 2-DICHLOROETHENE	16,000	280	130	1,400	2,600	1,600	900	3500	4,300	2,000	1,100	2,500	750	460	1,200	820	3,229.7
METHYL ETHYL KETONE	500 U	5 U	10 U	5 U	200 U	100 U	50 U	1.3 U	1.3 U	1.3 U	26 U	26 U	13 U	5 U	25 U	25 U	0.0
CHLOROFORM	50 U	1 U	2 U	1 U	40 U	20 U	10 U	0.34 U	0.75	0.34 U	6.8 U	6.8 U	3.4U	1 U	1.3	5.0 U	0.1
1 1 1-TRICHLOROETHANE	50 U	0.3	2 U	0.89	40 U	20 U	10 U	1.3	2.0	0.89 U	16 U	16 U	8.2 U	0.6	5.0 U	5.0 U	27.8
CARBON TETRACHLORIDE	150 U	1 U	2 U	1 U	40 U	20 U	10 U	0.27 U	0.27 U	0.27 U	5.4 U	5.4 U	2.7 U	1 U	5.0 U	5.0 U	0.4
BENZENE	35 U	1 U	2 U	1 U	200 U	20 U	10 U	0.41 U	0.41 U	0.41 U	8.2 U	8.2 U	4.1 U	1 U	5.0 U	5.0 U	0.0
1 2-DICHLOROETHANE	50 U	1 U	2 U	1 U	40 U	20 U	10 U	0.21 U	0.21 U	0.21 U	4.2 U	4.2 U	2.1 U	1 U	5.0 U	5.0 U	0.0
TRICHLOROETHENE	100 U	1.8	1.6	8.7	40 U	20 U	3.6	9.1	12	4.5	9.2 U	9.2 U	4.6 U	2.2	5.0	2.6	948.1
1 2-DICHLOROPROPANE	50 U	1 U	2 U	1 U	40 U	20 U	10 U	0.32 U	0.72 U	0.72 U	14 U	14 U	7.2 U	1 U	5.0 U	5.0 U	0.0
BROMODICHLOROMETHANE	50 U	1 U	2 U	1 U	40 U	20 U	10 U	0.39 U	0.39 U	0.39 U	7.8 U	7.8 U	3.9 U	1 U	5.0 U	5.0 U	0.0
CIS-1 3-DICHLOROPROPENE	50 U	1 U	2 U	1 U	40 U	20 U	10 U	0.36 U	0.36 U	0.36 U	7.2 U	7.2 U	3.6 U	1 U	5.0 U	5.0 U	0.0
MIBK	500 U	5 U	10 U	5 U	200 U	100 U	50 U	0.91 U	2.1 U	2.1 U	42 U	42 U	21 U	5 U	25 U	25 U	0.0
TOLUENE	50 U	1 U	2 U	1 U	40 U	20 U	10 U	0.51 U	0.85	0.51 U	10 U	10 U	5.1 U	1 U	5.0 U	5.0 U	12.3
TRANS-1 3-DICHLOROPROPENE	50 U	1 U	2 U	1 U	40 U	20 U	10 U	0.37 U	0.37 U	0.37 U	7.4 U	7.4 U	3.7 U	1 U	5.0 U	5.0 U	0.0
1 1 2-TRICHLOROETHANE	50 U	1 U	2 U	1 U	40 U	20 U	10 U	0.23 U	0.23 U	0.23 U	4.6 U	4.6 U	2.3 U	1 U	5.0 U	5.0 U	0.0
TETRACHLOROETHENE	50 U	1 U	2 U	1 U	40 U	20 U	10 U	0.36 U	0.36 U	0.36 U	7.2 U	7.2 U	3.6 U	1 U	5.0 U	5.0 U	0.0
2-HEXANONE	500 U	5 U	10 U	5 U	200 U	100 U	50 U	1.2 U	1.2 U	1.2 U	25 U	25 U	12 U	5 U	25 U	25 U	0.0
DIBROMOCHLOROMETHANE	50 U	1 U	2 U	1 U	40 U	20 U	10 U	0.32 U	0.32 U	0.32 U	6.4 U	6.4 U	3.2 U	1 U	5.0 U	5.0 U	0.0
CHLOROBENZENE	50 U	1 U	2 U	1 U	40 U	20 U	10 U	0.32 U	0.75 U	0.75 U	15 U	15 U	7.5 U	1 U	5.0 U	5.0 U	0.0
ETHYLBENZENE	50 U	1 U	2 U	1 U	40 U	20 U	10 U	0.18 U	0.74 U	0.74 U	15 U	15 U	7.4 U	1 U	5.0 U	5.0 U	5.1
P-XYLENE/M-XYLENE	50 U	3 U	6 U	2 U	120 U	60 U	30 U	0.66 U	0.66 U	0.66 U	13 U	13 U	6.6 U	2 U	10 U	10 U	23.9
O-XYLENE	50 U	1 U	2 U	1 U	40 U	20 U	10 U	0.36 U	0.76 U	0.76 U	15 U	15 U	7.6 U	1 U	5.0 U	5.0 U	7.7
STYRENE	50 U	1 U	2 U	1 U	40 U	20 U	10 U	0.18 U	0.73 U	0.73 U	15 U	15 U	7.3 U	1 U	5.0 U	5.0 U	0.0
BROMOFORM	50 U	1 U	2 U	1 U	40 U	20 U	10 U	0.26 U	0.26 U	0.26 U	5.2 U	5.2 U	2.6 U	1 U	5.0 U	5.0 U	0.0
1 1 2 2-TETRACHLOROETHANE	50 U	1 U	2 U	1 U	40 U	20 U	10 U	0.21 U	0.21 U	0.21 U	4.2 U	4.2 U	2.1 U	1 U	5.0 U	5.0 U	0.0

This well was not sampled on the following dates: April, July and October 1993; April 1998.

WELL NUMBER 87-23(0)
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Jul-93	Jan-94	Jul-94	Jan-95	Jul-95	Jan-96	Apr-96	Oct-96	Apr-97	Oct-97	Apr-98	Oct-98	Oct-99	Oct-00	Oct-01	Oct-02	Oct-03	Oct-04	Oct-05	Oct-06	Oct-07	Oct-08	Oct-10	AVG	
CHLOROMETHANE	0.5 U	0.5 U	1 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.35 U	0.0
VINYL CHLORIDE	0.5 U	0.5 U	1 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.90 U	0.0
CHLOROETHANE	0.5 U	0.5 U	1 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.32 U	0.0
BROMOMETHANE	0.5 U	0.5 U	1 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.69 U	0.0
1 1-DICHLOROETHENE	0.5 U	0.5 U	1 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.29 U	0.0
ACETONE	20 U	50 U	10 U	10 U	10	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	3.0 U	0.4
CARBON DISULFIDE	0.5 U	0.5 U	1 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.19 U	0.0
METHYLENE CHLORIDE	0.5 U	0.5 U	1 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.44 U	0.0
TRANS-1 2-DICHLOROETHENE	0.5 U	0.5 U	1 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.90 U	0.0
1 1-DICHLOROETHANE	0.5 U	0.5 U	1 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.38 U	0.0
CIS-1 2-DICHLOROETHENE	0.5 U	0.5 U	1 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.81 U	0.0
METHYL ETHYL KETONE	20 U	50 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	1.3 U	0.0
CHLOROFORM	0.5 U	0.5 U	1 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.34 U	0.0
1 1 1-TRICHLOROETHANE	0.5 U	0.5 U	1 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.82 U	0.0
CARBON TETRACHLORIDE	0.5 U	0.5 U	1 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.27 U	0.0
BENZENE	0.5 U	0.5 U	1 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7 U	0.7 U	0.7 U	0.7 U	0.7 U	0.7 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.41 U	0.0
1 2-DICHLOROETHANE	0.5 U	0.5 U	1	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.21 U	0.0
TRICHLOROETHENE	0.5 U	0.5 U	1 U	0.9	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.46 U	0.0
1 2-DICHLOROPROPANE	0.5 U	0.5 U	1 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.72 U	0.0
BROMODICHLOROMETHANE	0.5 U	0.5 U	1 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.39 U	0.0
CIS-1 3-DICHLOROPROPENE	0.5 U	0.5 U	1 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.36 U	0.0
MIBK	20 U	50 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	2.1 U	0.0
TOLUENE	0.5 U	0.5 U	1 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.51 U	0.0
TRANS-1 3-DICHLOROPROPENE	0.5 U	0.5 U	1 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.37 U	0.0
1 1 2-TRICHLOROETHANE	0.5 U	0.5 U	1	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.23 U	0.0
TETRACHLOROETHENE	0.5 U	0.5 U	1 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.36 U	0.0
2-HEXANONE	20 U	50 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	1.2 U	0.0
DIBROMOCHLOROMETHANE	0.5 U	0.5 U	2	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.32 U	0.1
CHLOROBENZENE	0.5 U	0.5 U	1 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.75 U	0.0
ETHYLBENZENE	0.5 U	0.5 U	1 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.74 U	0.0
P-XYLENE/M-XYLENE	0.5 U	0.5 U	1 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	3 U	3 U	2 U	2 U	2 U	2 U	2 U	0.66 U	0.0
O-XYLENE	0.5 U	0.5 U	1 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.76 U	0.0
STYRENE	0.5 U	0.5 U	1 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.73 U	0.0
BROMOFORM	0.5 U	0.5 U	3	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.26 U	0.1
1 1 2 2-TETRACHLOROETHANE	0.5 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.21 U	0.0

This well was not sampled on the following dates: April and October 1993, April and October 1994, April and October 1995, July 1996, January and July 1997, October 2009.

This location is no longer part of the current sampling program.

WELL NUMBER 89-03(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Jan-94	Jan-95	Jan-96	Oct-96	Apr-98	Oct-98	Oct-99	Oct-00	Oct-01	Oct-02	Oct-03	Oct-04	Oct-05	Oct-06	Oct-07	Oct-08	Oct-09	AVG
CHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.35 U	0.0
VINYL CHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.24 U	0.0
CHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U	0.32 U	0.0
BROMOMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.28 U	0.0
1 1-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.29 U	0.0
ACETONE	50 U	10 U	12	10 U	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U	1.3 U	0.7
CARBON DISULFIDE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.72	1 U	0.19 U	0.0
METHYLENE CHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.44 U	0.0
TRANS-1 2-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.68	1 U	0.42 U	0.0
1 1-DICHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.38 U	0.0
CIS-1 2-DICHLOROETHENE	9	31	25	39	11	64	40	23	17	10	10	6.2	1 U	18	47	2.5	0.92	20.8
METHYL ETHYL KETONE	50 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U	1.3 U	0.0
CHLOROFORM	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.34 U	0.0
1 1 1-TRICHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.26 U	0.0
CARBON TETRACHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	1 U	1 U	0.27 U	0.0
BENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.7 U	0.7 U	0.7 U	0.7 U	0.7 U	0.7 U	1 U	1 U	1 U	1 U	1 U	1 U	0.41 U	0.0
1 2-DICHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.21 U	0.0
TRICHLOROETHENE	0.5 U	0.6	0.5 U	0.5 U	1 U	1 U	1 U	1 U	4	2 U	1.1	1 U	1 U	1 U	1 U	1 U	0.46 U	0.3
1 2-DICHLOROPROPANE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.32 U	0.0
BROMODICHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.39 U	0.0
CIS-1 3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.36 U	0.0
MIBK	50 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U	0.91 U	0.0
TOLUENE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.51 U	0.0
TRANS-1 3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.37 U	0.0
1 1 2-TRICHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.23 U	0.0
TETRACHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.36 U	0.0
2-HEXANONE	50 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U	1.2 U	0.0
DIBROMOCHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.32 U	0.0
CHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.32 U	0.0
ETHYLBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.18 U	0.0
P-XYLENE/M-XYLENE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	3 U	3 U	2 U	2 U	2 U	2 U	0.66 U	0.0
O-XYLENE	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.36 U	0.0
STYRENE	0.5 U	0.5 U	0.5 U	0.5 U	1	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.18 U	0.1
BROMOFORM	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.26 U	0.0
1 1 2 2-TETRACHLOROETHANE	0.5 U	0.5 U	1 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.21 U	0.0

This well was abandoned due to excessive damage in 2010.

This well was not sampled on the following dates: April, July and October 1993; April, July and October 1994; April, July and October 1995; April and July 1996; and January, April, July, and October 1997.

This location is no longer part of the current sampling program.

WELL NUMBER 89-04(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Apr-93	Jul-93	Oct-93	Jan-94	Jul-94	Jan-95	Jul-95	Jan-96	Apr-96	Oct-96	Apr-97	Oct-97	Apr-98	Oct-98	Oct-99	Oct-00	Oct-01	Oct-02	Oct-03	Oct-07	Oct-08	Oct-09	Oct-10	Nov-12	Oct-14	Oct-16	AVG
CHLOROMETHANE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	4 U	1 U	1 U	0.35 U	0.35 U	0.35 U	0.35 U	1.0 U	0.0
VINYL CHLORIDE	49	36	33	12	24	5 U	5 U	5 U	5 U	5 U	2	5 U	1 U	4	12	1 U	2	3	4.6	1.5	2.1	3.8	0.90 U	1.2	0.90 U	0.40	7.3
CHLOROETHANE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	2	4 U	1 U	1 U	0.32 U	0.32 U	0.32 U	0.32 U	1.0 U	0.1
BROMOMETHANE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	4 U	1 U	1 U	0.28 U	0.69 U	0.69 U	0.69 U	1.0 U	0.0
1 1-DICHLOROETHENE	19	10	6	5 U	7	5 U	6	5 U	5 U	5 U	4	5 U	3	3	4	1 U	1 U	2	1.2	1.1	1 U	1.2	0.52	0.57	0.29 U	1.0 U	2.6
ACETONE	50 U	50 U	50 U	50 U	50 U	50 U	50 U	25 U	25 U	25 U	10 U	25 U	10 U	10 U	10 U	10 U	10 U	10 U	20 U	5 U	5 U	1.3 U	3.0 U	3.0 U	3.0 U	1.9	0.1
CARBON DISULFIDE	98	80	88	73	74	67	94	5 U	42	150	86	110	110	99	83	44	80	84	90	63	57	9.8	15	30	12	11	67.3
METHYLENE CHLORIDE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	5 U	2 U	1 U	1 U	1 U	1 U	1 U	4 U	1 U	1 U	0.44 U	0.44 U	0.44 U	0.44 U	1.0 U	0.0
TRANS-1 2-DICHLOROETHENE	5 U	5 U	5 U	6	5 U	5 U	5 U	5 U	5 U	5 U	2	5 U	1 U	1 U	1 U	1 U	1 U	1 U	4 U	0.64	0.67	1.6	1.5	1.3	0.90 U	0.41	0.5
1 1-DICHLOROETHANE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	4 U	1 U	1 U	0.38 U	0.38 U	0.38 U	0.38 U	1.0 U	0.0
CIS-1 2-DICHLOROETHENE	96	76	71	40	60	37	39	5 U	18	22	23	22	18	19	29	12	19	17	24	10	8.7	7.7	4.8	3.2	2.3	2.1	26.2
METHYL ETHYL KETONE	50 U	50 U	50 U	50 U	50 U	50 U	50 U	25 U	25 U	25 U	10 U	25 U	10 U	10 U	10 U	10 U	10 U	10 U	20 U	5 U	5 U	1.3 U	1.3 U	1.3 U	1.3 U	5.0 U	0.0
CHLOROFORM	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	4 U	1 U	1 U	0.34 U	0.34 U	0.34 U	0.34 U	1.0 U	0.0
1 1 1-TRICHLOROETHANE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	4 U	1 U	1 U	0.26 U	0.82 U	0.82 U	0.82 U	1.0 U	0.0
CARBON TETRACHLORIDE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	3 U	4 U	1 U	1 U	0.27 U	0.27 U	0.27 U	0.27 U	1.0 U	0.0
BENZENE	6	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	5 U	0.7 U	0.7 U	0.7 U	0.7 U	0.7 U	0.7 U	4 U	1 U	1 U	0.41 U	0.41 U	0.41 U	0.41 U	1.0 U	0.2
1 2-DICHLOROETHANE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	4 U	1 U	1 U	0.21 U	0.21 U	0.21 U	0.21 U	1.0 U	0.0
TRICHLOROETHENE	12	8	8	7	6	5 U	6	5 U	5 U	6	6	7	6	6	7	4	7	5	4.8	3.7	3.3	1.8	1.7	1.5	1.3	1.4	4.6
1 2-DICHLOROPROPANE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	4 U	1 U	1 U	0.32 U	0.72 U	0.72 U	0.72 U	1.0 U	0.0
BROMODICHLOROMETHANE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	4 U	1 U	1 U	0.39 U	0.39 U	0.39 U	0.39 U	1.0 U	0.0
CIS-1 3-DICHLOROPROPENE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	4 U	1 U	1 U	0.36 U	0.36 U	0.36 U	0.36 U	1.0 U	0.0
MIBK	50 U	50 U	50 U	50 U	50 U	50 U	50 U	25 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	20 U	5 U	5 U	0.91 U	2.1 U	2.1 U	2.1 U	5.0 U	0.0
TOLUENE	6	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	4 U	1 U	1 U	0.51 U	0.51 U	0.51 U	0.51 U	1.0 U	0.2
TRANS-1 3-DICHLOROPROPENE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	4 U	1 U	1 U	0.37 U	0.37 U	0.37 U	0.37 U	1.0 U	0.0
1 1 2-TRICHLOROETHANE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	4 U	1 U	1 U	0.23 U	0.23 U	0.23 U	0.23 U	1.0 U	0.0
TETRACHLOROETHENE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	4 U	1 U	1 U	0.36 U	0.36 U	0.36 U	0.36 U	1.0 U	0.0
2-HEXANONE	50 U	50 U	50 U	50 U	50 U	50 U	50 U	25 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	20 U	5 U	5 U	1.2 U	1.2 U	1.2 U	1.2 U	5.0 U	0.0
DIBROMOCHLOROMETHANE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	4 U	1 U	1 U	0.32 U	0.32 U	0.32 U	0.32 U	1.0 U	0.0
CHLOROBENZENE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	4 U	1 U	1 U	0.32 U	0.75 U	0.75 U	0.75 U	1.0 U	0.0
ETHYLBENZENE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	4 U	1 U	1 U	0.18 U	0.74 U	0.74 U	0.74 U	1.0 U	0.0
P-XYLENE/M-XYLENE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	12 U	2 U	2 U	0.66 U	0.66 U	0.66 U	0.66 U	2.0 U	0.0
O-XYLENE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	4 U	1 U	1 U	0.36 U	0.76 U	0.76 U	0.76 U	1.0 U	0.0
STYRENE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	4 U	1 U	1 U	0.18 U	0.73 U	0.73 U	0.73 U	1.0 U	0.0
BROMOFORM	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	4 U	1 U	1 U	0.26 U	0.26 U	0.26 U	0.26 U	1.0 U	0.0
1 1 2 2-TETRACHLOROETHANE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	4 U	1 U	1 U	0.21 U	0.21 U	0.21 U	0.21 U	1.0 U	0.0

This well was not sampled on the following dates: April and October 1994; April and October 1995; July 1996; January and July 1997 and October 2004, 2005, 2006, 2011, 2013 and 2015.

WELL NUMBER 89-14(0)
ANALYTICAL SAMPLING RESULTS
(Concentrations in ug/L)

ANALYTE	Jul-93	Jan-94	Jul-94	Jan-95	Jan-96	Apr-96	Oct-96	Apr-97	Apr-98	Oct-01	Oct-02	Oct-03	Oct-05	Oct-06	Oct-08	Oct-09	Oct-10	Nov-12	Oct-14	AVG
CHLOROMETHANE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.35 U	0.35 U	0.35 U	0.35 U	0.0
VINYL CHLORIDE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.24 U	0.90 U	0.90 U	0.90 U	0.0
CHLOROETHANE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.32 U	0.32 U	0.32 U	0.32 U	0.0
BROMOMETHANE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.28 U	0.69 U	0.69 U	0.69 U	0.0
1 1-DICHLOROETHENE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.29 U	0.29 U	0.29 U	0.29 U	0.0
ACETONE	36	50 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U	1.3 U	3.0 U	3.0 U	3.0 U	1.9
CARBON DISULFIDE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.19 U	0.19 U	0.19 U	0.19 U	0.0
METHYLENE CHLORIDE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U	0.44 U	0.44 U	0.44 U	0.44 U	0.0
TRANS-1 2-DICHLOROETHENE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.42 U	0.90 U	0.90 U	0.90 U	0.0
1 1-DICHLOROETHANE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.38 U	0.38 U	0.38 U	0.38 U	0.0
CIS-1 2-DICHLOROETHENE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.38 U	0.81 U	0.81 U	0.81 U	0.0
METHYL ETHYL KETONE	20 U	50 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U	1.3 U	1.3 U	1.3 U	1.3 U	0.0
CHLOROFORM	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.34 U	0.34 U	0.34 U	0.34 U	0.0
1 1 1-TRICHLOROETHANE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.26 U	0.82 U	0.82 U	0.82 U	0.0
CARBON TETRACHLORIDE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	0.27 U	0.27 U	0.27 U	0.27 U	0.0
BENZENE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7 U	0.7 U	0.7 U	1 U	1 U	1 U	1 U	0.41 U	0.41 U	0.41 U	0.41 U	0.0
1 2-DICHLOROETHANE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.21 U	0.21 U	0.21 U	0.21 U	0.0
TRICHLOROETHENE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	0.46 U	0.46 U	0.46 U	0.46 U	0.0
1 2-DICHLOROPROPANE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.33 U	0.72 U	0.72 U	0.72 U	0.0
BROMODICHLOROMETHANE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.39 U	0.39 U	0.39 U	0.39 U	0.0
CIS-1 3-DICHLOROPROPENE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.36 U	0.36 U	0.36 U	0.36 U	0.0
MIBK	20 U	50 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U	0.91 U	2.1 U	2.1 U	2.1 U	0.0
TOLUENE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.51 U	0.51 U	0.51 U	0.51 U	0.0
TRANS-1 3-DICHLOROPROPENE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.37 U	0.37 U	0.37 U	0.37 U	0.0
1 1 2-TRICHLOROETHANE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.23 U	0.23 U	0.23 U	0.23 U	0.0
TETRACHLOROETHENE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.36 U	0.36 U	0.36 U	0.36 U	0.0
2-HEXANONE	20 U	50 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U	1.2 U	1.2 U	1.2 U	1.2 U	0.0
DIBROMOCHLOROMETHANE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.32 U	0.32 U	0.32 U	0.32 U	0.0
CHLOROBENZENE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.32 U	0.75 U	0.75 U	0.75 U	0.0
ETHYLBENZENE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.18 U	0.74 U	0.74 U	0.74 U	0.0
P-XYLENE/M-XYLENE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	3 U	2 U	2 U	2 U	0.66 U	0.66 U	0.66 U	0.66 U	0.0
O-XYLENE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.36 U	0.76 U	0.76 U	0.76 U	0.0
STYRENE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1	1 U	1 U	1 U	1 U	1 U	1 U	0.18 U	0.73 U	0.73 U	0.73 U	0.1
BROMOFORM	0.5 U	0.5 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.26 U	0.26 U	0.26 U	0.26 U	0.0
1 1 2 2-TETRACHLOROETHANE	0.5 U	0.5 U	1 U	0.5 U	1 U	1 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.21 U	0.21 U	0.21 U	0.21 U	0.0

This well was not sampled on the following dates: April and October 1993; April and October 1994; April, July and October 1995; July 1996; January, July and October 1997, October 1998, 1999, 2000, 2004, 2007, 2011, 2013 and 2015.
No sample was collected in 2016 due to insufficient water volume in the well.

WELL NUMBER 89-15(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Oct-02	Oct-03	Oct-04	Oct-05	Oct-06	Oct-07	Oct-08	Oct-09	Oct-10	Oct-11	Nov-12	Oct-13	Oct-14	Oct-15	Oct-16	Nov-17	AVG
CHLOROMETHANE	1 U	2,000 U	1,000 U	1 U	1 U	100 U	100 U	0.35 U	0.35 U	0.35 U	35 U	70 U	70 U	250 U	250 U	0.26	0.0
VINYL CHLORIDE	2	2,000 U	1,000 U	1 U	330	100 U	250	210	220	150	170	210	200	210	390	20	78.1
CHLOROETHANE	2 U	2,000 U	1,000 U	1 U	1.9	100 U	100 U	0.32 U	0.32 U	0.32 U	32 U	64 U	64 U	250 U	250 U	1.0 U	0.1
BROMOMETHANE	1 U	2,000 U	1,000 U	1 U	1 U	100 U	100 U	0.28 U	0.69 U	0.69 U	69 U	140 U	140 U	250 U	250 U	1.0 U	0.0
1 1-DICHLOROETHENE	1 U	2,000 U	1,000 U	1 U	84	100 U	100 U	22	12	25	29 U	58 U	58 U	250 U	250 U	0.7	4.5
ACETONE	10 U	10,000 U	5,000 U	5 U	5 U	500 U	500 U	1.3 U	3.0 U	3 U	300 U	600 U	600 U	1,200 U	1300 U	5.0 U	0.0
CARBON DISULFIDE	1 U	2,000 U	1,000 U	1 U	54	100 U	100 U	4.7	7.9	9.4	19 U	38 U	38 U	250 U	110	0.26	136.7
METHYLENE CHLORIDE	1,000	46,000	8,400	4.8	86,000	7,900	13,000	22,000	16,000	0.44 U	14,000	32,000	36,000	25,000	110,000	1.0 U	87,525.9
TRANS-1 2-DICHLOROETHENE	1 U	2,000 U	1,000 U	1 U	65	100 U	100 U	21	19	11	90 U	180 U	180 U	250 U	250 U	0.4	5.4
1 1-DICHLOROETHANE	1 U	2,000 U	1,000 U	1.3	42	100 U	100 U	21	13	25	38 U	76 U	76 U	250 U	250 U	3.9	3.3
CIS-1 2-DICHLOROETHENE	120	5,700	6,700	210	16,000	1,000	13,000	8,500	8,800	4,200	3,100	4,000	6,400	4,800	17,000	62	4,723.2
METHYL ETHYL KETONE	10 U	10,000 U	5,000 U	5 U	5 U	500 U	500 U	1.3 U	1.3 U	1.3 U	130 U	260 U	260 U	1300 U	1300 U	5.0 U	0.0
CHLOROFORM	1 U	2,000 U	1,000 U	1 U	15	100 U	100 U	2.4	1.4	1.3	34 U	68 U	68 U	250 U	410	1.0 U	11.5
1 1 1-TRICHLOROETHANE	7	2,000 U	1,000 U	0.9	1,200	100 U	100 U	63	32	160	82 U	160 U	160 U	250 U	230	1.0	93.4
CARBON TETRACHLORIDE	3 U	2,000 U	1,000 U	1 U	1 U	100 U	100 U	0.27 U	0.27 U	0.27 U	27 U	54 U	54 U	250 U	250 U	1.0 U	1.1
BENZENE	0.7 U	2,000 U	1,000 U	1 U	1.6	100 U	100 U	0.43	0.41 U	0.41 U	41 U	82 U	82 U	250 U	250 U	1.0 U	0.1
1 2-DICHLOROETHANE	1 U	2,000 U	1,000 U	1 U	1.8	100 U	100 U	0.21 U	0.21 U	0.21 U	21 U	42 U	42 U	250 U	250 U	1.0 U	0.0
TRICHLOROETHENE	1,700	180,000	36,000	120	87,000	9,100	7,600	8,800	6,500	7,200	4,900	20,000	62,000	43,000	140,000	5.1	69,344.9
1 2-DICHLOROPROPANE	1 U	2,000 U	1,000 U	1 U	1 U	100 U	100 U	0.32 U	0.72 U	0.72 U	72 U	140 U	140 U	250 U	250 U	1.0 U	0.0
BROMODICHLOROMETHANE	1 U	2,000 U	1,000 U	1 U	1 U	100 U	100 U	0.39 U	0.39 U	0.39 U	39 U	78 U	78 U	250 U	130	1.0 U	3.4
CIS-1 3-DICHLOROPROPENE	1 U	2,000 U	1,000 U	1 U	1 U	100 U	100 U	0.36 U	0.36 U	0.36 U	36 U	72 U	72 U	250 U	250 U	1.0 U	0.0
MIBK	10 U	10,000 U	5,000 U	5 U	4.3	500 U	500 U	0.91 U	2.1 U	2.1 U	210 U	420 U	420 U	1,200 U	1300 U	5.0 U	0.1
TOLUENE	1 U	2,000 U	1,000 U	1 U	40	100 U	100 U	2.9	2.1	2.2	51 U	100 U	100 U	250 U	250 U	1.0 U	1.6
TRANS-1 3-DICHLOROPROPENE	1 U	2,000 U	1,000 U	1 U	1 U	100 U	100 U	0.37 U	0.37 U	0.37 U	37 U	74 U	74 U	250 U	250 U	1.0 U	0.0
1 1 2-TRICHLOROETHANE	1 U	2,000 U	1,000 U	1 U	2.6	100 U	100 U	0.23 U	0.23 U	0.23 U	23 U	46 U	46 U	250 U	250 U	1.0 U	0.1
TETRACHLOROETHENE	1 U	2,000 U	1,000 U	1 U	40	100 U	100 U	4	2.2	2	36 U	72 U	72 U	250 U	250 U	1.0 U	1.5
2-HEXANONE	10 U	10,000 U	5,000 U	5 U	5 U	500 U	500 U	1.2 U	1.2 U	1.2 U	120 U	250 U	250 U	1,200 U	1300 U	5.0 U	0.0
DIBROMOCHLOROMETHANE	1 U	2,000 U	1,000 U	1 U	1 U	100 U	100 U	0.32 U	0.32 U	0.32 U	32 U	64 U	64 U	250 U	250 U	1.0 U	0.0
CHLOROBENZENE	1 U	2,000 U	1,000 U	1 U	1 U	100 U	100 U	0.32 U	0.75 U	0.75 U	75 U	150 U	150 U	250 U	250 U	1.0 U	0.0
ETHYLBENZENE	1 U	2,000 U	1,000 U	1 U	5.2	100 U	100 U	0.69	0.74 U	0.74 U	74 U	150 U	150 U	250 U	250 U	1.0 U	0.2
P-XYLENE/M-XYLENE	1 U	6,000 U	3,000 U	2 U	15	300 U	300 U	1.1	0.98	0.66	66 U	130 U	130 U	750 U	500 U	2.0 U	0.5
O-XYLENE	1 U	2,000 U	1,000 U	1 U	7	100 U	100 U	0.89	0.81	0.76 U	76 U	150 U	150 U	250 U	250 U	1.0 U	0.2
STYRENE	1 U	2,000 U	1,000 U	1 U	1 U	100 U	100 U	0.18 U	0.73 U	0.73 U	73 U	150 U	150 U	250 U	250 U	1.0 U	0.0
BROMOFORM	1 U	2,000 U	1,000 U	1 U	1 U	100 U	100 U	0.26 U	0.26 U	0.26 U	26 U	52 U	52 U	250 U	250 U	1.0 U	0.0
1 1 2 2-TETRACHLOROETHANE	1 U	2,000 U	1,000 U	1 U	1 U	100 U	100 U	0.21 U	0.21 U	0.21 U	21 U	42 U	42 U	250 U	250 U	1.0 U	0.0

This well was not sampled on the following dates: April and October 1993; April 1998.

WELL NUMBER 89-16(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Jan-94	Jan-95	Jan-96	Oct-96	Oct-97	Oct-98	Oct-99	Oct-00	Oct-01	Oct-02	Oct-03	Oct-04	Oct-05	Oct-06	Oct-07	Oct-08	Oct-09	Oct-10	AVG
CHLOROMETHANE	0.5 U	0.5 U	5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.35 U	0.35 U	0.0
VINYL CHLORIDE	0.5 U	0.5 U	5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.24 U	0.90 U	0.0
CHLOROETHANE	0.5 U	0.5 U	5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U	0.32 U	0.32 U	0.0
BROMOMETHANE	0.5 U	0.5 U	5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.28 U	0.69 U	0.0
1 1-DICHLOROETHENE	0.5 U	0.5 U	5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.29 U	0.29 U	0.0
ACETONE	50 U	10 U	25 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U	1.3 U	3.0 U	0.0
CARBON DISULFIDE	0.5 U	0.5 U	5 U	1	0.5 U	1 U	2	1 U	1 U	1 U	0.4	1 U	1 U	1 U	3.6	0.64	1.3	0.86	0.5
METHYLENE CHLORIDE	0.5 U	0.5 U	5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.44 U	0.44 U	0.0
TRANS-1 2-DICHLOROETHENE	0.5 U	0.5 U	5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.42 U	0.90 U	0.0
1 1-DICHLOROETHANE	0.5 U	0.5 U	5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.38 U	0.38 U	0.0
CIS-1 2-DICHLOROETHENE	0.5 U	0.5 U	5 U	0.5 U	0.7	1 U	1 U	1 U	1 U	1 U	0.47	0.4	0.78	1 U	0.63	0.42	0.66	0.81 U	0.2
METHYL ETHYL KETONE	50 U	10 U	25 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U	1.3 U	1.3 U	0.0
CHLOROFORM	0.5 U	0.5 U	5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.34 U	0.34 U	0.0
1 1 1-TRICHLOROETHANE	0.5 U	0.5 U	5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.26 U	0.82 U	0.0
CARBON TETRACHLORIDE	0.5 U	0.5 U	5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	1 U	1 U	0.27 U	0.27 U	0.0
BENZENE	0.5 U	0.5 U	5 U	0.5 U	0.5 U	0.7 U	0.7 U	0.7 U	0.7 U	0.7 U	1 U	1 U	1 U	1 U	1 U	1 U	0.41 U	0.41 U	0.0
1 2-DICHLOROETHANE	0.5 U	0.5 U	5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.21 U	0.21 U	0.0
TRICHLOROETHENE	0.5 U	0.5 U	5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U	0.46 U	0.46 U	0.0
1 2-DICHLOROPROPANE	0.5 U	0.5 U	5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.32 U	0.72 U	0.0
BROMODICHLOROMETHANE	0.5 U	0.5 U	5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.39 U	0.39 U	0.0
CIS-1 3-DICHLOROPROPENE	0.5 U	0.5 U	5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.36 U	0.36 U	0.0
MIBK	50 U	10 U	25 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U	0.91 U	2.1 U	0.0
TOLUENE	0.5 U	0.5 U	5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.51 U	0.51 U	0.0
TRANS-1 3-DICHLOROPROPENE	0.5 U	0.5 U	5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.37 U	0.37 U	0.0
1 1 2-TRICHLOROETHANE	0.5 U	0.5 U	5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.23 U	0.23 U	0.0
TETRACHLOROETHENE	0.5 U	0.5 U	5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.36 U	0.36 U	0.0
2-HEXANONE	50 U	10 U	25 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U	1.2 U	1.2 U	0.0
DIBROMOCHLOROMETHANE	0.5 U	0.5 U	5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.32 U	0.32 U	0.0
CHLOROBENZENE	0.5 U	0.5 U	5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.32 U	0.75 U	0.0
ETHYLBENZENE	0.5 U	0.5 U	5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.18 U	0.74 U	0.0
P-XYLENE/M-XYLENE	0.5 U	0.5 U	5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	3 U	3 U	2 U	2 U	2 U	2 U	0.66 U	0.66 U	0.0
O-XYLENE	0.5 U	0.5 U	5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.36 U	0.76 U	0.0
STYRENE	0.5 U	0.5 U	5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.18 U	0.73 U	0.0
BROMOFORM	0.5 U	0.5 U	5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.26 U	0.26 U	0.0
1 1 2 2-TETRACHLOROETHANE	0.5 U	0.5 U	5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.21 U	0.21 U	0.0

This well was not sampled on the following dates: April, July and October 1993; April, July and October 1994; April, July and October 1995; April and July 1996; January, April and July 1997; April 1998.

This location is no longer part of the current sampling program.

WELL NUMBER 89-17(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Jan-94	Jan-95	Jan-96	Oct-96	Oct-97	Oct-98	Oct-99	Oct-00	Jan-02	Oct-02	Oct-03	Oct-04	Oct-05	Oct-06	Oct-07	Oct-08	Oct-09	Oct-10	Nov-12	AVG
CHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.35 U	0.35 U	0.35 U	0.0
VINYL CHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.24 U	0.90 U	0.90 U	0.0
CHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U	0.32 U	0.32 U	0.32 U	0.0
BROMOMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.28 U	0.69 U	0.69 U	0.0
1 1-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.29 U	0.29 U	0.29 U	0.0
ACETONE	50 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	4.2	5 U	5 U	5 U	5 U	5 U	1.3 U	3.0 U	3.0 U	0.2
CARBON DISULFIDE	0.5 U	0.5 U	0.5 U	0.6	0.5 U	1 U	4	1 U	34	1 U	0.6	0.64	0.66	1 U	1.3	1.6	0.19 U	1.6	3.0	2.5
METHYLENE CHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.44 U	0.44 U	0.44 U	0.0
TRANS-1 2-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.42 U	0.90 U	0.90 U	0.0
1 1-DICHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.38 U	0.38 U	0.38 U	0.0
CIS-1 2-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	0.47	1 U	1 U	1 U	1 U	0.38 U	0.81 U	0.81 U	0.0
METHYL ETHYL KETONE	50 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U	1.3 U	1.3 U	1.3 U	0.0
CHLOROFORM	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.34 U	0.34 U	0.34 U	0.0
1 1 1-TRICHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.26 U	0.82 U	0.82 U	0.0
CARBON TETRACHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	1 U	1 U	0.27 U	0.27 U	0.27 U	0.0
BENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.7 U	0.7 U	0.7 U	0.7 U	0.7 U	0.56	1 U	1 U	1 U	1 U	1 U	0.41 U	0.41 U	0.41 U	0.0
1 2-DICHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.21 U	0.21 U	0.21 U	0.0
TRICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U	0.46 U	0.46 U	0.46 U	0.0
1 2-DICHLOROPROPANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.32 U	0.72 U	0.72 U	0.0
BROMODICHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.39 U	0.39 U	0.39 U	0.0
CIS-1 3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.36 U	0.36 U	0.36 U	0.0
MIBK	50 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U	0.91 U	2.1 U	2.1 U	0.0
TOLUENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.51 U	0.51 U	0.51 U	0.0
TRANS-1 3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.37 U	0.37 U	0.37 U	0.0
1 1 2-TRICHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.23 U	0.23 U	0.23 U	0.0
TETRACHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.36 U	0.36 U	0.36 U	0.0
2-HEXANONE	50 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U	1.2 U	1.2 U	1.2 U	0.0
DIBROMOCHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.32 U	0.32 U	0.32 U	0.0
CHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.32 U	0.75 U	0.75 U	0.0
ETHYLBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.18 U	0.74 U	0.74 U	0.0
P-XYLENE/M-XYLENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	5 U	1 U	3 U	3 U	2 U	2 U	2 U	2 U	0.66 U	0.66 U	0.66 U	0.0
O-XYLENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.36 U	0.76 U	0.76 U	0.0
STYRENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.18 U	0.73 U	0.73 U	0.0
BROMOFORM	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.26 U	0.26 U	0.26 U	0.0
1 1 2 2-TETRACHLOROETHANE	0.5 U	0.5 U	1 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.21 U	0.21 U	0.21 U	0.0

This well was not sampled on the following dates: April, July and October 1993; April, July and October 1994; April, July and October 1995; April and July 1996; January, April and July 1997; April 1998.

This location is no longer part of the current sampling program.

WELL NUMBER 93-03(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Apr-93	Jul-93	Oct-93	Jan-94	Jul-94	Jan-95	Jan-96	Apr-96	Jul-96	Oct-96	Jan-97	Apr-97	Jul-97	Oct-97	Apr-98	Oct-98	Oct-99	Oct-00	Oct-01
CHLOROMETHANE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U	1 U
VINYL CHLORIDE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U	1 U
CHLOROETHANE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U	1 U
BROMOMETHANE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U	1 U
1 1-DICHLOROETHENE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U	1 U
ACETONE	63	108	50 U	50 U	50 U	50 U	25 U	25 U	25 U	25 U	25 U	10 U	10 U	10 U	10 U	25 U	10 U	10 U	10 U
CARBON DISULFIDE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	1	0.7	0.5 U	2	5 U	1	1 U	1 U
METHYLENE CHLORIDE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	2 U	5 U	1 U	1 U	1 U
TRANS-1 2-DICHLOROETHENE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U	1 U
1 1-DICHLOROETHANE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U	1 U
CIS-1 2-DICHLOROETHENE	11	5	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	1	0.6	1 U	3	1	1 U	1 U
METHYL ETHYL KETONE	50 U	50 U	50 U	50 U	50 U	50 U	25 U	25 U	25 U	25 U	25 U	10 U	10 U	10 U	10 U	25 U	10 U	10 U	10 U
CHLOROFORM	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U	1 U
1 1 1-TRICHLOROETHANE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U	1 U
CARBON TETRACHLORIDE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U	1 U
BENZENE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	0.7 U	5 U	0.7 U	0.7 U	0.7 U
1 2-DICHLOROETHANE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U	1 U
TRICHLOROETHENE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U	1 U
1 2-DICHLOROPROPANE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U	1 U
BROMODICHLOROMETHANE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U	1 U
CIS-1 3-DICHLOROPROPENE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U	1 U
MIBK	50 U	50 U	50 U	50 U	50 U	50 U	25 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
TOLUENE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U	1 U
TRANS-1 3-DICHLOROPROPENE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U	1 U
1 1 2-TRICHLOROETHANE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U	1 U
TETRACHLOROETHENE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U	1 U
2-HEXANONE	50 U	5 U	50 U	50 U	50 U	50 U	25 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
DIBROMOCHLOROMETHANE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U	1 U
CHLOROBENZENE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U	1 U
ETHYLBENZENE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U	1 U
P-XYLENE/M-XYLENE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U	1 U
O-XYLENE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U	1 U
STYRENE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U	1 U
BROMOFORM	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U	1 U
1 1 2 2-TETRACHLOROETHANE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	5 U	1 U	1 U	1 U

This well was not sampled on the following dates: April and October 1994; April, July and October 1995.

WELL NUMBER 93-03(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Oct-02	Oct-03	Oct-04	Oct-05	Oct-06	Oct-07	Oct-08	Oct-09	Oct-10	Oct-11	Nov-12	Oct-13	Apr-14	Oct-14	Jun-15	Oct-15	Apr-16	Oct-16	Apr-17	Nov-17	AVG
CHLOROMETHANE	1 U	1 U	1 U	5 U	1 U	1 U	1 U	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U	1 U	0.35 U	1 U	1 U	1 U	1.0 U	1.0 U	1.0 U	0.0
VINYL CHLORIDE	1 U	1 U	1 U	5 U	1 U	1 U	1 U	0.24 U	0.90 U	0.9 U	0.90 U	0.90 U	1 U	0.90 U	1 U	1 U	1 U	1.0 U	1.0 U	1.0 U	0.0
CHLOROETHANE	2 U	1 U	1 U	5 U	1 U	1 U	1 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	1 U	0.32 U	1 U	1 U	1 U	1.0 U	1.0 U	1.0 U	0.0
BROMOMETHANE	1 U	1 U	1 U	5 U	1 U	1 U	1 U	0.28 U	0.69 U	0.69 U	0.69 U	0.69 U	1 U	0.69 U	1 U	1 U	1 U	1.0 U	1.0 U	1.0 U	0.0
1 1-DICHLOROETHENE	1 U	1 U	1 U	5 U	1 U	1 U	1 U	0.29 U	0.29 U	0.29 U	0.29 U	0.29 U	1 U	0.29 U	1 U	1 U	1 U	1.0 U	1.0 U	1.0 U	0.0
ACETONE	10 U	5 U	5 U	28	16	5 U	5 U	1.3 U	3.0 U	3 U	3.0 U	3.0 U	5 U	3.0 U	5 U	5 U	5 U	5.0 U	5.0 U	5.0 U	5.4
CARBON DISULFIDE	1 U	1 U	1 U	5 U	1 U	2.6	1 U	0.19 U	0.98	0.7	1.4	1.2	1 U	1.2	1 U	4.5	2	0.23	0.33	0.3	0.5
METHYLENE CHLORIDE	1 U	1 U	1 U	5 U	1 U	1 U	1 U	0.44 U	0.44 U	0.44 U	0.44 U	0.44 U	1 U	0.44 U	1 U	1 U	1.7	1.0 U	1.0 U	1.0 U	0.0
TRANS-1 2-DICHLOROETHENE	1 U	1 U	1 U	5 U	1 U	1 U	1 U	0.42 U	0.90 U	0.9 U	0.90 U	0.90 U	1 U	0.90 U	1 U	1 U	1 U	1.0 U	1.0 U	1.0 U	0.0
1 1-DICHLOROETHANE	1 U	1 U	1 U	5 U	1 U	1 U	1 U	0.38 U	0.38 U	0.38 U	0.38 U	0.38 U	1 U	0.38 U	1 U	1 U	1 U	1.0 U	1.0 U	1.0 U	0.0
CIS-1 2-DICHLOROETHENE	1 U	1 U	1 U	5 U	1 U	2.6	0.48	1.6	0.91	1.2	1.3	0.81 U	1 U	0.81 U	1 U	0.37	1 U	0.90	1.0 U	1.0 U	0.8
METHYL ETHYL KETONE	10 U	5 U	5 U	25 U	2.6	5 U	5 U	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U	5 U	1.3 U	5 U	5 U	5 U	5.0 U	5.0 U	5.0 U	0.1
CHLOROFORM	1 U	1 U	1 U	5 U	1 U	1 U	1 U	0.34 U	0.34 U	0.34 U	0.34 U	0.34 U	1 U	0.34 U	1 U	1 U	1 U	1.0 U	1.0 U	1.0 U	0.0
1 1 1-TRICHLOROETHANE	1 U	1 U	1 U	5 U	1 U	1 U	1 U	0.26 U	0.82 U	0.82 U	0.82 U	0.82 U	1 U	0.82 U	1 U	1 U	1 U	1.0 U	1.0 U	1.0 U	0.0
CARBON TETRACHLORIDE	3 U	1 U	1 U	5 U	1 U	1 U	1 U	0.27 U	0.27 U	0.27 U	0.27 U	0.27 U	1 U	0.27 U	1 U	1 U	1 U	1.0 U	1.0 U	1.0 U	0.0
BENZENE	0.7 U	1 U	1 U	5 U	1 U	1 U	1 U	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U	1 U	0.41 U	1 U	1 U	1 U	1.0 U	1.0 U	1.0 U	0.0
1 2-DICHLOROETHANE	1 U	1 U	1 U	5 U	1 U	1 U	1 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	1 U	0.21 U	1 U	1 U	1 U	1.0 U	1.0 U	1.0 U	0.0
TRICHLOROETHENE	2 U	1 U	1 U	5 U	1.6 U	1 U	1 U	0.46 U	0.46 U	0.46 U	0.46 U	0.46 U	1 U	0.46 U	1 U	1 U	1 U	1.0 U	1.0 U	1.0 U	0.0
1 2-DICHLOROPROPANE	1 U	1 U	1 U	5 U	1 U	1 U	1 U	0.32 U	0.72 U	0.72 U	0.72 U	0.72 U	1 U	0.72 U	1 U	1 U	1 U	1.0 U	1.0 U	1.0 U	0.0
BROMODICHLOROMETHANE	1 U	1 U	1 U	5 U	1 U	1 U	1 U	0.39 U	0.39 U	0.39 U	0.39 U	0.39 U	1 U	0.39 U	1 U	1 U	1 U	1.0 U	1.0 U	1.0 U	0.0
CIS-1 3-DICHLOROPROPENE	1 U	1 U	1 U	5 U	1 U	1 U	1 U	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U	1 U	0.36 U	1 U	1 U	1 U	1.0 U	1.0 U	1.0 U	0.0
MIBK	10 U	5 U	5 U	25 U	5 U	5 U	5 U	0.91 U	2.1 U	2.1 U	2.1 U	2.1 U	5 U	2.1 U	5 U	5 U	5 U	5.0 U	5.0 U	5.0 U	0.0
TOLUENE	1 U	1 U	1 U	5 U	1 U	1 U	1 U	0.51 U	0.51 U	0.51 U	0.51 U	0.51 U	1 U	0.51 U	1 U	1 U	1 U	1.0 U	1.0 U	1.0 U	0.0
TRANS-1 3-DICHLOROPROPENE	1 U	1 U	1 U	5 U	1 U	1 U	1 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	1 U	0.37 U	1 U	1 U	1 U	1.0 U	1.0 U	1.0 U	0.0
1 1 2-TRICHLOROETHANE	1 U	1 U	1 U	5 U	1 U	1 U	1 U	0.23 U	0.23 U	0.23 U	0.23 U	0.23 U	1 U	0.23 U	1 U	1 U	1 U	1.0 U	1.0 U	1.0 U	0.0
TETRACHLOROETHENE	1 U	1 U	1 U	5 U	1 U	1 U	1 U	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U	1 U	0.36 U	1 U	1 U	1 U	1.0 U	1.0 U	1.0 U	0.0
2-HEXANONE	10 U	5 U	5 U	25 U	5 U	5 U	5 U	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U	5 U	1.2 U	5 U	5 U	5 U	5.0 U	5.0 U	5.0 U	0.0
DIBROMOCHLOROMETHANE	1 U	1 U	1 U	5 U	1 U	1 U	1 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	1 U	0.32 U	1 U	1 U	1 U	1.0 U	1.0 U	1.0 U	0.0
CHLOROBENZENE	1 U	1 U	1 U	5 U	1 U	1 U	1 U	0.32 U	0.75 U	0.75 U	0.75 U	0.75 U	1 U	0.75 U	1 U	1 U	1 U	1.0 U	1.0 U	1.0 U	0.0
ETHYLBENZENE	1 U	1 U	1 U	5 U	1 U	1 U	1 U	0.18 U	0.74 U	0.74 U	0.74 U	0.74 U	1 U	0.74 U	1 U	1 U	1 U	1.0 U	1.0 U	1.0 U	0.0
P-XYLENE/M-XYLENE	1 U	3 U	3 U	10 U	2 U	2 U	2 U	0.66 U	0.66 U	0.66 U	0.66 U	0.66 U	2 U	0.66 U	2 U	2 U	2 U	2.0 U	2.0 U	2.0 U	0.0
O-XYLENE	1 U	1 U	1 U	5 U	1 U	1 U	1 U	0.36 U	0.76 U	0.76 U	0.76 U	0.76 U	1 U	0.76 U	1 U	1 U	1 U	1.0 U	1.0 U	1.0 U	0.0
STYRENE	1 U	1 U	1 U	5 U	1 U	1 U	1 U	0.18 U	0.73 U	0.73 U	0.73 U	0.73 U	1 U	0.73 U	1 U	1 U	1 U	1.0 U	1.0 U	1.0 U	0.0
BROMOFORM	1 U	1 U	1 U	5 U	1 U	1 U	1 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	1 U	0.26 U	1 U	1 U	1 U	1.0 U	1.0 U	1.0 U	0.0
1 1 2 2-TETRACHLOROETHANE	1 U	1 U	1 U	5 U	1 U	1 U	1 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	1 U	0.21 U	1 U	1 U	1 U	1.0 U	1.0 U	1.0 U	0.0

This well was not sampled on the following dates: April and October 1994; April, July and October 1995.

WELL NUMBER 94-02(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Jan-95	Jan-96	Oct-96	Oct-97	Oct-98	Oct-99	Oct-00	Jan-02	Oct-02	Oct-03	Oct-04	Oct-05	Oct-06	Oct-07	Oct-08	Oct-09	Oct-10	Nov-12	AVG
CHLOROMETHANE	5 U	5 U	5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.35 U	0.35 U	0.35 U	0.0
VINYL CHLORIDE	5 U	5 U	5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.24 U	0.90 U	0.90 U	0.0
CHLOROETHANE	5 U	5 U	5 U	0.5 U	1 U	1 U	1 U	1 U	2	1 U	1 U	1 U	1 U	1 U	1 U	0.32 U	0.32 U	0.32 U	0.1
BROMOMETHANE	5 U	5 U	5 U	0.5 U	1 U	1 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.28 U	0.69 U	0.69 U	0.0
1,1-DICHLOROETHENE	5 U	5 U	5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.29 U	0.29 U	0.29 U	0.0
ACETONE	50 U	25 U	25 U	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U	1.3 U	3.0 U	3.0 U	0.0
CARBON DISULFIDE	5 U	5 U	5 U	0.5 U	1 U	3	1 U	1 U	1 U	1 U	0.43	1 U	1 U	3.8	1.7	1.0	8.5	1.4	1.1
METHYLENE CHLORIDE	5 U	5 U	5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.44 U	0.44 U	0.44 U	0.0
TRANS-1,2-DICHLOROETHENE	5 U	5 U	5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.42 U	0.90 U	0.90 U	0.0
1,1-DICHLOROETHANE	5 U	5 U	5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.38 U	0.38 U	0.38 U	0.0
CIS-1,2-DICHLOROETHENE	5 U	5 U	5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.67	0.81 U	0.81 U	0.0
METHYL ETHYL KETONE	50 U	25 U	25 U	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U	1.3 U	1.3 U	1.3 U	0.0
CHLOROFORM	5 U	5 U	5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.34 U	0.34 U	0.34 U	0.0
1,1,1-TRICHLOROETHANE	5 U	5 U	5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.26 U	0.82 U	0.92 U	0.0
CARBON TETRACHLORIDE	5 U	5 U	5 U	0.5 U	1 U	1 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	1 U	1 U	0.27 U	0.27 U	0.27 U	0.0
BENZENE	5 U	5 U	5 U	0.5 U	0.7 U	0.7 U	0.7 U	0.7 U	0.7 U	1 U	1 U	1 U	1 U	1 U	1 U	0.41 U	0.41 U	0.41 U	0.0
1,2-DICHLOROETHANE	5 U	5 U	5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.21 U	0.21 U	0.21 U	0.0
TRICHLOROETHENE	5 U	5 U	5 U	0.5 U	1 U	1 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U	0.46 U	0.46 U	0.46 U	0.0
1,2-DICHLOROPROPANE	5 U	5 U	5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.32 U	0.72 U	0.72 U	0.0
BROMODICHLOROMETHANE	5 U	5 U	5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.39 U	0.39 U	0.39 U	0.0
CIS-1,3-DICHLOROPROPENE	5 U	5 U	5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.36 U	0.36 U	0.36 U	0.0
MIBK	50 U	25 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U	0.91 U	2.1 U	2.1 U	0.0
TOLUENE	5 U	5 U	5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.51 U	0.51 U	0.51 U	0.0
TRANS-1,3-DICHLOROPROPENE	5 U	5 U	5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.37 U	0.37 U	0.37 U	0.0
1,1,2-TRICHLOROETHANE	5 U	5 U	5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.23 U	0.23 U	0.23 U	0.0
TETRACHLOROETHENE	5 U	5 U	5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.36 U	0.36 U	0.36 U	0.0
2-HEXANONE	50 U	25 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U	1.2 U	1.2 U	1.2 U	0.0
DIBROMOCHLOROMETHANE	5 U	5 U	5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.32 U	0.32 U	0.32 U	0.0
CHLOROBENZENE	5 U	5 U	5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.32 U	0.75 U	0.75 U	0.0
ETHYLBENZENE	5 U	5 U	5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.18 U	0.74 U	0.74 U	0.0
P-XYLENE/M-XYLENE	5 U	5 U	5 U	0.5 U	1 U	1 U	1 U	5 U	1 U	3 U	3 U	2 U	2 U	2 U	2 U	0.66 U	0.66 U	0.66 U	0.0
O-XYLENE	5 U	5 U	5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.36 U	0.76 U	0.76 U	0.0
STYRENE	5 U	5 U	5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.18 U	0.73 U	0.73 U	0.0
BROMOFORM	5 U	5 U	5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.26 U	0.26 U	0.26 U	0.0
1,1,2,2-TETRACHLOROETHANE	5 U	5 U	5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.21 U	0.21 U	0.21 U	0.0

This well was not sampled on the following dates: April, July and October 1993; January, April, July and October 1994; April, July and October 1995; April and July 1996; January, April and July 1997; and April 1998.

This location is no longer part of the current sampling program.

WELL NUMBER B-8
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Jan-95	Feb-96	Oct-96	Oct-97	Oct-98	Oct-99	Oct-00	Oct-01	Oct-02	Oct-03	Oct-04	Oct-05	Oct-06	Oct-07	Oct-08	Oct-09	Oct-10	Nov-12	Oct-14	Oct-16	AVG
CHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.35 U	0.35 U	0.35 U	0.35 U	1.0 U	0.0
VINYL CHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.24 U	0.90 U	0.90 U	0.90 U	1.0 U	0.0
CHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	5 U	1 U	1 U	1 U	2 U	1 U	1 U	1 U	1 U	1 U	1 U	0.32 U	0.32 U	0.32 U	0.32 U	1.0 U	0.0
BROMOMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.28 U	0.69 U	0.69 U	0.69 U	1.0 U	0.0
1 1-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.29 U	0.29 U	0.29 U	0.29 U	1.0 U	0.0
ACETONE	10 U	10 U	10 U	12	25 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U	1.3 U	3.0 U	3.0 U	3.0 U	5.0 U	0.6
CARBON DISULFIDE	0.5 U	0.5 U	0.5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.19 U	0.19 U	0.19 U	0.19 U	1.0 U	0.0
METHYLENE CHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	3.2 U	1 U	1 U	0.44 U	0.44 U	0.44 U	0.44 U	1.0 U	0.0
TRANS-1 2-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.42 U	0.90 U	0.90 U	0.90 U	1.0 U	0.0
1 1-DICHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.38 U	0.38 U	0.38 U	0.38 U	1.0 U	0.0
CIS-1 2-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	4.8	1 U	36	0.38 U	0.81 U	0.81 U	0.81 U	1.0 U	2.0
METHYL ETHYL KETONE	10 U	10 U	10 U	10 U	25 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U	1.3 U	1.3 U	1.3 U	1.3 U	5.0 U	0.0
CHLOROFORM	0.5 U	0.5 U	0.5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.34 U	0.34 U	0.34 U	0.34 U	1.0 U	0.0
1 1 1-TRICHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.26 U	0.82 U	0.82 U	0.82 U	1.0 U	0.0
CARBON TETRACHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	5 U	1 U	1 U	1 U	3 U	1 U	1 U	1 U	1 U	1 U	1 U	0.27 U	0.27 U	0.27 U	0.27 U	1.0 U	0.0
BENZENE	0.5 U	0.5 U	0.5 U	0.5 U	5 U	0.7 U	0.7 U	0.7 U	0.7 U	1 U	1 U	1 U	1 U	1 U	1 U	0.41 U	0.41 U	0.41 U	0.41 U	1.0 U	0.0
1 2-DICHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.21 U	0.21 U	0.21 U	0.21 U	1.0 U	0.0
TRICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	5 U	1 U	1 U	1 U	2 U	0.67	1.9	0.73	45	1 U	64	0.46 U	0.46 U	0.46 U	0.46 U	1.0 U	5.6
1 2-DICHLOROPROPANE	0.5 U	0.5 U	0.5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.32 U	0.72 U	0.72 U	0.72 U	1.0 U	0.0
BROMODICHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.39 U	0.39 U	0.39 U	0.39 U	1.0 U	0.0
CIS-1 3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.36 U	0.36 U	0.36 U	0.36 U	1.0 U	0.0
MIBK	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U	0.91 U	2.1 U	2.1 U	2.1 U	5.0 U	0.0
TOLUENE	0.5 U	0.5 U	0.5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.51 U	0.51 U	0.51 U	0.51 U	0.32	0.0
TRANS-1 3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.37 U	0.37 U	0.37 U	0.37 U	1.0 U	0.0
1 1 2-TRICHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.23 U	0.23 U	0.23 U	0.23 U	1.0 U	0.0
TETRACHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.36 U	0.36 U	0.36 U	0.36 U	1.0 U	0.0
2-HEXANONE	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	5 U	5 U	5 U	5 U	5 U	5 U	1.2 U	1.2 U	1.2 U	1.2 U	5.0 U	0.0
DIBROMOCHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.32 U	0.32 U	0.32 U	0.32 U	1.0 U	0.0
CHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.32 U	0.75 U	0.75 U	0.75 U	1.0 U	0.0
ETHYLBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.18 U	0.74 U	0.74 U	0.74 U	1.0 U	0.0
P-XYLENE/M-XYLENE	0.5 U	0.5 U	0.5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	3 U	3 U	2 U	2 U	2 U	2 U	0.66 U	0.66 U	0.66 U	0.66 U	2.0 U	0.0
O-XYLENE	0.5 U	0.5 U	0.5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.36 U	0.76 U	0.76 U	0.76 U	1.0 U	0.0
STYRENE	0.5 U	0.5 U	0.5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.18 U	0.73 U	0.73 U	0.73 U	1.0 U	0.0
BROMOFORM	0.5 U	0.5 U	0.5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.26 U	0.26 U	0.26 U	0.26 U	1.0 U	0.0
1 1 2 2-TETRACHLOROETHANE	0.5 U	1 U	0.5 U	0.5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.21 U	0.21 U	0.21 U	0.21 U	1.0 U	0.0

This well was not sampled on the following dates: April, July and October 1993; January, April, July and October 1994; April, July and October 1995; April and July 1996; January, April and July 1997 and April 1998, October 2011, October 2013 and October 2015.

WELL NUMBER B-14(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Apr-94	Jul-94	Oct-94	Jan-95	Apr-95	Jul-95	Oct-95	Feb-96	Apr-96	Jul-96	Oct-96	Jan-97	Apr-97	Jul-97	Oct-97	Oct-98	Oct-99	Oct-00	Oct-01
CHLOROMETHANE	5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	5 U	25 U	1 U
VINYL CHLORIDE	115	119	118	110	109	131	350	140	120	120	120	120	130	110	140	100	130	76	140
CHLOROETHANE	5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	5 U	25 U	1 U
BROMOMETHANE	5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	5 U	25 U	1 U
1 1-DICHLOROETHENE	8	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U	25 U	25 U	25 U	2.5 U	3	25 U	2	5 U	25 U	1 U
ACETONE	50 U	250 U	250 U	50 U	250 U	250 U	500 U	250 U	125 U	125 U	120 U	120 U	50 U	50 U	120 U	25 U	50 U	130 U	10 U
CARBON DISULFIDE	5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	5 U	25 U	400
METHYLENE CHLORIDE	54	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U	25 U	25 U	25 U	2.5 U	3	25 U	5 U	5 U	25 U	200
TRANS-1 2-DICHLOROETHENE	7	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U	25 U	25 U	25 U	5	2 U	25 U	2	5 U	25 U	3
1 1-DICHLOROETHANE	26	25 U	25 U	15	25 U	25 U	50 U	50 U	25 U	25 U	25 U	25 U	17	16	25 U	9	9	25 U	12
CIS-1 2-DICHLOROETHENE	778	765	702	700	716	681	1,400	680	620	740	600	590	640	600	710	380	390	320	470
METHYL ETHYL KETONE	50 U	250 U	250 U	50 U	250 U	250 U	500 U	250 U	125 U	125 U	120 U	120 U	50 U	50 U	120 U	25 U	50 U	130 U	10 U
CHLOROFORM	5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	5 U	25 U	1 U
1 1 1-TRICHLOROETHANE	125	25 U	100	73	59	101	170	57	56	89	70	65	73	63	79	33	32	26	49
CARBON TETRACHLORIDE	5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	5 U	25 U	24
BENZENE	5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	4 U	4 U	0.7 U
1 2-DICHLOROETHANE	5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	5 U	25 U	1 U
TRICHLOROETHENE	78	58	25 U	10	25 U	25 U	50 U	50 U	25 U	25 U	26	25 U	7	5	25 U	3	5	25 U	200
1 2-DICHLOROPROPANE	5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	5 U	25 U	1 U
BROMODICHLOROMETHANE	5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	5 U	25 U	1 U
CIS-1 3-DICHLOROPROPENE	5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	5 U	25 U	1 U
MIBK	50 U	250 U	250 U	50 U	250 U	250 U	500 U	250 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	10 U	50 U	50 U	10 U
TOLUENE	5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	5 U	25 U	1 U
TRANS-1 3-DICHLOROPROPENE	5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	5 U	25 U	1 U
1 1 2-TRICHLOROETHANE	5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	5 U	25 U	1 U
TETRACHLOROETHENE	5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	5 U	25 U	1 U
2-HEXANONE	50 U	250 U	250 U	50 U	250 U	250 U	500 U	250 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	10 U	50 U	50 U	10 U
DIBROMOCHLOROMETHANE	5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	5 U	25 U	1 U
CHLOROBENZENE	5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	5 U	25 U	1 U
ETHYLBENZENE	5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	5 U	25 U	1 U
P-XYLENE/M-XYLENE	5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	5 U	25 U	1 U
O-XYLENE	5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	5 U	25 U	1 U
STYRENE	5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	5 U	25 U	1 U
BROMOFORM	5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	5 U	25 U	1 U
1 1 2 2-TETRACHLOROETHANE	5 U	25 U	25 U	5 U	25 U	25 U	50 U	50 U	25 U	25 U	25 U	25 U	2.5 U	2 U	25 U	5 U	5 U	25 U	1 U

This well was not sampled on the following dates: April, July, and October 1993; January 1994; April 1998.

WELL NUMBER B-14(1)
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Oct-02	Oct-03	Oct-04	Oct-05	Oct-06	Oct-07	Oct-08	Oct-09	Oct-10	Oct-11	Nov-12	Oct-13	Oct-14	Oct-15	Oct-16	Nov-17	AVG
CHLOROMETHANE	100 U	100 U	50 U	1 U	1 U	1 U	1 U	0.35 U	0.35 U	0.35 U	3.5 U	1.8 U	1.4 U	2 U	1.0 U	2.0 U	0.0
VINYL CHLORIDE	310	300	240	430	110	74	210	98	98	340	290	330	220	220	180	190	170.5
CHLOROETHANE	200 U	100 U	50 U	1 U	1 U	1 U	1 U	0.32 U	0.32 U	0.32 U	3.2 U	1.6 U	1.3 U	2 U	1.0 U	2.0 U	0.0
BROMOMETHANE	100 U	100 U	50 U	1 U	1 U	1 U	1 U	0.28 U	0.69 U	0.69 U	6.9 U	3.5 U	2.8 U	2 U	1.0 U	2.0 U	0.0
1 1-DICHLOROETHENE	100 U	100 U	50 U	7.0	4	1.3	1.3	0.86	0.29 U	14 U	5.0	11.0	3.0	2	1.3	1.8	1.4
ACETONE	1,000 U	500 U	250 U	4.9	5 U	5 U	5 U	1.3 U	3.0 U	3 U	30 U	15 U	12 U	10 U	1.6	10 U	0.2
CARBON DISULFIDE	100 U	100 U	50 U	1 U	1 U	7	0.79	0.77	1.0	4.1	1.9 U	0.95 U	0.76 U	4.7	0.71	0.64	11.7
METHYLENE CHLORIDE	100 U	1,100	50 U	0.48	6 U	1 U	1 U	1.5	0.44 U	0.44 U	4.4	2.2 U	1.8 U	2 U	1.0 U	2.0 U	37.9
TRANS-1 2-DICHLOROETHENE	100 U	100 U	50 U	4.8	2.6	1.4	1.7	1.2	0.98	2.3	9.0 U	4.5 U	3.6 U	2.1	1.8	1.8	1.0
1 1-DICHLOROETHANE	150	53	24	28	14	4.8	5.2	4.2	2.5	17	44	39	25	25	20	18	16.0
CIS-1 2-DICHLOROETHENE	3,500	2,800	1,200	1,200	700	340	300	170	140	760	530	280	220	170	170	140	697.3
METHYL ETHYL KETONE	1,000 U	500 U	250 U	5 U	5 U	5 U	5 U	1.3 U	1.3 U	1.3 U	13 U	6.6 U	5.3 U	10 U	5.0 U	10 U	0.0
CHLOROFORM	100 U	100 U	50 U	1 U	1 U	1 U	1 U	0.34 U	0.34 U	0.34 U	3.4 U	1.7 U	1.4 U	2 U	1.0 U	2.0 U	0.0
1 1 1-TRICHLOROETHANE	970	240	110	120	49	11	11	6.7	2.6	140	300	210	120	110	81	75	107.7
CARBON TETRACHLORIDE	300 U	100 U	50 U	1 U	1 U	1 U	1 U	0.27 U	0.27 U	0.27 U	2.7 U	1.4 U	1.1 U	2 U	1.0 U	2.0 U	0.7
BENZENE	70 U	100 U	250 U	1 U	1 U	1 U	1 U	0.41 U	0.41 U	0.41 U	4.1 U	2.1 U	1.6 U	2 U	1.0 U	2.0 U	0.0
1 2-DICHLOROETHANE	100 U	100 U	50 U	1 U	1 U	1 U	1 U	0.21 U	0.21 U	0.21 U	2.1 U	1.1 U	0.84 U	2 U	1.0 U	2.0 U	0.0
TRICHLOROETHENE	610	320	16	37	26	1.4	1.7	4.5	1.5	4.5	9.0	2.8	2.0	2.2	1.8	1.8	39.8
1 2-DICHLOROPROPANE	100 U	100 U	50 U	1 U	1 U	1 U	1 U	0.32 U	0.72 U	0.72 U	7.2 U	3.6 U	2.9 U	2 U	1.0 U	2.0 U	0.0
BROMODICHLOROMETHANE	100 U	100 U	50 U	1 U	1 U	1 U	1 U	0.39 U	0.39 U	0.39 U	3.9 U	2.0 U	1.6 U	2 U	1.0 U	2.0 U	0.0
CIS-1 3-DICHLOROPROPENE	100 U	100 U	50 U	1 U	1 U	1 U	1 U	0.36 U	0.36 U	0.36 U	3.6 U	1.8 U	1.4 U	2 U	1.0 U	2.0 U	0.0
MIBK	1,000 U	500 U	250 U	5 U	5 U	5 U	5 U	0.91 U	2.1 U	2.1 U	21 U	11 U	8.4 U	10 U	5.0 U	10 U	0.0
TOLUENE	100 U	100 U	50 U	1 U	1 U	1 U	1 U	0.51 U	0.51 U	0.51 U	5.1 U	2.6 U	2.0 U	2 U	1.0 U	2.0 U	0.0
TRANS-1 3-DICHLOROPROPENE	100 U	100 U	50 U	1 U	1 U	1 U	1 U	0.37 U	0.37 U	0.37 U	3.7 U	1.9 U	1.5 U	2 U	1.0 U	2.0 U	0.0
1 1 2-TRICHLOROETHANE	100 U	100 U	50 U	1 U	1 U	1 U	1 U	0.23 U	0.23 U	0.23 U	2.3 U	1.2 U	0.92 U	2 U	1.0 U	2.0 U	0.0
TETRACHLOROETHENE	100 U	100 U	50 U	1 U	1 U	1 U	1 U	0.36 U	0.36 U	0.36 U	3.6 U	1.8 U	1.4 U	2 U	1.0 U	2.0 U	0.0
2-HEXANONE	1,000 U	500 U	250 U	5 U	5 U	5 U	5 U	1.2 U	1.2 U	1.2 U	12 U	6.2 U	5.0 U	10 U	5.0 U	10 U	0.0
DIBROMOCHLOROMETHANE	100 U	100 U	50 U	1 U	1 U	1 U	1 U	0.32 U	0.32 U	0.32 U	3.2 U	1.6 U	1.3 U	2 U	1.0 U	2.0 U	0.0
CHLOROBENZENE	100 U	100 U	50 U	1 U	1 U	1 U	1 U	0.32 U	0.75 U	0.75 U	7.5 U	3.8 U	3.0 U	2 U	1.0 U	2.0 U	0.0
ETHYLBENZENE	100 U	100 U	50 U	1 U	1 U	1 U	1 U	0.18 U	0.74 U	0.74 U	7.4 U	3.7 U	3.0 U	2 U	1.0 U	2.0 U	0.0
P-XYLENE/M-XYLENE	100 U	300 U	150 U	2 U	2 U	2 U	2 U	0.66 U	0.66 U	0.66	6.6 U	3.3 U	2.6 U	6 U	2.0 U	4.0 U	0.0
O-XYLENE	100 U	100 U	50 U	1 U	1 U	1 U	1 U	0.36 U	0.76 U	0.76 U	7.6 U	3.8 U	3.0 U	2 U	1.0 U	2.0 U	0.0
STYRENE	100 U	100 U	50 U	1 U	1 U	1 U	1 U	0.18 U	0.73 U	0.73 U	7.3 U	3.7 U	2.9 U	2 U	1.0 U	2.0 U	0.0
BROMOFORM	100 U	100 U	50 U	1 U	1 U	1 U	1 U	0.26 U	0.26 U	0.26 U	2.6 U	1.3 U	1.0 U	2 U	1.0 U	2.0 U	0.0
1 1 2 2-TETRACHLOROETHANE	100 U	100 U	50 U	1 U	1 U	1 U	1 U	0.21 U	0.21 U	0.21 U	2.1 U	1.1 U	0.84 U	2 U	1.0 U	2.0 U	0.0

This well was not sampled on the following dates: April, July, and October 1993; January 1994; April 1998.

WELL NUMBER DW-9
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Jan-95	Feb-96	Oct-96	Oct-97	Apr-98	Oct-98	Oct-99	Oct-00	Oct-01	Oct-02	Oct-03	Oct-04	Oct-05	Oct-06	Oct-07	Oct-08	Oct-09	Oct-10	Oct-11	Nov-12	Oct-13	Oct-14	Oct-15	Oct-16	Nov-17	AVG
CHLOROMETHANE	5 U	50 U	120 U	120 U	10 U	500 U	500 U	25 U	1 U	100 U	1 U	1 U	1 U	1 U	1 U	1 U	0.35 U	0.35 U	0.35 U	0.35 U	1.4 U	0.70 U	1 U	1.0 U	1.0 U	0.0
VINYL CHLORIDE	46	250	140	190	150	130	200 U	10 U	1 U	100 U	1 U	1 U	1 U	1 U	1 U	1 U	0.24 U	0.90 U	0.9 U	0.90 U	3.6 U	1.8 U	2.7	2.5	1.0 U	36.4
CHLOROETHANE	5 U	50 U	120 U	120 U	10 U	500 U	500 U	25 U	1 U	200 U	1 U	1 U	1 U	1 U	1 U	1 U	0.32 U	0.32 U	0.32 U	0.32 U	1.3 U	0.64 U	1 U	1.0 U	1.0 U	0.0
BROMOMETHANE	5 U	50 U	120 U	120 U	10 U	500 U	500 U	25 U	1 U	100 U	1 U	1 U	1 U	1 U	1 U	1 U	0.28 U	0.69 U	0.69 U	0.69 U	2.8 U	1.4 U	1 U	1.0 U	1.0 U	0.0
1 1-DICHLOROETHENE	5 U	50 U	120 U	120 U	21	500 U	500 U	25 U	1 U	100 U	1 U	1 U	1 U	1 U	1.4	1 U	0.29 U	0.29 U	0.29 U	0.99	1.2 U	2.1	1 U	12	1.0 U	1.5
ACETONE	50 U	250 U	620 U	620 U	100 U	2,500 U	2,500 U	130 U	10 U	1,000 U	5 U	5 U	5 U	5 U	5 U	5 U	1.3 U	3.0 U	3 U	3.0 U	12 U	6.0 U	5 U	5.0 U	1.7	0.1
CARBON DISULFIDE	5 U	50 U	120 U	120 U	15	500 U	500 U	25 U	1 U	100 U	1 U	1 U	1 U	1 U	1 U	1 U	0.19 U	0.19 U	0.19 U	0.19 U	0.76 U	0.38 U	1 U	1.0 U	1.0 U	0.6
METHYLENE CHLORIDE	56	130	2,500	720	6,300	500 U	500 U	25 U	1 U	100 U	1 U	1 U	1 U	1.6 U	0.51	24	0.44 U	0.44 U	0.44 U	0.44 U	1.8 U	0.88 U	1 U	1.0 U	1.0 U	389.2
TRANS-1 2-DICHLOROETHENE	6	50 U	120 U	120 U	15	500 U	500 U	25 U	1 U	100 U	1 U	1 U	1 U	1 U	0.72	1 U	0.42 U	0.90 U	0.9 U	1.6	3.6 U	1.8 U	1 U	8.6	1.0 U	1.3
1 1-DICHLOROETHANE	5 U	50 U	120 U	120 U	28	500 U	500 U	25 U	1 U	100 U	1 U	1 U	1 U	1 U	1.7	1 U	0.38 U	0.38 U	0.38 U	2.2	1.5 U	2.5	0.29	13	0.4	1.9
CIS-1 2-DICHLOROETHENE	703	2,800	3,200	2,600	3,600	4,200	3,800	250	49	990	9.5	4	3.8	8.4	180	20	3.6	41	5.8	220	3.2 U	130	1 U	1,100	22	957.6
METHYL ETHYL KETONE	50 U	250 U	620 U	620 U	100 U	2,500 U	2,500 U	130 U	10 U	1,000 U	5 U	5 U	5 U	5 U	5 U	5 U	1.3 U	1.3 U	1.3 U	1.3 U	5.3 U	2.6 U	5 U	5.0 U	5.0 U	0.0
CHLOROFORM	5 U	50 U	120 U	120 U	10 U	500 U	500 U	25 U	1 U	100 U	3.7	0.39	1 U	1 U	1 U	1 U	0.34 U	0.34 U	0.34 U	0.34 U	1.4 U	0.68 U	1 U	3	0.47	0.3
1 1 1-TRICHLOROETHANE	5 U	65	120 U	130	290	500 U	500 U	25 U	1 U	100 U	1 U	1 U	1 U	1 U	3.5	1 U	0.26 U	0.82 U	0.82 U	7.4	3.3 U	8.6	1 U	44	1.1	22.0
CARBON TETRACHLORIDE	5 U	50 U	120 U	120 U	10 U	500 U	500 U	25 U	1 U	300 U	1 U	1 U	1 U	1 U	1 U	1 U	0.27 U	0.27 U	0.27 U	0.27 U	1.1 U	0.54 U	1 U	1.0 U	1.0 U	0.0
BENZENE	5 U	50 U	120 U	120 U	7 U	500 U	70 U	4 U	0.7 U	70 U	1 U	1 U	1 U	1 U	1 U	1 U	0.41 U	0.41 U	0.41 U	0.41 U	1.6 U	0.82 U	1 U	0.85	1.0 U	0.0
1 2-DICHLOROETHANE	5 U	50 U	120 U	120 U	10 U	500 U	500 U	25 U	1 U	100 U	1 U	1 U	1 U	1 U	1 U	1 U	0.21 U	0.21 U	0.21 U	0.21 U	0.84 U	0.42 U	1 U	1.0 U	1.0 U	0.0
TRICHLOROETHENE	1,400	2,000	1,600	1,100	4,500	340	500 U	240	100	550	42	19	8.4	30	68	7.6	9.7	21	5.1	190	2.3	150	36	2,400	70	595.6
1 2-DICHLOROPROPANE	5 U	50 U	120 U	120 U	10 U	500 U	500 U	25 U	1 U	100 U	1 U	1 U	1 U	1 U	1 U	1 U	0.32 U	0.72 U	0.72 U	0.72 U	2.9 U	1.4 U	1 U	1.0 U	1.0 U	0.0
BROMODICHLOROMETHANE	5 U	50 U	120 U	120 U	10 U	500 U	500 U	25 U	1 U	100 U	1.2	1 U	1 U	1 U	1 U	1 U	0.39 U	0.39 U	0.39 U	0.39 U	1.6 U	0.78 U	0.87	1.0 U	1.0 U	0.1
CIS-1 3-DICHLOROPROPENE	5 U	50 U	120 U	120 U	10 U	500 U	500 U	25 U	1 U	100 U	1 U	1 U	1 U	1 U	1 U	1 U	0.36 U	0.36 U	0.36 U	0.36 U	1.4 U	0.72 U	1 U	1.0 U	1.0 U	0.0
MIBK	50 U	250 U	250 U	250 U	100 U	1,000 U	1,000 U	50 U	10 U	1,000 U	5 U	5 U	5 U	5 U	5 U	5 U	0.91 U	2.1 U	2.1 U	2.1 U	8.4 U	4.2 U	5 U	5.0 U	5.0 U	0.0
TOLUENE	5 U	50 U	120 U	120 U	10 U	500 U	500 U	25 U	1 U	100 U	1 U	1 U	1 U	1 U	1 U	1 U	0.51 U	0.51 U	0.51 U	0.51 U	2.0 U	1.0 U	1 U	1.0 U	1.0 U	0.0
TRANS-1 3-DICHLOROPROPENE	5 U	50 U	120 U	120 U	10 U	500 U	500 U	25 U	1 U	100 U	1 U	1 U	1 U	1 U	1 U	1 U	0.37 U	0.37 U	0.37 U	0.37 U	1.5 U	0.74 U	1 U	1.0 U	1.0 U	0.0
1 1 2-TRICHLOROETHANE	5 U	50 U	120 U	120 U	10 U	500 U	500 U	25 U	1 U	100 U	1 U	1 U	1 U	1 U	1 U	1 U	0.23 U	0.23 U	0.23 U	0.23 U	0.92 U	0.46 U	1 U	1.0 U	1.0 U	0.0
TETRACHLOROETHENE	5 U	50 U	120 U	120 U	10 U	500 U	500 U	25 U	1 U	100 U	1 U	1 U	1 U	1 U	1 U	1 U	0.36 U	0.36 U	0.36 U	0.36 U	1.4 U	0.72 U	1 U	1.0 U	1.0 U	0.0
2-HEXANONE	50 U	250 U	250 U	250 U	100 U	1,000 U	1,000 U	50 U	10 U	1,000 U	5 U	5 U	5 U	5 U	5 U	5 U	1.2 U	1.2 U	1.2 U	1.2 U	5.0 U	2.5 U	5 U	5.0 U	5.0 U	0.0
DIBROMOCHLOROMETHANE	5 U	50 U	120 U	120 U	10 U	500 U	500 U	25 U	1 U	100 U	1 U	1 U	1 U	1 U	1 U	1 U	0.32 U	0.32 U	0.32 U	0.32 U	1.3 U	0.64 U	1 U	1.0 U	1.0 U	0.0
CHLOROBENZENE	5 U	50 U	120 U	120 U	10 U	500 U	500 U	25 U	1 U	100 U	1 U	1 U	1 U	1 U	1 U	1 U	0.32 U	0.75 U	0.75 U	0.75 U	3.0 U	1.5 U	1 U	1.0 U	1.0 U	0.0
ETHYLBENZENE	5 U	50 U	120 U	120 U	10 U	500 U	500 U	25 U	1 U	100 U	1 U	1 U	1 U	1 U	1 U	1 U	0.18 U	0.74 U	0.74 U	0.74 U	3.0 U	1.5 U	1 U	1.0 U	1.0 U	0.0
P-XYLENE/M-XYLENE	5 U	50 U	120 U	120 U	10 U	500 U	500 U	25 U	1 U	100 U	3 U	3 U	2 U	2 U	2 U	2 U	0.66 U	0.66 U	0.66 U	0.66 U	2.6 U	1.3 U	2 U	2.0 U	2.0 U	0.0
O-XYLENE	5 U	50 U	120 U	120 U	10 U	500 U	500 U	25 U	1 U	100 U	1 U	1 U	1 U	1 U	1 U	1 U	0.36 U	0.76 U	0.76 U	0.76 U	3.0 U	1.5 U	1 U	1.0 U	1.0 U	0.0
STYRENE	5 U	50 U	120 U	120 U	10 U	500 U	500 U	25 U	1 U	100 U	1 U	1 U	1 U	1 U	1 U	1 U	0.18 U	0.73 U	0.73 U	0.73 U	2.9 U	1.5 U	1 U	1.0 U	1.0 U	0.0
BROMOFORM	5 U	50 U	120 U	120 U	10 U	500 U	500 U	25 U	1 U	100 U	1 U	1 U	1 U	1 U	1 U	1 U	0.26 U	0.26 U	0.26 U	0.26 U	1.0 U	0.52 U	1 U	1.0 U	1.0 U	0.0
1 1 2 2-TETRACHLOROETHANE	5 U	50 U	120 U	120 U	10 U	500 U	500 U	25 U	1 U	100 U	1 U	1 U	1 U	1 U	1 U	1 U	0.21 U	0.21 U	0.21 U	0.21 U	0.84 U	0.42 U	1 U	1.0 U	1.0 U	0.0

This well was not sampled on the following dates: April, July and October 1993; January, April, July and October 1994; April, July and October 1995; April and July 1996; January, April and July 1997.

**WELL NUMBER DW-10
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)**

ANALYTE	Jan-95	Feb-96	Oct-96	Oct-97	Apr-98	Oct-98	Oct-99	Oct-00	Oct-01	Oct-02	Oct-03	Oct-04	Oct-06	Oct-07	Oct-08	Oct-09	Oct-10	Oct-11	Nov-12	Oct-13	Oct-14	Oct-14	Oct-16	Nov-17	AVG
CHLOROMETHANE	5 U	1,250 U	1,200 U	1,000 U	200 U	200 U	500 U	250 U	1 U	20 U	200 U	100 U	1 U	20 U	10 U	6.9 U	0.35 U	0.35 U	0.35 U	0.35 U	7.0 U	10 U	10 U	0.24	0.0
VINYL CHLORIDE	136	1,250 U	1,200 U	1,000 U	200 U	200 U	200 U	100 U	64	49	200 U	100 U	71	43	16	49	190	210	0.90 U	160	78	140	110	2.3	54.9
CHLOROETHANE	5 U	1,250 U	1,200 U	1,000 U	200 U	200 U	500 U	250 U	1 U	40 U	200 U	100 U	1 U	20 U	10 U	6.5 U	0.32 U	0.32 U	0.32 U	0.32 U	6.4 U	10 U	10 U	1.0 U	0.0
BROMOMETHANE	5 U	1,250 U	1,200 U	1,000 U	200 U	200 U	500 U	250 U	1 U	20 U	200 U	100 U	1 U	20 U	10 U	5.6 U	0.69 U	0.69 U	0.69 U	0.69 U	14 U	10 U	10 U	1.0 U	0.0
1 1-DICHLOROETHENE	5 U	1,250 U	1,200 U	1,000 U	200 U	200 U	500 U	250 U	4	20 U	200 U	100 U	2.4	20 U	10 U	5.9 U	4.6	18	0.2 U	3.6	5.8 U	10 U	5.9	1.0 U	1.6
ACETONE	50 U	6,250 U	6,200 U	5,000 U	2,000 U	2,000 U	2,500 U	1,300 U	10 U	200 U	1,000 U	500 U	5 U	100 U	50 U	27 U	3.0 U	3.0 U	3.0 U	3.0 U	60 U	50 U	50 U	1.5 J	0.0
CARBON DISULFIDE	5 U	1,250 U	1,200 U	1,000 U	210	200 U	500 U	250 U	1	20 U	200 U	100 U	1 U	20 U	10 U	3.9 U	0.63	0.19 U	0.19 U	0.67	3.8 U	10 U	10 U	1.0 U	8.8
METHYLENE CHLORIDE	27,400	45,000	14,000	19,000	15,000	17,000	16,000	7,300	19,000	2,800	4,300	2,700	2,300	930	180	990	1,700	1,400	1.4	1,700	960	1,500	2,300	170	8,484.6
TRANS-1 2-DICHLOROETHENE	16	1,250 U	1,200 U	1,000 U	200 U	200 U	500 U	250 U	6	20 U	200 U	100 U	2.9	20 U	10 U	8.4 U	5.4	2.8	0.90 U	3.0	18 U	3.5	3.8	1.0 U	1.8
1 1-DICHLOROETHANE	17	1,250 U	1,200 U	1,000 U	200 U	200 U	500 U	250 U	8	20 U	200 U	100 U	5.6	9.8	10 U	7.7 U	12	19	0.38 U	11	7.6	14	12	1.0 U	4.8
CIS-1 2-DICHLOROETHENE	2,150	3,300	1,200 U	1,000 U	610	1,400	670	1,300	710	600	220	520	350	410	500	300	950	460	36	550	230	1,000	960	17	718.5
METHYL ETHYL KETONE	50 U	6,250 U	6,200 U	5,000 U	2,000 U	2,000 U	2,500 U	1,300 U	10 U	200 U	1,000 U	500 U	5 U	100 U	50 U	26 U	1.3 U	1.3 U	1.3 U	1.3 U	26 U	50 U	50 U	5.0 U	0.0
CHLOROFORM	7	1,250 U	1,200 U	1,000 U	200 U	200 U	500 U	250 U	6	20 U	200 U	100 U	0.84	20 U	10 U	6.7 U	1.2	0.69	3.4	1.0	6.8 U	10 U	3.4	1.0 U	1.0
1 1 1-TRICHLOROETHANE	150	1,250 U	1,200 U	1,000 U	200 U	200 U	500 U	250 U	58	51	200 U	100 U	10	31	27	29	56	270	0.99	9.2	16 U	60	57	0.5	33.7
CARBON TETRACHLORIDE	22	1,250 U	1,200 U	1,000 U	200 U	200 U	500 U	250 U	27	60 U	200 U	100 U	1 U	20 U	10 U	5.3 U	0.27 U	0.27 U	0.27 U	0.27 U	5.4 U	10 U	10 U	1.0 U	2.0
BENZENE	5 U	1,250 U	1,200 U	1,000 U	140 U	140 U	70 U	35 U	0.7 U	14 U	200 U	100 U	1 U	20 U	10 U	8.2 U	0.41 U	0.41 U	0.41 U	0.41 U	8.2 U	10 U	10 U	1.0 U	0.0
1 2-DICHLOROETHANE	5 U	1,250 U	1,200 U	1,000 U	200 U	200 U	500 U	250 U	1 U	20 U	200 U	100 U	1 U	20 U	10 U	4.3 U	0.21 U	0.21 U	0.21 U	0.21 U	4.2 U	10 U	10 U	1.0 U	0.0
TRICHLOROETHENE	3,890	4,100	1,200 U	1,300	950	1,500	500 U	930	1,100	300	160	240	150	52	78	43	90	42	51	110	30	610	510	32	677.8
1 2-DICHLOROPROPANE	5 U	1,250 U	1,200 U	1,000 U	200 U	200 U	500 U	250 U	1 U	20 U	200 U	100 U	1 U	20 U	10 U	6.5 U	0.72 U	0.72 U	0.72 U	0.72 U	14 U	10 U	10 U	1.0 U	0.0
BROMODICHLOROMETHANE	5 U	1,250 U	1,200 U	1,000 U	200 U	200 U	500 U	250 U	1 U	20 U	200 U	100 U	1 U	20 U	10 U	7.7 U	0.39 U	0.39 U	0.41	0.39 U	7.8 U	10 U	10 U	1.0 U	0.0
CIS-1 3-DICHLOROPROPENE	5 U	1,250 U	1,200 U	1,000 U	200 U	200 U	500 U	250 U	1 U	20 U	200 U	100 U	1 U	20 U	10 U	7.1 U	0.36 U	0.36 U	0.36 U	0.36 U	7.2 U	10 U	10 U	1.0 U	0.0
MIBK	50 U	6,250 U	2,500 U	2,000 U	2,000 U	2,000 U	1,000 U	500 U	10 U	200 U	1,000 U	500 U	5 U	100 U	50 U	18 U	2.1 U	2.1 U	2.1 U	2.1 U	42 U	50 U	50 U	5.0 U	0.0
TOLUENE	5 U	1,250 U	1,200 U	1,000 U	200 U	200 U	500 U	250 U	2	20 U	200 U	100 U	1 U	20 U	10 U	10 U	0.51	0.51 U	0.51 U	0.51 U	10 U	10 U	10 U	1.0 U	0.1
TRANS-1 3-DICHLOROPROPENE	5 U	1,250 U	1,200 U	1,000 U	200 U	200 U	500 U	250 U	1 U	20 U	200 U	100 U	1 U	20 U	10 U	7.4 U	0.37 U	0.37 U	0.37 U	0.37 U	7.4 U	10 U	10 U	1.0 U	0.0
1 1 2-TRICHLOROETHANE	5 U	1,250 U	1,200 U	1,000 U	200 U	200 U	500 U	250 U	1 U	20 U	200 U	100 U	1 U	20 U	10 U	4.6 U	0.23 U	0.23 U	0.23 U	0.23 U	4.6 U	10 U	10 U	1.0 U	0.0
TETRACHLOROETHENE	5 U	1,250 U	1,200 U	1,000 U	200 U	200 U	500 U	250 U	1 U	20 U	200 U	100 U	1 U	20 U	10 U	7.3 U	0.36 U	0.36 U	0.36 U	0.36 U	7.2 U	10 U	10 U	1.0 U	0.0
2-HEXANONE	50 U	6,250 U	2,500 U	2,000 U	2,000 U	2,000 U	1,000 U	500 U	10 U	200 U	1,000 U	500 U	5 U	100 U	50 U	25 U	1.2 U	1.2 U	1.2 U	1.2 U	25 U	50 U	50 U	5.0 U	0.0
DIBROMOCHLOROMETHANE	5 U	1,250 U	1,200 U	1,000 U	200 U	200 U	500 U	250 U	1 U	20 U	200 U	100 U	1 U	20 U	10 U	6.4 U	0.32 U	0.32 U	0.32 U	0.32 U	6.4 U	10 U	10 U	1.0 U	0.0
CHLOROBENZENE	5 U	1,250 U	1,200 U	1,000 U	200 U	200 U	500 U	250 U	1 U	20 U	200 U	100 U	1 U	20 U	10 U	6.3 U	0.75 U	0.75 U	0.75 U	0.75 U	15 U	10 U	10 U	1.0 U	0.0
ETHYLBENZENE	5 U	1,250 U	1,200 U	1,000 U	200 U	200 U	500 U	250 U	1 U	20 U	200 U	100 U	1 U	20 U	10 U	3.7 U	0.74 U	0.74 U	0.74 U	0.74 U	15 U	10 U	10 U	1.0 U	0.0
P-XYLENE/M-XYLENE	5 U	1,250 U	1,200 U	1,000 U	200 U	200 U	500 U	250 U	1 U	20 U	600 U	300 U	2 U	60 U	30 U	13 U	0.66 U	0.66 U	0.66 U	0.66 U	13 U	30 U	20 U	2.0 U	0.0
O-XYLENE	5 U	1,250 U	1,200 U	1,000 U	200 U	200 U	500 U	250 U	1 U	20 U	200 U	100 U	1 U	20 U	10 U	7.2 U	0.76 U	0.76 U	0.76 U	0.76 U	15 U	10 U	10 U	1.0 U	0.0
STYRENE	5 U	1,250 U	1,200 U	1,000 U	200 U	200 U	500 U	250 U	1 U	20 U	200 U	100 U	1 U	20 U	10 U	3.7 U	0.73 U	0.73 U	0.73 U	0.73 U	15 U	10 U	10 U	1.0 U	0.0
BROMOFORM	5 U	1,250 U	1,200 U	1,000 U	200 U	200 U	500 U	250 U	1 U	20 U	200 U	100 U	1 U	20 U	10 U	5.1 U	0.26 U	0.26 U	0.26 U	0.26 U	5.2 U	10 U	10 U	1.0 U	0.0
1 1 2 2-TETRACHLOROETHANE	5 U	1,250 U	1,200 U	1,000 U	200 U	200 U	500 U	250 U	1 U	20 U	200 U	100 U	1 U	20 U	10 U	4.3 U	0.21 U	0.21 U	0.21 U	0.21 U	4.2 U	10 U	10 U	1.0 U	0.0

This well was not sampled on the following dates: April, July and October 1993; January, April, July and October 1994; April, July and October 1995; April and July 1996; January, April and July 1997; and October 2005.

WELL NUMBER DW-11
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Jan-95	Feb-96	Oct-96	Oct-97	Apr-98	Oct-98	Oct-99	Oct-00	Oct-01	Oct-02	Oct-03	Oct-04	Oct-06	Oct-07	Oct-08	Oct-09	Oct-10	Oct-11	Nov-12	Oct-13	Oct-14	Oct-15	Oct-16	Nov-17	AVG
CHLOROMETHANE	25 U	50 U	500 U	500 U	100 U	100 U	100 U	500 U	1 U	1 U	500 U	400 U	1 U	100 U	80 U	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U	0.35 U	10 U	10 U	0.45	0.0
VINYL CHLORIDE	123	210	500 U	500 U	150	230	390	220	220	240	340	430	580	360	520	580	1.9	0.9 U	0.90 U	710	520	420	450	100	283.1
CHLOROETHANE	25 U	50 U	500 U	500 U	100 U	100 U	100 U	500 U	1 U	2 U	500 U	400 U	0.46	100 U	80 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	10 U	10 U	29	1.2
BROMOMETHANE	25 U	50 U	500 U	500 U	100 U	100 U	100 U	500 U	1 U	1 U	500 U	400 U	1 U	100 U	80 U	0.28 U	0.69 U	0.69 U	0.69 U	0.69 U	0.69 U	10 U	10 U	1.0 U	0.0
1 1-DICHLOROETHENE	25 U	50 U	500 U	500 U	100 U	100 U	100 U	500 U	18	34	500 U	400 U	36	100 U	80 U	13	11	1.2	0.29 U	37	20	17	10 U	1.2	7.3
ACETONE	250 U	250 U	2,500 U	2,500 U	1,000 U	1,000 U	1,000 U	2,500 U	10 U	10 U	2,500 U	2,000 U	5 U	500 U	400 U	1.3 U	3.0 U	3 U	3.0 U	3.0 U	3.0 U	50 U	50 U	5.0 U	0.0
CARBON DISULFIDE	25 U	50 U	500 U	500 U	100 U	100 U	100 U	500 U	2	4	500 U	400 U	1 U	100 U	80 U	0.61	0.19 U	0.19 U	0.19 U	2.5	0.19 U	6	3.4	0.35	0.8
METHYLENE CHLORIDE	1,670	6,500	2,700	3,800	5,400	5,800	10,000	6,200	3,600	8,800	17,000	9,300	6,800	5,900	7,900	2,700	0.44 U	0.44 U	0.44 U	2,800	1,700	780	10 U	1.0 U	4,556.3
TRANS-1 2-DICHLOROETHENE	25 U	50 U	500 U	500 U	100 U	100 U	100 U	500 U	28	20	500 U	400 U	22	100 U	80 U	7.2	4.5	0.9 U	0.90 U	8.7	7.9	8.3	5.9	1.0	4.7
1 1-DICHLOROETHANE	25 U	50 U	500 U	500 U	100 U	100 U	100 U	500 U	35	62	500 U	400 U	45	100 U	80 U	19	9.3	1.0	0.38 U	51	37	33	25	8.6	13.6
CIS-1 2-DICHLOROETHENE	2,360	2,100	3,200	3,300	2,800	4,000	5,800	4,100	2,100	2,900	5,700	7,000	6,800	3,300	3,300	2,800	1,700	87	19	4,200	3,400	3,900	1,500	110	3,186.5
METHYL ETHYL KETONE	250 U	250 U	2,500 U	2,500 U	1,000 U	70 U	1,000 U	2,500 U	10 U	10 U	2,500 U	2,000 U	5 U	500 U	400 U	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U	1.3 U	50 U	50 U	5.0 U	0.0
CHLOROFORM	25 U	50 U	500 U	500 U	100 U	100 U	100 U	500 U	1 U	6	500 U	400 U	2.5	100 U	80 U	0.98	1.4	1.9	0.34 U	1.2	1.3	10 U	10 U	1.0 U	0.6
1 1 1-TRICHLOROETHANE	249	180	500 U	1,000	620	760	600	670	1,100	920	740	580	390	140	180	84	83	3.9	1.1	270	240	160	110	45	380.3
CARBON TETRACHLORIDE	25 U	50 U	500 U	500 U	100 U	100 U	100 U	500 U	260	160	500 U	400 U	1 U	100 U	80 U	0.27 U	0.27 U	0.27 U	0.27 U	0.27 U	0.27 U	10 U	10 U	1.0 U	17.5
BENZENE	25 U	50 U	500 U	500 U	70 U	70 U	70 U	70 U	0.7 U	1	500 U	400 U	0.58	100 U	400 U	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U	0.41 U	10 U	10 U	1.0 U	0.1
1 2-DICHLOROETHANE	25 U	50 U	500 U	500 U	100 U	100 U	100 U	500 U	1 U	1 U	500 U	400 U	1 U	100 U	80 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	10 U	10 U	1.0 U	0.0
TRICHLOROETHENE	10,500	12,000	11,000	15,000	15,000	14,000	15,000	12,000	5,500	9,700	14,000	9,400	4,900	2,000	2,600	1,300	900	54	7.8	1,900	1,400	1,100	14	35	6,638.0
1 2-DICHLOROPROPANE	25 U	50 U	500 U	500 U	100 U	100 U	100 U	500 U	1 U	36	500 U	400 U	1 U	100 U	80 U	0.32 U	0.72 U	0.72 U	0.72 U	0.72 U	0.72 U	10 U	10 U	1.0 U	1.5
BROMODICHLOROMETHANE	25 U	50 U	500 U	500 U	100 U	100 U	100 U	500 U	1 U	1 U	500 U	400 U	1 U	100 U	80 U	0.39 U	0.39 U	0.77 U	0.39 U	0.39 U	0.39 U	10 U	10 U	1.0 U	0.0
CIS-1 3-DICHLOROPROPENE	25 U	50 U	500 U	500 U	100 U	100 U	100 U	500 U	1 U	1 U	500 U	400 U	1 U	100 U	80 U	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U	0.36 U	10 U	10 U	1.0 U	0.0
MIBK	250 U	250 U	1,000 U	1,000 U	1,000 U	1,000 U	1,000 U	1,000 U	10 U	10 U	2,500 U	2,000 U	5 U	500 U	400 U	0.91 U	2.1 U	2.1 U	2.1 U	2.1 U	2.1 U	50 U	50 U	5.0 U	0.0
TOLUENE	25 U	50 U	500 U	500 U	100 U	100 U	100 U	500 U	10	12	500 U	400 U	5.2	100 U	80 U	1.7	0.51 U	0.51 U	0.51 U	1.7	1.3	10 U	10 U	1.0 U	1.3
TRANS-1 3-DICHLOROPROPENE	25 U	50 U	500 U	500 U	100 U	100 U	100 U	500 U	1 U	1 U	500 U	400 U	1 U	100 U	80 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	0.37 U	10 U	10 U	1.0 U	0.0
1 1 2-TRICHLOROETHANE	25 U	50 U	500 U	500 U	100 U	100 U	100 U	500 U	1 U	1 U	500 U	400 U	1 U	100 U	80 U	0.23 U	0.23 U	0.23 U	0.23 U	0.23 U	0.23 U	10 U	10 U	1.0 U	0.0
TETRACHLOROETHENE	25 U	50 U	500 U	500 U	100 U	100 U	100 U	500 U	14	17	500 U	400 U	5.7	100 U	80 U	0.92	0.36 U	0.36 U	0.36 U	1.8	1.8	10 U	10 U	1.0 U	1.7
2-HEXANONE	250 U	250 U	1,000 U	1,000 U	1,000 U	1,000 U	1,000 U	1,000 U	10 U	10 U	2,500 U	2,000 U	5 U	500 U	400 U	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U	1.2 U	50 U	50 U	5.0 U	0.0
DIBROMOCHLOROMETHANE	25 U	50 U	500 U	500 U	100 U	100 U	100 U	500 U	1 U	1 U	500 U	400 U	1 U	100 U	80 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	0.32 U	10 U	10 U	1.0 U	0.0
CHLOROBENZENE	25 U	50 U	500 U	500 U	100 U	100 U	100 U	500 U	1 U	1 U	500 U	400 U	1.5	100 U	80 U	0.32 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	10 U	10 U	1.0 U	0.1
ETHYLBENZENE	25 U	50 U	500 U	500 U	100 U	100 U	100 U	500 U	3	2	500 U	400 U	3.2	100 U	80 U	0.47	0.74 U	0.74 U	0.74 U	0.9	0.75	10 U	10 U	1.0 U	0.4
P-XYLENE/M-XYLENE	25 U	50 U	500 U	500 U	100 U	100 U	100 U	500 U	3	4	1,500 U	1,200 U	2.2	300 U	240 U	0.71	0.66 U	0.66 U	0.66 U	1.1	0.92	30 U	20 U	2.0 U	0.5
O-XYLENE	25 U	50 U	500 U	500 U	100 U	100 U	100 U	500 U	1 U	2	500 U	400 U	1 U	100 U	80 U	0.57	0.76 U	0.76 U	0.76 U	1.2	1.0	10 U	10 U	1.0 U	0.2
STYRENE	25 U	50 U	500 U	500 U	100 U	100 U	100 U	500 U	1 U	1 U	500 U	400 U	1 U	100 U	80 U	0.18 U	0.73 U	0.73 U	0.73 U	0.73 U	0.73 U	10 U	10 U	1.0 U	0.0
BROMOFORM	25 U	50 U	500 U	500 U	100 U	100 U	100 U	500 U	1 U	1 U	500 U	400 U	1 U	100 U	80 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	0.26 U	10 U	10 U	1.0 U	0.0
1 1 2 2-TETRACHLOROETHANE	25 U	50 U	500 U	500 U	100 U	100 U	100 U	500 U	1 U	1 U	500 U	400 U	1 U	100 U	80 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	0.21 U	10 U	10 U	1.0 U	0.0

This well was not sampled on the following dates: April, July and October 1993; January, April, July and October 1994; April, July and October 1995; April and July 1996; January, April and July 1997; and October 2005.

WELL NUMBER DW-12
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Jan-95	Feb-96	Oct-96	Oct-97	Apr-98	Oct-98	Oct-99	Oct-00	Oct-01	Oct-02	Oct-03	Oct-04	Oct-06	Oct-07	Oct-08	Oct-09	Oct-10	Oct-11	Nov-12	Oct-13	Oct-14	Oct-15	Oct-16	Nov-17	AVG
CHLOROMETHANE	5 U	25 U	25 U	500 U	100 U	500 U	100 U	500 U	1 U	500 U	200 U	500 U	1 U	2 U	1 U	0.35 U	0.35 U	0.35 U	35 U	18 U	18 U	1 U	1.0 U	1.0 U	0.0
VINYL CHLORIDE	15	25 U	46	500 U	120	420	260	200 U	42	500 U	200 U	500 U	15	2 U	1.9	10	2.5	530	620	510	370	74	180	1.0 U	134.0
CHLOROETHANE	5 U	25 U	25 U	500 U	100 U	500 U	100 U	500 U	1 U	1,000 U	200 U	500 U	1 U	2 U	1 U	0.32 U	0.32 U	0.32 U	32 U	16 U	16 U	1 U	1.0 U	1.0 U	0.0
BROMOMETHANE	5 U	25 U	25 U	500 U	100 U	500 U	100 U	500 U	1 U	500 U	200 U	500 U	0.88	2 U	1 U	0.28 U	0.69 U	0.69 U	69 U	35 U	35 U	1 U	1.0 U	1.0 U	0.0
1 1-DICHLOROETHENE	5 U	25 U	25 U	500 U	100 U	500 U	100 U	500 U	1 U	500 U	200 U	500 U	1 U	1	1.9	2.7	3.2	29	29 U	15 U	15 U	2.8	5.2	1.0 U	1.9
ACETONE	50 U	125 U	120 U	2,500 U	1,100	2,500 U	1,000 U	2,500 U	10 U	5,000 U	1,000 U	2,500 U	5 U	10 U	5 U	1.3 U	3.0 U	3 U	300 U	150 U	150 U	5 U	5.0 U	2.4	45.9
CARBON DISULFIDE	5 U	25 U	25 U	500 U	100 U	500 U	100 U	500 U	1 U	500 U	200 U	500 U	1 U	2 U	1 U	0.19 U	0.19 U	0.46	19 U	9.5 U	9.5 U	1 U	0.9	1.0 U	0.1
METHYLENE CHLORIDE	159	52	710	1,500	530	270	610	500 U	200	500 U	200 U	500 U	370	2 U	1 U	0.55	0.44 U	6.1	110	1,900	140	84	1.0 U	1.0 U	276.7
TRANS-1 2-DICHLOROETHENE	5 U	25 U	25 U	500 U	100 U	500 U	100 U	500 U	6	500 U	200 U	500 U	3.8	1.7	2.6	2.3	2.2	12	90 U	45 U	45 U	1.1	15	1.0 U	1.9
1 1-DICHLOROETHANE	7	25 U	25 U	500 U	100 U	500 U	100 U	500 U	5	500 U	200 U	500 U	3.3	6.9	11	11	8.7	27	40	19 U	27	8.6	13	1.0 U	7.0
CIS-1 2-DICHLOROETHENE	592	580	3,600	5,300	5,800	6,600	11,000	8,600	730	2,000	1,300	14,000	530	140	240	280	180	7,300	8,400	3,000	2,800	220	1,700	1.5	3,537.2
METHYL ETHYL KETONE	50 U	125 U	120 U	2,500 U	1,000 U	2,500 U	1,000 U	2,500 U	10 U	5,000 U	1,000 U	2,500 U	5 U	10 U	5 U	1.3 U	1.3 U	1.3 U	130 U	66 U	66 U	5 U	5.0 U	5.0 U	0.0
CHLOROFORM	5 U	25 U	25 U	500 U	100 U	500 U	100 U	500 U	3	500 U	200 U	500 U	1 U	1.2	0.78	1.9	1.5	1.2	34 U	17 U	17 U	0.31	1.1	1.0 U	0.5
1 1 1-TRICHLOROETHANE	35	27	68	500 U	100 U	500 U	100	500 U	13	500 U	200 U	500 U	14	20	46	52	38	160	220	190	170	28	34	1.0 U	50.6
CARBON TETRACHLORIDE	5 U	25 U	25 U	500 U	100 U	500 U	100 U	500 U	17	1,500 U	200 U	500 U	250	2 U	1 U	0.27 U	0.27 U	0.27 U	27 U	14 U	14 U	1 U	1.0 U	1.0 U	11.1
BENZENE	5 U	25 U	25 U	500 U	70 U	500 U	70 U	70 U	0.7 U	350 U	200 U	500 U	1 U	2 U	1 U	0.41 U	0.41 U	0.41 U	41 U	21 U	21 U	1 U	1.0 U	1.0 U	0.0
1 2-DICHLOROETHANE	5 U	25 U	25 U	500 U	100 U	500 U	100 U	500 U	1 U	500 U	200 U	500 U	1 U	2 U	1 U	0.21 U	0.21 U	0.21 U	21 U	11 U	11 U	1 U	1.0 U	1.0 U	0.0
TRICHLOROETHENE	639	130	9,300	9,600	7,300	6,100	11,000	4,000	1,500	13,000	7,000	160	1 U	18	38	25	51	1,400	980	1,100	550	140	83	1.2	3,088.1
1 2-DICHLOROPROPANE	5 U	25 U	25 U	500 U	100 U	500 U	100 U	500 U	1 U	500 U	200 U	500 U	1 U	2 U	1 U	0.32 U	0.72 U	0.72 U	72 U	36 U	36 U	1 U	1.0 U	1.0 U	0.0
BROMODICHLOROMETHANE	5 U	25 U	25 U	500 U	100 U	500 U	100 U	500 U	1 U	500 U	200 U	500 U	1 U	2 U	1 U	0.39 U	0.39 U	0.39 U	39 U	20 U	20 U	1 U	1.0 U	1.0 U	0.0
CIS-1 3-DICHLOROPROPENE	5 U	25 U	25 U	500 U	100 U	500 U	100 U	500 U	1 U	500 U	200 U	500 U	1 U	2 U	1 U	0.36 U	0.36 U	0.36 U	36 U	18 U	18 U	1 U	1.0 U	1.0 U	0.0
MIBK	50 U	125 U	50 U	1,000 U	1,000 U	1,000 U	1,000 U	1,000 U	10 U	5,000 U	1,000 U	2,500 U	5 U	10 U	5 U	0.91 U	2.1 U	2.1	210 U	110 U	110 U	5 U	5.0 U	5.0 U	0.1
TOLUENE	5 U	25 U	25 U	500 U	100 U	500 U	100 U	500 U	1 U	500 U	200 U	500 U	1 U	2 U	1 U	0.51 U	0.51 U	0.82 U	51 U	26 U	26 U	1 U	1.0 U	1.0 U	0.0
TRANS-1 3-DICHLOROPROPENE	5 U	25 U	25 U	500 U	100 U	500 U	100 U	500 U	1 U	500 U	200 U	500 U	1 U	2 U	1 U	0.37 U	0.37 U	0.37 U	37 U	19 U	19 U	1 U	1.0 U	1.0 U	0.0
1 1 2-TRICHLOROETHANE	5 U	25 U	25 U	500 U	100 U	500 U	100 U	500 U	1 U	500 U	200 U	500 U	1 U	2 U	1 U	0.23 U	0.23 U	0.23 U	23 U	12 U	12 U	1 U	1.0 U	1.0 U	0.0
TETRACHLOROETHENE	5 U	25 U	25 U	500 U	100 U	500 U	100 U	500 U	1 U	500 U	200 U	500 U	1 U	2 U	1 U	0.36 U	0.36 U	0.59	36 U	18 U	18 U	1 U	1.0 U	1.0 U	0.0
2-HEXANONE	50 U	125 U	50 U	1,000 U	1,000 U	1,000 U	1,000 U	1,000 U	10 U	5,000 U	1,000 U	2,500 U	5 U	10 U	5 U	1.2 U	1.2 U	1.2 U	120 U	62 U	62 U	5 U	5.0 U	5.0 U	0.0
DIBROMOCHLOROMETHANE	5 U	25 U	25 U	500 U	100 U	500 U	100 U	500 U	1 U	500 U	200 U	500 U	1 U	2 U	1 U	0.32 U	0.32 U	0.32 U	32 U	16 U	16 U	1 U	1.0 U	1.0 U	0.0
CHLOROBENZENE	5 U	25 U	25 U	500 U	100 U	500 U	100 U	500 U	1 U	500 U	200 U	500 U	1 U	2 U	1 U	0.32 U	0.75 U	0.75 U	75 U	38 U	38 U	1 U	1.0 U	1.0 U	0.0
ETHYLBENZENE	5 U	25 U	25 U	500 U	100 U	500 U	100 U	500 U	1 U	500 U	200 U	500 U	1 U	2 U	1 U	0.18 U	0.74 U	0.74 U	74 U	37 U	37 U	1 U	1.0 U	1.0 U	0.0
P-XYLENE/M-XYLENE	5 U	25 U	25 U	500 U	100 U	500 U	100 U	500 U	1 U	500 U	600 U	1,500 U	2 U	6 U	2 U	0.66 U	0.66 U	0.66 U	66 U	33 U	33 U	2 U	2.0 U	2.0 U	0.0
O-XYLENE	5 U	25 U	25 U	500 U	100 U	500 U	100 U	500 U	1 U	500 U	200 U	500 U	1 U	2 U	1 U	0.36 U	0.76 U	0.76 U	76 U	38 U	38 U	1 U	1.0 U	1.0 U	0.0
STYRENE	5 U	25 U	25 U	500 U	100 U	500 U	100 U	500 U	1 U	500 U	200 U	500 U	1 U	2 U	1 U	0.18 U	0.73 U	0.73 U	73 U	37 U	37 U	1 U	1.0 U	1.0 U	0.0
BROMOFORM	5 U	25 U	25 U	500 U	100 U	500 U	100 U	500 U	1 U	500 U	200 U	500 U	1 U	2 U	1 U	0.26 U	0.26 U	0.26 U	26 U	13 U	13 U	1 U	1.0 U	1.0 U	0.0
1 1 2 2-TETRACHLOROETHANE	5 U	25 U	25 U	500 U	100 U	500 U	100 U	500 U	1 U	500 U	200 U	500 U	1 U	2 U	1 U	0.21 U	0.21 U	0.21 U	21 U	11 U	11 U	1 U	1.0 U	1.0 U	0.0

This well was not sampled on the following dates: April, July and October 1993; January, April, July and October 1994; April, July and October 1995; April and July 1996; January, April and July 1997; and October 2005.

WELL NUMBER EW-2
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Apr-93	Jul-93	Oct-93	Jan-94	Jul-94	Jan-95	Jan-96	Oct-96	Oct-97	Oct-98	Oct-99	Oct-00	Oct-01	Oct-02	Oct-03	Apr-04	Oct-04	Oct-05
CHLOROMETHANE	5 U	5 U	500 U	500 U	250 U	250 U	125 U	120 U	120 U	130 U	130 U	130 U	1 U	20 U	50 U	1 U	10 U	1 U
VINYL CHLORIDE	100	83	500 U	500 U	250 U	250 U	125 U	120 U	120 U	170	190	83	110	100	62	18	14	26
CHLOROETHANE	5 U	5 U	500 U	500 U	250 U	250 U	125 U	120 U	120 U	130 U	130 U	130 U	1 U	40 U	50 U	1 U	10 U	1 U
BROMOMETHANE	5 U	5 U	500 U	500 U	250 U	250 U	125 U	120 U	120 U	130 U	130 U	130 U	1 U	20 U	50 U	1 U	10 U	1 U
1 1-DICHLOROETHENE	33	12	500 U	500 U	250 U	250 U	125 U	120 U	120 U	130 U	130 U	130 U	4	20 U	50 U	0.62	10 U	1.6
ACETONE	50 U	50 U	5,000 U	5,000 U	2,500 U	2,500 U	625 U	620 U	620 U	630 U	630 U	630 U	10 U	200 U	250 U	5 U	50 U	5 U
CARBON DISULFIDE	5 U	5 U	500 U	500 U	250 U	250 U	125 U	120 U	120 U	130 U	130 U	130 U	1 U	20 U	50 U	1 U	10 U	1 U
METHYLENE CHLORIDE	21	6 U	500 U	500 U	250 U	250 U	125 U	120 U	120 U	130 U	130 U	130 U	1 U	20 U	50 U	1 U	10 U	1 U
TRANS-1 2-DICHLOROETHENE	16	12	500 U	500 U	250 U	250 U	125 U	120 U	120 U	130 U	130 U	130 U	13	20 U	50 U	3.6	5.5	4.5
1 1-DICHLOROETHANE	8	11	500 U	500 U	250 U	250 U	125 U	120 U	120 U	130 U	130 U	130 U	5	20 U	50 U	1.6	4.3	4.3
CIS-1 2-DICHLOROETHENE	5,460	4,760	5,000	4,710	5,750	1,740	2,100	1,900	2,200	2,400	2,100	710	1,700	2,200	1,600	390	930	880
METHYL ETHYL KETONE	50 U	50 U	5,000 U	5,000 U	2,500 U	2,500 U	625 U	620 U	620 U	630 U	630 U	630 U	10 U	200 U	250 U	5 U	50 U	5 U
CHLOROFORM	5 U	5 U	500 U	500 U	250 U	250 U	125 U	120 U	120 U	130 U	130 U	130 U	2	20 U	50 U	1.5	4.6	1.9
1 1 1-TRICHLOROETHANE	59	57	500 U	500 U	250 U	250 U	125 U	120 U	120 U	130 U	130 U	130 U	10	56	50 U	3.3	12	13
CARBON TETRACHLORIDE	5 U	5 U	500 U	500 U	250 U	250 U	125 U	120 U	120 U	130 U	130 U	130 U	16	60 U	50 U	1 U	10 U	1 U
BENZENE	5 U	5 U	500 U	500 U	250 U	250 U	125 U	120 U	120 U	130 U	18 U	18 U	0.7 U	14 U	250 U	1 U	10 U	1 U
1 2-DICHLOROETHANE	5 U	5 U	500 U	500 U	250 U	250 U	125 U	120 U	120 U	130 U	130 U	130 U	1 U	20 U	50 U	1 U	10 U	1 U
TRICHLOROETHENE	1,700	1,970	1,390	2,540	4,310	2,010	850	330	120 U	50	130 U	130 U	110	190	150	24	88	68
1 2-DICHLOROPROPANE	5 U	5 U	500 U	500 U	250 U	250 U	125 U	120 U	120 U	130 U	130 U	130 U	1 U	20 U	50 U	1 U	10 U	1 U
BROMODICHLOROMETHANE	5 U	5 U	500 U	500 U	250 U	250 U	125 U	120 U	120 U	130 U	130 U	130 U	1 U	20 U	50 U	1 U	10 U	1 U
CIS-1 3-DICHLOROPROPENE	5 U	5 U	500 U	500 U	250 U	250 U	125 U	120 U	120 U	130 U	130 U	130 U	1 U	20 U	50 U	1 U	10 U	1 U
MIBK	50 U	50 U	5,000 U	5,000 U	2,500 U	2,500 U	625 U	250 U	250 U	250 U	250 U	250 U	10 U	200 U	250 U	5 U	50 U	5 U
TOLUENE	5 U	5 U	500 U	500 U	250 U	250 U	125 U	120 U	120 U	130 U	130 U	130 U	1 U	20 U	50 U	1 U	10 U	1 U
TRANS-1 3-DICHLOROPROPENE	5 U	5 U	500 U	500 U	250 U	250 U	125 U	120 U	120 U	130 U	130 U	130 U	1 U	20 U	50 U	1 U	10 U	1 U
1 1 2-TRICHLOROETHANE	5 U	5 U	500 U	500 U	250 U	250 U	125 U	120 U	120 U	130 U	130 U	130 U	1 U	20 U	50 U	1 U	10 U	1 U
TETRACHLOROETHENE	5 U	5 U	500 U	500 U	250 U	250 U	125 U	120 U	120 U	130 U	130 U	130 U	1 U	20 U	50 U	1 U	10 U	1 U
2-HEXANONE	50 U	50 U	5,000 U	5,000 U	2,500 U	2,500 U	625 U	250 U	250 U	250 U	250 U	250 U	10 U	200 U	250 U	5 U	50 U	5 U
DIBROMOCHLOROMETHANE	5 U	5 U	500 U	500 U	250 U	250 U	125 U	120 U	120 U	130 U	130 U	130 U	1 U	20 U	50 U	1 U	10 U	1 U
CHLOROBENZENE	5 U	5 U	500 U	500 U	250 U	250 U	125 U	120 U	120 U	130 U	130 U	130 U	1 U	20 U	50 U	1 U	10 U	1 U
ETHYLBENZENE	5 U	5 U	500 U	500 U	250 U	250 U	125 U	120 U	120 U	130 U	130 U	130 U	1 U	20 U	50 U	1 U	10 U	1 U
P-XYLENE/M-XYLENE	5 U	5 U	500 U	500 U	250 U	250 U	125 U	120 U	120 U	130 U	130 U	130 U	1 U	20 U	150 U	3 U	30 U	2 U
O-XYLENE	5 U	5 U	500 U	500 U	250 U	250 U	125 U	120 U	120 U	130 U	130 U	130 U	1 U	20 U	50 U	1 U	10 U	1 U
STYRENE	5 U	5 U	500 U	500 U	250 U	250 U	125 U	120 U	120 U	130 U	130 U	130 U	1 U	20 U	50 U	1 U	10 U	1 U
BROMOFORM	5 U	5 U	500 U	500 U	250 U	250 U	125 U	120 U	120 U	130 U	130 U	130 U	1 U	20 U	50 U	1 U	10 U	1 U
1 1 2 2-TETRACHLOROETHANE	5 U	5 U	500 U	500 U	250 U	250 U	125 U	120 U	120 U	130 U	130 U	130 U	1 U	20 U	50 U	1 U	10 U	1 U

This well was not sampled on the following dates: April and October 1994; April, July and October 1995; April and July 1996; January, April and July 1997, April 1998 and 2006.

WELL NUMBER EW-2
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Oct-07	Oct-08	Oct-09	Oct-10	Oct-11	Nov-12	Oct-13	Apr-14	Oct-14	May-15	Jun-15	Oct-15	Apr-16	Oct-16	Apr-17	Nov-17	AVG
CHLOROMETHANE	1 U	40 U	0.35 U	0.35 U	0.35 U	1.8 U	1.8 U	1 U	1.8 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
VINYL CHLORIDE	1 U	56	4.1	0.90 U	0.9 U	16	6.7	1.8	57	0.83	1.0 U	180	3.3	200	2.8	1.9	42.5
CHLOROETHANE	1 U	40 U	0.32 U	0.32 U	0.32 U	1.6 U	1.6 U	1 U	1.6 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
BROMOMETHANE	1 U	40 U	0.28 U	0.69 U	0.69 U	3.5 U	3.5 U	1 U	3.5 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
1 1-DICHLOROETHENE	1 U	40 U	1.5	1.2	3.0	1.9	1.5 U	1 U	1.5 U	1.0 U	1.0 U	2.3	1.0 U	1.0 U	1.0 U	1.0 U	1.7
ACETONE	2,900	200 U	1.3 U	3.0 U	3 U	15	15 U	5 U	15 U	5.0 U	2.3	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	83.4
CARBON DISULFIDE	1 U	40 U	0.19 U	0.19 U	0.19 U	0.95 U	0.95 U	1 U	0.95 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.23	0.0
METHYLENE CHLORIDE	1 U	40 U	0.44 U	0.44 U	0.44 U	2.2 U	2.2 U	1 U	2.2 U	1.0 U	1.0 U	1.0 U	3.5	1.0 U	1.0 U	1.0 U	0.7
TRANS-1 2-DICHLOROETHENE	3	40 U	4.0	3.0	5.8	4.5 U	4.5 U	1.3	4.5 U	1.4	1.2	3.7	0.96	2.9	1.1	1.0	2.4
1 1-DICHLOROETHANE	2	40 U	4.7	2.9	6.5	4.7	5.1	3.6	5.2	3.4	4.0	10	3.1	13	2.1	2.5	3.1
CIS-1 2-DICHLOROETHENE	370	2,300	920	550	1,000	300	230	16	370	9.6	24	660	13	250	7.8	6.4	1,530.2
METHYL ETHYL KETONE	56,000	200 U	1.3 U	1.3 U	1.3 U	6.6 U	6.6 U	5 U	6.6 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	1,600.0
CHLOROFORM	1	40 U	1.5	2.2	1.8	1.7 U	1.7 U	0.57	1.7 U	1.2	1.2	0.63	0.46	0.65	0.64	1.3	0.7
1 1 1-TRICHLOROETHANE	7.1	40 U	19	11	57	9.5	6.3	4.0	6.6	3.2	3.1	14	2.7	21	2.9	3.4	10.9
CARBON TETRACHLORIDE	1 U	40 U	0.27 U	0.27 U	0.27 U	1.4 U	1.4 U	1 U	1.4 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.5
BENZENE	1 U	200 U	0.41 U	0.41 U	0.41 U	2.1 U	2.1 U	1 U	2.1 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
1 2-DICHLOROETHANE	1 U	40 U	0.21 U	0.21 U	0.21 U	1.1 U	1.1 U	1 U	1.1 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
TRICHLOROETHENE	14	72	28	19	27	8.4	9.1	4.1	6.2	4.1	5.1	10	3.2	7.7	2.7	2.7	457.2
1 2-DICHLOROPROPANE	1 U	40 U	0.32 U	0.72 U	0.72 U	3.6 U	3.6 U	1 U	3.6 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
BROMODICHLOROMETHANE	1 U	40 U	0.39 U	0.39 U	0.39 U	2.0 U	2.0 U	1 U	2.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
CIS-1 3-DICHLOROPROPENE	1 U	40 U	0.36 U	0.36 U	0.36 U	1.8 U	1.8 U	1 U	1.8 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
MIBK	5 U	200 U	0.91 U	2.1 U	2.1 U	11 U	11 U	5 U	11 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	0.0
TOLUENE	1 U	40 U	0.51 U	0.51 U	0.51 U	2.6 U	2.6 U	1 U	2.6 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
TRANS-1 3-DICHLOROPROPENE	1 U	40 U	0.37 U	0.37 U	0.37 U	1.9 U	1.9 U	1 U	1.9 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
1 1 2-TRICHLOROETHANE	1 U	40 U	0.23 U	0.23 U	0.23 U	1.2 U	1.2 U	1 U	1.2 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
TETRACHLOROETHENE	1 U	40 U	0.36 U	0.36 U	0.36 U	1.8 U	1.8 U	1 U	1.8 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
2-HEXANONE	5 U	200 U	1.2 U	1.2 U	1.2 U	6.2 U	6.2 U	5 U	6.2 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	0.0
DIBROMOCHLOROMETHANE	1 U	40 U	0.32 U	0.32 U	0.32 U	1.6 U	1.6 U	1 U	1.6 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
CHLOROBENZENE	1 U	40 U	0.32 U	0.75 U	0.75 U	3.8 U	3.8 U	1 U	3.8 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
ETHYLBENZENE	1 U	40 U	0.18 U	0.74 U	0.74 U	3.7 U	3.7 U	1 U	3.7 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
P-XYLENE/M-XYLENE	2 U	120 U	0.66 U	0.66 U	0.66 U	3.3 U	3.3 U	2 U	3.3 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.0
O-XYLENE	1 U	40 U	0.36 U	0.76 U	0.76 U	3.8 U	3.8 U	1 U	3.8 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
STYRENE	1 U	40 U	0.18 U	0.73 U	0.73 U	3.7 U	3.7 U	1 U	3.7 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
BROMOFORM	1 U	40 U	0.26 U	0.26 U	0.26 U	1.3 U	1.3 U	1 U	1.3 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
1 1 2 2-TETRACHLOROETHANE	1 U	40 U	0.21 U	0.21 U	0.21 U	1.1 U	1.1 U	1 U	1.1 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0

This well was not sampled on the following dates: April and October 1994; April, July and October 1995; April and July 1996; January, April and July 1997, April 1998 and 2006.

WELL NUMBER EW-3
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Apr-93	Jul-93	Oct-93	Jan-94	Jul-94	Jan-95	Jan-96	Oct-96	Oct-97	Oct-98	Oct-99	Oct-00	Oct-01	Oct-02	Oct-03	Apr-04	Oct-04	Oct-05	Oct-06
CHLOROMETHANE	5 U	5 U	25 U	5 U	25 U	50 U	100 U	120 U	120 U	130 U	130 U	130 U	1 U	100 U	250 U	1 U	50 U	1 U	1 U
VINYL CHLORIDE	28	35	113	58	66	76	150	120 U	200	480	480	450	840	1,100	760	580	330	910	54
CHLOROETHANE	5 U	5 U	25 U	5 U	25 U	50 U	100 U	120 U	120 U	130 U	130 U	130 U	1 U	200 U	250 U	1 U	50 U	0.54	1 U
BROMOMETHANE	5 U	5 U	25 U	5 U	25 U	50 U	100 U	120 U	120 U	130 U	130 U	130 U	1 U	100 U	250 U	1 U	50 U	1 U	1 U
1,1-DICHLOROETHENE	5 U	5 U	25 U	5 U	25 U	50 U	100 U	120 U	120 U	130 U	130 U	130 U	11	100 U	250 U	9.8	50 U	15	2.2
ACETONE	50 U	50 U	250 U	50 U	250 U	500 U	500 U	620 U	620 U	630 U	630 U	630 U	10 U	1,000 U	1,200 U	5 U	250 U	5 U	5 U
CARBON DISULFIDE	5 U	5 U	279	6	25 U	50 U	100 U	120 U	120 U	130 U	130 U	130 U	1 U	100 U	250 U	1 U	50 U	0.54	1 U
METHYLENE CHLORIDE	5 U	5 U	25 U	5 U	25 U	50 U	100 U	120 U	120 U	130 U	130 U	130 U	1 U	100 U	250 U	1 U	50 U	1 U	1 U
TRANS-1,2-DICHLOROETHENE	5 U	5 U	25 U	5 U	25 U	50 U	100 U	120 U	120 U	130 U	130 U	130 U	43	100 U	250 U	24	16	29	4.1
1,1-DICHLOROETHANE	5 U	5 U	25 U	5	25 U	50 U	100 U	120 U	120 U	130 U	130 U	130 U	10	100 U	250 U	8.7	50 U	16	4.2
CIS-1,2-DICHLOROETHENE	215	208	815	270	1,140	1,380	2,300	2,800	3,400	3,700	4,300	3,200	4,900	16,000	7,000	5,300	3,800	5,800	1,000
METHYL ETHYL KETONE	50 U	50 U	250 U	50 U	250 U	500 U	500 U	620 U	620 U	630 U	630 U	630 U	10 U	1,000 U	1,200 U	5 U	250 U	5 U	5 U
CHLOROFORM	5 U	5 U	25 U	5 U	25 U	50 U	100 U	120 U	120 U	130 U	130 U	130 U	1	100 U	250 U	1.9	50 U	1.9	1.1
1,1,1-TRICHLOROETHANE	5 U	5 U	25 U	8	25 U	50 U	100 U	120 U	120 U	130 U	130 U	130 U	14	100 U	250 U	25	20	44	11
CARBON TETRACHLORIDE	5 U	5 U	25 U	5 U	25 U	50 U	100 U	120 U	120 U	130 U	130 U	130 U	17	300 U	250 U	1 U	50 U	1 U	1 U
BENZENE	5 U	5 U	25 U	5 U	25 U	50 U	100 U	120 U	120 U	18 U	18 U	18 U	0.7 U	70 U	250 U	1 U	250 U	1 U	1 U
1,2-DICHLOROETHANE	5 U	5 U	25 U	5 U	25 U	50 U	100 U	120 U	120 U	130 U	130 U	130 U	1 U	100 U	250 U	1 U	50 U	1 U	1 U
TRICHLOROETHENE	28	5 U	25 U	5 U	43	50 U	930	120 U	120 U	49	130 U	130 U	20	200 U	250 U	14	21	42	38
1,2-DICHLOROPROPANE	5 U	5 U	25 U	5 U	25 U	50 U	100 U	120 U	120 U	130 U	130 U	130 U	1 U	100 U	250 U	1 U	50 U	1 U	1 U
BROMODICHLOROMETHANE	5 U	5 U	25 U	5 U	25 U	50 U	100 U	120 U	120 U	130 U	130 U	130 U	1 U	100 U	250 U	1 U	50 U	1 U	1 U
CIS-1,3-DICHLOROPROPENE	5 U	5 U	25 U	5 U	25 U	50 U	100 U	120 U	120 U	130 U	130 U	130 U	1 U	100 U	250 U	1 U	50 U	1 U	1 U
MIBK	50 U	50 U	250 U	50 U	250 U	500 U	500 U	250 U	250 U	250 U	250 U	250 U	10 U	1,000 U	1,200 U	5 U	250 U	5 U	5 U
TOLUENE	5 U	5 U	25 U	5 U	25 U	50 U	100 U	120 U	120 U	130 U	130 U	130 U	1 U	100 U	250 U	1 U	50 U	0.44	1 U
TRANS-1,3-DICHLOROPROPENE	5 U	5 U	25 U	5 U	25 U	50 U	100 U	120 U	120 U	130 U	130 U	130 U	1 U	100 U	250 U	1 U	50 U	1 U	1 U
1,1,2-TRICHLOROETHANE	5 U	5 U	25 U	5 U	25 U	50 U	100 U	120 U	120 U	130 U	130 U	130 U	1 U	100 U	250 U	1 U	50 U	1 U	1 U
TETRACHLOROETHENE	5 U	5 U	25 U	5 U	25 U	50 U	100 U	120 U	120 U	130 U	130 U	130 U	1 U	100 U	250 U	1 U	50 U	1 U	1 U
2-HEXANONE	50 U	50 U	250 U	50 U	250 U	500 U	500 U	250 U	250 U	250 U	250 U	250 U	10 U	1000 U	1,200 U	5 U	250 U	5 U	5 U
DIBROMOCHLOROMETHANE	5 U	5 U	25 U	5 U	25 U	50 U	100 U	120 U	120 U	130 U	130 U	130 U	1 U	100 U	250 U	1 U	50 U	1 U	1 U
CHLOROBENZENE	5 U	5 U	25 U	5 U	25 U	50 U	100 U	120 U	120 U	130 U	130 U	130 U	1 U	100 U	250 U	1 U	50 U	1 U	1 U
ETHYLBENZENE	5 U	5 U	25 U	5 U	25 U	50 U	100 U	120 U	120 U	130 U	130 U	130 U	1 U	100 U	250 U	1 U	50 U	1 U	1 U
P-XYLENE/M-XYLENE	5 U	5 U	25 U	5 U	25 U	50 U	100 U	120 U	120 U	130 U	130 U	130 U	1 U	100 U	750 U	3 U	150 U	2 U	2 U
O-XYLENE	5 U	5 U	25 U	5 U	25 U	50 U	100 U	120 U	120 U	130 U	130 U	130 U	1 U	100 U	250 U	1 U	50 U	1 U	1 U
STYRENE	5 U	5 U	25 U	5 U	25 U	50 U	100 U	120 U	120 U	130 U	130 U	130 U	1 U	100 U	250 U	1 U	50 U	1 U	1 U
BROMOFORM	5 U	5 U	25 U	5 U	25 U	50 U	100 U	120 U	120 U	130 U	130 U	130 U	1 U	100 U	250 U	1 U	50 U	1 U	1 U
1,1,2,2-TETRACHLOROETHANE	5 U	5 U	25 U	5 U	25 U	50 U	100 U	120 U	120 U	130 U	130 U	130 U	1 U	100 U	250 U	1 U	50 U	1 U	1 U

This well was not sampled on the following dates: April and October 1994; April, July and October 1995; April and July 1996; January, April and July 1997; and April 1998.

WELL NUMBER EW-3
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Oct-07	Oct-08	Oct-09	Oct-10	Oct-11	Nov-12	Oct-13	Apr-14	Oct-14	May-15	Jun-15	Oct-15	Apr-16	Oct-16	Apr-17	Nov-17	AVG
CHLOROMETHANE	20 U	80 U	0.35 U	0.35 U	0.35 U	18 U	18 U	50 U	18 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	0.0
VINYL CHLORIDE	790	3,500	720	830	860	800	1,200	990	910	1,200	960	800	660	720	860	1,000	635.4
CHLOROETHANE	20 U	80 U	0.32 U	0.32 U	0.32 U	16 U	16 U	50 U	16 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	0.0
BROMOMETHANE	20 U	80 U	0.28 U	0.69 U	0.69 U	35 U	35 U	50 U	35 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	0.0
1 1-DICHLOROETHENE	12	80 U	10	8.3	8.2	15 U	15 U	50 U	15 U	5.7	6.7	10 U	10 U	10 U	10 U	10 U	2.4
ACETONE	100 U	400 U	1.3 U	3.0 U	3 U	150 U	150 U	250 U	150 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	0.0
CARBON DISULFIDE	20 U	56	0.19 U	0.19 U	0.19 U	9.5 U	9.5 U	50 U	9.5 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	9.2
METHYLENE CHLORIDE	41	80 U	0.44 U	0.44 U	0.44 U	22 U	22 U	22	22 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	1.7
TRANS-1 2-DICHLOROETHENE	17	80 U	14	13	13	45 U	45 U	50 U	45 U	9.8	8.8	8.2	9.3	10	8.4	12	6.5
1 1-DICHLOROETHANE	14	80 U	13	11	13	19 U	19 U	50 U	19 U	12	11	14	12	13	16	14	5.1
CIS-1 2-DICHLOROETHENE	6,000	1,700	4700	3,400	3,200	2,200	2,500	2,700	2,300	1,900	1,900	1,300	2,000	1,600	1,300	1,600	2,914.3
METHYL ETHYL KETONE	100 U	400 U	1.3 U	1.3 U	1.3 U	66 U	66 U	250 U	66 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	0.0
CHLOROFORM	20 U	80 U	0.78	0.99	0.93	17 U	17 U	50 U	17 U	10 U	4.3	10 U	10 U	10 U	10 U	3.4	0.4
1 1 1-TRICHLOROETHANE	28	80 U	22	19	28	41 U	41 U	50 U	41 U	15	14	17	17	17	14	16	8.9
CARBON TETRACHLORIDE	20 U	80 U	0.27 U	0.27 U	0.27 U	14 U	14 U	50 U	14 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	0.5
BENZENE	20 U	400 U	0.41 U	0.41 U	0.41 U	21 U	21 U	250 U	21 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	0.0
1 2-DICHLOROETHANE	20 U	80 U	0.21 U	0.21 U	0.21 U	11 U	11 U	50 U	11 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	0.0
TRICHLOROETHENE	22	80 U	16	14	13	23 U	23 U	50 U	23 U	6.0	6.5	5.5	6.2	4.6	4.3	5.1	34.8
1 2-DICHLOROPROPANE	20 U	80 U	0.32 U	0.72 U	0.72 U	36 U	36 U	50 U	36 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	0.0
BROMODICHLOROMETHANE	20 U	80 U	0.39 U	0.39 U	0.39 U	20 U	20 U	50 U	20 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	0.0
CIS-1 3-DICHLOROPROPENE	20 U	80 U	0.36 U	0.36 U	0.36 U	18 U	18 U	50 U	18 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	0.0
MIBK	100 U	400 U	0.91 U	2.1 U	2.1 U	110 U	110 U	250 U	110 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	0.0
TOLUENE	20 U	80 U	0.51 U	0.51 U	0.51 U	26 U	26 U	50 U	26 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	0.0
TRANS-1 3-DICHLOROPROPENE	20 U	80 U	0.37 U	0.37 U	0.37 U	19 U	19 U	50 U	19 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	0.0
1 1 2-TRICHLOROETHANE	20 U	80 U	0.23 U	0.23 U	0.23 U	12 U	12 U	50 U	12 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	0.0
TETRACHLOROETHENE	20 U	80 U	0.36 U	0.36 U	0.36 U	18 U	18 U	50 U	18 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	0.0
2-HEXANONE	100 U	400 U	1.2 U	1.2 U	1.2 U	62 U	62 U	250 U	62 U	50 U	50 U	50 U	50 U	50 U	50 U	50 U	0.0
DIBROMOCHLOROMETHANE	20 U	80 U	0.32 U	0.32 U	0.32 U	16 U	16 U	50 U	16 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	0.0
CHLOROBENZENE	20 U	80 U	0.32 U	0.75 U	0.75 U	38 U	38 U	50 U	38 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	0.0
ETHYLBENZENE	20 U	80 U	0.18 U	0.74 U	0.74 U	37 U	37 U	50 U	37 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	0.0
P-XYLENE/M-XYLENE	60 U	240 U	0.66 U	0.66 U	0.66 U	33 U	33 U	100 U	33 U	20 U	20 U	20 U	20 U	20 U	20 U	20 U	0.0
O-XYLENE	20 U	80 U	0.36 U	0.76 U	0.76 U	38 U	38 U	50 U	38 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	0.0
STYRENE	20 U	80 U	0.18 U	0.73 U	0.73 U	37 U	37 U	50 U	37 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	0.0
BROMOFORM	20 U	80 U	0.26 U	0.26 U	0.26 U	13 U	13 U	50 U	13 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	0.0
1 1 2 2-TETRACHLOROETHANE	20 U	80 U	0.21 U	0.21 U	0.21 U	11 U	11 U	50 U	11 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	0.0

This well was not sampled on the following dates: April and October 1994; April, July and October 1995; April and July 1996; January, April and July 1997; and April 1998.

WELL NUMBER EW-4
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Apr-93	Jul-93	Oct-93	Jan-94	Jul-94	Jan-95	Jan-96	Oct-96	Oct-97	Oct-98	Oct-99	Oct-00	Oct-01	Oct-02	Oct-03	Apr-04	Oct-04	Oct-05	Oct-06
CHLOROMETHANE	5 U	5 U	5 U	5 U	5 U	25 U	25 U	25 U	25 U	1 U	1 U	25 U	1 U	100 U	40 U	20 U	1 U	10 U	1 U
VINYL CHLORIDE	16	23	67	25	34	43	60	38	57	29	71	71	190	410	170	140	130	210	130
CHLOROETHANE	5 U	5 U	5 U	5 U	5 U	25 U	25 U	25 U	25 U	1 U	1 U	25 U	1 U	200 U	40 U	20 U	1 U	10 U	1 U
BROMOMETHANE	5 U	5 U	5 U	5 U	5 U	25 U	25 U	25 U	25 U	1 U	1 U	25 U	1 U	100 U	40 U	20 U	1 U	10 U	1 U
1 1-DICHLOROETHENE	5 U	5 U	5 U	5 U	5 U	25 U	25 U	25 U	25 U	1 U	1 U	25 U	1 U	100 U	40 U	20 U	1.2	10 U	2.7
ACETONE	50 U	50 U	50 U	50 U	50 U	250 U	125 U	120 U	120 U	10 U	10 U	130 U	10 U	1,000 U	200 U	100 U	5 U	50 U	5 U
CARBON DISULFIDE	5 U	5 U	5 U	5 U	5 U	25 U	25 U	25 U	25 U	1 U	1 U	25 U	1 U	100 U	40 U	20 U	1 U	10 U	1 U
METHYLENE CHLORIDE	5 U	5 U	5 U	5 U	5 U	25 U	25 U	25 U	25 U	1 U	1 U	25 U	1 U	100 U	40 U	20 U	1 U	10 U	1 U
TRANS-1 2-DICHLOROETHENE	5 U	5 U	5 U	5 U	5 U	25 U	25 U	25 U	25 U	1 U	1 U	25 U	6	100 U	40 U	20 U	4.5	8.5	4.2
1 1-DICHLOROETHANE	5 U	5 U	5 U	5 U	5 U	25 U	25 U	25 U	25 U	1 U	1 U	25 U	3	100 U	40 U	20 U	1.8	10 U	2.7
CIS-1 2-DICHLOROETHENE	121	156	654	173	488	628	340	200	210	130	120	270	770	5,100	990	860	480	980	990
METHYL ETHYL KETONE	50 U	50 U	50 U	50 U	50 U	250 U	125 U	120 U	120 U	10 U	10 U	130 U	10 U	1,000 U	200 U	100 U	5 U	50 U	5 U
CHLOROFORM	5 U	5 U	5 U	5 U	5 U	25 U	25 U	25 U	25 U	1 U	1 U	25 U	1 U	100 U	40 U	20 U	0.47	10 U	0.51
1 1 1-TRICHLOROETHANE	5 U	5 U	5	5 U	5 U	25 U	25 U	25 U	25 U	1 U	1 U	25 U	2	100 U	40 U	20 U	2.4	4.3	4.6
CARBON TETRACHLORIDE	5 U	5 U	5 U	5 U	5 U	25 U	25 U	25 U	25 U	1 U	1 U	25 U	15	300 U	40 U	20 U	1 U	10 U	1 U
BENZENE	5 U	5 U	5 U	5 U	5 U	25 U	25 U	25 U	25 U	0.7 U	0.7 U	4 U	0.7 U	70 U	200 U	20 U	1 U	10 U	1 U
1 2-DICHLOROETHANE	5 U	5 U	5 U	5 U	5 U	25 U	25 U	25 U	25 U	1 U	1 U	25 U	1 U	100 U	40 U	20 U	1 U	10 U	1 U
TRICHLOROETHENE	5 U	5 U	28	5 U	21	25 U	25 U	25 U	25 U	11	1	25 U	5	200 U	40 U	20 U	2	4.5	6.5
1 2-DICHLOROPROPANE	5 U	5 U	5 U	5 U	5 U	25 U	25 U	25 U	25 U	1 U	1 U	25 U	1 U	100 U	40 U	20 U	1 U	10 U	1 U
BROMODICHLOROMETHANE	5 U	5 U	5 U	5 U	5 U	25 U	25 U	25 U	25 U	1 U	1 U	25 U	1 U	100 U	40 U	20 U	1 U	10 U	1 U
CIS-1 3-DICHLOROPROPENE	5 U	5 U	5 U	5 U	5 U	25 U	25 U	25 U	25 U	1 U	1 U	25 U	1 U	100 U	40 U	20 U	1 U	10 U	1 U
MIBK	50 U	50 U	50 U	50 U	50 U	250 U	125 U	50 U	50 U	10 U	10 U	50 U	10 U	1,000 U	200 U	100 U	5 U	50 U	5 U
TOLUENE	5 U	5 U	5 U	5 U	5 U	25 U	25 U	25 U	25 U	1 U	1 U	25 U	1 U	100 U	40 U	20 U	1 U	10 U	1 U
TRANS-1 3-DICHLOROPROPENE	5 U	5 U	5 U	5 U	5 U	25 U	25 U	25 U	25 U	1 U	1 U	25 U	1 U	100 U	40 U	20 U	1 U	10 U	1 U
1 1 2-TRICHLOROETHANE	5 U	5 U	5 U	5 U	5 U	25 U	25 U	25 U	25 U	1 U	1 U	25 U	1 U	100 U	40 U	20 U	1 U	10 U	1 U
TETRACHLOROETHENE	5 U	5 U	5 U	5 U	5 U	25 U	25 U	25 U	25 U	1 U	1 U	25 U	1 U	100 U	40 U	20 U	1 U	10 U	1 U
2-HEXANONE	50 U	50 U	50 U	50 U	50 U	250 U	125 U	50 U	50 U	10 U	10 U	50 U	10 U	1,000 U	200 U	100 U	5 U	50 U	5 U
DIBROMOCHLOROMETHANE	5 U	5 U	5 U	5 U	5 U	25 U	25 U	25 U	25 U	1 U	1 U	25 U	1 U	100 U	40 U	20 U	1 U	10 U	1 U
CHLOROBENZENE	5 U	5 U	5 U	5 U	5 U	25 U	25 U	25 U	25 U	1 U	1 U	25 U	1 U	100 U	40 U	20 U	1 U	10 U	1 U
ETHYLBENZENE	5 U	5 U	5 U	5 U	5 U	25 U	25 U	25 U	25 U	1 U	1 U	25 U	1 U	100 U	40 U	20 U	1 U	10 U	1 U
P-XYLENE/M-XYLENE	5 U	5 U	5 U	5 U	5 U	25 U	25 U	25 U	25 U	1 U	1 U	25 U	1 U	100 U	120 U	60 U	3 U	20 U	2 U
O-XYLENE	5 U	5 U	5 U	5 U	5 U	25 U	25 U	25 U	25 U	1 U	1 U	25 U	1 U	100 U	40 U	20 U	1 U	10 U	1 U
STYRENE	5 U	5 U	5 U	5 U	5 U	25 U	25 U	25 U	25 U	1 U	1 U	25 U	1 U	100 U	40 U	20 U	1 U	10 U	1 U
BROMOFORM	5 U	5 U	5 U	5 U	5 U	25 U	25 U	25 U	25 U	1 U	1 U	25 U	1 U	100 U	40 U	20 U	1 U	10 U	1 U
1 1 2 2-TETRACHLOROETHANE	5 U	5 U	5 U	5 U	5 U	25 U	25 U	25 U	25 U	1 U	1 U	25 U	1 U	100 U	40 U	20 U	1 U	10 U	1 U

This well was not sampled on the following dates: April and October 1994; April, July and October 1995; April and July 1996; January, April and July 1997; and April 1998.

WELL NUMBER EW-4
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Oct-07	Oct-08	Oct-09	Oct-10	Oct-11	Nov-12	Oct-13	Apr-14	Oct-14	May-15	Oct-15	Apr-16	Oct-16	Apr-17	Nov-17	AVG
CHLOROMETHANE	10 U	10 U	0.35 U	0.35 U	0.35 U	0.70 U	0.70 U	2 U	0.35 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
VINYL CHLORIDE	140	240	160	230	130	97	110	83	65	57	56	34	50	54	36	98.7
CHLOROETHANE	10 U	10 U	0.32 U	0.32 U	0.32 U	0.64 U	0.64 U	2 U	0.32 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
BROMOMETHANE	10 U	10 U	0.28 U	0.69 U	0.69 U	1.4 U	1.4 U	2 U	0.69 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
1 1-DICHLOROETHENE	10 U	10 U	2.8	2.3	1.9	0.93	0.58 U	2 U	0.29 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.3
ACETONE	50 U	50 U	1.3 U	3.0 U	3 U	6.0 U	6.0 U	10 U	3.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	0.0
CARBON DISULFIDE	10 U	4.7	0.19 U	0.19 U	0.19 U	0.38 U	0.38 U	2 U	0.19 U	0.53	2.4	1.0 U	0.61	0.30	1.0 U	0.2
METHYLENE CHLORIDE	19	10 U	0.44 U	0.44 U	0.44 U	0.88 U	0.88 U	2 U	0.44 U	1.0 U	1.0 U	0.91	1.0 U	1.0 U	1.0 U	0.6
TRANS-1 2-DICHLOROETHENE	10 U	52	4.9	5.3	5.0	2.0	2.1	2 U	1.2	1.1	1.3	1.3	1.9	1.8	0.88	3.0
1 1-DICHLOROETHANE	10 U	10 U	3	3.8	4.7	1.9	1.8	1.3	0.83	1.1	1.1	0.91	1.6	1.9	1.0	0.9
CIS-1 2-DICHLOROETHENE	520	1,900	1,400	1,200	820	130	96	70	37	27	34	25	39	69	32	573.1
METHYL ETHYL KETONE	50 U	50 U	1.3 U	1.3 U	1.3 U	2.6 U	2.6 U	10 U	1.3 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	0.0
CHLOROFORM	10 U	10 U	0.34 U	0.67	0.52	0.68 U	0.68 U	2 U	0.34 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.1
1 1 1-TRICHLOROETHANE	10 U	5.9	4.8	5.5	13	2.9	2.3	1.7	1.2	0.85	1.1	0.88	0.93	1.1	0.81	1.8
CARBON TETRACHLORIDE	10 U	10 U	0.27 U	0.27 U	0.27 U	0.54 U	0.54 U	2 U	0.27 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.4
BENZENE	10 U	10 U	0.41 U	0.41 U	0.41 U	0.82 U	0.82 U	2 U	0.41 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
1 2-DICHLOROETHANE	10 U	10 U	0.21 U	0.21 U	0.21 U	0.42 U	0.42 U	2 U	0.21 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
TRICHLOROETHENE	10 U	8.2	6.3	3.5	6.2	1.2	1.2	2 U	0.57	0.41	0.77	0.57	0.71	0.85	0.42	3.1
1 2-DICHLOROPROPANE	10 U	10 U	0.32 U	0.72 U	0.72 U	1.4 U	1.4 U	2 U	0.72 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
BROMODICHLOROMETHANE	10 U	10 U	0.39 U	0.39 U	0.39 U	0.78 U	0.78 U	2 U	0.39 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
CIS-1 3-DICHLOROPROPENE	10 U	10 U	0.36 U	0.36 U	0.36 U	0.72 U	0.72 U	2 U	0.36 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
MIBK	50 U	50 U	0.91 U	2.1 U	2.1 U	4.2 U	4.2 U	10 U	2.1 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	0.0
TOLUENE	10 U	10 U	0.51 U	0.51 U	0.51 U	1.0 U	1.0 U	2 U	0.51 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
TRANS-1 3-DICHLOROPROPENE	10 U	10 U	0.37 U	0.37 U	0.37 U	0.74 U	0.74 U	2 U	0.37 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
1 1 2-TRICHLOROETHANE	10 U	10 U	0.23 U	0.23 U	0.23 U	0.46 U	0.46 U	2 U	0.23 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
TETRACHLOROETHENE	10 U	10 U	0.36 U	0.36 U	0.36 U	0.72 U	0.72 U	2 U	0.36 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
2-HEXANONE	50 U	50 U	1.2 U	1.2 U	1.2 U	2.5 U	2.5 U	10 U	1.2 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	0.0
DIBROMOCHLOROMETHANE	10 U	10 U	0.32 U	0.32 U	0.32 U	0.64 U	0.64 U	2 U	0.32 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
CHLOROBENZENE	10 U	10 U	0.32 U	0.75 U	0.75 U	1.5 U	1.5 U	2 U	0.75 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
ETHYLBENZENE	10 U	10 U	0.18 U	0.74 U	0.74 U	1.5 U	1.5 U	2 U	0.74 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
P-XYLENE/M-XYLENE	30 U	30 U	0.66 U	0.66 U	0.66 U	1.3 U	1.3 U	4 U	0.66 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.0
O-XYLENE	10 U	10 U	0.36 U	0.76 U	0.76 U	1.5 U	1.5 U	2 U	0.76 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
STYRENE	10 U	10 U	0.18 U	0.73 U	0.73 U	1.5 U	1.5 U	2 U	0.73 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
BROMOFORM	10 U	10 U	0.26 U	0.26 U	0.26 U	0.52 U	0.52 U	2 U	0.26 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
1 1 2 2-TETRACHLOROETHANE	10 U	10 U	0.21 U	0.21 U	0.21 U	0.42 U	0.42 U	2 U	0.21 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0

This well was not sampled on the following dates: April and October 1994; April, July and October 1995; April and July 1996; January, April and July 1997; and April 1998.

WELL NUMBER EW-5
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Apr-93	Jul-93	Oct-93	Jan-94	Jul-94	Jan-95	Jan-96	Oct-96	Oct-97	Oct-98	Oct-99	Oct-00	Oct-01	Oct-02	Oct-03	Apr-04	Oct-04	Oct-05	Oct-06
CHLOROMETHANE	5 U	5 U	25 U	250 U	25 U	25 U	25 U	5 U	5 U	1 U	1 U	5 U	1 U	50 U	40 U	20 U	1 U	1 U	1 U
VINYL CHLORIDE	153	85	157	250 U	45	66	83	46	48	42	48	40	130	210	230	260	260	330	270
CHLOROETHANE	5 U	5 U	25 U	250 U	25 U	25 U	25 U	5 U	5 U	1 U	1 U	5 U	1 U	100 U	40 U	20 U	1 U	1 U	1 U
BROMOMETHANE	5 U	5 U	25 U	250 U	25 U	25 U	25 U	5 U	5 U	1 U	1 U	5 U	1 U	50 U	40 U	20 U	1 U	1 U	1 U
1,1-DICHLOROETHENE	26	10	25 U	250 U	25 U	25 U	25 U	5 U	5 U	2	1	5 U	1 U	50 U	40 U	20 U	2.6	2.8	4
ACETONE	50 U	50 U	250 U	2500 U	250 U	250 U	125 U	25 U	25 U	10 U	10 U	25 U	10 U	500 U	200 U	100 U	5 U	5 U	5 U
CARBON DISULFIDE	5 U	5 U	797	250 U	25 U	25 U	25 U	5 U	5 U	1 U	4	5 U	8	50 U	11	20 U	1 U	0.77	1 U
METHYLENE CHLORIDE	5 U	5 U	25 U	250 U	25 U	25 U	25 U	5 U	5 U	1 U	1 U	5 U	1 U	50 U	40 U	20 U	1 U	1 U	1 U
TRANS-1,2-DICHLOROETHENE	7	5 U	25 U	250 U	25 U	25 U	25 U	5 U	5 U	1	1 U	5 U	1 U	50 U	40 U	20 U	3.1	5.2	6.2
1,1-DICHLOROETHANE	5 U	5 U	25 U	250 U	25 U	25 U	25 U	5 U	5 U	1 U	1 U	5 U	1 U	50 U	40 U	20 U	1.6	1.9	2.8
CIS-1,2-DICHLOROETHENE	655	315	1,410	724	591	674	270	120	110	83	79	78	250	1,100	880	940	710	840	1,200
METHYL ETHYL KETONE	50 U	50 U	250 U	2500 U	250 U	250 U	125 U	73	25 U	10 U	10 U	25 U	10 U	500 U	200 U	100 U	5 U	5 U	5 U
CHLOROFORM	5 U	5 U	25 U	250 U	25 U	25 U	25 U	5 U	5 U	1 U	1 U	5 U	1 U	50 U	40 U	20 U	0.41	0.43	0.56
1,1,1-TRICHLOROETHANE	5 U	5 U	25 U	250 U	25 U	25 U	25 U	5 U	5 U	1 U	1 U	5 U	1 U	50 U	40 U	20 U	2.8	2.9	5.2
CARBON TETRACHLORIDE	5 U	5 U	25 U	250 U	25 U	25 U	25 U	5 U	5 U	1 U	1 U	5 U	14	150 U	40 U	20 U	1 U	1 U	1 U
BENZENE	5 U	5 U	25 U	250 U	25 U	25 U	25 U	5 U	5 U	0.7 U	0.7 U	0.7 U	0.7 U	35 U	200 U	20 U	1 U	1 U	1 U
1,2-DICHLOROETHANE	5 U	5 U	25 U	250 U	25 U	25 U	25 U	5 U	5 U	1 U	1 U	5 U	1 U	50 U	40 U	20 U	1 U	1 U	1 U
TRICHLOROETHENE	5 U	5 U	59	250 U	25 U	25 U	25 U	5 U	5 U	1	1 U	5 U	5	100 U	40 U	20 U	3	3.7	6.5
1,2-DICHLOROPROPANE	5 U	5 U	25 U	250 U	25 U	25 U	25 U	5 U	5 U	1 U	1 U	5 U	1 U	50 U	40 U	20 U	1 U	1 U	1 U
BROMODICHLOROMETHANE	5 U	5 U	25 U	250 U	25 U	25 U	25 U	5 U	5 U	1 U	1 U	5 U	1 U	50 U	40 U	20 U	1 U	1 U	1 U
CIS-1,3-DICHLOROPROPENE	5 U	5 U	25 U	250 U	25 U	25 U	25 U	5 U	5 U	1 U	1 U	5 U	1 U	50 U	40 U	20 U	1 U	1 U	1 U
MIBK	50 U	50 U	250 U	2500 U	250 U	250 U	125 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U	200 U	100 U	5 U	5 U	5 U
TOLUENE	5 U	5 U	25 U	250 U	25 U	25 U	25 U	5 U	5 U	1 U	1 U	5 U	1 U	50 U	40 U	20 U	1 U	1 U	1 U
TRANS-1,3-DICHLOROPROPENE	5 U	5 U	25 U	250 U	25 U	25 U	25 U	5 U	5 U	1 U	1 U	5 U	1 U	50 U	40 U	20 U	1 U	1 U	1 U
1,1,2-TRICHLOROETHANE	5 U	5 U	25 U	250 U	25 U	25 U	25 U	5 U	5 U	1 U	1 U	5 U	1 U	50 U	40 U	20 U	1 U	1 U	1 U
TETRACHLOROETHENE	5 U	5 U	25 U	250 U	25 U	25 U	25 U	5 U	5 U	1 U	1 U	5 U	1 U	50 U	40 U	20 U	1 U	1 U	1 U
2-HEXANONE	50 U	50 U	250 U	2500 U	250 U	250 U	125 U	10 U	10 U	10 U	10 U	10 U	10 U	500 U	200 U	100 U	5 U	5 U	5 U
DIBROMOCHLOROMETHANE	5 U	5 U	25 U	250 U	25 U	25 U	25 U	5 U	5 U	1 U	1 U	5 U	1 U	50 U	40 U	20 U	1 U	1 U	1 U
CHLOROBENZENE	5 U	5 U	25 U	250 U	25 U	25 U	25 U	5 U	5 U	1 U	1 U	5 U	1 U	50 U	40 U	20 U	1 U	1 U	1 U
ETHYLBENZENE	5 U	5 U	25 U	250 U	25 U	25 U	25 U	5 U	5 U	1 U	1 U	5 U	1 U	50 U	40 U	20 U	1 U	1 U	1 U
P-XYLENE/M-XYLENE	5 U	5 U	25 U	250 U	25 U	25 U	25 U	5 U	5 U	1 U	1 U	5 U	1 U	50 U	120 U	60 U	3 U	2 U	2 U
O-XYLENE	5 U	5 U	25 U	250 U	25 U	25 U	25 U	5 U	5 U	1 U	1 U	5 U	1 U	50 U	40 U	20 U	1 U	1 U	1 U
STYRENE	5 U	5 U	25 U	250 U	25 U	25 U	25 U	5 U	5 U	1 U	1 U	5 U	1 U	50 U	40 U	20 U	1 U	1 U	1 U
BROMOFORM	5 U	5 U	25 U	250 U	25 U	25 U	25 U	5 U	5 U	1 U	1 U	5 U	1 U	50 U	40 U	20 U	1 U	1 U	1 U
1,1,2,2-TETRACHLOROETHANE	5 U	5 U	25 U	250 U	25 U	25 U	25 U	5 U	5 U	1 U	1 U	5 U	1 U	50 U	40 U	20 U	1 U	1 U	1 U

This well was not sampled on the following dates: April and October 1994; April, July and October 1995; April and July 1996; January, April and July 1997; and April 1998.

WELL NUMBER EW-5
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Oct-07	Oct-08	Oct-09	Oct-10	Oct-11	Nov-12	Oct-13	Apr-14	Oct-14	May-15	Jun-15	Oct-15	Apr-16	Oct-16	Apr-17	Nov-17	AVG
CHLOROMETHANE	4 U	4 U	0.35 U	0.35 U	0.35 U	1.8 U	1.8 U	5 U	1.8 U	10 U	5 U	2 U	1 U	1.0 U	2.0 U	1.0 U	0.0
VINYL CHLORIDE	38	280	300	220	240	150	81	430	430	1,000	500	230	150	210	170	150	196.7
CHLOROETHANE	4 U	4 U	0.32 U	0.32 U	0.32 U	1.6 U	1.6 U	5 U	1.6 U	10 U	5 U	2 U	1 U	1.0 U	2.0 U	1.0 U	0.0
BROMOMETHANE	4 U	4 U	0.28 U	0.69 U	0.69 U	3.5 U	3.5 U	5 U	3.5 U	10 U	5 U	2 U	1 U	1.0 U	2.0 U	1.0 U	0.0
1 1-DICHLOROETHENE	4 U	4 U	2.6	1.9	2.6	1.5 U	1.5 U	1.5	1.5 U	10 U	5 U	2 U	0.8	2.0	2.0 U	0.74	1.7
ACETONE	20 U	20 U	1.3 U	3.0 U	3 U	15 U	15 U	25 U	15 U	50 U	50 U	10 U	5 U	5.8	6.3	5.0 U	0.3
CARBON DISULFIDE	4 U	3.7	0.19 U	0.19 U	0.19 U	0.95 U	0.95 U	5 U	0.95 U	10 U	5 U	6.4	4.3	0.31	0.6	0.41	23.2
METHYLENE CHLORIDE	4 U	4 U	0.44 U	0.44 U	0.44 U	2.2 U	2.2 U	5 U	2.2 U	10 U	5 U	2 U	1 U	1.0 U	2.0 U	1.0 U	0.0
TRANS-1 2-DICHLOROETHENE	4 U	6.6	7	6.0	7.3	4.5 U	4.5 U	5 U	4.5 U	10	4.3	2.8	3	4.1	3.2	1.7	2.2
1 1-DICHLOROETHANE	4 U	4 U	3	2.6	4.2	2.1	1.9 U	5.4	4.5	10	5.2	2.6	2.4	10	2.3	2.5	1.8
CIS-1 2-DICHLOROETHENE	270	1,400	1100	590	800	200	390	470	400	1,600	450	140	85	530	78	220	548.7
METHYL ETHYL KETONE	20 U	20 U	1.3 U	1.3 U	1.3 U	6.6 U	6.6 U	25 U	6.6 U	50 U	25 U	10 U	5 U	5.0 U	10 U	5.0 U	2.0
CHLOROFORM	4 U	4 U	0.53	0.6	0.67	1.7 U	1.7 U	5 U	1.7 U	6.5	2.8	2 U	1 U	0.53	2.0 U	1.0 U	0.4
1 1 1-TRICHLOROETHANE	4 U	5.6	5.4	4.7	14	4.4	4.1 U	4.3	4.2	11	4.2	1.5	1.1	15	0.96	2.9	2.5
CARBON TETRACHLORIDE	4 U	4 U	0.27 U	0.27 U	0.27 U	1.4 U	1.4 U	5 U	1.4 U	10 U	5 U	2 U	1 U	1.0 U	2.0 U	1.0 U	0.4
BENZENE	4 U	4 U	0.41 U	0.41 U	0.41 U	2.1 U	2.1 U	5 U	2.1 U	10 U	5 U	2 U	1 U	1.0 U	2.0 U	1.0 U	0.0
1 2-DICHLOROETHANE	4 U	4 U	0.21 U	0.21 U	0.21 U	1.1 U	1.1 U	5 U	1.1 U	10 U	5 U	2 U	1 U	1.0 U	2.0 U	1.0 U	0.0
TRICHLOROETHENE	4 U	5.1	5.6	2.5	3.0	2.3 U	2.3 U	5 U	2.3 U	5.6	2.4	1.2	0.96	4.9	1.1	1.5	3.1
1 2-DICHLOROPROPANE	4 U	4 U	0.32 U	0.72 U	0.72 U	3.6 U	3.6 U	5 U	3.6 U	10 U	5 U	2 U	1 U	1.0 U	2.0 U	1.0 U	0.0
BROMODICHLOROMETHANE	4 U	4 U	0.39 U	0.39 U	0.39 U	2.0 U	2.0 U	5 U	2.0 U	10 U	5 U	2 U	1 U	1.0 U	2.0 U	1.0 U	0.0
CIS-1 3-DICHLOROPROPENE	4 U	4 U	0.36 U	0.36 U	0.36 U	1.8 U	1.8 U	5 U	1.8 U	10 U	5 U	2 U	1 U	1.0 U	2.0 U	1.0 U	0.0
MIBK	20 U	20 U	0.91 U	2.1 U	2.1 U	11 U	11 U	25 U	11 U	50 U	25 U	10 U	5 U	5.0 U	10 U	5.0 U	0.0
TOLUENE	4 U	4 U	0.51 U	0.51 U	0.51 U	2.6 U	2.6 U	5 U	2.6 U	10 U	5 U	2 U	1 U	1.0 U	2.0 U	1.0 U	0.0
TRANS-1 3-DICHLOROPROPENE	4 U	4 U	0.37 U	0.37 U	0.37 U	1.9 U	1.9 U	5 U	1.9 U	10 U	5 U	2 U	1 U	1.0 U	2.0 U	1.0 U	0.0
1 1 2-TRICHLOROETHANE	4 U	4 U	0.23 U	0.23 U	0.23 U	1.2 U	1.2 U	5 U	1.2 U	10 U	5 U	2 U	1 U	1.0 U	2.0 U	1.0 U	0.0
TETRACHLOROETHENE	4 U	4 U	0.36 U	0.36 U	0.36 U	1.8 U	1.8 U	5 U	1.8 U	10 U	5 U	2 U	1 U	1.0 U	2.0 U	1.0 U	0.0
2-HEXANONE	20 U	20 U	1.2 U	1.2 U	1.2 U	6.2 U	6.2 U	25 U	6.2 U	50 U	25 U	10 U	5 U	5.0 U	10 U	5.0 U	0.0
DIBROMOCHLOROMETHANE	4 U	4 U	0.32 U	0.32 U	0.32 U	1.6 U	1.6 U	5 U	1.6 U	10 U	5 U	2 U	1 U	1.0 U	2.0 U	1.0 U	0.0
CHLOROBENZENE	4 U	4 U	0.32 U	0.75 U	0.75 U	3.8 U	3.8 U	5 U	3.8 U	10 U	5 U	2 U	1 U	1.0 U	2.0 U	1.0 U	0.0
ETHYLBENZENE	4 U	4 U	0.18 U	0.74 U	0.74 U	3.7 U	3.7 U	5 U	3.7 U	10 U	5 U	2 U	1 U	1.0 U	2.0 U	1.0 U	0.0
P-XYLENE/M-XYLENE	12 U	12 U	0.66 U	0.66 U	0.66 U	3.3 U	3.3 U	10 U	3.3 U	20 U	10 U	4 U	2 U	2.0 U	4.0 U	2.0 U	0.0
O-XYLENE	4 U	4 U	0.36 U	0.76 U	0.76 U	3.8 U	3.8 U	5 U	3.8 U	10 U	5 U	2 U	1 U	1.0 U	2.0 U	1.0 U	0.0
STYRENE	4 U	4 U	0.18 U	0.73 U	0.73 U	3.7 U	3.7 U	5 U	3.7 U	10 U	5 U	2 U	1 U	1.0 U	2.0 U	1.0 U	0.0
BROMOFORM	4 U	4 U	0.26 U	0.26 U	0.26 U	1.3 U	1.3 U	5 U	1.3 U	10 U	5 U	2 U	1 U	1.0 U	2.0 U	1.0 U	0.0
1 1 2 2-TETRACHLOROETHANE	4 U	4 U	0.21 U	0.21 U	0.21 U	1.1 U	1.1 U	5 U	1.1 U	10 U	5 U	2 U	1 U	1.0 U	2.0 U	1.0 U	0.0

This well was not sampled on the following dates: April and October 1994; April, July and October 1995; April and July 1996; January, April and July 1997; and April 1998.

WELL NUMBER EW-6
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Apr-93	Jul-93	Oct-93	Jan-94	Jul-94	Jan-95	Feb-96	Apr-96	Jul-96	Oct-96	Jan-97	Apr-97	Jul-97	Oct-97	Apr-98	Oct-98	Oct-99	Oct-00	Oct-01	Apr-03	Oct-03	Apr-04	Oct-04	Oct-05	Oct-06
CHLOROMETHANE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	5 U	2 U	5 U	1 U	5 U	1 U
VINYL CHLORIDE	24	24	51	24	25	32	52	34	15	15	48	10	10	25	11	11	38	1 U	1 U	27	2 U	5 U	1 U	5 U	1 U
CHLOROETHANE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	5 U	2 U	5 U	1 U	5 U	1 U
BROMOMETHANE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	5 U	2 U	5 U	1 U	5 U	1 U
1 1-DICHLOROETHENE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	5 U	2 U	5 U	1 U	5 U	1 U
ACETONE	50 U	50 U	50 U	50 U	50 U	50 U	25 U	25 U	25 U	25 U	25 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	25 U	10 U	25 U	5 U	25 U	5 U
CARBON DISULFIDE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.7	0.5 U	0.5 U	1	1 U	1 U	1 U	1 U	5 U	2 U	5 U	1 U	5 U	1 U
METHYLENE CHLORIDE	5 U	5 U	5 U	5 U	14	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	2 U	1 U	1 U	1 U	1 U	5 U	2 U	5 U	1 U	5 U	1 U
TRANS-1 2-DICHLOROETHENE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	5 U	2 U	5 U	1 U	5 U	1 U
1 1-DICHLOROETHANE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	5 U	2 U	5 U	0.54	5 U	1 U
CIS-1 2-DICHLOROETHENE	119	113	508	136	204	235	140	115	69	59	470	35	34	63	33	32	33	71	4	120	71	170	110	26	6.2
METHYL ETHYL KETONE	50 U	50 U	50 U	50 U	50 U	50 U	25 U	25 U	25 U	25 U	25 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	25 U	10 U	25 U	5 U	25 U	5 U
CHLOROFORM	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	5 U	2 U	5 U	1 U	5 U	1 U
1 1 1-TRICHLOROETHANE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	6	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	5 U	2 U	5 U	1 U	5 U	1 U
CARBON TETRACHLORIDE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	5 U	2 U	5 U	1 U	5 U	1 U
BENZENE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	0.7 U	0.7 U	0.7 U	0.7 U	0.7 U	0.7 U	2 U	5 U	1 U	5 U	1 U
1 2-DICHLOROETHANE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	5 U	2 U	5 U	1 U	5 U	1 U
TRICHLOROETHENE	5 U	5 U	6	7	5 U	5 U	5 U	12	5 U	5 U	22	0.7	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	5 U	0.72	5 U	0.65	5 U	1.7
1 2-DICHLOROPROPANE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	5 U	2 U	5 U	1 U	5 U	1 U
BROMODICHLOROMETHANE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	5 U	2 U	5 U	1 U	5 U	1 U
CIS-1 3-DICHLOROPROPENE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	5 U	2 U	5 U	1 U	5 U	1 U
MIBK	50 U	50 U	50 U	50 U	50 U	50 U	25 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	25 U	5 U	25 U	5 U
TOLUENE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	5 U	2 U	5 U	1 U	5 U	1 U
TRANS-1 3-DICHLOROPROPENE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	5 U	2 U	5 U	1 U	5 U	1 U
1 1 2-TRICHLOROETHANE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	5 U	2 U	5 U	1 U	5 U	1 U
TETRACHLOROETHENE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	5 U	2 U	5 U	1 U	5 U	1 U
2-HEXANONE	50 U	50 U	50 U	50 U	50 U	50 U	25 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	25 U	5 U	25 U	5 U
DIBROMOCHLOROMETHANE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	5 U	2 U	5 U	1 U	5 U	1 U
CHLOROBENZENE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	5 U	2 U	5 U	1 U	5 U	1 U
ETHYLBENZENE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	5 U	2 U	5 U	1 U	5 U	1 U
P-XYLENE/M-XYLENE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	5 U	6 U	15 U	3 U	10 U	2 U
O-XYLENE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	5 U	2 U	5 U	1 U	5 U	1 U
STYRENE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	5 U	2 U	5 U	1 U	5 U	1 U
BROMOFORM	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	5 U	2 U	5 U	1 U	5 U	1 U
1 1 2 2-TETRACHLOROETHANE	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	5 U	2 U	5 U	1 U	5 U	1 U

This well was not sampled on the following dates: April and October 1994; April, July, and October 1995.

WELL NUMBER EW-6
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Oct-07	Oct-08	Oct-09	Jul-10	Oct-10	Oct-11	Nov-12	Oct-13	Apr-14	Oct-14	May-15	Jun-15	Oct-15	Apr-16	Oct-16	Apr-17	Nov-17	AVG
CHLOROMETHANE	1 U	1 U	0.35 U	1 U	0.35 U	0.35 U	0.35 U	0.35 U	1 U	0.35 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
VINYL CHLORIDE	1 U	3	240	26	18	24	0.90 U	0.9 U	19	44	1.2	0.44	0.65	0.34	0.48	1.0 U	10	20.1
CHLOROETHANE	1 U	1 U	0.32 U	1 U	0.32 U	0.32 U	0.32 U	0.32 U	1 U	0.32 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
BROMOMETHANE	1 U	1 U	0.28 U	1 U	0.69 U	0.69 U	0.69 U	0.69 U	1 U	0.69 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
1 1-DICHLOROETHENE	1 U	1 U	3.1	1 U	0.29 U	0.29 U	0.29 U	0.29 U	1 U	0.29 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.1
ACETONE	5 U	5 U	1.3 U	1 U	3.0 U	3 U	3.0 U	3.0 U	5 U	3.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	1.4	5.0 U	0.0
CARBON DISULFIDE	1 U	0.39	0.19 U	1 U	0.19 U	0.19 U	0.19 U	0.19 U	1 U	0.19 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
METHYLENE CHLORIDE	1 U	1 U	0.44 U	1 U	0.44 U	0.44 U	0.44 U	0.44 U	1 U	0.44 U	1.0 U	1.0 U	1.0 U	0.9	1.0 U	1.0 U	1.0 U	0.3
TRANS-1 2-DICHLOROETHENE	1 U	0.86	5.9	1 U	0.90 U	0.9 U	0.90 U	0.90 U	1 U	0.90 U	0.48	0.46	1.6	1.2	1.6	0.64	1.8	0.3
1 1-DICHLOROETHANE	1 U	1 U	5.4	1 U	0.38 U	0.41	0.38 U	0.38 U	1 U	0.80	0.40	0.39	3.6	2.2	3.6	0.89	2.9	0.5
CIS-1 2-DICHLOROETHENE	19	240	1,900	41	21	37	8.9	8.9	18	77	26	12	19	10	69	36	170	132.3
METHYL ETHYL KETONE	5 U	5 U	1.3 U	1 U	1.3 U	1.3 U	1.3 U	1.3 U	5 U	1.3 U	1.0 U	1.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	0.0
CHLOROFORM	1 U	1 U	0.34 U	1 U	0.34 U	0.34 U	0.34 U	0.34 U	1 U	0.34 U	1.0 U	1.0 U	0.68	1.0 U	1.0 U	1.0 U	0.64	0.0
1 1 1-TRICHLOROETHANE	1 U	1.5	7.4	1 U	0.82 U	0.82 U	0.82 U	0.82 U	1 U	0.82 U	1.0 U	1.0 U	3.5	2.8	1.6	0.87	3.3	0.6
CARBON TETRACHLORIDE	1 U	1 U	0.27 U	1 U	0.27 U	0.27 U	0.27 U	0.27 U	1 U	0.27 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
BENZENE	1 U	1 U	0.41 U	1 U	0.41 U	0.41 U	0.41 U	0.41 U	1 U	0.41 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
1 2-DICHLOROETHANE	1 U	1 U	0.21 U	1 U	0.21 U	0.21 U	0.21 U	0.21 U	1 U	0.21 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
TRICHLOROETHENE	1 U	4.6	11	1 U	0.46 U	0.46 U	0.46 U	0.46 U	1 U	0.46 U	1.0 U	0.25	1.3	0.7	1.1	0.61	2.4	1.7
1 2-DICHLOROPROPANE	1 U	1 U	0.33 U	1 U	0.72 U	0.72 U	0.72 U	0.72 U	1 U	0.72 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
BROMODICHLOROMETHANE	1 U	1 U	0.39 U	1 U	0.39 U	0.39 U	0.39 U	0.39 U	1 U	0.39 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
CIS-1 3-DICHLOROPROPENE	1 U	1 U	0.36 U	1 U	0.36 U	0.36 U	0.36 U	0.36 U	1 U	0.36 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
MIBK	5 U	5 U	0.91 U	1 U	2.1 U	2.1 U	2.1 U	2.1 U	5 U	2.1 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	0.0
TOLUENE	1 U	1 U	0.51 U	1 U	0.51 U	0.51 U	0.51 U	0.51 U	1 U	0.51 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
TRANS-1 3-DICHLOROPROPENE	1 U	1 U	0.37 U	1 U	0.37 U	0.37 U	0.37 U	0.37 U	1 U	0.37 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
1 1 2-TRICHLOROETHANE	1 U	1 U	0.23 U	1 U	0.23 U	0.23 U	0.23 U	0.23 U	1 U	0.23 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
TETRACHLOROETHENE	1 U	1 U	0.36 U	1 U	0.36 U	0.36 U	0.36 U	0.36 U	1 U	0.36 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
2-HEXANONE	5 U	5 U	1.2 U	1 U	1.2 U	1.2 U	1.2 U	1.2 U	5 U	1.2 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	0.0
DIBROMOCHLOROMETHANE	1 U	1 U	0.32 U	1 U	0.32 U	0.32 U	0.32 U	0.32 U	1 U	0.32 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
CHLOROBENZENE	1 U	1 U	0.32 U	1 U	0.75 U	0.75 U	0.75 U	0.75 U	1 U	0.75 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
ETHYLBENZENE	1 U	1 U	0.18 U	1 U	0.74 U	0.74 U	0.74 U	0.74 U	1 U	0.74 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
P-XYLENE/M-XYLENE	2 U	2 U	0.66 U	1 U	0.66 U	0.66 U	0.66 U	0.66 U	2 U	0.66 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	2.0 U	0.0
O-XYLENE	1 U	1 U	0.36 U	1 U	0.76 U	0.76 U	0.76 U	0.76 U	1 U	0.76 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
STYRENE	1 U	1 U	0.18 U	1 U	0.73 U	0.73 U	0.73 U	0.73 U	1 U	0.73 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
BROMOFORM	1 U	1 U	0.26 U	1 U	0.26 U	0.26 U	0.26 U	0.26 U	1 U	0.26 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0
1 1 2 2-TETRACHLOROETHANE	1 U	1 U	0.21 U	1 U	0.21 U	0.21 U	0.21 U	0.21 U	1 U	0.21 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	0.0

This well was not sampled on the following dates: April and Octob

**WELL NUMBER EW-7
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)**

ANALYTE	Apr-94	Jul-94	Nov-94	Jan-95	Apr-95	Jul-95	Oct-95	Jan-96	Apr-96	Jul-96	Oct-96	Jan-97	Apr-97	Jul-97	Oct-97	Apr-98	Oct-98	Oct-99	Oct-00	Oct-01	Oct-02	Oct-03	Oct-04	Oct-05	Oct-06
CHLOROMETHANE	50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	25 U	250 U	50 U	250 U	20 U	250 U	1 U	20 U	200 U	100 U	1 U	1 U
VINYL CHLORIDE	76	446	437	403	453	690	990	990	590	510	520	520	680	600	650	500	3,600	480	170	1,300	1,500	1,200	990	890	780
CHLOROETHANE	50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	25 U	250 U	50 U	250 U	20 U	250 U	1 U	40 U	200 U	100 U	2.1	1 U
BROMOMETHANE	50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	25 U	250 U	50 U	250 U	20 U	250 U	1 U	20 U	200 U	100 U	1 U	1 U
1 1-DICHLOROETHENE	50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	25 U	250 U	50 U	250 U	20 U	250 U	7	20 U	200 U	100 U	11	10
ACETONE	500 U	500 U	500 U	1,000 U	1,000 U	1,000 U	1,250 U	1,250 U	1,250 U	1,250 U	1,200 U	1,200 U	1,200 U	500 U	1,200 U	500 U	1,300 U	200 U	1,300 U	10 U	200 U	1,000 U	500 U	5 U	5 U
CARBON DISULFIDE	50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	25 U	250 U	50 U	250 U	20 U	250 U	1 U	20 U	200 U	100 U	1 U	1 U
METHYLENE CHLORIDE	50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	68	250 U	100 U	250 U	20 U	250 U	1 U	20 U	200 U	100 U	12	12
TRANS-1 2-DICHLOROETHENE	50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	25 U	250 U	50 U	250 U	20 U	250 U	23	20 U	200 U	100 U	13	8.6
1 1-DICHLOROETHANE	50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	25	250 U	50 U	250 U	20 U	250 U	25	110	200 U	100 U	32	29
CIS-1 2-DICHLOROETHENE	860	4,990	2,720	2,020	2,680	7,610	5,500	8,100	4,800	6,700	5,200	4,700	4,900	4,500	4,300	2,800	2,700	20 U	3,400	1,700	1,100	4,100	3,700	2,900	2,700
METHYL ETHYL KETONE	500 U	500 U	500 U	1,000 U	1,000 U	1,000 U	1,250 U	1,250 U	1,250 U	1,250 U	1,200 U	1,200 U	1,200 U	500 U	1,200 U	500 U	1,300 U	1,600	1,300 U	10 U	200 U	1,000 U	500 U	5 U	5 U
CHLOROFORM	50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	25 U	250 U	50 U	250 U	200 U	250 U	1 U	20 U	200 U	100 U	1 U	1 U
1 1 1-TRICHLOROETHANE	50 U	50 U	88	100 U	100 U	106	125 U	250 U	250 U	250 U	250 U	250 U	250 U	51	250 U	50 U	250 U	20 U	250 U	17	240	100	80	82	68
CARBON TETRACHLORIDE	50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	25 U	250 U	50 U	250 U	20 U	250 U	18	60 U	200 U	100 U	1 U	1 U
BENZENE	50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	25 U	250 U	35 U	250 U	14 U	35 U	0.7 U	14 U	200 U	100 U	1 U	1 U
1 2-DICHLOROETHANE	50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	25 U	250 U	50 U	250 U	20 U	250 U	1 U	20 U	200 U	100 U	1 U	1 U
TRICHLOROETHENE	50 U	50 U	63	106	100 U	1,140	502	560	320	870	250 U	250 U	250 U	150	250 U	88	250 U	26	250 U	10	40 U	200 U	100 U	22	20
1 2-DICHLOROPROPANE	50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	25 U	250 U	50 U	250 U	20 U	250 U	1 U	20 U	200 U	100 U	1 U	1 U
BROMODICHLOROMETHANE	50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	25 U	250 U	50 U	250 U	20 U	250 U	1 U	20 U	200 U	100 U	1 U	1 U
CIS-1 3-DICHLOROPROPENE	50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	25 U	250 U	50 U	250 U	20 U	250 U	1 U	20 U	200 U	100 U	1 U	1 U
MIBK	500 U	500 U	500 U	1,000 U	1,000 U	1,000 U	1,250 U	1,250 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	200 U	500 U	10 U	200 U	1,000 U	500 U	5 U	5 U
TOLUENE	50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	25 U	250 U	50 U	250 U	20 U	250 U	1 U	20 U	200 U	100 U	0.54	0.58
TRANS-1 3-DICHLOROPROPENE	50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	25 U	250 U	50 U	250 U	20 U	250 U	1 U	20 U	200 U	100 U	1 U	1 U
1 1 2-TRICHLOROETHANE	50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	25 U	250 U	50 U	250 U	20 U	250 U	1 U	20 U	200 U	100 U	1 U	1 U
TETRACHLOROETHENE	50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	25 U	250 U	50 U	250 U	20 U	250 U	1 U	20 U	200 U	100 U	1 U	1 U
2-HEXANONE	500 U	500 U	500 U	1,000 U	1,000 U	1,000 U	1,250 U	1,250 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	500 U	20 U	500 U	10 U	200 U	1,000 U	500 U	5 U	5 U
DIBROMOCHLOROMETHANE	50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	25 U	250 U	50 U	250 U	200 U	250 U	1 U	20 U	200 U	100 U	1 U	1 U
CHLOROBENZENE	50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	25 U	250 U	50 U	250 U	20 U	250 U	1 U	20 U	200 U	100 U	1 U	1 U
ETHYLBENZENE	50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	25 U	250 U	50 U	250 U	20 U	250 U	1 U	20 U	200 U	100 U	1 U	1 U
P-XYLENE/M-XYLENE	50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	25 U	250 U	50 U	250 U	20 U	250 U	1 U	20 U	600 U	300 U	2 U	2 U
O-XYLENE	50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	25 U	250 U	50 U	250 U	20 U	250 U	1 U	20 U	200 U	100 U	1 U	1 U
STYRENE	50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	25 U	250 U	50 U	250 U	20 U	250 U	1 U	20 U	200 U	100 U	1 U	1 U
BROMOFORM	50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	25 U	250 U	50 U	250 U	20 U	250 U	1 U	20 U	200 U	100 U	1 U	1 U
1 1 2 2-TETRACHLOROETHANE	50 U	50 U	50 U	100 U	100 U	100 U	125 U	250 U	250 U	250 U	250 U	250 U	250 U	25 U	250 U	50 U	250 U	20 U	250 U	1 U	20 U	200 U	100 U	1 U	1 U

This well was not sampled on the following dates: April, July and October 1993; January 1994.

**WELL NUMBER EW-7
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)**

ANALYTE	Oct-07	Oct-08	Oct-09	Oct-10	Oct-11	Nov-12	Oct-13	Oct-14	Oct-15	Oct-16	Nov-17	AVG
CHLOROMETHANE	50 U	2 U	0.35 U	0.35 U	0.35 U	7.0 U	3.5 U	3.5 U	1 U	5.0 U	1.0 U	0.0
VINYL CHLORIDE	1,000	2 U	37	970	810	610	700	640	470	490	35	695.3
CHLOROETHANE	50 U	2 U	0.32 U	0.32 U	0.4	6.4 U	3.2 U	3.2 U	1 U	5.0 U	1.0 U	0.1
BROMOMETHANE	50 U	2 U	0.28 U	0.69 U	0.69 U	14 U	6.9 U	6.9 U	1 U	5.0 U	1.0 U	0.0
1 1-DICHLOROETHENE	50 U	2 U	0.29 U	6.2	4.7	5.8 U	2.9 U	4.9	2.6	5.0 U	1.0 U	1.3
ACETONE	250 U	10 U	1.3 U	3.0 U	3 U	60 U	30 U	30 U	5 U	25 U	5.0 U	0.0
CARBON DISULFIDE	50 U	2 U	0.19 U	0.19 U	0.19 U	3.8 U	1.9 U	1.9 U	2.3	1.5	1.0 U	0.1
METHYLENE CHLORIDE	50 U	2 U	0.44 U	3.1	1.6	8.8 U	4.4 U	4.4 U	8.6	16	1.0 U	3.3
TRANS-1 2-DICHLOROETHENE	50 U	2 U	1.3	6.9	5.7	18 U	9.0 U	9.0 U	3.8	4.0	0.36	1.8
1 1-DICHLOROETHANE	50 U	2.6	6.7	12	15	29	43	32	27	23	4.4	11.2
CIS-1 2-DICHLOROETHENE	3,200	150	89	2,300	1,400	1,500	250	910	610	690	20	2,859.4
METHYL ETHYL KETONE	250 U	10 U	1.3 U	1.3 U	1.3 U	26 U	13 U	13 U	5 U	25 U	5.0 U	43.2
CHLOROFORM	50 U	2 U	0.34 U	0.34 U	0.34 U	6.8 U	3.4 U	3.4 U	1 U	5.0 U	1.0 U	0.0
1 1 1-TRICHLOROETHANE	50 U	1.4	6.5	19	28	63	85	76	52	51	5.0	32.9
CARBON TETRACHLORIDE	50 U	2 U	0.27 U	0.27 U	0.27 U	5.4 U	2.7 U	U	1 U	5.0 U	1.0 U	0.5
BENZENE	250 U	2 U	0.41 U	0.41 U	0.41 U	8.2 U	4.1 U	4.1 U	1 U	5.0 U	1.0 U	0.0
1 2-DICHLOROETHANE	50 U	2 U	0.21 U	0.21 U	0.21 U	4.2 U	2.1 U	2.1 U	1 U	5.0 U	1.0 U	0.0
TRICHLOROETHENE	50 U	2 U	0.87	14	12	15	4.6 U	6.6	8.2	6.4	0.94	106.5
1 2-DICHLOROPROPANE	50 U	2 U	0.32 U	0.72 U	0.72 U	14 U	7.2 U	7.2 U	1 U	5.0 U	1.0 U	0.0
BROMODICHLOROMETHANE	50 U	2 U	0.39 U	0.39 U	0.39 U	7.8 U	3.9 U	3.9 U	1 U	5.0 U	1.0 U	0.0
CIS-1 3-DICHLOROPROPENE	50 U	2 U	0.36 U	0.36 U	0.36 U	7.2 U	3.6 U	3.6 U	1 U	5.0 U	1.0 U	0.0
MIBK	250 U	10 U	0.91 U	2.1 U	2.1 U	42 U	21 U	21 U	5 U	25 U	5.0 U	0.0
TOLUENE	50 U	2 U	0.51 U	0.51 U	0.51 U	10 U	5.1 U	5.1 U	1 U	5.0 U	1.0 U	0.0
TRANS-1 3-DICHLOROPROPENE	50 U	2 U	0.37 U	0.37 U	0.37 U	7.4 U	3.7 U	3.7 U	1 U	5.0 U	1.0 U	0.0
1 1 2-TRICHLOROETHANE	50 U	2 U	0.23 U	0.23 U	0.23 U	4.6 U	2.3 U	2.3 U	1 U	5.0 U	1.0 U	0.0
TETRACHLOROETHENE	50 U	2 U	0.36 U	0.36 U	0.36 U	7.2 U	3.6 U	3.6 U	1 U	5.0 U	1.0 U	0.0
2-HEXANONE	250 U	10 U	1.2 U	1.2 U	1.2 U	25 U	12 U	12 U	5 U	25 U	5.0 U	0.0
DIBROMOCHLOROMETHANE	50 U	2 U	0.32 U	0.32 U	0.32 U	6.4 U	3.2 U	3.2 U	1 U	5.0 U	1.0 U	0.0
CHLOROBENZENE	50 U	2 U	0.32 U	0.75 U	0.75 U	15 U	7.5 U	7.5 U	1 U	5.0 U	1.0 U	0.0
ETHYLBENZENE	50 U	2 U	0.18 U	0.74 U	0.74 U	15 U	7.4 U	7.4 U	0.2	5.0 U	1.0 U	0.0
P-XYLENE/M-XYLENE	150 U	6 U	0.66 U	0.66 U	0.66 U	13 U	6.6 U	6.6 U	2 U	10 U	2.0 U	0.0
O-XYLENE	50 U	2 U	0.36 U	0.76 U	0.76 U	15 U	7.6 U	7.6 U	0.24	5.0 U	1.0 U	0.0
STYRENE	50 U	2 U	0.18 U	0.73 U	0.73 U	15 U	7.3 U	7.3 U	1 U	5.0 U	1.0 U	0.0
BROMOFORM	50 U	2 U	0.26 U	0.26 U	0.26 U	5.2 U	2.6 U	2.6 U	1 U	5.0 U	1.0 U	0.0
1 1 2 2-TETRACHLOROETHANE	50 U	2 U	0.21 U	0.21 U	0.21 U	4.2 U	2.1 U	2.1 U	1 U	5.0 U	1.0 U	0.0

This well was not sampled on the following dates: April, July and October 1993; January 1994.

WELL NUMBER EW-8
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Apr-94	Jul-94	Nov-94	Jan-95	Apr-95	Jul-95	Oct-95	Jan-96	Apr-96	Jul-96	Oct-96	Jan-97	Apr-97	Jul-97	Oct-97	Apr-98	Oct-98	Oct-99	Oct-00	Oct-01	Oct-02	Oct-03	Oct-04	Oct-06
CHLOROMETHANE	5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U	125 U	120 U	120 U	120 U	12 U	250 U	50 U	250 U	250 U	250 U	1 U	200 U	100 U	100 U	1 U
VINYL CHLORIDE	5 U	12	19	147	500 U	500 U	50 U	460	250 U	130	160	160	190	150	250 U	110	210	200	440	110	200 U	130	300	23
CHLOROETHANE	5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U	125 U	120 U	120 U	120 U	12 U	250 U	50 U	250 U	250 U	250 U	1 U	400 U	100 U	100 U	1 U
BROMOMETHANE	5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U	125 U	120 U	120 U	120 U	12 U	250 U	50 U	250 U	250 U	250 U	1 U	200 U	100 U	100 U	1 U
1 1-DICHLOROETHENE	5 U	5 U	5 U	50 U	500 U	500 U	50 U	26	250 U	125 U	120 U	120 U	120 U	12 U	250 U	50 U	250 U	250 U	250 U	3	200 U	100 U	100 U	1.2
ACETONE	50 U	50 U	50 U	500 U	5,000 U	5,000 U	500 U	125 U	1,250 U	625 U	620 U	620 U	620 U	250 U	1,200 U	500 U	1,300 U	1,300 U	1,300 U	10 U	2,000 U	500 U	500 U	5 U
CARBON DISULFIDE	5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U	125 U	120 U	120 U	120 U	12 U	250 U	50 U	250 U	250 U	250 U	1 U	200 U	100 U	100 U	1 U
METHYLENE CHLORIDE	5 U	5 U	120	2,170	500 U	500 U	50 U	25 U	250 U	125 U	120 U	120 U	120 U	28	250 U	100 U	250 U	250 U	250 U	1 U	200 U	64	100 U	1 U
TRANS-1 2-DICHLOROETHENE	5 U	5 U	5 U	50 U	500 U	500 U	50 U	120	250 U	125 U	120 U	120 U	120 U	12 U	250 U	50 U	250 U	250 U	250 U	10	200 U	100 U	100 U	1.8
1 1-DICHLOROETHANE	5 U	6	6	50 U	500 U	500 U	50 U	34	250 U	125 U	120 U	120 U	120 U	16	250 U	50 U	250 U	250 U	250 U	8	200 U	100 U	100 U	3.6
CIS-1 2-DICHLOROETHENE	5 U	1,330	452	8,540	8,670	5,900	620	7,900	2,200	2,900	2,000	3,200	2,900	4,100	3,300	1,300	2,500	2,500	1,800	940	3,300	2,700	3,000	420
METHYL ETHYL KETONE	50 U	50 U	50 U	500 U	5,000 U	5,000 U	500 U	125 U	1,250 U	640	620 U	620 U	620 U	250 U	1,200 U	500 U	1,300 U	1,300 U	1,300 U	10 U	2,000 U	500 U	500 U	5 U
CHLOROFORM	5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U	125 U	120 U	120 U	120 U	12 U	250 U	50 U	250 U	250 U	250 U	2	200 U	100 U	100 U	0.85
1 1 1-TRICHLOROETHANE	5 U	5 U	48	248	500 U	500 U	50 U	180	250 U	125 U	120 U	120 U	130	50	250 U	50 U	250 U	250 U	250 U	25	200 U	73	62	17
CARBON TETRACHLORIDE	5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U	125 U	120 U	120 U	120 U	12 U	250 U	50 U	250 U	250 U	250 U	19	600 U	100 U	100 U	1 U
BENZENE	5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U	125 U	120 U	120 U	120 U	12 U	250 U	35 U	250 U	35 U	35 U	0.7 U	140 U	100 U	100 U	1 U
1 2-DICHLOROETHANE	5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U	125 U	120 U	120 U	120 U	12 U	250 U	50 U	250 U	250 U	250 U	1 U	200 U	100 U	100 U	1 U
TRICHLOROETHENE	5 U	778	302	3,260	5,470	3,780	55	2,200	2,300	1,400	950	2,600	1,300	2,400	370	430	690	360	250 U	31	440	380	59	42
1 2-DICHLOROPROPANE	5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U	125 U	120 U	120 U	120 U	12 U	250 U	50 U	250 U	250 U	250 U	1 U	200 U	100 U	100 U	1 U
BROMODICHLOROMETHANE	5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U	125 U	120 U	120 U	120 U	12 U	250 U	50 U	250 U	250 U	250 U	1 U	200 U	100 U	100 U	1 U
CIS-1 3-DICHLOROPROPENE	5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U	125 U	120 U	120 U	120 U	12 U	250 U	50 U	250 U	250 U	250 U	1 U	200 U	100 U	100 U	1 U
MIBK	50 U	50 U	50 U	500 U	5,000 U	5,000 U	500 U	125 U	500 U	250 U	250 U	250 U	250 U	250 U	500 U	500 U	500 U	500 U	500 U	10 U	2,000 U	500 U	500 U	5 U
TOLUENE	5 U	5 U	6	50 U	535	500 U	50 U	25 U	250 U	125 U	120 U	120 U	120 U	12 U	250 U	50 U	250 U	250 U	250 U	1 U	200 U	100 U	100 U	1 U
TRANS-1 3-DICHLOROPROPENE	5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U	125 U	120 U	120 U	120 U	12 U	250 U	50 U	250 U	250 U	250 U	1 U	200 U	100 U	100 U	1 U
1 1 2-TRICHLOROETHANE	5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U	125 U	120 U	120 U	120 U	12 U	250 U	50 U	250 U	250 U	250 U	1 U	200 U	100 U	100 U	1 U
TETRACHLOROETHENE	5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U	125 U	120 U	120 U	120 U	12 U	250 U	50 U	250 U	250 U	250 U	1 U	200 U	100 U	100 U	1 U
2-HEXANONE	50 U	50 U	50 U	500 U	5,000 U	5,000 U	500 U	125 U	500 U	250 U	250 U	250 U	250 U	250 U	500 U	500 U	500 U	500 U	500 U	10 U	2,000 U	500 U	500 U	5 U
DIBROMOCHLOROMETHANE	5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U	125 U	120 U	120 U	120 U	12 U	250 U	50 U	250 U	250 U	250 U	1 U	200 U	100 U	100 U	1 U
CHLOROBENZENE	5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U	125 U	120 U	120 U	120 U	12 U	250 U	50 U	250 U	250 U	250 U	1 U	200 U	100 U	100 U	1 U
ETHYLBENZENE	5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U	125 U	120 U	120 U	320	12 U	250 U	50 U	250 U	250 U	250 U	1 U	200 U	100 U	100 U	1 U
P-XYLENE/M-XYLENE	5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U	125 U	120 U	120 U	990	12 U	250 U	50 U	250 U	250 U	250 U	1 U	200 U	300 U	300 U	2 U
O-XYLENE	5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U	125 U	120 U	120 U	220	12 U	250 U	50 U	250 U	250 U	250 U	1 U	200 U	100 U	100 U	1 U
STYRENE	5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U	125 U	120 U	120 U	120 U	12 U	250 U	50 U	250 U	250 U	250 U	1 U	200 U	100 U	100 U	1 U
BROMOFORM	5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U	125 U	120 U	120 U	120 U	12 U	250 U	50 U	250 U	250 U	250 U	1 U	200 U	100 U	100 U	1 U
1 1 2 2-TETRACHLOROETHANE	5 U	5 U	5 U	50 U	500 U	500 U	50 U	25 U	250 U	125 U	120 U	120 U	120 U	25 U	250 U	50 U	250 U	250 U	250 U	1 U	200 U	100 U	100 U	1 U

This well was not sampled on the following dates: April, July and October 1993; January 1994; October 2005.

WELL NUMBER EW-8
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Oct-07	Oct-08	Oct-09	Oct-10	Oct-11	Nov-12	Oct-13	Oct-14	Oct-15	Oct-16	Nov-17	AVG
CHLOROMETHANE	1 U	50 U	8.6 U	0.35 U	0.35 U	8.8 U	7.0 U	7.0 U	10 U	5.0 U	1.0 U	0.0
VINYL CHLORIDE	350	330	84	210	210	1,500	1,200	700	740	260	22	237.7
CHLOROETHANE	1 U	50 U	8.1 U	0.32 U	0.32 U	8.0 U	6.4 U	6.4 U	10 U	5.0 U	1.0 U	0.0
BROMOMETHANE	1 U	50 U	7.0 U	0.69 U	0.69 U	17 U	14 U	14 U	10 U	5.0 U	1.0 U	0.0
1 1-DICHLOROETHENE	9.6	50 U	7.3 U	9.2	14	7.3 U	5.8 U	5.8 U	8.8	3.2	1.0 U	2.1
ACETONE	3	250 U	34 U	3.0	3.0	75 U	60 U	60 U	50 U	25 U	5.0 U	0.3
CARBON DISULFIDE	1 U	50 U	4.8 U	0.19 U	0.19 U	4.8 U	3.8 U	3.8 U	10 U	5.0 U	1.0 U	0.0
METHYLENE CHLORIDE	1 U	50 U	11 U	3.5	25	11 U	8.8 U	8.8 U	10 U	5.0 U	1.0 U	67.0
TRANS-1 2-DICHLOROETHENE	13	50 U	10 U	8.8	4.9	23 U	18 U	18 U	8.1	4.3	0.63	4.8
1 1-DICHLOROETHANE	19	50 U	9.6 U	13	14	33	31	28	32	13	2.1	7.2
CIS-1 2-DICHLOROETHENE	3,600	2,800	1,400	2,900	1,900	4,900	880	2,400	2,200	810	74	2,676.0
METHYL ETHYL KETONE	5 U	250 U	33 U	1.3 U	1.3 U	33 U	26 U	26 U	50 U	25 U	5.0 U	17.8
CHLOROFORM	1.7	50 U	8.4 U	1.4	1.2	8.5 U	6.8 U	6.8 U	10 U	2.8	1.1	0.3
1 1 1-TRICHLOROETHANE	56	52	37	51	83	70	45	60	80	26	3.1	38.8
CARBON TETRACHLORIDE	1 U	50 U	6.7 U	0.27 U	0.27 U	6.8 U	5.4 U	5.4 U	10 U	5.0 U	1.0 U	0.5
BENZENE	1 U	250 U	10 U	0.41 U	0.41 U	10 U	8.2 U	8.2 U	10 U	5.0 U	1.0 U	0.0
1 2-DICHLOROETHANE	1 U	50 U	5.4 U	0.21 U	0.21 U	5.3 U	4.2 U	4.2 U	10 U	5.0 U	1.0 U	0.0
TRICHLOROETHENE	34	44	74	67	62	45	9.2 U	9.2 U	23	5.5	1.8	832.0
1 2-DICHLOROPROPANE	1 U	50 U	8.1 U	0.72 U	0.72 U	18 U	14 U	14 U	10 U	5.0 U	1.0 U	0.0
BROMODICHLOROMETHANE	1 U	50 U	9.6 U	0.39 U	0.39 U	9.8 U	7.8 U	7.8 U	10 U	5.0 U	1.0 U	0.0
CIS-1 3-DICHLOROPROPENE	1 U	50 U	8.9 U	0.36 U	0.36 U	9.0 U	7.2 U	7.2 U	10 U	5.0 U	1.0 U	0.0
MIBK	5 U	250 U	23 U	2.1 U	2.1 U	53 U	42 U	42 U	50 U	25 U	5.0 U	0.0
TOLUENE	1 U	50 U	13 U	0.51 U	0.51 U	13 U	10 U	10 U	10 U	5.0 U	1.0	15.1
TRANS-1 3-DICHLOROPROPENE	1 U	50 U	9.2 U	0.37 U	0.37 U	9.3 U	7.4 U	7.4 U	10 U	5.0 U	1.0 U	0.0
1 1 2-TRICHLOROETHANE	1 U	50 U	5.8 U	0.23 U	0.23 U	5.8 U	4.6 U	4.6 U	10 U	5.0 U	1.0 U	0.0
TETRACHLOROETHENE	1 U	50 U	9.1 U	0.36 U	0.36 U	9.0 U	7.2 U	7.2 U	10 U	5.0 U	1.0 U	0.0
2-HEXANONE	5 U	250 U	31 U	1.2 U	1.2 U	31 U	25 U	25 U	50 U	25 U	5.0 U	0.0
DIBROMOCHLOROMETHANE	1 U	50 U	8.1 U	0.32 U	0.32 U	8.0 U	6.4 U	6.4 U	10 U	5.0 U	1.0 U	0.0
CHLOROBENZENE	1 U	50 U	7.9 U	0.75 U	0.75 U	19 U	15 U	15 U	10 U	5.0 U	1.0 U	0.0
ETHYLBENZENE	1 U	50 U	4.6 U	0.74 U	0.74 U	19 U	15 U	15 U	10 U	5.0 U	1.0 U	8.9
P-XYLENE/M-XYLENE	2 U	150 U	16 U	0.66 U	0.66 U	17 U	13 U	13 U	20 U	10 U	2.0 U	27.5
O-XYLENE	1 U	50 U	9.0 U	0.76 U	0.76 U	19 U	15 U	15 U	10 U	5.0 U	1.0 U	6.1
STYRENE	1 U	50 U	4.6 U	0.73 U	0.73 U	18 U	15 U	15 U	10 U	5.0 U	1.0 U	0.0
BROMOFORM	1 U	50 U	6.4 U	0.26 U	0.26 U	6.5 U	5.2 U	5.2 U	10 U	5.0 U	1.0 U	0.0
1 1 2 2-TETRACHLOROETHANE	1 U	50 U	5.3 U	0.21 U	0.21 U	5.3 U	4.2 U	4.2 U	10 U	5.0 U	1.0 U	0.0

This well was not sampled on the following dates: April, July and October 1993; January 1994; October 2005.

WELL NUMBER EW-13
ANALYTICAL SAMPLING RESULTS
(Concentrations in µg/L)

ANALYTE	Oct-11	Nov-12	Oct-13	Oct-14	Oct-15	Oct-16	Nov-17	AVG
CHLOROMETHANE	0.35 U	14 U	0.35 U	7.0 U	5 U	5.0 U	1.0 U	0.0
VINYL CHLORIDE	690	710	17	610	570	550	160	472.4
CHLOROETHANE	0.32 U	13 U	0.32 U	6.4 U	5 U	5.0 U	1.0 U	0.0
BROMOMETHANE	0.69 U	28 U	0.69 U	14 U	5 U	5.0 U	1.0 U	0.0
1 1-DICHLOROETHENE	10	12 U	0.29 U	6.6	5 U	3.2	0.94	2.0
ACETONE	3.0 U	120 U	3.0 U	60 U	25 U	25 U	5.0 U	0.0
CARBON DISULFIDE	0.69	7.6 U	0.19 U	3.8 U	5.5	5.0 U	0.37	0.9
METHYLENE CHLORIDE	0.44 U	18 U	0.44 U	8.8 U	5 U	5.0 U	1.6	0.2
TRANS-1 2-DICHLOROETHENE	6.3	36 U	0.90 U	18 U	4.3	4.6	1.4	2.4
1 1-DICHLOROETHANE	23	49	0.98	36	31	28	8.4	25.2
CIS-1 2-DICHLOROETHENE	2,100	1,600	23	840	520	650	160	841.9
METHYL ETHYL KETONE	1.3 U	53 U	1.3 U	26 U	25 U	25 U	5.0 U	0.0
CHLOROFORM	0.42	14 U	0.34 U	6.8 U	5 U	2.4	1.0 U	0.4
1 1 1-TRICHLOROETHANE	96	180	2.5	120	98	66	25	83.9
CARBON TETRACHLORIDE	0.27 U	11 U	0.27 U	5.4 U	5 U	5.0 U	1.0 U	0.0
BENZENE	0.41 U	16 U	0.41 U	8.2 U	5 U	5.0 U	1.0 U	0.0
1 2-DICHLOROETHANE	0.21 U	8.4 U	0.21 U	4.2 U	5 U	5.0 U	1.0 U	0.0
TRICHLOROETHENE	23	26	0.46 U	9.2 U	3.2	4.5	1.2	8.3
1 2-DICHLOROPROPANE	0.72 U	29 U	0.72 U	14 U	5 U	5.0 U	1.0 U	0.0
BROMODICHLOROMETHANE	0.39 U	16 U	0.39 U	7.8 U	5 U	5.0 U	1.0 U	0.0
CIS-1 3-DICHLOROPROPENE	0.36 U	14 U	0.36 U	7.2 U	5 U	5.0 U	1.0 U	0.0
MIBK	2.1 U	84 U	2.1 U	42 U	25 U	25 U	5.0 U	0.0
TOLUENE	0.87	20 U	0.51 U	10 U	5 U	5.0 U	1.0 U	0.1
TRANS-1 3-DICHLOROPROPENE	0.37 U	15 U	0.37 U	7.4 U	5 U	5.0 U	1.0 U	0.0
1 1 2-TRICHLOROETHANE	0.23 U	9.2 U	0.23 U	4.6 U	5 U	5.0 U	1.0 U	0.0
TETRACHLOROETHENE	0.36 U	14 U	0.36 U	7.2 U	5 U	5.0 U	1.0 U	0.0
2-HEXANONE	1.2 U	50 U	1.2 U	25 U	25 U	25 U	5.0 U	0.0
DIBROMOCHLOROMETHANE	0.32 U	13 U	0.32 U	6.4 U	5 U	5.0 U	1.0 U	0.0
CHLOROBENZENE	0.75 U	30 U	0.75 U	15U	5 U	5.0 U	1.0 U	0.0
ETHYLBENZENE	0.74 U	30 U	0.74 U	15 U	5 U	5.0 U	1.0 U	0.0
P-XYLENE/M-XYLENE	0.66 U	26 U	0.66 U	13 U	15 U	10 U	2.0 U	0.0
O-XYLENE	0.76 U	30 U	0.76 U	15 U	5 U	5.0 U	1.0 U	0.0
STYRENE	0.73 U	29 U	0.73 U	15 U	5 U	5.0 U	1.0 U	0.0
BROMOFORM	0.26 U	10 U	0.26 U	5.2 U	5 U	5.0 U	1.0 U	0.0
1 1 2 2-TETRACHLOROETHANE	0.21 U	8.4 U	0.21 U	4.2 U	5 U	5.0 U	1.0 U	0.0

This well was added to the sampling program in 2011.

Appendix G

*Correspondence Regarding
Residential Sub-Slab Depressurization System*

Byers, Cecelia

From: Simpson, Greg - Corporate EHS <gsimpson@Textron.com>
Sent: Friday, January 12, 2018 10:11 AM
To: Byers, Cecelia
Subject: FW: quote

From: Jim Cody [mailto:jcody@buffaloseminary.org]
Sent: Tuesday, December 27, 2016 6:09 PM
To: Simpson, Greg - Corporate EHS <gsimpson@Textron.com>
Subject: quote

Greg, good afternoon, I came home this afternoon to hear my D.C. Sump pump in hi level alarm, it was not pumping, also the 120 v pump was not pumping either, I opened a hand hole in the plastic simp cover to see if o could actuate either pumps float, neither would pump, the electric one only hums, I sealed the hand hole back up and called Brundage's to get on the schedule to have the pumps replaced along with the back up battery. Should I have them contact you for the billing or just have them send the bill to your attention? Thankyou for you help and attention with this mater.

Regards,
James J.Cody
2260 Cayuga Drive Ext
Niagara Falls New York, 14304

On Friday, February 28, 2014, Simpson, Greg - Corporate EHS <gsimpson@textron.com> wrote:

Mr. Cody – I spoke with Brundage this morning. They will be contacting you to schedule the work and they know to send me the bill.

Thanks, Greg

From: Simpson, Greg - Corporate EHS
Sent: Thursday, February 27, 2014 4:24 PM
To: 'Jim Cody'
Subject: RE: quote

Mr. Cody – Kevin Cronin has confirmed for Monday at 3:30 to meet you to confirm the installation approach.

Thanks, Greg

From: Jim Cody [mailto:jcody@buffaloseminary.org]
Sent: Thursday, February 27, 2014 2:01 PM
To: Simpson, Greg - Corporate EHS
Subject: Re: quote

Greg,

Thank you Greg, I will contact Brundage's and let them know you will be calling them. I will plan to be home Monday at 3:30 pm.

On Thu, Feb 27, 2014 at 1:44 PM, Simpson, Greg - Corporate EHS <gsimpson@textron.com> wrote:

Mr. Cody – This looks fine to me. With your permission, I will coordinate with Brundage on payment (I need to get them setup in my AP System). I also understand that you will be installing a dedicated electrical outlet for the sump pump and you expect this cost to be \$200.

Please confirm and I will reach out to Brundage.

Also, I have reached out to Kevin Cronin about next Monday at 3:30 and will let you know when I hear back from him.

Thanks, Greg

From: Jim Cody [mailto:jcody@buffaloseminary.org]
Sent: Thursday, February 27, 2014 11:51 AM
To: Simpson, Greg - Corporate EHS
Subject: Fwd: quote

----- Forwarded message -----

From: **Brundage DrainDoctor** <brundagedraindoctor@yahoo.com>
Date: Thu, Feb 27, 2014 at 11:04 AM
Subject: quote
To: "jcody@buffaloseminary.org" <jcody@buffaloseminary.org>

J.A. Brundage the Drain Doctor Inc

1400 College Ave

Niagara Falls, NY 14305

Phone: [716-285-6383](tel:716-285-6383)

Fax: [716-285-6347](tel:716-285-6347)

--



James Cody

Director of Facilities / Maintenance

Phone: [716\) 885-6780 ext 219](tel:716-885-6780)

Fax: [716\) 885-6785](tel:716-885-6785)

E-Mail: jcody@buffaloseminary.org

--



James Cody

Director of Facilities / Maintenance

Phone: (716) 885-6780 ext 219

Fax: (716) 885-6785

E-Mail: jcody@buffaloseminary.org

--



James Cody

Director of Facilities / Maintenance

Phone: (716) 885-6780 ext 219

Fax: (716) 885-6785

E-Mail: jcody@buffaloseminary.org

TEXTRON

Gregory L. Simpson
Director - Site Remediation
Textron Inc.

40 Westminster St.
Providence, RI 02903
Tel: (401) 457-2635
Fax: (401) 457-6028
gsimpson@textron.com

March 16, 2017

Mr. James Cody
2261 Cayuga Drive Extension
Niagara Falls, NY 14304

RE: Annual electrical reimbursement

Dear Mr. Cody:

I hope that you are doing well. Consistent with our prior agreement, enclosed is a check for \$100 to cover an additional year of anticipated electrical charges associated with the sub-slab ventilation system that was installed within your home. I have a reminder on my calendar for next year's payment as well.

Thank you for contacting me about the recent issues with the sump pump. I trust that the repairs were completed to your satisfaction. Please let me know if you notice any more additional issues with the system.

Please feel free to contact me if you have any questions.

Best Regards,



Gregory L. Simpson

TEXTRON

Textron Inc.
Providence, Rhode Island 02903-2596
Corporate Disbursement Account

Check Date **03/14/17**
Check Number **00480488**

INVOICE NUMBER	GROSS AMOUNT	DESCRIPTION	DATE
174139	100.00	Cody, James	03/01/17
VENDOR NUMBER	13275	Cody, James	NET AMOUNT 100.00

THE ORIGINAL DOCUMENT HAS A WHITE REFLECTIVE WATERMARK ON THE BACK. HOLD AT AN ANGLE TO VIEW. DO NOT CASH IF NOT PRESENT.

TEXTRON

Textron Inc.
Providence, Rhode Island 02903-2596
Corporate Disbursement Account

DATE **03/14/17**

00480488

CHECK AMOUNT
\$*****100.00

DISBURSEMENT ACCOUNT

JPMorgan Chase Bank, N.A.
Syracuse, New York

PAY **One Hundred and 00/100 Dollars**

PAY TO THE ORDER OF
Cody, James
2261 Cayuga Dr Extension
Niagara Falls NY 14304

Mary F. Jasiay
AUTHORIZED SIGNATURE

⑈00480488⑈ ⑆021309379⑆ 601⑈2⑈38850⑈

Details on back. Security Features Included

Byers, Cecelia

From: Simpson, Greg - Corporate EHS <gsimpson@Textron.com>
Sent: Friday, January 12, 2018 10:12 AM
To: Byers, Cecelia
Subject: FW: Utility Check

From: Jim Cody [<mailto:jcody@buffaloseminary.org>]
Sent: Monday, April 17, 2017 9:00 AM
To: Simpson, Greg - Corporate EHS <gsimpson@Textron.com>
Subject: Re: Utility Check

Good Morning Greg,

I received the utility check over the weekend. Thank you

James J.Cody

On Mon, Apr 10, 2017 at 9:56 AM, Simpson, Greg - Corporate EHS <gsimpson@textron.com> wrote:

Agreed.

From: Jim Cody [<mailto:jcody@buffaloseminary.org>]
Sent: Monday, April 10, 2017 9:56 AM
To: Simpson, Greg - Corporate EHS <gsimpson@Textron.com>
Subject: Re: Utility Check

Thank you Greg,

I would think that the Postal worker would have noticed that.

Thank you

On Mon, Apr 10, 2017 at 9:40 AM, Simpson, Greg - Corporate EHS <gsimpson@textron.com> wrote:

Jim – I will get you another check ASAP. Looks like I mistakenly sent the check to 2261 Cayuga Drive Extension. I'll change the address in my files. I apologize for the inconvenience.

Greg

From: Jim Cody [mailto:jcody@buffaloseminary.org]
Sent: Monday, April 10, 2017 7:15 AM
To: Simpson, Greg - Corporate EHS <gsimpson@Textron.com>
Subject: Re: Utility Check

Greg,

I checked my mail Friday and Saturday and I did not receive the check. My address is:

2260 Cayuga Drive Extension

Niagara Falls New York, 14304

On Fri, Apr 7, 2017 at 3:50 PM, Simpson, Greg - Corporate EHS <gsimpson@textron.com> wrote:

Mr. Cody – Can you please verify your address for me?

Thanks, Greg

From: Jim Cody [mailto:jcody@buffaloseminary.org]
Sent: Friday, April 07, 2017 3:33 PM
To: Simpson, Greg - Corporate EHS <gsimpson@Textron.com>
Subject: Re: Utility Check

Greg,

I remember getting an email on March 16 saying you dropped the check in the mail. I have not received it yet. I will let you know if I get it today.

Thank you

James J.Cody

On Fri, Mar 17, 2017 at 7:03 AM, Jim Cody <jcody@buffaloseminary.org> wrote:

Thank you Greg, I appreciate it.

Jim Cody

On Thu, Mar 16, 2017 at 4:17 PM, Simpson, Greg - Corporate EHS <gsimpson@textron.com> wrote:

Jim – I dropped the reimbursement check in the mail this afternoon. You should see it in a couple of days.

Thanks, Greg

Gregory L. Simpson

Director - Site Remediation

Textron Inc.

40 Westminster Street

Providence, RI 02903

p [\(401\) 457-2635](tel:(401)457-2635)

f [\(401\) 457-6028](tel:(401)457-6028)

gsimpson@textron.com

From: Simpson, Greg - Corporate EHS
Sent: Thursday, March 09, 2017 1:50 PM
To: 'Jim Cody' <jcody@buffaloseminary.org>
Subject: RE: Utility Check

Hello Jim.

I hope all is well. Yes, I paid the vendor (Brundage) for the battery replacement back in January. Hopefully the system is working fine now.

The annual utility check is in process. You should see it within 2 weeks.

Please let me know if you have any questions.

Thanks, Greg

Gregory L. Simpson

Director - Site Remediation

Textron Inc.

40 Westminster Street

Providence, RI 02903

p [\(401\) 457-2635](tel:(401)457-2635)

f [\(401\) 457-6028](tel:(401)457-6028)

gsimpson@textron.com

From: Jim Cody [<mailto:jcody@buffaloseminary.org>]
Sent: Thursday, March 09, 2017 11:37 AM

To: Simpson, Greg - Corporate EHS <gsimpson@Textron.com>

Subject: Utility Check

Greg,

Good Morning Greg,

I sent you a note back in December about my DC Sump Pump system. Turns out it was a bad battery.

Also, Can you check on the yearly utility check. Perhaps it is already in the mail.

Thank you for looking into this.

Regards,

James J.Cody

--



James Cody

Director of Facilities / Maintenance

Phone: [\(716\) 885-6780 ext 219](tel:(716)885-6780)

Fax: [\(716\) 885-6785](tel:(716)885-6785)

E-Mail: jcody@buffaloseminary.org

--



James Cody

Director of Facilities / Maintenance

Phone: [\(716\) 885-6780 ext 219](tel:(716)885-6780)

Fax: [\(716\) 885-6785](tel:(716)885-6785)

E-Mail: jcody@buffaloseminary.org

--



James Cody

Director of Facilities / Maintenance

Phone: [\(716\) 885-6780 ext 219](tel:(716)885-6780)

Fax: [\(716\) 885-6785](tel:(716)885-6785)

E-Mail: jcody@buffaloseminary.org

--



James Cody

Director of Facilities / Maintenance

Phone: [\(716\) 885-6780 ext 219](tel:(716)885-6780)

Fax: [\(716\) 885-6785](tel:(716)885-6785)

E-Mail: jcody@buffaloseminary.org

--



James Cody

Director of Facilities / Maintenance

Phone: [\(716\) 885-6780 ext 219](tel:(716)885-6780)

Fax: [\(716\) 885-6785](tel:(716)885-6785)

E-Mail: jcody@buffaloseminary.org

--



James Cody
Director of Facilities / Maintenance
Phone: (716) 885-6780 ext 219
Fax: (716) 885-6785
E-Mail: jcody@buffaloseminary.org

Appendix H

Niagara County Sewer District Semiannual Reports



CB&I
500 Penn Center Boulevard
Suite 1000
Pittsburgh, PA 15235
Tel: 412.372.7701
Fax: 412.380.4091
www.CBI.com

May 5, 2017

Mr. Dan Kummer
Niagara County Sewer District No. 1
7346 Liberty Drive
Niagara Falls, NY 14304-3762

**Subject: *Niagara County Sewer District Discharge Monitoring
Semiannual Analytical Results
Permit No. 16-07
Textron Off-Site Groundwater Extraction System
Textron, Inc., Wheatfield, New York
Sample Dates: April 18-19, 2017***

Dear Mr. Kummer:

Enclosed for your review are the semiannual discharge monitoring analytical results generated during the operation of Textron, Inc.'s (Textron) Off-Site Groundwater Extraction System located in Wheatfield, New York. The Off-Site Groundwater Extraction System was brought online in March 1993 and discharges to the Niagara County Sewer District (NCSD) sanitary sewer under Permit No. 16-07. As part of a pilot program with the New York State Department of Environmental Conservation (the Department), Extraction Well EW-5 was taken off line and will remain inactive with the Department's concurrence.

CB&I Environmental & Infrastructure, Inc., on behalf of Textron, collected grab samples of the discharge from Extraction Well EW-6 location between April 18 and 19, 2017 in accordance with NCSD Permit No. 16-07. The field sampling sheets are included as Appendix A. The samples were kept on ice and hand delivered to the ALS Environmental laboratory in Rochester, New York, for analysis of volatile organic compounds via U.S. Environmental Protection Agency (USEPA) Method 624 and low level mercury via USEPA Method 1631E. All sampling and analytical activities were conducted in accordance with the requirements stated in NCSD Permit No. 16-07 and the April 20, 2017 addendum to Permit No. 16-07.

Approximately 4,344,274 gallons of groundwater were extracted by the off-site system and discharged to the NCSD sanitary sewer between November 1, 2016 and May 1, 2017 as calculated through the sum of the individual well totalizers. The monthly discharge flow volumes are detailed on Tables 1 through 6, respectively.

As requested in your April 20, 2016 addendum to Permit No. 16-07, this report includes laboratory analysis of mercury. The low level mercury analytical results are summarized with an estimate of the discharge loading in comparison to the permitted maximum daily discharge loading limits in Table 7. Table 8 contains a summary of the semiannual discharge monitoring analytical data and an estimate of the discharge loading in comparison to the permitted maximum daily discharge loading limits. As illustrated in Tables 7 and 8, the estimated daily discharge loading during the monitoring period did not

exceed the permitted limits and the system remains in compliance with pertinent permits and discharge requirements. The analytical results for the April 2017 sampling event are provided in Appendix B.

Please do not hesitate to contact me at 412.858.3977 should you have any questions regarding this project.

Sincerely,

CB&I Environmental & Infrastructure, Inc.



Cecelia Byers

Project Manager

Telephone: 412.858.3977

E-Mail Address: cecelia.byers@cbi.com

CB:Imk

Attachments: Tables
Appendix A – Field Sampling Sheets
Appendix B – Analytical Report

cc: Greg Simpson – Textron, e-copy
CB&I – File

Table 1
Niagara County Sewer Discharge Monitoring
Off-Site Groundwater Extraction System
Textron, Inc., Wheatfield, New York
Permit No. 16-07
November 1 - November 30, 2016
Daily Flow Rates

Date/Time	EW-2 Flow Reading	EW-3 Flow Reading	EW-4 Flow Reading	EW-5 Flow Reading	Total Daily Flow (gal)
11/01/16 08:03	16,926	6,403	6,336	0	29,665
11/02/16 08:03	17,047	6,225	6,121	0	29,393
11/03/16 08:03	17,252	6,287	6,051	0	29,590
11/04/16 08:03	17,386	7,076	7,202	0	31,664
11/05/16 08:03	17,656	6,981	7,289	0	31,926
11/06/16 08:03	17,794	6,827	7,175	0	31,796
11/07/16 08:03	17,666	6,678	7,121	0	31,465
11/08/16 08:03	17,497	6,378	7,217	0	31,092
11/09/16 08:03	17,370	6,114	7,036	0	30,520
11/10/16 08:03	17,266	5,842	6,924	0	30,032
11/11/16 08:03	17,215	5,690	6,915	0	29,820
11/12/16 08:03	17,119	5,608	6,674	0	29,401
11/13/16 08:03	17,013	5,510	6,612	0	29,135
11/14/16 08:03	16,913	5,366	6,142	0	28,421
11/15/16 08:03	16,826	5,277	6,088	0	28,191
11/16/16 08:03	16,780	5,259	5,834	0	27,873
11/17/16 08:03	16,747	5,207	5,649	0	27,603
11/18/16 08:03	16,708	5,127	5,439	0	27,274
11/19/16 08:03	16,693	5,123	5,488	0	27,304
11/20/16 08:03	16,662	5,225	5,571	0	27,458
11/21/16 08:03	16,615	5,237	5,546	0	27,398
11/22/16 08:03	16,530	5,179	5,470	0	27,179
11/23/16 08:03	16,472	5,105	5,447	0	27,024
11/24/16 08:03	16,448	5,047	5,241	0	26,736
11/25/16 08:03	16,411	5,073	5,239	0	26,723
11/26/16 08:03	16,382	5,062	5,416	0	26,860
11/27/16 08:03	16,302	5,079	5,304	0	26,685
11/28/16 08:03	16,251	5,075	5,124	0	26,450
11/29/16 08:03	16,171	5,067	5,123	0	26,361
11/30/16 08:03	16,151	5,402	3,495	0	25,048

Total Flow for November (gallons):	856,087
Maximum Daily Flow for November (gallons/day):	31,926
Average Daily Flow for November (gallons/day):	28,536

Table 2
Niagara County Sewer Discharge Monitoring
Off-Site Groundwater Extraction System
Textron, Inc., Wheatfield, New York
Permit No. 16-07
December 1 - December 31, 2016
Daily Flow Rates

Date/Time	EW-2 Flow Reading	EW-3 Flow Reading	EW-4 Flow Reading	EW-5 Flow Reading	Total Daily Flow (gal)
12/01/16 08:03	16,342	10,168	4,989	0	31,499
12/02/16 08:03	16,499	10,209	5,957	0	32,665
12/03/16 08:03	16,353	10,193	5,814	0	32,360
12/04/16 08:03	16,202	10,166	5,463	0	31,831
12/05/16 08:03	16,080	10,142	5,287	0	31,509
12/06/16 08:03	15,941	10,104	5,141	0	31,186
12/07/16 08:03	15,843	10,079	5,112	0	31,034
12/08/16 08:03	15,749	10,081	5,130	0	30,960
12/09/16 08:03	15,682	10,079	4,719	0	30,480
12/10/16 08:03	15,622	10,085	4,425	0	30,132
12/11/16 08:03	15,578	10,103	4,226	0	29,907
12/12/16 08:20	15,668	4,765	4,215	0	24,648
12/13/16 08:03	15,200	5,356	3,975	0	24,531
12/14/16 08:03	15,359	5,984	3,937	0	25,280
12/15/16 08:20	15,541	5,960	3,872	0	25,373
12/16/16 08:03	15,117	5,745	3,541	0	24,403
12/17/16 08:03	15,201	5,784	3,409	0	24,394
12/18/16 08:03	15,090	5,829	3,324	0	24,243
12/19/16 08:03	15,034	5,944	3,284	0	24,262
12/20/16 08:03	15,015	5,970	3,428	0	24,413
12/21/16 08:03	14,898	6,100	4,974	0	25,972
12/22/16 08:03	14,748	6,063	4,936	0	25,747
12/23/16 08:03	14,494	5,981	4,722	0	25,197
12/24/16 08:03	14,283	5,944	4,915	0	25,142
12/25/16 08:03	14,233	6,353	5,207	0	25,793
12/26/16 08:03	14,259	6,679	5,623	0	26,561
12/27/16 08:03	14,256	7,038	6,072	0	27,366
12/28/16 08:03	14,226	7,349	7,176	0	28,751
12/29/16 08:03	14,091	7,111	6,914	0	28,116
12/30/16 08:03	13,951	6,990	6,745	0	27,686
12/31/16 08:03	13,820	6,822	6,367	0	27,009

Total Flow for December (gallons): 858,450
Maximum Daily Flow for December (gallons/day): 32,665
Average Daily Flow for December (gallons/day): 27,692

Table 3
Niagara County Sewer Discharge Monitoring
Off-Site Groundwater Extraction System
Textron, Inc., Wheatfield, New York
Permit No. 16-07
January 1 - January 31, 2017
Daily Flow Rates

Date/Time	EW-2 Flow Reading	EW-3 Flow Reading	EW-4 Flow Reading	EW-5 Flow Reading	Total Daily Flow (gal)
01/01/17 08:03	13,718	6,734	6,206	0	26,658
01/02/17 08:03	13,613	6,723	6,090	0	26,426
01/03/17 08:03	13,481	6,662	5,950	0	26,093
01/04/17 08:03	13,459	7,103	6,412	0	26,974
01/05/17 08:03	13,393	7,345	6,794	0	27,532
01/06/17 08:03	13,231	7,060	6,352	0	26,643
01/07/17 08:03	13,079	6,854	5,925	0	25,858
01/08/17 08:03	12,950	6,708	5,545	0	25,203
01/09/17 08:03	12,817	6,477	5,277	0	24,571
01/10/17 08:03	12,697	6,357	5,119	0	24,173
01/11/17 08:03	12,592	6,438	5,466	0	24,496
01/12/17 08:03	12,533	6,644	5,717	0	24,894
01/13/17 08:03	12,496	6,981	6,151	0	25,628
01/14/17 08:03	12,453	6,973	6,192	0	25,618
01/15/17 08:03	12,395	6,831	6,089	0	25,315
01/16/17 08:03	12,355	6,566	5,795	0	24,716
01/17/17 08:03	12,335	6,372	5,528	0	24,235
01/18/17 08:03	12,394	6,827	6,273	0	25,494
01/19/17 08:03	12,388	7,074	6,591	0	26,053
01/20/17 08:03	12,305	6,914	6,239	0	25,458
01/21/17 08:03	12,239	6,834	6,195	0	25,268
01/22/17 08:03	12,210	6,785	6,210	0	25,205
01/23/17 08:03	12,165	6,724	6,281	0	25,170
01/24/17 08:03	12,102	6,663	6,344	0	25,109
01/25/17 08:03	12,027	6,610	6,591	0	25,228
01/26/17 08:03	11,944	6,589	6,258	0	24,791
01/27/17 08:03	11,883	6,613	6,599	0	25,095
01/28/17 08:03	11,788	6,648	6,661	0	25,097
01/29/17 08:03	11,731	6,565	6,333	0	24,629
01/30/17 08:03	11,676	6,460	5,908	0	24,044
01/31/17 08:03	11,616	6,347	5,327	0	23,290

Total Flow for January (gallons): 784,964
Maximum Daily Flow for January (gallons/day): 27,532
Average Daily Flow for January (gallons/day): 25,321

Green - indicates a calculated daily flow rate based on remote telemetry.

Table 4
Niagara County Sewer Discharge Monitoring
Off-Site Groundwater Extraction System
Textron, Inc., Wheatfield, New York
Permit No. 16-07
February 1 - February 28, 2017
Daily Flow Rates

Date/Time	EW-2 Flow Reading	EW-3 Flow Reading	EW-4 Flow Reading	EW-5 Flow Reading	Total Daily Flow (gal)
02/01/17 08:03	11,570	6,281	4,810	0	22,661
02/02/17 08:03	11,519	6,190	4,504	0	22,213
02/03/17 08:03	11,438	6,111	4,036	0	21,585
02/04/17 08:03	11,377	6,048	3,805	0	21,230
02/05/17 08:03	11,308	5,998	3,627	0	20,933
02/06/17 08:03	11,227	5,956	3,291	0	20,474
02/07/17 08:03	11,152	5,934	2,521	0	19,607
02/08/17 08:03	11,148	6,531	3,420	0	21,099
02/09/17 08:03	11,148	6,531	3,420	0	21,099
02/10/17 08:03	11,011	6,745	3,972	0	21,728
02/11/17 08:03	10,933	6,632	4,046	0	21,611
02/12/17 08:03	10,874	6,532	3,581	0	20,987
02/13/17 08:03	10,904	6,933	4,439	0	22,276
02/14/17 08:03	10,864	7,044	4,100	0	22,008
02/15/17 08:03	10,805	7,033	4,932	0	22,770
02/16/17 08:03	10,793	7,038	5,411	0	23,242
02/17/17 08:03	10,825	6,964	5,567	0	23,356
02/18/17 08:03	10,822	6,919	5,490	0	23,231
02/19/17 08:03	10,798	6,929	5,121	0	22,848
02/20/17 08:03	10,771	6,905	5,149	0	22,825
02/21/17 08:03	10,704	6,766	4,981	0	22,451
02/22/17 08:03	10,661	6,603	4,197	0	21,461
02/23/17 08:03	10,624	6,512	4,138	0	21,274
02/24/17 08:03	10,570	6,460	4,319	0	21,349
02/25/17 08:03	10,539	6,647	4,733	0	21,919
02/26/17 08:03	10,600	7,341	5,647	0	23,588
02/27/17 08:03	10,612	7,350	5,465	0	23,427
02/28/17 08:03	10,572	7,173	5,051	0	22,796

Total Flow for February (gallons):

616,048

Maximum Daily Flow for February (gallons/day):

23,588

Average Daily Flow for February (gallons/day):

22,002

Green - indicates an averaged daily flow rate.

Table 5
Niagara County Sewer Discharge Monitoring
Off-Site Groundwater Extraction System
Textron, Inc., Wheatfield, New York
Permit No. 16-07
March 1 - March 31, 2017
Daily Flow Rates

Date/Time	EW-2 Flow Reading	EW-3 Flow Reading	EW-4 Flow Reading	EW-5 Flow Reading	Total Daily Flow (gal)
03/01/17 08:03	10,542	7,137	4,892	0	22,571
03/02/17 08:03	10,563	7,400	5,269	0	23,232
03/03/17 08:03	10,495	7,201	5,031	0	22,727
03/04/17 08:03	10,425	6,966	4,079	0	21,470
03/05/17 08:03	10,327	6,790	3,680	0	20,797
03/06/17 08:03	10,239	6,699	3,630	0	20,568
03/07/17 08:03	10,172	6,621	3,291	0	20,084
03/08/17 08:03	10,285	7,017	4,108	0	21,410
03/09/17 08:03	10,507	7,243	4,365	0	22,115
03/10/17 08:03	10,547	7,042	3,904	0	21,493
03/11/17 08:03	10,483	6,872	3,529	0	20,884
03/12/17 08:03	10,386	6,753	3,077	0	20,216
03/13/17 08:03	10,306	6,700	2,788	0	19,794
03/14/17 08:03	10,240	6,596	2,290	0	19,126
03/15/17 08:03	10,188	6,475	2,061	0	18,724
03/16/17 08:03	10,119	6,361	1,784	0	18,264
03/17/17 08:03	10,056	6,296	1,411	0	17,763
03/18/17 08:03	10,073	6,412	1,409	0	17,894
03/19/17 08:03	10,073	6,627	1,434	0	18,134
03/20/17 08:03	10,090	6,924	826	0	17,840
03/21/17 08:03	10,109	7,203	920	0	18,232
03/22/17 08:03	10,145	8,173	1,265	0	19,583
03/23/17 08:03	10,249	8,008	1,850	0	20,107
03/24/17 08:03	10,206	7,368	1,850	0	19,424
03/25/17 08:03	10,148	7,443	3,042	0	20,633
03/26/17 08:03	10,096	8,899	4,805	0	23,800
03/27/17 08:03	10,144	8,505	5,029	0	23,678
03/28/17 08:03	10,144	7,649	4,942	0	22,735
03/29/17 08:03	10,037	7,382	4,418	0	21,837
03/30/17 08:03	9,943	7,145	4,410	0	21,498
03/31/17 08:03	9,873	7,183	4,835	0	21,891

Total Flow for March (gallons): 638,524
Maximum Daily Flow for March (gallons/day): 23,800
Average Daily Flow for March (gallons/day): 20,598

Table 6
Niagara County Sewer Discharge Monitoring
Off-Site Groundwater Extraction System
Textron, Inc., Wheatfield, New York
Permit No. 16-07
April 1 - April 30, 2017
Daily Flow Rates

Date/Time	EW-2 Flow Reading	EW-3 Flow Reading	EW-4 Flow Reading	EW-5 Flow Reading	Total Daily Flow (gal)
04/01/17 08:03	9,881	9,474	7,010	0	26,365
04/02/17 08:03	10,037	9,715	0	0	19,752
04/03/17 08:03	10,090	7,936	0	0	18,026
04/04/17 08:03	10,226	8,841	0	0	19,067
04/05/17 08:03	10,300	11,305	0	0	21,605
04/06/17 08:03	10,319	10,756	0	0	21,075
04/07/17 08:03	5,761	10,384	6	0	16,151
04/08/17 08:03	299	2,774	0	0	3,073
04/09/17 08:03	260	1,121	0	0	1,381
04/10/17 08:03	6,707	123	0	0	6,830
04/11/17 08:03	9,816	52	1	0	9,869
04/12/17 08:03	12,387	0	1	0	12,388
04/13/17 08:03	11,660	3,606	2,953	0	18,219
04/14/17 08:03	11,965	4,507	3,674	0	20,146
04/15/17 08:03	12,432	4,391	3,741	0	20,564
04/16/17 08:03	12,561	4,293	3,892	0	20,746
04/17/17 08:03	12,720	4,160	4,014	0	20,894
04/18/17 08:03	12,765	4,079	4,060	0	20,904
04/19/17 08:03	12,726	4,019	4,198	0	20,943
04/20/17 08:03	2,106	6,585	4,333	0	13,024
04/21/17 08:03	10,521	8,152	9,273	0	27,946
04/22/17 08:03	13,085	8,998	8,224	0	30,307
04/23/17 08:03	13,054	7,724	5,624	0	26,402
04/24/17 08:03	12,993	7,181	5,261	0	25,435
04/25/17 08:03	12,986	6,933	5,084	0	25,003
04/26/17 08:03	13,015	7,068	5,256	0	25,339
04/27/17 08:03	13,010	7,057	5,234	0	25,301
04/28/17 08:03	12,979	6,912	5,027	0	24,918
04/29/17 08:03	12,983	6,771	4,699	0	24,453
04/30/17 08:03	12,995	6,743	4,337	0	24,075

Total Flow for April (gallons): 590,201
Maximum Daily Flow for April (gallons/day): 30,307
Average Daily Flow for April (gallons/day): 19,673

Table 7
Niagara County Sewer Discharge Monitoring
Off-Site Groundwater Extraction System
Textron, Inc., Wheatfield, New York
Permit No. 16-07
April 18 - 19, 2017
Sample ID: MH No. 9-3

Parameter via USEPA Method 1631E	Reported Concentration (mg/L)	Total Flow (gallons per day) ⁽¹⁾	Discharge Loading Pounds per Day ⁽²⁾	Discharge Limitation (mg/L)
Mercury, Total	0.0000201	20,904	< 0.0000000035	0.001

Notes:

Total Flow Limit: 200,000 gallons per day (gpd).

< - Not detected at indicated method detection limit.

For calculation purposes, "Not Detected" values are assigned the value of the method detection limit.

⁽¹⁾ Total flow during sampling period was based on the total flow measurements for the sampling date.

⁽²⁾ Determined as follows: (Concentration in µg/L) x (flow rate in gpd) x (CF)

CF = Conversion Factor 8.3×10^{-9}

Table 8
Niagara County Sewer Discharge Monitoring
Off-Site Groundwater Extraction System
Textron, Inc., Wheatfield, New York
Permit No. 16-07
April 18 - 19, 2017
Sample ID: MH No. 9-3

Parameter via USEPA Method 624	Reported Concentration (µg/L)	Total Flow (gallons per day) ⁽¹⁾	Discharge Loading Pounds per Day ⁽²⁾	Maximum Daily Discharge Loading Limits (µg/L)
Trichloroethene	< 1.0	20,904	< 0.000174444	1.0
1,2-Dichloroethene (Total)	26.0	20,904	0.004535541	2.500
Vinyl Chloride	< 1.0	20,904	< 0.000174444	0.4000
Methylene Chloride	< 1.0	20,904	< 0.000174444	0.2

Notes:

Total Flow Limit: 200,000 gallons per day (gpd).

< - Not detected at indicated method detection limit.

For calculation purposes, "Not Detected" values are assigned the value of the method detection limit.

⁽¹⁾ Total flow during sampling period was based on the total flow measurements for the sampling date.

⁽²⁾ Determined as follows: (Concentration in µg/L) x (flow rate in gpd) x (CF)

CF = Conversion Factor 8.3×10^{-9}

Appendix A

Field Sampling Sheets



CHAIN OF CUSTODY/LABORATORY ANALYSIS REQUEST FORM

40463

1565 Jefferson Road, Building 300, Suite 360 • Rochester, NY 14623 | +1 585 288 5380 +1 585 288 8475 (fax) PAGE 1 OF 1

Project Name: TEXTION WILPATFIELD
Project Manager: CRYSTAL CAMPBELL
Company/Address: CB? I
 15 BRITISH AMERICAN BLD.
 LATHAM, NY 12110
Phone #: 518-783-1996
Email: CRYSTAL.CAMPBELL@CB.COM
Sampler's Printed Name: Kevin Cronin
Sampler's Signature: Kevin Cronin
Project Number: 156045
Report CC:

ANALYSIS REQUESTED (Include Method Number and Container Preservative)

CLIENT SAMPLE ID	FOR OFFICE USE ONLY LAB ID	DATE	SAMPLING TIME	MATRIX	GC/MS VOLS 8260 • 824 • CLP	GC/MS VOLS 8270 • 825	GC VOLS 8021 • 801/802	PESTICIDES 8081 • 808	PCBS 8082 • 808	METALS, TOTAL (List in comments below)	METALS, DISSOLVED (List in comments below)	PRESERVATIVE	NUMBER OF CONTAINERS	REMARKS/ ALTERNATE DESCRIPTION
EW-6 GRAB 1		4/19/17	1150	W	X								8	
EW-6 GRAB 2		4/19/17	1150	W	X								3	COMPOSITE INTO
EW-6 GRAB 3		4/19/17	2350	W	X								3	SI-SMA-I CALLED
EW-6 GRAB 4		4/19/17	0700	W	X								3	MH No. 9-3

Preservative Key:
 0. NONE
 1. HCL
 2. HNO3
 3. H2SO4
 4. NaOH
 5. Zn. Acetate
 6. MeOH
 7. NaHSO4
 8. Other 100

SPECIAL INSTRUCTIONS/COMMENTS:
 Metals
 COMPOSITE SAMPLES INTO ONE SAMPLE
 Relabeled AS MH No. 9-3
 See QAPP

TURNAROUND REQUIREMENTS (SURCHARGES APPLY)
 RUSH 1 day 2 day 3 day
 4 day 5 day
 REQUESTED REPORT DATE: 5/1/17

REPORT REQUIREMENTS:
 I. Results Only
 II. Results + QC Summaries (LCS, DUP, MS/MSD as required)
 III. Results + QC and Calibration Summaries
 IV. Data Validation Report with Raw Data
 Edata Yes ___ No ___

INVOICE INFORMATION:
 PO #
 BILL TO:

STATE WHERE SAMPLES WERE COLLECTED: NY

RECEIVED BY: Kevin Cronin
 Signature: Kevin Cronin
 Printed Name: Kevin Cronin
 Firm: CB&I
 Date/Time: 4/19/17 1050

RECEIVED BY: Scott Sealy
 Signature: Scott Sealy
 Printed Name: Scott Sealy
 Firm: P&S
 Date/Time: 4/19/17 1050

RECEIVED BY:

RECEIVED BY:

RECEIVED BY:

TEXTRON, INC.
FIELD SAMPLING DATA SHEET
NIAGARA COUNTY SEWER DISTRICT SAMPLING EVENT

Site Name: Textron, Wheatfield, NY
Project Number: 156045
NCSD Permit Number: 16-07
Sample Location: EW-6
Date: April 18, 2017
Time: 1156
Field Personnel: K. Cronin B. Urban (ALS)

Physical Condition of Location: Good
Ambient Temperature: ~48°
Wind: 10-15 mph EAST
Precipitation: 0

Sampling Method: Dedicated Poly Bailer

Sample Number: MH No. 9-3
Sample Description: Clear
Analysis Requested: EPA Method 624
Totalizer: _____

Notes: COLLECTED LOW LEVEL Hg SAMPLE @ 1150 4/18/17

Sampler Signature: *K. Cronin*

TEXTRON, INC.
FIELD SAMPLING DATA SHEET
NIAGARA COUNTY SEWER DISTRICT SAMPLING EVENT

Site Name: Textron, Wheatfield, NY
Project Number: 156045
NCSD Permit Number: 16-07
Sample Location: EW- 6
Date: April 18, 2017
Time: 1200
Field Personnel: K. Cronin B. Urban (ALS) KC

Physical Condition of Location: Good
Ambient Temperature: ~ 60°F
Wind: LIGHT
Precipitation: 0

Sampling Method: Dedicated Poly Bailer

Sample Number: MH No. 9-3
Sample Description: Clear
Analysis Requested: EPA Method 624
Totalizer: _____

Notes: GRAB # 2

Sampler Signature: 

TEXTRON, INC.
FIELD SAMPLING DATA SHEET
NIAGARA COUNTY SEWER DISTRICT SAMPLING EVENT

Site Name: Textron, Wheatfield, NY
Project Number: 156045
NCSD Permit Number: 16-07
Sample Location: EW- 6
Date: April 18, 2017
Time: 2:35
Field Personnel: K. Cronin B. Urban (ALS) KC

Physical Condition of Location: Good
Ambient Temperature: 45
Wind: LIGHT
Precipitation: None

Sampling Method: Dedicated Poly Bailer

Sample Number: MH No. 9-3
Sample Description: Clear
Analysis Requested: EPA Method 624
Totalizer: _____

Notes: GRAB # 3

Sampler Signature: 

TEXTRON, INC.
FIELD SAMPLING DATA SHEET
NIAGARA COUNTY SEWER DISTRICT SAMPLING EVENT

Site Name: Textron, Wheatfield, NY
Project Number: 156045
NCSD Permit Number: 16-07
Sample Location: KC EW-6
Date: April 18, 2017
Time: 19 0700
Field Personnel: K. Cronin B. Urban (ALS) KC

Physical Condition of Location: Good
Ambient Temperature: -50°
Wind: LIGHT
Precipitation: SCATTERED SHOWERS

Sampling Method: Dedicated Poly Bailer

Sample Number: MH No. 9-3
Sample Description: Clear
Analysis Requested: EPA Method 624
Totalizer: _____

Notes: GRAB # 4

Sampler Signature: 

Appendix B

Analytical Report



April 28, 2017

Service Request No:R1703440

Ms. Cecelia Byers
CB&I Environmental & Infrastructure
2790 Mosside Boulevard
Monroeville, PA 15146

Laboratory Results for: Textron Wheatfield

Dear Ms.Byers,

Enclosed are the results of the sample(s) submitted to our laboratory April 19, 2017
For your reference, these analyses have been assigned our service request number **R1703440**.

All analyses were performed according to our laboratory's quality assurance program. The test results meet requirements of the NELAP standards except as noted in the case narrative report. All results are intended to be considered in their entirety, and ALS Environmental is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report. The measurement uncertainty of the results included in this report is within that expected when using the prescribed method(s) for analysis of these samples, and represented by Laboratory Control Sample control limits. Any events, such as QC failures, which may add to the uncertainty are explained in the report narrative.

Please contact me if you have any questions. My extension is 7472. You may also contact me via email at Janice.Jaeger@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental

Janice Jaeger
Project Manager

ADDRESS 1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
PHONE +1 585 288 5380 | **FAX** +1 585 288 8475
ALS Group USA, Corp.
dba ALS Environmental



Narrative Documents

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com



Client: CB&I
Project: Textron Wheatfield/156045
Sample Matrix: Water

Service Request: R1703440
Date Received: 4/19/17

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples designated for Tier II data deliverables, including results of QC samples analyzed from this delivery group. Analytical procedures performed by the lab are validated in accordance with NELAC standards. Any parameters that are not included in the lab's NELAC accreditation are identified on a "Non-Certified Analytes" report in the Miscellaneous Forms Section of this report. Individual analytical results requiring further explanation are flagged with qualifiers and/or discussed below. The flags are explained in the Report Qualifiers and Definitions page in the Miscellaneous Forms section of this report.

Sample Receipt

Two Water samples were received for analysis at ALS Environmental on 04/19/2017. Any discrepancies noted upon initial sample inspection are noted on the cooler receipt and preservation form included in this data package. The samples were received in good condition and consistent with the accompanying chain of custody form. Samples are refrigerated at $\leq 6^{\circ}\text{C}$ upon receipt at the lab except for aqueous samples designated for metals analyses, which are stored at room temperature.

Volatile Organic Analyses:

No significant anomalies were noted with this analysis.

Metals Analyses:

No significant anomalies were noted with this analysis.

Sample Receiving Notes:

Samples were not submitted to the laboratory with Field Blanks as required by EPA Method 1631E (Section 9.4, minimum requirements for the analysis of blanks).

Approved by  Date 4/28/2017



SAMPLE DETECTION SUMMARY

CLIENT ID: MH No. 9-3		Lab ID: R1703440-001				
Analyte	Results	Flag	MDL	PQL	Units	Method
Mercury, Total	20.1		0.4	1.0	ng/L	1631E
1,2-Dichloroethene, Total	26			2.0	ug/L	624



Sample Receipt Information

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Client: CB&I
Project: Textron Wheatfield/156045

Service Request:R1703440

SAMPLE CROSS-REFERENCE

<u>SAMPLE #</u>	<u>CLIENT SAMPLE ID</u>	<u>DATE</u>	<u>TIME</u>
R1703440-001	MH No. 9-3	4/19/2017	0700
R1703440-002	TRIP BLANK	4/19/2017	0700



CHAIN OF CUSTODY/LABORATORY ANALYSIS REQUEST FORM

40463

1565 Jefferson Road, Building 300, Suite 360 • Rochester, NY 14623 | +1 585 288 5380 +1 585 288 8475 (fax) PAGE OF

Project Name TEXTRON WHEATFIELD		Project Number 156045		ANALYSIS REQUESTED (Include Method Number and Container Preservative)																
Project Manager CECELIA CAMPBELL		Report CC		PRESERVATIVE 8																
Company/Address CB&I 13 BRITISH AMERICAN BLD. LATHAM, NY 12110		Phone # 518-783-1996		Email CECELIA.BYERS@CBI.COM		NUMBER OF CONTAINERS GC/MS VOAS • 8260 • 8224 GC/MS SV/VOAS • 8270 • 825 GC VOAS • 8021 • 801/802 PESTICIDES • 8081 • 608 PCBs • 8092 • 608 METALS TOTAL (List in comments below) METALS DISSOLVED (List in comments below)														
Sampler's Signature <i>Kevin Cronin</i>		Sample's Printed Name KEVIN CRONIN																		
FOR OFFICE USE ONLY LAB ID		SAMPLING DATE		SAMPLING TIME		MATRIX		Preservative Key 0. NONE 1. HCL 2. HNO ₃ 3. H ₂ SO ₄ 4. NaOH 5. Zn. Acetate 6. MeOH 7. NaHSO ₄ 8. Other ICE REMARKS/ ALTERNATE DESCRIPTION												
CLIENT SAMPLE ID		DATE		TIME		MATRIX														
BAF-220 6 170410		4/19/17		1150		W		3 X KCC												
EW-6 GRAB 1		4/18/17		1150		W		3 X												
EW-6 GRAB 2		↓		1800		↓		3 X												
EW-6 GRAB 3		↓		2350		↓		3 X												
EW-6 GRAB 4		4/19/17		0700		↓		3 X												
H2O3 EW-6								X												
SPECIAL INSTRUCTIONS/COMMENTS Metals COMPOSITE SAMPLES INTO ONE SAMPLE REPORTED AS MH No. 9-3 1631 added as per Cecelia Byers vms 4/20/17												TURNAROUND REQUIREMENTS RUSH (SURCHARGES APPLY) 1 day 2 day 3 day 4 day 5 day STD. REQUESTED REPORT DATE			REPORT REQUIREMENTS <input checked="" type="checkbox"/> I. Results Only <input type="checkbox"/> II. Results + QC Summaries (LCS, DUP, MS/MSD as required) <input type="checkbox"/> III. Results + QC and Calibration Summaries <input type="checkbox"/> IV. Data Validation Report with Raw Data Edata Yes No			INVOICE INFORMATION PO # BILL TO:		
STATE WHERE SAMPLES WERE COLLECTED NY												Edata Yes No								
RELINQUISHED BY		RECEIVED BY		RELINQUISHED BY		RECEIVED BY		RELINQUISHED BY			RECEIVED BY									
Signature <i>Kevin Cronin</i>		Signature <i>Scott Seay</i>		Signature <i>Scott Seay</i>		Signature <i>Georgio Esmerian</i>		Signature			Signature									
Printed Name KEVIN CRONIN		Printed Name SCOTT SEAY		Printed Name SCOTT SEAY		Printed Name GEORGIO ESMERIAN		Printed Name			Printed Name									
Firm CB&I		Firm ALS		Firm ALS		Firm ALS		Firm			Firm									
Date/Time 4/19/17 1050		Date/Time 4/19/17 1050		Date/Time 4/19/17 1230		Date/Time 4/19/17 1230		Date/Time			Date/Time									

COMPOSITE INTO
1 SAMPLE CALLED
MH No. 9-3

R1703440
 CB&I Environmental & Infrastructure
 Textron Wheatfield

5



Cooler Receipt and Preservation Check Form

R1703440

5

CB&I Environmental & Infrastructure
Textron Wheatfield



Project/Client CB&I Folder Number _____

Cooler received on 4-19-17 by: ME

COURIER: ALS UPS FEDEX VELOCITY CLIENT

1	Were Custody seals on outside of cooler?	Y <input checked="" type="checkbox"/> N <input checked="" type="checkbox"/>
2	Custody papers properly completed (ink, signed)?	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>
3	Did all bottles arrive in good condition (unbroken)?	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>
4	Circle: <u>Wet Ice</u> Dry Ice Gel packs present?	Y <input checked="" type="checkbox"/> N <input type="checkbox"/>

5a	Perchlorate samples have required headspace?	Y <input type="checkbox"/> N <input checked="" type="checkbox"/> NA <input checked="" type="checkbox"/>
5b	Did VOA vials, Alk, or Sulfide have sig* bubbles?	Y <input type="checkbox"/> N <input checked="" type="checkbox"/> NA <input checked="" type="checkbox"/>
6	Where did the bottles originate?	<u>ALS/ROC</u> CLIENT
7	Soil VOA received as: Bulk Encore 5035set	<u>NA</u>

8. Temperature Readings Date: 4-19-17 Time: 12:45 ID: IR# IR#8 From: Temp Blank Sample Bottle

Observed Temp (°C)	<u>1.7</u>							
Correction Factor (°C)	<u>+0.4</u>							
Corrected Temp (°C)	<u>2.1</u>							
Temp from: Type of bottle	<u>VOA vial</u>							
Within 0-6°C?	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N	<input type="checkbox"/> Y <input type="checkbox"/> N	<input type="checkbox"/> Y <input type="checkbox"/> N	<input type="checkbox"/> Y <input type="checkbox"/> N	<input type="checkbox"/> Y <input type="checkbox"/> N	<input type="checkbox"/> Y <input type="checkbox"/> N	<input type="checkbox"/> Y <input type="checkbox"/> N	<input type="checkbox"/> Y <input type="checkbox"/> N
If <0°C, were samples frozen?	<input type="checkbox"/> Y <input type="checkbox"/> N	<input type="checkbox"/> Y <input type="checkbox"/> N	<input type="checkbox"/> Y <input type="checkbox"/> N	<input type="checkbox"/> Y <input type="checkbox"/> N	<input type="checkbox"/> Y <input type="checkbox"/> N	<input type="checkbox"/> Y <input type="checkbox"/> N	<input type="checkbox"/> Y <input type="checkbox"/> N	<input type="checkbox"/> Y <input type="checkbox"/> N

If out of Temperature, note packing/ice condition: _____ Ice melted _____ Poorly Packed _____ Same Day Rule _____

& Client Approval to Run Samples: _____ Standing Approval _____ Client aware at drop-off _____ Client notified by: _____

All samples held in storage location: R-002 by ME on 4-19-17 at 12:47
5035 samples placed in storage location: _____ by _____ on _____ at _____

Cooler Breakdown: Date: 4/19/17 Time: 1358 by: @

- 9. Were all bottle labels complete (i.e. analysis, preservation, etc.)? YES NO
- 10. Did all bottle labels and tags agree with custody papers? YES NO
- 11. Were correct containers used for the tests indicated? YES NO
- 12. Were 5035 vials acceptable (no extra labels, not leaking)? YES NO
- 13. Air Samples: Cassettes / Tubes Intact _____ Canisters Pressurized _____ Tedlar® Bags Inflated N/A

pH	Lot of test paper	Reagent	Preserved?		Lot Received	Exp	Sample ID	Vol. Added	Lot Added	Final pH
			Yes	No						
≥12		NaOH								
≤2		HNO ₃								
≤2		H ₂ SO ₄								
<4		NaHSO ₄								
Residual Chlorine (-)		For CN Phenol and 522			If +, contact PM to add Na ₂ S ₂ O ₃ (CN), ascorbic (phenol).					
		Na ₂ S ₂ O ₃	-	-						
		ZnAcetate	-	-						
		HCl	**	**						

**Not to be tested before analysis - pH tested and recorded by VOAs on a separate worksheet

Bottle lot numbers: 4-222-001
Explain all Discrepancies/ Other Comments:

CLRES	BULK
DO	FLDT
HPROD	HGFB
HTR	LL3541
PH	SUB
SO3	MARRS
ALS	REV

Rec'd Trip Blank not on Col

Labels secondary reviewed by: @
PC Secondary Review: MS 4/20/17
P:\INTRANET\QAQC\FORMS Controlled\Cooler Receipt r14.doc

*significant air bubbles: VOA > 5-6 mm : WC > 1 in. diameter
1/9/17



Miscellaneous Forms

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

REPORT QUALIFIERS AND DEFINITIONS

<p>U Analyte was analyzed for but not detected. The sample quantitation limit has been corrected for dilution and for percent moisture, unless otherwise noted in the case narrative.</p> <p>J Estimated value due to either being a Tentatively Identified Compound (TIC) or that the concentration is between the MRL and the MDL. Concentrations are not verified within the linear range of the calibration. For DoD: concentration >40% difference between two GC columns (pesticides/Aroclors).</p> <p>B Analyte was also detected in the associated method blank at a concentration that may have contributed to the sample result.</p> <p>E Inorganics- Concentration is estimated due to the serial dilution was outside control limits.</p> <p>E Organics- Concentration has exceeded the calibration range for that specific analysis.</p> <p>D Concentration is a result of a dilution, typically a secondary analysis of the sample due to exceeding the calibration range or that a surrogate has been diluted out of the sample and cannot be assessed.</p> <p>* Indicates that a quality control parameter has exceeded laboratory limits. Under the "Notes" column of the Form I, this qualifier denotes analysis was performed out of Holding Time.</p> <p>H Analysis was performed out of hold time for tests that have an "immediate" hold time criteria.</p> <p># Spike was diluted out.</p>	<p>+ Correlation coefficient for MSA is <0.995.</p> <p>N Inorganics- Matrix spike recovery was outside laboratory limits.</p> <p>N Organics- Presumptive evidence of a compound (reported as a TIC) based on the MS library search.</p> <p>S Concentration has been determined using Method of Standard Additions (MSA).</p> <p>W Post-Digestion Spike recovery is outside control limits and the sample absorbance is <50% of the spike absorbance.</p> <p>P Concentration >40% (25% for CLP) difference between the two GC columns.</p> <p>C Confirmed by GC/MS</p> <p>Q DoD reports: indicates a pesticide/Aroclor is not confirmed ($\times 100\%$ Difference between two GC columns).</p> <p>X See Case Narrative for discussion.</p> <p>MRL Method Reporting Limit. Also known as:</p> <p>LOQ Limit of Quantitation (LOQ) The lowest concentration at which the method analyte may be reliably quantified under the method conditions.</p> <p>MDL Method Detection Limit. A statistical value derived from a study designed to provide the lowest concentration that will be detected 99% of the time. Values between the MDL and MRL are estimated (see J qualifier).</p> <p>LOD Limit of Detection. A value at or above the MDL which has been verified to be detectable.</p> <p>ND Non-Detect. Analyte was not detected at the concentration listed. Same as U qualifier.</p>
---	--



Rochester Lab ID # for State Certifications¹

Connecticut ID # PH0556	Maine ID #NY0032	New Hampshire ID #
Delaware Accredited	Nebraska Accredited	294100 A/B
DoD ELAP #65817	New Jersey ID # NY004	Pennsylvania ID# 68-786
Florida ID # E87674	New York ID # 10145	Rhode Island ID # 158
Illinois ID #200047	North Carolina #676	Virginia #460167

¹ Analyses were performed according to our laboratory's NELAP-approved quality assurance program and any applicable state or agency requirements. The test results meet requirements of the current NELAP/TNI standards or state or agency requirements, where applicable, except as noted in the case narrative. Since not all analyte/method/matrix combinations are offered for state/NELAC accreditation, this report may contain results which are not accredited. For a specific list of accredited analytes, contact the laboratory or go to <http://www.alsglobal.com/en/Our-Services/Life-Sciences/Environmental/Downloads/North-America-Downloads>

ALS Laboratory Group

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

Client: CB&I
Project: Textron Wheatfield/156045

Service Request: R1703440

Non-Certified Analytes

Certifying Agency: New York Department of Health

<u>Method</u>	<u>Matrix</u>	<u>Analyte</u>
624	Water	1,2-Dichloroethene, Total

ALS Group USA, Corp.
dba ALS Environmental

Analyst Summary report

Client: CB&I
Project: Textron Wheatfield/156045

Service Request: R1703440

Sample Name: MH No. 9-3
Lab Code: R1703440-001
Sample Matrix: Water

Date Collected: 04/19/17
Date Received: 04/19/17

Analysis Method
1631E
624

Extracted/Digested By

Analyzed By
CKUTZER
KRUEST

Sample Name: TRIP BLANK
Lab Code: R1703440-002
Sample Matrix: Water

Date Collected: 04/19/17
Date Received: 04/19/17

Analysis Method
624

Extracted/Digested By

Analyzed By
KRUEST



INORGANIC PREPARATION METHODS

The preparation methods associated with this report are found in these tables unless discussed in the case narrative.

Water/Liquid Matrix

Analytical Method	Preparation Method
200.7	200.2
200.8	200.2
6010C	3005A/3010A
6020A	ILM05.3
9014 Cyanide Reactivity	SW846 Ch7, 7.3.4.2
9034 Sulfide Reactivity	SW846 Ch7, 7.3.4.2
9034 Sulfide Acid Soluble	9030B
9056A Bomb (Halogens)	5050A
9066 Manual Distillation	9065
SM 4500-CN-E Residual Cyanide	SM 4500-CN-G
SM 4500-CN-E WAD Cyanide	SM 4500-CN-I

Solid/Soil/Non-Aqueous Matrix

Analytical Method	Preparation Method
6010C	3050B
6020A	3050B
6010C TCLP (1311) extract	3005A/3010A
6010 SPLP (1312) extract	3005A/3010A
7196A	3060A
7199	3060A
9056A Halogens/Halides	5050
300.0 Anions/ 350.1/ 353.2/ SM 2320B/ SM 5210B/ 9056A Anions	DI extraction

For analytical methods not listed, the preparation method is the same as the analytical method reference.



Sample Results

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com



Volatile Organic Compounds by GC/MS

ALS Environmental—Rochester Laboratory

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

Phone (585) 288-5380 Fax (585) 288-8475

www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: CB&I
Project: Textron Wheatfield/156045
Sample Matrix: Water

Service Request: R1703440
Date Collected: 04/19/17 07:00
Date Received: 04/19/17 12:30

Sample Name: MH No. 9-3
Lab Code: R1703440-001

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS with 3 Day Holding Time for Acrolein, Unpreserved

Analysis Method: 624
Prep Method: EPA 5030C

Analyte Name	Result	MRL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	1.0 U	1.0	1	04/19/17 18:11	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	1	04/19/17 18:11	
1,1,2-Trichloroethane	1.0 U	1.0	1	04/19/17 18:11	
1,1-Dichloroethane (1,1-DCA)	1.0 U	1.0	1	04/19/17 18:11	
1,1-Dichloroethene (1,1-DCE)	1.0 U	1.0	1	04/19/17 18:11	
1,2-Dichlorobenzene	1.0 U	1.0	1	04/19/17 18:11	
1,2-Dichloroethane	1.0 U	1.0	1	04/19/17 18:11	
1,2-Dichloropropane	1.0 U	1.0	1	04/19/17 18:11	
1,3-Dichlorobenzene	1.0 U	1.0	1	04/19/17 18:11	
1,4-Dichlorobenzene	1.0 U	1.0	1	04/19/17 18:11	
2-Chloroethyl Vinyl Ether	10 U	10	1	04/19/17 18:11	
Acrolein	10 U	10	1	04/19/17 18:11	
Acrylonitrile	10 U	10	1	04/19/17 18:11	
Benzene	1.0 U	1.0	1	04/19/17 18:11	
Bromodichloromethane	1.0 U	1.0	1	04/19/17 18:11	
Bromoform	1.0 U	1.0	1	04/19/17 18:11	
Bromomethane	1.0 U	1.0	1	04/19/17 18:11	
Carbon Tetrachloride	1.0 U	1.0	1	04/19/17 18:11	
Chlorobenzene	1.0 U	1.0	1	04/19/17 18:11	
Chloroethane	1.0 U	1.0	1	04/19/17 18:11	
Chloroform	1.0 U	1.0	1	04/19/17 18:11	
Chloromethane	1.0 U	1.0	1	04/19/17 18:11	
Chlorodibromomethane	1.0 U	1.0	1	04/19/17 18:11	
Methylene Chloride	1.0 U	1.0	1	04/19/17 18:11	
Ethylbenzene	1.0 U	1.0	1	04/19/17 18:11	
Tetrachloroethene (PCE)	1.0 U	1.0	1	04/19/17 18:11	
Toluene	1.0 U	1.0	1	04/19/17 18:11	
Trichloroethene (TCE)	1.0 U	1.0	1	04/19/17 18:11	
Trichlorofluoromethane (CFC 11)	1.0 U	1.0	1	04/19/17 18:11	
Vinyl Chloride	1.0 U	1.0	1	04/19/17 18:11	
cis-1,3-Dichloropropene	1.0 U	1.0	1	04/19/17 18:11	
trans-1,3-Dichloropropene	1.0 U	1.0	1	04/19/17 18:11	
1,2-Dichloroethene, Total	26	2.0	1	04/19/17 18:11	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: CB&I
Project: Textron Wheatfield/156045
Sample Matrix: Water

Service Request: R1703440
Date Collected: 04/19/17 07:00
Date Received: 04/19/17 12:30

Sample Name: MH No. 9-3
Lab Code: R1703440-001

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS with 3 Day Holding Time for Acrolein, Unpreserved

Analysis Method: 624
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
1,2-Dichloroethane-d4	112	81 - 127	04/19/17 18:11	
4-Bromofluorobenzene	111	79 - 123	04/19/17 18:11	
Toluene-d8	118	83 - 120	04/19/17 18:11	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: CB&I
Project: Textron Wheatfield/156045
Sample Matrix: Water

Service Request: R1703440
Date Collected: 04/19/17 07:00
Date Received: 04/19/17 12:30

Sample Name: TRIP BLANK
Lab Code: R1703440-002

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS with 3 Day Holding Time for Acrolein, Unpreserved

Analysis Method: 624
Prep Method: EPA 5030C

Analyte Name	Result	MRL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	1.0 U	1.0	1	04/19/17 16:09	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	1	04/19/17 16:09	
1,1,2-Trichloroethane	1.0 U	1.0	1	04/19/17 16:09	
1,1-Dichloroethane (1,1-DCA)	1.0 U	1.0	1	04/19/17 16:09	
1,1-Dichloroethene (1,1-DCE)	1.0 U	1.0	1	04/19/17 16:09	
1,2-Dichlorobenzene	1.0 U	1.0	1	04/19/17 16:09	
1,2-Dichloroethane	1.0 U	1.0	1	04/19/17 16:09	
1,2-Dichloropropane	1.0 U	1.0	1	04/19/17 16:09	
1,3-Dichlorobenzene	1.0 U	1.0	1	04/19/17 16:09	
1,4-Dichlorobenzene	1.0 U	1.0	1	04/19/17 16:09	
2-Chloroethyl Vinyl Ether	10 U	10	1	04/19/17 16:09	
Acrolein	10 U	10	1	04/19/17 16:09	
Acrylonitrile	10 U	10	1	04/19/17 16:09	
Benzene	1.0 U	1.0	1	04/19/17 16:09	
Bromodichloromethane	1.0 U	1.0	1	04/19/17 16:09	
Bromoform	1.0 U	1.0	1	04/19/17 16:09	
Bromomethane	1.0 U	1.0	1	04/19/17 16:09	
Carbon Tetrachloride	1.0 U	1.0	1	04/19/17 16:09	
Chlorobenzene	1.0 U	1.0	1	04/19/17 16:09	
Chloroethane	1.0 U	1.0	1	04/19/17 16:09	
Chloroform	1.0 U	1.0	1	04/19/17 16:09	
Chloromethane	1.0 U	1.0	1	04/19/17 16:09	
Chlorodibromomethane	1.0 U	1.0	1	04/19/17 16:09	
Methylene Chloride	1.0 U	1.0	1	04/19/17 16:09	
Ethylbenzene	1.0 U	1.0	1	04/19/17 16:09	
Tetrachloroethene (PCE)	1.0 U	1.0	1	04/19/17 16:09	
Toluene	1.0 U	1.0	1	04/19/17 16:09	
Trichloroethene (TCE)	1.0 U	1.0	1	04/19/17 16:09	
Trichlorofluoromethane (CFC 11)	1.0 U	1.0	1	04/19/17 16:09	
Vinyl Chloride	1.0 U	1.0	1	04/19/17 16:09	
cis-1,3-Dichloropropene	1.0 U	1.0	1	04/19/17 16:09	
trans-1,3-Dichloropropene	1.0 U	1.0	1	04/19/17 16:09	
1,2-Dichloroethene, Total	2.0 U	2.0	1	04/19/17 16:09	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: CB&I
Project: Textron Wheatfield/156045
Sample Matrix: Water

Service Request: R1703440
Date Collected: 04/19/17 07:00
Date Received: 04/19/17 12:30

Sample Name: TRIP BLANK
Lab Code: R1703440-002

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS with 3 Day Holding Time for Acrolein, Unpreserved

Analysis Method: 624
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
1,2-Dichloroethane-d4	109	81 - 127	04/19/17 16:09	
4-Bromofluorobenzene	112	79 - 123	04/19/17 16:09	
Toluene-d8	118	83 - 120	04/19/17 16:09	



Metals

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: CB&I
Project: Textron Wheatfield/156045
Sample Matrix: Water
Sample Name: MH No. 9-3
Lab Code: R1703440-001

Service Request: R1703440
Date Collected: 04/19/17 07:00
Date Received: 04/19/17 12:30
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Mercury, Total	1631E	20.1	ng/L	1.0	1	04/25/17 16:33	



QC Summary Forms

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com



Volatile Organic Compounds by GC/MS

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Client: CB&I
Project: Textron Wheatfield/156045
Sample Matrix: Water

Service Request: R1703440

SURROGATE RECOVERY SUMMARY

Volatile Organic Compounds by GC/MS with 3 Day Holding Time for Acrolein, Unpreserved

Analysis Method: 624
Extraction Method: EPA 5030C

Sample Name	Lab Code	1,2-Dichloroethane-d4	4-Bromofluorobenzene	Toluene-d8
		81 - 127	79 - 123	83 - 120
MH No. 9-3	R1703440-001	112	111	118
TRIP BLANK	R1703440-002	109	112	118
Lab Control Sample	RQ1703358-03	108	112	112
Method Blank	RQ1703358-04	114	112	118

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: CB&I
Project: Textron Wheatfield/156045
Sample Matrix: Water

Service Request: R1703440
Date Collected: NA
Date Received: NA

Sample Name: Method Blank
Lab Code: RQ1703358-04

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS with 3 Day Holding Time for Acrolein, Unpreserved

Analysis Method: 624
Prep Method: EPA 5030C

Analyte Name	Result	MRL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	1.0 U	1.0	1	04/19/17 11:54	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	1	04/19/17 11:54	
1,1,2-Trichloroethane	1.0 U	1.0	1	04/19/17 11:54	
1,1-Dichloroethane (1,1-DCA)	1.0 U	1.0	1	04/19/17 11:54	
1,1-Dichloroethene (1,1-DCE)	1.0 U	1.0	1	04/19/17 11:54	
1,2-Dichlorobenzene	1.0 U	1.0	1	04/19/17 11:54	
1,2-Dichloroethane	1.0 U	1.0	1	04/19/17 11:54	
1,2-Dichloropropane	1.0 U	1.0	1	04/19/17 11:54	
1,3-Dichlorobenzene	1.0 U	1.0	1	04/19/17 11:54	
1,4-Dichlorobenzene	1.0 U	1.0	1	04/19/17 11:54	
2-Chloroethyl Vinyl Ether	10 U	10	1	04/19/17 11:54	
Acrolein	10 U	10	1	04/19/17 11:54	
Acrylonitrile	10 U	10	1	04/19/17 11:54	
Benzene	1.0 U	1.0	1	04/19/17 11:54	
Bromodichloromethane	1.0 U	1.0	1	04/19/17 11:54	
Bromoform	1.0 U	1.0	1	04/19/17 11:54	
Bromomethane	1.0 U	1.0	1	04/19/17 11:54	
Carbon Tetrachloride	1.0 U	1.0	1	04/19/17 11:54	
Chlorobenzene	1.0 U	1.0	1	04/19/17 11:54	
Chloroethane	1.0 U	1.0	1	04/19/17 11:54	
Chloroform	1.0 U	1.0	1	04/19/17 11:54	
Chloromethane	1.0 U	1.0	1	04/19/17 11:54	
Chlorodibromomethane	1.0 U	1.0	1	04/19/17 11:54	
Methylene Chloride	1.0 U	1.0	1	04/19/17 11:54	
Ethylbenzene	1.0 U	1.0	1	04/19/17 11:54	
Tetrachloroethene (PCE)	1.0 U	1.0	1	04/19/17 11:54	
Toluene	1.0 U	1.0	1	04/19/17 11:54	
Trichloroethene (TCE)	1.0 U	1.0	1	04/19/17 11:54	
Trichlorofluoromethane (CFC 11)	1.0 U	1.0	1	04/19/17 11:54	
Vinyl Chloride	1.0 U	1.0	1	04/19/17 11:54	
cis-1,3-Dichloropropene	1.0 U	1.0	1	04/19/17 11:54	
trans-1,3-Dichloropropene	1.0 U	1.0	1	04/19/17 11:54	
1,2-Dichloroethene, Total	2.0 U	2.0	1	04/19/17 11:54	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: CB&I
Project: Textron Wheatfield/156045
Sample Matrix: Water

Service Request: R1703440
Date Collected: NA
Date Received: NA

Sample Name: Method Blank
Lab Code: RQ1703358-04

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS with 3 Day Holding Time for Acrolein, Unpreserved

Analysis Method: 624
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
1,2-Dichloroethane-d4	114	81 - 127	04/19/17 11:54	
4-Bromofluorobenzene	112	79 - 123	04/19/17 11:54	
Toluene-d8	118	83 - 120	04/19/17 11:54	

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: CB&I
Project: Textron Wheatfield/156045
Sample Matrix: Water

Service Request: R1703440
Date Analyzed: 04/19/17

Lab Control Sample Summary
Volatile Organic Compounds by GC/MS with 3 Day Holding Time for Acrolein, Unpreserved

Units:ug/L
Basis:NA

Lab Control Sample
RQ1703358-03

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
1,1,1-Trichloroethane (TCA)	624	18.9	20.0	95	52-162
1,1,2,2-Tetrachloroethane	624	20.6	20.0	103	46-157
1,1,2-Trichloroethane	624	21.1	20.0	106	52-150
1,1-Dichloroethane (1,1-DCA)	624	19.4	20.0	97	59-155
1,1-Dichloroethene (1,1-DCE)	624	20.6	20.0	103	10-234
1,2-Dichlorobenzene	624	20.1	20.0	101	18-190
1,2-Dichloroethane	624	19.9	20.0	99	49-155
1,2-Dichloropropane	624	18.6	20.0	93	10-210
1,3-Dichlorobenzene	624	20.0	20.0	100	59-156
1,4-Dichlorobenzene	624	19.7	20.0	98	18-190
2-Chloroethyl Vinyl Ether	624	19.3	20.0	96	10-305
Acrolein	624	30.5	40.0	76	10-186
Acrylonitrile	624	99.0	100	99	70-130
Benzene	624	19.1	20.0	95	37-151
Bromodichloromethane	624	20.0	20.0	100	35-155
Bromoform	624	20.3	20.0	102	45-169
Bromomethane	624	13.5	20.0	68	10-242
Carbon Tetrachloride	624	18.9	20.0	95	70-140
Chlorobenzene	624	20.4	20.0	102	37-160
Chloroethane	624	16.7	20.0	84	14-230
Chloroform	624	20.3	20.0	101	51-138
Chloromethane	624	17.6	20.0	88	10-273
Chlorodibromomethane	624	19.9	20.0	99	53-149
Methylene Chloride	624	19.2	20.0	96	10-221
Ethylbenzene	624	21.2	20.0	106	37-162
Tetrachloroethene (PCE)	624	20.0	20.0	100	64-148
Toluene	624	19.4	20.0	97	47-150
Trichloroethene (TCE)	624	20.3	20.0	102	71-157
Trichlorofluoromethane (CFC 11)	624	22.2	20.0	111	17-181
Vinyl Chloride	624	25.6	20.0	128	10-251
cis-1,3-Dichloropropene	624	18.9	20.0	94	10-227
trans-1,3-Dichloropropene	624	19.4	20.0	97	17-183



Metals

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: CB&I
Project: Textron Wheatfield/156045
Sample Matrix: Water
Sample Name: Method Blank
Lab Code: R1703440-MB

Service Request: R1703440
Date Collected: NA
Date Received: NA
Basis: NA

Inorganic Parameters

Analyte Name	Analysis Method	Result	Units	MRL	Dil.	Date Analyzed	Q
Mercury, Total	1631E	1.0 U	ng/L	1.0	1	04/25/17 14:13	

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: CB&I
Project: Textron Wheatfield/156045
Sample Matrix: Water

Service Request: R1703440
Date Collected: 04/19/17
Date Received: 04/19/17
Date Analyzed: 04/25/17

**Duplicate Matrix Spike Summary
Inorganic Parameters**

Sample Name: MH No. 9-3
Lab Code: R1703440-001
Analysis Method: 1631E

Units: ng/L
Basis: NA

Analyte Name	Sample Result	Result	Matrix Spike R1703440-001MS		Duplicate Matrix Spike R1703440-001DMS		% Rec Limits	RPD	RPD Limit	
			Spike Amount	% Rec	Result	Spike Amount				% Rec
Mercury, Total	20.1	25.2	5.0	102 #	25.1	5.0	100 #	71-125	<1	24

Results flagged with an asterisk (*) indicate values outside control criteria.

Results flagged with a pound (#) indicate the control criteria is not applicable.

Percent recoveries and relative percent differences (RPD) are determined by the software using values in the calculation which have not been rounded.

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: CB&I
Project: Textron Wheatfield/156045
Sample Matrix: Water

Service Request: R1703440
Date Analyzed: 04/25/17

Lab Control Sample Summary
Inorganic Parameters

Units:ng/L
Basis:NA

Lab Control Sample
R1703440-LCS

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
Mercury, Total	1631E	5.37	5.0	107	77-128



APTIM
500 Penn Center Blvd, Suite 1000
Pittsburgh, PA 15235
Tel: 412.372.7701
Fax: 412.373.7135
www.aptim.com

November 14, 2017

Mr. Dan Kummer
Niagara County Sewer District No. 1
7346 Liberty Drive
Niagara Falls, NY 14304-3762

**Subject: *Niagara County Sewer District Discharge Monitoring
Semiannual Analytical Results
Permit No. 16-07
Textron Off-Site Groundwater Extraction System
Textron, Inc., Wheatfield, New York
Sample Dates: October 5-6, 2017***

Dear Mr. Kummer:

Enclosed for your review are the semiannual discharge monitoring analytical results generated during the operation of Textron, Inc.'s (Textron) Off-Site Groundwater Extraction System located in Wheatfield, New York. The Off-Site Groundwater Extraction System was brought online in March 1993 and discharges to the Niagara County Sewer District (NCSD) sanitary sewer under Permit No. 16-07. As part of a pilot program with the New York State Department of Environmental Conservation (the Department), Extraction Well EW-5 was taken off line and will remain inactive with the Department's concurrence.

Aptim Environmental & Infrastructure, Inc. (APTIM), on behalf of Textron, collected grab samples of the discharge from Extraction Well EW-6 between October 5 and 6, 2017 in accordance with NCSD Permit No. 16-07. The field sampling sheets are included as Appendix A. The samples were kept on ice and hand delivered to the ALS Environmental laboratory in Rochester, New York, for analysis of volatile organic compounds via U.S. Environmental Protection Agency (USEPA) Method 624. All sampling and analytical activities were conducted in accordance with the requirements stated in NCSD Permit No. 16-07 and the April 20, 2016 addendum to Permit No. 16-07. The low level mercury sample was collected during the April 2017 sampling event as required by the Permit addendum.

Approximately 2,108,316 gallons of groundwater were extracted by the off-site system and discharged to the NCSD sanitary sewer between May 1, 2017 and November 1, 2017 as calculated through the sum of the individual well totalizers. The monthly discharge flow volumes are detailed on Tables 1 through 6.

Table 7 contains a summary of the semiannual discharge monitoring analytical data and an estimate of the discharge loading in comparison to the permitted maximum daily discharge loading limits. As illustrated in Table 7, the estimated daily discharge loading during the monitoring period did not exceed the permitted limits and the system remains in compliance with pertinent permits and discharge requirements. The analytical results for the October 2017 sampling event are provided in Appendix B.

Please do not hesitate to contact me at 412.858.3977 should you have any questions regarding this project.

Sincerely,

Cecelia Byers
Project Manager
Telephone: 412.858.3977
E-Mail Address: cecelia.byers@aptim.com

CB:Imk
Attachments: Tables
Appendix A – Field Sampling Sheets
Appendix B – Analytical Report

cc: Greg Simpson – Textron, e-copy
APTIM – File

Table 1
Niagara County Sewer Discharge Monitoring
Off-Site Groundwater Extraction System
Textron, Inc.
Wheatfield, New York
Permit Number: 16-07
May 1-May 31, 2017
Daily Flow Rates

Date/Time	EW-2 Flow Reading	EW-3 Flow Reading	EW-4 Flow Reading	EW-5 Flow Reading	Total Daily Flow (gal)
05/01/17 08:03	12,964	7,575	4,928	0	25,467
05/02/17 08:03	5,533	11,855	10,964	0	28,352
05/03/17 08:03	0	13,398	1,612	0	15,010
05/04/17 08:03	0	12,854	0	0	12,854
05/05/17 08:03	0	11,823	0	0	11,823
05/06/17 08:03	0	8,819	1,436	0	10,255
05/07/17 08:03	0	1,144	4,322	0	5,466
05/08/17 08:03	0	581	0	0	581
05/09/17 08:03	9,592	3,034	0	0	12,626
05/10/17 08:03	13,530	0	0	0	13,530
05/11/17 08:03	13,624	0	0	0	13,624
05/12/17 08:03	13,366	0	1	0	13,367
05/13/17 08:03	13,460	0	0	0	13,460
05/14/17 08:03	13,575	0	0	0	13,575
05/15/17 08:03	13,202	0	0	0	13,202
05/16/17 08:03	13,305	0	0	0	13,305
05/17/17 08:03	13,260	0	0	0	13,260
05/18/17 08:03	13,170	0	0	0	13,170
05/19/17 08:03	13,194	0	0	0	13,194
05/20/17 08:03	13,290	0	0	0	13,290
05/21/17 08:19	13,595	0	0	0	13,595
05/22/17 08:03	13,324	0	16	0	13,340
05/23/17 08:03	13,466	0	7	0	13,473
05/24/17 08:03	13,441	0	20	0	13,461
05/25/17 08:03	13,399	0	22	0	13,421
05/26/17 08:03	13,767	2	7	0	13,776
05/27/17 08:03	13,423	1	4	0	13,428
05/28/17 08:03	13,456	1	5	0	13,462
05/29/17 08:03	13,364	0	1	0	13,365
05/30/17 08:03	13,290	0	2	0	13,292
05/31/17 08:03	13,237	0	3	0	13,240

Total Flow for May (gallons): 417,264
Maximum Daily Flow for May (gallons/day): 28,352
Average Daily Flow for May (gallons/day): 13,460

Table 2
Niagara County Sewer Discharge Monitoring
Off-Site Groundwater Extraction System
Textron, Inc.
Wheatfield, New York
Permit Number: 16-07
June 1-June 30, 2017
Daily Flow Rates

Date/Time	EW-2 Flow Reading	EW-3 Flow Reading	EW-4 Flow Reading	EW-5 Flow Reading	Total Daily Flow (gal)
06/01/17 08:03	13,157	1	7	0	13,165
06/02/17 08:03	13,099	0	22	0	13,121
06/03/17 08:03	13,013	0	1	0	13,014
06/04/17 08:03	12,925	2	98	0	13,025
06/05/17 08:03	8,543	0	35	0	8,578
06/06/17 08:08	17,072	1	32	0	17,105
06/07/17 08:03	12,632	0	23	0	12,655
06/08/17 08:03	12,640	2	114	0	12,756
06/09/17 08:03	12,590	0	0	0	12,590
06/10/17 08:03	12,527	0	142	0	12,669
06/11/17 08:03	12,436	0	19	0	12,455
06/12/17 08:03	12,337	0	36	0	12,373
06/13/17 08:03	12,242	0	152	0	12,394
06/14/17 08:03	12,174	0	1	0	12,175
06/15/17 08:03	12,140	0	3	0	12,143
06/16/17 08:03	12,115	0	253	0	12,368
06/17/17 08:03	12,057	0	0	0	12,057
06/18/17 08:03	12,033	0	10	0	12,043
06/19/17 08:03	11,958	0	0	0	11,958
06/20/17 08:03	11,920	0	350	0	12,270
06/21/17 08:19	11,988	0	236	0	12,224
06/22/17 08:03	11,626	0	0	0	11,626
06/23/17 08:03	11,677	0	0	0	11,677
06/24/17 08:03	11,621	0	0	0	11,621
06/25/17 08:03	11,560	0	0	0	11,560
06/26/17 08:03	11,491	0	31	0	11,522
06/27/17 08:03	11,377	0	314	0	11,691
06/28/17 08:03	11,463	0	0	0	11,463
06/29/17 08:19	11,455	0	1,242	0	12,697
06/30/17 08:03	10,827	0	5,384	0	16,211

Total Flow for June (gallons): 373,206
Maximum Daily Flow for June (gallons/day): 17,105
Average Daily Flow for June (gallons/day): 12,440

Table 3
Niagara County Sewer Discharge Monitoring
Off-Site Groundwater Extraction System
Textron, Inc.
Wheatfield, New York
Permit Number: 16-07
July 1-July 31, 2017
Daily Flow Rates

Date/Time	EW-2 Flow Reading	EW-3 Flow Reading	EW-4 Flow Reading	EW-5 Flow Reading	Total Daily Flow (gal)
07/01/17 08:03	10,815	0	5,402	0	16,217
07/02/17 08:03	10,700	0	5,378	0	16,078
07/03/17 08:03	10,588	0	5,348	0	15,936
07/04/17 08:03	10,466	0	5,273	0	15,739
07/05/17 08:03	10,351	0	5,248	0	15,599
07/06/17 08:03	6,832	0	3,528	0	10,360
07/07/17 08:03	13,762	0	7,286	0	21,048
07/08/17 08:03	10,505	0	2,262	0	12,767
07/09/17 08:03	10,688	0	14	0	10,702
07/10/17 08:03	10,513	0	0	0	10,513
07/11/17 08:03	10,388	0	0	0	10,388
07/12/17 08:03	10,284	0	0	0	10,284
07/13/17 08:03	10,192	0	29	0	10,221
07/14/17 08:03	10,376	0	951	0	11,327
07/15/17 08:03	10,314	0	147	0	10,461
07/16/17 08:03	10,183	0	266	0	10,449
07/17/17 08:03	10,121	0	168	0	10,289
07/18/17 08:03	10,117	0	294	0	10,411
07/19/17 08:03	10,053	0	101	0	10,154
07/20/17 08:03	10,039	0	0	0	10,039
07/21/17 08:03	10,090	0	0	0	10,090
07/22/17 08:03	6,676	0	0	0	6,676
07/23/17 08:03	9,978	0	0	0	9,978
07/24/17 08:03	9,881	0	0	0	9,881
07/25/17 08:03	13,242	0	0	0	13,242
07/26/17 08:03	9,906	0	0	0	9,906
07/27/17 08:03	9,867	0	0	0	9,867
07/28/17 08:03	9,796	0	0	0	9,796
07/29/17 08:03	9,674	0	0	0	9,674
07/30/17 08:03	9,523	0	0	0	9,523
07/31/17 08:03	9,614	0	0	0	9,614

Total Flow for July (gallons): 357,229
Maximum Daily Flow for July (gallons/day): 21,048
Average Daily Flow for July (gallons/day): 11,524

Table 4
Niagara County Sewer Discharge Monitoring
Off-Site Groundwater Extraction System
Textron, Inc.
Wheatfield, New York
Permit Number: 16-07
August 1-August 30, 2017
Daily Flow Rates

Date/Time	EW-2 Flow Reading	EW-3 Flow Reading	EW-4 Flow Reading	EW-5 Flow Reading	Total Daily Flow (gal)
08/01/17 08:03	9,632	0	0	0	9,632
08/02/17 08:03	9,507	0	0	0	9,507
08/03/17 08:03	9,494	0	0	0	9,494
08/04/17 08:03	9,480	0	0	0	9,480
08/05/17 08:03	9,656	0	0	0	9,656
08/06/17 08:03	9,561	0	0	0	9,561
08/07/17 08:03	9,385	0	0	0	9,385
08/08/17 08:03	9,229	0	0	0	9,229
08/09/17 08:03	9,178	0	0	0	9,178
08/10/17 08:19	9,206	0	0	0	9,206
08/11/17 08:03	8,908	0	0	0	8,908
08/12/17 08:03	8,901	0	0	0	8,901
08/13/17 08:03	8,763	0	0	0	8,763
08/14/17 08:03	8,612	0	0	0	8,612
08/15/17 08:03	8,603	0	0	0	8,603
08/16/17 08:03	8,639	0	0	0	8,639
08/17/17 08:03	8,635	0	0	0	8,635
08/18/17 08:03	8,551	0	0	0	8,551
08/19/17 08:03	8,474	0	0	0	8,474
08/20/17 08:03	8,454	0	0	0	8,454
08/21/17 08:03	8,750	0	0	0	8,750
08/22/17 08:03	9,865	0	0	0	9,865
08/23/17 08:03	10,954	0	0	0	10,954
08/24/17 08:03	11,169	0	0	0	11,169
08/25/17 08:03	11,368	0	0	0	11,368
08/26/17 08:19	11,583	0	0	0	11,583
08/27/17 08:03	11,124	0	0	0	11,124
08/28/17 08:19	11,195	0	0	0	11,195
08/29/17 08:03	11,106	0	0	0	11,106
08/30/17 08:03	11,183	0	0	0	11,183
08/31/17 08:03	11,061	0	0	0	11,061

Total Flow for August (gallons): 300,226
Maximum Daily Flow for August (gallons/day): 11,583
Average Daily Flow for August (gallons/day): 9,685

Table 5
Niagara County Sewer Discharge Monitoring
Off-Site Groundwater Extraction System
Textron, Inc.
Wheatfield, New York
Permit Number: 16-07
September 1-September 30, 2017
Daily Flow Rates

Date/Time	EW-2 Flow Reading	EW-3 Flow Reading	EW-4 Flow Reading	EW-5 Flow Reading	Total Daily Flow (gal)
09/01/17 08:03	11,049	0	0	0	11,049
09/02/17 08:03	10,947	0	0	0	10,947
09/03/17 08:03	11,203	0	0	0	11,203
09/04/17 08:03	11,267	0	0	0	11,267
09/05/17 08:03	11,380	0	0	0	11,380
09/06/17 08:03	11,328	0	0	0	11,328
09/07/17 08:03	11,352	0	0	0	11,352
09/08/17 08:03	11,307	0	0	0	11,307
09/09/17 08:03	11,251	1	0	0	11,252
09/10/17 08:03	11,293	0	0	0	11,293
09/11/17 08:03	11,143	0	0	0	11,143
09/12/17 08:03	11,182	0	0	0	11,182
09/13/17 08:03	11,012	0	0	0	11,012
09/14/17 08:03	10,924	0	0	0	10,924
09/15/17 08:03	10,888	0	0	0	10,888
09/16/17 08:03	10,822	0	0	0	10,822
09/17/17 08:03	10,729	0	0	0	10,729
09/18/17 08:03	10,689	0	0	0	10,689
09/19/17 08:03	10,425	0	0	0	10,425
09/20/17 08:03	10,359	0	0	0	10,359
09/21/17 08:03	10,292	0	0	0	10,292
09/22/17 08:03	10,219	0	0	0	10,219
09/23/17 08:03	10,189	0	0	0	10,189
09/24/17 08:03	10,156	0	0	0	10,156
09/25/17 08:03	6,728	0	0	0	6,728
09/26/17 08:03	0	0	0	0	0
09/27/17 08:03	0	0	0	0	0
09/28/17 08:03	0	0	0	0	0
09/29/17 08:03	0	0	0	0	0
09/30/17 08:03	12,963	0	0	0	12,963

Total Flow for September (gallons): 281,098
Maximum Daily Flow for September (gallons/day): 12,963
Average Daily Flow for September (gallons/day): 9,370

Green - indicates an averaged daily flow rate.

Table 6
Niagara County Sewer Discharge Monitoring
Off-Site Groundwater Extraction System
Textron, Inc.
Wheatfield, New York
Permit Number: 16-07
October 1-October 31, 2017
Daily Flow Rates

Date/Time	EW-2 Flow Reading	EW-3 Flow Reading	EW-4 Flow Reading	EW-5 Flow Reading	Total Daily Flow (gal)
10/01/17 08:03	11,564	0	0	0	11,564
10/02/17 08:03	11,844	0	0	0	11,844
10/03/17 08:03	12,015	0	0	0	12,015
10/04/17 08:03	8,033	0	0	0	8,033
10/05/17 08:03	3,255	0	0	0	3,255
10/06/17 08:03	0	0	0	0	0
10/07/17 08:03	14,378	0	12	0	14,390
10/08/17 08:03	12,754	0	0	0	12,754
10/09/17 08:03	12,972	0	0	0	12,972
10/10/17 08:03	13,310	0	0	0	13,310
10/11/17 08:03	13,267	0	0	0	13,267
10/12/17 08:03	13,276	0	0	0	13,276
10/13/17 08:03	13,219	0	0	0	13,219
10/14/17 08:03	14,121	0	0	0	14,121
10/15/17 08:03	14,075	0	0	0	14,075
10/16/17 08:03	14,185	0	0	0	14,185
10/17/17 08:03	14,117	0	0	0	14,117
10/18/17 08:03	14,063	0	0	0	14,063
10/19/17 08:03	14,020	0	0	0	14,020
10/20/17 08:03	14,108	0	0	0	14,108
10/21/17 08:03	14,153	0	0	0	14,153
10/22/17 08:03	14,064	0	0	0	14,064
10/23/17 08:03	13,951	0	0	0	13,951
10/24/17 08:03	13,835	0	0	0	13,835
10/25/17 08:03	13,699	0	0	0	13,699
10/26/17 08:03	13,594	0	0	0	13,594
10/27/17 08:03	13,567	0	0	0	13,567
10/28/17 08:03	13,462	0	0	0	13,462
10/29/17 08:03	13,319	0	0	0	13,319
10/30/17 08:03	13,178	0	0	0	13,178
10/31/17 08:03	3,883	0	0	0	3,883

Total Flow for October (gallons): 379,293
Maximum Daily Flow for October (gallons/day): 14,390
Average Daily Flow for October (gallons/day): 12,235

Table 7
Niagara County Sewer Discharge Monitoring
Off-Site Groundwater Extraction System
Textron, Inc.
Wheatfield, New York
Permit Number: 16-07
October 5 - 6, 2017
Sample ID: MH No. 9-3

Parameter via USEPA Method 624	Reported Concentration (µg/L)	Total Flow (gallons per day) ⁽¹⁾	Discharge Loading Pounds per Day ⁽²⁾	Maximum Daily Discharge Loading Limits
Trichloroethene	< 1.0	3,255	2.7163E-05	1.0
1,2-Dichloroethene (Total)	7.4	3,255	0.000201006	2.500
Vinyl Chloride	< 1.0	3,255	< 2.7163E-05	0.4000
Methylene Chloride	< 1.0	3,255	< 2.7163E-05	0.2

Notes:

Total Flow Limit: 200,000 gallons per day (gpd).

< - Not detected at indicated method detection limit.

For calculation purposes, "Not Detected" values are assigned the value of the method detection limit.

⁽¹⁾ Total flow during sampling period was based on the total flow measurements for the sampling date.

⁽²⁾ Determined as follows: (Concentration in µg/L) x (flow rate in gpd) x (CF)

CF = Conversion Factor 8.3×10^{-9}

Appendix A

Field Sampling Sheets



CHAIN OF CUSTODY/LABORATORY ANALYSIS REQUEST FORM

46402

1565 Jefferson Road, Building 300, Suite 360 • Rochester, NY 14623 | +1 585 288 5380 +1 585 288 8475 (fax) PAGE 1 OF 1

Project Name TEXTON		Project Number 156045		ANALYSIS REQUESTED (Include Method Number and Container Preservative)											
Project Manager CECELIA BYERS		Report CC		PRESERVATIVE 8		METALS, TOTAL (List in comments below)		METALS, DISSOLVED (List in comments below)		METALS, TOXIC (List in comments below)		PRESCRIPTIVE KEY		REMARKS/ ALTERNATE DESCRIPTION	
Company/Address ARTIM, INC.		Company/Address 13 BRITISH AMERICAN BLD.		GCMS VOAS 8260 • 624 • CLP		GCMS SVOAS 8270 • 625		GC VOAS 8021 • 601/602		PESTICIDES 8081 • 608		POBS 8092 • 608		0. NONE 1. HCL 2. HNO3 3. H2SO4 4. NaOH 5. Zn. Acetate 6. MeOH 7. NaHSO4 8. Other: ICE	
Phone # (516) 783-1996		Email CECELIA.BYERS@ARTIM.COM		NUMBER OF CONTAINERS		GCMS VOAS 8270 • 625		GC VOAS 8021 • 601/602		PESTICIDES 8081 • 608		POBS 8092 • 608		PRESCRIPTIVE KEY	
Samples & Signatures LYNN CARMICHAEL		Samples' Printed Name LYNN CARMICHAEL		DATE		SAMPLING TIME		MATRIX		METALS, TOTAL (List in comments below)		METALS, DISSOLVED (List in comments below)		REMARKS/ ALTERNATE DESCRIPTION	
FOR OFFICE USE ONLY LAB ID		DATE		SAMPLING TIME		MATRIX		METALS, TOTAL (List in comments below)		METALS, DISSOLVED (List in comments below)		METALS, TOXIC (List in comments below)		PRESCRIPTIVE KEY	
MH 9-3		10/5/17		0955		GW		3						COMPOSITE MATR	
MH 9-3		10/5/17		1610		↓		3						1 SAMPLE	
MH 9-3		10/5/17		2240		↓		3						CALLED	
TRIP BLANK		10/6/17		0830		↓		3						MNH No. 9-3	
SPECIAL INSTRUCTIONS/COMMENTS Metals		RECEIVED BY		RELINQUISHED BY		RECEIVED BY		RELINQUISHED BY		REPORT REQUIREMENTS		INVOICE INFORMATION			
See QAPP <input type="checkbox"/>		STATE WHERE SAMPLES WERE COLLECTED		RECEIVED BY		RELINQUISHED BY		RECEIVED BY		I. Results Only		PO #			
RELINQUISHED BY		RELINQUISHED BY		RELINQUISHED BY		RELINQUISHED BY		RELINQUISHED BY		II. Results + QC Summaries (LCS, DUP, MS/MSD as required)		BILL TO:			
Signature Lynn Carmichael		Signature [Signature]		Signature [Signature]		Signature [Signature]		Signature [Signature]		III. Results + QC and Calibration Summaries					
Printed Name Lynn Carmichael		Printed Name [Name]		Printed Name [Name]		Printed Name [Name]		Printed Name [Name]		IV. Data Validation Report with Raw Data					
Firm ARTIM		Firm [Firm]		Firm [Firm]		Firm [Firm]		Firm [Firm]		Edata Yes No					
Date/Time 10/6/17 1125		Date/Time 10/17 1125		Date/Time 10/17 1125		Date/Time 10/17 1125		Date/Time 10/17 1125		Requested Report Date					

TEXTRON, INC.
FIELD SAMPLING DATA SHEET
NIAGARA COUNTY SEWER DISTRICT SAMPLING EVENT

Site Name: Former Textron Wheatfield Facility
Project Number: ~~148900~~ 156045
NCSD Permit Number: 16-07
Sample Location: EW-6
Date: 10/5/2017
Time: 09:55
Field Personnel: KEVIN CROWIN

Physical Condition of Location: GOOD
Ambient Temperature: 60°F
Wind: LIGHT
Precipitation: NONE

Sampling Method: Dedicated Poly Bailer

Sample Number: MH No. 9-3
Sample Description: CLEAR
Analysis Requested: 024
Totalizer: _____

Notes: _____

Sampler Signature: Kevin Crowin

TEXTRON, INC.
FIELD SAMPLING DATA SHEET
NIAGARA COUNTY SEWER DISTRICT SAMPLING EVENT

Site Name: Former Textron Wheatfield Facility
Project Number: 148900 156045
NCSD Permit Number: 16-07
Sample Location: EW-6
Date: 10/5/2017
Time: 1610
Field Personnel: KEVIN CROWIN

Physical Condition of Location: GOOD
Ambient Temperature: 68°F
Wind: ~10-15 MPH
Precipitation: NONE

Sampling Method: Dedicated Poly Bailer

Sample Number: MH No. 9-3
Sample Description: CLATE
Analysis Requested: 62.4
Totalizer: _____

Notes: _____

Sampler Signature: Kevin Crowin

TEXTRON, INC.
FIELD SAMPLING DATA SHEET
NIAGARA COUNTY SEWER DISTRICT SAMPLING EVENT

Site Name: Former Textron Wheatfield Facility

Project Number: ~~148900~~ 156045

NCSD Permit Number: 16-07

Sample Location: EW-6

Date: 10/5/2017

Time: 2240

Field Personnel: KEVIN CROWIN

Physical Condition of Location: GOOD

Ambient Temperature: 50 F

Wind: 5-10 MPH

Precipitation: NONE

Sampling Method: Dedicated Poly Bailer

Sample Number: MH No. 9-3

Sample Description: CLEAR

Analysis Requested: 024

Totalizer: _____

Notes: _____

Sampler Signature: Kevin Crowin

TEXTRON, INC.
FIELD SAMPLING DATA SHEET
NIAGARA COUNTY SEWER DISTRICT SAMPLING EVENT

Site Name: Former Textron Wheatfield Facility

Project Number: ~~148900~~ 156045

NCSD Permit Number: 16-07

Sample Location: EW-6

Date: 10/6/2017

Time: 0830

Field Personnel: KEVIN CROWIN

Physical Condition of Location: GOOD

Ambient Temperature: 60°F

Wind: 5-10 mph

Precipitation: LT. SHOWERS (occ.)

Sampling Method: Dedicated Poly Bailer

Sample Number: MH No. 9-3

Sample Description: CLEAR

Analysis Requested: 62.4

Totalizer: _____

Notes: _____

Sampler Signature: Kevin Crowin

Appendix B

Analytical Report



October 13, 2017

Service Request No:R1709545

Ms. Cecelia Byers
APTIM, Inc
2790 Mosside Boulevard
Monroeville, PA 15146

Laboratory Results for: Textron Wheatfield Semiannual NCSD

Dear Ms.Byers,

Enclosed are the results of the sample(s) submitted to our laboratory October 06, 2017
For your reference, these analyses have been assigned our service request number **R1709545**.

All analyses were performed according to our laboratory's quality assurance program. The test results meet requirements of the NELAP standards except as noted in the case narrative report. All results are intended to be considered in their entirety, and ALS Environmental is not responsible for use of less than the complete report. Results apply only to the items submitted to the laboratory for analysis and individual items (samples) analyzed, as listed in the report. The measurement uncertainty of the results included in this report is within that expected when using the prescribed method(s) for analysis of these samples, and represented by Laboratory Control Sample control limits. Any events, such as QC failures, which may add to the uncertainty are explained in the report narrative.

Please contact me if you have any questions. My extension is 7472. You may also contact me via email at Janice.Jaeger@alsglobal.com.

Respectfully submitted,

ALS Group USA, Corp. dba ALS Environmental

Brady Kalkman
For
Janice Jaeger
Project Manager

ADDRESS 1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
PHONE +1 585 288 5380 | **FAX** +1 585 288 8475
ALS Group USA, Corp.
dba ALS Environmental



Narrative Documents

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com



Client: APTIM, Inc
Project: Textron Wheatfield Semiannual NCSD/156045
Sample Matrix: Water

Service Request:R1709545
Date Received:10/6/17

CASE NARRATIVE

All analyses were performed consistent with the quality assurance program of ALS Environmental. This report contains analytical results for samples designated for Tier II data deliverables, including results of QC samples analyzed from this delivery group. Analytical procedures performed by the lab are validated in accordance with NELAC standards. Any parameters that are not included in the lab's NELAC accreditation are identified on a "Non-Certified Analytes" report in the Miscellaneous Forms Section of this report. Individual analytical results requiring further explanation are flagged with qualifiers and/or discussed below. The flags are explained in the Report Qualifiers and Definitions page in the Miscellaneous Forms section of this report.

Sample Receipt

Two water samples were received for analysis at ALS Environmental on 10/06/2017. Any discrepancies noted upon initial sample inspection are noted on the cooler receipt and preservation form included in this data package. The samples were received in good condition and consistent with the accompanying chain of custody form. Samples are refrigerated at $\leq 6^{\circ}\text{C}$ upon receipt at the lab except for aqueous samples designated for metals analyses, which are stored at room temperature.

Volatile Organic Analyses:

No significant anomalies were noted with this analysis.

Sample Receiving Notes:

pH was not performed in the field as recommended by the EPA to meet an "immediate" or 15 minute Holding Time. In addition, pH is a temperature dependent analysis. The temperature of the sample during pH measurement is included as required by the method. Samples analyzed in the laboratory have been flagged with an "H" to indicate the "immediate" holding time has been exceeded.

Approved by  Date 10/13/2017

SAMPLE DETECTION SUMMARY

CLIENT ID: MH No. 9-3		Lab ID: R1709545-001				
Analyte	Results	Flag	MDL	PQL	Units	Method
1,1,1-Trichloroethane (TCA)	1.3		0.20	1.0	ug/L	624
1,1-Dichloroethane (1,1-DCA)	1.2		0.21	1.0	ug/L	624
1,2-Dichloroethene, Total	7.4			2.0	ug/L	624



Sample Receipt Information

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

Client: APTIM, Inc
Project: Textron Wheatfield Semiannual NCSD/156045

Service Request:R1709545

SAMPLE CROSS-REFERENCE

<u>SAMPLE #</u>	<u>CLIENT SAMPLE ID</u>	<u>DATE</u>	<u>TIME</u>
R1709545-001	MH No. 9-3	10/5/2017	2240
R1709545-002	Trip blank	10/6/2017	0830



CHAIN OF CUSTODY/LABORATORY ANALYSIS REQUEST FORM

46402

1565 Jefferson Road, Building 300, Suite 360 • Rochester, NY 14623 | +1 585 288 5380 +1 585 288 8475 (fax) PAGE 1 OF 1

Project Name Texton		Project Number 156 045		ANALYSIS REQUESTED (Include Method Number and Container Preservative)													
Project Manager CECELIA BYERS		Report CC		PRESERVATIVE	8												
Company/Address APTIM, INC.		Email CECELIA.BYERS@APTIM.COM		NUMBER OF CONTAINERS	GC/MS VOAs • 8260 • 824 • CLP GC/MS SVOAs • 8270 • 825 GC VOAs • 8021 • 601/602 PESTICIDES • 8081 • 608 PCRS • 8082 • 608 METALS, TOTAL (List in comments below) METALS, DISSOLVED (List in comments below)	Preservative Key 0. NONE 1. HCL 2. HNO ₃ 3. H ₂ SO ₄ 4. NaOH 5. Zn. Acetate 6. MeOH 7. NaHSO ₄ 8. Other <u>ICE</u>											
13 BRITISH AMERICAN BLVD.																	
LATHAM, NY 12110																	
Phone # (518) 783-1996		Sampler's Signature Kevin Cronin		Sampler's Printed Name KEVIN CROWN		REMARKS/ ALTERNATE DESCRIPTION											
CLIENT SAMPLE ID	FOR OFFICE USE ONLY LAB ID	SAMPLING DATE		TIME	MATRIX												
MH 9-3		10/5/17	0855	GW	3	X	COMPOSITE INTO 1 SAMPLE CALLED MH No. 9-3										
MH 9-3		10/5/17	1610	↓		X											
MH 9-3		10/5/17	2240	↓		X											
MH 9-3		10/6/17	0830	↓		X											
TUP BLANK																	
SPECIAL INSTRUCTIONS/COMMENTS Metals						TURNAROUND REQUIREMENTS RUSH (SURCHARGES APPLY) 1 day ___ 2 day ___ 3 day ___ 4 day ___ 5 day ___ STAN BARKI REQUESTED REPORT DATE			REPORT REQUIREMENTS <input checked="" type="checkbox"/> I. Results Only <input type="checkbox"/> II. Results + QC Summaries (LCS, DUP, MS/MSD as required) <input type="checkbox"/> III. Results + QC and Calibration Summaries <input type="checkbox"/> IV. Data Validation Report with Raw Data Edata ___ Yes ___ No			INVOICE INFORMATION PO # BILL TO:					
STATE WHERE SAMPLES WERE COLLECTED						RELINQUISHED BY			RECEIVED BY			RELINQUISHED BY			RECEIVED BY		
Signature Kevin Cronin		Signature [Signature]		Signature [Signature]		Signature [Signature]		Signature [Signature]			Signature [Signature]			Signature [Signature]			
Printed Name KEVIN CROWN		Printed Name EMERSON		Printed Name EMERSON		Printed Name EMERSON		Printed Name Daniel Wark			Printed Name Daniel Wark			Printed Name Daniel Wark			
Firm APTIM		Firm ALS		Firm ALS		Firm ALS		Firm ALS			Firm ALS			Firm ALS			
Date/Time 10/6/17 1125		Date/Time 10/6/17 1125		Date/Time 10/6/17 1405		Date/Time 10/6/17 1405		Date/Time 10/6/17/1405			Date/Time 10/6/17/1405			Date/Time 10/6/17/1405			



Cooler Receipt and Preservation Check Form

R1709545

5

APTIM, Inc
Textron Wheatfield

Project/Client: APTIM

Folder Number R17-9545



Cooler received on 10/6/17 by: dm

COURIER: ALS UPS FEDEX VELOCITY CLIENT

1	Were Custody seals on outside of cooler?	Y <input checked="" type="checkbox"/> N
2	Custody papers properly completed (ink, signed)?	Y <input checked="" type="checkbox"/> N
3	Did all bottles arrive in good condition (unbroken)?	Y <input checked="" type="checkbox"/> N
4	Circle: Wet Ice Dry Ice Gel packs present?	Y <input checked="" type="checkbox"/> N

5a	Perchlorate samples have required headspace?	Y N <input checked="" type="checkbox"/> NA
5b	Did <u>VOA</u> vials, Alk, or Sulfide have sig* bubbles?	Y <input checked="" type="checkbox"/> N NA <input checked="" type="checkbox"/>
6	Where did the bottles originate?	ALS/ROC CLIENT
7	Soil VOA received as: Bulk Encore 5035set	<input checked="" type="checkbox"/> NA

8. Temperature Readings Date: 10/6/17 Time: 1417 ID: IR#7 IR#8 From: Temp Blank Sample Bottle dm

Observed Temp (°C)	<u>8.1°</u>						
Correction Factor (°C)	<u>+1.5°</u>						
Corrected Temp (°C)	<u>9.6°</u>						
Temp from: Type of bottle	<u>Cent. tube</u>						
Within 0-6°C?	Y <input checked="" type="checkbox"/>	Y N	Y N	Y N	Y N	Y N	Y N
If <0°C, were samples frozen?	Y N	Y N	Y N	Y N	Y N	Y N	Y N

If out of Temperature, note packing/ice condition: _____ Ice melted Poorly Packed Same Day Rule

& Client Approval to Run Samples: _____ Standing Approval Client aware at drop-off Client notified by: _____

All samples held in storage location: Room by dm on 10/6/17 at 1417
 5035 samples placed in storage location: _____ by _____ on _____ at _____

Cooler Breakdown: Date: 10/6/17 Time: 1942 by: dm

- 9. Were all bottle labels complete (i.e. analysis, preservation, etc.)? YES NO
- 10. Did all bottle labels and tags agree with custody papers? YES NO
- 11. Were correct containers used for the tests indicated? YES NO
- 12. Were 5035 vials acceptable (no extra labels, not leaking)? YES NO
- 13. Air Samples: Cassettes / Tubes Intact Canisters Pressurized Tedlar® Bags Inflated NA

pH	Lot of test paper	Reagent	Preserved?		Lot Received	Exp	Sample ID	Vol. Added	Lot Added	Final pH
			Yes	No						
≥12		NaOH								
≤2		HNO ₃								
≤2		H ₂ SO ₄								
<4		NaHSO ₄								
Residual Chlorine (-)		For CN Phenol and 522			If +, contact PM to add Na ₂ S ₂ O ₃ (CN), ascorbic (phenol).					
		Na ₂ S ₂ O ₃	-	-						
		ZnAcetate	-	-						
		HCl	**	**						

**Not to be tested before analysis – pH tested and recorded by VOAs on a separate worksheet

Bottle lot numbers: 7-144-003

Explain all Discrepancies/ Other Comments:

* 1 vial for the trip blank

CLRES	BULK
DO	FLDT
HPROD	HGFB
HTR	LL3541
PH	SUB
SO3	MARRS
ALS	REV

Labels secondary reviewed by: dm
PC Secondary Review: AMS 10/9/17 Significant air bubbles: VOA > 5-6 mm : WC > 1 in. diameter



Miscellaneous Forms

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

REPORT QUALIFIERS AND DEFINITIONS

<p>U Analyte was analyzed for but not detected. The sample quantitation limit has been corrected for dilution and for percent moisture, unless otherwise noted in the case narrative.</p> <p>J Estimated value due to either being a Tentatively Identified Compound (TIC) or that the concentration is between the MRL and the MDL. Concentrations are not verified within the linear range of the calibration. For DoD: concentration >40% difference between two GC columns (pesticides/Aroclors).</p> <p>B Analyte was also detected in the associated method blank at a concentration that may have contributed to the sample result.</p> <p>E Inorganics- Concentration is estimated due to the serial dilution was outside control limits.</p> <p>E Organics- Concentration has exceeded the calibration range for that specific analysis.</p> <p>D Concentration is a result of a dilution, typically a secondary analysis of the sample due to exceeding the calibration range or that a surrogate has been diluted out of the sample and cannot be assessed.</p> <p>* Indicates that a quality control parameter has exceeded laboratory limits. Under the "Notes" column of the Form I, this qualifier denotes analysis was performed out of Holding Time.</p> <p>H Analysis was performed out of hold time for tests that have an "immediate" hold time criteria.</p> <p># Spike was diluted out.</p>	<p>+ Correlation coefficient for MSA is <0.995.</p> <p>N Inorganics- Matrix spike recovery was outside laboratory limits.</p> <p>N Organics- Presumptive evidence of a compound (reported as a TIC) based on the MS library search.</p> <p>S Concentration has been determined using Method of Standard Additions (MSA).</p> <p>W Post-Digestion Spike recovery is outside control limits and the sample absorbance is <50% of the spike absorbance.</p> <p>P Concentration >40% (25% for CLP) difference between the two GC columns.</p> <p>C Confirmed by GC/MS</p> <p>Q DoD reports: indicates a pesticide/Aroclor is not confirmed ($\times 100\%$ Difference between two GC columns).</p> <p>X See Case Narrative for discussion.</p> <p>MRL Method Reporting Limit. Also known as:</p> <p>LOQ Limit of Quantitation (LOQ) The lowest concentration at which the method analyte may be reliably quantified under the method conditions.</p> <p>MDL Method Detection Limit. A statistical value derived from a study designed to provide the lowest concentration that will be detected 99% of the time. Values between the MDL and MRL are estimated (see J qualifier).</p> <p>LOD Limit of Detection. A value at or above the MDL which has been verified to be detectable.</p> <p>ND Non-Detect. Analyte was not detected at the concentration listed. Same as U qualifier.</p>
---	--



Rochester Lab ID # for State Certifications¹

Connecticut ID # PH0556	Maine ID #NY0032	New Hampshire ID #
Delaware Accredited	Nebraska Accredited	294100 A/B
DoD ELAP #65817	New Jersey ID # NY004	Pennsylvania ID# 68-786
Florida ID # E87674	New York ID # 10145	Rhode Island ID # 158
Illinois ID #200047	North Carolina #676	Virginia #460167

¹ Analyses were performed according to our laboratory's NELAP-approved quality assurance program and any applicable state or agency requirements. The test results meet requirements of the current NELAP/TNI standards or state or agency requirements, where applicable, except as noted in the case narrative. Since not all analyte/method/matrix combinations are offered for state/NELAC accreditation, this report may contain results which are not accredited. For a specific list of accredited analytes, contact the laboratory or go to <http://www.alsglobal.com/en/Our-Services/Life-Sciences/Environmental/Downloads/North-America-Downloads>

ALS Laboratory Group

Acronyms

ASTM	American Society for Testing and Materials
A2LA	American Association for Laboratory Accreditation
CARB	California Air Resources Board
CAS Number	Chemical Abstract Service registry Number
CFC	Chlorofluorocarbon
CFU	Colony-Forming Unit
DEC	Department of Environmental Conservation
DEQ	Department of Environmental Quality
DHS	Department of Health Services
DOE	Department of Ecology
DOH	Department of Health
EPA	U. S. Environmental Protection Agency
ELAP	Environmental Laboratory Accreditation Program
GC	Gas Chromatography
GC/MS	Gas Chromatography/Mass Spectrometry
LUFT	Leaking Underground Fuel Tank
M	Modified
MCL	Maximum Contaminant Level is the highest permissible concentration of a substance allowed in drinking water as established by the USEPA.
MDL	Method Detection Limit
MPN	Most Probable Number
MRL	Method Reporting Limit
NA	Not Applicable
NC	Not Calculated
NCASI	National Council of the Paper Industry for Air and Stream Improvement
ND	Not Detected
NIOSH	National Institute for Occupational Safety and Health
PQL	Practical Quantitation Limit
RCRA	Resource Conservation and Recovery Act
SIM	Selected Ion Monitoring
TPH	Total Petroleum Hydrocarbons
tr	Trace level is the concentration of an analyte that is less than the PQL but greater than or equal to the MDL.

Client: APTIM, Inc
Project: Textron Wheatfield Semiannual NCSD/156045

Service Request: R1709545

Non-Certified Analytes

Certifying Agency: New York Department of Health

Method	Matrix	Analyte
624	Water	1,2-Dichloroethene, Total

ALS Group USA, Corp.
dba ALS Environmental

Analyst Summary report

Client: APTIM, Inc
Project: Textron Wheatfield Semiannual NCSD/156045

Service Request: R1709545

Sample Name: MH No. 9-3
Lab Code: R1709545-001
Sample Matrix: Water

Date Collected: 10/5/17
Date Received: 10/6/17

Analysis Method
624

Extracted/Digested By

Analyzed By
KRUEST

Sample Name: Trip blank
Lab Code: R1709545-002
Sample Matrix: Water

Date Collected: 10/6/17
Date Received: 10/6/17

Analysis Method
624

Extracted/Digested By

Analyzed By
KRUEST



INORGANIC PREPARATION METHODS

The preparation methods associated with this report are found in these tables unless discussed in the case narrative.

Water/Liquid Matrix

Analytical Method	Preparation Method
200.7	200.2
200.8	200.2
6010C	3005A/3010A
6020A	ILM05.3
9014 Cyanide Reactivity	SW846 Ch7, 7.3.4.2
9034 Sulfide Reactivity	SW846 Ch7, 7.3.4.2
9034 Sulfide Acid Soluble	9030B
9056A Bomb (Halogens)	5050A
9066 Manual Distillation	9065
SM 4500-CN-E Residual Cyanide	SM 4500-CN-G
SM 4500-CN-E WAD Cyanide	SM 4500-CN-I

Solid/Soil/Non-Aqueous Matrix

Analytical Method	Preparation Method
6010C	3050B
6020A	3050B
6010C TCLP (1311) extract	3005A/3010A
6010 SPLP (1312) extract	3005A/3010A
7196A	3060A
7199	3060A
9056A Halogens/Halides	5050
300.0 Anions/ 350.1/ 353.2/ SM 2320B/ SM 5210B/ 9056A Anions	DI extraction

For analytical methods not listed, the preparation method is the same as the analytical method reference.



Sample Results

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com



Volatile Organic Compounds by GC/MS

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield Semiannual NCSD/156045
Sample Matrix: Water

Service Request: R1709545
Date Collected: 10/05/17 22:40
Date Received: 10/06/17 14:05

Sample Name: MH No. 9-3
Lab Code: R1709545-001

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS with 3 Day Holding Time for Acrolein, Unpreserved

Analysis Method: 624
Prep Method: EPA 5030C

Analyte Name	Result	MRL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	1.3	1.0	1	10/07/17 11:43	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	1	10/07/17 11:43	
1,1,2-Trichloroethane	1.0 U	1.0	1	10/07/17 11:43	
1,1-Dichloroethane (1,1-DCA)	1.2	1.0	1	10/07/17 11:43	
1,1-Dichloroethene (1,1-DCE)	1.0 U	1.0	1	10/07/17 11:43	
1,2-Dichlorobenzene	1.0 U	1.0	1	10/07/17 11:43	
1,2-Dichloroethane	1.0 U	1.0	1	10/07/17 11:43	
1,2-Dichloropropane	1.0 U	1.0	1	10/07/17 11:43	
1,3-Dichlorobenzene	1.0 U	1.0	1	10/07/17 11:43	
1,4-Dichlorobenzene	1.0 U	1.0	1	10/07/17 11:43	
2-Chloroethyl Vinyl Ether	10 U	10	1	10/07/17 11:43	
Acrolein	10 U	10	1	10/07/17 11:43	
Acrylonitrile	10 U	10	1	10/07/17 11:43	
Benzene	1.0 U	1.0	1	10/07/17 11:43	
Bromodichloromethane	1.0 U	1.0	1	10/07/17 11:43	
Bromoform	1.0 U	1.0	1	10/07/17 11:43	
Bromomethane	1.0 U	1.0	1	10/07/17 11:43	
Carbon Tetrachloride	1.0 U	1.0	1	10/07/17 11:43	
Chlorobenzene	1.0 U	1.0	1	10/07/17 11:43	
Chloroethane	1.0 U	1.0	1	10/07/17 11:43	
Chloroform	1.0 U	1.0	1	10/07/17 11:43	
Chloromethane	1.0 U	1.0	1	10/07/17 11:43	
Chlorodibromomethane	1.0 U	1.0	1	10/07/17 11:43	
Methylene Chloride	1.0 U	1.0	1	10/07/17 11:43	
Ethylbenzene	1.0 U	1.0	1	10/07/17 11:43	
Tetrachloroethene (PCE)	1.0 U	1.0	1	10/07/17 11:43	
Toluene	1.0 U	1.0	1	10/07/17 11:43	
Trichloroethene (TCE)	1.0 U	1.0	1	10/07/17 11:43	
Trichlorofluoromethane (CFC 11)	1.0 U	1.0	1	10/07/17 11:43	
Vinyl Chloride	1.0 U	1.0	1	10/07/17 11:43	
cis-1,3-Dichloropropene	1.0 U	1.0	1	10/07/17 11:43	
trans-1,3-Dichloropropene	1.0 U	1.0	1	10/07/17 11:43	
1,2-Dichloroethene, Total	7.4	2.0	1	10/07/17 11:43	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield Semiannual NCSD/156045
Sample Matrix: Water

Service Request: R1709545
Date Collected: 10/05/17 22:40
Date Received: 10/06/17 14:05

Sample Name: MH No. 9-3
Lab Code: R1709545-001

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS with 3 Day Holding Time for Acrolein, Unpreserved

Analysis Method: 624
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
1,2-Dichloroethane-d4	89	81 - 127	10/07/17 11:43	
4-Bromofluorobenzene	94	79 - 123	10/07/17 11:43	
Toluene-d8	100	83 - 120	10/07/17 11:43	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield Semiannual NCSD/156045
Sample Matrix: Water

Service Request: R1709545
Date Collected: 10/06/17 08:30
Date Received: 10/06/17 14:05

Sample Name: Trip blank
Lab Code: R1709545-002

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS with 3 Day Holding Time for Acrolein, Unpreserved

Analysis Method: 624
Prep Method: EPA 5030C

Analyte Name	Result	MRL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	1.0 U	1.0	1	10/07/17 11:22	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	1	10/07/17 11:22	
1,1,2-Trichloroethane	1.0 U	1.0	1	10/07/17 11:22	
1,1-Dichloroethane (1,1-DCA)	1.0 U	1.0	1	10/07/17 11:22	
1,1-Dichloroethene (1,1-DCE)	1.0 U	1.0	1	10/07/17 11:22	
1,2-Dichlorobenzene	1.0 U	1.0	1	10/07/17 11:22	
1,2-Dichloroethane	1.0 U	1.0	1	10/07/17 11:22	
1,2-Dichloropropane	1.0 U	1.0	1	10/07/17 11:22	
1,3-Dichlorobenzene	1.0 U	1.0	1	10/07/17 11:22	
1,4-Dichlorobenzene	1.0 U	1.0	1	10/07/17 11:22	
2-Chloroethyl Vinyl Ether	10 U	10	1	10/07/17 11:22	
Acrolein	10 U	10	1	10/07/17 11:22	
Acrylonitrile	10 U	10	1	10/07/17 11:22	
Benzene	1.0 U	1.0	1	10/07/17 11:22	
Bromodichloromethane	1.0 U	1.0	1	10/07/17 11:22	
Bromoform	1.0 U	1.0	1	10/07/17 11:22	
Bromomethane	1.0 U	1.0	1	10/07/17 11:22	
Carbon Tetrachloride	1.0 U	1.0	1	10/07/17 11:22	
Chlorobenzene	1.0 U	1.0	1	10/07/17 11:22	
Chloroethane	1.0 U	1.0	1	10/07/17 11:22	
Chloroform	1.0 U	1.0	1	10/07/17 11:22	
Chloromethane	1.0 U	1.0	1	10/07/17 11:22	
Chlorodibromomethane	1.0 U	1.0	1	10/07/17 11:22	
Methylene Chloride	1.0 U	1.0	1	10/07/17 11:22	
Ethylbenzene	1.0 U	1.0	1	10/07/17 11:22	
Tetrachloroethene (PCE)	1.0 U	1.0	1	10/07/17 11:22	
Toluene	1.0 U	1.0	1	10/07/17 11:22	
Trichloroethene (TCE)	1.0 U	1.0	1	10/07/17 11:22	
Trichlorofluoromethane (CFC 11)	1.0 U	1.0	1	10/07/17 11:22	
Vinyl Chloride	1.0 U	1.0	1	10/07/17 11:22	
cis-1,3-Dichloropropene	1.0 U	1.0	1	10/07/17 11:22	
trans-1,3-Dichloropropene	1.0 U	1.0	1	10/07/17 11:22	
1,2-Dichloroethene, Total	2.0 U	2.0	1	10/07/17 11:22	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield Semiannual NCSD/156045
Sample Matrix: Water

Service Request: R1709545
Date Collected: 10/06/17 08:30
Date Received: 10/06/17 14:05

Sample Name: Trip blank
Lab Code: R1709545-002

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS with 3 Day Holding Time for Acrolein, Unpreserved

Analysis Method: 624
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
1,2-Dichloroethane-d4	96	81 - 127	10/07/17 11:22	
4-Bromofluorobenzene	96	79 - 123	10/07/17 11:22	
Toluene-d8	101	83 - 120	10/07/17 11:22	



QC Summary Forms

ALS Environmental—Rochester Laboratory
1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623
Phone (585) 288-5380 Fax (585) 288-8475
www.alsglobal.com



Volatile Organic Compounds by GC/MS

ALS Environmental—Rochester Laboratory

1565 Jefferson Road, Building 300, Suite 360, Rochester, NY 14623

Phone (585) 288-5380 Fax (585) 288-8475

www.alsglobal.com

Client: APTIM, Inc
Project: Textron Wheatfield Semiannual NCS/156045
Sample Matrix: Water

Service Request: R1709545

SURROGATE RECOVERY SUMMARY

Volatile Organic Compounds by GC/MS with 3 Day Holding Time for Acrolein, Unpreserved

Analysis Method: 624
Extraction Method: EPA 5030C

Sample Name	Lab Code	1,2-Dichloroethane-d4	4-Bromofluorobenzene	Toluene-d8
		81 - 127	79 - 123	83 - 120
MH No. 9-3	R1709545-001	89	94	100
Trip blank	R1709545-002	96	96	101
Lab Control Sample	RQ1710273-03	90	97	95
Method Blank	RQ1710273-04	90	100	105

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield Semiannual NCS/156045
Sample Matrix: Water

Service Request: R1709545
Date Collected: NA
Date Received: NA

Sample Name: Method Blank
Lab Code: RQ1710273-04

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS with 3 Day Holding Time for Acrolein, Unpreserved

Analysis Method: 624
Prep Method: EPA 5030C

Analyte Name	Result	MRL	Dil.	Date Analyzed	Q
1,1,1-Trichloroethane (TCA)	1.0 U	1.0	1	10/07/17 10:54	
1,1,2,2-Tetrachloroethane	1.0 U	1.0	1	10/07/17 10:54	
1,1,2-Trichloroethane	1.0 U	1.0	1	10/07/17 10:54	
1,1-Dichloroethane (1,1-DCA)	1.0 U	1.0	1	10/07/17 10:54	
1,1-Dichloroethene (1,1-DCE)	1.0 U	1.0	1	10/07/17 10:54	
1,2-Dichlorobenzene	1.0 U	1.0	1	10/07/17 10:54	
1,2-Dichloroethane	1.0 U	1.0	1	10/07/17 10:54	
1,2-Dichloropropane	1.0 U	1.0	1	10/07/17 10:54	
1,3-Dichlorobenzene	1.0 U	1.0	1	10/07/17 10:54	
1,4-Dichlorobenzene	1.0 U	1.0	1	10/07/17 10:54	
2-Chloroethyl Vinyl Ether	10 U	10	1	10/07/17 10:54	
Acrolein	10 U	10	1	10/07/17 10:54	
Acrylonitrile	10 U	10	1	10/07/17 10:54	
Benzene	1.0 U	1.0	1	10/07/17 10:54	
Bromodichloromethane	1.0 U	1.0	1	10/07/17 10:54	
Bromoform	1.0 U	1.0	1	10/07/17 10:54	
Bromomethane	1.0 U	1.0	1	10/07/17 10:54	
Carbon Tetrachloride	1.0 U	1.0	1	10/07/17 10:54	
Chlorobenzene	1.0 U	1.0	1	10/07/17 10:54	
Chloroethane	1.0 U	1.0	1	10/07/17 10:54	
Chloroform	1.0 U	1.0	1	10/07/17 10:54	
Chloromethane	1.0 U	1.0	1	10/07/17 10:54	
Chlorodibromomethane	1.0 U	1.0	1	10/07/17 10:54	
Methylene Chloride	1.0 U	1.0	1	10/07/17 10:54	
Ethylbenzene	1.0 U	1.0	1	10/07/17 10:54	
Tetrachloroethene (PCE)	1.0 U	1.0	1	10/07/17 10:54	
Toluene	1.0 U	1.0	1	10/07/17 10:54	
Trichloroethene (TCE)	1.0 U	1.0	1	10/07/17 10:54	
Trichlorofluoromethane (CFC 11)	1.0 U	1.0	1	10/07/17 10:54	
Vinyl Chloride	1.0 U	1.0	1	10/07/17 10:54	
cis-1,3-Dichloropropene	1.0 U	1.0	1	10/07/17 10:54	
trans-1,3-Dichloropropene	1.0 U	1.0	1	10/07/17 10:54	
1,2-Dichloroethene, Total	2.0 U	2.0	1	10/07/17 10:54	

ALS Group USA, Corp.
dba ALS Environmental

Analytical Report

Client: APTIM, Inc
Project: Textron Wheatfield Semiannual NCSD/156045
Sample Matrix: Water

Service Request: R1709545
Date Collected: NA
Date Received: NA

Sample Name: Method Blank
Lab Code: RQ1710273-04

Units: ug/L
Basis: NA

Volatile Organic Compounds by GC/MS with 3 Day Holding Time for Acrolein, Unpreserved

Analysis Method: 624
Prep Method: EPA 5030C

Surrogate Name	% Rec	Control Limits	Date Analyzed	Q
1,2-Dichloroethane-d4	90	81 - 127	10/07/17 10:54	
4-Bromofluorobenzene	100	79 - 123	10/07/17 10:54	
Toluene-d8	105	83 - 120	10/07/17 10:54	

ALS Group USA, Corp.
dba ALS Environmental

QA/QC Report

Client: APTIM, Inc
Project: Textron Wheatfield Semiannual NCS/156045
Sample Matrix: Water

Service Request: R1709545
Date Analyzed: 10/07/17

Lab Control Sample Summary
Volatile Organic Compounds by GC/MS with 3 Day Holding Time for Acrolein, Unpreserved

Units:ug/L
Basis:NA

Lab Control Sample
RQ1710273-03

Analyte Name	Analytical Method	Result	Spike Amount	% Rec	% Rec Limits
1,1,1-Trichloroethane (TCA)	624	20.4	20.0	102	52-162
1,1,2,2-Tetrachloroethane	624	19.5	20.0	98	46-157
1,1,2-Trichloroethane	624	18.6	20.0	93	52-150
1,1-Dichloroethane (1,1-DCA)	624	20.1	20.0	101	59-155
1,1-Dichloroethene (1,1-DCE)	624	18.9	20.0	94	10-234
1,2-Dichlorobenzene	624	21.3	20.0	107	18-190
1,2-Dichloroethane	624	18.7	20.0	93	49-155
1,2-Dichloropropane	624	18.2	20.0	91	10-210
1,3-Dichlorobenzene	624	20.7	20.0	103	59-156
1,4-Dichlorobenzene	624	21.1	20.0	106	18-190
2-Chloroethyl Vinyl Ether	624	14.6	20.0	73	10-305
Acrolein	624	42.9	40.0	107	10-186
Acrylonitrile	624	95.6	100	96	70-130
Benzene	624	19.9	20.0	99	37-151
Bromodichloromethane	624	16.3	20.0	81	35-155
Bromoform	624	19.4	20.0	97	45-169
Bromomethane	624	19.6	20.0	98	10-242
Carbon Tetrachloride	624	19.4	20.0	97	70-140
Chlorobenzene	624	20.9	20.0	104	37-160
Chloroethane	624	18.4	20.0	92	14-230
Chloroform	624	20.0	20.0	100	51-138
Chloromethane	624	24.5	20.0	122	10-273
Chlorodibromomethane	624	18.5	20.0	92	53-149
Methylene Chloride	624	19.2	20.0	96	10-221
Ethylbenzene	624	22.1	20.0	110	37-162
Tetrachloroethene (PCE)	624	22.0	20.0	110	64-148
Toluene	624	19.6	20.0	98	47-150
Trichloroethene (TCE)	624	19.6	20.0	98	71-157
Trichlorofluoromethane (CFC 11)	624	19.3	20.0	97	17-181
Vinyl Chloride	624	25.1	20.0	126	10-251
cis-1,3-Dichloropropene	624	18.5	20.0	92	10-227
trans-1,3-Dichloropropene	624	18.4	20.0	92	17-183

Appendix I

Photographic Log

Aptim Engineering New York, P.C.
Photographic Record

Customer: Textron, Inc.

Project Number: 631232612

Site Name: Former Wheatfield Facility

Site Location: Niagara Falls, New York

Photographer:

K. Cronin

Date:

10/06/17

Direction:

North

Comments:

Utility survey (GPS) performed prior to intrusive field activities (drilling and injection)



Photographer:

K. Cronin

Date:

10/06/17

Direction:

North

Comments:

Niagara County Sewer District Sanitary Sewer line (green arrow) located along Walmore Road



Photo Textron 1.docx

Aptim Engineering New York, P.C.
Photographic Record

Customer: Textron, Inc.

Project Number: 631232612

Site Name: Former Wheatfield Facility

Site Location: Niagara Falls, New York

Photographer:

K. Cronin

Date:


10/10/17

Direction:

North-northwest

Comments:

Injection Well
Installation 17-02(1)



Photographer:

K. Cronin

Date:

10/10/17

Direction:

West

Comments:

Injection Well
Installation – Rock
Coring 17-02(1)



Photo Textron 2.docx

Aptim Engineering New York, P.C.
Photographic Record

Customer: Textron, Inc.

Project Number: 631232612

Site Name: Former Wheatfield Facility

Site Location: Niagara Falls, New York

Photographer:

K. Cronin

Date:

10/10/17

Direction:

Rock Core

Comments:

17-01(1) - upper section of Run 2 (16.5 feet to 21.5 feet)



Photographer:

K. Cronin

Date:

10/10/17

Direction:

Rock Core

Comments:

17-01(1) - middle section of Run 3 (21.5 feet to 26.5 feet)



Photo Textron 3.docx

Aptim Engineering New York, P.C.
Photographic Record

Customer: Textron, Inc.

Project Number: 631232612

Site Name: Former Wheatfield Facility

Site Location: Niagara Falls, New York

Photographer:

K. Cronin

Date:

10/10/17

Direction:

Rock Core

Comments:

17-01(1) - lower section of Run 4 (26.5 feet to 31.5 feet)



Photographer:

K. Cronin

Date:

10/10/17

Direction:

Rock Core

Comments:

17-01(1) - lower section of Run 3 (26.5 feet to 31.5 feet)



Photo Textron 4.docx

Aptim Engineering New York, P.C.
Photographic Record

Customer: Textron, Inc.

Project Number: 631232612

Site Name: Former Wheatfield Facility

Site Location: Niagara Falls, New York

Photographer:

K. Cronin

Date:

10/10/17

Direction:

Rock Core

Comments:

17-01(1) - middle section of Run 5 (31.5 feet to 34.5 feet)



Photographer:

K. Cronin

Date:

10/11/17

Direction:

Rock Core

Comments:

17-02(1) – upper section of Run 2 (16 feet to 19 feet)



Photo Textron 5.docx

Aptim Engineering New York, P.C.
Photographic Record

Customer: Textron, Inc.

Project Number: 631232612

Site Name: Former Wheatfield Facility

Site Location: Niagara Falls, New York

Photographer:

K. Cronin

Date:

10/11/17

Direction:

Rock Core

Comments:

17-02(1) - lower section of Run 3 (19 feet to 21.75 feet)



Photographer:

K. Cronin

Date:

10/11/17

Direction:

Rock Core

Comments:

17-02(1) – upper section of Run 4 (21.75 feet to 26.75feet)



Photo Textron 6.docx

Aptim Engineering New York, P.C.
Photographic Record

Customer: Textron, Inc.

Project Number: 631232612

Site Name: Former Wheatfield Facility

Site Location: Niagara Falls, New York

Photographer:

K. Cronin

Date:

10/11/17

Direction:

Rock Core

Comments:

17-02(1) - middle section of Run 5 (26.75 feet to 31.55 feet)



Photographer:

K. Cronin

Date:

10/11/17

Direction:

Rock Core

Comments:

17-02(1) – middle section of Run 6 (31.55 feet to 34 feet)



Photo Textron 7.docx

Aptim Engineering New York, P.C.
Photographic Record

Customer: Textron, Inc.

Project Number: 631232612

Site Name: Former Wheatfield Facility

Site Location: Niagara Falls, New York

Photographer:

K. Cronin

Date:

10/12/17

Direction:

Rock Core

Comments:

17-03(1) - middle section of Run 1 (17 feet to 20.5 feet)



Photographer:

K. Cronin

Date:

10/12/17

Direction:

Rock Core

Comments:

17-03(1) – middle section of Run 2 (20.5 feet to 25.5 feet)



Photo Textron 8.docx

Aptim Engineering New York, P.C.
Photographic Record

Customer: Textron, Inc.

Project Number: 631232612

Site Name: Former Wheatfield Facility

Site Location: Niagara Falls, New York

Photographer:

K. Cronin

Date:

10/12/17

Direction:

Rock Core

Comments:

17-03(1) - middle section of Run 3 (25.5 feet to 30.5 feet)



Photographer:

K. Cronin

Date:

10/12/17

Direction:

Rock Core

Comments:

17-03(1) - middle section of Run 4 (30.5 feet to 33.1 feet)



Photo Textron 9.docx

Aptim Engineering New York, P.C.
Photographic Record

Customer: Textron, Inc.

Project Number: 631232612

Site Name: Former Wheatfield Facility

Site Location: Niagara Falls, New York

Photographer:

K. Cronin

Date:


10/17/17

Direction:

Rock Core

Comments:

17-04(1) - upper section of Run 1 (17 feet to 22 feet)



Photographer:

K. Cronin

Date:

10/17/17

Direction:

Rock Core

Comments:

17-04(1) - middle section of Run 2 (22 feet to 27 feet)



Photo Textron 10.docx

Aptim Engineering New York, P.C.
Photographic Record

Customer: Textron, Inc.

Project Number: 631232612

Site Name: Former Wheatfield Facility

Site Location: Niagara Falls, New York

Photographer:

K. Cronin

Date:

10/17/17

Direction:

Rock Core

Comments:

17-04(1) - upper section of Run 3 (27 feet to 32 feet)



Photographer:

K. Cronin

Date:

10/17/17

Direction:

Rock Core

Comments:

17-04(1) - bottom section of Run 3 (27 feet to 32 feet)



Photo Textron 11.docx

Aptim Engineering New York, P.C.
Photographic Record

Customer: Textron, Inc.

Project Number: 631232612

Site Name: Former Wheatfield Facility

Site Location: Niagara Falls, New York

Photographer:

K. Cronin

Date:

10/16/17

Direction:

Rock Core

Comments:

17-05(1) - bottom
section of Run 1
(18.1 feet to 21.6
feet)



Photographer:

K. Cronin

Date:

10/16/17

Direction:

Rock Core

Comments:

17-05(1) – bottom
section of Run 2
(21.6 feet to 26.6
feet)



Photo Textron 12.docx

Aptim Engineering New York, P.C.
Photographic Record

Customer: Textron, Inc.

Project Number: 631232612

Site Name: Former Wheatfield Facility

Site Location: Niagara Falls, New York

Photographer:

K. Cronin

Date:

10/16/17

Direction:

Rock Core

Comments:

17-05(1) - bottom
section of Run 3
(26.6 feet to 31.6
feet)



Photographer:

K. Cronin

Date:

10/16/17

Direction:

Rock Core

Comments:

17-05(1) – upper
section of Run 4
(31.6 feet to 32.5
feet)



Photo Textron 13.docx

Aptim Engineering New York, P.C.
Photographic Record

Customer: Textron, Inc.

Project Number: 631232612

Site Name: Former Wheatfield Facility

Site Location: Niagara Falls, New York

Photographer:

K. Cronin

Date:

10/13/17

Direction:

Southwest

Comments:

Finished Injection
Well - 17-03(1)



Photographer:

K. Cronin

Date:

10/18/17

Direction:

Southwest

Comments:

Developing of
Injection Well -
17-03(1)



Photo Textron 14.docx

Aptim Engineering New York, P.C.
Photographic Record

Customer: Textron, Inc.

Project Number: 631232612

Site Name: Former Wheatfield Facility

Site Location: Niagara Falls, New York

Photographer:

K. Cronin

Date:

12/02/17

Direction:

North

Comments:

Tote of 3DME and drums of CRS being used for injection



Photographer:

K. Cronin

Date:

12/02/17

Direction:

North-northeast

Comments:

Injection setup at 87-05(1)



Photo Textron 15.docx

Aptim Engineering New York, P.C.
Photographic Record

Customer: Textron, Inc.

Project Number: 631232612

Site Name: Former Wheatfield Facility

Site Location: Niagara Falls, New York

Photographer:

K. Cronin

Date:

12/02/17

Direction:

West – inside trailer

Comments:

Keg containing SDC-9 bacteria to be added to mixture during each batch injected



Photographer:

K. Cronin

Date:

12/02/17

Direction:

North – inside trailer

Comments:

Interior of Regenesis Mixing Trailer



Photo Textron 16.docx

Aptim Engineering New York, P.C.
Photographic Record

Customer: **Textron, Inc.**

Project Number: 631232612

Site Name: **Former Wheatfield Facility**

Site Location: **Niagara Falls, New York**

Photographer:

K. Cronin

Date:

11/13/17

Direction:

Inside Well Vault

Comments:

DW-11 Well Vault –
8-inch Conductor
Pipe (pump
previously removed)



Photographer:

K. Cronin

Date:

12/02/17

Direction:

Inside Well vault

Comments:

Inflatable packer
placed in DW-11 to
prevent overflow
during injection



Photo Textron 17.docx

Appendix J
Drilling Logs



CLIENT Textron
PROJECT NUMBER 631232612
DATE STARTED 10/10/17 **COMPLETED** 10/11/17
DRILLING CONTRACTOR Parratt-Wolff, Inc.
DRILLING METHOD Hollow Stem Auger & NX Core
LOGGED BY K.Cronin **CHECKED BY** _____
NOTES RQDs: Run 1 23%, Run 2 62%, Run 3 70%, Run 4 95%, Run 5 100%

PROJECT NAME Former Bell-Aerospace Wheatfield Facility
PROJECT LOCATION Wheatfield, New York
GROUND ELEVATION 585.18 ft **HOLE SIZE** 4.25 inches
GROUND WATER LEVELS:
AT TIME OF DRILLING ---
AT END OF DRILLING ---
AFTER DRILLING ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY % (RQD)	BLOW COUNTS (N VALUE)	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	ENVIRONMENTAL DATA	WELL DIAGRAM
0						Hand Cleared to 5 feet bgs		Casing Type: PVC
5	NR							
5.0	SS 1	85	1-5-6-9 (11)	CL-ML		LEAN CLAY WITH GRAVEL, CLAYEY SILT, (CL-ML) reddish brown to brown, subrounded, fine grained Firm reddish brown CLAY-SILTY with trace to little fine grained subround gravel, moist, occasional gray steaks, no staining or odor	PID = 0	
9.5	SS 2	80	9-12-12-15 (24)	ML			PID = 0	
10	SS 3	55	2-7-19-43 (26)	SM		SILTY SAND, SILTY SAND, (SM) brown to reddish brown, subrounded, fine to medium grained	PID = 1.2	
11.0	SS 4	98	35-44-50/4"	SM		Reddish brown SILTY SAND, little fine subround granular gravel, moist to very moist, no staining or odor	PID = 3.4	
15	SS 5	85	17-34-34-25 (68)	SW-SM		WELL GRADED SAND WITH SILT, SAND, (SW-SM) reddish brown, subrounded, fine grained	PID = 1.5	
15.0	SS 6	100 (95)	6-12-50/0"	SM		Wet, loose, brown to reddish brown fine to medium SAND with some silt, grades down to reddish brown fine to medium sand with some fine subround gravel, no staining or odor	PID = 1.5	
16.5	RC 1	(62)				SILTY SAND, SILTY SAND, (SM) reddish brown, subangular, fine to coarse grained Wet, very dense		
20	RC 2	(62)				SILTY SAND trace fine to coarse subround to subangular gravel, no staining or odor; auger refusal at 16 feet bgs		
21.5	RC 3	(70)				DOLOMITE LIMESTONE, highly weathered, medium bedded, horizontal, dark gray, medium, no staining, [Guelph] Lockport, Layer RQD = 23% Gray Dolomite with pinholes to 0.5" Vugs, some bedding plane fractures, occasional thin gypsum partings at 25.55', 25.85', 26.5', 26.63', 27', 29.5', 30.3' and 31.4' bgs.		
26.5	RC 4	(95)				DOLOMITE LIMESTONE, moderately weathered, medium bedded, horizontal, dark gray, medium, no staining, [Guelph] Lockport, Layer RQD = 62%		
31.5	RC 5	(95)				DOLOMITE LIMESTONE, moderately weathered, medium bedded, horizontal, dark gray, medium, no staining, [Guelph] Lockport, Layer RQD = 70%		
31.5	RC 5	(100)				DOLOMITE LIMESTONE, slightly weathered, medium bedded, horizontal, dark gray, medium, no staining, [Guelph] Lockport, Layer RQD = 95%		
34.5	RC 5	(100)				DOLOMITE LIMESTONE, slightly weathered, medium bedded, horizontal, dark gray, medium, no staining, [Guelph] Lockport, Layer RQD = 100%		
Refusal at 16.0 feet. Bottom of borehole at 34.5 feet.								

GENERAL BH / TP / WELL - GINT STD US LAB.GDT - 1/15/18 13:33 - N:\GINT\DRILL LOGS\GINT\TEXT\INJECTION WELLS.GPJ



CLIENT Textron **PROJECT NAME** Former Bell-Aerospace Wheatfield Facility
PROJECT NUMBER 631232612 **PROJECT LOCATION** Wheatfield, New York
DATE STARTED 10/11/17 **COMPLETED** 10/12/17 **GROUND ELEVATION** 584.83 ft **HOLE SIZE** 4.25 inches
DRILLING CONTRACTOR Parratt-Wolff, Inc. **GROUND WATER LEVELS:**
DRILLING METHOD Hollow Stem Auger & NX Core **AT TIME OF DRILLING** ---
LOGGED BY K.Cronin **CHECKED BY** --- **AT END OF DRILLING** ---
NOTES RQDs: Run 1 23%, Run 2 35%, Run 3 36%, Run 4 73% and Run 5 90% AFTER DRILLING ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY % (RQD)	BLOW COUNTS (N VALUE)	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	ENVIRONMENTAL DATA	WELL DIAGRAM
0						Hand Cleared to 5 feet bgs		Casing Type: PVC
5	NR							
5.0	SS 1	75	3-6-6-12 (12)	CL-ML	[Diagonal Hatching]	LEAN CLAY WITH SAND, CLAYEY SILT, (CL-ML) brown, moist, stiff, trace fine sand, and fine gravel, no odor, no staining Moist, stiff, brown CLAYEY SILT, trace fine sand, fine subround gravel, occasional gray partings, no staining or odor	PID = 16.8	
9.0	SS 2	80	4-8-8-12 (16)	CL-ML	[Diagonal Hatching]		PID = 33.4	
12.0	SS 3	100	12-15-21-24 (36)	CL-ML	[Diagonal Hatching]	LEAN CLAY WITH SAND, CLAYEY SILT, (CL-ML) brown to reddish brown, moist, very stiff, little fine to coarse gravel, trace fine sand, no odor, no staining Moist, brown to reddish brown, very stiff, CLAYEY SILT, with little fine to coarse subround to subangular gravel, trace fine sand, no staining or odor	PID = 0	
12.0	SS 4	129	23-19-50/0"				PID = 0	
15.0	RC 1	(23)			[Brick Pattern]	DOLOMITE LIMESTONE, moderately weathered, medium bedded, horizontal, dark gray, medium, no staining. [Guelph] Lockport, Layer RQD = 23%		
16.0	RC 2	(35)			[Brick Pattern]	Medium gray Dolomitic Limestone with vugs and pitted rock, fine to medium bedding. moderately hard		
19.0	RC 3	(36)			[Brick Pattern]	DOLOMITE LIMESTONE, moderately weathered, medium bedded, horizontal, dark gray, medium, no staining. [Guelph] Lockport, Layer RQD = 35%		
22.0	RC 4	(73)			[Brick Pattern]	DOLOMITE LIMESTONE, slightly weathered, medium bedded, horizontal, dark gray, medium, no staining. [Guelph] Lockport, Layer RQD = 36%		
27.0	RC 5	(86)			[Brick Pattern]	DOLOMITE LIMESTONE, slightly weathered, medium bedded, horizontal, dark gray, medium, no staining. [Guelph] Lockport, Layer RQD = 73%		
31.5	RC 6	(90)			[Brick Pattern]	DOLOMITE LIMESTONE, slightly weathered, medium bedded, horizontal, dark gray, medium, no staining. [Guelph] Lockport, Layer RQD = 90%		
34.0						Refusal at 13.0 feet. Bottom of borehole at 34.0 feet.		

GENERAL BH / TP / WELL - GINT STD US LAB.GDT - 1/15/18 13:33 - N:\GINT\DRILL LOGS\GINT\TEXT\INJECTION WELLS.GPJ



CLIENT Textron
 PROJECT NUMBER 631232612
 DATE STARTED 10/12/17 COMPLETED 10/13/17
 DRILLING CONTRACTOR Parratt-Wolff, Inc.
 DRILLING METHOD Hollow Stem Auger & NX Core
 LOGGED BY K.Cronin CHECKED BY _____
 NOTES RQDs: Run 1 27%, Run 2 44%, Run 3 70% and Run 4 70%

PROJECT NAME Former Bell-Aerospace Wheatfield Facility
 PROJECT LOCATION Wheatfield, New York
 GROUND ELEVATION 584.84 ft HOLE SIZE 4.25 inches
 GROUND WATER LEVELS:
 AT TIME OF DRILLING ---
 AT END OF DRILLING ---
 AFTER DRILLING ---

GENERAL BH / TP / WELL - GINT STD US LAB.GDT - 1/15/18 13:33 - N:\GINT\DRILL LOGS\GINT\TEXT\INJECTION WELLS.GPJ

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY % (RQD)	BLOW COUNTS (N VALUE)	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	ENVIRONMENTAL DATA	WELL DIAGRAM
0						Hand Cleared to 5 feet bgs		Casing Type: PVC
5	NR							
5.0	SS 1	50	4-6-8-8 (14)	CL-ML	[Hatched Pattern]	GRAVELLY LEAN CLAY WITH SAND, CLAYEY SILT, (CL-ML) brown, moist, stiff to very stiff, trace fine gravel, no odor, no staining Damp, stiff grading to very stiff, brown CLAYEY SILT, occassional gray partings, trace fine gravel, no staining or odor	PID = 1.9	
9.0	SS 2	80	7-12-15-14 (27)	CL-ML	[Hatched Pattern]		PID = 1.7	
10	SS 3	40	4-5-6-6 (11)	CL	[Diagonal Pattern]	LEAN CLAY WITH SAND, CLAY, (CL) brown, wet, stiff, little fine to coarse gravel, no odor, no staining Wet, stiff, brown CLAY, little fine to coarse subround to subangular gravel, no staining or odor	PID = 2.5	
13.0	SS 4	90	7-5-7-8 (12)	CL	[Diagonal Pattern]		PID = 1.7	
15	SS 5	50	2-8-9-11 (17)	CL-ML	[Hatched Pattern]	LEAN CLAY WITH GRAVEL, CLAYEY SILT, (CL-ML) brown to reddish brown, moist, very stiff, little fine to coarse gravel, trace fine sand, no odor, no staining Moist, very stiff, brown to reddish brown, CLAYEY SILT to SILTY CLAY, little fine to coarse subround to subangular gravel, trace fine sand, no staining or odors	PID = 1.1	
17.0	SS 6	22	4-7-8-50/4"	CL-ML	[Hatched Pattern]		PID = 2.2	
20	RC 1	(27)			[Brick Pattern]	DOLOMITE LIMESTONE, highly weathered, medium bedded, horizontal, dark gray, no staining, [Guelph] Lockport, Layer RQD = 27% Medium gray Dolomitic Limestone with vugs and pitted rock, fine to medium bedding, moderately hard		
20.5						DOLOMITE LIMESTONE, moderately weathered, medium bedded, horizontal, dark gray, no staining, [Guelph] Lockport, Layer RQD = 44%		
25	RC 2	(44)						
25.5						DOLOMITE LIMESTONE, moderately weathered, medium bedded, horizontal, dark gray, no staining, [Guelph] Lockport, Layer RQD = 70%		
30	RC 3	(70)						
30.5						DOLOMITE LIMESTONE, slightly weathered, medium bedded, horizontal, dark gray, no staining, [Guelph] Lockport, Layer RQD = 70%		
33.1	RC 4	(70)						

Refusal at 16.9 feet.
 Bottom of borehole at 33.1 feet.



CLIENT Textron
PROJECT NUMBER 631232612
DATE STARTED 10/17/17 **COMPLETED** 10/18/17
DRILLING CONTRACTOR Parratt-Wolff, Inc.
DRILLING METHOD Hollow Stem Auger & NX Core
LOGGED BY K.Cronin **CHECKED BY** _____
NOTES RQDs: Run 1 9%, Run 2 63% and Run 3 84%

PROJECT NAME Former Bell-Aerospace Wheatfield Facility
PROJECT LOCATION Wheatfield, New York
GROUND ELEVATION 586.68 ft **HOLE SIZE** 4.25 inches
GROUND WATER LEVELS:
AT TIME OF DRILLING ---
AT END OF DRILLING ---
AFTER DRILLING ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY % (RQD)	BLOW COUNTS (N VALUE)	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	ENVIRONMENTAL DATA	WELL DIAGRAM
0						Hand Cleared to 5 feet bgs		Casing Type: PVC
5	NR							
5.0						581.7		
5.0 - 9.0	SS 1	55	1-5-4-5 (9)	CL-ML	[Hatched Pattern]	LEAN CLAY WITH GRAVEL, CLAYEY SILT, (CL-ML) brown to reddish brown, moist, firm to stiff, little fine gravel, some fine sand, no odor, no staining Brown to reddish brown, moist, firm to very firm CLAYEY SILT, trace to little fine gravel, trace fine sand, occasional gray partings, no staining or odors	PID = 1.8	
9.0	SS 2	85	6-12-12-10 (24)	CL-ML	[Hatched Pattern]	577.7	PID = 1.5	
9.0 - 12.0	SS 3	64	16-40-50/5"	CL-ML	[Hatched Pattern]	LEAN CLAY WITH GRAVEL, CLAYEY SILT, (CL-ML) reddish brown, moist, very stiff, some fine to coarse gravel, no odor, no staining Damp to moist, very stiff, reddish brown CLAYEY SILT with some fine to coarse subround to subangular gravel	PID = 3.8	
12.0	SS 4	100	40-50/4"	CL-ML	[Hatched Pattern]	574.7	PID = 7.2	
12.0 - 16.0	SS 5	67	32-50/5"	CL-ML	[Hatched Pattern]	LEAN CLAY WITH GRAVEL, CLAYEY SILT, (CL-ML) brown, moist to wet, very stiff, some fine to coarse gravel, little fine to medium sand, no odor, no staining Damp to very damp, very stiff, brown CLAYEY SILT with some fine to coarse subround to subangular gravel, little fine to medium sand, no staining or odor	PID = 3.6	
16.0	SS 6	100	25-50	CL-ML	[Hatched Pattern]	570.7	PID = 9.7	
16.0 - 22.0	RC 1	(9)			[Brick Pattern]	DOLOMITE LIMESTONE, highly weathered, medium bedded, horizontal, fossiliferous, dark gray, no staining, [Guelph] Lockport, Layer RQD = 9% Medium gray, hard DOLOMITE LIMESTONE with horizontal to nearly horizontal bedding plane fractures, some small vugs below 18 feet bgs, fossiliferous zone ~6-inches thick at 20 feet bgs		
22.0						564.7		
22.0 - 27.0	RC 2	(63)			[Brick Pattern]	DOLOMITE LIMESTONE, moderately weathered, medium bedded, horizontal, dark gray, no staining, [Guelph] Lockport, Layer RQD = 63% Medium gray, hard DOLOMITE LIMESTONE with horizontal to nearly horizontal bedding plane fractures, some gypsum mineralization in fractures		
27.0						559.7		
27.0 - 32.0	RC 3	(84)			[Brick Pattern]	DOLOMITE LIMESTONE, slightly weathered, medium bedded, horizontal, dark gray, no staining, [Guelph] Lockport, Layer RQD = 84% Medium gray, hard DOLOMITE LIMESTONE with few nearly horizontal bedding plane fractures		
32.0						554.7		

Refusal at 16.0 feet.
 Bottom of borehole at 32.0 feet.

GENERAL BH / TP / WELL - GINT STD US LAB.GDT - 1/15/18 13:33 - N:\GINT\DRILL LOGS\GINT\TEXT\INJECTION WELLS.GPJ



CLIENT Textron
PROJECT NUMBER 631232612
DATE STARTED 10/16/17 **COMPLETED** 10/17/17
DRILLING CONTRACTOR Parratt-Wolff, Inc.
DRILLING METHOD Hollow Stem Auger & NX Core
LOGGED BY K.Cronin **CHECKED BY** _____
NOTES RQDs: Run 1 11%, Run 2 40%, Run 3 82% and Run 4 100%

PROJECT NAME Former Bell-Aerospace Wheatfield Facility
PROJECT LOCATION Wheatfield, New York
GROUND ELEVATION 586.62 ft **HOLE SIZE** 4.25 inches
GROUND WATER LEVELS:
AT TIME OF DRILLING ---
AT END OF DRILLING ---
AFTER DRILLING ---

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY % (RQD)	BLOW COUNTS (N VALUE)	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	ENVIRONMENTAL DATA	WELL DIAGRAM
0						Hand Cleared to 5 feet bgs		Casing Type: PVC
5	NR							
5.0						581.6		
7.5	SS 1	20	2-2-4-3 (6)	SP		POORLY GRADED SAND WITH GRAVEL, SAND, (SP) brown, moist to wet, loose, some fine to medium sand, and fine gravel, no odor, no staining	PID = 1.8	
7.5	SS 2	50	3-3-5-6 (8)			Very moist to wet, brown, loose fine to medium SAND and fine gravel, no staining or odor	PID = 1.4	
10	SS 3	55	3-6-14-29 (20)	CL-ML		LEAN CLAY WITH GRAVEL, CLAYEY SILT, (CL-ML) brown to reddish brown, moist, stiff to very stiff, some fine to coarse gravel, trace fine to medium sand, no odor, no staining	PID = 2.2	
11.0	SS 4	64	29-40-50/3"	SM		Moist to very moist, brown to reddish brown, stiff to very stiff	PID = 2.1	
12.0				CL-ML		CLAYEY SILT, some fine to coarse subround to subangular gravel, trace fine to medium sand, no staining or odor	PID = 2.1	
13.0	SS 5	33	4-40-50/2"	CL-ML		573.6		
14.0				CL-ML		572.6		
15	SS 6	50	50/5"	GP		SILT WITH SAND, SILTY SAND, (SM) reddish brown, wet, loose, some clay, and fine to coarse sand, some fine to medium gravel, no odor, no staining	PID = 8	
15.4						571.2	PID = 3.2	
17.4	SS 7	50	50/5"	GP		Wet, loose reddish brown SILTY SAND - CLAYEY SILT, some clayey sand, lower 2 inches fine to coarse sand, subround to subangular gravel, no staining or odor	PID = 1294	
20	RC 1	(11)				LEAN CLAY WITH SAND, CLAYEY SILT, (CL-ML) reddish brown, moist, stiff, no odor, no staining		
21.6						Damp, stiff, reddish brown		
25	RC 2	(41)				LEAN CLAY WITH GRAVEL, CLAYEY SILT, (CL-ML) brown, moist, hard, and fine to coarse gravel, no odor, no staining		
26.6						Damp, hard, brown		
30	RC 3	(82)				CLAYEY SILT, and fine to coarse subround to subangular gravel, no staining or odor		
31.6						POORLY GRADED GRAVEL WITH SILT, GRAVEL, (GP) grayish brown, dry, stiff, with clay, and silt, chemical odor, no staining		
32.5	RC 4	(100)				Dry, gray angular GRAVEL, little brown, moist, stiff clayey silt, no staining or odor		
						560.0		
						POORLY GRADED GRAVEL, GRAVEL, (GP) gray, wet gray, angular fine to coarse GRAVEL, odor noted no staining		
						560.0		
						DOLOMITE LIMESTONE, highly weathered, medium bedded, horizontal, fossiliferous, dark gray, no staining, [Guelph] Lockport, Layer RQD = 11%		
						555.0		
						Medium gray DOLOMITE LIMESTONE with horizontal bedding plane fractures, vertical fracture from 19.9 to 20.4 feet bgs, occasional fossiliferous zones (19.7-20.0 ft bgs)		
						554.1		
						DOLOMITE LIMESTONE, moderately weathered, medium bedded, horizontal, dark gray, no staining, [Guelph] Lockport, Layer RQD = 40%		
						Medium gray DOLOMITE LIMESTONE with horizontal bedding plane fractures, occasional low angle fractures with minor gypsum mineralization.		

(Continued Next Page)



CLIENT Textron **PROJECT NAME** Former Bell-Aerospace Wheatfield Facility
PROJECT NUMBER 631232612 **PROJECT LOCATION** Wheatfield, New York

DEPTH (ft)	SAMPLE TYPE NUMBER	RECOVERY % (RQD)	BLOW COUNTS (N VALUE)	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	ENVIRONMENTAL DATA	WELL DIAGRAM
------------	--------------------	------------------	-----------------------	----------	-------------	----------------------	--------------------	--------------

DOLOMITE LIMESTONE, moderately weathered, medium bedded, horizontal, dark gray, no staining, [Guelph] Lockport, Layer RQD = 82% Medium gray DOLOMITE LIMESTONE with horizontal bedding plane fractures
DOLOMITE LIMESTONE, slightly weathered, medium bedded, horizontal, dark gray, no staining, [Guelph] Lockport, Layer RQD = 100% Medium gray DOLOMITE LIMESTONE

Refusal at 17.5 feet.
 Bottom of borehole at 32.5 feet.