



**SEVENTH ANNUAL  
OPERATION AND MONITORING REPORT  
JUNE 2007 TO MAY 2008**

**GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK**

**NOVEMBER 2008  
REF. NO. 00798 (35)**

**Prepared by:  
Conestoga-Rovers  
& Associates**

651 Colby Drive  
Waterloo, Ontario  
Canada N2V 1C2

Office: (519) 884-0510  
Fax: (519) 884-0525

web: <http://www.CRAworld.com>

TABLE OF CONTENTS

	<u>Page</u>
1.0 INTRODUCTION .....	1
2.0 GROUNDWATER WITHDRAWAL SYSTEM (GWS).....	2
2.1 HYDRAULIC MONITORING.....	2
2.2 GROUNDWATER QUALITY MONITORING .....	3
2.2.1 SAMPLE RESULTS .....	4
2.2.2 MONITORING FREQUENCY FOR NEXT 4-YEAR PERIOD .....	8
2.3 EFFLUENT MONITORING PROGRAM .....	8
2.3.1 SAMPLE RESULTS .....	9
2.3.2 MONITORING PROGRAM TO FEBRUARY 2010.....	9
2.3.2.1 SAMPLING FREQUENCY.....	9
2.3.2.2 ANALYTICAL PARAMETERS .....	10
2.4 SURFACE WATER MONITORING PROGRAM.....	11
2.4.1 SAMPLE RESULTS .....	11
2.4.2 FUTURE MONITORING FREQUENCY.....	12
2.5 GWS OPERATIONS.....	12
2.6 GWS MAINTENANCE .....	13
3.0 SITE INSPECTIONS .....	14
4.0 CONCLUSIONS/RECOMMENDATIONS.....	15
4.1 OPERATION AND MAINTENANCE.....	15
4.2 MONITORING .....	15
4.3 NOTIFICATIONS TO CITY OF NORTH TONAWANDA .....	16

LIST OF FIGURES  
(Following Text)

FIGURE 2.1	MONITORING NETWORK
FIGURE 2.2	MW-6 TVOC AND TSVOC CONCENTRATIONS
FIGURE 2.3	MW-7 TVOC AND TSVOC CONCENTRATIONS
FIGURE 2.4	MW-8 TVOC AND TSVOC CONCENTRATIONS
FIGURE 2.5	MW-9 TVOC AND TSVOC CONCENTRATIONS
FIGURE 2.6	OGC-1 TVOC AND TSVOC CONCENTRATIONS
FIGURE 2.7	OGC-2 TVOC AND TSVOC CONCENTRATIONS
FIGURE 2.8	OGC-3 TVOC AND TSVOC CONCENTRATIONS
FIGURE 2.9	OGC-4 TVOC AND TSVOC CONCENTRATIONS
FIGURE 2.10	OGC-5 TVOC AND TSVOC CONCENTRATIONS
FIGURE 2.11	OGC-6 TVOC AND TSVOC CONCENTRATIONS
FIGURE 2.12	OGC-7 TVOC AND TSVOC CONCENTRATIONS
FIGURE 2.13	OGC-8 TVOC AND TSVOC CONCENTRATIONS
FIGURE 2.14	EFFLUENT TVOCS AND TSVOC VS. TIME
FIGURE 2.15	EFFLUENT pH VS. TIME
FIGURE 2.16	EFFLUENT TOTAL SUSPENDED SOLIDS VS. TIME
FIGURE 2.17	EFFLUENT BOD VS. TIME
FIGURE 2.18	EFFLUENT VOLUME VS. TIME

LIST OF TABLES  
(Following Text)

TABLE 2.1	GROUNDWATER HYDRAULIC MONITORING LOCATIONS
TABLE 2.2	WATER LEVELS (FT AMSL)
TABLE 2.3	SUMMARY OF HORIZONTAL GRADIENTS
TABLE 2.4	SUMMARY OF VERTICAL GRADIENTS
TABLE 2.5	GROUNDWATER SAMPLING SUMMARY
TABLE 2.6	SUMMARY OF DETECTED COMPOUNDS, SITE GROUNDWATER AND RIVER WATER
TABLE 2.7	PH READINGS
TABLE 2.8	EFFLUENT SAMPLING SUMMARY, JUNE 2001 TO FEBRUARY 2007
TABLE 2.9	EFFLUENT SAMPLING SUMMARY, SUBSEQUENT TO FEBRUARY 2007
TABLE 2.10	ANALYTICAL RESULTS SUMMARY, SITE EFFLUENT
TABLE 2.11	GROUNDWATER VOLUMES DISCHARGED TO NORTH TONAWANDA POTW
TABLE 2.12	SURFACE WATER SAMPLING SUMMARY

LIST OF APPENDICES

APPENDIX A	MONTHLY INSPECTION LOGS (JUNE 2007 TO MAY 2008)
APPENDIX B	QA/QC REVIEWS

## 1.0 INTRODUCTION

This report is the seventh annual Operation and Monitoring Report (O&M Report) for the remedial actions constructed at the Gratwick-Riverside Park Site (Site) located in North Tonawanda, New York. This report covers the period from June 2007 to May 2008 and was prepared pursuant to Section 7.0 of the report entitled "Operation and Maintenance Manual" (O&M Manual) dated March 2002 (revised January 2004). It is noted that New York State Department of Environmental Conservation (NYSDEC) approval for the O&M Manual was given on April 20, 2005. All O&M activities have been performed in accordance with the methods and frequencies specified in the O&M Manual except as modified in the previous annual report ("Sixth Annual Operation and Monitoring Report, June 2006 to May 2007"). It is noted that NYSDEC approval was received on October 17, 2005 to modify the groundwater discharge monitoring from monthly to semi-annually and for a reduced list of parameters as recommended in Section 4.2 of the Fifth Annual O&M Report. EPA review of this modification was performed and accepted in June 2006. This change was reflected in the new discharge permit dated January 31, 2007. In accordance with the approved monitoring changes, the first semi-annual discharge sample was collected in September 2007.

## **2.0 GROUNDWATER WITHDRAWAL SYSTEM (GWS)**

Full-time operation of the Groundwater Withdrawal System (GWS) at the Site started on May 4, 2001. The objectives of the GWS are to:

- i) achieve and maintain an inward gradient from the Niagara River toward the GWS; and
- ii) achieve and maintain an upward gradient from the fill alluvium layer beneath the GWS.

In order to determine whether the objectives are being met, hydraulic and chemical monitoring programs have been developed. These programs include: Site groundwater; GWS effluent; and River surface water. The wells, manholes, wet wells, and storm sewer outfalls that comprise the monitoring network are shown on Figure 2.1. The monitoring programs are described in the following subsections.

### **2.1 HYDRAULIC MONITORING**

Hydraulic monitoring consists of the collection of water levels in monitoring wells and manholes, and River water levels at the storm sewer outfalls. These data are then used to determine the vertical and horizontal gradients for the groundwater.

The water levels in four GWS manholes and in the River were monitored to confirm that an inward gradient exists. The water levels in five GWS manholes and in four monitoring wells installed near the GWS alignment in the materials directly overlying the confining unit were monitored to confirm that an upward gradient exists. The specific manholes and monitoring wells used to determine the horizontal and vertical gradients are listed in Table 2.1.

Groundwater elevations are measured on a monthly basis. The measured water levels from the beginning of the O&M period are presented in Table 2.2. Summaries of the horizontal and vertical gradients are provided in Tables 2.3 and 2.4, respectively.

The results for the horizontal gradient evaluation show that:

- i) inward horizontal gradients were achieved by May 11, 2001, within one week of the start of pumping the GWS;

- ii) the inward gradients were maintained for the remainder of the first 2 years except for a few short intervals in isolated areas; and
- iii) the inward gradients were maintained for the entire third to seventh years inclusive (May 2003 to May 2008), except for a short time period between June 26, 2006 and August 25, 2006 in the vicinity of MH-2 and between October 31, 2006 and December 29, 2006 in the vicinity of MH12.

The short periods of outward gradient did not adversely affect the effectiveness of the remedy because:

- i) the gradients were outward for only short periods of time;
- ii) the outward gradients occurred over only a portion of the barrier wall;
- iii) the 36-inch barrier wall is six inches thicker than the design thickness thereby providing extra protection; and
- iv) any outward migration of Site groundwater into the barrier wall during the short periods of outward gradient is more than offset by the inward migration of river water into the barrier wall during the long periods of inward gradient.

The results for the vertical gradient evaluation showed that the vertical gradients were continually upward for all four monitoring pairs for the time period of May 2005 to May 2008, except for the location of monitoring well pair MH3/MW-6 at which a small downward gradient was measured in July 2005 and July 2006 and in well pair MH14&15/MW-9 in August 2006. An upward gradient existed at these well pairs in all other monitoring events.

## **2.2 GROUNDWATER QUALITY MONITORING**

Groundwater quality monitoring consists of the collection of water samples from on-Site overburden monitoring wells (OGC-1 through OGC-8 and MW-6 through MW-9) and the analysis of these samples to determine the concentrations of chemicals in the groundwater. The purpose of the groundwater quality monitoring program is to monitor the anticipated improvement in the quality of the overburden groundwater:

- i) between the barrier wall and the River (OGC-1 through OGC-4); and
- ii) in the fill/alluvium beneath the GWS (MW-6 through MW-9).

Groundwater quality monitoring locations are presented on Figure 2.1 and the analytical parameters and frequency are listed in Table 2.5.

The sampling frequency for the initial 2-year period after GWS startup was quarterly. Based on the 2-year results, the frequency for most wells was modified to semi-annual for the third year (May and November 2003). The exceptions to this were for SVOCs in OGC-4 and VOCs in OGC-6, which remained at quarterly for the third year. Sampling for years 4 through 7 (from May 2004 to May 2008) was on an annual basis.

### 2.2.1 SAMPLE RESULTS

A summary of compounds detected in the groundwater samples is presented in Table 2.6 and pH levels are presented in Table 2.7.

To evaluate the trends in the groundwater chemistry and evaluate the appropriate frequency of future sampling, the VOCs and SVOCs were summed and plotted on Figures 2.2 through 2.13 for each of the 12 monitoring wells included in the program. It is believed that the sum of the VOCs (i.e., TVOCs) and SVOCs (i.e., TSVOCs) best represent the trends in the groundwater chemistry.

Review of the TVOC and TSVOC concentrations for the May 2007 and May 2008 results show the following trends:

- i) TVOCs:
  - decreasing concentrations in 1 of the 12 wells (OGC-6); and
  - relatively constant concentrations with random fluctuations in 11 of the 12 wells.
- ii) TSVOCs:
  - decreasing concentrations in 2 of 12 wells (MW-9 and OGC-4);
  - relatively constant concentrations with random fluctuations in 9 of the 12 wells (MW-6, MW-7, OGC-1, OGC-2, OGC-3, OGC-5, OGC-6, OGC-7, and OGC-8); and
  - increasing concentrations in 1 of the 12 wells (MW-8).

Many of the wells had only low level concentrations (i.e., <12 µg/L for TVOCs and TSVOCs in May 2007 and May 2008). These are MW-6, MW-7, MW-9, OGC-1, OGC-2,



OGC-4, and OGC-5 for TVOCs and MW-6, MW-7, OGC-1, OGC-2, OGC-5, OGC-7, and OGC-8 for TSVOCs.

In summary, the number of wells with decreasing or constant but fluctuating concentrations at low level concentrations, shows that the groundwater is being remediated.

Additional description of the TVOC and TSVOC concentrations is provided in the following paragraphs. The MWs are located on the inside of the barrier wall and the OGCs are located between the barrier wall and the river.

### **Monitoring Wells On-Site - Inside Barrier Wall**

The TVOC concentrations for MW-6 shown on Figure 2.2 fluctuated randomly between 2 and 9 µg/L from August 2001 to February 2003, increased to 64 µg/L in May 2003, and then decreased to a range of 16 to 32 µg/L for the time period from November 2003 to May 2006. For the May 2007 and May 2008 samples, the TVOC concentration was <1.0 µg/L. The TSVOC concentrations, after the initial rapid decrease from 107 to 13 µg/L between May and November 2001, fluctuated randomly between non-detect (ND) and 25 µg/L until May 2003, then increased to 350 µg/L in November 2003 before decreasing to ND in May 2004. No reason for these large variations is apparent. The TSVOC concentration has remained low level (i.e., <5 µg/L) since May 2004.

The TVOC and TSVOC concentrations for MW-7 on Figure 2.3 show that both TVOC and TSVOC peaked in May 2002 (18 and 41 µg/L, respectively) and then decreased to non-detect for both TVOC and TSVOC in May 2004. Since that time, the TVOC concentrations have remained low level ranging from non-detect to 7.3 µg/L. The TSVOC concentrations ranged from non-detect to 1 µg/L.

The TVOC concentrations for MW-8 on Figure 2.4 show that the trend in the TVOC concentrations is a continual increase with some fluctuations until November 2003 when the concentrations peaked at 1,000 µg/L. Thereafter, the concentrations continually decreased with a TVOC concentration of 90 µg/L in the May 2007 and May 2008 samples. The TSVOC concentrations after August 2001 ranged between 200 and 300 µg/L until November 2003 and then continually decreased with a TSVOC concentration of 31 µg/L in the May 2006 sample. The TSVOC concentrations in the May 2007 and May 2008 samples increased slightly to 68 and 105 µg/L, respectively.

The TVOC concentrations for MW-9 on Figure 2.5 show that the TVOC concentrations ranged between 9 and 29 µg/L. The TSVOC concentrations, not considering the

May 2002 non-detect results which appear to be anomalous, fluctuated randomly between 140 to 280 µg/L from May 2001 to May 2003, increased to 380 µg/L in November 2003, and then fluctuated between 270 and 350 µg/L in the May 2004 and May 2005 samples, respectively. Since May 2005, the TSVOC concentrations have continually decreased to 150 µg/L in the May 2008 sample.

All MWs are located on the inside of the barrier wall and an inward gradient has always been maintained in the vicinity of these wells. Thus, the TVOCs and TSVOCs are not migrating to the Niagara River.

### **Monitoring Wells Between Barrier Wall and River**

The TVOC concentrations for OGC-1 on Figure 2.6 show that the concentrations since November 2003 ranged between 0.5 and 4 µg/L. The TSVOC concentrations after November 2001, have fluctuated between non-detect and 59 µg/L with non-detect to 3 µg/L concentrations for the last five sampling events (i.e., since November 2003).

The TVOC concentrations for OGC-2 on Figure 2.7 have fluctuated randomly between non-detect and 4.5 µg/L since February 2002. The TSVOC concentrations were all non-detect over this same time period.

The TVOC concentrations for OGC-3 shown on Figure 2.8 ranged from 21 to 57 µg/L with the peak in November 2001. The TVOC concentrations ranged between 10 and 27 µg/L in the May 2004 to May 2008 samples. The TSVOC concentrations fluctuated randomly from 207 to 411 µg/L between November 2001 and November 2003. Since November 2003, the TSVOC concentration has continually decreased from 300 µg/L to 124 µg/L in May 2007 and 129 µg/L in May 2008.

The TVOC concentrations for OGC-4 shown on Figure 2.9 fluctuated randomly between non-detect and 6 µg/L for the time period from November 2002 to May 2008. The TSVOC concentrations showed a continual increase from 380 µg/L in May 2001 to 2,430 µg/L in February 2003, decreased to 64 µg/L in March 2004, and then increased to 2,400 µg/L in May 2004. Since then, the TSVOC concentrations have continually decreased, with a concentration of 73 µg/L in the May 2008 sample. The single compound responsible for the higher concentrations was phenol which increased from 310 µg/L in May 2001 to 2,400 µg/L in May 2004 and then decreased to 66 µg/L in May 2008. Phenol was non-detect in the March 2004 sample.

The TVOC concentrations for OGC-5 shown on Figure 2.10, ranged from non-detect to 11 µg/L after February 2002. The TSVOC concentrations ranged from non-detect to 11 µg/L with non-detect concentrations for TSVOC since February 2003.

The TVOC concentrations for OGC-6 shown on Figure 2.11 increased continually from 3 µg/L in May 2001 to 4,200 µg/L in May 2006 and then decreased to 68 µg/L by May 2008. The primary compounds detected are PCE and TCE. The TSVOC concentrations increased continually from non-detect in May 2001 to 26 µg/L in May 2002 and then held relatively constant between 11 and 30 µg/L from May 2002 to November 2003. Thereafter, they continually increased to 210 µg/L in the May 2006 sample, decreased to 88 µg/L in the May 2007 sample and then increased to 160 µg/L in the May 2008 sample.

The elevated VOCs detected in OGC-6 have not migrated through the barrier wall from the Site. The reasons for this are described in the following text.

OGC-6 is located a short distance upstream of the northerly river monitoring station and is between MH6 and MH8. Review of the water levels for MH6, OGC-6, MH8, and the middle river station show that the water levels in MH6 and MH8 are typically 8 and 4 feet lower, respectively, than the river north level, resulting in a strong inward gradient which has continually existed in this area since pumping began. Thus, there will be no migration of chemicals from the Site through the barrier wall to the Niagara River. The well inside the barrier wall closest to OGC-6 is MW-7. As described above, the analytical results for MW-7 show only low level TVOC concentrations. Furthermore, the maximum May 2007 TVOC concentration for the four wells inside the barrier wall was 90 µg/L in well MW-8 and in the groundwater discharge was 260 µg/L (see Figures 2.4 and 2.14, respectively), both significantly less than the TVOC concentration of 2,670 µg/L detected in OGC-6. The MW and discharge groundwater results support that the PCE and TCE detected in OGC-6 are unlikely to be migrating from the Site. Thus, the source for these VOCs is uncertain but is expected to reside outside of the barrier wall and is being drawn back toward the Site.

The TVOC concentrations for OGC-7 shown on Figure 2.12, ranged between 59 and 156 µg/L since August 2001, with the peak concentration in November 2003. Since November 2003, the TVOC concentrations have continually decreased with a concentration of 39 µg/L in both the May 2007 and May 2008 samples. The TSVOC concentrations ranged between non-detect and 2 µg/L with non-detect concentrations for TSVOC from August 2002 to May 2006.

The TVOC concentrations for OGC-8 shown on Figure 2.13 have decreased from 165 µg/L in August 2002 to 29 µg/L for the May 2004 sample. Since May 2004, the TVOC concentration has ranged from 12 to 29 µg/L. The TSVOC concentrations have decreased from 54 µg/L in August 2002 to non-detect in the November 2003 sample. Since November 2003, the TSVOC concentrations have ranged from non-detect to 11 µg/L.

The QA/QC review of the May 2008 groundwater results is included in Appendix B.

## **2.2.2 MONITORING FREQUENCY FOR NEXT 4-YEAR PERIOD**

The groundwater sampling frequency has been set at annual since May 2004 and continued through the May 2008 sampling event. In accordance with Section 2.2.2 of the Sixth Annual O&M Report, an evaluation with regard to sampling frequency and analytical parameters for the next 4-year period is to take place now. The evaluation has identified that the wells MW-6, MW-7, OGC-1, OGC-2, and OGC-5 have had both TVOCs and TSVOCs ≤12 µg/L for at least the 2007 and 2008 sampling events. Due to the continual low level concentrations, it is recommended that these wells only be sampled and analyzed once every 2 years. It is recommended that the remaining wells continue to be sampled and analyzed every year.

## **2.3 EFFLUENT MONITORING PROGRAM**

Groundwater from the GWS is discharged to the POTW without the need for pretreatment. The monitoring performed during the construction phase of the remedy clearly showed that the minimal chemical presence in the groundwater collected in the GWS is easily treated at the POTW and therefore no on-Site pretreatment is necessary. The effluent samples are collected at the monitoring station (meter building), which is located at the south end of the Site as shown on Figure 2.1. The analytical parameters for the time period from June 2001 to February 2007, inclusive, are listed in Table 2.8.

Based on previous results, it was recommended in the Second Annual O&M report to revise the GWS monitoring frequency to semi-annual and reducing the analytical parameter list (see Table 2.9). NYSDEC approval for this recommendation was received on October 17, 2005 and become effective in June 2006. This change was reflected in the new permit dated January 31, 2007 which expires on February 1, 2010. The last monthly discharge sample was collected on February 9, 2007. The first semi-annual discharge sample was collected on September 7, 2007.

### **2.3.1 SAMPLE RESULTS**

Effluent samples were collected monthly until February 2007. Thereafter, the samples were collected semi-annually. A 24-hour composite sample was collected for SVOCs, metals, and wet chemistry parameters. Three grab samples were also collected for VOCs at 8-hour intervals and the measured concentrations were averaged to give a 24-hour concentration.

The effluent sample results are presented in Table 2.10 and the TVOC and TSVOC results are plotted on Figure 2.14. As shown on Figure 2.14, the TVOCs generally peak in the spring and then decline reaching a trough in the fall. This pattern may be attributable to additional flushing during the spring snow melt. The mean TVOC concentrations decreased until June 2004 and thereafter appears to have held relatively uniform. The effluent TSVOC results on Figure 2.14 show no apparent seasonal pattern but the mean TSVOC concentrations show the same pattern with time as the mean TVOC concentrations.

QA/QC reviews of the monthly discharge results to May 2007 have already been submitted to the NYSDEC. Thus, these reviews are not being resubmitted with this O&M Report. The QA/QC reviews of the monthly discharge results from September 2007 and March 2008, inclusive, are provided in Appendix B.

### **2.3.2 MONITORING PROGRAM TO FEBRUARY 2010**

#### **2.3.2.1 SAMPLING FREQUENCY**

To assist in evaluating the sampling frequency for the effluent discharge from the GWS, the measured concentrations for the following parameters were plotted: TVOCs, TSVOCs, pH, total suspended solids (TSS), and biochemical oxygen demand (BOD) (see Figures 2.14 through 2.17). It is believed that these parameters are representative of the trends in the chemistry of the water discharged to the POTW and, as such, can be used to determine an appropriate monitoring frequency for the effluent.

The effluent TVOC and TSVOC concentrations are described in Section 2.3.1.

The pH levels are presented on Figure 2.15. As shown on Figure 2.15, the pH levels range between 8.4 and 11.5. An apparent trend in the pH levels is higher pH levels in the winter/spring and lower pH levels in the summer/fall.

The TSS concentrations presented on Figure 2.16 show higher concentrations occurring in the early spring and late summer/fall with elevated concentrations (maximum of 278 mg/L) in the spring of 2005. Because TSS may be related to the discharge flow rate, the monthly discharge volume (see Table 2.11) is plotted on Figure 2.18. Comparison of the results presented on these two figures shows an apparent correlation between higher flows and greater TSS concentrations except for the 2005 spring results.

The BOD concentrations are presented on Figure 2.17. As shown on Figure 2.17, BOD concentrations ranged from 20 to 29 mg/L until April 2002 then decreased to the range of 6 to 22 mg/L since May 2002. The BOD concentrations were compared with the discharge volume but showed no apparent correlation.

In summary, the trends described above support the semi-annual sampling frequency that the NYSDEC approved on October 17, 2005. This modification was implemented starting after February 2007 in accordance with the City of North Tonawanda Industrial Wastewater Discharge Permit.

### **2.3.2.2 ANALYTICAL PARAMETERS**

Review of the analytical results also shows that none of the detected metals exceeded the surface water standard/guidance values listed in Table 2.10. Thus, it was recommended in the Fifth Annual O&M report that metals be deleted from the effluent analytical parameter list.

Furthermore, operation of the POTW does not require monitoring of the general chemistry parameters. Thus, it was recommended that the general chemistry parameters be deleted from the effluent analytical parameter list, other than those parameters which have a surface water standard/guidance level. The parameters retained are: chloride, ammonia, nitrate, sulfate, sulfide, phosphorus, and cyanide. Of these effluent parameters, chloride, ammonia, sulfide, and phosphorus have consistently exceeded their respective surface water quality criteria whereas sulphate concentrations have been below criteria since February 2007 (see Table 2.10). The parameters with standards/guidance levels will continue to be monitored to assist in the determination of when pumping to the POTW for treatment can be stopped and the groundwater thereafter can be allowed to discharge directly to the Niagara River. Phenol, even

though it has a standard, was deleted from the general parameter list because it is already included under the SVOC parameter list.

These recommendations were incorporated into the discharge permit effective January 31, 2007.

A summary of the effluent monitoring program for the period from February 2007 to February 2010 is presented in Table 2.9. This modification was approved by the NYSDEC on October 17, 2005 and was implemented starting March 2007.

## **2.4 SURFACE WATER MONITORING PROGRAM**

To determine that the River sediment remediation and enhancement is working properly, surface water samples were collected upstream of, adjacent to, and at the downstream end of the Site at the locations shown on Figure 2.1. The analytical parameters are listed in Table 2.12. Surface water samples were collected and analyzed concurrent with the groundwater samples.

### **2.4.1 SAMPLE RESULTS**

The river water analytical results are presented in Table 2.6. As shown in Table 2.6, almost all of the analytical results were non-detect. Only a few VOCs were infrequently detected at very low level concentrations and only two SVOCs were ever detected; once each at less than 1 µg/L. None of the detected compounds exceeded the Class A surface water criteria with the exception of samples collected in May 2002, November 2003, May 2004, and May 2006 at the North River location. The May 2002, May 2004, and May 2006 North River analytical results show detected concentrations of primarily ethylbenzene (20, 40, and 2.9 µg/L), toluene (63, 130, and 14 µg/L), and total xylenes (80, 210, and 23 µg/L). Benzene was detected at 2 µg/L, slightly above the Class A surface water criteria of 1 µg/L, in the North River location in the November 2003 sample. Given that:

- i) the North River location is downstream of the on-site boat launch;
- ii) boats and personnel watercraft were present in the area;
- iii) the concentrations for these three compounds in the groundwater are generally much less than the May 2002, May 2004, and May 2006 river water concentrations; and

- iv) the concentrations for these three compounds were non-detect in all other samples at this location, except for toluene (0.96J and 2.2 µg/L) and total xylene (0.96J and 3.7 µg/L) in the May 2003 and May 2005 samples, respectively, and PCE (1.3 µg/L) in the May 2007 sample,

the most likely explanation for these measured concentrations of BTEX compounds in the river water sample is a fuel leak or spillage from watercraft.

The QA/QC review of the May 2008 river water results is included in Appendix B.

#### **2.4.2 FUTURE MONITORING FREQUENCY**

With regard to the three River water sampling locations, the TVOCs have all been low level, except for the occasional random high concentration at the River North location and the TSVOCs concentration have been predominantly non-detect with only two events with 1 µg/L. Considering that the River North location is downstream of the boat launch facility and the parameters detected with elevated concentrations are BTEX (gasoline-based compounds), it is believed that these sporadic elevated concentrations are related to boating activities at the launch and are not related to the remediated Site. Thus, it is recommended that no further sampling or analyses of the River water be performed.

#### **2.5 GWS OPERATIONS**

The volume of water pumped on a monthly basis from the Site to the City POTW for treatment is presented in Table 2.11 and plotted on Figure 2.18. Due to an oversight, monthly flows were not measured for March to May 2007 although the total pumped in this period is known. Monthly flow monitoring was restarted on June 1, 2007. The monthly volumes show that during the time period of initial dewatering of the Site (i.e., May and June 2001) the monthly volumes ranged from 2,300,000 to 2,900,000 gallons. For the time period from June 2007 to May 2008, the monthly volumes ranged from 23,800 to 2,127,000 gallons.

The total measured volume of water discharged from the Site for the time period from May 2001 to May 2008 was 49,620,000 gallons with 6,102,000 gallons pumped during the last 12 months. This year's volume is an underestimate as a malfunction was identified in the flow meter in March 2008. As a result, the volumes for the period September 2007 through March 2008 of the reporting period are biased low (see Section 2.6). As a result, the actual volume discharged is greater than the measured volume.



It is believed that the greater than usual discharge volumes measured in March, April, and May 2008, are due to the greater precipitation that occurred this spring compared to previous years.

Section 5.0 of the O&M Manual describes the procedures to be followed in case pumping of the GWS needs to be stopped to prevent the discharge of untreated water from the Site by the City POTW (i.e., wet weather shutdown). No wet weather shutdown occurred in the time period from June 2007 to May 2008.

The treatment of the Site groundwater by the City POTW did not require any modifications to the standard operations of the City POTW and did not cause any operational upsets of the City POTW.

## **2.6 GWS MAINTENANCE**

None of the maintenance or service repairs resulted in extended shut-down periods during the June 2007 to May 2008 time period.

One repair that affected the performance monitoring of the GSW was that on March 14, 2008, the flow meter was inspected and the interior was found to be coated with a tar-like substance. Based on the lower than normal readings (see Table 2.11), it appears that the meter was malfunctioning for the time period of September 2007 until March 14, 2008. Taking into consideration that the water levels in the manholes for this time period remained relatively consistent, it is believed that the tar-like coating resulted in measuring lower volumes of pumped groundwater than the actual amount. The meter was cleaned and made operational that day. To ensure more timely maintenance, future notifications will also be provided to City of North Tonawanda Public Works Engineering and Wastewater Treatment Department if anomalies in the discharge volumes are observed.

Based on the lower than normal flow readings for September 2007 through February 2008 (i.e., 23,800 to 59,500 gallons), these readings were not plotted on Figure 2.18 as they are less than (not representative) of the actual volume pumped.

### 3.0 SITE INSPECTIONS

Site inspections were performed on a monthly basis. Copies of the inspection logs for the time period to May 2007 were previously submitted and thus are not being resubmitted with this O&M Report. The monthly inspection logs for June 2007 through May 2008 are included in Appendix A. In summary, the June 2007 to May 2008 inspections identified:

- i) some minor erosion on the river bank north and south of the River North location which is to be repaired in late 2008 or early 2009;
- ii) large rocks had been deliberately placed in the mouth of the River South storm sewer pipe. The rocks were removed at the time of observation; and
- iii) the hydraulic and safety arms of the MH-3 cover required repair. They were repaired on April 24, 2008.

## 4.0 CONCLUSIONS/RECOMMENDATIONS

### 4.1 OPERATION AND MAINTENANCE

The constructed remedy is achieving the remedial action objectives.

### 4.2 MONITORING

The trends in the groundwater TVOC and TSVOC analytical results are relatively consistent with time with five wells having TVOC and TSVOC concentrations  $\leq 12 \mu\text{g/L}$  for the 2007 and 2008 events.

In summary, the recommended groundwater sample collection frequency for the next 4-year period is:



<i>Annual</i>	<i>Once Every 2 Years</i>
MW-8	MW-6
MW-9	MW-7
OGC-3	OGC-1
OGC-4	OGC-2
OGC-6	OGC-5
OGC-7	
OGC-8	

Furthermore, only a few VOCs and SVOCs were infrequently detected at very low level concentrations in the river water samples. Thus, no further sampling of the river water is recommended.

Pursuant to the discharge permit effective January 31, 2007, semi-annual monitoring commenced in September 2007. The trends in the effluent from the GWS to the POTW support the reduction in the sampling frequency from monthly to semi-annual. Flow monitoring will continue to be performed monthly as a check on the operation of the GWS.

### **4.3            NOTIFICATIONS TO CITY OF NORTH TONAWANDA**

Future notifications of anomalies in the discharge volumes will also be provided to the City of North Tonawanda Public Works Engineering and Wastewater Treatment Department to ensure more timely maintenance.



**LEGEND**

- BARRIER WALL
- MH11 — GROUNDWATER COLLECTION SYSTEM
- OGC-1  
● MW-1 MONITORING WELL LOCATION
- ⊠ RIVER SOUTH SURFACE WATER LEVEL MONITORING LOCATION
- △ SURFACE WATER CHEMICAL MONITORING LOCATION

figure 2.1  
**MONITORING NETWORK**  
**GRATWICK-RIVERSIDE PARK SITE**  
*North Tonawanda, New York*






figure 2.2  
 MW-6 TVOC AND TSVOC CONCENTRATIONS  
 GRATWICK-RIVERSIDE PARK SITE  
 North Tonawanda, New York






figure 2.3  
 MW-7 TVOC AND TSVOC CONCENTRATIONS  
 GRATWICK-RIVERSIDE PARK SITE  
 North Tonawanda, New York






figure 2.4  
 MW-8 TVOC AND TSVOC CONCENTRATIONS  
 GRATWICK-RIVERSIDE PARK SITE  
 North Tonawanda, New York








figure 2.5  
 MW-9 TVOC AND TSVOC CONCENTRATIONS  
 GRATWICK-RIVERSIDE PARK SITE  
*North Tonawanda, New York*






figure 2.6  
 OGC-1 TVOC AND TSVOC CONCENTRATIONS  
 GRATWICK-RIVERSIDE PARK SITE  
 North Tonawanda, New York






figure 2.7  
 OGC-2 TVOC AND TSVOC CONCENTRATIONS  
 GRATWICK-RIVERSIDE PARK SITE  
 North Tonawanda, New York






figure 2.8  
 OGC-3 TVOC AND TSVOC CONCENTRATIONS  
 GRATWICK-RIVERSIDE PARK SITE  
*North Tonawanda, New York*






figure 2.9  
 OGC-4 TVOC AND TSVOC CONCENTRATIONS  
 GRATWICK-RIVERSIDE PARK SITE  
 North Tonawanda, New York






figure 2.10  
 OGC-5 TVOC AND TSVOC CONCENTRATIONS  
 GRATWICK-RIVERSIDE PARK SITE  
 North Tonawanda, New York






figure 2.11  
 OGC-6 TVOC AND TSVOC CONCENTRATIONS  
 GRATWICK-RIVERSIDE PARK SITE  
 North Tonawanda, New York






figure 2.12  
 OGC-7 TVOC AND TSVOC CONCENTRATIONS  
 GRATWICK-RIVERSIDE PARK SITE  
 North Tonawanda, New York








figure 2.13  
 OGC-8 TVOC AND TSVOC CONCENTRATIONS  
 GRATWICK-RIVERSIDE PARK SITE  
 North Tonawanda, New York






figure 2.14

EFFLUENT TVOCs AND TSVOCs vs. TIME  
 GRATWICK-RIVERSIDE PARK SITE  
 North Tonawanda, New York






figure 2.15

EFFLUENT pH vs. TIME  
 GRATWICK-RIVERSIDE PARK SITE  
 North Tonawanda, New York






figure 2.16

EFFLUENT TOTAL SUSPENDED SOLIDS vs. TIME  
 GRATWICK-RIVERSIDE PARK SITE  
*North Tonawanda, New York*






figure 2.17

EFFLUENT BOD vs. TIME  
 GRATWICK-RIVERSIDE PARK SITE  
 North Tonawanda, New York






figure 2.18

**EFFLUENT VOLUME vs. TIME**  
**GRATWICK-RIVERSIDE PARK SITE**  
*North Tonawanda, New York*



TABLE 2.1

**GROUNDWATER HYDRAULIC MONITORING LOCATIONS  
OPERATION AND MAINTENANCE  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK**

**INWARD HYDRAULIC GRADIENT MONITORING LOCATIONS**

<b><u>Inner</u></b> <sup>(1)</sup>	<b><u>Outer</u></b>
MH2	Niagara River North (Downstream)
MH6	Niagara River North (Downstream)
MH8	Niagara River Middle
MH12	Niagara River South (Upstream)

**UPWARD HYDRAULIC GRADIENT MONITORING LOCATIONS**

<b><u>Upper</u></b> <sup>(1)</sup>	<b><u>Lower</u></b>
MH3	MW-6
MH8	MW-7
MH11	MW-8
MH14/MH15 <sup>(2)</sup>	MW-9

**FREQUENCY**

- Weekly following GWS startup until six consecutive inward gradients are achieved; and
- Monthly thereafter for the remainder of the initial 2-year period (review after 2 years).
- 2-Year review indicated that the monitoring frequency remain monthly.

Notes:

- (1) These manholes will be monitored twice daily by POTW staff during a wet weather bypass event pursuant to Section 5.0 of the O&M Manual.
- (2) Distance weighted averages of water levels used (MH14 - two thirds and MH15 - one third).

**TABLE 2.2**  
**WATER LEVELS (ft amsl)**  
**GRATWICK-RIVERSIDE PARK SITE**  
**NORTH TONAWANDA, NEW YORK**

<i>Date</i>	<i>MH2</i>	<i>MH3</i>	<i>MH6</i>	<i>OGC-1</i>	<i>MW-6</i>	<i>OGC-5</i>	<i>River North</i>	<i>OGC-6</i>	<i>MH8</i>	<i>MW-7</i>	<i>OGC-2</i>	<i>River Middle</i>	<i>OGC-7</i>
RIM Elevation	573.28	573.81	572.03						572.37				
TOC Elevation (ft amsl)				575.01	575.40	573.82	566.80	576.65		575.57	574.08	566.48	572.49
December 12, 2000	NM			564.26	567.05	563.84	NM	564.24		567.20	564.58	NM	565.24
January 8, 2001	NM		NM	563.94	567.21	563.82	NM	563.84		567.30	564.01	NM	563.90
March 29, 2001	NM		NM	564.19	567.80	563.82	NM	564.10		566.89	564.28	NM	564.12
May 11, 2001	559.31		561.98	564.39	563.53	564.54	564.54	564.25		561.60	564.53	564.38	564.50
May 18, 2001	NM		562.03	564.21	563.08	564.54	564.49	564.25		561.97	564.53	564.33	564.55
May 25, 2001	NM		NM	564.46	562.80	564.52	563.80	564.22		561.71	564.28	563.63	564.50
June 1, 2001	559.34		561.97	564.51	562.74	564.52	563.52	564.20		561.77	564.18	563.47	564.49
June 8, 2001	NM		562.49	564.63	562.65	564.82	564.75	564.36		561.59	564.60	564.68	564.78
June 15, 2001	560.79	560.59	562.60	564.67	562.54	564.76	564.71	564.53	560.53	561.48	564.77	564.71	564.79
June 22, 2001	560.77	560.55	562.53	564.65	562.50	564.72	564.90	564.43	560.44	561.41	564.66	564.86	564.72
June 29, 2001	560.62	560.40	562.42	564.51	562.42	564.66	564.52	564.35	560.38	561.39	564.57	564.48	564.59
July 31, 2001	559.87	559.21	562.90	564.49	562.19	564.71	564.66	564.35	560.25	561.30	564.60	564.68	565.70
August 20, 2001	561.49	561.07	565.23 (1)	564.60	562.09	563.82	564.69	564.46	560.25	561.29	564.77	564.64	564.81
September 28, 2001	561.03	560.56	563.03	564.61	562.13	564.25	564.68	564.48	560.27	561.32	564.79	564.68	564.99
October 22, 2001	561.38	562.36	567.06 (3)	564.61	562.08	564.41	(2)	564.33	560.43	561.37	564.58	564.26	564.33
November 27, 2001	561.45	560.94	564.53	563.95	561.88	563.65	(2)	563.83	560.45	561.36	564.04	563.54	563.87
December 20, 2001	560.96	560.50	564.39	564.47	561.83	564.78	564.69	564.27	559.75	561.25	564.72	564.45	564.86
January 29, 2002	560.74	560.15	563.75	564.09	561.83	563.87	563.89	563.99	560.98	561.89	564.12	563.74	564.01
February 11, 2002	560.80	560.28	564.19	564.22	561.73	563.84	564.03	564.07	561.06	561.50	564.18	563.97	564.19
March 25, 2002	560.55	560.10	563.25	564.10	561.72	563.51	(2)	564.03	560.65	561.60	564.02	563.59	563.83
April 24, 2002	562.54	562.05	564.12	564.60	561.88	564.70	564.61	564.49	561.13	561.95	564.67	564.19	564.72
May 21, 2002	561.74	561.28	564.10	564.79	561.97	564.84	564.76	564.68	560.05	561.38	564.85	564.66	564.84
June 20, 2002	561.67	561.24	565.58	564.74	561.92	564.56	564.58	564.62	560.68	561.54	564.85	564.68	564.80
July 18, 2002	561.46	560.99	564.99	564.78	561.89	565.00	564.89	564.66	560.79	561.65	564.90	564.90	564.93
August 6, 2002	561.26	560.79	565.89	564.86	561.92	564.70	564.65	564.71	561.05	561.93	564.90	564.59	564.85
September 12, 2002	561.60	561.14	565.60	564.80	561.82	565.05	565.04	564.67	561.10	561.99	564.87	564.95	564.97
October 30, 2002	561.63	561.21	566.24	564.18	561.97	563.95	(2)	564.07	561.07	561.95	564.10	563.75	564.00
November 21, 2002	561.12	560.67	554.47 (4)	564.05	562.05	563.94	(2)	563.98	558.03	561.41	564.20	563.71	564.06
December 11, 2002	561.55	561.08	555.09	563.99	562.04	563.85	(2)	563.84	559.95	561.25	563.94	563.72	563.87

## Notes:

- (1) Water level monitored on 09/14/01 was 563.87 ft amsl which provided an inward gradient.
- (2) River level too low to obtain a measurement at the measuring location.
- (3) Water level monitored on 10/27/01 was 563.56 ft. which provided an inward gradient.
- (4) Inspection of the groundwater collection pipe valves in MH6 on November 18, 2002 identified that they were closed. The valves were opened on November 18, 2002 and the water level dropped approximately 6 feet in 10 minutes.



**TABLE 2.2**  
**WATER LEVELS (ft amsl)**  
**GRATWICK-RIVERSIDE PARK SITE**  
**NORTH TONAWANDA, NEW YORK**

<i>Date</i>	<i>OGC-3</i>	<i>MH11</i>	<i>MW-8</i>	<i>River South</i>	<i>MH12</i>	<i>OGC-8</i>	<i>OGC-4</i>	<i>MW-9</i>	<i>MH14</i>	<i>MH15</i>	<i>MH16</i>
RIM Elevation		572.11			572.37				574.30	575.84	574.82
TOC Elevation (ft amsl)	573.35		574.37	568.46		574.01	574.66	576.23			
December 12, 2000	565.07		567.08	NM		564.45	564.85	567.15			
January 8, 2001	563.95		567.29	NM	NM	564.01	564.00	567.35			567.29
March 29, 2001	564.21		567.96	NM	NM	564.24	564.25	568.06			NM
May 11, 2001	564.58		561.95	564.70	564.15	564.63	564.59	562.53			562.45
May 18, 2001	564.59		562.49	564.65	564.12	564.66	564.66	563.05			562.55
May 25, 2001	564.57		561.99	564.80	564.17	564.63	564.60	562.54			562.48
June 1, 2001	564.59		562.06	565.00	564.19	564.66	564.60	562.57			562.51
June 8, 2001	564.87		561.89	565.05	562.45	564.96	564.89	562.47			562.42
June 15, 2001	564.91	561.12	561.69	565.05	562.34	564.93	564.88	562.45	562.32		562.29
June 22, 2001	564.87	561.05	561.54	565.18	562.29	565.00	564.80	562.19	562.32		562.14
June 29, 2001	564.68	560.97	561.46	564.83	561.80	564.75	564.68	562.11	562.45		562.06
July 31, 2001	564.78	560.73	561.19	564.96	560.77	564.85	564.76	562.45	562.45		561.69
August 20, 2001	564.83	560.50	561.05	564.99	560.42	564.88	564.85	561.55	561.72		561.54
September 28, 2001	564.85	560.61	561.07	564.95	560.36	564.87	564.84	561.58	561.70		561.52
October 22, 2001	564.58	560.51	561.27	564.61	560.42	564.61	564.62	561.75	562.10		561.72
November 27, 2001	563.89	559.51	561.30	564.05	560.06	563.89	563.94	561.71	561.87		563.82
December 20, 2001	564.96	561.31	560.73	564.96	560.23	564.99	565.05	561.77	561.89		561.71
January 29, 2002	564.06	Blocked	561.91	563.92	560.29	564.03	564.08	562.31	562.53		562.31
February 11, 2002	564.28	561.23	561.93	564.53	560.24	564.35	564.35	562.52	562.18		562.54
March 25, 2002	563.87	560.97	561.60	564.15	560.34	563.85	563.95	562.45	562.77		562.61
April 24, 2002	564.79	561.41	561.95	564.86	560.63	564.86	564.84	562.96	563.09		562.95
May 21, 2002	564.95	560.35	560.89	565.07	560.89	565.03	564.98	563.11	563.25	562.17	563.10
June 20, 2002	564.85	560.98	561.50	564.88	561.04	564.90	564.94	562.91	562.98	562.00	562.90
July 18, 2002	565.09	561.07	561.80	565.22	560.95	565.17	565.08	562.84	561.83	561.93	562.83
August 6, 2002	564.88	561.33	561.88	564.90	561.07	564.95	564.91	562.75	562.08	561.86	562.75
September 12, 2002	565.09	561.34	561.91	565.25	561.09	565.20	565.05	562.66	562.11	561.75	562.63
October 30, 2002	564.03	561.36	561.95	564.16	561.31	564.14	564.00	562.57	562.68	561.62	562.56
November 21, 2002	564.04	561.49	560.99	564.15	561.44	564.19	564.18	562.74	562.88	561.82	562.73
December 11, 2002	564.01	561.51	560.73	564.14	561.45	564.09	564.02	562.91	563.07	562.01	562.94

## Notes:

- (1) Water level monitored on 09/14/01 was 563.87 ft amsl which provided an inward gradient.  
(2) River level too low to obtain a measurement at the measuring location.  
(3) Water level monitored on 10/27/01 was 563.56 ft. which provided an inward gradient.

**TABLE 2.2**  
**WATER LEVELS (ft amsl)**  
**GRATWICK-RIVERSIDE PARK SITE**  
**NORTH TONAWANDA, NEW YORK**

<i>Date</i>	<i>MH2</i>	<i>MH3</i>	<i>MH6</i>	<i>OGC-1</i>	<i>MW-6</i>	<i>OGC-5</i>	<i>River North</i>	<i>OGC-6</i>	<i>MH8</i>	<i>MW-7</i>	<i>OGC-2</i>	<i>River Middle</i>	<i>OGC-7</i>
RIM Elevation	573.28	573.81	572.03						572.37				
TOC Elevation (ft amsl)				575.01	575.40	573.82	566.80	576.65		575.57	574.08	566.48	572.49
January 16, 2003	561.65	561.20	556.15	564.03	562.27	563.88	(2)	564.12	561.04	561.95	564.27	563.52	564.10
February 25, 2003	561.58	561.10	555.74	563.80	561.85	563.71	(2)	563.67	560.60	561.49	563.81	563.34	563.81
March 14, 2003	561.65	561.17	555.75	563.75	561.69	563.74	(2)	563.61	560.61	561.49	563.77	563.24	563.77
April 14, 2003	561.68	561.22	554.54	564.32	562.42	564.34	564.30	564.17	558.65	561.42	564.39	564.24	564.40
May 8, 2003	561.52	561.03	555.93	564.37	562.38	564.41	564.29	564.21	560.76	561.59	564.36	564.27	564.37
June 19, 2003	562.26	561.83	556.02	564.73	562.43	564.83	564.78	564.59	560.85	561.60	564.77	564.66	564.81
July 21, 2003	561.21	560.46	556.06	564.68	562.31	564.64	564.49	564.58	560.89	561.74	564.81	564.44	564.75
August 28, 2003	561.65	561.20	554.61	564.65	562.21	564.76	564.64	564.51	558.52	561.29	564.67	564.60	564.75
September 30, 2003	561.57	561.10	555.08	564.64	562.53	564.89	(2)	564.49	559.88	561.35	564.76	564.67	564.91
October 20, 2003	561.48	561.07	554.98	564.61	562.52	564.93	(2)	564.45	559.77	561.17	564.68	564.63	564.86
November 3, 2003	561.53	561.08	555.94	564.29	562.33	563.89	(2)	564.11	560.76	561.12	563.56	564.36	564.15
December 23, 2003	561.08	559.49	555.62	564.29	562.30	564.04	(2)	564.17	560.67	561.48	564.33	(2)	564.18
January 21, 2004	(5)	560.33	555.84	565.24	562.32	564.19	(2)	564.12	560.70	561.55	564.30	(2)	564.26
February 12, 2004	(5)	561.08	556.12	563.99	562.16	563.76	(2)	563.87	560.95	561.81	564.00	(2)	563.88
March 4, 2004	561.33	561.13	555.90	564.17	562.21	557.07 (6)	(2)	564.00	560.75	561.61	564.31	(2)	564.19
April 16, 2004	560.05	558.78	554.91	564.59	562.48	564.49	(2)	564.36	559.59	561.71	564.56	564.43	564.56
May 14, 2004	560.17	559.71	554.56	564.49	562.39	564.57	564.55	564.34	559.45	561.70	564.51	564.48	564.54
June 25, 2004	561.64	561.21	555.74	564.76	562.27	564.71	564.68	564.62	560.50	561.42	564.82	564.56	564.78
July 30, 2004	561.79	561.25	555.24	565.01	562.29	565.20	565.20	564.84	560.04	561.31	565.02	565.16	565.14
August 31, 2004	561.37	560.59	555.83	565.06	562.23	565.05	564.98	564.92	560.67	561.56	565.14	564.93	565.17
September 30, 2004	561.48	560.81	555.60	565.11	562.28	565.22	565.00	564.95	560.71	561.49	565.20	565.05	565.20
October 20, 2004	561.65	561.19	555.96	564.65	562.10	564.57	564.45	564.44	560.82	561.69	564.57	564.41	564.57
November 23, 2004	561.50	561.05	554.95	564.17	561.99	564.20	(2)	564.02	559.77	561.21	564.31	(2)	564.28
December 31, 2004	561.60	560.74	556.19	564.58	562.16	564.50	564.68	564.25	561.02	561.80	564.37	564.56	564.40

## Notes:

- (1) Water level monitored on 09/14/01 was 563.87 ft amsl which provided an inward gradient.  
(2) River level too low to obtain a measurement at the measuring location.  
(3) Water level monitored on 10/27/01 was 563.56 ft. which provided an inward gradient.  
(4) Inspection of the groundwater collection pipe valves in MH6 on November 18, 2002 identified that they were closed. The valves were opened on November 18, 2002 and the water level dropped approximately 6 feet in 10 minutes.  
(5) Buried with snow.  
(6) Believed to be erroneous reading.

**TABLE 2.2**  
**WATER LEVELS (ft amsl)**  
**GRATWICK-RIVERSIDE PARK SITE**  
**NORTH TONAWANDA, NEW YORK**

<i>Date</i>	<i>OGC-3</i>	<i>MH11</i>	<i>MW-8</i>	<i>River South</i>	<i>MH12</i>	<i>OGC-8</i>	<i>OGC-4</i>	<i>MW-9</i>	<i>MH14</i>	<i>MH15</i>	<i>MH16</i>
RIM Elevation		572.11			572.37				574.30	575.84	574.82
TOC Elevation (ft amsl)	573.35		574.37	568.46		574.01	574.66	576.23			
January 16, 2003	564.13	561.68	562.00	564.11	561.83	564.14	564.20	563.17	563.37	562.28	563.20
February 25, 2003	563.87	561.60	561.48	564.21	561.56	563.90	563.94	562.89	563.07	562.01	562.91
March 14, 2003	563.79	561.57	561.46	564.11	561.54	563.92	563.91	562.90	563.09	562.05	562.93
April 14, 2003	564.48	558.53	560.98	564.45	561.56	564.54	564.52	563.36	563.54	562.49	563.40
May 8, 2003	564.48	561.03	561.56	564.61	561.61	564.59	564.44	563.07	563.26	562.01	563.11
June 19, 2003	564.92	561.12	561.56	564.96	561.94	564.99	564.95	563.10	563.41	562.25	563.15
July 21, 2003	564.81	561.10	561.69	564.78	562.03	564.84	564.88	562.89	563.03	561.98	562.89
August 28, 2003	564.86	564.37	562.35	564.91	562.19	564.94	564.85	566.17	566.48	566.36	566.59
September 30, 2003	565.02	558.68	560.17	565.08	562.26	565.08	565.02	562.77	562.89	562.02	562.78
October 20, 2003	564.94	558.66	560.02	565.03	562.25	565.05	564.96	562.75	562.88	562.01	562.76
November 3, 2003	564.26	561.01	561.57	564.28	562.52	564.27	564.31	562.85	563.00	561.91	562.83
December 23, 2003	564.24	560.94	561.34	564.36	562.75	564.08	564.28	563.20	563.31	562.28	563.20
January 21, 2004	564.33	(4)	561.47	564.36	562.49	564.41	564.35	562.72	(4)	561.74	562.68
February 12, 2004	563.93	561.23	561.75	564.16	562.30	563.96	563.98	562.88	(4)	561.73	562.66
March 4, 2004	564.25	561.04	561.56	564.26	562.07	564.34	564.35	562.70	562.75	561.75	562.66
April 16, 2004	564.64	559.85	561.38	564.69	561.00	564.74	564.66	562.64	562.79	561.72	562.63
May 14, 2004	564.63	559.87	561.39	564.71	560.80	564.68	564.55	562.71	562.74	561.74	562.67
June 25, 2004	564.85	560.79	561.19	564.91	560.95	564.89	564.89	562.70	562.74	561.76	562.68
July 30, 2004	565.28	560.26	560.71	565.46	561.15	565.33	565.21	562.70	561.13	561.74	562.67
August 31, 2004	565.26	560.94	561.39	565.25	561.35	565.31	565.27	562.95	563.08	562.02	562.93
September 30, 2004	565.29	561.00	561.43	565.30	561.25	565.40	565.26	562.98	562.90	562.20	562.98
October 20, 2004	564.67	561.09	561.56	564.49	561.50	564.76	564.68	562.64	562.82	561.73	562.88
November 23, 2004	564.34	560.05	560.56	564.30	561.57	564.38	564.40	562.71	561.04	561.62	562.69
December 31, 2004	564.69	561.23	561.75	564.81	561.81	564.78	564.55	562.71	562.05	561.77	562.69

## Notes:

- (1) Water level monitored on 09/14/01 was 563.87 ft amsl which provided an inward gradient.
- (2) River level too low to obtain a measurement at the measuring location.
- (3) Water level monitored on 10/27/01 was 563.56 ft. which provided an inward gradient.
- (4) Buried with snow.

**TABLE 2.2**  
**WATER LEVELS (ft amsl)**  
**GRATWICK-RIVERSIDE PARK SITE**  
**NORTH TONAWANDA, NEW YORK**

<i>Date</i>	<i>MH2</i>	<i>MH3</i>	<i>MH6</i>	<i>OGC-1</i>	<i>MW-6</i>	<i>OGC-5</i>	<i>River North</i>	<i>OGC-6</i>	<i>MH8</i>	<i>MW-7</i>	<i>OGC-2</i>	<i>River Middle</i>	<i>OGC-7</i>
RIM Elevation	573.28	573.81	572.03						572.37				
TOC Elevation (ft amsl)				575.01	575.40	573.82	566.80	576.65		575.57	574.08	566.48	572.49
January 28, 2005	562.60	562.15	556.22	564.68	562.27	564.62	(2)	564.53	561.06	561.85	564.67	564.32	564.71
February 28, 2005	561.05	559.96	555.58	564.58	562.14	564.68	(7)	564.48	560.47	561.46	564.21	564.46	564.76
March 31, 2005	561.25	559.94	555.93	564.55	562.04	564.40	(2)	564.38	560.78	561.66	564.63	564.08	564.49
April 20, 2005	560.20	559.54	556.01	565.01	562.26	564.94	564.83	564.84	560.89	561.76	565.01	564.71	565.05
May 27, 2005	560.23	558.92	555.82	564.71	562.24	564.79	564.78	564.63	560.65	561.55	564.78	564.74	564.91
June 24, 2005	561.50	561.09	555.16	564.71	562.22	564.85	564.73	564.61	559.92	561.47	564.78	564.70	564.85
July 29, 2005	562.70	562.26	556.56	564.79	562.11	564.95	564.82	564.65	561.39	562.27	564.87	564.85	564.98
August 31, 2005	561.62	560.64	556.24	564.68	562.09	564.71	(2)	564.59	561.07	561.94	564.79	564.54	564.82
October 3, 2005	561.52	560.54	555.41	564.75	562.24	564.85	564.80	564.62	560.20	561.40	564.78	564.75	564.88
October 31, 2005	561.68	560.73	555.60	564.59	562.34	564.69	564.80	564.44	560.46	561.52	564.64	564.55	564.70
November 22, 2005	561.62	561.20	555.20	564.40	561.67	564.64	(2)	564.28	560.04	561.49	564.44	(2)	564.21
December 23, 2005	562.55	562.09	556.20	564.28	562.45	564.11	(2)	564.22	561.05	561.85	564.42	(2)	564.32
January 27, 2006	562.95	562.53	556.21	564.50	562.97	564.16	(2)	564.32	561.02	561.79	564.41	(2)	564.06
February 28, 2006	563.17	562.26	554.70	564.27	562.90	564.13	(2)	564.31	558.44	561.68	564.37	(2)	564.26
March 24, 2006	562.68	561.77	555.64	564.46	562.86	564.25	(2)	564.32	560.43	561.57	564.46	(2)	564.36
April 21, 2006	562.31	561.84	555.61	564.42	562.76	564.41	(2)	564.32	560.40	561.48	564.49	564.26	564.46
May 30, 2006	562.73	562.30	555.84	564.91	562.50	565.00	564.87	564.80	560.44	561.75	564.95	564.86	565.07
June 26, 2006	561.57	560.63	556.19	563.04	562.37	564.97	564.81	564.92	561.02	561.92	565.15	564.78	565.06
July 31, 2006 (8)	565.18	564.78	558.88	565.14	564.39	565.24	565.09	565.01	563.66	564.54	565.19	565.07	565.28
August 25, 2006	561.64	561.21	556.06	564.72	562.99	564.81	(2)	564.59	560.89	561.82	564.80	564.68	564.87
September 22, 2006	561.46	561.01 <sup>(6)</sup>	555.95	564.88	562.76	564.73	564.70	564.72	560.51	561.99	564.94	564.67	564.88
October 31, 2006	559.98	555.62	556.01	565.03	562.58	564.96	564.82	564.87	559.95	562.09	565.06	564.66	565.03
November 29, 2006	561.35	560.85	555.93	564.30	562.48	564.25	(2)	564.18	560.73	562.01	564.40	(2)	564.35
December 29, 2006	561.52	560.42	555.93	564.46	562.98	564.36	564.82	564.31	560.80	561.89	564.53	(2)	564.49

## Notes:

- (1) Water level monitored on 09/14/01 was 563.87 ft amsl which provided an inward gradient.
- (2) River level too low to obtain a measurement at the measuring location.
- (3) Water level monitored on 10/27/01 was 563.56 ft. which provided an inward gradient.
- (4) Inspection of the groundwater collection pipe valves in MH6 on November 18, 2002 identified that they were closed. The valves were opened on November 18, 2002 and the water level dropped approximately 6 feet in 10 minutes.
- (5) Buried with snow.
- (6) Believed to be erroneous reading.
- (7) Ice on pipe.
- (8) GWS down from July 7 to 31, 2006 because of closed flapper gate in upstream City manhole.

**TABLE 2.2**  
**WATER LEVELS (ft amsl)**  
**GRATWICK-RIVERSIDE PARK SITE**  
**NORTH TONAWANDA, NEW YORK**

<i>Date</i>	<i>MH2</i>	<i>MH3</i>	<i>MH6</i>	<i>OGC-1</i>	<i>MW-6</i>	<i>OGC-5</i>	<i>River North</i>	<i>OGC-6</i>	<i>MH8</i>	<i>MW-7</i>	<i>OGC-2</i>	<i>River Middle</i>	<i>OGC-7</i>
RIM Elevation	573.28	573.81	572.03						572.37				
TOC Elevation (ft amsl)				575.01	575.40	573.82	566.80	576.65		575.57	574.08	566.48	572.49
January 26, 2007	561.39	560.92	556.04	564.62	562.78	564.75	(2)	563.79	560.89	562.06	564.67	564.46	564.77
February 27, 2007	561.53	560.57	556.23	564.32	562.49	564.25	(2)	564.15	561.07	561.96	564.35	(7)	564.33
March 30, 2007	560.25	559.45	556.24	564.49	562.30	564.40	(2)	564.27	561.09	562.05	564.46	564.28	564.48
April 30, 2007	560.99	559.39	556.31	564.97	562.62	564.97	564.82	564.78	561.14	562.20	564.96	564.78	565.07
May 25, 2007	560.85	559.85	556.12	564.67	562.48	565.73	(2)	564.54	561.02	562.05	564.75	564.67	564.75
June 29, 2007	560.85	558.83	556.45	564.70	562.32	564.78	(2)	564.54	561.26	562.16	564.81	564.64	564.79
July 25, 2007	561.49	560.54	556.24	564.43	562.13	564.55	(2)	564.26	561.02	561.94	564.47	564.41	564.53
August 31, 2007	561.10	559.62	556.22	564.43	561.93	564.56	(2)	564.29	561.04	561.95	564.55	564.44	564.65
September 27, 2007	561.49	561.05	556.02	564.44	561.86	564.44	(2)	564.34	560.47	562.01	564.58	564.27	564.56
October 31, 2007	561.57	560.69	556.17	564.08	562.02	563.88	(2)	564.01	561.08	562.00	564.16	(2)	564.03
November 30, 2007	561.59	560.58	555.84	564.25	562.22	564.03	(2)	564.09	560.68	561.80	564.42	(2)	564.31
December 31, 2007	561.18	559.69	555.58	564.29	562.48	564.07	(2)	564.09	559.37	561.88	564.28	(2)	564.23
January 28, 2008	561.48	559.46	556.14	564.22	562.68	563.99	(2)	564.13	560.99	561.95	564.25	563.68	564.12
February 29, 2008	561.48	560.45	555.99	564.67	562.38	564.68	(2)	564.56	560.02	562.06	564.75	564.50	564.77
March 31, 2008	561.71	560.74	556.10	564.93	562.33	564.62	(2)	564.58	560.06	562.54	564.81	564.48	564.80
April 25, 2008	561.85	559.67	556.27	564.71	562.73	564.71	(2)	564.59	561.10	562.07	564.78	564.64	564.81
May 29, 2008	562.00	559.26	556.65	564.72	562.66	564.73	(2)	564.59	561.39	562.28	564.77	564.75	564.84

Notes:

- (1) Water level monitored on 09/14/01 was 563.87 ft amsl which provided an inward gradient.
- (2) River level too low to obtain a measurement at the measuring location.
- (3) Water level monitored on 10/27/01 was 563.56 ft. which provided an inward gradient.
- (4) Inspection of the groundwater collection pipe valves in MH6 on November 18, 2002 identified that they were closed. The valves were opened on November 18, 2002 and the water level dropped approximately 6 feet in 10 minutes.
- (5) Buried with snow.
- (6) Believed to be erroneous reading.
- (7) Ice on pipe.
- (8) GWS down from July 7 to 31, 2006 because of closed flapper gate in downstream City manhole.

**TABLE 2.2**  
**WATER LEVELS (ft amsl)**  
**GRATWICK-RIVERSIDE PARK SITE**  
**NORTH TONAWANDA, NEW YORK**

<i>Date</i>	<i>OGC-3</i>	<i>MH11</i>	<i>MW-8</i>	<i>River South</i>	<i>MH12</i>	<i>OGC-8</i>	<i>OGC-4</i>	<i>MW-9</i>	<i>MH14</i>	<i>MH15</i>	<i>MH16</i>
RIM Elevation		572.11			572.37				574.30	575.84	574.82
TOC Elevation (ft amsl)	573.35		574.37	568.46		574.01	574.66	576.23			
January 28, 2005	564.77	561.33	561.82	564.69	561.92	564.79	564.90	562.75	(4)	561.01	562.71
February 28, 2005	564.84	560.74	561.25	564.79	562.05	564.88	564.94	562.78	(4)	561.55	562.77
March 31, 2005	564.54	561.06	561.60	564.56	562.11	564.59	564.65	563.12	563.26	562.21	563.11
April 20, 2005	565.13	561.15	561.65	565.15	562.26	565.19	565.21	563.21	562.72	562.28	563.20
May 27, 2005	564.99	561.13	561.42	565.02	562.29	565.08	565.08	563.12	563.25	562.19	563.11
June 24, 2005	564.98	560.18	560.76	564.92	562.40	565.06	565.00	562.85	562.93	561.91	562.82
July 29, 2005	565.09	561.17	562.15	565.15	562.51	565.14	561.33	562.88	563.03	561.98	562.87
August 31, 2005	564.88	561.31	561.85	564.88	562.75	564.90	564.96	562.91	563.01	561.98	562.86
October 3, 2005	564.99	560.43	560.95	565.11	562.90	565.07	564.97	563.20	563.26	562.24	563.13
October 31, 2005	564.83	560.71	561.25	565.00	563.15	564.96	564.82	563.39	563.50	562.43	563.35
November 22, 2005	564.26	560.31	561.00	564.18	563.29	564.26	564.35	563.53	563.69	562.25	563.53
December 23, 2005	564.35	561.30	561.84	564.26	563.46	564.32	564.48	563.50	563.67	562.60	563.52
January 27, 2006	564.34	561.26	561.76	564.36	563.61	564.42	564.42	563.90	564.08	563.02	563.92
February 28, 2006	564.32	558.38	561.23	564.29	563.73	564.34	564.38	563.94	564.09	563.02	563.96
March 24, 2006	564.39	560.60	561.16	564.44	563.47	564.45	564.50	563.83	564.02	562.96	563.88
April 21, 2006	564.54	560.63	561.15	564.64	563.49	564.60	564.55	563.65	563.77	562.68	563.61
May 30, 2006	565.18	560.28	561.03	565.24	563.61	565.26	565.25	563.48	563.54	562.53	563.44
June 26, 2006	565.12	561.26	561.75	565.13	563.70	565.15	565.19	563.41	563.52	562.43	563.37
July 31, 2006 (5)	565.44	564.03	564.30	565.45	563.92	565.49	565.45	564.08	564.20	563.15	564.07
August 25, 2006	564.98	561.10	561.57	565.10	563.98	565.26	561.81	563.38	564.62	562.43	563.42
September 22, 2006	564.94	559.81	561.20	565.04	564.29	565.01	564.95	562.73	562.83	561.67	562.54
October 31, 2006	565.11	558.19	561.78	565.07	564.77	565.14	565.16	564.40	564.51	563.36	564.36
November 29, 2006	564.42	560.54	561.69	564.41	564.87	566.44	564.50	562.10	561.27	559.66	561.85
December 29, 2006	564.55	560.96	561.46	564.54	561.89	564.64	564.64	561.90	561.95	560.86	561.71

## Notes:

- (1) Water level monitored on 09/14/01 was 563.87 ft amsl which provided an inward gradient.
- (2) River level too low to obtain a measurement at the measuring location.
- (3) Water level monitored on 10/27/01 was 563.56 ft. which provided an inward gradient.
- (4) Buried with snow.
- (5) Buried with snow.

**TABLE 2.2**  
**WATER LEVELS (ft amsl)**  
**GRATWICK-RIVERSIDE PARK SITE**  
**NORTH TONAWANDA, NEW YORK**

<i>Date</i>	<i>OGC-3</i>	<i>MH11</i>	<i>MW-8</i>	<i>River South</i>	<i>MH12</i>	<i>OGC-8</i>	<i>OGC-4</i>	<i>MW-9</i>	<i>MH14</i>	<i>MH15</i>	<i>MH16</i>
RIM Elevation		572.11			572.37				574.30	575.84	574.82
TOC Elevation (ft amsl)	573.35		574.37	568.46		574.01	574.66	576.23			
January 26, 2007	564.89	561.09	561.73	564.96	560.86	564.99	565.49	563.41	563.52	562.36	563.39
February 27, 2007	564.43	561.16	561.86	564.46	559.97	564.47	564.47	562.64	562.77	561.73	562.62
March 30, 2007	564.58	561.36	561.85	564.65	560.20	564.67	564.64	562.66	561.87	558.93	561.72
April 30, 2007	565.20	561.29	561.77	565.26	559.05	565.26	565.22	562.13	562.22	561.13	562.05
May 25, 2007	564.89	561.12	561.61	564.98	560.04	565.00	564.94	562.10	562.20	561.14	563.09
June 29, 2007	564.90	561.39	561.79	564.98	560.14	565.00	564.95	562.12	562.17	561.18	562.08
July 25, 2007	564.65	561.18	561.55	564.79	560.16	564.76	564.61	562.03	562.13	561.07	561.98
August 31, 2007	564.72	561.28	561.73	564.80	560.23	564.84	564.76	562.05	561.54	561.07	562.01
September 27, 2007	564.65	559.56	561.79	564.48	560.40	561.53	564.66	562.05	562.18	561.09	562.01
October 31, 2007	564.09	561.36	561.86	564.06	560.56	564.12	564.12	562.09	562.21	561.14	562.10
November 30, 2007	564.33	561.00	562.30	564.25	560.68	564.35	564.42	562.05	561.67	559.55	561.98
December 31, 2007	564.28	558.54	561.56	564.20	560.78	564.53	564.35	562.16	562.19	561.12	562.01
January 28, 2008	564.15	561.30	561.80	564.01	560.93	564.20	564.23	562.78	562.89	561.82	562.74
February 29, 2008	564.84	559.51	561.89	564.80	560.69	564.90	564.90	562.17	562.24	561.20	562.11
March 31, 2008	564.61	558.99	561.89	564.84	560.76	564.98	564.97	562.24	561.58	561.18	562.08
April 25, 2008	564.94	561.39	561.90	565.05	560.84	565.02	564.92	562.56	562.70	561.65	562.57
May 29, 2008	564.95	561.50	561.82	565.01	560.92	565.01	564.96	562.14	562.22	561.16	562.07

Notes:

- (1) Water level monitored on 09/14/01 was 563.87 ft amsl which provided an inward gradient.
- (2) River level too low to obtain a measurement at the measuring location.
- (3) Water level monitored on 10/27/01 was 563.56 ft. which provided an inward gradient.
- (4) Buried with snow.
- (5) Buried with snow.

TABLE 2.3

**SUMMARY OF HORIZONTAL GRADIENTS  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK**

<i>Date Monitored</i>		<u>5/11/2001</u>		<u>5/18/2001</u>		<u>5/25/2001</u>		<u>6/1/2001</u>		<u>6/8/2001</u>		<u>6/15/2001</u>	
		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>
<i>Monitoring Location</i>													
Outer	River North	564.54	Inward	564.49	NA	563.80	NA	563.52	Inward	564.75	NA	564.71	Inward
Inner	MH2	559.31		NM		NM		559.34		NM		560.79	
Outer	River North	564.54	Inward	564.49	Inward	563.80	NA	563.52	Inward	564.75	Inward	564.71	Inward
Inner	MH6	561.98		562.03		NM		561.97		562.49		562.60	
Outer	River Middle	564.38	NA	564.33	NA	563.63	NA	563.47	NA	564.68	NA	564.71	Inward
Inner	MH8	NM		NM		NM		NM		NM		560.53	
Outer	River South	564.70	Inward	564.65	Inward	564.80	Inward	565.00	Inward	565.05	Inward	565.05	Inward
Inner	MH12	564.15		561.12		564.17		564.19		562.45		562.34	

<i>Date Monitored</i>		<u>6/22/2001</u>		<u>6/29/2001</u>		<u>7/31/2001</u>		<u>8/20/2001</u>		<u>9/28/2001</u>		<u>10/22/2001</u>	
		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>
<i>Monitoring Location</i>													
Outer	River North	564.90	Inward	564.52	Inward	564.66	Inward	564.69	Inward	564.68	Inward	564.36 (2)	Inward
Inner	MH2	560.77		560.62		559.87		561.49		561.03		561.38	
Outer	River North	564.90	Inward	564.52	Inward	564.66	Inward	564.69	(1) Outward	564.68	Inward	564.36 (2)	Outward
Inner	MH6	562.53		562.42		562.90		565.23		563.03		567.06	
Outer	River Middle	564.86	Inward	564.48	Inward	564.68	Inward	564.64	Inward	564.68	Inward	564.26	Inward
Inner	MH8	560.44		560.38		560.25		560.25		560.27		560.43	
Outer	River South	565.18	Inward	564.83	Inward	564.96	Inward	564.99	Inward	564.95	Inward	564.61	Inward
Inner	MH12	562.29		561.80		560.77		560.42		560.36		560.42	

Notes:

- (1) Water level monitored on 9/14/01 was 563.87 ft amsl which provided an inward gradient.
  - (2) River level too low to obtain a measurement at the monitoring location. Water level shown is River South Water level minus 0.25 feet.
  - (3) Valves in MH6 were opened on November 18, 2002.
  - (4) Snow covered well, could not locate.
- NM - Not Measured  
NA - Not Applicable



TABLE 2.3

**SUMMARY OF HORIZONTAL GRADIENTS  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK**

<i>Date Monitored</i>		<u>11/27/2001</u>		<u>12/20/2001</u>		<u>1/29/2002</u>		<u>2/11/2002</u>		<u>3/25/2002</u>		<u>4/24/2002</u>	
		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>
<i>Monitoring Location</i>													
Outer	River North	563.80 (2)	Inward	564.69	Inward	563.89	Inward	564.03	Inward	563.90 (2)	Inward	564.61	Inward
Inner	MH2	561.45		560.96		560.74		560.80		560.55		562.54	
Outer	River North	563.80 (2)	Outward	564.69	Inward	563.89	Inward	564.03	Outward	563.90 (2)	Inward	564.61	Inward
Inner	MH6	564.53		564.39		563.75		564.19		563.25		564.12	
Outer	River Middle	563.54	Inward	564.45	Inward	563.74	Inward	563.97	Inward	563.59	Inward	564.19	Inward
Inner	MH8	560.45		559.75		560.98		561.06		560.65		561.13	
Outer	River South	564.05	Inward	564.96	Inward	563.92	Inward	564.53	Inward	564.15	Inward	564.86	Inward
Inner	MH12	560.06		560.23		560.29		560.28		560.34		560.63	

<i>Date Monitored</i>		<u>5/21/2002</u>		<u>6/20/2002</u>		<u>7/18/2002</u>		<u>8/6/2002</u>		<u>9/12/2002</u>		<u>10/30/2002</u>	
		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>
<i>Monitoring Location</i>													
Outer	River North	564.76	Inward	564.58	Inward	564.89	Inward	564.65	Inward	565.04	Inward	563.91 (2)	Inward
Inner	MH2	561.74		561.67		561.46		561.26		561.60		561.63	
Outer	River North	564.76	Inward	564.58	Outward	564.89	Outward	564.65	Outward	565.04	Outward	563.91 (2)	Outward
Inner	MH6	564.10		565.58		564.99		565.89		565.60		566.24	
Outer	River Middle	564.66	Inward	564.68	Inward	564.90	Inward	564.59	Inward	564.95	Inward	563.75	Inward
Inner	MH8	560.05		560.68		560.79		561.05		561.10		561.07	
Outer	River South	565.07	Inward	564.88	Inward	565.22	Inward	564.90	Inward	565.25	Inward	564.16	Inward
Inner	MH12	560.84		561.04		560.95		561.07		561.09		561.31	

## Notes:

- (1) Water level monitored on 9/14/01 was 563.87 ft amsl which provided an inward gradient.  
(2) River level too low to obtain a measurement at the monitoring location. Water level shown is River South Water level minus 0.25 feet.  
(3) Valves in MH6 were opened on November 18, 2002.  
(4) Snow covered well, could not locate.  
NM - Not Measured  
NA - Not Applicable

TABLE 2.3

**SUMMARY OF HORIZONTAL GRADIENTS  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK**

<i>Date Monitored</i>		<u>11/21/2002</u>		<u>12/11/2002</u>		<u>1/16/2003</u>		<u>2/25/2003</u>		<u>3/14/2003</u>		<u>4/14/2003</u>	
		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>
<i>Monitoring Location</i>													
Outer	River North	563.90 (2)	Inward	563.89 (2)	Inward	563.86 (2)	Inward	563.96 (2)	Inward	563.86 (2)	Inward	564.30	Inward
Inner	MH2	561.12		561.55		561.65		561.58		561.65		561.68	
Outer	River North	563.90 (2)	Inward	563.89 (2)	Inward	563.86 (2)	Inward	563.96 (2)	Inward	563.86 (2)	Inward	564.30	Inward
Inner	MH6	554.47 (3)		555.09		556.15		555.74		555.75		554.54	
Outer	River Middle	563.71	Inward	563.72	Inward	563.52	Inward	563.34	Inward	563.24	Inward	564.24	Inward
Inner	MH8	558.03		559.95		561.04		560.60		560.61		558.65	
Outer	River South	564.15	Inward	564.14	Inward	564.11	Inward	564.21	Inward	564.11	Inward	564.45	Inward
Inner	MH12	561.44		561.45		561.83		561.26		561.54		561.56	

<i>Date Monitored</i>		<u>5/8/2003</u>		<u>6/19/2003</u>		<u>7/21/2003</u>		<u>8/28/2003</u>		<u>9/30/2003</u>		<u>10/30/2003</u>	
		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>
<i>Monitoring Location</i>													
Outer	River North	564.61	Inward	564.78	Inward	564.49	Inward	564.64	Inward	564.83 (2)	Inward	564.78 (2)	Inward
Inner	MH2	561.52		562.26		561.21		561.65		561.65		561.48	
Outer	River North	564.61	Inward	564.78	Inward	564.49	Inward	564.64	Inward	564.83 (2)	Inward	564.78 (2)	Inward
Inner	MH6	555.93		556.02		556.06		554.61		554.61		554.98	
Outer	River Middle	564.27	Inward	564.66	Inward	564.44	Inward	564.6	Inward	564.6	Inward	564.63	Inward
Inner	MH8	560.76		560.85		560.89		558.52		558.52		559.77	
Outer	River South	564.61	Inward	564.96	Inward	564.78	Inward	564.91	Inward	565.08	Inward	565.03	Inward
Inner	MH12	561.61		561.94		562.03		562.19		562.26		562.25	

Notes:

- (1) Water level monitored on 9/14/01 was 563.87 ft amsl which provided an inward gradient.
  - (2) River level too low to obtain a measurement at the monitoring location. Water level shown is River South Water level minus 0.25 feet.
  - (3) Valves in MH6 were opened on November 18, 2002.
  - (4) Snow covered well, could not locate.
- NM - Not Measured  
NA - Not Applicable

TABLE 2.3

**SUMMARY OF HORIZONTAL GRADIENTS  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK**

<i>Date Monitored</i>		<u>11/21/2003</u>		<u>12/11/2003</u>		<u>1/16/2004</u>		<u>2/25/2004</u>		<u>3/14/2004</u>		<u>4/14/2004</u>	
		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>
<i>Monitoring Location</i>													
Outer	River North	564.03 (2)	Inward	564.11 (2)	Inward	564.11 (2)		563.91 (2)		564.01 (2)	Inward	564.44 (2)	Inward
Inner	MH2	561.53		561.08		(4)		(4)		561.33		560.05	
Outer	River North	564.03 (2)	Inward	564.11 (2)	Inward	564.11 (2)	Inward	563.91 (2)	Inward	564.01 (2)	Inward	564.44 (2)	Inward
Inner	MH6	555.94		555.82		555.84		556.12		555.9		554.91	
Outer	River Middle	564.36	Inward	564.11 (2)	Inward	564.11 (2)	Inward	563.91 (2)	Inward	564.01 (2)	Inward	564.43	Inward
Inner	MH8	560.76		560.67		560.7		560.95		560.75		559.59	
Outer	River South	564.28	Inward	564.36	Inward	564.36	Inward	564.16	Inward	564.26	Inward	564.69	Inward
Inner	MH12	562.52		562.75		562.49		562.3		562.07		561	

<i>Date Monitored</i>		<u>5/14/2004</u>		<u>6/25/2004</u>		<u>7/30/2004</u>		<u>8/31/2004</u>		<u>9/30/2004</u>		<u>10/20/2004</u>	
		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>
<i>Monitoring Location</i>													
Outer	River North	564.55	Inward	564.68	Inward	565.20	Inward	564.98	Inward	565.00	Inward	564.45	Inward
Inner	MH2	560.17		561.64		561.79		561.37		561.48		561.65	
Outer	River North	564.55	Inward	564.68	Inward	565.20	Inward	564.98	Inward	565.00	Inward	564.45	Inward
Inner	MH6	554.56		555.74		555.24		555.83		555.60		555.96	
Outer	River Middle	564.48	Inward	564.56	Inward	565.16	Inward	564.93	Inward	565.05	Inward	564.41	Inward
Inner	MH8	559.45		560.50		560.04		560.67		560.71		560.82	
Outer	River South	564.71	Inward	564.91	Inward	565.46	Inward	565.25	Inward	565.30	Inward	564.49	Inward
Inner	MH12	560.80		560.95		561.15		561.35		561.25		561.50	

Notes:

- (1) Water level monitored on 9/14/01 was 563.87 ft amsl which provided an inward gradient.
  - (2) River level too low to obtain a measurement at the monitoring location. Water level shown is River South Water level minus 0.25 feet.
  - (3) Valves in MH6 were opened on November 18, 2002.
  - (4) Snow covered well, could not locate.
- NM - Not Measured  
NA - Not Applicable

**TABLE 2.3**  
**SUMMARY OF HORIZONTAL GRADIENTS**  
**GRATWICK-RIVERSIDE PARK SITE**  
**NORTH TONAWANDA, NEW YORK**

<i>Date Monitored</i>		<u>11/23/2004</u>		<u>12/31/2004</u>		<u>1/28/2005</u>		<u>2/28/2005</u>		<u>3/31/2005</u>		<u>4/29/2005</u>	
		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>
<i>Monitoring Location</i>													
Outer	River North	564.05 (2)	Inward	564.68	Inward	564.44 (2)	Inward	(6) NA		564.31 (2)	Inward	564.83	Inward
Inner	MH2	561.50		561.60		562.60		561.05		561.25		560.20	
Outer	River North	564.05 (2)	Inward	564.68	Inward	564.44 (2)	Inward	(6) NA		564.31 (2)	Inward	564.83	Inward
Inner	MH6	554.95		556.19		556.22		555.58		555.93		556.01	
Outer	River Middle	564.18 (5)	Inward	564.56	Inward	564.32	Inward	564.46	Inward	564.08	Inward	564.71	Inward
Inner	MH8	559.77		561.02		561.06		560.47		560.78		560.89	
Outer	River South	564.30	Inward	564.81	Inward	564.69	Inward	564.79	Inward	564.56	Inward	565.15	Inward
Inner	MH12	561.57		561.81		561.92		562.05		562.11		562.26	

<i>Date Monitored</i>		<u>5/27/2005</u>		<u>6/24/2005</u>		<u>7/29/2005</u>		<u>8/31/2005</u>		<u>10/3/2005</u>		<u>10/31/2005</u>	
		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>
<i>Monitoring Location</i>													
Outer	River North	564.78	Inward	564.73	Inward	564.82	Inward	564.63(2)	Inward	564.80	Inward	564.80	Inward
Inner	MH2	560.23		561.50		562.70		561.62		561.52		561.68	
Outer	River North	564.78	Inward	564.73	Inward	564.82	Inward	564.63(2)	Inward	564.80	Inward	564.80	Inward
Inner	MH6	555.82		555.16		556.56		556.24		555.41		555.60	
Outer	River Middle	564.74	Inward	564.70	Inward	564.85	Inward	564.54	Inward	564.75	Inward	564.55	Inward
Inner	MH8	560.65		559.92		561.39		561.07		560.20		560.46	
Outer	River South	565.02	Inward	564.92	Inward	565.15	Inward	564.88	Inward	565.11	Inward	565.00	Inward
Inner	MH12	562.29		562.40		562.51		562.75		562.90		563.15	

## Notes:

- (1) Water level monitored on 9/14/01 was 563.87 ft amsl which provided an inward gradient.
  - (2) River level too low to obtain a measurement at the monitoring location. Water level shown is River South Water level minus 0.25 feet.
  - (3) Valves in MH6 were opened on November 18, 2002.
  - (4) Snow covered well, could not locate.
- NM - Not Measured  
NA - Not Applicable

TABLE 2.3

SUMMARY OF HORIZONTAL GRADIENTS  
 GRATWICK-RIVERSIDE PARK SITE  
 NORTH TONAWANDA, NEW YORK

Date Monitored		11/22/2005		12/23/2005		01/27/2006		02/28/2006		03/24/2006		04/21/2006	
		Water Level (ft amsl)	Gradient Direction	Water Level (ft amsl)	Gradient Direction	Water Level (ft amsl)	Gradient Direction	Water Level (ft amsl)	Gradient Direction	Water Level (ft amsl)	Gradient Direction	Water Level (ft amsl)	Gradient Direction
<i>Monitoring Location</i>													
Outer	River North	563.93 (2)	Inward	564.01 (2)	Inward	564.11 (2)	Inward	564.04 (2)	Inward	564.19 (2)	Inward	564.39 (2)	Inward
Inner	MH2	561.62		562.55		562.95		563.17		562.68		562.31	
Outer	River North	563.93 (2)	Inward	564.01 (2)	Inward	564.11 (2)	Inward	564.04 (2)	Inward	564.19 (2)	Inward	564.39 (2)	Inward
Inner	MH6	555.20		556.20		556.21		554.70		555.64		555.61	
Outer	River Middle	564.05 (5)	Inward	564.13 (5)	Inward	564.23 (5)	Inward	564.16 (5)	Inward	564.31 (5)	Inward	564.26	Inward
Inner	MH8	560.64		561.05		561.02		558.44		560.43		560.40	
Outer	River South	564.18	Inward	564.26	Inward	564.36	Inward	564.29	Inward	564.44	Inward	564.64	Inward
Inner	MH12	563.29		563.46		563.61		563.73		563.47		563.49	
<i>Monitoring Location</i>													
		05/30/2006		06/26/2006		07/31/2006		08/25/2006		09/22/2006		10/31/2006	
		Water Level (ft amsl)	Gradient Direction	Water Level (ft amsl)	Gradient Direction	Water Level (ft amsl)	Gradient Direction	Water Level (ft amsl)	Gradient Direction	Water Level (ft amsl)	Gradient Direction	Water Level (ft amsl)	Gradient Direction
Outer	River North	564.87	Inward	564.81	Inward	565.09	Outward	564.85 (2)	Inward	564.70	Inward	564.82	Inward
Inner	MH2	562.73		561.57		565.18		561.64		561.46		559.98	
Outer	River North	564.87	Inward	564.81	Inward	565.09	Inward	564.85 (2)	Inward	564.70	Inward	564.82	Inward
Inner	MH6	555.84		556.19		556.19		556.06		555.95		555.62	
Outer	River Middle	564.86	Inward	564.78	Inward	565.07	Inward	564.68	Inward	564.67	Inward	564.66	Inward
Inner	MH8	560.44		561.02		563.66		561.02		561.02		559.95	
Outer	River South	565.24	Inward	565.13	Inward	565.45	Inward	565.10	Inward	565.04	Inward	565.07	Inward
Inner	MH12	563.61		563.70		563.92		563.98		564.29		564.77	

Notes:

- (1) Water level monitored on 9/14/01 was 563.87 ft amsl which provided an inward gradient.
  - (2) River level too low to obtain a measurement at the monitoring location. Water level shown is River South Water level minus 0.25 feet.
  - (3) Valves in MH6 were opened on November 18, 2002.
  - (4) Snow covered well, could not locate.
  - (5) River level too low to obtain a measurement. Water level shown is River South water level minus 0.13 feet.
- NM - Not Measured  
 NA - Not Applicable

TABLE 2.3

SUMMARY OF HORIZONTAL GRADIENTS  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK

		<u>11/29/2006</u>		<u>12/29/2006</u>		<u>01/26/2007</u>		<u>02/27/2007</u>		<u>03/30/2007</u>		<u>04/30/2007</u>	
		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>
<i>Monitoring Location</i>													
Outer	River North	564.16	Inward	564.82	Inward	564.71 (2)	Inward	564.21 (2)	Inward	564.40 (2)	Inward	564.82	Inward
Inner	MH2	561.35		561.52		561.39		561.53		560.25		560.99	
Outer	River North	564.16	Inward	564.82	Inward	564.71 (2)	Inward	564.21 (2)	Inward	564.40 (2)	Inward	564.82	Inward
Inner	MH6	555.93		555.93		556.04		556.23		556.24		556.31	
Outer	River Middle	564.28	Inward	564.41 (1)	Inward	564.46	Inward	564.33 (1)	Inward	564.28	Inward	564.78	Inward
Inner	MH8	560.73		560.80		560.89		561.07		561.09		561.14	
Outer	River South	564.41	Outward	564.54	Inward	564.96	Inward	564.46	Inward	564.65	Inward	565.26	Inward
Inner	MH12	564.87		561.89		560.86		559.97		560.20		559.85	
		<u>05/25/2007</u>		<u>06/29/2007</u>		<u>07/25/2007</u>		<u>08/31/2007</u>		<u>09/27/2007</u>		<u>10/31/2007</u>	
		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>
<i>Monitoring Location</i>													
Outer	River North	564.73 (2)	Inward	564.73 (2)	Inward	564.54 (2)	Inward	564.55(2)	Inward	564.23 (2)	Inward	563.81 (2)	Inward
Inner	MH2	560.85		560.85		561.49		561.10		561.49		561.57	
Outer	River North	564.73 (2)	Inward	564.73 (2)	Inward	564.54 (2)	Inward	564.55 (2)	Inward	564.23 (2)	Inward	563.81 (2)	Inward
Inner	MH6	556.12		556.45		556.24		556.24		556.02		556.17	
Outer	River Middle	564.67	Inward	564.64	Inward	564.41	Inward	564.44	Inward	564.27	Inward	563.98 (1)	Inward
Inner	MH8	561.02		561.26		561.02		561.04		560.47		561.08	
Outer	River South	564.98	Inward	564.98	Inward	564.79	Inward	564.80	Inward	564.48	Inward	564.06	Inward
Inner	MH12	560.04		560.14		560.16		560.23		560.40		560.56	

Notes:

- (1) River level too low to obtain a measurement. Water level shown is River South water level minus 0.13 feet.  
(2) River level too low to obtain a measurement at the monitoring location. Water level shown is River South Water level minus 0.25 feet.

TABLE 2.3

**SUMMARY OF HORIZONTAL GRADIENTS  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK**

		<u>11/30/2007</u>		<u>12/31/2007</u>		<u>01/28/2008</u>		<u>02/29/2008</u>		<u>03/31/2008</u>		<u>04/28/2008</u>	
<i>Monitoring Location</i>		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>	<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>
Outer	River North	564.00 (2)	Inward	563.95 (2)	Inward	563.76 (2)	Inward	564.55 (2)	Inward	564.59 (2)	Inward	564.80 (2)	Inward
Inner	MH2	561.59		561.18		561.48		561.48		561.71		561.85	
Outer	River North	564.00 (2)	Inward	563.95 (2)	Inward	567.76 (2)	Inward	564.55 (2)	Inward	564.59 (2)	Inward	564.80 (2)	Inward
Inner	MH6	555.84		555.58		556.14		555.99		556.10		556.27	
Outer	River Middle	564.12 (1)	Inward	564.07 (1)	Inward	563.68	Inward	564.50	Inward	564.48	Inward	564.64	Inward
Inner	MH8	560.68		559.37		560.99		560.02		560.06		561.10	
Outer	River South	564.25	Inward	564.20	Inward	564.01	Inward	564.80	Inward	564.84	Inward	565.05	Inward
Inner	MH12	560.68		560.78		560.93		560.69		560.76		560.84	

		<u>05/29/2008</u>	
<i>Monitoring Location</i>		<i>Water Level (ft amsl)</i>	<i>Gradient Direction</i>
Outer	River North	564.76 (2)	Inward
Inner	MH2	562.00	
Outer	River North	564.76 (2)	Inward
Inner	MH6	556.65	
Outer	River Middle	564.75	Inward
Inner	MH8	561.39	
Outer	River South	565.01	Inward
Inner	MH12	560.92	

Notes:

(1) River level too low to obtain a measurement. Water level shown is River South water level minus 0.13 feet.

(2) River level too low to obtain a measurement at the monitoring location. Water level shown is River South Water level minus 0.25 feet.

**TABLE 2.4**  
**SUMMARY OF VERTICAL GRADIENTS**  
**GRATWICK-RIVERSIDE PARK SITE**  
**NORTH TONAWANDA, NEW YORK**

<i>Date Monitored</i>		<u>6/15/2001</u>		<u>6/22/2001</u>		<u>6/29/2001</u>		<u>7/31/2001</u>		<u>8/20/2001</u>		<u>9/28/2001</u>		<u>10/22/2001</u>	
<i>Monitoring Location</i>		<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>
		<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>
Upper	MH3	560.59	Upward	560.55	Upward	560.40	Upward	559.21	Upward	561.07	Upward	560.56	Upward	562.36	Downward
Lower	MW-6	562.54		562.50		562.42		562.90		562.09		562.13		562.08	
Upper	MH8	560.53	Upward	560.44	Upward	560.38	Upward	560.25	Upward	560.25	Upward	560.27	Upward	560.43	Upward
Lower	MW-7	561.48		561.41		561.39		561.30		561.29		561.32		561.31	
Upper	MH11	561.12	Upward	561.05	Upward	560.97	Upward	560.73	Upward	560.50	Upward	560.61	Upward	560.51	Upward
Lower	MW-8	561.69		561.54		561.46		561.19		561.05		561.07		561.27	
Upper	MH14	562.32	Upward	562.32	Downward	562.45	Downward	562.45	Neutral	561.72	Downward	561.70	Downward	562.10	Downward
Lower	MW-9	562.45		562.19		562.11		562.45		561.55		561.58		561.77	
Upper	MH15	NM		NM		NM		NM		NM		NM		NM	

<i>Date Monitored</i>		<u>11/27/2001</u>		<u>12/20/2001</u>		<u>1/29/2002</u>		<u>2/11/2002</u>		<u>3/25/2002</u>		<u>4/24/2002</u>		<u>5/21/2002</u>	
<i>Monitoring Location</i>		<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>
		<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>
Upper	MH3	560.94	Upward	560.50	Upward	560.15	Upward	560.28	Upward	560.10	Upward	562.05	Downward	561.28	Upward
Lower	MW-6	561.88		561.83		561.83		561.73		561.72		561.88		561.97	
Upper	MH8	560.45	Upward	559.75	Upward	560.98	Upward	561.06	Upward	560.65	Upward	561.13	Upward	560.05	Upward
Lower	MW-7	561.36		561.25		561.89		561.50		561.60		561.95		561.38	
Upper	MH11	559.51	Upward	561.31	Downward	NM	--	561.23	Upward	560.97	Upward	561.41	Upward	560.35	Upward
Lower	MW-8	561.30		560.73		561.91		561.93		561.60		561.95		560.91	
Upper	MH14	561.87	Downward	561.89	Downward	562.53	Downward	562.18	Upward	562.77	Downward	563.09	Downward	563.25	Downward
Lower	MW-9	561.71		561.77		562.31		562.52		562.64		562.96		563.11	
Upper	MH15	NM		NM		NM		NM		NM		NM		562.17	Upward
Average <sup>(1)</sup>														562.89	Upward

Notes:

NM - Not monitored. MH11 was blocked and could not be accessed.  
(1) - Distance weighted for MH14 (two thirds) and MH15 (one third).



TABLE 2.4  
SUMMARY OF VERTICAL GRADIENTS  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK

<i>Date Monitored</i>		<i>6/20/2002</i>		<i>7/18/2002</i>		<i>8/6/2002</i>		<i>9/12/02</i>		<i>10/30/02</i>		<i>11/21/02</i>		<i>12/11/02</i>	
		<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>
<i>Monitoring Location</i>		<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>
Upper	MH3	561.24	Upward	560.99	Upward	560.79	Upward	561.14	Upward	561.21	Upward	560.67	Upward	561.08	Upward
Lower	MW-6	561.92		561.89		561.92		561.82		561.97		562.05		562.04	
Upper	MH8	560.68	Upward	560.79	Upward	561.05	Upward	561.10	Upward	561.07	Upward	558.03	Upward	559.95	Upward
Lower	MW-7	561.54		561.65		561.93		561.99		561.95		561.41		561.25	
Upper	MH11	560.98	Upward	561.07	Upward	561.33	Upward	561.34	Upward	561.36	Upward	561.49	Downward	561.51	Downward
Lower	MW-8	561.50		561.60		561.88		561.91		561.95		560.99		560.73	
Upper	MH14	562.98	Downward	561.83	Upward	562.08	Upward	562.11	Upward	562.68	Downward	562.88	Downward	563.07	Downward
Lower	MW-9	562.91		562.84		562.75		562.66		562.57		562.74		562.91	
Upper	MH15	562.00	Upward	561.93	Upward	561.86	Upward	561.75	Upward	561.62	Upward	561.82	Upward	562.01	Upward
Average <sup>(1)</sup>		562.65	Upward	561.86	Upward	562.01	Upward	561.99	Upward	562.33	Upward	562.53	Upward	562.72	Upward

## Notes:

NM - Not monitored. MH11 was blocked and could not be accessed.

(1) - Distance weighted for MH14 (two thirds) and MH15 (one third).

**TABLE 2.4**  
**SUMMARY OF VERTICAL GRADIENTS**  
**GRATWICK-RIVERSIDE PARK SITE**  
**NORTH TONAWANDA, NEW YORK**

<i>Date Monitored</i>		<i>1/16/2003</i>		<i>2/25/2003</i>		<i>3/14/03</i>		<i>4/14/03</i>		<i>5/8/03</i>		<i>6/19/03</i>	
<i>Monitoring Location</i>		<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>
		<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>
Upper	MH3	561.20	Upward	561.10	Upward	561.17	Upward	561.22	Upward	561.03	Upward	561.83	Upward
Lower	MW-6	562.27		561.85		561.69		562.42		562.38		562.43	
Upper	MH8	561.04	Upward	560.60	Upward	560.61	Upward	558.65	Upward	560.76	Upward	560.85	Upward
Lower	MW-7	561.95		561.49		561.49		561.42		561.59		561.60	
Upper	MH11	561.68	Upward	561.60	Downward	561.57	Downward	558.53	Upward	561.03	Upward	561.12	Upward
Lower	MW-8	562.00		561.48		561.46		560.98		561.56		561.56	
Upper	MH14	563.37	Downward	563.07	Downward	563.09	Downward	563.54	Downward	563.26	Downward	563.41	Downward
Lower	MW-9	563.17		562.89		562.90		563.36		563.07		563.10	
Upper	MH15	562.28	Upward	562.01	Upward	562.05	Upward	562.49	Upward	561.02	Upward	562.25	Upward
Average <sup>(1)</sup>		563.01	Upward	562.72	Upward	562.74	Upward	563.19	Upward	562.84	Upward	563.02	Upward

<i>Date Monitored</i>		<i>7/21/03</i>		<i>8/28/03</i>		<i>9/30/03</i>		<i>10/20/03</i>		<i>11/03/03</i>		<i>12/23/03</i>	
<i>Monitoring Location</i>		<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>
		<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>
Upper	MH3	560.46	Upward	561.20	Upward	561.10	Upward	561.07	Upward	561.08	Upward	559.49	Upward
Lower	MW-6	562.31		562.21		562.53		562.52		562.33		562.30	
Upper	MH8	560.89	Upward	558.52	Upward	559.88	Upward	559.77	Upward	560.76	Upward	560.67	Upward
Lower	MW-7	561.74		561.29		561.35		561.17		561.12		561.48	
Upper	MH11	561.10	Upward	564.37	Downward	558.68	Upward	558.66	Upward	561.01	Upward	560.94	Upward
Lower	MW-8	561.69		562.35		561.17		560.02		561.57		561.34	
Upper	MH14	563.03	Downward	566.48	Downward	562.89	Downward	562.88	Downward	563.00	Downward	563.31	Downward
Lower	MW-9	562.89		566.17		562.77		562.75		562.85		563.20	
Upper	MH15	561.98	Upward	566.36	Downward	562.02	Upward	562.01	Upward	561.91	Upward	562.28	Upward
Average <sup>(1)</sup>		562.68	Upward	566.44	Downward	562.60	Upward	562.59	Upward	562.64	Upward	562.97	Upward

Notes:

NM - Not monitored. MH11 was blocked and could not be accessed.

(1) - Distance weighted for MH14 (two thirds) and MH15 (one third).

**TABLE 2.4**  
**SUMMARY OF VERTICAL GRADIENTS**  
**GRATWICK-RIVERSIDE PARK SITE**  
**NORTH TONAWANDA, NEW YORK**

<i>Date Monitored</i>		<u>01/21/04</u>		<u>02/12/04</u>		<u>03/04/04</u>		<u>04/16/04</u>		<u>05/14/04</u>		<u>06/25/04</u>	
<i>Monitoring Location</i>		<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>
		<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>
Upper	MH3	560.33	Upward	561.08	Upward	561.13	Upward	558.78	Upward	559.71	Upward	561.21	Upward
Lower	MW-6	562.32		562.16		562.21		562.48		562.39		562.27	
Upper	MH8	560.70	Upward	560.95	Upward	560.75	Upward	559.59	Upward	559.45	Upward	560.50	Upward
Lower	MW-7	561.55		561.81		561.61		561.71		561.70		561.42	
Upper	MH11	(2)	NA	561.23	Upward	561.04	Upward	559.85	Upward	559.87	Upward	560.79	Upward
Lower	MW-8	561.47		561.75		561.56		561.38		561.39		561.19	
Average <sup>(1)</sup>		(2)	NA	(2)	NA	562.08	Upward	562.43	Upward	562.41	Upward	562.41	Upward
Lower	MW-9	562.72		562.68		562.70		562.64		562.71		562.70	

<i>Date Monitored</i>		<u>07/30/04</u>		<u>08/31/04</u>		<u>09/30/04</u>		<u>10/20/04</u>		<u>11/23/04</u>		<u>12/31/04</u>	
<i>Monitoring Location</i>		<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>
		<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>
Upper	MH3	561.25	Upward	560.59	Upward	560.81	Upward	561.19	Upward	561.05	Upward	560.74	Upward
Lower	MW-6	562.29		562.23		562.28		562.10		561.99		562.16	
Upper	MH8	560.04	Upward	560.67	Upward	560.71	Upward	560.82	Upward	559.77	Upward	561.02	Upward
Lower	MW-7	561.31		561.56		561.49		561.19		561.21		561.80	
Upper	MH11	560.26	Upward	560.94	Upward	561.00	Upward	561.09	Upward	560.05	Upward	561.23	Upward
Lower	MW-8	560.71		561.39		561.43		561.56		560.56		561.75	
Average <sup>(1)</sup>		561.33	Upward	562.73	Upward	562.67	Upward	562.46	Upward	561.23	Upward	561.96	Upward
Lower	MW-9	562.70		562.95		562.98		562.64		562.71		562.71	

## Notes:

NA - Not Applicable.

NM - Not monitored. MH11 was blocked and could not be accessed.

(1) - Distance weighted for MH14 (two thirds) and MH15 (one third).

(2) - Buried with snow.

**TABLE 2.4**  
**SUMMARY OF VERTICAL GRADIENTS**  
**GRATWICK-RIVERSIDE PARK SITE**  
**NORTH TONAWANDA, NEW YORK**

<i>Date Monitored</i>		<u>1/28/2005</u>		<u>2/28/2005</u>		<u>3/31/2005</u>		<u>4/29/2005</u>		<u>5/27/2005</u>		<u>6/24/2005</u>	
		<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>
<i>Monitoring Location</i>		<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>
Upper	MH3	562.15	Upward	559.96	Upward	559.94	Upward	559.54	Upward	558.92	Upward	561.09	Upward
Lower	MW-6	562.27		562.14		562.04		562.26		562.24		562.22	
Upper	MH8	561.06	Upward	560.47	Upward	560.78	Upward	560.89	Upward	560.65	Upward	559.92	Upward
Lower	MW-7	561.85		561.46		561.66		561.76		561.55		561.47	
Upper	MH11	561.33	Upward	560.74	Upward	561.06	Upward	561.15	Upward	561.13	Upward	560.18	Upward
Lower	MW-8	561.82		561.25		561.60		561.65		561.42		560.76	
Average <sup>(1)</sup>		(3)	NA	(3)	NA	562.91	Upward	562.57	Upward	562.90	Upward	562.59	Upward
Lower	MW-9	562.75		562.78		563.12		563.21		563.12		562.85	

<i>Date Monitored</i>		<u>7/29/2005</u>		<u>8/31/2005</u>		<u>10/3/2005</u>		<u>10/31/2005</u>		<u>11/22/2005</u>		<u>12/23/2005</u>	
		<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>
<i>Monitoring Location</i>		<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>
Upper	MH3	562.26	Downward	560.64	Upward	560.54	Upward	560.73	Upward	561.20	Upward	562.09	Upward
Lower	MW-6	562.11		562.09		562.24		562.34		561.67		562.45	
Upper	MH8	561.39	Upward	561.07	Upward	560.20	Upward	560.46	Upward	560.04	Upward	561.05	Upward
Lower	MW-7	562.27		561.94		561.40		561.52		561.49		561.85	
Upper	MH11	561.17	Upward	561.31	Upward	560.43	Upward	560.71	Upward	560.31	Upward	561.30	Upward
Lower	MW-8	562.15		561.85		560.95		561.25		561.00		561.84	
Average <sup>(1)</sup>		562.68	Upward	562.67	Upward	562.92	Upward	563.14	Upward	563.33	Upward	563.31	Upward
Lower	MW-9	562.88		562.91		563.20		563.39		563.53		563.50	

## Notes:

NA - Not Applicable.

NM - Not monitored. MH11 was blocked and could not be accessed.

(1) - Distance weighted for MH14 (two thirds) and MH15 (one third).

(2) - Buried with snow.

(3) - Not Monitored - MH14 was buried with snow and could not be accessed.

**TABLE 2.4**  
**SUMMARY OF VERTICAL GRADIENTS**  
**GRATWICK-RIVERSIDE PARK SITE**  
**NORTH TONAWANDA, NEW YORK**

<i>Date Monitored</i>		<i>01/27/2006</i>		<i>02/28/2006</i>		<i>03/24/2006</i>		<i>04/21/2006</i>		<i>05/30/2006</i>		<i>06/26/2006</i>	
		<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>
<i>Monitoring Location</i>		<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>
Upper	MH3	562.53	Upward	562.26	Upward	561.77	Upward	561.84	Upward	562.30	Upward	560.63	Upward
Lower	MW-6	562.97		562.90		562.86		562.76		562.50		562.37	
Upper	MH8	561.02	Upward	558.44	Upward	560.43	Upward	560.40	Upward	560.44	Upward	561.02	Upward
Lower	MW-7	561.79		561.68		561.57		561.48		561.75		561.97	
Upper	MH11	561.26	Upward	558.38	Upward	560.60	Upward	560.63	Upward	560.28	Upward	561.26	Upward
Lower	MW-8	561.76		561.23		561.16		561.15		561.03		561.75	
Average <sup>(1)</sup>		563.73	Upward	563.73	Upward	563.67	Upward	563.41	Upward	563.20	Upward	563.16	Upward
Lower	MW-9	563.90		563.94		563.83		563.65		563.48		563.41	
<i>Date Monitored</i>		<i>07/31/2006</i>		<i>08/25/2006</i>		<i>09/22/2006</i>		<i>10/31/2006</i>		<i>11/29/2006</i>		<i>12/29/2006</i>	
		<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>
<i>Monitoring Location</i>		<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>
Upper	MH3	564.78	Downward	561.21	Upward	561.01	Upward	555.62	Upward	560.85	Upward	560.42	Upward
Lower	MW-6	564.39		564.72		562.76		562.58		562.48		562.98	
Upper	MH8	563.66	Upward	560.89	Upward	560.51	Upward	559.95	Upward	560.73	Upward	560.80	Upward
Lower	MW-7	564.54		561.82		561.99		562.09		562.01		561.89	
Upper	MH11	564.03	Upward	561.10	Upward	559.81	Upward	558.19	Upward	560.54	Upward	560.96	Upward
Lower	MW-8	564.30		561.57		561.20		561.78		561.69		561.46	
Average <sup>(1)</sup>		563.85	Upward	563.89	Downward	562.44	Upward	564.13	Upward	560.73	Upward	561.59	Upward
Lower	MW-9	564.08		563.38		562.73		564.40		562.10		561.90	

## Notes:

NA - Not Applicable.

NM - Not monitored. MH11 was blocked and could not be accessed.

(1) - Distance weighted for MH14 (two thirds) and MH15 (one third).

(2) - Buried with snow.

(3) - Not Monitored - MH14 was buried with snow and could not be accessed.

TABLE 2.4

SUMMARY OF VERTICAL GRADIENTS  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK

Date Monitored		01/26/2007		02/27/2007		03/30/2007		04/30/2007		05/25/2007		06/29/2007	
		Water Level	Gradient	Water Level	Gradient	Water Level	Gradient	Water Level	Gradient	Water Level	Gradient	Water Level	Gradient
Monitoring Location		(ft amsl)	Direction	(ft amsl)	Direction	(ft amsl)	Direction	(ft amsl)	Direction	(ft amsl)	Direction	(ft amsl)	Direction
Upper	MH3	560.92	Upward	560.57	Upward	559.45	Upward	559.39	Upward	559.85	Upward	558.83	Upward
Lower	MW-6	562.78		562.49		562.30		562.62		562.48		562.32	
Upper	MH8	560.89	Upward	560.89	Upward	561.09	Upward	561.14	Upward	561.02	Upward	561.26	Upward
Lower	MW-7	562.06		561.96		562.05		562.20		562.05		562.16	
Upper	MH11	561.09	Upward	561.16	Upward	561.36	Upward	561.29	Upward	561.12	Upward	561.39	Upward
Lower	MW-8	561.73		561.86		561.85		561.77		561.61		561.79	
Average <sup>(1)</sup>		563.13	Upward	562.42	Upward	560.89	Upward	561.86	Upward	561.85	Upward	561.84	Upward
Lower	MW-9	563.41		562.64		562.66		562.13		562.10		562.12	
Monitoring Location		07/25/2007		08/31/2007		09/27/2007		10/31/2007		11/31/2007		12/31/2007	
		Water Level	Gradient	Water Level	Gradient	Water Level	Gradient	Water Level	Gradient	Water Level	Gradient	Water Level	Gradient
Monitoring Location		(ft amsl)	Direction	(ft amsl)	Direction	(ft amsl)	Direction	(ft amsl)	Direction	(ft amsl)	Direction	(ft amsl)	Direction
Upper	MH3	560.54	Upward	559.62	Upward	561.05	Upward	560.69	Upward	560.58	Upward	559.69	Upward
Lower	MW-6	562.13		561.93		561.86		562.02		562.22		562.48	
Upper	MH8	561.02	Upward	561.04	Upward	560.47	Upward	561.08	Upward	560.68	Upward	559.37	Upward
Lower	MW-7	561.94		561.95		562.01		562.00		561.80		561.88	
Upper	MH11	561.18	Upward	561.28	Upward	559.56	Upward	561.36	Upward	561.00	Upward	558.54	Upward
Lower	MW-8	561.55		561.73		561.79		561.86		562.30		561.56	
Average <sup>(1)</sup>		561.78	Upward	561.38	Upward	561.82	Upward	561.85	Upward	560.96	Upward	561.83	Upward
Lower	MW-9	562.03		562.05		562.05		562.09		562.05		562.16	

## Notes:

NA - Not Applicable.

NM - Not monitored. MH11 was blocked and could not be accessed.

(1) - Distance weighted for MH14 (two thirds) and MH15 (one third).

(2) - Buried with snow.

(3) - Not Monitored - MH14 was buried with snow and could not be accessed.

TABLE 2.4  
SUMMARY OF VERTICAL GRADIENTS  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK

Monitoring Location		01/28/2008		02/29/2008		03/31/2008		04/28/2008		05/29/2008	
		Water Level	Gradient	Water Level	Gradient	Water Level	Gradient	Water Level	Gradient	Water Level	Gradient
		(ft amsl)	Direction	(ft amsl)	Direction	(ft amsl)	Direction	(ft amsl)	Direction	(ft amsl)	Direction
Upper	MH3	559.46	Upward	560.45	Upward	560.74	Upward	559.67	Upward	559.26	Upward
Lower	MW-6	562.68		562.38		562.33		562.73		562.66	
Upper	MH8	560.99	Upward	560.02	Upward	560.06	Upward	561.10	Upward	561.39	Upward
Lower	MW-7	561.95		562.06		562.54		562.07		562.28	
Upper	MH11	561.30	Upward	559.51	Upward	558.99	Upward	561.39	Upward	561.50	Upward
Lower	MW-8	561.80		561.89		561.89		561.90		561.82	
Average <sup>(1)</sup>		562.53	Upward	561.89	Upward	561.48	Upward	561.96	Upward	561.87	Upward
Lower	MW-9	562.78		562.17		562.24		562.56		562.14	

## Notes:

NA - Not Applicable.

NM - Not monitored. MH11 was blocked and could not be accessed.

(1) - Distance weighted for MH14 (two thirds) and MH15 (one third).

(2) - Buried with snow.

(3) - Not Monitored - MH14 was buried with snow and could not be accessed.

TABLE 2.5

**GROUNDWATER SAMPLING SUMMARY  
OPERATION AND MAINTENANCE MANUAL  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK**

**LOCATIONS**

OGC1	MW-6
OGC2	MW-7
OGC3	MW-8
OGC4	MW-9
OGC5	OGC6
OGC7	OGC8

**FREQUENCY**

- quarterly for 2 years following GWS startup.
- semi-annually for Year 3 except for OGC-4 (quarterly for SVOCs) and OGC-6 (quarterly for VOCs).
- annually for Years 4 through 7 (until May 2008).

**PROPOSED SAMPLING PROGRAM (UNTIL MAY 2012)**

<i>Annual</i>	<i>Once Every 2 Years</i>
MW-8	MW-6
MW-9	MW-7
OGC-3	OGC-1
OGC-4	OGC-2
OGC-6	OGC-5
OGC-7	
OGC-8	

**PARAMETERS****Volatiles**

Acetone	Methylene Chloride
Benzene	Tetrachloroethene
2-Butanone	Toluene
Chlorobenzene	Trichloroethene
1,1-Dichloroethane	Vinyl Chloride
trans-1,2-Dichloroethene	Xylenes (Total)
Ethylbenzene	

**Semi-Volatiles**

1,2-Dichlorobenzene	4-Methylphenol
1,4-Dichlorobenzene	Naphthalene
2,4-Dimethylphenol	Di-n-octylphthalate
2-Methylphenol	Phenol



TABLE 2.6

**SUMMARY OF DETECTED COMPOUNDS  
SITE GROUNDWATER AND RIVER WATER  
GRATWICK-RIVERSIDE PARK  
NORTH TONAWANDA, NEW YORK**

<i>Location</i>		<i>MW-9</i>														
<i>Date</i>		<i>05/18/01</i>	<i>08/20/01</i>	<i>11/27/01</i>	<i>02/11/02</i>	<i>05/21/02</i>	<i>08/06/02</i>	<i>11/22/02</i>	<i>02/25/03</i>	<i>05/08/03</i>	<i>11/04/03</i>	<i>05/14/04</i>	<i>05/27/05</i>	<i>05/30/06</i>	<i>05/25/07</i>	<i>05/29/08</i>
<i>Class GA Level</i>																
<i>Volatiles (µg/L)</i>																
Acetone	50	9.4J	4.3J	7.3J/6.7J		4.2J	7.0/7.2			13/12			17	17		5.7
Benzene	1		0.24J	0.39J/0.35J		0.44J	0.29J/0.30J	0.29J/0.29J		0.40J/ND0.70				0.54J		
2-Butanone	50													2.6J		
Chlorobenzene	5		0.50J	0.86J/0.85J		1.3		1.0/1.1		0.91J/0.87J		1.1	1.7	1.5	2.8	1.4
trans-1,2-Trichloroethene	5			0.22J/ND		0.31J	0.24J/0.24J	0.22J/0.20J						0.42J		0.55J
Ethylbenzene	5		0.30J	0.46J/0.42J		0.73J	0.44J/0.42J	0.46J/0.46J		0.40J/0.38J				0.83J		
Methylene Chloride	5		0.34J	0.33J/ND	4.0J	0.53J						7.2	1.6			
Tetrachloroethene	5	1.6J	1.1J	1.0J/0.92J		1.6	0.92J/0.80J	0.77J/0.74J		0.67J/0.71J				0.57J		
Toluene	5		1.6J	3.0J/2.5J	2.8J	2.7	2.1/2.0	2.7/2.7	2.0	2.0/1.9	4.6	3.2	2.6		3.1	2.4
Trichloroethene	5	2.2J	1.8J	2.4J/2.2J	3.0J	4.4	2.0/2.0	2.2/2.3		1.8/1.8	9.5	4.9	3.0	1.8	2.9	1.7
Vinyl Chloride	2									1.7/1.7			3.6	4.0		
Total Xylenes	5		1.0J	1.5J/1.5J		2.5J	1.3J/1.3J	1.4J/1.4J		0.98J/1.0J	3.0			2.0J		
<i>Semi-Volatiles (µg/L)</i>																
1,2-Dichlorobenzene	3*				0.6J										0.9J	0.7J
1,4-Dichlorobenzene	3*												2J		3J	1J
2,4-Dimethylphenol	50	12	12	18/17	38		20/22	30/34	30	35/36	36	42	50	58	46	31
2-Methylphenol	NL	1J	3J	3J/3J	7J		4J/4J	6J/6J	6J	6J/6J	6J	5J	8J	8J	6	6
4-Methylphenol	NL	69	110	97/92	230		100/110	190/230	150	130/130	160	190	260	190	170	96
Naphthalene	10														0.2J	0.5J
Di-n-octyl phthalate	50															
Phenol	1	3J	34	28/22	24		38/41	34/35	42	46/46	180	30	27	49	11	13

Notes:

\* Applies to sum of compounds

NL - Not listed

□ Exceeds Class GA Level

NS - Not Sampled

J - Estimated

**TABLE 2.6**  
**SUMMARY OF DETECTED COMPOUNDS**  
**SITE GROUNDWATER AND RIVER WATER**  
**GRATWICK-RIVERSIDE PARK**  
**NORTH TONAWANDA, NEW YORK**

Location Date	Class GA Level	OGC-4																
		05/18/01	08/20/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	3/04/04	05/14/04	11/23/04	05/27/05	05/30/06	05/25/07	05/29/08
<b>Volatiles (µg/L)</b>												NA		NA				
Acetone	50			7.9J			4.0J											
Benzene	1		0.21J	0.2J														
2-Butanone	50																	
Chlorobenzene	5		0.49J	0.66J		0.83J/0.79J		0.46J		0.83J								
trans-1,2-Trichloroethene	5			0.22J														
Ethylbenzene	5		0.41J	0.39J		0.54J/0.53J	0.48J	0.39J		0.77J							0.44J	
Methylene Chloride	5				5.1J/4.9J							4.6		2.0				
Tetrachloroethene	5	1.0J	1.2J	0.87J		0.86J/0.84J	1.1	0.78J		0.77J								
Toluene	5			1.0J		1.0/0.98J	1.4	0.72J		1.2								
Trichloroethene	5	1.6J	1.4J	1.5J		1.5/1.4	1.7	0.96J		1.5							0.53J	
Vinyl Chloride	2																	
Total Xylenes	5		1.0J	0.94J		0.84J/0.82J	1.1J			0.95J								
<b>Semi-Volatiles (µg/L)</b>																		
1,2-Dichlorobenzene	3*																	
1,4-Dichlorobenzene	3*																	
2,4-Dimethylphenol	50	8J	12	6J	8J/6J	7J/7J	8J		7J/7J	8J	4J	6J		4J				0.9J
2-Methylphenol	NL	0.9J	2J	35	2J/ND	1J/2J	2J			3J		3J		2J				0.5J
4-Methylphenol	NL	64	86	40	58/55	61/67	68		69/68	73	32	55		31	14	15	3J	6
Naphthalene	10																	0.5J
Di-n-octyl phthalate	50																	
Phenol	1	310	560	400	420/460	710/1100	1100	1100	2400/2300	1800	1600		2400	1500	850	510	84	66

Notes:

- \* Applies to sum of compounds
- NL - Not listed
- Exceeds Class GA Level
- NS - Not Sampled
- J - Estimated

**TABLE 2.6**  
**SUMMARY OF DETECTED COMPOUNDS**  
**SITE GROUNDWATER AND RIVER WATER**  
**GRATWICK-RIVERSIDE PARK**  
**NORTH TONAWANDA, NEW YORK**

<i>Location</i>		<i>OGC-8</i>														
<i>Date</i>		<i>05/18/01</i>	<i>08/20/01</i>	<i>11/27/01</i>	<i>02/11/02</i>	<i>05/21/02</i>	<i>08/06/02</i>	<i>11/22/02</i>	<i>02/25/03</i>	<i>05/08/03</i>	<i>05/08/03</i>	<i>05/14/04</i>	<i>05/27/05</i>	<i>05/30/06</i>	<i>05/24/07</i>	<i>05/29/08</i>
<i>Class GA Level</i>																
<b>Volatiles (µg/L)</b>																
Acetone	50	78	31/29	19J		4.7J	3.6J				6.2	5.8	4.7J			9.9
Benzene	1	11	14/14	14		2.6	5.3	3.3	3.6	3.1	1.8	1.2	1.1	0.92	0.54J	0.84
2-Butanone	50	4.0J														
Chlorobenzene	5	3.7J	4.1J/4.1J	4.0J		0.87J	1.7	1.1		1.1	0.65J	0.48J	0.43J	0.44J		
trans-1,2-Trichloroethene	5	4.3J	3.2J/3.1J	4.0J		0.76J	1.5	0.88J		1.0	0.50J	0.41J	1.0			
Ethylbenzene	5	13	16/16	15	1.6J	2.8	5.8	3.1	3.9	3.1	1.8	1.2		0.99J	0.53J	0.84J
Methylene Chloride	5		0.52J/0.48J	0.62J	1.8J											
Tetrachloroethene	5	40	51/52	59	7.7J	9.9	22	12	14	11	7.0	5.0	3.8	4.0	2.0	2.3
Toluene	5	140	140/140	110	17J	21	53	28	38	27	16	11	8.1	8.3	4.0	6.4
Trichloroethene	5	120	110/110	110	20J	22	53	27	35	27	17		7.7	7.6	4.0	6.5
Vinyl Chloride	2	3.7J	3.4/3.6	3.1	1.1J	1.1J	1.4	0.70J		0.78J						
Total Xylenes	5	43	55/54	46	4.8J	8.3	18	9.5	11	9.9	5.4	3.7	3.0	3.2	1.1J	2.5J
<b>Semi-Volatiles (µg/L)</b>																
1,2-Dichlorobenzene	3*															
1,4-Dichlorobenzene	3*															0.2J
2,4-Dimethylphenol	50	2J	4J/2J	4J	0.8J	0.8J	3J	1J								1J
2-Methylphenol	NL	18	30/25	16	4J	5J	13	7J	11	7J	4J	2J	2J	3J	2J	2J
4-Methylphenol	NL	30	51/45	28	8J	10	26	14	20	14J	9	5J	6J	8J	6	8
Naphthalene	10	1J	3J/25	1J			0.9J									
Di-n-octyl phthalate	50		0.1J/ND													
Phenol	1	30	49/44	31	5J	8J	11	10		4J	6J	2J				

Notes:

- \* Applies to sum of compounds
- NL - Not listed
- ☐ Exceeds Class GA Level
- NS - Not Sampled
- J - Estimated

**TABLE 2.6**  
**SUMMARY OF DETECTED COMPOUNDS**  
**SITE GROUNDWATER AND RIVER WATER**  
**GRATWICK-RIVERSIDE PARK**  
**NORTH TONAWANDA, NEW YORK**

Location Date	Class GA Level	River South														
		05/18/01	09/17/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/30/06	05/24/07	05/29/08
<b>Volatiles (µg/L)</b>																
Acetone	50						3.0J						3.2J			12
Benzene	1									0.42J						
2-Butanone	50												3.9J			3.1J
Chlorobenzene	5															
trans-1,2-Trichloroethene	5															
Ethylbenzene	5															
Methylene Chloride	5															
Tetrachloroethene	5						0.30J									
Toluene	5			0.29J			0.72J	0.35J			1.8					
Trichloroethene	5						0.44J									
Vinyl Chloride	2						0.27J									
Total Xylenes	5										1.8J					
<b>Semi-Volatiles (µg/L)</b>																
1,2-Dichlorobenzene	3*															
1,4-Dichlorobenzene	3*															
2,4-Dimethylphenol	50															
2-Methylphenol	NL															
4-Methylphenol	NL															
Naphthalene	10															
Di-n-octyl phthalate	50															
Phenol	1															

Notes:

- \* Applies to sum of compounds
- NL - Not listed
- ☐ Exceeds Class GA Level
- NS - Not Sampled
- J - Estimated

**TABLE 2.6**  
**SUMMARY OF DETECTED COMPOUNDS**  
**SITE GROUNDWATER AND RIVER WATER**  
**GRATWICK-RIVERSIDE PARK**  
**NORTH TONAWANDA, NEW YORK**

Location Date	Class GA Level	MW-8														
		05/18/01	08/20/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/30/06	05/24/07	05/29/08
<b>Volatiles (µg/L)</b>																
Acetone	50	52	12J	11J	75J	67	20			73		28/33	26	16	6.6/7.5	23
Benzene	1	6.5	4.3	4.1		8.6	12	12	8.1	12	23/24	10/12	4.2	4.4	1.6/1.5	1.5
2-Butanone	50															4.4J
Chlorobenzene	5	1.8J	1.0J	1.0J		3.2	4.9	4.4	3.6	6.2	6.0/6.4	2.7/3.3	2.4	2.4	0.84J/0.82J	0.54J
trans-1,2-Trichloroethene	5	2.2J	1.8J	2.9J	4.8J	7.3	11	16	12	13	10/12	7.3/9.4	7.4	5.3	4.4/3.9	3.6
Ethylbenzene	5	5.7	3.7J	4.4J	8.2J	12	18	18	15	23	30/32	20/24	4.6	5.8	2.5/2.2	1.8
Methylene Chloride	5	1.1J	0.58J	0.66J	4.4J	1.2	1.4	1.6		1.3	2.2/2.2	7.3/9.2	1.7	0.64J		
Tetrachloroethene	5	21	12	9.8	23J	32	61	58	54	80	91/100	120/130	62	71	16/14	9.5
Toluene	5	75	36	31	80	100	140	160	100	120	240/240	97/120	30	33	12/11	10
Trichloroethene	5	82	40	35	110	180	320	280	210	320	460/460	380/390	180	150	40/36	29
Vinyl Chloride	2	5.2	1.6J	3.3	23	12	18	14	12	18	21/21	13/16	5.8	5.1		
Total Xylenes	5	22	13	16	30J	40	68	69	58	93	120/120	92/110	32	25	9.8/9.1	6.7
<b>Semi-Volatiles (µg/L)</b>																
1,2-Dichlorobenzene	3*				2J	2J		2J		4J	3J/3J					0.4J
1,4-Dichlorobenzene	3*			0.6J	2J	1J	1J	2J		4J	3J/3J	19U/2J	4J	5J	0.5J/0.4J	0.5J
2,4-Dimethylphenol	50	1J	11	16	19	18	15	27	20	27	37/38	15J/14	7J	6J	0.8J/0.6J	14
2-Methylphenol	NL	33	55	41	48	44	38	56	37	35	45/46	18J/18	18J	16	7/7	26
4-Methylphenol	NL	10	32	34	55	60	59	83	64	75	130/130	34/31			18/16	31
Naphthalene	10				0.7J	0.8J	0.8J	1J			2J/2J				22/22	1J
Di-n-octyl phthalate	50															
Phenol	1	43	130	140	85	110	91	110	140	78	80/80	28/28	11J	4J	20/21	32

Notes:

- \* Applies to sum of compounds
- NL - Not listed
- Exceeds Class GA Level
- NS - Not Sampled
- J - Estimated

TABLE 2.6

SUMMARY OF DETECTED COMPOUNDS  
SITE GROUNDWATER AND RIVER WATER  
GRATWICK-RIVERSIDE PARK  
NORTH TONAWANDA, NEW YORK

Location		OGC-3														
Date		05/18/01	08/20/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/30/06	05/24/07	05/29/08
Class GA	Level															
<b>Volatiles (µg/L)</b>																
Acetone	50	13J / 19J	3.8J	15J		7.1	6.7			5.6			10/8.4	2.8J	0.76	6.0
Benzene	1	1.6J / 1.6J	1.6	1.8		1.8	1.2	1.5		1.6	1.4		1.2/1.1	0.93J		0.93
2-Butanone	50															
Chlorobenzene	5		0.24J	0.28J		0.28J		0.22J								
trans-1,2-Trichloroethene	5	1.6J / 1.6J	1.0J	1.4J	1.1J	1.1	0.98J	0.44J		1.0						
Ethylbenzene	5	1.6J / 1.5J	2.0J	2.3J	1.5J	2.4	1.7	1.8		2.0			1.4/1.3	1.1	0.85J	0.92J
Methylene Chloride	5				1.9J							6.3	1.2/1.0			
Tetrachloroethene	5	2.4J / 2.2J	3.0J	2.2J	1.7J	2.2	1.8	1.8		1.5			0.71J/0.63J	0.61J	0.56J	
Toluene	5	5.7 / 5.1	5.9	5.3		5.1	3.7	4.6	4.0	4.3	3.6	2.6	2.6/2.4		1.7	1.8
Trichloroethene	5	20 / 20	18	19	14J	17	14	13	12	14	9.8	7.7	6.4/6.1	5.6	4.3	4.9
Vinyl Chloride	2	ND / 1.0J	0.4	0.72						0.62J						
Total Xylenes	5	5.6J / 5.4J	7.5	8.7	4.8J	7.8	5.8	5.8	5.0	6.6	3.9		3.3/3.0	2.9J	2.1J	2.3J
<b>Semi-Volatiles (µg/L)</b>																
1,2-Dichlorobenzene	3*				1J										0.6J	0.7J
1,4-Dichlorobenzene	3*				0.7J		0.5J									0.6J
2,4-Dimethylphenol	50	5J / 5J	9	8J	11	11	7J	8J	11	12	10	9J	8J/4J	6J	6	6
2-Methylphenol	NL	98 / 96	120	87	160	140	100	100	120	140	150	110	83/73	64	47	45
4-Methylphenol	NL	13 / 13	21	17	28	23	14	15	22	23	20	17	14/12	13	10	11
Naphthalene	10															0.8J
Di-n-octyl phthalate	50															
Phenol	1	120 / 110	140	130J	210	140	85	92	110	120	120	90	78/74	75	60	65

Notes:

- \* Applies to sum of compounds
- NL - Not listed
- ☐ Exceeds Class GA Level
- NS - Not Sampled
- J - Estimated

TABLE 2.6

SUMMARY OF DETECTED COMPOUNDS  
SITE GROUNDWATER AND RIVER WATER  
GRATWICK-RIVERSIDE PARK  
NORTH TONAWANDA, NEW YORK

Location Date	Class GA Level	GW-5S				OGC-7												
		12/17/87	08/12/88	05/18/01	08/20/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/30/06	05/24/07	05/29/08
<b>Volatiles (µg/L)</b>																		
Acetone	50	293		21J	0.25J	8.2J			3.6J									
Benzene	1	2				0.30J		0.28J	0.20J	0.26J			0.34J	0.34J				
2-Butanone	50	27																
Chlorobenzene	5																	
trans-1,2-Trichloroethene	5	180	89	6.3	3.1J	5.4	4.9J	4.8J	4.2	4.7	4.0	5.4	5.0	5.9	4.9	5.8	3.8	
Ethylbenzene	5	9	7	1.1J	0.80J	1.0J		1.3	0.84J	0.91J		1.4	0.93J	1.5	1.4	1.3	0.87J	0.84J
Methylene Chloride	5	1																
Tetrachloroethene	5	11	7	4.3J	3.6J	3.4J	2.9J	4.0	3.4	2.7	2.8	4.1	2.2	4.1	2.9	2.8	1.7	1.2J
Toluene	5	75	49	12	5.8	6.7	5.7J	6.9	5.2	6.0	6.7	8.6	5.8	9.3	8.3	8.6	5.0	4.9J
Trichloroethene	5	287	220	70	40	48	45	68	44	38	50	56	38	56	37J	37	22	21J
Vinyl Chloride	2	7	4	2.6J	0.84	1.7J	3.5J	2.2	1.8	1.8		2.3	2	2.9	3.0	2.9		2.6J
Total Xylenes	5	54	37	6.0J	4.8J	6.5	3.9J	7.6	5.3	5.3	5.5	8.7	5.4	10	8.6	8.2	5.3	5.0J
<b>Semi-Volatiles (µg/L)</b>																		
1,2-Dichlorobenzene	3*		2J															
1,4-Dichlorobenzene	3*																	
2,4-Dimethylphenol	50	10	11		2J													
2-Methylphenol	NL	24	24	3J	2J	1.0J	0.8J	1J									0.6J	0.5J
4-Methylphenol	NL	38				0.9J	0.7J	1J									0.6J	0.4J
Naphthalene	10																	
Di-n-octyl phthalate	50						0.6J											
Phenol	1	61	92	4J	0.7J													

Notes:

- \* Applies to sum of compounds
- NL - Not listed
- Exceeds Class GA Level
- NS - Not Sampled
- J - Estimated

TABLE 2.6

SUMMARY OF DETECTED COMPOUNDS  
 SITE GROUNDWATER AND RIVER WATER  
 GRATWICK-RIVERSIDE PARK  
 NORTH TONAWANDA, NEW YORK

Location Date		River Middle														
		05/18/01	09/17/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/31/06	05/24/07	05/29/08
<b>Volatiles (µg/L)</b>																
	<b>Class GA Level</b>															
Acetone	50						3.1J									2.8J
Benzene	1															
2-Butanone	50															
Chlorobenzene	5															
trans-1,2-Trichloroethene	5															
Ethylbenzene	5															
Methylene Chloride	5															
Tetrachloroethene	5													1.3		
Toluene	5															
Trichloroethene	5							0.21J								
Vinyl Chloride	2															
Total Xylenes	5															
<b>Semi-Volatiles (µg/L)</b>																
1,2-Dichlorobenzene	3*															
1,4-Dichlorobenzene	3*															
2,4-Dimethylphenol	50															
2-Methylphenol	NL															
4-Methylphenol	NL															
Naphthalene	10															
Di-n-octyl phthalate	50						0.7J									
Phenol	1															

Notes:

\* Applies to sum of compounds

NL - Not listed

☐ Exceeds Class GA Level

NS - Not Sampled

J - Estimated



TABLE 2.6

**SUMMARY OF DETECTED COMPOUNDS  
SITE GROUNDWATER AND RIVER WATER  
GRATWICK-RIVERSIDE PARK  
NORTH TONAWANDA, NEW YORK**

Location Date	Class GA Level	MW-7													
		05/18/01	08/20/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/31/06	05/24/07
<b>Volatiles (µg/L)</b>															
Acetone	50	5.7J		6.5J		4.3J	5.4		4.8			4.3J	3.0J	3.9J	3.3J/3.4J
Benzene	1		1.9	2.0		2.0	1.3	1.8	0.90			0.58J			
2-Butanone	50														
Chlorobenzene	5														
trans-1,2-Trichloroethene	5		0.82J	1.1J		0.98J	0.89J	1				0.36J			
Ethylbenzene	5		0.85J	0.81J		1.0	0.61J	0.75J				0.32J			
Methylene Chloride	5				1.6J										
Tetrachloroethene	5			0.27J											
Toluene	5		3.5J	3.6J		3.3	1.9	3	1.1	2.8		0.93J			
Trichloroethene	5		0.55J	0.63J		0.43J	0.45J	0.36J							
Vinyl Chloride	2		1.6J	2.0	3.8J	2.9	1.7	2.2	1.3			0.80J			0.64J/0.61J
Total Xylenes	5		2.1J	2.1J		2.7J	1.5J	1.9J	0.76J						
<b>Semi-Volatiles (µg/L)</b>															
1,2-Dichlorobenzene	3*														
1,4-Dichlorobenzene	3*														
2,4-Dimethylphenol	50			2J	2J	3J	0.7J	2J							
2-Methylphenol	NL		3J	2J	4J	6J	1J	2J		2J					0.4J/0.5J
4-Methylphenol	NL		3J	2J	4J	6J	1J	2J		1J			0.3J		0.5J/0.6J
Naphthalene	10														
Di-n-octyl phthalate	50				0.6J										
Phenol	1		24	7	10	26	2	6	5	2		1J			

Notes:

\* Applies to sum of compounds

NL - Not listed

☐ Exceeds Class GA Level

NS - Not Sampled

J - Estimated

TABLE 2.6

**SUMMARY OF DETECTED COMPOUNDS  
SITE GROUNDWATER AND RIVER WATER  
GRATWICK-RIVERSIDE PARK  
NORTH TONAWANDA, NEW YORK**

<i>Location</i>	<i>OGC-2</i>														
<i>Date</i>	<i>05/18/01</i>	<i>08/20/01</i>	<i>11/27/01</i>	<i>02/11/02</i>	<i>05/21/02</i>	<i>08/06/02</i>	<i>11/22/02</i>	<i>02/25/03</i>	<i>05/08/03</i>	<i>11/04/03</i>	<i>05/14/04</i>	<i>05/27/05</i>	<i>05/30/06</i>	<i>05/25/07</i>	<i>05/29/08</i>
<i>Volatiles (µg/L)</i>	<i>Class GA Level</i>														
Acetone	50		11J			3.0J					4.5J	3.1			
Benzene	1														
2-Butanone	50														
Chlorobenzene	5														
trans-1,2-Trichloroethene	5														
Ethylbenzene	5														
Methylene Chloride	5			1.7J											
Tetrachloroethene	5														
Toluene	5									0.37J					
Trichloroethene	5	0.39J													
Vinyl Chloride	2		0.26J		0.25J	0.26J									
Total Xylenes	5														
<i>Semi-Volatiles (µg/L)</i>															
1,2-Dichlorobenzene	3*														
1,4-Dichlorobenzene	3*														
2,4-Dimethylphenol	50														
2-Methylphenol	NL														
4-Methylphenol	NL														
Naphthalene	10														
Di-n-octyl phthalate	50														
Phenol	1														

Notes:

\* Applies to sum of compounds

NL - Not listed

☐ Exceeds Class GA Level

NS - Not Sampled

J - Estimated

TABLE 2.6

SUMMARY OF DETECTED COMPOUNDS  
 SITE GROUNDWATER AND RIVER WATER  
 GRATWICK-RIVERSIDE PARK  
 NORTH TONAWANDA, NEW YORK

Location Date		OGC-6																
		05/18/01	08/20/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	03/04/04	05/14/04	11/23/04	05/27/05	05/31/06	05/24/07	05/29/08
<b>Volatiles (µg/L)</b>																		
	<b>Class GA Level</b>																	
Acetone	50			6.6J			5.0			3.7J						8.6/8.7		
Benzene	1								0.71	0.87	1.4			2.5	5.2	12/12	7.2	
2-Butanone	50																	
Chlorobenzene	5																	
trans-1,2-Trichloroethene	5			0.23J	0.23J	0.37J	0.45J	0.55J		1.4	2.0	2.1		3.6	5.3	11/12	7.1	
Ethylbenzene	5					0.31J			0.85J	1.1	2.0	3.3	3.1	7.4	20/20	12		
Methylene Chloride	5				2.1J							4.4	2.5	2.2				
Tetrachloroethene	5		1.4J	0.73J		6.6	7.4	5	12	49	51	230	300	260	550	2000/2100	1400	34
Toluene	5			0.55J		2.0	1.6	1.5	2.4	9.3	12	27	40	35	72	240/260	97	2.9
Trichloroethene	5	3.0J	4.7J	3.1J	5.9	16	19	13	26	95	120	330	530	330	610	1800/1800	1100	31
Vinyl Chloride	2					0.22J	0.25J			0.45J						2.9/2.8	1.5	
Total Xylenes	5		0.22J	0.53J	0.26J	1.7J	1.2J	1.0J		4.1	4.7	8.6	13	12	28	79/76	46	
<b>Semi-Volatiles (µg/L)</b>																		
1,2-Dichlorobenzene	3*																	
1,4-Dichlorobenzene	3*																	
2,4-Dimethylphenol	50																	
2-Methylphenol	NL		2J	2J	5J	11	8J	9J	13	22	27		63		85	89/110	76	0.9J
4-Methylphenol	NL			1J	0.02J	10							1J		2J	84/100	2J	70
Naphthalene	10																	
Di-n-octyl phthalate	50																	
Phenol	1		7J	2J	4J	5J	3J	2J		5J	3J		9J		8J	13/16	8	8

Notes:

- \* Applies to sum of compounds
- NL - Not listed
- Exceeds Class GA Level
- NS - Not Sampled
- J - Estimated

TABLE 2.6

SUMMARY OF DETECTED COMPOUNDS  
 SITE GROUNDWATER AND RIVER WATER  
 GRATWICK-RIVERSIDE PARK  
 NORTH TONAWANDA, NEW YORK

Location		River North													
Date		05/18/01	09/17/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/30/06	05/31/07
Class GA	Level														
<b>Volatiles (µg/L)</b>															
Acetone	50						2.4J		NS			3.6J	3.6J		
Benzene	1					0.21J					2.0	0.39J			
2-Butanone	50														
Chlorobenzene	5					1.3						3.2			
trans-1,2-Trichloroethene	5					0.25J						1.0			
Ethylbenzene	5					20						40		2.9	
Methylene Chloride	5				1.6J										
Tetrachloroethene	5					3.8						7.7		1.3	
Toluene	5			0.39J		63			0.96J			130	2.2	14	
Trichloroethene	5			0.35J		4.5						6.4		0.59J	
Vinyl Chloride	2					3.7						9.3			
Total Xylenes	5					80			0.96J			210	3.7	23	
<b>Semi-Volatiles (µg/L)</b>															
1,2-Dichlorobenzene	3*														
1,4-Dichlorobenzene	3*														
2,4-Dimethylphenol	50							1J							
2-Methylphenol	NL														
4-Methylphenol	NL														
Naphthalene	10														
Di-n-octyl phthalate	50														
Phenol	1														

Notes:

- \* Applies to sum of compounds
- NL - Not listed
- ☐ Exceeds Class GA Level
- NS - Not Sampled
- J - Estimated

TABLE 2.6

SUMMARY OF DETECTED COMPOUNDS  
 SITE GROUNDWATER AND RIVER WATER  
 GRATWICK-RIVERSIDE PARK  
 NORTH TONAWANDA, NEW YORK

Location		OGC-5														
Date		05/20/01	08/21/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/30/06	05/24/07	05/29/08
Class GA	Level															
<b>Volatiles (µg/L)</b>																
Acetone	50	38J		11J			6.4			4.9J		0.61J		3.0J		3.5J
Benzene	1		1.5	1.4		0.87	0.92	0.87		0.77				0.67J	0.54J	0.69J
2-Butanone	50															
Chlorobenzene	5															
trans-1,2-Trichloroethene	5		0.65J	0.76J		0.42J	0.57J	0.52J				0.34J				
Ethylbenzene	5		0.21J	0.23J												
Methylene Chloride	5				3.4J								2.4			
Tetrachloroethene	5		0.38J	0.27J												
Toluene	5		2.5J	2.2J		0.99J	0.87J	1.2		0.80J		0.80J				
Trichloroethene	5		0.87J	0.66J		0.36J	0.41J	0.40J				0.28J				
Vinyl Chloride	2		1.6J	1.2J		1.1	1.5	1.2		1.1		1.4		1.2	0.95J	1.4
Total Xylenes	5		1.0J	1.0J		0.67J	0.37J	0.40J				1.0J				
<b>Semi-Volatiles (µg/L)</b>																
1,2-Dichlorobenzene	3*															
1,4-Dichlorobenzene	3*															
2,4-Dimethylphenol	50		8J	6J	5J		1J	6J								
2-Methylphenol	NL		1J	1J	1J										0.5J	0.3J
4-Methylphenol	NL		2J	5J	4J			2J							0.9J	0.4J
Naphthalene	10		1J	1J			0.5J	1J							2J	0.5J
Di-n-octyl phthalate	50				0.8J											
Phenol	1		0.9J													

Notes:

- \* Applies to sum of compounds
- NL - Not listed
- ☐ Exceeds Class GA Level
- NS - Not Sampled
- J - Estimated

**TABLE 2.6**  
**SUMMARY OF DETECTED COMPOUNDS**  
**SITE GROUNDWATER AND RIVER WATER**  
**GRATWICK-RIVERSIDE PARK**  
**NORTH TONAWANDA, NEW YORK**

Location Date	Class GA Level	GW-6S		MW-6														
		12/15/1987	08/10/88	05/18/01	08/21/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/30/06	05/24/07	05/29/08
<b>Volatiles (µg/L)</b>																		
Acetone	50	684	4.9J					4.4J			44		6.7	13	31			
Benzene	1	3			0.64J		0.65J	0.59J	0.56J		0.57J							
2-Butanone	50																	
Chlorobenzene	5		3.3J		1.5J	1.3J		0.65J		0.54J		0.81J		0.37J				
trans-1,2-Trichloroethene	5	58	4.4J		1.1J			0.37J	0.32J	0.34J		1.4		0.52J				
Ethylbenzene	5	2			0.21J													
Methylene Chloride	5						1.8J									2.1		
Tetrachloroethene	5	43			0.44J						0.67J		0.25J					
Toluene	5	16	3.0J		2.2J	0.29J		1.3	0.91J	1.1		2.1	3.6	0.92J				
Trichloroethene	5	62	5.1J		2.0J		1.2J		1.1	1.5	3.2	14	12	3.7	1.5	1.2	0.97J	
Vinyl Chloride	2	11	1.7J					0.29J	0.24J	0.22J		0.52J						
Total Xylenes	5	7			0.90J	0.44J		0.36J	0.27J									
<b>Semi-Volatiles (µg/L)</b>																		
1,2-Dichlorobenzene	3*																	
1,4-Dichlorobenzene	3*			1J		0.7J	2J						2J			0.8J	0.6J	
2,4-Dimethylphenol	50	5		5J	5J	3J	2J	1J	0.9J	9J			6J					
2-Methylphenol	NL	3		5J	6J	2J	2J	2J	1J	0.9J			5J				0.5J	0.3J
4-Methylphenol	NL	4		15	13	5J	4J	3J	2J	2J			12			1J	1J	
Naphthalene	10			67	69		1J		14	13			76		5J		2J	1J
Di-n-octyl phthalate	50						2J											
Phenol	1	3		14	4J	2J	0.8J						250			2J	0.6J	0.4J

Notes:

- \* Applies to sum of compounds
- NL - Not listed
- ☐ Exceeds Class GA Level
- NS - Not Sampled
- J - Estimated

TABLE 2.6  
SUMMARY OF DETECTED COMPOUNDS  
SITE GROUNDWATER AND RIVER WATER  
GRATWICK-RIVERSIDE PARK  
NORTH TONAWANDA, NEW YORK

Location		OGC-1															
Date		05/18/01	05/25/07	8/21/2001	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/31/06	05/24/07	05/24/08
Class GA Level																	
<b>Volatiles (µg/L)</b>																	
Acetone	50	20J			11J			4.8J									
Benzene	1			0.64J	0.55J				0.26J								
2-Butanone	50	1.1J															
Chlorobenzene	5	2.2J	2.8	2.0J	1.7J		0.24J		0.78J		0.91J						
trans-1,2-Trichloroethene	5	5.6		3.7J	4.6J	1.8J	0.48J	0.58J	2.7		2.8	0.85J			0.55J		
Ethylbenzene	5			0.52J	0.43J				0.21J								
Methylene Chloride	5					1.6J								1.8			
Tetrachloroethene	5			0.78J	0.54J		0.42J	0.53J	0.30J			0.29J					
Toluene	5	5.2	3.1	5.4	4.2J		0.48J	0.43J	1.9	1.7	2.6	0.59J					
Trichloroethene	5	15	2.9	16	11	4.5J	2.2	2.7	6.1	5.1	8.4	2.2	0.47J	1.2	1.9	0.53J	4.2
Vinyl Chloride	2	1.3J		0.51J	0.72J				0.42J		0.64J						
Total Xylenes	5			2.1J	1.6J				0.49J		0.86J						
<b>Semi-Volatiles (µg/L)</b>																	
1,2-Dichlorobenzene	3*		0.9J														
1,4-Dichlorobenzene	3*	1J	3J	3J	2J	1J			1J								
2,4-Dimethylphenol	50	9J	46	16	8J	3J		0.6J	9J		4J						
2-Methylphenol	NL	6J	6	12	5J	2J			2J		3J						
4-Methylphenol	NL	20	170	35	15J	5J		1J	5J	6J	8J				2J		0.4J
Naphthalene	10	71	0.2J	130		21		7J	18		25	3J					0.5J
Di-n-octyl phthalate	50																
Phenol	1	150	11	290	57	15	1J	8J	4J		19						

Notes:

- \* Applies to sum of compounds
- NL - Not listed
- Exceeds Class GA Level
- NS - Not Sampled
- J - Estimated

TABLE 2.7  
PH READINGS  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK

Monitoring Location	MH1	MH2	MH3	MW-6	OGC-1	MH4	OGC-5	MH5	MH6	OGC-6	MH7	MW-7	MH8	OGC-2	MH9
Date															
07/24/00						7.8					10.3				
10/24/00						7.7					10.5				
03/29/01				7.60	10.82		NM			12.55		8.68		9.80	
05/11/01	*	*	*	*	*	*	*	8.30	8.17	8.50	10.16	8.90	11.22	9.22	11.26
05/18/01				11.05	11.14		10.42		10.00	10.50		8.19		8.70	
06/08/01	9.25						9.35		6.90	8.24		7.33		8.40	
06/15/01		10.1	10.38	9.6	9.6		9.4		6.91	8.22		7.43	10.65	8.46	
06/22/01		*	*	*	*										
06/29/01		10.9	10.8	11	10.9		10.56		7	8.97		9.27	11.33	8.63	
07/31/01		10.82	10.81	10.97	11.25		10.54		7.92	8.55		9.2	11.28	9.35	
08/20/01		11	11	9.86	10.95		10.44		7.9	8.31		7.71	11.45	8.49	
09/28/01		10.75	10.97	9.89	11.01		10.6		7.93	8.3		9.0	11.15	8.75	
10/22/01		10.7	10.45	10.5	11		7.86		6.1	9.32		8.97	8.49	8.87	
11/27/01		10.61	10.46	10.12	11.65		10.3			10.54		10.01	8.61	8.63	
12/20/01		10.17	10.11	9.97	11.22		10.19		9.98	10.37		9.68	8.42	8.51	
01/29/02		11.8	11.62	11.15	11.82		10.48		9.91	10.86		10.56	11.91	10.23	
02/11/02		10.26	10.16	10.5	10.4				7.79	11.44		10.04	11.74	8.33	
03/25/02		10.62	10.45	11.22	10.69		10.36		9.94	11.4		10.03	12.21	9.65	
04/24/02		10.37	10.22	10.68	11.36		9.97		9.46	11.15		9.73	11.3	9.52	
05/21/02		9.96	9.81	10.76	10.42		9.85		9.25	11.91		9.38	9.69	9.2	
06/20/02		10.64	9.4	10.91	11.19		9.77		9.46	11.4		10.59	11.76	9.46	
07/18/02		10.89	10.69	10.87	11.75		9.63		9.32	11.24		10.24	11.76	9.51	
08/06/02		10.62	10.47	8.21	5.67		7.25		8.79	8.78		7.46	11.24	7.83	
09/12/02		10.92	11.23	11.17	11.85		9.61		9.27	11.29		10.26	11.9	9.51	
10/30/02		10.1	11.22	10.74	10.89		9.68		9.82	10.63		9.95	11.97	9.64	
11/21/02		9.06	9.3	10.09	11.89		10.72		9.17	12.42		9.76	9.31	9.6	
12/11/02		8.92	9.17	10.16	11.03		9.87		9.02	10.39		10.19	9.5	9.18	
01/16/03		10.9	11.76	11.02	11.59		10.31		10.01	11.52		11.01	12.37	9.83	
02/25/03		10.72	11.12	10.51	11.81		10.22		9.87	12.31		9.42	9.32	8.92	
03/14/03		11.77	11.92	10.07	11.93		10.09		9.71	11.92		10.19	9.28	9.44	
04/14/03		9.78	9.71	9.67	10.82		9.74		9.21	10.45		9.74	10.48	9.01	
05/08/03		10.32	10.48	10.43	12.35		10.13		9.72	12.41		10.88	10.61	9.00	
06/19/03		10.21	10.39	10.36	12.31		10.05		9.68	12.29		10.75	10.51	8.99	
07/21/03		10.06	10.21	10.25	12.17		9.87		9.57	11.99		10.64	10.49	8.84	
08/28/03		10.22	10.91	10.32	11.16		9.8		10.17	10.96		11.04	10.38	9.89	
09/30/03		9.32	9.4	9.95	10.91		8.95		NM	10.22		9.35	9.42	9.58	
10/20/03		9.22	9.3	9	10		8.1		10.2	10.25		9.8	10	9.2	
11/03/03		9.15	9.14	8.86	9.49		7.8		10.51	10.54		10.41	10.28	9.03	
12/23/03		10.03	9.03	9.7	10.3		8.69		10.07	10.49		10.38	10.63	8.62	



TABLE 2.7  
PH READINGS  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK

Monitoring Location	MH1	MH2	MH3	MW-6	OGC-1	MH4	OGC-5	MH5	MH6	OGC-6	MH7	MW-7	MH8	OGC-2	MH9
Date															
01/21/04		(1)	9.06	9.01	9.56		8.0		10.31	9.84		9.69	10.6	8.8	
02/12/04	8.45	(1)	9.72	13.24	11.02	7.77	8.75		7.65	10.8		10.32	11.23	9.2	
03/04/04	8.21	10.05	8.93	10.28	10.69		8.82		9.43	10.52		10.28	10.87	9.24	
04/16/04		9.52	8.77	10.16	9.28		8.61		9.2	10.96		10.41	11.18	9.12	
05/14/04		10.5	8.08	10.16	9.47		8.74		7.19	11.69	9.49	9.36	11.00	9.09	
06/25/04		10.22	8.66	10.07	9.98		8.46		8.41	10.89		9.82	10.65	9.1	
07/30/04		10.03	9.00	9.91	10.45		8.41		8.42	10.67		9.31	10.51	8.94	
08/31/04		9.89	8.7	9.69	10.0		8.17		7.58	10.36		8.97	10.65	8.85	
09/30/04		10.01	8.77	9.9	9.8		8.4		8.11	10.13		9.2	10.47	8.6	
10/20/04		9.91	7.95	9.8	9.28		8.18		8.46			9.89	9.95	8.84	
11/23/04		9.26	8.47	9.87	9.83		8.32		8.92	10.89		9.8	10.84	8.96	
12/31/04		10.13	8.82	9.42	9.26		8.44		10.31	10.04		9.79	9.57	8.73	
01/28/05		10.21	10.75	9.25	8.91		8.39		8.86	10.6		9.66	9.05	9.1	
02/28/05		10.66	9.5	9.09	9.17		8.54		10.89	10.61		9.11	10.8	6.8	
03/31/05		10.91	8.96	9.78	8.95		8.51		9.06	10.99		9.58	11.06	9.18	
04/29/05		10.74	8.92	9.90	9.59		8.74		8.72	11.26		9.62	10.29	9.56	
05/27/05		11.29	9.88	7.85	10.26		9.18		8.12	11.3		9.62	11.16	9.78	
06/24/05		10.72	10.51	10.22	10.2		8.69		8.01	11.48		9.38	11.34	9.31	
07/29/05		7.3	6.20	8.96	9.23		7.83		8.29	9.9		8.91	10.32	8.55	
08/31/05		9.76	7.64	9.35	9.47		8.23		8.5	10.4		8.67	10.68	9.24	
10/03/05		9.1	8.45	9.52	9.14		8.12		7.26	10.43		7.89	9.23	8.9	
10/31/05		10.01	8.59	9.37	8.89		8.47		9.24	10.14		8.63	11.13	9.06	
11/22/05		10.29	8.15	9.13	8.68		8.05		8.25	10.18		8.79	10.70	8.71	
12/23/05		9.24	11.09	10.15	10.11		10.84		9.37	10.84		10.43	9.46	9.23	
01/27/06		9.38	10.69	10.75	9.27		8.63		8.29	11.10		10.05	8.62	9.46	
02/28/06		9.94	11.28	10.49	9.63		8.9		9.56	10.96		9.96	9.56	9.85	
03/24/06		9.57	8.84	10.64	9.43		8.70		9.43	11.14		9.70	9.28	9.40	
04/21/06		11.13	11.03	10.65	9.6		8.91		10.67	11.03		9.44	10.44	9.33	
05/30/06		9.78	10.44	7.50	10.62		8.02		7.10	10.85		9.46	8.98	8.45	
06/26/06		11.24	8.67	10.6	10.83		8.52		8.06	11.24		9.79	10.69	9.24	
07/31/06		7.8	7.85	10.27	10.05		8.12		7.95	10.34		9.93	7.88	8.59	
08/25/06		11.17	8.74	11.07	10.45		8.6		7.7	11.01		8.49	11.4	9.25	
09/22/06		8.33	8.34	10.97	9.73		8.71		8.84	10.85		9.46	11.63	9.23	
10/31/06		10.82	8.26	10.36	9.49		8.62		9.03	10.64		9.86	11.23	9.22	
11/29/06		11.13	9.09	10.45	9.46		8.97		10.90	10.80		9.49	11.13	9.62	
12/29/06		11.15	8.94	10.88	9.36		8.90		11.27	10.56		10.02	11.33	9.05	

**TABLE 2.7**  
**PH READINGS**  
**GRATWICK-RIVERSIDE PARK SITE**  
**NORTH TONAWANDA, NEW YORK**

<i>Monitoring Location</i>	<i>MH1</i>	<i>MH2</i>	<i>MH3</i>	<i>MW-6</i>	<i>OGC-1</i>	<i>MH4</i>	<i>OGC-5</i>	<i>MH5</i>	<i>MH6</i>	<i>OGC-6</i>	<i>MH7</i>	<i>MW-7</i>	<i>MH8</i>	<i>OGC-2</i>	<i>MH9</i>
<i>Date</i>															
01/26/07		11.51	9.21	11.05	9.26		8.80		11.45	11.23		9.76	11.67	9.48	
02/27/07		11.55	10.3	10.93	9.64		8.95		11.08	11.20		9.33	11.45	10.16	
03/30/07		11.37	8.89	10.68	8.83		8.78		11.18	11.13		9.35	11.28	9.21	
04/30/07		11.19	8.27	10.42	9.02		8.47		8.23	10.99		9.59	11.14	9.04	
05/25/07		11.3	8.47	10.32	8.83		8.09		7.74	10.93		9.32	11.18	9.00	
06/29/07		11.17	8.33	10.28	9.52		8.36		7.89	10.91		9.02	10.98	8.86	
07/25/07		11.23	7.75	10.42	9.5		8.21		7.93	10.82		8.41	11.32	8.70	
08/31/07		10.36	8.07	9.67	9.89		8.33		8.66	10.31		8.88	10.71	8.99	
09/27/07		9.77	8.62	9.79	9.99		8.43		9.26	10.22		9.55	9.63	8.93	
10/31/07		10.16	8.59	9.82	10.25		8.23		8.83	10.34		9.21	9.69	9.05	
11/30/07		NM	8.45	10.21	10.63		8.56		11.06	10.51		8.31	11.01	9.00	
12/31/07		9.07	8.46	9.69	9.24		8.60		10.84	10.44		10.06	11.07	9.20	
01/28/08		11.05	9.25	10.83	10.54		9.10		11.32	11.06		10.28	11.70	9.36	
02/29/08		9.59	9.66	9.96	9.82		9.09		10.35	10.09		10.02	11.59	9.42	
03/31/08		9.15	8.76	9.96	9.14		8.98		10.75	11.06		10.17	11.38	9.42	
04/28/08		9.53	9.17	10.73	9.60		8.78		8.90	11.23		9.97	10.18	9.48	
05/29/08		8.74	8.30	10.60	8.99		8.87		7.95	11.03		10.11	9.14	9.41	

TABLE 2.7  
PH READINGS  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK

Monitoring Location	MH10	OGC-7	MH11	MW-8	OGC-3	MH12	MH13	OGC-8	MH14	MW-9	OGC-4	MH15	MH16	MH17
Date														
07/24/00	9.2						10.6		9.5				7.4	
10/24/00			8.38						7.76				8.15	
03/29/01		8.37		6.41	9.41			9.77		8.17	10.41			
05/11/01	10.9	11.51		11.55	11.59	8.25	7.5	11.58		7.37	11.16	11.21	8.83	9.27
05/18/01		10.93		11.2	11.21	8.25		11.4		10.60	11.32		12.27	
06/08/01		9.68		10.1	10.34	6.99		10.32		10.03	10.44		7.25	
06/15/01		10.0	10.3	10.7	10.8	7.03		10.54	8.75	10.34	10.55		7.27	8.88
06/22/01	*	*	*	*	10.92	7.3		11	8.98	10.47	11.1		7.57	
06/29/01		11.13	10.9	11.4	10.22	7.54		11.2	9.18	10.94	11.2		7.9	
07/31/01		11.49	10.58	11.69	11.75	7.91		11.73	9.73	11.62	11.63		8.28	
08/20/01		9.17	10.59	11.35	10.87	7.7		11.49	9.8	12.05	11.89		8.2	
09/28/01		10	10.57	11.5	11.0	7.9		11.47	9.77	11.2	11.75		8.21	
10/22/01		10.75	10.44	10.89	11.01	7.7		11.01	9.6	10.51	10.7		7.0	
11/27/01		11.98	10.87	12.46	12.46	8.1		12.28	10.01	11.87	12.25		7.26	
12/20/01		11.63	10.22	11.98	11.97	7.82		11.76	8.73	10.61	11.37		7.11	
01/29/02		12.25		12.15	12.59	7.76		12.41	8.09	11.85	12.33		7.16	
02/11/02		11.12		11.79	12.09	7.63		12.13	7.48	11.73	11.8		6.89	
03/25/02		12.38		12.59	12.77	8.01		12.66	8.51	12.11	12.46		7.88	
04/24/02		12		12.26	12.39	7.86		12.34	7.94	11.55	11.95		7.43	
05/21/02		11.86		12.25	12.49	7.94		12.5	7.45	12.16	12.24	7.72	7.22	
06/20/02		11.92		12.26	12.34	8.07		12.28	8.12	11.63	12.2	7.89	7.84	
07/18/02		11.78		12.11	12.16	8.11		12.13	9.82	11.31	11.96	7.81	7.36	
08/06/02		6.95	11.76	7.88	7.63	8.02		8.87	9.76	8.89	9.03	7.64	7.49	
09/12/02		11.93	12.19	12.23	12.32	8.76		12.3	10.81	11.77	12.04	8.16	8.17	
10/30/02		11.91	12.2	12.21	12.24	NM		12.22	8.34	11.89	12.01	7.95	7.63	
11/21/02		11.79	9.46	12.53	12.46	7.64		12.62	7.71	12.42	12.5	7.95	7.37	
12/11/02		11.26	9.41	11.39	11.54	7.56		11.51	7.86	10.76	11.29	7.35	7.18	
01/16/03		12.39		12.55	12.74	8.47		12.82	8.76	12.3	12.52	7.98	8.16	
02/25/03		11.94		12.46	12.49	8.42		12.51	8.71	12.19	12.52	7.89	8.13	
03/14/03		12.16		12.33	12.56	8.26		12.44	8.79	12.11	12.35	8.01	7.79	
04/14/03		11.02		11.63	11.18	7.92		11.62	7.87	10.89	11.89	7.62	7.42	
05/08/03		11.93		12.51	12.55	8.12		12.63	7.77	12.12	12.44	8.43	7.81	
06/19/03		11.87		12.39	12.41	8.02		12.41	7.73	12.01	12.21	8.38	7.79	
07/21/03		11.81		12.12	12.25	7.99		12.32	7.64	11.91	11.98	8.31	7.62	
08/28/03		11.79		12.13	12.24	11.26		12.21	11.52	12.04	12.04	11.46	11.32	
09/30/03		11.27		11.95	11.44	8.65		11.87	9.45	10.33	11.57	8.56	8.68	
10/20/03		11.2		11.8	11.2	8.5		11.6	8	10.42	11.44	8.31	8.01	
11/03/03		11.04		10.91	10.3	8.39		10.63	7.24	10.59	11.24	7.55	7.48	
12/23/03		10.75		11.18	11.17	8.41		11.01	7.66	10.88	11.03	7.13	7.44	

TABLE 2.7  
PH READINGS  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK

Monitoring Location	MH10	OGC-7	MH11	MW-8	OGC-3	MH12	MH13	OGC-8	MH14	MW-9	OGC-4	MH15	MH16	MH17
Date														
01/21/04		10.69		11.06	11.16	8.39		11.5	(1)	9.98	10.89	9.53	6.25	
02/12/04		10.79	11.42	11.66	11.78	8.96		11.75	(1)	11.09	11.6	8.5	6.66	
03/04/04		10.79	11.07	11.06	11.29	9.02		11.37	11.5	11.25	11.6	9.03	7.75	
04/16/04		11.23	10.42	11.57	11.62	9.22		11.36	11.6	11.11	11.44	9.6	6.54	
05/15/04		11.19	11.78	11.91	12.13	8.34		11.8	11.7	11.61	11.68	9.5	6.62	
06/25/04		11.22	11.35	11.31	11.48	8.86		11.27	11.21	10.84	11.2	9.11	7.48	
07/30/04		11.10	11.00	11.09	11.42	8.6		11.13	8.40	10.69	11.16	9.42	6.84	
08/31/04		10.84	10.95	10.87	11.19	8.07		10.84	7.78	10.48	10.73	8.14	6.57	
09/30/04		11.0	10.87	11.01	11.4	8.44		11.03	8.1	10.7	10.66	8.32	6.75	
10/20/04		10.91	11.07	11.06	11.26	8.22		11.05	10.84	10.3	10.93	8.64	6.85	
11/23/04		11.08	9.39	11.34	11.44	8.33		11.31	8.64	10.92	11.36	9.08	7.63	
12/31/04		10.64	8.92	10.85	11.09	8.48		10.85	8.57	10.58	10.87	8.86	7.09	
01/28/05		10.79	8.99	11.11	11.31	9.16		11.20	(1)	10.76	11.2	8.95	6.64	
02/28/05		10.79	11.05	10.83	10.81	8.44		10.3	(1)	10.03	10.88	8.49	6.57	
03/31/05		11.22	11.28	11.51	11.49	9.04		11.37	8.5	11.17	11.27	7.24	6.94	
04/29/05		11.48	11.75	11.78	11.75	9.17		11.79	9.64	11.39	11.53	8.32	7.40	
05/27/05		13.65	11.64	13.74	11.79	8.91		11.62	8.6	11.07	11.21	9.05	8.08	
06/24/05		11.59	11.9	11.67	11.92	8.73		11.75	10.9	10.51	11.81	9.86	8.07	
07/29/05		9.55	10.46	10.93	11.21	8.28		10.82	8.97	10.35	10.62	8.19	6.97	
08/31/05		10.85	11.12	11.15	11.35	9.02		11.04	9.01	10.7	11.03	8.4	6.93	
10/03/05		10.81	11.1	11.07	11.4	7.61		10.91	7.85	10.66	10.99	8.7	7.56	
10/31/05		10.85	11.34	11.4	11.56	8.13		11.3	7.73	11.15	11.41	8.61	9.69	
11/22/05		10.38	10.25	10.65	10.7	8.5		10.45	7.63	10.36	11.05	8.10	6.60	
12/23/05		11.40	11.58	11.57	11.93	8.11		11.67	7.19	11.23	11.64	7.36	7.30	
01/27/06		11.54	11.75	10.81	12.01	9.04		11.96	7.65	11.51	11.90	7.54	7.84	
02/28/06		11.53	11.57	12.09	12.3	9.73		11.77	7.84	11.43	11.78	7.36	7.22	
03/24/06		11.41	11.53	11.63	11.83	8.88		12.01	8.46	11.54	11.89	7.92	7.09	
04/21/06		11.31	11.65	11.62	11.86	8.79		11.96	7.98	11.40	11.86	8.52	6.97	
05/30/06		11.11	11.43	11.36	11.56	7.45		11.34	8.90	10.73	10.98	8.90	7.68	
06/26/06		11.48	11.62	11.71	11.91	8.92		11.89	8.46	11.6	11.61	8.03	7.18	
07/31/06		10.73	8.01	10.89	11.14	8.53		10.83	8.09	10.71	10.83	7.36	7.35	
08/25/06		11.62	11.9	11.74	12.05	8.83		11.77	9.88	11.44	11.72	10.82	8.11	
09/22/06		11.54	11.85	11.66	12.07	9.05		11.62	11.88	10.98	11.6	11.51	7.31	
10/31/06		11.26	11.37	11.29	11.49	9.35		10.16	8.96	11.05	11.06	8.48	8.86	
11/29/06		11.28	11.45	11.36	11.66	7.15		10.34	11.45	10.19	11.43	11.10	9.36	
12/29/06		11.26	9.82	11.51	11.64	9.02		11.54	11.52	10.45	11.45	11.42	10.85	

## Notes:

(1) Buried with snow and could not be accessed.

**TABLE 2.7**  
**PH READINGS**  
**GRATWICK-RIVERSIDE PARK SITE**  
**NORTH TONAWANDA, NEW YORK**

<i>Monitoring Location</i>	<i>MH10</i>	<i>OGC-7</i>	<i>MH11</i>	<i>MW-8</i>	<i>OGC-3</i>	<i>MH12</i>	<i>MH13</i>	<i>OGC-8</i>	<i>MH14</i>	<i>MW-9</i>	<i>OGC-4</i>	<i>MH15</i>	<i>MH16</i>	<i>MH17</i>
<i>Date</i>														
01/26/07		11.63	11.33	11.82	12.07	9.27		11.87	9.70	11.65	11.84	7.73	7.17	
02/27/07		11.58	10.76	11.66	12.07	8.39		11.91	7.29	11.17	11.92	8.31	7.07	
03/30/07		11.39	9.58	11.61	11.95	8.65		11.78	11.57	11.03	11.69	11.27	8.38	
04/30/07		11.19	10.01	11.42	11.63	8.44		11.40	11.48	11.38	10.73	10.76	7.29	
05/25/07		11.16	11.00	11.41	11.70	8.26		11.35	11.51	10.99	11.26	11.10	7.46	
06/29/07		11.12	10.54	11.38	11.57	8.83		11.31	11.38	10.48	10.94	11.00	7.21	
07/25/07		11.30	11.04	11.55	11.87	8.76		11.61	11.68	10.79	11.43	11.07	7.16	
08/31/07		11.01	10.99	11.11	11.34	8.76		11.14	11.22	10.19	10.88	10.45	6.33	
09/27/07		10.96	9.28	11.20	11.48	8.86		11.26	11.33	9.76	11.03	9.64	6.56	
10/31/07		11.19	11.33	11.24	11.75	9.30		11.02	11.57	10.60	11.38	10.61	7.68	
11/30/07		11.22	8.89	11.51	12.04	9.07		11.47	11.64	10.76	11.66	11.07	7.38	
12/31/07		11.24	9.25	11.43	11.80	8.84		11.73	11.46	10.78	11.60	10.76	7.07	
01/28/08		11.78	10.50	12.07	12.46	9.09		11.93	10.80	11.21	12.00	9.44	6.93	
02/29/08		11.63	11.44	11.60	12.01	9.43		11.92	11.91	10.10	11.85	10.78	6.84	
03/31/08		11.61	9.05	11.78	12.07	9.14		11.79	11.95	10.54	11.94	11.13	7.52	
04/28/08		11.64	10.46	11.88	12.28	7.54		11.91	11.65	10.97	11.80	11.21	7.70	
05/29/08		11.50	10.91	11.53	12.00	8.88		12.10	11.86	10.14	11.88	11.45	8.73	

**TABLE 2.7**  
**PH READINGS**  
**GRATWICK-RIVERSIDE PARK SITE**  
**NORTH TONAWANDA, NEW YORK**

<i>Monitoring Location</i>	<i>City MH1</i>	<i>City MH2</i>	<i>City MH3</i>
<i>Date</i>			
07/24/00	6.3	7.3	
10/24/00	7.08	7.52	7.41
03/29/01	7.52	7.50	7.16
06/15/01	7.7	7.69	7.4
06/22/01	8.0	7.9	7.8
07/31/01	8.0	8.0	7.7
08/20/01	8.2	8.3	8.0
09/28/01	8.1	8.3	7.9
10/22/01	8.0	8.0	7.8
11/27/01	7.9	8.2	8.01
12/20/01	*	*	*
01/29/02	7.62	7.93	7.97
02/11/02	7.52	7.73	7.79
03/25/02	*	*	*
04/24/02	7.46	7.62	7.69
05/21/02	7.47	7.66	7.72
06/20/02	7.57	7.69	7.78
07/18/02	7.72	7.84	8.01
08/06/02	7.63	7.68	7.92
09/12/02	7.72	7.79	7.98
10/30/02	7.73	7.8	7.93
11/21/02	7.32	7.37	7.41
12/11/02	7.29	7.31	7.35
01/16/03	7.62	7.7	7.79
02/25/03	7.64	7.71	7.89
03/14/03	7.39	7.54	7.61
04/14/03	7.22	7.39	7.41
05/08/03	7.29	7.43	7.48
06/19/03	7.27	7.39	7.41
07/21/03	7.25	7.36	7.38
08/28/03	7.29	7.44	7.41
09/30/03	7.29	7.45	7.40
10/20/03	7.4	7.71	7.39
11/03/03	8.46	7.14	7.27
12/23/03	9.34	7.63	7.57

**TABLE 2.7**  
**PH READINGS**  
**GRATWICK-RIVERSIDE PARK SITE**  
**NORTH TONAWANDA, NEW YORK**

<i>Monitoring Location</i>	<i>City MH1</i>	<i>City MH2</i>	<i>City MH3</i>
<i>Date</i>			
01/21/04	(2)	8.12	(2)
02/12/04	8.45	7.77	7.65
03/04/04	8.21	7.76	7.79
04/16/04	10.95	8.38	8.32
05/14/04	7.30	7.62	7.75
06/25/04	8.06	7.99	7.94
07/30/04	7.85	7.90	7.81
08/31/04	10.2	7.5	7.4
09/30/04	8.6	7.7	7.9
10/20/04	7.59	7.56	7.61
11/23/04	9.64	7.6	7.67
12/31/04	9.09	7.68	7.38
01/28/05	8.92	7.58	7.40
02/28/05	(1)	8.16	7.90
03/31/05	8.49	7.59	7.55
04/29/05	8.74	8.05	7.89
05/27/05	9.24	8.33	8.27
06/24/05	10.53	8.44	8.24
07/29/05	7.3	7.16	6.96
08/31/05	8.06	6.87	7.13
10/03/05	10.3	8.1	NM
10/31/05	10.76	7.9	7.93
11/22/05	9.50	8.54	7.34
12/23/05	10.58	(3)	(3)
01/27/06	10.76	7.87	7.84
02/28/06	11.29	8.73	8.64
03/24/06	11.18	7.98	7.78
04/21/06	NM	8.28	8.05
05/30/06	10.88	7.73	7.63
06/26/06	8.84	7.73	7.68
07/31/06	7.51	7.02	7.24
08/25/06	9.72	7.82	7.67
09/22/06	11.29	8.34	8.99
10/31/06	10.70	8.61	8.13
11/29/06	10.77	8.27	8.04
12/29/06	10.60	8.07	7.73

Notes:

- \* - pH meter malfunctioned.
- NM - Not Measured.
- (1) - Buried with snow.
- (2) - Road conditions were not safe to allow for monitoring.
- (3) - pH probe damaged.

**TABLE 2.7**  
**PH READINGS**  
**GRATWICK-RIVERSIDE PARK SITE**  
**NORTH TONAWANDA, NEW YORK**

<i>Monitoring Location</i>	<i>City MH1</i>	<i>City MH2</i>	<i>City MH3</i>
<i>Date</i>			
01/26/07	11.20	7.76	7.81
02/27/07	8.72	8.15	7.86
03/30/07	10.90	8.29	8.42
04/30/07	10.71	8.52	8.30
05/25/07	10.99	7.74	7.68
06/29/07	9.47	7.61	7.62
07/25/07	6.96	6.61	6.60
08/31/07	8.68	7.79	7.52
09/27/07	10.63	8.86	8.73
10/31/07	8.98	7.96	7.85
11/30/07	10.39	7.96	7.97
12/31/07	10.59	9.40	9.20
01/28/08	9.65	9.98	8.41
02/29/08	11.21	8.30	8.13
03/31/08	10.53	8.29	8.33
04/28/08	11.48	10.09	8.23
05/29/08	11.11	10.94	9.92



TABLE 2.8

EFFLUENT SAMPLING SUMMARY  
 JUNE 2001 TO FEBRUARY 2007  
 GRATWICK-RIVERSIDE PARK SITE  
 NORTH TONAWANDA, NEW YORK

**LOCATIONS**

effluent monitoring station at Site discharge point

**FREQUENCY**

monthly (as dictated by the City of North Tonawanda Industrial Wastewater Discharge Permit)

**PARAMETERS***Volatiles*

Acetone	Methylene Chloride
Benzene	Styrene
2-Butanone	Tetrachloroethene
Chlorobenzene	Toluene
1,1-Dichloroethane	1,1,1-Trichloroethane
1,2-Dichloroethane	Trichloroethene
trans-1,2-Dichloroethene	Vinyl Chloride
Ethylbenzene	Xylenes (Total)

*Semi-Volatiles*

1,4-Dichlorobenzene	4-Methylphenol
1,2-Dichlorobenzene	Naphthalene
2,4-Dimethylphenol	Di-n-octylphthalate
2-Methylphenol	Phenols (4AAP)

*Inorganics*

Aluminum	Lead
Antimony	Magnesium
Arsenic	Manganese
Barium	Mercury
Beryllium	Nickel
Cadmium	Selenium
Chromium	Silver
Copper	Sodium
Iron	Zinc

*Wet Chemistry*

Alkalinity (Bicarbonate)	Oil and Grease
Alkalinity (Total)	pH
BOD	Phosphorous
Chloride	Sulfate
COD	Sulfide
Cyanide	TDS
Hardness	TKN
NH3	TOC
NO3	TSS

TABLE 2.9

**EFFLUENT SAMPLING SUMMARY  
SUBSEQUENT TO FEBRUARY 2007  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK**

**LOCATIONS**

effluent monitoring station at Site discharge point

**FREQUENCY**

Semi-Annual (Spring and Fall as dictated by the City of North Tonawanda Industrial Wastewater Discharge Permit)

**PARAMETERS*****Volatiles***

Acetone	Methylene Chloride
Benzene	Styrene
2-Butanone	Tetrachloroethene
Chlorobenzene	Toluene
1,1-Dichloroethane	1,1,1-Trichloroethane
1,2-Dichloroethane	Trichloroethene
trans-1,2-Dichloroethene	Vinyl Chloride
Ethylbenzene	Xylenes (Total)

***Semi-Volatiles***

1,4-Dichlorobenzene	4-Methylphenol
1,2-Dichlorobenzene	Naphthalene
2,4-Dimethylphenol	Di-n-octylphthalate
2-Methylphenol	Phenols (4AAP)

***Wet Chemistry***

Chloride  
Cyanide  
NH<sub>3</sub>  
NO<sub>3</sub>  
Phosphorous  
Sulfate  
Sulfide

**TABLE 2.10**  
**ANALYTICAL RESULTS SUMMARY**  
**SITE EFFLUENT**  
**GRATWICK-RIVERSIDE PARK SITE**

<i>Sample ID:</i> <i>Sample Date:</i>	<i>Discharge Sample Port</i> <b>GRATWICK-RIVERSIDE</b>								<i>Surface Water</i> <i>Standard</i> <sup>(1)</sup>
	<i>6/29/2001</i>	<i>7/30/2001</i>	<i>8/21/2001</i>	<i>9/20/2001</i>	<i>10/24/2001</i>	<i>11/29/2001</i>	<i>12/6/2001</i>		
<i>Parameter</i>	<i>Unit</i>								
<i>Volatiles</i>									
1,1,1-Trichloroethane	µg/L	3.0J	1.8J	1.1J	7.6U	7.6U	3.8U	3.8U	5
1,1-Dichloroethane	µg/L	8.8	7.3	5.8	3.4J	2.1U	2.6J	3.5J	5
1,2-Dichloroethane	µg/L	5.0U	5.0U	5.0U	10U	10U	5.0U	5.0U	0.6
2-Butanone	µg/L	7.6J	10	10U	20U	20U	6.8J	6.7J	50
Acetone	µg/L	77	93	140	36	26	55	55	50
Benzene	µg/L	6.4	7.2	6.2	3.5J	3.2J	3.1J	4.0J	1
Chlorobenzene	µg/L	3.7J	4.9J	5.0J	3.4J	16	3.5J	5.4J	5
Ethylbenzene	µg/L	8.9	11	9	8.6J	3.6J	4.8J	6.8J	5
Methylene chloride	µg/L	1.1J	2.8U	2.8U	5.6U	5.6U	2.8U	2.8U	5
Styrene	µg/L	1.0J	5.0U	5.0U	10U	10U	5.0U	5.0U	5
Tetrachloroethene	µg/L	22	33	25	16	8.3	15	23	0.7 <sup>(2)</sup>
Toluene	µg/L	74	84	68	42	20	37	50	5
trans-1,2-Dichloroethene	µg/L	2.6	2.1	2.8	3.3J	1.8J	1.5J	2.4	5
Trichloroethene	µg/L	150J	130	87	55	32	56	72	5
Vinyl chloride	µg/L	11	13	13	13J	5.6J	8.0J	13	0.3 <sup>(2)</sup>
Xylene (total)	µg/L	40	44	34	32	11	17	26	5
<i>Semi-Volatiles</i>									
1,2-Dichlorobenzene	µg/L	9U	2U	1J	6	0.6J	0.9J	9U	3
1,4-Dichlorobenzene	µg/L	21U	4U	1J	2J	1J	4U	1J	3
2,4-Dimethylphenol	µg/L	14	13	19	12	8	17	13	50 <sup>(2)</sup>
2-Methylphenol	µg/L	49	46	38	28	15	38	37J	NL
4-Methylphenol	µg/L	58	47	46	30	21	46	40J	NL
Di-n-octyl phthalate	µg/L	12U	2U	2U	2U	1J	2U	12U	50 <sup>(2)</sup>
Naphthalene	µg/L	1J	1J	1J	1J	67J	0.8J	8U	10
Phenol	µg/L	86	64	67	110	230	74	110	1

**TABLE 2.10**  
**ANALYTICAL RESULTS SUMMARY**  
**SITE EFFLUENT**  
**GRATWICK-RIVERSIDE PARK SITE**

Sample ID: Sample Date:	Discharge Sample Port GRATWICK-RIVERSIDE								Surface Water Standard <sup>(1)</sup>
	6/29/2001	7/30/2001	8/21/2001	9/20/2001	10/24/2001	11/29/2001	12/6/2001		
Parameter	Unit								
<b>Metals</b>									
Aluminum	mg/L	0.31	0.24	0.24	0.34	0.20U	0.20	0.20U	NL
Antimony	mg/L	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.003
Arsenic	mg/L	0.0070U	0.0070U	0.0070U	0.0070U	0.0070U	0.0070U	0.0070U	0.050
Barium	mg/L	0.059	0.063	0.061	0.081	0.067	0.064	0.064	1.0
Beryllium	mg/L	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.003 <sup>(2)</sup>
Cadmium	mg/L	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.005
Chromium	mg/L	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.050
Copper	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.023 <sup>(3)</sup>
Iron	mg/L	0.050U	0.050U	0.050U	0.16	0.095	0.057	0.062	0.30
Lead	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.012
Magnesium	mg/L	0.35	0.66	1	0.77	6.8	1.1	0.94	35
Manganese	mg/L	0.0030U	0.0030U	0.0036	0.012	0.028	0.0043	0.004	0.30
Mercury	mg/L	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.000026 <sup>(4)</sup>
Nickel	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.10
Selenium	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.0046 <sup>(4)</sup>
Silver	mg/L	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.050
Sodium	mg/L	273	271	262	310	290	293	286	NL
Zinc	mg/L	0.026U	0.026U	0.026U	0.026U	0.026U	0.026U	0.026U	2.0 <sup>(2)</sup>
<b>General Chemistry</b>									
pH	S.U.	NA	NA	9.45	11.23	9.20	10.06	10.71	NL
Hardness	mg/L	524	488	465	529	301	456	410	NL
Total Dissolved Solids (TDS)	mg/L	1500	1450	1530	1520	1280	1200	1200	NL
Total Suspended Solids (TSS)	mg/L	NA	NA	14	19	10	9.0	7.0	NL
Chloride	mg/L	497	123	497	820	577	436	389	250
BOD	mg/L	NA	NA	20	17	20	24	27	NL
COD	mg/L	NA	NA	155	240	240	50	49	NL
Oil and Grease	mg/L	NA	NA	0.60U	1.0	0.87U	1.0U	1.0U	NL
Organic Carbon	mg/L	NA	NA	16	10	18	9.0	11	--
Alkalinity, Total (As CaCO3)	mg/L	131	115	120	115	20.9	22.2	57	NL
Bicarbonate (as CaCO3)	mg/L	5.0U	5.0U	5.0U	5.0U	20.9	22.2	57	NL
Ammonia	mg/L	NA	NA	6	4.9	4.9	21	11.6	2.0
Nitrate (as N)	mg/L	0.050U	0.050U	0.50U	0.20	0.050U	0.050U	0.050U	10

**TABLE 2.10**  
**ANALYTICAL RESULTS SUMMARY**  
**SITE EFFLUENT**  
**GRATWICK-RIVERSIDE PARK SITE**

<i>Sample ID:</i>	<i>Discharge Sample Port</i>								<i>Surface Water Standard</i> <sup>(1)</sup>
	<b>GRATWICK-RIVERSIDE</b>								
<i>Sample Date:</i>	<i>6/29/2001</i>	<i>7/30/2001</i>	<i>8/21/2001</i>	<i>9/20/2001</i>	<i>10/24/2001</i>	<i>11/29/2001</i>	<i>12/6/2001</i>		
<i>Parameter</i>	<i>Unit</i>								
<i>General Chemistry</i>									
TKN	mg/L	NA	NA	10	7.6	7.6	14.8	10.6	NL
Sulfate	mg/L	281	20.4	307	196	329	245	263	250
Sulfide	mg/L	13.2	16.0	14.3	5.6	2.5	10.6	14	0.002
Phenol	mg/L	NA	NA	0.28	0.24	0.28	0.15	0.11	0.001
Phosphorous	mg/L	NA	NA	0.29	NA	0.05	0.13	0.06	0.020 <sup>(2)</sup>
Cyanide	mg/L	NA	NA	0.005U	0.005U	0.005U	0.005U	0.005U	0.0052

## Notes:

U - Non-detect at associated value

- - Not Analyzed

J - Estimated

NL - Not Listed

SL - Sample Lost

(1) - Lowest Standard/Guidance Value shown

(2) - Guidance Value

(3) - Calculated using a hardness of 300 ppm

(4) - Applies to dissolved form

TABLE 2.10  
ANALYTICAL RESULTS SUMMARY  
SITE EFFLUENT  
GRATWICK-RIVERSIDE PARK SITE

Sample ID:																
Sample Date:		1/23/2002	2/21/2002	3/27/2002	4/24/2002	5/30/2002	6/29/2002	6/29/2002	7/25/2002	8/27/02	9/23/02	10/17/02	11/13/02	12/12/2002	Surface Water Standard <sup>(1)</sup>	
Parameter	Unit															
<b>Volatiles</b>																
1,1,1-Trichloroethane	µg/L	7.3U	7.6U	7.6U	7.6U	7.6U	7.6U	7.6U	7.6U	3.8U	3.8U	3.8U	3.8U	7.6U	5	
1,1-Dichloroethane	µg/L	2.3J	4.1J	4.9J	9.9	9.4U	9.4U	9.4U	2.7J	1.4J	1.8J	1.2J	4.5J	7.3J	5	
1,2-Dichloroethane	µg/L	10U	10U	10U	10U	10U	10U	10U	10U	5.0U	5.0U	5.0U	5.0U	10U	0.6	
2-Butanone	µg/L	20U	20U	20U	110	20U	20U	20U	20U	10U	10U	2.1J	10U	5.2J	50	
Acetone	µg/L	42	53	56	98	52	25	25	130	7.0J	28	15	48	96	50	
Benzene	µg/L	2.1J	3.2J	4.6J	9.1	4.7J	2.1J	2.1J	3.3J	1.9J	3.3J	2.1J	5.3	7.8J	1	
Chlorobenzene	µg/L	3.8J	6.6J	5.2J	4.4J	8.9J	5.8J	5.8J	5.4J	6.9	4.0J	5.6J	6.1	4.3J	5	
Ethylbenzene	µg/L	2.0J	7.6J	9.6J	18	10J	5.3J	5.3J	7.8J	6.4J	7.2	4.6J	13	18	5	
Methylene chloride	µg/L	6.4U	5.6U	5.6U	2.9J	5.6U	5.6U	5.6U	3.2J	3.5U	3.5U	3.5U	3.5U	2.2J	5	
Styrene	µg/L	10U	10U	10U	10U	10U	10U	10U	10U	5.0U	5.0U	5.0U	5.0U	10U	5	
Tetrachloroethene	µg/L	4.9J	23	28	46	48	27	27	19	9.6	12	6.0	42	48	0.7 (2)	
Toluene	µg/L	15	46	57	110	42	33	33	41	18	30	14	64	110	5	
trans-1,2-Dichloroethene	µg/L	3.6U	2.4J	2.5J	4.2	3.6U	3.6U	3.6U	2.1J	2.2	1.8U	2.0	1.8U	3.2J	5	
Trichloroethene	µg/L	27	92	140	260	140	80	80	74	20	48	20	130	230	5	
Vinyl chloride	µg/L	8.4J	20U	5.1J	14J	13J	8.6J	8.6J	6.6J	11	10	11	18	15J	0.3 (2)	
Xylene (total)	µg/L	7.3J	29	40	76	37	21	21	30	20	24	15	50	78	5	
<b>Semi-Volatiles</b>																
1,2-Dichlorobenzene	µg/L	2J	1J	1J	3	9U	0.8J	0.8J	1J	0.6J	0.6J	1J	0.9J	3	3	
1,4-Dichlorobenzene	µg/L	2J	2J	1J	3J	2J	1J	1J	1J	1J	0.8J	2J	1J	3J	3	
2,4-Dimethylphenol	µg/L	11J	9J	8	14	5J	4	4	9	6	7	8	12	21	50 (2)	
2-Methylphenol	µg/L	28J	21J	17	36	10J	8J	8J	18	8J	13	15	19	32	NL	
4-Methylphenol	µg/L	40J	27J	24	57	19J	13	13	27	13	20	21	30	61	NL	
Di-n-octyl phthalate	µg/L	14U	12U	2U	2U	12U	2U	2U	2U	2U	0.3J	3U	2U	2U	50 (2)	
Naphthalene	µg/L	57	24	12	1J	7U	15	15	13	23	8	29	2U	1J	10	
Phenol	µg/L	210	96	42	73	46	51	51	41	66	28	84	35	38	1	

TABLE 2.10  
ANALYTICAL RESULTS SUMMARY  
SITE EFFLUENT  
GRATWICK-RIVERSIDE PARK SITE

Sample ID:															Surface Water
Sample Date:	1/23/2002	2/21/2002	3/27/2002	4/24/2002	5/30/2002	6/29/2002	6/29/2002	7/25/2002	8/27/02	9/23/02	10/17/02	11/13/02	12/12/2002	Standard <sup>(1)</sup>	
Parameter	Unit														
<b>Metals</b>															
Aluminum	mg/L	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	NL
Antimony	mg/L	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.003
Arsenic	mg/L	0.0070U	0.0070U	0.0070U	0.0070U	0.0070U	0.0070U	0.0070U	0.0070U	0.0070U	0.0070U	0.0070U	0.0070U	0.0070U	0.050
Barium	mg/L	0.077	0.075	0.078	0.095	0.064	0.058	0.058	0.059	0.073	0.054	0.064	0.068	0.096	1.0
Beryllium	mg/L	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.003 <sup>(2)</sup>
Cadmium	mg/L	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.005
Chromium	mg/L	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.050
Copper	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.023 <sup>(3)</sup>
Iron	mg/L	0.050U	0.050U	0.050U	0.050U	0.090	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.10	0.050U	0.30
Lead	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.012
Magnesium	mg/L	1.5	1.4	0.92	0.34	2.5	1.7	1.7	1.8	8.8	3.5	6.4	1.9	0.43	35
Manganese	mg/L	0.0034	0.0042	0.0049	0.003U	0.0090	0.0030U	0.0030U	0.0030U	0.0094	0.0030U	0.0098	0.0030U	0.0030U	0.30
Mercury	mg/L	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.0000026 <sup>(4)</sup>
Nickel	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.10
Selenium	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.0046 <sup>(4)</sup>
Silver	mg/L	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.050
Sodium	mg/L	317	336	360	242	329	318	318	270	189	195	204	289	272	NL
Zinc	mg/L	0.026U	0.026U	0.026U	0.026U	0.026U	0.026U	0.026U	0.026U	0.026U	0.026U	0.026U	0.026U	0.026U	2.0 <sup>(2)</sup>
<b>General Chemistry</b>															
pH	S.U.	10.91	10.96	10.92	11.46	10.4	10.66	10.66	10.37	8.44	8.97	8.84	10.11	10.72	NL
Hardness	mg/L	415	449	440	484	349	300	300	300	316	277	274	372	507	NL
Total Dissolved Solids (TDS)	mg/L	1450	1490	1640	1610	1530	1130	1130	1100	868	1040	945	1330	1410	NL
Total Suspended Solids (TSS)	mg/L	5.0	11.0	9	8	6	8	8	8	12	6	1.5	2	2.3	NL
Chloride	mg/L	514	545	577	545	518	452	452	424	377	320	329	502	489	250
BOD	mg/L	25	21	22	29	13	9	9	12	14	8	11	16	15	NL
COD	mg/L	45	58	255	50	23	26	26	58	49	19	46	16	64	NL
Oil and Grease	mg/L	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	NL
Organic Carbon	mg/L	14	6	10	12	9	11	11	8	6.9	10	7	(5)	(5)	NL
Alkalinity, Total (As CaCO <sub>3</sub> )	mg/L	62.4	53.8	102	126	36.3	43.1	43.1	16.7	27.2	5.0U	22.4	14.3	110	NL
Bicarbonate (as CaCO <sub>3</sub> )	mg/L	5.0U	5.0U	5.0U	5.0U	5.0U	5.0U	5.0U	16.7	27.2	5.0U	22.4	14.3	5.0U	NL
Ammonia	mg/L	9.1	6.0	6.0	5.2	SL	2.0	2.0	1.7	9.1	10.5	9.4	9.4	7.0	2.0
Nitrate (as N)	mg/L	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	10

**TABLE 2.10**  
**ANALYTICAL RESULTS SUMMARY**  
**SITE EFFLUENT**  
**GRATWICK-RIVERSIDE PARK SITE**

<i>Sample ID:</i>																
<i>Sample Date:</i>		1/23/2002	2/21/2002	3/27/2002	4/24/2002	5/30/2002	6/29/2002	6/29/2002	7/25/2002	8/27/02	9/23/02	10/17/02	11/13/02	12/12/2002		
<i>Parameter</i>	<i>Unit</i>															<i>Surface Water Standard<sup>(1)</sup></i>
<i>General Chemistry</i>																
TKN	mg/L	8.1	4.5	5.0	4.8	SL	2.0	2.0	1.7	5.6	6.2	7.8	10.5	10.8		NL
Sulfate	mg/L	261	250	262	239	239	226	226	215	236	214	213	254	302		250
Sulfide	mg/L	9.9	9.9	11.2	13.7	4.4	1.0U	1.0U	1.0U	1.4	1.0U	1.0U	7.4	21.6		0.002
Phenol	mg/L	0.12	0.28	0.22	0.22	SL	0.40	0.40	0.27	0.16	0.16	0.16	0.12	0.12		0.001
Phosphorous	mg/L	0.09	0.08	0.09	0.17	0.02	0.10	0.10	0.04	0.018	0.04	0.06	0.12	0.10		0.020 <sup>(2)</sup>
Cyanide	mg/L	0.005U	0.005U	0.040J	0.005U	0.005	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U		0.0052

## Notes:

U - Non-detect at associated value

- - Not Analyzed

J - Estimated

NL - Not Listed

SL - Sample Lost

(1) - Lowest Standard/Guidance Value shown

(2) - Guidance Value

(3) - Calculated using a hardness of 300 ppm

(4) - Applies to dissolved form

(5) - TOC analyzer malfunction prevented analysis of this compound.



TABLE 2.10  
ANALYTICAL RESULTS SUMMARY  
SITE EFFLUENT  
GRATWICK-RIVERSIDE PARK SITE

Sample ID:														
Sample Date:		1/16/03	2/06/03	3/11/03	4/04/03	5/09/03	6/10/03	7/10/03	8/7/03	9/4/03	10/10/03	11/7/03	12/10/03	Surface Water Standard <sup>(1)</sup>
Parameter	Unit													
<b>Volatiles</b>														
1,1,1-Trichloroethane	µg/L	2.6U	2.6U	2.6U	5.2U	1.3U	2.6U	5.2U	5.2U	5.2U	1.3U	2.6U	2.6U	5
1,1-Dichloroethane	µg/L	4.1	9.6	5.6	6.4	0.84U	5.4	7.4	4.6	3.3U	0.84U	1.7U	7.0	5
1,2-Dichloroethane	µg/L	1.7U	1.7U	1.7U	3.4U	0.85U	1.7U	3.4U	3.4U	3.4U	0.85U	1.7U	1.7U	0.6
2-Butanone	µg/L	9.3U	9.3U	9.3U	19U	4.6U	9.3U	19U	19U	19U	4.6U	9.3U	9.3U	50
Acetone	µg/L	21	56	51	42	10U	28	52	42U	42U	10U	21U	35	50
Benzene	µg/L	3.4	7.9	6.2	4.4U	1.1U	3.2	4.6	4.4U	4.4U	1.1U	2.2U	7.2	1
Chlorobenzene	µg/L	6.1	6.6	6.9	7.5	6.9	4.1	7.0	5.0	3.6U	5.4	9.3	6.3	5
Ethylbenzene	µg/L	9.9	2.3	15	12	1.9	11	12	9.5	4.3	1.8	2.1	17	5
Methylene chloride	µg/L	7.0U	7.0U	7.0U	14U	3.5U	7.0U	14U	14U	14U	3.5U	7.0U	7.0U	5
Styrene	µg/L	5.2U	5.2U	5.2U	10U	2.6U	5.2U	10U	10U	10U	2.6U	5.2U	5.2U	5
Tetrachloroethene	µg/L	22	59	46	31	8.3	45	38	32	12	1.3U	2.5U	47	0.7 <sup>(2)</sup>
Toluene	µg/L	37	110	81	56	7.1	46	57	39	17	1.2U	3.2	82	5
trans-1,2-Dichloroethene	µg/L	3.0U	4.3	3.0U	6.0U	1.8	4.5	6.0U	6.0U	6.0U	1.5U	3.0U	3.3	5
Trichloroethene	µg/L	92	260	220	160	17	140	170	110	53	1.7	5.7	180	5
Vinyl chloride	µg/L	10	20	11	9.6	5.8	12	9.5	5.7U	5.7U	1.9	2.8U	11	0.3 <sup>(2)</sup>
Xylene (total)	µg/L	41	99	64	50	7.0	44	56	40	28U	6.9U	14U	73	5
<b>Semi-Volatiles</b>														
1,2-Dichlorobenzene	µg/L	4U	20U	20U	20U	20U	20U	19U	16U	16U	16U	16U	16U	3
1,4-Dichlorobenzene	µg/L	4U	18U	19U	19U	19U	19U	18U	15U	15U	15U	15U	14U	3
2,4-Dimethylphenol	µg/L	10	18U	19U	19U	19U	19U	18U	12U	20	12U	13U	18	50 <sup>(2)</sup>
2-Methylphenol	µg/L	12	16U	22	16U	16U	16U	15U	15U	15U	15U	16U	15	NL
4-Methylphenol	µg/L	24	35	45	31	18U	19	17U	15U	46	15U	16U	57	NL
Di-n-octyl phthalate	µg/L	4U	19U	20U	19U	19U	20U	19U	26U	26U	26U	27U	26U	50 <sup>(2)</sup>
Naphthalene	µg/L	3U	18U	18U	18U	18U	18U	17U	17U	17U	17U	18U	17U	10
Phenol	µg/L	61	30	62	94	64	61	74	46	28	16	150	46	1

**TABLE 2.10**  
**ANALYTICAL RESULTS SUMMARY**  
**SITE EFFLUENT**  
**GRATWICK-RIVERSIDE PARK SITE**

Sample ID:														
Sample Date:		1/16/03	2/06/03	3/11/03	4/04/03	5/09/03	6/10/03	7/10/03	8/7/03	9/4/03	10/10/03	11/7/03	12/10/03	Surface Water Standard <sup>(1)</sup>
Parameter	Unit													
<b>Metals</b>														
Aluminum	mg/L	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	NL
Antimony	mg/L	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.003
Arsenic	mg/L	0.0070U	0.0070U	0.0070U	0.0070U	0.0070U	0.0070U	0.0070U	0.0070U	0.010U	0.010U	0.010U	0.010U	0.050
Barium	mg/L	0.091	0.097	0.090	0.094	0.065	0.070	0.080	0.074	0.082	0.072	0.092	0.10	1.0
Beryllium	mg/L	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0020U	0.0020U	0.0020U	0.0020U	0.003 <sup>(2)</sup>
Cadmium	mg/L	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.005
Chromium	mg/L	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0040U	0.0055	0.0040U	0.0040U	0.050
Copper	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.023 <sup>(3)</sup>
Iron	mg/L	0.050U	0.050U	0.050U	0.11	0.050U	0.050U	0.17	0.050U	0.050U	0.072	0.050U	0.050U	0.30
Lead	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.0060U	0.0060U	0.0060U	0.0060U	0.012
Magnesium	mg/L	1.4	0.26	0.31	3.6	4.8	1.6	2.3	1.4	1.2	7.4	5.9	0.72	35
Manganese	mg/L	0.0030U	0.0030U	0.0030U	0.012	0.0030	0.0030U	0.0080	0.0030U	0.0030U	0.018	0.0055	0.0030U	0.30
Mercury	mg/L	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.0000026 <sup>(4)</sup>
Nickel	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.10 <sup>(4)</sup>
Selenium	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.015U	0.015U	0.015U	0.015U	0.0046 <sup>(4)</sup>
Silver	mg/L	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.050
Sodium	mg/L	343	391	195	401	310	276	293	231UJ	272	239	375	361	NL
Zinc	mg/L	0.026U	0.026U	0.026U	0.026U	0.026U	0.026U	0.026U	0.020U	0.020U	0.020U	0.020U	0.020U	2.0 <sup>(2)</sup>
<b>General Chemistry</b>														
pH	S.U.	10.71	11.55	11.3	10.91	9.75	8.0	10.73	10.8	10.59	7.92	8.48	11.13	NL
Hardness	mg/L	388	435	459	430	368	374	365	294	431	380	399	420	NL
Total Dissolved Solids (TDS)	mg/L	1500	1580	1590	1750	1120	1230	1440	1050	1400	1000	1590	1400	NL
Total Suspended Solids (TSS)	mg/L	2.0	6.0	3.0	18.0	3.0	4	9	4	11	15	15	3	NL
Chloride	mg/L	511	512	628	778	524	416	474	410	347	383	615	834	250
BOD	mg/L	13	10	20	22	12	9	9	11	7	6	11	22	NL
COD	mg/L	55	73	46	44	39	73	48	24	21	8	40	53	NL
Oil and Grease	mg/L	1.0U	0.28	1.0U	1.0	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	NL
Organic Carbon	mg/L	6	13	12	12	9	8	9	6	10	5	10	9	NL
Alkalinity, Total (As CaCO3)	mg/L	104	155	121	48	7.9	NA	74	119	58.0	38.0	13.4	74.8	NL
Bicarbonate (as CaCO3)	mg/L	22.5	5.0U	5.0U	5.0U	7.9	NA	10U	10U	10U	38.0	13.4	10U	NL
Ammonia	mg/L	7.35	3.15	2.10	5.6	5.25	6.3	5.25	3.15	3.15	2.45	4.2	3.5	2.0
Nitrate (as N)	mg/L	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.051	0.050U	0.050U	10

**TABLE 2.10**  
**ANALYTICAL RESULTS SUMMARY**  
**SITE EFFLUENT**  
**GRATWICK-RIVERSIDE PARK SITE**

<i>Sample ID:</i>														
<i>Sample Date:</i>		1/16/03	2/06/03	3/11/03	4/04/03	5/09/03	6/10/03	7/10/03	8/7/03	9/4/03	10/10/03	11/7/03	12/10/03	<i>Surface Water Standard</i> <sup>(1)</sup>
<i>Parameter</i>	<i>Unit</i>													
<i>General Chemistry</i>														
TKN	mg/L	9.24	2.52	1.1	4.48	5.04	8.4	6.7	5.88	5.88	2.24	7.28	5.88	NL
Sulfate	mg/L	202	177	184	230	236	234	170	208	254	149	242	386	250
Sulfide	mg/L	3.2	4.0	8.0	10	2.2	4.0	4.8	4.8	2.4	1.0U	1.0U	2.0	0.002
Phenol	mg/L	0.11	0.10	0.009	0.006	0.01U	0.008U	0.034	0.08U	0.014U	0.006U	0.012U	0.015U	0.001
Phosphorous	mg/L	0.12	0.10	0.18	0.10	0.04	0.11	0.10	0.13	0.16	0.11	0.24	0.13	0.020 <sup>(2)</sup>
Cyanide	mg/L	0.005U	0.005U	0.005U	0.005	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.0052

## Notes:

U - Non-detect at associated value

- - Not Analyzed

J - Estimated

NL - Not Listed

SL - Sample Lost

(1) - Lowest Standard/Guidance Value shown

(2) - Guidance Value

(3) - Calculated using a hardness of 300 ppm

(4) - Applies to dissolved form

(5) - TOC analyzer malfunction prevented analysis of this compound.

**TABLE 2.10**  
**ANALYTICAL RESULTS SUMMARY**  
**SITE EFFLUENT**  
**GRATWICK-RIVERSIDE PARK SITE**

<i>Sample ID:</i>															
<i>Sample Date:</i>		1/8/04	2/6/04	3/16/04	04/13/04	05/14/04	06/10/04	07/09/94	08/12/04	09/10/04	10/08/04	11/05/04	12/03/04	Surface Water Standard <sup>(1)</sup>	
<i>Parameter</i>	<i>Unit</i>														
<i>Volatiles</i>															
1,1,1-Trichloroethane	µg/L	2.6U	5.2U	1.3U	5.2U	1.3U	5.2U	1.3U	1.3U	5.2U	5.2U	5.2U	1.3U	5	
1,1-Dichloroethane	µg/L	9.2	3.3U	11	14	4.1	11	5.9	10	5.2U	5.2U	3.3U	6.5	5	
1,2-Dichloroethane	µg/L	1.7U	3.4U	0.85U	3.4U	0.85U	3.4U	0.85U	0.85U	5.2U	5.2U	3.4U	0.85U	0.6	
2-Butanone	µg/L	9.3U	19U	4.6U	19U	4.6U	19U	4.6U	4.6U	5.2U	5.2U	19U	4.6U	50	
Acetone	µg/L	53	42U	38	42U	12	42U	22	34	5.2U	5.2U	42U	19	50	
Benzene	µg/L	7.8	4.4U	6.1	4.4	2.1	5.3	2.9	5.6	5.2U	5.2U	4.4U	3.3	1	
Chlorobenzene	µg/L	6.7	8.8	3.0	3.6U	8.8	3.6U	4.4	2.9	19	13	12	4.5	5	
Ethylbenzene	µg/L	19	0.11U	17	14	6.4	18	8.7	18	6.4	0.11U	0.11U	12	5	
Methylene chloride	µg/L	7.0U	14U	3.5U	14U	3.5U	15	3.5U	3.5U	14U	14U	14U	3.5U	5	
Styrene	µg/L	5.2U	10U	2.6U	10U	2.6U	10U	2.6U	2.6U	14U	14U	10U	2.6U	5	
Tetrachloroethene	µg/L	60	5.0U	50	38	16	63	22	52	14U	14U	5.0U	31	0.7 <sup>(2)</sup>	
Toluene	µg/L	98	4.9U	80	75	26	78	38	83	14U	14U	4.9	46	5	
trans-1,2-Dichloroethene	µg/L	3.6	6.0U	4.0	6.0U	1.8	6.0U	2.1	3.6	14U	14U	6.0U	1.5U	5	
Trichloroethene	µg/L	260	7.5	200	220	82	240	97	200	4.8	4.8U	4.8U	130	5	
Vinyl chloride	µg/L	14	5.7U	10	8.9	4.9	11	5.6	12	6.1	5.7U	5.7U	6.7	0.3 <sup>(2)</sup>	
Xylene (total)	µg/L	91	28U	81	78	29	87	42	83	28U	28U	28U	5.4	5	
<i>Semi-Volatiles</i>															
1,2-Dichlorobenzene	µg/L	16U	16U	16U	16U	16U	16U	16U	16U	16U	16U	16U	16U	3	
1,4-Dichlorobenzene	µg/L	15U	15U	15U	15U	15U	15U	15U	14U	15U	14U	15U	15U	3	
2,4-Dimethylphenol	µg/L	15	12U	13U	12U	12U	13U	13U	12U	14	12U	13U	13U	50 <sup>(2)</sup>	
2-Methylphenol	µg/L	16U	15U	16U	15U	15U	16U	16U	15	15U	15U	16U	16U	NL	
4-Methylphenol	µg/L	48	15U	24	16	15U	16U	20	32	29	15U	16U	16U	NL	
Di-n-octyl phthalate	µg/L	27U	27U	27U	26U	27U	27U	27U	26U	26U	26U	27U	27U	50 <sup>(2)</sup>	
Naphthalene	µg/L	18U	37	18U	17U	20	18U	18U	17U	17U	20	18U	18U	10	
Phenol	µg/L	39	140	11	14	91	16	67	13	6U	55	6U	11	1	

**TABLE 2.10**  
**ANALYTICAL RESULTS SUMMARY**  
**SITE EFFLUENT**  
**GRATWICK-RIVERSIDE PARK SITE**

<i>Sample ID:</i>														
<i>Sample Date:</i>	1/8/04	2/6/04	3/16/04	04/13/04	05/14/04	06/10/04	07/09/94	08/12/04	09/10/04	10/08/04	11/05/04	12/03/04	Surface Water Standard <sup>(1)</sup>	
<i>Parameter</i>	<i>Unit</i>													
<i>Metals</i>														
Aluminum	mg/L	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	NL
Antimony	mg/L	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.003
Arsenic	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.050
Barium	mg/L	0.095	0.092	0.11	0.096	0.085	0.083	0.068	0.076	0.059	0.079	0.070	0.077	1.0
Beryllium	mg/L	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.003 <sup>(2)</sup>
Cadmium	mg/L	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.005
Chromium	mg/L	0.0040U	0.0040U	0.0040U	0.0040U	0.0040U	0.0040U	0.0040U	0.0040U	0.0040U	0.0040U	0.0040U	0.0040U	0.050
Copper	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.023 <sup>(3)</sup>
Iron	mg/L	0.050U	0.066	0.050U	0.055	0.26	0.050U	0.056	0.097	0.20	0.22	0.11	0.050U	0.30
Lead	mg/L	0.0060U	0.0060U	0.0060U	0.0060U	0.0060U	0.0060U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.012
Magnesium	mg/L	0.68	4.2	1.2	1.0	5.4	0.66	2.8	0.57	5.4	5.2	5.2	2.7	35
Manganese	mg/L	0.0030U	0.19	0.0033	0.0058	0.018	0.0030U	0.012	0.0030U	0.022	0.031	0.022	0.067	0.30
Mercury	mg/L	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.0000026 <sup>(4)</sup>
Nickel	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.10
Selenium	mg/L	0.015U	0.015U	0.015U	0.015U	0.015U	0.015U	0.015U	0.015U	0.015U	0.015U	0.015U	0.015U	0.0046 <sup>(4)</sup>
Silver	mg/L	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.050
Sodium	mg/L	362	425	425	422	423	349	319	305	334	447	360	294	NL
Zinc	mg/L	0.030	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	2.0 <sup>(2)</sup>

**TABLE 2.10**  
**ANALYTICAL RESULTS SUMMARY**  
**SITE EFFLUENT**  
**GRATWICK-RIVERSIDE PARK SITE**

Sample ID:														Surface
Sample Date:	1/8/04	2/6/04	3/16/04	04/13/04	05/14/04	06/10/04	07/09/04	08/12/04	09/10/04	10/08/04	11/05/04	12/03/04	Water	
Parameter	Unit												Standard	
<b>General Chemistry</b>														
pH	S.U.	11	9.13	11.13	11.16	9.44	11.26	8.81	11.19	9.21	7.26	9.10	10.95	NL
Hardness	mg/L	450	452	446	484	408	430	336	312	430	372	348	360	NL
Total Dissolved Solids (TDS)	mg/L	1490	1770	1780	1760	1920	1560	1490	1390	1560	1720	1320	1220	NL
Total Suspended Solids (TSS)	mg/L	6	4	11	20	6	11	5	8	8	10	18	5	NL
Chloride	mg/L	742	986	869	809	1020	792	728	678	692	913	676	599	250
BOD	mg/L	18	10	13	19	17	16	6	11	15	11	6	15	NL
COD	mg/L	55	30	51	51	58	26	67	43	46	59	17	24	NL
Oil and Grease	mg/L	1.0U	1.0U	1.0U	1.0U	0.57	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	NL
Organic Carbon	mg/L	9	9	6	5	6	6	8	7	8	9	8	7	NL
Alkalinity, Total (As CaCO3)	mg/L	56.0	23.0	71.2	110.0	12.3	122	45.7	113	37.8	44.6	46.5	55.7	NL
Bicarbonate (as CaCO3)	mg/L	10UJ	23	10U	10U	12.3	47.1	10U	10U	37.8	44.6	46.5	55.7	NL
Ammonia	mg/L	0.32	0.7	0.35	1.75	1.05	0.70	0.35	0.70	1.05	0.7	1.05	1.4	2.0
Nitrate (as N)	mg/L	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	10
TKN	mg/L	0.56	2.8	1.4	0.28	0	0.84	0.56	1.68	1.12	0.56	0.84	1.12	NL
Sulfate	mg/L	276	315	381	568	356	360	283	279	265	311	225	2.54	250
Sulfide	mg/L	4.0	1.2	3.2	5.6	1.6	1.6	8.4J	2.4	2.4J	5.6	2.4	2	0.002
Phenol	mg/L	0.015U	0.008U	0.009U	0.012U	0.010U	0.008U	0.010U	0.010U	0.010U	0.007U	0.008U	0.008U	0.001
Phosphorous	mg/L	0.20	0.11	0.24	0.23	0.13	0.05	0.20	0.06	0.14	0.10	0.14	0.10	0.020
Cyanide	mg/L	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.0052

Notes:

U - Non-detect at associated value

-- Not Analyzed

J - Estimated

NL - Not Listed

SL - Sample Lost

(1) - Lowest Standard/Guidance Value shown

(2) - Guidance Value

(3) - Calculated using a hardness of 300 ppm

(4) - Applies to dissolved form

(5) - TOC analyzer malfunction prevented analysis of this compound.

**TABLE 2.10**  
**ANALYTICAL RESULTS SUMMARY**  
**SITE EFFLUENT**  
**GRATWICK-RIVERSIDE PARK SITE**

Sample ID: Sample Date:		01/07/05	02/03/05	03/04/05	04/08/05	05/06/05	06/10/05	07/08/05	08/05/05	09/09/05	10/07/05	11/04/05	12/08/05	Surface Water Standard <sup>(1)</sup>
Parameter	Unit													
<i>Volatiles</i>														
1,1,1-Trichloroethane	µg/L	2.6U	2.6U	2.6U	2.6U	13U	2.6U	6.6U	1.3U	5.2U	5.2U	5.2U	5.2U	5
1,1-Dichloroethane	µg/L	1.7U	1.7U	1.7U	1.7U	8.4U	9.0	4.2U	6.6	5.7	3.3U	11	7.9	5
1,2-Dichloroethane	µg/L	1.7U	1.7U	1.7U	1.7U	8.5U	1.7U	4.2U	0.85U	3.4U	3.4U	3.4U	3.4U	0.6
2-Butanone	µg/L	9.3U	9.3U	9.3U	9.3U	46U	9.3U	23U	4.6U	19U	19U	19U	19U	50
Acetone	µg/L	21U	21U	21U	21U	100U	30	53U	10U	42U	42U	42U	42U	50
Benzene	µg/L	2.2U	2.2U	2.2U	2.2U	11U	2.5	5.5U	1.3	4.4U	4.4U	4.4U	4.4U	1
Chlorobenzene	µg/L	14	18	16	6.4	9.0U	1.8U	5.5	2.6	4.0	7.5	3.6U	4.7	5
Ethylbenzene	µg/L	3.2	2.2	0.056U	0.056U	0.28U	9.0	8.4	9.4	4.6	6.6	11	8.3	5
Methylene chloride	µg/L	7.0U	7.0U	7.0U	7.0U	35U	7.0U	17U	3.5U	14U	14U	14U	14U	5
Styrene	µg/L	5.2U	5.2U	5.2U	5.2U	26U	5.2U	13U	2.6U	10U	10U	10U	10U	5
Tetrachloroethene	µg/L	2.5U	2.5U	3.5	2.5U	13U	24	34	28	12	17	20	15	0.7 <sup>(2)</sup>
Toluene	µg/L	4.0	2.4U	5.3	3.1	14	45	40	44	23	25	45	34	5
trans-1,2-Dichloroethene	µg/L	3.0U	3.0U	3.0U	3.0U	15U	3.0U	7.6U	1.5U	6.0U	6.0U	6.0U	6.0U	5
Trichloroethene	µg/L	8.7	2.4U	12	8.5	29	140	100	90	67	61	120	86	5
Vinyl chloride	µg/L	3.6	2.8U	2.8U	2.8U	14U	5.1	7.1U	1.4U	5.7U	6.6	5.7U	5.7U	0.3 <sup>(2)</sup>
Xylene (total)	µg/L	14U	14U	14U	14U	69U	46	35	46	28U	28U	55	41	5
<i>Semi-Volatiles</i>														
1,2-Dichlorobenzene	µg/L	16U	16U	16U	16U	16U	1	1U	1U	1UJ	1	2	2	3
1,4-Dichlorobenzene	µg/L	15U	14U	15U	15U	15U	1	1	1	1	2	2	2	3
2,4-Dimethylphenol	µg/L	16	12U	13U	13U	12U	5	3	4	3	6	7	11	50 <sup>(2)</sup>
2-Methylphenol	µg/L	16U	15U	16U	16U	15U	6	4	7	1	5	8	7	NL
4-Methylphenol	µg/L	49	15U	16	16U	15U	12	10	15	0.7U	12	21	21	NL
Di-n-octyl phthalate	µg/L	27U	26U	27U	27U	27U	0.8U	0.8U	0.9U	0.9U	0.9U	0.9U	0.8U	50 <sup>(2)</sup>
Naphthalene	µg/L	18U	17U	33	18U	19	0.8U	0.8U	3	0.8U	0.8U	0.8U	0.8U	10
Phenol	µg/L	34	6U	130	120J	68	0.4U	7	9	0.4U	17	4	50	1

**TABLE 2.10**  
**ANALYTICAL RESULTS SUMMARY**  
**SITE EFFLUENT**  
**GRATWICK-RIVERSIDE PARK SITE**

Sample ID: Sample Date:		01/07/05	02/03/05	03/04/05	04/08/05	05/06/05	06/10/05	07/08/05	08/05/05	09/09/05	10/07/05	11/04/05	12/08/05	Surface Water Standard (1)
Parameter	Unit													
<i>Metals</i>														
Aluminum	mg/L	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.20	0.20U	NL
Antimony	mg/L	0.020U	0.020U	0.020U	0.020U	0.020U	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.003
Arsenic	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.050
Barium	mg/L	0.068	0.069	0.085	0.15	0.088	0.067	0.055	0.063	0.073	0.082	0.093	0.10	1.0
Beryllium	mg/L	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.003 (2)
Cadmium	mg/L	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.005
Chromium	mg/L	0.0040U	0.0040U	0.0040U	0.0040U	0.0040U	0.0040U	0.0040U	0.0040U	0.0040U	0.0040U	0.0040U	0.0040U	0.050
Copper	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.023 (3)
Iron	mg/L	0.098	0.54	0.37	3.4	0.22	0.050U	0.050U	0.050U	0.17	0.056	0.050U	0.050U	0.30
Lead	mg/L	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.012
Magnesium	mg/L	4.3	5.7	5.6	14.2	6.3	0.50	2.8	1.8	3.2	3.4	0.26	1.2	35
Manganese	mg/L	0.01	0.035	0.033	0.34	0.053	0.0030U	0.0068	0.0030U	0.022	0.022	0.0030U	0.0030U	0.30
Mercury	mg/L	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.000026 (4)
Nickel	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.10
Selenium	mg/L	0.015U	0.015U	0.015U	0.015U	0.015U	0.015U	0.015U	0.015U	0.015U	0.015U	0.015U	0.015U	0.0046 (4)
Silver	mg/L	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.050
Sodium	mg/L	387	422	448	504	347	289	229	235	264	292	302	357	NL
Zinc	mg/L	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.020U	0.032	0.020U	0.020U	2.0 (2)



**TABLE 2.10**  
**ANALYTICAL RESULTS SUMMARY**  
**SITE EFFLUENT**  
**GRATWICK-RIVERSIDE PARK SITE**

Sample ID:														
Sample Date:		01/07/05	02/03/05	03/04/05	04/08/05	05/06/05	06/10/05	07/08/05	08/05/05	09/09/05	10/07/05	11/04/05	12/08/05	Surface Water Standard <sup>(1)</sup>
Parameter	Unit													
<b>General Chemistry</b>														
pH	S.U.	9.71	8.94	9.27	8.18	9.3	11.13	8.42	10.67	9.91	9.54	11.25	11.04	NL
Hardness	mg/L	372	390	398	468	400	352	275	268	255	280	360	344	NL
Total Dissolved Solids (TDS)	mg/L	1520	1480	1620	2010	1540	1370	1110	1140	1050	1320	1320	1380	NL
Total Suspended Solids (TSS)	mg/L	278	147	27	82	21	12	11	6	6	4	6	4	NL
Chloride	mg/L	950	836J	1060	1200	883	729	516	408	451	716	664	762	250
BOD	mg/L	12	15	12	11	10	11	14	10	12	14	15	16	NL
COD	mg/L	52	48	52	65	35	51	56	38	47	31	31	61	NL
Oil and Grease	mg/L	0.28	1.0U	1.0U	1.0U	1.0U	0.28	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	NL
Organic Carbon	mg/L	8	9	9	10	9	10	5.1	5.2	5.1	5.6	6.4	9.2	NL
Alkalinity, Total (As CaCO <sub>3</sub> )	mg/L	44	46.4	40	105	43.5	99.2	36.3	66	10.2	29.0	114	42	NL
Bicarbonate (as CaCO <sub>3</sub> )	mg/L	44	46.4	40	105	43.5	10U	36.3	66	10.2	29.0	114	42	NL
Ammonia	mg/L	0.7	0.7	0.7	0.35	1.05	0.35	0.35	0.7	0.35	0.70	0.70	0.70	2.0
Nitrate (as N)	mg/L	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	10
TKN	mg/L	0.56	0.28	0.56	0.28	1.4	0.28	0.56	0.56	0.28	0.56	0.56	0.84	NL
Sulfate	mg/L	273	232	431	256	279	276	223	199	206	291	256	263	250
Sulfide	mg/L	8.8	4	5.2	1.0U	1.0U	1.0U	1.0U	2.0	2.0	2.0	5.6	8.8	0.002
Phenol	mg/L	0.006U	0.012U	0.010U	0.014U	0.012U	0.009U	0.009U	0.007U	0.010U	0.010U	0.006U	0.008U	0.001
Phosphorous	mg/L	0.15	0.08	0.11	0.1	0.13	0.08	0.08	0.11	0.14	0.14	0.20	0.04	0.020 <sup>(2)</sup>
Cyanide	mg/L	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.0052

## Notes:

U - Non-detect at associated value

-- Not Analyzed

J - Estimated

NL - Not Listed

SL - Sample Lost

(1) - Lowest Standard/Guidance Value shown

(2) - Guidance Value

(3) - Calculated using a hardness of 300 ppm

(4) - Applies to dissolved form

(5) - TOC analyzer malfunction prevented analysis of this compound.

**TABLE 2.10**  
**ANALYTICAL RESULTS SUMMARY**  
**SITE EFFLUENT**  
**GRATWICK-RIVERSIDE PARK SITE**

Sample ID:															
Sample Date:		01/06/06	02/14/06	03/10/06	04/07/06	05/04/06	06/09/06	07/07/06	08/08/06	09/22/06	10/06/06	11/09/06	12/08/06	Surface Water Standard	(1)
Parameter	Unit														
<b>Volatiles</b>															
1,1,1-Trichloroethane	µg/L	5.2U	5.2U	5.2U	5.2U	5.2U	5.2U	1.3U	1.3U	2.6U	2.6U	1.3U	1.3U	5	
1,1-Dichloroethane	µg/L	8.9	10	11	12	3.3U	3.3U	1.1	8.3	1.7U	2.8	12	2.8	5	
1,2-Dichloroethane	µg/L	3.4U	3.4U	3.4U	3.4U	3.4U	3.4U	0.85U	0.85U	1.7U	1.7U	0.85U	0.85U	0.6	
2-Butanone	µg/L	19U	19U	19U	19U	19U	19U	4.6U	4.6U	9.3U	9.3U	4.6U	4.6U	50	
Acetone	µg/L	42U	42U	42U	42U	42U	42U	12	26	21U	21U	22	23	50	
Benzene	µg/L	4.4U	4.4U	4.4U	4.4U	4.4U	4.4U	1.4	4.1	3.0	3.4	1.5	3.4	1	
Chlorobenzene	µg/L	5.1	5.0	5.0	3.6U	8.6	7.8	6.3	7.7	9.8	11	3.9	6.0	5	
Ethylbenzene	µg/L	7.9	10	12	8.2	7.0U	7.0U	2.4	9.5	16	16	8.8	9.4	5	
Methylene chloride	µg/L	14U	14U	14U	6.8U	6.8U	14	1.7U	1.7U	3.4U	3.4U	1.7U	1.7U	5	
Styrene	µg/L	10U	10U	10U	6.6U	6.6U	6.6U	1.7U	1.7U	3.4U	3.4U	1.7U	1.7U	5	
Tetrachloroethene	µg/L	15	19	27	21	9.1	13	5.4	25	18	21	10	22	0.7	(2)
Toluene	µg/L	36	46	56	41	11	28	13	57	13	24	36	44	5	
trans-1,2-Dichloroethene	µg/L	6.0U	6.0U	6.0U	6.0U	6.0U	6.0U	1.5U	3.9	3.0U	3.0U	2.2	1.9	5	
Trichloroethene	µg/L	100	130	150	130	23	54	20	94	23	52	130	82	5	
Vinyl chloride	µg/L	5.7U	5.8	6.4	5.7U	5.7U	5.7U	2.9	11	4.3	5.2	4.6	1.4U	0.3	(2)
Xylene (total)	µg/L	37	28U	55	41	28U	28U	9.1	41	14U	70	46	41	5	
<b>Semi-Volatiles</b>															
1,2-Dichlorobenzene	µg/L	2	2	2	2	1	0.2U	0.2U	0.2U	4	3	0.2U	0.2U	3	
1,4-Dichlorobenzene	µg/L	2	2	2	2	3	0.4U	2	2	6	4	2	0.4U	3	
2,4-Dimethylphenol	µg/L	9	11	14	10	5	4	3	6	19	9	22	6J	50	(2)
2-Methylphenol	µg/L	6	7	8	5	4	6	3	10	5	4	0.3U	3	NL	
4-Methylphenol	µg/L	21	28	34	13	12	7	5	21	63	43	2	5	NL	
Di-n-octyl phthalate	µg/L	0.8U	0.9U	0.8U	0.8U	4U	21U	21U	21U	21U	21U	23U	21U	50	(2)
Naphthalene	µg/L	12	11	1	0.8U	50	16	16	38	0.4U	0.4U	0.4U	0.4U	10	
Phenol	µg/L	43	40	31	0.4U	150	21	46	170	41	10	0.1U	6	1	

**TABLE 2.10**  
**ANALYTICAL RESULTS SUMMARY**  
**SITE EFFLUENT**  
**GRATWICK-RIVERSIDE PARK SITE**

Sample ID: Sample Date:		01/06/06	02/14/06	03/10/06	04/07/06	05/04/06	06/09/06	07/07/06	08/08/06	09/22/06	10/06/06	11/09/06	12/08/06	Surface Water Standard <sup>(1)</sup>
Parameter	Unit													
<i>Metals</i>														
Aluminum	mg/L	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	NL
Antimony	mg/L	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.20U	0.003
Arsenic	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.050
Barium	mg/L	0.10	0.11	0.94	0.093	0.082	0.074	0.071	0.061	0.074	0.076	0.086	0.06	1.0
Beryllium	mg/L	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.0020U	0.003 <sup>(2)</sup>
Cadmium	mg/L	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.0010U	0.005
Chromium	mg/L	0.0040U	0.0040U	0.0040U	0.0040U	0.0040U	0.0040U	0.0040U	0.0040U	0.0040U	0.0040U	0.0040U	0.0040U	0.050
Copper	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.023 <sup>(3)</sup>
Iron	mg/L	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.074	0.054	0.20	0.27	0.30
Lead	mg/L	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.0050U	0.012
Magnesium	mg/L	2.3	1.2	0.57	0.46	7.6	1.6	7.0	3.0	3.2	2.1	58	4.8	35
Manganese	mg/L	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.011	0.011	0.0034	0.0093	0.30
Mercury	mg/L	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.00020U	0.0000026 <sup>(4)</sup>
Nickel	mg/L	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.010U	0.10
Selenium	mg/L	0.015U	0.015U	0.015U	0.015U	0.015U	0.015U	0.015U	0.015U	0.015U	0.015U	0.015U	0.015U	0.0046 <sup>(4)</sup>
Silver	mg/L	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.0030U	0.050
Sodium	mg/L	357	425	454	419	361	350	278	282	366	337	371	305	NL
Zinc	mg/L	0.020U	0.020U	0.010U	0.010U	0.010U	0.010U	0.010U	0.018	0.0109	0.012	0.014	0.015	2.0 <sup>(2)</sup>

**TABLE 2.10**  
**ANALYTICAL RESULTS SUMMARY**  
**SITE EFFLUENT**  
**GRATWICK-RIVERSIDE PARK SITE**

Sample ID:														
Sample Date:		01/06/06	02/14/06	03/10/06	04/07/06	05/04/06	06/09/06	07/07/06	08/08/06	09/22/06	10/06/06	11/09/06	12/08/06	Surface Water Standard <sup>(1)</sup>
Parameter	Unit													
<b>General Chemistry</b>														
pH	S.U.	10.73	11.07	10.99	10.96	9.74	10.62	8.32	9.86	10.82	11.08	11.19	8.53	NL
Hardness	mg/L	329	342	400	408	289	310	292	260	342	320	296	200	NL
Total Dissolved Solids (TDS)	mg/L	1510	1700	1670	1730	1500	1470	1180	1170	1440	1430	1350	1020	NL
Total Suspended Solids (TSS)	mg/L	6	6	10	5	4	3	27	13	6	26	8	9	NL
Chloride	mg/L	910	897	914	962J	914	737	493	495	728	791	752	412	250
BOD	mg/L	10	10	9	10	12	7	10	12	12	11	15	14	NL
COD	mg/L	38	45	47	47	47	47	47	161	177	47	27	20	NL
Oil and Grease	mg/L	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	1.0U	NL
Organic Carbon	mg/L	7.9	8.1	8.3	8.9	9.3	8.1	6.7	9.1	8	6.2	6.7	7.1	NL
Alkalinity, Total (As CaCO <sub>3</sub> )	mg/L	69	71.4	95.1	75.4	26.9	44.9	92.6	30.3	64.5	93.4	72.0	44.2	NL
Bicarbonate (as CaCO <sub>3</sub> )	mg/L	69	10U	10U	75.4	26.9	44.9	92.6	30.3	64.5	93.4	10U	44.2	NL
Ammonia	mg/L	0.35	1.05	0.28	0.70	0.70	0.28	0.70	1.05	0.70	1.05	0.70	1.05	2.0
Nitrate (as N)	mg/L	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	0.050U	10
TKN	mg/L	0.28	0.84	0.56	0.84	0.56	0.84	0.56	1.12	0.84	0.56	0.28	1.12	NL
Sulfate	mg/L	297	288	285	351	296	259	182	242	230	208	269	207	250
Sulfide	mg/L	4.0	2.9	5.2	6.0	4.4	6.8	2.8	6.4	8.0	8.0	7.2	6.4	0.002
Phenol	mg/L	0.008U	0.010U	0.009U	0.011U	0.007U	0.008U	0.012U	0.007U	0.011U	0.013U	0.007U	0.006U	0.001
Phosphorous	mg/L	0.06	0.37	0.13	0.05	0.10	0.12	0.07	0.17	0.14	0.14	0.18	0.13	0.020 <sup>(2)</sup>
Cyanide	mg/L	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.005U	0.0052

## Notes:

U - Non-detect at associated value

- - Not Analyzed

J - Estimated

NL - Not Listed

SL - Sample Lost

(1) - Lowest Standard/Guidance Value shown

(2) - Guidance Value

(3) - Calculated using a hardness of 300 ppm

(4) - Applies to dissolved form

(5) - TOC analyzer malfunction prevented analysis of this compound.

TABLE 2.10  
ANALYTICAL RESULTS SUMMARY  
SITE EFFLUENT  
GRATWICK-RIVERSIDE PARK SITE

<i>Sample ID:</i>						
<i>Sample Date:</i>		01/05/07	02/09/07	09/07/07	03/07/08	Surface Water Standard <sup>(1)</sup>
<i>Parameter</i>	<i>Unit</i>					
<b>Volatiles</b>						
1,1,1-Trichloroethane	µg/L	1.3U	1.3U	0.24U	1.2U	5
1,1-Dichloroethane	µg/L	14	8.2	1.1	6.9	5
1,2-Dichloroethane	µg/L	0.85U	0.85U	0.20U	0.2U	0.6
2-Butanone	µg/L	4.6U	4.6U	1.1U	6.1U	50
Acetone	µg/L	19	17	17	12	50
Benzene	µg/L	2.2	1.6	0.2U	1.1U	1
Chlorobenzene	µg/L	4.9	5.6	4.8	0.73	5
Ethylbenzene	µg/L	10	9.1	2.1	2.4	5
Methylene chloride	µg/L	1.7U	1.7U	0.27U	1.1U	5
Styrene	µg/L	1.7U	1.7U	0.18U	0.79U	5
Tetrachloroethene	µg/L	16	15	3.8	4.1	0.7 <sup>(2)</sup>
Toluene	µg/L	57	35	7.1	20	5
trans-1,2-Dichloroethene	µg/L	2.7	2.2	0.70	1.2U	5
Trichloroethene	µg/L	160	120	18	71	5
Vinyl chloride	µg/L	1.4U	1.4U	0.48U	3.1	0.3 <sup>(2)</sup>
Xylene (total)	µg/L	52	43	8.3	15	5
<b>Semi-Volatiles</b>						
1,2-Dichlorobenzene	µg/L	1	0.2U	0.2U	0.9	3
1,4-Dichlorobenzene	µg/L	0.4U	0.4U	0.9	1	3
2,4-Dimethylphenol	µg/L	5	4	5	4 J	50 <sup>(2)</sup>
2-Methylphenol	µg/L	8	5	4	12	NL
4-Methylphenol	µg/L	14	14	10	12	NL
Di-n-octyl phthalate	µg/L	21U	22U	21U	22U	50 <sup>(2)</sup>
Naphthalene	µg/L	18	19	13	7	10
Phenol	µg/L	69	62	22	33	1

**TABLE 2.10**  
**ANALYTICAL RESULTS SUMMARY**  
**SITE EFFLUENT**  
**GRATWICK-RIVERSIDE PARK SITE**

<i>Sample ID:</i>						
<i>Sample Date:</i>		01/05/07	02/09/07	09/07/07	03/07/08	Surface Water Standard <sup>(1)</sup>
<i>Parameter</i>	<i>Unit</i>					
<i>Metals</i>						
Aluminum	mg/L	0.20U	0.20U	0.20U	0.20U	NL
Antimony	mg/L	0.20U	0.20U	0.20U	0.20U	0.003
Arsenic	mg/L	0.010U	0.010U	0.010U	0.010U	0.050
Barium	mg/L	0.080	0.077	0.080	0.092	1.0
Beryllium	mg/L	0.0020U	0.0020U	0.0020U	0.0020U	0.003 <sup>(2)</sup>
Cadmium	mg/L	0.0010U	0.0010U	0.0010U	0.0010U	0.005
Chromium	mg/L	0.0040U	0.0040U	0.0040U	0.0040U	0.050
Copper	mg/L	0.010U	0.010U	0.027	0.018	0.023 <sup>(3)</sup>
Iron	mg/L	0.078	0.064	0.18	0.053	0.30
Lead	mg/L	0.0050U	0.0050U	0.0050U	0.0050U	0.012
Magnesium	mg/L	1.9	2.3	5.0	1.5	35
Manganese	mg/L	0.0037	0.0071	0.032	0.0062	0.30
Mercury	mg/L	0.00020U	0.00020U	0.00020U	0.00020U	0.0000026 <sup>(4)</sup>
Nickel	mg/L	0.010U	0.010U	0.010U	0.010U	0.10
Selenium	mg/L	0.015U	0.015U	0.015U	0.015U	0.0046 <sup>(4)</sup>
Silver	mg/L	0.0030U	0.0030U	0.0030U	0.0030U	0.050
Sodium	mg/L	376	365	277	414	NL
Zinc	mg/L	0.010U	0.010U	0.10	0.010U	2.0 <sup>(2)</sup>

**TABLE 2.10**  
**ANALYTICAL RESULTS SUMMARY**  
**SITE EFFLUENT**  
**GRATWICK-RIVERSIDE PARK SITE**

<i>Sample ID:</i>						
<i>Sample Date:</i>		01/05/07	02/09/07	09/07/07	03/07/08	Surface Water Standard <sup>(1)</sup>
<i>Parameter</i>	<i>Unit</i>					
<b>General Chemistry</b>						
pH	S.U.	10.94	10.78	8.87	11.29	NL
Hardness	mg/L	284	269	282	366	NL
Total Dissolved Solids (TDS)	mg/L	1360	1330	1,310	1,640	NL
Total Suspended Solids (TSS)	mg/L	4	8	5	19	NL
Chloride	mg/L	897	741	486	678	250
BOD	mg/L	8	7	22	19	NL
COD	mg/L	74	67	67	98	NL
Oil and Grease	mg/L	1.0U	1.0U	1.0U	1.0U	NL
Organic Carbon	mg/L	8.8	11.5	7	7.6	NL
Alkalinity, Total (As CaCO <sub>3</sub> )	mg/L	75.9	56.8	55.8	79.1	NL
Bicarbonate (as CaCO <sub>3</sub> )	mg/L	10U	10U	55.8	10U	NL
Ammonia	mg/L	0.70	0.70	0.70	0.35	2.0
Nitrate (as N)	mg/L	0.050U	0.050U	1.3	0.050U	10
TKN	mg/L	0.84	0.56	0.56	0.28	NL
Sulfate	mg/L	267	235	215	208	250
Sulfide	mg/L	6.8J	6.0	2.4	6.4	0.002
Phenol	mg/L	0.009U	0.009U	0.010U	0.009U	0.001
Phosphorous	mg/L	0.12	0.01	0.15	0.04	0.020 <sup>(2)</sup>
Cyanide	mg/L	0.005U	0.005U	0.006	0.005U	0.0052

## Notes:

U - Non-detect at associated value

- - Not Analyzed

J - Estimated

NL - Not Listed

SL - Sample Lost

(1) - Lowest Standard/Guidance Value shown

(2) - Guidance Value

(3) - Calculated using a hardness of 300 ppm

(4) - Applies to dissolved form

(5) - TOC analyzer malfunction prevented analysis of this compound.

TABLE 2.11

**GROUNDWATER VOLUMES DISCHARGED  
TO NORTH TONAWANDA POTW  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK**

<i>Month</i>	<i>Volumes (gallons)</i>	
	<i>Monthly</i>	<i>Total</i>
May 2001	2,900,000	2,900,000
June 2001	2,353,800	5,253,800
July 2001	1,488,500	6,742,300
August 2001	712,800	7,455,100
September 2001	473,100	7,928,200
October 2001	1,213,100	9,141,300
November 2001	1,281,100	10,422,400
December 2001	231,700 <sup>(1)</sup>	10,654,100
January 2002	1,383,200 <sup>(2)</sup>	12,037,300
February 2002	1,186,000	13,223,300
March 2002	233,600	13,456,900
April 2002	736,000	14,192,900
May 2002	348,200	14,541,100
June 2002	1,137,200	15,678,300
July 2002	869,300	16,547,600
August 2002	1,060,800	17,608,400
September 2002	707,000	18,315,400
October 2002	679,800	18,995,100
November 2002	489,500	19,484,700
December 2002	743,500	20,228,200
January 2003	1,150,700	21,378,900
February 2003	483,300	21,862,200
March 2003	402,300	22,264,500
April 2003	531,900	22,796,400
May 2003	655,600	23,452,000
June 2003	682,100	24,134,000
July 2003	942,000	25,076,100
August 2003	627,500	25,703,600
September 2003	349,600	26,053,200
October 2003	966,500	27,019,700
November 2003	442,200	27,461,900
December 2003	463,900	27,925,800



TABLE 2.11

**GROUNDWATER VOLUMES DISCHARGED  
TO NORTH TONAWANDA POTW  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK**

<i>Month</i>	<i>Volumes (gallons)</i>	
	<i>Monthly</i>	<i>Total</i>
January 2004	443,900	28,369,700
February 2004	253,700	28,623,400
March 2004	403,700	29,027,100
April 2004	433,600	29,460,700
May 2004	377,400	29,838,100
June 2004	395,000	30,233,100
July 2004	384,300	30,617,400
August 2004	479,700	31,097,100
September 2004	413,900	31,511,000
October 2004	319,400	31,902,400
November 2004	249,200	32,151,600
December 2004	209,900	32,361,500
January 2005	310,100	32,671,600
February 2005	301,100	32,972,700
March 2005	250,200	33,222,900
April 2005	378,400	33,601,300
May 2005	458,800	34,060,100
June 2005	455,900	34,516,000
July 2005	270,200	34,786,200
August 2005	285,100	35,071,300
September 2005	395,600	35,466,900
October 2005	333,200	35,800,100
November 2005	360,200	36,160,300
December 2005	395,300	36,555,600
January 2006	297,500	36,853,100
February 2006	508,300	37,361,400
March 2006	244,700	37,606,100
April 2006	224,400	37,830,500
May 2006	153,300	37,983,800
June 2006	262,300	38,246,100
July 2006	212,900	38,459,000
August 2006	357,500	38,816,500

TABLE 2.11

**GROUNDWATER VOLUMES DISCHARGED  
TO NORTH TONAWANDA POTW  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK**

<i>Month</i>	<i>Volumes (gallons)</i>	
	<i>Monthly</i>	<i>Total</i>
September 2006	777,000	39,593,500
October 2006	254,700	39,848,200
November 2006	778,700	40,626,900
December 2006	496,600	41,123,500
January 2007	410,500	41,534,000
February 2007	494,600	42,028,600
March, April & May 2007	1,489,200 <sup>(3)</sup>	43,517,800
June 2007	334,300	43,852,100
July 2007	258,600	44,110,700
August 2007	239,000	44,349,700
September 2007	59,500 <sup>(4)</sup>	44,409,200
October 2007 through January 2008	50,600 <sup>(4)</sup>	44,459,800
February 2008	23,800 <sup>(4)</sup>	44,483,600
March 2008	1,238,300	45,721,900
April 2008	2,126,700	47,848,600
May 2008	1,771,100	49,619,700

## Notes:

- (1) To December 7, 2001.
- (2) From December 8, 2001.
- (3) Plotted as 496,400 gallons on Figure 2.18 for each of March, April, and May 2007.
- (4) Meter malfunctioned due to tar-like material buildup inside meter. Meter was cleaned on March 14, 2008. Volumes not plotted on Figure 2.18 as volumes are not representative of actual volume removed.

TABLE 2.12

**SURFACE WATER SAMPLING SUMMARY  
OPERATION AND MAINTENANCE MANUAL  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK**

**LOCATIONS**

River South  
River Middle  
River North

**FREQUENCY**

- quarterly for 2 years following GWS startup (concurrent with groundwater sampling)
- semi-annually for Year 3 (concurrent with groundwater sampling)
- annually for Years 3 through 7 (concurrent with groundwater sampling)  
(review after Year 7, May 2008)

**PARAMETERS*****Volatiles***

Acetone	Methylene Chloride
Benzene	Tetrachloroethene
2-Butanone	Toluene
Chlorobenzene	Trichloroethene
1,1-Dichloroethane	Vinyl Chloride
trans-1,2-Dichloroethene	Xylenes (Total)
Ethylbenzene	

***Semi-Volatiles***

1,2-Dichlorobenzene	4-Methylphenol
1,4-Dichlorobenzene	Naphthalene
2,4-Dimethylphenol	Di-n-octylphthalate
2-Methylphenol	Phenol

***Recommended Future Sampling Program***

- No further sampling and analyses.

APPENDIX A

MONTHLY INSPECTION LOGS  
(JUNE 2007 TO MAY 2008)

### GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 06/29/17  
(MM DD YY)

INSPECTOR(S): JON WILLIAMS / RACHEL NASHETT

Item	Inspect For	Action Required	Comments	
<b>1. Perimeter Collection System/Off-Site Forcemain</b>				
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Manholes	- cover on securely	NONE ↓ ↓ ↓ ↓	
		- condition of cover		
		- condition of inside of manhole		
		- flow conditions		
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Wet Wells	- cover on securely	↓ ↓ ↓	
		- condition of cover		
		- condition of inside of wet well		
<b>2. Landfill Cap</b>				
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Vegetated Soil Cover	- erosion	NONE ↓ ↓ ↓ ↓ ↓	
		- bare areas		
		- washouts		
		- leachate seeps		
		- length of vegetation		2 ft
		- dead/dying vegetation		NONE

FORM 17

## GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 06/29/07  
(MM DD YY)

INSPECTOR(S): JON WILLIAMS / RACHEL NASHETT

Item	Inspect For	Action Required	Comments
<b>2. Landfill Cap (continued)</b>			
<input checked="" type="checkbox"/>	Access Roads	- bare areas, dead/dying veg.	<u>NONE</u>
<input checked="" type="checkbox"/>		- erosion	↓
<input checked="" type="checkbox"/>		- potholes or puddles	
<input checked="" type="checkbox"/>		- obstruction	↓
<b>3. Wetlands (Area "F")</b>			
		- dead/dying vegetation	<u>NONE</u>
		- change in water budget	↓
		- general condition of wetlands	<u>GOOD</u>

**4. Other Site Systems**

<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Perimeter Fence	- integrity of fence	
		- integrity of gates	
		- integrity of locks	
		- placement and condition of signs	

FORM 1

## GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 06/29/07  
(MM DD YY)

INSPECTOR(S):

JON WILLIAMS / RACHEL NASHLETT

Item	Inspect For	Action Required	Comments
4.	Other Site Systems (continued)		
<input checked="" type="checkbox"/>	Drainage Ditches/ Swale Outlets	- sediment build-up	<u>IN GOOD CONDITION</u>
<input checked="" type="checkbox"/>		- erosion	
<input checked="" type="checkbox"/>		- condition of erosion protection	
<input checked="" type="checkbox"/>		- flow obstructions	
<input checked="" type="checkbox"/>		- dead/dying vegetation	
<input checked="" type="checkbox"/>		- cable concrete/gabion mats and riprap	
<input type="checkbox"/>	Curverts	- erosion	
<input type="checkbox"/>		- condition of erosion protection	
<input type="checkbox"/>		- flow obstructions	
<input checked="" type="checkbox"/>	Wells	- locks secure	<u>RM YES</u>

FORM 17

## GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 10/12/07  
(MM DD YY)

INSPECTOR(S): S. McEvoy / D. Tyrone

	Item	Inspect For	Action Required	Comments
1.	<b>Perimeter Collection System/Off-Site Forcemain</b>			
<input checked="" type="checkbox"/>	Manholes	- cover on securely	None	
<input checked="" type="checkbox"/>		- condition of cover		
<input checked="" type="checkbox"/>		- condition of inside of manhole		
<input checked="" type="checkbox"/>		- flow conditions		
<input checked="" type="checkbox"/>	Wet Wells	- cover on securely		
<input checked="" type="checkbox"/>		- condition of cover		
<input checked="" type="checkbox"/>		- condition of inside of wet well		
2.	<b>Landfill Cap</b>			
<input checked="" type="checkbox"/>	Vegetated Soil Cover	- erosion	None	
<input checked="" type="checkbox"/>		- bare areas		
<input checked="" type="checkbox"/>		- washouts		
<input checked="" type="checkbox"/>		- leachate seeps		
<input checked="" type="checkbox"/>		- length of vegetation		
<input checked="" type="checkbox"/>		- dead/dying vegetation		

FORM 17



## GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 07/25/07  
(MM DD YY)

INSPECTOR(S):

S. McEvey / D. Tyran

Item	Inspect For	Action Required	Comments
<b>2. Landfill Cap (continued)</b>			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Access Roads	- bare areas, dead/dying veg.	None
		- erosion	
		- potholes or puddles	
		- obstruction	
<b>3. Wetlands (Area "F")</b>			
		- dead/dying vegetation	
		- change in water budget	
		- general condition of wetlands	
<b>4. Other Site Systems</b>			
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Perimeter Fence	- integrity of fence	NA
		- integrity of gates	
		- integrity of locks	
		- placement and condition of signs	

FORM 17

## GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 10/17/2017  
(MM DD YY)

INSPECTOR(S): S. McEvoy / D. Tyrn

Item	Inspect For	Action Required	Comments
<b>4. Other Site Systems (continued)</b>			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Drainage Ditches/ Swale Outlets	- sediment build-up	<div style="font-size: 2em;">none</div> <hr style="border: none; border-top: 1px solid black;"/> <hr style="border: none; border-top: 1px solid black;"/> <hr style="border: none; border-top: 1px solid black;"/> <hr style="border: none; border-top: 1px solid black;"/> <hr style="border: none; border-top: 1px solid black;"/> <hr style="border: none; border-top: 1px solid black;"/>
		- erosion	
		- condition of erosion protection	
		- flow obstructions	
		- dead/dying vegetation	
		- cable concrete/gabion mats and riprap	
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Culverts	- sediment build-up	<hr style="border: none; border-top: 1px solid black;"/> <hr style="border: none; border-top: 1px solid black;"/> <hr style="border: none; border-top: 1px solid black;"/> <hr style="border: none; border-top: 1px solid black;"/>
		- erosion	
		- condition of erosion protection	
		- flow obstructions	
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Gas Vents	- intact / damage	<hr style="border: none; border-top: 1px solid black;"/> <hr style="border: none; border-top: 1px solid black;"/>
		Wells	

FORM 17


## GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 08/31/07  
(MM DD YY)

INSPECTOR(S): D. Tyrone / R. Nashett

Item	Inspect For	Action Required	Comments
<b>1. Perimeter Collection System/Off-Site Forcemain</b>			
<input checked="" type="checkbox"/>	Manholes	- cover on securely	<u>above</u>
<input checked="" type="checkbox"/>		- condition of cover	
<input checked="" type="checkbox"/>		- condition of inside of manhole	
<input checked="" type="checkbox"/>		- flow conditions	
<input checked="" type="checkbox"/>	Wet Wells	- cover on securely	
<input checked="" type="checkbox"/>		- condition of cover	
<input checked="" type="checkbox"/>		- condition of inside of wet well	
<b>2. Landfill Cap</b>			
<input checked="" type="checkbox"/>	Vegetated Soil Cover	- erosion	
<input checked="" type="checkbox"/>		- bare areas	
<input checked="" type="checkbox"/>		- washouts	
<input checked="" type="checkbox"/>		- leachate seeps	
<input checked="" type="checkbox"/>		- length of vegetation	
<input checked="" type="checkbox"/>		- dead/dying vegetation	

FORM 17

## GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 08/31/07  
(MM DD YY)

INSPECTOR(S): D. Tyran / R. Washett

	Item	Inspect For	Action Required	Comments
	<b>2. Landfill Cap (continued)</b>			
<input checked="" type="checkbox"/>	Access Roads	- bare areas, dead/dying veg.	None	
<input checked="" type="checkbox"/>		- erosion	↓	
<input checked="" type="checkbox"/>		- potholes or puddles		
<input checked="" type="checkbox"/>		- obstruction		
	<b>3. Wetlands (Area "F")</b>			
		- dead/dying vegetation	↓	
		- change in water budget		
		- general condition of wetlands	Good Cattail growth	
	<b>4. Other Site Systems</b>			
<input type="checkbox"/>	Perimeter Fence	- integrity of fence	N/A	
<input type="checkbox"/>		- integrity of gates	↓	
<input type="checkbox"/>		- integrity of locks		
<input type="checkbox"/>		- placement and condition of signs	↓	

FORM 17

## GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 09/30/17  
(MM DD YY)

INSPECTOR(S): D. Tyran / R. Nashett

Item	Inspect For	Action Required	Comments	
<b>4. Other Site Systems (continued)</b>				
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Drainage Ditches/ Swale Outlets	- sediment build-up	<div style="font-size: 2em; margin-bottom: 10px;">None</div> <div style="font-size: 4em; margin-bottom: 10px;">↓</div>	
		- erosion		
		- condition of erosion protection		
		- flow obstructions		
		- dead/dying vegetation		
		- cable concrete/gabion mats and riprap		Some minor bank erosion north and south of River north
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Culverts	- sediment build-up	<div style="font-size: 2em; margin-bottom: 10px;">None</div> <div style="font-size: 4em; margin-bottom: 10px;">↓</div>	
		- erosion		
		- condition of erosion protection		
		- flow obstructions		
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Gas Vents	- intact / damage	<div style="font-size: 4em; margin-bottom: 10px;">↓</div>	
Wells	- locks secure			

FORM 17

## GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 09/27/07  
(MM DD YY)

INSPECTOR(S): R. Washett / D. Tyrone

Item	Inspect For	Action Required	Comments
<b>1. Perimeter Collection System/Off-Site Forcemain</b>			
<input checked="" type="checkbox"/>	Manholes	- cover on securely	None
<input checked="" type="checkbox"/>		- condition of cover	
<input checked="" type="checkbox"/>		- condition of inside of manhole	
<input checked="" type="checkbox"/>		- flow conditions	
<input checked="" type="checkbox"/>	Wet Wells	- cover on securely	
<input checked="" type="checkbox"/>		- condition of cover	
<input checked="" type="checkbox"/>		- condition of inside of wet well	
<b>2. Landfill Cap</b>			
<input checked="" type="checkbox"/>	Vegetated Soil Cover	- erosion	None
<input checked="" type="checkbox"/>		- bare areas	
<input checked="" type="checkbox"/>		- washouts	
<input checked="" type="checkbox"/>		- leachate seeps	
<input checked="" type="checkbox"/>		- length of vegetation	
<input checked="" type="checkbox"/>		- dead/dying vegetation	

FORM 17

## GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 09/27/07  
(MM DD YY)

INSPECTOR(S): R. Nashett / D. Tyrone

Item	Inspect For	Action Required	Comments
<b>2. Landfill Cap (continued)</b>			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Access Roads	- bare areas, dead/dying veg.	<div style="font-size: 2em; font-family: cursive;">N/A</div> <div style="font-size: 4em; font-family: cursive;">↓</div>
		- erosion	
		- potholes or puddles	
		- obstruction	
<b>3. Wetlands (Area "F")</b>			
		- dead/dying vegetation	<div style="font-size: 4em; font-family: cursive;">↓</div>
		- change in water budget	
		- general condition of wetlands	
<b>4. Other Site Systems</b>			
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Perimeter Fence	- integrity of fence	<div style="font-size: 2em; font-family: cursive;">N/A</div> <div style="font-size: 4em; font-family: cursive;">↓</div>
		- integrity of gates	
		- integrity of locks	
		- placement and condition of signs	

FORM 17

## GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 01/12/17  
(MM DD YY)

INSPECTOR(S): R. Washett / D. Tyrn

Item	Inspect For	Action Required	Comments
<b>4. Other Site Systems (continued)</b>			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Drainage Ditches/ Swale Outlets	- sediment build-up	<div style="font-size: 2em; font-weight: bold;">None</div> <div style="font-size: 4em; font-weight: bold;">↓</div>
		- erosion	
		- condition of erosion protection	
		- flow obstructions	
		- dead/dying vegetation	
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Culverts	- sediment build-up	<div style="font-size: 2em; font-weight: bold;">* See Attached Maintenance Record Log</div>
		- erosion	
		- condition of erosion protection	
		- flow obstructions	
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Gas Vents	- intact / damage	<div style="font-size: 2em; font-weight: bold;">None</div>
		Wells	

FORM 17



# MAINTENANCE RECORD LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: North Tonawanda, New York

CREW MEMBERS: R. Nashett / D. Tyrann

1. Date: 0|9|27|07 (MM DD YY)

Time: 1|4|00 (HH mm)

Scheduled  Unscheduled

Type of Maintenance Performed: Cleaned debris from River South

2. Company Performing Maintenance

Name: CRA

Address: \_\_\_\_\_  
\_\_\_\_\_

Contact Name: \_\_\_\_\_

3. Methods Used:

Waded into the river to remove several large rocks deliberately placed at the mouth of River South. Once the rocks were removed the rotting vegetation that had backed up against them was scooped out of the pipe allowing the pipe to flow free.

Description of Material Removed:

Large 100+ pound rocks, logs, & 1/2 cubic yards of rotting vegetation

Problems/Comments:  
\_\_\_\_\_  
\_\_\_\_\_

9/27/07  
DATE

David J. Tyrann  
INSPECTOR

David J. Tyrann  
INSPECTOR'S SIGNATURE

FORM 18


## GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 11/03/07  
(MM DD YY)

INSPECTOR(S): D. Tyran

Item	Inspect For	Action Required	Comments
<b>1. Perimeter Collection System/Off-Site Forcemain</b>			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Manholes	- cover on securely	None
		- condition of cover	
		- condition of inside of manhole	
		- flow conditions	
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Wet Wells	- cover on securely	
		- condition of cover	
		- condition of inside of wet well	
<b>2. Landfill Cap</b>			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Vegetated Soil Cover	- erosion	
		- bare areas	
		- washouts	
		- leachate seeps	
		- length of vegetation	
		- dead/dying vegetation	

FORM 17

## GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 1/13/17  
(MM DD YY)

INSPECTOR(S): D. Tyrone

Item	Inspect For	Action Required	Comments
<b>2. Landfill Cap (continued)</b>			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Access Roads	- bare areas, dead/dying veg.	<div style="font-size: 2em; font-family: cursive;">None</div>
		- erosion	
		- potholes or puddles	
		- obstruction	
<b>3. Wetlands (Area "F")</b>			
		- dead/dying vegetation	<div style="font-size: 2em; font-family: cursive;">↓</div>
		- change in water budget	
		- general condition of wetlands	
<b>4. Other Site Systems</b>			
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Perimeter Fence	- integrity of fence	<div style="font-size: 2em; font-family: cursive;">NA</div> <div style="font-size: 2em; font-family: cursive;">↓</div>
		- integrity of gates	
		- integrity of locks	
		- placement and condition of signs	

FORM 17

## GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 1/10/3/1/07  
(MM DD YY)

INSPECTOR(S): D. Tyrone

Item	Inspect For	Action Required	Comments
<b>4. Other Site Systems (continued)</b>			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Drainage Ditches/ Swale Outlets	- sediment build-up	None
		- erosion	
		- condition of erosion protection	
		- flow obstructions	
		- dead/dying vegetation	
		- cable concrete/gabion mats and riprap	
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Culverts	- sediment build-up	None
		- erosion	
		- condition of erosion protection	
		- flow obstructions	
<input checked="" type="checkbox"/>	Gas Vents	- intact / damage	None
<input checked="" type="checkbox"/>	Wells	- locks secure	

FORM 17

## GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

INSPECTOR(S): D. Carra

DATE: 11/13/07  
(MM DD YY)

Item	Inspect For	Action Required	Comments	
<b>1. Perimeter Collection System/Off-Site Forcemain</b>				
<input checked="" type="checkbox"/> Manholes <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	- cover on securely	NONE		
	- condition of cover			
	- condition of inside of manhole			
	- flow conditions			
<input checked="" type="checkbox"/> Wet Wells <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	- cover on securely			
	- condition of cover			
	- condition of inside of wet well			
<b>2. Landfill Cap</b>				
<input checked="" type="checkbox"/> Vegetated Soil Cover <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	- erosion			
	- bare areas			
	- washouts			
	- leachate seeps			
	- length of vegetation			
	- dead/dying vegetation			

FORM 17

## GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE:

11/30/07  
(MM DD YY)

INSPECTOR(S):

D. CARRA

Item	Inspect For	Action Required	Comments
<b>2. Landfill Cap (continued)</b>			
<input checked="" type="checkbox"/> Access Roads	- bare areas, dead/dying veg. - erosion - potholes or puddles - obstruction	NONE ↓	
<b>3. Wetlands (Area "F")</b>			
	- dead/dying vegetation - change in water budget - general condition of wetlands	↓	
<b>4. Other Site Systems</b>			
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Perimeter Fence	- integrity of fence - integrity of gates - integrity of locks - placement and condition of signs	NA ↓	

FORM 17


## GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 11/30/07  
(MM DD YY)

INSPECTOR(S): D. CARRA

Item	Inspect For	Action Required	Comments
<b>4. Other Site Systems (continued)</b>			
<input checked="" type="checkbox"/> Drainage Ditches/ Swale Outlets	- sediment build-up	NONE 	
	- erosion		
	- condition of erosion protection		
	- flow obstructions		
	- dead/dying vegetation		
	- cable concrete/gabion mats and riprap		
<input checked="" type="checkbox"/> Culverts	- sediment build-up		
	- erosion		
	- condition of erosion protection		
	- flow obstructions		
<input checked="" type="checkbox"/> Gas Vents	- intact / damage		
<input checked="" type="checkbox"/> Wells	- locks secure		

FORM 17

## GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

INSPECTOR(S):

*[Handwritten Signature]*

DATE:

11/23/10  
(MM DD YY)

Item	Inspect For	Action Required	Comments	
<b>1. Perimeter Collection System/Off-Site Forcemain</b>				
<input checked="" type="checkbox"/> Manholes <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	- cover on securely	<div style="font-size: 2em; font-weight: bold;">NONE</div> <div style="font-size: 4em; font-weight: bold;">↓</div>		
	- condition of cover			
	- condition of inside of manhole			
	- flow conditions			
<input checked="" type="checkbox"/> Wet Wells <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	- cover on securely			
	- condition of cover			
	- condition of inside of wet well			
<b>2. Landfill Cap</b>				
<input checked="" type="checkbox"/> Vegetated Soil Cover <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	- erosion		<div style="font-size: 2em; font-weight: bold;">NONE</div> <div style="font-size: 4em; font-weight: bold;">↓</div> <div style="font-size: 2em; font-weight: bold;">NA</div> <div style="font-size: 2em; font-weight: bold;">↓</div>	
	- bare areas			
	- washouts			
	- leachate seeps			
	- length of vegetation			
	- dead/dying vegetation			

FORM 17



## GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

INSPECTOR(S):

*DC*

DATE:

11/23/17  
(MM DD YY)

Item	Inspect For	Action Required	Comments
<b>2. Landfill Cap (continued)</b>			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	<b>Access Roads</b> - bare areas, dead/dying veg. - erosion - potholes or puddles - obstruction	NONE	
		↓	
		↓	
		↓	
<b>3. Wetlands (Area "F")</b>			
	- dead/dying vegetation - change in water budget - general condition of wetlands	NA	
		↓	
<b>4. Other Site Systems</b>			
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<b>Perimeter Fence</b> - integrity of fence - integrity of gates - integrity of locks - placement and condition of signs	De <del>NONE</del> NA	
		↓	
		↓	
		↓	

FORM 17

## GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG


PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE:

11 23 10 7  
(MM DD YY)

INSPECTOR(S):



Item	Inspect For	Action Required	Comments		
<b>4. Other Site Systems (continued)</b>					
<div style="display: flex; align-items: center;"> <div style="border: 1px solid black; width: 15px; height: 15px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 15px; height: 15px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 15px; height: 15px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 15px; height: 15px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 15px; height: 15px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 15px; height: 15px; margin-right: 5px;"></div> </div>	Drainage Ditches/ Swale Outlets	- sediment build-up - erosion - condition of erosion protection - flow obstructions - dead/dying vegetation - cable concrete/ gabion mats and riprap	NONE ↓ NA ↓		
	<div style="display: flex; align-items: center;"> <div style="border: 1px solid black; width: 15px; height: 15px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 15px; height: 15px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 15px; height: 15px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 15px; height: 15px; margin-right: 5px;"></div> </div>	Culverts	- sediment build-up - erosion - condition of erosion protection - flow obstructions	NONE ↓	
		<div style="border: 1px solid black; width: 15px; height: 15px; margin-bottom: 5px;"></div> <div style="border: 1px solid black; width: 15px; height: 15px;"></div>	Gas Vents	- intact / damage	NA
			Wells	- locks secure	↓

## GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 01 | 28 | 08  
(MM DD YY)

INSPECTOR(S): R. NASHET D. TYRAN

Item	Inspect For	Action Required	Comments
<b>1. Perimeter Collection System/Off-Site Forcemain</b>			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Manholes	- cover on securely	GOOD N/A
		- condition of cover	↓
		- condition of inside of manhole	↓
		- flow conditions	↓
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Wet Wells	- cover on securely	
		- condition of cover	MH-3, NEEDS HYDRAULIC ARM REPLACED, AND NEW SAFETY ARM
		- condition of inside of wet well	
<b>2. Landfill Cap</b>			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Vegetated Soil Cover	- erosion	GOOD N/A
		- bare areas	↓
		- washouts	↓
		- leachate seeps	↓
		- length of vegetation	↓
		- dead/dying vegetation	↓

FORM 17

*Richard B. Nashet*  
11/28/08

## GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 01/28/08  
(MM DD YY)

INSPECTOR(S): R. NASHETT D. TYRAN.

Item	Inspect For	Action Required	Comments
<b>2. Landfill Cap (continued)</b>			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Access Roads	- bare areas, dead/dying veg.	<u>GOOD</u>
		- erosion	
		- potholes or puddles	
		- obstruction	
<b>3. Wetlands (Area "F")</b>			
		- dead/dying vegetation	
		- change in water budget	
		- general condition of wetlands	
<b>4. Other Site Systems</b>			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Perimeter Fence	- integrity of fence	
		- integrity of gates	
		- integrity of locks	
		- placement and condition of signs	

FORM 17

*Rachel B. Nashett*  
1/28/2008

## GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 01/28/08  
(MM DD YY)

INSPECTOR(S): R. NASHETT D. TYRAN

Item	Inspect For	Action Required	Comments
<b>4. Other Site Systems (continued)</b>			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Drainage Ditches/ Swale Outlets	- sediment build-up	GOOD
		- erosion	
		- condition of erosion protection	
		- flow obstructions	
		- dead/dying vegetation	
	- cable concrete/gabion mats and riprap		
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Culverts	- sediment build-up	GOOD
		- erosion	
		- condition of erosion protection	
		- flow obstructions	
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Gas Vents	- intact / damage	
		Wells	- locks secure

FORM 17

*Reachel B. Nashett*  
1/28/2008

## GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 01/27/18  
(MM DD YY)

INSPECTOR(S): D. Tyran / R. Nashett

Item	Inspect For	Action Required	Comments
<b>1. Perimeter Collection System/Off-Site Forcemain</b>			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Manholes	- cover on securely	None ↓
		- condition of cover	
		- condition of inside of manhole	
		- flow conditions	
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Wet Wells	- cover on securely	None ↓
		- condition of cover	
		- condition of inside of wet well	
<b>2. Landfill Cap</b>			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Vegetated Soil Cover	- erosion	None ↓
		- bare areas	
		- washouts	
		- leachate seeps	
		- length of vegetation	
		- dead/dying vegetation	

None

MH 3 needs Hydraulic arm Replaced and new safety arm

None

FORM 17

## GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 01/22/08  
(MM DD YY)

INSPECTOR(S): D. Tyran / R. Washett

Item	Inspect For	Action Required	Comments	
<b>2. Landfill Cap (continued)</b>				
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<b>Access Roads</b> - bare areas, dead/dying veg. - erosion - potholes or puddles - obstruction	NA ↓		
<b>3. Wetlands (Area "F")</b>				
X	- dead/dying vegetation	none		
X	- change in water budget	↓		
X	- general condition of wetlands			
<b>4. Other Site Systems</b>				
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<b>Perimeter Fence</b> - integrity of fence - integrity of gates - integrity of locks - placement and condition of signs	NA ↓		

FORM 17

## GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 10/22/08  
(MM DD YY)

INSPECTOR(S): D. Tyran / R. Washett

	Item	Inspect For	Action Required	Comments
4.	<b>Other Site Systems (continued)</b>			
<input checked="" type="checkbox"/>	Drainage Ditches/ Swale Outlets	- sediment build-up	None	
<input checked="" type="checkbox"/>		- erosion		
<input checked="" type="checkbox"/>		- condition of erosion protection		
<input checked="" type="checkbox"/>		- flow obstructions		
<input checked="" type="checkbox"/>		- dead/dying vegetation		
<input checked="" type="checkbox"/>		- cable concrete/gabion mats and riprap		
<input checked="" type="checkbox"/>	Culverts	- sediment build-up	None	
<input checked="" type="checkbox"/>		- erosion		
<input checked="" type="checkbox"/>		- condition of erosion protection		
<input checked="" type="checkbox"/>		- flow obstructions		
<input checked="" type="checkbox"/>	Gas Vents	- intact / damage	None	
<input checked="" type="checkbox"/>	Wells	- locks secure		

FORM 17



## GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

INSPECTOR(S):

D. Caser / D. Tyrn

DATE:

01/31/10/18  
(MM DD YY)

Item	Inspect For	Action Required	Comments
<b>1. Perimeter Collection System/Off-Site Forcemain</b>			
<input checked="" type="checkbox"/> Manholes <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	- cover on securely	<p style="font-size: 2em;">NONE</p> <p style="font-size: 4em;">↓</p>	
	- condition of cover		
	- condition of inside of manhole		
	- flow conditions		
<input checked="" type="checkbox"/> Wet Wells <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	- cover on securely		
	- condition of cover		<p style="font-size: 1.2em;">MH-3 Needs Hydraulic arm replaced + new Safety ARM</p>
	- condition of inside of wet well		<p style="font-size: 1.2em;">NONE</p>
<b>2. Landfill Cap</b>			
<input checked="" type="checkbox"/> Vegetated Soil Cover <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	- erosion	<p style="font-size: 2em;">NONE</p> <p style="font-size: 4em;">↓</p>	
	- bare areas		
	- washouts		
	- leachate seeps		
	- length of vegetation		
	- dead/dying vegetation		

FORM 17

## GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 03/10/18  
(MM DD YY)

INSPECTOR(S): R. Calk / D. Tyra

Item	Inspect For	Action Required	Comments	
<b>2. Landfill Cap (continued)</b>				
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<b>Access Roads</b> - bare areas, dead/dying veg. - erosion - potholes or puddles - obstruction	NA ↓		
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	<b>3. Wetlands (Area "F")</b> - dead/dying vegetation - change in water budget - general condition of wetlands	None ↓		
<b>4. Other Site Systems</b>				
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	<b>Perimeter Fence</b> - integrity of fence - integrity of gates - integrity of locks - placement and condition of signs	NA ↓		

FORM 17

### GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 10/31/10  
(MM DD YY)

INSPECTOR(S): D. Carr / D. Tyla

Item	Inspect For	Action Required	Comments	
<b>4. Other Site Systems (continued)</b>				
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Drainage Ditches/ Swale Outlets  - sediment build-up - erosion - condition of erosion protection - flow obstructions - dead/dying vegetation - cable concrete/gabion mats and riprap	NONE		
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Culverts  - sediment build-up - erosion - condition of erosion protection - flow obstructions			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Gas Vents  Wells - intact / damage - locks secure			

FORM 17

## GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

INSPECTOR(S):

Dave Tyler

DATE:

04/25/18  
(MM DD YY)

Item	Inspect For	Action Required	Comments
<b>1. Perimeter Collection System/Off-Site Forcemain</b>			
<input checked="" type="checkbox"/> Marholes <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	- cover on securely	<div style="font-size: 2em; font-weight: bold;">NONE</div> <div style="font-size: 4em; font-weight: bold;">↓</div>	
	- condition of cover		
	- condition of inside of manhole		
	- flow conditions		
<input checked="" type="checkbox"/> Wet Wells <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	- cover on securely		
	- condition of cover		
	- condition of inside of wet well		
<b>2. Landfill Cap</b>			
<input checked="" type="checkbox"/> Vegetated Soil Cover <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	- erosion	<div style="font-size: 1.2em;">Some minor settling around wire mesh on bank near River N</div> <div style="font-size: 2em; font-weight: bold;">NONE</div> <div style="font-size: 4em; font-weight: bold;">↓</div>	
	- bare areas		
	- washouts		
	- leachate seeps		
	- length of vegetation		
	- dead/dying vegetation		

FORM 17

## GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE:

10/4/25/08  
(MM DD YY)

INSPECTOR(S):

*Dave Tylan*

Item	Inspect For	Action Required	Comments	
<b>2. Landfill Cap (continued)</b>				
<div style="display: flex; align-items: center;"> <div style="border-left: 1px solid black; border-right: 1px solid black; border-bottom: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <div style="border-left: 1px solid black; border-right: 1px solid black; border-bottom: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <div style="border-left: 1px solid black; border-right: 1px solid black; border-bottom: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <div style="border-left: 1px solid black; border-right: 1px solid black; border-bottom: 1px solid black; width: 20px; height: 20px;"></div> </div>	Access Roads	- bare areas, dead/dying veg. - erosion - potholes or puddles - obstruction	<p style="font-size: 1.5em; margin: 0;">NONE</p> <div style="font-size: 2em; margin: 0;">↓</div>	
<b>3. Wetlands (Area "F")</b>				
		- dead/dying vegetation - change in water budget - general condition of wetlands	<p style="font-size: 1.5em; margin: 0;">NONE</p> <div style="font-size: 2em; margin: 0;">↓</div>	
<b>4. Other Site Systems</b>				
<div style="display: flex; align-items: center;"> <div style="border-left: 1px solid black; border-right: 1px solid black; border-bottom: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <div style="border-left: 1px solid black; border-right: 1px solid black; border-bottom: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <div style="border-left: 1px solid black; border-right: 1px solid black; border-bottom: 1px solid black; width: 20px; height: 20px; margin-right: 5px;"></div> <div style="border-left: 1px solid black; border-right: 1px solid black; border-bottom: 1px solid black; width: 20px; height: 20px;"></div> </div>	Perimeter Fence	- integrity of fence - integrity of gates - integrity of locks - placement and condition of signs		
	<del>_____</del>			
	<del>_____</del>			
	<del>_____</del>			

FORM 17

## GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

INSPECTOR(S):

*David Carr Dave Tyrone*

DATE:

04/25/08  
(MM DD YY)

Item	Inspect For	Action Required	Comments
4. <del>Other Site Systems (continued)</del>			
<input checked="" type="checkbox"/>	Drainage Ditches/ Swale Outlets	- sediment build-up - erosion - condition of erosion protection - flow obstructions - dead/dying vegetation - cable concrete/gabion mats and riprap	<i>In GOOD Condition</i>
<input checked="" type="checkbox"/>	<del>Culverts</del>	- sediment build-up - erosion - condition of erosion protection - flow obstructions	
<input checked="" type="checkbox"/>	<del>Gas Vents</del>	- intact / damage	
<input checked="" type="checkbox"/>	Wells	- locks secure	<i>NONE</i>

FORM 17

## GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

INSPECTOR(S):

Danielle Casia

DATE:

05/29/08  
(MM DD YY)

Item	Inspect For	Action Required	Comments
<b>1. Perimeter Collection System/Off-Site Forcemain</b>			
<div style="display: flex; align-items: center;"> <div style="border: 1px solid black; width: 15px; height: 15px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 15px; height: 15px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 15px; height: 15px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 15px; height: 15px;"></div> </div> <p>Manholes</p>	- cover on securely	NONE	
	- condition of cover		
	- condition of inside of manhole		
	- flow conditions		
<div style="display: flex; align-items: center;"> <div style="border: 1px solid black; width: 15px; height: 15px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 15px; height: 15px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 15px; height: 15px;"></div> </div> <p>Wet Wells</p>	- cover on securely		
	- condition of cover		
	- condition of inside of wet well		
<b>2. Landfill Cap</b>			
<div style="display: flex; align-items: center;"> <div style="border: 1px solid black; width: 15px; height: 15px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 15px; height: 15px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 15px; height: 15px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 15px; height: 15px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 15px; height: 15px; margin-right: 5px;"></div> <div style="border: 1px solid black; width: 15px; height: 15px;"></div> </div> <p>Vegetated Soil Cover</p>	- erosion	NONE	
	- bare areas		
	- washouts		
	- leachate seeps		
	- length of vegetation		
	- dead/dying vegetation		

FORM 17

## GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

INSPECTOR(S):

Danielle Carr

DATE:

05/29/08  
(MM DD YY)

Item	Inspect For	Action Required	Comments
<b>2. Landfill Cap (continued)</b>			
<input checked="" type="checkbox"/> Access Roads	- bare areas, dead/dying veg.	NONE	
	- erosion		
	- potholes or puddles		
	- obstruction		
<b>3. Wetlands (Area "F")</b>			
	- dead/dying vegetation	↓ GOOD	
	- change in water budget		
	- general condition of wetlands		
<b>4. Other Site Systems</b>			
<input checked="" type="checkbox"/> Perimeter Fence	- integrity of fence		
	- integrity of gates		
	- integrity of locks		
	- placement and condition of signs		

FORM 17




## GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 05/29/08  
(MM DD YY)

INSPECTOR(S): Danielle Curran

Item	Inspect For	Action Required	Comments
<b>4. Other Site Systems (continued)</b>			
<input checked="" type="checkbox"/> Drainage Ditches/ Swale Outlets	- sediment build-up - erosion - condition of erosion protection - flow obstructions - dead/dying vegetation - cable concrete/gabion mats and riprap	Good Condition 	
<del><input type="checkbox"/> Culverts</del>	<del>- sediment build-up                      - erosion                      - condition of erosion protection                      - flow obstructions</del>		
<del><input type="checkbox"/> Gas Vents</del>	<del>- Intact/damage</del>		
<input checked="" type="checkbox"/> Wells	- locks secure	NONE	

FORM 17

APPENDIX B

QA/QC REVIEWS



---

## MEMORANDUM

---

TO: Klaus Schmidtke  
FROM: Susan Scrocchi/pga/91 <sup>SS</sup>

REF. NO.: 7987DM-95

DATE: May 7, 2008

E-Mail and Hard Copy If Requested

RE: **Analytical Results and QA/QC Review  
Semi-Annual Wastewater Treatment Plant Sampling  
September 2007**

---

### INTRODUCTION

One effluent sample was collected in support of the Semi-Annual Wastewater Treatment Plant Sampling at the Gratwick-Riverside Park Site (Site) during September 2007. The sample was submitted to Severn Trent Laboratories (STL) in Amherst, New York, and analyzed for the following:

<i>Parameter</i>	<i>Methodology<sup>1</sup></i>
Site-Specific Volatile Organic Compounds (VOCs)	USEPA 624
Site-Specific Semi-Volatile Organic Compounds (SVOCs)	USEPA 625
Target Compound List (TCL) Metals	USEPA 200.7
Mercury	USEPA 245.1
Sulfate	USEPA 300.0
Chloride	USEPA 300.0
Alkalinity	USEPA 310.2
Nitrate	USEPA 353.2
Sulfide	USEPA 376.1
Total Dissolved Solids (TDS)	USEPA 160.1
Total Hardness	USEPA 130.2

The analytical results are summarized in Table 1. The quality assurance/quality control (QA/QC) criteria by which these data have been assessed are outlined in the analytical methods and the following documents:

- i) "USEPA Contract Laboratory National Functional Guidelines for Organic Data Review" (October 1999); and
- ii) "National Functional Guidelines for Inorganic Data Review" (February 1994).

---

<sup>1</sup> "Methods for Chemical Analysis of Water and Wastes", United States Environmental Protection Agency (USEPA) 600/4-79-220, March 1983.

Data assessment was based on information obtained from final data sheets, blank data, duplicate results, surrogate recoveries, and spike recoveries.

#### QA/QC REVIEW

All samples were prepared and/or analyzed within the method specified holding times.

Surrogates were added to all samples, blanks, and QC samples prior to extraction and/or analysis for VOCs and SVOCs. All VOC and SVOC surrogate recoveries met the method criteria indicating acceptable analytical efficiency.

Method blanks were extracted and/or analyzed for all parameters and all results were non-detect for the compounds of interest indicating that no compounds were introduced to the samples during preparation and/or analysis.

Blank spikes (BS) were prepared and analyzed for all parameters. All recoveries were acceptable indicating good analytical accuracy.

A matrix spike (MS) was prepared and analyzed for nitrate. All results were acceptable indicating good analytical accuracy.

#### CONCLUSION

Based on the preceding assessment, the data were acceptable for use without qualification.

**ANALYTICAL RESULTS SUMMARY  
SEMI-ANNUAL WASTEWATER TREATMENT PLANT SAMPLING  
GLENN SPRINGS HOLDINGS, INC.  
GRATWICK - RIVERSIDE PARK SITE  
TONAWANDA, NEW YORK  
SEPTEMBER 2007**

*Sample Location:* Effluent  
*Sample ID:* GRATWICK RIVERSIDE  
*Sample Date:* 9/7/2007

<i>Parameters</i>	<i>Units</i>	
<i>Volatile Organic Compounds</i>		
1,1,1-Trichloroethane	ug/L	0.24 U
1,1-Dichloroethane	ug/L	1.1
1,2-Dichloroethane	ug/L	0.20 U
2-Butanone (Methyl Ethyl Ketone)	ug/L	1.1 U
Acetone	ug/L	17
Benzene	ug/L	0.20 U
Chlorobenzene	ug/L	4.8
Ethylbenzene	ug/L	2.1
Methylene chloride	ug/L	0.27 U
Styrene	ug/L	0.18 U
Tetrachloroethene	ug/L	3.8
Toluene	ug/L	7.1
trans-1,2-Dichloroethene	ug/L	0.70
Trichloroethene	ug/L	18
Vinyl chloride	ug/L	0.48 U
Xylene (total)	ug/L	8.3
<i>Semi-volatile Organic Compounds</i>		
1,2-Dichlorobenzene	ug/L	0.2 U
1,4-Dichlorobenzene	ug/L	0.9
2,4-Dimethylphenol	ug/L	5
2-Methylphenol	ug/L	4
4-Methylphenol	ug/L	10
Di-n-octyl phthalate	ug/L	21 U
Naphthalene	ug/L	13
Phenol	ug/L	22
<i>Metals</i>		
Aluminum	mg/L	0.20 U
Antimony	mg/L	0.020 U
Arsenic	mg/L	0.010 U
Barium	mg/L	0.080
Beryllium	mg/L	0.0020 U
Cadmium	mg/L	0.0010 U
Chromium Total	mg/L	0.0040 U
Copper	mg/L	0.027
Iron	mg/L	0.18
Lead	mg/L	0.0050 U
Magnesium	mg/L	5.0
Manganese	mg/L	0.032
Mercury	mg/L	0.00020 U
Nickel	mg/L	0.010 U
Selenium	mg/L	0.015 U
Silver	mg/L	0.0030 U
Sodium	mg/L	277
Zinc	mg/L	0.10

TABLE 1

ANALYTICAL RESULTS SUMMARY  
SEMI-ANNUAL WASTEWATER TREATMENT PLANT SAMPLING  
GLENN SPRINGS HOLDINGS, INC.  
GRATWICK - RIVERSIDE PARK SITE  
TONAWANDA, NEW YORK  
SEPTEMBER 2007

*Sample Location:* *Effluent*  
*Sample ID:* **GRATWICK RIVERSIDE**  
*Sample Date:* 9/7/2007

<i>Parameters</i>	<i>Units</i>	
<i>General Chemistry</i>		
Alkalinity, Total (as CaCO <sub>3</sub> )	mg/L	55.8
Ammonia	mg/L	0.70
Bicarbonate (as CaCO <sub>3</sub> )	mg/L	55.8
Biochemical Oxygen Demand (BOD)	mg/L	22
Chemical Oxygen Demand (COD)	mg/L	67
Chloride	mg/L	486
Cyanide (total)	mg/L	0.006
Hardness	mg/L	282
Nitrate (as N)	mg/L	1.3
Oil and Grease	mg/L	1.0 U
pH (water)	s.u.	8.87
Phenolics (Total)	mg/L	0.010 U
Phosphorus	mg/L	0.15
Sulfate	mg/L	215
Sulfide	mg/L	2.4
Total Dissolved Solids (TDS)	mg/L	1310
Total Kjeldahl Nitrogen (TKN)	mg/L	0.56
Total Organic Carbon (TOC)	mg/L	7
Total Suspended Solids (TSS)	mg/L	5
Volatile Suspended Solids	mg/L	2

## Notes:

U Not detected.



**CONESTOGA-ROVERS  
& ASSOCIATES**

2055 Niagara Falls Blvd., Suite #3  
Niagara Falls, New York 14304  
Telephone: (716) 297-6150 Fax: (716) 297-2265  
www.CRAworld.com

---

## MEMORANDUM

---

TO: Klaus Schmidtke

REF. NO.: 7987DM-95

FROM: Susan Scrocchi/pga/92 *SCS*

DATE: May 8, 2008

E-Mail and Hard Copy if Requested

RE: **Analytical Results and QA/QC Review  
Semi-Annual Wastewater Treatment Plant Sampling  
March 2008**

---

### INTRODUCTION

One effluent sample was collected in support of the Semi-Annual Wastewater Treatment Plant Sampling at the Gratwick-Riverside Park Site (Site) during March 2008. The sample was submitted to Severn Trent Laboratories (STL) in Amherst, New York, and analyzed for the following:

<i>Parameter</i>	<i>Methodology<sup>1</sup></i>
Site-Specific Volatile Organic Compounds (VOCs)	USEPA 624
Site-Specific Semi-Volatile Organic Compounds (SVOCs)	USEPA 625
Target Compound List (TCL) Metals	USEPA 200.7
Mercury	USEPA 245.1
Sulfate	USEPA 300.0
Chloride	USEPA 300.0
Alkalinity	USEPA 310.2
Nitrate	USEPA 353.2
Sulfide	USEPA 376.1
Total Dissolved Solids (TDS)	USEPA 160.1
Total Hardness	USEPA 130.2

The analytical results are summarized in Table 1. The quality assurance/quality control (QA/QC) criteria by which these data have been assessed are outlined in the analytical methods and the following documents:

- i) "National Functional Guidelines for Inorganic Data Review" (February 1994); and
- ii) "USEPA Contract Laboratory National Functional Guidelines for Organic Data Review" (October 1999).

---

<sup>1</sup> "Methods for Chemical Analysis of Water and Wastes", United States Environmental Protection Agency (USEPA) 600/4-79-220, March 1983.

Data assessment was based on information obtained from final data sheets, blank data, duplicate results, surrogate recoveries, and spike recoveries.

#### QA/QC REVIEW

All samples were prepared and/or analyzed within the method specified holding times.

Surrogates were added to all samples, blanks, and QC samples prior to extraction and/or analysis for VOCs and SVOCs. All VOC and SVOC surrogate recoveries met the method criteria indicating acceptable analytical efficiency.

Method blanks were extracted and/or analyzed for all parameters and all results were non-detect for the compounds of interest indicating that no compounds were introduced to the samples during preparation and/or analysis.

Blank spikes (BS) were prepared and analyzed for all parameters. The SVOC blank spike was prepared and analyzed in duplicate. All recoveries were acceptable indicating good analytical accuracy and precision with the exception of variability between the 2,4-dimethylphenol recoveries. The associated sample result was qualified as estimated (see Table 2).

A matrix spike (MS) was prepared and analyzed for chloride and nitrate. All results were acceptable indicating good analytical accuracy.

#### CONCLUSION

Based on the preceding assessment, the data were acceptable for use with the qualification noted herein.



TABLE 1

**ANALYTICAL RESULTS SUMMARY  
SEMI-ANNUAL WASTEWATER TREATMENT PLANT SAMPLING  
GLENN SPRINGS HOLDINGS, INC.  
GRATWICK - RIVERSIDE PARK SITE  
TONAWANDA, NEW YORK  
MARCH 2008**

<i>Parameters</i>	<i>Units</i>	<i>Effluent</i>
<i>Sample Location:</i>		
<i>Sample ID:</i>		GRATWICK RIVERSIDE
<i>Sample Date:</i>		3/7/2008
<i>Volatile Organic Compounds</i>		
1,1,1-Trichloroethane	ug/L	1.2 U
1,1-Dichloroethane	ug/L	6.9
1,2-Dichloroethane	ug/L	1.2 U
2-Butanone (Methyl Ethyl Ketone)	ug/L	6.1 U
Acetone	ug/L	12
Benzene	ug/L	1.1 U
Chlorobenzene	ug/L	0.73
Ethylbenzene	ug/L	2.4
Methylene chloride	ug/L	1.1 U
Styrene	ug/L	0.79 U
Tetrachloroethene	ug/L	4.1
Toluene	ug/L	20
trans-1,2-Dichloroethene	ug/L	1.2 U
Trichloroethene	ug/L	71
Vinyl chloride	ug/L	3.1
Xylene (total)	ug/L	15
<i>Semi-volatile Organic Compounds</i>		
1,2-Dichlorobenzene	ug/L	0.9
1,4-Dichlorobenzene	ug/L	1
2,4-Dimethylphenol	ug/L	4 J
2-Methylphenol	ug/L	12
4-Methylphenol	ug/L	12
Di-n-octyl phthalate	ug/L	22 U
Naphthalene	ug/L	7
Phenol	ug/L	33
<i>Metals</i>		
Aluminum	mg/L	0.20 U
Antimony	mg/L	0.020 U
Arsenic	mg/L	0.010 U
Barium	mg/L	0.092
Beryllium	mg/L	0.0020 U
Cadmium	mg/L	0.0010 U
Chromium Total	mg/L	0.0040 U
Copper	mg/L	0.018
Iron	mg/L	0.053
Lead	mg/L	0.0050 U
Magnesium	mg/L	1.5
Manganese	mg/L	0.0062
Mercury	mg/L	0.00020 U
Nickel	mg/L	0.010 U
Selenium	mg/L	0.015 U
Silver	mg/L	0.0030 U
Sodium	mg/L	414
Zinc	mg/L	0.010 U

TABLE 1

**ANALYTICAL RESULTS SUMMARY  
SEMI-ANNUAL WASTEWATER TREATMENT PLANT SAMPLING  
GLENN SPRINGS HOLDINGS, INC.  
GRATWICK - RIVERSIDE PARK SITE  
TONAWANDA, NEW YORK  
MARCH 2008**

*Sample Location:* Effluent  
*Sample ID:* GRATWICK RIVERSIDE  
*Sample Date:* 3/7/2008

<i>Parameters</i>	<i>Units</i>	
<i>General Chemistry</i>		
Alkalinity, Total (as CaCO <sub>3</sub> )	mg/L	79.1
Ammonia	mg/L	0.35
Bicarbonate (as CaCO <sub>3</sub> )	mg/L	10 U
Biochemical Oxygen Demand (BOD)	mg/L	19
Chemical Oxygen Demand (COD)	mg/L	98
Chloride	mg/L	678
Cyanide (total)	mg/L	0.005 U
Hardness	mg/L	366
Nitrate (as N)	mg/L	0.050 U
Oil and Grease	mg/L	1.0 U
pH (water)	s.u.	11.29
Phenolics (Total)	mg/L	0.009 U
Phosphorus	mg/L	0.04
Sulfate	mg/L	208
Sulfide	mg/L	6.4
Total Dissolved Solids (TDS)	mg/L	1640
Total Kjeldahl Nitrogen (TKN)	mg/L	0.28
Total Organic Carbon (TOC)	mg/L	7.6
Total Suspended Solids (TSS)	mg/L	19
Volatile Suspended Solids	mg/L	6

## Notes:

J Estimated.  
U Not detected.

TABLE 2  
 QUALIFIED SAMPLE RESULTS DUE TO OUTLYING LABORATORY CONTROL SAMPLE/LABORATORY CONTROL SAMPLE DUPLICATE RESULTS  
 SEMI-ANNUAL WASTEWATER TREATMENT PLANT SAMPLING  
 GLENN SPRINGS HOLDINGS, INC.  
 GRATWICK - RIVERSIDE PARK SITE  
 TONAWANDA, NEW YORK  
 MARCH 2008

Parameter	Compound	LCS Date (mm/dd/yy)	Associated Sample ID	LCS %Rec	LCSD %Rec	RPD (percent)	Control Limits		Qualified Sample Results	Units
							%Rec	%RPD		
SVOC	2,4-Dimethylphenol	03/08/08	GRATWICK RIVERSIDE	76	58	27	42-120	10	4 J	ug/L

Notes:

- % Rec Percent Recovery.
- J Estimated.
- LCS Laboratory Control Sample.
- LCSD Laboratory Control Sample Duplicate.
- RPD Relative Percent Difference.
- SVOC Semi-Volatile Organic Compound.



---

## MEMORANDUM

---

TO: Klaus Schmidtke

REF. NO.: 007987

FROM: Susan Scrocchi/bjw/93 *scs*

DATE: August 19, 2008

E-Mail and Hard Copy if Requested

RE: **Analytical Results and QA/QC Review  
Annual Groundwater Sampling  
Gratwick-Riverside Park Site  
May 2008**

---

### INTRODUCTION

Fifteen (15) samples, including one field duplicate, were collected in support of the Annual Groundwater Sampling at the Gratwick-Riverside Park Site (Site) during May 2008. Samples were submitted to Test America Laboratories (TA) in Amherst, New York, and analyzed for the following:

<i>Parameter</i>	<i>Methodology</i>
Site-Specific Volatile Organic Compounds (VOCs)	SW-846 8260 <sup>1</sup>
Site-Specific Semi-Volatile Organic Compounds (SVOCs)	SW-846 8270 <sup>1</sup>

The sample collection and analysis summary is presented in Table 1. The analytical results are summarized in Table 2. The quality assurance/quality control (QA/QC) criteria by which these data have been assessed are outlined in the analytical methods and the "National Functional Guidelines for Organic Data Review" (October 1999).

Data assessment was based on information obtained from final data sheets, blank data, duplicate results, surrogate recoveries, and spike recoveries.

### QA/QC REVIEW

All samples were prepared and/or analyzed within the method specified holding times. All samples were received in good condition and properly preserved.

---

<sup>1</sup> "Test Methods for Solid Waste Physical/Chemical Methods", SW-846, 3<sup>rd</sup> Edition, September 1986 (with all subsequent revisions).

Surrogates were added to all samples, blanks, and QC samples prior to extraction and/or analysis for VOCs and SVOCs. All VOC and SVOC surrogate recoveries met the method criteria indicating acceptable analytical efficiency.

Method blanks were extracted and/or analyzed for all parameters. All method blank results were non-detect for the compounds of interest indicating acceptable analytical procedures.

A trip blank was submitted with the samples for VOC analysis. All VOC results were non-detect indicating that no compounds of interest were introduced during sampling, transportation, storage and/or analysis.

Blank spikes (BS) were prepared and analyzed for all parameters. All recoveries showed acceptable analytical accuracy.

A matrix spike/matrix spike duplicate (MS/MSD) was prepared and analyzed for VOCs and SVOCs. All SVOC recoveries were acceptable indicating adequate analytical accuracy and precision. All VOC recoveries were low. All VOC results for sample WG-7987-052908-007 were qualified as estimated to reflect the implied low bias.

A field duplicate was submitted "blind" to the laboratory for analysis as specified in Table 1. All the results showed good precision outside of the estimated regions of detection, indicating acceptable analytical and sampling precision.

#### CONCLUSION

Based on the preceding assessment, the data were acceptable with the qualifications noted.

**TABLE 1**  
**SAMPLE COLLECTION AND ANALYSIS SUMMARY**  
**ANNUAL GROUNDWATER SAMPLING**  
**GRATWICK-RIVERSIDE PARK SITE**  
**MAY 2008**

Sample I.D.	Location I.D.	Collection Date (mm/dd/yy)	Collection Time (hr:min)	Analysis/Parameters		Comments
				Selected VOCs	Selected SVOCs	
WG-7987-052908-001	OGC-4	05/29/08	13:30	X	X	
WG-7987-052908-002	MW-9	05/29/08	13:40	X	X	
WG-7987-052908-003	OGC-8	05/29/08	13:55	X	X	
WG-7987-052908-004	MW-8	05/29/08	14:10	X	X	
WG-7987-052908-005	OGC-3	05/29/08	14:20	X	X	
WG-7987-052908-006	River South	05/29/08	14:30	X	X	
WG-7987-052908-007	OGC-7	05/29/08	14:40	X	X	MS/MSD
WG-7987-052908-008	OGC-2	05/29/08	15:00	X	X	
WG-7987-052908-009	MW-7	05/29/08	15:20	X	X	
WG-7987-052908-010	MW-7	05/29/08	15:20	X	X	Field duplicate of WG-7987-052908-009
WG-7987-052908-011	River Middle	05/29/08	15:30	X	X	
WG-7987-052908-012	OGC-6	05/29/08	15:30	X	X	
WG-7987-052908-013	OGC-5	05/29/08	15:40	X	X	
WG-7987-052908-014	MW-6	05/29/08	15:45	X	X	
WG-7987-052908-015	OGC-1	05/29/08	16:00	X	X	
TB-7987-052908	Trip Blank	05/29/08	-	X		

## Notes:

MS Matrix Spike.  
MSD Matrix Spike Duplicate.  
VOCs Volatile Organic Compounds.  
SVOCs Semi-Volatile Organic Compounds.

TABLE 2

ANALYTICAL RESULTS SUMMARY  
ANNUAL GROUNDWATER SAMPLING  
GRATWICK-RIVERSIDE PARK SITE  
MAY 2008

	Sample Location:	Middle River	MW6	MW7	MW7	MW8	MW9
	Sample ID:	WG-7987-052908-011	WG-7987-052908-014	WG-7987-052908-009	WG-7987-052908-010	WG-7987-052908-004	WG-7987-052908-002
	Sample Date:	5/29/2008	5/29/2008	5/29/2008	5/29/2008	5/29/2008	5/29/2008
Parameters:	Units				Duplicate		
<b>Volatile Organic Compounds</b>							
2-Butanone (Methyl Ethyl Ketone)	µg/L	5.0 U	5.0 U	5.0 U	5.0 U	4.4 J	5.0 U
Acetone	µg/L	2.8 J	5.0 U	3.3 J	3.4 J	23	5.7
Benzene	µg/L	0.70 U	0.70 U	0.70 U	0.70 U	1.5	0.70 U
Chlorobenzene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	0.54 J	1.4
Ethylbenzene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.8	0.55 J
Methylene chloride	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U
Tetrachloroethene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	9.5	1.0 U
Toluene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	10	2.4
trans-1,2-Dichloroethene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	3.6	1.0 U
Trichloroethene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U	29	1.7
Vinyl chloride	µg/L	1.0 U	1.0 U	0.64 J	0.61 J	1.0 U	1.0 U
Xylene (total)	µg/L	3.0 U	3.0 U	3.0 U	3.0 U	6.7	3.0 U
<b>Semi-volatile Organic Compounds</b>							
1,2-Dichlorobenzene	µg/L	10 U	9 U	10 U	9 U	0.4 J	0.7 J
1,4-Dichlorobenzene	µg/L	10 U	0.6 J	10 U	9 U	0.5 J	1 J
2,4-Dimethylphenol	µg/L	5 U	5 U	5 U	5 U	14	31
2-Methylphenol	µg/L	5 U	0.3 J	0.4 J	0.5 J	26	6
4-Methylphenol	µg/L	5 U	5 U	0.5 J	0.6 J	31	96
Di-n-octyl phthalate	µg/L	5 U	5 U	5 U	5 U	5 U	5 U
Naphthalene	µg/L	5 U	1 J	5 U	5 U	1 J	0.5 J
Phenol	µg/L	5 U	0.4 J	5 U	5 U	32	13

TABLE 2

ANALYTICAL RESULTS SUMMARY  
ANNUAL GROUNDWATER SAMPLING  
GRATWICK-RIVERSIDE PARK SITE  
MAY 2008

<i>Sample Location:</i>	OGC1		OGC2		OGC3		OGC4		OGC5		OGC6	
<i>Sample ID:</i>	WG-7987-052908-015		WG-7987-052908-008		WG-7987-052908-005		WG-7987-052908-001		WG-7987-052908-013		WG-7987-052908-012	
<i>Sample Date:</i>	5/29/2008		5/29/2008		5/29/2008		5/29/2008		5/29/2008		5/29/2008	
<i>Parameters:</i>	<i>Units</i>											
<i>Volatile Organic Compounds</i>												
2-Butanone (Methyl Ethyl Ketone)	µg/L	6.6 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U	5.0 U
Acetone	µg/L	6.7 U	5.0 U	6.0	5.0 U	3.5 J	5.0 U					
Benzene	µg/L	1.8 U	0.70 U	0.93	0.70 U	0.69 J	0.70 U					
Chlorobenzene	µg/L	1.6 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U					
Ethylbenzene	µg/L	1.7 U	1.0 U	0.92 J	1.0 U	1.0 U	1.0 U					
Methylene chloride	µg/L	2.2 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U					
Tetrachloroethene	µg/L	1.8 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U					34
Toluene	µg/L	2.6 U	1.0 U	1.8	1.0 U	1.0 U	1.0 U					2.9
trans-1,2-Dichloroethene	µg/L	1.7 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U					1.0 U
Trichloroethene	µg/L	4.2	1.0 U	4.9	1.0 U	1.0 U	1.0 U					31
Vinyl chloride	µg/L	1.2 U	1.0 U	1.0 U	1.0 U	1.0 U	1.0 U					1.0 U
Xylene (total)	µg/L	4.6 U	3.0 U	2.3 J	3.0 U	3.0 U	3.0 U					3.0 U
<i>Semi-volatile Organic Compounds</i>												
1,2-Dichlorobenzene	µg/L	10 U	9 U	0.7 J	10 U	10 U	10 U					10 U
1,4-Dichlorobenzene	µg/L	10 U	9 U	0.6 J	10 U	10 U	10 U					10 U
2,4-Dimethylphenol	µg/L	5 U	5 U	6	0.9 J	5 U	0.9 J					0.9 J
2-Methylphenol	µg/L	5 U	5 U	45	0.5 J	0.3 J	0.3 J					76
4-Methylphenol	µg/L	0.4 J	5 U	11	6	0.4 J	0.4 J					70
Di-n-octyl phthalate	µg/L	5 U	5 U	5 U	5 U	5 U	5 U					5 U
Naphthalene	µg/L	0.5 J	5 U	0.8 J	0.5 J	0.5 J	0.5 J					2 J
Phenol	µg/L	5 U	5 U	65	66	5 U	5 U					8



TABLE 2

ANALYTICAL RESULTS SUMMARY  
ANNUAL GROUNDWATER SAMPLING  
GRATWICK-RIVERSIDE PARK SITE  
MAY 2008

	<i>Sample Location:</i>	<i>OGC7</i>	<i>OGC8</i>	<i>South River</i>
	<i>Sample ID:</i>	WG-7987-052908-007	WG-7987-052908-003	WG-7987-052908-006
	<i>Sample Date:</i>	5/29/2008	5/29/2008	5/29/2008
<i>Parameters:</i>	<i>Units</i>			
<i>Volatile Organic Compounds</i>				
2-Butanone (Methyl Ethyl Ketone)	µg/L	5.0 UJ	5.0 U	3.1 J
Acetone	µg/L	5.0 UJ	9.9	12
Benzene	µg/L	0.70 UJ	0.84	0.70 U
Chlorobenzene	µg/L	1.0 UJ	1.0 U	1.0 U
Ethylbenzene	µg/L	0.84 J	0.84 J	1.0 U
Methylene chloride	µg/L	1.0 UJ	1.0 U	1.0 U
Tetrachloroethene	µg/L	1.2 J	2.3	1.0 U
Toluene	µg/L	4.9 J	6.4	1.0 U
trans-1,2-Dichloroethene	µg/L	3.5 J	1.0 U	1.0 U
Trichloroethene	µg/L	21 J	6.5	1.0 U
Vinyl chloride	µg/L	2.6 J	1.0 U	1.0 U
Xylene (total)	µg/L	5.0 J	2.5 J	3.0 U
<i>Semi-volatile Organic Compounds</i>				
1,2-Dichlorobenzene	µg/L	10 U	9 U	10 U
1,4-Dichlorobenzene	µg/L	10 U	0.2 J	10 U
2,4-Dimethylphenol	µg/L	5 U	1 J	5 U
2-Methylphenol	µg/L	0.5 J	2 J	5 U
4-Methylphenol	µg/L	0.4 J	8	5 U
Di-n-octyl phthalate	µg/L	5 U	5 U	5 U
Naphthalene	µg/L	5 U	5 U	5 U
Phenol	µg/L	5 U	5 U	5 U

Notes: Notes:  
 J Estimated.  
 U Not detected.  
 UJ Not detected, estimated reporting limit.