



**City of North Tonawanda  
Department of Engineering**

City Hall, 216 Payne Avenue  
North Tonawanda, NY 14120-5493  
[www.northtonawanda.org](http://www.northtonawanda.org)

**Dale W. Marshall, P. E.**

*City Engineer*

Phone: (716) 695-8565

Fax: (716) 695-8568

September 9, 2011

Reference No. 007987

Mr. Brian Sadowski  
Project Manager  
New York State Department of Environmental Conservation  
270 Michigan Avenue  
Buffalo, NY 14203-2999

Dear Mr. Sadowski:

Re: Site Management Periodic Review Report  
Gratwick-Riverside Park Site, North Tonawanda, New York

Pursuant to the New York State Department of Environmental Conservation (NYSDEC) letter dated July 11, 2011, enclosed are one hard copy and one PDF copy on CD of the report entitled "Tenth Annual Operation and Monitoring Report, June 2010 to May 2011". This report is being submitted as the Site Management Periodic Review Report (PRR) for the Gratwick-Riverside Park Site (Site) located in North Tonawanda, New York. This PRR documents the implementation of and compliance with the requirements of the Operation and Maintenance Manual (O&M Manual) dated March 2002 (revised January 2004 and May 2009). The O&M Manual includes the performance monitoring for the constructed remedy. NYSDEC approval for the O&M Manual was given on April 20, 2005. This is the tenth year of reporting for the Site since the implementation of the O&M program. Pursuant to the data presented in the PRR, the constructed remedy is achieving the remedial action objectives.

Also attached is the completed Institutional and Engineering Controls Certification Form which certifies that the NYSDEC listed institutional and engineering controls (ICs/ECs) are accurate as shown and are functioning properly. A PDF copy of the Form and this letter are also included on the CD.

The Site covers approximately 52.9 acres located adjacent to the Niagara River in the City of North Tonawanda, New York. The Site is bordered by River Road to the north, a private marina to the east, the River to the south, and a private residential area to the west. The Site is currently a public park with unrestricted access.

Construction of the remedial action was completed in June 2001 with final inspection performed in November 2001. Groundwater pumping began in May 2001. The description of the constructed remedy is presented in the report entitled "Remedial Action Construction Implementation" dated July 2002. The July 2002 report addressed comments received from the NYSDEC on the Remedial Action Construction Implementation Report submitted in June 2002. Repairs to address shoreline erosion that was observed in 2003 were performed in

November 2004 and are documented in the report entitled "Remedial Action Construction Implementation – Addendum No. 1, Repair of Shoreline Erosion" dated March 2005. NYSDEC acceptance of the Addendum was given on April 20, 2005.

The Certificate of Completion dated March 17, 2008 was accepted by the NYSDEC on March 19, 2008, signifying that all remedial work has been completed.

The purpose and primary objective of the groundwater withdrawal system is to collect groundwater that would otherwise migrate into the Niagara River by creating a hydraulic gradient from the River to the groundwater withdrawal system. The post-RA system performance monitoring program is conducted to collect the hydraulic and groundwater chemical data necessary to evaluate the effectiveness of the barrier slurry wall and groundwater withdrawal system and to track long-term trends in the groundwater chemistry.

The remedial action system components at the Site that have associated O&M activities are as follows:

- Landfill cap
- Barrier slurry wall
- Groundwater withdrawal and discharge system
- Sloped-bank stabilization
- Post-RA system performance monitoring

Inspections of the landfill cap and sloped bank stabilization are performed monthly by CRA. Any observed items requiring corrective actions are reported typically within three business days to the City of North Tonawanda which is responsible for the operation and maintenance of the Site. Performance monitoring of the barrier slurry wall is performed monthly by measuring river and groundwater levels to ensure that a gradient from the river to the groundwater withdrawal system is maintained. Performance monitoring of the groundwater discharge system is performed in accordance with the City of North Tonawanda Industrial Wastewater Discharge Permit Number 2628011 which requires semi-annual collection and analyses of samples of the water that is discharged to the City of North Tonawanda WWTP. Groundwater samples are currently collected and analyzed annually from seven wells and from an additional five wells once every two years in accordance with the schedule in the modified O&M Manual to track the long-term trends in the groundwater concentrations.

September 9, 2011

3

Reference No. 007987

If you have any questions, please do not hesitate to contact the undersigned at 716-695-8565.

Yours truly,

A handwritten signature in blue ink that reads "Dale Marshall". The signature is written in a cursive style with a large, looped initial "D".

Dale Marshall, P.E.  
City Engineer

KDS/lp/3  
Encl.

cc: G. Sutton/Marty Doster, NYSDEC Region 9  
M. Forcucci, NYSDOH (electronic copy)  
C. Babcock, GSHI  
J.P. Moreau/W. Jones (National Grid)





Enclosure 1

NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION  
Site Management Periodic Review Report Notice  
Institutional and Engineering Controls Certification Form



Site Details		Box 1
Site No.	932060	
Site Name Gratwick - Riverside Park		
Site Address: River Road Zip Code: 14120		
City/Town: North Tonawanda		
County: Niagara		
Site Acreage: 52.9		
Reporting Period: June 01, 2010 to <del>August 25, 2011</del> May 31		
		YES NO
1. Is the information above correct?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
If NO, include handwritten above or on a separate sheet.		
2. Has some or all of the site property been sold, subdivided, merged, or undergone a tax map amendment during this Reporting Period?		<input checked="" type="checkbox"/>
3. Has there been any change of use at the site during this Reporting Period (see 6NYCRR 375-1.11(d))?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
4. Have any federal, state, and/or local permits (e.g., building, discharge) been issued for or at the property during this Reporting Period?	<input type="checkbox"/>	<input checked="" type="checkbox"/>
If you answered YES to questions 2 thru 4, include documentation or evidence that documentation has been previously submitted with this certification form.		
5. Is the site currently undergoing development?	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Box 2	
	YES NO
6. Is the current site use consistent with the use(s) listed below? Closed Landfill	<input checked="" type="checkbox"/> <input type="checkbox"/>
7. Are all ICs/ECs in place and functioning as designed?	<input checked="" type="checkbox"/> <input type="checkbox"/>

IF THE ANSWER TO EITHER QUESTION 6 OR 7 IS NO, sign and date below and DO NOT COMPLETE THE REST OF THIS FORM.

A Corrective Measures Work Plan must be submitted along with this form to address these issues.

L. Jack Marshall  
Signature of Owner, Remedial Party or Designated Representative

9/9/11  
Date



**SITE NO. 932060.**

**Box 3**

**Description of Institutional Controls**

Parcel

**175.19-1-28**

Owner

City of North Tonawanda

Institutional Control

Building Use Restriction  
Ground Water Use Restriction  
Landuse Restriction  
Monitoring Plan  
O&M Plan

**Box 4**

**Description of Engineering Controls**

Parcel

**175.19-1-28**

Engineering Control

Cover System  
Groundwater Containment  
Leachate Collection  
Pump & Treat

---

**Control Description for Site No. 932060**

**Parcel: 175.19-1-28**

Deed Restriction. Sloped Bank Stabilization in addition to the ICEC listed above.

**Periodic Review Report (PRR) Certification Statements**

1. I certify by checking "YES" below that:

a) the Periodic Review report and all attachments were prepared under the direction of, and reviewed by, the party making the certification;

b) to the best of my knowledge and belief, the work and conclusions described in this certification are in accordance with the requirements of the site remedial program, and generally accepted engineering practices; and the information presented is accurate and complete.

YES NO

☒ ☐

2. If this site has an IC/EC Plan (or equivalent as required in the Decision Document), for each Institutional or Engineering control listed in Boxes 3 and/or 4, I certify by checking "YES" below that all of the following statements are true:

(a) the Institutional Control and/or Engineering Control(s) employed at this site is unchanged since the date that the Control was put in-place, or was last approved by the Department;

(b) nothing has occurred that would impair the ability of such Control, to protect public health and the environment;

(c) access to the site will continue to be provided to the Department, to evaluate the remedy, including access to evaluate the continued maintenance of this Control;

(d) nothing has occurred that would constitute a violation or failure to comply with the Site Management Plan for this Control; and

(e) if a financial assurance mechanism is required by the oversight document for the site, the mechanism remains valid and sufficient for its intended purpose established in the document.

YES NO

☒ ☐

**IF THE ANSWER TO QUESTION 2 IS NO, sign and date below and  
DO NOT COMPLETE THE REST OF THIS FORM.**

**A Corrective Measures Work Plan must be submitted along with this form to address these issues.**

*David Marshall*  
Signature of Owner, Remedial Party or Designated Representative

9/9/11  
Date

IC CERTIFICATIONS  
SITE NO. 932060

Box 6

SITE OWNER OR DESIGNATED REPRESENTATIVE SIGNATURE

I certify that all information and statements in Boxes 2 and/or 3 are true; I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I Dale W. Marshall at 216 Payne Ave N Tonawanda NY  
print name print business address

am certifying as City Engineer of North Tonawanda (Owner or Remedial Party)

for the Site named in the Site Details Section of this form.

Dale W. Marshall PE.  
Signature of Owner or Remedial Party Rendering Certification

9/9/11  
Date

IC/EC CERTIFICATIONS

Box 7

Professional Engineer Signature

I certify that all information in Boxes 4 and 5 are true. I understand that a false statement made herein is punishable as a Class "A" misdemeanor, pursuant to Section 210.45 of the Penal Law.

I Dale W. Marshall at 216 Payne Ave N Tonawanda NY  
print name print business address

am certifying as a Professional Engineer for the City of North Tonawanda  
(Owner or Remedial Party)

Dale W. Marshall PE.  
Signature of Professional Engineer, for the Owner or Remedial Party, Rendering Certification



Stamp  
(Required for PE)

9/9/11  
Date





# **TENTH ANNUAL OPERATION AND MONITORING REPORT JUNE 2010 TO MAY 2011**

**GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK**

**DISCLAIMER:**  
SOME FORMATTING CHANGES MAY HAVE OCCURRED WHEN  
THE ORIGINAL DOCUMENT WAS PRINTED TO PDF; HOWEVER,  
THE ORIGINAL CONTENT REMAINS UNCHANGED.

**SEPTEMBER 2011  
REF. NO. 007987 (38)**

**Prepared by:  
Conestoga-Rovers  
& Associates**

651 Colby Drive  
Waterloo, Ontario  
Canada N2V 1C2

Office: (519) 884-0510  
Fax: (519) 884-0525

web: <http://www.CRAworld.com>

## TABLE OF CONTENTS

	<u>Page</u>
1.0 INTRODUCTION.....	1
2.0 GROUNDWATER WITHDRAWAL SYSTEM (GWS) .....	2
2.1 HYDRAULIC MONITORING .....	2
2.2 GROUNDWATER QUALITY MONITORING.....	4
2.2.1 SAMPLE RESULTS.....	4
2.3 EFFLUENT MONITORING PROGRAM .....	7
2.3.1 SAMPLE RESULTS.....	7
2.4 SURFACE WATER MONITORING PROGRAM.....	9
2.5 GWS OPERATIONS.....	9
3.0 SITE INSPECTIONS.....	11
4.0 CONCLUSIONS/RECOMMENDATIONS.....	12
4.1 OPERATION AND MAINTENANCE .....	12
4.2 MONITORING.....	12
4.3 NOTIFICATIONS TO CITY OF NORTH TONAWANDA.....	12

LIST OF FIGURES  
(Following Text)

FIGURE 2.1	MONITORING NETWORK
FIGURE 2.2	MW-6 TVOC AND TSVOC CONCENTRATIONS
FIGURE 2.3	MW-7 TVOC AND TSVOC CONCENTRATIONS
FIGURE 2.4	MW-8 TVOC AND TSVOC CONCENTRATIONS
FIGURE 2.5	MW-9 TVOC AND TSVOC CONCENTRATIONS
FIGURE 2.6	OGC-1 TVOC AND TSVOC CONCENTRATIONS
FIGURE 2.7	OGC-2 TVOC AND TSVOC CONCENTRATIONS
FIGURE 2.8	OGC-3 TVOC AND TSVOC CONCENTRATIONS
FIGURE 2.9	OGC-4 TVOC AND TSVOC CONCENTRATIONS
FIGURE 2.10	OGC-5 TVOC AND TSVOC CONCENTRATIONS
FIGURE 2.11	OGC-6 TVOC AND TSVOC CONCENTRATIONS
FIGURE 2.12	OGC-7 TVOC AND TSVOC CONCENTRATIONS
FIGURE 2.13	OGC-8 TVOC AND TSVOC CONCENTRATIONS
FIGURE 2.14	EFFLUENT TVOCS AND TSVOC VS. TIME
FIGURE 2.15	EFFLUENT pH VS. TIME
FIGURE 2.16	EFFLUENT TOTAL SUSPENDED SOLIDS VS. TIME
FIGURE 2.17	EFFLUENT BOD VS. TIME
FIGURE 2.18	EFFLUENT VOLUME VS. TIME



LIST OF TABLES  
(Following Text)

TABLE 2.1	GROUNDWATER HYDRAULIC MONITORING LOCATIONS
TABLE 2.2	WATER LEVELS (FT AMSL)
TABLE 2.3	SUMMARY OF HORIZONTAL GRADIENTS
TABLE 2.4	SUMMARY OF VERTICAL GRADIENTS
TABLE 2.5	GROUNDWATER SAMPLING SUMMARY
TABLE 2.6	SUMMARY OF DETECTED COMPOUNDS, SITE GROUNDWATER AND RIVER WATER
TABLE 2.7	PH READINGS
TABLE 2.8	EFFLUENT SAMPLING SUMMARY, JUNE 2001 TO FEBRUARY 2007
TABLE 2.9	EFFLUENT SAMPLING SUMMARY, SUBSEQUENT TO FEBRUARY 2007
TABLE 2.10	ANALYTICAL RESULTS SUMMARY, SITE EFFLUENT
TABLE 2.11	GROUNDWATER VOLUMES DISCHARGED TO NORTH TONAWANDA POTW

LIST OF APPENDICES

APPENDIX A	MONTHLY INSPECTION LOGS (JUNE 2010 TO MAY 2011)
APPENDIX B	QA/QC REVIEWS

## 1.0 INTRODUCTION

This report is the tenth annual Operation and Monitoring Report (O&M Report) for the remedial actions constructed at the Gratwick-Riverside Park Site (Site) located in North Tonawanda, New York. This report covers the period from June 2010 to May 2011 and was prepared pursuant to Section 7.0 of the report entitled "Operation and Maintenance Manual" (O&M Manual) dated March 2002 (revised January 2004 and May 2009). It is noted that New York State Department of Environmental Conservation (NYSDEC) approval for the O&M Manual was given on April 20, 2005. All O&M activities have been performed in accordance with the methods and frequencies specified in the O&M Manual and as modified in previous annual reports and approved by NYSDEC. In accordance with the approved monitoring changes, the groundwater is now monitored annually in seven wells and an additional five wells are monitored once every two years. The surface water quality of the Niagara River adjacent to the Site is no longer monitored. Discharge from the Site is monitored semi-annually in accordance with the City of North Tonawanda Wastewater Discharge Permit.

## 2.0 GROUNDWATER WITHDRAWAL SYSTEM (GWS)

Full-time operation of the Groundwater Withdrawal System (GWS) at the Site started on May 4, 2001. The objectives of the GWS are to:

- i) Achieve and maintain an inward gradient from the Niagara River toward the GWS
- ii) Achieve and maintain an upward gradient from the fill alluvium layer beneath the GWS

In order to determine whether the objectives are being met, hydraulic and chemical monitoring programs have been developed. These programs include: Site groundwater; GWS effluent; and River surface water. Sampling of the River water was approved for elimination in 2008. The wells, manholes, wet wells, and storm sewer outfalls that comprise the monitoring network are shown on Figure 2.1. The monitoring programs are described in the following subsections.

### 2.1 HYDRAULIC MONITORING

Hydraulic monitoring consists of the collection of water levels in monitoring wells and manholes, and River water levels at the storm sewer outfalls. These data are then used to determine the vertical and horizontal gradients for the groundwater.

The water levels in four GWS manholes and in the River were monitored to confirm that an inward gradient exists. The water levels in five GWS manholes and in four monitoring wells installed near the GWS alignment in the materials directly overlying the confining unit were monitored to confirm that an upward gradient exists. The specific manholes and monitoring wells used to determine the horizontal and vertical gradients are listed in Table 2.1.

Groundwater elevations are measured on a monthly basis. The measured water levels from the beginning of the O&M period are provided in Table 2.2. Summaries of the horizontal and vertical gradients to May 2010 were previously provided and thus are not provided in this report. The gradients for this reporting period are provided in Tables 2.3 and 2.4, respectively.



The results for the horizontal gradient evaluation show that:

- i) Inward horizontal gradients were achieved by May 11, 2001, within one week of the start of pumping the GWS
- ii) The inward gradients were maintained for the remainder of the first ten years except for a few short intervals in isolated areas. The only exceptions in this reporting period occurred between July 7 through October 12, 2010 in the vicinity of MH-2 and in August in the vicinity of MH-8

These outward gradients were due to the pumps in MH-3 and MH-9 being out-of-service as described in Section 2.6.

Short periods of outward gradient do not adversely affect the effectiveness of the remedy because:

- i) The gradients were outward for only short periods of time
- ii) The outward gradients occurred over only a portion of the barrier wall
- iii) The 36-inch barrier wall is six inches thicker than the design thickness thereby providing extra protection
- iv) Any outward migration of Site groundwater into the barrier wall during the short periods of outward gradient is more than offset by the inward migration of river water into the barrier wall during the long periods of inward gradient

With regard to the period of outward gradients noted in this reporting period, the difference in elevation between the groundwater in the GWS and the Niagara River levels ranged from 1.62 to 3.18 feet in the vicinity of MH2. The maximum difference in water levels is equivalent to a hydraulic gradient of 1.06 over the 3-foot thickness of the barrier wall. The hydraulic conductivity of the in-place barrier wall ranged from 2.34 to  $9.45 \times 10^{-8}$  cm/sec. Using the maximum value of  $9.45 \times 10^{-8}$  cm/sec and an assumed porosity of 0.25, groundwater would have migrated a distance of 1.3 inches through the barrier wall for the 97 day period between July 7, 2010 and October 12, 2010. Thus, there was no adverse effect due to this period of outward gradient.

The results for the vertical gradient evaluation showed that the vertical gradients during this reporting period were continually upward for all four monitoring pairs except for:

- i) Monitoring well pair MH3/MW-6 in July, August, and September 2010

## 2.2 GROUNDWATER QUALITY MONITORING

Groundwater quality monitoring consists of the collection of water samples from on-Site overburden monitoring wells (OGC-1 through OGC-8 and MW-6 through MW-9) and the analysis of these samples to determine the concentrations of chemicals in the groundwater. The purpose of the groundwater quality monitoring program is to monitor the anticipated improvement in the quality of the overburden groundwater:

- i) Between the barrier wall and the River (OGC-1 through OGC-4)
- ii) In the fill/alluvium beneath the GWS (MW-6 through MW-9)

The MWs are located on the inside of the barrier wall and the OGCs are located between the barrier wall and the river.

Groundwater quality monitoring locations are presented on Figure 2.1 and the analytical parameters and frequency are listed in Table 2.5.

Groundwater sampling was on an annual basis between May 2004 and May 2008. As approved in the NYSDEC letter dated February 23, 2009 the sampling frequency for May 2009 through May 2012 will be:

<i>Annual</i>	<i>Once Every Two Years (2010 and 2012)</i>
MW-8	MW-6
MW-9	MW-7
OGC-3	OGC-1
OGC-4	OGC-2
OGC-6	OGC-5
OGC-7	
OGC-8	

### 2.2.1 SAMPLE RESULTS

A summary of compounds detected in the groundwater samples for this reporting period is provided in Table 2.6 and pH levels are provided in Table 2.7.

To evaluate the trends in the groundwater chemistry and evaluate the appropriate frequency of future sampling, the VOCs and SVOCs were summed and plotted on Figures 2.2 through 2.13 for each of the 12 monitoring wells included in the program. It is believed that the sum of the VOCs (i.e., TVOCs) and SVOCs (i.e., TSVOCs) best represent the trends in the groundwater chemistry.

Review of the TVOC and TSVOC concentrations for the seven wells sampled in 2011 show the following trends since May 2008 (the last prior date all 12 wells were sampled):

i) TVOCs:

- Decreasing concentrations in 2 of the 7 wells ( OGC-3 and OGC-8)
- Increasing concentrations from May 2008 to May 2010 and then decreasing in 1 of the 7 wells (OGC-6)
- Relatively constant concentrations with random fluctuations in four of the seven wells (MW-8, MW-9, OGC-4 and OGC-7)

ii) TSVOCs:

- Decreasing concentrations in 4 of 7 wells (MW-8, OGC-3, OGC-4 and OGC-6)
- Relatively constant concentrations with random fluctuations in 3 of the 7 wells (MW-9, OGC-7 and OGC-8)

All the wells had only low level TVOC concentrations in this reporting period, except for MW-8 (107 µg/L), MW-9 (20/18 µg/L), OGC-6 (435 µg/L), and OGC-7 (25 µg/L). With regard to TSVOC concentrations, three wells had higher concentrations, MW-8 (79 µg/L), MW-9 (304/307 µg/L), and OGC-3 (95 µg/L). Wells OGC-4, OGC-6, OGC-7, and OGC-8 had TSVOC concentrations < 20 µg/L.

In summary, the number of wells with decreasing or constant but fluctuating low level concentrations shows that the groundwater is being remediated.

Additional description of the TVOC and TSVOC concentrations is provided in the following paragraphs.

#### Monitoring Wells On-Site - Inside Barrier Wall

The TVOC concentrations for MW-6 shown on Figure 2.2 have been less than 5 µg/L since May 2007. The TSVOC concentrations were low level (i.e., <5 µg/L) since May 2004 until May 2010 when they increased slightly to 20 µg/L.



The TVOC and TSVOC concentrations for MW-7 on Figure 2.3 show that both TVOC and TSVOC have remained low level. TVOC concentrations ranged from non-detect to 7.3 µg/L since November 2003. TSVOC concentrations ranged from non-detect to 1 µg/L since May 2004.

The TVOC concentrations for MW-8 on Figure 2.4 show that the TVOC concentration for the May 2011 sample was 107 µg/L. This is consistent with the 90 and 142 µg/L for May 2008 and May 2009, respectively. The TSVOC concentrations since May 2006 increased slightly from 31 µg/L to 117 µg/L in the May 2009 sample and since then have continually decreased to 79 µg/L in the May 2011 sample.

The TVOC concentrations for MW-9 on Figure 2.5 show that the TVOC concentrations ranged between 9 and 30 µg/L for the entire record period. The TSVOC concentrations have fluctuated between 150 to 440 µg/L since August 2002.

All MWs are located on the inside of the barrier wall and a net inward gradient has always been maintained in the vicinity of these wells. Thus, the TVOCs and TSVOCs are not migrating to the Niagara River.

#### *Monitoring Wells Between Barrier Wall and River*

The TVOC concentrations for OGC-1 on Figure 2.6 show that the concentrations since November 2003 ranged between 0.5 and 4 µg/L. The TSVOC concentrations for the last seven sampling events (i.e., since November 2003) have fluctuated between non-detect and 3 µg/L.

The TVOC concentrations for OGC-2 on Figure 2.7 have fluctuated randomly between non-detect and 4.5 µg/L since February 2002. The TSVOC concentrations were all non-detect over this same time period.

The TVOC concentrations for OGC-3 shown on Figure 2.8 have fluctuated between non-detect to 17 µg/L since May 2006. The TSVOC concentrations have decreased from 300 µg/L in November 2003 to 95 µg/L in May 2011.

The TVOC concentrations for OGC-4 shown on Figure 2.9 fluctuated between non-detect and 6 µg/L for the time period from November 2002 to May 2011. The TSVOC concentrations have fluctuated widely but have continually decreased since May 2004 with a concentration of 5.5 µg/L in the May 2011 sample. The single compound responsible for the higher historic concentrations was phenol.

The TVOC concentrations for OGC-5 shown on Figure 2.10, ranged from non-detect to 11 µg/L since February 2002. The TSVOC concentrations ranged from non-detect to 2 µg/L since February 2003.

The TVOC concentrations for OGC-6 shown on Figure 2.11 increased continually from 3 µg/L in May 2001 to 4,200 µg/L in May 2006, then decreased to 68 µg/L by May 2008 before increasing to 1,130 µg/L in the May 2010 sample. The TVOC concentration in the May 2011 sample decreased to 435 µg/L. The primary compounds detected are PCE and TCE. The TSVOC concentrations have fluctuated between non-detect and 210 µg/L. The May 2011 TVOC concentration was 17 µg/L.

The TVOC concentrations for OGC-7 shown on Figure 2.12, have continually decreased since November 2003 and were 25 µg/L in the May 2011 sample. The TSVOC concentrations have been non-detect since August 2002 except for May 2008 (0.9 µg/L) and May 2011 (0.45 µg/L).

The TVOC concentrations for OGC-8 shown on Figure 2.13 decreased from 460 µg/L in May 2001 to 84 µg/L in May 2003 and have ranged from non-detect to 29 µg/L since that time. The TSVOC concentrations have decreased from 139 µg/L in August 2001 to 54 µg/L in August 2002 and have ranged from non-detect to 11 µg/L since that time.

The QA/QC review of the May 2011 groundwater results is included in Appendix B.

## **2.3 EFFLUENT MONITORING PROGRAM**

Groundwater from the GWS is discharged to the POTW without the need for pretreatment. The monitoring performed during the construction phase of the remedy clearly showed that the minimal chemical presence in the groundwater collected in the GWS is easily treated at the POTW and therefore no on-Site pretreatment is necessary. The effluent samples are collected at the monitoring station (meter building), which is located at the south end of the Site as shown on Figure 2.1. The analytical parameters for the time period from June 2001 to February 2007, inclusive, are listed in Table 2.8 and the parameters monitored since 2007 are listed in Table 2.9.

### **2.3.1 SAMPLE RESULTS**

Effluent samples are collected semi-annually and consist of a 24-hour composite sample collected for SVOCs, metals, and wet chemistry parameters. Three grab samples are also

collected for VOCs at 8-hour intervals and the measured concentrations are averaged to give a 24-hour concentration.

QA/QC reviews of the discharge results to May 2010 have already been submitted to the NYSDEC. Thus, these reviews are not being resubmitted with this O&M Report. The QA/QC reviews of the discharge results from September 2010 and March 2011 are provided in Appendix B.

The effluent sample results for this reporting period are provided in Table 2.10. To assist in evaluating the chemical concentration trends in the effluent discharge from the GWS, the measured concentrations for the following parameters are plotted: TVOCs, TSVOCs, pH, total suspended solids (TSS), and biochemical oxygen demand (BOD) (see Figures 2.14 through 2.17). It is believed that these parameters are representative of the trends in the chemistry of the water discharged to the POTW and, as such, can also be used to determine an appropriate monitoring frequency for the effluent.

As shown on Figure 2.14, the TVOCs generally peak in the spring and then decline reaching a trough in the fall. This pattern may be attributable to additional flushing during the spring snow melt. The long-term trend of the TVOC concentrations show a continual decrease with time. The TVOC concentration in the March 2011 sample was 42 mg/L. The effluent TSVOC results on Figure 2.14 show no apparent seasonal pattern but the TSVOC concentrations show the same decreasing trend with time as the TVOC concentrations. The TSVOC concentration in the March 2011 sample was non-detect.

The pH levels are presented on Figure 2.15. As shown on Figure 2.15, the pH levels range between 7.3 and 11.6. An apparent trend in the pH levels is higher pH levels in the winter/spring and lower pH levels in the summer/fall.

The TSS concentrations presented on Figure 2.16 show higher concentrations occurring in the early spring and late summer/fall with elevated concentrations (maximum of 278 mg/L) in the spring of 2005. Because TSS may be related to the discharge flow rate, the monthly discharge volume (see Table 2.11) is plotted on Figure 2.18. Comparison of the results presented on these two figures shows an apparent correlation between higher flows and greater TSS concentrations except for the 2005 spring results.

The BOD concentrations are presented on Figure 2.17. As shown on Figure 2.17, BOD concentrations ranged from 20 to 29 mg/L until April 2002 then decreased to the range of 6 to 24 mg/L since May 2002. The BOD concentrations were compared with the discharge volume but showed no apparent correlation.

In summary, the trends described above support the semi-annual sampling frequency in the current City of North Tonawanda Industrial Wastewater Discharge Permit.

## **2.4 SURFACE WATER MONITORING PROGRAM**

To determine that the River sediment remediation and enhancement is working properly, surface water samples were collected from May 2001 to May 2008 at locations upstream of, adjacent to, and at the downstream end of the Site (see Figure 2.1 for locations). Pursuant to the NYSDEC approval received on February 23, 2009, no further sampling or analyses of the River water is needed or being performed.

## **2.5 GWS OPERATIONS**

The volume of water pumped on a monthly basis from the Site to the City POTW for treatment is presented in Table 2.11 and plotted on Figure 2.18. The monthly volumes show that during the time period of initial dewatering of the Site (i.e., May and June 2001) the monthly volumes ranged from 2,300,000 to 2,900,000 gallons. For the time period from June 2007 to May 2011, the monthly volumes ranged from 23,800 to 2,661,000 gallons except for March 2009 which had a volume of 4,239,000 gallons.

The total measured volume of water discharged from the Site for the time period from May 2001 to May 2011 was 87,552,600 gallons with 7,766,100 gallons pumped during the last 12 months.

Section 5.0 of the O&M Manual describes the procedures to be followed in case pumping of the GWS needs to be stopped to prevent the discharge of untreated water from the Site by the City POTW (i.e., wet weather shutdown). No wet weather shutdown occurred in the time period from June 2010 to May 2011.

The treatment of the Site groundwater by the City POTW did not require any modifications to the standard operations of the City POTW and did not cause any operational upsets of the City POTW.

## **2.6 GWS MAINTENANCE**

The pump in MH-3 was out-of-service from July 7 through October 12, 2010 due to an accumulation of material on the pump impellor. Attempts to remove the material were

not successful and the pump was replaced on October 12, 2010. The pump in MH-9 was also out-of-service from May 24 through July 28, 2010 due to electrical problems. The pump was rebuilt and was re-installed on July 28, 2010.

### 3.0 SITE INSPECTIONS

Site inspections were performed on a monthly basis. Copies of the Inspection Logs for the time period to May 2010 were previously submitted and thus are not being resubmitted with this O&M Report. The Monthly Inspection Logs for June 2010 through May 2011 are included in Appendix A. In summary, the June 2010 through May 2011 inspections identified:

- i) Higher water levels in MH-2, MH-3 and MH-8 from July through September 2010
- ii) Higher water levels in MH-11 in June and July 2010
- iii) Higher water levels in MH-14 from March through May 2011
- iv) Soil erosion approximately 20 feet south of OGC-7
- v) Soil erosion north and south of the River North pipe.

The elevated water levels were due to the pumps in MH-3 and MH-9 being out-of-service as described in Section 2.6. The pumps have been repaired or replaced and are operating as of the date of this report. The schedule for repair of the erosion described above is to be determined by the City of North Tonawanda.



#### 4.0 CONCLUSIONS/RECOMMENDATIONS

##### 4.1 OPERATION AND MAINTENANCE

The constructed remedy is achieving the remedial action objectives.

##### 4.2 MONITORING

The trends in the groundwater TVOC and TSVOC analytical results are relatively consistent with time with four of seven wells having TVOC and/or STVOC concentrations  $\leq 20$   $\mu\text{g/L}$  for the 2011 event.

In summary, the groundwater sample collection frequency from May 2009 up to and including May 2012 is:


<i>Annual</i>	<i>Once Every 2 Years (2010 and 2012)</i>
MW-8	MW-6
MW-9	MW-7
OGC-3	OGC-1
OGC-4	OGC-2
OGC-6	OGC-5
OGC-7	
OGC-8	

No further sampling of the river water is required.

Pursuant to the discharge permit effective January 31, 2007 (renewed March 1, 2010 and effective until February 28, 2013), semi-annual monitoring commenced in September 2007. The trends in the effluent from the GWS to the POTW support the reduction in the sampling frequency from monthly to semi-annual. Flow monitoring will continue to be performed monthly as a check on the operation of the GWS.

##### 4.3 NOTIFICATIONS TO CITY OF NORTH TONAWANDA

Notifications of anomalies in the discharge volumes and/or groundwater levels were provided and will continue to be provided to the City of North Tonawanda Public Works Engineering and Wastewater Treatment Department within a few days of measurement of the anomaly to ensure timely maintenance.



# **LEGEND**

- BARRIER WALL
- MH11 GROUNDWATER COLLECTION SYSTEM
- OGC-1 MONITORING WELL LOCATION
- MW-1
- ⊠ RIVER SURFACE WATER LEVEL MONITORING LOCATION
- ⊠ SOUTH
- Δ SURFACE WATER CHEMICAL MONITORING LOCATION (NO SAMPLING AFTER APRIL 2008)



figure 2.1  
**MONITORING NETWORK**  
**GRATWICK-RIVERSIDE PARK SITE**  
*North Tonawanda, New York*




figure 2.2  
MW-6 TVOC AND TSVOC CONCENTRATIONS  
GRATWICK-RIVERSIDE PARK SITE  
*North Tonawanda, New York*






figure 2.3  
MW-7 TVOC AND TSVOC CONCENTRATIONS  
GRATWICK-RIVERSIDE PARK SITE  
*North Tonawanda, New York*








figure 2.4  
MW-8 TVOC AND TSVOC CONCENTRATIONS  
GRATWICK-RIVERSIDE PARK SITE  
North Tonawanda, New York






figure 2.5  
MW-9 TVOC AND TSVOC CONCENTRATIONS  
GRATWICK-RIVERSIDE PARK SITE  
*North Tonawanda, New York*








figure 2.6  
OGC-1 TVOC AND TSVOC CONCENTRATIONS  
GRATWICK-RIVERSIDE PARK SITE  
*North Tonawanda, New York*







figure 2.7  
OGC-2 TVOC AND TSVOC CONCENTRATIONS  
GRATWICK-RIVERSIDE PARK SITE  
*North Tonawanda, New York*








figure 2.9  
OGC-4 TVOC AND TSVOC CONCENTRATIONS  
GRATWICK-RIVERSIDE PARK SITE  
*North Tonawanda, New York*






figure 2.10  
OGC-5 TVOC AND TSVOC CONCENTRATIONS  
GRATWICK-RIVERSIDE PARK SITE  
*North Tonawanda, New York*








figure 2.11  
OGC-6 TVOC AND TSVOC CONCENTRATIONS  
GRATWICK-RIVERSIDE PARK SITE  
*North Tonawanda, New York*








figure 2.12

OGC-7 TVOC AND TSVOC CONCENTRATIONS  
GRATWICK-RIVERSIDE PARK SITE  
*North Tonawanda, New York*






figure 2.13

OGC-8 TVOC AND TSVOC CONCENTRATIONS  
GRATWICK-RIVERSIDE PARK SITE  
*North Tonawanda, New York*






figure 2.14

EFFLUENT TVOCs AND TSVOCs vs. TIME  
GRATWICK-RIVERSIDE PARK SITE  
*North Tonawanda, New York*






figure 2.15

EFFLUENT pH vs. TIME  
GRATWICK-RIVERSIDE PARK SITE  
*North Tonawanda, New York*








figure 2.16

EFFLUENT TOTAL SUSPENDED SOLIDS vs. TIME  
GRATWICK-RIVERSIDE PARK SITE  
*North Tonawanda, New York*






figure 2.17

EFFLUENT BOD vs. TIME  
GRATWICK-RIVERSIDE PARK SITE  
*North Tonawanda, New York*








figure 2.18

EFFLUENT VOLUME vs. TIME  
GRATWICK-RIVERSIDE PARK SITE  
*North Tonawanda, New York*



TABLE 2.1

**GROUNDWATER HYDRAULIC MONITORING LOCATIONS  
OPERATION AND MAINTENANCE  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK**

**INWARD HYDRAULIC GRADIENT MONITORING LOCATIONS**

<b><u>Inner</u></b> <sup>(1)</sup>	<b><u>Outer</u></b>
MH2	Niagara River North (Downstream)
MH6	Niagara River North (Downstream)
MH8	Niagara River Middle
MH12	Niagara River South (Upstream)

**UPWARD HYDRAULIC GRADIENT MONITORING LOCATIONS**

<b><u>Upper</u></b> <sup>(1)</sup>	<b><u>Lower</u></b>
MH3	MW-6
MH8	MW-7
MH11	MW-8
MH14/MH15 <sup>(2)</sup>	MW-9

**FREQUENCY**

- Weekly following GWS startup until six consecutive inward gradients are achieved; and
- Monthly thereafter for the remainder of the initial 2-year period (review after 2 years).
- 2-Year and 5-Year reviews indicated that the monitoring frequency remain monthly.

Notes:

- (1) These manholes will be monitored twice daily by POTW staff during a wet weather bypass event pursuant to Section 5.0 of the O&M Manual.
- (2) Distance weighted averages of water levels used (MH14 - two thirds and MH15 - one third).

TABLE 2.2

WATER LEVELS (ft amsl)  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK

<i>Date</i>	<i>MH2</i>	<i>MH3</i>	<i>MH6</i>	<i>OGC-1</i>	<i>MW-6</i>	<i>OGC-5</i>	<i>River North</i>	<i>OGC-6</i>	<i>MH8</i>	<i>MW-7</i>	<i>OGC-2</i>	<i>River Middle</i>	<i>OGC-7</i>
RIM Elevation	573.28	573.81	572.03						572.37				
TOC Elevation (ft amsl)				575.01	575.40	573.82	566.80	576.65		575.57	574.08	566.48	572.49
December 12, 2000	NM			564.26	567.05	563.84	NM	564.24		567.20	564.58	NM	565.24
January 8, 2001	NM		NM	563.94	567.21	563.82	NM	563.84		567.30	564.01	NM	563.90
March 29, 2001	NM		NM	564.19	567.80	563.82	NM	564.10		566.89	564.28	NM	564.12
May 11, 2001	559.31		561.98	564.39	563.53	564.54	564.54	564.25		561.60	564.53	564.38	564.50
May 18, 2001	NM		562.03	564.21	563.08	564.54	564.49	564.25		561.97	564.53	564.33	564.55
May 25, 2001	NM		NM	564.46	562.80	564.52	563.80	564.22		561.71	564.28	563.63	564.50
June 1, 2001	559.34		561.97	564.51	562.74	564.52	563.52	564.20		561.77	564.18	563.47	564.49
June 8, 2001	NM		562.49	564.63	562.65	564.82	564.75	564.36		561.59	564.60	564.68	564.78
June 15, 2001	560.79	560.59	562.60	564.67	562.54	564.76	564.71	564.53	560.53	561.48	564.77	564.71	564.79
June 22, 2001	560.77	560.55	562.53	564.65	562.50	564.72	564.90	564.43	560.44	561.41	564.66	564.86	564.72
June 29, 2001	560.62	560.40	562.42	564.51	562.42	564.66	564.52	564.35	560.38	561.39	564.57	564.48	564.59
July 31, 2001	559.87	559.21	562.90	564.49	562.19	564.71	564.66	564.35	560.25	561.30	564.60	564.68	565.70
August 20, 2001	561.49	561.07	565.23 (1)	564.60	562.09	563.82	564.69	564.46	560.25	561.29	564.77	564.64	564.81
September 28, 2001	561.03	560.56	563.03	564.61	562.13	564.25	564.68	564.48	560.27	561.32	564.79	564.68	564.99
October 22, 2001	561.38	562.36	567.06 (3)	564.61	562.08	564.41 (2)	564.33	560.43	561.37	564.58	564.26	564.33	564.33
November 27, 2001	561.45	560.94	564.53	563.95	561.88	563.65 (2)	563.83	560.45	561.36	564.04	563.54	563.87	563.87
December 20, 2001	560.96	560.50	564.39	564.47	561.83	564.78	564.69	564.27	559.75	561.25	564.72	564.45	564.86
January 29, 2002	560.74	560.15	563.75	564.09	561.83	563.87	563.89	563.99	560.98	561.89	564.12	563.74	564.01
February 11, 2002	560.80	560.28	564.19	564.22	561.73	563.84	564.03	564.07	561.06	561.50	564.18	563.97	564.19
March 25, 2002	560.55	560.10	563.25	564.10	561.72	563.51 (2)	564.03	560.65	561.60	564.02	563.59	563.83	563.83
April 24, 2002	562.54	562.05	564.12	564.60	561.88	564.70	564.61	564.49	561.13	561.95	564.67	564.19	564.72
May 21, 2002	561.74	561.28	564.10	564.79	561.97	564.84	564.76	564.68	560.05	561.38	564.85	564.66	564.84
June 20, 2002	561.67	561.24	565.58	564.74	561.92	564.56	564.58	564.62	560.68	561.54	564.85	564.68	564.80
July 18, 2002	561.46	560.99	564.99	564.78	561.89	565.00	564.89	564.66	560.79	561.65	564.90	564.90	564.93
August 6, 2002	561.26	560.79	565.89	564.86	561.92	564.70	564.65	564.71	561.05	561.93	564.90	564.59	564.85
September 12, 2002	561.60	561.14	565.60	564.80	561.82	565.05	565.04	564.67	561.10	561.99	564.87	564.95	564.97
October 30, 2002	561.63	561.21	566.24	564.18	561.97	563.95 (2)	564.07	561.07	561.95	564.10	563.75	564.00	564.00
November 21, 2002	561.12	560.67	554.47 (4)	564.05	562.05	563.94 (2)	563.98	558.03	561.41	564.20	563.71	564.06	564.06
December 11, 2002	561.55	561.08	555.09	563.99	562.04	563.85 (2)	563.84	559.95	561.25	563.94	563.72	563.87	563.87

## Notes:

- (1) Water level monitored on 09/14/01 was 563.87 ft amsl which provided an inward gradient.
- (2) River level too low to obtain a measurement at the measuring location.
- (3) Water level monitored on 10/27/01 was 563.56 ft. which provided an inward gradient.
- (4) Inspection of the groundwater collection pipe valves in MH6 on November 18, 2002 identified that they were closed. The valves were opened on November 18, 2002 and the water level dropped approximately 6 feet in 10 minutes.
- (5) NM - not measured

TABLE 2.2  
WATER LEVELS (ft amsl)  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK

<i>Date</i>	<i>OGC-3</i>	<i>MH11</i>	<i>MW-8</i>	<i>River South</i>	<i>MH12</i>	<i>OGC-8</i>	<i>OGC-4</i>	<i>MW-9</i>	<i>MH14</i>	<i>MH15</i>	<i>MH16</i>
RIM Elevation		572.11			572.37				574.30	575.84	574.82
TOC Elevation (ft amsl)	573.35		574.37	568.46		574.01	574.66	576.23			
December 12, 2000	565.07		567.08	NM		564.45	564.85	567.15			
January 8, 2001	563.95		567.29	NM	NM	564.01	564.00	567.35			567.29
March 29, 2001	564.21		567.96	NM	NM	564.24	564.25	568.06			NM
May 11, 2001	564.58		561.95	564.70	564.15	564.63	564.59	562.53			562.45
May 18, 2001	564.59		562.49	564.65	564.12	564.66	564.66	563.05			562.55
May 25, 2001	564.57		561.99	564.80	564.17	564.63	564.60	562.54			562.48
June 1, 2001	564.59		562.06	565.00	564.19	564.66	564.60	562.57			562.51
June 8, 2001	564.87		561.89	565.05	562.45	564.96	564.89	562.47			562.42
June 15, 2001	564.91	561.12	561.69	565.05	562.34	564.93	564.88	562.45	562.32		562.29
June 22, 2001	564.87	561.05	561.54	565.18	562.29	565.00	564.80	562.19	562.32		562.14
June 29, 2001	564.68	560.97	561.46	564.83	561.80	564.75	564.68	562.11	562.45		562.06
July 31, 2001	564.78	560.73	561.19	564.96	560.77	564.85	564.76	562.45	562.45		561.69
August 20, 2001	564.83	560.50	561.05	564.99	560.42	564.88	564.85	561.55	561.72		561.54
September 28, 2001	564.85	560.61	561.07	564.95	560.36	564.87	564.84	561.58	561.70		561.52
October 22, 2001	564.58	560.51	561.27	564.61	560.42	564.61	564.62	561.75	562.10		561.72
November 27, 2001	563.89	559.51	561.30	564.05	560.06	563.89	563.94	561.71	561.87		563.82
December 20, 2001	564.96	561.31	560.73	564.96	560.23	564.99	565.05	561.77	561.89		561.71
January 29, 2002	564.06	Blocked	561.91	563.92	560.29	564.03	564.08	562.31	562.53		562.31
February 11, 2002	564.28	561.23	561.93	564.53	560.24	564.35	564.35	562.52	562.18		562.54
March 25, 2002	563.87	560.97	561.60	564.15	560.34	563.85	563.95	562.45	562.77		562.61
April 24, 2002	564.79	561.41	561.95	564.86	560.63	564.86	564.84	562.96	563.09		562.95
May 21, 2002	564.95	560.35	560.89	565.07	560.89	565.03	564.98	563.11	563.25	562.17	563.10
June 20, 2002	564.85	560.98	561.50	564.88	561.04	564.90	564.94	562.91	562.98	562.00	562.90
July 18, 2002	565.09	561.07	561.80	565.22	560.95	565.17	565.08	562.84	561.83	561.93	562.83
August 6, 2002	564.88	561.33	561.88	564.90	561.07	564.95	564.91	562.75	562.08	561.86	562.75
September 12, 2002	565.09	561.34	561.91	565.25	561.09	565.20	565.05	562.66	562.11	561.75	562.63
October 30, 2002	564.03	561.36	561.95	564.16	561.31	564.14	564.00	562.57	562.68	561.62	562.56
November 21, 2002	564.04	561.49	560.99	564.15	561.44	564.19	564.18	562.74	562.88	561.82	562.73
December 11, 2002	564.01	561.51	560.73	564.14	561.45	564.09	564.02	562.91	563.07	562.01	562.94

Notes:

(5) NM - not measured

**TABLE 2.2**  
**WATER LEVELS (ft amsl)**  
**GRATWICK-RIVERSIDE PARK SITE**  
**NORTH TONAWANDA, NEW YORK**

<i>Date</i>	<i>MH2</i>	<i>MH3</i>	<i>MH6</i>	<i>OGC-1</i>	<i>MW-6</i>	<i>OGC-5</i>	<i>River North</i>	<i>OGC-6</i>	<i>MH8</i>	<i>MW-7</i>	<i>OGC-2</i>	<i>River Middle</i>	<i>OGC-7</i>
RIM Elevation	573.28	573.81	572.03						572.37				
TOC Elevation (ft amsl)				575.01	575.40	573.82	566.80	576.65		575.57	574.08	566.48	572.49
January 16, 2003	561.65	561.20	556.15	564.03	562.27	563.88	(2)	564.12	561.04	561.95	564.27	563.52	564.10
February 25, 2003	561.58	561.10	555.74	563.80	561.85	563.71	(2)	563.67	560.60	561.49	563.81	563.34	563.81
March 14, 2003	561.65	561.17	555.75	563.75	561.69	563.74	(2)	563.61	560.61	561.49	563.77	563.24	563.77
April 14, 2003	561.68	561.22	554.54	564.32	562.42	564.34	564.30	564.17	558.65	561.42	564.39	564.24	564.40
May 8, 2003	561.52	561.03	555.93	564.37	562.38	564.41	564.29	564.21	560.76	561.59	564.36	564.27	564.37
June 19, 2003	562.26	561.83	556.02	564.73	562.43	564.83	564.78	564.59	560.85	561.60	564.77	564.66	564.81
July 21, 2003	561.21	560.46	556.06	564.68	562.31	564.64	564.49	564.58	560.89	561.74	564.81	564.44	564.75
August 28, 2003	561.65	561.20	554.61	564.65	562.21	564.76	564.64	564.51	558.52	561.29	564.67	564.60	564.75
September 30, 2003	561.57	561.10	555.08	564.64	562.53	564.89	(2)	564.49	559.88	561.35	564.76	564.67	564.91
October 20, 2003	561.48	561.07	554.98	564.61	562.52	564.93	(2)	564.45	559.77	561.17	564.68	564.63	564.86
November 3, 2003	561.53	561.08	555.94	564.29	562.33	563.89	(2)	564.11	560.76	561.12	563.56	564.36	564.15
December 23, 2003	561.08	559.49	555.62	564.29	562.30	564.04	(2)	564.17	560.67	561.48	564.33	(2)	564.18
January 21, 2004	(5)	560.33	555.84	565.24	562.32	564.19	(2)	564.12	560.70	561.55	564.30	(2)	564.26
February 12, 2004	(5)	561.08	556.12	563.99	562.16	563.76	(2)	563.87	560.95	561.81	564.00	(2)	563.88
March 4, 2004	561.33	561.13	555.90	564.17	562.21	557.07 (6)	(2)	564.00	560.75	561.61	564.31	(2)	564.19
April 16, 2004	560.05	558.78	554.91	564.59	562.48	564.49	(2)	564.36	559.59	561.71	564.56	564.43	564.56
May 14, 2004	560.17	559.71	554.56	564.49	562.39	564.57	564.55	564.34	559.45	561.70	564.51	564.48	564.54
June 25, 2004	561.64	561.21	555.74	564.76	562.27	564.71	564.68	564.62	560.50	561.42	564.82	564.56	564.78
July 30, 2004	561.79	561.25	555.24	565.01	562.29	565.20	565.20	564.84	560.04	561.31	565.02	565.16	565.14
August 31, 2004	561.37	560.59	555.83	565.06	562.23	565.05	564.98	564.92	560.67	561.56	565.14	564.93	565.17
September 30, 2004	561.48	560.81	555.60	565.11	562.28	565.22	565.00	564.95	560.71	561.49	565.20	565.05	565.20
October 20, 2004	561.65	561.19	555.96	564.65	562.10	564.57	564.45	564.44	560.82	561.69	564.57	564.41	564.57
November 23, 2004	561.50	561.05	554.95	564.17	561.99	564.20	(2)	564.02	559.77	561.21	564.31	(2)	564.28
December 31, 2004	561.60	560.74	556.19	564.58	562.16	564.50	564.68	564.25	561.02	561.80	564.37	564.56	564.40

Notes:

- (2) River level too low to obtain a measurement at the measuring location  
 (3) Buried with snow.  
 (6) Believed to be erroneous reading.

**TABLE 2.2**  
**WATER LEVELS (ft amsl)**  
**GRATWICK-RIVERSIDE PARK SITE**  
**NORTH TONAWANDA, NEW YORK**

<i>Date</i>	<i>OGC-3</i>	<i>MH11</i>	<i>MW-8</i>	<i>River South</i>	<i>MH12</i>	<i>OGC-8</i>	<i>OGC-4</i>	<i>MW-9</i>	<i>MH14</i>	<i>MH15</i>	<i>MH16</i>
RIM Elevation		572.11			572.37				574.30	575.84	574.82
TOC Elevation (ft amsl)	573.35		574.37	568.46		574.01	574.66	576.23			
January 16, 2003	564.13	561.68	562.00	564.11	561.83	564.14	564.20	563.17	563.37	562.28	563.20
February 25, 2003	563.87	561.60	561.48	564.21	561.56	563.90	563.94	562.89	563.07	562.01	562.91
March 14, 2003	563.79	561.57	561.46	564.11	561.54	563.92	563.91	562.90	563.09	562.05	562.93
April 14, 2003	564.48	558.53	560.98	564.45	561.56	564.54	564.52	563.36	563.54	562.49	563.40
May 8, 2003	564.48	561.03	561.56	564.61	561.61	564.59	564.44	563.07	563.26	562.01	563.11
June 19, 2003	564.92	561.12	561.56	564.96	561.94	564.99	564.95	563.10	563.41	562.25	563.15
July 21, 2003	564.81	561.10	561.69	564.78	562.03	564.84	564.88	562.89	563.03	561.98	562.89
August 28, 2003	564.86	564.37	562.35	564.91	562.19	564.94	564.85	566.17	566.48	566.36	566.59
September 30, 2003	565.02	558.68	560.17	565.08	562.26	565.08	565.02	562.77	562.89	562.02	562.78
October 20, 2003	564.94	558.66	560.02	565.03	562.25	565.05	564.96	562.75	562.88	562.01	562.76
November 3, 2003	564.26	561.01	561.57	564.28	562.52	564.27	564.31	562.85	563.00	561.91	562.83
December 23, 2003	564.24	560.94	561.34	564.36	562.75	564.08	564.28	563.20	563.31	562.28	563.20
January 21, 2004	564.33	(5)	561.47	564.36	562.49	564.41	564.35	562.72	(5)	561.74	562.68
February 12, 2004	563.93	561.23	561.75	564.16	562.30	563.96	563.98	562.88	(5)	561.73	562.66
March 4, 2004	564.25	561.04	561.56	564.26	562.07	564.34	564.35	562.70	562.75	561.75	562.66
April 16, 2004	564.64	559.85	561.38	564.69	561.00	564.74	564.66	562.64	562.79	561.72	562.63
May 14, 2004	564.63	559.87	561.39	564.71	560.80	564.68	564.55	562.71	562.74	561.74	562.67
June 25, 2004	564.85	560.79	561.19	564.91	560.95	564.89	564.89	562.70	562.74	561.76	562.68
July 30, 2004	565.28	560.26	560.71	565.46	561.15	565.33	565.21	562.70	561.13	561.74	562.67
August 31, 2004	565.26	560.94	561.39	565.25	561.35	565.31	565.27	562.95	563.08	562.02	562.93
September 30, 2004	565.29	561.00	561.43	565.30	561.25	565.40	565.26	562.98	562.90	562.20	562.98
October 20, 2004	564.67	561.09	561.56	564.49	561.50	564.76	564.68	562.64	562.82	561.73	562.88
November 23, 2004	564.34	560.05	560.56	564.30	561.57	564.38	564.40	562.71	561.04	561.62	562.69
December 31, 2004	564.69	561.23	561.75	564.81	561.81	564.78	564.55	562.71	562.05	561.77	562.69

Notes:

(5) Buried with snow.

TABLE 2.2  
WATER LEVELS (ft amsl)  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK

<i>Date</i>	<i>MH2</i>	<i>MH3</i>	<i>MH6</i>	<i>OGC-1</i>	<i>MW-6</i>	<i>OGC-5</i>	<i>River North</i>	<i>OGC-6</i>	<i>MH8</i>	<i>MW-7</i>	<i>OGC-2</i>	<i>River Middle</i>	<i>OGC-7</i>
RIM Elevation	573.28	573.81	572.03						572.37				
TOC Elevation (ft amsl)				575.01	575.40	573.82	566.80	576.65		575.57	574.08	566.48	572.49
January 28, 2005	562.60	562.15	556.22	564.68	562.27	564.62	(2)	564.53	561.06	561.85	564.67	564.32	564.71
February 28, 2005	561.05	559.96	555.58	564.58	562.14	564.68	(7)	564.48	560.47	561.46	564.21	564.46	564.76
March 31, 2005	561.25	559.94	555.93	564.55	562.04	564.40	(2)	564.38	560.78	561.66	564.63	564.08	564.49
April 20, 2005	560.20	559.54	556.01	565.01	562.26	564.94	564.83	564.84	560.89	561.76	565.01	564.71	565.05
May 27, 2005	560.23	558.92	555.82	564.71	562.24	564.79	564.78	564.63	560.65	561.55	564.78	564.74	564.91
June 24, 2005	561.50	561.09	555.16	564.71	562.22	564.85	564.73	564.61	559.92	561.47	564.78	564.70	564.85
July 29, 2005	562.70	562.26	556.56	564.79	562.11	564.95	564.82	564.65	561.39	562.27	564.87	564.85	564.98
August 31, 2005	561.62	560.64	556.24	564.68	562.09	564.71	(2)	564.59	561.07	561.94	564.79	564.54	564.82
October 3, 2005	561.52	560.54	555.41	564.75	562.24	564.85	564.80	564.62	560.20	561.40	564.78	564.75	564.88
October 31, 2005	561.68	560.73	555.60	564.59	562.34	564.69	564.80	564.44	560.46	561.52	564.64	564.55	564.70
November 22, 2005	561.62	561.20	555.20	564.40	561.67	564.64	(2)	564.28	560.04	561.49	564.44	(2)	564.21
December 23, 2005	562.55	562.09	556.20	564.28	562.45	564.11	(2)	564.22	561.05	561.85	564.42	(2)	564.32
January 27, 2006	562.95	562.53	556.21	564.50	562.97	564.16	(2)	564.32	561.02	561.79	564.41	(2)	564.06
February 28, 2006	563.17	562.26	554.70	564.27	562.90	564.13	(2)	564.31	558.44	561.68	564.37	(2)	564.26
March 24, 2006	562.68	561.77	555.64	564.46	562.86	564.25	(2)	564.32	560.43	561.57	564.46	(2)	564.36
April 21, 2006	562.31	561.84	555.61	564.42	562.76	564.41	(2)	564.32	560.40	561.48	564.49	564.26	564.46
May 30, 2006	562.73	562.30	555.84	564.91	562.50	565.00	564.87	564.80	560.44	561.75	564.95	564.86	565.07
June 26, 2006	561.57	560.63	556.19	563.04	562.37	564.97	564.81	564.92	561.02	561.92	565.15	564.78	565.06
July 31, 2006 (8)	565.18	564.78	558.88	565.14	564.39	565.24	565.09	565.01	563.66	564.54	565.19	565.07	565.28
August 25, 2006	561.64	561.21	556.06	564.72	562.99	564.81	(2)	564.59	560.89	561.82	564.80	564.68	564.87
September 22, 2006	561.46	561.01	(6) 555.95	564.88	562.76	564.73	564.70	564.72	560.51	561.99	564.94	564.67	564.88
October 31, 2006	559.98	555.62	556.01	565.03	562.58	564.96	564.82	564.87	559.95	562.09	565.06	564.66	565.03
November 29, 2006	561.35	560.85	555.93	564.30	562.48	564.25	(2)	564.18	560.73	562.01	564.40	(2)	564.35
December 29, 2006	561.52	560.42	555.93	564.46	562.98	564.36	564.82	564.31	560.80	561.89	564.53	(2)	564.49

## Notes:

- (2) River level too low to obtain a measurement at the measuring location.  
 (6) Believed to be erroneous reading.  
 (7) Ice on pipe.  
 (8) GWS down from July 7 to 31, 2006 because of closed flapper gate in upstream City manhole.  
 NM not measured



TABLE 2.2  
WATER LEVELS (ft amsl)  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK

<i>Date</i>	<i>OGC-3</i>	<i>MH11</i>	<i>MW-8</i>	<i>River South</i>	<i>MH12</i>	<i>OGC-8</i>	<i>OGC-4</i>	<i>MW-9</i>	<i>MH14</i>	<i>MH15</i>	<i>MH16</i>
RIM Elevation		572.11			572.37				574.30	575.84	574.82
TOC Elevation (ft amsl)	573.35		574.37	568.46		574.01	574.66	576.23			
January 28, 2005	564.77	561.33	561.82	564.69	561.92	564.79	564.90	562.75	(5)	561.01	562.71
February 28, 2005	564.84	560.74	561.25	564.79	562.05	564.88	564.94	562.78	(5)	561.55	562.77
March 31, 2005	564.54	561.06	561.60	564.56	562.11	564.59	564.65	563.12	563.26	562.21	563.11
April 20, 2005	565.13	561.15	561.65	565.15	562.26	565.19	565.21	563.21	562.72	562.28	563.20
May 27, 2005	564.99	561.13	561.42	565.02	562.29	565.08	565.08	563.12	563.25	562.19	563.11
June 24, 2005	564.98	560.18	560.76	564.92	562.40	565.06	565.00	562.85	562.93	561.91	562.82
July 29, 2005	565.09	561.17	562.15	565.15	562.51	565.14	561.33	562.88	563.03	561.98	562.87
August 31, 2005	564.88	561.31	561.85	564.88	562.75	564.90	564.96	562.91	563.01	561.98	562.86
October 3, 2005	564.99	560.43	560.95	565.11	562.90	565.07	564.97	563.20	563.26	562.24	563.13
October 31, 2005	564.83	560.71	561.25	565.00	563.15	564.96	564.82	563.39	563.50	562.43	563.35
November 22, 2005	564.26	560.31	561.00	564.18	563.29	564.26	564.35	563.53	563.69	562.25	563.53
December 23, 2005	564.35	561.30	561.84	564.26	563.46	564.32	564.48	563.50	563.67	562.60	563.52
January 27, 2006	564.34	561.26	561.76	564.36	563.61	564.42	564.42	563.90	564.08	563.02	563.92
February 28, 2006	564.32	558.38	561.23	564.29	563.73	564.34	564.38	563.94	564.09	563.02	563.96
March 24, 2006	564.39	560.60	561.16	564.44	563.47	564.45	564.50	563.83	564.02	562.96	563.88
April 21, 2006	564.54	560.63	561.15	564.64	563.49	564.60	564.55	563.65	563.77	562.68	563.61
May 30, 2006	565.18	560.28	561.03	565.24	563.61	565.26	565.25	563.48	563.54	562.53	563.44
June 26, 2006	565.12	561.26	561.75	565.13	563.70	565.15	565.19	563.41	563.52	562.43	563.37
July 31, 2006 (5)	565.44	564.03	564.30	565.45	563.92	565.49	565.45	564.08	564.20	563.15	564.07
August 25, 2006	564.98	561.10	561.57	565.10	563.98	565.26	561.81	563.38	564.62	562.43	563.42
September 22, 2006	564.94	559.81	561.20	565.04	564.29	565.01	564.95	562.73	562.83	561.67	562.54
October 31, 2006	565.11	558.19	561.78	565.07	564.77	565.14	565.16	564.40	564.51	563.36	564.36
November 29, 2006	564.42	560.54	561.69	564.41	564.87	566.44	564.50	562.10	561.27	559.66	561.85
December 29, 2006	564.55	560.96	561.46	564.54	561.89	564.64	564.64	561.90	561.95	560.86	561.71

Notes:

(5) Buried with snow.

(6) GWS down from July 7 to 31, 2006 because of closed flapper gate in upstream City manhole

TABLE 2.2  
WATER LEVELS (ft amsl)  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK

<i>Date</i>	<i>MH2</i>	<i>MH3</i>	<i>MH6</i>	<i>OGC-1</i>	<i>MW-6</i>	<i>OGC-5</i>	<i>River North</i>	<i>OGC-6</i>	<i>MH8</i>	<i>MW-7</i>	<i>OGC-2</i>	<i>River Middle</i>	<i>OGC-7</i>
RIM Elevation	573.28	573.81	572.03						572.37				
TOC Elevation (ft amsl)				575.01	575.40	573.82	566.80	576.65		575.57	574.08	566.48	572.49
January 26, 2007	561.39	560.92	556.04	564.62	562.78	564.75	(2)	563.79	560.89	562.06	564.67	564.46	564.77
February 27, 2007	561.53	560.57	556.23	564.32	562.49	564.25	(2)	564.15	561.07	561.96	564.35	(7)	564.33
March 30, 2007	560.25	559.45	556.24	564.49	562.30	564.40	(2)	564.27	561.09	562.05	564.46	564.28	564.48
April 30, 2007	560.99	559.39	556.31	564.97	562.62	564.97	564.82	564.78	561.14	562.20	564.96	564.78	565.07
May 25, 2007	560.85	559.85	556.12	564.67	562.48	565.73	(2)	564.54	561.02	562.05	564.75	564.67	564.75
June 29, 2007	560.85	558.83	556.45	564.70	562.32	564.78	(2)	564.54	561.26	562.16	564.81	564.64	564.79
July 25, 2007	561.49	560.54	556.24	564.43	562.13	564.55	(2)	564.26	561.02	561.94	564.47	564.41	564.53
August 31, 2007	561.10	559.62	556.22	564.43	561.93	564.56	(2)	564.29	561.04	561.95	564.55	564.44	564.65
September 27, 2007	561.49	561.05	556.02	564.44	561.86	564.44	(2)	564.34	560.47	562.01	564.58	564.27	564.56
October 31, 2007	561.57	560.69	556.17	564.08	562.02	563.88	(2)	564.01	561.08	562.00	564.16	(2)	564.03
November 30, 2007	561.59	560.58	555.84	564.25	562.22	564.03	(2)	564.09	560.68	561.80	564.42	(2)	564.31
December 31, 2007	561.18	559.69	555.58	564.29	562.48	564.07	(2)	564.09	559.37	561.88	564.28	(2)	564.23
January 28, 2008	561.48	559.46	556.14	564.22	562.68	563.99	(2)	564.13	560.99	561.95	564.25	563.68	564.12
February 29, 2008	561.48	560.45	555.99	564.67	562.38	564.68	(2)	564.56	560.02	562.06	564.75	564.50	564.77
March 31, 2008	561.71	560.74	556.10	564.93	562.33	564.62	(2)	564.58	560.06	562.54	564.81	564.48	564.80
April 25, 2008	561.85	559.67	556.27	564.71	562.73	564.71	(2)	564.59	561.10	562.07	564.78	564.64	564.81
May 29, 2008	562.00	559.26	556.65	564.72	562.66	564.73	(2)	564.59	561.39	562.28	564.77	564.75	564.84
June 25, 2008	562.57	559.54	557.84	564.82	562.79	564.79	564.83	564.71	562.66	563.49	564.88	564.72	564.88
July 31, 2008	562.69	561.02	560.18	564.94	563.27	565.73	564.73	564.72	563.00	563.86	565.03	564.69	564.96
August 27, 2008	565.69	565.29	559.36	564.58	565.10	564.46	564.47	564.42	564.13	564.95	564.71	564.42	564.55
September 26, 2008	562.21	559.22	558.36	564.54	563.42	564.51	(2)	564.40	563.21	564.07	564.70	564.34	564.64
October 30, 2008	561.67	560.08	557.64	564.73	562.97	564.51	(2)	564.46	562.57	563.49	564.69	564.37	564.64
November 22, 2008	561.61	561.19	557.41	564.30	562.82	564.04	(2)	564.12	562.36	563.27	564.32	(2)	564.22
December 31, 2008	566.56	565.53	560.22	564.63	566.09	564.56	(2)	564.48	564.91	565.70	564.68	564.18	564.63

Notes:

(2) River level too low to obtain a measurement at the measuring location.

(7) Ice on pipe.

TABLE 2.2  
WATER LEVELS (ft amsl)  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK

<i>Date</i>	<i>OGC-3</i>	<i>MH11</i>	<i>MW-8</i>	<i>River South</i>	<i>MH12</i>	<i>OGC-8</i>	<i>OGC-4</i>	<i>MW-9</i>	<i>MH14</i>	<i>MH15</i>	<i>MH16</i>
RIM Elevation		572.11			572.37				574.30	575.84	574.82
TOC Elevation (ft amsl)	573.35		574.37	568.46		574.01	574.66	576.23			
January 26, 2007	564.89	561.09	561.73	564.96	560.86	564.99	565.49	563.41	563.52	562.36	563.39
February 27, 2007	564.43	561.16	561.86	564.46	559.97	564.47	564.47	562.64	562.77	561.73	562.62
March 30, 2007	564.58	561.36	561.85	564.65	560.20	564.67	564.64	562.66	561.87	558.93	561.72
April 30, 2007	565.20	561.29	561.77	565.26	559.05	565.26	565.22	562.13	562.22	561.13	562.05
May 25, 2007	564.89	561.12	561.61	564.98	560.04	565.00	564.94	562.10	562.20	561.14	563.09
June 29, 2007	564.90	561.39	561.79	564.98	560.14	565.00	564.95	562.12	562.17	561.18	562.08
July 25, 2007	564.65	561.18	561.55	564.79	560.16	564.76	564.61	562.03	562.13	561.07	561.98
August 31, 2007	564.72	561.28	561.73	564.80	560.23	564.84	564.76	562.05	561.54	561.07	562.01
September 27, 2007	564.65	559.56	561.79	564.48	560.40	561.53	564.66	562.05	562.18	561.09	562.01
October 31, 2007	564.09	561.36	561.86	564.06	560.56	564.12	564.12	562.09	562.21	561.14	562.10
November 30, 2007	564.33	561.00	562.30	564.25	560.68	564.35	564.42	562.05	561.67	559.55	561.98
December 31, 2007	564.28	558.54	561.56	564.20	560.78	564.53	564.35	562.16	562.19	561.12	562.01
January 28, 2008	564.15	561.30	561.80	564.01	560.93	564.20	564.23	562.78	562.89	561.82	562.74
February 29, 2008	564.84	559.51	561.89	564.80	560.69	564.90	564.90	562.17	562.24	561.20	562.11
March 31, 2008	564.61	558.99	561.89	564.84	560.76	564.98	564.97	562.24	561.58	561.18	562.08
April 25, 2008	564.94	561.39	561.90	565.05	560.84	565.02	564.92	562.56	562.70	561.65	562.57
May 29, 2008	564.95	561.50	561.82	565.01	560.92	565.01	564.96	562.14	562.22	561.16	562.07
June 25, 2008	565.00	562.83	563.28	565.04	561.05	565.07	564.97	562.11	562.18	561.00	561.82
July 31, 2008	562.69	563.53	566.07	565.01	561.24	565.09	565.07	561.97	562.07	560.98	561.84
August 27, 2008	564.64	564.16	564.61	564.79	561.39	564.77	564.60	564.15	564.34	563.24	564.16
September 26, 2008	564.71	563.53	564.03	564.71	561.55	564.78	564.74	562.02	561.82	559.10	561.59
October 30, 2008	564.67	562.85	563.43	564.71	561.74	564.77	564.71	561.83	562.70	561.92	560.06
November 22, 2008	564.26	562.75	563.29	564.20	561.79	564.30	564.35	561.76	561.28	561.23	561.71
December 31, 2008	564.70	564.91	565.33	564.65	562.09	564.86	564.78	564.71	565.03	563.97	564.59

TABLE 2.2  
WATER LEVELS (ft amsl)  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK

<i>Date</i>	<i>MH2</i>	<i>MH3</i>	<i>MH6</i>	<i>OGC-1</i>	<i>MW-6</i>	<i>OGC-5</i>	<i>River North</i>	<i>OGC-6</i>	<i>MH8</i>	<i>MW-7</i>	<i>OGC-2</i>	<i>River Middle</i>	<i>OGC-7</i>
RIM Elevation	573.28	573.81	572.03						572.37				
TOC Elevation (ft amsl)				575.01	575.40	573.82	566.80	576.65		575.57	574.08	566.48	572.49
January 30, 2009	568.71	570.75	560.62	564.42	566.89	564.02	(2)	564.31	562.42	565.96	564.56	(7)	564.21
February 25, 2009	568.77	571.27	560.22	564.50	567.20	563.88	(2)	564.37	562.52	564.31	564.58	564.11	564.33
March 27, 2009	565.45	559.49	558.31	564.48	564.81	564.41	(2)	564.38	561.18	562.90	564.61	(2)	564.52
April 30, 2009	563.46	560.06	558.36	564.84	563.55	564.85	564.80	564.73	563.14	564.03	564.91	564.74	564.97
May 27, 2009	561.36	560.29	558.18	564.80	563.18	564.84	(2)	564.69	563.04	563.93	564.90	564.78	564.94
June 29, 2009	561.56	561.28	556.26	565.01	562.81	565.01	565.02	564.90	560.74	562.12	565.15	564.93	565.14
July 27, 2009	561.64	559.34	556.22	565.28	562.63	565.20	565.12	565.06	560.99	562.00	565.31	565.05	565.34
August 31, 2009	561.76	561.29	556.06	565.01	562.47	565.00	564.90	564.84	560.85	561.82	565.08	564.86	565.14
September 30, 2009	565.80	565.67	558.36	565.30	564.80	564.93	564.80	564.99	561.46	562.78	565.37	564.71	565.19
October 30, 2009	566.21	566.49	558.71	564.64	565.37	564.60	(2)	564.43	561.66	563.06	564.67	564.35	564.71
November 30, 2009	561.87	561.41	555.76	564.74	563.19	564.30	(2)	564.27	560.65	561.81	564.60	563.98	564.49
December 30, 2009	561.72	560.01	557.87	564.43	562.79	564.21	(2)	564.24	562.80	563.66	564.44	563.89	564.37
January 29, 2010	561.67	560.02	555.87	565.34	562.60	565.08	(2)	565.01	560.13	561.84	565.23	564.63	565.32
February 26, 2010	561.75	561.26	555.72	563.99	562.38	563.88	566.60	563.85	560.66	561.61	564.06	564.29	564.01
March 30, 2010	562.58	561.25	556.36	564.30	562.69	563.94	566.80	564.03	560.76	561.89	564.24	564.19	564.19
April 30, 2010	562.61	560.99	556.62	564.47	562.78	564.45	(2)	564.36	561.11	562.04	564.55	564.38	564.58
May 26, 2010	563.33	559.94	558.05	564.73	562.80	564.90	(2)	564.70	562.87	563.65	564.84	564.78	564.98
June 28, 2010	564.53	560.11	559.43	564.96	564.61	565.02	(2)	564.83	564.25	565.06	565.13	564.68	565.12
July 27, 2010	566.51	566.05	560.28	564.93	565.92	564.96	(2)	564.86	565.12	565.89	565.18	564.78	565.11
August 26, 2010	567.98	570.29	559.49	564.85	566.27	564.84	564.83	564.69	563.68	563.89	565.02	564.75	565.02
September 28, 2010	567.73	570.36	559.14	564.83	565.98	564.71	(2)	564.56	563.35	563.55	564.84	564.49	564.86
October 27, 2010	562.35	560.87	556.52	564.88	563.53	564.77	(2)	564.59	561.26	562.28	564.80	564.51	564.60
November 24, 2010	561.87	560.84	555.89	564.41	562.97	564.84	(2)	564.24	560.69	561.80	564.51	563.55	564.37
December 28, 2010	562.92	561.07	557.97	564.29	562.91	564.55	(2)	563.96	562.85	563.71	564.22	564.33	564.47

Notes:

(2) River level too low to obtain a measurement at the measuring location.

(7) Ice on pipe.

TABLE 2.2

WATER LEVELS (ft amsl)  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK

<i>Date</i>	<i>OGC-3</i>	<i>MH11</i>	<i>MW-8</i>	<i>River South</i>	<i>MH12</i>	<i>OGC-8</i>	<i>OGC-4</i>	<i>MW-9</i>	<i>MH14</i>	<i>MH15</i>	<i>MH16</i>
RIM Elevation		572.11			572.37				574.30	575.84	574.82
TOC Elevation (ft amsl)	573.35		574.37	568.46		574.01	574.66	576.23			
January 30, 2009	564.24	564.96	565.25	564.15	562.22	564.29	564.34	563.48	561.59	559.58	563.21
February 25, 2009	564.36	559.64	562.05	564.27	562.29	564.41	564.46	563.30	561.88	561.02	563.44
March 27, 2009	564.57	561.11	561.66	564.48	562.03	564.63	564.71	562.67	561.37	560.58	562.65
April 30, 2009	565.09	563.38	563.93	565.14	562.12	565.15	565.07	563.36	563.64	562.60	563.40
May 27, 2009	565.10	563.45	564.03	565.20	562.17	565.20	565.09	564.58	564.68	563.82	564.63
June 29, 2009	565.25	560.98	562.26	565.23	563.68	565.29	565.24	564.76	565.52	564.68	564.93
July 27, 2009	565.46	561.40	562.16	565.45	562.64	565.51	565.47	564.59	564.89	563.91	564.70
August 31, 2009	565.24	561.28	562.10	562.25	562.79	565.29	565.26	564.65	564.74	563.67	564.71
September 30, 2009	565.22	560.10	561.60	565.10	562.87	565.26	565.28	564.39	564.91	564.03	564.60
October 30, 2009	564.78	560.77	561.70	564.77	562.99	564.84	564.84	564.35	564.80	563.82	564.44
November 30, 2009	564.58	561.13	561.89	564.44	563.10	564.66	564.66	564.44	564.79	563.82	564.53
December 30, 2009	564.40	563.24	563.93	564.37	563.31	564.45	564.50	564.81	565.14	564.13	564.87
January 29, 2010	565.19	559.72	562.18	565.03	563.49	565.20	565.38	564.50	564.03	562.93	564.53
February 26, 2010	564.12	561.15	561.87	564.36	563.56	564.11	564.16	563.98	563.86	562.93	564.13
March 30, 2010	564.24	561.59	562.56	564.45	560.01	564.30	564.35	564.79	564.60	563.52	564.85
April 30, 2010	564.69	560.40	562.25	564.80	559.66	564.79	564.71	564.62	564.54	563.51	564.65
May 26, 2010	565.14	563.21	563.61	565.19	561.01	565.19	565.13	564.57	564.58	563.44	564.60
June 28, 2010	565.15	564.65	564.98	565.11	562.32	565.17	565.29	565.06	565.19	564.14	565.12
July 27, 2010	565.18	565.40	565.72	565.14	563.02	565.20	565.23	565.68	565.75	564.73	565.69
August 26, 2010	565.12	561.53	562.41	565.19	559.84	565.19	565.12	564.46	564.48	563.39	564.51
September 28, 2010	564.85	560.88	561.89	564.80	559.33	564.89	564.88	564.28	564.24	563.18	564.24
October 27, 2010	565.02	560.16	561.81	564.98	559.20	565.11	565.07	564.00	563.98	562.92	564.01
November 24, 2010	564.33	560.82	561.76	564.06	559.16	564.32	564.47	563.97	564.03	563.00	564.00
December 28, 2010	564.64	563.33	563.87	564.81	561.27	564.83	564.64	564.64	564.67	563.61	564.43

TABLE 2.2

WATER LEVELS (ft amsl)  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK

<i>Date</i>	<i>MH2</i>	<i>MH3</i>	<i>MH6</i>	<i>OGC-1</i>	<i>MW-6</i>	<i>OGC-5</i>	<i>River North</i>	<i>OGC-6</i>	<i>MH8</i>	<i>MW-7</i>	<i>OGC-2</i>	<i>River Middle</i>	<i>OGC-7</i>
RIM Elevation	573.28	573.81	572.03						572.37				
TOC Elevation (ft amsl)				575.01	575.40	573.82	566.80	576.65		575.57	574.08	566.48	572.49
January 3, 2011	561.75	560.81	555.84	563.86	562.64	563.84	(2)	563.73	560.65	561.56	563.89	563.46	563.96
February 28, 2011	562.19	558.86	556.18	564.35	562.47	564.11	(2)	563.89	560.87	561.65	561.19	563.78	564.25
March 30, 2011	563.05	560.98	557.06	564.39	563.57	564.06	(2)	564.12	561.59	562.09	564.28	563.80	564.28
April 27, 2011	563.76	559.28	560.47	565.32	563.84	564.92	564.62	564.89	562.24	562.81	565.08	564.48	565.08
May 26, 2011	563.89	559.04	558.04	565.30	564.05	565.13	(2)	565.03	562.57	562.93	565.18	564.90	565.28

## Notes:

- (2) River level too low to obtain a measurement at the measuring location.



TABLE 2.2

WATER LEVELS (ft amsl)  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK

<i>Date</i>	<i>OGC-3</i>	<i>MH11</i>	<i>MW-8</i>	<i>River South</i>	<i>MH12</i>	<i>OGC-8</i>	<i>OGC-4</i>	<i>MW-9</i>	<i>MH14</i>	<i>MH15</i>	<i>MH16</i>
RIM Elevation		572.11			572.37				574.30	575.84	574.82
TOC Elevation (ft amsl)	573.35		574.37	568.46		574.01	574.66	576.23			
January 31, 2011	564.01	561.22	562.02	563.96	559.59	564.08	564.10	564.39	564.47	563.42	564.43
February 28, 2011	564.33	561.76	562.63	564.31	560.26	564.37	564.37	564.85	564.88	563.84	565.63
March 30, 2011	564.30	562.14	563.15	564.46	560.68	563.87	564.37	565.20	565.21	564.18	565.29
April 27, 2011	565.09	562.68	563.50	564.97	561.06	565.18	565.23	565.40	565.42	564.36	565.46
May 26, 2011	565.45	562.76	563.52	565.37	561.03	565.49	565.35	565.42	565.59	564.52	565.51

**TABLE 2.3**  
**SUMMARY OF HORIZONTAL GRADIENTS**  
**GRATWICK-RIVERSIDE PARK SITE**  
**NORTH TONAWANDA, NEW YORK**

		<u>06/28/2010</u>		<u>07/27/2010</u>		<u>08/26/2010</u>		<u>09/28/2010</u>		<u>10/27/2010</u>		<u>11/24/2010</u>	
		<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>
		<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>
<i>Monitoring Location</i>													
Outer	River North	564.86 (2)	Inward	564.89 (2)	Outward	564.83 (2)	Outward	564.55 (2)	Outward	564.73 (2)	Inward	563.81 (2)	Inward
Inner	MH2	564.53		566.51		567.98		567.73		562.35		561.87	
Outer	River North	564.86 (2)	Inward	564.89 (2)	Inward	564.83 (2)	Inward	564.55 (2)	Inward	564.73 (2)	Inward	563.81 (2)	Inward
Inner	MH6	559.43		560.28		559.49		559.14		556.52		555.89	
Outer	River Middle	564.68	Inward	564.78	Outward	564.75	Inward	564.49	Inward	564.51	Inward	563.55	Inward
Inner	MH8	564.25		565.12		563.68		563.35		561.26		560.69	
Outer	River South	565.11	Inward	565.14	Inward	565.19	Inward	565.80	Inward	564.98	Inward	564.06	Inward
Inner	MH12	562.32		563.02		559.84		559.33		559.20		559.16	
		<u>12/28/2010</u>		<u>01/31/2011</u>		<u>02/28/2011</u>		<u>03/30/2011</u>		<u>04/27/2011</u>		<u>05/26/2011</u>	
		<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>	<i>Water Level</i>	<i>Gradient</i>
		<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>	<i>(ft amsl)</i>	<i>Direction</i>
<i>Monitoring Location</i>													
Outer	River North	564.56 (2)	Inward	563.71 (2)	Inward	564.06 (2)	Inward	564.21 (2)	Inward	564.62	Inward	565.12 (2)	Inward
Inner	MH2	562.92		561.75		562.19		563.05		563.76		563.89	
Outer	River North	564.56 (2)	Inward	563.71 (2)	Inward	564.06 (2)	Inward	564.21 (2)	Inward	564.62	Inward	565.12 (2)	Inward
Inner	MH6	557.97		555.84		556.18		557.06		560.47		558.04	
Outer	River Middle	564.33	Inward	563.46	Inward	563.78	Inward	563.80	Inward	564.48	Inward	564.90	Inward
Inner	MH8	562.85		560.65		560.87		561.59		562.24		562.57	
Outer	River South	564.81	Inward	563.96	Inward	564.31	Inward	564.46	Inward	564.97	Inward	565.37	Inward
Inner	MH12	561.27		559.59		560.26		560.68		561.06		561.03	

Notes:

(1) River level too low to obtain a measurement. Water level shown is River South water level minus 0.13 feet.

(2) River level too low to obtain a measurement at the monitoring location. Water level shown is River South Water level minus 0.25 feet.

TABLE 2.4

SUMMARY OF VERTICAL GRADIENTS  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK

Monitoring Location		06/28/2010		07/27/2010		08/26/2010		09/28/2010		10/27/2010		11/24/2010	
		Water Level	Gradient	Water Level	Gradient	Water Level	Gradient	Water Level	Gradient	Water Level	Gradient	Water Level	Gradient
		(ft amsl)	Direction	(ft amsl)	Direction	(ft amsl)	Direction	(ft amsl)	Direction	(ft amsl)	Direction	(ft amsl)	Direction
Upper	MH3	560.11	Upward	566.05	Downward	570.29	Downward	570.36	Downward	560.87	Upward	560.84	Upward
Lower	MW-6	564.61		565.92		566.27		565.98		563.53		562.97	
Upper	MH8	564.25	Upward	565.12	Upward	563.68	Upward	563.35	Upward	561.26	Upward	560.69	Upward
Lower	MW-7	565.06		565.89		563.89		563.55		562.08		561.80	
Upper	MH11	564.65	Upward	565.40	Upward	561.53	Upward	560.88	Upward	560.16	Upward	560.82	Upward
Lower	MW-8	564.98		565.72		562.41		561.89		561.81		561.76	
Average <sup>(1)</sup>		564.84	Upward	565.41	Upward	564.12	Upward	563.89	Upward	563.63	Upward	563.69	Upward
Lower	MW-9	565.06		565.68		564.46		564.28		564.00		563.97	
Monitoring Location		12/28/2010		01/31/2011		02/28/2011		3/30/2011		04/27/2011		05/26/2011	
		Water Level	Gradient	Water Level	Gradient	Water Level	Gradient	Water Level	Gradient	Water Level	Gradient	Water Level	Gradient
		(ft amsl)	Direction	(ft amsl)	Direction	(ft amsl)	Direction	(ft amsl)	Direction	(ft amsl)	Direction	(ft amsl)	Direction
Upper	MH3	561.07	Upward	560.81	Upward	558.86	Upward	560.98	Upward	559.28	Upward	559.04	Upward
Lower	MW-6	562.91		562.64		562.47		563.57		563.84		564.05	
Upper	MH8	562.85	Upward	560.65	Upward	560.87	Upward	561.59	Upward	562.24	Upward	562.57	Upward
Lower	MW-7	563.71		561.56		561.65		562.09		562.81		562.93	
Upper	MH11	563.33	Upward	561.22	Upward	561.76	Upward	562.14	Upward	562.68	Upward	562.76	Upward
Lower	MW-8	563.87		562.02		562.63		563.15		563.50		563.52	
Average <sup>(1)</sup>		564.32	Upward	564.12	Upward	564.53	Upward	564.87	Upward	565.07	Upward	565.23	Upward
Lower	MW-9	564.64		564.39		564.85		565.20		565.40		565.42	

## Notes:

NA - Not Applicable.

NM - Not monitored. MH11 was blocked and could not be accessed.

(1) - Distance weighted for MH14 (two thirds) and MH15 (one third).

(2) - Buried with snow.

(3) - Not Monitored - MH14 was buried with snow and could not be accessed.

TABLE 2.5

**GROUNDWATER SAMPLING SUMMARY  
OPERATION AND MAINTENANCE MANUAL  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK**

**LOCATIONS**

OGC1	MW-6
OGC2	MW-7
OGC3	MW-8
OGC4	MW-9
OGC5	OGC6
OGC7	OGC8

**FREQUENCY**

- quarterly for 2 years following GWS startup.
- semi-annually for Year 3 except for OGC-4 (quarterly for SVOCs) and OGC-6 (quarterly for VOCs).
- annually for Years 4 through 7 (until May 2008).

**SAMPLING PROGRAM (MAY 2009 THROUGH MAY 2012)**

<i>Annual</i>	<i>Once Every 2 Years (2010 and 2012)</i>
MW-8	MW-6
MW-9	MW-7
OGC-3	OGC-1
OGC-4	OGC-2
OGC-6	OGC-5
OGC-7	
OGC-8	

**PARAMETERS****Volatiles**

Acetone	Methylene Chloride
Benzene	Tetrachloroethene
2-Butanone	Toluene
Chlorobenzene	Trichloroethene
1,1-Dichloroethane	Vinyl Chloride
trans-1,2-Dichloroethene	Xylenes (Total)
Ethylbenzene	

**Semi-Volatiles**

1,2-Dichlorobenzene	4-Methylphenol
1,4-Dichlorobenzene	Naphthalene
2,4-Dimethylphenol	Di-n-octylphthalate
2-Methylphenol	Phenol

TABLE 2.6

SUMMARY OF DETECTED COMPOUNDS  
SITE GROUNDWATER AND RIVER WATER  
GRATWICK-RIVERSIDE PARK  
NORTH TONAWANDA, NEW YORK

Location		MW-9												
Date		05/18/01	08/20/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/30/06
Class GA	Level													
Volatiles (µg/L)														
Acetone	50	9.4J	4.3J	7.3J/6.7J		4.2J	7.0/7.2			13/12			17	17
Benzene	1		0.24J	0.39J/0.35J		0.44J	0.29J/0.30J	0.29J/0.29J		0.40J/ND0.70				0.54J
2-Butanone	50													2.6J
Chlorobenzene	5		0.50J	0.86J/0.85J		1.3		1.0/1.1		0.91J/0.87J		1.1	1.7	1.5
trans-1,2-Dichloroethene	5			0.22J/ND		0.31J	0.24J/0.24J	0.22J/0.20J						0.42J
Ethylbenzene	5		0.30J	0.46J/0.42J		0.73J	0.44J/0.42J	0.46J/0.46J		0.40J/0.38J				0.83J
Methylene Chloride	5		0.34J	0.33J/ND	4.0J	0.53J								
Tetrachloroethene	5	1.6J	1.1J	1.0J/0.92J		1.6	0.92J/0.80J	0.77J/0.74J		0.67J/0.71J			1.6	
Toluene	5		1.6J	3.0J/2.5J	2.8J	2.7	2.1/2.0	2.7/2.7	2.0	2.0/1.9	4.6	3.2	2.6	
Trichloroethene	5	2.2J	1.8J	2.4J/2.2J	3.0J	4.4	2.0/2.0	2.2/2.3		1.8/1.8	9.5	4.9	3.0	1.8
Vinyl Chloride	2									1.7/1.7			3.6	4.0
Total Xylenes	5		1.0J	1.5J/1.5J		2.5J	1.3J/1.3J	1.4J/1.4J		0.98J/1.0J	3.0			2.0J
Semi-Volatiles (µg/L)														
1,2-Dichlorobenzene	3*				0.6J									
1,4-Dichlorobenzene	3*												2J	
2,4-Dimethylphenol	50	12	12	18/17	38		20/22	30/34	30	35/36	36	42	50	58
2-Methylphenol	NL	1J	3J	3J/3J	7J		4J/4J	6J/6J	6J	6J/6J	6J	5J	8J	8J
4-Methylphenol	NL	69	110	97/92	230		100/110	190/230	150	130/130	160	190	260	190
Naphthalene	10													
Di-n-octyl phthalate	50													
Phenol	1	3J	34	28/22	24		38/41	34/35	42	46/46	180	30	27	49

Notes:

\* Applies to sum of compounds

NL - Not listed

Exceeds Class GA Level

NS - Not Sampled

J - Estimated

TABLE 2.6

SUMMARY OF DETECTED COMPOUNDS  
SITE GROUNDWATER AND RIVER WATER  
GRATWICK-RIVERSIDE PARK  
NORTH TONAWANDA, NEW YORK

Location		MW-9				
Date		05/25/07	05/29/08	05/27/09	05/26/10	05/26/11
Volatiles (µg/L)	Class GA Level					
Acetone	50		5.7	4.8J	5.9	4.3J
Benzene	1			0.76		0.53J
2-Butanone	50					
Chlorobenzene	5	2.8	1.4	5.3	2.5	2.4
trans-1,2-Dichloroethene	5		0.55J	0.74J		
Ethylbenzene	5			1.2	0.82J	1.1
Methylene Chloride	5					
Tetrachloroethene	5			0.82J	0.57J	0.66J
Toluene	5	3.1	2.4	3.8	3.8	4.3
Trichloroethene	5	2.9	1.7	4.7	2.6	2.7
Vinyl Chloride	2			4.2		1.4
Total Xylenes	5			3.3	2.2J	2.7
Semi-Volatiles (µg/L)						
1,2-Dichlorobenzene	3*	0.9J	0.7J		1.4J	1.0J
1,4-Dichlorobenzene	3*	3J	1J	2.3J	1.7J	1.6J
2,4-Dimethylphenol	50	46	31	110	41	43
2-Methylphenol	NL	6	6	12	9.9J	11
4-Methylphenol	NL	170	96	300	180	230
Naphthalene	10	0.2J	0.5J			
Di-n-octyl phthalate	50					
Phenol	1	11	13	20	20	17

Notes:

\* Applies to sum of compounds

NL - Not listed

Exceeds Class GA Level

NS - Not Sampled



TABLE 2.6

SUMMARY OF DETECTED COMPOUNDS  
SITE GROUNDWATER AND RIVER WATER  
GRATWICK-RIVERSIDE PARK  
NORTH TONAWANDA, NEW YORK

Location		OGC-4														
Date		05/18/01	08/20/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	3/04/04	05/14/04	11/23/04	05/27/05	05/30/06
Volatiles (µg/L)	Class GA Level											NA		NA		
Acetone	50			7.9J			4.0J									
Benzene	1		0.21J	0.2J												
2-Butanone	50															
Chlorobenzene	5		0.49J	0.66J		0.83J/0.79J		0.46J		0.83J						
trans-1,2-Dichloroethene	5			0.22J												
Ethylbenzene	5		0.41J	0.39J		0.54J/0.53J	0.48J	0.39J		0.77J						0.44J
Methylene Chloride	5				5.1J/4.9J								4.6		2.0	
Tetrachloroethene	5	1.0J	1.2J	0.87J		0.86J/0.84J	1.1	0.78J		0.77J						
Toluene	5			1.0J		1.0/0.98J	1.4	0.72J		1.2						
Trichloroethene	5	1.6J	1.4J	1.5J		1.5/1.4	1.7	0.96J		1.5						0.53J
Vinyl Chloride	2															
Total Xylenes	5		1.0J	0.94J		0.84J/0.82J	1.1J			0.95J						
Semi-Volatiles (µg/L)																
1,2-Dichlorobenzene	3*															
1,4-Dichlorobenzene	3*															
2,4-Dimethylphenol	50	8J	12	6J	8J/6J	7J/7J	8J		7J/7J	8J	4J	6J		4J		
2-Methylphenol	NL	0.9J	2J	35	2J/ND	1J/2J	2J			3J		3J		2J		
4-Methylphenol	NL	64	86	40	58/55	61/67	68		69/68	73	32	55		31	14	15
Naphthalene	10															
Di-n-octyl phthalate	50															
Phenol	1	310	560	400	420/460	710/1100	1100	1100	2400/2300	1800	1600		2400	1500	850	510

Notes:

\* Applies to sum of compounds

NL - Not listed

Exceeds Class GA Level

NS - Not Sampled

J - Estimated

TABLE 2.6  
SUMMARY OF DETECTED COMPOUNDS  
SITE GROUNDWATER AND RIVER WATER  
GRATWICK-RIVERSIDE PARK  
NORTH TONAWANDA, NEW YORK

Location		OGC-4				
Date		05/25/07	05/29/08	05/27/09	05/26/10	05/26/11
	Class GA					
Volatiles (µg/L)	Level					
Acetone	50			1.6J		
Benzene	1					
2-Butanone	50					
Chlorobenzene	5					
trans-1,2-Dichloroethene	5					
Ethylbenzene	5					
Methylene Chloride	5					
Tetrachloroethene	5					
Toluene	5					
Trichloroethene	5					
Vinyl Chloride	2					
Total Xylenes	5					
Semi-Volatiles (µg/L)						
1,2-Dichlorobenzene	3*					
1,4-Dichlorobenzene	3*					
2,4-Dimethylphenol	50		0.9J		0.51J/ND	
2-Methylphenol	NL		0.5J	2.7J		
4-Methylphenol	NL	3J	6			
Naphthalene	10		0.5J		3.4J/3.4J	
Di-n-octyl phthalate	50					
Phenol	1	84	66	25	15/15	5.5

Notes:

\* Applies to sum of compounds

NL - Not listed

 Exceeds Class GA Level

NS - Not Sampled

TABLE 2.6

SUMMARY OF DETECTED COMPOUNDS  
SITE GROUNDWATER AND RIVER WATER  
GRATWICK-RIVERSIDE PARK  
NORTH TONAWANDA, NEW YORK

Location		OGC-8												
Date		05/18/01	08/20/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	05/08/03	05/14/04	05/27/05	05/30/06
Class GA														
	Level													
Volatiles (µg/L)														
Acetone	50	78	31/29	19J		4.7J	3.6J				6.2	5.8	4.7J	
Benzene	1	11	14/14	14		2.6	5.3	3.3	3.6	3.1	1.8	1.2	1.1	0.92
2-Butanone	50	4.0J												
Chlorobenzene	5	3.7J	4.1J/4.1J	4.0J		0.87J	1.7	1.1		1.1	0.65J	0.48J	0.43J	0.44J
trans-1,2-Dichloroethene	5	4.3J	3.2J/3.1J	4.0J		0.76J	1.5	0.88J		1.0	0.50J	0.41J	1.0	
Ethylbenzene	5	13	16/16	15	1.6J	2.8	5.8	3.1	3.9	3.1	1.8	1.2		0.99J
Methylene Chloride	5		0.52J/0.48J	0.62J	1.8J									
Tetrachloroethene	5	40	51/52	59	7.7J	9.9	22	12	14	11	7.0	5.0	3.8	4.0
Toluene	5	140	140/140	110	17J	21	53	28	38	27	16	11	8.1	8.3
Trichloroethene	5	120	110/110	110	20J	22	53	27	35	27	17		7.7	7.6
Vinyl Chloride	2	3.7J	3.4/3.6	3.1	1.1J		1.4	0.70J		0.78J				
Total Xylenes	5	43	55/54	46	4.8J	8.3	18	9.5	11	9.9	5.4	3.7	3.0	3.2
Semi-Volatiles (µg/L)														
1,2-Dichlorobenzene	3*													
1,4-Dichlorobenzene	3*													
2,4-Dimethylphenol	50	2J	4J/2J	4J	0.8J	0.8J	3J	1J						
2-Methylphenol	NL	18	30/25	16	4J	5J	13	7J	11	7J	4J	2J	2J	3J
4-Methylphenol	NL	30	51/45	28	8J	10	26	14	20	14J	9	5J	6J	8J
Naphthalene	10	1J	3J/25	1J			0.9J							
Di-n-octyl phthalate	50		0.1J/ND											
Phenol	1	30	49/44	31	5J	8J	11	10		4J	6J	2J		

Notes:

\* Applies to sum of compounds

NL - Not listed

Exceeds Class GA Level

NS - Not Sampled

J - Estimated

TABLE 2.6

SUMMARY OF DETECTED COMPOUNDS  
SITE GROUNDWATER AND RIVER WATER  
GRATWICK-RIVERSIDE PARK  
NORTH TONAWANDA, NEW YORK

Location		OGC-8				
Date		05/24/07	05/29/08	05/27/09	05/26/10	05/26/11
Volatiles (µg/L)	Class GA Level					
Acetone	50		9.9	1.5J		
Benzene	1	0.54J	0.84	0.58J		
2-Butanone	50					
Chlorobenzene	5					
trans-1,2-Dichloroethene	5					
Ethylbenzene	5	0.53J	0.84J	0.50J		
Methylene Chloride	5					
Tetrachloroethene	5	2.0	2.3	1.6		0.94J
Toluene	5	4.0	6.4	3.7		2.4
Trichloroethene	5	4.0	6.5	4.0		2.4
Vinyl Chloride	2					
Total Xylenes	5	1.1J	2.5J	1.5J		0.82J
Semi-Volatiles (µg/L)						
1,2-Dichlorobenzene	3*					
1,4-Dichlorobenzene	3*		0.2J			
2,4-Dimethylphenol	50		1J		0.73J	
2-Methylphenol	NL	2J	2J		2.2J	1.5J
4-Methylphenol	NL	6	8	5.7	6.5J	5.3J
Naphthalene	10					
Di-n-octyl phthalate	50					
Phenol	1					

Notes:

\* Applies to sum of compounds

NL - Not listed

  Exceeds Class GA Level

NS - Not Sampled

TABLE 2.6

SUMMARY OF DETECTED COMPOUNDS  
SITE GROUNDWATER AND RIVER WATER  
GRATWICK-RIVERSIDE PARK  
NORTH TONAWANDA, NEW YORK

Location		River South														
Date		05/18/01	09/17/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/30/06	05/24/07	05/29/08
Volatiles (µg/L)	Class GA Level															
Acetone	50						3.0J						3.2J			12
Benzene	1										0.42J					
2-Butanone	50												3.9J			3.1J
Chlorobenzene	5															
trans-1,2-Dichloroethene	5															
Ethylbenzene	5															
Methylene Chloride	5															
Tetrachloroethene	5						0.30J									
Toluene	5			0.29J			0.72J	0.35J			1.8					
Trichloroethene	5						0.44J									
Vinyl Chloride	2						0.27J									
Total Xylenes	5										1.8J					
Semi-Volatiles (µg/L)																
1,2-Dichlorobenzene	3*															
1,4-Dichlorobenzene	3*															
2,4-Dimethylphenol	50															
2-Methylphenol	NL															
4-Methylphenol	NL															
Naphthalene	10															
Di-n-octyl phthalate	50															
Phenol	1															

Notes:

\* Applies to sum of compounds

NL - Not listed

 Exceeds Class GA Level

NS - Not Sampled

J - Estimated

TABLE 2.6

SUMMARY OF DETECTED COMPOUNDS  
SITE GROUNDWATER AND RIVER WATER  
GRATWICK-RIVERSIDE PARK  
NORTH TONAWANDA, NEW YORK

Location		MW-8												
Date		05/18/01	08/20/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/30/06
Class GA														
	Level													
Volatiles (µg/L)														
Acetone	50	52	12J	11J	75J	67	20			73		28/33	26	16
Benzene	1	6.5	4.3	4.1		8.6	12	12	8.1	12	23/24	10/12	4.2	4.4
2-Butanone	50													
Chlorobenzene	5	1.8J	1.0J	1.0J		3.2	4.9	4.4	3.6	6.2	6.0/6.4	2.7/3.3	2.4	2.4
trans-1,2-Dichloroethene	5	2.2J	1.8J	2.9J	4.8J	7.3	11	16	12	13	10/12	7.3/9.4	7.4	5.3
Ethylbenzene	5	5.7	3.7J	4.4J	8.2J	12	18	18	15	23	30/32	20/24	4.6	5.8
Methylene Chloride	5	1.1J	0.58J	0.66J	4.4J	1.2	1.4	1.6		1.3	2.2/2.2	7.3/9.2	1.7	0.64J
Tetrachloroethene	5	21	12	9.8	23J	32	61	58	54	80	91/100	120/130	62	71
Toluene	5	75	36	31	80	100	140	160	100	120	240/240	97/120	30	33
Trichloroethene	5	82	40	35	110	180	320	280	210	320	460/460	380/390	180	150
Vinyl Chloride	2	5.2	1.6J	3.3	23	12	18	14	12	18	21/21	13/16	5.8	5.1
Total Xylenes	5	22	13	16	30J	40	68	69	58	93	120/120	92/110	32	25
Semi-Volatiles (µg/L)														
1,2-Dichlorobenzene	3*				2J	2J		2J		4J	3J/3J			
1,4-Dichlorobenzene	3*			0.6J	2J	1J	1J	2J		4J	3J/3J	19U/2J	4J	5J
2,4-Dimethylphenol	50	1J	11	16	19	18	15	27	20	27	37/38	15J/14	7J	6J
2-Methylphenol	NL	33	55	41	48	44	38	56	37	35	45/46	18J/18	18J	16
4-Methylphenol	NL	10	32	34	55	60	59	83	64	75	130/130	34/31		
Naphthalene	10				0.7J	0.8J	0.8J	1J			2J/2J			
Di-n-octyl phthalate	50													
Phenol	1	43	130	140	85	110	91	110	140	78	80/80	28/28	11J	4J

Notes:

\* Applies to sum of compounds

NL - Not listed

Exceeds Class GA Level

NS - Not Sampled

J - Estimated



TABLE 2.6

SUMMARY OF DETECTED COMPOUNDS  
SITE GROUNDWATER AND RIVER WATER  
GRATWICK-RIVERSIDE PARK  
NORTH TONAWANDA, NEW YORK

Location		MW-8				
Date		05/24/07	05/29/08	05/29/09	05/26/10	05/26/11
Volatiles (µg/L)	Class GA Level					
Acetone	50	6.6/7.5	23	2.6J		3.1J
Benzene	1	1.6/1.5	1.5	2.7		2.7
2-Butanone	50		4.4J			
Chlorobenzene	5	0.84J/0.82J	0.54J	0.99J		3.8
trans-1,2-Dichloroethene	5	4.4/3.9	3.6	6.8		3.5
Ethylbenzene	5	2.5/2.2	1.8	4.2		5.2
Methylene Chloride	5					
Tetrachloroethene	5	16/14	9.5	12		12
Toluene	5	12/11	10	26		18
Trichloroethene	5	40/36	29	68		34
Vinyl Chloride	2					3.0
Total Xylenes	5	9.8/9.1	6.7	19		22
Semi-Volatiles (µg/L)						
1,2-Dichlorobenzene	3*		0.4J		1.5J	1.2J
1,4-Dichlorobenzene	3*	0.5J/0.4J	0.5J		2.1J	3.3J
2,4-Dimethylphenol	50	0.8J/0.6J	14	14	13	14
2-Methylphenol	NL	7/7	26	32	22	16
4-Methylphenol	NL	18/16	31	29	38	41J
Naphthalene	10	22/22	1J			
Di-n-octyl phthalate	50					
Phenol	1	20/21	32	15	13	3.4J

## Notes:

\* Applies to sum of compounds

NL - Not listed

Exceeds Class GA Level

NS - Not Sampled

J - Estimated

TABLE 2.6

SUMMARY OF DETECTED COMPOUNDS  
SITE GROUNDWATER AND RIVER WATER  
GRATWICK-RIVERSIDE PARK  
NORTH TONAWANDA, NEW YORK

Location		OGC-3												
Date		05/18/01	08/20/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/30/06
Volatiles (µg/L)	Class GA Level													
Acetone	50	13J / 19J	3.8J	15J		7.1	6.7			5.6			10/8.4	2.8J
Benzene	1	1.6J / 1.6J	1.6	1.8		1.8	1.2	1.5		1.6	1.4		1.2/1.1	0.93J
2-Butanone	50													
Chlorobenzene	5		0.24J	0.28J		0.28J		0.22J						
trans-1,2-Dichloroethene	5	1.6J / 1.6J	1.0J	1.4J	1.1J	1.1	0.98J	0.44J		1.0				
Ethylbenzene	5	1.6J / 1.5J	2.0J	2.3J	1.5J	2.4	1.7	1.8		2.0			1.4/1.3	1.1
Methylene Chloride	5				1.9J							6.3	1.2/1.0	
Tetrachloroethene	5	2.4J / 2.2J	3.0J	2.2J	1.7J	2.2	1.8	1.8		1.5			0.71J/0.63J	0.61J
Toluene	5	5.7 / 5.1	5.9	5.3		5.1	3.7	4.6	4.0	4.3	3.6	2.6	2.6/2.4	
Trichloroethene	5	20 / 20	18	19	14J	17	14	13	12	14	9.8	7.7	6.4/6.1	5.6
Vinyl Chloride	2	ND / 1.0J	0.4	0.72						0.62J				
Total Xylenes	5	5.6J / 5.4J	7.5	8.7	4.8J	7.8	5.8	5.8	5.0	6.6	3.9		3.3/3.0	2.9J
<i>Semi-Volatiles (µg/L)</i>														
1,2-Dichlorobenzene	3*				1J									
1,4-Dichlorobenzene	3*				0.7J		0.5J							
2,4-Dimethylphenol	50	5J / 5J	9	8J	11	11	7J	8J	11	12	10	9J	8J/4J	6J
2-Methylphenol	NL	98 / 96	120	87	160	140	100	100	120	140	150	110	83/73	64
4-Methylphenol	NL	13 / 13	21	17	28	23	14	15	22	23	20	17	14/12	13
Naphthalene	10													
Di-n-octyl phthalate	50													
Phenol	1	120 / 110	140	130J	210	140	85	92	110	120	120	90	78/74	75

Notes:

\* Applies to sum of compounds

NL - Not listed

Exceeds Class GA Level

NS - Not Sampled

J - Estimated

TABLE 2.6

SUMMARY OF DETECTED COMPOUNDS  
SITE GROUNDWATER AND RIVER WATER  
GRATWICK-RIVERSIDE PARK  
NORTH TONAWANDA, NEW YORK

Location Date		OGC-3				
		05/24/07	05/29/08	05/27/09	05/26/10	05/26/11
Volatiles (µg/L)	Class GA Level					
Acetone	50	0.76	6.0	2.9J/2.6J		3.7J
Benzene	1		0.93	0.75/0.78		0.67J
2-Butanone	50					
Chlorobenzene	5					
trans-1,2-Dichloroethene	5					
Ethylbenzene	5	0.85J	0.92J	0.69J/0.73J		0.75J
Methylene Chloride	5					
Tetrachloroethene	5	0.56J				
Toluene	5	1.7	1.8	1.4/1.4		1.2
Trichloroethene	5	4.3	4.9	3.3/3.5		2.5
Vinyl Chloride	2					
Total Xylenes	5	2.1J	2.3J	1.7J/1.7J		1.0J
Semi-Volatiles (µg/L)						
1,2-Dichlorobenzene	3*	0.6J	0.7J		0.86J	0.40J
1,4-Dichlorobenzene	3*		0.6J		0.58J	
2,4-Dimethylphenol	50	6	6	6.2/5.9	4.3J	3.7J
2-Methylphenol	NL	47	45	44/43	36	33
4-Methylphenol	NL	10	11	11/11	9.9	10
Naphthalene	10		0.8J			
Di-n-octyl phthalate	50					
Phenol	1	60	65	60/57	50	48

Notes:

\* Applies to sum of compounds

NL - Not listed

Exceeds Class GA Level

NS - Not Sampled

J - Estimated

TABLE 2.6

SUMMARY OF DETECTED COMPOUNDS  
SITE GROUNDWATER AND RIVER WATER  
GRATWICK-RIVERSIDE PARK  
NORTH TONAWANDA, NEW YORK

Location Date	Class GA Level	GW-5S				OGC-7										
		12/17/87	08/12/88	05/18/01	08/20/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/30/06
Volatiles (µg/L)																
Acetone	50	293		21J	0.25J	8.2J			3.6J							
Benzene	1	2				0.30J		0.28J	0.20J	0.26J				0.34J	0.34J	
2-Butanone	50	27														
Chlorobenzene	5															
trans-1,2-Dichloroethene	5	180	89	6.3	3.1J	5.4	4.9J	4.8J	4.2	4.7	4.0	5.4	5.0	5.9	4.9	5.8
Ethylbenzene	5	9	7J	1.1J	0.80J	1.0J		1.3	0.84J	0.91J		1.4	0.93J	1.5	1.4	1.3
Methylene Chloride	5	1														
Tetrachloroethene	5	11	7J	4.3J	3.6J	3.4J	2.9J	4.0	3.4	2.7	2.8	4.1	2.2	4.1	2.9	2.8
Toluene	5	75	49	12	5.8	6.7	5.7J	6.9	5.2	6.0	6.7	8.6	5.8	9.3	8.3	8.6
Trichloroethene	5	287	220	70	40	48	45	68	44	38	50	56	38	56	37J	37
Vinyl Chloride	2	7	4J	2.6J	0.84	1.7J	3.5J	2.2	1.8	1.8		2.3	2	2.9	3.0	2.9
Total Xylenes	5	54	37	6.0J	4.8J	6.5	3.9J	7.6	5.3	5.3	5.5	8.7	5.4	10	8.6	8.2
Semi-Volatiles (µg/L)																
1,2-Dichlorobenzene	3*		2J													
1,4-Dichlorobenzene	3*															
2,4-Dimethylphenol	50	10	11		2J											
2-Methylphenol	NL	24	24	3J	2J	1.0J	0.8J	1J								
4-Methylphenol	NL	38				0.9J	0.7J	1J								
Naphthalene	10															
Di-n-octyl phthalate	50						0.6J									
Phenol	1	61	92	4J	0.7J											

Notes:

\* Applies to sum of compounds

NL - Not listed

Exceeds Class GA Level

NS - Not Sampled

J - Estimated

TABLE 2.6  
SUMMARY OF DETECTED COMPOUNDS  
SITE GROUNDWATER AND RIVER WATER  
GRATWICK-RIVERSIDE PARK  
NORTH TONAWANDA, NEW YORK

Location		OGC-7			
Date		05/24/07	05/27/09	05/26/10	05/26/11
Volatiles (µg/L)	Class GA Level				
Acetone	50				
Benzene	1				
2-Butanone	50				
Chlorobenzene	5				
trans-1,2-Dichloroethene	5	3.8		2.7	2.7
Ethylbenzene	5	0.87J	0.84J	0.62J	
Methylene Chloride	5				
Tetrachloroethene	5	1.7	1.2J	0.80J	0.72J
Toluene	5	5.0	4.9J	3.3	3.4
Trichloroethene	5	22	21J	14	12
Vinyl Chloride	2		2.6J		2.4
Total Xylenes	5	5.3	5.0J	3.6	4.0
Semi-Volatiles (µg/L)					
1,2-Dichlorobenzene	3*				
1,4-Dichlorobenzene	3*				
2,4-Dimethylphenol	50				
2-Methylphenol	NL	0.6J	0.5J		0.45J
4-Methylphenol	NL	0.6J	0.4J		
Naphthalene	10				
Di-n-octyl phthalate	50				
Phenol	1				

Notes:

\* Applies to sum of compounds

NL - Not listed

Exceeds Class GA Level

NS - Not Sampled

J - Estimated

TABLE 2.6  
SUMMARY OF DETECTED COMPOUNDS  
SITE GROUNDWATER AND RIVER WATER  
GRATWICK-RIVERSIDE PARK  
NORTH TONAWANDA, NEW YORK

Location		River Middle														
Date		05/18/01	09/17/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/31/06	05/24/07	05/29/08
Volatiles (µg/L)	Class GA Level															
Acetone	50						3.1J									2.8J
Benzene	1															
2-Butanone	50															
Chlorobenzene	5															
trans-1,2-Dichloroethene	5															
Ethylbenzene	5															
Methylene Chloride	5															
Tetrachloroethene	5														1.3	
Toluene	5															
Trichloroethene	5							0.21J								
Vinyl Chloride	2															
Total Xylenes	5															
Semi-Volatiles (µg/L)																
1,2-Dichlorobenzene	3*															
1,4-Dichlorobenzene	3*															
2,4-Dimethylphenol	50															
2-Methylphenol	NL															
4-Methylphenol	NL															
Naphthalene	10															
Di-n-octyl phthalate	50				0.7J											
Phenol	1															

Notes:

\* Applies to sum of compounds

NL - Not listed

 Exceeds Class GA Level

NS - Not Sampled

J - Estimated



TABLE 2.6

SUMMARY OF DETECTED COMPOUNDS  
SITE GROUNDWATER AND RIVER WATER  
GRATWICK-RIVERSIDE PARK  
NORTH TONAWANDA, NEW YORK

Location		MW-7															
Date		05/18/01	08/20/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/31/06	05/24/07	05/29/08	05/26/10
Class GA																	
Level																	
Volatiles (µg/L)																	
Acetone	50	5.7J		6.5J		4.3J	5.4			4.8			4.3J	3.0J	3.9J	3.3J/3.4J	
Benzene	1		1.9	2.0		2.0	1.3	1.8		0.90			0.58J				
2-Butanone	50																
Chlorobenzene	5																
trans-1,2-Dichloroethene	5		0.82J	1.1J		0.98J	0.89J	1					0.36J				
Ethylbenzene	5		0.85J	0.81J		1.0	0.61J	0.75J					0.32J				
Methylene Chloride	5				1.6J												
Tetrachloroethene	5			0.27J													
Toluene	5		3.5J	3.6J		3.3	1.9	3		1.1	2.8		0.93J				
Trichloroethene	5		0.55J	0.63J		0.43J	0.45J	0.36J									
Vinyl Chloride	2		1.6J	2.0	3.8J	2.9	1.7	2.2		1.3			0.80J			0.64J/0.61J	
Total Xylenes	5		2.1J	2.1J		2.7J	1.5J	1.9J		0.76J							
Semi-Volatiles (µg/L)																	
1,2-Dichlorobenzene	3*																
1,4-Dichlorobenzene	3*																
2,4-Dimethylphenol	50			2J	2J	3J	0.7J	2J									
2-Methylphenol	NL		3J	2J	4J	6J	1J	2J			2J					0.4J/0.5J	
4-Methylphenol	NL		3J	2J	4J	6J	1J	2J			1J				0.3J	0.5J/0.6J	
Naphthalene	10																
Di-n-octyl phthalate	50				0.6J												
Phenol	1		24	7J	10	26	2J	6J		5J	2J		1J				

Notes:

\* Applies to sum of compounds

NL - Not listed

Exceeds Class GA Level

NS - Not Sampled

J - Estimated

**TABLE 2.6**  
**SUMMARY OF DETECTED COMPOUNDS**  
**SITE GROUNDWATER AND RIVER WATER**  
**GRATWICK-RIVERSIDE PARK**  
**NORTH TONAWANDA, NEW YORK**

Location		OGC-2															
Date		05/18/01	08/20/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/30/06	05/25/07	05/29/08	05/26/10
Volatiles (µg/L)	Class GA Level																
Acetone	50			11J			3.0J					4.5J	3.1				
Benzene	1																
2-Butanone	50																
Chlorobenzene	5																
trans-1,2-Dichloroethene	5																
Ethylbenzene	5																
Methylene Chloride	5				1.7J												
Tetrachloroethene	5																
Toluene	5																
Trichloroethene	5		0.39J								0.37J						
Vinyl Chloride	2			0.26J		0.25J	0.26J										
Total Xylenes	5																
Semi-Volatiles (µg/L)																	
1,2-Dichlorobenzene	3*																
1,4-Dichlorobenzene	3*																
2,4-Dimethylphenol	50																
2-Methylphenol	NL																
4-Methylphenol	NL																
Naphthalene	10																
Di-n-octyl phthalate	50																
Phenol	1																

Notes:

\* Applies to sum of compounds

NL - Not listed

 Exceeds Class GA Level

NS - Not Sampled

J - Estimated

TABLE 2.6

SUMMARY OF DETECTED COMPOUNDS  
SITE GROUNDWATER AND RIVER WATER  
GRATWICK-RIVERSIDE PARK  
NORTH TONAWANDA, NEW YORK

Location		OGC-6														
Date		05/18/01	08/20/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	03/04/04	05/14/04	11/23/04	05/27/05	05/31/06
Volatiles (µg/L)	Class GA Level															
Acetone	50			6.6J			5.0			3.7J						8.6/8.7
Benzene	1									0.71	0.87	1.4		2.5	5.2	12/12
2-Butanone	50															
Chlorobenzene	5															
trans-1,2-Dichloroethene	5			0.23J	0.23J	0.37J	0.45J	0.55J		1.4	2.0	2.1		3.6	5.3	11/12
Ethylbenzene	5					0.31J				0.85J	1.1	2.0	3.3	3.1	7.4	20/20
Methylene Chloride	5				2.1J								4.4	2.5	2.2	
Tetrachloroethene	5		1.4J	0.73J		6.6	7.4	5	12	49	51	230	300	260	550	2000/2100
Toluene	5			0.55J		2.0	1.6	1.5	2.4	9.3	12	27	40	35	72	240/260
Trichloroethene	5	3.0J	4.7J	3.1J	5.9	16	19	13	26	95	120	330	530	330	610	1800/1800
Vinyl Chloride	2					0.22J	0.25J			0.45J						2.9/2.8
Total Xylenes	5		0.22J	0.53J	0.26J	1.7J	1.2J	1.0J		4.1	4.7	8.6	13	12	28	79/76
Semi-Volatiles (µg/L)												NA		NA		
1,2-Dichlorobenzene	3*															
1,4-Dichlorobenzene	3*															
2,4-Dimethylphenol	50							1J								
2-Methylphenol	NL		2J	2J	32	11	8J	9J	13	22	27		63		85	89/110
4-Methylphenol	NL			1J	0.02J	10							1J		2J	84/100
Naphthalene	10															1J/2J
Di-n-octyl phthalate	50															
Phenol	1		7J	2J	4J	5J	3J	2J		5J	3J		9J		8J	13/16

Notes:

\* Applies to sum of compounds

NL - Not listed

Exceeds Class GA Level

NS - Not Sampled

J - Estimated

TABLE 2.6

SUMMARY OF DETECTED COMPOUNDS  
SITE GROUNDWATER AND RIVER WATER  
GRATWICK-RIVERSIDE PARK  
NORTH TONAWANDA, NEW YORK

Location		OGC-6				
Date		05/24/07	05/29/08	05/27/09	05/26/10	05/26/11
	Class GA					
Volatiles (µg/L)	Level					
Acetone	50			1.6J		
Benzene	1	7.2		3.2	3.6	1.8
2-Butanone	50					
Chlorobenzene	5					
trans-1,2-Dichloroethene	5	7.1		4.4	8.2	7.6
Ethylbenzene	5	12		4.8	5.2	2.4
Methylene Chloride	5					
Tetrachloroethene	5	1400	34	400	640	220
Toluene	5	97	2.9	34	38	14
Trichloroethene	5	1100	31	320	410	180
Vinyl Chloride	2	1.5			1.2	
Total Xylenes	5	46		18	20	9.1
Semi-Volatiles (µg/L)						
1,2-Dichlorobenzene	3*					
1,4-Dichlorobenzene	3*					
2,4-Dimethylphenol	50		0.9J			
2-Methylphenol	NL	76	76	32	32	15
4-Methylphenol	NL	2J	70	1.1J	1.4J	1.2J
Naphthalene	10	2J	2J	1.2J	1.4J	1.1J
Di-n-octyl phthalate	50					
Phenol	1	8	8			

Notes:

\* Applies to sum of compounds

NL - Not listed

Exceeds Class GA Level

NS - Not Sampled

J - Estimated

TABLE 2.6  
SUMMARY OF DETECTED COMPOUNDS  
SITE GROUNDWATER AND RIVER WATER  
GRATWICK-RIVERSIDE PARK  
NORTH TONAWANDA, NEW YORK

Location		River North													
Date		05/18/01	09/17/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/30/06	05/31/07
Volatiles (µg/L)	Class GA Level														
Acetone	50						2.4J		NS			3.6J	3.6J		
Benzene	1					0.21J					2.0	0.39J			
2-Butanone	50														
Chlorobenzene	5					1.3						3.2			
trans-1,2-Dichloroethene	5					0.25J						1.0			
Ethylbenzene	5					20						40		2.9	
Methylene Chloride	5				1.6J										
Tetrachloroethene	5					3.8						7.7		1.3	
Toluene	5			0.39J		63				0.96J		130	2.2	14	
Trichloroethene	5			0.35J		4.5						6.4		0.59J	
Vinyl Chloride	2					3.7						9.3			
Total Xylenes	5					80				0.96J		210	3.7	23	
Semi-Volatiles (µg/L)															
1,2-Dichlorobenzene	3*														
1,4-Dichlorobenzene	3*														
2,4-Dimethylphenol	50							1J							
2-Methylphenol	NL														
4-Methylphenol	NL														
Naphthalene	10														
Di-n-octyl phthalate	50														
Phenol	1														

Notes:

\* Applies to sum of compounds

NL - Not listed

Exceeds Class GA Level

NS - Not Sampled

J - Estimated

TABLE 2.6  
SUMMARY OF DETECTED COMPOUNDS  
SITE GROUNDWATER AND RIVER WATER  
GRATWICK-RIVERSIDE PARK  
NORTH TONAWANDA, NEW YORK

Location		OGC-5													
Date		05/20/01	08/21/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/30/06	
Volatiles (µg/L)	Class GA Level														
Acetone	50	38J		11J			6.4			4.9J		0.61J		3.0J	
Benzene	1		1.5	1.4		0.87	0.92	0.87		0.77				0.67J	
2-Butanone	50														
Chlorobenzene	5														
trans-1,2-Dichloroethene	5		0.65J	0.76J		0.42J	0.57J	0.52J				0.34J			
Ethylbenzene	5		0.21J	0.23J											
Methylene Chloride	5				3.4J								2.4		
Tetrachloroethene	5		0.38J	0.27J											
Toluene	5		2.5J	2.2J		0.99J	0.87J	1.2		0.80J		0.80J			
Trichloroethene	5		0.87J	0.66J		0.36J	0.41J	0.40J				0.28J			
Vinyl Chloride	2		1.6J	1.2J		1.1	1.5	1.2		1.1		1.4		1.2	
Total Xylenes	5		1.0J	1.0J		0.67J	0.37J	0.40J				1.0J			
Semi-Volatiles (µg/L)															
1,2-Dichlorobenzene	3*														
1,4-Dichlorobenzene	3*														
2,4-Dimethylphenol	50		8J	6J	5J		1J	6J							
2-Methylphenol	NL		1J	1J	1J										
4-Methylphenol	NL		2J	5J	4J			2J							
Naphthalene	10		1J	1J			0.5J	1J							
Di-n-octyl phthalate	50			1J	0.8J										
Phenol	1		0.9J												

Notes:

\* Applies to sum of compounds

NL - Not listed

1.5 Exceeds Class GA Level

NS - Not Sampled

J - Estimated

TABLE 2.6  
SUMMARY OF DETECTED COMPOUNDS  
SITE GROUNDWATER AND RIVER WATER  
GRATWICK-RIVERSIDE PARK  
NORTH TONAWANDA, NEW YORK

Location		OGC-5		
Date		05/24/07	05/29/08	05/26/10
	Class GA			
Volatiles (µg/L)	Level			
Acetone	50		3.5J	
Benzene	1	0.54J	0.69J	
2-Butanone	50			
Chlorobenzene	5			
trans-1,2-Dichloroethene	5			
Ethylbenzene	5			
Methylene Chloride	5			
Tetrachloroethene	5			
Toluene	5			
Trichloroethene	5			
Vinyl Chloride	2	0.95J	1.4	
Total Xylenes	5			
Semi-Volatiles (µg/L)				
1,2-Dichlorobenzene	3*			
1,4-Dichlorobenzene	3*			
2,4-Dimethylphenol	50			
2-Methylphenol	NL	0.5J	0.3J	
4-Methylphenol	NL	0.9J	0.4J	
Naphthalene	10	2J	0.5J	1.6J
Di-n-octyl phthalate	50			
Phenol	1			

Notes:

\* Applies to sum of compounds

NL - Not listed

☐ Exceeds Class GA Level

NS - Not Sampled

J - Estimated

TABLE 2.6

SUMMARY OF DETECTED COMPOUNDS  
SITE GROUNDWATER AND RIVER WATER  
GRATWICK-RIVERSIDE PARK  
NORTH TONAWANDA, NEW YORK

Location Date		GW-6S			MW-6												
		12/15/1987	08/10/88	05/18/01	08/21/01	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/30/06	
Class GA																	
Level																	
Volatiles (µg/L)																	
Acetone	50	684	4.9J						4.4J			44		6.7	13	31	
Benzene	1	3			0.64J			0.65J	0.59J	0.56J		0.57J					
2-Butanone	50																
Chlorobenzene	5		3.3J		1.5J	1.3J		0.65J		0.54J		0.81J		0.37J			
trans-1,2-Dichloroethene	5	58	4.4J		1.1J			0.37J	0.32J	0.34J		1.4		0.52J			
Ethylbenzene	5	2			0.21J												
Methylene Chloride	5						1.8J								2.1		
Tetrachloroethene	5	43			0.44J							0.67J		0.25J			
Toluene	5	16	3.0J		2.2J	0.29J		1.3	0.91J	1.1		2.1	3.6	0.92J			
Trichloroethene	5	62	5.1		2.0J		1.2J		1.1	1.5	3.2	14	12		1.5	1.2	
Vinyl Chloride	2	11	1.7J					0.29J	0.24J	0.22J		0.52J					
Total Xylenes	5	7			0.90J	0.44J		0.36J	0.27J								
Semi-Volatiles (µg/L)																	
1,2-Dichlorobenzene	3*																
1,4-Dichlorobenzene	3*			1J		0.7J	2J						2J				
2,4-Dimethylphenol	50	5		5J	5J	3J	2J	1J	0.9J	9J			6J				
2-Methylphenol	NL	3		5J	6J	2J	2J	2J	1J	0.9J			5J				
4-Methylphenol	NL	4		15	13	5J	4J	3J	2J	2J			12			1J	
Naphthalene	10			67	69		1J		14	13			76		5J		
Di-n-octyl phthalate	50						2J										
Phenol	1	3		14	4J	2J	0.8J						250			2J	

Notes:

\* Applies to sum of compounds

NL - Not listed

Exceeds Class GA Level

NS - Not Sampled

J - Estimated



TABLE 2.6  
SUMMARY OF DETECTED COMPOUNDS  
SITE GROUNDWATER AND RIVER WATER  
GRATWICK-RIVERSIDE PARK  
NORTH TONAWANDA, NEW YORK

Location	MW-6			
Date				
	05/24/07	05/29/08	05/26/10	
Class GA				
Level				
Volatiles (µg/L)				
Acetone	50			
Benzene	1			
2-Butanone	50			
Chlorobenzene	5			
trans-1,2-Dichloroethene	5			
Ethylbenzene	5			
Methylene Chloride	5			
Tetrachloroethene	5			0.55J
Toluene	5			0.73J
Trichloroethene	5	0.97J		2.3J
Vinyl Chloride	2			
Total Xylenes	5			
Semi-Volatiles (µg/L)				
1,2-Dichlorobenzene	3*			0.66J
1,4-Dichlorobenzene	3*	0.8J	0.6J	4.2J
2,4-Dimethylphenol	50			1.4J
2-Methylphenol	NL	0.5J	0.3J	1.8J
4-Methylphenol	NL	1J		2.5J
Naphthalene	10	2J	1J	7.8J
Di-n-octyl phthalate	50			
Phenol	1	0.6J	0.4J	1.9J

Notes:

\* Applies to sum of compounds

NL - Not listed

 Exceeds Class GA Level

NS - Not Sampled

J - Estimated

TABLE 2.6

SUMMARY OF DETECTED COMPOUNDS  
SITE GROUNDWATER AND RIVER WATER  
GRATWICK-RIVERSIDE PARK  
NORTH TONAWANDA, NEW YORK

Location		OGC-1													
Date		05/18/01	05/25/07	8/21/2001	11/27/01	02/11/02	05/21/02	08/06/02	11/22/02	02/25/03	05/08/03	11/04/03	05/14/04	05/27/05	05/31/06
Class GA															
Level															
Volatiles (µg/L)															
Acetone	50	20J			11J			4.8J							
Benzene	1			0.64J	0.55J				0.26J						
2-Butanone	50	1.1J													
Chlorobenzene	5	2.2J	2.8	2.0J	1.7J		0.24J		0.78J		0.91J				
trans-1,2-Dichloroethene	5	5.6		3.7J	4.6J	1.8J	0.48J	0.58J	2.7			0.85J			0.55J
Ethylbenzene	5			0.52J	0.43J				0.21J						
Methylene Chloride	5					1.6J								1.8	
Tetrachloroethene	5			0.78J	0.54J		0.42J	0.53J	0.30J			0.29J			
Toluene	5	5.2	3.1	5.4	4.2J		0.48J	0.43J	1.9	1.7	2.6	0.59J			
Trichloroethene	5	15	2.9	16	11	4.5J	2.2	2.7	6.1	5.1	8.4	2.2	0.47J	1.2	1.9
Vinyl Chloride	2	1.3J		0.51J	0.72J				0.42J		0.64J				
Total Xylenes	5			2.1J	1.6J				0.49J		0.86J				
Semi-Volatiles (µg/L)															
1,2-Dichlorobenzene	3*		0.9J												
1,4-Dichlorobenzene	3*	1J	3J	3J	2J	1J			1J						
2,4-Dimethylphenol	50	9J	46	16	8J	3J		0.6J	9J		4J				
2-Methylphenol	NL	6J	6	12	5J	2J			2J		3J				
4-Methylphenol	NL	20	170	35	15J	5J		1J	5J	6J	8J				2J
Naphthalene	10	71	0.2J	130		21		7J	18		25	3J			
Di-n-octyl phthalate	50														
Phenol	1	150	11	290	57	15	1J	8J	4J		19				

Notes:

\* Applies to sum of compounds

NL - Not listed

Exceeds Class GA Level

NS - Not Sampled

J - Estimated

TABLE 2.6

SUMMARY OF DETECTED COMPOUNDS  
SITE GROUNDWATER AND RIVER WATER  
GRATWICK-RIVERSIDE PARK  
NORTH TONAWANDA, NEW YORK

Location	OGC-1			
Date				
	05/24/07	05/29/08	05/26/10	
	Class GA			
Volatiles (µg/L)	Level			
Acetone	50			
Benzene	1			
2-Butanone	50			
Chlorobenzene	5			
trans-1,2-Dichloroethene	5			
Ethylbenzene	5			
Methylene Chloride	5			
Tetrachloroethene	5			
Toluene	5			
Trichloroethene	5	0.53J	4.2	
Vinyl Chloride	2			
Total Xylenes	5			
Semi-Volatiles (µg/L)				
1,2-Dichlorobenzene	3*			
1,4-Dichlorobenzene	3*			
2,4-Dimethylphenol	50			
2-Methylphenol	NL			
4-Methylphenol	NL		0.4J	
Naphthalene	10		0.5J	
Di-n-octyl phthalate	50			
Phenol	1			

Notes:

\* Applies to sum of compounds

NL - Not listed

 Exceeds Class GA Level

NS - Not Sampled

J - Estimated

**TABLE 2.7**  
**PH READINGS**  
**GRATWICK-RIVERSIDE PARK SITE**  
**NORTH TONAWANDA, NEW YORK**

<i>Monitoring Location</i>	<i>MH1</i>	<i>MH2</i>	<i>MH3</i>	<i>MW-6</i>	<i>OGC-1</i>	<i>MH4</i>	<i>OGC-5</i>	<i>MH5</i>	<i>MH6</i>	<i>OGC-6</i>	<i>MH7</i>	<i>MW-7</i>	<i>MH8</i>	<i>OGC-2</i>	<i>MH9</i>
<i>Date</i>															
07/24/00						7.8					10.3				
10/24/00						7.7					10.5				
03/29/01				7.60	10.82		NM			12.55		8.68		9.80	
05/11/01	*	*	*	*	*	*	*	8.30	8.17	8.50	10.16	8.90	11.22	9.22	11.26
05/18/01				11.05	11.14		10.42		10.00	10.50		8.19		8.70	
06/08/01	9.25						9.35		6.90	8.24		7.33		8.40	
06/15/01		10.1	10.38	9.6	9.6		9.4		6.91	8.22		7.43	10.65	8.46	
06/22/01		*	*	*	*										
06/29/01		10.9	10.8	11	10.9		10.56		7	8.97		9.27	11.33	8.63	
07/31/01		10.82	10.81	10.97	11.25		10.54		7.92	8.55		9.2	11.28	9.35	
08/20/01		11	11	9.86	10.95		10.44		7.9	8.31		7.71	11.45	8.49	
09/28/01		10.75	10.97	9.89	11.01		10.6		7.93	8.3		9.0	11.15	8.75	
10/22/01		10.7	10.45	10.5	11		7.86		6.1	9.32		8.97	8.49	8.87	
11/27/01		10.61	10.46	10.12	11.65		10.3			10.54		10.01	8.61	8.63	
12/20/01		10.17	10.11	9.97	11.22		10.19		9.98	10.37		9.68	8.42	8.51	
01/29/02		11.8	11.62	11.15	11.82		10.48		9.91	10.86		10.56	11.91	10.23	
02/11/02		10.26	10.16	10.5	10.4				7.79	11.44		10.04	11.74	8.33	
03/25/02		10.62	10.45	11.22	10.69		10.36		9.94	11.4		10.03	12.21	9.65	
04/24/02		10.37	10.22	10.68	11.36		9.97		9.46	11.15		9.73	11.3	9.52	
05/21/02		9.96	9.81	10.76	10.42		9.85		9.25	11.91		9.38	9.69	9.2	
06/20/02		10.64	9.4	10.91	11.19		9.77		9.46	11.4		10.59	11.76	9.46	
07/18/02		10.89	10.69	10.87	11.75		9.63		9.32	11.24		10.24	11.76	9.51	
08/06/02		10.62	10.47	8.21	5.67		7.25		8.79	8.78		7.46	11.24	7.83	
09/12/02		10.92	11.23	11.17	11.85		9.61		9.27	11.29		10.26	11.9	9.51	
10/30/02		10.1	11.22	10.74	10.89		9.68		9.82	10.63		9.95	11.97	9.64	
11/21/02		9.06	9.3	10.09	11.89		10.72		9.17	12.42		9.76	9.31	9.6	
12/11/02		8.92	9.17	10.16	11.03		9.87		9.02	10.39		10.19	9.5	9.18	
01/16/03		10.9	11.76	11.02	11.59		10.31		10.01	11.52		11.01	12.37	9.83	
02/25/03		10.72	11.12	10.51	11.81		10.22		9.87	12.31		9.42	9.32	8.92	
03/14/03		11.77	11.92	10.07	11.93		10.09		9.71	11.92		10.19	9.28	9.44	
04/14/03		9.78	9.71	9.67	10.82		9.74		9.21	10.45		9.74	10.48	9.01	
05/08/03		10.32	10.48	10.43	12.35		10.13		9.72	12.41		10.88	10.61	9.00	
06/19/03		10.21	10.39	10.36	12.31		10.05		9.68	12.29		10.75	10.51	8.99	
07/21/03		10.06	10.21	10.25	12.17		9.87		9.57	11.99		10.64	10.49	8.84	
08/28/03		10.22	10.91	10.32	11.16		9.8		10.17	10.96		11.04	10.38	9.89	
09/30/03		9.32	9.4	9.95	10.91		8.95		NM	10.22		9.35	9.42	9.58	
10/20/03		9.22	9.3	9	10		8.1		10.2	10.25		9.8	10	9.2	
11/03/03		9.15	9.14	8.86	9.49		7.8		10.51	10.54		10.41	10.28	9.03	
12/23/03		10.03	9.03	9.7	10.3		8.69		10.07	10.49		10.38	10.63	8.62	

TABLE 2.7  
PH READINGS  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK

Monitoring Location	MH1	MH2	MH3	MW-6	OGC-1	MH4	OGC-5	MH5	MH6	OGC-6	MH7	MW-7	MH8	OGC-2	MH9
Date															
01/21/04		(1)	9.06	9.01	9.56		8.0		10.31	9.84		9.69	10.6	8.8	
02/12/04	8.45	(1)	9.72	13.24	11.02	7.77	8.75		7.65	10.8		10.32	11.23	9.2	
03/04/04	8.21	10.05	8.93	10.28	10.69		8.82		9.43	10.52		10.28	10.87	9.24	
04/16/04		9.52	8.77	10.16	9.28		8.61		9.2	10.96		10.41	11.18	9.12	
05/14/04		10.5	8.08	10.16	9.47		8.74		7.19	11.69	9.49	9.36	11.00	9.09	
06/25/04		10.22	8.66	10.07	9.98		8.46		8.41	10.89		9.82	10.65	9.1	
07/30/04		10.03	9.00	9.91	10.45		8.41		8.42	10.67		9.31	10.51	8.94	
08/31/04		9.89	8.7	9.69	10.0		8.17		7.58	10.36		8.97	10.65	8.85	
09/30/04		10.01	8.77	9.9	9.8		8.4		8.11	10.13		9.2	10.47	8.6	
10/20/04		9.91	7.95	9.8	9.28		8.18		8.46			9.89	9.95	8.84	
11/23/04		9.26	8.47	9.87	9.83		8.32		8.92	10.89		9.8	10.84	8.96	
12/31/04		10.13	8.82	9.42	9.26		8.44		10.31	10.04		9.79	9.57	8.73	
01/28/05		10.21	10.75	9.25	8.91		8.39		8.86	10.6		9.66	9.05	9.1	
02/28/05		10.66	9.5	9.09	9.17		8.54		10.89	10.61		9.11	10.8	6.8	
03/31/05		10.91	8.96	9.78	8.95		8.51		9.06	10.99		9.58	11.06	9.18	
04/29/05		10.74	8.92	9.90	9.59		8.74		8.72	11.26		9.62	10.29	9.56	
05/27/05		11.29	9.88	7.85	10.26		9.18		8.12	11.3		9.62	11.16	9.78	
06/24/05		10.72	10.51	10.22	10.2		8.69		8.01	11.48		9.38	11.34	9.31	
07/29/05		7.3	6.20	8.96	9.23		7.83		8.29	9.9		8.91	10.32	8.55	
08/31/05		9.76	7.64	9.35	9.47		8.23		8.5	10.4		8.67	10.68	9.24	
10/03/05		9.1	8.45	9.52	9.14		8.12		7.26	10.43		7.89	9.23	8.9	
10/31/05		10.01	8.59	9.37	8.89		8.47		9.24	10.14		8.63	11.13	9.06	
11/22/05		10.29	8.15	9.13	8.68		8.05		8.25	10.18		8.79	10.70	8.71	
12/23/05		9.24	11.09	10.15	10.11		10.84		9.37	10.84		10.43	9.46	9.23	
01/27/06		9.38	10.69	10.75	9.27		8.63		8.29	11.10		10.05	8.62	9.46	
02/28/06		9.94	11.28	10.49	9.63		8.9		9.56	10.96		9.96	9.56	9.85	
03/24/06		9.57	8.84	10.64	9.43		8.70		9.43	11.14		9.70	9.28	9.40	
04/21/06		11.13	11.03	10.65	9.6		8.91		10.67	11.03		9.44	10.44	9.33	
05/30/06		9.78	10.44	7.50	10.62		8.02		7.10	10.85		9.46	8.98	8.45	
06/26/06		11.24	8.67	10.6	10.83		8.52		8.06	11.24		9.79	10.69	9.24	
07/31/06		7.8	7.85	10.27	10.05		8.12		7.95	10.34		9.93	7.88	8.59	
08/25/06		11.17	8.74	11.07	10.45		8.6		7.7	11.01		8.49	11.4	9.25	
09/22/06		8.33	8.34	10.97	9.73		8.71		8.84	10.85		9.46	11.63	9.23	
10/31/06		10.82	8.26	10.36	9.49		8.62		9.03	10.64		9.86	11.23	9.22	
11/29/06		11.13	9.09	10.45	9.46		8.97		10.90	10.80		9.49	11.13	9.62	
12/29/06		11.15	8.94	10.88	9.36		8.90		11.27	10.56		10.02	11.33	9.05	

TABLE 2.7  
PH READINGS  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK

Monitoring Location	MH1	MH2	MH3	MW-6	OGC-1	MH4	OGC-5	MH5	MH6	OGC-6	MH7	MW-7	MH8	OGC-2	MH9
Date															
01/26/07		11.51	9.21	11.05	9.26		8.80		11.45	11.23		9.76	11.67	9.48	
02/27/07		11.55	10.3	10.93	9.64		8.95		11.08	11.20		9.33	11.45	10.16	
03/30/07		11.37	8.89	10.68	8.83		8.78		11.18	11.13		9.35	11.28	9.21	
04/30/07		11.19	8.27	10.42	9.02		8.47		8.23	10.99		9.59	11.14	9.04	
05/25/07		11.3	8.47	10.32	8.83		8.09		7.74	10.93		9.32	11.18	9.00	
06/29/07		11.17	8.33	10.28	9.52		8.36		7.89	10.91		9.02	10.98	8.86	
07/25/07		11.23	7.75	10.42	9.5		8.21		7.93	10.82		8.41	11.32	8.70	
08/31/07		10.36	8.07	9.67	9.89		8.33		8.66	10.31		8.88	10.71	8.99	
09/27/07		9.77	8.62	9.79	9.99		8.43		9.26	10.22		9.55	9.63	8.93	
10/31/07		10.16	8.59	9.82	10.25		8.23		8.83	10.34		9.21	9.69	9.05	
11/30/07		NM	8.45	10.21	10.63		8.56		11.06	10.51		8.31	11.01	9.00	
12/31/07		9.07	8.46	9.69	9.24		8.60		10.84	10.44		10.06	11.07	9.20	
01/28/08		11.05	9.25	10.83	10.54		9.10		11.32	11.06		10.28	11.70	9.36	
02/29/08		9.59	9.66	9.96	9.82		9.09		10.35	10.09		10.02	11.59	9.42	
03/31/08		9.15	8.76	9.96	9.14		8.98		10.75	11.06		10.17	11.38	9.42	
04/28/08		9.53	9.17	10.73	9.60		8.78		8.90	11.23		9.97	10.18	9.48	
05/29/08		8.74	8.30	10.60	8.99		8.87		7.95	11.03		10.11	9.14	9.41	
06/25/08		9.46	8.64	10.60	9.96		8.61		8.50	11.06		10.24	9.28	9.41	
07/31/08		8.88	8.98	10.49	9.90		8.54		8.83	10.86		9.77	9.57	9.55	
08/27/08		8.77	8.67	10.96	8.79		8.58		8.77	10.63		10.87	10.53	9.96	
09/26/08		9.20	9.78	10.17	9.48		8.57		8.89	9.97		9.41	9.56	9.29	
10/30/08		9.40	10.68	10.49	9.76		8.98		9.36	10.42		9.46	9.69	9.52	
11/22/08		9.18	9.52	10.03	9.25		8.46		9.23	9.68		9.50	9.58	9.43	
12/31/08		9.49	8.91	10.71	9.72		8.68		8.89	10.07		9.26	9.50	9.32	
01/30/09		10.88	10.86	10.23	9.83		8.77		8.85	10.22		9.70	9.54	9.84	
02/25/09		9.39	10.63	10.07	9.33		8.50		8.88	9.77		9.36	9.19	9.44	
03/27/09		10.3	10.28	9.54	9.75		8.73		9.17	9.73		9.67	9.51	9.51	
04/30/09		9.13	9.12	10.43	9.77		8.76		9.46	10.50		9.80	10.05	9.54	
05/27/09		9.68	9.97	10.65	9.98		8.84		9.40	10.68		9.85	9.32	10.00	
06/29/09		9.95	8.79	10.50	9.64		8.48		9.21	10.58		9.68	11.26	9.16	
07/27/09		9.93	10.00	11.28	11.00		9.87		10.90	12.11		10.99	11.13	10.71	
08/31/09		8.88	8.99	10.76	10.03		8.52		9.17	10.81		10.11	9.83	9.58	
09/30/09		10.48	10.74	10.91	10.51		8.44		8.17	10.81		10.71	9.14	9.28	
10/30/09		10.84	11.60	11.70	10.74		9.66		10.19	10.83		11.60	10.76	10.78	
11/30/09		9.53	9.70	10.64	10.10		9.16		9.33	10.23		10.76	11.91	10.19	
12/30/09		9.69	9.63	10.38	9.97		9.67		10.61	10.48		10.70	10.27	10.19	

TABLE 2.7  
PH READINGS  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK

Monitoring Location	MH1	MH2	MH3	MW-6	OGC-1	MH4	OGC-5	MH5	MH6	OGC-6	MH7	MW-7	MH8	OGC-2	MH9
<i>Date</i>															
01/29/10		9.52	9.33	10.04	9.96		9.53		9.91	10.47		10.64	11.11	10.37	
02/26/10		9.98	9.79	10.03	10.01		9.55		9.84	10.78		10.28	10.87	10.43	
03/30/10		9.48	9.45	9.78	10.06		9.91		9.85	10.68		10.58	10.08	10.76	
04/30/10		9.60	9.53	9.82	10.01		9.65		9.94	11.09		11.00	10.91	10.77	
05/26/10		9.54	9.84	10.63	9.33		9.27		9.84	11.24		10.60	9.37	10.75	
06/28/10		8.46	8.82	9.63	9.51		8.62		9.17	9.86		10.25	9.14	9.44	
07/27/10		8.53	8.82	10.88	10.82		9.42		9.77	11.21		11.73	10.75	10.98	
08/26/10		10.03	10.89	10.73	10.33		8.73		9.81	11.96		10.51	9.77	10.69	
09/28/10		9.94	10.83	10.87	10.38		9.40		10.33	10.61		10.82	10.20	10.97	
10/27/10		9.53	9.75	10.56	10.15		9.63		10.02	10.28		10.47	10.31	10.19	
11/24/10		9.54	9.90	10.70	10.04		9.24		9.54	10.32		10.09	9.65	9.97	
12/28/10		9.48	9.56	10.84	10.37		9.60		10.00	10.42		10.17	9.76	10.33	
01/31/11		11.01	10.24	10.53	10.37		9.20		8.72	10.49		10.37	9.80	10.47	
02/28/11		9.45	9.33	9.87	9.95		9.56		9.59	10.75		10.11	9.76	10.13	
03/30/11		8.72	8.40	10.40	8.65		9.42		8.98	10.56		9.46	9.23	9.51	
04/21/11		8.86	8.80	10.80	9.34		9.17		9.80	11.32		10.13	9.40	9.86	
05/26/11		8.59	8.50	10.49	9.22		8.95		9.49	11.11		9.80	8.84	9.91	

TABLE 2.7  
PH READINGS  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK

Monitoring Location	MH10	OGC-7	MH11	MW-8	OGC-3	MH12	MH13	OGC-8	MH14	MW-9	OGC-4	MH15	MH16	MH17
Date														
07/24/00	9.2						10.6		9.5				7.4	
10/24/00			8.38						7.76				8.15	
03/29/01		8.37		6.41	9.41			9.77		8.17	10.41			
05/11/01	10.9	11.51		11.55	11.59	8.25	7.5	11.58		7.37	11.16	11.21	8.83	9.27
05/18/01		10.93		11.2	11.21	8.25		11.4		10.60	11.32		12.27	
06/08/01		9.68		10.1	10.34	6.99		10.32		10.03	10.44		7.25	
06/15/01		10.0	10.3	10.7	10.8	7.03		10.54	8.75	10.34	10.55		7.27	8.88
06/22/01	*	*	*	*	10.92	7.3		11	8.98	10.47	11.1		7.57	
06/29/01		11.13	10.9	11.4	10.22	7.54		11.2	9.18	10.94	11.2		7.9	
07/31/01		11.49	10.58	11.69	11.75	7.91		11.73	9.73	11.62	11.63		8.28	
08/20/01		9.17	10.59	11.35	10.87	7.7		11.49	9.8	12.05	11.89		8.2	
09/28/01		10	10.57	11.5	11.0	7.9		11.47	9.77	11.2	11.75		8.21	
10/22/01		10.75	10.44	10.89	11.01	7.7		11.01	9.6	10.51	10.7		7.0	
11/27/01		11.98	10.87	12.46	12.46	8.1		12.28	10.01	11.87	12.25		7.26	
12/20/01		11.63	10.22	11.98	11.97	7.82		11.76	8.73	10.61	11.37		7.11	
01/29/02		12.25		12.15	12.59	7.76		12.41	8.09	11.85	12.33		7.16	
02/11/02		11.12		11.79	12.09	7.63		12.13	7.48	11.73	11.8		6.89	
03/25/02		12.38		12.59	12.77	8.01		12.66	8.51	12.11	12.46		7.88	
04/24/02		12		12.26	12.39	7.86		12.34	7.94	11.55	11.95		7.43	
05/21/02		11.86		12.25	12.49	7.94		12.5	7.45	12.16	12.24	7.72	7.22	
06/20/02		11.92		12.26	12.34	8.07		12.28	8.12	11.63	12.2	7.89	7.84	
07/18/02		11.78		12.11	12.16	8.11		12.13	9.82	11.31	11.96	7.81	7.36	
08/06/02		6.95	11.76	7.88	7.63	8.02		8.87	9.76	8.89	9.03	7.64	7.49	
09/12/02		11.93	12.19	12.23	12.32	8.76		12.3	10.81	11.77	12.04	8.16	8.17	
10/30/02		11.91	12.2	12.21	12.24	NM		12.22	8.34	11.89	12.01	7.95	7.63	
11/21/02		11.79	9.46	12.53	12.46	7.64		12.62	7.71	12.42	12.5	7.95	7.37	
12/11/02		11.26	9.41	11.39	11.54	7.56		11.51	7.86	10.76	11.29	7.35	7.18	
01/16/03		12.39		12.55	12.74	8.47		12.82	8.76	12.3	12.52	7.98	8.16	
02/25/03		11.94		12.46	12.49	8.42		12.51	8.71	12.19	12.52	7.89	8.13	
03/14/03		12.16		12.33	12.56	8.26		12.44	8.79	12.11	12.35	8.01	7.79	
04/14/03		11.02		11.63	11.18	7.92		11.62	7.87	10.89	11.89	7.62	7.42	
05/08/03		11.93		12.51	12.55	8.12		12.63	7.77	12.12	12.44	8.43	7.81	
06/19/03		11.87		12.39	12.41	8.02		12.41	7.73	12.01	12.21	8.38	7.79	
07/21/03		11.81		12.12	12.25	7.99		12.32	7.64	11.91	11.98	8.31	7.62	
08/28/03		11.79		12.13	12.24	11.26		12.21	11.52	12.04	12.04	11.46	11.32	
09/30/03		11.27		11.95	11.44	8.65		11.87	9.45	10.33	11.57	8.56	8.68	
10/20/03		11.2		11.8	11.2	8.5		11.6	8	10.42	11.44	8.31	8.01	
11/03/03		11.04		10.91	10.3	8.39		10.63	7.24	10.59	11.24	7.55	7.48	
12/23/03		10.75		11.18	11.17	8.41		11.01	7.66	10.88	11.03	7.13	7.44	



TABLE 2.7  
PH READINGS  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK

Monitoring Location	MH10	OGC-7	MH11	MW-8	OGC-3	MH12	MH13	OGC-8	MH14	MW-9	OGC-4	MH15	MH16	MH17
<i>Date</i>														
01/21/04		10.69		11.06	11.16	8.39		11.5	(1)	9.98	10.89	9.53	6.25	
02/12/04		10.79	11.42	11.66	11.78	8.96		11.75	(1)	11.09	11.6	8.5	6.66	
03/04/04		10.79	11.07	11.06	11.29	9.02		11.37	11.5	11.25	11.6	9.03	7.75	
04/16/04		11.23	10.42	11.57	11.62	9.22		11.36	11.6	11.11	11.44	9.6	6.54	
05/15/04		11.19	11.78	11.91	12.13	8.34		11.8	11.7	11.61	11.68	9.5	6.62	
06/25/04		11.22	11.35	11.31	11.48	8.86		11.27	11.21	10.84	11.2	9.11	7.48	
07/30/04		11.10	11.00	11.09	11.42	8.6		11.13	8.40	10.69	11.16	9.42	6.84	
08/31/04		10.84	10.95	10.87	11.19	8.07		10.84	7.78	10.48	10.73	8.14	6.57	
09/30/04		11.0	10.87	11.01	11.4	8.44		11.03	8.1	10.7	10.66	8.32	6.75	
10/20/04		10.91	11.07	11.06	11.26	8.22		11.05	10.84	10.3	10.93	8.64	6.85	
11/23/04		11.08	9.39	11.34	11.44	8.33		11.31	8.64	10.92	11.36	9.08	7.63	
12/31/04		10.64	8.92	10.85	11.09	8.48		10.85	8.57	10.58	10.87	8.86	7.09	
01/28/05		10.79	8.99	11.11	11.31	9.16		11.20	(1)	10.76	11.2	8.95	6.64	
02/28/05		10.79	11.05	10.83	10.81	8.44		10.3	(1)	10.03	10.88	8.49	6.57	
03/31/05		11.22	11.28	11.51	11.49	9.04		11.37	8.5	11.17	11.27	7.24	6.94	
04/29/05		11.48	11.75	11.78	11.75	9.17		11.79	9.64	11.39	11.53	8.32	7.40	
05/27/05		13.65	11.64	13.74	11.79	8.91		11.62	8.6	11.07	11.21	9.05	8.08	
06/24/05		11.59	11.9	11.67	11.92	8.73		11.75	10.9	10.51	11.81	9.86	8.07	
07/29/05		9.55	10.46	10.93	11.21	8.28		10.82	8.97	10.35	10.62	8.19	6.97	
08/31/05		10.85	11.12	11.15	11.35	9.02		11.04	9.01	10.7	11.03	8.4	6.93	
10/03/05		10.81	11.1	11.07	11.4	7.61		10.91	7.85	10.66	10.99	8.7	7.56	
10/31/05		10.85	11.34	11.4	11.56	8.13		11.3	7.73	11.15	11.41	8.61	9.69	
11/22/05		10.38	10.25	10.65	10.7	8.5		10.45	7.63	10.36	11.05	8.10	6.60	
12/23/05		11.40	11.58	11.57	11.93	8.11		11.67	7.19	11.23	11.64	7.36	7.30	
01/27/06		11.54	11.75	10.81	12.01	9.04		11.96	7.65	11.51	11.90	7.54	7.84	
02/28/06		11.53	11.57	12.09	12.3	9.73		11.77	7.84	11.43	11.78	7.36	7.22	
03/24/06		11.41	11.53	11.63	11.83	8.88		12.01	8.46	11.54	11.89	7.92	7.09	
04/21/06		11.31	11.65	11.62	11.86	8.79		11.96	7.98	11.40	11.86	8.52	6.97	
05/30/06		11.11	11.43	11.36	11.56	7.45		11.34	8.90	10.73	10.98	8.90	7.68	
06/26/06		11.48	11.62	11.71	11.91	8.92		11.89	8.46	11.6	11.61	8.03	7.18	
07/31/06		10.73	8.01	10.89	11.14	8.53		10.83	8.09	10.71	10.83	7.36	7.35	
08/25/06		11.62	11.9	11.74	12.05	8.83		11.77	9.88	11.44	11.72	10.82	8.11	
09/22/06		11.54	11.85	11.66	12.07	9.05		11.62	11.88	10.98	11.6	11.51	7.31	
10/31/06		11.26	11.37	11.29	11.49	9.35		10.16	8.96	11.05	11.06	8.48	8.86	
11/29/06		11.28	11.45	11.36	11.66	7.15		10.34	11.45	10.19	11.43	11.10	9.36	
12/29/06		11.26	9.82	11.51	11.64	9.02		11.54	11.52	10.45	11.45	11.42	10.85	

Notes:

(1) Buried with snow and could not be accessed.

TABLE 2.7  
PH READINGS  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK

Monitoring Location	MH10	OGC-7	MH11	MW-8	OGC-3	MH12	MH13	OGC-8	MH14	MW-9	OGC-4	MH15	MH16	MH17
Date														
01/26/07		11.63	11.33	11.82	12.07	9.27		11.87	9.70	11.65	11.84	7.73	7.17	
02/27/07		11.58	10.76	11.66	12.07	8.39		11.91	7.29	11.17	11.92	8.31	7.07	
03/30/07		11.39	9.58	11.61	11.95	8.65		11.78	11.57	11.03	11.69	11.27	8.38	
04/30/07		11.19	10.01	11.42	11.63	8.44		11.40	11.48	11.38	10.73	10.76	7.29	
05/25/07		11.16	11.00	11.41	11.70	8.26		11.35	11.51	10.99	11.26	11.10	7.46	
06/29/07		11.12	10.54	11.38	11.57	8.83		11.31	11.38	10.48	10.94	11.00	7.21	
07/25/07		11.30	11.04	11.55	11.87	8.76		11.61	11.68	10.79	11.43	11.07	7.16	
08/31/07		11.01	10.99	11.11	11.34	8.76		11.14	11.22	10.19	10.88	10.45	6.33	
09/27/07		10.96	9.28	11.20	11.48	8.86		11.26	11.33	9.76	11.03	9.64	6.56	
10/31/07		11.19	11.33	11.24	11.75	9.30		11.02	11.57	10.60	11.38	10.61	7.68	
11/30/07		11.22	8.89	11.51	12.04	9.07		11.47	11.64	10.76	11.66	11.07	7.38	
12/31/07		11.24	9.25	11.43	11.80	8.84		11.73	11.46	10.78	11.60	10.76	7.07	
01/28/08		11.78	10.50	12.07	12.46	9.09		11.93	10.80	11.21	12.00	9.44	6.93	
02/29/08		11.63	11.44	11.60	12.01	9.43		11.92	11.91	10.10	11.85	10.78	6.84	
03/31/08		11.61	9.05	11.78	12.07	9.14		11.79	11.95	10.54	11.94	11.13	7.52	
04/28/08		11.64	10.46	11.88	12.28	7.54		11.91	11.65	10.97	11.80	11.21	7.70	
05/29/08		11.50	10.91	11.53	12.00	8.88		12.10	11.86	10.14	11.88	11.45	8.73	
06/25/08		11.40	10.76	11.62	11.88	9.19		11.90	11.86	9.83	11.76	11.33	6.98	
07/31/08		11.36	9.84	11.90	11.67	9.09		11.75	11.55	9.89	11.59	10.95	8.19	
08/27/08		11.27	9.66	11.65	11.89	9.19		11.55	9.75	10.59	11.35	8.32	8.92	
09/26/08		11.17	9.42	11.40	11.69	9.10		11.29	11.42	9.35	11.34	11.12	8.56	
10/30/08		11.31	11.22	11.37	11.83	9.54		11.41	11.08	10.02	11.51	11.09	10.78	
11/22/08		11.29	11.44	11.19	11.75	9.35		10.96	11.14	10.01	11.40	10.48	7.88	
12/31/08		11.58	10.56	11.77	11.92	8.56		11.77	9.76	10.26	11.68	8.41	7.84	
01/30/09		11.65	9.66	12.09	12.31	10.24		12.02	11.10	9.88	11.86	10.62	7.30	
02/25/09		11.15	10.43	11.37	11.57	9.06		11.65	10.90	10.09	11.22	10.83	8.37	
03/27/09		11.36	10.29	11.72	11.80	9.61		11.69	11.66	9.54	11.66	11.56	8.78	
04/30/09		11.37	9.59	11.72	11.90	9.84		11.90	9.10	9.92	11.56	8.92	8.86	
05/27/09		11.55	11.71	11.76	12.13	9.67		11.93	10.80	10.54	11.73	9.72	10.43	
06/29/09		11.14	10.07	11.35	11.61	9.95		11.42	9.81	10.60	11.29	11.01	9.64	
07/27/09		12.63	10.67	13.18	13.36	10.56		12.86	10.68	12.11	12.75	11.78	9.51	
08/31/09		11.57	10.78	11.67	11.90	9.45		11.39	9.14	11.12	11.48	10.96	8.25	
09/30/09		11.19	9.84	11.31	11.44	8.64		11.16	10.51	10.37	11.19	10.57	8.33	
10/30/09		12.29	11.05	12.77	13.02	10.32		12.26	11.81	11.74	12.58	12.01	10.66	
11/30/09		11.41	11.28	11.62	11.93	9.60		11.13	11.33	10.61	11.49	9.99	7.94	
12/30/09		11.47	10.60	12.05	12.21	10.23		11.71	11.02	10.77	11.63	9.00	8.88	

TABLE 2.7  
PH READINGS  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK

Monitoring Location	MH10	OGC-7	MH11	MW-8	OGC-3	MH12	MH13	OGC-8	MH14	MW-9	OGC-4	MH15	MH16	MH17
<i>Date</i>														
01/29/10		11.19	11.03	11.58	11.45	10.60		11.62	11.39	10.52	11.29	9.71	9.22	
02/26/10		11.30	10.91	11.59	11.74	10.27		11.64	11.32	11.02	11.30	10.62	8.64	
03/30/10		11.68	11.74	11.51	12.06	10.62		11.78	11.24	11.49	11.76	10.86	9.14	
04/30/10		11.78	11.67	12.11	12.16	10.30		12.15	10.85	11.44	11.92	10.85	9.58	
05/26/10		11.81	10.92	11.85	12.14	10.51		11.88	10.14	11.14	11.60	11.10	9.12	
06/28/10		10.30	9.26	10.70	10.70	9.18		10.42	8.81	9.90	10.24	8.36	7.48	
07/27/10		12.18	10.31	12.76	12.77	10.08		12.31	10.49	11.56	12.03	9.19	8.46	
08/26/10		12.23	11.60	11.62	12.37	10.04		11.56	8.17	11.50	11.38	7.52	8.87	
09/28/10		12.29	11.89	12.39	12.43	10.21		11.68	10.04	11.24	11.45	7.69	8.48	
10/27/10		11.76	11.53	11.81	11.89	9.81		11.65	10.12	11.10	11.39	8.52	9.50	
11/24/10		11.67	11.48	11.85	12.08	9.90		11.42	9.97	10.67	11.64	8.12	8.30	
12/28/10		11.72	11.17	12.03	12.12	10.17		11.57	9.70	10.91	11.73	8.00	7.87	
01/31/11		11.75	11.52	11.27	11.08	9.68		12.36	9.80	11.03	11.53	8.47	10.08	
02/28/11		11.68	10.82	11.88	11.96	10.00		12.23	11.12	11.30	11.51	7.93	8.05	
03/30/11		11.03	10.46	11.21	11.59	9.71		11.13	9.62	11.00	11.50	8.32	8.11	
04/27/11		11.69	9.99	11.78	12.17	9.05		12.09	9.59	11.40	11.78	8.39	8.84	
05/26/11		11.48	10.08	11.58	11.97	9.55		11.25	9.27	11.26	11.32	7.62	8.26	

TABLE 2.7  
PH READINGS  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK

<i>Monitoring Location</i>	<i>City MH1</i>	<i>City MH2</i>	<i>City MH3</i>
<i>Date</i>			
07/24/00	6.3	7.3	
10/24/00	7.08	7.52	7.41
03/29/01	7.52	7.50	7.16
06/15/01	7.7	7.69	7.4
06/22/01	8.0	7.9	7.8
07/31/01	8.0	8.0	7.7
08/20/01	8.2	8.3	8.0
09/28/01	8.1	8.3	7.9
10/22/01	8.0	8.0	7.8
11/27/01	7.9	8.2	8.01
12/20/01	*	*	*
01/29/02	7.62	7.93	7.97
02/11/02	7.52	7.73	7.79
03/25/02	*	*	*
04/24/02	7.46	7.62	7.69
05/21/02	7.47	7.66	7.72
06/20/02	7.57	7.69	7.78
07/18/02	7.72	7.84	8.01
08/06/02	7.63	7.68	7.92
09/12/02	7.72	7.79	7.98
10/30/02	7.73	7.8	7.93
11/21/02	7.32	7.37	7.41
12/11/02	7.29	7.31	7.35
01/16/03	7.62	7.7	7.79
02/25/03	7.64	7.71	7.89
03/14/03	7.39	7.54	7.61
04/14/03	7.22	7.39	7.41
05/08/03	7.29	7.43	7.48
06/19/03	7.27	7.39	7.41
07/21/03	7.25	7.36	7.38
08/28/03	7.29	7.44	7.41
09/30/03	7.29	7.45	7.40
10/20/03	7.4	7.71	7.39
11/03/03	8.46	7.14	7.27
12/23/03	9.34	7.63	7.57

Note:

\* - pH meter malfunctioned.

TABLE 2.7  
PH READINGS  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK

<i>Monitoring Location</i>	<i>City MH1</i>	<i>City MH2</i>	<i>City MH3</i>
<i>Date</i>			
01/21/04	(2)	8.12	(2)
02/12/04	8.45	7.77	7.65
03/04/04	8.21	7.76	7.79
04/16/04	10.95	8.38	8.32
05/14/04	7.30	7.62	7.75
06/25/04	8.06	7.99	7.94
07/30/04	7.85	7.90	7.81
08/31/04	10.2	7.5	7.4
09/30/04	8.6	7.7	7.9
10/20/04	7.59	7.56	7.61
11/23/04	9.64	7.6	7.67
12/31/04	9.09	7.68	7.38
01/28/05	8.92	7.58	7.40
02/28/05	(1)	8.16	7.90
03/31/05	8.49	7.59	7.55
04/29/05	8.74	8.05	7.89
05/27/05	9.24	8.33	8.27
06/24/05	10.53	8.44	8.24
07/29/05	7.3	7.16	6.96
08/31/05	8.06	6.87	7.13
10/03/05	10.3	8.1	NM
10/31/05	10.76	7.9	7.93
11/22/05	9.50	8.54	7.34
12/23/05	10.58	(3)	(3)
01/27/06	10.76	7.87	7.84
02/28/06	11.29	8.73	8.64
03/24/06	11.18	7.98	7.78
04/21/06	NM	8.28	8.05
05/30/06	10.88	7.73	7.63
06/26/06	8.84	7.73	7.68
07/31/06	7.51	7.02	7.24
08/25/06	9.72	7.82	7.67
09/22/06	11.29	8.34	8.99
10/31/06	10.70	8.61	8.13
11/29/06	10.77	8.27	8.04
12/29/06	10.60	8.07	7.73

## Notes:

- \* - pH meter malfunctioned.
- NM - Not Measured.
- (1) - Buried with snow.
- (2) - Road conditions were not safe to allow for monitoring.
- (3) - pH probe damaged.

TABLE 2.7  
PH READINGS  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK

<i>Monitoring Location</i>	<i>City MH1</i>	<i>City MH2</i>	<i>City MH3</i>
<i>Date</i>			
01/26/07	11.20	7.76	7.81
02/27/07	8.72	8.15	7.86
03/30/07	10.90	8.29	8.42
04/30/07	10.71	8.52	8.30
05/25/07	10.99	7.74	7.68
06/29/07	9.47	7.61	7.62
07/25/07	6.96	6.61	6.60
08/31/07	8.68	7.79	7.52
09/27/07	10.63	8.86	8.73
10/31/07	8.98	7.96	7.85
11/30/07	10.39	7.96	7.97
12/31/07	10.59	9.40	9.20
01/28/08	9.65	9.98	8.41
02/29/08	11.21	8.30	8.13
03/31/08	10.53	8.29	8.33
04/28/08	11.48	10.09	8.23
05/29/08	11.11	10.94	9.92
06/25/08	9.57	8.18	8.68
07/31/08	9.77	8.46	8.85
08/27/08	6.61	7.02	7.24
09/26/08	10.61	9.90	9.72
10/30/08	11.00	9.01	8.58
11/22/08	10.36	9.02	9.57
12/31/08	6.70	7.69	6.77
01/30/09	10.48	9.37	9.29
02/25/09	11.58	10.93	10.28
03/27/09	11.08	11.03	11.04
04/30/09	9.23	9.16	8.27
05/27/09	10.60	10.23	9.42
06/29/09	11.06	10.92	10.67
07/27/09	11.00	9.48	8.69
08/31/09	10.12	8.36	8.43
09/30/09	9.94	8.87	9.38
10/30/09	11.20	10.62	9.00
11/30/09	9.50	8.46	7.27
12/30/09	9.30	9.73	9.08

TABLE 2.7  
PH READINGS  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK

<i>Monitoring Location</i>	<i>City MH1</i>	<i>City MH2</i>	<i>City MH3</i>
<i>Date</i>			
01/29/10	8.64	8.94	8.74
02/26/10	10.42	10.15	9.35
03/30./10	10.14	9.11	9.29
04/30/10	11.25	11.09	10.99
05/26/10	9.97	9.26	8.96
06/28/10	8.15	7.86	7.69
07/27/10	9.71	8.92	8.61
08/26/10	10.06	8.96	9.50
09/29/10	10.22	9.54	9.48
10/27/10	11.42	10.80	10.43
11/24/10	10.98	9.03	9.12
12/28/10	9.12	8.27	8.26
01/31/11	11.66	10.34	10.45
02/28/11	9.62	8.82	8.57
03/30/11	10.22	10.05	10.03
04/27/11	10.54	9.86	9.60
05/26/11	10.42	10.01	9.79

TABLE 2.8

**EFFLUENT SAMPLING SUMMARY  
JUNE 2001 TO FEBRUARY 2007  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK**

**LOCATIONS**

effluent monitoring station at Site discharge point

**FREQUENCY**

monthly (as dictated by the City of North Tonawanda Industrial Wastewater Discharge Permit)

**PARAMETERS***Volatiles*

Acetone	Methylene Chloride
Benzene	Styrene
2-Butanone	Tetrachloroethene
Chlorobenzene	Toluene
1,1-Dichloroethane	1,1,1-Trichloroethane
1,2-Dichloroethane	Trichloroethene
trans-1,2-Dichloroethene	Vinyl Chloride
Ethylbenzene	Xylenes (Total)

*Semi-Volatiles*

1,4-Dichlorobenzene	4-Methylphenol
1,2-Dichlorobenzene	Naphthalene
2,4-Dimethylphenol	Di-n-octylphthalate
2-Methylphenol	Phenols (4AAP)

*Inorganics*

Aluminum	Lead
Antimony	Magnesium
Arsenic	Manganese
Barium	Mercury
Beryllium	Nickel
Cadmium	Selenium
Chromium	Silver
Copper	Sodium
Iron	Zinc

*Wet Chemistry*

Alkalinity (Bicarbonate)	Oil and Grease
Alkalinity (Total)	pH
BOD	Phosphorous
Chloride	Sulfate
COD	Sulfide
Cyanide	TDS
Hardness	TKN
NH <sub>3</sub>	TOC
NO <sub>3</sub>	TSS



TABLE 2.9

EFFLUENT SAMPLING SUMMARY  
SUBSEQUENT TO FEBRUARY 2007  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK

LOCATIONS

effluent monitoring station at Site discharge point

FREQUENCY

Semi-Annual (Spring and Fall as dictated by the City of North Tonawanda  
Industrial Wastewater Discharge Permit dated January 31, 2007)

PARAMETERS

*Volatiles*

Acetone	Methylene Chloride
Benzene	Styrene
2-Butanone	Tetrachloroethene
Chlorobenzene	Toluene
1,1-Dichloroethane	1,1,1-Trichloroethane
1,2-Dichloroethane	Trichloroethene
trans-1,2-Dichloroethene	Vinyl Chloride
Ethylbenzene	Xylenes (Total)

*Semi-Volatiles*

1,4-Dichlorobenzene	4-Methylphenol
1,2-Dichlorobenzene	Naphthalene
2,4-Dimethylphenol	Di-n-octylphthalate
2-Methylphenol	Phenols (4AAP)

*Wet Chemistry*

Chloride  
Cyanide  
NH<sub>3</sub>  
NO<sub>3</sub>  
Phosphorous  
Sulfate  
Sulfide

TABLE 2.10  
ANALYTICAL RESULTS SUMMARY  
SITE EFFLUENT  
GRATWICK-RIVERSIDE PARK SITE

<i>Sample ID:</i>				
<i>Sample Date:</i>		09/13/10	03/07/11	<i>Surface Water Standard</i> <sup>(1)</sup>
<i>Parameter</i>	<i>Unit</i>			
<i>Volatiles</i>				
1,1,1-Trichloroethane	µg/L	5.0U	5.0U	5
1,1-Dichloroethane	µg/L	5.0U	5.0U	5
1,2-Dichloroethane	µg/L	5.0U	5.0U	0.6
2-Butanone	µg/L	25U	25U	50
Acetone	µg/L	25U	25U	50
Benzene	µg/L	5.0U	5.0U	1
Chlorobenzene	µg/L	5.0U	5.0U	5
Ethylbenzene	µg/L	5.0U	5.0U	5
Methylene chloride	µg/L	5.0U	5.0U	5
Styrene	µg/L	5.0U	5.0U	5
Tetrachloroethene	µg/L	5.0U	5.0U	0.7 <sup>(2)</sup>
Toluene	µg/L	7.5	12	5
trans-1,2-Dichloroethene	µg/L	5.0U	5.0U	5
Trichloroethene	µg/L	15	30	5 <sup>(2)</sup>
Vinyl chloride	µg/L	5.0U	5.0U	0.3 <sup>(2)</sup>
Xylene (total)	µg/L	10U	10U	5
<i>Semi-Volatiles</i>				
1,2-Dichlorobenzene	µg/L	0.68U	0.15U	3
1,4-Dichlorobenzene	µg/L	0.42U	0.090U	3
2,4-Dimethylphenol	µg/L	3.5	0.13U	50 <sup>(2)</sup>
2-Methylphenol	µg/L	1.0U	0.22U	NL
4-Methylphenol	µg/L	5.0U	0.62U	NL
Di-n-octyl phthalate	µg/L	21	4.6U	50 <sup>(2)</sup>
Naphthalene	µg/L	0.38U	0.080U	10
Phenol	µg/L	0.57U	0.12U	1

**TABLE 2.10**  
**ANALYTICAL RESULTS SUMMARY**  
**SITE EFFLUENT**  
**GRATWICK-RIVERSIDE PARK SITE**

<i>Sample ID:</i>				
<i>Sample Date:</i>		09/13/10	03/07/11	
<i>Parameter</i>	<i>Unit</i>			<i>Surface Water Standard</i> <sup>(1)</sup>
<i>Metals</i>				
Aluminum	mg/L	0.20U	0.45	NL
Antimony	mg/L	0.20U	0.020U	0.003
Arsenic	mg/L	0.010U	0.010U	0.050
Barium	mg/L	0.069	0.086	1.0
Beryllium	mg/L	0.0020U	0.0020U	0.003 <sup>(2)</sup>
Cadmium	mg/L	0.0010U	0.0010U	0.005
Chromium	mg/L	0.0040U	0.0040U	0.050
Copper	mg/L	0.027	0.023	0.023 <sup>(3)</sup>
Iron	mg/L	0.050U	0.39	0.30
Lead	mg/L	0.0050U	0.0050U	0.012
Magnesium	mg/L	1.43	3.5	35
Manganese	mg/L	0.030U	0.012	0.30
Mercury	mg/L	0.00020U	0.00020U	0.0000026 <sup>(4)</sup>
Nickel	mg/L	0.010U	0.010U	0.10
Selenium	mg/L	0.015U	0.015U	0.0046 <sup>(4)</sup>
Silver	mg/L	0.0030U	0.0030U	0.050
Sodium	mg/L	253	372	NL
Zinc	mg/L	0.010U	0.010	2.0 <sup>(2)</sup>

**TABLE 2.10**  
**ANALYTICAL RESULTS SUMMARY**  
**SITE EFFLUENT**  
**GRATWICK-RIVERSIDE PARK SITE**

<i>Sample ID:</i>				
<i>Sample Date:</i>		09/13/10	03/07/11	<i>Surface Water Standard</i> <sup>(1)</sup>
<i>Parameter</i>	<i>Unit</i>			
<i>General Chemistry</i>				
pH	S.U.	9.39	9.95	NL
Hardness	mg/L	213	235	NL
Total Dissolved Solids (TDS)	mg/L	1040	1450	NL
Total Suspended Solids (TSS)	mg/L	7	6	NL
Chloride	mg/L	423	655	250
BOD	mg/L	24	16	NL
COD	mg/L	33	37	NL
Oil and Grease	mg/L	0.10U	0.010U	NL
Organic Carbon	mg/L	7.1	8.1	NL
Alkalinity, Total (As CaCO <sub>3</sub> )	mg/L	53.9	57	NL
Bicarbonate (as CaCO <sub>3</sub> )	mg/L	53.9	11.1	NL
Ammonia	mg/L	1.96	1.12	2.0
Nitrate (as N)	mg/L	0.050U	0.050U	10
TKN	mg/L	2.24	2.24	NL
Sulfate	mg/L	184	135	250
Sulfide	mg/L	2.0	2.0	0.002
Phenol	mg/L	0.008U	0.008U	0.001
Phosphorous	mg/L	0.12	0.13	0.020 <sup>(2)</sup>
Cyanide	mg/L	0.005U	0.005	0.0052

## Notes:

U - Non-detect at associated value

-- Not Analyzed

J - Estimated

NL - Not Listed

SL - Sample Lost

(1) - Lowest Standard/Guidance Value shown

(2) - Guidance Value

(3) - Calculated using a hardness of 300 ppm

(4) - Applies to dissolved form

(5) - TOC analyzer malfunction prevented analysis of this compound.

TABLE 2.11

**GROUNDWATER VOLUMES DISCHARGED  
TO NORTH TONAWANDA POTW  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK**

<i>Month</i>	<i>Volumes (gallons)</i>	
	<i>Monthly</i>	<i>Total</i>
May 2001	2,900,000	2,900,000
June 2001	2,353,800	5,253,800
July 2001	1,488,500	6,742,300
August 2001	712,800	7,455,100
September 2001	473,100	7,928,200
October 2001	1,213,100	9,141,300
November 2001	1,281,100	10,422,400
December 2001	231,700 <sup>(1)</sup>	10,654,100
January 2002	1,383,200 <sup>(2)</sup>	12,037,300
February 2002	1,186,000	13,223,300
March 2002	233,600	13,456,900
April 2002	736,000	14,192,900
May 2002	348,200	14,541,100
June 2002	1,137,200	15,678,300
July 2002	869,300	16,547,600
August 2002	1,060,800	17,608,400
September 2002	707,000	18,315,400
October 2002	679,800	18,995,100
November 2002	489,500	19,484,700
December 2002	743,500	20,228,200
January 2003	1,150,700	21,378,900
February 2003	483,300	21,862,200
March 2003	402,300	22,264,500
April 2003	531,900	22,796,400
May 2003	655,600	23,452,000
June 2003	682,100	24,134,000
July 2003	942,000	25,076,100
August 2003	627,500	25,703,600
September 2003	349,600	26,053,200
October 2003	966,500	27,019,700
November 2003	442,200	27,461,900
December 2003	463,900	27,925,800

TABLE 2.11

**GROUNDWATER VOLUMES DISCHARGED  
TO NORTH TONAWANDA POTW  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK**

<i>Month</i>	<i>Volumes (gallons)</i>	
	<i>Monthly</i>	<i>Total</i>
January 2004	443,900	28,369,700
February 2004	253,700	28,623,400
March 2004	403,700	29,027,100
April 2004	433,600	29,460,700
May 2004	377,400	29,838,100
June 2004	395,000	30,233,100
July 2004	384,300	30,617,400
August 2004	479,700	31,097,100
September 2004	413,900	31,511,000
October 2004	319,400	31,902,400
November 2004	249,200	32,151,600
December 2004	209,900	32,361,500
January 2005	310,100	32,671,600
February 2005	301,100	32,972,700
March 2005	250,200	33,222,900
April 2005	378,400	33,601,300
May 2005	458,800	34,060,100
June 2005	455,900	34,516,000
July 2005	270,200	34,786,200
August 2005	285,100	35,071,300
September 2005	395,600	35,466,900
October 2005	333,200	35,800,100
November 2005	360,200	36,160,300
December 2005	395,300	36,555,600
January 2006	297,500	36,853,100
February 2006	508,300	37,361,400
March 2006	244,700	37,606,100
April 2006	224,400	37,830,500
May 2006	153,300	37,983,800
June 2006	262,300	38,246,100
July 2006	212,900	38,459,000
August 2006	357,500	38,816,500

TABLE 2.11

**GROUNDWATER VOLUMES DISCHARGED  
TO NORTH TONAWANDA POTW  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK**

<i>Month</i>	<i>Volumes (gallons)</i>	
	<i>Monthly</i>	<i>Total</i>
September 2006	777,000	39,593,500
October 2006	254,700	39,848,200
November 2006	778,700	40,626,900
December 2006	496,600	41,123,500
January 2007	410,500	41,534,000
February 2007	494,600	42,028,600
March, April & May 2007	1,489,200 <sup>(3)</sup>	43,517,800
June 2007	334,300	43,852,100
July 2007	258,600	44,110,700
August 2007	239,000	44,349,700
September 2007	59,500 <sup>(4)</sup>	44,409,200
October 2007 through January 2008	50,600 <sup>(4)</sup>	44,459,800
February 2008	23,800 <sup>(4)</sup>	44,483,600
March 2008	1,238,300	45,721,900
April 2008	2,126,700	47,848,600
May 2008	1,771,100	49,619,700
June 2008	618,000	50,237,700
July 2008	1,559,200	51,796,900
August 2008	1,365,900	53,162,800
September 2008	1,998,000	55,160,800
October 2008	2,511,100	57,671,900
November 2008	1,151,600	58,823,500
December 2008	572,700	59,396,200
January 2009	1,021,700	60,417,900
February 2009	2,661,400	63,079,300
March 2009	4,239,300	67,318,600
April 2009	1,189,900	68,508,500
May 2009	1,362,500	69,871,000
June 2009	1,035,200	70,906,200
July 2009	1,010,100	71,916,300
August 2009	1,058,000	72,974,400

TABLE 2.11

**GROUNDWATER VOLUMES DISCHARGED  
TO NORTH TONAWANDA POTW  
GRATWICK-RIVERSIDE PARK SITE  
NORTH TONAWANDA, NEW YORK**

<i>Month</i>	<i>Volumes (gallons)</i>	
	<i>Monthly</i>	<i>Total</i>
September 2009	947,000	73,921,400
October 2009	690,800	74,612,200
November 2009	697,500	75,309,700
December 2009	1,100,900	76,410,600
January 2010	767,100	77,177,700
February 2010	398,600	77,576,300
March 2010	1,094,500	78,670,800
April 2010	761,000	79,431,800
May 2010	354,700	79,786,500
June 2010	170,300	79,956,800
July 2010	323,600	80,280,400
August 2010	1,292,400	81,572,800
September 2010	672,800	82,245,600
October 2010	972,800	83,218,400
November 2010	433,500	83,651,900
December 2010	483,900	84,135,800
January 2011	420,300	84,556,100
February 2011	257,000	84,813,100
March 2011	1,136,700	85,949,800
April 2011	875,300	86,825,100
May 2011	727,500	87,552,600

## Notes:

- (1) To December 7, 2001.
- (2) From December 8, 2001.
- (3) Plotted as 496,400 gallons on Figure 2.18 for each of March, April, and May 2007.
- (4) Meter malfunctioned due to tar-like material buildup inside meter. Meter was cleaned on March 14, 2008. Volumes not plotted on Figure 2.18 as volumes are not representative of actual volume removed.



APPENDIX A

MONTHLY INSPECTION LOGS  
(JUNE 2010 TO MAY 2011)

# GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 01/02/10  
(MM DD YY)

INSPECTOR(S): S GARDNER, J FALBO

Item	Inspect For	Action Required	Comments
<b>1. Perimeter Collection System/Off-Site Forcemain</b>			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	<b>Manholes</b> - cover on securely - condition of cover - condition of inside of manhole - flow conditions	NONE	
		↓	
		W/L IN MHL HIGH	
		NONE	
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	<b>Wet Wells</b> - cover on securely - condition of cover - condition of inside of wet well	↓	
<b>2. Landfill Cap</b>			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	<b>Vegetated Soil Cover</b> - erosion - bare areas - washouts - leachate seeps - length of vegetation - dead/dying vegetation	NONE	
		↓	

FORM 17

# GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG




PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 01/02/81  
(MM DD YY)

INSPECTOR(S): S GARDNER, J FALBO

Comments

Item	Inspect For	Action Required	Comments
2. Landfill Cap (continued)			
 Access Roads	- bare areas, dead/dying veg.	NONE	
	- erosion	20 FT SOUTH OF OGC-7, SEVERAL	LARGE HOLES EXPOSING
	- potholes or puddles	WIRE MESH + RIP RAP	
	- obstruction	NONE	
 3. Wetlands (Area "F")	- dead/dying vegetation		
	- change in water budget		
	- general condition of wetlands		
 4. Other Site Systems			
	Perimeter Fence		
	- integrity of fence	NA	
	- integrity of gates		
	- integrity of locks		
	- placement and condition of signs		

FORM 17

# GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 06/28/09  
(MM DD YY)

INSPECTOR(S): S GARDNER, J FALBO

Comments

Item	Inspect For	Action Required	Comments
4. <input checked="" type="checkbox"/> Other Site Systems (continued)		NONE	
<input checked="" type="checkbox"/> Drainage Ditches/ Swale Outlets	- sediment build-up		
	- erosion		
	- condition of erosion protection		
	- flow obstructions		
	- dead/dying vegetation		
	- cable concrete/gabion mats and riprap		
<input checked="" type="checkbox"/> Culverts	- sediment build-up		
	- erosion		
	- condition of erosion protection		
	- flow obstructions		
<input type="checkbox"/> Gas Vents	- intact / damage	NA	
<input checked="" type="checkbox"/> Wells	- locks secure	NONE	

FORM 17

# GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 07/27/07  
(MM DD YY)

INSPECTOR(S): SG/JF

Item	Inspect For	Action Required	Comments
1. Perimeter Collection System/Off-Site Forcemain			
	Manholes	- cover on securely	
		- condition of cover	
		- condition of inside of manhole	
		- flow conditions	MH:3 W/L IN CHAMBER IS HIGH
	Wet Wells	- cover on securely	
		- condition of cover	
		- condition of inside of wet well	
2. Landfill Cap			
	Vegetated Soil Cover	- erosion	
		- bare areas	
		- washouts	
		- leachate seeps	
		- length of vegetation	
		- dead/dying vegetation	

FORM 17

# GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG




PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 07/27/10  
(MM DD YY)

INSPECTOR(S): SG/JF

Comments

Item	Inspect For	Action Required	Comments
<b>2. Landfill Cap (continued)</b>			
	Access Roads	- bare areas, dead/dying veg. - erosion - potholes or puddles - obstruction	NONE SEVERAL LARGE HOLES EXPOSING WIRE MESH & RIP RAP 20 FT SOUTH OF OGC-7 NONE
<b>3. Wetlands (Area "F")</b>			
		- dead/dying vegetation - change in water budget - general condition of wetlands	
<b>4. Other Site Systems</b>			
	Perimeter Fence	- integrity of fence - integrity of gates - integrity of locks - placement and condition of signs	NA

FORM 17

# GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 07/27/01  
(MM DD YY)

INSPECTOR(S): SG/JF

Item	Inspect For	Action Required	Comments
4. Other Site Systems (continued)			
<input type="checkbox"/> Drainage Ditches/ Swale Outlets	- sediment build-up	NONE	
<input type="checkbox"/>	- erosion		
<input type="checkbox"/>	- condition of erosion protection		
<input type="checkbox"/>	- flow obstructions		
<input type="checkbox"/>	- dead/dying vegetation		
<input type="checkbox"/>	- cable concrete/gabion mats and riprap		
<input type="checkbox"/> Culverts	- sediment build-up		
<input type="checkbox"/>	- erosion		
<input type="checkbox"/>	- condition of erosion protection		
<input type="checkbox"/>	- flow obstructions		
<input type="checkbox"/> Gas Vents	- intact / damage	NA	
<input type="checkbox"/> Wells	- locks secure	NONE	

FORM 17




# GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 08/26/10  
(MM DD YY)

INSPECTOR(S): D TYRAN, S. GARDNER

Item	Inspect For	Action Required	Comments
1. Perimeter Collection System/Off-Site Forcemain			
	Manholes	- cover on securely	
		- condition of cover	
		- condition of inside of manhole	MH-3 W/L IN CHAMBER IS HIGH
		- flow conditions	MH-2 W/L IN MANHOLE IS HIGH
	Wet Wells	- cover on securely	
		- condition of cover	
		- condition of inside of wet well	
2. Landfill Cap			
	Vegetated Soil Cover	- erosion	SMALL AREAS OF BANK EROSION 15FT EAST OF RIVER MIDDLE
		- bare areas	LOTS OF BANK EROSION NORTH OF RIVER NORTH PILE
		- washouts	
		- leachate seeps	
		- length of vegetation	
		- dead/dying vegetation	

FORM 17



# GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 08/26/10  
(MM DD YY)

INSPECTOR(S): D TYRAN, S GARDNER

Item	Inspect For	Action Required	Comments
2. Landfill Cap (continued)			
<input checked="" type="checkbox"/> Access Roads	- bare areas, dead/dying veg. - erosion - potholes or puddles - obstruction	SEVERAL HOLES EXPOSING WIRE MESH + RIP RAP 20FT SOUTH + 5FT NORTH OF OGC-7 NONE	
3. Wetlands (Area "F")	- dead/dying vegetation - change in water budget - general condition of wetlands		
4. Other Site Systems			
<input type="checkbox"/> Perimeter Fence	- integrity of fence - integrity of gates - integrity of locks - placement and condition of signs	NA	

FORM 17

# GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 08/26/10  
(MM DD YY)

INSPECTOR(S): D TYRAN, S GARDNER

Item	Inspect For	Action Required	Comments
4. <input checked="" type="checkbox"/> Other Site Systems (continued)			
<input checked="" type="checkbox"/> Drainage Ditches/ Swale Outlets	- sediment build-up	NONE	
	- erosion		
	- condition of erosion protection		
	- flow obstructions		
	- dead/dying vegetation		
	- cable concrete/gabion mats and riprap		
<input checked="" type="checkbox"/> Culverts	- sediment build-up		
	- erosion		
	- condition of erosion protection		
	- flow obstructions		
<input type="checkbox"/> Gas Vents	- intact / damage	NA	
<input checked="" type="checkbox"/> Wells	- locks secure	NONE	

FORM 17

# GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 09/28/01  
(MM DD YY)

INSPECTOR(S): D TYRAN, S GARDNER

Item	Inspect For	Action Required	Comments
<b>1. Perimeter Collection System/Off-Site Forcemain</b>			
<input checked="" type="checkbox"/> Manholes	- cover on securely	NONE	
	- condition of cover	↓	
	- condition of inside of manhole	MH-3 + MH-2 W/LS HIGH	
	- flow conditions	NONE	
<input checked="" type="checkbox"/> Wet Wells	- cover on securely	↓	
	- condition of cover		
	- condition of inside of wet well	↓	
<b>2. Landfill Cap</b>			
<input checked="" type="checkbox"/> Vegetated Soil Cover	- erosion	SMALL AREAS OF BANK EROSION	15FT EAST OF RIVER MIDDLE
	- bare areas	LOTS OF BANK EROSION NORTH	OF RIVER NORTH PIPE
	- washouts	NONE	
	- leachate seeps	↓	
	- length of vegetation		
	- dead/dying vegetation	↓	

FORM 17

# GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 09/28/01  
(MM DD YY)

INSPECTOR(S): D. TYRAN, S. GARDNER

Item	Inspect For	Action Required	Comments
2. Landfill Cap (continued)			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Access Roads	- bare areas, dead/dying veg. - erosion - potholes or puddles - obstruction	SEVERAL HOLES EXPOSING WIRE MESH + RIP RAP 20 FT SOUTH + 5 FT EAST (C) NORTH OF OGC-7 NONE
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	3. Wetlands (Area "F")	- dead/dying vegetation - change in water budget - general condition of wetlands	
4. Other Site Systems			
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Perimeter Fence	- integrity of fence - integrity of gates - integrity of locks - placement and condition of signs	NA

FORM 17

# GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 10/9/21  
(MM DD YY)

INSPECTOR(S): D. TYRAN, SHAWN GARDNER

Item	Inspect For	Action Required	Comments
4. Other Site Systems (continued)		NONE	
<input checked="" type="checkbox"/> Drainage Ditches/ Swale Outlets	- sediment build-up - erosion - condition of erosion protection - flow obstructions - dead/dying vegetation - cable concrete/gabion mats and riprap		
<input checked="" type="checkbox"/> Culverts	- sediment build-up - erosion - condition of erosion protection - flow obstructions		
<input type="checkbox"/> Gas Vents	- intact / damage	NA	
<input checked="" type="checkbox"/> Wells	- locks secure	NONE	

FORM 17

# GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 11/02/71/0  
(MM DD YY)

INSPECTOR(S): DJT

Item	Inspect For	Action Required	Comments
1. Perimeter Collection System/Off-Site Forcemain			
<input checked="" type="checkbox"/> Manholes	- cover on securely	NONE	
<input checked="" type="checkbox"/>	- condition of cover		
<input checked="" type="checkbox"/>	- condition of inside of manhole		
<input checked="" type="checkbox"/>	- flow conditions		
<input checked="" type="checkbox"/> Wet Wells	- cover on securely		
<input checked="" type="checkbox"/>	- condition of cover		
<input checked="" type="checkbox"/>	- condition of inside of wet well		
2. Landfill Cap			
<input checked="" type="checkbox"/> Vegetated Soil Cover	- erosion	SMALL AREAS OF BANK EROSION 15FT EAST OF RIVER	
<input checked="" type="checkbox"/>	- bare areas	MIDDLE	
<input checked="" type="checkbox"/>	- washouts	LOTS OF BANK EROSION NORTH OF RIVER NORTH	
<input checked="" type="checkbox"/>	- leachate seeps	PIPE	
<input checked="" type="checkbox"/>	- length of vegetation		
<input checked="" type="checkbox"/>	- dead/dying vegetation		

FORM 17




# GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 11/02/71/9  
(MM DD YY)

INSPECTOR(S): DJT

Item	Inspect For	Action Required	Comments
2. Landfill Cap (continued)			
	Access Roads	<ul style="list-style-type: none"> <li>- bare areas, dead/dying veg.</li> <li>- erosion</li> <li>- potholes or puddles</li> <li>- obstruction</li> </ul>	<p>SEVERAL HOLES EXPOSING WIRE MESH + RIP RAP 20FT SOUTH AND 5FT NORTH OF OGC-7</p> <p>NONE</p>
	3. Wetlands (Area "F")	<ul style="list-style-type: none"> <li>- dead/dying vegetation</li> <li>- change in water budget</li> <li>- general condition of wetlands</li> </ul>	
4. Other Site Systems			
	Perimeter Fence	<ul style="list-style-type: none"> <li>- integrity of fence</li> <li>- integrity of gates</li> <li>- integrity of locks</li> <li>- placement and condition of signs</li> </ul>	<p>NA</p>

FORM 17

# GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 11/02/11  
(MM DD YY)

INSPECTOR(S): DJT

Item	Inspect For	Action Required	Comments
4. Other Site Systems (continued)			
<input checked="" type="checkbox"/> Drainage Ditches/ Swale Outlets	- sediment build-up	NONE	
	- erosion		
	- condition of erosion protection		
	- flow obstructions		
	- dead/dying vegetation		
	- cable concrete/ gabion mats and riprap		
<input checked="" type="checkbox"/> Culverts	- sediment build-up	↓	
	- erosion		
	- condition of erosion protection		
	- flow obstructions		
<input type="checkbox"/> Gas Vents	- intact / damage	NA	
<input checked="" type="checkbox"/> Wells	- locks secure	NONE	

FORM 17



# GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site





LOCATION: Wheatfield, New York

DATE: 11/12/41/0  
(MM DD YY)

INSPECTOR(S):

DTYRAN, S GARDNER

Comments

Item	Inspect For	Action Required	Comments
<b>1. Perimeter Collection System/Off-Site Forcemain</b>			
 Manholes	- cover on securely	NONE 	
	- condition of cover		
	- condition of inside of manhole		
	- flow conditions		
 Wet Wells	- cover on securely		
	- condition of cover		
	- condition of inside of wet well		
<b>2. Landfill Cap</b>			
 Vegetated Soil Cover	- erosion	SMALL AREAS OF BANK EROSION 15FT EAST OF RIVER MIDDLE LOTS OF BANK EROSION NORTH OF RIVER NORTH PIPE	
	- bare areas		
	- washouts		
	- leachate seeps		
	- length of vegetation		
	- dead/dying vegetation		

FORM 17

# GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE:

 11/24/10  
 (MM DD YY)

INSPECTOR(S): D TYRAN, S GARDNER

Comments

Item	Inspect For	Action Required	Comments
2. Landfill Cap (continued)			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Access Roads	- bare areas, dead/dying veg. - erosion - potholes or puddles - obstruction	SEVERAL HOLES EXPOSING WIRE MESH & RIP RAP 20FT SOUTH AND 5FT NORTH OF OGC-7 NONE
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	3. Wetlands (Area "F")	- dead/dying vegetation - change in water budget - general condition of wetlands	↓
4. Other Site Systems			
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Perimeter Fence	- integrity of fence - integrity of gates - integrity of locks - placement and condition of signs	NA ↓

FORM 17

# GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE:

11	24	10
(MM)	(DD)	(YY)

INSPECTOR(S):

D. TYRAN, S. GARDNER

Comments

Item	Inspect For	Action Required	Comments
4. Other Site Systems (continued)			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Drainage Ditches/ Swale Outlets	- sediment build-up	NONE
		- erosion	
		- condition of erosion protection	
		- flow obstructions	
		- dead/dying vegetation	
		- cable concrete/gabion mats and riprap	
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Culverts	- sediment build-up	↓
		- erosion	
		- condition of erosion protection	
		- flow obstructions	
<input type="checkbox"/>	Gas Vents	- intact / damage	NA
<input checked="" type="checkbox"/>	Wells	- locks secure	NONE

FORM 17

# GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

 DATE: 

1	2	2	8	1	0
(MM)		(DD)		(YY)	

INSPECTOR(S):

DJT/SG

Item	Inspect For	Action Required	Comments
<b>1. Perimeter Collection System/Off-Site Forcemain</b>			
<div style="display: flex; align-items: center;"> <div style="width: 20px; height: 20px; border: 1px solid black; margin-right: 5px;"><div style="width: 100%; height: 100%; background: repeating-linear-gradient(45deg, transparent, transparent 2px, black 2px, black 4px);"></div></div> <div>Manholes</div> </div>	- cover on securely	NONE ↓	
	- condition of cover		
	- condition of inside of manhole		
	- flow conditions		
<div style="display: flex; align-items: center;"> <div style="width: 20px; height: 20px; border: 1px solid black; margin-right: 5px;"><div style="width: 100%; height: 100%; background: repeating-linear-gradient(45deg, transparent, transparent 2px, black 2px, black 4px);"></div></div> <div>Wet Wells</div> </div>	- cover on securely		
	- condition of cover		
	- condition of inside of wet well		
<b>2. Landfill Cap</b>			
<div style="display: flex; align-items: center;"> <div style="width: 20px; height: 20px; border: 1px solid black; margin-right: 5px;"><div style="width: 100%; height: 100%; background: repeating-linear-gradient(45deg, transparent, transparent 2px, black 2px, black 4px);"></div></div> <div>Vegetated Soil Cover</div> </div>	- erosion	ICE AND SNOW COVERED    DORMANT ↓	
	- bare areas		
	- washouts		
	- leachate seeps		
	- length of vegetation		
	- dead/dying vegetation		

FORM 17

# GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York




DATE:

11	22	81	09
(MM)	(DD)	(YY)	

INSPECTOR(S):

DJT/SG

Comments

Item	Inspect For	Action Required	Comments
2. Landfill Cap (continued)			
 Access Roads	- bare areas, dead/dying veg.	ICE + SNOW COVERED	
	- erosion		
	- potholes or puddles		
	- obstruction		
3. Wetlands (Area "F")			
 Wetlands (Area "F")	- dead/dying vegetation	DORMANT	
	- change in water budget		
	- general condition of wetlands		
4. Other Site Systems			
 Perimeter Fence	- integrity of fence	NA	
	- integrity of gates		
	- integrity of locks		
	- placement and condition of signs		

FORM 17

# GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 11/22/81  
(MM DD YY)

INSPECTOR(S):

DST/SB

Item	Inspect For	Action Required	Comments
4. <input checked="" type="checkbox"/> Other Site Systems (continued)			
<input checked="" type="checkbox"/> Drainage Ditches/ Swale Outlets	- sediment build-up - erosion - condition of erosion protection - flow obstructions - dead/dying vegetation - cable concrete/gabion mats and riprap	ICE AND SNOW COVERED ↓	
<input checked="" type="checkbox"/> Culverts	- sediment build-up - erosion - condition of erosion protection - flow obstructions	NONE NONE NONE NONE	
<input type="checkbox"/> Gas Vents	- intact /damage	NA	
<input checked="" type="checkbox"/> Wells	- locks secure	NONE	

FORM 17

# GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 01/31/11  
(MM DD YY)

INSPECTOR(S): D TYRAN, S GARDNER

Item	Inspect For	Action Required	Comments
<b>1. Perimeter Collection System/Off-Site Forcemain</b>			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Manholes	- cover on securely	NONE
		- condition of cover	
		- condition of inside of manhole	
		- flow conditions	
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Wet Wells	- cover on securely	↓
		- condition of cover	
		- condition of inside of wet well	
<b>2. Landfill Cap</b>			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Vegetated Soil Cover	- erosion	SNOW COVERED ± 12"
		- bare areas	
		- washouts	
		- leachate seeps	
		- length of vegetation	
		- dead/dying vegetation	
		DORMANT	↓
		DORMANT	

FORM 17

# GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 01/13/11  
(MM DD YY)

INSPECTOR(S): D TYRAN, S GARDNER

Comments

Item	Inspect For	Action Required	Comments
2. Landfill Cap (continued)			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Access Roads	- bare areas, dead/dying veg. - erosion - potholes or puddles - obstruction	SNOW COVERED $\pm 12"$ DORMANT
3. Wetlands (Area "F")			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>		- dead/dying vegetation	DORMANT
		- change in water budget	
		- general condition of wetlands	SNOW COVERED $\pm 12"$
4. Other Site Systems			
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Perimeter Fence	- integrity of fence - integrity of gates - integrity of locks - placement and condition of signs	NA

FORM 17



# GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 01/13/11  
(MM DD YY)

INSPECTOR(S): D TYRAN, S GARDNER

Item	Inspect For	Action Required	Comments
2. Landfill Cap (continued)			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Access Roads	- bare areas, dead/dying veg. - erosion - potholes or puddles - obstruction	SNOW COVERED $\pm 12"$ DORMANT
3. Wetlands (Area "F")			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>		- dead/dying vegetation - change in water budget - general condition of wetlands	DORMANT SNOW COVERED $\pm 12"$
4. Other Site Systems			
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>	Perimeter Fence	- integrity of fence - integrity of gates - integrity of locks - placement and condition of signs	NA

FORM 17

# GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 01/22/11  
(MM DD YY)

INSPECTOR(S): D. Tyran / S. Gardner

INSPECTOR(S):				
Item	Inspect For	Action Required	Comments	
1. Perimeter Collection System/Off-Site Forcemain				
<div><div><div>X</div></div><div>X</div><div>X</div><div>X</div></div>	Manholes	<ul style="list-style-type: none"><li>- cover on securely</li><li>- condition of cover</li><li>- condition of inside of manhole</li><li>- flow conditions</li></ul>	None	
	<div><div>X</div></div> <div>X</div> <div>X</div>	Wet Wells		<ul style="list-style-type: none"><li>- cover on securely</li><li>- condition of cover</li><li>- condition of inside of wet well</li></ul>
		2. Landfill Cap		
		<div><div>X</div></div> <div>X</div> <div>X</div> <div>X</div> <div>X</div> <div>X</div>		Vegetated Soil Cover

FORM 17



# GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 10/2/2011  
(MM DD YY)

INSPECTOR(S):

D. Tyran / S. Gardner

Comments

Item	Inspect For	Action Required	Comments
2. Landfill Cap (continued)			
<input checked="" type="checkbox"/> Access Roads	- bare areas, dead/dying veg.	None	
<input checked="" type="checkbox"/>	- erosion		
<input checked="" type="checkbox"/>	- potholes or puddles		
<input checked="" type="checkbox"/>	- obstruction		
3. Wetlands (Area "F")	- dead/dying vegetation	Shoreline erosion from River North p. pe north to new	
	- change in water budget	fishing pier and south from River North outfall	
	- general condition of wetlands	approx 100'	
4. Other Site Systems			
<input type="checkbox"/> Perimeter Fence	- integrity of fence	NA	
<input type="checkbox"/>	- integrity of gates		
<input type="checkbox"/>	- integrity of locks		
<input type="checkbox"/>	- placement and condition of signs		

FORM 17

Dane J Tyran

# GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 02/28/11  
(MM DD YY)

INSPECTOR(S):

D. Tyrone / S. Gardner

Item	Inspect For	Action Required	Comments
4.	Other Site Systems (continued)		
<input checked="" type="checkbox"/>	Drainage Ditches/	- sediment build-up	None
<input checked="" type="checkbox"/>	Swale Outlets	- erosion	
<input checked="" type="checkbox"/>		- condition of erosion protection	
<input checked="" type="checkbox"/>		- flow obstructions	
<input checked="" type="checkbox"/>		- dead/dying vegetation	
<input checked="" type="checkbox"/>		- cable concrete/gabion mats and riprap	
<input checked="" type="checkbox"/>	Culverts	- sediment build-up	None
<input checked="" type="checkbox"/>		- erosion	See Note on pg 2
<input checked="" type="checkbox"/>		- condition of erosion protection	
<input checked="" type="checkbox"/>		- flow obstructions	None
<input checked="" type="checkbox"/>	Gas Vents	- intact / damage	
<input checked="" type="checkbox"/>	Wells	- locks secure	

FORM 17

Dare J. Tyrone

# GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE:

(MM)	(DD)	(YY)		

INSPECTOR(S):

D. Tyran S. Gardner

Comments

Item	Inspect For	Action Required	Comments
4. Other Site Systems (continued)			
<input checked="" type="checkbox"/> Drainage Ditches/ Swale Outlets	- sediment build-up	None	
<input checked="" type="checkbox"/>	- erosion		
<input checked="" type="checkbox"/>	- condition of erosion protection		
<input checked="" type="checkbox"/>	- flow obstructions		
<input checked="" type="checkbox"/>	- dead/dying vegetation		
<input checked="" type="checkbox"/>	- cable concrete/gabion mats and riprap		
<input type="checkbox"/> Culverts	- sediment build-up		
<input type="checkbox"/>	- erosion		
<input type="checkbox"/>	- condition of erosion protection		
<input checked="" type="checkbox"/>	- flow obstructions	River North blocked by large pieces of wood - Cleared obstruction River South blocked by very large Rock - Cleared obstruction	
<input checked="" type="checkbox"/> Gas Vents	- intact / damage		
<input checked="" type="checkbox"/> Wells	- locks secure		

FORM 17

None [Signature]

# GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 03/30/11  
(MM DD YY)

INSPECTOR(S):

D. Tyrn S. Gardner

Comments

Item	Inspect For	Action Required	Comments
<b>1. Perimeter Collection System/Off-Site Forcemain</b>			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Manholes	- cover on securely	None
		- condition of cover	
		- condition of inside of manhole	
		- flow conditions	
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Wet Wells	- cover on securely	
		- condition of cover	
		- condition of inside of wet well	
<b>2. Landfill Cap</b>			
<input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/> <input checked="" type="checkbox"/>	Vegetated Soil Cover	- erosion	Several large holes (20ft South of OGC-7) @ top of embankment. Largest hole measures 4ft across and 8" deep. Surface water is entering hole and exiting underneath the embankment.
		- bare areas	
		- washouts	
		- leachate seeps	
		- length of vegetation	
		- dead/dying vegetation	

FORM 17

Dare S. Tyrn

# GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 03/10/11  
(MM DD YY)

INSPECTOR(S): D. Tyran S. Gardner

Item	Inspect For	Action Required	Comments
2. Landfill Cap (continued)			
<input checked="" type="checkbox"/> Access Roads	- bare areas, dead/dying veg.	None	
<input checked="" type="checkbox"/>	- erosion		
<input checked="" type="checkbox"/>	- potholes or puddles		
<input checked="" type="checkbox"/>	- obstruction		
3. Wetlands (Area "F")	- dead/dying vegetation	[See Note February 2011]	
	- change in water budget		
	- general condition of wetlands		
4. Other Site Systems			
<input type="checkbox"/> Perimeter Fence	- integrity of fence	NA	
<input type="checkbox"/>	- integrity of gates		
<input type="checkbox"/>	- integrity of locks		
<input type="checkbox"/>	- placement and condition of signs		

FORM 17

Dan J. Tyran

# GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site





LOCATION: Wheatfield, New York

DATE:

 04/27/11  
(MM DD YY)

INSPECTOR(S):

D. TYRAN, S. GARDNER

Item	Inspect For	Action Required	Comments
<b>1. Perimeter Collection System/Off-Site Forcemain</b>			
 Manholes	- cover on securely	NONE 	
	- condition of cover		
	- condition of inside of manhole		
	- flow conditions		
 Wet Wells	- cover on securely		
	- condition of cover		
	- condition of inside of wet well		
<b>2. Landfill Cap</b>			
 Vegetated Soil Cover	- erosion	SEVERAL LARGE HOLES 20FT SOUTH OF OGC-7 AT TOP OF EMBANKMENT, LARGEST HOLE MEASURES 4FT ACROSS + 8" DEEP SURFACE WATER IS ENTERING THE HOLE + EXITING UNDERNEATH THE EMBANKMENT LOTS OF SMALL HOLES IN EMBANKMENT EAST + WEST OF RIVER MIDDLE EXPOSING WIRE MESH	
	- bare areas		
	- washouts		
	- leachate seeps		
	- length of vegetation		
	- dead/dying vegetation		

FORM 17



# GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York





DATE:

04	27	11
(MM)	(DD)	(YY)

INSPECTOR(S):

D TYRAN, S GARDNER

Comments

Item	Inspect For	Action Required	Comments
2. Landfill Cap (continued)			
	Access Roads	<ul style="list-style-type: none"> <li>- bare areas, dead/dying veg.</li> <li>- erosion</li> <li>- potholes or puddles</li> <li>- obstruction</li> </ul>	<p>NONE</p> 
3. Wetlands (Area "F")			
	<ul style="list-style-type: none"> <li>- dead/dying vegetation</li> <li>- change in water budget</li> <li>- general condition of wetlands</li> </ul>	<p>SHORELINE EROSION FROM RIVER NORTH PIPE TO NEW FISHING PIER AND SOUTH FROM RIVER NORTH OUTFALL APPROX. 100'</p>	
4. Other Site Systems			
	Perimeter Fence	<ul style="list-style-type: none"> <li>- integrity of fence</li> <li>- integrity of gates</li> <li>- integrity of locks</li> <li>- placement and condition of signs</li> </ul>	<p>NA</p> 

FORM 17

# GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 04/27/11  
(MM DD YY)

INSPECTOR(S):

D TYRAN, S GARDNER

Comments

Item	Inspect For	Action Required	Comments
4. <div><div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div><div></div></div></div>			

FORM 17





# GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 05/26/11  
(MM DD YY)

INSPECTOR(S): D TYRAN, S GARDNER

Item	Inspect For	Action Required	Comments	
<b>1. Perimeter Collection System/Off-Site Forcemain</b>				
 Manholes	- cover on securely	NONE		
	- condition of cover			
	- condition of inside of manhole			
	- flow conditions			
 Wet Wells	- cover on securely			
	- condition of cover			
	- condition of inside of wet well			
<b>2. Landfill Cap</b>				
 Vegetated Soil Cover	- erosion	SEVERAL VERY LARGE HOLES ABOUT 20FT SOUTH OF OGC-7 AT TOP OF EMBANKMENT, LARGEST HOLES MEASURE 4' TO 6' ACROSS AND 8" DEEP EXPOSING WIRE MESH		
	- bare areas			
	- washouts			
	- leachate seeps			
	- length of vegetation		LOTS OF SMALL HOLES IN EMBANKMENT EAST AND WEST OF RIVER MIDDLE EXPOSING WIRE MESH	
	- dead/dying vegetation			

FORM 17

# GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG






PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 05/26/11  
(MM DD YY)

INSPECTOR(S): D. TYRAN, S. GARDNER

Comments

Item	Inspect For	Action Required	Comments
2. Landfill Cap (continued)			
 Access Roads	- bare areas, dead/dying veg.	NONE 	
	- erosion		
	- potholes or puddles		
	- obstruction		
3. Wetlands (Area "F")			
	- dead/dying vegetation	SHORELINE EROSION FROM RIVER NORTH PIPE TO NEW FISHING PIER AND SOUTH FROM RIVER NORTH OUTFALL APPROX 100'	
	- change in water budget		
	- general condition of wetlands		
4. Other Site Systems			
 Perimeter Fence	- integrity of fence	NA 	
	- integrity of gates		
	- integrity of locks		
	- placement and condition of signs		

FORM 17

# GRATWICK-RIVERSIDE PARK SITE MONTHLY INSPECTION LOG

PROJECT NAME: Gratwick-Riverside Park Site

LOCATION: Wheatfield, New York

DATE: 05/26/11  
(MM DD YY)

INSPECTOR(S): D TYRAN, S GARDNER

Item	Inspect For	Action Required	Comments
4. Other Site Systems (continued)		NONE	
<input checked="" type="checkbox"/> Drainage Ditches/ Swale Outlets	- sediment build-up - erosion - condition of erosion protection - flow obstructions - dead/dying vegetation - cable concrete/gabion mats and riprap		
<input checked="" type="checkbox"/> Culverts	- sediment build-up - erosion - condition of erosion protection - flow obstructions		
<input checked="" type="checkbox"/> Gas Vents	- intact / damage		
<input checked="" type="checkbox"/> Wells	- locks secure		

FORM 17

## APPENDIX B

### QA/QC REVIEWS

- WASTEWATER TREATMENT PLANT SAMPLING SEPTEMBER 2010
- WASTE WATER TREATMENT PLANT SAMPLING MARCH 2011
  - ANNUAL GROUNDWATER SAMPLING MAY 2011



**CONESTOGA-ROVERS  
& ASSOCIATES**

2055 Niagara Falls Blvd., Suite #3  
Niagara Falls, New York 14304  
Telephone: (716) 297-6150 Fax: (716) 297-2265  
www.CRAworld.com

---

## MEMORANDUM

---

TO: Klaus Schmidtko

REF. NO.: 7987DM-95

FROM: Susan Scrocchi/bjw/6 *SS*

DATE: January 4, 2011

E-Mail and Hard Copy if Requested

RE: **Analytical Results and QA/QC Review  
Wastewater Treatment Plant Sampling  
September 2010**

---

### INTRODUCTION

One effluent sample was collected in support of the Wastewater Treatment Plant Sampling at the Gratwick-Riverside Park Site (Site) during September 2010. The sample was submitted to Test America Laboratories (TA) in Amherst, New York, and analyzed for the following:

<i>Parameter</i>	<i>Methodology<sup>1</sup></i>
Site-Specific Volatile Organic Compounds (VOCs)	USEPA 624
Site-Specific Semi-Volatile Organic Compounds (SVOCs)	USEPA 625
Target Compound List (TCL) Metals	USEPA 200.7
Mercury	USEPA 245.1
Sulfate	USEPA 300.0
Chloride	USEPA 300.0
Alkalinity	SM 2320B
Nitrate	USEPA 353.2
Sulfide	SM 4500-S F
Total Dissolved Solids (TDS)	SM 2540C
Total Hardness	SM 2340C

The analytical results are summarized in Table 1. The quality assurance/quality control (QA/QC) criteria by which these data have been assessed are outlined in the analytical methods and the following documents:

- i) "USEPA Contract Laboratory National Functional Guidelines for Organic Data Review" (October 1999)
- ii) "National Functional Guidelines for Inorganic Data Review" (February 1994)

---

<sup>1</sup> "Methods for Chemical Analysis of Water and Wastes", United States Environmental Protection Agency (USEPA) 600/4-79-220, March 1983 and "Standard Methods for the Examination of Water and Wastewater", 18th Edition, 1992.

**TABLE 1**  
**ANALYTICAL RESULTS SUMMARY**  
**WASTEWATER TREATMENT PLANT SAMPLING**  
**GRATWICK-RIVERSIDE PARK SITE**  
**SEPTEMBER 2010**

<i>Parameters</i>	<i>Sample Location:</i>	
	<i>Sample ID:</i>	
	<i>Sample Date:</i>	
	<i>Effluent</i>	
	<i>GRATWICK RIVERSIDE</i>	
	<i>9/13/2010</i>	
<i>Parameters</i>	<i>Units</i>	
<i>Metals (Cont'd.)</i>		
	mg/L	0.050 U
Iron		
Lead	mg/L	0.0050 U
Magnesium	mg/L	1.43
Manganese	mg/L	0.0030 U
Mercury	mg/L	0.0002 U
Nickel	mg/L	0.0100 U
Selenium	mg/L	0.0150 U
Silver	mg/L	0.0030 U
Sodium	mg/L	253
Zinc	mg/L	0.0100 U
<i>General Chemistry</i>		
Alkalinity, total (as CaCO <sub>3</sub> )	mg/L	53.9
Ammonia	mg/L	1.96
Bicarbonate (as CaCO <sub>3</sub> )	mg/L	53.9
Biochemical oxygen demand (BOD)	mg/L	24
Chemical oxygen demand (COD)	mg/L	33
Chloride	mg/L	423
Cyanide (total)	mg/L	0.005 U
Hardness	mg/L	213
Nitrate (as N)	mg/L	0.050 U
Oil and grease	mg/L	0.10 U
pH (water)	s.u.	9.39
Phenolics (total)	mg/L	0.008 U
Phosphorus	mg/L	0.12
Sulfate	mg/L	184
Sulfide	mg/L	2.0
Total dissolved solids (TDS)	mg/L	1040
Total kjeldahl nitrogen (TKN)	mg/L	2.24
Total organic carbon (TOC)	mg/L	7.1
Total suspended solids (TSS)	mg/L	7

Notes:

U - Not present at or above the associated value.





**CONESTOGA-ROVERS  
& ASSOCIATES**

2055 Niagara Falls Blvd., Suite #3  
Niagara Falls, New York 14304  
Telephone: (716) 297-6150 Fax: (716) 297-2265  
www.CRAworld.com

---

## MEMORANDUM

---

TO: Klaus Schmidtke

REF. NO.: 7987DM-95

FROM: Susan Scrocchi/bjw/8 <sup>CS</sup>

DATE: July 6, 2011

E-Mail and Hard Copy if Requested

RE: **Analytical Results and QA/QC Review  
Wastewater Treatment Plant Sampling  
March 2011**

---

### INTRODUCTION

One effluent sample was collected in support of the Wastewater Treatment Plant Sampling at the Gratwick-Riverside Park Site (Site) during March 2011. The sample was submitted to Test America Laboratories (TA) in Amherst, New York, and analyzed for the following:

<i>Parameter</i>	<i>Methodology<sup>1</sup></i>
Site-Specific Volatile Organic Compounds (VOCs)	USEPA 624
Site-Specific Semi-Volatile Organic Compounds (SVOCs)	USEPA 625
Target Compound List (TCL) Metals	USEPA 200.7
Mercury	USEPA 245.1
Sulfate	USEPA 300.0
Chloride	USEPA 300.0
Alkalinity	SM 2320B
Nitrate	USEPA 353.2
Sulfide	SM 4500-S F
Total Dissolved Solids (TDS)	SM 2540C
Total Hardness	SM 2340C

The analytical results are summarized in Table 1. The quality assurance/quality control (QA/QC) criteria by which these data have been assessed are outlined in the analytical methods and the following documents:

- i) "USEPA Contract Laboratory National Functional Guidelines for Organic Data Review" (October 1999)
- ii) "National Functional Guidelines for Inorganic Data Review" (February 1994)

---

<sup>1</sup> "Methods for Chemical Analysis of Water and Wastes", United States Environmental Protection Agency (USEPA) 600/4-79-220, March 1983 and "Standard Methods for the Examination of Water and Wastewater", 18th Edition, 1992.

TABLE 1

**ANALYTICAL RESULTS SUMMARY  
WASTEWATER TREATMENT PLANT SAMPLING  
GRATWICK-RIVERSIDE PARK SITE  
MARCH 2011**

	<i>Sample Location:</i>	<i>Effluent</i>
	<i>Sample ID:</i>	GRATWICK RIVERSIDE
	<i>Sample Date:</i>	3/7/2011
<i>Parameters</i>	<i>Units</i>	
<i>Volatile Organic Compounds</i>		
1,1,1-Trichloroethane	µg/L	5.0 U
1,1-Dichloroethane	µg/L	5.0 U
1,2-Dichloroethane	µg/L	5.0 U
2-Butanone (Methyl ethyl ketone) (MEK)	µg/L	25 U
Acetone	µg/L	25 U
Benzene	µg/L	5.0 U
Chlorobenzene	µg/L	5.0 U
Ethylbenzene	µg/L	5.0 U
Methylene chloride	µg/L	5.0 U
Styrene	µg/L	5.0 U
Tetrachloroethene	µg/L	5.0 U
Toluene	µg/L	12
trans-1,2-Dichloroethene	µg/L	5.0 U
Trichloroethene	µg/L	30
Vinyl chloride	µg/L	5.0 U
Xylene (total)	µg/L	10 U
<i>Semi-volatile Organic Compounds</i>		
1,2-Dichlorobenzene	µg/L	0.15 U
1,4-Dichlorobenzene	µg/L	0.090 U
2,4-Dimethylphenol	µg/L	0.13 U
2-Methylphenol	µg/L	0.22 U
4-Methylphenol	µg/L	0.62 U
Di-n-octyl phthalate (DnOP)	µg/L	4.6 U
Naphthalene	µg/L	0.080 U
Phenol	µg/L	0.12 U
<i>Metals</i>		
Aluminum	mg/L	0.45
Antimony	mg/L	0.020 U
Arsenic	mg/L	0.010 U
Barium	mg/L	0.086
Beryllium	mg/L	0.0020 U
Cadmium	mg/L	0.0010 U
Chromium	mg/L	0.0040 U
Copper	mg/L	0.023
Iron	mg/L	0.39



**CONESTOGA-ROVERS  
& ASSOCIATES**

2055 Niagara Falls Blvd., Suite #3  
Niagara Falls, New York 14304  
Telephone: (716) 297-6150 Fax: (716) 297-2265  
www.CRAworld.com

---

## MEMORANDUM

---

TO: Klaus Schmidtke

REF. NO.: 007987

FROM: Kathleen Willy/bjw/7 *W*

DATE: June 28, 2011

E-Mail and Hard Copy if Requested

RE: **Analytical Results and QA/QC Review  
Annual Groundwater Sampling  
Gratwick-Riverside Park Site  
May 2011**

---

### INTRODUCTION

Nine (9) samples, including one field duplicate and one trip blank, were collected in support of the Annual Groundwater Sampling at the Gratwick-Riverside Park Site (Site) during May 2011. Samples were submitted to Test America Laboratories (TA) in Amherst, New York, and analyzed for the following:

<i>Parameter</i>	<i>Methodology</i>
Site-Specific Volatile Organic Compounds (VOCs)	SW-846 8260 <sup>1</sup>
Site-Specific Semi-Volatile Organic Compounds (SVOCs)	SW-846 8270 <sup>1</sup>

The sample collection and analysis summary is presented in Table 1. The analytical results are summarized in Table 2. The quality assurance/quality control (QA/QC) criteria by which these data have been assessed are outlined in the analytical methods and the "National Functional Guidelines for Organic Data Review" (October 1999).

Data assessment was based on information obtained from final data sheets, blank data, duplicate results, surrogate recoveries, and spike recoveries.

### QA/QC REVIEW

All samples were prepared and/or analyzed within the method specified holding times. All samples were received in good condition and properly preserved.

---

<sup>1</sup> "Test Methods for Solid Waste Physical/Chemical Methods", SW-846, 3<sup>rd</sup> Edition, September 1986 (with all subsequent revisions).

TABLE 1

**SAMPLE COLLECTION AND ANALYSIS SUMMARY  
ANNUAL GROUNDWATER SAMPLING  
GRATWICK-RIVERSIDE PARK SITE  
MAY 2011**

<i>Sample I.D.</i>	<i>Location I.D.</i>	<i>Collection Date (mm/dd/yy)</i>	<i>Collection Time (hr:min)</i>	<u><i>Analysis/Parameters</i></u>		<i>Comments</i>
				<i>Selected VOCs</i>	<i>Selected SVOCs</i>	
WG-7987-052611-001	OGC-4	05/26/11	13:15	X	X	
WG-7987-052611-002	MW-9	05/26/11	13:30	X	X	
WG-7987-052611-003	MW-9	05/26/11	13:45	X	X	Field duplicate of sample WG-7987-052611-002
WG-7987-052611-004	OGC-8	05/26/11	14:00	X	X	
WG-7987-052611-005	MW-8	05/26/11	14:15	X	X	MS/MSD
WG-7987-052611-006	OGC-3	05/26/11	14:30	X	X	
WG-7987-052611-007	OGC-7	05/26/11	14:45	X	X	
WG-7987-052611-008	OGC-6	05/26/11	15:00	X	X	
TB-7987-052611	-	05/26/11	-	X		Trip Blank

## Notes:

MS - Matrix Spike.

MSD - Matrix Spike Duplicate.

VOCs - Volatile Organic Compounds.

SVOCs - Semi-Volatile Organic Compounds.

**TABLE 2**  
**ANALYTICAL RESULTS SUMMARY**  
**ANNUAL GROUNDWATER SAMPLING**  
**GRATWICK-RIVERSIDE PARK SITE**  
**MAY 2011**

Sample Location:		OGC4	OGC6	OGC7	OGC8
Sample ID:		WG-7987-052611-001	WG-7987-052611-008	WG-7987-052611-007	WG-7987-052611-004
Sample Date:		5/26/2011	5/26/2011	5/26/2011	5/26/2011
Parameters	Units				
Volatile Organic Compounds					
2-Butanone (Methyl ethyl ketone) (MEK)	µg/L	5.0 U	5.0 U	5.0 U	5.0 U
Acetone	µg/L	5.0 U	5.0 U	5.0 U	5.0 U
Benzene	µg/L	0.70 U	1.8	0.70 U	0.70 U
Chlorobenzene	µg/L	1.0 U	1.0 U	1.0 U	1.0 U
Ethylbenzene	µg/L	1.0 U	2.4	1.0 U	1.0 U
Methylene chloride	µg/L	1.0 U	1.0 U	1.0 U	1.0 U
Tetrachloroethene	µg/L	1.0 U	220	0.72 J	0.94 J
Toluene	µg/L	1.0 U	14	3.4	2.4
trans-1,2-Dichloroethene	µg/L	1.0 U	7.6	2.7	1.0 U
Trichloroethene	µg/L	1.0 U	180	12	2.4
Vinyl chloride	µg/L	1.0 U	1.0 U	2.4	1.0 U
Xylenes (total)	µg/L	2.0 U	9.1	4.0	0.82 J
Semi-volatile Organic Compounds					
1,2-Dichlorobenzene	µg/L	9.5 U	9.4 U	9.4 U	9.4 U
1,4-Dichlorobenzene	µg/L	9.5 U	9.4 U	9.4 U	9.4 U
2,4-Dimethylphenol	µg/L	9.5 U	9.4 U	9.4 U	9.4 U
2-Methylphenol	µg/L	9.5 U	15	0.45 J	1.5 J
4-Methylphenol	µg/L	9.5 U	1.2 J	9.4 U	5.3 J
Di-n-octyl phthalate (DnOP)	µg/L	9.5 U	9.4 U	9.4 U	9.4 U
Naphthalene	µg/L	9.5 U	1.1 J	9.4 U	9.4 U
Phenol	µg/L	5.5 J	9.4 U	9.4 U	9.4 U

Notes:

J - Estimated.

U - Not detected.