PHASE I REPORT ENGINEERING INVESTIGATIONS AND EVALUATIONS AT INACTIVE HAZARDOUS WASTE DISPOSAL SITES

Harvey Newman and Son Niagara County, NY



Prepared for:

New York State Department of Environmental Conservation

50 Wolf Road, Albany, New York 12233 Henry G. Williams, Commissioner

> Division of Solid and Hazardous Waste Norman H. Nosenchuck, P.E., Director

ENGINEERING-SCIENCE in association with DAMES & MOORE

TABLE OF CONTENTS

		Page
SECTION I	EXECUTIVE SUMMARY	1
	Objective	1
	Site Background	1
	Assessment	2
	Recommendations	2
SECTION II	SITE DESCRIPTION	3
	Site Location Map	4
SECTION III	HRS SCORING	5
	HRS Worksheets	6
	HRS Documentation	13
	Site Investigation Form	26
	Preliminary Assessment Form	40
SECTION IV	SITE HISTORY	44
SECTION V	SUMMARY OF AVAILABLE DATA	45
	Regional Geology and Hydrology	45
	Site Geology	46
	Site Hydrology	46
	Sampling and Analysis	46
SECTION VI	ASSESSMENT OF ADEQUACY OF DATA	50
SECTION VII	PHASE II WORK PLAN	51
	Objectives	51
	Task Description	51
	Cost Estimate	51
APPENDIX A	BIBLIOGRAPHY	
APPENDIX B	NYS REGISTRY FORM	

SECTION I EXECUTIVE SUMMARY

SECTION I EXECUTIVE SUMMARY Harvey Newman and Son

OBJECTIVE

The purpose of this two phase program is to conduct engineering investigations and evaluations at inactive hazardous waste disposal sites in New York State in order to calculate a Hazard Ranking System (HRS) score for each site and estimate the cost of any recommended remedial action. During the initial portion of this investigation (Phase I) all available data and records combined with information collected from a site inspection were reviewed and evaluated to determine the adequacy of existing information for calculating an HRS score. On the basis of this evaluation, a Phase II Work Plan was prepared for collecting additional HRS data (if necessary), evaluating remedial alternatives and preparing a cost estimate for recommended remedial action. The results of the Phase I study for this site are summarized below and detailed in the body of the report.

SITE BACKGROUND

The Harvey Newman and Son site is located in Wheatfield, Niagara County, New York. The NYS site code is 932062. The site is owned by Dennis Newman who operates a landscaping and trucking business. Various top soils, gravel and construction rubble are stored on site. Concern centers on a load of mill scale from Robblin Steel that is also being stored on site until a buyer can be located. Surface water and soil samples were taken and analyzed for heavy metals. No metals were detected in the water samples, while only very low concentrations were found in the soil. It is unclear if the soil metals were an indication of contamination or naturally occurring. To date there are no known health or environmental hazards.

ASSESSMENT

Insufficient information was available to complete a final HRS scoring. The preliminary HRS scoring was:

$$S_{M} = 0.00$$
 $S_{A} = 0.00$ $S_{GW} = 0.00$ $S_{FE} = 0.00$ $S_{DC} = 25.00$

The final site score will most likely increase since insufficient information was available to complete the groundwater route. However, the increase in the site score would be low due to the low target factors for this site. Although an air sample is required to complete the HRS scoring, it is not recommended for this site due to the nature of the waste material.

RECOMMENDATIONS

The following recommendations are made for the completion of Phase II:

- o groundwater monitoring system consisting of one up-gradient and two down-gradient wells
- o sample analyses should include heavy metals

The estimated manhours needed to complete Phase II are 283, while the estimated cost is \$16,178.

SECTION II
SITE DESCRIPTION

SECTION II


SITE DESCRIPTION

Harvey Newman and Son

The Harvey Newman and Son site is located at 7230 Shawnee Road in Wheatfield, Niagara County, New York. Mr. Newman operates a landscaping and trucking business. He does not dispose of chemical wastes on his property.

Various topsoils, contruction rubble and gravel materials (sold as fill) are stored on the 20 acre site. A load of mill scale from Roblin Steel has been stored on the property for two years awaiting eventual shipment to a scrap metal reclaimer. Concern centers over the possible contamination of surface and groundwater.

; h



SECTION III

HRS SCORING

HRS COVER SHEET

cility name:	Harvey Newman	and Son
-	***	
ation:	Wheatfield NY	
A Region: .	II	
rsco(s) in c	harde of the facility:	Dennis Newman (owner)
		7230 Shawnee Road
		Wheatfield, NY
	John Kubare	ewicz/Eileen Gilligan Date: August 26, 1983
	riction of the facility:	•
or example		movement sile, container, types of hazzardous substances; location of t
or example cility; conta		repoundment, pile, container; types of hazardous substances; location of the hazardous substances; location
cility; conta	: landfill, surface in mination route of m	repoundment, pile, container, types of hazardous substances; location or the population of the concern; types of information needed for rating; agency action, etc.)
Not a	landfil, surface in mination route of m disposal site.	mpoundment, pile, container, types of hazardous substances; location of the hazardous substances; location o
Not a	landfil, surface in mination route of m disposal site.	repoundment, pile, container, types of hazardous substances; location or the population of the concern; types of information needed for rating; agency action, etc.)
Not a	landfil, surface in mination route of m disposal site.	mpoundment, pile, container, types of hazardous substances; location of the hazardous substances; location o
Not a	landfil, surface in mination route of m. disposal site.	mpoundment, pile, container, types of hazardous substances; location of the hazardous substances; location o
Not a	landfil, surface in mination route of m. disposal site.	Mr. Newman stores fill for resale or burial. He has a pile of Steel Company stored on site until a buyer can be found.
Not a	landfil, surface in mination route of m. disposal site.	Mr. Newman stores fill for resale or burial. He has a pile of Steel Company stored on site until a buyer can be found.
Not a	landfil, surface in mination route of m. disposal site.	Mr. Newman stores fill for resale or burial. He has a pile of Steel Company stored on site until a buyer can be found.
Not a	landfil, surface in mination route of m. disposal site.	Mr. Newman stores fill for resale or burial. He has a pile of Steel Company stored on site until a buyer can be found.
Not a	landfil, surface in mination route of m. disposal site.	Mr. Newman stores fill for resale or burial. He has a pile of Steel Company stored on site until a buyer can be found.
Not a	landfil, surface in mination route of m. disposal site.	Mr. Newman stores fill for resale or burial. He has a pile of Steel Company stored on site until a buyer can be found.
Not a	landfil, surface in mination route of m. disposal site.	Mr. Newman stores fill for resale or burial. He has a pile of Steel Company stored on site until a buyer can be found.
Not a	landfil, surface in mination route of m. disposal site.	Mr. Newman stores fill for resale or burial. He has a pile of Steel Company stored on site until a buyer can be found.
Not a	landfil, surface in mination route of m. disposal site.	Mr. Newman stores fill for resale emburial. He has a pile n Steel Company stored on site until a buyer can be found. ironmental problems.
Not a	disposal site. The same of the same of the same from Robblin at health or envi	mpoundment, pile, container, types of hazardous substances; beauth of the property action, etc.) Mr. Newman stores fill for resale or burial. He has a pile of steel Company stored on site until a buyer can be found. ironmental problems.
Not a soft mill so wo appar r	disposal site. The ale from Robblin the alth or envi	Mr. Newman stores fill for resale emburial. He has a pile n Steel Company stored on site until a buyer can be found. ironmental problems.
Not a soft mill so the	disposal site. The same of the same of the same from Robblin at health or envi	mpoundment, pile, container, types of hazardous substances; beauth of the property action, etc.) Mr. Newman stores fill for resale or burial. He has a pile of steel Company stored on site until a buyer can be found. ironmental problems.

	Ground Water Route Work Sheet				
Rating Factor	Assigned Value (Circle One)	Multi- plier	Score	Max. Score	Ref. (Section
1 Observed Release	0 .45	1	0	45	3.1
if observed release	is given a score of 45, proceed to line 4. is given a score of 0, proceed to line 2.				
2 Route Characteristic Depth to Aquifer of		2	0	6	3.2
Concern Net Precipitation Permeability of the	0 1 ② 3 0 1 2 3	1	. Z	3 3	
Unsaturated Zone Physical State	0 (5) 2 3	1		3	
Γ	Total Route Characteristics Score		0	15	W Reference
3 Containment	0 1 2 3	†	3	3	3.3
Waste Characteristic Toxicity/Persister Hazardous Waste Quantity		1 1	5	18	3.4
	Total Waste Characteristics Score		23	26	
Ground Water Us Ground Water Us Distance to Nears Well/Population Served	est) @ 4 6 8 10	3	3	9 40	3.5
	Total Targets Score		3	49	
6 If line 1 is 45, r	nuitiply 1 × 4 × 5 Z fa uitiply 2 × 3 × 4 × 5 are v	ctors nknown	0	57,330	
7 Divide line 6 by	57,330 and multiply by 100	Sgw	• 0		

SURFACE WATER ROUTE WORK SHEET

		Surface Wat	er Route Work S	heet			
Rating Factor		}	ed Value e One)	Muiti- plier	Score	Max. Score	Ref. (Sect
1 Observed Release	ıse	(0)	45	1	ව	45	4.1
1		en a value of 45, en a value of 0, p			ď		
Poute Characte Facility Slope Terrain		ening 0 1 2	3	1	D	3	4.2
1-yr. 24-hr. Ra Distance to N Water		0 1 (2 faces 0 1 2		1 2	Z 6	3 6	
Physical State		0 ① 2	3	. 1	1	3	grant to the special state of the state of t
·		Total Route Ch	aracteristics Sco	re ·	9	15	Zenoveni Micholon
3 Containment		0 1 2	3	1	3	3	4.3
Waste Characte Toxicity/Pers Hazardous W Quantity	istenca	0 3 6	9 12 15 18 3 4 5 8 7	1 2 8 1	18	18 8	4.4
		Total Waste Ci	naracteristics Sco	ांच	73	26	Section Sectio
5 Targets Surface Wate Distance to a	Sensitive	(g) 1 (g) 1	2 3 2 3	3 2.	0 0	9 6	4.5
Population Set to Water Into Downstream	erved/Dista aka	12 18 24 30	6 8 10 18 20 32 35 40	1	0	40	
		Total Ta	urgets Score		0	55	
	45, multiply 3, multiply		5 4 x 5		0	64,350	
7 Divide line 6	by 64,350	and multiply by	10 0 -8-	S _{sw} =	0		

AIR ROUTE WORK SHEET

	Air Route Work Sheet	Marie		Max.	Ref.
Rating Factor	Assigned Value (Circle One)	Muiti- piler	Score	Score	(Section
Observed Release	0 45	1	0	45	5.1
Date and Location:	N/A				
Sampling Protocol:	N/A				
If line $\boxed{1}$ is 0, the S_2 if line $\boxed{1}$ is 45, then	= 0. Enter on line 5. proceed to line 2.				
Waste Characteristics Reactivity and	0 1 2 3	1		3	5.2
Incompatibility Toxicity Hazardous Waste Quantity	0 1 2 3 0 1 2 3 4 5 6 7	3 8 1		9	
			- -		
	Total Waste Characteristics Score	÷		20	
Tarrets	Total Waste Characteristics Score	.		20	5.3
Targets Population Within) Q 9 12 15 18	2		20	5.3
Population Within 4-Mile Radius Distance to Sensitive					5.3
Population Within 4-Mile Radius) 0 9 12 15 18) 21 24 27 30	1		30	5.3
Population Within 4-Mile Radius Distance to Sensitive Environment) 0 9 12 15 18) 21 24 27 30 0 1 2 3	1 2		30 6	5.3
Population Within 4-Mile Radius Distance to Sensitive Environment) 0 9 12 15 18) 21 24 27 30 0 1 2 3	1 2		30 6	5.3
Population Within 4-Mile Radius Distance to Sensitive Environment) 0 9 12 15 18) 21 24 27 30 0 1 2 3	1 2		30 6	5.3

S = 0

5 Divide line at hy 35 100 and multiply by 100

DIRECT CONTACT WORK SHEET

		Direct Contact Work Sheet		٠		
	Rating Factor	Assigned Value (Circle One)	Multi- piler	Score	Max. Score	Ref. (Secti
1	Observed Incident	0 45	•	Ö	45	8.1
	If line 1 is 45, proceed				p	
2	Accessibility	0 1 2 3	1.	3	3	8.2
3	Containment	0 (15)	1	15	15	8.3
4	Waste Characteristics Toxicity	0 1 2 3	5	15	15	3.4
[3]	Targets Population Within a 1-Mile Radius Distance to a Critical Habitat	O 1 2 3 4 5	4	9) ()	20 12	8.5

Total Targets Score	පී	32	
6 If line 1 is 45, multiply 1 x 4 x 5 If line 1 is 0, multiply 2 x 3 x 4 x 5	5400	21,500	
7	7 / 6/	^	

7 Divide line 6 by 21,500 and multiply by 100 -10- SDC = Z

					
Fire	and	Expi	osion	Work	Sheet

	Rating Factor			jne rcle			e				Multi- plier	Score	Max. Score	Ref. (Section)
	Containment	1					3				1		3	7.1
2	Waste Characteristics													7.2
	Direct Evidence	0			3						1		3	
	Ignitability	0	1	2	3						1		3	
	Reactivity	٥	1.	2	3						†		3	
	Incompatibility	0	1	2	3						1		3	
	Hazardous Waste Quantity	Q	1	2	3	4	5	6	7	8	1		8	

1		Total Was	ite	Спа	rac	teri:	stics	Score		29	******
3	Targets)		٠			7.3
	Distance to Nearest Population	0	1	2	3	4	5	1		5	
	Distance to Nearest Suilding	0	1	2	3			. 1		3	
•	Distance to Sensitive Environment	0	1	2	3			1		3	
	Land Use	0	1	2	3			1		3	
	Population Within 2-Mile Radius	Œ	1	2	3	4	5	1		5	
	Buildings Within 2-Mile Radius	0	1	2	3	4	5	1		5	

Total Targets Score		24	
Multiply 1 x 2 x 3		1,440	
5 Divide line 4 by 1,440 and multiply by 100	S = = () .	3	

•

.

WORKSHEET FOR COMPUTING SM

	S)	82
Groundwater Route Score (Sgw)	0.00	00.0
Surface Water Route Score (Saw)	0.00	000
- Alr Route Score (Sa)	00.0	0.00
$\frac{S_0^2 + S_{sw}^2 + S_a^2}{g_w + S_{sw}^4 + S_a^4}$		00.0
$\sqrt{\frac{s_0^2 + s_0^2 + s_a^2}{g_w + s_{sw}^2 + s_a^2}}$		090
$V \frac{s_0^2 + s_{sw}^2 + s_a^2}{0} / 1.73 = s_M =$. 00.0

DOCUMENTATION RECORDS FOR HAZARD RANKING SYSTEM

INSTRUCTIONS: The purpose of these records is to provide a convenient way to prepare an auditable record of the data and documentation used to apply the Hazard Ranking System to a given facility. As briefly as possible summarize the information you used to assign the score for each factor (e.g., "Waste quantity = 4,230 drums plus 800 cubic yards of sludges"). The source of information should be provided for each entry and should be a bibliographic-type reference that will make the document used for a given data point easier to find. Include the location of the document and consider appending a copy of the relevant page(s) for ease in review.

FACILITY	NAME:	Harvey Ne	ewman	and	Son	•		•
LOCATION:		Shawnee 1	Road,	Whea	tfield			

GROUND WATER ROUTE

1 OBSERVED RELEASE

Contaminants detected (5 maximum):

Not applicable. No groundwater samples collected for chemical analysis.

Rationale for attributing the contaminants to the facility:

Not applicable.

* * *

2 ROUTE CHARACTERISTICS

Depth to Aquifer of Concern

Name/description of aquifers(s) of concern:

Unknown.

Depth(s) from the ground surface to the highest seasonal level of the saturated zone [water table(s)] of the aquifer of concern:

Unknown.

Depth from the ground surface to the lowest point of waste disposal/storage:

Unknown.

Net Precipitation

Mean annual or seasonal precipitation (list months for seasonal):

32 inches.
(USDOC Climatic Atlas of US)

Mean annual lake or seasonal evaporation (list months for seasonal):

24 inches. (USDOC Climatic Atlas of US)

Net precipitation (subtract the above figures):

8 inches.

Permeability of Unsaturated Zone

Soil type in unsaturated zone:

Unknown.

Permeability associated with soil type:

Unknown.

Physical State

Physical state of substances at time of disposal (or at present time for generated gases):

Solid. (NCDOH, 1983)

* * *

3 CONTAINMENT

Containment

Method(s) of waste or leachage containment evaluated:

Unlined landfill.

Method with highest score:

Unlined landfill.

4 WASTE CHARACTERISTICS

Toxicity and Persistence

Compound(s) evaluated:

Arsenic Cadmium Lead (NCDOH, 1982a)

Sample concentrations low PPB, may be natural.

Compound with highest score:

Lead 3,3 - 18

Hazardous Waste Quantity

Total quantity of hazardous substances at the facility, excluding those with a containment score of 0 (Give a reasonable estimate even if quantity is above maximum):

350 yd³ (NCDOH)

Basis of estimating and/or computing waste quantity:

(NCDOH, 1983b)

* * *

5 TARGETS

Ground Water Use

Use(s) of aquifer(s) of concern within a 3-mile radius of the facility:

Not used, but usable.

Distance to Nearest Well

Location of nearest well drawing from aquifer of concern or occupied building not served by a public water supply:

Not applicable. No wells drawing from aquifer of concern.

Distance to above well or building:

Not applicable.

Population Served by Ground Water Wells Within a 3-Mile Radius

Identified water-supply well(s) drawing from aquifer(s) of concern within a 3-mile radius and populations served by each:

Not applicable.

Computation of land area irrigated by supply well(s) drawing from aquifer(s) of concern within a 3-mile radius, and conversion to population (1.5 people per acre):

Not applicable.

Total population served by ground water within a 3-mile radius:

Not applicable.

SURFACE WATER ROUTE

1 OBSERVED RELEASE

Contaminants detected in surface water at the facility or downhill from it (5 maximum):

No contaminants detected in surface water. (NCDOH, 1982)

Rationale for attributing the contaminants to the facility:

Not applicable.

* * *

2 ROUTE CHARACTERISTICS (USGS Topographic Map: Tonawanda East, NY Quadrangle)

Facility Slope and Intervening Terrain

Average slope of facility in percent:

0%

(USGS Topographic Map)

Name/description of nearest downslope surface water:

Ditch adjacent to property.

Average slope of terrain between facility and above-cited surface water body in percent:

0%

Is the facility located either totally or partially in surface water?

Is the facility completely surrounded by areas of higher elevation?

(USGS Topographic Map: Tonawanda East, NY Quadrangle)

1-Year 24-Hour Rainfall in Inches

2.1 inches (40 CFR

Distance to Nearest Downslope Surface Water

(USGS Topographic Map: Tonawanda East, NY Quadrangle)

Physical State of Waste

Solid (NCDOH)

3 CONTAINMENT

Containment

Method(s) of waste or leachate containment evaluated:

Unlined landfill.

Method with highest score:

Unlined landfill.

4 WASTE CHARACTERISTICS

Toxicity and Persistence

· Compound(s) evaluated

Arsenic

Cadmium

Lead

(NCDOH, 1982a)

Low concentration in soil, may be natural.

Compound with highest score:

Lead 3,3 - 18

Hazardous Waste Quantity

Total quantity of hazardous substances at the facility, excluding those with a containment score of O (Give a reasonable estimate even if quantity is above maximum):

350 yd³

Basis of estimating and/or computing waste quantity:

(NCDOH, 1983b)

* * *

5 TARGETS

Surface Water Use

Use(s) of surface water within 3 miles downstream of the hazardous substance:

Not applicable. No uses of surface water within 3 miles downstream.

Is there tidal influence?

No.

(USGS Topographic Map: Tonawanda East, NY Quadrangle)

Distance to a Sensitive Environment

Distance to 5-acre (minimum) coastal wetland, if 2 miles or less:

Not applicable. None within 2 miles. (USGS Topographic Map: Tonawanda East, NY Quadrangle)

Distance to 5-acre (minimum) fresh-water wetland, if I mile or less:
Not applicable. None within 1 mile.
(NYS Wetlands Map)

Distance to critical habitat of an endangered species or national wildlife refuge, if I mile or less:

Not applicable. None within 1 mile. (NYSDEC Region 9 Dept. of Fish & Wildlife files)

Population Served by Surface Water

Location(s) of water-supply intake(s) within 3 miles (free-flowing bodies) or 1 mile (static water bodies) downstream of the hazardous substance and population served by each intake:

Not applicable. None within specified distances. (USGS Topographic Map: Tonawanda East, NY Quadrangle)

Computation of land area irrigated by above-cited intake(s) and conversion to population (1.5 people per acre):

Not applicable.

Total population served:

Not applicable.

Name/description of nearest of above water bodies:

Not applicable.

Distance to above-cited intakes, measured in stream miles.

Not applicable.

AIR ROUTE

1 OBSERVED RELEASE

Contaminants detected:

Not applicable. Air quality not monitored for contamination.

Date and location of detection of contaminants

Methods used to detect the contaminants:

Not applicable.

Not applicable.

Rationale for attributing the contaminants to the site:

Not applicable.

* * *

2 WASTE CHARACTERISTICS

Reactivity and Incompatibility

Most reactive compound:

Not applicable.

Most incompatible pair of compounds:

Not applicable.

Toxicity

Most toxic compound:

Not applicable.

Hazardous Waste Quantity

Total quantity of hazardous waste:

Not applicable.

Basis of estimating and/or computing waste quantity:

Not applicable.

3 TARGETS

Population Within 4-Mile Radius

Circle radius used, give population, and indicate how determined:

0 to 4 mi

O to 1 mi

0 to 1/2 mi

0 to 1/4 mi

(USGS Topographic Map: Tonawanda East, NY Quadrangle)

Distance to a Sensitive Environment

Distance to 5-acre (minimum) coastal wetland, if 2 miles or less:

Not applicable. None within 2 miles. (USGS Topographic Map: Tonawanda East, NY Quadrangle)

Distance to 5-acre (minimum) fresh-water wetland, if 1 mile or less:

Not applicable. None within 1 mile. (NYS Wetlands Map)

Distance to critical habitat of an endangered species, if I mile or less:

Not applicable. None within 1 mile. (NYSDEC Region 9 Dept. of Fish and Wildlife Files)

Land Use

Distance to commercial/industrial area, if I mile or less:

More than 1.0 mile. (ES/D&M site visit)

Distance to national or state park, forest, or wildlife reserve, if 2 miles or less:

Greater than 2 miles.

Distance to residential area, if 2 miles or less:

0.1 mi.
(ES/D&M site visit)

Distance to agricultural land in production within past 5 years, if 1 mile or less:

0.2 mi. (ES/D&M site visit)

Distance to prime agricultural land in production within past 5 years, if 2 miles or less:

Not applicable. None within 2 miles. (ES/D&M site visit)

Is a historic or landmark site (National Register or Historic Places and National Natural Landmarks) within the view of the site?

No. (ES/D&M site visit)

SEPA

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 1 - SITE LOCATION AND INSPECTION INFORMATION

I. IDENTIFICATION

O1 STATE | 02 SITE NUMBER

NY D000514703

PART 1-SITE LOCATION AND INSPECTION INFORMATION								
II. SITE NAME AND LOCATION								
O1 SITE NAME (Legal, common, or descriptive			02 STREE	T, ROUTE NO., OR SE	PECIFIC LOCATION IDENTIFIER			
HARVEYNEWMAN & SON				7230 SHAWAIEE RO. 04 STATE 05 ZIP CODE 06 COUNTY 08 CONG				
03 CITY	Λ		04 STATE	1	NIAGARA	07COUNT CODE 063	DIST	
WHEATFIEL		10 TYPE OF OWNERSH	, ,		TVIT OTTICIT	1063	136	
43°04'41.3" 07	8 50 12.6	IZ A. PRIVATE ☐ F. OTHER —	☐ B. FE	DERAL	C. STATE D. COUNTY		PAL	
III. INSPECTION INFORMATION		Logyzios as asses						
01 DATE OF INSPECTION 7 / 29 / 8 3 MONTH DAY YEAR	02 SITE STATUS ACTIVE INACTIVE	03 YEARS OF OPERAT	1949 NNING YEA	R ENDING YEAR	UNKNOWN			
04 AGENCY PERFORMING INSPECTION		0						
☐ A. EPA ☐ B. EPA CONTRA	CTOR <u>CIVUINGER</u>	VINO - SCIENCE	□ C. ML	JNICIPAL 🗆 D. M	NUNICIPAL CONTRACTOR	(Name of firm)	
☐ E. STATE (F. STATE CONT	RACTOR LAMES	\$ /1100/LE Name of firm)	☐ G. OT	HER	(Specify)			
05 CHIEF INSPECTOR		06 TITLE			07 ORGANIZATION	08 TELEPHON		
JOHN KUBAR	EWICZ	EN6IN.	EER		£5	(703)597		
09 OTHER INSPECTORS		10 TITLE	_		11 ORGANIZATION	12 TELEPHON		
EILEEN GILL	16AN	GEOLO	615	7	DVM	(3/5)438	1-65/6	
						()		
						()		
						()		
						()		
13 SITE REPRESENTATIVES INTERVIEN	WED	14 TITLE	1	SADDRESS		16 TELEPHON		
HARVEY NEWS	nan	OWNER		7230 5	HAWNEE RD.	(716) 69	2.6253	
DENNIS NEW	naN	OWNER		1230 SH	HAWNEE RD. AWNEE RD.	(716) 69.	2-6253	
				······································		()		
						()		
						()		
						()		
						····		
(CMSck one)	ME OF INSPECTION	19 WEATHER CONE	(-		
WARHANI	0:30	CLOUD	14 6	DRIZZLE				
IV. INFORMATION AVAILABLE FROM								
01 CONTACT	l	02 OF (Agency/Organization)				03 TELEPHONE NO.		
JOHN KUBAR		avonvecienos screve			(203)57/	- 73 73		
04 PERSON RESPONSIBLE FOR SITE		05 AGENCY		ANIZATION	103-591-7575		4,83	
I MITHINGIN ON CH	INDICIV	1	1 `		1	MONTH DA	AY YEAR	

3	FPΔ	
7		١

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 2 - WASTE INFORMATION

I. IDENTIFICATION

01 STATE 102 SITE NUMBER 11 4 0000 5 1 4 7 0 3

" WASTE ST	ATES, QUANTITIES, AN	ID CHARACTER	ISTICS					
		02 WASTE QUANT		03 WASTE CHARACTE	RISTICS (Check all that at	ipiy)		
(Measur		(Measures o	l waste quantities	☐ A. TOXIC			OLATILE	
A SOLID G E. SLURRY B. POWDER, FINES G F. LIQUID		1	must be independent)		☐ E. SOLUE SIVE ☐ F. INFEC	TIOUS J. EXPLOSI	VE	
C. SLUDGE	R, FINES	TONS -		☐ C. RADIOA ☐ D. PERSIST		MABLE		
C D. OTHER		CUBIC YARDS	3,2	2 5.1 2.10.0		☐ M. NOT AP		
_ D. OTHER	(Specify)	NO. OF DRUMS						
III. WASTE T	YPE							
CATEGORY	SUBSTANCE N	IAME	01 GROSS AMOUNT	02 UNIT OF MEASURE	03 COMMENTS			
SLU	SLUDGE							
OLW	OILY WASTE							
SOL	SOLVENTS							
PSD .	PESTICIDES							
occ	OTHER ORGANIC C	HEMICALS						
€	INORGANIC CHEMIC		350	C.Y. MILL SO		ALE		
ACD	ACIDS							
BAS	BASES					-		
(MES)	HEAVY METALS		UNK.					
	OUS SUBSTANCES (See A	Annendia for most frequen		1	L.			
01 CATEGORY	02 SUBSTANCE		03 CAS NUMBER	04 STORAGE/DIS	POSAL METHOD	05 CONCENTRATION	06 MEASURE OF CONCENTRATION	
	ARSENIC		7440382	STORAG		6.7	PPM	
MES.			7440439	11		2.1	PPM	
MES	CAOMIUM		999	11		58	PPM	
MES	LEAD			11		130	المراجع	
MES	ZINC		999	1/		69	PPM	
MES	COPPER		999	-		1	1	
MES	NICKEL		999	11		36	PPN:	
							ļ	
V EEEDSTO	CKS (See Appendix for CAS Num	nhart!				-1		
CATEGORY			02 CAS NUMBER	CATEGORY	01 FEEDST	OCK NAME	02 CAS NUMBER	
			7440-43-9	FDS	BERYLLIUM	1	7440.40.7	
FDS CAOMLUM		1	1490 733	FDS	JURTULIU//	1	-770 20 7	
FDS	000		7440.38.2	FDS				
FDS ARSENIC			1440.38.5	FDS				
FDS				1				
	S OF INFORMATION (C			reports)				
A17	AGARA COUNT	Y DOH(1	983)					
'''	· · · · · · · · · · · · · · · · · · ·	_ 1	-		•			
	AGARA COUNT SITE INSPECTIO	Ð ∧						
ł								

\$EPA

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT T 3 - DESCRIPTION OF HAZARDOUS CONDITIONS AND INCIDENTS

I. IDENTIFICATION

01 STATE 02 SITE NUMBER

NY 000051470.3

	OF HAZARDOUS CONDITIONS AND INCIL		
HAZARDOUS CONDITIONS AND INCIDENTS	02 C OBSERVED (DATE:) ☐ POTENTIAL	☐ ALLEGED
01 T A. GROUNDWATER CONTAMINATION 03 POPULATION POTENTIALLY AFFECTED:	02 G OBSERVED (DATE:	, with the second	
UNKNOWN			
01 ☐ B. SURFACE WATER CONTAMINATION 03 POPULATION POTENTIALLY AFFECTED:	02 G OBSERVED (DATE: 4.16.82 04 NARRATIVE DESCRIPTION) ☐ POTENTIAL	□ ALLEGED
NO, SAMPLES ANALYZED	FOR METALS AND THO	WALC MEGAT	IVE -
D1 = C. CONTAMINATION OF AIR	02 OBSERVED (DATE:) POTENTIAL	☐ ALLEGED
O3 POPULATION POTENTIALLY AFFECTED:			
UNK	NOWN		
01 ☐ D. FIRE/EXPLOSIVE CONDITIONS 03 POPULATION POTENTIALLY AFFECTED:	02 G OBSERVED (DATE:	_) ☐ POTENTIAL	☐ ALLEGED
No			
,			
01 ☐ E. DIRECT CONTACT 03 POPULATION POTENTIALLY AFFECTED:	02 OBSERVED (DATE:	_) ☐ POTENTIAL	□ ALLEGED
	NO.		
01 V F. CONTAMINATION OF SOIL 03 AREA POTENTIALLY AFFECTED:	02 GOBSERVED (DATE: 4.16.82	_) TOTENTIAL	☐ ALLEGED
/Acres	METALS A	TOUND IN LOW	
	concententions may be nati	ral backgrou	nd
01 G. DRINKING WATER CONTAMINATION 03 POPULATION POTENTIALLY AFFECTED:	02 □ OBSERVED (DATE: 04 NARRATIVE DESCRIPTION) ☐ POTENTIAL	□ ALLEGED
01 ☐ H. WORKER EXPOSURE/INJURY	02 G OBSERVED (DATE:) ☐ POTENTIAL	☐ ALLEGED
03 WORKERS POTENTIALLY AFFECTED:		·	
01 □ I. POPULATION EXPOSURE/INJURY 03 POPULATION POTENTIALLY AFFECTED:	02 © OBSERVED (DATE:) ☐ POTENTIAL.	C ALLEGED

\$EPA

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT 3 - DESCRIPTION OF HAZARDOUS CONDITIONS AND INCIDENTS

I. IDENTIFICATION

01 STATE 02 SITE NUMBER NY 00005 14703

PART 3-DESCRIPTION OF	- HAZARDOUS CONDITIONS AND INCIDENT	<u> </u>	
II. HAZARDOUS CONDITIONS AND INCIDENTS (Continued)			
01 ☐ J. DAMAGE TO FLORA 04 NARRATIVE DESCRIPTION	02 🗆 OBSERVED (DATE:)	☐ POTENTIAL	☐ ALLEGED
NONE	APPARENT		
01	02 - OBSERVED (DATE:)	□ POTENTIAL	□ ALLEGED
01 ☐ L. CONTAMINATION OF FOOD CHAIN 04 NARRATIVE DESCRIPTION	02 CBSERVED (DATE:)	□ POTENTIAL	□ ALLEGED
UNKNOWN			
01 M. UNSTABLE CONTAINMENT OF WASTES (Spills/Runoff/Standing liquids, Leaking drums) 03 POPULATION POTENTIALLY AFFECTED:		_ POTENTIAL	□ ALLEGED
NONE APPARENT, SMILL	SCALE STORED IN PILE		
01 TO N. DAMAGE TO OFFSITE PROPERTY 04 NARRATIVE DESCRIPTION	02 🗆 OBSERVED (DATE:)	☐ POTENTIAL	☐ ALLEGED
UNKNOW			
01 ☐ O. CONTAMINATION OF SEWERS, STORM DRAINS, WV 04 NARRATIVE DESCRIPTION	VTPs 02 C OBSERVED (DATE:)	☐ POTENTIAL	☐ ALLEGED
UNKNON	UN)		, f.
01 _ P. ILLEGAL/UNAUTHORIZED DUMPING 04 NARRATIVE DESCRIPTION	02 C OBSERVED (DATE:)	☐ POTENTIAL	_ ALLEGED
none.	APPACEWT		
05 DESCRIPTION OF ANY OTHER KNOWN, POTENTIAL, OR	ALLEGED HAZARDS		
NONO	E APPARENT		
III. TOTAL POPULATION POTENTIALLY AFFECTED:			
IV. COMMENTS			
T. Committee			
V. SOURCES OF INFORMATION (Cite specific reterences. 9. g., stat	te (iles, sample analysis, reports)		
SITE INSPECTION			

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION

I. IDENTIFICATION	
01 STATE 02 SITE NUMBER	
NY 0000514	70

PART 4 - PERMIT AND DESCRIPTIVE INFORMATION

II. PERMIT INFORMATION	02 PERMIT NUMBER	03 DATE ISS	UED 04 EXPIRATION DATE	05 COMMENTS	
O1 TYPE OF PERMIT ISSUED Check all Inal apply)	02 PERMIT NUMBER				
C A. NPDES		_			
_ B. UIC					
□ C. AIR					
□ D. RCRA					
E. RCRA INTERIM STATUS					
☐ F. SPCC PLAN		- 16		D-014 - TO	HAUL MILL SCALE
ZG. STATE (Specify)	94144	2/.8		PERMIT TO	AITUS MICE SCIPE
☐ H. LOCAL (Specify)					
☐ I. OTHER (Specify)					
□ J. NONE					
III. SITE DESCRIPTION					05 OTHER
	02 AMOUNT 03 UNIT C	OF MEASURE	04 TREATMENT (Check all tha	t apply)	000111211
☐ A. SURFACE IMPOUNDMENT			☐ A. INCENERATION		E A. BUILDINGS ON SITE
□ B. PILES —			☐ B. UNDERGROUND IN		
C. DRUMS, ABOVE GROUND			☐ C. CHEMICAL/PHYSIC	CAL	
□ D. TANK, ABOVE GROUND			D. BIOLOGICAL		06 AREA OF SITE
☐ E. TANK, BELOW GROUND			E. WASTE OIL PROCE		3374.
☐ F. LANDFILL —			☐ F. SOLVENT RECOVE		20 (Acres)
☐ G. LANDFARM —	350 6	. Y .	☐ H. OTHER	G/NEOOVE:11	
EH. OPEN DUMP -		<u> </u>	L R. Other	Specify)	
☐ I. OTHER					
UNTIL A BU	iyer can be	FOUN	ν.	: + :	
IV. CONTAINMENT					
01 CONTAINMENT OF WASTES (Check one)				C O INCECT	IRE, UNSOUND, DANGEROUS
A. ADEQUATE, SECURE	B. MODERATE	♂ C. I	NADEQUATE, POOR	U. INSECU	THE, UNGOUND, DANGE.
02 DESCRIPTION OF DRUMS, DIKING, LINERS,	BARRIERS, ETC.				
[
No B	ARRIERS, DRUM	ns, ETC	•		•
		-			
V. ACCESSIBILITY	/				
01 WASTE EASILY ACCESSIBLE: Y Y 02 COMMENTS	ES - NO				
No RESTRI	ICTIONS				
VI. SOURCES OF INFORMATION (Cite	specific references, e.g. state files.	samole analysis, /	eports)		
NIAGARA COUN					
SITE INSI	PETION				

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT DEMOGRAPHIC, AND ENVIRONMENTAL DATA

ı.	IDE	TI.	FICATI	ON		
01	STAT	E	2 SITE	NUMBI	ER	
1	14	0	000	51	47	03

	PARIS-WATER	I, DEMOGRAPHI	J, AND EN	TINOMINI	ENTALDATA		
II. DRINKING WATER SUPPLY						+	
01 TYPE OF DRINKING SUPPLY		02 STATUS				03 DISTANCE TO SIT	E
(Check as applicable) SURFACE	WELL	ENDANGERE	D AFFE	CTED	MONITORED		
COMMUNITY A.	В. □	A. 🗆	В.	コ	c. 🗷	A	.(mi)
NON-COMMUNITY C.	D. 🗆	D. 🗆	E.	J	F. 🗆	8	(mi)
III. GROUNDWATER							
01 GROUNDWATER USE IN VICINITY (Check	one)						
☐ A. ONLY SOURCE FOR DRINKING	B. DRINKING (Other sources availa COMMERCIAL, IN (No other water source)	NDUSTRIAL, IRRIGATION	(Lit	OMMERCIAL, nited other sour	, INDUSTRIAL, IRRIGA rces available)	ATION ØD. NOT USED, U	NUSEABLE
02 POPULATION SERVED BY GROUND WA	TER N/A		03 DISTANC	E TO NEARE	ST DRINKING WATER	WELL N/A	_(mi)
04 DEPTH TO GROUNDWATER	05 DIRECTION OF GRO	OUNDWATER FLOW	08 DEPTH TO		07 POTENTIAL YILL OF AQUIFER		
UNKNOWN (ft)	5047	TH		<u>f</u> (ft)	LINKNONA	∠(gpd) □ YES	□ NO
09 DESCRIPTION OF WELLS (Including usees	e death and location relative to	o oopulation and buildings)	L				
10 RECHARGE AREA		·	11 DISCHAR	GE AREA			
YES COMMENTS			☐ YES	COMMEN	ITS		
□ NO			□ NO				
IV. SURFACE WATER			<u> </u>	<u> </u>			
01 SURFACE WATER USE (Check one)							-
A. RESERVOIR, RECREATION DRINKING WATER SOURCE		ON, ECONOMICALLY INT RESOURCES	∕ □ C. (COMMERC	IAL, INDUSTRIAL	□ D. NOT CURRE	NTLY USED
02 AFFECTED/POTENTIALLY AFFECTED	BODIES OF WATER				AFFECTE	D DISTANCE TO	SITE
NAME:					AFFEOTE	DIOTATOL 1	,
BULL CREEK					=	0.6	(mi)
UNNAMED DONI						<u></u>	(mi)
TONA WANDA	CREEK					3.0	(mi)
V. DEMOGRAPHIC AND PROPER	TY INFORMATION					-	
01 TOTAL POPULATION WITHIN				C	2 DISTANCE TO NEA	REST POPULATION	
ONE (1) MILE OF SITE A. 304 NO. OF PERSONS	TWO (2) MILES OF SITE B. <u>2660</u> NO. OF PERSONS		3) MILES OF 11 400 NO. OF PERSON			<u>∞.2</u> (mi)	
03 NUMBER OF BUILDINGS WITHIN TWO	(2) MILES OF SITE		04 DISTANO	E TO NEAR!	EST OFF-SITE BUILD	NG	
80					0.	Z (mi)	
					denote constitute una		
05 POPULATION WITHIN VICINITY OF SIT	E (Provide narrative description						

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

I. IDENTIFICATION

01 STATE 102 SITE NUMBER

NY 000 0 5 14703

VEPA	PART 5 - WA	TER, DEMOGRAPH	IIC, AND ENVIRO	NMENTAL DATA	NY DOOD 5 14703
VI. ENVIRONMENTAL INFORMA	ATION				
01 PERMEABILITY OF UNSATURATED Z	ONE (Check one)				
□ A. 10 ⁻⁶ – 10 ⁻	d cm/sec	-4 - 10-6 cm/sec □	C. 10 ⁻⁴ - 10 ⁻³ cm/	sec 🗆 D. GREATER	THAN 10 ⁻³ cm/sec
02 PERMEABILITY OF BEDROCK (Check of	onei				
☐ A. IMPERN	MEABLE	LATIVELY IMPERMEAB -4 - 10 ⁻⁶ cm/seci	LE C. RELATIVEL	Y PERMEABLE 🗀 D.	VERY PERMEABLE (Greater than 10 ⁻² crivsec)
03 DEPTH TO BEDROCK	04 DEPTH OF CONTAI	MINATED SOIL ZONE	05 SOIL pH		
	- Martin and the Edwards and a	Ø(ft)	LINK	VOWN	
06 NET PRECIPITATION	07 ONE YEAR 24 HOU	RAINFALL	08 SLOPE SITE SLOPE	DIRECTION OF SITE S	LOPE , TERRAIN AVERAGE SLOPE
(in)	2	. <u>L</u> (in)	%	NA	
09 FLOOD POTENTIAL	10		J		
SITE IS IN 7500 YEAR FLO	ODPLAIN	☐ SITE IS ON BARRI	ER ISLAND, COASTAL	_ HIGH HAZARD AREA,	RIVERINE FLOODWAY
11 DISTANCE TO WETLANDS (5 acre minim	um)		12 DISTANCE TO CRITIC	CAL HABITAT (of endangered	
ESTUARINE	ОТН	ER		3.5	(mi)
A(mi)	B. 3. 5	5(mi)	ENDANGERE	D SPECIES: <u>ಡಿ.೨-</u> ೨	
13 LAND USE IN VICINITY			1	PEREG	CINE FALCON
DISTANCE TO:					
COMMERCIAL/INDUSTR		ENTIAL AREAS; NATIOI FORESTS, OR WILDLIF		AGRIC PRIME AG LAN	CULTURAL LANDS D AG LAND
A. <u>3.0</u> (mi)		в	(mi)	C	_ (mi) D(mi)
14 DESCRIPTION OF SITE IN RELATION 1	TO SURROUNDING TOP	GRAPHY		,	
		1	B		BULL
				-	CKD
	_	110		\	LOVELAND RD.
		1++			
				/	
MOYER RD.			A	/	
		1 \		1	
		\			
		\			
					- HILL RD.
		1-			
		<u>" w</u>		1	
		SHAWNEE KD.		/	
		3 3		\	
		$ \dot{x} $		1	
VII. SOURCES OF INFORMATION	V (Cite specific references.	.g., state liles, sample analysis,	reports)		
	_				

9	EPΔ	
33		

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

I. IDENTIFICATION

01 STATE 102 SITE NUMBER NY DOOG 5 14 703

		P/	ART 6 - SAMPLE AND FIELD INFORMATION		
II. SAMPLES TAKE					
SAMPLE TYPE		01 NUMBER OF SAMPLES TAKEN	02 SAMPLES SENT TO	03 ESTIMATED DATE RESULTS AVAILABLE	
GROUNDWATER					
SURFACE WATER					
WASTE					
AIR					
RUNOFF			-		
SPILL					
SOIL					
VEGETATION					
OTHER					
III. FIELD MEASUR	EMENTS TAI	KEN			
O1 TYPE		02 COMMENTS			
IV. PHOTOGRAPH	S AND MAPS				
01 TYPE GROUN	ID 🗆 AERIAL		02 IN CUSTODY OF		
03 MAPS ☐ YES	04 LOCATION	OF MAPS		ą.	
□ NO					
V. OTHER FIELD D	ATA COLLEC	CTED (Provide narrative des	(Cription)		
VI. SOURCES OF INFORMATION (Cite specific references, e.g., state tiles, sample analysis, reports)					
VI. SOURCES OF !!	NEURMATIO	N (Cite specific references, s	.g., state files. sample analysis. :eports)		

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

١.	IDEN	TIF	ICATI	ON		
0	1 STAT	E IO	000	NUMBE 5/	7 7	703

VETA		PART 7 - OWN	ER INFORMATION	L. V .	
CURRENT OWNER(S)			PARENT COMPANY (It applicable)		
NAME	jo	2 D+8 NUMBER	08 NAME 09 D+B NUMB		09 D+B NUMBER
	NEWMAN				11 SIC CODE
HARVEY P. E GENEVIEVE .		04 SIC CODE	10 STREET ADDRESS (P.O. Box. RFD ≠. stc.)		11 SIC CODE
32 PINE ST.				112 STATE	14 ZIP CODE
CITY		7 ZIP CODE	12 CITY	ISSINIE	, - 2,5
VORTH TONAWANDA	N4	14120			09 D+B NUMBER
NAME		02 D+8 NUMBER	08 NAME		03 D 7 5 110 moz
THIS IL & NANCY NEW	MAN				11 SIC CODE
NONTH TONAWANDA NAME FINALS H. E. NANCY NEW STREET ADDRESS (P.O. BOX, RFD #, BIC.)		04 SIC CODE	10 STREET ADDRESS (P.O. Box, RFD #, atc.)		3.5 5 5 5 5
7220 SHAWNAE RU CITY YORTH TONAWANDA	⊃.			1.2.2	14 ZIP CODE
CITY	06 STATE	07 ZIP CODE	12 CITY	13 STATE	14 ZIP CODE
WARD! TONAWANDA	N4	14/20			
NAME	1 / 3 /	02 D+B NUMBER	08 NAME		09 D+8 NUMBER
STREET ADDRESS (P.O. Box, RFD #, etc.)		04 SIC CODE	10 STREET ADDRESS (P.O. Box, RFD #, etc.)		11SIC CODE
			·		
CITY	08 STATE	07 ZIP CODE	12 CITY	13 STATE	14 ZIP CODE
Girt					
		02 D+B NUMBER	08 NAME		09D+8 NUMBER
NAME					
2000000 on 2 250 4 ato 1		04 SIC CODE	10 STREET ADDRESS (P.O. Box, RFD #, etc.)		11 SIC CODE
3 STREET ADDRESS (P.O. Box, RFD #, etc.)					
	IOS STATE	07 ZIP CODE	12 CITY	13 STAT	1 4 ZIP CODE
5 CITY	0031710	0, 2, 0002			
			IV. REALTY OWNER(S) (If applicable: list mo	es secret first)	
I. PREVIOUS OWNER(S):(List most recent in	irst) ·	02 D+8 NUMBER	01 NAME	Streen in an	02 D+6 NUMBER
1 NAME		U2 D+B NUMBER	OT TOME		
		1 04 SIC CODE	03 STREET ADDRESS (P.O. Box, RFD #, etc.)		04 SIC CODE
3 STREET ADDRESS (P.O. Box, RFD #. etc.)		000000000000000000000000000000000000000	55 577122 1775 1775 1775 1775 1775 1775		
	LOG STATE	07 ZIP CODE	05 CITY	06 STAT	E 07 ZIP CODE
5 CITY	0001710	U/ ZIP CODE			
		02 D+B NUMBER	01 NAME		02 D+B NUMBER
1 NAME		U2 D+B NOMBER		•	
		04 SIC CODE	03 STREET ADDRESS (P.O. Box, RFD #, etc.)		04 SIC CODE
3 STREET ADDRESS (P.O. Box, RFD #, etc.)		0-00000			
	IOS STAT	E 07 ZIP CODE	05 CITY	OB STA	TE 07 ZIP CODE
5 CITY	1000,211				
		02 D+B NUMBER	01 NAME		02 D+8 NUMBER
1 NAME					
		104 SIC CODE	03 STREET ADDRESS (P.O. Box, RFD #, etc.)		04 SIC CODE
03 STREET ADDRESS (P.O. Box, RFD €, etc.)					
	logstat	E 07 ZIP CODE	05 CITY	06 STA	TE 07 ZIP CODE
DECITY	JUBSIAI	0, 2, 3002			
V. SOURCES OF INFORMATION (Cite	specific reference	s. e.g., state files, sample anai	ysis, reports)		
NYS TAX RE	CORDS				
NYS TAX RE SITE INSPEC	ا س	·			

.	EPΔ	
3		

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 8 - OPERATOR INFORMATION

	TFICATION	
01 STATE	02 SITE NUMBER	
MYK	200051417	3

		TOTAL ORIGINATION	
II. CURRENT OPERATOR (Provide if differ		OPERATOR'S PARENT COMPANY (#	applicaple)
OI NAME DENNIS NEWMAN	02 0+8 NUMBER	10 NAME	11 D+8 NUMBER
03 STREET ADDRESS (P.O. Box, RFD # etc.)	04 SIC CODE	12 STREET ADDRESS (P.O. Box, RFD #, atc.)	13 SIC CODE
7220 SHAWNEE R	o.		
05 CITY	06 STATE 07 ZIP CODE	14 CITY	15 STATE 16 ZIP CODE
11 Tones Inno	114 14120		
OB YEARS OF OPERATION LOS NAME OF OW	NER		
7220 SHAWNEE IN 05 CITY N. TONALUATUR A 08 YEARS OF OPERATION OR NAME OF OW 1949- HARVE	Y NEWMAN		
III. PREVIOUS OPERATOR(S) (List most re	cent first; provide only if different from owner)	PREVIOUS OPERATORS' PARENT CO	MPANIES (If applicable)
OI NAME HARVEY WEWMAN	02 D+B NUMBER	10 NAME	11 D+8 NUMBER
03 STREET ADDRESS (P.O. Box, RFD #. etc.)	04 SIC CODE	12 STREET ADDRESS (P.O. Box, RFD #, stc.)	13 SIC CODE
05 CITY	06 STATE 07 ZIP CODE	14 CITY	15 STATE 16 ZIP CODE
08 YEARS OF OPERATION 09 NAME OF OW	NER DURING THIS PERIOD		
01 NAME	02 D+8 NUMBER	10 NAME	11 C+8 NUMBER
03 STREET ADDRESS (P.O. Box, RFD ♣, etc.)	04 SIC CODE	12 STREET ADDRESS (P.O. Box, RFD #, etc.)	13 SIC CODE
05 CITY	06 STATE 07 ZIP CODE	14 CiTY	15 STATE 16 ZIP CODE
08 YEARS OF OPERATION 09 NAME OF OW	NER DURING THIS PERIOD		
DI NAME	02 D+B NUMBER	10 NAME	Land : AWINGS
OI NAME	UZ DTB NUMBER	IONAME	11 D+B NUMBER
03 STREET ADDRESS (P.O. Box, RFO €, etc.)	04 SIC CODE	12 STREET ADDRESS (P.O. Box, RFD ♣, etc.)	13 SIC CODE
05 CITY	06 STATE 07 ZIP CODE	14 CITY	15 STATE 16 ZIP CODE
			10 AF CODE
D8 YEARS OF OPERATION 09 NAME OF OW	NER DURING THIS PERIOD		
IV. SOURCES OF INFORMATION (Cite	specific references. e.g., state files, sample anely:	sis, reports)	
SITE INSPECTION	U		
ALLIC TON DET NO	ממכ		

POTENTIAL HAZARDOUS WASTE SITE

			FICA				
01	STA	TEIC	2 SITE	NU	MBER		
Λ	10	00	000	5	14	70	3

SEPA	SITE INSPECTION REPORT PART 9 - GENERATOR/TRANSPORTER INFORMATION OF DOOD				
II. ON-SITE GENERATOR					
01 NAME		02 D+8 NUMBER			
NONE					
03 STREET ADDRESS (P.O. Box. RFD #, etc.)		04 SIC CODE			
05 CITY	IOS STATE	07 ZIP CODE			
35 GH 4	OGGIAIL	07 217 0002			
III. OFF-SITE GENERATOR(S)					
01 NAME		02 D+B NUMBER	01 NAME		02 D+B NUMBER
ROBUM STEEL CD D3 STREET ADDRESS (P.O. Box, RFD #, etc.)	•				
		04 SIC CODE	03 STREET ADDRESS (P.O. 30x, RFD #, atc.)		04 SIC CODE
101 EAST AVENUE OS CITY N. TOWAWANDA	ستي				
05 CITY	06 STATE	07 ZIP CODE	05 CITY	06 STATE	07 ZIP CODE
11 TONALIANDA	N4	14/20			
01 NAME	1/4/	02 D+B NUMBER	01 NAME		02 D+B NUMBER
		04 SIC CODE	03 STREET ADDRESS (P.O. Box, RFD #, etc.)		04 SIC CODE
03 STREET ADDRESS (P.O. Box, RFD #. etc.)		04 SIC CODE	03 3 THEET ADDRESS (P.O. Box, APD #. 8(C.)		04 0.0 0000
				loc ctate	67.710.0005
05 CITY	08 STATE	07 ZIP CODE	05 CITY	U6 STATE	07 ZIP CODE
IV. TRANSPORTER(S)					
01 NAME		02 D+B NUMBER	01 NAME		02 D+8 NUMBER
03 STREET ADDRESS (P.O. Box, RFD #, etc.)		04 SIC CODE	03 STREET ADDRESS (P.O. Box, RFD #, etc.)		04 SIC CODE
05 CITY	IO6 STATE	07 ZIP CODE	05 CITY	106 STATE	07 ZIP CODE
05 C11 7		- 107 Zir 3032	05 311 7		
			2.11.15		02 D+B NUMBER
01 NAME		02 D+8 NUMBER	01 NAME		UZ DTB NUMBER
				·	
03 STREET ADDRESS (P.O. Box, RFD #. etc.)		04 SIC CODE	03 STREET ADDRESS (P.O. Box, RFD #, atc.)		04 SIC CODE
05 CITY	06 STATE	07 ZIP CODE	05 CITY	06 STATE	07 ZIP CODE
V COURCES OF INFORMATION					1
V. SOURCES OF INFORMATION (Cite	specific references.	. e.g., state illes, sample analys	is, reports)		
	_	. (1			
NIAGARA COUNTY	WH	(1783)			

9	FPΔ	
39		Ĺ

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 10 - PAST RESPONSE ACTIVITIES

I. IDENTIFICATION	1
01 STATE 02 SITE NUMBER	l
NY10000514703	ļ

PART 10	- PAST RESPONSE ACTIV	ITIES
AST RESPONSE ACTIVITIES		
01 A. WATER SUPPLY CLOSED 04 DESCRIPTION	02 DATE	03 AGENCY
01 ☐ B. TEMPORARY WATER SUPPLY PROVIDED 04 DESCRIPTION	02 DATE	03 AGENCY
01 □ C. PERMANENT WATER SUPPLY PROVIDED 04 DESCRIPTION	02 DATE	03 AGENCY
01 D. SPILLED MATERIAL REMOVED 04 DESCRIPTION	02 DATE	03 AGENCY
01 E. CONTAMINATED SOIL REMOVED 04 DESCRIPTION	02 DATE	03 AGENCY
01 ☐ F. WASTE REPACKAGED 04 DESCRIPTION	02 DATE	03 AGENCY
01 ☐ G. WASTE DISPOSED ELSEWHERE 04 DESCRIPTION	02 DATE	03 AGENCY
01 ☐ H. ON SITE BURIAL 04 DESCRIPTION	02 DATE	03 AGENCY
01 ☐ I. IN SITU CHEMICAL TREATMENT 04 DESCRIPTION	02 DATE	03 AGENCY
01 □ J. IN SITU BIOLOGICAL TREATMENT 04 DESCRIPTION	02 DATE	03 AGENCY
01 G K. IN SITU PHYSICAL TREATMENT 04 DESCRIPTION	02 DATE	03 AGENCY
01 □ L ENCAPSULATION 04 DESCRIPTION	O2 DATE	03 AGENCY
01 ☐ M. EMERGENCY WASTE TREATMENT 04 DESCRIPTION	O2 DATE	03 AGENCY
01 ☐ N. CUTOFF WALLS 04 DESCRIPTION	02 DATE	
01 ☐ O. EMERGENCY DIKING/SURFACE WATER DIVERS 04 DESCRIPTION	ION 02 DATE	O3 AGENCY
01 ☐ P. CUTOFF TRENCHES/SUMP 04 DESCRIPTION	02 DATE	03 AGENCY
01 □ Q. SUBSURFACE CUTOFF WALL 04 DESCRIPTION	02 DATE	O3 AGENCY

≎EPA

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 10 - PAST RESPONSE ACTIVITIES

I. IDENTIFICATION

01 STATE 02 SITE NUMBER

	PART 10 - PAST RESPONSE ACTIVITIES	[N910000 314
ST RESPONSE ACTIVITIES (Continued)		
01 ☐ R. BARRIER WALLS CONSTRUCTED 04 DESCRIPTION	02 DATE	03 AGENCY
01 ☐ S. CAPPING/COVERING 04 DESCRIPTION	02 DATE	03 AGENCY
01 🗆 T. BULK TANKAGE REPAIRED 04 DESCRIPTION	02 DATE	03 AGENCY
01 ☐ U. GROUT CURTAIN CONSTRUCTED 04 DESCRIPTION	02 DATE	03 AGENCY
01 □ V. BOTTOM SEALED 04 DESCRIPTION	02 DATE	03 AGENCY
01 ☐ W. GAS CONTROL 04 DESCRIPTION	02 DATE	03 AGENCY
01 ☐ X. FIRE CONTROL 04 DESCRIPTION	02 DATE	03 AGENCY
01 ☐ Y. LEACHATE TREATMENT 04 DESCRIPTION	02 DATE	03 AGENCY
01 □ Z. AREA EVACUATED 04 DESCRIPTION	02 DATE	03 AGENCY
01 ☐ 1. ACCESS TO SITE RESTRICTED 04 DESCRIPTION	02 DATE	03 AGENCY
01 ☐ 2. POPULATION RELOCATED 04 DESCRIPTION	02 DATE	03 AGENCY
01 2 3. OTHER REMEDIAL ACTIVITIES 04 DESCRIPTION	02 DATE 4.16.82	03 AGENCY
SITE INSPECT	EO AND SURFACE WATER	DRAINAGE ANALYZED
OURCES OF INFORMATION (Cite specific ref	ferences, e.ç., state files, sample analysis, recorts)	

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 11 - ENFORCEMENT INFORMATION

I. IDENTIFICATION

01 STATE 02 SITE NUMBER

NY 00005,4703

II. ENFORCEMENT INFORMATION

TNO

02 DESCRIPTION OF FEDERAL, STATE, LOCAL REGULATORY/ENFORCEMENT ACTION

01 PAST REGULATORY/ENFORCEMENT ACTION ☐ YES

III. SOURCES OF INFORMATION (Cite specific references, e.g., state files, sample analysis, reports)

POTENTIAL HAZARDOUS WASTE SITE PRELIMINARY ASSESSMENT PART 1 - SITE INFORMATION AND ASSESSMENT

1. IDENTIFICATION

01. STATE 102 SITE NUMBER

NY () 500514763

II. SITE NAME AND LOCATION							
01 SITE NAME (Legal, common, or descriptive name of site)	02 ST	REET	, ROUTE NO., OR	SPECI	FIC LOCATION IDENTIFIER		
	į.	7730 SMAWNITE 20.					
HARVEY NEWMAN & SON		04 STATE 05 ZIP CODE 06 COUNTY 07 COUNTY 08 CO					
	\(\sigma\)	- 1	1	1	INGARA	063 36	
OP COORDINATES LATITUDE LONGITUDE	1/ / /		17100	70.	7770771077	1003 74	
09 COORDINATES LATITUDE LONGITUDE 43 04 41.3 078 50 12.6							
10 DIRECTIONS TO SITE (Starting from nearest public road)	5						
ON SHAWNEE RO. , BEHIN	in Hous	سر					
SAMONUE ISSUE TOCHING	1000	C					
III. RESPONSIBLE PARTIES							
01 OWNER (If known)	02 ST	REET	(Business, mailing, r	residentia	0		
HARVEY & GENEVIEVE NEWMAN		32	DINE	57	•		
O3 CITY	04 ST	ATE	PINE 05 ZIP CODE	100	3 TELEPHONE NUMBER		
N. TONAWANDA	1/0	/	14120	(7161692.2593		
07 OPERATOR (If known and different from owner)			(Business, mailing, r	residentia	0	l .	
SAME							
109 CITY	10 ST/	TE	11 ZIP CODE	1:	2 TELEPHONE NUMBER	I	
				10)		
13 TYPE OF OWNERSHIP (Check one)							
☐ A. PRIVATE ☐ B. FEDERAL: (Agency na			. G. STAT	TE 0	D.COUNTY E. MU	NICIPAL	
☐ F. OTHER:	me)		. 🗆 G. UNKI	NOWN			
(Soecify)							
14 OWNER/OPERATOR NOTIFICATION ON FILE (Check all that apply)	ATROLLED W/	STE	SITE CERCIA IN	na at 10	ATE DECEIVED:	🗆 C. NONE	
	THOLLED III	7016	GITC/CEACDA 70	J3 C) ()	ATE RECEIVED: MONTH D	AY YEAR	
IV. CHARACTERIZATION OF POTENTIAL HAZARD							
O1 ON SITE INSPECTION BY (Check all that apply) A. EPA NO. MONTH DAY YEAR BY (Check all that apply) A. EPA E. LOCAL HEALT	B. EPA CON	TRAC	CTOR Z	€C. ST	ATE	CONTRACTOR	
			F. OTHER: _		(Specify)		
CONTRACTOR NAM	1E(S): <u>E</u> A	1411	VEERING.	<u>- SC</u>	TENCE "		
02 SITE STATUS (Check one) 03 YEARS O	FOPERATION		· · · · · · · · · · · · · · · · · · ·				
	194 BEGINNIA		AR ENDING	G YEAR	UNKNOW	4	
04 DESCRIPTION OF SUBSTANCES POSSIBLY PRESENT, KNOWN, OR ALLEGED							
MILL SCALE CONSIS	TNG 0	E	FeO.	Fe.	Ou and Fa C	`	
,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			,	3		² 3	
05 DESCRIPTION OF POTENTIAL HAZARD TO ENVIRONMENT AND/OR POPULATION	NC						
UNKNOWN							
V. PRIORITY ASSESSMENT							
01 PRIORITY FOR INSPECTION (Check one. If high or medium is checked, complete Part 2 - W	Vaste information a	nd Par	т 3 - Description of Ha	azardous :	Conditions and incidents:		
☐ A. HIGH ☐ B. MEDIUM ☐ C. LOV			52 D. NON	NE	on needed, complete current dispos	uton (orm)	
VI. INFORMATION AVAILABLE FROM							
01 CONTACT 02 OF (Agence	y Organization)			_		03 TELEPHONE NUMBER	
JOHN RUNNICCE LE			NG-5			(703)591-7575	
1	06 0		INIZATION	1	07 TELEPHONE NUMBER (703) 591 - 7575	8.4.83	
O4 PERSON RESPONSIBLE FOR ASSESSMENT O5 AGENCY KATHRYN GLADDEN		RGA	NIZATION	T	07 TELEPHONE NUMBER	OB DATE S 4 93 MONTH DAY YEAR	

\$EPA

POTENTIAL HAZARDOUS WASTE SITE PRELIMINARY ASSESSMENT PART 2 - WASTE INFORMATION

1. IDENTIFICATION

01 STATE | 02 SITE NUMBER

1. Y 0000514703

	ATES. QUANTITIES, AN							
1 PHYSICAL STATES Check all lines applys SOLID E. SLURRY B. POWDER, FINES F. LIQUID C. SLUDGE G. GAS		02 WASTE QUANTITY AT SITE (Measures of waste quantities must be independent) TONS CUBIC YARDS 350		O3 WASTE CHARACTERISTICS (Check all that apply) A. TOXIC				
_ D. OTHER .	(Specity)	NO. OF DRUMS	i			M. NOT API	PUCABLE	
. WASTE TY	/PE							
CATEGORY	SUBSTANCE	NAME	01 GROSS AMOUNT	02 UNIT OF MEASURE	03 COMMENTS			
SLU	SLUDGE							
OLW	OILY WASTE							
SOL	SOLVENTS							
PSD	PESTICIDES							
occ	OTHER ORGANIC C	HEMICALS			,			
(lecc	INORGANIC CHEMI		350	CY	MillS	cale		
ACD	ACIDS							
BAS	BASES							
MES)	HEAVY METALS		()N\<					
/ / /	OUS SUBSTANCES (See	Annengiy for most freque		<u> </u>	L			
1 CATEGORY	02 SUBSTANCE		03 CAS NUMBER	04 STORAGE/DIS	POSAL METHOD	05 CONCENTRATION	06 MEASURE OF CONCENTRATION	
			7440382	STOR	AGE	6.7	PPM	
MES	Arsenic		7440439	11		2.1	PPM	
MEC	CADMIUM		949	• (. (5.8	PPM	
MES	LEAD		999	C,	R	130	PPM	
MES	3/WC		999	14			PPM	
MES	COPPER			- (("	36	PPM	
MES	MICKEL		998			3.6	1 11	
	3 1							
							+	
				<u> </u>				
V FEEDST(OCKS (See Appendix for CAS Nu	mharri						
			02 CAS NUMBER	CATEGORY	01 FEEDS	STOCK NAME	02 CAS NUMBER	
CATEGORY				FDS				
FDS	CADMIU		7440439					
FDS	ARSENIC		7440:38.2					
FDS	Beryllium	`	744040.7					
FDS				FDS	1]	
	S OF INFORMATION			, reports i				
λ.	100010 (- 4	4 TOH	(1603)					
\mathcal{N}	iagara Count Site Inspect	7 2011	(.,,,,,					
	CLOTACORC	100						

POTENTIAL HAZARDOUS WASTE SITE PRELIMINARY ASSESSMENT

I. IDENTIFICATION

01 STATE 02 SITE NUMBER NY 0000514703

PART 3 - DESCRIPTION OF HAZARDOUS CONDITIONS AND INCIDENTS

II. HAZARDOUS CONDITIONS AND INCIDENTS IO	'antinued)		-
01 ☐ J. DAMAGE TO FLORA 04 NARRATIVE DESCRIPTION	02 □ OBSERVED (DATE:)	_ POTENTIAL	☐ ALLEGED
	Not apparent		
01 T.K. DAMAGE TO FAUNA 04 NARRATIVE DESCRIPTION (Include name(s) of species)	02 C OBSERVED (DATE:)	☐ POTENTIAL	_ ALLEGED
01 _ L. CONTAMINATION OF FOOD CHAIN 04 NARRATIVE DESCRIPTION	02 🗆 OBSERVED (DATE:)	☐ POTENTIAL	□ ALLEGED
	Un Known		
01 _ M. UNSTABLE CONTAINMENT OF WASTES Soulis runoff/standing liquids/leaking drums O2 POPUL ATION POTENTIALLY AFFECTED:	02 C OBSERVED (DATE:) 04 NARRATIVE DESCRIPTION	☐ POTENTIAL	□ ALLEGED
03 POPULATION POTENTIALLY AFFECTED:	pparent, scale scored by	pile	
01 © N. DAMAGE TO OFFSITE PROPERTY 04 NARRATIVE DESCRIPTION	02 C OBSERVED (DATE:)		□ ALLEGED
	UnKnown		
01 _ O. CONTAMINATION OF SEWERS, STORM DRA 04 NARRATIVE DESCRIPTION	NINS, WWTPs 02 G OBSERVED (DATE:)	☐ POTENTIAL	□ ALLEGED
	Un Known		
01 ☐ P. ILLEGAL/UNAUTHORIZED DUMPING 04 NARRATIVE DESCRIPTION	02 🗔 OBSERVED (DATE:)	□ POTENTIAL	□ ALLEGED
	None Apparent		
05 DESCRIPTION OF ANY OTHER KNOWN, POTENTI.	AL OR ALLEGED HAZARDS		
	None Apport		
III. TOTAL POPULATION POTENTIALLY AFFECT	ED:		
IV. COMMENTS			
	-		
V. SOURCES OF INFORMATION (Cite specific references	s. e. g., state files. sample analysis. reports)		
S	ite Inspection		

POTENTIAL HAZARDOUS WASTE SITE PRELIMINARY ASSESSMENT

I. IDENTIFICATION

O1 STATE 02 SITE NUMBER

NY 0000514703

PART 3 - DESCRIPTION OF HAZARDOUS CONDITIONS AND INCIDENTS

II. HAZARDOUS CONDITIONS AND INCIDENTS		
01 T A. GROUNDWATER CONTAMINATION 03 POPULATION POTENTIALLY AFFECTED:	02 C OBSERVED (DATE:) 04 NARRATIVE DESCRIPTION	☐ POTENTIAL ☐ ALLEGED
Un Kno	$\rho\omega$	
01 T B. SURFACE WATER CONTAMINATION 03 POPULATION POTENTIALLY AFFECTED:	02 □ OBSERVED (DATE:) 04 NARRATIVE DESCRIPTION	☐ POTENTIAL ☐ ALLEGED
No, samples	analyzed for metals	and THO were negative
01 C. CONTAMINATION OF AIR 03 POPULATION POTENTIALLY AFFECTED:	02 □ OBSERVED (DATE:) 04 NARRATIVE DESCRIPTION	☐ POTENTIAL ☐ ALLEGED
Un	Known	
01 ☐ D. FIRE/EXPLOSIVE CONDITIONS 03 POPULATION POTENTIALLY AFFECTED:	02 G OBSERVED (DATE:) 04 NARRATIVE DESCRIPTION	_ POTENTIAL ALLEGED
No		
01 _ E. DIRECT CONTACT 03 POPULATION POTENTIALLY AFFECTED:	02 ☐ OBSERVED (DATE:) 04 NARRATIVE DESCRIPTION	☐ POTENTIAL ☐ ALLEGED
No	,	
01 F. CONTAMINATION OF SOIL 03 AREA POTENTIALLY AFFECTED: (Acres)	02 DBSERVED (DATE: 4.76.8 2) 04 NARRATIVE DESCRIPTION	,
netals tound may	in low concentration be natural backgr	ns 10 3011
01 G. DRINKING WATER CONTAMINATION 03 POPULATION POTENTIALLY AFFECTED: .	02 ☐ OBSERVED (DATE:) 04 NARRATIVE DESCRIPTION	☐ POTENTIAL ☐ ALLEGED
01 TH. WORKER EXPOSURE/INJURY 03 WORKERS POTENTIALLY AFFECTED:	02 G OBSERVED (DATE:) 04 NARRATIVE DESCRIPTION	☐ POTENTIAL ☐ ALLEGED
01 ☐ I. POPULATION EXPOSURE/INJURY 03 POPULATION POTENTIALLY AFFECTED:	02 C OBSERVED (DATE:) 04 NARRATIVE DESCRIPTION	☐ POTENTIAL ☐ ALLEGED

SECTION IV

SECTION IV

Harvey Newman and Son

The Harvey Newman site has been a landscaping, landfill, and top-soil business owned and operated by the Newman family since 1949. In 1981 Mr. Newman received a permit to haul and store iron and zinc phosphate from Roblin Steel for eventual deposit elsewhere (NYSDEC, 1981).

Inspections of the site in April, 1982 and July, 1983 by the Niagara County Department of Health and a state contractor found piles of concrete, dirt, and a load of mill scale from Roblin Steel on the site (NCDOH, 1983). A sampling program conducted by the New York State Department of Environmental Conservation (Region 9) failed to detect heavy metals in surface water samples, but did detect very low levels of heavy metals in the soil (NYSDEC). Comparison of these soil samples results with background samples collected by the USGS reveals that the concentration levels of copper, lead, nickel, and zinc are somewhat above background levels.

SUMMARY OF AVAILABLE DATA

SECTION V

SUMMARY OF AVAILABLE DATA

Harvey Newman & Son

REGIONAL GEOLOGY AND HYDROLOGY

The site is located in the Erie-Ontario lowlands physiographic province. The bedrock of this region is predominantly limestone, dolostone, and shale. Most of the rocks are deep aquifers with regional flow to the south.

In the recent past, most of New York State, including the site, has been repeatedly covered by a series of continental ice sheets. The activity of the glacier widened preexisting valleys, and deposited widespread accumulations of till. The melting of ice, ending approximately 12,000 years ago, produced large volumes of meltwater; this water subsequently shaped channels and deposited thick accumulations of stratified, granular sediments.

As glacial ice retreated from the region, meltwater formed lakes in front of the ice margin. This region is covered by lake sediments, the most recent being from Lake Iroquois (a larger predecessor to Lake Ontario) and from Lake Tonawanda (an elongate lake which occupied an east-west valley and drained north into Lake Iroquois). The sediments consist of blanket sands and beach ridges which are occasionally underlain by lacustrine silts and clays (indicating quiet or deeper water deposition).

Granular deposits in this region frequently act as shallow aquifers, whereas lacustrine clays, as well as tills, often inhibit groundwater movement. However, fine-grained, water-lain sediments, such as silts and clays, frequently contain horizontal laminations and sand seams. These internal features facilitate lateral groundwater movement through otherwise low permeability materials.

SITE GEOLOGY

No subsurface investigations have been performed on the site. This summary of site geology is based on USGS topographic map, NYS Museum and Science Service Bedrock Geology Map and Quaternary Geology Map, and geologic investigations at nearby disposal sites.

The bedrock at the site is expected to be Camillus Shale (Salina Group) and may be located at depths below 25 feet. Overlying the bedrock is a lacustrine silt and clay unit which becomes sandy in the upper soil layers. A continuous layer of topsoil covers the ground surface of the site, to a depth of approximately 1 foot.

SITE HYDROLOGY

No on-site hydrogeological investigations have been performed. This summary of site hydrology is based on our experience of site subsurface conditions at other sites in the vicinity.

The site soils probably form a shallow aquifer, with a water table at a depth of approximately 4 feet. A deep bedrock aquifer may occur in the shale. Flow directions and rates within these aquifers are undetermined.

There are no surface water bodies on the site. A rainwater collecting ditch borders the site to the east. Water in this ditch is slow moving, eventually draining to the south.

SAMPLING AND ANALYSIS

Surface water samples from four locations on the Harvey Newman and Son site were analyzed for metals (NCDOH, 1982). Results are summarized in Table V-1. Figure V-1 shows the sampling locations.

Soil samples were also taken at the same locations as the water samples are analyzed for metals and organics. An additional soil sample (#1) was taken at the outfall of an existing drain pipe believed to be serving the yard. (NCDOH, 1982). Results are summarized in Table V-2.


A chemical analysis of the Roblin Steel Company mill scale deposited on the Harvey Newman and Son site showed that the iron oxide scale contained 80%-85% FeO, 10%-15% ${\rm Fe_3O_4}$ and 2% ${\rm Fe_2O_3}$ (NCDOH, 1983).

TABLE V-1
Summary of Analysis of Harvey Newman and Son
Surface Water Samples for Metals (Niagara County DOH, 1982)

Parameter		Sample S	Station	
(mg/l)	2	3	4	5
Arsenic	<0.006	<0.006	<0.006	<0.006
Beryllium	<0.01	<0.01	<0.01	<0.01
Cadmium	0.006	<0.005	<0.005	<0.006
Chromium	<0.006	<0.006	<0.006	<0.006
Mercury	<0.001	<0.001	<0.001	<0.001
Nickel	<0.03	<0.03	<0.03	<0.03
Antimony	<0.2	<0.2	<0.2	<0.2

Table V-2
Summary of Analysis of Harvey Newman and Son
Soil Samples (Niagara County DOH, 1982)

Parameter	Units of Measure	Sam <u>r</u> (1)	ple Identi (2)	fication (3)	(Station (4)	#) (5)
Arsenic	ug/g dry	3.9	5.6	6.7	1.9	3.9
Beryllium	ug/g dry	<0.6	<0.5	<2	<0.6	<0.5
Cadmium	ug/g dry	1.5	0.55	1.5	0.840	2.1
Chromium	ug/g dry	15	8.4	15	13	12
Copper	ug/g dry	69	26	39	42	44
Lead	ug/g dry	55	36	58	45	47
Mercury	ug/g dry	<0.09	<0.08	<0.1	<0.1	<0.1
Nickel	ug/g dry	36	20	35	29	38
Selenium	ug/g dry	1.1	<0.4	1.1	<0.6	<0.6
Silver	ug/g dry	<0.6	<0.5	<2	<0.6	<0.5
Thallium	ug/g dry	<6.	<5	<20	<6	<5
Antimony	ug/g dry	<10	<9	<30	<10	<10
Zinc	ug/g dry	1 30	1 20	260	240	240
Halogenated	ug/g dry as	0.97	0.53	1.5	1.3	1.9
Organic Scan	Lindane Stan	dard	-			



A CONTRACTOR OF THE PARTY OF TH

--

jet L SECTION VI
ASSESSMENT OF ADEQUACY OF DATA

SECTION VI

ASSESSMENT OF ADEQUACY OF DATA

Harvey Newman & Son

HRS Data Requirement	Comments on Data
Observed Release	
Ground Water	No available data, field data collection recommended.
Surface Water	Data available, adequate for HRS evaluation.
Air	No available data, field data collection is not recommended.
Route Characteristics	
Ground Water	Insufficient information, more data collection recommended.
Surface Water	Data available, adequate for HRS evaluation.
Air	Data available, adequate for HRS evaluation.
Containment	Information available, adequate for HRS evaluation.
Waste Characteristics	Information available, adequate for HRS evaluation.
Targets	Information available, adequate for HRS evaluation.
Observed Incident	Information available revealed no report of incident. No further investigation recommended.
Accessibility	Adequate information available.

SECTION VII
PHASE II WORK PLAN

SECTION VII

PHASE II WORK PLAN

Harvey Newman & Son

OBJECTIVES

The objectives of the Phase II activities are:

- o To collect additional field data necessary to complete the HRS scoring.
- o To perform a conceptual evaluation of remedial alternatives and estimate budgetary costs for the most likely alternative.
- o To prepare a site investigation report.

The additional field data required to complete the HRS are defined as follows:

Ground Water - A ground water monitoring system consisting of 3 wells is recommended. The wells are to be 20 to 50 feet in depth and constructed of 2" PVC pipe. The samples will be analyzed for metals.

TASK DESCRIPTION

The proposed Phase II tasks are described in Table VII-1.

COST ESTIMATE

The estimated manhours required for the Phase II project are presented in Table VII-2 and the estimated project costs by tasks are presented in Table VII-3.

HEALTH AND SAFETY PLAN

The Health and Safety Plan will be submitted as a separate document.

QUALITY ASSURANCE PLAN

The Quality Assurance Plan will be submitted as a separate document.

TABLE VII-1 PHASE II WORK PLAN - TASK DESCRIPTION Harvey Newman & Son

	Tasks	Description of Task
TASK		
II-A	Update Work Plan	Review the information in the Phase I report, conduct a site visit, and revise the Phase II work plan.
II-B	Conduct Geophysical studies	No further studies necessary.
II-C	Conduct Boring/Install Monitoring Wells	Install 1 up-gradient and 2 down- gradient wells. The wells are to b 20 to 50 feet in depth and constructed of 2" PVC pipe.
II-D	Construct Test Pits/ Auger Holes	No further construction of test pits/auger holes necessary.
II-E	Perform Sampling and Analysis Soil samples from borings Soil samples from surface soils Soil samples from test pits and auger holes Sediment samples from surface water	No further sampling necessary. No further sampling necessary. No further sampling necessary. No further sampling necessary.
	Ground-water samples Surface water samples Air samples Waste samples	Analyze samples for metals. No further sampling necessary. No further sampling necessary. No further sampling necessary.
II-F	Calculate Final HRS	Based on the field data collected i Tasks IIB-IIE, complete the HRS form.
II-G	Conduct Site Assessment	Prepare final report containing Phase I report, additional field data, final HRS and HRS documen- tation records, and site assess- ments. The site assessment will consist of a conceptual evaluation of alternatives and a preliminary cost estimate of the most probable alternative.
II-H	Project Management	Project coordination, administration and reporting.

1Able VII-2 Personnel Resources by Task Phase II has site investigation (site: Harvey Hewhan & Son) TEAM NEMBERS, MANNOURS

TASK DESCRIPTION

	PIC	ERG	£	DPM	РСИ	ОАН	WSH	П	Ξ	RAAL	RAAT	55	TOTAL	101AL	
II-A UFDATE NORA PLAN	-		4	-		-	_	9		9		33	28	469	
II-B CONDUCT GEOPHYSICAL STUDIES													0	Ó	
11-C CONDUCT BORING/INSTALL Honitoring Weils			6				4	83	24	8		9	48	611.47	
II-D CONSTRUCT TEST PITS/AUGER HULES													9	٥	
II-E FERFURN SANPLING AND Analysis															
SOIL SANTLES FROM BORINGS													•	Э	
SOIL SAMPLES FROM SURFACE Soils													÷	9	
SUIL SAMPLES FROM TEST PITS AND AUGER HOLES													9	0	
SEDINENT SAMPLES FROM SURFCE Nater													9	٥	
GRUUND-WATER SAMPLES			~	-		_	2	-	91	2		01	92	455.41	
SURFACE WATER SAMPLES													0	0	
AIR SAMPLES													9	0	
HASTE SAMPLES													9	Û	
II-F CALCULATE FINAL HRS			2	м				m	24			91	49	563.23	
11-6 CONDUCT 511E ASSESSHENT	-	2	-	2				4	91	9	24	32	16	1103.84	
II-H PROJECT MANAGENENI	2		9	2	₩.	-	-					9	29	500.2	
TOTALS	-	2	21	91	r	1	=	25	90	91	24	90	283 3	3703.15	

TABLE VII-3 COST ESTINATE PREAKDONN BY TASK PHASE II HAS SITE INVESTIGATION (SITE: HARVEY NEWHAN & SON)

4841.47 TOTAL (\$) 694 688.23 9610.15 1478.84 900.2 1007.41 4230 SUPTOTAL 225 552 375 2003 125 400 300 . 25 MISC. 25 22 75 20 200 EQUIP, SUBCON-CHARGES TRACTORS 3600 3600 OTHER DIRECT COSTS (ODC), \$ 2 72 75 200 30 500 SUPPL 1ES 300 5 2 20 8 750 150 LAB TRAVEL AND ANALYSIS SURSISTANCE 255 001 8 150 280 267 267 611.47 469 455.41 563,23 3703, 15 DIRECT LAROR HOURS COST 1103.84 500.2 28 48 80 7 283 SOIL SAMPLES FROM TEST PITS AND AUGER HOLES SOIL SAMPLES FROM BURINGS SOIL SAMPLES FROM SURFACE SOILS 11-P CONDUCT GEOPHYSICAL STUDIES II-D CONSTRUCT TEST FITS/AUGER HOLES SEDIMENT SANPLES FROM Surface Water SURFACE NATER SAMPLES 11-C CONPUCT BORIHG/INSTALL HONITORING WELLS GROUND-WATER SAMPLES 11-6 CONDUCT SITE ASSESSMENT 11-E PERFORM SAHFLING AND Analysis II-F CALCULATE FINAL HRS II-A UPDATE WORK PLAN II-H PROJECT HANAGENENT TASK DESCRIPTION WASTE SAMPLES AIR SAMPLES TOTALS

5369.56	14979, 71	1190.33	16178.09
OVERHEAD=	SUPTOTAL:	FEE:	TOTAL FROJECT COST=

APPENDIX A
BIBLIOGRAPHY

APPENDIX A

BIBLIOGRAPHY

Harvey Newman and Son

- Drapeau, Norman (1981) Chief, Operations Section. Memo to NYSDEC Region 9, with attachments. March 18, 1981.
- New York State Museum and Science Service (1970). Geologic Map of New York, Niagara Sheet, Map and Chart Series No. 15.
- New York State Musuem and Science Service (1977). Quaternary Geology of New York, Niagara Sheet by E.H. Muller, Map and Chart Series No. 28.
- Niagara County DOH (1982). Niagara County Department of Health, Harvey Newman Site Summary, April 16, 1982.
- Niagara County DOH (1983). Report of Inspection of Property where Demolition Materials is located. July 13, 1983.
- Niagara County Refuse Disposal District (1981). Application for Septic Tank Cleaner and Industrial Waste Collector Registration, Region 9 copy. March 10, 1981.
- NYSDEC (1981A). Industrial Waste Collector Registration Form Continuation. February 4, 1981.
- NYSDEC (1981B). Industrial Waste Collector Registration Form Continuation. March 2, 1981.
- NYSDEC (1981C). Septic Tank Cleaner and Industrial Waste Collector Annual Report. March 11, 1981.
- United States Geological Survey, Topographic Maps. 7.5 Minute Series.

NCDOH (1952). Niagara County Department of Health, Harvey Newman Site Summary, April 16, 1932.

MANE OF SITE: Harvey Newman & Son

1. CATION: Shawnee Road, Niagara County

POPPENT CHNER: Harvey Newman

HISTORY

This site is used by Mr. Newman as a stockyard, with various grades of fill stored on-site for resale. The site is not a disposal site.

In March, 1981, Mr. Newman was permitted to haul iron and zinc phosphate sludge from Roblin Steel to the Niagara County Refuse Disposal District.

The Interagency Task Force Report indicates that iron and zinc phosphate sludge from Roblin Steel were deposited on-site. Also, the report mentions that the site was a possible fuel oil dump.

INVESTIGATION

Turing our sampling of the site, we observed iron oxide scale stored at the site for resale. There was no evidence of iron and zinc phosphate sludges. Also, on site was various grades of fill material.

Mr. Nowman was permitted to haul industrial waste material from Roblin Steel to Miagara County Refuse Disposal. These materials as indicated on the permit are rolling mill scale, lime and phosphate sludge, cooling pond scale, and refractory material.

The site was sampled at five different locations. Sites 2-5 were sampled from existing drainage swales as indicated on the reference map. The following Firameters were tested: (water) heavy metals, (soil) metals, and THO organics. Conducted at Site I was a soil sample tested for metals and THO organics at the outfall of an existing drain pipe believed to be serving the stockyard site.

SOIL AND GEOLOGICAL INFORMATION

The site is classified as poorly drained soils having a fine texture or moderately fine textured subsoil that is dominately reddish in color, helonging to the Odessa-Lakemont Ovid series.

The Classa silty clay loam has slopes of 0 to 2 at this site. This site is south of the limestone escarpment, which were areas that were occupied by glacial lakes.

Most commonly included with this oil in mapping are areas of Lakemont soils in depressions or along drainageways, of Schoharie and Cayuga soils on ridges or knolls, and of Churchville soils where the lake deposits are moderately deep ever glacial till. Seddish colored silt is between depth of about 2 and 4 feet. This site has a silt leam surface layer cap of 10 to 12 inches thick.

The Salina rock at this site was formed during the Upper Silurian Period of the Paleozoic Era. Its characteristics are indifferentiated gypsiferous shale, domoite, principally Camillus Shale. The Camillus shale extends across Eric County in an east-west trending belt approximately six to eight miles wide. This belt is largely lowland in which outcrops are rare. The Camillus shale at the site is a massive gray magnesium-lime mudrock.

SAMPLE ANALYSES

Soil samples were taken from all five stations and analyzed for metals and THO. Water samples were taken for stations 2-5 and analyzed for metals.

DISCUSSION OF RESULTS

Drainage swales which encompass the noted Harvey Newman site were sampled and analyzed for metals and THO.

The test results did not confirm the presence of any unusually high concentrations of metals.


RFCOMMENDATIONS

This site appears to be a storage area for various materials which are not hazardous. No further sampling should be conducted.


HARVEY NEWMAN - Water Analyses

		SAMPLE IDENTIFICATION (Station *)			
COMPOUND	UNITS OF MEASURE	(2)	<u>(3)</u>	(4)	<u>(5)</u>
Arsenic	ug/l	· < 6	< 6	〈 6	· <6
Beryllium	mg/l	<0.01	<0.01	<0.01	<0.01
Cadmium	mg/l	0.006	< 0.005	<0.005	0.006
Chromium	mg/l	< 0.006	<0.006	<0.006	<0.006
Copper	mg/l	0.020	<0.01	<0.01	<0.01
Lead	mg/l	0.11	0.05	0.07	40.04
Mercury	ug/l	<i>ل</i> ا	\1 1	< 1	<1
Nickel	πg/1	<0.03	(0.03	<0.03	<0.03
Selenium	ug/l	<6	< 6	< 6	(6
Silver		<0.01	· <0.01	(0.01	<0.01
Thallium	mg/l	<0.1	<0.1	40.1	<0.1
	mg/1	40.2	(0.2	<0.2	<0.2
Antimony Zinc	mg/l	0.039	0.167	0.057	0.044

		UNITS OF	•	SAMPLE IDENTIFICATION (Station #			
j	PARAMETER	MEASURE	(1)	(2)	(3)	<u>(4)</u>	<u>(5)</u>
	Arsenic	ug/g dry	3.9	. 5.6	6.7	19	3.9
	Beryllium	ug/g dry	40.6	<0.5	\2	<0.6	<0.5
	Cadmium	ug/g dry	1.5	0.55	1.5	0.840	2.1
	Chromium	ug/g dry	15	8.4	15	13	12
	Copper	ug/g dry	69	26	39	42	44
	Lead	ug/g dry	55	36	58	45	47
	Mercury	ug/g dry	<0.09	<0. 08	<0.1	4.1	<0.1
	Nickel	ug/g dry	36	20	35	29	38
	Selenium	ug/g dry	1.1	ζ0 . 4	1.1	⟨०.6	<0.6
	Silver	ug/g dry	ζ0 . 6	<0.5	<2	Q.6	<0.5
	Thallium	ug/g dry	` <6	< 5	\20	46	\ 5
	Antimony	ug/g dry	<i>(</i> 10	4	<30	<10	210
	Zinc	ug/g dry	130	120	260	240	240
	Dry Weight	%	56	54	32	31	32
3	Halogenated Organic Scan	ug/g dry as C Lindane Stand	12 0.97	0.53	1.5	1.3	1.9



Harvey Neuman & SON Town of Wheat Inda Tiegara County



	,		Code Activity
		MIAGARA COUNTY	Code Location
•		DEPARTMENT OF HEALTH	Service Request No.
\mathbf{O}			Date Received Complaint
Service F	₹eque	st Inspection of Property Where Dem	Lition Midwall boots
Ciginato	of of	Complaint Address Address 703	0 X/210712 Rd W/201/6/2)
C cupan	τ	Address	(692-6253)
Date H	ours	REPORT OF INVESTIG	ATION
3+8	1	Min writer (alled) We Newman	
1 ,	20	pile of material in our Time	
	9:00	Was selling the millerale to	
			Us The being Ro Slow
		right mow there's had no	
		millosolo until a huna con	ner plane. Mr. Newman
		Stated that the millocole by	so hely storas on
_ 3		the prosent for 16 to 24.	es. Mow.
			177
		•	1. Fandrian
			0
<u> </u>			
	·		
9			
	i		


Date Abated By


NIAGARA COUNTY

Code	Activity
Code	Location

	DEPARTMENT OF HEALTH Service Request No.
) .	Date Received Complaint
ic Requ	est Ingletion of Ruperty Where Deridition Mitrial is located.
inator pl	Complaint Address Address
	Address 7230 Strumer ld. Whestfuld
ייי זענליד	Address 692-6,253
Hours	REPORT OF INVESTIGATION
3	This writer went to Mr. New man's reduced but found
3:15	no bu home of this time. I proceeded to make on
· m·	observation of the type of natural that is heing stoud
ļ. <u>.</u>	on the property.
	Most of what I saw of the site consisted of
<u> </u>	Usicoun sind pila of gitter broken up give of consultor
<u> </u>	small (5'x 5'x 2'high) piles of asphalt chinks
	Charles the state of the state
1 .	home of the state
	a powere moterial parter like sand in texture
	This pile was probable 25 long by 25 winds his 15 high
-	I will the to Contact his New man tolling
	out exactly what the material is @ where did to come
	from 3) what he is using the motor in for.
-	
	A and y can
£ 3	This writer called Mr. nowmen's tello have an her
10:35	Just writer called Mr. Monarie Tologhouse Munter
7. m.	1 happing
	The state of the s
M. M.	(allas) Mr. nowman's tele. # - no and user.
)	- Londrian
- T. C.	


Date Abated By






GEOLOGIC MAP OF NEW YORK 1970

Niagara Sheet



CONTOUR INTERVAL 100 FEET

YORK, NIAGARA SHEET OF NEW YORK, NIAGARA SHEET by Ernest H. Muller



MAP DATA SOURCES

- 1. Bartolomucci, Henry A., 1968, A sedimentological study of the Niagara Falls Moraine. S.U.N.Y. Buffalo, M.A. thesis, 76p.
- 2. Blackmon, Paul, 1956, Glacial geology of the East Aurora, New York Quadrangle. Univ. of
- Beauty and a divide a mission of the upland glacial drift border in continuen Cattarau-
- 10. Karrow, P.F., 1963, Pleistocene geology of the Mines, Geol. Rep. 16, 68p. and Map 2033.
- 11. Kindle, E.M. and F.B. Taylor, 1913, Description Atlas Folio 190, 25p.
- 12. Leverett, Frank, 1902, Glacial formations and draiting to the Marketin 41, 8020.

APPENDIX B

NYS REGISTRY FORM

-1-13-11(4/00)

HAZARDOUS WASTE DISPOSAL SITES REPORT NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION

Code:	
Site Code: 932062	
Name of Sita: Harvey Newman & Son	Region: 9
County: Niagara	Town/City_Wheatfield
Street Address 7230 Shawnee Road	
Status of Site Narrative:	
This is not a disposal site. Mr. Newman stawith no burial. No chemical wastes are hauservice from various plant sites to permitt Roblin Steel is being stored on site until	led to the site. He does run a trucking ed landfill sites. Mill scale from
Structure	nt Pond(s)
Estimated Size 20 Acres	
Hazardous Wastes Disposed? Confirmed	Suspected 🐷
*Type and Quantity of Hazardous Wastes:	
TYPE	QUANTITY (Founds, drums, cons
Iron oxide scale	gallons) 350 cubic yards (estimate)
Tion oxide scare	550 cmic yards (estimate)
	*Action Annual Control of the Contro
* Use additional sheets if more space is a	needed.

Name of Current dwner of Site: Harvey Newman
Address of Current Owner of Site: North Tonawanda
Time Period Site Was Used for Hazardous Waste Disposal:
. 19 49 To, 19 80_
Is site Active X Inactive (Site is inactive if hazardous wastes were disposed of at this site and site was closed prior to August 25, 1979)
Types of Samples: Air / Groundwater / None / Surface Water X Soil X
Remedial Action: Proposed Under Design Completed Nature of Action:
Status of Legal Action: None State State Federal Federal
Permits Issued: Federal Local Government SPDES Other
Assessment of Environmental Problems:
No obvious threat to environment.
Assessment of Health Problems:
Unknown.
Persons Completing this Form:
John Kubarewicz
New York State Department of Environmental New York State Department of Health Conservation
Data August 24, 1983

N. Y. S. D. S. C.